

CATALOGUE
OF THE
FAMILY-GROUP, GENUS-GROUP
AND
SPECIES-GROUP NAMES
OF THE
RIODINIDAE & LYCAENIDAE
(LEPIDOPTERA) OF THE WORLD

Charles A. Brisson

CATALOGUE
OF THE
FAMILY-GROUP, GENUS-GROUP
AND
SPECIES-GROUP NAMES
OF THE
RIODINIDAE & LYCAENIDAE (LEPIDOPTERA)
OF THE WORLD

Charles A. Bridges

CATALOGUE
OF THE
FAMILY-GROUP, GENUS-GROUP
AND
SPECIES-GROUP NAMES
OF THE
RIODINIDAE & LYCAENIDAE (LEPIDOPTERA)
OF THE WORLD

Charles A. Bridges

31 December 1994

The camera-ready copy was produced on an Apple Laser Writer® II NT Page Printer connected to a Sun® 3/180 computer running the Unix® operating system. The text was prepared using the PTROFF text processing program and the ME macro package to process files of pseudo-text (text interspersed with command lines and control codes) prepared by the author. The book was designed, set and printed by the author and bound by the Lincoln Bookbindery, Urbana, Illinois.

**CATALOGUE OF FAMILY-GROUP, GENUS-GROUP AND SPECIES-GROUP
NAMES OF THE RIODINIDAE & LYCAENIDAE (LEPIDOPTERA) OF THE WORLD**

ISBN *unavailable*

© 1994 by Charles A. Bridges. All rights reserved. This book is protected by copyright. No part of it may be reproduced, stored in a retrieval system, or transmitted in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without written permission from the publisher.

Price (including postage): \$130.00 in North America, \$135.00 elsewhere.

Published by, and available from:

Charles A. Bridges
502 W. Main St., #308
Urbana, Illinois
USA 61801

CATALOGUE
OF THE
FAMILY-GROUP, GENUS-GROUP
AND
SPECIES-GROUP NAMES
OF THE
RIODINIDAE & LYCAENIDAE (LEPIDOPTERA) OF THE WORLD

by

Charles A. Bridges

ABSTRACT

Notes on the names of the Riodinidae & Lycaenidae are arranged in a **thirteen-part catalogue**. **Part I** is an alphabetic list of the Type-Genera of the Family-Group names. **Part II** is a synonymic list of the Family-Group names. **Part III** is an index to the authors and bibliography of the Family-group names. **Part IV** is an alphabetic list of the Genus-Group names, including data on authorship, place of publication, type-species, method of type-species designation and position in the classification. **Part V** is a synonymic list of the Genus-Group names. **Part VI** is an index to the authors and bibliography of the Genus-Group names. **Part VII** is an alphabetic index to the Type-Species of the Genus-Group names. **Part VIII** is an alphabetic list of the Species-Group names, including data on authorship, place of publication, type locality, location of type specimens and classification. **Part IX** is a synonymic list of the Species-Group names. **Part X** is an index to the authors and bibliography of the Species-Group names. **Part XI** is the bibliography, including information on the author's place and date of birth and death, and on the whereabouts of their collections. **Part XII** is an index to the bibliography by journal title, including the full titles of the journals and serials, and information on their places and dates of publication. **Part XIII** is an index to the bibliography by year of publication. **Appendix I** is a list of Genus-Group names that need additional research. **Appendix II** is a list of Species-Group names that need additional research. **Appendix III** is a list of Bibliography citations that need additional research.

The arrangement of the names is based entirely on bibliographic references. No specimens have been examined, and no new names are introduced.

INTRODUCTION

Zoological nomenclature is the system of scientific names applied to taxonomic units of animals, while the International Code of Zoological Nomenclature is the system of rules and recommendations governing the use of these names at the family-group, genus-group and species-group levels. It is consistent with the code to say that names may be objectively classified as either **available** or **unavailable**, the determination depending on the details of publication, etc. The **available** names may be further divided into **objectively valid** and **objectively invalid** names, and, in accordance with the Code, only the **objectively valid** names may be used for naming taxa.

GENUS-GROUP NAMES

In addition to the above **objective** classification of names, the **objectively valid** Genus-Group names may be further subjectively classified according to their use as names of genera, subgenera or unused synonyms. When a name is used for a generic- or subgeneric-level taxon it is said to be validated at the generic- or subgeneric-level, while if it is considered to apply to a taxon which has an older valid name, it is said to be invalidated as a junior subjective synonym.

In this catalogue the genus-group names are assigned one of the five letter codes [a-e] according to their status as **available/unavailable**, **objectively valid/invalid**, and depending on their use as the name for a genus, subgenus, or as an unused synonym, as defined by the following table.

Letter code	Nomenclatural status (objective)	Subjective use	Print	Indentation (in Part V)	Number of names
a	Available, Valid	Genus	Bold	1 em	609
b	Available, Valid	Subgenus	Bold	2 em	58
c	Available, Valid	Synonym	Bold	3 em	142
d	Available, Invalid	Unused	Light	4 em	156
e	Unavailable	Unused	<i>Italics</i>	5 em	230

DATA ON SUBGENERA

The following table shows how subgenera are employed.

Subgenera	1	2	3	4	5	6	7	8 or more
Genera	589	11	4	0	2	0	0	0

Introduction

SPECIES-GROUP NAMES

Like the Genus-Group names, the **objectively valid** Species-Group names may be further subjectively classified according to their use as names of species, subspecies or unused synonyms. When a name is used for a species- or subspecies-level taxon it is said to be validated at the species- or subspecies-level, while if it is considered to apply to a taxon which has an older valid names, it is said to be invalidated as a junior subjective synonym.

In this catalogue the species-group names are assigned one of the five letter codes [a-e] according to their status as **available/unavailable**, **objectively valid/invalid**, and depending on their use as the name for a species, subspecies, or as an unused synonym, as defined by the following table.

Letter code	Nomenclatural status (objective)	Subjective use	Print	Indentation (in Part IX)	Number of names
a	Available, Valid	Species	Bold	1 em	6261
b	Available, Valid	Subspecies	Bold	2 em	4702
c	Available, Valid	Synonym	Bold	3 em	2883
d	Available, Invalid	Unused	Light	4 em	277
e	Unavailable	Unused	<i>Italics</i>	5 em	3417

DATA ON SUBSPECIES

The following table shows how subspecies are employed.

Subspecies	1	2	3	4	5	6	7	8 or more
Species	4552	798	368	191	103	73	39	137

BASIC LITERATURE

Journal titles have been checked in the *World List of Scientific Periodicals*, [b5038], and this data is included in Part XI. Bibliographic information on the authors has been found in Gilbert, 1958 (*A Compendium of the Biographical Literature on Deceased Entomologists*, [b1946]), Carpenter, 1945 & 1953 (*Bibliography of Biographies of Entomologists*, [b0717 & b0718]), Horn and Schenkling, 1928 (*Index Litteraturae Entomologicae, Serie I*, [b2456]) and Derksen and Scheiding-Göllner, 1965 (*Index Litteraturae Entomologicae, Serie II* [b1203]). The basic list of names was taken from various sources, and supplemented by study of the Zoological Record, which has been greatly aided by the index compiled by Beattie, 1976 (*Rhopalocera Directory* [b0276]).

The task of building up the bibliography has been greatly aided by using, in addition to the above, Moulds, 1977 (*Bibliography of the Australian Butterflies* [b3256]), Field, dos Passos & Masters, 1974 (*A Bibliography of the Catalogs, Lists, Faunal and Other Papers of the Butterflies of North America North of Mexico Arranged by State and Province* [b1739]), and Kudrna, 1986 (*Butterflies of Europe, Volume 1. Concise Bibliography* [b2857]). Finally, much useful information about the literature has been gained by study of the catalogues of Wheldon & Wesley [b4994].

LEPIDOPTERA - RIODINIDAE & LYCAENIDAE

PUBLICATION DATES OF GENUS-GROUP AND SPECIES-GROUP NAMES

The 10th edition of Linnaeus' *Systema Naturae* [b2993] marks the beginning of the consistent general application of binomial nomenclature in zoology. The date 1 January 1758 is arbitrarily assigned to that work, and taken as the starting point of zoological nomenclature. The following tables give the number of names published in each 10-year interval from 1758 to the present. The data are broken down according to the nomenclatural status of the names, represented by the status codes [a-e], as previously defined.

Table V - Publication Date of Genus-Group Names					
YEARS /status code	a	b	c	d	e
1758-1767	0	0	0	1	0
1768-1777	0	0	0	0	0
1778-1787	0	0	0	0	0
1788-1797	0	0	0	0	0
1798-1807	12	0	0	8	0
1808-1817	0	3	0	5	2
1818-1827	57	3	10	21	7
1828-1837	15	0	14	11	9
1838-1847	13	0	4	3	8
1848-1857	26	0	3	4	12
1858-1867	27	0	8	12	8
1868-1877	36	0	14	11	20
1878-1887	52	3	14	7	11
1888-1897	59	9	13	21	14
1898-1907	28	3	10	15	15
1908-1917	52	2	19	12	13
1918-1927	15	4	2	9	13
1928-1937	16	3	7	6	10
1938-1947	24	3	5	4	1
1948-1957	15	1	3	0	10
1958-1967	25	6	8	1	32
1968-1977	21	4	1	1	24
1978-1987	36	11	1	2	16
1988-1994	79	3	6	2	5

Table VI - Publication Date of Species-Group Names					
YEARS /status code	a	b	c	d	e
1758-1767	39	0	7	3	1
1768-1777	120	3	39	27	5
1778-1787	97	9	93	28	18
1788-1797	78	4	36	14	5
1798-1807	15	3	18	16	0
1808-1817	12	2	6	1	0
1818-1827	77	12	72	9	6
1828-1837	90	20	39	5	8
1838-1847	36	12	25	3	61
1848-1857	217	45	87	7	12
1858-1867	580	119	118	7	14
1868-1877	699	162	207	17	122
1878-1887	507	256	228	18	26
1888-1897	567	323	306	15	111
1898-1907	454	280	203	16	402
1908-1917	544	1031	586	27	881
1918-1927	306	437	284	21	534
1928-1937	218	414	157	22	348
1938-1947	163	321	141	6	330
1948-1957	196	220	90	3	138
1958-1967	316	278	44	3	131
1968-1977	191	277	46	4	38
1978-1987	263	286	37	3	156
1988-1994	475	187	11	2	67

MUSEUMS WITH TYPE SPECIMENS

The following list gives data on the location of type specimens, taken from various sources. Since only 6054 entries in the catalogue include information about the type specimen, it can be seen that the table is far from complete. Acronyms for museum names have, in general, been taken from Heppner and Lamas, 1982 (*Acronyms for World Museum Collections of Insects, with an Emphasis on Neotropical Lepidoptera*, [b2305]) or from Arnett, Samuelson and Nishida, 1993 (*The Insect and Spider Collections of the World*, [b0134]).

AM	17	Australian Museum, Sydney
AME	213	Allyn Museum of Entomology, Florida State Museum, Sarasota, Florida.
AMNH	265	American Museum of Natural History, New York
ANIC	30	Australian National Insect Collection, Canberra
BBMH	1	Bernice P. Bishop Museum, Honolulu
BLXU	5	Biological Laboratory of Xinjian University, China
BMNH	2941	British Museum (Natural History)
Cairo	1	-
CAS	22	California Academy of Sciences, San Francisco, California.
CIS	1	California Insect Survey, University of California, Berkeley
CM	130	Carnegie Museum of Natural History, Pittsburgh
CMN	1	Corydon Museum, Nairobi
CNC	29	Canadian National Collection, Ottawa, Ontario
CNCH	2	Cuban Nation Collection, Havana
CU	2	Cornell University, Ithaca
DEUU	1	Department of Entomology, University of Uppsala
DM	16	Durban Museum
DMNH	1	Denver Museum of Natural History
DSZUA	9	Department of Systematic Zoology, University of Ankara
EIHU	14	Entomological Institute, Hokkaido University, Sapporo
ELKU	7	Entomological Laboratory, Kyushu University
FAKU	3	Faculty of Agriculture, Kyushu University, Fukuoka
FMLT	19	Fundación Miguel Lillo, Tucumán
FMNH	18	Field Museum of Natural History, Chicago
HNHM	1	Ungar National Museum, Budapest
IBASN	1	Institute of Biology, Academy of Science, Novosibirsk
IBP	1	Institute of Biology and Pedology, Vladivostok
IML	1	Same as FMLT
IRSN	1	Institut Royal de Sciences Naturelles, Brussels.
IZAS	1	Institute of Zoology, Academia Sinica.
KIUH	1	Same as KUCGE
KMNH	1	Kitakyushu Museum of Natural History, Japan
KUCGE	2	Kyushu University, Fukuoka
LACM	23	Natural History Museum of Los Angeles County
LC	3	Linnaean Collection, London
LNK	1	Landessammlungen für Naturkunde, Karlsruhe
Madrid	1	Museo Nacional de Ciencias Naturales, Spain
MAC	1	Same as MRAC
MACN	3	Museo Argentino de Ciencias Naturales, Buenos Aires
MAK	3	Zoologisches Forschungsinstitut und Museum Alexander Koenig, Bonn
MC	8	Museu de Catalunya, Barcelona, Spain
MCNB	1	Probably the same as MC
MCZ	54	Museum of Comparative Zoology, Harvard University
MHNCM	4	Museo de Historia Natural de la Ciudad de México
MHNG	1	Musé d'Histoire Naturelle de Geneve.
MNBA	1	Museo Nacional de Buenos Aires
MNHM	1	Should be MNHN
MNHN	180	Museum Nationale d'Histoire Naturelle, Paris
MNHNC	3	Museo Nacional de Historia Natural, Chile
MNRJ	4	Museu Nacional Rio de Janeiro
MP	7	Museu Paulista, Sao Paulo, Brazil (MZSP)
MPM	14	Milwaukee Public Museum
MRAC	19	Musée Royal de l'Afrique Centrale, Tervuren
MRCB	9	Musée Royal du Congo Belge
MT	10	Same as MRAC
MUSM	3	?

LEPIDOPTERA - RIODINIDAE & LYCAENIDAE

MZS	233	Museo Zoologico de la Specola, Florence.
MZSP	3	Museu de Zoologia, Universidade de Sao Paulo
NHMR	5	Naturhistorisch Museum at Rotterdam
NMB	28	Naturhistorisches Museum, Basel, Switzerland
NMI	1	National Museum of Ireland, Dublin, Eire.
NMN	4	National Museum, Nairobi
NMR	1	National Museum of Rhodesia, Bulawayo
NMSA	1	?
NMW	3	Same as NHMV
NR	1	?
NRH	1	?
NRS	5	Naturhistoriska Riksmuseet, Stockholm
NSM	1	Nevada State Museum
NSMT	27	Nation Science Museum, Tokyo
NTUIM	1	National Taiwan University, Taipei
NYSM	1	New York State Museum, Albany
OMNH	40	Osaka Municipal Museum of Natural History, Osaka
OSU	2	Ohio State University
QM	8	Queensland Museum
RIEB	2	Research Institute of Evolutionary Biology, Tokyo
RNH	35	Rijksmuseum van Natuurlijke Historie, Leiden, Netherlands
RSM	1	Royal Scottish Museum, Edinburgh
SAM	3	South Australian Museum, Adelaide
SAMCT	1	South African Museum, Cape Town
SDM	3	San Diego Natural History Museum, San Diego
SMF	33	Senckenbergische Naturforschende Gessellschaft Natur-Museum
SMNF	1	?
SMT	68	Staatliches Museum für Tierkunde, Dresden
TM	10	Transvaal Museum, Pretoria, South Africa
UFP	1	Departamento de Zoologia da Universidade Federal do Paraná, Brazil
UMBC	2	?
UMCE	12	Universida Metropolitana de Ciencias de la Educación, Chile
UMO	22	University Museum, Oxford
UNAM	1	Universidad Nacional Autónoma de México (MHNCN?)
USNM	239	National Museum of Natural History, Smithsonian Institution, Washington, D.C.
UZIU	10	Universitets Zoologiska Institut, Uppsala
ZIL	6	Zoological Institute of the U.S.S.R. Academy of Sciences, Leningrad
ZMA	1	Zoologisch Museum, Amsterdam
ZMC	37	Zoological Museum of Copenhagen
ZMHU	291	Zoologische Museum der Humboldt Universität, Berlin, East Germany
ZMKU	5	Zoological Museum, Institue of Zoology, Kiev.
ZMMU	10	Zoological Museum of Moscow University
ZSBS	26	Zoologische Sammlung des Bayerischen Staates, Munich
ZSI	27	Zoological Survey of India, Calcutta
biblio	133	Based on bibliographic reference
destroyed	15	Type is known to have been destroyed
lost	32	Type is known to have been lost or destroyed
pc	504	Type is in a private collection

SPELLING

The species-group names are spelled, in general, in the same way as they were spelled in the original descriptions. No attempt has been made to correct the termination of Latin or latinized adjectival or participial species-group names to agree in gender with the generic names they are currently associated with.

ACKNOWLEDGEMENTS

Access to resources:

Donald M. Bitzer; Michael Walker

Correspondence on the Nomenclature and Bibliography of the Butterflies:

Frederick Martin Brown; Zsolt Bálint; Harry Kendon Clench; Leonard Edgar Couchman; Charles Francis Cowan; Julian P. Donahue; Edward David Edwards; John Nevill Eliot; Clifford D. Ferris; William Dewitt Field; Pamela Gilbert; David Lawrence Hancock; Hisakazu Hayashi; Toahiya Hirowatari; Kurt Johnson; Ahmet Omer Koçak; Otakar Kudrna; Gerardo Lamas; Kiyoshi Maruyama; Jacqueline Y. Miller; Lee Denmar Miller; Scott E. Miller; Shû-iti Murayama; Yuri Pavlovich Nekrutenko; Stanley S. Nicolay; Masao Okano; Shilo Osada; C. D. Quickelberge; John Edward Rawlins; Robert Kanner Robbins; Oakley Shields; Takashi Shirôzu; Yusuke Takanami; Ken Thorne and David M. Wright;

Translation:

Bruce Arne Sherwood; Kumi Tatsuoka

University of Illinois Library Staff:

Elizabeth Davis (Biology Library); Carla G. Heister (Natural History Survey Library); Ruby Jahr (Biology Library); Monica L. Lusk (Natural History Survey Library); Yasuko Makino (Oriental Library); Mitsuko Williams (Biology Library);

University of Illinois Lincoln Trail Libraries System

Bibliographic Center:

Pat Turnbull

DEDICATION

Charles Francis Cowan
&
John W. Evans

Charles A. Bridges
Urbana, Illinois
25 December 1994

PART I
TYPE-GENERA OF FAMILY-GROUP NAMES

INTRODUCTION

In this section the Type-genera of the Family-group names are arranged in alphabetic order. Each name is cross-referenced to the position(s) of the Family-group names in the Synonymic List (Part II).

ABBREVIATIONS

The following abbreviations are used in this section.

FG	Family-group
Ref.....	References
OD.....	Original Description
Syn. List.....	Synonymic List

- Abisara** Felder and Felder, 1860 **FG Author:** Stichel, 1928 **OD:** Tierreich 51:57 (as Abisarini) [b4469] [Syn. List: #9] [Ref: b0797 (as Abisarina); b3582 (as Nemeobiinae); b0826]
- Amblypodia** Horsfield, [1829] **FG Author:** Doherty, 1886 **OD:** J. asiat. Soc. Bengal, Pt II 55(2):110 (as Amblypodiiinae) [b1298] [Syn. List: #60] [Ref: b0797; b1559; b0276; b3238 8:126; b1298]
- Ancyluris** Hübner, [1819] **FG Author:** Stichel, 1910 **OD:** Gen. Insectorum 112A:91 (as Ancyluridi) [b4446] [Syn. List: #19] [Ref: b0797; b2221]
- Aphnaeus** Hübner, [1819] **FG Author:** Distant, 1884 **OD:** Rhop. malayana :196 (as Aphnaria) [b1285] [Syn. List: #69] [Ref: b1559; b1943; b3238 9:156]
- Arhopala** Boisduval, 1832 **FG Author:** Bingham, 1907 **OD:** Fauna Brit. Ind., Butts 2:284 [b0423] [Syn. List: #57] [Ref: b1559]
- Baeotis** Hübner, [1819] **FG Author:** Stichel, 1910 **OD:** Gen. Insectorum 112A:139 (as Baeotini) [b4446] [Syn. List: #21] [Ref: b0797; b4474]
- Biduanda** Distant, 1884, 1881-1886 **FG Author:** Swinhoe, 1910, 1909-1913 **OD:** In Moore, Lep. Ind. 8:111; 9:184 (1911) [b4575] [Syn. List: #67] [Ref: b3238]
- Brephidium** Scudder, 1876 **FG Author:** Gifford, 1965, (NN) **OD:** Butts Malawi :58 [b1943] [Syn. List: #87] [Ref: b1943 :58]
- Callophrys** Billberg, 1820 **FG Author:** Tutt, [1907], 1905-1914 **OD:** Nat. Hist. Br. Butts 2:86 (as Callophryidi) [b4760] [Syn. List: #77] [Ref: b4760]
- Candalides** Hübner, [1819] **FG Author:** Eliot, 1973 **OD:** Bull. Br. Mus. nat. Hist. (Ent.) 28(6):442 [b1559] [Syn. List: #84]
- Catapaecilma** Butler, 1879 **FG Author:** Eliot, 1973 **OD:** Bull. Br. Mus. nat. Hist. (Ent.) 28(6):432 [b1559] [Syn. List: #61] [Ref: b1559]
- Celastrina** Tutt, 1906 **FG Author:** Tutt, [1907], 1905-1914 **OD:** Nat. Hist. Br. Butts 2:327,378 (as Celastrinidi) [b4760] [Syn. List: #88] [Ref: b4760]
- Charis** Hübner, [1819] **FG Author:** Stichel, 1911 **OD:** Gen. Insectorum 112B:247 (as Charitini) [b4447] [Syn. List: #25] [Note: Based on a misidentified type-genus. Stichel considered *Papilio gyas* Fabricius to be the type of *Charis*. That species is the type of *Sarota*.] [Ref: b0797; b4447]
- Chenitra** Moore, 1881 **FG Author:** Swinhoe, 1910, 1909-1913 **OD:** In Moore, Lep. Ind. 8:11 (as Cheritriinae), 9:197 (1911) [b4575] [Syn. List: #66] [Ref: b1559; b0276]
- Chrysophanus** (nec Hübner, 1818) **Auctorum** **FG Author:** Scudder, 1889, (RC) **OD:** Butts E. United States & Canada (2)(6):797 [b4088] [Syn. List: #80; #81] [Note: Based on a misidentified type-genus.] [Ref: b2530 (Op 541, L 287); b3238 (8:90)]
- Corrachia** Schaus, 1913 **FG Author:** Stichel, 1928 **OD:** Tierreich 51:289 (as Corrachidi) [b4469] [Syn. List: #13] [Ref: b0797]
- Cupido** Schrank, 1801 **FG Author:** Tutt, [1907], 1905-1914, (ICZN-210) **OD:** Nat. Hist. Br. Butts 2:327 [b4760] [Syn. List: #90; #91] [Ref: b0276; b2528 (Op 503, L 210 or 251)]
- Curetis** Hübner, [1819] **FG Author:** Distant, 1884 **OD:** Rhop. malayana :196 (as Curetaria) [b1285] [Syn. List: #51] [Ref: b0797; b1559; b3238]
- Cyaniris** Dalman, 1816 **FG Author:** Tutt, [1907], 1905-1914 **OD:** Nat. Hist. Br. Butts 2:327 [b4760] [Syn. List: #89]
- Deudorix** Hewitson, 1863 **FG Author:** Doherty, 1886 **OD:** J. asiat. Soc. Bengal, Pt II 55(2):110 (as Deudoriginae) [b1298] [Syn. List: #73] [Ref: b1559; b3238 9:13; b1559; b1298]
- Durbania** Trimen, 1862 **FG Author:** Clench, 1955 **OD:** Ann. Carn. Mus. 33(16):265 (as Durbaninae) [b0826] [Syn. List: #40] [Ref: b1559 (as Durbania section)]
- Emesis** Fabricius, 1807 **FG Author:** Stichel, 1911 **OD:** Gen. Insectorum 112B:259 (as Emesini) [b4447] [Syn. List: #27] [Ref: b0797]
- Epitola** Westwood, [1851] **FG Author:** Jackson, 1962 **OD:** Bull. Br. Mus. nat. Hist. (Ent.) 12(3):125 (as Epitolinae) [b2562] [Syn. List: #37] [Ref: b2563; b0276; b1943]
- Erycina** Fabricius, 1807, (H) **FG Author:** Swainson, 1827 **OD:** Phil. Mag. (2)1(3):184-185 [b4550] [Syn. List: #3] [Note: The name is based on a homonym. It has been replaced by *Riodinidae*.] [Ref: b1043; b1298; b2793]
- Eumaeus** Hübner, [1819] **FG Author:** Doubleday, 1847, 1844-1848 **OD:** List Spec. lep. Ins. Brit. Mus. (2):20 (as Eumaeidae) [b1327] [Syn. List: #76] [Ref: b0797 (as Eumaeina); b1559; b0276; b4270 :263; b1043]
- Eurybia** [Illiger], 1807 **FG Author:** Stichel, 1910 **OD:** Gen. Insectorum 112A:24 (as Eurybiidi) [b4446] [Syn. List: #17] [Ref: b0797; b2221; b4446]
- Eurygona** Boisduval, 1836 **FG Author:** Bates, [1868] **OD:** J. linn. Soc. Lond., Zool. 9:420 (as Eurygoninae) [b0267] [Syn. List: #11] [Ref: b2747; b0276]
- Euselasia** Hübner, [1819] **FG Author:** Kirby, 1871 **OD:** Syn. Cat. diurn. Lep. :294 (as Euselasiinae) [b2747] [Syn. List: #12] [Ref: b0826]
- Everes** Hübner, [1819] **FG Author:** Tutt, [1907], 1905-1914 **OD:** Nat. Hist. Br. Butts 2:327 (as Everidi); [b4760] [Syn. List: #92] [Note: Everidi takes precedence over Cupidinidi.] [Ref: b2528 (Op 503, L 209); b3238 (as Everinae); b1559; b1943; b4760]
- Gerydus** Boisduval, 1836 **FG Author:** Doherty, 1886 **OD:** J. asiat. Soc. Bengal, Pt II 55(2):110 [b1298] [Syn. List: #44] [Ref: b0797; b0276; b3238 7:186; b1298]
- Glaucoopsyche** Scudder, 1872 **FG Author:** Hemming, 1931 **OD:** Trans. ent. Soc. Lond. 79(2):324 [b2239] [Syn. List: #93] [Ref: b2247; b0406]
- Hamearis** Hübner, [1819] **FG Author:** Clench, 1955 **OD:** Ann. Carn. Mus. 33(16):270 [b0826] [Syn. List: #7] [Ref: b0826]
- Helicopsis** Fabricius, 1807 **FG Author:** Stichel, 1928 **OD:** Tierreich 51:293 (as Helicopidi) [b4469] [Syn. List: #26] [Ref: b0797; b0826]
- Horaga** Moore, 1881 **FG Author:** Swinhoe, 1910, 1909-1913 **OD:** In Moore, Lep. Ind. 8:11, 9:1 (1911) (as Horaginae) [b4575] [Syn. List: #65] [Ref: b1559; b0276]
- Hypolycaena** Felder and Felder, 1862 **FG Author:** Swinhoe, 1910, 1909-1913 **OD:** In Moore, Lep. Ind. 8:11, 9:77 (1911) (as Hypolycaeninae) [b4575] [Syn. List: #72] [Ref: b1559]
- Hypothecla** Semper, 1890 **FG Author:** Eliot, 1973 **OD:** Bull. Br. Mus. nat. Hist. (Ent.) 28(6):433 [b1559] [Syn. List: #63] [Ref: b1559]
- Iolais** Hübner, [1819] **FG Author:** Riley, 1956 **OD:** Proc. 10th Int. Congr. Ent. 1:285 [b3784] [Syn. List: #70] [Ref: b1559]
- Iridana** Aurivillius, 1921 **FG Author:** Clench, 1965 **OD:** Butts. Lib. :306 [b0836] [Syn. List: #38] [Ref: b0276; b0836]
- Lachnocnema** Trimen, 1887 **FG Author:** Clench, 1955 **OD:** Ann. Carn. Mus. 33(16):266 (as Lachnocnemini) [b0826] [Syn. List: #48] [Ref: b1943 (as Thestorinae); b1559]
- Lampides** Hübner, [1819] **FG Author:** Tutt, [1907], 1905-1914 **OD:** Nat. Hist. Br. Butts 2:327 (as Lampididi); [b4760] [Syn. List: #94] [Ref: b4760; b4391; b0400; b1943; b0276]

- Lemonias** Hübner, [1807] **FG Author:** Kirby, 1871 **OD:** Syn. Cat. diurn. Lep. :282 (as *Lemoniidae*) [b2747] [**Syn. List:** #28] [**Ref:** b1149 (as *Lemoniidae*); b3232 (as *Lemoniidae*); b3238; b4088 (as *Lemoniinae*); b3155 (as *Lemoniinae*); b0276; b3238]
- Liphya** Westwood, [1864] **FG Author:** Doherty, 1889 **OD:** J. asiat. Soc. Bengal, Pt II 58(4):409 [b1301] [**Syn. List:** #42] [**Ref:** b0797; b1943; b1559; b1450; b3238 8:250]
- Liptena** Westwood, [1851] **FG Author:** Röber, 1892, 1888-1892, (ICZN-270) **OD:** In Staudinger & Schatz, Exot. Schmett. :262,277 [b3822] [**Syn. List:** #34; #36] [**Note:** Placed on Official List (#270) by Op 566.] [**Ref:** b0797; b3582; b1559; b1943; b2531; b0826; b0276]
- Loxura** Horsfield, [1829] **FG Author:** Swinhoe, 1910, 1909-1913 **OD:** In Moore, Lep. Ind. 8:11, 9:212 (1911) (as *Loxurinae*) [b4575] [**Syn. List:** #64] [**Ref:** b1559; b3238]
- Lucia** (nec Swainson, 1833) **Auctorum FG Author:** Reuter, 1896, (PD) **OD:** Acta Soc. Sci. fenn. 22(1):551 (as *Luciidi*) [b3725] [**Syn. List:** #49] [**Note:** Based on a misidentified type-genus.] [**Ref:** b1559; b1943]
- Lucia** Swainson, 1833 **FG Author:** Waterhouse & Lyell, 1914 **OD:** Butts Aust. :70, 111 (as *Lucinae*) [b4947] [**Syn. List:** #53] [**Ref:** b1559; b4947]
- Lycaena** Fabricius, 1807 **FG Author:** [Leach], [1815] **OD:** In Brewster, Edin. Ency. 9:129 (as *Lycaenida*) [b2950] [**Syn. List:** #1; #33; #79] [**Ref:** b4084 (as *Rurales*); b0797 (as *Lycaenae*, part); b0826 (as *Lycaenae*); b1943; b1040; b1043; b3238 8:1; b0540; b0807; b0261; b3582; b1559; b2057; b1298]
- Lycaenesthes** Moore, 1866 **FG Author:** Toxopeus, 1929 **OD:** Tijdschr. Ent. 72:218 (as *Lycaenestinae*) [b4700] [**Syn. List:** #83] [**Ref:** b1559]
- Lycaenopsis** Felder & Felder, [1865], 1865-1875 **FG Author:** Swinhoe, 1910, 1909-1913 **OD:** In Moore, Lep. Ind. 7:203 (as *Lycaenopsinae*) [b4575] [**Syn. List:** #95] [**Ref:** b3238]
- Marmessus** (nec Hübner, [1819]) **Auctorum FG Author:** Cowan, 1966 **OD:** Bull. Br. Mus. nat. Hist. (Ent.) 18(4):105 [b1012] [**Syn. List:** #68] [**Note:** Based on a misidentified type-genus] [**Ref:** b0276; b1012]
- Mesene** Doubleday, 1847, 1844-1848 **FG Author:** Stichel, 1910 **OD:** Gen. Insectorum 112A:210 (as *Mesenini*) [b4446] [**Syn. List:** #23] [**Ref:** b4474 (as *Mesenini*); b0797 (as *Musenina*)]
- Mesosemia** Hübner, [1819] **FG Author:** Bates, 1859 **OD:** Trans. ent. Soc. Lond. (2)5(1):4 (as *Mesosemiae*) [b0260] [**Syn. List:** #15] [**Ref:** b4474 :206]
- Miletus** Hübner, [1819] **FG Author:** Reuter, 1896 **OD:** Acta Soc. Sci. fenn. 22(1):551 (as *Miletidi*) [b3725] [**Syn. List:** #43; #45] [**Ref:** b0944; b1559; b0002]
- Mimacraea** Butler, 1872 **FG Author:** Stempffer, 1967 **OD:** Bull. Br. Mus. nat. Hist. (Ent.) Suppl. 10:268 [b4400] [**Syn. List:** #39] [**Ref:** b0276; b1943]
- Nemeobius** Stephens, 1827 **FG Author:** Bates, [1868] **OD:** J. linn. Soc. Lond., Zool. 9:412,(370) (as *Nemeobiinae*) [b0267] [**Syn. List:** #5; #6] [**Ref:** b0797; b4245; b3238 5:63; b2221]
- Neria** Boisduval, 1836 **FG Author:** Hopffer, 1869 **OD:** Stett. ent. Ztg 30:446 [b2444] [**Syn. List:** #32] [**Ref:** b2747]
- Niphanda** Moore, [1874] **FG Author:** Eliot, 1973 **OD:** Bull. Br. Mus. nat. Hist. (Ent.) 28(6):442 [b1559] [**Syn. List:** #85] [**Ref:** b1559]
- Nymphidium** Fabricius, 1807 **FG Author:** Bates, 1859 **OD:** Trans. ent. Soc. Lond. (2)5(1):4,9 (as *Nymphidiinae*) [b0260] [**Syn. List:** #29] [**Ref:** b0797; b0260]
- Ogyris** Westwood, [1851] **FG Author:** Waterhouse & Lyell, 1914 **OD:** Butts Aust. :70, 114 (as *Ogyrinae*) [b4947] [**Syn. List:** #58] [**Ref:** b0797; b1559; b3671]
- Oxyliides** Hübner, [1819] **FG Author:** Eliot, 1973 **OD:** Bull. Br. Mus. nat. Hist. (Ent.) 28(6):433 [b1559] [**Syn. List:** #62] [**Ref:** b1559]
- Pentila** Westwood, [1851] **FG Author:** Aurivillius, [1914], 1908-1925, (ICZN-271) **OD:** In Sietz, Grossschmett. Erde 13:298 [b0162] [**Syn. List:** #35] [**Note:** Dated as [1921] on Official List.] [**Ref:** b3582; b0826 (as *Pentiliinae*); b1559; b0276; b1943; b2531]
- Plebejus** Kluk, 1802 **FG Author:** Tutt, [1907], 1905-1914 **OD:** Nat. Hist. Br. Butts 2:327 (as *Plebeiidi*) [b4760] [**Syn. List:** #96] [**Ref:** b4366; b4760; b1943; b0276; b0410]
- Polyommatus** Latreille, 1804 **FG Author:** Swainson, 1827 **OD:** Phil. Mag. (2)1(3):187 (as *Polyommatidae*) [b4550] [**Syn. List:** #82; #86] [**Ref:** b1559; b1043; b2221; b2793; b0276]
- Poritia** Moore, [1866] **FG Author:** Doherty, 1886 **OD:** J. asiat. Soc. Bengal, Pt II 55(2):110 [b1298] [**Syn. List:** #41] [**Ref:** b1301; b0797; b1559; b3238 8:108; b1298]
- Remelana** Moore, 1884 **FG Author:** Eliot, 1973 **OD:** Bull. Br. Mus. nat. Hist. (Ent.) 28(6):437 [b1559] [**Syn. List:** #71] [**Ref:** b1559]
- Riodina** Westwood, [1851] **FG Author:** Grote, 1895, (1827), (ICZN-484) **OD:** Mitt. Roemer Mus. Hildesheim (1):[2],[4] [b2056] [**Syn. List:** #2; #14; #18; #20] [**Note:** Replacement name for *Erycinidae* Swainson, 1827. Awarded priority 1827, and placed on the official list by Opinion 1071, Bull. zool. Nomencl. 33(3/4):172-173.] [**Ref:** b0826; b0261 (as *Erycinidae*, part); b4084 (as *Erycinids* or *Vestales*); b0797; b3582; b1943 (as *Riodinidae*); b0507 (as *riodinid*); b1043; b2056; b2057; b2542; ns02154; b0826]
- Ruralis** Tutt, [1906] **FG Author:** Tutt, [1907], 1905-1914 **OD:** Nat. Hist. Br. Butts 2:86 [b4760] [**Syn. List:** #56] [**Ref:** b0276; b4760]
- Sarota** Westwood, [1851] **FG Author:** **OD:** [**Syn. List:** #24] [**Note:** Replacement name for *Charitini* Stichel, 1911]
- Scolitantides** Hübner, [1819] **FG Author:** Tutt, [1907], 1905-1914 **OD:** Nat. Hist. Br. Butts 2:327 [b4760] [**Syn. List:** #97] [**Ref:** b0276]
- Semomesia** Westwood, [1851] **FG Author:** Stichel, 1910 **OD:** Gen. Insectorum 112A:24 (as *Semomesiini*) [b4446] [**Syn. List:** #16] [**Ref:** b0797]
- Spalgis** Moore, 1879 **FG Author:** Toxopeus, 1929 **OD:** Tijdschr. Ent. 72:218 (as *Spalgiinae*) [b4700] [**Syn. List:** #47] [**Ref:** b2438 (as *Spalgiinae*); b0797 (as *Spalgiinae*); b1559; b0276]
- Stalactis** Hünber, [1818] **FG Author:** Bates, 1861 **OD:** J. Entomology 1:220 (as *Stalactinae*) [b0261] [**Syn. List:** #31] [**Ref:** b0797; b0276]
- Stiboges** Butler, 1876 **FG Author:** Stichel, 1928 **OD:** Tierreich 51:157 (as *Stibogini*) [b4469] [**Syn. List:** #10] [**Ref:** b0826]
- Strymon** Hübner, [1818] **FG Author:** Tutt, [1907], 1905-1914, (ICZN-257) **OD:** Nat. Hist. Br. Butts 2:86,136; 3:330 (as *Strymonidi*) [b4760] [**Syn. List:** #78] [**Ref:** b0276; b2530 (Op 541, L 257); b4760]
- Styx** Staudinger, 1875 **FG Author:** Ehrlich, 1958 **OD:** Univ. Kansas Sci. Bull. 39(8):357 (as *Stygidae*) [b1528] [**Syn. List:** #4] [**Ref:** b0826; b0005; b0276; b3813; b2154]
- Symmachia** Hübner, [1819], 1816-1826 **FG Author:** Bates, 1859 **OD:** Trans. ent. Soc. Lond. (2)5(1):4 (as *Symmachiae*) [b0260] [**Syn. List:** #22] [**Ref:** b0260; b2154]
- Taraka** Doherty, 1889 **FG Author:** Eliot, 1973 **OD:** Bull. Br. Mus. nat. Hist. (Ent.) 28(6):427 [b1559] [**Syn. List:** #46] [**Ref:** b1559]
- Tarucus** Moore, [1881] **FG Author:** Beuret, 1957 **OD:** Mitt. ent. Ges. Basel. (nf)6:107+ [b0400] [**Syn. List:** #98] [**Ref:** b0276]

- Thecla** Fabricius, 1807 FG Author: Swainson, 1831, 1829-1833
 OD: Zool. Illustr. (2)2:pl. 85 and text (as Theclanae) [b4551]
 [Syn. List: #52; #54] [Ref: b1450 D'Abbrera, 1971 :300;
 b1033; b1559; b1943; b0276; b1043; b2058 8:25 (Theclinae);
 b2221; b1298; b1559; b0276]
- Theope** Doubleday, 1847 FG Author: Clench, 1955 OD: Ann.
 Cam. Mus. 33(16):271 (as Theopini) [b0826] [Syn. List:
 #30] [Ref: b1047]
- Thestor** (nec Hübner, [1819]) Auctorum FG Author: Tuu, [1907],
 1905-1914 OD: Nat. Hist. Br. Butts 2:86-87 [b4760] [Syn.
 List: #75] [Note: Based on a misidentified type-genus.]
 [Ref: b4760]
- Thestor** Hübner, [1819] FG Author: Wheeler, 1903 OD: Butts
 Switzerland :12, 145 (as Thestoridi) [b4991] [Syn. List:
 #50] [Ref: b4991]
- Tomares** Rambur, 1840 FG Author: Elict, 1973 OD: Bull. Br.
 Mus. nat. Hist. (Ent.) 28(6):439 [b1559] [Syn. List: #74]
 [Ref: b1559]
- Zemerus** Boisduval, 1836 FG Author: Stichel, 1928 OD:
 Tierreich 51:25 (as Zemerini) [b4469] [Syn. List: #8]
 [Ref: b0797; b0826]
- Zephyrus** Dalman, 1816 FG Author: Grote, 1897 OD: Min.
 Roemer Mus. Hildesheim 8:25 (as Zephyrini); [b2058] [Syn.
 List: #55] [Note: Koçak dates this name from Billberg, 1920.
 If this is correct it should probably be suppressed to protect the
 much more widely used Theclinae.] [Ref: b0123]
- Zesius** Hübner, [1819] FG Author: Swinhoe, 1911, 1909-1913
 OD: In Moore, Lep. Ind. 9:153 (as Zesiusinae) [b4575]
 [Syn. List: #59] [Ref: b1559; b3238]
- Zizeeria** Chapman, 1910 FG Author: Chapman, 1910 OD:
 Trans. ent. Soc. Lond. 58(4):482 (as Zizeeridi) [b0754]
 [Syn. List: #99] [Ref: b1943; b0754]
- Zizera** Moore, 1881 FG Author: Fernández-Rubio & Perez de
 Castro, 1974 OD: Archos Inst. Aclim. 19:58 [b1705] [Syn.
 List: #100]

PART II
SYNONYMIC LIST OF FAMILY-GROUP NAMES

INTRODUCTION

In this section the Family-group names are arranged in a synonymic list. The family-group names are printed 'bold' if they are objectively valid, printed 'light' if they are objectively invalid, and in 'italics' if they are unavailable. Names preceded by a '+' are considered synonyms (subjectively invalid) and are not used in the classification. Names preceded by a '†' pertain to fossil forms. The standard endings for Family-Group names are taken to be -oidea (superfamily), -idae (family), -inae (subfamily), -ini (tribe) and -iini (subtribe).

ABBREVIATIONS

The following abbreviations are used in this section.

- H.....Homonym
- ISS.....Incorrect Subsequent Spelling
- JOS.....Junior Objective Synonym
- RC.....Rejected by the Commission (ICZN)

- 1 - LYCAENOIDEA [Leach], [1815]
2 -- RIODINIDAE Grote, 1895, (1827), (ICZN-484)
3 ----- +ERYCINIDAE Swainson, 1827
4 --- STYGINAE Ehrlich, 1958
5 --- NEMEOBIINAE Bates, [1868]
6 ---- NEMEOBINI Bates, [1868]
7 ----- +HAMEARINAE Clench, 1955
8 ---- ZEMERINI Stichel, 1928
9 ---- ABISARINI Stichel, 1928
10 ----- +STIBOGITI Stichel, 1928
11 --- EURYGONINAE Bates, [1868]
12 ----- +EUSELASHINAE Kirby, 1871
13 --- CORRACHIINAE Stichel, 1928
14 --- RIODININAE Grote, 1895, (1827), (ICZN-484)
15 ---- MESOSEMINI Bates, 1859
16 ----- +SEMOMESIITI Stichel, 1910
17 ---- EURYBINI Stichel, 1910
18 ---- RIODININI Grote, 1895, (1827), (ICZN-484)
19 ----- ANCYLURITTI Stichel, 1910
20 ---- RIODINITI Grote, 1895, (1827), (ICZN-484)
21 ----- +BAEOTIDIINI Stichel, 1910
22 ---- SYMMACHIINI Bates, 1859
23 ----- +MESENINI Stichel, 1910
24 ---- SAROTINI
25 ----- +CHARITINI Stichel, 1911
26 ---- HELICOPIDINI Stichel, 1928
27 ---- EMESIINI Stichel, 1911
28 ---- LEMONIINI Kirby, 1871
29 ---- NYMPHIDIINI Bates, 1859
30 ----- +THEOPEINI Clench, 1955
31 ---- STALACHTINI Bates, 1861
32 ----- +NERIIDAE Hopffer, 1869
33 -- LYCAENIDAE [Leach], [1815]
34 --- LIPTENINAE Röber, 1892, 1888-1892, (ICZN-270)
35 ---- PENTILINI Aurivillius, [1914], 1908-1925, (ICZN-271)
36 ---- LIPTENINI Röber, 1892, 1888-1892, (ICZN-270)
37 ----- +EPITOLINAE Jackson, 1962
38 ----- +IRIDANINI Clench, 1965
39 ----- +MIMACRAEINAE Stempffer, 1967
40 ---- DURBANIINI Clench, 1955
41 --- PORITIINAE Doherty, 1886
42 --- LIPHYRINAE Doherty, 1889
43 --- MILETINAE Reuter, 1896
44 ----- +GERYDINAE Doherty, 1886
45 ---- MILETINI Reuter, 1896
46 ---- TARAKINI Eliot, 1973
47 ---- SPALGINI Toxopeus, 1929
48 ---- LACHNOCNEMINI Clench, 1955
49 ----- +LUCIDI Reuter, 1896, (PD)
50 ----- +THESTORINI Wheeler, 1903
51 ---- CURETINAE Distant, 1884
52 --- THECLINAE Swainson, 1831, 1829-1833
53 ---- LUCIINI Waterhouse & Lyell, 1914
54 ---- THECLINI Swainson, 1831, 1829-1833
55 ----- +ZEPHYRINI Grote, 1897
56 ----- +RURALINI Tutt, [1907], 1905-1914
57 ---- ARHOPALINI Bingham, 1907
58 ---- OGYRINI Waterhouse & Lyell, 1914
59 ---- ZESINI Swinhoe, 1911, 1909-1913
60 ---- AMBLYPODIINI Doherty, 1886
61 ---- CATAPAECILMATINI Eliot, 1973
62 ---- OXYLIDINI Eliot, 1973
63 ---- HYPOTHECLINI Eliot, 1973
64 ---- LOXURINI Swinhoe, 1910, 1909-1913
65 ---- HORAGINI Swinhoe, 1910, 1909-1913
66 ---- CHERITRINI Swinhoe, 1910, 1909-1913
67 ----- +BIDUANDINAE Swinhoe, 1910, 1909-1913
68 ----- +MARMESSINI Cowan, 1966
69 ---- APHNAEINI Distant, 1884
70 ---- IOLAINI Riley, 1956
71 ---- REMELANINI Eliot, 1973
72 --- HYPOLYCAENINI Swinhoe, 1910, 1909-1913
73 ---- DEUDORIGINI Doherty, 1886
74 ---- TOMARINI Eliot, 1973
75 ----- +THESTORIDI Tutt, [1907], 1905-1914
76 ---- EUMAEINI Doubleday, 1847, 1844-1848
77 ----- +CALLOPHRYINI Tutt, [1907], 1905-1914
78 ----- +STRYMONINI Tutt, [1907], 1905-1914, (ICZN-257)
79 --- LYCAENINAE [Leach], [1815]
80 ----- +CHRYSOPHANIDI Scudder, 1889, (RC)
81 ----- +CHRYSOPHANINI Grote, 1897
82 --- POLYOMMATINAE Swainson, 1827
83 ---- LYCAENESTHINI Toxopeus, 1929
84 ---- CANDALIDINI Eliot, 1973
85 ---- NIPHANDINI Eliot, 1973
86 ---- POLYOMMATINI Swainson, 1827
87 ----- +BREPHEIDINAE Gifford, 1965, (NN)
88 ----- +CELASTRINI Tutt, [1907], 1905-1914
89 ----- +CYANIRINI Tutt, [1907], 1905-1914
90 ----- +CUPIDINIDI Tutt, [1907], 1905-1914, (ICZN-210)
91 ----- +CUPIDIDI Tutt, [1907], 1905-1914, (ICZN-251)
92 ----- +EVERIDI Tutt, [1907], 1905-1914
93 ----- +GLAUCOPSYCHIDI Hemming, 1931
94 ----- +LAMPIDINI Tutt, [1907], 1905-1914
95 ---- LYCAENOPSINAE Swinhoe, 1910, 1909-1913
96 ----- +PLEBEIINI Tutt, [1907], 1905-1914
97 ----- +SCOLITANTIDINI Tutt, [1907], 1905-1914
98 ----- +TARUCIDI Beuret, 1957
99 ----- +ZIZEERINAE Chapman, 1910
100 ----- +ZIZERINI Fernández-Rubio & Perez de Castro, 1974



PART III
INDEX TO BIBLIOGRAPHIC CITATIONS
FOR
FAMILY-GROUP NAMES

INTRODUCTION

In this section the bibliographic citations to the first valid use of the Family-group names are arranged by Author and Year of Publication. It serves as an index to the Bibliography (Part XI)

- Aurivillius 1908-1925 In Sietz, *Grossschmett. Erde* [b0162]
[1914] PENTILINI 13:298
- Bates 1859 *Trans. ent. Soc. Lond.* [b0260]
MESOSEMINI (2)5(1):4 (as Mesosemiæ)
NYMPHIDIINI (2)5(1):4,9 (as Nymphydiinae)
SYMMACHIINI (2)5(1):4 (as Symmachiae)
- Bates 1861 *J. Entomology* [b0261]
STALACTINI 1:220 (as Stalactinae)
- Bates [1868] *J. limn. Soc. Lond., Zool.* [b0267]
EURYGONINAE 9:420 (as Eurygoninae)
NEMEOBIINAE 9:412,(370) (as Nemeobiinae)
NEMEOBIINI 9:412,(370) (as Nemeobiinae)
- Beuret 1957 *Mitt. ent. Ges. Basel.* [b0400]
TARUCIDI (nf)6:107+
- Bingham 1907 *Fauna Brit. Ind., Butts* [b0423]
ARHOPALINI 2:284
- Chapman 1910 *Trans. ent. Soc. Lond.* [b0754]
ZIZEERINAE 58(4):482 (as Zizeeridi)
- Clench 1955 *Ann. Cam. Mus.* [b0826]
DURBANINI 33(16):265 (as Durbaninae)
HAMEARINAE 33(16):270
LACHNOCNEMINI 33(16):266 (as Lachnocnemini)
THEOPINI 33(16):271 (as Theopini)
- Clench 1965 *Butts. Lib.* [b0836]
IRIDANINI :306
- Cowan 1966 *Bull. Br. Mus. nat. Hist. (Ent.)* [b1012]
MARMESSINI 18(4):105
- Distant 1884 *Rhop. malayana* [b1285]
APHNAEINI :196 (as Aphnaia)
CURETINAE :196 (as Curetaria)
- Doherty 1886 *J. asiat. Soc. Bengal, Pt II* [b1298]
AMBLYPODIINI 55(2):110 (as Amblypodiinae)
DEUDORIGINI 55(2):110 (as Deudoriginae)
GERYDINAE 55(2):110
PORITINAE 55(2):110
- Doherty 1889 *J. asiat. Soc. Bengal, Pt II* [b1301]
LIPHYRINAE 58(4):409
- Doubleday 1844-1848 *List Spec. lep. Ins. Brit. Mus.* [b1327]
1847 EUMAEINI (2):20 (as Eumacidae)
- Ehrlich 1958 *Univ. Kansas Sci. Bull.* [b1528]
STYGINAE 39(8):357 (as Stygidæ)
- Eliot 1973 *Bull. Br. Mus. nat. Hist. (Ent.)* [b1559]
CANDALIDINI 28(6):442
CATAPAECILMATINI 28(6):432
HYPOTHECLINI 28(6):433
NIPHANDINI 28(6):442
OXYLIDINI 28(6):433
REMELANINI 28(6):437
TARAKINI 28(6):427
TOMARINI 28(6):439
- Fernández-Rubio & Perez de Castro 1974 *Archos Inst. Acim.*
[b1705]
ZIZERINI 19:58
- Gifford 1965 *Butts Malawi* [b1943]
BREPHIDINAE :58
- Grote 1895 *Mitt. Roemer Mus. Hildesheim* [b2056]
RIODININAE (1):[2],[4]
RIODININI (1):[2],[4]
RIODININI (1):[2],[4]
- Grote 1895 *Mitt. Roemer Mus. Hildesheim* [b2056] (continued)
RIODINTI (1):[2],[4]
- Grote 1897 *Mitt. Roemer Mus. Hildesheim* [b2058]
CHRYSOPTANINI 8:29,42 (as Chrysophanini)
ZEPHYRINI 8:25 (as Zephyrini);
- Hemming 1931 *Trans. ent. Soc. Lond.* [b2239]
GLAUCOPSYCHIDI 79(2):324
- Hopffer 1869 *Stett. ent. Ztg* [b2444]
NERIIDAE 30:446
- Jackson 1962 *Bull. Br. Mus. nat. Hist. (Ent.)* [b2562]
EPITOLINAE 12(3):125 (as Epitolinae)
- Kirby 1871 *Syn. Cat. diurn. Lep.* [b2747]
EUSELASIINAE :294 (as Euselasiinae)
LEMONIINI :282 (as Lemoniidae)
- [Leach] [1815] In Brewster, *Edin. Ency.* [b2950]
LYCAENIDAE 9:129 (as Lycaenida)
LYCAENINAE 9:129 (as Lycaenida)
LYCAENOIDEA 9:129 (as Lycaenida)
- Reuter 1896 *Acta Soc. Sci. fenn.* [b3725]
LUCIIDI 22(1):551 (as Luciidi)
MILETINAE 22(1):551 (as Miletidi)
MILETINI 22(1):551 (as Miletidi)
- Riley 1956 *Proc. 10th Int. Congr. Ent.* [b3784]
IOLAINI 1:285
- Röber 1888-1892 In Staudinger & Schatz, *Exot. Schmett.* [b3822]
1892 LIPTENINAE :262,277
1892 LIPTENINI :262,277
- Scudder 1889 *Butts E. United States & Canada* [b4088]
CHRYSOPTANIDI (2)(6):797
- Stempffer 1967 *Bull. Br. Mus. nat. Hist. (Ent.)* [b4400]
MIMACRAEINAE Suppl. 10:268
- Stichel 1910 *Gen. Insectorum* [b4446]
ANCYLURITI 112A:91 (as Ancyluridi)
BAEOTIDIINI 112A:139 (as Baeotini)
EURYBIINI 112A:24 (as Eurybiidi)
MESENIINI 112A:210 (as Meseniini)
SEMOMESIITI 112A:24 (as Semomesiini)
- Stichel 1911 *Gen. Insectorum* [b4447]
CHARITINI 112B:247 (as Charitini)
EMESIINI 112B:259 (as Emesini)
- Stichel 1928 *Tierreich* [b4469]
ABISARINI 51:57 (as Abisarini)
CORRACHIINAE 51:289 (as Corrachidi)
HELICOPIDINI 51:293 (as Helicopidi)
STIBOGITI 51:157 (as Stibogini)
ZEMERINI 51:25 (as Zemerini)
- Swainson 1827 *Phil. Mag.* [b4550]
ERYCINIDAE (2)1(3):184-185
POLYOMMATINAE (2)1(3):187 (as Polyommatidae)
POLYOMMATINI (2)1(3):187 (as Polyommatidae)
- Swainson 1829-1833 *Zool. Illustr.* [b4551]
1831 THECLINAE (2)2:pl. 85 and text (as Theclanae)
1831 THECLINI (2)2:pl. 85 and text (as Theclanae)
- Swinhoe 1909-1913 In Moore, *Lep. Ind.* [b4575]
1910 BIDUANDINAE 8:111; 9:184 (1911)
1910 CHERITRINI 8:11 (as Cheritinae); 9:197 (1911)
1910 HORAGINI 8:11; 9:1 (1911) (as Horaginae)
1910 HYPOLYCAENINI 8:11; 9:77 (1911) (as Hypolycaeninae)
1910 LOXURINI 8:11; 9:212 (1911) (as Loxurinae)

Swinhoe 1909-1913 In Moore, Lep. Ind. [b4575] (*continued*)

1910	LYCAENOPSINAE	7:203 (as Lycaenopsinae)
1911	ZESIINI	9:153 (as Zesiinae)

Toxopeus 1929 Tijdschr. Ent. [b4700]

LYCAENESTHINI	72:218 (as Lycaenestinae)
SPALGINI	72:218 (as Spalgiinae)

Tutt 1905-1914 Nat. Hist. Br. Butts [b4760]

[1907]	CALLOPHRYINI	2:86 (as Callophryidi)
[1907]	CELASTRINI	2:327,378 (as Celastrinidi)
[1907]	CUPIDIDI	2:327?
[1907]	CUPIDINIDI	2:327
[1907]	CYANIRINI	2:327
[1907]	EVERIDI	2:327 (as Everidi);
[1907]	LAMPIDINI	2:327 (as Lampididi);
[1907]	PLEBEIINI	2:327 (as Plebeiidi)
[1907]	RURALINI	2:86
[1907]	SCOLITANTIDINI	2:327
[1907]	STRYMONINI	2:86,136; 3:330 (as Strymonidi)
[1907]	THESTORIDI	2:86-87

Waterhouse & Lyell 1914 Butts Aust. [b4947]

LUCINI	:70, 111 (as Lucinae)
OGYRINI	:70, 114 (as Ogyrinae)

Wheeler 1903 Butts Switzerland [b4991]

THESTORINI	:12, 145 (as Thestoridi)
------------	--------------------------



PART IV
GENUS-GROUP NAMES

INTRODUCTION

In this section the Genus-group names are arranged in alphabetic order. If two names are spelled the same, they are ordered by date of publication, and if they have the same publication date they are arranged by the author name.

ABBREVIATIONS

The following abbreviations are used in this section.

H.....	Homonym
HC.....	Higher Classification (Key)
ICZN.....	International Commission of Zoological Nomenclature
ISS.....	Incorrect Subsequent Spelling
JOS.....	Junior Objective Synonym
NN.....	Nomen Nudum
OD.....	Original Description
OS.....	Objective Synonym
PD.....	Pending Decision (by the ICZN)
PS.....	Published in Synonymy
PWI.....	Published Without Indication
RC.....	Rejected by the Commission (ICZN)
Refs.....	References
SS.....	Subjective Synonym
TM.....	Type method
TS.....	Type-species

- c *Abisaba* Adamson, 1897, (ISS) OD: Cat. Butts coll. Burmah :28 [b0007]. OS: Abisara Felder & Felder, 1860. [Refs - b1023]
- a *Abisara* Felder & Felder, 1860 OD: Wien. ent. Monats. 4(12):397 [b1683]. TS: *Abisara kausambi* Felder & Felder, 1860. OD: Wien. ent. Monats. 4(12):397 [b1683]. TM: by selection by Scudder, 1875. Proc. amer. Acad. Arts Sci. 10(2):99 [b4080]. HC-Lyc: Rio: Nem: *Abisarini* [Refs - b1636; b2781; b2988 (+as *Sospita*); b4198; b0715; b2280; b4245; b1943; b3582; b2154]
- a *Abloxurlina* Johnson, 1992 OD: Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (22):26 [b2610]. TS: *Thecla amatista* Dognin, 1895. OD: Annl. Soc. ent. Belg. 39:106 [b1297]. TM: by original designation. HC-Lyc: Lyc: The: Eum: *Eumaeus* [Refs - b0125; b2610]
- c *Acalhua* Mengel, 1905, (ISS) OD: Cat. Erycinidae :[76] [b3155]. SS: *Aculhua* Kirby, 1871. [Refs - b3138]
- c *Acesina* Moore, 1884 OD: J. asiat. Soc. Bengal, Pt II 53(1):41 [b3236]. TS: *Amblypodia paraganesa* de Nicéville, 1882. OD: J. asiat. Soc. Bengal, Pt II 51(2/3):63 [b1144]. TM: by original designation. SS: *Arhopala Boisduval*, 1832. [Refs - b2280]
- a *Acrodipsas* Sands, 1980 OD: J. Aust. ent. Soc. 18(3):251-265 [b3923]. TS: *Pseudodipsas myrmecophila* Waterhouse & Lyell, 1913. OD: Victorian Nat. 29(10):156 [b4946]. TM: by original designation. HC-Lyc: Lyc: The: Luc: *Lucia* [Refs - b1610 (7913-E11); b0113]
- a *Actis* Karsch, 1895 OD: Ent. Nachr. 21:315 [b2694]. TS: *Actis mimeta* Karsch, 1895. OD: Ent. Nachr. : 21:315 [b2694]. TM: by selection by Hemming, 1960. Annot. Lep. (1):8 [b2269]. HC-Lyc: Lyc: The: Deu: *Deudorix* [Refs - b2988; b3582; b2280]
- a *Actizera* Chapman, 1910 OD: Trans. ent. Soc. Lond. 58(4):483 [b0754]. TS: *Lycaena atrigemmata* Butler, 1878. OD: Ann. Mag. nat. Hist. (5)2:290 [b0611]. TM: by selection by Hemming, 1929. Ann. Mag. nat. Hist. (10)3:220 [b2236]. HC-Lyc: Lyc: Pol: Pol: *Actizera* [Refs - b2988; b1943; b2236; b3582; b2280]
- c *Actizera* Sharp, [1911], (ISS) OD: Zool. Rec. 47(1910)(Ins.):321 [b4140]. OS: *Actizera* Chapman, 1910. [Refs - b2280]
- c *Aculhua* Kirby, 1871 OD: Syn. Cat. dium. Lep. :301 [b2747]. TS: *Limnas cinaron* Felder & Felder, 1861. OD: Wien. ent. Monats. 5(4):101 [b1684]. TM: replacement name for *Dryas* Felder & Felder, [1865]. SS: *Melanis* Hübner, [1819]. [Refs - b2988, b2280, b2154]
- a *Acupicta* Eliot, 1973 OD: Bull. Br. Mus. nat. Hist. (Ent.) 28(6):451 [b1559]. TS: *Catapocilma delicatum* de Nicéville, 1887. OD: Proc. zool. Soc. Lond. 1887(3):455 [b1150]. TM: by original designation. HC-Lyc: Lyc: The: Cat: *Acupicta* [Refs - b1559, b1044]
- c *Acystipoda* Röber, [1892], 1888-1892 OD: In Exot. Schmett. Bd 1(Th. 2)(6):256 [b3822]. TS: *Pandemos nymphidioides* Butler, 1872. OD: Cistula Entomologica 1(4):79 [b0595]. TM: by monotypy. SS: *Synargis* Hübner, [1819]. [Refs - b2280; b2154]
- a *Acytolepis* Toxopeus, 1927, 1927-1928 OD: Tijdschr. Ent. 70:271,288 [b4697]. TS: *Polyommatus pupsa* Horsfield, [1828], 1828-1829. OD: Descr. Cat. lepid. Ins. (1):67 [b2457]. TM: by original designation. HC-Lyc: Lyc: Pol: Pol: *Lycaenopsis* [Refs - b2280 (as *Acytolepis*); b1580]
- c *Acytolepis* Hemming, 1967, (ISS) OD: Bull. Br. Mus. nat. Hist. (Ent.) Suppl. 9:25 [b2280]. OS: *Acytolepis* Toxopeus, 1927. [Refs - b1019; b2280; b1023]
- c *Adaluma* Tindale, 1922 OD: Trans. R. Soc. S. Aust. 46:537 [b4661]. TS: *Adaluma urumelia* Tindale, 1922. OD: Trans. R. Soc. S. Aust. 46:537, pl 31, f 1,2 [b4661]. TM: by original designation. SS: *Nesolycaena* Waterhouse & Turner, [1905]. [Refs - b2280; ns1459]
- a *Adelotypa* Warren, 1895 OD: Novit. zool. 2(2):82 [b4922]. TS: *Adelotypa xanthobrunnea* Warren, 1895. OD: Novit. zool. 2(2):82 [b4922]. TM: by original designation. HC-Lyc: Rio: Rio: *Nymphidiini* [Note - *The taxon represented by the nominal species Adelotypa xanthobrunnea* Warren, 1895, is currently treated, on subjective taxonomic grounds, as being the same as the taxon represented by the older-established nominal species *Lemonias bolena* Bulter, [1867].] [Refs - b2280; b2154]
- c *Adelotype* Hemming, 1967, (ISS) OD: Bull. Br. Mus. nat. Hist. (Ent.) Suppl. 9:156,469 [b2280]. OS: *Adelotypa* Warren, 1895. [Refs - b2280; b1023]
- d *Aetheus* Hübner, [1819], 1816-1826, (RC), ICZN Op. 1381 OD: Verz. bekannt. Schmett. (7):109 [b2484]. TS: *Papilio archytas* Stoll, [1787], 1780-1790. OD: In Cramer, Utl. Kapellen Aanhangs. :25, pl 25, f 5 [b4478]. TM: by selection by Scudder, 1875. Proc. amer. Acad. Arts Sci. 10(2):104 [b4080]. SS: *Ourocnemis Bethune-Baker*, 1887. [Refs - b1019 :8; b2280; b1048; b1050; b2544]
- a *Aethiopana* Bethune-Baker, 1915 OD: Ann. Mag. nat. Hist. (8)16:191 [b0353]. TS: *Papilio honorius* Fabricius, 1793, 1792-1799. OD: Ent. syst. 3(1):151 [b1657]. TM: by original designation. HC-Lyc: Lyc: Lip: Lip: *Epitola* [Refs - b2280]
- c *Aethius* Hemming, 1967, (ISS) OD: Bull. Br. Mus. nat. Hist. (Ent.) Suppl. 9:328 [b2280]. OS: *Aetheus* Hübner, [1819]. [Refs - b2280; b1023]
- d *Agathina* White, 1843, (H) OD: Zoologist 1:29 [b4996]. TS: *Erycina margareta* White, 1843. OD: Zoologist 1:28 [b4996]. TM: by original designation. SS: *Riodina* Westwood, [1851]. [Refs - b2280]
- c *Agnostogyna* Röber, 1925 OD: Stutt. ent. Ztg. 86:176 [b3834]. TS: *Papilio pasiphae* Cramer, [1775], 1775-1790. OD: Utl. Kapellen 1(7):127, pl 80, f E. [b1069]. TM: by selection by Hemming, 1943. Proc. R. ent. Soc. Lond. (B)12(2):29 [b2266]. SS: *Pandemos* Hübner, [1819]. [Refs - b2988; b2280; b2154]
- b *Agriades* Hübner, [1819], 1816-1826, ICZN Op 173 & 270, L 685 OD: Verz. bekannt. Schmett. (5):68 [b2484]. TS: *Papilio glandon* Prunner, 1798. OD: Lep. Pedemont. :76 [b3657]. TM: by designation by the ICZN. SS: *Polyommatus Latreille*, 1804. [Refs - b0485; b0908; b2280; b0410; b1743; b3192; b2518; b1321; b2794; b4366; b3151; b2522]
- b *Agrodiaetus* Hübner, 1822 OD: Syst.-alph. Verz. :1-10 [b2486]. TS: *Papilio damon* [Denis & Schiffermüller], 1775. OD: Ankündigung syst. Werkes Schmett. :182 [b1193]. TM: by selection by Hemming, 1934. Gen. Names hol. Butts 1:109 [b2253]. SS: *Polyommatus Latreille*, 1804. [Refs - b0485; b2988; b2280; b2794; b4367; ns1468]
- a *Ahlbergia* Bryk, 1946 OD: Ark. Zool. 38A(3):50 [b0568]. TS: *Lycaena ferrea* Butler, 1866. OD: J. linn. Soc. Lond., Zool. 9:57 [b0582]. TM: replacement name for *Saisuma* Murray, 1875. HC-Lyc: Lyc: The: Eum: *Eumaeus* [Refs - b2280; b1041; b1559; b1950; b1950; b2585]
- c *Akasina* Toxopeus, 1928, 1927-1928 OD: Tijdschr. Ent. 71:181,194 [b4697]. TS: *Polyommatus akasa* Horsfield, [1828], 1828-1829. OD: Descr. Cat. lepid. Ins. (1):67, pl 1, f 1,1A [b2457]. TM: by original designation. SS: *Udara* Toxopeus, 1928. [Refs - b2280]

- a **Alaena** Boisduval, 1847 OD: In Delegorgue, Voy. Afrique Austr. 2:591 [b0464]. TS: *Acraea amazoula* Boisduval, 1847. OD: In Delegorgue, Voy. Afrique Austr. 2:591 [b0464]. TM: by monotypy. HC-Lyc: Lyc: Lip: Pen: **Alaena** [Refs - b2988; b1588; b1943; b3582; b2280; b1452]
- b **Albulina** Tutt, [1909], 1905-1914 OD: Nat. Hist. Brit. Butts 3(6):154 [b4760]. TS: *Papilio pheretes* Hübner, [1806], 1796-1838. OD: Samml. europ. Schmett. :45 [b2480]. TM: by original designation. SS: *Polyommatus Latreille*, 1804. [Note - *The taxon represented by the nominal species Papilio pheretes Hübner, [1806], is currently treated, on subjective taxonomic grounds, as being the same as the taxon represented by the older-established nominal species Papilio orbitulus Prunner, 1798.*] [Refs - b0485; b2988; b2280; b0410; b2794; b4366]
- b **Alciphronia** Koçak, 1992 OD: Cent. Ent. Stud. Misc. Pap. (16):2 [b2802]. TS: *Papilio alciphron* Rouenbourg, 1775. OD: Naturforscher 6:11 [b3890]. TM: by original designation. SS: *Lycaena Fabricius*, 1807. [Refs - b0125]
- a **Alesa** Doubleday, 1847, 1844-1848 OD: List Spec. lep. Brit. Mus. 2:1 [b1327]. TS: *Erycina prema* Godart, [1824], 1819-1824. OD: In Ency. méth. 9(Ins.)(2):569 [b1970]. TM: by selection by Scudder, 1875. Proc. amer. Acad. Arts Sci. 10(2):107 [b4080]. HC-Lyc: Rio: Rio: **Eurybiini** [Refs - b2988; b2280; b2154]
- a **Allosmaitia** Clench, [1964] OD: J. Res. Lep. 2(4):254 [b0833]. TS: *Thecla coelebs* Herrich-Schäffer, 1862, 1862-1863. OD: CorrespBl. zool.-min. Ver. Regensb. 16:142 [b2315]. TM: by original designation. HC-Lyc: Lyc: The: **Eum: Eumaeus** [Refs - b1023; b3192; b0833]
- a **Allotinus** Felder & Felder, 1865, 1865-1875 OD: Reise Novara (2):285 [b1692]. TS: *Allotinus fallax* Felder & Felder, 1865, 1865-1875. OD: Reise Novara (2):285, pl 35, f 24 (nec 25,26) [b1692]. TM: by selection by Scudder, 1875. Proc. amer. Acad. Arts Sci. 10(2):107 [b4080]. HC-Lyc: Lyc: **Mil: Mil: Miletus** [Refs - b1692:285; b1851; b1857; b0285; b4080; b0944; b1153 (+as *Paragyrdus*); b1571]
- **Aloeidas** Hemming, 1967, (ISS) OD: Bull. Br. Mus. nat. Hist. (Ent.) Suppl. 9:37 [b2280]. OS: *Aloeides* Hübner, [1819]. [Refs - b1019; b2280; b1023]
- a **Aloeides** Hübner, [1819], 1816-1826 OD: Verz. bekannt. Schmett. (5):73 [b2484]. TS: *Papilio pierus* Cramer, [1779], 1775-1790. OD: Uid. Kapellen 3(21):84, pl 243, f E.F. [b1069]. TM: by selection by Scudder, 1875. Proc. amer. Acad. Arts Sci. 10(2):107 [b4080]. HC-Lyc: Lyc: The: **Aph: Aphnaeus** [Refs - b3582; b2280 (as *Aloeidas*)]
- c **Amarinthis** Westwood, [1851], 1846-1852, (ISS) OD: In Gen. dium. Lep. (2)pl 70 [b4981]. OS: *Amarinthis* Hübner, [1819]. [Refs - b1023]
- **Amarinthis** Hübner, [1819], 1816-1826 OD: Verz. bekannt. Schmett. (2):26 [b2484]. TS: *Papilio meneria* Cramer, [1776], 1775-1790. OD: Uid. Kapellen 1(8):147, pl 94, f D.E. [b1069]. TM: by monotypy. HC-Lyc: Rio: Rio: **Rio: Riodiniini** [Refs - b2988; b2280; b2154]
- a **Amblopala** Leech, [1893], 1893-1894 OD: Butts China Japan Corea (2)(text pt 3) 341 [b2966]. TS: *Amblypodia avidiena* Hewitson, 1877. OD: Ent. mon. Mag. 14:108 [b2352]. TM: by monotypy. HC-Lyc: Lyc: The: **The: Amblopala** [Refs - b4198; b2280]
- d **Amblygonia** Felder & Felder, 1865, 1865-1875, (H) OD: Reise Novara (2):308 [b1692]. TS: *Amblygonia amarynthina* Felder & Felder, 1865, 1865-1875. OD: Reise Novara (2):309 [b1692]. TM: by selection by Hemming, 1943. Proc. R. ent. Soc. Lond. (B)12(2):29 [b2266]. OS: *Parcella* Stichel, 1910. [Refs - b2280]
- a **Amblypodia** Horsfield, [1829], 1828-1829 OD: Descr. Cat. lepid. Ins. (2):98 [b2457]. TS: *Thecla narada* Horsfield, [1828], 1828-1829. OD: Descr. Cat. lepid. Ins. (1):explic. pl 1, f 8 [b2457]. TM: by selection by Boisduval, 1870. Consid. Léop. Guatemala :14 [b0469]. HC-Lyc: Lyc: The: **Amblypodiniini** [Refs - b2280]
- a **Amphiselenis** Staudinger, [1888], 1884-1888 OD: In Exot. Schmett. Bd 1(Th. 1)(20):257 [b4329]. TS: *Lasia chama* Staudinger, [1887], 1884-1888. OD: In Exot. Schmett. Bd 2(Th. 1)(19):pl 91 [b4329]. TM: by monotypy. HC-Lyc: **Rio: Rio: Riodiniini** [Refs - b2988; b2280; b2154]
- d **Amphiselenis** Röber, [1892], 1888-1892, (H and JOS) OD: In Exot. Schmett. Bd 1(Th. 2)(6):248 [b3822]. TS: *Lasia chama* Staudinger, [1887], 1884-1888. OD: In Exot. Schmett. Bd 2(Th. 1)(19):pl 91 [b4329]. TM: by monotypy. OS: *Amphiselenis* Staudinger, [1888]. [Refs - b2280]
- d **Anatole** Hübner, [1819], 1816-1826, (JOS) OD: Verz. bekannt. Schmett. (2):24 [b2484]. TS: *Lemonias zygia* Hübner, [1807], 1806-1838. OD: Samml. exot. Schmett. 1:pl [35] [b2482]. TM: by selection by Scudder, 1875. Proc. amer. Acad. Arts Sci. 10(2):111 [b4080]. OS: *Lemonias* Hübner, [1807]. [Refs - b2280]
- a **Ancema** Eliot, 1973 OD: Bull. Br. Mus. nat. Hist. (Ent.) 28(6):438 [b1559]. TS: *Camena ctesia* Hewitson, [1865], 1863-1878. OD: Ill. dium. Lep. Lycaenidae 1:48; 2:pl 20, f 1,2 [b2326]. TM: replacement name for *Camena* Hewitson, [1865]. HC-Lyc: Lyc: The: **Remelanini** [Refs - b2988 (as *Camena*); b0104]
- e **Ancyluris** Watson & Whalley, 1975, (ISS) OD: Dict. Butts Moths :158, f 268 [b4950]. SS: *Ancyluris* Hübner, [1819]. [Refs - b4950]
- a **Ancyluris** Hübner, [1819], 1816-1826 OD: Verz. bekannt. Schmett. (2):23 [b2484]. TS: *Ancyluris pyrete* Hübner, [1819], 1816-1826. OD: Verz. bekannt. Schmett. (2):23 [b2484]. TM: by selection by Scudder, 1875. Proc. amer. Acad. Arts Sci. 10(2):112 [b4080]. HC-Lyc: **Rio: Rio: Riodiniini** [Note - *The taxon represented by the nominal species Ancyluris pyrete Hübner, [1819], is an objective synonym of the taxon represented by the older-established nominal species Papilio meliboeus Fabricius, 1777.*] [Refs - b2781; b2988; b2280; b2154]
- c **Andara** Capronnier, 1874 OD: Anns Soc. ent. Belg. 17:21 [b0699]. TS: *Papilio helius* Cramer, [1779], 1775-1790. OD: Uid. Kapellen 3(17):10, pl 198, f B. [b1069]. TM: by monotypy. SS: *Xenandra* Felder & Felder, 1865. [Refs - b2988; b2280; b2154 (as good genus)]
- a **Androcona** Johnson & Eisele & MacPherson, 1993 OD: Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (39):5 [b2626]. TS: *Thecla mundosca* Dyar, 1918. OD: Proc. U. S. nat. Mus. 54:337 [b1448]. TM: by original designation. HC-Lyc: Lyc: The: **Eum: Eumaeus** [Refs - b2626]
- a **Angulopsis** Johnson, 1991 OD: Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (21):41 [b2606]. TS: *Thecla autoclea* Hewitson, [1877], 1863-1878. OD: Ill. dium. Lep. Lycaenidae 1:194; 2:pl 77, f 616,617 [b2326]. TM: by original designation. HC-Lyc: Lyc: The: **Eum: Eumaeus** [Refs - b0125; b2627; b2606]
- d **Anops** Boisduval, 1836, (H) OD: Spec. gén. Lépid. 1:explic. pl 23 [=7C] [b0462]. TS: *Papilio phaedrus* Fabricius, 1781, 1781-1782. OD: Spec. Ins. 2:125 [b1655]. TM: by monotypy. SS: *Phaedra* Horsfield, [1829]. [Note - *The taxon represented by the nominal species Papilio phaedrus Fabricius, 1781, is currently treated, on subjective taxonomic grounds, as being the same as the taxon represented by the older-established nominal species Papilio thetis Drury, [1773].*] [Refs - b2280]

- a **Antephrys** Johnson & Eisele & MacPherson, 1993 OD: Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (39):3 [b2626]. TS: *Antephrys prestoni* Johnson & Eisele & MacPherson, 1993. OD: Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (39):4, f [b2626]. TM: by original designation. HC-Lyc: Lyc: The: Eum: *Eumaeus* [Refs - b2626]
- a **Anteros** Hübner, [1819], 1816-1826 OD: Verz. bekannt. Schmett. (5):77 [b2484]. TS: *Papilio formosus* Cramer, [1777], 1775-1790. OD: Utl. Kapellen 2(10):33, pl 118, f G. [b1069]. TM: by selection by Scudder, 1875. Proc. amer. Acad. Arts Sci. 10(2):113 [b4080]. HC-Lyc: Rio: Rio: *Sarotini* [Refs - b2988; b2280; b2154]
- a **Anthene** Doubleday, 1847, 1844-1848 OD: List Spec. lep. Brit. Mus. 2:27 [b1327]. TS: *Papilio larydas* Cramer, [1780], 1775-1790. OD: Utl. Kapellen 3(24):160, pl 282, f H. [b1069]. TM: by selection by Hemming, 1935. Trans. R. ent. Soc. Lond. 83:435 [b2259]. HC-Lyc: Lyc: Pol: *Lycanesthlini* [Note - *The taxon represented by the nominal species *Lycanesthes bengalensis* Moore, [1866], is currently treated, on subjective taxonomic grounds, as being the same as the taxon represented by the older-established nominal species *Polyommatus emolus* Godart, [1824].*] [Refs - b1943; b4679; b1019; b3582; b2280]
- e **Antheras** Rebillard, 1958, (ISS) OD: Mém. Mus. nat. Hist. nat. (A)15:188 [b3717]. SS: *Anteros* Hübner, [1819]. [Refs - b3717]
- a **Antiglius** Sibatani & Ito, 1942 OD: Tenthredo 3(4):318 [b4224]. TS: *Thecla atilia* Bremer, 1861. OD: Bull. Acad. Sci. St. Pétersbourg 3:469 [b0482]. TM: by original designation. HC-Lyc: Lyc: The: The: *Thecla* [Refs - b4198; b2988; b2280; b1023; b4207; b4214]
- e **Antipodolycaena** Smart, 1975, (PWI) OD: Int. Butterfly Book :274 (18) [b4245]. TS: *Lycaena boldenarum* White, 1862. OD: Trans. ent. Soc. Lond. (3)1(Proc.):26 [b4997]. TM: by original designation. SS: *Lycaena* Fabricius, 1807. [Note - *The type-species was spelt boldenarum in the original description of this genus, and the name was attributed to Buller. The Cross-legged Copper!*] [Refs - b1562; b1048; b4245; b0111; b1045; b1044]
- e **Antizera** Chapman, 1910, (ISS) OD: Trans. ent. Soc. Lond. 58(4):494 [b0754]. SS: *Actizera* Chapman, 1910. [Refs - b0754]
- a **Antrissima** Johnson, 1991 OD: Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (21):33 [b2606]. TS: *Antrissima varicolor* Johnson, 1991. OD: Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (21):33, f [b2606]. TM: by original designation. HC-Lyc: Lyc: The: Eum: *Eumaeus* [Refs - b0125; b2606]
- a **Apelles** Hemming, 1931 OD: Trans. ent. Soc. Lond. 79(2):323 [b2239]. TS: *Polyommatus melanops* Boisduval, [1828]. OD: Europ. Lepid. Ind. Meth. :13 [b0456]. TM: by original designation. HC-Lyc: Lyc: Pol: Pol: *Glaucopsyche* [Refs - b2280; b2794 (=Glaucopsyche); b2239]
- c **Aphaetis** Hübner, [1819], 1816-1826 OD: Verz. bekannt. Schmett. (2):19 [b2484]. TS: *Papilio dyndima* Cramer, [1780], 1775-1790. OD: Utl. Kapellen 3(23):142, pl 271, f G.H. [b1069]. TM: by selection by Scudder, 1875. Proc. amer. Acad. Arts Sci. 10(2):116 [b4080]. SS: *Emesis* Fabricius, 1807. [Note - *The taxon represented by the nominal species *Papilio dyndima* Cramer, [1780], is currently treated, on subjective taxonomic grounds, as being the same as the taxon represented by the older-established nominal species *Papilio lucinda* Cramer, [1775].*] [Refs - b2280; b3192; b2154]
- e **Aphanaeus** Hemming, 1967, (ISS) OD: Bull. Br. Mus. nat. Hist. (Ent.) Suppl. 9:51 [b2280]. OS: *Aphnaeus* Hübner, [1819]. [Refs - b1019; b2280; b1023]
- a **Apharitis** Riley, 1925 OD: Novit. zool. 32:70,78 [b3759]. TS: *Polyommatus epargyros* Eversmann, 1854. OD: Bull. Soc. imp. Nat. Moscou 27(2):178, pl 1, f 1,2 [b1651]. TM: by original designation. HC-Lyc: Lyc: The: Aph: *Aphnaeus* [Refs - b2988; b3582; b2280; b2794]
- d **Aphnaemorpha** de Nicéville, 1890, (JOS) OD: Butts India Burma Ceylon 3:347 [b1153]. TS: *Papilio orcas* Drury, [1782], 1770-1782. OD: Ill. nat. Hist. 3index et 46, pl 34, f 2,3 [b1392]. TM: by original designation. OS: *Aphnaeus* Hübner, [1819]. [Refs - b1019; b2280]
- e **Aphnaemorpha** Riley, 1922, (ISS) OD: J. Bombay nat. Hist. Soc. 28(2):465 [b3750]. OS: *Aphnaemorpha* de Nicéville, 1890. [Refs - b2280]
- a **Aphnaeus** Hübner, [1819], 1816-1826 OD: Verz. bekannt. Schmett. (6):81 [b2484]. TS: *Papilio orcas* Drury, [1782], 1770-1782. OD: Ill. nat. Hist. 3index et 46, pl 34, f 2,3 [b1392]. TM: by selection by Scudder, 1875. Proc. amer. Acad. Arts Sci. 10(2):116 [b4080]. HC-Lyc: Lyc: The: Aph: *Aphnaeus* [Refs - b1943; b3582; b2280]
- b **Aphniolaus** H. H. Druce, 1902 OD: Proc. zool. Soc. Lond. 1902(II)(1):117 [b1367]. TS: *Myrina pallene* Wallengren, 1857. OD: K. svenska VetenskAkad. Handl. (nf)2(4):36 [b4913]. TM: by original designation. SS: *Iolaus* Hübner, [1819]. [Refs - b1943; b1019; b3582; b2280]
- a **Apodemia** Felder & Felder, 1865, 1865-1875 OD: Reise Novara (2):302 [b1692]. TS: *Lemonias mormo* Felder & Felder, 1859. OD: Wien. ent. Monats. 3(9):271 [b1679]. TM: by selection by Stichel, 1911. Gen. Insectorum 112(B):285,287 [b4447]. HC-Lyc: Rio: Rio: *Emesini* [Refs - b2988; b2280; b3192; b1743; b1318; b1321; b2154]
- a **Apporasa** Moore, 1884 OD: J. asiat. Soc. Bengal, Pt II 53(1):38 [b3236]. TS: *Amblypodia atkinsoni* Hewitson, [1869], 1863-1878. OD: Ill. dium. Lep. Lycaenidae 1:14; 2:pl 3b, f 48,49 [b2326]. TM: by monotypy. HC-Lyc: Lyc: The: Arh: *Arhopala* [Refs - b2280; b1044]
- a **Araotes** Doherty, 1889 OD: J. asiat. Soc. Bengal, Pt II 58(4):413, nota, 428 [b1301]. TS: *Myrina lapithis* Moore, [1858]. OD: In Cat. Lep. Ins. E. India Co. (1):48 [b3219]. TM: by original designation. HC-Lyc: Lyc: The: Deu: *Deudorix* [Refs - b2280]
- d **Araotes** de Nicéville, 1890, (H and JOS) OD: Butts India Burma Ceylon 3:20,445 [b1153]. TS: *Myrina lapithis* Moore, [1858]. OD: In Cat. Lep. Ins. E. India Co. (1):48 [b3219]. TM: by original designation. OS: *Araotes* Doherty, 1889 [Refs - b2280]
- a **Araragi** Sibatani & Ito, 1942 OD: Tenthredo 3(4):318 [b4224]. TS: *Thecla enthea* Janson, 1877. OD: Cistula Entomologica 2(16):157 [b2572]. TM: by original designation. HC-Lyc: Lyc: The: *Thecla* [Refs - b4198; b2280; b4214]
- e **Arargi** d'Abrera, 1993, (ISS) OD: Butts Holarctic Region, Pt 3 :406 [b1455]. SS: *Araragi* Sibatani & Ito, 1942. [Refs - b1455]
- a **Arases** Johnson, 1992 OD: Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (22):196 [b2611]. TS: *Arases clenchi* Johnson, 1992. OD: Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (22):197 [b2611]. TM: by original designation. HC-Lyc: Lyc: The: Eum: *Eumaeus* [Refs - b0125; b2611]
- a **Arawacus** Kaye, 1904 OD: Trans. ent. Soc. Lond. 52(2):197 [b2708]. TS: *Papilio linus* Sulzer, 1776. OD: Abgekürzte Gesch. Ins. :144, pl 19, f 10,11 [b4544]. TM: by original designation. HC-Lyc: Lyc: The: Eum: *Thereus* [Check - *Sulzer never described *linus*. Roemer republished Sulzer's figure of *aetulus*, but substituted the name *linus* for *aetulus*.*] [Refs - b0908; b2988; b2280; b3192; b3806]

- a **Arcas** Swainson, [1832], 1829-1833 OD: Zool. Illustr. (2)2(19):pl 88 [b4551]. TS: *Papilio imperialis* Cramer, [1775], 1775-1790. OD: Uil. Kapellen 1(7):120, pl 76, f E,F [b1069]. TM: by monotypy. HC-Lyc: Lyc: The: Eum: *Eumaeus* [Refs - b0908; b4245; b2280; b3389]
- c **Archaeogerydus** Fruhstorfer, [1916], 1909-1923 OD: In Seitz, Grossschmett. Erde 9:816 [b1840]. TS: *Gerydus croton* Doherty, 1889. OD: J. asiat. Soc. Bengal, Pt II 58(4):439, pl 23, f 9 [b1301]. TM: by selection by Hemming, 1960. Annot. Lep. (1):9 [b2269]. SS: *Miletus Hübner*, [1819]. [Refs - b2280; b1562; b1571]
- c **Archigenes** Fruhstorfer, [1914], 1909-1923 OD: In Seitz, Grossschmett. Erde 9:784 [b1840]. TS: *Abisara aita* de Nicéville, 1893. OD: J. Bombay nat. Hist. Soc. 8(1):49, pl L, f 10 [b1157]. TM: by original designation. SS: *Abisara Felder & Felder*, 1860. [Refs - b1636; b2280; b0965; b2154]
- a **Argentostriatius** Johnson, 1991 OD: Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (21):37 [b2606]. TS: *Thecla tamos* Godman & Salvin, [1887], 1879-1901. OD: Biol. centr.-amer., Lep. Rhop. 2:79; 3-pl 57, f 16,17 [b1975]. TM: by original designation. HC-Lyc: Lyc: The: Eum: *Eumaeus* [Refs - b0125; b2615; b2606; b2606]
- b **Argiolaus** H. H. Druce, 1891 OD: Ann. Mag. nat. Hist. (6)8:143 [b1356]. TS: *Anops silas* Westwood, [1851], 1846-1852. OD: In Gen. diurn. Lep. (2):pl 74, f 5 [b4981]. TM: by original designation. SS: *Iolaus Hübner*, [1819]. [Refs - b1943; b3582; b2280]
- d **Argus Scopoli**, 1763, (RC), ICZN Op 429, L 733 OD: Ent. Cam. :176 [b4060]. TS: *Papilio coridon* Poda von Neuhaus, 1761. OD: Ins. Mus. Graec. :77 [b3623]. TM: by selection by Hemming, 1933. Entomologist 66:224 [b2249]. OS: *Lysandra Hemming*, 1933. [Refs - b2280; b2526; b2794]
- d **Argus Boisduval**, 1832, 1832-1834, (H & RC), ICZN Op 429, L 734 OD: Icon. Hist. Lépid. Europe 1(5/6):49 [b0458]. TS: *Papilio alcon* [Denis & Schiffermüller], 1775. OD: Ankündigung syst. Werkes Schmett. :182 [b1193]. TM: by selection by Hemming, 1933. Entomologist 66:224 [b2249]. OS: *Maculinea van Eecke*, 1915. [Refs - b0908; b2280; b2794]
- d **Argus Gerhard**, 1850, 1850-1853, (H) OD: Vers. monog. europ. Schmett. (1):4 [b1928]. TS: *Lycaena ledereri* Boisduval, 1848. OD: Bull. Soc. ent. Fr. (2)6:xxix [b0465]. TM: by monotypy. OS: *Armenia Dubatolov & Korshunov*, 1984. [Refs - b2280; b1562; b0851; b1321]
- a **Argyrasposes** Tite & Dickson, 1973 OD: Bull. Br. Mus. nat. Hist. (Ent.) 29(5):233, f 13,14 [b4685]. TS: *Zeritis argyraspis* Trueman, 1873. OD: Trans. ent. Soc. Lond. 21(2):114 [b4720]. TM: by original designation. HC-Lyc: Lyc: The: Aph: *Aphnaeus* [Refs - b4685; b0104]
- a **Argyrochella** Staudinger, 1892 OD: Deut. ent. Zeit. [Iris] 4(2):215 [b4336]. TS: *Argyrochella undifera* Staudinger, 1892. OD: Deut. ent. Zeit. [Iris] 4(2):215 [b4336]. TM: by monotypy. HC-Lyc: Lyc: Lip: Lip: *Mimacraea* [Refs - b3582; b2280]
- a **Argyrocupha** Tite & Dickson, 1973 OD: Bull. Br. Mus. nat. Hist. (Ent.) 29(5):234, f 7,8 [b4685]. TS: *Cigaritis malagrida* Wallengren, 1857. OD: K. svenska VetenskAkad. Handl. (nF)2(4):43 [b4913]. TM: by original designation. HC-Lyc: Lyc: The: Aph: *Aphnaeus* [Refs - b4685; b0104]
- d **Argyrogramma** Suchel, 1910, (H) OD: Berl. ent. Z. 55(1/2):12 [b4445]. TS: *Erycina stülbe* Godart, [1824], 1819-1824. OD: In Ency. méth. 9(Ins.)(2):574 [b1970]. TM: by original designation. OS: *Argyrogramma* Strand, 1932. [Refs - b2988 (as *Argyrogramma*); b2280]
- a **Argyrogrammana** Strand, 1932 OD: Folia zool. hydrobiol. 4(1):144 [b4530]. TS: *Erycina stülbe* Godart, [1824], 1819-1824. OD: In Ency. méth. 9(Ins.)(2):574 [b1970]. TM: replacement name for *Argyrogramma* Suchel, 1910. HC-Lyc: Rio: Rio: *Emesini* [Refs - b2988; b2280; b2154]
- a **Arhopala** Boisduval, 1832 OD: In d'Urville, Voy. Astrolabe 1(Lép.):75 [b0457]. TS: *Arhopala phryxus* Boisduval, 1832. OD: In d'Urville, Voy. Astrolabe 1(Lép.):75 [b0457]. TM: by selection by Scudder, 1875. Proc. amer. Acad. Arts Sci. 10(2):120 [b4080]. HC-Lyc: Lyc: The: Arh: *Arhopala* [Note - *The taxon represented by the nominal species Arhopala phryxus Boisduval, 1832, is currently treated, on subjective taxonomic grounds, as being a subspecies of the taxon represented by the older-established nominal species Papilio thamyras Linnaeus, 1758.*] [Refs - b1644; b2280]
- b **Aricia** R. L., 1817 OD: Jena. Allgem. Lit.-Zeit. 14(1):280 [b3682]. TS: *Papilio agestis* [Denis & Schiffermüller], 1775. OD: Ankündigung syst. Werkes Schmett. :184 [b1193]. TM: by selection by Tutt, 1906. Ent. Rec. 18:131 [b4761]. SS: *Plebejus Kluk*, 1802. [Note - *Kocak attributes the name to Reichenbach, 1817, and while this is possible, there is no proof.*] [Refs - b0485; b2280; b0410; b2794; b1064; b4366]
- a **Aricoris** Westwood, [1851], 1846-1852 OD: In Gen. diurn. Lep. (2):pl 72, f 7,8 [b4981]. TS: *Aricoris tisiphone* Westwood, [1851], 1846-1852. OD: In Gen. diurn. Lep. (2):pl 72, f 7 [b4981]. TM: by selection by Scudder, 1875. Proc. amer. Acad. Arts Sci. 10(2):120 [b4080]. HC-Lyc: Rio: Rio: *Lemoniini* [Note - *The taxon represented by the nominal species Aricoris tisiphone Westwood, [1851], is currently treated, on subjective taxonomic grounds, as being the same as the taxon represented by the older-established nominal species Erycina tuwana Godart, [1824].*] [Refs - b2280; b2154]
- b **Arietta** Hemming, 1935 OD: Stylops 4:3 [b2257]. TS: *Polyommatus vardhana* Moore, [1875]. OD: Proc. zool. Soc. Lond. 1874(4):572, pl 66, f 5 [b3223]. TM: replacement name for *Moorea Toxopeus*, 1927. SS: *Oreolyce Toxopeus*, 1927. [Refs - b2280; b1580]
- a **Armenia** Dubatolov & Korshunov, 1984 OD: Chlenistonogiye i Gelminty 1984:51-57 [b1394]. TS: *Lycaena ledereri* Boisduval, 1848. OD: Bull. Soc. ent. Fr. (2)6:xxix [b0465]. TM: replacement name for *Argus Gerhard*, 1850. HC-Lyc: Lyc: The: Eum: *Eumaeus* [Refs - b3361]
- b **Armentulus** Eliot & Kawazoé, 1983 OD: Butts *Lycaenopsis* group :196 [b1580]. TS: *Cyaniris shelfordii* de Nicéville, 1902. OD: J. Bombay nat. Hist. Soc. 14(2):245, pl FF, f 7 [b1168]. TM: by original designation. SS: *Celarchus Eliot & Kawazoé*, 1983. [Refs - b1580]
- e **Arotis** Westwood, [1851], 1846-1852, (PS) OD: In Gen. diurn. Lep. (2):450 [b4981]. TS: *Aricoris (Setabis) myrtis* Westwood, [1851], 1846-1852. OD: In Gen. diurn. Lep. (2)450, nota [b4981]. TM: by selection by Hemming, 1941. J. Soc. Bibl. nat. Hist. 1(11):434 [b2263]. OS: *Setabis* Westwood, [1851]. [Refs - b2280; b1023]
- c **Arrhenothrix** de Nicéville, 1890 OD: Butts *India* *Burmah* *Ceylon* 3:18,336 [b1153]. TS: *Arrhenothrix penicilligera* de Nicéville, 1890. OD: Butts *India* *Burmah* *Ceylon* 3:337, pl 28, f 214 [b1153]. TM: by original designation. SS: *Dacalana* Moore, 1884. [Refs - b1019; b2280; b1562]
- e **Arrhenotrix** Evans, 1927, (ISS) OD: Ident. Indian Butts (1st ed) :133 [b1636]. OS: *Arrhenothrix* de Nicéville, 1890. [Refs - b2280]
- d **Arhopala** Kirby, [1873], (UE) OD: Zool. Rec 8(1871)(Ins.):365 [b2749]. OS: *Arhopala* Boisduval, 1832. [Refs - b1023]
- c **Arruglia** Wallengren, 1872 OD: Öfvers. K. VetenskAkad. Förh. 29(3):47 [b4916]. TS: *Papilio protumnus* Linnaeus, 1764. OD: Mus. Lud. Ulr. :340 [b2996]. TM: by selection by Röber, [1892], 1888-1892. In Exot. Schmett. Bd 1(Th. 2)(6):277 [b3822]. SS: *Thestor Hübner*, [1819]. [Refs - b2280]

- a **Artipe** Boisduval, 1870 OD: *Consid. Léop. Guatemala* :14 [b0469]. TS: *Papilio amyntor* Herbst, 1804, 1788-1804. OD: In *Jablonsky, Natursyst. Ins., Schmett.* 11:27, pl 300, f 5,6 [b2306]. TM: by original designation. HC-Lyc: Lyc: The: **Deu: Deudorix** [Note - *The taxon represented by the nominal species Papilio amyntor* Herbst, 1804, is currently treated, on subjective taxonomic grounds, as being the same as the taxon represented by the older-established nominal species *Papilio eryx* Linnaeus, 1771.] [Refs - b2280]
- a **Artopoetes** Chapman, 1909 OD: *Proc. zool. Soc. Lond.* 1909(2):473 [b0751]. TS: *Lycaena pryeri* Murray, 1873. OD: *Ent. mon. Mag.* 10:126 [b3316]. TM: by monotypy. HC-Lyc: Lyc: The: **The: Thecla** [Refs - b2988; b2280; b4214]
- a **Aslauga** Kirby, 1890 OD: *Ann. Mag. nat. Hist.* (6)6:261 [b2766]. TS: *Liphyra vininga* Hewitson, 1875. OD: *Ent. mon. Mag.* 11:183 [b2345]. TM: by selection by Bethune-Baker, [1925]. *Trans. ent. Soc. Lond.* 72(3/4):209 [b0361]. HC-Lyc: Lyc: Lip: **Aslauga** [Refs - b1943; b3582; b2280; b1452]
- a **Astraeodes** Staudinger, [1887], 1884-1888 OD: In *Exot. Schmett.* Bd 2(Th. 1)(19):pl 93 [b4329]. TS: *Pandemos areuta* Westwood, [1851], 1846-1852. OD: In *Gen. diurn. Lep.* (2):pl 70, f 5; (2):440 [b4981]. TM: by monotypy. HC-Lyc: **Rio: Rio: Emesini** [Note - *The text came in [1888], at Bd 1(Th. 1):263.*] [Refs - b2988; b2280; b2881; b2154]
- d **Astraeodes** Röber, [1892], 1888-1892, (H and JOS) OD: In *Exot. Schmett.* Bd 1(Th. 2)(6):256 [b3822]. TS: *Pandemos areuta* Westwood, [1851], 1846-1852. OD: In *Gen. diurn. Lep.* (2):pl 70, f 5; (2):440 [b4981]. TM: by monotypy. OS: **Astraeodes** Staudinger, [1887]. [Refs - b2280]
- a **Athamanthia** Zhdanko, 1983 OD: *Ent. Rev.* 62(1):139 [b5064]. TS: *Polyommatus athamantis* Eversmann, 1854. OD: *Bull. Soc. imp. Nat. Moscou* 27(2):180, pl 1, f 3,4 [b1651]. TM: by original designation. HC-Lyc: Lyc: Lyc: **Lycaena** [Refs - b3371; b3360; b5064]
- a **Athysanota** Karsch, 1895 OD: *Ent. Nachr.* 21:297 [b2694]. TS: *Lycaena omata* Mabille, 1890. OD: *Annl. Soc. ent. Fr.* (6)10:24, pl 2, f 6 [b3047]. TM: by monotypy. HC-Lyc: Lyc: **Pol: Pol: Euchrysops** [Refs - b3582; b2280]
- a **Atildes** Hübner, [1819], 1816-1826 OD: Verz. bekannt. *Schmett.* (5):80 [b2484]. TS: *Papilio halesus* Cramer, [1777], 1775-1790. OD: *Uitl. Kapellen* 2(9):3, pl 98, f B,C. [b1069]. TM: by selection by Scudder, 1875. *Proc. amer. Acad. Arts Sci.* 10(2):124 [b4080]. HC-Lyc: Lyc: **The: Eum: Eumaeus** [Refs - b0908; b2988; b4245; b2280; b3192; b1743; b1321]
- e **Atlides** Zazzini, 1934, (ISS) OD: *Butts Moths Amer.* :29 [b5058]. SS: *Atlides* Hübner, [1819]. [Refs - b3138]
- a **Aubergina** Johnson, 1991 OD: *Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point)* (21):44 [b2606]. TS: *Thecla alda* Hewitson, 1868. OD: *Descr. new Spec. Lycaenidae* :25 [b2327]. TM: by original designation. HC-Lyc: Lyc: **The: Eum: Eumaeus** [Refs - b0125; b2606]
- a **Audre** Hemming, 1934 OD: *Entomologist* 67:157 [b2254]. TS: *Papilio epulus* Cramer, [1775], 1775-1790. OD: *Uitl. Kapellen* 1(5):79, pl 50, f C,D. [b1069]. TM: by original designation. HC-Lyc: **Rio: Rio: Lemonini** [Refs - b2988; b2280; b0677]
- c **Aurea** Evans, 1957 OD: *Bull. Br. Mus. nat. Hist. (Ent.)* 5(3):88,126 [b1644]. TS: *Amblyopoda aurea* Hewitson, 1862. OD: *Spec. Cat. Lyc. Brit. Mus.* :8, pl 8, f 87,88 [b2325]. TM: by original designation. SS: *Arhopala* Boisduval, 1832. [Refs - b1644; b2280; b0965]
- d **Aurotis** Dalman, 1816, (JOS) OD: *K. svenska Vetensk.Akad. Handl.* 37(1):63,90 [b1092]. TS: *Papilio betulae* Linnaeus, 1758. OD: *Syst. nat. (ed. 10)* 1:482 [b2993]. TM: under Article 44a (Nominate Subgenus). OS: *Thecla* Fabricius, 1807. [Refs - b0908; b2280; b1023; b2794]
- e **Aurotis** (Kirby, 1862) Hemming, 1967, (Myth) OD: *Bull. Br. Mus. nat. Hist. (Ent.) Suppl.* 9:70 [b2280]. OS: *Laeosopis Rambur*, 1858. [Refs - b2280; b1023; b2794]
- c **Austromyrina** Felder & Felder, 1865, 1865-1875 OD: *Reise Novara* (2):260 [b1692]. TS: *Papilio evagoras* Donovan, 1805. OD: *Epitome Ins. New Holland sig.F:[1]* [b1311]. TM: by selection by Hemming, 1960. *Annot. Lep.* (1):9 [b2269]. SS: *Jalmenus* Hübner, [1818]. [Refs - b2280]
- a **Austrozephyrus** Howarth, 1957 OD: *Bull. Br. Mus. nat. Hist. (Ent.)* 5(6):237,270 [b2463]. TS: *Dipsas absolon* Hewitson, [1865], 1863-1878. OD: *Ill. diurn. Lep. Lycaenidae* 1:65; 2:pl 30, f 11,12 [b2326]. TM: by original designation. HC-Lyc: Lyc: **The: The: Thecla** [Refs - b2280]
- e **Axiocerces** Scudder, 1876, (ISS) OD: *Bull. Buffalo Soc. nat. Sci.* 3:127 [b4083]. SS: *Axiocerces* Hübner, [1819]. [Refs - b0539]
- a **Axiocerces** Hübner, [1819], 1816-1826 OD: Verz. bekannt. *Schmett.* (5):72 [b2484]. TS: *Papilio perion* Stoll, [1782], 1780-1790. OD: In *Cramer, Uitl. Kapellen* 4(32):176, pl 379, f B,C [b4478]. TM: by monotypy. HC-Lyc: Lyc: **The: Aph: Aphnaeus** [Note - *The taxon represented by the nominal species Papilio perion* Stoll, [1782], is currently treated, on subjective taxonomic grounds, as being a subspecies of the taxon represented by the older-established nominal species *Papilio harpax* Fabricius, 1775.] [Refs - b2988; b1943; b3582; b2280]
- a **Azanus** Moore, [1881], 1880-1881 OD: *Lep. Ceylon* 1(2):79 [b3232]. TS: *Papilio ubaldus* Stoll, [1782], 1780-1790. OD: In *Cramer, Uitl. Kapellen* 4(33):209, pl 390, f L,M [b4478]. TM: by original designation. HC-Lyc: Lyc: **Pol: Pol: Azanus** [Refs - b2988; b1943; b3582; b2280]
- a **Baeotis** Hübner, [1819], 1816-1826 OD: Verz. bekannt. *Schmett.* (2):21 [b2484]. TS: *Baeotis hisbaena* Hübner, [1819], 1816-1826. OD: Verz. bekannt. *Schmett.* (2):21 [b2484]. TM: by selection by Scudder, 1875. *Proc. amer. Acad. Arts Sci.* 10(2):125 [b4080]. HC-Lyc: **Rio: Rio: Rio: Riodinini** [Note - *The taxon represented by the nominal species Baeotis hisbaena* Hübner, [1819], is currently treated on subjective taxonomic grounds, as being the same as the taxon represented by the older-established nominal species *Papilio hisbon* Cramer, [1775].] [Refs - b2988; b2280; b2154]
- a **Bajtuana** Korshunov, 1990 OD: In *Nov Malozvestiye Vidy Fauny Sib.* (22):70 [b2830]. TS: *Lycaena argali* Elwes, 1899. OD: *Trans. ent. Soc. Lond.* 47(3):328 [b1595]. TM: by original designation. HC-Lyc: Lyc: **Pol: Pol: Glaucopsyche** [Refs - b0125]
- d **Bakeria** Tutt, [1907], 1905-1914, (H) OD: *Nat. Hist. Brit. Butts* 2:142 [b4760]. TS: *Lycaena ledereri* Boisduval, 1848. OD: *Bull. Soc. ent. Fr.* (2)6:xxix [b0465]. TM: by original designation. SS: *Strymonidia* Tutt, [1908]. [Refs - b2280; b1562; b0851]
- e **Balcona** Harvey, 1987, (ISS) OD: *Class. Riodinidae* :59 [b2154]. SS: *Balcona* Moore, [1901]. [Refs - b2154]
- a **Ballochilla** Stempffer & Bennett, 1953 OD: *Bull. Br. Mus. nat. Hist. (Ent.)* 3:85 [b4415]. TS: *Liptena aslauga* Trnmen, 1873. OD: *Trans. ent. Soc. Lond.* 21(2):117 [b4720]. TM: by original designation. HC-Lyc: Lyc: **Lip: Lip: Mimacraea** [Refs - b2988; b1943; b2280]

- c **Balonca** Moore, [1901], 1890-1913 OD: Lep. Ind. 5(52):73 [b3238]. TS: *Dodona deodata* Hewitson, 1876. OD: Ent. mon. Mag. 13:151 [b2348]. TM: by original designation. SS: *Dodona* Hewitson, [1861]. [Refs - b1636; b2280; b0965; b2154]
- e **Barbicornis** Hemming, 1967, (ISS) OD: Bull. Br. Mus. nat. Hist. (Ent.) Suppl. 9:114 [b2280]. OS: *Barbicornis* Godart, [1824]. [Refs - b2280; b1023]
- a **Barbicornis** Godart, [1824], 1819-1824 OD: In Ency. méth. 9(Ins.)(2):706 [b1970]. TS: *Barbicornis basilis* Godart, [1824], 1819-1824. OD: In Ency. méth. 9(Ins.)(2):706 [b1970]. TM: by monotypy. HC-Lyc: Rio: Rio: Rio: *Riodinita* [Refs - b2988; b2280; b2154]
- c **Barisana** Moore, [1902], 1890-1913 OD: Lep. Ind. 5(53):100 [b3238]. TS: *Zemeros emesoides* Felder & Felder, 1860. OD: Wien. ent. Monats. 4(12):396 [b1683]. TM: by original designation. SS: *Zemeros* Boisduval, 1836. [Refs - b2988; b2280; b0965; b2154]
- c **Baspa** Moore, 1882 OD: Proc. zool. Soc. Lond. 1882(1):250 [b3234]. TS: *Papilio melampus* Stoll, [1781], 1780-1790. OD: In Cramer, Utit. Kapellen 4(31):142, pl 362, f G,H [b4478]. TM: by monotypy. SS: *Rapala* Moore, [1881]. [Note - *The taxon represented by the nominal species Papilio melampus* Stoll, [1781], a junior homonym, is currently treated, on subjective taxonomic grounds, as being the same as the taxon represented by the nominal species *Papilio iarbua* Fabricius, 1787.] [Refs - b2280; b1562]
- a **Batelusia** H. H. Druce, 1910 OD: Proc. zool. Soc. Lond. 1910(1):367 [b1378]. TS: *Batelusia zebra* H. H. Druce, 1910. OD: Proc. zool. Soc. Lond. 1910(1):368 [b1378]. TM: by monotypy. HC-Lyc: Lyc: Lip: Lip: *Epitola* [Refs - b2988; b3582; b2280]
- c **Bergmania** Bryk, 1946 OD: Ark. Zool. 38A(3):52 [b0568]. TS: *Dipsas flamen* Leech, 1887. OD: Proc. zool. Soc. Lond. 1887(3):410-411, pl 26, f 2 [b2961]. TM: by original designation. SS: *Coreana* Tutt, [1907]. [Note - *The taxon represented by the nominal species Dipsas flamen* Leech, 1887, is currently treated, on subjective taxonomic grounds, as being the same as the taxon represented by the older-established nominal species *Thecla raphaelis* Oberthür, 1880.] [Refs - b2280; b4214]
- c **Bidaspa** Moore, 1882 OD: Proc. zool. Soc. Lond. 1882(1):250 [b3234]. TS: *Thecla nissa* Kollar, [1844]. OD: In Hügel, Kaschmir 4(2):412, pl 4, f 3,4 [b2821]. TM: by original designation. SS: *Rapala* Moore, [1881]. [Refs - b2280; b1562; b0965]
- c **Biduanda** Distant, 1884, 1882-1886 OD: Rhop. malayana :233,237 [b1285]. TS: *Myrina thesmia* Hewitson, [1863], 1863-1878. OD: Ill. diurn. Lep. Lycaenidae 1:32; 2:pl 14, f 25-27 [b2326]. TM: by original designation. SS: *Drupadia* Moore, 1884. [Refs - b2280; b1014; b0965]
- a **Bindahara** Moore, [1881], 1880-1881 OD: Lep. Ceylon 1(3):111 [b3232]. TS: *Hesperia phocides* Fabricius, 1793, 1792-1799. OD: Ent. syst. 3(1):282 [b1657]. TM: by monotypy. HC-Lyc: Lyc: The: *Deu: Deudorix* [Refs - b2280]
- c **Binghamia** Tutt, [1908], 1905-1914 OD: Nat. Hist. Brit. Butts 3:41,42 [b4760]. TS: *Hesperia parthasius* Fabricius, 1793, 1792-1799. OD: Ent. syst. 3(1):289 [b1657]. TM: by original designation. SS: *Everes* Hübner, [1819]. [Note - *According to .. based on misidentified type-species. Cowan notes that the name is valid in Tutt's literal sense until the necessary action laid down by Art. 70(a) of the code are taken.*] [Refs - b2280; b1562; b1046]
- d **Bithys** Hübner, [1818], 1808-1837, (RC), ICZN Op 541, L 1234 OD: Zutr. Samml. exot. Schmett. 1:18 [b2483]. TS: *Bithys leucophaeus* Hübner, [1818], 1808-1837. OD: Zutr. Samml. exot. Schmett. 1:18, pl [16], f 87,88 [b2483]. TM: by selection by Riley, 1922. J. Bombay nat. Hist. Soc. 28(2):466 [b3750]. SS: *Echenais* Hübner, [1819]. [Refs - b0908; b2988; b2280; b2530; b2514; b1321]
- e **Boeberella** Hemming, 1967, (ISS) OD: Bull. Br. Mus. nat. Hist. (Ent.) Suppl. 9:92 [b2280]. OS: *Roeberella* Strand, 1932. [Refs - b1023]
- e **Boeotis** Westwood, [1852], 1846-1852, (ISS) OD: In Gen. diurn. Lep. (2):533, no. 452 [b4981]. OS: *Baeotis* Hübner, [1819]. [Refs - b1023]
- c **Bolivella** Balletto, 1993 OD: Boll. Soc. ent. ital. 124(3):232 [b0220]. TS: *Cupido vava* Staudinger, 1894. OD: Deut. ent. Zeit. [Iris] 7:79, pl 2, f 4 [b4339]. TM: by original designation. SS: *Paralycaeus* Nabokov, 1945. [Refs - b0220]
- d **Bothria** Chapman, 1908, (H) OD: Proc. zool. Soc. Lond. 1908(3):677 [b0747]. TS: *Cyaniris chennellii* de Nicéville, [1884]. OD: J. asiat. Soc. Bengal, Pt II 52(2/4):72, pl 1, f 10 [b1145]. TM: by original designation. OS: *Bothrinia* Chapman, 1909. [Refs - b2280]
- a **Bothrinia** Chapman, 1909 OD: Proc. zool. Soc. Lond. 1909(2):473 [b0751]. TS: *Cyaniris chennellii* de Nicéville, [1884]. OD: J. asiat. Soc. Bengal, Pt II 52(2/4):72, pl 1, f 10 [b1145]. TM: replacement name for *Bothria* Chapman, 1908. HC-Lyc: Lyc: Pol: Pol: *Everes* [Refs - b2280]
- a **Bowkeria** Quickelberge, 1972 OD: Ent. Rec. 84(4):86-94 [b3673]. TS: *Zeritis phosphor* Trimen, 1864. OD: Trans. ent. Soc. Lond. (3)2:178 [b4717]. TM: by original designation. HC-Lyc: Lyc: The: *Aph: Aphaeus* [Refs - b0015; b1044]
- e **Brachyglenia** Marschall, 1873, (ISS) OD: Nomencl. zool. :280 [b3063]. OS: *Brachyglenis* Felder & Felder, 1862. [Refs - b2280]
- a **Brachyglenis** Felder & Felder, 1862 OD: Wien. ent. Monats. 6(3):73 [b1687]. TS: *Brachyglenis esthema* Felder & Felder, 1862. OD: Wien. ent. Monats. 6(3):73 [b1687]. TM: by monotypy. HC-Lyc: Rio: Rio: *Rio: Ancyuriti* [Refs - b2988; b2280; b2154]
- a **Brangas** Hübner, [1819], 1816-1826 OD: Verz. bekannt. Schmett. (5):80 [b2484]. TS: *Papilio caranus* Stoll, [1780], 1780-1790. OD: In Cramer, Utit. Kapellen 4(28):84, pl 332, f C,D [b4478]. TM: by selection by Scudder, 1875. Proc. amer. Acad. Arts Sci. 10(2):128 [b4080]. HC-Lyc: Lyc: The: *Eum: Eumaeus* [Refs - b0908; b2280; b3818; b1044]
- a **Brephidium** Scudder, 1876 OD: Bull. Buffalo Soc. nat. Sci. 3:123 [b4083]. TS: *Lycaena exilis* Boisduval, 1852 OD Anns Soc. ent. Fr. (2)10:294 [b0467]. TM: by original designation. HC-Lyc: Lyc: Pol: Pol: *Brephidium* [Refs - b0908; b3582; b2280; b3192; b1743; b1321]
- a **Britomartis** de Nicéville, 1895 OD: J. Bombay nat. Hist. Soc. 9(3):304 [b1159]. TS: *Camena cleoboides* Elwes, [1893] OD: Proc. zool. Soc. Lond. 1892(4):637, pl 44, f 4,5 [b1594] TM: by original designation. HC-Lyc: Lyc: The: *lol: Britomartis* [Refs - b2280]
- c **Bryna** Evans, 1912 OD: J. Bombay nat. Hist. Soc. 21(2):55A [b1626]. TS: *Lycaena stoliczka* Felder & Felder, 1865, 1865-1875. OD: Reise Novara (2):283, pl 35, f 10,11 [b1692]. TM: by selection by Swinhoe, [1913], 1909-1913. In Moore, Lep. Ind. 10(123):348 [b4575]. SS: *Polyommatus Laureille*, 1804. [Refs - b2280; b1562; b4367]
- b **Buakraengius** Eliot & Kawazoé, 1983 OD: Butts Lycaenopsis group :269 [b1580]. TS: *Cyaniris cara* de Nicéville, 1898 OD: J. Bombay nat. Hist. Soc. 12(1):143, pl Z, f 19,20 [b1165]. TM: by original designation. SS: *Monodontus* Toxopeus, 1928. [Refs - b1580]

- a **Bullis** de Nicéville, 1897 OD: J. asiat. Soc. Bengal, Pt II 66(3):558 [b1164]. TS: Briomartis buto de Nicéville, 1895. OD: J. Bombay nat. Hist. Soc. 9(3):308, pl P, f 41 [b1159]. TM: by original designation. HC-Lyc: Lyc: The: Iol: Iolaus [Refs - b2280]
- c **Bythis** Hübner, [1831], 1808-1837, (ISS) OD: Zutr. Samml. exot. Schmett. 3:11 [b2483]. SS: Bythis Hübner, [1818]. [Refs - b0908; b2280; b1023; b2530 (Op 541, L 1236); b1321]
- a **Cacyreus** Butler, [1898] OD: Proc. zool. Soc. Lond. 1897(4):845 [b0647]. TS: Papilio lingeus Stoll, [1782], 1780-1790. OD: In Cramer, Uitl. Kapellen 4(32):176, pl 379, f F.G. [b4478]. TM: by original designation. HC-Lyc: Lyc: Pol: Pol: Cacyreus [Refs - b1943; b3582; b2280]
- a **Caerofethra** Johnson, 1991 OD: Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (21):44 [b2606]. TS: Thecla emendatus H. H. Druce, 1907. OD: Proc. zool. Soc. Lond. 1907(3):619, pl 36, f 20 [b1375]. TM: by original designation. HC-Lyc: Lyc: The: Eum: Eumaeus [Refs - b0125; b2606]
- a **Caerulea** Forster, 1938 OD: Mitt. münchn. ent. Ges. 28:108 [b1762]. TS: Lycaena coeligena coelestis Alphéraky, 1897. OD: In Romanoff, Mém. Lép. 9:113 [b0046]. TM: by original designation. HC-Lyc: Lyc: Pol: Pol: Glaucopsyche [Refs - b2280; b3110; b0076]
- c **Calephelis** Wright, 1908, (ISS) OD: J. New York ent. Soc. 16(3):160 [b5044]. SS: Calephelis Grote & Robinson, 1869. [Refs - b1321; b5044; b3138; b1722]
- a **Calephelis** Grote & Robinson, 1869, ICZN Op 755, L 1694 OD: Trans. amer. ent. Soc. 2(3):310 [b2062]. TS: Erycina virginensis Guérin-Ménéville, [1832], 1829-1844. OD: Icon. Règne Anim. Cuvier (Ins.):pl 81, f 1 [b2086]. TM: by designation by the ICZN. HC-Lyc: Rio: Rio: Rio: Riodinini [Refs - b2988 (as Lephelisca); b1019; b2280; b1023; ns1320; b3192 (incorrect citation for type); b1049; b1743; b1321; b2534; b3151; b2154]
- c **Calephelis** Kirby, [1871], (ISS) OD: Zool. Rec. 7(1870)(Ins.):391 [b2748]. SS: Calephelis Grote & Robinson, 1869. [Refs - b2280; b3192]
- a **Caleta** Frühstorfer, [1922], 1909-1923. OD: In Seitz, Grossschmett. Erde 9:890 [b1840]. TS: Lycaena caleta Hewitson, [1876], 1852-1877. OD: Ill. exot. Butts 5:[87], pl [46], f 1 [b2323]. TM: by tautonymy. HC-Lyc: Lyc: Pol: Pol: Upolampes [Refs - b2280; b2881; b2390; b2388]
- a **Callenya** Eliot & Kawazō, 1983 OD: Butts Lycaenopsis group :258 [b1580]. TS: Cyaniris melaena Doherty, 1889. OD: J. asiat. Soc. Bengal, Pt II 58(4):434, pl 23, f 13 [b1301]. TM: by original designation. HC-Lyc: Lyc: Pol: Pol: Lycaenopsis [Refs - b1580]
- c **Callephelis** Grote, 1873, (ISS) OD: Can. Ent. 5(8):144 [b2052]. SS: Calephelis Grote & Robinson, 1869. [Refs - b3192; b1321 (as Stichel, 1930)]
- c **Callicista** Grote, 1873 OD: Bull. Buffalo Soc. nat. Sci. 1(3):178 [b2053]. TS: Callicista ocellifera Grote, 1873. OD: Bull. Buffalo Soc. nat. Sci. 1(3):178 [b2053]. TM: by monotypy. SS: Strymon Hübner, [1818]. [Note - The taxon represented by the nominal species *Callicista ocellifera* Grote, 1873, is currently treated, on subjective taxonomic grounds, as being the same as the taxon represented by the older-established nominal species *Hesperia columella* Fabricius, 1793.] [Refs - b0908; b1321; b2988; b2280; b3192]
- a **Callicita** Bethune-Baker, 1908 OD: Proc. zool. Soc. Lond. 1908(1):118 [b0340]. TS: Callicita cyara Bethune-Baker, 1908. OD: Proc. zool. Soc. Lond. 1908(1):119, pl 8, f 1 [b0340]. TM: by original designation. HC-Lyc: Lyc: Pol: Pol: Callicita [Refs - b2280; b3549; b2388]
- c **Calliona** Bates, [1868] OD: J. linn. Soc. Lond., Zool. 9:447 [b0267]. TS: Lemonias irene Westwood, [1851], 1846-1852. OD: In Gen. diurn. Lep. (2):459, nota [b4981]. TM: by selection by Scudder, 1875. Proc. amer. Acad. Arts Sci. 10(2):131 [b4080]. SS: Calospila Geyer, [1832]. [Refs - b2988; b2280; b2154 (as good genus)]
- d **Callipareus** Scudder, 1872, (JOS) OD: 4th Ann. Rep. Peabody Acad. Sci. 1871:51 [b4078]. TS: Strymon melinus Hübner, [1818], 1808-1837. OD: Zutr. Samml. exot. Schmett. 1:22, pl [21], f 121,122 [b2483]. TM: by original designation. OS: Strymon Hübner, [1818]. [Refs - b0908; b2280; b3192]
- c **Callipsyche** Scudder, 1876 OD: Bull. Buffalo Soc. nat. Sci. 3:106 [b4083]. TS: Thecla behrii Edwards, 1870. OD: Trans. amer. ent. Soc. 3(1):18 [b1499]. TM: by original designation. SS: Satyrium Scudder, 1876. [Note - Müller states the facies and color pattern of behrii are quite different from the Satyrium species.] [Refs - b0908; b2988; b2280; b0851; b3192; b1743 (in use); b1321; b2631 (in use)]
- a **Callistium** Stichel, 1911 OD: Gen. Insectorum 112(B):257 [b4447]. TS: Charis cleadas Hewitson, [1866], 1852-1877. OD: Ill. exot. Butts 3:[114], pl [57], f 10 [b2323]. TM: by original designation. HC-Lyc: Rio: Rio: Emesini [Refs - b2988; b2280; b2154]
- a **Callophrys** Billberg, 1820 OD: Enum. Ins. Mus. Billb. :80 [b0422]. TS: Papilio rubi Lirnaeus, 1758. OD: Syst. nat. (ed. 10) 1:483 [b2993]. TM: by selection by Scudder, 1875. Proc. amer. Acad. Arts Sci. 10(2):132 [b4080]. HC-Lyc: Lyc: The: Eum: Eumaeus [Refs - b0485; b0908; b4245; b2280; b3192; b1743; b1321; b2794; b2585]
- a **Caloclasma** Stichel, 1910 OD: Berl. ent. Z. 55(1/2):59 [b4445]. TS: Nymphidium ictericum Godman & Salvin, 1878. OD: Proc. zool. Soc. Lond. 1878(3):640, pl 40, f 8 [b1974]. TM: by original designation. HC-Lyc: Rio: Rio: Nymphidiini [Refs - b2988; b2280; b0677]
- c **Calophris** Barragué, 1954, (ISS) OD: Bull. Soc. Hist. nat. Afr. N. 45(3/4):185 [b0253]. OS: Callophrys Billberg, 1820. [Refs - b2280]
- a **Calospila** Geyer, [1832], 1832-1837 OD: In Zutr. Samml. exot. Schmett. 4:28 [b1934]. TS: Calospila thermoe Geyer, [1832], 1832-1837. OD: In Zutr. Samml. exot. Schmett. 4:28, pl [123], f 715,716 [b1934]. TM: by selection by Scudder, 1875. Proc. amer. Acad. Arts Sci. 10(2):133 [b4080]. HC-Lyc: Rio: Rio: Nymphidiini [Note - The taxon represented by the nominal species *Calospila thermoe* Geyer, [1832], is currently treated, on subjective taxonomic grounds, as being the same as the taxon represented by the older-established nominal species *Papilio parthaon* Dalman, 1823.] [Refs - b2988; b2280; b1023; b2154]
- d **Calvus** Hemming, 1939, (JOS) OD: Proc. R. ent. Soc. Lond. (B)8(7):137 [b2261]. TS: Lemonias calvus Staudinger, [1887], 1884-1888. OD: In Exot. Schmett. Bd 2(Th. 1)(19):pl 92 [b4329]. TM: by original designation. OS: Roerberella Strand, 1932. [Refs - b2280; b1023]
- a **Calycopis** Scudder, 1876 OD: Bull. Buffalo Soc. nat. Sci. 3:108 [b4083]. TS: Rusticus poeas Hübner, [1811], 1806-1838. OD: Samml. exot. Schmett. 1:pl [101], f 1-4 [b2482]. TM: by original designation. HC-Lyc: Lyc: The: Eum: Eumaeus [Note - The taxon represented by the nominal species *Rusticus poeas* Hübner, [1811], is currently treated, on subjective taxonomic grounds, as being the same as the taxon represented by the older-established nominal species *Hesperia cecropis* Fabricius, 1793.] [Refs - b1737; b0908; b2988; b4245; b2280; b3192; b0833; b2606]
- a **Calydna** Doubleday, 1847, 1844-1848 OD: List Spec. lep. Bnt Mus. 2:5 [b1327]. TS: Papilio thersander Stoll, [1780], 1780-1790. OD: In Cramer, Uitl. Kapellen 4(28):87, pl 335, f A,B [b4478]. TM: by selection by Scudder, 1875. Proc. amer. Acad. Arts Sci. 10(2):133 [b4080]. HC-Lyc: Rio: Rio: Emesini [Refs - b2988; b2280; b2154]

- a *Calystryma* Field, 1967 OD: Proc. U. S. natn. Mus. 123(3611):1-31 [b1738]. TS: *Calystryma blora* Field, 1967. OD: Proc. U. S. natn. Mus. 123(3611):1-31 [b1738]. TM: by original designation. HC-Lyc: Lyc: The: Eum: *Eumaeus* [Note - *Johnson stated, incorrectly, that the type was keta.*] [Refs - b0276; b0522; b2606]
- d *Camena* Hewitson, [1865], 1863-1878, (H) OD: Ill. dium. Lep. Lycaenidae 1:47 [b2326]. TS: *Camena ctesia* Hewitson, [1865], 1863-1878. OD: Ill. dium. Lep. Lycaenidae 1:48; 2:pl 20, f 1,2 [b2326]. TM: by monotypy. OS: *Ancema* Eliot, 1973. [Refs - b2988; b1019; b2280]
- a *Candalides* Hübner, [1819], 1816-1826 OD: Verz. bekannt. Schmett. (5):73 [b2484]. TS: *Rusticus xanthospilos* Hübner, [1817], 1806-1838. OD: Samml. exot. Schmett. 1:pl [99] [b2482]. TM: by selection by Scudder, 1875. Proc. amer. Acad. Arts Sci. 10(2):133 [b4080]. HC-Lyc: Lyc: Pol: *Candalidini* [Refs - b2280; b0976]
- a *Candora* Johnson, 1992 OD: Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (22):32 [b2610]. TS: *Candora fallacandor* Johnson, 1992. OD: Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (22):33, f [b2610]. TM: by original designation. HC-Lyc: Lyc: The: Eum: *Eumaeus* [Note - *The Zoological Record incorrectly records the type species as Thecla schausa Jones.*] [Refs - b0125; b2610]
- a *Capys* Hewitson, [1865], 1863-1878 OD: Ill. dium. Lep. Lycaenidae 1:59 [b2326]. TS: *Papilio alpheus* Cramer, [1777], 1775-1790. OD: Uid. Kapellen 2(16):131, pl 182, f E.F. [b1069]. TM: by monotypy. HC-Lyc: Lyc: The: Deu: *Capys* [Note - *Placed on the Official List by Opinion #1398.*] [Refs - b1943; b1019 :8; b3582; b2280; b1056; b2545; b2286]
- a *Caria* Hübner, [1823], 1808-1837 OD: Zutr. Samml. exot. Schmett. 2:14 [b2483]. TS: *Caris colubris* Hübner, [1823], 1808-1837. OD: Zutr. Samml. exot. Schmett. 2:14, pl [44], f 251,252 [b2483]. TM: by monotypy. HC-Lyc: Rio: Rio: *Riodiniti* [Note - *The taxon represented by the nominal species Caris colubris Hübner, [1823], is currently treated, on subjective taxonomic grounds, as being the same as the taxon represented by the older-established nominal species Hesperia pluartargus Fabricius, 1793.*] [Refs - b2781; b2988; b2280; b3192; b1321; b2154]
- a *Carlomothis* Stichel, 1910 OD: Berl. ent. Z. 55(1/2):54 [b4445]. TS: *Papilio erythromelas* Sepp, [1848], 1828-1855. OD: Surinaam. Vlinders :65, pl 29 [b4116]. TM: by original designation. HC-Lyc: Rio: Rio: *Riodiniti* [Refs - b2988; b2280; b4445; b2154]
- a *Cartea* Kirby, 1871 OD: Syn. Cat. dium. Lep. :308 [b2747]. TS: *Limnas vitula* Hewitson, [1852], 1852-1877. OD: Ill. exot. Butts 1:[118], pl [59], f 5 [b2323]. TM: replacement name for *Orestus* Felder & Felder, 1862. HC-Lyc: Rio: Rio: *Riodiniti* [Refs - b2988; b2280; b2154]
- a *Castalius* Hübner, [1819], 1816-1826 OD: Verz. bekannt. Schmett. (5):70 [b2484]. TS: *Papilio rosimon* Fabricius, 1775. OD: Syst. Ent. :523 [b1653]. TM: by selection by Scudder, 1875. Proc. amer. Acad. Arts Sci. 10(2):135 [b4080]. HC-Lyc: Lyc: Pol: *Castalius* [Refs - b1943; b3582; b2280; b2898; b0122; b2388]
- e *Catachrysops* Seitz, [1909], 1907-1921, (ISS) OD: In Seitz, Grossschmett. Erde 1:292 [b4092]. SS: *Catochrysops* Boisduval, 1832. [Refs - b2280]
- c *Catagrammina* Bates, [1868] OD: J. linn. Soc. Lond., Zool. 9:411 [b0267]. TS: *Necyria tapaja* Saunders, [1859]. OD: Trans. ent. Soc. Lond. (2)5:108, pl 11, f 17 [nec 18] [b3939]. TM: by monotypy. SS: *Setabis* Westwood, [1851]. [Refs - b2988; b2280; b2154]
- a *Catapaeclima* Butler, [1879] OD: Trans. linn. Soc. Lond., (2) Zool. 1(8):547 [b0613]. TS: *Hypochrysops elegans* H. Druce, 1873. OD: Proc. zool. Soc. Lond. 1873(2):350, pl 32, f 12 [b1383]. TM: by monotypy. HC-Lyc: Lyc: The: Cat: *Catapaeclima* [Refs - b4198; b2280]
- e *Catapoeclima* Kirby, [1881], (ISS) OD: Zool. Rec. 16(1879)(Ins.):144 [b2757]. OS: *Catapaeclima* Butler, [1879]. [Refs - b1636; b1023]
- a *Catochrysops* Boisduval, 1832 OD: In d'Urville, Voy. Astro-labe 1(Lép.):87 [b0457]. TS: *Hesperia strabo* Fabricius, 1793, 1792-1799. OD: Ent. syst. 3(1):287 [b1657]. TM: by selection by Scudder, 1875. Proc. amer. Acad. Arts Sci. 10(2):136 [b4080]. HC-Lyc: Lyc: Pol: *Catochrysops* [Refs - b4198; b2280; b2388]
- a *Catocyclotis* Stichel, 1911 OD: Gen. Insectorum 112(B):328 [b4447]. TS: *Hesperia aemulius* Fabricius, 1793, 1792-1799. OD: Ent. syst. 3(1):322 [b1657]. TM: by original designation. HC-Lyc: Rio: Rio: *Lemonini* [Refs - b2988; b2280; b2154]
- a *Catopyrops* Toxopeus, 1929 OD: Tijdschr. Ent. 72(3/4):230 [b4700]. TS: *Lycaena ancyra* C. Felder, 1860. OD: Sber. Akad. Wiss. Wien 40(11):457 [b1676]. TM: by monotypy. HC-Lyc: Lyc: Pol: *Prosotas* [Refs - b1019; b2280; b2388]
- e *Catorchrysops* Fruhstorfer, [1897], (ISS) OD: Berl. ent. Z. 41(4):303 [b1805]. OS: *Catochrysops* Boisduval, 1832. [Refs - b1023]
- a *Cebrella* Eliot & Kawazoé, 1983 OD: Butts *Lycaenopsis* group :64 [b1580]. TS: *Cyaniris pellecebra* Fruhstorfer, 1910. OD: Stett. ent. Ztg 71:296 [b1843]. TM: by original designation. HC-Lyc: Lyc: Pol: *Lycaenopsis* [Refs - b1580]
- a *Celarchus* Eliot & Kawazoé, 1983 OD: Butts *Lycaenopsis* group :191 [b1580]. TS: *Cyaniris transpectus* archagathos Fruhstorfer, 1910. OD: Stett. ent. Ztg 71:284 [b1843]. TM: by original designation. HC-Lyc: Lyc: Pol: *Lycaenopsis* [Refs - b1580]
- a *Celastrina* Tutt, 1906 OD: Ent. Rec. 18:131 [b4761]. TS: *Papilio argiolus* Linnaeus, 1758. OD: Syst. nat. (ed. 10) 1:483 [b2993]. TM: by original designation. HC-Lyc: Lyc: Pol: *Lycaenopsis* [Refs - b4198; b0908; b2280; b1580; b3192; b0400; b1743; b1321; b2794]
- a *Celatoxia* Eliot & Kawazoé, 1983 OD: Butts *Lycaenopsis* group :198 [b1580]. TS: *Cyaniris albidisca* Moore, [1884] OD: Proc. zool. Soc. Lond. 1883(4):524, pl 48, f 7 [b3235]. TM: by original designation. HC-Lyc: Lyc: Pol: *Lycaenopsis* [Refs - b1580]
- e *Celestrina* Brown, 1970 OD: Trans. amer. ent. Soc. 96:421, etc [b0510]. SS: *Celastrina* Tutt, 1906. [Refs - b1580]
- a *Celmia* Johnson, 1991 OD: Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (21):44 [b2606]. TS: *Papilio celmus* Cramer, [1775], 1775-1790. OD: Uid. Kapellen 1(5):87, pl 55, f G.H [b1069]. TM: by original designation. HC-Lyc: Lyc: The: Eum: *Eumaeus* [Refs - b0125; b2606]
- a *Chaetoprocta* de Nicéville, 1890 OD: Butts *India* *Burmah* *Ceylon* 3:17,311 [b1153]. TS: *Dipsas odata* Hewitson, [1865], 1863-1878. OD: Ill. dium. Lep. Lycaenidae 1:66, 2:pl 30, f 13,14 [b2326]. TM: by monotypy. HC-Lyc: Lyc: The: The: *Thecla* [Refs - b2988; b1019; b2280; b4214]
- a *Chalceria* Scudder, 1876 OD: Bull. Buffalo Soc. nat. Sci 3:125 [b4083]. TS: *Chrysophanus rubidus* Behr, 1866. OD: Proc. ent. Soc. Philad. 6(2):208 [b0282]. TM: by original designation. HC-Lyc: Lyc: Lyc: *Lycaena* [Refs - b0908; b2280; b3191; b3192; b3189]
- a *Chalodeta* Stichel, 1910 OD: Berl. ent. Z. 55(1/2):15 [b4445]. TS: *Charis theodora* Felder & Felder, 1862. OD: Wien. ent. Monats. 6(3):72 [b1687]. TM: by original designation. HC-Lyc: Rio: Rio: *Riodiniti* [Refs - b2988; b2280; b2154]

- a **Chalybs** Hübner, [1819], 1816-1826 OD: Verz. bekannt. Schmetz. (5):76 [b2484]. TS: *Papilio janias* Cramer, [1779], 1775-1790. OD: Uil. Kapellen 3(18):36, pl 213, f D,E. [b1069]. TM: by selection by Scudder, 1875. Proc. amer. Acad. Arts Sci. 10(2):139 [b4080]. HC-Lyc: Lyc: The: Eum: *Eumaeus* [Refs - b0908; b2280; b2626]
- c **Chalybs** Hübner, [1826], 1816-1826, (ISS) OD: Verz. bekannt. Schmetz. Anzeiger:5 [b2484]. OS: *Chalybs* Hübner, [1819]. [Refs - b2280; b1023]
- a **Chamaelimnas** Felder & Felder, 1865, 1865-1875 OD: Reise Novara (2):304 [b1692]. TS: *Chamaelimnas tircis* Felder & Felder, 1865, 1865-1875. OD: Reise Novara (2):410, pl 38, f 17,18 [b1692]. TM: by monotypy. HC-Lyc: Rio: Rio: Rio: *Riodintit* [Refs - b2988; b2280; b2154]
- c **Chamaelimnas** Marschall, 1873, (ISS) OD: Nomencl. zool. :283 [b3063]. OS: *Chamaelimnas* Felder & Felder, 1865. [Refs - b1023]
- a **Charana** de Nicéville, 1890 OD: Butts India Burmah Ceylon 3:19,401 [b1153]. TS: *Myrina mandarinus* Hewitson, [1863], 1863-1878. OD: Ill. diurn. Lep. Lycaenidae 1:28; 2:pl 28, f 6,7 [b2326]. TM: by original designation. HC-Lyc: Lyc: The: Iol: *Iolaus* [Refs - b2280]
- a **Charis** Hübner, [1819], 1816-1826 OD: Verz. bekannt. Schmetz. (2):21 [b2484]. TS: *Charis ania* Hübner, [1819], 1816-1826. OD: Verz. bekannt. Schmetz. (2):21 [b2484]. TM: by selection by Scudder, 1875. Proc. amer. Acad. Arts Sci. 10(2):140 [b4080]. HC-Lyc: Rio: Rio: Rio: *Riodintit* [Note - *The taxon represented by the nominal species Charis ania* Hübner, [1819], is a junior objective synonym of the taxon represented by the older-established nominal species *Papilio auius* Cramer, [1776].] [Refs - b2988; b2280; b2154]
- d **Charmona** Stichel, 1910, (H) OD: Berl. ent. Z. 55(1/2):15 [b4445]. TS: *Papilio auius* Cramer, [1776], 1775-1790. OD: Uil. Kapellen 1(8):144, pl 92, f B. [b1069]. TM: by original designation. OS: *Charis* Hübner, [1819]. [Note - *Stichel spelled the name of the type species auius. Only Hemming uses auius.*] [Refs - b1019; b2280; b1023; b4445]
- e **Charmonana** Hemming, 1967, (ISS) OD: Bull. Br. Mus. nat. Hist. (Ent.) Suppl. 9:109 [b2280]. OS: *Charmonana* Strand, 1932. [Refs - b2280; b1023]
- d **Charmonana** Strand, 1932, (JOS) OD: Folia zool. hydrobiol. 4(1):145 [b4530]. TS: *Papilio auius* Cramer, [1776], 1775-1790. OD: Uil. Kapellen 1(8):144, pl 92, f B. [b1069]. TM: replacement name for *Charmona* Stichel, 1910. OS: *Charis* Hübner, [1819]. [Refs - b1019; b2280 (as *Charmonana*); b1023]
- c **Chattendenia** Tutt, [1908], 1905-1914 OD: Nat. Hist. Brit. Buus 2:483 [b4760]. TS: *Papilio w-album* Knoch, 1782, 1781-1783. OD: Beitr. Insekengesch. 2:85, pl 6, f 1,2 [b2784]. TM: replacement name for *Edwardsia* Tutt, [1907]. SS: *Satyrnum* Scudder, 1876. [Refs - b2280; b0851; b2794]
- b **Chelakina** Eliot & Kawazoé, 1983 OD: Butts Lycaenopsis group :68 [b1580]. TS: *Lycaenopsis matanga* Chapman, 1911. OD: Trans. ent. Soc. Lond. 59(1):185, pl 28, f 1-4 [b0756]. TM: by original designation. SS: *Cebrella* Eliot & Kawazoé, 1983. [Refs - b1580]
- c **Cherchiella** Balletto, 1993 OD: Boll. Soc. ent. ital. 124(3):234 [b0220]. TS: *Itylos grata* Köhler, 1934. OD: Revta Soc. ent. argent. 6:39, f 1,2 [b2806]. TM: by original designation. SS: *Pseudolucia* Nabokov, 1945. [Refs - b0220]
- a **Cheritra** Moore, [1881], 1880-1881 OD: Lep. Ceylon 1(3):109 [b3232]. TS: *Myrina jafra* Godart, [1824], 1819-1824. OD: In Ency. méth. 9(Ins.):2:593 [b1970]. TM: by original designation. HC-Lyc: Lyc: The: Che: *Cheritra* [Note - *The taxon represented by the nominal species Myrina jafra* Godart, [1824], is currently treated, on subjective taxonomic grounds, as being a subspecies of the taxon represented by the older-established nominal species *Hesperia freja* Fabricius, 1793.] [Refs - b2280]
- a **Cheritrella** de Nicéville, 1887 OD: Proc. zool. Soc. Lond. 1887(3):456 [b1150]. TS: *Cheritrella truncipennis* de Nicéville, 1887. OD: Proc. zool. Soc. Lond. 1887(3):456, pl 39, f 3,4 [b1150]. TM: by monotypy. HC-Lyc: Lyc: The: Che: *Cheritra* [Refs - b2280]
- a **Chilades** Moore, [1881], 1880-1881 OD: Lep. Ceylon 1(2):76 [b3232]. TS: *Papilio lajus* Stoll, [1780], 1780-1790. OD: In Cramer, Uil. Kapellen 4(27):62, pl 319, f D,E [b4478]. TM: by original designation. HC-Lyc: Lyc: Pol: Pol: *Polyommatus* [Refs - b0485; b4198; b0908; b2988; b3582; b2280; b2794; b4366]
- a **Chimastrum** Godman & Salvin, [1886], 1879-1901 OD: Biol. centr.-amer., Lep. Rhop. 1:407 [b1975]. TS: *Mesene argentea* Bates, 1866. OD: Ent. mon. Mag. 3:154 [b0264]. TM: by selection by Stichel, 1910. Gen. Insectorum 112(A):228 [b4446]. HC-Lyc: Rio: Rio: *Symmachini* [Refs - b2988; b2280; b2154]
- b **Chillaria** Moore, 1884 OD: J. asiat. Soc. Bengal, Pt II 53(1):32 [b3236]. TS: *Hypolycaena othona* Hewitson, [1865], 1863-1878. OD: Ill. diurn. Lep. Lycaenidae 1:50; 2:pl 22, f 17,18 [b2326]. TM: by original designation. SS: *Hypolycaena* Felder & Felder, 1862. [Refs - b4198; b2280; b4108]
- e **Chlorophanus** Stephens, 1856, (ISS) OD: List Spec. Brit. Anim. Brit. Mus. 5(Lep.):16 [b4430]. SS: *Chrysophanus* Hübner, [1818]. [Refs - b3138]
- a **Chloroselas** Butler, [1886] OD: Proc. zool. Soc. Lond. 1885(4):765 [b0633]. TS: *Chloroselas esmeralda* Butler, [1886]. OD: Proc. zool. Soc. Lond. 1885(4):765, pl 47, f 4 [b0633]. TM: by original designation. HC-Lyc: Lyc: The: Aph: *Aphnaeus* [Refs - b1943; b3582; b2280]
- a **Chlorostrymon** Clench, 1961 OD: In Ehrlich & Ehrlich, Butterflies :179,189 [b0829]. TS: *Thecla telea* Hewitson, 1868. OD: Descr. new Spec. Lycaenidae :4 [b2327]. TM: by original designation. HC-Lyc: Lyc: The: Eum: *Eumaeus* [Refs - b1023; b4574; b3192; b0833; b2598]
- a **Chorinea** Gray, 1832 OD: In Griffith, Cuvier's Anim. Kingdom 15(Cl. Ins. 2):pl 102 [b2014]. TS: *Erycina* (*Chorinea*) *xanthippe* Gray, 1832. OD: In Griffith, Cuvier's Anim. Kingdom 15(Cl. Ins. 2):pl 102 [b2014]. TM: by monotypy HC-Lyc: Rio: Rio: Rio: *Ancyluriti* [Note - *The taxon represented by the nominal species Erycina (Chorinea) xanthippe* Gray, 1832, is currently treated, on subjective taxonomic grounds, as being the same as the taxon represented by the older-established nominal species *Papilio licursis* Fabricius, 1775.] [Refs - b2781; b2988; b2280; b2154]
- e **Chrysophanus** Anonymous, 1960, (ISS) OD: Postage Stamp, Rumania, 1960 40 bani [b0090]. OS: *Chrysophanus* Hübner, [1818]. [Refs - b1023]
- e **Chrysophanus** Gibbons & Stanley, 1962, (ISS) OD: Simpl Stamp Catal. (edns. 1962-1969) :Rumania, 1960, 40 bani [b1939]. SS: *Chrysophanus* Hübner, [1818]. [Refs - b1023]
- d **Chroma** Gray, 1832, (JOS) OD: In Griffith, Cuvier's Anim. Kingdom 15(Cl. Ins. 2):pl 102 [b2014]. TS: *Barbicornis basilius* Godart, [1824], 1819-1824. OD: In Ency. méth. 9(Ins.):2:706 [b1970]. TM: by monotypy. OS: *Barbicornis* Godart, [1824]. [Refs - b2280; b1023]

- e *Chrysilis* (Boisduval ms) Westwood, [1851], 1846-1852, (PS) OD: In Gen. diurn. Lep. (2):427 [b4981]. TS: *Papilio valens* Fabricius, 1787. OD: Mantissa Ins. 2:167 [b1656]. TM: by selection by Hemming, 1941. J. Soc. Bibl. nat. Hist. 1(11):434 [b2263]. SS: Anteros Hübner, [1819]. [Note - The taxon represented by the nominal species *Papilio valens* Fabricius, 1787, is currently treated, on subjective taxonomic grounds, as being the same as the taxon represented by the older-established nominal species *Papilio formosus* Cramer, [1777].] [Refs - b2280; b1023]
- c *Chrysobia* Boisduval, 1869, 1868-1869 OD: Anns Soc. ent. Belg. 12:52 [b0468]. TS: *Chrysobia mormonia* Boisduval, 1869, 1868-1869. OD: Anns Soc. ent. Belg. 12:52 [b0468]. TM: by original designation. SS: *Apodemia* Felder & Felder, 1865. [Note - The taxon represented by the nominal species *Chrysobia mormonia* Boisduval, 1869, is currently treated, on subjective taxonomic grounds, as being the same as the taxon represented by the older-established nominal species *Lemonias mormo* Felder & Felder, 1859.] [Refs - b2280; b3192; b2154]
- e *Chrysophanes* Weidemeyer, 1864, (ISS) OD: Proc. ent. Soc. Philad. 2(4):536 [b4975]. OS: *Chrysophanus* Hübner, [1818]. [Refs - b2280; b1023]
- d *Chrysophanus* Hübner, [1818], 1808-1837, (RC), ICZN Op 541, L 1235 OD: Zutr. Samml. exot. Schmett. 1:24 [b2483]. TS: *Chrysophanus mopsus* Hübner, [1818], 1808-1837. OD: Zutr. Samml. exot. Schmett. 1:24, pl [24], f 135,136 [b2483]. TM: by selection by Riley, 1922. J. Bombay nat. Hist. Soc. 28(2):467 [b3750]. OS: Harknclenus dos Passos, 1970. [Note - The taxon represented by the nominal species *Chrysophanus mopsus* Hübner, [1818], is currently treated, on subjective taxonomic grounds, as being a subspecies of the taxon represented by the older-established nominal species *Hesperia titus* Fabricius, 1793.] [Refs - b0908; b2280; b1023; b3192; b2530; b2514; b1321]
- e *Chrysoptera* Tutt, 1906, (ISS) OD: Ent. Rec. 18:131 [b4761]. OS: *Chysoptera* Zinken, 1817. [Refs - b1019; b2280; b1321]
- e *Chrysoiutes* Peters, 1952, (ISS) OD: Prov. Chk. Buus Eth. Region :11 [b3582]. OS: *Chrysoiutes* Butler, [1898]. [Refs - b3582]
- a *Chrysoiutis* Butler, [1898] OD: Proc. zool. Soc. Lond. 1897(4):848 [b0647]. TS: *Zeritis oreas* Trimen, 1891. OD: Trans. ent. Soc. Lond. 39(1):176 [b4726]. TM: by original designation. HC -Lyc: Lyc: The: Aph: *Aphnaeus* [Refs - b3582 (as *Chryontes*); b2280 (bad typs ref)]
- c *Chrysorychia* Wallengren, 1857, (PD) OD: K. svenska VetenskAkad. Handl. (nF)2(4):44 [b4913]. TS: *Papilio thyra* Linnaeus, 1764. OD: Mus. Lud. Ulr. :329 [b2996]. TM: by selection by Wallengren, 1858. Öfvers. K. VetenskAkad. Förh. 15(2):80 [b4914]. SS: *Alocides* Hübner, [1819]. [Check - Eliot makes this name a synonym of *Axioceres* based on the fact that Wallengren misidentified the type species. Case is before the commission.] [Refs - b4400; b1559; b2280]
- e *Chrysorychia* Wallengren, 1858, (Myth) OD: Öfvers. K. VetenskAkad. Förh. 15(2):80 [b4914]. OS: *Chrysorychia* Wallengren, 1857. [Refs - b2280; b1023]
- a *Chrysozephyrus* Shirōzu & Yamamoto, 1956 OD: Sieboldia 1(4):381 [b4214]. TS: *Thecla smaragdina* Bremer, 1861. OD: Bull. Acad. Sci. St. Pétersbourg 3:470 [b0482]. TM: by original designation. HC -Lyc: Lyc: The: The: *Thecla* [Refs - b4198; b2988; b2280; b4214]
- e *Chysophanus* Wright, 1905, (ISS) OD: Butts W. Coast U. S. :217 [b5043]. SS: *Chrysophanus* Hübner, [1818]. [Refs - b3138]
- d *Chysoptera* Zinken, 1817, (JOS) OD: Allg. Lit.-Zeit. 1817(3)(218):75 [b5077]. TS: *Papilio virgaureae* Linnaeus, 1758. OD: Syst. nat. (ed. 10) 1:484 [b2993]. TM: by selection by Tutt, 1906. Ent. Rec. 18:131 [b4761]. OS: *Heodes* Dalman, 1816. [Refs - b2280; b1321]
- a *Cigaritis* Donzel, 1847 OD: Anns Soc. ent. Fr. (2)5:528 [b1312]. TS: *Cigaritis zohra* Donzel, 1847. OD: Anns Soc. ent. Fr. (2)5:528 [b1312]. TM: by selection by Scudder, 1875. Proc. amer. Acad. Arts Sci. 10(2):142 [b4080]. HC -Lyc: Lyc: The: Aph: *Aphnaeus* [Refs - b0485; b2988; b2280]
- a *Cisincisalia* Johnson, 1992 OD: Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (22):178 [b2611]. TS: *Cisincisalia moeckii* Johnson, 1992. OD: Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (22):179, f [b2611]. TM: by original designation. HC -Lyc: Lyc: The: Eum: *Eumaeus* [Refs - b0125; ns2609; b2611]
- a *Cissatsuma* Johnson, 1992 OD: Neue Ent. Nachr. 29:69 [b2609]. TS: *Satsuma albilinea* Riley, 1939. OD: Novit. zool. 41:359 [b3778]. TM: by original designation. HC -Lyc: Lyc: The: Eum: *Eumaeus* [Refs - b0126]
- a *Citrinophila* Kirby, 1887 OD: Ann. Mag. nat. Hist. (5)19:367 [b2763]. TS: *Citrinophila marginalis* Kirby, 1887. OD: Ann. Mag. nat. Hist. (5)19:368 [b2763]. TM: by original designation. HC -Lyc: Lyc: Lip: Lip: *Mimacraea* [Refs - b3582; b2280; b1023]
- e *Claucopsyche* Lewis, [1973], (ISS) OD: Butts of the World :290 (Pl 205, no. 32) [b2988]. OS: *Glaucopsyche* Scudder, 1872. [Refs - b2988]
- a *Cnodontes* Stempffer & Bennett, 1953 OD: Bull. Br. Mus. nat. Hist. (Ent.) 3:101 [b4415]. TS: *Durbania pallida* Trimen, 1898. OD: Trans. ent. Soc. Lond. 46(1):12, pl 1, f 7,8 [b4731]. TM: by original designation. HC -Lyc: Lyc: Lip: Lip: *Mimacraea* [Refs - b0295; b1943; b2280]
- a *Colaciticus* Stichel, 1910 OD: Gen. Insectorum 112(A):138 [b4446]. TS: *Monethe johnstoni* Dannatt, 1904. OD: Entomologist 37:174, pl 7, f 2 [b1098]. TM: by original designation. HC -Lyc: Rio: Rio: *Ancyluriti* [Refs - b2988; b2280; b2154]
- e *Collophrys* Sovinsky, 1905, (ISS) OD: Revue Russe Ent. 5(3/4):109 [b4286]. SS: *Collophrys* Billberg, 1820. [Refs - b3349]
- a *Comphotis* Stichel, 1910 OD: Gen. Insectorum 112(A):176 [b4446]. TS: *Cricosoma irroratum* Godman, 1903. OD: Trans. ent. Soc. Lond. 51(4):540, pl 22, f 6 [b1972]. TM: by original designation. HC -Lyc: Rio: Rio: Rio: *Riodinti* [Refs - b2988; b2280; b2154]
- e *Compsotera* Harvey, 1987, (ISS) OD: Class. Riodinidae :101 [b2154]. SS: *Compsotera* Hewitson, 1870. [Refs - b2154]
- e *Compsotera* Fassl, 1918, (ISS) OD: Ent. Rundsch. 35(12):48 [b1664]. OS: *Compsotera* Hewitson, 1870. [Refs - b2280]
- c *Compsotera* Hewitson, 1870, 1869-1877 OD: Equatorial Lep. Buckley (4):57 [b2330]. TS: *Compsotera cascella* Hewitson, 1870, 1869-1877. OD: Equatorial Lep. Buckley (4):57 [b2330]. TM: by monotypy. SS: *Ithomiola* Felder & Felder, 1865. [Refs - b2988; b2280; b2154]
- e *Conerilia* Hemming, 1967, (ISS) OD: Bull. Br. Mus. nat. Hist. (Ent.) Suppl. 9:200 [b2280]. OS: *Gonerilia Shirōzu* & Yamamoto, 1956. [Refs - b1019 :12; b2280; b1023]
- a *Contrafacia* Johnson, 1989 OD: J. New York ent. Soc. 97(1):39 [b2597]. TS: *Contrafacia mexicana* Johnson, 1989. OD: J. New York ent. Soc. 97(1):41, f 5B,C,6A,B [b2597]. TM: by original designation. HC -Lyc: Lyc: The: Eum: *Thereus* [Refs - b2597; b3817]
- a *Cooksonia* H. H. Druce, 1905 OD: In Trans. ent. Soc. Lond. 53(2):256 [b1372]. TS: *Cooksonia trimeni* H. H. Druce, 1905. OD: In Trans. ent. Soc. Lond. 53(2):257, pl 13, f 3 [b1372]. TM: by original designation. HC -Lyc: Lyc: Lip: *Durbanini* [Refs - b3582; b2280]

- d **Cophanta** Moore, 1884, (H) OD: J. asiat. Soc. Bengal, Pt II 53(1):35 [b3236]. TS: *Iolaus illurgis* Hewitson, [1869], 1863-1878. OD: Ill. diurn. Lep. Lycaenidae 1, Suppl.:10; 2, Suppl.:suppl. pl 4, f 37, 38 [b2326]. TM: by original designation. SS: *Tajuria* Moore, [1881]. [Refs - b4198; b2280]
- c **Corachia** Seitz, [1917], 1910-1924, (ISS) OD: In Seitz, Grossschmett. Erde 5:709 [b4093]. OS: *Corrachia* Schaus, 1913. [Refs - b2280]
- a **Cordelia** Shirôzu & Yamamoto, 1956 OD: *Sieboldia* 1(4):339,349 [b4214]. TS: *Dipsas cornes* Leech, 1890. OD: Entomologist 23:41 [b2963]. TM: by original designation. HC-Lyc: Lyc: The: The: *Thecla* [Refs - b2988; b2280; b4214]
- a **Coreana** Tutt, [1907], 1905-1914 OD: Nat. Hist. Brit. Butts 2:276 [b4760]. TS: *Thecla raphaelis* Oberhür, 1880. OD: Emd. ent. 5:20, pl 5, f 14a,b [b3422]. TM: by original designation. HC-Lyc: Lyc: The: The: *Thecla* [Refs - b2280; b4214]
- a **Corrachia** Schaus, 1913 OD: Proc. zool. Soc. Lond. 1913(3):351 [b3950]. TS: *Corrachia leucoplaga* Schaus, 1913. OD: Proc. zool. Soc. Lond. 1913(3):351, pl 53, f 1 [b3950]. TM: by original designation. HC-Lyc: Rio: *Corrachilinae* [Refs - b2988; b2280; b2154]
- d **Corydon** Hewitson, [1869], 1863-1878, (H) OD: Ill. diurn. Lep. Lycaenidae 1:Suppl.:1 [b2326]. TS: *Corydon boisduvalii* Hewitson, [1869], 1863-1878. OD: Ill. diurn. Lep. Lycaenidae 1:Suppl.:1; 2, Suppl.:suppl. pl 1, f 1,2 [b2326]. TM: by monotypy. OS: *Hewitsonia* Kirby, 1871. [Refs - b2280]
- d **Cosmolyce** Toxopeus, 1927, 1927-1928, (JOS) OD: Tijdschr. Ent. 70:268, nota [b4697]. TS: *Papilio boeticus* Linnaeus, 1767. OD: Syst. nat. (ed. 12) 1(2):789 [b2997]. TM: by monotypy. OS: *Lampides* Hübner, [1819]. [Refs - b2280; b0400; b2794]
- a **Cowania** Eliot, 1973 OD: Bull. Br. Mus. nat. Hist. (Ent.) 28(6):450 [b1559]. TS: *Horaga achaja* Fruhstorfer, [1912]. OD: Berl. ent. Z. 56(3/4):233 [b1850]. TM: by original designation. HC-Lyc: Lyc: The: Che: *Cheritra*
- a **Cremna** Doubleday, 1847, 1844-1848 OD: List Spec. lep. Brit. Mus. 2:14 [b1327]. TS: *Papilio actoris* Cramer, [1776], 1775-1790. OD: Uil. Kapellen 1(8):146, pl 93, f D(f). [b1069]. TM: by monotypy. HC-Lyc: Rio: Rio: [Refs - b2988; b1019 ; b2280; b2154]
- a **Creon** de Nicéville, [1896] OD: J. Bombay nat. Hist. Soc. 10(2):179 [b1162]. TS: *Polyommatus cleobis* Godart, [1824], 1819-1824. OD: In Ency. méth. 9(Ins.)(2):634 [b1970]. TM: by original designation. HC-Lyc: Lyc: The: *Iolaus* [Refs - b2280]
- d **Creusa** de Nicéville, [1896], (H) OD: J. Bombay nat. Hist. Soc. 10(2):176 [b1162]. TS: *Creusa culta* de Nicéville, [1896]. OD: J. Bombay nat. Hist. Soc. 10(2):177 [b1162]. TM: by original designation. SS: *Tajuria* Moore, [1881]. [Refs - b2280]
- c **Cricosoma** Felder & Felder, 1865, 1865-1875 OD: Reise Novara (2):292 [b1692]. TS: *Cricosoma leopardinum* Felder & Felder, 1865, 1865-1875. OD: Reise Novara (2):293, pl 37, f 29,30 [b1692]. TM: by monotypy. SS: *Symmachia* Hübner, [1819]. [Refs - b2988; b2280; b2154 (as good genus)]
- a **Crimsinota** Johnson, 1993 OD: Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (32):40 [b2614]. TS: *Thecla socia* Hewitson, 1868. OD: Descr. new Spec. Lycaenidae :29 [b2327]. TM: by original designation. HC-Lyc: Lyc: The: *Eumaeus* [Refs - b2614]
- a **Crocozona** Felder & Felder, 1865, 1865-1875 OD: Reise Novara (2):296 [b1692]. TS: *Crocozona pheretima* Felder & Felder, 1865, 1865-1875. OD: Reise Novara (2):296, pl 36, f 16,17 [b1692]. TM: by monotypy. HC-Lyc: Rio: Rio: *Riodinini* [Refs - b2988; b2280; b2154]
- a **Crudaria** Wallengren, 1875 OD: Öfvers. K. VetenskAkad. Förh. 32(1):86 [b4917]. TS: *Amopala* (?) *leroma* Wallengren, 1857. OD: K. svenska VetenskAkad. Handl. (nf)2(4):42 [b4913]. TM: by monotypy. HC-Lyc: Lyc: The: *Aphnaeus* [Refs - b1943; b3582; b2280]
- c **Cryptaenota** Johnson, 1992 OD: Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (22):205 [b2611]. TS: *Thecla latreilli* Hewitson, [1865], 1863-1878. OD: Ill. diurn. Lep. Lycaenidae 1:74, f 8,9 [b2326]. TM: by original designation. SS: *Theritas* Hübner, [1818]. [Refs - b0125; b2611]
- c **Crysobia** Mengel, 1905, (ISS) OD: Cat. Erycinidae :120 [b3155]. SS: *Chrysobia* Boisduval, 1869. [Refs - b3138]
- e **Crysophanus** Strecker, 1878, (ISS) OD: Butts Moths N. Amer., Comp. Syn. Cat. :267 [b4532]. SS: *Chrysophanus* Hübner, [1818]. [Refs - b3138; b2881]
- e **Cupida** Strecker, [1874], 1872-1900, (ISS) OD: Lep. Rhop. Het. (10):85 [b4531]. SS: *Cupido* Schrank, 1801. [Refs - b3138; b2881]
- a **Cupidesthes** Aurivillius, 1895 OD: Ent. Tidskr. 16:215 [b0151]. TS: *Cupidesthes robusta* Aurivillius, 1895. OD: Ent. Tidskr. 16:215 [b0151]. TM: by monotypy. HC-Lyc: Lyc: Pol: *Lycaenesthini* [Refs - b3582; b2280]
- a **Cupido** Schrank, 1801, ICZN Op 503, L 1248 OD: Fauna bioc. 2(1):153,206 [b3973]. TS: *Papilio minimus* Füssly, 1775. OD: Verz. bekannt. Schweiz. Ins. :31 [b1903]. TM: by designation by the ICZN. HC-Lyc: Lyc: Pol: *Pol: Everes* [Refs - b0485; b0908; b2280; b2528; b0400; b2794; b2268; b3151]
- d **Cupido** Hübner, [1819], 1816-1826, (H) OD: Verz. bekannt. Schmett. (5):77 [b2484]. TS: *Papilio amor* Fabricius, 1775. OD: Syst. Ent. :518 [b1653]. TM: by selection by Hemming, 1960. Annot. Lep. (1):10 [b2269]. OS: *Rathinda* Moore, [1881]. [Refs - b2280]
- a **Cupidopsis** Karsch, 1895 OD: Ent. Nachr. 21:298 [b2694]. TS: *Lycaena jobates* Hopffer, 1855. OD: Ber. Verh. Akad. Berl. 1855:642 [b2443]. TM: by original designation. HC-Lyc: Lyc: Pol: *Pol: Cupidopsis* [Refs - b2988; b1943; b3582; b2280]
- a **Curetis** Hübner, [1819], 1816-1826 OD: Verz. bekannt. Schmett. (7):102 [b2484]. TS: *Papilio aescopus* Fabricius, 1781, 1781-1782. OD: Spec. Ins. 2:150 [b1655]. TM: by selection by Scudder, 1875. Proc. amer. Acad. Arts Sci. 10(2):150 [b4080]. HC-Lyc: Lyc: *Curetinae* [Note - *The taxon represented by the nominal species Papilio aescopus Fabricius, 1781, is currently treated, on subjective taxonomic grounds, as being the same as the taxon represented by the older-established nominal species Papilio thetis Drury, [1773].*] [Refs - b2988; b4198; b2280]
- e **Cyanioides** Evans, 1932, (ISS) OD: Ident. Indian Butts (2nd ed.) :199 [b1638]. OS: *Cyaniriodes* de Nicéville, 1890 [Refs - b1044]
- a **Cyaniriodes** de Nicéville, 1890 OD: Butts India Burmah Ceylon 3:33 [b1153]. TS: *Logania andersonii* Moore, 1884 OD: J. asiat. Soc. Bengal, Pt II 53(1):32 [b3236]. TM: by monotypy. HC-Lyc: Lyc: *Poritinae* [Note - *The taxon represented by the nominal species Logania andersonii Moore, 1884, is currently treated, on subjective taxonomic grounds, as being a subspecies of the taxon represented by the older-established nominal species Hypolycaena libna Hewitson, [1869].*] [Refs - b2280 (as *Cyaniroides*); b1454]
- d **Cyaniriodes** Matsumura, 1919, (H) OD: Thous. Ins. Japan Addit. 3:736 [b3089]. TS: *Lycaena ogasawaraensis* Pryer, 1886, 1886-1888. OD: Rhop. nihon. :10, pl 2, f 13 [b3658]. TM: by monotypy. SS: *Celasterna* Tutt, 1906. [Refs - b2280 (as *Cyaniroides*)]
- e **Cyaniroides** (Matsumura, 1919) Hemming, 1929, (ISS) OD: Ann. Mag. nat. Hist. (10)3:227 [b2236]. OS: *Cyaninodes* Matsumura, 1919. [Refs - b1019; b2280]

- b *Cyaniris* Dalman, 1816 OD: K. svenska VetenskAkad. Handl. 37(1):63,94-101 [b1092]. TS: *Papilio semiargus* Herbst, 1804, 1788-1804. OD: In Jablonsky, *Natursyst. Ins.*, Schmett. 11:177 (as *semiargus*), pl 310, f 1-3 (as *acis*) [b2306]. TM: by selection by Crotch, 1872. *Cistula Entomologica* 1(4):71 [b1076]. SS: *Polyommatus Latreille*, 1804. [Refs - b0485; b0908; b2280; b1023; b0410; b2794; b4367]
- e *Cyanoirides* (de Nicéville, 1890) Hemming, 1967, (ISS) OD: Bull. Br. Mus. nat. Hist. (Ent.) Suppl. 9:132 [b2280]. OS: *Cyanoirides* de Nicéville, 1890. [Refs - b1019; b2280]
- e *Cyanoirides* (Matsumura, 1919) Hemming, 1967, (ISS) OD: Bull. Br. Mus. nat. Hist. (Ent.) Suppl. 9:132 [b2280]. OS: *Cyanoirides* Matsumura, 1919. [Refs - b1019; b2280]
- a *Cyanodivida* Johnson, 1991 OD: Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (21):24 [b2606]. TS: *Cyanodivida fornoi* Johnson, 1991. OD: Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (21):25, f [b2606]. TM: by original designation. HC-Lyc: Lyc: The: Eum: *Eumaeus* [Refs - b0125; b2606]
- a *Cyanophrys* Clench, 1961 OD: In Ehrlich & Ehrlich, *Butterflies* :201,211 [b0829]. TS: *Strymon agricolor* Butler & H. Druce, 1872. OD: *Cistula Entomologica* 1(5):105 [b0662]. TM: by original designation. HC-Lyc: Lyc: The: Eum: *Eumaeus* [Refs - b1023; b3192; b2585]
- e *Cyanophrys* Ramos, 1977, (ISS) OD: J. Lep. Soc. 31(3):216 [b3690]. SS: *Cyanophrys* Clench, 1961. [Refs - b3138]
- a *Cyclargus* Nabokov, 1945 OD: *Psyche* 52(1/2):14 [b3326]. TS: *Lycaena ammon* Lucas, 1857. OD: In Sagra, *Hist. Cuba* 7:262, pl [Ins.] 16, f 7,7a,7b [b3021]. TM: by original designation. HC-Lyc: Lyc: Pol: Pol: *Cyclargus* [Refs - b0908; b2280; b1023; b3326; b3192; b1321]
- e *Cyclirius* Kudma, 1986, (ISS) OD: *Butterflies of Europe* 8:159, 194 [b2859]. SS: *Cyclirius* Butler, [1897]. [Refs - b2859]
- b *Cylyrius* Buder, [1897] OD: Proc. zool. Soc. Lond. 1896(4):830 [b0646]. TS: *Polyommatus webbianus* Brullé, 1840. OD: In Webb & Berthelot, *Canaries (Ins.)* :93, pl 4, f 1,1A [b0563]. TM: by original designation. SS: *Leptotes* Scudder, 1876. [Refs - b3582; b2280; b2904]
- a *Cynus* Hübner, [1819], 1816-1826 OD: Verz. bekannt. Schmett. (6):81 [b2484]. TS: *Papilio phaleros* Linnaeus, 1767. OD: Syst. nat. (ed. 12) 1(2):796 [b2997]. TM: by selection by Scudder, 1875. Proc. amer. Acad. Arts Sci. 10(2):151 [b4080]. HC-Lyc: Lyc: The: Eum: *Eumaeus* [Refs - b0908; b4245; b3390; b2280]
- e *Cygaritis* Wallengren, 1857, (ISS) OD: K. svenska VetenskAkad. Handl. (nf)2(4):42 [b4913]. OS: *Cigarius* Donzel, 1847. [Refs - b2280]
- c *Cyprotides* Tite, 1963 OD: Bull. Br. Mus. nat. Hist. (Ent.) 14(5):213 [b4677]. TS: *Chrysophanus cyprotus* Olliff, 1886. OD: Proc. linn. Soc. N. S. Wales [1]10(4):716 [b3505]. TM: by original designation. SS: *Candalides* Hübner, [1819]. [Refs - b1019 :6; b0870; b4677; b0976]
- a *Cyrenia* Westwood, [1851], 1846-1852 OD: In Gen. dium. Lep. (2):434, nota, pl 72, f 2 [b4981]. TS: *Cyrenia martia* Westwood, [1851], 1846-1852. OD: In Gen. dium. Lep. (2):434, nota, pl 72, f 2 [b4981]. TM: by monotypy. HC-Lyc: Rio: Rio: *Ancyluriti* [Refs - b2988; b2280; b2154]
- d *Dacalana* Distant, 1884, 1882-1886, (H and JOS) OD: Rhop. malayana :233, 240 [b1285]. TS: *Amblypodia vidura* Horsfield, [1828], 1828-1829. OD: Descr. Cat. lepid. Ins. (2):113 [b2457]. TM: by original designation. OS: *Dacalana* Moore, 1884. [Refs - b2280]
- a *Dacalana* Moore, Jun 1884 OD: J. asiat. Soc. Bengal, Pt II 53(1):36 [b3236]. TS: *Amblypodia vidura* Horsfield, [1828], 1828-1829. OD: Descr. Cat. lepid. Ins. (2):113 [b2457]. TM: by original designation. HC-Lyc: Lyc: The: Iol: *Iolus* [Refs - b2280; b1562]
- d *Damis Boisduval*, 1832, (JOS) OD: In d'Urville, *Voy. Astro-labe 1(Lép.):67* [b0457]. TS: *Papilio danis* Cramer, [1775], 1775-1790. OD: Uitl. Kapellen 1(6):111, pl 70, f E,F [b1069]. TM: by selection by Hemming, 1964. Annot. Lep. (4):132 [b2277]. OS: *Danis Fabricius*, 1807. [Refs - b2280]
- a *Danis Fabricius*, 1807 OD: Mag. f. Insektenk. (Mliger) 6:286 [b1658]. TS: *Papilio danis* Cramer, [1775], 1775-1790. OD: Uitl. Kapellen 1(6):111, pl 70, f E,F [b1069]. TM: by subsequent tautonymy by Hemming, 1964. Annot. Lep. (3):105 [b2274]. HC-Lyc: Lyc: Pol: Pol: *Danis* [Refs - b2280; b1023; b2388]
- a *Dapidodigma* Karsch, 1895 OD: Ent. Nachr. 21:310 [b2694]. TS: *Papilio liger* Cramer, [1779], 1775-1790. OD: Uitl. Kapellen 3(22):109, pl 254, f E,F [b1069]. TM: by original designation. HC-Lyc: Lyc: The: Che: *Dapidodigma* [Note - The taxon represented by the nominal species *Papilio liger* Cramer, [1779], is currently treated, on subjective taxonomic grounds, as being the same as the taxon represented by the older-established nominal species *Papilio hymen* Fabricius, 1775.] [Refs - b0828; b3582; b2280]
- c *Darasana* Moore, 1884 OD: J. asiat. Soc. Bengal, Pt II 53(1):42 [b3236]. TS: *Amblypodia perimuta* Moore, [1858]. OD: In Cat. Lep. Ins. E. India Co. (1):42 [b3219]. TM: by original designation. SS: *Arhopala Boisduval*, 1832. [Refs - b2280]
- a *Deciduphagus* Johnson, 1992 OD: Neue Ent. Nachr. 29:91 [b2609]. TS: *Thecla augustinus* Westwood, [1852], 1846-1852. OD: In Gen. dium. Lep. (2):486 [b4981]. TM: by original designation. HC-Lyc: Lyc: The: Eum: *Eumaeus* [Refs - b0126; b2626]
- a *Deloneura* Trimen, 1868 OD: Trans. ent. Soc. Lond. 16(1):81 [b4718]. TS: *Deloneura immaculata* Trimen, 1868. OD: Trans. ent. Soc. Lond. 16(1):83, pl 5, f 4 [b4718]. TM: by monotypy. HC-Lyc: Lyc: Lip: Lip: *Epitola* [Refs - b1943; b3582; b2280]
- a *Denivia* Johnson, 1992 OD: Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (22):203 [b2611]. TS: *Thecla deniva* Hewitson, [1874], 1863-1878. OD: Ill. dium. Lep. Lycaenidae 1:180; 2:pl 71, f 535,536 [b2326]. TM: by original designation. HC-Lyc: Lyc: The: Eum: *Eumaeus* [Refs - b0125; b2611]
- a *Deramas* Distant, 1886 OD: Ann. Mag. nat. Hist. (5)17:252 [b1287]. TS: *Deramas livens* Distant, Mar 1886. OD: Ann. Mag. nat. Hist. (5)17:252 [b1287]. TM: by monotypy. HC-Lyc: Lyc: *Poritiinae* [Refs - b2280; b1023]
- a *Desmolycaena* Trimen, 1898 OD: Trans. ent. Soc. Lond. 46(1):7 [b4731]. TS: *Desmolycaena mazoensis* Trimen, 1898. OD: Trans. ent. Soc. Lond. 46(1):7 [b4731]. TM: by original designation. HC-Lyc: Lyc: The: Aph: *Aphnaeus* [Refs - b3582; b2280]
- c *Desmozona* Boisduval, 1836 OD: Spec. gén. Lépid. 1:pls 6 [=2B], 21 [=2C] [b0462]. TS: *Desmozona acheris* Boisduval, 1836. OD: Spec. gén. Lépid. 1:pl 21 [=2C], f 1 [b0462]. TM: by selection by Hemming, 1939. Proc. R. ent. Soc. Lond. (B)8(7):135 [b2261]. SS: *Nymphidium Fabricius*, 1807. [Refs - b2988; b2280; b1023; b2154]
- a *Deudorix* Hewitson, [1863], 1863-1878 OD: Ill. dium. Lep. Lycaenidae 1:16 [b2326]. TS: *Dipsas epijarbas* Moore, [1858]. OD: In Cat. Lep. Ins. E. India Co. (1):32 [b3219]. TM: by original designation. HC-Lyc: Lyc: The: Deu: *Deudorix* [Refs - b4198; b1943; b2988; b2280]
- e *Deudorix* Hewitson, [1865], 1863-1878, (ISS) OD: Ill. dium. Lep. Lycaenidae 1:47 [b2326]. OS: *Deudorix* Hewitson, [1863]. [Refs - b2280]

- a *Dianesia* Harvey & Clench, 1980 OD: J. Lep. Soc. 34(2):127-132 [b2156]. TS: *Charis carteri* Holland, 1902. OD: Ann. Cam. Mus. 1(3):486 [b2432]. TM: by original designation. HC-Lyc: Rio: Rio: Emesini [Refs - b1610 (5204-E12); b0113; b2156; b2154]
- a *Dicallanura* Butler, 1867 OD: Proc. zool. Soc. Lond. 1867(1):37 [b0585]. TS: *Argynnis pulchra* Guérin-Méneville, [1830], 1830-1838. OD: In Duperrey, Voy. Coquille, Zool. 2-pl Ins. 16, f 2,3 [b2087]. TM: by selection by Scudder, 1875. Proc. amer. Acad. Arts Sci. 10(2):156 [b4080]. HC-Lyc: Rio: Nem: Abisarini [Refs - b2988; b0826 :271; b2280; b1023; b2154]
- e *Dicallanura* d'Abbrera, 1971, (ISS) OD: Butts Australian Region :387,388,406 [b1450]. OS: *Dicallanura* Butler, 1867. [Refs - b1450]
- e *Dicallanura* Marschall, 1873, (ISS) OD: Nomencl. zool. :288 [b3063]. OS: *Dicallanura* Butler, 1867. [Refs - b1023]
- e *Dicallanura* Scudder, 1882, (ISS) OD: Nomencl. zool. Univ. index:96 [b4086]. OS: *Dicallanura* Butler, 1867. [Refs - b2280]
- a *Dicya* Johnson, 1991 OD: Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (21):43 [b2606]. TS: *Thecla dicaea* Hewitson, [1874], 1863-1878. OD: Ill. dium. Lep. Lycaenidae 1:179; 2-pl 70, f 531,532 [b2326]. TM: by original designation. HC-Lyc: Lyc: The: Eum: Eumaeus [Refs - b0125; b2606]
- a *Dinoplotis* Stichel, 1911 OD: Gen. Insectorum 112(B):293 [b4447]. TS: *Dinoplotis orphana* Stichel, 1911. OD: Gen. Insectorum 112(B):293, pl 27, f 78 [b4447]. TM: by original designation. HC-Lyc: Rio: Rio: Emesini [Refs - b2988 (as *Dinoplotis*); b2280; b2154]
- e *Dinoplotis* Lewis, [1973], (ISS) OD: Butts of the World :72,292 [b2988]. OS: *Dinoplotis* Stichel, 1911. [Refs - b2988]
- a *Diopetes* Karsch, 1895 OD: Ent. Nachr. 21:317 [b2694]. TS: *Deudorix deritas* Hewitson, 1874. OD: Trans. ent. Soc. Lond. 22(3):352 [b2341]. TM: by original designation. HC-Lyc: Lyc: The: Deu: *Deudorix* [Refs - b3582; b2280; b1023]
- c *Diophtalma* Boisduval, 1836 OD: Spec. gén. Lépid. 1:pl 6 [=2C], f 9; pl 21 [=5C], fig 2 [b0462]. TS: *Diophtalma* telegone Boisduval, 1836. OD: Spec. gén. Lépid. 1:pl 21, f 2 [b0462]. TM: by selection by Scudder, 1875. Proc. amer. Acad. Arts Sci. 10(2):157 [b4080]. SS: *Mesosemia* Hübner, [1819]. [Refs - b2988 (as *Diophtalma*); b2280; b1023; b2154]
- e *Diophtalma* Boisduval, 1836, (IOS) OD: Spec. gén. Lépid. 1:expl. planches 2 [b0462]. OS: *Diophtalma* Boisduval, 1836. [Refs - b1023]
- e *Diophtalma* Agassiz, 1846, 1842-1847, (ISS) OD: Nomencl. zool. (ed. 4) (9/10):Lep., 22 [b0009]. OS: *Diophtalma* Boisduval, 1836. [Refs - b2280; b1023; b2154]
- e *Diophtalma* Lewis, [1973], (ISS) OD: Butts of the World :pl 72, f 4,5 & explic :239 [b2988]. OS: *Diophtalma* Boisduval, 1836. [Refs - b2988]
- e *Diorhina* Doubleday, 1847, 1844-1848, (ISS) OD: List Spec. lep. Brit. Mus. 2:3 [b1327]. OS: *Diorhina* Morisse, [1838]. [Refs - b2280; b1023]
- c *Diorhina* Morisse, [1838] OD: Anns Soc. ent. Fr. [1]6(4):421 [b3241]. TS: *Diorhina laonome* Morisse, [1838]. OD: Anns Soc. ent. Fr. [1]6(4):422, pl 14, f 5,6 [b3241]. TM: by monotypy. SS: *Rhetus Swainson*, [1829]. [Note - *The taxon represented by the nominal species Diorhina laonome Morisse, [1838], is currently treated, on subjective taxonomic grounds, as being the same as the taxon represented by the older-established nominal species Papilio perianther Cramer, [1777].*] [Refs - b2280; b2154]
- e *Diorrhina* Ehrlich, 1958, (ISS) OD: Kansas Univ. Sci. Bull. 39(8):359 [b1528]. OS: *Diorhina* Morisse, [1838].
- e *Diophtalma* Lewis, [1973], (ISS) OD: Butts of the World :311 (telegone) [b2988]. OS: *Diophtalma* Boisduval, 1836. [Refs - b2988]
- d *Dipsas* Westwood, [1851], 1846-1852, (H) OD: In Gen. dium. Lep. (2):pl 74, f 7 [b4981]. TS: *Dipsas ataxus* Westwood, [1851], 1846-1852. OD: In Gen. dium. Lep. (2):pl 74, f 7 [b4981]. TM: by monotypy. OS: *Thermozephyrus* Johnson & Eisele & MacPherson, 1988. [Refs - b0908; b2280]
- a *Discolampa* Toxopeus, 1929 OD: Tijdschr. Ent. 72(3/4):232 [b4700]. TS: *Lycaena ethion* Westwood, [1851], 1846-1852. OD: In Gen. dium. Lep. (2):pl 76, f 3; (2):490 [b4981]. TM: by monotypy. HC-Lyc: Lyc: Pol: Pol: *Upolampes* [Refs - b2280; b2388]
- d *Disparia* Verity, 1943, (H) OD: Farfalle Diurne Ital. 2:21,58 [b4862]. TS: *Papilio dispar* [Haworth], 1802. OD: Prodr. Lep. Brit. :3 et nota [b2172]. TM: by original designation. OS: *Thersamolycaena* Verity, 1957. [Refs - b2280; b4220; b0113; b2790; b4866]
- a *Distissima* Johnson, 1991 OD: Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (21):43 [b2606]. TS: *Distissima spenceri* Johnson, 1991. OD: Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (21):18, f [b2606]. TM: by original designation. HC-Lyc: Lyc: The: Eum: Eumaeus [Refs - b0125; b2606]
- a *Dodona* Hewitson, [1861], 1852-1877 OD: Ill. exot. Butts 2:191 [b2323]. TS: *Melitaea durga* Kollar, [1844]. OD: In Hügel, Kaschmir 4(2):441, pl 13, f 3,4 [b2821]. TM: by selection by Scudder, 1875. Proc. amer. Acad. Arts Sci. 10(2):158 [b4080]. HC-Lyc: Rio: Nem: Zemerini [Refs - b1636; b2988; b4198; b0826 :270; b4245; b2280; b0965; b2154]
- c *Dolymorpha* Holland, 1931 OD: Butt. Book (2nd ed.) :228 [b2438]. TS: *Thecla jada* Hewitson, [1867], 1863-1878. OD: Ill. dium. Lep. Lycaenidae 1:87; 2-pl 34, f 67,68 [b2326]. TM: by monotypy. SS: *Arawacus* Kaye, 1904. [Refs - b0908; b2280; b3192; b2611]
- e *Doramas* Piepers, 1918, (ISS) OD: In Rhop. Java - Ery., Lyc. (4):20,113 [b3599]. SS: *Deramas* Distant, 1886. [Refs - b2280; b1023]
- c *Dorila* Gray, 1832 OD: In Griffith, Cuvier's Anim. Kingdom 15(Cl. Ins. 2):pl 102 [b2014]. TS: *Erycina* (*Dorila*) *asteris* Gray, 1832. OD: In Griffith, Cuvier's Anim. Kingdom 15(Cl. Ins. 2):pl 102 [b2014]. TM: by monotypy. SS: *Symmatia* Hübner, [1819]. [Note - *The taxon represented by the nominal species Erycina (Dorila) asteris Gray, 1832, is currently treated, on subjective taxonomic grounds, as being the same as the taxon represented by the older-established nominal species Papilio dorilas Cramer, [1775].*] [Refs - b2280; b2154]
- d *Drepanula* Röber, [1892], 1888-1892, (H) OD: In Exot. Schmett. Bd 1(Th. 2)(6):246 [b3822]. TS: *Lemonias calvus* Staudinger, [1887], 1884-1888. OD: In Exot. Schmett. Bd 2(Th. 1)(19):pl 92 [b4329]. TM: by monotypy. OS: *Rocberella* Strand, 1932. [Refs - b2280]
- a *Drina* de Nicéville, 1890 OD: Butts India Burmah Ceylon 3:20,442 [b1153]. TS: *Myrina donina* Hewitson, [1865], 1863-1878. OD: Ill. dium. Lep. Lycaenidae 1:39; 2-pl 17, f 61,62 [b2326]. TM: by original designation. HC-Lyc: Lyc: The: Lox: *Drina* [Refs - b2280]
- d *Drupadia* Distant, 1884, 1882-1886, (H and JOS) OD: Rhop. malayana :233,236 [b1285]. TS: *Thecla ravindra* Horsfield, [1828], 1828-1829. OD: Descr. Cat. lepid. Ins. (1):pl 1, f 11,11a, expl. p. [1] [b2457]. TM: by original designation. OS: *Drupadia* Moore, 1884. [Refs - b2280; b1023; b1014]
- a *Drupadia* Moore, 1884 OD: J. asiat. Soc. Bengal, Pt II 53(1):31 [b3236]. TS: *Thecla ravindra* Horsfield, [1828], 1828-1829. OD: Descr. Cat. lepid. Ins. (1):pl 1, f 11,11a, expl. p. [1] [b2457]. TM: by original designation. HC-Lyc: Lyc: The: Che: *Cheritra* [Refs - b2280; b1023]

- d *Dryas Felder & Felder*, 1865, 1865-1875, (H) OD: *Reise Novara* (2):305 [b1692]. TS: *Limnas cinaron* Felder & Felder, 1861. OD: *Wien. ent. Monats.* 5(4):101 [b1684]. TM: by monotypy. OS: *Aculhua Kirby*, 1871. [Refs - b2280]
- a *Durbania* Trimen, 1862 OD: *Trans. ent. Soc. Lond.* (3)1(4):400 [b4715]. TS: *Durbania amakosa* Trimen, 1862. OD: *Trans. ent. Soc. Lond.* (3)1(4):400 [b4715]. TM: by monotypy. HC-Lyc: Lyc: Lip: *Durbanini* [Refs - b3582; b2280]
- a *Durbaniella* van Son, 1959 OD: *Novos Taxa ent.* (16):10 [b4810]. TS: *Durbania clarki* van Son, 1941. OD: *J. ent. Soc. S. Afr.* 4:183 [b4804]. TM: by original designation. HC-Lyc: Lyc: Lip: *Durbaniini* [Refs - b2280]
- a *Durbaniopsis* van Son, 1959 OD: *Novos Taxa ent.* (16):12 [b4810]. TS: *Durbania saga* Trimen, 1883. OD: *Trans. ent. Soc. Lond.* 31(4):354 [b4724]. TM: by original designation. HC-Lyc: Lyc: Lip: *Durbania* [Refs - b2280]
- a *Dysmathia* Bates, [1868] OD: *J. linn. Soc. Lond., Zool.* 9:382 [b0267]. TS: *Dysmathia portia* Bates, [1868]. OD: *J. linn. Soc. Lond., Zool.* 9:383 [b0267]. TM: by selection by Scudder, 1875. *Proc. amer. Acad. Arts Sci.* 10(2):160 [b4080]. HC-Lyc: Rio: Rio: *Nymphidiini* [Refs - b2988; b2280; b2154]
- c *Ebeplus* Hemming, 1964 OD: *Annot. Lep.* (4):141 [b2278]. TS: *Poultonia ochrascens* Neave, 1904. OD: *Novit. zool.* 11:336, pl 1, f 13 [b3345]. TM: replacement name for *Poultonia* Neave, 1904. SS: *Deloneura* Trimen, 1868. [Refs - b2280; b4400]
- a *Echenais* Hübner, [1819], 1816-1826 OD: *Verz. bekannt. Schmett.* (2):19 [b2484]. TS: *Lemonias alphaea* Hübner, [1808], 1806-1838. OD: *Samml. exot. Schmett.* 1:pl [37] [b2482]. TM: by selection by Hemming, 1943. *Proc. R. ent. Soc. Lond.* (B)12(2):29 [b2266]. HC-Lyc: Rio: Rio: *Nymphidiini* [Note - *The taxon represented by the nominal species Lemonias alphaea Hübner, [1808], is currently treated, on subjective taxonomic grounds, as being the same as the taxon represented by the older-established nominal species Papilio thelephus Cramer, [1775].*] [Refs - b2988; b2280; b2154]
- a *Echinargus* Nabokov, 1945 OD: *Psyche* 52(1/2):27 [b3326]. TS: *Lycæna isola* Reakirt, [1867], 1866-1867. OD: *Proc. Acad. nat. Sci. Philad.* 18:332 [b3697]. TM: by original designation. HC-Lyc: Lyc: Pol: Pol: *Nabokovia* [Refs - b0908; b2280; b3326; b1743; b1321; b0207]
- e *Echnais* Harvey, 1987, (ISS) OD: *Class. Riodinidae* :116 [b2154]. SS: *Echenais* Hübner, [1819]. [Refs - b2154]
- c *Edales* Swinhoe, [1910], 1909-1913 OD: *In Moore, Lep. Ind.* 8(86):37 [b4575]. TS: *Lycæna pandava* Horsfield, [1829], 1828-1829. OD: *Descr. Cat. lepid. Ins.* (2):84 [b2457]. TM: by original designation. SS: *Chilades* Moore, [1881]. [Refs - b2280; b1562]
- d *Edwardsia* Tutt, [1907], 1905-1914, (H) OD: *Nat. Hist. Brit. Butts* 2:142 [b4760]. TS: *Papilio w-album* Knoch, 1782, 1781-1783. OD: *Beitr. Insekengesch.* 2:85, pl 6, f 1,2 [b2784]. TM: by original designation. OS: *Chattendenia* Tutt, [1908]. [Refs - b2280, b0851; b2794]
- a *Egumbia* Bethune-Baker, 1924 OD: *Ann. Mag. nat. Hist.* (9)14:135 [b0360]. TS: *Egumbia catori* Bethune-Baker, 1924. OD: *Ann. Mag. nat. Hist.* (9)14:135 [b0360]. TM: by original designation. HC-Lyc: Lyc: Lip: *Astauga* [Note - *The taxon represented by the nominal species Egumbia catori Bethune-Baker, 1924, is currently treated, on subjective taxonomic grounds, as being the same as the taxon represented by the older-established nominal species Epitola ernesti Karsch, 1895.*] [Refs - b3582 (+as *Euliphyrodes*); b2280; b1452]
- a *Eicochrysops* Bethune-Baker, 1924 OD: *Ann. Mag. nat. Hist.* (9)14:132 [b0360]. TS: *Eicochrysops eicotrochilus* Bethune-Baker, 1924. OD: *Ann. Mag. nat. Hist.* (9)14:132 [b0360]. TM: by original designation. HC-Lyc: Lyc: Pol: Pol: *Eicochrysops* [Refs - b1588; b1943; b3582; b2280]
- a *Eiseleia* Miller & Miller, 1972 OD: *Bull. Allyn Mus.* (4):1 [b3194]. TS: *Eiseleia pichanalensis* Miller & Miller, 1972. OD: *Bull. Allyn Mus.* (4):1-4, f 1-11 [b3194]. TM: by original designation. HC-Lyc: Rio: Rio: *Lemonini* [Refs - b3194; b2154]
- a *Eiseliana* Ajmat de Toledo, 1978 OD: *Acta zool. lilloana* 33(1):80 [b0033]. TS: *Eiseliana koehleri* Ajmat de Toledo, 1978. OD: *Acta zool. lilloana* 33(1):80, f 1-6 [b0033]. TM: by original designation. HC-Lyc: Lyc: The: Eum: *Eumæus* [Note - *The taxon represented by the nominal species Eiseliana koehleri Ajmat de Toledo, 1978, is currently treated, on subjective taxonomic grounds, as being the same as the taxon represented by the older-established nominal species Thecla punona Clench, 1944.*] [Refs - b1610 (4749-E10); b0033]
- c *Elaphrotis* Stichel, 1911 OD: *Gen. Insectorum* 112(B):294 [b4447]. TS: *Papilio thelephus* Cramer, [1775], 1775-1790. OD: *Uitl. Kapellen* 1(6):108, pl 66, f E,F [b1069]. TM: by original designation. SS: *Echenais* Hübner, [1819]. [Refs - b2280; b2154 (as good genus)]
- a *Eldoradina* Balletto, 1993 OD: *Boll. Soc. ent. ital.* 124(3):241 [b0220]. TS: *Nabokovia* (*Eldoradina*) *cyanea* Balletto, 1993. OD: *Boll. Soc. ent. ital.* 124(3):242 [b0220]. TM: by original designation. HC-Lyc: Lyc: Pol: Pol: *Nabokovia* [Refs - b0220]
- a *Electrostrymon* Clench, 1961 OD: *In Ehrlich & Ehrlich, Butterflies* :185,218 [b0829]. TS: *Papilio endymion* Fabricius, 1775. OD: *Syst. Ent.* :519 [b1653]. TM: by original designation. HC-Lyc: Lyc: The: Eum: *Eumæus* [Refs - b1023; b3192; b2606]
- a *Eliotia* Hayashi, 1978 OD: *Tyô to Ga* 29(3):166 [b2191]. TS: *Eliotia mioae* Hayashi, 1978. OD: *Tyô to Ga* 29(3):166, f 5,6,12-15 [b2191]. TM: by original designation. HC-Lyc: Lyc: The: Iol: *Iolaus* [Refs - b1610 (2229-E11); b2191; b2199]
- a *Ematurgina* Röber, 1903 OD: *Stett. ent. Ztg.* 64:347 [b3829]. TS: *Ematurgina mabildei* Röber, 1903. OD: *Stett. ent. Ztg.* 64:347 [b3829]. TM: by original designation. HC-Lyc: Rio: Rio: *Lemonini* [Note - *The taxon represented by the nominal species Ematurgina mabildei Röber, 1903, is currently treated, on subjective taxonomic grounds, as being the same as the taxon represented by the older-established nominal species Baeotis bifasciata Mengel, 1902.*] [Refs - b2988; b2280; b2154]
- e *Emesia* Lewis, [1973], (ISS) OD: *Butts of the World* :239 (explic. for Pl 72, no. 14) [b2988]. OS: *Emesia* Fabricius, 1807. [Refs - b2988]
- a *Emesia* Fabricius, 1807, ICZN Op 232, L 660 OD: *Mag. f. Insektenk.* (Illiger) 6:287 [b1658]. TS: *Hesperia ovidius* Fabricius, 1793, 1792-1799. OD: *Ent. syst.* 3(1):320 [b1657]. TM: by selection by Westwood, [1851], 1846-1852. *In Gen. dium. Lep.* (2):421,446 [b4981]. HC-Lyc: Rio: Rio: *Emesini* [Refs - b0826 :271 (as *Polystichus*); b1044; b3192; b2988 (+as *Polysuchus* + as *Nelone*); b1321; b3151; b2520; b2154]
- d *Emesia* [Illiger], 1807, (RC), ICZN Op 232, L 40 OD: *Allg. Lit.-Zeit.* 1807(2):1180 [b2501]. TS: *Papilio phareus* Cramer, [1777], 1775-1790. OD: *Uitl. Kapellen* 2(15):113, pl 170, f C [b1069]. TM: by monotypy. OS: *Mesene* Doubleday, 1847. [Refs - b2280; b2520]

- c *Endymion* Swainson, [1831], 1829-1833 OD: Zool. Illustr. (2)2(18):pl 85 [b4551]. TS: *Papilio regalis* Cramer, [1775], 1775-1790. OD: Uidl. Kapellen 1(6):114, pl 72, f E,F [b1069]. TM: by monotypy. SS: *Evenus* Hübner, [1819]. [Refs - b0908; b2280]
- c *Eooxylides* Fruhstorfer, [1897], (ISS) OD: Berl. ent. Z. 41(4):304 [b1805]. OS: *Eooxylides* Doherty, 1889. [Refs - b1023]
- a *Eooxylides* Doherty, 1889 OD: J. asiat. Soc. Bengal, Pt II 58(4):410 et nota [b1301]. TS: *Oxylides tharis* Geyer, [1837], 1832-1837. OD: In Zutr. Samml. exot. Schmett. 5:22, pl [152], f 883,884 [b1934]. TM: by monotypy. HC-Lyc: Lyc: The: Lox: *Loxura* [Refs - b2280]
- d *Eooxylides* de Nicéville, 1890, (H and JOS) OD: Buts India Burmah Ceylon 3:19,432 [b1153]. TS: *Oxylides tharis* Geyer, [1837], 1832-1837. OD: In Zutr. Samml. exot. Schmett. 5:22, pl [152], f 883,884 [b1934]. TM: by original designation. OS: *Eooxylides* Doherty, 1889. [Refs - b2280]
- b *Epamera* H. H. Druce, 1891 OD: Ann. Mag. nat. Hist. (6)8:141 [b1356]. TS: *Iolaus sidus* Trimen, 1864. OD: Trans. ent. Soc. Lond. (3)2:176 [b4717]. TM: by original designation. SS: *Iolaus* Hübner, [1819]. [Refs - b1588; b1943; b2988; b3582; b2280]
- a *Epidemia* Scudder, 1876 OD: Bull. Buffalo Soc. nat. Sci. 3:127 [b4083]. TS: *Polymmatius epixanthe* Boisduval & Le Conte, [1835], 1829-1837. OD: Hist. Lépid. Amer. sept. (15):127, pl 18, f 4,5 [b0470]. TM: by original designation. HC-Lyc: Lyc: Lyc: *Lycaena* [Refs - b0908; b2280; b1023; b3191; b3192; b3189]
- a *Epimastidia* H. H. Druce, 1891 OD: Proc. zool. Soc. Lond. 1891(3):365 [b1358]. TS: *Lycaena* (*Thysonotis*) *inops* Felder & Felder, 1860. OD: Wien. ent. Monats. 4(8):244 [b1681]. TM: by original designation. HC-Lyc: Lyc: Pol: Pol: *Jamides* [Refs - b2280; b2388]
- a *Epitola* Westwood, [1851], 1846-1852 OD: In Gen. dium. Lep. (2):pl 68, f 5 [b4981]. TS: *Epitola elion* Westwood, [1851], 1846-1852. OD: In Gen. dium. Lep. (2):pl 68, f 5; id., [1852], *ibid* (2):471 [b4981]. TM: by monotypy. HC-Lyc: Lyc: Lip: Lip: *Epitola* [Note - *The taxon represented by the nominal species Epitola elion* Westwood, [1851], is currently treated, on subjective taxonomic grounds, as being the same as the taxon represented by the older-established nominal species *Papilio posthumus* Fabricius, 1793.] [Refs - b1588; b3582; b2280]
- a *Epitolina* Aurivillius, 1895 OD: Ent. Tidskr. 16:205 [b0151]. TS: *Teriomima dispar* Kirby, 1887. OD: Ann. Mag. nat. Hist. (5)19:367 [b2763]. TM: by monotypy. HC-Lyc: Lyc: Lip: Lip: *Epitola* [Refs - b3582; b2280]
- d *Erchia* Walker, 1854, 1854-1856, (H) OD: List Spec. Lep. Ins. Brit. Mus. 2:357 [b4910]. TS: *Erchia extranea* Walker, 1854, 1854-1856. OD: List Spec. Lep. Ins. Brit. Mus. 2:357 [b4910]. TM: by monotypy. OS: *Pseuderchia* Kirby, 1892. [Note - *The taxon represented by the nominal species Erchia extranea* Walker, 1854, is currently treated, on subjective taxonomic grounds, as being a subspecies of the taxon represented by the older-established nominal species *Limnas barca* Hewison, [1852].] [Refs - b2280; b3192]
- a *Eresina* Aurivillius, [1899] OD: K. svenska VetenskAkad. Handl. (n)31(5)(1898):253,282 [b0156]. TS: *Durbania corynetes* Grose-Smith & Kirby, 1890, 1887-1902. OD: Rhop. exot. 1(14):47, pl 11, f 7,8 [b2049]. TM: by original designation. HC-Lyc: Lyc: Lip: Lip: *Mimacraea* [Refs - b3582; b2280; b1023]
- a *Eresinopsides* Strand, 1911 OD: Arch. Naturgesch. (1)77(1):193 [b4500]. TS: *Eresinopsides bichroma* Strand, 1911. OD: Arch. Naturgesch. (1)77(1):193 [b4500]. TM: by original designation. HC-Lyc: Lyc: Lip: Lip: *Mimacraea* [Refs - b3582; b2280; b4528]
- a *Ereslomera* Clench, 1965 OD: In Mem. amer. ent. Soc. 19:290 [b0836]. TS: *Liptena isca* Hewison, [1873], 1852-1877. OD: Ill. exot. Buts 5:[86], pl [45], f 14-16 [b2323]. TM: by original designation. HC-Lyc: Lyc: Lip: Lip: *Mimacraea* [Refs - b0692]
- a *Erikssonia* Trimen, 1891 OD: Proc. zool. Soc. Lond. 1819(1):91 [b4727]. TS: *Erikssonia acraeina* Trimen, 1891. OD: Proc. zool. Soc. Lond. 1819(1):91 [b4727]. TM: by monotypy. HC-Lyc: Lyc: The: Aph: *Aphnaeus* [Refs - b3582; b2280]
- c *Erina* Swainson, [1833], 1829-1833 OD: Zool. Illustr. (2)3(29):pl 134 [b4551]. TS: *Papilio erinus* Fabricius, 1775. OD: Syst. Ent. :525 [b1653]. TM: by original designation. SS: *Candalides* Hübner, [1819]. [Refs - b2280; b0870; b4677; b0976]
- a *Erora* Scudder, 1872 OD: 4th Ann. Rep. Peabody Acad. Sci. 1871:53 [b4078]. TS: *Thecla laeta* Edwards, 1862. OD: Proc. Acad. nat. Sci. Philad. 14:55 [b1489]. TM: by original designation. HC-Lyc: Lyc: The: Eum: *Eumaeus* [Refs - b0908; b2280; b3192; b1321]
- d *Eroton* Billberg, 1820, (JOS) OD: Enum. Ins. Mus. Billb. :80 [b0422]. TS: *Papilio cupido* Linnaeus, 1758. OD: Syst. nat. (ed. 10) 1:482 [b2993]. TM: by monotypy. OS: *Helicopsis* Fabricius, 1807. [Refs - b2280]
- d *Erschoffia* Tutt, [1907], 1905-1914, (H) OD: Nat. Hist. Brit. Buts 2:142 [b4760]. TS: *Thecla lunulata* Erschoff, 1874. OD: Mém. Soc. amis Sci. nat. Moscou 11(2):7, pl 1, f 5 [b1612]. TM: by original designation. OS: *Pseudothecla Strand*, 1910. [Refs - b2280; b0851]
- e *Erycina* Dupré, 1974, (ISS) OD: World Treasury of Buts in Color :30 [b1434]. SS: *Erycina* Fabricius, 1807. [Refs - b3138]
- e *Erybia* Guérin-Méneville, [1832], 1829-1844, (ISS) OD: Icon. Règne Anim. Cuvier (Ins.):pl 80 [b2086]. OS: *Eurybia* [Illiger], 1807.
- d *Erycina* Fabricius, 1807, (H) OD: Mag. f. Insektenk. (Illiger) 6:286 [b1658]. TS: *Papilio lysippus* Linnaeus, 1758. OD: Syst. nat. (ed. 10) 1:484 [b2993]. TM: by selection by Crotch, 1872. *Cistula* Entomologica 1(4):66 [b1076]. OS: *Riodina* Westwood, [1851]. [Refs - b2280]
- a *Erysichton* Fruhstorfer, 1916 OD: Zool. Meded. 2(2):137 [b1873]. TS: *Lycaena lineata* Murray, 1874. OD: Trans. ent. Soc. Lond. 22(4):524, pl 10, f 9 [b3318]. TM: by selection by Tite, 1963. Bull. Br. Mus. nat. Hist. (Ent.) 13(4):102 [b4676]. HC-Lyc: Lyc: Pol: Pol: *Nacaduba* [Refs - b1019 :6; b4676; b2388]
- c *Erythia* Hübner, [1819], 1816-1826 OD: Verz. bekannt Schmett. (2):24 [b2484]. TS: *Papilio labdacus* Stoll, [1780], 1780-1790. OD: In Cramer, Uidl. Kapellen 4(28):90, pl 336, f G,H [b4478]. TM: by selection by Scudder, 1875. Proc. amer. Acad. Arts Sci. 10(2):168 [b4080]. SS: *Euselasia* Hübner, [1819]. [Refs - b2988; b2280]
- a *Esakiozephyrus* Shirōzu & Yamamoto, 1956 OD: Sieboldia 1(4):376 [b4214]. TS: *Dipsas icana* Moore, [1875]. OD: Proc. zool. Soc. Lond. 1874(4):575, pl 67, f 3 [b3223]. TM: by original designation. HC-Lyc: Lyc: The: The: *Thecla* [Refs - b2988; b2280; b4214]
- c *Esthemopheles* Röber, 1903 OD: Steu. ent. Ztg 64:344 [b3829]. TS: *Esthemopheles lamprolenis* Röber, 1903. OD: Steu. ent. Ztg 64:344 [b3829]. TM: by original designation. SS: *Uraneis* Bates, [1868]. [Refs - b2988; b2280; b2881; b2154]
- a *Esthemopsis* Felder & Felder, 1865, 1865-1875 OD: Reise Novara (2):306 [b1692]. TS: *Esthemopsis clonia* Felder & Felder, 1865, 1865-1875. OD: Reise Novara (2):306, pl 38, f 11,12 [b1692]. TM: by monotypy. HC-Lyc: Rio: Rio: *Symmachiini* [Refs - b2988; b2280; b2154]

- b *Etesiolaus* Stempffer & Bennett, 1959 OD: Bull. Inst. franç. Afr. Noire 21(A)(1):319 [b4419]. TS: *Iolaus catori* Bethune-Baker, 1904. OD: Ann. Mag. nat. Hist. (7)14:233 [b0332]. TM: by original designation. SS: *Iolaus* Hübner, [1819]. [Refs - b2280]
- c *Ethelida* Westwood, [1851], 1846-1852, (PS) OD: In Gen. dium. Lep. (2):431 [b4981]. TS: *Zeonia heliconides* Swainson, [1833], 1829-1833. OD: Zool. Illustr. (2)3():pl 111 [b4551]. TM: by selection by Hemming, 1941. J. Soc. Bibl. nat. Hist. 1(11):431 [b2263]. OS: *Zeonia* Swainson, [1833]. [Refs - b1023]
- d *Ethion* Shirôzu & Saigusa, 1962, (JOS) OD: Nature Life Southeast Asia 2:63-64 [b4209]. TS: *Lycaena ethion* Westwood, [1851], 1846-1852. OD: In Gen. dium. Lep. (2):pl 76, f 3; (2):440 [b4981]. TM: by original designation. OS: *Discolampa Toxopeus*, 1929. [Refs - b2280; b4209]
- a *Euaspa* Moore, 1884 OD: J. asiat. Soc. Bengal, Pt II 53(1):29 [b3236]. TS: *Myrina milionia* Hewitson, [1869], 1863-1878. OD: Ill. dium. Lep. Lycaenidae 1, Suppl.:5; 2, Suppl.:suppl. pl 3, f 79,80 [b2326]. TM: by original designation. HC - Lyc: Lyc: The: The: *Thecla* [Refs - b4198; b2988; b2280; b4214]
- d *Eucharia* Boisduval, 1870, (H) OD: Consid. Léop. Guatemala :14 [b0469]. TS: *Papilio ganymedes* Cramer, [1775], 1775-1790. OD: Util. Kapellen 1(4):64, pl 40, f C,D [b1069]. TM: by selection by Kirby, [1871]. Zool. Rec. 7(1870)(Ins.):395 [b2748]. SS: *Evenus* Hübner, [1819]. [Note - The name of the type-species is properly spelled *ganymedes*.] [Refs - b0908; b2280]
- a *Euchrysops* Butler, 1900 OD: Entomologist 33:1 [b0657]. TS: *Hesperia cnejus* Fabricius, 1798, 1792-1799. OD: Ent. syst. Suppl.:430 [b1657]. TM: by original designation. HC - Lyc: Lyc: Pol: Pol: *Euchrysops* [Refs - b4198; b1943; b3582; b2280]
- d *Eucora* Schaus, 1902, (H) OD: Proc. U. S. natn. Mus. 24(1262):400 [b3948]. TS: *Eucora sanarita* Schaus, 1902. OD: Proc. U. S. natn. Mus. 24(1262):400 [b3948]. TM: by original designation. OS: *Eucora* Strand, 1932. [Refs - b2280; b4474; b2154]
- d *Eucorma* Seitz, [1924], 1910-1924, (H) OD: In Seitz, Grossschmett. Erde 5:1030,1088 [b4093]. TS: *Eucora sanarita* Schaus, 1902. OD: Proc. U. S. natn. Mus. 24(1262):400 [b3948]. TM: replacement name for *Eucora* Schaus, 1902. OS: *Eucorma* Strand, 1932. [Refs - b2280]
- a *Eucorna* Strand, 1932 OD: Folia zool. hydrobiol. 4(1):146 [b4530]. TS: *Eucora sanarita* Schaus, 1902. OD: Proc. U. S. natn. Mus. 24(1262):400 [b3948]. TM: replacement name for *Eucora* Schaus, 1902. HC - Lyc: Rio: Rio: [Refs - b2280; b2154]
- c *Euenus* Hübner, [1826], 1816-1826, (ISS) OD: Verz. bekannt. Schmett. Anzeiger.5 [b2484]. OS: *Evenus* Hübner, [1819]. [Refs - b1023]
- c *Euericina* Seitz, [1917], 1910-1924, (ISS) OD: In Seitz, Grossschmett. Erde 5:666 [b4093]. OS: *Euericina* Saunders, [1859]. [Refs - b2280]
- c *Eueres* Hübner, [1826], 1816-1826, (ISS) OD: Verz. bekannt. Schmett. Anzeiger.5 [b2484]. OS: *Everes* Hübner, [1819]. [Refs - b1023]
- d *Euerycina* Saunders, [1859], (JOS) OD: Trans. ent. Soc. Lond. (2)5:97 [b3939]. TS: *Erycina calphamia* Saunders, [1850]. OD: Trans. ent. Soc. Lond. (1)5(9):221 [b3938]. TM: by monotypy. OS: *Rodnia* Westwood, [1851]. [Refs - b2280; b2881]
- d *Eulepis* Billberg, 1820, (JOS) OD: Enum. Ins. Mus. Billb. :80 [b0422]. TS: *Papilio caricae* Linnaeus, 1758. OD: Syst. nat. (ed. 10) 1:484 [b2993]. TM: replacement name for *Nymphidium* Fabricius, 1807. OS: *Nymphidium* Fabricius, 1807. [Refs - b2280]
- a *Euliphyra* Holland, 1890 OD: Psyche 5(175-176):423 [b2423]. TS: *Euliphyra mirifica* Holland, 1890. OD: Psyche 5(175-176):423 [b2423]. TM: by selection by Hemming, 1964. Annot. Lep. (4):132 [b2277]. HC - Lyc: Lyc: Lip: *Liphyra* [Refs - b3582; b2280; b1452]
- c *Euliphyrodes* Romieux, 1937 OD: Mitt. schweiz. ent. Ges. 17(3):120-123 [b3854]. TS: *Euliphyrodes katangana* Romieux, 1937. OD: Mitt. schweiz. ent. Ges. 17(3):123 [b3854]. TM: by original designation. SS: *Egumbia* Bethune-Baker, 1924. [Note - The taxon represented by the nominal species *Euliphyrodes katangana* Romieux, 1937, is currently treated, on subjective taxonomic grounds, as being the same as the taxon represented by the older-established nominal species *Epitola ernesti* Karsch, 1895.] [Refs - b4400; b3582; b2280]
- c *Eumaea* Geyer, [1834], 1832-1837 OD: In Zutr. Samml. exot. Schmett. 3:pl [18] [b1934]. TS: *Eumaea debora* Geyer, [1834], 1832-1837. OD: In Zutr. Samml. exot. Schmett. 3:pl [18] [b1934]. TM: by monotypy. SS: *Eumaeus* Hübner, [1819]. [Note - The taxon represented by the nominal species *Eumaea debora* Geyer, [1834], is currently treated, on subjective taxonomic grounds, as being the same as the taxon represented by the older-established nominal species *Eumenia childrenae* Gray, 1832.] [Refs - b1023; b3192]
- a *Eumaeus* Hübner, [1819], 1816-1826 OD: Verz. bekannt. Schmett. (5):67 [b2484]. TS: *Rusticus minijas* Hübner, [1809], 1806-1838. OD: Samml. exot. Schmett. 1:pl [97] [b2482]. TM: by monotypy. HC - Lyc: Lyc: The: Eum: *Eumaeus* [Refs - b0908; b2988; b4245; b2280; b1023; b3192; b1321; b0833; b1975]
- b *Eumedonia* Forster, 1938 OD: Mitt. münchn. ent. Ges. 28:113 [b1762]. TS: *Papilio eumedon* Esper, [1780], 1776-1830. OD: Die Schmett. 1(2)(1):16, pl 52, f 2,3 [b1623]. TM: by original designation. SS: *Plebejus* Kluk, 1802. [Refs - b0485; b2280; b0410; b2794]
- c *Eumenea* Strecker, 1878, (ISS) OD: Butts Moths N. Amer., Comp. Syn. Cat. :103 [b4532]. SS: *Eumenia* Godart, [1824]. [Refs - b3138]
- c *Eumenia* Godart, [1824], 1819-1824 OD: In Ency. méth. 9(Ins.)(2):826 [b1970]. TS: *Eumenia toxea* Godart, [1824], 1819-1824. OD: In Ency. méth. 9(Ins.)(2):826 [b1970]. TM: by monotypy. SS: *Eumaeus* Hübner, [1819]. [Refs - b0908; b1019; b2280; b1023; b3192; b1321]
- a *Eunogyra* Westwood, [1851], 1846-1852 OD: In Gen. dium. Lep. (2):pl 72, f 11 [b4981]. TS: *Eunogyra satyrus* Westwood, [1851], 1846-1852. OD: In Gen. dium. Lep. (2):pl 72, f 11 [b4981]. TM: by monotypy. HC - Lyc: Rio: Rio: [Refs - b2988; b2280; b2154]
- a *Euphilotes* Mattoni, [1978] OD: J. Res. Lep. 16(4):224 [b3110]. TS: *Lycaena enoptes* Boisduval, 1852. OD: Annl. Soc. ent. Fr. (2)10:298 [b0467]. TM: by original designation. HC - Lyc: Lyc: Pol: Pol: *Glaucopsyche* [Refs - b3110; b3192; b1743; b3640]
- c *Eupsyche* Scudder, 1876 OD: Bull. Buffalo Soc. nat. Sci. 3:112 [b4083]. TS: *Thecla m-album* Boisduval & Le Conte, [1833], 1829-1837. OD: Hist. Lépid. Amer. sept. (9):86, pl 26, f 1-5 [b0470]. TM: by original designation. SS: *Parthasius* Hübner, [1819]. [Refs - b0908; b2280; b3192; b1321]
- c *Euppsychellus* Röber, 1891 OD: Tijdschr. Ent. 34(3/4):316 [b3823]. TS: *Lycaena dionisius* Boisduval, 1832. OD: In d'Urville, Voy. Astrolabe 1(Lép.):82 [b0457]. TM: by monotypy. SS: *Pithecopis* Horsfield, [1828]. [Refs - b2280; b2388]
- c *Euribia* Westwood, [1851], 1846-1852, (ISS) OD: In Gen. dium. Lep. (2):pl 69 [b4981]. OS: *Eurybia* [Illiger], 1807. [Refs - b1023]

- c **Euristrymon** Clench, 1961 OD: In Ehrlich & Ehrlich, Butterflies :184,212 [b0829]. TS: *Papilio favonius* Smith, 1797. OD: In Abbot & Smith, Ins. Georgia 1:27, pl 14 [b4254]. TM: by original designation. SS: *Fixsenia* Tutt, [1907]. [Refs - b1023; b0851; b0111; b3192; b1715; b1743 (in use); b1722]
- a **Eurybia** [Illiger], 1807 OD: Allg. Lit.-Zeit 1807(2):1180 [b2501]. TS: *Limnas halimede* Hübner, [1807], 1806-1838. OD: Samml. exot. Schmett. 1-pl [27] [b2482]. TM: by monotypy. HC-Lyc: Rio: *Eurybiini* [Refs - b2988; b0826 :271; b2280; b1023; b2154]
- d **Eurybia** Latreille, 1809, (H) OD: Gen. Crust. Ins. 4:198 [b2927]. TS: *Papilio salome* Cramer, [1775], 1775-1790. OD: Utiil. Kapellen 1(1):18, pl 12, f G,H [b1069]. TM: by selection by Crotch, 1872. *Cistula* Entomologica 1(4):67 [b1076]. SS: *Eurybia* [Illiger], 1807. [Note - *The taxon represented by the nominal species Papilio salome Cramer, [1775], is currently treated, on subjective taxonomic grounds, as being the same as the taxon represented by the older-established nominal species Papilio nicaeus Fabricius, 1775.*] [Refs - b2280]
- d **Eurybia** Oken, 1815, (H and JOS) OD: Lehrbuch Naturgesch. 3(Zool.)(1):733 [b3496]. TS: *Papilio salome* Cramer, [1775], 1775-1790. OD: Utiil. Kapellen 1(1):18, pl 12, f G,H [b1069]. TM: by selection by Hemming, 1943. Proc. R. ent. Soc. Lond. (B)12(2):30 [b2266]. SS: *Eurybia* [Illiger], 1807. [Note - *The taxon represented by the nominal species Papilio salome Cramer, [1775], is currently treated, on subjective taxonomic grounds, as being the same as the taxon represented by the older-established nominal species Papilio nicaeus Fabricius, 1775.*] [Refs - b2280]
- d **Eurybia** Hoffmannsegg, 1818, (H) OD: In Wiedemann, Zool. Mag. 1(2):100 [b2412]. TS: *Papilio nicaeus* Fabricius, 1775. OD: Syst. Ent. :482 [b1653]. TM: by selection by Scudder, 1875. Proc. amer. Acad. Arts Sci. 10(2):174 [b4080]. SS: *Eurybia* [Illiger], 1807. [Refs - b2280]
- d **Eurybia** Hübner, [1819], 1816-1826, (H and JOS) OD: Verz. bekannt. Schmett. (2):17 [b2484]. TS: *Papilio nicaeus* Fabricius, 1775. OD: Syst. Ent. :482 [b1653]. TM: by selection by Scudder, 1875. Proc. amer. Acad. Arts Sci. 10(2):174 [b4080]. SS: *Eurybia* [Illiger], 1807. [Refs - b2280]
- c **Eurygona** Boisduval, 1836 OD: Spec. gén. Lépid. 1-pl 3 [=3A], f 2; pl 21 [=5C], f 3 [b0462]. TS: *Eurygona phedica* Boisduval, 1836. OD: Spec. gén. Lépid. 1-pl 21 [=5C], f 3 [b0462]. TM: by selection by Scudder, 1875. Proc. amer. Acad. Arts Sci. 10(2):175 [b4080]. SS: *Euselasia* Hübner, [1819]. [Refs - b2280; b1023; b3192; b1321; b2154]
- a **Euselasia** Hübner, [1819], 1816-1826 OD: Verz. bekannt. Schmett. (2):24 [b2484]. TS: *Euselasia gelaena* Hübner, [1819], 1816-1826. OD: Verz. bekannt. Schmett. (2):24 [b2484]. TM: by selection by Scudder, 1875. Proc. amer. Acad. Arts Sci. 10(2):175 [b4080]. HC-Lyc: Rio: **Eurygoninae** [Refs - b2988; b0826 :270; b2280; b3192; b1321; b2154]
- a **Euthecta** Bennett, 1954 OD: Entomologist 87:170 [b0295]. TS: *Euthecta cooksoni* Bennett, 1954. OD: Entomologist 87:171,182, f 1 [b0295]. TM: by original designation. HC-Lyc: Lyc: Lip: Lip: **Mimacraea** [Refs - b4198; b0295; b2280; b1023]
- a **Evenus** Hübner, [1819], 1816-1826 OD: Verz. bekannt. Schmett. (5):78 [b2484]. TS: *Papilio endymion* Fabricius, 1781, 1781-1782. OD: Spec. Ins. 2:115 [b1655]. TM: by selection by Scudder, 1875. Proc. amer. Acad. Arts Sci. 10(2):176 [b4080]. HC-Lyc: Lyc: The: **Eum: Eumaeus** [Note - *The taxon represented by the nominal species papilio endymion Fabricius, 1781, is currently treated, on subjective taxonomic grounds, as being the same as the taxon represented by the older-established nominal species Papilio regalis Cramer, [1775].*] [Refs - b0908; b4245; b2280]
- a **Everes** Hübner, [1819], 1816-1826, ICZN Op 503, L 1249 OD: Verz. bekannt. Schmett. (5):69 [b2484]. TS: *Papilio amyntas* [Denis & Schiffermüller], 1775. OD: Ankündigung syst. Werkes Schmett. :185 [b1193]. TM: by selection by Scudder, 1872. 4th Ann. Rep. Peabody Acad. Sci. 1871:56 [b4078]. HC-Lyc: Lyc: Pol: Pol: **Everes** [Note - *The taxon represented by the nominal species Papilio amyntas [Denis & Schiffermüller], 1775, is currently treated, on subjective taxonomic grounds, as being the same as the taxon represented by the older-established nominal species Papilio argiades Pallas, 1771.*] [Refs - b0485; b4198; b0908; b2988; b3582; b2280; b2528; b0400; b1743; b3192; b1321; b2794; b3151]
- a **Exoptilia** Godman & Salvin, [1886], 1879-1901 OD: Biol. centr.-amer., Lep. Rhop. 1:450 [b1975]. TS: *Amarynthia hypochalybe* Felder & Felder, 1861. OD: Wien. ent. Monats. 5(4):98 [b1684]. TM: by monotypy. HC-Lyc: Rio: Rio: **Riodini** [Refs - b2988; b2280; b2154]
- b **Fabitaras** Eliot, 1986 OD: Bull. Br. Mus. nat. Hist. (Ent.) 53(1):20 [b1571]. TS: *Paragerydus fabius* Distant & Pryer, 1887. OD: Ann. Mag. nat. Hist. (5)19:266 [b1290]. TM: by original designation. SS: *Allotinus* Felder & Felder, 1865. [Refs - b1571]
- c **Facula** Balletto, 1993 OD: Boll. Soc. ent. ital. 124(3):231 [b0220]. TS: *Cupido sibylla* Kirby, 1871. OD: Syn. Cat. dium. Lep. :377 [b2747]. TM: by original designation. SS: *Pseudolucia* Nabokov, 1945. [Refs - b0220]
- a **Falcuna** Stempffer & Bennett, 1963 OD: Bull. Br. Mus. nat. Hist. (Ent.) 13(6):174 [b4421]. TS: *Liptena libyssa* Hewitson, [1866], 1852-1877. OD: Ill. exot. Butis 3:[120], pl [60], f 5,6 [b2323]. TM: by original designation. HC-Lyc: Lyc: Lip: Lip: **Liptena** [Refs - b2280; b1023]
- a **Famegana** Eliot, 1973 OD: Bull. Br. Mus. nat. Hist. (Ent.) 28(6):453 [b1559]. TS: *Lycæna alsulus* Herrich-Schäffer, 1869. OD: Stutt. ent. Ztg 30(1-3):75 [b2317]. TM: by original designation. HC-Lyc: Lyc: Pol: Pol: **Famegana** [Refs - b1559; b2388]
- b **Farsia** Zhdanko, 1992 OD: Zool. Zh. 71(8):152 [b5067]. TS: *Lycæna hircana* Lederer, 1869. OD: Horae Soc. ent. ross. 6:78, pl 4, f 6,7 [b2955]. TM: by original designation. SS: *Polyommatus* Latreille, 1804. [Check - Classification, based on a misidentified type] [Refs - b0126]
- a **Favonius** Sibatani & Ito, 1942 OD: Tenthredo 3(4):327 [b4224]. TS: *Dipsas orientalis* Murray, 1874. OD: Ent. mon. Mag. 11:169 [b3317]. TM: by original designation. HC-Lyc: Lyc: The: The: **Thecla** [Refs - b2988; b2280; b4214]
- d **Felderia** Tutt, [1907], 1905-1914, (H) OD: Nat. Hist. Brit. Butis 2:142 [b4760]. TS: *Thecla w-album* eximia Fixsen, 1887. OD: In Romanoff, Mém. Lecl. 3:271, pl 13, f 2 [b1745]. TM: by original designation. OS: *Thecliolia* Strand, 1910. [Refs - b2280]
- a **Femniterga** Johnson, 1988 OD: Insecta Mundi 2(1):36 [b2595]. TS: *Femniterga notacastanea* Johnson, 1988. OD: Insecta Mundi 2(1):38, f 2A-D; 3D,G; 4A,G [b2595]. TM: by original designation. HC-Lyc: Lyc: The: **Eum: Eumaeus** [Refs - b2595; b2606]
- e **Fenesea** Strecker, 1878, (ISS) OD: Butis Mous N. Amer., Comp. Syn. Cat. :103 [b4532]. SS: *Fenisea* Grote, 1869 [Refs - b3138]
- a **Feniseca** Grote, 1869 OD: Trans. amer. ent. Soc. 2(3):308 [b2051]. TS: *Hesperia tarquinius* Fabricius, 1793, 1792-1799. OD: Ent. syst. 3(1):319 [b1657]. TM: by original designation. HC-Lyc: Lyc: Mil: **Spa: Feniseca** [Refs - b0908; b2280; b3192; b1321]
- d **Fieldia** Johnson, 1991, (H) OD: Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (21):28 [b2606]. TS: *Fieldia yungas* Johnson, 1991. OD: Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (21):28, f [b2606]. TM: by original designation. OS: *Profieidia* Johnson, 1992. [Refs - b0125; b2606]

- a *Fixsenia* Tutt, [1907], 1905-1914 OD: Nat. Hist. Brit. Butts 2:142 [b4760]. TS: *Thecla herzi* Fixsen, 1887. OD: In Romanoff, *Mém. Lép.* 3:279, pl 13, f 4 [b1745]. TM: by original designation. HC-Lyc: Lyc: The: Eum: Eumaeus [Refs - b2280; b0851; b2794; b1722]
- a *Flos Doherty*, 1889 OD: J. asiat. Soc. Bengal, Pt II 58(4):412 [b1301]. TS: *Papilio apidanus* Cramer, [1777], 1775-1790. OD: *Uitl. Kapellen* 2(12):63, pl 137, f F,G [b1069]. TM: by original designation. HC-Lyc: Lyc: The: Arh: Arhopala SS: Arhopala Boisduval, 1832. [Refs - b1644; b2280]
- b *Freyeria* Courvoisier, 1920 OD: *Deut. ent. Zeit. [Iris]* 34:234 [b0995]. TS: *Lycaena trochylus* Freyer, 1845, 1831-1858. OD: *Neuere Beitr. Schmett.* 5(74):98, pl 440, f 1 [b1795]. TM: by monotypy. SS: Chilades Moore, [1881]. [Refs - b4198; b1943; b3582; b2280; b3326; b2794; b4366; ns1785]
- a *Furcocalva* Johnson, 1991 OD: *Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point)* (21):22 [b2606]. TS: *Furcocalva extensa* Johnson, 1991. OD: *Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point)* (21):23, f [b2606]. TM: by original designation. HC-Lyc: Lyc: The: Eum: Eumaeus [Refs - b0125; b2606]
- a *Gaeides* Scudder, 1876 OD: *Bull. Buffalo Soc. nat. Sci.* 3:126 [b4083]. TS: *Chrysophanus dione* Scudder, [1870]. OD: *Trans. Chicago Acad. Sci.* 1(2):330 [b4077]. TM: by original designation. HC-Lyc: Lyc: Lyc: *Lycaena* [Note - *The taxon represented by the nominal species Chrysophanus dione* Scudder, [1870], is currently treated, on subjective taxonomic grounds, as being the same as the taxon represented by the older-established nominal species *Polyommatus xanthoides* Boisduval, 1852.] [Refs - b0908; b2280; b3191; b0111; b3192; b3189]
- c *Gaides* Elrod & Maley, 1906, (ISS) OD: *Bull. Univ. Montana, Biol. Ser.* 2(10):132 [b1582]. SS: *Gaeides* Scudder, 1876. [Refs - b3138]
- a *Galba* Johnson, 1992 OD: *Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point)* (22):167 [b2611]. TS: *Galba elvira* Johnson, 1992. OD: *Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point)* (22):168, f [b2611]. TM: by original designation. HC-Lyc: Lyc: The: Eum: Eumaeus [Refs - b0125; b2611]
- c *Geridus* Westwood, [1851], 1846-1852, (ISS) OD: *In Gen. diurn. Lep.* (2):pl 76, f 5 [b4981]. OS: *Gerydus* Boisduval, 1836. [Refs - b2280]
- d *Gerydus* Boisduval, 1836, (JOS) OD: *Spec. gén. Lépid.* 1:pl 23 [=7C], f 2 [b0462]. TS: *Papilio symethus* Cramer, [1777], 1775-1790. OD: *Uitl. Kapellen* 2(13):84, pl 149, f B,C [b1069]. TM: by monotypy. OS: *Miletus* Hübnér, [1819]. [Refs - b1153; b2280; b1571]
- a *Gigantofalca* Johnson, 1991 OD: *Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point)* (21):16 [b2606]. TS: *Gigantofalca stacya* Johnson, 1991. OD: *Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point)* (21):17, f [b2606]. TM: by original designation. HC-Lyc: Lyc: The: Eum: Eumaeus [Refs - b0125; b2606]
- a *Gigantorubra* Johnson, 1993 OD: *Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point)* (32):2 [b2614]. TS: *Thecla collicia* Hewitson, [1877], 1863-1878. OD: *Ill. diurn. Lep. Lycaenidae* 1:186; 2:pl 74, f 577,578 [b2326]. TM: by original designation. HC-Lyc: Lyc: The: Eum: Eumaeus [Refs - b2614]
- c *Gigantorubra* Johnson, 1993, (IOS) OD: *Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point)* (32):1 [b2614]. SS: *Gigantorubra* Johnson, 1993. [Refs - b2614]
- c *Ginzia* Korshunov, 1972, (ISS) OD: *Ent. Obozr.* 51:359 [b2826]. SS: *Ginzia* M. Okano, 1947. [Refs - b2585]
- d *Ginzia* M. Okano, 1947, (JOS) OD: *Igaku to Seibutsugaku (Tokyo)* 11:239 [b3482]. TS: *Lycaena ferrea* Butler, 1866. OD: *J. linn. Soc. Lond., Zool.* 9:57 [b0582]. TM: replacement name for *Satsuma* Murray, 1875. OS: *Ahlbergia* Bryk, 1946. [Note - *Hemming* dated this name 1941, but this was an error.] [Refs - b2988 (as *Satsuma*); b2280; b1041; b1559; b2585]
- a *Glaucopsyche* Scudder, 1872 OD: 4th Ann. Rep. Peabody Acad. Sci. 1871:54 [b4078]. TS: *Polyommatus lygdamus* Doubleday, 1841. OD: *Entomologist* 1:209 [b1325]. TM: by original designation. HC-Lyc: Lyc: Pol: Pol: *Glaucopsyche* [Refs - b0485; b0908; b2988 (as *Glaucopsyche*); b2280; b3110; b3192; b1743; b1321; b2794]
- c *Glebejus* Shields, 1975, (ISS) OD: *Bull. Allyn Mus.* (28):27 [b4179]. SS: *Plebejus* Kluk, 1802. [Refs - b3138]
- c *Goeides* Elrod & Maley, 1906, (ISS) OD: *Bull. Univ. Montana, Biol. Ser.* 2(10):132 [b1582]. SS: *Gaeides* Scudder, 1876. [Refs - b3138]
- a *Goldia* Dubatolov & Korshunov, 1990 OD: *Nov Maloizvestiye Vidy Fauny Sib.* (21):67 [b1395]. TS: *Ravenna pacifica* Dubatolov & Korshunov, 1984. OD: *Chlenistonogiye i Gelminty* 1984:54, f [b1394]. TM: by original designation. HC-Lyc: Lyc: The: The: *Thecla* [Refs - b0124]
- b *Gonatomyrina* Aurivillius, [1924], 1908-1925 OD: *In Seitz, Grossschmett. Erde* 13:422 [b0162]. TS: *Papilio lara* Linnaeus, 1764. OD: *Mus. Lud. Ulr.* :320 [b2996]. TM: by monotypy. SS: *Leptomyrina* Butler, 1898. [Refs - b2280]
- c *Gonellia* Shirôzu & Yamamoto, 1956, (IOS) OD: *Sieboldia* 1(4):339,348 [b4214]. OS: *Gonerilia* Shirôzu & Yamamoto, 1956. [Refs - b2280; b4214]
- a *Gonerilia* Shirôzu & Yamamoto, 1956 OD: *Sieboldia* 1(4):339,348, errata slip facing 422 [b4214]. TS: *Thecla seraphim* Oberthür, 1886. OD: *Bull. Soc. ent. Fr.* (6)6:xii [b3427]. TM: by original designation. HC-Lyc: Lyc: The: The: *Thecla* [Refs - b2280; b4214]
- c *Gonopteris* Geyer, [1832], 1832-1837 OD: *In Zutr. Samml. exot. Schmett.* 4:34 [b1934]. TS: *Gonopteris pergaea* Geyer, [1832], 1832-1837. OD: *In Zutr. Samml. exot. Schmett.* 4:34, pl [129], f 747,748 [b1934]. TM: by monotypy. SS: *Eurybia* [Illiger], 1807. [Refs - b2988; b2280; b1023; b2154]
- c *Gynomorphia* Koçak, 1983, 1981-1983, (ISS) OD: *Pnamus* 3(1):30 [b2794]. SS: *Gynomorphia* Verity, 1929. [Refs - b2794]
- d *Gynomorphia* Verity, 1929, (JOS) OD: *Annls Soc. ent. Fr.* 98:355 [b4851]. TS: *Papilio agestis* [Denis & Schiffermüller], 1775. OD: *Ankündigung syst. Werkes Schmett.* :184 [b1193]. TM: by original designation. OS: *Aricia* R. L., 1817. [Refs - b2280; b0410; b2794 (as *Gynomorphia*)]
- a *Habrodais* Scudder, 1876 OD: *Bull. Buffalo Soc. nat. Sci.* 3:113 [b4083]. TS: *Thecla grunus* Boisduval, 1852 OD: *Annls Soc. ent. Fr.* (2)10:289 [b0467]. TM: by original designation. HC-Lyc: Lyc: The: The: *Thecla* [Refs - b0908; b2280; b3192; b1743; b1321; b4214]
- c *Habrodais* Dyar, [1903], (ISS) OD: *Bull. U. S. natn. Mus.* 52:35 [b1439]. SS: *Habrodais* Scudder, 1876. [Refs - b1321; b3138]
- a *Hades* Westwood, [1851], 1846-1852 OD: *In Gen. diurn. Lep.* (2):435 [b4981]. TS: *Hades noctula* Westwood, [1851], 1846-1852. OD: *In Gen. diurn. Lep.* (2):435 nota, pl 72, f 3 [b4981]. TM: by monotypy. HC-Lyc: Rio: *Eurygoninae* [Refs - b2988; b0826 :270; b2280; b2154]
- d *Hadothera* Billberg, 1820, (JOS) OD: *Enum. Ins. Mus. Billb.* :80 [b0422]. TS: *Papilio danis* Cramer, [1775], 1775-1790. OD: *Uitl. Kapellen* 1(6):111, pl 70, f E,F. [b1069]. TM: replacement name for *Danis* Fabricius, 1807. OS: *Danis* Fabricius, 1807. [Refs - b2280]

- a **Hamearis** Hübner, [1819], 1816-1826 OD: Verz. bekannt. Schmett. (2):19 [b2484]. TS: *Papilio lucina* Linnaeus, 1758. OD: Syst. nat. (ed. 10) 1:480 [b2993]. TM: by selection by Curtis, 1830, 1823-1840. British Entomology 7-pl 316 [b1080]. HC-Lyc: Rio: Nem: Nemeoblini [Refs - b0485; b2781; b0826 :270; b2988; b2425; b2280; b2794; b2154]
- a **Harknclenus** dos Passos, 1970 OD: J. Lep. Soc. 24(1):28,36 [b1322]. TS: *Chrysophanus mopsus* Hübner, [1818], 1808-1837. OD: Zutr. Samml. exot. Schmett. 1:24, pl [24], f 135,136 [b2483]. TM: replacement name for *Chrysophanus* Hübner, [1818]. HC-Lyc: Lyc: The: Eum: Eumaeus [Note - The taxon represented by the nominal species *Chrysophanus mopsus* Hübner, [1818], is currently treated, on subjective taxonomic grounds, as being a subspecies of the taxon represented by the older-established nominal species *Hesperia titus* Fabricius, 1793.] [Refs - b2470; b3192; b1743]
- a **Harpenderys** Heron, 1909 OD: Trans. zool. Soc. Lond. 19(2):158 [b2312]. TS: *Harpenderys reginaldi* Heron, 1909. OD: Trans. zool. Soc. Lond. 19(2):159, pl 5, f 23-26 [b2312]. TM: by monotypy. HC-Lyc: Lyc: Pol: Pol: Cacyreus [Refs - b1943; b3582; b2280]
- e **Harysophanus** Maynard, 1891, (ISS) OD: Manual N. Amer. Butts :154 [b3120]. SS: *Chrysophanus* Hübner, [1818]. [Refs - b3138]
- e **Hecla** Zazzini, 1934, (ISS) OD: Butts Moths Amer. :29 [b5058]. SS: *Thecla* Fabricius, 1807. [Refs - b3138]
- a **Helicopsis** Fabricius, 1807, ICZN Op 137, L 565 OD: Mag. f. Insektenk. (Illiger) 6:285 [b1658]. TS: *Papilio cupido* Linnaeus, 1758. OD: Syst. nat. (ed. 10) 1:482 [b2993]. TM: by selection by Blanchard, 1845. Hist. Ins. 2:346 [b0447]. HC-Lyc: Rio: Rio: Helicopini [Refs - b2781; b2988; b0826 :271; b1023; b2280; b2512; b2516; b4710; b2520; b2154]
- d **Helicopsis** [Illiger], 1807, (RC), ICZN Op 232, L 42 OD: Allg. Lit.-Zeit. 1807(2):1180 [b2501]. TS: *Papilio gnidus* Fabricius, 1787. OD: Mantissa Ins. 2:64 [b1656]. TM: by monotypy. OS: *Helicopsis* Fabricius, 1807. [Refs - b2280; b2520; b4710]
- e **Heliochalaena** Harvey, 1987, (ISS) OD: Class. Riordinidae :116 [b2154]. SS: *Helioclaena* Hübner, 1821. [Refs - b2154]
- c **Helioclaena** Hübner, 1821 OD: Index exot. Lep. :[4] [b2485]. TS: *Limnas leucosia* Hübner, [1806], 1806-1838. OD: Samml. exot. Schmett. 1-pl [29] [b2482]. TM: by monotypy. SS: *Nymphidium* Fabricius, 1807. [Refs - b2280; b2154]
- a **Heliophorus** Geyer, [1832], 1832-1837 OD: In Zutr. Samml. exot. Schmett. 4 40 [b1934]. TS: *Heliophorus belenus* Geyer, [1832], 1832-1837 OD: In Zutr. Samml. exot. Schmett. 4:40, pl [135], f 785,786 [b1934]. TM: by selection by Scudder, 1875. Proc. amer. Acad. Arts Sci. 10(2):186 [b4080]. HC-Lyc: Lyc: Lyc: **Heliophorus** [Note - The taxon represented by the nominal species *Heliophorus belenus* Geyer, [1832], is currently treated, on subjective taxonomic grounds, as being the same as the taxon represented by the older-established nominal species *Polyommatus epicles* Godart, [1824].] [Refs - b4198; b2988; b2280]
- a **Hellela** Venty, 1943 OD: Farfalle Diurne Ital. 2:20,48 [b4862]. TS: *Papilio helle* [Denis & Schiffermüller], 1775. OD: Ankündigung syst. Werkes Schmett. :181 [b1193]. TM: by original designation. HC-Lyc: Lyc: Lyc: **Lycaena** [Refs - b2280; b4220]
- d **Hellyolycaena** Koçak, 1983, (JOS & PD) OD: Priamus 3(1):3-5 [b2798]. TS: *Polyommatus thoe* Guérin-Méneville, [1831], 1829-1844. OD: Icon. Règne Anim. Cuvier :pl Ins 81, f 4,4a,4b [b2086]. TM: replacement name for *Hylolycaena* Miller & Brown, 1975. OS: *Hylolycaena* Miller & Brown, 1979. [Refs - b2798]
- e **Hemearis** Bretherton, 1966, (ISS) OD: Trans. Soc. Br. Ent. 17:32 [b0485]. OS: *Hemearis* Hübner, [1819].
- a **Hemiargus** Hübner, [1818], 1808-1837 OD: Zutr. Samml. exot. Schmett. 1:19 [b2483]. TS: *Hemiargus antibubastus* Hübner, [1818], 1808-1837. OD: Zutr. Samml. exot. Schmett. 1:19, pl [18], f 99,100 [b2483]. TM: by selection by Hemming, 1934. Gen. Names hol. Butts 1:104 [b2253]. HC-Lyc: Lyc: Pol: Pol: **Itylos** [Note - The taxon represented by the nominal species *Hemiargus antibubastus* Hübner, [1818], is currently treated, on subjective taxonomic grounds, as being a subspecies of the taxon represented by the older-established nominal species *Hesperia ceraunus* Fabricius, 1793.] [Refs - b0908; b2988; b4245; b2280; b3192; b1743; b1321]
- a **Hemilolaus** Aurivillius, [1922], 1908-1925 OD: In Seitz, Grossschmett. Erde 13:382 [b0162]. TS: *Iolus caeculus* Hopffer, 1855. OD: Ber. Verh. Akad. Berl. 1855:642 [b2443]. TM: by selection by Stempffer & Bennett, 1958. Bull. Inst. franç. Afr. Noire 20(A)(4):1254 [b4418]. HC-Lyc: Lyc: The: **Iol: Hemilolaus** [Refs - b1943; b3582; b2280]
- a **Heoda** Johnson & Miller & Herrera, 1992 OD: In Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (23):5 [b2639]. TS: *Thecla heodes* H. H. Druce, 1909. OD: Trans. ent. Soc. Lond. 57(3):437, pl 11, f 10,11 [b1376]. TM: by original designation. HC-Lyc: Lyc: The: Eum: Eumaeus [Refs - b2637; b2638]
- b **Heodes** Dalman, 1816 OD: K. svenska VetenskAkad. Handl. 37(1):63,91 [b1092]. TS: *Papilio virgaureae* Linnaeus, 1758. OD: Syst. nat. (ed. 10) 1:484 [b2993]. TM: by selection by Crotch, 1872. Cistula Entomologica 1(4):71 [b1076]. SS: *Lycaena* Fabricius, 1807. [Refs - b0485; b0908; b2988; b2280; b4220; b0389; b1321]
- a **Hermathena** Hewitson, 1874 OD: Descr. new Spec. Butts Buckley Bolivia :15 [b2344]. TS: *Hermathena candidata* Hewitson, 1874. OD: Descr. new Spec. Butts Buckley Bolivia :16 [b2344]. TM: by monotypy. HC-Lyc: Rio: Rio: [Refs - b2988; b2280; b1023; b2154]
- a **Hermelycaena** Miller & Brown, 1979 OD: Bull. Allyn Mus (51):22 [b3191]. TS: *Chrysophanus hermes* Edwards, 1870. OD: Trans. amer. ent. Soc. 3(1):10-22 [b1499]. TM: by original designation. HC-Lyc: Lyc: Lyc: **Lycaena** [Refs - b3191; b0111; b3192]
- e **Hermiargus** Anonymous, 1979, (ISS) OD: J. Lep. Soc. 32(4):314 (index) [b0106]. SS: *Hemiargus* Hübner, [1818] [Refs - b3138; b0106]
- d **Hesperia** Hübner, [1819], 1816-1826, (H) OD: Verz. bekannt. Schmett. (2):25 [b2484]. TS: *Papilio cingulus* Stoll, [1790], 1780-1790. OD: In Cramer, Utd. Kapellen Aanhangs :61, pl 13, f 4 [b4478]. TM: by selection by Hemmung, 1964. Annot. Lep. (4):128 [b2276]. OS: *Phaenochitona* Suchel, 1910. [Refs - b2280]
- c **Heterosmaitia** Clench, [1964] OD: J. Res. Lep. 2(4):248,254 [b0833]. TS: *Thecla bourkei* Kaye, [1925]. OD: Trans. ent. Soc. Lond. 72(3/4):416 [b2713]. TM: by original designation. SS: *Rekoa* Kaye, 1904. [Refs - b1023; b0102, b3192, b2632; b0125]
- a **Hewitsonia** Kirby, 1871 OD: Syn. Cat. diurn. Lep. :426 [b2747]. TS: *Corydon boisduvali* Hewitson, [1869], 1863-1878. OD: Ill. diurn. Lep. Lycaenidae 1,Suppl.:11; 2,Suppl.:suppl. pl 1, f 1,2 [b2326]. TM: replacement name for *Corydon* Hewitson, [1869]. HC-Lyc: Lyc: Lip: Lip: **Epitola** [Refs - b3582; b2280]
- e **Hexuopterus** Scudder, 1875, (ISS) OD: Proc. amer. Acad. Arts Sci. 10(2):191 [b4080]. OS: *Hexuopterus* Hübner, [1819] [Refs - b2280]
- e **Hexuroptera** Hübner, 1821, (ISS) OD: Index exot. Lep. :[3] [b2485]. OS: *Hexuropterus* Hübner, [1819]. [Refs - b2280]

- c **Hexuropteris** Hübner, [1819], 1816-1826 OD: Verz. bekannt. Schmett. (2):22 [b2484]. TS: *Hexuropteris endymiaena* Hübner, [1819], 1816-1826. OD: Verz. bekannt. Schmett. (2):22 [b2484]. TM: by selection by Hemming, 1939. Proc. R. ent. Soc. Lond. (B)8(7):135 [b2261]. SS: *Helicopsis* Fabricius, 1807. [Refs - b2280; b2154]
- e **Hipporion** Mell, 1923, (ISS) OD: Deut. ent. Zeit. 1923:159 [b3149]. SS: *Hyporion* Röber, 1903. [Refs - b3149]
- e **Hircus** Ungemach, 1932, (ISS) OD: Mém. Soc. Sci. nat. phy. Maroc 32:88 [b4780]. OS: *Hyreus* Hübner, [1819]. [Refs - b2280]
- d **Hirsutina** Tutt, [1909], 1905-1914, (JOS) OD: Nat. Hist. Brit. Butts 3:154 [b4760]. TS: *Papilio damon* [Denis & Schiffermüller], 1775. OD: Ankündigung syst. Werkes Schmett. :182 [b1193]. TM: by original designation. OS: *Agrodiaetus* Hübner, 1822. [Refs - b2280; b2794; b4367]
- d **Holochila** C. Felder, 1862, (JOS) OD: Verh. zool.-bot. Ges. Wien 12:490 et nota [b1677]. TS: *Papilio erinus* Fabricius, 1775. OD: Syst. Ent. :525 [b1653]. TM: replacement name for *Erina* Swainson, 1833. OS: *Erina* Swainson, [1833]. [Note - This name, with a different type-species, has been used by various authors for a group of species placed by other workers in the genus *Candalides*.] [Refs - b0908; b1559; b2280; b1023; b0976]
- d **Holodesmus** Waterhouse & Lyell, 1914, (JOS) OD: Butts Aust. :6,68 [b4947]. TS: *Sospita segecia* Hewitson, [1861], 1852-1877. OD: Ill. exot. Butts 2:92], pl [46], f 4-6 [b2323]. TM: by original designation. OS: *Praetaxila* Fruhstorfer, [1914]. [Refs - b2280]
- c **Hopfferia** Staudinger, [1888], 1884-1888 OD: In Exot. Schmett. Bd 1(Th. 1)(20):257 [b4329]. TS: *Lasaia militaris* Hopffer, 1874. OD: Stett. ent. Ztg 35:365 [b2446]. TM: by monotypy. SS: *Siseme* Westwood, [1851]. [Note - The taxon represented by the nominal species *Lasaia miliaris* Hopffer, 1874, is currently treated, on subjective taxonomic grounds, as being the same as the taxon represented by the older-established nominal species *Siseme luculentia* Erschoff, 1874.] [Refs - b2988; b2280; b2154]
- d **Hopfferia** Röber, [1892], 1888-1892, (H and JOS) OD: In Exot. Schmett. Bd 1(Th. 2)(6):252 [b3822]. TS: *Lasaia militaris* Hopffer, 1874. OD: Stett. ent. Ztg 35:365 [b2446]. TM: by monotypy. OS: *Hopfferia* Staudinger, [1888]. [Refs - b2280]
- a **Horaga** Moore, [1881], 1880-1881 OD: Lep. Ceylon 1(3):98 [b3232]. TS: *Thecla onyx* Moore, [1858]. OD: In Cat. Lep. Ins. E. India Co. (1):30 [b3219]. TM: by original designation. HC-Lyc: Lyc: The: **Horagini** [Refs - b4198; b2280]
- d **Horsfieldia** Riley, 1922, (JOS) OD: Entomologist 56:25 [b3752]. TS: *Thecla narada* Horsfield, [1828], 1828-1829. OD: Descr. Cat. lepid. Ins. (1):explic. pl 1, f 8; [1829] (2):98 [b2457]. TM: by original designation. OS: *Amblypodia* Horsfield, [1829]. [Refs - b2280]
- a **Howarthia** Shirōzu & Yamamoto, 1956 OD: *Sieboldia* 1(4):371 [b4214]. TS: *Thecla caelestis* Leech, 1890. OD: Entomologist 23:191 [b2964]. TM: by original designation. HC-Lyc: Lyc: The: **Thecla** [Refs - b2280; b1562; b4214]
- a **Hylolycaena** Miller & Brown, 1979, (PD) OD: Bull. Allyn Mus. (51):15 [b3191]. TS: *Polyommatus* *thoe* Guérin-Méneville, [1831], 1829-1844. OD: Icon. Règne Anim. Cuvier pl Ins 81, f 4,4a,4b [b2086]. TM: by original designation. HC-Lyc: Lyc: Lyc: **Lycaena** [Note - Miller & Brown selected *hyllus* Cramer as the type, having (misidentified?) this nomen oblitum as the same as *thoe* Guérin-Méneville. An application to the ICZN is being prepared, asking use of the Plenary Powers to invalidate *hyllus* and to recognize *thoe* as the type of *Hylolycaena*.] [Refs - b3191; b0111; b3192; b3189; b0539]
- a **Hypaurotis** Scudder, 1876 OD: Bull. Buffalo Soc. nat. Sci. 3:112 [b4083]. TS: *Thecla crysalus* Edwards, 1873. OD: Trans. amer. ent. Soc. 4(4):344 [b1504]. TM: by original designation. HC-Lyc: Lyc: The: **Thecla** [Refs - b0908; b2280; b3192; b1743; b1321; b4214]
- a **Hyphilaria** Hübner, [1819], 1816-1826 OD: Verz. bekannt. Schmett. (2):26 [b2484]. TS: *Hyphilaria nicia* Hübner, [1819], 1816-1826. OD: Verz. bekannt. Schmett. (2):26 [b2484]. TM: by monotypy. HC-Lyc: Rio: Rio: [Refs - b2781; b2988; b2280; b2154]
- a **Hypochlorosis** Röber, [1892], 1888-1892 OD: In Exot. Schmett. Bd 1(Th. 2)(6):267 [b3822]. TS: *Myrina antipha* Hewitson, [1869], 1863-1878. OD: Ill. diurn. Lep. Lycaenidae 1, Suppl.:7; 2, Suppl.:suppl. pl 6, f 91-93 [b2326]. TM: by monotypy. HC-Lyc: Lyc: The: **Hypothedini** [Refs - b2988; b2280; b1023]
- a **Hypochrysops** Felder & Felder, 1860 OD: Wien. ent. Monats. 4(8):243 et nota [b1681]. TS: *Papilio polycletus* Linnaeus, 1758. OD: Syst. nat. (ed. 10) 1:485 [b2993]. TM: by selection by Hemming, 1960. Annot. Lep. (1):10-11 [b2269]. HC-Lyc: Lyc: The: **Luc: Hypochrysops** [Refs - b2280; b1023; b1474]
- c **Hypojamides** Riley, 1928 OD: In Trans. ent. Soc. Lond. 76(2):466 [b3768]. TS: *Lycaena* (?) *catochloris* Boisduval, 1832. OD: In d'Urville, Voy. Astrolabe 1(Lép.):78 [b0457]. TM: by original designation. SS: *Nacaduba* Moore, [1881]. [Refs - b2280; b2386; b2388]
- a **Hypokopelates** H. H. Druce, 1891 OD: Ann. Mag. nat. Hist. (6)7:364 [b1355]. TS: *Hypolycaena mera* Hewitson, 1873. OD: Ent. mon. Mag. 10:124 [b2336]. TM: by original designation. HC-Lyc: Lyc: The: **Deu: Deudorix** [Refs - b2280; b3582 (as *Kypokepalates*)]
- a **Hypolycaena** Felder & Felder, 1862 OD: Wien. ent. Monats. 6(9):293 [b1688]. TS: *Myrina sipylus* C. Felder, 1860. OD: Sber. Akad. Wiss. Wien 40(11):451 [b1676]. TM: by selection by Scudder, 1875. Proc. amer. Acad. Arts Sci. 10(2):195 [b4080]. HC-Lyc: Lyc: The: **Hypolycaenini** [Refs - b1943; b3582; b2280; b1023]
- a **Hypomyrina** H. H. Druce, 1891 OD: Ann. Mag. nat. Hist. (6)7:364 [b1355]. TS: *Pyrrina nomenia* Hewitson, 1874. OD: Trans. ent. Soc. Lond. 22(3):353 [b2341]. TM: by original designation. HC-Lyc: Lyc: The: **Deu: Deudorix** [Refs - b3582; b2280]
- c **Hypophylla** Boisduval, 1836 OD: Spec. gén. Lépid. 1:pl 20 [=4C], f 5 [b0462]. TS: *Hypophylla zeurppa* Boisduval, 1836. OD: Spec. gén. Lépid. 1:pl 20 [=4C], f 5 [b0462]. TM: by monotypy. SS: *Calospila* Geyer, [1832]. [Refs - b2280; b2154 (as good genus)]
- a **Hypophytala** Clench, 1965 OD: In Mem. amer. ent. Soc. 19:316-317 [b0836]. TS: *Epitola hettoides* Aunvillius, 1895 OD: Ent. Tidskr. 16:206 [b0151]. TM: by original designation. HC-Lyc: Lyc: Lip: Lip: **Epitola** [Refs - b0836; b0836]
- c **Hyporion** Röber, 1903 OD: Stett. ent. Ztg 64:357 [b3829]. TS: *Emesis princeps* Oberthür, 1886. OD: Étud. ent. 11:22, pl 7, f 57 [b3429]. TM: by selection by Hemming, 1935. Stylops 4:2 [b2257]. SS: *Polycaena* Staudinger, 1886 [Refs - b4245; b2280; b2154]
- a **Hypostrymon** Clench, 1961 OD: In Ehrlich & Ehrlich, *Bauer flies*: 182,214 [b0829]. TS: *Thecla criola* Hewitson, 1874 OD: Ent. mon. Mag. 11:105 [b2343]. TM: by original designation. HC-Lyc: Lyc: The: **Eum: Eumaeus** [Note - Hewitson published the name *Thecla criola* twice in 1874, and, unfortunately, Clench cited the later publication as the reference for the type species of his new genus.] [Refs - b1023; b0849; b3192]

- a *Hypothecla* Semper, 1890, 1886-1892 OD: In Semper, Reisen Philipp. (2)(5)(Schmett.)1(5):204 [b4110]. TS: *Hypolycaena astyla* Felder & Felder, 1862. OD: Wien. ent. Monats. 6(9):294 [b1688]. TM: by monotypy. HC-Lyc: Lyc: The: *Hypotheclini* [Refs - b2280]
- a *Hycanana* Bethune-Baker, 1914 OD: Ent. Rec. 26:135 [b0352]. TS: *Polyommatus caspius* Lederer, 1869. OD: Horae Soc. ent. ross. 6:76, pl 4, f 3 [b2955]. TM: by original designation. HC-Lyc: Lyc: Lyc: *Lycaena* [Refs - b2280; b3360]
- e *Hyrcus* Kaye, 1921, (ISS) OD: Mem. Dep. Agric. Trinidad Tobago 2-90 [b2711]. SS: *Hyrcus* Hübner, [1819]. [Refs - b0908; b3138 (as not seen)]
- d *Hyrcus* Hübner, [1819], 1816-1826, (H) OD: Verz. bekannt. Schmett. (5):70 [b2484]. TS: *Papilio lingeus* Stoll, [1782], 1780-1790. OD: In Cramer, Utl. Kapellen 4(32):176, pl 379, f F,G [b4478]. TM: name replaced by *Cacyreus* Butler, 1898, (Art. 67(i)). OS: *Cacyreus* Butler, [1898]. [Refs - b0908; b2280]
- c *Hysudra* Moore, 1882 OD: Proc. zool. Soc. Lond. 1882(1):250 [b3234]. TS: *Deudorix selira* Moore, 1874. OD: Proc. zool. Soc. Lond. 1874(1):272 [b3222]. TM: by monotypy. SS: *Rapala* Moore, [1881]. [Refs - b2280; b1023; b1562]
- e *Ialmenus* Doubleday, 1847, 1844-1848, (ISS) OD: List Spec. lep. Brit. Mus. 2:28 [b1327]. OS: *Ialmenus* Hübner, [1818]. [Refs - b1023]
- a *Iaspis* Kaye, 1904, ICZN Op 821, L 1762 OD: Trans. ent. Soc. Lond. 52(2):196 [b2708]. TS: *Thecla temesa* Hewitson, 1868. OD: Descr. new Spec. Lycaenidae :1 [b2327]. TM: by designation by the ICZN. HC-Lyc: Lyc: The: *Eum: Eumaeus* [Refs - b0908; b1019 :7; b2280; b4710; b2536; b2881; b2606]
- b *Icaricia* Nabokov, 1944 OD: Psyche 51(3/4):104 [b3325]. TS: *Lycaena icarioides* Boisduval, 1852. OD: Annl. Soc. ent. Fr. (2)10:297 [b0467]. TM: by original designation. SS: *Plebejus* Kluk, 1802. [Refs - b0908; b2280; b3192; b1321]
- a *Ignata* Johnson, 1992 OD: Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (22):194 [b2611]. TS: *Ignata ignobilis* Johnson, 1992. OD: Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (22):194 [b2611]. TM: by original designation. HC-Lyc: Lyc: The: *Eum: Eumaeus* [Refs - b0125; b2611]
- c *Ilerda* Doubleday, 1847, 1844-1848 OD: List Spec. lep. Brit. Mus. 2:25 [b1327]. TS: *Polyommatus epicles* Godart, [1824], 1819-1824. OD: In Ency. méth. 9(Ins.)(2):646 [b1970]. TM: by monotypy. SS: *Heliophorus* Geyer, [1832]. [Refs - b4198; b2280]
- a *Imelda* Hewitson, 1870, 1869-1877 OD: Equatorial Lep. Buckley (4):56 [b2330]. TS: *Imelda glaucosmia* Hewitson, 1870, 1869-1877. OD: Equatorial Lep. Buckley (4):56 [b2330]. TM: by monotypy. HC-Lyc: Rio: Rio: *Emesini* [Note - *The taxon represented by the nominal species Imelda glaucosmia Hewitson, 1870, is currently treated, on subjective taxonomic grounds, as being a subspecies of the taxon represented by the older-established nominal species Nymphidium mycea Hewitson, [1865].*] [Refs - b2988; b2280; b2154]
- a *Incisalia* Scudder, 1872 OD: 4th Ann. Rep. Peabody Acad. Sci. 1871:52 [b4078]. TS: *Lycus nippon* Hübner, [1819], 1816-1826 and 1808-1837. OD: Verz. bekannt. Schmett. (5):74 [b2484]. TM: by original designation. HC-Lyc: Lyc: The: *Eum: Eumaeus* [Refs - b0908; b2280; b1023; b3192; b1743; b1321; b1950; b2585]
- e *Indoxylides* Doherty, 1889, (PS) OD: J. asiat. Soc. Bengal, Pt II 58(4):410 nota [b1301]. TS: *Oxylides tharis* Geyer, [1837], 1832-1837. OD: In Zur. Samml. exot. Schmett. 5:22, pl [152], f 883,884 [b1934]. TM: by monotypy. OS: *Eooxylides* Doherty, 1889. [Refs - b2280; b1023]
- e *Iois* Doherty, 1889, (Special PS) OD: J. asiat. Soc. Bengal, Pt II 58(4):411 [b1301]. TS: *Amblypodia inomata* Felder & Felder, 1860. OD: Wien. ent. Monats. 4(12):396 [b1683]. TM: by monotypy. SS: *Arhopala* Boisduval, 1832. [Refs - b2280; b1023]
- a *Iolana* Bethune-Baker, 1914 OD: Ent. Rec. 26:162 [b0352]. TS: *Lycaena iolas* Ochsenheimer, 1816, 1807-1835. OD: Schmett. Europa 4:144 [b3470]. TM: by original designation. HC-Lyc: Lyc: Pol: Pol: *Glaucopsyche* [Refs - b0485; b2280; b3110; b0111; b2794]
- b *Iolaphilus* Stempffer & Bennett, 1958 OD: Bull. Inst. franc. Afr. Noire 20(A)(4):1298 [b4418]. TS: *Iolana menas* H. H. Druce, 1890. OD: Ann. Mag. nat. Hist. (6)5:29 [b1353]. TM: by original designation. SS: *Iolans* Hübner, [1819]. [Refs - b1943; b2280]
- a *Iolaus* Hübner, [1819], 1816-1826 OD: Verz. bekannt. Schmett. (6):81 [b2484]. TS: *Papilio eurisus* Cramer, [1779], 1775-1790. OD: Utl. Kapellen 3()-pl 221, f D,E. [b1069]. TM: by selection by Hewitson, [1865], 1863-1878 Ill. diurn. Lep. Lycaenidae 1(text):40 [b2326]. HC-Lyc: Lyc: The: *Iol: Iolaus* [Refs - b1943; b3582; b2280]
- a *Ionolyce* Toxopeus, 1929 OD: Tijdschr. Ent. 72(3/4):236 [b4700]. TS: *Ionolyce helicon javanica* Toxopeus, 1929. OD: Tijdschr. Ent. 72(3/4):236 [b4700]. TM: by monotypy. HC-Lyc: Lyc: Pol: Pol: *Prosotas* [Refs - b2280; b2388]
- a *Iophanus* Draudt, [1920], 1917-1924 OD: In Seitz, Grossschmett. Erde 5:814 [b1348]. TS: *Chrysophanus* (?) *pyrrhias* Godman & Salvin, [1887], 1879-1901. OD: Biol. centr.-amer., Lep. Rhop. 2:101, pl 58, f 26,27 [b1975]. TM: by monotypy. HC-Lyc: Lyc: Lyc: *Heliophorus* [Refs - b0908; b2280; b3191; b0111]
- a *Ipidecla* Dyar, 1916 OD: Proc. U. S. natn. Mus. 51(2139):1 [b1447]. TS: *Ipidecla miadora* Dyar, 1916. OD: Proc. U. S. natn. Mus. 51(2139):2 [b1447]. TM: by original designation. HC-Lyc: Lyc: The: *Eum: Eumaeus* [Note - *Originally described in Riordinidae, but correctly placed by both Seitz and Eliot in the Lycaenidae.*] [Refs - b0908; b2280; b1447; b3805]
- a *Iraota* Moore, [1881], 1880-1881 OD: Lep. Ceylon 1(3):101 [b3232]. TS: *Hesperia maecenas* Fabricius, 1793, 1792-1799. OD: Ent. syst. 3(1):271 [b1657]. TM: by monotypy. HC-Lyc: Lyc: The: *Amblypodini* [Note - *The taxon represented by the nominal species Hesperia maecenas Fabricius, 1793, is currently treated, on subjective taxonomic grounds, as being a subspecies of the taxon represented by the older-established nominal species Papilio timoleon Stoll, [1783].*] [Refs - b1019; b2280]
- a *Iratsume* Sibatani & Ito, 1942 OD: Tenthredo 3(4):328 [b4224]. TS: *Thecla orsedice* Butler, [1882]. OD: Proc. zool. Soc. Lond. 1881(4):852 [b0620]. TM: by original designation. HC-Lyc: Lyc: The: The: *Thecla* [Refs - b4198; b2280; b4214]
- a *Iridana* Aurivillius, [1921], 1908-1925 OD: In Seitz, Grossschmett. Erde 13:345 [b0162]. TS: *Inis incredibilis* Staudinger, 1891. OD: Deut. ent. Zeit. [Ins] 4(1):141 [b4334]. TM: replacement name for *Indopsis* Aurivillius, [1899]. HC-Lyc: Lyc: Lip: Lip: *Iridana* [Refs - b1588; b3582; b2280]
- d *Indopsis* Aurivillius, [1899], (H) OD: K. svenska VetenskAkad. Handl. (nf)31(5)(1898):254,286 [b0156]. TS: *Inis incredibilis* Staudinger, 1891. OD: Deut. ent. Zeit. [Ins] 4(1):141 [b4334]. TM: replacement name for *Inis* Staudinger, 1891. OS: *Iridana* Aurivillius, [1921]. [Refs - b2280; b1023]
- d *Inis* Staudinger, 1891, (H) OD: Deut. ent. Zeit. [Ins] 4(1):141 [b4334]. TS: *Inis incredibilis* Staudinger, 1891. OD: Deut. ent. Zeit. [Ins] 4(1):141 [b4334]. TM: by monotypy. OS: *Iridana* Aurivillius, [1921]. [Refs - b2280]

- c *Iroata* Adamson, 1897, (ISS) OD: Cat. Butts coll. Burmah :34 [b0007]. SS: *Iroata* Moore, [1881]. [Note - An earlier occurrence is *Distant*, 1886, *Rhop. malayana*, :462 (b1285).] [Refs - b1023]
- a *Isapis* Doubleday, 1847, 1844-1848 OD: List Spec. lep. Brit. Mus. 2:18 [b1327]. TS: *Papilio agyrtus* Cramer, [1777], 1775-1790. OD: Uid. Kapellen 2(11):40, pl 123, f B,C. [b1069]. TM: by monotypy. HC-Lyc: Rio: Rio: *Ancyluriti* [Refs - b2988; b2280; b2154]
- e *Isselia* Felder & Felder, 1862, (PS) OD: Wien. ent. Monats. 6(9):288, nota [b1688]. OS: Danis Fabricius, 1807. [Refs - b1023]
- c *Ithomea* Marschall, 1873, (ISS) OD: Nomencl. zool. :297 [b3063]. OS: *Ithomeis* Bates, 1862. [Refs - b1023]
- a *Ithomeis* Bates, 1862 OD: Trans. linn. Soc. Lond. 23(3):541 nota [b0262]. TS: *Ithomeis aurantiaca* Bates, 1862. OD: Trans. linn. Soc. Lond. 23(3):541 nota [b0262]. TM: by selection by Scudder, 1875. Proc. amer. Acad. Arts Sci. 10(2):198 [b4080]. HC-Lyc: Rio: Rio: *Ancyluriti* [Refs - b2988; b2280; b2154]
- a *Ithomiola* Felder & Felder, 1865, 1865-1875 OD: Reise Novara (2):311 [b1692]. TS: *Ithomiola floralis* Felder & Felder, 1865, 1865-1875. OD: Reise Novara (2):311 [b1692]. TM: by monotypy. HC-Lyc: Rio: Rio: [Refs - b2781; b2988; b2280; b2154]
- c *Ithomiopsis* Felder & Felder, 1862 OD: Wien. ent. Monats. 6(12):411 [b1689]. TS: *Ithomiopsis corena* Felder & Felder, 1862. OD: Wien. ent. Monats. 6(12):412 [b1689]. TM: by selection by Hemming, 1964. Annot. Lep. (4):128 [b2276]. SS: *Ithomeis* Bates, 1862. [Refs - b2280]
- c *Ityloides* Balletto, 1993 OD: Boll. Soc. ent. ital. 124(3):232 [b0220]. TS: *ityloides fumosus* Balletto, 1993. OD: Boll. Soc. ent. ital. 124(3):234, f 2 [b0220]. TM: by original designation. SS: *Itylos* Draudt, [1921]. [Refs - b0220; b0215]
- a *Itylos* Draudt, [1921], 1917-1924 OD: In Seitz, Grossschmett. Erde 5:821 [b1348]. TS: *Cupido speciosa* Staudinger, 1894. OD: Deut. ent. Zeit. [Iris] 7:56 [b4339]. TM: by selection by Hemming, 1929. Ann. Mag. nat. Hist. (10)3:240 [b2236]. HC-Lyc: Lyc: Pol: Pol: *Itylos* [Note - Nabokov rejected *speciosa* as the type of this genus, using instead *Cupido moza* Staudinger, 1894. The taxon represented by the nominal species *Cupido speciosa* Staudinger, 1894, is currently treated, on subjective taxonomic grounds, as being the same as the taxon represented by the older-established nominal species *Lycaena titicaca* Weymer, 1890.] [Refs - b0908; b2280; b3326 (wrong type); b1046; b2881]
- a *Jacoona* Distant, 1884, 1882-1886 OD: *Rhop. malayana* :233,241 [b1285]. TS: *Myrina anasuja* Felder & Felder, 1865, 1865-1875. OD: Reise Novara (2):237, pl 30, f 3,4 [b1692]. TM: by original designation. HC-Lyc: Lyc: The: *Iol*: *Iolaus* [Refs - b2280]
- a *Jalmenus* Hübner, [1818], 1808-1837 OD: Zutr. Samml. exot. Schmett. 1:29 [b2483]. TS: *Jalmenus evagoras* Hübner, [1818], 1808-1837. OD: Zutr. Samml. exot. Schmett. 1:29, pl [31], f 175,176 [b2483]. TM: by selection by Scudder, 1875. Proc. amer. Acad. Arts Sci. 10(2):199 [b4080]. HC-Lyc: Lyc: The: *Zes*: *Jalmenus* [Note - The taxon represented by the nominal species *Jalmenus evagoras* Hübner, [1818], is currently treated, on subjective taxonomic grounds, as being the same as the taxon represented by the older-established nominal species *Papilio evagoras* Donovan, 1805.] [Refs - b2280]
- a *Jamides* Hübner, [1819], 1816-1826 OD: Verz. bekannt. Schmett. (5):71 [b2484]. TS: *Papilio bochus* Stoll, [1782], 1780-1790. OD: In Cramer, Uid. Kapellen 4(33):210, pl 391, f C,D [b4478]. TM: by selection by Scudder, 1875. Proc. amer. Acad. Arts Sci. 10(2):199 [b4080]. HC-Lyc: Lyc: Pol: Pol: *Jamides* [Refs - b4198; b2280; b2388]
- a *Janthecla* Robbins & Venables, 1991 OD: J. Lep. Soc. 45(1):12 [b3819]. TS: *Thecla janthina* Hewitson, [1867], 1863-1878. OD: Ill. dium. Lep. Lycaenidae 1:93; 2-pl 37, f 104,105 [b2326]. TM: by original designation. HC-Lyc: Lyc: The: *Eum*: *Eumaeus* [Refs - b0125]
- a *Japonica* Tutt, [1907], 1905-1914 OD: Nat. Hist. Brit. Butts 2:277 [b4760]. TS: *Dipsas saepestriata* Hewitson, [1865], 1863-1878. OD: Ill. dium. Lep. Lycaenidae 1:67; 2-pl 26, f 7,8 [b2326]. TM: by original designation. HC-Lyc: Lyc: The: The: *Thecla* [Refs - b4198; b2988; b2280; b4214]
- e *Jaspis* Draudt, [1919], 1917-1924, (ISS) OD: In Seitz, Grossschmett. Erde 5:763 [b1348]. OS: *Jaspis* Kaye, 1904. [Refs - b0908]
- a *Joiceya* Talbot, 1928 OD: Bull. Hill Mus. 2(3):214 [b4617]. TS: *Joiceya praeclarus* Talbot, 1928. OD: Bull. Hill Mus. 2(3):214 [b4617]. TM: by original designation. HC-Lyc: Rio: [Refs - b2280; b2154]
- e *Jolana* Bretherton, 1966, (ISS) OD: Trans. Soc. Br. Ent. 17:57 [b0485]. OS: *Iolana Bethune-Baker*, 1914. [Refs - b0111; b2794]
- e *Jolau* Hübner, [1823], 1808-1837, (ISS) OD: Zutr. Samml. exot. Schmett. 2:20 [b2483]. OS: *Iolaus* Hübner, [1819]. [Refs - b2280; b1023]
- a *Juditha* Hemming, 1964 OD: Annot. Lep. (4):147 [b2279]. TS: *Papilio lamis* Stoll, [1780], 1780-1790. OD: In Cramer, Uid. Kapellen 4(28):88, pl 335, f F,G [b4478]. TM: by original designation. HC-Lyc: Rio: Rio: *Lenoniini* [Refs - b2988 (+as *Pseudopepia*); b2280; b1023; b0677]
- c *Keraunogramma* Röber, 1887 OD: CorrespBl. ent. Ver. Iris 1(4):196 [b3821]. TS: *Keraunogramma helena* Röber, 1887. OD: CorrespBl. ent. Ver. Iris 1(4):198, pl 9, f 6 [b3821]. TM: by original designation. SS: *Semanga* Distant, 1884. [Refs - b2280; b1023; b1562]
- a *Kisutam* Johnson & Kroenlein, 1993 OD: Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (34):31 [b2628]. TS: *Thecla syllis* Godman & Salvin, [1887], 1879-1901. OD: Biol. centr.-amer., Lep. Rhop. 2:92; 3-pl 58, f 6,7 [b1975]. TM: by original designation. HC-Lyc: Lyc: The: *Eum*: *Eumaeus* [Refs - b2628]
- a *Klaufera* Johnson, 1991 OD: Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (21):14 [b2606]. TS: *Thecla pisis* Godman & Salvin, [1887], 1879-1901. OD: Biol. centr.-amer., Lep. Rhop. 2:84; 3-pl 57, f 24,25 [b1975]. TM: by original designation. HC-Lyc: Lyc: The: *Eum*: *Eumaeus* [Refs - b0125; b2606]
- d *Klugia* Tutt, [1907], 1905-1914, (H) OD: Nat. Hist. Brit. Butts 2:142 [b4760]. TS: *Papilio spini* [Denis & Schiffmüller], 1775. OD: Ankündigung syst. Werkes Schmett. :186 [b193]. TM: by original designation. OS: *Tuttiola* Strand, 1910. [Refs - b2280; b0851; b2794]
- d *Kollaria* Tutt, [1907], 1905-1914, (H) OD: Nat. Hist. Brit. Butts 2:142 [b4760]. TS: *Thecla sassanides* Kollar, [1849]. OD: Denkschr. K. Akad. Wiss. Wien 1:51 [b2822]. TM: by original designation. OS: *Superflua* Strand, 1910. [Refs - b2280; b0851; b1044]
- a *Kopelates* H. H. Druce, 1891 OD: Ann. Mag. nat. Hist. (6):7:365 [b1355]. TS: *Kopelates virgata* H. H. Druce, 1891. OD: Ann. Mag. nat. Hist. (6):7:365 [b1355]. TM: by original designation. HC-Lyc: Lyc: The: *Deu*: *Deudorix* [Refs - b2280]
- b *Kretania* Beuret, 1959 OD: Mitt. ent. Ges. Basel (nf)9:83 [b0408]. TS: *Lycaena psylorita* Freyer, 1845, 1831-1858. OD: Neuere Beitr. Schmett. 5(79):146, pl 469, f 3,4 [b1795]. TM: by original designation. SS: *Polyommatus* Latreille, 1804. [Refs - b2280; b1023; b2794; b0206]

- a **Kroenleina** Johnson, 1991 OD: Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (21):31 [b2606]. TS: *Kroenleina panorata* Johnson, 1991. OD: Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (21):32, f [b2606]. TM: by original designation. HC-Lyc: Lyc: The: Eum: Eumaeus [Refs - b0125; b2606]
- c **Lacaena** Doubleday, 1847, 1844-1848, (ISS) OD: List Spec. lep. Brit. Mus. 2:47, line 1 [b1327]. OS: *Lycæna* Fabricius, 1807. [Refs - b1023]
- a **Lachides** Nekrutenko, 1984 OD: Vestnik Zoologii 1984(3):31 [b3364]. TS: *Lycæna galba* Lederer, 1855. OD: Verh. zool.-bot. Ges. Wien 5:190, pl 1, f 4 [b2953]. TM: by original designation. HC-Lyc: Lyc: Pol: Pol: *Polyommatus* [Refs - b3364]
- a **Lachnocnema** Trimen, 1887, 1887-1889 OD: In Trimen & Bowker, S. Afr. Butts 2:233 [b4725]. TS: *Hesperia bibulus* Fabricius, 1793, 1792-1799. OD: Ent. syst. 3(1):307 [b1657]. TM: by selection by Hemming, 1960. Annot. Lep. (1):11 [b2269]. HC-Lyc: Lyc: Mil: *Lachnocnemini* [Refs - b1943; b3582; b2280]
- c **Lachnocnemea** Sharp, [1888], (ISS) OD: Zool. Rec. 24(1887)(Ins.):224 [b4122]. OS: *Lachnocnema* Trimen, 1887. [Refs - b2280]
- a **Laeosopsis** Rambur, 1858, 1858-1866 OD: Cat. syst. Lépid. Andal. 33 [b3689]. TS: *Papilio roboris* Esper, [1789], 1776-1830. OD: Die Schmett. Suppl. Theil 1:59, pl 103, f 4 or 5 [1794] [b1623]. TM: by monotypy. HC-Lyc: Lyc: The: The: *Thecla* [Refs - b0485; b2280; b2794; b4214; b2302]
- a **Lamasa** Johnson, 1992 OD: Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (22):183 [b2611]. TS: *Thecla calesia* Hewitson, 1870, 1869-1877. OD: Equatorial Lep. Buckley (4):67 [b2330]. TM: by original designation. HC-Lyc: Lyc: The: Eum: Eumaeus [Refs - b0125; b2620; b2611]
- a **Lamphlotes** Callaghan, 1982 OD: Revta Soc. mex. Lep. 7(2):59 [b0675]. TS: *Nymula velazquezii* Beutelspacher, 1976. OD: Revta Soc. mex. Lep. 2(2):73, f [b0413]. TM: by original designation. HC-Lyc: Rio: [Refs - b0675; b2154]
- d **Lampidella** Hemming, 1933, (JOS) OD: Entomologist 66:224 [b2249]. TS: *Papilio boeticus* Linnaeus, 1767. OD: Syst. nat. (ed. 12) 1(2):789 [b2997]. TM: by original designation. OS: *Lampides* Hübner, [1819]. [Refs - b2280; b2794]
- a **Lampides** Hübner, [1819], 1816-1826 OD: Verz. bekannt. Schmett. (5):70 [b2484]. TS: *Papilio boeticus* Linnaeus, 1767. OD: Syst. nat. (ed. 12) 1(2):789 [b2997]. TM: by selection by Grote, 1873. Bull. Buffalo Soc. nat. Sci. 1(3):179 [b2053]. HC-Lyc: Lyc: Pol: Pol: *Lampides* [Refs - b0485; b4198; b1943; b0908; b3582; b2280; b1023; b0400; b2794; b2388]
- a **Lamprospilus** Geyer, [1832], 1832-1837 OD: In Zutr. Samml. exot. Schmett. 4:30 [b1934]. TS: *Lamprospilus* genus Geyer, [1832], 1832-1837. OD: In Zutr. Samml. exot. Schmett. 4:30, pl [125], f 727,728 [b1934]. TM: by monotypy. HC-Lyc: Lyc: The: Eum: Eumaeus [Refs - b0908; b2988; b2280]
- d **Langia** Tutt, [1906], 1905-1914, (H and JOS) OD: Nat. Hist. Brit. Butts 1:314 [b4760]. TS: *Papilio telicanus* Lang, 1789. OD: Verz. Schmett. Gegend. Augsburg (2nd ed) :47 [b2889]. TM: by original designation. OS: *Syntarucus* Butler, [1901]. [Refs - b2280; b0400; b2794]
- a **Larinopoda** Butler, 1871 OD: Trans. ent. Soc. Lond. 19(2):172 [b0593]. TS: *Larinopoda lycænoides* Butler, 1871. OD: Trans. ent. Soc. Lond. 19(2):173, pl 7, f 2-5 [b0593]. TM: by monotypy. HC-Lyc: Lyc: Lip: Lip: *Liptena* [Note - Described in the family Pieridae. The taxon represented by the nominal species *Larinopoda lycænoides* Butler, 1871, is currently treated, on subjective taxonomic grounds, as being the same as the taxon represented by the older-established nominal species *Liptena lircaea* Hewitson, [1866].] [Refs - b3582; b2280]
- d **Lasaea** Glaser, 1887, (UE) OD: Cat. etymol. Coleopt. Lepidopt. :297 [b1967]. OS: *Lasaia* Bates, [1868]. [Refs - b2280; b1023; b3192]
- a **Lasaia** Bates, [1868] OD: J. linn. Soc. Lond., Zool. 9:397 [b0267]. TS: *Papilio meris* Stoll, [1781], 1780-1790. OD: In Cramer, Uid. Kapellen 4(31):146, pl 366, f B,C [b4478]. TM: by selection by Stichel, 1911. Gen. Insectorum 112(A):184,185 [b4447]. HC-Lyc: Rio: Rio: *Riodinini* [Refs - b2988; b2280; b3192; b1321; b2154]
- c **Lasia** Hemming, 1967, (ISS) OD: Bull. Br. Mus. nat. Hist. (Ent.) Suppl. 9:246 [b2280]. OS: *Lasaia* Bates, [1868]. [Refs - b2280; b1023]
- d **Latorina** Tutt, [1909], 1905-1914, (JOS), ICZN Op 173 & 270, L 67 OD: Nat. Hist. Brit. Butts 3:155 [b4760]. TS: *Papilio glandon* Prunner, 1798. OD: Lep. Pedemont. :76 [b3657]. TM: by designation by the ICZN. OS: *Agriades* Hübner, [1819]. [Refs - b2280; b0410; b2518; b1321; b2794; b2522]
- a **Laxita** Butler, [1879] OD: Trans. linn. Soc. Lond., (2) Zool. 1(8):546 [b0613]. TS: *Taxila teneta* Hewitson, [1861], 1852-1877. OD: Ill. exot. Butts 2:[89], pl [45], f 3,4 [b2323]. TM: by monotypy. HC-Lyc: Rio: Nem: *Abisarini* [Refs - b1636; b2781; b2988; b0826 :271; b2280; b2154]
- c **Laxura** Kollar, [1844], (ISS) OD: In Hügel, Kaschmir 4(2):411 [b2821]. OS: *Loxura* Horsfield, [1829]. [Refs - b2280; b1023]
- c **Lectiles** Birket-Smith, 1960 OD: Bull. Inst. franç. Afr. Noire 22(A):966 [b0430]. TS: *Lectiles collitorum* Birket-Smith, 1960. OD: Bull. Inst. franç. Afr. Noire 22(A):966 [b0430]. TM: by original designation. SS: *Liptena* Westwood, [1851] [Note - Eliot spells the author's name Birkett Smith The taxon represented by the nominal species *Lectiles collitorum* Birket Smith, 1960, is currently treated, on subjective taxonomic grounds, as being the same as the taxon represented by the older-established nominal species *Liptena schouedeni* Berger, 1954.] [Refs - b2280]
- d **Leechia** Tutt, [1907], 1905-1914, (H & RC) OD: Nat. Hist. Brit. Butts 2:142 [b4760]. TS: *Thecla thalia* Leech, [1893] 1893-1894. OD: Butts China Japan Corea (2)(text pt 3) 367 (plate pt 3/4):pl 30, f 15 [b2966]. TM: by original designation. OS: *Strymonidia* Tutt, [1908]. [Refs - b2280; b2540 (Op 541, L 1237); b2794; b1722]
- d **Lehera** Moore, [1884], (JOS) OD: Proc. zool. Soc. Lond. 1883(4):528 [b3235]. TS: *Papilio amyntor* Herbst, 1804 1788-1804. OD: In Jablonsky, Natursyst. Ins., Schmett. 11:27, pl 300, f 5,6 [b2306]. TM: replacement name for *Arripe* Boisduval, 1870. OS: *Arripe* Boisduval, 1870. [Note - The taxon represented by the nominal species *Papilio amyntor* Herbst, 1804, is currently treated, on subjective taxonomic grounds, as being the same as the taxon represented by the older-established nominal species *Papilio eryx* Linnaeus, 1771.] [Refs - b2280]
- a **Lemonias** Hübner, [1807], 1806-1838 OD: Samml. exot. Schmett. 1:pl [35] [b2482]. TS: *Lemonias zygia* Hübner, [1807], 1806-1838. OD: Samml. exot. Schmett. 1:pl [35] [b2482]. TM: by monotypy. HC-Lyc: Rio: Rio: *Lemoniini* [Refs - b2988; b2280; b2154]

- d *Lemonias* [Illiger], 19 Dec 1807, (H and JOS) OD: Allg. Lit.-Zeit. 1807(2):1180 [b2501]. TS: *Lemonias zygia* Hübner, [1807], 1806-1838. OD: Samml. exot. Schmett. 1:pl [35] [b2482]. TM: by monotypy. OS: *Lemonias* Hübner, [1807]. [Refs - b2280; b1023]
- d *Lemonias Hoffmannsegg*, 1818, (H) OD: In Wiedemann, Zool. Mag. 1(2):99 [b2412]. TS: *Papilio epulus* Cramer, [1775], 1775-1790. OD: Utit. Kapellen 1(5):79, pl 50, f C,D. [b1069]. TM: by selection by Hemming, 1933. Entomologist 66:223 [b2249]. OS: Audre Hemming, 1934. [Refs - b2280]
- d *Lephelisca* Barnes & Lindsey, 1922, (JOS), Op 755, L 1774 OD: Ann. ent. Soc. Amer. 15(1):93 [b0244]. TS: *Erycina virginensis* Guérin-Ménéville, [1832], 1829-1844. OD: Icon. Règne Anim. Cuvier (Ins.):pl 81, f 1; ibid:489 [1844] [b2086]. TM: by original designation. OS: *Calephelis Grote* & Robinson, 1869. [Refs - b2988; b1019 :7; b2280; b1023; b3192; b1321; b2534; b1722]
- a *Lepidochrysops* Hedicke, 1923 OD: Deut. ent. Zeit. 1923(2):226 [b2226]. TS: *Papilio parsimon* Fabricius, 1775. OD: Syst. Ent. :526 [b1653]. TM: replacement name for *Neochrysops* Bethune-Baker, [1923]. HC - Lyc: Lyc: Pol: Pol: *Euchrysops* [Refs - b1943; b1019; b3582; b2280]
- a *Lepricornis* Felder & Felder, 1865, 1865-1875 OD: Reise Novara (2):307 [b1692]. TS: *Lepricornis melanchroia* Felder & Felder, 1865, 1865-1875. OD: Reise Novara (2):307, pl 38, f 25 [b1692]. TM: by monotypy. HC - Lyc: Rio: Rio: Rio: *Riodinini* [Refs - b2988; b2280; b2154]
- c *Leptodes* Barnes & McDunnough, 1912, (ISS) OD: Contr. nat. Hist. Lep. N. Amer. 1(6):9 [b0246]. OS: *Leptotes* Scudder, 1876. [Refs - b0908]
- c *Leptoles* Wright, 1908, (ISS) OD: J. New York ent. Soc. 16(3):165 [b5044]. SS: *Leptotes* Scudder, 1876. [Refs - b3138 (as not seen?)]
- a *Leptomyrina* Butler, 1898 OD: Proc. zool. Soc. Lond. 1898(3):405 [b0649]. TS: *Hesperia phidias* Fabricius, 1793, 1792-1799. OD: Ent. syst. 3(1):286 [b1657]. TM: by original designation. HC - Lyc: Lyc: The: *Hypolycaenini* [Refs - b1943; b3582; b2280]
- a *Leptotes* Scudder, 1876 OD: Bull. Buffalo Soc. nat. Sci. 3:124 [b4083]. TS: *Lycaena theonus* Lucas, 1857. OD: In Sagra, Hist. Cuba 7:611 [b3021]. TM: by original designation. HC - Lyc: Lyc: Pol: Pol: *Leptotes* [Note - The taxon represented by the nominal species *Lycaena theonus* Lucas, 1856, is currently treated, on subjective taxonomic grounds, as being a subspecies of the taxon represented by the older-established nominal species *Papilio cassius* Cramer, [1775].] [Refs - b0908; b2280; b3192; b1743; b1321; b2794]
- c *Leritis* Hemming, 1967, (ISS) OD: Bull. Br. Mus. nat. Hist. (Ent.) Suppl. 9:465 [b2280]. OS: *Zeritis* Boisduval, 1836. [Refs - b1023]
- a *Lestranicus* Eliot & Kawazoé, 1983 OD: Butts *Lycaenopsis* group :72 [b1580]. TS: *Polyommatus transpectus* Moore, 1879. OD: Proc. zool. Soc. Lond. 1879(1):139 [b3231]. TM: by original designation. HC - Lyc: Lyc: Pol: Pol: *Lycaenopsis* [Refs - b1580]
- a *Leucantiglus* Shirôzu & Murayama, 1951 OD: Tyô to Ga 2(3):17 [b4207]. TS: *Thecla atayalica* Shirôzu & Murayama, 1943. OD: Ent. World 11(107):2-4, f 1,2 [b4206]. TM: by original designation. HC - Lyc: Lyc: The: The: *Thecla* [Refs - b4198; b2280; b1023; b4207; b4214]
- a *Leucochimona* Sichel, [1909] OD: Berl. ent. Z. 53(3/4):273 [b4443]. TS: *Papilio philemon* Cramer, [1775], 1775-1790. OD: Utit. Kapellen 1(2):35, pl 22, f G,H. [b1069]. TM: by original designation. HC - Lyc: Rio: Rio: *Mesosemiini* [Refs - b2988; b2280; b1023; b2154]
- d *Leucolepis* Karsch, 1893, (H) OD: Berl. ent. Z. 38(1/2):216 [b2693]. TS: *Teriomima decipiens* Grose-Smith & Kirby, 1892, 1887-1902. OD: Rhop. exot. 1(19):67, pl 16, f 7,8 [b2049]. TM: by selection by Hemming, 1964. Annot. Lep. (4):133 [b2277]. SS: *Liptena* Westwood, [1851]. [Refs - b2280]
- e *Lexura* Hemming, 1967, (ISS) OD: Bull. Br. Mus. nat. Hist. (Ent.) Suppl. 9:459 [b2280]. OS: *Loxura* Horsfield, [1829]. [Refs - b1019; b2280; b1023]
- e *Licaena* Duponchel, 1844, 1844-1846, (ISS) OD: Cat. Méth. Lép. d'Europe :418 [b1432]. SS: *Lycaena* Fabricius, 1807. [Refs - b3138]
- e *Licus* Hübner, [1823], 1808-1837, (ISS) OD: Zutr. Samml. exot. Schmett. 2:7 [b2483]. SS: *Lycus* Hübner, [1819]. [Refs - b0908; b2280; b1023; b3192; b1321; b2794]
- d *Limnas* Hübner, [1806], 1806-1838, (RC), ICZN Op 171, Dir 2, L 164 OD: Samml. exot. Schmett. 1:pl [29] [b2482]. TS: *Limnas leucosia* Hübner, [1806], 1806-1838. OD: Samml. exot. Schmett. 1:pl [29] [b2482]. TM: by monotypy. OS: *Heliochlaena* Hübner, 1821. [Refs - b4198; b2280; b3192; b2524; b2794]
- d *Limnas* Boisduval, 1836, (H) OD: Spec. gén. Lépid. 1:pl 20 [=4C], f 1 [b0462]. TS: *Limnas pixe* Boisduval, 1836. OD: Spec. gén. Lépid. 1:pl 20 [=4C], f 1 [b0462]. TM: by monotypy. OS: *Lymnas* Blanchard, 1840. [Refs - b2280]
- e *Limonia* Maynard, 1891, (ISS) OD: Manual N. Amer. Butts :127 [b3120]. SS: *Lemonias* Hübner, [1807]. [Refs - b3138]
- a *Lipaphnaeus* Aurivillius, 1916 OD: Ark. Zool. 10(14):4 [b0168]. TS: *Aphnaeus spindasoides* Aurivillius, 1916. OD: Ark. Zool. 10(14):2 [b0168]. TM: by original designation. HC - Lyc: Lyc: The: Aph: *Aphnaeus* [Note - The taxon represented by the nominal species *Aphnaeus spindasoides* Aurivillius, 1916, is currently treated, on subjective taxonomic grounds, as being a subspecies of the taxon represented by the older-established nominal species *Zeritis aderna* Plötz, 1880.] [Refs - b1943; b2280]
- a *Liphya* Westwood, [1864] OD: Trans. ent. Soc. Lond. (3)2(Proc.):31 [b4983]. TS: *Liphya brassolis* Westwood, [1864]. OD: Trans. ent. Soc. Lond. (3)2(Proc.):31 [b4983]. TM: by monotypy. HC - Lyc: Lyc: Lip: *Liphya* [Refs - b1450; b2280]
- a *Liptena* Westwood, [1851], 1846-1852, ICZN Op 566, L 1365 OD: In Gen. dium. Lep. (2):pl 77, f 5,6 [b4981]. TS: *Liptena undularis* Hewitson, [1866], 1852-1877. OD: Ill. exot. Butts 3:120, pl [60], f 7 [b2323]. TM: by designation by the ICZN. HC - Lyc: Lyc: Lip: Lip: *Liptena* [Refs - b1588; b3582; b2280; b2531; b4710]
- a *Liptenara* Bethune-Baker, 1915 OD: Ann. Mag. nat. Hist. (8)16:186 [b0353]. TS: *Liptenara batesi* Bethune-Baker, 1915. OD: Ann. Mag. nat. Hist. (8)16:186 [b0353]. TM: by original designation. HC - Lyc: Lyc: Lip: Pen: *Pentila* [Refs - b3582; b2280]
- d *Listena* de Nicéville, 1894, (H) OD: J. asiat. Soc. Bengal, Pt II 63(1):35 [b1158]. TS: *Listena dudgeonii* de Nicéville, 1894. OD: J. asiat. Soc. Bengal, Pt II 63(1):36, pl 4, f 3 [b1158]. TM: by original designation. OS: *Pamela* Hemming, 1935. [Refs - b2280]
- a *Logania* Distant, 1884, 1882-1886 OD: Rhop. malayana :197,208 [b1285]. TS: *Logania malayica* Distant, 1884, 1882-1886. OD: Rhop. malayana :208, pl 22, f 21 [b1285]. TM: by monotypy. HC - Lyc: Lyc: Mil: Mil: *Miletus* [Refs - b1153; b2280; b1571]
- e *Lonellia* Shirôzu & Yamamoto, 1956, (ISS) OD: Sieboldia 1(4):329-421 [b4214]. OS: *Gonerilia* Shirôzu & Yamamoto, 1956.

- a **Lontalius** Eliot, 1986 OD: Bull. Br. Mus. nat. Hist. (Ent.) 53(1):74 [b1571]. TS: *Lontalius elius* Eliot, 1986. OD: Bull. Br. Mus. nat. Hist. (Ent.) 53(1):75 [b1571]. TM: by original designation. HC-Lyc: Lyc: Mill: Mill: *Miletus* [Refs - b1571]
- a **Loranthomitoura** Ballmer & Pratt, 1992 OD: Tropical Lepidoptera 3(1):37 [b0227]. TS: *Thecla spinetorum* Hewitson, [1867], 1863-1878. OD: Ill. diurn. Lep. Lycaenidae 1:94; 2:pl 45, f 198,199 [b2326]. TM: by original designation. HC-Lyc: Lyc: Eum: *Eumaeus* [Refs - b0126]
- c **Lowela** Tutt, [1906], 1905-1914 OD: Nat. Hist. Brit. Butts 1:314 [b4760]. TS: *Papilio dorilis* Hüfnagel, 1766. OD: Berlin Mag. 2:68 [b2492]. TM: by original designation. SS: *Heodes Dalman*, 1816. [Note - *The taxon represented by the nominal species Papilio dorilis Hüfnagel, 1766, is currently treated, on subjective taxonomic grounds, as being a subspecies of the taxon represented by the older-established nominal species Papilio tityrus Poda von Neuhaus, 1761.*] [Refs - b1019; b2280; b4220]
- a **Loxura** Horsfield, [1829], 1828-1829 OD: Descr. Cat. lepid. Ins. (2):119 [b2457]. TS: *Papilio atymnus* Stoll, [1780], 1780-1790. OD: In Cramer, Uitl. Kapellen 4(28):82, pl 331, f D,E [b4478]. TM: by original designation. HC-Lyc: Lyc: The: *Lox*: *Loxura* [Refs - b2280]
- c **Lucaena** Rafinesque, 1815, (ISS) OD: Analyse Nat. :128, no. 35 [b3685]. OS: *Lucaena* Fabricius, 1807.
- a **Lucia** Swainson, [1833], 1829-1833 OD: Zool. Illustr. (2)3(29):pl 135 [b4551]. TS: *Lucia limbaria* Swainson, [1833], 1829-1833. OD: Zool. Illustr. (2)3(29):135 et explic. [b4551]. TM: by monotypy. HC-Lyc: Lyc: The: *Luc*: *Lucia* [Refs - b2280]
- d **Lucilla** Hewitson, 1870, 1869-1877, (H) OD: Equatorial Lep. Buckley (4):55 [b2330]. TS: *Lucilla camissa* Hewitson, 1870, 1869-1877. OD: Equatorial Lep. Buckley (4):55 [b2330]. TM: by monotypy. OS: *Lucillella* Strand, 1932. [Refs - b2280]
- a **Lucillella** Strand, 1932 OD: Folia zool. hydrobiol. 4(1):147 [b4530]. TS: *Lucilla camissa* Hewitson, 1870, 1869-1877. OD: Equatorial Lep. Buckley (4):55 [b2330]. TM: replacement name for *Lucilla* Hewitson, 1870. HC-Lyc: Rio: *Rio*: *Symmachlini* [Refs - b2988; b2280; b2154]
- c **Luthrodes** H. H. Druce, 1895 OD: Proc. zool. Soc. Lond. 1895(3):576 [b1362]. TS: *Polyommatus cleotas* Guérin-Méneville, [1831], 1830-1838. OD: In Duperrey, Voy. Coquille, Zool. 2(Pt2)(Div1):2, pl Ins. 18, f 4; id, [1838], ibid, Zool.2(Pt2)(Div1):277 [b2087]. TM: by original designation. SS: *Chilades* Moore, [1881]. [Refs - b2280; b1562]
- c **Lycaeides** Bretherton, 1966, (ISS) OD: Trans. Soc. Br. Ent. 17:59 [b0485]. OS: *Lycaeides* Hübner, [1819].
- c **Lycaena** Boisduval, 1869, 1868-1869, (ISS) OD: Anns Soc. ent. Belg. 12:49 [b0468]. SS: *Lycaena* Fabricius, 1807. [Refs - b3138]
- b **Lycaeides** Hübner, [1819], 1816-1826, ICZN Op 169 & 270, L 688 OD: Verz. bekannt. Schmett. (5):69 [b2484]. TS: *Papilio argyrognomon* Bergsträsser, [1779], 1778-1780. OD: Nom. Ins. 2:76, pl 46, f 1,2 [b0310]. TM: by designation by the ICZN. SS: *Plebejus Kluk*, 1802. [Refs - b0485; b0908; b2988; b2280; b1023; b3192; b0410; b1743; b2515; b1321; b2794; b4366; b3151; b2522]
- a **Lycaena** Fabricius, 1807 OD: Mag. f. Insektenk. (Illiger) 6:285 [b1658]. TS: *Papilio phlaeas* Linnaeus, 1761. OD: Faun. svec. (ed. 2) :285 [b2994]. TM: by selection by Curtis, 1828, 1823-1840 British Entomology 5:pl 12 [b1080]. HC-Lyc: Lyc: *Lycaena* [Refs - b0485; b0505; b1943; b0908; b2988; b3582; b2280; b1023; b3191; b3192; b3189; b1321]
- d **Lycaena** Hübner, [1819], 1816-1826, (H) OD: Verz. bekannt. Schmett. (2):23 [b2484]. TS: *Lycaena xenodice* Hübner, [1819], 1816-1826. OD: Verz. bekannt. Schmett. (2):23 [b2484]. TM: by monotypy. SS: *Abisara Felder & Felder*, 1860. [Note - *The taxon represented by the nominal species Lycaena xenodice Hübner, [1819], is currently treated, on subjective taxonomic grounds, as being the same as the taxon represented by the older-established nominal species Papilio echerius Stoll, [1790].*] [Refs - b2280; b1023]
- e **Lycaenas** Edwards, 1881, (ISS) OD: *Papilio* 1(2):30 [b1512]. SS: *Lycaena* Fabricius, 1807. [Note - *McHenry says: 'Used as a plural?'*.] [Refs - b3138]
- c **Lycaenesthes** Moore, [1866] OD: Proc. zool. Soc. Lond. 1865(3):773 [b3221]. TS: *Lycaenesthes bengalensis* Moore, [1866]. OD: Proc. zool. Soc. Lond. 1865(3):773, pl 41, f 9 [b3221]. TM: by monotypy. OS: *Anthene Doubleday*, 1847. [Refs - b4679; b2280]
- e **Lycaenesthus** Hemming, 1967, (ISS) OD: Bull. Br. Mus. nat. Hist. (Ent.) Suppl. 9:312 [b2280]. OS: *Lycaenesthes* Moore, [1866]. [Refs - b1019 :13; b2280; b1023]
- a **Lycaenites** Rebel, 1898 OD: Sber. Akad. Wiss. Wien 107:742-745 [b3699]. TS: *Lycaenites gabbroensis* Rebel, 1898. OD: Sber. Akad. Wiss. Wien 107:742-745, pl 1, f 6,7 [b3699]. TM: by monotypy. HC-Fos: Lyc: *Lycaenites* [Refs - b2280]
- a **Lycaenopsis** Felder & Felder, 1865, 1865-1875 OD: Reise Novara (2):257 [b1692]. TS: *Lycaenopsis ananga* Felder & Felder, 1865, 1865-1875. OD: Reise Novara (2):257, pl 32, f 10,11 [b1692]. TM: by monotypy. HC-Lyc: Lyc: Pol: *Lycaenopsis* [Note - *The taxon represented by the nominal species Lycaenopsis ananga Felder & Felder, 1865, is currently treated, on subjective taxonomic grounds, as being the same as the taxon represented by the older-established nominal species Papilio haraldus Fabricius, 1787.*] [Refs - b0485; b0908; b2280; b1580; b1318]
- e **Lycaena** Elrod & Maley, 1906, (ISS) OD: Bull. Univ. Montana, Biol. Ser. 2(10):5 [b1582]. SS: *Lycaena* Fabricius, 1807. [Refs - b3138]
- e **Lycaena** Elrod & Maley, 1906, (ISS) OD: Bull. Univ. Montana, Biol. Ser. 2(10):112,115 or 145 [b1582]. SS: *Lycaena* Fabricius, 1807. [Refs - b3138]
- e **Lycaena** Maynard, 1886, (ISS) OD: Butts New England :39 [b3119]. SS: *Lycaena* Fabricius, 1807. [Refs - b3138]
- e **Lycaenesthes** Marschall, 1873, (ISS) OD: Nomencl. zool. :301 [b3063]. OS: *Lycaenesthes* Moore, [1866]. [Refs - b1023]
- d **Lycia** Sodoffsky, 1837, (H and JOS) OD: Bull. Soc. imp. Nat. Moscou 10(6):81 [b4271]. TS: *Papilio phlaeas* Linnaeus, 1761. OD: Faun. svec. (ed. 2) :285 [b2994]. TM: replacement name for *Lycaena* Fabricius, 1807. OS: *Lycaena* Fabricius, 1807. [Refs - b2280; b1321]
- d **Lycoena** Nicholl, 1901, (JOS) OD: Trans. ent. Soc. Lond. 49(1):92-95, no. 73-87 [b3387]. TS: *Papilio argus* Linnaeus, 1758. OD: Syst. nat. (ed. 10) 1:483 [b2993]. TM: by selection by Cowan, 1970. Annot. Rhop. 1970 :11 [b1023]. OS: *Plebejus Kluk*, 1802. [Refs - b2280; b1023]
- d **Lycus** Hübner, [1819], 1816-1826, (H) OD: Verz. bekannt. Schmett. (5):74 [b2484]. TS: *Papilio rubi* Linnaeus, 1758. OD: Syst. nat. (ed. 10) 1:483 [b2993]. TM: by selection by Scudder, 1875. Proc. amer. Acad. Arts Sci. 10(2):210 [b4080]. OS: *Callophrys* Billberg, 1820. [Refs - b0908; b2280; b3192; b1321; b2794]

- c *Lymnas* Blanchard, 1840 OD: Hist. nat. Ins. 3:464 [b0445]. TS: *Hesperia electron* Fabricius, 1793, 1792-1799. OD: Ent. syst. 3(1):321 [b1657]. TM: by original designation. SS: *Melanis Hübner*, [1819]. [Note - *Hemming treats this name as available. However it may be a simple misspelling of Limnas Boisduval, 1836. Hemming said that Blanchard, 1840 did not mention Boisduval, 1836 (see Hemming, 1967 :270, last line, -271, "no evidence . . .") but he most certainly did, repeatedly, in references to specific names. (CFC, pc). Hesperia electron Fabricius, 1793, is an unnecessary replacement name for the older-established nominal species Papilio iarbhas Fabricius, 1787.*] [Refs - b2988; b2280; b1051; b3192; b2154]
- c *Lymnas* Scudder, 1875, (ISS) OD: Proc. amer. Acad. Arts Sci. 10(2):207 [b4080]. OS: *Lymnas* Blanchard, 1840. [Refs - b2280]
- a *Lyropteryx* Westwood, [1851], 1846-1852 OD: In Gen. dium. Lep. (2):433 nota, pl 72, f 1 [b4981]. TS: *Lyropteryx apollonia* Westwood, [1851], 1846-1852. OD: In Gen. dium. Lep. (2):433 nota, pl 72, f 1 [b4981]. TM: by selection by Scudder, 1875. Proc. amer. Acad. Arts Sci. 10(2):210 [b4080]. HC-Lyc: Rio: Rio: *Ancylyruti* [Refs - b2988; b2280; b2154]
- b *Lysandra* Hemming, 1933, ICZN Op 429, L 1023 OD: Entomologist 66:277 [b2250]. TS: *Papilio coridon* Poda von Neuhaus, 1761. OD: Ins. Mus. Graec. :77 [b3623]. TM: replacement name for *Uranops* Hemming, 1929. SS: *Polyommatus Latreille*, 1804. [Refs - b0485; b2280; b2794; b4367]
- a *Maculinea* van Eecke, 1915, ICZN Op 503, L 1250 OD: Zool. Meded. 1(3/4):28 [b4793]. TS: *Papilio alcon* [Denis & Schiffermüller], 1775. OD: Ankündigung syst. Werkes Schmett. :182 [b1193]. TM: by selection by Graves, 1928. Ent. Rec. 40:102 [b2011]. HC-Lyc: Lyc: Pol: *Pol: Glaucopsyche* [Refs - b0485; b2988; b2280; b3110; b2528; b2794; b3151; ns0199 (as subgenus of *Glaucopsyche*)]
- a *Macusia* Kaye, 1904 OD: Trans. ent. Soc. Lond. 52(2):198-199 [b2708]. TS: *Thecla satyroides* Hewitson, [1865], 1863-1878. OD: Ill. dium. Lep. Lycaenidae 1:74; 2:pl 29, f 10,12,13 [b2326]. TM: by original designation. HC-Lyc: Lyc: The: *Eum: Eumaeus* [Refs - b0908; b2280; b2611]
- a *Madeleinea* Bálint, 1993 OD: Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (29):24 [b0207]. TS: *Cupido moza* Staudinger, 1894. OD: Deut. ent. Zeit. [Iris] 7:79, pl 2, f 5 [b4339]. TM: by original designation. HC-Lyc: Lyc: Pol: *Pol: Polyommatus* [Refs - b0207]
- a *Magnastigma* Nicolay, 1977 OD: Bull. Allyn Mus. (44):2 [b3391]. TS: *Thecla tegula* Hewitson, 1868. OD: Descr. new Spec. Lycaenidae :4 [b2327]. TM: by original designation. HC-Lyc: Lyc: The: *Eum: Eumaeus* [Refs - b3391]
- c *Mahatala* Wynter-Blyth, 1957, (ISS) OD: Butts Indian Reg. :318 [b5049]. SS: *Mahathala* Moore, 1878. [Refs - b4824; b5049]
- a *Mahathala* Moore, 1878 OD: Proc. zool. Soc. Lond. 1878(3):702 [b3228]. TS: *Amblypodia ameria* Hewitson, 1862. OD: Spec. Cat. Lyc. Brit. Mus. :14, pl 8, f 85,86 [b2325]. TM: by monotypy. HC-Lyc: Lyc: The: *Arh: Arhopala* [Refs - b4198; b2280]
- c *Malais* Doherty, 1889, (JOS) OD: J. asiat. Soc. Bengal, Pt II 58(4):414-415,436 [b1301]. TS: *Logania sriwa* Distant, 1886. OD: Ann. Mag. nat. Hist. (5)17:331 [b1287]. TM: by selection by Corbet, 1940. Proc. R. ent. Soc. Lond. (B)9(6):111 [b0947]. SS: *Logania* Distant, 1884. [Note - *The taxon represented by the nominal species Logania sriwa Distant, 1886, is currently treated, on subjective taxonomic grounds, as being a subspecies of the taxon represented by the older-established nominal species Miletus regina H. Druce, 1873.*] [Refs - b2280; b1023; b1034]
- d *Mambara* Bethune-Baker, 1908, (H) OD: Proc. zool. Soc. Lond. 1908(1):119 [b0340]. TS: *Mambara nigropunctata* Bethune-Baker, 1908. OD: Proc. zool. Soc. Lond. 1908(1):120, pl 8, f 5 [b0340]. TM: by original designation. OS: *Pistoria Hemming*, 1964. [Refs - b2280]
- e *Manastigma* Anonymous, 1980, (ISS) OD: Zool. Rec. 114(1977)(Ins. D-Lep.):238 [b0109]. SS: *Magnastigma Nicolay*, 1977. [Refs - b0109]
- a *Maneca* de Nicéville, 1890 OD: Butts India Burmah Ceylon 3:18,344 [b1153]. TS: *Pratapa bhotea* Moore, 1884. OD: J. asiat. Soc. Bengal, Pt II 53(1):37 [b3236]. TM: by original designation. HC-Lyc: Lyc: The: *Iol: Iolaus* [Refs - b2280]
- a *Manto* de Nicéville, 1895 OD: J. Bombay nat. Hist. Soc. 9(3):312 [b1159]. TS: *Myrina hypoleuca* Hewitson, [1865], 1863-1878. OD: Ill. dium. Lep. Lycaenidae 1:38; 2:pl 17, f 54,55 [b2326]. TM: by original designation. HC-Lyc: Lyc: The: *Iol: Iolaus* [Refs - b2280]
- a *Mantoides* H. H. Druce, 1896, (PD) OD: Proc. zool. Soc. Lond. 1896(3):677 [b1365]. TS: *Mantoides licinius* H. H. Druce, 1896. OD: Proc. zool. Soc. Lond. 1896(3):677, pl 21, f 10 11 [b1365]. TM: by original designation. HC-Lyc: Lyc: The: *Iol: Iolaus* [Note - *The taxon represented by the nominal species Mantoides licinius H. H. Druce, 1896, is currently treated, on subjective taxonomic grounds, as being a subspecies of the taxon represented by the older-established nominal species Neocheritra gama Distant, 1886.*] [Check - Why is this marked PD] [Refs - b1019 :8; b2280]
- c *Marmessus* Hübner, [1819], 1816-1826 OD: Verz. bekannt. Schmett. (6):81 [b2484]. TS: *Papilio lisis* Cramer, [1777], 1775-1790. OD: Utl. Kapellen 2(13):89, pl 152, f F,G. [b1069]. TM: by selection by Scudder, 1875. Proc. amer. Acad. Arts Sci. 10(2):212 [b4080]. SS: *Euselasia Hübner*, [1819]. [Refs - b2280; b1014]
- e *Marshallia* Doherty, 1889, (PS) OD: J. asiat. Soc. Bengal, Pt II 58(4):410 nota [b1301]. TS: *Oxyliodes tharis* Geyer, [1837], 1832-1837. OD: In Zutr. Samml. exot. Schmett. 5:22, pl [152], f 883,884 [b1934]. TM: by monotypy. OS: *Eooxyliodes* Doherty, 1889. [Refs - b1019; b2280; b1023]
- c *Maslowskia* Kurentzov, 1974 OD: Zoogeography Far East USSR :92 [b2865]. TS: *Lycaenopsis filipjevi* Riley, 1934. OD: Entomologist 62:85 [b3776]. TM: by original designation. SS: *Celastrina Tuu*, 1906. [Refs - b0119; ns3506; b3368; b0122]
- d *Massaga* Doherty, 1889, (H) OD: J. asiat. Soc. Bengal, Pt II 58(4):417, nota, 429 [b1301]. TS: *Ponitia pediada* Hewitson, 1877. OD: Ent. mon. Mag. 13:223 [b2350]. TM: by original designation. SS: *Simiskina Distant*, 1886. [Refs - b1019; b2280; b1023; b1562]
- b *Matsutaroa* Hayashi & Schröder & Treadaway, 1984 OD: Senckenbergiana 65(1/2):36 [b2211]. TS: *Matsutaroa iijai* Hayashi & Schröder & Treadaway, 1984. OD: Senckenbergiana 65(1/2):36, f 16-20 [b2211]. TM: by original designation. SS: *Tajuria* Moore, [1881]. [Note - *Originally described as a subgenus of Ancema, and elevated to full generic status by d'Abreu. However the genitalia have the same pattern as Tajuria.*] [Refs - b2211; b1576; b1454]
- b *Maurus* Bálint, 1991 OD: Janus Pannonius Múz. Évk. 35:39 [b0202]. TS: *Lycaena vogelii* Oberthür, 1910. OD: Étud. Léop. comp. 4:205 [b3451]. TM: by original designation. SS: *Plebejus Kluk*, 1802. [Refs - b1173; b0209]
- a *Megalopalpus* Röber, [1886], ICZN Op 566, L 1368 OD: CorrespBl. ent. Ver. Iris 1(1):51 [b3820]. TS: *Megalopalpus simplex* Röber, [1886]. OD: CorrespBl. ent. Ver. Iris 1(1):51, pl 4, f 4 [b3820]. TM: by original designation. HC-Lyc: Lyc: *Mit: Mit: Megalopalpus* [Refs - b1019; b3582; b2280; b2531; b1571; b3151]

- a **Megisba Moore**, [1881], 1880-1881 OD: *Lep. Ceylon* 1(2):71 [b3232]. TS: *Megisba thwaitesi* Moore, [1881], 1880-1881. OD: *Lep. Ceylon* 1(2):71, pl 34, f 3,3a,3b [b3232]. TM: by monotypy. HC-Lyc: Lyc: Pol: Pol: *Lycaenopsis* [Note - The taxon represented by the nominal species *Megisba thwaitesi* Moore, [1881], is currently treated, on subjective taxonomic grounds, as being a subspecies of the taxon represented by the older-established nominal species *Lycaena malaya* Horsfield, [1828].] [Refs - b4198; b2280; b1580]
- a **Melanis Hübner**, [1819], 1816-1826 OD: Verz. bekannt. Schmetz. (2):25 [b2484]. TS: *Papilio melander* Stoll, [1780], 1780-1790. OD: In Cramer, *Uitl. Kapellen* 4(28):89 (pro parte), pl 336, f B, nec A [b4478]. TM: by selection by Scudder, 1875. Proc. amer. Acad. Arts Sci. 10(2):214 [b4080]. HC-Lyc: Rio: Rio: Rio: *Ancyluriti* [Refs - b2988 (+as *Lymnas*); b2280; b1023; b3192; b2881; b2154]
- a **Melanolycaena Sibatani**, 1974 OD: *J. Aust. ent. Soc.* 13(2):95 [b4220]. TS: *Melanolycaena altimontana* Sibatani, 1974. OD: *J. Aust. ent. Soc.* 13(2):95, f 1,3,8,17,23 [b4220]. TM: by original designation. HC-Lyc: Lyc: Lyc: *Heliothorus* [Refs - b1562; b4220]
- c **Melanope Röber**, [1892], 1888-1892 OD: In Exot. Schmetz. Bd 1(Th. 2)(6):257 [b3822]. TS: *Aricoris bahiana* Felder & Felder, 1865, 1865-1875. OD: *Reise Novara* (2):295, pl 38, f 3,4 [b1692]. TM: by monotypy. SS: *Aricoris* Westwood, [1851]. [Note - The taxon represented by the nominal species *Aricoris bahiana* Felder & Felder, 1865, is currently treated, on subjective taxonomic grounds, as being the same as the taxon represented by the older-established nominal species *Erycina tutana* Godart, [1824].] [Refs - b2280; b2154]
- b **Meleageria de Sagarra y Castellamau**, 1926 OD: *Bull. Inst. catal. Hist. nat.* (2)5:271 [b1178]. TS: *Papilio meleager* Esper, [1778], 1776-1830. OD: *Die Schmetz.* 1(1)(8):pl 45; 1(9):375 [1779] [b1623]. TM: by monotypy. SS: *Polyommatus Latreille*, 1804. [Note - The taxon represented by the nominal species *Papilio meleager* Esper, [1778], is currently treated, on subjective taxonomic grounds, as being a subspecies of the taxon represented by the older-established nominal species *Papilio daphnis* [Denis & Schiffermüller], 1775.] [Refs - b0485; b2280; b2794; b4367]
- d **Melibaea Saunders**, [1859], (H) OD: *Trans. ent. Soc. Lond.* (2)5:96 [b3939]. TS: *Erycina julia* Saunders, [1850]. OD: *Trans. ent. Soc. Lond.* (1)5(9):225 (pro parte), pl 21, f 1,1a,2,2a [b3938]. TM: by selection by Hemming, 1964. *Annot. Lep.* (4):129 [b2276]. OS: *Ancyluris* Hübner, [1819]. [Note - The taxon represented by the nominal species *Erycina julia* Saunders, [1850], is currently treated, on subjective taxonomic grounds, as being a subspecies of the taxon represented by the older-established nominal species *Papilio meliboeus* Fabricius, 1777.] [Refs - b2280]
- e **Meliboea Süchel**, 1930, (ISS) OD: *Lep. Cat. Pars* 40:321 [b4474]. OS: *Melibaea* Saunders, [1859]. [Refs - b2280]
- a **Menander Hemming**, 1939 OD: *Proc. R. ent. Soc. Lond.* (B)8(7):137 [b2261]. TS: *Papilio menander* Stoll, [1780], 1780-1790. OD: In Cramer, *Uitl. Kapellen* 4(28):86, pl 334, f C,D [b4478]. TM: replacement name for *Tharops* Hübner, [1819]. HC-Lyc: Rio: Rio: *Nymphidiini* [Refs - b2988 (+as *Tharops*); b2280; b2154]
- a **Mercedes Johnson**, 1991 OD: *Rep. Mus. Nat. Hist. Univ. Wis.* (Stevens Point) (21):36 [b2606]. TS: *Thecla demonassa* Hewitson, 1868. OD: *Descr. new Spec. Lycaenidae* :25 [b2327]. TM: by original designation. HC-Lyc: Lyc: The: *Eumaeus* [Refs - b0125; b2606]
- a **Mesene Doubleday**, 1847, 1844-1848 OD: *List Spec. lep. Brit. Mus.* 2:7 [b1327]. TS: *Papilio phareus* Cramer, [1777], 1775-1790. OD: *Uitl. Kapellen* 2(15):113, pl 170, f C. [b1069]. TM: by selection by Scudder, 1875. Proc. amer. Acad. Arts Sci. 10(2):126 [b4080]. HC-Lyc: Rio: Rio: *Symmachiini* [Refs - b2781; b2988; b2280; b2154]
- a **Mesenopsis Godman & Salvin**, [1886], 1879-1901 OD: *Biol. centr.-amer., Lep. Rhop.* 1:414 [b1975]. TS: *Limnas* (?) *bryaxis* Hewitson, 1870. OD: *Ent. mon. Mag.* 6:227 [b2331]. TM: by selection by Süchel, 1910. *Gen. Insectorum* 112(A):218 [b4446]. HC-Lyc: Rio: Rio: *Symmachiini* [Refs - b2988; b2280; b2154]
- a **Mesophthalma Westwood**, [1851], 1846-1852 OD: In *Gen. dium. Lep.* (2):455 [b4981]. TS: *Mesosemia* (*Mesophthalma*) *idotea* Westwood, [1851], 1846-1852. OD: In *Gen. dium. Lep.* (2):355 nota [b4981]. TM: by monotypy. HC-Lyc: Rio: Rio: *Mesosemiini* [Refs - b2988 (as *Mesophthalma*); b2280]
- c **Mesophthalma Lewis**, [1973], (ISS) OD: *Butts of the World* :75,304 [b2988]. OS: *Mesophthalma* Westwood, [1851]. [Refs - b2988]
- a **Mesosemia Hübner**, [1819], 1816-1826 OD: Verz. bekannt. Schmetz. (2):21 [b2484]. TS: *Mesosemia philoclessa* Hübner, [1819], 1816-1826. OD: Verz. bekannt. Schmetz. (2):21 [b2484]. TM: by selection by Scudder, 1875. Proc. amer. Acad. Arts Sci. 10(2):216 [b4080]. HC-Lyc: Rio: Rio: *Mesosemiini* [Note - The nominal species *Mesosemia philoclessa* Hübner, [1819], is an objective synonym of the older-established nominal species *Papilio philocles* Linnaeus, 1758.] [Refs - b2988; b2280; b2484; b2154]
- a **Metacharis Butler**, 1867 OD: *Ent. mon. Mag.* 3:174 [b0583]. TS: *Hesperia ptolomaeus* Fabricius, 1793, 1792-1799. OD: *Ent. syst.* 3(1):319 [b1657]. TM: by selection by Scudder, 1875. Proc. amer. Acad. Arts Sci. 10(2):217 [b4080]. HC-Lyc: Rio: Rio: Rio: *Riodinitii* [Refs - b2988; b2280; b2154]
- c **Metapheles Bates**, 1866 OD: *Ent. mon. Mag.* 3:155 [b0264]. TS: *Metapheles dinora* Bates, 1866. OD: *Ent. mon. Mag.* 3:155 [b0264]. TM: by monotypy. SS: *Brachyglenis* Felder & Felder, 1862. [Refs - b2988; b2280; b2154]
- a **Methone Doubleday**, 1847, 1844-1848 OD: *List Spec. lep. Brit. Mus.* 2:4 [b1327]. TS: *Papilio cecilia* Cramer, [1777], 1775-1790. OD: *Uitl. Kapellen* 2(14):98, pl 159, f D,E. [b1069]. TM: by monotypy. HC-Lyc: Rio: *Eurygoninae* [Refs - b0826 :271; b2988 (as *Methonella*); b2280; b2154]
- d **Methonella Westwood**, [1852], 1846-1852, (JOS) OD: In *Gen. dium. Lep.* (2):533 [b4981]. TS: *Papilio cecilia* Cramer, [1777], 1775-1790. OD: *Uitl. Kapellen* 2(14):98, pl 159, f D,E. [b1069]. TM: replacement name for *Methone* Doubleday, 1847. OS: *Methone* Doubleday, 1847. [Refs - b2988; b2280; b1023]
- d **Micandra Röber**, [1888], 1888-1892, (H & JOS) OD: In *Exot. Schmetz.* Bd 1(Th. 2)(6):263,265 [b3822]. TS: *Pseudolycaena platyptera* Felder & Felder, 1865, 1865-1875. OD: *Reise Novara* (2):246, pl 28, f 6,7 [b1692]. TM: by monotypy. OS: *Micandra* Staudinger, [1888]. [Refs - b2280]
- a **Micandra Staudinger**, [1888], 1884-1888 OD: In *Exot. Schmetz.* Bd 1(Th. 1)(21):288 [b4329]. TS: *Pseudolycaena platyptera* Felder & Felder, 1865, 1865-1875. OD: *Reise Novara* (2):246, pl 28, f 6,7 [b1692]. TM: by monotypy. HC-Lyc: Lyc: The: *Eumaeus*: *Trichonis* [Refs - b0908, b0845, b2280; b2611]
- a **Michaelus Nicolay**, 1979 OD: *Bull. Allyn Mus.* (56):29 [b3392]. TS: *Thecla vibidia* Hewitson, [1869], 1863-1878. OD: *Ill. dium. Lep. Lycaenidae* 1:119; 2:pl 49, f 242,243 [b2326]. TM: by original designation. HC-Lyc: Lyc: The: *Eumaeus* [Refs - b3392; b0111]

- a *Micropentila* Aurivillius, 1895 OD: Ent. Tidskr. 16:202 [b0151]. TS: *Liptena adelgitha* Hewitson, 1874. OD: Ent. mon. Mag. 11:36 [b2340]. TM: by original designation. HC-Lyc: Lyc: Lip: Liptena [Refs - b3582; b2280]
- a *Micropsyche* Mattoni, 1981 OD: J. Res. Lep. 18(4):256 [b3112]. TS: *Micropsyche ariana* Mauoni, 1981. OD: J. Res. Lep. 18(4):257 [b3112]. TM: by original designation. HC-Lyc: Lyc: Pol: Pol: *Glauropsyche* [Refs - b3112]
- c *Microscena* Tite, 1963 OD: Bull. Br. Mus. nat. Hist. (Ent.) 14(5):219 [b4677]. TS: *Lycaena heathi* Cox, 1873. OD: Entomologist 6:402 [b1068]. TM: by original designation. SS: *Candalides* Hübner, [1819]. [Refs - b1019 :6; b4677; b0870; b0976]
- d *Migonitis* Sodoffsky, 1837, (H and JOS) OD: Bull. Soc. imp. Nat. Moscou 10(6):82 [b4271]. TS: *Papilio phlaeas* Linnaeus, 1761. OD: Faun. svec. (ed. 2) :285 [b2994]. TM: replacement name for *Lycaena* Fabricius, 1807. OS: *Lycaena* Fabricius, 1807. [Refs - b2280]
- e *Migonytis* Sodoffsky, 1837, (ISS) OD: Bull. Soc. imp. Nat. Moscou 10(7):109 [b4272]. OS: *Migonitis* Sodoffsky, 1837. [Refs - b1023]
- c *Miletographa* Röber, [1892], 1888-1892 OD: In Exot. Schmett. Bd 1(Th. 2)(6):277 [b3822]. TS: *Miletus drumila* Moore, [1866]. OD: Proc. zool. Soc. Lond. 1865(3):777, pl 41, f 12 [b3221]. TM: by monotypy. SS: *Paragerydus* Distant, 1884. [Refs - b2280; b1562; b1571]
- a *Miletus* Hübner, [1819], 1816-1826 OD: Verz. bekannt. Schmett. (5):71 [b2484]. TS: *Papilio symethus* Cramer, [1777], 1775-1790. OD: Uitl. Kapellen 2(13):84, pl 149, f B,C. [b1069]. TM: by selection by Westwood, [1852], 1846-1852. In Gen. dium. Lep. (2):502 [b4981]. HC-Lyc: Lyc: Mil: Mil: *Miletus* [Refs - b1153 (as *Gerydus*); b2280; b1023; b1571]
- e *Mitoura* Wright, 1922, (ISS) OD: Bull. S. Calif. Acad. Sci. 21(1):19-20 [b5045]. SS: *Mitoura* Scudder, 1872. [Refs - b0908; b3138]
- a *Mimacraea* Butler, 1872, 1869-1874 OD: Lep. exot. :104 [b0588]. TS: *Mimacraea darwinia* Butler, 1872, 1869-1874. OD: Lep. exot. :104, pl 38, f 8 [b0588]. TM: by original designation. HC-Lyc: Lyc: Lip: Lip: *Mimacraea* [Refs - b1588; b0713; b1943; b3582; b2280]
- a *Mimeresia* Stempffer, 1961 OD: Annl. Mus. r. Afr. cent. (8vo) (Zool.)94:24 [b4393]. TS: *Liptena libentina* Hewitson, [1866], 1852-1877. OD: Ill. exot. Butts 3:[120], pl [60], f 8,9 [b2323]. TM: by original designation. HC-Lyc: Lyc: Lip: Lip: *Mimacraea* [Refs - b2280; b4400]
- e *Mimocastina* Lewis, [1973], (ISS) OD: Butts of the World :76,305 [b2988]. OS: *Mimocastina* Seitz, [1914]. [Refs - b2280]
- a *Mimocastnia* Seitz, [1914], 1910-1924 OD: In Seitz, Grossschmett. Erde 5:pl 127a [b4093]. TS: *Mimocastnia rothschildi* Seitz, [1914], 1910-1924. OD: In Seitz, Grossschmett. Erde 5:pl 127a [b4093]. TM: by original designation. HC-Lyc: Rio: Rio: *Eurybiini* [Note - The text description came in 1917 (:652).] [Refs - b2988 (as *Mimocastina*); b2280; b2881; b2154]
- a *Ministrymon* Clench, 1961 OD: In Ehrlich & Ehrlich, Butterflies :179,196 [b0829]. TS: *Thecla leda* Edwards, 1882. OD: *Papilio* 2(2):23 [b1516]. TM: by original designation. HC-Lyc: Lyc: The: Eum: *Eumaeus* [Refs - b2280; b1023; b3192; b1743]
- a *Mithras* Hübner, [1819], 1816-1826 OD: Verz. bekannt. Schmett. (5):79 [b2484]. TS: *Papilio nautes* Cramer, [1779], 1775-1790. OD: Uitl. Kapellen 3(20):70, pl 233, f F,G. [b1069]. TM: by selection by Scudder, 1875. Proc. amer. Acad. Arts Sci. 10(2):220 [b4080]. HC-Lyc: Lyc: The: Eum: *Eumaeus* [Refs - b0908; b2280; b2611]
- a *Mitoura* Scudder, 1872 OD: 4th Ann. Rep. Peabody Acad. Sci. 1871:52 et errata [b4078]. TS: *Thecla smilacis* Boisduval & Le Conte, [1835], 1829-1837. OD: Hist. Lépid. Amer. sept. (12):107, pl 33, f 5-8 [b0470]. TM: by original designation. HC-Lyc: Lyc: The: Eumaeus [Note - The taxon represented by the nominal species *Thecla smilacis* Boisduval & Le Conte, [1835], is currently treated, on subjective taxonomic grounds, as being a subspecies of the taxon represented by the older-established nominal species *Lycus gryneus* Hübner, [1819].] [Refs - b2280; b3192; b1743; b1321; b2585]
- e *Miouri* Scudder, 1872, (IOS) OD: 4th Ann. Rep. Peabody Acad. Sci. 1871:52 [b4078]. SS: *Mitoura* Scudder, 1872. [Refs - b0908; b2280; b3192; b1321]
- e *Miura* Kirby, [1873], (ISS) OD: Zool. Rec. 8(1871)(Ins.):350 [b2749]. SS: *Mitoura* Scudder, 1872. [Refs - b0276; b1321]
- d *Mitura* Kirby, [1874], (UE) OD: Zool. Rec. 9(1872):350 [b2750]. SS: *Mitoura* Scudder, 1872. [Refs - b3138; b2750]
- e *Miura* Butler, 1875, (ISS) OD: Ent. mon. Mag. 12:16 [b0600]. SS: *Mitoura* Scudder, 1872. [Refs - b0908; b2280; b1023]
- d *Mitura* Scudder, 1889, 1888-1889, (UE) OD: Butts E. United States & Canada 2(6):856-867 [b4088]. SS: *Mitoura* Scudder, 1872. [Note - McHenry says 'an unjustified replacement name'. He further notes 'Scudder, 1875, Hist. Sketch, 220, no 706, rejected Rye's emendation - but later used it here as a replacement name'.] [Refs - b3138; b2881]
- a *Molus* Hübner, [1819], 1816-1826 OD: Verz. bekannt. Schmett. (5):78 [b2484]. TS: *Papilio phalanthus* Stoll, [1780], 1780-1790. OD: In Cramer, Uitl. Kapellen 4(28):85, pl 33, f C,D [b4478]. TM: by selection by Scudder, 1875. Proc. amer. Acad. Arts Sci. 10(2):220 [b4080]. HC-Lyc: Lyc: The: Eum: *Eumaeus* [Refs - b0908; b2280]
- a *Monethe* Westwood, [1851], 1846-1852 OD: In Gen. dium. Lep. (2):462 [b4981]. TS: *Hesperia alphonus* Fabricius, 1793, 1792-1799. OD: Ent. syst. 3(1):308 [b1657]. TM: by monotypy. HC-Lyc: Rio: Rio: *Ancyluriti* [Refs - b2988; b2154]
- c *Monile* Ungemach, 1932 OD: Mém. Soc. Sci. nat. phy. Maroc 32:90 [b4780]. TS: *Monile pluricauda* Ungemach, 1932. OD: Mém. Soc. Sci. nat. phy. Maroc 32:90 [b4780]. TM: by original designation. SS: *Neurelipes* Bethune-Baker, 1910. [Note - The taxon represented by the nominal species *Monile pluricauda* Ungemach, 1932, is currently treated, on subjective taxonomic grounds, as being the same as the taxon represented by the older-established nominal species *Lycaenesthes gemmifera* Neave, 1910.] [Refs - b3582; b2280]
- a *Monodontides* Toxopeus, 1928, 1927-1928 OD: Tijdschr. Ent. 71:258 [b4697]. TS: *Nacaduba argioides* Rothschild, 1916. OD: Rep. B. O. U. Exped. New Guinea 2(15):29 [b3880]. TM: by original designation. HC-Lyc: Lyc: Pol: Pol: *Lycaenopsis* [Refs - b2280; b4992; b0111; b1580]
- d *Moorea* Toxopeus, 1927, 1927-1928, (H) OD: Tijdschr. Ent. 70:255 [b4697]. TS: *Polyommatus vardhana* Moore, [1875]. OD: Proc. zool. Soc. Lond. 1874(4):572, pl 66, f 5 [b3223]. TM: by original designation. OS: *Arietia* Hemming, 1935. [Refs - b2280]
- c *Moritzia* Felder & Felder, 1861 OD: Wien. ent. Monats. 5(4):100 [b1684]. TS: *Montzia paradoxa* Felder & Felder, 1861. OD: Wien. ent. Monats. 5(4):100 [b1684]. TM: by monotypy. SS: *Hades* Westwood, [1851]. [Note - The taxon represented by the nominal species *Moritzia paradoxa* Felder & Felder, 1861, is currently treated, on subjective taxonomic grounds, as being the same as the taxon represented by the older-established nominal species *Hades noctula* Westwood, [1851].] [Refs - b2280; b1023; b2154]

- a **Morphissima** Johnson, 1991 OD: Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (21):27 [b2606]. TS: *Morphissima scalpera* Johnson, 1991. OD: Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (21):27, f [b2606]. TM: by original designation. HC-Lyc: Lyc: The: Eum: Eumaeus [Refs - b0125; b2606]
- a **Mota de Nicéville**, 1890 OD: Butts India Burmah Ceylon 3:18,345 [b1153]. TS: *Myrina massyla* Hewitson, [1869], 1863-1878. OD: Ill. dium. Lep. Lycaenidae 1, Suppl.:7; 2, Suppl.:suppl. pl 3, f 87-88 [b2326]. TM: by original designation. HC-Lyc: Lyc: The: Arh: Semanga [Refs - b2280]
- e **Mycaena** Sodoffsky, 1837, (ISS) OD: Bull. Soc. imp. Nat. Moscou 10(6):96 [b4271]. SS: *Lycaena* Fabricius, 1807. [Refs - b3138]
- a **Mycastor** Callaghan, 1983 OD: Bull. Allyn Mus. (78):1 [b0677]. TS: *Nymphidium leucarpis* Stichel, 1925. OD: Z. wiss. Insekt. Biol. 20:263 [b4463]. TM: by original designation. HC-Lyc: Rlo: [Refs - b0677; b2154]
- a **Myrina** Fabricius, 1807 OD: Mag. f. Insektenk. (Illiger) 6:286 [b1658]. TS: *Papilio alcidis* Cramer, [1776], 1775-1790. OD: Uitl. Kapellen 1(8):150, pl 96, f D.E. [b1069]. TM: by selection by Kirby, 1870. J. linn. Soc. Lond., Zool. 10:500 [b2745]. HC-Lyc: Lyc: The: Amblypodilini [Note - The taxon represented by the nominal species *Papilio alcidis* Cramer, [1776], is currently treated, on subjective taxonomic grounds, as being the same as the taxon represented by the older-established nominal species *Papilio silenus* Fabricius, 1775.] [Refs - b1943; b3582; b2280]
- c **Myrine** Hemming, 1967, (ISS) OD: Bull. Br. Mus. nat. Hist. (Ent.) Suppl. 9:502 [b2280]. OS: *Myrina* Fabricius, 1807. [Refs - b2280 :502 (ravindra); b1019 :15]
- a **Nabokovia** Hemming, 1960 OD: Annot. Lep. (2):41 [b2271]. TS: *Thecla faga* Dognin, 1895. OD: Annl. Soc. ent. Belg. 39:105 [b1297]. TM: replacement name for *Pseudothecla* Nabokov, 1945. HC-Lyc: Lyc: Pol: Pol: *Nabokovia* [Refs - b2280; b0214]
- a **Nacaduba** Moore, [1881], 1880-1881, (PD) OD: Lep. Ceylon 1(3):88 [b3232]. TS: *Lampides prominens* Moore, 1877. OD: Ann. Mag. nat. Hist. (4)20:341 [b3225]. TM: by original designation. HC-Lyc: Lyc: Pol: Pol: *Nacaduba* [Note - *Hirawatari* has submitted a petition to the ICZN to suppress *Pepliphorus*, a senior subjective synonym of this name. The taxon represented by the nominal species *Lampides prominens* Moore, 1877, is currently treated, on subjective taxonomic grounds, as being a subspecies of the taxon represented by the older-established nominal species *Lycaena kurava* Moore, [1858]] [Refs - b4198; b2280; b2389; b2388; b2387]
- c **Nadisepa** Moore, 1882 OD: Proc. zool. Soc. Lond. 1882(1):249 [b3234]. TS: *Papilio iarbus* Fabricius, 1787. OD: Manussa Ins 2-68 [b1656]. TM: by monotypy. SS: *Rapala* Moore, [1881]. [Refs - b1019; b2280; b1562; b0965]
- a **Nahlida** Kirby, 1871 OD: Syn. Cat. dium. Lep. :651 [b2747]. TS: *Threnodes coenoides* Hewitson, 1870, 1869-1877. OD: Equatorial Lep Buckley (4):58 [b2330]. TM: replacement name for *Threnodes* Hewitson, 1870. HC-Lyc: Rlo: Rlo: Rlo: *Ancyluriti* [Refs - b2988; b2280; b2154]
- d **Nais** Swainson, [1833], 1829-1833, (H) OD: Zool. Illustr. (2)3(39):pl 136 [b4551]. TS: *Nais splendens* Swainson, [1833], 1829-1833. OD: Zool. Illustr. (2)3(29):pl 136 et explic [b4551]. TM: by monotypy. SS: *Poecilmitis* Butler, 1899. [Note - The taxon represented by the nominal species *Nais splendens* Swainson, [1833], is currently treated, on subjective taxonomic grounds, as being the same as the taxon represented by the older-established nominal species *Papilio thysbe* Linnaeus, 1764.] [Refs - b2280]
- a **Napaea** Hübner, [1819], 1806-1838, ICZN Op 820, L 1761 OD: Samml. exot. Schmett. 1:pl [34] [b2482]. TS: *Cremna eucharila* Bates, 1867. OD: Trans. ent. Soc. Lond. (3)5:543 [b0266]. TM: by designation by the ICZN. HC-Lyc: Rlo: Rlo: [Refs - b2988; b1019 :7; b2280; b3151; b2154]
- a **Narathura** Moore, [1879] OD: Proc. zool. Soc. Lond. 1878(4):835 [b3230]. TS: *Amblypodia hypomuta* Hewitson, 1862. OD: Spec. Cat. Lyc. Brit. Mus. :11, pl 6, f 63,64 [b2325]. TM: by original designation. HC-Lyc: Lyc: The: Arh: *Arhopala* SS: *Arhopala* Boisduval, 1832. [Refs - b4198; b1644; b2988; b2280]
- a **Neaveia** H. H. Druce, 1910 OD: Proc. zool. Soc. Lond. 1910(1):364 [b1378]. TS: *Neaveia lamborni* H. H. Druce, 1910. OD: Proc. zool. Soc. Lond. 1910(1):365, pl 35, f 1 [b1378]. TM: by original designation. HC-Lyc: Lyc: Lip: Lip: *Epitola* [Refs - b3582; b2280]
- a **Necmitoura** Johnson & Eisele & MacPherson, 1993 OD: Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (39):10 [b2626]. TS: *Necmitoura marcus* Johnson & Eisele & MacPherson, 1993. OD: Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (39):10, f [b2626]. TM: by original designation. HC-Lyc: Lyc: The: Eum: Eumaeus [Refs - b2626]
- c **Necovatia** Verity, 1951 OD: Revue fr. Ent. 17(Suppl.):183 [b4864]. TS: *Papilio acaciae* Fabricius, 1787. OD: Mantissa Ins. 2:69 [b1656]. TM: by original designation. SS: *Satyrium* Scudder, 1876. [Refs - b1562; b0851]
- a **Necyria** Westwood, [1851], 1846-1852 OD: In Gen. dium. Lep. (2):432, pl 73, f 9 [b4981]. TS: *Necyria bellona* Westwood, [1851], 1846-1852. OD: In Gen. dium. Lep. (2):432, pl 73, f 9 [b4981]. TM: by selection by Scudder, 1875. Proc. amer. Acad. Arts Sci. 10(2):225 [b4080]. HC-Lyc: Rlo: Rlo: Rlo: *Ancyluriti* [Refs - b2988; b2280; b2154]
- c **Nelone** Boisduval, 1870 OD: Consid. Lép. Guatemala :23 [b0469]. TS: *Papilio fatima* Cramer, [1780], 1775-1790. OD: Uitl. Kapellen 3(23):141, pl 271, f A. [b1069]. TM: by selection by Scudder, 1875. Proc. amer. Acad. Arts Sci. 10(2):225 [b4080]. SS: *Eremis* Fabricius, 1807. [Refs - b2988; b2280; b1023; b3192; b2154]
- d **Nemeobius** Stephens, 1828, 1828-1846, (JOS) OD: Ill. Brit. Ent. 1:28 [b4428]. TS: *Papilio lucina* Linnaeus, 1758. OD: Syst. nat. (ed. 10) 1:480 [b2993]. TM: by monotypy. OS: *Hamearis* Hübner, [1819]. [Refs - b2280; b2794]
- a **Neocheritra** Distant, 1885, 1882-1886 OD: Rhop. malayana :252 [b1285]. TS: *Myrina amrita* Felder & Felder, 1860 OD: Wien. ent. Monats. 4(12):395 [b1683]. TM: by monotypy. HC-Lyc: Lyc: The: lol: *Iolais* [Refs - b2280]
- d **Neochrysops** Bethune-Baker, 1923, (H) OD: Trans. ent. Soc. Lond. 70(3/4):279 [b0359]. TS: *Papilio parsimon* Fabricius, 1775. OD: Syst. Ent. :526 [b1653]. TM: by original designation. OS: *Lepidochrysops* Hedicke, 1923. [Refs - b2280]
- a **Neoeptola** Jackson, 1964 OD: Bull. Br. Mus. nat. Hist. (Ent.) 15(3):78 [b2563]. TS: *Epitola barombiensis* Kirby, 1890 OD: Ann. Mag. nat. Hist. (6)6:274 [b2766]. TM: by original designation. HC-Lyc: Lyc: Lip: Lip: *Epitola* [Refs - b1019 :6]
- a **Neolucia** Waterhouse & Turner, [1905] OD: Proc. linn. Soc. N. S. Wales 29(4):803 [b4948]. TS: *Lucia agricola* Westwood, [1851], 1846-1852. OD: In Gen. dium. Lep. (2):pl 76, f 4 [b4981]. TM: by original designation. HC-Lyc: Lyc: Pol: Pol: *Theclinesthes* [Refs - b2280; b2388]
- b **Neolycaena** de Nicéville, 1890, ICZN Op 899, L 1885 OD: Butts India Burmah Ceylon 3:15,64 [b1153]. TS: *Lycaena sinensis* Alphéraky, 1881. OD: Horae Soc. ent. ross. 16:383, pl 14, f 7 [b0043]. TM: by original designation. SS: *Satyrium* Scudder, 1876. [Refs - b2988; b1019 :8; b2280; b0851; ns1013; b3151]

- b *Neolysandra* Koçak, 1977 OD: *Atalanta* (Mürmerstadt) 8(1):55, f [b2788]. TS: *Lycaena diana* Müller, 1912. OD: Deut. ent. Zeit. [Iris] 26:220 [b3183]. TM: by original designation. SS: *Polyommatus Latreille*, 1804. [Refs - b0109; b3359; b2794; b2788]
- a *Neomyrina* Distant, 1884, 1882-1886 OD: *Rhop. malayana* :234,248 [b1285]. TS: *Myrina hiemalis* Godman & Salvin, 1878. OD: Proc. zool. Soc. Lond. 1878(3):640, pl 40, f 3,4 [b1974]. TM: by original designation. HC-Lyc: Lyc: The: **Lyc: Neomyrina** [Note - *The taxon represented by the nominal species Myrina hiemalis* Godman & Salvin, 1878, is currently treated, on subjective taxonomic grounds, as being a subspecies of the taxon represented by the nominal species *Myrina nivea* Godman & Salvin, 1878.] [Refs - b2280; b1021]
- a *Neopithecops* Distant, 1884, 1882-1886 OD: *Rhop. malayana* :197,209 [b1285]. TS: *Pithecops dharmia* Moore, [1881], 1880-1881. OD: *Lep. Ceylon* 1(2):72, pl 34, f 4 [b3232]. TM: by original designation. HC-Lyc: Lyc: Pol: **Pol: Lycaenopsis** [Note - *The taxon represented by the nominal species Pithecops dharmia* Moore, [1881] is currently treated, on subjective taxonomic grounds, as being a subspecies of the taxon represented by the older-established nominal species *Pithecops zalmora* Butler, [1870].] [Refs - b4198; b2280; b1580]
- c *Neotaxila* Fruhstorfer, [1914], 1909-1923 OD: In Seitz, *Grossschmett. Erde* 9:791 [b1840]. TS: *Taxila thuisto* Hewitson, [1861], 1852-1877. OD: *Ill. exot. Butts* 2:[90], pl [45], f 5,6 [b2323]. TM: by selection by Hemming, 1964. Annot. Lep. (4):129 [b2276]. SS: *Taxila Doubleday*, 1847. [Refs - b2280; b2154 (as a good genus)]
- a *Neozephyrus* Sibatani & Ito, 1942 OD: *Tenthredo* 3(4):324 [b4224]. TS: *Thecla taxila* Bremer, 1861. OD: *Bull. Acad. Sci. St. Pétersbourg* 3:470 [b0482]. TM: by original designation. HC-Lyc: Lyc: The: **Thecla** [Refs - b4198; b2988; b2280; b4214; b2463]
- c *Nerias* Boisduval, 1836 OD: *Spec. gén. Lépid.* 1:pl 4 [=4A], pl 11 [=7B], f 6 [b0462]. TS: *Papilio susanna* Fabricius, 1787. OD: *Mantissa Ins.* 2:16 [b1656]. TM: by selection by Scudder, 1875. Proc. amer. Acad. Arts Sci. 10(2):227 [b4080]. SS: *Stalactis* Hübner, [1818]. [Refs - b2988; b2280; b1023; b2154]
- a *Nesiostrymon* Clench, [1964] OD: *J. Res. Lep.* 2(4):251 [b0833]. TS: *Thecla celida shoumatoffi* Comstock & Huntington, 1943. OD: *Ann. New York Acad. Sci.* 45:75 [b0907]. TM: by original designation. HC-Lyc: Lyc: The: **Eum: Eumaeus** [Refs - b2280; b1023; b0833]
- a *Nesolycaena* Waterhouse & Turner, [1905] OD: *Proc. linn. Soc. N. S. Wales* 29(4):801 [b4948]. TS: *Holochila albosericea* Miskin, 1891. OD: *Ann. Qd Mus.* 1:65 [b3215]. TM: by original designation. HC-Lyc: Lyc: Pol: **Candalidini** [Refs - b2280; b1559]
- a *Neurellipes* Bethune-Baker, 1910 OD: *Trans. ent. Soc. Lond.* 58(1):66 [b0343]. TS: *Lycaenesthes lusones* Hewitson, 1874. OD: *Trans. ent. Soc. Lond.* 22(3):347 [b2341]. TM: by original designation. HC-Lyc: Lyc: Pol: **Lycaenesthini** [Refs - b1019; b3582; b2280; b4400]
- a *Neurypexina* Bethune-Baker, 1910 OD: *Trans. ent. Soc. Lond.* 58(1):64 [b0343]. TS: *Lycaenesthes lyzanius* Hewitson, 1874. OD: *Ent. mon. Mag.* 11:36 [b2340]. TM: by original designation. HC-Lyc: Lyc: Pol: **Lycaenesthini** [Refs - b3582; b2280; b4400]
- a *Nicolaea* Johnson, 1993 OD: *Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point)* (32):66 [b2614]. TS: *Thecla cauter* H. H. Druce, 1907. OD: *Proc. zool. Soc. Lond.* 1907(3):589, pl 34, f 15 [b1375]. TM: by original designation. HC-Lyc: Lyc: The: **Eum: Eumaeus** [Refs - b2614]
- c *Nilasera* Moore, [1881], 1880-1881 OD: *Lep. Ceylon* 1(3):114 [b3232]. TS: *Papilio centaurus* Fabricius, 1775. OD: *Syst. Ent.* :520 [b1653]. TM: by original designation. SS: *Arhopala Boisduval*, 1832. [Refs - b2280]
- c *Nimula* Blanchard, 1840 OD: *Hist. nat. Ins.* 3:465 [b0445]. TS: *Papilio lucinda* Cramer, [1775], 1775-1790. OD: *Uitl. Kapellen* 1(1):3, pl 1, f E,F. [b1069]. TM: by original designation. SS: *Emesis* Fabricius, 1807. [Refs - b2280; b3192; b2154]
- a *Niphanda* Moore, [1875] OD: *Proc. zool. Soc. Lond.* 1874(4):572 [b3223]. TS: *Niphanda tessellata* Moore, [1875]. OD: *Proc. zool. Soc. Lond.* 1874(4):572, pl 66, f 6 [b3223]. TM: by monotypy. HC-Lyc: Lyc: Pol: **Niphandini** [Refs - b4198; b2988; b2280; b1559]
- a *Nirodia* Westwood, [1851], 1846-1852 OD: In *Gen. diurn. Lep.* (2):430 [b4981]. TS: *Erycina belphegor* Westwood, [1851], 1846-1852. OD: In *Gen. diurn. Lep.* (2):pl 70, f 1 [b4981]. TM: by monotypy. HC-Lyc: Rio: **Rio: Rio: Ancyuritii** [Refs - b2280; b0093; b2154]
- e *Nivalis* Balletto, 1993 OD: *Boll. Soc. ent. ital.* 124(3):242 [b0220]. TS: *Cupido moza* Staudinger, 1894. OD: *Deut. ent. Zeit. [Iris]* 7:79, pl 2, f 5 [b4339]. TM: by original designation. OS: *Madeleinea Bálint*, 1993. [Note - *Published as an adjective, and thus unavailable viz Articles 11(g) of the Code.*] [Refs - b0220]
- c *Nomiades* Hübner, [1819], 1816-1826 OD: *Verz. bekannt. Schmett.* (5):67 [b2484]. TS: *Papilio acis* [Denis & Schiffermüller], 1775. OD: *Ankündigung syst. Werkes Schmett.* :182 [b1193]. TM: by selection by Scudder, 1875. Proc. amer. Acad. Arts Sci. 10(2):228 [b4080]. SS: *Cyaniris* Dalman, 1816. [Refs - b0908; b2280; b3192; b0410; b4367]
- e *Nominades* Elrod & Maley, 1906, (ISS) OD: *Bull. Univ. Montana, Biol. Ser.* 2(10):136 [b1582]. SS: *Nomiades* Hübner, [1819]. [Refs - b3138]
- c *Nordmannia* Tutt, [1907], 1905-1914 OD: *Nat. Hist. Brit. Butts* 2:143 [b4760]. TS: *Lycaena myrtale* Klug, 1834, 1829-1845. OD: In *Ehrenberg, Sym. Phys. Ins.* 4: sig. I, pl 40, f 15,16 [b2782]. TM: by original designation. SS: *Satyrium* Scudder, 1876. [Refs - b4245 (as *Normannia*); b2280; b0851; b2794]
- a *Noreena* Johnson & MacPherson & Ingraham, 1986 OD: *Bull. Allyn Mus.* (102):2 [b2631]. TS: *Noreena maria* Johnson & MacPherson & Ingraham, 1986. OD: *Bull. Allyn Mus.* (102):2, f 1,2 [b2631]. TM: by original designation. HC-Lyc: Lyc: The: **Eum: Eumaeus** [Refs - b2631; b3809; b2597; ns3817]
- e *Normannia* Smart, 1975, (ISS) OD: *Int. Butterfly Book* :263 [b4245]. OS: *Nordmannia* Tutt, [1907]. [Refs - b4245]
- a *Notarthrinus* Chapman, 1908 OD: *Proc. zool. Soc. Lond.* 1908(3):677 [b0747]. TS: *Notarthrinus binghami* Chapman, 1908. OD: *Proc. zool. Soc. Lond.* 1908(3):678, pl 38, f 2 [b0747]. TM: by original designation. HC-Lyc: Lyc: Pol: **Lycaenopsis** [Refs - b2280; b1580]
- a *Notheme* Westwood, [1851], 1846-1852 OD: In *Gen. diurn. Lep.* (2):462 [b4981]. TS: *Papilio ouranus* Stoll, [1781], 1780-1790. OD: In *Cramer, Uitl. Kapellen* 4(28):88, pl 335, f C [b4478]. TM: by monotypy. HC-Lyc: Rio: **Rio: Rio: Riodinini** [Refs - b2988; b2280; b2154]
- a *Nothodanis* Hirowatari, 1992 OD: *Bull. Univ. Osaka Pref. (B)44(Suppl.)*:31 [b2388]. TS: *Lycaena schaeffera* Eschscholtz, 1821. OD: In *Kotzebue, Eendeck. Reise Süd-See* 3:216, pl 5, f 25a,b [b1622]. TM: by original designation. HC-Lyc: Lyc: Pol: **Pol: Prosotas** [Refs - b2388]
- a *Novosatsuma* Johnson, 1992 OD: *Neue Ent. Nachr.* 29:54 [b2609]. TS: *Novosatsuma monstrabilis* Johnson, 1992. OD: *Neue Ent. Nachr.* 29:58, f [b2609]. TM: by original designation. HC-Lyc: Lyc: The: **Eum: Eumaeus** [Refs - b0126]

- e *Nymphidia* Boisduval & Le Conte, [1835], 1829-1837, (ISS), Op 755, L 1772 OD: Hist. Lépid. Amer. sept. (14):130 [b0470]. SS: *Nymphidium* Fabricius, 1807. [Refs - b2280; b3192; b1321; b2534; b3151; b2881]
- e *Nymphidis* Brown, 1966, (ISS) OD: Trans. amer. ent. Soc. 92:435 [b0503]. SS: *Nymphidium* Fabricius, 1807. [Refs - b3138]
- a *Nymphidium* Fabricius, 1807, ICZN Op 171, L 614 OD: Mag. f. Insektenk. (Illiger) 6:286 [b1658]. TS: *Papilio caricae* Linnaeus, 1758. OD: Syst. nat. (ed. 10) 1:484 [b2993]. TM: by selection by Crotch, 1872. *Cistula* Entomologica 1(4):66 [b1076]. HC-Lyc: Rlo: Rlo: *Nymphidini* [Refs - b2988; b2280; b0677; b3192; b2517; b3151; b2520; b2154]
- d *Nymphidium* (Illiger), 1807, (RC), ICZN Op 232, I 45 OD: Allg. Lit.-Zeit. 1807(2):1180 [b2501]. TS: *Limnas leucosia* Hübner, [1806], 1806-1838. OD: Samml. exot. Schmetz. 1:pl [29] [b2482]. TM: by monotypy. OS: *Heliochlaena* Hübner, 1821. [Refs - b3151; b2520; b2262]
- d *Nymphopsis* Reuter, 1896, (H and JOS) OD: Acta Soc. Sci. fenn. 22(1):170 [b3725]. TS: *Papilio caricae* Linnaeus, 1758. OD: Syst. nat. (ed. 10) 1:484 [b2993]. TM: by original designation. OS: *Nymphidium* Fabricius, 1807. [Refs - b2280]
- c *Nymula* Boisduval, 1836 OD: Spec. gén. Lépid. 1:pl 20 [=4C] [b0462]. TS: *Nymula gnosis* Boisduval, 1836. OD: Spec. gén. Lépid. 1:pl 20 [=4C], f 4 [b0462]. TM: by monotypy. SS: *Synargis* Hübner, [1819]. [Note - *The taxon represented by the nominal species Nymula gnosis Boisduval, 1836, is currently treated, on subjective taxonomic grounds, as being the same as the taxon represented by the older-established nominal species Papilio tytia Cramer, [1777].*] [Refs - b2988; b2280; b2154]
- a *Oboronia* Karsch, 1893 OD: Berl. ent. Z. 38(1/2):229 [b2693]. TS: *Oboronia staudingeri* Hemming, 1960. OD: Annot. Lep. (1):33 [b2270]. TM: by selection by Hemming, 1960. Annot. Lep. (1):35 [b2270]. HC-Lyc: Lyc: Pol: Pol: *Euchrysops* [Note - *The taxon represented by the nominal species Oboronia staudingeri Hemming, 1960, is currently treated, on subjective taxonomic grounds, as being the same as the taxon represented by the older-established nominal species Plebeius punctatus Dewila, 1879.*] [Refs - b1943; b3582; b2280]
- a *Ocaria* Clench, 1970 OD: J. Lep. Soc. 24(1):56, f 1 [b0843]. TS: *Thecla ocrisia* Hewitson, 1868. OD: Descr. new Spec. Lycaenidae :5 [b2327]. TM: by original designation. HC-Lyc: Lyc: The: Eum: *Eumaeus* [Refs - b0102; b3192]
- a *Oenomaus* Hübner, [1819], 1816-1826 OD: Verz. bekannt. Schmetz. (5):76 [b2484]. TS: *Papilio ortygynus* Cramer, [1779], 1775-1790. OD: Uitl. Kapellen 3(21):84, pl 243, f B. [b1069]. TM: by selection by Scudder, 1875. Proc. amer. Acad. Arts Sci. 10(2):231 [b4080]. HC-Lyc: Lyc: The: Eum: *Eumaeus* [Refs - b0908; b2988; b2280; b3192]
- a *Ogyris* Westwood, [1851], 1846-1852 OD: In Gen. dium. Lep. (2):pl 75, f 8 [b4981]. TS: *Ogyris abrota* Westwood, [1851], 1846-1852. OD: In Gen. dium. Lep. (2):pl 75, f 8 [b4981]. TM: by monotypy. HC-Lyc: Lyc: The: *Ogyrini* [Refs - b2280]
- a *Olynthus* Hübner, [1819], 1816-1826 OD: Verz. bekannt. Schmetz. (5):80 [b2484]. TS: *Papilio narbal* Stoll, [1790], 1780-1790. OD: In Cramer, Uitl. Kapellen Aanhangs.:168, pl 38, f 6 [b4478]. TM: by selection by Scudder, 1875. Proc. amer. Acad. Arts Sci. 10(2):232 [b4080]. HC-Lyc: Lyc: The: Eum: *Eumaeus* [Refs - b0908; b2280; b3394]
- d *Ops* de Nicéville, 1895, (H) OD: J. Bombay nat. Hist. Soc. 9(3):296 [b1159]. TS: *Ops ogyges* de Nicéville, 1895. OD: J. Bombay nat. Hist. Soc. 9(3):298, pl P, f 36,37 [b1159]. TM: by original designation. SS: *Tajuria* Moore, [1881]. [Refs - b2280]
- a *Orachrysops* Vari & Kroon, 1986 OD: Southern African Lepidoptera ix [b4822]. TS: *Lycaena niobe* Trimen, 1862. OD: Trans. ent. Soc. Lond. (3)1:282 [b4716]. TM: by original designation. HC-Lyc: Lyc: Pol: Pol: *Euchrysops* [Refs - b0122]
- a *Oraldium* Bethune-Baker, 1914 OD: Trans. ent. Soc. Lond. 62(2):331 [b0351]. TS: *Lycaena barberae* Trimen, 1868. OD: Trans. ent. Soc. Lond. 16(1):89, pl 5, f 7 [b4718]. TM: by original designation. HC-Lyc: Lyc: Pol: Pol: *Brephidium* [Refs - b3582; b2280]
- a *Oreya* Johnson, 1990 OD: J. New York ent. Soc. 98(1):53 [b2602]. TS: *Thecla oreynia* Hewitson, 1868. OD: Descr. new Spec. Lycaenidae :11 [b2327]. TM: by original designation. HC-Lyc: Lyc: The: Eum: *Thereus* [Refs - b0123; b3817]
- d *Oreas* Felder & Felder, 1865, 1865-1875, (H) OD: Reise Novara (2):305 [b1692]. TS: *Oreas marathron* Felder & Felder, 1865, 1865-1875. OD: Reise Novara (2):305, pl 38, f 23,24 [b1692]. TM: by selection by Hemming, 1964. Annot. Lep. (4):129 [b2276]. OS: *Rusalkia* Kirby, 1871. [Refs - b1019 :7; b2280; b1023]
- a *Oreolyce* Toxopeus, 1927, 1927-1928 OD: Tijdschr. Ent. 70:256,277 [b4697]. TS: *Lycaena quadriplaga* Snellen, 1892. OD: Tijdschr. Ent. 35:143 [b4265]. TM: by original designation. HC-Lyc: Lyc: Pol: Pol: *Lycaenopsis* [Refs - b2280; b1562; b1580]
- d *Orestias* Felder & Felder, 1862, (H) OD: Wien. ent. Monats. 6(3):73 [b1687]. TS: *Limnas vitula* Hewitson, [1852], 1852-1877. OD: Ill. exot. Butts 1:[118], pl [59], f 5 [b2323]. TM: by monotypy. OS: *Canea* Kirby, 1871. [Refs - b2280; b1023]
- c *Orimba* Herrich-Schäffer, [1853], 1850-1869 OD: Samml. neuer. aussereurop. Schmetz. 1:pl [11], f 28,29 (wrappers) [b2314]. TS: *Orimba arcas* Herrich-Schäffer, [1853], 1850-1869. OD: Samml. neuer. aussereurop. Schmetz. 1:[55], pl [11], f 28,29 (wrappers) [b2314]. TM: by monotypy. SS: *Seiabis* Westwood, [1851]. [Refs - b2988; b2280; b1023; b2881; b2154]
- a *Ornipholidotos* Bethune-Baker, 1914, ICZN Op 814, L 1757 OD: Trans. ent. Soc. Lond. 62(2):319 [b0351]. TS: *Penula kirbyi* Aurivillius, 1895. OD: Ent. Tidsskr. 16:198 [b0151]. TM: by designation by the ICZN. HC-Lyc: Lyc: Lip: Pen: *Telipna* [Refs - b1943; b1019 :7; b3582; b2280; b4400; b3151; b2535]
- e *Orthiomella* Cantlie, 1963, (ISS) OD: Lyc. Butts Revised :7, 73 [b0694]. SS: *Orthiomella* de Nicéville, 1890. [Refs - b4824]
- a *Orthomiella* de Nicéville, 1890 OD: Butts India Burma Ceylon 3:15,125 [b1153]. TS: *Chilades (?) pontis* Elwes, 1887. OD: Proc. zool. Soc. Lond. 1887(3):446 [b1591]. TM: by original designation. HC-Lyc: Lyc: Pol: Pol: *Una* [Refs - b2988; b2280; b2388]
- c *Otaacustesis* Dyar, 1914 OD: Proc. U. S. natn. Mus. 47(2050):145 [b1444]. TS: *Otaacustesis pericopidis* Dyar, 1914. OD: Proc. U. S. natn. Mus. 47(2050):147 [b1444]. TM: by original designation. SS: *Lepricornis* Felder & Felder, 1865. [Note - *The taxon represented by the nominal species Otaacustesis pericopidis Dyar, 1914, is currently treated, on subjective taxonomic grounds, as being the same as the taxon represented by the older-established nominal species Lepricornis ochracea Stichel, 1910.*] [Refs - b2280; b2154]
- b *Otaria* Zhdanok, 1984 OD: Trudy zool. Inst., Leningr. 122:104 [b5065]. TS: *Turanana tatjana* Zhdanok, 1984. OD: Trudy zool. Inst., Leningr. 122:104 [b5065]. TM: by original designation. SS: *Turanana* Bethune-Baker, 1916. [Refs - b0117; b5065; b3368]

- e *Ourocnemis* Lewis, [1973], (ISS) OD: Butts of the World :77,306 [b2988]. SS: *Ourocnemis* Bethune-Baker, 1887. [Refs - b2988]
- a *Ourocnemis* Bethune-Baker, 1887, ICZN Op. 1381 OD: Trans. ent. Soc. Lond. 35(2):176 [b0324]. TS: *Anteros axiochus* Hewitson, [1867], 1852-1877. OD: Ill. exot. Butts 4:[77], pl [42], f 1,2 [b2323]. TM: by monotypy. HC-Lyc: Rio: Rio: *Sarotini* [Note - The ICZN has conserved this name. The taxon represented by the nominal species *Anteros axiochus* Hewitson, [1867], is currently treated, on subjective taxonomic grounds, as being the same as the taxon represented by the older-established nominal species *Papilio archytas* Stoll, [1787].] [Refs - b2988 (as *Ourocnemis*); b1019 :8,13; b2280; b1048; b1050; b2544; b2154]
- a *Oxychaeta* Tite & Dickson, 1973 OD: Bull. Br. Mus. nat. Hist. (Ent.) 29(5):232, f 11,12 [b4685]. TS: *Phasis dicksoni* Gabriel, 1947. OD: Entomologist 80:60 [b1906]. TM: by original designation. HC-Lyc: Lyc: The: Aph: *Aphnaeus*
- a *Oxylides* Hübner, [1819], 1816-1826 OD: Verz. bekannt. Schmett. (5):77 [b2484]. TS: *Papilio faunus* Drury, [1773], 1770-1782. OD: Ill. nat. Hist. 2:index et 2, pl 1, f 4,5 [b1392]. TM: by selection by Scudder, 1875. Proc. amer. Acad. Arts Sci. 10(2):234 [b4080]. HC-Lyc: Lyc: The: *Oxylidini* [Refs - b3582; b2280]
- a *Pachythone* Bates, [1868] OD: J. linn. Soc. Lond., Zool. 9:389 [b0267]. TS: *Pachythone erebia* Bates, [1868]. OD: J. linn. Soc. Lond., Zool. 9:390 [b0267]. TM: by selection by Scudder, 1875. Proc. amer. Acad. Arts Sci. 10(2):235 [b4080]. HC-Lyc: Rio: Rio: *Emesini* [Refs - b2988; b2280; b2154]
- a *Paiwarria* Kaye, 1904 OD: Trans. ent. Soc. Lond. 52(2):199 [b2708]. TS: *Papilio venulius* Cramer, [1779], 1775-1790. OD: Uil. Kapellen 3(21):85, pl 243, f G. [b1069]. TM: by original designation. HC-Lyc: Lyc: The: *Eum: Eumaeus* [Refs - b0908; b2280; b1044]
- c *Palaeochrysophanus* Hemming, 1967, (ISS) OD: Bull. Br. Mus. nat. Hist. (Ent.) Suppl. 9:331 [b2280]. OS: *Palaeochrysophanus* Verity, 1943. [Refs - b2280; b1023]
- a *Palaeochrysophanus* Verity, 1943 OD: Farfalle Diurne Ital. 2:23,64 [b4862]. TS: *Papilio hippothoe* Linnaeus, 1761. OD: Faun. svec. (ed. 2) :285 [b2994]. TM: by original designation. HC-Lyc: Lyc: Lyc: *Lycaena* [Refs - b0485; b2280; b4220]
- d *Palaeolowea* Venty, 1934, 1934-1936, (JOS) OD: Ent. Rec. 46(5),Supp. :-(B) nota [b4853]. TS: *Papilio dorilis* Hüfnagel, 1766. OD: Berlin Mag. 2:68 [b2492]. TM: replacement name for *Lowea* Tutt, [1906]. OS: *Lowea* Tutt, [1906]. [Note - The taxon represented by the nominal species *Papilio dorilis* Hüfnagel, 1766, is currently treated, on subjective taxonomic grounds, as being a subspecies of the taxon represented by the older-established nominal species *Papilio ityrus* Poda von Neuhaus, 1761.] [Refs - b2280]
- a *Palaeophilotes* Forster, 1938 OD: Mitt. münchn. ent. Ges. 28:105 [b1762]. TS: *Lycaena triphysina* Staudinger, 1892. OD: Deut. ent. Zeit. [Ins.] 4(2):235, pl 3, f 2 [b4336]. TM: by original designation. HC-Lyc: Lyc: Pol: Pol: *Glaucoptysche* [Refs - b2988, b3110; b2280]
- c *Pallidula* Balletto, 1993 OD: Boll. Soc. ent. ital. 124(3):238 [b0220]. TS: *Pallidula vicunha* Balletto, 1993. OD: Boll. Soc. ent. ital. 124(3):239 [b0220]. TM: by original designation. SS: *Pseudolucia* Nabokov, 1945. [Note - Published as an adjective, and thus unavailable viz Articles 11(g) of the Code.] [Refs - b0220]
- a *Pamela* Hemming, 1935 OD: Stylops 4:3 [b2257]. TS: *Listeria dudgeonii* de Nicéville, 1894. OD: J. asiat. Soc. Bengal, Pt II 63(1):36, pl 4, f 3 [b1158]. TM: replacement name for *Listeria* de Nicéville, 1894. HC-Lyc: Lyc: The: *Deu: Capys* [Refs - b2280]
- a *Panara* Doubleday, 1847, 1844-1848 OD: List Spec. lep. Brit. Mus. 2:8 [b1327]. TS: *Papilio jarbas* Drury, [1782], 1770-1782. OD: Ill. nat. Hist. 3:index et 10, pl 8, f 2 [b1392]. TM: by selection by Scudder, 1875. Proc. amer. Acad. Arts Sci. 10(2):236 [b4080]. HC-Lyc: Rio: Rio: *Ancyluriti* [Note - The taxon represented by the nominal species *Papilio jarbas* Drury, 1782, is currently treated, on subjective taxonomic grounds, as being the same as the taxon represented by the older-established nominal species *Papilio thisbe* Fabricius, 1781.] [Refs - b2988; b1019; b2280; b2154]
- c *Panchala* Moore, 1882 OD: Proc. zool. Soc. Lond. 1882(1):251 [b3234]. TS: *Amblypodia ganesa* Moore, [1858]. OD: In Cat. Lep. Ins. E. India Co. (1):44, pl 1a, f 9 [b3219]. TM: by original designation. SS: *Arhopala Boisduval*, 1832. [Refs - b4198; b1644; b2988; b2280; b0965]
- a *Pandemos* Hübner, [1819], 1816-1826 OD: Verz. bekannt. Schmett. (2):25 [b2484]. TS: *Pandemos arcassa* Hübner, [1819], 1816-1826. OD: Verz. bekannt. Schmett. (2):25 [b2484]. TM: by selection by Scudder, 1875. Proc. amer. Acad. Arts Sci. 10(2):236 [b4080]. HC-Lyc: Rio: Rio: *Nymphidiini* [Note - The taxon represented by the nominal species *Pandemos arcassa* Hübner, [1819], is currently treated, on subjective taxonomic grounds, as being the same as the taxon represented by the older-established nominal species *Papilio pasiphae* Cramer, [1775].] [Refs - b2988; b0826 :271; b2280; b2154]
- e *Panhiades* Nicolay, 1976, (ISS) OD: Bull. Allyn Mus. (35):19 [b3390]. OS: *Panhiades* Hübner, [1819]. [Refs - b3390]
- a *Panhiades* Hübner, [1819], 1816-1826 OD: Verz. bekannt. Schmett. (5):79 [b2484]. TS: *Papilio pelion* Cramer, [1775], 1775-1790. OD: Uil. Kapellen 1(1):10, pl 6, f E,F [b1069]. TM: by selection by Scudder, 1875. Proc. amer. Acad. Arts Sci. 10(2):237 [b4080]. HC-Lyc: Lyc: The: *Eum: Eumaeus* [Note - The taxon represented by the nominal species *Papilio pelion* Cramer, [1775], is currently treated, on subjective taxonomic grounds, as being a subspecies of the taxon represented by the older-established nominal species *Papilio aeolus* Fabricius, 1775.] [Refs - b0908; b2988; b4245; b3390; b2280; b3192]
- d Papua Röber, [1892], 1888-1892, (H) OD: In Exot. Schmett. Bd 1(Th. 2)(6):273 [b3822]. TS: *Plebeius lucifer* Röber, [1886]. OD: CorrespBl. ent. Ver. Iris 1(1):61, pl 4, f 5 [b3820]. TM: by monotypy. SS: *Neopithecop* Distant, 1884. [Refs - b2280]
- c *Parachilades* Nabokov, 1945 OD: Psyche 52(1/2):6 [b3326]. TS: *Lycaena titicaca* Weymer, 1890. OD: In Stübel, Reisen in Süd-Amer., Lep. :122, pl 4, f 6 [b4988]. TM: by original designation. SS: *Itylos Draudt*, [1921]. [Refs - b0908, b2988, b2280; b3326; b0215]
- a *Parachrysops* Bethune-Baker, 1904 OD: Novit. zool. 11:369 [b0334]. TS: *Parachrysops bicolor* Bethune-Baker, 1904. OD: Novit. zool. 11:369 [b0334]. TM: by original designation. HC-Lyc: Lyc: The: *Luc: Hypochrysops* [Refs - b2280]
- a *Paraduba* Bethune-Baker, 1906 OD: Ann. Mag. nat. Hist. (7)17:103 [b0338]. TS: *Paraduba owgarra* Bethune-Baker, 1906. OD: Ann. Mag. nat. Hist. (7)17:104 [b0338]. TM: by original designation. HC-Lyc: Lyc: Pol: Pol: *Prosotas* [Refs - b2280; b2388]
- b *Paragerydus* Distant, 1884, 1882-1886 OD: Rhop. malayana :207 [b1285]. TS: *Miletus horsfieldi* Moore, [1858]. OD: In Cat. Lep. Ins. E. India Co. (1):19, pl 1a, f 1 [b3219]. TM: by selection by Kirby, [1885]. Zool. Rec. 21(1884)(Ins.):191 [b2762]. SS: *Alloimnus Felder & Felder*, 1865. [Refs - b1285 :207; b1153; b2280; b1571; b1552]
- b *Paragrodiaetus* Rose & Schurian, 1977 OD: J. ent. Soc. Iran 4(1/2):68 [b3862]. TS: *Lycaena glaucias* Lederer, 1872. OD: Horae Soc. ent. ross. 8:10, pl 1, f 6-7 or 8 [b2957]. TM: by original designation. SS: *Polyommatus Latreille*, 1804. [Refs - b0109]

- a **Paralaxita** Eliot, 1978 OD: Butts Malay Penin. (3rd ed.) :221 [b1563]. TS: Abisara damajanti Felder & Felder, 1860. OD: Wien. ent. Monats. 4(8):397 [b1681]. TM: by original designation. HC-Lyc: Rio: Nem: Abisarini [Refs - b1563; b1044; b2154]
- a **Paralucia** Waterhouse & Turner, [1905] OD: Proc. linn. Soc. N. S. Wales 29(4):802 [b4948]. TS: Lucia (?) pyrodiscus Rosenstock, 1885. OD: Ann. Mag. nat. Hist. (5)16:377 [b3865]. TM: by original designation. HC-Lyc: Lyc: The: Luc: Lucia [Refs - b2280]
- a **Paralustrus** Johnson, 1992 OD: Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (22):153 [b2611]. TS: Thecla commodus Felder & Felder, 1865, 1865-1875. OD: Reise Novara (2):262, pl 32, f 19,20 [b1692]. TM: by original designation. HC-Lyc: Lyc: The: Eum: Eumaeus [Refs - b0125; b2942; b2611]
- a **Paralycæides** Nabokov, 1945 OD: Psyche 52(1/2):36 [b3326]. TS: Itylos inconspicua Draudt, [1921], 1917-1924. OD: In Seitz, Grossschmett. Erde 5:822, pl 144, f M.[8], M.[9] [b1348]. TM: by original designation. HC-Lyc: Lyc: Pol: Pol: Polyommatus [Refs - b0908; b2280; b3326; b0207]
- b **Paraphnaeus** Thierry-Mieg, 1904 OD: Naturaliste 26(415):140 [b4641]. TS: Aphnaeus hutchinsonii Trimen, 1887, 1887-1889. OD: In Trimen & Bowker, S. Afr. Butts 2:146-150 [b4725]. TM: by monotypy. SS: Aphnaeus Hübner, [1819]. [Refs - b2280]
- a **Paraphthonia** Stichel, 1910 OD: Gen. Insectorum 112(A):137 [b4446]. TS: Monethe molione Godman, 1903. OD: Trans. ent. Soc. Lond. 51(4):539, pl 22, f 4 [b1972]. TM: by original designation. HC-Lyc: Rio: Rio: Ancylyruti [Refs - b2280; b2154]
- c **Parapithecopis** Moore, 1884 OD: J. asiat. Soc. Bengal, Pt II 53(1):20 [b3236]. TS: Parapithecopis gaura Moore, 1884. OD: J. asiat. Soc. Bengal, Pt II 53(1):20 [b3236]. TM: by monotypy. SS: Neopithecopis Distant, 1884. [Note - The taxon represented by the nominal species *Parapithecopis gaura* Moore, 1884, is currently treated, on subjective taxonomic grounds, as being the same as the taxon represented by the older-established nominal species *Pithecopis dharmia* Moore, [1881].] [Refs - b2280]
- d **Parapontia** Röber, [1892], 1888-1892, (JOS), ICZN Op 566, I 1280 OD: In Exot. Schmett. Bd 1(Th. 2)(6):280 [b3822]. TS: Liptena undularis Hewitson, [1866], 1852-1877. OD: Ill. exot. Butts 3:120, pl [60], f 7 [b2323]. TM: by monotypy. OS: Liptena Westwood, [1851]. [Refs - b2280; b2531]
- a **Parastauga** Bethune-Baker, [1925] OD: Trans. ent. Soc. Lond. 72(3/4):206 [b0361]. TS: Astauga kallimoides Schultze, 1912. OD: Ent. Rundsch. 29(6):43 [b4011]. TM: by original designation. HC-Lyc: Lyc: Lip: Astauga [Refs - b2988; b2280; b1452]
- a **Parcelia** Stichel, 1910 OD: Berl. ent. Z. 55(1/2):59 [b4445]. TS: Amblygonia amarynthina Felder & Felder, 1865, 1865-1875. OD: Reise Novara (2):309 [b1692]. TM: by original designation. HC-Lyc: Rio: Rio: Rio: Riadini [Refs - b2988; b2280; b2154]
- a **Parelodina** Bethune-Baker, 1904 OD: Novit. zool. 11:368 [b0334]. TS: Parelodina aroa Bethune-Baker, 1904. OD: Novit. zool. 11:368 [b0334]. TM: by original designation. HC-Lyc: Lyc: Pol: Pol: Lycaenopsis [Refs - b2280; b1580]
- a **Parnes** Westwood, [1851], 1846-1852 OD: In Gen. dium. Lep. (2):pl 73, f 3 [b4981]. TS: Parnes nycetis Westwood, [1851], 1846-1852. OD: In Gen. dium. Lep. (2):pl 73, f 3 [b4981]. TM: by monotypy. HC-Lyc: Rio: Rio: Nymphidini [Refs - b2988; b2280; b2154]
- a **Parrhasius** Hübner, [1819], 1816-1826 OD: Verz. bekannt. Schmett. (5):79 [b2484]. TS: Papilio polibetes Stoll, [1781], 1780-1790. OD: In Cramer, Uil. Kapellen 4(29):98, pl 341, f B,C [b4478]. TM: by selection by Scudder, 1875. Proc. amer. Acad. Arts Sci. 10(2):242 [b4080]. HC-Lyc: Lyc: The: Eum: Eumaeus [Refs - b0908; b2280; b3392; b3192; b1743]
- a **Paruparo** Takanami, 1982 OD: Mem. Tsukada Colln 4:52 [b4586]. TS: Pratapa cebuensis Jumalon, 1975. OD: Tyô to Ga 26(2):62, f [b2673]. TM: by original designation. HC-Lyc: Lyc: The: Iol: Iolusa [Refs - b2211; b2199; b4586]
- c **Pathalia** Moore, 1884 OD: J. asiat. Soc. Bengal, Pt II 53(1):21 [b3236]. TS: Pathalia albidisca Moore, 1884. OD: J. asiat. Soc. Bengal, Pt II 53(1):21 [b3236]. TM: by original designation. SS: Megisba Moore, [1881]. [Note - The taxon represented by the nominal species *Pathalia albidisca* Moore, 1884, is currently treated, on subjective taxonomic grounds, as being the same as the taxon represented by the older-established nominal species *Megisba sikkima* Moore, 1884.] [Refs - b2280; b1562]
- a **Patricius** Bálint, 1990 OD: Janus Pannonius Múz. Évk. 35:40 [b0202]. TS: Lycaena felix Oberthür, 1886. OD: Étud. ent. 11:21, pl 7, f 52 [b3429]. TM: by original designation. HC-Lyc: Lyc: Pol: Pol: Polyommatus [Refs - b0209]
- a **Penaincisalia** Johnson, 1990 OD: Pan-Pac. Ent. 66(2):99 [b2603]. TS: Thecla culminicola Staudinger, 1894. OD: Deut. ent. Zeit. [Iris] 7:80, pl 2, f 6 [b4339]. TM: by original designation. HC-Lyc: Lyc: The: Eum: Eumaeus [Refs - b2585; b0124; b2611]
- a **Pendantus** Johnson & Kroenlein, 1993 OD: Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (34):3 [b2628]. TS: Thecla plusios Godman & Salvin, [1887], 1879-1901. OD: Biol. centr.-amer., Lep. Rhop. 2:77 [b1975]. TM: by original designation. HC-Lyc: Lyc: The: Eum: Eumaeus [Refs - b2628]
- a **Pentila** Westwood, [1851], 1846-1852, ICZN Op 566, L 1366 OD: In Gen. dium. Lep. (2):pl 76, f 6 [b4981]. TS: Tingra tropicalis Boisduval, 1847. OD: In Delegorgue, Voy. Afrique Austr. 2:589 [b0464]. TM: by designation by the ICZN. HC-Lyc: Lyc: Lip: Pen: Pentila [Refs - b1943; b3582; b2280; b2531; b3151]
- b **Pendulara** Eliot & Kawazoé, 1983 OD: Butts Lycaenopsis group :152 [b1580]. TS: Polyommatus alboceruleus Moore, 1879. OD: Proc. zool. Soc. Lond. 1879(1):139 [b3231]. TM: by original designation. SS: Udara Toxopeus, 1928 [Refs - b1580]
- d **Peplia** Hübner, [1819], 1816-1826, (JOS) OD: Verz. bekannt. Schmett. (2):20 [b2484]. TS: Papilio caricae Linnaeus, 1758 OD: Syst. nat. (ed. 10) 1:484 [b2993]. TM: by selection by Scudder, 1875. Proc. amer. Acad. Arts Sci. 10(2) 244 [b4080]. OS: Nymphidium Fabricius, 1807. [Refs - b2280; b1023]
- c **Pepliophorus** Waterhouse & Lyell, 1914, (ISS) OD: Butts Aust :101-102 [b4947]. OS: Pepliophorus Hübner, [1819]. [Refs - b2280]
- c **Pepliophorus** Hübner, [1819], 1816-1826, (PD) OD: Verz. bekannt. Schmett. (5):71 [b2484]. TS: Papilio cyanea Cramer, [1775], 1775-1790. OD: Uil. Kapellen 1(7):120, pl 76, f C,D. [b1069]. TM: by selection by Scudder, 1875. Proc. amer. Acad. Arts Sci. 10(2):245 [b4080]. SS: Nacaduba Moore, [1881]. [Note - *Hirowatari* has submitted a petition to the ICZN to suppress this name in favor of *Nacaduba*.] [Refs - b2280; b2389]
- d **Peplodyta** Toxopeus, 1929, (JOS) OD: Tijdschr. Ent. 72(3/4):230 [b4700]. TS: Papilio cyanea Cramer, [1775], 1775-1790. OD: Uil. Kapellen 1(7):120, pl 76, f C,D [b1069]. TM: by original designation. OS: Pepliophorus Hübner, [1819]. [Refs - b2280]

- a **Periplacis** Geyer, [1837], 1832-1837 OD: In Zutr. Samml. exot. Schmett. 5:32 [b1934]. TS: *Periplacis glaucoma* Geyer, [1837], 1832-1837. OD: In Zutr. Samml. exot. Schmett. 5:32, pl [159], f 927,928 [b1934]. TM: by selection by Scudder, 1875. Proc. amer. Acad. Arts Sci. 10(2):245 [b4080]. HC-Lyc: Rio: Rio: **Nymphidiini** [Refs - b2988; b2280; b2154]
- b **Perivaga** Eliot & Kawazoé, 1983 OD: Butts *Lycaenopsis* group :126 [b1580]. TS: *Candalides meeki* Bethune-Baker, 1906. OD: Ann. Mag. nat. Hist. (7)17:101 [b0337]. TM: by original designation. SS: *Udara Toxopeus*, 1928. [Refs - b1580]
- a **Perophtalma** Westwood, [1851], 1846-1852 OD: In Gen. diurn. Lep. (2):455 [b4981]. TS: *Mesosemia* (*Perophtalma*) *tenera* Westwood, [1851], 1846-1852. OD: In Gen. diurn. Lep. (2):455 [b4981]. TM: by monotypy. HC-Lyc: Rio: Rio: **Mesosemiini** [Note - *The taxon represented by the nominal species Mesosemia (Perophtalma) tenera* Westwood, [1851], is currently treated, on subjective taxonomic grounds, as being the same as the taxon represented by the older-established nominal species *Papilio tullius* Fabricius, 1787.] [Refs - b2988 (as *Perophtalma*); b2280; b2154]
- c **Perophtalma** Mengel, 1905, (ISS) OD: Cat. Erycinidae :56 [b3155]. OS: *Perophtalma* Westwood, [1851]. [Refs - b2988; b2280]
- a **Perpheres** Hirowatari, 1992 OD: Bull. Univ. Osaka Pref. (B)44(Suppl.):27 [b2388]. TS: *Thysanotis perpheres* H. H. Druce & Bethune-Baker, 1893. OD: Proc. zool. Soc. Lond. 1893(3):544, pl 45, f 9,10 [b1382]. TM: by original designation. HC-Lyc: Lyc: Pol: Pol: **Danis** [Refs - b2388]
- c **Petrelaea** Stempffer, 1954, (ISS) OD: Mém. Inst. Franç. Afr. Noire 40:351 [b4386]. OS: *Petrelaea* *Toxopeus*, 1929. [Refs - b1784]
- a **Petrelaea** *Toxopeus*, 1929 OD: Tijdschr. Ent. 72(3/4):242 [b4700]. TS: *Petrelaea dana varia* *Toxopeus*, 1929. OD: Tijdschr. Ent. 72(3/4):242 [b4700]. TM: by monotypy. HC-Lyc: Lyc: Pol: Pol: **Petrelaea** [Refs - b1943; b3582; b2280; b2388]
- a **Petrocerus** Callaghan, 1979 OD: Bull. Allyn Mus. (53):1 [b0673]. TS: *Calydna catiena* Hewitson, [1875], 1852-1877. OD: Ill. exot. Butts 5:Ery, f 9 [b2323]. TM: by original designation. HC-Lyc: Rio: [Refs - b0673; b2154]
- c **Phaedra** Horsfield, [1829], 1828-1829 OD: Descr. Cat. lepid. Ins. (2):123 [b2457]. TS: *Phaedra terricola* Horsfield, [1829], 1828-1829. OD: Descr. Cat. lepid. Ins. (2):124 [b2457]. TM: by selection by Hemming, 1934. Gen. Names hol. Butts 1:120 [b2253]. SS: *Cureüs* *Hübner*, [1819]. [Note - *The taxon represented by the nominal species Phaedra terricola* Horsfield, [1829], is currently treated, on subjective taxonomic grounds, as being the same as the taxon represented by the older-established nominal species *Papilio thetis* *Drury*, [1773].] [Refs - b1019; b2280]
- c **Phaedrotus** Scudder, 1876 OD: Bull. Buffalo Soc. nat. Sci. 3:115 [b4083]. TS: *Lycaena catalina* *Reakirt*, 1866, 1866-1867. OD: Proc. Acad. nat. Sci. Philad. 18:244 [b3697]. TM: by original designation. SS: *Glaucopsyche* *Scudder*, 1872. [Note - *The taxon represented by the nominal species Lycaena catalina* *Reakirt*, 1866, is currently treated, on subjective taxonomic grounds, as being the same as the taxon represented by the older-established nominal species *Lycaena piasus* *Boisduval*, 1852.] [Refs - b0908; b2280; b3192; b1321]
- c **Phaedrotus** *Lewis*, [1973], (ISS) OD: Butts of the World :pl 20, f 12; :218, f 12 (text) [b2988]. SS: *Phaedrotus* *Scudder*, 1876. [Refs - b3138]
- a **Phaenochltonia** *Süchel*, 1910 OD: Berl. ent. Z. 55(1/2):51 [b4445]. TS: *Papilio cingulus* *Stoll*, [1790], 1780-1790. OD: In *Cramer*, *Uitl. Kapellen Aanhangs*.61, pl 13, f 4 [b4478]. TM: by selection by *Süchel*, 1911. Gen. Insectorum 112(A):239 [b4447]. HC-Lyc: Rio: Rio: **Symmachiini** [Refs - b2988; b2280; b4445; b2154]
- a **Phaestrymon** *Clench*, 1961 OD: In *Ehrlich & Ehrlich*, *Butterflies* :179,190 [b0829]. TS: *Thecla alcestis* *Edwards*, [1871]. OD: Trans. amer. ent. Soc. 3(3/4):271 [b1502]. TM: by original designation. HC-Lyc: Lyc: The: **Eum: Eumaeus** [Refs - b2280; b1023; b3192; b1743]
- a **Phasis** *Hübner*, [1819], 1816-1826 OD: Verz. bekannt. Schmett. (5):73 [b2484]. TS: *Papilio salmoneus* *Stoll*, [1781], 1780-1790. OD: In *Cramer*, *Uitl. Kapellen* 4(29):99, pl 341, f D,E [b4478]. TM: by selection by *Scudder*, 1875. Proc. amer. Acad. Arts Sci. 10(2):247 [b4080]. HC-Lyc: Lyc: The: **Aph: Aphnaeus** [Note - *The taxon represented by the nominal species Papilio salmoneus* *Stoll*, [1781], is currently treated, on subjective taxonomic grounds, as being the same as the taxon represented by the older-established nominal species *Papilio thero* *Linnaeus*, 1764.] [Refs - b1943; b3582; b2280]
- a **Pheles** *Herrich-Schäffer*, [1853], 1850-1869 OD: Samml. neuer. aussereurop. Schmett. 1:pl [11], f 30 (wrappers) [b2314]. TS: *Pheles heliconides* *Herrich-Schäffer*, [1853], 1850-1869. OD: Samml. neuer. aussereurop. Schmett. 1:[77], pl [11], f 30 (wrappers) [b2314]. TM: by monotypy. HC-Lyc: Rio: Rio: **Riodinidi** [Refs - b2988; b2280; b2881; b2154]
- a **Phengaris** *Doherty*, 1891 OD: J. asiat. Soc. Bengal, Pt II 60(1):36 [b1303]. TS: *Lycaena atroguttata* *Oberthür*, 1876. OD: Étud. ent. 2:21, pl 1, f 4a,b [b3417]. TM: by monotypy. HC-Lyc: Lyc: Pol: Pol: **Glaucopsyche** [Refs - b4198; b2988; b2280; b3110]
- c **Philiolaus** *Stempffer & Bennett*, 1958 OD: Bull. Inst. franç. Afr. Noire 20(A)(4):1336 [b4418]. TS: *Jolaus parasılanus* *Rebel*, 1914. OD: Annln naturh. Mus. Wien 28:266 [b3710]. TM: by original designation. SS: *Argiolaus* *H. H. Druce*, 1891. [Refs - b2280; ns2225; b0119]
- a **Philliris** *Röber*, 1891 OD: Tijdschr. Ent. 34(3/4):317 [b3823]. TS: *Thecla ilias* *C. Felder*, 1860. OD: Sber. Akad. Wiss. Wien 40(1):454 [b1676]. TM: by monotypy. HC-Lyc: Lyc: The: **Luc: Hypochrysops** [Refs - b2280]
- a **Philotes** *Scudder*, 1876 OD: Bull. Buffalo Soc. nat. Sci. 3:116 [b4083]. TS: *Lycaena regia* *Boisduval*, 1869, 1868-1869. OD: Anns Soc. ent. Belg. 12:46 [b0468]. TM: by original designation. HC-Lyc: Lyc: Pol: Pol: **Glaucopsyche** [Note - *The taxon represented by the nominal species Lycaena regia* *Boisduval*, 1869, is currently treated, on subjective taxonomic grounds, as being the same as the taxon represented by the older-established nominal species *Lycaena sonorensis* *Felder & Felder*, 1865.] [Refs - b0485; b0908; b2280; b3110; b3192; b1321]
- a **Philotiella** *Mattoni*, [1978] OD: J. Res. Lep. 16(4) 227 [b3110]. TS: *Lycaena speciosa* *H. Edwards*, [1877] OD Proc. Calif. Acad. Sci. 7(12):173 [b1483]. TM: by original designation. HC-Lyc: Lyc: Pol: Pol: **Glaucopsyche** [Refs - b3110; b3192]
- a **Phylaria** *Karsch*, 1895 OD: Ent. Nachr. 21:302 [b2694] TS: *Lycaena cyara* *Hewitson*, [1876], 1852-1877. OD: Ill. exot. Butts 5:[88], pl [46], f 9,10 [b2323]. TM: by original designation. HC-Lyc: Lyc: Pol: Pol: **Phylaria** [Refs - b1943; b2280; b3582 (as *Phylaria*)]
- a **Phoenicurusia** *Verity*, 1943 OD: *Farfalle Diurne Ital.* 2:21 [b4862]. TS: *Polyommatus margelanica* *Staudinger*, 1881 OD: Stutt. ent. Ztg 42:282 [b4328]. TM: by subsequent designation by *Nekrutenko & Effendi*, 1983. Vestnik Zoologu 1983(4):8-16 [b3371]. HC-Lyc: Lyc: Lyc: **Lycaena** [Note - *Verity* made *Polyommatus phoenicurus* the type of his new genus, but *Nekrutenko & Effendi* note that he had misidentified the insect before him and that the true type should be considered to be *Polyommatus margelanica* *Staudinger*, long considered a subspecies of *phoenicurus*, but actually quite distinct.] [Refs - b2280; b4220; b3371; b3360; b2794]
- c **Phylaria** *Peters*, 1952, (ISS) OD: Prov. Chk. Butts Eth. Region :11,113 [b3582]. OS: *Phylaria* *Karsch*, 1895. [Refs - b3582; b3549]

- a **Phytala** Westwood, [1851], 1846-1852 OD: In Gen. diurn. Lep. (2):pl 77, f 2 [b4981]. TS: *Phytala elais* Westwood, [1851], 1846-1852. OD: In Gen. diurn. Lep. (2):pl 77, f 2 [b4981]. TM: by monotypy. HC-Lyc: Lyc: Lip: Lip: *Epitola* [Refs - b2280; b3582]
- b **Pilodeudorix** H. H. Druce, 1891 OD: Ann. Mag. nat. Hist. (6)7:366 [b1355]. TS: *Pilodeudorix barbatus* H. H. Druce, 1891. OD: Ann. Mag. nat. Hist. (6)7:366 [b1355]. TM: by original designation. SS: *Deudorix* Hewitson, [1863]. [Refs - b1943; b3582; b2280]
- c **Pilodeudoxis** Anonymous, 1961, (ISS) OD: Zool. Rec. 94(1957)(Ins.):434 [b0092]. SS: *Pilodeudorix* H. H. Druce, 1891. [Refs - b0092]
- a **Pistoria** Hemming, 1964 OD: Annot. Lep. (4):141 [b2278]. TS: *Mambara nigropunctata* Bethune-Baker, 1908. OD: Proc. zool. Soc. Lond. 1908(1):120, pl 8, f 5 [b0340]. TM: replacement name for *Mambara* Bethune-Baker, 1908. HC-Lyc: Lyc: Pol: Pol: *Upolampes* [Refs - b2280; b2388]
- a **Pithecopis** Horsfield, [1828], 1828-1829, ICZN Op 822, L 1763 OD: Descr. Cat. lepid. Ins. (1):66 [b2457]. TS: *Pithecopis hylax corax* Fruhstorfer, [1919]. OD: Arch. Naturgesch. (A)83(1)(1917):79 [b1889]. TM: by designation by the ICZN. HC-Lyc: Lyc: Pol: Pol: *Pithecopis* [Refs - b4198; b1019 :7; b2280; ns1010; b3151; b2388]
- a **Pixus** Callaghan, 1982 OD: Revta Soc. mex. Lep. 7(2):57 [b0675]. TS: *Nymphidium corculum* Stichel, 1929. OD: Mitt. zool. Mus. Berl. 15:24 [b4470]. TM: by original designation. HC-Lyc: Rlo: [Refs - b0675; b2154]
- a **Plautella** Eliot & Kawazoe, 1983 OD: *Butus Lycaenopsis* group :168 [b1580]. TS: *Cyaniris cossaea* de Nicéville, 1895. OD: J. Bombay nat. Hist. Soc. 9(3):271, pl O, f 14,15 [b1159]. TM: by original designation. HC-Lyc: Lyc: Pol: Pol: *Lycaenopsis* [Refs - b1580]
- d **Plebeius** Kirby, 1871, (JOS) OD: Syn. Cat. diurn. Lep. :653 [b2747]. TS: *Papilio argus* Linnaeus, 1758. OD: Syst. nat. (ed. 10) 1:483 [b2993]. TM: by selection by Crotch, 1872. *Cistula* Entomologica 1(4):60 [b1076]. OS: *Plebejus* Kluk, 1802. [Refs - b0908; b2280; b3192; b1321; b2794]
- b **Plebejidea** Koçak, 1983, 1981-1983 OD: *Priamus* 3(1):29 [b2794]. TS: *Lycaena loewii* Zeller, 1847. OD: Isis von Oken 1847(1):9, n 35 [b5060]. TM: by original designation. SS: *Polyommatus* Latreille, 1804. [Refs - b2794; b1064]
- a **Plebejides** Sauter, 1968 OD: In Fauna Hung. 91(15):4 [b3942]. TS: *Lycaena pylaon* Fischer von Waldheim, 1832. OD: Mém. Soc. imp. nat. Moscou 8:357, pl 19, f 5,6 [b1742]. TM: by original designation. HC-Lyc: Lyc: Pol: Pol: *Polyommatus* [Refs - b2794; ns0203]
- a **Plebejus** Kluk, 1802, 1795-1802, ICZN Op 278, L 705 OD: Zwierr. Hist. nat. pocz. gospod. 4:89 [b2783]. TS: *Papilio argus* Linnaeus, 1758. OD: Syst. nat. (ed. 10) 1:483 [b2993]. TM: by selection by Hemming, 1933. Entomologist 66:224 [b2249]. HC-Lyc: Lyc: Pol: Pol: *Polyommatus* [Note - Koçak gives some interesting notes on this name.] [Refs - b0485; b0908; b2988; b2280; b3192; b1743; b1321; b2794; b4366; b3151]
- e **Plebeoides** Koçak, 1983, 1981-1983, (IOS) OD: *Priamus* 3(1):29 [b2794]. SS: *Plebejidea* Koçak, 1983. [Refs - b2794; b1064]
- b **Plebicula** Higgins, 1969 OD: Entomologist 102:67 [b2374]. TS: *Papilio argester* Bergsträsser, [1779], 1778-1780. OD: Nom. Ins. 2:76, pl 46, f 1,2 [b0310]. TM: by original designation. SS: *Polyommatus* Latreille, 1804. [Note - The taxon represented by the nominal species *Papilio argester* Bergsträsser, [1779], is currently treated, on subjective taxonomic grounds, as being the same as the taxon represented by the older-established nominal species *Papilio dorylas* Denis & Schiffermüller, [1775].] [Refs - b2794; b2374; b4247; b2374]
- b **Plebulina** Nabokov, 1944 OD: Psyche 51(3/4):104 [b3325]. TS: *Lycaena emigdonis* Grinnell, 1905. OD: Ent. News 16(4):115 [b2022]. TM: by original designation. SS: *Plebejus* Kluk, 1802. [Refs - b0908; b2280; b3192; b1321]
- a **Plesiocyanoptyx** Johnson & Eisele & MacPherson, 1993 OD: Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (39):3 [b2626]. TS: *Thecla goodsoni* Clench, 1946. OD: Entomologist 79:186 [b0824]. TM: by original designation. HC-Lyc: Lyc: The: Eum: *Eumaeus* [Refs - b2585; b2626]
- a **Poecilmitis** Butler, 1899 OD: Entomologist 32:78 [b0653]. TS: *Zeritis lycegenes* Trimen, 1874. OD: Trans. ent. Soc. Lond. 22(3):337, pl 2, f 7 [b4721]. TM: by original designation. HC-Lyc: Lyc: The: Aph: *Aphnaeus* [Refs - b3582; b2280]
- e **Polyommatus** Kirtland, 1874, (ISS) OD: Proc. Cleveland Acad. nat. Sci. 1845-1859:25 [b2770]. SS: *Polyommatus* Latreille, 1804. [Refs - b3138]
- a **Polycaena** Staudinger, 1886, 1886-1889 OD: Stutt. ent. Ztg 47:227 [b4330]. TS: *Polycaena tamerlana* Staudinger, 1886, 1886-1889. OD: Stutt. ent. Ztg 47:227 [b4330]. TM: by monotypy. HC-Lyc: Rlo: Nem: *Nemeobliini* [Refs - b2988; b0826 :270; b4245; b2280; b2154]
- e **Polycyma** (Scott MS) C. Felder, 1862, (PS) OD: Verh. zool.-bot. Ges. Wien 12:490 [b1677]. OS: *Erina* Swainson, [1833]. [Refs - b2280; b1023]
- e **Polymastor** Gaede 1931, (ISS) OD: Lep. Cat. Pars 46:510 [b1912]. OS: *Polyommatus* Latreille, 1804. [Refs - b2280]
- c **Polyniphes** Kaye, 1904 OD: Trans. ent. Soc. Lond. 52(2):191 [b2708]. TS: *Polyommatus dumenilii* Godart, [1824], 1819-1824. OD: In Ency. méth. 9(Ins.)(2):677 [b1970]. TM: by original designation. SS: *Arawacus* Kaye, 1904. [Refs - b0908; b2988; b2280; b3817]
- e **Polyommatus** Lucas, [1836], 1835-1836, (ISS) OD: Hist. nat. Léop. exot. (livr. 11):pl 44 [b3019]. OS: *Polyommatus* Latreille, 1804. [Refs - b1023]
- a **Polyommatus** Latreille, 1804, ICZN Op 175 & 270, L 689 OD: Nouv. Dict. Hist. nat. 24(tab.):185,200 [b2926]. TS: *Papilio icarus* Rottemburg, 1775. OD: Naturforscher 6:31 [b3890]. TM: by designation by the ICZN. HC-Lyc: Lyc: Pol: Pol: *Polyommatus* [Refs - b0485; b0908; b2988; b2280; b2519; b2794; b4367; b3151; b2522]
- d **Polystichthis** Agassiz, [1847], 1842-1847, (UE) OD: Nomencl. zool. (ed. 4) (12)(Index univ.):304 [b0009]. OS: *Polysuchus* Hübner, [1819]. [Refs - b2280; b1023; b3192]
- c **Polystichtis** Hübner, [1819], 1816-1826 OD: Verz. bekannt. Schmett. (2):18 [b2484]. TS: *Papilio cereus* Linnaeus, 1767 OD: Syst. nat. (ed. 12) 1(2):errata [b2997]. TM: by selection by Scudder, 1872. 4th Ann. Rep. Peabody Acad. Sci. 1871:49 [b4078]. SS: *Emesis* Fabricius, 1807. [Refs - b2280; b0826 :271; b2988; b3192; b2154]
- d **Polystigma** Godman & Salvin, [1886], 1879-1901, (H) OD: Biol. centr.-amer., Lep. Rhop. 1:469 [b1975]. TS: *Chrysophanus nais* Edwards, 1877. OD: Trans. amer. ent. Soc. 5(3/4):291 [b1508]. TM: by monotypy. SS: *Apodemia* Felder & Felder, 1865. [Refs - b2280; b3192]
- c **Polystigmata** Müller & Brown, 1981, [ISS] OD: Mem. Lep. Soc. (2):228, note #424 [b3192]. SS: *Polystigma* Godman & Salvin, [1886]. [Note - Müller & Brown attribute this name to R Gray, but do not give enough information to trace it.] [Refs - b3192]
- c **Polythectus** Bálint & Johnson, 1993 OD: Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (28):2 [b0213]. TS: *Polythectus cincinnatus* Bálint & Johnson, 1993. OD: Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (28):2, f [b0213]. TM: by original designation. SS: *Eldoradina* Balleu, 1993. [Refs - b0213]

- d *Polytheclus* Bálint & Johnson, 1994, (H & JOS) OD: Acta zool. hung. 40(2):115 [b0214]. TS: *Polytheclus cincinnatus* Bálint & Johnson, 1994. OD: Acta zool. hung. 40(2):116, f 19,20,32,34 [b0214]. TM: by original designation. OS: *Polytheclus* Bálint & Johnson, 1993. [Refs - b0214]
- a *Pons* Johnson, 1992 OD: Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (22):21 [b2610]. TS: *Pons magnifica* Johnson, 1992. OD: Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (22):22, f [b2610]. TM: by original designation. HC-Lyc: Lyc: The: Eum: *Eumaeus* [Refs - b0125; b2610]
- a *Pontirama* Johnson, 1992 OD: Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (22):40 [b2610]. TS: *Pontirama brunea* Johnson, 1992. OD: Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (22):41, f [b2610]. TM: by original designation. HC-Lyc: Lyc: The: Eum: *Eumaeus* [Refs - b0125; b2942; b2610]
- a *Poriskina* H. H. Druce, 1895 OD: Proc. zool. Soc. Lond. 1895(3):570 nota [b1362]. TS: *Poriskina phakos* H. H. Druce, 1895. OD: Proc. zool. Soc. Lond. 1895(3):570, pl 34, f 15 [b1362]. TM: by monotypy. HC-Lyc: Lyc: *Poritinae* [Refs - b2280; b1023]
- a *Poritia* Moore, [1866] OD: Proc. zool. Soc. Lond. 1865(3):775 [b3221]. TS: *Poritia hewitsoni* Moore, [1866]. OD: Proc. zool. Soc. Lond. 1865(3):775, pl 31, f 10 [b3221]. TM: by monotypy. HC-Lyc: Lyc: *Poritinae* [Refs - b2280]
- e *Postagrodiaetus* Bálint, 1992, (ISS) OD: Linneana Belgica 13(8):398 [b0205]. SS: *Paragrodiaetus* Rose & Schurian, 1977. [Refs - b0205]
- d *Poultonia* Neave, 1904, (H) OD: Novit. zool. 11:336 [b3345]. TS: *Poultonia ochrascens* Neave, 1904. OD: Novit. zool. 11:336, pl 1, f 1 [b3345]. TM: by original designation. OS: *Ebepius* Hemming, 1964. [Refs - b2280]
- a *Powellana* Bethune-Baker, 1908 OD: Proc. zool. Soc. Lond. 1908(1):114 [b0340]. TS: *Powellana cottoni* Bethune-Baker, 1908. OD: Proc. zool. Soc. Lond. 1908(1):114, pl 9, f 13 [b0340]. TM: by original designation. HC-Lyc: Lyc: *Lip: Lip: Epitola* [Refs - b3582; b2280]
- e *Powelli* Stempffer, 1967, (ISS) OD: Bull. Br. Mus. nat. Hist. (Ent.) Suppl. 10:322 (index for virginea) [b4400]. OS: *Powellana* Bethune-Baker, 1908.
- e *Powellina* Sharp, [1910], (ISS) OD: Zool. Rec. 45(1908)(Ins.):319 [b4138]. OS: *Powellana* Bethune-Baker, 1908. [Refs - b2280]
- a *Praephilotes* Forster, 1938 OD: Mitt. münchn. ent. Ges. 28:105 [b1762]. TS: *Lycaena anthracias* Christoph, 1877, 1876-1877. OD: Horae Soc. ent. ross. 12:239-240, pl 5, f 12 [b0787]. TM: by original designation. HC-Lyc: Lyc: *Pol: Pol: Glaucopsyche* [Refs - b2988; b2280; b3110]
- a *Praetaxilla* Fruhstorfer, [23 Jul 1914], 1909-1923 OD: In Seitz, Grossschm. Erde 9:793 [b1840]. TS: *Sospia segecia* Hewitson, [1861], 1852-1877. OD: Pl. exot. Butts 2:[92], pl [46], f 4-6 [b2323]. TM: by original designation. HC-Lyc: Rio: *Nem: Abisarinii* [Refs - b2988; b0826 :271 (as *Holodesmus*): b2280; b2881; b2154]
- a *Pratapa* Moore, [1881], 1880-1881 OD: Lep. Ceylon 1(3):108 [b3232]. TS: *Amblypodia deva* Moore, [1858]. OD: In Cat. Lep. Ins. E. India Co. (1):46 [b3219]. TM: by original designation. HC-Lyc: Lyc: The: *Iol: Iolaus* [Refs - b4198; b2280]
- e *Pretus* Lewis, [1973], (Myth) OD: Butts of the World :78,242,208 [b2988]. TS: *Papilio pretus* Cramer, [1777], 1775-1790. OD: Uitd. Kapellen 2(16):131,150, pl 182, f C,D [b1069]. TM: by monotypy. SS: *Menander* Hemming, 1939. [Refs - b2988; b1044; b0522; b0523]
- a *Profieldia* Johnson, 1992 OD: Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (23):12 [b2612]. TS: *Fieldia yungas* Johnson, 1991. OD: Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (21):28, f [b2606]. TM: replacement name for *Fieldia* Johnson, 1991. HC-Lyc: Lyc: The: Eum: *Eumaeus* [Refs - b0125; b2612]
- a *Prosotas* H. H. Druce, 1891 OD: Proc. zool. Soc. Lond. 1891(3):366 [b1358]. TS: *Prosotas caliginosa* H. H. Druce, 1891. OD: Proc. zool. Soc. Lond. 1891(3):366, pl 31, f 15 [b1358]. TM: by original designation. HC-Lyc: Lyc: *Pol: Pol: Prosotas* [Note - The taxon represented by the nominal species *Prosotas caliginosa* H. H. Druce, 1891, is currently treated, on subjective taxonomic grounds, as being a subspecies of the taxon represented by the older-established nominal species *Lycaena nora* C. Felder, 1860.] [Refs - b2280; b2388]
- a *Protantigius* Shirôzu & Yamamoto, 1956 OD: Sieboldia 1(4):339,357 [b4214]. TS: *Drina superans* Oberthür, 1914. OD: Étud. Léop. comp. 9(2):54-55, pl 255, f 2155,2156 [b3453]. TM: by original designation. HC-Lyc: Lyc: The: The: *Thecla* [Refs - b2280; b4214]
- e *Protialmenus* Waterhouse & Lyell, 1914 OD: Butts Aust. :7,126,129 [b4947]. TS: *Ialmenus icinus* Hewitson, [1865], 1863-1878. OD: Ill. diurn. Lep. Lycaenidae 1:54; 2:pl 24, f 6-8 [b2326]. TM: by original designation. SS: *Ialmenus* Hübner, [1818]. [Refs - b2280; b1023; b1475]
- e *Psadilopteris* Stichel, 1930, (ISS) OD: Lep. Cat. Pars 41:675 [b4475]. OS: *Psalidopteris* Hübner, [1823]. [Refs - b2280; b3192]
- c *Psalidopteris* Hübner, [1823], 1808-1837 OD: Zutr. Samml. exot. Schmett. 2:17 [b2483]. TS: *Psalidopteris nycha* Hübner, [1823], 1808-1837. OD: Zutr. Samml. exot. Schmett. 2:17, pl (49), f 279,280 [b2483]. TM: by selection by Scudder, 1875. Proc. amer. Acad. Arts Sci. 10(2):258 [b4080]. SS: *Euselasia* Hübner, [1819]. [Note - The taxon represented by the nominal species *Psalidopteris nycha* Hübner, [1823], is currently treated, on subjective taxonomic grounds, as being the same as the taxon represented by the older-established nominal species *Hesperia thucydides* Fabricius, 1793.] [Refs - b2988; b2280; b3192; b2154]
- a *Pseudaletis* H. H. Druce, 1888 OD: Ent. mon. Mag. 24:259 [b1351]. TS: *Pseudaletis agrippina* H. H. Druce, 1888. OD: Ent. mon. Mag. 24:259 [b1351]. TM: by original designation. HC-Lyc: Lyc: The: *Aph: Pseudaletis* [Refs - b3582; b2280]
- a *Pseudalmenus* H. H. Druce, 1902 OD: Proc. zool. Soc. Lond. 1902(II)(1):116 [b1367]. TS: *Ialmenus myrsilus* Westwood, [1851], 1846-1852. OD: In Gen. diurn. Lep. (2):pl 75, f 3 [b4981]. TM: by original designation. HC-Lyc: Lyc: The: *Zes: Ialmenus* [Note - The taxon represented by the nominal species *Ialmenus myrsilus* Westwood, [1851], is currently treated, on subjective taxonomic grounds, as being the same as the taxon represented by the older-established nominal species *Thecla chlorinda* Blanchard, 1848.] [Refs - b2280; b1023]
- e *Pseuderchia* Kirby, 1892 OD: Syn. Cat. Lep. Hel. 1:410 [b2767]. TS: *Erchia extranea* Walker, 1854, 1854-1856. OD: List Spec. Lep. Ins. Brit. Mus. 2:357 [b4910]. TM: replacement name for *Erchia* Walker, 1854, 1854-1856. SS: *Melanis* Hübner, [1819]. [Note - The taxon represented by the nominal species *Erchia extranea* Walker, 1854, is currently treated, on subjective taxonomic grounds, as being a subspecies of the taxon represented by the older-established nominal species *Limnas barca* Hewitson, [1852].] [Refs - b2280; b3192; b2154]

- a **Pseuderesia** Butler, 1874 OD: Trans. ent. Soc. Lond. 22(4):532 [b0599]. TS: *Pseuderesia catharina* Butler, 1874. OD: Trans. ent. Soc. Lond. 22(4):532, pl 11, f 4, 5 [b0599]. TM: by original designation. HC-Lyc: Lyc: Lip: Lip: **Mimacraea** [Note - *The taxon represented by the nominal species Pseuderesia catharina* Butler, 1874, is currently treated, on subjective taxonomic grounds, as being a subspecies of the taxon represented by the older-established nominal species *Pentila eleaza* Hewitson, [1873].] [Refs - b3582; b2280; b4400]
- b **Pseudiolaus** Riley, 1928 OD: Novit. zool. 34:392 [b3767]. TS: *Pseudiolaus poultoni* Riley, 1928. OD: Novit. zool. 34:392 [b3767]. TM: by original designation. SS: *Iolaus Hübner*, [1819]. [Refs - b3582; b2280]
- b **Pseudoaricia** Beuret, 1959 OD: Mitt. ent. Ges. Basel (n)9:84 [b0408]. TS: *Polymnatus nicias* Meigen, [1829], 1827-1832. OD: Syst. Besch. Europ. Schmett. 2(1):10, pl 45, f 3A,B [b3146]. TM: by original designation. SS: *Plebejus Kluk*, 1802. [Refs - b2280; b0410; b2794]
- c **Pseudocapys** Murray, 1935 OD: S. Afr. Butts Lyc. :106 [b3312]. TS: *Papilio thero* Linnaeus, 1764. OD: Mus. Lud. Ulr. :328 [b2996]. TM: by original designation. SS: *Phasis Hübner*, [1819]. [Refs - b2280]
- a **Pseudochliaria** Tytler, 1915 OD: J. Bombay nat. Hist. Soc. 24(1):139 [b4772]. TS: *Pseudochliaria virgoides* Tytler, 1915. OD: J. Bombay nat. Hist. Soc. 24(1):139, pl 3, f 26 [b4772]. TM: by original designation. HC-Lyc: Lyc: The: Deu: **Deudorix** [Note - *The taxon represented by the nominal species Pseudochliaria virgoides* Tytler, 1915, is currently treated, on subjective taxonomic grounds, as being a subspecies of the taxon represented by the older-established nominal species *Hypolycaena virgo* Elwes, 1887.] [Refs - b2280]
- a **Pseudochrysops** Nabokov, 1945 OD: Psyche 52(1/2):12 [b3326]. TS: *Hemiargus bornoi* Comstock & Huntington, 1943. OD: Ann. New York Acad. Sci. 45:102-104, pl 1, f 18,19 [b0907]. TM: by original designation. HC-Lyc: Lyc: Pol: Pol: **Cyclargus** [Refs - b0908; b2280; b3326; b0833]
- a **Pseudodipsas** Felder & Felder, 1860 OD: Wien. ent. Monats. 4(8):243 [b1681]. TS: *Thecla* (*Pseudodipsas*) *cone* Felder & Felder, 1860. OD: Wien. ent. Monats. 4(8):243 [b1681]. TM: by monotypy. HC-Lyc: Lyc: The: Luc: **Lucia** [Refs - b2280]
- c **Pseudodypsas** Hagen, 1890, (ISS) OD: Tijdschr. K. Ned. aardrijksk. Genoot. (2)7:215 [b2112]. OS: *Pseudodipsas* Felder & Felder, 1860. [Refs - b1023]
- c **Pseudoliptena** Stempffer, 1946 OD: Revue fr. Ent. 13:8 [b4371]. TS: *Pseudoliptena bijte* Stempffer, 1946. OD: Revue fr. Ent. 13:9, pl 1, f 12 [b4371]. TM: by original designation. SS: *Anthene Doubleday*, 1847. [Note - *The type-species was found to be based on a composite specimen. The taxon represented by the nominal species Pseudoliptena bijte* Stempffer, 1946, is currently treated, on subjective taxonomic grounds, as being the same as the taxon represented by the older-established nominal species *Lycaenesthes lachares* Hewitson, [1878].] [Refs - b2280; b2272]
- a **Pseudolucia** Nabokov, 1945 OD: Psyche 52(1/2):32 [b3326]. TS: *Lycaena chilensis* Blanchard, 1852. OD: In Gay, Hist. fis. pol. Chile 7:37, pl 3, f 4a,4b [b0449]. TM: by original designation. HC-Lyc: Lyc: Pol: Pol: **Polyommatus** [Refs - b0908; b2988; b2280; b3326]
- a **Pseudolycaena** Wallengren, 1858 OD: Öfvers. K. Vetensk. Akad. Förh. 15(2):80 [b4914]. TS: *Papilio marsyas* Linnaeus, 1758. OD: Syst. nat. (ed. 10) 1:482 [b2993]. TM: by original designation. HC-Lyc: Lyc: The: Eum: **Eumaeus** [Note - *Although a number of species have been described in this genus, none of them are cogenetic with the type.*] [Refs - b0908; b4245; b2280; b3805]
- c **Pseudomyrina** H. H. Druce, 1895 OD: Proc. zool. Soc. Lond. 1895(3):605 [b1362]. TS: *Myrina marina* Hewitson, [1869], 1863-1878. OD: Ill. diurn. Lep. Lycaenidae 1,Sup.:3; 2,Sup.:sup. pl 2, f 70,71 [b2326]. TM: by original designation. SS: *Manto de Nicéville*, 1895. [Note - *The taxon represented by the nominal species Myrina marina* Hewitson, [1869], is currently treated, on subjective taxonomic grounds, as being the same as the taxon represented by the older-established nominal species *Myrina hypoleuca* Hewitson, [1865].] [Refs - b2280]
- c **Pseudonacaduba** Stempffer, 1942 OD: Annl. Soc. ent. Fr. 111:130 [b4369]. TS: *Lycaena aethiops* Mabilie, 1877. OD: Bull. Soc. zool. Fr. 2:219 [b3039]. TM: by original designation. SS: *Petrelaea Toxopeus*, 1929. [Refs - b2280; b4400; b2388]
- a **Pseudoneaveia** Stempffer, 1964 OD: Bull. Inst. franç. Afr. Noire 26(A):1265 [b4397]. TS: *Pseudoneaveia jacksoni* Stempffer, 1964. OD: Bull. Inst. franç. Afr. Noire 26(A):1265 [b4397]. TM: by original designation. HC-Lyc: Lyc: Lip: **Epitola** [Refs - b1019 :6]
- d **Pseudonotis** H. H. Druce, 1894, (JOS) OD: Ann. Mag. nat. Hist. (6)13:252 [b1361]. TS: *Myrina antipha* Hewitson, [1869], 1863-1878. OD: Ill. diurn. Lep. Lycaenidae 1,Sup.:7; 2,Sup.:sup. pl 6, f 91-93 [b2326]. TM: by original designation. OS: *Hypochlorosis Röber*, [1892]. [Refs - b2280]
- d **Pseudonympha** Callaghan, 1982, (H) OD: Revta Soc. mex. Lep. 7(2):55 [b0675]. TS: *Emesis clearista* Butler, 1871. OD: Ann. Mag. nat. Hist. (4)8:283 [b0594]. TM: by original designation. OS: *Pseudonymphidia* Callaghan, 1985. [Refs - b0675; b0679]
- a **Pseudonymphidia** Callaghan, 1985 OD: Bull. Allyn Mus. (98):16 [b0679]. TS: *Emesis clearista* Butler, 1871. OD: Ann. Mag. nat. Hist. (4)8:283 [b0594]. TM: replacement name for *Pseudonympha* Callaghan, 1982. HC-Lyc: Rio: Rio: [Refs - b0679; b2154]
- c **Pseudopepia** Hemming, 1967, (Myth) OD: Bull. Br. Mus. nat. Hist. (Ent.) Suppl. 9:351 [b2280]. OS: *Juditha* Hemming, 1964. [Refs - b2988; b1023; b2280]
- c **Pseudopheles** Bates, 1867 OD: Trans. ent. Soc. Lond. (3)5:544 [b0266]. TS: *Pseudopheles sericina* Bates, 1867. OD: Trans. ent. Soc. Lond. (3)5:544 [b0266]. TM: by monotypy. SS: *Ethemopsis* Felder & Felder, 1865. [Refs - b2988; b2280]
- a **Pseudophilotes** Beuret, 1958 OD: Mitt. ent. Ges. Basel (n)8(6):100 [b0406]. TS: *Papilio baton* Bergsträsser, [1779], 1778-1780. OD: Nom. Ins. 3:18, pl 60, f 6-8 [b0310]. TM: by original designation. HC-Lyc: Lyc: Pol: Pol: **Glaucopsyche** [Note - *The taxon represented by the nominal species Papilio baton* Bergsträsser, [1779], is currently treated, on subjective taxonomic grounds, as being the same as the taxon represented by the nominal species *Papilio hylactor* Bergsträsser, [1779].] [Refs - b2280; b3110; b3192; b2794]
- a **Pseudotajuria** Eliot, 1973 OD: Bull. Br. Mus. nat. Hist. (Ent.) 28(6):451-452 [b1559]. TS: *Tajuria donatana* de Nicéville, [1889]. OD: J. asiat. Soc. Bengal, Pt II 57(4):287, pl 14, f 15 [b151]. TM: by original designation. HC-Lyc: Lyc: The: **Remelanini** [Refs - b1559]
- c **Pseudothecla** Strand, 1910 OD: Ent. Rundsch. 27(22):162 [b4498]. TS: *Thecla lunulata* Erschoff, 1874. OD: Mém. Soc. amis Sci. nat. Moscou 11(2):7, pl 1, f 5 [b1612]. TM: replacement name for *Erschoffia* Tutt, [1907]. SS: *Satyrnum* Scudder, 1876. [Refs - b2280; b0851; b3357 (as good genus); b2794 (good)]
- d **Pseudothecla** Nabokov, 1945, (H) OD: Psyche 52(1/2):11 [b3326]. TS: *Thecla faga* Dognin, 1895. OD: Annl. Soc. ent. Belg. 39:105 [b1297]. TM: by original designation. OS: *Nabokovia* Hemming, 1960. [Refs - b0908; b2280; b0214]

- a **Pseudozizeeria** Beuret, 1955 OD: Mitt. ent. Ges. Basel (nf)5:125 [b0396]. TS: *Lycaena maha* Kollar, [1844]. OD: In Hügel, Kaschmir 4(2):422 [b2821]. TM: by original designation. HC-Lyc: Lyc: Pol: Pol: **Zizeeria** [Note - Considered by some as a subjective synonym of *Zizeeria*.] [Refs - b2280; ns2304]
- a **Psychonotis** Toxopeus, 1930 OD: De soorte als Functie :129 nota [b4702]. TS: *Lycaena (Thysonotis) caelius* Felder & Felder, 1860. OD: Wien. ent. Monats. 4(8):245 [b1681]. TM: by monotypy. HC-Lyc: Lyc: Pol: Pol: **Danis** [Refs - b1023; b2388]
- a **Ptelina** Clench, 1965 OD: In Mem. amer. ent. Soc. 19:271 [b0836]. TS: *Pentila camuta* Hewitson, 1873. OD: Ent. mon. Mag. 10:125 [b2336]. TM: by original designation. HC-Lyc: Lyc: Lip: Pen: **Alaena** [Refs - b1784]
- a **Pterographium** Stichel, 1910 OD: Gen. Insectorum 112(A):236 [b4446]. TS: *Pterographium aphaniodes* Stichel, 1910. OD: Gen. Insectorum 112(A):237, pl 26, f 62 [b4446]. TM: by original designation. HC-Lyc: Rio: **Symmachini** [Refs - b2280; b4446; b2881; b2154]
- a **Ptox** Toxopeus, 1928, 1927-1928 OD: Tijdschr. Ent. 71:181,184 [b4697]. TS: *Cyaniris catreus* de Nicéville, 1895. OD: J. Bombay nat. Hist. Soc. 9(3):276, pl O, f 20,21 [b1159]. TM: by original designation. HC-Lyc: Lyc: Pol: **Lycaenopsis** [Refs - b2280; b1580]
- a **Purlisa** Distant, 1881 OD: Ent. mon. Mag. 17:245 [b1283]. TS: *Iolaus (Purlisa) giganteus* Distant, 1881. OD: Ent. mon. Mag. 17:245 [b1283]. TM: by monotypy. HC-Lyc: Lyc: The: **Iolaus** [Refs - b2280]
- c **Pycnophallium** Toxopeus, 1929 OD: Tijdschr. Ent. 72(3/4):228 [b4700]. TS: *Polyommatus roxus* Godart, [1824], 1819-1824. OD: In Ency. méth. 9(Ins.):2:659 [b1970]. TM: by selection by Hemming, 1964. Annot. Lep. (4):133 [b2277]. SS: *Upolampes* Bethune-Baker, 1908. [Refs - b2280; b2388]
- a **Quercusia** Verity, 1943 OD: Farfalle Diurne Ital. 2:343 [b4862]. TS: *Papilio quercus* Linnaeus, 1758. OD: Syst. nat. (ed. 10) 1:482 [b2993]. TM: by original designation. HC-Lyc: Lyc: The: **Thecla** [Refs - b2280; b2794; b4214]
- c **Rachana** Eliot, 1978 OD: Butts Malay Penin. (3rd ed.) :328 [b1563]. TS: *Amblypodia jalindra* Horsfield, [1829], 1828-1829. OD: Descr. Cat. lepid. Ins. (2):109 or 110 [b2457]. TM: by original designation. SS: *Eliotia* Hayashi, 1978. [Note - Perhaps useful as a Subgenus.] [Refs - b1058; b2199]
- a **Radissima** Johnson, 1992 OD: Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (22):170 [b2611]. TS: *Sithon umbratus* Geyer, [1837], 1832-1837. OD: In Zutr. Samml. exot. Schmett. 5:38, pl [164], f 955,956 [b1934]. TM: by original designation. HC-Lyc: Lyc: The: **Eum: Eumaeus** [Refs - b0125; b2942; b2611]
- a **Rapala** Moore, [1881], 1880-1881 OD: Lep. Ceylon 1(3):105 [b3232]. TS: *Thecla varuna* Horsfield, [1829], 1828-1829. OD: Descr. Cat. lepid. Ins. (2):91 [b2457]. TM: by original designation. HC-Lyc: Lyc: The: **Deu: Deudorix** [Refs - b4198; b2988; b2280]
- d **Rapsidia** Sibatani, 1974, (JOS) OD: J. Aust. ent. Soc. 13(2):109 [b4220]. TS: *Papilio dispar* [Haworth], 1802. OD: Prodr. Lep. Brit. :3 et nota [b2172]. TM: replacement name for *Disparia* Verity, 1943. OS: *Thersamolycaena* Verity, 1957. [Refs - b4220; b0105; b2790]
- a **Rathinda** Moore, [1881], 1880-1881 OD: Lep. Ceylon 1(3):99 [b3232]. TS: *Papilio amor* Fabricius, 1775. OD: Syst. Ent. :518 [b1653]. TM: by original designation. HC-Lyc: Lyc: The: **Horagini** [Refs - b2280]
- a **Ravenna** Shirôzu & Yamamoto, 1956 OD: *Sieboldia* 1(4):360 [b4214]. TS: *Zephyrus niveus* Nire, 1920. OD: Zool. Mag. 32:375 [b3404]. TM: by original designation. HC-Lyc: Lyc: The: **Thecla** [Refs - b4198; b2280; b4214]
- d **Raywardia** Tutt, [1908], 1905-1914, (JOS) OD: Nat. Hist. Brit. Butts 2:484 [b4760]. TS: *Papilio telicanus* Lang, 1789. OD: Verz. Schmett. Gegend. Augsburg (2nd ed) :47 [b2889]. TM: replacement name for *Langia* Tutt, [1906]. OS: *Syntarucus* Butler, [1901]. [Note - The taxon represented by the nominal species *Papilio telicanus* Lang, 1789, is currently treated, on subjective taxonomic grounds, as being the same as the taxon represented by the older-established nominal species *Papilio pirithous* Linnaeus, 1767.] [Refs - b2280; b2794]
- a **Rekoa** Kaye, 1904 OD: Trans. ent. Soc. Lond. 52(2):198 [b2708]. TS: *Papilio meton* Cramer, [1779], 1775-1790. OD: Uil. Kapellen 3(17):15, pl 201, f D.E. [b1069]. TM: by original designation. HC-Lyc: Lyc: The: **Eum: Thereus** [Refs - b0908; b2280; b3817]
- c **Remelana** (Moore ms) Distant, Aug 1884, 1882-1886, (PS) OD: Rhop. malayana :244,246 [b1285]. OS: *Tajuria* Moore, [1881]. [Refs - b2280; b1023]
- a **Remelana** Moore, 1884 OD: J. asiat. Soc. Bengal, Pt II 53(1):37 [b3236]. TS: *Amblypodia jangala* Horsfield, [1829], 1828-1829. OD: Descr. Cat. lepid. Ins. (2):113 [b2457]. TM: by original designation. HC-Lyc: Lyc: The: **Remelani** [Refs - b2280]
- e **Resticus** Miller & Brown, 1981, (ISS) OD: Mem. Lep. Soc. (2):104 (under poeas) [b3192]. SS: *Rusticus* Hübner, [1807]. [Refs - b1722; b3192]
- a **Reversustus** Johnson, 1991 OD: Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (21):34 [b2606]. TS: *Thecla puppius* Godman & Salvin, [1887], 1879-1901. OD: Biol. centr.-amer., Lep. Rhop. 2:84 [b1975]. TM: by original designation. HC-Lyc: Lyc: The: **Eum: Eumaeus** [Refs - b0125; b2606]
- a **Rhamma** Johnson, 1992 OD: Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (22):45 [b2610]. TS: *Thecla oxida* Hewitson, 1870, 1869-1877. OD: Equatorial Lep. Buckley (4):68 [b2330]. TM: by original designation. HC-Lyc: Lyc: The: **Eum: Eumaeus** [Note - The Zoological Record states, incorrectly, that the type species is *Thecla arria* Hewitson.] [Refs - b0125; b2610]
- a **Rhetus** Swainson, [1829], 1829-1833 OD: Zool. Illustr. (2)1(7):pl 33 [b4551]. TS: *Papilio rhetus* Cramer, [1775], 1775-1790. OD: Uil. Kapellen 1(6):98, pl 63, f C [b1069]. TM: by tautonymy. HC-Lyc: Rio: **Rio: Ancyrluriti** [Note - The taxon represented by the nominal species *Papilio rhetus* Cramer, [1775], is currently treated, on subjective taxonomic grounds, as being the same as the taxon represented by the older-established nominal species *Papilio arcus* Linnaeus, 1763.] [Refs - b2781; b2988; b2280; b2154]
- a **Rhinelephas** Toxopeus, 1927, 1927-1928 OD: Tijdschr. Ent. 70:259 [b4697]. TS: *Lycaena cyanicomis* Snellen, 1892. OD: Tijdschr. Ent. 34:146 [b4265]. TM: by original designation. HC-Lyc: Lyc: Pol: Pol: **Lycaenopsis** [Refs - b2280; b1580]
- b **Rhymnarina** Zhdanko, 1983 OD: Ent. Rev. 62(1):135 [b5064]. TS: *Lycaena rhymnus* Eversmann, 1832. OD: Nouv. Mém. Soc. imp. nat. Moscou 8:350, pl 19, f 1,2 [b1645]. TM: by original designation. SS: *Satyrinum* Scudder, 1876. [Refs - b5064]
- e **Rindahara** Kirby, [1882], (ISS) OD: Zool. Rec. 18(1881)(Ins.):165 [b2759]. OS: *Bindahara* Moore, [1881]. [Refs - b2280]

- a **Rindgea** Johnson, 1993 OD: Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (40):2 [b2617]. TS: *Rindgea umuarama* Johnson, 1993. OD: Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (40):3, f [b2617]. TM: by original designation. HC-Lyc: Lyc: The: Eum: Eumaeus [Refs - b2617]
- a **Riodina** Westwood, [1851], 1846-1852, ICZN Op 1073, L 2039 OD: In Gen. diurn. Lep. (2):430 [b4981]. TS: *Papilio lysippus* Linnaeus, 1758. OD: Syst. nat. (ed. 10) 1:484 [b2993]. TM: replacement name for *Erycina* Fabricius, 1807. HC-Lyc: Rio: Rio: Rio: **Riodinitt** [Refs - b2280; b0826 :271; b2988; b3151; b2154]
- a **Riodinella** Durden & Rose, 1978 OD: Pearce-Sellards ser. Tex. mem. Mus. (29):15 [b1435]. TS: *Riodinella nympa* Durden & Rose, 1978. OD: Pearce-Sellards ser. Tex. mem. Mus. (29):17, f [b1435]. TM: by original designation. HC-Fos: Rio:
- a **Ritra** de Nicéville, 1890 OD: Butts India Burmah Ceylon 3:411 nota [b1153]. TS: *Sithon aurea* H. Druce, 1873. OD: Proc. zool. Soc. Lond. 1873(2):352, pl 33, f 1 [b1383]. TM: by original designation. HC-Lyc: Lyc: The: Che: **Cheritra** [Refs - b2280]
- e **Rodina** Saunders, [1859], (ISS) OD: Trans. ent. Soc. Lond. (2):5:95 [b3939]. OS: *Rodinia* Westwood, [1851]. [Refs - b1023]
- a **Rodinia** Westwood, [1851], 1846-1852 OD: In Gen. diurn. Lep. (2):430 [b4981]. TS: *Erycina calphamia* Saunders, [1850]. OD: Trans. ent. Soc. Lond. (1):5(9):221 [b3938]. TM: by selection by Süchel, 1910. Berl. ent. Z. 54(1/2):42 [b4445]. HC-Lyc: Rio: Rio: **Nymphidiini** [Refs - b2988; b2280; b2881; b2154]
- a **Roerberella** Strand, 1932 OD: Folia zool. hydrobiol. 4(1):145 [b4530]. TS: *Lemonias calvus* Staudinger, [1887], 1884-1888. OD: In Exot. Schmett. Bd 2(Th. 1)(19):pl 92 [b4329]. TM: replacement name for *Drepanula* Röber, [1892]. HC-Lyc: Rio: Rio: **Emesini** [Refs - b2988; b2280; b2154]
- a **Rubrapterus** Korshunov, 1987 OD: Nov Maloizvestiye Vidy Fauny Sib. (19):9 [b2829]. TS: *Scolitantides bavius* Eversmann, 1832. OD: Nouv. Mém. Soc. imp. nat. Moscou (ns)2:349, pl 19, f 3,4 [b1645]. TM: by original designation. HC-Lyc: Lyc: Pol: Pol: **Glaucopsyche** [Refs - b0122]
- a **Rubroserrata** Johnson & Kroenlein, 1993 OD: Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (34):19 [b2628]. TS: *Thecla mathewi* Hewitson, 1874. OD: Ent. mon. Mag. 11:106 [b2343]. TM: by original designation. HC-Lyc: Lyc: The: Eum: Eumaeus [Refs - b2628]
- d **Rumicia** Tutt, 1906, (JOS) OD: Ent. Rec. 18:131 [b4761]. TS: *Papilio phlaeus* Linnaeus, 1761. OD: Faun. svec. (ed. 2) :285 [b2994]. TM: by original designation. OS: *Lycaena* Fabricius, 1807. [Refs - b0908; b2280]
- d **Ruralis** Tutt, 1906, (JOS) OD: Ent. Rec. 18:130 [b4761]. TS: *Papilio betulae* Linnaeus, 1758. OD: Syst. nat. (ed. 10) 1:482 [b2993]. TM: by monotypy. OS: *Thecla* Fabricius, 1807. [Refs - b0908; b2280]
- c **Rusalkia** Kirby, 1871 OD: Syn. Cat. diurn. Lep. :306 [b2747]. TS: *Oreas marathon* Felder & Felder, 1865, 1865-1875. OD: Reise Novara (2):305, pl 38, f 3,4 [b1692]. TM: by selection by Kirby, [1873]. Zool. Rec. 8(1871)(Ins.):364 [b2749]. SS: *Melanis* Hübner, [1819]. [Refs - b2988; b1019 :7; b2280; b1023; b2154 (as good genus)]
- d **Rusticus** Hübner, [1806], (RC and JOS), ICZN Op. 97, L 85 OD: Tentamen :[1] [b2481]. TS: *Papilio argus* Linnaeus, 1758. OD: Syst. nat. (ed. 10) 1:483 [b2993]. TM: by monotypy. OS: *Plebejus* Kluk, 1802. [Note - Placed on the Official List by Opinion 278.] [Refs - b2280; b3192; b2524; b1321]
- d **Rusticus** Hübner, [1807], 1806-1838, (RC), ICZN Op. 137, Dir. 4, L 213 OD: Samml. exot. Schmett. 1-pls [102],[104] [b2482]. TS: *Papilio gnidus* Fabricius, 1787. OD: Mantissa Ins. 2:64 [b1656]. TM: by selection by Hemming, 1934. Entomologist 67:156 [b2254]. SS: *Helicopsis* Fabricius, 1807. [Refs - b0908; b2280; b2512]
- a **Rysops** Eliot, 1973 OD: Bull. Br. Mus. nat. Hist. (Ent.) 28(6):452-453 [b1559]. TS: *Lycaena scintilla* Mabilie, 1877. OD: Bull. Soc. ent. Fr. (5)7:lxvii [b3038]. TM: by original designation. HC-Lyc: Lyc: Pol: Pol: **Catochrysops** [Refs - b1559; b2388]
- e **Sabalia** Prout, 1918, (ISS) OD: Ann. Mag. nat. Hist. (9)1:18 [b3653]. SS: *Saribia* Butler, 1878. [Refs - b3653]
- e **Sabiria** Röber, [1892], 1888-1892, (ISS) OD: In Exot. Schmett. Bd 1(Th. 2)(6):232 [b3822]. OS: *Saribia* Butler, 1878. [Refs - b2280]
- a **Sahulana** Hirowatari, 1992 OD: Bull. Univ. Osaka Pref. (B)44(Suppl.):36 [b2388]. TS: *Lycaena scintillata* Lucas, 1889. OD: Proc. R. Soc. Qd 6(4):157, f 8,9,10 [b3024]. TM: by original designation. HC-Lyc: Lyc: Pol: Pol: **Theclines** [Refs - b2388]
- a **Saigusaozephyrus** Koiwaya, 1993 OD: Stud. Chin. Butterflies 2:62 [b2818]. TS: *Zephyrus atabyrius* Oberthür, 1914. OD: Étud. Léop. comp. 9(2):48, pl 254, f 2140 [b3453]. TM: by original designation. HC-Lyc: Lyc: The: The: **Thecla** [Refs - b0126]
- a **Sancterilla** Eliot & Kawazoé, 1983 OD: Butts *Lycaenopsis* group :74 [b1580]. TS: *Cupido deliciosa* Pagenstecher, 1896. OD: Ent. Nachr. 22:50 [b3540]. TM: by original designation. HC-Lyc: Lyc: Pol: Pol: **Lycaenopsis** [Refs - b1580]
- a **Sandia** Clench & Ehrlich, 1960 OD: In Ent. News 71(6):138 [b0855]. TS: *Callophrys* (*Sandia*) *mcfarlandi* Ehrlich & Clench, 1960. OD: Ent. News 71(6):138,139 [b1529]. TM: by original designation. HC-Lyc: Lyc: The: Eum: Eumaeus [Refs - b1529 ; b2280; b3192; b1743; b1321; b2585]
- a **Saribia** Butler, 1878 OD: Ann. Mag. nat. Hist. (5)2:289 [b0611]. TS: *Emesis tepahi* Boisduval, 1833. OD: Nouv. Ann. Mus. Hist. nat. (Paris) 2(2):175 [b0459]. TM: by original designation. HC-Lyc: Rio: Nem: **Abisarini** [Refs - b2988; b0826 :271; b3582; b2280; b2154]
- a **Sarota** Westwood, [1851], 1846-1852 OD: In Gen. diurn. Lep. (2):424 [b4981]. TS: *Papilio chrysus* Stoll, [1782], 1780-1790. OD: In Cramer, Uid. Kapellen 4(32):178, pl 380, f D,E [b4478]. TM: by selection by Scudder, 1875. Proc. amer. Acad. Arts Sci. 10(2):265 [b4080]. HC-Lyc: Rio: Rio: **Sarotini** [Refs - b2988; b2280; b2154]
- a **Sarracenota** Johnson & Eisele & MacPherson, 1993 OD: Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (39):9 [b2626]. TS: *Thecla opisena* H. H. Druce, 1912. OD: Ent. mon. Mag 48:131, pl 10, f 3 [b1380]. TM: by original designation. HC-Lyc: Lyc: The: Eum: Eumaeus [Refs - b2626]
- c **Sarthusia** Venity, 1943 OD: Farfalle Diurne Ital. 2:20 [b4862]. TS: *Polyommatus sarthus* Staudinger, 1886, 1886-1889. OD: Stett. ent. Ztg 47:202 [b4330]. TM: by original designation. SS: *Hyracana* Bethune-Baker, 1914. [Refs - b2280; b4220; b3360]
- c **Satadra** Moore, 1884 OD: J. asiat. Soc. Bengal, Pt II 53(1):38 [b3236]. TS: *Amblypodia atrax* Hewitson, 1862. OD: Spec. Cat. Lyc. Brit. Mus. :13, pl 7, f 80,82 [b2325]. TM: by original designation. SS: *Arhopala* Boisduval, 1832. [Refs - b2280]
- d **Satsuma** Murray, 1874, (H) OD: Ent. mon. Mag. 11:168 [b3317]. TS: *Lycaena ferrea* Butler, 1866. OD: J. linn. Soc. Lond., Zool. 9:57 [b0582]. TM: by monotypy. OS: *Ahlbergia* Bryk, 1946. [Refs - b2988; b2280; b1023; b2585]

- c *Satyrinima* Holland, 1913 OD: Ent. News 24(7):302 [b2433]. TS: *Satyrinima weberi* Holland, 1913. OD: Ent. News 24(7):302, text-figs 1,2 [b2433]. TM: by original designation (gen.n.,sp.n.). SS: *Powellana Bethune-Baker, 1908.* [Note - *The taxon represented by the nominal species Satyrinima weberi Holland, 1913, is currently treated, on subjective taxonomic grounds, as being the same as the taxon represented by the older-established nominal species Powellana cottoni Bethune-Baker, 1908.*] [Refs - b2280]
- a *Satyrinum* Scudder, 1876 OD: Bull. Buffalo Soc. nat. Sci. 3:106 [b4083]. TS: *Lycaena fuliginosa* Edwards, 1861. OD: Proc. Acad. nat. Sci. Philad. 13:164 [b1488]. TM: by original designation. HC-Lyc: Lyc: The: Eum: Eumaeus [Refs - b0908; b4245; b2280; b0851; b3192; b1743; b1321; b2794]
- c *Scolitantidus* Hübner, [1826], 1816-1826, (ISS) OD: Verz. bekannt. Schmett. Anzeiger:7 [b2484]. OS: *Scolitantides Hübner, [1819].* [Refs - b1023]
- a *Scolitantides* Hübner, [1819], 1816-1826 OD: Verz. bekannt. Schmett. (5):68 [b2484]. TS: *Papilio orion* Pallas, 1771. OD: Reise verschied. Prov. Russisch. Reichs 1:471 [b3546]. TM: by selection by Tutt, 1906. Ent. Rec. 18:131 [b4761]. HC-Lyc: Lyc: Pol: Pol: *Glaucopsyche* [Note - *Hemming, 1934, overlooked Tutt's valid type selection and tried to fix the type as battus.*] [Refs - b0485; b0908; b2280; b3110; b3326; b3192; b1321; b2794; b1064]
- d *Scoptes* Hübner, [1819], 1816-1826, (RC) OD: Verz. bekannt. Schmett. (7):111 [b2484]. TS: *Papilio alpheus* Cramer, [1777], 1775-1790. OD: Uitl. Kapellen 2(16):131, pl 182, f E,F [b1069]. TM: by selection by Butler, [1870]. Cat. diurn. Lep. Fabricius Br. Mus. :176, footnote [b0590]. OS: *Capyrus Hewitson, [1865].* [Refs - b1019 :8; b3582 (as *Capyrus*); b2280; b1023; b1056; b2545; b3785]
- b *Selmanix* Eliot & Kawazoé, 1983 OD: *Butis Lycaenopsis* group :138 [b1580]. TS: *Cyaniris ceyx de Nicéville, 1893.* OD: J. Bombay nat. Hist. Soc. 7(3):328 [b1156]. TM: by original designation. SS: *Udara Toxopeus, 1928.* [Refs - b1580]
- a *Semanga* Distant, 1884, 1882-1886 OD: Rhop. malayana :233,239 [b1285]. TS: *Ilerda (?) superba* H. Druce, 1873. OD: Proc. zool. Soc. Lond. 1873(2):350, pl 32, f 11 [b1383]. TM: by original designation. HC-Lyc: Lyc: The: Arh: *Semanga* [Refs - b2280]
- a *Semomesia* Westwood, [1851], 1846-1852 OD: In Gen. diurn. Lep. (2):455 [b4981]. TS: *Papilio croesus* Fabricius, 1777. OD: Gen. Ins. :259 [b1654]. TM: by selection by Scudder, 1875. Proc. amer. Acad. Arts Sci. 10(2):267 [b4080]. HC-Lyc: Rio: Rio: *Mesosemini* [Refs - b2988; b2280; b2154]
- a *Serratofalca* Johnson, 1991 OD: Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (21):14 [b2606]. TS: *Thecla cerata* Hewitson, [1877], 1863-1878. OD: Ill. diurn. Lep. Lycaenidae 1:191; 2pl 76, f 607,608 [b2326]. TM: by original designation. HC-Lyc: Lyc: The: Eum: Eumaeus [Refs - b0125; ns2643; b2606]
- a *Serratoterga* Johnson, 1991 OD: Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (21):19 [b2606]. TS: *Serratoterga larsoni* Johnson, 1991. OD: Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (21):20, f [b2606]. TM: by original designation. HC-Lyc: Lyc: The: Eum: Eumaeus [Refs - b0125; b2606]
- a *Setabis* Westwood, [1851], 1846-1852 OD: In Gen. diurn. Lep. (2):450 [b4981]. TS: *Ariconis (Setabis) myrtus* Westwood, [1851], 1846-1852. OD: In Gen. diurn. Lep. (2):450, nota [b4981]. TM: by selection by Scudder, 1875. Proc. amer. Acad. Arts Sci. 10(2):268 [b4080]. HC-Lyc: Rio: Rio: *Nymphidiini* [Refs - b2988; b2280; b2154]
- a *Shaanxiana* Koiwaya, 1993 OD: Stud. Chin. Butterflies 2:44 [b2818]. TS: *Shaanxiana takashimai* Koiwaya, 1993. OD: Stud. Chin. Butterflies 2:46, f [b2818]. TM: by original designation. HC-Lyc: Lyc: The: The: *Thecla* [Check - Classification is a guess] [Refs - b0126]
- a *Shapiroana* Johnson, 1992 OD: Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (22):148 [b2611]. TS: *Shapiroana shapiro* Johnson, 1992. OD: Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (22):149, f [b2611]. TM: by original designation. HC-Lyc: Lyc: The: Eum: Eumaeus [Refs - b0125; b2620; b2611]
- a *Sheffieldia* H. H. Druce, 1912 OD: Ent. mon. Mag. 48:128 [b1380]. TS: *Sheffieldia neavei* H. H. Druce, 1912. OD: Ent. mon. Mag. 48:128, pl 9, f 7 [b1380]. TM: by original designation. HC-Lyc: Lyc: Lip: *Durbantini* [Refs - b3582; b2280]
- a *Shijimia* Matsumura, 1919 OD: Thous. Ins. Japan Addit. 3:656 [b3089]. TS: *Lycaena moorei* Leech, 1889. OD: Trans. ent. Soc. Lond. 37(1):109, pl 7, f 3 [nec 4] [b2962]. TM: by original designation. HC-Lyc: Lyc: Pol: Pol: *Everes* [Refs - b4198; b2280; b1321]
- a *Shijimiaeoides* Beuret, 1958 OD: Mitt. ent. Ges. Basel (nf)8(6):100 [b0406]. TS: *Lycaena barine* Leech, [1893], 1893-1894. OD: *Butis China Japan Corea* (2)(text pt 3):304; (plate pt 3/4):pl 31, f 14 [b2966]. TM: by original designation. HC-Lyc: Lyc: Pol: Pol: *Glaucopsyche* [Note - *The taxon represented by the nominal species Lycaena barine Leech, [1893], is currently treated, on subjective taxonomic grounds, as being a subspecies of the taxon represented by the older-established nominal species Lycaena divina Fixsen, 1887.*] [Refs - b2280; b1023; b0485; b3110; b3192]
- a *Shirozua* Sibatani & Ito, 1942 OD: *Tenthredo* 3(4):322 [b4224]. TS: *Thecla jonasi* Janson, 1877. OD: *Cistula Entomologica* 2(16):157 [b2572]. TM: by original designation. HC-Lyc: Lyc: The: The: *Thecla* [Refs - b2988; b2280; b1023; b4214]
- a *Sibataniozephyrus* Inomata & Itagaki, 1986 OD: In Atlas Jap. butterflies :120 [b2505]. TS: *Zephyrus fujisanus* Matsumura, 1910. OD: Ent. Zeit. 23(50):221 [b3084]. TM: by original designation. HC-Lyc: Lyc: The: The: *Thecla* [Refs - b0122; b2476]
- a *Siderus* Kaye, 1904 OD: Trans. ent. Soc. Lond. 52(2):195 [b2708]. TS: *Siderus parvnotus* Kaye, 1904. OD: Trans. ent. Soc. Lond. 52(2):195 [b2708]. TM: by original designation. HC-Lyc: Lyc: The: Eum: Eumaeus [Note - *The taxon represented by the nominal species Siderus parvnotus Kaye, 1904, is currently treated, on subjective taxonomic grounds, as being the same as the taxon represented by the older-established nominal species Bihys leucophaeus Hübner, [1818].*] [Refs - b0908; b2988; b2280]
- a *Sidima* Eliot & Kawazoé, 1983 OD: *Butis Lycaenopsis* group :161 [b1580]. TS: *Lycaenopsis idamis* Fruhstorfer, [1917]. OD: Arch. Naturgesch. (A)82(1):23, pl 2, f 17 [b1880]. TM: by original designation. HC-Lyc: Lyc: Pol: Pol: *Lycaenopsis* [Refs - b1580]
- a *Simiskina* Distant, 1886 OD: Entomologist 19:12 [b1289]. TS: *Simiskina fulgens* Distant, 1886. OD: Entomologist 19:12 [b1289]. TM: by monotypy. HC-Lyc: Lyc: *Poritinae* [Note - *The taxon represented by the nominal species Simiskina fulgens Distant, 1886, is currently treated, on subjective taxonomic grounds, as being the same as the taxon represented by the older-established nominal species Poritia potina Hewitson, 1874.*] [Refs - b2280]
- d *Simoethus* Boisduval, 1832, (UE) OD: In d'Urville, Voy. Astro-labe 1(Lép.):72 [b0457]. OS: *Symetha Horsfield, [1828].* [Refs - b2280; b1023]

- a *Sinia* Forster, 1940 OD: Mit. Münchn. ent. Ges. 30(3):875,876 [b1764]. TS: Glaucopsyche (*Sinia*) *leechi* Forster, 1940. OD: Mit. Münchn. ent. Ges. 30(3):875, pl 22, f 6,7; pl 23, f 6,7 [b1764]. TM: by original designation. HC-Lyc: Lyc: Pot: Pol: *Glaucopsyche* [Refs - b2280; b3110; b2794]
- a *Sinthusa* Moore, 1884 OD: J. asiat. Soc. Bengal, Pt II 53(1):33 [b3236]. TS: *Thecla nasaka* Horsfield, [1829], 1828-1829. OD: Descr. Cat. lepid. Ins. (2):91 [b2457]. TM: by original designation. HC-Lyc: Lyc: The: Deu: *Deudorix* [Refs - b2280]
- a *Sipaea* Johnson, 1991 OD: Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (21):45 [b2606]. TS: *Thecla hyccara* Hewitson, 1868. OD: Descr. new Spec. Lycaenidae :7 [b2327]. TM: by original designation. HC-Lyc: Lyc: The: Eum: *Eumaeus* [Refs - b0125; b2606]
- a *Siseme* Westwood, [1851], 1846-1852 OD: In Gen. dium. Lep. (2):pl 72, f 10 [b4981]. TS: *Siseme alectryo* Westwood, [1851], 1846-1852. OD: In Gen. dium. Lep. (2):pl 72, f 10 [b4981]. TM: by monotypy. HC-Lyc: Rio: Rio: Rio: *Riodinini* [Refs - b2988; b2154]
- c *Sisime* Ehrlich, 1958, (ISS) OD: Kansas Univ. Sci. Bull. 39(8):359 [b1528]. OS: *Siseme* Westwood, [1851].
- a *Sithon* Hübner, [1819], 1816-1826 OD: Verz. bekannt. Schmett. (5):77 [b2484]. TS: *Papilio nedymond* Cramer, [1780], 1775-1790. OD: Utitl. Kapellen 4(25):19, pl 299, f E,F [b1069]. TM: by selection by Scudder, 1875. Proc. amer. Acad. Arts Sci. 10(2):269 [b4080]. HC-Lyc: Lyc: The: Deu: *Deudorix* [Refs - b2280; b1044]
- a *Solanorum* Johnson, 1992 OD: Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (22):199 [b2611]. TS: *Solanorum gentili* Johnson, 1992. OD: Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (22):200, f [b2611]. TM: by original designation. HC-Lyc: Lyc: The: Eum: *Eumaeus* [Refs - b0125; b2942; b2611]
- d *Sosibia* Fruhstorfer, [1914], 1909-1923, (H) OD: In Seitz, Grossschmett. Erde 9:779 [b1840]. TS: *Taxila bumii* de Nicéville, 1895. OD: J. Bombay nat. Hist. Soc. 9(3):266, pl N, f 9 [b1159]. TM: by original designation. SS: *Abisara* Felder & Felder, 1860. [Refs - b2280]
- d *Sospita* Hewitson, [1861], 1852-1877, (H) OD: Ill. exot. Butts 2:91 [b2323]. TS: *Taxila fylla* Westwood, [1851], 1846-1852. OD: In Gen. dium. Lep. (2):pl 69, f 3 [b4981]. TM: by selection by Scudder, 1875. Proc. amer. Acad. Arts Sci. 10(2):269 [b4080]. SS: *Abisara* Felder & Felder, 1860. [Refs - b2988; b2280]
- c *Sospitia* Evans, 1927, (ISS) OD: Ident. Indian Butts (1st ed) :126 [b1636]. OS: *Sospita* Hewitson, [1861].
- a *Spalgis* Moore, 1879 OD: Proc. zool. Soc. Lond. 1879(1):137 [b3231]. TS: *Genidus epeus* Westwood, [1851], 1846-1852. OD: In Gen. dium. Lep. (2):pl 76, f 5 [b4981]. TM: by monotypy. HC-Lyc: Lyc: Mil: Spa: *Spalgis* [Refs - b4198; b1943; b1019; b3582; b2280]
- a *Spindasis* Wallengren, 1857 OD: K. svenska VetenskAkad. Handl. (nf)2(4):45 [b4913]. TS: *Spindasis masilikazi* Wallengren, 1857. OD: K. svenska VetenskAkad. Handl. (nf)2(4):45 [b4913]. TM: by monotypy. HC-Lyc: Lyc: The: Aph: *Aphnaeus* [Note - *The taxon represented by the nominal species Spindasis masilikazi* Wallengren, 1857, is currently treated, on subjective taxonomic grounds, as being the same as the taxon represented by the older-established nominal species *Amblypodia natalensis* Westwood, [1851].] [Refs - b4198; b1943; b2988 (+as *Spindasis*); b3582; b2280; b1023]
- c *Spiridasis* Lewis, [1973], (ISS) OD: Butts of the World :291 [b2988]. OS: *Spindasis* Wallengren, 1857. [Refs - b2988]
- a *Stalactis* Hübner, [1818], 1808-1837 OD: Zutr. Samml. exot. Schmett. 1:9 [b2483]. TS: *Stalactis phaedusa* Hübner, [1818], 1808-1837. OD: Zutr. Samml. exot. Schmett. 1:9, pl [3], f 13,14 [b2483]. TM: by selection by Hemming, 1964. Annot. Lep. (4):130 [b2276]. HC-Lyc: Rio: Rio: *Stalactini* [Refs - b2781; b2988; b0826 271; b2280; b2154]
- e *Stalactis* Westwood, [1851], 1846-1852, (ISS) OD: In Gen. dium. Lep. (2):pl [73] [b4981]. OS: *Stalactis* Hübner, [1818]. [Refs - b2280]
- a *Stempfferia* Jackson, 1962 OD: Bull. Br. Mus. nat. Hist. (Ent.) 12(3):157 [b2562]. TS: *Stempfferia carcassoni* Jackson, 1962. OD: Bull. Br. Mus. nat. Hist. (Ent.) 12(3):157 [b2562]. TM: by original designation. HC-Lyc: Lyc: Lip: Lip: *Epitola* [Refs - b2280]
- c *Sterosis* Felder & Felder, 1865, 1865-1875 OD: Reise Novara (2):219 [b1692]. TS: *Sterosis robusta* Felder & Felder, 1865, 1865-1875. OD: Reise Novara (2):219, pl 27, f 10,11 [b1692]. TM: by monotypy. SS: *Liphya* Westwood, [1864]. [Note - *The taxon represented by the nominal species Sterosis robusta* Felder & Felder, 1865, is currently treated, on subjective taxonomic grounds, as being a subspecies of the taxon represented by the older-established nominal species *Liphya brassolis* Westwood, [1864].] [Refs - b2280]
- a *Stiboges* Butler, 1876 OD: Proc. zool. Soc. Lond. 1876(2):308 [b0603]. TS: *Süboges nymphidia* Butler, 1876. OD: Proc. zool. Soc. Lond. 1876(2):309, pl 22, f 1 [b0603]. TM: by original designation. HC-Lyc: Rio: Nem: *Abisarinii* [Refs - b1636; b2988; b2280; b2154]
- a *Stichella* Zikán, 1949 OD: Revta Ent. Rio de J. 20(1/3):538 [b5073]. TS: *Amarnthus bocchoris* Hewitson, [1876], 1852-1877. OD: Ill. exot. Butts 5:81, pl [43], f 6 [b2323]. TM: by original designation. HC-Lyc: Rio: Rio: *Symmachiini* [Refs - b2988; b2280; b2881; b2154]
- c *Stilbon* Rothschild & Jordan, 1905 OD: Novit. zool. 12:465 [b3885]. TS: *Stilbon meeki* Rothschild & Jordan, 1905. OD: Novit. zool. 12:465 [b3885]. TM: by monotypy. SS: *Bindahara* Moore, [1881]. [Refs - b2280; b1562]
- e *Stryman* Elrod & Maley, 1906, (ISS) OD: Bull. Univ. Montana, Biol. Ser. 2(10):125 [b1582]. SS: *Strymon* Hübner, [1818]. [Refs - b3138]
- a *Strymon* Hübner, [1818], 1808-1837, ICZN Op 541, L 1332 OD: Zutr. Samml. exot. Schmett. 1:22 [b2483]. TS: *Strymon melinus* Hübner, [1818], 1808-1837. OD: Zutr. Samml. exot. Schmett. 1:22, pl [21], f 121,122 [b2483]. TM: by selection by Riley, 1922. J. Bombay nat. Hist. Soc. 28(2):472 [b3750]. HC-Lyc: Lyc: The: Eum: *Eumaeus* [Refs - b0485, b4198, b0908; b2988; b4245; b2280; b3192; b2530; b1743, b2514 b1321; b3151]
- e *Strymondia* Smart, 1975, (ISS) OD: Int. Butterfly Bink :172,273 [b4245]. OS: *Strymondia* Tutt, [1908] [Refs - b1722]
- e *Strymonidea* Dunk, 1952, (ISS) OD: Entomologist 85(3):61 [b1424]. OS: *Strymondia* Tutt, [1908]. [Refs - b1023]
- c *Strymonidia* Tutt, [1908], 1905-1914, ICZN Op 541, L 1333 OD: Nat. Hist. Brit. Butts 2:483 [b4760]. TS: *Thecla thalys* Leech, [1893], 1893-1894. OD: Butts China Japan Corea (2)(text pt 3):367; (plate pt 3/4):pl 30, f 15 [b2966]. TM: replacement name for *Leechia* Tutt, [1907]. SS: *Fixsenia* Tutt, [1907]. [Refs - b4245 (as *Strymondia*); b2280; b0851; b0111, b2530; b2794; b3151; b1722 (as *Strymondia*)]
- b *Stugeta* H. H. Druce, 1891 OD: Ann. Mag. nat. Hist. (6)8:149 [b1356]. TS: *Iolaus bowkeri* Trimen, 1864. OD: Trans. ent. Soc. Lond. (3)2:176 [b4717]. TM: by original designation SS: *Iolaus* Hübner, [1819]. [Refs - b1943; b3582; b2280]
- c *Stylos* Anonymous, 1952, (ISS) OD: Zool. Rec 85(1949)(Ins.):287 [b0082]. SS: *Itylos* Draudt, [1921] [Refs - b0276]

- a *Styx* Staudinger, 1876 OD: Verh. zool.-bot. Ges. Wien 25:92 [b4326]. TS: *Styx infemalis* Staudinger, 1876. OD: Verh. zool.-bot. Ges. Wien 25:93 [b4326]. TM: by monotypy. HC-Lyc: Rio: Styginae [Refs - b0540; b2988; b2280; b2881; b2154]
- a *Suasa* de Nicéville, 1890 OD: Buts India Burnmah Ceylon 3:18,386 [b1153]. TS: *Myrina lisides* Hewitson, [1863], 1863-1878. OD: Ill. diurn. Lep. Lycaenidae 1:33; 2:pl 14, f 28,29 [b2326]. TM: by original designation. HC-Lyc: Lyc: The: Iol: *Iolaus* [Refs - b2280]
- b *Sublysdandra* Koçak, 1977 OD: *Atalanta* (Münnerstadt) 8(1):52 [b2788]. TS: *Lycaena candalus* Herrich-Schäffer, [1851], 1843-1856. OD: Syst. Bearb. Schmetz. Europ. 1:pl 105, f 502-505 [b2313]. TM: by original designation. SS: *Polyommatus Latreille*, 1804. [Refs - b0109; b1610 (8266-E12); b2794; b2788]
- a *Subsolanoides* Koiwaya, 1989 OD: Stud. Chin. Butterflies 1:208 [b2817]. TS: *Subsolanoides nagata* Koiwaya, 1989. OD: Stud. Chin. Butterflies 1:210, f [b2817]. TM: by original designation. HC-Lyc: Lyc: Pol: Pol: *Glauopsyche* [Refs - b0123]
- a *Sukidion* H. H. Druce, 1891 OD: Ann. Mag. nat. Hist. (6):8:142 [b1356]. TS: *Iolaus inores* Hewitson, 1872. OD: Ent. mon. Mag. 9:85 [b2335]. TM: by original designation. HC-Lyc: Lyc: The: Iol: *Iolaus* [Refs - b3582; b2280; b1562; b0131; b0965]
- c *Superflua* Strand, 1910 OD: Ent. Rundsch. 27(22):162 [b4498]. TS: *Thecla sassanides* Kollar, [1849]. OD: Denkschr. K. Akad. Wiss. Wien 1:51 [b2822]. TM: replacement name for *Kollaria* Tutt, [1907]. SS: *Satyrium* Scudder, 1876. [Refs - b2280; b0851; b1044]
- a *Surendra* Moore, [1879] OD: Proc. zool. Soc. Lond. 1878(4):835 [b3230]. TS: *Amblypodia quercetorum* Moore, [1858]. OD: In Cat. Lep. Ins. E. India Co. (1):42, pl 1a, f 7 [b3219]. TM: by monotypy. HC-Lyc: Lyc: The: Arh: *Surendra* [Note - *The taxon represented by the nominal species Amblypodia quercetorum* Moore, [1858], is currently treated, on subjective taxonomic grounds, as being a subspecies of the taxon represented by the older-established nominal species *Amblypodia vivarna* Horsfield, [1829].] [Refs - b2280]
- a *Symbiopsis* Nicolay, 1971 OD: J. Lep. Soc. 25(Suppl. 1):4 [b3388]. TS: *Thecla strenua* Hewitson, [1877], 1863-1878. OD: Ill. diurn. Lep. Lycaenidae 1:207; 2:pl 82, f 689,690 [b2326]. TM: by original designation. HC-Lyc: Lyc: The: Eum: *Eumaeus* [Refs - b0102; b0522; b2606]
- c *Symetha* Horsfield, [1828], 1828-1829 OD: Descr. Cat. lepid. Ins. (1):pl [2] [b2457]. TS: *Symetha pandu* Horsfield, [1828], 1828-1829 OD: Descr. Cat. lepid. Ins. (2):pl 2, f 2,2a [b2457]. TM: by monotypy. SS: *Miletus* Hübner, [1819]. [Note - *The taxon represented by the nominal species Symetha pandu* Horsfield, [1828], is currently treated, on subjective taxonomic grounds, as being the same as the taxon represented by the older-established nominal species *Papilio symethus* Cramer, [1777].] [Refs - b1153; b2280; b1023; b1571]
- e *Symethis* Guérin-Méneville, [1831], 1830-1838, (ISS) OD: In Duperré, Voy. Coquille, Zool. Atlas:pl Ins. 18 [b2087]. OS: *Symetha* Horsfield, [1828]. [Refs - b1023]
- c *Symethus* Guérin-Méneville, [1838], 1830-1838, (ISS) OD: In Duperré, Voy. Coquille, Zool. 2(2):318 [b2087]. OS: *Symetha* Horsfield, [1828].
- a *Symmachia* Hübner, [1819], 1816-1826 OD: Verz. bekannt. Schmetz. (2):26 [b2484]. TS: *Symmachia probetrix* Hübner, [1819], 1816-1826. OD: Verz. bekannt. Schmetz. (2):26 [b2484]. TM: by selection by Scudder, 1875. Proc. amer. Acad. Arts Sci. 10(2):272 [b4080]. HC-Lyc: Rio: *Rio: Symmachilini* [Note - *The taxon represented by the nominal species Symmachia probetrix* Hübner, [1819], is currently treated, on subjective taxonomic grounds, as being the same as the taxon represented by the older-established nominal species *Papilio probetor* Stoll, [1782].] [Refs - b2988; b2280; b2154]
- d *Synapta* Felder & Felder, 1865, 1865-1875, (H) OD: Reise Novara (2):294 [b1692]. TS: *Synapta arion* Felder & Felder, 1865, 1865-1875. OD: Reise Novara (2):294, pl 36, f 20,21 [b1692]. TM: by monotypy. SS: *Symmachia* Hübner, [1819]. [Refs - b2280]
- a *Synargis* Hübner, [1819], 1816-1826 OD: Verz. bekannt. Schmetz. (2):18 [b2484]. TS: *Papilio tytia* Cramer, [1777], 1775-1790. OD: Uitl. Kapellen 2(11):37, pl 121, f C,D [b1069]. TM: by selection by Scudder, 1875. Proc. amer. Acad. Arts Sci. 10(2):273 [b4080]. HC-Lyc: Rio: *Rio: Lemoniini* [Refs - b2988 (+as *Nymula*); b2280; b1023; b0677; b2154]
- e *Synargus* Callaghan, 1983, (ISS) OD: Bull. Allyn Mus. (78):2 [b0677]. SS: *Synargis* Hübner, [1819]. [Refs - b0677]
- e *Syntarcooides* Kaye, 1921, (ISS) OD: Mem. Dep. Agric. Trinidad Tobago 2:89 [b2711]. SS: *Syntarucooides* Kaye, 1904. [Refs - b0908; b3138 (as not seen)]
- e *Syntarucooides* Sharp, [1905], (ISS) OD: Zool. Rec. 41(1904)(Ins.):251 [b4135]. SS: *Syntarucooides* Kaye, 1904. [Refs - b2280]
- c *Syntarucoides* Kaye, 1904 OD: Trans. ent. Soc. Lond. 52(2):190 [b2708]. TS: *Papilio cassius* Cramer, [1775], 1775-1790. OD: Uitl. Kapellen 1(2):36, pl 23, f C,D [b1069]. TM: by original designation. SS: *Leptotes* Scudder, 1876. [Refs - b0908; b2280]
- c *Syntarucus* Butler, [1901] OD: Proc. zool. Soc. Lond. 1900(4):929 [b0659]. TS: *Papilio telicanus* Lang, 1789. OD: Verz. Schmetz. Gegend. Augsburg (2nd ed) :47 [b2889]. TM: by monotypy. SS: *Leptotes* Scudder, 1876. [Note - *The taxon represented by the nominal species Papilio telicanus* Lang, 1789, is currently treated, on subjective taxonomic grounds, as being the same as the taxon represented by the older-established nominal species *Papilio pirithous* Linnaeus, 1767.] [Refs - b0485; b4198; b1943; b0908; b3582; b2280; b1562; b0400; b0833; b2794; ns4822 (as a good genus)]
- e *Syntaurucooides* Miller & Brown, 1981, (ISS) OD: Mem. Lep. Soc. (2):226 (note 380) [b3192]. SS: *Syntarucooides* Kaye, 1904. [Note - *Müller & Brown attribute this misspelling to Sharp, but they compounded the error by making yet another mistake.*]
- e *Syntaurucooides* Miller & Brown, 1981, (ISS) OD: Mem. Lep. Soc. (2):113 [b3192]. SS: *Syntarucooides* Kaye, 1904 [Refs - b3192]
- a *Syrmatia* Hübner, [1819], 1816-1826 OD: Verz. bekannt. Schmetz. (2):23 [b2484]. TS: *Limnas nyx* Hübner, [1817], 1806-1838. OD: Samml. exot. Schmetz. 1:pl [33] [b2482]. TM: by selection by Scudder, 1875. Proc. amer. Acad. Arts Sci. 10(2):274 [b4080]. HC-Lyc: Rio: *Rio: Riodinili* [Note - *The taxon represented by the nominal species Limnas nyx* Hübner, [1817], is currently treated, on subjective taxonomic grounds, as being the same as the taxon represented by the older-established nominal species *Papilio dorilas* Cramer, [1775].] [Refs - b2988; b2280; b4950; b2154]

- a **Syrmoptera** Karsch, 1895 OD: Ent. Nachr. 21:308 [b2694]. TS: *Syrmoptera melanomitra* Karsch, 1895. OD: Ent. Nachr. 21:308 [b2694]. TM: by original designation. HC-Lyc: Lyc: The: **Oxyildini** [Refs - b2280]
- c **Sython** Geyer, [1832], 1832-1837, (ISS) OD: In Zutr. Samml. exot. Schmett. 4:20 [b1934]. OS: *Sithon* Hübner, [1819]. [Refs - b2280]
- a **Tajuria** Moore, [1881], 1880-1881 OD: Lep. Ceylon 1(3):108 [b3232]. TS: *Hesperia longinus* Fabricius, 1798, 1792-1799. OD: Ent. syst. Suppl.:430 [b1657]. TM: by original designation. HC-Lyc: Lyc: The: **Iol: Iolaus** [Note - *The taxon represented by the nominal species Hesperia longinus Fabricius, 1798, is currently treated, on subjective taxonomic grounds, as being the same as the taxon represented by the nominal species Hesperia cippus Fabricius, 1798.*] [Refs - b4198; b2280]
- a **Takashia** M. Okano & T. Okano, 1985 OD: Tokurana (Acta Rhopalocera) 8(2):7 [b3486]. TS: *Timelaea nana* Leech, [1893], 1893-1894. OD: Butts China Japan Corea (2)(text pt 3):246; (plate pt 3/4):pl 23, f 8 [b2966]. TM: by original designation. HC-Lyc: Rio: Nem: **Nemeoblini** [Note - *Differs from other Rioidinidae in lacking the brachia of the male genitalia.*] [Refs - b0119; b3486; b2154]
- a **Tallicada** Moore, [1881], 1880-1881 OD: Lep. Ceylon 1(3):96 [b3232]. TS: *Polyommatus nyseus* Guérin-Méneville, [1843]. OD: In Delessert, Souvenirs Voy. Inde (2):78, pl 22, f 1,1a [b2088]. TM: by original designation. HC-Lyc: Lyc: Pol: **Pol: Everes** [Refs - b2280]
- d **Talies** Capronnier, 1874, (JOS) OD: Annl. Soc. ent. Belg. 17:20 [b0699]. TS: *Papilio meris* Stoll, [1781], 1780-1790. OD: In Cramer, Uitl. Kapellen 4(31):146, pl 366, f B,C [b4478]. TM: by selection by Hemming, 1935. Stylops 4:2 [b2257]. OS: *Lasaia* Bates, [1868]. [Refs - b2280; b3192]
- c **Tamala** Seitz, [1926], 1912-1927, (ISS) OD: In Seitz, Grossschmett. Erde 9:980 [b4094]. SS: *Thamala* Moore, [1879]. [Refs - b4094]
- c **Tannetheira** Sharp, [1892], (ISS) OD: Zool. Rec. 28(1891)(Ins.):205 [b4126]. OS: *Tanuetheira* H. H. Druce, 1891. [Refs - b2280]
- b **Tanuetheira** H. H. Druce, 1891 OD: Ann. Mag. nat. Hist. (6):148 [b1356]. TS: *Papilio umon* Fabricius, 1787. OD: *Mantissa* Ins. 2:65 [b1656]. TM: by original designation. SS: *Iolaus* Hübner, [1819]. [Refs - b3582; b2280]
- d **Tapina** Billberg, 1820, (JOS) OD: Enum. Ins. Mus. Billb. :81 [b0422]. TS: *Hesperia ovidius* Fabricius, 1793, 1792-1799. OD: Ent. syst. 3(1):320 [b1657]. TM: replacement name for *Emesis* Fabricius, 1807. OS: *Emesis* Fabricius, 1807. [Refs - b2280; b3192]
- c **Taraca** Seitz, [1909], 1907-1921, (ISS) OD: In Seitz, Grossschmett. Erde 1:323 [b4092]. SS: *Taraka* Doherty, 1889. [Refs - b1019; b2280; b4092]
- a **Taraka** Doherty, 1889 OD: J. asiat. Soc. Bengal, Pt II 58(4):414 [b1301]. TS: *Miletus hamada* H. Druce, 1875. OD: *Cistula* Entomologica 1(12):361 [b1387]. TM: by original designation. HC-Lyc: Lyc: Mil: **Tarakini** [Refs - b1019; b2988]
- d **Taraka** de Nicéville, 1890, (H and JOS) OD: Butts India Burmah Ceylon 3:15,57 [b1153]. TS: *Miletus hamada* H. Druce, 1875. OD: *Cistula* Entomologica 1(12):361 [b1387]. TM: by original designation. OS: *Taraka* Doherty, 1889. [Refs - b1019; b2280]
- a **Tartesa** Hirowatari, 1992 OD: Bull. Univ. Osaka Pref. (B)44(Suppl.):23 [b2388]. TS: *Lampides astarte* Butler, 1882. OD: Ann. Mag. nat. Hist. (5)10:150 [b0621]. TM: by original designation. HC-Lyc: Lyc: Pol: **Pol: Nacaduba** [Refs - b2388]
- a **Tarucus** Moore, [1881], 1880-1881 OD: Lep. Ceylon 1(3):81 [b3232]. TS: *Hesperia theophrastus* Fabricius, 1793, 1792-1799. OD: Ent. syst. 3(1):281 [b1657]. TM: by original designation. HC-Lyc: Lyc: Pol: **Pol: Castalius** [Refs - b0485; b1943; b1153; b3582; b2280; b2794; b2388]
- a **Tatura** Butler, [1888], ICZN Op 994, L 1973 OD: Proc. zool. Soc. Lond. 1887(4):572 [b0636]. TS: *Hypolycaena lebona* Hewitson, [1865], 1863-1878. OD: Ill. diurn. Lep. Lycaenidae 1:51; 2-pl 23, f 28,29 [b2326]. TM: by designation by the ICZN. HC-Lyc: Lyc: The: **Hypolycaenini** [Refs - b4400; b2280; b1023; b3151; b2540]
- a **Taxila** Doubleday, 1847, 1844-1848 OD: List Spec. lep. Brit. Mus. 2:2 [b1327]. TS: *Emesis drupadi* Horsfield, [1828], 1828-1829. OD: Descr. Cat. lepid. Inp. (1):explic. pl 2, f 3,3a [b2457]. TM: by selection by Scudder, 1875. Proc. amer. Acad. Arts Sci. 10(2):276 [b4080]. HC-Lyc: Rio: Nem: **Abisarinini** [Note - *The taxon represented by the nominal species Emesis drupadi Horsfield, [1828], is currently treated, on subjective taxonomic grounds, as being a subspecies of the taxon represented by the older-established nominal species Papilio haquinus Fabricius, 1793.*] [Refs - b1636; b0826 271; b2280; b2154]
- e **Taxilia** Fruhstorfer, [1897], (ISS) OD: Berl. ent. Z. 41(4):302 [b1805]. OS: *Taxila* Doubleday, 1847. [Refs - b2280; :414,416; b1023]
- c **Tecla** Reed, 1877, (ISS) OD: An. Univ. Chile 49:649 [b3718]. OS: *Thecla* Fabricius, 1807. [Refs - b1023]
- e **Tehla** Müller & Brown, 1981, (ISS) OD: Mem. Lep. Soc. (2):107 (under *muiri*) [b3192]. SS: *Thecla* Fabricius, 1807. [Refs - b1722; b3192]
- a **Telipna** Aurivillius, 1895, ICZN Op 566, L 1367 OD: Ent. Tidskr. 16:198 [b0151]. TS: *Liptena acraea* Westwood, [1851], 1846-1852. OD: In Gen. diurn. Lep. (2):pl 77, f 6 [b4981]. TM: by original designation. HC-Lyc: Lyc: Lip: **Pen: Telipna** [Refs - b3582; b2280; b2531; b3151]
- a **Teratoneura** Dudgeon, 1909 OD: Trans. ent. Soc. Lond. 57(Proc.):li [b1401]. TS: *Teratoneura isabellae* Dudgeon, 1909. OD: Trans. ent. Soc. Lond. 57(Proc.):li [b1401]. TM: by monotypy. HC-Lyc: Lyc: Lip: **Lip: Iridana** [Refs - b3582; b2280]
- a **Teratophthalma** Sichel, 1909 OD: Berl. ent. Z. 54(1/2):1 [b4444]. TS: *Mesosemia phelina* Felder & Felder, 1862. OD: Wien. ent. Monats. 6(12):411 [b1689]. TM: by original designation. HC-Lyc: Rio: Rio: [Refs - b2988; b2280; b2154]
- a **Teratozephyrus** Sibatani, 1946 OD: Bull. Lep. Soc. Japan 1(3):77 [b4219]. TS: *Zephyrus arisanus* Wileman, 1909. OD: Annot. zool. jap. 7(2):91-93 [b5006]. TM: by original designation. HC-Lyc: Lyc: The: **The: Thecla** [Refs - b4198; b2988; b2280; b4214; b2463]
- a **Tergissima** Johnson, 1988 OD: Insecta Mundi 2(1):30 [b2595]. TS: *Tergissima mosconiensis* Johnson, 1988. OD: Insecta Mundi 2(1):34, f 1A-D, 3Ca-b,H, 4E [b2595]. TM: by original designation. HC-Lyc: Lyc: The: **Eum: Eumaeus** [Refs - b2595; b2606]
- a **Teriomima** Kirby, 1887 OD: Ann. Mag. nat. Hist. (5)19:364 [b2763]. TS: *Tenomima subpunctata* Kirby, 1887. OD: Ann. Mag. nat. Hist. (5)19:364 [b2763]. TM: by original designation. HC-Lyc: Lyc: Lip: **Lip: Mimacraea** [Refs - b1943; b3582; b2280]
- a **Terminospinissima** Johnson, 1991 OD: Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (21):21 [b2606]. TS: *Terminospinissima serratissima* Johnson, 1991. OD: Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (21):22, f [b2606]. TM: by original designation. HC-Lyc: Lyc: The: **Eum: Eumaeus** [Refs - b0125; b2606]

- a **Terra** Johnson & Mausik, 1988 OD: *Ann. Cam. Mus.* 57(10):235, f 8A-D, 9B, 10 [b2632]. TS: *Thecla terra* Hewitson, [1878], 1863-1878. OD: *Ill. diurn. Lep. Lycaenidae* 1:211; 2:pl 84, f 714,715 [b2326]. TM: by original designation. HC-Lyc: Lyc: The: **Eum: Eumaeus** [Refs - b2632]
- b **Tetrarhanis** Karsch, 1893 OD: *Berl. ent. Z.* 38(1/2):217 [b2693]. TS: *Liptena ilma* Hewitson, [1873], 1852-1877. OD: *Ill. exot. Butts* 5:[86], pl [45], f 13 [b2323]. TM: by monotypy. SS: *Liptena* Westwood, [1851]. [Refs - b2280]
- c **Thaduca** Dewitz, 1880, (ISS) OD: *Zool. Jber. Neapel* 1879:623 [b1219]. OS: *Thaduka* Moore, [1879]. [Refs - b2280; b1023]
- a **Thaduka** Moore, [1879] OD: *Proc. zool. Soc. Lond.* 1878(4):836 [b3230]. TS: *Thaduka multicaudata* Moore, [1879]. OD: *Proc. zool. Soc. Lond.* 1878(4):836, pl 52, f 7 [b3230]. TM: by monotypy. HC-Lyc: Lyc: The: **Arh: Arhopala** [Refs - b2280]
- a **Thamala** Moore, [1879] OD: *Proc. zool. Soc. Lond.* 1878(4):834 [b3230]. TS: *Thamala miniata* Moore, [1879]. OD: *Proc. zool. Soc. Lond.* 1878(4):834, pl 52, f 6 [b3230]. TM: by monotypy. HC-Lyc: Lyc: The: **Lox: Loxura** [Note - *The taxon represented by the nominal species Thamala miniata* Moore, [1879], is currently treated, on subjective taxonomic grounds, as being a subspecies of the taxon represented by the older-established nominal species *Myrina marciana* Hewitson, [1863].] [Refs - b2280; b1562]
- e **Thamola** Seitz, [1926], 1912-1927, (ISS) OD: In Seitz, *Grossschmett. Erde* 9:986 [b4094]. SS: *Thamala* Moore, [1879]. [Refs - b2280; b4094]
- d **Tharops** Hübner, [1819], 1816-1826, (H) OD: *Verz. bekannt. Schmett.* (7):109 [b2484]. TS: *Papilio menander* Stoll, [1780], 1780-1790. OD: In *Cramer, Uil. Kapellen* 4(28):86, pl 334, f C,D [b4478]. TM: by selection by Scudder, 1875. *Proc. amer. Acad. Arts Sci.* 10(2):279 [b4080]. OS: *Menander* Hemming, 1939. [Refs - b2988; b2280]
- a **Tharsalea** Scudder, 1876 OD: *Bull. Buffalo Soc. nat. Sci.* 3:125 [b4083]. TS: *Polyommatus arota* Boisduval, 1852. OD: *Annls Soc. ent. Fr.* (2)10:293 [b0467]. TM: by original designation. HC-Lyc: Lyc: The: **Lyc: Lycaena** [Refs - b0908; b2280; b3191; b3192; b3189; b1321]
- e **Tharsalia** Strecker, 1878, (ISS) OD: *Butts Moths N. Amer., Comp. Syn. Cat.* :102 [b4532]. SS: *Tharsalea* Scudder, 1876. [Refs - b3138]
- a **Thaumaina** Bethune-Baker, 1908 OD: *Proc. zool. Soc. Lond.* 1908(1):116 [b0340]. TS: *Thaumaina uranothauma* Bethune-Baker, 1908. OD: *Proc. zool. Soc. Lond.* 1908(1):116, pl 9, f 8,9 [b0340]. TM: by original designation. HC-Lyc: Lyc: The: **Pol: Thaumaina** [Refs - b2280; b2388]
- e **Theckla** Rivers, 1902, (ISS) OD: *Bull. S. Calif. Acad. Sci.* 1(4):41-42 [b3802]. SS: *Thecla* Fabricius, 1807. [Refs - b3138 (as not seen)]
- a **Thecla** Fabricius, 1807 OD: *Mag. f. Insektenk. (Illiger)* 6:286 [b1658]. TS: *Papilio betulae* Linnaeus, 1758. OD: *Syst. nat.* (ed. 10) 1:482 [b2993]. TM: by selection by Swainson, [1821], 1820-1823 *Zool. Illustr.* (1)2()-pl 69 [b4549]. HC-Lyc: Lyc: The: **The: Thecla** [Refs - b0485; b0908; b2280; b2794]
- c **Theclaria** Rafinesque, 1815, (ISS) OD: *Analyse Nat.* :128, no. 36 [b3685]. OS: *Thecla* Fabricius, 1807. [Refs - b2280; b1023]
- a **Theclinesthes** Röber, 1891 OD: *Tijdschr. Ent.* 34(3/4):316 [b3823]. TS: *Plebeius (Theclinesthes) eremicola* Röber, 1891. OD: *Tijdschr. Ent.* 34(3/4):316 [b3823]. TM: by monotypy. HC-Lyc: Lyc: The: **Pol: Theclinesthes** [Refs - b2280; b2388]
- e **Thecliola** Waterhouse, 1912, (ISS) OD: *Index zool.* 2:299 [b4935]. OS: *Thecliola* Strand, 1910. [Refs - b2280; b0851]
- c **Thecliolla** Strand, 1910 OD: *Ent. Rundsch.* 27(22):162 [b4498]. TS: *Thecla w-album eximia* Fixsen, 1887. OD: In *Romanoff, Mém. Lép.* 3:271, pl 13, f 2 [b1745]. TM: replacement name for *Felderia* Tutt, [1907]. SS: *Sayrium* Scudder, 1876. [Refs - b2280; b0851; b2794]
- a **Theclopsis** Godman & Salvin, [1887], 1879-1901 OD: *Biol. centr.-amer., Lep. Rhop.* 2:99 [b1975]. TS: *Thecla lebena* Hewitson, 1868. OD: *Descr. new Spec. Lycaenidae* :9 [b2327]. TM: by original designation. HC-Lyc: Lyc: The: **Eum: Eumaeus** [Note - *The taxon represented by the nominal species Thecla lebena* Hewitson, 1868, is currently treated, on subjective taxonomic grounds, as being a subspecies of the taxon represented by the older-established nominal species *Bühys lydus* Hübner, [1819].] [Refs - b0908; b2988; b2280]
- a **Thecloxurina** Johnson, 1992 OD: *Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point)* (22):26 [b2610]. TS: *Thecla loxurina* Felder & Felder, 1865, 1865-1875. OD: *Reise Novara* (2):262, pl 32, f 21,22 [b1692]. TM: by original designation. HC-Lyc: Lyc: The: **Eum: Eumaeus** [Refs - b0125; b2620; b2610]
- e **Thecta** Keferstein, 1874, (ISS) OD: *Z. Ges. Naturw.* 44(14/15):227 [b2716]. SS: *Thecla* Fabricius, 1807. [Refs - b3138]
- a **Themone** Westwood, [Oct 1851], 1846-1852 OD: In *Gen. diurn. Lep.* (2):pl 72, f 9 [b4981]. TS: *Helicopsis pais* Hübner, [1820], 1806-1838. OD: *Samml. exot. Schmett.* 2:pl [16] [b2482]. TM: by monotypy. HC-Lyc: Rio: Rio: **Rio: Ancyuriti** [Refs - b2988; b2280; b2154]
- a **Theope** Doubleday, 1847, 1844-1848 OD: *List Spec. lep. Brit. Mus.* 2:6 [b1327]. TS: *Polyommatus terambus* Godart, [1824], 1819-1824. OD: In *Ency. méth.* 9(Ins.):2:676 [b1970]. TM: by selection by Scudder, 1875. *Proc. amer. Acad. Arts Sci.* 10(2):280 [b4080]. HC-Lyc: Rio: Rio: **Nymphidiini** [Refs - b2781; b2988; b0826 :271; b2280; b2154]
- a **Theorema** Hewitson, [1865], 1863-1878 OD: *Ill. diurn. Lep. Lycaenidae* 1:69 [b2326]. TS: *Theorema eumenia* Hewitson, [1865], 1863-1878. OD: *Ill. diurn. Lep. Lycaenidae* 1:69; 2:pl 27, f 1,2 [b2326]. TM: by monotypy. HC-Lyc: Lyc: The: **Eum: Eumaeus** [Refs - b0908; b2988; b2280; b1975]
- a **Thereus** Hübner, [1819], 1816-1826 OD: *Verz. bekannt. Schmett.* (5):79 [b2484]. TS: *Papilio lausus* Cramer, [1779], 1775-1790. OD: *Uil. Kapellen* 3(20):70, pl 233, f E [b1069]. TM: by monotypy. HC-Lyc: Lyc: The: **Eum: Thereus** [Refs - b0908; b2280; b3192; b3817]
- a **Theritas** Hübner, [1818], 1808-1837 OD: *Zutr. Samml. exot. Schmett.* 1:31 [b2483]. TS: *Theritas mavors* Hübner, [1818], 1808-1837. OD: *Zutr. Samml. exot. Schmett.* 1:31, pl [33], f 189,190 [b2483]. TM: by selection by Scudder, 1875. *Proc. amer. Acad. Arts Sci.* 10(2):280 [b4080]. HC-Lyc: Lyc: The: **Eum: Eumaeus** [Refs - b0908; b2988; b4245; b2280]
- a **Thermoniphas** Karsch, 1895 OD: *Ent. Nachr.* 21:298,303 [b2694]. TS: *Thermoniphas plurilimbata* Karsch, 1895. OD: *Ent. Nachr.* 21:303 [b2694]. TM: by original designation. HC-Lyc: Lyc: Pol: **Pol: Euchrysops** [Note - *Not spelt Thermoniphas.*] [Refs - b0827 (Perhaps as *Thermonophas*); b1943; b3582; b2280; b0528 (as *Thermonophas*); b2694]
- a **Thermozephyrus** Johnson & Eisele & MacPherson, 1988 OD: *Bull. Allyn Mus.* (123):119 [b2623]. TS: *Dipsas ataxus* Westwood, [1851], 1846-1852. OD: In *Gen. diurn. Lep.* (2):pl 74, f 7 [b4981]. TM: replacement name for *Dipsas* Westwood, 1851. HC-Lyc: Lyc: The: **Eum: Eumaeus** [Refs - b0122]
- e **Thersalia** Scudder, 1876, (IOS) OD: *Bull. Buffalo Soc. nat. Sci.* 3:101 [b4083]. SS: *Tharsalea* Scudder, 1876. [Refs - b3138]

- b **Thersamolycaena** Verity, 1957 OD: Ent. Rec. 69:225 [b4866]. TS: *Papilio dispar* [Haworth], 1802. OD: Prodr. Lep. Brit. 3 et nota [b2172]. TM: replacement name for *Disparia* Verity, 1943. SS: *Lycaena* Fabricius, 1807. [Refs - b0113; b2790; b2790; b4866]
- b **Thersamonia** Verity, 1919, 1919-1922 OD: Ent. Rec. 31:28 [b4840]. TS: *Papilio thersamon* Esper, [1784], 1776-1830. OD: Die Schmetz. 1(2)(9):176, pl 89, f 6 [b1623]. TM: by original designation. SS: *Lycaena* Fabricius, 1807. [Refs - b0485; b1019; b2280; b2302]
- a **Thestlus** Hübner, [1819], 1816-1826 OD: Verz. bekannt. Schmetz. (5):78 [b2484]. TS: *Papilio pholeus* Cramer, [1777], 1775-1790. OD: Uil. Kapellen 2(14):104, pl 163, f D,E [b1069]. TM: by selection by Scudder, 1875. Proc. amer. Acad. Arts Sci. 10(2):281 [b4080]. HC-Lyc: Lyc: The: Eum: *Eumaeus* [Refs - b4245; b2280]
- a **Thestor** Hübner, [1819], 1816-1826 OD: Verz. bekannt. Schmetz. (5):73 [b2484]. TS: *Papilio petalus* Cramer, [1779], 1775-1790. OD: Uil. Kapellen 3(21):84, pl 243, f C,D [b1069]. TM: by selection by Scudder, 1875. Proc. amer. Acad. Arts Sci. 10(2):281 [b4080]. HC-Lyc: Lyc: Mill: *Lachnocnemiini* [Note - The taxon represented by the nominal species *Papilio petalus* Cramer, [1779], is currently treated, on subjective taxonomic grounds, as being the same as the taxon represented by the older-established nominal species *Papilio protumnus* Linnaeus, 1764.] [Refs - b3582; b2280]
- a **Thisbe** Hübner, [1819], 1816-1826 OD: Verz. bekannt. Schmetz. (2):24 [b2484]. TS: *Papilio belise* Stoll, [1782], 1780-1790. OD: In Cramer, Uil. Kapellen 4(32):171, pl 376, f E,F [b4478]. TM: by monotypy. HC-Lyc: Rio: Rio: *Lemonilini* [Note - The taxon represented by the nominal species *Papilio belise* Stoll, [1782], is currently treated, on subjective taxonomic grounds, as being the same as the taxon represented by the older-established nominal species *Papilio irenea* Stoll, [1780].] [Refs - b2988; b0826 :271; b2280; b2154]
- e **Thmolus** Riotte & Uchida, 1979, (ISS) OD: J. Res. Lep. 17(1):35 [b3801]. SS: *Tmolus* Hübner, [1819]. [Refs - b3138]
- e **Thomares** Rambur, 1858, 1858-1866, (ISS) OD: Cat. syst. Lépid. Andal. :34 [b3689]. OS: *Tomares* Rambur, 1840. [Refs - b2280]
- d **Threnodes** Hewitson, 1870, 1869-1877, (H) OD: Equatorial Lep. Buckley (4):58 [b2330]. TS: *Threnodes coenoides* Hewitson, 1870, 1869-1877. OD: Equatorial Lep. Buckley (4):58 [b2330]. TM: by monotypy. OS: Nahida Kirby, 1871. [Refs - b2280]
- a **Thrix** Doherty, 1891, ICZN Op 894, L 1876 OD: J. asiat. Soc. Bengal, Pt II 60(1):35 [b1303]. TS: *Neocheritra nisibis* de Nicéville, 1895. OD: J. Bombay nat. Hist. Soc. 9(3):316, pl P, f 45 [b1159]. TM: by designation by the ICZN. HC-Lyc: Lyc: The: Iol: *Iolaus* [Refs - b1019 :8; b2280; ns1015; b3151; b2537; b0965]
- a **Thyranota** Sichel, 1910 OD: Gen. Insectorum 112(A):22 [b4446]. TS: *Lemonias galena* Bates, [1868]. OD: J. linn. Soc. Lond., Zool. 9:398 [b0267]. TM: by subsequent designation by Sichel, 1911. Gen. Insectorum 112(B):340 [b4447]. HC-Lyc: Rio: Rio: *Lemonilini* [Refs - b2988; b2280; b1023; b2881; b2154]
- d **Thysanota** Sichel, 1911, (UE) OD: Gen. Insectorum 112(B):340 [b4447]. OS: *Thyranota* Sichel, 1910. [Refs - b1019; b2280; b2881; b2154]
- d **Thysonotus** Hübner, [1819], 1816-1826, (JOS) OD: Verz. bekannt. Schmetz. (2):20 [b2484]. TS: *Papilio danis* Cramer, [1775], 1775-1790. OD: Uil. Kapellen 1(6):111, pl 70, f E,F [b1069]. TM: by selection by Scudder, 1875. Proc. amer. Acad. Arts Sci. 10(2):284 [b4080]. OS: *Danis* Fabricius, 1807. [Refs - b4198; b2280]
- e **Thysonotus** Westwood, [1852], 1846-1852, (ISS) OD: In Gen. dium. Lep. (2):487 [b4981]. OS: *Thysonotis* Hübner, [1819]. [Refs - b2280]
- a **Ticherra** de Nicéville, 1887 OD: Proc. zool. Soc. Lond. 1887(3):457 [b1150]. TS: *Myrina acte* Moore, [1858]. OD: In Cat. Lep. Ins. E. India Co. (1):47 [b3219]. TM: by original designation. HC-Lyc: Lyc: The: Che: *Cheritra* [Refs - b2280]
- e **Tifea** Sibatani, 1974, (ISS) OD: J. Aust. ent. Soc. 13(2):102 [b4220]. SS: *Titea* Eliot, 1973. [Refs - b4221]
- a **Tigrinota** Johnson, 1992 OD: Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (22):185 [b2611]. TS: *Thecla ellida* Hewitson, [1867], 1863-1878. OD: Ill. dium. Lep. Lycaenidae 1:88; 2:pl 34, f 62,63,64 [b2326]. TM: by original designation. HC-Lyc: Lyc: The: Eum: *Eumaeus* [Refs - b0125; b2616; b2611]
- d **Tingra** Boisduval, 1847, (RC), ICZN Op 566, I 1279 OD: In Delegorgue, Voy. Afrique Austr. 2:589 [b0464]. TS: *Tingra tropicalis* Boisduval, 1847. OD: In Delegorgue, Voy. Afrique Austr. 2:589 [b0464]. TM: by monotypy. OS: *Pentila* Westwood, [1851]. [Refs - b2280; b2531]
- c **Tiora** Evans, 1912 OD: J. Bombay nat. Hist. Soc. 21(3):984 [b1626]. TS: *Papilio sebrus* Hübner, [1824], 1796-1838. OD: Samml. europ. Schmetz. pl Pap. 172, f 851-854 [b2480]. TM: by selection by Hemming, 1929. Ann. Mag. nat. Hist. (10)3:242 [b2236]. SS: *Everes* Hübner, [1819]. [Refs - b2280; b1562; b3192; b0400; b2794 (=Cupido)]
- a **Titea** Eliot, 1973 OD: Bull. Br. Mus. nat. Hist. (Ent.) 28(6):452 [b1559]. TS: *Candalides sublutea* Bethune-Baker, 1906. OD: Ann. Mag. nat. Hist. (7)17:101 [b0337]. TM: by original designation. HC-Lyc: Lyc: The: Luc: *Hypochrysoys* [Refs - b1559; b0104]
- d **Tmetogene** Felder & Felder, 1862, (JOS) OD: Wien. ent. Monats. 6(7):235 [b1687]. TS: *Brachyglenis esthema* Felder & Felder, 1862. OD: Wien. ent. Monats. 6(3):73 [b1687]. TM: replacement name for *Brachyglenis* Felder & Felder, 1862. OS: *Brachyglenis* Felder & Felder, 1862. [Refs - b2280]
- a **Tmolus** Hübner, [1819], 1816-1826 OD: Verz. bekannt. Schmetz. (5):76 [b2484]. TS: *Papilio echion* Linnaeus, 1767. OD: Syst. nat. (ed. 12) 1(2):788 [b2997]. TM: by selection by Scudder, 1875. Proc. amer. Acad. Arts Sci. 10(2):285 [b4080]. HC-Lyc: Lyc: The: Eum: *Eumaeus* [Refs - b0908; b2988; b2280; b3192; b1743]
- a **Tomares** Rambur, 1840, 1837-1840 OD: Faune ent. Andal 2:261 [b3688]. TS: *Papilio ballus* Fabricius, 1787. OD: Mantissa Ins. 2:80 [b1656]. TM: by monotypy. HC-Lyc: Lyc: The: *Tomarini* [Refs - b0485; b2988; b1019; b2280; b2794]
- a **Tongela** Tutt, [1908], 1905-1914 OD: Nat. Hist. Brit. Butts 3:41,43 [b4760]. TS: *Lycaena fischeri* Eversmann, 1843. OD: Bull. Soc. imp. Nat. Moscou 16(3):537 [b1648]. TM: by original designation. HC-Lyc: Lyc: Pol: Pol: *Everes* [Refs - b4198; b2280]
- a **Toxochitona** Stempffer, 1956 OD: Annlis Mus. r. Congo Belge (8vo)49:28 [b4388]. TS: *Durbania gerda* Kirby, 1890. OD: Ann. Mag. nat. Hist. (6)6:265 [b2766]. TM: by original designation. HC-Lyc: Lyc: Lip: Lip: *Mimacraea* [Refs - b2280; b1044]
- b **Trichiolaus** Aurivillius, [1899] OD: K. svenska Vetensk Akad. Handl. (nf)31(5)(1898):297,317 [b0156]. TS: *Hypolycaena mermeros* Mabille, 1878. OD: Bull. Soc. zool. Fr. 3:82 [b3040]. TM: by monotypy. SS: *Iolaus* Hübner, [1819] [Refs - b3582; b2280; b1023]

- a *Trichonis* Hewitson, [1865], 1863-1878 OD: Ill. diurn. Lep. Lycaenidae 1:68 [b2326]. TS: *Papilio theanus* Cramer, [1777], 1775-1790. OD: Uidl. Kapellen 2(12):65, pl 139, f F [b1069]. TM: by monotypy. HC -Lyc: Lyc: The: Eum: *Trichonis* [Note - *The taxon represented by the nominal species Papilio theanus Cramer, [1777], is currently treated, on subjective taxonomic grounds, as being the same as the taxon represented by the older-established nominal species Papilio hyacinthus Cramer, [1775].*] [Refs - b0908; b2280]
- a *Triclema* Karsch, 1893 OD: Berl. ent. Z. 38(1/2):227 [b2693]. TS: *Lycaenesthes lucretilis* Hewitson, 1874. OD: Trans. ent. Soc. Lond. 22(3):349 [b2341]. TM: by original designation. HC -Lyc: Lyc: Pol: *Lycaenesthini* [Refs - b1943; b3582; b2280]
- a *Trimenta* Tite & Dickson, 1973 OD: Bull. Br. Mus. nat. Hist. (Ent.) 29(5):233, f 5,6 [b4685]. TS: *Zeritis wallengreni* Trimen, 1887, 1887-1889. OD: In Trimen & Bowker, S. Afr. Butts 2:192 [b4725]. TM: by original designation. HC -Lyc: Lyc: The: Aph: *Aphnaeus*
- a *Tumerepedes* Bethune-Baker, 1913 OD: Ann. Mag. nat. Hist. (8)11:564 [b0347]. TS: *Tumerepedes flava* Bethune-Baker, 1913. OD: Ann. Mag. nat. Hist. (8)11:564 [b0347]. TM: by original designation. HC -Lyc: Lyc: Lip: *Lip: Epitola* [Refs - b3582; b2280]
- d *Tumerepes* Aurivillius, [1921], 1908-1925, (UE) OD: In Seitz, Grossschmett. Erde 13:347 [b0162]. OS: *Tumerepedes* Bethune-Baker, 1913. [Refs - b2280; b1023]
- a *Turanana* Bethune-Baker, 1916 OD: Ann. Mag. nat. Hist. (8)17:379 [b0354]. TS: *Lycaena cytis* Christoph, 1877, 1876-1877. OD: Horae Soc. ent. ross. 12:234, pl 5, f 5,6 [b0787]. TM: replacement name for *Turania* Bethune-Baker, 1914. HC -Lyc: Lyc: Pol: *Glaucopsyche* [Refs - b2988; b2280; b3110; b2794]
- d *Turania* Bethune-Baker, 1914, (H) OD: Ent. Rec. 26:160 [b0352]. TS: *Lycaena cytis* Christoph, 1877, 1876-1877. OD: Horae Soc. ent. ross. 12:234, pl 5, f 5,6 [b0787]. TM: by original designation. OS: *Turanana* Bethune-Baker, 1916. [Refs - b2280; b2794]
- c *Tuttiola* Strand, 1910 OD: Ent. Rundsch. 27(22):162 [b4498]. TS: *Papilio spini* [Denis & Schiffermüller], 1775. OD: Ankündigung syst. Werkes Schmett. :186 [b1193]. TM: replacement name for *Klugia* Tutt, [1907]. SS: *Fixsenia* Tutt, [1907]. [Refs - b2280; b1562; b0851; b2794]
- a *Tuxentius* Larsen, 1982 OD: Biologiske Skrifter 23(3):45 [b2898]. TS: *Lycaena melaena* Trimen, 1887, 1887-1889. OD: In Trimen & Bowker, S. Afr. Butts 2:82 [b4725]. TM: by original designation. HC -Lyc: Lyc: Pol: *Pol: Castalius* [Refs - b0115; b2898; b2899]
- c *Tyanitis* Westwood, [1851], 1846-1852, (PS) OD: In Gen. diurn. Lep. (2):447,448,449 [b4981]. TS: *Papilio caricae* Linnaeus, 1758. OD: Syst. nat. (ed. 10) 1:484 [b2993]. TM: by selection by Hemming, 1941. J. Soc. Bibl. nat. Hist. 1(11):439 [b2263]. OS: *Nymphidium* Fabricius, 1807. [Refs - b2280; b1023]
- a *Tylopaedia* Tite & Dickson, 1973 OD: Bull. Br. Mus. nat. Hist. (Ent.) 29(5):232, f 9,10 [b4685]. TS: *Zeritis sardonyx* Trimen, 1868. OD: Trans. ent. Soc. Lond. 16(1):83, pl 5, f 5; pl 6, f 6,7 [b4718]. TM: by original designation. HC -Lyc: Lyc: The: Aph: *Aphnaeus*
- a *Udara* Toxopeus, 1928, 1927-1928 OD: Tijdschr. Ent. 71:181,219 [b4697]. TS: *Polyommatus dilectus* Moore, 1879. OD: Proc. zool. Soc. Lond. 1879(1):139 [b3231]. TM: by original designation. HC -Lyc: Lyc: Pol: *Pol: Lycaenopsis* [Refs - b2280; b1580]
- c *Uestiudia* Oiticica Filho, 1955 OD: Revta bras. Ent. 3:157 [b3474]. TS: *Castnia pelopia* H. Druce, 1890. OD: Ent. mon. Mag. 26:69 [b1390]. TM: replacement name for *Westwoodia* Houlbert, 1918. SS: *Xenandra* Felder & Felder, 1865. [Refs - b0115; b3474; b1746]
- b *Ultraaricia* Beuret, 1959 OD: Mitt. ent. Ges. Basel (nf)9:84 [b0408]. TS: *Lycaena anteros* Freyer, 1839, 1831-1858. OD: Neuere Beitr. Schmett. 1(45):101, pl 265, f 1 [b1795]. TM: by original designation. SS: *Plebejus* Kluk, 1802. [Refs - b2280; b3358; b2794]
- a *Una* de Nicéville, 1890 OD: Butts India Burmah Ceylon 3:51 et nota [b1153]. TS: *Zizera* (?) usta Distant, 1886. OD: Ann. Mag. nat. Hist. (5)17:531 [b1287]. TM: by original designation. HC -Lyc: Lyc: Pol: *Pol: Una* [Refs - b4198; b2280; b2388]
- c *Ununcula* van Eecke, 1915 OD: Zool. Meded. 1(3/4):29 [b4793]. TS: *Papilio argiades* Pallas, 1771. OD: Reise verschied. Prov. Russisch. Reichs 1:472 [b3546]. TM: by selection by Hemming, 1929. Ann. Mag. nat. Hist. (10)3:243 [b2236]. SS: *Everes* Hübner, [1819]. [Refs - b2280; b3192]
- a *Upolampes* Bethune-Baker, 1908 OD: Proc. zool. Soc. Lond. 1908(1):118 [b0340]. TS: *Upolampes striata* Bethune-Baker, 1908. OD: Proc. zool. Soc. Lond. 1908(1):118, pl 9, f 15 [b0340]. TM: by original designation. HC -Lyc: Lyc: Pol: *Pol: Upolampes* [Note - *The taxon represented by the nominal species Upolampes striata Bethune-Baker, 1908, is currently treated, on subjective taxonomic grounds, as being the same as the taxon represented by the older-established nominal species Lycaena evena Hewitson, [1876].*] [Refs - b2280; b2388]
- a *Uraneis* Bates, [1868] OD: J. linn. Soc. Lond., Zool. 9:411 [b0267]. TS: *Tharops hyalina* Butler, [1867]. OD: J. linn. Soc. Lond., Zool. 9:225, pl 6, f 26 [b0586]. TM: by monotypy. HC -Lyc: Rio: *Rio: Lemoniini* [Refs - b2988; b2280; b2154]
- a *Uranobothria* Toxopeus, 1927, 1927-1928 OD: Tijdschr. Ent. 70:261 [b4697]. TS: *Lycaenopsis celebica* Fruhstorfer, [1917]. OD: Arch. Naturgesch. (A)82(1):40 [b1880]. TM: by original designation. HC -Lyc: Lyc: Pol: *Pol: Lycaenopsis* [Refs - b2280; b1580]
- d *Uranops* Hemming, 1929, (H) OD: Ann. Mag. nat. Hist. (10)3:243 [b2236]. TS: *Papilio coridon* Poda von Neuhaus, 1761. OD: Ins. Mus. Graec. :77 [b3623]. TM: by original designation. OS: *Lysandra* Hemming, 1933. [Refs - b2280; b2794; b4367]
- d *Uranotes* Scudder, 1876, (JOS) OD: Bull. Buffalo Soc. nat. Sci. 3:107 [b4083]. TS: *Strymon melinus* Hübner, [1818], 1808-1837. OD: Zutr. Samml. exot. Schmett. 1:22, pl [21], f 121,122 [b2483]. TM: replacement name for *Calliparus* Scudder, 1872. OS: *Strymon* Hübner, [1818]. [Refs - b0908; b2280; b3192]
- a *Uranothauma* Butler, 1895 OD: Proc. zool. Soc. Lond. 1895(3):631 [b0642]. TS: *Uranothauma crawshayi* Butler 1895. OD: Proc. zool. Soc. Lond. 1895(3):631, pl 35, f 6,7 [b0642]. TM: by original designation. HC -Lyc: Lyc: Pol: *Pol: Uranothauma* [Refs - b1943; b3582; b2280; b3549]
- a *Ussuriana* Tutt, [1907], 1905-1914 OD: Nat. Hist. Brit. Butts 2:276 [b4760]. TS: *Thecla michaelis* Oberthür, 1880. OD: Étud. ent. 5:19, pl 5, f 2 [b3422]. TM: by original designation. HC -Lyc: Lyc: The: *The: Thecla* [Refs - b4198; b2988; b2280; b4214]
- d *Utica* Hewitson, [1865], 1863-1878, (H) OD: Ill. diurn. Lep. Lycaenidae 1:56 [b2326]. TS: *Utica onycha* Hewitson, [1865], 1863-1878. OD: Ill. diurn. Lep. Lycaenidae 1:56; 2:pl 24, f 11,12 [b2326]. TM: by monotypy. SS: *Theclines*thes Röber, 1891. [Refs - b2280]

- a **Uzzia** Johnson, 1991 OD: Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (21):43 [b2606]. TS: *Thecla uzza* Hewitson, [1873], 1863-1878. OD: Ill. diurn. Lep. Lycaenidae 1:147; 2:pl 58, f 372,373 [b2326]. TM: by original designation. HC-Lyc: Lyc: The: Eum: *Eumaeus* [Refs - b0125; b2606]
- c **Vaccinia** Forster, 1938, (ISS) OD: Mitt. münchn. ent. Ges. 28:112 [b1762]. SS: *Vacciniina* Tutt, [1909]. [Refs - b0908; b2280; b3192; b0410; b1321; b2794]
- e **Vaccinia** Forster & Wohlfahrt, 1955, (ISS) OD: Schmett. Mitteleuropas 2:103 [b1780]. SS: *Vacciniina* Tutt, [1909]. [Refs - b0410]
- b **Vaccinina** Tutt, [1909], 1905-1914 OD: Nat. Hist. Brit. Butts 3:154 [b4760]. TS: *Papilio optilete* Knoch, 1781, 1781-1783. OD: Beitr. Insekengesch. 1:76, pl 5, f 5,6 [b2784]. TM: by original designation. SS: *Polyommatus* Latreille, 1804. [Refs - b0485; b0908; b2988; b2280; b3192; b0410; b1321; b2794 (as good genus); b4367]
- e **Vaciniina** Hemming, 1929, (ISS) OD: Ann. Mag. nat. Hist. (10)3:244 [b2236]. SS: *Vacciniina* Tutt, [1909]. [Refs - b0410]
- d **Vadebra** Moore, [Apr 1884], (H) OD: Proc. zool. Soc. Lond. 1883(4):528 [b2325]. TS: *Deudorix petosiris* Hewitson, [1863], 1863-1878. OD: Ill. diurn. Lep. Lycaenidae 1:22; 2:pl 9, f 30,31 [b2326]. TM: by original designation. SS: *Rapala* Moore, [1881]. [Note - *The taxon represented by the nominal species Deudorix petosiris* Hewitson, [1863], is currently treated, on subjective taxonomic grounds, as being a subspecies of the taxon represented by the nominal species *Deudorix pheretima* Hewitson, [1863].] [Refs - b2280]
- b **Vaga** Zimmerman, 1958 OD: Ins. Hawaii 7:491 [b5075]. TS: *Holochila blackburni* Tuely, 1878. OD: Ent. mon. Mag. 15:9 [b4740]. TM: by original designation. SS: *Udara* Toxopeus, 1928. [Refs - b2280; b1023; b1580]
- a **Variegatta** Johnson, 1992 OD: Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (22):180 [b2611]. TS: *Thecla elongata* Hewitson, 1870, 1869-1877. OD: Equatorial Lep. Buckley (4):60 [b2330]. TM: by original designation. HC-Lyc: Lyc: The: Eum: *Eumaeus* [Refs - b0125; b2611]
- b **Virachola** Moore, [1881], 1880-1881 OD: Lep. Ceylon 1(3):104 [b2322]. TS: *Deudorix perse* Hewitson, [1863], 1863-1878. OD: Ill. diurn. Lep. Lycaenidae 1:18; 2:pl 8, f 24-26 [b2326]. TM: by original designation. SS: *Deudorix* Hewitson, [1863]. [Refs - b1943; b3582; b2280]
- c **Virgarina** H. H. Druce, 1895, (PD) OD: Proc. zool. Soc. Lond. 1895(3):606 [b1362]. TS: *Sithon scopula* H. Druce, 1873. OD: Proc. zool. Soc. Lond. 1873(2):352, pl 33, f 2 [b1383]. TM: by original designation. SS: *Thrix* Doherty, 1891. [Refs - b1019; b2280]
- e **Virgaurina** Fruhstorfer, 1914, (ISS) OD: Deut. ent. Zeit. [Iris] 27(4):175 [b1854]. SS: *Virgarina* H. H. Druce, 1895. [Refs - b2280, b1854]
- c **Voltinia** Suchel, 1910 OD: Gen. Insectorum 112(A):72 [b4446]. TS: *Esthemopsis* (?) *radiata* Godman & Salvin, [1886], 1879-1901 OD: Biol. centr.-amer., Lep. Rhop. 1:486, pl 42, f 5 [b1975]. TM: by original designation. SS: *Esthemopsis* Felder & Felder, 1865. [Note - *See d'Abbrera for some very interesting notes on this genus. It seems that radiata really is an Esthemopsis while theata really is quite distinct and deserves a genus of its own.*] [Refs - b2988; b2280; b2154; b1456]
- a **Waglmo** Sibatani & Ito, 1942 OD: Tenthredo 3(4):319 [b4224]. TS: *Thecla signata* Butler, [1882]. OD: Proc. zool. Soc. Lond. 1881(4):854 [b0620]. TM: by original designation. HC-Lyc: Lyc: The: The: *Thecla* [Refs - b4198; b2988; b2280; b4214]
- c **Waigeum** Staudinger, 1895 OD: Deut. ent. Zeit. [Iris] 8:153-155 [b4341]. TS: *Thysonotis* (?) *miraculum* H. H. Druce & Bethune-Baker, 1893. OD: Proc. zool. Soc. Lond. 1893(3):552, pl 46, f 12 [b1382]. TM: by selection by Waterhouse & Lyell, 1914. Butts Aust. :91 [b4947]. SS: *Hypochrysops* Felder & Felder, 1860. [Refs - b2280; b1474]
- d **Westwoodia** Houlbert, 1918, (H) OD: Étud. Léop. comp. 15:67, 77, 652, 653 [b2460]. TS: *Castnia pelopia* H. Druce, 1890. OD: Ent. mon. Mag. 26:69 [b1390]. TM: by selection by Otiticica Filho, 1955. Revta bras. Ent. 3:157 [b3474]. OS: *Uestiudia Otiticica* Filho, 1955. [Refs - b1746]
- c **Xamia** Clench, 1961 OD: In Ehrlich & Ehrlich, Butterflies :200,205 [b0829]. TS: *Callophrys xami* Reakirt, [1867], 1866-1867. OD: Proc. Acad. nat. Sci. Philad. 18:332 [b3697]. TM: by original designation. SS: *Sandia* Clench & Ehrlich, 1960. [Refs - b1023; b4574; b3192; b2585]
- a **Xenandra** Felder & Felder, 1865, 1865-1875 OD: Reise Novara (2):304 [b1692]. TS: *Xenandra heliodes* Felder & Felder, 1865, 1865-1875. OD: Reise Novara (2):304, pl 38, f 19-22 [b1692]. TM: by monotypy. HC-Lyc: Rio: Rio: *Symmachilini* [Refs - b2988; b2280; b2154]
- e **Xinias** Stichel, 1930, (ISS) OD: Lep. Cat. Pars 40:491 [b4474]. OS: *Xynias* Hewitson, 1874. [Refs - b2988; b2280]
- a **Xinjiangia** Huang & Murayama, 1988 OD: Konchu to Shizen (Nature & Insects) 23(12):28 [b2477]. TS: *Xinjiangia kumukuleensis* Huang & Murayama, 1988. OD: Konchu to Shizen (Nature & Insects) 23(12):28, f [b2477]. TM: by original designation. HC-Lyc: Lyc: Pol: [Refs - b0123]
- c **Xynias** Hewitson, 1874 OD: Descr. new Spec. Butts Buckley Bolivia :17 [b2344]. TS: *Xynias cynosema* Hewitson, 1874. OD: Descr. new Spec. Butts Buckley Bolivia :17 [b2344]. TM: by monotypy. SS: *Esthemopsis* Felder & Felder, 1865. [Refs - b2988 (as *Xinias*); b2280; b2154; b1456]
- a **Yasoda** Doherty, 1889 OD: J. asiat. Soc. Bengal, Pt II 58(4):410 nota, 425 [b1301]. TS: *Loxura tripunctata* Hewitson, [1863], 1863-1878. OD: Ill. diurn. Lep. Lycaenidae 1:26 [b2326]. TM: by monotypy. HC-Lyc: Lyc: The: Lox: *Loxura* [Refs - b2280]
- d **Yasoda** de Nicéville, 1890, (H) OD: Butts India Burmah Ceylon 3:20,438 [b1153]. TS: *Loxura pita* Horsfield, [1829], 1828-1829. OD: Descr. Cat. lepid. Ins. (2):122 [b2457]. TM: by original designation. OS: *Yasoda* Doherty, 1889. [Refs - b1019; b2280]
- a **Zabuella** Stichel, 1911 OD: Gen. Insectorum 112(B):290 [b4447]. TS: *Lemonias tenellus* Burmeister, 1878. OD: Descr. phys. Rép. Argentine 5(Lép.):1:225, pl 8, f 8 [b0574]. TM: by original designation. HC-Lyc: Rio: Rio: *Emesini* [Refs - b2988; b2280; b2154]
- e **Zaeonia** Saunders, [1859], (ISS) OD: Trans. ent. Soc. Lond (2)5:97 [b3939]. OS: *Zeonias* Swainson, [1833]. [Refs - b2280]
- e **Zameros** Marschall, 1873, (ISS) OD: Nomencl. zool. :318 [b3063]. OS: *Zameros* Boisduval, 1836. [Refs - b1023]
- d **Zarax** Fruhstorfer, [1914], 1909-1923, (H and JOS) OD: In Seitz, Grossschmett. Erde 9:789 [b1840]. TS: *Taxila teneta* Hewitson, [1861], 1852-1877. OD: Ill. exot. Butts 2:189, pl [45], f 3,4 [b2323]. TM: by monotypy. OS: *Laxita* Butler, [1879]. [Refs - b2280]
- c **Zarona** de Nicéville, [1889] OD: J. asiat. Soc. Bengal, Pt II 57(4):280-281,293 [b1151]. TS: *Zarona jasoda* de Nicéville, [1889]. OD: J. asiat. Soc. Bengal, Pt II 57(4):280, pl 14, f 5 [b1151]. TM: by monotypy. SS: *Deramas* Distant, 1886 [Refs - b2280; b1555; b4094]

- a *Zelotaea* Bates, [1868] OD: J. linn. Soc. Lond., Zool. 9:381 [b0267]. TS: *Zelotaea phasma* Bates, [1868]. OD: J. linn. Soc. Lond., Zool. 9:382 [b0267]. TM: by selection by Scudder, 1875. Proc. amer. Acad. Arts Sci. 10(2):290 [b4080]. HC-Lyc: Rio: Rio: *Nymphidiini* [Refs - b2988; b2280; b2154]
- b *Zeltus* de Nicéville, 1890 OD: Butts India Burmah Ceylon 3:19,399 [b1153]. TS: *Papilio etolus* Fabricius, 1787. OD: *Mantissa* Ins. 2:66 [b1656]. TM: by original designation. SS: *Hypolycaena* Felder & Felder, 1862. [Note - *The taxon represented by the nominal species apilio etolus* Fabricius, 1787, which is a homonym, is currently treated, on subjective taxonomic grounds, as being the same as the taxon represented by the nominal species *Hypolycaena amasa* Hewison, [1865].] [Refs - b2988; b4400; b2280; b4108]
- a *Zemerus* Boisduval, 1836 OD: Spec. gén. Lépid. 1:pl 21 [=5C], f 5 [b0462]. TS: *Papilio allica* Fabricius, 1787. OD: *Mantissa* Ins. 2:52 [b1656]. TM: by monotypy. HC-Lyc: Rio: Nem: *Zemerini* [Note - *The taxon represented by the nominal species Papilio allica* Fabricius, 1787, is currently treated, on subjective taxonomic grounds, as being the same as the taxon represented by the older-established nominal species *Papilio flegyas* Cramer, [1780].] [Refs - b1636; b2988; b0826 :270; b2280; b0965; b2154]
- c *Zeonia* Swainson, [1833], 1829-1833 OD: Zool. Illustr. (2)3(24):pl 111 [b4551]. TS: *Zeonia heliconides* Swainson, [1833], 1829-1833. OD: Zool. Illustr. (2)3(24):pl 111 [b4551]. TM: by monotypy. SS: *Chorinea* Gray, 1832. [Refs - b1019; b2280; b2154]
- d *Zephyrius* Billberg, 1820, (UE) OD: Enum. Ins. Mús. Billb. :80 [b0422]. OS: *Thecla* Fabricius, 1807. [Note - *Hemming considered this an incorrect subsequent spelling, but Cown showed it to be an unjustified emendation.*] [Refs - b0908; b2280; b1023; b2794]
- d *Zephyrus* Dalman, 1816, (JOS) OD: K. svenska VetenskAkad. Handl. 37(1):62,63 [b1092]. TS: *Papilio betulae* Linnaeus, 1758. OD: Syst. nat. (ed. 10) 1:482 [b2993]. TM: by original designation. OS: *Thecla* Fabricius, 1807. [Refs - b0908; b2280; b3778; b2794]
- a *Zeritis* Boisduval, 1836 OD: Spec. gén. Lépid. 1:pl 22 [=6C], f 6 [b0462]. TS: *Zeritis neriene* Boisduval, 1836. OD: Spec. gén. Lépid. 1:pl 22 [=6C], f 6 [b0462]. TM: by monotypy. HC-Lyc: Lyc: The: Aph: *Aphnaeus* [Refs - b3582; b2280]
- d *Zeritis* Aurivillius, [1899], (H and JOS) OD: K. svenska VetenskAkad. Handl. (n)31(5)(1898):297,333 [b0156]. TS: *Zeritis neriene* Boisduval, 1836. OD: Spec. gén. Lépid. 1:pl 22 [=6C], f 6 [b0462]. TM: replacement name for *Zeritis* Boisduval, 1836. OS: *Zeritis* Boisduval, 1836. [Refs - b2280; b1023]
- c *Zerythis* Blanchard, 1840, (ISS) OD: Hist. nat. Ins. 3:463 [b0445]. OS: *Zeritis* Boisduval, 1836. [Refs - b2280]
- c *Zerythis* Lucas, 1849 OD: Explor. Algér. (Artic. III):pl Lépid 1 [b3020]. TS: *Zerythis syphax* Lucas, 1849. OD: Explor. Algér. (Artic. III):pl Lépid 1, f 8 [b3020]. TM: by monotypy. SS: *Cigariatus* Donzel, 1847. [Refs - b2280; b1023]
- a *Zesius* Hübner, [1819], 1816-1826 OD: Verz. bekannt. Schmett. (5):77 [b2484]. TS: *Zesius chrysomallus* Hübner, [1823], 1808-1837. OD: Zutr. Samml. exot. Schmett. 2:20, pl [53], f 301,302 [b2483]. TM: by subsequent designation by Scudder, 1875. Proc. amer. Acad. Arts Sci. 10(2):292 [b4080]. HC-Lyc: Lyc: The: *Zes: Zesius* [Refs - b0908; b2280; b1023]
- a *Zetona* Waterhouse, 1938 OD: Rec. Aust. Mus. 20(3):219 [b4942]. TS: *Zizera delospila* Waterhouse, 1903. OD: Proc. linn. Soc. N. S. Wales 28(1):211, pl 2, f 5 [b4934]. TM: by original designation. HC-Lyc: Lyc: Pol: *Candalidini* [Refs - b2280]
- a *Ziegleria* Johnson, 1993 OD: Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (32):52 [b2614]. TS: *Ziegleria bernardi* Johnson, 1993. OD: Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (32):60, f [b2614]. TM: by original designation. HC-Lyc: Lyc: The: *Eumaeus* [Refs - b2614]
- e *Zimeros* Ehrlich, 1958, (ISS) OD: Kansas Univ. Sci. Bull. 39(8):359 [b1528]. OS: *Zimeros* Boisduval, 1836. [Refs - b2280]
- a *Zinaspa* de Nicéville, 1890 OD: Butts India Burmah Ceylon 3:20,451 [b1153]. TS: *Surendra todara* Moore, [1884]. OD: Proc. zool. Soc. Lond. 1883(4):530 [b3235]. TM: by selection by Swinhoe, [1911], 1909-1913. In Moore, Lep. Ind. 9(100):74 [b4575]. HC-Lyc: Lyc: The: *Arh: Zinaspa* [Refs - b2280]
- a *Zintha* Eliot, 1973 OD: Bull. Br. Mus. nat. Hist. (Ent.) 28(6):453 [b1559]. TS: *Lycaena hintza* Trimen, 1864. OD: Trans. ent. Soc. Lond. (3)2:177 [b4717]. TM: by original designation. HC-Lyc: Lyc: Pol: *Zintha* [Refs - b1559]
- a *Zizeeria* Chapman, 1910 OD: Trans. ent. Soc. Lond. 58(4):480,482 [b0754]. TS: *Polyommatus karsandra* Moore, 1865. OD: Proc. zool. Soc. Lond. 1865(2):505, pl 31, f 7 [b3220]. TM: by original designation. HC-Lyc: Lyc: Pol: *Zizeeria* [Refs - b4198; b2988; b3582; b2280; b3192; b2794]
- c *Zizera* Moore, [1881], 1880-1881 OD: Lep. Ceylon 1(2):78 [b3232]. TS: *Papilio alsus* [Denis & Schiffermüller], 1775. OD: Ankündigung syst. Werkes Schmett. :184 [b1193]. TM: by original designation. SS: *Cupido* Schrank, 1801. [Note - *The taxon represented by the nominal species Papilio alsus* [Denis & Schiffermüller], 1775 is currently treated, on subjective taxonomic grounds, as being the same as the taxon represented by the older-established nominal species *Papilio minimus* Füssly, 1775.] [Refs - b0485; b1943; b2280; b0400; b2794]
- e *Zizer* Kurentzov, 1970, (ISS) OD: Butts Far East USSR :114 [b2864]. SS: *Zizera* Moore, [1881]. [Refs - b2866]
- a *Zizina* Chapman, 1910 OD: Trans. ent. Soc. Lond. 58(4):482 [b0754]. TS: *Polyommatus labradus* Godart, [1824], 1819-1824. OD: In Ency. méh. 9(Ins.):2:680 [b1970]. TM: by original designation. HC-Lyc: Lyc: Pol: *Zizeeria* [Refs - b4198; b1943; b2280]
- a *Zizula* Chapman, 1910 OD: Trans. ent. Soc. Lond. 58(4) 483 [b0754]. TS: *Lycaena gaika* Trimen, 1862. OD: Trans. ent. Soc. Lond. (3)1(4):403 [b4715]. TM: by original designation. HC-Lyc: Lyc: Pol: *Zizula* [Note - *The taxon represented by the nominal species Lycaena gaika* Trimen 1862, is currently treated, on subjective taxonomic grounds as being the same as the taxon represented by the older established nominal species *Papilio hylax* Fabricius, 1775.] [Refs - b4198; b1943; b0908; b2988; b3582; b2280. b1023. b3192; b0754; b1321]

PART V
SYNONYMIC LIST OF GENUS-GROUP NAMES

INTRODUCTION

In this section the Genus-group names are arranged in a synonymic list. The genus-group names are printed 'bold' if they are objectively valid, printed 'light' if they are objectively invalid, and in 'italics' if they are unavailable. Each group is preceded with a key to the higher classification which can easily be read with the help of Part II. For example, *Acanthaeschna* is in the group headed **Anl:Aes:Aes:Bra:Brachytronini**, which can be read as Suborder Anisoptera, Superfamily Aeshnoidea, Family Aeshnidae, Subfamily Brachytroninae, Tribe Brachytronini. The fossil genera are listed in alphabetic order at the beginning of the list. However some addition information about their placement may be found in Part III. The correct position of some genera is not known, and these have been placed in groups with incomplete headings. For example, the placement of *Idiogomphoides* is not known to the tribal level, so it is placed under the incomplete heading **Anl:Gom:Gom:Gom:**.

ABBREVIATIONS

The following abbreviations are used in this section.

H.....	Homonym
ICZN.....	International Commission on Zoological Nomenclature
IOS.....	Incorrect Original Spelling
ISS.....	Incorrect Subsequent Spelling
JOS.....	Junior Objective Synonym
NN.....	Nomen Nudum
PD.....	Pending Decision (by the ICZN)
PS.....	Published in Synonymy
RC.....	Rejected by the Commission (ICZN)

Fossil Genera

- † *Lycanites* Rebel, 1898
 † *Riodinella* Durden & Rose, 1978

Lyc:Rio:Stygiinae

Styx Staudinger, 1876

Lyc:Rio:Nem:Nemeoblini

- Hamearis* Hübner, [1819], 1816-1826
 - - - *Hamearis* Bretherton, 1966, (ISS)
 - - - *Nemeobius* Stephens, 1828, 1828-1846, (JOS)
Polycyena Staudinger, 1886, 1886-1889
 - - *Hyporion* Röber, 1903
 - - - *Hyporion* Mell, 1923, (ISS)
Takashia M. Okano & T. Okano, 1985

Lyc:Rio:Nem:Zemerini

- Dodona* Hewitson, [1861], 1852-1877
 - - *Balcona* Moore, [1901], 1890-1913
 - - - *Balcona* Harvey, 1987, (ISS)
Zemerus Boisduval, 1836
 - - - *Zemerus* Marshall, 1873, (ISS)
 - - - *Zemerus* Ehrlich, 1958, (ISS)
 - - *Barisana* Moore, [1902], 1890-1913

Lyc:Rio:Nem:Abisarini

- Abisara* Felder & Felder, 1860
 - - - *Abisara* Adamson, 1897, (ISS)
 - - *Lycycaena* Hübner, [1819], 1816-1826, (H)
 - - *Sosibia* Fruhstorfer, [1914], 1909-1923, (H)
 - - *Sospita* Hewitson, [1861], 1852-1877, (H)
 - - - *Sospita* Evans, 1927, (ISS)
 - - *Archigenes* Fruhstorfer, [1914], 1909-1923
Dicalloneura Butler, 1867
 - - - *Dicalloneura* d'Abreu, 1971, (ISS)
 - - - *Dicalloneura* Marshall, 1873, (ISS)
 - - - *Dicalloneura* Scudder, 1882, (ISS)
Laxita Butler, [1879]
 - - *Zarax* Fruhstorfer, [1914], 1909-1923, (H and JOS)
Paralaxita Eliot, 1978
Praetaxila Fruhstorfer, [23 Jul 1914], 1909-1923
 - - *Holodesmus* Waterhouse & Lyell, 1914, (JOS)
Saribia Butler, 1878
 - - - *Sabalia* Prout, 1918, (ISS)
 - - - *Sabiria* Röber, [1892], 1888-1892, (ISS)
Stiboges Butler, 1876
Taxila Doubleday, 1847, 1844-1848
 - - - *Taxilia* Fruhstorfer, [1897], (ISS)
 - - *Neotaxila* Fruhstorfer, [1914], 1909-1923

Lyc:Rio:Eurygoninae

- Euselasia* Hübner, [1819], 1816-1826
 - - *Erythia* Hübner, [1819], 1816-1826
 - - *Eurygona* Boisduval, 1836
 - - *Marmessus* Hübner, [1819], 1816-1826
 - - *Psalidopterus* Hübner, [1823], 1808-1837
 - - - *Psalidopterus* Stichel, 1930, (ISS)
Hades Westwood, [1851], 1846-1852
 - - *Moritzia* Felder & Felder, 1861
Methone Doubleday, 1847, 1844-1848
 - - *Methonella* Westwood, [1852], 1846-1852, (JOS)

Lyc:Rio:Corrachlinae

- Corrachia* Schaus, 1913
 - - - *Corachia* Seitz, [1917], 1910-1924, (ISS)

Lyc:Rio:Rio:Mesosemilini

- Leucochimona* Stichel, [1909]
Mesophthalma Westwood, [1851], 1846-1852
 - - - *Mesophthalma* Lewis, [1973], (ISS)
Mesosemia Hübner, [1819], 1816-1826
 - - *Diophtalma* Boisduval, 1836
 - - - *Diophtalma* Boisduval, 1836, (IOS)
 - - - *Diophtalma* Agassiz, 1846, 1842-1847, (ISS)
 - - - *Diophtalma* Lewis, [1973], (ISS)
 - - - *Diophtalma* Lewis, [1973], (ISS)
Perophthalma Westwood, [1851], 1846-1852
 - - - *Perophthalma* Mengel, 1905, (ISS)
Semomesia Westwood, [1851], 1846-1852

Lyc:Rio:Rio:Euryblini

- Alesa* Doubleday, 1847, 1844-1848
Eurybia [Illiger], 1807
 - - - *Erybia* Guérin-Méneville, [1832], 1829-1844, (ISS)
 - - - *Eurybia* Westwood, [1851], 1846-1852, (ISS)
 - - *Eurybia* Latreille, 1809, (H)
 - - *Eurybia* Oken, 1815, (H and JOS)
 - - *Eurybia* Hoffmannsegg, 1818, (H)
 - - *Eurybia* Hübner, [1819], 1816-1826, (H and JOS)
 - - *Gonopteris* Geyer, [1832], 1832-1837
Mimocastnia Seitz, [1914], 1910-1924
 - - - *Mimocastina* Lewis, [1973], (ISS)

Lyc:Rio:Rio:Rio:Ancyluriti

- Ancyluris* Hübner, [1819], 1816-1826
 - - - *Ancyluris* Watson & Whalley, 1975, (ISS)
 - - *Melibaea* Saunders, [1859], (H)
 - - - *Melibaea* Stichel, 1930, (ISS)
Brachyglenis Felder & Felder, 1862
 - - - *Brachyglenis* Marshall, 1873, (ISS)
 - - *Tmetogene* Felder & Felder, 1862, (JOS)
 - - *Metapheles* Bates, 1866
Chorinea Gray, 1832
 - - *Zeonia* Swainson, [1833], 1829-1833
 - - - *Ethelida* Westwood, [1851], 1846-1852, (PS)
 - - - *Zaeonia* Saunders, [1859], (ISS)
Colaciticus Stichel, 1910
Cyrenia Westwood, [1851], 1846-1852
Isapis Doubleday, 1847, 1844-1848
Ithomeis Bates, 1862
 - - - *Ithomeis* Marshall, 1873, (ISS)
 - - *Ithomiopsis* Felder & Felder, 1862
Lyropteryx Westwood, [1851], 1846-1852
Melanis Hübner, [1819], 1816-1826
 - - *Aculhua* Kirby, 1871
 - - - *Acalhua* Mengel, 1905, (ISS)
 - - *Dryas* Felder & Felder, 1865, 1865-1875, (H)
 - - *Lymnas* Blanchard, 1840
 - - - *Lymnas* Scudder, 1875, (ISS)
 - - *Lymnas* Boisduval, 1836, (H)
 - - *Pseuderchia* Kirby, 1892
 - - *Erchia* Walker, 1854, 1854-1856, (H)
 - - *Rusalkia* Kirby, 1871
 - - *Oreas* Felder & Felder, 1865, 1865-1875, (H)
Monethe Westwood, [1851], 1846-1852
Nahida Kirby, 1871
 - - *Threnodes* Hewitson, 1870, 1869-1877, (H)
Necyria Westwood, [1851], 1846-1852

Lyc:Rio:Rio:Rio:Ancyluriti (continued)

- Nirodia* Westwood, [1851], 1846-1852
Panara Doubleday, 1847, 1844-1848
Paraphthonia Stichel, 1910
Rhetus Swainson, [1829], 1829-1833
 - - *Diorina* Morisse, [1838]
 - - - - *Diorhina* Doubleday, 1847, 1844-1848, (ISS)
 - - - - *Diorrhina* Ehrlich, 1958, (ISS)
Themone Westwood, [Oct 1851], 1846-1852

Lyc:Rio:Rio:Rio:Riodiniti

- Amarynthiis* Hübner, [1819], 1816-1826
 - - - - *Amarynthiis* Westwood, [1851], 1846-1852, (ISS)
Amphiselenis Staudinger, [1888], 1884-1888
 - - - *Amphiselenis* Röber, [1892], 1888-1892, (H and JOS)
Baeotis Hübner, [1819], 1816-1826
 - - - - *Baeotis* Westwood, [1852], 1846-1852, (ISS)
Barbicornis Godart, [1824], 1819-1824
 - - - - *Barbiconis* Hemming, 1967, (ISS)
 - - - *Chroma* Gray, 1832, (JOS)
Calephelis Grote & Robinson, 1869, ICZN Op 755, L 1694
 - - - - *Calephalis* Wright, 1908, (ISS)
 - - - - *Calephelis* Kirby, [1871], (ISS)
 - - - - *Callephelis* Grote, 1873, (ISS)
 - - - *Lephelisca* Barnes & Lindsey, 1922, (JOS), Op 755, L 1774
Caria Hübner, [1823], 1808-1837
Carlomothis Stichel, 1910
Cartea Kirby, 1871
 - - - *Orestias* Felder & Felder, 1862, (H)
Chalodeta Stichel, 1910
Chamaelimnas Felder & Felder, 1865, 1865-1875
 - - - - *Chamelimnas* Marschall, 1873, (ISS)
Charis Hübner, [1819], 1816-1826
 - - - *Charmona* Stichel, 1910, (H)
 - - - *Charmonona* Strand, 1932, (JOS)
 - - - - *Charmonana* Hemming, 1967, (ISS)
Comphotis Stichel, 1910
Crocozona Felder & Felder, 1865, 1865-1875
Exoplistia Godman & Salvin, [1886], 1879-1901
Lasalia Bates, [1868]
 - - - - *Lasia* Hemming, 1967, (ISS)
 - - - *Lasaea* Glaser, 1887, (UE)
 - - - *Talites* Capronnier, 1874, (JOS)
Lepricornis Felder & Felder, 1865, 1865-1875
 - - *Otaacustesis* Dyar, 1914
Metacharis Butler, 1867
Notheme Westwood, [1851], 1846-1852
Parcellia Stichel, 1910
 - - - *Amblygonia* Felder & Felder, 1865, 1865-1875, (H)
Pheles Herrich-Schäffer, [1853], 1850-1869
Riodina Westwood, [1851], 1846-1852, ICZN Op 1073, L 2039
 - - - *Agathina* White, 1843, (H)
 - - - *Erycina* Fabricius, 1807, (H)
 - - - - *Erycina* Dupré, 1974, (ISS)
Siseme Westwood, [1851], 1846-1852
 - - - - *Sisime* Ehrlich, 1958, (ISS)
 - - *Hopfferia* Staudinger, [1888], 1884-1888
 - - - *Hopffena* Röber, [1892], 1888-1892, (H and JOS)
Syrmatia Hübner, [1819], 1816-1826
 - - *Dorila* Gray, 1832

Lyc:Rio:Rio:Rio:Symmachilini

- Chimastrum* Godman & Salvin, [1886], 1879-1901
Esthemopsis Felder & Felder, 1865, 1865-1875
 - - *Pseudopheles* Bates, 1867
 - - *Voltinia* Stichel, 1910
 - - *Xynias* Hewitson, 1874

Lyc:Rio:Rio:Rio:Symmachilini (continued)

- - - - *Xynias* Stichel, 1930, (ISS)
Lucillella Strand, 1932
 - - - *Lucilla* Hewitson, 1870, 1869-1877, (H)
Mesene Doubleday, 1847, 1844-1848
 - - - *Emesis* [Illiger], 1807, (RC), ICZN Op 232, L 40
Mesenopsis Godman & Salvin, [1886], 1879-1901
Phaenochiltonia Stichel, 1910
 - - - *Hesperia* Hübner, [1819], 1816-1826, (H)
Pterographium Stichel, 1910
Stichella Zikán, 1949
Symmachia Hübner, [1819], 1816-1826
 - - - *Synapta* Felder & Felder, 1865, 1865-1875, (H)
 - - *Cricosoma* Felder & Felder, 1865, 1865-1875
Xenandra Felder & Felder, 1865, 1865-1875
 - - *Andara* Capronnier, 1874
 - - *Uestludia* Otúicica Filho, 1955
 - - - *Westwoodia* Houlbert, 1918, (H)

Lyc:Rio:Rio:Rio:Sarotini

- Anteros* Hübner, [1819], 1816-1826
 - - - - *Anteros* Rebillard, 1958, (ISS)
 - - - - *Chrysilis* (Boisduval ms) Westwood, [1851], 1846-1852, (PS)
Ourocnemis Bethune-Baker, 1887, ICZN Op. 1381
 - - - - *Ourocnemis* Lewis, [1973], (ISS)
 - - - *Aetheus* Hübner, [1819], 1816-1826, (RC), ICZN Op. 1381
 - - - - *Aethius* Hemming, 1967, (ISS)
Sarota Westwood, [1851], 1846-1852

Lyc:Rio:Rio:Rio:Helicopini

- Helicopsis* Fabricius, 1807, ICZN Op 137, L 565
 - - - *Erocion* Billberg, 1820, (JOS)
 - - - *Helicopsis* [Illiger], 1807, (RC), ICZN Op 232, L 42
 - - - *Rusticus* Hübner, [1807], 1806-1838, (RC), ICZN Op. 137, Dir. 4, L. 213
 - - - - *Resticus* Miller & Brown, 1981, (ISS)
 - - *Hexuropteris* Hübner, [1819], 1816-1826
 - - - - *Hexuropteris* Scudder, 1875, (ISS)
 - - - - *Hexuroptera* Hübner, 1821, (ISS)

Lyc:Rio:Rio:Rio:Emesini

- Apodemia* Felder & Felder, 1865, 1865-1875
 - - - *Polystigma* Godman & Salvin, [1886], 1879-1901, (H)
 - - - - *Polystigmata* Miller & Brown, 1981, [ISS]
 - - *Chrysobia* Boisduval, 1869, 1868-1869
 - - - - *Crysobia* Mengel, 1905, (ISS)
Argyrogrammana Strand, 1932
 - - - *Argyrogramma* Stichel, 1910, (H)
Astraeodes Staudinger, [1887], 1884-1888
 - - - *Astraeodes* Röber, [1892], 1888-1892, (H and JOS)
Callistium Stichel, 1911
Calydna Doubleday, 1847, 1844-1848
Dianesia Harvey & Clench, 1980
Dinoplotis Stichel, 1911
 - - - - *Dinoplotis* Lewis, [1973], (ISS)
Emesia Fabricius, 1807, ICZN Op 232, L 660
 - - - - *Emesia* Lewis, [1973], (ISS)
 - - - *Tapina* Billberg, 1820, (JOS)
 - - *Aphacitis* Hübner, [1819], 1816-1826
 - - *Nelone* Boisduval, 1870
 - - *Nimula* Blanchard, 1840
 - - *Polystichtis* Hübner, [1819], 1816-1826
 - - - *Polystichthis* Agassiz, [1847], 1842-1847, (UE)
Imelda Hewitson, 1870, 1869-1877
Pachythone Bates, [1868]

Lyc:Rio:Rio:Emesini (continued)

- Roerberella** Strand, 1932
 - - - *Boeberella* Hemming, 1967, (ISS)
 - - - *Calvus* Hemming, 1939, (JOS)
 - - - *Drepanula* Röber, [1892], 1888-1892, (H)
Zabuella Stichel, 1911

Lyc:Rio:Rio:Lemoniini

- Aricoris** Westwood, [1851], 1846-1852
 - - *Melanope* Röber, [1892], 1888-1892
Audre Hemming, 1934
 - - - *Lemonias* Hoffmannsegg, 1818, (H)
Catocyclotus Stichel, 1911
Eiseleia Miller & Miller, 1972
Ematurgina Röber, 1903
Juditha Hemming, 1964
 - - - *Pseudopeplia* Hemming, 1967, (Myth)
Lemonias Hübner, [1807], 1806-1838
 - - - *Limonias* Maynard, 1891, (ISS)
 - - - *Anatole* Hübner, [1819], 1816-1826, (JOS)
 - - - *Lemonias* [Illiger], 19 Dec 1807, (H and JOS)
Synargis Hübner, [1819], 1816-1826
 - - - *Synargus* Callaghan, 1983, (ISS)
 - - *Acystipoda* Röber, [1892], 1888-1892
 - - *Nymula* Boisduval, 1836
Thisbe Hübner, [1819], 1816-1826
Thyrannota Stichel, 1910
 - - - *Thysanota* Stichel, 1911, (UE)
Uranelis Bates, [1868]
 - - *Esthemopheles* Röber, 1903

Lyc:Rio:Rio:Nymphidiini

- Adelotypa** Warren, 1895
 - - - *Adelotype* Hemming, 1967, (ISS)
Calociasma Stichel, 1910
Calospila Geyer, [1832], 1832-1837
 - - *Calliona* Bates, [1868]
 - - *Hypophylla* Boisduval, 1836
Dysmathia Bates, [1868]
Echenais Hübner, [1819], 1816-1826
 - - - *Echnais* Harvey, 1987, (ISS)
 - - *Bythis* Hübner, [1818], 1808-1837, (RC), ICZN Op 541, L 1234
 - - - *Bythis* Hübner, [1831], 1808-1837, (ISS)
 - - *Elaphrotis* Stichel, 1911
Menander Hemming, 1939
 - - - *Pretus* Lewis, [1973], (Myth)
 - - - *Tharops* Hübner, [1819], 1816-1826, (H)
Nymphidium Fabricius, 1807, ICZN Op 171, L 614
 - - - *Nymphidia* Boisduval & Le Conte, [1835], 1829-1837, (ISS), Op 755, L 1772
 - - - *Nymphidis* Brown, 1966, (ISS)
 - - - *Tyanitis* Westwood, [1851], 1846-1852, (PS)
 - - *Eulepis* Billberg, 1820, (JOS)
 - - *Nymphopsis* Reuter, 1896, (H and JOS)
 - - *Peplia* Hübner, [1819], 1816-1826, (JOS)
 - - *Desmozona* Boisduval, 1836
 - - *Heliochlaena* Hübner, 1821
 - - - *Heliochalaena* Harvey, 1987, (ISS)
 - - *Limnas* Hübner, [1806], 1806-1838, (RC), ICZN Op 171, Dir 2, L 164
 - - *Nymphidium* [Illiger], 1807, (RC), ICZN Op 232, I 45
Pandemos Hübner, [1819], 1816-1826
 - - *Agnostogyna* Röber, 1925
Parnes Westwood, [1851], 1846-1852
Periplacis Geyer, [1837], 1832-1837
Rodinia Westwood, [1851], 1846-1852

Lyc:Rio:Rio:Nymphidiini (continued)

- - - - *Rodina* Saunders, [1859], (ISS)
 - - - *Euerycina* Saunders, [1859], (JOS)
 - - - - *Euerycina* Seitz, [1917], 1910-1924, (ISS)
Setabis Westwood, [1851], 1846-1852
 - - - - *Arotis* Westwood, [1851], 1846-1852, (PS)
 - - *Catagrammina* Bates, [1868]
 - - *Orimba* Herrich-Schäffer, [1853], 1850-1869
Theope Doubleday, 1847, 1844-1848
Zelotaea Bates, [1868]

Lyc:Rio:Rio:Stalactini

- Stalactis** Hübner, [1818], 1808-1837
 - - - - *Stalactis* Westwood, [1851], 1846-1852, (ISS)
 - - *Nerlas* Boisduval, 1836

Lyc:Rio:Rio:

- Cremna** Doubleday, 1847, 1844-1848
Euernia Strand, 1932
 - - - *Euernia* Schaus, 1902, (H)
 - - - *Euernia* Seitz, [1924], 1910-1924, (H)
Eunogyra Westwood, [1851], 1846-1852
Hermathena Hewitson, 1874
Hyphilaria Hübner, [1819], 1816-1826
Ithomiola Felder & Felder, 1865, 1865-1875
 - - *Compsotera* Hewitson, 1870, 1869-1877
 - - - - *Compsotera* Harvey, 1987, (ISS)
 - - - - *Compsotera* Fassl, 1918, (ISS)
Napaea Hübner, [1819], 1806-1838, ICZN Op 820, L 1761
Pseudonymphidia Callaghan, 1985
 - - - *Pseudonymphia* Callaghan, 1982, (H)
Teratophthalma Stichel, 1909

Lyc:Rio:

- Joiceya** Talbot, 1928
Lamphotes Callaghan, 1982
Mycastor Callaghan, 1983
Petrocerus Callaghan, 1979
Pixus Callaghan, 1982

Lyc:Lyc:Lip:Pen:Alaena

- Alaena** Boisduval, 1847
Ptelina Clench, 1965

Lyc:Lyc:Lip:Pen:Pentila

- Liptenara** Bethune-Baker, 1915
Pentila Westwood, [1851], 1846-1852, ICZN Op 566, L 1366
 - - - *Tingra* Boisduval, 1847, (RC), ICZN Op 566, I 1279

Lyc:Lyc:Lip:Pen:Telipna

- Ornipholidotos** Bethune-Baker, 1914, ICZN Op 814, L 1757
Telipna Aurivillius, 1895, ICZN Op 566, L 1367

Lyc:Lyc:Lip:Lip:Mimacraea

- Argyrocheila** Staudinger, 1892
Baliochila Stempffer & Bennett, 1953
Citrinophila Kirby, 1887
Cnodontes Stempffer & Bennett, 1953
Eresina Aurivillius, [1899]

Lyc:Lyc:Lip:Lip:Mimacraea (continued)

Eresinopsides Strand, 1911
 Eresiomera Clench, 1965
 Euthecta Bennett, 1954
 Mimacraea Butler, 1872, 1869-1874
 Mimeresia Stempffer, 1961
 Pseuderesia Butler, 1874
 Terlomima Kirby, 1887
 Toxochitona Stempffer, 1956

Lyc:Lyc:Lip:Lip:Liptena

Falcuna Stempffer & Bennett, 1963
 Larinopoda Butler, 1871
 Liptena Westwood, [1851], 1846-1852, ICZN Op 566, L 1365
 - - - Leucolepis Karsch, 1893, (H)
 - - - Parapontia Röber, [1892], 1888-1892, (JOS), ICZN Op 566,
 I 1280
 - - Lectiles Birket-Smith, 1960
 - Tetrarhanis Karsch, 1893
 Micropentilla Aurivillius, 1895

Lyc:Lyc:Lip:Lip:Iridana

Iridana Aurivillius, [1921], 1908-1925
 - - - Iridopsis Aurivillius, [1899], (H)
 - - - Iris Staudinger, 1891, (H)
 Teratoneura Dudgeon, 1909

Lyc:Lyc:Lip:Lip:Epitola

Aethiopana Bethune-Baker, 1915
 Batelusia H. H. Druce, 1910
 Deloneura Trimen, 1868
 - - Ebeplus Hemming, 1964
 - - - Poultonia Neave, 1904, (H)
 Epitola Westwood, [1851], 1846-1852
 Epitolina Aurivillius, 1895
 Hewitsonia Kirby, 1871
 - - - Corydon Hewitson, [1869], 1863-1878, (H)
 Hypophytala Clench, 1965
 Neaveia H. H. Druce, 1910
 Neoeptola Jackson, 1964
 Phytala Westwood, [1851], 1846-1852
 Powellana Bethune-Baker, 1908
 - - - Powellia Stempffer, 1967, (ISS)
 - - - Powellina Sharp, [1910], (ISS)
 - - Satyrimima Holland, 1913
 Pseudoneaveia Stempffer, 1964
 Stempfferia Jackson, 1962
 Tumerepedes Bethune-Baker, 1913
 - - - Tumerepes Aurivillius, [1921], 1908-1925, (UE)

Lyc:Lyc:Lip:Lip:Durbania

Durbaniopsis van Son, 1959

Lyc:Lyc:Lip:Lip:Durbaniini

Cooksonia H. H. Druce, 1905
 Durbania Trimen, 1862
 Durbaniella van Son, 1959
 Sheffieldia H. H. Druce, 1912

Lyc:Lyc:Poritiinae

Cyaniriodes de Nicéville, 1890

Lyc:Lyc:Poritiinae (continued)

- - - - Cyanioides Evans, 1932, (ISS)
 - - - - Cyanirioides (de Nicéville, 1890) Hemming, 1967, (ISS)
 Deramas Distant, 1886
 - - - - Doramas Piepers, 1918, (ISS)
 - - Zaronia de Nicéville, [1889]
 Poriskina H. H. Druce, 1895
 Poritia Moore, [1866]
 Simiskina Distant, 1886
 - - - Massaga Doherty, 1889, (H)

Lyc:Lyc:Lip:Liphyra

Euliphyra Holland, 1890
 Liphyra Westwood, [1864]
 - - Sterosis Felder & Felder, 1865, 1865-1875

Lyc:Lyc:Lip:Lip:Aslauga

Aslauga Kirby, 1890
 Egumbia Bethune-Baker, 1924
 - - Euliphyroides Romieux, 1937
 Parasluga Bethune-Baker, [1925]

Lyc:Lyc:Mil:Mil:Miletus

Allotinus Felder & Felder, 1865, 1865-1875
 - Fabitaras Eliot, 1986
 - Paragerydus Distant, 1884, 1882-1886
 - - Miletographa Röber, [1892], 1888-1892
 Logania Distant, 1884, 1882-1886
 - - Malais Doherty, 1889, (JOS)
 Lontalius Eliot, 1986
 Miletus Hübner, [1819], 1816-1826
 - - - Gerydus Boisduval, 1836, (JOS)
 - - - - Geridus Westwood, [1851], 1846-1852, (ISS)
 - - Archaeogerydus Fruhstorfer, [1916], 1909-1923
 - - Symetha Horsfield, [1828], 1828-1829
 - - - - Symethis Guérin-Méneville, [1831], 1830-1838, (ISS)
 - - - - Symethus Guérin-Méneville, [1838], 1830-1838, (ISS)
 - - - Simoethus Boisduval, 1832, (UE)

Lyc:Lyc:Mil:Mil:Megalopalpus

Megalopalpus Röber, [1886], ICZN Op 566, L 1368

Lyc:Lyc:Mil:Mil:Tarakini

Taraka Doherty, 1889
 - - - - Taraca Seitz, [1909], 1907-1921, (ISS)
 - - - Taraka de Nicéville, 1890, (H and JOS)

Lyc:Lyc:Mil:Spa:Spalgis

Spalgis Moore, 1879

Lyc:Lyc:Mil:Spa:Feniseca

Feniseca Grote, 1869
 - - - - Feneseca Strecker, 1878, (ISS)

Lyc:Lyc:Mil:Lachnocnemini

Lachnocnema Trimen, 1887, 1887-1889
 - - - - Lachnocnemea Sharp, [1888], (ISS)

Lyc:Lyc:Mil:Lachnocnemini (continued)

Thestor Hübner, [1819], 1816-1826
 -- Arrugia Wallengren, 1872

Lyc:Lyc:Curetinae

Curetis Hübner, [1819], 1816-1826
 -- Phaedra Horsfield, [1829], 1828-1829
 -- Anops Boisduval, 1836, (H)

Lyc:Lyc:The:Luc:Lucia

Acrodipsas Sands, 1980
 Lucia Swainson, [1833], 1829-1833
 Paralucia Waterhouse & Turner, [1905]
 Pseudodipsas Felder & Felder, 1860
 Pseudodypsas Hagen, 1890, (ISS)

Lyc:Lyc:The:Luc:Hypochryrops

Hypochryrops Felder & Felder, 1860
 -- Walgeum Staudinger, 1895
 Parachryrops Bethune-Baker, 1904
 Philiris Röber, 1891
 Titea Eliot, 1973
 Tifea Sibatani, 1974, (ISS)

Lyc:Lyc:The:The:Thecia

Antiglius Sibatani & Ito, 1942
 Araragi Sibatani & Ito, 1942
 Arargi d'Aberra, 1993, (ISS)
 Artopoetes Chapman, 1909
 Austrozephyrus Howarth, 1957
 Chaetoprocta de Nicéville, 1890
 Chrysozephyrus Shirôzu & Yamamoto, 1956
 Cordella Shirôzu & Yamamoto, 1956
 Coreana Tutt, [1907], 1905-1914
 -- Bergmania Bryk, 1946
 Esaklozephyrus Shirôzu & Yamamoto, 1956
 Euaspa Moore, 1884
 Favonius Sibatani & Ito, 1942
 Goldia Dubatolov & Korshunov, 1990
 Gonerilia Shirôzu & Yamamoto, 1956
 Conerilia Hemming, 1967, (ISS)
 Gonerilia Shirôzu & Yamamoto, 1956, (IOS)
 Lonelilia Shirôzu & Yamamoto, 1956, (ISS)
 Habrodals Scudder, 1876
 Habrodias Dyar, [1903], (ISS)
 Howarthia Shirôzu & Yamamoto, 1956
 Hypaurotis Scudder, 1876
 Iratsume Sibatani & Ito, 1942
 Japonica Tutt, [1907], 1905-1914
 Laeosopsis Rambur, 1858, 1858-1866
 Aurotis (Kirby, 1862) Hemming, 1967, (Myth)
 Leucantiglius Shirôzu & Murayama, 1951
 Neozephyrus Sibatani & Ito, 1942
 Protantiglius Shirôzu & Yamamoto, 1956
 Quercusia Venty, 1943
 Ravenna Shirôzu & Yamamoto, 1956
 Saigusaozephyrus Koiwaya, 1993
 Shaanxiana Koiwaya, 1993
 Shirozua Sibatani & Ito, 1942
 Sibatanlozephyrus Inomata & Itagaki, 1986
 Teratozephyrus Sibatani, 1946
 Thecia Fabricius, 1807
 Hecla Zazzini, 1934, (ISS)
 Tecla Reed, 1877, (ISS)

Lyc:Lyc:The:The:Thecia (continued)

. . . . Thecia Miller & Brown, 1981, (ISS)
 Theckla Rivers, 1902, (ISS)
 Theclaria Rafinesque, 1815, (ISS)
 Thecla Keferstein, 1874, (ISS)
 -- Aurotis Dalman, 1816, (JOS)
 -- Ruralis Tutt, 1906, (JOS)
 -- Zephyrius Billberg, 1820, (UE)
 -- Zephyrus Dalman, 1816, (JOS)
 Ussuriana Tutt, [1907], 1905-1914
 Wagimo Sibatani & Ito, 1942

Lyc:Lyc:The:The:Amblopala

Amblopala Leech, [1893], 1893-1894

Lyc:Lyc:The:Arh:Arhopala

Apporasa Moore, 1884
 Arhopala Boisduval, 1832
 Iois Doherty, 1889, (Special PS)
 -- Arhopala Kirby, [1873], (UE)
 -- Acesina Moore, 1884
 -- Aurea Evans, 1957
 -- Darasana Moore, 1884
 -- Nilasera Moore, [1881], 1880-1881
 -- Panchala Moore, 1882
 -- Satadra Moore, 1884
 Fios Doherty, 1889
 Mahathala Moore, 1878
 Mahatala Wynter-Blyth, 1957, (ISS)
 Narathura Moore, [1879]
 Thaduka Moore, [1879]
 Thaduca Dewitz, 1880, (ISS)

Lyc:Lyc:The:Arh:Semanga

Mota de Nicéville, 1890
 Semanga Distant, 1884, 1882-1886
 -- Keraunogramma Röber, 1887

Lyc:Lyc:The:Arh:Surendra

Surendra Moore, [1879]

Lyc:Lyc:The:Arh:Zinaspa

Zinaspa de Nicéville, 1890

Lyc:Lyc:The:Ogyrinl

Ogyris Westwood, [1851], 1846-1852

Lyc:Lyc:The:Zes:Zesius

Zesius Hübner, [1819], 1816-1826

Lyc:Lyc:The:Zes:Jalmenus

Jalmenus Hübner, [1818], 1808-1837
 Jalmenus Doubleday, 1847, 1844-1848, (ISS)
 -- Austromyrina Felder & Felder, 1865, 1865-1875
 -- Protialmenus Waterhouse & Lyell, 1914
 Pseudalmenus H. H. Druce, 1902

Lyc:Lyc:The:Amblypodini

- Amblypodia** Horsfield, [1829], 1828-1829
 - - - *Horsfieldia* Riley, 1922, (JOS)
Iraota Moore, [1881], 1880-1881
 - - - - *Iraota* Adamson, 1897, (ISS)
Myrina Fabricius, 1807
 - - - - *Myrine* Hemming, 1967, (ISS)

Lyc:Lyc:The:Cat:Catapaecilma

- Catapaecilma** Butler, [1879]
 - - - - *Catapaecilma* Kirby, [1881], (ISS)

Lyc:Lyc:The:Cat:Acupicta

- Acupicta** Eliot, 1973

Lyc:Lyc:The:Oxylidini

- Oxylides** Hübner, [1819], 1816-1826
Syrmoptera Karsch, 1895

Lyc:Lyc:The:Hypotheclini

- Hypochlorosis** Röber, [1892], 1888-1892
 - - - *Pseudonotis* H. H. Druce, 1894, (JOS)
Hypothecla Semper, 1890, 1886-1892

Lyc:Lyc:The:Lox:Loxura

- Eooxylides** Doherty, 1889
 - - - - *Eooxylides* Fruhstorfer, [1897], (ISS)
 - - - - *Indooxylides* Doherty, 1889, (PS)
 - - - - *Marshallia* Doherty, 1889, (PS)
 - - - *Eooxylides* de Nicéville, 1890, (H and JOS)
Loxura Horsfield, [1829], 1828-1829
 - - - - *Laxura* Kollar, [1844], (ISS)
 - - - - *Lexura* Hemming, 1967, (ISS)
Thamala Moore, [1879]
 - - - - *Tamala* Seitz, [1926], 1912-1927, (ISS)
 - - - - *Thamola* Seitz, [1926], 1912-1927, (ISS)
Yasoda Doherty, 1889
 - - - *Yasoda* de Nicéville, 1890, (H)

Lyc:Lyc:The:Lox:Neomyrina

- Neomyrina** Distant, 1884, 1882-1886

Lyc:Lyc:The:Lox:Drina

- Drina** de Nicéville, 1890

Lyc:Lyc:The:Horagini

- Horaga** Moore, [1881], 1880-1881
Rathinda Moore, [1881], 1880-1881
 - - - *Cupido* Hübner, [1819], 1816-1826, (H)

Lyc:Lyc:The:Che:Cheritra

- Cheritra** Moore, [1881], 1880-1881
Cheritrella de Nicéville, 1887
Cowania Eliot, 1973
Drupadia Moore, 1884
 - - - *Drupadia* Distant, 1884, 1882-1886, (H and JOS)

Lyc:Lyc:The:Che:Cheritra (continued)

- - **Biduanda** Distant, 1884, 1882-1886
Ritra de Nicéville, 1890
Ticherra de Nicéville, 1887

Lyc:Lyc:The:Che:Dapidodigma

- Dapidodigma** Karsch, 1895

Lyc:Lyc:The:Aph:Aphnaeus

- Aloeides** Hübner, [1819], 1816-1826
 - - - - *Aloeidas* Hemming, 1967, (ISS)
 - - **Chrysorychia** Wallengren, 1857, (PD)
 - - - - *Chrysorychia* Wallengren, 1858, (Myth)
Apharitis Riley, 1925
Aphnaeus Hübner, [1819], 1816-1826
 - - - - *Aphanaeus* Hemming, 1967, (ISS)
 - - - *Aphnaemorphia* de Nicéville, 1890, (JOS)
 - - - - *Aphnaemorphia* Riley, 1922, (ISS)
 - **Paraphnaeus** Thierry-Mieg, 1904
Argyraspodes Tite & Dickson, 1973
Argyrocupha Tite & Dickson, 1973
Axiocerses Hübner, [1819], 1816-1826
 - - - - *Axiocerces* Scudder, 1876, (ISS)
Bowkeria Quickelberge, 1972
Chloroselas Butler, [1886]
Chrysolitis Butler, [1898]
 - - - - *Chrysolites* Peters, 1952, (ISS)
Cigaritis Donzel, 1847
 - - - - *Cygaritis* Wallengren, 1857, (ISS)
 - - **Zerythis** Lucas, 1849
Crudaria Wallengren, 1875
Desmolycæna Trimen, 1898
Eriksonia Trimen, 1891
Lipaphnaeus Aurivillius, 1916
Oxychaeta Tite & Dickson, 1973
Phasis Hübner, [1819], 1816-1826
 - - *Pseudocapys* Murray, 1935
Poecilmitis Butler, 1899
 - - - *Nais* Swainson, [1833], 1829-1833, (H)
Spindasis Wallengren, 1857
 - - - - *Spiridasis* Lewis, [1973], (ISS)
Trimenia Tite & Dickson, 1973
Tylopaedia Tite & Dickson, 1973
Zeritis Boisduval, 1836
 - - - - *Leritis* Hemming, 1967, (ISS)
 - - - - *Zerythis* Blanchard, 1840, (ISS)
 - - - *Zeritis* Aurivillius, [1899], (H and JOS)

Lyc:Lyc:The:Aph:Pseudaletis

- Pseudaletis** H. H. Druce, 1888

Lyc:Lyc:The:Iol:Iolaus

- Bullis** de Nicéville, 1897
Charana de Nicéville, 1890
Creon de Nicéville, [1896]
Dacalana Moore, Jun 1884
 - - - *Dacalana* Distant, 1884, 1882-1886, (H and JOS)
 - - **Arrhenothrix** de Nicéville, 1890
 - - - - *Arrhenotrix* Evans, 1927, (ISS)
Eliotta Hayashi, 1978
 - - **Rachana** Eliot, 1978
Iolaus Hübner, [1819], 1816-1826
 - - - - *Iolaus* Hübner, [1823], 1808-1837, (ISS)
 - **Aphniolaus** H. H. Druce, 1902

Lyc:Lyc:The:Iol:Iolaus (continued)

- Argiolaus H. H. Druce, 1891
- - Phillolaus Stempffer & Bennett, 1958
- Epamera H. H. Druce, 1891
- Etesiolaus Stempffer & Bennett, 1959
- Iolaphilus Stempffer & Bennett, 1958
- Pseudolaus Riley, 1928
- Stugeta H. H. Druce, 1891
- Tanuethra H. H. Druce, 1891
- - - Tannetheira Sharp, [1892], (ISS)
- Tricholaus Aurivillius, [1899]
- Jacoona Distant, 1884, 1882-1886
- Maneca de Nicéville, 1890
- Manto de Nicéville, 1895
- - Pseudomyrina H. H. Druce, 1895
- Mantoides H. H. Druce, 1896, (PD)
- Neocheritra Distant, 1885, 1882-1886
- Paruparo Takanami, 1982
- Pratapa Moore, [1881], 1880-1881
- Purlisa Distant, 1881
- Suasa de Nicéville, 1890
- Sukidlon H. H. Druce, 1891
- Tajuria Moore, [1881], 1880-1881
- - - Remelana (Moore ms) Distant, Aug 1884, 1882-1886, (PS)
- - - Cophanta Moore, 1884, (H)
- - - Creusa de Nicéville, [1896], (H)
- - - Ops de Nicéville, 1895, (H)
- Matsutaroa Hayashi & Schröder & Treadaway, 1984
- Thrix Doherty, 1891, ICZN Op 894, L 1876
- - Virgarina H. H. Druce, 1895, (PD)
- - - Virgaurina Fruhstorfer, 1914, (ISS)

Lyc:Lyc:The:Iol:Britomartis

Britomartis de Nicéville, 1895

Lyc:Lyc:The:Iol:Hemiolaus

Hemiolaus Aurivillius, [1922], 1908-1925

Lyc:Lyc:The:Remelanini

- Ancema Eliot, 1973
- - - Camena Hewitson, [1865], 1863-1878, (H)
- Pseudotajuria Eliot, 1973
- Remelana Moore, 1884

Lyc:Lyc:The:Hypolycaenini

- Hypolycaena Felder & Felder, 1862
- Chillaria Moore, 1884
- Zeltus de Nicéville, 1890
- Leptomyrina Butler, 1898
- Gonatomyrina Aurivillius, [1924], 1908-1925
- Tatura Butler, [1888], ICZN Op 994, L 1973

Lyc:Lyc:The:Deu:Deudorix

- Actis Karsch, 1895
- Araotes Doherty, 1889
- - - Araotes de Nicéville, 1890, (H and JOS)
- Artipe Boisduval, 1870
- - - Lehera Moore, [1884], (JOS)
- Bindahara Moore, [1881], 1880-1881
- - - - Rindahara Kirby, [1882], (ISS)
- - - Stilbon Rothschild & Jordan, 1905
- Deudorix Hewitson, [1863], 1863-1878

Lyc:Lyc:The:Deu:Deudorix (continued)

- - - Deudoryx Hewitson, [1865], 1863-1878, (ISS)
- Pilodeudorix H. H. Druce, 1891
- - - Pilodeudoxis Anonymous, 1961, (ISS)
- Virachola Moore, [1881], 1880-1881
- Diopetes Karsch, 1895
- Hypokopelates H. H. Druce, 1891
- Hypomyrina H. H. Druce, 1891
- Kopelates H. H. Druce, 1891
- Pseudochillaria Tylder, 1915
- Rapala Moore, [1881], 1880-1881
- - - Vadebra Moore, [Apr 1884], (H)
- - Baspa Moore, 1882
- - Bidaspas Moore, 1882
- - Hysudra Moore, 1882
- - Nadisepa Moore, 1882
- Sinthusa Moore, 1884
- Sithon Hübner, [1819], 1816-1826
- - - Sython Geyer, [1832], 1832-1837, (ISS)

Lyc:Lyc:The:Deu:Capys

- Capys Hewitson, [1865], 1863-1878
- - - Scoptes Hübner, [1819], 1816-1826, (RC)
- Pamela Hemming, 1935
- - - Listeria de Nicéville, 1894, (H)

Lyc:Lyc:The:Tomarini

- Tomares Rambur, 1840, 1837-1840
- - - Thomares Rambur, 1858, 1858-1866, (ISS)

Lyc:Lyc:The:Eum:Eumaeus

- Abloxurina Johnson, 1992
- Ahlbergia Bryk, 1946
- - - Ginzia M. Okano, 1947, (JOS)
- - - Ginsia Korshunov, 1972, (ISS)
- - - Satsuma Murray, 1874, (H)
- Allosmaitia Clench, [1964]
- Androcona Johnson & Eisele & MacPherson, 1993
- Angulopsis Johnson, 1991
- Antephrys Johnson & Eisele & MacPherson, 1993
- Antrissima Johnson, 1991
- Arases Johnson, 1992
- Arcas Swainson, [1832], 1829-1833
- Argentostriatus Johnson, 1991
- Armenia Dubatolov & Korshunov, 1984
- - - Argus Gerhard, 1850, 1850-1853, (H)
- Atlides Hübner, [1819], 1816-1826
- - - - Atlids Zazzini, 1934, (ISS)
- Aubergina Johnson, 1991
- Brangas Hübner, [1819], 1816-1826
- Caerofethra Johnson, 1991
- Callophrys Billberg, 1820
- - - - Calophris Barragué, 1954, (ISS)
- - - - Collophrys Sovinsky, 1905, (ISS)
- - - Lycus Hübner, [1819], 1816-1826, (H)
- - - - Licus Hübner, [1823], 1808-1837, (ISS)
- Calycopis Scudder, 1876
- Calystryma Field, 1967
- Candora Johnson, 1992
- Celmia Johnson, 1991
- Chalybs Hübner, [1819], 1816-1826
- - - - Chalyps Hübner, [1826], 1816-1826, (ISS)
- Chlorostrymon Clench, 1961
- Cisincisalia Johnson, 1992
- Cissatsuma Johnson, 1992
- Crimsinota Johnson, 1993

Lyc:Lyc:The:Eum:Eumaeus (continued)

Cyanodivida Johnson, 1991
 Cyanophrys Clench, 1961
 - - - - *Cyanophrys* Ramos, 1977, (ISS)
 Cygnus Hübner, [1819], 1816-1826
 Deciduphagus Johnson, 1992
 Denivia Johnson, 1992
 Dicya Johnson, 1991
 Distissima Johnson, 1991
 Eisellana Ajmat de Toledo, 1978
 Electrostrymon Clench, 1961
 Erora Scudder, 1872
 Eumaeus Hübner, [1819], 1816-1826
 - - Eumaea Geyer, [1834], 1832-1837
 - - Eumenia Godart, [1824], 1819-1824
 - - - - *Eumenea* Strecker, 1878, (ISS)
 Euenus Hübner, [1819], 1816-1826
 - - - - *Euenus* Hübner, [1826], 1816-1826, (ISS)
 - - - Eucharis Boisduval, 1870, (H)
 - - Endymion Swainson, [1831], 1829-1833
 Femniterga Johnson, 1988
 Fixsenia Tutt, [1907], 1905-1914
 - - Euristrymon Clench, 1961
 - - Strymonidia Tutt, [1908], 1905-1914, ICZN Op 541, L 1333
 - - - - *Strymondia* Smart, 1975, (ISS)
 - - - - *Strymonidea* Dunk, 1952, (ISS)
 - - Bakeria Tutt, [1907], 1905-1914, (H)
 - - Leechia Tutt, [1907], 1905-1914, (H & RC)
 - - Tuttiola Strand, 1910
 - - Klugia Tutt, [1907], 1905-1914, (H)
 Furcovalva Johnson, 1991
 Galba Johnson, 1992
 Gigantofalca Johnson, 1991
 Gigantorubra Johnson, 1993
 - - - - *Gigantorubra* Johnson, 1993, (IOS)
 Harkencleus dos Passos, 1970
 - - Chrysophanus Hübner, [1818], 1808-1837, (RC), ICZN Op 541, L 1235
 - - - - *Chlorophanus* Stephens, 1856, (ISS)
 - - - - *Chrisophanus* Anonymus, 1960, (ISS)
 - - - - *Christophanus* Gibbons & Stanley, 1962, (ISS)
 - - - - *Chrysophanes* Weidemeyer, 1864, (ISS)
 - - - - *Chysophanus* Wright, 1905, (ISS)
 - - - - *Crysophanus* Strecker, 1878, (ISS)
 - - - - *Harysophanus* Maynard, 1891, (ISS)
 Heoda Johnson & Miller & Herrera, 1992
 Hypostrymon Clench, 1961
 Iaspis Kaye, 1904, ICZN Op 821, L 1762
 - - - - *Jaspis* Draudt, [1919], 1917-1924, (ISS)
 Ignata Johnson, 1992
 Incisalia Scudder, 1872
 Ipidecla Dyar, 1916
 Janthecla Robbins & Venables, 1991
 Kisutam Johnson & Kroenlein, 1993
 Klaufera Johnson, 1991
 Kroenleina Johnson, 1991
 Lamasa Johnson, 1992
 Lamprospilus Geyer, [1832], 1832-1837
 Loranthomitoura Ballmer & Pratu, 1992
 Macusia Kaye, 1904
 Magnastigma Nicolay, 1977
 - - - - *Manastigma* Anonymus, 1980, (ISS)
 Mercedes Johnson, 1991
 Michaelus Nicolay, 1979
 Ministrymon Clench, 1961
 Mithras Hübner, [1819], 1816-1826
 Mitoura Scudder, 1872
 - - - - *Miltoura* Wright, 1922, (ISS)
 - - - - *Mitowi* Scudder, 1872, (IOS)
 - - - - *Mitura* Kirby, [1873], (ISS)

Lyc:Lyc:The:Eum:Eumaeus (continued)

- - - - *Miura* Butler, 1875, (ISS)
 - - - Mitura Kirby, [1874], (UE)
 - - - Mitura Scudder, 1889, 1888-1889, (UE)
 Molus Hübner, [1819], 1816-1826
 Morphissima Johnson, 1991
 Necmitoura Johnson & Eisele & MacPherson, 1993
 Nestiostrymon Clench, [1964]
 Nicolaea Johnson, 1993
 Noreena Johnson & MacPherson & Ingraham, 1986
 Novosatsuma Johnson, 1992
 Ocaria Clench, 1970
 Oenomaus Hübner, [1819], 1816-1826
 Olyntus Hübner, [1819], 1816-1826
 Palwarria Kaye, 1904
 Panthiades Hübner, [1819], 1816-1826
 - - - - *Panthiades* Nicolay, 1976, (ISS)
 Paralustrus Johnson, 1992
 Parrhasius Hübner, [1819], 1816-1826
 - - Eupsyche Scudder, 1876
 Penaincisalia Johnson, 1990
 Pendantus Johnson & Kroenlein, 1993
 Phaeostrymon Clench, 1961
 Plesiocyanophrys Johnson & Eisele & MacPherson, 1993
 Pons Johnson, 1992
 Pontirama Johnson, 1992
 Profielidia Johnson, 1992
 - - - Fieldia Johnson, 1991, (H)
 Pseudolycaena Wallengren, 1858
 Radissima Johnson, 1992
 Reversustus Johnson, 1991
 Rhamma Johnson, 1992
 Rindgea Johnson, 1993
 Rubroserrata Johnson & Kroenlein, 1993
 Sandia Clench & Ehrlich, 1960
 - - Xamia Clench, 1961
 Sarracena Johnson & Eisele & MacPherson, 1993
 Satyrium Scudder, 1876
 - - Callipsyche Scudder, 1876
 - - Chattendenia Tutt, [1908], 1905-1914
 - - Edwardsia Tutt, [1907], 1905-1914, (H)
 - - Necovatia Verity, 1951
 - - Nordmannia Tutt, [1907], 1905-1914
 - - - - *Normannia* Smart, 1975, (ISS)
 - - Pseudothecla Strand, 1910
 - - - Erschoffia Tutt, [1907], 1905-1914, (H)
 - - Superflua Strand, 1910
 - - Kollaria Tutt, [1907], 1905-1914, (H)
 - - Thecliolia Strand, 1910
 - - - - *Thecliolia* Waterhouse, 1912, (ISS)
 - - Feldena Tutt, [1907], 1905-1914, (H)
 - Neolycaena de Nicéville, 1890, ICZN Op 899, L 1885
 - Rhymnaria Zhdanko, 1983
 Serratofalca Johnson, 1991
 Serratoterga Johnson, 1991
 Shapiroana Johnson, 1992
 Siderus Kaye, 1904
 Sipaea Johnson, 1991
 Solanorum Johnson, 1992
 Strymon Hübner, [1818], 1808-1837, ICZN Op 541, L 1332
 - - - - *Stryman* Elrod & Maley, 1906, (ISS)
 - - Callipareus Scudder, 1872, (IOS)
 - - Uranotes Scudder, 1876, (IOS)
 - - Callicista Grote, 1873
 Symbiopsis Nicolay, 1971
 Tergissima Johnson, 1988
 Terminospinissima Johnson, 1991
 Terra Johnson & Matusik, 1988
 Theclopsis Godman & Salvin, [1887], 1879-1901
 Thecloxurina Johnson, 1992

Lyc:Lyc:The:Eum:Eumaeus (continued)

Theorema Hewitson, [1865], 1863-1878
Theritas Hübner, [1818], 1808-1837
 - - **Cryptaenota** Johnson, 1992
Thermozephyrus Johnson & Eisele & MacPherson, 1988
 - - - **Dipsas** Westwood, [1851], 1846-1852, (H)
Thestius Hübner, [1819], 1816-1826
Tigrinota Johnson, 1992
Tmolus Hübner, [1819], 1816-1826
 - - - - **Thmolus** Riotte & Uchida, 1979, (ISS)
Uzzia Johnson, 1991
Variegatta Johnson, 1992
Ziegleria Johnson, 1993

Lyc:Lyc:The:Eum:Trichonis

Micandra Staudinger, [1888], 1884-1888
 - - - **Micandra** Röber, [1888], 1888-1892, (H & JOS)
Trichonis Hewitson, [1865], 1863-1878

Lyc:Lyc:The:Eum:Thereus

Arawacus Kaye, 1904
 - - **Dolymorpha** Holland, 1931
 - - **Polyniphes** Kaye, 1904
Contrafacia Johnson, 1989
Orcya Johnson, 1990
Rekoa Kaye, 1904
 - - **Heterosmaltia** Clench, [1964]
Thereus Hübner, [1819], 1816-1826

Lyc:Lyc:Lyc:Lycaena

Athamanthia Zdanko, 1983
Chalceria Scudder, 1876
Epidemia Scudder, 1876
Gaeldes Scudder, 1876
 - - - - **Gaides** Elrod & Maley, 1906, (ISS)
 - - - - **Goeides** Elrod & Maley, 1906, (ISS)
Helleia Verity, 1943
Hermelycaena Miller & Brown, 1979
Hylolycaena Miller & Brown, 1979, (PD)
 - - - **Hellolycaena** Koçak, 1983, (JOS & PD)
Hyrceanana Bethune-Baker, 1914
 - - **Sarthusia** Verity, 1943
Lycaena Fabricius, 1807
 - - - - **Antipodolycaena** Smart, 1975, (PWI)
 - - - - **Lacaena** Doubleday, 1847, 1844-1848, (ISS)
 - - - - **Licaena** Duponchel, 1844, 1844-1846, (ISS)
 - - - - **Lucaena** Rafinesque, 1815, (ISS)
 - - - - **Lycaena** Boisduval, 1869, 1868-1869, (ISS)
 - - - - **Lycaenas** Edwards, 1881, (ISS)
 - - - - **Lycana** Elrod & Maley, 1906, (ISS)
 - - - - **Lycaona** Elrod & Maley, 1906, (ISS)
 - - - - **Lycena** Maynard, 1886, (ISS)
 - - - - **Mycaena** Sodoffsky, 1837, (ISS)
 - - - **Lycia** Sodoffsky, 1837, (H and JOS)
 - - - **Migonitis** Sodoffsky, 1837, (H and JOS)
 - - - - **Migonytis** Sodoffsky, 1837, (ISS)
 - - - **Rumicia** Tutt, 1906, (JOS)
 - **Alciphronia** Koçak, 1992
 - **Heodes** Dalman, 1816
 - - - **Chysoptera** Zinken, 1817, (JOS)
 - - - - **Chrysoptera** Tutt, 1906, (ISS)
 - - **Loweia** Tutt, [1906], 1905-1914
 - - - **Palaeoloweia** Verity, 1934, 1934-1936, (JOS)
 - **Thersamolycaena** Verity, 1957
 - - - **Disparia** Verity, 1943, (H)
 - - - **Rapsidia** Sibatani, 1974, (JOS)

Lyc:Lyc:Lyc:Lycaena (continued)

- **Thersamonia** Verity, 1919, 1919-1922
Palaeochrysophanus Verity, 1943
 - - - - **Palaeochrysophanos** Hemming, 1967, (ISS)
Phoenicurusia Verity, 1943
Tharsalea Scudder, 1876
 - - - - **Tharsalia** Strecker, 1878, (ISS)
 - - - - **Thersalia** Scudder, 1876, (IOS)

Lyc:Lyc:Lyc:Heliophorus

Heliophorus Geyer, [1832], 1832-1837
 - - **Ilerda** Doubleday, 1847, 1844-1848
Iophanus Draudt, [1920], 1917-1924
Melanolycaena Sibatani, 1974

Lyc:Lyc:Pol:Lycaenesthina

Anthene Doubleday, 1847, 1844-1848
 - - **Lycaenesthes** Moore, [1866]
 - - - - **Lycaenesthus** Hemming, 1967, (ISS)
 - - - - **Lycenesthes** Marshall, 1873, (ISS)
 - - **Pseudoliptena** Stempffer, 1946
Cupidesthes Aurivillius, 1895
Neurellipes Bethune-Baker, 1910
 - - **Monlle** Ungemach, 1932
Neurypexina Bethune-Baker, 1910
Triclema Karsch, 1893

Lyc:Lyc:Pol:Candalidini

Candalides Hübner, [1819], 1816-1826
 - - **Cyprotides** Tite, 1963
 - - **Erina** Swainson, [1833], 1829-1833
 - - - - **Polycyma** (Scott MS) C. Felder, 1862, (PS)
 - - - **Holochila** C. Felder, 1862, (JOS)
 - - **Microscena** Tite, 1963
Nesolycaena Waterhouse & Turner, [1905]
 - - **Adaluma** Tindale, 1922
Zetona Waterhouse, 1938

Lyc:Lyc:Pol:Niphandini

Niphanda Moore, [1875]

Lyc:Lyc:Pol:Pol:Cupidopsis

Cupidopsis Karsch, 1895

Lyc:Lyc:Pol:Pol:Una

Orthomiella de Nicéville, 1890
 - - - - **Orthiomella** Cantlie, 1963, (ISS)
Una de Nicéville, 1890

Lyc:Lyc:Pol:Pol:Petrelaea

Petrelaea Toxopeus, 1929
 - - - - **Petraleia** Stempffer, 1954, (ISS)
 - - **Pseudonacaduba** Stempffer, 1942

Lyc:Lyc:Pol:Pol:Nacaduba

Erysichton Fruhstorfer, 1916
Nacaduba Moore, [1881], 1880-1881, (PD)

Lyc:Lyc:Pol:Pol:Nacaduba (*continued*)

- *Hypojamides* Riley, 1928
- *Pepliphorus* Hübner, [1819], 1816-1826, (PD)
- *Pepliphorus* Waterhouse & Lyell, 1914, (ISS)
- *Peplodyta* Toxopeus, 1929, (JOS)
- Tartesa Hirowatari, 1992

Lyc:Lyc:Pol:Pol:Prosotas

- Catopyrops* Toxopeus, 1929
- Ionolyce* Toxopeus, 1929
- Nothodanis* Hirowatari, 1992
- Paraduba* Bethune-Baker, 1906
- Prosotas* H. H. Druce, 1891

Lyc:Lyc:Pol:Pol:Theclinesthes

- Neolucia* Waterhouse & Turner, [1905]
- Sahulana* Hirowatari, 1992
- Theclinesthes* Röber, 1891
- *Utica* Hewitson, [1865], 1863-1878, (H)

Lyc:Lyc:Pol:Pol:Thaumaina

- Thaumaina* Bethune-Baker, 1908

Lyc:Lyc:Pol:Pol:Upolampes

- Caleta* Fruhstorfer, [1922], 1909-1923
- Discolampa* Toxopeus, 1929
- *Ethion* Shirôzu & Saigusa, 1962, (JOS)
- Pistoria* Hemming, 1964
- *Mambara* Bethune-Baker, 1908, (H)
- Upolampes* Bethune-Baker, 1908
- *Pycnophallium* Toxopeus, 1929

Lyc:Lyc:Pol:Pol:Danis

- Danis* Fabricius, 1807
- *Isselia* Felder & Felder, 1862, (PS)
- *Damis* Boisduval, 1832, (JOS)
- *Hadothera* Billberg, 1820, (JOS)
- *Thysonotis* Hübner, [1819], 1816-1826, (JOS)
- *Thysonotus* Westwood, [1852], 1846-1852, (ISS)
- Perpheres* Hirowatari, 1992
- Psychonotis* Toxopeus, 1930

Lyc:Lyc:Pol:Pol:Jamides

- Epimastidia* H. H. Druce, 1891
- Jamides* Hübner, [1819], 1816-1826

Lyc:Lyc:Pol:Pol:Catochrysops

- Catochrysops* Boisduval, 1832
- *Catochrysops* Seitz, [1909], 1907-1921, (ISS)
- *Catochrysops* Fruhstorfer, [1897], (ISS)
- Rysops* Eliot, 1973

Lyc:Lyc:Pol:Pol:Lampides

- Lampides* Hübner, [1819], 1816-1826
- *Cosmolyce* Toxopeus, 1927, 1927-1928, (JOS)
- *Lampidella* Hemming, 1933, (JOS)

Lyc:Lyc:Pol:Pol:Callictita

- Callictita* Bethune-Baker, 1908

Lyc:Lyc:Pol:Pol:Uranothauma

- Uranothauma* Butler, 1895

Lyc:Lyc:Pol:Pol:Phlyaria

- Phlyaria* Karsch, 1895
- *Phlyaria* Peters, 1952, (ISS)

Lyc:Lyc:Pol:Pol:Cacyreus

- Cacyreus* Butler, [1898]
- *Hyreus* Hübner, [1819], 1816-1826, (H)
- *Hircus* Ungemach, 1932, (ISS)
- *Hircus* Kaye, 1921, (ISS)
- Harpendyreus* Heron, 1909

Lyc:Lyc:Pol:Pol:Leptotes

- Leptotes* Scudder, 1876
- *Leptodes* Barnes & McDunnough, 1912, (ISS)
- *Leptoles* Wright, 1908, (ISS)
- *Syntarucoides* Kaye, 1904
- *Syntamcoides* Kaye, 1921, (ISS)
- *Syntaruchoides* Sharp, [1905], (ISS)
- *Syntauruchoides* Miller & Brown, 1981, (ISS)
- *Syntaurucoides* Miller & Brown, 1981, (ISS)
- *Syntarucus* Butler, [1901]
- *Langia* Tutt, [1906], 1905-1914, (H and JOS)
- *Raywardia* Tutt, [1908], 1905-1914, (JOS)
- *Cyclirius* Butler, [1897]
- *Cyclirius* Kudma, 1986, (ISS)

Lyc:Lyc:Pol:Pol:Castalius

- Castalius* Hübner, [1819], 1816-1826
- Tarucus* Moore, [1881], 1880-1881
- Tuxentius* Larsen, 1982

Lyc:Lyc:Pol:Pol:Zintha

- Zintha* Eliot, 1973

Lyc:Lyc:Pol:Pol:Zizeeria

- Pseudozizeeria* Beuret, 1955
- Zizeeria* Chapman, 1910
- Zizina* Chapman, 1910

Lyc:Lyc:Pol:Pol:Famegana

- Famegana* Eliot, 1973

Lyc:Lyc:Pol:Pol:Actizera

- Actizera* Chapman, 1910
- *Actizera* Sharp, [1911], (ISS)
- *Antizera* Chapman, 1910, (ISS)

Lyc:Lyc:Pol:Pol:Zizula

Zizula Chapman, 1910

Lyc:Lyc:Pol:Pol:Brepheidium

Brepheidium Scudder, 1876

Oraldium Bethune-Baker, 1914

Lyc:Lyc:Pol:Pol:Everes

Bothrinia Chapman, 1909

- - - Bothria Chapman, 1908, (H)

Cupido Schrank, 1801, ICZN Op 503, L 1248

- - - - Cupida Strecker, [1874], 1872-1900, (ISS)

- - Zlzera Moore, [1881], 1880-1881

- - - - Zizerz Kurentzov, 1970, (ISS)

Everes Hübner, [1819], 1816-1826, ICZN Op 503, L 1249

- - - - Eueres Hübner, [1826], 1816-1826, (ISS)

- - Blinghamia Tutt, [1908], 1905-1914

- - Tiora Evans, 1912

- - Ununcula van Eecke, 1915

Shijimia Matsumura, 1919

Tallicada Moore, [1881], 1880-1881

Tongela Tutt, [1908], 1905-1914

Lyc:Lyc:Pol:Pol:Pithecops

Pithecops Horsfield, [1828], 1828-1829, ICZN Op 822, L 1763.

- - Eupsychellus Röber, 1891

Lyc:Lyc:Pol:Pol:Azanus

Azanus Moore, [1881], 1880-1881

Lyc:Lyc:Pol:Pol:Eicochrysops

Eicochrysops Bethune-Baker, 1924

Lyc:Lyc:Pol:Pol:Lycyaenopsis

Acytolepis Toxopeus, 1927, 1927-1928

- - - - Acytolepis Hemming, 1967, (ISS)

Callenya Eliot & Kawazoé, 1983

Cebrella Eliot & Kawazoé, 1983

- Chelakina Eliot & Kawazoé, 1983

Celarchus Eliot & Kawazoé, 1983

- Armentulus Eliot & Kawazoé, 1983

Celastrina Tutt, 1906

- - - - Celestrina Brown, 1970

- - - - Cyaniriodes Matsumura, 1919, (H)

- - - - Cyanirioides (Matsumura, 1919) Hemming, 1929, (ISS)

- - - - Cyanirioides (Matsumura, 1919) Hemming, 1967, (ISS)

- - Maslowskia Kurentzov, 1974

Celatoxia Eliot & Kawazoé, 1983

Lestranicus Eliot & Kawazoé, 1983

Lycyaenopsis Felder & Felder, 1865, 1865-1875

Meglisba Moore, [1881], 1880-1881

- - Pathalia Moore, 1884

Monodontides Toxopeus, 1928, 1927-1928

- Buakraengius Eliot & Kawazoé, 1983

Neopithecops Distant, 1884, 1882-1886

- - Papua Röber, [1892], 1888-1892, (H)

- - Parapithecops Moore, 1884

Notarthrinus Chapman, 1908

Oreolyce Toxopeus, 1927, 1927-1928

- Arletta Hemming, 1935

- - - Moorea Toxopeus, 1927, 1927-1928, (H)

Lyc:Lyc:Pol:Pol:Lycyaenopsis (continued)

Parelodina Bethune-Baker, 1904

Plautella Eliot & Kawazoé, 1983

Ptox Toxopeus, 1928, 1927-1928

Rhinelephas Toxopeus, 1927, 1927-1928

Sancteria Eliot & Kawazoé, 1983

Sidima Eliot & Kawazoé, 1983

Udara Toxopeus, 1928, 1927-1928

- - Akasinula Toxopeus, 1928, 1927-1928

- Penudara Eliot & Kawazoé, 1983

- Perivaga Eliot & Kawazoé, 1983

- Selmanix Eliot & Kawazoé, 1983

- Vaga Zimmerman, 1958

Uranobothria Toxopeus, 1927, 1927-1928

Lyc:Lyc:Pol:Pol:Glaucoopsyche

Apelles Hemming, 1931

Bajluana Korshunov, 1990

Caerulea Forster, 1938

Euphilotes Mattoni, [1978]

Glaucoopsyche Scudder, 1872

- - - - Glaucoopsyche Lewis, [1973], (ISS)

- - Phaedrotes Scudder, 1876

- - - - Phaedrotus Lewis, [1973], (ISS)

Iolana Bethune-Baker, 1914

- - - - Jolana Bretherton, 1966, (ISS)

Maculinea van Eecke, 1915, ICZN Op 503, L 1250

- - - Argus Boisduval, 1832, 1832-1834, (H & RC), ICZN Op 429, L 734

Micropsyche Mattoni, 1981

Palaephilotes Forster, 1938

Phengaris Doherty, 1891

Philotes Scudder, 1876

Philotiella Mattoni, [1978]

Praephilotes Forster, 1938

Pseudophilotes Beuret, 1958

Rubrapterus Korshunov, 1987

Scolitantides Hübner, [1819], 1816-1826

- - - - Scolitantidis Hübner, [1826], 1816-1826, (ISS)

Shijimiaeoides Beuret, 1958

Sinia Forster, 1940

Subsolanoides Koiwaya, 1989

Turanana Bethune-Baker, 1916

- - - Turania Bethune-Baker, 1914, (H)

- Otaria Zhdanko, 1984

Lyc:Lyc:Pol:Pol:Euchrysops

Athysanota Karsch, 1895

Euchrysops Butler, 1900

Lepidochrysops Hedicke, 1923

- - - Neochrysops Bethune-Baker, 1923, (H)

Oboronia Karsch, 1893

Orachrysops Vari & Kroon, 1986

Thermoniphas Karsch, 1895

Lyc:Lyc:Pol:Pol:Itylos

Hemiargus Hübner, [1818], 1808-1837

- - - - Hemiargus Anonymous, 1979, (ISS)

Itylos Draudt, [1921], 1917-1924

- - - - Stylos Anonymous, 1952, (ISS)

- - Ityloides Balletto, 1993

- - Parachilades Nabokov, 1945

Lyc:Lyc:Pol:Pol:Nabokovia

- Echinargus Nabokov, 1945
 Eldoradina Balleto, 1993
 - - Polytheclus Bálint & Johnson, 1993
 - - - Polytheclus Bálint & Johnson, 1994, (H & JOS)
 Nabokovia Hemming, 1960
 - - - Pseudothecla Nabokov, 1945, (H)

Lyc:Lyc:Pol:Pol:Cyclargus

- Cyclargus Nabokov, 1945
 Pseudochrysops Nabokov, 1945

Lyc:Lyc:Pol:Pol:Polyommatus

- Chilades Moore, [1881], 1880-1881
 - - Edales Swinhoe, [1910], 1909-1913
 - - Luthrodes H. H. Druce, 1895
 - Freyeria Courvoisier, 1920
 Lachides Nekrutenko, 1984
 Madeleinea Bálint, 1993
 - - - Nivalis Balleto, 1993
 Paralycaeides Nabokov, 1945
 - - Boliviella Balleto, 1993
 Patricius Bálint, 1990
 Plebejides Sauter, 1968
 Plebejus Kluk, 1802, 1795-1802, ICZN Op 278, L 705
 - - - Glebejus Shields, 1975, (ISS)
 - - - Lycoena Nicholl, 1901, (JOS)
 - - - Plebeius Kirby, 1871, (JOS)
 - - - Rusticus Hübner, [1806], (RC and JOS), ICZN Op. 97, L. 85
 - Aricia R. L., 1817
 - - - Gynomorphia Verity, 1929, (JOS)
 - - - - Gynomorphia Koçak, 1983, 1981-1983, (ISS)
 - Eumedonia Forster, 1938
 - Icaricia Nabokov, 1944
 - Lycaeides Hübner, [1819], 1816-1826, ICZN Op 169 & 270, L 688
 - - - - Lyaeides Bretherton, 1966, (ISS)
 - Maurus Bálint, 1991
 - Plebulina Nabokov, 1944
 - Pseudoaricia Beuret, 1959
 - Ultraaricia Beuret, 1959
 Polyommatus Latreille, 1804, ICZN Op 175 & 270, L 689
 - - - - Polyommatus Kirland, 1874, (ISS)
 - - - - Polymastor Gaede, 1931, (ISS)
 - - - - Polyommatus Lucas, [1836], 1835-1836, (ISS)
 - - Bryna Evans, 1912
 - Agriades Hübner, [1819], 1816-1826, ICZN Op 173 & 270, L 685
 - - - Lauonna Tutt, [1909], 1905-1914, (JOS), ICZN Op 173 & 270, L 67
 - Agrodiaetus Hübner, 1822
 - - - Hirsutina Tutt, [1909], 1905-1914, (JOS)
 - Albulina Tutt, [1909], 1905-1914
 - Cyaniris Dalman, 1816
 - - Nomiades Hübner, [1819], 1816-1826
 - - - - Nomanades Elrod & Maley, 1906, (ISS)
 - Farsia Zhdanko, 1992
 - Kretania Beuret, 1959
 - Lysandra Hemming, 1933, ICZN Op 429, L 1023
 - - - Argus Scopoli, 1763, (RC), ICZN Op 429, L 733
 - - - Uranops Hemming, 1929, (H)
 - Meleageria de Sagarra y Castellamau, 1926
 - Neolysandra Koçak, 1977
 - Paragrodiaetus Rose & Schurian, 1977
 - - - - Postagrodiaetus Bálint, 1992, (ISS)
 - Plebejidea Koçak, 1983, 1981-1983
 - - - - Plebeoidea Koçak, 1983, 1981-1983, (IOS)

Lyc:Lyc:Pol:Pol:Polyommatus (continued)

- Plebicula Higgins, 1969
 - Sublysandra Koçak, 1977
 - Vacciniina Tutt, [1909], 1905-1914
 - - - - Vaccinia Forster, 1938, (ISS)
 - - - - Vacciniia Forster & Wohlfarth, 1955, (ISS)
 - - - - Vacciniina Hemming, 1929, (ISS)
 Pseudolucia Nabokov, 1945
 - - - - Pallidula Balleto, 1993
 - - Cherchiella Balleto, 1993
 - - Facula Balleto, 1993

Lyc:Lyc:Pol:

Xinjiangia Huang & Murayama, 1988

PART VI
INDEX TO BIBLIOGRAPHIC CITATIONS
FOR
GENUS-GROUP NAMES

INTRODUCTION

This section is straightforward and needs little introduction. It consists of an index to all those publications which contain original descriptions of Genus-group names, original descriptions of Type-species of Genus-group names or valid Type-species designations of Genus-group names. The particular type of citation is indicated in the first column, where the status letter codes [a-e] are given if the citation is to the original description of a name, TS is given if the citation is to the original description of the Type-species, or TM is given if the citation is to the Type-species designation.

- Adamson 1897 *Cat. Butts coll. Burma* [b2993]
 e *Abisaba* (ISS) :28
 e *Iroata* (ISS) :34
- Agassiz 1842-1847 *Nomencl. zool. (ed. 4)* [b2994]
 e 1846 *Diophthalma* (ISS) (9/10):Lep., 22
 d [1847] *Polystichthis* (UE) (12)(Index univ.):304
- Ajmat de Toledo 1978 *Acta zool. lilloana* [b11042]
 a *Eisellana* 33(1):80
 TS *Eisellana* 33(1):80, f 1-6
- Alphéraky 1881 *Horae Soc. ent. ross.* [b3333]
 TS *Neolycaena* 16:383, pl 14, f 7
- Alphéraky 1897 *In Romanoff, Mém. Lép.* [b3482]
 TS *Caerulea* 9:113
- Anonymous 1952 *Zool. Rec.* [b11573]
 e *Stylos* (ISS) 85(1949)(Ins.):287
- Anonymous 1960 *Postage Stamp, Rumania, 1960* [b2996]
 e *Chrisophanus* (ISS) 40 bari
- Anonymous 1961 *Zool. Rec.* [b4484]
 e *Pilodeudoxis* (ISS) 94(1957)(Ins.):434
- Anonymous 1979 *J. Lep. Soc.* [b18960]
 e *Hermiargus* (ISS) 32(4):314 (index)
- Anonymous 1980 *Zool. Rec.* [b5519]
 e *Manastigma* (ISS) 114(1977)(Ins. D-Lep.):238
- Aurivillius 1895 *Ent. Tidskr.* [b0047]
 a *Cupidesthes* 16:215
 TS *Cupidesthes* 16:215
 a *Epitolina* 16:205
 TS *Hypophytala* 16:206
 a *Micropentila* 16:202
 TS *Ornipholidotos* 16:198
 a *Tellpna* 16:198
- Aurivillius [1899] *K. svenska VetenskAkad. Handl.* [b0050]
 a *Eresina* (nř)31(5)(1898):253,282
 d *Iridopsis* (H) (nř)31(5)(1898):254,286
 b *Trichiolaus* (nř)31(5)(1898):297,317
 d *Zerius* (H & JOS) (nř)31(5)(1898):297,333
- Aurivillius 1908-1925 *In Seitz, Grossschmett. Erde* [b0052]
 a [1921] *Iridana* 13:345
 d [1921] *Tumerepes* (UE) 13:347
 a [1922] *Hemiolaus* 13:382
 b [1924] *Gonatomyrina* 13:422
- Aurivillius 1916 *Ark. Zool.* [b2634]
 a *Lipaphnaeus* 10(14):4
 TS *Lipaphnaeus* 10(14):2
- Bálint 1990 *Janus Pannonius Múz. Évk.* [b21573]
 a *Patricius* 35:40
- Bálint 1991 *Janus Pannonius Múz. Évk.* [b21573]
 b *Maurus* 35:39
- Bálint 1992 *Linneana Belgica* [b20837]
 e *Postagrodiaetus* (ISS) 13(8):398
- Bálint 1993 *Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point)* [b20688]
 a *Madeleinea* (29):24
- Bálint & Johnson 1993 *Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point)* [b20687]
 c *Polythecus* (28):2
 TS *Polythecus* (28):2, f
- Bálint & Johnson 1994 *Acta zool. hung.* [b20680]
 d *Polythecus* (H & JOS) 40(2):115
- Bálint & Johnson 1994 *Acta zool. hung.* [b20680] (continued)
 TS *Polythecus* (H & JOS) 40(2):116, f 19,20,32,34
- Balleto 1993 *Boll. Soc. ent. ital.* [b20701]
 c *Boliviella* 124(3):232
 c *Cherchiella* 124(3):234
 a *Eldoradina* 124(3):241
 TS *Eldoradina* 124(3):242
 c *Facula* 124(3):231
 c *Itylodes* 124(3):232
 TS *Itylodes* 124(3):234, f 2
 e *Nivalis* 124(3):242
 e *Pallidula* 124(3):238
 TS *Pallidula* 124(3):239
- Ballmer & Pratt 1992 *Tropical Lepidoptera* [b20558]
 a *Loranthomitura* 3(1):37
- Barnes & Lindsey 1922 *Ann. ent. Soc. Amer.* [b2181]
 d *Lephelisca* (JOS) 15(1):93
- Barnes & McDunnough 1912 *Contr. nat. Hist. Lep. N. Amer.* [b2128]
 c *Leptodes* (ISS) 1(6):9
- Barragué 1954 *Bull. Soc. Hist. nat. Afr. N.* [b3010]
 e *Calophris* (ISS) 45(3/4):185
- Bates 1862 *Trans. linn. Soc. Lond.* [b0064]
 a *Ithomels* 23(3):541 nota
 TS *Ithomels* 23(3):541 nota
- Bates 1866 *Ent. mon. Mag.* [b0067]
 TS *Chimastrum* 3:154
 c *Metapheles* 3:155
 TS *Metapheles* 3:155
- Bates 1867 *Trans. ent. Soc. Lond.* [b2571]
 TS *Napaea* (3)5:543
 c *Pseudopheles* (3)5:544
 TS *Pseudopheles* (3)5:544
- Bates [1868] *J. linn. Soc. Lond., Zool.* [b2569]
 c *Caillona* 9:447
 c *Catagrammina* 9:411
 a *Dysmathia* 9:382
 TS *Dysmathia* 9:383
 a *Lasala* 9:397
 a *Pachythone* 9:389
 TS *Pachythone* 9:390
 TS *Thyranota* 9:398
 a *Uraneis* 9:411
 a *Zelotaea* 9:381
 TS *Zelotaea* 9:382
- Behr 1866 *Proc. ent. Soc. Philad.* [b3337]
 TS *Chalceria* 6(2):208
- Bennett 1954 *Entomologist* [b1371]
 a *Euthecta* 87:170
 TS *Euthecta* 87:171,182, f 1
- Bergsträsser 1778-1780 *Nom. Ins.* [b6514]
 TS [1779] *Lycæides* 2:76, pl 46, f 1,2
 TS [1779] *Plebicula* 2:76, pl 46, f 1,2
 TS [1779] *Pseudophilotes* 3:18, pl 60, f 6-8
- Bethune-Baker 1887 *Trans. ent. Soc. Lond.* [b3009]
 a *Ourocnemis* 35(2):176
- Bethune-Baker 1904 *Ann. Mag. nat. Hist.* [b0132]
 TS *Etesiolaus* (7)14:233
- Bethune-Baker 1904 *Novit. zool.* [b3019]
 a *Parachrysops* 11:369
 TS *Parachrysops* 11:369

- Bethune-Baker 1904 Novit. zool. [b3019] (*continued*)
 a *Parelodina* 11:368
 TS *Parelodina* 11:368
- Bethune-Baker 1906 Ann. Mag. nat. Hist. [b3020]
 a *Paraduba* (7)17:103
 TS *Paraduba* (7)17:104
- Bethune-Baker 1906 Ann. Mag. nat. Hist. [b5116]
 TS *Perivaga* (7)17:101
 TS *Titea* (7)17:101
- Bethune-Baker 1908 Proc. zool. Soc. Lond. [b2639]
 a *Callititia* 1908(1):118
 TS *Callititia* 1908(1):119, pl 8, f 1
 d *Mambara* (H) 1908(1):119
 TS *Mambara* (H) 1908(1):120, pl 8, f 5
 TS *Pistoria* 1908(1):120, pl 8, f 5
 a *Powellana* 1908(1):114
 TS *Powellana* 1908(1):114, pl 9, f 13
 a *Thaumaina* 1908(1):116
 TS *Thaumaina* 1908(1):116, pl 9, f 8,9
 a *Upolampes* 1908(1):118
 TS *Upolampes* 1908(1):118, pl 9, f 15
- Bethune-Baker 1910 Trans. ent. Soc. Lond. [b0135]
 a *Neurellipes* 58(1):66
 a *Neurypexina* 58(1):64
- Bethune-Baker 1913 Ann. Mag. nat. Hist. [b0136]
 a *Tumerepedes* (8)11:564
 TS *Tumerepedes* (8)11:564
- Bethune-Baker 1914 Trans. ent. Soc. Lond. [b0138]
 a *Oraidium* 62(2):331
 a *Ornipholidotos* 62(2):319
- Bethune-Baker 1914 Ent. Rec. [b2088]
 a *Hyrceanana* 26:135
 a *Iolana* 26:162
 d *Turania* (H) 26:160
- Bethune-Baker 1915 Ann. Mag. nat. Hist. [b0139]
 a *Aethlopana* (8)16:191
 a *Liptenara* (8)16:186
 TS *Liptenara* (8)16:186
- Bethune-Baker 1916 Ann. Mag. nat. Hist. [b3021]
 a *Turanana* (8)17:379
- Bethune-Baker 1923 Trans. ent. Soc. Lond. [b0142]
 d *Neochrysops* (H) 70(3/4):279
- Bethune-Baker 1924 Ann. Mag. nat. Hist. [b0143]
 a *Egumbia* (9)14:135
 TS *Egumbia* (9)14:135
 a *Eicochrysops* (9)14:132
 TS *Eicochrysops* (9)14:132
- Bethune-Baker [1925] Trans. ent. Soc. Lond. [b0144]
 TM *Aslauga* 72(3/4):209
 a *Paraslauga* 72(3/4):206
- Beuret 1955 Mitt. ent. Ges. Basel [b3022]
 a *Pseudozizeeria* (n)5:125
- Beuret 1958 Mitt. ent. Ges. Basel [b2043]
 a *Pseudophilotes* (n)8(6):100
 a *Shijimlaeoides* (n)8(6):100
- Beuret 1959 Mitt. ent. Ges. Basel [b2101]
 b *Kretania* (n)9:83
 b *Pseudoaricia* (n)9:84
 b *Ultraaricia* (n)9:84
- Beutelspacher 1976 Revta Soc. mex. Lep. [b6324]
 TS *Lamphotes* 2(2):73, f
- Billberg 1820 Enum. Ins. Mus. Billb. [b0148]
 a *Callophrys* :80
 d *Erocion* (JOS) :80
 d *Eulepis* (JOS) :80
 d *Hadothera* (JOS) :80
 d *Tapina* (JOS) :81
 d *Zephyrius* (UE) :80
- Birket-Smith 1960 Bull. Inst. franç. Afr. Noire [b0152]
 c *Lectiles* 22(A):966
 TS *Lectiles* 22(A):966
- Blanchard 1840 Hist. nat. Ins. [b0153]
 c *Lymnas* 3:464
 c *Nimula* 3:465
 e *Zerythis* (ISS) 3:463
- Blanchard 1845 Hist. Ins. [b2345]
 TM *Helicopsis* 2:346
- Blanchard 1852 In Gay, Hist. fis. pol. Chile [b3342]
 TS *Pseudolucia* 7:37, pl 3, f 4a,4b
- Boisduval [1828] Europ. Lepid. Ind. Meth. [b3344]
 TS *Apelles* :13
- Boisduval 1832 In d'Urville, Voy. Astrolabe [b0156]
 a *Arhopala* 1(Lép.):75
 TS *Arhopala* 1(Lép.):75
 a *Catochrysops* 1(Lép.):87
 d *Damis* (JOS) 1(Lép.):67
 TS *Eupsychellus* 1(Lép.):82
 TS *Hypojamides* 1(Lép.):78
 d *Simoethus* (UE) 1(Lép.):72
- Boisduval 1832-1834 Icon. Hist. Lépid. Europe [b0159]
 d 1832 *Argus* (H & RC) 1(5/6):49
- Boisduval 1833 Nouv. Ann. Mus. Hist. nat. (Paris) [b0157]
 TS *Saribia* 2(2):175
- Boisduval 1836 Spec. gén. Lépid. [b0160]
 d *Anops* (H) 1:explic. pl 23 [=7C]
 c *Desmazona* 1:pls 6 [=2B], 21 [=2C]
 TS *Desmazona* 1:pl 21 [=2C], f 1
 c *Diophtalma* 1:pl 6 [=2C], f 9, pl 21
 [=5C], fig 2
 TS *Diophtalma* 1:pl 21, f 2
 e *Diophtalma* (IOS) 1:expl. planches 2
 c *Eurygona* 1:pl 3 [=3A], f 2, pl 21
 [=5C], f 3
 TS *Eurygona* 1:pl 21 [=5C], f 3
 d *Gerydus* (JOS) 1:pl 23 [=7C], f 2
 c *Hypophylla* 1:pl 20 [=4C], f 5
 TS *Hypophylla* 1:pl 20 [=4C], f 5
 d *Limnas* (H) 1:pl 20 [=4C], f 1
 TS *Limnas* (H) 1:pl 20 [=4C], f 1
 c *Nerias* 1:pl 4 [=4A], pl 11 [=7H], f
 6
 c *Nymula* 1:pl 20 [=4C]
 TS *Nymula* 1:pl 20 [=4C], f 4
 a *Zemeros* 1:pl 21 [=5C], f 5
 a *Zeritis* 1:pl 22 [=6C], f 6
 TS *Zeritis* (H & JOS) 1:pl 22 [=6C], f 6
 TS *Zeritis* 1:pl 22 [=6C], f 6
- Boisduval 1847 In Delegorgue, Voy. Afrique Austr. [b0162]
 a *Alaena* 2:591
 TS *Alaena* 2:591
 TS *Penilla* 2:589
 d *Tingra* (RC) 2:589
 TS *Tingra* (RC) 2:589
- Boisduval 1848 Bull. Soc. ent. Fr. [b3475]
 TS *Argus* (H) (2)6:xxix

Boisduval 1848 Bull. Soc. ent. Fr. [b3475] (continued)

TS *Armenia* (2):6:xxix
 TS *Bakeria* (H) (2):6:xxix

Boisduval 1852 Anns Soc. ent. Fr. [b2192]

TS *Brephidium* (2):10:294
 TS *Euphillotes* (2):10:298
 TS *Habrodais* (2):10:289
 TS *Icaricia* (2):10:297
 TS *Tharsalea* (2):10:293

Boisduval 1868-1869 Anns Soc. ent. Belg. [b1548]

c 1869 *Chrysobia* 12:52
 TS 1869 *Chrysobia* 12:52
 e 1869 *Lycasena* (ISS) 12:49
 TS 1869 *Philotos* 12:46

Boisduval 1870 Consid. Lép. Guatemala [b0163]

TM *Amblypodia* :14
 a *Artipe* :14
 d *Eucharia* (H) :14
 c *Nelone* :23

Boisduval & Le Conte 1829-1837 Hist. Lépid. Amer. sept. [b0164]

TS [1833] *Eupsyche* (9):86, pl 26, f 1-5
 TS [1835] *Epidemia* (15):127, pl 18, f 4, 5
 TS [1835] *Mitoura* (12):107, pl 33, f 5-8
 e [1835] *Nymphidia* (ISS) (14):130

Bremer 1861 Bull. Acad. Sci. St. Pétersbourg [b3479]

TS *Antigius* 3:469
 TS *Chrysozephyrus* 3:470
 TS *Neozephyrus* 3:470

Bretherton 1966 Trans. Soc. Br. Ent. [b1325]

e *Hemearis* (ISS) 17:32
 e *Jolana* (ISS) 17:57
 e *Lyaeides* (ISS) 17:59

Brown 1966 Trans. amer. ent. Soc. [b1257]

c *Nymphidis* (ISS) 92:435

Brown 1970 Trans. amer. ent. Soc. [b0817]

e *Celestrina* 96:421, etc

Brullé 1840 In Webb & Berthelot, Canaries (Ins.) [b3480]

TS *Cyclirius* :93, pl 4, f 1, 1A

Bryk 1946 Ark. Zool. [b1869]

a *Ahlbergia* 38A(3):50
 c *Bergmania* 38A(3):52

Burmeister 1878 Descr. phys. Rép. Argentine [b0101]

TS *Zabuella* 5(Lép.)(1):225, pl 8, f 8

Butler 1866 J. linn. Soc. Lond., Zool. [b1870]

TS *Ahlbergia* 9:57
 TS *Gunzia* (JOS) 9:57
 TS *Satsuma* (H) 9:57

Butler [1867] J. linn. Soc. Lond., Zool. [b1969]

TS *Uranelis* 9:225, pl 6, f 26

Butler 1867 Proc. zool. Soc. Lond. [b1982]

a *Dicallaneura* 1867(1):37

Butler 1867 Ent. mon. Mag. [b1995]

a *Metacharis* 3:174

Butler 1869-1874 Lep. exot. [b0172]

a 1872 *Mimacraea* :104
 TS 1872 *Mimacraea* :104, pl 38, f 8

Butler [1870] Cat. diurn. Lep. Fabricius Br. Mus. [b0175]

TM *Scoptes* (RC) :176, footnote

Butler 1871 Trans. ent. Soc. Lond. [b1979]

a *Larinopoda* 19(2):172
 TS *Larinopoda* 19(2):173, pl 7, f 2-5

Butler 1871 Ann. Mag. nat. Hist. [b1990]

TS *Pseudonympha* (H) (4):8:283
 TS *Pseudonymphidia* (4):8:283

Butler 1872 Cistula Entomologica [b0182]

TS *Acystipoda* 1(4):79

Butler 1874 Trans. ent. Soc. Lond. [b0188]

a *Pseuderesia* 22(4):532
 TS *Pseuderesia* 22(4):532, pl 11, f 4, 5

Butler 1875 Ent. mon. Mag. [b1973]

e *Misura* (ISS) 12:16

Butler 1876 Proc. zool. Soc. Lond. [b1986]

a *Stiboges* 1876(2):308
 TS *Stiboges* 1876(2):309, pl 22, f 1

Butler 1878 Ann. Mag. nat. Hist. [b1863]

TS *Actizera* (5):2:290
 a *Saribia* (5):2:289

Butler [1879] Trans. linn. Soc. Lond., (2) Zool. [b1964]

a *Catapaecilma* 1(8):547
 a *Laxita* 1(8):546

Butler [1882] Proc. zool. Soc. Lond. [b1976]

TS *Iratsume* 1881(4):852
 TS *Wagimo* 1881(4):854

Butler 1882 Ann. Mag. nat. Hist. [b4511]

TS *Tartesa* (5):10:150

Butler [1886] Proc. zool. Soc. Lond. [b0202]

a *Chloroselas* 1885(4):765
 TS *Chloroselas* 1885(4):765, pl 47, f 4

Butler [1888] Proc. zool. Soc. Lond. [b0205]

a *Tatura* 1887(4):572

Butler 1895 Proc. zool. Soc. Lond. [b1983]

a *Uranothauma* 1895(3):631
 TS *Uranothauma* 1895(3):631, pl 35, f 6, 7

Butler [1897] Proc. zool. Soc. Lond. [b0418]

b *Cyclirius* 1896(4):830

Butler 1898 Proc. zool. Soc. Lond. [b0420]

a *Leptomyrina* 1898(3):405

Butler [1898] Proc. zool. Soc. Lond. [b1962]

a *Cacyreus* 1897(4):845
 a *Chrysoiritis* 1897(4):848

Butler 1899 Entomologist [b1991]

a *Poecilmitis* 32:78

Butler 1900 Entomologist [b1971]

a *Euchrysops* 33:1

Butler [1901] Proc. zool. Soc. Lond. [b0424]

c *Syntarucus* 1900(4):929

Butler & H. Druce 1872 Cistula Entomologica [b1662]

TS *Cyanophrys* 1(5):105

Callaghan 1979 Bull. Allyn Mus. [b6639]

a *Petrocerus* (53):1

Callaghan 1982 Revta Soc. mex. Lep. [b12027]

a *Lamphiotis* 7(2):59
 a *Plixus* 7(2):57
 d *Pseudonympha* (H) 7(2):55

- Callaghan 1983 Bull. Allyn Mus. [b13099]
 a *Mycastor* (78):1
 c *Synargus* (ISS) (78):2
- Callaghan 1985 Bull. Allyn Mus. [b16026]
 a *Pseudonymphidia* (98):16
- Cantlie 1963 Lyc. Butts Revised [b1575]
 c *Orthiomella* (ISS) :7, 73
- Capronnier 1874 Anns Soc. ent. Belg. [b0210]
 c *Andara* 17:21
 d *Talites* (JOS) 17:20
- Chapman 1908 Proc. zool. Soc. Lond. [b3035]
 d *Bothria* (H) 1908(3):677
 a *Notarthrinus* 1908(3):677
 TS *Notarthrinus* 1908(3):678, pl 38, f 2
- Chapman 1909 Proc. zool. Soc. Lond. [b3036]
 a *Artopotes* 1909(2):473
 a *Bothrinia* 1909(2):473
- Chapman 1910 Trans. ent. Soc. Lond. [b0230]
 a *Actizera* 58(4):483
 c *Anizera* (ISS) 58(4):494
 a *Zizeeria* 58(4):480,482
 a *Zizina* 58(4):482
 a *Zizula* 58(4):483
- Chapman 1911 Trans. ent. Soc. Lond. [b5491]
 TS *Chelakina* 59(1):185, pl 28, f 1-4
- Christoph 1876-1877 Horae Soc. ent. ross. [b3481]
 TS 1877 *Praephilotes* 12:239-240, pl 5, f 12
 TS 1877 *Turanana* 12:234, pl 5, f 5,6
 TS 1877 *Turania* (H) 12:234, pl 5, f 5,6
- Clench 1946 Entomologist [b5508]
 TS *Plesiocyanophrys* 79:186
- Clench 1961 In Ehrlich & Ehrlich, Butterflies [b14187]
 a *Chlorostrymon* :179,189
 a *Cyanophrys* :201,211
 a *Electrostrymon* :185,218
 c *Euristrymon* :184,212
 a *Hypostrymon* :182,214
 a *Ministrymon* :179,196
 a *Phaeostrymon* :179,190
 c *Xamia* :200,205
- Clench [1964] J. Res. Lep [b1579]
 a *Allosmalia* 2(4):254
 c *Heterosmalia* 2(4):248,254
 a *Nesiostrymon* 2(4):251
- Clench 1965 In Mem. amer. ent. Soc. [b11685]
 a *Eresiomera* 19:290
 a *Hypophytala* 19:316-317
 a *Ptelina* 19:271
- Clench 1970 J. Lep. Soc. [b0252]
 a *Ocaria* 24(1):56, f 1
- Clench & Ehrlich 1960 In Ent. News [b15440]
 a *Sandia* 71(6):138
- Cornstock & Huntington 1943 Ann. New York Acad. Sci. [b0277]
 TS *Nesiostrymon* 45:75
 TS *Pseudochrysops* 45:102-104, pl 1, f 18,19
- Corbet 1940 Proc. R. ent. Soc. Lond. [b0304]
 TM *Malus* (JOS) (B)9(6):111
- Courvoisier 1920 Deut. ent. Zeit. [Iris] [b2680]
 b *Freyeria* 34:234
- Cowan 1970 Annot. Rhop. 1970 [b0017]
 TM *Lycocna* (JOS) :11
- Cox 1873 Entomologist [b3483]
 TS *Microscena* 6:402
- Cramer 1775-1790 Uil. Kapellen [b1167]
 TS [1775] *Agnostogyna* 1(7):127, pl 80, f E.
 TS [1775] *Arcas* 1(7):120, pl 76, f E,F
 TS [1775] *Audre* 1(5):79, pl 50, f C,D.
 TS [1775] *Celmia* 1(5):87, pl 55, f G,H
 TS [1775] *Damis* (JOS) 1(6):111, pl 70, f E,F
 TS [1775] *Danis* 1(6):111, pl 70, f E,F
 TS [1775] *Elaphrotis* 1(6):108, pl 66, f E,F
 TS [1775] *Endymion* 1(6):114, pl 72, f E,F
 TS [1775] *Eucharia* (H) 1(4):64, pl 40, f C,D
 TS [1775] *Eurybia* (H) 1(1):18, pl 12, f G,H
 TS [1775] *Eurybia* (H & JOS) 1(1):18, pl 12, f G,H
 TS [1775] *Hadothera* (JOS) 1(6):111, pl 70, f E,F
 TS [1775] *Lemonias* (H) 1(5):79, pl 50, f C,D.
 TS [1775] *Leucochimona* 1(2):35, pl 22, f G,H.
 TS [1775] *Nimula* 1(1):3, pl 1, f E,F.
 TS [1775] *Panthiades* 1(1):10, pl 6, f E,F
 TS [1775] *Pepliphonus* (PD) 1(7):120, pl 76, f C,D.
 TS [1775] *Peplodyta* (JOS) 1(7):120, pl 76, f C,D.
 TS [1775] *Rhetus* 1(6):98, pl 63, f C
 TS [1775] *Syntarucoides* 1(2):36, pl 23, f C,D
 TS [1775] *Thysonoxis* (JOS) 1(6):111, pl 70, f E,F
 TS [1776] *Amarynthis* 1(8):147, pl 94, f D,E.
 TS [1776] *Charmona* (H) 1(8):144, pl 92, f B.
 TS [1776] *Charmona* (JOS) 1(8):144, pl 92, f B.
 TS [1776] *Cremna* 1(8):146, pl 93, f D(f).
 TS [1776] *Myrina* 1(8):150, pl 96, f D,E.
 TS [1777] *Anteros* 2(10):33, pl 118, f G.
 TS [1777] *Atlides* 2(9):3, pl 98, f B,C.
 TS [1777] *Capys* 2(16):131, pl 182, f E,F.
 TS [1777] *Emesis* (RC) 2(15):113, pl 170, f C
 TS [1777] *Flos* 2(12):63, pl 137, f F,G
 TS [1777] *Gerydus* (JOS) 2(13):84, pl 149, f B,C
 TS [1777] *Isapis* 2(11):40, pl 123, f B,C.
 TS [1777] *Marmessus* 2(13):89, pl 152, f F,G.
 TS [1777] *Mesene* 2(15):113, pl 170, f C.
 TS [1777] *Methone* 2(14):98, pl 159, f D,E.
 TS [1777] *Methonella* (JOS) 2(14):98, pl 159, f D,E.
 TS [1777] *Miletus* 2(13):84, pl 149, f B,C
 TS [1777] *Preus* (Myth) 2(16):131,150, pl 182, f C,D
 TS [1777] *Scoptes* (RC) 2(16):131, pl 182, f E,F
 TS [1777] *Synargis* 2(11):37, pl 121, f C,D
 TS [1777] *Thestius* 2(14):104, pl 163, f D,E
 TS [1777] *Trichonis* 2(12):65, pl 139, f F
 TS [1779] *Aloeides* 3(21):84, pl 243, f E,F
 TS [1779] *Andara* 3(17):10, pl 198, f B
 TS [1779] *Chalybs* 3(18):36, pl 213, f D,E
 TS [1779] *Dapidodigma* 3(22):109, pl 254, f E,F
 TS [1779] *Iolaus* 3()-pl 221, f D,E.
 TS [1779] *Mithras* 3(20):70, pl 233, f F,G
 TS [1779] *Oenomaus* 3(21):84, pl 243, f B.
 TS [1779] *Palwarria* 3(21):85, pl 243, f G
 TS [1779] *Rekoa* 3(17):15, pl 201, f D,E
 TS [1779] *Thereus* 3(20):70, pl 233, f E
 TS [1779] *Thestor* 3(21):84, pl 243, f C,D
 TS [1780] *Anthene* 3(24):160, pl 282, f H
 TS [1780] *Aphacitis* 3(23):142, pl 271, f G,H.
 TS [1780] *Nelone* 3(23):141, pl 271, f A
 TS [1780] *Sithon* 4(25):19, pl 299, f E,F
- Crotch 1872 Cistula Entomologica [b0318]
 TM *Cyaniris* 1(4):71
 TM *Erycina* (H) 1(4):66
 TM *Eurybia* (H) 1(4):67
 TM *Heodes* 1(4):71

- Crotch 1872 *Cistula Entomologica* [b0318] (*continued*)
 TM *Nymphidium* 1(4):66
 TM *Plebeius* (JOS) 1(4):60
- Curtis 1823-1840 *British Entomology* [b0321]
 TM 1828 *Lycæna* 5:pl 12
 TM 1830 *Hamearis* 7:pl 316
- Dalman 1816 *K. svenska VetenskAkad. Handl.* [b0322]
 d *Aurotis* (JOS) 37(1):63,90
 b *Cyaniris* 37(1):63,94-101
 b *Heodes* 37(1):63,91
 d *Zephyrus* (JOS) 37(1):62,63
- Darman 1904 *Entomologist* [b3410]
 TS *Colacitellus* 37:174, pl 7, f 2
- de Nicéville 1882 *J. asiat. Soc. Bengal, Pt II* [b3484]
 TS *Acesina* 51(2/3):63
- de Nicéville [1884] *J. asiat. Soc. Bengal, Pt II* [b3485]
 TS *Bothnia* (H) 52(2/4):72, pl 1, f 10
 TS *Bothrinia* 52(2/4):72, pl 1, f 10
- de Nicéville 1887 *Proc. zool. Soc. Lond.* [b3310]
 TS *Acupicta* 1887(3):455
 a *Cheritrella* 1887(3):456
 TS *Cheritrella* 1887(3):456, pl 39, f 3,4
 a *Ticherra* 1887(3):457
- de Nicéville [1889] *J. asiat. Soc. Bengal, Pt II* [b2687]
 TS *Pseudotajuria* 57(4):287, pl 14, f 15
 c *Zarona* 57(4):280-281,293
 TS *Zarona* 57(4):280, pl 14, f 5
- de Nicéville 1890 *Butts India Burmah Ceylon* [b1605]
 d *Aphnaemorphia* (JOS) 3:347
 d *Araotus* (H & JOS) 3:20,445
 c *Arrhenothrix* 3:18,336
 TS *Arrhenothrix* 3:337, pl 28, f 214
 a *Chaetoprocta* 3:17,311
 a *Charana* 3:19,401
 a *Cyaniriodes* 3:33
 a *Drina* 3:20,442
 d *Eoosylides* (H & JOS) 3:19,432
 a *Maneca* 3:18,344
 a *Mota* 3:18,345
 b *Neolycaena* 3:15,64
 a *Orthomiella* 3:15,125
 a *Ritra* 3:411 nota
 a *Suasa* 3:18,386
 d *Tarka* (H & JOS) 3:15,57
 a *Una* 3:51 et nota
 d *Yasoda* (H) 3:20,438
 b *Zeltus* 3:19,399
 a *Zinaspa* 3:20,451
- de Nicéville 1893 *J. Bombay nat. Hist. Soc.* [b3314]
 TS *Selmanix* 7(3):328
- de Nicéville 1893 *J. Bombay nat. Hist. Soc.* [b3315]
 TS *Archigenes* 8(1):49, pl L, f 10
- de Nicéville 1894 *J. asiat. Soc. Bengal, Pt II* [b3316]
 d *Listena* (H) 63(1):35
 TS *Listena* (H) 63(1):36, pl 4, f 3
 TS *Pamela* 63(1):36, pl 4, f 3
- de Nicéville 1895 *J. Bombay nat. Hist. Soc.* [b3317]
 a *Britomartis* 9(3):304
 TS *Bullis* 9(3):308, pl P, f 41
 a *Manto* 9(3):312
 d *Ops* (H) 9(3):296
 TS *Ops* (H) 9(3):298, pl P, f 36,37
 TS *Plautella* 9(3):271, pl O, f 14,15
- de Nicéville 1895 *J. Bombay nat. Hist. Soc.* [b3317] (*continued*)
 TS *Ptox* 9(3):276, pl O, f 20,21
 TS *Sombia* (H) 9(3):266, pl N, f 9
 TS *Thrix* 9(3):316, pl P, f 45
- de Nicéville [1896] *J. Bombay nat. Hist. Soc.* [b3319]
 a *Creon* 10(2):179
 d *Creusa* (H) 10(2):176
 TS *Creusa* (H) 10(2):177
- de Nicéville 1897 *J. asiat. Soc. Bengal, Pt II* [b3320]
 a *Bullis* 66(3):558
- de Nicéville 1898 *J. Bombay nat. Hist. Soc.* [b0821]
 TS *Buakraengius* 12(1):143, pl Z, f 19,20
- de Nicéville 1902 *J. Bombay nat. Hist. Soc.* [b3321]
 TS *Armentulus* 14(2):245, pl FF, f 7
- de Sagarra y Castellamau 1926 *Butll. Inst. catal. Hist. nat.* [b3208]
 b *Meleageria* (2/5):271
- [Denis & Schiffermüller] 1775 *Ankündigung syst. Werkes Schmett.* [b2574]
 TS *Agrodiactus* :182
 TS *Argus* (H & RC) :182
 TS *Aricia* :184
 TS *Everes* :185
 TS *Gynomorphia* (JOS) :184
 TS *Hellela* :181
 TS *Hirsutina* (JOS) :182
 TS *Klugia* (H) :186
 TS *Maculinea* :182
 TS *Nomiades* :182
 TS *Tuttiola* :186
 TS *Zizera* :184
- Dewitz 1880 *Zool. Jber. Neapel* [b3413]
 e *Thaduca* (ISS) 1879:623
- Distant 1881 *Ent. mon. Mag.* [b1344]
 a *Purlisa* 17:245
 TS *Purlisa* 17:245
- Distant 1882-1886 *Rhop. malayana* [b1584]
 c 1884 *Biduanda* :233,237
 d 1884 *Dacalana* (H & JOS) :233, 240
 d 1884 *Drupadia* (H & JOS) :233,236
 a 1884 *Jacoona* :233,241
 a 1884 *Logania* :197,208
 TS 1884 *Logania* :208, pl 22, f 21
 a 1884 *Neomyrina* :234,248
 a 1884 *Neoplitheops* :197,209
 b 1884 *Paragerydus* :207
 c 1884 *Remelana* (PS) :244,246
 a 1884 *Semanga* :233,239
 a 1885 *Neocheritra* :252
- Distant 1886 *Ann. Mag. nat. Hist.* [b1521]
 a *Deramas* (5)17:252
 TS *Deramas* (5)17:252
 TS *Malais* (JOS) (5)17:331
 TS *Una* (5)17:531
- Distant 1886 *Entomologist* [b1636]
 a *Simiskina* 19:12
 TS *Simiskina* 19:12
- Distant & Pryer 1887 *Ann. Mag. nat. Hist.* [b4528]
 TS *Fabliaras* (5)19:266
- Dognin 1895 *Annls Soc. ent. Belg.* [b3487]
 TS *Abloxurina* 39:106
 TS *Nabokovia* 39:105
 TS *Pseudothecla* (H) 39:105

- Doherty 1889 J. asiat. Soc. Bengal, Pt II [b1585]
 a *Arctotes* 58(4):413, nota, 428
 TS *Archaeogerydus* 58(4):439, pl 23, f 9
 TS *Callenya* 58(4):434, pl 23, f 13
 a *Eooxylides* 58(4):410 et nota
 a *Flos* 58(4):412
 c *Indoxylides* (PS) 58(4):410 nota
 c *Iois* (Special PS) 58(4):411
 c *Malais* (JOS) 58(4):414-415, 436
 c *Marshallia* (PS) 58(4):410 nota
 d *Massaga* (H) 58(4):417, nota, 429
 a *Taraka* 58(4):414
 a *Yasoda* 58(4):410 nota, 425
- Doherty 1891 J. asiat. Soc. Bengal, Pt II [b3042]
 a *Phengaris* 60(1):36
 a *Thrix* 60(1):35
- Donovan 1805 Epitome Ins. New Holland [b3489]
 TS *Austromyrina* sig.F:11
- Donzel 1847 Anns Soc. ent. Fr. [b3044]
 a *Cigaritis* (2)5:528
 TS *Cigaritis* (2)5:528
- dos Passos 1970 J. Lep. Soc. [b0840]
 a *Harkencienus* 24(1):28, 36
- Doubleday 1841 Entomologist [b3346]
 TS *Glaucopyghe* 1:209
- Doubleday 1844-1848 List Spec. lep. Brit. Mus. [b0342]
 a 1847 *Alesa* 2:1
 a 1847 *Anthene* 2:27
 a 1847 *Calydna* 2:5
 a 1847 *Cremna* 2:14
 c 1847 *Diorhina* (ISS) 2:3
 e 1847 *Ialmenus* (ISS) 2:28
 c 1847 *Ilerda* 2:25
 a 1847 *Isapis* 2:18
 e 1847 *Lacaena* (ISS) 2:47, line 1
 a 1847 *Mesene* 2:7
 a 1847 *Methone* 2:4
 a 1847 *Panara* 2:8
 a 1847 *Taxila* 2:2
 a 1847 *Theope* 2:6
- Draudt 1917-1924 In Seitz, Grossschmett. Erde [b0350]
 c [1919] *Jaspis* (ISS) 5:763
 a [1920] *Iophanus* 5:814
 a [1921] *Itylos* 5:821
 TS [1921] *Paralycaelides* 5:822, pl 144, f M.[8], M.[9]
- H. H. Druce 1888 Ent. mon. Mag. [b3048]
 a *Pseudaletis* 24:259
 TS *Pseudaletis* 24:259
- H. H. Druce 1890 Ann. Mag. nat. Hist. [b0354]
 TS *Iolophilus* (6)5:29
- H. H. Druce 1891 Ann. Mag. nat. Hist. [b0355]
 a *Hypokopelates* (6)7:364
 a *Hypomyrina* (6)7:364
 a *Kopelates* (6)7:365
 TS *Kopelates* (6)7:365
 b *Pilodeudorix* (6)7:366
 TS *Pilodeudorix* (6)7:366
- H. H. Druce 1891 Ann. Mag. nat. Hist. [b0356]
 b *Argioloas* (6)8:143
 b *Epamera* (6)8:141
 b *Stugeta* (6)8:149
 a *Sukidion* (6)8:142
 b *Tanuethelra* (6)8:148
- H. H. Druce 1891 Proc. zool. Soc. Lond. [b3049]
 a *Epimastidia* 1891(3):365
 a *Prosotas* 1891(3):366
 TS *Prosotas* 1891(3):366, pl 31, f 15
- H. H. Druce 1894 Ann. Mag. nat. Hist. [b3050]
 d *Pseudonotis* (JOS) (6)13:252
- H. H. Druce 1895 Proc. zool. Soc. Lond. [b3051]
 c *Luthrodes* 1895(3):576
 a *Poriskina* 1895(3):570 nota
 TS *Poriskina* 1895(3):570, pl 34, f 15
 c *Pseudomyrina* 1895(3):605
 c *Virgarina* (PD) 1895(3):606
- H. H. Druce 1896 Proc. zool. Soc. Lond. [b3052]
 a *Mantoides* (PD) 1896(3):677
 TS *Mantoides* (PD) 1896(3):677, pl 21, f 10 11
- H. H. Druce 1902 Proc. zool. Soc. Lond. [b0358]
 b *Aphniolaus* 1902(II)(1):117
 a *Pseudatmenus* 1902(II)(1):116
- H. H. Druce 1905 In Trans. ent. Soc. Lond. [b0353]
 a *Cooksonia* 53(2):256
 TS *Cooksonia* 53(2):257, pl 13, f 3
- H. H. Druce 1907 Proc. zool. Soc. Lond. [b0360]
 TS *Caerofethra* 1907(3):619, pl 36, f 20
 TS *Nicolaea* 1907(3):589, pl 34, f 15
- H. H. Druce 1909 Trans. ent. Soc. Lond. [b5613]
 TS *Heoda* 57(3):437, pl 11, f 10, 11
- H. H. Druce 1910 Proc. zool. Soc. Lond. [b0363]
 a *Batelusia* 1910(1):367
 TS *Batelusia* 1910(1):368
 a *Neaveia* 1910(1):364
 TS *Neaveia* 1910(1):365, pl 35, f 1
- H. H. Druce 1912 Ent. mon. Mag. [b0365]
 TS *Sarracenota* 48:131, pl 10, f 3
 a *Sheffieldia* 48:128
 TS *Sheffieldia* 48:128, pl 9, f 7
- H. Druce 1873 Proc. zool. Soc. Lond. [b2963]
 TS *Catapaecilma* 1873(2):350, pl 32, f 12
 TS *Ritra* 1873(2):352, pl 33, f 1
 TS *Semanga* 1873(2):350, pl 32, f 11
 TS *Virganna* (PD) 1873(2):352, pl 33, f 2
- H. Druce 1875 Cistula Entomologica [b3352]
 TS *Taraka* 1(12):361
 TS *Taraka* (H & JOS) 1(12):361
- H. Druce 1890 Ent. mon. Mag. [b12259]
 TS *Uestludia* 26:69
 TS *Westwoodia* (H) 26:69
- H. H. Druce & Bethune-Baker 1893 Proc. zool. Soc. Lond. [b3351]
 TS *Perpheres* 1893(3):544, pl 45, f 9, 10
 TS *Waigeum* 1893(3):552, pl 46, f 12
- Drury 1770-1782 Ill. nat. Hist. [b0368]
 TS [1773] *Oxylides* 2:index et 2, pl 1, f 4, 5
 TS [1782] *Aphnaemorphs* (JOS) 3:index et 46, pl 34, f 2, 3
 TS [1782] *Aphnaeus* 3:index et 46, pl 34, f 2, 3
 TS [1782] *Panara* 3:index et 10, pl 8, f 2
- Dubatolov & Korshunov 1984 Chlenistonogiye i Gelminty [b14614]
 a *Armenia* 1984:51-57
 TS *Goldia* 1984:54, f

- Dubatolov & Korshunov 1990 Nov Maloizvestiye Vidy Fauny Sib. [b20489]
 a *Goldia* (21):67
- Dudgeon 1909 Trans. ent. Soc. Lond. [b0369]
 a *Teratoneura* 57(Proc.):li
 TS *Teratoneura* 57(Proc.):li
- Dunk 1952 Entomologist [b3414]
 c *Strymonidea* (ISS) 85(3):61
- Duponchel 1844-1846 Cat. Méth. Lép. d'Europe [b2268]
 c 1844 *Licaena* (ISS) :418
- Dupré 1974 World Treasury of Butts in Color [b16715]
 c *Ervcina* (ISS) :30
- Durden & Rose 1978 Pearce-Sellards ser. Tex. mem. Mus. [b11062]
 a *Riodinella* (29):15
 TS *Riodinella* (29):17, f
- Dyar [1903] Bull. U. S. natn Mus. [b1316]
 c *Habrodias* (ISS) 52:35
- Dyar 1914 Proc. U. S. natn. Mus. [b0374]
 c *Otacestes* 47(2050):145
 TS *Otacestes* 47(2050):147
- Dyar 1916 Proc. U. S. natn. Mus. [b3056]
 a *Ipidecla* 51(2139):1
 TS *Ipidecla* 51(2139):2
- Dyar 1918 Proc. U. S. natn. Mus. [b4542]
 TS *Androcona* 54:337
- d'Abreu 1971 Butts Australian Region [b1235]
 c *Dicalleneura* (ISS) :387,388,406
- d'Abreu 1993 Butts Holarctic Region, Pt 3 [b20681]
 c *Arargi* (ISS) :406
- H. Edwards [1877] Proc. Calif. Acad. Sci. [b4304]
 TS *Philoteila* 7(12):173
- Edwards 1861 Proc. Acad. nat. Sci. Philad. [b3490]
 TS *Satyrium* 13:164
- Edwards 1862 Proc. Acad. nat. Sci. Philad. [b3491]
 TS *Erora* 14:55
- Edwards 1870 Trans. amer. ent. Soc. [b4311]
 TS *Callipsyche* 3(1):18
 TS *Hermelycaena* 3(1):10-22
- Edwards [1871] Trans. amer. ent. Soc. [b3529]
 TS *Phaeostrymon* 3(3/4):271
- Edwards 1873 Trans. amer. ent. Soc. [b3495]
 TS *Hypaurotis* 4(4):344
- Edwards 1877 Trans. amer. ent. Soc. [b1358]
 TS *Polystigma* (If) 5(3/4):291
- Edwards 1881 *Papilio* [b9812]
 c *Lycenas* (ISS) 1(2):30
- Edwards 1882 *Papilio* [b2221]
 TS *Ministrymon* 2(2):23
- Ehrlich 1958 Kansas Univ. Sci. Bull. [b1479]
 c *Diorrhina* (ISS) 39(8):359
 c *Sisime* (ISS) 39(8):359
 c *Zimeros* (ISS) 39(8):359
- Ehrlich & Clench 1960 Ent. News [b0379]
 TS *Sandia* 71(6):138,139
- Eliot 1973 Bull. Br. Mus. nat. Hist. (Ent.) [b1321]
 a *Acupieta* 28(6):451
 a *Ancema* 28(6):438
 a *Cowanla* 28(6):450
 a *Famegana* 28(6):453
 a *Pseudotajuria* 28(6):451-452
 a *Rysops* 28(6):452-453
 a *Tilea* 28(6):452
 a *Zintha* 28(6):453
- Eliot 1978 Butts Malay Penin. (3rd ed.) [b12026]
 a *Paralaxita* :221
 c *Rachana* :328
- Eliot 1986 Bull. Br. Mus. nat. Hist. (Ent.) [b18825]
 b *Fabitaras* 53(1):20
 a *Lontalius* 53(1):74
 TS *Lontalius* 53(1):75
- Eliot & Kawazoé 1983 Butts *Lycenopsis* group [b13013]
 b *Armentulus* :196
 b *Buakraengius* :269
 a *Callenya* :258
 a *Cebrella* :64
 a *Celarchus* :191
 a *Celatoxia* :198
 b *Chelakina* :68
 a *Lestranicus* :72
 b *Penudara* :152
 b *Perivaga* :126
 a *Plautella* :168
 a *Sancterila* :74
 b *Selmanix* :138
 a *Sidima* :161
- Elrod & Maley 1906 Bull. Univ. Montana, Biol. Ser. [b2226]
 c *Gaides* (ISS) 2(10):132
 c *Goides* (ISS) 2(10):132
 c *Lycana* (ISS) 2(10):5
 c *Lycana* (ISS) 2(10):112,115 or 145
 c *Nominades* (ISS) 2(10):136
 c *Stryman* (ISS) 2(10):125
- Elwes 1887 Proc. zool. Soc. Lond. [b3500]
 TS *Orthomiella* 1887(3):446
- Elwes [1893] Proc. zool. Soc. Lond. [b3501]
 TS *Britomartis* 1892(4):637, pl 44, f 4, 5
- Elwes 1899 Trans. ent. Soc. Lond. [b0389]
 TS *Bajluana* 47(3):328
- Erschoff 1874 Mém. Soc. amis Sci. nat. Moscou [b3504]
 TS *Erschoffia* (H) 11(2):7, pl 1, f 5
 TS *Pseudothecla* 11(2):7, pl 1, f 5
- Eschscholtz 1821 In Kotzebue, Endeck. Reise Süd-See [b3505]
 TS *Nothodanis* 3:216, pl 5, f 25a,b
- Esper 1776-1830 Die Schmett. [b1714]
 TS [1778] *Meleageria* 1(1)(8):pl 45, 1(9):375 [1779]
 TS [1780] *Eumedonia* 1(2)(1):16, pl 52, f 2,3
 TS [1784] *Thersamonia* 1(2)(9):176, pl 89, f 6
 TS [1789] *Laeosopsis* Suppl. Theil 1:59, pl 103, f 4 or 5 [1794]
- Evans 1912 J. Bombay nat. Hist. Soc. [b0393]
 c *Bryna* 21(2):558
 c *Tiora* 21(3):984
- Evans 1927 Ident. Indian Butts (1st ed) [b0394]
 c *Arrhenotrix* (ISS) :133
 c *Sospitia* (ISS) :126

- Evans 1932 Ident. Indian Butts (2nd ed.) [b1588]
 c *Cyanoidea* (ISS) :199
- Evans 1957 Bull. Br. Mus. nat. Hist. (Ent.) [b1200]
 c *Aurea* 5(3):88,126
- Eversmann 1832 Nouv. Mém. Soc. imp. nat. Moscou [b3507]
 TS *Rhynaria* 8:350, pl 19, f 1,2
 TS *Rubrapterus* (na)2:349, pl 19, f 3,4
- Eversmann 1843 Bull. Soc. imp. Nat. Moscou [b3509]
 TS *Tongela* 16(3):537
- Eversmann 1854 Bull. Soc. imp. Nat. Moscou [b3511]
 TS *Apharitis* 27(2):178, pl 1, f 1,2
 TS *Athamanthia* 27(2):180, pl 1, f 3,4
- Fabricius 1775 Syst. Ent. [b0402]
 TS *Castallus* :523
 TS *Cupido* (H) :518
 TS *Electrostrymon* :519
 TS *Erina* :525
 TS *Eurybia* (H) :482
 TS *Eurybia* (H & JOS) :482
 TS *Holochila* (JOS) :525
 TS *Lepidochrysops* :526
 TS *Neochrysops* (H) :526
 TS *Nilasera* :520
 TS *Rathinda* :518
- Fabricius 1777 Gen. Ins. [b3353]
 TS *Semomesia* :259
- Fabricius 1781-1782 Spec. Ins. [b0403]
 TS 1781 *Anops* (H) 2:125
 TS 1781 *Curetis* 2:150
 TS 1781 *Evenus* 2:115
- Fabricius 1787 Mantissa Ins. [b0404]
 TS *Chrysilis* (PS) 2:167
 TS *Helicopsis* (RC) 2:64
 TS *Nadisepa* 2:68
 TS *Necovatia* 2:69
 TS *Nerias* 2:16
 TS *Rusticus* (RC) 2:64
 TS *Tanuetheira* 2:65
 TS *Tomares* 2:80
 TS *Zeltus* 2:66
 TS *Zemeros* 2:52
- Fabricius 1792-1799 Ent. syst. [b0406]
 TS 1793 *Aethiopana* 3(1):151
 TS 1793 *Bindahara* 3(1):282
 TS 1793 *Binghamia* 3(1):289
 TS 1793 *Catochrysops* 3(1):287
 TS 1793 *Catocyclotis* 3(1):322
 TS 1793 *Emesis* 3(1):320
 TS 1793 *Feniseca* 3(1):319
 TS 1793 *Iraota* 3(1):271
 TS 1793 *Lachnocnema* 3(1):307
 TS 1793 *Leptomyrina* 3(1):286
 TS 1793 *Lymnas* 3(1):321
 TS 1793 *Metacharis* 3(1):319
 TS 1793 *Monethe* 3(1):308
 TS 1793 *Tapina* (JOS) 3(1):320
 TS 1793 *Tarucus* 3(1):281
 TS 1798 *Euchrysops* Suppl.:430
 TS 1798 *Tajuria* Suppl.:430
- Fabricius 1807 Mag. f. Insektenk. (Illiger) [b0408]
 a *Danis* 6:286
 a *Emesis* 6:287
 d *Erycina* (H) 6:286
 a *Helicopsis* 6:285
 a *Lycaena* 6:285
- Fabricius 1807 Mag. f. Insektenk. (Illiger) [b0408] (continued)
 a *Myrina* 6:286
 a *Nymphidium* 6:286
 a *Thecla* 6:286
- Fassl 1918 Ent. Rundsch. [b3065]
 c *Comptosera* (ISS) 35(12):48
- C. Felder 1860 Sber. Akad. Wiss. Wien [b3034]
 TS *Catopyrops* 40(11):457
 TS *Hypolycaena* 40(11):451
 TS *Philliris* 40(11):454
- C. Felder 1862 Verh. zool.-bot. Ges. Wien [b0415]
 d *Holochila* (JOS) 12:490 et nota
 c *Polycyama* (PS) 12:490
- Felder & Felder 1859 Wien. ent. Monats. [b3412]
 TS *Apodemia* 3(9):271
- Felder & Felder 1860 Wien. ent. Monats. [b0429]
 a *Abisara* 4(12):397
 TS *Abisara* 4(12):397
 TS *Barisana* 4(12):396
 TS *Ioia* (Special PS) 4(12):396
 TS *Neocheritra* 4(12):395
- Felder & Felder 1860 Wien. ent. Monats. [b2220]
 TS *Epimastidia* 4(8):244
 a *Hypochrysops* 4(8):243 et nota
 TS *Paralaxita* 4(8):397
 a *Pseudodipsas* 4(8):243
 TS *Pseudodipsas* 4(8):243
 TS *Psychonotis* 4(8):245
- Felder & Felder 1861 Wien. ent. Monats. [b0428]
 TS *Aculhua* 5(4):101
 TS *Dryas* (H) 5(4):101
 TS *Exoplisia* 5(4):98
 c *Moritzia* 5(4):100
 TS *Moritzia* 5(4):100
- Felder & Felder 1862 Wien. ent. Monats. [b0431]
 a *Brachygenis* 6(3):73
 TS *Brachygenis* 6(3):73
 TS *Chatodeta* 6(3):72
 d *Orestias* (H) 6(3):73
 d *Tmetoglene* (JOS) 6(7):235
 TS *Tmetoglene* (JOS) 6(3):73
- Felder & Felder 1862 Wien. ent. Monats. [b2252]
 c *Ithomiopsis* 6(12):411
 TS *Ithomiopsis* 6(12):412
 TS *Teratophthalma* 6(12):411
- Felder & Felder 1862 Wien. ent. Monats. [b2699]
 a *Hypolycaena* 6(9):293
 TS *Hypothecla* 6(9):294
 c *Isselia* (PS) 6(9):288, nota
- Felder & Felder 1865-1875 Reise Novara [b0435]
 a 1865 *Alloünus* (2):285
 TS 1865 *Alloünus* (2):285, pl 35, f 24 (nec 25,26)
 d 1865 *Amblygonia* (H) (2):308
 TS 1865 *Amblygonia* (H) (2):309
 a 1865 *Apodemia* (2):302
 c 1865 *Austromyrina* (2):260
 TS 1865 *Bryna* (2):283, pl 35, f 10,11
 a 1865 *Chamaelimnas* (2):304
 TS 1865 *Chamaelimnas* (2):410, pl 38, f 17,18
 c 1865 *Cricosoma* (2):292
 TS 1865 *Cricosoma* (2):293, pl 37, f 29,30
 a 1865 *Crocozona* (2):296
 TS 1865 *Crocozona* (2):296, pl 36, f 16,17

Felder & Felder 1865-1875 Reise Novara [b0435] (continued)

d	1865	<i>Dryas</i> (H)	(2):305
a	1865	<i>Ethemopsis</i>	(2):306
TS	1865	<i>Ethemopsis</i>	(2):306, pl 38, f 11,12
a	1865	<i>Ithomiola</i>	(2):311
TS	1865	<i>Ithomiola</i>	(2):311
TS	1865	<i>Jacoonia</i>	(2):237, pl 30, f 3,4
a	1865	<i>Lepricornis</i>	(2):307
TS	1865	<i>Lepricornis</i>	(2):307, pl 38, f 25
a	1865	<i>Lycaenopsis</i>	(2):257
TS	1865	<i>Lycaenopsis</i>	(2):257, pl 32, f 10,11
TS	1865	<i>Melanope</i>	(2):295, pl 38, f 3,4
TS	1865	<i>Micandra</i> (H & JOS)	(2):246, pl 28, f 6,7
TS	1865	<i>Micandra</i>	(2):246, pl 28, f 6,7
d	1865	<i>Oreas</i> (H)	(2):305
TS	1865	<i>Oreas</i> (H)	(2):305, pl 38, f 23,24
TS	1865	<i>Paralustrus</i>	(2):262, pl 32, f 19,20
TS	1865	<i>Parcella</i>	(2):309
TS	1865	<i>Rusaikla</i>	(2):305, pl 38, f 3,4
c	1865	<i>Sterosis</i>	(2):219
TS	1865	<i>Sterosis</i>	(2):219, pl 27, f 10,11
d	1865	<i>Synapta</i> (H)	(2):294
TS	1865	<i>Synapta</i> (H)	(2):294, pl 36, f 20,21
TS	1865	<i>Thecloxurina</i>	(2):262, pl 32, f 21,22
a	1865	<i>Xenandra</i>	(2):304
TS	1865	<i>Xenandra</i>	(2):304, pl 38, f 19-22

Field 1967 Proc. U. S. natn. Mus. [b5328]

a	<i>Calystryma</i>	123(3611):1-31
TS	<i>Calystryma</i>	123(3611):1-31

Fischer von Waldheim 1832 Mém. Soc. imp. nat. Moscou [b11090]

TS	<i>Plebejides</i>	8:357, pl 19, f 5,6
----	-------------------	---------------------

Fixsen 1887 In Romanoff, Mém. Lép. [b3514]

TS	<i>Felderia</i> (H)	3:271, pl 13, f 2
TS	<i>Fixsenia</i>	3:279, pl 13, f 4
TS	<i>Thecliolia</i>	3:271, pl 13, f 2

Forster 1938 Mitt. münchn. ent. Ges. [b2114]

a	<i>Caerulea</i>	28:108
b	<i>Eumedonia</i>	28:113
a	<i>Palaeophilotes</i>	28:105
a	<i>Praephilotes</i>	28:105
c	<i>Vaccinia</i> (ISS)	28:112

Forster 1940 Mitt. münchn. ent. Ges. [b3069]

a	<i>Sinia</i>	30(3):875,876
TS	<i>Sinia</i>	30(3):875, pl 22, f 6,7; pl 23, f 6,7

Forster & Wohlfahrt 1955 Schmetz. Mitteleuropas [b2235]

c	<i>Vaccinia</i> (ISS)	2:103
---	-----------------------	-------

Freyer 1831-1858 Neuere Beitr. Schmetz. [b0476]

TS	1839	<i>Ultraaricia</i>	1(45):101, pl 265, f 1
TS	1845	<i>Freyeria</i>	5(74):98, pl 440, f 1
TS	1845	<i>Kretania</i>	5(79):146, pl 469, f 3,4

Fruhstorfer [1897] Berl. ent. Z. [b3421]

c	<i>Catorchrysops</i> (ISS)	41(4):303
c	<i>Eooxylides</i> (ISS)	41(4):304
c	<i>Taxilia</i> (ISS)	41(4):302

Fruhstorfer 1909-1923 In Seitz, Grossschmetz. Erde [b0484]

c	[1914]	<i>Archigenes</i>	9:784
c	[1914]	<i>Neotaxilia</i>	9:791
a	[1914]	<i>Praetaxilia</i>	9:793
d	[1914]	<i>Sonbia</i> (H)	9:779
d	[1914]	<i>Zarax</i> (H & JOS)	9:789
c	[1916]	<i>Archaeogerydus</i>	9:816
a	[1922]	<i>Caleta</i>	9:890

Fruhstorfer 1910 Stett. ent. Zig [b5710]

TS	<i>Cebrella</i>	71:296
TS	<i>Celarchus</i>	71:284

Fruhstorfer [1912] Berl. ent. Z. [b4124]

TS	<i>Cowania</i>	56(3/4):233
----	----------------	-------------

Fruhstorfer 1914 Deut. ent. Zeit. [Iris] [b3077]

c	<i>Virgaurina</i> (ISS)	27(4):175
---	-------------------------	-----------

Fruhstorfer 1916 Zoöl. Meded. [b3422]

a	<i>Erysichton</i>	2(2):137
---	-------------------	----------

Fruhstorfer [1917] Arch. Naturgesch. [b3515]

TS	<i>Sidima</i>	(A)82(1):23, pl 2, f 17
TS	<i>Uranobothria</i>	(A)82(1):40

Fruhstorfer [1919] Arch. Naturgesch. [b3516]

TS	<i>Pithecope</i>	(A)83(1)(1917):79
----	------------------	-------------------

Füssly 1775 Verz. bekannt. Schweiz. Ins. [b3517]

TS	<i>Cupido</i>	:31
----	---------------	-----

Gabriel 1947 Entomologist [b5197]

TS	<i>Oxychaeta</i>	80:60
----	------------------	-------

Gaede 1931 Lep. Cat. [b4886]

c	<i>Polymastor</i> (ISS)	Pars 46:510
---	-------------------------	-------------

Gerhard 1850-1853 Vers. monog. europ. Schmetz. [b3079]

d	1850	<i>Argus</i> (H)	(1):4
---	------	------------------	-------

Geyer 1832-1837 In Zutr. Samml. exot. Schmetz. [b11675]

a	[1832]	<i>Calospila</i>	4:28
TS	[1832]	<i>Calospila</i>	4:28, pl [123], f 715,716
c	[1832]	<i>Gonopteris</i>	4:34
TS	[1832]	<i>Gonopteris</i>	4:34, pl [129], f 747,748
a	[1832]	<i>Heliophorus</i>	4:40
TS	[1832]	<i>Heliophorus</i>	4:40, pl [135], f 785,786
a	[1832]	<i>Lamprospilus</i>	4:30
TS	[1832]	<i>Lamprospilus</i>	4:30, pl [125], f 727,728
c	[1832]	<i>Sytha</i> (ISS)	4:20
c	[1834]	<i>Eumaea</i>	3:pl [18]
TS	[1834]	<i>Eumaea</i>	3:pl [18]
TS	[1837]	<i>Eooxylides</i>	5:22, pl [152], f 883,884
TS	[1837]	<i>Eooxylides</i> (H & JOS)	5:22, pl [152], f 883,884
TS	[1837]	<i>Indoxylides</i> (PS)	5:22, pl [152], f 883,884
TS	[1837]	<i>Marshallia</i> (PS)	5:22, pl [152], f 883,884
a	[1837]	<i>Periplacis</i>	5:32
TS	[1837]	<i>Periplacis</i>	5:32, pl [159], f 927,928
TS	[1837]	<i>Radissima</i>	5:38, pl [164], f 955,956

Gibbons & Stanley 1962 Suppl. Stamp Catal. (edns. 1962-1969) [b3423]

c	<i>Christophanus</i> (ISS)	:Rumania, 1960, 40 ben
---	----------------------------	------------------------

Glaser 1887 Cat. etymol. Coleopt. Lepidopt. [b3080]

d	<i>Lasaea</i> (UE)	:297
---	--------------------	------

Godart 1819-1824 In Ency. méh. [b11676]

TS	[1824]	<i>Alesa</i>	9(Ins.)(2):569
TS	[1824]	<i>Argyrogramma</i> (H)	9(Ins.)(2):574
TS	[1824]	<i>Argyrogrammana</i>	9(Ins.)(2):574
a	[1824]	<i>Barbicornis</i>	9(Ins.)(2):706
TS	[1824]	<i>Barbicornis</i>	9(Ins.)(2):706
TS	[1824]	<i>Cheritra</i>	9(Ins.)(2):593
TS	[1824]	<i>Chroma</i> (JOS)	9(Ins.)(2):706
TS	[1824]	<i>Creon</i>	9(Ins.)(2):634
c	[1824]	<i>Eumenia</i>	9(Ins.)(2):826
TS	[1824]	<i>Eumenia</i>	9(Ins.)(2):826
TS	[1824]	<i>Ilerda</i>	9(Ins.)(2):646
TS	[1824]	<i>Polyniphes</i>	9(Ins.)(2):677
TS	[1824]	<i>Pycnophallium</i>	9(Ins.)(2):659
TS	[1824]	<i>Theope</i>	9(Ins.)(2):676
TS	[1824]	<i>Zizina</i>	9(Ins.)(2):680

Godman 1903 Trans. ent. Soc. Lond. [b3522]

- TS *Comphotis* 51(4):540, pl 22, f 6
 TS *Paraphthonia* 51(4):539, pl 22, f 4

Godman & Salvin 1878 Proc. zool. Soc. Lond. [b3519]

- TS *Caloclarma* 1878(3):640, pl 40, f 8
 TS *Neomyrina* 1878(3):640, pl 40, f 3,4

Godman & Salvin 1879-1901 Biol. centr.-amer., Lep. Rhop. [b0502]

- a [1886] *Chimastrum* 1:407
 a [1886] *Exoplisis* 1:450
 a [1886] *Mesenopsis* 1:414
 d [1886] *Polystigma* (H) 1:469
 TS [1886] *Volinia* 1:486, pl 42, f 5
 TS [1887] *Argentostrisatus* 2:79; 3-pl 57, f 16,17
 TS [1887] *Iophanus* 2:101, pl 58, f 26,27
 TS [1887] *Kisutiam* 2:92; 3-pl 58, f 6,7
 TS [1887] *Klaufera* 2:84; 3-pl 57, f 24,25
 TS [1887] *Pendantus* 2:77
 TS [1887] *Reversustus* 2:84
 a [1887] *Theclopsis* 2:99

Graves 1928 Ent. Rec. [b4908]

- TM *Maculinea* 40:102

Gray 1832 In Griffith, Cuvier's Anim. Kingdom [b0507]

- a *Chorinea* 15(Cl. Ins. 2):pl 102
 TS *Chorinea* 15(Cl. Ins. 2):pl 102
 d *Chroma* (JOS) 15(Cl. Ins. 2):pl 102
 c *Dorila* 15(Cl. Ins. 2):pl 102
 TS *Dorila* 15(Cl. Ins. 2):pl 102

Grinnell 1905 Ent. News [b3526]

- TS *Plebulina* 16(4):115

Grose-Smith & Kirby 1887-1902 Rhop. exot. [b0514]

- TS 1890 *Eresina* 1(14):47, pl 11, f 7,8
 TS 1892 *Leucolepis* (H) 1(19):67, pl 16, f 7,8

Grote 1869 Trans. amer. ent. Soc. [b3085]

- a *Feniseca* 2(3):308

Grote 1873 Bull. Buffalo Soc. nat. Sci. [b3086]

- c *Callicista* 1(3):178
 TS *Callicista* 1(3):178
 TM *Lampides* 1(3):179

Grote 1873 Can. Ent. [b3087]

- c *Callephelis* (ISS) 5(8):144

Grote & Robinson 1869 Trans. amer. ent. Soc. [b3084]

- a *Callephelis* 2(3):310

Guérin-Méneville 1829-1844 Icon. Règne Anim. Cuvier [b0525]

- TS [1831] *Hellolycaena* (JOS & PD) :pl Ins 81, f 4,4a,4b
 TS [1831] *Hylolycaena* (PD) :pl Ins 81, f 4,4a,4b
 TS [1832] *Callephelis* (Ins.):pl 81, f 1
 c [1832] *Erybia* (ISS) (Ins.):pl 80
 TS [1832] *Lephusca* (JOS) (Ins.):pl 81, f 1; ibid:489
 [1844]

Guérin-Méneville 1830-1838 In Duperrey, Voy. Coquille, Zool. [b3692]

- TS [1830] *Dicallaneura* 2:pl Ins. 16, f 2,3
 TS [1831] *Luthrodes* 2(Pt2)(Div1):2, pl Ins. 18, f
 4; id, [1838], ibid,
 Zool.2(Pt2)(Div1):277
 c [1831] *Symethis* (ISS) Atlas:pl Ins. 18
 c [1838] *Symethus* (ISS) 2(2):318

Guérin-Méneville [1843] In Delessert, Souvenirs Voy. Inde [b3531]

- TS *Tallicada* (2):78, pl 22, f 1,1a

Hagen 1890 Tijdschr. K. Ned. aardrijkk. Genoot. [b2267]

- c *Pseudodypsas* (ISS) (27):215

Harvey 1987 Class. Riodinidae [b19465]

- e *Balcona* (ISS) :59
 e *Compostera* (ISS) :101
 e *Echnais* (ISS) :116
 e *Heliochalaena* (ISS) :116

Harvey & Clench 1980 J. Lep. Soc. [b11576]

- a *Dianesia* 34(2):127-132

[Haworth] 1802 Prodr. Lep. Brit. [b3532]

- TS *Disparia* (H) :3 et nota
 TS *Rapsidia* (JOS) :3 et nota
 TS *Theramolycaena* :3 et nota

Hayashi 1978 Tyô to Ga [b13495]

- a *Eliotia* 29(3):166
 TS *Eliotia* 29(3):166, f 5,6,12-15

Hayashi & Schröder & Treadaway 1984 Senckenbergiana [b15346]

- b *Matsutaroa* 65(1/2):36
 TS *Matsutaroa* 65(1/2):36, f 16-20

Hedicke 1923 Deut. ent. Zeit. [b2885]

- a *Lepidochrysois* 1923(2):226

Hemming 1929 Ann. Mag. nat. Hist. [b1864]

- TM *Actizera* (10)3:220
 c *Cyanirioides* (ISS) (10)3:227
 TM *Itylos* (10)3:240
 TM *Tiora* (10)3:242
 TM *Ununcula* (10)3:243
 d *Uranops* (H) (10)3:243
 c *Vaciniina* (ISS) (10)3:244

Hemming 1931 Trans. ent. Soc. Lond. [b1387]

- a *Apelles* 79(2):323

Hemming 1933 Entomologist [b0553]

- TM *Argus* (RC) 66:224
 TM *Argus* (H & RC) 66:224
 d *Lampidella* (JOS) 66:224
 TM *Lemonias* (H) 66:223
 TM *Plebejus* 66:224

Hemming 1933 Entomologist [b3667]

- b *Lysandra* 66:277

Hemming 1934 Gen. Names hol. Butts [b1250]

- TM *Agrodiaetus* 1:109
 TM *Hemiargus* 1:104
 TM *Phaedra* 1:120

Hemming 1934 Entomologist [b3427]

- a *Audre* 67:157
 TM *Rusticus* (RC) 67:156

Hemming 1935 Trans. R. ent. Soc. Lond. [b0558]

- TM *Anthene* 83:435

Hemming 1935 Stylops [b0560]

- b *Arletta* 4:3
 TM *Hyporion* 4:2
 a *Pamela* 4:3
 TM *Taltes* (JOS) 4:2

Hemming 1939 Proc. R. ent. Soc. Lond. [b0568]

- d *Calvus* (JOS) (B)8(7):137
 TM *Desmozona* (B)8(7):135
 TM *Hexuropteris* (B)8(7):135
 a *Menander* (B)8(7):137

Hemming 1941 J. Soc. Bibl. nat. Hist. [b0607]

- TM *Arotes* (PS) 1(11):434

- Hemming 1941 J. Soc. Bibl. nat. Hist. [b0607] (continued)
 TM *Chrysilis* (PS) 1(11):434
 TM *Eheliida* (PS) 1(11):431
 TM *Tyamius* (PS) 1(11):439
- Hemming 1943 Proc. R. ent. Soc. Lond. [b0569]
 TM *Agnostogyna* (B)12(2):29
 TM *Amblygona* (H) (B)12(2):29
 TM *Echenalis* (B)12(2):29
 TM *Eurybia* (H & JOS) (B)12(2):30
- Hemming 1960 Annot. Lep. [b2717]
 TM *Oboronla* (1):35
 TS *Oboronla* (1):33
- Hemming 1960 Annot. Lep. [b3101]
 a *Nabokovia* (2):41
- Hemming 1960 Annot. Lep. [b4916]
 TM *Actis* (1):8
 TM *Archaeogerydus* (1):9
 TM *Austromyrina* (1):9
 TM *Cupido* (H) (1):10
 TM *Hypochrysope* (1):10-11
 TM *Lachnocnema* (1):11
- Hemming 1964 Annot. Lep. [b4934]
 TM *Danis* (3):105
- Hemming 1964 Annot. Lep. [b4943]
 TM *Hesperia* (H) (4):128
 TM *Ithomiopsis* (4):128
 TM *Melibaea* (H) (4):129
 TM *Neotaxila* (4):129
 TM *Oreas* (H) (4):129
 TM *Stalactis* (4):130
- Hemming 1964 Annot. Lep. [b4944]
 TM *Damius* (JOS) (4):132
 TM *Euliphyra* (4):132
 TM *Leucolepis* (H) (4):133
 TM *Pycnophallium* (4):133
- Hemming 1964 Annot. Lep. [b4950]
 c *Ebeplus* (4):141
 a *Pistoria* (4):141
- Hemming 1964 Annot. Lep. [b4954]
 a *Juditha* (4):147
- Hemming 1967 Bull. Br. Mus. nat. Hist. (Ent.) [b0014]
 c *Acylolepis* (ISS) Suppl. 9:25
 c *Adelotype* (ISS) Suppl. 9:156,469
 c *Aethius* (ISS) Suppl. 9:328
 c *Aloeidas* (ISS) Suppl. 9:37
 c *Aphanaxus* (ISS) Suppl. 9:51
 c *Aurotus* (Myth) Suppl. 9:70
 c *Barbiconis* (ISS) Suppl. 9:114
 c *Boeberella* (ISS) Suppl. 9:92
 c *Charmonana* (ISS) Suppl. 9:109
 c *Conerilia* (ISS) Suppl. 9:200
 c *Cyanoirides* (ISS) Suppl. 9:132
 c *Cyanoirides* (ISS) Suppl. 9:132
 c *Lasia* (ISS) Suppl. 9:246
 c *Lenius* (ISS) Suppl. 9:465
 c *Lexara* (ISS) Suppl. 9:459
 c *Lycaenesthus* (ISS) Suppl. 9:312
 c *Myrine* (ISS) Suppl. 9:502
 c *Palaeochrysophanos* (ISS) Suppl. 9:331
 c *Pseudopeplia* (Myth) Suppl. 9:351
- Herbst 1788-1804 In Jablonsky, Natursyst. Ins., Schmett. [b0575]
 TS 1804 *Artipe* 11:27, pl 300, f 5,6
 TS 1804 *Cyaniris* 11:177 (as *semargus*), pl 310, f 1-3 (as *acus*)
- Herbst 1788-1804 In Jablonsky, Natursyst. Ins., Schmett. [b0575] (continued)
 TS 1804 *Lehera* (JOS) 11:27, pl 300, f 5,6
- Heron 1909 Trans. zool. Soc. Lond. [b0578]
 a *Harpencyreus* 19(2):158
 TS *Harpencyreus* 19(2):159, pl 5, f 23-26
- Herrich-Schäffer 1843-1856 Syst. Bearb. Schmett. Europ. [b0582]
 TS [1851] *Sublysandra* 1:pl 105, f 502-505
- Herrich-Schäffer 1850-1869 Samml. neuer. aussereurop. Schmett. [b0583]
 c [1853] *Orimba* 1:pl [11], f 28,29 (wrappers)
 TS [1853] *Orimba* 1:[55], pl [11], f 28,29 (wrappers)
 a [1853] *Pheles* 1:pl [11], f 30 (wrappers)
 TS [1853] *Pheles* 1:[77], pl [11], f 30 (wrappers)
- Herrich-Schäffer 1862-1863 CorrespBl. zool.-min. Ver. Regensb. [b0584]
 TS 1862 *Allosmaitia* 16:142
- Herrich-Schäffer 1869 Stett. ent. Ztg [b0589]
 TS *Famegana* 30(1-3):75
- Hewitson 1852-1877 Ill. exot. Butts [b0592]
 TS [1852] *Cartea* 1:[118], pl [59], f 5
 TS [1852] *Orestias* (H) 1:[118], pl [59], f 5
 a [1861] *Dodona* 2:[91]
 TS [1861] *Holodesmus* (JOS) 2:[92], pl [46], f 4-6
 TS [1861] *Laxila* 2:[89], pl [45], f 3,4
 TS [1861] *Neotaxila* 2:[90], pl [45], f 5,6
 TS [1861] *Praetaxila* 2:[92], pl [46], f 4-6
 d [1861] *Sospita* (H) 2:[91]
 TS [1861] *Zarax* (H & JOS) 2:[89], pl [45], f 3,4
 TS [1866] *Callistium* 3:[114], pl [57], f 10
 TS [1866] *Falcuna* 3:[120], pl [60], f 5,6
 TS [1866] *Liptena* 3:[120], pl [60], f 7
 TS [1866] *Mimeresia* 3:[120], pl [60], f 8,9
 TS [1866] *Parapontia* (JOS) 3:[120], pl [60], f 7
 TS [1867] *Ourocnemis* 4:[77], pl [42], f 1,2
 TS [1873] *Eresiomera* 5:[86], pl [45], f 14-16
 TS [1873] *Tetrarhanis* 5:[86], pl [45], f 13
 TS [1875] *Petrocerus* 5:Ery, f 9
 TS [1876] *Caleta* 5:[87], pl [46], f 1
 TS [1876] *Phiyaria* 5:[88], pl [46], f 9,10
 TS [1876] *Stichella* 5:[81], pl [43], f 6
- Hewitson 1862 Spec. Cat. Lyc. Brit. Mus. [b1806]
 TS *Aurea* :8, pl 8, f 87,88
 TS *Mahathala* :14, pl 8, f 85,86
 TS *Narathura* :11, pl 6, f 63,64
 TS *Satadra* :13, pl 7, f 80,82
- Hewitson 1863-1878 Ill. dium. Lep. Lycaenidae [b0593]
 TS [1863] *Biduanda* 1:32; 2:pl 14, f 25-27
 TS [1863] *Charana* 1:28; 2:pl 28, f 6,7
 a [1863] *Deudorix* 1:16
 TS [1863] *Suasa* 1:33; 2:pl 14, f 28,29
 TS [1863] *Vadebra* (H) 1:22; 2:pl 9, f 30,31
 TS [1863] *Virachola* 1:18; 2:pl 8, f 24-26
 TS [1863] *Yasoda* 1:26
 TS [1865] *Ancema* 1:48; 2:pl 20, f 1,2
 TS [1865] *Austrozephyrus* 1:65; 2:pl 30, f 11,12
 d [1865] *Camena* (H) 1:47
 TS [1865] *Camena* (H) 1:48; 2:pl 20, f 1,2
 a [1865] *Capys* 1:59
 TS [1865] *Chaetoprocta* 1:66; 2:pl 30, f 13,14
 TS [1865] *Chilaria* 1:50; 2:pl 22, f 17,18
 TS [1865] *Cryptaenota* 1:74; 2:pl 29, f 8,9
 e [1865] *Deudorix* (ISS) 1:47

Hewitson 1863-1878 Ill. diurn. Lep. Lycaenidae [b0593]

(continued)

TS [1865]	<i>Drina</i>	1:39; 2-pl 17, f 61,62
TM [1865]	<i>Iolais</i>	1(text):40
TS [1865]	<i>Japonica</i>	1:67; 2-pl 26, f 7,8
TS [1865]	<i>Macusia</i>	1:74; 2-pl 29, f 10,12,13
TS [1865]	<i>Manto</i>	1:38; 2-pl 17, f 54,55
TS [1865]	<i>Protialmenus</i>	1:54; 2-pl 24, f 6-8
TS [1865]	<i>Tatura</i>	1:51; 2-pl 23, f 28,29
a [1865]	<i>Theorema</i>	1:69
TS [1865]	<i>Theorema</i>	1:69; 2-pl 27, f 1,2
a [1865]	<i>Trichonis</i>	1:68
d [1865]	<i>Utica</i> (H)	1:56
TS [1865]	<i>Utica</i> (H)	1:56; 2-pl 24, f 11,12
TS [1867]	<i>Dolymorpha</i>	1:87; 2-pl 34, f 67,68
TS [1867]	<i>Janthecla</i>	1:93; 2-pl 37, f 104,105
TS [1867]	<i>Loranthomitoura</i>	1:94; 2-pl 45, f 198,199
TS [1867]	<i>Tigrinota</i>	1:88; 2-pl 34, f 62,63,64
TS [1869]	<i>Apporasa</i>	1:14g; 2-pl 3b, f 48,49
TS [1869]	<i>Cophanta</i> (H)	1,Suppl.:10; 2,Suppl.:suppl. pl 4, f 37,38
d [1869]	<i>Corydon</i> (H)	1,Suppl.:{1}
TS [1869]	<i>Corydon</i> (H)	1,Suppl.:{1}; 2,Suppl.:suppl. pl 1, f 1,2
TS [1869]	<i>Euaspa</i>	1,Suppl.:5; 2,Suppl.:suppl. pl 3, f 79,80
TS [1869]	<i>Hewitsonia</i>	1,Suppl.:{1}; 2,Suppl.:suppl. pl 1, f 1,2
TS [1869]	<i>Hypochlorosis</i>	1,Suppl.:7; 2,Suppl.:suppl. pl 6, f 91-93
TS [1869]	<i>Michaelius</i>	1:119; 2-pl 49, f 242,243
TS [1869]	<i>Mota</i>	1,Suppl.:7; 2,Suppl.:suppl. pl 3, f 87-88
TS [1869]	<i>Pseudomyrina</i>	1,Sup.:3; 2,Sup.:sup. pl 2, f 70,71
TS [1869]	<i>Pseudonotis</i> (JOS)	1,Sup.:7; 2,Sup.:sup pl 6, f 91-93
TS [1873]	<i>Uzzia</i>	1:147; 2-pl 58, f 372,373
TS [1874]	<i>Denivia</i>	1:180; 2-pl 71, f 535,536
TS [1874]	<i>Dicya</i>	1:179; 2-pl 70, f 531,532
TS [1877]	<i>Angulopsis</i>	1:194; 2-pl 77, f 616,617
TS [1877]	<i>Gigantorubra</i>	1:186; 2-pl 74, f 577,578
TS [1877]	<i>Serratofalka</i>	1:191; 2-pl 76, f 607,608
TS [1877]	<i>Symblopsis</i>	1:207; 2-pl 82, f 689,690
TS [1878]	<i>Terra</i>	1:211; 2-pl 84, f 714,715

Hewitson 1868 Descr new Spec. Lycaenidae [b1745]

TS	<i>Aubergina</i>	:25
TS	<i>Chlorostrymon</i>	:4
TS	<i>Crimalinota</i>	:29
TS	<i>Iaspis</i>	:1
TS	<i>Magnastigma</i>	:4
TS	<i>Mercedes</i>	:25
TS	<i>Ocaria</i>	:5
TS	<i>Orcya</i>	:11
TS	<i>Sipaea</i>	:7
TS	<i>Theclopsis</i>	:9

Hewitson 1869-1877 Equatorial Lep. Buckley [b0598]

c 1870	<i>Compoetaria</i>	(4):57
TS 1870	<i>Compoetaria</i>	(4):57
a 1870	<i>Imelda</i>	(4):56
TS 1870	<i>Imelda</i>	(4):56
TS 1870	<i>Lamasa</i>	(4):67
d 1870	<i>Lucilla</i> (H)	(4):55
TS 1870	<i>Lucilla</i> (H)	(4):55
TS 1870	<i>Lucillella</i>	(4):55
TS 1870	<i>Nahida</i>	(4):58
TS 1870	<i>Rhamma</i>	(4):68
d 1870	<i>Threnodes</i> (H)	(4):58
TS 1870	<i>Threnodes</i> (H)	(4):58
TS 1870	<i>Variegatta</i>	(4):60

Hewitson 1870 Ent. mon. Mag. [b3575]

TS *Mesenopsis* 6:227

Hewitson 1872 Ent. mon. Mag. [b3544]

TS *Sukidion* 9:85

Hewitson 1873 Ent. mon. Mag. [b3546]

TS *Hypokopelates* 10:124TS *Ptelina* 10:125

Hewitson 1874 Descr. new Spec. Butts Buckley Bolivia [b0347]

a *Hermathena* :15TS *Hermathena* :16c *Xynias* :17TS *Xynias* :17

Hewitson 1874 Ent. mon. Mag. [b0602]

TS *Micropentila* 11:36TS *Neurypexina* 11:36

Hewitson 1874 Trans. ent. Soc. Lond. [b0603]

TS *Diopetes* 22(3):352TS *Hypomyrina* 22(3):353TS *Neurellipes* 22(3):347TS *Triclema* 22(3):349

Hewitson 1874 Ent. mon. Mag. [b3694]

TS *Hypostrymon* 11:105TS *Rubroserrata* 11:106

Hewitson 1875 Ent. mon. Mag. [b0605]

TS *Aslauga* 11:183

Hewitson 1876 Ent. mon. Mag. [b3696]

TS *Balonca* 13:151

Hewitson 1877 Ent. mon. Mag. [b2725]

TS *Amblopala* 14:108

Hewitson 1877 Ent. mon. Mag. [b3548]

TS *Massaga* (H) 13:223

Higgins 1969 Entomologist [b5956]

b *Plebicula* 102:67

Hirowatani 1992 Bull. Univ. Osaka Pref. [b21570]

a *Nothodanis* (B)44(Suppl.):31a *Perpheres* (B)44(Suppl.):27a *Sahulana* (B)44(Suppl.):36a *Tartesa* (B)44(Suppl.):23

Hoffmansegg 1818 In Wiedemann, Zool. Mag. [b3110]

d *Eurybia* (H) 1(2):100d *Lemonias* (H) 1(2):99

Holland 1890 Psyche [b0618]

a *Euliphyra* 5(175-176):423TS *Euliphyra* 5(175-176):423

Holland 1902 Ann. Cam. Mus. [b4640]

TS *Dianesia* 1(3):486

Holland 1913 Ent. News [b3111]

c *Satyrimima* 24(7):302TS *Satyrimima* 24(7):302, text-figs 1,2

Holland 1931 Butt. Book (2nd ed.) [b0633]

c *Dolymorpha* :228

Hopffer 1855 Ber. Verh. Akad. Berl. [b0636]

TS *Cupidopsis* 1855:642TS *Hemiolaus* 1855:642

Hopffer 1874 Stett. ent. Zig [b3550]

TS *Hopfferia* (H & JOS) 35:365TS *Hopfferia* 35:365

Horsfield 1828-1829 Descr. Cat. lepid. Ins. [b0641]

TS [1828]	<i>Acytolepis</i>	(1):67
TS [1828]	<i>Akasiniia</i>	(1):67, pl 1, f 1,1A
TS [1828]	<i>Amblypodia</i>	(1):explic. pl 1, f 8
TS [1828]	<i>Dacalana</i> (H & JOS)	(2):113
TS [1828]	<i>Dacalana</i>	(2):113
TS [1828]	<i>Drupadia</i> (H & JOS)	(1):pl 1, f 11,11a, expl. p. [1]
TS [1828]	<i>Drupadia</i>	(1):pl 1, f 11,11a, expl. p. [1]
TS [1828]	<i>Horsfieldia</i> (JOS)	(1):explic. pl 1, f 8; [1829] (2):98
a [1828]	<i>Pithecope</i>	(1):66
c [1828]	<i>Symetha</i>	(1):pl [2]
TS [1828]	<i>Symetha</i>	(2):pl 2, f 2,2a
TS [1828]	<i>Taxia</i>	(1):explic. pl 2, f 3,3a
a [1829]	<i>Amblypodia</i>	(2):98
TS [1829]	<i>Edales</i>	(2):84
a [1829]	<i>Lotura</i>	(2):119
c [1829]	<i>Phaedra</i>	(2):123
TS [1829]	<i>Phaedra</i>	(2):124
TS [1829]	<i>Rachana</i>	(2):109 or 110
TS [1829]	<i>Rapala</i>	(2):91
TS [1829]	<i>Remelana</i>	(2):113
TS [1829]	<i>Sinthusa</i>	(2):91
TS [1829]	<i>Yasoda</i> (H)	(2):122

Houlbert 1918 Étud. Léop. comp. [b15532]

d *Westwoodia* (H) 15:67, 77, 652, 653

Howarth 1957 Bull. Br. Mus. nat. Hist. (Ent.) [b1597]

a *Austrozephyrus* 5(6):237,270

Huang & Murayama 1988 Konchu to Shizen (Nature & Insects) [b20473]

a *Xinjiangia* 23(12):28
TS *Xinjiangia* 23(12):28, f

Hübner 1796-1838 Samml. europ. Schmett. [b1711]

TS [1806] *Albullna* :45
TS [1824] *Tiora* :pl Pap. 172, f 851-854

Hübner [1806] Tentamen [b3089]

d *Rusticus* (RC & JOS) :[1]

Hübner 1806-1838 Samml. exot. Schmett. [b0643]

TS [1806]	<i>Heliochlaena</i>	1-pl [29]
d [1806]	<i>Limnas</i> (RC)	1-pl [29]
TS [1806]	<i>Limnas</i> (RC)	1-pl [29]
TS [1806]	<i>Nymphidium</i> (RC)	1-pl [29]
TS [1807]	<i>Anatole</i> (JOS)	1-pl [35]
TS [1807]	<i>Eurybla</i>	1-pl [27]
a [1807]	<i>Lemonias</i>	1-pl [35]
TS [1807]	<i>Lemonias</i> (H & JOS)	1-pl [35]
TS [1807]	<i>Lemonias</i>	1-pl [35]
d [1807]	<i>Rusticus</i> (RC)	1-pls [102],[104]
TS [1808]	<i>Echenais</i>	1-pl [37]
TS [1809]	<i>Eumaeus</i>	1-pl [97]
TS [1811]	<i>Calycopis</i>	1-pl [101], f 1-4
TS [1817]	<i>Candalides</i>	1-pl [99]
TS [1817]	<i>Syrmatia</i>	1-pl [33]
a [1819]	<i>Napaea</i>	1-pl [34]
TS [1820]	<i>Themone</i>	2-pl [16]

Hübner 1808-1837 Zutr. Samml. exot. Schmett. [b0645]

d [1818]	<i>Bithys</i> (RC)	1:18
TS [1818]	<i>Bithys</i> (RC)	1:18, pl [16], f 87,88
TS [1818]	<i>Callipareus</i> (JOS)	1:22, pl [21], f 121,122
d [1818]	<i>Chrysophanus</i> (RC)	1:24
TS [1818]	<i>Chrysophanus</i> (RC)	1:24, pl [24], f 135,136
TS [1818]	<i>Harkencienus</i>	1:24, pl [24], f 135,136
a [1818]	<i>Hemilargus</i>	1:19
TS [1818]	<i>Hemilargus</i>	1:19, pl [18], f 99,100
a [1818]	<i>Jalmenus</i>	1:29

Hübner 1808-1837 Zutr. Samml. exot. Schmett. [b0645]

(continued)

TS [1818]	<i>Jalmenus</i>	1:29, pl [31], f 175,176
a [1818]	<i>Stalachtis</i>	1:9
TS [1818]	<i>Stalachtis</i>	1:9, pl [3], f 13,14
a [1818]	<i>Strymon</i>	1:22
TS [1818]	<i>Strymon</i>	1:22, pl [21], f 121,122
a [1818]	<i>Theritas</i>	1:31
TS [1818]	<i>Theritas</i>	1:31, pl [33], f 189,190
TS [1818]	<i>Uranotes</i> (JOS)	1:22, pl [21], f 121,122
a [1823]	<i>Caria</i>	2:14
TS [1823]	<i>Caria</i>	2:14, pl [44], f 251,252
e [1823]	<i>Jolans</i> (ISS)	2:20
c [1823]	<i>Licis</i> (ISS)	2:7
c [1823]	<i>Psallidopterus</i>	2:17
TS [1823]	<i>Psallidopterus</i>	2:17, pl (49), f 279,280
TS [1823]	<i>Zesius</i>	2:20, pl [53], f 301,302
e [1831]	<i>Bythis</i> (ISS)	3:11

Hübner 1816-1826 Verz. bekannt. Schmett. [b0644]

d [1819]	<i>Aetheus</i> (RC)	(7):109
b [1819]	<i>Agriades</i>	(5):68
a [1819]	<i>Aloeides</i>	(5):73
a [1819]	<i>Amarynthia</i>	(2):26
d [1819]	<i>Anatole</i> (JOS)	(2):24
a [1819]	<i>Ancyluris</i>	(2):23
TS [1819]	<i>Ancyluris</i>	(2):23
a [1819]	<i>Anteros</i>	(5):77
c [1819]	<i>Aphacitis</i>	(2):19
a [1819]	<i>Aphnaeus</i>	(6):81
a [1819]	<i>Attilides</i>	(5):80
a [1819]	<i>Axiocertes</i>	(5):72
a [1819]	<i>Baeotis</i>	(2):21
TS [1819]	<i>Baeotis</i>	(2):21
a [1819]	<i>Brangas</i>	(5):80
a [1819]	<i>Candalides</i>	(5):73
a [1819]	<i>Castalius</i>	(5):70
a [1819]	<i>Chalybe</i>	(5):76
a [1819]	<i>Charis</i>	(2):21
TS [1819]	<i>Charis</i>	(2):21
d [1819]	<i>Cupido</i> (H)	(5):77
a [1819]	<i>Curetis</i>	(7):102
a [1819]	<i>Cycnus</i>	(6):81
a [1819]	<i>Echenais</i>	(2):19
c [1819]	<i>Erythia</i>	(2):24
a [1819]	<i>Eumaeus</i>	(5):67
d [1819]	<i>Eurybia</i> (H & JOS)	(2):17
a [1819]	<i>Euselasia</i>	(2):24
TS [1819]	<i>Euselasia</i>	(2):24
a [1819]	<i>Evenus</i>	(5):78
a [1819]	<i>Everes</i>	(5):69
a [1819]	<i>Hamearis</i>	(2):19
d [1819]	<i>Hesperia</i> (H)	(2):25
c [1819]	<i>Hexuropterus</i>	(2):22
TS [1819]	<i>Hexuropterus</i>	(2):22
a [1819]	<i>Hyphilaria</i>	(2):26
TS [1819]	<i>Hyphilaria</i>	(2):26
d [1819]	<i>Hyrcus</i> (H)	(5):70
TS [1819]	<i>Inciaulia</i>	(5):74
a [1819]	<i>Iolans</i>	(6):81
a [1819]	<i>Jamides</i>	(5):71
a [1819]	<i>Lampides</i>	(5):70
b [1819]	<i>Lycacides</i>	(5):69
d [1819]	<i>Lycama</i> (H)	(2):23
TS [1819]	<i>Lycama</i> (H)	(2):23
d [1819]	<i>Lycus</i> (H)	(5):74
c [1819]	<i>Marmessus</i>	(6):81
a [1819]	<i>Melanis</i>	(2):25
a [1819]	<i>Mesosemia</i>	(2):21
TS [1819]	<i>Mesosemia</i>	(2):21
a [1819]	<i>Miletus</i>	(5):71
a [1819]	<i>Mithras</i>	(5):79

Hübner 1816-1826 Verz. bekannt. Schmett. [b0644] (continued)

a	[1819]	<i>Molus</i>	(5):78
c	[1819]	<i>Nomiades</i>	(5):67
a	[1819]	<i>Oenomaus</i>	(5):76
a	[1819]	<i>Olynthus</i>	(5):80
a	[1819]	<i>Oxyliades</i>	(5):77
a	[1819]	<i>Pandemos</i>	(2):25
TS	[1819]	<i>Pandemos</i>	(2):25
a	[1819]	<i>Panthiades</i>	(5):79
a	[1819]	<i>Parrhasius</i>	(5):79
d	[1819]	<i>Peplia</i> (JOS)	(2):20
c	[1819]	<i>Pepliphorus</i> (PD)	(5):71
a	[1819]	<i>Phasis</i>	(5):73
c	[1819]	<i>Polystichtis</i>	(2):18
a	[1819]	<i>Scollantides</i>	(5):68
d	[1819]	<i>Scoptes</i> (RC)	(7):111
a	[1819]	<i>Sithon</i>	(5):77
a	[1819]	<i>Symmachia</i>	(2):26
TS	[1819]	<i>Symmachia</i>	(2):26
a	[1819]	<i>Synargis</i>	(2):18
a	[1819]	<i>Syrmatia</i>	(2):23
d	[1819]	<i>Tharops</i> (H)	(7):109
a	[1819]	<i>Thereus</i>	(5):79
a	[1819]	<i>Thestius</i>	(5):78
a	[1819]	<i>Thestor</i>	(5):73
a	[1819]	<i>Thiabe</i>	(2):24
d	[1819]	<i>Thysonotis</i> (JOS)	(2):20
a	[1819]	<i>Tmolus</i>	(5):76
a	[1819]	<i>Zesius</i>	(5):77
e	[1826]	<i>Chalyps</i> (ISS)	Anzeiger:5
e	[1826]	<i>Euenus</i> (ISS)	Anzeiger:5
e	[1826]	<i>Eueres</i> (ISS)	Anzeiger:5
e	[1826]	<i>Scolitandidis</i> (ISS)	Anzeiger:7

Hübner 1821 Index exot. Lep. [b0647]

c	<i>Heliochlaena</i>	: [4]
e	<i>Hexaroptera</i> (ISS)	: [3]

Hübner 1822 Syst.-alph. Verz. [b0648]

b	<i>Agrodiaetus</i>	: 1-10
---	--------------------	--------

Hüfnagel 1766 Berlin Mag. [b3551]

TS	<i>Loweia</i>	2:68
TS	<i>Palaeoloweia</i> (JOS)	2:68

[Illiger] 1807 Allg. Lit.-Zeit. [b0038]

d	<i>Emesis</i> (RC)	1807(2):1180
a	<i>Eurybia</i>	1807(2):1180
d	<i>Helicopsis</i> (RC)	1807(2):1180
d	<i>Lemonias</i> (H & JOS)	1807(2):1180
d	<i>Nymphidium</i> (RC)	1807(2):1180

Inomata & Itagaki 1986 In Atlas Jap. butterflies [b20446]

a	<i>Sibatanozephyrus</i>	: 120
---	-------------------------	-------

Jackson 1962 Bull. Br. Mus. nat. Hist. (Ent.) [b1193]

a	<i>Stempfferia</i>	12(3):157
TS	<i>Stempfferia</i>	12(3):157

Jackson 1964 Bull. Br. Mus. nat. Hist. (Ent.) [b2042]

a	<i>Neopitola</i>	15(3):78
---	------------------	----------

Janson 1877 Cistula Entomologica [b3554]

TS	<i>Araragi</i>	2(16):157
TS	<i>Shirozua</i>	2(16):157

Johnson 1988 Insecta Mundi [b19359]

a	<i>Femnilterga</i>	2(1):36
TS	<i>Femnilterga</i>	2(1):38, f 2A-D; 3D,G; 4A,G
a	<i>Tergissima</i>	2(1):30
TS	<i>Tergissima</i>	2(1):34, f 1A-D, 3Ca-b,H, 4E

Johnson 1989 J. New York ent. Soc. [b20112]

a	<i>Contrafacia</i>	97(1):39
TS	<i>Contrafacia</i>	97(1):41, f 5B,C,6A,B

Johnson 1990 J. New York ent. Soc. [b20468]

a	<i>Orcya</i>	98(1):53
---	--------------	----------

Johnson 1990 Pan-Pac. Ent. [b20480]

a	<i>Penalncisalia</i>	66(2):99
---	----------------------	----------

Johnson 1991 Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) [b20508]

a	<i>Angulopsis</i>	(21):41
a	<i>Antrissima</i>	(21):33
TS	<i>Antrissima</i>	(21):33, f
a	<i>Argentostriatus</i>	(21):37
a	<i>Aubergina</i>	(21):44
a	<i>Caerofethra</i>	(21):44
a	<i>Celmia</i>	(21):44
a	<i>Cyanodivida</i>	(21):24
TS	<i>Cyanodivida</i>	(21):25, f
a	<i>Dicya</i>	(21):43
a	<i>Distissima</i>	(21):43
TS	<i>Distissima</i>	(21):18, f
d	<i>Fieldia</i> (H)	(21):28
TS	<i>Fieldia</i> (H)	(21):28, f
a	<i>Furcovalva</i>	(21):22
TS	<i>Furcovalva</i>	(21):23, f
a	<i>Gigantofalca</i>	(21):16
TS	<i>Gigantofalca</i>	(21):17, f
a	<i>Klaufera</i>	(21):14
a	<i>Kroenleina</i>	(21):31
TS	<i>Kroenleina</i>	(21):32, f
a	<i>Mercedes</i>	(21):36
a	<i>Morphissima</i>	(21):27
TS	<i>Morphissima</i>	(21):27, f
TS	<i>Profieldia</i>	(21):28, f
a	<i>Reversustus</i>	(21):34
a	<i>Serratofalca</i>	(21):14
a	<i>Serratoterga</i>	(21):19
TS	<i>Serratoterga</i>	(21):20, f
a	<i>Sipaea</i>	(21):45
a	<i>Terminospinissima</i>	(21):21
TS	<i>Terminospinissima</i>	(21):22, f
a	<i>Uzzia</i>	(21):43

Johnson 1992 Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) [b20499]

a	<i>Abloxurina</i>	(22):26
a	<i>Candora</i>	(22):32
TS	<i>Candora</i>	(22):33, f
a	<i>Pons</i>	(22):21
TS	<i>Pons</i>	(22):22, f
a	<i>Pontirama</i>	(22):40
TS	<i>Pontirama</i>	(22):41, f
a	<i>Rhamma</i>	(22):45
a	<i>Thecloxurina</i>	(22):26

Johnson 1992 Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) [b20500]

a	<i>Arases</i>	(22):196
TS	<i>Arases</i>	(22):197
a	<i>Cisincisalia</i>	(22):178
TS	<i>Cisincisalia</i>	(22):179, f
c	<i>Cryptaenola</i>	(22):205
a	<i>Denivia</i>	(22):203
a	<i>Galba</i>	(22):167
TS	<i>Galba</i>	(22):168, f
a	<i>Ignata</i>	(22):194
TS	<i>Ignata</i>	(22):194
a	<i>Lamasa</i>	(22):183
a	<i>Paralustrus</i>	(22):153
a	<i>Radissima</i>	(22):170

- Johnson 1992 Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) [b20500] (*continued*)
- a Shapiroana (22):148
 - TS Shapiroana (22):149, f
 - a Solanorum (22):199
 - TS Solanorum (22):200, f
 - a Tigrinota (22):185
 - a Variegatta (22):180
- Johnson 1992 Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) [b20505]
- a Profieldia (23):12
- Johnson 1992 Neue Ent. Nachr. [b20551]
- a Clasatsuma 29:69
 - a Deciduphagus 29:91
 - a Novosatsuma 29:54
 - TS Novosatsuma 29:58, f
- Johnson 1993 Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) [b20690]
- a Crimalnota (32):40
 - a Gigantorubra (32):2
 - c Gigantorubra (IOS) (32):1
 - a Nicolaea (32):66
 - a Ziegleria (32):52
 - TS Ziegleria (32):60, f
- Johnson 1993 Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) [b20698]
- a Rindgea (40):2
 - TS Rindgea (40):3, f
- Johnson & Eisele & MacPherson 1988 Bull. Allyn Mus. [b20090]
- a Thermozeephyrus (123):119
- Johnson & Eisele & MacPherson 1993 Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) [b20697]
- a Androcona (39):5
 - a Antephrys (39):3
 - TS Antephrys (39):4, f
 - a Necmitoura (39):10
 - TS Necmitoura (39):10, f
 - a Plesiocyanophrys (39):3
 - a Sarracenota (39):9
- Johnson & Kroenlein 1993 Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) [b20692]
- a Kisutam (34):31
 - a Pendantus (34):3
 - a Rubroserrata (34):19
- Johnson & MacPherson & Ingraham 1986 Bull. Allyn Mus. [b18401]
- a Noreena (102):2
 - TS Noreena (102):2, f 1, 2
- Johnson & Matusik 1988 Ann. Cam. Mus. [b19826]
- a Terra 57(10):235, f 8A-D, 9B, 10
- Johnson & Miller & Herrera 1992 In Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) [b20789]
- a Heoda (23):5
- Jumalon 1975 Tyô to Ga [b14855]
- TS Paruparo 26(2):62, f
- Karsch 1893 Berl. ent. Z. [b0673]
- d Leucolepis (H) 38(1/2):216
 - a Oboronia 38(1/2):229
 - b Tetrarhanis 38(1/2):217
 - a Triclema 38(1/2):227
- Karsch 1895 Ent. Nachr. [b0676]
- a Actis 21:315
 - TS Actis 21:315
- Karsch 1895 Ent. Nachr. [b0676] (*continued*)
- a Athysanota 21:297
 - a Cupidopsis 21:298
 - a Dapidodigma 21:310
 - a Diopetes 21:317
 - a Phylaria 21:302
 - a Syrmoptera 21:308
 - TS Syrmoptera 21:308
 - a Thermoniphas 21:298,303
 - TS Thermoniphas 21:303
- Kaye 1904 Trans. ent. Soc. Lond. [b0677]
- a Arawacus 52(2):197
 - a Laspis 52(2):196
 - a Macusia 52(2):198-199
 - a Paiwarria 52(2):199
 - c Polyniphes 52(2):191
 - a Rekoa 52(2):198
 - a Siderus 52(2):195
 - TS Siderus 52(2):195
 - c Syntarucoides 52(2):190
- Kaye 1921 Mem. Dep. Agric. Trinidad Tobago [b0681]
- e Hircus (ISS) 2:90
 - e Syntarucoides (ISS) 2:89
- Kaye [1925] Trans. ent. Soc. Lond. [b1758]
- TS Heterosmitta 72(3/4):416
- Keferstein 1874 Z. Ges. Naturw. [b7816]
- e Thecia (ISS) 44(14/15):227
- Kirby 1870 J. linn. Soc. Lond., Zool. [b3671]
- TM Myrina 10:500
- Kirby 1871 Syn. Cat. diurn. Lep. [b0686]
- c Aculhua :301
 - a Cartera :308
 - TS Facula :377
 - a Hewitsonia :426
 - a Nahida :651
 - d Plebeius (JOS) :653
 - c Rusalkia :306
- Kirby [1871] Zool. Rec. [b3672]
- e Calephelis (ISS) 7(1870)(Ins.):391
 - TM Euchana (H) 7(1870)(Ins.):395
- Kirby [1873] Zool. Rec. [b0687]
- d Arthropala (UE) 8(1871)(Ins.):365
 - c Misura (ISS) 8(1871)(Ins.):350
 - TM Rusalkia 8(1871)(Ins.):364
- Kirby [1874] Zool. Rec. [b3437]
- d Misura (UE) 9(1872):350
- Kirby [1881] Zool. Rec. [b3440]
- e Catapoecilma (ISS) 16(1879)(Ins.):144
- Kirby [1882] Zool. Rec. [b3433]
- e Rindahara (ISS) 18(1881)(Ins.):165
- Kirby [1885] Zool. Rec. [b3675]
- TM Paragerydus 21(1884)(Ins.):191
- Kirby 1887 Ann. Mag. nat. Hist. [b0692]
- a Citrinophila (5)19:367
 - TS Citrinophila (5)19:368
 - TS Epitolina (5)19:367
 - a Teriomima (5)19:364
 - TS Teriomima (5)19:364
- Kirby 1890 Ann. Mag. nat. Hist. [b0693]
- a Aslauga (6)6:261
 - TS Neopitola (6)6:274
 - TS Toxochitona (6)6:265

- Kirby 1892 Syn. Cat. Lep. Het. [b3118]
 c *Pseuderchia* 1:410
- Kirtland 1874 Proc. Cleveland Acad. nat. Sci. [b7838]
 e *Polyommatus* (ISS) 1845-1859:25
- Klug 1829-1845 In Ehrenberg, Sym. Phys. Ins. [b0709]
 TS 1834 *Nordmannia* 4: sig. I, pl 40, f 15, 16
- Kluk 1795-1802 Zwierz. Hist. nat. pocz. gospod. [b0711]
 a 1802 *Plebejus* 4:89
- Knoch 1781-1783 Beitr. Insekengesch. [b3558]
 TS 1781 *Vaccinina* 1:76, pl 5, f 5, 6
 TS 1782 *Chattendenia* 2:85, pl 6, f 1, 2
 TS 1782 *Edwardia* (H) 2:85, pl 6, f 1, 2
- Koçak 1977 *Atalanta* (Münnerstadt) [b13377]
 b *Neolysandra* 8(1):55, f
 b *Sublissandra* 8(1):52
- Koçak 1981-1983 *Priamus* [b12380]
 e 1983 *Gymnomorphia* (ISS) 3(1):30
 b 1983 *Plebejidea* 3(1):29
 e 1983 *Plebeoidea* (IOS) 3(1):29
- Koçak 1983 *Priamus* [b15129]
 d *Hellolycaena* (JOS & PD) 3(1):3-5
- Koçak 1992 Cent. Ent. Stud. Misc. Pap. [b20535]
 b *Alciphronia* (16):2
- Köhler 1934 *Revta Soc. ent. argent.* [b5928]
 TS *Cherchiella* 6:39, f 1, 2
- Koiwaya 1989 Stud. Chin. Butterflies [b20472]
 a *Subsolanoides* 1:208
 TS *Subsolanoides* 1:210, f
- Koiwaya 1993 Stud. Chin. Butterflies [b20567]
 a *Saigusaozephyrus* 2:62
 a *Shaanxiana* 2:44
 TS *Shaanxiana* 2:46, f
- Kollar [1844] In Hügel, Kaschmir [b3446]
 TS *Bidaspa* 4(2):412, pl 4, f 3, 4
 TS *Dodona* 4(2):441, pl 13, f 3, 4
 e *Laxura* (ISS) 4(2):411
 TS *Pseudozizeeria* 4(2):422
- Kollar [1849] Denkschr. K. Akad. Wiss. Wien [b12016]
 TS *Kollaria* (H) 1:51
 TS *Superflua* 1:51
- Korshunov 1972 Ent. Obozr. [b14704]
 e *Ginsia* (ISS) 51:359
- Korshunov 1987 Nov Maloizvestiye Vidy Fauny Sib. [b20454]
 a *Rubrapterus* (19):9
- Korshunov 1990 In Nov Maloizvestiye Vidy Fauny Sib. [b20517]
 a *Bajluana* (22):70
- Kudma 1986 Butterflies of Europe [b18946]
 e *Cyclirius* (ISS) 8:159, 194
- Kurentzov 1970 Butts Far East USSR [b10453]
 e *Zizera* (ISS) :114
- Kurentzov 1974 Zoogeography Far East USSR [b18969]
 c *Maslowskia* :92
- R. L. 1817 Jena. Allgem. Lit.-Zeit. [b3462]
 b *Aricia* 14(1):280
- Lang 1789 Verz. Schmett. Gegend. Augsburg (2nd ed) [b0718]
 TS *Langia* (H & JOS) :47
 TS *Raywardia* (JOS) :47
- Lang 1789 Verz. Schmett. Gegend. Augsburg (2nd ed) [b0718]
 (continued)
 TS *Syntarucus* :47
- Larsen 1982 Biologiske Skrifter [b13056]
 a *Tuxentius* 23(3):45
- Latreille 1804 Nouv. Dict. Hist. nat. [b2516]
 a *Polyommatus* 24(tab.):185, 200
- Latreille 1809 Gen. Crust. Ins. [b0724]
 d *Eurybia* (H) 4:198
- Lederer 1855 Verh. zool.-bot. Ges. Wien [b0730]
 TS *Lachides* 5:190, pl 1, f 4
- Lederer 1869 Horae Soc. ent. ross. [b3566]
 TS *Farsia* 6:78, pl 4, f 6, 7
 TS *Hyrcanana* 6:76, pl 4, f 3
- Lederer 1872 Horae Soc. ent. ross. [b3567]
 TS *Paragrodiaetus* 8:10, pl 1, f 6-7 or 8
- Leech 1887 Proc. zool. Soc. Lond. [b2299]
 TS *Bergmania* 1887(3):410-411, pl 26, f 2
- Leech 1889 Trans. ent. Soc. Lond. [b3568]
 TS *Shijimia* 37(1):109, pl 7, f 3 [nec 4]
- Leech 1890 Entomologist [b3569]
 TS *Cordelia* 23:41
- Leech 1890 Entomologist [b3570]
 TS *Howarthia* 23:191
- Leech 1893-1894 Butts China Japan Corea [b2300]
 ■ [1893] *Amblopala* (2)(text pt 3):341
 TS [1893] *Leechia* (H & RC) (2)(text pt 3):367; (plate pt 3/4):pl 30, f 15
 TS [1893] *Shijimiaeoides* (2)(text pt 3):304; (plate pt 3/4):pl 31, f 14
 TS [1893] *Strymonidia* (2)(text pt 3):367; (plate pt 3/4):pl 30, f 15
 TS [1893] *Takashia* (2)(text pt 3):246; (plate pt 3/4):pl 23, f 8
- Lewis [1973] Butts of the World [b1175]
 e *Claucopsyche* (ISS) :290 (Pl 205, no. 32)
 e *Dinoptotus* (ISS) :72, 292
 e *Diopthalma* (ISS) :pl 72, f 4, 5 & explic 2, 3
 e *Diothalma* (ISS) :311 (telegone)
 e *Emesia* (ISS) :239 (explic. for Pl 72, no 14)
 e *Mesopthalma* (ISS) :75, 304
 e *Mimocastina* (ISS) :76, 305
 e *Ourochneus* (ISS) :77, 306
 e *Phaedrotus* (ISS) :pl 20, f 12; :218, f 12 (text)
 e *Pretus* (Myth) :78, 242, 208
 e *Spiridasis* (ISS) :291
- Linnaeus 1758 Syst. nat. (ed. 10) [b0737]
 TS *Aurotus* (JOS) 1:482
 TS *Callophrys* 1:483
 TS *Celastrina* 1:483
 TS *Chysoptera* (JOS) 1:484
 TS *Erouon* (JOS) 1:482
 TS *Erycina* (H) 1:484
 TS *Eulepis* (JOS) 1:484
 TS *Hamearis* 1:480
 TS *Hellicopsis* 1:482
 TS *Heodes* 1:484
 TS *Hypochrysops* 1:485
 TS *Lycocena* (JOS) 1:483
 TS *Lycus* (H) 1:483
 TS *Nemeobius* (JOS) 1:480

Linnaeus 1758 Syst. nat. (ed. 10) [b0737] (continued)

TS	<i>Nymphidium</i>	1:484
TS	<i>Nymphopsis</i> (H & JOS)	1:484
TS	<i>Peplia</i> (JOS)	1:484
TS	<i>Plebeius</i> (JOS)	1:483
TS	<i>Plebejus</i>	1:483
TS	<i>Pseudolycaena</i>	1:482
TS	<i>Quercusia</i>	1:482
TS	<i>Riodina</i>	1:484
TS	<i>Ruralis</i> (JOS)	1:482
TS	<i>Rusticus</i> (RC & JOS)	1:483
TS	<i>Thecla</i>	1:482
TS	<i>Tyanitis</i> (PS)	1:484
TS	<i>Zephyrus</i> (JOS)	1:482

Linnaeus 1761 Faun. svec. (ed. 2) [b2756]

TS	<i>Lycæna</i>	:285
TS	<i>Lycia</i> (H & JOS)	:285
TS	<i>Migonitis</i> (H & JOS)	:285
TS	<i>Palaeochrysophanus</i>	:285
TS	<i>Rumicia</i> (JOS)	:285

Linnaeus 1764 Mus. Lud. Ulr. [b0739]

TS	<i>Arrugia</i>	:340
TS	<i>Chrysorychia</i> (PD)	:329
TS	<i>Gonatomyrina</i>	:320
TS	<i>Pseudocapys</i>	:328

Linnaeus 1767 Syst. nat. (ed. 12) [b0740]

TS	<i>Cosmolyce</i> (JOS)	1(2):789
TS	<i>Cycnus</i>	1(2):796
TS	<i>Lampidella</i> (JOS)	1(2):789
TS	<i>Lampides</i>	1(2):789
TS	<i>Polystichtis</i>	1(2):errata
TS	<i>Tmolus</i>	1(2):788

Lucas 1835-1836 Hist. nat. Léop. exot. [b0741]

e	[1836] <i>Polyommatus</i> (ISS)	(livr. 11):pl 44
---	---------------------------------	------------------

Lucas 1849 Explor. Algér. [b3127]

c	<i>Zerythis</i>	(Artic. III):pl Léop 1
TS	<i>Zerythis</i>	(Artic. III):pl Léop 1, f 8

Lucas 1857 In Sagra, Hist. Cuba [b0743]

TS	<i>Cyclargus</i>	7:262, pl [Ins.] 16, f 7,7a,7b
TS	<i>Leptotes</i>	7:611

Lucas 1889 Proc. R. Soc. Qd [b5971]

TS	<i>Sahulana</i>	6(4):157, f 8,9,10
----	-----------------	--------------------

Mabille 1877 Bull. Soc. ent. Fr. [b0747]

TS	<i>Rysops</i>	(5)7:lxix
----	---------------	-----------

Mabille 1877 Bull. Soc. zool. Fr. [b0748]

TS	<i>Pseudonacaduba</i>	2:219
----	-----------------------	-------

Mabille 1878 Bull. Soc. zool. Fr. [b3577]

TS	<i>Tricholaus</i>	3:82
----	-------------------	------

Mabille 1890 Anns Soc. ent. Fr. [b0757]

TS	<i>Athysanota</i>	(6)10:24, pl 2, f 6
----	-------------------	---------------------

Marschall 1873 Nomencl. zool. [b3450]

e	<i>Brachylenia</i> (ISS)	:280
e	<i>Chamelunas</i> (ISS)	:283
e	<i>Dicalloneura</i> (ISS)	:288
e	<i>Ithomea</i> (ISS)	:297
e	<i>Lycenesthes</i> (ISS)	:301
e	<i>Zameros</i> (ISS)	:318

Matsumura 1910 Ent. Zeit. [b5989]

TS	<i>Sibatanozephyrus</i>	23(50):221
----	-------------------------	------------

Matsumura 1919 Thous. Ins. Japan Addit. [b3150]

d	<i>Cyaniriodes</i> (H)	3:736
a	<i>Shijimia</i>	3:656

Mattoni [1978] J. Res. Lep. [b3304]

a	<i>Euphillotes</i>	16(4):224
a	<i>Philotheia</i>	16(4):227

Mattoni 1981 J. Res. Lep. [b12288]

a	<i>Micropsyche</i>	18(4):256
TS	<i>Micropsyche</i>	18(4):257

Maynard 1886 Butts New England [b9905]

e	<i>Lycena</i> (ISS)	:39
---	---------------------	-----

Maynard 1891 Manual N. Amer. Butts [b2322]

e	<i>Harysophanus</i> (ISS)	:154
e	<i>Limonia</i> (ISS)	:127

Meigen 1827-1832 Syst. Besch. Europ. Schmett. [b0774]

TS	[1829] <i>Pseudonictia</i>	2(1):10, pl 45, f 3A,B
----	----------------------------	------------------------

Mell 1923 Deut. ent. Zeit. [b6014]

e	<i>Hipporion</i> (ISS)	1923:159
---	------------------------	----------

Mengel 1905 Cat. Erycinidae [b3152]

e	<i>Acalhua</i> (ISS)	:76
e	<i>Crysobia</i> (ISS)	:120
e	<i>Peropthalma</i> (ISS)	:56

Müller 1912 Deut. ent. Zeit. [Iris] [b6023]

TS	<i>Neolysandra</i>	26:220
----	--------------------	--------

Müller & Brown 1979 Bull. Allyn Mus. [b0782]

a	<i>Hermelycaena</i>	(51):22
a	<i>Hyllolycaena</i> (PD)	(51):15

Müller & Brown 1981 Mem. Lep. Soc. [b11446]

e	<i>Polystigma</i>	(2):228, note #424
e	<i>Resticus</i> (ISS)	(2):104 (under <i>pocas</i>)
e	<i>Syntauruchoides</i> (ISS)	(2):226 (note 380)
e	<i>Syntaurucoides</i> (ISS)	(2):113
e	<i>Tehcla</i> (ISS)	(2):107 (under <i>muiri</i>)

Müller & Müller 1972 Bull. Allyn Mus. [b3358]

a	<i>Eiseleia</i>	(4):1
TS	<i>Eiseleia</i>	(4):1-4, f 1-11

Miskin 1891 Ann. Qd Mus. [b3584]

TS	<i>Nesolycaena</i>	1:65
----	--------------------	------

Moore [1858] In Cat. Lep. Ins. E. India Co. [b11703]

TS	<i>Araotes</i> (H & JOS)	(1):48
TS	<i>Araotes</i>	(1):48
TS	<i>Darasana</i>	(1):42
TS	<i>Deudorix</i>	(1):32
TS	<i>Horaga</i>	(1):30
TS	<i>Panchala</i>	(1):44, pl 1a, f 9
TS	<i>Paragerydus</i>	(1):19, pl 1a, f 1
TS	<i>Pratapa</i>	(1):46
TS	<i>Surendra</i>	(1):42, pl 1a, f 7
TS	<i>Ticherra</i>	(1):47

Moore 1865 Proc. zool. Soc. Lond. [b3589]

TS	<i>Zizeeria</i>	1865(2):505, pl 31, f 7
----	-----------------	-------------------------

Moore [1866] Proc. zool. Soc. Lond. [b0783]

c	<i>Lycenesthes</i>	1865(3):773
TS	<i>Lycenesthes</i>	1865(3):773, pl 41, f 9
TS	<i>Miletographa</i>	1865(3):777, pl 41, f 12
a	<i>Poritia</i>	1865(3):775
TS	<i>Poritia</i>	1865(3):775, pl 31, f 10

Moore 1874 Proc. zool. Soc. Lond. [b3592]

TS	<i>Hysudra</i>	1874(1):272
----	----------------	-------------

Moore [1875] Proc. zool. Soc. Lond. [b3156]

TS	<i>Arietia</i>	1874(4):572, pl 66, f 5
TS	<i>Esakiozephyrus</i>	1874(4):575, pl 67, f 3
TS	<i>Moorea</i> (H)	1874(4):572, pl 66, f 5
a	<i>Niphanda</i>	1874(4):572

- Moore [1875] Proc. zool. Soc. Lond. [b3156] (*continued*)
 TS *Niphanda* 1874(4):572, pl 66, f 6
- Moore 1877 Ann. Mag. nat. Hist. [b3595]
 TS *Nacaduba* (PD) (4)20:341
- Moore 1878 Proc. zool. Soc. Lond. [b3159]
 a *Mahathala* 1878(3):702
- Moore [1879] Proc. zool. Soc. Lond. [b0785]
 a *Narathura* 1878(4):835
 a *Surendra* 1878(4):835
 a *Thaduka* 1878(4):836
 TS *Thaduka* 1878(4):836, pl 52, f 7
 a *Thamala* 1878(4):834
 TS *Thamala* 1878(4):834, pl 52, f 6
- Moore 1879 Proc. zool. Soc. Lond. [b0786]
 TS *Lestranicus* 1879(1):139
 TS *Penudara* 1879(1):139
 a *Spalgis* 1879(1):137
 TS *Udara* 1879(1):139
- Moore 1880-1881 Lep. Ceylon [b0788]
 a [1881] *Azanus* 1(2):79
 a [1881] *Bindahara* 1(3):111
 a [1881] *Cheritra* 1(3):109
 a [1881] *Chilades* 1(2):76
 a [1881] *Horaga* 1(3):98
 a [1881] *Iraota* 1(3):101
 a [1881] *Megisba* 1(2):71
 TS [1881] *Megisba* 1(2):71, pl 34, f 3,3a,3b
 a [1881] *Nacaduba* (PD) 1(3):88
 TS [1881] *Neopithecopa* 1(2):72, pl 34, f 4
 c [1881] *Nilasera* 1(3):114
 a [1881] *Pratapa* 1(3):108
 a [1881] *Rapala* 1(3):105
 a [1881] *Rathinda* 1(3):99
 a [1881] *Tajuria* 1(3):108
 a [1881] *Tallicada* 1(3):96
 a [1881] *Tarucus* 1(3):81
 b [1881] *Virachola* 1(3):104
 c [1881] *Zizera* 1(2):78
- Moore 1882 Proc. zool. Soc. Lond. [b0791]
 c *Baspa* 1882(1):250
 c *Bidaspa* 1882(1):250
 c *Hysudra* 1882(1):250
 c *Nadisepa* 1882(1):249
 c *Panchala* 1882(1):251
- Moore 1884 J. asiat. Soc. Bengal, Pt II [b3155]
 c *Acesina* 53(1):41
 a *Apporasa* 53(1):38
 b *Chliaria* 53(1):32
 d *Cophanta* (H) 53(1):35
 TS *Cyaniriodes* 53(1):32
 a *Dacalana* 53(1):36
 c *Darasana* 53(1):42
 a *Drupadia* 53(1):31
 a *Euaspa* 53(1):29
 TS *Maneca* 53(1):37
 c *Parapithecopa* 53(1):20
 TS *Parapithecopa* 53(1):20
 c *Pathalia* 53(1):21
 TS *Pathalia* 53(1):21
 a *Remelana* 53(1):37
 c *Satadra* 53(1):38
 a *Sinthusa* 53(1):33
- Moore [1884] Proc. zool. Soc. Lond. [b3157]
 TS *Celatoxia* 1883(4):524, pl 48, f 7
 d *Lehera* (JOS) 1883(4):528
 d *Vadebra* (H) 1883(4):528
- Moore [1884] Proc. zool. Soc. Lond. [b3157] (*continued*)
 TS *Zinaspa* 1883(4):530
- Moore 1890-1913 Lep. Ind. [b0794]
 c [1901] *Baloncea* 5(52):73
 c [1902] *Barisana* 5(53):100
- Morisse [1838] Annis Soc. ent. Fr. [b3162]
 c *Diorina* [1]6(4):421
 TS *Diorina* [1]6(4):422, pl 14, f 5,6
- Murray 1873 Ent. mon. Mag. [b3597]
 TS *Artopoetes* 10:126
- Murray 1874 Trans. ent. Soc. Lond. [b0809]
 TS *Erysichton* 22(4):524, pl 10, f 9
- Murray 1874 Ent. mon. Mag. [b3163]
 TS *Favonius* 11:169
 d *Satzuma* (H) 11:168
- Murray 1935 S. Afr. Butts Lyc. [b0808]
 c *Pseudocaps* :106
- Nabokov 1944 Psyche [b3164]
 b *Icaricia* 51(3/4):104
 b *Plebulina* 51(3/4):104
- Nabokov 1945 Psyche [b1604]
 a *Cyclargus* 52(1/2):14
 a *Echinargus* 52(1/2):27
 c *Parachilades* 52(1/2):6
 a *Paralycaeides* 52(1/2):36
 a *Pseudochrysops* 52(1/2):12
 a *Pseudolucia* 52(1/2):32
 d *Pseudothecla* (H) 52(1/2):11
- Neave 1904 Novit. zool. [b2767]
 TS *Ebepius* 11:336, pl 1, f 13
 d *Poultonia* (H) 11:336
 TS *Poultonia* (H) 11:336, pl 1, f 1
- Nekrutenko 1984 Vestnik Zoologii [b14665]
 a *Lachides* 1984(3):31
- Nekrutenko & Effendi 1983 Vestnik Zoologii [b14405]
 TM *Phoenicurusia* 1983(4):8-16
- Nicholl 1901 Trans. ent. Soc. Lond. [b3458]
 d *Lycocna* (JOS) 49(1):92-95, no. 73-87
- Nicolay 1971 J. Lep. Soc. [b3459]
 a *Symbloopsis* 25(Suppl. 1):4
- Nicolay 1976 Bull. Allyn Mus. [b3387]
 c *Panhiades* (ISS) (35):19
- Nicolay 1977 Bull. Allyn Mus. [b3396]
 a *Magnastigma* (44):2
- Nicolay 1979 Bull. Allyn Mus. [b13341]
 a *Michaelus* (56):29
- Nire 1920 Zool. Mag. [b3598]
 TS *Ravenna* 32:375
- Oberthür 1876 Étud. ent. [b3599]
 TS *Phengaris* 2:21, pl 1, f 4a,b
- Oberthür 1880 Étud. ent. [b3600]
 TS *Coreana* 5:20, pl 5, f 14a,b
 TS *Ussurlana* 5:19, pl 5, f 2
- Oberthür 1886 Bull. Soc. ent. Fr. [b2775]
 TS *Gonerilia* (6)6:xi
- Oberthür 1886 Étud. ent. [b3603]
 TS *Hyporion* 11:22, pl 7, f 57

- Oberhür 1886 *Étud. ent.* [b3603] (*continued*)
 TS *Patricius* 11:21, pl 7, f 52
- Oberhür 1910 *Étud. Lép. comp.* [b0829]
 TS *Maurus* 4:205
- Oberhür 1914 *Étud. Lép. comp.* [b3607]
 TS *Protantiglus* 9(2):54-55, pl 255, f 2155,2156
 TS *Saigusozephyrus* 9(2):48, pl 254, f 2140
- Ochsenheimer 1807-1835 *Schmetz. Europa* [b3608]
 TS 1816 *Iolana* 4:144
- Oiticica Filho 1955 *Revta bras. Ent.* [b15531]
 c *Uestludia* 3:157
 TM *Westwoodia* (H) 3:157
- M. Okano 1947 *Igaku to Seibutsugaku* (Tokyo) [b3172]
 d *Ginzia* (JOS) 11:239
- M. Okano & T. Okano 1985 *Tokurana* (Acta Rhopalocera) [b18872]
 a *Takashia* 8(2):7
- Oken 1815 *Lehrbuch Naturgesch.* [b3173]
 d *Eurybia* (H & JOS) 3(Zool.)(1):733
- Olliff 1886 *Proc. linn. Soc. N. S. Wales* [b3610]
 TS *Cyprotides* [1]10(4):716
- Pagenstecher 1896 *Ent. Nachr.* [b6092]
 TS *Sancterila* 22:50
- Pallas 1771 *Reise verschied. Prov. Russisch. Reichs* [b3612]
 TS *Scollantides* 1:471
 TS *Ununcula* 1:472
- Peters 1952 *Prov. Chk. Butts Eth. Region* [b0842]
 c *Chrysoisies* (ISS) :11
 c *Phylaria* (ISS) :11,113
- Piepers 1918 *In Rhop. Java - Ery., Lyc.* [b15447]
 c *Doramas* (ISS) (4):20,113
- Poda von Neuhaus 1761 *Ins. Mus. Graec.* [b1802]
 TS *Argus* (RC) :77
 TS *Lysandra* :77
 TS *Uranops* (H) :77
- Proust 1918 *Ann. Mag. nat. Hist.* [b6127]
 c *Sabalua* (ISS) (9):118
- Prunner 1798 *Lep. Pedemont.* [b3618]
 TS *Agriades* :76
 TS *Lationna* (JOS) :76
- Pryer 1886-1888 *Rhop. nihon.* [b3619]
 TS 1886 *Cyantriodes* (H) :10, pl 2, f 13
- Quickelberge 1972 *Ent. Rec.* [b5259]
 a *Bowkeria* 84(4):86-94
- Rafinesque 1815 *Analyse Nat.* [b3463]
 c *Lucana* (ISS) :128, no. 35
 c *Theclaria* (ISS) :128, no. 36
- Rambur 1837-1840 *Faune ent. Andal.* [b0871]
 a 1840 *Tomares* 2:261
- Rambur 1858-1866 *Cat. syst. Lépid. Andal.* [b3188]
 a 1858 *Laeosopis* :33
 c 1858 *Thomares* (ISS) :34
- Ramos 1977 *J. Lep. Soc.* [b8837]
 c *Cyanophyrus* (ISS) 31(3):216
- Reakirt 1866-1867 *Proc. Acad. nat. Sci. Philad.* [b0876]
 TS 1866 *Phaedrotes* 18:244
- Reakirt 1866-1867 *Proc. Acad. nat. Sci. Philad.* [b0876] (*continued*)
 TS [1867] *Echinargus* 18:332
 TS [1867] *Xamia* 18:332
- Rebel 1898 *Sber. Akad. Wiss. Wien* [b3189]
 a *Lycaenites* 107:742-745
 TS *Lycaenites* 107:742-745, pl 1, f 6,7
- Rebel 1914 *Annln naturh. Mus. Wien* [b0879]
 TS *Philiolaus* 28:266
- Rebillard 1958 *Mém. Mus. natn Hist. nat.* [b6151]
 c *Antheros* (ISS) (A)15:188
- Reed 1877 *An. Univ. Chile* [b3464]
 c *Tecla* (ISS) 49:649
- Reuter 1896 *Acta Soc. Sci. fern.* [b0883]
 d *Nymphopsis* (H & JOS) 22(1):170
- Riley 1922 *J. Bombay nat. Hist. Soc.* [b3201]
 c *Aphaeomorpha* (ISS) 28(2):465
 TM *Bithys* (RC) 28(2):466
 TM *Chrysophanus* (RC) 28(2):467
 TM *Strymon* 28(2):472
- Riley 1922 *Entomologist* [b6165]
 d *Horsfieldia* (JOS) 56:25
- Riley 1925 *Novit. zool.* [b2137]
 a *Apharitis* 32:70,78
- Riley 1928 *Novit. zool.* [b0893]
 b *Pseudiolaus* 34:392
 TS *Pseudiolaus* 34:392
- Riley 1928 *In Trans. ent. Soc. Lond.* [b14784]
 c *Hypojamides* 76(2):466
- Riley 1934 *Entomologist* [b6178]
 TS *Maslowska* 62:85
- Riley 1939 *Novit. zool.* [b6179]
 TS *Claasuma* 41:359
- Riotte & Uchida 1979 *J. Res. Lep.* [b12138]
 c *Thmolus* (ISS) 17(1):35
- Rivers 1902 *Bull. S. Calif. Acad. Sci.* [b8316]
 c *Theckia* (ISS) 1(4):41-42
- Robbins & Venables 1991 *J. Lep. Soc.* [b20513]
 a *Janthecla* 45(1):12
- Röber [1886] *CorrespBl. ent. Ver. Iris* [b0900]
 a *Megalopalpus* 1(1):51
 TS *Megalopalpus* 1(1):51, pl 4, f 4
 TS *Papua* (H) 1(1):61, pl 4, f 5
- Röber 1887 *CorrespBl. ent. Ver. Iris* [b3180]
 c *Keraunogramma* 1(4):196
 TS *Keraunogramma* 1(4):198, pl 9, f 6
- Röber 1888-1892 *In Exot. Schmetz.* [b13083]
 d [1888] *Micandra* (H & JOS) Bd 1(Th. 2)(6):263,265
 c [1892] *Acystipoda* Bd 1(Th. 2)(6):256
 d [1892] *Amphiselenis* (H & JOS) Bd 1(Th. 2)(6):248
 TM [1892] *Arrugia* Bd 1(Th. 2)(6):277
 d [1892] *Astracodes* (H & JOS) Bd 1(Th. 2)(6):256
 d [1892] *Drepanula* (H) Bd 1(Th. 2)(6):246
 d [1892] *Hopffena* (H & JOS) Bd 1(Th. 2)(6):252
 a [1892] *Hypochlorosis* Bd 1(Th. 2)(6):267
 c [1892] *Melanope* Bd 1(Th. 2)(6):257
 c [1892] *Miletographa* Bd 1(Th. 2)(6):277
 d [1892] *Papua* (H) Bd 1(Th. 2)(6):273
 d [1892] *Parapontia* (JOS) Bd 1(Th. 2)(6):280

- Röber 1888-1892 In Exot. Schmett. [b13083] (*continued*)
 e [1892] *Sabina* (ISS) Bd 1(Th. 2)(6):232
- Röber 1891 Tijdschr. Ent. [b3182]
 c *Eupychellus* 34(3/4):316
 a *Phyllis* 34(3/4):317
 a *Theclinesthes* 34(3/4):316
 TS *Theclinesthes* 34(3/4):316
- Röber 1903 Stett. ent. Ztg [b3183]
 a *Ematurgina* 64:347
 TS *Ematurgina* 64:347
 c *Eathemopheles* 64:344
 TS *Eathemopheles* 64:344
 c *Hyporion* 64:357
- Röber 1925 Stett. ent. Ztg [b3185]
 c *Agnostogyna* 86:176
- Romieux 1937 Mitt. schweiz. ent. Ges. [b0910]
 c *Eullphyrodes* 17(3):120-123
 TS *Eullphyrodes* 17(3):123
- Rose & Schurian 1977 J. ent. Soc. Iran [b13781]
 b *Paragrodiaetus* 4(1/2):68
- Rosenstock 1885 Ann. Mag. nat. Hist. [b3620]
 TS *Paralucia* (5)16:377
- Rothschild 1916 Rep. B. O. U. Exped. New Guinea [b3622]
 TS *Monodontides* 2(15):29
- Rothschild & Jordan 1905 Novit. zool. [b0915]
 c *Stilbon* 12:465
 TS *Stilbon* 12:465
- Rottemburg 1775 Naturforscher [b3623]
 TS *Alciphronia* 6:11
 TS *Polyommatus* 6:31
- Sands 1980 J. Aust. ent. Soc. [b13354]
 a *Acrodipsas* 18(3):251-265
- Saunders [1850] Trans. ent. Soc. Lond. [b3626]
 TS *Euerycina* (JOS) (1)5(9):221
 TS *Melibaea* (H) (1)5(9):225 (pro parte), pl
 21, f 1, 1a, 2, 2a
 TS *Rodinia* (1)5(9):221
- Saunders [1859] Trans. ent. Soc. Lond. [b3209]
 TS *Catagrammina* (2)5:108, pl 11, f 17 [nec
 18]
 d *Euerycina* (JOS) (2)5:97
 d *Melibaea* (H) (2)5:96
 e *Rodina* (ISS) (2)5:95
 e *Zaonia* (ISS) (2)5:97
- Sauter 1968 In Fauna Hung. [b11372]
 a *Plebejides* 91(15):4
- Schaus 1902 Proc. U. S. natn. Mus. [b1814]
 d *Eucora* (H) 24(1262):400
 TS *Eucora* (H) 24(1262):400
 TS *Eucorma* (H) 24(1262):400
 TS *Eucorna* 24(1262):400
- Schaus 1913 Proc. zool. Soc. Lond. [b2913]
 a *Corrachia* 1913(3):351
 TS *Corrachia* 1913(3):351, pl 53, f 1
- Schrank 1801 Fauna bioc. [b0930]
 a *Cupido* 2(1):153, 206
- Schultze 1912 Ent. Rundsch. [b3628]
 TS *Paraslauga* 29(6):43
- Scopoli 1763 Ent. Cam. [b2803]
 d *Argus* (RC) :176
- Scudder [1870] Trans. Chicago Acad. Sci. [b2558]
 TS *Gaeides* 1(2):330
- Scudder 1872 4th Ann. Rep. Peabody Acad. Sci. [b0942]
 d *Callipareus* (JOS) 1871:51
 a *Erora* 1871:53
 TM *Everes* 1871:56
 a *Glaucopsyche* 1871:54
 a *Incisalla* 1871:52
 a *Mitoura* 1871:52 et *errata*
 e *Mitouri* (IOS) 1871:52
 TM *Polystichtis* 1871:49
- Scudder 1875 Proc. amer. Acad. Arts Sci. [b0943]
 TM *Abisara* 10(2):99
 TM *Aethicus* (RC) 10(2):104
 TM *Alesa* 10(2):107
 TM *Allotinus* 10(2):107
 TM *Aloeldes* 10(2):107
 TM *Anatole* (JOS) 10(2):111
 TM *Ancyluris* 10(2):112
 TM *Anteros* 10(2):113
 TM *Aphacitis* 10(2):116
 TM *Aphnaeus* 10(2):116
 TM *Arhopala* 10(2):120
 TM *Aricoris* 10(2):120
 TM *Atlides* 10(2):124
 TM *Baeotis* 10(2):125
 TM *Brangas* 10(2):128
 TM *Calliona* 10(2):131
 TM *Callophrys* 10(2):132
 TM *Calospila* 10(2):133
 TM *Calydna* 10(2):133
 TM *Candalides* 10(2):133
 TM *Castalius* 10(2):135
 TM *Catochrysops* 10(2):136
 TM *Chalybs* 10(2):139
 TM *Charis* 10(2):140
 TM *Cigaritis* 10(2):142
 TM *Curetis* 10(2):150
 TM *Cycnus* 10(2):151
 TM *Dicallaneura* 10(2):156
 TM *Diophtalma* 10(2):157
 TM *Dodona* 10(2):158
 TM *Dysmathia* 10(2):160
 TM *Erythia* 10(2):168
 TM *Euryba* (H) 10(2):174
 TM *Euryba* (H & JOS) 10(2):174
 TM *Eurygona* 10(2):175
 TM *Euselasia* 10(2):175
 TM *Evenus* 10(2):176
 TM *Heliophorus* 10(2):186
 e *Hexopterus* (ISS) 10(2):191
 TM *Hypolycaena* 10(2):198
 TM *Ithomeis* 10(2):199
 TM *Jalmenus* 10(2):199
 TM *Jamides* 10(2):210
 TM *Lycus* (H) 10(2):210
 e *Lynxas* (ISS) 10(2):207
 TM *Lyropteryx* 10(2):210
 TM *Marmessus* 10(2):212
 TM *Melanis* 10(2):214
 TM *Mesene* 10(2):126
 TM *Mesosemia* 10(2):216
 TM *Metacharis* 10(2):217
 TM *Mithras* 10(2):220
 TM *Molus* 10(2):220
 TM *Necyria* 10(2):225
 TM *Nelone* 10(2):225

Scudder 1875 Proc. amer. Acad. Arts Sci. [b0943] (continued)

TM	<i>Nerius</i>	10(2):227
TM	<i>Nomiades</i>	10(2):228
TM	<i>Oenomachus</i>	10(2):231
TM	<i>Olynthus</i>	10(2):232
TM	<i>Oxyliodes</i>	10(2):234
TM	<i>Pachythone</i>	10(2):235
TM	<i>Panara</i>	10(2):236
TM	<i>Pandemos</i>	10(2):236
TM	<i>Panthlades</i>	10(2):237
TM	<i>Parrhasius</i>	10(2):242
TM	<i>Peplis</i> (JOS)	10(2):244
TM	<i>Pepliphorus</i> (PD)	10(2):245
TM	<i>Periplacis</i>	10(2):245
TM	<i>Phasis</i>	10(2):247
TM	<i>Psilidopteris</i>	10(2):258
TM	<i>Sarota</i>	10(2):265
TM	<i>Semomesia</i>	10(2):267
TM	<i>Setabis</i>	10(2):268
TM	<i>Sithon</i>	10(2):269
TM	<i>Soepita</i> (H)	10(2):269
TM	<i>Symmachia</i>	10(2):272
TM	<i>Synargis</i>	10(2):273
TM	<i>Syrmatia</i>	10(2):274
TM	<i>Taxila</i>	10(2):276
TM	<i>Tharops</i> (H)	10(2):279
TM	<i>Theope</i>	10(2):280
TM	<i>Theritas</i>	10(2):280
TM	<i>Thestius</i>	10(2):281
TM	<i>Thestor</i>	10(2):281
TM	<i>Thysonotis</i> (JOS)	10(2):284
TM	<i>Tmolus</i>	10(2):285
TM	<i>Zekotaea</i>	10(2):290
TM	<i>Zelus</i>	10(2):292

Scudder 1876 Bull. Buffalo Soc. nat. Sci. [b0945]

c	<i>Axiocercus</i> (ISS)	3:127
a	<i>Brephidium</i>	3:123
c	<i>Callipsyche</i>	3:106
a	<i>Calycopis</i>	3:108
a	<i>Chalceria</i>	3:125
a	<i>Epidemia</i>	3:127
c	<i>Eupsyche</i>	3:112
a	<i>Gaeldes</i>	3:126
a	<i>Habrodais</i>	3:113
a	<i>Hypaurotis</i>	3:112
a	<i>Leptotes</i>	3:124
c	<i>Phaedrotes</i>	3:115
a	<i>Philotis</i>	3:116
a	<i>Satyrilum</i>	3:106
a	<i>Tharsalea</i>	3:125
c	<i>Thersalia</i> (IOS)	3:101
d	<i>Uranotes</i> (JOS)	3:107

Scudder 1882 Nomencl. zool. [b3467]

c	<i>Dicalloneura</i> (ISS)	Univ. index:96
---	---------------------------	----------------

Scudder 1888-1889 Butts E. United States & Canada [b0946]

d	1889 <i>Mitura</i> (UE)	2(6):856-867
---	-------------------------	--------------

Seitz 1907-1921 In Seitz, Grossschmetz. Erde [b2462]

c	[1909] <i>Catachrysops</i> (ISS)	1:292
c	[1909] <i>Taraca</i> (ISS)	1:323

Seitz 1910-1924 In Seitz, Grossschmetz. Erde [b0952]

a	[1914] <i>Mimocastnia</i>	5:pl 127a
TS	[1914] <i>Mimocastnia</i>	5:pl 127a
c	[1917] <i>Corachia</i> (ISS)	5:709
c	[1917] <i>Euerchiina</i> (ISS)	5:666
d	[1924] <i>Eucoma</i> (H)	5:1030,1088

Seitz 1912-1927 In Seitz, Grossschmetz. Erde [b0954]

c	[1926] <i>Tamala</i> (ISS)	9:980
---	----------------------------	-------

Seitz 1912-1927 In Seitz, Grossschmetz. Erde [b0954] (continued)

c	[1926] <i>Thamola</i> (ISS)	9:986
---	-----------------------------	-------

Semper 1886-1892 In Semper, Reisen Philipp. [b0957]

a	1890 <i>Hypothecla</i>	(2)(5)(Schmetz.)1(5):204
---	------------------------	--------------------------

Sepp 1828-1855 Surinaam. Vlinders [b0958]

TS	[1848] <i>Carlomothis</i>	:65, pl 29
----	---------------------------	------------

Sharp [1888] Zool. Rec. [b3223]

c	<i>Lachnocnemea</i> (ISS)	24(1887)(Ins.):224
---	---------------------------	--------------------

Sharp [1892] Zool. Rec. [b3224]

c	<i>Tannetheira</i> (ISS)	28(1891)(Ins.):205
---	--------------------------	--------------------

Sharp [1905] Zool. Rec. [b3226]

c	<i>Synaruchoides</i> (ISS)	41(1904)(Ins.):251
---	----------------------------	--------------------

Sharp [1910] Zool. Rec. [b3228]

c	<i>Powellina</i> (ISS)	45(1908)(Ins.):319
---	------------------------	--------------------

Sharp [1911] Zool. Rec. [b3221]

c	<i>Acuzisera</i> (ISS)	47(1910)(Ins.):321
---	------------------------	--------------------

Shields 1975 Bull. Allyn Mus. [b3381]

c	<i>Glebejus</i> (ISS)	(28):27
---	-----------------------	---------

Shirôzu & Murayama 1943 Ent. World [b3634]

TS	<i>Leucantigius</i>	11(107):2-4, f 1,2
----	---------------------	--------------------

Shirôzu & Murayama 1951 Tyô to Ga [b3234]

a	<i>Leucantigius</i>	2(3):17
---	---------------------	---------

Shirôzu & Saigusa 1962 Nature Life Southeast Asia [b3235]

d	<i>Ethion</i> (JOS)	2:63-64
---	---------------------	---------

Shirôzu & Yamamoto 1956 Sieboldia [b1614]

a	<i>Chrysozephyrus</i>	1(4):381
a	<i>Cordelia</i>	1(4):339,349
a	<i>Esakiozephyrus</i>	1(4):376
c	<i>Gonellia</i> (IOS)	1(4):339,348
a	<i>Gonerilla</i>	1(4):339,348, errata slip facing 422
a	<i>Howarthia</i>	1(4):371
c	<i>Lonellia</i> (ISS)	1(4):329-421
a	<i>Protantigius</i>	1(4):339,357
a	<i>Ravenna</i>	1(4):360

Sibatani 1946 Bull. Lep. Soc. Japan [b3238]

a	<i>Teratozephyrus</i>	1(3):77
---	-----------------------	---------

Sibatani 1974 J. Aust. ent. Soc. [b5004]

a	<i>Melanolycaena</i>	13(2):95
TS	<i>Melanolycaena</i>	13(2):95, f 1,3,8,17,23
d	<i>Rapsidia</i> (JOS)	13(2):109
c	<i>Tifea</i> (ISS)	13(2):102

Sibatani & Ito 1942 Tenthredo [b3236]

a	<i>Antigius</i>	3(4):318
a	<i>Araragi</i>	3(4):318
a	<i>Favonius</i>	3(4):327
a	<i>Iratsume</i>	3(4):328
a	<i>Neozephyrus</i>	3(4):324
a	<i>Shirozua</i>	3(4):322
a	<i>Wagimo</i>	3(4):319

Smart 1975 Int. Butterfly Book [b1558]

c	<i>Anipodolycaena</i> (PW1)	:274 (18)
c	<i>Normanna</i> (ISS)	:263
c	<i>Strymondia</i> (ISS)	:172,273

Smith 1797 In Abbot & Smith, Ins. Georgia [b1625]

TS	<i>Euristrymon</i>	1:27, pl 14
----	--------------------	-------------

Snellen 1892 Tijdschr. Ent. [b3639]

TS	<i>Oreolyce</i>	35:143
TS	<i>Rhinelephas</i>	34:146

- Sodoffsky 1837 Bull. Soc. imp. Nat. Moscou [b0972]
 d *Lycia* (H & JOS) 10(6):81
 d *Migoniüs* (H & JOS) 10(6):82
 c *Mycaena* (ISS) 10(6):96
- Sodoffsky 1837 Bull. Soc. imp. Nat. Moscou [b2697]
 c *Migonyüs* (ISS) 10(7):109
- Sovinsky 1905 Revue Russe Ent. [b6294]
 c *Collophrys* (ISS) 5(34):109
- Staudinger 1876 Verh. zool.-bot. Ges. Wien [b3243]
 a *Styx* 25:92
 TS *Styx* 25:93
- Staudinger 1881 Stett. ent. Ztg [b3642]
 TS *Phoenicurusia* 42:282
- Staudinger 1884-1888 In Exot. Schmett. [b0985]
 TS [1887] *Amphiselenis* (H & JOS) Bd 2(Th. 1)(19):pl 91
 TS [1887] *Amphiselenis* Bd 2(Th. 1)(19):pl 91
 a [1887] *Astraeodes* Bd 2(Th. 1)(19):pl 93
 TS [1887] *Calvus* (JOS) Bd 2(Th. 1)(19):pl 92
 TS [1887] *Drepanula* (H) Bd 2(Th. 1)(19):pl 92
 TS [1887] *Roerberella* Bd 2(Th. 1)(19):pl 92
 a [1888] *Amphiselenis* Bd 1(Th. 1)(20):257
 c [1888] *Hopfferia* Bd 1(Th. 1)(20):257
 a [1888] *Micandra* Bd 1(Th. 1)(21):288
- Staudinger 1886-1889 Stett. ent. Ztg [b3244]
 a 1886 *Polycycaena* 47:227
 TS 1886 *Polycycaena* 47:227
 TS 1886 *Sarthusia* 47:202
- Staudinger 1891 Deut. ent. Zeit. [Iris] [b0988]
 TS *Iridana* 4(1):141
 TS *Iridopsis* (H) 4(1):141
 d *Iris* (H) 4(1):141
 TS *Iris* (H) 4(1):141
- Staudinger 1892 Deut. ent. Zeit. [Iris] [b0989]
 a *Argyrochella* 4(2):215
 TS *Argyrochella* 4(2):215
 TS *Palaeophilotes* 4(2):235, pl 3, f 2
- Staudinger 1894 Deut. ent. Zeit. [Iris] [b3246]
 TS *Boliviella* 7:79, pl 2, f 4
 TS *Itylos* 7:56
 TS *Madeleinea* 7:79, pl 2, f 5
 TS *Nivalis* 7:79, pl 2, f 5
 TS *Penaincisalia* 7:80, pl 2, f 6
- Staudinger 1895 Deut. ent. Zeit. [Iris] [b3247]
 c *Waigeum* 8:153-155
- Stempffer 1942 Anns Soc. ent. Fr. [b0999]
 c *Pseudonacaduba* 111:130
- Stempffer 1946 Revue fr. Ent. [b1001]
 c *Pseudoliptena* 13:8
 TS *Pseudoliptena* 13:9, pl 1, f 12
- Stempffer 1954 Mém. Inst. Franç. Afr. Noire [b1013]
 c *Petralesia* (ISS) 40:351
- Stempffer 1956 Anns Mus. r. Congo Belge [b1018]
 a *Toxochitona* (8vo)49:28
- Stempffer 1961 Anns Mus. r. Afr. cent. (8vo) [b1021]
 a *Mimeresia* (Zool.)94:24
- Stempffer 1964 Bull. Inst. franç. Afr. Noire [b3469]
 a *Pseudoneaveia* 26(A):1265
 TS *Pseudoneaveia* 26(A):1265
- Stempffer 1967 Bull. Br. Mus. nat. Hist. (Ent.) [b0015]
 e *Powellii* (ISS) Suppl. 10:322 (index for virginea)
- Stempffer & Bennett 1953 Bull. Br. Mus. nat. Hist. (Ent.) [b1236]
 a *Baliochila* 3:85
 a *Cnodontes* 3:101
- Stempffer & Bennett 1958 Bull. Inst. franç. Afr. Noire [b1029]
 TM *Hemiolaus* 20(A)(4):1254
 b *Iolaphilus* 20(A)(4):1298
 c *Philiolaus* 20(A)(4):1336
- Stempffer & Bennett 1959 Bull. Inst. franç. Afr. Noire [b1030]
 b *Etesiolaus* 21(A)(1):319
- Stempffer & Bennett 1963 Bull. Br. Mus. nat. Hist. (Ent.) [b1188]
 a *Falcuna* 13(6):174
- Stephens 1828-1846 Ill. Brit. Ent. [b1033]
 d 1828 *Nemeobius* (JOS) 1:28
- Stephens 1856 List Spec. Brit. Anim. Brit. Mus. [b16841]
 e *Chlorophanus* (ISS) 5(Lep.):16
- Stichel [1909] Berl. ent. Z. [b2715]
 a *Leucochitona* 53(34):273
- Stichel 1909 Berl. ent. Z. [b2818]
 a *Teratophthalma* 54(1/2):1
- Stichel 1910 Berl. ent. Z. [b3252]
 d *Argyrogramma* (H) 55(1/2):12
 a *Calociasma* 55(1/2):59
 a *Cariomothis* 55(1/2):54
 a *Chalodeta* 55(1/2):15
 d *Chamona* (H) 55(1/2):15
 a *Parcelia* 55(1/2):59
 a *Phaenochiltonia* 55(1/2):51
 TM *Rodinia* 54(1/2):42
- Stichel 1910 Gen. Insectorum [b3253]
 TM *Chimastrum* 112(A):228
 a *Colacticus* 112(A):138
 a *Comphotis* 112(A):176
 TM *Mesenopsis* 112(A):218
 a *Paraphthonia* 112(A):137
 a *Pterographium* 112(A):236
 TS *Pterographium* 112(A):237, pl 26, f 62
 a *Thyrannota* 112(A):22
 c *Volinia* 112(A):72
- Stichel 1911 Gen. Insectorum [b3254]
 TM *Apodemia* 112(B):285,287
 a *Callistium* 112(B):257
 a *Catocyclotis* 112(B):328
 a *Dinoplotis* 112(B):293
 TS *Dinoplotis* 112(B):293, pl 27, f 78
 c *Elaphrotis* 112(B):294
 TM *Lasaia* 112(A):184,185
 TM *Phaenochiltonia* 112(A):239
 TM *Thyrannota* 112(B):340
 d *Thysanota* (UE) 112(B):340
 a *Zabuella* 112(B):290
- Stichel 1925 Z. wiss. Insektbiol. [b6347]
 TS *Mycastor* 20:263
- Stichel 1929 Mitt. zool. Mus. Berl. [b6353]
 TS *Pixus* 15:24
- Stichel 1930 Lep. Cat. [b3255]
 c *Meliboëa* (ISS) Pars 40:321
 c *Xinias* (ISS) Pars 40:491

- Süchel 1930 Lep. Cat. [b3256]
 c *Pseudopteris* (ISS) Pars 41:675
- Stoll 1780-1790 In Cramer, Uil. Kapellen [b11699]
 TS [1780] *Brangas* 4(28):84, pl 332, f C,D
 TS [1780] *Calydna* 4(28):87, pl 335, f A,B
 TS [1780] *Chilades* 4(27):62, pl 319, f D,E
 TS [1780] *Erythia* 4(28):90, pl 336, f G,H
 TS [1780] *Juditha* 4(28):88, pl 335, f F,G
 TS [1780] *Loxura* 4(28):82, pl 331, f D,E
 TS [1780] *Melanis* 4(28):89 (pro parte), pl 336, f B, nec A
 TS [1780] *Menander* 4(28):86, pl 334, f C,D
 TS [1780] *Molus* 4(28):85, pl 33, f C,D
 TS [1780] *Tharops* (H) 4(28):86, pl 334, f C,D
 TS [1781] *Baspa* 4(31):142, pl 362, f G,H
 TS [1781] *Lasala* 4(31):146, pl 366, f B,C
 TS [1781] *Notheme* 4(28):88, pl 335, f C
 TS [1781] *Parrhasius* 4(29):98, pl 341, f B,C
 TS [1781] *Phasis* 4(29):99, pl 341, f D,E
 TS [1781] *Talites* (JOS) 4(31):146, pl 366, f B,C
 TS [1782] *Axioceres* 4(32):176, pl 379, f B,C
 TS [1782] *Azanus* 4(33):209, pl 390, f L,M
 TS [1782] *Cacyreus* 4(32):176, pl 379, f F,G
 TS [1782] *Hyreus* (H) 4(32):176, pl 379, f F,G
 TS [1782] *Jamides* 4(33):210, pl 391, f C,D
 TS [1782] *Sarota* 4(32):178, pl 380, f D,E
 TS [1782] *Thilabe* 4(32):171, pl 376, f E,F
 TS [1787] *Aetheus* (RC) Aanhangs.:25, pl 25, f 5
 TS [1790] *Hesperia* (H) Aanhangs.:61, pl 13, f 4
 TS [1790] *Olyntus* Aanhangs.:168, pl 38, f 6
 TS [1790] *Phaenochitonis* Aanhangs.:61, pl 13, f 4
- Strand 1910 Ent. Rundsch. [b3261]
 c *Pseudotheca* 27(22):162
 c *Superflua* 27(22):162
 c *Thecliola* 27(22):162
 c *Tuttiola* 27(22):162
- Strand 1911 Arch. Naturgesch. [b2826]
 a *Eresinopides* (1)77(1):193
 TS *Eresinopides* (1)77(1):193
- Strand 1932 Folia zool. hydrobiol. [b3263]
 a *Argyrogrammana* 4(1):144
 d *Chammona* (JOS) 4(1):145
 a *Eucorna* 4(1):146
 a *Lucillella* 4(1):147
 a *Roerberella* 4(1):145
- Strecker 1872-1900 Lep. Rhop. Het. [b1052]
 c [1874] *Cupida* (ISS) (10):85
- Strecker 1878 Butts Moths N. Amer., Comp. Syn. Cat. [b2396]
 c *Crysophanus* (ISS) :267
 c *Eumenea* (ISS) :103
 c *Fenesecca* (ISS) :103
 c *Tharsalia* (ISS) :102
- Sulzer 1776 Abgekürzte Gesch. Ins. [b1828]
 TS *Arawacus* :144, pl 19, f 10,11
- Swainson 1820-1823 Zool. Illustr. [b1055]
 TM [1821] *Thecla* (1)2() :pl 69
- Swainson 1829-1833 Zool. Illustr. [b1057]
 a [1829] *Rhetus* (2)1(7):pl 33
 c [1831] *Endymion* (2)2(18):pl 85
 a [1832] *Arcas* (2)2(19):pl 88
 c [1833] *Erina* (2)3(29):pl 134
 TS [1833] *Ethelida* (PS) (2)3() :pl 111
 a [1833] *Lucia* (2)3(29):pl 135
 TS [1833] *Lucia* (2)3(29):135 & explic.
 d [1833] *Nais* (H) (2)3(39):pl 136
- Swainson 1829-1833 Zool. Illustr. [b1057] (continued)
 TS [1833] *Nais* (H) (2)3(29):pl 136 & explic
 c [1833] *Zeonia* (2)3(24):pl 111
 TS [1833] *Zeonia* (2)3(24):pl 111
- Swinhoe 1909-1913 In Moore, Lep. Ind. [b11700]
 c [1910] *Edales* 8(86):37
 TM [1911] *Zinaapa* 9(100):74
 TM [1913] *Bryna* 10(123):348
- Takanami 1982 Mem. Tsukada Colln [b15347]
 a *Paruparo* 4:52
- Talbot 1928 Bull. Hill Mus. [b6406]
 a *Joiceya* 2(3):214
 TS *Joiceya* 2(3):214
- Thierry-Mieg 1904 Naturaliste [b3270]
 b *Paraphnaeus* 26(415):140
- Tindale 1922 Trans. R. Soc. S. Aust. [b2853]
 c *Adaluma* 46:537
 TS *Adaluma* 46:537, pl 31, f 1, 2
- Tite 1963 Bull. Br. Mus. nat. Hist. (Ent.) [b1192]
 TM *Erysichton* 13(4):102
- Tite 1963 Bull. Br. Mus. nat. Hist. (Ent.) [b1201]
 c *Cyprotides* 14(5):213
 c *Microscena* 14(5):219
- Tite & Dickson 1973 Bull. Br. Mus. nat. Hist. (Ent.) [b3400]
 a *Argyraspodes* 29(5):233, f 13,14
 a *Argyrocupha* 29(5):234, f 7,8
 a *Oxychaeta* 29(5):232, f 11,12
 a *Trimenia* 29(5):233, f 5,6
 a *Tylopaedia* 29(5):232, f 9,10
- Toxopeus 1927-1928 Tijdschr. Ent. [b2471]
 a 1927 *Acytolepis* 70:271,288
 d 1927 *Cosmolyce* (JOS) 70:268, nota
 d 1927 *Moorea* (H) 70:255
 a 1927 *Oreolyce* 70:256,277
 a 1927 *Rhinelephas* 70:259
 a 1927 *Uranobothria* 70:261
 c 1928 *Akasinuia* 71:181,194
 a 1928 *Monodontides* 71:258
 a 1928 *Ptox* 71:181,184
 a 1928 *Udara* 71:181,219
- Toxopeus 1929 Tijdschr. Ent. [b1620]
 a *Catopyrops* 72(3/4):230
 a *Discolampa* 72(3/4):232
 a *Ionolyce* 72(3/4):236
 TS *Ionolyce* 72(3/4):236
 d *Peplodyta* (JOS) 72(3/4):230
 a *Petrelaea* 72(3/4):242
 TS *Petrelaea* 72(3/4):242
 c *Pycnophallium* 72(3/4):228
- Toxopeus 1930 De soorte als Functie [b3471]
 a *Psychonotis* :129 nota
- Trimen 1862 Trans. ent. Soc. Lond. [b1094]
 TS *Orachrysops* (3)1:282
- Trimen 1862 Trans. ent. Soc. Lond. [b1095]
 a *Durbania* (3)1(4):400
 TS *Durbania* (3)1(4):400
 TS *Zizula* (3)1(4):403
- Trimen 1864 Trans. ent. Soc. Lond. [b2845]
 TS *Bowkeria* (3)2:178
 TS *Epamera* (3)2:176
 TS *Stugeta* (3)2:176
 TS *Zintha* (3)2:177

- Trimen 1868 Trans. ent. Soc. Lond. [b1096]
 a *Deloneura* 16(1):81
 TS *Deloneura* 16(1):83, pl 5, f 4
 TS *Oraldium* 16(1):89, pl 5, f 7
 TS *Tylopaedia* 16(1):83, pl 5, f 5; pl 6, f 6,7
- Trimen 1873 Trans. ent. Soc. Lond. [b2849]
 TS *Argyraspedes* 21(2):114
 TS *Baliocchila* 21(2):117
- Trimen 1874 Trans. ent. Soc. Lond. [b2850]
 TS *Poecilimitis* 22(3):337, pl 2, f 7
- Trimen 1883 Trans. ent. Soc. Lond. [b1097]
 TS *Durbaniopsis* 31(4):354
- Trimen 1887-1889 In Trimen & Bowker, S. Afr. Butts [b1101]
 a 1887 *Lachnocnema* 2:233
 TS 1887 *Paraphnaeus* 2:146-150
 TS 1887 *Trimenia* 2:192
 TS 1887 *Tuxentius* 2:82
- Trimen 1891 Proc. zool. Soc. Lond. [b1098]
 a *Erikssonia* 1819(1):91
 TS *Erikssonia* 1819(1):91
- Trimen 1891 Trans. ent. Soc. Lond. [b4142]
 TS *Chrysoritis* 39(1):176
- Trimen 1898 Trans. ent. Soc. Lond. [b2855]
 TS *Cnodontes* 46(1):12, pl 1, f 7,8
 a *Desmolycaena* 46(1):7
 TS *Desmolycaena* 46(1):7
- Tuely 1878 Ent. mon. Mag. [b3646]
 TS *Vaga* 15:9
- Tutt 1905-1914 Nat. Hist. Brit. Butts [b1621]
 d [1906] *Langia* (H & JOS) 1:314
 c [1906] *Lowela* 1:314
 d [1907] *Bakenia* (H) 2:142
 a [1907] *Coreana* 2:276
 d [1907] *Edwardsia* (H) 2:142
 d [1907] *Erschoffia* (H) 2:142
 d [1907] *Feldenzia* (H) 2:142
 a [1907] *Fixsenia* 2:142
 a [1907] *Japonica* 2:277
 d [1907] *Klugia* (H) 2:142
 d [1907] *Kollaria* (H) 2:142
 d [1907] *Leechia* (H & RC) 2:142
 c [1907] *Nordmannia* 2:143
 a [1907] *Ussuriana* 2:276
 c [1908] *Binghamia* 3:41,42
 c [1908] *Chattendenia* 2:483
 d [1908] *Raywardia* (JOS) 2:484
 c [1908] *Strymonidia* 2:483
 a [1908] *Tongeia* 3:41,43
 b [1909] *Albulina* 3(6):154
 d [1909] *Hirsutina* (JOS) 3:154
 d [1909] *Latorina* (JOS) 3:155
 b [1909] *Vacciniina* 3:154
- Tutt 1906 Ent. Rec. [b3273]
 TM *Aricia* 18:131
 a *Celastrina* 18:131
 e *Chrysoptera* (ISS) 18:131
 TM *Chrysoptera* (JOS) 18:131
 d *Rumicia* (JOS) 18:131
 d *Ruralis* (JOS) 18:130
 TM *Scollantides* 18:131
- Tytler 1915 J. Bombay nat. Hist. Soc. [b3274]
 a *Pseudochilaria* 24(1):139
 TS *Pseudochilaria* 24(1):139, pl 3, f 26
- Ungemach 1932 Mém. Soc. Sci. nat. phy. Maroc [b3275]
 e *Hircus* (ISS) 32:88
 c *Monile* 32:90
 TS *Monile* 32:90
- van Eecke 1915 Zool. Meded. [b3406]
 a *Maculinea* 1(3/4):28
 c *Ununcula* 1(3/4):29
- van Son 1941 J. ent. Soc. S. Afr. [b3648]
 TS *Durbaniella* 4:183
- van Son 1959 Novos Taxa ent. [b3324]
 a *Durbaniella* (16):10
 a *Durbaniopsis* (16):12
- Vari & Kroon 1986 Southern African Lepidoptera [b20442]
 a *Orachrysops* ix
- Verity 1919-1922 Ent. Rec. [b3277]
 b 1919 *Thersamonia* 31:28
- Verity 1929 Annl. Soc. ent. Fr. [b1108]
 d *Gynomorphia* (JOS) 98:355
- Verity 1934-1936 Ent. Rec. [b3278]
 d 1934 *Palaeoloweia* (JOS) 46(5), Suppl. (B) nota
- Verity 1943 Farfalle Diurne Ital. [b3279]
 d *Disparia* (H) 2:21,58
 a *Helleia* 2:20,48
 a *Palaeochrysophanus* 2:23,64
 a *Phoenicurusia* 2:21
 a *Quercusia* 2:343
 c *Sarthusia* 2:20
- Verity 1951 Revue fr. Ent. [b15450]
 c *Necovata* 17(Suppl.):183
- Verity 1957 Ent. Rec. [b15021]
 b *Thersamolycaena* 69:225
- Walker 1854-1856 List Spec. Lep. Ins. Brit. Mus. [b2269]
 d 1854 *Erchia* (H) 2:357
 TS 1854 *Erchia* (H) 2:357
 TS 1854 *Pseuderchia* 2:357
- Wallengren 1857 K. svenska VetenskAkad. Handl. [b1115]
 TS *Aphniolaus* (n)2(4):36
 TS *Argyrocupha* (n)2(4):43
 c *Chrysorychia* (PD) (n)2(4):44
 TS *Crudaria* (n)2(4):42
 e *Cygaritis* (ISS) (n)2(4):42
 a *Spindasis* (n)2(4):45
 TS *Spindasis* (n)2(4):45
- Wallengren 1858 Öfvers. K. VetenskAkad. Förh. [b1116]
 e *Chrysorychia* (Myth) 15(2):80
 TM *Chrysorychia* (PD) 15(2):80
 a *Pseudolycaena* 15(2):80
- Wallengren 1872 Öfvers. K. VetenskAkad. Förh. [b3285]
 c *Arrugla* 29(3):47
- Wallengren 1875 Öfvers. K. VetenskAkad. Förh. [b2878]
 a *Crudaria* 32(1):86
- Warren 1895 Novit. zool. [b3286]
 a *Adelotypa* 2(2):82
 TS *Adelotypa* 2(2):82
- Waterhouse 1903 Proc. linn. Soc. N. S. Wales [b3654]
 TS *Zetona* 28(1):211, pl 2, f 5
- Waterhouse 1912 Index zool. [b3289]
 c *Thechola* (ISS) 2:299

- Waterhouse 1938 Rec. Aust. Mus. [b3292]
 a *Zetona* 20(3):219
- Waterhouse & Lyell 1913 Victorian Nat. [b6507]
 TS *Acrodipsas* 29(10):156
- Waterhouse & Lyell 1914 Butts Aust. [b1127]
 d *Holodermus* (JOS) :6,68
 e *Pepliophorus* (ISS) :101-102
 c *Protalmenus* :7,126,129
 TM *Waigeum* :91
- Waterhouse & Turner [1905] Proc. linn. Soc. N. S. Wales [b3287]
 a *Neolucia* 29(4):803
 a *Neolycaena* 29(4):801
 a *Paralucia* 29(4):802
- Watson & Whalley 1975 Dict. Butts Moths [b15562]
 e *Ancyclus* (ISS) :158, f 268
- Weidemeyer 1864 Proc. ent. Soc. Philad. [b2409]
 e *Chrysophanes* (ISS) 2(4):536
- Westwood 1846-1852 In Gen. dium. Lep. [b11843]
 e [1851] *Amarinthis* (ISS) (2):pl 70
 TS [1851] *Argiolaus* (2):pl 74, f 5
 a [1851] *Arlicoris* (2):pl 72, f 7,8
 TS [1851] *Arlicoris* (2):pl 72, f 7
 e [1851] *Arotas* (PS) (2):450
 TS [1851] *Arotas* (PS) (2):450, nota
 TS [1851] *Astracodes* (H & JOS) (2):pl 70, f 5; (2):440
 TS [1851] *Astracodes* (2):pl 70, f 5; (2):440
 TS [1851] *Calliona* (2):459, nota
 e [1851] *Chrysius* (PS) (2):427
 a [1851] *Cyrenia* (2):434, nota, pl 72, f 2
 TS [1851] *Cyrenia* (2):434, nota, pl 72, f 2
 d [1851] *Dipsas* (H) (2):pl 74, f 7
 TS [1851] *Dipsas* (H) (2):pl 74, f 7
 TS [1851] *Discolampa* (2):pl 76, f 3; (2):490
 TM [1851] *Emelis* (2):421,446
 a [1851] *Epitola* (2):pl 68, f 5
 TS [1851] *Epitola* (2):pl 68, f 5; id., [1852],
 ibid (2):471
 e [1851] *Ethelida* (PS) (2):431
 TS [1851] *Ethion* (JOS) (2):pl 76, f 3; (2):440
 a [1851] *Eunogyra* (2):pl 72, f 11
 TS [1851] *Eunogyra* (2):pl 72, f 11
 e [1851] *Eusibia* (ISS) (2):pl 69
 e [1851] *Gendus* (ISS) (2):pl 76, f 5
 a [1851] *Hades* (2):435
 TS [1851] *Hades* (2):435 nota, pl 72, f 3
 a [1851] *Liptena* (2):pl 77, f 5,6
 a [1851] *Lyropterya* (2):433 nota, pl 72, f 1
 TS [1851] *Lyropterya* (2):433 nota, pl 72, f 1
 a [1851] *Mesophthalma* (2):455
 TS [1851] *Mesophthalma* (2):355 nota
 a [1851] *Monethe* (2):462
 a [1851] *Necyria* (2):432, pl 73, f 9
 TS [1851] *Necyria* (2):432, pl 73, f 9
 TS [1851] *Neolucia* (2):pl 76, f 4
 a [1851] *Nirodia* (2):430
 TS [1851] *Nirodia* (2):pl 70, f 1
 a [1851] *Notheme* (2):462
 a [1851] *Ogyris* (2):pl 75, f 8
 TS [1851] *Ogyris* (2):pl 75, f 8
 a [1851] *Parnes* (2):pl 73, f 3
 TS [1851] *Parnes* (2):pl 73, f 3
 a [1851] *Penula* (2):pl 76, f 6
 a [1851] *Perophthalma* (2):455
 TS [1851] *Perophthalma* (2):455
 a [1851] *Phytala* (2):pl 77, f 2
 TS [1851] *Phytala* (2):pl 77, f 2
 TS [1851] *Pseudalmenus* (2):pl 75, f 3
- Westwood 1846-1852 In Gen. dium. Lep. [b11843] (continued)
 a [1851] *Riodina* (2):430
 a [1851] *Rodinia* (2):430
 a [1851] *Sarota* (2):424
 a [1851] *Semomesia* (2):455
 a [1851] *Setabis* (2):450
 TS [1851] *Setabis* (2):450, nota
 a [1851] *Siseme* (2):pl 72, f 10
 TS [1851] *Siseme* (2):pl 72, f 10
 TS [1851] *Soepita* (H) (2):pl 69, f 3
 TS [1851] *Spalgis* (2):pl 74, f 7
 e [1851] *Stalacius* (ISS) (2):pl 73
 TS [1851] *Tellpna* (2):pl 77, f 6
 a [1851] *Themone* (2):pl 72, f 9
 TS [1851] *Thermozephyrus* (2):pl 74, f 7
 e [1851] *Tyanis* (PS) (2):447,448,449
 e [1852] *Boeotus* (ISS) (2):533, no. 452
 TS [1852] *Deciduphagus* (2):486
 d [1852] *Methonella* (JOS) (2):533
 TM [1852] *Miletus* (2):502
 e [1852] *Thysonotus* (ISS) (2):487
- Westwood [1864] Trans. ent. Soc. Lond. [b3296]
 a *Liphyra* (3)2(Proc.):31
 TS *Liphyra* (3)2(Proc.):31
- Weymer 1890 In Stübel, Reisen in Süd-Amer., Lep. [b1150]
 TS *Parachilades* :122, pl 4, f 6
- White 1843 Zoologist [b3299]
 d *Agathina* (H) 1:29
 TS *Agathina* (H) 1:28
- White 1862 Trans. ent. Soc. Lond. [b11444]
 TS *Antipodolycaena* (PWT) (3)1(Proc.):26
- Wileman 1909 Annot. zool. jap. [b3660]
 TS *Teratozephyrus* 7(2):91-93
- Wright 1905 Butts W. Coast U. S. [b2415]
 e *Chysophanes* (ISS) :217
- Wright 1908 J. New York ent. Soc. [b2566]
 e *Calephalis* (ISS) 16(3):160
 e *Leptoles* (ISS) 16(3):165
- Wright 1922 Bull. S. Calif. Acad. Sci. [b6535]
 e *Milowra* (ISS) 21(1):19-20
- Wynter-Blyth 1957 Butts Indian Reg. [b1856]
 e *Mahatala* (ISS) :318
- Zazzini 1934 Butts Moths Amer. [b18931]
 e *Atlids* (ISS) :29
 e *Hecla* (ISS) :29
- Zeller 1847 Isis von Oken [b6539]
 TS *Plebejidea* 1847(1):9, n 35
- Zhdanko 1983 Ent. Rev. [b13399]
 a *Athamanthia* 62(1):139
 b *Rhymnarla* 62(1):135
- Zhdanko 1984 Trudy zool. Inst., Leningr. [b18632]
 b *Otaria* 122:104
 TS *Otaria* 122:104
- Zhdanko 1992 Zool. Zh. [b20575]
 b *Farsia* 71(8):152
- Zikán 1949 Revta Ent. Rio de J. [b3302]
 a *Stichelia* 20(1/3):538
- Zimmerman 1958 Ins. Hawaii [b3303]
 b *Vaga* 7:491

Zinken 1817 Allg. Lit.-Zeit. [b3679]

d Chrysoptera (JOS)

1817(3)(218):75

PART VII
INDEX TO TYPE-SPECIES
OF
GENUS-GROUP NAMES

INTRODUCTION

This section is straightforward and needs little introduction. The type-species of the genus-group names are arranged in alphabetic order.

- a **abrota** Westwood, [1851], 1846-1852; *Ogyris* [*Ogyris*]
a **absolon** (Hewitson), [1865], 1863-1878; *Dipsas* [*Austrozephyrus*]
a **acaciae** (Fabricius), 1787; *Papilio* [*Necovatia*]
a **achaja** (Fruhstorfer), [1912]; *Horaga* [*Cowania*]
a **acherols** (Boisduval), 1836; *Desmozona* [*Desmozona*]
d **acis** ([Denis & Schiffermüller]), 1775, (H); *Papilio* [*Nomiades*]
a **acraea** (Westwood), [1851], 1846-1852; *Liptena* [*Telipna*]
a **acraelna** Trimen, 1891; *Eriksonia* [*Eriksonia*]
a **acte** (Moore), [1858]; *Myrina* [*Ticherra*]
a **actoris** (Cramer), [1776], 1775-1790; *Papilio* [*Cremna*]
a **adeligtha** (Hewitson), 1874; *Liptena* [*Micropentila*]
a **aemulius** (Fabricius), 1793, 1792-1799; *Hesperia* [*Catocyclotus*]
c **aesopos** (Fabricius), 1781, 1781-1782; *Papilio* [*Curetis*]
a **aethiops** (Mabille), 1877; *Lycaena* [*Pseudonacaduba*]
a **agestis** ([Denis & Schiffermüller]), 1775; *Papilio* [*Aricia*, *Gynomorphia*]
a **agricola** (Westwood), [1851], 1846-1852; *Lucia* [*Neolucia*]
a **agricolor** (Butler & H. Druce), 1872; *Strymon* [*Cyanophrys*]
a **agrippina** H. H. Druce, 1888; *Pseudaletis* [*Pseudaletis*]
a **agyrtus** (Cramer), [1777], 1775-1790; *Papilio* [*Isapis*]
a **alta de Nicéville**, 1893; *Abisara* [*Archigenes*]
a **akasa** (Horsfield), [1828], 1828-1829; *Polyommatus* [*Akasinula*]
c **albidisca** (Moore), 1884; *Pathalia* [*Pathalia*]
a **albidisca** (Moore), [1884]; *Cyaniris* [*Celatoxia*]
a **albilinea** (Riley), 1939; *Satsuma* [*Cissatsuma*]
a **alboceruleus** (Moore), 1879; *Polyommatus* [*Penudara*]
a **albosericca** (Miskin), 1891; *Holochila* [*Nesolycaena*]
a **alcestis** (Edwards), [1871]; *Thecla* [*Phaeostrymon*]
c **alcides** (Cramer), [1776], 1775-1790; *Papilio* [*Myrina*]
a **alciphron** (Rottemburg), 1775; *Papilio* [*Alciphronia*]
a **alcon** ([Denis & Schiffermüller]), 1775; *Papilio* [*Maculinea*]
a **alda** (Hewitson), 1868; *Thecla* [*Aubergina*]
a **alectryo** Westwood, [1851], 1846-1852; *Siseme* [*Siseme*]
b **allica** (Fabricius), 1787; *Papilio* [*Zemeros*]
c **alphaea** (Hübner), [1808], 1806-1838; *Lemonias* [*Echenais*]
a **alpheus** (Cramer), [1777], 1775-1790; *Papilio* [*Capys*, *Scoteps*]
a **alphonus** (Fabricius), 1793, 1792-1799; *Hesperia* [*Monethe*]
a **alsulus** (Herrich-Schäffer), 1869; *Lycaena* [*Famegana*]
c **alsus** ([Denis & Schiffermüller]), 1775; *Papilio* [*Zizera*]
a **altimontana** Sibatani, 1974; *Melanolycaena* [*Melanolycaena*]
a **amakosa** Trimen, 1862; *Durbania* [*Durbania*]
a **amarynthina** (Felder & Felder), 1865, 1865-1875; *Amblygonia* [*Amblygonia*, *Parcella*]
a **amatista** (Dognin), 1895; *Thecla* [*Abloxurina*]
a **amazoula** (Boisduval), 1847; *Acraea* [*Alaena*]
a **ameria** (Hewitson), 1862; *Amblypodia* [*Mahathala*]
a **ammon** (Lucas), 1857; *Lycaena* [*Cyclargus*]
a **amor** (Fabricius), 1775; *Papilio* [*Cupido*, *Rathinda*]
a **amrita** (Felder & Felder), 1860; *Myrina* [*Neocheritra*]
d **amyntas** ([Denis & Schiffermüller]), 1775, (H & RC); *Papilio* [*Everes*]
d **amyntor** (Herbst), 1804, 1788-1804, (H); *Papilio* [*Ariape*, *Lehera*]
c **ananga** Felder & Felder, 1865, 1865-1875; *Lycaenopsis* [*Lycaenopsis*]
a **anasuja** (Felder & Felder), 1865, 1865-1875; *Myrina* [*Jacoona*]
a **ancyra** (C. Felder), 1860; *Lycaena* [*Catopyrops*]
b **andersonii** (Moore), 1884; *Logania* [*Cyaniriodes*]
d **ania** Hübner, [1819], 1816-1826, (JOS); *Charis* [*Charis*]
a **anteros** (Fröyer), 1839, 1831-1858; *Lycaena* [*Ultraaricia*]
a **anthracas** (Christoph), 1877, 1876-1877; *Lycaena* [*Præphilotes*]
b **antibubastus** Hübner, [1818], 1808-1837; *Hemiargus* [*Hemiargus*]
b **antipha** (Hewitson), [1869], 1863-1878; *Myrina* [*Hypochlorosis*, *Pseudonotis*]
a **aphaniodes** Stichel, 1910; *Pterographium* [*Pterographium*]
a **apidanus** (Cramer), [1777], 1775-1790; *Papilio* [*Flos*]
a **apollonia** Westwood, [1851], 1846-1852; *Lyropteryx* [*Lyropteryx*]
a **araeostyla** Stichel, 1915; *Mesosemia* [*BMNH-ht*]
c **arcas** (Herrich-Schäffer), [1853], 1850-1869; *Orimba* [*Orimba*]
c **arcassa** Hübner, [1819], 1816-1826; *Pandemos* [*Pandemos*]
a **archagathos** (Fruhstorfer), 1910; *Cyaniris* [*Celarchus*]
a **archytas** (Stoll), [1787], 1780-1790; *Papilio* [*Aetheius*]
a **areuta** (Westwood), [1851], 1846-1852; *Pandemos* [*Astracodes*]
a **argali** (Elwes), 1899; *Lycaena* [*Bajluana*]
a **argentea** (Bates), 1866; *Mesene* [*Chimastrum*]
c **argester** (Bergsträsser), [1779], 1778-1780; *Papilio* [*Plebicula*]
a **argiades** (Pallas), 1771; *Papilio* [*Ununcula*]
a **argioloides** (Rothschild), 1916; *Nacaduba* [*Monodontides*]
a **argiolus** (Linnaeus), 1758; *Papilio* [*Celastrina*]
a **argus** (Linnaeus), 1758; *Papilio* [*Lycoena*, *Plebeius*, *Plebejus*, *Rusticus*]
a **argyraspis** (Trimen), 1873; *Zeritis* [*Argyraspodes*]
a **argyrognomon** (Bergsträsser), [1779], 1778-1780; *Papilio* [*Lycaeides*]
a **ariana** Mattoni, 1981; *Micropsyche* [*Micropsyche*]
a **arion** (Felder & Felder), 1865, 1865-1875; *Synapta* [*Synapta*]
a **arisanus** (Wileman), 1909; *Zephyrus* [*Teratozephyrus*]
a **aroa** Bethune-Baker, 1904; *Parelodina* [*Parelodina*]
a **arota** (Boisduval), 1852; *Polyommatus* [*Tharsalca*]
a **aslauga** (Trimen), 1873; *Liptena* [*Baliochila*]
a **astarte** (Butler), 1882; *Lampides* [*Tartesa*]
c **asteris** (Gray), 1832; *Erycina* [*Dorila*]
a **astyla** (Felder & Felder), 1862; *Hypolycaena* [*Hypothecia*]
a **atabyrius** (Oberthür), 1914; *Zephyrus* [*Saugasozephyrus*]
a **ataxus** (Westwood), [1851], 1846-1852; *Dipsas* [*Dipsas*, *Thermozeophyrus*]
a **atayalica** (Shirôzu & Murayama), 1943; *Thecla* [*Leucantigius*]
a **athamantis** (Eversmann), 1854; *Polyommatus* [*Athamanthia*]
a **atkinsoni** (Hewitson), [1869], 1863-1878; *Amblypodia* [*Apporasa*]
a **atrax** (Hewitson), 1862; *Amblypodia* [*Satadra*]
a **atrigemmata** (Butler), 1878; *Lycaena* [*Actizera*]
a **atroguttata** (Oberthür), 1876; *Lycaena* [*Phengaris*]
a **attilia** (Bremer), 1861; *Thecla* [*Antigius*]
a **atymnus** (Stoll), [1780], 1780-1790; *Papilio* [*Loxura*]
a **augustinus** (Westwood), [1852], 1846-1852; *Thecla* [*Deciduphagus*]
a **aulis** (Cramer), [1776], 1775-1790; *Papilio* [*Chammona*, *Chammona*]
a **aurantiaca** Bates, 1862; *Ithomeis* [*Ithomeis*]
a **aurea** (Hewitson), 1862; *Amblypodia* [*Aurea*]
a **aurea** (H. Druce), 1873; *Sithon* [*Ritra*]
a **autoclea** (Hewitson), [1877], 1863-1878; *Thecla* [*Angulopsis*]
a **avidiena** (Hewitson), 1877; *Amblypodia* [*Amblopala*]
c **axiochus** (Hewitson), [1867], 1852-1877; *Anteros* [*Ourocnemis*]
a **bahiana** Felder & Felder, 1865, 1865-1875; *Ariconis* [*Melanope*]
a **ballus** (Fabricius), 1787; *Papilio* [*Tomares*]
c **barbatus** (H. H. Druce), 1891; *Pilodeudorix* [*Pilodeudorix*]
a **barberae** (Trimen), 1868; *Lycaena* [*Oraidium*]
b **barine** (Leech), [1893], 1893-1894; *Lycaena* [*Shijimiaeoides*]
a **barombiensis** (Kirby), 1890; *Epitola* [*Neoeptiola*]
a **basilis** Godart, [1824], 1819-1824; *Barbicornis* [*Barbicornis*, *Chroma*]
a **batesi** Bethune-Baker, 1915; *Liptenara* [*Liptenara*]
c **baton** (Bergsträsser), [1779], 1778-1780; *Papilio* [*Pseudophilotes*]
a **bavius** (Eversmann), 1832; *Scolitantides* [*Rubrapterus*]
a **behrli** (Edwards), 1870; *Thecla* [*Callipsyche*]
c **belenus** Geyer, [1832], 1832-1837; *Heliophorus* [*Heliophorus*]
c **belise** (Stoll), [1782], 1780-1790; *Papilio* [*Thisbe*]
a **bellona** Westwood, [1851], 1846-1852; *Necyria* [*Necyria*]
a **belphegor** (Westwood), [1851], 1846-1852; *Erycina* [*Nirodia*]
c **bengalensis** (Moore), [1866]; *Lycaenesthes* [*Lycaenesthes*]
a **bernardi** Johnson, 1993; *Ziegleria* [*Ziegleria*]
a **betulae** (Linnaeus), 1758; *Papilio* [*Aurotis*, *Ruralis*, *Thecla*, *Zephyrius*, *Zephyrus*]
a **bhotea** (Moore), 1884; *Pratapa* [*Maneca*]
a **bibulus** (Fabricius), 1793, 1792-1799; *Hesperia* [*Lachnocnema*]
a **bichroma** Strand, 1911; *Eresinopsides* [*Eresinopsides*]
a **bicolor** Bethune-Baker, 1904; *Parachrysops* [*Parachrysops*]
a **binghami** Chapman, 1908; *Notanthrinus* [*Notanthrinus*]
c **bitje** (Siempffer), 1946; *Pseudoliptena* [*Pseudoliptena*]
a **blackburni** (Tucly), 1878; *Holochila* [*Vaga*]
a **biora** Field, 1967; *Calystryma* [*Calystryma*]

- a **bocchoris** (Hewitson), [1876], 1852-1877; *Amarynthia* [*Stichelia*]
 a **bochus** (Stoll), [1782], 1780-1790; *Papilio* [*Jamides*]
 a **boeticus** (Linnaeus), 1767; *Papilio* [*Cosmolyce*, *Lampidella*, *Lampides*]
 a **bolsduvallii** (Hewitson), [1869], 1863-1878; *Corydon* [*Corydon*, *Hewitsonia*]
 a **boldenarum** White, 1862; *Lycaena* [*Antipodolycaena*]
 a **bornoi** (Comstock & Huntington), 1943; *Hemiargus* [*Pseudochrysops*]
 a **bourkei** (Kaye), [1925]; *Thecla* [*Heterosmaitia*]
 a **bowkeri** Trimen, 1864; *Iolaus* [*Stugeta*]
 a **brassolis** Westwood, [1864]; *Liphyra* [*Liphyra*]
 a **brunea** Johnson, 1992; *Pontirama* [*Pontirama*]
 a **bryaxis** (Hewitson), 1870; *Limnas* [*Mesenopsis*]
 a **burnii** (de Nicéville), 1895; *Taxila* [*Sosibia*]
 a **buto** (de Nicéville), 1895; *Britomartis* [*Bullis*]
 a **caeculus** (Hopffer), 1855; *Iolaus* [*Hemiolaus*]
 a **caelestis** (Leech), 1890; *Thecla* [*Howarthia*]
 a **caelius** (Felder & Felder), 1860; *Lycaena* [*Psychonotis*]
 a **calesia** (Hewitson), 1870, 1869-1877; *Thecla* [*Lamasa*]
 a **caleta** (Hewitson), [1876], 1852-1877; *Lycaena* [*Caleta*]
 b **caliginosa** H. H. Druce, 1891; *Prosotas* [*Prosotas*]
 a **calpharnia** (Saunders), [1850]; *Erycina* [*Euerycina*, *Rodinia*]
 a **calvus** (Staudinger), [1887], 1884-1888; *Lemonias* [*Calvus*, *Drepanula*, *Roerberella*]
 a **camissa** (Hewitson), 1870, 1869-1877; *Lucilla* [*Lucilla*, *Lucillella*]
 a **candalus** (Herrich-Schäffer), [1851], 1843-1856; *Lycaena* [*Sublysandra*]
 a **candidata** Hewitson, 1874; *Hermathena* [*Hermathena*]
 a **cara** (de Nicéville), 1898; *Cyaniris* [*Buakraengius*]
 a **caranus** (Stoll), [1780], 1780-1790; *Papilio* [*Brangas*]
 a **carcassoni** Jackson, 1962; *Stempfferia* [*Stempfferia*]
 a **caricae** (Linnaeus), 1758; *Papilio* [*Eulepis*, *Nymphidium*, *Nymphopsis*, *Tyanitis*]
 a **carnuta** (Hewitson), 1873; *Pentila* [*Ptelina*]
 a **carteri** (Holland), 1902; *Charis* [*Dianesia*]
 a **casella** (Hewitson), 1870, 1869-1877; *Compsotera* [*Compsotera*]
 a **caspius** (Lederer), 1869; *Polyommatus* [*Hyrceanana*]
 a **cassius** (Cramer), [1775], 1775-1790; *Papilio* [*Syntarucoides*]
 c **catalina** (Reakirt), 1866, 1866-1867; *Lycaena* [*Phaedrotes*]
 b **catharina** Butler, 1874; *Pseuderesia* [*Pseuderesia*]
 a **catiena** (Hewitson), [1875], 1852-1877; *Calydna* [*Petrocerus*]
 a **catochloris** (Boisduval), 1832; *Lycaena* [*Hypojamides*]
 a **catori** Bethune-Baker, 1904; *Iolaus* [*Etesiolaus*]
 c **catori** Bethune-Baker, 1924; *Egumbia* [*Egumbia*]
 a **catreus** (de Nicéville), 1895; *Cyaniris* [*Ptox*]
 a **cauter** (H. H. Druce), 1907; *Thecla* [*Nicolaea*]
 a **cebuensis** (Jumalon), 1975; *Pratapa* [*Paruparo*]
 a **cecilia** (Cramer), [1777], 1775-1790; *Papilio* [*Methone*, *Methonella*]
 a **celebica** (Fruhstorfer), [1917]; *Lycaenopsis* [*Uranobothria*]
 a **celmus** (Cramer), [1775], 1775-1790; *Papilio* [*Celmia*]
 a **centaurus** (Fabricius), 1775; *Papilio* [*Nilasera*]
 a **cerata** (Hewitson), [1877], 1863-1878; *Thecla* [*Serratofalca*]
 a **cereus** (Linnaeus), 1767; *Papilio* [*Polystichus*]
 a **ceyx** (de Nicéville), 1893; *Cyaniris* [*Selmanix*]
 a **chama** (Staudinger), [1887], 1884-1888; *Lasaia* [*Amphiselenis*]
 a **chennellii** (de Nicéville), [1884]; *Cyaniris* [*Bothria*, *Bothrinia*]
 a **chilensis** (Blanchard), 1852; *Lycaena* [*Pseudolucia*]
 a **chrysmallus** Hübner, [1823], 1808-1837; *Zesius* [*Zesius*]
 a **chrysus** (Stoll), [1782], 1780-1790; *Papilio* [*Sarota*]
 a **cinaron** (Felder & Felder), 1861; *Limnas* [*Aculhua*, *Dryas*]
 c **cincinnatus** (Bálint & Johnson), 1993; *Polytheclus* [*Polytheclus*]
 a **cingulus** (Stoll), [1790], 1780-1790; *Papilio* [*Hesperia* Hübner, *Phaenochitonina*]
 a **clarki** (van Son), 1941; *Durbania* [*Durbaniella*]
 a **cleadas** (Hewitson), [1866], 1852-1877; *Charis* [*Callistium*]
 a **clearista** (Butler), 1871; *Emesis* [*Pseudonympha*, *Pseudonymphidia*]
 a **clenchi** Johnson, 1992; *Arases* [*Arases*]
 a **cleobis** (Godart), [1824], 1819-1824; *Polyommatus* [*Creon*]
 a **cleoboldes** (Elwes), [1893]; *Camena* [*Britomartis*]
 a **cleotas** (Guérin-Méneville), [1831], 1830-1838; *Polyommatus* [*Luthrodes*]
 a **clonia** Felder & Felder, 1865, 1865-1875; *Esthemopsis* [*Esthemopsis*]
 a **cnejus** (Fabricius), 1798, 1792-1799; *Hesperia* [*Euchrysops*]
 a **coelebs** (Herrich-Schäffer), 1862, 1862-1863; *Thecla* [*Allosmaitia*]
 a **coelestis** (Alphéraky), 1897; *Lycaena* [*Caenulea*]
 a **coenoides** (Hewitson), 1870, 1869-1877; *Threnodes* [*Nahida*, *Threnodes*]
 c **collitorum** (Birket-Smith), 1960; *Lectiles* [*Lectiles*]
 a **collucia** (Hewitson), [1877], 1863-1878; *Thecla* [*Gigantorubra*]
 c **colubris** Hübner, [1823], 1808-1837; *Caria* [*Caria*]
 a **comes** (Leech), 1890; *Dipsas* [*Cordelia*]
 a **commodus** (Felder & Felder), 1865, 1865-1875; *Thecla* [*Paralustrus*]
 a **cooksoni** Bennett, 1954; *Euthecta* [*Euthecta*]
 b **corax** Fruhstorfer, [1919]; *Pithecopis* [*Pithecopis*]
 a **corculum** (Stichel), 1929; *Nymphidium* [*Pixus*]
 a **corena** (Felder & Felder), 1862; *Ithomiopsis* [*Ithomiopsis*]
 a **coridon** (Poda von Neuhaus), 1761; *Papilio* [*Argus*, *Lysandra*, *Uranops*]
 a **corynetes** (Grose-Smith & Kirby), 1890, 1887-1902; *Durbania* [*Eresina*]
 a **cossaea** (de Nicéville), 1895; *Cyaniris* [*Plautella*]
 a **cottoni** Bethune-Baker, 1908; *Powellana* [*Powellana*]
 a **crawshayi** Butler, 1895; *Uranothauma* [*Uranothauma*]
 d **critola** (Hewitson), 1874, (H & JOS); *Thecla* [*Hypostrymon*]
 a **croesus** (Fabricius), 1777; *Papilio* [*Semomesia*]
 a **croton** (Doherty), 1889; *Gerydus* [*Archaeogerydus*]
 a **crysalus** (Edwards), 1873; *Thecla* [*Hypaurotis*]
 a **ctesia** (Hewitson), [1865], 1863-1878; *Camena* [*Ancema*, *Camena*]
 a **culminicola** (Staudinger), 1894; *Thecla* [*Penaincisalia*]
 b **culta** de Nicéville, [1896]; *Tajuria* [*Creusa*]
 a **cupido** (Linnaeus), 1758; *Papilio* [*Erotion*, *Helicopsis*]
 a **cyanea** (Cramer), [1775], 1775-1790; *Papilio* [*Pepliphorus*, *Peplodyta*]
 a **cyanea** (Balletto), 1993; *Nabokovia* [*Eldoradina*]
 a **cyanicornis** (Snellen), 1892; *Lycaena* [*Rhinelophas*]
 a **cyara** (Hewitson), [1876], 1852-1877; *Lycaena* [*Phlyaria*]
 a **cyara** Bethune-Baker, 1908; *Callictita* [*Callictita*]
 a **cynosema** (Hewitson), 1874; *Xynias* [*Xynias*]
 a **cyprotus** (Olliff), 1886; *Chrysophanus* [*Cyprotides*]
 a **cytis** (Christoph), 1877, 1876-1877; *Lycaena* [*Turanana*, *Turania*]
 a **damajanti** (Felder & Felder), 1860; *Abisara* [*Paralaxita*]
 a **damon** (Denis & Schiffermüller), 1775; *Papilio* [*Hirsutina*, *Agrodiaetus*]
 a **danis** (Cramer), [1775], 1775-1790; *Papilio* [*Damis*, *Danis*, *Hadothera*, *Thysonous*]
 a **darwinia** Butler, [1872], 1869-1874; *Mimacraea* [*Mimacraea*]
 c **deborah** Geyer, [1834], 1827-1838; *Eumaeus* [*Eumaea*]
 a **decipiens** (Grose-Smith & Kirby), 1892, 1887-1902; *Tenomuma* [*Leucolepis*]
 a **delicatum** (de Nicéville), 1887; *Catapoecilma* [*Acupicta*]
 a **deliciosa** (Pagenstecher), 1896; *Cupido* [*Sanctenila*]
 a **delospila** (Waterhouse), 1903; *Zizera* [*Zetona*]
 a **demonassa** (Hewitson), 1868; *Thecla* [*Mercedes*]
 a **deniva** (Hewitson), [1874], 1863-1878; *Thecla* [*Denivia*]
 a **deodata** Hewitson, 1876; *Dodona* [*Balcona*]
 a **deritas** (Hewitson), 1874; *Deudorix* [*Diopetes*]
 a **deva** (Moore), [1858]; *Amblypodia* [*Pratapa*]
 b **dharma** (Moore), [1881], 1880-1881; *Pithecopis* [*Neopithecopis*]
 a **diana** (Miller), 1912; *Lycaena* [*Neolysandra*]
 a **dicaea** (Hewitson), [1874], 1863-1878; *Thecla* [*Dicya*]
 a **dicksoni** (Gabriel), 1947; *Phasis* [*Oxychaeta*]
 a **dilectus** (Moore), 1879; *Polyommatus* [*Udara*]
 a **dinora** (Bates), 1866; *Metapheles* [*Metapheles*]
 b **dione** (Scudder), 1868; *Chrysophanus* [*Gaeides*]
 a **dionisius** (Boisduval), 1832; *Lycaena* [*Eupsychellus*]
 a **dispar** ([Haworth]), 1802; *Papilio* [*Disparia*, *Rapsidia*, *Thersamolycaena*]

- a** *dispar* (Kirby), 1887; Teriomima [Epitolina]
a *donatana* (de Nicéville), [1889]; Tajuria [Pseudotajuria]
a *donina* (Hewitson), [1865], 1863-1878; Myrina [Drina]
c *dorilis* (Hüfnagel), 1766; Papilio [Loweia, Palaeoloweia]
a *drumilla* (Moore), [1866]; Miletus [Miletographa]
b *drupadi* (Horsfield), [1828], 1828-1829; Emesis [Taxila]
a *dudgeonii* (de Nicéville), 1894; Listeria [Listeria, Pamela]
a *dumenilli* (Godart), [1824], 1819-1824; Polyommatus [Polyniphes]
a *durga* (Kollar), [1844]; Melitaea [Dodona]
c *dyndima* (Cramer), [1780], 1775-1790; Papilio [Aphacitus]
a *echlon* (Linnaeus), 1767; Papilio [Tmolus]
a *ecotrochilus* Bethune-Baker, 1924; Eicochrysops [Eicochrysops]
a *elais* Westwood, [1851], 1846-1852; Phytala [Phytala]
d *electron* (Fabricius), 1793, 1792-1799, (JOS); Hesperia [Lymnas]
a *elegans* (H. Druce), 1873; Hypochrysops [Catapaecilma]
c *ellon* Westwood, [1851], 1846-1852; Epitola [Epitola]
a *ellida* (Hewitson), [1867], 1863-1878; Thecla [Tigrinota]
a *elongata* (Hewitson), 1870, 1869-1877; Thecla [Variegata]
a *eltus* Eliot, 1986; Lontalius [Lontalius]
a *elvira* Johnson, 1992; Galba [Galba]
a *emendatus* (H. H. Druce), 1907; Thecla [Caerofethra]
a *emesoides* Felder & Felder, 1860; Zemerus [Barisana]
a *emigdonis* (Grinnell), 1905; Lycaena [Plebulina]
a *endymiaena* (Hübner), [1819], 1816-1826; Hexuropterus [Hexuropterus]
a *endymion* (Fabricius), 1775; Papilio [Electrostrymon]
d *endymion* (Fabricius), 1781, 1781-1782, (H); Papilio [Evenus]
a *enoptes* (Boisduval), 1852; Lycaena [Euphilotes]
a *enthea* (Janson), 1877; Thecla [Araragi]
a *eone* (Felder & Felder), 1860; Thecla [Pseudodipsas]
a *epargyros* (Eversmann), 1854; Polyommatus [Apharitus]
a *epeus* (Westwood), [1851], 1846-1852; Geridus [Spalgis]
a *epicles* (Godart), [1824], 1819-1824; Polyommatus [Ilerda]
a *epijarbas* (Moore), [1858]; Dipsas [Deudorix]
a *epixanthe* (Boisduval & Le Conte), [1835], 1829-1837; Polymnatus [Epidemia]
a *epulus* (Cramer), [1775], 1775-1790; Papilio [Audre, Lemonias]
a *erebia* Bates, [1868]; Pachythone [Pachythone]
c *eremicola* (Röber), 1891; Plebeius [Theclinesthes]
a *erinus* (Fabricius), 1775; Papilio [Erina, Holochila]
a *erythromelas* (Sepp), [1848], 1828-1855; Papilio [Cariomothis]
a *esmeralda* Butler, [1886]; Chloroselas [Chloroselas]
a *esthema* Felder & Felder, 1862; Brachyglenis [Brachyglenis, Tmetoglene]
a *ethion* (Westwood), [1851], 1846-1852; Lycaena [Discolampa, Ethion]
d *etolus* (Fabricius), 1787, (H); Papilio [Hypolycaena (Zeltus)]
a *eucharila* (Bates), 1867; Cremla [Napaea]
a *eumedon* (Esper), [1780], 1776-1830; Papilio [Eumedonia]
a *eumenia* Hewitson, [1865], 1863-1878; Theorema [Theorema]
a *eurlisus* (Cramer), [1779], 1775-1790; Papilio [Iolaus]
a *evagoras* (Donovan), 1805; Papilio [Austromyrina]
d *evagoras* (Hübner), [1818], 1808-1837, (H); Jalmenus [Jalmenus]
a *exilis* (Boisduval), 1852; Lycaena [Brepheidium]
a *eximia* (Fixsen), 1887; Thecla [Felderia, Thecliolia]
a *extensa* Johnson, 1991; Furcocalva [Furcocalva]
b *extranea* (Walker), 1854, 1854-1856; Erchia [Erchia, Pseuderchia]
a *fabius* (Distant & Pryer), 1887; Paragerydus [Fabitarsus]
a *faga* (Dognin), 1895; Thecla [Nabokovia, Pseudothecla]
a *fallacandor* Johnson, 1992; Candora [Candora]
a *fallax* Felder & Felder, 1865, 1865-1875; Alloünus [Alloünus]
a *fatima* (Cramer), [1780], 1775-1790; Papilio [Nelone]
a *faunus* (Drury), [1773], 1770-1782; Papilio [Oxyliides]
a *favonius* (Smith), 1797; Papilio [Euristrymon]
a *felicis* (Oberthür), 1886; Lycaena [Patricius]
a *ferrea* (Butler), 1866; Lycaena [Ahlbergia, Ginzia, Satsuma]
a *filipjevi* (Rüley), 1934; Lycaenopsis [Maslowskia]
a *fischeri* (Eversmann), 1843; Lycaena [Tongeia]
c *flamen* (Leech), 1887; Dipsas [Bergmania]
a *flava* Bethune-Baker, 1913; Turnerepedes [Turnerepedes]
a *floralis* Felder & Felder, 1865, 1865-1875; Ithomiola [Ithomiola]
a *formosus* (Cramer), [1777], 1775-1790; Papilio [Anteros]
a *fornol* Johnson, 1991; Cyanodivida [Cyanodivida]
a *fujisanus* (Matsumura), 1910; Zephyrus [Sibatanozephyrus]
c *fulgens* Distant, 1886; Simiskina [Simiskina]
a *fuliginosa* (Edwards), 1861; Lycaena [Satyrium]
a *fumosus* (Balletto), 1993; Ityloides [Ityloides]
a *fylla* (Westwood), [1851], 1846-1852; Taxila [Sospita]
a *gabbroensis* Rebel, 1898; Lycaenites [Lycaenites]
c *galka* (Trimen), 1862; Lycaena [Zizula]
a *galba* (Lederer), 1855; Lycaena [Lachides]
a *galena* (Bates), [1868]; Lemonias [Thyranota]
a *ganesa* (Moore), [1858]; Amblypodia [Panchala]
a *ganymedes* (Cramer), [1775], 1775-1790; Papilio [Eucharia]
c *gaura* (Moore), 1884; Parapithecopis [Parapithecopis]
d *gelaena* Hübner, [1819], 1816-1826, (JOS); Euselasia [Euselasia]
a *genius* Geyer, [1832], 1832-1837; Lamprospilus [Lamprospilus]
a *gentilii* Johnson, 1992; Solanorum [Solanorum]
a *gerda* (Kirby), 1890; Durbana [Toxochitona]
a *giganteus* (Distant), 1881; Iolaus [Purlisa]
a *glandon* (Prunner), 1798; Papilio [Agniades, Latorina]
a *glaucias* (Lederer), 1872; Lycaena [Paragrodiaetus]
a *glaucoma* Geyer, [1837], 1832-1837; Periplacis [Periplacis]
b *glaucoxia* Hewitson, 1870, 1869-1877; Imelda [Imelda]
a *gnidus* (Fabricius), 1787; Papilio [Helicopsis [Illiger], Rusticus]
c *gnosis* (Boisduval), 1836; Nymula [Nymula]
a *goodsoni* (Clench), 1946; Thecla [Plesiocyanophrys]
a *grata* (Köhler), 1934; Itylos [Cherchiella]
a *grunus* (Boisduval), 1852; Thecla [Habrodais]
a *halesus* (Cramer), [1777], 1775-1790; Papilio [Atlides]
a *hallmede* (Hübner), [1807], 1806-1838; Limnas [Eurybia]
a *hamada* (H. Druce), 1875; Miletus [Taraka]
a *heathi* (Cox), 1873; Lycaena [Microscena]
a *helena* (Röber), 1887; Keraunogramma [Keraunogramma]
a *heliconides* (Swainson), [1833], 1829-1833; Zeonia [Ethelida, Zeonia]
a *heliconides* Herrich-Schäffer, [1853], 1850-1869; Pheles [Pheles]
a *helioides* Felder & Felder, 1865, 1865-1875; Xenandra [Xenandra]
a *hellus* (Cramer), [1779], 1775-1790; Papilio [Andara]
a *helle* ([Denis & Schiffmüller]), 1775; Papilio [Hellecia]
a *heodes* (H. H. Druce), 1909; Thecla [Heoda]
a *hermes* (Edwards), 1870; Chrysophanus [Hermelycaena]
a *herzi* (Fixsen), 1887; Thecla [Fixsenia]
a *hewitsoni* Moore, [1866]; Poritia [Poritia]
b *hiemalis* (Godman & Salvin), 1878; Myrina [Neomyrina]
a *hintza* (Trimen), 1864; Lycaena [Zintha]
a *hippotoe* (Linnaeus), 1761; Papilio [Palaeochrysophanus]
c *hisbaena* Hübner, [1819], 1816-1826; Baeotis [Baeotis]
a *honorius* (Fabricius), 1793, 1792-1799; Papilio [Aethiopana]
a *horsfieldi* (Moore), [1858]; Miletus [Paragerydus]
a *hutchinsonii* Trimen, 1887, 1887-1889; Aphnaeus [Paraphnaeus]
a *hyalina* (Butler), [1867]; Tharops [Uraneis]
a *hyccara* (Hewitson), 1868; Thecla [Sipaea]
a *hyettoides* (Aunvillius), 1895; Epitola [Hypophytala]
a *hypochalybe* (Felder & Felder), 1861; Amaranthus [Exoplistia]
a *hypoleuca* (Hewitson), [1865], 1863-1878; Myrina [Manto]
a *hypomuta* (Hewitson), 1862; Amblypodia [Narathura]
d *hyrcana* (Lederer), 1869, (H); Lycaena [Farsia]
a *iarbus* (Fabricius), 1787; Papilio [Nadisepa]
a *icana* (Moore), [1875]; Dipsas [Esakiozephyrus]
a *icarioides* (Boisduval), 1852; Lycaena [Icaricia]
a *icarus* (Rottemburg), 1775; Papilio [Polyommatus]
a *ictericum* (Godman & Salvin), 1878; Nymphidium [Calociasma]
a *ictinus* (Hewitson), [1865], 1863-1878; Jalmenus [Protjalmenus]
a *idamis* (Fruhstorfer), [1917]; Lycaenopsis [Sidima]
a *ldotea* (Westwood), [1851], 1846-1852; Mesosemia [Mesosphthalma]
a *ignobilis* Johnson, 1992; Ignata [Ignata]
a *illias* (C. Felder), 1860; Thecla [Philiris]
a *iljal* (Hayashi & Schröder & Treadaway), 1984; Matsutaroa [Matsutaroa]
a *illurgis* (Hewitson), [1869], 1863-1878; Iolaus [Cophanta]

- a *lima* Hewitson, [1873], 1852-1877; *Liptena* [Tetrarhanis]
 a *immaculata* Trimen, 1868; *Deloneura* [Deloneura]
 a *imperialis* (Cramer), [1775], 1775-1790; *Papilio* [Arcas]
 a *inconspicua* (Draudt), [1921], 1917-1924; *Itylos* [Paralycæides]
 a *incredibilis* (Staudinger), 1891; *Iris* [Iridana, Iridopsis, Iris]
 a *infernalis* Staudinger, 1876; *Styx* [Styx]
 a *inops* (Felder & Felder), 1860; *Lycaena* [Epimastidia]
 a *inores* (Hewitson), 1872; *Iolaus* [Sukidion]
 a *inornata* (Felder & Felder), 1860; *Amblypodia* [Iois]
 a *iolas* (Ochsenheimer), 1816, 1807-1835; *Lycaena* [Iolana]
 a *irene* (Westwood), [1851], 1846-1852; *Lemonias* [Calliona]
 a *irroratum* (Godman), 1903; *Cricosoma* [Comphotis]
 a *isabellae* Dudgeon, 1909; *Teratoneura* [Teratoneura]
 a *isca* (Hewitson), [1873], 1852-1877; *Liptena* [Eresiomera]
 a *isola* (Reakirt), [1867], 1866-1867; *Lycaena* [Echinargus]
 a *jacksoni* Stempffer, 1964; *Pseudoneaveia* [Pseudoneaveia]
 a *jada* (Hewitson), [1867], 1863-1878; *Thecla* [Dolymorpha]
 b *jafra* (Godart), [1824], 1819-1824; *Myrina* [Cheritra]
 a *jalindra* (Horsfield), [1829], 1828-1829; *Amblypodia* [Rachana]
 a *jangala* (Horsfield), [1829], 1828-1829; *Amblypodia* [Remelana]
 a *janias* (Cramer), [1779], 1775-1790; *Papilio* [Chalybs]
 a *janthina* (Hewitson), [1867], 1863-1878; *Thecla* [Janthecla]
 d *jarbas* (Drury), 1782, 1770-1782, (H); *Papilio* [Panara]
 a *jasoda* (de Nicéville), [1889]; *Zarona* [Zarona]
 b *javanica* Toxopeus, 1929; *Ionolyce* [Ionolyce]
 a *jobates* (Hopffer), 1855; *Lycaena* [Cupidopsis]
 a *johnstoni* (Dannatt), 1904; *Monetha* [Colaciucus]
 a *jonasi* (Janson), 1877; *Thecla* [Shirozua]
 b *julia* (Saunders), [1850]; *Erycina* [Melibaea]
 a *kallimoides* (Schultze), 1912; *Aslauga* [Paraslauga]
 a *karsandra* (Moore), 1865; *Polyommatus* [Zizeena]
 c *katangana* (Romieux), 1937; *Euliphyrodes* [Euliphyrodes]
 a *kausambi* Felder & Felder, 1860; *Abisara* [Abisara]
 a *kirbyi* (Aurivillius), 1895; *Pentila* [Ornipholidotos]
 a *koehleri* Ajmat de Toledo, 1978; *Eiseliana* [Eiseliana]
 c *kumukuleensis* Huang & Murayama, 1988; *Xinjiangia* [Xinjiangia]
 a *labdacus* (Stoll), [1780], 1780-1790; *Papilio* [Erythia]
 a *labradus* (Godart), [1824], 1819-1824; *Polyommatus* [Zizina]
 a *laeta* (Edwards), 1862; *Thecla* [Erora]
 a *lajus* (Stoll), [1780], 1780-1790; *Papilio* [Chilades]
 a *lamborni* H. H. Druce, 1910; *Neaveia* [Neaveia]
 d *lamis* (Stoll), [1780], 1780-1790, (H); *Papilio* [Juditha]
 c *lamprolenis* (Röber), 1903; *Esthemopheles* [Esthemopheles]
 b *laonome* (Morisse), [1838]; *Diorhina* [Diorhina]
 a *lapithis* (Moore), [1858]; *Myrina* [Araotes]
 a *lara* (Linnaeus), 1764; *Papilio* [Gonatomyrina]
 a *larsoni* Johnson, 1991; *Serratoterga* [Serratoterga]
 a *larydas* (Cramer), [1780], 1775-1790; *Papilio* [Anthene]
 a *latreillii* (Hewitson), [1865], 1863-1878; *Thecla* [Cryptaenota]
 a *lausus* (Cramer), [1779], 1775-1790; *Papilio* [Thereus]
 b *lebena* (Hewitson), 1868; *Thecla* [Theclopsis]
 a *lebona* (Hewitson), [1865], 1863-1878; *Hypolycaena* [Tatura]
 a *leda* (Edwards), 1882; *Thecla* [Ministrymon]
 a *ledereri* (Boisduval), 1848; *Lycaena* [Argus, Armenia, Bakeraia]
 a *leechi* (Forster), 1940; *Glaucopsyche* [Sinia]
 a *leopardinum* (Felder & Felder), 1865, 1865-1875; *Cricosoma* [Cricosoma]
 a *leroma* (Wallengren), 1857; *Amblypodia* [Crudaria]
 a *leucarpis* (Stichel), 1925; *Nymphidium* [Mycastor]
 a *leucophaeus* (Hübner), [1818], 1808-1837; *Bithys* [Bithys]
 a *leucoplaga* Schaus, 1913; *Corrachia* [Corrachia]
 a *leucosia* (Hübner), [1806], 1806-1838; *Limnas* [Limnas, Heliochlaena, Nymphidium] [Illiger]
 a *libentina* (Hewitson), [1866], 1852-1877; *Liptena* [Mimeresia]
 a *libyssa* (Hewitson), [1866], 1852-1877; *Liptena* [Falcuna]
 c *licinius* H. H. Druce, 1896; *Mantoides* [Mantoides]
 c *liger* (Cramer), [1780], 1775-1790; *Papilio* [Dapidodigma]
 a *limbaria* (Swainson), [1833], 1829-1833; *Polyommatus* [Lucia]
 a *lineata* (Murray), 1874; *Lycaena* [Erysicthon]
 a *lingeus* (Stoll), [1782], 1780-1790; *Papilio* [Cacyreus, Hyreus]
 c *linus* (Sulzer), 1776, (Myth); *Papilio* [Arawacus]
 a *llisias* (Cramer), [1777], 1775-1790; *Papilio* [Marmessus]
 a *llisides* (Hewitson), [1863], 1863-1878; *Myrina* [Suasa]
 a *livens* Distant, Mar 1886; *Deramas* [Deramas]
 a *loewii* (Zeller), 1847; *Lycaena* [Plebejidea]
 b *longinus* (Fabricius), 1798, 1792-1799; *Hesperia* [Tajuria]
 a *loxurina* (Felder & Felder), 1865, 1865-1875; *Thecla* [Thecloxurina]
 a *lucifer* (Röber), [1886]; *Plebeius* [Papua]
 a *lucina* (Linnaeus), 1758; *Papilio* [Hamearis, Nemeobius]
 a *lucinda* (Cramer), [1775], 1775-1790; *Papilio* [Nimula]
 a *lucretillus* (Hewitson), 1874; *Lycaenesthes* [Triclema]
 a *lunulata* (Erschoff), 1874; *Thecla* [Erschoffia, Pseudothecla]
 a *lusones* (Hewitson), 1874; *Lycaenesthes* [Neurellipes]
 c *lycaenoides* Butler, 1871; *Larinopoda* [Larinopoda]
 a *lycegenes* (Trimen), 1874; *Zeritis* [Poecilmitis]
 a *lygdamus* (Doubleday), 1841; *Polyommatus* [Glaucopsyche]
 a *lysippus* (Linnaeus), 1758; *Papilio* [Erycina, Riodina]
 a *lyzanius* (Hewitson), 1874; *Lycaenesthes* [Neurypexina]
 c *mabildi* Röber, 1903; *Ematurgina* [Ematurgina]
 b *maecenas* (Fabricius), 1793, 1792-1799; *Hesperia* [Iraota]
 a *magnifica* Johnson, 1992; *Pons* [Pons]
 a *maha* (Kollar), [1844]; *Lycaena* [Pseudozizeeria]
 a *malagrida* (Wallengren), 1857; *Cigariis* [Argyrocupha]
 a *malayica* Distant, 1884, 1882-1886; *Logania* [Logania]
 a *m-album* (Boisduval & Le Conte), [1833], 1829-1837; *Thecla* [Eupsyche]
 a *mandarinus* (Hewitson), [1863], 1863-1878; *Myrina* [Charana]
 a *marathon* (Felder & Felder), 1865, 1865-1875; *Oreas* [Oreas, Rusalkia]
 a *marcusa* Johnson & Eisele & MacPherson, 1993; *Necmitoura* [Necmitoura]
 a *margaretta* (White), 1843; *Agathina* [Agathina]
 a *margelanica* (Staudinger), 1881; *Polyommatus* [Phoenicurusia]
 a *marginalis* Kirby, 1887; *Citrinophila* [Citrinophila]
 a *maria* Johnson & MacPherson & Ingraham, 1986; *Noreena* [Noreena]
 a *marsyas* (Linnaeus), 1758; *Papilio* [Pseudolycaena]
 a *martia* Westwood, [1851], 1846-1852; *Cyrenia* [Cyrenia]
 b *martina* (Hewitson), [1869], 1863-1878; *Myrina* [Pseudomyrina]
 c *masilikazi* Wallengren, 1857; *Spindasis* [Spindasis]
 a *massyla* (Hewitson), [1869], 1863-1878; *Myrina* [Mota]
 a *matanga* (Chapman), 1911; *Lycaenopsis* [Chelakina]
 a *mathewi* (Hewitson), 1874; *Thecla* [Rubroserrata]
 a *mavors* Hübner, [1818], 1808-1837; *Theritis* [Theritis]
 a *mazoensis* Trimen, 1898; *Desmolycaena* [Desmolycaena]
 a *mcfarlandi* (Ehrlich & Clench), 1960; *Callophrys* [Sandia]
 a *meeki* (Rohschild & Jordan), 1905; *Stilbon* [Stilbon]
 a *meeki* (Bethune-Baker), 1906; *Candalides* [Perivaga]
 a *melaena* (Trimen), 1887, 1887-1889; *Lycaena* [Tuxentius]
 a *melaena* (Doherty), 1889; *Cyaniris* [Callenya]
 d *melampus* (Stoll), [1783], 1780-1790, (H); *Papilio* [Baspa]
 a *melanchroia* Felder & Felder, 1865, 1865-1875; *Lepicomis* [Lepicomis]
 a *melander* (Stoll), [1780], 1780-1790; *Papilio* [Melanis]
 a *melanomitra* Karsch, 1895; *Symoptera* [Symoptera]
 a *melanops* (Boisduval), [1828]; *Polyommatus* [Apelles]
 b *meleager* (Esper), [1778], 1776-1830; *Papilio* [Meleagena]
 a *melinus* Hübner, [1818], 1808-1837; *Strymon* [Callipareus, Strymon, Uranotes]
 a *menander* (Stoll), [1780], 1780-1790; *Papilio* [Menander]
 a *menas* H. H. Druce, 1890; *Iolaus* [Iolaphilus]
 a *meneria* (Cramer), [1776], 1775-1790; *Papilio* [Amarynthus]
 a *mera* (Hewitson), 1873; *Hypolycaena* [Hypokopelates]
 a *meris* (Stoll), [1781], 1780-1790; *Papilio* [Lasia, Talites]
 a *mermeros* (Mabille), 1878; *Hypolycaena* [Trichiolaus]
 a *meton* (Cramer), [1779], 1775-1790; *Papilio* [Rekoa]
 a *mexicana* Johnson, 1989; *Contrafacia* [Contrafacia]
 a *miadora* Dyar, 1916; *Ipidecla* [Ipidecla]
 a *michaelis* (Oberthür), 1880; *Thecla* [Ussuriana]
 a *milionia* (Hewitson), [1869], 1863-1878; *Myrina* [Euspa]
 c *militaris* (Hopffer), 1874; *Lasia* [Hopfferia]
 a *mimeta* Karsch, 1895; *Actis* [Actis]
 b *miniata* Moore, [1879]; *Thamala* [Thamala]
 a *minijas* (Hübner), [1809], 1806-1838; *Rusticus* [Eumaeus]

- a** *minimus* (Füssly), 1775; *Papilio* [Cupido]
a *mioae* Hayashi, 1978; *Eliotia* [Eliotia]
a *miraculum* (H. H. Druce & Bethune-Baker), 1893; *Thysonotis* [Waigeum]
a *mirifica* Holland, 1890; *Euliphyra* [Euliphyra]
a *moecki* Johnson, 1992; *Cisincisalia* [Cisincisalia]
a *molione* (Godman), 1903; *Monethe* [Paraphthonia]
a *monstrabilia* Johnson, 1992; *Novosatusma* [Novosatusma]
a *moorei* (Leech), 1889; *Lycaena* [Shijimia]
b *mopsus* (Hübner), [1818], 1808-1837; *Chrysophanus* [Chrysophanus, Harkenlenus]
a *mormo* (Felder & Felder), 1859; *Lemonias* [Apodemia]
c *mormonia* (Boisduval), 1869, 1868-1869; *Chrysobia* [Chrysobia]
a *mosconlensis* Johnson, 1988; *Tergissima* [Tergissima]
a *moza* (Staudinger), 1894; *Cupido* [Madeleinea, Nivalis]
a *multicaudata* Moore, [1879]; *Thaduka* [Thaduka]
a *muridosca* (Dyar), 1918; *Thecla* [Androcona]
a *myrmecophila* (Waterhouse & Lyell), 1913; *Pseudodipsas* [Acrodipsas]
c *myrsilus* (Westwood), [1851], 1846-1852; *Ialmenus* [Pseudalmenus]
a *myrtale* (Klug), 1834, 1829-1845; *Lycaena* [Nordmannia]
a *myrtis* (Westwood), [1851], 1846-1852; *Ariconis* [Arotos, Setabis]
a *nagata* Koiwaya, 1989; *Subsolanoides* [Subsolanoides]
a *nais* (Edwards), 1877; *Chrysophanus* [Polystigma]
a *nana* (Leech), [1893], 1893-1894; *Timelaea* [Takashia]
a *narada* (Horsfield), [1828], 1828-1829; *Thecla* [Amblypodia, Horsfieldia]
a *narbal* (Stoll), [1790], 1780-1790; *Papilio* [Olythus]
a *nasaka* (Horsfield), [1829], 1828-1829; *Thecla* [Sinthusia]
a *nautes* (Cramer), [1779], 1775-1790; *Papilio* [Mithras]
a *neavel* H. H. Druce, 1912; *Sheffieldia* [Sheffieldia]
a *nedymond* (Stoll), [1780], 1780-1790; *Papilio* [Sithon]
a *nerlene* Boisduval, 1836; *Zeritis* [Zeritis]
a *nicaeus* (Fabricius), 1775; *Papilio* [Eurybia Hoffmanssegg, Eurybia Hübner"]
a *nicia* Hübner, [1819], 1816-1826; *Hyphilaria* [Hyphilaria]
a *niclas* (Meigen), 1829, 1827-1832; *Polyommatus* [Pseudoaricia]
a *nigropunctata* (Bethune-Baker), 1908; *Mambara* [Mambara, Pistoria]
a *niobe* (Trimen), 1862; *Lycaena* [Orachrysops]
a *niphon* (Hübner), [1819], 1816-1826; *Lycus* [Incisalia]
b *nisibis* (de Nicéville), 1895; *Neocheritra* [Thrix]
a *nissa* (Kollar), [1844]; *Thecla* [Bidaspia]
a *niveus* (Nire), 1920; *Zephyrus* [Ravenna]
a *noctula* Westwood, [1851], 1846-1852; *Hades* [Hades]
a *nomenia* (Hewitson), 1874; *Myrina* [Hypomyrina]
a *notacastanea* Johnson, 1988; *Femniterra* [Femniterra]
c *nycha* (Hübner), [1823], 1808-1837; *Psalidoptens* [Psalidopterus]
a *nycteis* Westwood, [1851], 1846-1852; *Parnes* [Parnes]
a *nympha* Durden & Rose, 1978; *Riodinella* [Riodinella]
a *nymphidia* Butler, 1876; *Süboges* [Süboges]
b *nymphidioides* (Butler), 1872; *Pandemos* [Acystipoda]
a *nyseus* (Guérin-Ménéville), [1843]; *Polyommatus* [Talicada]
c *nyx* (Hübner), [1817], 1806-1838; *Limnas* [Symmatia]
c *ocellifera* (Grote), 1873; *Callicista* [Callicista]
a *ochrascens* (Neave), 1904; *Poultonia* [Ebepius, Poultonia]
a *ocrisia* (Hewitson), 1868; *Thecla* [Ocaria]
a *odata* (Hewitson), [1865], 1863-1878; *Dipsas* [Chaetoprocta]
a *ogasawaraensis* (Pryer), 1886, 1886-1888; *Lycaena* [Cyaninodes]
a *ogyges* (de Nicéville), 1895; *Ops* [Ops]
a *onycha* (Hewitson), [1865], 1863-1878; *Utica* [Utica]
a *onyx* (Moore), [1858]; *Thecla* [Horaga]
a *opisena* (H. H. Druce), 1912; *Thecla* [Sarracena]
a *optilete* (Knoch), 1781, 1781-1783; *Papilio* [Vacciniina]
a *orcas* (Drury), 1782, 1770-1782; *Papilio* [Aphnaemorphia, Aphnaeus]
a *orcynia* (Hewitson), 1868; *Thecla* [Orcya]
a *oreas* (Trimen), 1891; *Zeritis* [Chrysonitis]
a *orientalis* (Murray), 1874; *Dipsas* [Favonius]
a *orion* (Pallas), 1771; *Papilio* [Scolitantides]
a *ornata* (Mabille), 1890; *Lycaena* [Athysanota]
a *orphana* Stichel, 1911; *Dinoplotis* [Dinoplotis]
a *orsedice* (Butler), [1882]; *Thecla* [Iratsume]
a *ortygnus* (Cramer), [1779], 1775-1790; *Papilio* [Oenomaus]
a *othona* Hewitson, [1865], 1863-1878; *Hypolycaena* [Chliaria]
a *ouranus* (Stoll), [1780], 1780-1790; *Papilio* [Notheme]
a *ovidius* (Fabricius), 1793, 1792-1799; *Hesperia* [Emesis, Tapina]
a *owgarra* Bethune-Baker, 1906; *Paraduba* [Paraduba]
a *oxida* (Hewitson), 1870, 1869-1877; *Thecla* [Rhamma]
a *pacifica* (Dubatolov & Korshunov), 1984; *Ravenna* [Goldia]
a *pals* (Hübner), [1820], 1806-1838; *Helicopsis* [Themone]
a *pallene* (Wallengren), 1857; *Myrina* [Aphniolaus]
a *pallida* (Trimen), 1898; *Durbania* [Cnodontes]
a *pandava* (Horsfield), [1829], 1828-1829; *Lycaena* [Edales]
c *pandu* (Horsfield), [1828], 1828-1829; *Symetha* [Symetha]
a *panornata* Johnson, 1991; *Kroenleina* [Kroenleina]
c *paradoxa* (Felder & Felder), 1861; *Moritzia* [Moritzia]
a *paraganesa* (de Nicéville), 1882; *Amblypodia* [Acesina]
a *parasilanus* (Rebel), 1914; *Jolais* [Philiolaus]
a *parrhasius* (Fabricius), 1793, 1792-1799; *Hesperia* [Binghamia]
a *parsimon* (Fabricius), 1775; *Papilio* [Lepidochrysops, Neochrysops]
c *parvinotus* Kaye, 1904; *Siderus* [Siderus]
a *pasiphae* (Cramer), [1775], 1775-1790; *Papilio* [Agnostogyna]
a *pediada* (Hewitson), 1877; *Poritia* [Massaga]
b *pellion* (Cramer), [1775], 1775-1790; *Papilio* [Panthiades]
a *pellecebra* (Fruhstorfer), 1910; *Cyaniris* [Cebrella]
a *pelopia* (H. Druce), 1890; *Castnia* [Uestiudia, Westwoodia]
a *penicilligera* (de Nicéville), 1890; *Armenohrix* [Armenohrix]
a *pergaea* (Geyer), [1832], 1832-1837; *Gonopteris* [Gonopteris]
c *pericopidis* (Dyar), 1914; *Otaacustesis* [Otaacustesis]
a *perimuta* (Moore), [1858]; *Amblypodia* [Darasana]
b *perion* (Stoll), [1782], 1780-1790; *Papilio* [Axiocersesharpax]
a *perpheres* (H. H. Druce & Bethune-Baker), 1893; *Thysonotis* [Perpheres]
a *perse* Hewitson, [1863], 1863-1878; *Deudorix* [Virachola]
c *petalus* (Cramer), [1779], 1775-1790; *Papilio* [Thestor]
b *petosiris* (Hewitson), [1863], 1863-1878; *Deudorix* [Vadebra]
c *phaedrus* (Fabricius), 1781, 1781-1782; *Papilio* [Anops]
a *phaedusa* Hübner, [1818], 1808-1837; *Stalactis* [Stalactis]
a *phakos* H. H. Druce, 1895; *Poriskina* [Poriskina]
a *phalanthus* (Stoll), [1780], 1780-1790; *Papilio* [Molus]
a *phaleros* (Linnaeus), 1767; *Papilio* [Cycnus]
a *phareus* (Cramer), [1777], 1775-1790; *Papilio* [Emesis, Mesene]
a *phasma* Bates, [1868]; *Zelotaea* [Zelotaea]
a *phedica* (Boisduval), 1836; *Eurygona* [Eurygona]
a *phelina* (Felder & Felder), 1862; *Mesosemia* [Teratophthalma]
c *pheretes* (Hoffmanssegg), 1804; *Papilio* [Polyommatus (Albulina)]
a *pheretima* Felder & Felder, 1865, 1865-1875; *Crocozona* [Crocozona]
a *phidias* (Fabricius), 1793, 1792-1799; *Hesperia* [Leptomynna]
a *philemon* (Cramer), [1775], 1775-1790; *Papilio* [Leucochimuna]
d *philoclessa* Hübner, [1819], 1816-1826, (JOS); *Mesosemia* [Mesosemia]
a *phlaeas* (Linnaeus), 1761; *Papilio* [Lycaena, Lycia, Mugonius, Rumicia]
a *phocides* (Fabricius), 1793, 1792-1799; *Hesperia* [Bundahara]
a *pholeus* (Cramer), [1777], 1775-1790; *Papilio* [Thestus]
a *phosphor* (Trimen), 1864; *Zeritis* [Bowkenia]
b *phryxus* Boisduval, 1832; *Arhopala* [Arhopala]
b *pichanalensis* Müller & Müller, 1972; *Eiseleia* [Eiseleia]
a *pietus* (Cramer), [1779], 1775-1790; *Papilio* [Alocides]
a *pisis* (Godman & Salvin), [1887], 1879-1901; *Thecla* [Klaufera]
a *pixe* (Boisduval), 1836; *Limnas* [Limnas]
a *platyptera* (Felder & Felder), 1865, 1865-1875; *Pseudolycaena* [Micandra]
c *pluricauda* (Ungemach), 1932; *Monile* [Monile]
a *plurilimbata* Karsch, 1895; *Thermoniphas* [Thermoniphes]
a *plusios* (Godman & Salvin), [1887], 1879-1901; *Thecla* [Pendantus]
c *poetas* (Hübner), [1811], 1806-1838; *Rusticus* [Calycoopsis]
a *polibetes* (Stoll), [1781], 1780-1790; *Papilio* [Parrhasius]

- a **polycletus** (Linnaeus), 1758; *Papilio* [*Hypochrysois*]
 a **pontis** (Elwes), 1887; *Chilades* [*Orthomiella*]
 a **portia** (Bates), [1868]; *Dymathia* [*Dysmathia*]
 a **poultoni** (Riley), 1928; *Pseudiolaus* [*Pseudiolaus*]
 a **praeclarus** Talbot, 1928; *Joiceya* [*Joiceya*]
 a **prema** (Godart), [1824], 1819-1824; *Erycina* [*Alesa*]
 a **prestoni** Johnson & Eisele & MacPherson, 1993; *Anteprhys* [*Anteprhys*]
 a **pretus** (Cramer), [1777], 1775-1790; *Papilio* [*Pretus*]
 a **princeps** (Oberthür), 1886; *Emesis* [*Hyporion*]
 c **probetrix** Hübner, [1819], 1816-1826; *Symmachia* [*Symmachia*]
 b **prominens** (Moore), 1877; *Lampides* [*Nacaduba*]
 a **protumnus** (Linnaeus), 1764; *Papilio* [*Arrugia*]
 a **pryeri** (Murray), 1873; *Lycaena* [*Artopoetes*]
 a **psylorita** (Freyer), 1845, 1831-1858; *Lycaena* [*Kretania*]
 a **ptolomaeus** (Fabricius), 1793, 1792-1799; *Hesperia* [*Metacharis*]
 a **pulchra** (Guérin-Ménéville), [1830], 1830-1838; *Argynnis* [*Dicallaneura*]
 a **puppius** (Godman & Salvin), [1887], 1879-1901; *Thecla* [*Reversustus*]
 a **puspa** (Horsfield), [1828], 1828-1829; *Polyommatus* [*Acytolepis*]
 a **pylaon** (Fischer von Waldheim), 1832; *Lycaena* [*Plebejides*]
 d **pyretic** Hübner, [1819], 1816-1826, (JOS); *Ancylurus* [*Ancylurus*]
 a **pyrodiscus** (Rosenstock), 1885; *Lucia* [*Paralucia*]
 a **pyrrhias** (Godman & Salvin), [1887], 1879-1901; *Chrysophanus* [*Iophanus*]
 a **quadriplaga** (Snellen), 1892; *Lycaena* [*Oreolyce*]
 b **quercetorum** (Moore), [1858]; *Amblypodia* [*Surendra*]
 a **quercus** (Linnaeus), 1758; *Papilio* [*Quercusia*]
 a **radiata** Godman & Salvin, [1886], 1879-1901; *Esthemopsis* [*Voltinia*]
 a **raphaelis** (Oberthür), 1880; *Thecla* [*Coreana*]
 a **ravindra** (Horsfield), [1828], 1828-1829; *Thecla* [*Drupadia*]
 a **regalis** (Cramer), [1775], 1775-1790; *Papilio* [*Endymion*]
 c **regia** (Boisduval), 1869, 1868-1869; *Lycaena* [*Philotes*]
 a **reginaldi** Heron, 1909; *Harpedyreus* [*Harpedyreus*]
 c **rhetus** (Cramer), [1775], 1775-1790; *Papilio* [*Rhetus*]
 a **rhythmus** (Eversmann), 1832; *Lycaena* [*Rhymnaria*]
 a **roboris** (Esper), [1789], 1776-1830; *Papilio* [*Laeosopis*]
 b **robusta** (Felder & Felder), 1865, 1865-1875; *Sterosis* [*Sterosis*]
 a **robusta** Aurivillius, 1895; *Cupidesthes* [*Cupidesthes*]
 a **rosimon** (Fabricius), 1775; *Papilio* [*Castalius*]
 a **rothschildi** Seitz, [1917], 1910-1924; *Mimocastnia* [*Mimocastnia*]
 a **roxus** (Godart), [1824], 1819-1824; *Polyommatus* [*Pycnophallium*]
 a **rubi** (Linnaeus), 1758; *Papilio* [*Callophrys*, *Lycus*]
 a **rubidus** (Behr), 1866; *Chrysophanus* [*Chalceria*]
 a **saepestriata** (Hewitson), [1865], 1863-1878; *Dipsas* [*Japonica*]
 a **saga** (Trimen), 1883; *Durbania* [*Durbanioopsis*]
 c **salmonius** (Stoll), [1781], 1780-1790; *Papilio* [*Phasis*]
 c **salome** (Cramer), [1775], 1775-1790; *Papilio* [*Eurybia* Latreille, *Eurybia* Oken]
 a **sanarita** (Schaus), 1902; *Eucora* [*Eucora*, *Eucorna*]
 a **sardonyx** (Trimen), 1868; *Zenüs* [*Tylopaedia*]
 a **sarthus** (Staudinger), 1886, 1886-1889; *Polyommatus* [*Sarthusia*]
 a **sassanides** (Kollar), [1849]; *Thecla* [*Kollaria*, *Superflua*]
 a **satyroides** (Hewitson), [1865], 1863-1878; *Thecla* [*Macusia*]
 a **satyrus** Westwood, [1851], 1846-1852; *Eunogyra* [*Eunogyra*]
 a **scalpera** Johnson, 1991; *Morphissima* [*Morphissima*]
 a **schaeffera** (Eschscholtz), 1821; *Lycaena* [*Nothodanis*]
 a **scintilla** (Mabille), 1877; *Lycaena* [*Rysops*]
 a **scintillata** (Lucas), 1889; *Lycaena* [*Sahulana*]
 a **scopula** (H. Druce), 1873; *Sihon* [*Virgarina*]
 d **sebrus** (Hübner), [1824], 1796-1838, (RC); *Papilio* [*Tiora*]
 a **segecia** (Hewitson), [1861], 1852-1877; *Sospita* [*Holodesmus*, *Praetaxila*]
 a **selira** (Moore), 1874; *Deudorix* [*Hysudra*]
 d **semiargus** (Herbst), 1804, 1788-1804, (H); *Papilio* [*Cyaniris*]
 a **seraphim** (Oberthür), 1886; *Thecla* [*Gonierlia*]
 a **sericina** (Bates), 1867; *Pseudopheles* [*Pseudopheles*]
 a **serratissima** Johnson, 1991; *Terminospinissima* [*Terminospinissima*]
 a **shapiro** Johnson, 1992; *Shapiroana* [*Shapiroana*]
 a **shelfordii** (de Nicéville), 1902; *Cyaniris* [*Armentulus*]
 a **shoumatoffi** (Comstock & Huntington), 1943; *Thecla* [*Nesiostrymon*]
 a **sibylla** (Kirby), 1871; *Cupido* [*Facula*]
 a **sidus** Trimen, 1864; *Iolau* [*Epamera*]
 a **signata** (Butler), [1882]; *Thecla* [*Wagimo*]
 a **silas** (Westwood), [1851], 1846-1852; *Anops* [*Argiolaus*]
 a **simplex** Röber, [1886]; *Megalopalpus* [*Megalopalpus*]
 a **sinensis** (Alphéraky), 1881; *Lycaena* [*Neolycaena*]
 a **sipylius** (C. Felder), 1860; *Myrina* [*Hypolycaena*]
 a **smaragdina** (Bremer), 1861; *Thecla* [*Chrysozephyrus*]
 b **smilacis** (Boisduval & Le Conte), [1835], 1829-1837; *Thecla* [*Mitoura*]
 a **socia** (Hewitson), 1868; *Thecla* [*Crimsinota*]
 a **speciosa** (H. Edwards), [1877]; *Lycaena* [*Philotiella*]
 c **speciosa** (Staudinger), 1894; *Cupido* [*Itylos*]
 a **spenceri** Johnson, 1991; *Distisima* [*Distisima*]
 b **spindasoldes** (Aurivillius), 1916; *Aphnaeus* [*Lipaphnaeus*]
 a **spinetorum** (Hewitson), [1867], 1863-1878; *Thecla* [*Loranthomitoura*]
 a **spini** ((Denis & Schiffmüller)), 1775; *Papilio* [*Klugia*, *Tuttiola*]
 c **splendens** (Swainson), [1833], 1829-1833; *Nais* [*Nais*]
 b **sriwa** Distant, 1886; *Logania* [*Malais*]
 a **stacya** Johnson, 1991; *Gigantofalca* [*Gigantofalca*]
 c **staudingeri** Hemming, 1960; *Oboronia* [*Oboronia*]
 a **stilbe** (Godart), [1824], 1819-1824; *Erycina* [*Argyrogramma*, *Argyrogrammana*]
 a **stoliczkana** (Felder & Felder), 1865, 1865-1875; *Lycaena* [*Bryna*]
 a **strabo** (Fabricius), 1793, 1792-1799; *Hesperia* [*Catochrysois*]
 a **strenua** (Hewitson), [1877], 1863-1878; *Thecla* [*Symbiopsis*]
 c **striata** Bethune-Baker, 1908; *Upolampes* [*Upolampes*]
 a **sublutea** (Bethune-Baker), 1906; *Candalides* [*Titea*]
 a **subpunctata** Kirby, 1887; *Teriomima* [*Teriomima*]
 a **superans** (Oberthür), 1914; *Drina* [*Protantigius*]
 a **superba** (H. Druce), 1873; *Ilerda* [*Semanga*]
 a **susanna** (Fabricius), 1787; *Papilio* [*Nerias*]
 a **syllis** (Godman & Salvin), [1887], 1879-1901; *Thecla* [*Kisutam*]
 a **symethus** (Cramer), [1777], 1775-1790; *Papilio* [*Gerydus*, *Miletus*]
 c **syphax** (Lucas), 1849, (IOS); *Zerythis* [*Zerythis*]
 a **takashimai** Koiwaya, 1993; *Shaanxiana* [*Shaanxiana*]
 a **tamerlana** Staudinger, 1886, 1886-1889; *Polycaena* [*Polycaena*]
 a **tamos** (Godman & Salvin), [1887], 1879-1901; *Thecla* [*Argentostriatus*]
 a **tapaja** (Saunders), [1859]; *Necyia* [*Catagrammina*]
 a **tarquinius** (Fabricius), 1793, 1792-1799; *Hesperia* [*Feniseca*]
 a **tatjana** Zhdanko, 1984; *Turanana* [*Otania*]
 a **taxila** (Bremer), 1861; *Thecla* [*Neozephyrus*]
 a **tegula** (Hewitson), 1868; *Thecla* [*Magnastigma*]
 a **telea** (Hewitson), 1868; *Thecla* [*Chlorostrymon*]
 a **telegone** (Boisduval), 1836; *Diopthalma* [*Diopthalma*]
 c **tellicanus** (Lang), 1789; *Papilio* [*Langia*, *Raywardia*, *Syntarucus*]
 a **temesa** (Hewitson), 1868; *Thecla* [*Iaspis*]
 a **tenellus** (Burmeister), 1878; *Lemonias* [*Zabuella*]
 c **tenera** (Westwood), [1851], 1846-1852; *Mesosemia* [*Peropthalma*]
 a **teneta** (Hewitson), [1861], 1852-1877; *Taxila* [*Laxita*, *Zarax*]
 a **tephahi** (Boisduval), 1833; *Emesis* [*Sarbia*]
 a **tera** (Hewitson), [1878], 1863-1878; *Thecla* [*Terra*]
 a **terambus** (Godart), [1824], 1819-1824; *Polyommatus* [*Theope*]
 c **terricola** (Horsfield), [1829], 1828-1829; *Phaedra* [*Phaedra*]
 a **tessellata** Moore, [1875]; *Niphanda* [*Niphanda*]
 a **thalia** (Leech), [1893], 1893-1894; *Thecla* [*Leechia*, *Strymonidia*]
 a **tharis** (Geyer), [1837], 1832-1837; *Oxyliodes* [*Eooxyliodes*, *Indoxyliodes*, *Marshallia*]
 c **theanus** (Cramer), [1777], 1775-1790; *Papilio* [*Trichonis*]
 a **thelephus** (Cramer), [1775], 1775-1790; *Papilio* [*Elaphrotis*]
 a **theodora** (Felder & Felder), 1862; *Chanis* [*Chalodeta*]
 b **theonus** (Lucas), 1857; *Lycaena* [*Leptotes*]
 a **theophrastus** (Fabricius), 1793, 1792-1799; *Hesperia* [*Tarucus*]

- c *thermodoe* Geyer, [1832], 1832-1837; *Calospila* [*Calospila*]
 a *thero* (Linnaeus), 1764; *Papilio* [*Pseudocapys*]
 a *thersamon* (Esper), [1784], 1776-1830; *Papilio* [*Thersamonia*]
 a *thersander* (Stoll), [1780], 1780-1790; *Papilio* [*Calydna*]
 b *thesmia* (Hewitson), [1863], 1863-1878; *Myrina* [*Biduanda*]
 a *thoe* (Guérin-Ménéville), [1832], 1829-1844; *Polyommatus*
 [*Hellolycaena*, *Hylolycaena*]
 a *thuisio* (Hewitson), [1861], 1852-1877; *Taxila* [*Neotaxila*]
 b *thwaitesi* Moore, [1881], 1880-1881; *Megisba* [*Megisba*]
 a *thyra* (Linnaeus), 1764; *Papilio* [*Chrysorychia*]
 a *timon* (Fabricius), 1787; *Papilio* [*Tanuetheira*]
 a *tircis* Felder & Felder, 1865, 1865-1875; *Chamaelimnas*
 [*Chamaelimnas*]
 c *tisiphone* Westwood, [1851], 1846-1852; *Ariconis* [*Ariconis*]
 a *todara* (Moore), [1884]; *Surendra* [*Zinaspa*]
 b *toxea* (Godart), [1824], 1819-1824; *Eumenia* [*Eumenia*]
 a *transpectus* (Moore), 1879; *Polyommatus* [*Lestranicus*]
 a *trimeni* H. H. Druce, 1905; *Cooksonia* [*Cooksonia*]
 a *triphysina* (Staudinger), 1892; *Lycæna* [*Palaeophilotes*]
 a *tripunctata* (Hewitson), [1863], 1863-1878; *Loxura* [*Yasoda*]
 a *trochylus* (Freyer), 1845, 1831-1858; *Lycæna* [*Freyeria*]
 a *tropicalis* (Boisduval), 1847; *Tingra* [*Pentila*, *Tingra*]
 a *truncipennis* de Nicéville, 1887; *Cheritrella* [*Cheritrella*]
 a *tytia* (Cramer), [1777], 1775-1790; *Papilio* [*Synargis*]
 a *ubaldus* (Stoll), [1782], 1780-1790; *Papilio* [*Azanus*]
 a *umbratus* (Geyer), [1837], 1832-1837; *Sithon* [*Radissima*]
 a *umuarama* Johnson, 1993; *Rindgea* [*Rindgea*]
 a *undifera* Staudinger, 1892; *Argyrocheila* [*Argyrocheila*]
 a *undularis* Hewitson, [1866], 1852-1877; *Liptena* [*Liptena*,
 Parapontia]
 a *uranothauma* Bethune-Baker, 1908; *Thaumaina* [*Thaumaina*]
 a *urumelia* (Tindale), 1922; *Adaluma* [*Adaluma*]
 a *usta* (Distant), 1886; *Zizera* [*Una*]
 a *uzza* (Hewitson), [1873], 1863-1878; *Thecla* [*Uzzia*]
 c *valens* (Fabricius), 1787; *Papilio* [*Chrysilis*]
 a *vapa* (Staudinger), 1894; *Cupido* [*Boliviella*]
 a *vardhana* (Moore), [1875]; *Polyommatus* [*Arietta*, *Moorea*]
 b *varia* Toxopeus, 1929; *Petrelaea* [*Petrelaea*]
 a *varicolor* Johnson, 1991; *Antrissima* [*Antrissima*]
 a *varuna* (Horsfield), [1829], 1828-1829; *Thecla* [*Rapala*]
 a *velazquezii* (Beutelspacher), 1976; *Nymula* [*Lamphiotes*]
 a *venullus* (Cramer), [1779], 1775-1790; *Papilio* [*Paiwarria*]
 a *vibidia* (Hewitson), [1869], 1863-1878; *Thecla* [*Michaelis*]
 c *vicunha* (Balletto), 1993; *Pallidula* [*Pallidula*]
 a *vidua* (Horsfield), [1828], 1828-1829; *Thecla* [*Dacalana*]
 a *vinlinga* (Hewitson), 1875; *Liphyra* [*Aslauga*]
 a *virgata* H. H. Druce, Apr 1891; *Kopelates* [*Kopelates*]
 a *virgaureae* (Linnaeus), 1758; *Papilio* [*Heodes*, *Chysoptera*]
 a *virginiensis* (Guérin-Ménéville), [1832], 1829-1844; *Erycina*
 [*Calcephelis*, *Lephelisca*]
 b *virgoides* Tyler, 1915; *Pseudochliaria* [*Pseudochliaria*]
 a *vitula* (Hewitson), [1853], 1852-1877; *Limnas* [*Cartea*, *Orestias*]
 a *vogelli* (Oberthür), 1910; *Lycæna* [*Maurus*]
 a *w-album* (Knoch), 1782, 1781-1783; *Papilio* [*Chatundenia*,
 Edwardsia]
 a *wallengreni* (Trimen), 1887, 1887-1889; *Zeris* [*Trimenia*]
 a *webbianus* (Brullé), 1840; *Polyommatus* [*Cyclirius*]
 c *weberi* (Holland), 1913; *Satyrinima* [*Satyrinima*]
 a *xami* (Reakirt), [1867], 1866-1867; *Thecla* [*Xamia*]
 c *xanthippe* (Gray), 1832; *Erycina* [*Chorinea*]
 c *xanthobrunnea* Warren, 1895; *Adelotypa* [*Adelotypa*]
 a *xanthospilos* (Hübner), [1817], 1806-1838; *Rusticus*
 [*Candalides*]
 c *xenodice* (Hübner), [1819], 1816-1826; *Lycæna* [*Lycæna*]
 a *yungas* (Johnson), 1991; *Fieldia* [*Fieldia* Johnson, *Profieldia*]
 a *zebra* H. H. Druce, 1910; *Batelus* [*Batelus*]
 a *zeurippa* (Boisduval), 1836; *Hypophylla* [*Hypophylla*]
 a *zohra* Donzel, 1847; *Cigaritis* [*Cigaritis*]
 a *zygia* Hübner, [1807], 1806-1838; *Lemonias* [*Anatole*, *Lemonias*]

PART VIII
SPECIES-GROUP NAMES

INTRODUCTION

In this section the species-group names are arranged in alphabetic order. If two names are spelled the same, they are ordered by date of publication, and if they have the same publication date they are arranged by the author's name.

ABBREVIATIONS

The following abbreviations are used in this section.

ab.....abberation
CG.....Current Genus
Dist:.....Distribution
f.....form
H.....Homonym
IFS.....Infrasubspecific
JOS.....Junior Objective Synonym
MID.....Misidentification
NN.....Nomen Nudum
OD.....Original Description
OS.....Objective Synonym
PS.....Published in Synonymy
Refs.....References
SS.....Subjective Synonym
TypeL.....Type Locality

- a **abaensis** Sugiyama, 1994; *Chrysozephyrus* OD: *Pallarge* (3):7, f 21-24,34 [b4542] [Type: pc-ht; collection of Sugiyama.] [TypeL - S. E.-Min Mts. (=Minshan), Sichuan, China.] [Refs - b4542]
- a **abaris** (Cramer), [1776], 1775-1790; *Papilio* OD: *Uitl. Kapellen* 1(8):146, pl 93, f A,B or C [b1069] CG: *Synargis* [TypeL - Surinam.] [Refs - b2747; b4475; b1456]
- b **abbottii** (Holland), 1892; *Chrysophanus* OD: *Entomologist* 25(Suppl.):90 [b2426] SS: *phlaeas* (Linnaeus), 1761; *Lycaena* (*Lycaena*) [Type: USNM-ht] [TypeL - E. Africa.] [Refs - b1943; b4400 (as abottii); b4220 (as abottii); b1452 (as abottii); b4127; b2426]
- b **abbreviata** Strand, 1911; *Liphyra* OD: *Mitt. zool. Mus. Berl.* 5(2):308 [b4505] SS: *brassolis* Westwood, [1864]; *Liphyra* [TypeL - Sumatra.] [Refs - b0965; b2078; b2200; b1454; b4528; b3986; b4108]
- c **abbuna** (Heller), 1902; *Abisara* OD: *Deut. ent. Zeit.* [Iris] 15:131, pl 3, f 7 [b2229] SS: *simbangana* (Hagen), 1897; *Praetaxila* [TypeL - New Guinea.] [Refs - b1450 (as abuna); b4474]
- b **abchasicus** Nekrutenko, 1975; *Plebejus* OD: *J. Lep. Soc.* 29(3):151, f 1,2,7-9 [b3351] SS: *pylaon* (Fischer von Waldheim), 1832; *Plebejus* (*Plebejides*) [TypeL - Lake Ritsa, Abkhaz ASSR.] [Refs - b3351; b0107 (as abchasicus); b3351]
- c **abdellaziz** (Blachier), 1908; *Lycaena* OD: *Annls Soc. ent. Fr.* 77(2):218 [b0434] SS: *icarius* (Esper), [1789]; *Polyommatus* (*Plebicaula*) [TypeL - Morocco.] [Refs - b0993; b0434; b0236; b1133 (n=21-23+1s); b0471; b1455]
- a **abdominalis** (Gerhard), 1850, 1850-1853; *Thecla* OD: *Vers. monog. europ. Schmett.* pl 4, f 3a-b [b1928] CG: *Satyrnum* [Refs - b3901; b2747 :398; b0995; b2827; b3778; b2794; ns4800; b4092; b1455]
- a **abdul** (Distant), 1886, 1882-1886; *Lampides* OD: *Rhop. malayana* :456, pl 44, f 22 [b1285] CG: *Jamides* [Type: ZMHU-ht] [TypeL - Malacca, Malay Peninsula.] [Refs - b0964; b1153; b0965; b4094; b1564; b2384; b1454; b4602; b2388; b3786]
- c **abeja** (Johnson & Matusik), 1988; *Heterosmaitia* OD: *Ann. Cam. Mus.* 57(10):232, f 6A-D, 7A, D [b2632] SS: *bourkei* (Kaye), [1925]; *Rekoa* [Type: CM-ht] [TypeL - Abejas, Hispaniola] [Refs - b2632; b0125; b3817]
- a **abencerragus** (Pierret), 1837; *Argus* OD: *Annls Soc. ent. Fr.* [1]6(1):21, pl 1, f 7 [b3602] CG: *Pseudophilotes* [Refs - b4178; b4179; b2375; b3059; b2747; b0993; b1762; b4094; b2905; b0236; b0293; b0400; b2794; b2859; b4092]
- b **aberrans** (Butler), 1878; *Lampides* OD: *Ann. Mag. nat. Hist.* (5)2:289 [b0611] SS: *cissus* (Godart), [1824]; *Cupidopsis* [TypeL - Madagascar.] [Refs - b4400; b0611; b2920]
- a **aberrans** (de Nicéville), [1889]; *Acesina* OD: *J. asiat. Soc. Bengal, Pt II* 57(4):279, pl 14, f 3,4 [b1151] CG: *Arhopala* o [TypeL - Ataran.] [Refs - b1644; b1153; b0236; b1454; b4094; b1151]
- b **aberrans** (Elwes), [1893]; *Nacaduba* OD: *Proc. zool. Soc. Lond.* 1892(4):626, pl 44, f 6 [b1594] SS: *ancyra* (C. Felder), 1860; *Catopyrops* [Type: BMNH-ht] [TypeL - E. Pegu.] [Refs - b4676; b1636; b0964; b0965; b0938; b4094; b1454; b0694]
- e **abetonica** (Verity), 1911, (RA); *Lycaena* OD: *Boll. Soc. ent. ital.* 42:273 [b4834] SS: *argus* (Linnaeus), 1758; *Plebejus* [Type: MZS-st] [Refs - b2856; b0236; b4425; b0471]
- e ♀ **f. abisarina** (Fruhstorfer), [1912]; *Portia* OD: *Berl. ent. Z.* 56(3/4):203 [b1850] SS: *phalena* (Hewitson), 1874; *Simiskina* [TypeL - W. Java.] [Refs - b1454; b4094; b4108]
- a **abnormis** Moore, [1884]; *Abisara* OD: *Proc. zool. Soc. Lond.* 1883(4):532, pl 49, f 3 [b3235] [Type: BMNH] [TypeL - Moulmein, British Burma.] [Refs - b1636; b1149; b0294; b4473; b3235; b1454; b1840]
- a **abnormis** (Moore), [1884]; *Aphnaeus* OD: *Proc. zool. Soc. Lond.* 1883(4):526, pl 49, f 4 [b3235] CG: *Spindasis* [TypeL - Coonor, Nilgiris.] [Refs - b1636; b1153; b3235; b1454; b4094; b0694]
- a **abnormis** Elwes, [1893]; *Rapala* OD: *Proc. zool. Soc. Lond.* 1892(4):642, pl 44, f 2 [b1594] [TypeL - Karen Hills.] [Refs - b1636; b0964; b0965; b4094; b1454; b0694; b4108]
- a **abnormis** (Moulton), [1912]; ?*Charana* OD: *J. Straits Brch. R. asiat. Soc.* 60:156, pl [8], f 10 [b3259] CG: *Iraota* [Type: BMNH-ht] [TypeL - Sarawak, Borneo.] [Refs - b1030; b0965; b4094; b1454; b0105; b4108]
- a **abnormis** (Clench), 1946; *Thecla* OD: *Entomologist* 79:189 [b0824] CG: *Cyanophrys* [Type: BMNH-ht] [TypeL - La Rioja, Argentina.] [Refs - b0908; b2221; b0528; b0824; b2585]
- b **aboe de Nicéville**, 1895; *Arhopala* OD: *J. Bombay nat. Hist. Soc.* 9(3):281, pl o, f 26 [b1159] SS: *arvina* (Hewitson), [1863]; *Arhopala* i [TypeL - Ataran.] [Refs - b1644; b1454; b4094]
- e **aboti** Le Moul, 1940, 1939-1940, (IFS); *Helicopsis* OD: *Novit. ent.* (16):125 [b2943] SS: *cupido* (Linnaeus), 1758; *Helicopsis* [Refs - b3199]
- e **abottii** Stempffer, 1967, (ISS); *Lycaena* OD: *Bull. Br. Mus. nat. Hist. (Ent.) Suppl.* 10:264,300 [b4400] SS: *abottii* (Holland), 1892; *Lycaena* (*Lycaena*) [Refs - b4400; b4220]
- a **abraxas** Westwood, [1852], 1846-1852; *Pentila* OD: *In Gen. dium. Lep.* (2):pl 77, f 5 [b4981] [TypeL - Ashanti] [Refs - b2747; b2907; b1452; b0836; b4420; b4400; b2753]
- a **abreas** (Edwards), 1881; *Eurygona* OD: *Trans. amer. ent. Soc.* 9(1):3 [b1513] CG: *Euselasia* [Refs - b4474; b3192; b1321]
- a **abrota** Westwood, [1851], 1846-1852; *Ogyris* OD: *In Gen. dium. Lep.* (2):pl 75, f 8 (:472) [b4981] [TypeL - Australia.] [Type of - *Ogyris*] [Refs - b1450; b2280; b2747; b0870; b4094; b4934; ns1426]
- a **abruptus** (Gaede), 1915, 1915-1916; *Lycaenesthes* OD: *Int. ent. Z.* 9(13):72 [b1909] CG: *Anthene* [TypeL - Cameroons.] [Note - *Stempffer says 'possibly a mere aberration of larydus'*.] [Refs - b1943; b4400; b1452]
- e **ab. abruzzensis** (Dannehl), 1927; *Lycaena* OD: *Mitt. münchn. ent. Ges.* 17:6 [b1102] SS: *argus* (Linnaeus), 1758; *Plebejus* [Refs - b0236; b0065; b0471; b1102]
- b **abruzzorum** (Dannehl), 1933; *Lycaena* OD: *Ent. Zeit.* 46:245 [b1103] SS: *argyrognomon* (Bergsträsser), [1779]; *Plebejus* (*Lycaeides*) [TypeL - Italy.] [Refs - b0071; b1103]
- e **abchasicus** Anonymous, 1979, (ISS); *Plebejus* OD: *Zool. Rec.* 112(1975)(Ins. D-Lep.):206 [b0107] SS: *abchasicus* Nekrutenko, 1975; *Plebejus* (*Plebejides*) [Refs - b0107]
- e **absens** Kirby, [1870], (ISS); *Arhopala* OD: *Zool. Rec.* 6(1869)(Ins.):372 [b2746] SS: *abseus* (Hewitson), 1862; *Arhopala* c [Refs - b1153; b0276]
- e **ab. absens** (H. H. Druce), 1895; *Paragerydus* OD: *Proc. zool. Soc. Lond.* 1895(3):562 [b1362] SS: *pyxus* (de Nicéville), 1894; *Allotinus* (*Fabitaras*) [TypeL - Kinabalu, Borneo.] [Refs - b1840; b1362; b1571; b4108]
- a **abseus** (Hewitson), 1862; *Amblypodia* OD: *Spec. Cat. Lyc. Brit. Mus.* :9, pl 5, f 51,52 [b2325] CG: *Arhopala* c [Type: BMNH-ht] [TypeL - Singapore.] [Refs - b1644; b1153; b2747; b0236; b5053; b2200; b1454; b4094; b3756; b4108; b3060]
- a **absimilis** (C. Felder), 1862; *Holochila* OD: *Verh. zool.-bot. Ges. Wien* 12:490 [b1677] CG: *Candalides* [Type: BMNH-ht] [TypeL - Ash Island, Australia.] [Refs - b4677; b1450; b2747; b2078; b3550; b0870; b4934]

- a **absolon** (Hewitson), [1865], 1863-1878; *Dipsas* OD: Ill. diurn. Lep. Lycaenidae 1:65; 2:pl 30, f 11,12 [b2326] CG: Austrozephyrus [Type: BMNH-ht] [TypeL - Indies or., but really Java.] [Type of - Austrozephyrus] [Refs - b0964; b1153; b2280; b0965; b2747; b4094; ns2175; b2200; b1850; b4214; b4200; b3296; b1454; b2463]
- c **absyrtus** (Felder & Felder), 1859; *Danis* OD: Wien. ent. Monats. 3(9):270 [b1679] SS: schaeffera (Eschscholtz), 1821; *Nothodanis* [TypeL - Philippines.] [Refs - b2747; b1382; b4108]
- b **abusina** Fruhstorfer, [1912]; *Rapala* OD: Berl. ent. Z. 56(3/4):255 [b1850] SS: abnormis Elwes, [1893]; *Rapala* [TypeL - Java.] [Refs - b1454; b1850; b4094]
- b **abydus** Stichel, 1929; *Isapis* OD: Mitt. zool. Mus. Berl. 15:17 [b4470] SS: agyrus (Cramer), [1777]; *Isapis* [TypeL - Brazil.] [Refs - b4474; b4470]
- b **abyssiniae** Storace, 1950; *Euchrysops* OD: *Doriana* 1(7):1 [b4484] SS: mauensis Bethune-Baker, 1923; *Euchrysops* [TypeL - Abyssinia.] [Refs - b4400; b1452]
- b **abyssiniae** (Storace), 1953, (H); *Catochrysops* OD: *Doriana* 1(35):3 [b4485] SS: nandensis (Neave), 1904; *Euchrysops* [TypeL - Abyssinia.] [Check - Junior secondary homonym in need of a replacement.] [Refs - b4400]
- a **abyssinica** (Aurivillius), 1922; *Cupido* OD: Voy. Maur. Rothsch., Lep. :367, f [b0169] CG: *Euchrysops* [TypeL - Ethiopia] [Refs - b1452; b4400]
- b **abyssiniensis** (Strand), 1911; *Cupido* OD: Ent. Rundsch. 28:138 [b4501] SS: parsimon (Fabricius), 1775; *Lepidochrysops* [TypeL - Abyssinia.] [Refs - b1452; b4528; b4400]
- a **acaciae** (Fabricius), 1787; *Papilio* OD: *Mantissa* Ins. 2:69 [b1656] CG: *Satyrium* [TypeL - Russia australiori.] [Type of - Necovatia] [Refs - b1153; b3337; b2375; b3059; b1562; b0851; b2747; b0995; b1780; b2827; b0236; b2380; b2794; b2985; b3366; b2859; b4092; b5076; b1455]
- e **acaciaeformis** (Verity), 1914, (IFS); *Thecla* OD: Boll. Soc. ent. ital. 45:229 [b4836] SS: ilicis (Esper), [1779]; *Satyrium* [Refs - b2856; b0236; b0471]
- e **acadia** Brown & Eff & Rotger, 1955, (ISS); *Satyrium* OD: Proc. Denver Mus. nat. Hist. 5:129 [b0538] SS: acadica (Edwards), 1862; *Satyrium* [Refs - b3192; b1321]
- a **acadica** (Edwards), 1862; *Thecla* OD: Proc. Acad. nat. Sci. Philad. 14(1/2):55 [b1489] CG: *Satyrium* [Type: CM-ht] [TypeL - London, Ontario.] [LifeH - Tietz lists b5004, b3933, b3176, b1582, b1695, b0902, b1496, b1792, b2429, b3119, b4088, b4090.] [Refs - b0908; b1530 :196, f 369; b1321 :57; b0851; b2747; b2968; b3192; b3512; b1743; b4690 (as acadicum); b4652; b2631; b4066]
- a **acamas** (Klug), 1834, 1829-1845; *Lycaena* OD: In Ehrenberg, Sym. Phys. Ins. 4:pl 40, f 7-9 [b2782] CG: *Apharitis* [Type: -lt; designated by Larsen, 1983] [Fauna Saudi Arabia 5:377 [b2900]] [TypeL - Arabia.] [Note - Seen as *acamas*.] [Refs - b1636; b1153; b2988; b2747; b0996; b4094; b2905; b2906; b0236; b1452; b0293; b2794; b3910; b0116; b4094; b0694; b2859 (in *Ciganitis*); b4092; b1455]
- a **acamedea** Hewitson, [1867], 1863-1878; *Thecla* OD: Ill. diurn. Lep. Lycaenidae 1:101; 2:pl 41, f 151,152 [b2326] CG: *Thecla* (New World Eumaeini) [Type: BMNH] [TypeL - Amazon (Pará)] [Refs - b0908; b2747]
- b **acampsis** (Fruhstorfer), 1913; *Gerydus* OD: Z. wiss. InsektBiol. 9(9):243 [b1851] SS: symethus (Cramer), [1777]; *Miletus* 4 [TypeL - N. E. Sumatra.] [Refs - b1546; b1840; b3782]
- a **acanthoides** (Herrich-Schäffer), [1853], 1850-1869; *Nymphidium* OD: Samml. neuer. aussereurop. Schmett. 1:[55], pl [--], f 49,50 [b2314] CG: *Sarota* [TypeL - Surinam; Amazon.] [Refs - b2988; b4474; b2747 (Ex. Schmett. f 49,50); b1456]
- a **acantus** (Stoll), [1782], 1780-1790; *Papilio* OD: In Cramer, Uil. Kapellen 4(29):179, pl 380, f K,L [b4478] CG: *Sarota* [Refs - b2747; b4474; b1456]
- a **acapulcoensis** McAlpine, [1971]; *Calephelis* OD: J. Res. Lep. 10(1):71, f [b3127] [Type: USNM-ht] [TypeL - Acapulco, Guerrero, Mexico.] [Refs - b0102; b3127]
- c **acares** (Karsch), 1893; *Deudorix* OD: Berl. ent. Z. 38(1/2):219 [b2693] SS: nomenia (Hewitson), 1874; *Hypomyrina* [TypeL - W. Africa.] [Refs - b0836; b4400]
- a **acasta** (Cox), 1873; *Lycaena* OD: Entomologist 6:402 [b1068] CG: *Candalides* [Type: BMNH-ht] [TypeL - S. Australia.] [Refs - b4677; b1450; b2753; b2078; b0870; b4940; b4934; b1744]
- a **acaste** (Prittwitz), 1865; *Thecla* OD: Stutt. ent. Ztg 26:318 [b3651] CG: *Cyanophrys* [TypeL - Corcovado, Rio de Janeiro, Brazil.] [Refs - b0908; b2747; b2221; b2585]
- a **acastoides** (Berg), 1882; *Thecla* OD: An. Soc. cient. argent. 13(4):169 [b0302] CG: *Cyanophrys* [TypeL - Argentina.] [Refs - b0908; b1453; b2585 (in *Mesocyanophrys*)]
- b **acaudata** (Staudinger), 1901; *Thecla* OD: Cat. Lep. Palae. Faun. (3rd ed) :70 [b4347] SS: lunulata (Erschoff), 1874; *Satyrium* [Refs - b3012; b4347; b4092]
- c **acca** (Westwood), [1851], 1846-1852; *Lycaena* OD: In Gen. diurn. Lep. (2):pl 76, f 1 [b4981] SS: messapus (Godart), [1824]; *Eicochrysops* [Refs - b1153; b2747]
- b **accius** Seitz, [1926], 1912-1927; *Iraota* OD: In Seitz, Grossschmett. Erde 9:944, pl 161e [b4094] SS: rochana (Horsfield), [1829]; *Iraota* [TypeL - Borneo.] [Refs - b4094; b1454; b4594; b4108]
- a **accusatrix** Westwood, [1851], 1846-1852; *Symmachia* OD: In Gen. diurn. Lep. (2):445, nota [b4981] [TypeL - Amazon.] [Refs - b2747; b4474; b2497; b1456]
- a **ace** de Nicéville, 1893; *Arhopala* OD: J. Bombay nat. Hist. Soc. 7(3):329, pl H, f 13 [b1156] CG: *Arhopala* f [TypeL - Perak, Malay Peninsula.] [Refs - b1644; b1156; b1454; b4094; b4108]
- b **acerba** (Hewitson), [1863], 1863-1878; *Amblypodia* OD: Ill. diurn. Lep. Lycaenidae 1:3; 2:pl 1, f 5 [b2326] SS: micale Boisduval, 1853; *Arhopala* h [Type: BMNH-ht] [TypeL - Goram.] [Refs - b1644; b1450; b2747]
- e **f. acervata** (Seitz), 1932; *Emartugina* OD: Ent. Rundsch. 49:242 [b4097] SS: axena (Hewitson), [1876]; *Emartugina*
- a **acesina** (Bethune-Baker), 1906; *Cyaniris* OD: Ann. Mag. nat. Hist. (7)17:103 [b0337] CG: *Celastrina* [Type: BMNH-ht] [TypeL - Owgarrá, New Guinea.] [Refs - b1450; b1840; b1580]
- b **acestes** de Nicéville, 1893; *Arhopala* OD: J. Bombay nat. Hist. Soc. 7(3):330, pl H, f 14 [b1156] SS: corinda (Hewitson), [1869]; *Arhopala* g [TypeL - Perak, Malay Peninsula.] [Refs - b1644; b1156; b2200; b1454; b4094; b4108]
- e **acestor** Doubleday, 1847, 1844-1848, (NN); *Eurygona* OD: List Spec. lep. Brit. Mus. (2):6 [b1327] [Refs - b4474]
- c **acetas** Seitz, [1927], 1912-1927; *Deudorix* OD: In Seitz, Grossschmett. Erde 9:1117, pl 161c [b4094] SS: epijarbas (Moore), [1858]; *Deudorix* [TypeL - Not stated.] [Note - Seitz attributed the name to Fruhstorfer. No subsequent author has mentioned it.] [Refs - b4094]
- a **acetes** (Hewitson), 1862; *Amblypodia* OD: Spec. Cat. Lyc. Brit. Mus. :5, pl 3, f 14,15 [b2325] CG: *Arhopala* g [Type: BMNH-ht] [TypeL - Macassar.] [Refs - b1644; b2747; b2200; b1454; b4094; b4595]
- d **achaeus** Kirby, 1871, (UE); *Anteros* OD: Syn. Cat. diurn. Lep. :311 [b2747] SS: acheus (Stoll), [1781]; *Anteros* [Refs - b2747]

- b *achalana* (Brown), 1977; *Plebicula* OD: Ent. Gaz. 28(3):141-174 [b0545] SS: *icarius* (Esper), [1789]; *Polyommatus* (*Plebicula*) [TypeL - Greece.] [Refs - b1610 (91-E9)]
- a *achaja* (Fruhstorfer), [1912]; *Horaga* OD: Berl. ent. Z. 56(3/4):233 [b1850] CG: *Cowania* [TypeL - Siam.] [Type of - *Cowania*] [Refs - b1559; b1030; b4094; b1454; b1850]
- a *achelous* (Hewitson), 1862; *Amblypodia* OD: Spec. Cat. Lyc. Brit. Mus. :7, pl 5, f 47,48 [b2325] CG: *Arhopala* a [Type: BMNH-hi] [TypeL - Singapore.] [Refs - b1644; b1153; b2747; b1454; b4094; b4108]
- a *acherois* (Boisduval), 1836; *Desmozona* OD: Spec. gén. Lépid. 1:pl 21 [=2C], f 1 [b0462] CG: *Nymphidium* [TypeL - Cayenne.] [Type of - *Desmozona*] [Refs - b2280; b2988; b2280; b2747; b4476; b1456]
- a *acheus* (Stoll), [1781], 1780-1790; *Papilio* OD: In Cramer, *Uitl. Kapellen* 4(30):121, pl 352, f G,H [b4478] CG: *Anteros* [TypeL - Surinam; Amazon.] [Refs - b2988; b2747 (as *achaeus*); b4474 (as *acheus*); b1456]
- c *achilles* Le Moul, 1940, 1939-1940, (IFS); *Helicopsis* OD: *Novit. ent.* (17):130 [b2943] SS: *cupido* (Linnaeus), 1758; *Helicopsis* [Type: AME-hi] [Refs - b3199]
- c *acholi* (Bethune-Baker), 1906; *Catochrysops* OD: *Ann. Mag. nat. Hist.* (7)17:108 [b0338] SS: *victoriae* (Karsch), 1895; *Lepidochrysops* [Type: BMNH-st] [TypeL - Acholi country, E. Africa.] [Refs - b4400; b0359]
- c *achroa* Bates, [1868]; *Zelotaea* OD: *J. linn. Soc. Lond., Zool.* 9:382 [b0267] SS: *phasma* Bates, [1868]; *Zelotaea* [TypeL - Tapajos.] [Refs - b4475; b1456]
- a *acis* (Drury), [1773], 1770-1782; *Papilio* OD: *Ill. nat. Hist. Iindex+2*, pl 1, f 2 [b1392] CG: *Strymon* [TypeL - New York.] [LifeH - Tietz lists b0780, b0875.] [Refs - b0908; b0540; b0907; b2747; b0540; b4049; b3192; b1581; b1183; b1321; b0833; b4652; b2631; b4066]
- d *acis* ((Denis & Schiffermüller)), 1775, (H); *Papilio* OD: *Ankündigung syst. Werkes Schmett.* :182 [b1193] SS: *semiargus* (Rottemburg), 1775; *Polyommatus* (*Cyaniris*) [Type of - *Nomiades*] [Refs - b2280; b2747; b0993; b0410; b2794; b2797; b4092]
- d *acis* (Fabricius), [1782], 1781-1782, (H); *Papilio* OD: *Spec. Ins.* 2:Appx 504 [b1655] SS: *gnidus* (Fabricius), 1787; *Helicopsis* [TypeL - Surinam.] [Refs - b4474; b2988; b2747; b1601; b1039; b4950; b2273; b3717; b5076; b1456]
- d *acis* (Fabricius), 1787, (H); *Papilio* OD: *Mantissa Ins.* 2:73 [b1656] SS: *argiolus* (Linnaeus), 1758; *Celasturina* [Refs - b2747; b0995; b0400; b2794; b4092]
- b *acisoides* Beuret, 1961; *Polyommatus* OD: *Lyc. Schweiz.* III :401, f 1875 [b0410] SS: *semiargus* (Rottemburg), 1775; *Polyommatus* (*Cyaniris*) [TypeL - Switzerland.] [Refs - b0410; b4355]
- a *ackeryi* d'Abrera, 1980; *Alaena* OD: *Butts Afrotropical Region* :415, 3 f [b1452] [TypeL - Malawi.] [Refs - b1452; b0113]
- c *acmon* (Cramer), [1775], 1775-1790; *Papilio* OD: *Uitl. Kapellen* 1(5):81, pl 51, f C,D [b1069] SS: *hemon* (Cramer), [1775]; *Denivia* [TypeL - Surinam.] [Refs - b0908; b2747; b2406; b1975]
- a *acmon* Westwood, [1852], 1846-1852; *Plebejus* OD: In *Gen. dium. Lep.* (2):pl 76, f 2, (:494) [b4981] CG: *Plebejus* (*Icaricia*) [Type: BMNH-hi] [TypeL - California.] [LifeH - Teitz lists b1484, b0053.] [Refs - b1530 :231, f 443; b1321 :65; b0908; b2747; b3325; b3192; b3512; b2417; b0493; b1743; b5015; b0865; b4690 (*); b4066; b4652]
- c *aconcagua* Balint & Johnson, 1993; *Pseudolucia* OD: *Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point)* (27):22, f [b0212] SS: *argentina* (Balletto), 1993; *Pseudolucia* [Type: AMNH-hi] [TypeL - Parque Pral. Aconcagua, Prov. Mendoza, Argentina.] [Refs - b0212; b0207]
- a *aconia* Hewitson, [1876], 1852-1877; *Symmachia* OD: *Ill. exot. Butts* 5:[-], pl [43], f 5 [b2323] [Type: BMNH-hi] [TypeL - Bolivia.] [Refs - b2753; b4474; b1456]
- a *acontius* Goodson, 1945; *Thecla* OD: *Entomologist* 78:184 [b1998] CG: *Thecla* (New World *Eumaeini*) [Type: BMNH-st] [TypeL - New Grenada; Colombia.] [Refs - b0908]
- b *acosma* Stichel, 1910; *Theope* OD: *Berl. ent. Z.* 55(1/2):86 [b4445] SS: *eudocia* Westwood, [1851]; *Theope* [Type: biblio] [TypeL - W. Amazonas, Brazil.] [Refs - b4475; b4445]
- c *acosmeta* (Toxopeus), 1935; *Ruralis* OD: *Ent. Med. Ned.-Indië* 1:35 [b4707] SS: *absolon* (Hewitson), [1865]; *Austrozephyrus* [TypeL - Java.] [Refs - b2463]
- a *acraea* (Westwood), [1851], 1846-1852; *Liptena* OD: In *Gen. dium. Lep.* (2):pl 77, f 6 [b4981] CG: *Telipna* [TypeL - Ashanti.] [Type of - *Telipna*] [Note - *Placed on Official List (#1660) by Op 566.*] [Refs - b2280; b2747; b2907; b1452; b2531; b0836; b4400; b3151]
- a *acraeina* Trimen, 1891; *Eriksonia* OD: *Proc. zool. Soc. Lond.* 1891(1):92, pl 9, f 18-20 [b4727] [TypeL - S. W. Africa.] [Type of - *Eriksonia*] [Refs - b2280; b1259; b1452; b4400; b2294]
- a *acraeoides* (Grose-Smith & Kirby), 1890, 1887-1902; *Liptena* OD: *Rhop. exot.* 1(13):39, pl 10, f 1-3 [b2049] CG: *Telipna* [TypeL - W. Africa.] [Refs - b1452; b4400]
- c *acragas* (Doherty), 1891; *Gerydus* OD: *J. asiat. Soc. Bengal, Pt II* 60(2):186 [b1304] SS: *boisduvali* Moore, [1858]; *Miletus* 3 [TypeL - Sumba; Sumbawa.] [Refs - b1546; b1840; b4108]
- c *acreon* (Fabricius), 1787; *Papilio* OD: *Mantissa Ins.* 2:76 [b1656] SS: *idas* (Linnaeus), 1761; *Plebejus* (*Lycacides*) [Type: ZMC-st] [TypeL - *Russia meridionali*.] [Refs - b2747; b0993; b0410; b2794; b5076]
- c *acriion* (Pontoppidan), 1763, 1763-1767; *Papilio* OD: *Katalog Danske Insekter* 1:685, pl 30 [b3627] SS: *tityrus* (Poda von Neuhaus), 1761; *Lycæna* (*Heodes*) [Refs - b0389]
- c *acriion* (Martini), 1777, 1774-1793; *Papilio* OD: *Gesch. Natur* 3:207 [b3074] SS: *phlaeas* (Linnaeus), 1761; *Lycæna* (*Lycæna*) [Refs - b2747]
- c *acrisius* (Fruhstorfer), 1914; *Gerydus* OD: *Z. wiss. InsektBiol.* 10(2):60 [b1857] SS: *aronicus* (Fruhstorfer), 1914; *Miletus* 4 [Refs - b1450; b1546; b1857; b1840]
- c *acroleuca* (R. Felder), 1869; *Limnas* OD: *Verh. zool.-bot. Ges. Wien* 19:467 [b1694] SS: *cephise* (Ménétriés), 1855; *Melanis* [TypeL - Mexico.] [Refs - b2747; b4474; b2775]
- b *acroleuca* Berg, 1896; *Barbicornis* OD: *An. Mus. nac. Buenos Aires* (2)5:1 [b0303] SS: *basilis* Godart, [1824]; *Barbicornis* [TypeL - Paraguay.] [Refs - b2988; b4474; b0111; b1453; b0303; b1456]
- a *acron* (Hewitson), 1862; *Amblypodia* OD: *Spec. Cat. Lyc. Brit. Mus.* :9, pl 5, f 53,54 [b2325] CG: *Arhopala* 1 [Type: BMNH-hi] [TypeL - Batchian.] [Refs - b1450; b1644; b2747; b4950; b4094]
- b *acroxantha* (Stichel), 1910; *Charmona* OD: *Berl. ent. Z.* 55(1/2):20 [b4445] SS: *cadytis* Hewitson, [1866]; *Charis* [Type: pc-st; collection of Stichel] [TypeL - Sao Paulo & Rio de Janeiro, Brazil.] [Refs - b4474; b4445]
- a *acta* (Evans), 1957; *Narathura* OD: *Bull. Br. Mus. nat. Hist. (Ent.)* 5(3):113 [b1644] CG: *Arhopala* g [Type: BMNH-hi] [TypeL - Sumatra.] [Refs - b1644; b1556; b1454; b4108]
- c *actaegon* (Morris), 1860, (ISS); *Lycæna* OD: *Smithsonian Misc. Coll.* [3]:12 [b3243] SS: *antaegon* (Boisduval), 1852; *Plebejus* (*Icaricia*) [Refs - b0908; x3192]

- d *actaeon* (Fabricius), 1775, (RC); *Papilio* OD: Syst. Ent. :appx 829 [b1653] SS: *imperialis* (Cramer), [1775]; *Arcas* [Note - Placed on Official Index of Rejected Names (#1011) by Op 1058. The synonymy has never been well-established and most consider it doubtful.] [Refs - b0908; b2747; b2221; b0108; b3791; b2541; b3151; b5076]
- e *acte* Doubleday, 1847, 1844-1848, (NN); *Nymphidium* OD: List Spec. lep. Brit. Mus. (2):10 [b1327] [Refs - b4476]
- a *acte* (Moore), [1858]; *Myrina* OD: In Cat. Lep. Ins. E. India Co. (1):47 [b3219] CG: *Ticherra* [Type: BMNH-ht] [TypeL - N. India.] [Type of - *Ticherra*] [Refs - b1016; b1636; b0964; b1153; b2280; b0965; b2747; b2201; b1454; b4094; b0694]
- a *actinides* (Staudinger), 1886, 1886-1889; *Lycaena* OD: Stett. ent. Ztg 47:214 [b4330] CG: *Polyommatus* (*Agrodiaetus*) [TypeL - Central Asia.] [Note - D'Abrebra places this name in both *Polyommatus* and *Agrodiaetus*, figuring different specimens under each genus.] [Refs - b0993; b1762; b2827; b1772; b4092; b1455]
- a *actinotina* Lathy, 1903; *Telipna* OD: Trans. ent. Soc. Lond. 51(2):194, pl 8, f 2 [b2912] [TypeL - Nigeria.] [Refs - b0836 :273 (Feels it may not belong to *Telipna*); b4400]
- a *actis* (Herrich-Schäffer), [1851], 1843-1856; *Lycaena* OD: Syst. Bearb. Schmett. Europ. 1:pl 104, f 496-499 [b2313] CG: *Polyommatus* (*Agrodiaetus*) [TypeL - Turcia; Asia Minor.] [Note - Koçak makes this a synonym of *atys* Gerhard, 1851, and dates it 1852.] [Refs - b3901; b2747; b0993; b1762; b2827; b1772; b0113; b2794; b1772; b2859; b4092]
- a *actoris* (Cramer), [1776], 1775-1790; *Papilio* OD: Utiil. Kapellen 1(8):146, pl 93, f D [b1069] CG: *Cremna* [TypeL - Surinam.] [Type of - *Cremna*] [Refs - b2988; b2280; b2747; b4474; b4950; b1456]
- b *acuminata* Johnson, 1976; *Mitoura* OD: Bull. Allyn Mus. (38):20-21, f 8,13 [b2583] SS: *barryi* (Johnson), 1976; *Mitoura* [Type: AME-ht] [TypeL - Butte Falls, Jackson County, Oregon.] [Refs - b2583; b3192; b2585]
- a *acuta* Hewitson, [1873], 1852-1877; *Mesosemia* OD: Ill. exot. Butts 5:[-], pl [34], f 112,113 [b2323] [TypeL - Brazil.] [Refs - b2747 b4474; b1456]
- e *acuta* (Kirby), 1877, (ISS); *Plebeius* OD: Syn. Cat. diurn. Lep., Suppl. :753 [b2753] SS: *aluta* (H. Druce), 1873; *Prosotas* [Refs - b2753]
- a *acuta* Moore, 1877; *Curetis* OD: Ann. Mag. nat. Hist. (4)20:50 [b3224] [TypeL - Shanghai, China.] [Refs - b1636; b4198; b4115; b2988; b0996; b2834; b2479; b0236; b1454; b4094; b0694; b4092]
- b *acuta* (Agenjo), 1972; *Plebejus* OD: Graellsia 26:29 [b0023] SS: *damon* ([Denis & Schiffmüller]), 1775; *Polyommatus* (*Agrodiaetus*) [TypeL - Nidaguila, Burgos Province, Spain.]
- a *ada* Bálint & Johnson, 1994; *Nabokovia* OD: Acta zool. hung. 40(2):114, f 10-12,23,25,27 [b0214] [Type: FMNH-ht] [TypeL - Totralillo, Coquimbo Reg., Chile.] [Refs - b0214]
- c *adachii* (Matsumura), 1919; *Zephyrus* OD: Thous. Ins. Japan Addit. 3:714, pl 53, f 5 [b3089] SS: *butleri* (Fenton), [1882]; *Antigius* [TypeL - Japan.] [Refs - b1900; b0236; b0067]
- c *adala* de Nicéville, 1895; *Arhopala* OD: J. Bombay nat. Hist. Soc. 9(3):282, pl O, f 27 [b1159] SS: *aboe* de Nicéville, 1895; *Arhopala* i [TypeL - Ataran.] [Refs - b1644; b4094]
- b *adalitas* Corbet, 1941; *Arhopala* OD: Proc. R. ent. Soc. Lond. (B)10(9):166 [b0956] SS: *arvina* (Hewitson), [1863]; *Arhopala* i [Type: BMNH-ht] [TypeL - Malay Peninsula.] [Refs - b1644; b0956; b1454; b4108]
- c *adamapuncta* (Tepper), 1882; *Cupido* OD: Trans. R. Soc. S. Aust. 4:31, pl 2, f 16 [b4633] SS: *biocellata* (Felder & Felder), 1865; *Nacaduba* [TypeL - S. Australia.] [Refs - b4934]
- c *adamsi* Lathy, 1903; *Iolaus* OD: Trans. ent. Soc. Lond. 51(2):199, pl 8, f 9 [b2912] SS: *laon* Hewitson, [1878]; *Iolaus* (*Epamera*) [TypeL - Nigeria.] [Refs - b0836; b4400]
- a *adamsi* H. H. Druce, 1909; *Thecla* OD: Trans. ent. Soc. Lond. 57(3):432, pl 11, f 2 [b1376] CG: *Thecla* (New World *Eumaeini*) [Type: BMNH-ht collection of H. J. Adams.] [TypeL - Pichis Road, Peru.] [Refs - b0908; b1376]
- a *adamsi* Stempffer, 1954; *Aphnaeus* OD: Trans. R. ent. Soc. Lond. 105(21):513, pls 1,2, f 3, tfig 15 [b4387] [TypeL - Camerouns; Belgian Congo.] [Refs - b1452; b4400; ns0687]
- a *adamsi* Johnson, 1993; *Gigantonubra* OD: Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (32):30, f [b2614] [Type: BMNH-ht] [TypeL - Rio Guachaca, N. Sierra Nevada de Santa Marta, Colombia.] [Refs - b2614]
- a *adamsoni* Collins & Larsen, 1991; *Leptotes* OD: In Butts Kenya :440, f [b0868] [TypeL - Kenya] [Refs - b0125]
- b *adana* (H. Druce), 1873; *Cupido* OD: Proc. zool. Soc. Lond. 1873(2):349 [b1383] SS: *aratus* (Stoll), [1781]; *Jamides* [Type: BMNH-ht] [TypeL - Borneo.] [Refs - b0964; b0965; b2753; b4094 (as *adana*); b1383; b1865; b2384; b1454; b3786; b4108]
- c *adatha* (Hewitson), 1862; *Amblypodia* OD: Spec. Cat. Lyc. Brit. Mus. :pl 4, f 29-31 :7 [b2325] SS: *cleander* (C. Felder), 1860; *Arhopala* f [TypeL - Amboina.] [Refs - b1644; b2747; b4094]
- e *ab. addenda* (Tutt), 1909, 1905-1914; *Plebeius* OD: Nat. Hist. Brit. Butts 3:179 [b4760] SS: *argus* (Linnaeus), 1758; *Plebejus* [Refs - b0236; b0471]
- e *ab. addenda* (Tutt), 1909, 1905-1914; *Agriades* OD: Nat. Hist. Brit. Butts 3:356, pl 42, f 13 [b4760] SS: *bellargus* (Rottemburg), 1775; *Polyommatus* (*Lysandra*) [Refs - b0236; b0471]
- e *addenda* (Williams), 1911; *Rumicia* OD: Ent. Rec. 23:275 [b5014] SS: *phlaeas* (Linnaeus), 1761; *Lycaena* (*Lycaena*) [Refs - b0389]
- e *addenda* Tutt, 1914, 1905-1914; *Maculinea* OD: Nat. Hist. Brit. Butts 4:325 [b4760] SS: *arion* (Linnaeus), 1758; *Maculinea* [Refs - b0400]
- b *addenda* (Fruhstorfer), 1916; *Lycaenesthes* OD: Zoöl. Meded. 2(2):101 [b1872] SS: *licates* (Hewitson), 1874; *Anthene* [TypeL - Palawan.] [Refs - b4679; b1840; b1454]
- e *addenda* (Stauder), 1923, 1920-1923; *Lycaena* OD: Z. wiss. InsektBiol. 18:192 [b4310] SS: *semiargus* (Rottemburg), 1775; *Polyommatus* (*Cyaniris*) [Refs - b0471]
- a *adela* Staudinger, [1888], 1884-1888; *Thecla* OD: In Exot. Schmett. 1:287; 2:pl 97 [b4329] CG: *Thecla* (New World *Eumaeini*) [Type: pc; collection of Staudinger.] [TypeL - Amazon, Pará to Jurimaguas.] [Refs - b0908; b4329]
- a *adelgitha* (Hewitson), 1874; *Liptena* OD: Ent. mon. Mag. 11:36 [b2340] CG: *Micropentila* [TypeL - Gaboon.] [Type of - *Micropentila*] [Refs - b2280; b2753; b1452; b0836; b2340; b4400]
- a *adelgunda* (Staudinger), 1892; *Teriomima* OD: Deut. ent. Zeit. [Iris] 4(2):219 [b4336] CG: *Micropentila* [TypeL - W. Africa.] [Refs - b1452; b0836; b4400]
- b *adelina* (Butler), 1872; *Lemonias* OD: Cistula Entomologica 1(4):79 [b0595] SS: *aemulius* (Fabricius), 1793; *Catocyclotis* [TypeL - Costa Rica.] [Refs - b2753; b4475; b0595; b1456]
- b *adelpha* Staudinger, [1888], 1884-1888; *Stalactis* OD: In Exot. Schmett. 1:265; 2:pl 93 [b4329] SS: *euterpe* (Linnaeus), 1758; *Stalactis* [TypeL - Pará & E. Amazonas, Brazil.] [Refs - b4476; b1456]

- a **adelpa** Rebillard, 1958; *Emesis* OD: *Mém. Mus. natn. Hist. nat.* (A)15:190, pl 4, f 9 [b3717] [Type: MNHN-ht] [TypeL - Pebas, Rio Songo, Bolivia.] [Refs - b3717; b0093; b1456]
- e **adelpina** Stichel, 1909, (IFS); *Mesosemia* OD: *Berl. ent. Z.* 54(1/2):24 [b4444] SS: Ioruhama Hewitson, 1869; *Mesosemia* [Refs - b4474]
- c **adelpinum** (Godman & Salvin), 1878; *Nymphidium* OD: *Proc. zool. Soc. Lond.* 1878(2):368 [b1973] SS: *lycorias* (Hewitson), [1853]; *Thisbe* [TypeL - Costa Rica; Calobre.] [Refs - b1973]
- e **adenostoma** Scudder, 1876, (ISS); *Satyrium* OD: *Bull. Buffalo Soc. nat. Sci.* 3:111 [b4083] SS: *adenostomatis* (H. Edwards), 1877; *Satyrium* [Refs - b0908]
- c **adenostomatis** (H. Edwards), 1877; *Thecla* OD: *Proc. Calif. Acad. Sci.* 7(10):144 [b1485] SS: *tetra* (Edwards), 1870; *Satyrium* [Type: AMNH-ht] [TypeL - Tehachepi Pass, (Southern California.) [LifeH - Teitz lists b0885, b0886.] [Refs - b1530 :193, f 362; b1321 :58; b0908; b0851; b2753; b3192; b1321; b4066; b4652]
- a **aderces** Clench, 1975; *Hypostrymon* OD: *Bull. Allyn Mus.* (25):5 [b0849] [Type: AME-ht] [TypeL - Colima, Mexico.] [Refs - b0849; b0528; b0107]
- a **aderna** (Plötz), 1880; *Zeritis* OD: *Stett. ent. Ztg.* 41:230 [b3622] CG: *Lipaphnaeus* [TypeL - Victoria, W. Africa.] [Refs - b1452; b0836; b4400]
- e **aderotica** Le Mout, 1940, 1939-1940, (IFS); *Helicopsis* OD: *Novit. ent.* (16):124 [b2943] SS: *cupido* (Lirmaeus), 1758; *Helicopsis* [Type: AME-ht] [Refs - b3199]
- c **adeus** (Fruhstorfer), 1913; *Gerydus* OD: *Z. wiss. Insektbiol.* 9(10):310 [b1851] SS: *boisduvali* Moore, [1858]; *Miletus* 3 [TypeL - New Guinea.] [Refs - b1450; b1546; b1840; b4108]
- c **adherbal** (Mabille), 1877; *Lycaena* OD: *Bull. Soc. zool. Fr.* 2:217 [b3039] SS: *liodes* (Hewitson), 1874; *Anthene* [TypeL - Landana & Chinchonxo.] [Refs - b4400]
- a **adherbal** Grose-Smith, 1897; *Arhopala* OD: *Novit. zool.* 4:366 [b2043] CG: *Arhopala* h [Type: BMNH-ht] [TypeL - Milne Bay.] [Refs - b1450; b1644; b2049 (3(60):10, pl 25, f 3); b4094]
- a **adida** Hewitson, 1869, 1869-1877; *Mesosemia* OD: *Equatorial Lep. Buckley* (3):39 [b2330] [TypeL - Ecuador.] [Refs - b2747; b4474; b1456]
- c **aditja** (Fruhstorfer), 1915; *Lampides* OD: *Arch. Naturgesch.* (A)81(6):13 [b1865] SS: *virgulatus* (H. H. Druce), 1895; *Jamides* [Type: BMNH-ht] [TypeL - N. Borneo.] [Refs - b1865; b1454; b4094; b3786; b4108]
- b **aditya** (Moore), [1875]; *Chrysophanus* OD: *Proc. zool. Soc. Lond.* 1874(4):571, pl 67, f 1 [b3223] SS: *solskyi* (Erschoff), 1874; *Lycaena* (*Thersamonia*) [TypeL - Ladak.] [Refs - b1636; b2753; b0996; b1759; b3910; b3223; b4094; b0694; b4092]
- e **admela** Doubleday, 1847, 1844-1848, (NN); *Nymphidium* OD: *List Spec. lep. Brit. Mus.* (2):10 [b1327] [Refs - b4476]
- a **admete** Hewitson, [1863], 1863-1878; *Arhopala* OD: *Ill. diurn. Lep. Lycaenidae* 1:7; 2:pl 3, f 18,19 [b2326] CG: *Arhopala* l [Type: BMNH-ht] [TypeL - Ceram.] [Refs - b1450; b1644; b2747; b4094]
- a **admetus** (Esper), [1783], 1776-1830; *Papilio* OD: *Die Schmett.* 1(2)(7):148, pl 82, f 2,3 [b1623] CG: *Polyommatus* (*Agrodiaetus*) [TypeL - Hungary.] [Refs - b2375; b2747; b0993; b1780; b1762; b2827; b0236; b0400; b2794; b3366; b2859; b4092; b2302; b0211]
- b **admirabilis** (Sugitani), 1936, 1933-1938; *Lycaenopsis* OD: *Zephyrus* 6:164, pl 9, f 7,10 [b4539] SS: *filipjevi* (Riley), 1934; *Celastrina* [Type: FAKU-ht] [TypeL - North Korea.] [Refs - b4115; b1580]
- e ♂ **ab. adnotata** (Cabeau), 1923; *Lycaena* OD: *Revue mens. Soc. ent. namur.* 23:57 [b0666] SS: *semiargus* (Rottemburg), 1775; *Polyommatus* (*Cyaniris*) [TypeL - Belgium.] [Refs - b0236]
- e **adolphifrederici** Stempffer, 1967, (ISS); *Epitola* OD: *Bull. Br. Mus. nat. Hist. (Ent.) Suppl.* 10:87 [b4400] SS: *adolphifrederici* Schultze, 1911; *Epitola* [Refs - b1452; b4400]
- a **adolphifrederici** Schultze, 1911; *Epitola* OD: *Deut. ent. Zeit.* [Iris] 25:95 [b4010] [TypeL - Cameroons.] [Note - Not spelled *adolphifrederici*.] [Refs - b3842; b4400 (as *adolphifrederici*); b3582; b3842; b1452 (as *adolphifrederici*)]
- e **adona** (Seitz), [1924], 1912-1927, (ISS); *Lampides* OD: In Seitz, *Grossschmett. Erde* 9:909 [b4094] SS: *adana* (H. Druce), 1873; *Jamides* [Refs - b4094]
- b **adonias** (Hewitson), 1862; *Amblypodia* OD: *Spec. Cat. Lyc. Brit. Mus.* :8, pl 4, f 32,33 [b2325] SS: *eumolphus* (Stoll), [1780]; *Arhopala* g [Type: BMNH-ht] [TypeL - Java.] [Refs - b1644; b2747; b2200; b1454; b4094]
- a **adonira** Hewitson, [1866], 1852-1877; *Dodona* OD: *Ill. exot. Butts* 3:[---], pl 52, f 1,2 [b2323] [TypeL - Sikkim, India.] [Refs - b1636; b1149; b2988; b2747; b4473; b0236; b1454; b1840]
- b **adoniram** Fruhstorfer, [1923], 1909-1923; *Castalius* OD: In Seitz, *Grossschmett. Erde* 9:886 [b1840] SS: *rosimon* (Fabricius), 1775; *Castalius* [TypeL - E. Java.] [Refs - b1840; b4108]
- c **adonis** ((Denis & Schiffermüller)), 1775; *Papilio* OD: *Ankündigung syst. Werkes Schmett.* :184 [b1193] SS: *bellargus* (Rottemburg), 1775; *Polyommatus* (*Lysandra*) [Refs - b3059; b2747; b0993; b1183; b2794; b2797; b4092; b4038]
- a **adonis** Pennington, 1962; *Poecilmitis* OD: *J. ent. Soc. S. Afr.* 25(2):277 [b3570] [TypeL - Cape Province, S. Africa.] [Refs - b1259; b1452; b4400; b1235]
- b **adorabilis** Fruhstorfer, 1918; *Castalius* OD: *Tijdschr. Ent.* 61:32 [b1884] SS: *fasciatus* (Röber), 1887; *Castalius* [TypeL - Celebes.] [Refs - b1840; b1454]
- b **adorea** de Nicéville, 1890; *Arhopala* OD: *Butts India Burmah Ceylon* 3:238, frontispiece, f 139 [b1153] SS: *silhetensis* (Hewitson), 1862; *Arhopala* f [Type: BMNH-ht] [TypeL - Singapore.] [Refs - b1644; b1556; b2200; b1454; b4094; b4602; b4108]
- a **adria** (Hewitson), [1873], 1863-1878; *Thecla* OD: *Ill. diurn. Lep. Lycaenidae* 1:142; 2:pl 56, f 345,346 [b2326] CG: *Ministrymon* [Type: BMNH] [TypeL - Amazon.] [Note - Druce linked *adria* with *megacles*, but *Comstock & Huntington* did not accept this.] [Refs - b0908; b2753; b2593; b2636]
- a **adriana** (de Nicéville), [1884]; *Nilasera* OD: *J. asiat. Soc. Bengal, Pt II* 52(2/4):79, pl 9, f 5,5a [b1145] CG: *Flos* [TypeL - Sikkim.] [Refs - b1644; b2201; b1454; b4094; b4209]
- a **adriana** Johnson, 1992; *Pontirama* OD: *Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point)* (22):43, f [b2610] [Type: AMNH-ht] [TypeL - Cusco, Peru.] [Refs - b0125; b2610]
- c **adrienne** (Maynard), 1891; *Chrysophanus* OD: *Manual N. Amer. Butts* :153 [b3120] SS: *americana* Harris, 1862; *Lycaena* (*Lycaena*) [TypeL - Eastern Massachusetts.] [Note - Described as a subspecies.] [Refs - b0908; b3191; b3192; b1321]
- c **adulans** de Nicéville, 1895; *Arhopala* OD: *J. Bombay nat. Hist. Soc.* 9(3):284, pl O, f 28,29 [b1159] SS: *aboe* de Nicéville, 1895; *Arhopala* i [TypeL - Ataran.] [Refs - b1644; b4094]

- b **adulatrix** Fruhstorfer, 1904; *Dicallaneura* OD: Deut. ent. Zeit. [Iris] 17(1):145 [b1819] SS: *decorata* (Hewitson), [1862]; *Dicallaneura* [TypeL - Waigiui.] [Refs - b1450; b1840; b4474; b1819]
- b **adulter** Stichel, 1929; *Teratophthalma* OD: Mitt. zool. Mus. Berl. 15:16 [b4470] SS: *bacche* (Seitz), [1917]; *Teratophthalma* [TypeL - Peru.] [Refs - b4474]
- a **adulterinus** Heydemann, 1954; *Polyommatus* OD: Z. wien. ent. Ges. 39:425 [b2360] CG: *Polyommatus* (?) [TypeL - Afghanistan.]
- a **adunca** (Draudt), [1919], 1917-1924; *Thecla* OD: In Seitz, Grossschmett. Erde 5:759, pl 153 [b1348] CG: *Rhamma* [Type: NMB-ht; Fassl Collection, now in Naturhistorisches Museum, Basel.] [TypeL - Monte Tolima, Colombia.] [Refs - b0908; b0125; b2620; b2611]
- a **adusta** (Riley), 1939; *Thecla* OD: Novit. zool. 41:357 [b3778] CG: *Japomica* [Type: BMNH-ht] [TypeL - Siao-lou, Western China.] [Refs - b3778; b3907]
- e **aeacus** Le Moul, 1940, 1939-1940, (IFS); *Helicopsis* OD: Novit. ent. (16):125 [b2943] SS: *cupido* (Linnaeus), 1758; *Helicopsis* [Refs - b3199]
- a **aedias** (Hewitson), 1862; *Amblypodia* OD: Spec. Cat. Lyc. Brit. Mus. :6, pl 4, f 36 [b2325] CG: *Arhopala* a [Type: BMNH-ht] [TypeL - Java.] [Refs - b1644; b2747; b2200; b1454; b4094]
- a **aedon** (Christoph), 1877, 1876-1877; *Lycaena* OD: Horae Soc. ent. ross. 12:326, pl 5, f 8 [b0787] CG: *Polyommatus* (*Sublysandra*) [TypeL - Schahkuh, Northern Iran.] [Refs - b0993; b1762; b0113; b2791; b2794 (good species); b4092; b2788]
- a **aeeta** de Nicéville, 1893; *Arhopala* OD: J. Bombay nat. Hist. Soc. 7(3):333, pl H, f 17 [b1156] CG: *Arhopala* i [TypeL - Ataran, Burma.] [Refs - b1644; b4094 (as *oeta*); b1156; b1454; b4594]
- c **aegrus** (Christoph), 1873; *Lycaena* OD: Horae Soc. ent. ross. 10:24, pl 1, f 3,4 [b0786] SS: *dardanus* (Freyer), 1844; *Polyommatus* (*Agriades*) [TypeL - Northern Iran.] [Refs - b2753; b0993; b1762; b2377 (as *aegrus*, as ssp); b0410; b4092]
- a **aegates** (Hewitson), 1874; *Limnas* OD: Descr. new Spec. Butts Buckley Bolivia :19 [b2344] CG: *Melanis* [TypeL - Bolivia.] [Refs - b2988; b2753; b4474; b2221; b1456]
- c **aegiades** (Gerhard), 1853, 1850-1853; *Lycaena* OD: Vers. monog. europ. Schmett. :19, pl 23 (or 34), f 4a-c [b1928] SS: *argus* (Linnaeus), 1758; *Plebejus* [Refs - b2747; b0993; b0410; b0471]
- a **aegides** (Felder & Felder), 1865, 1865-1875; *Pseudolycaena* OD: Reise Novara (2):246, pl 31, f 3,4 [b1692] CG: *Macusia* [TypeL - Venezuela and New Granada, Bogotá.] [Refs - b0908; b0845; b2747; b3810; b2611]
- b **aegidion** (Meisner), 1818; *Papilio* OD: Natur. Anz. Allg. Schw. Ges. 1818:88+ [b3147] SS: *argus* (Linnaeus), 1758; *Plebejus* [TypeL - Helvetia.] [Note - Reference also seen as *Anz. Germ. Mag. Ent.*, 4:394 (1821).] [Refs - b2375; b0993; b0236; b0410; b2862; b2859; b4092; b0471]
- c **aegidion** (Gerhard), 1853, 1850-1853; *Lycaena* OD: Vers. monog. europ. Schmett. :pl 23, f 4 [b1928] SS: *argus* (Linnaeus), 1758; *Plebejus* [Refs - b2747]
- c **aegina** (Grum-Grshimailo), 1891; *Lycaena* OD: Horae Soc. ent. ross. 25:451 [b2068] SS: *argyrognomon* (Bergsträsser), [1779]; *Plebejus* (*Lycaeides*) [TypeL - Bogdo-Ola in Eastern Tibet.] [Refs - b0993; b2479; b3328; b2966 (misid); b4092]
- e **aegina** (Leech), [1893], 1893-1894, (MID); *Lycaena* OD: Butts China Japan Corea :303, pl 31, f 11 [b2966] SS: *argyrognomon* (Bergsträsser), [1779]; *Plebejus* (*Lycaeides*) [TypeL - Ta-chien-lu, China.] [Note - Leech misidentified *aegina* Grum-Gashimailo.] [Refs - b3328; b2966]
- b **aegithus** (Fruhstorfer), 1915; *Lampides* OD: Arch. Naturgesch. (A)81(6):26 [b1865] SS: *philatus* (Snellen), 1878; *Jamides* [TypeL - Waigiui.] [Refs - b1865]
- c **aegon** ((Denis & Schiffmüller)), 1775; *Papilio* OD: Ankündigung syst. Werkes Schmett. :185 [b1193] SS: *argus* (Linnaeus), 1758; *Plebejus* [*Note - Koçak claims this name is unavailable.*] [Refs - b4115 (as Butler name); b3059; b2827; b2479; b2747; b0993; b1780; b0410; b2521; b1183; b2794; b3366; b2797; b2859; b4092; b0471]
- c **aegonides** (Bremer), 1864; *Lycaena* OD: Mém. Acad. Sci. St.-Pétersbourg 8:28, pl 3, f 8 [b0483] SS: *cleobis* (Bremer), 1861; *Plebejus* (*Lycaeides*) [TypeL - Siberia or.] [Refs - b2747; b0993; b2479; b4193; b4092]
- e **aegrus** (Higgins), 1981, (ISS); *Agriades* OD: Ent. Gaz. 32(4):232 [b2377] SS: *aegagrus* (Christoph), 1873; *Polyommatus* (*Agriades*) [Refs - b2377]
- c **aegus** (Chapman), 1917; *Plebeius* OD: Étud. Lép. comp. 14:41, pl 7,8, f 19-24 [b0772] SS: *argyrognomon* (Bergsträsser), [1779]; *Plebejus* (*Lycaeides*) [Type: BMNH] [TypeL - Geneva.] [Refs - b1530 :232, f 445; b1321 :63; b2827; b4425; b0410; b2521; b0410; b2379; b2859; b0471]
- e **aegusella** (Verity), 1921, 1919-1922, (RA); *Plebeius* OD: Ent. Rec. 33:175 [b4840] SS: *argyrognomon* (Bergsträsser), [1779]; *Plebejus* (*Lycaeides*) [Type: MZS-st] [Refs - b1780; b2856; b0236; b4425; b0410; b0471]
- e **aegyptiacus** (Turner), 1920; *Syntarucus* OD: Trans. ent. Soc. Lond. 68(1/2):199 [b4754] SS: *egyptiaca* (Bethune-Baker), 1894; *Leptotes* [Refs - b4754]
- c **aehaja** (Behr), 1867; *Lycaena* OD: Proc. Calif. Acad. Sci. 3(4):280 [b0283] SS: *saepiolus* (Boisduval), 1852; *Plebejus* (*Icaricia*) [Type: lost] [TypeL - Alpine regions, headwaters Tuolumne River, California.] [*Note - Miller & Brown incorrectly show this name as unavailable.*] [Refs - b0908; b2747 (as *achaja*); b3192; b1321]
- b **aelianus** (Fabricius), 1793, 1792-1799; *Hesperia* OD: Ent. syst. 3(1):280 [b1657] SS: *celeno* (Cramer), [1775]; *Jamides* [Type: ZMC-st] [TypeL - India occidentalis".] [Refs - b0964; b1636; b3786; b0965; b2747; b2479; b1564; b0626; b2384; b1454; b4094; b0694; b5076]
- a **aelianus** Staudinger, 1891; *Iolaus* OD: Deut. ent. Zeit. [Iris] 4(1):148 [b4334] CG: *Iolaus* (*Iolaphilus*) [TypeL - Sierra Leone.] [Refs - b1452; b0836; b4400]
- a **aemulius** (Fabricius), 1793, 1792-1799; *Hesperia* OD: Ent. syst. 3(1):322 [b1657] CG: *Catocyclotus* [Type: ZMC-st] [TypeL - Indis".] [Type of - *Catocyclotus*] [Refs - b2988; b2280; b2747; b4475; b5076; b1456]
- a **aemulus** Trimen, 1895; *Iolaus* OD: Trans. ent. Soc. Lond. 43(2):192, pl 5, f 6 [b4730] CG: *Iolaus* (*Epamera*) [Refs - b1452; b4400; b3312; b1235]
- a **aemulus** Eliot & Kawazoé, 1983; *Udara* OD: Butts Lycaenopsis group :147, f 103, 309, 325, 506 [b1580] [Type: BMNH-ht] [TypeL - Mt Apo, Mindanao, Philippines.] [Refs - b1580]
- c **aenea** (Miskin), 1890; *Chrysophanus* OD: Proc. linn. Soc. N. S. Wales (2)5(1):33 [b3212] SS: *pyrodiscus* (Rosenstock), 1885; *Paralucia* [TypeL - Queensland, Australia.] [Refs - b1450; b0870; b4094; b4940]
- a **aenea** Semper, 1890, 1886-1892; *Cheritra* OD: In Semper, Reisen Philipp. (2)(5):215 [b4110] [TypeL - Mindoro, Philippines.] [Refs - b1016; b4094; b1454]
- a **aenetus** (Hewitson), 1874; *Nymphidium* OD: Descr. new Spec. Butts Buckley Bolivia :14 [b2344] CG: *Imelda* [TypeL - Bolivia.] [Refs - b2747 (as *oenetus*); b4475; b1456]
- c **aeneus** (Tepper), 1882; *Cupido* OD: Trans. R. Soc. S. Aust. 4:29, pl 2, f 9 [b4633] SS: *icilius* (Hewitson), [1865]; *Jalmenus* [TypeL - S. Australia.] [*Note - May belong with inous.*] [Refs - b4934]

- b *aeniacus* Hewitson, [1876], 1852-1877; *Esthemopsis* OD: Ill. exot. Buns 5:[-], pl [43], f 9 [b2323] SS: jesse (Butler), 1870; *Esthemopsis* [TypeL - Bolivia.] [Refs - b4474; b2753 (as *oeniacus* :757); b1456]
- a *aenigma* Cowan, 1967; *Cheritra* OD: Bull. Br. Mus. nat. Hist. (Ent.) 20(3):94, pl 1-12, 2-24, 4-37 [b1016] [Type: BMNH-ht] [TypeL - Liwa, S. Sumatra.] [Refs - b1016; b0965; b1454]
- a *aenigma* Eliot, 1972; *Arhopala* OD: J. nat. Hist. 6:14 [b1556] CG: *Arhopala* f [Type: BMNH-ht] [TypeL - Sibatik Islands, Sabah, Borneo.] [Refs - b1556; b0965; b4108]
- b *aenigma* Eliot & Kawazoe, 1983; *Megisba* OD: Butts *Lycaenopsis* group :63, f 233,257 [b1580] SS: strongyle (C. Felder), 1860; *Megisba* [Type: BMNH-ht] [TypeL - Tanimber.] [Refs - b1580]
- a *aenone* (Leech), [1893], 1893-1894; *Thecla* OD: Butts *China Japan Corea* :366, pl 29, f 6,9 [b2966] CG: *Satyrium* (?) [TypeL - China.] [Refs - b2966]
- a *aenone* Waterhouse, 1902; *Ogyris* OD: Proc. linn. Soc. N. S. Wales 27(3):339, pl 14, f 9 [b4932] [TypeL - Australia.] [Refs - b1450; b4950; b0870; b4094; b4934]
- b *aenus* Fruhstorfer, 1907; *Iraota* OD: Ent. Zeit. 21(25):156 [b1826] SS: timoleon (Stoll), [1783]; *Iraota* [TypeL - Java.] [Refs - b4094; b1564; b1826; b4592]
- a *aeolia* Bates, [1868]; *Esthemopsis* OD: J. linn. Soc. Lond., Zool. 9:380 [b0267] [TypeL - Tapajos.] [Refs - b2747; b4474; b0267; b1456]
- a *aeolus* (Fabricius), 1775; *Papilio* OD: Syst. Ent. :522 [b1653] CG: *Panhiades* [Type: ZMC-ht] [TypeL - Indiis".] [Refs - b0908; b3390; b2747; b5076]
- a *aeolus* Wyatt, 1961; *Lycaena* OD: J. Lep. Soc. 15(1):17, f [b5048] CG: *Lycaena* (*Alciphronia*) [TypeL - Afghanistan.] [Refs - b3012; b4220; b3910]
- a *aepea* Hewitson, [1874], 1863-1878; *Thecla* OD: Ill. dium. Lep. *Lycaenidae* 1:165; 2:pl 65, f 457,458 [b2326] CG: *Thecla* (New World *Eumacini*) [Type: BMNH] [TypeL - Ecuador.] [Refs - b0908; b2753 (as *oepea*); b0278]
- a *aepeona* Draudt, [1920], 1917-1924; *Thecla* OD: In Seitz, *Grossschmett. Erde* 5:793, pl 157-h [b1348] CG: *Thecla* (New World *Eumacini*) [TypeL - Peru, Columbia.] [Refs - b0908]
- b *aequalis* (Grose-Smith), 1897; *Holochila* OD: Ann. Mag. nat. Hist. (6)20:517 [b2041] SS: refusa (Grose-Smith), 1894; *Philiris* [TypeL - New Guinea.] [Refs - b4677; b1450]
- a *aequatorialis* (E. Sharpe), [1892]; *Lycaena* OD: Proc. zool. Soc. Lond. 1891(4):637, pl 48, f 5 [b4154] CG: *Harpencyreus* [TypeL - E. Africa.] [Refs - b1452; b0162; b4400]
- a *aequatorialis* (Seitz), [1924], 1910-1924; *Diophthalma* OD: In Seitz, *Grossschmett. Erde* 5:1066, pl 126e [b4093] CG: *Leucochimona* [TypeL - Cachabe, Colombia.] [Refs - b4474; b1456]
- b *aequatorialis* Stempffer, 1956; *Liptena* OD: Anns Mus. r. Congo Belge (8vo)49:8, pl 3, f 3,4 [b4388] SS: flavicans (Grose-Smith & Kirby), 1891; *Liptena* [Type: MRCB-ht] [TypeL - Eala, Tshuapa, Belgain Congo.] [Refs - b1452; b4388; b4400]
- a *aequatorialis* Stempffer & Bennett, 1958; *Iolaus* OD: Bull. Inst. franç. Afr. Noire 20(A):1322 [b4418] CG: *Iolaus* (*Iolaphilus*) [TypeL - Uganda.] [Refs - b1452; b2224; b4400]
- b *aequatorialis* Jackson, 1962; *Epitola* OD: Bull. Br. Mus. nat. Hist. (Ent.) 12(3):135 [b2562] SS: *staudingeri* Kirby, 1890; *Epitola* [TypeL - French Equatorial Africa.] [Refs - b1452; b2564; b4400]
- a *aequatorialis* (Stempffer), 1962; *Anthene* OD: Bull. Inst. franç. Afr. Noire 24(A):1178, f 76-77 [b4395] CG: *Neurellipes* [Type: BMNH-ht] [TypeL - Congo.] [Refs - b1452; b4395; b4400]
- a *aequatorialis* (Jackson), 1964; *Phytala* OD: Bull. Br. Mus. nat. Hist. (Ent.) 15(3):62 [b2563] CG: *Hypophytala* [TypeL - Nigeria.] [Refs - b1452; b4400]
- b *aerata* (Montague), 1914; *Holochila* OD: Proc. zool. Soc. Lond. 1914(3):645 [b3218] SS: *heathi* (Cox), 1873; *Candalides* [TypeL - Monte Bello Islands.] [Refs - b4677; b1450; b4255; b0870]
- a *aerella* Grose-Smith, 1902, 1887-1902; *Ithomeis* OD: Rhop. exot. 3(60):8, pl Ery 2, f 11,12 [b2029] [TypeL - Amazonas.] [Refs - b4474; b1456]
- a *aerigera* (Stichel), 1910; *Chamona* OD: Gen. Insectorum 112(A):168, pl 26, f 42 [b4446] CG: *Charis* [Type: ZMHU-ht] [TypeL - Casa Branca, S. Brazil.] [Refs - b4474; b1456; b4446]
- c *aerope* (Westwood), [1851], 1846-1852; *Baeotis* OD: In Gen. dium. Lep. (2):pl 71, f 2 [b4981] SS: *cingulus* (Stoll), [1790]; *Phaenochitonia* [TypeL - Amazon.] [Refs - b2747; b4474]
- a *aerosus* Stichel, 1924; *Anteros* OD: Deut. ent. Zeit. 1924:419 [b4459] [TypeL - Brazil.] [Refs - b4474; b4459; b1456]
- c *aeruginosa* Staudinger, 1881; *Glaucopsyche* OD: Stett. ent. Zig 42:225 [b4328] SS: *alexis* (Poda von Neuhaus), 1761; *Glaucopsyche* [Refs - b0993; b1503; b0400; b3555; b3366; b0694 (good ssp); b4092]
- a *aerugo* Clench, [1972]; *Lasaia* OD: J. Res. Lep. 10(2):173, f 26,27 [b0846] [Type: CM-ht] [TypeL - Llangua, Department Cajamarca, Peru.] [Refs - b0528; b0846; b1456]
- c *aesculi* Ochseneimer, 1807, 1807-1835; *Satyrium* OD: *Schmett. Europa* 1(2):107 [b3470] SS: *esculi* (Hübner), [1819]; *Satyrium* [Refs - b3059; b2747]
- c *aesopus* (Fabricius), 1781, 1781-1782; *Papilio* OD: Spec. Ins. 2:125 [b1655] SS: *thetis* (Drury), [1773]; *Curetis* [Type: BMNH-st; Banks collections.] [TypeL - India orientali".] [Type of - *Curetis*] [Refs - b2280; b1636; b2747; b4094; b0694; b5076]
- e *aesthetica* Stichel, 1909, (IFS); *Mesosemia* OD: Berl. ent. Z. 54(1/2):24 [b4444] SS: *candara* H. H. Druce, 1904; *Mesosemia* [Refs - b4474]
- c *aestiva* (Zeller), 1847; *Lycaena* OD: *Isis von Oken* 1847(2):155 [b5061] SS: *calida* (Bellier de la Chavignerie), 1862; *Plebejus* (*Aricia*) [Refs - b2747; b0995; b0993; b0410]
- c *aestiva* Zeller, 1847; *Lycaena* OD: *Isis von Oken* 1847(2):158 [b5061] SS: *phlaeas* (Linnaeus), 1761; *Lycaena* (*Lycaena*) [Refs - b0236]
- e *aestiva* (Staudinger), 1901; *Lycaena* OD: *Cat. Lep. Palae. Faun.* (3rd ed) :11 [b4347] SS: *agestis* ([Denis & Schiffmüller]), 1775; *Plebejus* (*Aricia*) [Refs - b4092]
- e *ab. aestiva* (Wahlgren), 1924; *Heodes* OD: Ent. Tidskr. 45:97 [b4899] SS: *helle* ([Denis & Schiffmüller]), 1775; *Helleia A* [Note - Replacement name for *obscura* Lampa.] [Refs - b3796]
- e *aestiva* (Turai & Krüger), 1936; *Rumicia* OD: *Memorie Soc. ent. ital.* 15:57 [b4752] SS: *phlaeas* (Linnaeus), 1761; *Lycaena* (*Lycaena*) [TypeL - Cyrenaica.] [Refs - b1503]
- e *aestivaecaudata* Verity, 1943, (IFS); *Lycaena* OD: *Farfalle Diurne Ital.* 2:55 [b4862] SS: *phlaeas* (Linnaeus), 1761; *Lycaena* (*Lycaena*) [Note - Not spelled *aestivaecaudata*.] [Refs - b2856; b0080; b4862 (as *aestiva-ecaudata*)]
- c f. *aestivalis* Oberthür, 1896; *Lycaena* OD: *Étud. ent.* 20:pl 5, f 66,67 [b3436] SS: *uityrus* (Poda von Neuhaus), 1761; *Lycaena* (*Heodes*) [Refs - b3059]

- c *aestivalis* Oberthür, 1903; *Polycaena* OD: Bull. Soc. ent. Fr. 1903(16):270 [b3438] SS: lama Leech, [1893]; *Polycaena* [Refs - b4473; b3438]
- e *ab. aestivalis* Oberthür, 1910; *Lycaena* OD: Étud. Léop. comp. 4:110 [b3451] SS: bleusei Oberthür, 1884; *Lycaena* (Heodes) [Refs - b0236]
- e *f. aestivalis* Ksienschopolski, 1911; *Callophrys* OD: Trudy obshch. Izsl. Volyni Zitimir 8:53 [b2854] SS: rubi (Linnaeus), 1758; *Callophrys* [Refs - b0236]
- e *f. aestivalis* Ksienschopolski, 1911; *Lycaena* OD: Trudy obshch. Izsl. Volyni Zitimir 8:56 [b2854] SS: tityrus (Poda von Neuhaus), 1761; *Lycaena* (Heodes) [Refs - b0236]
- e *ab. aestivalis* (Bollow), 1930, 1929-1931; *Lycaena* OD: In Seitz, Grossschmett. Erde 1(Suppl.):275 [b0471] SS: icarus (Rottemburg), 1775; *Polyommatus* [Note - Bollow attributed the name to Tutt, but I have been unable to trace the reference.] [Refs - b0471]
- c *aestivus* Zeller, 1847; *Lycaena* OD: Isis von Oken 1847(1):39 [b5060] SS: lusitanicus (Bryk), 1940; *Lycaena* (*Lycaena*) [Refs - b3059; b0996; b1780 (as *aestiva*); b0389]
- c *aestivus* (Swinhoe), [1887]; *Aphnaeus* OD: Proc. zool. Soc. Lond. 1886(4):429, pl 40, f 1 [b4566] SS: lilacinus (Moore), 1884; *Aphanius* [TypeL - E. India.] [Refs - b1636; b4094]
- e *aestivusecaudata* Verity, 1943, (IFS); *Lycaena* OD: Farfalle Diurne Ital. 2:55 [b4862] SS: phlaeas (Linnaeus), 1761; *Lycaena* (*Lycaena*) [Refs - b0389]
- b *aethalia* Bates, [1868]; *Emesis* OD: J. linn. Soc. Lond., Zool. 9:385 [b0267] SS: ocyptore (Geyer), [1837]; *Emesis* [TypeL - New Granada.] [Refs - b4475; b1116 (as good species); b1456]
- a *aetherea* Stichel, 1910; *Semomesia* OD: Gen. Insectorum 112(A):34 [b4446] [Type: ZMHU-st] [TypeL - Yurimaguas, Peru.] [Refs - b4474; b1456; b4446]
- a *aetherialis* (Butler), 1884; *Lampides* OD: Ann. Mag. nat. Hist. (5)13:195 [b0629] CG: Jamides [TypeL - Kai or Ké Dulan.] [Refs - b1450; b4094; b1865; b2388; b2388]
- b *aethes* Clench, 1965; *Iolaus* OD: J. New York ent. Soc. 72(4):243 [b0835] SS: aphnaeoides Trimen, 1873; *Iolaus* (*Epamera*) [TypeL - Cameroon.] [Refs - b0528; b1452]
- a *aethesa* (Hewitson), [1867], 1863-1878; *Thecla* OD: Ill. diurn. Lep. Lycaenidae 1:86; 2:pl 33, f 57 [b2326] CG: Arawacus [Type: BMNH] [TypeL - Bahia, Brazil.] [Refs - b0908; b2747; b0556]
- d *aethesa* Hewitson, [1874], 1863-1878, (H); *Thecla* OD: Ill. diurn. Lep. Lycaenidae 1:172; 2:pl 68, f 493,494 [b2326] SS: theia Hewitson, 1870; *Thecla* (New World Eumaeini) [Type: BMNH] [TypeL - Bolivia.] [Refs - b0908; b2747; b1975]
- a *aethiopia* (Bethune-Baker), 1923; *Neochrysoptera* OD: Trans. ent. Soc. Lond. 70(3/4):331, pl 14, f 9; pl 21, f 40; pl 29, f 40 [b0359] CG: Lepidochrysoptera [Type: BMNH-hi] [TypeL - East Africa.] [Refs - b4669; b1452; b0359; b4400]
- a *aethiops* (Mabille), 1877; *Lycaena* OD: Bull. Soc. zool. Fr. 2:219 [b3039] CG: Petrelaea [TypeL - Chinchonxo.] [Type of - Pseudonacaduba] [Refs - b2280; b1452; b4400]
- c *aethiops* (Distant), 1886; *Lycaenesthes* OD: Ann. Mag. nat. Hist. (5)17:253 [b1287] SS: tessellata Moore, [1875]; *Niphanda* [TypeL - Penang.] [Refs - b0964; b0965]
- a *aethiops* Staudinger, [1888], 1884-1888; *Symmatia* OD: In Exot. Schmett. 1:250 [b4329] [TypeL - Colombia.] [Refs - b4474; b1456]
- e *f. aethiops* Rebillard, 1958; *Euselasia* OD: Mém. Mus. nat. Hist. nat. (A)15:147, pl 1, f 13 [b3717] SS: leucorrhoea Godman & Salvin, 1878; *Euselasia* [Type: MNHN-hi; collection of Fournier de Horrack.] [TypeL - Colombia.] [Refs - b0680 (as *aethiops*); b3717; b0093]
- a *aethon* Trimen, 1887, 1887-1889; *Poecilimitis* OD: In Trimen & Bowker, S. Afr. Butts 2:176, pl 9, f 4 [b4725] CG: *Poecilimitis* [TypeL - S. Africa.] [Refs - b1259; b1452; b4400]
- e *aethops* Callaghan, 1985, (ISS); *Euselasia* OD: J. Res. Lep. Suppl. 1:50-69 [b0680] SS: *aethiops* Rebillard, 1958; *Euselasia* [Refs - b0680]
- a *aethria* Karsch, 1893; *Iolaus* OD: Berl. ent. Z. 38(1/2):220 [b2693] CG: *Iolaus* (*Epamera*) [TypeL - W. Africa.] [Refs - b4400; b0145 (pl 7, f 6); b1452; b0836; b4400]
- c *aetius* (Fruhstorfer), 1915; *Thysonotis* OD: Soc. ent. 30:43 [b1866] SS: plotinus (Grose-Smith & Kirby), 1894; *Psychonotis* [TypeL - New Guinea.] [Note - May be a good subspecies.] [Refs - b1450; b1866 (as *aëtius*)]
- c *aetnaea* (Zeller), 1847; *Lycaena* OD: Isis von Oken 1847(2):148 [b5061] SS: semiargus (Rottemburg), 1775; *Polyommatus* (*Cyaniris*) [Refs - b3901; b0236; b4092]
- b *aetnea* Turati, 1911; *Lycaena* OD: Soc. ent. 25(21):82 [b4743] SS: alciphron (Rottemburg), 1775; *Lycaena* (*Alciphronia*) [Refs - b0236; b4743; b0471]
- e *aetolius* (d'Abbrera), 1984, (ISS); *Arawacus* OD: Butts South America :233 [b1453] SS: *aetolus* (Sulzer), 1776; *Arawacus* [Refs - b1453]
- a *aetolus* (Sulzer), 1776; *Papilio* OD: Abgekürzte Gesch. Ins. 1:147; 2:pl 19, f 10,11 [b4544] CG: *Arawacus* [TypeL - Cape of Good Hope."] [Refs - b0908; b2747; b1453 (as *aetolius*); b3192; b2280 (as *linus*); b2631; b2589]
- a *aexone* (Hewitson), [1863], 1863-1878; *Amblypodia* OD: Ill. diurn. Lep. Lycaenidae 1:5, 2:pl 3, f 20,24 [b2326] CG: *Arhopala* h [Type: BMNH-hi] [TypeL - Waigou.] [Refs - b1450; b1644; b2747; b4094]
- a *affinis* (Edwards), 1862; *Thecla* OD: Proc. Acad. nat. Sci. Philad. 14:223 [b1490] CG: *Callophrys* [Type: CM-It; designated by Brown, 1970] [Trans. amer. ent. Soc. 96(1):65 [b0509]] [TypeL - Vicinity of Fort Bridger, Wyoming. Restricted by Brown, 1970] [Refs - b1530 -209, f 397; b1321 :59; b0908; b2747; b0995; b4069; b0101; b0236; b3192; b1743; b0115; ns4062; b4066]
- c *affinis* (Röber), [1886]; *Deudorix* OD: CorrespBl. ent. Ver. Iris 1(3):69, pl 5, f 10, nec 8,13 [b3820] SS: dioetas Hewitson, [1863]; *Rapala* [Type: SMT-It; designated by Takanami, 1989] [Tyô to Ga 40(1):54 [b4602]] [TypeL - S. W. Sulawesi.] [Refs - b1454 (as a good species); b4094; b4602]
- d *affinis* (Staudinger), 1892, (H); *Thecla* OD: In Romanoff, Mém. Léop. 6:148 [b4335] SS: *eximia* (Fixsen), 1887; *Satyrnum* [Refs - b2479; b4092]
- c *affinis* H. H. Druce, 1895; *Horaga* OD: Proc. zool. Soc. Lond. 1895(3):611, pl 34, f 9 [b1362] SS: *maenala* (Hewitson), [1869]; *Horaga* [Type: ZMHU-hi] [TypeL - Labuan, N. E. Borneo.] [Refs - b1012; b2078; b1362; b4094; b4602; b4108]
- b *affinis* (Waterhouse & Turner), [1905]; *Lycaenesthes* OD: Proc. linn. Soc. N. S. Wales 29(4):801 [b4948] SS: *seltutus* (Röber), [1886]; *Anthene* [Refs - b4679; b1450; b4947; b1840; b0870; b4948; b4788; b4785]
- a *affinis* (Rothschild), 1915; *Virachola* OD: Novit. zool. 22:395 [b3879] CG: *Deudorix* (*Virachola*) [TypeL - Dampier Island.] [Check - Secondary homonym in need of a replacement.] [Refs - b1450]
- a *affinis* Riley, 1922; *Aphnaeus* OD: Trans. ent. Soc. Lond. 69(3/4):249, pl 7, f 7,8 [b3749] [TypeL - Rhodesia.] [Refs - b4387; b1452; b4400]

- c **affinis** (Schweizer & Kay), 1941; *Hamearis* OD: *An. Mus. Hist. nat. Montevideo* (2)5(2):8 [b4053] SS: *erycina* (Schweizer & Kay), 1941; *Audre* [TypeL - Uruguay.] [Refs - b0420]
- e **ab. affixa** Schultze, 1923; *Pentila* OD: In Schubotz :1157 [b4018] SS: *pardalena* H. H. Druce, 1910; *Pentila* [TypeL - C. Africa.] [Refs - b4400]
- c **afghana** (Howarth & Povolny), 1976; *Lycaena* OD: *Čas. morav. Mus. Brně* 61:150, f [b2469] SS: *ophion* (Hemming), 1933; *Hyracanana* [TypeL - Kabul, Afghanistan.] [Refs - b0108; b3360]
- b **afghana** Howarth, 1976; *Polyommatus* OD: In *Čas. morav. Mus. Brně* 61:142, f [b2467] SS: *loewii* (Zeller), 1847; *Polyommatus* (*Plebejidea*) [TypeL - Darunta, Afghanistan.] [Refs - b0108]
- a **afghanica** (Forster), 1973; *Agrodiaetus* OD: *Ent. Zeit.* 83(18):209, f [b1778] CG: *Polyommatus* (*Agrodiaetus*) [Type: ZSBS-hi] [TypeL - Val Panjshir sup., Afghanistan.] [Refs - b0104; b3910; b1778; b0205]
- b **afghanistana** (Forster), 1972; *Agrodiaetus* OD: *Ent. Zeit.* 82(20):232, f 9 [b1777] SS: *damone* (Eversmann), 1841; *Polyommatus* (*Agrodiaetus*) [Type: CM-hi] [TypeL - Kabul, Afghanistan.] [Refs - b1777; b3910]
- b **afra** (Edwards), [1884]; *Lycaena* OD: *Can. Ent.* 15(11):211 [b1523] SS: *lygdamus* (Doubleday), 1841; *Glaucopsyche* [Type: CM-nt; designated by Brown, 1970] [Trans. amer. ent. Soc. 96:415 [b0510]] [TypeL - Vicinity of Brandon, Manitoba. Restricted by Brown, 1970] [Refs - b0908; b3192; b1321]
- a **afra** (Bethune-Baker), 1910; *Lycaenesthes* OD: *Trans. ent. Soc. Lond.* 58(1):27, pl 1, f 12 [b0343] CG: *Anthene* [Type: BMNH-hi] [TypeL - Makala, Congo.] [Refs - b1452; b0343; b4400]
- c **afranius** Fruhstorfer, 1914; *Arhopala* OD: *Deut. ent. Zeit.* [Iris] 27(4):156 [b1853] SS: *tyrannus* Felder & Felder, 1865; *Arhopala e* [Type: BMNH-hi] [TypeL - Aroa River, New Guinea.] [Refs - b1644; b1450; b1853; b4094]
- c **afranius** (Fruhstorfer), [1923], 1909-1923; *Castalius* OD: In Seitz, *Grossschmett. Erde* 9:889 [b1840] SS: *rhode* (Hopffer), 1874; *Caleta* [Type: BMNH?-st] [TypeL - Near Palu, C. W. Sulawesi.] [Refs - b1840; b1454; b4602]
- a **afretta** Parsons, 1986; *Candalides* OD: *Tyô to Ga* 37(3):134, f 44, 130-133 [b3550] [Type: ANIC-hi] [TypeL - Morehead River, Rouku, Western District, New Guinea.] [Refs - b3550]
- a **africana** Bethune-Baker, 1926; *Triclema* OD: *Ann. Mag. nat. Hist.* (9)17:400 [b0362] [TypeL - Kameruns.] [Refs - b1452; b4400]
- a **agaba** (Hewitson), 1862; *Amblypodia* OD: *Spec. Cat. Lyc. Brit. Mus.* :8, pl 4, f 39,40 [b2325] CG: *Arhopala i* [Type: BMNH-hi] [TypeL - India", but really Cochín Chian.] [Refs - b1644; b2747; b0236; b1454; b4094]
- b **agalla** (Fruhstorfer), [1912]; *Camena* OD: *Berl. ent. Z.* 56(3/4):207 [b1850] SS: *ctesia* (Hewitson), [1865]; *Ancema* [TypeL - West-China.] [Refs - b2479; b4094; b0236; b2201; b1850; b1454; b4094; b0471]
- c **agamemnon** Corbet, 1941; *Arhopala* OD: *Proc. R. ent. Soc. Lond.* (B)10(9):160 [b0956] SS: *athada* (Staudinger), 1889; *Arhopala f* [Type: BMNH-hi] [TypeL - Singapore.] [Note - Probably a hybrid of *athada* x *sihetensis*.] [Refs - b1644; b0956; b0965]
- a **aganippe** Goodson, 1945; *Thecla* OD: *Entomologist* 78:170 [b1998] CG: *Thecla* (New World *Eumaeini*) [Type: BMNH] [TypeL - Santa Catherina, Leopoldina, Brazil.] [Refs - b0908]
- c **agardi** Le Mout, 1940, 1939-1940; *Helicopsis* OD: *Novit. ent.* (16):122 [b2943] SS: *cupido* (Linnaeus), 1758; *Helicopsis* [Type: AME-hi] [TypeL - Brazil.] [Refs - b3199]
- a **agatha** (Grose-Smith), 1899, 1887-1902; *Holochila* OD: *Rhop. exot.* 3(47):14, pl 4, f 7,8 [b2029] CG: *Philaris* [TypeL - Milne Bay, New Guinea.] [Refs - b4677; b1450; b3548; b2078]
- c **agathon** Godart, [1824], 1819-1824; *Polyommatus* OD: In *Ency. méth.* 9(Ins.)(2):695 [b1970] SS: *icarius* (Esper), [1789]; *Polyommatus* (*Plebicula*) [Refs - b3059; b0993; ns0314]
- b **agathon** (Felder & Felder), 1865, 1865-1875; *Amblygonia* OD: *Reise Novara* (2):308 [b1692] SS: *ouranus* (Stoll), [1780]; *Notheme* [Refs - b2747; b4474; b2221]
- c **agave** (Walker), 1870; *Lampides* OD: *Entomologist* 5:53 [b4911] SS: *jesous* (Guérin-Méneville), 1847; *Azanus* [TypeL - Arabia.] [Refs - b2753; b0995; b4400]
- a **agave** Godman & Salvin, [1886], 1879-1901; *Lemonias* OD: *Biol. centr.-amer., Lep. Rhop.* 1:462; 3:pl 47, f 7, [b1975] CG: *Lemonias* [TypeL - Panama.] [Refs - b2988; b4475; b0834 (in Anatole); b1456]
- e **agdestis** Doubleday, 1847, 1844-1848, (NN); *Nymphidium* OD: *List Spec. lep. Brit. Mus.* (2):11 [b1327] [Refs - b4476]
- b **agdistis** (Fruhstorfer), 1907; *Amblypodia* OD: *Ent. Zeit.* 21(24):150 [b1825] SS: *vivama* (Horsfield), [1829]; *Surendra* [TypeL - Nias.] [Refs - b1454; b4094; b0694]
- b **ageladas** (Fruhstorfer), 1915; *Lampides* OD: *Arch. Naturgesch.* (A)81(6):19 [b1865] SS: *alecto* C. Felder, 1860; *Jamides* [Type: BMNH-hi] [TypeL - N. E. Sumatra.] [Note - Also seen with *elpis*.] [Refs - b0964; b0965; b1865; b2384; b1454 (as *agelades*); b4094; b4209; b3786; b4108]
- e **agelades** d'Abrera, 1986, (ISS); *Jamides* OD: *Buiss Oriental Region, Pt 3* :646 [b1454] SS: *ageladas* (Fruhstorfer), 1915; *Jamides* [Refs - b1454; b4594]
- a **agelastus** (Hewitson), 1862; *Amblypodia* OD: *Spec. Cat. Lyc. Brit. Mus.* :12, pl 6, f 65,66 [b2325] CG: *Arhopala i* [Type: BMNH-hi] [TypeL - India", but probably Malay Peninsula.] [Refs - b1644; b1556; b2747; b1454; b4094; b4108]
- e **f. agenjo** Higgins, 1948; *Polyommatus* OD: *Entomologist* 81(3):52 [b2367] SS: *escheri* (Hübner), [1823]; *Polyommatus* (*Plebicula*) [Type: lost-hi; BMNH-pt] [TypeL - Sierra Nevada, Granada district, Spain.] [Refs - b3059; b2367; b4247]
- b **agenjo** Vilarubia, 1948; *Maculinea* OD: *Trab. Mus. Cienc. nat. Barcelona* (ns)1(2):8 [b4875] SS: *nausithous* (Bergsträsser), [1779]; *Maculinea* [TypeL - Spain.] [Refs - b3059]
- b **agenjo** (Forster), 1965; *Agrodiaetus* OD: *Ent. Zeit.* 75(18):198 [b1775] SS: *ripantii* (Freyer), 1830; *Polyommatus* (*Agrodiaetus*) [Type: Madrid-hi] [TypeL - Barcelona, Spain.] [Check - Homonym in need of a replacement.] [Refs - b3059; b1775]
- a **agesias** (Hewitson), 1862; *Amblypodia* OD: *Spec. Cat. Lyc. Brit. Mus.* :11, pl 6, f 55,56 [b2325] CG: *Arhopala b* [Type: BMNH-hi] [TypeL - Borneo.] [Refs - b1644; b2747; b1454; b4094; b4108]
- a **agesilas** (Latreille), [1813]; *Erycina* OD: In *Humboldt & Bonpland, Voy. Rég.* 1:396, pl 25, f 7,8 [b2928] CG: *Lasaila* [Refs - b2988; b2747; b4474; b2221; b0419; b1456]
- a **agesilaus** (Staudinger), 1889; *Amblypodia* OD: *Deut. ent. Zeit.* [Iris] 2(1):127, pl 2, f 16, nec 17 [b4332] CG: *Arhopala b* [Type: ZMHU-it; designated by Takanami, 1989] [Tyô to Ga 40(1):27 [b4602]] [TypeL - Palawan, Philippines.] [Refs - b1644; b1564; b2200; b1454; b4094; b4602; b4108]

- a **agestis** ((Denis & Schiffmüller), 1775; *Papilio* OD: *Ankündigung syst. Werkes Schmett.* :184 [b1193] CG: *Plebejus* (*Aricia*) [Type of - *Aricia*, *Gynomorphia*] [*Note - Closely associated with ants. According to Kocak, Schrank, 1801, misused this name for coridon Poda, 1761.*] [Refs - b2280; b4115; b2375; b2401; b2747; b0993; b2399; b2827; b1780; b0995; b1213; b0003; b2905; b3547; b0410; b2300; b0293; b1183; b4950; b2794; b0270; b3910; b0138; b0316; b4366; b3366; b2797; b2859; ns0273; ns0382; ns0409; ns2825]
- c **agestoides** (de Selys-Longchamps), 1857; *Polyommatus* OD: *Annl. Soc. ent. Belg.* 1:15 [b1183] SS: *alexis* (*Poda* von Neuhaus), 1761; *Glaucopsyche* [Refs - b1183]
- c **agestor** Godart, [1824], 1819-1824; *Polyommatus* OD: In *Ency. méth.* 9(Ins.)(2):690 [b1970] SS: *escheri* (*Hübner*), [1823]; *Polyommatus* (*Plebica*) [TypeL - Europe mer.] [Refs - b2747; b0993; b2827; b2794]
- b **agias** *Fruhstorfer*, 1912; *Taxila* OD: *Ent. Rundsch.* 29(3):23 [b1849] SS: *haquinus* (*Fabricius*), 1793; *Taxila* [TypeL - Borneo.] [Refs - b4474; b1454; b1840; b1849]
- b **agimar** *Fruhstorfer*, 1908; *Deudorix* OD: *Soc. ent.* 23(5):38 [b1828] SS: *epirus* (*C. Felder*), 1860; *Deudorix* [Refs - b1450; b4094; b1828; b0870]
- c **agis** (*Drury*), 1782, 1770-1782; *Papilio* OD: *Ill. nat. Hist.* 3:index+34, pl 26, f 3,4 [b1392] SS: *phaleros* (*Linnaeus*), 1767; *Cycnus* [TypeL - Brazil.] [Refs - b0908; b2221; b2747; b1975]
- b **agis** (*Fruhstorfer*), 1914; *Lehera* OD: *Deut. ent. Zeit.* [Iris] 27(4):173 [b1854] SS: *eryx* (*Linnaeus*), 1771; *Artipe* [TypeL - S. E. Borneo.] [Refs - b1840; b1854; b4108]
- b **aglais** *Felder & Felder*, 1865, 1865-1875; *Arhopala* OD: *Reise Novara* (2):223, pl 29, f 11 [b1692] SS: *pseudocentaurus* (*Doubleday*), 1847; *Arhopala* h [Type: BMNH-ht] [TypeL - Luzon, Philippines.] [Refs - b1644; b2747; b2200; b1454; b4094; b4590]
- b **agliaophon** (*Fruhstorfer*), 1915; *Lycaena* OD: *Soc. ent.* 30:68 [b1868] SS: *arion* (*Linnaeus*), 1758; *Maculinea* [TypeL - Pyrenees.] [Refs - b0072; b0236 (as *agiaophon*); b1868; b0471; b2858]
- c **aglaspis** (*Trimen*), 1862; *Zeritis* OD: *Trans. ent. Soc. Lond.* (3)1:286 [b4716] SS: *malagrida* (*Wallengren*), 1857; *Argyrocypha* [Refs - b4400; b2747]
- a **agle** (*Hewitson*), [1853], 1852-1877; *Nymphidium* OD: *Ill. exot. Buus* 1:[-], pl [57], f 3 [b2323] CG: *Synargis* [TypeL - Amazon.] [Refs - b2988; b4475; b2747; b1456]
- c **agnata** (*H. Druce*), 1874; *Cupido* OD: *Proc. zool. Soc. Lond.* 1874(1):106, pl 16, f 2-4 [b1385] SS: *aelianus* (*Fabricius*), 1793; *Jamides* [Type: BMNH-ht] [TypeL - Siam.] [Refs - b3786; b4094; b2753; b2650 (as good ssp)]
- c **agnata** (*Staudinger*), 1889, 1886-1889; *Lycaena* OD: *Steu. ent. Ztg.* 50:19 [b4330] SS: *christophi* (*Staudinger*), 1874; *Plebejus* (*Lycacides*) [Refs - b0993; b1762; b2827; b3328; b0410; b4092; b4330]
- b **agnatinus** (*Courvoisier*), 1912; *Lampides* OD: *Tijdschr. Ent.* 55:17 [b0988] SS: *suidas* (*Felder & Felder*), 1865; *Jamides* [TypeL - East Java.] [Refs - b1865; b4094]
- a **agnes** *Aurivillius*, 1897; *Iolaus* OD: *Ent. Tidskr.* 18:219 [b0153] CG: *Iolaus* (*Epamera*) [TypeL - W. Africa.] [Refs - b1452; b4394; b4400]
- b **agnilata** *Dognin*, 1893; *Mesosemia* OD: *Annl. Soc. ent. Belg.* 37:156 [b1296] SS: *reba* *Hewitson*, 1869; *Mesosemia* [TypeL - Loja, Ecuador.] [Refs - b4474]
- b **agnis** *Felder & Felder*, 1865, 1865-1875; *Arhopala* OD: *Reise Novara* (2):228 [b1692] SS: *aedias* (*Hewitson*), 1862; *Arhopala* a [Type: BMNH-ht] [TypeL - Malacca, Malay Peninsula.] [Refs - b1644; b2747; b1454; b4094; b4108]
- a **agnolia** *Eliot*, 1986; *Allotinus* OD: *Bull. Br. Mus. nat. Hist. (Ent.)* 53(1):15, f 6,55 [b1571] [Type: BMNH-ht] [TypeL - Sumatra.] [Refs - b1571]
- c **agorda** *Fruhstorfer*, 1916; *Nacaduba* OD: *Zool. Meded.* 2(2):134 [b1873] SS: *kurava* (*Moore*), [1858]; *Nacaduba* [Type: BMNH-ht] [TypeL - Java.] [Refs - b4676; b0938; b4094]
- c **agra** (*Hewitson*), 1868; *Thecla* OD: *Descr. new Spec. Lycaenidae* :30 [b2327] SS: *bazochii* (*Godart*), [1824]; *Strymon* [Type: BMNH-ht] [TypeL - Amazon.] [Refs - b2221; b3192; b1375; b1321; b0908; b0907; b2747; ns2326 (1:147, 2:pl 58, f 369,370); b1975]
- e **agraphomena** (*Verity*), 1904, (IFS); *Lycaena* OD: *Entomologist* 37:59 [b4833] SS: *damon* ((*Denis & Schiffmüller*)), 1775; *Polyommatus* (*Agrodiaetus*) [Type: MZS-ht] [TypeL - Italy.] [Refs - b0993; b2856; b4092]
- e **agraphomena** (*Verity*), 1943, (IFS); *Aricia* OD: *Farfalle Diurne Ital.* 2:215 [b4862] SS: *nicias* (*Meigen*), 1829; *Plebejus* (*Pseudoaricia*) [Refs - b2856]
- a **agrata** de *Nicéville*, 1890; *Arhopala* OD: *Butts India Burmah Ceylon* 3:251, f 137 [b1153] CG: *Arhopala* f [TypeL - Singapore.] [Refs - b1644; b0236; b2200; b1454; b4094]
- c **f. agrestis** *Stichel*, 1929; *Xenandra* OD: *Min. zool. Mus. Berl.* 15:19 [b4470] SS: *agnia* (*Hewitson*), [1853]; *Xenandra* [TypeL - Brazil.] [Refs - b4474; b4470]
- c **agnia** (*Dalman*), 1823; *Papilio* OD: *Analecta ent.* :46 [b1093] SS: *ptolomaeus* (*Fabricius*), 1793; *Metacharis* [TypeL - Brasilia.] [Refs - b4474; b2747; b1456]
- a **agnia** (*Hewitson*), [1853], 1852-1877; *Limnas* OD: *Ill. exot. Butts* 1:[-], pl [60], f 10 [b2323] CG: *Xenandra* [TypeL - Brasilia.] [Refs - b2747; b4474; b1456]
- a **agricola** (*Westwood*), [1851], 1846-1852; *Lucia* OD: In *Gen. dium. Lep.* (2):pl 76, f 4 (496) [b4981] CG: *Neolucia* [TypeL - Australia.] [Type of - *Neolucia*] [Refs - b1450; b2280; b2747; b0870; b4094; b4934; b1744; b2388]
- a **agricolor** (*Buder & H. Druce*), 1872; *Strymon* OD: *Cistula Entomologica* 1(5):105 [b0662] CG: *Cyanophrys* [Type: BMNH-ht] [TypeL - Cartago, Costa Rica.] [Type of - *Cyanophrys*] [Refs - b0908; b1023; b2747; b3192; b2406; b1975; b2585]
- a **agrippa** (*Fabricius*), 1793, 1792-1799; *Hesperia* OD: *Ent. syst.* 3(1):259 [b1657] CG: *Thecla* (*New World Eumacini*) [Type: biblio; name for a Jones drawings.] [TypeL - America".] [Refs - b0908; b2747; b1375; b5076]
- a **agrippina** *H. H. Druce*, 1888; *Pseudaletis* OD: *Ent. mon. Mag.* 24:259 [b1351] [TypeL - Cameroon Mountains.] [Type of - *Pseudaletis*] [Refs - b2280; b1452; b4400]
- a **agroeca** *Stichel*, 1910; *Napaea* OD: *Berl. ent. Z.* 55(1/2):93 [b4445] [Type: pc-ht; collection of *Stichel*] [TypeL - Espirito Santo, Brazil.] [Refs - b4474; b1456; b4445]
- a **aguaca** *Draudt*, [1920], 1917-1924; *Thecla* OD: In *Seitz, Grossschmett. Erde* 5:799, pl 158-f [b1348] CG: *Thecla* (*New World Eumacini*) [TypeL - Río Aguaca Valley, Colombia.] [Refs - b0908]
- e **aguilata** *Stichel*, 1930, (ISS); *Mesosemia* OD: *Lep. Cat. Pars* 40:257 [b4474] SS: *agnilata* *Dognin*, 1893; *Mesosemia* [Refs - b4474]
- a **agyrtus** (*Cramer*), [1777], 1775-1790; *Papilio* OD: *Uitl. Kapellen* 2(11):40, pl 123, f B.C. [b1069] CG: *Isapis* [TypeL - Surinam; Amazon.] [Type of - *Isapis*] [Refs - b2988; b2280; b2747; b4474; b2406; b0569; b1456]
- b **ahamus** *Doherty*, 1891; *Flos* OD: *J. asiat. Soc. Bengal, Pt II* 60(1):33, pl 1, f 6 [b1303] SS: *apidanus* (*Cramer*), [1777]; *Flos* [Type: BMNH-ht] [TypeL - Upper Assam.] [Refs - b1644; b0965; b2201; b1454; b4094]

- b ahasveros** (Bytinski-Salz), 1937; *Lycaena* OD: Ent. Rec. 49(Sup.):2 [b0663] SS: endymion (Gerhard), 1851; Turanana [TypeL - Iran.] [Refs - b0075]
- a ahava** Hewitson, 1869, 1869-1877; Mesosemia OD: Equatorial Lep. Buckley (3):41 [b2330] [TypeL - Ecuador.] [Refs - b2988; b2753; b4474; b1456]
- b ahmar** (Le Cerf), 1928; *Lycaena* OD: Encyc. ent. Ser. B. III. Lep. 3(3):117 [b2938] SS: escheri (Hübner), [1823]; *Polyommatus* (Plebicula) [TypeL - N. Africa.] [Refs - b0236; b0066; b0471; b2938]
- a ahola** (Hewitson), [1867], 1863-1878; *Thecla* OD: Ill. diurn. Lep. Lycaenidae 1:82; 2:pl 35, f 73,74 [b2326] CG: *Oreya* [Type: BMNH-It; designated by Johnson, 1990] [J. New York ent. Soc. 98(1):79 [b2602]] [TypeL - Mexico and New Granada.] [Refs - b0908; b2747; b1375; b1975; b2593; b2597]
- a ahollba** Hewitson, [1867], 1863-1878; *Thecla* OD: Ill. diurn. Lep. Lycaenidae 1:82; 2:pl 35, f 76,77 [b2326] CG: *Thecla* (New World Eumacini) [Type: BMNH] [TypeL - New Granada.] [Refs - b0908; b2747; b1375]
- b albonito** Comstock & Huntington, 1943; *Nesiostrymon* OD: Am. New York Acad. Sci. 45:76 [b0907] SS: celida (Lucas), 1857; *Nesiostrymon* [Type: AMNH] [TypeL - Aibonito, Puerto Rico.] [Refs - b0908; b0907; b0833]
- a aida** de Nicéville, 1889; *Arhopala* OD: J. Bombay nat. Hist. Soc. 4(3):168, pl A, f 1 [b1152] CG: *Arhopala* f [TypeL - Pegu Yoma, Burma.] [Refs - b1644; b1454; b4094]
- c aida** (Gómez Bustillo), 1973; *Lysandra* OD: Revta Lep. 1(1-2):28, f [b1985] SS: bellargus (Rottemburg), 1775; *Polyommatus* (*Lysandra*) [Refs - b0104; b4038]
- c alihona** (Matsumura), 1939; *Lycaena* OD: Bull. Biogeogr. Soc. Japan 9(20):357, f [b3105] SS: euphemus (Hübner), [1800]; *Maculinea* [TypeL - Manchuria.] [Refs - b0083]
- b alimnestus** Fruhstorfer, [1912]; *Hypolycaena* OD: Berl. ent. Z. 56(3/4):239 [b1850] SS: erylus (Godart), [1824]; *Hypolycaena* [TypeL - Palawan.] [Refs - b4094; b1850]
- c aino** (Matsumura), 1915; *Zephyrus* OD: Ent. Mag. (Kyoto) 1(2):57, pl 2, f 9,10 [b3086] SS: auronina (Oberthür), 1880; *Chrysozephyrus* [TypeL - Sappora, Japan.] [Refs - b4115; b2479; ns4538 2:188; b1900; b3778; b0236; b3086; b0471; b2463]
- b alionica** Murayama, 1952; *Celastrina* OD: Tyô to Ga 3(1):1 [b3275] SS: sugitanii (Matsumura), 1919; *Celastrina* [Type: pc-ht; collection of Murayama] [TypeL - Hokkaido, Japan.] [Refs - b1900; b1580; b4195; b3275]
- a ainsae** (Forster), 1961; *Agrodiaetus* OD: Z. wien. ent. Ges. 46:76, pl 14,15., f 5,6 [b1774] CG: *Polyommatus* (*Agrodiaetus*) [TypeL - Ainsa, Pyrenäen, Spain] [Refs - b2375; b0111; b2794; b1774; b2859]
- e airavati** d'Abbrera, 1986, (ISS); *Discolampa* OD: Butts Oriental Region, Pt 3 :647 [b1454] SS: airavati Doherty, 1886; *Discolampa* [Refs - b1454; b4594]
- b airavati** Doherty, 1886; *Discolampa* OD: J. asiat. Soc. Bengal, Pt II 55(3):261 [b1299] SS: ethion (Westwood), [1851]; *Discolampa* [TypeL - Nicobars.] [Refs - b1636; b1840; b0694; b3782]
- a alta** de Nicéville, 1893; *Abisara* OD: J. Bombay nat. Hist. Soc. 8(1):49, pl L, f 10 [b1157] [TypeL - Batak Mountains, North Sumatra.] [Type of - Archigenes] [Refs - b2280; b0965; b4473; b1454; b1840; b4068]
- b aja** Fruhstorfer, [1904]; *Abisara* OD: Berl. ent. Z. 48(4):287,290 [b1817] SS: geza Fruhstorfer, [1904]; *Abisara* [Type: BMNH] [Refs - b0294; b4473; b1454; b1840]
- e ajax** Le Moult, 1940, 1939-1940, (IFS); *Helicopsis* OD: Novit. ent. (17):131 [b2943] SS: cupido (Linnaeus), 1758; *Helicopsis* [Type: AME-ht] [Refs - b3199]
- e ajax** d'Abbrera, 1986, (ISS); *Artipe* OD: Butts Oriental Region, Pt 3 :632 [b1454] SS: alax Eliot, 1956; *Artipe* [Refs - b1454; b40794]
- e ajenjo** Anonymous, 1954, (ISS); *Maculinea* OD: Zool. Rec. 87(1950)(Ins.):348 [b0084] SS: agenjo Vilarrubia, 1948; *Maculinea* [Refs - b0084]
- c ajusa** Fruhstorfer, 1914; *Arhopala* OD: Deut. ent. Zeit. [Iris] 27(4):164 [b1853] SS: alce (Hewitson), 1862; *Arhopala* g [Type: BMNH-ht] [TypeL - Halmheira.] [Refs - b1644; b1450; b1853; b4094]
- b akaba** (H. Druce), 1873; *Cupido* OD: Proc. zool. Soc. Lond. 1873(2):350 [b1383] SS: berenice (Herrich-Schäffer), 1869; *Nacaduba* [Type: BMNH-ht] [TypeL - Borneo.] [Refs - b4676; b1636; b0938; b1383; b2753; b1454; b4094; b4108]
- a akasa** (Horsfield), [1828], 1828-1829; *Polyommatus* OD: Descr. Cat. lepid. Ins. (1):67, explic. pl 1, f 1,1A [b2457] CG: Udara (Udara) [Type: BMNH-It; designated by Eliot & Kawazoé, 1983] [Butts Lycaenopsis group :110 [b1580]] [TypeL - Java.] [Type of - Akasinula] [Refs - b0964; b1636; b2280; b0965; b1840; b2747; b1580; b2200; b2200; b4592; b4604]
- a akayamai** Hayashi & Schröder & Treadaway, 1983; *Dacalana* OD: Senckenbergiana 63(1/2):51, f 11-13 [b2210] [Type: OMNH-ht] [TypeL - Philippines.] [Refs - b2210; b2201; b1454]
- a akayamai** Hayashi & Schröder & Treadaway, 1984; *Deramas* OD: Senckenbergiana 65(1/2):31, f 4-6 [b2211] [Type: pc-ht; Colin G. Treadaway] [TypeL - Philippines.] [Refs - b2211; b0117]
- c akbesiana** (Oberthür), 1904; *Lycaena* OD: Étud. Léop. comp. 1:16, pl 2, f 21,22 [b3439] SS: sephyrus (Fridvaldszky von Fridvald), 1835; *Plebejus* (*Plebejides*) [Refs - b0993; b0410; b4854; b4092]
- e ab. akio** (Esaki), 1934, 1934-1938; *Zephyrus* OD: *Zephyrus* 5(4):201, f [b1617] SS: ibara (Butler), [1882]; *Ussuriana* [TypeL - Japan.] [Refs - b0072]
- b akronyx** Cowan, 1966; *Horaga* OD: Bull. Br. Mus. nat. Hist. (Ent.) 18(4):118 [b1012] SS: onyx (Moore), [1858]; *Horaga* [Refs - b1012; b1454]
- e f. alacer** (Stüchel), 1929; *Charis* OD: Deut. ent. Zeit. 1929:205 [b4471] SS: neglecta (Stüchel), 1910; *Sarota* [TypeL - Colombia.] [Refs - b4474]
- a alaonia** (Hewitson), [1869], 1863-1878; *Amblypodia* OD: Ill. diurn. Lep. Lycaenidae 1:14f, pl 3c, f 52,53 [b2326] CG: *Arhopala* i [Type: BMNH-ht] [TypeL - Borneo.] [Refs - b1644; b2747 (as alazonia); b1454; b4094; b3401; b4108]
- b aladghensis** (Koçak), 1979; *Aricia* OD: *Atalanta* (Münnerstadt) 10(4a):314, f [b2789] SS: eumedon (Esper), [1780]; *Plebejus* (*Eumedonia*) [Type: DSZUA-ht] [TypeL - Demirkazik, Niğde Province, S. Turkey.] [Refs - b2789]
- c alaica** Staudinger, 1886, 1886-1889; *Turanana* OD: Stett. ent. Ztg 47:207 [b4330] SS: panaegides (Staudinger), 1886; *Turanana* [Refs - b0993; b1759; b2827]
- a alaica** (Grun-Grshimailo), 1888; *Polyommatus* OD: Horae Soc. ent. ross. 22:305 [b2066] CG: *Lycaena* (*Thersamonia*) [Refs - b0996; b2827; b0115; b4092]
- b alaicus** Balletto & Nekrutenko, 1986; *Polyommatus* OD: Vestnik Zoologii 1986(1):76, f 1,2 [b0224] SS: kashgharensis Moore, 1878; *Polyommatus* [Type: ZMKU-ht] [TypeL - Uzbekistan (Alai, Fergana).] [Refs - b0224; b0206]
- a alaina** (Staudinger), 1887, 1886-1889; *Lycaena* OD: Stett. ent. Ztg 48:50 [b4330] CG: *Cupido* [TypeL - Central Asia.] [Refs - b0993; b1762; b2827; b4092]

- a *alanganii* Schröder & Treadaway & Nuyda, 1993; *Tajuria* OD: *Fil-Kulisap* 1(2):5 [b3995] [Type: pc-ht; collection of Hyuga] [TypeL - Mt Halcon, N. Mindoro, Philippines.] [Refs - b3995]
- b *alarbus* Fruhstorfer, [1923], 1909-1923; *Castalius* OD: In Seitz, *Grossschmett. Erde* 9:886 [b1840] SS: *rosimon* (Fabricius), 1775; *Castalius* [TypeL - Andaman Islands.] [Refs - b1636; b1840; b0694 (as *alarbas* Felder); b4108]
- b *alaskensis* (Chermock), 1945; *Plebeius* OD: *Can. Ent.* 76(11):213 [b0779] SS: *idas* (Linnaeus), 1761; *Plebejus* (*Lycaeides*) [Type: AME-hi] [TypeL - Fort Yukon, Alaska.] [Refs - b0908; b1713; b3328; b3192; b1724; b1321; b0779]
- c *alatus* (H. H. Druce), 1907; *Thecla* OD: *Proc. zool. Soc. Lond.* 1907(3):579 [b1375] SS: *culminicola* (Staudinger), 1894; *Penaincisalia* [Type: BMNH-hi] [TypeL - Cajamarca Province, (Northern) Peru.] [Refs - b0908; b1375; b2585; b2593; b2611]
- a *alax* (Evans), 1932; *Amblypodia* OD: *Ident. Indian Butts* (2nd ed.) :263 [b1638] CG: *Arhopala* f [Type: BMNH-hi] [TypeL - Manipur, N. Burma.] [Refs - b1644; b1638; b1454]
- b *alax* Eliot, 1956; *Artipe* OD: *Bull. Raffles Mus.* 27:37 [b1542] SS: *eryx* (Linnaeus), 1771; *Artipe* [TypeL - Celebes.] [Refs - b1542; b1454 (as *ajax*); b1573]
- e *alazonia* (Kirby), 1871, (ISS); *Amblypodia* OD: *Syn. Cat. diurn. Lep.* :423 [b2747] SS: *alazonia* (Hewitson), [1869]; *Arhopala* i [Refs - b2747]
- a *alba* Dewitz, 1886; *Pentila* OD: *Deut. ent. Zeit.* 30(2):428, pl 2, f 8 [b1221] [TypeL - W. Africa.] [Refs - b1452; b1221; b4420; b4400]
- e *ab. alba* (Tutt), 1906, 1905-1914; *Rumicia* OD: *Nat. Hist. Brit. Butts* 1:355 [b4760] SS: *phlaeas* (Linnaeus), 1761; *Lycaena* (*Lycaena*) [Refs - b0389; b4092; b0471; b4760]
- e *ab. alba* (Gussich), 1917; *Nemeobius* OD: *Glasn. hrv. prirodosl. Društ.* 29:221 [b2106] SS: *lucina* (Linnaeus), 1758; *Hamearis* [Refs - b4473; b0236]
- e *ab. alba* (Schoenfeld), 1924; *Chrysophanus* OD: *Int. ent. Z.* 18(6):40 [b3972] SS: *virgaurea* (Linnaeus), 1758; *Lycaena* (*Heodes*) [Refs - b0236; b3796; b0389; b0471]
- e *ab. alba* (Fernandez), 1928; *Lysandra* OD: *Religi6n y Cultura* 3:209, f 8 [b1706] SS: *rezniceki* (Bartel), 1904; *Polyommatus* (*Lysandra*) [Refs - b0236; b0089; b0471]
- a *alba* Jackson, 1962; *Epitola* OD: *Bull. Br. Mus. nat. Hist. (Ent.)* 12(3):155 [b2562] [TypeL - French Equatorial Africa.] [Refs - b1452; b4400]
- a *alba* Gallard & Brevignon, 1989; *Zelotaea* OD: *Bull. Soc. Sci. Nat.* (63):4, f [b1918] [TypeL - French Guiana.] [Refs - b0123; b1456]
- e *ab. albicaudata* (Tutt), 1906, 1905-1914; *Rumicia* OD: *Nat. Hist. Brit. Butts* 1:357 [b4760] SS: *phlaeas* (Linnaeus), 1761; *Lycaena* (*Lycaena*) [Refs - b0389; b4760]
- e *albadus* Fruhstorfer, [1915], 1909-1923, (ISS); *Allotinus* OD: In Seitz, *Grossschmett. Erde* 9:809 [b1840] SS: *albus* Felder & Felder, 1865; *Allotinus* (*Paragerydus*) [Refs - b1840; b1570]
- a *albalineata* Johnson, 1992; *Candora* OD: *Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point)* (22):37, f [b2610] [Type: AMNH-hi] [TypeL - Parque Nacional Callilegua, Dept. Ledesma, Jujuy Province, Argentina.] [Refs - b0125; b2610]
- b *albapex* de Nicéville, 1897; *Rapala* OD: *J. asiat. Soc. Bengal, Pt II* 66(3):560, pl 3, f 23 [b1164] SS: *domitia* (Hewitson), [1863]; *Rapala* [TypeL - Borneo.] [Refs - b1454 (as *albaplex*); b1164; b4094; b4108]
- e *albaplex* d'Abbrera, 1986, (ISS); *Rapala* OD: *Butts Oriental Region, Pt 3* :629 [b1454] SS: *albapex* de Nicéville, 1897; *Rapala* [Refs - b1454]
- c *albastola* (Lucas), 1889; *Danis* OD: *Proc. R. Soc. Qd* 6(4):156, f 3,4 [b3024] SS: *arinia* (Obenthür), 1878; *Nacaduba* [TypeL - Australia.] [Refs - b1450; b4934; b3024; b1382]
- a *albata* (Felder & Felder), 1865, 1865-1875; *Thecla* OD: *Reise Novara* (2):261, pl 32, f 17,18 [b1692] CG: *Strymon* [Type: BMNH-st] [TypeL - Venezuela and New Granada, Bogotá.] [Refs - b0908; b2988; b2718; b2747; b3818; b0278; b3192; b1975; b2631; b4066]
- b *albata* (Aurivillius), 1895; *Hypolycaena* OD: *Ent. Nachr.* 21:382 [b0149] SS: *faunus* (Drury), [1773]; *Oxyliodes* [Refs - b1452; b4400; b3609; b0309]
- e *albata* (Courvoisier), 1914; *Lycaena* OD: *Deut. ent. Zeit. [Iris]* 28:159 [b0993] SS: *anteros* (Freyer), 1839; *Plebejus* (*Ultraancia*) [Refs - b0993; b0236]
- e *f. albata* (Vorbrodt & Müller-Rutz), 1917; *Lycaena* OD: *Mitt. schweiz. ent. Ges.* 12(9/10):448 [b4889] SS: *escheri* (Hübner), [1823]; *Polyommatus* (*Plebicaula*) [Note - *Probably Courvoisier i.L.*] [Refs - b0236; b4889]
- c *albata* Stichel, 1924; *Mesosemia* OD: *Deut. ent. Zeit.* 1924:409 [b4459] SS: *maera* Hewitson, [1873]; *Mesosemia* [TypeL - Trinidad.] [Refs - b4474; b4459]
- e *albata* Verity, 1943, (IFS); *Glaucopsyche* OD: *Farfalle Dinme Ital.* 2:131 [b4862] SS: *alexis* (Poda von Neuhaus), 1761; *Glaucopsyche* [Type: MZS-hi] [Refs - b2856; b0400]
- c *albata* Stichel; *Barbicornis* OD: SS: *mona* Westwood, [1851]; *Barbicornis* [*Check - Original description.*] [Refs - b0111; b3717]
- a *albatus* Felder & Felder, 1865, 1865-1875; *Allotinus* OD: *Reise Novara* (2):287 [b1692] CG: *Allotinus* (*Paragerydus*) [Type: BMNH-hi] [TypeL - Sulawesi.] [Refs - b2747; b1840 (as *albadus*); b1571]
- c *alberici* (Dufrane), 1945; *Pseuderesia* OD: *Bull. Anns Soc. ent. Belg.* 81:116 [b1409] SS: *neavei* (Joicey & Talbot), 1921; *Mimeresia* [TypeL - Kivu.] [Note - *Female is purpurea.*] [Refs - b4400]
- a *alberici* (Dufrane), 1945; *Everes* OD: *Bull. Anns Soc. ent. Belg.* 81:122 or 123 [b1409] CG: *Thermoniphas* [Type: pc-ht; collection of Dufrane.] [TypeL - Maperonga, Kibali-Ituri.] [Refs - b0827; b1452; b4388; b4400]
- c *alberici* Dufrane, 1945; *Iolau* OD: *Bull. Anns Soc. ent. Belg.* 81:120 [b1409] SS: *creta* Hewitson, [1878]; *Iolau* (*Epamera*) [TypeL - Kivu.] [Refs - b4400]
- a *alberta* (Staudinger), 1892; *Teriomima* OD: *Deut. ent. Zeit. [Iris]* 4(2):220 [b4336] CG: *Micropentila* [TypeL - W. Africa.] [Refs - b1452; b4400]
- a *alberta* Butler, 1901; *Chilades* OD: *Ann. Mag. nat. Hist.* (77):291 [b0660] [TypeL - Tamaja & Naada, Equatorial Africa.] [Refs - b1452; b4400; b0660]
- a *alberta* (Bethune-Baker), 1910; *Lycaenesthes* OD: *Trans. ent. Soc. Lond.* 58(1):28, pl 1, f 11 [b0343] CG: *Anthene* [Type: BMNH-hi] [TypeL - Makala, Congo.] [Refs - b1452; b0343; b4400]
- b *alberta* Hulstaert, 1924; *Pentila* OD: *Revue zool. afr.* 12(2):116 [b2496] SS: *pauli* Staudinger, [1888]; *Pentila* [TypeL - Belgian Congo.] [Refs - b3796; b1452; b4420; b2496; b4400]
- b *albertii* Nekrutenko, 1975; *Plebejus* OD: *J. Lep. Soc.* 29(3):153, f [b3351] SS: *pylaon* (Fischer von Waldheim), 1832; *Plebejus* (*Plebejides*) [Type: ZMKU] [TypeL - Teberda, Russian SFSR.] [Refs - b0107; b3351]
- a *albertus* Felder & Felder, 1862; *Monethe* OD: *Wien. ent. Monats.* 6(3):73 [b1687] [TypeL - Amazon.] [Refs - b2988; b2747; b4474; b1456]

- e *albescens* (Cockerell), 1887; *Lycaena* OD: Proc. S. Lond. ent. nat. Hist. Soc. 1887:99 [b0863] SS: coridon (Poda von Neuhaus), 1761; *Polyommatus* (*Lysandra*) [Refs - b0993; b0863]
- e *ab. albescens* Oberthür, 1896; *Dodona* OD: Étud. ent. 20:expl pl 9, f 166 [b3436] SS: durga (Kollar), [1844]; *Dodona* [Refs - b4473]
- e *ab. albescens* Oberthür, 1910; *Lycaena* OD: Étud. Léop. comp. 4:114, pl 38, f 247 [b3451] SS: gordius (Sulzer), 1776; *Lycaena* (*Alciphronia*) [Refs - b0236; b0389; b0471]
- e *albescens* Stichel, 1911, (IFS); *Siseme* OD: Gen. Insectorum 112(B):278 [b4447] SS: xanthogramma Bates, [1868]; *Siseme* [Type: pc-ht; collection of Stichel] [TypeL - Huancapamba, N. Peru; La Paz, Bolivia.] [Refs - b4475; b1456; b4446]
- b *f. albescens* Stoneham, 1937; *Uranotauma* OD: Bull. Stoneham Mus. (34):3 [b4480] SS: falckensteini (Dewitz), 1879; *Uranotauma* [TypeL - Kenya.] [Refs - b4400]
- c *albescens* Le Moul, 1939, 1939-1940; *Helicopsis* OD: Novit. ent. (11):85, f 10 [b2943] SS: gnidus (Fabricius), 1787; *Helicopsis* [Type: AME-ht] [TypeL - Teffé.] [Refs - b3199]
- b *albescens* (Tite), 1963; *Nacaduba* OD: Bull. Br. Mus. nat. Hist. (Ent.) 13(4):77 [b4676] SS: astarte (Butler), 1882; *Tartesa* [Type: BMNH-ht] [TypeL - St. Mathias Island, Bismarck Archipelago.] [Refs - b4676; b1450]
- b *albescens* Quickelberge, 1981; *Durbania* OD: Durban Mus. Novit. 12(19):218 [b3679] SS: amakosa Trimen, 1862; *Durbania* [Type: DM-ht] [TypeL - Natal.] [Refs - b3679]
- b *albescens* Eliot & Kawazoé, 1983; *Udara* OD: Butts *Lycaenopsis* group :132 [b1580] SS: manokwariensis (Joicey & Noakes & Talbot), [1916]; *Udara* (*Perivaga*) [Type: SMF-ht] [TypeL - Lake Wissel, Tuguway, Irian Jaya, New Guinea.] [Refs - b1580]
- e *ab. albiannulata* (Harrison), 1906; *Polyommatus* OD: Ent. Rec. 18:236 [b2146] SS: vandolica (Kaaber & Høegh-Guldberg), 1961; *Plebejus* (*Aricia*) [Refs - b2399; b2575]
- e *albicans* (Boisduval), 1840, (NN); *Lycaena* OD: Gen. Index meth. europ. Lep. :12 [b0463] SS: albicans (Gerhard), 1851; *Polyommatus* (*Lysandra*) [Refs - b3059; b2747; b0993 (f. coridon); b0236; b4092; b4038]
- e *albicans* (Duponchel), 1844, 1844-1846, (NN); *Lycaena* OD: Cat. Méth. Léop. d'Europe :33 [b1432] SS: albicans (Gerhard), 1851; *Polyommatus* (*Lysandra*) [Refs - b4038]
- a *albicans* (Gerhard), 1851, 1850-1853; *Lycaena* OD: Vers. monog. europ. Schmett. :17, pl 31, f 1 [b1928] CG: *Polyommatus* (*Lysandra*) [Type: ZMHU-nt; designated by Schurian, 1988] [Ent. Zeit. 98(10):134 [b4038]] [TypeL - Granada.] [Note - Often attributed to Herrich-Schäffer.] [Refs - b2375; b3059; b1762; b1139; b0105; b0113; b0236; b2380; b0410; b2794; b4030; b4845; b2859; ns0399; ns0402; ns0407; b4092; b0471; b4038]
- d *albicans* (Herrich-Schäffer), [1851], 1843-1856, (H); *Lycaena* OD: Syst. Bearb. Schmett. Europ. 1:pl 103, f 494-495 [b2313] SS: albicans (Gerhard), 1851; *Polyommatus* (*Lysandra*)
- e *ab. albicans* (Fuchs), 1884; *Polyommatus* OD: Stutt. ent. Ztg 45(7-9):249 [b1893] SS: phlaeas (Linnaeus), 1761; *Lycaena* (*Lycaena*) [Refs - b0389 (bad ref); b1893]
- c *albicans* (Aurivillius), 1888, 1888-1891; *Aricia* OD: Nord. Fjärl. :13 [b0147] SS: agestis ([Denis & Schiffmüller]), 1775; *Plebejus* (*Aricia*) [Refs - b0993; b4092]
- e *albicans* Fuchs, 1889; *Lycaena* OD: Jb. nass. Ver. Nat. 42:193 [b1894] SS: tityrus (Poda von Neuhaus), 1761; *Lycaena* (*Heodes*) [Refs - b0389; b4092]
- c *albicans* Cator, 1904; *Liptena* OD: Arm. Mag. nat. Hist. (7)13:76 [b0729] SS: alluaudi Mabille, 1890; *Liptena* [TypeL - Sierra Leone.] [Refs - b1452 (as good species); b0836; b4400]
- b *albicans* (Grünberg), 1910; *Lycaenesthes* OD: Sber. Ges. naturf. Freunde Berl. 1910:153 [b2075] SS: sylvanus (Drury), [1773]; *Anthene* [Refs - b1452; b2075; b4400]
- b *ab. albicans* (Hulstaert), 1924; *Neochrysops* OD: Revue zool. afr. 12(2):194 [b2496] SS: patricia (Trimen), 1887; *Lepidochrysops* [TypeL - Uganda.] [Check - Described as an aberration, thus not available as of this author and date.] [Refs - b3796; b2496; b4400]
- e *albicans* Stichel, 1931, (ISS); *Nymphidium* OD: Lep. Cat. Pars 44:738 [b4476] SS: albicaus Stichel, 1929; *Nymphidium* [Refs - b4476; b0067]
- b *Q. f. albicans* Talbot, 1935, (IFS); *Uranotauma* OD: Ent. mon. Mag. 71:147, pl 2, f 13 [b4623] SS: antonori (Oberthür), 1883; *Uranotauma* [TypeL - Tropical Africa.] [Note - Unavailable as of this description. Later use as a subspecies requires different authorship.] [Refs - b4623; b4400]
- b *albicans* Corbet, 1941; *Catapaecilma* OD: Proc. R. ent. Soc. Lond. (B)10(5):83, f [b0955] SS: major H. H. Druce, 1895; *Catapaecilma* [TypeL - Burma.] [Refs - b2201; b1454; b0694; b4209]
- b *albicans* (Riley), [1945]; *Marmessus* OD: Trans. R. ent. Soc. Lond. 94(2):263, pl 1, f 12,13 [b3782] SS: theda (Felder & Felder), 1862; *Drupadia* [Type: BMNH-ht] [TypeL - Sipora.] [Refs - b1030; b0105; b1454; b3782]
- c *albicaus* Stichel, 1929; *Nymphidium* OD: Mitt. zool. Mus. Berl. 15:25 [b4470] SS: lenocinium Schaus, 1913; *Nymphidium* [TypeL - Colombia.] [Refs - b4476 (as albicans); b4470; b0685; b1456; b1456]
- e *ab. albicincta* (Tutt), 1896; *Lysandra* OD: Brit. Butts :166 [b4758] SS: bellargus (Rotenburg), 1775; *Polyommatus* (*Lysandra*) [Note - May belong with coridon.] [Refs - b0471]
- a *albicosta* (Gaede), 1915, 1915-1916; *Cupido* OD: Int. ent. Z. 9(21):112 [b1909] CG: *Oboronia* [TypeL - Cameroons.] [Refs - b1452; b4400]
- a *albicostalis* Tite, 1963; *Philiris* OD: Bull. Br. Mus. nat. Hist. (Ent.) 14(5):249 [b4677] [Type: BMNH-ht] [TypeL - Astrolabe Bay, New Guinea.] [Refs - b1450; b4677]
- c *albida* (Leech), [1893], 1893-1894; *Lycaena* OD: Butts China Japan Corea :314 or 317 [b2966] SS: atroguttata (Oberthür), 1876; *Phengaris* [TypeL - Western China.] [Refs - b1636; b0993; b2479; b0694; b4092; b1455]
- e *ab. albida* Seitz, [1917], 1910-1924; *Emesis* OD: In Seitz, Grossschmett. Erde 5:695, pl 136c [b4093] SS: fastidiosa Ménériés, 1855; *Emesis* [Refs - b4475]
- a *albida* (Aurivillius), 1923; *Lycaenesthes* OD: Lepidoptera, IV. In Schubotz 1:1232 [b0171] CG: *Cupidesthes* [TypeL - Kimuenza, Congo.] [Refs - b1452; b4400; b0171]
- b *albida* Riley & Godfrey, 1925; *Nacaduba* OD: Entomologist 58:141, f [b3788] SS: angusta (H. Druce), 1873; *Nacaduba* [Type: BMNH-ht] [TypeL - Siam.] [Refs - b4676; b1454]
- e *ab. albida* Lathy, 1926; *Euselasia* OD: Entomologist 59:146 [b2919] SS: teleclus (Stoll), [1790]; *Euselasia* [TypeL - Ecuador.] [Refs - b4474]
- e *ab. albida* Esaki & Nakahara, 1930; *Curetis* OD: Zephyrus 2(3):149, f [b1620] SS: fomasana Fruhstorfer, 1908; *Curetis* [TypeL - Japan.] [Refs - b4198]
- b *albida* Hawker-Smith, 1933; *Pentila* OD: Stylops 2:4 [b2168] SS: cloetensi Aurivillius, 1897; *Pentila* [TypeL - Daro Forest, Toro, Uganda.] [Refs - b1452; b2168; b4420; b4400]

- **albidisca** (Moore), 1884; *Pathalia* OD: J. asiat. Soc. Bengal, Pt II 53(1):21 [b3236] SS: sikkima Moore, 1884; Megisba [Type: BMNH-ht; designated by Eliot & Kawazoé, 1983] [Butts *Lycaenopsis* group :57 [b1580]] [TypeL - Chittagong, Orissa, NW Himalaya.] [Type of - *Pathalia*] [Note - *As albifusca* in ZR] [Refs - b1636; b1153; b2280; b1840; b1580; b0694; b4108]
- a **albidisca** (Moore), [1884]; *Cyaniris* OD: Proc. zool. Soc. Lond. 1883(4):524, pl 48, f 7 [b3235] CG: *Celatoxia* [Type: BMNH-ht] [TypeL - Nilgiris, India.] [Type of - *Celatoxia*] [Refs - b1636; b1153; b1840; b1580; b3235]
- b **albidisca** (Lathy), 1932; *Charis* OD: Ann. Mag. nat. Hist. (10)9:70 [b2922] SS: psaros Godman & Salvin, [1886]; Sarota [Refs - b1456]
- e **ab. albidoflava** (Bayer), 1924; *Chrysophanus* OD: Verh. zool.-bot. Ges. Wien 73:(21) [b0272] SS: rutilus (Werneburg), 1864; *Lycaena* (*Thersamolycaena*) [TypeL - Austria.] [Refs - b0236; b3796; b0389; b0471]
- e ♀ **ab. albidotunulata** (Reverdin), 1906; *Chrysophanus* OD: Bull. Soc. Léop. Genève 1:170 [b3726] SS: eurybia (Ochsenheimer), 1808; *Palaeochrysophanus* [Refs - b0236; b0389; b3726]
- e ♀ **f. albidus** Evans, 1925; *Sinthusa* OD: J. Bombay nat. Hist. Soc. 30(4):774 [b1634] SS: grotei (Moore), [1884]; *Sinthusa* [TypeL - Sikkim; Burma.] [Refs - b1636; b0694]
- b **albidus** Scott, 1981; *Satyrinum* OD: *Papilio* (New Series) (1):5 [b4062] SS: calanus (Hübner), [1809]; *Satyrinum* [Type: LACM-ht] [TypeL - NW Hayden, Routt County, Colorado.] [Refs - b0115; x3192; b4062; b4065; b1722; b4066]
- e ♀ **ab. albifascia** Hulstaert, 1924; *Hewitsonia* OD: Revue zool. afr. 12(2):118 [b2496] SS: boisdualii (Hewitson), [1869]; *Hewitsonia* [TypeL - Kunzulu.] [Note - Described as a female aberration, thus not available as of this author and date.] [Refs - b3796; b2496; b4400]
- a **albifasciatus** Eliot, 1980; *Allotinus* OD: Malay Nat. J. 33(3/4):143, f 5,6,14 [b1564] [Type: BMNH-ht] [TypeL - Sumatra.] [Refs - b1564; b1571; b4108]
- e **albifasciatus** Howarth, 1957, (IFS); *Austrozephyrus* OD: Bull. Br. Mus. nat. Hist. (Ent.) 5(6):271, f [b2463] SS: absolon (Hewitson), [1865]; *Austrozephyrus* [Type: BMNH-ht] [TypeL - Sukabumi, Java.] [Refs - b0965; b2200; b2463]
- c **f. albifrons** (Stempffer), 1948; *Virachola* OD: Revue fr. Ent. 15(3):185 [b4376] SS: lorisona (Hewitson), [1863]; *Deudorix* (*Virachola*) [TypeL - Kenya.] [Refs - b4400]
- e **albifusca** (Kirby), [1885], (ISS); *Pathalia* OD: Zool. Rec. 21(1884)(Ins.):192 [b2762] SS: albidisca (Moore), 1884; Megisba [Refs - b2762]
- e ♂ **f. albigutatus** Eliot, 1986; *Miletus* OD: Bull. Br. Mus. nat. Hist. (Ent.) 53(1):80, f 98 [b1571] SS: melanion Felder & Felder, 1865; *Miletus* 5 [Type: BMNH-ht] [TypeL - Luzon, Philippines.] [Refs - b1571]
- a **albihumerata** Tite, 1963; *Phüiris* OD: Bull. Br. Mus. nat. Hist. (Ent.) 14(5):252 [b4677] [Type: BMNH-ht] [TypeL - Upper Setekwa River, Snow Mts., Dutch New Guinea.] [Refs - b4677; b1450]
- a **albilinea** (Riley), 1939; *Satsuma* OD: Novit. zool. 41:359 [b3778] CG: *Cissatsuma* [Type: BMNH-ht] [TypeL - Tatsienlu, West Szechwan Province, China.] [Type of - *Cissatsuma*] [Refs - b3778; b2585; b0126; b1455]
- a **albilinea** Tite, 1959; *Lepidochrysops* OD: Entomologist 92:159 [b4669] [TypeL - Bahr al Ghazal, Sudan.] [Refs - b4669; b1452; b4400]
- ♀ **f. albilunulata** (Ungemach), 1932; *Lycaenesthes* OD: Mém. Soc. Sci. nat. phy. Maroc (32):88 [b4780] SS: crawshayi (Butler), 1899; *Anthene* [TypeL - Abyssinia.] [Check - Spelling.] [Refs - b0070 (as *albilunata* :296); b4400]
- a **albimacula** (Wood-Mason & de Nicéville), 1881; *Sithon* OD: J. asiat. Soc. Bengal, Pt II 50(4):249 [b5031] CG: Horaga [TypeL - Andaman Island.] [Refs - b1012; b1636; b0964; b0965; b2078; b2199; b1569; b1454; b4094; b0694]
- e **albimaculata** (Harrison), 1906; *Polyommatus* OD: Ent. Rec. 18:236 [b2146] SS: agetis ((Denise & Schiffemüller), 1775; *Plebejus* (*Aricia*) [Refs - b4092]
- a **albimaculata** (Lathy), 1932; *Hamearis* OD: Ann. Mag. nat. Hist. (10)9:71 [b2922] CG: Audre [Type: BMNH-st] [TypeL - Cuyaba, Matto Grosso, Brazil.] [Refs - b2922; b1456]
- e **ab. albimargo** (Rebel), 1909; *Lycaena* OD: In Berge, Schmetterlingsbuch (ed. 9) :70 [b3706] SS: hylas (Esper), [1778]; *Polyommatus* (*Plebicula*) [Refs - b0471 (as *Vorbroad* name)]
- a **albimimicus** (Johnson), 1986; *Tmolus* OD: Bull. Allyn Mus. (106):3, f 2,4,5 [b2589] CG: *Ministrymon* [Type: AME-ht] [TypeL - Miranda, District Federal, Rio Chacaito, Venezuela.] [Refs - b2589; b2636]
- e **ab. albina** Leonhardt, 1904; *Lycaena* OD: Ent. Zeit. 18(14):53 [b2983] SS: dispar ((Haworth)), 1802; *Lycaena* (*Thersamolycaena*) [Refs - b0236; b0389; b0471]
- e **ab. albina** Courvoisier, 1910, 1910-1911; *Everes* OD: Ent. Zeit. 24:157 [b0985] SS: argiades (Pallas), 1771; *Everes* [Refs - b0236]
- e **ab. albinismorufescens** (Oberthür), 1909; *Lysandra* OD: Émd. Léop. comp. 3-pl 19, f 63 [b3448] SS: bellargus (Rouemburg), 1775; *Polyommatus* (*Lysandra*) [Refs - b0236; b0471]
- e **ab. albinoclia** (Goodson), 1959; *Strymonia* OD: Entomologist 92:149 [b1997] SS: w-album (Knoch), 1782; *Satyrinum* [TypeL - England.]
- e **albinos** (Verity), 1903, (IFS); *Lycaena* OD: Bull. Soc. ent. Fr. 1903(17):288 [b4831] SS: icarus (Rouemburg), 1775; *Polyommatus* [Type: MZS-ht] [Refs - b2856; b4831; b0236 (as *albina*); b0471 (as *albino*)]
- b **albinulus** Bryk, 1940; *Polyommatus* OD: Ark. Zool. 32A(22):22 [b0566] SS: albicans (Gerhard), 1851; *Polyommatus* (*Lysandra*) [Type: biblio; replacement for *albicans* Herrich-Schäffer] [Refs - b0566]
- a **albinus** (Felder & Felder), 1861; *Lemonias* OD: Wien. ent. Monats. 5(4):101 [b1684] CG: Audre [TypeL - Venezuela; New Granada.] [Refs - b2988; b2747; b4475; b1456]
- b **albipatulus** Tite, 1960; *Jamides* OD: Bull. Br. Mus. nat. Hist. (Ent.) 9(5):326 [b4671] SS: nemophila (Butler), 1876; *Jamides* [TypeL - Rook Island.] [Refs - b4671; b1450]
- e **albipicta** Fruhstorfer, [1912], (IFS); *Tajuria* OD: Berl. ent. Z. 56(3/4):211 [b1850] SS: maculata (Hewitson), [1865]; *Tajuria* [TypeL - Assam.] [Refs - b1636; b1850; b4094]
- b **albipicta** Talbot, 1935; *Triclema* OD: Ent. mon. Mag. 71:127 [b4623] SS: lucretilis (Hewitson), 1874; *Triclema* [TypeL - Congo.] [Refs - b1452; b4623; b4400]
- a **albiplaga** (Röber), [1886]; *Abisara* OD: CorrespBl. ent. Ver. Iris 1(3):49, pl 5, f 12 [b3820] CG: *Praetaxila* [TypeL - Aru Island.] [Refs - b1450; b4474; b1840]
- a **albiplaga** de Nicéville, 1887; *Tajuria* OD: Proc. zool. Soc. Lond. 1887(3):459, pl 39, f 1,2 [b1150] [TypeL - Sikkim.] [Refs - b1636; b1153; b1557; b0965; b2201; b1454; b4094; b0694]
- a **albiplaga** Joicey & Talbot, 1916; *Callictita* OD: Ann. Mag. nat. Hist. (8)17:80, pl 7, f 5 [b2652] CG: *Callictita* [TypeL - Wandammen Mountains, (western) New Guinea.] [Refs - b1450; b2652; b3549; b3552; b2388]

- a **albiplaga** (Joicey & Talbot), 1916; Candalides OD: Trans. ent. Soc. Lond. 64(1):75, pl 3, f 6 [b2653] CG: Philiris [Type: BMNH-ht] [TypeL - Schouten Islands.] [Refs - b4677; b1450; b2653]
- c **albiplaga** Seitz, [1917], 1910-1924; Mesene OD: In Seitz, Grossschmett. Erde 5:676, pl 134m [b4093] SS: epaphus (Stoll), [1780]; Mesene [TypeL - Suapure, Venezuela.] [Refs - b4474; b1456]
- e **ab. albiplaga** (Dufrane), 1939; Chliaria OD: Bull. Anns Soc. ent. Belg. 79:291 [b1408] SS: matiana (Fruhstorfer), [1912]; Hypolycaena (Chliaria) [TypeL - Cho-Ganh, Tonkin.] [Refs - b1408]
- a **albiplaga** Tüe, 1963; Erysichton OD: Bull. Br. Mus. nat. Hist. (Ent.) 13(4):104, pl 2, f 5-8 [b4676] [Type: BMNH-ht] [TypeL - New Hanover, Bismarck Archipelago.] [Refs - b4676; b2388]
- e **ab. albipuncta** (Tutt), 1896; Lysandra OD: Brit. Butts :166 [b4758] SS: coridon (Poda von Neuhaus), 1761; Polyommatus (Lysandra) [Refs - b0471]
- e **ab. albipuncta** Tutt, 1908; Polyommatus OD: Ent. Rec. 20(12):274 [b4762] SS: orbitalus (Prunner), 1798; Polyommatus (Albulina) [Refs - b0236; b4762]
- a **albipuncta** Schaus, 1913; Mesosemia OD: Proc. zool. Soc. Lond. 1913(3):350, pl 53, f 12 [b3950] [TypeL - Costa Rica.] [Refs - b4474; b3950; b1456]
- b **albipunctata** Butler, 1874; Zemerus OD: Cistula Entomologica 1(9):236 [b0597] SS: flegyas (Cramer), [1780]; Zemerus [TypeL - Malacca.] [Refs - b0964; b1149; b0965; b2753; b4473; b0597; b1454; b1840]
- e **ab. albipunctata** Vorbrod, 1912; Polyommatus OD: Schmett. Schweiz 1:152 [b4885] SS: semiargus (Rottemburg), 1775; Polyommatus (Cyaniris) [Check - Original genus] [Refs - b0236; b0471 (as albipuncta)]
- e **f. albiradiatus** (Stoneham), 1938, (IFS); Cupido OD: Bull. Stoneham Mus. (36):3 [b4481] SS: cissus (Godart), [1824]; Cupidopsis [Type: pc-ht; collection of Stoneham Museum.] [TypeL - East Surrey Coffee Estates, Kenya Colony.] [Refs - b4481; b4400]
- c **albiserialata** Weymer, 1890; Eurybia OD: In Stübel, Reisen in Süd-Amer., Lep. :88 [b4988] SS: halimede (Hübner), [1807]; Eurybia [Refs - b4474]
- e **albisiganta**; Plebejus OD: SS: opheimi (Høegh-Guldberg), 1966; Plebejus (Aricia) [Check - Original description.] [Refs - b2399]
- b **albigigmata** Moulton, [1912]; Horaga OD: J. Straits Brch. R. asiat. Soc. 60:159 [b3259] SS: albimacula (Wood-Mason & de Nicéville), 1881; Horaga [Type: BMNH-ht] [TypeL - Madihit Hills, East Sarawak, Borneo.] [Refs - b1012; b1569; b1454]
- e **ab. albistria** Wright, 1941; Polyommatus OD: Entomologist 74:150 [b5039] SS: icarus (Rottemburg), 1775; Polyommatus [TypeL - England.]
- a **albistriatus** (Capronnier), 1889; Lycaena OD: C. r. Soc. ent. Belg. 33:cxxi [b0700] CG: Euchrysops [Type: IRSN] [TypeL - Congo.] [Refs - b1452; b0836; b4400; b0359]
- a **albivitta** (Lathy), 1904; Chamaelirnas OD: Trans. ent. Soc. Lond. 52(3):465, pl 27, f 5 [b2914] CG: Mesenopsis [TypeL - Brazil.] [Refs - b2988; b4474; b1453; b4950; b1456]
- b **alboabdominalis** (Pfeiffer), 1938; Thecla OD: Mitt. münchn. ent. Ges. 28(2):195, f [b3592] SS: abdominalis (Gerhard), 1850; Satyrium [TypeL - Persia.] [Refs - b3592; b0119; ns4800]
- e **albobasalis** Le Moul, 1940, 1939-1940, (IFS); Helicopsis OD: Novit. ent. (17):133 [b2943] SS: cupido (Linnaeus), 1758; Helicopsis [Type: MNHN-ht] [Refs - b3199]
- e **alboboleta** (Verity), 1943, (IFS); Strymon OD: Farfalle Diurne Ital. 2:373 [b4862] SS: pruni (Linnaeus), 1758; Fixsenia [Refs - b2856]
- e **albocaerulea** Stempffer, 1967, (ISS); Thermoniphas OD: Bull. Br. Mus. nat. Hist. (Ent.) Suppl. 10:243 [b4400] SS: albocaerulea Stempffer, 1956; Thermoniphas [Refs - b4400]
- a **albocaerulea** Grose-Smith, 1894; Epimastidia OD: Ann. Mag. nat. Hist. (6)13:501 [b2035] [TypeL - New Britain.] [Refs - b4129; b2035]
- b **albocaerulea** (Riley), 1929; Epamera OD: In Trans. ent. Soc. Lond. 77(2):497, pl 30, f 10 [b3772] SS: pollux (Aurivillius), 1895; Iolous (Epamera) [Type: BMNH-ht] [TypeL - Tero Forest, S. E. Buddu, Uganda.] [Refs - b1452; b0836; b4400; b3772]
- a **albocaerulea** Stempffer, 1956; Thermoniphas OD: Anns Mus. r. Congo Belge (8vo)49:50 [b4388] [Type: BMNH-ht] [TypeL - Kayonza, Kigezi district, Uganda.] [Refs - b1452; b4388; b4400 (as albocaerulea)]
- e **ab. albocaeruleoides** Chapman, 1908; Celastrina OD: In Nat. Hist. Brit. Butts 2:404 [b0748] SS: argiolus (Linnaeus), 1758; Celastrina [TypeL - Not stated.] [Refs - b0236; b0748]
- c **albocaeruleoides** Tutt, 1908, 1905-1914; Celastrina OD: Nat. Hist. Brit. Butts 2:404 [b4760] SS: iynteaana (de Nicéville), [1884]; Celastrina [Note - Tutt attributed the name to Chapman (i.l.)] [Refs - b1636; b1840 (as albocaeruleoides Chapman:871)]
- c **albocaeruleoides** (Chapman), 1909; Lycaenopsis OD: Proc. zool. Soc. Lond. 1909(2):446 [b0751] SS: iynteaana (de Nicéville), [1884]; Celastrina [TypeL - Not stated.] [Refs - b1580; b0751]
- a **albocaeruleus** (Moore), 1879; Polyommatus OD: Proc. zool. Soc. Lond. 1879(1):139 [b3231] CG: Udara (Penudara) [Type: BMNH-ht; designated by Eliot & Kawazoe, 1983] [Butts Lycaenopsis group :153 [b1580]] [TypeL - Deyra Doon, India.] [Type of - Penudara] [Refs - b0964; b1153; b1636; b4198; b0965; b3231; b0995; b1840; b2479 (as albocoe...); b1580; b0236; b0400 (as albocoe...); b2200; b3276; b3055 (as albocoe...); b4092; b3231]
- c **albocaeruleus** (Röber), [1886]; Plebeius OD: CorrespBl. ent. Ver. Iris 1(3):59, pl 4, f 7 [b3820] SS: maha (Kollar), [1844]; Pseudozizeeria [TypeL - Hong Kong.] [Refs - b0995; b4092]
- b **albobilia** van Oorschot & van den Brink & van Oorschot, 1984; Cupido OD: Ent. Ber. 44(9):142, f [b4799] SS: minimus (Füssly), 1775; Cupido [TypeL - Turkey.] [Refs - b0117]
- e **albobincta** (Schultz), 1903; Lycaena OD: Berl. ent. Z. 48:265 [b3998] SS: eumedon (Esper), [1780]; Plebejus (Eumedonia) [Refs - b4092; b3998]
- a **albobincta** (Waterhouse), 1903; Utica OD: Proc. linn. Soc. N. S. Wales 28(1):242 [b4934] CG: Theclinesthes [Type: AM-ht; designated by Sibatani & Grund, 1978] [TypeL - Peak Downs, Queensland, Australia.] [Refs - b4223; b4255; b0107; b4094; b0870; b4934; b2083; b1744; b2388]
- e **ab. albobincta** Tutt, 1908, 1905-1914; Celastrina OD: Nat. Hist. Brit. Butts 2:398 [b4760] SS: argiolus (Linnaeus), 1758; Celastrina [Refs - b0400; b4092]
- e **albobincta** Le Moul, 1940, 1939-1940, (IFS); Helicopsis OD: Novit. ent. (11):84 [b2943] SS: gnidus (Fabricius), 1787; Helicopsis [Type: AME-ht] [TypeL - Para.] [Refs - b3199]
- e **ab. albobinctacleobis** Tutt, 1908, 1905-1914; Celastrina OD: Nat. Hist. Brit. Butts 2:398 [b4760] SS: argiolus (Linnaeus), 1758; Celastrina [Refs - b0236; b0400]

- e *albocoeruleus* (Fruhstorfer), [1922], 1909-1923, (ISS); Lycaenopsis OD: In Seitz, Grossschmett. Erde 9:864 [b1840] SS: albacoeruleus (Moore), 1879; Udara (Penudara) [Refs - b1840]
- e *albocoeruleoides* (Fruhstorfer), [1922], 1909-1923, (ISS); Lycaenopsis OD: In Seitz, Grossschmett. Erde 9:871 [b1840] SS: albacoeruleoides Tutt, 1908; Celastrina [Refs - b1840]
- e *ab. albocuneata* (Spuler), 1907, 1901-1908; Lycaena OD: Schmett. Europ. 1:68 [b4296] SS: albocuneata Beuret, 1957; Maculinea [Refs - b0236; b4355; b0471]
- e *ab. albocuneata* (Dereme), 1926; Lycaena OD: Lambillionea 26(12):90 [b1198] SS: icarus (Rottemburg), 1775; Polyommatus [TypeL - Belgium.] [Refs - b0236 (with Cabeau as author); b0471; b0064]
- e *ab. albocuneata* (Wagner), 1926; Lycaena OD: Z. öst. EntVer. 11(1):4, f [b4895] SS: coridon (Poda von Neuhaus), 1761; Polyommatus (Lysandra) [Refs - b0236; b0471; b0064]
- b *albocuneata* Beuret, 1957; Maculinea OD: Lyc. Schweiz. II :230 [b0400] SS: teleius (Bergsträsser), [1779]; Maculinea [Type: NMB-It; designated by Steiniger, 1975] [Mitt. ent. Ges. Basel (nf)25:24 [b4355]] [Note - Beuret attributed the name to Spuler, but Spuler's name is unavailable.] [Refs - b0107; b0410 (as Spuler name); b0400; b4355]
- e *ab. alboextensa* (Pether), 1927; Strymon OD: Ent. Rec. 39:136 [b3584] SS: spini ((Denis & Schiffermüller), 1775; Satyrium [TypeL - Spain.] [Refs - b3059; b0236; b3584 (as alboextensa); b0471]
- b *albofasciata* (Röber), [1886]; Plebeius OD: CorrespBl. ent. Ver. Iris 1(3):65, pl 4, f 21 [b3820] SS: kurava (Moore), [1858]; Nacaduba [TypeL - Aru.] [Refs - b4676; b1450; b4094]
- a *albofasciata* (Godman), 1903; Riodina OD: Trans. ent. Soc. Lond. 51(4):535, pl 21, f 4 [b1972] CG: Audre [TypeL - Argentina.] [Refs - b4475; b2221; b0419; b0420; b1456]
- e *ab. albofasciata* Spuler, 1907, 1901-1908; Thecla OD: Schmett. Europ. 1:54 [b4296] SS: betulae (Linnaeus), 1758; Thecla [Refs - b0236]
- e *ab. albofasciata* (Tutt), 1907, 1905-1914; Strymon OD: Nat. Hist. Brit. Butts 2:200 [b4760] SS: pruni (Linnaeus), 1758; Fixsenia [Refs - b4092; b0471 (as Ent. Zeit., 25:23)]
- b *albofasciata* Aurivillius, 1910; Telipna OD: Annali Mus. civ. Stor. nat. Genova 3(4):520 [b0166] SS: acraea (Westwood), [1851]; Telipna [TypeL - Fernando Po.] [Refs - b1452 (as good species); b4400]
- e *f. albofasciata* Vorbrodt, 1912; Maculinea OD: Schmett. Schweiz 1:157 [b4885] SS: arion (Linnaeus), 1758; Maculinea [Refs - b0236; b0400]
- e *ab. albofasciata* (Kauchi), 1922; Nemeobius OD: Polsk. Pismo ent. 1:38 [b2700] SS: lucina (Linnaeus), 1758; Hamearis [Refs - b4473; b0236]
- e *ab. albofimbriata* (Gillmer), 1905; Lysandra OD: Ent. Zeit. 19(26):151, pl 16, f 2 [b1957] SS: bellargus (Rottemburg), 1775; Polyommatus (Lysandra) [Note - Not spelled *albolfimbriata*.] [Refs - b0993; b0236 (as albolfimbriata); b1957; b0471]
- e *alboflava* Le Moults, 1940, 1939-1940, (IFS); Helicopsis OD: Novit. ent. (13):101 [b2943] SS: cupido (Linnaeus), 1758; Helicopsis [Type: AME-ht] [Refs - b3199]
- e *alboflavoradiata* Le Moults, 1940, 1939-1940, (IFS); Helicopsis OD: Novit. ent. (13):101 [b2943] SS: cupido (Linnaeus), 1758; Helicopsis [Type: AME-ht] [Refs - b3199]
- e *alboflavornata* Le Moults, 1940, 1939-1940, (IFS); Helicopsis OD: Novit. ent. (13):102 [b2943] SS: cupido (Linnaeus), 1758; Helicopsis [Type: AME-ht] [Refs - b3199]
- e *ab. albolimbata* (Fritsch), 1921; Lycaena OD: Mitt. münchn. ent. Ges. 11(8):44, f [b1798] SS: icarus (Rottemburg), 1775; Polyommatus [TypeL - Germany.] [Note - Fritsch attributed the name to Baumann.] [Refs - b0236 (with Baumann as author); b1798]
- c *albolimbata* (Vorbrodt & Müller-Rutz), 1921; Lycaena OD: Mitt. schweiz. ent. Ges. 13(3/4):180 [b4890] SS: sephyrus (Frivaldszky von Frivald), 1835; Plebejus (Plebejides) [Refs - b0236; b4890]
- e *f. albolimbata* (Lempke), 1955; Aricia OD: Tijdschr. Ent. 98:304 [b2982] SS: agestis ((Denis & Schiffermüller), 1775; Plebejus (Aricia) [TypeL - Holland.] [Refs - b0089]
- e *albolinearis* (Schultz), 1903; Lycaena OD: Berl. ent. Z. 48:267 [b3998] SS: eumedon (Esper), [1780]; Plebejus (Eumedonia) [Refs - b4092; b3998]
- e *ab. albolineata* (Tutt), 1909, 1905-1914; Agriades OD: Nat. Hist. Brit. Butts 3:332 [b4760] SS: bellargus (Rottemburg), 1775; Polyommatus (Lysandra) [Refs - b0236]
- a *albolineata* Lathy, 1936; Thecla OD: Livre jubilaire de M. Eugene-Louis Bouvier :230, pl 8, f 5 [b2925] CG: Thecla (New World Eumaeini) [Type: MNHN-ht; collection of Fournier de Horrack.] [TypeL - Rio Aquatal [Rio Ognatal].] [Refs - b0908; b2925; b2591; b2592]
- e *ab. albolunulata* (Vorbrodt & Müller-Rutz), 1921; Lysandra OD: Mitt. schweiz. ent. Ges. 13(3/4):181 [b4890] SS: bellargus (Rottemburg), 1775; Polyommatus (Lysandra) [Refs - b0236; b0471; b4890]
- e *ab. albolunulata* Hayward, 1926; Chilades OD: Ent. Rec. 37(Sup.):13 [b2213] SS: trochylus (Freyer), 1845; Chilades (Freyeria) [TypeL - Aswan, Egypt.] [Refs - b0236; b0471]
- a *albomacula* Hawker-Smith, 1933; Liptena OD: Stylops 2:7 [b2168] [TypeL - Katanga, Belgian Congo.] [Refs - b1452; b2168; b4400]
- a *albomaculata* Bethune-Baker, 1903; Epitola OD: Ann. Mag. nat. Hist. (7)12:329 [b0328] [TypeL - W. Africa.] [Refs - b3842; b1452; b0836; b4400]
- a *albomaculata* Bethune-Baker, 1904; Epitolina OD: Ann. Mag. nat. Hist. (7)14:230 [b0332] [TypeL - Sierra Leone.]
- e *ab. albomaculata* (Blachier), 1909; Nemeobius OD: Bull. Soc. Léop. Genève 1(4):379, pl 9 [b0435] SS: lucina (Linnaeus), 1758; Hamearis [Refs - b4473; b0236]
- c *albomaculata* Aurivillius, [1924], 1908-1925; Crudaria OD: In Seitz, Grossschmett. Erde 13:432 [b0162] SS: leroma (Wallengren), 1857; Crudaria [TypeL - Africa.] [Refs - b3796; b1452; b4400 (as albomaculate)]
- e *albomaculate* Stempffer, 1967, (ISS); Crudaria OD: Bull. Br. Mus. nat. Hist. (Ent.) Suppl. 10:180 [b4400] SS: albomaculata Aurivillius, [1924]; Crudaria [Refs - b4400]
- b *albomaculatus* E. Sharpe, 1904; Iolaus OD: Entomologist 37:204 [b4161] SS: iasis Hewitson, [1865]; Iolaus (Epamera) [TypeL - Toro.] [Refs - b1452; b4400]
- e *ab. albomarginata* (Ebert), 1911; Lycaena OD: Festschr. Ver. Naturk. Kassel :315 [b1462] SS: argus (Linnaeus), 1758; Plebejus [TypeL - Bavaria.] [Refs - b0236; b0471]
- c *albomarginata* (Rothschild), 1915; Thysonotis OD: Novit. zool. 22:140 [b3878] SS: wallacei (Felder & Felder), 1865; Danis [TypeL - Misol.] [Refs - b1450; b1882]
- e *ab. albomarginata* (Ebert), 1926; Lycaena OD: Deut. ent. Zeit. [Iris] 40:36 [b1463] SS: coridon (Poda von Neuhaus), 1761; Polyommatus (Lysandra) [Refs - b0236; b0471]
- c *albomarginata* (Ebert), 1926; Lycaena OD: Deut. ent. Zeit. [Iris] 40:36 [b1463] SS: argyrognomon (Bergsträsser), [1779]; Plebejus (Lycæides) [Refs - b0236]
- e *albomarginata* Le Moults, 1940, 1939-1940, (IFS); Helicopsis OD: Novit. ent. (13):100 [b2943] SS: cupido (Linnaeus), 1758; Helicopsis [Refs - b3199]

- c **albonotata** (de Sagarra y Castellamau), 1926; Scolitantides OD: *Bull. Inst. catal. Hist. nat.* (2):6:138 [b1179] SS: *hylactor* (Bergsträsser), [1779]; *Pseudophilotes* [TypeL - Spain.] [Refs - b3059; b0236; b0471]
- e **alboocellata** (Wheeler), 1903; *Lycaena* OD: Butts Switzerland :100 [b4991] SS: *orbitalus* (Prunner), 1798; *Polyommatus* (*Albulina*) [Refs - b0471]
- e **ab. alboocellata** Gillmer, 1904; *Polyommatus* OD: *Soc. ent.* 18(23):186 [b1955] SS: *icarus* (Rottemburg), 1775; *Polyommatus* [Refs - b0471]
- e **alboocellata** (Seitz), [1908], 1907-1921; *Plebejus* OD: In Seitz, *Grossschmett. Erde* 1:307 [b4092] SS: *glandon* (Prunner), 1798; *Polyommatus* (*Agriades*) [Refs - b0236 (as Gillmer name); b0410; b4092]
- e **ab. alboocellata** (Tun), 1909, 1905-1914; *Agriades* OD: *Nat. Hist. Brit. Butts* 3:337 [b4760] SS: *bellargus* (Rottemburg), 1775; *Polyommatus* (*Lysandra*) [Refs - b0236]
- e **ab. albopicta** (Schultz), 1906; *Lycaena* OD: *Ent. Zeit.* 19(36):214-215 [b4005] SS: *eros* (Ochsenheimer), 1807; *Polyommatus* [Refs - b4092 (as *albipicta*); b4005]
- e **albopraemargine** (Verity), 1943, (IFS); *Agriades* OD: *Farfalle Diurne Ital.* 2:224, f [b4862] SS: *glandon* (Prunner), 1798; *Polyommatus* (*Agriades*) [TypeL - Italy.] [Refs - b2856]
- c **albopunctata** (Hewitson), [1869], 1863-1878; *Amblypodia* OD: *Ill. diurn. Lep. Lycaenidae* 1:14e, pl 3b, f 43,44 [b2326] SS: *democritus* (Fabricius), 1793; *Arhopala* f [Type: BMNH-ht] [TypeL - Moulmein.] [Refs - b1644; b2747; b4094]
- e **albopunctata** Huene, 1901, (IFS); *Lycaena* OD: *Stett. ent. Ztg.* 62:154 [b2490] SS: *virgaureae* (Linnaeus), 1758; *Lycaena* (*Heodes*) [Refs - b0389; b2490; b4092]
- e **ab. albopunctata** Galvagni & Preißer, 1912; *Plebejus* OD: *Jber. Wien. ent. Ver.* 22:136 [b1919] SS: *argus* (Linnaeus), 1758; *Plebejus* [Refs - b0236; b0471]
- e **f. alboradians** (Turati), 1923; *Plebejus* OD: *Atti Soc. ital. Sci. nat.* 62:42 [b4747] SS: *argus* (Linnaeus), 1758; *Plebejus* [TypeL - Appennines.] [Refs - b0236; b0471]
- e **alboradiata** Le Moul't, 1940, 1939-1940, (IFS); *Helicopsis* OD: *Novit. ent.* (13):101 [b2943] SS: *cupido* (Linnaeus), 1758; *Helicopsis* [Type: AME-ht] [Refs - b3199]
- e **alborecessa** (Verity), 1943, (IFS); *Strymon* OD: *Farfalle Diurne Ital.* 2:354 [b4862] SS: *esculi* (Hübner), [1819]; *Satyrium* [Refs - b2856]
- a **albosericca** (Miskin), 1891; *Holochila* OD: *Ann. Qd Mus.* 1:65 [b3215] CG: *Nesolycaena* [TypeL - Rockhampton, Australia.] [Type of - *Nesolycaena*] [Refs - b1450; b2280; b4947; b2078; b0102; b0870; b4934]
- a **albosignata** Joicey & Talbot, 1916; *Dicallaneura* OD: *Ann. Mag. nat. Hist.* (8):17:78, pl 8, f 3 [b2652] [Type: BMNH-ht] [TypeL - Wandammen Mtns., North Dutch New Guinea.] [Refs - b1450; b4474; b2652]
- e **ab. albosparsa** Oberthür, 1910; *Satyrium* OD: *Étud. Léop. comp.* 4:69, pl 49, f 408 [b3451] SS: *spini* (Denis & Schiffenmüller), 1775; *Satyrium* [Refs - b0236; b0471]
- e **ab. albosparsa** Oberthür, 1910; *Satyrium* OD: *Étud. Léop. comp.* 4:74, pl 49, f 401 [b3451] SS: *ilicis* (Esper), [1779]; *Satyrium* [Refs - b0236; b0471]
- c **albostrigata** (Bethune-Baker), 1908; *Thysonotis* OD: *Proc. zool. Soc. Lond.* 1908(1):124, pl 9, f 11 [b0340] SS: *nerine* (Grose-Smith & Kirby), 1899; *Nacaduba* [TypeL - New Guinea.] [Refs - b1450; b1866; b2078]
- b **albotignula** (van Eecke), 1914; *Gerydus* OD: *Notes Leyden Mus.* 36(3/4):245 [b4792] SS: *biggsii* (Distant), 1884; *Miletus* 3 [TypeL - Simalur.] [Refs - b1546; b1840]
- e **albotransversa** Le Moul't, 1940, 1939-1940, (IFS); *Helicopsis* OD: *Novit. ent.* (13):100 [b2943] SS: *cupido* (Linnaeus), 1758; *Helicopsis* [Type: AME-ht] [Refs - b3199]
- a **albovata** Stichel, 1929; *Emaurgina* OD: *Mit. zool. Mus. Berl.* 15:22 [b4470] [TypeL - Bolivia.] [Refs - b4475; b4470; b1456]
- e **ab. albovirgata** Tutt, 1896; *Satyrium* OD: *Brit. Butts* :200 [b4758] SS: *w-album* (Knoch), 1782; *Satyrium* [Refs - b4092; b0471; b4760 (2:150)]
- e **ab. albovirgata** Oberthür, 1910; *Quercusia* OD: *Étud. Léop. comp.* 4:60 [b3451] SS: *quercus* (Linnaeus), 1758; *Quercusia* [Refs - b0236]
- e **ab. albovitata** Oberthür, 1910; *Lampides* OD: *Étud. Léop. comp.* 4:156 [b3451] SS: *boeticus* (Linnaeus), 1767; *Lampides* [Refs - b0236; b0400]
- b **albrightii** Clench, 1944; *Everes* OD: *J. New York ent. Soc.* 52(1):60 [b0820] SS: *amyntula* (Boisduval), 1852; *Everes* [Type: MCZ-ht] [TypeL - Kings Hill, Montana.] [Note - *Previously assigned to comyntas.*] [Refs - b0908; b0428; b1321; b0528; b3192; b1724; b1743; b1321]
- a **albugo** (Stichel), 1910; *Lymnas* OD: *Gen. Insectorum* 112(A):203 [b4446] CG: *Melanis* [Type: pc-st; collection of Stichel] [TypeL - Paraguay.] [Refs - b2221; b4474; b1456; b4446]
- c **albula** (H. H. Druce), 1888; *Larinpoda* OD: *Ent. mon. Mag.* 25:108 [b1352] SS: *simplicia* Möschler, 1887; *Liptena* [TypeL - W. Africa.] [Refs - b0836; b4400]
- c **albula** (H. H. Druce), 1895; *Mamessus* OD: *Proc. zool. Soc. Lond.* 1895(3):617 [b1362] SS: *joloana* Fruhstorfer, [1912]; *Horaga* [Type: BMNH-ht; designated by Cowan, 1974] [Bull. Br. Mus. nat. Hist. (Ent.) 29(6):312 [b1030]] [TypeL - Sabah, East Malaysia.] [Refs - b1030; b4094; b0105; b1362]
- a **albula** (Grose-Smith), 1897; *Thysonotis* OD: *Novit. zool.* 4:368 [b2043] CG: *Discolampa* [TypeL - New Guinea.] [Refs - b1450; b2078; b0111; b1866; b2388]
- a **albulus** Rebillard, 1958; *Stalactis* OD: *Mém. Mus. nat. Hist. nat.* (A)15:203, pl 3, f 12 [b3717] CG: *Stalactis* [Type: MNHN-ht] [TypeL - Sao Paulo, Brazil.] [Note - *Described as a subspecies of funereus but that name does not seem to have been published.*] [Refs - b3717; b0093; b1456]
- a **alburna** Stichel, 1928; *Euselasia* OD: *Z. wiss. Insektbiol.* 23:45 [b4468] [Type: MNHN-ht] [TypeL - Muzo, Colombia.] [Refs - b4474; b3717]
- b **alca** (Felder & Felder), 1865, 1865-1875; *Lycaena* OD: *Reise Novara* (2):268, pl 33, f 27,28 [b1692] SS: *aleuas* (Felder & Felder), 1865; *Jamides* [TypeL - Waigiou.] [Refs - b4671; b1450; b2747; b4094; b4934]
- b **alce** (Hewitson), 1862; *Amblypodia* OD: *Spec. Cat. Lyc. Brit. Mus.* :5, pl 3, f 18-20 [b2325] SS: *nobilis* (C. Felder), 1860; *Arhopala* g [Type: BMNH-ht] [TypeL - Aru" (probably Halmheira).] [Refs - b1644; b1450; b2747; b4094]
- b **alce** (Edwards), [1871]; *Lycaena* OD: *Trans. amer. ent. Soc.* 3(3/4):272 [b1502] SS: *isola* (Reakirt), [1867]; *Echinargus* [Type: CM-ht; designated by Brown, 1970] [Trans. amer. ent. Soc. 96:365 [b0510]] [TypeL - Turkey Creek, Jefferson County, Colorado. Restricted by Brown, 1970] [Refs - b0908; b3078; b1711; b2753; b3192; b2417; b0493; b1743; b1502; b0512; b1321; b2419; b4690]
- a **alcedo** (Christoph), 1877, 1876-1877; *Lycaena* OD: *Horae Soc. ent. ross.* 12:233, pl 5, f 3,4 [b0787] CG: *Plebejus* (*Vacciniina*) [TypeL - Schahkuh, Northern Iran.] [Refs - b2988; b0993; b1762; b1759; b0236; b0410; b2794; b4367; b4092; b0471]
- d **alcedo** (Lang), 1884, (H); *Lycaena* OD: *Lep. Europ.* 1:369 [b2890] SS: *alcedo* (Christoph), 1877; *Plebejus* (*Vacciniina*) [TypeL - Persia.] [Refs - b2890]

- a **alcestis** (Edwards), [1871]; Thecla OD: Trans. amer. ent. Soc. 3(3/4):271 [b1502] CG: Phaeostrymon [Type: CM-ht] [TypeL - Dallas, Texas.] [Type of - Phaeostrymon] [Refs - b1530 :191, f 356; b1321 :57; b0908; b2280; b4688; b2753; b3192; b3512; b1743; b0493; b1502; b4690; b2631; b4066; b1455]
- a **alcestis** (Grose-Smith), 1889, (H); Thecla OD: Ent. mon. Mag. 25:300 [b2032] CG: Hypolycaena [TypeL - Solomon Islands.] [Note - Homonym. A replacement name is needed.] [Refs - b1450; b1840]
- b **alcestis** (Grose-Smith), 1902, 1887-1902; Amblypodia OD: Rhop. exot. 3(60):9, pl 25, f 1 [b2029] SS: nobilis (C. Felder), 1860; Arhopala g [Type: BMNH-ht] [TypeL - Milne Bay.] [Refs - b1644; b1450; b4094]
- a **alcestis** (Zerny), 1932, (H); Lycaena OD: Deut. ent. Zeit. [Iris] 46:186 [b5063] CG: Polymmatas (Agrodiaetus) [TypeL - N. Lebanon.] [Check - Homonym in need of a replacement.] [Refs - b2827; b0070; b2794]
- a **alcestas** (Hoffmannsegg), 1804; Papilio OD: Mag. f. Insektenk. (Mliger) 3:205 [b2410] CG: Everes [Refs - b2375; b3059; b0995 (as Hübner name); b1780; b2827; b0236; b1705; b0400; b0389; b2794; b3366; b2863; b2859; ns0394]
- b **alcestas** (Staudinger), 1889; Deudorix OD: Deut. ent. Zeit. [Iris] 2(1):119 [b4332] SS: diopites (Hewitson), [1869]; Rapala [Type: ZMHU-ht; designated by Takanami, 1989] [Tyô to Ga 40(1):35 [b4602]] [TypeL - Palawan.] [Note - Maybe a good species.] [Refs - b4094; b4591; b1454 (also as good species); b3519; b4602]
- b **alcatina** Semper, 1887, 1886-1892; Rapala OD: In Semper, Reisen Philipp. (2)(5):225 [b4110] SS: diopites (Hewitson), [1869]; Rapala [Type: SMF-st] [TypeL - Bohol, Camiguin de Mindanao, S. E. Mindanao.] [Refs - b4591; b4094]
- e **ab. alcatoides** Tutt, 1909, 1905-1914; Cupido OD: Nat. Hist. Brit. Butts 3:110+ [b4760] SS: minimus (Esper), [1777]; Cupido [Refs - b0400]
- a **alcibiades** Kirby, 1871; Iolaus OD: Syn. Cat. dium. Lep. :409 [b2747] CG: Iolaus (Iolophilus) [Refs - b2747; b1452; b0836; b4400; b1661]
- c **alcides** (Cramer), [1776], 1775-1790; Papilio OD: Utit. Kapellen 1(8):150, pl 96, f D,E [b1069] SS: silenus (Fabricius), 1775; Myrina [Type of - Myrina] [Refs - b2280; b1014; b2747; b0836; b4400]
- c **alcipina** Joicey & Talbot, 1924; Mimacraea OD: Entomologist 57:38 [b2660] SS: neurata Holland, 1895; Mimacraea [TypeL - Kumasi.] [Refs - b3796; b0836; b4400]
- a **alciphron** (Rottemburg), 1775; Papilio OD: Naturforscher 6:11 [b3890] CG: Lycaena (Alciphronia) [TypeL - Europe; Siberia.] [Type of - Alciphronia] [Refs - b2375; b3059; b2747; b0996; b1780; b2827; b2479; b0107; b2866; b0236; b0389; b4950; b2859; ns0289; ns0384; ns0398; b4092]
- e **ab. alciphronides** Krulikovskii, 1897; Palaeochrysophanus OD: Mater. Pozn. Fauny Flory SSSR 3:318 [b2848] SS: hippothoe (Linnaeus), 1761; Palaeochrysophanus [Refs - b0236]
- e ♂ **ab. alcippe** (Bollow), 1930, 1929-1931; Lycaena OD: In Seitz, Grossschmett. Erde 1(Suppl):255 [b0471] SS: argus (Linnaeus), 1758; Plebejus [Note - Bollow attributed the name to Stephens.] [Refs - b0471]
- c **f. alcira** (Fruhstorfer), [1912]; Marmessus OD: Berl. ent. Z. 56(3/4):248 [b1850] SS: boisduvalii Moore, 1884; Drupadia [TypeL - Burma.] [Refs - b1030; b4094]
- a **alcmæon** (Hewitson), [1876], 1852-1877; Aricoris OD: Ill. exot. Butts 5:Ery f 4 [b2323] CG: Setabis [TypeL - Bolivia.] [Refs - b2988; b2753; b4475; b1456]
- **alcmæna** (H. Druce), 1878; Eurygona OD: Ent. mon. Mag. 15:101 [b1389] CG: Euselasia [Type: BMNH-ht] [TypeL - Ecuador.] [Refs - b4474; b1456]
- **alcon** ((Denis & Schiffermüller), 1775; Papilio OD: Ankündigung syst. Werkes Schmett. :182 [b1193] CG: Maculinea [TypeL - Europe; Siberia.] [Type of - Maculinea] [Note - Placed on Official List by Op 503.] [Refs - b2280; b2375; b3059; b1780; b0993 (as F. name); b1762; b2827; b3684; b2866 (also as alson); b4865; b0236; b2528 (Op 503, L 1480); b2300; b0400; b2794; b3061; b3062; b2797; b2859; ns0379; ns0858; ns0857; ns0809; ns2676; ns3459; ns3460; ns3633; ns3634; ns3636; ns3637; ns3997; b4092; b3151; ns1272; b4225; b1407; b0211]
- c **alconides** Aurivillius, 1888, 1888-1891; Maculinea OD: Nord. Fjåril. :15 [b0147] SS: arion (Linnaeus), 1758; Maculinea [Refs - b0993; b0400; b4092]
- e **alconides** Dahlström, 1899, 1898-1899; Maculinea OD: Ins. Börse 16:213 [b1088] SS: alcon ((Denis & Schiffermüller), 1775; Maculinea [Refs - b0400])
- e **ab.alconides** Vorbrodt, 1912; Polymmatas OD: Schmett. Schweiz 1:152 [b4885] SS: semiargus (Rottemburg), 1775; Polymmatas (Cyaniris) [Check - Original genus] [Refs - b0236; b0471]
- e **alconoides** Keferstein, 1851; Maculinea OD: Stett. ent. Ztg 12:307 [b2715] SS: alcon ((Denis & Schiffermüller), 1775; Maculinea [Refs - b0993; b0400 (with a much later reference)])
- b **alcyma** (Riley), [1945]; Marmessus OD: Trans. R. ent. Soc. Lond. 94(2):267 [b3782] SS: rufotaenia (Fruhstorfer), [1912]; Drupadia [Type: BMNH-ht] [TypeL - S. W. Sumatra, Indonesia.] [Refs - b1030; b0105; b1454; b3782]
- e **ab. alcyoneus** Seitz, [1917], 1910-1924; Barbicornis OD: In Seitz, Grossschmett. Erde 5:664, pl 132b [b4093] SS: dibaphina Butler, 1873; Barbicornis [Refs - b4474]
- a **alda** (Hewitson), 1868; Thecla OD: Descr. new Spec. Lycaenidae :25 [b2327] CG: Abergina [Type: BMNH-ht] [TypeL - Amazon (Pará).] [Type of - Abergina] [Refs - ns2326 (1:144, 2:pl 57, f 355,356); b0908; b2747; b2593; b0125; b2606]
- c **aldrovandus** de Selys-Longchamps, 1844; Maculinea OD: Mém. Soc. roy. Sci. Liège 2(1845):35 [b1182] SS: arion (Linnaeus), 1758; Maculinea [Refs - b4092]
- a **alea** (Hewitson), 1862; Amblypodia OD: Spec. Cat. Lyc. Brit. Mus. :12, pl 7, f 79,81 [b2325] CG: Arhopala f [TypeL - India.] [Refs - b1644; b1556; b2747; b1454; b4094]
- a **alea** (Godman & Salvin), [1887], 1879-1901; Thecla OD: Biol. centr.-amer., Lep. Rhop. 2:95; 3:pl 58, f 10,11 [b1975] CG: Strymon [Type: BMNH-ht] [TypeL - Tres Marias Islands, Mexico.] [Refs - b0908; b2988; b0552; b1343; b3192; b1975; b2631; b4066; b1455]
- **alecto** C. Felder, 1860; Jamides OD: Sber. Akad. Wiss. Wien 40(11):456 [b1676] [Type: BMNH-ht] [TypeL - Amboina.] [Refs - b0964; b4198; b1450; b0965; b2747; b4094; b2698; b1865; b4950; b1454; b0694; b2388]
- a **alector** (Geyer), [1836], 1832-1837; Hamanumida OD: In Zutr. Samml. exot. Schmett. 5:43, pl [196], f 983,984 [b1934] CG: Cremna [TypeL - Brasilia.] [Refs - b2988; b2747; b4474; b1456]
- a **alector** (Butler), [1867]; Lemonias OD: J. linn. Soc. Lond., Zool. 9:214, pl 6, f 1 [b0586] CG: Adelotypa [TypeL - Tapajos, Brazil.] [Refs - b2988; b2747; b4475; b4950; b1456]
- a **alctryon** Westwood, [1851], 1846-1852; Siseme OD: In Gen. dium. Lep. (2):pl 72, f 10, (:463) [b4981] [TypeL - New Granada.] [Type of - Siseme] [Refs - b2988; b2280; b2747; b4475; b1456]

- c **alemon** de Nicéville, 1891; *Arhopala* OD: *J. Bombay nat. Hist. Soc.* 6(3):371, pl F, f 20,21 [b1155] SS: *atrax* (Hewitson), 1862; *Arhopala f* [TypeL - Burma.] [Refs - b1644; b4094; b0236]
- a **alena** (Hewitson), [1870], 1852-1877; *Lymnas* OD: *Ill. exot. Butts* 4:[-], pl [50], f 13 [b2323] CG: *Melanis* [TypeL - Rio de Janeiro, Brazil.] [Refs - b2988; b2747; b4474; b1456]
- e **alenas** (Kirby), 1871, (ISS); *Cupido* OD: *Syn. Cat. diurn. Lep.* :347 [b2747] SS: *aleuas* (Felder & Felder), 1865; *Jamides* [Refs - b2747]
- e **ab. alenica** Strand, 1913; *Larinopoda* OD: *Arch. Naturgesch.* (A)79(12):133 [b4513] SS: *lircaea* (Hewitson), [1866]; *Larinopoda* [TypeL - Spanish Guinea.] [Note - Described as an aberration. Not available as of this date and author.] [Refs - b4513; b4528; b4400]
- e **ab. alenicola** Strand, 1913; *Larinopoda* OD: *Arch. Naturgesch.* (A)79(12):133 [b4513] SS: *lircaea* (Hewitson), [1866]; *Larinopoda* [TypeL - Spanish Guinea.] [Note - Described as an aberration. Not available as of this date and author.] [Refs - b4513; b4528; b4400]
- a **alesia** Felder & Felder, 1865, 1865-1875; *Arhopala* OD: *Reise Novara* (2):235, pl 29, f 18 [b1692] CG: *Arhopala i* [TypeL - Luzon.] [Refs - b1644; b2747; b1454; b4094]
- c **aleta** Piepers & Snellen, 1918; *Arhopala* OD: *Rhop. Java - Ery., Lyc.* :78 [b3601] SS: *buddha* Bethune-Baker, 1903; *Arhopala a* [Refs - b1644; b4094 (as a new name)]
- d **aleta** (Seitz), [1926], 1912-1927, (H); *Amblypodia* OD: *In Seitz, Grossschmett. Erde* 9:966 [b4094] SS: *aleta* Piepers & Snellen, 1918; *Arhopala a* [TypeL - Semaru, E. Java.] [Refs - b4094]
- a **aleuas** (Felder & Felder), 1865, 1865-1875; *Lycaena* OD: *Reise Novara* (2):268, pl 33, f 15,16 [b1692] CG: *Jamides* [TypeL - Misol.] [Refs - b4671; b1450; b2747; b4094; b1865; b4934; b0870; b2388]
- a **aleucopuncta** Johnson, 1992; *Ahlbergia* OD: *Neue Ent. Nachr.* 29:33, f [b2609] [TypeL - Xizang.] [Refs - b0126]
- c **alexander** (Higgins), 1981; *Albulina* OD: *Ent. Gaz.* 32(4):230, f [b2377] SS: *alicola* (Christoph), 1893; *Polyommatus* (*Neolysandra*) [Type: BMNH-ht] [TypeL - Lake Sevan, Armenia, Armyanskaya S.S.R., U.S.S.R.] [Refs - b2377; b3359; b4247]
- a **alexandra** (Püngeler), 1901; *Chrysophanus* OD: *Deut. ent. Zeit. [Iris]* 14:179, pl 2, f 6 [b3663] CG: *Athamanthia* [Type: ZMHU-l; designated by Nekrutenko, 1984] [Vestnik Zoologii 1984(6):44 [b3365]] [Refs - b2827; b3371 (in *Lycaena*); b3365; b4092; b5068]
- a **alexandra** Johnson & Kroenlein, 1993; *Strymon* OD: *Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point)* (35):1, f [b2629] [Type: AMNH-ht] [TypeL - Rio Napo, Parque Nacional Yasuni, Ecuador.] [Refs - b2629]
- b **alexandrae** (Fruhstorfer), 1909; *Chrysophanus* OD: *Int. ent. Z.* 3(21):120 [b1837] SS: *virgaureae* (Linnaeus), 1758; *Lycaena* (*Heodes*) [TypeL - Ural: Turgojak.] [Refs - b1837; b0236; b0066; b2858]
- a **alexandrae** (Schröder & Treadaway), 1978; *Narathura* OD: *Ent. Zeit.* 88(14):150, f 1 [b3975] CG: *Arhopala a* [Type: pc-ht; collection of Treadaway.] [TypeL - San Vicente Area, Bukidnon, Mindanao, Philippines.] [Refs - b2200; b3975; b1454; b4590]
- a **alexis** (Poda von Neuhaus), 1761; *Papilio* OD: *Ins. Mus. Graec.* :77 [b3623] CG: *Glaucopsyche* [Refs - b4179; b2375; b3059; b2747; b0993; b1780; b1762; b2827; b1213; b0108; b4545; b0999; ns3069; b2300; b0410; b0293; b0400; b1183; b4950; b2794; b4924; b3366; b0694; ns0019; b0471]
- d **alexis** (Scopoli), 1763, (H); *Papilio* OD: *Ent. Carn.* :179 [b4060] SS: *agestis* ((Denis & Schiffermüller), 1775; *Plebejus* (*Aricia*) [Refs - b2747; b0993; b0995; b0410 (as *Rottemburger* name); b2794 (as *Rouemburg* name); b4092]
- d **alexis** (Stoll), [1790], 1780-1790, (H); *Papilio* OD: *In Cramer, Uil. Kapellen Aanh.---*, pl 38, f 3 [b4478] SS: *celeno* (Cramer), [1775]; *Jamides* [Refs - b4094; b2479; b0236; b1865]
- c **alexis** (Herrich-Schäffer), [1844], 1843-1856; *Lycaena* OD: *Syst. Bearb. Schmett. Europ.* 1-pl 52, f 246 [b2313] SS: *icarus* (Rouemburg), 1775; *Polyommatus* [Refs - b2747]
- c **alexius** (Freyer), 1858, 1831-1858; *Lycaena* OD: *Neuere Beitr. Schmett.* 7-pl 676, f 1,2 [b1795] SS: *thersites* (Cantener), 1834; *Polyommatus* (*Plebicula*) [TypeL - Weimar.] [Refs - b2747; b0993; b2827; b0762; b0471]
- e ♀ **ab. alfaciensis** (Ribbe), 1905; *Lysandra* OD: *Soc. ent.* 20(18):138 [b3740] SS: *bellargus* (Rouemburg), 1775; *Polyommatus* (*Lysandra*) [Note - Not available as of this author and date.] [Refs - b3059; b0236; b0471 (as *alfaciensis*); b4038]
- a **alfierii** Wiltshire, 1948; *Iolana* OD: *Bull. Soc. Fouad I. Ent.* 32:219, f [b5018] [TypeL - Wadi-el-Raba, Sud Sinai, Egypt.] [Refs - b2905; b0293; b0320]
- b **algerica** (Heyne), 1895, 1893-1895; *Lycaena* OD: *In Palae. Grossschmett.* 1:768 [b2363] SS: *melanops* (Boisduval), [1828]; *Apelles* [TypeL - Algeria.] [Refs - b3059; b2363; b4092 (as *algerica*); b2239 (as *algerica*)]
- a **algermoni** (Fruhstorfer), [1917]; *Lycaenopsis* OD: *Arch. Naturgesch.* (A)82(1):30 [b1880] CG: *Celastrina* [Type: BMNH-ht] [TypeL - Luzon, Philippines.] [Refs - b1840; b1580; b2200]
- d **algerica** (Oberthür), 1914, (H); *Lycaena* OD: *Étud. Léop. comp.* 10:401, pl 288, f 2343 [b3454] OS: *mauretunica* (Rothschild), 1925; *Celastrina* [TypeL - Algeria.] [Refs - b0995; b1580; b0236; b0471]
- a **alica** (Evans), 1957; *Narathura* OD: *Bull. Br. Mus. nat. Hist. (Ent.)* 5(3):96 [b1644] CG: *Arhopala b* [Type: BMNH-ht] [TypeL - Borneo.] [Refs - b1644; b0965; b1454; b4108]
- a **alicia** (Bates), 1864, 1864-1865; *Phelus* OD: *Ent. mon. Mag.* 1:203 [b0263] CG: *Esthemopsis* [Type: BMNH-ht] [TypeL - Vera Paz, Guatemala.] [Refs - b2753; b4474; b0263; b1456]
- a **aliciae** Talbot, 1935; *Cooksonia* OD: *Ent. mon. Mag.* 71:203 [b4623] [TypeL - Nyasaland.] [Refs - b1943; b1452; b1259; b4623; b4400]
- a **alienus** Trimen, 1898; *Iolana* OD: *Trans. ent. Soc. Lond.* 46(1):10, pl 1, f 6 [b4731] CG: *Iolana* (*Epamera*) [TypeL - Mashonaland.] [Refs - b1943; b1452; b4400; b3567]
- a **alihoba** Staudinger, 1894; *Thecla* OD: *Deut. ent. Zeit. [Iris]* 7:81 [b4339] CG: *Thecla* (*New World Eumaeini*) [TypeL - Copacata, Bolivia.] [Refs - b0908]
- e **ab. alineata** (Rostagno), 1905; *Thecla* OD: *Boll. Soc. zool. ital.* 14:92 [b3867] SS: *ilicis* (Esper), [1779]; *Satyrium* [Note - Not spelled *alienata*.] [Refs - b0236 (as *alienata*); b0276; b3867]
- c **alineata** (Verity), 1919, 1919-1922, (IFS & H); *Thecla* OD: *Ent. Rec.* 31:47 [b4840] SS: *ilicis* (Esper), [1779]; *Satyrium* [Note - Verity made it clear he was creating a new name.] [Refs - b2856; b4840]
- b **aliparops** (Michener & dos Passos), 1942; *Strymon* OD: *Amer. Mus. Novit.* (1210):3 [b3175] SS: *liparops* (Boisduval & Le Conte), [1833]; *Satyrium* [Type: AMNH-ht] [TypeL - Glenwood Springs, Colorado.] [Refs - b0908; b3192; b1743; b1321; b0493; b4690 (R)]
- b **aliquantum** H. H. Druce, 1910; *Liptena* OD: *Proc. zool. Soc. Lond.* 1910(1):369, pl 35, f 5 [b1378] SS: *subvariegata* Grose-Smith & Kirby, 1890; *Liptena* [Refs - b1452; b4400]

- a **alltaeus** (Hewitson), 1862; *Amblypodia* OD: *Spec. Cat. Lyc. Brit. Mus.* :7, pl 5, f 45,46 [b2325] CG: *Arhopala* f [Type: BMNH-ht] [TypeL - Makassar.] [Refs - b1644; b2747; b1454; b4094]
- b **alix** Grose-Smith, 1900; *Hypochrysops* OD: *Novit. zool.* 7:88 [b2048] SS: *theon* Felder & Felder, 1865; *Hypochrysops* [Type: BMNH-ht] [TypeL - Milne Bay, British New Guinea.] [Refs - b1450; b2078; b2048; b3926]
- b **alixae** Eliot, 1973; *Tajuria* OD: *Entomologist* 106:5, f [b1557] SS: *albiplaga* de Nicéville, 1887; *Tajuria* [Type: BMNH-ht] [TypeL - Fraser's Hill, Pahang.] [Refs - b1557; b0965; b0104; b2201; b1454]
- a **alixae** Eliot, 1978; *Deramas* OD: *Butts Malay Penin.* (3rd ed.) :418 [b1563] [Type: BMNH-ht] [TypeL - Rantau Panjang, Selangor, Malay Peninsula.] [Refs - b1563; b1564; b1454; b4108]
- c **alkamah** Distant, 1886, 1882-1886; *Allotinus* OD: *Rhop. malayana* :452, pl 44, f 3 [b1285] SS: *subviolaceus* Felder & Felder, 1865; *Allotinus* [Type: ZMHU-lt; designated by Takanami, 1989] [Tyô to Ga 40(1):25 [b4602]] [TypeL - West Malaysia.] [Refs - b0964; b1153; b0965; b1840; b3498; b1571; b4602; b4108]
- a **alkisthenes** Fruhstorfer, 1914; *Arhopala* OD: *Deut. ent. Zeit.* [Iris] 27(4):159 [b1853] CG: *Arhopala* h [Type: BMNH-ht] [TypeL - Central New Guinea.] [Refs - b1450; b1644; b1853; b4094]
- a **allardi** (Oberthür), 1874; *Lycaena* OD: *Petites Nouv. ent.* 1(103):412 [b3415] CG: *Plebejus* (*Plebejides*) [Type: BMNH-lt; designated by De Prins & van der Poorten & Bálint, 1992] [*Phegea* 20(1):20 [b1173]] [TypeL - Algeria.] [Refs - b2753; b1171; b1173; b0125; b1455 (as *allardii*)]
- a **allardi** Oberthür, 1909; *Cigaritis* OD: *Étud. Léop. comp.* 3:401-403 [b3450] [Refs - b1455]
- a **allata** (Staudinger), 1889; *Amblypodia* OD: *Deut. ent. Zeit.* [Iris] 2(1):125, pl 2, f 1 [b4332] CG: *Arhopala* a [Type: ZMHU-lt; designated by Takanami, 1989] [Tyô to Ga 40(1):26 [b4602]] [TypeL - Palawan.] [Refs - b1644; b2200; b1454; b4094; b4597; b4602]
- a **allectus** Westwood, [1851], 1846-1852; *Anteros* OD: *In Gen. dium. Lep.* (2):428, nota [b4981] [TypeL - Amazon.] [Refs - b2988; b2747; b4474; b1453 (in *Argyrogramma*); b2497; b1456]
- b **allectus** (Grose-Smith), 1894; *Lampides* OD: *Novit. zool.* 1:576 [b2037] SS: *aleuas* (Felder & Felder), 1865; *Jamides* [TypeL - New Guinea.] [Refs - b4671; b1450; b1865; b4094]
- b **allica** (Fabricius), 1787; *Papilio* OD: *Mantissa Ins.* 2:52 [b1656] SS: *flegyas* (Cramer), [1780]; *Zemerus* [Type: BMNH-ht; Banks collection.] [TypeL - Siam".] [Type of - *Zemerus*] [Refs - b0964; b1636; b2280; b0965; b2747; b1454; b1840; b5076]
- b **allous** (Geyer), [1836], 1826-1838; *Papilio* OD: *In Samml. europ. Schmett.* 1:pl 200, f 988-992 [b1932] SS: *anaxerxes* (Fabricius), 1793; *Plebejus* (*Anicia*) [Refs - b4115; b2375; b2747; b2399; b1780; b0995; b2827; b2479; b2856; b0410 (as good sp); b0270; b2866; b2859 (as a good species); b4092]
- a **alluaudi** Mabille, 1890; *Liptena* OD: *Annls Soc. ent. Fr.* (6)10:23, pl 2, f 2 [b3047] [TypeL - W. Africa.] [Refs - b1452; b0836; b4400]
- c **alluaudi** Oberthür, 1922; *Apelles* OD: *Étud. Léop. comp.* 19:113 [b3463] SS: *melanops* (Boisduval), [1828]; *Apelles* [TypeL - Haute-Reraya, Grand Atlas, Morocco.] [Refs - b0236; b0471; b2239]
- b **allyni** (Shields), 1975; *Shijimiaeoides* OD: *Bull. Allyn Mus.* (28):10, f 1-4 [b4179] SS: *bernardino* (Barnes & McDunnough), 1916; *Euphilotes* [Type: AME-ht] [TypeL - El Segundo, Los Angeles County, California.] [Refs - b4179; b0107; b0135; b4066; b3192; b3114]
- c **almansor** (Fruhstorfer), 1914; *Arhopala* OD: *Deut. ent. Zeit.* [Iris] 28(2):132 [b1859] SS: *capeta* (Hewitson), [1878]; *Flos* [Type: BMNH-ht] [TypeL - Malaya.] [Refs - b1644; b0965; b1859; b4094]
- c **almar** Fruhstorfer, 1908; *Deudorix* OD: *Soc. ent.* 23(5):38 [b1828] SS: *epirus* (C. Felder), 1860; *Deudorix* [Refs - b1450; b4094; b1828]
- a **almeida** C. Felder, 1862; *Aloeides* OD: *Verh. zool.-bot. Ges. Wien* 12:478 [b1677] [Type: BMNH-ht] [TypeL - Cape Province, South Africa.] [Refs - b1259; b2747; b1452; b4400; b4685]
- a **almeidai** Zikán, 1946; *Phaenochitonina* OD: *Livro hom. R. Ferreira d'Almeida* (43):347 [b5072] [TypeL - Brazil.] [Refs - b5072; b1456]
- a **almironensis** (Schweizer & Kay), 1941; *Hamearis* OD: *An. Mus. Hist. nat. Montevideo* (2)5(2):9 [b4053] CG: *Audre* [TypeL - Uruguay.] [Refs - b0420; b1456]
- b **almora** (H. Druce), 1873; *Cupido* OD: *Proc. zool. Soc. Lond.* 1873(2):349, pl 32, f 7 [b1383] SS: *ancyra* (C. Felder), 1860; *Catopyrops* [Type: BMNH-ht] [TypeL - Borneo.] [Refs - b4676; b0938; b1383; b2753; b4094; b1454; b4595; b4108]
- b **aloana** Corbet, 1941; *Arhopala* OD: *Proc. R. ent. Soc. Lond.* (B)10(9):165 [b0956] SS: *alaconia* (Hewitson), [1869]; *Arhopala* i [Type: BMNH-ht] [TypeL - Tavoy.] [Refs - b1644; b0956; b1454]
- b **alocina** Swinhoe, 1915; *Jamides* OD: *Ann. Mag. nat. Hist.* (8)16:175 [b4576] SS: *allecto* C. Felder, 1860; *Jamides* [TypeL - Shan States.] [Refs - b1636; b4576; b0694]
- a **aloisi** Bálint, 1988; *Polyommatus* OD: *Atalanta* (Münnerstadt) 18(3/4):385, f [b0198] [TypeL - Southern Mongolia.] [Refs - b0124; b0206]
- c **alope** (Fenton), [1882]; *Lycaena* OD: *In Proc. zool. Soc. Lond.* 1881(4):851 [b1696] SS: *maha* (Kollar), [1844]; *Pseudozizeeria* [TypeL - Yesso, Japan.] [Refs - b0995; b2479; b1900 (=melina); b0236]
- c **alpestris** (Freyer), 1852, 1831-1858; *Lycaena* OD: *Neuere Beitr. Schmett.* 6:pl 583, f 3,4 [b1795] SS: *camon* (Herrich-Schäffer), [1851]; *Polyommatus* (*Agrodiaetus*) [Refs - b2794]
- c **alphaea** (Hübner), [1808], 1806-1838; *Lemonias* OD: *Samml. exot. Schmett.* 1:pl [37] [b2482] SS: *thelephus* (Cramer), [1775]; *Echenais* [Type of - *Echenais*] [Refs - b2280; b2747; b4475; b2260]
- d **alphaeus** Kirby, 1871, (UE); *Capys* OD: *Syn. Cat. dium. Lep.* :405 [b2747] SS: *alpheus* (Cramer), [1777]; *Capys* [Refs - b2747; b4400]
- b **alpherakii** (Grum-Grshimailo), 1888; *Polyommatus* OD: *Horae Soc. ent. ross.* 22:305 [b2066] SS: *ochimus* (Herrich-Schäffer), [1851]; *Lycaena* (*Thersamonia*) [TypeL - Central Asia.] [Refs - b0996; b2827; b4092]
- a **alpheus** (Cramer), [1777], 1775-1790; *Papilio* OD: *Util. Kapellen* 2(16):131, pl 182, f E,F [b1069] CG: *Capys* [TypeL - Cape of Good Hope, South Africa.] [Type of - *Capys*, *Scoptes*] [*Note - Placed on the Official List by Opinion #1398.*] [Refs - b4400 (as *alphaeus*); b2280; b1259 (as *alphaeus*); b3675 (as *alphaeus*); b2747 (as *alphaeus*); b3312; b0111; b1452 (as *alphaeus*); b2545; b1230; b3313; b2286 (as *alphaeus*)

- a **alphonsum** (Fabricius), 1793, 1792-1799; *Hesperia* OD: Ent. syst. 3(1):308 [b1657] CG: Monethe [TypeL - Surinami.] [Type of - Monethe] [Refs - b2280; b2988; b2280; b2747; b4474; b5076; b1456]
- e **ab. alpicola** (Kolar), 1926; *Lycaena* OD: Verh. zool.-bot. Ges. Wien 74/75:(4) [b2820] SS: eumedon (Esper), [1780]; *Plebejus* (*Eumedonia*) [Refs - b0236; b0410; b0471; b2820]
- c **alpicola** Beuret, 1949; *Maculinea* OD: Bull. Soc. ent. Mulhouse 1949:41 [b0379] SS: rebeli (Hirschke), 1904; *Maculinea* [TypeL - Switzerland.] [Refs - b0400]
- c **alpina** Berce, 1867; *Plebejus* OD: Faune ent. France Lepid. 1:134 [b0301] SS: valesiaca (Oberthür), 1904; *Plebejus* (*Lycaeides*) [Refs - b0236; b4425; b0410; b4092]
- d **alpina** (Staudinger), [1871], (H); *Lycaena* OD: Horae Soc. ent. ross. 7:52 [b4324] OS: delphica (Wnukowsky), 1929; *Plebejus* (*Aricia*) [Refs - b2747; b0236; b0067; b0410; b4092; b0471]
- c **alpina** (Grum-Grshimailo), 1890; *Thestor* OD: In Romanoff, Mém. Léop. 4:357 [b2067] SS: fedtschenkoi (Erschoff), 1874; *Tomares* [Refs - b4092]
- e **alpina** Favre, 1903; *Maculinea* OD: Suppl. Faune Valais - [b1669] SS: arion (Linnaeus), 1758; *Maculinea* [Refs - b0236; b0400]
- c **alpina** (Courvoisier), 1910, 1910-1911; *Lycaena* OD: Ent. Zeit. 24:92 [b0985] SS: argus (Linnaeus), 1758; *Plebejus* [Refs - b0236; b0410; b0471]
- e **alpina** (Turati & Verity), [1911]; *Lycaena* OD: Boll. Soc. ent. ital. 42:260 [b4753] SS: alexis (Herrich-Schäffer), [1844]; *Polyommatus* [Type: MZS-st] [Note - This name has been replaced by *selene* Hemming.] [Refs - b2856; b0236; b0072; b0471]
- b **alpina** Fruhstorfer, 1917; *Maculinea* OD: Deut. ent. Zeit. [Lris] 31:26 [b1877] SS: arion (Linnaeus), 1758; *Maculinea* [Refs - b0236]
- c **alpina** Waterhouse, 1928; *Candalides* OD: Proc. linn. Soc. N. S. Wales 53(4):402 [b4937] SS: heathi (Cox), 1873; *Candalides* [TypeL - Mt. Kosciusko, Australia.] [Refs - b4677; b1450; b0870; ns1430]
- b **alpinus** (Murayama), 1954; *Neozephyrus* OD: New Ent. 3(4):34 [b3279] SS: aurorina (Oberthür), 1880; *Chrysozephyrus* [Type: pc-ht; collection of Murayama.] [TypeL - Chubu and Kanto districts, Central Honshu, Japan.] [Refs - b1900; b2509; b3279; b2463]
- e **alpium** (Verity), 1926, 1926-1933, (RA); *Lycaena* OD: Ent. Rec. 38:120 [b4844] SS: daphnis ([Denis & Schiffermüller]), 1775; *Polyommatus* (*Meleageria*) [Type: MZS-st] [TypeL - Cotian Alps.] [Refs - b2856; b0236; b0471; b0064]
- e **alpiumclara** Verity, 1926, 1926-1933, (RA); *Polyommatus* OD: Ent. Rec. 38:121 [b4844] SS: meleager (Hübner), [1804]; *Polyommatus* (*Agriades*) [Type: MZS-st] [TypeL - Cotian Alps.] [Refs - b2856; b0236; b0471; b0064]
- e **alpiumfusca** (Verity), 1926, 1926-1933, (RA); *Agriades* OD: Ent. Rec. 38:125 [b4844] SS: coridon (Poda von Neuhaus), 1761; *Polyommatus* (*Lysandra*) [Type: MZS-st] [TypeL - Tyrol.] [Refs - b2856; b0236; b0471; b4038]
- e **alpiummagna** (Verity), 1943, (RA); *Aricia* OD: Farfalle Diurne Ital. 2:213 [b4862] SS: agestis ([Denis & Schiffermüller]), 1775; *Plebejus* (*Aricia*) [Type: MZS-st] [TypeL - Italy.] [Refs - b2856; b0410]
- e **alpiumpallida** (Verity), 1926, 1926-1933, (RA); *Agriades* OD: Ent. Rec. 38:123 [b4844] SS: coridon (Poda von Neuhaus), 1761; *Polyommatus* (*Lysandra*) [Type: MZS-st] [TypeL - Alps.] [Refs - b2856; b0236; b0471; b4038]
- e **alpiumphilonome** (Verity), 1931, (IFS); *Lycaeides* OD: Deut. ent. Zeit. [Lris] 45:58 [b4852] SS: argus (Linnaeus), 1758; *Plebejus* [TypeL - Upper Adige.] [Refs - b1780; b2856; b0069]
- e **alpophila** (Verity), 1919, 1919-1922, (RA); *Plebeius* OD: Ent. Rec. 31:46 [b4840] SS: argus (Linnaeus), 1758; *Plebejus* [Note - Bang-Haas marks this as nom. nov. pro alsus Hbn.] [Refs - b2856; b0236; b4425; b0471]
- a **alsietus** (Fruhstorfer), 1915; *Lampides* OD: Arch. Naturgesch. (A)81(6):15, f 11 [b1865] CG: *Jamides* [TypeL - Bazilan, Philippines.] [Refs - b1865; b1454; b4094; b2388]
- b **alsoides** (Gerhard), 1851, 1850-1853; *Lycaena* OD: Vers. monog. europ. Schmetz. :9, pl 13, f 3a-c [b1928] SS: minimus (Füssly), 1775; *Cupido* [Refs - b0400; b4092]
- a **alstonii** (Smart), 1979; *Argyrogramma* OD: Aurelian 1(3):9, f [b246] CG: *Argyrogrammana* [TypeL - St. Anne's Peak, Trinidad.] [Refs - b0111; b1456]
- a **alsulus** (Herrich-Schäffer), 1869; *Lycaena* OD: Stett. ent. Ztg 30(1-3):75 [b2317] CG: *Famegana* [TypeL - Rockhampton, Australia.] [Type of - Famegana] [Refs - b1559; b4198; b1450; b2747; b4094; b4255; b1454; b0870; b4940; b4934; b2388]
- c **alsus** ([Denis & Schiffermüller]), 1775; *Papilio* OD: Ankündigung syst. Werkes Schmetz. :184 [b1193] SS: minimus (Füssly), 1775; *Cupido* [Type of - Zizera] [Refs - b2280; b2747; b0995; b2827; b2479; b0400; b1183; b2794; b2797; b2859]
- c **alta** Barlow & Banks & Holloway, 1971; *Celastrina* OD: Orient. Insects 5(3):286 [b0239] SS: placidina (Fruhstorfer), [1917]; *Celastrina* [Type: BMNH-ht] [TypeL - Mt Kinabalu, Borneo.] [Refs - b0102; b1580; b4108]
- e **ab. altacona** Tutt, 1909, 1905-1914; *Polyommatus* OD: Nat. Hist. Brit. Butts 3:270 [b4760] SS: semiargus (Rottemburg), 1775; *Polyommatus* (*Cyaniris*) [Refs - b0471]
- e **altaegidion** (Verity), 1931; *Lycaena* OD: Deut. ent. Zeit. [Lris] 45:59 [b4852] SS: argus (Linnaeus), 1758; *Plebejus* [TypeL - Zernatt.] [Note - Replacement name for *alpina* Courvoisier, 1910.] [Refs - b1780; b2856; b0069; b0410]
- b **altaianus** Tutt, 1909, 1905-1914; *Polyommatus* OD: Nat. Hist. Brit. Butts 3:270 [b4760] SS: semiargus (Rottemburg), 1775; *Polyommatus* (*Cyaniris*) [Refs - b0108; b0236; b4760]
- b **altaica** (Elwes), 1899; *Lycaena* OD: Trans. ent. Soc. Lond. 47(3):327 [b1595] SS: damone (Eversmann), 1841; *Polyommatus* (*Agrodiaetus*) [Note - May be a good species.] [Refs - b0993; b0066; b4169; b4092; ns3030]
- b **altaiensis** (Forster), 1956; *Agrodiaetus* OD: Z. wien. ent. Ges. 41:119 [b1769] SS: carmon (Herrich-Schäffer), [1851]; *Polyommatus* (*Agrodiaetus*) [TypeL - Jenissei Province.] [Refs - b2827]
- b **altaishanica** (Huang & Murayama), 1992; *Lysandra* OD: Tyô to Ga 43(1):11, f 29,30 [b2478] SS: icarius (Esper), [1789]; *Polyommatus* (*Plebicula*) [Type: BLXU-ht] [TypeL - Jiadengyu, Altai, Xinjiang, China.] [Refs - b2478]
- a **altamiraensis** Johnson & Kroenlein, 1993; *Strymon* OD: Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (35):3, f [b2629] [Type: AMNH-ht] [TypeL - Altamira, Pará State, Brazil.] [Refs - b2629]
- b **altarmena** (Forster), 1936; *Lycaena* OD: Mitt. münchn. ent. Ges. 26:103 [b1758] SS: argyrognomon (Bergsträsser), [1779]; *Plebejus* (*Lycaeides*) [TypeL - Armenia.] [Refs - b0074]
- e **alter** (Toxopeus), 1929, (PS); *Amblypodia* OD: Tijdschr. Ent. 72(3/4):213 [b4699] SS: apidanus (Cramer), [1777]; *Flos* [Refs - b1644; b4699]
- e **altera** (Verity), 1916, (IFS); *Lycaena* OD: Annl. Soc. ent. Fr. 84:517 [b4837] SS: reznicki (Bartel), 1904; *Polyommatus* (*Lysandra*) [Refs - b0236; b0471]

- b **altera** (Züllich), 1929; *Lycaena* OD: Z. öst. EntVer. 14(5):52 [b5081] SS: anteros (Freyer), 1839; *Plebejus* (Ultraarica) [TypeL - Bulgaria.] [Refs - b0113; b0236; b0067; b3358; b0471]
- c **alteratus** Moore, 1882; *Tarucus* OD: Proc. zool. Soc. Lond. 1882(1):245, pl 12, f 4,4a [b3234] SS: nara (Kollar), [1844]; *Tarucus* [TypeL - NW Himalayas.] [Refs - b1636; b0995; b1840; b0694; b4092]
- c **altica** von Neustetter, 1910; *Polyommatus* OD: Jber. Wien. ent. Ver. 20:8 [b4883] SS: coridon (Poda von Neuhaus), 1761; *Polyommatus* (*Lysandra*) [Refs - b0236; b4883; b0471; b4038 (as 1909:198)]
- a **alticola** (Christoph), 1893; *Lycaena* OD: Deut. ent. Zeit. [Iris] 6:86 [b0792] CG: *Polyommatus* (*Neolysandra*) [TypeL - Armenia.] [Note - Originally described as a variety of *coelestina*. The treatment here follows *Nekruenko*. Other authors place the name in the synonymy of *argiolus* or *coelestina*.] [Refs - b2827; b2250; b3359 (as sp in *Neolysandra*); b0410; b0993; b4092; ns0705 (with *coelestina*); b1455]
- e **alticola** Dyar, 1913, (NN); *Lycaena* OD: Proc. U. S. natn. Mus. 45:638 [b1443] [Type: USNM] [TypeL - Cantas, Peru.] [Note - Dyar attributed the name to *Godman & Salvin*.] [Refs - b0908]
- c **alticola** Aurivillius, 1923; *Deudorix* OD: Lepidoptera, IV. In Schubotz 1:1217, pl L, f 7 [b0171] SS: lorisona (Hewitson), [1863]; *Deudorix* (*Virachola*) [TypeL - O-Wassa, Fernando Poo.] [Refs - b0171; b4400]
- e **ab. alticola** (Nitsche), 1926; *Aricia* OD: Verh. zool.-bot. Ges. Wien 74/75:(18) [b3405] SS: eumedon (Esper), [1780]; *Plebejus* (*Eumedonia*) [Note - Replaced by *nitschei* *Hemming*.] [Refs - b0236; b0071; b0410; b0471]
- b **alticola** (Stempffer), 1961; *Epamera* OD: Bull. Inst. franç. Afr. Noire 23(A):96, f 15-19 [b4394] SS: silanus *Grose-Smith*, 1889; *Iolaus* (*Epamera*) [Type: BMNH-ht] [TypeL - Tanganyika.] [Refs - b1452; b4394]
- b **altijavana** Toxopeus, 1930; *Catopyrops* OD: De soorte als Functie :148 [b4702] SS: rita (*Grose-Smith*), 1895; *Catopyrops* [TypeL - Malang., Java.] [Refs - b4676; b1542; b0938; b4702; b1454]
- a **altilineata** Johnson, 1992; *Terra* OD: J. New York ent. Soc. 100(3):522, f [b2607] [TypeL - Argentina.] [Refs - b0126]
- a **altimontana** Sibatani, 1974; *Melanolycaena* OD: J. Aust. ent. Soc. 13(2):95, f 1,3-8,17,18,23 [b4220] [TypeL - Western Highlands, New Guinea.] [Type of - *Melanolycaena*] [Refs - b4220; b0105; b4221; b3297; b3550]
- a **altivagans** (Forster), 1956; *Agrodiaetus* OD: Z. wien. ent. Ges. 41:60 [b1769] CG: *Polyommatus* (*Agrodiaetus*) [TypeL - Armenia.] [Refs - b2827; b2794; b1004]
- e **altivolans** (Verity), 1920, 1919-1922, (RA); *Agriades* OD: Ent. Rec. 32:144 [b4840] SS: eschen (Hübner), [1823]; *Polyommatus* (*Plebicula*) [Type: MZS-s] [Refs - b2856; b0236; b0471]
- a **aluta** (H. Druce), 1873; *Cupido* OD: Proc. zool. Soc. Lond. 1873(2):349, pl 32, f 8 [b1383] CG: *Prosotas* [Type: BMNH-ht] [TypeL - Borneo.] [Refs - b4676; b0964; b1636; b0965; b0938; b1383; b0995; b2747 (as *acuta*); b1454; b4094; b0694; b3258; b2388; b4108]
- b **alutina** (Fruhstorfer), 1916; *Nacaduba* OD: Zool. Meded. 2(2):120 [b1873] SS: *aluta* (H. Druce), 1873; *Prosotas* [Type: BMNH-ht] [TypeL - N. Celebes.] [Refs - b4676; b1454; b4094]
- b **alvenus** (Fruhstorfer), 1915; *Lampides* OD: Arch. Naturgesch. (A)81(6):19 [b1865] SS: *elpis* (*Godart*), [1824]; *Jamides* [TypeL - Saleyer.] [Refs - b1865; b1454 (with *schatzi*); b4094]
- a **alyattes** *Godman & Salvin*, 1891; *Hypochrysops* OD: In Trans. ent. Soc. Lond. 39(2):193, f 6,8 [b1978] [TypeL - Aola, Guadalcanal, Solomon Islands.] [Refs - b1450; b2078; b3926 (as *Druce* name); b3835]
- a **alyattes** Zikán, 1952; *Semomesia* OD: *Dusenja* 3:18, f [b5074] [TypeL - Brazil.] [Refs - b1456]
- a **ama** Hewitson, 1869, 1869-1877; *Mesosemia* OD: *Equatorial Lep. Buckley* (3):39 [b2330] [TypeL - Ecuador.] [Refs - b2988; b2747; b4474; b1456]
- c **amabilis** *Staudinger*, [1888], 1884-1888; *Durbania* OD: In Exot. Schmett. 1:268 [b4329] SS: *limbata* *Trimen*, 1887; *Durbania* [TypeL - Transvaal.] [Refs - b4400]
- a **amabilis** (de *Nicéville*), 1895; *Chilaria* OD: J. Bombay nat. Hist. Soc. 9(3):309, pl P, f 42 [b1159] CG: *Hypolycaena* [Type: lost] [TypeL - Java.] [Refs - b0965; b0964; b4094; b1573]
- d **amabilis** (Martin), 1895, (H); *Zelus* OD: *Tagsschmett. Nord-Sumatra* :11 [b3072] SS: *amabilis* (de *Nicéville*), 1895; *Hypolycaena* [TypeL - Sumatra.] [Refs - b1573]
- a **amabilis** *Rothschild*, 1904; *Dicallaneura* OD: *Novit. zool.* 11:318, pl 2, f 21, nec 22 [b3874] [TypeL - New Guinea.] [Refs - b1450; b4474; b1840]
- a **amabilis** *Schultze*, 1923; *Liptena* OD: In *Schubotz* :1181 [b4018] [TypeL - C. Africa.] [Refs - b1452; b4400]
- c **amadis** (Fruhstorfer), 1910; *Cyaniris* OD: *Stett. ent. Ztg* 71(2):295 [b1843] SS: *alboceruleus* (*Moore*), 1879; *Udara* (*Penudara*) [Type: -lt; designated by *Eliot & Kawazoé*, 1983] [Butts *Lycaenopsis* group :153 [b1580]] [Refs - b2479; b1840; b1580; b0236; b0236]
- b **amaga** *Fruhstorfer*, [1914], 1909-1923; *Abisara* OD: In *Seitz, Grossschmett. Erde* 9:784 [b1840] SS: *saturata* (*Moore*), 1878; *Abisara* [Type: BMNH] [TypeL - Banks Island.] [Refs - b0294; b4473; b1454; b1840]
- a **amakosa** *Trimen*, 1862; *Durbania* OD: *Trans. ent. Soc. Lond.* (3)1:401 [b4715] [TypeL - South Africa.] [Type of - *Durbania*] [Refs - b2280; b1259; b2747; b3679; b1452; b4400; b4725]
- a **amalfreda** (*Staudinger*), [1887], 1884-1888; *Charis* OD: In *Exot. Schmett.* 1:256; 2:pl 91 [b4329] CG: *Argyrogrammana* [TypeL - Upper Amazon.] [Refs - b4474; b1456]
- c **amanda** *Seitz*, [1917], 1910-1924; *Mesosemia* OD: In *Seitz, Grossschmett. Erde* 5:640 [b4093] SS: *amiana* *Felder & Felder*, 1861; *Mesosemia* [TypeL - Colombia.] [Refs - b4474; b4093]
- e **ab. amandina** (*Krulikovskii*), 1908; *Lycaena* OD: *Soc. ent.* 23(2):11 [b2850] SS: *icarius* (*Esper*), [1789]; *Polyommatus* (*Plebicula*) [Refs - b0236; b2850; b0471]
- b **amandus** (*Schneider*), 1792, 1791-1794; *Papilio* OD: *Neu. Mag. Liebhaber Ent.* 1(4):428 [b3970] SS: *icarius* (*Esper*), [1789]; *Polyommatus* (*Plebicula*) [Refs - b4115; b1709; b2747; b0993; b1780; b1762; b2827; b2866; b0236; b2300; b2794; b2859; b2374; ns3721; b3943; b0254; b4092; b2788; ns3064]
- a **amanga** (*Westwood*), 1881; *Zeritis* OD: In *Oates, Matabele Land* :351 [b4984] CG: *Axiocerses* [TypeL - Zambesi.] [Refs - b1943; b1259; b0831; b1452; b0836; b4400; b2560; b3606]
- c **amanica** (*Strand*), 1909; *Lycaenesthes* OD: *Ent. Zeit.* 23(27):125 [b4495] SS: *ligures* (*Hewitson*), 1874; *Anthene* [TypeL - Amani.] [Refs - b4528]
- a **amanica** *Stempffer*, 1951; *Hypolycaena* OD: *Bull. Soc. ent. Fr.* 56(8):123, f [b4381] [TypeL - Usambara.] [Refs - b1259; b1452; b4400; b4381]

- b** *amanica* Stempffer, 1951; *Iolaus* OD: Bull. Soc. ent. Fr. 56(8):126 [b4381] SS: nolaensis (Stempffer), 1951; *Iolaus* (Epamera) [Type: BMNH-ht] [TypeL - Usambara.] [Refs - b1452; b4400; b4381]
- a** *amanica* Stempffer & Bennett, 1953; *Baliocbila* OD: Bull. Br. Mus. nat. Hist. (Ent.) 3:97 [b4415] CG: *Baliocbila* [TypeL - Tanganyika; British E. Africa.] [Refs - b1452; b4400]
- e** *f. amanita* (Rebillard), 1958, (IFS); *Aricoris* OD: Mém. Mus. nat. Hist. nat. (A)15:204, pl 4, f 13 [b3717] SS: *heliadora* (Standinger), [1887]; *Setabis* [Type: MNHN-ht] [TypeL - Amazone, Brazil.] [Refs - b3717; b0093]
- a** *amantes* (Hewitson), 1862; *Amblypodia* OD: Spec. Cat. Lyc. Brit. Mus. 4, pl 2, f 1-3 [b2325] CG: *Arhopala* g [Type: BMNH-ht] [TypeL - Ceylon.] [Refs - b1644; b0965; b2747; b1454; b4094]
- a** *amarah* (Guérin-Méneville), 1847; *Polyommatus* OD: In Lefebvre, Voyage Abyss. 6:384, pl 11, f 5,6 [b2089] CG: *Anthene* [TypeL - Africa.] [Refs - b1943; b1259; b2747; b2905; b5055; b1452; b0343; b0293; b0836; b2898; b2901; b4412; b4400; b3312; b0800; b4631]
- a** *amarantus* Stichel, 1910; *Mesosemia* OD: Gen. Insectorum 112(A):50 [b4446] [Type: ZMHU-st] [TypeL - Peru.] [Refs - b4474; b1456; b4446]
- a** *amarauge* H. H. Druce, 1891; *Jamides* OD: Proc. zool. Soc. Lond. 1891(3):366, pl 31, f 20,21 [b1358] [TypeL - Aru Island; Guadalcanar Island; Florida Island.] [Refs - b1450; b1865; b1358; b0870; b4094; b4934; b5034; b2388]
- b** *amardus* Fruhstorfer, [1912]; *Tajuria* OD: Berl. ent. Z. 56(3/4):213 [b1850] SS: *isaeus* (Hewitson), [1865]; *Tajuria* [TypeL - Nias.] [Refs - b2201; b1850; b4094]
- a** *amarylde* Eliot & Kawazoe, 1983; *Sidima* OD: Buts *Lycanopsis* group :166, f 123, 408, 424, 519 [b1580] [Type: BMNH-ht] [TypeL - Arfak, Mt Siwi, Irian Jaya, New Guinea.] [Refs - b1580]
- a** *amaryllis* Hewitson, 1862; *Ogyris* OD: Spec. Cat. Lyc. Brit. Mus. 3, pl 1, f 5,6 [b2325] [TypeL - Moreton Bay, Australia.] [Refs - b1450; b2747; b0870; b4094; b4934; ns0144]
- a** *amarynthina* (Felder & Felder), 1865, 1865-1875; *Amblygonia* OD: Reise Novara (2):309 [b1692] CG: *Parcella* [TypeL - New Granada.] [Type of - *Amblygonia*, *Parcella*] [Refs - b2988; b2280; b2747; b4474; b2221; b1456]
- a** *amasa* Hewitson, [1865], 1863-1878; *Hypolycaena* OD: Ill. dium. Lep. *Lycanidae* 1:51; 2:pl 22, f 19,20 [b2326] CG: *Hypolycaena* (Zelus) [TypeL - Old Calabar.] [Refs - b0964; b0965; b2747; b4950; b2201; b1454; b4094; b0694; b4209]
- a** *amasa* (Hewitson), [1869], 1863-1878; *Myrina* OD: Ill. dium. Lep. *Lycanidae* Suppl.:4, pl 6, f 89,90 [b2326] CG: *Symoptera* [Refs - b2747; b1452; b4400]
- a** *amasea* Waterhouse & Lyell, 1914; *Catochrysops* OD: Buts Aust. :103 [b4947] [TypeL - Cairns, Queensland, Australia.] [Refs - b1450; b4670; b0870; b4094; b4940]
- e** *ab. amasina* Neuburger, 1900; *Polyommatus* OD: Ilte Z. Ent. 5:370 [b3377] SS: *dolus* (Hübner), [1823]; *Polyommatus* (*Agrodiaetus*) [Refs - b0236; b2794 (=menalcas); x0276; b0471 (as *amascna*)]
- a** *amasis* (Hewitson), 1870, 1869-1877; *Lemonias* OD: Equatorial Lep. Buckley (4):52 or 53 of 97 [b2330] CG: *Adelotypa* [TypeL - Ecuador.] [Refs - b2747; b4475; b2753; b1456]
- b** *amastris* (Fruhstorfer), 1915; *Lampides* OD: Arch. Naturgesch. (A)81(6):15 [b1865] SS: *callistus* (Röber), [1886]; *Jamides* [TypeL - Mindanao, Philippines.] [Refs - b1865; b4094; b4610]
- e** *amastus* Doubleday, 1847, 1844-1848, (NN); *Charis* OD: List Spec. lep. Brit. Mus. (2):17 [b1327] [Refs - b4474]
- b** *amasyensis* (de Lesse), 1961; *Agrodiaetus* OD: Revue fr. Ent. 28:96 [b1126] SS: *demavendi* (Pfeiffer), 1938; *Polyommatus* (*Agrodiaetus*) [TypeL - Turkey.]
- b** *amata* Distant, 1886, 1882-1886; *Sinthusa* OD: Rhop. malayana :461, pl 44, f 20 [b1285] SS: *malika* (Horsfield), [1829]; *Sinthusa* [TypeL - Malay Peninsula.] [Refs - b0964; b0965; b1564; b0105; b3498; b1454; b4094]
- c** *amata* Waterhouse, 1934; *Ogyris* OD: Proc. linn. Soc. N. S. Wales 59(5-6):417 [b4938] SS: *amaryllis* Hewitson, 1862; *Ogyris* [TypeL - Australia.] [Refs - b1450; b0870; b1699; b0140; ns1430]
- b** *amatica* Fruhstorfer, [1912]; *Loxura* OD: Berl. ent. Z. 56(3/4):223 [b1850] SS: *cassiopeia* Distant, 1884; *Loxura* [TypeL - N. Borneo.] [Refs - b1454; b4094; b4108]
- a** *amatista* (Dognin), 1895; *Thecla* OD: Anns Soc. ent. Belg. 39:106 [b1297] CG: *Abloxurina* [Type: BMNH-ht] [TypeL - Loja, Ecuador.] [Type of - *Abloxurina*] [Refs - b0908; b4782; b2631; b2593; b2610]
- c** *amatius* Fruhstorfer, [1912]; *Deudorix* OD: Berl. ent. Z. 56(3/4):265 [b1850] SS: *epijarbas* (Moore), [1858]; *Deudorix* [TypeL - Tonkin.] [Refs - b1636; b4094; b2201; b1454; b1850; b0694; b4108]
- b** *amatola* Dickson & McMaster, 1967; *Poecilmitis* OD: Ent. Rec. 79:209 [b1267] SS: *tumeri* Riley, 1938; *Poecilmitis* [TypeL - Kologha Mt., Cape Province, S. Africa.] [Refs - b1452]
- b** *amatrix* de Nicéville, 1891; *Arhopala* OD: J. Bombay nat. Hist. Soc. 6(3):370, pl G, f 23,24 [b1155] SS: *amantes* (Hewitson), 1862; *Arhopala* g [TypeL - Tiliu Yaw, N. Burma.] [Refs - b1644; b0965; b1454]
- c** *amatus* (Grum-Grshimaïlo), 1890; *Lycæna* OD: In Romanoff, Mém. Lép. 4:403 [b2067] SS: *icarius* (Esper), [1789]; *Polyommatus* (*Plebicula*) [Refs - b4092]
- b** *amaura* (H. H. Druce), 1891; *Nacaduba* OD: Proc. zool. Soc. Lond. 1891(3):361, pl 31, f 10 [b1358] SS: *ancyra* (C. Felder), 1860; *Catochrysops* [Type: BMNH-ht] [TypeL - Alu, Rubiana, and Malaita, Solomon Islands.] [Refs - b4676; b1450; b4094; b1358]
- c** *amazara* (Kirby), 1871; *Cupido* OD: Syn. Cat. dium. Lep. :376 [b2747] SS: *cnidus* Waterhouse & Lyell, 1914; *Euchrysops* [Type: biblio; replacement for *hypoleuca* Prittwitz, 1867] [TypeL - Australia.] [Note - *Edwards* was unable to locate the type, so the placement as a synonym of *cnidus* is tentative.] [Refs - b2747; b4934; b1475]
- a** *amazon* (Saunders), [1859]; *Zaonia* OD: Trans. ent. Soc. Lond. (2)5(9):97, pl 10, f 3,4 [b3939] CG: *Chorinea* [TypeL - Upper Amazon.] [Refs - b2988; b2747; b4474; b1453; b3939; b1456]
- c** *amazona* (Pagenstecher), 1890; *Amblypodia* OD: Jb. nass. Ver. Nat. 43:107 [b3537] SS: *pseudocentaurus* (Doubleday), 1847; *Arhopala* h [TypeL - Java.] [Refs - b1644; b1454; b4094]
- e** *f. amazona* (Stichel), 1929, (IFS); *Orimba* OD: Mitt. zool. Mus. Berl. 15:23 [b4470] SS: *pythioides* (Butler), [1867]; *Setabis* [TypeL - Brazil.] [Refs - b4475; b4470]
- b** *amazonensis* Callaghan, 1986; *Nymphidium* OD: Bull. Allyn Mus. (100):3, f 5-8 [b0681] SS: *azanoides* Butler, 1867; *Nymphidium* [Type: MNRJ-ht] [TypeL - Sao Paulo de Olivencia, Amazonas, Brazil.] [Refs - b0681; b1456]
- b** *amazonica* (Bates), [1868]; *Symmachia* OD: J. linn. Soc. Lond., Zool. 9:393 [b0267] SS: *mantinea* (Felder & Felder), 1861; *Caria* [TypeL - Ega.] [Refs - b2747; b4474; b1453; b1456]

- b *amazonica* (Stichel), 1925; *Phaenochiton* OD: Z. wiss. InsektBiol. 20:55 [b4463] SS: *sagaris* (Cramer), [1775]; *Stichelia* [TypeL - Brazil.] [Refs - b4474; b1456]
- e ♀ *f. amazonica* Krüger, 1928; *Calydna* OD: Int. ent. Z. 22(9):101 [b2843] SS: *caieta* Hewitson, [1854]; *Calydna* [TypeL - Amazonas.] [Refs - b4474]
- c *amazonica* (Meier-Ramel), 1928; *Argyrogramma* OD: Encyc. ent. Ser. B. III. Lep. 3(2):63 [b3145] SS: *boyi* (Röber), 1926; *Argyrogrammana* [TypeL - Brazil.] [Refs - b4474]
- c *amazonica* Le Moul, 1939, 1939-1940; *Helicopsis* OD: Novit. ent. (11):89 [b2943] SS: *gnidus* (Fabricius), 1787; *Helicopsis* [Type: AME-hit] [TypeL - Amazons.] [Refs - b3199]
- b *amazonis* Nicolay, 1979; *Parrhasius* OD: Bull. Allyn Mus. (56):15, f 12A,B,C,D, 13,14,42 [b3392] SS: *orgia* (Hewitson), [1867]; *Parrhasius* [Type: BMNH] [TypeL - Brazil.] [Refs - b3392]
- a *amazoula* (Boisduval), 1847; *Acraea* OD: In Delegorgue, Voy. Afrique Austr. 2:591 [b0464] CG: *Alaena* [Type of - *Alaena*] [Refs - b1943; b2280; b1259; b1452; b4400]
- b *amba* Kirby, 1878; *Sinthusa* OD: In Ill. diurn. Lep. Lycaenidae Sup.:32, pl 5B, f 44-46 [b2754] SS: *nasaka* (Horsfield), [1829]; *Sinthusa* [Type: ZMHU-It; designated by Takanami, 1989] [Tyô to Ga 40(1):34 [b4602]] [TypeL - Malacca, Malay Peninsula.] [Refs - b0964; b1636; b0965; b0105; b2201; b1454; b4094; b0694; b4602; b4108]
- b *ambasa* Fruhstorfer, [1912]; *Rapala* OD: Berl. ent. Z. 56(3/4):258 [b1850] SS: *varuna* (Horsfield), [1829]; *Rapala* [TypeL - Nias.] [Refs - b1850; b4094]
- e *ab. ambigua* Reverdin, 1917; *Glaucopsyche* OD: Bull. Soc. Lép. Genève 3:189, pl 9, f 1 [b3730] SS: *alexis* (Poda von Neuhaus), 1761; *Glaucopsyche* [Refs - b0236; b0400; b0471]
- e *ab. ambigua* Reverdin, 1917; *Polyommatus* OD: Bull. Soc. Lép. Genève 3:190, pl 9, f 3 [b3730] SS: *icarus* (Rottemburg), 1775; *Polyommatus* [Refs - b0236]
- c *ambigua* (Toxopeus), 1929; *Amblypodia* OD: Tijdschr. Ent. 72(3/4):212 [b4699] SS: *phalakron* (Fruhstorfer), 1914; *Flos* [TypeL - Sumatra.] [Refs - b1644; b0067; b4699]
- a *ambigua* d'Almeida, 1932; *Aricoris* OD: Lambillionea 32:13 [b1458] [TypeL - Brazil.] [Refs - b1456]
- a *amblypodia* Lathy, 1926; *Euselasia* OD: Entomologist 59:146 [b2919] [Type: MNHN-hit] [TypeL - San Ramon, Peru.] [Refs - b4474; b3717; b1456]
- c *amblypodina* (Röber), 1926; *Candalides* OD: Ent. Mitt. 15:375 [b3835] SS: *helena* (Snellen), 1887; *Philiris* [TypeL - New Guinea.] [Refs - b4677; b1450 (as *amblypodina*:396 and index); b3835]
- c *amboides* Elwes, [1893]; *Sinthusa* OD: Proc. zool. Soc. Lond. 1892(4):645 [b1594] SS: *amba* Kirby, 1878; *Sinthusa* [TypeL - Malay Peninsula.] [Refs - b0964; b0965; b4108]
- b *amboinensis* (Butler), 1899; *Lycaenesthes* OD: Ann. Mag. nat. Hist. (74):343 [b0652] SS: *seltatus* (Röber), [1886]; *Anthene* [Type: BMNH-hit] [TypeL - Amboina.] [Refs - b4679; b1450]
- a *ambrax* Westwood, [1852], 1846-1852; *Thecla* OD: In Gen. diurn. Lep. (2):pl 75, f 7, (:485) [b4981] CG: *Thecla* (New World Eumacini) [Type: BMNH] [TypeL - Brazil.] [Refs - b0908; b2747; b2497; b1975]
- a *ambryllis* (Hewitson), 1874; *Limnas* OD: Descr. new Spec. Buts Buckley Bolivia :19 [b2344] CG: *Melanis* [TypeL - Bolivia.] [Refs - b2988; b2753; b4474; b1456]
- b *amdoensis* (Wnukowsky), 1929; *Lycaena* OD: Zool. Anz. 83:221 [b5026] SS: *eroides* Frivaldszky von Frivald, 1835; *Polyommatus* [TypeL - Sinning Mt., Qinghai.] [Note - Replacement name.] [Refs - b0236; b0067; b3301]
- c *amelia* (Herbst), 1804, 1788-1804; *Papilio* OD: In Jablonsky, Natursyst. Ins., Schmett. 11:pl 300, f 3,4 [b2306] SS: *aetolus* (Sulzer), 1776; *Arawacus* [Refs - b0908; b2747]
- b *amelia* (Hemming), 1927; *Turania* OD: Entomologist 60(5/6):277 [b2231] SS: *abencerragus* (Pierret), 1837; *Pseudophilotes* [TypeL - Alemtejo, Portugal.] [Refs - b0236; b0024; b0471; b0119]
- a *amenaida* Hewitson, [1873], 1852-1877; *Pentila* OD: Ill. exot. Butts 5:[-], pl [45], f 4-7 [b2323] [Type: BMNH-hit] [TypeL - Angola.] [Refs - b1943; b2753; b1452; b4420; b4400; b0162]
- b *amenaidana* Strand, 1911; *Pentila* OD: Arch. Naturgesch. (1)77(1):193 [b4500] SS: *pauli* Staudinger, [1888]; *Pentila* [Note - Not spelled *amenaidana*.] [Refs - b4420; b4500; b4400 (as *amenaidana*); b0162 (as ab.)]
- e *amenaidena* Stempffer, 1967, (ISS); *Pentila* OD: Bull. Br. Mus. nat. Hist. (Ent.) Suppl. 10:18 [b4400] SS: *amenaidana* Strand, 1911; *Pentila* [Refs - b4400]
- a *amenaidoides* (Holland), 1893; *Tingra* OD: Ent. News 4(1):23 [b2427] CG: *Pentila* [TypeL - W. Africa.] [Refs - b1452; b4420; b4400]
- a *ameria* (Hewitson), 1862; *Amblypodia* OD: Spec. Cat. Lyc. Brit. Mus. :14, pl 8, f 85,86 [b2325] CG: *Mahathala* [TypeL - West China.] [Type of - *Mahathala*] [Refs - b0964; b1636; b4198; b2280; b0965; b2747; b0236; b2479; b1454; b4094; b0694; b1455]
- e *americana* d'Urban, 1860, (NN); *Lycaena* OD: Can. Nat. Geol. 5(2):91 [b1460] SS: *phlaeas* (Linnaeus), 1761; *Lycaena* (*Lycaena*) [Refs - b0908; b2747; b0996; b2866; b1601; x3192; b4092]
- b *americana* Harris, 1862; *Lycaena* OD: Ins. injur. Veget. (3rd ed.) :273, f 104 [b2143] SS: *phlaeas* (Linnaeus), 1761; *Lycaena* (*Lycaena*) [TypeL - Massachusetts.] [Refs - b0908; b1710; b3191; b3192; b3189; b4066]
- c *americensis* (Blanchard), 1852; *Thecla* OD: In Gay, Hist. fis. pol. Chile 7:38, pl 3, f 10 [b0449] SS: *eurytulus* (Hübner), [1819]; *Strymon* [Type: MNHM-It; designated by Johnson & Eisele & MacPherson, 1990] [Bull. Allyn Mus. (130):30 [b2624]] [TypeL - Coquimbo, Chile.] [Refs - b0908; b3846; b2747; b3718; b1375; b4782; b2631; b2591; b2592; b2624]
- a *amesis* (Cramer), [1777], 1775-1790; *Papilio* OD: Util. Kapellen 2(9):13, pl 104, f F [b1069] CG: *Alesa* [TypeL - Cayenne, Amazon.] [Note - Not spelled *amosis*.] [Refs - b2988; b4474; b2747 (as *amosis*); b1456]
- a *amethysta* Sands, 1981; *Philiris* OD: J. Aust. ent. Soc. 20(1):93, f [b3925] [TypeL - New Guinea.]
- a *amethystina* (Butler), [1867]; *Aricoris* OD: J. linn. Soc. Lond., Zool. 9:220, pl 7, f 7 [b0586] CG: *Setabis* [TypeL - Tapajos.] [Refs - b2747; b4475; b1456]
- e ♀ *ab. amethystina* (Gillmer), 1908; *Lycaena* OD: Int. ent. Z. 2(2):10 [b1960] SS: *icarus* (Rottemburg), 1775; *Polyommatus* [Refs - b1960; b4092]
- e *ab. amethystina* Wagner, 1919; *Helleia* OD: Int. ent. Z. 13(20):157 or 158 [b4894] SS: *helle* ([Denis & Schiffermüller]), 1775; *Helleia* A [Refs - b0236; b0389; b0471]
- e *ab. amethystina* (Cabeau), 1924; *Lycaena* OD: Revue mens. Soc. ent. namur. 24:67 [b0667] SS: *thersites* (Cantener), 1834; *Polyommatus* (*Plebicula*) [TypeL - Belgium.] [Refs - b0236; b3796; b0471]
- a *amethystina* (Hayward), 1949; *Thecla* OD: Acta zool. lilloana 8:567, pl, f 3 [b2217] CG: *Rhamma* [Type: FMLT-hit] [TypeL - Villa Nougues, Tucumán, Argentina.] [Refs - b0908; b2218; b0125; b2611]

- a **amethystus** H. H. Druce, 1902; *Horaga* OD: Proc. zool. Soc. Lond. 1902(II)(1):118, pl 11, f 4,5 [b1367] [TypeL - Borneo.] [Refs - b1012; b0964; b0965; b1454; b0694; b4108; b1367]
- c **amba** (Fruhstorfer), 1914; *Arhopala* OD: Deut. ent. Zeit. [Iris] 28(2):132 [b1859] SS: capeta (Hewitson), [1878]; Flos [Type: BMNH-ht] [TypeL - Sarawak, Borneo.] [Refs - b1644; b1859; b4094; b4108]
- b **amlana** Felder & Felder, 1861; *Mesosemia* OD: Wien. ent. Monats. 5(4):100 [b1684] SS: telegone (Boisduval), 1836; *Mesosemia* [TypeL - Venezuela.] [Refs - b4474; b2747]
- b **amica** (Edwards), 1863; *Lycaena* OD: Proc. ent. Soc. Philad. 2(2):80 [b1492] SS: saepiolus (Boisduval), 1852; *Plebejus* (Icaricia) [Type: CNC-nt; designated by Brown, 1970] [Trans. amer. ent. Soc. 96:379 [b0510]] [TypeL - Fort Smith, Northwest Territories.] [Refs - b0908; b0428; b2747; b3192; b3512; b1724; b1743; b1321; b4066]
- b **amica** Seki, 1994; *Arhopala* OD: Futao (15):21, pl 3, f 9-12 [b4102] SS: *antimua* Felder & Felder, 1865; *Arhopala* k [Type: pc-ht; collection of Seki.] [TypeL - Pulau Pagai Selatan, Mentawai.] [Refs - b4102]
- e **amicetus** (Doubleday), 1847, 1844-1848, (NN); *Polyommatus* OD: List Spec. lep. Brit. Mus. (2):55 [b1327] SS: dorcas (Kirby), 1837; *Epidemia* [Type: BMNH] [TypeL - Newfoundland.] [Refs - b0908; b0505; b1039; x3192; x1321]
- e **amicetus** Scudder, 1889, 1888-1889, (PS); *Epidemia* OD: Butts E. United States & Canada 2:985 [b4088] SS: epixanthe (Boisduval & Le Conte), [1835]; *Epidemia* [Note - *Dos Passos lists this as available* (Scudder, 1876).] [Refs - b0505; b3192; b1321]
- b **amicetus** Holland, 1931; *Epidemia* OD: Butt. Book (2nd ed.) :250, pl 28, f 28; pl 64, f 41,42 [b2438] SS: epixanthe (Boisduval & Le Conte), [1835]; *Epidemia* [Refs - b0505; b3191; x3192]
- e **amico** Anonymous, 1980; *Plebejus* OD: Zool. Rec. 114(1977)(Ins. D-Lep.):239 [b0109] SS: *amica* (Edwards), 1863; *Plebejus* (Icaricia) [Refs - b0109]
- b **amicula** Stichel, 1915; *Mesosemia* OD: Deut. ent. Zeit. 1915:666, pl 21, f 10 [b4451] SS: calypso Bates, [1868]; *Mesosemia* [Type: BMNH-ht] [TypeL - Santarem, Amazonas, Brazil.] [Refs - b4451; b4474]
- b **amine** (Butler), 1874; *Cigaritis* OD: Trans. ent. Soc. Lond. 22(4):533, pl 11, f 1,2 [b0599] SS: *neniene* Boisduval, 1836; *Zeritis* [TypeL - Gold Coast.] [Refs - b2753; b4400]
- a **aminias** (Hewitson), [1863], 1852-1877; *Lemonias* OD: Ill. exot. Butts 3:[-], pl [59], f 29 [b2323] CG: *Adelotypa* [TypeL - Amazon.] [Refs - b2747; b4475; b1456 (= *leucophaea*); b2988]
- b **amisena** (Hewitson), 1862; *Amblypodia* OD: Spec. Cat. Lyc. Brit. Mus. :13, pl 7, f 74,78 [b2325] SS: *vivama* (Horsfield), [1829]; *Surendra* [TypeL - Singapore.] [Refs - b0964; b1636; b0965; b2747; b1454; b4094; b0696; b0694]
- c **amithrata** (Seitz), [1917], 1910-1924; *Methonella* OD: In Seitz, *Grossschmett. Erde* 5:633, pl 122i [b4093] SS: *cecilia* (Cramer), [1777]; *Methone* [TypeL - Peru.] [Refs - b4474; b4093]
- c **amitra** (Fruhstorfer), [1923], 1909-1923; *Lycaenopsis* OD: In Seitz, *Grossschmett. Erde* 9:873 [b1840] SS: *lavendularis* (Moore), 1877; *Celastrina* [Type: BMNH-ht; designated by Eliot & Kawazoé, 1983] [Butts *Lycaenopsis* group :254 [b1580]] [TypeL - Sri Lanka.] [Refs - b1636; b1840; b1580]
- a **ammon** (Cramer), [1777], 1775-1790; *Papilio* OD: *Uil. Kapellen* 2(13):79, pl 146, f B [b1069] CG: *Chamaelinnas* [Refs - b2988; b2747; b4474; b4476; b1456]
- a **ammon** (Lucas), 1857; *Lycaena* OD: In Sagra, *Hist. Cuba* 7:612, pl [Ins.] 16, f 7,7a,7b [b3021] CG: *Cyclargus* [TypeL - Havana, Cuba.] [Type of - *Cyclargus*] [Refs - b1321 :62; b0540; b0908; b2280; b0907; b2747; b3326; b3327; b1343; b3192; b0833; b0817; b4652]
- a **ammon** (Hewitson), 1862; *Amblypodia* OD: Spec. Cat. Lyc. Brit. Mus. :9, pl 5, f 49-50 [b2325] CG: *Arhopala* o [Type: BMNH-ht] [TypeL - Singapore.] [Refs - b1644; b2747; b2200; b1454; b4094]
- c **ammon** Joicey & Talbot, 1921; *Epitola* OD: Bull. Hill Mus. 1(1):83, pl 14, f 60,61 [b2655] SS: *semibrunnea* Bethune-Baker, 1916; *Epitola* [Type: BMNH-ht] [TypeL - Penghe, North bank Ituri River.] [Refs - b3842; b4400; b2655]
- a **ammonides** (Doherty), 1891; *Acesina* OD: J. asiat. Soc. Bengal, Pt II 60(1):34 [b1303] CG: *Arhopala* o [Type: BMNH-ht] [TypeL - Tenasserim.] [Refs - b1644; b2200; b1454; b4094]
- b **ammosovi** (Kurentzov), 1970; *Lycaena* OD: *Butts Far East USSR* :139 [b2864] SS: *icarus* (Rottemburg), 1775; *Polyommatus* [Refs - b2866]
- e ♀ **ab. amoena** (Schultz), 1904; *Lycaena* OD: Ent. Zeit. 18(24):93 [b4001] SS: *icarus* (Rottemburg), 1775; *Polyommatus* [Refs - b4001; b4092]
- b **amoenum** (Stichel), 1929; *Nymphidium* OD: Mitt. zool. Mus. Berl. 15:25 [b4470] SS: *nealces* (Hewitson), [1871]; *Mycastor* [TypeL - Rio Madeira.] [Refs - b4476; b0677; b4470]
- b **amoenus** (Murayama), 1954; *Neozephyrus* OD: New Ent. 3(4):34 [b3279] SS: *smaragdina* (Bremer), 1861; *Chrysozephyrus* [Type: pc-ht; collection of Murayama.] [TypeL - Kansai district, Western Honshu, Japan.] [Refs - b1900; b3279; b2463]
- b **amona** Hewitson, [1876], 1852-1877; *Mesosemia* OD: Ill. exot. Butts 5:[-], pl [43], f 1,2 [b2323] SS: *messeis* Hewitson, [1860]; *Mesosemia* [TypeL - Bolivia.] [Refs - b2753; b4474; b1456]
- a **amonensis** Smith & Johnson & Miller & McKenzie, 1991; *Strymon* OD: Bull. Allyn Mus. (134):2, f [b4249] [TypeL - Mona Island, Puerto Rico.] [Refs - b0125]
- a **amor** (Fabricius), 1775; *Papilio* OD: Syst. Ent. :518 [b1653] CG: *Rathinda* [Type: lost] [TypeL - India orientali?].] [Type of - *Cupido*, *Rathinda*] [Refs - b2280; b1636 (as *triopas*); b1012; b2747; b4094; b1454; b0694; b5076]
- c **amor** (Lang), 1884; *Lycaena* OD: Lep. Europ. 1:371 [b2890] SS: *eros* (Ochsenheimer), 1807; *Polyommatus* [TypeL - Samarkand.] [Refs - b2890]
- d **amor** (Staudinger), 1886, 1886-1889, (H); *Lycaena* OD: *Stett. ent. Ztg* 47:211 [b4330] SS: *venus* (Staudinger), 1886; *Polyommatus* [Refs - b4092; b0206]
- c **amorata** (Alphéraky), 1897; *Lycaena* OD: In Romanoff, *Mém. Lép.* 9:113 [b0046] SS: *eros* (Ochsenheimer), 1807; *Polyommatus*
- e **amosis** Kirby, 1871, (ISS); *Alesa* OD: Syn. Cat. dium. Lep. :287 [b2747] SS: *amesis* (Cramer), [1777]; *Alesa* [Refs - b2747]
- b **amphca** Felder & Felder, 1865, 1865-1875; *Arhopala* OD: *Reise Novara* (2):234, pl 29, f 19 [b1692] SS: *abseus* (Hewitson), 1862; *Arhopala* c [Type: BMNH-ht] [TypeL - Luzon.] [Refs - b1644; b2747; b2200; b1454; b4094; b3756]
- c **amphiarus** (Fruhstorfer), 1913; *Gerydus* OD: Z. wiss. InsektBiol. 9(9):245 [b1851] SS: *leos* (Guérin-Méneville), [1831]; *Miletus* 4 [TypeL - Bangkok.] [Refs - b1840]
- e **ab. amphichloros** Cabeau, 1923; *Callophrys* OD: *Revue mens. Soc. ent. namur.* 23:25 [b0666] SS: *rubi* (Linnaeus), 1758; *Callophrys* [TypeL - France.] [Refs - b0236; b2585]

- c **amphidamas** (Esper), [1781], 1776-1830; *Papilio* OD: Die Schmett. 1(2)(2):46, pl 58, f 4; 1(2)(3):82, pl 63, f 5 [b1623] SS: helle ([Denis & Schiffermüller]), 1775; Helleia A [Refs - b4115; b3059; b0996; b1780; b2827; b2866; b0236; b0389; ns0444; ns0744; ns4368; b4092; b2302]
- a **amphidecta** (Godman & Salvin), 1878; *Eurygona* OD: Proc. zool. Soc. Lond. 1878(2):360 [b1973] CG: Euselasia [TypeL - Veragua; Chiriqui.] [Refs - b2988; b4474; b1456]
- a **amphimuta** (Felder & Felder), 1860; *Amblypodia* OD: Wien. ent. Monats. 4(12):396 [b1683] CG: Arhopala b [TypeL - Malay Peninsula.] [Refs - b1644; b2747; b1454; b4094; b4108]
- c **amphion** (Fabricius), 1793, 1792-1799; *Hesperia* OD: Ent. syst. 3(1):301 [b1657] SS: idas (Linnaeus), 1761; Plebejus (Lycaeides) [Type: ZMC-ht] [TypeL - Germania".] [Refs - b4425; b0410; b2794; b5076]
- a **amphirrhoe** (Oberthür), 1910; *Albulina* OD: Étud. Lép. comp. 4:298, pl 41, f 300 [b3451] CG: Polyommatus (Albulina) [Note - Classification according to Bálint (pers. comm.).] [Refs - b0236 (as amphirrhoe); b3301; b0471]
- b **amphis** (Hewitson), 1870, 1869-1877; *Lemonias* OD: Equatorial Lep. Buckley (4):52 [b2330] SS: rhodope (Hewitson), [1853]; Calospila [TypeL - Ecuador.] [Refs - b2747; b4475; b2753; b1456]
- c **amphis** Waterhouse, 1942; *Arhopala* OD: Rec. Aust. Mus. 21(2):124 [b4944] SS: amyris (Hewitson), 1862; Arhopala h [TypeL - Mackay, Queensland, Australia.] [Refs - b1644; b1450; b0870; b4788; ns1430]
- e **amphissa** Doubleday, 1847, 1844-1848, (NN); *Charis* OD: List Spec. lep. Brit. Mus. (2):17 [b1327] [Refs - b4474]
- b **amphissa** (Felder & Felder), 1860; *Catochrysops* OD: Wien. ent. Monats. 4(8):244 [b1681] SS: cyta (Boisduval), 1832; Jamides [Type: BMNH-ht] [TypeL - Batchian.] [Refs - b1450; b2747; b1865; b1057; b4094; b3786]
- b **amphissina** Grose-Smith, 1894; *Jamides* OD: Novit. zool. 1:577 [b2037] SS: cyta (Boisduval), 1832; *Jamides* [TypeL - New Guinea.] [Refs - b1450; b1865; b4094]
- a **amphrade** Schaus, 1913; *Thecla* OD: Proc. zool. Soc. Lond. 1913(3):355, pl 52, f 10 [b3950] CG: *Thecla* (New World Eumacini) [Type: BMNH] [TypeL - Guapiles, Costa Rica.] [Refs - b0908; b3818; b3950]
- a **amphyorphyra** Johnson & Eisele & MacPherson, 1990; *Strymon* OD: Bull. Allyn Mus. (130):7, f [b2624] [Type: AMNH-ht] [TypeL - Mosconi, Salta Province, Argentina.] [Refs - b2624]
- b **amphyssina** (Staudinger), 1889; *Lycaena* OD: Deut. ent. Zeit. [Iris] 2(1):100 [b4332] SS: philatus (Snellen), 1878; Jamides [Type: ZMHU-lt; designated by Takanami, 1989] [Tyô to Ga 40(1):25 [b4602]] [TypeL - Palawan, Philippines.] [Refs - b1865; b4094; b4602; b4108]
- a **amplia** (Hewitson), [1877], 1863-1878; *Thecla* OD: Ill. diurn. Lep. Lycaenidae 1:195; 2:pl 77, f 621,622 [b2326] CG: *Calycopis* [Type: BMNH-ht] [TypeL - Chontales, Nicaragua.] [Refs - b0908; b2988; b1737; b2753; b0278; b1975]
- b **amplifascia** Tytler, 1940; *Abisara* OD: J. Bombay nat. Hist. Soc. 42(1):122 [b4774] SS: chela de Nicéville, 1886; *Abisara* [TypeL - India.] [Refs - b1454; b4774]
- e **ab. amplifascia** (Schultz), 1906; *Lycaena* OD: Ent. Zeit. 19(36):214-215 [b4005] SS: eversmanni (Lang), 1884; Plebejus
- c **amplitudo** (H. H. Druce), 1907; *Thecla* OD: Proc. zool. Soc. Lond. 1907(3):575, pl 32, f 6 [b1375] SS: aegides (Felder & Felder), 1865; *Macusia* [Type: BMNH] [TypeL - St. Jago, Ecuador.] [Note - May be a good species.] [Refs - b0908; b0845; b1375; b3810; b2618]
- c **amplus** (H. H. Druce), 1907; *Thecla* OD: Proc. zool. Soc. Lond. 1907(3):582, pl 33, f 13 [b1375] SS: narbal (Stoll), [1790]; *Olynthus* [TypeL - Cucuta, Venezuela.] [Refs - b3394; b1453; b1375; b2918]
- c **ampsaga** Fruhstorfer, [1912]; *Poritia* OD: Berl. ent. Z. 56(3/4):199 [b1850] SS: tavoyana Doherty, 1889; *Poritia* [Type: BMNH-ht] [TypeL - South Annam, Vietnam.] [Refs - b1850; b1454; b4094; b4209; b1543]
- b **ampyx** (Drury), 1782, 1770-1782; *Papilio* OD: Ill. nat. Hist. 3:index+11, pl 9, f 2,3 [b1392] SS: acheus (Stoll), [1781]; Anteros [TypeL - Brasilia.] [Refs - b4474]
- a **amrita** (Felder & Felder), 1860; *Myrina* OD: Wien. ent. Monats. 4(12):395 [b1683] CG: *Neocheritra* [TypeL - India; Malacca.] [Type of - Neocheritra] [Refs - b0964; b1636; b2280; b0965; b2747; b2191; b2191 (in *Jacoona*); b1454; b4094; b0694]
- c **amurensis** (Staudinger), 1892; *Lycaena* OD: In Romanoff, Mém. Lép. 6:162 [b4335] SS: icarius (Esper), [1789]; *Polyommatus* (Plebicula) [Refs - b4092; b4335]
- b **amurensis** (Staudinger), 1892; *Polyommatus* OD: In Romanoff, Mém. Lép. 6:155 [b4335] SS: hippothoe (Linnaeus), 1761; *Palaeochrysophanus* [Refs - b4115; b0993; b0996; b2827; b2479; b2866; b2255; b4092; b4335]
- d **amurensis** (Heyne), 1895, 1893-1895, (H); *Lycaena* OD: In Palau. Grossschmett. 1(15):751 [b2363] SS: seizi (Wnukowsky), 1928; Everes [Refs - b4115; b0995; b2479; b4092; b2255; b2363]
- c **amurensis** (Tun), 1909, 1905-1914; *Cyaniris* OD: Nat. Hist. Brit. Butts 3:271 [b4760] SS: semiargus (Rottemburg), 1775; *Polyommatus* (*Cyaniris*) [Refs - b0236; b0471; b4760]
- d **amurensis** (Mori), 1925, (H); *Lycaena* OD: J. Chos. Nat. Hist. (3):54-59 [b3240] SS: icarius (Esper), [1789]; *Polyommatus* (Plebicula) [Refs - b4115]
- b **amurica** (Kurentzov), 1970; *Lycaena* OD: Butts Far East USSR :134 [b2864] SS: optilete (Knoch), 1781; Plebejus (*Vacciniina*) [Refs - b2866]
- b **amycus** Stichel, 1909; *Rhetus* OD: Berl. ent. Z. 54(1/2):35 [b4444] SS: arcus (Linnaeus), 1763; *Rhetus* [TypeL - S. Brazil.] [Refs - b4474]
- b **amydon** Waterhouse, 1942; *Arhopala* OD: Rec. Aust. Mus. 21(2):125 [b4944] SS: micale Boisduval, 1853; *Arhopala* h [TypeL - Murray Island.] [Refs - b1644; b1450; b0870]
- d **amyntas** ([Denis & Schiffermüller]), 1775, (H & RC); *Papilio* OD: Ankündigung syst. Werkes Schmett. :185 [b1193] SS: argiades (Pallas), 1771; Everes [Type of - Everes] [Refs - b2280; b2747; b0995; b3192; b2528 (Op 503, L 501); b0400; b1743; b1183; b1321; b2794; b2797; b2859 (as amynta); b4092; b4092]
- a **amyntor** (Cramer), [1775], 1775-1790; *Papilio* OD: Uil. Kapellen 1(4):76, pl 48, f E [b1069] CG: *Cyanophrys* [Type: BMNH-nt; designated by Johnson, 1981] [Revision of *Callophryna* :415 [b2585]] [TypeL - French Guiana. Restricted by Johnson, 1981.] [Refs - b0908; b2718; b2747; b3818; b2406; x3192; b2721; b2585]
- d **amyntor** (Fabricius), 1781, 1781-1782, (H); *Papilio* OD: Spec. Ins. 2:121 [b1655] SS: cecilia (Cramer), [1777]; *Methone* [TypeL - India".] [Refs - b4474; b5076]
- d **amyntor** (Herbst), 1804, 1788-1804, (H); *Papilio* OD: In Jablonsky, Natursyst. Ins., Schmett. 11:27, pl 300, f 5,6 [b2306] SS: eryx (Linnaeus), 1771; *Arripe* [Type of - *Arripe*, Lehera] [Refs - b2280; b1636; b2747; b4094; b0694]
- a **amyntula** (Boisduval), 1852; *Lycaena* OD: Anns Soc. ent. Fr. (2)10:294 [b0467] CG: Everes [Type: USNM-ht] [TypeL - California.] [LifeH - Tietz lists b0345, b0932, b5042, b0885, b0875.] [Refs - b1321 :67; b0908; b4688; b2747; b0236; b3192; b2417; b0493; b1743; b5015; b4690; b0467; b1940; b4066; b4652]

- b amythystina** Schröder & Treadaway, 1988; Paruparo OD: Ent. Zeit. 98(24):357, f 3 [b3987] SS: cebuensis (Jumalon), 1975; Paruparo [Type: pc-ht; collection of Treadaway.] [TypeL - Eastern Samar Province, Visayan Islands, Philippines.] [Note - Not spelled amythystina.] [Refs - b3987; b0124 (as amythystina); b3490]
- b amytis** (Hewitson), 1862; Amblypodia OD: Spec. Cat. Lyc. Brit. Mus. :4, pl 2, f 7-9 [b2325] SS: micale Boisduval, 1853; Arhopala h [Type: BMNH-ht] [TypeL - Cape York.] [Refs - b1644; b1450; b2747; b0870; b4094; b4934]
- c anabas** (Toxopeus), 1929, (PS); Amblypodia OD: Tijdschr. Ent. 72(3/4):213 [b4699] SS: phalakron (Fruhstorfer), 1914; Flos [Refs - b1644; b4699]
- b anabasis** (Staudinger), 1889; Deudorix OD: Deut. ent. Zeit. [Ins] 2(1):117, pl 1, f 13 [b4332] SS: suffusa (Moore), [1879]; Rapala [Type: ZMHU-ht; designated by Takanami, 1989] [TypeL - Palawan.] [Refs - b1454; b4094; b4602]
- a anacletus** (C. Felder), 1860; Thecla OD: Sber. Akad. Wiss. Wien 40(11):454 [b1676] CG: Hypochrysops [Type: BMNH-ht; designated by Sands, 1986] [Entomograph 7:40 [b3926]] [TypeL - Amboin.] [Refs - b1450; b2747; b2078; b3926]
- a anacreon** (Fabricius), 1793, 1792-1799; Hesperia OD: Ent. syst. 3(1):268 [b1657] CG: Thecla (New World Eumaeini) [TypeL - Indiis.".] [Refs - b0908; b0907; b2747; b1375; b5076]
- b anadema** (H. H. Druce), 1905; Lycaenesthes OD: In Trans. ent. Soc. Lond. 53(2):258, pl 13, f 6 [b1372] SS: rubricinctus (Holland), 1891; Anthene [TypeL - Rhodesia.] [Refs - b1943; b1452; b0343; b0836; b4400]
- b anadema** Stichel, 1926; Euselasia OD: Deut. ent. Zeit. 1926:393 [b4465] SS: corduena (Hewitson), 1874; Euselasia [TypeL - Panama.] [Refs - b4474; b0680]
- c anadyomenon** (Röber), 1926; Waigeum OD: Ent. Rundsch. 43:26 [b3836] SS: dinawa (Bethune-Baker), 1908; Hypochrysops [TypeL - New Guinea.] [Refs - b3926]
- b analis** Fruhstorfer, 1915; Catapaecilma OD: Z. wiss. InsektBiol. 11(7/8):221 [b1861] SS: major H. H. Druce, 1895; Catapaecilma [TypeL - Assam.] [Refs - b1454; b1861; b0694]
- c anallijuncta** (Beuret), 1926; Lycaena OD: Schweiz. ent. Anz. 5(3):4 [b0367] SS: icarus (Rottemburg), 1775; Polyommatus [TypeL - Switzerland.] [Refs - b0236; b0471; b0064]
- e ab. analmaculata** Vasile, 1980; Plebejus OD: Bull. Soc. ent. Mulhouse 1980:52 [b4825] SS: sephyrus (Frivaldsky von Frivald), 1835; Plebejus (Plebejides) [Refs - b0113]
- b analoga** (Seitz), [1917], 1910-1924; Mesosemia OD: In Seitz, Grossschmett. Erde 5:640 [b4093] SS: phelina (Felder & Felder), 1862; Teratophthalma [TypeL - Upper Rio Negro, Colombia.] [Refs - b4474; b4093]
- e f. analoga** (Stauder), 1923, 1920-1923; Lycaena OD: Z. wiss. InsektBiol. 18:188 [b4310] SS: bellargus (Rottemburg), 1775; Polyommatus (Lysandra) [Refs - b0236; b0471]
- e analogramma** (Stempffer), 1967, (ISS); Castalius OD: Bull. Br. Mus. nat. Hist. (Ent.) Suppl. 10:211 [b4400] SS: anomalogramma (Bethune-Baker), 1911; Tuxentius [Refs - b4400]
- c anamariae** (Agenjo), [1969]; Plebejus OD: Graellsia 24:45 [b0021] SS: albicans (Gerhard), 1851; Polyommatus (Lysandra) [TypeL - Alfoz de Bricia, Burgos, Spain.] [Refs - b4038]
- c anamariae** Gómez Bustillo, 1973; Lampides OD: Revta Lep. 1(1-2):30, f [b1985] SS: boeticus (Linnaeus), 1767; Lampides [TypeL - Campo Real, Madrid, Spain.] [Refs - b0105; b0104]
- a anamuta** Semper, 1890, 1886-1892; Arhopala OD: In Semper, Reisen Philipp. (2)(5):203 [b4110] CG: Arhopala b [Type: ZMHU-ht; designated by Takanami, 1989] [TypeL - Mindanao, Philippines.] [Refs - b1644; b1454; b4094; b4602]
- a ananda** (de Nicéville), [1884]; Castalius OD: J. asiat. Soc. Bengal, Pt II 52(2/4):75, pl 1, f 11, 11a [b1145] CG: Tarucus [TypeL - Sikkim, Mysore.] [Refs - b1636; b1840; b1454; b0694; b2388]
- c ananga** Felder & Felder, 1865, 1865-1875; Lycaenopsis OD: Reise Novara (2):257, pl 32, f 10, 11 [b1692] SS: haraldus (Fabricius), 1787; Lycaenopsis [Type: BMNH-ht; designated by Eliot & Kawazoe, 1983] [Butis Lycaenopsis group :38 [b1580]] [TypeL - West Malaysia.] [Type of - Lycaenopsis] [Refs - b1636; b0964; b2280; b0965; b0933; b2747; b1840; b1580; b0400]
- a anapa** (Field), 1967; Calystryma OD: Proc. U. S. natn. Mus. 123(3611):15, f 7, 15; pl 1, f 10; pl 2, f 10 [b1738] CG: Klaufera [Type: USNM-ht; #34907] [TypeL - Tefé, State of Amazonas, Brazil.] [Refs - b1738; b0125; b2606]
- a anapis** (Godart), [1824], 1819-1824; Erycina OD: In Ency. méth. 9(Ins.)(2):576 [b1970] CG: Nymphidium [TypeL - Brasilia.] [Refs - b4476 (as species incertae sedis)]
- b anara** Fruhstorfer, 1898; Horaga OD: Berl. ent. Z. 43:180 [b1809] SS: albimacula (Wood-Mason & de Nicéville), 1881; Horaga [Type: BMNH-ht] [TypeL - Lawang, E. Java.] [Refs - b1012; b2078; b1569; b1454; b4094]
- b anara** Larsen, 1983; Hypolycaena OD: Bull. Inst. fond. Afr. Noire 45(A):160, f 8 [b2899] SS: haufa Hewitson, [1865]; Hypolycaena [Type: BMNH-ht] [TypeL - Anara Forest Reserve, Kaduna, Nigeria.] [Refs - b2899]
- a anarte** (Hewitson), 1862; Amblypodia OD: Spec. Cat. Lyc. Brit. Mus. :5, pl 3, f 16, 17 [b2325] CG: Arhopala a [Type: BMNH-ht] [Refs - b1644; b2747; b1454; b4094; b4108]
- a anastasia** Field, 1967; Calycopis OD: Proc. U. S. natn. Mus. 119(3552):32 [b1737] [Type: USNM-ht; #34901] [TypeL - Province of Chapare, Department of Beni, Bolivia.] [Refs - b2221; b1737; b2606]
- c anastomosis** Draudt, [1919], 1917-1924; Thecla OD: In Seitz, Grossschmett. Erde 5:766, pl 151-b [b1348] SS: mecrida Hewitson, [1867]; Thecla (New World Eumaeini) [TypeL - Guiana to the Amazon.] [Refs - b0908]
- a anasuja** (Felder & Felder), 1865, 1865-1875; Myrina OD: Reise Novara (2):237, pl 30, f 3, 4 [b1692] CG: Jacoona [TypeL - Malacca.] [Type of - Jacoona] [Refs - b1636; b0964; b2280; b0965; b2747; b4950; b1454; b4094; b0694]
- a anatolica** (Kocak), 1975; Lysandra OD: Atalanta (Münnerstadt) 6(1):31, f [b2786] CG: Polyommatus (Sublysandra) [TypeL - Danz Dagi, Erzincan Province, Turkey.] [Refs - b0107; b2788; b0109; b2794]
- b anatolicus** (Lattin), 1950; Strymon OD: Revue Fac. Sci. Univ. Istanbul (B)15(4):322, f [b2930] SS: spinii ([Denis & Schiffermüller]), 1775; Strymon [TypeL - Turkey.]
- b anatoliensis** (Forster), 1960; Agrodiaetus OD: Ent. Zeit. 70(3):20 [b1770] SS: admetus (Esper), [1783]; Polyommatus (Agrodiaetus) [TypeL - Anatolia; Syria.]
- canaxandridas** Fruhstorfer, [1915], 1909-1923; Allotinus OD: In Seitz, Grossschmett. Erde 9:814 [b1840] SS: punctatus (Semper), 1887; Allotinus (Fabitaras) [Type: SMF-ht] [TypeL - Mindanao, Philippines.] [Refs - b1840; b1571]
- banaximander** Fruhstorfer, [1912]; Sithon OD: Berl. ent. Z. 56(3/4):226 [b1850] SS: nedymond (Stoll), [1780]; Sithon [TypeL - Sumatra.] [Refs - b2201; b1454; b1850; b4094]

- b **anaximenes** (Fruhstorfer), 1915; *Thysconotis* OD: Soc. ent. 30:51 [b1866] SS: *danis* (Cramer), [1775]; *Danis*
- a **anceps** Stichel, 1915; *Mesosemia* OD: Deut. ent. Zeit. 1915:687, pl 22, f 13 [b4451] [Type: BMNH-ht] [TypeL - Ecuador.] [Refs - b4451; b4474; b1456]
- c **ancharia** (Hewitson), [1869], 1863-1878; *Myrina* OD: Ill. diurn. Lep. Lycaenidae Suppl.:8, pl 6, f 94,95 [b2326] SS: *antipha* (Hewitson), [1869]; *Hypochlorosis* [TypeL - Aru.] [Refs - b1450; b2747; b2078]
- c **ancile** (Hewitson), [1863], 1852-1877; *Lemonias* OD: Ill. exot. Butts 3:[-], pl [59], f 30,31 [b2323] SS: *parthaon* (Dalman), 1823; *Calospila* [TypeL - Amazonas, Brazil.] [Refs - b4475]
- b **ancilla** Barnes & McDunnough, 1918; *Euphilotes* OD: Contr. nat. Hist. Lep. N. Amer. 4(2):79 [b0251] SS: *enoptes* (Boisduval), 1852; *Euphilotes* [Type: USNM-ht] [TypeL - Eureka, Juab County, Utah.] [Refs - b0908; b4688; b3192; b1743; b0493; b1321; b4690; b4066]
- e **ancilla** Stichel, 1925; *Mesosemia* OD: Z. wiss. InsektBiol. 20:20 [b4463] SS: *nitida* Stichel, 1923; *Mesosemia* [Refs - b4474]
- c **ancius** Fruhstorfer, 1913; *Allotinus* OD: Z. wiss. InsektBiol. 9(11):343 [b1851] SS: *aphacus* Fruhstorfer, 1913; *Allotinus* [Type: BMNH-lt; designated by Eliot, 1986] [Bull. Br. Mus. nat. Hist. (Ent.) 53(1):11 [b1571]] [TypeL - Mindanao, Philippines.] [Refs - b1840; b1571]
- a **ancon** (Doherty), 1889; *Gerydus* OD: J. asiat. Soc. Bengal, Pt II 58(4):438, pl 23, f 8 [b1301] CG: *Miletus* 4 [TypeL - Lower Tenasserim, Burma.] [Refs - b0964; b1636; b1153; b1546; b0965; b1840; b1454; b0694]
- c **anconides** (Fruhstorfer), 1913; *Gerydus* OD: Z. wiss. InsektBiol. 9(9):246 [b1851] SS: *gigas* (H. H. Druce), 1895; *Miletus* 4 [TypeL - Sarawak, Borneo.] [Refs - b1546; b1840; b4108]
- e **ancyra** Hemming, 1967, (ISS); *Catopyrops* OD: Bull. Br. Mus. nat. Hist. (Ent.) Suppl. 9:102 [b2280] SS: *ancyra* (C. Felder), 1860; *Catopyrops* [Refs - b2280; b1019 :11]
- c **ancus** Fruhstorfer, [1912]; *Deudorix* OD: Berl. ent. Z. 56(3/4):265 [b1850] SS: *epijarbas* (Moore), [1858]; *Deudorix* [TypeL - Himalaya.] [Refs - b1636; b4094; b1850; b0236; b1454; b0694; b4108]
- a **ancyra** (C. Felder), 1860; *Lycaena* OD: Sber. Akad. Wiss. Wien 40(11):457 [b1676] CG: *Catopyrops* [Type: BMNH-ht] [TypeL - Amboina.] [Type of - *Catopyrops*] [Refs - b0964; b1450; b4676; b1636; b4676; b2280; b0965; b4094; b2747; b4871; b1454; b3550; b2385; b4934; b0694; b2388]
- e **ab. andalusica** (Ribbe), 1910, 1909-1912; *Lycaena* OD: Deut. ent. Zeit. [Iris] 23(1/2):188 [b3741] SS: *panoptes* (Hübner), [1813]; *Pseudophilotes* [Refs - b3059; b0236]
- b **andamana** Moore, 1877; *Hypolycaena* OD: Proc. zool. Soc. Lond. 1877(3):589 [b3226] SS: *erylus* (Godart), [1824]; *Hypolycaena* [TypeL - Andamans.] [Refs - b1636; b1153; b4094; b1454; b0694]
- b **andamanica** (Wood-Mason & de Nicéville), 1881; *Sithon* OD: J. asiat. Soc. Bengal, Pt II 50(4):249 [b5031] SS: *jangala* (Horsfield), [1829]; *Remelana* [TypeL - Andamans.] [Refs - b1454; b4094; b0694]
- b **andamanica** (Wood-Mason & de Nicéville), 1881; *Amblypodia* OD: Proc. asiat. Soc. Bengal 1881:143 [b5030] SS: *fulla* (Hewitson), 1862; *Arhopala* 1 [TypeL - Andaman Island.] [Note - Described again in *J. asiat. Soc. Bengal, Pt II, 50(4):251 (in Narathura).*] [Refs - b1636; b5030; b1644; b5031; b1454; b4594; b4094]
- d **andamanica** (Wood-Mason & de Nicéville), 1881, (H & JOS); *Narathura* OD: J. asiat. Soc. Bengal, Pt II 50(4):251 [b5031] OS: *andamanica* (Wood-Mason & de Nicéville), 1881; *Arhopala* 1 [TypeL - Andaman Islands.] [Refs - b5031]
- b **andamanica** Fruhstorfer, 1916; *Nacaduba* OD: Zoöl. Meded. 2(2):114 [b1873] SS: *pactolus* (C. Felder), 1860; *Nacaduba* [Type: BMNH-ht] [TypeL - Andamans.] [Refs - b4676; b1636; b1454; b4094; b0694]
- b **andamanica** (Riley), 1922, (H); *Horsfieldia* OD: Entomologist 55:28 [b3752] SS: *anita* Hewitson, 1862; *Amblypodia* [Check - *Homonym in need of a replacement.*] [Refs - b1636; b4094 (also as *andaminica*); b1454; b3752; b0694]
- b **andamanica** Tite, 1959; *Catochrysops* OD: Entomologist 92:206 [b4670] SS: *panormus* (C. Felder), 1860; *Catochrysops* [Type: BMNH-ht] [TypeL - Port Blair, Andaman Islands.] [Refs - b4670; b0694]
- b **andamanicus** (Fruhstorfer), 1916; *Lycaenesthes* OD: Zoöl. Meded. 2(2):97 [b1872] SS: *emolus* (Godart), [1824]; *Anthene* [TypeL - Andaman Islands.] [Refs - b4679; b1636; b1840; b1454; b0694]
- b **andamanus** Eliot & Kawazoé, 1983; *Neopithecopis* OD: Butts *Lycaenopsis* group :45 [b1580] SS: *zalmora* (Butler), [1870]; *Neopithecopis* [Type: BMNH-ht] [TypeL - S. Andaman Island, Andaman Islands.] [Refs - b1580]
- c **andania** (Hewitson), [1876], 1852-1877; *Limnas* OD: Ill. exot. Butts 5:[-], pl [43], f 8 [b2323] SS: *cercopes* (Hewitson), 1874; *Melanis* [TypeL - Bolivia.] [Refs - b4474; b2753 (as *andania*); b2323; b1456]
- b **andarabi** (Forster), 1937; *Lycaena* OD: Mitt. münchn. ent. Ges. 27:61 [b1759] SS: *pheretiades* (Eversmann), 1843; *Polymmatas* (Agriades) [TypeL - Hindu Kush.] [Refs - b0076; b3910]
- e **andarnia** (Kirby), 1877, (ISS); *Lymnas* OD: Syn. Cat. diurn. Lep., Suppl. :755 [b2753] SS: *andania* (Hewitson), [1876]; *Melanis* [Refs - b2753]
- b **ander** (Evans), 1957; *Narathura* OD: Bull. Br. Mus. nat. Hist. (Ent.) 5(3):116 [b1644] SS: *philander* Felder & Felder, 1865; *Arhopala* h [Type: BMNH-ht] [TypeL - Kapaur.] [Refs - b1450; b1644]
- c **andereggi** (Rühl), 1891; *Lycaena* OD: Soc. ent. 6(7):51 [b3900] SS: *alexis* (Poda von Neuhaus), 1761; *Glaucopsyche* [Refs - b0993 (as *andereggi*); b4092 (as *andereggi*)]
- c **andersonii** Moore, 1884; *Amblypodia* OD: J. asiat. Soc. Bengal, Pt II 53(1):43 [b3236] SS: *taoana* Moore, [1879]; *Amblypodia* [TypeL - Sampa, Mergui.] [Refs - b1636; b1153; b1454 (as good sp); b4094; b0694]
- b **andersonii** (Moore), 1884; *Logania* OD: J. asiat. Soc. Bengal, Pt II 53(1):22 [b3236] SS: *libna* (Hewitson), [1869]; *Cyaniriodes* [Type: BMNH-ht] [TypeL - Mergui Archipelago, Burma.] [Type of - *Cyaniriodes*] [Refs - b0964; b1636; b2280; b0965; b2200; b3610; b1454; b3782]
- a **andevaga** Johnson, 1991; *Terra* OD: Amer. Mus. Novit. (3011):24, f [b2604] [TypeL - Ecuador.] [Refs - b0125]
- a **andicola** (Godman & Salvin), 1891; *Lycaena* OD: Suppl. Append. Trav. Among. Great Andes :104 [b1979] CG: *Leptotes* [Type: BMNH?-st] [TypeL - Ecuador.] [Refs - b0908; b2618]
- a **andina** (Bartlett-Calvert), 1894; *Scolitantides* OD: An. Univ. Chile 84:832 [b0256] CG: *Pseudolucia* [Type: BMNH-st] [TypeL - Condes above Santiago, Chile.] [Refs - b2221; b3846 (in *Ilyos*); b4782; b0212; b0207]
- a **andraemon** (Stichel), 1910; *Polystichtis* OD: Berl. ent. Z. 55(1/2):77 [b4445] CG: *Calospila* [TypeL - Colombia.] [Refs - b4475; b1456; b4445]

- c **andreas** (Dannehl), 1925; *Lycaena* OD: Ent. Zeit. 39:76 [b1101] SS: icarus (Rouemburg), 1775; *Polyommatus* [TypeL - S. Tyrol.] [Note - Not spelled andreae.] [Refs - b0236; b1101; b0471]
- b **andreasi** (Sheljuzhko), 1919; *Lycaena* OD: Neue Beitr. syst. Insektenk. 1:129 [b4167] SS: iolas (Ochsenheimer), 1816; *Iolana* [TypeL - Firuza près d'Askhabad, RSS de Turkménie, URSS.] [Refs - b0236; b0320; b0471; b2239]
- a **andrewi** Johnson & Matusik, 1988; *Strymon* OD: Ann. Carn. Mus. 57(10):228, f 3A-D, 5A-C, F [b2632] [Type: AMNH-hi] [TypeL - Abejas, Hispaniola] [Refs - b2632]
- a **androcles** (Westwood), [1852], 1846-1852; *Ilerda* OD: In Gen. diurn. Lep. (2)-pl 75, f 2 (:487) [b4981] CG: *Heliophorus* (B) [TypeL - India bor.] [Refs - b1636; b1153; b2747; b0996; b4220; b2479; b4094; b0236 (as iamu-androcles); b4950; b1454; b0694; b4092; b1455]
- a **androconifera** Fruhstorfer, [1912]; *Yasoda* OD: Berl. ent. Z. 56(3/4):225 [b1850] [TypeL - Central Tonkin.] [Refs - b1454; b4094]
- c **androdus** (Miskin), 1890; *Holochila* OD: Proc. linn. Soc. N. S. Wales (2)5(1):41 [b3212] SS: helenita (Semper), [1879]; *Candalides* [TypeL - Cape York, Australia.] [Refs - b4677; b2078; b4934; b1475]
- e **f. androflavus** Cápuse, 1963; *Callophrys* OD: Comunle zool. 2:189, f [b0701] SS: rubi (Linnaeus), 1758; *Callophrys* [Refs - b2585 (as androflavus)]
- e ♀ **f. androgyna** Joicey & Talbot, 1924, (IFS); *Symoptera* OD: Bull. Hill Mus. 1(3):545 [b2661] SS: nivea Joicey & Talbot, 1924; *Symoptera* [Type: BMNH-hi] [TypeL - Kasai district, Belgian Congo.] [Note - Unavailable as of this date and author.] [Refs - b3796; b1452 (as good species); b4400; b2661]
- b **androgyne** Stichel, 1910; *Cyrenia* OD: Gen. Insectorum 112(A):99, pl 25, f 18 [b4446] SS: marita Westwood, [1851]; *Cyrenia* [Type: pc-hi; collection of Stichel] [TypeL - Yungas de la Paz, Bolivia.] [Refs - b4474; b4446]
- c **androgyne** Le Moult, 1940, 1939-1940, (IFS); *Helicopsis* OD: Novit. ent. (9):83 [b2943] SS: gnidus (Fabricius), 1787; *Helicopsis* [Type: AME-hi] [TypeL - Brazil.] [Refs - b3199]
- c **androtion** Fruhstorfer, 1914; *Arhopala* OD: Deut. ent. Zeit. [Iris] 27(4):158 [b1853] SS: micale Boisduval, 1853; *Arhopala* h [Type: BMNH-hi] [TypeL - Yule Island.] [Refs - b1644; b1450; b1853; b4094]
- c **andrus** (Fruhstorfer), 1915; *Lampides* OD: Arch. Naturgesch. (A)81(6):25 [b1865] SS: amphyssina (Staudinger), 1889; *Jamides* [TypeL - Bazilan.] [Refs - b1865; b4094; b4601; b4108]
- a **anella** de Nicéville, 1895; *Arhopala* OD: J. Bombay nat. Hist. Soc. 9(3):289, pl P, f 32 [b1159] CG: *Arhopala* c [TypeL - Perak, Malay Peninsula.] [Refs - b1644; b1454; b4094; b4108]
- b **anerijs** (Hulstaert), 1924; *Neochrysops* OD: Revue zool. afr. 12(2):190 [b2496] SS: patricia (Trimen), 1887; *Lepidochrysops* [TypeL - Belgian Congo.] [Refs - b3796; b1452 (as good species); b2496; b4400 (with parsimon)]
- c **anesius** Hulstaert, 1924; *Iolaus* OD: Revue zool. afr. 12(2):177 [b2496] SS: trimeni Wallengren, 1875; *Iolaus* (*Iolaphilus*) [TypeL - Belgian Congo.] [Refs - b2496; b4400]
- a **anetia** (Hulstaert), 1924; *Deudorix* OD: Revue zool. afr. 12(2):120 [b2496] CG: *Hypokopelates* [TypeL - Belgian Congo.] [Refs - b3796; b1452; b2496; b4400]
- a **anetta** Talbot, 1935; *Hypokopelates* OD: Ent. mon. Mag. 71:76, pl 1, f 12 [b4623] [TypeL - Lagos.] [Refs - b1452 (as Stempffer name); b0836; b4623; b4400]
- a **anettae** de Fleury, 1924; *Myrina* OD: Bull. Soc. ent. Fr. 1924(15):161 [b1112] [TypeL - Guinée Française.] [Refs - b3796; b1452; b0836 (as anettae); b1112; b4400]
- a **anfracta** (H. H. Druce), 1907; *Thecla* OD: Proc. zool. Soc. Lond. 1907(3):609 [b1375] CG: *Calycopis* [Type: BMNH-hi] [TypeL - Chanchamayo, Peru.] [Refs - b0908; b1737; b2221; b1375; b2606]
- a **angabunga** (Bethune-Baker), 1908; *Candalides* OD: Proc. zool. Soc. Lond. 1908(1):123, pl 9, f 5 [b0340] CG: *Philiiris* [Type: BMNH-hi] [TypeL - Angabunga River, New Guinea.] [Refs - b4677; b1450; b2078]
- c **angada** (Fruhstorfer), [1912]; *Camena* OD: Berl. ent. Z. 56(3/4):206 [b1850] SS: lila Moore, [1884]; *Pratapa* [TypeL - N. India.] [Refs - b1850; b1454; b4094; b0694]
- e **angeda** (Sharp), [1913], (ISS); *Camena* OD: Zool. Rec. 49(1912)(Ins.):308 [b4142] SS: angada (Fruhstorfer), [1912]; *Pratapa* [Refs - b4142]
- c **angela** Grose-Smith, 1901, 1887-1902; *Dodona* OD: Rhop. exot. 3(55):9, pl Dicall. 2, f 10,11 [b2029] SS: *deodata* Hewitson, 1876; *Dodona* [Refs - b1636; b4473; b1454 (as angele); b1840]
- a **angelae** Cassidy, 1990; *Nacaduba* OD: Tyô to Ga 41(4):231, f [b0728] [TypeL - Sulawesi, Indonesia.] [Refs - b0125]
- e **angele** d'Abrera, 1986, (ISS); *Dodona* OD: Butts Oriental Region, Pt 3 :655 [b1454] SS: angela Grose-Smith, 1901; *Dodona* [Refs - b1454]
- a **angelia** (Hewitson), [1874], 1863-1878; *Thecla* OD: Ill. diurn. Lep. Lycaenidae 1:162; 2:pl 63, f 439,440 [b2326] CG: *Electrostrymon* [Type: BMNH-st] [TypeL - Cuba; Jamaica.] [Refs - b0908; b2988; b0540; b0300; b0907; b2753; b3192; b3512; b1581; b0833; b2631; b4066; b4048]
- a **angelita** (Suffert), 1904; *Deudorix* OD: Deut. ent. Zeit. [Iris] 17:54 [b4535] CG: *Hypokopelates* [TypeL - Cameroons.] [Refs - b1452; b4400]
- b **angellus** Stichel, 1910; *Notheme* OD: Berl. ent. Z. 55(1/2):58 [b4445] SS: ouranus (Stoll), [1780]; *Notheme* [Type: pc-st; collection of Stichel] [TypeL - Nueva Germania, Paraguay.] [Refs - b2221; b4474; b0419; b4445]
- e **ab. angelus** Gunder, 1930; *Plebejus* OD: Bull. Brooklyn ent. Soc. 24(5):326, pl 31, f 4 [b2101] SS: *monticola* (Clémence), 1909; *Plebejus* (Icaricia) [Type: AMNH?-hi] [TypeL - Los Angeles, California.] [Refs - b0908; b3192; b1321]
- a **angerona** (Godman & Salvin), 1896; *Thecla* OD: Proc. zool. Soc. Lond. 1896(2):516 [b1980] CG: *Electrostrymon* [Type: BMNH] [TypeL - St. Vincent, Grenadines and Grenada.] [Refs - b0908; b2988; b0907; b4049; b0833]
- b **anglerius** Fruhstorfer, [1912]; *Loxura* OD: Berl. ent. Z. 56(3/4):223 [b1850] SS: atymnus (Stoll), [1780]; *Loxura* [TypeL - Kisser.] [Refs - b1454; b1850; b4094]
- e **ab. anglica** (Oberthür), 1910; *Lysandra* OD: Émud. Léop. comp. 4:277 [b3451] SS: *coridon* (Poda von Neuhaus), 1761; *Polyommatus* (*Lysandra*) [Refs - b0236; b0471]
- b **angolensis** Stempffer & Bennet, 1963; *Falcuna* OD: Bull. Br. Mus. nat. Hist. (Ent.) 13(6):177, f [b4421] SS: *libyssa* (Hewitson), [1866]; *Falcuna* [Type: BMNH-hi] [TypeL - Angola.] [Refs - b1452; b4421; b4400]
- a **angolensis** Tite & Dickson, 1973; *Aloeides* OD: Bull. Br. Mus. nat. Hist. (Ent.) 29(5):249, f [b4685] [Type: BMNH-hi; # Rh. 17228.] [TypeL - Benguella, Angola.] [Refs - b0104; b4685]
- b **angoniensis** Tite & Dickson, 1973; *Aloeides* OD: Bull. Br. Mus. nat. Hist. (Ent.) 29(5):248, pl 2, f 71, 72, 88, 89 [b4685] SS: *conradi* (Aurivillius), 1907; *Aloeides* [Type: BMNH-hi; # Rh. 17226.] [TypeL - Ncheu, Malawi.] [Refs - b0104; b4685]
- c **angulariformis** Strand, 1916, 1914-1916; *Emesis* OD: Lep. Niepelt. (2):18, pl 14, f 12 [b4516] SS: *mandana* (Cramer), [1780]; *Emesis* [TypeL - Costa Rica.] [Refs - b4475; b4528]

- a *angularis* Hewitson, 1870; *Emesis* OD: Trans. ent. Soc. Lond. 18(2):162 [b2333] [TypeL - Ecuador.] [Refs - b2747; b4475; b2753; b1456]
- a *angulata* (Bates), [1868]; *Eurygona* OD: J. linn. Soc. Lond., Zool. 9:376 [b0267] CG: Euselasia [TypeL - St. Paulo.] [Refs - b2988; b2747; b4474; b0680; b1456]
- b *angulata* Moore, [1879]; *Abisara* OD: Proc. zool. Soc. Lond. 1878(4):833 [b3230] SS: bifasciata Moore, 1877; *Abisara* [Type: BMNH] [TypeL - Tenasserim.] [Refs - b1636; b1149; b0294; b4473; b1454; b1840]
- c *angulata* Moore, [1884]; *Curetis* OD: Proc. zool. Soc. Lond. 1883(4):522, pl 48, f 2 [b3235] SS: dentata Moore, 1879; *Curetis* [TypeL - N. W. Himalayas.] [Refs - b1636; b1153; b0996; b2479; b3235; b4094; b0694]
- c *angulata* (Leech), 1890; *Amblypodia* OD: Entomologist 23:44 [b2963] SS: ameria (Hewitson), 1862; *Mahathala* [TypeL - China.] [Refs - b2479]
- e *angulata* Tutt, 1907, 1905-1914; *Polyommatus* OD: Nat. Hist. Brit. Butts 2:175 [b4760] SS: icarus (Rottemburg), 1775; *Polyommatus* [Note - Reference not found.] [Refs - b4092]
- e *angulosa* (Verity), 1919, 1919-1922, (RA); *Cupido* OD: Ent. Rec. 31:47 [b4840] SS: decolorata Staudinger, 1886; *Everes* [Refs - b0236; b0400; b0471]
- a *angulosus* Grünberg, 1910; *Megalopalpus* OD: Sber. Ges. naturf. Freunde Berl. 1910:478 [b2076] [TypeL - Equatorial Guinea.] [Refs - b1452; b2076; b4400; b1571]
- a *angusta* (H. Druce), 1873; *Cupido* OD: Proc. zool. Soc. Lond. 1873(2):349, pl 32, f 9 [b1383] CG: Nacaduba [Type: BMNH-hi] [TypeL - Borneo.] [Refs - b0964; b4676; b1636; b0965; b1383; b2753; b4094; b1454; b2385; b0694; b2387; b2388; b2388; b0938; b4108]
- e *angusta* Sharp, [1905], (ISS); *Liptena* OD: Zool. Rec. 41(1904)(Ins.):249 [b4135] SS: augusta Suffert, 1904; *Liptena* [Refs - b4135]
- a *angusta* (Lathy), 1936; *Thecla* OD: Livre jubilaire de M. Eugene-Louis Bouvier :232, pl 8, f 17 [b2925] CG: *Angulopsis* [Type: MNHN-hi] [TypeL - Paraguay.] [Refs - b0908; b2925; b2591; b2627]
- e *ab. angustamarginata* (Tutt), 1909, 1905-1914; *Plebeius* OD: Nat. Hist. Brit. Butts 3:174 [b4760] SS: argus (Linnaeus), 1758; *Plebejus* [Refs - b0236; b0471]
- a *angustata* Schultze, 1923; *Mimacraea* OD: In Schubotz :1163 [b4018] [Refs - b1452; b4400]
- c *angustemarginata* Heydemann, 1954; *Zizeeria* OD: Z. wien. ent. Ges. 39:424 [b2360] SS: knysna (Trimen), 1862; *Zizeeria* [TypeL - Afghanistan.] [Refs - b0089]
- a *angustifascia* Joicey & Noakes & Talbot, [1916]; *Dicallaneura* OD: Trans. ent. Soc. Lond. 63(3/4):369, pl 59, f 3,4 [b2651] [TypeL - New Guinea.] [Refs - b2651; b4474]
- a *angustifascia* Joicey & Talbot, 1921; *Telipna* OD: Bull. Hill Mus. 1(1):77, pl 14, f 43 [b2655] [Type: BMNH-hi] [TypeL - Nr Bafwaboli, N. side Tshopo Valley.] [Refs - b2655; b4400; b1452]
- b *angustifascia* Lathy, 1926; *Euselasia* OD: Entomologist 59:144 [b2919] SS: uria (Hewitson), [1855]; *Euselasia* [TypeL - Brazil.] [Refs - b4474]
- b *angustifascia* Lathy, 1932; *Rhems* OD: Ann. Mag. nat. Hist. (10)9:66 [b2922] SS: arcus (Linnaeus), 1763; *Rhetus* [Type: BMNH-hi] [TypeL - Ecuador.] [Refs - b2922]
- b *angustilineata* Inoué & Kawazoe, 1964; *Abisara* OD: Nature Life Southeast Asia 4:322 [b2508] SS: bifasciata Moore, 1877; *Abisara* [TypeL - S. Vietnam.]
- e *ab. angustimargo* (Courvoisier), 1903; *Chrysophanus* OD: Mitt. schweiz. ent. Ges. 11:25 or 23 [b0981] SS: virgaureae (Linnaeus), 1758; *Lycaena* (Heodes) [Refs - b0236; b0389; b0471]
- e *angustimargo* (Gillmer), 1909, 1907-1909; *Lycaena* OD: Int. ent. Z. 2(50):313 [b1959] SS: cimon (Lewin), 1795; *Polyommatus* (Cyaniris) [Refs - b0410; b1959; b0471]
- e *ab. angustimargo* Vorbrodt & Müller-Rutz, 1921; *Plebejus* OD: Mitt. schweiz. ent. Ges. 13(3/4):180 [b4890] SS: argus (Linnaeus), 1758; *Plebejus* [Refs - b0236; b0471]
- a *angustimargo* Hawker-Smith, 1926; *Pseudaletis* OD: Revue zool. afr. 14:240 [b2163] [Type: MT-hi] [TypeL - Mayumbe, Makaia N'Tete, Belgian Congo.] [Refs - b1452; b2163; b4400]
- b *angustimargo* (Howarth), 1957; *Neozephyrus* OD: Bull. Br. Mus. nat. Hist. (Ent.) 5(6):258, f 75, 85 [b2463] SS: souleana (Riley), 1939; *Chrysozephyrus* [Type: BMNH-hi] [TypeL - Tsekou, Yunnan, China.] [Refs - b2463]
- b *angustior* Staudinger, 1889; *Caleta* OD: Deut. ent. Zeit [Iris] 2(1):95 [b4332] SS: roxus (Godart), [1824]; *Caleta* [Refs - b1454; b1840]
- c *angustior* Seitz, [1917], 1910-1924; *Siseme* OD: In Seitz, Grossschmett. Erde 5:698, pl 133c [b4093] SS: pallas (Latreille), [1813]; *Siseme* [TypeL - Monte Tolima, Colombia.] [Refs - b4475; b4093]
- d *ania* Hübner, [1819], 1816-1826, (JOS); *Charis* OD: Verz. bekannt. Schmett. (2):21, no. 155 [b2484] OS: anius (Cramer), [1776]; *Charis* [Type: biblio-lt; designated by Hemming, 1964] [Annot. Lep. (3):101 [b2273]] [Type of - Charis] [Refs - b2280; b0420]
- a *anica* Herrich-Schäffer, [1853], 1850-1869; *Euselasia* OD: Samml. neuer. aussereurop. Schmett. 1:[55], pl [-], f 31,32 [b2314] [TypeL - Surinam.] [Refs - b2747; b4474; b1456]
- b *anica* H. H. Druce, 1904; *Mesosemia* OD: Proc. zool. Soc. Lond. 1904(I)(2):483, pl 33, f 6 [b1370] SS: tenebricosa Hewitson, 1877; *Mesosemia* [TypeL - Peru.] [Refs - b4474; b1456]
- c *anicus* Fruhstorfer, 1914; *Arhopala* OD: Deut. ent. Zeit [Iris] 27(4):159 [b1853] SS: meander Boisduval, 1832; *Arhopala* h [Type: BMNH-hi] [TypeL - Solomons"] [Refs - b1450; b1644; b1853; b4094]
- c *anila* de Nicéville, [1896]; *Arhopala* OD: J. Bombay nat. Hist. Soc. 10(2):174 [b1162] SS: similis H. H. Druce, 1895; *Arhopala* b [TypeL - Perak.] [Refs - b1644; b4094]
- e *animula* Szabó, 1956; *Maculinea* OD: Folia ent. hung. (ns)9:266,340 [b4582] SS: arion (Linnaeus), 1758; *Maculinea* [TypeL - Hungary.] [Refs - b0091]
- e *anina* (H. H. Druce), 1907, (ISS); *Thecla* OD: Proc. zool. Soc. Lond. 1907(3):603 [b1375] SS: aunia (Hewitson), [1874]; *Orcya* [Refs - b0908]
- e *anisophtalma* (Sakai), 1981, (ISS); *Glaucopsyche* OD: Butts Afghanistan :261 [b3910] SS: anisophtalma (Kollar), [1849]; *Actizera* [Refs - b3910]
- e *anisophtalma* (Kirby), 1871, (ISS); *Cupido* OD: Syn. Cat. diurn. Lep. :362 [b2747] SS: anisophtalma (Kollar), [1849]; *Actizera* [Refs - b2747]
- a *anisophtalma* (Kollar), [1849]; *Lycaena* OD: Denkschr. K. Akad. Wiss. Wien 1:51 [b2822] CG: *Actizera* [Refs - b2988; b2747; b0993; ns0408; b1759; b3910; b3910] (as anisophtalma in *Glaucopsyche*); b4092 (as anisophtalma)
- a *anita* Hewitson, 1862; *Amblypodia* OD: Spec. Cat. Lyc. Brit. Mus. :14, pl 8, f 90,91 [b2325] [TypeL - Siam.] [Refs - b0964; b1636; b0965; b2747; b4094; b1564; b0625; b1454; b0694; b1544; b4209]
- c *anita* (Semper), [1879]; *Holochila* OD: J. Mus. Godeffroy 5(2)(14):163 [b4109] SS: acasta (Cox), 1873; *Candalides* [Type: BMNH-hi] [TypeL - Australia.] [Refs - b4677; b1450; b4940; b4934]

- e *anius* Stichel, 1930, (ISS); Charis OD: Lep. Cat. Pars 40:409 [b4474] SS: anius (Cramer), [1776]; Charis [Note - There a much older examples of this spelling.] [Refs - b4474]
- b *ankara* (Schurian & Hofmann), [1983]; Lysandra OD: Nachr. ent. Ver. Apollo (nf)3(4):121, f [b4043] SS: ossmar (Gerhard), 1851; Polyommatus (Lysandra) [TypeL - Turkey.] [Refs - b0116; b4038]
- a *ankole* Stempffer, 1967; Toxochitona OD: Bull. Inst. fond. Afr. Noire 29(A):989 [b4401] [TypeL - Ankole, Uganda.] [Refs - b1452]
- a *ankoleensis* Stempffer, 1953; Deudorix OD: Anns Mus. r. Congo Belge (8vo)27:21 [b4384] CG: Deudorix (Pilodeudorix) [Refs - b1452; b4400]
- b *anna* (Edwards), 1861; Lycaena OD: Proc. Acad. nat. Sci. Philad. 13:163 [b1488] SS: idas (Linnaeus), 1761; Plebejus (Lycaeides) [Type: CM-nt; designated by Brown, 1970] [Trans. amer. ent. Soc. 96:368 [b0510]] [TypeL - Vicinity of Truckee, Nevada County, California. Restricted by Brown, 1970] [Refs - b0908; b2747; b3328; b3192; b0410; b1321; b4360; b4066; b0510]
- b *anna* Staudinger, [1888], 1884-1888; Amblypodia OD: In Exot. Schmett. 1:282 [b4329] SS: anneta Staudinger, [1888]; Amblypodia [Refs - b1450; b4094]
- a *anna* (H. H. Druce), 1896; Lehera OD: Ent. mon. Mag. 32:78 [b1364] CG: Arטיפе [Type: ZMHU-ht] [TypeL - Mt. Kinabalu, N. E. Borneo.] [Refs - b2479; b4094; b1454; b1553; b4602; b4108]
- a *anna* H. H. Druce, 1907; Thecla OD: Proc. zool. Soc. Lond. 1907(3):577, pl 33, f 2 [b1375] CG: Thecla (New World Eumaeini) [Type: BMNH] [TypeL - Interior of Colombia.] [Note - Druce says "Not nearly allied to any described [species] and belongs to a group by itself".] [Refs - b0908; b1375]
- b *anna* Clench, [1972]; Lasaia OD: J. Res. Lep. 10(2):166 [b0846] SS: maria Clench, [1972]; Lasaia [Type: CM-ht] [TypeL - Victoria, Tamaulipas, Mexico.] [Refs - b0528; b0846]
- a *annamaria* Bálint, 1992; Polyommatus OD: Linneana Belgica 13(8):424, f 1-3,9 [b0206] [Type: BMNH-ht] [TypeL - Blankulu, Pamirs.] [Refs - b0206]
- a *annamaria* Bálint & Johnson, 1993; Pseudolucia OD: Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (27):7, f [b0212] [Type: UMCE-ht] [TypeL - Alcohuaz, Elqui, Reg. Coquimbo, Chile.] [Refs - b0212; b0207]
- b *annamensis* (Fruhstorfer), 1903; Thysonotis OD: Berl. ent. Z. 48(1/2):110 [b1816] SS: schaeffera (Eschscholtz), 1821; Nothodanis [TypeL - S. Vietnam.] [Refs - b1454; b4108]
- b *annamensis* Fruhstorfer, 1912; Zemerus OD: Ent. Rundsch. 29(3):23 [b1849] SS: flegyas (Cramer), [1780]; Zemerus [TypeL - Annam.] [Refs - b1840]
- c *annamitica* Fruhstorfer, [1904]; Abisara OD: Berl. ent. Z. 48(4):286 [b1817] SS: meta Fruhstorfer, [1904]; Abisara [Refs - b0294; b4473; b1454; b1840]
- b *annamitica* Seitz, [1923], 1912-1927; Talicada OD: In Seitz, Grossschmett. Erde 9:925 [b4094] SS: nyseus (Guérin-Méneville), [1843]; Talicada [TypeL - Not stated.] [Refs - b4094; b1454]
- b *annamitica* Eliot & Kawazoé, 1983; Lycaenopsis OD: Buts Lycaenopsis group :39, f 13, 426-427 [b1580] SS: haraldus (Fabricius), 1787; Lycaenopsis [Type: BMNH-ht] [TypeL - Suol-Dau, par Nhatrang, Annam, Vietnam.] [Refs - b1580]
- b *annarion* Dietzel, 1990; Maculinea OD: Folia Mus. Hist.-Nat. Bakonyiensis 9:75 [b1275] SS: arion (Linnaeus), 1758; Maculinea [TypeL - Hungary.] [Refs - b0124]
- c *anneckel* (Dewitz), 1886; Liptena OD: Deut. ent. Zeit. 30(2):427, pl 2, f 2 [b1221] SS: sanguinea Plötz, 1880; Telipna [TypeL - W. Africa.] [Refs - b1221; b4400]
- b *annetta* (Edwards), 1882; Lycaena OD: Papilio 2(3):48 [b1517] SS: melissa (Edwards), 1873; Plebejus (Lycaeides) [Type: CM-lt; designated by Brown, 1970] [Trans. amer. ent. Soc. 96:376-377 [b0510]] [TypeL - Salt Lake, Utah.] [Refs - b0908; b3328; b3192; b1743; b1321; b4066]
- a *annetta* Staudinger, [1888], 1884-1888; Amblypodia OD: In Exot. Schmett. 1:281; 2:pl 96 [b4329] [TypeL - Batchian.] [Refs - b1450; b4094]
- b *annetta* Toxopeus, 1929; Zizina OD: Tijdschr. Ent. 72(3/4):207 [b4699] SS: otis (Fabricius), 1787; Zizina [TypeL - Perapat, Lake Toba, Sumatra.] [Refs - b4699; b1454; b3782; b4108]
- e *annettae* (Comstock & Huntington), 1959, 1958-1964, (ISS); Incisalia OD: J. New York ent. Soc. 67:72 [b0908] SS: annetteae (dos Passos), 1943; Deciduphagus [Refs - b0908]
- b *annetteae* (dos Passos), 1943; Incisalia OD: Amer. Mus. Novit. (1230):3 [b1317] SS: augustinus (Westwood), [1852]; Deciduphagus [Type: AMNH-ht] [TypeL - New Mexico.] [Refs - b1321 :54; b0908 (as annetteae); b1711; b0276; b4688 (as annetteae); b3192; b1743; b0493; b4690]
- a *annie* Takanaami, 1982; Paruparo OD: Mem. Tsukada Colln 4:53, pl 7, f 5; pl 8, f 5 [b4586] [Type: pc-ht; collection of Takanaami.] [TypeL - Luzon, Philippines.] [Note - Described as a subspecies of cebuensis.] [Refs - b2201; b4586; b1570; b1454; b4597; b4101; b4104]
- a *anniella* (Hewitson), 1862; Amblypodia OD: Spec. Cat. Lyc. Brit. Mus. :10, pl 8, f 83,84 [b2325] CG: Flos [Type: BMNH-ht] [TypeL - Singapore.] [Refs - b1644; b0965; b2747; b1454; b4094; b4108]
- a *annulata* (C. Felder), 1860; Amblypodia OD: Sber. Akad. Wiss. Wien 40(11):452 [b1676] CG: Arhopala a [Type: BMNH-ht] [TypeL - Amboina.] [Refs - b1450; b1644; b2747; b4094; b4590; b4602]
- b *annulata* Elwes, 1906; Polyommatus OD: In Proc. zool. Soc. Lond. 1906(3):484, pl 36, f 11,12 [b1598] SS: semiargus (Rouemburg), 1775; Polyommatus (Cyaniris) [Refs - b1636; b2479; b0236; b0694; b0471]
- b *annulata* Stichel, 1910; Eurybia OD: Gen. Insectorum 112(A):68 [b4446] SS: dardus (Fabricius), 1787; Eurybia [Type: pc-st; collection of Stichel] [TypeL - W. Amazonas; Peru; Ecuador; Colombia; Venezuela; Panama.] [Refs - b4474; b0569; b1456; b4446]
- c *annulatus* (Gmelin), [1790]; Papilio OD: C. A. Linné, Sys. Nat. ed. 13 1(5)(Insecta 2):2359, n 896 [b1969] SS: cupentus (Stoll), [1781]; Rekoa [Type: NMI-lt; designated by Vane-Wright, 1975] [Bull. Br. Mus. nat. Hist. (Ent.) 32(2):47 [b4815]] [Refs - b0908; b2747; b4815]
- a *annulifera* (Godman), 1903; Lemonias OD: Trans. ent. Soc. Lond. 51(4):542, pl 22, f 12 [b1972] CG: Adelotypa [TypeL - Guiana.] [Refs - b4475; b1456]
- e *ab. anomala* (Dufrane), 1953; Hypolycaena OD: Bull. Anns Soc. ent. Belg. 89:52 [b1410] SS: lebona (Hewitson), [1865]; Tatura [TypeL - Kivu.] [Refs - b4400 (as anomale); b1410]
- b *anomala* Eliot & Kawazoé, 1983; Megisba OD: Buts Lycaenopsis group :60 [b1580] SS: malaya (Horsfield), [1828]; Megisba [Type: BMNH-ht] [TypeL - Oinainisa, Timor.] [Refs - b1580]
- e *anomale* Stempffer, 1967, (ISS); Tatura OD: Bull. Br. Mus. nat. Hist. (Ent.) Suppl. 10:120 [b4400] SS: lebona (Hewitson), [1865]; Tatura [Refs - b4400]
- c *anomalogramma* (Bethune-Baker), 1911; Castalius OD: Ann. Mag. nat. Hist. (8)8:506 [b0344] SS: nodieri (Oberthür), 1883; Tuxentius [TypeL - Senegal.] [Note - Not spelled anomalogramma.] [Refs - b4400 (as anomalogramma); b0344]

- a **anophthalma** (Felder & Felder), 1865, 1865-1875; Diophthalma OD: Reise Novara (2):298, pl 38, f 7,8 [b1692] CG: Hyphilaria [TypeL - Bogota.] [Refs - b2747; b4474; b1456]
- a **anops** (Doherty), 1891; Lampides OD: J. asiat. Soc. Bengal, Pt II 60(2):183, pl 2, f 10 [b1304] CG: Jamides [TypeL - Sumba, Sumbawa.] [Refs - b1304; b4094; b1865; b1454; b4594; b2388]
- a **anosma** (Draudt), [1919], 1917-1924; Thecla OD: In Seitz, Grossschmett. Erde 5:760, pl 153-h [b1348] CG: Penaincisalia [Type: NMB-ht; Fassl collection.] [TypeL - Bogotá, Colombia.] [Refs - b0908; b2585; b2590; b0124 (as anosoma); b2611]
- b **ansa** Toxopeus, 1944; Dicallaneura OD: Treubia Hors Série:167 [b4709] SS: pulchra (Guérin-Méneville), [1830]; Dicallaneura [TypeL - New Guinea.] [Refs - b4709]
- e **anemna** Stichel, 1930, (ISS); Adelotypa OD: Lep. Cat. Pars 41:650 [b4475] SS: asemna (Stichel), 1910; Adelotypa [Refs - b4475]
- c **ansorgei** (Grose-Smith), 1898; Iris OD: Novit. zool. 5:354 [b2046] SS: incredibilis (Staudinger), 1891; Iridana [TypeL - W. Africa.] [Refs - b4400]
- a **ansorgei** Tite, 1959; Lepidochrysops OD: Entomologist 92:160 [b4669] [TypeL - Angola.] [Refs - b4669; b1452; b4400]
- b **ansuna** Fruhstorfer, [1914], 1909-1923; Dicallaneura OD: In Seitz, Grossschmett. Erde 9:788, pl 140d [b1840] SS: ostrina Grose-Smith, 1894; Dicallaneura [TypeL - Island of Jobi.] [Refs - b1450; b1840; b4474]
- c **anta** (Trimen), 1862; Lycaena OD: Trans. ent. Soc. Lond. (3)1:402 [b4715] SS: antalus (Hopffer), 1855; Deudorix (Virachola) [TypeL - Africa mer.] [Refs - b1943; b2747; b0836; b4400]
- c **antaegon** (Boisduval), 1852; Lycaena OD: Anns Soc. ent. Fr. (2)10:295 [b0467] SS: acmon Westwood, [1852]; Plebejus (Icaria) [Type: USNM-ht] [TypeL - California.] [Refs - b0908; b3192; b1321; b0467]
- a **antaerice** Hewitson, [1859], 1852-1877; Mesosemia OD: Ill. exot. Butts 2:[-], pl [55], f 52,53 [b2323] [TypeL - Amazon.] [Refs - b2988; b2747; b4474; b1456]
- c **antaeus** (Seitz), [1917], 1910-1924; Hamearis OD: In Seitz, Grossschmett. Erde 5:701 [b4093] SS: erostratus (Westwood), [1851]; Audre [Type: BMNH-ht] [TypeL - Merida, Venezuela.] [Refs - b4475; b4093]
- b **antalcidas** Fruhstorfer, 1915; Nacaduba OD: Zoöl. Meded. 1(2):146 [b1863] SS: pactolus (C. Felder), 1860; Nacaduba [TypeL - Central Dutch New Guinea.] [Refs - b4676; b1450; b4094]
- a **antalus** (Hopffer), 1855; Dipsas OD: Ber. Verh. Akad. Berl. 1855:641 [b2443] CG: Deudorix (Virachola) [TypeL - Mozambique.] [Refs - b1943; b1259; b2747; b1452; b0836; b2898; b2901; b4400; b4631; b1235; b2920]
- a **antanitis** (Hewitson), 1874; Lemonias OD: Descr. new Spec. Butts Buckley Bolivia :15 [b2344] CG: Calospila [Type: BMNH-ht] [TypeL - Bolivia.] [Refs - b2753; b4475; b1456]
- a **antanossa** (Mabille), 1877; Lycaena OD: Bull. Soc. ent. Fr. (5)7:lxvii [b3038] CG: Zizina [TypeL - Madagascar.] [Refs - b1943; b4178; b1259; b1452; b0754; b0836; b2898; b4361; b3038; b4400; b1235; b2899; b2920]
- e **antealcetas** Verity, 1934, 1934-1936, (IFS); Everes OD: Ent. Rec. 46(Sup.):34 [b4853] SS: alcetas (Hoffmansegg), 1804; Everes [Type: destroyed] [TypeL - Martigny.] [Refs - b2856; b0072; b0400 (as good spp)]
- b **antealcetas** Beuret, 1957; Everes OD: Lyc. Schweiz. II :138 [b0400] SS: alcetas (Hoffmansegg), 1804; Everes [Refs - b2856; b0410]
- e **antearentior** (Verity), 1937, 1937-1938, (IFS); Lysandra OD: Ent. Rec. 49:5 [b4859] SS: bellargus (Rottemburg), 1775; Polyommatus (Lysandra) [Type: MZS-st] [TypeL - Anatolia.] [Refs - b2856]
- e **ab. anteatrata** (Mezger), 1934; Lycaenopsis OD: Lambillionea 34:151 [b3172] SS: argiolus (Linnaeus), 1758; Celastrina [TypeL - France.] [Refs - b0072; b0400; b3172]
- e **antebrüannorum** (Verity), 1934, 1934-1936, (IFS); Lysandra OD: Ent. Rec. 46(Sup.):30 [b4853] SS: thetis Klug, 1834; Lycaena (Thersamonia) [Type: MZS-st] [TypeL - England.] [Refs - b2856; b0072]
- e **antecaelestis** (Verity), 1934, 1934-1936, (IFS); Lysandra OD: Ent. Rec. 46(Sup.):30 [b4853] SS: bellargus (Rottemburg), 1775; Polyommatus (Lysandra) [Type: MZS-st] [TypeL - France.] [Refs - b2856; b0072]
- e **antecalida** (Verity), 1943, (IFS); Aricia OD: Farfalle Diurne Ital. 2:209 [b4862] SS: calida (Bellier de la Chavignerie), 1862; Plebejus (Aricia) [Type: MZS-st] [TypeL - Italy.] [Refs - b2856]
- e **antecimon** (Verity), 1943, (IFS); Cyaniris OD: Farfalle Diurne Ital. 2:236 [b4862] SS: cimon (Lewin), 1795; Polyommatus (Cyaniris) [Type: MZS-st] [TypeL - Italy.] [Refs - b2856; b0410]
- e **Q.f. antelutea** (Beuret), 1953, (IFS); Lycaena OD: Lyc. Schweiz. I :57 [b0389] SS: helle ((Denis & Schiffermüller)), 1775; Helleia A [TypeL - Switzerland.] [Refs - b0389]
- e **anteparvaplumbea** (Verity), 1934, 1934-1936, (IFS); Lysandra OD: Ent. Rec. 46(Sup.):28 [b4853] SS: argester (Bergsträsser), [1779]; Polyommatus (Plebicula) [Type: MZS-st] [Refs - b2856; b0072]
- e **ab. anteroalba** (Tuut), 1906, 1905-1914; Rumicia OD: Nat. Hist. Brit. Butts 1:357 [b4760] SS: phlaeas (Linnaeus), 1761; Lycaena (Lycaena) [Refs - b0389]
- a **anteros** (Freyer), 1839, 1831-1858; Lycaena OD: Neuere Beitr. Schmett. 3(45):101, pl 265, f 1 [b1795] CG: Plebejus (Ultraaricia) [TypeL - Turcia.] [Type of - Ultraaricia] [Refs - b2280; b2375; b2747; b3325; b0993; b1762; b2827; b1001; b0236; b3358; b0410; b2794; b4366; b2859; b4092; b4092]
- e **anteschiffermulleri** (Verity), 1936, 1936-1937; Turana OD: Ent. Rec. 48(Sup.):5 [b4857] SS: hylactor (Bergsträsser), [1779]; Pseudophilotes [Type: MZS-st] [TypeL - Macedonia.] [Note - Probably should be anteschiffermuelleri.] [Refs - b2856]
- b **antesion** (Fruhstorfer), 1917; Lycaena OD: Deut. ent. Zeit. [Iris] 31:27 [b1877] SS: arion (Linnaeus), 1758; Maculinea [TypeL - Bosnien; Korina, Maklenpaß.] [Refs - b0236; b0471; b2858]
- e **antetuscanica** Verity, 1943, (IFS); Plebejus OD: Farfalle Diurne Ital. 2:189 [b4862] SS: argus (Linnaeus), 1758; Plebejus [Type: MZS-st] [Refs - b2856]
- a **antharita** Grose-Smith, 1894; Arhopala OD: Novit. zool. 1:583 [b2037] CG: Arhopala g [Type: BMNH-ht] [TypeL - Humblodt Bay, New Guinea.] [Refs - b1450; b1644; b4094]
- e **anthe** (Sharp), [1905], (ISS); Eurygona OD: Zool. Rec. 40(1903)(Ins.):255 [b4134] SS: authe (Godman), 1903; Euselasia [Refs - b4134]
- b **anthea** (Evans), 1925; Amblypodia OD: J. Bombay nat. Hist. Soc. 30(3):625 [b1633] SS: anhelus (Westwood), [1852]; Arhopala a [Type: BMNH-ht] [TypeL - Mergui.] [Refs - b1644; b2200; b1454]
- b **anthea** Hemming, 1932; Polyommatus OD: Entomologist 65:268 [b2244] SS: icarius (Esper), [1789]; Polyommatus (Plebicula) [Refs - b0070; b3555]

- b *anthellus* Staudinger, [1888], 1884-1888; *Arhopala* OD: In Exot. Schmett. 1:280 [b4329] SS: thamyras (Linnaeus), 1758; *Arhopala* n [TypeL - Aru.] [Refs - b1644; b1450; b4094]
- c *anthelle* (Doubleday), 1847, 1844-1848, (NN); *Polyommatus* OD: List Spec. lep. Brit. Mus. (2):55 [b1327] SS: phaedrus (Hall), 1924; *Epidemia* [Refs - b0908; b1714; b0505; b1039; b3192; b1321 (as Scudder name)]
- a *antheus* (Westwood), [1852], 1846-1852; *Amblypodia* OD: In Gen. dium. Lep. (2):pl 74, f 6 [b4981] CG: *Arhopala* a [Type: BMNH-ht] [TypeL - Moulmein.] [Refs - b1644; b2747; b2191; b2200; b1454; b4094]
- a *anthlas* (Hewitson), 1874; *Nymphidium* OD: Descr. new Spec. Butts Buckley Bolivia :14 [b2344] CG: *Hyphilaria* [TypeL - Bolivia.] [Refs - b2753; b4474; b1456]
- a *anthora* (Hewitson), [1877], 1863-1878; *Thecla* OD: Ill. dium. Lep. Lycaenidae 1:191; 2:pl 76, f 604-606 [b2326] CG: *Klaufera* [Type: BMNH-ht; designated by Johnson, 1991] [Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (21):15 [b2606]] [TypeL - Amazon, Cayenne.] [Refs - b0908; b2753; b1375; b0125; b2606]
- b *anthere* (Hewitson), 1862; *Amblypodia* OD: Spec. Cat. Lyc. Brit. Mus. :6, pl 3, f 21,22 [b2325] SS: thamyras (Linnaeus), 1758; *Arhopala* n [Type: BMNH-ht] [TypeL - Batchian.] [Refs - b1644; b1450; b2747; b4094]
- a *anthracia* (Hewitson), [1874], 1863-1878; *Thecla* OD: Ill. dium. Lep. Lycaenidae 1:166; 2:pl 65, f 461-463 [b2326] CG: *Oreya* [Type: BMNH-ht; designated by Johnson, 1990] [J. New York ent. Soc. 98(1):74 [b2602]] [TypeL - Brazil.] [Refs - b0908; b2747; b1375; b2593; b2918; b2597; ns2602]
- a *anthracias* (Christoph), 1877, 1876-1877; *Lycaena* OD: Horae Soc. ent. ross. 12:239-240, pl 5, f 12 [b0787] CG: *Praephilotes* [TypeL - Krasnovodsk.] [Type of - *Praephilotes*] [Refs - b2280; b2988; b0993; b1762; b2827; b4092]
- d *anthracias* (Lang), 1884, (H); *Lycaena* OD: Lep. Europ. 1:370 [b2890] SS: *anthracias* (Christoph), 1877; *Praephilotes* [TypeL - Kuldja.] [Refs - b2890]
- c *anthracophila* (Toxopeus), 1929; *Amblypodia* OD: Tijdschr. Ent. 72(3/4):212 [b4699] SS: phalakron (Fruhstorfer), 1914; *Flos* [TypeL - Sumatra.] [Refs - b1644; b0067; b4699]
- c *antiacis* (Boisduval), 1852; *Lycaena* OD: Annl. Soc. ent. Fr. (2)10:300 [b0467] SS: *xerces* (Boisduval), 1852; *Glaucopsyche* [Type: USNM-ht] [TypeL - San Francisco, California.] [Note - Müller & Brown incorrect treat this name as unavailable.] [Refs - b0908; b2747; b3192; b1321; b0467; b5011]
- b *antibubastus* Hübner, [1818], 1808-1837; *Hemiargus* OD: Zutr. Samml. exot. Schmett. 1:19, pl [18], f 99,100 [b2483] SS: *ceraunus* (Fabricius), 1793; *Hemiargus* [TypeL - Georgia.] [Type of - *Hemiargus*] [Refs - b2280; b3078; b0132; b0908; b4245; b0907; b2747; b3326; b3192; b3512; b1743; b1321; b0833; b4066]
- a *anticarmon* (Koçak), 1983, 1981-1983; *Agrodiaetus* OD: *Priamus* 3(1):33,34 [b2794] CG: *Polyommatus* (*Agrodiaetus*) [Type: pc-ht; collection of Koçak.] [TypeL - East Turkey.] [Refs - b2794]
- e *anticoalboinecta* (Verity), 1943, (IFS); *Lysandra* OD: *Farfalle Diurne Ital.* 2:270 [b4862] SS: *escheri* (Hübner), [1823]; *Polyommatus* (*Plebicula*) [Refs - b2856]
- e *anticodiscoelongata* (Verity), 1943, (IFS); *Agrodiaetus* OD: *Farfalle Diurne Ital.* 2:323 [b4862] SS: *dolus* (Hübner), [1823]; *Polyommatus* (*Agrodiaetus*) [TypeL - Italy.] [Refs - b2856]
- c *anticoelunata* Verity, 1943, (IFS); *Polyommatus* OD: *Farfalle Diurne Ital.* 2:247 [b4862] SS: *icarus* (Rouemburg), 1775; *Polyommatus* [Refs - b2856]
- e *anticofulvomaculata* (Verity), 1943, (IFS); *Strymon* OD: *Farfalle Diurne Ital.* 2:364 [b4862] SS: *spini* ((Denis & Schiffenmüller)), 1775; *Satyrnum* [Refs - b2856]
- c *anticoglomerata* (Cabeau), 1931; *Lycaena* OD: *Lambillionea* 31:2 [b0669] SS: *thersites* (Cantener), 1834; *Polyommatus* (*Plebicula*) [TypeL - Belgium.] [Refs - b0069]
- e *ab. anticoimpunctata* (Tutt), 1909, 1905-1914; *Plebeius* OD: *Nat. Hist. Brit. Butts* 3:179 [b4760] SS: *argus* (Linnaeus), 1758; *Plebeius* [Refs - b0236; b0471]
- e *anticoobsoleta* Tutt, 1914, 1905-1914; *Maculinea* OD: *Nat. Hist. Brit. Butts* 4:326 [b4760] SS: *arion* (Linnaeus), 1758; *Maculinea* [Refs - b0400]
- e *ab. anticoradiata* (Tutt), 1909, 1905-1914; *Plebeius* OD: *Nat. Hist. Brit. Butts* 3:177 [b4760] SS: *argus* (Linnaeus), 1758; *Plebeius* [Refs - b0236; b0471]
- e *anticoradiata* Derenne, 1931; *Lycaena* OD: *Lambillionea* 31:pl 10, f 6 [b1200] SS: *phlaeas* (Linnaeus), 1761; *Lycaena* (*Lycaena*) [Refs - b0389]
- c *f. antidisconulla* Lempke, 1954; *Celastrina* OD: *Tijdschr. Ent.* 97:344 [b2981] SS: *argiolus* (Linnaeus), 1758; *Celastrina* [TypeL - Holland.] [Refs - b0400]
- a *antidolus* (Rebel), 1901; *Lycaena* OD: *Annl. naturh. Mus. Wien* 16:167 [b3700] CG: *Polyommatus* (*Agrodiaetus*) [Refs - b1762; b2827; b0236; b2794; b0471]
- a *antifaunus* Westwood, [1852], 1846-1852; *Hypolycaena* OD: In Gen. dium. Lep. (2):pl 75, f 1 [b4981] [TypeL - Old Calabar.] [Refs - b2747; b1452; b0836; b4400]
- a *antigua* (Comstock & Huntington), 1943; *Thecla* OD: *Ann. New York Acad. Sci.* 45:83, pl 1, f 16 [b0907] CG: *Strymon* [Type: AMNH] [TypeL - St. John, Antiguu, B.W.I.] [Refs - b0908; b0907; b0833]
- b *antilibanotica* Hemming, 1929; *Polyommatus* OD: *Proc. ent. Soc. Lond.* 4(1):4 [b2238] SS: *loewii* (Zeller), 1847; *Polyommatus* (*Plebejidea*) [TypeL - Anti-Lebanon.] [Refs - b2905; b0236; b0471]
- a *antimachus* (Staudinger), [1887], 1884-1888; *Sithon* OD: In Exot. Schmett. 1:279; 2:pl 95 [b4329] CG: *Pseudaleis* [TypeL - Gaboon.] [Refs - b1452; b4400]
- a *antimuta* Felder & Felder, 1865, 1865-1875; *Arhopala* OD: *Reise Novara* (2):233 [b1692] CG: *Arhopala* k [Type: BMNH-ht] [TypeL - Malacca.] [Refs - b1644; b2747; b2187; b1454; b4094]
- c *f. antingrescens* (Lempke), 1954; *Thersamonia* OD: *Tijdschr. Ent.* 97:336 [b2981] SS: *dispar* ((Haworth)), 1802; *Lycaena* (*Thersamolycaena*) [TypeL - Holland.]
- a *antinorii* (Oberthür), 1883; *Lycaena* OD: *Annali Mus. civ. Stor. nat. Genova* 18:731, pl 9, f 3 [b3424] CG: *Uranotauma* [TypeL - Abyssinia.] [Refs - b1943; b1452; b4400; b0162]
- c *antinous* (Felder & Felder), 1865, 1865-1875; *Pseudolycaena* OD: *Reise Novara* (2):244, pl 28, f 8,9 [b1692] SS: *telemus* (Cramer), [1775]; *Paiwaria* (?) [TypeL - Bogotá, Colombia.] [Refs - b0908; b2747]
- a *antiochena* (Lederer), 1861; *Lycaena* OD: *Wien. ent. Monats.* 5:148, pl 1, f 2,3 [b2954] CG: *Polyommatus* (*Cyaniris*) [TypeL - Syria; Lebanon.] [Refs - b2375; b2747; b0105; b0293; b2794; b2859; b3943; b4092; b1455]
- c *antipaxus* (Fruhstorfer), 1914; *Arhopala* OD: *Deut. ent. Zeit.* [Inis] 28(2):127 [b1859] SS: *apidanus* (Cramer), [1777]; *Flos* [Type: BMNH-ht] [TypeL - Java.] [Refs - b1644; b1859; b4094]
- b *antipha* (Hewitson), [1869], 1863-1878; *Myrina* OD: Ill. dium. Lep. Lycaenidae Suppl.:7, pl 6, f 91-93 [b2326] SS: *lorquini* (Felder & Felder), 1865; *Hypochlorosis* [Type of - *Hypochlorosis*, *Pseudonotis*] [Refs - b1450; b2280; b2747; b2078]

- a **antiphon** Grose-Smith, 1897; *Hypochrysops* OD: Novit. zool. 4:367 [b2043] [Type: BMNH-ht] [TypeL - Kapaur, Irian Jaya.] [Refs - b1450; b2078; b3926]
- b **antiqua** (Staudinger), 1899; *Lycaena* OD: Deut. ent. Zeit. [Iris] 12:334 [b4346] SS: eumedon (Esper), [1780]; *Plebejus* (*Eumedonia*) [Refs - b4115; b1636; b2479; b4092]
- b **antis** Corbet, 1941; *Arhopala* OD: Proc. R. ent. Soc. Lond. (B)10(9):168 [b0956] SS: ariel (Doherty), 1891; *Arhopala* o [Type: BMNH-ht] [TypeL - Malaya.] [Refs - b1644; b1556; b0956; b1454]
- b **antilinezi** Agenjo, [1967]; *Glaucopsyche* OD: Eos 42:297 [b0019] SS: alexis (Poda von Neuhaus), 1761; *Glaucopsyche* [Refs - b3059]
- a **antonia** Eliot & Kawazoé, 1983; *Udara* OD: Butts *Lycaenopsis* group :136, f 95, 306, 322 [b1580] [Type: BMNH-ht] [TypeL - Mambare River, Giagi, Papua New Guinea.] [Refs - b1580; b3550]
- b **antonius** Brévignon, 1985; *Tomares* OD: Alexanor 13(8):342, f [b0489] SS: mauritanicus (Lucas), 1849; *Tomares* [TypeL - Morocco.] [Refs - b0119; b0254]
- a **antoto** (Strand), 1911; *Cupido* OD: Ent. Rundsch. 28:138 [b4501] CG: *Eicochrysops* [TypeL - Abyssinia.] [Refs - b1452; b4528; b4400]
- c **antura** Swinhoe, 1910, 1909-1913; *Arhopala* OD: In Moore, *Lep. Ind.* 8:168, pl 678, f 3 [b4575] SS: zambra Swinhoe, 1911; *Arhopala* f [Type: BMNH-ht] [TypeL - Ataran, Burma.] [Refs - b1644]
- a **antynax** Eliot, 1970; *Deramas* OD: Entomologist 103:30, f [b1555] [Type: BMNH-ht] [TypeL - Melalam, Sabah, Borneo.] [Refs - b1555; b0965; b1564; b2191; b1454; b4108]
- b **anu** Corbet, 1937; *Dodona* OD: Proc. R. ent. Soc. Lond. (B)6(5):104 [b0935] SS: deodata Hewitson, 1876; *Dodona* [TypeL - Malaya.] [Refs - b0964; b1564; b1454]
- c **anubis** (Snellen), 1872; *Lycaena* OD: Tijdschr. Ent. 15:21, pl 1, f 6-9 [b4257] SS: osiris (Hopffer), 1855; *Euchrysops* [TypeL - Guinea.] [Refs - b2753; b4400]
- b **anunda** (Hewitson), [1869], 1863-1878; *Amblypodia* OD: Ill. diurn. Lep. Lycaenidae 1:14a; 2:pl 3a, f 32 [b2326] SS: anthelus (Westwood), [1852]; *Arhopala* a [Type: BMNH-ht] [TypeL - Borneo.] [Refs - b1644; b2747; b2200; b1454; b4094; b4108]
- e **ansiyades** d'Abrera, 1986, (ISS); *Dacalana* OD: Butts *Oriental Region*, Pt 3 :609 [b1454] SS: anysides (Röber), 1887; *Dacalana* [Refs - b1454]
- a **anysides** (Röber), 1887; *Jolaus* OD: CorrespBl. ent. Ver. Iris 1(4):194 [b3821] CG: *Dacalana* [Refs - b1850; b3821; b1454 (as anysiyades); b4094]
- a **anysis** (Hewitson), [1865], 1863-1878; *Jolaus* OD: Ill. diurn. Lep. Lycaenidae 1:42; 2:pl 19, f 17,18 [b2326] CG: *Dacalana* [TypeL - Celebes.] [Refs - b2747; b2201; b1850; b1454; b4094]
- b **anytus** (Staudinger), 1889; *Sithon* OD: Deut. ent. Zeit. [Iris] 2(1):113, pl 1, f 12 [b4332] SS: albimacula (Wood-Mason & de Nicéville), 1881; *Horaga* [Type: ZMHU-ht] [TypeL - Palawan.] [Refs - b1012; b4198; b2078; b1569; b1454; b4094; b4602]
- a **anyx** Eliot, 1964; *Deramas* OD: Entomologist 97:246 [b1550] [Type: BMNH-ht] [TypeL - Bukit Kutu, Selangor, Malay Peninsula.] [Refs - b1555; b0965; b1550; b1564; b1454]
- a **aon** Lucas, 1857; *Thecla* OD: In Sagra, *Hist. Cuba* 7:610, pl 16, f 6,6a,6b [b3021] CG: *Thecla* (New World *Eumaeini*) [TypeL - Havana, Cuba; also Yucatan.] [Refs - b0908; b0907; b2747]
- a **apama** (Edwards), 1882; *Thecla* OD: *Papilio* 2(8):137 [b1518] CG: *Callophrys* [Type: CM-ht; designated by Brown, 1970] [Trans. amer. ent. Soc. 96(1):69 [b0509]] [TypeL - Fort Grant, SW of Mt. Graham, Cochise County, Arizona.] [Note - May be a subspecies of *affinis*.] [Refs - b1530 :210, f 400; b1321 :59; b0908; b4688; b1711; b3192; b1743; b0493; b5015; b2419; b4690; b2585; b4066]
- b **apame** (Hewitson), [1865], 1852-1877; *Nymphidium* OD: Ill. exot. Butts 3:[-], pl [55], f 13-15 [b2323] SS: *phylleus* (Cramer), [1775]; *Synargis* [TypeL - Amazon.] [Refs - b2747; b4475; b1456]
- e **aparvipuncta** Lempke, 1955; *Maculinea* OD: Tijdschr. Ent. 98:294 [b2982] SS: alcon ((Denis & Schiffermüller), 1775; *Maculinea* [Refs - b0400]
- e ♀ f **apatosa** (Talbot), 1935, (IFS); *Epamera* OD: Ent. mon. Mag. 71:117, pl 2, f 4, pl 3, f 11 [b4623] OS: *apatosa* (Stempffer), 1952; *Iolaus* (*Epamera*) [TypeL - Kenya.] [Refs - b1452; b4382; b4623; b4400]
- b **apatosa** (Stempffer), 1952; *Epamera* OD: Bull. Soc. ent. Fr. 57(8):116 [b4382] SS: *aemulus* Trimen, 1895; *Iolaus* (*Epamera*) [Type: biblio; based on *apatosa* Talbot, 1935] [Refs - b4382]
- a **apayao** Schröder & Treadaway, 1983; *Deudorix* OD: Ent. Zeit. 93(11):157, f 2,3 [b3980] [Type: pc-ht; collection of Treadaway.] [TypeL - Central Palawan, Philippines.] [Refs - b3980; b2201; b1454]
- b **apella** (Swinhoe), [1887]; *Nilasera* OD: Proc. zool. Soc. Lond. 1886(4):429, pl 40, f 4 [b4566] SS: *amantes* (Hewitson), 1862; *Arhopala* g [Type: BMNH-ht] [TypeL - Mhow, E. India.] [Refs - b1644; b1454; b1644]
- a **apelles** (Fabricius), 1775; *Papilio* OD: Syst. Ent. :524, n 342 [b1653] CG: *Hypochrysops* [Type: BMNH-ht; Banks collection.] [TypeL - Queensland, Australia.] [Refs - b1450; b2747; b2078; b4950; b0870; b4934; b3926; b5076; b4785]
- d **apelles** (de Villers), 1789, (H); *Papilio* OD: Ent. Linn. 2:536, pl 4, f 13 [b1184] SS: *benulae* (Linnaeus), 1758; *Thecla* [Refs - b2747; b2794; b2985]
- a **apelles** (Oberthür), 1878; *Aphnaeus* OD: Étud. ent. 3:22 [b3419] CG: *Spindasis* [TypeL - Zanzibar.] [Refs - b1943; b1259; b1452 (as appeles); b4400]
- c **apennina** Calberla, 1887; *Lycaena* OD: CorrespBl. ent. Ver. Iris 1:125 [b0671] SS: *virgaureae* (Linnaeus), 1758; *Lycaena* (*Heodes*) [Refs - b4092; b0724]
- e **apenninicola** (Verity), 1919, 1919-1922, (RA); *Plebeius* OD: Ent. Rec. 31:45 [b4840] SS: *argus* (Linnaeus), 1758; *Plebejus* [Type: MZS-st] [Refs - b2856; b0236; b0471]
- e **apenninicola** (Verity), 1919, 1919-1922, (NN); *Agriades* OD: Ent. Rec. 31:29 [b4840] SS: *bellargus* (Rottemburg), 1775; *Polyommatus* (*Lysandra*) [Refs - b2856; b0236; b4038; b0124]
- e **apenninigena** (Verity), 1919, 1919-1922, (RA); *Agriades* OD: Ent. Rec. 31:30 [b4840] SS: *bellargus* (Rottemburg), 1775; *Polyommatus* (*Lysandra*) [Type: MZS-st] [Refs - b2856; b0471; b4038]
- e **apenninogenita** (Verity), 1921, 1919-1922, (RA); *Agriades* OD: Ent. Rec. 33:190 [b4840] SS: *icanus* (Esper), [1789]; *Polyommatus* (*Plebicula*) [Type: MZS-st] [Refs - b2856; b0236; b0471]
- e **apenninophila** (Verity), 1919, 1919-1922, (RA); *Plebeius* OD: Ent. Rec. 31:46 [b4840] SS: *idas* (Linnaeus), 1761; *Plebejus* (*Lycaeides*) [Type: MZS-st] [Refs - b2856; b0236; b4425; b0471]

- b **apenninus** (Zeller), 1847; *Lycaena* OD: *Isis von Oken* 1847(2):148 [b5061] SS: *coridon* (Poda von Neuhaus), 1761; *Polyommatus* (*Lysandra*) [Type: BMNH-lt; designated by Schurian, 1988] [Ent. Zeit. 98(10):130 [b4038]] [TypeL - Vicinity of Perugia, Foligno, Italy.] [Refs - b2747; b4092; b4038]
- b **apha** de Nicéville, 1895; *Arhopala* OD: *J. Bombay nat. Hist. Soc.* 9(3):287, pl O, f 31 [b1159] SS: *athada* (Staudinger), 1889; *Arhopala* f [TypeL - Martaban, Burma.] [Refs - b1644; b1454; b4094; b1544]
- a **aphaca** Hewitson, [1867], 1863-1878; *Thecla* OD: *Ill. dium. Lep. Lycaenidae* 1:105; 2:pl 36, f 90 [b2326] CG: *Thecla* (New World Eumaeini) [Type: BMNH] [TypeL - Brazil.] [Refs - b0908; b2747]
- b **aphacus** Fruhstorfer, 1913; *Allotinus* OD: *Z. wiss. Insektbiol.* 9(11):343 [b1851] SS: *fallax* Felder & Felder, 1865; *Allotinus* [Type: BMNH-lt; designated by Eliot, 1986] [Bull. Br. Mus. nat. Hist. (Ent.) 53(1):11 [b1571]] [TypeL - Camiguin de Mindanao, Philippines.] [Refs - b1840; b1571; b0120]
- b **aphadantas** Corbet, 1941; *Arhopala* OD: *Proc. R. ent. Soc. Lond.* (B)10(9):159 [b0956] SS: *cleander* (C. Felder), 1860; *Arhopala* f [Type: BMNH-ht] [TypeL - Malaya.] [Refs - b1644; b0956; b2198; b1454]
- c **aphala** (Fruhstorfer), 1910; *Cyaniris* OD: *Stett. ent. Ztg* 71(2):299 [b1843] SS: *quadriplaga* (Snellen), 1892; *Oreolyce* (*Oreolyce*) [Type: ZSI?] [TypeL - Mt. Arjuno, Java.] [Refs - b1580; b1840]
- b **aphana** Fruhstorfer, 1916; *Nacaduba* OD: *Zoöl. Meded.* 2(2):127 [b1873] SS: *berenice* (Herrich-Schäffer), 1869; *Nacaduba* [TypeL - Nias.] [Refs - b4676; b0938; b1454; b4094]
- a **aphaniodes** Stichel, 1910; *Pterographium* OD: *Gen. Insectorum* 112(A):237, pl 26, f 62 [b4446] [Type: ZMHU-st] [TypeL - S. Brazil.] [Type of - *Pterographium*] [Refs - b4446; b4474; b2280; b1456 (as *aphaniodes*)]
- a **aphanis** (Stichel), 1910; *Chamona* OD: *Berl. ent. Z.* 55(1/2):19 [b4445] CG: *Charis* [Type: ZMHU-ht] [TypeL - Uruguay.] [Refs - b4474; b0419; b0420; b4445; b1456; b4445]
- e **aphanoides** d'Abreu, 1994, (ISS); *Pterographium* OD: *Butts Neotropical Region*, Pt 4:1046 SS: *aphaniodes* Stichel, 1910; *Pterographium* [Refs - b1456]
- b **apharida** Corbet, 1941; *Arhopala* OD: *Proc. R. ent. Soc. Lond.* (B)10(9):159 [b0956] SS: *cleander* (C. Felder), 1860; *Arhopala* f [Type: BMNH-ht] [TypeL - Lombok.] [Refs - b1644; b0956; b1454]
- a **apheles** Bates, [1868]; *Theope* OD: *J. linn. Soc. Lond., Zool.* 9:405 [b0267] [TypeL - Upper Amazon.] [Refs - b2747; b4475; b1456]
- c **f. apheliotes** Rebillard, 1958; *Euselasia* OD: *Mém. Mus. nat. Hist. nat.* (A)15:147, pl 1, f 14 [b3717] SS: *euryone* (Hewitson), [1856]; *Euselasia* [Type: MNHN-st; collection of Fournier de Horrack] [TypeL - Colombia.] [Refs - b3717; b0093]
- a **aphnaeoides** Trimen, 1873; *Iolaus* OD: *Trans. ent. Soc. Lond.* 21(2):110 [b4720] CG: *Iolaus* (*Epamera*) [TypeL - Africa mer.] [Refs - b1943; b1259; b2753; b1452; b4400; b3563]
- c **aphobus** Fruhstorfer, 1914; *Arhopala* OD: *Deut. ent. Zeit.* [Iris] 27(4):160 [b1853] SS: *onotor* Fruhstorfer, 1914; *Arhopala* h [Type: BMNH-ht] [TypeL - Java.] [Refs - b1644; b1853; b4094]
- b **aphocha** Kheil, 1884; *Allotinus* OD: *Rhop. Nias* :28, pl 5, f 30 [b2725] SS: *unicolor* Felder & Felder, 1865; *Allotinus* (*Paragerydus*) [Type: ZMHU?-ht] [TypeL - Nias.] [Refs - b2988; b1840; b1571; b3782]
- b **aphthonius** Fruhstorfer, 1914; *Allotinus* OD: *Z. wiss. Insektbiol.* 10(1):20 [b1855] SS: *drumila* (Moore), [1866]; *Allotinus* (*Paragerydus*) [Type: BMNH-lt; designated by Eliot, 1986] [Bull. Br. Mus. nat. Hist. (Ent.) 53(1):57 [b1571]] [TypeL - Tenasserim, Burma.] [Refs - b1636; b2479; b1840; b1571; b0694]
- b **aphya** Fruhstorfer, 1916; *Nacaduba* OD: *Zoöl. Meded.* 2(2):127 [b1873] SS: *berenice* (Herrich-Schäffer), 1869; *Nacaduba* [Type: BMNH-ht] [TypeL - Siam.] [Refs - b4676; b0938; b1454; b4094]
- b **aphytis** (Fruhstorfer), 1913; *Gerydus* OD: *Z. wiss. Insektbiol.* 9(11):342 [b1851] SS: *gaetulus* (de Nicéville), 1894; *Miletus* 2 [TypeL - Nias.] [Refs - b1546; b1840]
- b **apicalis** Grose-Smith & Kirby, 1890, 1887-1902; *Mimacraea* OD: *Rhop. exot.* 1(13):41, pl 10, f 6,7 [b2049] SS: *darwinia* Butler, [1872]; *Mimacraea* [TypeL - Camerouns.] [Refs - b4400; b1452; b0836]
- a **apicalis** Tite, 1963; *Philiris* OD: *Bull. Br. Mus. nat. Hist.* (Ent.) 14(5):227 [b4677] [Type: BMNH-ht] [TypeL - Talesea, New Britain.] [Refs - b4677; b1450]
- a **apicalis** Tite & Dickson, 1968; *Aloeides* OD: *Bull. Br. Mus. nat. Hist.* (Ent.) 21(7):384, pl 5, f 100,113 [b4684] [Type: BMNH-ht] [TypeL - O'okiep, Little Namaqualand, Cape Province, S. Africa.] [Refs - b4684; b1259; b1452]
- e **ab. apicepunctata** Huene, 1901; *Lycaena* OD: *Stett. ent. Ztg* 62:154 [b2490] SS: *virgaureae* (Linnaeus), 1758; *Lycaena* (*Heodes*) [Refs - b0236; b0389; b2490; b0471 (as *apicipunctata*)]
- c **apicipunctata** (Hannemann), 1931; *Lycaena* OD: *Int. ent. Z.* 24(37/38):401 [b2134] SS: *hylactor* (Bergsträsser), [1779]; *Pseudophilotes* [TypeL - Harz Mus.] [Refs - b0069; b0471]
- b **apiculata** Quick, 1972; *Ogyris* OD: *Victorian Nat.* 89(4):107, f [b3671] SS: *oroetes* Hewitson, 1862; *Ogyris* [TypeL - Kellermann, W. Australia.] [Refs - b0870]
- a **apidanus** (Cramer), [1777], 1775-1790; *Papilio* OD: *Util. Kapellen* 2(12):63, pl 137, f F.G. [b1069] CG: *Flos* [TypeL - Surinam, but really Java.] [Type of - *Flos*] [Refs - b1644; b2280; b0965; b2747; b2201; b1454; b4094; b4592; b4604]
- b **apira** Fruhstorfer, 1916; *Nacaduba* OD: *Zoöl. Meded.* 2(2):129 [b1873] SS: *berenice* (Herrich-Schäffer), 1869; *Nacaduba* [TypeL - Bismarcks.] [Refs - b4676; b1450; b4094]
- a **apisaon** (Dalman), 1823; *Papilio* OD: *Analecta ent.* :43 [b1093] CG: *Euselasia* [TypeL - Brasilia.] [Refs - b0419; b2747]
- a **apolecta** (Bates), [1868]; *Mesene* OD: *J. linn. Soc. Lond., Zool.* 9:388 [b0267] CG: *Stichelia* [Type: BMNH-ht] [TypeL - Tapajos.] [Refs - b0267; b4474; b1456]
- a **apollo** Miskin, 1891; *Hypochrysops* OD: *Ann. Qd Mus.* 1:85 [b3215] [Type: QM-ht] [TypeL - Queensland, Australia.] [Refs - b1450; b2078; b0870; b4934; b3926]
- a **apollonia** Westwood, [1851], 1846-1852; *Lyropteryx* OD: *In Gen. dium. Lep.* (2):pl 72, f 1, (:433 nota) [b4981] [TypeL - Amazon.] [Type of - *Lyropteryx*] [Refs - b2988 (as *apollonia*); b2280; b2747; b4474; b4950; b0569; b1456]
- b **apollonius** (Felder & Felder), 1865, 1865-1875; *Lycaena* OD: *Reise Novara* (2):265, pl 33, f 3 [b1692] SS: *danis* (Cramer), [1775]; *Danis* [TypeL - Papua.] [Refs - b1450; b2747; b2078; b4934; b3835; b1382]
- a **apona** (Fruhstorfer), 1910; *Cyaniris* OD: *Stett. ent. Ztg* 71(2):289 [b1843] CG: *Monodontides* (*Monodontides*) [Type: SMF-ht] [TypeL - Mt Apo, Mindanao, Philippines.] [Refs - b1840; b2200; b1580]
- b **aponata** Semper, 1889, 1886-1892; *Dodona* OD: *In Semper, Reisen Philipp.* (2)(5):156, f [b4110] SS: *deodata* Hewitson, 1876; *Dodona* [TypeL - Philippines.] [Refs - b4473; b2199; b1454 (as a good species); b1840; b2122]

- e *apotacta* Stichel, 1909, (IFS); *Barbicornis* OD: Berl. ent. Z. 54(1/2):43 [b4444] SS: melanops Butler, 1873; *Barbicornis* [Refs - b4474; b1456; b4444]
- a *apotheta* (Bates), [1868]; *Lemonias* OD: J. lim. Soc. Lond., Zool. 9:399 [b0267] CG: *Calospila* [TypeL - Brasilia.] [Refs - b2988; b2747; b4475; b1456]
- e *appeles* d'Abbrera, 1980, (ISS); *Spindasis* OD: Butts Afrotropical Region :479 [b1452] SS: *apelles* (Oberthür), 1878; *Spindasis* [Refs - b1452]
- c *appianus* (Grose-Smith), 1902, 1887-1902; *Amblypodia* OD: Rhop. exot. 3(60):11, pl 25, f 4 [b2029] SS: *adherbal* Grose-Smith, 1897; *Arhopala* h [Refs - b1644; b1450; b4094]
- e *ab. approximatajuncta* (Tutt), 1909, 1905-1914; *Plebeius* OD: Nat. Hist. Brit. Butts 3:186 [b4760] SS: *argus* (Linnaeus), 1758; *Plebejus* [Refs - b0236; b0471]
- c *approximatus* Butler, 1886; *Castalius* OD: Ann. Mag. nat. Hist. (5)18:186 [b0634] SS: *rosimon* (Fabricius), 1775; *Castalius* [TypeL - Burma.] [Refs - b1636; b1840; b0694; b4108]
- a *appula* (Hewitson), [1874], 1863-1878; *Thecla* OD: Ill. diurn. Lep. Lycaenidae 1:163; 2-pl 64, f 447,448 [b2326] CG: *Parrhasius* [Type: BMNH] [TypeL - Bolivia and Venezuela.] [Refs - b0908; b2753; b3392]
- a *aprica* Möschler, 1883; *Thecla* OD: Verh. zool.-bot. Ges. Wien 32:310, pl 17, f 6 [b3248] CG: *Thecla* (New World *Eumacini*) [TypeL - Paramaribo, Surinam.] [Refs - b0908; b3248]
- a *apries* Fruhstorfer, 1913; *Allotinus* OD: Z. wiss. InsektBiol. 9(11):344 [b1851] CG: *Allotinus* (*Paragerydus*) [Type: BMNH-It; designated by Eliot, 1986] [Bull. Br. Mus. nat. Hist. (Ent.) 53(1):43 [b1571]] [TypeL - Sintang, Borneo.] [Refs - b0964; b0965; b1571; b1840; b4108]
- c *apsines* Fruhstorfer, 1914; *Logania* OD: Z. wiss. InsektBiol. 10(1):24 [b1855] SS: *distanti* Semper, 1887; *Logania* [Type: SMF-It; designated by Eliot, 1986] [Bull. Br. Mus. nat. Hist. (Ent.) 53(1):70 [b1571]] [TypeL - Mindanao, Philippines.] [Refs - b1571; b1840]
- e *apuana* (Verity), 1916, (RA); *Lycaena* OD: Boll. Soc. ent. ital. 46:133 [b4838] SS: *apenninus* (Zeller), 1847; *Polyommatus* (*Lysandra*) [Refs - b2856; b0236; b0471; b4038]
- e *apuanica* (Verity), 1916, (NN); *Lycaena* OD: Annls Soc. ent. Fr. 84:515 [b4837] SS: *apenninus* (Zeller), 1847; *Polyommatus* (*Lysandra*) [Refs - b2856; b4038]
- a *apuleia* Hulstaert, 1924; *Spindasis* OD: Revue zool. afr. 12(2):178 [b2496] [TypeL - Belgian Congo.] [Refs - b1452; b2496; b4400]
- a *apurpurosa* Barlow & Banks & Holloway, 1971; *Arhopala* OD: Orient. Insects 5(3):291 [b0239] CG: *Arhopala* o [TypeL - Mt. Kinabalu, Sabah, Borneo.] [Refs - b0102; b2200; b1454; b4108; b4108]
- b *apus* de Nicéville, 1895; *Allotinus* OD: J. Bombay nat. Hist. Soc. 10(1):27, pl S, f 17 [b1160] SS: *fallax* Felder & Felder, 1865; *Allotinus* [TypeL - Sumatra.] [Refs - b0965; b1840; b1564; b3498; b1571]
- a *aquamarina* Sands, 1981; *Philaris* OD: J. Aust. ent. Soc. 20(1):89-96 [b3925] [TypeL - Papua New Guinea.]
- a *aquamarinus* (Dubatolov & Sergeev), 1987; *Neozephyrus* OD: Nov Maloizvestiye Vidy Fauny Sib. (19):22, f [b1397] CG: *Favonius* [TypeL - Russian SFSR] [Refs - b0122]
- c *aquila* (Gerhard), 1853, 1850-1853; *Plebejus* OD: Vers. monog. europ. Schmett. :11, pl 18, f 4a-c [b1928] SS: *aquilo* (Boisduval), 1832; *Polyommatus* (*Agriades*) [Refs - b0993; b0236; b0410]
- b *aquillina* (Staudinger), 1901; *Lycaena* OD: Cat. Lep. Palae. Faun. (3rd ed) :81 [b4347] SS: *aquilo* (Boisduval), 1832; *Polyommatus* (*Agriades*) [Refs - b0993; b2827; b4347; b4092]
- e *ab. aquilina* (Grund), 1908; *Cyaniris* OD: Int. ent. Z. 2(11):66 or 88 [b2080] SS: *argiolus* (Linnaeus), 1758; *Celastrina* [Refs - b0236; b0400; b0471]
- a *aquilo* (Boisduval), 1832, 1832-1834; *Argus* OD: Icon. Hist. Lépid. Europe 1:62, pl 12, f 7,8 [b0458] CG: *Polyommatus* (*Agriades*) [TypeL - Cape North, Siberia upon the Altai and Labrador.] [Refs - b1321 :66; b1530 :235, f 452; b0908; b2375; b0993; b2827; b0236; b3192; b0410; b1724; b1743; b0493; b2794; b1940; b2859]
- b *aquilonaria* Johnson, 1992; *Ahlbergia* OD: Nene Ent. Nachr. 29:43, f [b2609] SS: *frivaldszkyi* (Lederer), 1855; *Ahlbergia* [TypeL - China.] [Refs - b0126]
- e *ab. aquilonia* Wheeler, 1903; *Thecla* OD: Butts Switzerland :17 [b4991] SS: *betulae* (Linnaeus), 1758; *Thecla*
- c *aquilonia* (Wheeler), 1903; *Plebejus* OD: Butts Switzerland :37 [b4991] SS: *aquilo* (Boisduval), 1832; *Polyommatus* (*Agriades*) [Refs - b0993; b0410; b4092]
- b *aquilonis* (Hulstaert), 1924; *Lycaenesthes* OD: Revue zool. afr. 12(2):181 [b2496] SS: *lunulata* (Trimen), 1894; *Anthene* [TypeL - Belgian Congo.] [Refs - b3796; b2496; b4400]
- a *arabica* Riley, 1932; *Desmolycaena* OD: Ann. Mag. nat. Hist. (10)10:148, pl 9, f 9,10 [b3773] [Type: BMNH-ht] [TypeL - Hadramaut, Arabia.] [Note - Known from only 3 specimens.] [Refs - b1452; b2901; b3773; b4400]
- a *arabicus* Gabriel, 1954; *Lepidochrysops* OD: Exped. S. W. Arabia 1937-1938 1:384 [b1908] [TypeL - Arabia.] [Refs - b4400; b1452 (but figure is forsskali); b2898; b4400]
- b *arabicus* Gabriel, 1954; *Anthene* OD: Exped. S. W. Arabia 1937-1938 1:379 [b1908] SS: *butleri* (Oberthür), 1880; *Anthene* [TypeL - Arabia.] [Refs - b4400; b1452; b2898]
- a *arachne* (Stichel), 1911; *Polystichtis* OD: Gen. Insectorum 112(B):324 [b4447] CG: *Calospila* [Type: ZMHU-ht] [TypeL - Faro, Amazonas, Brazil] [Refs - b4475; b1456; b4446]
- a *arachne* Goodson, 1945; *Thecla* OD: Entomologist 78:170 [b1998] CG: *Thecla* (New World *Eumacini*) [Type: BMNH] [TypeL - Chapada.] [Refs - b0908]
- a *araeostyla* Stichel, 1915; *Mesosemia* OD: Deut. ent. Zeit. 1915:682, pl 21, f 21 [b4451] [TypeL - Guianas.] [Type of - BMNH-ht] [Refs - b4451; b4474; b1456]
- e *aragonensis* (Kirby), 1871, (ISS); *Cupido* OD: Syn. Cat. diurn. Lep. :368 [b2747] SS: *aragonensis* (Gerhard), 1851; *Polyommatus* (*Lysandra*) [Refs - b2747]
- c *araguaya* (Seitz), [1917], 1910-1924; *Lymnas* OD: In Seitz, Grossschmett. Erde 5:660, pl 131d [b4093] SS: *melander* (Stoll), [1780]; *Melanis* [TypeL - Goyas (now Goiás), Brazil] [Refs - b4474; b1456]
- b *arahat* (Fruhstorfer), 1914; *Arhopala* OD: Deut. ent. Zeit. [Iris] 28(2):127 [b1859] SS: *apidanus* (Cramer), [1777]; *Flos* [Type: BMNH-ht] [TypeL - Bawean.] [Refs - b1644; b1859; b1454; b4094]
- c *arama* de Nicéville, 1895; *Arhopala* OD: J. Bombay nat. Hist. Soc. 9(3):285, pl O, f 30 [b1159] SS: *silhetensis* (Hewitson), 1862; *Arhopala* f [TypeL - Sikkim.] [Refs - b1644]
- b *arama* (Fruhstorfer), 1915; *Lampides* OD: Arch. Naturgesch. (A)81(6):5 [b1865] SS: *celeno* (Cramer), [1775]; *Jamides* [Type: BMNH-ht] [TypeL - Nias.] [Refs - b3786; b4094; b1865; b1454]
- a *aranda* (Wallengren), 1857; *Cyganites* OD: K. svenska VetenskAkad. Handl. (nf)2(4):43 [b4913] CG: *Aloeides* [Type: NRH-It; designated by Tite & Dickson, 1973] [Bull. Br. Mus. nat. Hist. (Ent.) 29(5):264 [b4685]] [TypeL - Caffraria.] [Refs - b1259; b2747; b1452; b4400; b4685]

- a **arantina** (Evans), 1933; Horaga OD: J. Fed. Malay St. Mus. 17(2):413 [b1639] CG: Drupadia [Type: BMNH-ht] [TypeL - Selangor, West Malaysia.] [Refs - b1030; b0964; b0965; b0105; b1454 (in Horaga)]
- b **araratensis** (de Lesse), 1957; Agrodiaetus OD: Lambillionea 57:66 [b1120] SS: iphigenia (Herrich-Schäffer), [1847]; Polyommatus (Agrodiaetus) [TypeL - Turkey.] [Refs - b1772; b1004]
- c **araraticus** (Gerhard), 1853, 1850-1853; Lycaena OD: Vers. monog. europ. Schmett. :pl 18, f 3a-c :11 [b1928] SS: aquilo (Boisduval), 1832; Polyommatus (Agriades) [TypeL - Ararat.] [Refs - b2747; b0993; b0236; b3350]
- a **arata** (Bremer), 1861; Thecla OD: Bull. Acad. Sci. St. Pétersbourg 3:470 [b0482] CG: Rapala [TypeL - Amoorland; Japan.] [Refs - b4115; b2988; b2747; b0995; b2834 (in Deudorix); b2479; b2487; b4092; b1900; b2866; b0236; b0483 :25, pl 3, f 6 (could be OD); b1455]
- b **arata** Tyler, 1915; Arhopala OD: J. Bombay nat. Hist. Soc. 24(1):135, pl 3, f 27 [b4772] SS: ace de Nicéville, 1893; Arhopala f [Type: BMNH-ht] [TypeL - Manipur.] [Refs - b1644; b1454]
- a **aratus** (Stoll), [1781], 1780-1790; Papilio OD: In Cramer, Uitl. Kapellen 4(31):144, pl 365, f A,B [b4478] CG: Jamides [TypeL - Amboina.] [Refs - b0964; b1450; b0965; b4094; b2698; b1865; b1454; b2388; b3786]
- e **aratus** Schaus, 1902, (PS); Thecla OD: Proc. U. S. natn. Mus. 24(1262):417 [b3948] SS: aholiba Hewitson, [1867]; Thecla (New World Eumaeini) [Note - Schaus attributed the name to Moritz.] [Refs - b0908; b3948]
- a **araxes** Felder & Felder, 1865, 1865-1875; Arhopala OD: Reise Novara (2):222, pl 29, f 3-5 [b1692] CG: Arhopala h [Type: BMNH-ht] [TypeL - Celebes.] [Note - May be a subspecies of centaurus.] [Refs - b1450; b1644; b0965; b2747; b3916; b2200; b1454; b4094; b1475]
- c **araxes** Waterhouse & Lyell, 1914; Ogyris OD: Butts Aust. :121, f [b4947] SS: genoveva Hewitson, [1854]; Ogyris [TypeL - Dimboola, Australia.] [Refs - b1450; b0870; b4094; b0355; ns1430]
- b **araxiana** (Kocak), 1980; Agrodiaetus OD: Atalanta (Münsterstadt) 11(4):266, f 6-9 [b2791] SS: myrrha (Herrich-Schäffer), [1852]; Polyommatus (Sublysandra) [Type: pc-ht; collection of Eckweiler.] [TypeL - Turkey.] [Refs - b1610 (8266-E12); b2791; b2794 (with aedon)]
- a **arabimuni** Takanami & Seki, 1990; Paruparo OD: In Gekkan Mushi (231):4, f [b4106] [Type: pc-ht; collection of Takanami.] [TypeL - Indonesia] [Refs - b0125]
- a **arabimuni** Takanami, 1992; Rapala OD: Tyô to Ga 43(2):147, f [b4608] [TypeL - Sumba, Indonesia.] [Refs - b0126]
- a **arbas** (Stoll), [1782], 1780-1790; Papilio OD: In Cramer, Uitl. Kapellen 4(32):177, pl 379, f L,M [b4478] CG: Euselasia [TypeL - Surinam; Amazon.] [Refs - b2988; b2747; b4474; b1456]
- a **arborifera** (Butler), [1901]; Epamera OD: Proc. zool. Soc. Lond. 1900(4):927, pl 58, f 2 [b0659] CG: Iolaus (Epamera) [TypeL - Roromo, Kikuyu, E. Africa.] [Refs - b1452; b4400]
- a **arbuscula** (Möschler), 1883; Symmachia OD: Verh. zool.-bot. Ges. Wien 32:314 [b3248] CG: Stichelia [TypeL - Surinam.] [Refs - b2988; b4474; b1456]
- a **arca** (de Nicéville), 1893; Arhopala OD: J. Bombay nat. Hist. Soc. 7(3):331, pl H, f 15 [b1156] CG: Flos [TypeL - Celebes.] [Refs - b1644; b1156; b1454; b4094]
- a **arcana** (Leech), 1890; Lycaena OD: Entomologist 23:43 [b2963] CG: Tongeia [TypeL - China.] [Refs - b4094; b0995; b1762; b2479; b4092]
- a **arcana** (Miller & Edwards), 1978; Pseudodipsas OD: Aust. ent. Mag. 5(3):45-50 [b3181] CG: Acrodipsas [Type: ANIC-ht] [TypeL - New South Wales, Australia.] [Refs - b1610 (2215-E10); b3923; b0113; b0870]
- d **arcas** (Rottemburg), 1775, (H); Papilio OD: Naturforscher 6:25, n 13 [b3890] SS: nausithous (Bergsträsser), [1779]; Maculinea [TypeL - Central Europe; Altai.] [Refs - b4115; b3059; b2747; b0993; b1780; b1762; b2827; b2479; b0236; b0400; b2794; b2859; ns0366; b4092]
- d **arcas** (Cramer), [1777], 1775-1790, (H); Papilio OD: Uitl. Kapellen 2(15):127, pl 179, f E,F [b1069] OS: arcassa Hübner, [1819]; Pandemos [TypeL - Surinam.] [Refs - b4475; b2280]
- d **arcas** (Fabricius), 1787, (H); Papilio OD: Mantissa Ins. 2:80 [b1656] SS: orus (Stoll), [1780]; Lycaena [Type: ZMC-st] [TypeL - ad Cap. Bon. Spei"] [Refs - b1840; b2747; b4400; b5076]
- c **arcas** (Herrich-Schäffer), [1853], 1850-1869; Orimba OD: Samml. neuer. aussereurop. Schmett. 1:[55], pl [11], f 28,29 [b2314] SS: epitus (Cramer), [1780]; Setabis [Type of - Orimba] [Refs - b4475; b2881]
- a **arcaseia** (Fruhstorfer), 1916; Lycaena OD: Ent. Rundsch. 33(5):18 [b1875] CG: Polyommatus (Albulina) [Note - Classification according to Bálint (pers. comm.)] [Refs - b0236; b0694; b0471]
- b **arcaseius** (Fruhstorfer), 1915; Lampides OD: Arch. Naturgesch. (A)81(6):26 [b1865] SS: philatus (Snellen), 1878; Jamides [Type: BMNH-ht] [TypeL - Nias.] [Refs - b1865; b1454; b4094; b3786]
- b **arcasi** (Agenjo), 1967; Glaucopsyche OD: Eos 43:19 [b0020] SS: melanops (Boisduval), [1828]; Apelles [Refs - b3059]
- e **f. arcasoides** Berger, 1946; Maculinea OD: Lambillionea 46:106 [b0305] SS: xerophila Berger, 1946; Maculinea [TypeL - Belgium.] [Type of - b0080]
- c **arcassa** Hübner, [1819], 1816-1826; Pandemos OD: Verz. bekannt. Schmett. (2):25, no. 192 [b2484] SS: pasiphae (Cramer), [1775]; Pandemos [Type: biblio; replacement for arcas (Cramer), [1777]] [Type of - Pandemos] [Refs - b2280; b4475]
- a **archagathos** (Fruhstorfer), 1910; Cyaniris OD: Steu. ent. Ztg 71(2):284 [b1843] CG: Celarchus (Celarchus) [Type: SMF?-lt; designated by Eliot & Kawazoé, 1983] [Butts Lycaenopsis group :192 [b1580]] [TypeL - Mindanao, Philippines.] [Type of - Celarchus] [Refs - b1580; b2200; b1840]
- b **archaldi** (Evans), 1932; Marmessus OD: Ident. Indian Butts (2nd ed.) :290 [b1638] SS: rufotaenia (Fruhstorfer), [1912]; Drupadia [Type: BMNH-ht] [TypeL - Dawn Hills, Burma.] [Refs - b1030; b0105; b1638; b1454; b0694; b1544]
- c **arche** (Hewitson), [1865], 1852-1877; Nymphidium OD: Ill. exot. Butts 3:[-], pl [55], f 10 [b2323] SS: orestes (Cramer), [1780]; Synargis [TypeL - Amazon.] [Refs - b2747; b4475; b1456]
- a **archelaus** Seitz, [1917], 1910-1924; Euselasia OD: In Seitz, Grossschmett. Erde 5:632, pl 110Af [b4093] [Type: BMNH-ht] [TypeL - Rio Songo, Bolivia.] [Refs - b1456; b4093]
- a **archena** (Corbet), 1940; Celastrina OD: Proc. R. ent. Soc. Lond. (B)9(8):143 [b0949] CG: Oreolyce (Oreolyce) [Type: BMNH-ht; examined by Eliot & Kawazoé, 1983] [Butts Lycaenopsis group :31 [b1580]] [TypeL - West Malaysia.] [Refs - b0965; b0964; b1580]
- c **archias** (Cramer), [1777], 1775-1790; Papilio OD: Uitl. Kapellen 2(16):129, pl 181, f C [b1069] SS: boeticus (Linnaeus), 1767; Lampides [TypeL - Surinam.] [Note - Not a New World Eumaeini.] [Refs - b0908; b2747; b0995 (=boeticus); b0400 (=boeticus); b4934]

- a **archilochus** (Fruhstorfer), 1913; *Gerydus* OD: *Z. wiss. InsektBiol.* 9(9):247 [b1851] CG: *Mileus* 4 [TypeL - Tonkin.] [Refs - b0964; b1546; b1840]
- a **archimedes** (Fabricius), 1793, 1792-1799; *Hesperia* OD: *Ent. syst.* 3(1):320 [b1657] CG: Theope [TypeL - Indii^s.] [Refs - b2747; b4475; b5076; b1456]
- a **architas** Salvin, 1891; *Hypochrysops* OD: *In Trans. ent. Soc. Lond.* 39(2):191, pl 11, f 2,3 [b3914] [TypeL - Fauro Island, Solomon Islands.] [Refs - b1450; b2078; b3926]
- a **archytas** (Stoll), [1787], 1780-1790; *Papilio* OD: *In Cramer, Uitl. Kapellen Aanh.*:25, pl 5, f 5,5F [b4478] CG: *Ourocnemis* [Type of - Aetheius] [Refs - b1048; b2988; b4474 (as archites); b1456]
- b **archytas** Fruhstorfer, [1912]; *Araotes* OD: *Berl. ent. Z.* 56(3/4):227 [b1850] SS: *lapithis* (Moore), [1858]; *Araotes* [TypeL - Java.] [Refs - b2201; b0276; b1454; b1850; b4094]
- c **arcilacis** Riley, 1927; *Cupido* OD: *Entomologist* 60:270, f [b3764] SS: *carswelli* Stempffer, 1927; *Cupido* [TypeL - Spain.] [Refs - b3059; b0236; b0400; b3764; b2859; b0471 (as arcilacis)]
- b **arcina** (Fruhstorfer), 1910; *Lycaena* OD: *Int. ent. Z.* 4(10):55 [b1844] SS: *arion* (Linnaeus), 1758; *Maculinea* [TypeL - Schweiz: Genf: Arcine.] [Refs - b1844; b0236; b0400; b0471; b2858]
- a **arcius** (Linnaeus), 1763; *Papilio* OD: *Amoen. acad.* 6:409 [b2995] CG: *Rhetus* [Refs - b2988; b2747; b4474; b1453; b2406; b4950; b3002; b1456]
- b **arcticus** Ferris, 1977; *Epidemia* OD: *Bull. Allyn Mus.* (45):33, f 86-87 [b1714] SS: *dorcas* (Kirby), 1837; *Epidemia* [Type: AME-ht] [TypeL - Mayo Lake Road, Yukon Territory.] [Refs - b1714; b3191; b3192; b1724]
- c **arctifascia** Butler, 1874; *Panara* OD: *Trans. ent. Soc. Lond.* 22(4):432 [b0598] SS: *episatius* Prittwitz, 1865; *Panara* [TypeL - Espirito Santo.] [Refs - b2753; b4474]
- b **arctimargo** Hulstaert, 1924; *Oboronia* OD: *Revue zool. afr.* 12(2):194 [b2496] SS: *punctatus* (Dewitz), 1879; *Oboronia* [TypeL - Belgian Congo; Kamerun.] [Refs - b3796; b2496; b4400]
- b **arctodon** Ferris, 1974; *Lycaena* OD: *Bull. Allyn Mus.* (18):4, f 17-18 [b1710] SS: *phlaeas* (Linnaeus), 1761; *Lycaena* [Type: AME-ht] [TypeL - East side of Beartooth Pass, Carbon County, Montana.] [Refs - b1710; b3191; b3192; b0107; b3189]
- c **arctophoni** (Bergsträsser), [1779], 1778-1780; *Papilio* OD: *Nom. Ins.* 3:19, pl 59, f 3,4 [b0310] SS: *arion* (Linnaeus), 1758; *Maculinea* [Refs - b0400]
- c **arctophonus** (Bergsträsser), [1779], 1778-1780; *Papilio* OD: *Nom. Ins.* 3:10, pl 53, f 7,8 [b0310] SS: *teleius* (Bergsträsser), [1779]; *Maculinea* [Refs - b0400; b2794]
- c **arctophylax** (Bergsträsser), [1779], 1778-1780; *Papilio* OD: *Nom. Ins.* 3:6, pl 51, f 1,2 [b0310] SS: *teleius* (Bergsträsser), [1779]; *Maculinea* [Refs - b0400; b2794]
- b **arctos** (Hewitson), [1853], 1852-1877; *Nymphidium* OD: *Ill. exot. Butts* 1:[---], pl [57], f 1,2 [b2323] SS: *tytia* (Cramer), [1777]; *Synargis* [TypeL - Amazon.] [Refs - b2747; b4475; b0569; b1456]
- a **arcuata** Hewitson, [1867], 1852-1877; *Symmachia* OD: *Ill. exot. Butts* 4:[---], pl [45], f 1 [b2323] [Type: BMNH-ht] [TypeL - Amazon.] [Refs - b2988; b2747; b4474; b1456]
- b **arcuata** Moore, [1881], 1880-1881; *Loxura* OD: *Lep. Ceylon* 1(3):111, pl 42, f 4,4a-b [b3232] SS: *atymnus* (Stoll), [1780]; *Loxura* [TypeL - Ceylon.] [Refs - b1636; b4094; b1454; b0694]
- c **arcuata** Moore, [1884]; *Curetis* OD: *Proc. zool. Soc. Lond.* 1883(4):523, pl 48, f 3 [b3235] SS: *thetis* (Drury), [1773]; *Curetis* [Type: BMNH-ht] [TypeL - Malabar.] [Refs - b1636; b3235; b4094; b0694]
- e **ab. arcuata** (Courvoisier), 1903; *Lycaena* OD: *Mitt. schweiz. ent. Ges.* 11:20 [b0981] SS: *orion* (Pallas), 1771; *Scolitantides* [Refs - b0236; b0400]
- e **ab. arcuata** (Courvoisier), 1903; *Lycaena* OD: *Mitt. schweiz. ent. Ges.* 11:20 [b0981] SS: *eros* (Ochsenheimer), 1807; *Polyommatus* [Refs - b0236; b0471]
- e **ab. arcuata** (Courvoisier), 1903; *Lycaena* OD: *Mitt. schweiz. ent. Ges.* 11:20 [b0981] SS: *bellargus* (Rottemburg), 1775; *Polyommatus* (*Lysandra*) [Refs - b0236; b0471]
- b **arcuata** (Godman), 1903; *Charis* OD: *Trans. ent. Soc. Lond.* 51(4):539, pl 22, f 1,2 [b1972] SS: *coecias* (Hewitson), [1866]; *Crocozona* [Type: BMNH-ht] [TypeL - Bogota, Colombia.] [Refs - b4474; b1456]
- e **ab. arcuata** (Wheeler), 1903; *Lysandra* OD: *Butts Switzerland* :32 [b4991] SS: *coridon* (Poda von Neuhaus), 1761; *Polyommatus* (*Lysandra*) [Refs - b0236; b0471]
- e **arcuata** (Courvoisier), 1910, 1910-1911; *Lycaena* OD: *Ent. Zeit.* 24:100 [b0985] SS: *orion* (Pallas), 1771; *Scolitantides* [Refs - b0471; b0985]
- e **arcuata** (Courvoisier), 1910, 1910-1911; *Lycaena* OD: *Ent. Zeit.* 24:141 [b0985] SS: *icarus* (Rottemburg), 1775; *Polyommatus* [Refs - b0471; b0985]
- e **arcuata** (Verity), 1911, (IFS); *Lycaena* OD: *Boll. Soc. ent. ital.* 42:276, f [b4834] SS: *coridon* (Poda von Neuhaus), 1761; *Polyommatus* (*Lysandra*) [Type: MZS-st] [Refs - b2856; b0236; b0471]
- e **arcuata** (Vorbrodtt), 1912; *Lycaena* OD: *Schmett. Schweiz* 1:145 [b4885] SS: *coridon* (Poda von Neuhaus), 1761; *Polyommatus* (*Lysandra*) [*Check - May not exist.*] [Refs - b0471]
- e **ab. arcuata** Vicol, 1977; *Polyommatus* OD: *Bull. Soc. ent. Mulhouse* 1977:56 [b4870] SS: *icarus* (Rottemburg), 1775; *Polyommatus* [Refs - b0109]
- e **arcuatabasielongata** Beuret, 1927, (IFS); *Polyommatus* OD: *Lambillionea* 27:31 [b0368] SS: *icarus* (Rottemburg), 1775; *Polyommatus* [Refs - b0236; b0368; b0471]
- e **ab. arcuataelongata** (Saussure), 1914; *Lycaena* OD: *Bull. Soc. Léop. Genève* 3:79, pl 1, f 2 [b3941] SS: *coridon* (Poda von Neuhaus), 1761; *Polyommatus* (*Lysandra*) [Refs - b0236; b0471; b4145 (as arcuatoelongata :196)]
- a **arcula** (H. H. Druce), 1907; *Thecla* OD: *Proc. zool. Soc. Lond.* 1907(3):629, pl 36, f 27 [b1375] CG: *Pons* [Type: BMNH-ht] [TypeL - Tucumán, Argentina.] [Refs - b0908; b2221; b1375; b2593; b0125; b2610]
- e **ab. ardanazi** (Agenjo), 1934; *Lycaena* OD: *Eos* 9:315, pl 18, f 7 [b0010] SS: *cramera* (Eschscholtz), 1821; *Plebejus* (*Anicia*) [TypeL - Spain.] [Refs - b3059; b0072]
- b **ardates** (Moore), [1875]; *Lycaena* OD: *Proc. zool. Soc. Lond.* 1874(4):574, pl 67, f 1 [b3223] SS: *nora* (C. Felder), 1860; *Prosotas* [Type: BMNH-ht] [TypeL - Cashmere.] [Refs - b4676; b1636; b0938; b2753; b0995; b1762; b2479; b3223; b1454; b4094; b0694; b4092]
- c **ardavdana** (Obratzov), 1936; *Lycaena* OD: *Lambillionea* 36:15 [b3468] SS: *thersites* (Cantener), 1834; *Polyommatus* (*Plebicula*) [TypeL - Crimea.] [Refs - b0074; b3366; b0119]
- b **ardea** (Edwards), [1871]; *Lycaena* OD: *Trans. amer. ent. Soc.* 3(3/4):209 [b1501] SS: *icarioides* (Boisduval), 1852; *Plebejus* (*Icaricia*) [Type: AMNH-ht] [TypeL - Virginia City, Nevada.] [Refs - b0908; b2753; b3192; b1743; b1501; b1321]

- b ardea** (Evans), 1932; *Amblypodia* OD: Ident. Indian Butts (2nd ed.) :268 [b1638] SS: arvina (Hewitson), [1863]; *Arhopala* i [Type: BMNH-ht] [TypeL - Assam.] [Refs - b1644; b1638; b1454]
- c ardeola** (Staudinger), 1889; *Lycaena* OD: Deut. ent. Zeit. [Iris] 2(1):97 [b4332] SS: dana (de Nicéville), [1884]; *Petrelaea* [Type: ZMHU-lt; designated by Takanami, 1989] [Tyô to Ga 40(1):26 [b4602]] [TypeL - Palawan, Philippines.] [Refs - b4676; b4094; b4602]
- e ab. ardescens** Tutt, 1908, 1905-1914; *Everes* OD: Nat. Hist. Brit. Butts 3:54 [b4760] SS: argiades (Pallas), 1771; *Everes* [Refs - b0236; b0400; b0471]
- e ab. ardescenscompleta** Tutt, 1908, 1905-1914; *Everes* OD: Nat. Hist. Brit. Butts 3:54 [b4760] SS: argiades (Pallas), 1771; *Everes* [Refs - b0400; b0471]
- e ab. ardescensfulva** Tutt, 1908, 1905-1914; *Everes* OD: Nat. Hist. Brit. Butts 3:54 [b4760] SS: argiades (Pallas), 1771; *Everes* [Refs - b0236; b0400; b0471]
- e ardescensmarginata** Tutt, 1908, 1905-1914; *Everes* OD: Nat. Hist. Brit. Butts 3:54 [b4760] SS: argiades (Pallas), 1771; *Everes* [Refs - b0400; b0471]
- e ab. ardescensrestricta** Tutt, 1908, 1905-1914; *Everes* OD: Nat. Hist. Brit. Butts 3:54 [b4760] SS: argiades (Pallas), 1771; *Everes* [Refs - b0236; b0400; b0471]
- a ardosiaecia** (Tite), 1963; *Holochila* OD: Bull. Br. Mus. nat. Hist. (Ent.) 14(5):206; pl 1, f 122-123; pl 2, f 133-134; tf 26 [b4677] CG: *Candalides* [Type: BMNH-ht] [TypeL - Upper Aroa River, New Guinea.] [Refs - b4677; b1450]
- a ardschira** (Brandt), 1938; *Lycaena* OD: Ent. Rundsch. 55:672 [b0480] CG: *Polyommatus* (*Agrodiaetus*) [TypeL - Iran.] [Refs - b1762; b0076]
- b arduinnae** (Meyer), 1980; *Lycaena* OD: *Linneana Belgica* 8(3):133 [b3164] SS: helle ((Denis & Schiffemüller), 1775; *Hellecia* A [TypeL - Luxembourg.] [Refs - b3164; b0113]
- e area** Brown & Eff & Rotger, 1955, (ISS); *Emesis* OD: Proc. Denver Mus. nat. Hist. 5:120 [b0538] SS: ares (Edwards), 1882; *Emesis* [Refs - b1722; x3192]
- a areas** (H. H. Druce), 1891; *Lampides* OD: Proc. zool. Soc. Lond. 1891(3):368, pl 32, f 7,8 [b1358] CG: *Jamides* [TypeL - Solomons Islands.] [Note - Not spelled areos.] [Refs - b1450; b4126; b1865; b1358; b4094 (as areos); b2388]
- b areca** C. Felder, 1862; *Bindahara* OD: Verh. zool.-bot. Ges. Wien 12:481 [b1677] SS: phocides (Fabricius), 1793; *Bindahara* [TypeL - Nicobars.] [Refs - b1636; b2747; b4094; b0694]
- b arecibo** (Cornstock & Huntington), 1943; *Thecla* OD: Ann. New York Acad. Sci. 45:81, pl 1, f 14 [b0907] SS: *columella* (Fabricius), 1793; *Strymon* [Type: AMNH] [TypeL - Guayanilla, Puerto Rico.] [Refs - b0908; b0540; b0907; b0833]
- b arenaria** (Lempke), 1942; *Lycaena* OD: *Natuurh. Maandbl.* 31:107, f 5-8 [b2979] SS: *alcon* ((Denis & Schiffemüller), 1775; *Maculinea* [TypeL - Netherlands.] [Refs - b0400; b2979]
- a arenarum** (Schneider), 1937; *Hamearis* OD: Ent. Rundsch. 55:137 [b3971] CG: *Audre* [TypeL - Uruguay.] [Refs - b1456]
- b arene** (Fawcett), 1904; *Lycaena* OD: Proc. zool. Soc. Lond. 1904(II)(1):137, pl 9, f 4 [b1673] SS: *stoliczka* (Felder & Felder), 1865; *Polyommatus* [TypeL - Tibet.] [Note - Not spelled arena.] [Refs - b1636; b4180; b0993; b2479 (as arena); b4094; b0694 (with eros); b4092 (as arena); b0471 (arena); b1673; b1455]
- a arene** Goodson, 1945; *Thecla* OD: *Entomologist* 78:171 [b1998] CG: *Thecla* (New World Eumaeini) [Type: BMNH] [TypeL - River Tabaconas, N. Peru; Upper R. Toro, La Merced.] [Refs - b0908]
- a arenicola** Jörgensen, 1934; *Thecla* OD: Deut. ent. Zeit. [Iris] 48:61 [b2670] CG: *Thecla* (New World Eumaeini) [TypeL - Argentina.] [Refs - b2221; b0072; b2670 (near behrii?)]
- c arenicola** (Burrau), 1953; *Polyommatus* OD: *Opuscula entomologica* 18(2/3):116, f10-12 [b0578] SS: *eumedon* (Esper), [1780]; *Plebejus* (*Eumedonia*) [TypeL - Sweden.] [Refs - b0087; b0578]
- e arens** (Verity), 1937, 1937-1938, (IFS); *Lysandra* OD: Ent. Rec. 49:4 [b4859] SS: *bellargus* (Rottemburg), 1775; *Polyommatus* (*Lysandra*) [Type: MZS-st] [TypeL - Kurdistan.] [Refs - b2856]
- e arention** (Verity), 1937, 1937-1938, (IFS); *Lysandra* OD: Ent. Rec. 49:5 [b4859] SS: *bellargus* (Rottemburg), 1775; *Polyommatus* (*Lysandra*) [Type: MZS-st] [TypeL - Anatolia.] [Refs - b2856; b2794]
- e arenissima** (Verity), 1937, 1937-1938, (IFS); *Lysandra* OD: Ent. Rec. 49:4 [b4859] SS: *bellargus* (Rottemburg), 1775; *Polyommatus* (*Lysandra*) [Type: MZS-st] [TypeL - Kurdistan.] [Refs - b2856; b2794]
- e areos** (Seitz), [1924], 1912-1927, (ISS); *Lampides* OD: In Seitz, *Grossschmett. Erde* 9:911 [b4094] SS: *areas* (H. H. Druce), 1891; *Jamides* [Refs - b4094]
- b ares** (Edwards), 1882; *Lemonias* OD: *Papilio* 2(8):136 [b1518] SS: *zela* Butler, 1870; *Emesis* [Type: CM-lt; designated by Brown & Clench, 1968] [In Trans. amer. ent. Soc. 94(4):131 [b0534]] [TypeL - Vic. Fort Grant, SW of Mt. Graham, Graham Co., Arizona.] [Note - Considered a good species by Toliver and others.] [Refs - b2988; b4688; b3192; b1321; b4690; b0493; b4066]
- a ares** Godman & Salvin, [1887], 1879-1901; *Thecla* OD: *Biol. centr.-amer., Lep. Rhop.* 2:61; 3:pl 55, f 23,24 [b1975] CG: *Thecla* (New World Eumaeini) [Type: BMNH] [TypeL - Ega (Teffé), Amagonas, Brazil.] [Note - Allied to *bibia*.] [Refs - b0908; b3818; b1375; b1975]
- a arescopa** Bethune-Baker, 1910; *Cupidesthes* OD: Trans. ent. Soc. Lond. 58(1):9, pl 1, f 2 [b0343] [Type: BMNH] [TypeL - Africa.] [Refs - b1452; b0343; b0836; b4400]
- c areshana** Bethune-Baker, 1918; *Tarucus* OD: Trans. ent. Soc. Lond. 65(2/4):277 [b0356] SS: *balkanicus* (Freyer), 1844; *Tarucus* [TypeL - Transcaisia.] [Refs - b1642; b2905]
- a areste** (Hewitson), 1862; *Amblypodia* OD: Spec. Cat. Lyc. Brit. Mus. :10, pl 5, f 43,44 [b2325] CG: *Flos* [TypeL - India.] [Refs - b1644; b0965; b2747; b0236; b1454; b4094]
- c arestina** (Evans), 1925; *Amblypodia* OD: *J. Bombay nat. Hist. Soc.* 30(3):638 [b1633] SS: *areste* (Hewitson), 1862; *Flos* [Type: BMNH-ht] [TypeL - N. Shan States.] [Refs - b1644]
- b arete** (Felder & Felder), 1861; *Symmachia* OD: *Wien. ent. Monats.* 5(4):98 [b1684] SS: *trochilus* Erichson, 1848; *Cania* [TypeL - Ecuador.] [Refs - b2747; b4474]
- b arethusa** (Walley-Dod), 1907; *Chrysophanus* OD: *Can. Ent.* 39:169 [b4918] SS: *phlaeas* (Linnaeus), 1761; *Lycaena* (*Lycaena*) [Type: USNM-ht] [TypeL - Near Calgary, Alberta.] [Refs - b0908; b0428; b1710; b3191; b3192; b3603; b1321; b4066]
- a areuta** (Westwood), [1851], 1846-1852; *Pandemos* OD: In *Gen. diurn. Lep.* (2)-pl 70, f 5, (-440) [b4981] CG: *Astraeodes* [TypeL - Pernambuco.] [Type of - *Astraeodes*] [Refs - b2988; b2280; b2747; b4475; b1456]
- b arfakensis** Frühstorfer, 1898; *Dicallaneura* OD: *Berl. ent. Z.* 43:195 [b1809] SS: *ribbei* Röber, [1886]; *Dicallaneura* [TypeL - New Guinea.] [Refs - b1450; b4474; b1840]
- b arfakensis** Joicey & Talbot, 1917; *Praetaxila* OD: *Ann. Mag. nat. Hist.* (8)20:219 [b2654] SS: *wallacei* (Hewitson), [1862]; *Praetaxila* [Type: BMNH-ht] [TypeL - Angi Lakes, Arfak Mtns., Dutch New Guinea.] [Refs - b1450; b4474; b2654]

- a **argentina** Johnson, 1993; Crimsinota OD: Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (32):51, f [b2614] [Type: FMLT-h] [TypeL - Quebrada de Lules, Tucumán, Argentina.] [Refs - b2614]
- a **argentiniensis** (Clench), 1946; Thecla OD: Entomologist 79:185 [b0824] CG: Plesiocyanocephrys [Type: BMNH-h] [TypeL - Tucumán, Argentina.] [Refs - b0908; b0528; b2221; b2585; b2626]
- a **argentiniensis** Johnson & Kroenlein, 1993; Pendantus OD: Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (34):18 [b2628] [Type: AMNH-h] [TypeL - Parque Nacional Callilegua, Prov. Jujuy, Argentina.] [Refs - b2628]
- c **argentiostriata** d'Abrera, 1980; Harpendyreus OD: Butts Afrotropical Region :546 [b1452] SS: argenteostriatus Stempffer, 1961; Harpendyreus [Refs - b1900]
- c **ab. argentoazurea** (Silbermangel), 1940; Lycaena OD: Acta Soc. ent. bohém. 37:119 [b4227] SS: arion (Linnaeus), 1758; Maculinea [TypeL - Czechoslovakia.] [Refs - b0080]
- a **argerona** Hewitson, [1877], 1863-1878; Thecla OD: Ill. diurn. Lep. Lycaenidae 1:209; 2-pl 83, f 705-706 [b2326] CG: Thecla (New World Eumaeini) [Type: BMNH] [TypeL - Minas Geraes.] [Refs - b2753; b0908]
- c **argester** (Bergsträsser), [1779], 1778-1780; Papilio OD: Nom. Ins. 3: , pl 58, f 3,4; pl 61, f 1-4 [b0310] SS: dorylas ([Denis & Schiffmüller]), 1775; Polyommatus (Plebicula) [Type of - Plebicula] [Refs - b3059; b2747; b1780; b2827; b2794; b1136; b4092]
- b **argia** (Ménéziés), 1857, 1855-1857; Lycaena OD: Enum. corp. anim. 2:125, pl 10, f 7 [b3152] SS: maha (Kollar), [1844]; Pseudozizeeria [TypeL - Japan.] [Refs - b4115; b4179; b0622; b2747; b0995; b2479; b1900; b0236; b1652; b4092]
- a **argiades** (Pallas), 1771; Papilio OD: Reise verschied. Prov. Russisch. Reichs 1:472 [b3546] CG: Everes [Type of - Ununcula] [Note - Placed on Official List by Op 503.] [Refs - b4115; b1450; b1636; b2280; b2375; b3059; b4094; b2747; b1780; b2827; b2479; b2866; b4545; b0236; b3192; b1705; b2528 (Op 503, L 1479); b0400; b2300; b1743; b1321; b2794; b2268; b4934; b2859; ns0769; b4092]
- d **argiades** (Esper), [1789], 1776-1830, (H); Papilio OD: Die Schmett. Suppl. Theil 1:49, pl 101, f 6 [b1623] SS: argus (Linnaeus), 1758; Plebejus [Refs - b0236 (as agiades); b0410; b2302]
- c **argianus** (Dalman), 1816; Cyaniris OD: K. svenska VetenskAkad. Handl. 37:95 [b1092] SS: semiargus (Rottemburg), 1775; Polyommatus (Cyaniris) [Refs - b0410; b2794; b4092]
- a **argiella** (Bates), [1868]; Calydna OD: J. linn. Soc. Lond., Zool. 9:394 [b0267] CG: Adolytys [TypeL - Brasilia.] [Refs - b2747; b4475; b1456]
- c **argigas** (Verity), 1931, (IFS); Lycaeides OD: Deut. ent. Zeit. [Iris] 45:47 [b4852] SS: argus (Linnaeus), 1758; Plebejus [Type: destroyed] [TypeL - Trieste.] [Refs - b1780; b2856; b0069]
- a **argioloides** (Rothschild), 1916; Nacaduba OD: Rep. B. O. U. Exped. New Guinea 2(15):29 [b3880] CG: Monodontides (Monodontides) [Type: BMNH-lt; designated by Eliot & Kawazoé, 1983] [Butts Lycaenopsis group :271 [b1580]] [TypeL - Utakwa River, Dutch New Guinea.] [Type of - Monodontides] [Refs - b2280; b1450 (as argioloides); b4992; b0933; b1840; b0111 (in Monodontides); b1580; b0400; b3880]
- a **argiolus** (Linnaeus), 1758; Papilio OD: Syst. nat. (ed. 10) 1:483 [b2993] CG: Celastrina [Type: LC-h] [TypeL - Europe.] [Type of - Celastrina] [Refs - b1530 :241, f 472; b1321 :69; b4198; b1636; b2280; b2375; b3059; b1840; b2747; b0995; b1780; b1762; b2827; b2479; b2866; b1580; b3547; b1039; b0236; b3192; b0400; b2300; b0293; b1743; b0493; b1183; b4950; b2794; b3366; b2859; b4066; b4092; b0471; b1722]
- c **argiolus** (Füssly), 1775, (H); Papilio OD: Verz. bekannt. Schweiz. Ins. :31 [b1903] SS: semiargus (Rottemburg), 1775; Polyommatus (Cyaniris) [Refs - b0410; b4092]
- e **ab. argioluslata** Tutt, 1907, 1905-1914; Celastrina OD: Nat. Hist. Brit. Butts 2:394 [b4760] SS: argiolus (Linnaeus), 1758; Celastrina [Refs - b0400; b0471]
- e **ab. argiolussuffusa** Tutt, 1907, 1905-1914; Celastrina OD: Nat. Hist. Brit. Butts 2:394 [b4760] SS: argiolus (Linnaeus), 1758; Celastrina [Refs - b0400; b0471]
- c **argiope** (Godart), [1824], 1819-1824; Erycina OD: In Ency. méth. 9(Ins.)(2):573 [b1970] SS: plutargus (Fabricius), 1793; Caria [TypeL - Brasilia.] [Refs - b2747; b4474; b2221]
- c **argiva** (Hewitson), [1877], 1863-1878; Thecla OD: Ill. diurn. Lep. Lycaenidae 1:208; 2-pl 83, f 701-703 or 700-702 [b2326] SS: dumenilii (Godart), [1824]; Arawacus [Type: BMNH] [TypeL - Venezuela.] [Refs - b0908; b2753; b1375]
- c **argiva** (Staudinger), 1886, 1886-1889; Lycaena OD: Stett. ent. Ztg. 47:204 [b4330] SS: argyrognomon (Bergsträsser), [1779]; Plebejus (Lycaeides) [TypeL - Central Asia.] [Refs - b4092]
- a **argola** (Hewitson), [1876], 1852-1877; Lycaena OD: Ill. exot. Butts 5:[88], pl [46], f 7 [b2323] CG: Caleta [TypeL - Mindanao, Philippines.] [Refs - b2753; b1840; b1454; b2390; b2388]
- c **argona** (Hewitson), [1874], 1863-1878; Thecla OD: Ill. diurn. Lep. Lycaenidae 1:162; 2-pl 63, f 441,442 [b2326] SS: eurytulus (Hübner), [1819]; Strymon [Type: BMNH-h] [TypeL - Uruguay.] [Refs - b0908; b0540; b2753; b2221; b1375; b0420; b4092]
- e **ab. argopaeus** (Bergsträsser), [1779], 1778-1780; Papilio OD: Nom. Ins. 3:8, pl 52, f 7,8 [b0310] SS: semiargus (Rottemburg), 1775; Polyommatus (Cyaniris) [Note - Spelling?] [Refs - b2747; b0236 (as argopoeus)]
- e **ab. argopoei** (Bergsträsser), [1779], 1778-1780; Papilio OD: Nom. Ins. 3:19, pl 61, f 56 [b0310] SS: semiargus (Rottemburg), 1775; Polyommatus (Cyaniris) [Refs - b2747; b0236; b0410; b2794]
- e **argopoeus** (Bergsträsser), [1779], 1778-1780; Papilio OD: Nom. Ins. 3:8, pl 52, f 7,8 [b0310] SS: semiargus (Rottemburg), 1775; Polyommatus (Cyaniris) [Refs - b0410; b2794; b0471]
- b **argoviensis** Beuret, 1957; Maculinea OD: Lyc. Schweiz. II :238 [b0400] SS: arion (Linnaeus), 1758; Maculinea [Type: NMB-pt; see Steiniger, 1975] [Mitt. ent. Ges. Basel (nf)25:25 [b4355]] [TypeL - Switzerland.] [Note - Described as a subspecies of nausithous.] [Refs - b0400; b4355]
- b **argulus** (Frey), 1882; Lycaena OD: Mitt. schweiz. ent. Ges. 6(7):350 [b1793] SS: idas (Linnaeus), 1761; Plebejus (Lycaeides) [Refs - b1780; b4425; b0410; b4092]
- a **argus** (Linnaeus), 1758; Papilio OD: Syst. nat. (ed. 10) 1:483 [b2993] CG: Plebejus [Type: LC-st] [Type of - Lycoena, Plebejus, Plebejus, Rusticus] [Note - Placed on Official List (#87) by Op 269.] [Refs - b2280; b4115; b2375; b3059; b2747; b2827; b2479; b0993; b1780; b1762; b1213; b2866; b0236; b3338; b3192; b0410; b2521; b2300; b1743; b1321; b4950; b2794; b3910; b4644; b3366; b2859; ns0016; ns0373; ns0378; ns0380; ns0793; ns0862; ns0991; ns1539; ns1914; ns3458; ns3731; ns3896; b4092; b0471; b3151 (Op 269); ns0391; b4645]

- a **arza** Hewitson, [1874], 1863-1878; *Thecla* OD: Ill. diurn. Lep. Lycaenidae 1:178; 2:pl 70, f 523,524 [b2326] CG: *Thecla* (New World Eumacini) [Type: BMNH] [TypeL - Chontales, Nicaragua.] [Refs - b0908; b2752 (as arja); b2753; b3818; b1975]
- a **asa** Hewitson, 1869; *Mesosemia* OD: Trans. ent. Soc. Lond. 17(1):35 [b2328] [TypeL - Nicaragua.] [Refs - b2988; b2747; b4474]
- a **asa** (Hewitson), [1873], 1863-1878; *Thecla* OD: Ill. diurn. Lep. Lycaenidae 1:143; 2:pl 57, f 353,354 [b2326] CG: *Caerofethra* [Type: BMNH] [TypeL - Amazon.] [Refs - b0908; b2747; b0125]
- a **asabinus** (Herrich-Schäffer), [1851], 1843-1856; *Polyommatus* OD: Syst. Bearb. Schmett. Europ. 1:pl 109, f 527,528 [b2313] CG: *Lycaena* (*Thersamonia*) [TypeL - Turcia; Armenia.] [Note - *Kocak* makes *Gerhard* the author of this name.] [Refs - b2747; b0996; b2827; b4220; b3555; b2313; b4092]
- d **asabinus** Gerhard, 1853, 1850-1853, (H); *Lycaena* OD: Vers. monog. europ. Schmett. :- [b1928] SS: *asabinus* (Herrich-Schäffer), [1851]; *Lycaena* (*Thersamonia*) [Note - *Kocak* dates this name as of 1850.] [Refs - b0113]
- a **asaga** Fruhstorfer, 1916; *Nacaduba* OD: Zoöl. Meded. 2(2):109 [b1873] [Type: BMNH-ht] [TypeL - Sintang, Borneo.] [Refs - b4676; b0964; b0965; b1454; b4094; b2387; b2388; b4108]
- b **asagiae** (Hayashi), 1978; *Narathura* OD: Tyô to Ga 29(2):114, f 1-4,7-10 [b2190] SS: *bazalus* (Hewitson), 1862; *Arhopala* g [Type: OMNH-ht] [TypeL - Mindanao, Philippines.] [Note - *Patronym - A daughter of Mr. Fukuo Itoh.*] [Refs - b2190; b2200; b3414]
- b **asakurae** (Matsumura), 1910; *Acesina* OD: Ent. Zeit. 23(50):221 [b3084] SS: *bimmana* (Moore), [1884]; *Arhopala* o [Type: EIHU-ht] [TypeL - Formosa.] [Refs - b1644; b4198; b0236; b5053; b2177; b4193; b1454; b4094]
- c **asakurai** Nire, 1920; *Horaga* OD: Zool. Mag. 32:373-377 [b3404] SS: *moltrechti* Matsumura, 1919; *Horaga* [TypeL - Formosa.] [Refs - b4198; b1012; b1012]
- b **asakusa** Fruhstorfer, 1916; *Nacaduba* OD: Zoöl. Meded. 2(2):132 [b1873] SS: *beroe* (Felder & Felder), 1865; *Nacaduba* [Type: BMNH-ht] [TypeL - Formosa.] [Refs - b4676; b4198; b2479; b4547; b5053; b4094; b2472]
- c **asamensis** (Matsumura), 1929; *Lycaena* OD: Ins. matsumur. 3(2/3):139 [b3099] SS: *yagina* (Strand), 1922; *Plebejus* (*Lycaeides*) [Refs - b1900; b3328; b0236; b0067; b4193; b0471]
- e **ab. asandjwae** (Silbernagel), 1940; *Lycaena* OD: Acta Soc. ent. bohém. 37:118 [b4227] SS: *anteros* (Freyer), 1839; *Plebejus* (*Ultraarcia*) [TypeL - Czechoslovakia.] [Refs - b0080]
- c **asatha** (Fruhstorfer), 1914; *Arhopala* OD: Deut. ent. Zeit. [Iris] 28(2):131 [b1859] SS: *capeta* (Hewitson), [1878]; *Flos* [Type: BMNH-ht] [TypeL - Java.] [Refs - b1644; b1859; b4094]
- a **asclepia** Hewitson, 1870, 1869-1877; *Symmachia* OD: Equatorial Lep. Buckley (4):51 [b2330] [TypeL - Ecuador.] [Refs - b2988; b2747; b4474; b2753; b1456]
- b **ascolia** Hewitson, [1853], 1852-1877; *Nymphidium* OD: Ill. exot. Butts 1:[---], pl [57], f 4 [b2323] SS: *cachrus* (Fabricius), 1787; *Nymphidium* [TypeL - Amazon.] [Refs - b2747; b4476; b0680; b1456]
- b **ascollides** (Boisduval), 1870; *Desmozona* OD: Consid. Lép. Guatemala :21 [b0469] SS: *cachrus* (Fabricius), 1787; *Nymphidium* [TypeL - Guatemala.] [Refs - b2747; b4476; b1456]
- b **asemna** (Süchel), 1910; *Echenais* OD: Berl. ent. Z. 55(1/2):31 [b4445] SS: *alector* (Butler), [1867]; *Adelotypa* [TypeL - Bolivia; S. Brazil.] [Refs - b4475; b4141; b4445]
- b **aserbeidschana** (Forster), 1956; *Agrodiaetus* OD: Z. wien. ent. Ges. 41:72 [b1769] SS: *transcaspica* (Staudinger), 1899; *Polyommatus* (*Agrodiaetus*) [TypeL - Armenia.] [Refs - b2827]
- c **ashinensis** Murayama & Okamura, 1973; *Rapala* OD: Tyô to Ga 24(1):16, f 20-23 [b3305] SS: *alacetina* Semper, 1887; *Rapala* [Type: pc-ht; collection of Okamura.] [TypeL - Ashin, Luzon, Philippines.] [Refs - b0104; b4591; b1454; b3305]
- b **ashinica** Murayama & Okamura, 1973; *Horaga* OD: Tyô to Ga 24(1):17, f 28-32 [b3305] SS: *syrix* (C. Felder), 1860; *Horaga* [Type: pc-ht; collection of Murayama.] [TypeL - Ashin, Luzon, Philippines.] [Refs - b0104; b3305]
- c **ashira** (Holland), 1890; *Durbania* OD: Psyche 5:428 [b2423] SS: *debora* (Kirby), 1890; *Mimeresia* [TypeL - Upper Ogove River, Gaboon.] [Refs - b4400]
- e **ashreta** (Sakai), 1981, (ISS); *Vacciniina* OD: Butts Afghanistan :261 [b3910] SS: *ashretha* (Evans), 1925; *Plebejus* (*Vacciniina*) [Refs - b3910]
- b **ashretha** (Evans), 1925; *Lycaena* OD: J. Bombay nat. Hist. Soc. 30(2):346 [b1632] SS: *iris* (Lang), 1884; *Plebejus* (*Vacciniina*) [TypeL - India.] [Refs - b1636; b1759; b3910 (as ashreta); b1638; b0694]
- c **asia** de Nicéville, 1893; *Arhopala* OD: J. Bombay nat. Hist. Soc. 7(3):333, pl H, f 16 [b1156] SS: *amphimuta* (Felder & Felder), 1860; *Arhopala* b [TypeL - Malay Peninsula.] [Refs - b1644; b1156; b4094]
- a **asialis** (de Nicéville), 1895; *Azanus* OD: J. Bombay nat. Hist. Soc. 10(1):33, pl S, f 22 [b1160] CG: *Niphanda* [Type: BMNH-ht] [TypeL - Battak Mountains, N. E. Sumatra.] [Refs - b0964; b0965; b1840; b1568; b1454]
- b **asiatica** (Elwes), 1882; *Lycaena* OD: Proc. zool. Soc. Lond. 1882(3):404 [b1590] SS: *lehanus* Moore, 1878; *Polyommatus* (*Albulina*) [Note - *Classification according to Bálint (pers. comm.)*.] [Refs - b1636; b4180; b1762; b0993; b2479; b4094; b0694]
- b **asikana** Fruhstorfer, [1912]; *Rapala* OD: Berl. ent. Z. 56(3/4):254 [b1850] SS: *manea* (Hewitson), [1863]; *Rapala* [TypeL - Java.] [Refs - b1454; b1850; b4094]
- a **asinarus** Felder & Felder, 1865, 1865-1875; *Arhopala* OD: Reise Novara (2):235 [b1692] CG: *Arhopala* i [Type: BMNH-ht] [TypeL - Cochín.] [Refs - b1644; b2747; b1454]
- c **asis** Wood, 1833, 1833-1839; *Polyommatus* OD: Index entomologicus 8(63):pl 2, f 63 [b5036] SS: *semiargus* (Rouemburg), 1775; *Polyommatus* (*Cyaniris*) [Refs - b0410]
- b **askhabadica** (Forster), 1960; *Agrodiaetus* OD: Z. wien. ent. Ges. 45(7-10):135, pl 12,13, f 6,7 [b1772] SS: *phyllis* (Christoph), 1877; *Polyommatus* (*Agrodiaetus*) [TypeL - Transcaucasus.] [Refs - b2827; b1772]
- e **aslanga** (Kirby), 1877, (ISS); *Liptena* OD: Syn. Cat. diurn. Lep., Suppl. :762 [b2753] SS: *aslauga* (Trimen), 1873; *Baliochila* [Refs - b2753]
- a **aslauga** (Trimen), 1873; *Liptena* OD: Trans. ent. Soc. Lond. 21(2):117 [b4720] CG: *Baliochila* [TypeL - Natal.] [Type of - *Baliochila*] [Refs - b2280; b1259; b2750 (as *aslanga*); b1943 (misused); b2753 (as *aslanga*); b1452; b4400; b1235]
- a **asma** (Evans), 1957; *Narathura* OD: Bull. Mus. nat. Hist. (Ent.) 5(3):109 [b1644] CG: *Arhopala* g [Type: BMNH-ht] [TypeL - Woodlark Island.] [Refs - b1450; b1644]
- a **asmus** Parsons, 1986; *Spalgis* OD: Tyô to Ga 37(3):130, f 42, 119-124 [b3550] [Type: CAS-ht] [TypeL - New Guinea.] [Refs - b3550]

- b **asoka** (Kollar), [1844]; *Lycaena* OD: In Hügel, Kaschmir 4(2):419 [b2821] SS: strabo (Fabricius), 1793; *Catochrysops* [TypeL - Massuri, India.] [Refs - b2747; b4094; b4670; b0694]
- a **asoka** (de Nicéville), [1884]; *Niläsera* OD: J. asiat. Soc. Bengal, Pt II 52(2/4):78, pl 9, f 6,6a [b1145] CG: Flos [TypeL - Sikkim.] [Refs - b1644; b2479; b2201; b1454; b4094]
- b **asoka** Bennett, 1950; *Abisara* OD: *Entomologist* 83:38 [b0294] SS: *kausambi* Felder & Felder, 1860; *Abisara* [Type: BMNH] [TypeL - Borneo.] [Refs - b0294; b1454; b3528]
- c **asonis** (Matsumura), 1929; *Lycaena* OD: *Ins. matsumur.* 3(2/3):141 [b3099] SS: *barine* (Leech), [1893]; *Shijimiacoides* [TypeL - Kiushu.] [Refs - b1900; b0236; b0067; b2242; b0471]
- a **asopia** (Hewitson), [1869], 1863-1878; *Amblypodia* OD: *Ill. diurn. Lep. Lycaenidae* 1:14f; 2pl 3c, f 50,51 [b2326] CG: *Arhopala i* [Type: BMNH-ht] [TypeL - Moulmein.] [Refs - b1644; b2747; b1454; b4094]
- c **asopis** Stichel, 1909; *Mesosemia* OD: *Berl. ent. Z.* 54(1/2):25 [b4444] SS: *asa* Hewitson, 1869; *Mesosemia* [TypeL - Panama.] [Refs - b4474]
- c **asopus** Hopffer, 1855; *Euchrysops* OD: *Ber. Verh. Akad. Berl.* 1855:642, n 22 [b2443] SS: *malathana* (Boisduval), 1833; *Euchrysops* [TypeL - Africa.] [Refs - b1943; b2747; b5055; b0836; b4400]
- c **asopus** Waterhouse & Lyell, 1914; *Arhopala* OD: *Butts Aust.* :125 [b4947] SS: *centaurus* (Fabricius), 1775; *Arhopala h* [TypeL - Darwin.] [Refs - b1644; b1450; b0870; b4094; b1475; ns1430]
- b **aspasia** Grünberg, 1910; *Pentila* OD: *Sber. Ges. naturf. Freunde Berl.* 1910:473 [b2076] SS: *cloetensi* Aurivillius, 1897; *Pentila* [TypeL - Spanish Guinea.] [Refs - b1452; b2076; b4420; b4400]
- a **aspidos** H. H. Druce, 1890; *Larinopoda* OD: *Ann. Mag. nat. Hist.* (6):5:25 [b1353] [TypeL - W. Africa.] [Refs - b2907; b1840; b1452; b0836; b4400]
- a **aspra** Doherty, 1891; *Sinthusa* OD: *J. asiat. Soc. Bengal, Pt II* 60(2):180 [b1304] [TypeL - Java.] [Refs - b4094; b4598]
- b **assamensis** (Doherty), 1891; *Gerydus* OD: *J. asiat. Soc. Bengal, Pt II* 60(1):37, pl 1, f 7 [b1303] SS: *chinensis* C. Felder, 1862; *Miletus* 1 [Refs - b1636; b1546; b1840; b0694]
- a **assamica** (Tytler), 1915; *Zephyrus* OD: *J. Bombay nat. Hist. Soc.* 24(1):130 [b4772] CG: *Chrysozephyrus* [Type: BMNH-ht] [TypeL - India.] [Refs - b1636; b0236; b4214; b4200; b3296; b1454; b0694; b2463]
- b **assamica** Tytler, 1915; *Everes* OD: *J. Bombay nat. Hist. Soc.* 24(1):122 [b4772] SS: *lacturnus* (Godart), [1824]; *Everes* [Refs - b1636; b0696; b0694; b4108]
- b **assamica** Seitz, [1923], 1912-1927; *Talicaeda* OD: In Seitz, *Grossschmett. Erde* 9:925 [b4094] SS: *nysseus* (Guérin-Méneville), [1843]; *Talicaeda* [TypeL - Assam.] [Refs - b4094; b1454]
- a **assimulata** (Stichel), 1910; *Lymnas* OD: *Gen. Insectorum* 112(A):207 [b4446] CG: *Melanis* [Type: pc-ht; collection of Stichel] [TypeL - Upper Rio Magdalena, Colombia.] [Refs - b4474; b1456; b4446]
- a **assuensis** Johnson, 1991; *Reversustus* OD: *Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point)* (21):35, f [b2606] [Type: AMNH-ht] [TypeL - Igarapi-Assú, Paraná State, Brazil.] [Refs - b0125; b2606]
- a **assula** Draudt, [1919], 1917-1924; *Thecla* OD: In Seitz, *Grossschmett. Erde* 5:748, pl 153-a [b1348] CG: *Thecla* (New World Eumaeini) [Type: NMB] [TypeL - Bogotá, Colombia.] [Refs - b0908]
- b **assus** Fruhstorfer, [1914], 1909-1923; *Abisara* OD: In Seitz, *Grossschmett. Erde* 9:780 [b1840] SS: *bumii* (de Nicéville), 1895; *Abisara* [TypeL - Canton.] [Refs - b4473; b1454; b1840]
- b **astabene** (Hemming), 1932; *Scolitantides* OD: *Entomologist* 65:181 [b2243] SS: *vicrama* (Moore), 1865; *Pseudophilotes* [Note - Replacement name for *clara* Staudinger.] [Refs - b2905; b3547 (in *Philotes*); b0070; b0293; b3910 (as *clara*, in *Philotes*); b3555; b0694]
- c **astapa** Fruhstorfer, 1916; *Nacaduba* OD: *Zoöl. Meded.* 2(2):134 [b1873] SS: *kurava* (Moore), [1858]; *Nacaduba* [Type: BMNH-ht] [TypeL - Bali.] [Refs - b4676; b0938; b1454; b4094; b0125]
- b **astapus** (Fruhstorfer), 1918; *Castalius* OD: *Tijdschr. Ent.* 61:35 [b1884] SS: *roxus* (Godart), [1824]; *Caleta* [TypeL - Java.] [Refs - b1840; b1454]
- c **astarche** (Bergsträsser), [1779], 1778-1780; *Papilio* OD: *Nom. Ins.* 3:pl 49, f 7,8 [b0310] SS: *celeno* (Cramer), [1775]; *Jamides* [Refs - b2747]
- b **astarga** (Fruhstorfer), 1910; *Cyaniris* OD: *Stett. ent. Ztg* 71(2):290 [b1843] SS: *rona* (Grose-Smith), 1894; *Udara* (Udara) [Type: BMNH-ht; designated by Eliot & Kawazoé, 1983] [Butts *Lycaenopsis* group :91 [b1580]] [TypeL - Java.] [Refs - b1840; b1580]
- a **astarte** (Butler), 1882; *Lampides* OD: *Ann. Mag. nat. Hist.* (5):10:150 [b0621] CG: *Tartesa* [Type: BMNH-ht] [TypeL - New Britain.] [Type of - Tartesa] [Refs - b4676; b1450; b0621; b4094; b2388; b2387; b2388]
- c **astenidas** (Lucas), 1857; *Lycaena* OD: In Sagra, *Hist. Cuba* 7:613 [b3021] SS: *filenus* (Poey), 1832; *Hemiargus* [TypeL - Cuba.] [Refs - b0908; b0907; b2747]
- e **astenidia** Draudt, [1921], 1917-1924, (ISS); *Hemiargus* OD: In Seitz, *Grossschmett. Erde* 5:819 [b1348] SS: *astenidas* (Lucas), 1857; *Hemiargus* [Refs - b0908]
- b **aster** (Edwards), 1882; *Lycaena* OD: *Can. Ent.* 14(10):194 [b1519] SS: *idas* (Linnaeus), 1761; *Plebejus* (*Lycaeides*) [Type: CM-ht; designated by Brown, 1970] [Trans. amer. ent. Soc. 96:371 [b0510]] [TypeL - Avalon Peninsula, Newfoundland. Restrictd by Brown, 1970.] [Refs - b0908; b3328; b3192; b0236; b1321]
- e **ab. aster** Oberthür, 1917; *Plebejus* OD: *Étud. Léop. comp.* 14:pl 15, f 45,46 [b3457] SS: *argus* (Linnaeus), 1758; *Plebejus* [Refs - b0236]
- b **asteria** Stichel, 1910; *Napaea* OD: *Gen. Insectorum* 112(A):85 [b4446] SS: *theages* (Godman & Salvin), 1878; *Napaea* [Type: BMNH-st] [TypeL - Colombia.] [Refs - b4474; b1456; b4446]
- a **asteria** (Stichel), 1911; *Polystichtis* OD: *Gen. Insectorum* 112(B):321 [b4447] CG: *Calospila* [Type: ZMHU-st] [TypeL - Rio San Juan, Colombia.] [Refs - b4475; b4446]
- a **asteris** (Godart), [1824], 1819-1824; *Polyommatus* OD: In *Ency. méth.* 9(Ins.)(2):657 [b1970] CG: *Lepidochrysops* [TypeL - S. Africa.] [Refs - b1943; b4400; b1259; b2747; b1452; b4400; b0359]
- c **asteris** (Gray), 1832; *Erycina* OD: In Griffith, *Cuvier's Anim. Kingdom* 15(Cl. Ins. 2):677, pl 102 [b2014] SS: *dorilas* (Cramer), [1775]; *Symmatia* [TypeL - Brasilia.] [Type of - Dorila] [Refs - b2280; b2747; b4474]
- c **asteris** (Trimen), 1870; *Lycaena* OD: *Trans. ent. Soc. Lond.* 18(4):360 [b4719] SS: *ortygia* (Trimen), 1887; *Lepidochrysops* [Refs - b4400; b2747]
- c **asteris** Snellen, 1872; *Euchrysops* OD: *Tijdschr. Ent.* 15:18, pl 1, f 4,5 [b4257] SS: *barkeri* (Trimen), 1893; *Euchrysops* [Refs - b4400; b2747]
- a **asterius** Plötz, 1880; *Aphnaeus* OD: *Stett. ent. Ztg* 41:201 [b3622] [TypeL - W. Africa.] [Refs - b4387; b1452; b0836; b4400]

- a **asterra** (Grose-Smith), 1898; *Lucilla* OD: Ann. Mag. nat. Hist. 72(72):72 [b2044] CG: *Lucillella* [Type: BMNH-ht] [TypeL - Valdevia, Colombia.] [Refs - b4474; b1456]
- c **astiana** Seitz, [1917], 1910-1924; *Symmachia* OD: In Seitz, Grossschmett. Erde 5:682 [b4093] SS: *belii* Godman & Salvin, [1886]; *Symmachia* [TypeL - Guiana; Amazon.] [Refs - b4474; b4093]
- b **astillero** Johnson, 1992; *Thecloxurina* OD: Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (22):11, f [b2610] SS: *loxurina* (Felder & Felder), 1865; *Thecloxurina* [Type: AMNH-ht] [TypeL - Cucho, Dept. Capital, Jujuy Province, Argentina.] [Refs - b0125; b2610; b2610]
- a **astiocha** Pritzwitz, 1865; *Lycaena* OD: Stett. ent. Ztg 26:324 [b3651] CG: *Lycaena* (?) [TypeL - Corcovado, Rio de Janeiro, Brazil.] [Note - Compared with *aegon* and *alexis*.] [Refs - b0908; b2747; b3651]
- a **astorica** (Evans), 1925; *Lycaena* OD: J. Bombay nat. Hist. Soc. 30(2):346 [b1632] CG: *Polyommatus* [TypeL - North western Himalayas.] [Note - Evans attributed the name to *Tyler* and so did *Canlie*. Also seen in *Turanana*.] [Refs - b1636; b1632; b0694 (in *Anicia*)]
- d **astorica** (Tyler), 1926, (H); *Lycaena* OD: J. Bombay nat. Hist. Soc. 31(3):585, pl 1, f 8 [b4773] OS: *marlene* (Hemming), 1934; *Polyommatus* (*Agniaes*) [TypeL - Astor.] [Refs - b0236; b0065; b0694; b4773; b0471]
- a **astraea** (Freyer), 1852, 1831-1858; *Lycaena* OD: Neuere Beitr. Schmett. 6:161, pl 583, f 1,2 [b1795] CG: *Glaucoopsyche* [TypeL - Amasiya, Armenia.] [Refs - b2747; b0993; b1762; b0400; b2794; b4092; b2239]
- e **astraea** Kirby, 1871, (ISS); *Ithomeis* OD: Syn. Cat. diurn. Lep. 306 [b2747] SS: *astrea* (Felder & Felder), 1862; *Ithomeis* [Refs - b2747]
- a **astraea** Staudinger, [1888], 1884-1888; *Symantia* OD: In Exot. Schmett. 1:250 [b4329] [TypeL - Ega.] [Refs - b4474; b1456]
- c **astragala** (Wright), 1905; *Lycaena* OD: Butts W. Coast U. S. 232, pl 30, f 401 [b5043] SS: *gyas* (Edwards), [1871]; *Hemiargus* [Type: CAS-ht] [TypeL - San Bernardino, California.] [Refs - b0908; b3326; b3192; b1321; b5043]
- c **astragaliphaga** (Vorbrodtt), 1912; *Lycaeides* OD: Schmett. Schweiz 1:125 [b4885] SS: *nivea* (Courvoisier), 1910; *Plebejus* (*Lycaeides*) [Refs - b0410; b0471 (as *astragaliphora*)]
- e **astragaliphora** Bollow, 1930, 1929-1931, (ISS); *Plebejus* OD: In Seitz, Grossschmett. Erde 1(Suppl):260 [b0471] SS: *astragaliphaga* (Vorbrodtt), 1912; *Plebejus* (*Lycaeides*) [Refs - b0236; b0410; b0471]
- b **astrape** Fruhstorfer, 1915; *Amblopala* OD: Soc. ent. 30(11):63 [b1862] SS: *avidiena* (Hewitson), 1877; *Amblopala* [TypeL - Tsingtau, Chain.] [Refs - b0996; b2479; b0236 (as *astarpe*); b1862]
- a **astraptes** C. Felder, 1860; *Jamides* OD: Sber. Akad. Wiss. Wien 40(11):456 [b1676] [TypeL - Philippines.] [Refs - b1450; b3059; b2747; b2698 (as ssp of *bochus*); b1865; b4094; b4934]
- c **astrarche** (Bergsträsser), [1779], 1778-1780; *Papilio* OD: Nom. Ins. 3:4, pl 49, f 7,8 [b0310] SS: *agestis* ((Denis & Schiffemüller), 1775; *Plebejus* (*Aricia*) [Refs - b1636; b1780; b1762; b2399; b0995; b2827; b2866; b0236; b0410; b2794; b3683; b4094; b3055; ns2145; b4092.]
- e **astrea** Gerhard, 1853, 1850-1853, (ISS); *Glaucoopsyche* OD: Vers. monog. europ. Schmett. ():- [b1928] SS: *astraea* (Freyer), 1852; *Glaucoopsyche* [Refs - b2794]
- a **astrea** (Felder & Felder), 1862; *Ithomiopsis* OD: Wien. ent. Monats. 6(12):412 [b1689] CG: *Ithomeis* [TypeL - Venezuela.] [Refs - b2988; b4474; b1456]
- c **astrophila** (Toxopeus), 1929; *Amblypodia* OD: Tijdschr. Ent. 72(3/4):212 [b4699] SS: *phalakron* (Fruhstorfer), 1914; *Flos* [TypeL - Sumatra.] [Refs - b1644; b0067; b4699]
- b **astrosuluensis** Schröder & Treadaway, 1989; *Iraota* OD: Ent. Zeit. 99(24):362-363 [b3990] SS: *rochana* (Horsfield), [1829]; *Iraota* [TypeL - Bongao, Sanga Sanga, Tawitawi, Philippines.] [Refs - b4713]
- b **asturiensis** Oberthür, 1910; *Polyommatus* OD: Étud. Léop. comp. 4:293 [b3451] SS: *pyrenaicus* (Boisduval), 1840; *Polyommatus* (*Agniaes*) [Refs - b2375; b0993; b0236; b0471]
- b **asturiensis** (de Sagarra y Castellamau), 1924; *Agniaes* OD: Bull. Inst. catal. Hist. nat. (2)4:202 [b1176] SS: *coridon* (Poda von Neuhaus), 1761; *Polyommatus* (*Lysandra*) [Type: MCNB-ht] [TypeL - Puerto de Pajares, Prov. Oviedo, N. Spain.] [Note - Mantley & Allcard consider this a good species, as does *Kudrna*. Name may be a homonym.] [Refs - b2375; b3059; b0111; b0236; b4027; b2859; b4038; b1455]
- a **astyla** (Felder & Felder), 1862; *Hypolycaena* OD: Wien. ent. Monats. 6(9):294 [b1688] CG: *Hypothecla* [TypeL - Philippines.] [Type of - *Hypothecla*] [Refs - b2280; b2747; b4094; b1454]
- b **astynome** (Oberthür), [1919]; *Cyaniris* OD: Bull. Soc. ent. Fr. 1918(17):238 (partim) [b3461] SS: *morsheadi* (Evans), 1915; *Celastrina* [Type: BMNH-lt; designated by Eliot & Kawazoé, 1983] [Butts *Lycaenopsis* group :241 [b1580]] [TypeL - China.] [Refs - b1840; b2479; b0236; b3461]
- b **asur** Agenjo, 1966; *Plebejus* OD: Eos 41:174 [b0016] SS: *argus* (Linnaeus), 1758; *Plebejus* [Refs - b3059]
- e **asymmetrica** (Schultz), 1903; *Lycaena* OD: Nyt Mag. naturvid. 41:24 [b3999] SS: *hippotoe* (Linnaeus), 1761; *Palaeochrysophanus* [Refs - b0236]
- a **atabyrius** (Oberthür), 1914; *Zephyrus* OD: Étud. Léop. comp. 9(2):48, pl 254, f 2140 [b3453] CG: *Saigusaozephyrus* [Type: BMNH-ht] [TypeL - Ta Tsien Lu, Yunnan, China.] [Type of - *Saigusaozephyrus*] [Refs - b0996; b0236; b4214; b4200 (genus uncertain); b3296 (in *Teratozephyrus*); b0471 (as *atalyrius*); b0126; b1455]
- a **atacama** Johnson & Miller, 1992; *Heoda* OD: Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (23):7, f [b2637] [Type: UMCE-ht] [TypeL - Coquimbo, Chile.] [Refs - b0125; b2637]
- c **atacinus** Fruhstorfer, [1915], 1909-1923; *Allotinus* OD: In Seitz, Grossschmett. Erde 9:811 [b1840] SS: *continentalis* Fruhstorfer, 1913; *Allotinus* (*Paragerydus*) [Type: BMNH-ht] [TypeL - Burma.] [Refs - b1636; b1840; b1571; b0694; b1552]
- b **atahualpa** (Saunders), [1859]; *Erycina* OD: Trans. ent. Soc. Lond. (2)5(9):101; pl 11, f 14 [b3939] SS: *jurgensenii* (Saunders), [1850]; *Ancyluris* [TypeL - New Granada.] [Refs - b2747; b4474; b3939]
- c **atahualpa** (Wallengren), 1860; *Polyommatus* OD: Wien. ent. Monats. 4(2):37 [b4915] SS: *chilensis* (Blanchard), 1852; *Pseudolucia* [Type: NRS-lt; designated by Bálint, 1993] [Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (29):17 [b0207]] [TypeL - Valparaiso, Chile.] [Refs - b0908; b3846; b2747; b3718; b4915; b0207]
- a **atala** (Poey), 1832; *Eumenia* OD: Cent. Léop. Cuba :[17], pl [3], 3 f [b3624] CG: *Eumaeus* [TypeL - Havana, Cuba.] [LifeH - Tietz lists b4081, b2222, b2223.] [Refs - b1530 :188, f 351; b1321 :52; b4245; b0907; b2014 (as *toxia, toxea*); b0908; b2747; b1343; b3192; b3626; b0833; b0817; b4950; b3811; b4066; b4652]
- b **atarana** (Tyler), 1926; *Amblypodia* OD: J. Bombay nat. Hist. Soc. 31(3):588 [b4773] SS: *allata* (Staudinger), 1889; *Arhopala a* [Type: BMNH-ht] [TypeL - Ataran, Burma.] [Refs - b1644; b1454]

- c **ataranica** Toxopeus, 1927; *Nacaduba* OD: *Treubia* 9(4):425 [b4696] SS: *euplea* Fruhstorfer, 1916; *Nacaduba* [Type: BMNH-ht] [TypeL - Ataran Valley, Tenasserim.] [Note - This may have been described as a DSF, and thus would not be available.] [Refs - b4676; b0938; b0694]
- e **atavica** (Verity), 1943, (IFS); *Syntarucus* OD: *Farfalle Diurne Ital.* 2:80, pl 7, f 12 [b4862] SS: *pirithous* (Linnaeus), 1767; *Leptotes* [Type: MZS-ht] [Refs - b2856; b0400]
- c **f. atavus** (Rebillard), 1958; *Orimba* OD: *Mém. Mus. natn Hist. nat.* (A)15:208, pl 1, f 10 [b3717] SS: *tapaja* (Saunders), [1859]; *Setabis* [Type: MNHN-ht] [TypeL - Santarem, Brazil.] [Refs - b3717; b0093]
- a **ataxus** (Westwood), [1851], 1846-1852; *Dipsas* OD: *In Gen. diurn. Lep.* (2):pl 74, f 7, (:480) [b4981] CG: *Thermozephyrus* [Type: BMNH-ht] [TypeL - India bor.] [Type of - *Dipsas*, *Thermozephyrus*] [Refs - b1636; b2988; b2280; b4094; b2747; b0996; b2479; b0236; b4950; b4214; b4200; b3296; b1454; b0694; b3485; b4092; b2463]
- a **atayalica** (Shirôzu & Murayama), 1943; *Thecla* OD: *Ent. World* 11(107):2-4, f 1,2 [b4206] CG: *Leucantigius* [Type of - *Leucantigius*] [Refs - b4198; b2280; b5053; b4207; b4214; b4200; b1454; b2809]
- a **ate** Hewitson, [1863], 1863-1878; *Arhopala* OD: *Ill. diurn. Lep. Lycaenidae* 1:8; 2:pl 1, f 4 [b2326] CG: *Arhopala e* [Type: BMNH-ht] [TypeL - Amboina.] [Refs - b1450; b1644; b1556; b2747; b4094; b2658]
- a **atena** Hewitson, [1867], 1863-1878; *Thecla* OD: *Ill. diurn. Lep. Lycaenidae* 1:92; 2:pl 36, f 93, pl 37, f 101 [b2326] CG: *Thecla* (New World *Eumaeini*) [Type: BMNH] [TypeL - Amazon.] [Note - *Near janthina*.] [Refs - b0908; b2747; b3818; b2497; b1375; b1975; b2918]
- b **ater** Seitz, [1917], 1910-1924; *Euselasia* OD: *In Seitz, Grossschmett. Erde* 5:628, pl 121g [b4093] SS: *midas* (Fabricius), 1775; *Euselasia* [TypeL - Not stated.] [Refs - b4475; b0680; b4093]
- e **aterrima** Seitz, [1917], 1910-1924; *Barbicomis* OD: *In Seitz, Grossschmett. Erde* 5:663 [b4093] SS: *melanops* Butler, 1873; *Barbicomis* [Refs - b4474]
- a **atesa** Hewitson, [1867], 1863-1878; *Thecla* OD: *Ill. diurn. Lep. Lycaenidae* 1:79; 2:pl 31, f 31,32 [b2326] CG: *Thecla* (New World *Eumaeini*) [Type: BMNH] [TypeL - Amazon (Tapajos).] [Refs - b0908; b2747]
- a **athada** (Staudinger), 1889; *Amblypodia* OD: *Deut. ent. Zeit. [Iris]* 2(1):125 [b4332] CG: *Arhopala f* [Type: BMNH-ht; designated by Evans, 1957] [Bull. Br. Mus. nat. Hist. (Ent.) 5(3):102 [b1644]] [TypeL - Malacca, Malay Peninsula.] [Refs - b1644; b1556; b1450 (as *athara* Grose-Smith); b3498; b1454; b1454; b1544; b4602; b4108]
- e **athamantis** (Rühl), 1893, 1892-1893, (ISS); *Polyommatus* OD: *In Palae. Grossschmett.* 1:220 [b3901] SS: *athamantis* (Eversmann), 1854; *Athamantis* [Refs - b3371; b4092]
- a **athamantis** (Eversmann), 1854; *Polyommatus* OD: *Bull. Soc. imp. Nat. Moscou* 27(2):180, pl 1, f 3,4 [b1651] CG: *Athamantis* [Type: ZIL-ht; designated by Nekrutenko & Effendi, 1983] [Vestnik Zoologii 1983(4):8-15 [b3371]] [TypeL - Aral.] [Type of - *Athamantis*] [Refs - b2747; b0996; b2827 (as *athamantis*); b4220; b3371; b5068]
- b **athanagild** (Fruhstorfer), 1908; *Chrysophanus* OD: *Int. ent. Z.* 2(29):194 [b1834] SS: *virgaureae* (Linnaeus), 1758; *Lycaena* (Heodes) [TypeL - Schweiz: Engadin.] [Refs - b0389; b4092; b2858]
- b **athanetus** (Fruhstorfer), 1915; *Thysonotis* OD: *Soc. ent.* 30:50 [b1866] SS: *wallacei* (Felder & Felder), 1865; *Danis* [Refs - b1450; b1866]
- b **athanetus** (Fruhstorfer), 1915; *Lampides* OD: *Arch. Naturgesch.* (A)81(6):25 [b1865] SS: *philams* (Snellen), 1878; *Jamides* [Type: BMNH-ht] [TypeL - Java.] [Refs - b1865; b1454; b4094; b3786]
- c **athara** Grose-Smith, 1902, 1887-1902; *Arhopala* OD: *Rhop. exot.* 3(60):9, pl 25, f 2 [b2029] SS: *alcestis* (Grose-Smith), 1902; *Arhopala g* [Type: BMNH-ht] [TypeL - Stephansort.] [Refs - b2029; b4094 (bad reference); b1644]
- b **athena** (Felder & Felder), 1865, 1865-1875; *Lycaena* OD: *Reise Novara* (2):279, pl 34, f 26,27 [b1692] SS: *lajus* (Stoll), [1780]; *Chilades* [TypeL - Luzon, Philippines.] [Refs - b2747; b4094; b2479; b4601; b4108]
- a **athena** (Hewitson), 1869, 1869-1877; *Eurygona* OD: *Equatorial Lep.* Buckley (3):46 [b2330] CG: *Euselasia* [Type: BMNH-ht] [TypeL - Ecuador.] [Refs - b2747; b4474; b0680; b1456]
- c **athene** (Hemming), 1934; *Scolitanides* OD: *Stylops* 3:98 [b2252] SS: *orion* (Pallas), 1771; *Scolitantides* [Type: biblio; replacement for *omata* Staudinger, 1892.] [Refs - b2252; b0072]
- c **athis** (Freyer), 1852, 1831-1858; *Agrodiaetus* OD: *Neuere Beitr. Schmett.* 6:147, pl 573, f 2,3 [b1795] SS: *actis* (Herrich-Schäffer), [1851]; *Polyommatus* (*Agrodiaetus*) [Refs - b0993; b1772; b4092]
- a **athymbra** Hewitson, [1867], 1863-1878; *Thecla* OD: *Ill. diurn. Lep. Lycaenidae* 1:92; 2:pl 36, f 91,92 [b2326] CG: *Thecla* (New World *Eumaeini*) [Type: BMNH] [TypeL - Amazon.] [Refs - b0908; b2747]
- c **athys** (Gerhard), 1853, 1850-1853; *Agrodiaetus* OD: *Vers. monog. europ. Schmett.* :11, pl 19, f 3a-d [b1928] SS: *actis* (Herrich-Schäffer), [1851]; *Polyommatus* (*Agrodiaetus*) [Refs - b1772]
- b **atilla** (Oberthür), 1914; *Zephyrus* OD: *Étud. Léop. comp.* 9(2):52, pl 255, f 2149 [b3453] SS: *atilia* (Bremer), 1861; *Antigius* [TypeL - Ta Tsien Lu, Yunnan, China.] [Refs - b0996; b2747; b0236; b0471; b1455 (as *atilla*)]
- a **atima** Bates, [1868]; *Theope* OD: *J. linn. Soc. Lond., Zool.* 9:407 [b0267] [Type: BMNH-ht] [TypeL - Ega.] [Refs - b4475; b1456]
- a **atimonicus** Murayama & Okamura, 1973; *Miletus* OD: *Tyô to Ga* 24(1):23, f 45,46 [b3305] CG: *Miletus* 4 [Type: pc-ht; collection of Murayama.] [TypeL - Atimonan, Luzon, Philippines.] [Refs - b0104; b1571; b3305]
- c **atina** (Fruhstorfer), 1915; *Lampides* OD: *Arch. Naturgesch.* (A)81(6):9 [b1865] SS: *pseudelpis* (Butler), [1879]; *Jamides* [Refs - b1636; b1865; b4094; b0694 (with *elpis*)]
- a **atkinsoni** (Hewitson), [1869], 1863-1878; *Amblypodia* OD: *Ill. diurn. Lep. Lycaenidae* 1:14g; 2:pl 3b, f 48,49 [b2326] CG: *Apporasa* [TypeL - Moulmein.] [Type of - *Apporasa*] [Refs - b1636; b2280; b2747; b4094; ns1301; b1454; b0694]
- a **atlantica** (Elwes), 1906; *Lycaena* OD: *In Trans. ent. Soc. Lond.* 53(4):380, pl 19, f 5,6 [b1597] CG: *Polyommatus* (*Plebicula*) [TypeL - Morocco.] [Refs - b0236 (as *atlantis*); ns1420; b0977; b1136; b0471 (as *atlantis*); b2374; b1455]
- a **atlantica** Dickson, 1966; *Poecilmitis* OD: *Ent. Rec.* 78(7/8):181 [b1237] [TypeL - Lange Valley, Cape Province, S. Africa.] [Refs - b1259; b1452; b4400]
- b **atlantis** Stichel, 1910; *Thisbe* OD: *Berl. ent. Z.* 55(1/2):87 [b4445] SS: *irenea* (Stoll), [1780]; *Thisbe* [Type: pc-ht; collection of Stichel] [TypeL - Port of Spain, Trinidad.] [Refs - b4475; b1456; b4445]
- b **atlas** de Nicéville, 1895; *Abisara* OD: *J. Bombay nat. Hist. Soc.* 9(3):268, pl N, f 10,11 [b1159] SS: *savitri* Felder & Felder, 1860; *Abisara* [TypeL - Java.] [Refs - b4473; b1454; b1840]

- e** *atrius* (Kirby), 1871, (ISS); *Thecla* OD: Syn. Cat. diurn. Lep. 399 [b2747] SS: *atrius* (Herrich-Schäffer), [1853]; *Mercedes* [Refs - b0908; b2747]
- e** *f. atomaria* (Fruhstorfer), 1913, (IFS); *Gerydus* OD: Z. wiss. Insektbiol. 9(10):307 [b1851] SS: *biggsii* (Distant), 1884; *Miletus* 3 [TypeL - Rhio Archipelago.] [Refs - b1636; b1546; b1840; b4108]
- a** *atosis* (Hewitson), [1863], 1863-1878; *Amblypodia* OD: Ill. diurn. Lep. Lycaenidae 1:9; 2:pl 2. f 8,9 [b2326] CG: *Arhopala* a [Type: BMNH-ht] [TypeL - Sumatra.] [Refs - b1644; b1556; b2747; b1454; b4094; b4108]
- a** *atra* (Grum-Grshimailo), 1885; *Lycaena* OD: In Romanoff, Mém. Lép. 2:217 [b2064] CG: *Polyommatus* (*Cyaniris*) [TypeL - Alai, RSS du Tadjikistan, URSS.] [Note - *Near alsus*, *semiargus*, *minima*.] [Refs - b0993; b0236; b2064; b0471]
- c** *atra* (H. H. Druce), 1896; *Marmessus* OD: Proc. zool. Soc. Lond. 1896(3):679 [b1365] SS: *fulminans* (Staudinger), 1889; *Drupadia* [TypeL - East Sabah, East Malaysia.] [Refs - b1030; b4094; b4108]
- a** *atra* Tite, 1963; *Prosotas* OD: Bull. Br. Mus. nat. Hist. (Ent.) 13(4):92, tf 49; pl 1, f 10-11 [b4676] [Type: BMNH-ht] [TypeL - Talesea, New Britain.] [Refs - b1450; b4676; b2388]
- a** *atrana* Schaus, 1902; *Thecla* OD: Proc. U. S. natn. Mus. 24(1262):409 [b3948] CG: *Thecla* (New World Eumaeini) *atrana* group [Type: USNM-ht; #5925] [TypeL - Castro, Paraná, Brazil.] [Note - Johnson places this in the *Strymon* group.] [Refs - b0908; b3948; b2631; b2597]
- b** *atrapraetextus* Field, 1939; *Plebejus* OD: J. Kansas ent. Soc. 12(4):135 [b1736] SS: *idas* (Linnaeus), 1761; *Plebejus* (*Lycacides*) [Type: USNM-ht] [TypeL - Priest River, Idaho.] [Refs - b0908; b3192; b3328; b1743; b1321; b4066]
- c** *f. atrata* Lonitz, 1948; *Polyommatus* OD: Revue fr. Lép. 11(18/19):364 [b3006] SS: *escheri* (Hübner), [1823]; *Polyommatus* (*Plebicula*) [TypeL - Maritime Alps.]
- e** *atratus* (Horsfield), [1828], 1828-1829, (NN); *Lycaena* OD: Descr. Cat. lepid. Ins. (1):78 [b2457] SS: *sinhala* Ormiston, 1924; *Nacaduba* [Refs - b2747; b1762; b1636; b4094; b0694]
- a** *atrx* (Hewitson), 1862; *Amblypodia* OD: Spec. Cat. Lyc. Brit. Mus. :13, pl 7, f 80,82 [b2325] CG: *Arhopala* f [Type: BMNH-ht] [TypeL - Bengal.] [Type of - *Satadra*] [Refs - b1644; b2280; b2747; b1454; b4094]
- e** *ab. atrescens* (Tut), 1909, 1905-1914; *Agrinades* OD: Nat. Hist. Brit. Butts 3:337 [b4760] SS: *bellargus* (Rottemburg), 1775; *Polyommatus* (*Lysandra*) [Refs - b0236; b0471]
- e** *atrescens* (Verity), 1926, 1926-1933, (IFS); *Agrinades* OD: Ent. Rec. 38:124 [b4844] SS: *coridon* (Poda von Neuhaus), 1761; *Polyommatus* (*Lysandra*) [Type: MZS-ht] [TypeL - Alps.] [Refs - b2856; b0236; b0471]
- a** *atricolor* Butler, 1871; *Lepicomicus* OD: Ann. Mag. nat. Hist. (4)8:284 [b0594] [TypeL - Brazil.] [Refs - b2753; b4474; b0594; b1456]
- a** *atrigemmata* (Butler), 1878; *Lycaena* OD: Ann. Mag. nat. Hist. (5)2:290 [b0611] CG: *Actizera* [TypeL - Madagascar.] [Type of - *Actizera*] [Note - *Not spelled atrigemmatas*.] [Refs - b2280; b1452; b0754; b0611; b4400; b2920]
- a** *atrinervis* Hulstaert, 1924; *Telipna* OD: Revue zool. afr. 12(2):113 [b2496] [TypeL - Kamerun.] [Refs - b3796; b1452; b2496; b4400]
- b** *atrinotata* Fruhstorfer, [1912]; *Yasoda* OD: Berl. ent. Z. 56(3/4):224 [b1850] SS: *tripunctata* (Hewitson), [1863]; *Yasoda* [TypeL - Tonkin.] [Refs - b1454; b1850; b4094]
- a** *atrius* (Herrich-Schäffer), [1853], 1850-1869; *Thecla* OD: Samml. neuer. aussereurop. Schmett. 1:[55], pl [14], f 53,54 [b2314] CG: *Mercedes* [TypeL - Surinam.] [Refs - b0908; b2988; b4245; b2747 (as *atrius*); b3818; b2497; b1375; b1975; b0125; b2606]
- b** *atroculis* Butler, 1874; *Mesosemia* OD: Trans. ent. Soc. Lond. 22(4):429 [b0598] SS: *messeis* Hewitson, [1860]; *Mesosemia* [TypeL - Pebas.] [Refs - b2753; b4474]
- b** *atrofasciata* McDunnough, 1921; *Strymon* OD: Can. Ent. 53(2):47 [b3130] SS: *melinus* Hübner, [1818]; *Strymon* [Type: CNC-ht] [TypeL - Wellington, British Columbia.] [Refs - b0908; b3192; b1743; b1321]
- e** *atrofusa* (Seitz), [1924], 1912-1927, (ISS); *Nacaduba* OD: In Seitz, Grossschmett. Erde 9:918 [b4094] SS: *atrosuffusa* (Waterhouse), 1903; *Theclimethes* [Refs - b4094]
- a** *atroguttata* (Oberthür), 1876; *Lycaena* OD: Étud. ent. 2:21, pl 1, f 4a,b [b3417] CG: *Phengaris* [TypeL - Mou-pin.] [Type of - *Phengaris*] [Refs - b4198; b1636; b2280; b2988; b4179; b2753; b0993; b1762; b2479; b0236; b0694; b4092]
- e** *atroguttata* Grund, 1916; *Maculinea* OD: Glasn. hr. prirodosl. Društ. 28:131 [b2082] SS: *arion* (Linnaeus), 1758; *Maculinea* [Refs - b0400]
- b** *atromarginata* H. H. Druce, 1891; *Hypochrysops* OD: Trans. ent. Soc. Lond. 39(2):182 [b1357] SS: *polyclenus* (Linnaeus), 1758; *Hypochrysops* [Type: BMNH-ht] [TypeL - Timor", corrected to *Halmaheira*.] [Refs - b1450; b3926]
- c** *atromarginata* H. H. Druce, 1902; *Nacaduba* OD: Proc. zool. Soc. Lond. 1902(II)(1):113, pl 11, f 1,2 [b1367] SS: *pamela* Grose-Smith, 1895; *Nacaduba* [Type: BMNH-ht] [TypeL - S. Celebes.] [Refs - b4676]
- a** *atrophifurca* Courell, 1981; *Aslauga* OD: Syst. Ent. 6(1):36, tf 1F,10; pl 4, f 27-29 [b0970] [Type: BMNH-ht] [TypeL - Zimbabwe.] [Refs - b1610 (5949-E12); b0970; ns4876]
- e** *atropraetextus* Miller & Brown, 1981, (ISS); *Plebejus* OD: Mem. Lep. Soc. (2):248 (index) [b3192] SS: *atrapraetextus* Field, 1939; *Plebejus* (*Lycacides*) [Refs - b3192; b1722]
- c** *atrosuffusa* (Waterhouse), 1903; *Utica* OD: Proc. linn. Soc. N. S. Wales 28(1):241 [b4934] SS: *miskini* (Lucas), 1889; *Theclimethes* [Type: AM-It; designated by Sibatani & Grund, 1978] [Työ to Ga 29(1):15 [b4223]] [Refs - b1450; b4094 (+*atrofusa*); b4223; b4934]
- a** *atrox* (Butler), 1877; *Tmolus* OD: Trans. ent. Soc. Lond. 25(2):140 [b0607] CG: *Klaufera* [Type: BMNH-ht] [TypeL - Pedrosa, Rio Puras, Brazil.] [Refs - b0908; b1738; b0607; b2631; b0125; b2606]
- e** *atruncata* d'Abreu, 1994, (ISS); *Baeotis* OD: Butts Neotropical Region, Pt 4:975 SS: *truncata* Stichel, 1910; *Baeotis* [Refs - b1456]
- b** *atrytone* Thieme, 1907; *Siseme* OD: Berl. ent. Z. 52:10, pl 1, f 17 [b4640] SS: *pallas* (Latreille), [1813]; *Siseme* [TypeL - Bolivia.] [Refs - b4475; b1456]
- c** *attalion* (Godman & Salvin), [1887], 1879-1901; *Thecla* OD: Biol. centr.-amer., Lep. Rhop. 2:60; 3:pl 55, f 19,20 [b1975] SS: *quadema* (Hewitson), 1868; *Erora* [Type: BMNH] [TypeL - Orizaba, Mexico.] [Refs - b0908; b0115; b1375; b1975]
- c** *attalus* Seitz, [1917], 1910-1924; *Mesosemia* OD: In Seitz, Grossschmett. Erde 5:638, pl 124e [b4093] SS: *eumene* (Cramer), [1776]; *Mesosemia* [Refs - b4474; b4093]
- c** *attavus* Zikán, 1952; *Mesosemia* OD: *Dusenja* 3:24 [b5074] SS: *eumene* (Cramer), [1776]; *Mesosemia* [Type: -It; designated by Mielke & Casagrande, 1987] [Revta bras. Ent. 31(3):417 [b3178]] [TypeL - Brazil.] [Refs - b0086; b0121]

- b *attenuata* (Lucas), 1890; *Lycaena* OD: Proc. linn. Soc. N. S. Wales (2)4(4):1066 [b3025] SS: hylax (Fabricius), 1775; *Zizula* [TypeL - Queensland, Australia.] [Refs - b1450; b4094; b0870; b4934; b4108]
- b *attenuata* Tyder, 1915; *Abisara* OD: J. Bombay nat. Hist. Soc. 23(3):512, pl 2, f 15 [b4771] SS: savitri Felder & Felder, 1860; *Abisara* [TypeL - Barak River, Western Manipur Hills.] [Refs - b1636; b4473; b0236; b4771; b1454]
- b *attenuatum* Stichel, 1929; *Nymphidium* OD: Mitt. zool. Mus. Berl. 15:24 [b4470] SS: lisimon (Stoll), [1790]; *Nymphidium* [TypeL - Brazil.] [Refs - b4476; b4470; b1456]
- c *f. attila* Gaede, 1930, 1930-1931; *Polycaena* OD: In Seitz, *Grossschmett. Erde* 1(Suppl.):237, f [b1911] SS: tamerlana Staudinger, 1886; *Polycaena* [TypeL - Chen-tengri.] [Refs - b1913]
- a *atilla* (Zhdanko), 1990; *Thersamonia* OD: Ent. Obozr. 69(1):140, f 10 [b5066] CG: *Lycaena* (*Thersamonia*) [TypeL - Kirgizia.] [Refs - b0124; b3991]
- a *atilla* (Bremer), 1861; *Thecla* OD: Bull. Acad. Sci. St. Pétersbourg 3:469 [b0482] CG: *Antigius* [TypeL - Mont. Bureia.] [Type of - *Antigius*] [Refs - b4198; b4115; b2988; b2280; b2747; b0996; b2827; b2479; b1900; b2866; b0236; b2804; b4214; b4200; b4092]
- b *atillius* (Stichel), 1925; *Nymula* OD: Z. wiss. InsektBiol. 20:263 [b4463] SS: regulus (Fabricius), 1793; *Synargis* [TypeL - Not stated.] [Refs - b4476; b1456]
- e *atilla* d'Abrebra, 1986, (ISS); *Antigius* OD: Butts Oriental Region, Pt 3 :550 [b1454] SS: *atilla* (Bremer), 1861; *Antigius* [Refs - b1454]
- e *atilla* d'Abrebra, 1993, (ISS); *Antigius* OD: Butts Holarctic Region, Pt 3 :406 [b1455] SS: *atilla* (Oberhür), 1914; *Antigius* [Refs - b1455]
- b *atritta* Seitz, [1917], 1910-1924; *Euselasia* OD: In Seitz, *Grossschmett. Erde* 5:627 [b4093] SS: arbas (Stoll), [1782]; *Euselasia* [TypeL - Bolivia.] [Refs - b4474; b1456; b4093]
- a *atymna* (Hewitson), 1870, 1869-1877; *Thecla* OD: Equatorial Lep. Buckley (4):59 [b2330] CG: *Thecloxurina* [Type: BMNH-lt; designated by Johnson, 1992] [Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (22):18 [b2610]] [TypeL - Riobamba, Ecuador.] [Refs - b0908; b2747; b2631; b2593; b2593; b0125; b2610]
- a *atymnides* (Draudt), [1919], 1917-1924; *Thecla* OD: In Seitz, *Grossschmett. Erde* 5:758, pl 153-e [b1348] CG: *Thecloxurina* [TypeL - Quindiu Pass, Colombian Central Cordillera.] [Refs - b0908; b2631; b0125; b2610]
- a *atymnus* (Stoll), [1780], 1780-1790; *Papilio* OD: In Cramer, *Uitl. Kapellen* 4(28):82, pl 331, f D,E [b4478] CG: *Loxura* [TypeL - India; Java.] [Type of - *Loxura*] [Refs - b1636; b0964; b1014; b2280; b0965; b2747; b2479; b4950; b5057; b1454; b4094; b0694]
- a *atys* (Cramer), [1780], 1775-1790; *Papilio* OD: *Uitl. Kapellen* 3(22):117, pl 259, f E,F, nec G,H [b1069] CG: *Atides* [TypeL - Surinam.] [Refs - b0908; b2988; b2747; b2221 (G,H =polybe); b1975; b2618]
- d *atys* (Hübner), [1804], 1796-1838, (H); *Papilio* OD: *Samml. europ. Schmett.* 1:pl 97, f 495,496 [b2480] SS: orbitalus (Prunner), 1798; *Polyommatus* (*Albulina*) [Refs - b2747; b0993; b2280; b2827; b0410; b2794; b4092]
- a *atys* (Gerhard), 1851, 1850-1853; *Lycaena* OD: *Vers. monog. europ. Schmett.* :pl 19, f 3a-d [b1928] CG: *Polyommatus* (*Agrodiaetus*) [Refs - b0113; b2794; b1455 (as *actys* :516)]
- e *aubumiana* (Harris), 1862, (ISS); *Thecla* OD: In *Syn. Lep. N. Amer.* :101 [b2144] SS: *aubumiana* Harris, 1862; *Mitoura* [Type: MCZ?-ht] [Refs - b0908; b2747 (as *aubumiana*); b3192]
- c *aubumiana* Harris, 1862; *Mitoura* OD: *Ins. injur. Veget.* (3rd ed.):277 [b2143] SS: *gryneus* (Hübner), [1819]; *Mitoura* [TypeL - Sweet Auburn, near Cambridge, Massachusetts.] [Note - Described from a mixed series?] [Refs - b0908; b2747; b3192; b1321]
- a *aucta* Karsch, 1895; *Diopetes* OD: *Ent. Nachr.* 21:318 [b2694] [TypeL - Tropical Africa.] [Refs - b1452; b0836; b4400]
- e *f. aucta* (Stauder), 1923; *Lycaena* OD: *Ent. Anz.* 3:7 [b4315] SS: *meleager* (Esper), [1778]; *Polyommatus* (*Meleageria*) [TypeL - N. W. Africa.] [Refs - b0236; b0471]
- e *aucumana* Sharp, [1909], (ISS); *Barbicornis* OD: *Zool. Rec.* 44(1907)(Ins.):299 [b4137] SS: *tucumana* Thieme, 1907; *Barbicornis* [Refs - b4137]
- a *auda* Hewitson, [1867], 1863-1878; *Thecla* OD: *Ill. dium. Lep. Lycaenidae* 1:81; 2:pl 35, f 78,79 [b2326] CG: *Thecla* (New World Eumaeini) [Type: BMNH] [TypeL - New Grenada.] [Refs - b0908; b4245; b2747]
- b *audax* H. H. Druce, 1895; *Allotinus* OD: *Proc. zool. Soc. Lond.* 1895(3):565, pl 31, f 11,12 [b1362] SS: *fallax* Felder & Felder, 1865; *Allotinus* [Type: BMNH-lt; designated by Eliot, 1986] [Bull. Br. Mus. nat. Hist. (Ent.) 53(1):12 [b1571]] [TypeL - Mt Kina Balu, Borneo.] [Refs - b0965; b1840; b1564; b1362; b1454; b1571; b1544; b4108]
- a *audeoudi* Stempffer, [1937]; *Cacyreus* OD: *Bull. Soc. ent. Fr.* 41(18):284 [b4365] [Type: MNHN-ht] [TypeL - Mt. Elgon, Kenya.] [Refs - b1452; b0836; b4365; b4400]
- c *auidena* (Hewitson), [1869], 1863-1878; *Thecla* OD: *Ill. dium. Lep. Lycaenidae* 1:117; 2:pl 47, f 213,214 [b2326] SS: *jalan* (Reakirt), [1867]; *Panthiades* [Type: BMNH] [TypeL - Nicaragua.] [Refs - b0908; b2747; b2406; b1975]
- a *auga* Karsch, 1895; *Pentila* OD: *Ent. Nachr.* 21:293 [b2694] [TypeL - Yaoundé, Cameroun.] [Refs - b1452; b2694; b4420; b4400]
- b *augea* H. H. Druce, 1904; *Nymphidium* OD: *Proc. zool. Soc. Lond.* 1904(1)(2):488, pl 34, f 11 [b1370] SS: *cachrus* (Fabricius), 1787; *Nymphidium* [TypeL - Bolivia.] [Refs - b4476; b1456]
- a *augusta* Suffert, 1904; *Liptena* OD: *Deut. ent. Zeit.* [Iris] 17:50 [b4535] [Type: -nt; designated by Stempffer, 1974] [In *Bull. Br. Mus. nat. Hist. (Ent.)* 30(2):138 [b4413]] [TypeL - Bipindi, Cameroun.] [Refs - b2907; b1452; b4400; b4135 (as *angusta*); b4535]
- b *augusta* (Stauder), 1923, 1920-1923; *Lycaena* OD: *Z. wiss. InsektBiol.* 18:192 [b4310] SS: *semiargus* (Rottemburg), 1775; *Polyommatus* (*Cyaniris*) [Refs - b0236; b0471 (as *angusta*)]
- b *augustalis* Brévignon & Gallard, 1993; *Adelotypa* OD: *Bull. Soc. Sci. Nat.* (77):24, f [b0491] SS: *balista* (Hewitson), [1863]; *Adelotypa* [TypeL - French Guiana.] [Refs - b0126]
- b *augustanus* von Mentzer, 1957; *Plebejus* OD: *Ent. Tidskr.* 77:126, f [b4882] SS: *pylaon* (Fischer von Waldheim), 1832; *Plebejus* (*Plebejides*) [TypeL - Italy.] [Refs - b0410; b4882]
- a *augustinula* Strand, 1916, 1914-1916; *Thecla* OD: *Lep. Niepelt.* (2):18, pl 16, f 22 [b4516] CG: *Thecla* (New World Eumaeini) [Type: pc; Niepelt Collection.] [TypeL - Costa Rica.] [Note - Described as an ab., and thus not available as of this author and date.] [Refs - b0908; b4516; b4528; b3814]

- a** *augustinus* (Westwood), [1852], 1846-1852; Thecla OD: In Gen. diurn. Lep. (2):486 [b4981] CG: Deciduphagus [Type: biblio; replacement name for *augustus* Kirby, 1837.] [TypeL - Taken in latitude 54 deg.". (Cumberland-house?).] [Type of - Deciduphagus] [LifeH - Tietz lists, under *augustus*, b0911, b1582, b4668, b0902, b4088, b4090.] [Refs - b0908; b2747; b3192; b1743; b1321; b0493; b4690 (*); b2585; b4066; b4652; b1722]
- d** *augustinus* (Butler & H. Druce), 1872, (H); Mithras OD: Cistula Entomologica 1(5):106 [b0662] OS: *augustula* Kirby, 1877; Thecla (New World Eumaeini) [Type: BMNH] [TypeL - Cartago, Costa Rica.] [Refs - b0908; b2406; b1975]
- c** *augustula* Kirby, 1877; Thecla OD: Syn. Cat. diurn. Lep., Suppl. :777 [b2753] SS: *monica* Hewitson, [1867]; Thecla (New World Eumaeini) [Type: biblio; replacement name for *augustinus* (Butler & Druce), 1872] [TypeL - Costa Rica.] [Refs - b0908; b2753; b2406; b1975]
- c** *augustus* (Fabricius), 1793, 1792-1799; Hesperia OD: Ent. syst. 3(1):275 [b1657] SS: *meton* (Cramer), [1779]; Rekoa [TypeL - America".] [Refs - b0908; b2747; b3192; b5076; b3817]
- d** *augustus* (Kirby), 1837, (H); Thecla OD: In Richardson, Fauna Bor.-Amer. (4):298, pl 3, f 4,5 [b2743] OS: *augustinus* (Westwood), [1852]; Deciduphagus [TypeL - Taken in latitude 54 deg.". (Cumberland-house?).] [Note - This a a rejected secondary homonym. Miller & Brown were incorrect in bring it back into use. The code is specific on this point (Art. 59(b)(i)).] [Refs - b1530 :203, f 384; b1321 :54; b0908; b2747; b3192; b3512; b1724; b1743; b0493; b5015; b4066; b1722]
- a** *aulius* (Cramer), [1776], 1775-1790; Papilio OD: Uitl. Kapellen 1(8):144; pl 92, f B (as *avius*) [b1069] CG: Charis [Type: biblio-It; designated by Hemming, 1964] [Annot. Lep. (3):101 [b2273]] [TypeL - America mer.] [Type of - Charmona, Charmonona] [Refs - b2280; b2988 (as *anius*); b4474 (as *anius*); b2923 (as *anius*); b2922 (as *anius*); b2747 (as *avius*); b1456]
- a** *aulestes* (Cramer), [1777], 1775-1790; Papilio OD: Uitl. Kapellen 2(11):47 (*aulestis*), 147 (*aulestes*), pl 128, f G [b1069] CG: *Ancyluris* [TypeL - Surinam; Amazon.] [Note - Steinhäuser made a first revisor choice of *aulestes* over *aulestis*.] [Refs - b2747; b4474; b3192; b0569; b4353; b1456]
- e** *aulestis* (Cramer), [1777], 1775-1790, (IOS); Papilio OD: Uitl. Kapellen 2(11):47 [b1069] OS: *aulestes* (Cramer), [1777]; *Ancyluris* [Refs - b4353]
- c** *auletes* (Godart), [1824], 1819-1824; Erycina OD: In Ency. méth. 9(Ins.):565 [b1970] SS: *tedea* (Cramer), [1777]; *Ancyluris* [Refs - b2747]
- b** *auletes* (Waterhouse & Lyell), 1914; Nacaduba OD: Butts Aust. :98 [b4947] SS: *nora* (C. Felder), 1860; *Prosotas* [TypeL - Cape York, Queensland.] [Refs - b4676; b1450; b0870; b4094]
- c** *aulica* Stichel, 1910; *Ancyluris* OD: Berl. ent. Z. 55(1/2):98 [b4445] SS: *aulestes* (Cramer), [1777]; *Ancyluris* [TypeL - Amazonas.] [Refs - b4474]
- c** *aulonia* (Hewitson), [1876], 1852-1877; Limnias OD: Ill. exot. Butts 5:[-], pl [43], f 10 [b2323] SS: *passiena* (Hewitson), [1870]; *Melanis* [TypeL - Bolivia.] [Refs - b2753; b4474; b1456]
- a** *aulia* (Hewitson), [1874], 1863-1878; Thecla OD: Ill. diurn. Lep. Lycaenidae 1:167; 2:pl 65, f 464,465 [b2326] CG: *Orcya* [Type: BMNH-ht] [TypeL - Venezuela.] [Refs - b0908; b2753; b1975; b2593; b2918; b2597; ns2602]
- a** *anus* (Cramer), [1775], 1775-1790; Papilio OD: Uitl. Kapellen 1(2):36, pl 23, f E,F [b1069] CG: Thecla (New World Eumaeini) [TypeL - Il vient de l'isle Araba près de Curacao.] [Refs - b0908; b2747; b1975]
- a** *aura* (Godman & Salvin), [1887], 1879-1901; Thecla OD: Biol. centr.-amer., Lep. Rhop. 2:60; 3:pl 55, f 21,22 [b1975] CG: *Erora* [Type: BMNH] [TypeL - Irazú, Costa Rica.] [Refs - b0908; b3818; b1975]
- a** *aura* H. H. Druce, 1913; Aslauga OD: Ann. Mag. nat. Hist. (8)11:358 [b1381] [Type: BMNH-ht] [TypeL - Biñje, Ja River, Cameroons.] [Refs - b1452; b4400 (cpl); b1381]
- a** *aurantia* (Butler & H. Druce), 1872; Eurygona OD: Cistula Entomologica 1(5):103 [b0662] CG: *Euselasia* [TypeL - Costa Rica.] [Refs - b2988; b2753; b4474; b1456]
- c** *aurantia* (Tutt), 1896; *Lysandra* OD: Brit. Butts :167 [b4758] SS: *coridon* (Poda von Neuhaus), 1761; *Polyommatus* (*Lysandra*) [Refs - b4092; b0236; ns2080]
- c** *aurantia* (Grund), 1908; *Lysandra* OD: Int. ent. Z. 2(14):87 [b2080] SS: *coridon* (Poda von Neuhaus), 1761; *Polyommatus* (*Lysandra*) [Refs - b0471]
- a** *aurantiaca* Bates, 1862; *Ithomeis* OD: Trans. linn. Soc. Lond. 23(3):541 nota [b0262] [Type: BMNH-ht] [TypeL - Caicara, Amazonas.] [Type of - *Ithomeis*] [Refs - b2280; b2747; b4474; b1456]
- a** *aurantiaca* (Salvin & Godman), 1868; Eurygona OD: Ann. Mag. nat. Hist. (4)2:149 [b3915] CG: *Euselasia* [TypeL - Vera Paz.] [Refs - b2747; b4474; b2747; b4474; b2406; b2155; b1456]
- c** *aurantiaca* Butler, 1895; *Alaena* OD: Proc. zool. Soc. Lond. 1895(2):262, pl 15, f 4 [b0641] SS: *hautecoeuri* Oberthür, 1888; *Alaena* [TypeL - Fwambo, British Central Africa.] [Refs - b0641; b0188 (:299); b4400 (:9)]
- b** *aurantiaca* Fruhstorfer, 1900; *Curetis* OD: Berl. ent. Z. 45(1):27 [b1815] SS: *thetis* (Drury), [1773]; *Curetis* [Refs - b4094]
- b** *aurantiaca* (Staudinger), 1901; *Thestor* OD: Cat. Lep. Palae. Faun. (3rd ed) :72 [b4347] SS: *nogelii* (Herrich-Schäffer), [1851]; *Tomares* [Refs - b2905; b4347; b3555; b4092; b1455]
- a** *aurantiaca* Rebel, 1912; *Ogyris* OD: Verh. zool.-bot. Ges. Wien 62:(218) [b3709] [TypeL - New Guinea.] [Refs - b1450; b4094]
- e** *aurantiaca* Seitz, [1917], 1910-1924, (NN); *Necyria* OD: In Seitz, Grossschmett. Erde 5:670 [b4093] SS: *manco* Saunders, [1859]; *Necyria* [Refs - b4474]
- e** *aurantiaca* Le Moulit, 1940, 1939-1940, (IFS); *Helicopsis* OD: Novit. ent. (16):121 [b2943] SS: *cupido* (Linnaeus), 1758; *Helicopsis* [Type: AME-ht] [Refs - b3199]
- a** *aurantiaca* Johnson, 1992; *Arases* OD: Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (22):198, f [b2611] [Type: AME-ht] [TypeL - Ochuc, Chiapas State, Mexico.] [Refs - b0125; b2611]
- c** *ab. aurata* Hirschke, 1910; *Lycaena* OD: Verh. zool.-bot. Ges. Wien 60:412 [b2397] SS: *ruilus* (Werneburg), 1864; *Lycaena* (*Thersamolycaena*) [Refs - b0236; b0389; b0471]
- c** *ab. aurata* (Lucas), 1923; *Chrysophanus* OD: Amat. Papil. 1:171 [b3016] SS: *hippotoe* (Linnaeus), 1761; *Palaeochrysophanus* [TypeL - France.]
- e** *ab. aurata* (Lucas), 1937; *Chrysophanus* OD: Bull. Soc. ent. Fr. 42(16):233 [b3017] SS: *phoebus* (Blachier), 1905; *Lycaena* (*Thersamonia*) [TypeL - Morocco] [Refs - b0075]
- c** *auratus* (Butler), 1880; *Castalius* OD: Ann. Mag. nat. Hist. (5)5:336 [b0615] SS: *artemeses* (Mabille), 1880; *Uranotauma* [TypeL - Fianarantsoa.] [Refs - b4400]
- b** *auratus* (Leech), 1887; *Polyommatus* OD: Proc. zool. Soc. Lond. 1887(3):414, pl 35, f 3 [b2961] SS: *dispar* ((Haworth)), 1802; *Lycaena* (*Thersamolycaena*) [TypeL - Korea.] [Refs - b0996; b2479; b2866; b2944; b4092]
- a** *auratus* Quickelberge, 1979; *Lepidochrysops* OD: Durban Mus. Novit. 12(6):69, f [b3676] [Type: DM-ht] [Refs - b3676; b1610 (855-E12)]

- a *aurea* (Hewitson), 1862; *Amblypodia* OD: Spec. Cat. Lyc. Brit. Mus. :8, pl 8, f 87,88 [b2325] CG: *Arhopala* m [Type: BMNH-ht] [TypeL - Borneo.] [Type of - *Aurea*] [Refs - b1644; b2280; b1556; b1383; b2747; b4950; b1454; b4094; b4108]
- a *aurea* (H. Druce), 1873; *Sithon* OD: Proc. zool. Soc. Lond. 1873(2):352, pl 33, f 1 [b1383] CG: *Riira* [Type: BMNH-ht] [TypeL - Borneo.] [Type of - *Riira*] [Refs - b1016; b0964; b2280; b0965; b2753; b2201; b1454; b4094; b4108]
- a *aurea* (Bethune-Baker), 1910; *Lycaenesthes* OD: Trans. ent. Soc. Lond. 58(1):59, pl 3, f 2 [b0343] CG: *Anthene* [Type: BMNH-ht] [TypeL - Begoro, Gold Coast.] [Refs - b1452; b0836; b4400; b0343]
- c *ab. aurea* (Stauder), 1915; *Thecla* OD: Int. ent. Z. 8(32):178 [b4307] SS: *cerri* (Hübner), [1824]; *Satyrium* [TypeL - Tyrol.] [Refs - b0236; b0072; b0471]
- e *ab. aurea* *Toxopeus*, 1932; *Dodona* OD: Versl. Afd. Ned. Ost-Ind. ned. ent. Ver. 1(3):lxix [b4704] SS: *windu* *Fruhstorfer*, 1894; *Dodona* [TypeL - Neth. E. Indies.]
- a *aurea* *Sands*, 1976; *Pseudodipsas* OD: J. Aust. ent. Soc. 15(2):229, f [b3921] [Refs - b1610 (8E142); b0108; b3923]
- a *aurea* *Johnson*, 1989; *Femniturga* OD: *Insecta Mundi* 3(3):195+ [b2599] [Type: AMNH-ht] [TypeL - Iquitos, Peru.] [Refs - b2606]
- a *aureizona* *Butler*, 1874; *Panara* OD: Trans. ent. Soc. Lond. 22(4):431 [b0598] [TypeL - Minas Geraes.] [Refs - b2753; b4474]
- a *aurelia* *Bates*, 1867; *Emesis* OD: Trans. ent. Soc. Lond. (3)5(7):544 [b0266] [TypeL - Maranham.] [Refs - b2747 (with dif. ref.); b4475; b2221; b0266; b1456]
- b *aurelia* (*Grose-Smith*), 1899, 1887-1902; *Holochila* OD: *Rhop. exot.* 3(47):13, pl 4, f 1-3 [b2029] SS: *helena* (*Snellen*), 1887; *Philiris* [Type: BMNH-ht] [TypeL - Aru.] [Refs - b4677; b1450; b1556; b2078]
- b *aurelia* *Fruhstorfer*, [1912]; *Rapala* OD: *Berl. ent. Z.* 56(3/4):262 [b1850] SS: *dieneces* (*Hewitson*), [1878]; *Rapala* [TypeL - Annam.] [Refs - b1850; b4094]
- a *aurelia* (*Evans*), 1925; *Amblypodia* OD: *J. Bombay nat. Hist. Soc.* 30(3):630 [b1633] CG: *Arhopala* f [Type: BMNH-ht] [TypeL - Manipur.] [Refs - b1644; b1454; b1544]
- a *aureliana* *Bálint & Johnson*, 1993; *Pseudolucia* OD: *Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point)* (27):21, f [b0212] [Type: AMNH-ht] [TypeL - Huasco, Reg. Atacama, Chile.] [Refs - b0212; b0207]
- b *aurelioides* *Rothschild*, 1916; *Philiris* OD: *Rep. B. O. U. Exped. New Guinea* 2(15):30 [b3880] SS: *helena* (*Snellen*), 1887; *Philiris* [Type: BMNH-ht] [TypeL - Snow Mts., New Guinea.] [Refs - b4677; b1450; b3880]
- b *aurensis* *Eliot*, 1978; *Jamides* OD: *Butts Malay Penin.* (3rd ed.) :416 [b1563] SS: *malaccanus* (*Röber*), [1886]; *Jamides* [Type: BMNH-ht] [TypeL - Pulau Aur, Tioman Islands, Malaysia.] [Refs - b1563; b1454]
- b *aureobrunnea* (*Ungemach*), 1932; *Lycaenesthes* OD: *Mém. Soc. Sci. nat. phy. Maroc* (32):85 [b4780] SS: *butleri* (*Oberthür*), 1880; *Anthene* [TypeL - Abyssinia.] [*Check-Spelling.*] [Refs - b0070 (as *aurobrunnea* :296); b1452; b4400; b2898]
- b *aureocultus* *Stichel*, 1910; *Anteros* OD: *Berl. ent. Z.* 55(1/2):9 [b4445] SS: *kupris* *Hewitson*, [1875]; *Anteros* [TypeL - Bolivia.] [Refs - b4445]
- b *aureola* *Stichel*, 1926; *Emesis* OD: *Deut. ent. Zeit.* 1926:99 [b4464] SS: *zela* *Butler*, 1870; *Emesis* [TypeL - Mexico.] [Refs - b4475]
- c *aureolineata* *Bethune-Baker*, 1906; *Hypolycaena* OD: *Ann. Mag. nat. Hist.* (7)18:340 [b0339] SS: *pachalica* *Butler*, 1888; *Hypolycaena* [TypeL - Toro.] [Refs - b4400]
- c *aureomicans* (*Heyne*), 1897; *Polyommatus* OD: *Soc. ent.* 12(2):9 [b2362] SS: *virgaureae* (*Linnaeus*), 1758; *Lycaena* (*Heodes*) [Refs - b4092]
- a *aureonitens* *Bates*, [1868]; *Theope* OD: *J. linn. Soc. Lond., Zool.* 9:405 [b0267] [TypeL - Ega.] [Refs - b2747; b4475; b1456]
- e *ab. aurescens* (*Tutt*), 1909, 1905-1914; *Agriades* OD: *Nat. Hist. Brit. Butts* 3:336 [b4760] SS: *bellargus* (*Rouemburg*), 1775; *Polyommatus* (*Lysandra*) [Refs - b0471]
- a *auretorum* (*Boisduval*), 1852; *Thecla* OD: *Annls Soc. ent. Fr.* (2)10:287 [b0467] CG: *Satyrium* [Type: USNM-ht] [TypeL - (Northern) California.] [*LifeH* - *Tietz lists* b0884.] [Refs - b1530 :193, f 360; b1321 :58; b0908; b0851; b2747; b0551; b3192; b0467; b2631; b4066; b4652; b0179]
- a *aureus* *van Son*, 1966; *Poecilmitis* OD: *Ann. Transv. Mus.* 25(4):82 [b4812] [TypeL - Heidelberg, Transvaal, S. Africa.] [Refs - b1259; b1452]
- c *auria* (*H. H. Druce*), 1904; *Lemonias* OD: *Proc. zool. Soc. Lond.* 1904(1)(2):487, pl 34, f 4 [b1370] SS: *regalis* *Butler*, 1867; *Metacharis* [TypeL - Bolivia.] [Refs - b4474]
- a *auricostalis* (*Butler*), [1897]; *Iolaus* OD: *Proc. zool. Soc. Lond.* 1896(4):832, pl 41, f 7 [b0646] CG: *Hypolycaena* [TypeL - Nyasaland.] [Refs - b1943; b1452; b4400]
- a *aurifer* (*Blanchard*), 1848, 1848-1853; *Thecla* OD: *Voy. Pôle Sud* :pl 3, f 13,14 [b0448] CG: *Paralucia* [TypeL - Tasmania.] [Refs - b1450; b2747; b4094; b0870 (as *aurifera*); b4939; b4934]
- b *aurifer* *Grose-Smith*, 1898; *Hypochrysops* OD: *Novit. zool.* 5(1):103 [b2047] SS: *pythias* *Felder & Felder*, 1865; *Hypochrysops* [Type: BMNH-ht] [TypeL - Fergusson Island.] [Refs - b1450; b2078; b3926]
- e *aurifera* *Common & Waterhouse*, 1981, (ISS); *Paralucia* OD: *Butts Aust. (Revised)* :434 [b0870] SS: *aurifer* (*Blanchard*), 1848; *Paralucia* [*Note - Not an incorrect spelling, but a change in gender to agree with the generic name.*] [Refs - b0870; b1475]
- a *aurifera* *Johnson*, 1992; *Shapiroana* OD: *Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point)* (22):151, f [b2611] [Type: CM-ht] [TypeL - El Tabano, Colombia.] [Refs - b0125; b2611]
- b *auriferax* (*Stichel*), 1910; *Lymnas* OD: *Gen. Insectorum* 112(A):202 [b4446] SS: *iabas* (*Fabricius*), 1787; *Melanis* [Type: pc-ht; collection of Röber.] [TypeL - São Paulo, Brazil.] [Refs - b4474; b4446]
- a *aurigans* *Gallard & Brevignon*, 1989; *Anteros* OD: *Bull. Soc. Sci. Nat.* (63):5, f [b1918] [TypeL - French Guiana.] [Refs - b0123; b1456]
- c *aurigena* (*Fruhstorfer*), 1907; *Iraota* OD: *Ent. Zeit.* 21(26):162 [b1827] SS: *chrysargyra* *Grose-Smith & Kirby*, 1895; *Hypochrysops* [TypeL - New Guinea.] [Refs - b4094; b1827; b3926]
- c *aurigera* *Weeks*, 1902; *Ariconis* OD: *Proc. New Engl. zool. Club* 3:11 [b4966] [TypeL - Bogota district, Colombia.] [*Note - Not a hairstreak. Eüther a riodinid or nymphalid.*] [Refs - b4966]
- b *aurimna* (*Boisduval*), 1870; *Nelone* OD: *Consid. Lép. Guatemala* :24 [b0469] SS: *lucinda* (*Cramer*), [1775]; *Emesis* [TypeL - Guatemala.] [Refs - b2747; b4475; b1456]
- a *aurinia* (*Hewitson*), [1863], 1852-1877; *Lemonias* OD: *Ill. exot. Butts* 3:[---], pl [58], f 19,20 [b2323] CG: *Audre* [TypeL - Amazon.] [Refs - b2988; b2747; b4475; b1456]
- c *aurivillii* (*Röber*), 1900; *Jolaus* OD: *Ent. Nachr.* 26:204 [b3828] SS: *sapphirinus* *Aurivillius*, 1897; *Iolaus* (*Epamera*) [Refs - b4400]
- a *aurivillii* *Schultze*, 1908; *Zeritis* OD: *Soc. ent.* 23(17):131 [b4008] [TypeL - Sudan.] [Refs - b1452; b4008; b4400]

- a *aurivillii* Rebel, 1914; *Telipna* OD: *Annl. naturh. Mus. Wien* 28:262, pl 22, f 36,38 [b3710] [TypeL - C. Africa.] [Refs - b1452; b3710; b4400]
- a *aurivilliusi* (Stempffer), 1954; *Deudorix* OD: *Bull. Soc. ent. Fr.* 59(5/6):106, tf 1; pl 1, f 11,12 [b4385] CG: *Diopetes* [TypeL - Sierra Leone.] [Refs - b1452; b0836; b4385; b4400]
- a *aurivilliusi* Stempffer, 1967; *Omipholidotos* OD: *Bull. Inst. fond. Afr. Noire* 29(A):983 [b4401] [TypeL - Gabon.] [Refs - b1452]
- e *f. aurofasciata* Vorbrodt & Müller-Rutz, 1921; *Plebejus* OD: *Mitt. schweiz. ent. Ges.* 13(3/4):180 [b4890] SS: *argus* (Linnaeus), 1758; *Plebejus* [Refs - b0236; b0471 (also as *aurifasciata*)]
- c *aurolimbata* (Thieme), 1907; *Limnas* OD: *Berl. ent. Z.* 52:5, pl 1, f 13 [b4640] SS: *smithiae* (Westwood), [1851]; *Melanis* [TypeL - Bolivia.] [Refs - b4474; b4640]
- e *aurolutea* (Hoffmann), 1940, (IFS); *Lymnas* OD: *An. Inst. Biol. Univ. Méx.* 11(2):638 [b2405] SS: *sexpunctata* (Seitz), [1917]; *Melanis* [TypeL - Mexico.] [Refs - b2405]
- e *ab. auronitens* (Schultz), 1905; *Chrysophanus* OD: *Ent. Zeit.* 18(34):134 [b4003] SS: *phlaeas* (Linnaeus), 1761; *Lycæna* (*Lycæna*) [Refs - b0236; b0389; b4003]
- e *ab. auronitens* (Seitz), [1908], 1907-1921; *Thecla* OD: In Seitz, *Grossschmett. Erde* 1:266 [b4092] SS: *esculi* (Hübner), [1819]; *Satyrion* [Refs - b3059; b4092]
- a *aurora* (H. H. Druce), 1907; *Thecla* OD: *Proc. zool. Soc. Lond.* 1907(3):583 [b1375] CG: *Janthecla* [Type: BMNH] [TypeL - Espiritus Santo and Rio Grande, Brazil.] [Refs - b0908; b1375; b0125]
- b *aurora* Clench, 1965; *Iolais* OD: *J. New York ent. Soc.* 72(4):243 [b0835] SS: *bolissus* Hewitson, 1873; *Iolais* [TypeL - Uganda.] [Refs - b0528; b1452; b4400]
- e *f. aurora* Abos Castel, 1984; *Palaeochrysophanus* OD: *Revta Lep.* 11(4):335 [b0004] SS: *hippochoe* (Linnaeus), 1761; *Palaeochrysophanus* [Refs - b0117]
- a *aurorina* (Oberthür), 1880; *Thecla* OD: *Étud. ent.* 5:18 [b3422] CG: *Chrysozephyrus* [TypeL - Askold Island.] [Note - Often placed in *Favonius*.] [Refs - b3778; b0996; b2827; b1399; b1900; b2866; b4543; b4214; b4200; b3296; b4092; b0471; b2463; b1455 (in *Neozephyrus*)]
- a *aurorina* Draudt, [1919], 1917-1924; *Thecla* OD: In Seitz, *Grossschmett. Erde* 5:755, pl 159-a [b1348] CG: *Thecla* (New World *Eumacini*) [Type: NMB] [TypeL - Canon del Tolima, Quindiu Pass, Colombia.] [Refs - b0908]
- a *aurugo* (Draudt), [1919], 1917-1924; *Thecla* OD: In Seitz, *Grossschmett. Erde* 5:759, pl 153-g [b1348] CG: *Rhamma* [Type: NMB] [TypeL - Cuzco, Peru.] [Refs - b0908; b0125; b2610]
- a *aurulenta* Johnson, 1990; *Penaincisalia* OD: *Pan-Pac. Ent.* 66(2):111, f [b2603] [Type: AMNH-ht] [TypeL - Cordillera Balca, Carhuas, Peru.] [Refs - b0124; b2611]
- a *aurum* Callaghan, 1985; *Nymphidium* OD: *Bull. Allyn Mus.* (98):12, f [b0679] [Type: MNRJ-ht] [TypeL - Manaus, Brazil.] [Refs - b0119]
- b *auselus* (Hewitson), [1863], 1852-1877; *Lemonias* OD: *Ill. exot. Butts* 3:[—], pl [58], f 21 [b2323] SS: *penthea* (Cramer), [1777]; *Adelotypa* [Refs - b2747; b4475]
- e *austoxida* Anonymous, 1992, (ISS); *Rhamma* OD: *Zool. Rec.* 128(1991)(Ins. D-Lep.):320 [b0125] SS: *austoxida* Johnson, 1992; *Rhamma* [Refs - b2474]
- b *ausonia* (Verity), 1914; *Lycæna* OD: *Boll. Soc. ent. ital.* 45:232, pl 1, f 46-47 [b4836] SS: *damon* ([Denis & Schiffemüller]), 1775; *Polyommatus* (*Agrodiaetus*) [Refs - b2856; b0236; b0471]
- e *ausonidarum* (Verity), 1919, 1919-1922, (RA); *Cyaniris* OD: *Ent. Rec.* 31:5 or 46 [b4840] SS: *semiargus* (Rottemburg), 1775; *Polyommatus* (*Cyaniris*) [Type: MZS-st] [Refs - b2856; b0236]
- b *auspex* (Toxoepus), 1944; *Sospita* OD: *Treubia Hors Série*:186 [b4709] SS: *heterisa* (Jordan), 1912; *Praetaxila* [TypeL - New Guinea.] [Refs - b4709]
- e *austera* (Verity), 1931, (RA); *Lycæides* OD: *Deut. ent. Zeit.* [Iris] 45:69 [b4852] SS: *argus* (Linnaeus), 1758; *Plebejus* [Type: MZS-st] [TypeL - Lake Maggiore.] [Refs - b1780; b2856; b0069; b0410]
- a *austini* Heron, 1894; *Castalius* OD: *Ann. Mag. nat. Hist.* (6)14:103 [b2310] [TypeL - Damma Island, East Indian Archipelago.]
- a *austoxida* Johnson, 1992; *Rhamma* OD: *Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point)* (22):56, f [b2610] [Type: AMNH-ht] [TypeL - 5 km N Cusco, Dept. Ledesma, Jujuy Prov., Argentina.] [Refs - b0125 (as *ausloxida*); b2610]
- e *australalpina* (O. Bang-Haas), 1927, 1926-1930, (ISS); *Lycæna* OD: *Novit. Macrolep.* (2):- [b0236] SS: *arion* (Linnaeus), 1758; *Maculinea* [Refs - b0236]
- c *australis* (C. Felder), 1862; *Desmozona* OD: *Verh. zool.-bot. Ges. Wien* 12:474 [b1677] SS: *azan* (Westwood), [1851]; *Juditha* [Refs - b2747; b4475]
- c *australis* (Edwards), 1877; *Charis* OD: *Field and Forest* 3(5):87 [b1510] SS: *nemesis* (Edwards), [1871]; *Calephelis* [Type: CM-lt; designated by McAlpine, 1968] [In *Trans. amer. ent. Soc.* 94(4):130 [b3126]] [TypeL - San Antonio, Texas.] [Refs - b4474; b3192; b1321; b3127]
- b *australis* Grinnell, 1917; *Glaucoopsyche* OD: *Can. Ent.* 49(10):350 [b2024] SS: *lygdamus* (Doubleday), 1841; *Glaucoopsyche* [Type: AMNH-ht] [TypeL - Pasadena, California.] [Refs - b3192; b1321; b1722]
- b *australis* Hulstaert, 1924; *Euchrysops* OD: *Revue zool. afr.* 12(2):187 [b2496] SS: *osiris* (Hopffer), 1855; *Euchrysops* [TypeL - Congo.] [Refs - b0113; b0116; b2496; b4400]
- a *australis* Stevenson, 1937; *Iolais* OD: *Occ. Pap. natn Mus. Sth. Rhodesia* 1(6):24 [b4434] CG: *Iolais* (*Epamera*) [Type: MNBZ-lt; designated by Hancock, 1985] [Arnoldia Zimbabwe 9(16):246 [b2127]] [TypeL - S. Rhodesia.] [Refs - b1943; b1259; b1452; b4400]
- b *australis* Couchman, 1962; *Evers* OD: *Pap. Proc. R. Soc. Tasmania* 96:75, f [b0972] SS: *lactumus* (Godart), [1824]; *Evers* [Refs - b1450; b0870; ns5013]
- a *australis* Tite, 1964; *Lepidochrysops* OD: *Entomologist* 97:6 [b4678] [Type: BMNH-ht] [TypeL - Caledon District, Cape Province, South Africa.] [Refs - b1259; b1452; b4400; b1235; b4678]
- a *australis* Cottrell, 1981; *Aslauga* OD: *Syst. Ent.* 6(1):5-45 [b0970] [Type: NMSA-ht] [TypeL - Cape Province, S. Africa.] [Refs - b1610 (5949-E12); b0970]
- b *australis* Austin, 1988; *Apodemia* OD: *J. Res. Lep.* 26(1/4):132, f [b0181] SS: *palmerii* (Edwards), 1870; *Apodemia* [TypeL - Mexico.] [Refs - b0122]
- a *australis* Johnson, 1989; *Contrafacia* OD: *J. New York ent. Soc.* 97(1):42, f 5D,E,6D,E [b2597] [Type: AMNH-ht] [TypeL - Cordillera, Santísima-Trinidad, Paraguay.] [Refs - b2597]
- c *australis* Schröder & Treadaway, 1990; *Eliotia* OD: *Ent. Zeit.* 100(21):406, f [b3992] SS: *maganda* (Takanami), 1982; *Eliotia* [TypeL - Philippines.] [Refs - b0124; b4104]
- e *australissima* (Verity), 1919, 1919-1922, (RA); *Plebeius* OD: *Ent. Rec.* 31:46 [b4840] SS: *idas* (Linnaeus), 1761; *Plebejus* (*Lycæides*) [Type: MZS-st] [Refs - b2856; b0236; b4425; b0471]

- a **australivaga** Johnson, 1991; Nesiostrymon OD: Amer. Mus. Novit. (3011):16, f [b2604] [TypeL - Argentina] [Refs - b0125]
- e **australpina** (Verity), 1924, (RA); Lycaena OD: Ent. Rec. 36:109 [b4842] SS: anion (Linnaeus), 1758; Maculinea [Type: MZS-st] [TypeL - Italy.] [Refs - b2856; b0236 (+ as australpina); b3796; b0471]
- b **austriaca** Beuret, 1955; Everes OD: Mitt. ent. Ges. Basel (nf)5:101, f [b0394] SS: decolorata Staudinger, 1886; Everes [TypeL - Austria.] [Refs - b0400]
- a **austrinus** (Murayama), 1943; Strymon OD: Zephyrus 9(3):171, f 2 [b3272] CG: Satyrium [TypeL - Formosa.] [Refs - b0276 (1948-260.3); b0082; b4198; b5053; b3272; b3286; b1454]
- b **austrojavana** Toxopeus, 1930; Catopyrops OD: De soorte als Functie :147 [b4702] SS: ancyra (C. Felder), 1860; Catopyrops [TypeL - E. Java.] [Refs - b4676; b0938; b4702; b1454; b4592]
- b **austrosuluensis** Schröder & Treadaway, 1989; Iraota OD: Ent. Zeit. 99(24):361, f [b3990] SS: rochana (Horsfield), [1829]; Iraota [Type: pc-ht; collection of Treadaway.] [TypeL - Bongao Peak, Bongao Island, Tawitawi Group, Philippines.] [Refs - b0124; b3990]
- a **authe** (Godman), 1903; Eurygona OD: Trans. ent. Soc. Lond. 51(4):532, pl 20, f 7 [b1972] CG: Euselasia [TypeL - Chapada, Brazil.] [Refs - b2988; b4474; b1456; b1972]
- a **autoclea** (Hewitson), [1877], 1863-1878; Thecla OD: Ill. diurn. Lep. Lycaenidae 1:194; 2-pl 77, f 616,617 [b2326] CG: Angulopsis [Type: BMNH-It; designated by Johnson, 1991] [Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (21):42 [b2606]] [TypeL - (Chontales), Nicaragua.] [Type of - Angulopsis] [Refs - b0908; b2753; b1375; b1975; b2593; b2627; b2606]
- b **autolycus** (Edwards), [1871]; Thecla OD: Trans. amer. ent. Soc. 3(3/4):271 [b1502] SS: ontario (Edwards), 1869; Fixsenia [Type: CM-It; designated by Brown, 1970] [Trans. amer. ent. Soc. 96(1):73 [b0509]] [TypeL - Dallas, Texas.] [Refs - b0908; b2753; b3192; b1502; b1321; b4066]
- e **autumna** (Verity), 1943, (IFS); Lysandra OD: Farfalle Diurne Ital. 2:266 [b4862] SS: thersites (Cantener), 1834; Polyommatus (Plebicula) [Type: MZS-st] [TypeL - Italy.] [Refs - b2856; b0080]
- e **autumnalis** Krähe, 1912; Lycaena OD: Ent. Zeit. 26(27):106 [b2838] SS: dispar ((Haworth)), 1802; Lycaena (Thersamolycaena) [Refs - b0389; b2838]
- a **auxesia** (Hewitson), [1863], 1863-1878; Amblypodia OD: Ill. diurn. Lep. Lycaenidae 1:5; 2-pl 1, f 1-3 [b2326] CG: Arhopala a [Type: BMNH-ht] [TypeL - Salwatty.] [Refs - b1450; b1644; b2747; b4094]
- b **auzea** de Nicéville, [1896]; Arhopala OD: J. Bombay nat. Hist. Soc. 10(2):169, pl S, f 29,30 [b1162] SS: anarte (Hewitson), 1862; Arhopala a [TypeL - Java.] [Refs - b1644; b1454; b4094]
- b **avajica** (Blom), 1979; Agrodiaetus OD: Ent. Ber. 39(1):11, f 3-6 [b0454] SS: transcaspica (Staudinger), 1899; Polyommatus (Agrodiaetus) [Type: pc-ht; collection of Blom] [TypeL - Avaj, Prov. Hamadan, Iran.] [Refs - b1610 (5579-E10); b0111; b0454]
- a **avalona** (Wright), 1905; Thecla OD: Butts W. Coast U. S. :209, pl 28, f 328,b,c [b5043] CG: Strymon [Type: CAS-It; designated by Tilden, 1975] [Occ. Pap. Calif. Acad. Sci. (118):32 [b4659]] [TypeL - Avalon, Catalina Island, California.] [LifeH - Tietz lists b0925, b0892, b0054.] [Refs - b1530 :216, f 413; b1321 :56; b0908; b3192; b2631; b4066; b4652; b5043; b1603]
- a **avatha** de Nicéville, [1896]; Arhopala OD: J. Bombay nat. Hist. Soc. 10(2):174, pl T, f 34 [b1162] CG: Arhopala k [TypeL - Sumatra.] [Refs - b1644; b1556; b1454; b4094; b4108]
- a **avathina** Corbet, 1941; Arhopala OD: Proc. R. ent. Soc. Lond. (B)10(9):155 [b0956] CG: Arhopala b [Type: BMNH-ht] [TypeL - Malaya.] [Refs - b1644; b1564; b0956; b1454]
- b **avera** (Rothschild), 1904; Abisara OD: Novit. zool. 11:317, pl 2, f 23 [b3874] SS: albiplaga (Röber), [1886]; Praetaxila [Refs - b1450; b4474; b1840]
- c **ab. aviator** (Oberthür), 1910; Lycaena OD: Étud. Léop. comp. 4:220, pl 41, f 298 [b3451] SS: icarius (Esper), [1789]; Polyommatus (Plebicula) [Refs - b0236; b0471]
- b **avacula** Stichel, 1909; Hades OD: Berl. ent. Z. 54(1/2):54 [b4444] SS: hecamede Hewitson, [1870]; Hades [TypeL - Ecuador.] [Refs - b4474; b1456]
- a **avidiena** (Hewitson), 1877; Amblypodia OD: Ent. mon. Mag. 14:108 [b2352] CG: Amblopala [TypeL - China.] [Type of - Amblopala] [Refs - b1636; b4198; b2280; b0996; b2479; b0236; b3286; b1454; b0694]
- a **avinovi** Sthchetkin, 1980; Polyommatus OD: Zool. Zh. 59(2):303, f [b4438] CG: Polyommatus (Paragrodiaetus) [TypeL - Tadzshikistan.] [Refs - b1610 (6154-E11); b0113]
- a **avis** Chapman, 1909; Callophrys OD: Trans. ent. Soc. Lond. 57(3)(Proc.):xxix (2 June?) [b0752] [Type: BMNH-ht] [TypeL - Amelie-les-Bains, France.] [Note - Dating of original description is tentative. Also described in Ent. Rec., 21(6):130 (15 Jun 1909).] [Refs - b2375; b3059; b0995; b0236; b0753; b2794; b2985; b0977; b2585; b0750; b2859; ns0032; ns0915; ns0760; b0471; b1455]
- b **avitus** (Fruhstorfer), [1915], 1909-1923; Gerydus OD: In Seitz, Grossschmett. Erde 9:818 [b1840] SS: boisduvali Moore, [1858]; Milenus 3 [TypeL - Key Island.] [Refs - b1450; b1546; b1840]
- e **avius** (Cramer), [1776], 1775-1790, (IOS); Papilio OD: Util. Kapellen 1(8):pl 92, f B [b1069] SS: auius (Cramer), [1776]; Charis [Refs - b2747]
- a **avoca** (Hewitson), [1867], 1863-1878; Thecla OD: Ill. diurn. Lep. Lycaenidae 1:96; 2-pl 37, f 94,95 [b2326] CG: Olynthus [Type: BMNH] [TypeL - Amazon.] [Refs - b0908; b3394; b2747; b2593; b2597]
- a **avriko** (Karsch), 1893; Aphnaeus OD: Berl. ent. Z. 38(1/2):223, pl 5, f 9 [b2693] CG: Spindasis [TypeL - W. Africa.] [Refs - b0113; b1452; b0836; b4400]
- e **avrus** (Riley & Tams), 1924, (ISS); Lampides OD: Zool. Rec. 58(1921)(Ins.):174 [b3793] SS: avrus (Fruhstorfer), 1915; Jamides [Refs - b3793]
- a **axena** (Hewitson), [1876], 1852-1877; Lemonias OD: Ill. exot. Butts 5:[-], pl [43], f 7 [b2323] CG: Emanurgina [TypeL - Bolivia.] [Refs - b2988; b2753; b4475; b0419; b0420; b1456]
- a **axilla** (H. H. Druce), 1904; Mesosemia OD: Proc. zool. Soc. Lond. 1904(I)(2):483, pl 33, f 5 [b1370] CG: Teratophthalma [TypeL - Bolivia.] [Refs - b2988; b4474; b1456]
- a **axina** Evans, 1957; Arhopala OD: Bull. Br. Mus. nat. Hist. (Ent.) 5(3):128 [b1644] CG: Arhopala n [Type: BMNH-ht] [TypeL - Wangaar River, W. New Guinea.] [Refs - b1450; b1644]
- c **axiochus** (Hewitson), [1867], 1852-1877; Anteros OD: Ill. exot. Butts 4:[77], pl [42], f 1,2 [b2323] SS: archytas (Stoll), [1787]; Oourocnemis [TypeL - Brazil.] [Type of - Oourocnemis] [Note - On ICZN Official List.] [Refs - b2280; b1048; b2747; b4474; b0419 (as good sp); b2544 (ICZN Op. 1381); b1456]

- a **axiothea** (Hewitson), [1863], 1863-1878; *Amblypodia* OD: Ill. dium. Lep. Lycaenidae 1:7; 2:pl 2, f 10,11 [b2326] CG: *Arhopala* n [Type: BMNH-ht] [TypeL - New Guinea.] [Refs - b1644; b1450; b2747; b4094]
- a **ayis** Foljambe, 1913; *Callophrys* OD: Entomologist 46:89 [b1751]
- a **aymaran** McAlpine, [1971]; *Calephelis* OD: J. Res. Lep. 10(1):93, f [b3127] [Type: CM-ht] [TypeL - Rio Surutu, E. Bolivia.] [Refs - b3127]
- b **ayresi** van Son, 1941; *Durbania* OD: J. ent. Soc. S. Afr. 4:182 [b4804] SS: *amakosa* Trimen, 1862; *Durbania* [TypeL - S. Africa.] [Refs - b1259; b1452; b4400]
- c **ayrus** (Fruhstorfer), 1915; *Lampides* OD: Arch. Naturgesch. (A)81(6):23 [b1865] SS: *aetherialis* (Butler), 1884; *Jamides* [TypeL - New Guinea.] [Refs - b1865; b4094; b3793 (as *avrus*)]
- c **aytonia** Fruhstorfer, 1914; *Arhopala* OD: Deut. ent. Zeit. [Iris] 28(2):137 [b1859] SS: *adonias* (Hewitson), 1862; *Arhopala g* [Type: BMNH-ht] [TypeL - W. Java.] [Note - Not spelled *aytonia*.] [Refs - b1644; b4094; b1859]
- b **ayuthia** Kimura & Murayama, 1990; *Spindasis* OD: Konchu to Shizen (Nature & Insects) 25(2):24, f [b2742] SS: *evansii* (Tyler), 1915; *Spindasis* [TypeL - Thailand] [Refs - b0123]
- b **aza** (H. H. Druce), 1904; *Chemna* OD: Proc. zool. Soc. Lond. 1904(1):2:485, pl 33, f 11 [b1370] SS: *lucilia* (Möschler), 1883; *Napaea* [TypeL - Colombia.] [Refs - b4474]
- c **azagra** (Sheldon), 1913; *Lycaena* OD: Entomologist 46:312 [b4164] SS: *thersites* (Cantener), 1834; *Polyommatus* (*Plebicula*) [Check - Original genus] [Refs - b3059]
- b **azan** (Westwood), [1851], 1846-1852; *Nymphidium* OD: In Gen. dium. Lep. (2):448, pl 73, f 5 [b4981] SS: *molpe* (Hübner), [1808]; *Judiha* [TypeL - Brasilia.] [Refs - b2747; b4475; b2221]
- a **azanoides** Butler, 1867; *Nymphidium* OD: Ent. mon. Mag. 3:221 [b0584] [Type: BMNH-st] [TypeL - Not Stated.] [Refs - b2988; b2497; b0584; b0681; b0680; b1456]
- a **azaria** (Hewitson), [1867], 1863-1878; *Thecla* OD: Ill. dium. Lep. Lycaenidae 1:87; 2:pl 34, f 65,66 [b2326] CG: *Lamprospilus* [Type: BMNH-st] [TypeL - Not stated.] [Refs - b0908; b2747; b2923]
- a **azata** de Nicéville, [1896]; *Arhopala* OD: J. Bombay nat. Hist. Soc. 10(2):172, pl T, f 32,33 [b1162] CG: *Arhopala a* [TypeL - Perak.] [Refs - b1644; b2200; b1454; b4094]
- b **azenia** (Hewitson), [1863], 1863-1878; *Amblypodia* OD: Ill. dium. Lep. Lycaenidae 1:7; 2:pl 3, f 22,23 [b2326] SS: *acron* (Hewitson), 1862; *Arhopala l* [Type: BMNH-ht] [TypeL - Waigou.] [Refs - b1450; b1644; b2747; b4094]
- e **ab. azerbaijdhana** (Obratzsov), 1935; *Lycaena* OD: Folia zool. hydrobiol. 8:148 [b3467] SS: *sheljuzhkoii* (Obratzsov), 1935; *Plebejus* (*Aricia*) [Refs - b0073; b3467]
- a **azla** (Hewitson), [1873], 1863-1878; *Thecla* OD: Ill. dium. Lep. Lycaenidae 1:144; 2:pl 57, f 357,358 [b2326] CG: *Ministrymon* [Type: BMNH-ht] [TypeL - Mexico.] [Refs - b0908; b2988; b1321; b0300; b2753; b2221; b1530 :200, f 378; b1321 :56; b3818; b0278; b3192; b3512; b1743; b0493 (?); b0833 (*Tmolus*); b1375; b4690 (S); b1975; b2631; b2589; b4066; b2636]
- a **azlins** de Nicéville, [1896]; *Arhopala* OD: J. Bombay nat. Hist. Soc. 10(2):171, pl T, f 31 [b1162] CG: *Arhopala f* [Type: BMNH-ht] [TypeL - Sumatra.] [Refs - b1644; b1454; b4094; b1544]
- c **azyada** Seitz, [1926], 1912-1927, (ISS); *Dacalana* OD: In Seitz, Grossschmett. Erde 9:970 [b4094] SS: *azyada* (Fruhstorfer), 1914; *Dacalana* [Refs - b4094]
- a **azora** (Godart), [1824], 1819-1824; *Erycina* OD: In Ency. méth. 9(Ins.):2:572 [b1970] CG: *Chalodeta* [TypeL - Brasilia.] [Refs - b2747; b4474; b1456]
- a **azteca** McAlpine, [1971]; *Calephelis* OD: J. Res. Lep. 10(1):72, f [b3127] [Type: USNM-ht] [TypeL - Fortin de los Flores, Vera Cruz, Mexico.] [Refs - b3127]
- a **azuba** (Hewitson), [1874], 1863-1878; *Thecla* OD: Ill. dium. Lep. Lycaenidae 1:154; 2:pl 61, f 408,409 [b2326] CG: *Strymon* [Type: BMNH] [TypeL - Rio Grande.] [Refs - b0908; b2753; b2593]
- a **azula** Wind & Clench, 1947; *Philiris* OD: Bull. Brooklyn ent. Soc. 42(1):8 [b5021] [Type: MCZ-ht] [TypeL - Wau, Morobe District, Papua New Guinea.] [Refs - b4677; b0528; b2645]
- c **azumayamensis** (Kanda), 1933; *Zephyrus* OD: Ageha 2(1):7-10 [b2686] SS: *jezoensis* (Matsumura), 1915; *Favonius* [TypeL - Tohoku district, Japan.] [Refs - b1900; b2686]
- a **azurea** Bates, [1868]; *Theope* OD: J. linn. Soc. Lond., Zool. 9:406 [b0267] [Type: BMNH-ht] [TypeL - Upper Amazon.] [Refs - b2747; b4475; b1456]
- a **azurea** Butler, [1900]; *Chloroselas* OD: Proc. zool. Soc. Lond. 1899(4):967, pl 70, f 2,3 [b0655] [TypeL - E. Africa.] [Refs - b1452; b4400]
- e **azurea** (Blachier), 1908; *Lycaena* OD: Anns Soc. ent. Fr. 77(2):218 [b0434] SS: *icarius* (Esper), [1789]; *Polyommatus* (*Plebicula*) [Refs - b0993; b0236; b0434; b0471]
- e **ab. azurea** (Silbernagel), 1940; *Lycaena* OD: Acta Soc. ent. bohém. 37:118 [b4227] SS: *alexis* (Poda von Neuhaus), 1761; *Glaucopsyche* [TypeL - Czechoslovakia.] [Refs - b0080]
- a **azurea** Jackson, 1962; *Epitola* OD: Bull. Br. Mus. nat. Hist. (Ent.) 12(3):148 [b2562] [TypeL - Uganda.] [Refs - b1452; b4400]
- a **azurea** (Stempffer), 1964; *Deudorix* OD: Bull. Inst. franç. Afr. Noire 26(A):1280 [b4397] CG: *Hypokopelates* [TypeL - Uganda.] [Refs - b1452; b4400]
- a **azureus** (Butler), 1879; *Castalius* OD: Ann. Mag. nat. Hist. (5):4:230 [b0614] CG: *Lepidochrysops* [Type: BMNH-ht] [TypeL - Madagascar.] [Refs - b1452; b0614; b4400; b0359]
- b **azureus** (Röber), [1886]; *Plebeius* OD: CorrespBl. ent. Ver. Iris 1(3):63, pl 4, f 19 [b3820] SS: *pavana* (Horsfield), [1828]; *Nacaduba* [Type: SMT-It; designated by Takanami, 1992] [Type: To Ga 43(1):47 [b4606]] [TypeL - E. Celebes.] [Refs - b4676; b1454; b4094; b0126]
- b **azureus** Clench, 1965; *Iolaus* OD: J. New York ent. Soc. 72(4):243, f [b0835] SS: *bolissus* Hewitson, 1873; *Iolaus* [TypeL - Cameroon.] [Refs - b0528; b1452; b4400]
- e **azureus** d'Abreu, 1980, (ISS); *Poecilmitis* OD: Butts Afrotropical Region :494 [b1452] SS: *azurius* Swanepoel, 1975; *Poecilmitis* [Refs - b1452]
- e **ab. azurica** (Rowland-Brown), 1914; *Lycaena* OD: Entomologist 47:127 [b3893] SS: *orbitalus* (Prunner), 1798; *Polyommatus* (*Albulina*) [Refs - b0236; b0471]
- a **azurinus** (Butler & H. Druce), 1872; *Bithys* OD: Cistula Entomologica 1(5):107 [b0662] CG: *Thecla* (New World Eumacini) [Type: BMNH] [TypeL - Cartago, Costa Rica.] [Refs - b0908; b2753; b1975]
- a **azurius** Swanepoel, 1975; *Poecilmitis* OD: Ent. Rec. 87(4):123, f [b4560] [TypeL - Roggeveldt Mts., Cape Province, S. Africa.] [Refs - b1259; b0107; b1452 (as *azureus*); b4560]
- b **azyada** (Fruhstorfer), 1914; *Dalacana* OD: Deut. ent. Zeit. [Iris] 27(4):174 [b1854] SS: *vidura* (Horsfield), [1828]; *Dacalana* [TypeL - W. Borneo.] [Refs - b1548; b0965; b4094; b1854; b4094 (+ as *azyada*); b3498; b2201; b1454; b4108]

- a **babaulti** (Stempffer), 1935; *Syntarucus* OD: *Mém. Mus. nat. Hist. nat.* (ns)2(12):235, f 9; pl 9, f 7 [b4362] CG: *Leptotes* [TypeL - Kenya.] [Refs - b1943; b1259; b1452; b0836; b2898; b4382; b4409; b4400]
- e **babysi** (Seitz), [1926], 1912-1927, (ISS); *Amblypodia* OD: In *Seitz, Grossschmett. Erde* 9:967 [b4094] SS: *babsi* Joicey & Talbot, 1917; *Arhopala* I [Refs - b4094]
- c **babhru** (Weeks), 1901; *Lycaena* OD: *Trans. amer. ent. Soc.* 27:357 [b4964] SS: *moza* (Staudinger), 1894; *Madeleinea* [Type: MCZ] [TypeL - Siesiaea, Bolivia.] [Refs - b0908; b3326]
- b **babicola** (van Eecke), 1914; *Castalius* OD: *Notes Leyden Mus.* 36(3/4):248 [b4792] SS: *ethion* (Westwood), [1851]; *Discolampa* [TypeL - Simalur.] [Refs - b1840; b1454]
- b **babieca** Agenjo, 1966; *Plebejus* OD: *Eos* 41:174 [b0016] SS: *argus* (Linnaeus), 1758; *Plebejus* [TypeL - Spain.] [Refs - b3059]
- b **babinus** Takanami, 1990; *Jamides* OD: *Tyô to Ga* 41(2):70, f [b4605] SS: *pura* (Moore), 1886; *Jamides* [Type: pc-ht; collection of Takanami.] [TypeL - Indonesia.] [Refs - b0124]
- b **babsi** Joicey & Talbot, 1917; *Arhopala* OD: *Ann. Mag. nat. Hist.* (8)20:219 [b2654] SS: *fulla* (Hewitson), 1862; *Arhopala* I [Type: BMNH-ht] [TypeL - Waigou.] [Refs - b1644; b1450; b4094 (as *babbsi*); b2654]
- a **baeaen** Hewitson, [1874], 1852-1877; *Baeotis* OD: *Ill. exot. Butts* 5:Ery 1, f 1 [b2323] [TypeL - Ecuador.] [Refs - b2988; b2753; b4474; b1456]
- b **baeaenita** Schaus, 1902; *Baeotis* OD: *Proc. U. S. nat. Mus.* 24(1262):402 [b3948] SS: *nesaea* Godman & Salvin, 1889; *Baeotis* [Type: USNM-ht; #5909] [TypeL - Peru.] [Refs - b4474; b2221; b3948; b1456]
- a **baecche** (Seitz), [1917], 1910-1924; *Mesosemia* OD: In *Seitz, Grossschmett. Erde* 5:639 [b4093] CG: *Teratophthalma* [TypeL - Rio Aguaca, Colombia.] [Refs - b4474; b1456; b4093]
- e **baechus** Scudder, 1889, 1888-1889, (PS); *Lycaena* OD: *Butts E. United States & Canada* 2:998 [b4088] SS: *americana* Harris, 1862; *Lycaena* (*Lycaena*) [Refs - b0908; b3191; b3192; b1321]
- a **baechus** Riley, 1938; *Lepidochrysops* OD: *Trans. R. ent. Soc. Lond.* 87(10):243, pl 1, f 25; pl 2, f 50 [b3777] [Type: BMNH-ht] [TypeL - Tygerberg Hills, nr Cape Town, S. Africa.] [Refs - b1259; b1452; b4400]
- a **baecnis** Schaus, 1890; *Theope* OD: *Ent. Amer.* 6(1):19 [b3947] [Refs - b4475 (as *species incertae sedis*); b1456]
- a **baeis** (Godman & Salvin), [1887], 1879-1901; *Thecla* OD: *Biol. centr.-amer., Lep. Rhop.* 2:21; 3:pl 49, f 20,21,22 [b1975] CG: *Atlides* (?) [TypeL - Chiriquí, Panamá.] [Refs - b0908; b2988; b1975]
- a **baetra** (Hewitson), [1877], 1863-1878; *Thecla* OD: *Ill. diurn. Lep. Lycaenidae* 1:194; 2:pl 77, f 619,620 [b2326] CG: *Calycopis* [Type: BMNH-ht] [TypeL - Nicaragua.] [Refs - b0908; b1737; b2753; b2221; b3818; b1375; b1975]
- a **baetriana** Hewitson, 1868; *Thecla* OD: *Descr. new Spec. Lycaenidae* :11 [b2327] CG: *Thecla* (New World *Eumaeini*) [Type: BMNH] [TypeL - Amazon.] [Refs - b0908; b2747]
- c **baetriana** (Grum-Grshimailo), 1890; *Lycaena* OD: In *Romanoff, Mém. Léop.* 4:374 [b2067] SS: *argyrognomon* (Bergsträsser), [1779]; *Plebejus* (*Lycaeides*) [Refs - b4092]
- a **badaca** Hewitson, 1868; *Thecla* OD: *Descr. new Spec. Lycaenidae* :12 [b2327] CG: *Thecla* (New World *Eumaeini*) [Type: BMNH-ht; designated by Johnson & Kroenlein, 1993] [Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (33):17 [b2627]] [TypeL - Brazil.] [Refs - b0908; b2988; b2747; b2221; b1375; b2627]
- b **badachshana** Forster, 1972; *Plebejus* OD: *Ent. Zeit.* 82(20):226, f 1,2 [b1777] SS: *eversmanni* (Staudinger), 1886; *Plebejus* [Type: ZSBS-ht] [TypeL - Badakhshan, Afghanistan.] [Note - Not spelled *badakushana*.] [Refs - b1777; b3910 (as *badakushana*)]
- b **badachshanica** (Stichetkin), 1984; *Pseudothecla* OD: *Zool. Zh.* 63(9):1430 [b4440] SS: *hyrcanica* (Riley), 1939; *Armenia* [TypeL - Khorog, Shugnanskiy Range, West Pamir, USSR.] [Refs - b4440; b4976]
- e **badakushana** Sakai, 1981, (ISS); *Plebejus* OD: *Butts Afghanistan* :226,260 [b3910] SS: *badachshana* Forster, 1972; *Plebejus* [Refs - b3910]
- a **badeta** Hewitson, [1873], 1863-1878; *Thecla* OD: *Ill. diurn. Lep. Lycaenidae* 1:146; 2:pl 58, f 365,366 [b2326] CG: *Thecla* (New World *Eumaeini*) [Type: BMNH] [TypeL - Cayenne.] [Refs - b0908; b2753; b1375]
- a **badhami** van Son, 1956; *Lepidochrysops* OD: *Ann. Transv. Mus.* 22:508, f [b4808] [TypeL - Namaqualand.] [Refs - b1259; b1452; b4400]
- a **badhami** Carcasson, 1961; *Deudorix* OD: *Occ. Pap. Coryndon Mem. Mus.* (7):20, f [b0707] CG: *Deudorix* (*Virachola*) [TypeL - Katanga.] [Refs - b1452; b4400]
- c **badia** Kirby, 1887; *Epitola* OD: *Ann. Mag. nat. Hist.* (5)19:444 [b2764] SS: *zelza* Hewitson, 1873; *Epitola* [TypeL - Cameroons.] [Refs - b3842; b4400]
- e **badia** Stichel, 1929, (IFS); *Nymphidium* OD: *Mitt. zool. Mus. Berl.* 15:23 [b4470] SS: *caricae* (Linnaeus), 1758; *Nymphidium* [Refs - b4920; b4470]
- e **ab. badiofasciata** (Gillmer), 1908, 1907-1909; *Thecla* OD: *Int. ent. Z.* 2(9):54 [b1959] SS: *pruni* (Linnaeus), 1758; *Fixsenia* [Refs - b0236; b1959]
- a **badura** Kirby, 1890; *Epitola* OD: *Ann. Mag. nat. Hist.* (6)6:271 [b2766] [TypeL - Tropical Africa.] [Refs - b3842; b1452; b2766; b4400]
- a **baetia** Hewitson, [1853], 1852-1877; *Nymphidium* OD: *Ill. exot. Butts* 1:[12], pl [57], f 5 [b2323] [Type: MNRJ-nt; designated by Callaghan, 1985] [Bull. Allyn Mus. (98):10 [b0679]] [TypeL - Manicore, Amazonas, Brazil.] [Refs - b2988; b2747; b4476; b0677; b2497; b0119 (as *baetia*); b1456]
- e **baetica** Meigen, 1830, 1827-1832, (ISS); *Lampides* OD: *Syst. Besch. Europ. Schmett.* 2(1):48 [b3146] SS: *boeticus* (Linnaeus), 1767; *Lampides* [Refs - b0400]
- e **baeticus** (Kirby), 1871, (ISS); *Cupido* OD: *Syn. Cat. diurn. Lep.* :354 [b2747] SS: *boeticus* (Linnaeus), 1767; *Lampides* [Note - An earlier reference might be *Latreille in Sonnini, 14:117 (1805).*] [Refs - b0236; b0400; b2747; b4871; b0836; b1840; b4092]
- c **baeton** (Sepp), [1848], 1828-1855; *Papilio* OD: *Surinaam. Vlinders* 1:23, pl 8 [b4116] SS: *inachus* (Cramer), [1775]; *Atlides* (?) [TypeL - Surinam.] [Refs - b0908; b2747]
- c **baganda** (Fruhstorfer), 1914; *Dalacana* OD: *Deut. ent. Zeit. [Iris]* 27(4):174 [b1854] SS: *vidura* (Horsfield), [1828]; *Dalacana* [TypeL - E. Java.] [Refs - b1548; b4094; b1454; b1854]
- e **bagas** d'Abreu, 1986, (ISS); *Tajuria* OD: *Butts Oriental Region, Pt 3* :612 [b1454] SS: *bagus* (Kheil), 1884; *Tajuria* [Refs - b1454; b4594; b4094]
- b **baghavus** Fruhstorfer, [1923], 1909-1923; *Castalius* OD: In *Seitz, Grossschmett. Erde* 9:886 [b1840] SS: *rosimon* (Fabricius), 1775; *Castalius* [TypeL - N. E. Sumatra; Bangka.] [Refs - b1840; b4108]
- a **baghirmii** Stempffer, 1946; *Spindasis* OD: *Revue fr. Ent.* 13(1):14, pl 1, f 9 [b4371] [Type: UMO-ht] [TypeL - Tchad, Baghirmi, Lake Chad.] [Refs - b1452; b4371; b4400]

- b **baginei** Collins & Larsen, 1991; Actis OD: In Butts Kenya :439, f [b0868] SS: penigraha (Karsch), 1895; Actis [TypeL - Kenya.] [Refs - b0125]
- a **bagrada** (Hewitson), 1868; Thecla OD: Descr. new Spec. Lycaenidae :22 [b2327] CG: Crimsinota [Type: BMNH] [TypeL - Villa Nova (Amazon).] [Refs - b0908; b2747; b1375; b0559; b2619]
- b **bagus** (Kheil), 1884; Iolaus OD: Rhop. Nias :31, pl 5, f 41 [b2725] SS: cippus (Fabricius), 1798; Tajuria [TypeL - Nias.] [Refs - b4094 (also as bagas); b2201 (as bagas); b1850; b1454 (as bagas); b4594]
- c **bagus** (Distant), 1886; Polyommatus OD: Ann. Mag. nat. Hist. (5)17:532 [b1288] SS: boeticus (Linnaeus), 1767; Lampides [TypeL - Malay Peninsula.] [Refs - b0964; b0965; b4108]
- b **bahadur** Fruhstorfer, [1914], 1909-1923; Praetaxila OD: In Seitz, Grossschmett. Erde 9:795, pl 138g [b1840] SS: satraps (Grose-Smith), 1894; Praetaxila [TypeL - Astrolab Bay, New Guinea.] [Refs - b1450; b1840; b4474]
- a **bahamensis** (Clench), [1943]; Hemiargus OD: Psyche 49(3/4):57 [b0817] CG: Cyclargus [Type: MCZ-ht] [TypeL - Crooked Island, Bahamas.] [Refs - b0908; b0540; b0907; b0528; b3326; b0833; b0817]
- a **bahia** Johnson, 1993; Gigantorubra OD: Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (32):26, f [b2614] [Type: BMNH-ht] [TypeL - Itaparica, Bahia, Brazil.] [Refs - b2614]
- c **bahiana** Felder & Felder, 1865, 1865-1875; Aricoris OD: Reise Novara (2):295, pl 38, f 3,4 [b1692] SS: tutana (Godart), [1824]; Aricoris [TypeL - Bahia.] [Type of -Melanope] [Refs - b2747; b2280]
- b **bahiana** (Stichel), 1929; Peplia OD: Mitt. zool. Mus. Berl. 15:23 [b4470] SS: molpe (Hübner), [1808]; Judiitha [TypeL - Brazil.] [Refs - b4475; b4470]
- b **bahiana** Azzarà, 1978; Barbicomis OD: Acta biol. parana. 7(1/4):61, f [b0189] SS: basilis Godart, [1824]; Barbicomis [TypeL - Brazil.] [Refs - b0111]
- a **bahlmanni** Fassl, 1922; Theope OD: Ent. Zeit. 36(12):46 [b1665] [TypeL - Brazil.] [Refs - b4475; b1456]
- c **baicalica** (Kurentzov), 1970; Lycaena OD: Butts Far East USSR :134 [b2864] SS: sibirica (Staudinger), 1892; Plebejus (Vacciniina) [Refs - b0108; b2866]
- a **baileyi** Forster, 1980; Chaetoprocta OD: Spixiana 3(1):5, f [b1779] [TypeL - Nepal.] [Refs - b1610 (6672-E12); b0113]
- b **baileyi** Eliot & Kawazoé, 1983; Celastrina OD: Butts Lycaenopsis group :236 [b1580] SS: oreas (Leech), [1893]; Celastrina [Type: BMNH-ht] [TypeL - Trulung, Tibet, China.] [Refs - b1580]
- a **balongus** Cantlie & Norman, 1960; Spalgis OD: J. Bombay nat. Hist. Soc. 57(2):424, f 1 [b0697] [Type: BMNH-st; ZSI-st] [TypeL - Sibsagar District, Assam, India.] [Refs - b0694; b0697]
- b **bajaensis** McAlpine, [1971]; Calephelis OD: J. Res. Lep. 10(1):36, f [b3127] SS: nemesis (Edwards), [1871]; Calephelis [Type: CM-ht] [TypeL - Baja, Mexico.] [Refs - b3127]
- c **bajanus** Fruhstorfer, 1913; Allotinus OD: Z. wiss. InsektBiol. 9(12):369 [b1851] SS: posidion Fruhstorfer, 1913; Allotinus (Paragerydus) [Type: BMNH-ht; designated by Eliot, 1986] [Bull. Br. Mus. nat. Hist. (Ent.) 53(1):49 [b1571]] [TypeL - Lombok.] [Refs - b1840; b1571]
- c **bajuvaricus** (Fruhstorfer), 1917; Lycaena OD: Deut. ent. Zeit. [Iris] 31:25 [b1877] SS: euphemus (Hübner), [1800]; Maculinea [TypeL - Oberbayern: Kochelsee, Deiniger Moos.] [Refs - b0236; b0400; b0471; b2858]
- a **bakeri** (H. H. Druce), 1910; Lycaenesthes OD: Proc. zool. Soc. Lond. 1910(1):374, pl 34, f 12 [b1378] CG: Anthene [Type: BMNH-ht] [TypeL - W. Africa.] [Refs - b1452; b4400]
- a **bakeri** (Joicey & Talbot), 1916; Waigeum OD: Ann. Mag. nat. Hist. (8)17:82, pl 7, f 8 [b2652] CG: Hypochrysopt [Type: BMNH-ht; designated by Sands, 1986] [Entomograph 7:85 [b3926]] [TypeL - Wandammen Mtns, Dutch New Guinea.] [Refs - b2652; b3926]
- b **bakeri** Evans, 1927; Heliophorus; Heliophorus OD: Ident. Indian Butts (1st ed) :158 [b1636] SS: oda (Hewitson), [1865]; Heliophorus (B) [Note - Evans attributed the name to Riley, but Riley's description had not been published.] [Refs - b1636; b4220; b3769; b0694; b1455]
- a **bakeri** Riley, 1928; Iolaus OD: Novit. zool. 34:388 [b3767] CG: Iolaus (Epamera) [Type: BMNH-ht] [TypeL - Port. E. Africa.] [Refs - b1943; b1259; b1452; b4400]
- c **bakeri** (Clench), 1944; Lycaenopsis OD: J. New York ent. Soc. 52(3):274 [b0822] SS: echo (Edwards), 1864; Celastrina [Type: MCZ-ht] [TypeL - Baker, Oregon.] [Refs - b0908; b0528; b3192; b1321]
- c **bakeriana** (Cator), 1904; Pseudersea OD: Ann. Mag. nat. Hist. (7)13:73 [b0729] SS: gordonii (H. H. Druce), 1903; Liptena [TypeL - Sierra Leone.] [Refs - b0729; b4400]
- a **bakotae** Stempffer, 1962; Omipholidotos OD: Bull. Inst. franç. Afr. Noire 24(A):1137, f 3 [b4395] [Type: BMNH-ht] [TypeL - Ouessou, Congo.] [Refs - b1452; b4395; b4400]
- a **bakotae** Stempffer & Bennett, 1965; Micropentila OD: Bull. Br. Mus. nat. Hist. (Ent.) 15(11):416 [b4422] [TypeL - Congo.] [Refs - b1452; b4400]
- b **balabacensis** Schröder & Treadaway, 1986; Eliotia OD: Ent. Zeit. 96(22):332, f 1,2 [b3984] SS: jalindra (Horsfield), [1829]; Eliotia [Type: pc-ht; collection of Treadaway.] [TypeL - Balabac Island, Philippines.] [Refs - b3984]
- b **balabacola** Schröder & Treadaway, 1990; Drupadia OD: Ent. Zeit. 100(9):170, f [b3991] SS: ravindra (Horsfield), [1828]; Drupadia [TypeL - Philippines.] [Refs - b0124]
- b **baladensis** (Holloway & Peters), 1976; Psychonotis OD: J. nat. Hist. 10(3):308 [b2440] SS: schaefferi (Eschscholtz), 1821; Nothodanis [Type: biblio; replacement name for caledonica Felder, 1865] [TypeL - New Caledonia.] [Refs - b0108]
- a **balbinus** Staudinger, [1887], 1884-1888; Nymphidium OD: In Exot. Schmett. 1:261; 2:pl 92 [b4329] [TypeL - Colombia.] [Refs - b4476; b0680; b1456]
- e **ab. balcanica** Tutt, 1909, 1905-1914; Polyommatus OD: Nat. Hist. Brit. Buus 3:272 [b4760] SS: semiargus (Rottemburg), 1775; Polyommatus (Cyaniris) [Refs - b0236; b0471]
- d **balcanica** (Züllich), 1929, (H); Lycaena OD: Z. öst. EntVer. 14(5):52 [b5081] SS: idas (Linnaeus), 1761; Plebejus (Lycaeides) [TypeL - Bulgaria.] [Note - Name replaced by baldur Hemming, who considered it homonym of balkanicus Freyer.] [Refs - b0236; b4425; b0072; b0067; b0410; b2255; b0471]
- b **balcanicola** Graves & Hemming, 1928; Lycaena OD: Entomologist 61:106, pl 2, f 9,10; pl 3, f 21,21 [b2013] SS: virgaurea (Linnaeus), 1758; Lycaena (Heodes) [TypeL - Bulgaria.] [Refs - b0236; b0066; b0471]
- c **baldur** (Hemming), 1934; Lycaeides OD: Stylops 3:193 [b2255] SS: argyrognomon (Bergsträsser), [1779]; Plebejus (Lycaeides) [Note - Replacement name for balcanica Zull.] [Refs - b2255 (as osym of balcanica); b0072; b2255]
- e **Q ab. baldyensis** (Gunder), 1925; Philotes OD: Ent. News 36(1):pl 1, f M [b2094] SS: bernardino (Barnes & McDunnough), 1916; Euphilotes [Type: AMNH] [TypeL - Camp Baldy, San Bernardino County, California.] [Refs - b0908; b3192; b1321; b2094]

- b **balearica** Rebel, 1926; *Polyommatus* OD: Deut. ent. Zeit. [Iris] 40:140 [b3713] SS: icarus (Rottemburg), 1775; *Polyommatus* [Refs - b3059; b0236; b0471]
- c **balestrei** (Fruhstorfer), 1910; *Lycaena* OD: Soc. ent. 25(12):48 [b1845] SS: escheri (Hübner), [1823]; *Polyommatus* (Plebicula) [TypeL - Alpes Maritimes: Moulinet bei Menton.] [Refs - b3323; b0236; b1845; b0471; b2858]
- b **baleuensis** McAlpine, [1971]; *Calephelis* OD: J. Res. Lep. 10(1):79, f [b3127] SS: wellingi McAlpine, [1971]; *Calephelis* [Type: USNM-ht] [TypeL - Baleu, Mpio San Cristobal Verapaz, Alta Verapaz, Guatemala.] [Refs - b3127]
- b **baliensis** Tite, 1963; *Nacaduba* OD: Bull. Br. Mus. nat. Hist. (Ent.) 13(4):88 [b4676] SS: biocellata (Felder & Felder), 1865; *Nacaduba* [Type: BMNH-ht] [TypeL - Gilmanock, W. Bali.] [Refs - b4676]
- b **ballina** (Fruhstorfer), 1914; *Marmessus* OD: Deut. ent. Zeit. [Iris] 27(4):175 [b1854] SS: ravindra (Horsfield), [1828]; *Drupadia* [Type: BMNH-ht; designated by Cowan, 1974] [Bull. Br. Mus. nat. Hist. (Ent.) 29(6):309 [b1030]] [TypeL - Bali, Indonesia.] [Refs - b1030; b4094; b0105; b2201; b1454; b1854]
- a **balinti** d'Abbrera, 1993; *Plebejus* OD: Butts Holarctic Region, Pt 3 :491, f [b1455] [Type: BMNH-ht] [TypeL - Tura [which is ambiguous].] [Refs - b1455]
- b **balinus** Fruhstorfer, 1912; *Zemerus* OD: Ent. Rundsch. 29(3):23 [b1849] SS: flegyas (Cramer), [1780]; *Zemerus* [Refs - b4473; b1454; b1840]
- a **balista** (Hewitson), [1863], 1852-1877; *Lemonias* OD: Ill. exot. Butts 3:---, pl [58], f 22,23 [b2323] CG: *Adelotypa* [TypeL - Amazon.] [Refs - b2747; b4475; b1456]
- c **balius** Godman & Salvin, [1887], 1879-1901; *Thecla* OD: Biol. centr.-amer., Lep. Rhop. 2:65; 3:pl 56, f 6,7 [b1975] SS: gabatha Hewitson, 1870; *Thecla* (New World Eumaeini) [Type: BMNH] [TypeL - Polochic valley, Guatemala; Interior of Colombia.] [Refs - b0908; b1375; b1975]
- a **balkanicus** (Freyer), 1844, 1831-1858; *Lycaena* OD: Neuere Beitr. Schmett. 5(71):63, pl 421, f 1,2 [b1795] CG: *Tarucus* [TypeL - Turcia.] [Note - Attended by anis.] [Refs - b2375; b2747; b0995; b1762; b2255; b2905; b3547; b3621; b0236 (as balcanica); b1452; b2255; b0293; b0400; b0836; b2898; b2794; b4400; b0072 (as balcanicus); b3910 (as balcanicus); b2859 (as balcanicus); b4092; b2388; b1455]
- b **ballantinei** Eliot, 1986; *Allotinus* OD: Bull. Br. Mus. nat. Hist. (Ent.) 53(1):55, f 76 [b1571] SS: substrigosa (Moore), 1884; *Allotinus* (Paragyrydus) [TypeL - Port Barton, Palawan, Philippines.] [Refs - b1571]
- a **balli** Dickson, 1980; *Poecilmitis* OD: Ent. Rec. 92(11/12):294-297 [b1262] [TypeL - Cape Province, S. Africa.] [Refs - b1610 (7378-E12)]
- a **balli** Dickson, 1985; *Lepidochrysops* OD: Ent. Rec. 97(1/2):1, f 3 [b1266] [Type: TM-ht] [TypeL - Cape Province, S. Africa.] [Refs - b1266]
- d **balliston** (Hübner), [1823], 1808-1837, (RC); *Lampides* OD: Zutr. Samml. exot. Schmett. 2:11, pl [40], f 229,230 [b2483] SS: emolus (Godart), [1824]; *Anthene* [TypeL - Georgia.] [Note - Placed on the Official Index of Rejected and Invalid Specific Names in Zoology by Opinion 1527.] [Refs - b4679; b0908; b2747; b4934; b4683; b2547]
- b **balluca** Stichel, 1924; *Symmachia* OD: Deut. ent. Zeit. 1924:414 [b4459] SS: arion (Felder & Felder), 1865; *Symmachia* [TypeL - S. America.] [Refs - b4459; b4474; b1456]
- a **ballus** (Fabricius), 1787; *Papilio* OD: Mantissa Ins. 2:80 [b1656] CG: Tomares [Type: ZMC-st] [TypeL - Hispania."] [Type of - Tomares] [Refs - b2280; b2375; b2747; b0996; b0236; b2794; b2985; b2859; ns0451; ns0735; ns0737; ns1756; b4092; b1455; b1209]
- a **baltazardi** (de Lesse), 1963; *Agrodiaetus* OD: Alexanor 2(8):310 [b1129] CG: *Polyommatus* (*Agrodiaetus*) [Type: MNHN-ht] [TypeL - Kuh-i-Lalihzar (Kerman), N. E. Iran.] [Refs - b1455 (as baltazardi :516); b1129]
- e **ab. balteata** (Scudder), 1889, 1888-1889; *Incisalia* OD: Butts E. United States & Canada 2:837 [b4088] SS: irus (Godart), [1824]; *Deciduphagus* [TypeL - Centre, New York.] [Refs - b1321 :54; b3192; b0908]
- a **balua** (Moulton), [1912]; *Chliaria* OD: J. Straits Brch. R. asiat. Soc. 60:151, f 6 [b3259] CG: *Hypolycaena* (*Chliaria*) [TypeL - Sarawak, Borneo.] [Refs - b0964; b0965; b2211; b1454; b4108]
- b **baluana** Eliot & Kawazoé, 1983; *Callenya* OD: Butts Lycaenopsis group :263, f [b1580] SS: lenya (Evans), 1932; *Callenya* [Type: BMNH-ht] [TypeL - Mesilau, Mt Kinabalu, Sabah, Borneo.] [Refs - b1580; b2200; b4108]
- b **balucha** (Howarth), 1976; *Lycaena* OD: In Čas. morav. Mus. Brně 61:150, f [b2467] SS: phoenicurus (Lederer), 1872; *Athamanthia* [TypeL - Baluchistan, Afghanistan.] [Refs - b1018; b3365]
- a **baluensis** Bethune-Baker, 1904; *Arhopala* OD: Ann. Mag. nat. Hist. (7)14:235 [b0333] CG: *Arhopala* b [Type: BMNH-st] [TypeL - Kina Balu, Borneo.] [Refs - b1644; b0965; b1454; b0333; b4108]
- a **balza** d'Abbrera, 1994; *Mesosemia* OD: Butts Neotropical Region, Pt 4:924, f [Type: BMNH-ht] [TypeL - Balzapampa, Prov. Bolivar, Ecuador.] [Refs - b1456]
- a **balzabamba** Goodson, 1945; *Thecla* OD: Entomologist 78:187 [b1998] CG: *Thecla* (New World Eumaeini) [Type: BMNH] [TypeL - Merida, Venezuela; Balzapampa, Prov. de Bolivar.] [Refs - b0908]
- a **balzapamba** Johnson, 1992; *Abloxurina* OD: Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (22):29, f [b2610] [Type: AMNH-ht] [TypeL - Balzapampa, Ecuador.] [Refs - b0125; b2610]
- b **bamba** (Agenjo), 1967; *Glaucopsyche* OD: Eos 43:18 [b0020] SS: melanops (Boisduval), [1828]; *Apelles* [Refs - b3059]
- a **bambana** Grose-Smith, 1900, 1887-1902; *Axiocerses* OD: Rhop. exot. 3(54):123, pl 26, f 10,11 [b2029] [TypeL - E. Africa.] [Refs - b1943; b1259; b0831; b1452; b0836; b4400; b3609; b1235]
- c **bambino** Bryk, 1953; *Themone* OD: Ark. Zool. (ns)5(1):124 [b0569] SS: pais (Hübner), [1820]; *Themone* [Type: UZIU-ht] [TypeL - Manaus, Brazil.] [Refs - b0569]
- b **bamendanus** Schultze, 1909; *Capys* OD: Soc. ent. 24(3):19 [b4009] SS: disjunctus Trimen, 1895; *Capys* [TypeL - Bami, Cameroun.] [Note - May belong with catharus.] [Refs - b1452; b4009; b4400; b2899; b2286]
- a **bamptoni** Dickson, 1976; *Poecilmitis* OD: Ent. Rec. 88(11):280, f [b1257] [TypeL - Hondeklip Bay, Cape Province, S. Africa.] [Refs - b1259; b0108]
- a **bamptoni** Tite & Dickson, 1977; *Aloeides* OD: Ent. Rec. 89(7):209 [b4687] [TypeL - Cape Province, S. Africa.] [Refs - b1259; b1452]
- a **bamptoni** Henning & Henning, 1988; *Capys* OD: Durban Mus. Novit. 14(6):115, f [b2286] [Type: DM-ht] [TypeL - Imatong Mountains, Sudan.] [Refs - b2286]
- a **banco** Stempffer, 1966; *Iolaus* OD: Bull. Inst. fond. Afr. Noire 28(A):1573 [b4399] CG: *Iolaus* (*Epamera*) [TypeL - Ivory Coast.] [Refs - b1452; b4400]
- b **bandana** (Swinhoe), 1916; *Euspa* OD: Ann. Mag. nat. Hist. (8)18:210 [b4577] SS: kurava (Moore), [1858]; *Nacaduba* [Type: BMNH-ht] [TypeL - Banda.] [Refs - b4676; b1450]

- c **bandatara** Fruhstorfer, [1912]; *Rapala* OD: Berl. ent. Z. 56(3/4):255 [b1850] SS: *alceatina* Semper, 1887; *Rapala* [Type: BMNH-ht]; designated by Takanami, 1986 [Tyô to Ga 36(4):187 [b4591]] [TypeL - Bazilan.] [Refs - b1850; b1570; b4591; b1454; b4094]
- b **banghaasi** Fruhstorfer, 1915; *Polycaena* OD: Soc. ent. 30:61 [b1867] SS: *tumur* Staudinger, 1886; *Polycaena* [TypeL - Tianshan.] [Refs - b4473; b0236; b1867]
- a **banghaasi** Seitz, [1917], 1910-1924; *Colaciticus* OD: In Seitz, *Grossschmett. Erde* 5:672, pl 142e [b4093] [Type: BMNH-ht] [TypeL - Cuyaba, Mato Grosso, Brazil.] [Refs - b2988; b4474; b1456]
- b **bangkala** (Ribbe), 1926; *Lampides* OD: Ent. Mitt. 15(1):90 [b3742] SS: *festivus* (Röber), [1886]; *Jamides* [TypeL - Celebes.] [Refs - b3742]
- b **bangkalanus** Ribbe, 1926; *Tajuria* OD: Ent. Mitt. 15(1):80 [b3742] SS: *iapyx* Hewitson, [1865]; *Tajuria* [Type: SMT-ht] [TypeL - Banggai Island.] [Refs - b3742; b4602]
- c **bangkalensis** (Ribbe), 1926; *Cyaniris* OD: Ent. Mitt. 15(1):89 [b3742] SS: *kuehni* (Röber), [1886]; *Acytoteles* [Type: SMT-st] [TypeL - Banggai Island.] [Refs - b1580; b3742]
- c **bangkaiensis** Ribbe, 1926; *Rapala* OD: Ent. Mitt. 15(1):82 [b3742] SS: *dioetas* Hewitson, [1863]; *Rapala* [Type: SMT-ht]; designated by Takanami, 1992 [Tyô to Ga 43(3):194 [b4609]] [Refs - b3742; b4602; b0126]
- b **bangkaiensis** (Ribbe), 1926; *Biduanda* OD: Ent. Mitt. 15(1):80 [b3742] SS: *theda* (Felder & Felder), 1862; *Drupadia* [Type: SMT-ht]; designated by Takanami, 1989 [Tyô to Ga 40(1):52 [b4602]] [TypeL - Banggai Island, Indonesia.] [Refs - b1030; b0105; b0105; b3742; b1454; b4602]
- c **bangkanus** (Fruhstorfer), 1914; *Gerydus* OD: Z. wiss. Insekt.Biol. 10(2):59 [b1857] SS: *petronius* (Distant & Pryer), 1887; *Mileus* 4 [TypeL - Bangka.] [Refs - b1840; b0995; b4108]
- b **bangueyana** (Fruhstorfer), [1912]; *Tajuria* OD: Berl. ent. Z. 56(3/4):214 [b1850] SS: *donatana* (de Nicéville), [1889]; *Pseudotajuria* [TypeL - Banguey Island, nr Borneo.] [Refs - b1454; b1850; b4094; b3519; b4108]
- b **bangueyanus** Fruhstorfer, 1912; *Zemeros* OD: Ent. Rundsch. 29(3):22 [b1849] SS: *emesoides* Felder & Felder, 1860; *Zemeros* [Refs - b4473; b1454; b1840]
- b **banka** (Riley), [1945]; *Mamessus* OD: Trans. R. ent. Soc. Lond. 94(2):267 [b3782] SS: *ravindra* (Horsfield), [1828]; *Drupadia* [Type: BMNH-ht] [TypeL - Bangka Island, Indonesia.] [Refs - b1030; b0105; b2201; b1454; b3782]
- e **ab. banksi** (Watson & Comstock), 1920; *Heodes* OD: Bull. amer. Mus. nat. Hist. 42(10):454 [b4952] SS: *americana* Harris, 1862; *Lycæna* (*Lycæna*) [Type: MCZ-ht] [TypeL - Lexington, Massachusetts.] [Refs - b0908; b3191; b3192; b1321; b4952]
- a **banosensis** (Clench), 1944; *Thecla* OD: Bull. Harvard Mus. Comp. Zool. 94:233 [b0823] CG: *Cyanophrys* [Type: AMNH-ht] [TypeL - San Pablo, Río Pastaza, vic. Baños, Ecuador.] [Refs - b0908; b0528; b2585; b0079 (as *banosensis*); b0823]
- a **bansana** Bethune-Baker, 1926; *Iolaus* OD: Ann. Mag. nat. Hist. (9)17:395 [b0362] CG: *Iolaus* (*Epamera*) [TypeL - Kameruns.] [Refs - b1452; b2560; b4400]
- c **banyoana** Bethune-Baker, 1926; *Spindasis* OD: Ann. Mag. nat. Hist. (9)17:398 [b0362] SS: *avriko* (Karsch), 1893; *Spindasis* [TypeL - Kameruns.] [Refs - b0113; b1452; b4400]
- b **baorucoensis** Johnson, 1991; *Nesiostrymon* OD: Amer. Mus. Novit. (3011):9, f [b2604] SS: *celida* (Lucas), 1857; *Nesiostrymon* [TypeL - Dominican Republic.] [Refs - b0125]
- a **baptistorum** Johnson & Eisele & MacPherson, 1990; *Strymon* OD: Bull. Allyn Mus. (130):34, f [b2624] [Type: AME-ht] [TypeL - El Corte' Yerba Buena, Argentina.] [Refs - b2624]
- a **barajo** Reakirt, [1867], 1866-1867; *Thecla* OD: Proc. Acad. nat. Sci. Philad. 18:333 [b3697] CG: *Thecla* (New World Eumaeini) [TypeL - Near Vera Cruz, Mexico.] [Refs - b0908; b2747; b3818; b2406; b1975]
- b **baraka** Bennett, 1950; *Abisara* OD: Entomologist 83:39 [b0294] SS: *saturata* (Moore), 1878; *Abisara* [Type: BMNH] [TypeL - Manipur.] [Refs - b0294; b1454]
- b **baralacha** (Moore), 1884; *Chrysophanus* OD: J. asiat. Soc. Bengal, Pt II 53(1):25 [b3236] SS: *phlaeas* (Linnaeus), 1761; *Lycæna* (*Lycæna*) [TypeL - Ladak.] [Refs - b1636; b0996; b1759; b4180; b0236; b4094; b0694]
- a **barami** Bethune-Baker, 1903; *Arhopala* OD: Trans. zool. Soc. Lond. 17(1):126, pl 3, f 5 [b0331] CG: *Arhopala* i [Type: BMNH-ht] [TypeL - Borneo.] [Refs - b1644; b1454; b4094; b4108]
- a **barba** H. H. Druce, 1907; *Thecla* OD: Proc. zool. Soc. Lond. 1907(3):575, pl 32, f 3 [b1375] CG: *Thecla* (New World Eumaeini) [Type: BMNH] [TypeL - Río Minero, Muzo, Colombia.] [Refs - b0908; b1375]
- a **barbagiae** Prins & Poorten, 1982; *Pseudophilotes* OD: *Phegea* 10:61-76 [b3650] [TypeL - Sardinia.] [Refs - b2794; b2859]
- b **barbara** Suffert, 1904; *Iolaus* OD: Deut. ent. Zeit. [Iris] 17:62 [b4535] SS: *hemicyanus* E. Sharpe, 1904; *Iolaus* (*Epamera*) [TypeL - Africa.] [Refs - b1452; b4400]
- a **barbara** Johnson & Eisele & MacPherson, 1990; *Strymon* OD: Bull. Allyn Mus. (130):35, f [b2624] [Type: AME-ht] [TypeL - Quebrada de Escoipe, Salta, Argentina.] [Refs - b2624; b2625]
- d **barbarus** (Gmelin), [1790], (JOS); *Papilio* OD: C. A. Linné, Sys. Nat. ed. 13 1(5)(Insecta 2):2352 [b1969] OS: *pirithous* (Moore), [1884]; *Arhopala* h [Type: biblio; proposed as a replacement name.] [Refs - b2747; b4815]
- c **barbatus** (H. H. Druce), 1891; *Pilodeudorix* OD: Ann. Mag. nat. Hist. (6)7:366 [b1355] SS: *camerona* (Plötz), 1880; *Deudorix* (*Pilodeudorix*) [TypeL - Sierra Leone.] [Type of *Pilodeudorix*] [Refs - b2280; b0836; b4400; b1355]
- a **barberae** (Trimen), 1868; *Lycæna* OD: Trans. ent. Soc. Lond. 16(1):89, pl 5, f 7 [b4718] CG: *Oraidium* [TypeL - Africa mer.] [Type of *Oraidium*] [Refs - b1784 :280; b2280; b1259; b1452; b4400]
- a **barbouri** Bates, 1935; *Rodinia* OD: *Psyche* 42(3):149 [b0258] [TypeL - Panama.] [Refs - b1456]
- c **barbouri** Clench, [1943]; *Brephidium* OD: *Psyche* 49(3/4):58 [b0817] SS: *isophthalma* (Herrich-Schäffer), 1862; *Brephidium* [Type: MCZ-ht] [TypeL - Great Inagua Island, Bahamas.] [Refs - b0908; b0907; b3192; b1321; b0833; b0817; b1949]
- a **barca** (Hewitson), [1852], 1852-1877; *Limnas* OD: Ill. exot. Butts 1:[---], pl [60], f 12 [b2323] CG: *Melanis* [TypeL - Brasilia.] [Refs - b2747; b4474; b3192; b1456]
- a **barca** (Grose-Smith), 1901, 1887-1902; *Durbania* OD: Rhop. exot. 3(55):128, pl 27, f 3,4 [b2029] CG: *Deloneura* [TypeL - S. Africa.] [Refs - b1452; b4400]
- a **barcanti** Tite, 1968; *Pachythone* OD: Entomologist 101:224, f [b4681] [TypeL - Las Lomas, Trinidad.] [Refs - b1456]
- b **barce** Hewitson, [1875], 1852-1877; *Bacotis* OD: Ill. exot. Butts 5:Lem, f 7 [b2323] SS: *johannae* E. Sharpe, 1890; *Bacotis* [Type: BMNH-ht] [TypeL - Mexico.] [Refs - b2753; b4474; b1456]
- a **barea** Godman & Salvin, 1878; *Theope* OD: Proc. zool. Soc. Lond. 1878(2):369 [b1973] [TypeL - Veragua; Chiriqui.] [Refs - b2988; b4475; b1456]

- a **bari** d'Abrera, 1994; *Mesosemia* OD: Butis Neotropical Region, Pt 4:916, f [Type: BMNH-ht] [TypeL - French Guiana.] [Refs - b1456]
- a **barine** (Staudinger), [1887], 1884-1888; *Charis* OD: In Exot. Schmetz. 1:256; 2:pl 91 [b4329] CG: *Argyrogrammana* [TypeL - Rio San Juan, W. Colombia.] [Refs - b4474; b1456]
- b **barine** (Leech), [1893], 1893-1894; *Lycaena* OD: Butis China Japan Corea :304, pl [b2966] SS: *divina* (Fixsen), 1887; *Shijimaeoides* [Type: BMNH-ht] [TypeL - Oiwake, Japan.] [Type of - *Shijimaeoides*] [Refs - b2280; b4179; b1710; b4115 (as *Nire* name); b1762; b0993; b1900; b0236; b2242; b4092; b0471]
- a **barissus** (Hewitson), [1874], 1852-1877; *Baeotis* OD: Ill. exot. Butis 5:Ery, f 7 [b2323] CG: *Hyphilaria* [TypeL - Not stated.] [Refs - b2753; b4474; b1456]
- a **barkeri** (Trimen), 1893; *Lycaena* OD: Trans. ent. Soc. Lond. 41(2):129, pl 8, f 5,6 [b4728] CG: *Euchrysops* [Type: BMNH-ht] [TypeL - Natal, S. Africa.] [Refs - b1943; b1259; b1452 (in *Lepidochrysops*); b0836; b4400; b1235; b0359]
- a **barklyi** (Trimen), 1874; *Zeritis* OD: Trans. ent. Soc. Lond. 22(3):338, pl 2, f 8,9 [b4721] CG: *Aloeides* [Type: lost-st] [TypeL - Namaqualnad, Cape Province, South Africa.] [Refs - b1259; b2753; b1452; b4400; b4685]
- a **barnadi** Miskin, 1890; *Ogyris* OD: Proc. linn. Soc. N. S. Wales (2)5(1):27 [b3212] [TypeL - Queensland, Australia.] [Refs - b1450; b0870; b4094; b4934; ns2947]
- b **barnardi** Waterhouse, 1934; *Hypochrysops* OD: Proc. linn. Soc. N. S. Wales 59(5-6):416 [b4938] SS: *elgneri* (Waterhouse & Lyell), 1909; *Hypochrysops* [Type: AM-ht] [TypeL - Cape York, Australia.] [Refs - b1450; b0870; b3926]
- e **ab. barnesi** Gunder, 1927; *Glaucoopsyche* OD: Can. Ent. 59(12):282, pl A, f 2,2a [b2099] SS: *xerces* (Boisduval), 1852; *Glaucoopsyche* [Type: USNM-ht] [TypeL - San Francisco, California.] [Refs - b0908; b1321; b3192]
- a **barnesi** Stevenson, 1940; *Anthene* OD: J. ent. Soc. S. Afr. 3:106 [b4436] [Type: MNBZ-lt; designated by Hancock, 1985] [*Arnoldia* Zimbabwe 9(16):243 [b2127]] [TypeL - Vumbu Mountains, S. Africa.] [Refs - b1259; b1452; b4400; b4436]
- a **barnesi** Pennington, 1953; *Lepidochrysops* OD: J. ent. Soc. S. Afr. 16:108 [b3568] [TypeL - S. Africa.] [Refs - b1259; b1452; b4400]
- b **f. barnesi** Stempffer, 1953; *Spindasis* OD: Anns Mus. r. Congo Belge (8vo)27:30 [b4384] SS: *ella* (Hewitson), [1865]; *Spindasis* [TypeL - S. Rhodesia.] [Refs - b4400]
- a **barnesi** Stempffer & Bennett, 1953; *Baliochila* OD: Bull. Br. Mus. nat. Hist. (Ent.) 3:86 [b4415] [TypeL - S. E. Tropical Africa.] [Refs - b1259; b1452; b4400]
- b **barnesi** Stempffer, 1954; *Aphnaeus* OD: Trans. R. ent. Soc. Lond. 105(21):507, pls 1,2, f 1 [b4387] SS: *erikssonii* Trimen, 1891; *Aphnaeus* [TypeL - S. Rhodesia.] [Refs - b4387; b1259; b1452; b4400]
- c **barneyi** (Corbet), 1941; *Celestrina* OD: Hongkong Nat. 10(3/4):149 [b0957] SS: *gisca* (Fruhstorfer), 1910; *Acytolepis* [Type: BMNH-ht] [TypeL - Hong Kong.] [Refs - b2650; b1580]
- b **barnsi** (Joicey & Talbot), 1921; *Epamera* OD: Bull. Hill Mus. 1(1):92, pl 15, f 66,67 [b2655] SS: *hemicyanus* E. Sharpe, 1904; *Iolans* (*Epamera*) [Type: BMNH-ht] [TypeL - Bafwaboli, Tshopo River.] [Refs - b1452; b4400; b2655]
- a **barnsi** Joicey & Talbot, 1921; *Abisara* OD: Bull. Hill Mus. 1(1):77, pl 13, f 41,42 [b2655] [Type: BMNH-ht] [TypeL - Butahu River, Semliki Valley, E. Africa.] [Refs - b4400; b4473; b2655]
- b **barnsi** (Hawker-Smith), 1933; *Pseuderesia* OD: *Stylops* 2:5 [b2168] SS: *deborra* (Kirby), 1890; *Mimeresia* [TypeL - Bafwasende, Lindi River, Belgian Congo.] [Refs - b1452; b0836; b2168; b4400]
- e **ab. barnumi** Dujardin, 1945; *Polyommatus* OD: Revue fr. Lép. 10:172 [b1414] SS: *icarus* (Rottemburg), 1775; *Polyommatus* [TypeL - France.] [Refs - b0082; b1414]
- a **baroghila** (Tytler), 1926; *Lycaena* OD: J. Bombay nat. Hist. Soc. 31(3):583, pl 1, f 1 [b4773] CG: *Plebejus* [TypeL - Baroghil Pass, North-East Chitral.] [Refs - b0065; b4773; b0694 (=sanoga); b0471]
- a **barombiensis** (Kirby), 1890; *Epitola* OD: Ann. Mag. nat. Hist. (6):274 [b2766] CG: *Neoeptola* [TypeL - Tropical Africa.] [Type of - *Neoeptola*] [Refs - b3842; b4400; b1019 :6; b1452; b2766]
- a **baronica** Ungemach, 1932; *Deudorix* OD: Mém. Soc. Sci. nat. phy. Maroc (32):82, f [b4780] CG: *Deudorix* (*Virachola*) [TypeL - Abyssinia.] [Refs - b1452; b4400]
- b **baroptenus** (Stichel), 1910; *Anatole* OD: Berl. ent. Z. 55(1/2):89 [b4445] SS: *zygia* Hübner, [1807]; *Lemomas* [Type: ZMHU-st] [TypeL - Rio Tapajos, Itaimba, Brazil.] [Refs - b4475; b4445]
- b **barraguei** Dujardin, 1972; *Calophrys* OD: Entomops 4(25):7, f [b1418] SS: *avis* Chapman, 1909; *Calophrys* [Type: pc-ht; collection of Dujardin] [TypeL - Kaddous, Algeria.] [Refs - b0254; b1455 (as *barregui*:434)]
- b **barraguei** Dujardin, 1977; *Polyommatus* OD: Entomops 43:93, f [b1420] SS: *atlantica* (Elwes), 1906; *Polyommatus* (*Plebicula*) [Type: pc-ht; collection of Dujardin] [TypeL - Tikjda, Djurdjura, Algeria.] [Refs - b0109; b1420]
- e **barregui** d'Abrera, 1993, (ISS); *Calophrys* OD: Butis Holarctic Region, Pt 3 :434 [b1455] SS: *barraguei* Dujardin, 1972; *Calophrys* [Refs - b1455]
- c **barrensis** (Rosa), 1936; *Thecla* OD: Bolm Mus. nac. Rio de J. 12(2):82 [b3855] SS: *meliboens* (Fabricius), 1793; *Arawacus* [Type: pc; collection of Rosa.] [TypeL - S. Joao da Barra, Brazil.] [Refs - b0908]
- b **barringtonensis** Waterhouse, 1928; *Pseudalmenus* OD: Proc. linn. Soc. N. S. Wales 53(4):412, f [b4937] SS: *chlorinda* (Blanchard), 1848; *Pseudalmenus* [TypeL - Barrington Tops, New South Wales, Australia.] [Refs - b1450; b0870; b3646]
- a **barryi** (Johnson), 1976; *Calophrys* OD: Bull. Allyn Mus. (38):17-19, f 7,12,15a [b2583] CG: *Mitoura* [Type: AME-ht] [TypeL - Union County, Oregon.] [Refs - b2583; b3192; b2585]
- b **barsacus** Westwood, [1851], 1846-1852; *Panara* OD: In Gen. dium. Lep. (2):443, pl 72, f 10 [b4981] SS: *phereclus* (Linnaeus), 1758; *Panara* [Refs - b2747; b4474]
- a **barsine** (C. Felder), 1860; *Anops* OD: Sber. Akad. Wiss. Wien 40(11):451 [b1676] CG: *Curetis* [TypeL - Amboina.] [Refs - b1450; b2747; b1573; b4094]
- b **barthae** (Pfeiffer), 1932; *Lycaena* OD: In Mitt. münchn. ent. Ges. 22(1):47, pl 4, f 6,20 [b3590] SS: *iphigenia* (Herrich-Schäffer), [1847]; *Polyommatus* (*Agrodiaemus*) [TypeL - N. Syria.] [Refs - b1772; b0070]
- b **barthema** (Distant), 1885, 1882-1886; *Deudorix* OD: Rhop. malayana :280 [b1285] SS: *suffusa* (Moore), [1879]; *Rapala* [TypeL - Malaya.] [Refs - b0964; b0965; b1454 (=nemana); b4094]
- b **bartrami** Comstock & Huntington, 1943; *Strymon* OD: Ann. New York Acad. Sci. 45:65, pl 1, f 2 [b0907] SS: *acis* (Drury), [1773]; *Strymon* [Type: AMNH-ht] [TypeL - Miami, Florida.] [Refs - b0908; b0907; b3192; b3512; b1321; b0833; b1608]

- a **barza** Field, 1967; *Calystryma* OD: Proc. U. S. nat. Mus. 123(3611):19, f 10; pl 1, f 13,14 [b1738] [Type: AMNH-ht] [TypeL - Upper Rio Maranon, Dept. Amazonas, Peru.] [Refs - b1738; b2631; b2606]
- c **barzanes** (Hewitson), [1874], 1852-1877; *Baeotis* OD: Ill. exot. Butts 5:Ery, f 2 [b2323] SS: monogramma (Bates), [1868]; *Parcella* [TypeL - Ecuador.] [Refs - b2753; b4474; b2221]
- e **basalides** (Westwood), [1852], 1846-1852, (ISS); *Thecla* OD: In Gen. diurn. Lep. (2):485 [b4981] SS: basilides (Geyer), [1837]; *Strymon* [Refs - b0908; b2988; b2747; b2221; b2497; b1375; b1975; b2918]
- a **baschkiria** Krulikovskii, 1897; *Lycaena* OD: Mater. Pozn. Fauny Flory SSSR 3:317 [b2848] CG: *Lycaena* (?) [Refs - b0236; x0276]
- c **basiatrata** (Strand), 1910; ?*Nacaduba* OD: Deut. ent. Zeit. [Iris] 24:203 [b4497] SS: ni (de Nicéville), 1902; *Prosotas* [TypeL - Sumatra.] [Refs - b4676; b4528]
- e **ab. basibipuncta** Agenjo, [1967]; *Glaucopsyche* OD: Eos 42:297 [b0019] SS: alexis (Poda von Neuhaus), 1761; *Glaucopsyche* [Refs - b3059]
- e **f. basicaeaca** (Stauder), 1923, 1920-1923; *Lycaena* OD: Z. wiss. Insektbiol. 18:192 [b4310] SS: semiargus (Rottemburg), 1775; *Polyommatus* (*Cyaniris*) [Refs - b0236; b0471]
- e **ab. basielongata** (Courvoisier), 1912; *Lycaena* OD: Deut. ent. Zeit. [Iris] 26:46 [b0987] SS: coridon (Poda von Neuhaus), 1761; *Polyommatus* (*Lysandra*) [Refs - b0471]
- e **ab. basielongata** Courvoisier, 1921; *Lycaena* OD: Deut. ent. Zeit. [Iris] 35:85 [b0996] SS: dispar ([Haworth]), 1802; *Lycaena* (*Thersamolycaena*) [Refs - b0389]
- e **ab. basijuncta** (Tutt), 1909, 1905-1914; *Plebejus* OD: Nat. Hist. Brit. Butts 3:178 [b4760] SS: argus (Linnaeus), 1758; *Plebejus* [Refs - b0236; b0471]
- e **ab. basijuncta** Courvoisier, 1912; *Lycaena* OD: Deut. ent. Zeit. [Iris] 26:48 [b0987] SS: tityrus (Poda von Neuhaus), 1761; *Lycaena* (*Heodes*) [Refs - b0389; b0471]
- e **ab. basijuncta** (Courvoisier), 1912; *Lysandra* OD: Deut. ent. Zeit. [Iris] 26:57 [b0987] SS: bellargus (Rottemburg), 1775; *Polyommatus* (*Lysandra*) [Refs - b0471]
- e **ab. basijuncta** Courvoisier, 1912; *Lycaena* OD: Deut. ent. Zeit. [Iris] 26:48 [b0987] SS: dispar ([Haworth]), 1802; *Lycaena* (*Thersamolycaena*) [Refs - b0389]
- e **ab. basijuncta** Courvoisier, 1912; *Lycaena* OD: Deut. ent. Zeit. [Iris] 26:50 [b0987] SS: phlaeas (Linnaeus), 1761; *Lycaena* (*Lycaena*) [Refs - b0236; b0389; b0471]
- e **basijuncta** Tutt, 1914, 1905-1914; *Maculinea* OD: Nat. Hist. Brit. Butts 4:322 [b4760] SS: arion (Linnaeus), 1758; *Maculinea* [Refs - b0400]
- a **basilea** Bates, 1866; *Theope* OD: Ent. mon. Mag. 3:155 [b0264] [TypeL - Panama.] [Refs - b2988; b2747; b4475; b1456]
- a **basilides** (Geyer), [1837], 1832-1837; *Tmolus* OD: In Zutr. Samml. exot. Schmett. 5:42, pl [168], f 977,978 [b1934] CG: *Strymon* [TypeL - Brazil.] [Refs - b0908; b2988 (as *basalides*); b2747 (as *basila*); b2221 (as *basila*); b3818; b2497 (as *basila*); b1375; b1975 (as *basila*); b2918 (as *basila*); b2624]
- e **basilijuncta** Beuret, 1953; *Lycaena* OD: Lyc. Schweiz I :69 [b0389] SS: phlaeas (Linnaeus), 1761; *Lycaena* (*Lycaena*) [TypeL - Switzerland.] [Refs - b0389]
- e **ab. basilipuncta** (Tutt), 1906, 1905-1914; *Rumicia* OD: Nat. Hist. Brit. Butts 1:366 [b4760] SS: phlaeas (Linnaeus), 1761; *Lycaena* (*Lycaena*) [Refs - b0389; b0471 (as *basilipunctata*); b4760]
- a **basilis** Godart, [1824], 1819-1824; *Barbicornis* OD: In Ency. méth. 9(Ins.)(2):706 [b1970] [TypeL - Brasilia.] [Type of - *Barbicornis*, *Chroma*] [Refs - b2280; b2747; b4474; b0111; b1453]
- a **basilissa** (Bates), [1868]; *Mesene* OD: J. linn. Soc. Lond., Zool. 9:388 [b0267] CG: *Stichelia* [Type: BMNH-ht] [TypeL - Para.] [Refs - b2747; b4474; b1456]
- e **basinovopuncta** Courvoisier, 1912; *Glaucopsyche* OD: Deut. ent. Zeit. [Iris] 26:58 [b0987] SS: alexis (Poda von Neuhaus), 1761; *Glaucopsyche* [Refs - b0400; b0471 (as *basinovopunctata*); b0987]
- e **ab. basinovopuncta** Courvoisier, 1912; *Maculinea* OD: Deut. ent. Zeit. [Iris] 26:58 [b0987] SS: alcon ([Denis & Schiffermüller]), 1775; *Maculinea* [Refs - b0993; b0236; b0400 (Iris, 28:155)]
- e **ab. basinovopuncta** Courvoisier, 1912; *Lycaena* OD: Deut. ent. Zeit. [Iris] 26:58 [b0987] SS: alciphron (Rottemburg), 1775; *Lycaena* (*Alciphronia*) [Refs - b0236; b0389]
- e **ab. basinovopuncta** Courvoisier, 1912; *Lycaena* OD: Deut. ent. Zeit. [Iris] 26:58 [b0987] SS: dispar ([Haworth]), 1802; *Lycaena* (*Thersamolycaena*) [Refs - b0389]
- e **basinovopuncta** van Wisselingh, 1948; *Maculinea* OD: Tijdschr. Ent. 89:xxvii [b4813] SS: teleius (Bergsträsser), [1779]; *Maculinea* [Refs - b0400]
- e **ab. basipuncta** Courvoisier, 1912; *Lycaena* OD: Deut. ent. Zeit. [Iris] 26:48 [b0987] SS: tityrus (Poda von Neuhaus), 1761; *Lycaena* (*Heodes*) [Refs - b0236; b0389; b0471]
- e **basipuncta** Tutt, 1914, 1905-1914; *Maculinea* OD: Nat. Hist. Brit. Butts 4:322 [b4760] SS: arion (Linnaeus), 1758; *Maculinea* [Refs - b0400]
- e **ab. basipuncta** (Silbernagel), 1940; *Lycaena* OD: Acta Soc. ent. bohém. 37:118 [b4227] SS: anteros (Freyer), 1839; *Plebejus* (*Ultraaricia*) [TypeL - Czechoslovakia.] [Refs - b0080]
- e **basipunctata** (Turati & Verity), [1911], (IFS); *Lycaena* OD: Boll. Soc. ent. ital. 42:257 [b4753] SS: hylas (Esper), [1778]; *Polyommatus* (*Plebicula*) [Type: MZS-ht] [Refs - b2856; b0236; b0471 (as *basipuncta*)]
- e **f. basireducta** (Lempke), 1955; *Vacciniina* OD: Tijdschr. Ent. 98:307 [b2982] SS: opilete (Knoch), 1781; *Plebejus* (*Vacciniina*) [Refs - b0089]
- e **basitripuncta** Courvoisier, 1912; *Pseudophilotes* OD: Deut. ent. Zeit. [Iris] 26:45 [b0987] SS: hylactor (Bergsträsser), [1779]; *Pseudophilotes* [Refs - b0400]
- e **basitripuncta** Courvoisier, 1912; *Pseudophilotes* OD: Deut. ent. Zeit. [Iris] 26:46,61 [b0987] SS: hylactor (Bergsträsser), [1779]; *Pseudophilotes* [Refs - b0400]
- b **basiviridis** de Nicéville, 1891; *Arhopala* OD: J. Bombay nat. Hist. Soc. 6(3):373, pl G, f 22 [b1155] SS: horsfieldi (Pagenstecher), 1890; *Arhopala* g [TypeL - Malaya.] [Refs - b1644; b2200; b1454; b4094; b4108]
- a **bassae** Bethune-Baker, 1926; *Liptena* OD: Ann. Mag. nat. Hist. (9)17:390 [b0362] [Type: biblio; replacement for *subpunctata* Bethune-Baker, 1906] [TypeL - Nigeria.]
- a **bassania** (Hewitson), 1868; *Thecla* OD: Descr. new Spec. Lycaenidae :14 [b2327] CG: *Orcya* [Type: BMNH-ht] [TypeL - Mexico.] [Refs - b0908; b2747; b3818; b1975; b2593; b2597; ns2602]
- c **bassarid** de Nicéville, 1893; *Pithecopis* OD: J. Bombay nat. Hist. Soc. 7(3):327, pl H, f 4,5 [b1156] SS: dionisius (Boisduval), 1832; *Pithecopis* [TypeL - Key Islands.] [Refs - b1450; b1840; b1156; b2381; b1011]
- c **bassoni** (Larsen), 1974; *Aricia* OD: Butts Lebanon :172, f [b2896] SS: vandarbani (Pfeiffer), 1937; *Plebejus* (*Ultraaricia*) [TypeL - Jabal Qammoua, Lebanon.] [Refs - b0105; b3358; b2789]

- a **basuta** (Wallengren), 1857; *Zerythis* OD: K. svenska VetenskAkad. Handl. (nf)2(4):46 [b4913] CG: Thestor [Refs - b1259; b2747; b1452; b4400; b0806]
- b **batavana** (Beuret), 1936; *Lycaeides* OD: Ent. Ber. 9:268 [b0374] SS: idas (Linnaeus), 1761; *Plebejus* (*Lycaeides*) [TypeL - Holland.] [Refs - b0410]
- b **batavus** (Oberthür), 1923; *Chrysophanus* OD: Étud. Léop. comp. 21:73 [b3465] SS: dispar ([Haworth]), 1802; *Lycaena* (*Thersamolycaena*) [TypeL - Netherlands.] [Refs - b1780; b0389; b4950; b3745; ns1404; ns1403; ns3963]
- b **batchiana** Tite, 1959; *Catochrysops* OD: Entomologist 92:207 [b4670] SS: panormus (C. Felder), 1860; *Catochrysops* [Type: BMNH-ht] [TypeL - Batjan.] [Refs - b1450; b4670]
- a **batesana** Bethune-Baker, 1926; *Liptena* OD: Ann. Mag. nat. Hist. (9)17:390 [b0362] [TypeL - Kameruns.] [Refs - b1452; b4400]
- a **batesi** (Staudinger), [1887], 1884-1888; *Cricosoma* OD: In Exot. Schmett. 1:254; 2:pl 91 [b4329] CG: *Symmachia* [TypeL - Upper Amazon.] [Refs - b4474; b1456]
- c **batesi** H. H. Druce, 1910; *Epitola* OD: Proc. zool. Soc. Lond. 1910(1):366, pl 34, f 2,3 [b1378] SS: *cercenoides* Holland, 1890; *Epitola* [TypeL - W. Africa.] [Refs - b4400]
- a **batesi** H. H. Druce, 1910; *Pseudaletis* OD: Proc. zool. Soc. Lond. 1910(1):370, pl 35, f 6 [b1378] [TypeL - Cameroons.] [Refs - b1452; b4400]
- a **batesi** Bethune-Baker, 1915; *Liptenara* OD: Ann. Mag. nat. Hist. (8)16:186 [b0353] [TypeL - Cameroons.] [Type of - *Liptenara*] [Refs - b2280; b1452; b4420; b4400]
- a **batesi** Bethune-Baker, 1926; *Larinopoda* OD: Ann. Mag. nat. Hist. (9)17:389 [b0362] [TypeL - Kameruns.] [Refs - b1452; b4400]
- c **f. batesi** (Rebillard), 1958; *Orimba* OD: Mém. Mus. nat. Hist. nat. (A)15:208, pl 1, f 8,9 [b3717] SS: *tapaja* (Saunders), [1859]; *Setabis* [Type: MNHN-ht] [TypeL - Santarem, Brazil.] [Refs - b3717; b0093]
- a **batesii** (Saunders), [1859]; *Zeonia* OD: Trans. ent. Soc. Lond. (2)5(9):99, pl 10, f 1,2 [b3939] CG: *Chorinea* [TypeL - Tapajos.] [Refs - b2988; b2747; b4474; b3939; b1456]
- a **batesii** Hewitson, [1865], 1863-1878; *Thecla* OD: Ill. diurn. Lep. Lycaenidae 1:72; 2:pl 27, f 6 [b2326] CG: *Thecla* (*New World Eumaeini*) [Type: BMNH] [TypeL - Rio de Janeiro, Brazil.] [Refs - b0908; b2988; b2747; b2221; b1975]
- c **batesii** Butler, 1867; *Metacharis* OD: Ent. mon. Mag. 3:175 [b0583] SS: *lucius* (Fabricius), 1793; *Metacharis* [TypeL - Tapajos, Brazil.] [Refs - b2747; b4474]
- c **bathildis** (Felder & Felder), 1865, 1865-1875; *Pseudolycaena* OD: Reise Novara (2):245, pl 31, f 19,20 [b1692] SS: *bathis* (Fabricius), 1781; *Panthiades* [TypeL - Venezuela.] [Refs - b0908; b2747]
- a **bathinia** Snellen, 1899; *Lycaena* OD: Tijdschr. Ent. 42:212 [b4267] CG: *Lycaena* (?) [TypeL - Java.] [Note - *Near Pseudophilotes*.] [Refs - b4267]
- a **bathis** (Fabricius), 1781, 1781-1782; *Papilio* OD: Spec. Ins. 2:116 [b1655] CG: *Panthiades* [TypeL - Surinam.] [Refs - b0908; b3390; b2631]
- a **bathyllos** Tessmann, 1928; *Leptotes* OD: Mit. zool. Mus. Berl. 14(1):126 [b4638] [TypeL - Montealegre, mitl. Pachitea, Eastern Peru.] [Refs - b0908]
- a **batikell** (Boisduval), 1833; *Lycaena* OD: Nouv. Ann. Mus. Hist. nat. (Paris) 2(2):172, pl 3, f 5 [b0459] CG: *Deudorix* (*Virachola*) [TypeL - Madagascar.] [Refs - b2747; b1452; b0836; b4400; b2920]
- c **batikelides** Holland, 1920; *Deudorix* OD: Bull. amer. Mus. nat. Hist. 43(6):221, pl , f [b2434] SS: *obscurata* Trimen, 1891; *Deudorix* (*Pilodeudorix*) [TypeL - Congo.] [Refs - b0836; b4400]
- b **batilma** Fruhstorfer, [1912]; *Rapala* OD: Berl. ent. Z. 56(3/4):259 [b1850] SS: *varuna* (Horsfield), [1829]; *Rapala* [TypeL - Tenimber.] [Refs - b1850; b4094]
- b **batina** (Fruhstorfer), [1912]; *Aphnaeus* OD: Berl. ent. Z. 56(3/4):218 [b1850] SS: *lohita* (Horsfield), [1829]; *Spindasis* [TypeL - Süd-Annam.] [Refs - b1850; b4094]
- e ♀ **f. batis** (Fruhstorfer), 1914; *Amblypodia* OD: Deut. ent. Zeit. [Iris] 28(2):130 [b1859] SS: *singapura* (Distant), 1885; *Flos* [Type: BMNH-ht] [TypeL - Sumatra.] [Refs - b1644; b1859; b4094]
- c **batjana** (Fruhstorfer), [1916], 1909-1923; *Pseudonotis* OD: In Seitz, Grossschmett. Erde 9:836 [b1840] SS: *damis* (Felder & Felder), 1865; *Hypolycaena* [TypeL - Batjan.] [Refs - b1450; b2078]
- b **batjana** (Riley), 1922; *Horsfieldia* OD: Entomologist 55:51 [b3752] SS: *narada* (Horsfield), [1828]; *Amblypodia* [TypeL - Barchian.] [Refs - b4094]
- c **batjana** (Toxopeus), 1930; *Lampides* OD: De soorte als Functie :140 [b4702] SS: *dromicus* (Fruhstorfer), 1910; *Jamides* [TypeL - Barchian.] [Refs - b1450; b4702]
- b **batjanensis** (Röber), [1886]; *Plebeius* OD: Correspond. ent. Ver. Iris 1(3):54, pl 4, f 10 [b3820] SS: *aramus* (Stoll), [1781]; *Jamides* [Type: SMT-lt; designated by Takanami, 1989] [Tyô to Ga 40(1):48 [b4602]] [TypeL - Batjan.] [Refs - b1450; b1865; b4094; b4602]
- c **baton** (Bergsträsser), [1779], 1778-1780; *Papilio* OD: Nom. Ins. 3: 18, pl 60, f 6-8 [b0310] SS: *hylactor* (Bergsträsser), [1779]; *Pseudophilotes* [Type of - *Pseudophilotes*] [Refs - b2280; b4178; b4179; b1636; b2375; b3059; b1780; b1762; b2827; b0993; b2036; b0400; b2794; b4094; b2859; ns3376; b4092; b0471]
- c **f. battakana** (Fruhstorfer), [1912]; *Marmessus* OD: Berl. ent. Z. 56(3/4):272 [b1850] SS: *moorei* (Distant), 1882; *Drupadia* [Type: BMNH-ht] [TypeL - N. E. Sumatra, Indonesia.] [Refs - b1030; b4094; b0105; b1850]
- b **battakanus** Fruhstorfer, 1913; *Allotinus* OD: Z. wiss. InsektBiol. 9(12):370 [b1851] SS: *nicholsi* Moulton, [1912]; *Allotinus* [Type: BMNH-lt; designated by Eliot, 1986] [TypeL - Sumatra.] [Refs - b0965; b1840; b1851; b1571; b1552; b3782]
- b **battenfeldi** (Rose & Schurian), 1977; *Plebejus* OD: J. ent. Soc. Iran 4(1/2):74, f [b3863] SS: *loewii* (Zeller), 1847; *Polyommatus* (*Plebejidea*) [TypeL - Iran.] [Refs - b0109]
- b **battis** Stichel, 1915; *Mesosemia* OD: Deut. ent. Zeit. 1915:687, pl 22, f 19,20 [b4451] SS: *messeis* Hewitson, [1860]; *Mesosemia* [Type: BMNH-st] [TypeL - Peru.] [Refs - b4451]
- a **battoides** (Behr), 1867; *Lycaena* OD: Proc. Calif. Acad. Sci. 3(4):282 [b0283] CG: *Euphilotes* [Type: destroyed; lost in San Francisco earthquake.] [TypeL - San Joaquin River, California.] [LifeH - Tietz lists b0894.] [Refs - b1530 :238, f 459, 460; b0908; b1321 :67; b4177; b4178; b4179; b0113 (n Philotes); b3192; b2417; b0493; b1743; b4950; b4690 (*); b4066; b4652]
- d **battus** (Cramer), [1775], 1775-1790, (H); *Papilio* OD: Uil. Kapellen 1(5):81, pl 51, f E,F [b1069] SS: *bathis* (Fabricius), 1781; *Panthiades* [TypeL - Surinam.] [Refs - b0908; b4245; b3390; b2747; b2406; b2497; b2631]
- c **battus** ((Denis & Schiffermüller), 1775; *Papilio* OD: Ankündigung syst. Werkes Schmett. :185 [b1193] SS: *orion* (Pallas), 1771; *Scolitantides* [Refs - b2280; b2747; b2479; b0400; b1321; x3192; b2242; b2797]
- c **batuana** Riley, [1945]; *Neopithecos* OD: Trans. R. ent. Soc. Lond. 94(2):256 [b3782] SS: *zalmora* (Butler), [1870]; *Neopithecos* [Type: BMNH-ht] [TypeL - Pulau Tello, Batu Islands.] [Refs - b1580; b3782; b4108]

- b **batuensis** (Fruhstorfer), 1914; *Gerydus* OD: *Z. wiss. InsektBiol.* 10(2):59 [b1857] SS: *symethus* (Cramer), [1777]; *Mileus* 4 [Type: BMNH-ht] [TypeL - Pulau Tello, Batu Islands.] [Refs - b1546; b1857; b1840; b3782]
- b **batuensis** (Talbot), 1932; *Laxita* OD: *Bull. Hill Mus.* 4(3):168 [b4622] SS: *damajanti* (Felder & Felder), 1860; *Paralaxita* [TypeL - Batu Island.] [Refs - b1454 (as *batunensis*); b4622]
- b **batuensis** Eliot, 1967; *Allotinus* OD: *Entomologist* 100:69 [b1552] SS: *leogoron* Fruhstorfer, [1915]; *Allotinus* (*Paragerydus*) [Type: BMNH-ht] [TypeL - Tanah Massa, Batu Island.] [Refs - b1571; b1552]
- b **batuna** (Riley), [1945]; *Marmessus* OD: *Trans. R. ent. Soc. Lond.* 94(2):266 [b3782] SS: *ravindra* (Horsfield), [1828]; *Drupadia* [Type: BMNH-ht] [TypeL - Pulau Telo, Batu Islands, Indonesia.] [Refs - b1030; b0105; b1454; b3782]
- b **batunensis** (Fruhstorfer), [1912]; *Biduanda* OD: *Berl. ent. Z.* 56(3/4):272 [b1850] SS: *uheda* (Felder & Felder), 1862; *Drupadia* [TypeL - Pulo Telo, Batu, Indonesia.] [Refs - b1030; b4094 (also as *batunensis*); b0105; b1850; b1454]
- c **batunensis** (Fruhstorfer), 1913; *Gerydus* OD: *Z. wiss. InsektBiol.* 9(10):307 [b1851] SS: *niasicus* (Fruhstorfer), 1913; *Mileus* 3 [TypeL - Malay Archipelago.] [Refs - b1840]
- b **batunensis** Fruhstorfer, 1913; *Loxura* OD: *Deut. ent. Zeit.* [Iris] 27(3):137 [b1852] SS: *cassiopia* Distant, 1884; *Loxura* [TypeL - Batu Island.] [Refs - b1454; b4094]
- c **batunensis** d'Abreu, 1986, (ISS); *Paralaxita* OD: *Butts Oriental Region*, Pt 3 :659 [b1454] SS: *batuensis* (Talbot), 1932; *Paralaxita* [Refs - b1454]
- c **baucis** (Drury), 1782, 1770-1782; *Papilio* OD: *Ill. nat. Hist.* 3: index+15, pl 12, f 3,4 [b1392] SS: *gerontes* (Fabricius), 1781; *Abisara* [Refs - b2747; b4473]
- a **baucis** Stichel, 1919; *Euselasia* OD: *Deut. ent. Zeit.* 1919:310 [b4454] [Type: ZMHU-ht] [TypeL - Pebas, Peru.] [Refs - b4474; b1456; b4454]
- c **baucis** Le Moul, 1940, 1939-1940, (IFS); *Helicopsis* OD: *Novit. ent.* (16):132 [b2943] SS: *cupido* (Linnaeus), 1758; *Helicopsis* [Type: AME-ht] [Refs - b3199]
- b **baueri** (Shields), 1975; *Shijimiaeoides* OD: *Bull. Allyn Mus.* (28):15, f 13-16 [b4179] SS: *battoides* (Behr), 1867; *Euphilotes* [Type: AME-ht] [TypeL - W. side of Gilbert Pass, Inyo County, California.] [Refs - b4179; b0107; b3192; b4066]
- a **baumi** Weymer, 1901; *Axiocerses* OD: *Ent. Zeit.* 15(16):63 [b4990] [Refs - b0831; b1452; b4400]
- b **bavarica** (Forster), 1936; *Lycaena* OD: *Mitt. münchn. ent. Ges.* 26:90 [b1758] SS: *idas* (Linnaeus), 1761; *Plebejus* (*Lycaeides*) [TypeL - Bavaria.] [Refs - b0074; b0410]
- a **bavius** (Eversmann), 1832; *Scolitantides* OD: *Nouv. Mém. Soc. imp. nat. Moscou* (ns)2:349, pl 19, f 3,4 [b1645] CG: *Rubrapterus* [TypeL - Russia mer.] [Type of - *Rubrapterus*] [Note - *May belong in Pseudophilotes or Sinia.*] [Refs - b4178; b4179; b2375; b2747; b0993; b1780; b1762; b2827; b0236; b0293; b2794 (in *Sinia*); b2859 (in *Pseudophilotes*); b4092]
- b **baweana** (Fruhstorfer), 1907; *Sithon* OD: *Ent. Zeit.* 21(23):144 [b1824] SS: *jangala* (Horsfield), [1829]; *Remelana* [TypeL - Bawean.] [Refs - b1454; b4094; b1824]
- b **baweana** Fruhstorfer, 1908; *Curetis* OD: *Stett. ent. Ztg* 69:53 [b1835] SS: *sperthis* (Felder & Felder), 1865; *Curetis* [Type: BMNH-ht] [TypeL - Bawean.] [Note - *Fruhstorfer attributes the name to Distant.*] [Refs - b0936; b1454; b4094; b1835]
- c **baweana** (Fruhstorfer), 1915; *Lampides* OD: *Arch. Namuresch.* (A)81(6):11 [b1865] SS: *kondulana* (C. Felder), 1862; *Jamides* [Type: BMNH-ht] [TypeL - Bawean.] [Refs - b1865; b1454 (with *elpis*); b3786]
- **baweana** Fruhstorfer, 1916; *Nacaduba* OD: *Zoöl. Meded.* 2(2):134 [b1873] SS: *kurava* (Moore), [1858]; *Nacaduba* [Type: BMNH-ht] [TypeL - Bawean.] [Refs - b4676; b0938; b1454; b4094; b0125]
- b **baweanica** Fruhstorfer, [1912]; *Rapala* OD: *Berl. ent. Z.* 56(3/4):254 [b1850] SS: *manea* (Hewitson), [1863]; *Rapala* [TypeL - Bawean.] [Refs - b1454; b1850; b4094]
- b **bayensis** (Langston), 1964; *Philotes* OD: *J. Lep. Soc.* 17(4):208 [b2893] SS: *enoptes* (Boisduval), 1852; *Euphilotes* [Type: CAS-ht] [TypeL - China Camp near Point San Pedro, Marin County, California.] [Refs - b3192; b4066; b1722]
- b **bayensis** (R. M. Brown), 1969; *Callophrys* OD: *J. Lep. Soc.* 23(2):95 [b0561] SS: *mosii* (H. Edwards), 1881; *Deciduphagus* [Type: CAS-ht] [Refs - b0135; b3192; b0561; b3518; b1722; b4978]
- a **baytopi** (de Lesse), 1959; *Agrodiaetus* OD: *Bull. Soc. ent. Mulhouse* 1959:45, f [b1123] CG: *Polyommatus* (*Agrodiaetus*) [TypeL - E. Turkey.] [Refs - b1772; b2827; b2794]
- a **bazaloides** (Hewitson), [1878], 1863-1878; *Amblypodia* OD: *Ill. diurn. Lep. Lycaenidae Suppl.* 21, pl 7, f 62,63 [b2326] CG: *Arhopala* f [Type: BMNH-ht] [TypeL - Not stated.] [Refs - b1644; b1454; b4094]
- a **bazalus** (Hewitson), 1862; *Amblypodia* OD: *Spec. Cat. Lyc. Brit. Mus.* :8, pl 4, f 37,38 [b2325] CG: *Arhopala* g [Type: BMNH-ht] [TypeL - Java.] [Refs - b1644; b4198; b4115 (as *nire* name); b2747; b4094; b0996; b2479; b0236; b2190; b2200; b1454]
- b **bazilana** Fruhstorfer, 1899; *Curetis* OD: *Berl. ent. Z.* 44:pl 2, f 5 [b1812] SS: *nesophila* (Felder & Felder), 1862; *Curetis* [Type: BMNH-ht] [TypeL - Bazilan, Philippines.] [Note - *Text came in Berl. ent. Z., 45:28.*] [Refs - b0936; b4094 (BeZ 45:28)]
- b **bazilana** (Fruhstorfer), 1910; *Cyaniris* OD: *Stett. ent. Ztg* 71(2):286 [b1843] SS: *puspa* (Horsfield), [1828]; *Acytolepis* [Type: BMNH-ht; designated by Eliot & Kawazoé, 1983] [*Butts Lycaenopsis* group :183 [b1580]] [TypeL - Bazilian, Philippines.] [Refs - b1840; b1580; b2200]
- a **bazilanus** (Fruhstorfer), 1913; *Gerydus* OD: *Z. wiss. InsektBiol.* 9(9):246 [b1851] CG: *Mileus* 5 [Type: BMNH-ht; designated by Eliot, 1986] [*Bull. Br. Mus. nat. Hist. (Ent.)* 53(1):82 [b1571]] [TypeL - Bazilan, Philippines.] [Refs - b1546; b1840; b1571]
- b **bazilensis** Fruhstorfer, 1900; *Abisara* OD: *Berl. ent. Z.* 45(1):27 [b1815] SS: *echerius* (Stoll), [1790]; *Abisara* [Type: BMNH] [Refs - b0294; b4473; b1840; b1454]
- a **bazochii** (Godart), [1824], 1819-1824; *Polyommatus* OD: *In Ency. méth.* 9(Ins.)(2):681 [b1970] CG: *Strymon* [Type: MNHN-ht] [TypeL - Brazil.] [Refs - b1530 :217, f 418; b0908; b0540; b2988; b0907; b2221; b2747; b3818; b0551; b3192; b1321; b0833; b1375; b0420; b4066; b1722; b2918; b2592; b2624]
- a **beata** (Röber), 1926; *Thysonotis* OD: *Ent. Mitt.* 15:377 [b3835] CG: *Danis* [TypeL - Southwest New Guinea.] [Refs - b3835]
- a **beaufortia** Dickson, 1966; *Poecilmitis* OD: *Ent. Rec.* 78:109 [b1236] [TypeL - Nieuwveld Mus., W. Cape Province, S. Africa.] [Refs - b1259; b1452; b4400]
- c **beaulieui** Le Moul, 1939, 1939-1940, (IFS); *Helicopsis* OD: *Novit. ent.* (9):89, f 18 [b2943] SS: *gnidus* (Fabricius), 1787; *Helicopsis* [Type: MNHN-ht] [TypeL - Not stated.] [Refs - b3199]

- a **bebrycia** (Hewitson), 1868; *Thecla* OD: *Descr. new Spec. Lycaenidae* :13 [b2327] CG: Strymon [Type: BMNH-It; designated by Johnson & Salazar E., 1993] [Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (26):11 [b2641]] [TypeL - Mexico.] [Refs - b0908; b2747; b3192; b1975; b2631; b4066; b2641]
- e **beccarii** (Verity), 1904, (IFS); *Thecla* OD: *Entomologist* 37:56, pl 4, f 11 [b4833] SS: acaciae (Fabricius), 1787; *Satyrnum* [Type: MZS-ht] [Refs - b2856; b4092]
- a **beera** (Hewitson), 1870, 1869-1877; *Thecla* OD: *Equatorial Lep. Buckley* (4):65 [b2330] CG: Iaspis [Type: BMNH-ht] [TypeL - Curary, Ecuador.] [Refs - b0908; b2747; b0125; b2606]
- c **behrli** (Edwards), 1862; *Lycaena* OD: *Proc. Acad. nat. Sci. Philad.* 14:224 [b1490] SS: xerces (Boisduval), 1852; *Glaucopsyche* [Type: CM-It; designated by Brown, 1970] [*Trans. amer. ent. Soc.* 96:417 [b0510]] [TypeL - Vicinity of San Francisco, California. Restricted by Brown, 1970.] [*Note - Müller & Brown incorrectly treat this name as unavailable. Dos Passos makes it a ssp. of lydamus Boisduval.*] [Refs - b0908; b2747; b3192; b5015; b0493; b1321]
- a **behrli** (Edwards), 1870; *Thecla* OD: *Trans. amer. ent. Soc.* 3(1):18 [b1499] CG: *Satyrnum* [Type: CM-nt; designated by Opler, 1970] [*In Trans. amer. ent. Soc.* 96(1):30 [b3511]] [TypeL - Mono Lake, Mono County, California.] [Type of - Callipsyche] [LifeH - Tietz lists b0876, b0877.] [Refs - b1530; :192, f 359; b1321 :53; b0851; b0908; b2747; b3192; b2417; b0493; b1743; b5015; b1499; b4690 (*); b2631 (in Callipsyche); b4066; b4652]
- b **bejarensis** (Chapman), 1902; *Lycaena* OD: *Trans. ent. Soc. Lond.* 50(4)(Proc.):xxxv [b0732] SS: argus (Linnaeus), 1758; *Plebejus* [TypeL - Bejar, West Central Spain.] [Refs - b3059; b4092]
- e **belei** d'Abreira, 1993, (ISS); *Maculinea* OD: *Butts Holarctic Region, Pt 3* :484 [b1455] SS: teleius (Bergsträsser), [1779]; *Maculinea* [Refs - b1455]
- c **belemensis** Le Moul, 1940, 1939-1940; *Helicopsis* OD: *Novit. ent.* (16):108, f 34,35 [b2943] SS: cupido (Linnaeus), 1758; *Helicopsis* [Type: AME-ht] [TypeL - Belém & Pará, Brazil.] [Refs - b3199]
- c **belenus** Geyer, [1832], 1832-1837; *Heliophorus* OD: *In Zutr. Samml. exot. Schmett.* 4:40, pl [135], f 785,786 [b1934] SS: epicles (Godart), [1824]; *Heliophorus* [Type of - *Heliophorus*] [Refs - b2280; b2747; b0996 (=epicles); b2479]
- b **belides** Stichel, 1910; *Thisbe* OD: *Berl. ent. Z.* 55(1/2):87 [b4445] SS: irenea (Stoll), [1780]; *Thisbe* [TypeL - Iquito.] [Refs - b4475; b1456]
- c **belinus** (Prunner), 1798; *Papilio* OD: *Lep. Pedemont.* :77 [b3657] SS: eumedon (Esper), [1780]; *Plebejus* (Eumedonia) [Refs - b3059; b0410; b2794]
- c **belise** (Stoll), [1782], 1780-1790; *Papilio* OD: *In Cramer, Utl. Kapellen* 4(32):171, pl 376, f E,F [b4478] SS: irenea (Stoll), [1780]; *Thisbe* [Type of - *Thisbe*] [Refs - b2280; b2747; b4475]
- c **bell** (Bergsträsser), [1779], 1778-1780; *Papilio* OD: *Nom. Ins.* 3:pl 53, f 5-6 [b0310] SS: bellargus (Rottemburg), 1775; *Polyommatus* (*Lysandra*) [Refs - b2747]
- b **bella** (Herrich-Schäffer), [1844], 1843-1856; *Lycaena* OD: *Syst. Bearb. Schmett. Europ.* 1:pl 49, f 227-228 [b2313] SS: argus (Linnaeus), 1758; *Plebejus* [Refs - b2747; b2827; b2313; b4092; b0471]
- a **bella** E. Sharpe, 1890; *Mesosemia* OD: *Proc. zool. Soc. Lond.* 1890(3):569, pl 46, f 2 [b4152] [TypeL - Rio Araguaya, Brazil.] [Refs - b4474; b1456]
- a **bella** Bethune-Baker, 1896; *Arhopala* OD: *In Proc. zool. Soc. Lond.* 1896(3):664, pl 30, f 6,7 [b0326] CG: *Arhopala* g [Type: ZMHU-It; designated by Takamami, 1989] [Tyō to Ga 40(1):27 [b4602]] [TypeL - Mt. Kinabalu, N. E. Borneo.] [Refs - b1644; b2200; b1454; b4094; b4602; b4108]
- a **bella** Aurivillius, [1899]; *Oxylydes* OD: *K. svenska VetenskAkad. Handl.* (nf)31(5):313 [b0156] [TypeL - Africa.] [Refs - b1452; b4400]
- b **bella** (Fruhstorfer), 1907, (IFS); *Sithon* OD: *Ent. Zeit.* 21(23):144 [b1824] SS: jangala (Horsfield), [1829]; *Remelana* [TypeL - Not stated.] [*Check - Described as an infrasubspecific form, and thus not available as of this author and date.*] [Refs - b4094; b1824]
- a **bella** Bethune-Baker, 1914; *Aslauga* OD: *In Trans. ent. Soc. Lond.* 61(3):500 [b0349] [TypeL - Lagos, W. Africa.] [Refs - b1452; b4400]
- c **bella** Aurivillius, 1923; *Epitola* OD: *Lepidoptera, IV.* In *Schubotz* 1:1200, f [b0171] SS: iurina Joicey & Talbot, 1921; *Epitola* [TypeL - N'gu-mesok, Süd-Kamerun.] [Refs - b3842; b0171; b4400]
- b **bella** Kalis, 1933; *Hypolycaena* OD: *Tijdschr. Ent.* 76(1/2):72 [b2679] SS: sipylus (C. Felder), 1860; *Hypolycaena* [TypeL - Neth. E. Indies.]
- e **bellargoides** (Verity), 1904, (IFS); *Lycaena* OD: *Boll. Soc. ent. ital.* 36:11 [b4832] SS: bellargus (Rottemburg), 1775; *Polyommatus* (*Lysandra*) [Refs - b2856; b0236; b0471]
- a **bellargus** (Rottemburg), 1775; *Papilio* OD: *Naturforscher* 6:25 [b3890] CG: *Polyommatus* (*Lysandra*) [Refs - b2375; b3059; b2747; b0993; b1780; b1762; b2827; b3839; b3245; b0236; b0236; b2380; b2794; b4045; b3366; b2859; ns1106; ns0689; ns0862; ns3695; b4092; ns0431; b4038; b1406]
- b **bellatrix** (Butler), 1886; *Spindasis* OD: *Proc. zool. Soc. Lond.* 1886(3):369 [b0635] SS: acamas (Klug), 1834; *Apharitis* [TypeL - Suakim.] [Refs - b0996; b2898; b2901; b4400]
- a **bellera** (Hewitson), [1877], 1863-1878; *Thecla* OD: *Ill. diurn. Lep. Lycaenidae* 1:194; 2:pl 77, f 618 [b2326] CG: *Calycopis* [Type: BMNH-It; designated by Field, 1967] [*Proc. U. S. nat. Mus.* 119(3552):28 [b1737]] [TypeL - Amazon.] [Refs - b0908; b1737; b2753; b2221; b1375; b2631; b2918; b2623; b2606]
- a **belli** Hewitson, [1869], 1863-1878; *Iolaus* OD: *Ill. diurn. Lep. Lycaenidae Suppl.* 9, pl 4, f 33,34 [b2326] CG: *Iolaus* (*Epamera*) [TypeL - I. Sherborough.] [Refs - b4400; b2747; b1452; b0836]
- c **belli** Hewitson, 1874; *Epitola* OD: *Ann. Mag. nat. Hist.* (4)13:382 [b2339] SS: posthumus (Fabricius), 1793; *Epitola* [Type: BMNH] [TypeL - Cape Coast.] [*Note - Described as a male, but type is female.*] [Refs - b3842; b4400; b2753; b0836]
- d **belli** Aurivillius, [1899], (H); *Iolaus* OD: *K. svenska VetenskAkad. Handl.* (nf)31(5):- [b0156] SS: pollux (Aurivillius), 1895; *Iolaus* (*Epamera*) [*Check - Original description may be misidentification.*] [Refs - b4400]
- e **belli** Toxopeus, 1927, (IFS); *Nacaduba* OD: *Treubia* 9(4):424 [b4696] SS: canaraica Toxopeus, 1927; *Nacaduba* [TypeL - Karwar.] [*Note - Described as a dry season form, and thus unavailable.*] [Refs - b4676; b0694]
- b **bellicarus** Bryk, 1940; *Polyommatus* OD: *Ark. Zool.* 32A(22):24, pl 4, f 27 [b0566] SS: icarus (Rottemburg), 1775; *Polyommatus* [TypeL - Spain.] [Refs - b3059]
- e **ab. bellieri** Ragusa, 1882; *Leptotes* OD: *Naturalista sicil.* 1:37, pl 3, f 2 [b3686] SS: pirithous (Linnaeus), 1767; *Leptotes* [TypeL - Sicili.] [Refs - b0995; b0400; b4319; b4092]
- d **bellieri** (Oberthür), 1910, (H); *Lycaena* OD: *Étud. Lép. comp.* 4:191, pl 40, f 280,281 [b3451] SS: corsica (Tut.), 1909; *Plebejus* (*Lycaeides*) [Refs - b0236; b4425; b0410; b0471; b0315; b3451]

- b **bellieri** (Oberthür), 1910; *Lycaeides* OD: *Étud. Léop. comp.* 4:114, pl 38, f 249,250 [b3451] SS: *alciphron* (Rottemburg), 1775; *Lycaena* (*Alciphronia*) [Refs - b2375; b0236; b0471]
- e **bellieroides** (Verity), 1927, (IFS); *Plebeius* OD: *Annl. Soc. ent. Fr.* 96:7 [b4846] SS: *bellieri* (Oberthür), 1910; *Lycaena* (*Alciphronia*) [Refs - b0236; b0471 (as *bellerioides*); b4846]
- a **bellina** (Plötz), 1880; *Hypolycaena* OD: *Stett. ent. Ztg.* 41:200 [b3622] CG: *Iolaus* (*Epamera*) [TypeL - Aburi, W. Africa.] [Refs - b0145; b1452; b0836; b4400]
- c **bellis** (Freyer), 1843, 1831-1858; *Lycaena* OD: *Neuere Beitr. Schmett.* 5:26, pl 398, f 1,2 [b1795] SS: *semiargus* (Rottemburg), 1775; *Polyommatus* (*Cyaniris*) [Refs - b2747; b4092]
- c **bellis** Stichel, 1919; *Euselasia* OD: *Deut. ent. Zeit.* 1919:164 [b4454] SS: *zena* (Hewitson), [1860]; *Euselasia* [TypeL - Amazonas, Brazil.] [Refs - b4474]
- c **bellofontanensis** (Stempffer), 1927; *Plebeius* OD: *Amat. Papil.* 4(5):71 [b4357] SS: *argyrognomon* (Bergsträsser), [1779]; *Plebejus* (*Lycaeides*) [Refs - b0236; b4425; b0410; b4357]
- a **bellona** Westwood, [1851], 1846-1852; *Necyria* OD: *In Gen. dium. Lep.* (2):pl 73, f 9, (:432) [b4981] [TypeL - Brasilia occ.] [Type of - *Necyria*] [Refs - b2988; b2280; b2747; b4474; b1453; b1456]
- a **bellona** (Grum-Grshimaillo), 1888; *Lycaena* OD: *Horae Soc. ent. ross.* 22:306 [b2066] CG: *Polyommatus* [TypeL - Pamirs, Turkestan.] [Refs - b0993; b1762; b2827; b4092; b1455]
- e **bellota** (Kirby), 1871, (ISS); *Cupido* OD: *Syn. Cat. dium. Lep.* :358 [b2747] SS: *hellotia* (Ménétriés), 1857; *Everes* [Refs - b2747]
- b **bellula** Fruhstorfer, 1897; *Horaga* OD: *Berl. ent. Z.* 42:114 [b1806] SS: *albimacula* (Wood-Mason & de Nicéville), 1881; *Horaga* [TypeL - Sambawa.] [Refs - b1012; b2078; b1569; b1454; b4094]
- c **bellus** (Gerhard), 1853, 1850-1853; *Thecla* OD: *Vers. monog. europ. Schmett.* :pl 4, f 2 [b1928] SS: *quercus* (Linnaeus), 1758; *Quercusia* [Refs - b2747; b4230 (with *betulae*)]
- c **bellus** (Rühl), 1893, 1892-1893; *Thecla* OD: *In Palae. Grossschmett.* 1:188 [b3901] SS: *taxila* (Bremer), 1861; *Neozephyrus* [Refs - b2463]
- e *Q. f. bellus* Kardakoff, 1928; *Neozephyrus* OD: *Ent. Mitt.* 17:271, pl 7, f 15 [b2692] SS: *bellus* (Rühl), 1893; *Neozephyrus* [Refs - b3778; b2866; b0236; b0471]
- e *ab. bellunipunctus* (Tutt), 1907, 1905-1914; *Bithys* OD: *Nat. Hist. Brit. Butts* 2:237 [b4760] SS: *quercus* (Linnaeus), 1758; *Quercusia* [Refs - b4092]
- a **belphegor** (Westwood), [1851], 1846-1852; *Erycina* OD: *In Gen. dium. Lep.* (2):pl 70, f 1, (:430) [b4981] CG: *Nirodia* [TypeL - Serras do Espinhaço and Cipó, Minas Gerais, Brazil.] [Type of - *Nirodia*] [Refs - b2280; b2747; b4474; b3717; b0556; b0557; b1456]
- a **belpheobe** Doherty, 1889; *Arhopala* OD: *J. asiat. Soc. Bengal, Pt II* 58(4):421, pl 23, f 18 [b1301] CG: *Arhopala* b [Type: BMNH-ht] [TypeL - Tavoy.] [Refs - b1644; b1454; b4094]
- e **beltazardi** (d'Abrebra), 1993, (ISS); *Agrodiaetus* OD: *Butts Holarctic Region, Pt 3* :516 [b1455] SS: *beltazardi* (de Lesse), 1963; *Polyommatus* (*Agrodiaetus*) [Refs - b1455]
- b **belti** Godman & Salvin, [1886], 1879-1901; *Symmachia* OD: *Biol. centr.-amer., Lep. Rhop.* 1:417 [b1975] SS: *probetor* (Stoll), [1782]; *Symmachia* [TypeL - Nicaragua and Colombia.] [Refs - b4474; b1456]
- a **beltiana** (Bates), 1867; *Cremna* OD: *Trans. ent. Soc. Lond.* (3)5(7):541 [b0266] CG: *Napaea* [TypeL - Maranham.] [Refs - b2747; b2988 (wrong author); b0266; b1456; b1456]
- a **beltiana** Hewitson, 1870; *Necyria* OD: *Ent. mon. Mag.* 7:3 [b2332] [TypeL - Nicaragua.] [Refs - b2747; b4474]
- e **beluta** Fruhstorfer, [1912]; *Rapala* OD: *Berl. ent. Z.* 56(3/4):255 [b1850] SS: *renata* Fruhstorfer, [1912]; *Rapala* [TypeL - Western Java.] [Refs - b1454; b1850; b4094]
- a **bemba** Neave, 1910; *Deudorix* OD: *Proc. zool. Soc. Lond.* 1910(1):44, pl 2, f 12 [b3346] CG: *Deudorix* (*Pilodeudorix*) [TypeL - Rhodesia.] [Refs - b1452; b3346; b4400]
- b **benadirensis** Stempffer, 1947; *Anthene* OD: *Bull. Soc. ent. Fr.* 52:39 [b4372] SS: *otacilia* (Trimen), 1868; *Anthene* [TypeL - Somalia.] [Refs - b4400]
- e **benetti** d'Abrebra, 1980, (ISS); *Citrinophila* OD: *Butts Afrotropical Region* :436 [b1452] SS: *bennetti* Jackson, 1967; *Citrinophila* [Refs - b1452]
- c **bengalensis** (Moore), [1866]; *Lycaenesthes* OD: *Proc. zool. Soc. Lond.* 1865(3):773, pl 41, f 9 [b3221] SS: *emolus* (Godart), [1824]; *Anthene* [TypeL - Bengal, India.] [Type of - *Lycaenesthes*] [Refs - b4679; b1636; b2280; b2747; b4934; b0694]
- c **bengalensis** Bethune-Baker, 1918; *Tarucus* OD: *Trans. ent. Soc. Lond.* 65(2/4):281, pl 14, f 8 [b0356] SS: *nara* (Kollar), [1844]; *Tarucus* [TypeL - Bengal, India.] [Refs - b1636; b0694]
- c **bengalia** (de Nicéville), 1885; *Catochrysops* OD: *J. asiat. Soc. Bengal, Pt II* 54(1):47 [b1146] SS: *pandava* (Horsfield), [1829]; *Chilades* [TypeL - Calcutta.] [Refs - b1636; b0995; b1146; b0694]
- b **benguellana** Stempffer & Bennett, 1961; *Pentila* OD: *Bull. Inst. franç. Afr. Noire* 23(A):1116, f 12-14 [b4420] SS: *pauli* Staudinger, [1888]; *Pentila* [Type: BMNH-ht] [TypeL - Calweha River, Angola.] [Refs - b1452; b4420; b4400]
- a **beni** (Stempffer), 1961; *Pseuderesia* OD: *Annl. Mus. r. Afr. cent.* (8vo) (Zool.)94:19 [b4393] CG: *Eresimera* [TypeL - Congo.] [Refs - b1452; b4400]
- c **benigna** (Möschler), 1884; *Lycaena* OD: *Verh. zool.-bot. Ges. Wien* 33:285, pl 16, f 1 [b3249] SS: *moriqua* (Wallengren), 1857; *Azanus* [TypeL - Caffraria.] [Refs - b0995; b4400]
- a **benitensis** (Holland), 1890; *Epitola* OD: *Psyche* 5:425 [b2423] CG: *Hypophytala* [TypeL - Upper Ogove River, Gaboon.] [Refs - b1452; b2564; b4400]
- e *ab. benitonis* Strand, 1913; *Larinopoda* OD: *Arch. Naturgesch.* (A)79(12):134 [b4513] SS: *lircaea* (Hewitson), [1866]; *Larinopoda* [TypeL - Spanish Guinea.] [Note - Described as an aberration. Not available as of this date and author.] [Refs - b4513; b4528; b4400]
- a **bennetti** Dyar, 1913; *Thecla* OD: *Proc. U. S. natn. Mus.* 45:636 [b1443] CG: *Thecla* (New World *Eumacini*) [Type: USNM-ht; #15621] [TypeL - Pampaconas River, Peru.] [Refs - b0908]
- a **bennetti** Jackson, 1967; *Citrinophila* OD: *J. nat. Hist.* 1:331 [b2566] [TypeL - Ja River, Cameroons.] [Note - Not spelled *benetti*.] [Refs - b1452 (as *benetti*)]
- a **beon** (Stoll), [1780], 1780-1790; *Papilio* OD: *In Cramer, Uitl. Kapellen* 4(27):61, pl 319, f B,C [b4478] CG: *Calycopis* [TypeL - Surinam.] [Note - Lack of a type makes the placement of this name uncertain.] [Refs - b1530 :199, f 375; b1321 :56; b0908; b0907; b2747; b2221; b0278; b3192; b319; b0833; b2497; b1375; b1975; b2631; b2606]
- c **berber** (Le Cerf), 1932; *Lycaena* OD: *Bull. Soc. ent. Fr.* 37(11):163 [b2939] SS: *albicans* (Gerhard), 1851; *Polyommatus* (*Lysandra*) [TypeL - Ksar et Kebir, Morocco.] [Note - Described as a subspecies of *coridon*.] [Refs - b2939; b0070; b0254; b4038; b1455]

- b *berbera* (Bethune-Baker), 1924; Epamera OD: Ann. Mag. nat. Hist. (9)14:131 [b0360] SS: mimosae Trimen, 1874; Iolaus (Epamera) [Type: BMNH-ht] [TypeL - Somaliland.] [Refs - b3796; b1452; b0360; b4400]
- a *berentice* (Herrich-Schäffer), 1869; Lycaena OD: Stett. ent. Ztg 30(1-3):74 [b2317] CG: Nacaduba [TypeL - Rockhampton.] [Refs - b4676; b1636; b1450; b0964; b0965; b2747; b2479; b1454; b2385; b0870; b4094; b4934; b0694; ns0275; b2387; b2388]
- a *berenis* H. H. Druce, 1896; Tajuria OD: Proc. zool. Soc. Lond. 1896(3):674, pl 31, f 6 [b1365] [Type: ZMHU-st; BMNH-st] [TypeL - Mt. Kinabalu, N. E. Borneo.] [Refs - b1557; b0965; b4094 (as berensis); b1850; b1365; b1454 (as berensis); b4602; b4108]
- e *berensis* d'Abrera, 1986, (ISS); Tajuria OD: Butts Oriental Region, Pt 3 :615 [b1454] SS: berenis H. H. Druce, 1896; Tajuria [Note - This is a common mistake.] [Refs - b1454; b4594; b4094; b1557]
- c *beretava* (Ribbe), 1899; Cyaniris OD: Deut. ent. Zeit. [Iris] 12:243, pl 4, f 14 [b3738] SS: rona (Grose-Smith), 1894; Udara (Udara) [Type: SMT-ht] [TypeL - New Britain, Bismark Islands.] [Refs - b1450; b1840; b1580]
- b *berzowskii* (Grum-Grshimailo), 1902; Lycaena OD: Annu. Mus. zool. St. Pétersbourg 7:194 [b2071] SS: orbitalis (Pruner), 1798; Polyommatus (Albulina) [Type: -st; St. Petersburg] [TypeL - Sung-pang, Sechuan, W. China.] [Note - Not spelled beresowskii.] [Refs - b0236; b3301 (as beresowskii); b0471]
- a *berger* Stempffer, 1976; Harpendyreus OD: Revue zool. afr. 90(2):347, f [b4414] [TypeL - Lukwangu Plateau, Uluguru Mts., Tanzania.] [Refs - b1610 (8E4819); b0108]
- e *ab. bergeri* Schindler, 1922; Lycaena OD: Ent. Anz. 2(5):57 [b3965] SS: virgaureae (Linnaeus), 1758; Lycaena (Heodes) [Refs - b0236; b0389; b2944]
- b *bergeri* Le Moul, 1940, 1939-1940; Helicopsis OD: Novit. ent. (10):111 [b2943] SS: cupido (Linnaeus), 1758; Helicopsis [Type: AME-ht] [TypeL - Brazil.] [Refs - b3199]
- a *bergeri* (Stempffer), 1953; Argiolaus OD: Anns Mus. r. Congo Belge (8vo)27:27, f [b4384] CG: Iolaus (Iolaphilus) [TypeL - Belgian Congo.] [Refs - b1452; b4400]
- a *bergeri* Stempffer, 1956; Eresina OD: Anns Mus. r. Congo Belge (8vo)49:12, pl 1, f 3-6 [b4388] [Type: MRCB-ht] [TypeL - Kapanga, Lualaba, Belgian Congo.] [Refs - b1452; b4388; b4400]
- a *bergeri* Stempffer, 1974; Liptena OD: In Bull. Br. Mus. nat. Hist. (Ent.) 30:177, f [b4413] [TypeL - Kafakumba, Katanga, Zaire.] [Refs - b0105; b1452]
- c *bergi* Kuznetsov, 1908; Plebejus OD: Izv. turkest. Otd. imp. russ. geogr. Obshch. 4(8):107 [b2869] SS: argyrognomon (Bergsträsser), [1779]; Plebejus (Lycaeides) [TypeL - Northern shores of the Aral Sea.] [Refs - b3328; b0236; b0471]
- e *ab. bergstrasseri* Tutt, 1908, 1905-1914; Everes OD: Nat. Hist. Brit. Butts 3:54 [b4760] SS: argiades (Pallas), 1771; Everes [Refs - b0236 (as bergsträsseri); b0400; b4760 (as bergsträsseri); b0471 (as bergsträsseri)]
- b *bernardi* Beuret, 1955; Palaeochrysophanus OD: Mitt. ent. Ges. Basel (nf)5:114, f [b0394] SS: hippothoe (Linnaeus), 1761; Palaeochrysophanus [TypeL - S. France.] [Check - Spelling.]
- a *bernardi* Johnson, 1993; Ziegleria OD: Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (32):60, f [b2614] [Type: BMNH-ht] [TypeL - Sierra Nevada de sant Marta, Colombia.] [Type of - Ziegleria] [Refs - b2614]
- b *bernardiana* (Beuret), 1957; Cupido OD: Mitt. ent. Ges. Basel (nf)7:1-8, pl 1, f 1-6 [b0401] SS: decolorata Staudinger, 1886; Everes [TypeL - Switzerland.] [Refs - b0400; ns3576]
- a *bernardino* (Barnes & McDunnough), 1916; Philotes OD: Contr. nat. Hist. Lep. N. Amer. 3(2):116, pl 11, f 9,11,13 [b0248] CG: Euphilotes [Type: USNM-ht] [TypeL - Camp Baldy, San Bernardino Mountains, California.] [Refs - b0908; b0552; b1321; b3192; b4066; b0124; ns3113; b3640]
- a *beroe* (Felder & Felder), 1865, 1865-1875; Lycaena OD: Reise Novara (2):275, pl 34, f 36 [b1692] CG: Nacaduba [Type: BMNH-ht] [TypeL - Luzon, Philippines.] [Refs - b0964; b4676; b0965; b2747; b2385; b4871; b4094 (+as Stgr. Iris 2:98); b1454; b0694; b2387; b2388]
- a *beroea* (Hewitson), 1868; Thecla OD: Descr. new Spec. Lycaenidae :14 [b2327] CG: Strymon [Type: BMNH-ht] [TypeL - Mexico.] [Refs - b0908; b2747; b3192; b1321; b1975 (as beraea); b2641]
- c *berossus* (Fruhstorfer), 1914; Arhopala OD: Deut. ent. Zeit. [Iris] 28(2):128 [b1859] SS: saturata (Snellen), 1890; Flos [Type: BMNH-ht] [TypeL - N. Borneo.] [Refs - b1644; b1859; b4094; b4108]
- b *bersabana* Stichel, 1910; Mesosemia OD: Gen. Insectorum 112(A):48 [b4446] SS: magete Hewitson, [1860]; Mesosemia [Type: pc-st; collection of Stichel] [TypeL - Bersaba, Surinam.] [Refs - b4446]
- c *bertha* (Grose-Smith & Kirby), 1894, 1887-1902; Tingra OD: Rhop. exot. 2(29):120, pl 25, f 12 [b2049] SS: nero (Grose-Smith & Kirby), 1894; Pentila [TypeL - Kuulu.] [Refs - b4400]
- c *bertha* Suffert, 1904; Iolaus OD: Deut. ent. Zeit. [Iris] 17:66 [b4535] SS: iasis Hewitson, [1865]; Iolaus (Epamera) [TypeL - Africa.] [Refs - b0836; b4400]
- a *bertha* (Jones), 1912; Thecla OD: Proc. zool. Soc. Lond. 1912(4):897, pl 97, f 4 [b2663] CG: Cyanophrys [Type: BMNH-ht] [TypeL - Castro, Paraná State, Brazil.] [Refs - b0908; b2585; b0556]
- b *berthae* Fruhstorfer, [1904]; Taxila OD: Berl. ent. Z. 48(4):276 [b1817] SS: haquinus (Fabricius), 1793; Taxila [Refs - b4474; b1454; b1840]
- e *ab. berviniensis* (Smith), 1932; Heodes OD: Entomologist 65(11):241, f [b4252] SS: phlaeas (Linnaeus), 1761; Lycaena (Lycaena) [TypeL - N. Wales.] [Refs - b0070]
- c *beryllina* Schultze, 1916; Hewitsonia OD: Arch. Naturgesch. (A)81(7):163 [b4014] SS: bitjeana Bethune-Baker, 1915; Hewitsonia [TypeL - Kamerun.] [Refs - b1452 (as a good species); b4400]
- a *besidia* (Hewitson), 1868; Thecla OD: Descr. new Spec. Lycaenidae :24 [b2327] CG: Crimsinota [Type: BMNH] [TypeL - Amazon.] [Refs - b0908; b2747; b1375; b1375; b2619]
- c *bethulia* Hewitson, [1869], 1863-1878; Thecla OD: Ill. dium. Lep. Lycaenidae 1:128; 2:pl 51, f 278,279 [b2326] SS: empusa Hewitson, [1867]; Thecla (New World Eumacini) [Type: BMNH] [TypeL - Pará, Amazon.] [Refs - b0908; b2747; b1975]
- b *bethunebakeri* (Comstock & Huntington), 1943; Hemiargus OD: Ann. New York Acad. Sci. 45:97, pl 1, f 25 [b0907] SS: thomasi (Clench), 1941; Cyclargus [Type: AMNH-ht] [TypeL - Miami, Florida.] [Note - Often seen as bethunebakeri.] [Refs - b0908; b0540; b0907; b3326; b3327; b3192; b3512; b1321; b0833]
- c *betica* (Betti), 1970; Lysandra OD: Bull. Soc. ent. Mulhouse 1970:31-32 [b0363] SS: hispana (Herrich-Schäffer), [1851]; Polyommatus (Lysandra) [TypeL - N. of Sierra Nevada, Spain.] [Refs - b1993; b4038]
- b *bettii* (Barragué), 1987; Plebicula OD: Linneana Belgica 11(1):6, f [b0254] SS: icarius (Esper), [1789]; Polyommatus (Plebicula) [Type: pc-ht; collection of Barragué.] [TypeL - Tikjad Djurdjura, Algeria.] [Refs - b0254]

- a **bettina** (Hewitson), 1869, 1869-1877; Eurygona OD: Equatorial Lep. Buckley (3):46 [b2330] CG: Euselasia [TypeL - Ecuador.] [Refs - b2988; b2747; b4474; b0680; b1456]
- c **bettina** Stichel, 1909, (IFS); Mesosemia OD: Berl. ent. Z. 54(1/2):8 [b4444] SS: philocles (Linnaeus), 1758; Mesosemia [TypeL - Rio Tonantins.] [Refs - b4474]
- a **betulae** (Linnaeus), 1758; Papilio OD: Syst. nat. (ed. 10) 1:482 [b2993] CG: Thecla [TypeL - Europe; Altai.] [Type of - Aurotis, Ruralis, Thecla, Zephyrius, Zephyrus] [Refs - b2280; b4115; b2375; b3059; b2747; b0996; b1780; b2827; b2479; b1601; b4545; b4646; b0236; b2380; b2300; ns1008; b1183; b4950; b2794; b4214; b2985; b4200; b2859; b4092]
- a **betulina** Staudinger, 1887; Thecla OD: In Romanoff, Mém. Lép. 3:127, pl 16, f 6 [b4331] [TypeL - Amurland; Korea [ZR gives Sufun].] [Refs - b4115; b0996; b2827; b2866; b4214; b4200; b4092]
- c **betuloides** (Blanchard), 1871; Thecla OD: C. r. hebd. Séanc. Acad. Sci. 72:810, note 6 [b0450] SS: micans (Bremer & Grey), 1853; Rapala [TypeL - Pekin, China.] [Refs - b2753; b4115 (as arata ssp); b0617; b4094; b4092 (as Leech name); b2479; b1455 (good species)]
- a **beulah** Quickelberg, 1966; Poecilmitis OD: Novos Taxa ent. (47):4, f [b3672] [Type: DM-ht] [TypeL - S. Africa.] [Refs - b1259; b0230]
- b **beutelspacheri** (Llorente-Bousquets), 1988; Rethus OD: An. Inst. Biol. Univ. Méx. 58(1):241-258 [b3002] SS: arcus (Linnaeus), 1763; Rethus [TypeL - Mexico.] [Refs - b0123]
- a **bhotea** (Moore), 1884; Pratapa OD: J. asiat. Soc. Bengal, Pt II 53(1):37 [b3236] CG: Maneca [TypeL - Western China (ZR says Sikkim).] [Type of - Maneca] [Refs - b1636; b2280; b1454; b0694; b1455]
- a **bhutanensis** (Howarth), 1957; Neozephyrus OD: Bull. Br. Mus. nat. Hist. (Ent.) 5(6):266, f 37, 96, 105 [b2463] CG: Chrysozephyrus [Type: BMNH-ht] [TypeL - Trongsa, Bhutan, N. India.] [Refs - b4200; b3296; b1454; b0694; b2463]
- a **bhutea** (de Nicéville), [1884]; Nacaduba OD: J. asiat. Soc. Bengal, Pt II 52(2/4):72, pl 1, f 13 [b1145] CG: Prosotas [TypeL - Sikkim.] [Refs - b4676; b1636; b0964; b0965; b0938; b1454; b4094; b3055 (as bhutya); b0694; b2388]
- c **biagi** Bethune-Baker, 1908; Udara OD: Proc. zool. Soc. Lond. 1908(1):117, pl 8, fig 11 [b0340] SS: rona (Grose-Smith), 1894; Udara (Udara) [Type: BMNH-ht] [TypeL - New Guinea.] [Refs - b1450; b1840; b1580]
- b **biaka** Joicey & Talbot, 1916; Deudorix OD: Trans. ent. Soc. Lond. 64(1):78 [b2653] SS: epjarbas (Moore), [1858]; Deudorix [TypeL - Schouten Islands.] [Refs - b1450; b2653; b4094]
- a **biaka** (Tite), 1963; Holochila OD: Bull. Br. Mus. nat. Hist. (Ent.) 14(5):205, pl 1, f 120-121; pl 2, f 131-132; tf 23 [b4677] CG: Candalides [Type: BMNH-ht] [TypeL - Biak, Schouten Islands.] [Refs - b4677; b1450]
- b **biakana** Tite, 1963; Nacaduba OD: Bull. Br. Mus. nat. Hist. (Ent.) 13(4):83 [b4676] SS: mallicollo H. H. Druce, 1892; Nacaduba [Type: BMNH-ht] [TypeL - Biak, Schouten Islands.] [Refs - b1450; b4676]
- e **ab. bialbolineata** Oberthür, 1910; Satyrium OD: Étud. Lép. comp. 4:74 [b3451] SS: ilicis (Esper), [1779]; Satyrium [Refs - b0236; b0471]
- a **bianca** Möschler, 1883; Thecla OD: Verh. zool.-bot. Ges. Wien 32:310, pl 17, f 5 [b3248] CG: Thecla (New World Eumacini) [TypeL - Surinam.] [Refs - b0908; b3248]
- c **f. biarcuata** (Fritsch), [1910]; Lycaena OD: Berl. ent. Z. 54(3/4):233 [b1796] SS: icarus (Rottemburg), 1775; Polyommatus [TypeL - Germany.] [Refs - b0236; b0471]
- e **ab. biarcuata** (Courvoisier), 1912; Lycaena OD: Deut. ent. Zeit. [Iris] 26:49 [b0987] SS: coridon (Poda von Neuhaus), 1761; Polyommatus (Lysandra) [Refs - b0471]
- c **bias** (Fabricius), 1787; Papilio OD: Mantissa Ins. 2:79 [b1656] SS: epitus (Cramer), [1780]; Setabis [Type: ZMC-ht] [TypeL - Cajennae.] [Refs - b2747; b4475; b5076]
- a **biblia** Hewitson, 1868; Thecla OD: Descr. new Spec. Lycaenidae :12 [b2327] CG: Thecla (New World Eumacini) [Type: BMNH] [TypeL - Amazon.] [Refs - b0908; b2747; b1375]
- a **bibulus** (Fabricius), 1793, 1792-1799; Hesperia OD: Ent. syst. 3(1):307 [b1657] CG: Lachnocnema [TypeL - Indiis", but really Africa.] [Type of - Lachnocnema] [Refs - b1943; b2280; b1259 (OG=Papilio); b2747; b1070; b1452; b0836; b4400; b2887; b1661; b2560; b2753; b5076]
- a **bibundana** (Grünberg), 1910; Cupido OD: Sber. Ges. naturf. Freunde Berl. 1910:479 [b2076] CG: Thermoniphas [TypeL - Bibundi, Cameroun.] [Refs - b1452; b4388; b2076; b4400]
- e **ab. bibundica** Strand, 1913; Larinopoda OD: Arch. Naturgesch. (A)79(12):134 [b4513] SS: lircaea (Hewitson), [1866]; Larinopoda [TypeL - Kamerun.] [Note - Described as an aberration. Not available as of this date and author.] [Refs - b4513; b4528; b4400]
- b **bicaudatus** (Aurivillius), 1905; Jolaus OD: Ark. Zool. 2(12):14, pl 3, f 3 [b0160] SS: alienus Trimen, 1898; Jolaus (Epamera) [TypeL - W. Africa.] [Refs - b1452; b4400]
- e **ab. bicentronjuncta** Courvoisier, 1912; Lycaena OD: Deut. ent. Zeit. [Iris] 26:51, pl 4, f 12 [b0987] SS: alciphron (Rottemburg), 1775; Lycaena (Alciphronia) [Refs - b0236; b0389; b0368; b0471]
- a **bichroma** Strand, 1911; Eresinopsides OD: Arch. Naturgesch. (1)77(1):193 [b4500] [TypeL - Amani, Usambara.] [Type of - Eresinopsides] [Refs - b2280; b1452; b4528; b4400]
- a **bicolor** (Philippi), 1859; Lycaena OD: An. Univ. Chile 16(12):1092 [b3595] CG: Eiseliaria [Type: lost] [TypeL - Santiago, Chile.] [Refs - b0908; b2747; b2221; ns3596 (14:269); b3846; b4782; b2631; b2588; b0126; b0208; b2638]
- a **bicolor** Godman & Salvin, [1886], 1879-1901; Lepicomis OD: Biol. centr.-amer., Lep. Rhop. 1:405; 3-pl 43, f 13 [b1975] [Type: BMNH-ht] [TypeL - Panama.] [Refs - b4474; b1456]
- b **bicolor** Staudinger, [1888], 1884-1888; Stalactis OD: In Exot. Schmett. 1:265; 2-pl 93 [b4329] SS: calliope (Linnaeus), 1758; Stalactis [TypeL - W. Amazonas, Brazil; Peru.] [Refs - b4476]
- a **bicolor** (Grose-Smith & Kirby), 1890, 1887-1902; Pseuderesia OD: Rhop. exot. 1(14):44, pl 11, f 5,6 [b2049] CG: Eresiomera [Refs - b1452 (in Pseuderesia); b0836]
- c **bicolor** (E. Sharpe), 1891; Zenitis OD: Ann. Mag. nat. Hist. (6)8:241 [b4153] SS: leonina (E. Sharpe), 1890; Lipaphnaeus [TypeL - Sierra Leone.] [Refs - b0836; b4400]
- a **bicolor** Bethune-Baker, 1904; Parachrysops OD: Novit. zool. 11:369 [b0334] [TypeL - New Guinea.] [Type of - Parachrysops] [Refs - b1450; b2280; b2078]
- e **f. bicolor** (Gelin), 1914; Lysandra OD: Bull. Soc. ent. Fr. 1914(6):184, pl 3, f 2 [b1926] SS: bellargus (Rottemburg), 1775; Polyommatus (Lysandra) [Refs - b0236; b0471]
- e **♀ f. bicolor** (Beuret), 1953, (IFS); Lycaena OD: Lyc. Schweiz. I :57 [b0389] SS: helle ([Denis & Schiffermüller]), 1775; Helleia A [TypeL - Switzerland.] [Refs - b0389]
- b **bicolora** (Röber), [1886]; Amblypodia OD: CorrespBl. ent. Ver. Iris 1(3):71, pl 5, f 7 [b3820] SS: tephis (Hewitson), [1869]; Arhopala g [TypeL - S. Celebes.] [Refs - b1644; b2200; b1454; b4094]

- a **bicolora** Bethune-Baker, 1924; *Alaena* OD: Ann. Mag. nat. Hist. (9)14:130 [b0360] [Type: BMNH-ht] [TypeL - Africa.] [Refs - b3796; b1452; b0360; b4400]
- b **bicolorata** Wind & Clench, 1947; *Philiris* OD: Bull. Brooklyn ent. Soc. 42(1):9 [b5021] SS: fulgens (Grose-Smith & Kirby), 1897; *Philiris* [Type: pc-ht; collection of Wind] [TypeL - Dobo, Aru Islands.] [Refs - b4677; b1450; b0528; b5021]
- c **bicoloria** (Capronnier), 1889; *Liptena* OD: C. r. Soc. ent. Belg. 33:ccxi [b0700] SS: simplex Röber, [1886]; *Megalopalpus* [TypeL - Lopori Shoven, Zaire.] [Refs - b4400; b1571]
- a **bidiensis** Eliot, 1986; *Allotinus* OD: Bull. Br. Mus. nat. Hist. (Ent.) 53(1):26, f 16, 62 [b1571] [Type: BMNH-ht] [TypeL - Sarawak, Borneo.] [Refs - b1571; b4108]
- a **bidotata** (Fruhstorfer), 1914; *Simiskina* OD: Ent. Rundsch. 31(3):18 [b1856] CG: Deramas [TypeL - Lamao bei Manila, Luzon (Bataan), Philippines.] [Refs - b4094 (as *binotata*); b4588; b4144; b1856; b0950]
- c **bieneri** (Stauder), 1924; *Lysandra* OD: Deut. ent. Zeit. 1924(1):27 [b4317] SS: coridon (Poda von Neuhaus), 1761; *Polyommatus* (*Lysandra*) [Refs - b0236; b0471; b4038]
- b **bieneri** Forster, 1941; *Celastrina* OD: Mitt. Münchn. ent. Ges. 31:614, pl 21,22, f 3,4 [b1766] SS: argiolus (Linnaeus), 1758; *Celastrina* [Type: ZSBS-ht] [TypeL - Transbaikalia, USSR.] [Refs - b1580; b1766]
- b **bieneri** Bálint, 1992; *Polyommatus* OD: *Linneana Belgica* 13(8):410 [b0205] SS: icarus (Rottemburg), 1775; *Polyommatus* [Type: biblio; replacement for *persica* Bienert, 1870] [Refs - b0205]
- a **bieti** (Oberthür), 1886; *Thecla* OD: Étud. ent. 11:19, pl 4 or 6 or 9, f 22 [b3429] CG: *Esakiozephyrus* [TypeL - Thibet.] [Refs - b1636; b2988; b0996; b4220; b2479; b4214; b3296 (in *Teratozephyrus*); b4092]
- c **bifasciata** Hewitson, 1877, 1869-1877; *Mesosemia* OD: *Equatorial Lep. Buckley* (5):94 [b2330] SS: ama Hewitson, 1869; *Mesosemia* [TypeL - Western Ecuador.] [Refs - b2753; b4474; b0688]
- a **bifasciata** Moore, 1877; *Abisara* OD: Proc. zool. Soc. Lond. 1877(3):587, pl 58, f 2 [b3226] [Type: BMNH] [TypeL - Andamans.] [Refs - b1636; b1149; b0294; b4473; b1454; b1840]
- a **bifasciata** (Mengel), 1902; *Baetis* OD: Ent. News 13(6):117, pl 8, f 7,8 [b3154] CG: *Ematurgina* [TypeL - Paraguay.] [Refs - b2988; b4475; b2221; b1456]
- e **bifida** Cantlie, 1959, (IFS); *Rapala* OD: J. Bombay nat. Hist. Soc. 56(3):652 [b0693] SS: ranta Swinhoe, 1897; *Rapala* [Refs - b0694; b0693]
- c **bigamica** Strand, 1911; *Anthene* OD: Arch. Naturgesch. (1)77(1):197 [b4500] SS: indefinita (Bethune-Baker), 1910; *Anthene*
- a **bigemmis** Stichel, 1925; *Mesene* OD: Z. wiss. Insektbiol. 20:54 [b4463] [TypeL - Brazil.] [Refs - b4474; b1456]
- a **biggsii** (Distant), 1884, 1882-1886; *Gerydus* OD: *Rhop. malayana* :206, pl 22, f 12 [b1285] CG: *Miletus* 3 [TypeL - Malacca.] [Refs - b0964; b1636; b1153; b1546; b0965; b1840 (as *biggsii*); b0694; b4108]
- b **bigoti** Stempffer, 1964; *Liptena* OD: Bull. Inst. franç. Afr. Noire 26(A):1233 [b4397] SS: *ferrymani* (Grose-Smith & Kirby), 1891; *Liptena* [TypeL - Ivory Coast.] [Refs - b1452; b4400]
- c **bihe** (Bethune-Baker), 1910; *Lycaenesthes* OD: Trans. ent. Soc. Lond. 58(1):34, pl 1, f 15 [b0343] SS: *liodes* (Hewitson), 1874; *Anthene* [Type: BMNH-ht] [TypeL - Bihe District, Angola.] [Refs - b1943; b1259; b0343; b4400]
- b **bilara** Okano & Okano, 1990; *Pseudotajuria* OD: *Rhopalocera Philippina* (2):4, Pl 2, f 9-10 [b3487] SS: *donatana* (de Nicéville), [1889]; *Pseudotajuria* [Type: pc-ht; collection of Masao Okano.] [TypeL - Bilar, Bohol Island, Visayan Islands, Philippines.] [Refs - b3487]
- b **bilara** Okano & Okano, 1990; *Rapala* OD: *Rhopalocera Philippina* (3):6, pl 3, f 4,5,9,10 [b3488] SS: *tomokoe* Hayashi & Schröder & Treadaway, 1978; *Rapala* [Type: pc-ht; collection of Masao Okano.] [TypeL - Bilar, Bohol Island, Visayan Islands, Philippines.] [Refs - b3488]
- b **bilara** Okano & Okano, 1991; *Tajuria* OD: *Rhopalocera Philippina* (6):7, pl 4, f 1-4 [b3491] SS: *jalajala* Felder & Felder, 1862; *Tajuria* [Type: pc-ht; collection of Masao Okano.] [TypeL - Bilar, Bohol Island, Visayan Islands, Philippines.] [Refs - b3491]
- a **bilinea** Talbot, 1935; *Eresina* OD: Ent. mon. Mag. 71:73, pl 1, f 8 [b4623] [TypeL - Kakamega, Kavirondo, Kenya.] [Refs - b1452; b4623; b4388 (in *Toxochitona*); b4400]
- a **bilineata** Semper, 1890, 1886-1892; *Horaga* OD: In *Semper, Reisen Philipp.* (2)(5):216 [b4110] [Type: ZMHU-st; SMF-st] [TypeL - Mindanao, Philippines.] [Note - Cowan considered this a subspecies of *albimacula*, but later authors (Hayashi, Eliot) disagree.] [Refs - b1012; b2078; b2199; b1569; b1454; b4094; b4602]
- e **bilineata** (Tut), 1906, 1905-1914; *Chrysophanus* OD: Nat. Hist. Brit. Butts 1:431 [b4760] SS: *dispar* ((Haworth)), 1802; *Lycaena* (*Thersamolycaena*) [Refs - b0389]
- a **bilineata** Bethune-Baker, 1908; *Iolaus* OD: Proc. zool. Soc. Lond. 1908(1):113 [b0340] [TypeL - Congo.] [Note - Described from a unique female. Stempffer was not able to decide which subgenus it belonged in.] [Refs - b1452 (unable to trace the type); b4400]
- b **bilineata** Lathy, 1926; *Euselasia* OD: *Entomologist* 59:143 [b2919] SS: *gelanor* (Stoll), [1780]; *Euselasia* [TypeL - Lower Marouï, French Guiana.] [Refs - b4474; b2919]
- e **bilineata** Le Mout, 1940, 1939-1940, (IFS); *Helicopsis* OD: *Novit. ent.* (14):105 [b2943] SS: *cupido* (Linnaeus), 1758; *Helicopsis* [Type: AME-ht] [Refs - b3199]
- b **bilitis** (Fruhstorfer), 1919; *Portia* OD: Arch. Naturgesch. (A)83(2):97 [b1890] SS: *pheretia* (Hewitson), 1874; *Simiskina* [Type: BMNH-ht] [TypeL - N. E. Sumatra.] [Refs - b1454; b0950]
- a **bilix** (Draudt), [1919], 1917-1924; *Thecla* OD: In *Seitz, Grossschmett. Erde* 5:759, pl 153-g [b1348] CG: *Rhamma* [Type: NMB-ht; Fassl Collection.] [TypeL - Rio Aguaca Valley, Colombia.] [Refs - b0908; b0125; b2610]
- b **bilqis** Larsen, 1983; *Chloroselas* OD: *Fauna Saudi Arabia* 5:381, f [b2900] SS: *esmeralda* Butler, [1886]; *Chloroselas* [TypeL - Yemen.] [Refs - b2901; b0116; b2899]
- a **bilucha** (Moore), 1884; *Lycaena* OD: J. asiat. Soc. Bengal, Pt II 53(1):24 [b3236] CG: *Polyommatus* [Note - Not spelled *bilucka*. According to Bálint, this taxon differs strongly from nominate *eros* and from Central Asian *erotides*.] [Refs - b1636; b0993; b3236; b3910 (as *bilucka*); b3055 (as *balucha*); b0694; b0205]
- e **bilucka** Sakai, 1981, (ISS); *Polyommatus* OD: *Butts Afghanistan* :261 [b3910] SS: *bilucha* (Moore), 1884; *Polyommatus* [Refs - b3910]
- b **bimaculla** Plötz, 1880; *Telipna* OD: *Stett. ent. Ztg* 41:199 [b3622] SS: *acraea* (Westwood), [1851]; *Telipna* [TypeL - Cameroons.] [Refs - b1452; b4400]
- c **bimaculata** (Hewitson), 1874; *Myrina* OD: Trans. ent. Soc. Lond. 22(3):353 [b2341] SS: *lorisona* (Hewitson), [1863]; *Deudorix* (*Virachola*) [TypeL - Gaboon.] [Refs - b2753; b4400]

- c *bimaculata* Möschler, 1876; Thecla OD: Verh. zool.-bot. Ges. Wien 26:299, pl 3, f 3 [b3247] SS: ganymedes (Cramer), [1775]; Thecla (New World Eumacini) [TypeL - Surinam.] [Refs - b0908; b2747; b2918]
- a *bimaculata* Johnson, 1992; Ahlbergia OD: Neue Ent. Nachr. 29:18, f [b2609] [TypeL - Sichuan.] [Refs - b0126]
- c *ab. bimaculatus* (Diószeghy), 1913; Chrysophanus OD: Rovart. Lap. 20:194 [b1281] SS: rutilus (Werneburg), 1864; Lycaena (Thersamolycaena) [Refs - b0236; b0389; b1281]
- b *bimaculosa* Toxopeus, 1929; Nacaduba OD: Tijdschr. Ent. 72(3/4):234 [b4700] SS: beroe (Felder & Felder), 1865; Nacaduba [TypeL - E. Java.] [Refs - b4676; b0938; b4700; b1454]
- c *bimarginata* Le Moult, 1940, 1939-1940, (IFS); Helicopsis OD: Novit. ent. (13):99 [b2943] SS: cupido (Linnaeus), 1758; Helicopsis [Type: AME-ht] [Refs - b3199]
- a *bimediana* Johnson, 1990; Penaincisalia OD: Pan-Pac. Ent. 66(2):121 [b2603] [Type: AMNH-ht] [TypeL - Cuicocha, Imbabura, Ecuador.] [Refs - b0124; b2611]
- c *ab. bina* Rostagno, 1906; Plebejus OD: Boll. Soc. zool. ital. (2)7(7/9):273 [b3868] SS: argus (Linnaeus), 1758; Plebejus [Refs - b0236]
- a *binangula* (Schaus), 1902; Thecla OD: Proc. U. S. nat. Mus. 24(1262):415 [b3948] CG: Tigrinota [Type: USNM-ht; #5941] [TypeL - Peru.] [Refs - b2221; b1375; b3948; b0125; b2616; b2611]
- a *binghami* (Moore), [1901], 1890-1913; Balonca OD: Lep. Ind. 4:75, pl 398, f 4 [b3238] CG: Dodona [Refs - b4473 (as sp of henrici); b1454; b1840]
- a *binghami* Chapman, 1908; Notarthrinus OD: Proc. zool. Soc. Lond. 1908(3):678, pl 38, f 2 [b0747] [Type: BMNH-ht] [TypeL - Shillong, Assam, India.] [Type of - Notarthrinus] [Refs - b2280; b1636; b1840; b1580; b1454]
- c *binghami* (Fruhstorfer), [1912]; Poritia OD: Berl. ent. Z. 56(3/4):203 [b1850] SS: phalia (Hewitson), 1874; Simiskina [TypeL - Tenasserim.] [Refs - b1636; b2200; b1850; b3610; b4094; b0694; b0950]
- b *binghami* Corbet, 1946; Arhopala OD: Trans. R. ent. Soc. Lond. 96(5):83 [b0960] SS: agrata de Nicéville, 1890; Arhopala f [Type: BMNH-ht] [TypeL - Yé Valley.] [Refs - b1644; b2200; b1454]
- e *binna* Tite, 1959, (ISS); Catochrysops OD: Entomologist 92:205 [b4670] SS: strabobinna Swinhoe, 1916; Catochrysops [Refs - b1450; b4670; b4592; b4595; b2388]
- e *binotata* (Sharp), [1916], (ISS); Simiskina OD: Zool. Rec. 51(1914)(Ins.):214 [b4144] SS: bidotata (Fruhstorfer), 1914; Deramas [Refs - b4094; b4144]
- b *binza* Berger, 1981; Oxyliodes OD: Papillons du Zaire 274 [b0309] SS: faunus (Drury), [1773]; Oxyliodes [Type: MRAC-ht] [TypeL - Binza, Zaire.] [Refs - b0309]
- a *biocellata* (Felder & Felder), 1865, 1865-1875; Lycaena OD: Reise Novara (2):280, pl 35, f 14 [b1692] CG: Nacaduba [Type: BMNH-ht] [TypeL - Adelaide, Australia.] [Refs - b4676; b1450; b2747; b4255; b4871; b0870; b4094; b4934; b1331; b1744; b2387; b2388]
- c *ab. bion* Rebel, 1909; Polyommatus OD: In Berge, Schmetterlingsbuch (ed. 9) :70 [b3706] SS: icarus (Rotenburg), 1775; Polyommatus [Refs - b0236; b0471]
- a *biplaga* Sands, 1981; Philiris OD: J. Aust. ent. Soc. 20(1):89-96 [b3925] [TypeL - Papua New Guinea.]
- b *biplagiata* Butler, 1883; Surendra OD: Proc. zool. Soc. Lond. 1883(2):147, pl 24, f 12 [b0625] SS: vivama (Horsfield), [1829]; Surendra [Type: BMNH] [TypeL - Madras, India.] [Refs - b1636; b0625; b1454; b4094; b0694]
- e *bipuncta* Rebel, 1909; Maculinea OD: In Berge, Schmetterlingsbuch (ed. 9) :75 [b3706] SS: arion (Linnaeus), 1758; Maculinea [Refs - b0400]
- c *bipuncta* Seitz, [1917], 1910-1924; Cremna OD: In Seitz, Grossschmett. Erde 5:651 [b4093] SS: pupillata Stichel, 1915; Cremna [TypeL - Bahia.] [Refs - b4474; b4093]
- a *bipuncta* (Joicey & Talbot), 1921; Lycaenesthes OD: Bull. Hill Mus. 1(1):96, pl 15, f 84,85; pl 16, f 86 [b2655] CG: Anthene [Type: BMNH-ht] [TypeL - Cartouche, nr Lesse, W. Semliki River.] [Refs - b1452; b4400; b2655]
- c *f. bipuncta* (Stichel), 1929; Lymnas OD: Mitt. zool. Mus. Berl. 15:18 [b4470] SS: iarbás (Fabricius), 1787; Melanis [TypeL - Colombia.] [Refs - b4474; b4470]
- e *ab. bipunctata* (Tutt), 1906, 1905-1914; Rumicia OD: Nat. Hist. Brit. Butts 1:360 [b4760] SS: phlaeas (Linnaeus), 1761; Lycaena (Lycaena) [Refs - b0389; b4092; b4760]
- e *f. bipunctata* Tutt, 1907, 1905-1914; Callophrys OD: Nat. Hist. Brit. Butts 2:92 [b4760] SS: rubi (Linnaeus), 1758; Callophrys [Refs - b0236; b2585]
- e *ab. bipunctatus* (Tutt), 1907, 1905-1914; Bithys OD: Nat. Hist. Brit. Butts 2:237 [b4760] SS: quercus (Linnaeus), 1758; Quercusia [Refs - b4092]
- a *bipunctus* Zikán, 1928; Anteros OD: Ent. Rundsch. 45:19 [b5070] [TypeL - Minas-Geraes, Brésil?] [Refs - b3717; b1456]
- c *birana* Fruhstorfer, [1914], 1909-1923; Dicallaneura OD: In Seitz, Grossschmett. Erde 9:786 [b1840] SS: ribbei Röber, [1886]; Dicallaneura [Type: BMNH-ht] [TypeL - Ema Bay, New Guinea.] [Refs - b1450; b1840; b4474]
- b *biranta* (Riley), 1942; Marnessus OD: Entomologist 75:88 [b3779] SS: niasica (Röber), [1886]; Drupadia [Type: BMNH-ht] [TypeL - Langkawi Is., West Malaysia.] [Refs - b1030; b0964; b0965; b2201; b1454; b3782]
- a *birmana* (Moore), [1884]; Panchala OD: Proc. zool. Soc. Lond. 1883(4):531 [b3235] CG: Arhopala o [Type: BMNH-ht] [TypeL - Toungu, British Burmah.] [Refs - b1644; b4198; b2650; b2177; b2200; b3235; b1850; b1454; b4094]
- c *birmana* Fruhstorfer, 1918; Heliophorus OD: Tijdschr. Ent. 61:50, pl 6 [b1885] SS: manica (Leech), [1893]; Heliophorus (B) [TypeL - Birma.] [Refs - b1636; b4094; b1638; b1454]
- b *birminia* (Corbet), 1948; Jacoona OD: Proc. R. ent. Soc. Lond. (B)17(7/8):97 [b0963] SS: hypoleuca (Hewitson), [1865]; Manto [TypeL - Burma.] [Refs - b0694]
- b *birou* Wind & Clench, 1947; Philiris OD: Bull. Brooklyn ent. Soc. 42(1):10 [b5021] SS: intensa (Butler), 1876; Philiris [Type: MCZ-ht] [TypeL - Wau, Morobe District, New Guinea.] [Refs - b4677; b1450; b0528; b5021; b5021]
- c *biru* Fruhstorfer, 1914; Arhopala OD: Deut. ent. Zeit. [Iris] 28(2):126 [b1859] SS: serpa Fruhstorfer, 1900; Arhopala g [Type: BMNH-ht] [TypeL - Nias.] [Refs - b1644; b1859; b4094]
- a *biru* (Ribbe), 1926; Lampides OD: Ent. Mitt. 15(1):90 [b3742] CG: Jamides [TypeL - Celebes.] [Refs - b3742]
- b *birui* (Ribbe), 1926; Camena OD: Ent. Mitt. 15(1):81 [b3742] SS: anysides (Röber), 1887; Dacalana [TypeL - Celebes.] [Refs - b3742]
- c *birumki* (Ribbe), 1926; Tajuria OD: Ent. Mitt. 15(1):81 [b3742] SS: kuehni (Röber), 1887; Paruparo [TypeL - Celebes.] [Refs - b3742; b4104]
- a *birupa* (Moore), 1877; Dipsas OD: Ann. Mag. nat. Hist. (4)20:51 [b3224] CG: Chrysozephyrus [Type: BMNH-ht] [TypeL - Masuri.] [Refs - b1636; b4214; b4200; b3296; b4094; b0694; b2463]

- c **bisaurantia** (Turati), 1927; *Thestor* OD: *Atti Soc. ital. Sci. nat.* 66:313, f [b4749] SS: ballus (Fabricius), 1787; Tomares [TypeL - Cyrenaica.] [Refs - b0236; b4749]
- b **bischoffii** (Gerhard), 1853, 1850-1853; *Thecla* OD: *Vers. monog. europ. Schmett.* pl 2, f 4a-c [b1928] SS: ilicis (Esper), [1779]; *Satyrion* [Refs - b2747; b0293; b3555; b4092]
- b **biseulensis** Kim & Joo & Park, 1991; *Celastrina* OD: *In Hist. Korean Butts* :372, f [b2741] SS: huegelii (Moore), 1882; *Celastrina* [TypeL - South Korea.] [Refs - b0126]
- a **biston** Möschler, 1876; *Thecla* OD: *Verh. zool.-bot. Ges. Wien* 26:302, pl 3, f 5 [b3247] CG: *Thecla* (New World Eumaeini) [TypeL - Surinam.] [Refs - b0908; b2753]
- e **ab. bistrigata** Aurivillius, [1924], 1908-1925; *Axiocerses* OD: *In Seitz, Grossschmett. Erde* 13:421 [b0162] SS: mendeche (Grose-Smith), 1889; *Axiocerses* [TypeL - C. Africa.] [Refs - b3796; b4400]
- e ♂ **ab. bistrigata** Aurivillius, [1924], 1908-1925; *Axiocerses* OD: *In Seitz, Grossschmett. Erde* 13:421 [b0162] SS: bambana Grose-Smith, 1900; *Axiocerses* [TypeL - Africa.] [Refs - b0162]
- b **bistrigatus** Aurivillius, 1925; *Telipna* OD: *Ark. Zool.* 17A(32):7 [b0172] SS: sanguinea Plötz, 1880; *Telipna* [TypeL - Norefpurdlich vom Edward See?] [Refs - b4400]
- a **bitias** (Cramer), [1777], 1775-1790; *Papilio* OD: *Uitl. Kapellen* 2(9):12, pl 104, f e [b1069] CG: *Panthiades* [TypeL - Surinam.] [Refs - b0908; b4245; b3390; b0676; b2747; b1453; b3818; b1375]
- b **bitje** (H. H. Druce), 1910; *Spindasis* OD: *Proc. zool. Soc. Lond.* 1910(1):372, pl 35, f 15 [b1378] SS: leonina (E. Sharpe), 1890; *Lipaphnaeus* [Refs - b4400; b1452]
- a **bitje** H. H. Druce, 1910; *Pentila* OD: *Proc. zool. Soc. Lond.* 1910(1):358 [b1378] [Refs - b4400; b1452; b4420]
- a **bitje** (H. H. Druce), 1910; *Lycaenesthes* OD: *Proc. zool. Soc. Lond.* 1910(1):374 [b1378] CG: *Anthene* [TypeL - W. Africa.] [Refs - b4400; b1452; b0836]
- a **bitje** Bethune-Baker, 1915; *Argyrocheila* OD: *Ann. Mag. nat. Hist.* (8)16:187 [b0353] [TypeL - Cameroons.] [Refs - b4400; b1452]
- c **bitje** (Stempffer), 1946; *Pseudoliptena* OD: *Revue fr. Ent.* 13(1):9, pl 1, f 12 [b4371] SS: lachares (Hewitson), [1878]; *Anthene* [Type: BMNH-ht] [TypeL - Bitje Ja River, Cameroun.] [Type of - Pseudoliptena] [Note - Based on a composite specimen.] [Refs - b2280; b4371; b2272; b4630]
- a **bitjeana** Bethune-Baker, 1915; *Hewitsonia* OD: *Ann. Mag. nat. Hist.* (8)16:190 [b0353] [TypeL - Bitje, Cameroons.] [Refs - b1452; b4400]
- c **bitjeana** Bethune-Baker, 1926; *Hypolycaena* OD: *Ann. Mag. nat. Hist.* (9)17:394 [b0362] SS: liara H. H. Druce, 1890; *Hypolycaena* [TypeL - Bitje, Cameroons.] [Refs - b0113; b1452; b4400]
- a **bitjeana** Stempffer & Bennett, 1965; *Micropentila* OD: *Bull. Br. Mus. nat. Hist. (Ent.)* 15(11):407 [b4422] [TypeL - Bitje, Cameroons.] [Refs - b1452; b4400]
- a **bitjeensis** Stempffer, 1957; *Ornipholidotos* OD: *Bull. Inst. franç. Afr. Noire* 19(A):209, f [b4390] [TypeL - Bitje, French Cameroons.] [Refs - b1452; b4400]
- a **bitjensis** Bethune-Baker, [1925]; *Aslauga* OD: *Trans. ent. Soc. Lond.* 72(3/4):211 [b0361] [TypeL - Bitje, Cameroons.] [Refs - b1452; b4400]
- c **bitjensis** (Bethune-Baker), 1926; *Eresina* OD: *Ann. Mag. nat. Hist.* (9)17:392 [b0362] SS: gerda (Kirby), 1890; *Toxochitona* [TypeL - Bitje, Cameroons.] [Refs - b4388; b4400]
- c **biton** (Sulzer), 1776; *Papilio* OD: *Abgekürzte Gesch. Ins.* 1:146; 2:pl 18, f 9 [b4544] SS: damon ((Denis & Schiffermüller)), 1775; *Polyommatus* (*Agrodiaetus*) [Refs - b2747; b0993; b4092]
- d **biton** (Bremer), 1861, (H); *Lycaena* OD: *Bull. Acad. Sci. St. Pétersbourg* 3:472 [b0482] SS: lucifera (Staudinger), 1867; *Plebejus* [Refs - b2747; b0993; b0995; b4092]
- c **bitonides** (Staudinger), 1871; *Lycaena* OD: *In Staud. & Wocke, Cat. Lep. Eur.* :13 [b4323] SS: lucifer (Röber), [1886]; *Neopihecopis* [Refs - b2747]
- b **bittis** (Fruhstorfer), 1915; *Lycaena* OD: *Soc. ent.* 30:73 [b1869] SS: nicias (Meigen), 1829; *Plebejus* (*Pseudoaricia*) [TypeL - Altai.] [Refs - b0236; b0072; b0471]
- e **ab. bivittata** (Dietrich), 1931; *Lycaena* OD: *Ent. Rundsch.* 48(13):133, f [b1273] SS: damon ((Denis & Schiffermüller)), 1775; *Polyommatus* (*Agrodiaetus*) [TypeL - Bavaria.] [Refs - b0069]
- e **ab. bizas** (Bergsträsser), [1779], 1778-1780; *Papilio* OD: *Nom. Ins.* 2:79, pl 48, f 5,6 [b0310] SS: semiargus (Rottemburg), 1775; *Polyommatus* (*Cyaniris*) [Note - Spelling?] [Refs - b2747; b0236 (as byzas)]
- e **ab. bize** (Bergsträsser), [1779], 1778-1780; *Papilio* OD: *Nom. Ins.* 2:79, pl 48, f 7,8 [b0310] SS: semiargus (Rottemburg), 1775; *Polyommatus* (*Cyaniris*) [Note - Spelling?] [Refs - b2747; b0236 (as byze)]
- e **ab. bizene** (Bergsträsser), [1779], 1778-1780; *Papilio* OD: *Nom. Ins.* 3:14, pl 57, f 3,4 [b0310] SS: semiargus (Rottemburg), 1775; *Polyommatus* (*Cyaniris*) [Note - Spelling?] [Refs - b2747; b0236 (as byzena)]
- e **ab. bizenus** (Bergsträsser), [1779], 1778-1780; *Papilio* OD: *Nom. Ins.* 3:14, pl 57, f 1,2 [b0310] SS: semiargus (Rottemburg), 1775; *Polyommatus* (*Cyaniris*) [Note - Spelling?] [Refs - b2747; b0236 (as byzenus)]
- a **bjoernstadi** Collins & Larsen, 1991; *Anthene* OD: *In Butts Kenya* :440, f [b0868] [TypeL - Kenya.] [Refs - b0125]
- a **bjoernstadi** Kielland, 1993; *Alaena* OD: *Lambillionea* 93(1)(ii):115, f [b2739] [TypeL - Tanzania.] [Refs - b0126]
- c **blachieri** (Millière), 1887; *Lycaena* OD: *Annls Soc. ent. Fr.* (6)7:215, pl 5, f 8,9 [b3207] SS: alexis (Poda von Neuhaus), 1761; *Glaucoopsyche* [Refs - b3059; b0993; b0400; b4092]
- a **blackburni** (Tuely), 1878; *Holochila* OD: *Ent. mon. Mag.* 15:9 [b4740] CG: *Udara* (*Vaga*) [Type: BMNH-ht] [TypeL - Sandwich Islands.] [Type of - Vaga] [Note - On N. American endangered list.] [Refs - b4677; b1561; b2280; b2078; b1580; b4066]
- b **blackmorei** Barnes & McDunnough, 1919; *Plebejus* OD: *Can. Ent.* 51(4):92 [b0252] SS: icarioides (Boisduval), 1852; *Plebejus* (*Icaricia*) [Type: USNM-ht] [TypeL - Goldstream, Vancouver Island, British Columbia.] [Refs - b0908; b3192; b1321; b4066]
- b **blairana** Evans, 1925; *Jamides* OD: *J. Bombay nat. Hist. Soc.* 30(3):614 [b1633] SS: celeno (Cramer), [1775]; *Jamides* [TypeL - Andaman Islands.] [Refs - b1636; b0694]
- b **blakei** Weeks, 1906; *Nymphidium* OD: *Can. Ent.* 38(3):78 [b4968] SS: menalcus (Stoll), [1782]; *Nymphidium* [TypeL - Venezuela.] [Refs - b4476]
- e **f. blanca** (Ribbe), 1910, 1909-1912; *Lycaena* OD: *Deut. ent. Zeit.* [Iris] 23(1/2):201 [b3741] SS: coridon (Poda von Neuhaus), 1761; *Polyommatus* (*Lysandra*) [Refs - b0236; b3741; b0471]
- a **blandina** Stichel, 1910; *Mesosemia* OD: *Gen. Insectorum* 112(A):41 [b4446] [Type: pc-st; collection of Stichel] [TypeL - Surinam.] [Refs - b4474; b1456; b4446]
- e **blandula** Stichel, 1923; *Mesene* OD: *Z. wiss. Insektbiol.* 18(10/11):281 [b4457] SS: eristalis Stichel, 1923; *Mesene* [Refs - b4474]

- a **blanka** (de Nicéville), 1894; Tajuria OD: J. asiat. Soc. Bengal, Pt II 63(1):39, pl 4, f 4 [b1158] CG: Ancema [TypeL - Sumatra.] [Refs - b0964; b1636; b0965; b1564; b2211; b2201; b1454; b0694; b4108]
- b **blenina** (Hewitson), 1868; Thecla OD: Descr. new Spec. Lycaenidae :12 [b2327] SS: xami (Reakirt), [1867]; Sandia [Type: BMNH-hit] [TypeL - Mexico.] [Note - Does not occur north of Mexico.] [Refs - b1530 :205, f 389; b1321 :54; b0908; b0853; b2747; b3192; b1975; b1722]
- b **bleusel** Oberthür, 1884; Lycaena OD: Étud. ent. 8:15 [b3426] SS: tityrus (Poda - von Neuhaus), 1761; Lycaena (Heodes) [Refs - b3059; b0996; b0236; b4092]
- e **ab. blockeri** Ksienschopolski, 1911; Polyommatus OD: Trudy obshch. Izsl. Volyni Zitomir 8:60 [b2854] SS: eroides Frivaldszky von Frivald, 1835; Polyommatus [Refs - b0236 (as blöcken)]
- b **blomi** (Rose & Schurian), 1977; Vacciniina OD: Ent. Zeit. 87(14):148, f 2 [b3860] SS: morgiana (Kirby), 1871; Plebejus [Type: pc-hit; collection of Rose.] [TypeL - Dasht-e-Arjan, S. Iran.] [Refs - b1610 (2612-E9); b3860]
- a **blora** Field, 1967; Calystryma OD: Proc. U. S. natn. Mus. 123(3611):9, f 3; pl 1, f 5,6; pl 2, f 5,6 [b1738] [Type: USNM-hit; #34905] [TypeL - St. Jean, Maroni River, Colony of Guiana, French Guiana.] [Type of - Calystryma] [Refs - b1738; b2631; b2606]
- b **boalensis** Verhulst & Verhulst, 1985; Polyommatus OD: Bull. Cercle Lepid. Belg. 14(1):18, f [b4830] SS: icarus (Rottemburg), 1775; Polyommatus [TypeL - Spain.] [Note - Described as new twice.] [Refs - b0119; ns4829]
- a **bocchoris** (Hewitson), [1876], 1852-1877; Amarynthia OD: Ill. exot. Butts 5:[81], pl [43]=Ery, f 6 [b2323] CG: Stichelia [TypeL - Bolivia.] [Type of - Stichelia] [Refs - b2988; b2280; b2753; b4474; b1456]
- c **bochides** (de Nicéville), 1891; Lampides OD: J. Bombay nat. Hist. Soc. 6(3):367, pl F, f 15 [b1155] SS: caerulea (H. Druce), 1873; Jamides [TypeL - Malay Peninsula; Sumatra; Borneo.] [Refs - b1636; b4094; b0694; b4108; b1155]
- e **bochoris** (Zikán), 1946, (ISS); Phaenochitonina OD: Livro hom. R. Ferreira d'Almeida (43):347 [b5072] SS: bocchoris (Hewitson), [1876]; Stichelia [Refs - b5072]
- a **bochus** (Stoll), [1782], 1780-1790; Papilio OD: In Cramer, Utl. Kapellen 4(33):210, pl 391, f C,D [b4478] CG: Jamides [TypeL - Ceylon.] [Type of - Jamides] [Refs - b1450; b1636; b4198; b0964; b2280; b3786; b0965; b2747; b4094; b0995; b1762; b2479; b0236; b1865; b4871; b4629; b1454; b0694; b4092; b3258; b2388]
- b **bodenmanni** (Beuret), 1933; Agriades OD: Lambillionea 33:139 [b0370] SS: glandon (Prunner), 1798; Polyommatus (Agriades) [TypeL - Ebnalp.] [Refs - b0410]
- a **boei** Libert, 1993; Eicochrysops OD: Bull. Soc. ent. Fr. 97(4):321-332 [b2990] [TypeL - Cameroun.]
- a **boel** Libert, 1993; Liptena OD: Bull. Soc. ent. Fr. 97(4):321-332 [b2990] [TypeL - Cameroun.]
- a **boel** (Libert), 1993; Argiolaus OD: Bull. Soc. ent. Fr. 97(4):321-332 [b2990] CG: Iolaus (Argiolaus) [TypeL - Cameroun.]
- e **boelli** (Fruhstorfer), [1923], 1909-1923, (ISS); Lycaenopsis OD: In Seitz, Grossschmett. Erde 9:877 [b1840] SS: boulti (Chapman), 1912; Oreolyce (Oreolyce) [Note - Fruhstorfer also gave a spurious reference for this name.] [Refs - b1840]
- e **boeonides** Capronnier, 1874, (PWI); Thecla OD: Anns Soc. ent. Belg. 17:15 [b0699] [TypeL - Copa Cabana, Brazil.] [Refs - b0908]
- e **boetica** (Fabricius), 1793, 1792-1799, (ISS); Hesperia OD: Ent. syst. 3(1):280 [b1657] SS: boeticus (Linnaeus), 1767; Lampides [Refs - b0400; b2747 (as Horsfield name); b4092]
- c **f. boeticoides** (Stauder), 1925; Tarucus OD: Ent. Anz. 5(9):68 [b4319] SS: pirithous (Linnaeus), 1767; Leptotes [Refs - b0236; b0400; b4319; b0471]
- a **boeticus** (Linnaeus), 1767; Papilio OD: Syst. nat. (ed. 12) 1(2):789 [b2997] CG: Lampides [Type of - Cosmolyce, Lampidella, Lampides] [Refs - b2280; b1259; b2375; b3059; b0965; b2747 (as bae.); b1450; b1636; b4198; b0964; b4115; b4180; b1213; b1752 (as bae.); b0995; b1840 (as bae.); b1780; b1762; b1759; b2827; b2479 (as bae.); b2105; b0107 (as bae.); b0105; b2650; b1900; b2552; b2905; b3547; b3621; b4545; b0236; b2698; b5053; b5055; b1452; b0400; b0293; b0836; b2898; b4950; b2794; b3910; b3366; b1454; b4400; b3312; b4631; b1235; b0870; b4934; b0694; b2859; b4066; ns0405; ns0808; ns0781; b4592; b4209; b2920; b4604; b0141; b2388; b1455; b4108]
- b **bofilli** (de Sagarra y Castellarnau), 1924; Strymon OD: Bull. Inst. catal. Hist. nat. (2)4:200 [b1176] SS: spini ((Denis & Schiffmüller), 1775; Satyrium [TypeL - Spain.] [Refs - b3059; b0236; b2985; b0471]
- b **bogota** (Saunders), [1859]; Zeonia OD: Trans. ent. Soc. Lond. (2)5(9):98 [b3939] SS: octavius (Fabricius), 1787; Chorinea [TypeL - New Granada.] [Refs - b2747; b4474; b0680; b3939]
- a **bogotana** Draudt, [1921], 1917-1924; Hemiarigus OD: In Seitz, Grossschmett. Erde 5:819, pl 144k [b1348] CG: Hemiarigus [TypeL - Bogotá, Colombia.] [Refs - b0908; b3326; b0207]
- a **bogra** Evans, 1932; Polyommatus OD: Ident. Indian Butts (2nd ed.) :231 [b1638] [TypeL - Baluchistan.] [Refs - b0070; b3910; b1638; b0694; b1455]
- b **bogutena** Zhanko, 1990; Athamanthia OD: Ent. Obozr. 69(1):141 [b5066] SS: dimorphus (Staudinger), 1881; Athamanthia [TypeL - Kazakhstan.] [Refs - b0124; b5068; b3991]
- e **ab. boharti** Gunder, 1932; Plebejus OD: Pan-Pac. Ent. 8(3):127 [b2102] SS: hilda (Grinnell & Grinnell), 1907; Plebejus (Icaricia) [Type: AMNH-hit] [TypeL - Yosemite National Park, California.] [Refs - b0908; b3192; b0070; b1321]
- c **bohartorum** (Tilden), [1969]; Philotes OD: J. Res. Lep. 6(4):281 [b4657] SS: speciosa (H. Edwards), [1877]; Philotiella [Type: LACM-hit] [TypeL - Briceburg, Mariposa County, California.] [Note - Miller & Brown incorrectly treat this name as unavailable.] [Refs - b3192; b4657; b4066]
- e **bohemani** Kirby, 1871, (ISS); Cupido OD: Syn. Cat. diurn. Lep. :366 [b2747] SS: bohemanni (Wallengren), 1860; Cupido (?) [Refs - b2747]
- a **bohemanni** (Wallengren), 1860; Lycaena OD: Wien. ent. Monats. 4(2):37 [b4915] CG: Cupido (?) [TypeL - China.] [Refs - b2747; b4915]
- b **boholensis** Okano & Okano, 1993; Abisara OD: Rhopalocera Philippina (8):4, f 1-4 [b3492] SS: echerius (Stoll), [1790]; Abisara [Type: pc-hit; collection of Masao Okano.] [TypeL - Bilar, Bohol Island, Philippines.] [Refs - b3492]
- c **boholic** Fruhstorfer, 1907; Iraota OD: Ent. Zeit. 21(25):156 [b1826] SS: lazarena (Felder & Felder), 1862; Iraota [Type: biblio-hit; designated by Takamami, 1985] [Tokurana (Acta Rhopalocera) Special 1:4 [b4589]] [TypeL - Guindulman, Bohol.] [Note - Also seen as a subspecies of imoleon. Takamami selected Semper's figure, pl 33, f 15, as his lectotype.] [Refs - b4094; b1454; b1826; b4589 (also as female form)]
- b **boholicus** Eliot & Kawazoé, 1983; Neopithecopis OD: Butts Lycaenopsis group :54, f 26, 430-431 [b1580] SS: iolanthe Eliot & Kawazoé, 1983; Neopithecopis [Type: BMNH-hit] [TypeL - Bilar, Bohol, Philippines.] [Refs - b1580; b4592]

- a **boisduvalli** Moore, [1858]; *Mileus* OD: In Cat. Lep. Ins. E. India Co. (1):19, pl 1a, f 1 [b3219] CG: *Mileus* 3 [TypeL - Java.] [Refs - b1450; b0964; b1636; b1153; b1546; b0965; b2747; b1840 (as .ii); b2479; b0236; b2958; b4604; b4108]
- d **boisduvalli** (Butler), 1884, (H); *Gerydus* OD: Ann. Mag. nat. Hist. (5)13:194 [b0629] SS: *leos* (Guérin-Ménéville), [1831]; *Mileus* 4 [TypeL - Amboina.] [Refs - b1450; b1546]
- c **boisduvalli** Oberthür, 1894; *Hypochrysops* OD: Étud. ent. 19:11, pl 10, f 49 [b3435] SS: *herdonius* Hewitson, 1874; *Hypochrysops* [Type: BMNH-ht] [TypeL - New Guinea.] [Refs - b2078; b3926]
- e **ab. boisduvalli** (Oberthür), 1910; *Lysandra* OD: Étud. Léop. comp. 4:279,284 [b3451] SS: *coridon* (Poda von Neuhaus), 1761; *Polyommatus* (*Lysandra*) [Refs - b0236; b0471]
- c **boisduvalli** Oberthür, 1910; *Tomares* OD: Étud. Léop. comp. 4:96 [b3451] SS: *mauritanicus* (Lucas), 1849; *Tomares* [Refs - b0236; b0471 (as *boisduvalii*)]
- b **boisduvalii** (Herrich-Schäffer), [1844], 1843-1856; *Lycaena* OD: Syst. Bearb. Schmett. Europ. 1:pl 2, f 7-9 [b2313] SS: *eroides* Frivaldszky von Frivald, 1835; *Polyommatus* [Refs - b4115; b4333; b2479; b2794 (=eroides); b2313; b4092; b0206]
- a **boisduvalii** (Hewitson), [1869], 1863-1878; *Corydon* OD: Ill. diurn. Lep. Lycaenidae Suppl.:1, pl 1 [b2326] CG: *Hewitsonia* [TypeL - Gaboon.] [Type of - *Corydon*, *Hewitsonia*] [Refs - b2280; b2747; b1452; b0836; b4400]
- b **boisduvalii** Moore, 1884; *Drupadia* OD: J. asiat. Soc. Bengal, Pt II 53(1):31 [b3236] SS: *ravindra* (Horsfield), [1828]; *Drupadia* [Type: BMNH-ht; designated by Cowan, 1974] [Bull. Br. Mus. nat. Hist. (Ent.) 29(6):300 [b1030]] [TypeL - Burma.] [Refs - b1030; b1636 (as *boisduvalli*); b4094; b2201; b1454; b0694]
- a **boldenarum** White, 1862; *Lycaena* OD: Trans. ent. Soc. Lond. (3)1(Proc.):26 [b4997] [TypeL - New Zealand.] [Type of - *Antipodolycaena*] [Note - *Patronym: Helen and Frances Mary Bolden.*] [Refs - b1450; b2487; b2488; b1048; b4094; b4220; b2747; b4245 (as *boldenarum*); b1697; b2753]
- e **boldenarum** (Smart), 1975, (ISS); *Antipodolycaena* OD: Int. Butterfly Book :175, 263, 270, 274 [b4245] SS: *boldenarum* White, 1862; *Lycaena* [Refs - b4245; b1048]
- a **bolena** (Butler), [1867]; *Lemonias* OD: J. linn. Soc. Lond., Zool. 9:215, pl 6, f 8 [b0586] CG: *Adelotypa* [TypeL - Brasilia.] [Refs - b2988; b2747; b4475; b2221; b0419; b1456]
- c **bolima** (Schaus), 1902; *Thecla* OD: Proc. U. S. nat. Mus. 24(1262):416 [b3948] SS: *binangula* (Schaus), 1902; *Tigrinota* [Type: USNM-ht; #5942] [TypeL - Castro, Parana, Brazil.] [Refs - b0908; b1375; b3948; b2616]
- a **bolissus** Hewitson, 1873; *Iolaus* OD: Ent. mon. Mag. 10:123 [b2336] [TypeL - Congo.] [Refs - b2753; b1452; b0836; b4400]
- a **bolivari** Kheil, 1905; *Liptena* OD: Mem. Soc. ent. Esp. 1:173 [b2726] [TypeL - Guinea.] [Refs - b1452; b4400]
- e **bolivari** (Romei), 1927, (IFS); *Agriades* OD: Ent. Rec. 39:129 [b3848] SS: *albicans* (Gerhard), 1851; *Polyommatus* (*Lysandra*) [Note - *Verity also used this name on the same date in 1927, in Bull. Soc. Ent. France, 1927:207. He attributed it to Romei, but gave a description which would make it available. It may be that his publication came first.*] [Refs - b3059; b0105; b0236; b0089; ns4025; b0471; b4038]
- b **bolivariensis** (de Sagarra y Castellamau), 1930; *Aricia* OD: Bull. Inst. catal. Hist. nat. (2)10:117 [b1180] SS: *eumedon* (Esper), [1780]; *Plebejus* (*Eumedonia*) [Type: MC-st] [TypeL - Spain.] [Refs - b3059; b0107; b0070; b1180]
- e **bolivaroides** (Gómez Bustillo), 1980, (IFS); *Lysandra* OD: Revta Lep. 8(3):172 [b1987] SS: *camporrealis* (Gómez Bustillo), 1972; *Polyommatus* (*Lysandra*) [Refs - b0113]
- a **bolivatymna** Johnson, 1992; *Thecloxurina* OD: Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (22):20, f [b2610] [Type: FMLT-ht] [TypeL - El Suricho, Catamarca Province, Argentina.] [Refs - b0125 (as *bolivatymne*); b2610]
- b **boliviana** Lathy, 1932; *Caria* OD: Ann. Mag. nat. Hist. (10)9:68 [b2922] SS: *mantinea* (Felder & Felder), 1861; *Caria* [Type: BMNH-ht] [TypeL - La Paz, Bolivia.] [Refs - b1453; b2922]
- c **boliviensis** Lathy, 1926; *Euselasia* OD: Entomologist 59:145 [b2919] SS: *opimia* Stichel, 1919; *Euselasia* [TypeL - Bolivia.] [Refs - b4474]
- a **boliviensis** Johnson, 1991; *Femmiterga* OD: Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (21):30, f [b2606] [Type: BMNH-ht] [TypeL - Bolivia.] [Refs - b0125; b2606]
- b **boma** (Bethune-Baker), 1926; *Cyclirius* OD: Ann. Mag. nat. Hist. (9)17:402 [b0362] SS: *juno* (Butler), [1897]; *Harpenderyus* [TypeL - E. Africa.] [Refs - b1452 (as good species); b4400]
- b **bomendanus** Libert, 1993; *Uranothauma* OD: Bull. Soc. ent. Fr. 97(4):321-332 [b2990] SS: *antinorii* (Oberthür), 1883; *Uranothauma* [TypeL - Cameroun.]
- a **bomiensis** Lee, 1979; *Rapala* OD: Acta zootaxon. sinica 4(1):35,37, pl 1, f 3,4 [b2960] [Type: IZAS-ht] [TypeL - China.] [Refs - b2960]
- a **bomilcar** (Stoll), [1790], 1780-1790; *Papilio* OD: In Cramer, Utl. Kapellen Aanh.:170, pl 39, f 3 [b4478] CG: *Mesene* [TypeL - Surinam; Amazon.] [Refs - b2988; b2747; b4474; b1456]
- a **bonifacei** Stempffer, 1961; *Symptera* OD: Anns Mus. r. Afr. cent. (8vo) (Zool.)94:57 [b4393] [TypeL - Cameroons.] [Refs - b1452; b4400]
- c **bonthainensis** Ribbe, 1926; *Rapala* OD: Ent. Mitt. 15(1):82 [b3742] SS: *enipeus* (Staudinger), [1888]; *Rapala* [Type: SMT-ht; designated by Takanami, 1992] [Työ to Ga 43(3):197 [b4609]] [TypeL - Celebes.] [Refs - b3742]
- a **boopis** (Fruhstorfer), 1897; *Lycaena* OD: Berl. ent. Z. 42:115 [b1806] CG: *Chilades* [TypeL - Celebes.] [Refs - b4094; b4363; b1454]
- b **boopis** (Fruhstorfer), 1915, (H); *Luthrodes* OD: Deut. ent. Zeit. [Iris] 29:49 [b1860] SS: *buruana* (Holland), 1900; *Chilades* [TypeL - Central Celebes.] [Check - *Homonym in need of a replacement.*] [Refs - b1860]
- b **bora** Eliot, 1956; *Catopyrops* OD: Bull. Raffles Mus. 27:37 [b1542] SS: *rita* (Grose-Smith), 1895; *Catopyrops* [Type: BMNH-ht] [TypeL - S. Celebes.] [Refs - b4676; b1542; b1454]
- e **boreale** (Lafontaine), 1970, (ISS); *Strymon* OD: J. Lep. Soc. 24(2):83-86 [b2874] SS: *borealis* (Lafontaine), 1969; *Satyrion* [Note - *Ferris considers this an emendation, and this is almost certainly what Lafontaine intended. But the lack of a specific statement to that effect means that it must be treated only as an Incorrect Subsequent Spelling.*] [Refs - b2874; b4066; x3192; b1722]
- a **borealis** (Grote & Robinson), 1866; *Nymphidium* OD: Ann. Lyc. Nat. Hist. New York 8:351 [b2059] CG: *Calephelis* [TypeL - Orange County, New York.] [LifeH - Tietz lists b1313.] [Refs - b2988; b2747; b4474; b3192; b3512; b1321; b4066; b3127; b4652]
- b **borealis** Krulikovskii, 1890; *Callophrys* OD: Bull. Soc. imp. Nat. Moscou (ns)4(1890):217 [b2844] SS: *rubi* (Linnaeus), 1758; *Callophrys* [Type: AMNH-nt; designated by Johnson, 1981] [Revision of *Callophryna* :510 [b2585]] [TypeL - Urals, Soviet Union.] [Refs - b2479; b2585]

- b **borealis** Aurivillius, 1915; *Axiocerses* OD: Ark. Zool. 2(12):16 [b0167] SS: amanga (Westwood), 1881; *Axiocerses* [Refs - b0831; b0836; b4400]
- b **borealis** Schultze, 1916; *Hewitsonia* OD: Arch. Naturgesch. (A)81(11):111 [b4015] SS: boisduvalii (Hewitson), [1869]; *Hewitsonia* [TypeL - Cameroons.] [Refs - b4400]
- c **borealis** (Wahlgren), 1930; *Polyommatus* OD: Svensk Insektfauna 10:71 [b4900] SS: eumedon (Esper), [1780]; *Plebejus* (*Eumedonia*) [TypeL - Sweden.] [Refs - b0071; b0578]
- b **borealis** Ureta, 1949; *Leptotes* OD: Boln Mus. nac. Hist. nat. Chile 24:112, pl 2, f 11 [b4782] SS: trigemmatius (Butler), 1881; *Leptotes* [Type: MNHNC] [TypeL - Azapa, Chile.] [Refs - b0908; b3846]
- c **borealis** Murayama, 1953; *Favonius* OD: Tyô to Ga 3(3):20, f 16,17 [b3276] SS: ultramarina (Fixsen), 1887; *Favonius* [Type: pc-ht; collection of Murayama.] [TypeL - Hokkaido.] [Refs - b1900; b3276]
- b **borealis** van Someren, 1957; *Lepidochrysops* OD: J. ent. Soc. S. Afr. 20(1):64 [b4803] SS: neonegus (Bethune-Baker), 1923; *Lepidochrysops* [TypeL - Kenya; Uganda.] [Refs - b1452; b4400]
- c **borealis** (Lafontaine), 1969; *Strymon* OD: Trail and Landscape 3:151 [b2873] SS: falacer (Godart), [1824]; *Satyrium* [Type: CNC-ht; designated by Lafontaine, 1970] [J. Lep. Soc. 24(2):83 [b2874]] [TypeL - Britannia Park, Ottawa, Ontario. Restricted by Lafontaine, 1970.] [Note - When Lafontaine designated the lectotype he also emended the spelling to boreale. While this was almost certainly a deliberate emendation, the lack of a statement to that effect means that it must be treated as an Incorrect Subsequent Spelling.] [Refs - b1915; b2874; b2873; b0108; b1717; b3192; b4066; b1722]
- b **borealis** Quickelberge, 1972; *Bowkeria* OD: Ent. Rec. 84(4):90 [b3673] SS: phosphor (Trimen), 1864; *Bowkeria* [TypeL - Natal, S. Africa.] [Refs - b1259; b1452]
- a **boreas** (Felder & Felder), 1865, 1865-1875; *Pseudolycaena* OD: Reise Novara (2):244, pl 31, f 12 [b1692] CG: *Panthiades* [Refs - b0908; b2988; b3390; b2747; b2631]
- b **boreas** (Bâint), 1989; *Plebeius* OD: *Atalanta* (Münnerstadt) 19(1/4):89, f [b0199] SS: cleobis (Bremer), 1861; *Plebejus* (*Lycaeides*) [TypeL - Mongolia.] [Refs - b0123]
- b **borneana** Fruhstorfer, 1904; *Purilisa* OD: Deut. ent. Zeit. [Iris] 16(2):310 [b1818] SS: giganteus (Distant), 1881; *Purilisa* [TypeL - S. E. Borneo.] [Refs - b1850; b4094; b4108]
- a **borneana** (Pendlebury), 1939; *Thecla* OD: J. Fed. Malay St. Mus. 18(3):392 [b3561] CG: *Austrozephyrus* [Type: BMNH-ht] [TypeL - Mt. Kinabalu, Borneo.] [Refs - b0965; b3980; b2200; b4214; b4200; b3296; b1454; b2463; b4108]
- a **borneensis** Bethune-Baker, 1896; *Arhopala* OD: In Proc. zool. Soc. Lond. 1896(3):666, pl 30, f 5 [b0326] CG: *Arhopala* m [Type: ZMHU-ht; designated by Takanami, 1989] [Tyô to Ga 40(1):28 [b4602]] [TypeL - Borneo.] [Refs - b1644; b1556; b0965; b1454; b4094; b4602; b4108]
- a **borneensis** Moulton, [1912]; *Allotinus* OD: J. Straits Brch. R. asiat. Soc. 60:81 [b3259] CG: *Allotinus* (*Fabitaras*) [Type: BMNH-ht] [TypeL - Sarawak, Borneo.] [Refs - b0964; b0965; b1840; b1571; b4108]
- b **borneensis** (Corbet), 1940; *Tajuria* OD: Trans. R. ent. Soc. Lond. 90(5):118 [b0948] SS: elioti (Corbet), 1940; *Bullis* [TypeL - Borneo.] [Refs - b1454; b1554; b4108]
- b **bornemannii** (Pagenstecher), 1893; *Cupido* OD: Jb. nass. Ver. Nat. 47:77 [b3538] SS: ariensis H. H. Druce, 1891; *Epimastidia* [TypeL - New Guinea.] [Refs - b1450; b2078]
- a **bornoi** (Comstock & Huntington), 1943; *Hemiargus* OD: Ann. New York Acad. Sci. 45:102, pl 1, f 18,19 [b0907] CG: *Pseudochrysops* [TypeL - Haiti.] [Type of - *Pseudochrysops*] [Refs - b0908; b2280; b0907; b0833; b4047]
- c **borodowskyi** (Grum-Grshimailo), 1900; *Polyommatus* OD: Annu. Mus. zool. St. Pétersbourg 4:459 [b2070] SS: dispar ([Haworth]), 1802; *Lycaena* (*Thersamolycaena*) [Refs - b0996; b2479; b2866; b4092]
- a **borromeorum** Schröder & Treadaway, 1991; *Drina* OD: Ent. Zeit. 101(22):429, f [b3993] [TypeL - Philippines.] [Refs - b0125]
- a **borsippa** (Hewitson), [1863], 1852-1877; *Lemonias* OD: Ill. exot. Buus 3:[-], pl [59], f 35,36 [b2323] CG: *Adelotypa* [TypeL - Amazon.] [Refs - b2747; b4475; b2922; b1456]
- b **borsippa** (Fruhstorfer), 1915; *Lycaena* OD: Soc. ent. 30:73 [b1869] SS: nicias (Meigen), 1829; *Plebejus* (*Pseudoaricia*) [TypeL - Kentei.] [Refs - b0236; b0072; b0471]
- a **borsippina** (Butler), [1867]; *Lemonias* OD: J. linn. Soc. Lond., Zool. 9:216 or 219, pl 6, f 24 or 29 [b0586] CG: *Adelotypa* [TypeL - Tapajos.] [Refs - b2747; b4475; b1456]
- c **borus** (Boisduval), 1869, 1868-1869; *Thecla* OD: Annl. Soc. ent. Belg. 12:43 [b0468] SS: californica (Edwards), 1862; *Satyrium* [Type: USNM-ht] [TypeL - California.] [Refs - b0908; b2747; b3192; b1321]
- b **borussia** (Dadd), [1909]; *Lycaena* OD: Trans. ent. Soc. Lond. 56(3/4)(Proc.):lxiii [b1085] SS: coridon (Poda von Neuhaus), 1761; *Polyommatus* (*Lysandra*) [Type: -nt; designated by Schurian, 1989] [Ent. Zeit. 99(21):305 [b4039]] [TypeL - Berlin und Osterode (Ostpreußen).] [Note - Also described in Berl. ent. Z., 54(Sber.):36 [b1086].] [Refs - b1780; b4529; b1913; b0236; b0066; b0471; b4038; b1085; b0125]
- d **borussia** (Lange), 1919, (H); *Lycaena* OD: Deut. ent. Zeit. [Iris] 33:23 [b2891] SS: coridon (Poda von Neuhaus), 1761; *Polyommatus* (*Lysandra*) [Refs - b4529; b0236; b0471]
- a **boschi** Strand, 1911; *Leptomyrina* OD: Ent. Rundsch. 28:137 [b4501] [TypeL - Abyssinie.] [Refs - b4400; b1452; b4528; b4400]
- b **bosnika** (Evans), 1957; *Narathura* OD: Bull. Br. Mus. nat. Hist. (Ent.) 5(3):117 [b1644] SS: micale Boisduval, 1853; *Arhopala* h [Type: BMNH-ht] [TypeL - Schouten Island.] [Refs - b1644; b1450]
- b **bosnikiana** Joicey & Talbot, 1916; *Arhopala* OD: Trans. ent. Soc. Lond. 64(1):79 [b2653] SS: nobilis (C. Felder), 1860; *Arhopala* g [TypeL - Schouten Islands.] [Refs - b1644; b1450; b2653; b4094]
- a **bosora** Hewitson, 1870, 1869-1877; *Thecla* OD: Equatorial Lep. Buckley (4):66 [b2330] CG: *Thecla* (New World Eumacini) [TypeL - Not stated.] [Note - Druce says "perhaps allied to photismos".] [Refs - b0908; b2747; b1375]
- b **boswelliana** Distant, 1885, 1882-1886; *Iraota* OD: Rhop. malayana :258, pl 22, f 23 [b1285] SS: rochana (Horsfield), [1829]; *Iraota* [TypeL - Penang.] [Refs - b0964; b1636; b0965; b4094; b1454; b0694]
- c **bothrinoides** (Chapman), 1909; *Lycaenopsis* OD: Proc. zool. Soc. Lond. 1909(2):446 [b0751] SS: iyntean (de Nicéville), [1884]; *Celastrina* [TypeL - Not stated.] [Refs - b1636; b1840 (as bothrioides:872); b1580; b0751]
- e **bothrioides** (Fruhstorfer), [1922], 1909-1923, (ISS); *Lycaenopsis* OD: In Seitz, Grossschmett. Erde 9:872 [b1840] SS: bothrinoides (Chapman), 1909; *Celastrina* [Refs - b1580]
- e **bothrioides** (Seitz), [1926], 1912-1927, (ISS); *Lycaenopsis* OD: In Seitz, Grossschmett. Erde 9:872 [b4094] SS: bothrinoides (Chapman), 1909; *Celastrina* [Refs - b4094]

- b **boudanti** Treadaway & Nuyda, 1993; *Iraota* OD: *Fil-Kulisap* 1(2):13 [b4713] SS: *rochana* (Horsfield), [1829]; *Iraota* [Type: pc-ht; collection of Treadaway] [TypeL - Cavan Cavan, Sibum Island, Tawitawi Group, Philippines.] [Refs - b4713]
- b **bougainvilleanus** Samson & Smart, 1980; *Liphyra* OD: *Aurelian* 1(4):13, f [b3917] SS: *brassolis* Westwood, [1864]; *Liphyra* [TypeL - Bougainville, Solomon Islands.] [Refs - b0113; ns3263]
- c **bougainvillei** Chapman, 1915; *Curetis* OD: *Novit. zool.* 22:87 [b0770] SS: *solita* Butler, 1882; *Curetis* [Refs - b1450]
- a **boulleti** Le Cerf, 1911; *Ourocnemis* OD: *Bull. Mus. nat. Hist. nat., Paris* 17(6):412 [b2933] [Refs - b4474; b1456]
- b **boulleti** (Fruhstorfer), [1914], 1909-1923; *Laxita* OD: In Seitz, *Grossschmett. Erde* 9:790, pl 141a [b1840] SS: *telesia* (Hewitson), [1861]; *Paralaxita* [Type: MNHN-ht] [TypeL - Siam.] [Refs - b1636; b1840; b4474; b1454]
- a **boulti** (Chapman), 1912; *Notarhtrinus* OD: *Ent. mon. Mag.* 48:103, pl 6, f 1,2,5 [b0757] CG: *Oreolyce* (*Oreolyce*) [Type: BMNH-ht] [TypeL - Sarawak, Borneo.] [Refs - b0965; b1580; b0757; b4108]
- b **boultoides** Eliot & Kawazoe, 1983; *Oreolyce* OD: *Butts Lycaenopsis group* :32, f 8-9, 221-222, 244-245 [b1580] SS: *archena* (Corbet), 1940; *Oreolyce* (*Oreolyce*) [Type: BMNH-ht] [TypeL - Liwa, Sumatra.] [Refs - b1580]
- e **ab. bourdouxhei** (Cabeau), 1924; *Chrysophanus* OD: *Revue mens. Soc. ent. namur.* 24:18 [b0667] SS: *chryseis* ([Denis & Schiffermüller]), 1775; *Palaeochrysophanus* [TypeL - Belgium.] [Refs - b0236; b3796; b0389]
- a **bourkei** (Kaye), [1925]; *Thecla* OD: *Trans. ent. Soc. Lond.* 72(3/4):416 [b2713] CG: *Rekoa* [Type: lost-ht; Should be at Oxford.] [TypeL - Trinidad, but later changed to Jamaica.] [Type of - *Heterosmaitia*] [Refs - b0908; b0540; b1023; b0907; b0540; b3192; b0833; b2631; b2632; b0125; b3817]
- e **ab. boursini** (Mezger), 1927; *Glaucopsyche* OD: *Bull. Soc. ent. Fr.* 1927(14):213 [b3169] SS: *melanops* (Boisduval), [1828]; *Apelles* [TypeL - France.] [Refs - b0236; b3169; b0471]
- a **bouvieri** Lathy, 1936; *Thecla* OD: *Livre jubilaire de M. Eugene-Louis Bouvier* :231, pl 8, f 13 [b2925] CG: *Thecla* (New World *Eumaeini*) [Type: MNHN-ht; collection of Fournier de Horrack.] [TypeL - Ecuador.] [Refs - b0908; b2925; b2591; b2592]
- e **boveri** Johnson & MacPherson & Ingraham, 1986, (ISS); *Electrostrymon* OD: *Bull. Allyn Mus.* (102):6 [b2631] SS: *boyeri* (Comstock & Huntington), 1943; *Electrostrymon* [Refs - b2631]
- a **bowkeri** Trimen, 1864; *Iolaus* OD: *Trans. ent. Soc. Lond.* (3)2:176 [b4717] CG: *Iolaus* (*Stugeta*) [TypeL - Caffraria.] [Type of - *Stugeta*] [Refs - b2280; b1259; b2747; b1452; b0836; b4400; b3312; b3606; b0803; b3609]
- a **bowkeri** (Trimen), 1883; *Lycaena* OD: *Trans. ent. Soc. Lond.* 31(4):351 [b4724] CG: *Tarucus* [TypeL - S. Africa.] [Refs - b1259; b1452; b4400; b3563; b0162]
- b **bowringi** (Evans), 1957; *Panchala* OD: *Bull. Br. Mus. nat. Hist. (Ent.)* 5(3):130 [b1644] SS: *ammonides* (Doherty), 1891; *Arhopala* o [Type: BMNH-ht] [TypeL - Hainan.] [Refs - b1644; b1454]
- b **boyarensis** (Verdugo Paez), 1984; *Heodes* OD: *Revta Lep.* 12(1):56, f [b4828] SS: *alciphron* (Rotenburg), 1775; *Lycaena* (*Alciphronia*) [TypeL - Spain.] [Refs - b0117]
- c **boydi** Clark, 1948; *Glaucopsyche* OD: *Proc. ent. Soc. Wash.* 50(7):177 [b0798] SS: *nittanyensis* Chermock, 1945; *Glaucopsyche* [Type: USNM-ht] [TypeL - Ice Mountain, Hampshire County, West Virginia.] [Refs - b0798; b3192; b1321]
- b **boyeri** (Comstock & Huntington), 1943; *Thecla* OD: *Am. New York Acad. Sci.* 45:70 [b0907] SS: *angelia* (Hewitson), [1874]; *Electrostrymon* [Type: AMNH-ht] [TypeL - Pétionville, Haiti.] [Refs - b0908; b0907; b0833; b2631 (as boveri); b2606]
- a **boyi** (Stichel), 1923; *Lymnas* OD: *Z. wiss. InsektBiol.* 18(10/11):278 [b4457] CG: *Melanis* [TypeL - Brazil.] [Refs - b4474; b1456]
- e **f. boyi** Stichel, 1925; *Stalachtis* OD: *Z. wiss. InsektBiol.* 20:92 [b4463] SS: *lineata* (Guérin-Méneville), 1844; *Stalachtis* [TypeL - Brazil.] [Refs - b4476]
- a **boyi** Stichel, 1925; *Mesene* OD: *Z. wiss. InsektBiol.* 20:54 [b4463] [TypeL - Brazil.] [Refs - b4474; b1456]
- a **boyi** (Röber), 1926; *Argyrogramma* OD: *Ent. Mitt.* 15:229 [b3835] CG: *Argyrogrammana* [TypeL - Brazil.] [Refs - b4474; b1456]
- a **boyi** Röber, 1927; *Hyphilaria* OD: *Int. ent. Z.* 21:99 [b3837] [TypeL - Amazons.] [Refs - b4474; b1456]
- d **boyi** (Meier-Ramel), 1928, (H); *Argyrogramma* OD: *Encyc. ent. Ser. B. III. Lep.* 3(2):64 [b3145] SS: *trochilia* (Westwood), [1851]; *Argyrogrammana* [TypeL - Brazil.] [Check - Does this exist.]
- a **boyi** Röber, 1931; *Thecla* OD: *Int. ent. Z.* 24(37/38):391 [b3838] CG: *Thecla* (New World *Eumaeini*) [TypeL - Brazil.] [Refs - b0908]
- e **brabanti** Le Moutl, 1940, 1939-1940, (IFS); *Helicopsis* OD: *Novit. ent.* (16):126 [b2943] SS: *cupido* (Linnaeus), 1758; *Helicopsis* [Refs - b3199]
- c **brabo** (Hulstaert), 1924; *Neochrysops* OD: *Revue zool. afr.* 12(2):193 [b2496] SS: *skotios* (H. H. Druce), 1905; *Lepidochrysops* [TypeL - Belgian Congo.] [Refs - b3796; b2496; b4400]
- a **brachycera** (Trimen), 1883; *Arrugia* OD: *Trans. ent. Soc. Lond.* 31(4):353 [b4724] CG: *Thestor* [TypeL - S. Africa.] [Refs - b1259; b1452; b4400]
- a **bracteata** Hewitson, [1867], 1852-1877; *Anteros* OD: *Ill. exot. Butts* 4:[-], pl [42], f 11,12 [b2323] [TypeL - Amazon.] [Refs - b2988; b2747; b4474; b1456]
- c **bracteata** (Butler), 1880; *Lycaena* OD: *Proc. zool. Soc. Lond.* 1880(3):407, pl 39, f 4 [b0616] SS: *samudra* (Moore), [1875]; *Plebejus* (*Lycaeides*) [TypeL - Candahar.] [Refs - b1636; b0993; b3910; b0616; b0694; b4092]
- c **bracteatus** (Butler), 1883; *Aphmaeus* OD: *Proc. zool. Soc. Lond.* 1883(2):147, pl 24, f 10,11 [b0625] SS: *vulcanus* (Fabricius), 1775; *Spindasis* [Type: BMNH] [TypeL - Mhow, India.] [Refs - b1636; b4094 (faulty reference); b0996; b0625; b0694]
- b **bradamante** (de Nicéville), 1890; *Zarona* OD: *Butts India Burmah Ceylon* 3:36 [b1153] SS: *jasoda* (de Nicéville), [1889]; *Deramas* [TypeL - Kedah, Peninsular Malaya.] [Refs - b0964; b1555; b1550; b1454; b1550; b0950]
- a **brahami** Lathy, 1903; *Aphnaeus* OD: *Trans. ent. Soc. Lond.* 51(2):199, pl 8, f 10 [b2912] [TypeL - Nigeria.] [Refs - b4387; b1452; b0836; b4400]
- a **brahma** Moore, [1858]; *Heliophorus* OD: *In Cat. Lep. Ins. E. India Co.* (1):29, pl 1a, f 4 [b3219] CG: *Heliophorus* (B) [TypeL - India bor.] [Refs - b1636; b4094; b2747; b0996; b4220; b2479; b0236; b1454; b0694; b4092]
- c **brahma** Bethune-Baker, 1897; *Arhopala* OD: *Ent. mon. Mag.* 33:203 [b0327] SS: *inomata* (Felder & Felder), 1860; *Arhopala* k [Type: BMNH-ht] [TypeL - Perak.] [Refs - b1644; b4094; b0327]
- c **brahmina** (Felder & Felder), 1865, 1865-1875; *Lycaena* OD: *Reise Novara* (2):279, pl 35, f 15,16 [b1692] SS: *lajus* (Stoll), [1780]; *Chilades* [Refs - b2747; b0995]

- a **brainei** Vári, 1976; *Alaena* OD: Ann. Transv. Mus. 30(13):128, f [b4821] [TypeL - Kombat, Tiger Valley, Namibia.] [Refs - b1259; b0108; b1452]
- b **brainei** Hemming & Henning, 1984; *Iolaus* OD: J. ent. Soc. S. Afr. 47(1):35-44 [b2291] SS: *silarus* H. H. Druce, 1885; *Iolaus* (*Argiolaus*) [TypeL - Namibia.] [Refs - ns2291; b0117]
- c **bramaiana** (Pruner), 1798; *Papilio* OD: Lep. Pedemont. 76 [b3657] SS: *coridon* (Poda von Neuhaus), 1761; *Polyommatus* (*Lysandra*) [Refs - b2747; b0993; b2794]
- b **brandti** (Pfeiffer), 1938; *Lycaena* OD: Mitt. Münchn. ent. Ges. 28(2):191, pl 4, f 9,10 [b3592] SS: *daphnis* (Denis & Schiffemüller), 1775; *Polyommatus* (*Meleageria*) [TypeL - Keredj Tal, Elburs Mts., Persia.] [Refs - b0076; b2788]
- b **brandti** (Forster), 1956; *Argodiaetus* OD: Z. wien. ent. Ges. 41:123 [b1769] SS: *xerces* (Boisduval), 1852; *Glaucopsyche* [TypeL - Persia.]
- b **brandti** Sibatani & Grund, 1978; *Theclinesthes* OD: Tyô to Ga 29(1):25, f 21,21,153 [b4223] SS: *miskini* (Lucas), 1889; *Theclinesthes* [Type: ANIC-ht] [TypeL - Admiralty Islands, Papua New Guinea.] [Note - Patronym - William W. Brandt, the collector.] [Refs - b4223; b4222]
- c **brantsi** (Ter Haar), 1901; *Polyommatus* OD: Tijdschr. Ent. 43:237, pl 14, f 2 [b4635] SS: *tityrus* (Poda von Neuhaus), 1761; *Lycaena* (*Heodes*) [Refs - b0996; b0389; b4635; b4092]
- b **brañuelasensis** (Tutt), 1909, 1905-1914; *Plebejus* OD: Nat. Hist. Brit. Butts 3:198 [b4760] SS: *argus* (Linnaeus), 1758; *Plebejus* [Refs - b3059; b0236 (as *brañuelasensis*); b0471]
- c **brasilensis** Draudt, [1919], 1917-1924; *Eumaeus* OD: In Seitz, Grossschmett. Erde 5:745 [b1348] SS: *toxana* (Boisduval), 1870; *Eumaeus* [Refs - b0908]
- a **brasilensis** Talbot, 1928; *Thecla* OD: Bull. Hill Mus. 2(3):218 [b4617] CG: *Thecla* (New World *Eumaeini*) *francis* group [Refs - b0908]
- c **brasilensis** Le Moul, 1940, 1939-1940; *Helicopsis* OD: Novit. ent. (18):137, f 65,66 [b2943] SS: *selene* Felder & Felder, 1865; *Helicopsis* [Type: AME-ht] [TypeL - Uypiranga, Amazonas, Brazil.] [Refs - b3199]
- a **brassolis** Westwood, [1864]; *Liphyra* OD: Trans. ent. Soc. Lond. (3)2(Proc.):31 [b4983] [TypeL - India.] [Type of - *Liphyra*] [Refs - b1636; b1450; b2280; b0965; b2747; b2078; b4950; b2200; b3610; b1454; b4934; b0870; b3055; b0694; b2647; ns0733; ns1291; ns1292]
- a **braueri** Dickson, 1966; *Lepidochrysops* OD: Ent. Rec. 78:189, f [b1238] [TypeL - Lange Berg, Cape Province, S. Africa.] [Refs - b1259; b1452; b1266]
- a **braueri** Dickson, 1968; *Phasis* OD: Ent. Rec. 80:267, pl 15 [b1245] [Type: BMNH-ht] [TypeL - Queenstown, Cape Province, South Africa.] [Refs - b1259; b3678; b1452; b4685]
- a **braueri** Pennington, 1968; *Poecilmitis* OD: J. ent. Soc. S. Afr. 29:122 [b3572] [TypeL - Madeira Hill, Queenstown District, Cape Province, S. Africa.] [Refs - b1259; b1452]
- a **braueri** Tite & Dickson, 1968; *Aloeides* OD: Bull. Br. Mus. nat. Hist. (Ent.) 21(7):376, pl 2, f [b4684] [Type: BMNH-ht] [TypeL - Bulhoek, Queenstown, Cape Province, S. Africa.] [Refs - b4684; b1259; b1452]
- a **braunsi** van Son, 1941; *Thestor* OD: J. ent. Soc. S. Afr. 4:186 [b4804] [TypeL - S. Africa.] [Refs - b1259; b1452; b4400]
- a **bravurus** Seki & Takanami, 1991; *Britomartis* OD: In Butts Borneo 2(1):116, f [b4107] [Type: pc-ht; collection of Seki.] [TypeL - Borneo.] [Refs - b0125; b4107]
- a **brazilensis** McAlpine, [1971]; *Calephelis* OD: J. Res. Lep. 10(1):94, f [b3127] [Type: BMNH-ht] [TypeL - Cabo, Est. Pernambuco, Brazil.] [Refs - b3127]
- e **brehmei** Bames & Benjamin, 1923, (IFS); *Mitoura* OD: Contr. nat. Hist. Lep. N. Amer. 5(2):64 [b0241] SS: *castalis* (Edwards), [1871]; *Mitoura* [Type: USNM-ht] [TypeL - Shovel Mountain, Texas.] [Refs - b0908; b3192; b1321]
- b f. **brenda** H. H. Druce, 1903; *Larinopoda* OD: Ann. Mag. nat. Hist. (7)11:69 (as 9,69) [b1368] SS: *aspidos* H. H. Druce, 1890; *Larinopoda* [TypeL - W. Africa.] [Refs - b4400]
- b **brenda** Hemming, 1932; *Polyommatus* OD: Entomologist 65:269 [b2244] SS: *icarius* (Esper), [1789]; *Polyommatus* (*Plebicula*) [Refs - b0070; b3555]
- a **brennus** (Stichel), 1910; *Nymula* OD: Berl. ent. Z. 55(1/2):66 [b4445] CG: *Synargis* [Type: pc-ht; collection of Stichel] [TypeL - Pará.] [Refs - b4475; b2221; b0419; b0683; b1456; b4445]
- c **brescia** (Hewitson), 1868; *Thecla* OD: Descr. new Spec. Lycaenidae :13 [b2327] SS: *maris* (Lucas), 1857; *Rekoa* [Type: BMNH-ht; designated by Robbins, 1991] [Smithsonian Contr. Zool. (498):46 [b3817]] [TypeL - Mexico.] [Refs - b0908; b2747; b0833; b3948; b1975; b2632; b2597; b3817]
- b **brethertoni** Brown, 1976; *Plebejus* OD: Ent. Ber. 36(3):46 [b0543] SS: *pylaon* (Fischer von Waldheim), 1832; *Plebejus* (*Plebejides*) [TypeL - Mount Chelmos, Greece.] [Refs - b0108 (as *pylaonbrethertoni*)]
- b **brevicauda** Lathy, 1926; *Euselasia* OD: Entomologist 59:144 [b2919] SS: *eusepus* (Hewitson), [1855]; *Euselasia* [TypeL - Bolivia.] [Refs - b2221; b1456]
- c **brevicauda** Vorbrodt, 1912; *Satyrium* OD: Schmett. Schweiz 1:106 [b4885] SS: *spini* (Denis & Schiffemüller), 1775; *Satyrium* [Refs - b0236; b2985 (as good ssp); b0471]
- a **brevidentatus** (Tite), 1958; *Syntarucus* OD: Entomologist 91:189, tf A; pl 2, f 1-4 [b4668] CG: *Leptotes* [Type: BMNH-ht] [TypeL - W. shore of L. Manyara, Tanganyika.] [Refs - b1943; b1259; b1452; b0836; b2898; b4400; b1235; b4668]
- a **brevilinea** Schaus, 1928; *Panara* OD: Proc. ent. Soc. Wash. 30(3):48 [b3954] [TypeL - Peru.] [Refs - b4474]
- b **briga** (Fruhstorfer), [1917]; *Lycaenopsis* OD: Arch. Naturgesch. (A)82(1):15, 30 (partim) [b1880] SS: *coalita* (de Nicéville), 1891; *Udara* (*Udara*) [Type: BMNH-nt; designated by Eliot & Kawazoé, 1983] [Butts *Lycaenopsis* group :104 [b1580]] [TypeL - West Malaysia.] [Refs - b0964; b1840; b1580; b2200]
- c **brillantina** (Staudinger), 1887; *Thecla* OD: In Romanoff, Mém. Léop. 3:130, pl 6, f 3a,b,c [b4331] SS: *aurorina* (Oberthür), 1880; *Chrysozephyrus* [TypeL - Suyfun and Askold I.] [Refs - b4115; b0996; b2827; b2479; b3778; b1399; b2866; b2804; b4092; b2463]
- a **brillantina** Seki & Takanami, 1990; *Arhopala* OD: Gekkan Mushû (231):5, f [b4106] CG: *Arhopala* r [TypeL - Gn. Serapi, Borneo.] [Refs - b4108; b4108]
- a **brimo** Godman & Salvin, 1889; *Emesis* OD: Ann. Mag. nat. Hist. (6)3:357 [b1977] [TypeL - Chiriqui.] [Refs - b2988; b4475; b1456]
- a **brimo** Karsch, 1893; *Lachnocnema* OD: Berl. ent. Z. 38(1/2):217 [b2693] [TypeL - W. Africa.] [Refs - b1943; b1452; b0836; b4400]
- a **briola** Bates, [1868]; *Chamaelimmas* OD: J. linn. Soc. Lond., Zool. 9:379 [b0267] [TypeL - Ucayali.] [Refs - b2988; b2753; b4474; b1456]
- a **brisbanensis** (Miskin), 1884; *Pseudodipsas* OD: Trans. ent. Soc. Lond. 32(1):95 [b3210] CG: *Acrodipsas* [Type: QM-ht] [TypeL - Brisbane, Australia.] [Refs - b1450; b1840; b3923; b0113; b0870; b4934; b2646]
- a **briseis** Godman & Salvin, [1886], 1879-1901; *Mesenopsis* OD: Biol. centr.-amer., Lep. Rhop. 1:414 [b1975] [TypeL - Colombia.] [Refs - b4474; b1456]

- = *brisi* Le Moul't, 1940, 1939-1940, (IFS); *Helicopsis* OD: Novit. ent. (13):100, f 28 [b2943] SS: *cupido* (Linnaeus), 1758; *Helicopsis* [Type: AME-hi] [Refs - b3199]
- e *brüanna* (Verity), 1919, 1919-1922, (RA); *Lycaenopsis* OD: Ent. Rec. 31:46 [b4840] SS: *argiolus* (Linnaeus), 1758; *Celastrina* [Type: MZS-st] [TypeL - Epping Forest, England.] [Note - Often treated as *available*.] [Refs - b2856; b1580; b0236 (as *britannica*); b0400; b0471]
- e *britannica* (O. Bang-Haas), 1926, 1926-1930, (ISS); *Cyaniris* OD: Novit. Macrolep. :93 [b0236] SS: *argiolus* (Linnaeus), 1758; *Celastrina* [Refs - b0236]
- e *britannorum* (Verity), 1919, 1919-1922, (RA); *Agriades* OD: Ent. Rec. 31:29 [b4840] SS: *bellargus* (Rottemburg), 1775; *Polyommatus* (*Lysandra*) [Type: MZS-st] [Refs - b2856; b0236; b0471; b4038]
- a *brocela* Dyar, 1913; *Thecla* OD: Proc. U. S. natn. Mus. 45:637 [b1443] CG: *Thecla* (New World *Eumacini*) [Type: USNM-hi; #15622] [TypeL - Cotahuasi, Peru.] [Refs - b0908]
- c *bronte* (Bergsträsser), [1779], 1778-1780; *Papilio* OD: Nom. Ins. 3:13, pl 56, f 7-8 [b0310] SS: *alexis* (Poda von Neuhaus), 1761; *Glaucopsyche* [Refs - b2747; b0993; b0400; b2794 (as *bronthe*)]
- b *brookei* Bethune-Baker, 1903; *Arhopala* OD: Trans. zool. Soc. Lond. 17(1):84, pl 1, f 29 [b0331] SS: *agrata* de Nicéville, 1890; *Arhopala* f [Type: BMNH-hi] [TypeL - Pulo Laut.] [Refs - b1644; b2200 (as ssp of *agrata*); b1454; b4094; b4108]
- a *brooksi* Riley, 1938; *Poecilmitis* OD: Trans. R. ent. Soc. Lond. 87(10):241, pl 1, f 13,14; pl 2, f 38,39 [b3777] [Type: BMNH-hi] [TypeL - Nr Philadelphia, Cape Province, S. Africa.] [Refs - b1259; b1452; b4400; b1233; b3777]
- a *brooksi* Eliot, 1986; *Allotinus* OD: Bull. Br. Mus. nat. Hist. (Ent.) 53(1):26, f 15, 63 [b1571] [Type: BMNH-hi] [TypeL - Sarawak, Borneo.] [Refs - b1571; b4108]
- a *brookiana* Corbet, 1941; *Arhopala* OD: Proc. R. ent. Soc. Lond. (B)10(9):151 [b0956] CG: *Arhopala* a [Type: BMNH-hi] [TypeL - Sumatra.] [Refs - b1644; b0956; b1454]
- c *browni* (Lhomme), 1923; *Nemeobius* OD: Cat. Léop. France :72 [b2989] SS: *lucina* (Linnaeus), 1758; *Hamearis* [Refs - b4473]
- b *browni* (dos Passos), 1938; *Lycaena* OD: Can. Ent. 70(3):45, pl 2, f 1-4 [b1314] SS: *nivalis* (Boisduval), 1869; *Epidemia* [Type: AMNH-hi] [TypeL - Snowslide Canyon, 8 miles from Montpelier, Idaho.] [Refs - b0908; b4688; b3191; b0076; b3192; b3189; b1321; b4066]
- c *browni* Stempffer, 1954; *Euchrysops* OD: Bull. Soc. ent. Fr. 59(5/6):111, pl 1, f 7 [b4385] SS: *unigemmata* (Butler), 1895; *Euchrysops* [TypeL - Belgian Congo.] [Refs - b4385; b4400]
- c *browni* Ferris, 1970; *Plebejus* OD: Ent. News 81(8):203-207 [b1707] SS: *minnehaha* (Scudder), 1875; *Plebejus* (*Icaricia*) [TypeL - Power River Pass, Johnson Co., Wyoming.] [Refs - b1713; b1707; x3192]
- a *browni* McAlpine, [1971]; *Calephelis* OD: J. Res. Lep. 10(1):84, f [b3127] [Type: AMNH-hi] [TypeL - Turialba, Ais, Costa Rica.] [Refs - b4066 (as ssp of *nilus*); b3127]
- a *browni* Johnson, 1992; *Thecloxurina* OD: Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (22):6, f [b2610] [Type: AMNH-hi] [TypeL - Hda. Talahua, Ecuador.] [Refs - b0125; b2610]
- a *browni* Constantino & Salazar E. & Johnson, 1993; *Atlides* OD: Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (41):3, f [b0909] [Type: MHNC-hi] [TypeL - Valle, San Antonio, Colombia.] [Refs - b0909]
- a *brownii* (H. H. Druce & Bethune-Baker), 1893; *Thysonotis* OD: Proc. zool. Soc. Lond. 1893(3):547, pl 46, f 8 [b1382] CG: *Psychonotis* [Type: BMNH-hi] [TypeL - New Ireland.] [Note - Often seen as *brownii*.] [Refs - b1450; b2078; b0111; b1866; b1382; b2388; b1382]
- e *ab. bruggemani* (Toxopeus), 1928, 1927-1928; *Celastrina* OD: Tijdschr. Ent. 71:255 [b4697] SS: *astarga* (Fruhstorfer), 1910; *Udara* (*Udara*) [Refs - b4697]
- a *brunea* Johnson, 1992; *Pontirama* OD: Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (22):41, f [b2610] [Type: AMNH-hi] [TypeL - Dept. La Caldera, Prov. Salta, Argentina.] [Type of - Pontirama] [Refs - b0125; b2613; b2610]
- c *bruneeli* Berger, 1951; *Aphnaeus* OD: Revue zool. bot. afr. 45:55 [b0306] SS: *erikssoni* Trimen, 1891; *Aphnaeus* [TypeL - Belgian Congo.] [Refs - b4387; b4400]
- e *brunescens* (Tutt), 1906, 1905-1914; *Chrysophanus* OD: Nat. Hist. Brit. Butts 1:432 [b4760] SS: *dispar* ((Haworth)), 1802; *Lycaena* (*Thersamolycaena*) [Refs - b0389]
- b *brunhilda* Hemming, 1932; *Polyommatus* OD: Entomologist 65:267 [b2244] SS: *icarius* (Esper), [1789]; *Polyommatus* (*Plebicula*) [TypeL - Germany; Estonia; Russia.] [Refs - b0070]
- a *brunnea* (Kirby), 1887; *Lucia* OD: Ann. Mag. nat. Hist. (5)19:368 [b2763] CG: *Micropentila* [TypeL - W. Africa?] [Refs - b1452; b4400]
- e *ab. brunnea* (Fuchs), 1901; *Lycaena* OD: Jb. nass. Ver. Nat. 53:31 [b1897] SS: *icarus* (Rottemburg), 1775; *Polyommatus* [Refs - b1897; b4092]
- b *brunnea* H. H. Druce, 1902; *Hypochrysops* OD: Proc. zool. Soc. Lond. 1902(II)(1):113 [b1367] SS: *polycletus* (Linnaeus), 1758; *Hypochrysops* [Type: BMNH-hi; designated by Sands, 1986] [Entomograph 7:78-79 [b3926]] [TypeL - Fergusson Island.] [Refs - b1450; b2078; b3926]
- b *brunnea* Wheeler, 1903; *Lycaena* OD: Butts Switzerland :18 [b4991] SS: *tityrus* (Poda von Neuhaus), 1761; *Lycaena* (*Heodes*) [Refs - b0389; b4092]
- e *ab. brunnea* Spuler, 1907, 1901-1908; *Plebejus* OD: Schmetz. Europ. 1:61 [b4296] SS: *argyrognomon* (Bergsträsser), [1779]; *Plebejus* (*Lycaeides*) [Refs - b0236]
- e *f. brunnea* Tutt, 1907, 1905-1914; *Callophrys* OD: Nat. Hist. Brit. Butts 2:92 [b4760] SS: *rubi* (Linnaeus), 1758; *Callophrys* [Refs - b2585]
- e *ab. brunnea* Tutt, 1908, 1905-1914; *Celastrina* OD: Nat. Hist. Brit. Butts 2:413 [b4760] SS: *lucina* (Kirby), 1837; *Celastrina* [Refs - b3192; b1321; b0236; b0908]
- a *brunnea* Wileman, 1909; *Curetis* OD: Annot. zool. jap. 7(2):88 [b5006] [TypeL - Juippun, Horisha, Formosa.] [Refs - b4198; b5006; b0236; b5053; b1454]
- e *ab. brunnea* (Courvoisier), 1910, 1910-1911; *Lycaena* OD: Ent. Zeit. 24:93 [b0985] SS: *argus* (Linnaeus), 1758; *Plebejus* [Refs - b0471; b0985]
- e *ab. brunnea* (Courvoisier), 1910, 1910-1911; *Lysandra* OD: Ent. Zeit. 24:169 [b0985] SS: *bellargus* (Rottemburg), 1775; *Polyommatus* (*Lysandra*) [Refs - b0236]
- e *f. brunnea* (Courvoisier), 1910, 1910-1911; *Lycaena* OD: Ent. Zeit. 24:82 [b0985] SS: *argus* (Linnaeus), 1758; *Plebejus* [Refs - b0236; b0471]
- e *ab. brunnea* (Vorbrodt & Müller-Rutz), 1914, 1911-1914; *Lycaena* OD: Schmetz. Schweiz 2:616 [b4888] SS: *icarius* (Esper), [1789]; *Polyommatus* (*Plebicula*) [Refs - b0236]
- e *f. brunnea* (Vorbrodt & Müller-Rutz), 1917; *Lycaena* OD: Mitt. schweiz. ent. Ges. 12(9/10):447 [b4889] SS: *dorylas* ((Denis & Schiffmüller)), 1775; *Polyommatus* (*Plebicula*) [Refs - b0236]

- b **brunnea** (Evans), 1932; *Nacaduba* OD: *Ident. Indian Butts* (2nd ed.) :241 [b1638] SS: *helicon* (C. Felder), 1860; *Ionolyce* [Type: BMNH-ht] [TypeL - Andamans.] [Refs - b4676; b1638; b1454; b0694]
- e **ab. brunnea** (Mezger), 1934; *Heodes* OD: *Lambillionea* 34:98 [b3171] SS: *rutilus* (Werneburg), 1864; *Lycaena* (*Thersamolycaena*) [TypeL - Germany.] [Refs - b0072; b0389; b3171]
- c **brunnea** (Nordmann & Rebel), 1935; *Polyommatus* OD: *Commentat. biol.* 6(4):7 [b3408] SS: *webbianus* (Brullé), 1840; *Leptotes* (*Cyclirius*) [TypeL - Canary Islands.] [Refs - b3059; b1503]
- e **ab. brunnea** (Stetter-Stättermayer), 1937; *Lycaena* OD: *Ent. Rundsch.* 54:531 [b4432] SS: *allardi* (Oberthür), 1874; *Plebejus* (*Plebejides*) [Refs - b0075]
- a **brunnea** Jackson, 1966; *Spindasis* OD: *Ann. Mag. nat. Hist.* (13)8:529f [b2565] [TypeL - Zambia.] [Refs - b1452; b4400]
- a **brunneipennis** Zikán, 1952; *Napaea* OD: *Dusenja* 3:27 [b5074] [Type: -lt; designated by Mielke & Casagrande, 1987] [*Revta bras. Ent.* 31(3):415 [b3178]] [TypeL - Brazil.] [Refs - b0121; b1456]
- e **brunnescens** d'Aberra, 1986, (ISS); *Curetis* OD: *Butts Oriental Region*, Pt 3 :546 [b1454] SS: *brunnescens* Ribbe, 1926; *Curetis* [Refs - b1454]
- e **brunneopuncta** (Høegh-Guldberg), 1963, (IFS); *Aricia* OD: *Ent. Med. Ned.-Indië* 32:25 [b2398] SS: *vandalica* (Kaaber & Høegh-Guldberg), 1961; *Plebejus* (*Aricia*) [TypeL - Denmark.] [Refs - b2398]
- e **brunneopunctata** (Anonymous), 1967, (ISS); *Aricia* OD: *Zool. Rec.* 100(1963)(Ins.):328 [b0097] SS: *vandalica* (Kaaber & Høegh-Guldberg), 1961; *Plebejus* (*Aricia*) [Refs - b0097]
- e **brunnescens** (Harrison), 1906; *Polyommatus* OD: *Ent. Rec.* 18:236 [b2146] SS: *agestis* ([Denis & Schiffmüller]), 1775; *Plebejus* (*Aricia*) [Refs - b4092; b3547; b4754]
- e **ab. brunnescens** (Tutt), 1909, 1905-1914; *Agrïades* OD: *Nat. Hist. Brit. Butts* 3:332 [b4760] SS: *bellargus* (Rottemburg), 1775; *Polyommatus* (*Lysandra*) [Refs - b0471]
- e **ab. brunnescens** Tutt, 1909, 1905-1914; *Polyommatus* OD: *Nat. Hist. Brit. Butts* 3:263 [b4760] SS: *semiargus* (Rottemburg), 1775; *Polyommatus* (*Cyaniris*) [Refs - b0471]
- b **brunnescens** Ribbe, 1926; *Curetis* OD: *Ent. Mitt.* 15(1):83 [b3742] SS: *celebensis* (Felder & Felder), 1865; *Curetis* [TypeL - Celebes.] [Note - Not spelled *brunnescens*.] [Refs - b3742; b1454 (as *brunnescens*)]
- a **brunnescens** Tite, 1963; *Ionolyce* OD: *Bull. Br. Mus. nat. Hist. (Ent.)* 13(4):101, ff 69,71,72; pl 2, f 1-4 [b4676] [Type: BMNH-ht] [TypeL - Isabel Island, Solomon Islands.] [Refs - b1450; b4676; b3550; b2388]
- c **brunneus** (Grose-Smith & Kirby), 1893, 1887-1902; *Lycaenesthes* OD: *Rhop. exot.* 2(26):106, pl 23, f 13,14 [b2049] SS: *paludicola* (Holland), 1891; *Cupidesthes* [TypeL - W. Africa.] [Refs - b0528; b0343; b4400]
- a **brunneus** Aurivillius, 1916; *Capys* OD: *Ark. Zool.* 10(14):5 [b0168] [TypeL - Kigonsera, Tanzania.] [Refs - b1943; b1452; b0168; b2286]
- a **brunneus** Bethune-Baker, 1923; *Euchrysops* OD: *Trans. ent. Soc. Lond.* 70(3/4):361, pl 25, f 62; pl 32, f 61 [b0359] [Type: BMNH-st] [TypeL - Nairobi District, British East Africa.] [Refs - b0714; b1452; b0359; b4400]
- e **bruttia** (Verity), 1921, 1919-1922, (RA); *Agrïades* OD: *Ent. Rec.* 33:190 [b4840] SS: *icarius* (Esper), [1789]; *Polyommatus* (*Plebicula*) [Type: MZS-st] [Refs - b2856; b0236; b0471]
- b **bryanti** Leussler, 1935; *Polyommatus* OD: *Bull. Brooklyn ent. Soc.* 30(2):58 [b2986] SS: *franklinii* (Curtis), 1835; *Polyommatus* (*Agrïades*) [Type: AMNH-ht] [TypeL - Black Mt., 30 miles SW of Aklavik, Northwest Territory.] [Refs - b0908; b0073; b3192; b1724; b1321]
- a **bryaxis** (Hewitson), 1870; *Limnas* OD: *Ent. mon. Mag.* 6:227 [b2331] CG: *Mesenopsis* [TypeL - Nicaragua.] [Type of -Mesenopsis] [Refs - b2280; b2988; b2280; b2753; b4474; b2497]
- c **bryki** Aurivillius, 1925; *Iolaus* OD: *Ent. Tidskr.* 46:210 [b0173] SS: *hemicyanus* E. Sharpe, 1904; *Iolaus* (*Epamera*) [TypeL - E. Africa.] [Refs - b4400]
- a **ubases** (Hewitson), 1875; *Hypochrysops* OD: *Ent. mon. Mag.* 12:38 [b2346] CG: *Acupicta* [TypeL - Malacca, Malay Peninsula.] [Refs - b0964; b1560; b0965; b2753; b1454; b4094; b4108]
- a **ubastus** (Stoll), [1780], 1780-1790; *Papilio* OD: *In Cramer, Uil. Kapellen* 4(28):84, pl 332, f G,H [b4478] CG: *Strymon* [TypeL - Cap de Bonne Esperance."] [Refs - b0908; b0540; b2988; b0907; b2747; b2221; b0833; b1375; b2624]
- b **bubo** (Butler), [1867]; *Lemonias* OD: *J. linn. Soc. Lond., Zool.* 9:217, pl 6, f 14,15 [b0586] SS: *rhodope* (Hewitson), [1853]; *Calospila* [TypeL - Amazon.] [Refs - b2747; b4475]
- a **buccina** H. H. Druce, 1907; *Thecla* OD: *Proc. zool. Soc. Lond.* 1907(3):585, pl 34, f 4 [b1375] CG: *Thecla* (*New World Eumaeini*) [Type: BMNH] [TypeL - Chapada, Tapajos, Brazil.] [Note - Druce says "allied to *voltinia*".] [Refs - b0908; b1375]
- a **buchanani** (Rothschild), 1921; *Spindasis* OD: *Novit. zool.* 28:155 [b3882] CG: *Aphariüs* [TypeL - Kano.] [Note - Close to *acamas*.] [Refs - b1452; b2224; b4400]
- b **buchara** (Forster), 1936; *Lycaena* OD: *Mitt. Münchn. ent. Ges.* 26:75 [b1758] SS: *argyrogomon* (Bergsträsser), [1779]; *Plebejus* (*Lycaeides*) [TypeL - Buchara.] [Refs - b0074]
- a **buchholzi** (Plöiz), 1880; *Lycaenesthes* OD: *Stett. ent. Zig* 41:202 [b3622] CG: *Anthemis* [TypeL - W. Africa.] [Check - Type in *Greifswald Museum*.] [Refs - b1452; b4400]
- b **buchholzi** (dos Passos), 1938; *Plebejus* OD: *Can. Ent.* 70(3):46, pl 2, f 13-16 [b1314] SS: *icarioides* (Boisduval), 1852; *Plebejus* (*Icaricia*) [Type: AMNH-ht] [TypeL - White Mtns., Arizona.] [Refs - b0908; b4688; b1711; b3192; b1743; b0493; b1321; b4690; b4066]
- c **buchholzi** Freeman, 1950; *Strymon* OD: *Field & Lab.* 18(1):12 [b1786] SS: *bebrycia* (Hewitson), 1868; *Strymon* [Type: AMNH-ht] [TypeL - Pharr, Texas.] [Refs - b1530 :219, f 423; b1321 :56; b0908; b3192; b4066; b1455]
- a **buckleyi** (Grose-Smith), 1898; *Anicoris* OD: *Ann. Mag. nat. Hist.* (7)2:72 [b2044] CG: *Seiabis* [Type: BMNH-ht] [TypeL - Ecuador.] [Refs - b4475; b1456]
- a **budama** van Someren, 1957; *Lepidochrysops* OD: *J. ent. Soc. S. Afr.* 20(1):65 [b4803] [TypeL - Kenya; Uganda.] [Refs - b1452; b4400]
- a **buddha** Bethune-Baker, 1903; *Arhopala* OD: *Trans. zool. Soc. Lond.* 17(1):148, pl 3, f 25 [b0331] CG: *Arhopala* a [TypeL - Java.] [Refs - b1644; b1454; b4094]
- a **buddha** Sugiyama, 1993; *Gonerilia* OD: *Pallarge* 2:5, f [b4541] [Type: pc-ht; collection of Sugiyama.] [TypeL - Sichuan, China.] [Refs - b0126; b1455]
- a **buddhista** (Alphéraky), 1881; *Lycaena* OD: *Horae Soc. ent. ross.* 16:393, pl 14, f 9,10 [b0043] CG: *Everes* [TypeL - Kulja.] [Refs - b0995; b1762; b2827; b2479; b0694; b4092]
- b **budduana** Talbot, 1937; *Epitola* OD: *Trans. R. ent. Soc. Lond.* 86(4):62, pl 1 f 2.3 [b4625] SS: *conjuncta* Grose-Smith & Kirby, 1893; *Epitola* [Type: BMNH-st] [TypeL - Katera, Uganda.] [Refs - b3842; b1452; b4400; b4625]

- a **bueronica** Karsch, 1895; *Oboronia* OD: Ent. Nachr. 21:304 [b2694] [TypeL - Usambara.] [Refs - b1452; b2694; b4400]
- c **bugalla** (Stempffer & Jackson), 1962; *Anthene* OD: Proc. R. ent. Soc. Lond. (B)31:35 [b4424] SS: togara (Plötz), 1880; *Thermoniphys* [TypeL - Bugalla Island, Uganda.] [Refs - b4400; b1452]
- b **bugiana** Fruhstorfer, [1904]; *Abisara* OD: Berl. ent. Z. 48(4):287,290 [b1817] SS: echerius (Stoll), [1790]; *Abisara* [Type: BMNH] [Refs - b0294; b4473; b1454; b1840]
- b **buhotzeri** Rézbányai, 1978; *Maculinea* OD: Mitt. schweiz. ent. Ges. 51(4):399-406 [b3735] SS: arion (Linnaeus), 1758; *Maculinea* [TypeL - Switzerland.] [Refs - b1610 (6241-Z10)]
- a **bulis** (Westwood), [1851], 1846-1852; *Anops* OD: In Gen. dium. Lep. (2):pl 75, f 5, (:473) [b4981] CG: Curetis [Type: BMNH-ht] [TypeL - Simla.] [Refs - b0964; b1636; b0965; b2747; b0996; b2479; b1564; b1454; b4094; b3055; b0694]
- e **bulvus** Anonymous, 1929, (ISS); *Lycaena* OD: Zool. Rec. 65(1928)(Ins.):240 [b0066] SS: americana Harris, 1862; *Lycaena* (*Lycaena*) [Note - *Lapsus for fulvus Rummel, 1928.*] [Refs - b3192]
- a **bungo** (Evans), 1957; *Flos* OD: Bull. Br. Mus. nat. Hist. (Ent.) 5(3):131 [b1644] CG: Arhopala p [Type: BMNH-ht] [TypeL - Kalimbungo, Nias.] [Refs - b1644; b1454]
- c **bunnirae** (Dyar), 1918; *Thecla* OD: Proc. U. S. natn. Mus. 54:336 [b1448] SS: canus (H. H. Druce), 1907; *Electrostrymon* [Type: USNM-ht; #21199] [TypeL - Sierra de Guerrero, Mexico.] [Refs - b0908]
- a **bunyoro** Stempffer & Bennett, 1965; *Micropentila* OD: Bull. Br. Mus. nat. Hist. (Ent.) 15(11):432 [b4422] [TypeL - Uganda.] [Refs - b1452; b4400]
- a **buphonia** (Hewitson), 1868; *Thecla* OD: Descr. new Spec. Lycaenidae :25 [b2327] CG: Mercedes [Type: BMNH-ht] [TypeL - Amazon.] [Refs - b0908; b2988; b2747; b3818; b0125; b2606]
- c **bupota** (Hewitson), [1878], 1863-1878; *Amblypodia* OD: Ill. dium. Lep. Lycaenidae Suppl.:21, pl 7, f 64-65 [b2326] SS: eumolphus (Stoll), [1780]; *Arhopala* g [Type: BMNH-ht] [TypeL - Sikkim; Darjeeling.] [Refs - b1644; b4094]
- a **bura** Walker, 1870; *Lampides* OD: Entomologist 5:54 [b4911] CG: *Lampides* (?) [TypeL - Arabia.] [Refs - b0162; b2753]
- b **burak** (Kocak), 1992; *Lysandra* OD: Cent. Ent. Stud. Misc. Pap. (16):7 [b2803] SS: syriaca (Tutt), 1914; *Polyommatus* (*Lysandra*) [Type: biblio; replacement for tauricus Schurian, 1991] [TypeL - Turkey.] [Refs - b0125]
- b **burbona** (Hewitson), [1878], 1863-1878; *Myrina* OD: Ill. dium. Lep. Lycaenidae Suppl.:24, pl 3a, f 95 [b2326] SS: jalindra (Horsfield), [1829]; *Eliotia* [TypeL - Sumatra, Malay.] [Refs - b0964; b0965; b4094; b2201; b1850; b1568; b4586; b1454]
- c **burdi** (Kaye), 1923; *Thecla* OD: Entomologist 56:277 [b2712] SS: angerona (Godman & Salvin), 1896; *Electrostrymon* [TypeL - St. Vincent, B. W. I.] [Refs - b0908]
- e **ab. burdicki** Henne, 1935; *Leptotes* OD: Ent. News 46(4):100, f 1 [b2281] SS: marina (Reakirt), 1868; *Leptotes* [Type: pc; Burdick collection.] [TypeL - Lennox, Los Angeles County, California.] [Refs - b0908; b3192; b1321]
- c **burdigalensis** Lucas, 1913; *Lycaena* OD: Int. ent. Z. 6(40):282 [b3014] SS: dispar ((Haworth)), 1802; *Lycaena* (*Thersamolycaena*) [TypeL - France.] [Note - *Not spelled burdighalensis.*] [Refs - b0236; b0389; b1462; b3612; ns3664; b0471]
- b **burdigalensis** (Stempffer), 1932, (H); *Lycaena* OD: Amat. Papil. 6:108 [b4359] SS: teleius (Bergsträsser), [1779]; *Maculinea* [TypeL - France.] [Check - *Homonym needing replacement.*] [Refs - b0070]
- c **burdigalensis** (Pionneau), 1937; *Thecla* OD: Échange 53:11 [b3619] SS: ilicis (Esper), [1779]; *Satyrrium* [Refs - b0075]
- b **buerschii** Hemming, 1931; *Iolana* OD: Trans. ent. Soc. Lond. 79(2):327, f [b2239] SS: iolas (Ochsenheimer), 1816; *Iolana* [Type: BMNH-ht] [TypeL - Slivno, Bulgaria.] [Refs - b0400; b0276 (1931-283.2); b0320; b2239]
- b **burgalesa** (Agenjo), 1956; *Plebejus* OD: Graellsia 14:81 [b0013] SS: coridon (Poda von Neuhaus), 1761; *Polyommatus* (*Lysandra*) [TypeL - Spain.] [Refs - b3059; b0091; b4027]
- b **burgeoni** Hawker-Smith, 1928; *Mimacraea* OD: Revue zool. bot. afr. 16:214 [b2165] SS: eltringhami H. H. Druce, 1912; *Mimacraea* [Type: MT-ht] [TypeL - Yebo Moto, Belgian Congo.] [Refs - b1452; b4400; b2165]
- a **burgeri** McAlpine, [1971]; *Calephelis* OD: J. Res. Lep. 10(1):96, f [b3127] [Type: BMNH-ht] [TypeL - Near Rio Magdalena, Central Cordillera, Colombia.] [Refs - b3127]
- b **burgundiae** Bellenger & Descimon, 1977; *Lycaena* OD: Alexanor 10(4):165, f [b0289] SS: alciphron (Rottemburg), 1775; *Lycaena* (*Alciphronia*) [TypeL - France.] [Refs - b0109]
- a **burica** Dyar, 1914; *Thecla* OD: Proc. U. S. natn. Mus. 47:150 [b1444] CG: *Thecla* (New World *Eumaeini*) [Type: USNM-ht; #15757] [TypeL - Trinidad River, Panama.] [Refs - b0908]
- a **buris** H. H. Druce, 1907; *Thecla* OD: Proc. zool. Soc. Lond. 1907(3):590, pl 34, f 18 [b1375] CG: *Thecla* (New World *Eumaeini*) [Type: BMNH] [TypeL - Ega, Amazonas, Brazil.] [Note - *Druce says "like genena, allied to illex".*] [Refs - b0908; b1375]
- a **burmana** Moore, 1884; *Dacalana* OD: J. asiat. Soc. Bengal, Pt II 53(1):36 [b3236] [TypeL - Moulmein, Burma.] [Refs - b0964; b1636; b1548; b0965; b4094; b1454; b0694]
- b **burmana** Evans, 1925; *Talicauda* OD: J. Bombay nat. Hist. Soc. 30(2):338, f [b1632] SS: nyseus (Guérin-Méneville), [1843]; *Talicauda* [TypeL - India.] [Refs - b1636; b0694]
- b **burmana** Talbot, 1942; *Mahathala* OD: Proc. R. ent. Soc. Lond. (B)11(8):123 [b4626] SS: ameria (Hewitson), 1862; *Mahathala* [TypeL - Burma.] [Refs - b1454; b0694]
- a **burnii** (de Nicéville), 1895; *Taxila* OD: J. Bombay nat. Hist. Soc. 9(3):266, pl N, f 9 [b1159] CG: *Abisara* [TypeL - Upper Burma.] [Type of - *Sosibia*] [Refs - b1636; b4198; b2280; b4473; b1454; b1840]
- b **buruana** Holland, 1900; *Hypochlorosis* OD: Novit. zool. 7:79 [b2431] SS: lorquini (Felder & Felder), 1865; *Hypochlorosis* [TypeL - Buru.] [Note - *Said to be intermediate between antiipa and lorquini.*] [Refs - b2431]
- a **buruana** (Holland), 1900; *Talicauda* OD: Novit. zool. 7:72 [b2431] CG: *Chilades* [TypeL - Buru.] [Refs - b1450 (in Luthrodes); b4094; b2431; b1451]
- a **buruana** (Holland), 1900; *Lampides* OD: Novit. zool. 7:76 [b2431] CG: *Jamides* [TypeL - Buru.] [Refs - b2431]
- c **buruensis** (Holland), 1900; *Gerydus* OD: Novit. zool. 7:67 [b2431] SS: boisduvali Moore, [1858]; *Miletus* 3 [TypeL - Buru.] [Refs - b1450; b1546; b1840; b2431; b4108]
- b **buruensis** Holland, 1900; *Arhopala* OD: Novit. zool. 7:78 [b2431] SS: phaenops Felder & Felder, 1865; *Arhopala* f [TypeL - Buru.] [Refs - b1450; b1644; b2431; b4094]
- a **busa** Godman & Salvin, [1887], 1879-1901; *Thecla* OD: Biol. centr.-amer., Lep. Rhop. 2:26; 3:pl 51, f 1,2 [b1975] CG: *Thecla* (New World *Eumaeini*) [Type: BMNH] [TypeL - Chontales, Nicaragua.] [Note - *Nearest undulata.*] [Refs - b0908; b2406; b1975]
- b **busa** Corbet, 1941; *Arhopala* OD: Proc. R. ent. Soc. Lond. (B)10(9):155 [b0956] SS: moorei Bethune-Baker, 1896; *Arhopala* b [Type: BMNH] [Refs - b0956]

- a **busoga** Bethune-Baker, 1906; *Lachnocnema* OD: Ann. Mag. nat. Hist. (7)17:105 [b0338] [TypeL - E. Africa.] [Refs - b1452; b4400]
- a **busoga** van Someren, 1939; *Pseudaletis* OD: J. E. Afr. Ug. nat. Hist. Soc. 14:174, f [b4802] [TypeL - Uganda.] [Refs - b1452; b4400]
- c **butes** (Linnaeus), 1767; *Papilio* OD: Syst. nat. (ed. 12) 1(2):794 [b2997] SS: arcus (Linnaeus), 1763; Rhetus [TypeL - Brasilia; Venezuela.] [Refs - b2747; b4474; b2406; b2497]
- a **butha** (Strand), 1911; *Cupido* OD: Stett. ent. Ztg 72:369 [b4506] CG: *Lepidochrysops* [TypeL - Gold Coast.] [Refs - b4506; b1452; b4528; b4400]
- c **butleri** (Bates), [1868]; *Aricoris* OD: J. linn. Soc. Lond., Zool. 9:459 [b0267] SS: cyanea (Butler), [1867]; *Setabis* [TypeL - Tapajos.] [Refs - b2988; b2747; b4475; b1456]
- a **butleri** (Oberthür), 1880; *Lycaena* OD: Annali Mus. civ. Stor. nat. Genova 15:170, pl 1, f 2 [b3420] CG: *Anthene* [TypeL - Abyssinia.] [Refs - b1943; b1452; b4400]
- a **butleri** (Fenton), [1882]; *Thecla* OD: In Proc. zool. Soc. Lond. 1881(4):853 [b1696] CG: *Antigius* [TypeL - Hakodadi, Japan.] [Refs - b4115; b2988; b0996; b2827; b1900; b4214; b2866; b2510; b4200; b4092; b1455]
- b **butleri** (Grose-Smith & Kirby), 1897, 1887-1902; *Holochila* OD: Rhop. exot. 2(39):8, pl 10, f 14,15 [b2049] SS: *intensa* (Butler), 1876; *Phyliris* [TypeL - Halmahera.] [Refs - b4677; b2078]
- b **butleri** (Rothschild), 1915; *Lampides* OD: Novit. zool. 22:138 [b3878] SS: *celeno* (Cramer), [1775]; *Jamides* [TypeL - Cerma.] [Refs - b1450; b2698 (as sp)]
- b **butleri** Cowan, 1965; *Cheritra* OD: Entomologist 98:71 [b1007] SS: *freja* (Fabricius), 1793; *Cheritra* [Type: BMNH-ht] [TypeL - N. Kanara, S. India.] [Refs - b1016; b1454; b0694]
- c **butleria** H. Druce, 1874; *Necyria* OD: Trans. ent. Soc. Lond. 22(1):159 [b1384] SS: *manco* Saunders, [1859]; *Necyria* [Type: BMNH-ht] [TypeL - New Granada.] [Refs - b2753; b4474 (as butleri?); b1456]
- a **butlerovi** Migranov, 1992; *Callophrys* OD: Zool. Zh. 71(5):136, f [b3180] [TypeL - Russia.] [Refs - b0126]
- c **butlerowi** (Kruikovskii), 1890; *Lycaena* OD: Bull. Soc. imp. Nat. Moscou (ns)4(1890):216 [b2844] SS: *w-album* (Knoch), 1782; *Satyrnum* [Refs - b4092]
- a **buto** (de Nicéville), 1895; *Britomartis* OD: J. Bombay nat. Hist. Soc. 9(3):308, pl P, f 41 [b1159] CG: *Bullis* [TypeL - Burma.] [Type of - Bullis] [Refs - b0964; b1636; b2280; b0965; b1454; b0694]
- c **buxaria** de Nicéville, [1889]; *Rapala* OD: J. asiat. Soc. Bengal, Pt II 57(4):285, pl 14, f 13 [b1151] SS: *rectivitta* (Moore), 1879; *Rapala* [TypeL - N. India.] [Refs - b1636; b0995; b1454 (as good species); b4094; b0694]
- a **buxtoni** Hewitson, 1874; *Hypolycaena* OD: Ent. mon. Mag. 10:206 [b2338] [TypeL - Africa mer.] [Refs - b1943; b1259; b2753; b1452; b4400]
- b **buxtoni** (Hewitson), [1878], 1863-1878; *Amblypodia* OD: Ill. diurn. Lep. Lycaenidae Suppl.:22, pl 8, f 68,69 [b2326] SS: *democrius* (Fabricius), 1793; *Arhopala* f [Type: BMNH-ht] [TypeL - Sumatra.] [Refs - b1644; b2200; b1454]
- a **buzulmavi** Carbonell, 1991; *Polyommatus* OD: Linneana Belgica 13(4):223, f [b0706] CG: *Polyommatus* (*Meleageria*) [TypeL - Turkey.] [Refs - b0125; ns1172]
- c **bwamba** (Stempffer), 1962; *Deudorix* OD: Bull. Inst. franç. Afr. Noire 24(A):1161, f 47-50 [b4395] SS: *pasteon* H. H. Druce, 1910; *Diopetes* [Type: BMNH-ht] [TypeL - Bwamba, Uganda.] [Refs - b0113; b1452; b4395; b4400]
- b **bwamba** Stempffer & Bennett, 1963; *Falcuna* OD: Bull. Br. Mus. nat. Hist. (Ent.) 13(6):183, f [b4421] SS: *orientalis* (Bethune-Baker), 1906; *Falcuna* [Type: BMNH-ht] [TypeL - Uganda.] [Refs - b1452; b4421; b4400]
- a **bwamba** Jackson, 1964; *Epitola* OD: Bull. Br. Mus. nat. Hist. (Ent.) 15(3):73 [b2563] [TypeL - Bwamba, Uganda.] [Refs - b1452; b4400]
- a **bwamba** Stempffer, 1964; *Iridana* OD: Bull. Inst. franç. Afr. Noire 26(A):1258 [b4397] [TypeL - Bwamba, Uganda.] [Refs - b1452; b4400]
- a **byneri** Moulton, [1912]; *Lampides* OD: J. Straits Brch. R. asiat. Soc. 60:111 [b3259] [TypeL - Sarawak, Borneo.]
- a **byrnei** (Johnson), 1976; *Callophrys* OD: Bull. Allyn Mus. (38):21-24, f 9,14,15b [b2583] CG: *Mitoura* [Type: AMNH-ht] [TypeL - 5.6 miles S of Emida, Benewah County, Idaho.] [Refs - b2583; b3192; b1743; b2585]
- e **byzas** (Tite), 1963, (ISS); *Candalides* OD: Bull. Br. Mus. nat. Hist. (Ent.) 14(5):215 [b4677] SS: *byzos* (Boisduval), 1832; *Hypochrysops* [Refs - b4677]
- e **byzas** (Bergsträsser), [1779], 1778-1780; *Papilio* OD: Nom. Ins. 2:79, pl 48, f 5,6 [b0310] SS: *semiargus* (Rottemburg), 1775; *Polyommatus* (*Cyaniris*) [Refs - b0410; b2794; b0471]
- e **byze** (Bergsträsser), [1779], 1778-1780; *Papilio* OD: Nom. Ins. 2:79, pl 48, f 7,8 [b0310] SS: *semiargus* (Rottemburg), 1775; *Polyommatus* (*Cyaniris*) [Refs - b0410; b2794; b0471]
- e **byzene** (Bergsträsser), [1779], 1778-1780; *Papilio* OD: Nom. Ins. 3:14, pl 10, f 3,4; pl 57, f 3,4 [b0310] SS: *semiargus* (Rottemburg), 1775; *Polyommatus* (*Cyaniris*) [Refs - b0410; b0400 (=alcon); b2794; b0471]
- e **byzenus** (Bergsträsser), [1779], 1778-1780; *Papilio* OD: Nom. Ins. 3:14, pl 10, f 1,2; pl 57, f 1,2 [b0310] SS: *semiargus* (Rottemburg), 1775; *Polyommatus* (*Cyaniris*) [Refs - b0410; b0400 (=alcon); b2794; b0471]
- a **byzeres** (Hewitson), [1872], 1852-1877; *Lemonias* OD: Ill. exot. Butts 5:[-], pl [34], f 39,40 [b2323] CG: *Calospila* [Type: BMNH-ht] [TypeL - Para, Brazil.] [Refs - b2753; b4475; b1456]
- a **byzos** (Boisduval), 1832; *Lycaena* OD: In d'Urville, Voy. Astrolabe 1(Lép.):81 [b0457] CG: *Hypochrysops* [TypeL - Port Jackson, Australia.] [Refs - b4677; b1450; b2747; b2078; b0870; b4934; b3926]
- a **cabira** Hewitson, [1854], 1852-1877; *Calydna* OD: Ill. exot. Butts 1:[-], pl [49], f 5,6 [b2323] [TypeL - Amazon.] [Refs - b2988; b2747; b4475; b1456]
- a **cabiria** (Hewitson), [1877], 1863-1878; *Thecla* OD: Ill. diurn. Lep. Lycaenidae 1:195; 2:pl 77, f 623,624 [b2326] CG: *Ziegleria* [Type: BMNH] [TypeL - Brazil.] [Refs - b0908; b2753; b2221; b1375; b2614]
- c **cabrerae** (de Sagarra y Castellamau), 1930; *Hirsutina* OD: Bull. Inst. catal. Hist. nat. (2)10:118 [b1180] SS: *damon* ([Denis & Schiffermüller]), 1775; *Polyommatus* (*Agrodiaetus*) [Type: MC-st] [TypeL - Spain.] [Refs - b1180]
- b **cabrorus** (Röber), [1886]; *Plebeius* OD: CorrespBl. ent. Ver. Iris 1(3):61, pl 4, f 25 [b3820] SS: *pactolus* (C. Felder), 1860; *Nacaduba* [Type: SMT-lt; designated by Takanami, 1992] [Tyō to Ga 43(1):49 [b4606]] [TypeL - Aru.] [Refs - b0126]
- c **cachara** Moore, [1884]; *Hypolycaena* OD: Proc. zool. Soc. Lond. 1883(4):527, pl 49, f 6 [b3235] SS: *kina* Hewitson, [1869]; *Hypolycaena* (*Chliaria*) [TypeL - N. Cachar hills.] [Refs - b1636; b4094; b3235; b0694]
- b **cachetinus** Nekruzenko, 1978; *Tomares* OD: Dopov. Akad. Nauk Ukr. RSR (B) 1978(1):87, f 7 [b3357] SS: *romanovi* (Christoph), 1882; *Tomares* [TypeL - Georgia SSR.] [Refs - b3357]

- b *cachiana* Schaus, 1913; *Mesosemia* OD: Ann. Mag. nat. Hist. (8)11:298 [b3949] SS: *coelestis* Godman & Salvin, [1885]; *Mesosemia* [Refs - b4474]
- a *cachrus* (Fabricius), 1787; *Papilio* OD: *Mantissa* Ins. 2:78 [b1656] CG: *Nymphidium* [TypeL - *Cajennae*.] [Refs - b2988; b2747; b4476; b5076; b1456]
- a *caecica* (Felder & Felder), 1865, 1865-1875; *Erycina* OD: *Reise Novara* (2):290 [b1692] CG: *Ancyluris* [TypeL - *New Granada*.] [Refs - b2747; b4474; b1456]
- c *caeciparis* (Hewitson), [1871], 1852-1877; *Charis* OD: Ill. exot. Butis 4:[79], pl [46], f 13,14 [b2323] SS: *pheretima* Felder & Felder, 1865; *Crocozona* [TypeL - *New Granada*.] [Refs - b2753; b4474]
- a *caecina* Godman & Salvin, 1878; *Theope* OD: Proc. zool. Soc. Lond. 1878(2):369 [b1973] [TypeL - *Veragua*; *Chiriqui*.] [Note - *Not spelled caecina*.] [Refs - b4475 (as *caecina*); b1973; b1456]
- a *cadmeis* (Hewitson), [1866], 1852-1877; *Charis* OD: Ill. exot. Butis 3:[-], pl [57], f 1 [b2323] CG: *Exoplisia* [TypeL - *Amazon*.] [Refs - b2988; b2747; b4474; b1456]
- a *cadmica* Sands, 1981; *Philiris* OD: J. Aust. ent. Soc. 20(1):89-96 [b3925] [TypeL - *New Guinea*.]
- c *cadmus* (Felder & Felder), 1865, 1865-1875; *Pseudolycaena* OD: *Reise Novara* (2):247, pl 31, f 5 [b1692] SS: *playptera* (Felder & Felder), 1865; *Micandra* [TypeL - *Venezuela*.] [Refs - b0845; b0908; b2747; b0102; b2406; b1975]
- b *caduca* (Butler), [1876]; *Lycaena* OD: Proc. zool. Soc. Lond. 1875(4):616 [b0601] SS: *otis* (Fabricius), 1787; *Zizina* [TypeL - *New Hebrides*.] [Refs - b1450; b2753; b4094]
- b *caduca* Sichel, 1919; *Methone* OD: Deut. ent. Zeit. 1919:319 [b4454] SS: *cecilia* (Cramer), [1777]; *Methone* [Type: biblio] [TypeL - *Costa Rica*; *Panama*.] [Refs - b4474; b0680; b4454]
- a *cadytis* Hewitson, [1866], 1852-1877; *Charis* OD: Ill. exot. Butis 3:[-], pl [57], f 3 [b2323] [TypeL - *Rio Grande*.] [Refs - b2988; b2747; b4474; b2221; b0419; b1456]
- a *caeca* (Hewitson), [1863], 1863-1878; *Amblypodia* OD: Ill. dium. Lep. *Lycaenidae* 1:14; 2:pl 4, f 28 [b2326] CG: *Arhopala* m [Type: BMNH-hit] [TypeL - *Borneo*.] [Refs - b1644; b2747; b0108; b1454; b4094; b4108]
- e *ab. caeca* (Courvoisier), 1903; *Lycaena* OD: Mitt. schweiz. ent. Ges. 11(1):25 [b0981] SS: *minimus* (Füssly), 1775; *Cupido* [Refs - b0995; b0236; b0984; b0471]
- e *ab. caeca* (Gillmer), 1904; *Lycaena* OD: Soc. ent. 18(23):180 [b1955] SS: *icarius* (Esper), [1789]; *Polyommatus* (*Plebicula*) [Refs - b0993; b4092]
- e *ab. caeca* Aigner-Abafi, 1906; *Everes* OD: Ent. Zeit. 19(35):209 [b0028] SS: *argiades* (Pallas), 1771; *Everes* [Refs - b4094; b0400; b4092]
- e *ab. caeca* (Courvoisier), 1907; *Chrysophanus* OD: Z. wiss. InsektBiol. 3:75 [b0982] SS: *hippochoe* (Linnaeus), 1761; *Palaeochrysophanus* [Refs - b0236; b0389; b0471]
- e *ab. caeca* (Courvoisier), 1907; *Chrysophanus* OD: Z. wiss. InsektBiol. 3:75 [b0982] SS: *alciphron* (Rottemburg), 1775; *Lycaena* (*Alciphronia*) [Refs - b0236; b0389 (as Ent. Zeit. 24:255 (1911))]
- e *ab. caeca* (Courvoisier), 1907; *Lycaena* OD: Z. wiss. InsektBiol. 3:75 [b0982] SS: *bellargus* (Rottemburg), 1775; *Polyommatus* (*Lysandra*) [Refs - b0236]
- e *f. caeca* (Courvoisier), 1907; *Chrysophanus* OD: Z. wiss. InsektBiol. 3:75 [b0982] SS: *tityrus* (Poda von Neuhaus), 1761; *Lycaena* (*Heodes*) [Refs - b0236; b0389]
- e *ab. caeca* (Courvoisier), 1907; *Lycaena* OD: Z. wiss. InsektBiol. 3:75 [b0982] SS: *damon* ((Denis & Schiffemüller), 1775; *Polyommatus* (*Agrodiaetus*) [Refs - b0236; b0471]
- e *ab. caeca* (Courvoisier), 1907; *Lycaena* OD: Z. wiss. InsektBiol. 3:75 [b0982] SS: *semiargus* (Rottemburg), 1775; *Polyommatus* (*Cyaniris*) [Refs - b2747; b0236 (as *argopoeus*)]
- e *ab. caeca* (Grund), 1908; *Lycaena* OD: Int. ent. Z. 2(12):71 [b2080] SS: *argus* (Linnaeus), 1758; *Plebejus* [Refs - b0236; b0471]
- e *ab. caeca* (Muschamp), 1908; *Lycaena* OD: Bull. Soc. Léop. Genève 1(3):264 [b3319] SS: *orbimulus* (Prunner), 1798; *Polyommatus* (*Albulina*) [Refs - b0236]
- e *ab. caeca* (Blachier), 1910; *Lycaena* OD: Bull. Soc. Léop. Genève 2(1):54, pl 1, f 13 [b0436] SS: *agestis* ((Denis & Schiffemüller), 1775; *Plebejus* (*Aricia*) [Refs - b0236; b0471]
- e *ab. caeca* (Courvoisier), 1910, 1910-1911; *Lycaena* OD: Ent. Zeit. 24:206 [b0985] SS: *argiolus* (Linnaeus), 1758; *Celastrina* [Refs - b0995; b0400; b0471; b0236]
- e *caeca* (Courvoisier), 1910, 1910-1911; *Lycaena* OD: Ent. Zeit. 24:142 [b0985] SS: *icarus* (Rottemburg), 1775; *Polyommatus* [Refs - b0471; b0985]
- e *ab. caeca* (Courvoisier), 1910, 1910-1911; *Lycaena* OD: Ent. Zeit. 24:199 [b0985] SS: *alexis* (Poda von Neuhaus), 1761; *Glaucoopsyche* [Refs - b0236; b0400; b0471]
- e *ab. caeca* (Courvoisier), 1910, 1910-1911; *Lycaena* OD: Ent. Zeit. 24:89 [b0985] SS: *argyrognomon* (Bergsträsser), [1779]; *Plebejus* (*Lycaeides*) [Refs - b0236; b0471]
- e *ab. caeca* (Courvoisier), 1910, (NN); *Zizera* OD: Verh. naturf. Ges. Basel 21:164 [b0984] SS: *minimus* (Füssly), 1775; *Cupido* [Refs - b0400; b0984]
- e *ab. caeca* (Courvoisier), 1910, 1910-1911; *Lycaena* OD: Ent. Zeit. 24:107 [b0985] SS: *orbitalus* (Prunner), 1798; *Polyommatus* (*Albulina*) [Refs - b0236; b0471]
- e *ab. caeca* Gillmer, 1910; *Polyommatus* OD: Int. ent. Z. 4(1):3 [b1963] SS: *icarus* (Rottemburg), 1775; *Polyommatus* [Refs - b1963; b0236]
- e *ab. caeca* Oberthür, 1910; *Maculinea* OD: Étud. Léop. comp. 4:335 [b3451] SS: *nausithous* (Bergsträsser), [1779]; *Maculinea* [Refs - b0236; b0400]
- e *ab. caeca* Oberthür, 1910; *Polyommatus* OD: Étud. Léop. comp. 4:307 [b3451] SS: *semiargus* (Rottemburg), 1775; *Polyommatus* (*Cyaniris*) [Refs - b0236; b4092 (as *Fuchs* name); b0471]
- e *ab. caeca* Oberthür, 1910; *Polyommatus* OD: Étud. Léop. comp. 4:240, pl 53, f 223 [b3451] SS: *icarus* (Rottemburg), 1775; *Polyommatus* [Refs - b0236; b4529]
- e *ab. caeca* Courvoisier, 1912; *Apelles* OD: Deut. ent. Zeit. [Iris] 26:62-63 [b0987] SS: *melanops* (Boisduval), [1828]; *Apelles* [Refs - b0236; b0471]
- e *ab. caeca* (Courvoisier), 1912; *Lycaena* OD: Deut. ent. Zeit. [Iris] 26:63 [b0987] SS: *eros* (Ochsenheimer), 1807; *Polyommatus* [Refs - b0236; b0471]
- e *caeca* (Courvoisier), 1912; *Lycaena* OD: Deut. ent. Zeit. [Iris] 26:63 [b0987] SS: *nausithous* (Bergsträsser), [1779]; *Maculinea* [Refs - b0400]
- e *ab. caeca* (Courvoisier), 1912; *Lycaena* OD: Deut. ent. Zeit. [Iris] 26:63 [b0987] SS: *pheretiades* (Eversmann), 1843; *Polyommatus* (*Agriades*) [Refs - b0236; b0471]
- e *ab. caeca* (Courvoisier), 1912; *Lycaena* OD: Deut. ent. Zeit. [Iris] 26:64 [b0987] SS: *trochylus* (Freyer), 1845; *Chilades* (*Freyeria*) [Refs - b0995; b0236; b0471]

- e *caeca* (Courvoisier), 1912; *Lycaena* OD: Deut. ent. Zeit. [Iris] 26:63 [b0987] SS: arion (Linnaeus), 1758; *Maculinea* [Note - *Beuret gives Courvoisier, 1910, Verh. naturf. Ges. Basel, 21:163-164*] [Refs - b0236; b0400]
- c *caeca* (Reiff), 1913; *Heodes* OD: Ent. News 24(7):306, pl 10, f 3,4 [b3720] SS: americana Harris, 1862; *Lycaena* (*Lycaena*) [Type: pc; Reiff collection, (lost).] [TypeL - Blue Hills, Massachusetts.] [Refs - b0908; b3191; b3192; b1321]
- e *ab. caeca* (Courvoisier), 1914; *Lycaena* OD: Deut. ent. Zeit. [Iris] 28:217 [b0993] SS: morronensis (Ribbe), 1910; *Plebejus* (*Anicia*) [Refs - b0236]
- e *caeca* (Courvoisier), 1914; *Lycaena* OD: Deut. ent. Zeit. [Iris] 28:189 [b0993] SS: teleius (Bergsträsser), [1779]; *Maculinea* [Refs - b0400]
- e *ab. caeca* (Courvoisier), 1914; *Lycaena* OD: Deut. ent. Zeit. [Iris] 28:217 [b0993] SS: psylorita (Freyer), 1845; *Polyommatus* (*Kretania*) [Refs - b0471; b0471]
- b *caeca* Rebel, 1914; *Abisara* OD: Anln naturh. Mus. Wien 28:261 [b3710] SS: talantus Aurivillius, 1891; *Abisara* [TypeL - Central Africa.] [Refs - b4473; b1452]
- e *caeca* (Courvoisier), 1921; *Chrysophanus* OD: Deut. ent. Zeit. [Iris] 35:98 [b0996] SS: phlaeas (Linnaeus), 1761; *Lycaena* (*Lycaena*) [Note - *Original ref may be Ztschr. wiss. Insek. 1907:-.*] [Refs - b0389]
- e *ab. caeca* (Züllich), 1929; *Lycaena* OD: Z. öst. EntVer. 14(5):52 [b5081] SS: orion (Pallas), 1771; *Scolitantides* [Refs - b0236; b0067; b0400]
- e *ab. caeca* (Schwingenschuss), 1939; *Lycaena* OD: Ent. Zeit. 53(11):87 [b4056] SS: posthumus (Christoph), 1877; *Polyommatus* (*Agrodiaetus*) [TypeL - Iran.] [Refs - b0077]
- e *f. caecata* Riley, 1932; *Abisara* OD: Novit. zool. 37:186 [b3775] SS: rutherfordii Hewitson, 1874; *Abisara* [TypeL - Rhodesia.]
- e *caecias* (Kirby), 1871, (ISS); *Charis* OD: Syn. Cat. diurn. Lep. :318 [b2747] SS: coecias (Hewitson), [1866]; *Crocozona* [Refs - b2747 b4474]
- c *caecina* (Felder & Felder), 1865, 1865-1875; *Lemonias* OD: Reise Novara (2):310, pl 37, f 7,8 [b1692] SS: cerealis (Hewitson), [1863]; *Calospila* [TypeL - Bahia.] [Refs - b2988; b2747; b4475; b1456]
- e *caecina* Stichel, 1930, (ISS); *Theope* OD: Lep. Cat. Pars 41:680 [b4475] SS: caecina Godman & Salvin, 1878; *Theope* [Refs - b4475]
- a *caeculus* (Hopffer), 1855; *Iolaus* OD: Ber. Verh. Akad. Berl. 1855:642 [b2443] CG: *Hemioiaus* [TypeL - Africa or.] [Type of - *Hemioiaus*] [Refs - b2280; b1259; b1943 (as *coeculus*); b2747; b4400 (both); b1452 (as *coeculus*); b3608 (coe.); b4400]
- b *caecus* (Geoffroy), 1785; *Papilio* OD: In Fourcroy, Ent. paris. 2:245 [b1927] SS: rubi (Linnaeus), 1758; *Callophrys* [TypeL - Paris.] [Note - *Johnson considered the original description to be infrasubspecific, and therefore attributed the authorship of the available name to Bernardi, 1951.*] [Refs - b2747; b2794; b2985; b2585; b0315]
- a *caelestis* (Leech), 1890; *Thecla* OD: Entomologist 23:191 [b2964] CG: *Howarthia* [TypeL - Ta-chien-lu, Western China.] [Type of - *Howarthia*] [Note - *Not spelled caelestis, caelistis or coelistis.*] [Refs - b2280; b4214 (as *coelestis*); b4200 (*coelestis*); b3296 (as *coelestis*); b2964; b0996; b1764; b2479; b2966; b2964; b4092 (as *coelistis*)]
- c *caelestis* (Röber), 1927; *Lemonias* OD: Int. ent. Z. 21:105 [b3837] SS: thara (Hewitson), [1858]; *Calospila* [Refs - b4475]
- c *caelestis* (Röber), 1931; *Amblypodia* OD: Int. ent. Z. 24(37/38):390 [b3838] SS: alcestis (Grose-Smith), 1902; *Arhopala* g [TypeL - S. W. New Guinea.] [Refs - b1644]
- a *caelestis* Sands, 1979; *Phyliris* OD: J. Aust. ent. Soc. 18(2):127-132 [b3922] [TypeL - Papua New Guinea.] [Refs - b3922 (2231-E11); b0111]
- b *caelestissima* (Verity), 1921, 1919-1922, (RA); *Agriades* OD: Ent. Rec. 33:191 [b4840] SS: coridon (Poda von Neuhaus), 1761; *Polyommatus* (*Lysandra*) [Type: -nt; designated by Schurian, 1989] [Ent. Zeit. 99(21):307 [b4039]] [TypeL - Vicinity of Moscardon, Province of Teruel-Cuenca, Spain.] [Refs - b2375; b3059; b2856; b0111 (as *coe...*); b3665; b0236; b2380; b2794; b4026; b4840; b2859 (as good species); b4038; b0125 (as *callestissimus*)]
- a *caelius* (Felder & Felder), 1860; *Lycaena* OD: Wien. ent. Monats. 4(8):245 [b1681] CG: *Psychonotis* [TypeL - Aru.] [Type of - *Psychonotis*] [Refs - b1450; b2747; b0111; b1866; b2078; b2388; b1382]
- b *caena* Riley, [1945]; *Jamides* OD: Trans. R. ent. Soc. Lond. 94(2):258 [b3782] SS: celeno (Cramer), [1775]; *Jamides* [Type: BMNH-ht] [TypeL - Sipora.] [Refs - b3782]
- e *caeneus* (Linnaeus), 1767, (IOS); *Papilio* OD: Syst. nat. (ed. 12) 1(2):796 [b2997] SS: *cereus* (Linnaeus), 1767; *Emesis* [TypeL - Unio America.] [Note - *Placed on Official Index of Rejected Names (#838) by Opinion 755.*] [Refs - b2747; b4475; b1039; b1049; b3192; b2534; b1722]
- e *caenius* (Grote & Robinson), 1869, (ISS); *Charis* OD: Trans. amer. ent. Soc. 2(3):310-311 [b2062] SS: *cereus* (Linnaeus), 1767; *Emesis* [Note - *On Official List of Rejected names (#837).*] [Refs - b2534; x3192]
- b *caernensis* Thompson, [1937]; *Plebejus* OD: * :3 [b4649] SS: argus (Linnaeus), 1758; *Plebejus* [TypeL - Wales.] [Note - *Listed in the Zool Rec for 1937.*] [Refs - b0075; ns1194]
- e *caerulea* (Kirby), 1877, (ISS); *Plebeius* OD: Syn. Cat. diurn. Lep., Suppl. :767 [b2753] SS: *caerulea* (Staudinger), 1871; *Polyommatus* (*Agrodiaetus*) [Refs - b2753]
- a *caerulea* (Bremer & Grey), 1853; *Thecla* OD: Schmett. N. China's :8, n 29 [b0484] CG: *Rapala* [Refs - b4198; b2747; b0995; b4092 (=micans); b2479 (=micans); b3778; b1454; ns1396 (as *coerulea*)]
- b *caerulea* Bates, [1868]; *Theope* OD: J. lim. Soc. Lond., Zool. 9:408 [b0267] SS: *virgilius* (Fabricius), 1793; *Theope* [Type: BMNH-ht] [TypeL - Brasilia.] [Refs - b2747; b4475; b1456]
- a *caerulea* (Staudinger), 1871; *Lycaena* OD: In Staud. & Wocke, Cat. Lep. Eur. :13 [b4323] CG: *Polyommatus* (*Agrodiaetus*) [Refs - b2753 (as *caerulea*); b2827; b2794; b4092; b1455]
- a *caerulea* (H. Druce), 1873; *Cupido* OD: Proc. zool. Soc. Lond. 1873(2):349, pl 32, f 6 [b1383] CG: *Jamides* [Type: BMNH-ht] [TypeL - Borneo.] [Refs - b0964; b0965; b1383 (as *caerulea*); b1332; b4094; b1636; b2384; b1454; b0694; b2388; b3786; b4108]
- c *caerulea* Fuchs, 1877; *Polyommatus* OD: Stett. ent. Ztg 38(4-6):133 [b1891] SS: *icarus* (Rottemburg), 1775; *Polyommatus* [Refs - b4474; b4092]
- a *caerulea* H. H. Druce, 1890; *Deudorix* OD: Ann. Mag. nat. Hist. (6)5:28 [b1353] CG: *Deudorix* (*Pilodeudorix*) [TypeL - W. Africa.] [Refs - b1943; b4400; b1452; b0836; b4436]
- e *caerulea* (Courvoisier), 1897; *Lycaena* OD: Soc. ent. 12(4):25 or 26 [b0980] SS: *orbitalus* (Prumer), 1798; *Polyommatus* (*Albulina*) [Check - *Original genus and pagination.*] [Refs - b4092]
- *f. caerulea* Strand, 1901; *Plebejus* OD: Nyt Mag. naturvid. 39(1):47 [b4490] SS: *argyrognomon* (Bergsträsser), [1779]; *Plebejus* (*Lycaeides*) [Check - *Original genus*] [Refs - b0236; b0410 (as *coerulea?*); b0471 (as *coerulea*)]

- e *caerulea* Tutt, 1907, 1905-1914; *Lampides* OD: Nat. Hist. Brit. Butts 2:336 [b4760] SS: boeticus (Linnaeus), 1767; *Lampides* [Refs - b0400; b4760]
- e *ab. caerulea* (Rebel), 1909; *Lycaena* OD: In Berge, Schmetterlingsbuch (ed. 9) :70 [b3706] SS: icarius (Esper), [1789]; *Polyommatus* (Plebicula) [Refs - b0993; b0236; b0471]
- e *ab. caerulea* (Tutt), 1909, 1905-1914; *Plebeius* OD: Nat. Hist. Brit. Butts 3:188 [b4760] SS: argus (Linnaeus), 1758; *Plebejus* [Refs - b0471]
- e *ab. caerulea* (Courvoisier), 1910, 1910-1911; *Lycaena* OD: Ent. Zeit. 24:108 [b0985] SS: pheretiades (Eversmann), 1843; *Polyommatus* (Agiades) [Refs - b0236; b0471]
- e *ab. caerulea* (Courvoisier), 1910, 1910-1911; *Lycaena* OD: Ent. Zeit. 24:93 [b0985] SS: argus (Linnaeus), 1758; *Plebejus* [Refs - b0236; b0410; b0471]
- e *ab. caerulea* (Courvoisier), 1910, 1910-1911; *Lycaena* OD: Ent. Zeit. 24:148 [b0985] SS: eros (Ochsenheimer), 1807; *Polyommatus* [Refs - b0236; b0471]
- e *ab. caerulea* (Courvoisier), 1910, 1910-1911; *Lycaena* OD: Ent. Zeit. 24:127 [b0985] SS: nicias (Meigen), 1829; *Plebejus* (Pseudoaricia) [Refs - b0236; b0410; b0471]
- e *caerulea* (Courvoisier), 1910, 1910-1911; *Lycaena* OD: Ent. Zeit. 24:99 [b0985] SS: pylaon (Fischer von Waldheim), 1832; *Plebejus* (*Plebejides*) [Refs - b0410; b4092]
- e *ab. caerulea* (von Neustetter), 1910; *Lysandra* OD: Jber. Wien. ent. Ver. 20:8 [b4883] SS: coridon (Poda von Neuhaus), 1761; *Polyommatus* (*Lysandra*) [Refs - b0236; b0471]
- e ♀ *ab. caerulea* (Courvoisier), 1913; *Lycaena* OD: Ent. Mitt. 2(10):293 [b0989] SS: alexis (Poda von Neuhaus), 1761; *Glaucopsyche* [Refs - b0993; b0400; b0236; b0989]
- e *caerulea* Vorbrodtt & Müller-Rutz, 1914, 1911-1914; *Maculinea* OD: Schmetz. Schweiz 2:216 or 616 [b4888] SS: rebeli (Hirschke), 1904; *Maculinea* [Refs - b0400; b0993 (as *coerulea*); b0236 (as *coerulea*); b0471]
- e *ab. caerulea* Wagner, 1919; *Apelles* OD: Int. ent. Z. 13(20):157 [b4894] SS: melanops (Boisduval), [1828]; *Apelles* [Refs - b0236; b0471]
- a *caerulea* Nire, 1920; *Tajuria* OD: Zool. Mag. 32:373-377 [b3404] [Refs - b4198; b5053; b3272; b1454 (as *coelurea*)]
- e *ab. caerulea* (Cabeau), 1924; *Lycaena* OD: Revue mens. Soc. ent. namur. 24:67 [b0667] SS: thersites (Cantener), 1834; *Polyommatus* (*Plebicula*) [TypeL - Belgium.] [Refs - b0236; b3796]
- e *ab. caerulea* (Dannehl), 1925; *Lycaena* OD: Ent. Zeit. 39:76 [b1101] SS: nicias (Meigen), 1829; *Plebejus* (*Pseudoaricia*) [TypeL - S. Tyrol.] [Refs - b0236; b0410]
- e *caerulea* Osthelder, 1926; *Maculinea* OD: Mitt. münchn. ent. Ges. 15(Sup.):157 [b3525] SS: teleius (Bergsträsser), [1779]; *Maculinea* [Refs - b0400]
- b *caerulea* (Riley), 1928; *Epamera* OD: Novit. zool. 34:390 [b3767] SS: cytaeis Hewitson, 1875; *Iolaus* (*Epamera*) [TypeL - Luluaburg, Congo.] [Refs - b4400; b1452]
- e ♀ *f. caerulea* (Hannemann), 1929; *Lycaena* OD: Int. ent. Z. 23(11):153 [b2133] SS: baton (Bergsträsser), [1779]; *Pseudophilotes* [TypeL - Germany.] [Refs - b0236; b0067; b0400]
- e ♂ *f. caerulea* Riley, 1932; *Abisara* OD: Novit. zool. 37:185 [b3775] SS: *caerulea* Carpenter & Jackson, 1950; *Abisara* [TypeL - Congo.] [Note - Carpenter & Jackson made this name available.] [Refs - b1452; b0836; b3775]
- b *caerulea* (Salmon), 1946; *Chrysophanus* OD: Dom. Mus. Rec. Ent. 1:10, f [b3913] SS: boldenarum White, 1862; *Lycaena* [TypeL - New Zealand.]
- b *f. caerulea* (Stempffer), 1947; *Stugeta* OD: Bull. Soc. ent. Fr. 52:37 [b4372] SS: bowkeri Trimen, 1864; *Iolaus* (*Stugeta*) [TypeL - Somalia.] [Refs - b4400; b1452]
- a *caerulea* Carpenter & Jackson, 1950; *Abisara* OD: Proc. R. ent. Soc. Lond. (B)19(7/8):106 [b0715] [Type: biblio; based on *caerulea* Riley, 1932] [TypeL - Belgian Congo.] [Refs - b1452; b0836; b0715]
- c *f. caerulea* (Schwingenschuss), 1953; *Zephyrus* OD: Z. wien. ent. Ges. 38:102 [b4058] SS: quercus (Linnaeus), 1758; *Quercusia* [TypeL - Austria.]
- a *caerulea* Stempffer, 1956; *Thermoniphas* OD: Anl. Mus. r. Congo Belge (8vo)49:49, pl 3, f 15-18 [b4388] [Type: BMNH-ht] [TypeL - Kayonza, Kigezi, Uganda.] [Refs - b4400; b1452; b4388]
- b *caerulea* Tite, 1959; *Catochrysops* OD: Entomologist 92:210 [b4670] SS: panormus (C. Felder), 1860; *Catochrysops* [Type: BMNH-ht] [TypeL - New Hebrides.] [Refs - b1450; b4670]
- a *caerulea* Tite, 1961; *Lepidochrysops* OD: Entomologist 94:21 [b4673] [TypeL - Madagascar.] [Refs - b4400; b1452]
- a *caerulea* Tite, 1963; *Philiris* OD: Bull. Br. Mus. nat. Hist. (Ent.) 14(5):226 [b4677] [Type: BMNH-ht] [TypeL - Rawlinson Mts., New Guinea.] [Refs - b1450; b4677]
- a *caerulea* Jackson, 1966; *Cupidesthes* OD: Ann. Mag. nat. Hist. (13)8:531 [b2565] [TypeL - Congo.] [Refs - b4400; b1452]
- b *caerulea* Okubo, 1983; *Drupadia* OD: Tyô to Ga 33(3,4):180, f 38-41 [b3498] SS: ravindra (Horsfield), [1828]; *Drupadia* [Type: pc-ht; collection of Okubo.] [TypeL - Tioman Island, West Malaysia.] [Refs - b3498; b2201]
- a *caerulea* Johnson, 1992; *Ahlbergia* OD: Neue Ent. Nachr. 29:36, f [b2609] [TypeL - Gansu.] [Refs - b0126]
- e *caeruleafasciata* Tutt, 1907, 1905-1914; *Lampides* OD: Nat. Hist. Brit. Butts 2:336 [b4760] SS: boeticus (Linnaeus), 1767; *Lampides* [Refs - b0400]
- e *ab. caeruleagrisea* (Sheldon), 1914; *Lycaena* OD: Entomologist 47(10):274 [b4165] SS: osiris Meigen, 1829; *Cupido* [Refs - b0236; b3366; b0471 (as *caeruleogrisea*)]
- e *caeruleamarginata* Tutt, 1907, 1905-1914; *Lampides* OD: Nat. Hist. Brit. Butts 2:336 [b4760] SS: boeticus (Linnaeus), 1767; *Lampides* [Refs - b0400]
- a *caeruleata* (Godman & Salvin), 1878; *Limnas* OD: Proc. zool. Soc. Lond. 1878(2):361 [b1973] CG: *Xenandra* [TypeL - Veragua; Chiriqui.] [Refs - b4474; b1456]
- e *caeruleata* (Heyne), 1895, 1893-1895; *Lycaena* OD: In Palae. GROSSSCHMETZ. 1:712 [b2363] SS: icarus (Rotenburg), 1775; *Polyommatus* [Refs - b4092]
- c *caeruleoalbus* (Goeze), 1779, 1777-1783; *Papilio* OD: Ent. Beyträge 3(1):212, n 35 [b1982] SS: isis (Drury), [1773]; *Azanus* [Refs - b2747; b4400 (as *coeruleoalbus*); b2753]
- e *ab. caeruleoannulata* (Carter & Harrison), 1923; *Aricia* OD: Entomologist 56:107 [b0721] SS: agestis ((Denis & Schiffmüller)), 1775; *Plebejus* (*Aricia*) [Check - Original genus] [Refs - b0236; b0471]
- e *ab. caeruleocellata* (Obraztsov), 1936; *Lycaena* OD: Lambillionea 36:15 [b3468] SS: hypanica (Obraztsov), 1936; *Polyommatus* (*Plebicula*) [Refs - b0074]
- e *ab. caeruleocincta* (Tutt), 1909, 1905-1914; *Agiades* OD: Nat. Hist. Brit. Butts 3:333 [b4760] SS: bellargus (Rotenburg), 1775; *Polyommatus* (*Lysandra*) [Refs - b0236; b0471]
- e ♀ *ab. caeruleocuneata* (Ebert), 1908; *Lycaena* OD: Soc. ent. 22(22):169 [b1461] SS: argus (Linnaeus), 1758; *Plebejus* [TypeL - Germany.] [Refs - b1461; b4092 (as *coeruleocuneata*)]

- e *ab. caeruleocuneata* (Tutt), 1909, 1905-1914; Agriades OD: Nat. Hist. Brit. Butts 3:333 [b4760] SS: bellargus (Rottemburg), 1775; Polyommatus (Lysandra) [Refs - b0236; b0471 (as caeruleocuneata)]
- e *caeruleocuneata* Courvoisier, 1921; Lycaena OD: Deut. ent. Zeit. [Iris] 35:80 [b0996] SS: gordius (Sulzer), 1776; Lycaena (Alciphronia) [Refs - b0389]
- c *caeruleolaeta* (Lucas), 1891; Holochila OD: Butts and Moths :- [b3026] SS: albosericea (Miskin), 1891; Nesolycaena [TypeL - Queensland, Australia.] [Refs - b1473; b0976]
- e *caeruleolineata* (Verity), 1943, (IFS); Lysandra OD: Farfalle Diurne Ital. 2:289 [b4862] SS: bellargus (Rottemburg), 1775; Polyommatus (Lysandra) [TypeL - Italy.] [Refs - b2856; b0080]
- e ♀ *caeruleolumulata* (Beuret), 1953, (IFS); Lycaena OD: Lyc. Schweiz. I :57 [b0389] SS: helle ((Denis & Schiffmüller)), 1775; Helleia A [TypeL - Switzerland.] [Refs - b0389]
- e *caeruleomarginata* Tutt, 1914, 1905-1914; Maculinea OD: Nat. Hist. Brit. Butts 4:324 [b4760] SS: arion (Linnaeus), 1758; Maculinea [Refs - b0400]
- e *ab. caeruleomarginata* (Lange), 1924; Lycaena OD: Deut. ent. Zeit. [Iris] 38:134 [b2892] SS: argus (Linnaeus), 1758; Plebejus [TypeL - Freiburg.] [Refs - b0236; b3796]
- e *caeruleomarginatofasciata* Tutt, 1914, 1905-1914; Maculinea OD: Nat. Hist. Brit. Butts 4:324 [b4760] SS: arion (Linnaeus), 1758; Maculinea [Refs - b0400]
- e *caeruleonivescens* (Verity), 1927, (IFS); Agriades OD: Bull. Soc. ent. Fr. 1927(13):206 [b4845] SS: dorylas ((Denis & Schiffmüller)), 1775; Polyommatus (Plebicula) [TypeL - Spain.] [Refs - b2856; b0236; b4845]
- e *ab. caeruleopuncta* (Tutt), 1909, 1905-1914; Agriades OD: Nat. Hist. Brit. Butts 3:333 [b4760] SS: bellargus (Rottemburg), 1775; Polyommatus (Lysandra) [Refs - b0236; b0471]
- e *ab. caeruleopuncta* (Carter & Harrison), 1923; Aricia OD: Entomologist 56:107 [b0721] SS: medon (Hüfnagel), 1766; Plebejus (Aricia) [TypeL - England.] [Refs - b0471]
- c *caeruleopunctata* Krulikovskii, 1893; Lycaena OD: Soc. ent. 7:164 [b2847] SS: phlaeas (Linnaeus), 1761; Lycaena (Lycaena) [Refs - b1780; b0389; b4066; x3192; b4092]
- c *caeruleopunctata* Rühl, 1893, 1892-1893; Lycaena OD: In Palae. Grossschmett. 1:218 [b3901] SS: lusitanicus (Bryk), 1940; Lycaena (Lycaena) [Refs - b3059; b0996; b3547; b0389]
- c *caeruleopunctata* (Wheeler), 1903; Lycaena OD: Butts Switzerland :39 [b4991] SS: orbitalus (Prunner), 1798; Polyommatus (Albulina) [Refs - b4092]
- e *ab. caeruleopunctata* Gillmer, 1905; Lycaena OD: Arch. Ver. Freunde Naturg. Mecklenb. 59:88 [b1958] SS: virgaureae (Linnaeus), 1758; Lycaena (Heodes) [Refs - b0389; b1958; b4092]
- e *caeruleopunctata* (Schultz), 1905, (IFS); Chrysophanus OD: Ent. Zeit. 18(33):131 [b4002] SS: virgaureae (Linnaeus), 1758; Lycaena (Heodes) [Refs - b0236; b0389; b4002]
- e *ab. caeruleopunctata* (Tutt), 1906, 1905-1914; Rumicia OD: Nat. Hist. Brit. Butts 1:368 [b4760] SS: lusitanicus (Bryk), 1940; Lycaena (Lycaena) [Refs - b0236]
- e *ab. caeruleopunctata* Oberthür, 1910; Lycaena OD: Étud. Lép. comp. 4:135 [b3451] SS: virgaureae (Linnaeus), 1758; Lycaena (Heodes) [Refs - b0471]
- e *caeruleopunctata* Schawerda, 1913; Palaeochrysophanus OD: Verh. zool.-bot. Ges. Wien 63:(152) [b3957] SS: hippothoe (Linnaeus), 1761; Palaeochrysophanus [Refs - b0236]
- e *caeruleosignata* (Verity), 1943, (IFS); Aricia OD: Farfalle Diurne Ital. 2:106 [b4862] SS: agestis ((Denis & Schiffmüller)), 1775; Plebejus (Aricia) [TypeL - Italy.] [Refs - b2856]
- c *caeruleosmar* (Verity), 1939; Lysandra OD: Lambillionea 39:217 [b4861] SS: corydonius (Herrich-Schäffer), [1852]; Polyommatus (Lysandra) [Type: MZS-st] [TypeL - Caucasus.] [Note - *Nekruenko* makes this a subspecies of *caucasica*, while others place it with *coridon*.] [Refs - b2856; b3361; ns3354; b4038]
- c *caerulescens* (Motschulsky), 1866; Thecla OD: Bull. Soc. imp. Nat. Moscou 39(1):191 [b3252] SS: ferrea (Butler), 1866; Ahlbergia [Refs - b2747; b2479; b4092 (as coe...)]
- b *caerulescens* Oberthür, 1884; Polyommatus OD: Étud. ent. 8:17 [b3426] SS: eros (Ochsenheimer), 1807; Polyommatus [Refs - b2479; b4092]
- a *caerulescens* (Staudinger), 1889; Deudorix OD: Deut. ent. Zeit. [Iris] 2(1):116 [b4332] CG: Rapala [Type: ZMHU-It; designated by Takanami, 1989] [Tyô to Ga 40(1):35 [b4602]] [TypeL - Jolo Island, Sulu Archipelago.] [Refs - b1454; b4094; b4602]
- c *caerulescens* (Grum-Grshimailo), 1893; Lycaena OD: Horae Soc. ent. ross. 27:127 [b2069] SS: nausithous (Bergsträsser), [1779]; Maculinea [Note - *May belong with argyrognomon*.] [Refs - b0236; b0471]
- e *ab. caerulescens* (Tutt), 1896; Lysandra OD: Brit. Butts :166 [b4758] SS: bellargus (Rottemburg), 1775; Polyommatus (Lysandra) [Refs - b0471]
- e *ab. caerulescens* (Petersen), 1902; Lycaena OD: Lep.-Fauna Estland :36 [b3583] SS: argus (Linnaeus), 1758; Plebejus [TypeL - Estonia.] [Refs - b0471]
- e *caerulescens* Wheeler, 1903; Polyommatus OD: Butts Switzerland :35 [b4991] SS: icarus (Rottemburg), 1775; Polyommatus [Refs - b4092]
- b *caerulescens* H. H. Druce, 1904; Eurybia OD: Proc. zool. Soc. Lond. 1904(I):482, pl 33, f 3 [b1370] SS: lamia (Cramer), [1777]; Eurybia [TypeL - Peru.] [Refs - b4474]
- e *ab. caerulescens* Tutt, 1908, 1905-1914; Everes OD: Nat. Hist. Brit. Butts 3:54 [b4760] SS: argiades (Pallas), 1771; Everes [Refs - b0236; b0400; b0471]
- e *ab. caerulescens* Rebel, 1909; Lycaena OD: In Berge, Schmetterlingsbuch (ed. 9) :62 [b3706] SS: alciphron (Rottemburg), 1775; Lycaena (Alciphronia) [Refs - b0236; b0389; b0471]
- e *ab. caerulescens* Rebel, 1909; Everes OD: In Berge, Schmetterlingsbuch (ed. 9) :73 [b3706] SS: decolorata Staudinger, 1886; Everes [Refs - b0995; b0236; b0400; b0471]
- e *ab. caerulescens* (Tutt), 1909, 1905-1914; Plebejus OD: Nat. Hist. Brit. Butts 3:180 [b4760] SS: argus (Linnaeus), 1758; Plebejus [Refs - b0236; b0471 (as caerulescens)]
- e *ab. caerulescens* Tutt, 1909, 1905-1914; Cupido OD: Nat. Hist. Brit. Butts 3:105, pl 4, f 5 [b4760] SS: minimus (Esper), [1777]; Cupido [Refs - b0995; b4760; b3665; b0236; b0400; b0471]
- c *caerulescens* (Tutt), 1909; Lysandra OD: Ent. Rec. 21(12):300 [b4766] SS: albicans (Gerhard), 1851; Polyommatus (Lysandra) [Note - *Hybrid between arragonensis and caelestissima*.] [Refs - b3059; b1610 (6243-E10); b0111; b2859]
- e *ab. caerulescens* (Tutt), 1909, 1905-1914; Agriades OD: Nat. Hist. Brit. Butts 3:333 [b4760] SS: bellargus (Rottemburg), 1775; Polyommatus (Lysandra) [Refs - b0236; b0471]
- c *caerulescens* Oberthür, 1910; Maculinea OD: Étud. Lép. comp. 4:214 [b3451] SS: arion (Linnaeus), 1758; Maculinea [Refs - b4529; b0471]

- e *caerulescens* Oberthür, 1910; *Polyommatus* OD: *Étud. Lép. comp.* 4:264 [b3451] SS: damon ((Denis & Schiffermüller), 1775; *Polyommatus* (*Agrodiaetus*) [Refs - b4529; b0236; b0471]
- e *caerulescens* Oberthür, 1910; *Polyommatus* OD: *Étud. Lép. comp.* 4:308 [b3451] SS: semiargus (Rottemburg), 1775; *Polyommatus* (*Cyaniris*) [Refs - b4529; b0236; b0471]
- c *caerulescens* A. Bang-Haas, 1912; *Callophrys* OD: *Deut. ent. Zeit.* [Iris] 26:106 [b0234] SS: schamyl Sheldon, 1914; *Callophrys* [TypeL - Persia.] [Note - Johnson considers this name as *infrasubspecific.*] [Refs - b0995 (Tutt II 1907:92); b0236; b2585]
- e *ab. caerulescens* Vorbrodt, 1912; *Polyommatus* OD: *Schmett. Schweiz* 1:149 [b4885] SS: damon ((Denis & Schiffermüller), 1775; *Polyommatus* (*Agrodiaetus*) [Refs - b0236; b0471]
- e *ab. caerulescens* Reverdin, 1914; *Polyommatus* OD: *Bull. Soc. Lép. Genève* 3(1):35, pl 3, f 3 [b3729] SS: semiargus (Rottemburg), 1775; *Polyommatus* (*Cyaniris*) [Refs - b4529; b0236; b3729; b0471]
- c *caerulescens* (Vorbrodt & Müller-Rutz), 1921; *Lycaena* OD: *Mitt. schweiz. ent. Ges.* 13(3/4):181 [b4890] SS: escheri (Hübner), [1823]; *Polyommatus* (*Plebicula*) [Refs - b0471]
- e *ab. caerulescens* (Cabeau), 1924; *Lycaena* OD: *Revue mens. Soc. ent. namur.* 24:67 [b0667] SS: thersites (Cantener), 1834; *Polyommatus* (*Plebicula*) [TypeL - Belgium.] [Refs - b0236; b3796; b0471]
- e *ab. caerulescens* (Lempke), 1936; *Zephyrus* OD: *Tijdschr. Ent.* 79:289 [b2975] SS: quercus (Linnaeus), 1758; *Quercusia* [TypeL - Holland.] [Refs - b0074]
- e *Q.f. caerulescens* (Lempke), 1942; *Lycaena* OD: *Natuurh. Maandbl.* 31:107, f 7 [b2979] SS:alcon ((Denis & Schiffermüller), 1775; *Maculinea* [TypeL - Holland.] [Refs - b0080; b0400; b2979]
- e *caerulescens* Beuret, 1957; *Glaucopsyche* OD: *Lyc. Schweiz. II* 1:199 [b0400] SS: alexis (Poda von Neuhaus), 1761; *Glaucopsyche* [TypeL - Switzerland.] [Refs - b0400]
- e *caerulescens* Stempffer, 1967, (ISS); *Oxyliodes* OD: *Bull. Br. Mus. nat. Hist. (Ent.) Suppl.* 10:115 [b4400] SS: faunus (Drury), [1773]; *Oxyliodes* [Note - An incorrect spelling of *coerulescens.*] [Refs - b4400]
- e *Q.f. caerulescens* Ferris, [1970], (IFS); *Plebejus* OD: *J. Res. Lep.* 8(3):91, f [b1708] SS: saepiolus (Boisduval), 1852; *Plebejus* (*Icaricia*) [Type: pc-ht; collection of Ferris.] [TypeL - Crooks Tower Road, Black Hills National Forest, Lawrence County, South Dakota.] [Refs - b3192; b1743; b1717; b1722]
- e *ab. caerulescens completa* Tutt, 1908, 1905-1914; *Everes* OD: *Nat. Hist. Brit. Butts* 3:55 [b4760] SS: argiades (Pallas), 1771; *Everes* [Refs - b0236; b0400; b0471]
- e *ab. caerulescens fulva* Tutt, 1908, 1905-1914; *Everes* OD: *Nat. Hist. Brit. Butts* 3:54 [b4760] SS: argiades (Pallas), 1771; *Everes* [Refs - b0236; b0400; b0471 (as *coerulescens fulva*)]
- e *ab. caerulescens lunulata* (Tutt), 1909, 1905-1914; *Agriades* OD: *Nat. Hist. Brit. Butts* 3:333 [b4760] SS: bellargus (Rottemburg), 1775; *Polyommatus* (*Lysandra*) [Refs - b0236]
- e *ab. caerulescens marginata* (Tutt), 1909, 1905-1914; *Agriades* OD: *Nat. Hist. Brit. Butts* 3:333 [b4760] SS: bellargus (Rottemburg), 1775; *Polyommatus* (*Lysandra*) [Refs - b0236]
- e *ab. caerulescens restricta* Tutt, 1908, 1905-1914; *Everes* OD: *Nat. Hist. Brit. Butts* 3:54 [b4760] SS: argiades (Pallas), 1771; *Everes* [Refs - b0236; b0400; b0471 (as *coerulescens restricta*)]
- e *ab. caeruleus* (Tutt), 1909, 1905-1914; *Plebejus* OD: *Nat. Hist. Brit. Butts* 3:180 [b4760] SS: argus (Linnaeus), 1758; *Plebejus* [Refs - b0471]
- b *caerulina* (Mathew), 1887; *Lampides* OD: *Trans. ent. Soc. Lond.* 35(1):46 [b3079] SS: aratus (Stoll), [1781]; *Jamides* [TypeL - Solomon Islands.] [Refs - b1450; b1865; b4094]
- b *caesarea* Weymer, 1887; *Drupadia* OD: *Stett. ent. Ztg* 48(1-3):9, pl 2, f 4 [b4987] SS: ravindra (Horsfield), [1828]; *Drupadia* [Type: ZMHU-ht] [TypeL - Nias.] [Refs - b1030; b4094; b0105; b2201; b1454; b4592; b4602]
- a *caesareus* (Aurivillius), 1895; *Jolaus* OD: *Ent. Tidskr.* 16:213 [b0151] CG: *Iolaus* (*Iolophilus*) [TypeL - Cameroons.] [Refs - b0151; b1452; b4400]
- a *caesaries* H. H. Druce, 1907; *Thecla* OD: *Proc. zool. Soc. Lond.* 1907(3):617, pl 36, f 19 [b1375] CG: *Thecla* (*New World Eumaeini*) [Type: pc; Druce collection.] [TypeL - Bartica, British Guiana.] [Note - Druce says "allied to *ledaea*."] [Refs - b0908; b1375]
- c *caesaris* Fruhstorfer, 1914; *Arhopala* OD: *Deut. ent. Zeit.* [Iris] 28(2):122 [b1859] SS: maxwelli (Distant), 1885; *Arhopala* g [Type: BMNH-ht] [TypeL - Sumatara.] [Refs - b1644; b1859; b4094]
- a *caesarion* Rebillard, 1958; *Argyrogrammana* OD: *Mém. Mus. nat. Hist. nat. (A)* 15:187, pl 3, f 16 [b3717] [Type: MNHN-ht] [TypeL - Gavea, Brazil.] [Refs - b3717; b0093; b1456]
- c *caesemius* Fruhstorfer, [1915], 1909-1923; *Allotinus* OD: In Seitz, *Grossschmett. Erde* 9:814 [b1840] SS: punctatus (Semper), 1887; *Allotinus* (*Fabitaras*) [Type: SMF-ht; designated by Eliot, 1986] [Bull. Br. Mus. nat. Hist. (Ent.) 53(1):23 [b1571]] [TypeL - Mindanao, Philippines.] [Refs - b1840; b1571]
- c *caesetius* Fruhstorfer, 1914; *Arhopala* OD: *Deut. ent. Zeit.* [Iris] 28(2):124 [b1859] SS: maxwelli (Distant), 1885; *Arhopala* g [TypeL - Borneo.] [Refs - b1859; b4094; b1644]
- b *caesia* Cowan, 1974; *Drupadia* OD: *Bull. Br. Mus. nat. Hist. (Ent.)* 29(6):317, pl 3, f 61,65 [b1030] SS: rufotaenia (Fruhstorfer), [1912]; *Drupadia* [Type: BMNH-ht] [TypeL - Nias Island, Indonesia.] [Refs - b1030; b0105; b1454]
- a *caesia* d'Apice & Miller, 1992; *Nesolycaena* OD: *Aust. ent. Mag.* 19(3):75, f [b1459] [TypeL - Western Australia.] [Refs - b0126]
- b *caesius* (Grose-Smith), 1894; *Thysonotis* OD: *Novit. zool.* 1:576 [b2037] SS: schaeffera (Eschscholtz), 1821; *Nothodanis* [TypeL - New Guinea.] [Refs - b1450; b2078]
- a *caesius* Johnson, 1992; *Ahlbergia* OD: *Neue Ent. Nachr.* 29:49, f [b2609] [TypeL - Xizang.] [Refs - b0126]
- a *caespes* H. H. Druce, 1907; *Thecla* OD: *Proc. zool. Soc. Lond.* 1907(3):614, pl 36, f 18 [b1375] CG: *Thecla* (*New World Eumaeini*) [Type: pc; Druce collection.] [TypeL - La Paz, Bolivia.] [Note - Druce says "allied to *lampetia*."] [Refs - b0908; b1375]
- a *caeus* Godman & Salvin, [1887], 1879-1901; *Theclopsis* OD: *Biol. centr.-amer., Lep. Rhop.* 2:101; 3:pl 58, f 24,25 [b1975] [Type: BMNH-ht] [TypeL - Calobre, Panama.] [Refs - b0908; b1375; b1975]
- c *caffer* (Trimen), 1868; *Aphnaeus* OD: *Trans. ent. Soc. Lond.* 16(1):88 [b4718] SS: mozambica Bertoloni, 1851; *Spindasis* [TypeL - Africa mer. et occ.] [Refs - b2747; b4400]
- c *caffrariae* (Trimen), 1887, 1887-1889; *Lycaena* OD: In Trimen & Bowker, *S. Afr. Butts* 2:23 [b4725] SS: asteris (Godart), [1824]; *Lepidochrysops* [TypeL - S. Africa.] [Refs - b1259; b4400]
- a *caffrariae* Henning, 1987; *Alocides* OD: *J. ent. Soc. S. Afr.* 50(1):246, f [b2285] [TypeL - Cape Province, S. Africa.] [Refs - b0120]
- a *cafusa* Bates, [1868]; *Euselasia* OD: *J. linn. Soc. Lond., Zool.* 9:422 [b0267] [TypeL - Amazon.] [Note - Based on figure.] [Refs - b2988; b2747; b4474; b0267; b1456]

- b *cagaya* (Felder & Felder), 1865, 1865-1875; *Lycaena* OD: *Reise Novara* (2):278, pl 34, f 11-13 [b1692] SS: *puspa* (Horsfield), [1828]; *Acytolepis* [Type: BMNH-ht] [TypeL - Luzon, Philippines.] [Refs - b2747; b1840; b2479; b1580]
- a *caleta* Hewitson, [1854], 1852-1877; *Calydna* OD: Ill. exot. Butis 1: [—], pl [49], f 1,2 [b2323] [TypeL - Amazon.] [Refs - b2988; b2747; b4474; b1453; b1456]
- a *calissa* Rebel & Rogenhofer, 1894; *Alaena* OD: In Baumann, *Massai-Land* :336 [b3714] [TypeL - German East Africa.] [Refs - b1943; b2732; b1452; b4400]
- a *cajetani* Tite, 1963; *Nacaduba* OD: *Bull. Br. Mus. nat. Hist. (Ent.)* 13(4):79 [b4676] [Type: biblio; replacement for *felderi* Rothschild, 1915] [TypeL - Central Ceram [West Irian].] [Refs - b1450; b4676; b2387; b2388]
- c *cajetanus* Staudinger, [1888], 1884-1888; *Monethe* OD: In *Exot. Schmetz.* 1:245 [b4329] SS: *rudolphus* Godman & Salvin, [1885]; *Monethe* [TypeL - Colombia.] [Refs - b4474]
- c *cajona* (Reakirt), 1866; *Lycaena* OD: *Proc. ent. Soc. Philad.* 6(1):147 [b3696] SS: *ama* (Edwards), 1861; *Plebejus* (*Lycaeides*) [Type: FMNH-st] [TypeL - California.] [Refs - b0908; b2747; b3328; b3192; b1321]
- c *cajus* (Fabricius), 1793, 1792-1799; *Hesperia* OD: *Ent. syst.* 3(1):296 [b1657] SS: *lajus* (Stoll), [1780]; *Chilades* [Type: ZMC-ht] [TypeL - India orientali].] [Note - If *lajus* is a homonym, this name is the one to use.] [Refs - b2747; b0995 (as *caius*); b2794; b5076]
- b *cakravarti* (Fruhstorfer), 1909; *Camena* OD: *Ent. Zeit.* 23(25):116 [b1838] SS: *ctesia* (Hewitson), [1865]; *Ancema* [TypeL - Polisha, Formosa.] [Note - Probably the same as *cakravasti*.] [Refs - b1838]
- b *cakravasti* (Fruhstorfer), 1909; *Camena* OD: *Ent. Zeit.* 23(8):40 [b1836] SS: *ctesia* (Hewitson), [1865]; *Ancema* [TypeL - Chip-Chip, Formosa.] [Note - Probably the same as *cakravarti*.] [Refs - b4198 (also lists misspelling); b2479; b1838; b4094 (also as *cakravarti*); b0236; b5053; b1850; b1454 (as *cakravastri*); b1836]
- e *cakravastri* d'Abrebra, 1986, (ISS); *Ancema* OD: *Butts Oriental Region*, Pt 3 :611 [b1454] SS: *cakravasti* (Fruhstorfer), 1909; *Ancema* [Refs - b1454]
- e *ab. cala* (Strand), 1920; *Lycaena* OD: *Arch. Naturgesch.* (A)85(4):18 [b4523] SS: *semiargus* (Rottemburg), 1775; *Polyommatus* (*Cyaniris*) [TypeL - Germany.] [Note - Not spelled *cola*.] [Refs - b0236; b4523; b0471 (as *cola*)]
- c *calabrica* (Turau), 1911; *Lycaena* OD: *Soc. ent.* 25(21):84 [b4743] SS: *argus* (Linnaeus), 1758; *Plebejus* [TypeL - Italy.] [Refs - b0236; b4743; b0471]
- e *calabrica* (Verity), 1919, 1919-1922, (RA); *Plebeius* OD: *Ent. Rec.* 31:45 [b4840] SS: *argus* (Linnaeus), 1758; *Plebejus* [Type: MZS-st] [Refs - b2856]
- e *calabricola* (Verity), 1921, 1919-1922, (RA); *Plebeius* OD: *Ent. Rec.* 33:175 [b4840] SS: *insularis* (Leech), [1893]; *Plebejus* [Type: MZS-st] [Refs - b2856; b3328; b0236; b4425; b0471]
- e *calabricus* Verity, 1914, (RA); *Lycaena* OD: *Boll. Soc. ent. ital.* 45:229, pl 1, f 43 [b4836] SS: *alciphron* (Rottemburg), 1775; *Lycaena* (*Alciphronia*) [Refs - b0236]
- e *calabrus* (Verity), 1914, (IFS); *Chrysophanus* OD: *Boll. Soc. ent. ital.* 45:229 [b4836] SS: *gordius* (Sulzer), 1776; *Lycaena* (*Alciphronia*) [Type: MZS-st] [Refs - b2856; b0471]
- c *calaethys* Jemyns, 1827; *Polyommatus* OD: *Vademecum* :169 [b2578] SS: *coridon* (Poda von Neuhaus), 1761; *Polyommatus* (*Lysandra*) [Refs - b2747]
- e *calagatis* Kirby, 1877, (ISS); *Charis* OD: *Syn. Cat. dium. Lep., Suppl.* :759 [b2753] SS: *calagutis* Hewitson, [1871]; *Charis* [Refs - b2753]
- a *calagutis* Hewitson, [1871], 1852-1877; *Charis* OD: Ill. exot. Butis 4:[79], pl [46], f 11,12 [b2323] [Type: BMNH-ht] [TypeL - La Chima, Ecuador.] [Refs - b4474; b2753 (as *calagatis*); b2323; b1456]
- a *calamisa* Hewitson, [1854], 1852-1877; *Calydna* OD: Ill. exot. Butis 1: [—], pl [49], f 3,4 [b2323] [TypeL - Amazon.] [Refs - b2988; b2747; b4474; b1453; b1456]
- a *calanus* (Hübner), [1809], 1806-1838; *Rusticus* OD: *Samml. exot. Schmetz.* 1:pl [100] [b2482] CG: *Satyrium* [LifeH - Tietz lists b0415, b5004, b3934, b3176, b1582, b1695, b0470, b0902, b1792, b2429, b3119, b3244, b3532, b4088, b4089, b4090, b0054.] [Refs - b0908; b1321; b0851; b2747; b1944; b1718; b3192; b3512; b2417; b0493; b1743; b4237; b5015; b1321; b4690 (*); b2631; b2260; b4066; b4652]
- b *calata* (Fruhstorfer), 1910; *Cyaniris* OD: *Stett. ent. Ztg.* 71(2):286 [b1843] SS: *placidula* (H. H. Druce), 1895; *Udara* (*Udara*) [Type: BMNH-lt; designated by Eliot & Kawazoé, 1983] [*Butts Lycaenopsis* group :96 [b1580]] [TypeL - Flores.] [Refs - b1840; b1580; b4592]
- a *calatia* Hewitson, [1873], 1863-1878; *Thecla* OD: Ill. dium. Lep. *Lycaenidae* 1:148; 2:pl 58, f 375 [b2326] CG: *Thecla* (New World *Eumaeini*) [Type: BMNH] [TypeL - Chontales, Nicaragua.] [Refs - b0908; b2753; b1975]
- c *calaureia* Fruhstorfer, 1914; *Arhopala* OD: *Deut. ent. Zeit.* [Iris] 27(4):157 [b1853] SS: *antheilus* Staudinger, [1888]; *Arhopala* n [TypeL - Misol.] [Refs - b1644; b1450; b1853; b4094]
- a *calaura* (C. Felder), 1860; *Lycaena* OD: *Sber. Akad. Wiss. Wien* 40(11):457 [b1676] CG: *Nacaduba* [Type: BMNH-ht] [TypeL - Amboina.] [Refs - b4676; b0964; b1450; b0965; b1454; b2385; b0694; b2387; b2388]
- e *calcas* (McDunnough), 1938, (ISS); *Plebeius* OD: *Mem. Sth. Calif. Acad. Sci.* 1:27 [b3134] SS: *calchas* (Behr), 1867; *Plebejus* (*Icaricia*) [Refs - b0908; b1713; b3192; b1321]
- c *calchas* (Behr), 1867; *Lycaena* OD: *Proc. Calif. Acad. Sci.* 3(4):281 [b0283] SS: *shasta* (Edwards), 1862; *Plebejus* (*Icaricia*) [Type: destroyed] [TypeL - Mono Lake, California.] [Refs - b0908; b1713; b2747; b3192; b1321]
- a *calchinia* (Hewitson), 1868; *Thecla* OD: *Descr. new Spec. Lycaenidae* :21 [b2327] CG: *Terra* [Type: BMNH-st] [TypeL - Amazons.] [Refs - b0908; b2747; b1375; b2593; b2632; b0125]
- b *calculis* H. H. Druce, 1895; *Pratapa* OD: *Proc. zool. Soc. Lond.* 1895(3):598, pl 33, f 6,7 [b1362] SS: *icetoides* (Elwes), [1893]; *Pratapa* [Type: ZMHU-lt; designated by Takanami, 1989] [*Tyô to Ga* 40(1):31 [b4602]] [TypeL - Mt. Kinabalu, N. E. Borneo.] [Refs - b0964; b0965; b2201; b1850; b1362; b1454; b3985; b4094; b4602; b4108]
- a *calderon* Kheil, 1884; *Deudorix* OD: *Rhop. Nias* :33, pl 4, f 25 [b2725] [TypeL - Nias.] [Refs - b4094]
- a *caledoni* Tite & Dickson, 1973; *Aloeides* OD: *Bull. Br. Mus. nat. Hist. (Ent.)* 29(5):271 [b4685] [Type: BMNH-ht; Rh. #17247] [TypeL - South of Caledon, Shaw's Mountain, Cape Province, South Africa.] [Refs - b1259; b0104; b1452; b4685]
- b *caledonica* (C. Felder), 1862; *Lycaena* OD: *Verh. zool.-bot. Ges. Wien* 12:495 [b1677] SS: *panormus* (C. Felder), 1860; *Catochrysops* [TypeL - New Caledonia.] [Refs - b1450; b2747; b4094; b4670; b4871 (with *strabon*)]
- d *caledonica* (Felder & Felder), 1865, 1865-1875, (H); *Lycaena* OD: *Reise Novara* (2):267, pl 33, f 2 [b1692] OS: *baladensis* (Holloway & Peters), 1976; *Nothodanis* [TypeL - New Caledonia.] [Refs - b1450; b2078; b2747; b0108; b4871; b1382]

- c **calena** (Hewitson), [1877], 1863-1878; *Thecla* OD: Ill. diurn. Lep. Lycaenidae 1:187; 2:pl 74, f 581,582 [b2326] SS: *denarius* (Butler & H. Druce), 1872; *Pendantus* [Type: BMNH] [TypeL - Chontales, Nicaragua.] [Refs - b0908; b2753; b1975; b2628]
- a **calesia** (Hewitson), 1870, 1869-1877; *Thecla* OD: Equatorial Lep. Buckley (4):67 [b2330] CG: *Lamasa* [Type: BMNH-lt; designated by Johnson, 1992] [Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (22):184 [b2611]] [TypeL - Curaray, Ecuador.] [Type of - *Lamasa*] [Refs - b0908; b2747; b0125; b2611]
- a **caleta** (Hewitson), [1876], 1852-1877; *Lycaena* OD: Ill. exot. Butts 5:[87], pl [46], f 1 [b2323] CG: *Caleta* [TypeL - Celebes.] [Type of - *Caleta*] [Refs - b2280; b1636; b1840; b2753; b1454; b2390; b2388]
- b **caletoides** (Riley), [1945]; *Castalius* OD: Trans. R. ent. Soc. Lond. 94(2):255 [b3782] SS: *elna* (Hewitson), [1876]; *Caleta* [Type: BMNH-ht] [TypeL - Sipora.] [Refs - b3782]
- c **caletor** (Dalman), 1823; *Papilio* OD: *Analecta ent.* :44 [b1093] SS: *zygia* Hübner, [1807]; *Lemonias* [Refs - b2747; b4475]
- a **calice** (Hopffer), 1855; *Lycaena* OD: Ber. Verh. Akad. Berl. 1855:642 [b2443] CG: *Tuxentius* [TypeL - Africa.] [Refs - b1943; b1259; b2747; b1452; b2898; b4400; b3609; b1235; b0162]
- b **calicene** (Hewitson), [1866], 1852-1877; *Charis* OD: Ill. exot. Butts 3:[--], pl [57], f 4,5 [b2323] SS: *epijessa* (Pritwitz), 1865; *Chalodeta* [TypeL - Minas Geraes, Brazil.] [Refs - b2747; b4474]
- a **calida** (Bellier de la Chavignerie), 1862; *Lycaena* OD: *Annl. Soc. ent. Fr.* (4)2:615, pl 14, f 6 [b0290] CG: *Plebejus* (*Aricia*) [TypeL - Corsica.] [Refs - b3901; b2747; b0995; b2905 (as ssp of *agestis*); b3547 (as ssp of *agestis*); b0236; b0410; b0270; b4092]
- e **calidogenita** (Verity), 1919, 1919-1922, (IFS); *Lycaenopsis* OD: *Ent. Rec.* 31:46 [b4840] SS: *argiolus* (Linnaeus), 1758; *Celastrina* [Type: MZS-st] [TypeL - Southern Europe.] [Refs - b3059; b2856; b1580; b0236; b0400; b0471]
- b **calidogenita** Manley & Allcard, 1970; *Celastrina* OD: *Butts Spain* :83,151 [b3059] SS: *argiolus* (Linnaeus), 1758; *Celastrina* [TypeL - N. Spain.] [Refs - b2856; b3059]
- a **californica** (Edwards), 1862; *Thecla* OD: *Proc. Acad. nat. Sci. Philad.* 14:223 [b1490] CG: *Satyrium* [Type: CM-nt; designated by Opler, 1970] [In *Trans. amer. ent. Soc.* 96(1):43 [b3511]] [TypeL - Capell Creek, 9 miles NNE of Napa, Napa County, California.] [LifeH - Tietz lists b1438, b0882.] [Refs - b0908; b4245; b0851; b2747; b0552; b3192; b1743; b1321; b2631; b4066; b4652]
- b **californica** McAlpine, [1971]; *Calephelis* OD: *J. Res. Lep.* 10(1):34 f [b3127] SS: *nemesis* (Edwards), [1871]; *Calephelis* [Type: LACM-ht] [TypeL - California.] [Refs - b3192; b3127]
- a **caligata** (Stichel), 1911; *Polystichus* OD: *Gen. Insectorum* 112(B):325 [b4447] CG: *Calospila* [Type: ZMHU-ht] [TypeL - Rio San Juan, Colombia.] [Refs - b4475; b1456; b4446]
- a **caliginea** (Butler), [1867]; *Anatole* OD: *J. linn. Soc. Lond., Zool.* 9:226, pl 7, f 16 [b0586] CG: *Lemonias* [Type: BMNH-ht] [TypeL - Mexico.] [Refs - b2747; b0674; b4475 (in *Apodemia*); b1456]
- b **caliginosa** H. H. Druce, 1891; *Prosotas* OD: *Proc. zool. Soc. Lond.* 1891(3):366, pl 31, f 15 [b1358] SS: *nora* (C. Felder), 1860; *Prosotas* [Type: BMNH-ht] [TypeL - Alu Island.] [Type of - *Prosotas*] [Refs - b4676; b1450; b2280; b1358; b4094; b2388]
- a **caliginosa** (Lathy), 1903; *Virachola* OD: *Trans. ent. Soc. Lond.* 51(2):197, pl 8, f 7 [b2912] CG: *Deudorix* (*Virachola*) [Type: BMNH-ht] [TypeL - Nigeria.] [Refs - b1452; b4400; b1942]
- b **caligosus** Stichel, 1929; *Rhetus* OD: *Mon. zool. Mus. Berl.* 15:17 [b4470] SS: *dysonii* (Saunders), [1850]; *Rhetus* [TypeL - Colombia.] [Refs - b4474; b4470]
- a **calisto** (Westwood), [1852], 1846-1852; *Anthene* OD: *In Gen. diurn. Lep.* (2):487, pl 75, f 6 [b4981] CG: *Iolaus* (*Iolaphilus*) [TypeL - Sierra Leone.] [Refs - b2747; b1452; b0836; b4400]
- a **calisto** Johnson & Adams, 1993; *Lamasa* OD: *Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point)* (25):2, pl 2, f 2B; f 1C [b2620] [Type: BMNH-ht] [TypeL - Upper Tombachucua Valley, Sierra Nevada de Santa Marta, Colombia.] [Refs - b2620]
- c **calitas** Hewitson, [1854], 1852-1877; *Calydna* OD: Ill. exot. Butts 1:[--], pl [49], f 7 [b2323] SS: *hiria* (Godart), [1824]; *Calydna* [TypeL - Amazonas, Brazil.] [Refs - b2747; b4475; b2747; b4474]
- a **calitra** Hewitson, 1869, 1869-1877; *Cremna* OD: *Equatorial Lep. Buckley* (3):45 [b2330] [TypeL - Ecuador.] [Refs - b2747; b1456]
- e **calixena** (Kirby), 1871, (ISS); *Comptosia* OD: *Syn. Cat. diurn. Lep.* :306 [b2747] SS: *calixena* (Hewitson), 1870; *Ithomiola* [Refs - b2747; b2753]
- b **callaina** Clench, [1972]; *Lasaia* OD: *J. Res. Lep.* 10(2):173, f 6,28,29,34,35 [b0846] SS: *agesilas* (Latreille), [1813]; *Lasaia* [Type: CM-ht] [TypeL - San Luis Potosí, Mexico.] [Refs - b0528; b0846]
- a **callanga** (Dyar), 1913; *Lycaena* OD: *Proc. U. S. natn. Mus.* 45:638 [b1443] CG: *Leptotes* [Type: USNM-ht] [TypeL - San Miguel or Urubamba, Peru.] [Note - *Closely related to webbianus* Brullé.] [Refs - b0908; b0836; b0833]
- c **callao** (H. H. Druce), 1907; *Thecla* OD: *Proc. zool. Soc. Lond.* 1907(3):611, pl 36, f 11 [b1375] SS: *joya* (Dognin), 1895; *Electrostrymon* [Type: BMNH] [TypeL - Callao, Peru.] [Refs - b0908; b1375]
- b **callarge** (Staudinger), 1901; *Lycaena* OD: *Cat. Lep. Palae. Faun.* (3rd ed) :78 [b4347] SS: *argyrognomon* (Bergsträsser), [1779]; *Plebejus* (*Lycaeides*) [Note - *Described as ab., so not available as of this date and author.*] [Refs - b2479; b4347; b4092]
- b **callias** (Felder & Felder), 1862; *Erycina* OD: *Wien. ent. Monats.* 6(3):71 [b1687] SS: *etias* (Saunders), [1859]; *Ancyluris* [TypeL - Rio Negro.] [Refs - b2747; b4474]
- e **callias** Seitz, [1926], 1912-1927, (ISS); *Deudorix* OD: *In Seitz, Grossschmett. Erde* 9:pl 161d [b4094] SS: *kallias* Fruhstorfer, 1908; *Deudorix* [Refs - b4094]
- c **callides** (Dyar), 1914; *Thecla* OD: *Proc. U. S. natn. Mus.* 47:151 [b1444] SS: *autoclea* (Hewitson), [1877]; *Angulopsis* [Type: USNM-ht; #15760] [TypeL - La Chorrera or Trinidad River, Panamá.] [Refs - b0908; b2627]
- a **calligramma** (Bates), [1868]; *Eurygona* OD: *J. linn. Soc. Lond., Zool.* 9:375 [b0267] CG: *Euselasia* [TypeL - Ega.] [Refs - b2747; b4474; b1456]
- c f. **calligramma** (Rebillard), 1958; *Charis* OD: *Mém. Mus. natn. Hist. nat.* (A)15:189, pl 4, f 19 [b3717] SS: *theodora* (Felder & Felder), 1862; *Chalodeta* [Type: MNHN-ht] [TypeL - Rio Grande do Sul, Brazil.] [Refs - b3717; b0093]
- a **calligrapha** Hewitson, [1867], 1852-1877; *Symmachia* OD: Ill. exot. Butts 4:[--], pl [45], f 3 [b2323] [Type: BMNH-ht] [TypeL - Amazon.] [Refs - b2747; b4474; b1456]
- a **callilegua** Johnson & Sourakov, 1993; *Serratofalca* OD: *Tropical Lepidoptera* 4(2):111, f 4,10,15 [b2643] [Type: AMNH-ht] [TypeL - Parqu Nacional Calilegua, Dept. Ledesma, Jujuy Province, Argentina.] [Refs - b2643]

- a **callimachus** (Eversmann), 1848; *Lycæna* OD: Bull. Soc. imp. Nat. Moscou 21(2):208 [b1649] CG: Tomares [TypeL - Russia mer.; Persia.] [Refs - b2988; b2747; b0996; b2827; b3370; b2794; b3366; b0694; b2859; b4092; b1455]
- a **callinara** Butler, 1886; *Tarucus* OD: Ann. Mag. nat. Hist. (5)18:185 [b0634] [TypeL - Burma.] [Refs - b1636; b0995; b1840; b1642; b1454; b0694; b2388]
- b **callinicus** (Röber), [1886]; *Plebejus* OD: CorrespBl. ent. Ver. Iris 1(3):58, pl 4, f 15 [b3820] SS: philatus (Snellen), 1878; *Jamides* [TypeL - Ceram.] [Refs - b1865; b4094]
- a **callope** (Linnaeus), 1758; *Papilio* OD: Syst. nat. (ed. 10) 1:466 [b2993] CG: *Stalactis* [TypeL - Habitat in Indiis*, but probably Guiana or Amazon.] [Refs - b2988; b2747; b4476; b1453; b4950; b0569; b2753; b1456]
- e **callopea** Le Moul, 1940, 1939-1940, (IFS); *Helicopsis* OD: Novit. ent. (17):130 [b2943] SS: *cupido* (Linnaeus), 1758; *Helicopsis* [Type: AME-ht] [Refs - b3199]
- e **callopidis** (Verity), 1919, 1919-1922, (RA); *Plebeius* OD: Ent. Rec. 31:46 [b4840] SS: *idas* (Linnaeus), 1761; *Plebejus* (*Lycæides*) [Refs - b2856; b0236; b4425; b0410; b0471]
- b **callopidis** (Beuret), 1961; *Lycæides* OD: Lyc. Schweiz. III :303-304 [b0410] SS: *argyrognomon* (Bergsträsser), [1779]; *Plebejus* (*Lycæides*) [Refs - b2856; b0410]
- b **callopiis** Boisduval, [1832], 1832-1834; *Plebejus* OD: Icon. Hist. Lépid. Europe 1:58, pl 15, f 4,5 [b0458] SS: *idas* (Linnaeus), 1761; *Plebejus* (*Lycæides*) [Refs - b2375; b2747; b0236 (as *callopiis*); b4425; b0410; b2859; ns3058; b4092]
- b **callopiis** (Rebillard), 1958; *Mesosemia* OD: Mém. Mus. nat. Hist. nat. (A)15:164 [b3717] SS: *phelina* (Felder & Felder), 1862; *Teratophthalma* [Type: MNHN-ht] [TypeL - French Guiana.] [Refs - b3717; b0093]
- a **calliphon** Grose-Smith, 1894; *Hypochrysops* OD: Novit. zool. 1:548 [b2037] [Type: BMNH-ht] [TypeL - Humboldt Bay, New Guinea.] [Refs - b1450; b2078; b3926]
- a **callirrhoe** Goodson, 1945; *Thecla* OD: Entomologist 78:185 [b1998] CG: *Thecla* (New World *Eumaeini*) [Type: BMNH] [Refs - b0908]
- a **calliste** Hewitson, [1867], 1852-1877; *Symphachia* OD: Ill. exot. Butts 4:[-], pl [45], f 9 [b2323] [Type: BMNH-ht] [TypeL - Para.] [Refs - b2747; b4474; b1456]
- a **callistes** (Röber), [1886]; *Plebeius* OD: CorrespBl. ent. Ver. Iris 1(3):55, pl 4, f 13 [b3820] CG: *Jamides* [Type: SMT-ht; designated by Takanami, 1989] [Tyô to Ga 40(1):49 [b4602]] [TypeL - Luzon, Philippines.] [Refs - b2176; b4094; b2388]
- a **callixena** (Hewitson), 1870; *Comptosia* OD: Trans. ent. Soc. Lond. 18(2):162 [b2333] CG: *Ithomiola* [TypeL - Ecuador.] [Note - Not spelled *calixena*.] [Refs - b4474; b2988; b2747 (as *calixena*); b2333; b1453; b2753 (as *calixena*); b1456]
- b **callone** Fruhstorfer, 1915; *Catapacilma* OD: Z. wiss. Insektbiol. 11(7/8):221 [b1861] SS: *major* H. H. Druce, 1895; *Catapacilma* [TypeL - Süd-Indien.] [Refs - b1454; b1861; b0694]
- c **calmuca** (Grum-Grshimailo), 1891; *Lycæna* OD: Horae Soc. ent. ross. 25:450 [b2068] SS: *nausithous* (Bergsträsser), [1779]; *Maculinea* [Refs - b0993; b4092 (as *calmuca*); b2068 (with *argus*)]
- c **calon** (Fruhstorfer), 1910; *Cyaniris* OD: Stett. ent. Ztg. 71(2):283 [b1843] SS: *akasa* (Horsfield), [1828]; *Udara* (*Udara*) [Type: BMNH-ht; designated by Eliot & Kawazoe, 1983] [Butts *Lycæenopsis* group :110 [b1580]] [TypeL - Sumbawa.] [Refs - b1840; b1580]
- a **calor** (H. H. Druce), 1907; *Thecla* OD: Proc. zool. Soc. Lond. 1907(3):163 [b1375] CG: *Mercedes* [Type: BMNH-ht; designated by Johnson, 1991] [Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (21):36 [b2606]] [TypeL - Chapada, Mato Grosso, Brazil.] [Refs - b0908; b1375; b0125; b2606]
- a **calpharnia** (Saunders), [1850]; *Erycina* OD: Trans. ent. Soc. Lond. (1)5(9):221, pl 20, f 7,7a [b3938] CG: *Rodinia* [TypeL - Amazon.] [Type of - *Euerycina*, *Rodinia*] [Note - Also seen as *calphurnia* and *calphania*.] [Refs - b2280 (as *calphurnia*); b2988; b2747; b4475; b3938; b2881; b1456]
- e **calphurnia** (Kirby), 1871, (LSS); *Euerycina* OD: Syn. Cat. dium. Lep. :330 [b2747] SS: *calpharnia* (Saunders), [1850]; *Rodinia* [Refs - b2280; b2881; b2747]
- a **calpurnia** Henning & Henning, 1988; *Capys* OD: Durban Mus. Novit. 14(6):116, f [b2286] [Type: DM-ht] [TypeL - Mount Nyiro, Kenya.] [Refs - b2286]
- a **caltha** (H. H. Druce), 1907; *Thecla* OD: Proc. zool. Soc. Lond. 1907(3):591, pl 34, f 19 [b1375] CG: *Thereus* (?) [Type: pc; Druce collection.] [TypeL - Santarem, Amazonas, Brazil.] [Note - Placed in *Thereus* because Druce compared it with *stagma* in the original description, and suggested the two were cogenetic.] [Refs - b0908; b1375]
- a **calus** (Godart), [1824], 1819-1824; *Polyommatus* OD: In Ency. méth. 9(Ins.)(2):640 [b1970] CG: *Argentostriatus* [Type: lost] [TypeL - America.] [Note - Johnson gives the original genus as *Thecla*.] [Refs - b0908; b2747; b3818; b1975; b0125; b2615; b2606]
- b **calvinia** Riley, 1954; *Thestor* OD: Entomologist 87:101 [b3783] SS: *dicksoni* Riley, 1954; *Thestor* [TypeL - Cape Province, S. Africa.] [Refs - b1259; b1452; b4400]
- a **calvus** (Staudinger), [1887], 1884-1888; *Lemonias* OD: In Exot. Schmett. 1:259; 2-pl 92 [b4329] CG: *Roerberella* [TypeL - Chanchamayo.] [Type of - *Calvus*, *Drepanula*, *Roerberella*] [Refs - b2988; b2280; b4475; b1456]
- a **calyce** Hewitson, [1859], 1852-1877; *Calydna* OD: Ill. exot. Butts 2:[-], pl [47], f 18 [b2323] [TypeL - Amazon.] [Refs - b2988; b2747; b4475; b1456]
- a **calyce** (Felder & Felder), 1861; *Nymphidium* OD: Wien. ent. Monats. 5(3):72 [b1684] CG: *Synargis* [TypeL - America mer.] [Refs - b2988; b2747; b4475; b2221; b1140; b1456]
- b **calycoides** Fruhstorfer, 1897; *Stiboges* OD: Ent. Nachr. 23(4):62 [b1807] SS: *nymphidia* Butler, 1876; *Stiboges* [TypeL - Java.] [Refs - b4474; b1454; b1840]
- a **calycopinotis** Johnson & Kroenlein, 1993; *Angulopsis* OD: Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (33):27, f [b2627] [Type: BMNH-ht] [TypeL - Cerro de Pasco, Huancabamba, Peru.] [Refs - b2627]
- e **calydonius** (Wheeler), 1903; *Lysandra* OD: Butts Switzerland :31 [b4991] SS: *conidon* (Poda von Neuhaus), 1761; *Polyommatus* (*Lysandra*) [Refs - b4092]
- a **calypso** Bates, [1868]; *Mesosemia* OD: J. linn. Soc. Lond., Zool. 9:374 [b0267] [TypeL - Ega.] [Refs - b2747; b4474]
- e **calypso** Le Moul, 1940, 1939-1940, (IFS); *Helicopsis* OD: Novit. ent. (17):130 [b2943] SS: *cupido* (Linnaeus), 1758; *Helicopsis* [Type: AME-ht] [Refs - b3199]
- c **calyptra** Fruhstorfer, 1916; *Chilades* OD: Zool. Meded. 2(2):91 [b1871] SS: *athena* (Felder & Felder), 1865; *Chilades* [TypeL - Palawan, Philippines.] [Refs - b4094; b4363; b1871]
- b **camarines** Takanami, 1990; *Jamides* OD: Tyô to Ga 41(2):70, f [b4605] SS: *alsietus* (Fruhstorfer), 1915; *Jamides* [Type: pc-ht; collection of Takanami.] [TypeL - Philippines.] [Refs - b0124]

- a **cambes** (Godman & Salvin), [1887], 1879-1901; *Thecla* OD: Biol. centr.-amer., Lep. Rhop. 2:53; 3-pl 54, f 16-18 [b1975] CG: Noreena [Type: BMNH-ht] [TypeL - Cordova, Mexico.] [Refs - b0908; b1975; b2588; b2593; b2597; b3817]
- b **cambol** (de Sagarra y Castellamau), 1926; *Strymon* OD: Bull. Inst. catal. Hist. nat. (2)6:135 [b1179] SS: esculi (Hübner), [1819]; *Satyrium* [TypeL - Spain.] [Refs - b3059; b2985]
- a **camdana** Corbet, 1941; *Arhopala* OD: Proc. R. ent. Soc. Lond. (B)10(9):152, f 9 [b0956] CG: *Arhopala* a [Type: BMNH-ht] [TypeL - Malay Peninsula.] [Refs - b1644; b0956; b1454]
- a **camdeo** Moore, [1858]; *Arhopala* OD: In Cat. Lep. Ins. E. India Co. (1):41, pl 1a, f 6 [b3219] CG: *Arhopala* a [Type: BMNH-ht] [TypeL - N. India.] [Refs - b1644; b2747; b1454; b4094]
- a **camenae** (de Nicéville), 1895; *Cyaniris* OD: J. Bombay nat. Hist. Soc. 9(3):278, pl O, f 22 [b1159] CG: Udara (Udara) [Type: ZSI-ht] [TypeL - Sumatra.] [Refs - b0964; b0965; b1840; b1580; b2200]
- a **cameria** (de Nicéville), 1898; *Camena* OD: J. Bombay nat. Hist. Soc. 12(1):148, pl Z, f 26 [b1165] CG: Pratapa [TypeL - Celebes.] [Refs - b1850; b1454 (as ssp of icetoides); b4094; b4104]
- a **camerona** (Plösz), 1880; *Sithon* OD: Stett. ent. Ztg 41:201 [b3622] CG: *Deudorix* (*Pilodeudorix*) [TypeL - Cameroons.] [Refs - b1943; b1452; b0836; b4400; b1661]
- c **cameroona** Bethune-Baker, 1926; *Liptena* OD: Ann. Mag. nat. Hist. (9)17:389 [b0362] SS: leucostola (Holland), 1890; *Liptena* [TypeL - Kameruns.] [Refs - b0105; b4400]
- a **cameroonensis** Jackson, 1969; *Telipna* OD: Bull. Br. Mus. nat. Hist. (Ent.) 23(1):11 [b2568] [TypeL - Mamfe, Cameroons.] [Refs - b1452]
- b **cameroonica** Stempffer & Bennett, 1963; *Falcuna* OD: Bull. Br. Mus. nat. Hist. (Ent.) 13(6):176, f [b4421] SS: libyssa (Hewitson), [1866]; *Falcuna* [Type: BMNH-ht] [TypeL - Cameroons.] [Refs - b1452; b4421; b4400]
- a **camerunensis** Stempffer, 1964; *Ornipholidotos* OD: Bull. Inst. franç. Afr. Noire 26(A):1227 [b4397] [TypeL - Cameroon.] [Refs - b1452; b4400]
- a **camerunica** Stempffer & Bennett, 1961; *Pentila* OD: Bull. Inst. franç. Afr. Noire 23(A):1196, f 131-133 [b4420] [Type: BMNH-ht] [TypeL - Mamfe, Cameroun.] [Refs - b1452; b4420; b4400]
- a **camerunica** Stempffer, 1969; *Aslauga* OD: Bull. Inst. fond. Afr. Noire 31(A):88, f [b4403] [TypeL - Mamfé, Cameroons.] [Refs - b1452]
- a **camerunica** d'Abrera, 1980; *Lachnocnema* OD: Butus Afrotropical Region :471, f [b1452] [Type: BMNH-ht] [TypeL - Cameroon Republic.] [Refs - b0113; b1452]
- c **comes** (Fruhstorfer), 1914; *Arhopala* OD: Deut. ent. Zeit. [Iris] 28(2):127 [b1859] SS: apidanus (Cramer), [1777]; *Flos* [Type: BMNH-ht] [TypeL - Java.] [Refs - b1644; b1859; b4094]
- b **camiguina** Semper, 1890, 1886-1892; *Horaga* OD: In Semper, Reisen Philipp. (2)(5):216 [b4110] SS: syrinx (C. Felder), 1860; *Horaga* [TypeL - Mindanao, Philippines.] [Refs - b1012; b2078; b2201; b1454; b4094; b3488; b3493]
- c **camillus** (Stoll), [1780], 1780-1790; *Papilio* OD: In Cramer, Uitl. Kapellen 4(25):20, pl 300, f A,B [b4478] SS: isis (Drury), [1773]; *Azanus* [Refs - b2747; b4400]
- a **camissa** Hewitson, 1870, 1869-1877; *Thecla* OD: Equatorial Lep. Buckley (4):66 [b2330] CG: *Thecla* (New World Eumaeini) [Type: BMNH] [TypeL - Sarayaco, Ecuador.] [Refs - b0908; b2330; b1975]
- a **camissa** (Hewitson), 1870, 1869-1877; *Lucilla* OD: Equatorial Lep. Buckley (4):55 [b2330] CG: *Lucillella* [TypeL - Ecuador.] [Type of - *Lucilla*, *Lucillella*] [Refs - b0908; b2280; b2747; b4474; b1456]
- b **camotana** Fruhstorfer, [1912]; *Hypolycaena* OD: Berl. ent. Z. 56(3/4):271 [b1850] SS: thecloides (Felder & Felder), 1860; *Hypolycaena* [Type: pc; collection of Semper.] [TypeL - Camotes, Philippines.] [Refs - b1850]
- b **camotina** Fruhstorfer, 1908; *Curetis* OD: Stett. ent. Ztg 69:52 [b1835] SS: insularis (Horsfield), [1829]; *Curetis* [TypeL - Camotes Islands.] [Refs - b4094; b1835]
- a **campa** Jones, 1912; *Thecla* OD: Proc. zool. Soc. Lond. 1912(4):901, pl 97, f 14 [b2663] CG: *Thecla* (New World Eumaeini) [Type: BMNH.] [TypeL - Castro, Paraná, Brazil] [Refs - b0908]
- c **campanulata** Butler, 1884; *Jamides* OD: Ann. Mag. nat. Hist. (5)13:346 [b0630] SS: candrena (Herrich-Schäffer), 1869; *Jamides* [TypeL - Fiji.] [Refs - b1450; b4094 (Sm., Novit. Zool. 1:574)]
- a **campbelli** Johnson & Salazar E., 1993; *Strymon* OD: Rep. Mus. Nat. Univ. Wis. (Stevens Point) (26):3, pl 2, f 3C; f 1C [b2641] [Type: BMNH-ht] [TypeL - Bogota, Colombia.] [Refs - b2641; b2629]
- a **campestris** (Bates), [1868]; *Lemonias* OD: J. linn. Soc. Lond., Zool. 9:397 [b0267] CG: *Audre* [TypeL - Tapajos.] [Refs - b2747; b4475; b2221; b1456]
- c **campicola** (Seitz), [1917], 1910-1924; *Anatole* OD: In Seitz, Grossschmett. Erde 5:716, pl 140e [b4093] SS: modesta (Mengel), 1902; *Lemonias* [TypeL - Corrientes, Brazil.] [Refs - b4475; b2221; b4093]
- a **campinus** (Holland), 1890; *Larinopoda* OD: Psyche 5:427 [b2423] CG: *Falcuna* [TypeL - Upper Ogove River, Gaboon.] [Refs - b1452; b0836; b4400]
- c **camporrealis** (Gómez Bustillo), 1972; *Plebejus* OD: Boln R. Soc. esp. Hist. nat. 70(1-2):80, f [b1984] SS: albicans (Gerhard), 1851; *Polyommatus* (*Lysandra*) [TypeL - Madrid Province, Spain.] [Refs - b0113; b4038]
- a **camurius** Murayama, 1986; *Teratozephyrus* OD: Entomotaxonomia 8(1/2):61 [b3302] [Type: pc-ht; collection of Kamuri.] [TypeL - Paro-Jerira, Bhutan.] [Refs - b3302]
- b **cana** Talbot, 1935; *Leptomyrina* OD: Ent. mon. Mag. 71:121 [b4623] SS: lara (Linnaeus), 1764; *Leptomyrina* (*Gonatomyrina*) [TypeL - Tropical Africa.] [Refs - b4400; b1452 (with gorgias); b4623]
- e **ab. cana** (Storace), 1943; *Meleageria* OD: Memorie Soc. ent. ital. 22:85 [b4482] SS: meleager (Esper), [1778]; *Polyommatus* (*Meleageria*) [TypeL - Italy.] [Refs - b0081]
- a **cana** (Hayward), 1949; *Thecla* OD: Acta zool. lilloana 8:571, pl. f 7 [b2217] CG: *Terra* [Type: FMLT-ht] [TypeL - Villa Nogués, Tucumán, Argentina.] [Refs - b0908; b2218; b2632]
- a **canacha** Hewitson, [1877], 1863-1878; *Thecla* OD: Ill. diurn. Lep. Lycaenidae 1:187; 2-pl 74, f 583,584 [b2326] CG: *Thecla* (New World Eumaeini) [Type: BMNH] [TypeL - Venezuela.] [Refs - b0908; b2988; b2753]
- a **canachus** (Fruhstorfer), [1912]; *Camena* OD: Berl. ent. Z. 56(3/4):271 [b1850] CG: *Dacalana* [Type: SMF-ht; designated by Schröder & Treadaway, 1989] [Ent. Zeit. 99(15):217 [b3988]] [TypeL - Sulu Island.] [Note - Described as a subspecies of *anyasis*.] [Refs - b1850; b3988]
- c **canaraica** (Moore), 1884; *Satadra* OD: J. asiat. Soc. Bengal, Pt II 53(1):39 [b3236] SS: alea (Hewitson), 1862; *Arhopala* f [Type: BMNH-ht] [TypeL - N. Kanara.] [Refs - b1644; b4094]
- b **canaraica** Toxopeus, 1927; *Nacaduba* OD: *Treubia* 9(4):424 [b4696] SS: kurava (Moore), [1858]; *Nacaduba* [TypeL - Karwar.] [Refs - b4676; b1454; b0694]

- a **canariensis** (Blachier), 1889; *Aricia* OD: *Annl. Soc. ent. Fr.* (69-58:258, pl 4, f 7,8 [b0432]) CG: *Plebejus* (*Aricia*) [TypeL - Puerto de Orotava, Ténériffe.] [Refs - b3059; b1752; b3059 (=cramera Verity, nec Esch.); b1760; b0995; b0076; b2794 (=cramera Esch.); b0471]
- a **candace** Hewitson, [1859], 1852-1877; *Calydna* OD: *Ill. exot. Butts* 1: [-], pl [47], f 19,20 [b2323] [TypeL - Amazon.] [Refs - b2747; b4474; b1456; b1456]
- a **candace** (H. H. Druce), 1904; *Nymphidium* OD: *Proc. zool. Soc. Lond.* 1904(I)(2):487, pl 34, f 1 [b1370] CG: *Calospila* [TypeL - Rio de Janeiro, Brazil.] [Refs - b4475; b2221]
- a **candalus** (Herrich-Schäffer), [1851], 1843-1856; *Lycaena* OD: *Syst. Bearb. Schmett. Europ.* 1:pl 105, f 502-505 [b2313] CG: *Polyommatus* (*Sublysandra*) [TypeL - Asia Minor.] [Type of - *Sublysandra*] [Note - *Kocak dates this as [1852], making the 1851 usage unavailable.*] [Refs - b3901; b2747; b0993; b1762; b2827; b0109; b0113; b0236; b2794; b1777 (in *Polyommatus*); b4367; b3910; b4092; b2788]
- c **candaon** (Bergsträsser), [1779], 1778-1780; *Papilio* OD: *Nom. Ins.* 3:pl 49, f 3,4 [b0310] SS: *icarus* (Rottemburg), 1775; *Polyommatus* [Refs - b2747; b2794]
- e **candor** (Dyar), 1913, (ISS); *Thecla* OD: *Proc. U. S. natn. Mus.* 45:636 [b1443] SS: *candor* (H. H. Druce), 1907; *Penaincisalia* [Refs - b0908]
- b **candara** H. H. Druce, 1904; *Mesosemia* OD: *Proc. zool. Soc. Lond.* 1904(I)(2):484, pl 33, f 8 [b1370] SS: *loruhama* Hewitson, 1869; *Mesosemia* [TypeL - Peru.] [Refs - b4474]
- a **candaria** (H. H. Druce), 1904; *Eurygona* OD: *Proc. zool. Soc. Lond.* 1904(I)(2):481, pl 33, f 2 [b1370] CG: *Euselasia* [TypeL - Colombia.] [Refs - b4474; b0680; b1456]
- c **candaules** (de Nicéville), 1895; *Cyaniris* OD: *J. Bombay nat. Hist. Soc.* 9(3):276, pl O, f 19 [b1159] SS: *musina* (Snellen), 1892; *Monodontides* (*Monodontides*) [Type: ZSI-ht] [TypeL - Perak, Malay Peninsula.] [Refs - b0964; b0965; b1840; b1580; b4108]
- b **candens** (Herrich-Schäffer), [1844], 1843-1856; *Polyommatus* OD: *Syst. Bearb. Schmett. Europ.* 1:pl 49, f 229-231; f 355 (1847) [b2313] SS: *hippochoe* (Linnaeus), 1761; *Palaeochrysophanus* [TypeL - Turcia.] [Refs - b2375; b2747; b0996; b0389; b2313; b2859; ns0385; b4092; ns0393; ns4797 (as a good species in *Lycaena*)]
- c **candida** Rebillard, 1958; *Ematurgina* OD: *Mém. Mus. natn. Hist. nat. (A)* 15:195, pl 2, f 19 [b3717] SS: *albovata* Stichel, 1929; *Ematurgina* [Type: MNHN-ht] [TypeL - Umbria, Colombia.] [Refs - b3717; b0093]
- a **candidata** Hewitson, 1874; *Hermathena* OD: *Descr. new Spec. Butts Buckley Bolivia* :16 [b2344] [TypeL - Bolivia.] [Type of - *Hermathena*] [Refs - b2988; b2280; b2753; b4474; b4950; b1456]
- a **candidus** H. H. Druce, 1907; *Thecla* OD: *Proc. zool. Soc. Lond.* 1907(3):571, pl 31, f 1,2 [b1375] CG: *Thecla* (*New World Eumaeini*) [Type: pc; Godman collection.] [TypeL - Río Minero, Muzo, Colombia.] [Refs - b0908; b2988; b1453; b1375]
- c **candlope** (Bergsträsser), [1779], 1778-1780; *Papilio* OD: *Nom. Ins.* 2:pl 48, f 3,4 [b0310] SS: *icarus* (Rottemburg), 1775; *Polyommatus* [Refs - b2747; b2794]
- b **candlope** H. H. Druce, 1904; *Charis* OD: *Proc. zool. Soc. Lond.* 1904(I)(2):406, pl 34, f 5 [b1370] SS: *gynaea* (Godart), [1824]; *Charis* [TypeL - Colombia.] [Refs - b1370; b4474]
- b **candissima** (Pfeiffer), 1937; *Chrysophanus* OD: *Mitt. münchn. ent. Ges.* 27(1):36 [b3591] SS: *hippochoe* (Linnaeus), 1761; *Palaeochrysophanus* [TypeL - Persia.] [Note - *Not spelled candilissima.*] [Refs - b0075; b3591]
- a **candor** (H. H. Druce), 1907; *Thecla* OD: *Proc. zool. Soc. Lond.* 1907(3):578, pl 33, f 1 [b1375] CG: *Penaincisalia* [Type: BMNH-ht] [TypeL - Huancabamba, Peru.] [Refs - b0908; b1375; b2593; b2611]
- a **candrena** (Herrich-Schäffer), 1869; *Lycaena* OD: *Stett. ent. Ztg.* 30(1-3):74 [b2317] CG: *Jamides* [TypeL - Fiji.] [Refs - b1450; b2747; b1865; b4094; b4934; b2388]
- c **candybus** (Bergsträsser), [1779], 1778-1780; *Papilio* OD: *Nom. Ins.* 2:pl 48, f 1,2 [b0310] SS: *icarus* (Rottemburg), 1775; *Polyommatus* [Refs - b2747; b2794]
- e **canejus** Evans, 1927; *Euchrysops* OD: *Ident. Indian Butts* (1st ed) :142 [b1636] SS: *cnejus* (Fabricius), 1798; *Euchrysops* [Refs - b1636]
- e **canens** Stichel, 1910; *Lyropteryx* OD: *Gen. Insectorum* 112(A):93 [b4446] SS: *apollonia* Westwood, [1851]; *Lyropteryx* [Type: pc-st; collection of Stichel] [TypeL - Bolivia.] [Refs - b4474; b4446]
- c **canescens** (Miskin), 1890; *Lycaena* OD: *Proc. linn. Soc. N. S. Wales* (2)5(1):35 [b3212] SS: *acasta* (Cox), 1873; *Candalides* [TypeL - Tasmania.] [Refs - b4677; b1450; b4940; b4934]
- a **canescens** Joicey & Talbot, 1921; *Hypokopelates* OD: *Bull. Hill Mus.* 1(1):90, pl 15, f 72,73 [b2655] [Type: BMNH-ht] [TypeL - Albertville, Tanganyika.] [Refs - b1452 (as *Stempffer name*); b4400; b2655]
- e **canicularis** (Verity), 1919, 1919-1922, (IFS); *Lycaenopsis* OD: *Ent. Rec.* 31:47 [b4840] SS: *argiolus* (Linnaeus), 1758; *Celastrina* [Type: MZS-st] [TypeL - Southern Europe.] [Refs - b3059; b2856; b1580; b0236; b0400; b0471]
- c **canidia** Gerhard, 1853, 1850-1853; *Lycaena* OD: *Vers. monog. europ. Schmett.* :7, pl 10, f 2 [b1928] SS: *tityrus* (Poda von Neuhaus), 1761; *Lycaena* (Heodes) [Refs - b0236]
- b **canidia** (H. H. Druce), 1904; *Stalactis* OD: *Proc. zool. Soc. Lond.* 1904(I)(2):488, pl 34, f 8 [b1370] SS: *stalactioides* Butler, [1867]; *Apodemia* [TypeL - Mato Grosso.] [Refs - b4475]
- a **caninius** H. H. Druce, 1907; *Thecla* OD: *Proc. zool. Soc. Lond.* 1907(3):585 [b1375] CG: *Thecla* (*New World Eumaeini*) [Type: BMNH; Godman collection.] [TypeL - Venezuela.] [Note - *Druce says "allied to thyesta".*] [Refs - b0908; b1375; b2593]
- c **canissus** Hewitson, 1873; *Iolaus* OD: *Ent. mon. Mag.* 10:123 [b2336] SS: *aphnaeoides* Trimen, 1873; *Iolaus* (*Epamera*) [TypeL - Africa mer.] [Refs - b2753; b4400]
- a **canitus** (H. H. Druce), 1907; *Thecla* OD: *Proc. zool. Soc. Lond.* 1907(3):604, pl 36, f 8 [b1375] CG: *Strymon* [Type: BMNH-ht; designated by Johnson & Salazar E., 1993] [*Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point)* (26):11 [b2641]] [TypeL - Paraguay.] [Refs - b0908; b1375; b2624; b2641]
- b **canlaonensis** Medicielo & Hanafusa, 1994; *Abisara* OD: *Futao* (15):17, pl 2, f 23-26 [b3144] SS: *mindanaensis* Semper, 1892; *Abisara* [Type: pc-ht; collection of Hanafusa.] [TypeL - Mt. Canlaon, Negros Island, Philippines.] [Refs - b3144]
- b **cantabra** (Agenjo), 1967; *Glaucopteryx* OD: *Eos* 43:18 [b0020] SS: *melanops* (Boisduval), [1828]; *Apelles* [Refs - b3059]
- e **cantile** d'Abrera, 1986, (ISS); *Heliophorus* OD: *Butts Oriental Region*, Pt 3 :635 [b1454] SS: *cantilei* Eliot, 1965; *Heliophorus* [Refs - b1454; b4594]
- a **cantilei** Eliot, 1965; *Heliophorus* OD: *Entomologist* 98:66, f [b1551] [TypeL - Burma.] [Refs - b1551; b4220; b1454 (as *canlei*); b0694]

- b **canulia** (Hewitson), [1869], 1863-1878; *Amblypodia* OD: Ill. diurn. Lep. Lycaenidae 1:14f; 2:pl 3c, f 54 [b2326] SS: *fulla* (Hewitson), 1862; *Arhopala* 1 [Type: BMNH-ht] [TypeL - Philippines" but really Halmahera.] [Refs - b1644; b1450; b2747; b4094]
- a **canus** (H. H. Druce), 1907; *Thecla* OD: Proc. zool. Soc. Lond. 1907(3):624 [b1375] CG: *Electrostrymon* [Type: BMNH-ht] [TypeL - Chilpancingo, Guerrero, Mexico.] [Refs - b0908; b3818; b1375; b2628]
- c **capanaea** d'Abrebra, 1984, (ISS); *Semomesia* OD: Butts South America :244 [b1453] SS: *capanea* (Cramer), [1779]; *Semomesia* [Refs - b1453]
- a **capanea** (Cramer), [1779], 1775-1790; *Papilio* OD: Utiil. Kapellen 3(-):74, pl 236, f D [b1069] CG: *Semomesia* [TypeL - Guayana.] [Refs - b2747; b4474; b1453 (as *capanaea*); b4950; b1456]
- b **capella** Fruhstorfer, [1912]; *Hypolycaena* OD: Berl. ent. Z. 56(3/4):240 [b1850] SS: *sipylus* (C. Felder), 1860; *Hypolycaena* [TypeL - Lombok.] [Refs - b4094; b1850; b1454]
- b **capeneri** Dickson, 1972; *Thestor* OD: Ent. Rec. 84:253, f [b1253] SS: *basuta* (Wallengren), 1857; *Thestor* [TypeL - Transvaal, S. Africa.] [Refs - b1259; b1452]
- a **capensis** van Son, 1956; *Crudaria* OD: Ann. Transv. Mus. 22:505, f [b4808] [TypeL - Cape Province, S. Africa.] [Refs - b1259; b1452; b4400]
- a **capeta** (Hewitson), [1877], 1863-1878; *Thecla* OD: Ill. diurn. Lep. Lycaenidae 1:193; 2:pl 77, f 614,615 [b2326] CG: *Angulopsis* [Type: BMNH-ht] [TypeL - Nicaragua.] [Refs - b0908; b2988; b2753; b1975; b2627]
- b **capeta** (Hewitson), [1878], 1863-1878; *Amblypodia* OD: Ill. diurn. Lep. Lycaenidae Suppl.:22, pl 8, f 70,71 [b2326] SS: *diardi* (Hewitson), 1862; *Flos* [Type: BMNH-ht] [TypeL - Sumatra.] [Refs - b1644; b0965; b2201; b1454; b4094; b4108]
- b **capitis** (Fruhstorfer), [1922], 1909-1923; *Lycaenopsis* OD: In Seitz, Grossschmett. Erde 9:871 [b1840] SS: *argiolus* (Linnaeus), 1758; *Celastrina* [TypeL - Omei Shan and Ningpo, China.] [Refs - b1840; b2479; b1580; b0236; b0471]
- c **capissene** Hewitson, [1874], 1852-1877; *Mesene* OD: Ill. exot. Butts 5:Ery, f 6,7 [b2323] SS: *florus* (Fabricius), 1793; *Mesene* [TypeL - Brazil.] [Refs - b2753; b4474]
- e **capnodes** Stichel, 1910, (IOS); *Emesis* OD: Gen. Insectorum 112(A):273 [b4446] SS: *capnodis* Stichel, 1911; *Emesis* [Refs - b4446]
- b **capnodis** Stichel, 1911; *Emesis* OD: Gen. Insectorum 112(B):273 [b4447] SS: *cypria* Felder & Felder, 1861; *Emesis* [Type: pc-ht; collection of Stichel] [TypeL - Merida, Venezuela.] [Refs - b4475; b4446]
- b **cappadocia** Betti, 1977; *Iolana* OD: Alexanor 10(2):88, f [b0364] SS: *iolas* (Ochsenheimer), 1816; *Iolana* [TypeL - Turkey.]
- a **capreolus** Stichel, 1910; *Baetis* OD: Gen. Insectorum 112(A):181, pl 26, f 47 [b4446] [Type: BMNH-ht] [TypeL - Colombia.] [Refs - b2988; b4474; b1456; b4446]
- b **capricornia** Sibatani & Grund, 1978; *Theclinesthes* OD: Tyô to Ga 29(1):9, f 4,10,11,33, 54-63, 119-124 [b4223] SS: *onycha* (Hewitson), [1865]; *Theclinesthes* [Type: AM-ht] [TypeL - Queensland, Australia.] [Refs - b4223; b0870]
- a **caprina** Hewitson, [1859], 1852-1877; *Calydna* OD: Ill. exot. Butts 2:[-], pl [47], f 11,12 [b2323] [TypeL - Brasilia.] [Refs - b2747; b4475; b1456]
- b **capusa** (Fruhstorfer), [1912]; *Camena* OD: Berl. ent. Z. 56(3/4):208 [b1850] SS: *cremera* (de Nicéville), 1894; *Dacalana* [TypeL - Insel Nias.] [Refs - b2201 (as good sp); b1850; b1568; b4094]
- a **cara** (de Nicéville), 1898; *Cyaniris* OD: J. Bombay nat. Hist. Soc. 12(1):143, pl Z, f 19,20 [b1165] CG: *Monodontides* (Buakraengius) [Type: ZSI-ht] [TypeL - Sulawesi.] [Type of - Buakraengius] [Refs - b1840; b1580; b2200]
- b **caracalla** (Waterhouse & Lyell), 1914; *Nacaduba* OD: Butts Aust. :95, f 854 [b4947] SS: *helicon* (C. Felder), 1860; *Ionolyce* [TypeL - Damley Island.] [Refs - b4676; b1450; b0870; b4094; b4940]
- c **caractacus** (Tunton), 1802; *Papilio* OD: Gen. Syst. Nat. 3(2):149 [b4757] SS: *bibulus* (Fabricius), 1793; *Lachnocnema* [Refs - b2747]
- a **carana** (Hewitson), [1876], 1852-1877; *Lycaena* OD: Ill. exot. Butts 5:[88], pl [46], f 6 [b2323] CG: *Tuxentius* [TypeL - Angola.] [Refs - b1452 (as *carana*); b2753; b0836 (as *carana*); b4400 (as *carana*)]
- a **caramba** (Clench), 1944; *Thecla* OD: J. New York ent. Soc. 52:255 [b0821] CG: *Cyanophrys* [Type: AMNH-ht] [TypeL - Massaranduba-Blumenau, Santa Catharina, Brazil.] [Refs - b0908; b0528; b2585]
- e **carana** Larsen, 1982, (ISS); *Tuxentius* OD: Biologiske Skrifter 23(3):3 [b2898] SS: *carana* (Hewitson), [1876]; *Tuxentius* [Note - A common spelling mistake.] [Refs - b2898; b4400; b0162]
- a **caranus** (Stoll), [1780], 1780-1790; *Papilio* OD: In Cramer, Utiil. Kapellen 4(28):84, pl 332, f C,D [b4478] CG: *Brangas* [TypeL - Surinam.] [Type of - Brangas] [Refs - b0908; b2988; b2280; b2747; b2406; b1975; b2631]
- a **carausius** Westwood, [1851], 1846-1852; *Anteros* OD: In Gen. diurn. Lep. (2):428, nota [b4981] [TypeL - Mexico.] [Refs - b2988; b2747; b4474; b0108; b1453; b1456]
- b **carbonaria** (Grum-Grshimailo), 1890; *Lycaena* OD: In Romanoff, Mém. Léop. 4:388, pl 8, f 9 [b2067] SS: *tengstroemi* (Erschoff), 1874; *Satyrium* (Rhymania) [Refs - b2827; b5064; b4092; ns3033; b1455]
- a **carcassoni** Stempffer & Bennett, 1961; *Pentila* OD: Bull. Inst. franç. Afr. Noire 23(A):1197 [b4420] [Type: CMN-ht] [TypeL - Mkuwazi, North Nyassaland.] [Refs - b1943; b1452; b4420; b4400]
- a **carcassoni** Jackson, 1962; *Stempfferia* OD: Bull. Br. Mus. nat. Hist. (Ent.) 12(3):157, f [b2562] [Type: BMNH-ht] [TypeL - Opala, Lomami River, Prov. Orientale, Congo.] [Type of - Stempfferia] [Refs - b2280; b1452; b4400]
- a **carcassoni** Larsen, 1983; *Aphnaeus* OD: Bull. Inst. fond. Afr. Noire 45(A):157 [b2899] [Type: BMNH-ht] [TypeL - M'Pala, Tanzania.] [Refs - b2899]
- a **carcina** Hewitson, 1873; *Epitola* OD: Ent. mon. Mag. 10:150 [b2337] [TypeL - Africa occ.] [Refs - b3842; b2753; b1452; b0836; b4400; b1585]
- e **carcassani** Anonymous, 1965, (ISS); *Pentila* OD: Zool. Rec. 98(1961)(Ins.):306 [b0095] SS: *carcassoni* Stempffer & Bennett, 1961; *Pentila* [Refs - b0095]
- a **carderi** H. H. Druce, 1904; *Mesosemia* OD: Proc. zool. Soc. Lond. 1904(I)(2):485, pl 33, f 9 [b1370] [TypeL - Peru.] [Refs - b4474; b1456]
- a **cardia** (C. Felder), 1860; *Lycaena* OD: Sber. Akad. Wiss. Wien 40(11):459 [b1676] CG: *Udara* (Udara) [Type: BMNH-ht] [TypeL - Amboina, Moluccas.] [Refs - b1450; b2280; b1636; b0933; b1840; b2747; b1580; b0400; b3550]
- b **cardinali** Nieuwenhuis, 1970; *Arhopala* OD: Ent. Ber. 29:215, f 7-9 [b3401] SS: *myrzala* (Hewitson), [1869]; *Arhopala* a [Type: NHMR-ht] [TypeL - Ajer Nunsang, E. Billiton.] [Refs - b0101; b3401]
- a **cardoni** Corbet, 1941; *Arhopala* OD: Proc. R. ent. Soc. Lond. (B)10(9):165 [b0956] CG: *Arhopala* k [Type: BMNH-ht] [TypeL - Malaya.] [Refs - b1644; b0956; b3498; b1454]

- a **cardus** Hewitson, [1874], 1863-1878; *Thecla* OD: Ill. diurn. Lep. Lycaenidae 1:151; 2:pl 60, f 394-396 [b2326] CG: *Thecla* (New World Eumacini) [Type: BMNH] [TypeL - Brazil.] [Note - Johnson places this in the 'prutus' group.] [Refs - b0908; b2988; b0907; b2753; b2497; b2589; b2593]
- c **ab. carens** Seitz, [1917], 1910-1924; *Monethe* OD: In Seitz, Grossschmett. Erde 5:671, pl 133a [b4093] SS: *albertus* Felder & Felder, 1862; *Monethe* [TypeL - Not stated.] [Refs - b4474; b4093]
- a **caricae** (Linnaeus), 1758; *Papilio* OD: Syst. nat. (ed. 10) 1:484 [b2993] CG: *Nymphidium* [TypeL - America mer.] [Type of - *Eulepis*, *Nymphidium*, *Nymphopsis*, *Tyanitis*] [Note - Placed on Official List by Op 232.] [Refs - b2280; b2988; b2280; b4476; b2747; b3151; b2753; b1456]
- a **carilla** Roche, 1954; *Epitola* OD: Bull. Br. Mus. nat. Hist. (Ent.) 3:495, pl 20, f 13,14 [b3842] [Type: BMNH-hi] [TypeL - Entebbe, Uganda.] [Refs - b3842; b1452; b4400]
- a **carina** Hewitson, 1873; *Iolaus* OD: Ent. mon. Mag. 10:122 [b2336] [TypeL - Africa occ.] [Refs - b2753; b1452; b4400]
- c **f. carinthiaca** (Courvoisier), 1913; *Lycaena* OD: Ent. Mitt. 2(10):289 [b0989] SS: *argus* (Linnaeus), 1758; *Plebejus* [Refs - b0236; b0989; b0471]
- c **carioca** (Ebert), 1965; *Thecla* OD: Papéis avulsos Dept. Zool. São Paulo 18:77 [b1464] SS: *stagira* (Hewitson), [1867]; *Rekoa* [TypeL - Brazil.] [Refs - b0125; b3817]
- a **carissima** Bates, 1866; *Mesosemia* OD: Ent. mon. Mag. 3:153 [b0264] [TypeL - Veragua.] [Refs - b2747; b4474; b1456]
- a **carissima** (Butler), [1876]; *Lampides* OD: Proc. zool. Soc. Lond. 1875(4):614, pl 67, f 4,5 [b0601] CG: *Jamides* [TypeL - Erromango, New Hebrides.] [Refs - b1450; b2753; b1865; b2388]
- b **carissima** (Grose-Smith & Kirby), 1895, 1887-1902; *Thysonotis* OD: Rhop. exot. 2(34):29, pl 4, f 6-8 [b2049] SS: *cyanea* (Cramer), [1775]; *Nacaduba* [TypeL - Pura & Wetter.] [Refs - b1450; b2078]
- b **carissima** Stichel, 1910; *Nymphidium* OD: Berl. ent. Z. 55(1/2):62 [b4445] SS: *caricae* (Linnaeus), 1758; *Nymphidium* [Type: pc-st; collection of Röber] [TypeL - Amazonas, Brazil.] [Refs - b4476; b4445]
- b **cariya** Fruhstorfer, [1914], 1909-1923; *Praetaxila* OD: In Seitz, Grossschmett. Erde 9:794 [b1840] SS: *segecia* (Hewitson), [1861]; *Praetaxila* [Type: BMNH-hi] [TypeL - New Guinea.] [Refs - b1450; b1840; b4474]
- a **carla** Schaus, 1902; *Thecla* OD: Proc. U. S. natn. Mus. 24(1262):408 [b3948] CG: *Thecla* (New World Eumacini) [Type: USNM-hi; #5923] [TypeL - Colombia] [Note - Allied to *badeta*.] [Refs - b0908; b3818; b2497; b3948; b1375]
- c **carlota** (Suffert), 1904; *Pseuderisia* OD: Deut. ent. Zeit. [Iris] 17:47 [b4535] SS: *dinora* (Kirby), 1890; *Mimeresia* [Refs - b4400]
- a **carmelita** Oberhür, 1903; *Polycycaena* OD: Bull. Soc. ent. Fr. 1903(16):268,269 [b3438] [TypeL - Ta-tsiens-lou, China.] [Refs - b4473; b3438; b4092; b1455]
- c **carmen** Grose-Smith, 1899, 1887-1902; *Hypochrysops* OD: Rhop. exot. 3(48):27, pl 5, f 1,2 [b2029] SS: *theonides* Grose-Smith, 1894; *Hypochrysops* [Type: BMNH-hi] [TypeL - Ron, Irian Jaya.] [Refs - b1450; b2078; b3926]
- b **carmenensis** (Eiischberger & Steiniger), 1973; *Aricia* OD: *Atalanta* (Münsterstadt) 4(6)(B):395, f [b1536] SS: *morroneis* (Rübbe), 1910; *Plebejus* (*Aricia*) [TypeL - Pontedo, Spain.] [Refs - b0104; ns3265]
- b **carmentalis** (de Nicéville), 1893; *Carmena* OD: J. Bombay nat. Hist. Soc. 7(3):335, pl H, f 10 [b1156] SS: *icetoides* (Elwes), [1893]; *Pratapa* [TypeL - Khasi Hills.] [Refs - b1636; b1156; b4094 (with ister); b0694]
- b **carmentis** Stichel, 1910; *Nymphidium* OD: Berl. ent. Z. 55(1/2):62 [b4445] SS: *caricae* (Linnaeus), 1758; *Nymphidium* [TypeL - Bolivia.] [Refs - b4476; b2221]
- d **carmon** (Gerhard), 1851, 1850-1853, (H); *Lycaena* OD: Vers. monog. europ. Schmett. :pl 20, f 1 [b1928] SS: *eurypilus* (Freyer), 1852; *Polyommatus* (*Kretania*) [Refs - b2747; b0113; b2794; b4036; b4092; b0206]
- a **carmon** (Herrich-Schäffer), [1851], 1843-1856; *Lycaena* OD: Syst. Bearb. Schmett. Europ. 1:pl 105, f 506-507 [b2313] CG: *Polyommatus* (*Agrodiaeus*) [TypeL - Asia Minor.] [Refs - b3901; b1762; b2747; b0993; b2827; b4036; b2313; b4092]
- a **carna** (de Nicéville), 1895; *Cyaniris* OD: J. Bombay nat. Hist. Soc. 9(3):274, pl O, f 18 [b1159] CG: *Celatoxia* [Type: ZSI-hi] [TypeL - Sumatra.] [Refs - b4198; b0964; b0965; b1840; b1580; b5053]
- b **carnania** Fruhstorfer, 1916; *Nacaduba* OD: Zoöl. Meded. 2(2):129 [b1873] SS: *bernice* (Herrich-Schäffer), 1869; *Nacaduba* [Type: BMNH-hi] [TypeL - Obi.] [Refs - b4676; b1450; b4094]
- a **carneia** Hewitson, [1859], 1852-1877; *Calydna* OD: Ill. exot. Butts 2:[---], pl [47], f 13,14 [b2323] [TypeL - Amazon.] [Refs - b4475; b1456]
- a **carnica** (Hewitson), [1873], 1863-1878; *Thecla* OD: Ill. diurn. Lep. Lycaenidae 1:143; 2:pl 57, f 352 [b2326] CG: *Caerofethra* [Type: BMNH] [TypeL - Amazon.] [Refs - b0908; b2753; b3818; b1975; b0125]
- b **carnita** (Fruhstorfer), [1923], 1909-1923; *Lycaenopsis* OD: In Seitz, Grossschmett. Erde 9:874 [b1840] SS: *cama* (de Nicéville), 1895; *Celatoxia* [Type: BMNH-hi; designated by Eliot & Kawazoé, 1983] [Butts *Lycaenopsis* group :204 [b1580]] [TypeL - Java.] [Refs - b1840; b1580]
- a **carnuta** (Hewitson), 1873; *Pentila* OD: Ent. mon. Mag. 10:125 [b2336] CG: *Ptelina* [TypeL - Gaboon.] [Type of - *Ptelina*] [Refs - b2753; b2907; b1452; b0836; b4400]
- a **carnutes** (Hewitson), [1875], 1852-1877; *Esthemopsis* OD: Ill. exot. Buus 5:Ery, f 6 [b2323] CG: *Chimastrum* [TypeL - New Granada.] [Refs - b2988; b4474; b2753; b1456]
- c **carola** Grose-Smith, 1900, 1887-1902; *Jamides* OD: Rhop. exot. 3(51):13, pl 1, f 13-14 [b2029] SS: *cephalia* H. H. Druce, 1891; *Jamides* [TypeL - Solomon Islands.] [Refs - b1450; b2747; b1865; b4094]
- a **caroli** Janson, 1886; *Deudorix* OD: In Cruise Marchesa 2(Appendix III):375 [b2574] [TypeL - New Guinea.] [Refs - b0977]
- c **caroli** (Fruhstorfer), 1915; *Waigeum* OD: Zoöl. Meded. 1(2):147 [b1863] SS: *ribbei* (Röber), [1886]; *Hypochrysops* [TypeL - Wandisi, Nonhem Irian Jaya.] [Refs - b3926]
- a **carolina** Godart, [1824], 1819-1824; *Eurybia* OD: In Ency. méth. 9(Ins.)(2):459 [b1970] [TypeL - Brasilia.] [Refs - b2988; b2747; b4474; b1456]
- c **carolina** Holland, 1900; *Arhopala* OD: Novit. zool. 7:78 [b2431] SS: *thamyra* (Linnaeus), 1758; *Arhopala* n [Type: BMNH-hi] [TypeL - Bunu.] [Refs - b1644; b2431; b4094]
- b **carolina** (Toxopeus), 1929; *Lampides* OD: Tijdschr. Ent. 72(3/4):210 [b4699] SS: *celeno* (Cramer), [1775]; *Jamides* [TypeL - Pulau Weh, nr Sumatra.] [Refs - b3786; b4699; b1454; b3782]
- b **carolina** d'Abrera, 1971; *Hypochrysops* OD: Butts Australian Region :337, pl 337 [b1450] SS: *scintillans* (Butler), 1882; *Hypochrysops* [Type: BMNH-hi] [TypeL - St. Mathias Island.] [Refs - b1450; b0104; b3926]

- e ♂ *f. carolina* (J. A. Comstock), 1922; Plebejus OD: Bull. S. Calif. Acad. Sci. 21(2):46, pl 3 [b0871] SS: chlorina (Skinner), 1902; Plebejus (Icaricia) [Type: LACM-ht] [TypeL - Tehachapi Mountains, California.] [Refs - b0908; b3192; b1321]
- a *carolynnae* Dickson, 1983, 1982-1983; Aloeides OD: Ent. Rec. 95(1/2):4, f 4,5,10,11 [b1265] [Type: TM-ht] [TypeL - Cape Province, S. Africa.] [Note - Patronym: Mrs. Carolyn Ball.] [Refs - b1265]
- a *carpasia* (Hewitson), 1868; Thecla OD: Descr. new Spec. Lycaenidae :15 [b2327] CG: Atlides [Type: BMNH] [TypeL - Mexico.] [Refs - b0908; b2988; b2747; b2406; b1975; b2617]
- b *carpenteri* Bethune-Baker, 1922; Epitola OD: Trans. ent. Soc. Lond. 69(3/4):462 [b0358] SS: cauma Kirby, 1890; Epitola [TypeL - Damba Island, Victoria Nyanza.] [Refs - b3842 (as good ssp); b1452; b2564; b4400]
- a *carpenteri* (Stempffer), 1946; Stugeta OD: Revue fr. Ent. 13(1):11, pl 1, f 2,4 [b4371] CG: Iolaus (Stugeta) [Type: UMO-ht] [TypeL - Mbolula, E. Africa.] [Refs - b1452; b4371; b4400]
- b *carpophora* (Hewitson), 1868; Thecla OD: Descr. new Spec. Lycaenidae :16 [b2327] SS: inachus (Cramer), [1775]; Atlides (?) [Type: BMNH] [TypeL - Mexico.] [Refs - b0908; b2753; b2406; b1975]
- b *carrinas* (Fruhstorfer), [1915], 1909-1923; Gerydus OD: In Seitz, Grossschmett. Erde 9:816 [b1840] SS: gaesa (de Nicéville), 1895; Miletus 1 [TypeL - Sintang, Borneo.] [Refs - b1546; b1840; b4108]
- a *carsoni* (Butler), 1901; Catochrysops OD: Ann. Mag. nat. Hist. (7):7-290 [b0660] CG: Lepidochrysops [Type: BMNH-ht] [TypeL - Fwambo, Tanganyika.] [Refs - b1452; b4400; b0359]
- a *carswelli* Stempffer, 1927; Cupido OD: Bull. Soc. ent. Fr. 1927(16):244 [b4356] [TypeL - Murcia, Spain.] [Refs - b2375; b3059; b1762; b0111; b0236; b1705; b0400; b2794; b4356; b3766; b3770; b2859; ns2908; b4358; b0471]
- a *carteia* Hewitson, 1870, 1869-1877; Thecla OD: Equatorial Lep. Buckley (4):64 [b2330] CG: Thecla (New World Eumaeini) [Type: BMNH] [TypeL - Canelos, Ecuador.] [Refs - b0908; b2747]
- c *carteja* Seitz, [1926], 1912-1927; Yasoda OD: In Seitz, Grossschmett. Erde 9:995, pl 157c [b4094] SS: dohertyi Fruhstorfer, [1912]; Yasoda [TypeL - N. E. Sumatra.] [Refs - b4094; b1454 (with pita); b4594; b4108]
- b *cartena* (Fruhstorfer), [1912]; Camena OD: Berl. ent. Z. 56(3/4):206 [b1850] SS: deva (Moore), [1858]; Pratapa [TypeL - West-Java.] [Refs - b1850; b1454; b4094]
- a *carteri* (Holland), 1902; Charis OD: Ann. Cam. Mus. 1(3):486 [b2432] CG: Dianesia [TypeL - Bahamas.] [Type of - Dianesia] [Refs - b2988; b0528; b0850; b4475; b1610 (5204-E12); b0540; b2156; b1456; b4445]
- a *carteri* Weeks, 1906; Thecla OD: Ent. News 17(6):197 [b4969] CG: Thecla (New World Eumaeini) [Type: MCZ] [TypeL - Suapure, Venezuela.] [Refs - b0908]
- e *ab. carteri* Harrison, 1928; Polyommatus OD: Vasculum 14:139 [b2148] SS: icarus (Rottemburg), 1775; Polyommatus [Refs - b0236; b0471]
- e *ab. carteri* (Harrison), 1928; Aricia OD: Vasculum 14:139 [b2148] SS: agestis ([Denis & Schiffmüller]), 1775; Plebejus (Aricia) [TypeL - England.] [Refs - b0236]
- e *ab. carteri* (Harrison), 1929; Agriades OD: Vasculum 15:40 [b2149] SS: bellargus (Rottemburg), 1775; Polyommatus (Lysandra) [TypeL - England.] [Refs - b0236]
- e *ab. carteri* (Harrison), 1929; Aricia OD: Vasculum 15:40 [b2149] SS: nicias (Meigen), 1829; Plebejus (Pseudoaricia) [Refs - b0236]
- e *ab. carteri* (Harrison), 1929; Aricia OD: Vasculum 15:40 [b2149] SS: idas (Linnaeus), 1761; Plebejus (Lycaeides) [Note - May belong with anteros.] [Refs - b0236]
- a *carthaea* Hewitson, 1868; Thecla OD: Descr. new Spec. Lycaenidae :15 [b2327] CG: Thecla (New World Eumaeini) [Type: BMNH] [TypeL - Mexico.] [Refs - b0908; b2747; b2406; b1975]
- e *cartujana* (Agenjo), 1956; Plebejus OD: Graellsia 14:85 [b0013] SS: asturiensis (de Sagarra y Castellamau), 1924; Polyommatus (Lysandra) [TypeL - Spain.] [Refs - b0091]
- b *carueli* Le Moul, 1945; Lycaena OD: Misc. Ent. 42:55 [b2945] SS: dispar ([Haworth]), 1802; Lycaena (Thersamolycaena) [TypeL - France.] [Refs - b0113; b0080; b0389 (Lambillionea, 38 (1950))]
- c *carus* Godman, 1903; Anteros OD: Trans. ent. Soc. Lond. 51(4):535, pl 21, f 5 [b1972] SS: principalis Hopffer, 1874; Anteros [TypeL - Colombia.] [Refs - b4475]
- a *carveri* (Weeks), 1906; Methonella OD: Ent. News 17(6):200 [b4969] CG: Themone [TypeL - Venezuela.] [Refs - b4474; b1456]
- b *carveri* d'Abrera, 1971; Hypochrysops OD: Butts Australian Region :337, pl 337 [b1450] SS: scintillans (Butler), 1882; Hypochrysops [Type: BMNH-ht] [TypeL - Vitu Island.] [Refs - b1450; b0104; b3926]
- a *caryaevorus* (McDunnough), 1942; Strymon OD: Can. Ent. 74(1):1 [b3136] CG: Saryrium [Type: CNC-ht] [TypeL - Merivale, Ontario.] [Refs - b1530 :194, f 349; b0908; b1321 :58; b0851; b3192 (as caryaevorum); b3512; b2631; b4066]
- a *caryatis* Hewitson, [1866], 1852-1877; Charis OD: Ill. exot. Butts 3:[---], pl [57], f 6 [b2323] [TypeL - Amazon.] [Refs - b2747; b4474; b2221; b0419; b1456]
- b *casaiacus* Chapman, 1907; Plebejus OD: In Trans. ent. Soc. Lond. 55(1):151,158, pl 5, f 16-19 [b0745] SS: argus (Linnaeus), 1758; Plebejus [TypeL - Casayo, Spain.] [Note - Not spelled casaiacus.] [Refs - b3059; b0236 (as casaiacus); b0745; b4092; b0471]
- e *casaiacus* (Bollow), 1930, 1929-1931, (ISS); Lycaena OD: In Seitz, Grossschmett. Erde 1(Suppl):257 [b0471] SS: casaiacus Chapman, 1907; Plebejus [Refs - b0471]
- c *casanensis* (Krulikovskii), 1890; Lycaena OD: Bull. Soc. imp. Nat. Moscou (ns)4(1890):223, pl 8, f e [b2844] SS: icarus (Rottemburg), 1775; Polyommatus [Refs - b4092]
- b *casasi* (Comstock & Huntington), 1943; Thecla OD: Ann. New York Acad. Sci. 45:66, pl 1, f 1 [b0907] SS: acis (Drury), [1773]; Strymon [Type: AMNH] [TypeL - Santiago, Cuba.] [Refs - b0908; b0907; b0833]
- a *casca* (Tite), 1958; Syntarucus OD: Entomologist 91:190, t f C; pl 2, f 9-12 [b4668] CG: Leptotes [Type: BMNH-ht] [TypeL - Anjouan Island, Comoro Islands.] [Refs - b1452; b4400; b4668]
- a *casella* (Hewitson), 1870, 1869-1877; Comptosia OD: Equatorial Lep. Buckley (4):57 [b2330] CG: Ithomiola [TypeL - Ecuador.] [Type of - Comptosia] [Refs - b2280; b2747; b4474; b1453; b1456]
- b *cashmirensis* (Moore), 1874; Scolitantides OD: Proc. zool. Soc. Lond. 1874(1):272 [b3222] SS: vicrama (Moore), 1865; Pseudophilotes [TypeL - Kashmir.] [Refs - b1636; b4179; b2753; b2479; b0236 (as cashmirensensis); b3910; b4094; b0694; b4092]
- e *ab. casilidae* (Agenjo), 1934; Lycaena OD: Eos 9:316, pl 18, f 8 [b0010] SS: thersites (Cantener), 1834; Polyommatus (Plebicula) [TypeL - Spain.] [Refs - b3059; b0072]
- c *casimiri* (Hemming), 1932; Scolitantides OD: Entomologist 65:180 [b2243] SS: egea (Herrich-Schäffer), [1852]; Rubrapteris [TypeL - Kalavryta, S. Greece.] [Refs - b0111; b0070; b2789]

- b casis** Jordan, 1912; *Dicallaneura* OD: Novit. zool. 18:596 [b2665] SS: *amabilis* Rothschild, 1904; *Dicallaneura* [Refs - b2665; b4474; b1840]
- a cassilla** (Hewitson), [1874], 1863-1878; *Thecla* OD: Ill. diurn. Lep. Lycaenidae 1:177; 2:pl 70, f 521,522 [b2326] CG: *Magnastigma* [Type: BMNH] [TypeL - Brazil.] [Refs - b0908; b3391; b2753; b2221; b2631]
- b caspica** (Forster), 1936; *Lycaena* OD: Mitt. Münchn. ent. Ges. 26:74 [b1758] SS: *argyrognomon* (Bergsträsser), [1779]; *Plebejus* (*Lycacides*) [TypeL - S. Uralis.] [Refs - b0074]
- a caspius** (Lederer), 1869; *Polyommatus* OD: Horae Soc. ent. ross. 6:76, pl 4, f 3 [b2955] CG: *Hyracana* [TypeL - Persia.] [Type of - *Hyracana*] [Refs - b1636; b2280; b2988; b2747; b0996; b2827; b4220; b3360; b3910; b4094; b0694; b4092]
- c cassidula** (Boisduval), 1870; *Lycaena* OD: Consid. Lép. Guatemala :16 [b0469] SS: *marina* (Reakirt), 1868; *Leptotes* [TypeL - Honduras.] [Refs - b0908; b2747]
- a cassidyl** Takanami, 1992; *Rapala* OD: Tyô to Ga 43(3):200, f [b4609] [Type: BMNH-hi] [TypeL - Sulawesi.] [Refs - b0126]
- a cassidyl** Johnson & Adams, 1993; *Rhamma* OD: Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (25):5, pl 2, f 2H; f 2A [b2620] [Type: AMNH-hi] [TypeL - Peak of Huayana-Pichu, Cuzco Department, Peru.] [Refs - b2620]
- c cassioides** (Boisduval), 1870; *Lycaena* OD: Consid. Lép. Guatemala :16 [b0469] SS: *marina* (Reakirt), 1868; *Leptotes* [TypeL - Honduras.] [Refs - b0908; b2747]
- d cassioides** (Murray), 1873, (H); *Lampides* OD: Ent. mon. Mag. 10:108 [b3315] SS: *pseudocassius* (Murray), 1873; *Leptotes*
- d cassioides** (Capronnier), 1889, (H); *Lycaena* OD: C. r. Soc. ent. Belg. 33:xxi [b0700] SS: *pirithous* (Linnaeus), 1767; *Leptotes* [TypeL - Congo.] [Refs - b1452]
- a cassiopela** Distant, 1884; *Loxura* OD: Ann. Mag. nat. Hist. (5)14:200 [b1286] [TypeL - Perak.] [Refs - b0964; b0965; b1454; b4094]
- a cassius** (Cramer), [1775], 1775-1790; *Papilio* OD: Uid. Kapellen 1(2):36, pl 23, f C,D [b1069] CG: *Leptotes* [TypeL - Surinam.] [Type of - *Syntarucoides*] [Refs - b2280; b1330; b0907; b2221; b1530 :240, f 470; b1321 :62; b0908; b2747; b0540; b0278; b3192; b1581; b1319; b0833; b2497; b0420; b2753; b4066; b1455]
- e cassytha** (Scout), 1892, 1890-1898, (PS); *Polycyama* OD: Aust. Lep. Transform. 2:pl 12 [b4061] SS: *hyacinthina* (Semper), [1879]; *Candalides* [Refs - b1450; b1475; b1479]
- b castagnedal** Osada & Hashimoto, 1987; *Arhopala* OD: Mem. Tsukada Colln (5):75, pl 3, f 24; pl 4, f 24 [b3524] SS: *staudingeri* Semper, 1890; *Arhopala* g [Type: pc; collection of Tsukada.] [TypeL - Upper Digusi, San Mariano, Isabela, N.E. Luzon.] [Refs - b3524]
- a castalia** (Ménétriés), 1855, 1855-1857; *Symmachia* OD: Enum. corp. anim. 1:89, pl 3, f 4 [b3152] CG: *Caria* [TypeL - Brasilia.] [Refs - b2988; b2747; b4474; b0419; b1456]
- b castalis** (Edwards), [1871]; *Thecla* OD: Trans. amer. ent. Soc. 3(3/4):208 [b1501] SS: *gryneus* (Hübner), [1819]; *Mitoura* [Type: CM-lt; designated by Clench, 1970] [In Trans. amer. ent. Soc. 96:57 [b0841]] [TypeL - Waco, Texas.] [Refs - b0908 (as *damon* ssp); b4688; b2753; b3192; b5015; b0493; b1501; b1321; b4690 (R)]
- a castanea** (Pritzwitz), 1865; *Calydna* OD: Stett. ent. Ztg 26:312 [b3651] CG: *Apodemia* [TypeL - Brasilia.] [Refs - b2747; b4475; b0419; b1456]
- a castaneus** Sands, 1986; *Hypochryps* OD: Entomograph 7:54, f 36,37,99-102 [b3926] [Type: ANIC-hi] [TypeL - Maprik, New Guinea.] [Refs - b3926]
- b castigata** Stichel, 1910; *Emesis* OD: Berl. ent. Z. 55(1/2):37 [b4445] SS: *lucinda* (Cramer), [1775]; *Emesis* [Type: pc-st; collection of Stichel] [TypeL - Pozuzo, Peru; La Paz, Bolivia.] [Refs - b4475; b4445; b1456]
- b castigatus** Stichel, 1909; *Rhetus* OD: Berl. ent. Z. 54(1/2):35 [b4444] SS: *arcius* (Linnaeus), 1763; *Rhetus* [TypeL - Panama; Colombia.] [Refs - b4474]
- b castilla** (Fruhstorfer), 1910; *Lycaena* OD: Soc. ent. 25(12):48 [b1845] SS: *dorylas* ([Denis & Schiffemüller]), 1775; *Polyommatus* (*Plebicula*) [TypeL - Spanien: Castilien.] [Refs - b3059; b0236; b1845; b0471; b2858]
- a castimonia** H. H. Druce, 1907; *Thecla* OD: Proc. zool. Soc. Lond. 1907(3):580, pl 33, f 6 [b1375] CG: *Thecla* (New World Eumaeini) [Type: pc; Druce collection.] [TypeL - Colombia.] [Refs - b0908; b1375]
- a castitas** (H. H. Druce), 1907; *Thecla* OD: Proc. zool. Soc. Lond. 1907(3):579 [b1375] CG: *Iaspis* [Type: BMNH-hi] [TypeL - Pará, Espirito Santo, Brazil.] [Refs - b0908; b1375; b0125; b2606]
- a castnia** Strand, 1911; *Liphyra* OD: Mitt. zool. Mus. Berl. 5(2):307 [b4505] [Refs - b1450; b2078; b4528]
- e castor** Le Mout, 1940, 1939-1940, (IFS); *Helicopsis* OD: Novit. ent. (16):127 [b2943] SS: *cupido* (Linnaeus), 1758; *Helicopsis* [Type: AME-hi] [Refs - b3199]
- c castrena** Jones, 1912; *Thecla* OD: Proc. zool. Soc. Lond. 1912(4):900, pl 97, f 12,13 [b2663] SS: *tella* Schaus, 1902; *Thecla* (New World Eumaeini) [Type: BMNH.] [TypeL - Castro, Paraná, Brazil.] [Refs - b0908]
- b castro** (Reakirt), 1866; *Polyommatus* OD: Proc. ent. Soc. Philad. 6(1):148 [b3696] SS: *dorcas* (Kirby), 1837; *Epidemia* [Type: FMNH-lt; designated by Ferris, 1977] [Bull. Allyn Mus. (45):25 [b1714]] [TypeL - Rocky Mountains, Colorado.] [Refs - b0908; b1714; b3191; b2747; b3192; b3189; b0493; b1321]
- e catacala** Sharp, [1916], (ISS); *Micropentila* OD: Zool. Rec. 51(1914)(Ins.):214 [b4144] SS: *catocala* Strand, 1914; *Micropentila* [Refs - b4400; b4144]
- a catadupa** (Hewitson), [1869], 1863-1878; *Thecla* OD: Ill. diurn. Lep. Lycaenidae 1:117; 2:pl 47, f 219,220 [b2326] CG: *Radissima* [Type: BMNH-lt; designated by Johnson, 1992] [Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (22):174 [b2611]] [TypeL - Ecuador.] [Refs - b0908; b2747; b2631; b2593; b0125; b2611]
- c cataleuca** (Herrich-Schäffer), [1853], 1850-1869; *Orimba* OD: Samml. neuer. aussereurop. Schmett. 1:[55] [b2314] SS: *epitus* (Cramer), [1780]; *Setabis* [Refs - b2280; b2747; b4475]
- a cataleuca** (R. Felder), 1869; *Eurygona* OD: Verh. zool.-bot. Ges. Wien 19:467 [b1694] CG: *Euselasia* [TypeL - Mexico.] [Refs - b4474; b2406; b1456]
- c catalina** (Reakirt), 1866, 1866-1867; *Lycaena* OD: Proc. Acad. nat. Sci. Philad. 18:244 [b3697] SS: *piasus* (Boisduval), 1852; *Glaucopsyche* [Type: FMNH-st] [TypeL - California.] [Type of - *Phaedrotis*] [Refs - b0908; b2280; b2747; b3192; b1321]
- a catalina** (Grose-Smith & Kirby), 1887, 1887-1902; *Pseuderesia* OD: Rhop. exot. 1(1):4, pl 1, f 7,8 [b2049] CG: *Liptena* [TypeL - Cameroons.] [Refs - b4400; b1452; b0836]
- c catalina** Brown & Heineman, 1972, (ISS); *Leptotes* OD: Jamaica Butterflies :245 [b0540] SS: *catilina* (Fabricius), 1793; *Leptotes* [Refs - b0540; b3192]
- a catalla** Karsch, 1895; *Diopetes* OD: Ent. Nachr. 21:318 [b2694] [Refs - b1452 (as *Stempffer* name); b0836; b4400]
- b catalonica** (de Sagara y Castellamau), 1930; *Thestor* OD: Bull. Inst. catal. Hist. nat. (2)10:116 [b1180] SS: *ballus* (Fabricius), 1787; *Tomares* [Type: MC-st] [TypeL - Spain.] [Refs - b3059; b0070; b2794; b2985; b1180]

- c **cataluniae** (de Bast), 1985; *Lysandra* OD: *Linneana Belgica* 10(4):182, f [b1111] SS: *coridon* (Poda von Neuhaus), 1761; *Polyommatus* (*Lysandra*) [TypeL - Spain.] [Refs - b0119; b4038]
- a **catamarca** Johnson, 1992; *Rhamma* OD: *Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point)* (22):142, f [b2611] [Type: FMLT-ht] [TypeL - El Suricho, Catamarca Province, Argentina.] [Refs - b0125; b2611]
- a **catamarca** Johnson, 1993; *Tigrinota* OD: *Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point)* (37):11, f [b2616] [Type: FMLT-ht] [TypeL - La Puerta, Catamarca Province, Argentina.] [Refs - b2616]
- a **catamarquense** Hayward, 1968; *Audre* OD: *Acta zool. lilloana* 22:140, f 1b [b2220] [TypeL - Catamarca, Argentina.] [Refs - b2221; b1456]
- a **catamasquensis** Hayward, 1967; *Thecla* OD: *Acta zool. lilloana* 21:11 [b2219] CG: *Thecla* (New World *Eumaeini*) [Refs - b2221]
- a **catana** Hewitson, [1859], 1852-1877; *Calydna* OD: III. exot. *Buts* 2:[—], pl [47], f 15 [b2323] [TypeL - Amazon.] [Refs - b2988; b2747; b4475; b1456]
- e **catanga** d'Aberra, 1980, (ISS); *Pentila* OD: *Buts Afrotropical Region* :420 [b1452] SS: *catanga* Rebel, 1914; *Pentila* [Refs - b1452]
- c **catapoecila** Seitz, [1917], 1910-1924; *Euselasia* OD: In Seitz, *Grossschmett. Erde* 5:624 [b4093] SS: *euclitus* (Hewitson), [1855]; *Euselasia* [TypeL - Colomiba; Santarem, Amazonas, Brazil.] [Refs - b4474; b4093]
- e **catractae** Stevenson, 1940, (IFS); *Pentila* OD: *J. ent. Soc. S. Afr.* 3:101, pl 11 f 4 [b4436] SS: *obsoleta* Hawker-Smith, 1933; *Pentila* [Type: MNBZ-ht] [TypeL - Victoria Falls, Southern Rhodesia.] [Refs - b4420; b4400; b4436]
- b **catanga** Rebel, 1914; *Pentila* OD: *Annln naturh. Mus. Wien* 28:263, pl 22, f 46 [b3710] SS: *cloetensi* Aurivillius, 1897; *Pentila* [TypeL - C. Africa.] [Note - Not spelled *catanga*.] [Refs - b4400; b3796; b1452 (as *catanga*); b4420; b3710]
- a **catena** South, 1913; *Rapala* OD: *J. Bombay nat. Hist. Soc.* 22(3):609 [b4285] CG: *Rapala* [TypeL - S. E. Tibet.] [Note - Allied to *repercussa*.] [Refs - b0236; b4285]
- b **catharina** (Trimen), 1862; *Lycaena* OD: *Trans. ent. Soc. Lond.* (3)1:281 [b4716] SS: *cissus* (Godart), [1824]; *Cupidopsis* [Refs - b2747; b4400]
- c **catharina** Felder & Felder, 1865, 1865-1875; *Ogyris* OD: *Reise Novara* (2):218 [b1692] SS: *olane* Hewitson, 1862; *Ogyris* [TypeL - Australia.] [Refs - b2747; b4094]
- b **catharina** Butler, 1874; *Pseuderessia* OD: *Trans. ent. Soc. Lond.* 22(4):532, pl 11, f 4, 5 [b0599] SS: *eleaza* (Hewitson), [1873]; *Pseuderessia* [TypeL - Gold Coast.] [Type of - *Pseuderessia*] [Refs - b2280; b2753; b4400]
- a **catharina** (Draudt), [1920], 1917-1924; *Thecla* OD: In Seitz, *Grossschmett. Erde* 5:788, pl 156-k [b1348] CG: *Orcya* [Type: MNHN-lt; designated by Johnson, 1991] [*J. Lep. Soc.* 45(2):151 [b2605]] [TypeL - Santa Catharina, Brazil.] [Refs - b0908; b2591 (as *catherina*); b2597; ns2602]
- e **catharinae** Capronnier, 1874, (NN); *Thecla* OD: *Annls Soc. ent. Belg.* 17:15 [b0699] [TypeL - Botafogo, Brazil.] [Refs - b0908]
- a **catharinensis** (Clench), 1944; *Thecla* OD: *Bull. Harvard Mus. Comp. Zool.* 94:242 [b0823] CG: *Cyanophrys* [Type: MCZ; #26226] [TypeL - Santa Catharina, Brazil.] [Refs - b0908; b0528; b2221; b0420; b2585]
- a **catharus** Riley, 1932; *Capys* OD: *Ann. Mag. nat. Hist.* (10)10:144, pl 8, f 6,7 [b3773] [Type: BMNH-ht] [TypeL - M'Pala, Tanzania.] [Refs - b1452; b3773; b4400; b2899; b2286]
- e **catherinei** (Verity), 1948, 1947-1957, (RA); *Heodes* OD: *Var. Pap. diurn. France* :58 [b4863] SS: *tityrus* (Poda von Neuhaus), 1761; *Lycaena* (Heodes) [Type: MZS-st] [Refs - b2856]
- a **catiata** (Hewitson), [1875], 1852-1877; *Calydna* OD: III. exot. *Buts* 5:Ery, f 9 [b2323] CG: *Petrocerus* [Type: BMNH-ht] [TypeL - Brazil.] [Type of - *Petrocerus*] [Refs - b2753; b4474; b0111; b0557; b1456]
- b **catilina** (Fabricius), 1793, 1792-1799; *Hesperia* OD: *Ent. syst.* 3(1):304 [b1657] SS: *cassius* (Cramer), [1775]; *Leptotes* [Type: ZMC-st] [TypeL - *Americae meridionalis Insulis*.] [Refs - b0908; b0907; b2747; b0540 (as *catalina*); b0833; b3192 (*, as *catalina*); b1321 (as *catalina*); b5076]
- b **catius** (Fruhstorfer), 1910; *Cyaniris* OD: *Stett. ent. Ztg.* 71(2):290 [b1843] SS: *rona* (Grose-Smith), 1894; *Udara* (*Udara*) [Type: BMNH-lt; designated by Eliot & Kawazoé, 1983] [*Buts Lycaenopsis* group :91 [b1580]] [TypeL - Sumatra.] [Refs - b1840; b1580; b2200]
- b **cato** H. H. Druce, 1895; *Tajuria* OD: *Proc. zool. Soc. Lond.* 1895(3):601, pl 33, f 13,14 [b1362] SS: *yajna* (Doherty), 1886; *Tajuria* [Type: ZMHU-lt; designated by Takanami, 1989] [Tyô to Ga 40(1):31 [b4602]] [TypeL - Mt. Kinabalu, N. E. Borneo.] [Refs - b1362; b1454; b4094; b4602; b4108]
- a **catocala** Strand, 1914; *Micropentila* OD: *Arch. Naturgesch. (A)*80(2):155 [b4515] [TypeL - Kamerun.] [Note - Not spelled *catocala*.] [Refs - b1452; b4528; b4400 (as *catocala*)]
- a **catochloris** (Boisduval), 1832; *Lycaena* OD: In d'Urville, *Voy. Astrolabe 1(Lép.)*:78 [b0457] CG: *Nacaduba* [TypeL - Tahiti Island.] [Type of - *Hypojamides*] [Refs - b2280; b2747; b4871; b2386; b2387; b2388]
- a **catoleuce** (Hübner), [1823], 1808-1837; *Erythia* OD: *Zutr. Samml. exot. Schmett.* 2:8, pl [37], f 207,208 [b2483] CG: *Euselasia* [Refs - b2747; b4474; b1456]
- b **catoleucus** (Fruhstorfer), 1913; *Gerydus* OD: *Z. wiss. Insektbiol.* 9(9):246 [b1851] SS: *leos* (Guérin-Méneville), [1831]; *Miletus* 4 [TypeL - Saleyer.] [Refs - b1840]
- c **catori** Bethune-Baker, 1903; *Arhopala* OD: *Trans. zool. Soc. Lond.* 17(1):93, pl 2, f 11, nec pl 5, f 8,8a [b0331] SS: *major* Staudinger, 1889; *Arhopala* b [Type: BMNH-lt; designated by Evans, 1957] [*Bull. Br. Mus. nat. Hist. (Ent.)* 5(3):97 [b1644]] [TypeL - Borneo.] [Refs - b1644; b1454; b4094; b4602; b4108]
- b **catori** Bethune-Baker, 1903; *Phytala* OD: *Ann. Mag. nat. Hist.* (7)12:328 [b0328] SS: *elais* Westwood, [1851]; *Phytala* [TypeL - West Africa.] [Refs - b1452; b0836; b4400; b0328]
- a **catori** (Bethune-Baker), 1903; *Deudorix* OD: *Ann. Mag. nat. Hist.* (7)12:331 [b0328] CG: *Hypokopelates* [TypeL - West Africa.] [Refs - b0836; b4400; b0328]
- b **catori** (Bethune-Baker), 1904; *Pseuderessia* OD: *Ann. Mag. nat. Hist.* (7)14:225 [b0332] SS: *debora* (Kirby), 1890; *Mimeressia* [TypeL - Moyamba, Sierra Leone.] [Refs - b1452; b0836; b4400]
- a **catori** Bethune-Baker, 1904; *Iolaus* OD: *Ann. Mag. nat. Hist.* (7)14:233 [b0332] CG: *Iolaus* (*Etesiolaus*) [TypeL - Sierra Leone.] [Type of - *Etesiolaus*] [Refs - b2280; b1452; b0836; b4400]
- a **catori** Bethune-Baker, 1904; *Epitolina* OD: *Ann. Mag. nat. Hist.* (7)14:227 [b0332] [TypeL - Sierra Leone.] [Refs - b4400; b1452; b0836]
- b **catori** Bethune-Baker, 1906; *Pentila* OD: *Ann. Mag. nat. Hist.* (7)18:339 [b0339] SS: *piciens* Hewitson, 1874; *Pentila* [TypeL - Nigeria.] [Refs - b1452; b4420; b4400]
- c **catori** Bethune-Baker, 1924; *Egumbia* OD: *Ann. Mag. nat. Hist.* (9)14:135 [b0360] SS: *ernesti* (Karsch), 1895; *Egumbia* [TypeL - Nigeria.] [Type of - *Egumbia*] [Refs - b2280; b3796; b0836; b0360; b4400]

- a cator** Bethune-Baker, 1926; *Pseudaletis* OD: *Ann. Mag. nat. Hist.* (9)17:393 [b0362] [TypeL - Nigeria.] [Refs - b1452; b4400]
- a catrea** Hewitson, [1874], 1863-1878; *Thecla* OD: *Ill. diurn. Lep. Lycaenidae* 1:181; 2:pl 71, f 545,546 [b2326] CG: *Thecla* (New World Eumaeini) [Type: BMNH] [TypeL - Brazil.] [Refs - b0908; b2753]
- a catreus** (de Nicéville), 1895; *Cyaniris* OD: *J. Bombay nat. Hist. Soc.* 9(3):276, pl O, f 20,21 [b1159] CG: *Ptox* [Type: ZSI-ht] [TypeL - Java.] [Type of - *Ptox*] [Refs - b2280; b1840; b1580; b2200]
- b catrionus** Fruhstorfer, [1923], 1909-1923; *Castalius* OD: *In Seitz, Grossschmett. Erde* 9:886 [b1840] SS: *rosimon* (Fabricius), 1775; *Castalius* [TypeL - Lombok; Sumbawa.] [Refs - b1840; b4592; b4604; b4108]
- b catullus** (Fruhstorfer), 1910; *Cyaniris* OD: *Stett. ent. Ztg* 71(2):283 [b1843] SS: *akasa* (Horsfield), [1828]; *Udara* (Udara) [Type: BMNH-lt; designated by Eliot & Kawazoe, 1983] [*Buus Lycaenopsis* group :109 [b1580]] [TypeL - Sumatra.] [Refs - b0964; b0965; b1840; b2200]
- b catulus** Fruhstorfer, [1912]; *Rapala* OD: *Berl. ent. Z.* 56(3/4):260 [b1850] SS: *suffusa* (Moore), [1879]; *Rapala* [TypeL - Nias.] [Refs - b1454; b1850; b4094; b1854]
- a catuna** Kirby, 1890; *Epitola* OD: *Ann. Mag. nat. Hist.* (6)6:273 [b2766] [TypeL - Tropical Africa.] [Refs - b3842; b1452; b2766; b4400]
- b caucana** (Stichel), 1910; *Peplia* OD: *Gen. Insectorum* 112(A):367 [b4446] SS: *molpe* (Hübner), [1808]; *Juditha* [Type: pc-ht; collection of Stichel] [TypeL - Cauca, Colombia.] [Note - *Described as a subspecies of lamis.*] [Refs - b4475; b4446]
- b caucana** Stichel, 1926; *Mesosemia* OD: *Deut. ent. Zeit.* 1926:82 [b4464] SS: *telegone* (Boisduval), 1836; *Mesosemia* [TypeL - Colombia.] [Refs - b4474]
- b caucasica** (Lederer), 1869, 1869-1870; *Lycaena* OD: *Annl. Soc. ent. Belg.* 13:23 [b2956] SS: *corydonius* (Herrich-Schäffer), [1852]; *Polyommatus* (*Lysandra*) [Type: ZMHU-lt; designated by Schunian, 1988] [*Ent. Zeit.* 98(10):139 [b4038]] [TypeL - Cauca.] [Refs - b2747; b2827; b3361; ns3354; b2794; b4031; b4092; b4038]
- b caucasica** (Jachontov), [1909]; *Chrysophanus* OD: *Revue Russe Ent.* 8(3/4):291 [b2555] SS: *virgaureae* (Linnaeus), 1758; *Lycaena* (Heodes) [TypeL - Beschtai, N-Caucasus.] [Refs - b0236; b0471; b2788]
- e caucasica** Jachontov, 1914; *Maculinea* OD: *Revue Russe Ent.* 14:301 [b2559] SS: *arion* (Linnaeus), 1758; *Maculinea* [Refs - b0236]
- b caudalis** Bates, [1868]; *Siseme* OD: *J. linn. Soc. Lond., Zool.* 9:384 [b0267] SS: *neuodes* Felder & Felder, 1861; *Siseme* [TypeL - Peru or.] [Refs - b2747; b4475; b2221; b0569; b1456]
- b caudalis** (Bryk), 1946; *Polyommatus* OD: *Ark. Zool.* 38A(3):56 [b0568] SS: *fischeri* (Eversmann), 1843; *Tongeia* [TypeL - Korea.] [Refs - b0080]
- a caudata** Miller, 1980; *Erora* OD: *J. Lep. Soc.* 34(2):209-216 [b3188] [Type: AME-ht] [TypeL - Mexico.] [Refs - b1610 (5192-E12); b0113; b3188]
- b caudata** Eliot & Kawazoe, 1983; *Megisba* OD: *Buus Lycaenopsis* group :63, f 232,256 [b1580] SS: *strongyle* (C. Felder), 1860; *Megisba* [Type: ANIC-ht] [TypeL - Rabaul, New Britain.] [Refs - b1580]
- a caudata** Johnson, 1990; *Penaincisalia* OD: *Pan-Pac. Ent.* 66(2):112, f [b2603] [Type: BMNH-ht] [TypeL - Cajamarca, Peru.] [Refs - b0124; b2611]
- c caudatula** (Zeller), 1847; *Thecla* OD: *Isis von Oken* 1847(1):6 [b5060] SS: *ilicis* (Esper), [1779]; *Satyrnum* [Refs - b2747 (=spini); b2794; b4092; ns4798]
- c caudatus** Grose-Smith, 1893; *Allotinus* OD: *Ann. Mag. nat. Hist.* (6)12:34 [b2034] SS: *fabius* (Distant & Pryer), 1887; *Allotinus* (*Fabitaras*) [Type: BMNH-ht] [TypeL - Mt Kina Balu, Borneo.] [Refs - b1840; b1454; b1571; b4108]
- d caudatus** (Staudinger), 1901, (H); *Chrysophanus* OD: *Cat. Lep. Palae. Faun.* (3rd ed) :75 [b4347] OS: *ophion* (Hemming), 1933; *Hyrceanana* [Refs - b2250; b4347; b0071; b3360]
- b caudatus** (Staudinger), 1901; *Chrysophanus* OD: *Cat. Lep. Palae. Faun.* (3rd ed) :73 [b4347] SS: *thetis* Klug, 1834; *Lycaena* (*Thersamonia*) [Refs - b2827; b2250; b4347; b4092]
- a caulonia** (Hewitson), [1877], 1863-1878; *Thecla* OD: *Ill. diurn. Lep. Lycaenidae* 1:188; 2:pl 75, f 587,588 [b2326] CG: *Calycopis* [Type: BMNH-ht] [TypeL - Rio de Janeiro, Brazil.] [Refs - b0908; b1737; b2753; b2221; b1375; b2623]
- a cauter** (H. H. Druce), 1907; *Thecla* OD: *Proc. zool. Soc. Lond.* 1907(3):589, pl 34, f 15 [b1375] CG: *Nicolaea* [Type: pc; Godman collection.] [TypeL - Chapada Campo, Brazil.] [Type of - *Nicolaea*] [Refs - b0908] [Refs - b0908; b1375; b2614]
- c cavazzae** (Romei), 1927; *Scolitantides* OD: *Boll. Lab. Zool. Portici* 20:277 [b3849] SS: *abencerragus* (Pierret), 1837; *Pseudophilotes* [TypeL - Tripolitania, N. Africa.] [Refs - b0236; b0471]
- c caviflora** (Butler), 1877; *Nymphidium* OD: *Trans. ent. Soc. Lond.* 25(2):135 [b0607] SS: *agle* (Hewitson), [1853]; *Synargis* [TypeL - Prainha.] [Refs - b0607]
- b cayapona** (Stichel), 1916; *Polystichtis* OD: *Deut. ent. Zeit.* 1916:19 [b4452] SS: *cerealis* (Hewitson), [1863]; *Calospila* [Type: pc-ht; collection of Stichel] [TypeL - Cuyaba, Mato Grosso, Brazil.] [Refs - b4475; b4452]
- b cayennensis** Brévignon & Gallard, 1992; *Thisbe* OD: *Bull. Soc. Sci. Nat.* (73):5, f [b0490] SS: *fenestrella* Lathy, 1932; *Thisbe* [TypeL - French Guiana.] [Refs - b0125]
- b ccheilea** (Fruhstorfer), 1915; *Lampides* OD: *Arch. Naturgesch.* (A)81(6):29 [b1865] SS: *nemea* (C. Felder), 1860; *Jamides* [TypeL - Sulawesi.] [Note - *The original spelling is probably an error for echeilea, but without proof it must stand.*] [Refs - b1865; b4094 (as echeilea, echeleia); b4610]
- a cea** Hewitson, [1859], 1852-1877; *Calydna* OD: *Ill. exot. Buus* 2: [-], pl [47], f 16,17 [b2323] [TypeL - Amazon.] [Refs - b2988; b2747; b4475; b1456]
- b cearaica** Seitz, [1917], 1910-1924; *Baeotis* OD: *In Seitz, Grossschmett. Erde* 5:685, pl 134g [b4093] SS: *johannae* E. Sharpe, 1890; *Baeotis* [TypeL - Ceara, Brazil.] [Refs - b4474; b1456; b4093]
- c cebrenia** (Hewitson), [1873], 1852-1877; *Cremna* OD: *Ill. exot. Buus* 5: [-], pl [37], f 1-3 [b2323] SS: *umbra* (Boisduval), 1870; *Napaea* [TypeL - Honduras.] [Refs - b2753; b4474; b2406]
- a cebuensis** (Jumalon), 1975; *Pratapa* OD: *Tyô to Ga* 26(2):62, f [b2673] CG: *Paruparo* [TypeL - Cebu Island, Visayan Islands, Philippines.] [Type of - *Paruparo*] [Refs - b0107; b2211; b2201; b4586; b1454; b3490]
- b cebuensis** Okano & Okano, 1990; *Hypothecla* OD: *Rhopalocera Philippina* (4):4, f 5-8 [b3489] SS: *astyra* (Felder & Felder), 1862; *Hypothecla* [Type: pc-ht; collection of Masao Okano.] [TypeL - Cebu Island, Visayan Islands, Philippines.] [Refs - b3489]
- a cecilia** (Cramer), [1777], 1775-1790; *Papilio* OD: *Uitd. Kapellen* 2(14):98, pl 159, f D.E. [b1069] CG: *Methone* [TypeL - Surinam; Amazon.] [Type of - *Methone*, *Methonella*] [Refs - b2280; b2988; b2747; b4474; b1453; b1456]
- e ab. cecilia** (Pionneau), 1936; *Chrysophanus* OD: *Échange* 52:24 [b3618] SS: *hippothoe* (Linnaeus), 1761; *Palaeochrysophanus* [TypeL - Germany.] [Refs - b1503; b3618]

- c **cecina** (Hewitson), 1868; Thecla OD: Descr. new Spec. Lycaenidae :34 [b2327] SS: janius (Cramer), [1779]; Chalybs [Type: BMNH?] [TypeL - Polochic Valley, Guatemala.] [Refs - b0908; b2747; b1975]
- e **ab. cecinae** Hormuzaki, 1897; Maculinea OD: Verh. zool.-bot. Ges. Wien 47:137 [b2454] SS: alcon ([Denis & Schiffemüller]), 1775; Maculinea [Refs - b0993; b0400; b4092]
- e **cerropia** d'Abrera, 1994, (ISS); Mesosemia OD: Butts Neotropical Region, Pt 4:917 SS: ceropia H. Druce, 1874; Mesosemia [Refs - b1456]
- a **cecropis** (Fabricius), 1793, 1792-1799; Hesperia OD: Ent. syst. 3(1):270 [b1657] CG: Calycopis [TypeL - Indiis?]. [LifeH - Tietz lists b3176, b0055.] [Refs - b0908; b4245; b2280; b3078; b1737; b0907; b1944; b2747; b1601; b3192; b3512; b1321; b2649; b1375; b2631; b4066; b4652; b5076; b3814]
- b **cedarbergae** Dickson & Wykeham, 1974; Phasis OD: Ent. Rec. 86:177, f [b1271] SS: thero (Linnaeus), 1764; Phasis [TypeL - Cedarberg, Cape Province, S. Africa.] [Refs - b1259; b0107]
- a **cedrosensis** Brown & Faulkner, 1989; Mitoura OD: J. Res. Lep. 27(3/4):244, f [b0553] [TypeL - Isla de Cedros, Baja California Norte, Mexico.] [Refs - b0124]
- b **cedrusmontana** Dickson & Stephen, 1975; Argyrocupha OD: Ent. Rec. 87:129, f [b1270] SS: malagrida (Wallengren), 1857; Argyrocupha [TypeL - Cedarberg Mis., Cape Province, S. Africa.] [Refs - b1259; b0107]
- a **ceglusa** Hewitson, 1868; Thecla OD: Descr. new Spec. Lycaenidae :22 [b2327] CG: Thecla (New World Eumaeini) [Type: BMNH] [TypeL - Amazon.] [Refs - b0908; b2747]
- e **cehalena** (Hewitson), [1872], 1852-1877, (IOS); Comptosia OD: Ill. exot. Butts 4:pl [50], f 2 [b2323] SS: cephalena (Hewitson), [1872]; Ithomiola [Refs - b2323]
- b **cela** Waterhouse & Lyell, 1914; Nacaduba OD: Butts Aust. :94 [b4947] SS: pactolus (C. Felder), 1860; Nacaduba [TypeL - Darnley Island.] [Refs - b4676; b1450; b0870; b4094]
- c **celaeus** (Stoll), [1782], 1780-1790; Papilio OD: In Cramer, Uil. Kapellen 4(32):177, pl 379, f J,K [b4478] SS: parsimon (Fabricius), 1775; Lepidochrysops [Refs - b4400]
- b **celastroides** (Corbet), 1938; Chliaria OD: J. Fed. Malay St. Mus. 18(2):254 [b0940] SS: kina Hewitson, [1869]; Hypolycaena (Chliaria) [TypeL - Malaya.] [Refs - b0964; b0965; b1454]
- a **celastroides** (Shirôzu & Saigusa), 1962; Everes OD: Nature Life Southeast Asia 2:74, f 37; pl 14, f 103-106 [b4209] CG: Bothrinia [TypeL - Doi Inthanon, Thailand.] [Refs - b4209]
- a **celebensis** (Felder & Felder), 1865, 1865-1875; Anops OD: Reise Novara (2):220, pl 28, figs 14,15 [b1692] CG: Curetis [TypeL - Celebes.] [Refs - b4094 (+ as celeberis); b2747; b0621; b3742; b1454 (with tagalica)]
- a **celebensis** (Staudinger), 1889; Castalius OD: Deut. ent. Zeit. [Iris] 2(1):96 [b4332] CG: Caleta [Type: ZMHU-st] [TypeL - Sud Celebes.] [Refs - b1840; b1454; b4602; b2390; b2388]
- b **celebensis** Fruhstorfer, 1899; Zemerus OD: Berl. ent. Z. 44(3/4):285 [b1813] SS: flegyas (Cramer), [1780]; Zemerus [Refs - b4473; b1454; b1840]
- b **celebensis** Tite, 1959; Catochrysops OD: Entomologist 92:205 [b4670] SS: strabo (Fabricius), 1793; Catochrysops [Type: BMNH-ht] [TypeL - Macassar.] [Refs - b1450; b4670]
- b **celebica** Röber, [1886]; Abisara OD: CorrespBl. ent. Ver. Iris 1(3):48, pl 3, f 6,7 [b3820] SS: echerius (Stoll), [1790]; Abisara [Type: BMNH] [TypeL - Celebes.] [Refs - b2988; b0294; b4473; b1454; b1840]
- a **celebica** (Fruhstorfer), [1917]; Lycaenopsis OD: Arch. Naturgesch. (A)82(1):40 [b1880] CG: Uranobothria [Type: ZSBS-ht] [TypeL - Pik von Bonthain, Sulawesi.] [Type of - Uranobothria] [Refs - b2280; b0933; b1840; b1580; b1454; b4209 (in Bothrinia)]
- c **celebica** (Ribbe), 1926; Horaga OD: Ent. Mitt. 15(1):83 [b3742] SS: xenia (Grose-Smith), 1895; Hypolycaena [Type: ZMHU-st] [TypeL - Celebes.] [Refs - b3742; b1573]
- a **celebica** (Eliot), 1969; Epimastidia OD: Entomologist 102:274, f [b1554] CG: Jamides [Type: BMNH-ht] [TypeL - Paloe, West Celebes.] [Refs - b1558; b0104; b1554; b2388]
- a **celelata** Hewitson, [1874], 1863-1878; Thecla OD: Ill. diurn. Lep. Lycaenidae 1:181; 2:pl 71, f 543,544 [b2326] CG: Thecla (New World Eumaeini) [Type: BMNH] [TypeL - Brazil.] [Refs - b0908; b2753]
- a **celeno** (Cramer), [1775], 1775-1790; Papilio OD: Uil. Kapellen 1(3):51, pl 31, f C,D [b1069] CG: Jamides [TypeL - Surinam, but really Sumatra.] [Refs - b4198; b0964; b1636; b1450; b0965; b2747; b4094; b2479; b1564; b0236; b3916; b2195; b5053; b1865; b0400; b4871; b4181; b1454; b2753; b0694; b4209; b4601; b2388]
- c **celerio** (Fabricius), 1777; Papilio OD: Gen. Ins. :268 [b1654] SS: celeno (Cramer), [1775]; Jamides [Refs - b2747]
- a **celetes** Bates, [1868]; Mesene OD: J. linn. Soc. Lond., Zool. 9:387 [b0267] [TypeL - Para.] [Refs - b2747; b4474; b2221; b1456]
- a **celida** (Lucas), 1857; Thecla OD: In Sagra, Hist. Cuba 7:610 [b3021] CG: Nesiostrymon [Type: BMNH?] [TypeL - Cuba.] [Refs - b0908; b0540; b0907; b2747; b0540; b0833; b2631]
- a **celina** Bates, [1868]; Esthemopsis OD: J. linn. Soc. Lond., Zool. 9:379 [b0267] [TypeL - Ega.] [Refs - b2988; b2747; b2753; b4474; b1456]
- c **celina** (Austaut), 1879; Lycaena OD: Petites Nouv. ent. 2(212):293 [b0175] SS: bellicarus Bryk, 1940; Polyommatus [TypeL - Algeria.] [Note - Not spelled *celuna* or *celona*. May be a good subspecies.] [Refs - b3059; b1752; b0236; b0175; b3366; b4092; b0206]
- a **celinde** (Boisduval), 1832; Lycaena OD: In d'Urville, Voy. Astrolabe 1(Lép.):78 [b0457] CG: Cupido (?) [TypeL - New Guinea.] [Refs - b2747]
- b **celinus** (Fruhstorfer), 1915; Lampides OD: Arch. Naturgesch. (A)81(6):9 [b1865] SS: suidas (Felder & Felder), 1865; Jamides [Type: BMNH-ht] [TypeL - Sumatra.] [Refs - b1865; b1454 (with malaccanus); b4094; b3786]
- a **celinus** Eliot, 1961; Miletus OD: Bull. Raffles Mus. 26:175 [b1546] CG: Miletus 4 [TypeL - Celebes.]
- b **celis** (Fruhstorfer), [1923], 1909-1923; Tarucus OD: In Seitz, Grossschmett. Erde 9:893 [b1840] SS: plinius (Fabricius), 1793; Leptotes [TypeL - E. Sulawesi.] [Refs - b1840; b4108]
- a **cellarius** (Fruhstorfer), 1913; Gerydus OD: Z. wiss. Insektenbiol. 9(10):308 [b1851] CG: Miletus 3 [TypeL - Kinabalu, Borneo.] [Refs - b1546; b0965; b1840; b4108]
- b **cellariusi** (Bollow), 1930, 1929-1931; Everes OD: In Seitz, Grossschmett. Erde 1(Suppl.):255 [b0471] SS: ion (Leech), 1891; Tongeia [TypeL - China.] [Refs - b0471]
- a **cellularis** (Kirby), Sep 1890; Pseuderesia OD: Ann. Mag. nat. Hist. (6):262 [b2766] CG: Mimeresia [TypeL - Cameroons.] [Refs - b1452; b2766; b4400]

- a **celmus** (Cramer), [1775], 1775-1790; **Papilio** OD: *Uitl. Kapellen* 1(5):87, pl 55, f G,H [b1069] CG: *Celmia* [TypeL - Surinam.] [Type of - *Celmia*] [Refs - b0908; b2988; b2747; b2221; b3818; b0278; b2497; b1375; b1975; b2632; b0125; b2606]
- a **celona** (Hewitson), [1874], 1863-1878; **Thecla** OD: *Ill. dium. Lep. Lycaenidae* 1:179; 2:pl 70, f 529,530 [b2326] CG: *Nesiostrymon* [Type: BMNH-ht] [TypeL - Espiritu Santo, Brazil.] [Refs - b0908; b2753; b2593; b0125]
- e **celsus** Doubleday, 1847, 1844-1848, (NN); **Eurygona** OD: *List Spec. lep. Brit. Mus.* (2):5 [b1327] [Refs - b4474]
- b **celtilla** (Hewitson), 1870; **Comptosia** OD: *Trans. ent. Soc. Lond.* 18(2):162 [b2333] SS: *floralis* Felder & Felder, 1865; *ithomiola* [TypeL - Ecuador.] [Refs - b2753; b4474]
- e **cenea** (Seitz), [1917], 1910-1924, (ISS); **Charis** OD: In *Seitz, Grossschmett. Erde* 5:698 [b4093] SS: *cereus* (Linnaeus), 1767; *Erebia* [Note - *On Official List of Rejected Names (#839)*.] [Refs - b2534; x3192]
- d **ceneus** (Cramer), [1777], 1775-1790, (H); **Papilio** OD: *Uitl. Kapellen* 2(-):94, pl 156, f F [b1069] SS: *actoris* (Cramer), [1776]; *Cremna* [TypeL - Guiana, Amazon.] [Refs - b2747; b4474; b2753; b2753]
- b **centorinus** (Fruhstorfer), [1912]; **Zelus** OD: *Berl. ent. Z.* 56(3/4):242 [b1850] SS: *amasa* Hewitson, [1865]; *Hypolycaena* (*Zelus*) [TypeL - Sumbawa.] [Refs - b1454; b1850; b4094]
- b **centa** (Fruhstorfer), 1907; **Sithon** OD: *Ent. Zeit.* 21(23):144 [b1824] SS: *jangala* (Horsfield), [1829]; *Remelana* [TypeL - Nias.] [Refs - b2201; b1454; b4094; b1824]
- a **centaurus** (Fabricius), 1775; **Papilio** OD: *Syst. Ent.* :520 [b1653] CG: *Arhopala* h [Type: BMNH-st; Banks collection.] [TypeL - Nova Hollandia, but really Malaya.] [Type of - *Nilasera*] [Refs - b1644; b2280; b2747; b2479; b2382; b0870; b4094; b1475; b5076; b4209; b4788]
- b **centenitus** Fruhstorfer, 1914; **Arhopala** OD: *Deut. ent. Zeit.* [Iris] 27(4):157 [b1853] SS: *centaurus* (Fabricius), 1775; *Arhopala* h [Type: BMNH-ht] [TypeL - Batu Island.] [Refs - b1644; b1853; b1454; b4094]
- a **centoripa** (Hewitson), 1868; **Thecla** OD: *Descr. new Spec. Lycaenidae* :23 [b2327] CG: *Morphissima* [Type: BMNH-ht; designated by Johnson, 1991] [Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (21):27 [b2606]] [TypeL - Amazon.] [Refs - b0908; b2747; b1375; b0125; b2606]
- b **centra** (Evans), 1957; **Narathura** OD: *Bull. Br. Mus. nat. Hist. (Ent.)* 5(3):117 [b1644] SS: *micale* Boisduval, 1853; *Arhopala* h [Type: BMNH-ht] [TypeL - Simbang, Central New Guinea.] [Refs - b1450; b1644]
- b **centralis** (Barnes & McDunnough), 1917; **Philotes** OD: *Contr. nat. Hist. Lep. N. Amer.* 3(4):215, pl 16, f 7,8 [b0250] SS: *batooides* (Behr), 1867; *Euphilotes* [Type: USNM-ht] [TypeL - Salida, Colorado.] [Refs - b0908; b4688; b1711; b3192; b2417; b0493; b1743; b1321; b2419; b4690; b4066]
- b **centralis** Bennett, 1966; **Micropentila** OD: *Entomologist* 99:186 [b0297] SS: *brunnea* (Kirby), 1887; *Micropentila* [TypeL - Congo.] [Refs - b0297; b1452; b4400]
- b **centralis** Stempffer & Bennett & May, 1974; **Liptena** OD: *Bull. Br. Mus. nat. Hist. (Ent.)* 30(1):120, f [b4423] SS: *opaca* (Kirby), 1890; *Liptena* [TypeL - Uoumbi, Brazzaville, Congo.] [Refs - b0105]
- e **centralitiae** (Verity), 1943, (RA); **Thersamonina** OD: *Farfalle Diurne Ital.* 2:61 [b4862] SS: *dispar* (Kirby), 1887; *Epitolina* [Type: MZS-st] [Refs - b2856; b0389]
- b **centralitalica** (Dannehl), 1927; **Lycaena** OD: *Mitt. münchn. ent. Ges.* 17:8 [b1102] SS: *damon* ([Denis & Schiffermüller]), 1775; *Polyommatus* (*Agrodiaetus*) [TypeL - Apennines.] [Refs - b0236; b0065; b0471]
- e **ab. centriconjuncta** (Tutt), 1906, 1905-1914; **Rumicia** OD: *Nat. Hist. Brit. Buus* 1:364 [b4760] SS: *phlaeas* (Linnaeus), 1761; *Lycaena* (*Lycaena*) [Refs - b0389; b4760]
- e **f. centrijuncta** (Beuret), 1927; **Lysandra** OD: *Lambillionea* 27:32 [b0368] SS: *coridon* (Poda von Neuhaus), 1761; *Polyommatus* (*Lysandra*) [Refs - b0236]
- e **centripuncta** Grund, 1916; **Lycaena** OD: *Glasn. hrv. prirodosl. Društ.* 28:121 [b2082] SS: *dispar* ((Haworth)), 1802; *Lycaena* (*Thersamolycaena*) [Refs - b0389]
- e **centripuncta** (Grund), 1916; **Lycaena** OD: *Glasn. hrv. prirodosl. Društ.* 28:121 [b2082] SS: *hippotoe* (Linnaeus), 1761; *Palaeochrysophanus* [Refs - b0389]
- e **ab. centripuncta** Wehrli, 1920; **Lycaena** OD: *Mitt. ent. Ver. Basel* (12):1 or 2, f 24 [b4972] SS: *gordius* (Sulzer), 1776; *Lycaena* (*Alciphronia*) [*Check - Spelling?*] [Refs - b0236; b0389 (as centrijuncta)]
- e **ab. centrirufa** (Silbermägel), 1940; **Lycaena** OD: *Acta Soc. ent. bohém.* 37:118 [b4227] SS: *icarus* (Rotzberg), 1775; *Polyommatus* [TypeL - Czechoslovakia.] [Refs - b0080]
- c **centro** (Chapman), [1913]; **Agradias** OD: *Trans. ent. Soc. Lond.* 60(4):675 [b0762] SS: *thersites* (Cantener), 1834; *Polyommatus* (*Plebicula*) [TypeL - Tarentaise.] [Refs - b0236; b0762; b0471]
- e **ab. centroelongata** (Lempke), 1936; **Lycaena** OD: *Tijdschr. Ent.* 79:308 [b2975] SS: *euphemus* (Hübner), [1800]; *Maculinea* [TypeL - Holland.] [Refs - b0074; b0400]
- c **f. centroelongata** (Lempke), 1954; **Thersamonina** OD: *Tijdschr. Ent.* 97:337 [b2981] SS: *dispar* ((Haworth)), 1802; *Lycaena* (*Thersamolycaena*) [TypeL - Holland.]
- b **centrohelvetica** (Rézányai), 1981; **Agradias** OD: *Ent. Ber. Luzern* (6):99, f [b3734] SS: *glandon* (Prunner), 1798; *Polyommatus* (*Agradias*) [TypeL - Switzerland.] [Refs - b0114]
- e **ab. centrojuncta** Courvoisier, 1912; **Lycaena** OD: *Deut. ent. Zeit.* [Iris] 26:48 [b0987] SS: *alciphron* (Rotzberg), 1775; *Lycaena* (*Alciphronia*) [Refs - b0236; b0471]
- e **ab. centropuncta** (Glais), 1926; **Lycaena** OD: *Encyc. ent. Ser. B. III. Lep.* 1(3):118, pl 6, f 7 [b1966] SS: *argus* (Linnaeus), 1758; *Plebicus* [Refs - b0236]
- a **centuncula** Draudt, [1920], 1917-1924; **Thecla** OD: In *Seitz, Grossschmett. Erde* 5:805, pl 159-f [b1348] CG: *Thecla* (*New World Eumacini*) [TypeL - Sao Paulo, Brazil.] [Refs - b0908]
- c **cepha** (Fabricius), 1781, 1781-1782; **Papilio** OD: *Spec. Ins.* 2:15 [b1655] SS: *epitus* (Cramer), [1780]; *Setabis* [TypeL - *Cajennae*.] [Refs - b2747; b4475; b5076; b2753]
- b **cephalena** (Hewitson), [1872], 1852-1877; **Comptosia** OD: *Ill. exot. Buus* 4:[94]; pl [50], f 2 (as *cephalena*) [b2323] SS: *floralis* Felder & Felder, 1865; *ithomiola* [TypeL - Cayenne.] [Refs - b2747 (as *cephalene*); b4474; b2323]
- e **cephalena** (Kirby), 1871, (ISS); **Comptosia** OD: *Syn. Cat. dium. Lep.* :651 [b2747] SS: *cephalena* (Hewitson), [1872]; *ithomiola* [Refs - b2747]
- a **cephalus** (Weber), 1801; **Hesperia** OD: *Obs. ent.* :109 [b4955] CG: *Amblypodia* (??) [TypeL - Inida?] [Refs - b2747]
- b **cepheis** (H. H. Druce), 1891; **Thysonotis** OD: *Proc. zool. Soc. Lond.* 1891(3):364, pl 32, f 1,2 [b1358] SS: *schaefera* (Eschscholtz), 1821; *Nothodanis* [TypeL - Guadalcanar Island, Solomon Islands.] [Refs - b1450; b2078; b1358; b1382]
- a **cepheis** de Nicéville, 1894; **Charana** OD: *J. asiat. Soc. Bengal, Pt II* 63(1):40, pl 5, f 10 [b1158] [TypeL - Assam.] [Refs - b1636; b4094; b1454; b0694]
- a **cephena** Hewitson, 1873; **Epitola** OD: *Ent. mon. Mag.* 10:151 [b2337] [TypeL - Gaboon.] [Refs - b2766 :273 (as *doleta* female); b3842; b2753; b1452; b0836; b4400]

- a **cephenes** Hewitson, 1874; *Pseudodipsas* OD: Trans. ent. Soc. Lond. 22(3):344 [b2341] [TypeL - India.] [Refs - b1450; b2753; b1328; b3923; b0870; b4094; b4788]
- e **cephien** Stempffer, 1967, (ISS); *Paraslauga* OD: Bull. Br. Mus. nat. Hist. (Ent.) Suppl. 10:70 [b4400] SS: cephren (H. H. Druce), 1913; *Paraslauga* [Refs - b4400]
- a **cephion** H. H. Druce, 1891; *Jamides* OD: Proc. zool. Soc. Lond. 1891(3):367, pl 31, f 19 [b1358] [TypeL - Aola, Guadalcanal, Solomon Islands.] [Refs - b1450; b4094; b1865; b1358; b2388]
- e **Q f. cephisa** (Stichel), 1910, (IFS); *Aricoris* OD: Berl. ent. Z. 55(1/2):68 [b4445] SS: epitus (Cramer), [1780]; *Setabis* [Refs - b4475; b4445]
- a **cephise** (Ménétriés), 1855, 1855-1857; *Lyropteryx* OD: Enum. corp. anim. 1:89, pl 3, f 3 [b3152] CG: *Melanis* [TypeL - Nicaragua.] [Refs - b2988; b2747 (in *Lymnas*); b4474; b2775; b1456]
- a **cephissa** Hewitson, [1875], 1852-1877; *Calydna* OD: Ill. exot. Butts 5:Ery, f 7,8 [b2323] [Type: BMNH-hit] [TypeL - Upper Amazon.] [Refs - b2753; b4475; b1456]
- c **cephren** (H. H. Druce), 1913; *Aslauga* OD: Ann. Mag. nat. Hist. (8)11:358 [b1381] SS: *kallimoides* (Schultze), 1912; *Paraslauga* [Type: BMNH-hit] [TypeL - Bitje, Ja River, Cameroons.] [Note - Not spelled cephren.] [Refs - b1381; b4400 (as cephren)]
- c **ceramensis** Ribbe, 1889; *Miletus* OD: Deut. ent. Zeit. [Iris] 2(2):202, 247, pl 1, f 2 [b3737] SS: *boisduvali* Moore, [1858]; *Miletus* 3 [Type: SMT-lt; designated by Takanami, 1989] [Tyō to Ga 40(1):47 [b4602]] [TypeL - Ceram.] [Note - Ribbe described this taxon twice, first on page 202 (with leas) and again on page 247 (with chinensis).] [Refs - b1450; b1546; b1840; b3737; b4602; b4108]
- a **ceramensis** Ribbe, 1900; *Deudorix* OD: Deut. ent. Zeit. [Iris] 13:336, pl 6, f 3 [b3739] [Type: SMT-hit] [TypeL - Ceram.] [Refs - b1450; b4094; b4602]
- b **ceramensis** Tite, 1963; *Prosotas* OD: Bull. Br. Mus. nat. Hist. (Ent.) 13(4):95 [b4676] SS: *pia* Toxopeus, 1929; *Prosotas* [Type: BMNH-hit] [TypeL - Manusela, Ceram.] [Refs - b4676; b1450]
- c **ceramicum** H. H. Druce, 1902; *Hypochrysops* OD: Proc. zool. Soc. Lond. 1902(II)(1):115, pl 11, f 6 [b1367] SS: *makrikii* (Ribbe), 1900; *Hypochrysops* [TypeL - Seram.] [Refs - b1450; b2078; b3926]
- e **ceranus** (Fabricius), 1793, 1792-1799, (ISS); *Hesperia* OD: Ent. syst. 3(1):276 [b1657] SS: *caranus* (Stoll), [1780]; *Brangas* [Refs - b0908; b2406]
- c **cerasi** (Fabricius), 1787; *Papilio* OD: *Mantissa Ins.* 2:69 [b1656] SS: *w-album* (Knoch), 1782; *Satyrium* [Type: ZMC-hit] [TypeL - Austriae Cerasi.".] [Refs - b2747; b0996; b2794; b5076]
- d **cerasi** (Herbst), 1804, 1788-1804, (H); *Papilio* OD: In Jablonsky, *Natursyst. Ins., Schmett.* 11:pl 307, f 8,9 [b2306] SS: *spini* ([Denis & Schiffemüller]), 1775; *Satyrium* [Refs - b2747]
- a **cerata** (Hewitson), [1877], 1863-1878; *Thecla* OD: Ill. diurn. Lep. Lycaenidae 1:191; 2:pl 76, f 607,608 [b2326] CG: *Serratofalca* [Type: BMNH-lt; designated by Johnson, 1991] [Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (21):14 [b2606]] [TypeL - Pará, Brazil.] [Type of - *Serratofalca*] [Refs - b0908; b4245; b2753; b3818 (in *Calystryma*); b2497; b1975; b0125; b2643; b2606]
- a **ceraunia** Hewitson, 1873; *Epitola* OD: Ent. mon. Mag. 10:149 [b2337] [TypeL - Angola.] [Refs - b3842; b4400; b2753; b1452; b0836; b1585]
- a **ceraunus** (Fabricius), 1793, 1792-1799; *Hesperia* OD: Ent. syst. 3(1):303 [b1657] CG: *Hemiargus* [Type: ZMC-st] [TypeL - Americae meridionalis Insulis".] [Refs - b1530 :235, f 451; b1321 :63; b3192; b0908; b4245; b0907; b3326; b2747; b0540; b1343; b1743; b1321; b0833; b4690 (*); b0493; b4066; b5076; b2157]
- b **cerbara** Fruhstorfer, 1916; *Nacaduba* OD: *Zoöl. Meded.* 2(2):135 [b1873] SS: *kurava* (Moore), [1858]; *Nacaduba* [TypeL - Key Island.] [Refs - b4676; b1450; b4094]
- a **cercene** Hewitson, 1873; *Epitola* OD: Ent. mon. Mag. 10:150 [b2337] [TypeL - Cameroons.] [Refs - b3842; b2747; b1452; b4400; b2655]
- a **cercenoides** Holland, 1890; *Epitola* OD: *Psyche* 5:424 [b2423] [TypeL - Upper Ogove River, Gaboon.] [Refs - b3842; b1452; b4400]
- a **cercides** Hewitson, [1871], 1852-1877; *Chamaelimnas* OD: Ill. exot. Butts 5:[80], pl [48], f 5 [b2323] [TypeL - Venezuela.] [Refs - b2988; b2753; b4474; b4476; b1456]
- a **cercopes** (Hewitson), 1874; *Limnas* OD: *Descr. new Spec. Butts* Buckley Bolivia :18 [b2344] CG: *Melanis* [TypeL - Bolivia.] [Refs - b2753; b4474; b1456]
- c **cerea** (Hübner), [1819], 1816-1826; *Polystichtis* OD: *Verz. bekannt. Schmett.* (2):18 [b2484] SS: *ovidius* (Fabricius), 1793; *Emesis* [Refs - b2747; b2221]
- a **cerealis** (Hewitson), [1863], 1852-1877; *Lemonias* OD: Ill. exot. Butts 3:[-], pl [59], f 37 [b2323] CG: *Calospila* [TypeL - Amazon.] [Refs - b2747; b4475; b1456]
- a **ceres** (Hewitson), [1865], 1863-1878; *Myrina* OD: Ill. diurn. Lep. Lycaenidae 1:39; 2:pl 17, f 63 [b2326] CG: *Hemiolaus* [TypeL - Amazulu.] [Refs - b2747; b1452; b4400]
- a **cereus** (Linnaeus), 1767; *Papilio* OD: *Syst. nat.* (ed. 12) 1(2):errata (P. ultima) [b2997] CG: *Emesis* [Type of - *Polystichtis*] [Note - Placed on Official List (#2105) by Op 232.] [Refs - b2280; b2747 (as *ceneus*, 1758:487); b4475; b3192; b2534; b3151; b1456]
- b **cerima** (Corbet), 1937; *Celastrina* OD: *Trans. R. ent. Soc. Lond.* 86(2):27 [b0934] SS: *selma* (H. H. Druce), 1895; *Udara* (*Selmanix*) [Type: BMNH-hit] [TypeL - Burma.] [Refs - b1580; b2200]
- b **cerkhar** (Lukhtanov), 1990; *Glaucopsyche* OD: *Vestnik Zoologii* 1990(6):21, f [b3031] SS: *argali* (Elwes), 1899; *Bajluana* [TypeL - Kazakhstan.] [Refs - b0124]
- a **ceromia** (Hewitson), [1877], 1863-1878; *Thecla* OD: Ill. diurn. Lep. Lycaenidae 1:185; 2:pl 74, f 573,574 [b2326] CG: *Angulopsis* [Type: BMNH-lt; designated by Johnson & Kroenlein, 1993] [Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (33):16 [b2627]] [TypeL - Bolivia.] [Refs - b0908; b2753; b1375; b1975; b2627]
- c **ceronus** (Esper), [1784], 1776-1830; *Papilio* OD: *Die Schmett.* 1(2)(9):178, pl 90, f 2 [b1623] SS: *bellargus* (Rottemburg), 1775; *Polyommatus* (*Lysandra*) [Refs - b3059; b2747; b1780 (bellargus); b1183; b3366; b4092; b2302]
- e **ab. ceronuslunulata** (Tut), 1909, 1905-1914; *Agriaedes* OD: *Nat. Hist. Brit. Butts* 3:332 [b4760] SS: *bellargus* (Rottemburg), 1775; *Polyommatus* (*Lysandra*) [Refs - b0236; b0471]
- a **ceropia** H. Druce, 1874; *Mesosemia* OD: Ent. mon. Mag. 11:37 [b1386] [TypeL - Costa Rica.] [Refs - b2747; b4474; b1456 (as *cecropia*)]
- b **cerri** (Hübner), [1824], 1796-1838; *Papilio* OD: *Samml. europ. Schmett.* 1-pl 175, f 863,864 [b2480] SS: *ilicis* (Esper), [1779]; *Satyrium* [Refs - b3059; b2747; b0236; b1183; b2985; b4092]

- c **f. cerroides** (Latin & Jöst & Roesler), 1957, 1957-1964; *Strymonidia* OD: Mit. Pollichia (3):4:129 [b2931] SS: ilicis (Esper), [1779]; *Satyrium* [TypeL - Germany.] [Refs - b0095]
- c **cervidius** Fruhstorfer, 1914; *Arhopala* OD: Deut. ent. Zeit. [Iris] 27(4):158 [b1853] SS: nakula (Felder & Felder), 1860; *Arhopala* h [Type: BMNH-ht] [TypeL - Borneo.] [Refs - b1644; b2200; b1853; b4094; b4108]
- b **cervinus** (Röber), 1887; *Jolaus* OD: CorrespBl. ent. Ver. Iris 1(4):195, pl 9, f 10 [b3821] SS: anysis (Hewitson), [1865]; *Dacalana* [TypeL - Insel Bangkei.] [Refs - b1850; b3821; b1454; b4094]
- a **cesennia** Stichel, 1928; *Taxila* OD: Tierreich 51:146 [b4469] [TypeL - Not stated.] [Refs - b4474]
- a **cestri** (Reakin), [1867], 1866-1867; *Thecla* OD: Proc. Acad. nat. Sci. Philad. 18:338 [b3697] CG: *Strymon* [TypeL - Near Vera Cruz, Mexico.] [Refs - b1530 :217, f 415; b1321 :56; b0908; b2747; b0551; b3192; b1375; b1975; b2631; b4066]
- a **cethegus** (Stoll), [1790], 1780-1790; *Papilio* OD: In Cramer, *Uitl. Kapellen Aanh.*:168, pl 38, f 5,5E [b4478] CG: *Thecla* (New World Eumaeini) [TypeL - Surinam.] [Refs - b0908; b2747; b1375]
- a **cethura** (Felder & Felder), 1865, 1865-1875; *Anthocharis* OD: Reise Novara (2):182, pl 25, f 1,2 [b1692] CG: *Anthene* [Refs - b2280]
- a **cetra** Draudt, [1920], 1917-1924; *Thecla* OD: In Seitz, *Grossschmett. Erde* 5:776, pl 155-e [b1348] CG: *Thecla* (New World Eumaeini) [Type: NMB] [TypeL - Muzo, Colombia.] [Refs - b0908]
- b **ceylanica** R. Felder, 1868; *Spindasis* OD: Verh. zool.-bot. Ges. Wien 18:281 [b1693] SS: ictis (Hewitson), [1865]; *Spindasis* [Refs - b1636; b0996; b4094 (as ceylonica); b1693; b1454 (as ceylonica); b0694]
- c **ceylanica** Riley, 1921; *Tajuria* OD: Entomologist 54:206 [b3748] SS: jehana Moore, [1884]; *Tajuria* [TypeL - Ceylon.] [Refs - b1636; b1454; b3748]
- b **ceylonica** Fruhstorfer, 1916; *Nacaduba* OD: Zoöl. Meded. 2(2):114 [b1873] SS: pactolus (C. Felder), 1860; *Nacaduba* [TypeL - Ceylon.] [Refs - b4676; b1636; b0938; b1454; b4094; b0694]
- d **ceylonica** Fruhstorfer, 1916, (H); *Nacaduba* OD: Zoöl. Meded. 2(2):127 [b1873] SS: sinhala Ormiston, 1924; *Nacaduba* [TypeL - Ceylon.ana] [Refs - b4676; b1636; b0938; b1840; b0694; b2388]
- e **ceylonica** d'Abrera, 1986, (ISS); *Spindasis* OD: Butts Oriental Region, Pt 3 :603 [b1454] SS: ceylanica R. Felder, 1868; *Spindasis* [Refs - b1454; b4094]
- a **ceyx** (de Nicéville), 1893; *Cyaniris* OD: J. Bombay nat. Hist. Soc. 7(3):328, pl H, f 6,7 [b1156] CG: Udara (Selmanix) [Type: ZSI-ht] [TypeL - Java.] [Type of - Selmanix] [Refs - b0964; b1840; b1580; b0236; b1156; b2200]
- b **chaburobata** Tschikolowez, 1992; *Polyommatus* OD: *Atalanta* (Münnerstadt) 23(1/2):162, f [b4737] SS: pulchella (Bernardi), 1951; *Polyommatus* (*Lysandra*) [TypeL - Tajikistan] [Check - Classification.] [Refs - b0126]
- a **chacona** (Jørgensen), 1932; *Thecla* OD: Deut. ent. Zeit. [Iris] 46:45 [b2669] CG: *Calycopis* [Type: pc; Jørgensen collection.] [TypeL - Formosa, Argentina.] [Refs - b0908; b1737; b2221; b0070; b0420; b2623]
- a **chacovaga** Johnson & Eisele & MacPherson, 1992; *Ministrymon* OD: Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (23):2, f [b2625] [Type: AMNH-ht] [TypeL - Quimili, Santiago del Estero Prov., Argentina.] [Refs - b0125; b2625]
- b **chadwicki** Comstock & Huntington, 1943; *Leptotes* OD: Ann. New York Acad. Sci. 45:93, pl 1, f 28 [b0907] SS: cassius (Cramer), [1775]; *Leptotes* [TypeL - Roseau Valley, Dominica, B. W. I.] [Refs - b0908; b0907; b4049; b0833]
- b **chairemon** (Fruhstorfer), 1917; *Chrysophanus* OD: Ent. Rundsch. 34(4):16 [b1876] SS: alciphron (Rotzemburg), 1775; *Lycæna* (*Alciphronia*) [TypeL - Herzegovina.] [Refs - b0236; b0471; b2858]
- c **chaka** (Wallengren), 1875; *Aphnaeus* OD: Öfvers. K. VetenskAkad. Förh. 32(1):89 [b4917] SS: ella (Hewitson), [1865]; *Spindasis* [TypeL - Transvaal.] [Refs - b2753; b4400]
- a **chala** Kielland, 1980; *Lepidochrysops* OD: In Butts Afrotropical Region :567, f [b2731] [Type: BMNH-ht] [TypeL - Tanzania.] [Refs - b0113]
- a **chalcedonyx** Fruhstorfer, 1914; *Horaga* OD: Deut. ent. Zeit. [Iris] 28(1):33 [b1858] [Type: BMNH-ht] [TypeL - Sintang, S. W. Borneo.] [Refs - b1012; b1569; b1454; b1573; b4094; b4108]
- a **chalceus** Quickelberge, 1979; *Lepidochrysops* OD: Durban Mus. Novit. 12(6):64, f [b3676] [Type: DM-ht] [Refs - b3676; b1610 (855-E12)]
- a **chalcha** Korshunov, 1982; *Plebejus* OD: Nov Maloizvestiye Vidy Fauny Sib. (16):89, f [b2828] [TypeL - Russian SFSR.] [Refs - b0123]
- c **chalcis** (Edwards), [1869]; *Thecla* OD: Trans. amer. ent. Soc. 2(4):376 [b1498] SS: saepium (Boisduval), 1852; *Satyrium* [Type: CM-nt; designated by Brown, 1970] [Trans. amer. ent. Soc. 96(1):33 [b0509]] [TypeL - Isabel Creek, Santa Clara County, California.] [Refs - b0908; b2747; b3192; b1321; b0509]
- b **chalcosiva** (Clench), 1981; *Callophrys* OD: Bull. Allyn Mus. (64):11-14, f 17-22 [b0853] SS: siva (Edwards), 1874; *Mitoura* [Type: AME-ht] [TypeL - S. Willow Creek, Stansbury Mtns, Tooele County, Utah.] [Refs - b0853; x3192; b4182; b1722]
- b **chaline** Fruhstorfer, 1915; *Catapaecilma* OD: Z. wiss. InsektBiol. 11(7/8):221 [b1861] SS: elegans (H. Druce), 1873; *Catapaecilma* [TypeL - Nord-Ost-Sumatra.] [Refs - b1454; b1861]
- a **chaluma** (Schaus), 1902; *Thecla* OD: Proc. U. S. natn. Mus. 24(1262):414 [b3948] CG: *Radissima* [Type: USNM-ht; #5937] [TypeL - St. Catherina, Brazil.] [Refs - b0908; b3948; b0125; b2611]
- c **chalybaea** Röber, 1903; *Mesosemia* OD: Stutt. ent. Ztg 64:356 [b3829] SS: metuana (Felder & Felder), 1865; *Mesosemia* [TypeL - Colombia.] [Refs - b4474 (as chalybea); b1456]
- a **chalybeata** Joicey & Talbot, 1926; *Deudorix* OD: Entomologist 59:225 [b2662] CG: *Deudorix* (*Virachola*) [TypeL - St. Thomas Island, W. Africa.] [Refs - b1452; b4400]
- c **chalybeatus** E. Sharpe, 1890; *Aphnaeus* OD: Ann. Mag. nat. Hist. (6):6:105 [b4150] SS: asterius Plötz, 1880; *Aphnaeus* [TypeL - Sierra Leone.] [Refs - b4387; b4400]
- a **chalybeia** (Leech), 1890; *Satsuma* OD: Entomologist 23:43 [b2963] CG: *Ahlbergia* [Type: BMNH-ht; designated by Johnson, 1981] [Revision of *Callophryina* :191 [b2585]] [TypeL - Chang-yang, Hupeh Province, China.] [Note - *The lectotype designation is not valid because it was published in a thesis.*] [Refs - b1636; b0995; b2479; b4092 (as chalybea); b1950; b2585 (as chalybea); b0694]
- a **chalybeitincta** Sovinsky, 1905; *Callophrys* OD: Revue Russe Ent. 5(3/4):109 [b4287] CG: *Callophrys* [TypeL - Daghestan: pr. Berikei, Dervent; Transcaucasus: Elisabethpol.] [Note - *Johnson considers this name unavailable.*] [Refs - b0995; b2827; b0104; b0236; b3349; b4287; b2585; b0471; b2788]

- a **chama** (Staudinger), [1887], 1884-1888; *Lasaia* OD: In Exot. Schmett. 1:257; 2:pl 91 [b4329] CG: *Amphiselenis* [TypeL - Venezuela.] [Type of - *Amphiselenis*] [Refs - b2988; b2280; b4474; b1456]
- a **chamaeleona** Bethune-Baker, 1903; *Arhopala* OD: Ent. mon. Mag. 39:218 [b0329] CG: *Arhopala* g [Type: BMNH-ht] [TypeL - Aroa Bay.] [Refs - b1450; b1644; b0329]
- b **chamanica** (Moore), 1884; *Lycaena* OD: J. asiat. Soc. Bengal, Pt II 53(1):23 [b3236] SS: *loewii* (Zeller), 1847; *Polyommatus* (Plebejidea) [TypeL - Chaman.] [Refs - b1636; b0995; b0236; b3910; b4094; b0694; b4092; b3236]
- b **championi** Godman & Salvin, [1886], 1879-1901; *Symmachia* OD: Biol. centr.-amer., Lep. Rhop. 1:417 [b1975] SS: *probator* (Stoll), [1782]; *Symmachia* [TypeL - Guatemala.] [Refs - b4474]
- c **chandala** (Moore), 1865; *Polyommatus* OD: Proc. zool. Soc. Lond. 1865(2):504, pl 31, f 5 [b3220] SS: *maha* (Kollar), [1844]; *Pseudozizeeria* [TypeL - India bor. et occ.] [Refs - b1636; b2747; b0995; b2479; b0694; b4092]
- a **chandrana** (Moore), 1882; *Hypolycaena* OD: Proc. zool. Soc. Lond. 1882(1):249, pl 11, f 2,2a [b3234] CG: *Sinthusia* [TypeL - Lahoul.] [Refs - b1636; b2479; b0236; b1454; b4094; b0694; b4604; b4598]
- a **chaonia** (Hewitson), [1853], 1852-1877; *Nymphidium* OD: Ill. exot. Butts 1:[---], pl [57], f 6 [b2323] CG: *Synargis* [TypeL - Amazon.] [Refs - b2988; b2747; b4475; b1456]
- e **chaonites** (Kirby), 1871, (ISS); *Charis* OD: Syn. Cat. diurn. Lep. :318 [b2747] SS: *chaonitis* (Hewitson), [1866]; *Chalodeta* [Refs - b2747]
- a **chaonitis** (Hewitson), [1866], 1852-1877; *Charis* OD: Ill. exot. Butts 3:[---], pl [57], f 7,8 [b2323] CG: *Chalodeta* [TypeL - Amazon.] [Refs - b2988; b2747; b4474; b1116; b1456]
- a **chaosa** Johnson, 1993; *Tigrinota* OD: Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (37):12, f [b2616] [Type: MPM-ht] [TypeL - Independencia, Brazil.] [Refs - b2616]
- a **chapini** (Holland), 1920; *Spindasis* OD: Bull. amer. Mus. nat. Hist. 43(6):225, pl 12, f 6 [b2434] CG: *Aphnaeus* [Type: AMNH-ht] [TypeL - Niangara, Congo.] [Refs - b1452; b4400; b2434]
- b **chapmani** (Ribbe), 1910, 1909-1912; *Lycaena* OD: Deut. ent. Zeit. [Iris] 23(1/2):192 [b3741] SS: *morronensis* (Ribbe), 1910; *Plebejus* (*Aricia*) [Refs - b3059; b0993; b0236; b0410; b0471]
- a **charrassa** (Stichel), 1910; *Echenais* OD: Berl. ent. Z. 55(1/2):34 [b4445] CG: *Adelotypa* [Type: ZMHU-ht] [TypeL - Rio Juruá, N. Brazil.] [Refs - b4475; b4445; b1456; b4445]
- c **charichlorus** (Butler & H. Druce), 1872; *Tmolus* OD: Cistula Entomologica 1(5):109 [b0662] SS: *camissa* Hewitson, 1870; *Thecla* (New World Eumacini) [Type: BMNH] [TypeL - Cartago, Costa Rica.] [Refs - b0908; b2753; b1975]
- a **charila** Hewitson, [1854], 1852-1877; *Calydna* OD: Ill. exot. Butts 1:[---], pl [49], f 9,10 [b2323] [TypeL - Brasilia.] [Refs - b2988; b2747; b4475; b1456]
- a **charilis** (Bates), [1868]; *Eurygona* OD: J. linn. Soc. Lond., Zool. 9:375 [b0267] CG: *Euselasia* [TypeL - Upper Amazon.] [Refs - b2747; b4474; b1456]
- c **charis** (Hewitson), [1874], 1852-1877; *Lemonias* OD: Ill. exot. Butts 5:[---], pl [41], f 52,53 [b2323] SS: *epijessa* (Prittwitz), 1865; *Chalodeta* [TypeL - Brazil.] [Refs - b2753; b4474]
- b **charlesi** Dickson, 1970; *Poecilmitis* OD: Ent. Rec. 82:93, f [b1248] SS: *beaufortia* Dickson, 1966; *Poecilmitis* [TypeL - Roggeveld Mts., S. Africa.] [Refs - b1259; b1452]
- b **charlestonensis** Austin, 1980; *Plebejus* OD: J. Lep. Soc. 34(1):20, f 1 [b0177] SS: *shasta* (Edwards), 1862; *Plebejus* (*Aricania*) [Type: LACM-ht] [TypeL - Lee Canyon, Spring Range, Clark County, Nevada.] [Refs - b1610 (123-E12); b0177; b0113; x3192; b4066; b1722]
- a **charlotte** Bálint & Johnson, 1993; *Pseudolucia* OD: Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (27):17, f [b0212] [Type: AMNH-ht] [TypeL - Valle de las Lenas, Prov. Mendoza, Argentina.] [Refs - b0212]
- b **charlottensis** (Holland), 1930; *Chrysophanus* OD: Ann. Cam. Mus. 20(1):6 [b2437] SS: *mariposa* (Reakirt), 1866; *Epidemia* [Type: CM-ht] [TypeL - Queen Charlotte Island, British Columbia.] [Refs - b0908; b3191; b3192; b0069; b3189; b1321]
- a **charmeuxi** (Pages), 1993; *Agrodiaetus* OD: Alexonor 18(4):194-196 [b3545] CG: *Polyommatus* (*Agrodiaetus*) [TypeL - Turkey.]
- a **charmian** Grose-Smith & Kirby, 1890, 1887-1902; *Mimacraea* OD: Rhop. exot. 1(13):42, pl 10, f 8,9 [b2049] [TypeL - Cameroons.] [Refs - b1452; b4400; b2428]
- a **charon** (Butler), 1874; *Rusalkia* OD: Trans. ent. Soc. Lond. 22(4):432 [b0598] CG: *Melanis* [Type: BMNH-ht] [TypeL - Rio de Janeiro, Brazil.] [Refs - b2753; b4474; b1456]
- a **charybdis** (Staudinger), 1886, 1886-1889; *Lycaena* OD: Stett. ent. Ztg 47:226 [b4330] CG: *Glaucoopsyche* [TypeL - Central Asia.] [Refs - b0993; b1762; b2827; b4092]
- a **chaseba** Hewitson, [1854], 1852-1877; *Calydna* OD: Ill. exot. Butts 1:[---], pl [49], f 8 [b2323] [TypeL - Amazon.] [Refs - b2988; b2747; b4474; b1456]
- b **chaseni** Corbet, 1941; *Dodona* OD: J. Fed. Malay St. Mus. 18(5):811 [b0954] SS: *eugenes* Bates, [1868]; *Dodona* [TypeL - Pahang.] [Refs - b0964; b0965; b1454]
- a **chauchowensis** (Mell), 1923; *Hippotion* OD: Deut. ent. Zeit. 1923:159 [b3149] CG: *Polycaena* [TypeL - Yunnan, China.] [Refs - b3149; b1455]
- c **chea** Hewitson, [1863], 1852-1877; *Lemonias* OD: Ill. exot. Butts 3:[---], pl [59], f 38 [b2323] SS: *zygia* Hübner, [1807]; *Lemonias* [TypeL - Amazon.]
- b **cheesmanae** (Riley), 1928; *Zizera* OD: In Trans. ent. Soc. Lond. 76(2):464 [b3768] SS: *otis* (Fabricius), 1787; *Zizina* [Type: BMNH-ht] [TypeL - Papeete, Tahiti.] [Refs - b4871; b3768]
- a **chela** de Nicéville, 1886; *Abisara* OD: J. asiat. Soc. Bengal, Pt II 55(3):252, pl 11, f 7 [b1148] [TypeL - Himalaya.] [Refs - b1636; b1149; b4473; b1454; b1840]
- c **chelaka** (Moulton), 1913; *Lycaenopsis* OD: Trans. ent. Soc. Lond. 61(2):275, pl 10, f 10 [b3260] SS: *nigerrimus* (Moulton), [1912]; *Cebrella* (*Chelakina*) [Type: BMNH-ht] [TypeL - Sarawak, Borneo.] [Refs - b0965; b1840; b1580; b4108]
- c **cheles** (Godman & Salvin), 1889; *Eurygona* OD: Ann. Mag. nat. Hist. (6)3:356 [b1977] SS: *aurantiaca* (Salvin & Godman), 1868; *Euselasia* [TypeL - Chiriqui.] [Refs - b4474; b2406; b1456]
- b **chelina** (Fruhstorfer), [1904]; *Sospita* OD: Berl. ent. Z. 48(4):283 [b1817] SS: *neophron* (Hewitson), [1861]; *Abisara* [Refs - b0964; b0965; b4473; b1454; b1840]
- a **chelonis** (Hewitson), [1866], 1852-1877; *Charis* OD: Ill. exot. Butts 3:[---], pl [57], f 9 [b2323] CG: *Chalodeta* [TypeL - Brasilia.] [Refs - b4474; b3717; b1456]
- e **chenelli** (Seitz), [1927], 1912-1927, (ISS); *Lycaenopsis* OD: In Seitz, Grossschmett. Erde 9:1014 [b4094] SS: *chennellii* (de Nicéville), [1884]; *Bothrinia* [Refs - b4094]

- c **chitra** (Horsfield), [1828], 1828-1829; *Thecla* OD: Descr. Cat. lepid. Ins. (1):*explic. pl 1, f 5* [b2457] SS: *ismarus* Fruhstorfer, [1912]; *Sithon* [TypeL - Java; Singapore.] [Refs - b1636; b4094 (ref as :117); b2201 (as good ssp); b1454; b2747]
- a **chitralensis** Swinhoe, 1910, 1909-1913; *Polyommatus* OD: In Moore, *Lep. Ind.* 8:30, *pl 647, f 3* [b4575] CG: *Polyommatus* [TypeL - Chitral.] [Refs - b1636; b0694; b0205; b4575]
- b **chitralensis** Riley, 1925; *Apharitis* OD: *Novit. zool.* 32:90 [b3759] SS: *acamas* (Klug), 1834; *Apharitis* [TypeL - Chitral.] [Refs - b1636; b4094; b4400; b0694; b0471]
- b **chitralensis** (Tyler), 1926; *Lycaena* OD: *J. Bombay nat. Hist. Soc.* 31(3):584, *pl 1, f 6* [b4773] SS: *metallica* (Felder & Felder), 1865; *Polyommatus* (Albulina) [TypeL - Kashmir, India.] [*Note - Also seen as subspecies of omphisa. May be a good species.*] [Refs - b1759; b0236; b0065; b3910; b0694; b0471; b1455; b0205]
- b **chitralica** (Evans), 1925; *Lycaena* OD: *J. Bombay nat. Hist. Soc.* 30(2):347 [b1632] SS: *galathea* (Blanchard), [1844]; *Polyommatus* (Albulina) [TypeL - India.] [Refs - b1636; b0694; b0471; b0205]
- e **ab. chiyodaensis** (Murayama), 1978; *Lycaeides* OD: *Tyô to Ga* 14(2):49 [b3291] SS: *micrargus* (Butler), 1878; *Plebejus* [Refs - b0110]
- a **chlamydem** H. H. Druce, 1907; *Thecla* OD: *Proc. zool. Soc. Lond.* 1907(3):577, *pl 32, f 10* [b1375] CG: *Thecla* (New World Eumaeini) [Type: pc; Druce collection.] [TypeL - Pozuzo, Peru.] [Refs - b0908; b1375]
- a **chlamys** H. H. Druce, 1907; *Thecla* OD: *Proc. zool. Soc. Lond.* 1907(3):584, *pl 34, f 3* [b1375] CG: *Thecla* (New World Eumaeini) [Type: pc; Godman collection.] [TypeL - South Paraguay.] [*Note - Druce says "allied to lyde".*] [Refs - b0908; b1375]
- a **chloauges** (Bethune-Baker), 1923; *Neochrysoptera* OD: *Trans. ent. Soc. Lond.* 70(3/4):328, *pl 14, f 3; pl 21, f 38; pl 29, f 38* [b0359] CG: *Lepidochrysoptera* [Type: BMNH-ht] [TypeL - Rhodesia.] [*Note - Not spelled chloanges.*] [Refs - b1943; b1259; b1452; b0359; b4400]
- b **chloe** Eliot & Kawazoe, 1983; *Celastrina* OD: *Butts Lycaenopsis group* :257, *f 1580* SS: *lavendularis* (Moore), 1877; *Celastrina* [Type: BMNH-ht] [TypeL - Central Ceram, Moluccas.] [Refs - b1580]
- a **chlorina** (Skinner), 1902; *Lycaena* OD: *Ent. News* 13(1):15 [b4236] CG: *Plebejus* (Icaricia) [Type: CM-ht] [TypeL - Tehachapi, California.] [Refs - b1321 :66; b0908; b3325; b3192; b4066]
- a **chlorinda** (Blanchard), 1848, 1848-1853; *Thecla* OD: *Voy. Pôle Sud* :401, *pl 3, f 15-18* [b0448] CG: *Pseudalmenus* [TypeL - Tasmania.] [Refs - b1450; b2747; b0975; b0870; b4094; b4934; b1096; b0425; b3646]
- a **chloris** Hewitson, [1877], 1863-1878; *Thecla* OD: *Ill. diurn. Lep. Lycaenidae* 1:202; 2:pl 80, *f 659,660* [b2326] CG: *Thecla* (New World Eumaeini) [Type: BMNH] [TypeL - Brazil.] [Refs - b0908; b2753]
- b **chloris** Waterhouse & Lyell, 1914; *Pseudalmenus* OD: *Butts Aust.* :114 [b4947] SS: *chlorinda* (Blanchard), 1848; *Pseudalmenus* [TypeL - New South Wales, Australia.] [Refs - b1450; b0870; b4094; b3646]
- e **chloris** (Field), 1938, (IFS); *Habrodias* OD: *Bull. S. Calif. Acad. Sci.* 37(1):28 [b1733] SS: *lorquini* Field, 1938; *Habrodais* [Type: AME-ht] [TypeL - Mount Diablo, Contra Costa County, California.] [Refs - b0908; b3192; b1321]
- c **chlorophora** (Watson & Comstock), 1920; *Strymon* OD: *Bull. amer. Mus. nat. Hist.* 42(10):452 [b4952] SS: *saepium* (Boisduval), 1852; *Satyrion* [Type: AMNH-ht] [TypeL - San Diego, California.] [*Note - Miller & Brown wrongly treat this as unavailable.*] [Refs - b0908; b3192; b1321; b4952]
- a **chocoana** Salazar Escobar & Constantino, 1993; *Symphachia* OD: *Revta Lep.* 21(8):15, *f 1* [b3912] [TypeL - Colombia.] [Refs - b0126]
- c **choesensis** (Matsumura), 1927; *Lycaena* OD: *Ins. matsumur.* 1(4):161 [b3094] SS: *euphemus* (Hübner), [1800]; *Maculinea* [Refs - b4115]
- c **chola** (Moore), 1884; *Satadra* OD: *J. asiat. Soc. Bengal, Pt II* 53(1):39 [b3236] SS: *asoka* (de Nicéville), [1884]; *Flos* [Type: BMNH-ht] [TypeL - Sikkim.] [Refs - b1644; b4094]
- b **cholas** (Jordan), 1930; *Deudorix* OD: *Novit. zool.* 36:149 [b2667] SS: *dohertyi* (Oberthür), 1894; *Artipe* [TypeL - New Guinea.] [Refs - b1450; b2667]
- b **cholonensis** (Murayama), 1967; *Deudorix* OD: *Tyô to Ga* 18(1):20, *f 1* [b3294] SS: *chandrana* (Moore), 1882; *Sinthusa* [TypeL - Cholon, South Vietnam.] [Refs - b4598; b3294; b4603]
- e **ab. chondong** Cowan, 1956; *Rapala* OD: *Bull. Raffles Mus.* 27:39, *f 1* [b1005] SS: *iabus* (Fabricius), 1787; *Rapala* [TypeL - Singapore.]
- a **chonida** (Hewitson), 1874; *Thecla* OD: *Ent. mon. Mag.* 11:105 [b2343] CG: *Strymon* (?) [Type: BMNH] [TypeL - Mexico] [*Note - Might belong in Hypostrymon.*] [Refs - b0908; b2753; b2343; b1975; b2343]
- e **f. chonial** de la Maza E., 1976; *Anteros* OD: *Revta Soc. mex. Lep.* 2(2):71, *f 1* [b1117] SS: *carausius* Westwood, [1851]; *Anteros* [Refs - b0108; b1117]
- c **chorineus** (Cramer), [1775], 1775-1790; *Papilio* OD: *Uitl. Kapellen* 1(-):91, *pl 59, f A* [b1069] SS: *octavius* (Fabricius), 1787; *Chorinea* [TypeL - Amer. mer. pars sept.] [Refs - b2747; b4474]
- a **choroniensis** Lichy, 1946; *Baetis* OD: *Boln ent. Venezuelana* 5:5, *f 1* [b2991] [TypeL - Venezuela.] [Refs - b1456]
- c **chosenicola** (Bryk), 1946; *Ruralis* OD: *Ark. Zool.* 38A(3):50 [b0568] SS: *ultramarina* (Fixsen), 1887; *Favonius* [TypeL - Korea.] [Refs - ns4904]
- c **chota** Swinhoe, 1885; *Castalius* OD: *Proc. zool. Soc. Lond.* 1885(1):133 [b4565] SS: *rosimon* (Fabricius), 1775; *Castalius* [TypeL - Poona, India.] [Refs - b1636; b1840; b0694; b4108; b4565]
- b **chota** (Evans), 1957; *Narathura* OD: *Bull. Br. Mus. nat. Hist. (Ent.)* 5(3):91 [b1644] SS: *dispar* Riley & Godfrey, 1921; *Arhopala a* [Type: BMNH-ht] [TypeL - Ataran, Burma.] [Refs - b1644; b1454]
- b **chotaroi** (Hayashi), 1977; *Charana* OD: *Tyô to Ga* 28(4):167, *f 1* [b2186] SS: *cebuensis* (Jumalon), 1975; *Paruparo* [Type: OMNH-ht] [TypeL - Philippines.] [*Note - Patronym - Mr. Yasunori Nishiyama (nickname).*] [Refs - b0109; b2191; b2186; b4586; b2201; b4586; b1570; b1454; b4597]
- b **chozeba** (Hewitson), [1863], 1863-1878; *Deudorix* OD: *Ill. diurn. Lep. Lycaenidae* 1:24; 2:pl 5, *f 47,48* [b2326] SS: *manea* (Hewitson), [1863]; *Rapala* [TypeL - Sumatra.] [Refs - b0964; b0965; b2747; b1454; b4094]
- b **christianae** (Olivier), 1989; *Satyrion* OD: *Phegea* 17(1):8, *f 1* [b3502] SS: *ledereri* (Boisduval), 1848; *Armenia* [TypeL - Greece] [Refs - b0122; b1455]
- a **christina** Suffert, 1904; *Pentila* OD: *Deut. ent. Zeit.* [Iris] 17:45 [b4535] [TypeL - Bipindi, Cameroon.] [Refs - b1452; b4420; b4400]
- b **christinae** Betti, 1977; *Iolana* OD: *Alexanor* 10(2):87, *f 1* [b0364] SS: *iolas* (Ochsenheimer), 1816; *Iolana* [TypeL - Turkey.]

- a *christophel* (Comstock & Huntington), 1943; Thecla OD: Ann. New York Acad. Sci. 45:85, pl 1, f 9,10 [b0907] CG: Strymon [Type: AMNH] [TypeL - Port-au-Prince, Haiti.] [Refs - b0908; b0540; b0907; b0833 (as *christophel*)]
- a *christophi* (Staudinger), 1874; Lycaena OD: Stett. ent. Ztg 35:87 [b4325] CG: Plebejus (Lycaeides) [TypeL - Persia.] [Refs - b1636; b2988; b2827; b2753; b1762; b0993; b0236; b3910; b4325; b4094; b3055; b4092; b0471]
- e *chriola* (Kirby), 1877, (ISS); Thecla OD: Syn. Cat. diurn. Lep., Suppl. :779 [b2753] SS: critola (Hewitson), [1874]; Hypostrymon [Refs - b2753]
- b *chromia* (H. H. Druce), 1891; Thysonotis OD: Proc. zool. Soc. Lond. 1891(3):365, pl 32, f 3 [b1358] SS: cyanea (Cramer), [1775]; Nacaduba [TypeL - Solomon Islands.] [Refs - b1450; b2078; b1358; b1382]
- b *chromis* (Mathew), 1887; Sithon OD: Trans. ent. Soc. Lond. 35(1):47 [b3079] SS: phocides (Fabricius), 1793; Bindahara [TypeL - Solomon Islands.] [Refs - b1450]
- e *chrysalus* Scudder, 1876, (ISS); Hypaurotis OD: Bull. Buffalo Soc. nat. Sci. 3:113 [b4083] SS: cryalus (Edwards), 1873; Hypaurotis [Refs - b0908; b0903; b3192; b1321]
- a *chrysame* (Hewitson), 1874; Symmachia OD: Descr. new Spec. Butts Buckley Bolivia :16 [b2344] CG: Caria [TypeL - Bolivia.] [Refs - b2988; b2753; b4474; b1456]
- a *chrysentas* (Trimen), 1868; Zeritis OD: Trans. ent. Soc. Lond. 16(1):85, pl 5, f 6 [b4718] CG: Chrysonitis [TypeL - Africa mer.] [Refs - b1259; b2747; b1452; b4400]
- a *chrysanthis* (C. Felder), 1860; Thecla OD: Sber. Akad. Wiss. Wien 40(11):455 [b1676] CG: Hypochrysops [Type: BMNH-ht] [TypeL - Amboin.] [Refs - b1450; b2747; b2078; b3926]
- a *chrysaor* (Trimen), 1864; Zenitis OD: Trans. ent. Soc. Lond. (3)2:177 [b4717] CG: Poecilmitis [TypeL - Africa mer.] [Refs - b4993 :263; b1259; b2747; b1452; b4400; b1224; b4631]
- a *chrysapha* Fruhstorfer, 1910; Dodona OD: Ent. Zeit. 24(35):194 [b1847] [TypeL - Java.] [Refs - b4473; b1454; b1840; b1847]
- a *chrysargyra* Grose-Smith & Kirby, 1895, 1887-1902; Hypochrysops OD: Rhop. exot. 2(32):16, pl 3, f 4,5 [b2049] [Type: ZMHU-ht; designated by Sands, 1986] [Entomograph 7:30 [b3926]] [TypeL - New Guinea.] [Refs - b1450; b2078 (as *chrysargyria*); b2049; b3926]
- e *chrysargyria* d'Abrera, 1971, (ISS); Hypochrysops OD: Butts Australian Region :339, pl 406 [b1450] SS: chrysargyra Grose-Smith & Kirby, 1895; Hypochrysops [Refs - b1450; b2078]
- d *chryseis* ((Denis & Schiffenmüller)), 1775, (H); Papilio OD: Ankündigung syst. Werkes Schmett. :181 [b1193] SS: hippothoe (Linnaeus), 1761; Palaeochrysophanus [Refs - b3901; b2747; b0996; b2827; b0236; b0389; b1183 (as *chrysaeis*); b2797; b4092]
- e *chryseis* (Turati & Verity), [1911], (IFS); Lycaena OD: Boll. Soc. ent. ital. 42:258 [b4753] SS: escheri (Hübner), [1823]; Polyommatus (Plebicula) [Type: MZS-ht] [Refs - b2856; b0236; b0471]
- a *chryseostictus* Bethune-Baker, 1910; Neurellipes OD: Trans. ent. Soc. Lond. 58(1):67, pl 3, f 5 [b0343] [TypeL - W. Africa.] [Refs - b1452; b0836; b4400]
- a *chrysilpe* (Bates), 1866; Eurygona OD: Ent. mon. Mag. 3:154 [b0264] CG: Euselasia [TypeL - Veragua, Panama.] [Refs - b2988; b2747; b4474; b1456]
- b *chrysoana* Fruhstorfer, 1914; Arhopala OD: Deut. ent. Zeit. [Iris] 27(4):160 [b1853] SS: aexone (Hewitson), [1863]; Arhopala h [TypeL - Halmageira.] [Refs - b1644; b1450; b1840; b1853]
- c *chrysoedemus* Grose-Smith, 1899, 1887-1902; Hypochrysops OD: Rhop. exot. 3(48):29, pl 5, f 7,8 [b2029] SS: pythias Felder & Felder, 1865; Hypochrysops [Type: BMNH-ht] [TypeL - Cambodia.] [Refs - b2078; b3926]
- a *chrysomallus* Hübner, [1823], 1808-1837; Zesius OD: Zutr. Samml. exot. Schmett. 2:20, pl [53], f 301,302 [b2483] [TypeL - India mer.; Ceylon.] [Type of - Zesius] [Refs - b1636; b2280; b2747; b1454; b4094; b0694]
- a *chrysomela* (Butler), 1872; Methonella OD: Cistula Entomologica 1(4):78 [b0595] CG: Methone [TypeL - Bogota, Colombia.] [Refs - b2753; b4474; b0680; b1456; b0595]
- e *ab. chryson* Oberthür, 1905; Lycaena OD: Bull. Soc. ent. Fr. 1905(4):56 [b3440] SS: virgaureae (Linnaeus), 1758; Lycaena (Heodes) [Refs - b0236; b0389; b0471]
- c *chrysonotus* Grose-Smith, 1899, 1887-1902; Hypochrysops OD: Rhop. exot. 3(47):27 or 28, pl , f 5,6 [b2029] SS: ignita (Leach), 1814; Hypochrysops [TypeL - Cooktown, Queensland, Australia.] [Refs - b1450; b2078; b0870; b4934; b3926; b4788; ns1430]
- e *ab. chrysophanoides* Carter & Harrison, 1928; Polyommatus OD: Vasculum 15:147 [b0722] SS: eros (Ochsenheimer), 1807; Polyommatus [Refs - b0236]
- e *f. chrysophthalma* (Stauder), 1915; Lycaena OD: Deut. ent. Zeit. [Iris] 29:28 [b4308] SS: argus (Linnaeus), 1758; Plebejus [Refs - b0236; b0471; b4146]
- a *chrysoptis* (Grum-Grshimailo), 1888; Lycaena OD: Horae Soc. ent. ross. 22:306 [b2066] CG: Polyommatus (Albulina) [Type: BMNH-ht] [TypeL - Hindukush Orientale.] [Note - Also seen as a subspecies of *omphis*.] [Refs - b0993; b1762; b2827; b4092; ns0223]
- a *chrysoprastus* Hewitson, [1867], 1852-1877; Anteros OD: Ill. exot. Butts 4:[77], pl [42], f 7,8 [b2323] [TypeL - Amazon.] [Refs - b2747 (as *chrysoprasta*); b4474; b1456]
- b *chrysorhoas* (Fruhstorfer), 1917; Chrysophanus OD: Deut. ent. Zeit. [Iris] 31:33 [b1877] SS: virgaureae (Linnaeus), 1758; Lycaena (Heodes) [TypeL - Deutschland.] [Refs - b0236; b0389; b0471; b2858]
- b *chrysotoxus* Grose-Smith & Kirby, 1899, 1887-1902; Hypochrysops OD: Rhop. exot. 3(48):27 or 28, pl 5, f 5,6 [b2049] SS: ignita (Leach), 1814; Hypochrysops [TypeL - Milne Bay, British New Guinea.] [Refs - b1450; b2078; b1840; b3926]
- a *chrysus* (Stoll), [1782], 1780-1790; Papilio OD: In Cramer, Uid. Kapellen 4(32):178, pl 380, f D,E [b4478] CG: Sarota [TypeL - Surinam; Amazon.] [Type of - Sarota] [Refs - b2988; b2280; b2747; b4474; b2497; b1456]
- b *chungianus* Murayama, 1958; Chrysozephyrus OD: Tyô to Ga 9(3):43, f 1,3 [b3286] SS: mushaellus (Matsumura), 1938; Chrysozephyrus [Type: pc-ht; collection of Murayama.] [TypeL - Makabubu, Provinz Taichu, Formosa.] [Refs - b4198; b5053; b3286; b3296]
- e *chunsa* d'Abrera, 1986, (ISS); Arhopala OD: Butts Oriental Region, Pt 3 :581 [b1454] SS: chunsa Fruhstorfer, 1914; Arhopala o [Refs - b1454; b4594]
- b *chunsa* Fruhstorfer, 1914; Arhopala OD: Deut. ent. Zeit. [Iris] 28(2):137 [b1859] SS: ammonides (Doherty), 1891; Arhopala o [Type: BMNH-ht] [TypeL - Sumatra.] [Refs - b1644; b2200; b1859; b1454 (as *chunsa*); b4094]
- b *chyluensis* (van Someren), 1939; Pentila OD: J. E. Afr. Ug. nat. Hist. Soc. 14:146 [b4802] SS: peucetia (Hewitson), [1866]; Omipholidotos [TypeL - Kenya or Uganda.] [Check - Spelling.] [Refs - b1452; b4400; b0077 (as *chyluensis* :318)]
- b *chyulu* van Someren, 1939; Pentila OD: J. E. Afr. Ug. nat. Hist. Soc. 14:145 [b4802] SS: tropicalis (Boisduval), 1847; Pentila [TypeL - Kenya or Uganda.] [Refs - b1452; b4420; b4400]

- a *cibdela* Johnson, 1992; *Novosatsuma* OD: *Neue Ent. Nachr.* 29:67, f [b2609] [TypeL - Hubei.] [Refs - b0126]
- c *ciconia* Grose-Smith & Kirby, 1892, 1887-1902; *Epitola* OD: *Rhop. exot.* 1(19):58, pl 17, f 5-6 [b2049] SS: *leonina* Staudinger, [1888]; *Epitola* [TypeL - Sierra Leone.] [Refs - b0836; b4400]
- a *clcuta* (Hewitson), [1863], 1852-1877; *Lemonias* OD: *Ill. exot. Butts* 3:[—], pl [58], f 24-26 [b2323] CG: *Menander* [TypeL - Amazon.] [Refs - b2747; b4475; b1456]
- b *cidona* Fruhstorfer, 1914; *Arhopala* OD: *Deut. ent. Zeit.* [Iris] 27(4):159 [b1853] SS: *micale* Boisduval, 1853; *Arhopala* h [Type: BMNH-ht] [TypeL - Kiriwini.] [Refs - b1450; b1644; b1853; b4094]
- b *ciliaris* (Aurivillius), 1910; *Cupido* OD: *Wiss. Erge. Kilimandjaro* 2(9):9 [b0165] SS: *lingeus* (Stoll), [1782]; *Cacyreus* [TypeL - Kilimandjaro.] [Refs - b0162; b4400]
- c *cilicica* Holtz, 1897; *Satyrium* OD: *Ilite Z. Ent.* 2:46 [b2442] SS: *ilicis* (Esper), [1779]; *Satyrium* [Refs - b2827; b4092; ns4798]
- a *cillissa* (Lederer), 1861; *Cigaritis* OD: *Wien. ent. Monats.* 5:147, pl 1, f 1 [b2954] CG: *Apharitis* [TypeL - Antiochia.] [Refs - b2988; b2747; b0996; b0293; b2794; b4092; b1455]
- a *cillissa* (Hewitson), [1863], 1852-1877; *Lemonias* OD: *Ill. exot. Butts* 3:[—], pl [59], f 33,34 [b2323] CG: *Calospila* [TypeL - Nicaragua.] [Refs - b2988; b2747; b4475; b2497; b1456]
- a *cillix* Hewitson, 1870, 1869-1877; *Emesis* OD: *Equatorial Lep. Buckley* (4):50 [b2330] [TypeL - Ecuador.] [Refs - b2753; b4475; b1456]
- c *cilla* Behr, 1867; *Polyommatus* OD: *Proc. Calif. Acad. Sci.* 3(4):281 [b0283] SS: *podarce* (Felder & Felder), 1865; *Polyommatus* (*Agriades*) [Type: destroyed] [TypeL - Headwaters Tuolumne River, California.] [Refs - b0908; b2747; b0993; b0236; b3192; b1321]
- a *cillutincarae* (Draudt), [1919], 1917-1924; *Thecla* OD: In Seitz, *Grossschmett. Erde* 5:758, pl 153-e [b1348] CG: *Thecloxurina* [TypeL - Bolivia.] [Refs - b0908; b0125; b2610]
- c *cilina* (Staudinger), [1887], 1884-1888; *Esthemopsis* OD: In *Exot. Schmett.* 1:250; 2:pl 90 [b4329] SS: *incerta* Staudinger, [1887]; *Lepricornis* [TypeL - Colombia and Venezuela.] [Refs - b4474]
- a *ciloicus* de Freina & Witt, 1983; *Polyommatus* OD: *Entomofauna* 4(14):187 [b1113] [Type: pc-ht; collection of de Freina.] [TypeL - Turkey.] [Refs - b0125; b1113]
- b *cimelum* (Gosse), 1880; *Thecla* OD: *Entomologist* 13:203, pl 2, f 2 [b2001] SS: *hebraeus* (Hewitson), [1867]; *Panthiades* [TypeL - Paraguay.] [Refs - b0908; b2221 (as sp); b1375]
- c *cimon* (Lewin), 1795; *Papilio* OD: *Ins. Brit.* :80, pl 38, f 6, 7 [b2987] SS: *semiargus* (Rottemburg), 1775; *Polyommatus* (*Cyaniris*) [Refs - b2747; b0236; b0410; b2794; b0471]
- a *cinaron* (Felder & Felder), 1861; *Limnas* OD: *Wien. ent. Monats.* 5(4):101 [b1684] CG: *Melanis* [TypeL - New Granada.] [Type of - *Aculhua*, *Dryas*] [Refs - b2280; b2988; b2747; b4474; b1456]
- c *cinaropsis* Seitz, 1916; *Barbicornis* OD: *Ent. Rundsch.* 33:53 [b4096] SS: *mona* Westwood, [1851]; *Barbicornis* [Refs - b4474]
- c *cinnannatus* (Bálint & Johnson), 1993; *Polytheclus* OD: *Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point)* (28):2, f [b0213] SS: *cyanea* (Balletto), 1993; *Eldoradina* [Type: BMNH-ht] [TypeL - Above Chosica, W. Peru.] [Type of - *Polytheclus*] [Refs - b0213; b0208]
- d *cinnannatus* (Bálint & Johnson), 1994, (H & JOS); *Polytheclus* OD: *Acta zool. hung.* 40(2):116, f 19,20,32,34 [b0214] OS: *cinnannatus* (Bálint & Johnson), 1993; *Eldoradina* [Type: BMNH-ht] [TypeL - Chosica, W. Peru.] [Refs - b0214]
- e *ab. cincta* (Tutt), 1912, 1905-1914; *Agriades* OD: *Nat. Hist. Brit. Butts* 4:10 [b4760] SS: *coridon* (Poda von Neuhaus), 1761; *Polyommatus* (*Lysandra*) [Refs - b0236; b0471]
- e *f. cincta* (*Toxopeus*), 1926, (IFS); *Lycaenopsis* OD: *Treubia* 8:375 [b4695] SS: *phuste* (H. H. Druce), 1895; *Celastrina* [Refs - b1580]
- e *cinctula* (Seitz), [1927], 1912-1927, (ISS); *Lycaenopsis* OD: In Seitz, *Grossschmett. Erde* 9:1014 [b4094] SS: *cinctula* (Grose-Smith), 1895; *Celastrina* [Refs - b4094]
- b *cinctuta* (Grose-Smith), 1895; *Cyaniris* OD: *Novit. zool.* 2(4):506 [b2038] SS: *philippina* (Semper), 1889; *Celastrina* [Type: BMNH-ht; designated by Eliot & Kawazoé, 1983] [Butts *Lycaenopsis* group :248 [b1580]] [TypeL - Temate, Batchian.] [Refs - b1450; b4094 (as *cinctula*); b1840; b1580]
- a *cinderella* Cowan, 1974; *Drupadia* OD: *Bull. Br. Mus. nat. Hist. (Ent.)* 29(6):319, pl 2, f 54,58; pl 5, f 102; tf 16 [b1030] [Type: BMNH-ht] [TypeL - Sarawak, Borneo.] [Refs - b1030; b0965; b0105; b1454; b4108]
- a *cindi* Cowan, 1974; *Drupadia* OD: *Bull. Br. Mus. nat. Hist. (Ent.)* 29(6):320, pl 2, f 55,56,59; pl 5, f 103 [b1030] [Type: UMO-ht] [TypeL - Sabah, Borneo.] [Refs - b1030; b0965; b0105; b1454; b4108]
- b *cindina* Seki & Takanami, 1990; *Drupadia* OD: *Gekkan Mushi* (21):6, f [b4106] SS: *cindi* Cowan, 1974; *Drupadia* [TypeL - Gayu, NW Borneo.] [Refs - b0125; b4108]
- a *cindra* Staudinger, [1887], 1884-1888; *Dysmathia* OD: In *Exot. Schmett.* 1:251; 2:pl 90 [b4329] [TypeL - Lower Amazon.] [Refs - b4475; b1456]
- c *cindy* d'Abreu, 1986; *Rapala* OD: *Butts Oriental Region, Pt 3* :625, f [b1454] SS: *enipeus* (Staudinger), [1888]; *Rapala* [Type: BMNH-ht] [TypeL - Macassar, Celebes.] [Refs - b1454; b4602; b0126]
- a *cineas* (Grose-Smith), 1889; *Sithon* OD: *Ann. Mag. nat. Hist.* (6):3:318 [b2031] CG: *Drupadia* [Type: BMNH-ht; designated by Cowan, 1974] [Bull. Br. Mus. nat. Hist. (Ent.) 29(6):345 [b1030]] [TypeL - Sabah, East Malaysia.] [Refs - b1030; b0965; b4094; b0105; b1454]
- e *cinera* Fisher, 1981, (ISS); *Celastrina* OD: In Ferris & Brown, *Butts Rockies* :222 [b1743] SS: *cinerea* (Edwards), 1883; *Celastrina* [Refs - b1743]
- c *cinereus* (Joicey & Talbot), 1917; *Candalides* OD: *Ann. Mag. nat. Hist.* (8):20:220 [b2654] SS: *helena* (Snellen), 1887; *Philaris* [Type: BMNH-st] [TypeL - Waigeu.] [Refs - b4677; b1450]
- c *cineraria* Fruhstorfer, [1915], 1909-1923; *Logania* OD: In Seitz, *Grossschmett. Erde* 9:806 [b1840] SS: *hilaeira* Fruhstorfer, 1914; *Logania* [Type: biblio; replacement for *obscura* Distant & Pryer, 1887] [TypeL - Sandakan, Borneo.] [Refs - b1840; b1571; b4108]
- e *f. cinerascens* Rebel, 1909; *Callophrys* OD: In Berge, *Schmetterlingsbuch* (ed. 9) :59 [b3706] SS: *rubi* (Linnaeus), 1758; *Callophrys* [Refs - b0236]
- b *cinerea* (Edwards), 1883; *Lycaena* OD: *Papilio* 3(1):8-9 [b1520] SS: *argiolus* (Linnaeus), 1758; *Celastrina* [Type: CM-ht; designated by Brown, 1970] [Trans. amer. ent. Soc. 96:428 [b0510]] [TypeL - Fort Grant, W. side of Mt. Graham, Arizona. Restricted by Clench, 1970.] [Refs - b0908; b4688; b1711; b3192; b0856; b0104; b2417; b1743 (as *cinera*); b5015; b0493; b1321; b2419; b4690]

- a** *cinerea* (Bethune-Baker), 1923; *Neochrysops* OD: Trans. ent. Soc. Lond. 70(3/4):314, pl 12, f 17; pl 19, f 29; pl 28, f 29 [b0359] CG: *Lepidochrysops* [Type: BMNH-hi] [TypeL - Solwezi, N. W. Rhodesia.] [Refs - b1452; b4410; b0359; b4400]
- c** *cinerea* (Stichel), 1925; *Nymula* OD: Z. wiss. Insektbiol. 20:90 [b4463] SS: *orestes* (Cramer), [1780]; *Synargis* [Refs - b4475]
- c** ♀ *f. cinerea* Stichel, 1929, (IFS); *Mesosemia* OD: Mitt. zool. Mus. Berl. 15:15 [b4470] SS: *candara* H. H. Druce, 1904; *Mesosemia* [TypeL - Peru.] [Refs - b4474; b4470]
- a** *cinerea* Lathy, 1936; *Thecla* OD: Livre jubilaire de M. Eugene-Louis Bouvier :231, pl 8, f 11 [b2925] CG: *Thecla* (New World Eumacini) [Type: MNHN-hi; collection of Fournier de Horrack.] [TypeL - St. Catharina, Rio Grande do Sul, Brazil.] [Refs - b0908; b2925; b2591; b2592]
- a** *cinerea* Berger, 1981; *Epitola* OD: Papillons du Zaire :258 [b0309] [Type: MRAC-hi] [TypeL - Kapanga, Lualaba, Zaire.] [Refs - b0309]
- c** *cinereoflava* Le Moul, 1940, 1939-1940, (IFS); *Helicopis* OD: Novit. ent. (13):102 [b2943] SS: *cupido* (Linnaeus), 1758; *Helicopis* [Type: AME-hi] [Refs - b3199]
- c** *cinereoradiata* Le Moul, 1940, 1939-1940, (IFS); *Helicopis* OD: Novit. ent. (15):117 [b2943] SS: *cupido* (Linnaeus), 1758; *Helicopis* [Type: AME-hi] [Refs - b3199]
- a** *cinerica* (Stichel), 1910; *Hamearis* OD: Berl. ent. Z. 55(1/2):46 [b4445] CG: *Audre* [Type: ZMHU-hi] [TypeL - Argentina.] [Note - Not spelled cinerica.] [Refs - b4475; b2221; b0420 (as cinerica); b4445; b3717; b1456]
- a** *cinesia* (Hewitson), [1863], 1863-1878; *Myrina* OD: Ill. diurn. Lep. Lycaenidae 1:29; 2:pl 13, f 18-20 [b2326] CG: *Drupadia* [Type: BMNH-lt; designated by Cowan, 1974] [Bull. Br. Mus. nat. Hist. (Ent.) 29(6):348 [b1030]] [TypeL - Sarawak, Borneo.] [Refs - b1030; b0964; b0965; b2747; b4094; b0105; b1454; b4108]
- c** *cinesioides* (Seitz), [1926], 1912-1927, (ISS); *Hypolycaena* OD: In Seitz, Grossschmett. Erde 9:986 [b4094] SS: *cinesioides* (de Nicéville), 1889; *Drupadia* [Refs - b4094]
- a** *cinesoides* (de Nicéville), 1889; *Biduanda* OD: J. Bombay nat. Hist. Soc. 4(3):166, pl , f 7 [b1152] CG: *Drupadia* [TypeL - Selangor, West Malaysia.] [Refs - b1030; b0964; b0965; b0105; b1454; b4094 (as cinesioides)]
- b** *cingalensis* Moore, [1884]; *Horaga* OD: Proc. zool. Soc. Lond. 1883(4):525 [b3235] SS: *onyx* (Moore), [1858]; *Horaga* [Type: BMNH-hi] [TypeL - Ceylon.] [Refs - b1012; b1636; b2078; b3235; b1454; b4094; b0694]
- a** *cingulum* H. H. Druce, 1910; *Micropentila* OD: Proc. zool. Soc. Lond. 1910(1):364 [b1378] [TypeL - Cameroons.] [Refs - b1452; b4400]
- a** *cingulus* (Stoll), [1790], 1780-1790; *Papilio* OD: In Cramer, Utl. Kapellen Aanh.: 61, pl 13, f 4 [b4478] CG: *Phaenochitonina* [TypeL - Surinam; Amazon.] [Type of - *Hesperia* Hübner, *Phaenochitonina*] [Refs - b2988; b2280; b2747; b4474; b1456]
- a** *cinliata* (Hewitson), [1863], 1863-1878; *Myrina* OD: Ill. diurn. Lep. Lycaenidae 1:35; 2:pl 14, f 30-31; Spl.:6, pl 3, f 84 [b2326] CG: *Horaga* [Type: BMNH-lt; designated by Cowan, 1966] [Bull. Br. Mus. nat. Hist. (Ent.) 18(4):133 [b1012]] [TypeL - Batchian.] [Refs - b1012; b2747; b2078; b4094]
- c** *cinabarus* Fruhstorfer, [1912]; *Deudorix* OD: Berl. ent. Z. 56(3/4):266 [b1850] SS: *epijarbas* (Moore), [1858]; *Deudorix* [TypeL - Sundaland.] [Refs - b0964; b0965; b4094; b2201; b1454; b1850; b4108]
- a** *cinniana* (Hewitson), [1877], 1863-1878; *Thecla* OD: Ill. diurn. Lep. Lycaenidae 1:189; 2:pl 75, f 593,594 [b2326] CG: *Femniterga* [Type: BMNH-hi] [TypeL - Amazon.] [Refs - b0908; b2988; b1738; b0099 (as cinmana); b2753; b1375; b2631; b0123; b2606]
- c** *ab. cinnoides* (Favre), 1903; *Lycaena* OD: Suppl. Faune Valais :4 [b1669] SS: *bellargus* (Rottemburg), 1775; *Polyommatus* (*Lysandra*) [Refs - b0471]
- c** *cinnus* (Hübner), [1824], 1796-1838; *Papilio* OD: Samml. europ. Schmett. 1:pl 167, f 830,831 [b2480] SS: *bellargus* (Rottemburg), 1775; *Polyommatus* (*Lysandra*) [Refs - b2747; b2260; b4092 (with coridon); b0471]
- c** *cinnus* (Gerhard), 1853, 1850-1853; *Lycaena* OD: Vers. monog. europ. Schmett. :pl 32, f 2 [b1928] SS: *coridon* (Poda von Neuhaus), 1761; *Polyommatus* (*Lysandra*) [Refs - b2747]
- e** *ab. cinnus* (Staudinger), 1871; *Lycaena* OD: In Staud. & Wocke, Cat. Lep. Eur. :12 [b4323] SS: *bellargus* (Rottemburg), 1775; *Polyommatus* (*Lysandra*) [Refs - b0236]
- c** *cinyra* (Cramer), [1779], 1775-1790; *Papilio* OD: Utl. Kapellen 3(-):76, pl 238, f C [b1069] SS: *thetis* (Drury), [1773]; *Curetis* [Refs - b2747; b4094; b0694]
- b** *cinyraea* (Nekrutenko & Effendi), 1979; *Lysandra* OD: Dopov. Akad. Nauk Ukr. RSR (B) 1979(7):584, 7 f [b3369] SS: *myrrha* (Herrich-Schäffer), [1852]; *Polyommatus* (*Sublyssandra*) [TypeL - Azerbaidjan.] [Refs - b0111; b2794]
- a** *cippus* (Fabricius), 1798, 1792-1799; *Hesperia* OD: Ent. syst. Suppl.:429 [b1657] CG: *Tajuria* [Type: ZMC-st] [TypeL - India orientali.] [Refs - b0964; b1636; b0965; b2747; b0995; b1039; b4950; b2201; b1850; b1454; b4094; b0694; b5076]
- a** *cippus* Hewitson, [1859], 1852-1877; *Mesosemia* OD: Ill. exot. Butts 2:[-], pl [55], f 48,49 [b2323] [TypeL - Amazon.] [Refs - b2988; b2747; b4474; b1456]
- c** *circe* ((Denis & Schiffermüller)), 1775; *Papilio* OD: Ankündigung syst. Werkes Schmett. :181 [b1193] SS: *tityrus* (Poda von Neuhaus), 1761; *Lycaena* (*Heodes*) [Refs - b2747; b0996; b0389; b2797; b4092]
- a** *circe* (Leech), [1893], 1893-1894; *Satsuma* OD: Butts China Japan Corea :354, pl 30, f 12 [b2966] CG: *Ahlbergia* [Type: BMNH-lt; designated by Johnson, 1992] [Neue Ent. Nachr. 29:45 [b2609]] [TypeL - Tatsienlu, west Szechwan Province, China.] [Refs - b2988; b0995; b2479; b4092; b3778; b1950; b2585]
- a** *circe* Johnson, 1992; *Shapiroana* OD: Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (22):150, f [b2611] [Type: BMNH-hi] [TypeL - Highlands of Merida, Venezuela.] [Refs - b0125; b2611]
- c** *circinata* Hewitson, 1874; *Thecla* OD: Descr. new Spec. Butts Buckley Bolivia :19 [b2344] SS: *timaeus* (Felder & Felder), 1865; *Thecla* (New World Eumacini) [Type: BMNH] [TypeL - Bolivia.] [Refs - b0908; b2753]
- a** *circumdata* (Schröder & Treadaway & Hayashi), 1981; *Rachana* OD: Ent. Zeit. 91(24):266, f [b3994] CG: *Eliotia* [Type: pc-hi; collection of Treadaway.] [TypeL - Nr Boac, Marinduque, Philippines.] [Refs - b1610 (4891-Z13); b2199; b3974; b2201; b1568; b1454]
- b** *cisalpinna* (Fruhstorfer), 1909; *Chrysophanus* OD: Int. ent. Z. 3(21):120 [b1837] SS: *hippothoe* (Linnaeus), 1761; *Palaeochrysophanus* [TypeL - Tessin; Val Maggia, Fusio, Italy.] [Refs - b1837; b0236; b0389; b0471; b2858]
- a** *cisandina* (Seitz), [1917], 1910-1924; *Hamearis* OD: In Seitz, Grossschmett. Erde 5:701, pl 141d [b4093] CG: *Audre* [TypeL - Rio Salado, Santiago del Estero, Argentina.] [Refs - b2988; b4475; b2221; b0419; b1456]
- a** *ciscaucasica* (Jachontov), 1914; *Lycaena* OD: Revue Russe Ent. 14:300 [b2559] CG: *Polyommatus* (*Lysandra*) [Refs - b0236; b0471; b4038; b0125; ns3030 (in *Agrodiaetus*)]

- a *ciscaucasica* (Forster), 1956; *Agrodiaetus* OD: *Z. wien. ent. Ges.* 41:86 [b1769] CG: *Polyommatus* (*Agrodiaetus*) [TypeL - Ciscaucasia.] [Refs - b2827]
- e *ciselorum* Anonymous, 1992, (ISS); *Thecloxurina* OD: *Zool. Rec.* 128(1991)(Ins. D-Lep.):324 [b0125] SS: *eiseleorum* Johnson, 1992; *Thecloxurina* [Refs - b0125]
- e *ab. cismona* Fruhstorfer, [1912]; *Rapala* OD: *Berl. ent. Z.* 56(3/4):257 [b1850] SS: *micans* (Bremer & Grey), 1853; *Rapala* [Refs - b2988; b2479 (as *nissa* ssp); b4094]
- b *cissites* (Fruhstorfer), 1917; *Chrysophanus* OD: *Deut. ent. Zeit.* [Iris] 31:34 [b1877] SS: *virgaureae* (Linnaeus), 1758; *Lycaena* (Heodes) [TypeL - Gadmetal: Grimselstraße.] [Refs - b0236; b0389; b0471; b2858]
- e *cissura* (Kirby), 1877, (ISS); *Thecla* OD: *Syn. Cat. dium. Lep., Suppl.* :856 [b2753] SS: *cissusa* (Hewitson), [1877]; *Femniterga* [Refs - b2753]
- a *cissus* (Godart), [1824], 1819-1824; *Polyommatus* OD: *In Ency. méth.* 9(Ins.)(2):683 [b1970] CG: *Cupidopsis* [TypeL - Africa mer.] [Refs - b1943; b1259; b0714; b2747; b1452; b0836; b4780; b4400; b2560; b3609; b1235; b2920]
- a *cissusa* (Hewitson), [1877], 1863-1878; *Thecla* OD: *Ill. dium. Lep. Lycaenidae* 1:188; 2-pl 75, f 589,590 [b2326] CG: *Femniterga* [Type: BMNH-lt; designated by Johnson, 1989] [*Insecta Mundi* 3(3):203 [b2599]] [TypeL - Pará, Lower Amazons.] [Refs - b0908; b2753 (as *cissura*); b2593; b0123; b2606]
- a *cithonius* Godart, [1824], 1819-1824; *Polyommatus* OD: *In Ency. méth.* 9(Ins.)(2):633 [b1970] CG: *Polyommatus* (*Sublysandra*) [TypeL - Guiana.] [Refs - b0908; b2747]
- c *citima* (H. Edwards), 1881; *Thecla* OD: *Papilio* 1(4):53 [b1487] SS: *crysalus* (Edwards), 1873; *Hypaurotis* [Type: AMNH-ht] [TypeL - Mount Nebo, Utah.] [Refs - b0908; b0903; b3192; b1743; b1321; b4066]
- c *citron* (Fruhstorfer), 1910; *Cyaniris* OD: *Stett. ent. Ztg* 71(2):294 [b1843] SS: *iynteaana* (de Nicéville), [1884]; *Celastrina* [Type: BMNH-lt; designated by Eliot & Kawazoe, 1983] [*Butts Lycaenopsis group* :217 [b1580]] [TypeL - Vietnam.] [Refs - b0995; b1840; b1580; b0236]
- e *citrargodius* (Verity), 1943, (RA); *Heodes* OD: *Farfalle Diurne Ital.* 2:45 [b4862] SS: *alciphron* (Rottemburg), 1775; *Lycaena* (*Alciphronia*) [Type: MZS-st] [TypeL - Italy.] [Refs - b2856; b0080]
- e *citirifascia* Talbot, 1935, (IFS); *Mimacraea* OD: *Ent. mon. Mag.* 71:71 [b4623] SS: *krausei* Dewitz, 1889; *Mimacraea* [Refs - b4623; b4400]
- a *citrimaculata* Schultze, 1916; *Telipna* OD: *Arch. Naturgesch.* (A)81(12):141 [b4016] [TypeL - S. E. Cameroons.] [Refs - b1452; b4400]
- e *ab. citrina* Seitz, [1917], 1910-1924; *Baeotis* OD: *In Seitz, Grossschmett. Erde* 5:684 [b4093] SS: *felix* Hewitson, 1874; *Baeotis* [Refs - b4474]
- e *ab. citrina* (Züllich), 1929; *Chrysophanus* OD: *Z. öst. EntVer.* 14(5):52 [b5081] SS: *alciphron* (Rottemburg), 1775; *Lycaena* (*Alciphronia*) [TypeL - Sicily.] [Refs - b0236; b0389]
- c *citronensis* Bethune-Baker, 1926; *Liptena* OD: *Ann. Mag. nat. Hist.* (9)17:389 [b0362] SS: *leucostola* (Holland), 1890; *Liptena* [TypeL - Kameruns.] [Refs - b0105; b4400]
- b *claassensi* Dickson, 1981, 1981-1982; *Lepidochrysops* OD: *Ent. Rec.* 93(1/2):32-34 [b1264] SS: *jamesi* Swanspoel, 1971; *Lepidochrysops* [TypeL - Cape Province, S. Africa.] [Refs - b1610 (5602-Z13, 8837-Z13)]
- a *cladara* Holland, 1900; *Nacaduba* OD: *Novit. zool.* 7:73 [b2431] [TypeL - Buru.] [Refs - b1450; b4676; b2431]
- e *clara* Kirby, 1871, (NN); *Cupido* OD: *Syn. Cat. dium. Lep.* :376 [b2747] [Refs - b0908; b2747 (as Edwards, 1870, TaES)]
- b *clara* (H. Edwards), 1880; *Lycaena* OD: *Pacific coast Lep.* (26):1 [b1486] SS: *heteronea* (Boisduval), 1852; *Chalcercia* [Type: AMNH-st; all syntypes from Tehachapi, California.] [TypeL - Colorado; (Mountains of) California.] [Refs - b3517; b3192; b1321 (as 1877); b4066]
- e *clara* (Christoph), 1887, (NN); *Lycaena* OD: *In Romanoff, Mém. Léop.* 3:51 [b0790] SS: *clara* (Staudinger), 1901; *Pseudophilotes* [Refs - b0790; b4092]
- e *ab. clara* Tutt, 1896; *Celastrina* OD: *Brit. Butts* :188 [b4758] SS: *argiolus* (Linnaeus), 1758; *Celastrina* [Refs - b0236; b0400; b0471]
- d *clara* (Staudinger), 1901, (H); *Lycaena* OD: *Cat. Lep. Palaee. Faun.* (3rd ed) :81 [b4347] OS: *astabene* (Hemming), 1932; *Pseudophilotes* [Refs - b0236; b4347; b0070; b0400; b3910]
- e *clara* Tutt, 1907, 1905-1914; *Lampides* OD: *Nat. Hist. Brit. Butts* 2:336 [b4760] SS: *boeticus* (Linnaeus), 1767; *Lampides* [Refs - b0400; b4092]
- e *clara* Tutt, 1908, 1905-1914; *Polyommatus* OD: *Nat. Hist. Brit. Butts* 2:175 [b4760] SS: *icarus* (Rottemburg), 1775; *Polyommatus* [Note - Reference not found.] [Refs - b4092]
- e *ab. clara* (Ribbe), 1910, 1909-1912; *Lycaena* OD: *Deut. ent. Zeit.* [Iris] 23(1/2):196 [b3741] SS: *dorylas* ((Denis & Schiffermüller), 1775; *Polyommatus* (*Plebicula*) [Refs - b0236; b0471]
- e *ab. clara* Graves, 1918; *Deudorix* OD: *Entomologist* 51:97 [b2008] SS: *livia* (Klug), 1834; *Deudorix* (*Virachola*) [Refs - b0236; b0471]
- b *clara* (Heydemann), [1942]; *Lycaena* OD: *Deut. ent. Zeit.* [Iris] 55:106 [b2359] SS: *optilete* (Knoch), 1781; *Plebejus* (*Vacciniina*) [Type: -lt; designated by Henriksen, 1977] [*Lepidoptera* (Copenhagen) 3(4):120 [b2299]] [TypeL - Denmark.] [Refs - b0109; b0087; b0410]
- b *clara* Bennett, 1950; *Abisara* OD: *Entomologist* 83:8 [b0294] SS: *echerius* (Stoll), [1790]; *Abisara* [Type: BMNH] [TypeL - Banggai.] [Refs - b0294]
- e *f. clara* Lempke, 1955; *Maculinea* OD: *Tijdschr. Ent.* 98:287 [b2982] SS: *nausithous* (Bergsträsser), [1779]; *Maculinea* [Refs - b0089; b0400]
- b *clara* Tite, 1963; *Erysichton* OD: *Bull. Br. Mus. nat. Hist.* (Ent.) 13(4):104, pl 2, f 20-21 [b4676] SS: *palmyra* (C. Felder), 1860; *Erysichton* [Type: BMNH-ht] [TypeL - Talesea, New Britain, Bismarck Archipelago.] [Refs - b4676; b1450]
- e *claracaelestis* Verity, 1949, 1947-1957, (RA); *Polyommatus* OD: *Var. Pap. diurn. France* :146 [b4863] SS: *icarus* (Rottemburg), 1775; *Polyommatus* [Type: MZS-st] [Refs - b2856]
- e *claracerulea* (Verity), 1943, (IFS); *Cyaniris* OD: *Farfalle Diurne Ital.* 2:237 [b4862] SS: *semiargus* (Rottemburg), 1775; *Polyommatus* (*Cyaniris*) [Type: MZS-ht] [TypeL - Italy.] [Refs - b2856]
- e *claracsimilis* (Verity), 1943, (IFS); *Philotes* OD: *Farfalle Diurne Ital.* 2:119 [b4862] SS: *baton* (Bergsträsser), [1779]; *Pseudophilotes* [Type: MZS-ht] [Refs - b2856; b0400]
- e *clarafasciata* Tutt, 1907, 1905-1914; *Lampides* OD: *Nat. Hist. Brit. Butts* 2:336 [b4760] SS: *boeticus* (Linnaeus), 1767; *Lampides* [Refs - b0400]
- e *ab. claralata* Tutt, 1908, 1905-1914; *Celastrina* OD: *Nat. Hist. Brit. Butts* 2:394 [b4760] SS: *argiolus* (Linnaeus), 1758; *Celastrina* [TypeL - Maritime Alps, Italy.] [Refs - b0236; b0400; b0471]
- e *claralpina* (Verity), 1931, (RA); *Lycaeides* OD: *Deut. ent. Zeit.* [Iris] 45:53 [b4852] SS: *argus* (Linnaeus), 1758; *Plebejus* [Type: MZS-st] [Refs - b1780; b2856; b0069]

- e *claramarginata* Tutt, 1907, 1905-1914; Lampides OD: Nat. Hist. Brit. Butts 2:336 [b4760] SS: boeticus (Linnaeus), 1767; Lampides [Refs - b0400]
- e *claraobscura* (Verity), 1931, (RA); Lycaeides OD: Deut. ent. Zeit. [Iris] 45:54 [b4852] SS: argus (Linnaeus), 1758; Plebejus [Type: pc-st; in Stempffer collection.] [TypeL - Savoy.] [Refs - b1780; b2856; b0069; b0069; b0410]
- e *clarasiatica* (Verity), 1931, (RA); Lycaeides OD: Deut. ent. Zeit. [Iris] 45:62 [b4852] SS: argus (Linnaeus), 1758; Plebejus [Type: MZS-st] [TypeL - E. Sajan Mts.] [Refs - b1780; b2856; b0069]
- e *ab. clarasuffusa* Tutt, 1908, 1905-1914; Celastrina OD: Nat. Hist. Brit. Butts 2:395 [b4760] SS: argiolus (Linnaeus), 1758; Celastrina [Refs - b0236; b0400; b0471]
- a *clarea* Bálint & Johnson, 1993; Pseudolucia OD: Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (27):9, f [b0212] [Type: UMCE-ht] [TypeL - Elqui, SE Vicuña, Reg. Coquimbo, Chile.] [Refs - b0212; b0207]
- b *clarensis* Neave, 1903; Pentila OD: Ent. mon. Mag. 39:136 [b3344] SS: pauli Staudinger, [1888]; Pentila [TypeL - Uganda.] [Refs - b4420; b4400]
- a *clarina* (Hewitson), [1874], 1863-1878; Thecla OD: Ill. dium. Lep. Lycaenidae 1:173; 2:pl 68, f 497,498 [b2326] CG: Argentostriarius [Type: BMNH-ht; designated by Johnson, 1991] [Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (21):38 [b2606]] [TypeL - Mexico.] [Refs - b0908; b2753; b3818; b1975; b0125; b2615; b2606]
- b *clarionensis* (Heid), 1933; Thecla OD: In Proc. Calif. Acad. Sci. (4)21:143 [b2227] SS: melinus Hübner, [1818]; Strymon [Type: CAS-ht] [TypeL - Clarion Island, Mexico.] [Refs - b0908; b2227]
- b *clarionica* (Vázquez), 1958; Thecla OD: An. Inst. Biol. Univ. Méx. 28(1/2):302 [b4826] SS: columella (Fabricius), 1793; Strymon [TypeL - Revillagigedo Island.]
- e *clarior* (Verity), 1943, (IFS); Agrodiaetus OD: Farfalle Diurne Ital. 2:326 [b4862] SS: damon ((Denis & Schiffermüller), 1775; Polyommatus (Agrodiaetus) [Type: MZS-st] [Refs - b2856]
- a *clarissa* (E. Sharpe), 1890; Mesene OD: Proc. zool. Soc. Lond. 1890(3):578, pl 46, f 6 [b4152] CG: Phaenochitonina [Type: BMNH-ht] [TypeL - Rio Araguayo, Brazil.] [Refs - b4474; b1456]
- c *clarissa* Grose-Smith, 1897; Arhopala OD: Novit. zool. 4:366 [b2043] SS: argentea Staudinger, [1888]; Arhopala d [TypeL - Celebes.] [Refs - b1644; b1454; b4094]
- a *clarissa* (Draudt), [1920], 1917-1924; Thecla OD: In Seitz, Grossschmen. Erde 5:797, pl 158-d [b1348] CG: Argentostriarius [Type: MZSP-ht] [TypeL - Sao Paulo, Brazil.] [Refs - b0908; b3179; b0125; b2615; b2606]
- b *clarki* Freeman, 1938; Incisalia OD: Can. Ent. 70(12):247 [b1790] SS: niphon (Hübner), [1819]; Incisalia [Type: CNC-ht] [TypeL - Constance Bay, Ottawa Region, Ontario, Canada.] [Refs - b0908; b3192; b1321; b4066]
- a *clarki* (van Son), 1941; Durbania OD: J. ent. Soc. S. Afr. 4:183 [b4804] CG: Durbanella [TypeL - S. Africa.] [Type of - Durbanella] [Refs - b2280; b1259; b1452; b4400]
- a *clarki* Tite & Dickson, 1968; Aloicides OD: Bull. Br. Mus. nat. Hist. (Ent.) 21(7):382, pls 4,7 [b4684] [Type: BMNH-ht] [TypeL - Aloes-Coega Flats, Cape Province, S. Africa.] [Refs - b4684; b1259; b1452]
- c *clarki* Dickson, 1971; Lycaena OD: In Life Hist. S. Afr. Lyc. Butts :7-10 [b1252] SS: orus (Stoll), [1780]; Lycaena [Refs - b1259; b4220; b0113; b1452]
- b *clarofacia* Johnson, 1992; Ahlbergia OD: Neue Ent. Nachr. 29:32, f [b2609] SS: pluto (Leach), [1893]; Ahlbergia [TypeL - Sichuan.] [Refs - b0126]
- e *ab. classica* Murayama, 1943; Curetis OD: Zephyrus 9:180-181, f [b3273] SS: japonica Fruhstorfer, 1908; Curetis [TypeL - Japan.] [Refs - b0082]
- a *clathratus* Holland, 1890; Tarucus OD: Proc. Boston Soc. nat. Hist. 25:71 [b2422] CG: Tarucus (?) [TypeL - Celebes.] [Refs - b1840; b1642 (not in Tarucus)]
- b *claudia* (Waterhouse & Lyell), 1914; Pepliophorus OD: Butts Aust. :102 [b4947] SS: cyta (Boisduval), 1832; Jamides [TypeL - Claudie River, York Peninsula.] [Refs - b1450; b0870; b4094]
- a *clavum* Murray, 1935; Phasis OD: S. Afr. Butts Lyc. :104 [b3312] [Type: TM-ht] [TypeL - Nieuwoudtville Mts, Cape Province, South Africa.] [Refs - b1259; b4400 (as ssp of therio); b3678; b0113; b1452; b1235; b4685]
- b *claytoni* (Brower), 1940; Lycaena OD: Bull. Brooklyn ent. Soc. 35(4):138 [b0497] SS: dorcas (Kirby), 1837; Epidemia [Type: USNM-ht] [TypeL - Springfield, Penobscot County, Maine.] [Refs - b0908; b1714; b3191; b3192; b1321]
- a *cleadas* (Hewitson), [1866], 1852-1877; Charis OD: Ill. exot. Butts 3:[114], pl [57], f 10 [b2323] CG: Callistium [TypeL - Amazonas, Brazil.] [Type of - Callistium] [Refs - b2988; b2280; b2747 (as cleades); b4474; b1456]
- b *cleadas* H. Druce, 1875; Lyropteryx OD: Cistula Entomologica 1(12):359 [b1387] SS: lyra Saunders, [1859]; Lyropteryx [TypeL - Rio Polochic.] [Refs - b2747; b4474; b1116 (as good species); b1456]
- e *cleades* (Kirby), 1871, (ISS); Lasaia OD: Syn. Cat. dium. Lep. :321 [b2747] SS: cleadas (Hewitson), [1866]; Callistium [Refs - b2747]
- a *cleander* (C. Felder), 1860; Amblypodia OD: Sber. Akad. Wiss. Wien 40(11):453 [b1676] CG: Arhopala f [Type: BMNH-ht] [TypeL - Amboina.] [Refs - b1450; b1644; b1556; b1454]
- c *clearchus* (Fruhstorfer), [1912]; Rapala OD: Berl. ent. Z. 56(3/4):257 [b1850] SS: kessuma (Horsfield), [1829]; Deudorix (Virachola) [TypeL - Sumbawa.] [Refs - b1454; b1850; b4094]
- a *clearista* (Butler), 1871; Emesis OD: Ann. Mag. nat. Hist. (4)8:283 [b0594] CG: Pseudonymphidia [TypeL - Honduras.] [Type of - Pseudonympha, Pseudonymphidia] [Note - Butler said 'allied to no other species'.] [Refs - b2753; b4476; b0675; b0594; b0679; b1116; b3717; b1456]
- b *cleis* (Edwards), 1882; Lemonia OD: Papilio 2(8):137 [b1518] SS: zela Butler, 1870; Emesis [Type: CM-ht; designated by Brown & Clench, 1968] [In Trans. amer. ent. Soc. 94(4):134 [b0534]] [TypeL - Vic. Fort Grant, SW of Mt. Graham, Graham Co., Arizona.] [Refs - b4688; b1711; b4475; b3192; b1321; b4690; b0493; b4066]
- b *cleitus* (Fruhstorfer), 1915; Lampides OD: Arch. Naturgesch. (A)81(6):15 [b1865] SS: callistus (Röber), [1886]; Jamides [TypeL - Bazilan.] [Refs - b1865; b2176; b4094]
- a *clementi* (H. H. Druce), 1902; Jalmenus OD: Proc. zool. Soc. Lond. 1902(II)(1):120, pl 11, f 9 [b1367] CG: Jalmenus [TypeL - Touranna Plains, West Australia.] [Refs - b1450; b0870; b4934; b3500]
- c *clenchi* (Comstock & Huntington), 1943; Thecla OD: Ann. New York Acad. Sci. 45:72, pl 1, f 8 [b0907] SS: maesies (Herrich-Schäffer), 1864; Chlorostrymon [Type: AMNH] [TypeL - Roseau Valley, Dominica, B. W. I.] [Refs - b0908; b0907; b0540; b0833; b2598]
- a *clenchi* (Stempffer), 1961; Pseuderesia OD: Annl. Mus. r. Afr. cent. (8vo) (Zool.)94:22 [b4393] CG: Eresiomera [TypeL - Cameroon.] [Refs - b1452; b4400]
- a *clenchi* McAlpine, [1971]; Calephelis OD: J. Res. Lep. 10(1):83, f [b3127] [Type: USNM-ht] [TypeL - Quisache, Mpio Acatanango, Chimaltenango, Guatemala.] [Refs - b4066 (as a ssp of nilus); b3127]

- a **clonia** Felder & Felder, 1865, 1865-1875; *Ethemopsis* OD: Reise Novara (2):306, pl 38, f 11,12 [b1692] [TypeL - New Granada.] [Type of - *Ethemopsis*] [Refs - b2988; b2280; b4950; b1456]
- e **clorinda** Verity, 1938, 1938-1939, (IFS); *Tarucus* OD: Ent. Rec. 50(Sup.):8 [b4860] SS: balkanicus (Freyer), 1844; *Tarucus* [Type: MZS-st] [TypeL - Salonika.] [Refs - b2856; b1642 (as chlorinda); b4860]
- c **clorilde** (Edwards), 1863; *Thecla* OD: Proc. ent. Soc. Philad. 2(1):15 [b1491] SS: laeta (Edwards), 1862; *Erora* [Type: lost] [TypeL - Near Quebec, Quebec.] [Refs - b0908; b1321; b2747; b3192; b3188]
- a **clotho** (Stichel), 1910; *Tharops* OD: Gen. Insectorum 112(A):306 [b4446] CG: Menander [Type: ZMHU-ht] [TypeL - Iquitos, Peru.] [Refs - b4475; b1456; b4446]
- c **clusia** (Hewitson), [1875], 1852-1877; *Charis* OD: Ill. exot. Butts 5:Ery, f 10 [b2323] SS: fasciata (Hopffer), 1874; *Crocozona* [TypeL - Bolivia.] [Refs - b2753; b4474]
- a **clymenus** (H. H. Druce), 1885; *Spindasis* OD: Ent. mon. Mag. 22:155 [b1349] CG: Pseudaletis [TypeL - Cameroons.] [Refs - b1452; b0836; b4400]
- a **clytle** (Edwards), 1877; *Thecla* OD: Field and Forest 3(5):88 [b1510] CG: Ministrymon [Type: CM-ht] [TypeL - San Antonio, Bexar County, Texas.] [Refs - b0908; b3818; b0552; b1343; b3192; b1743; b1321; b0493; b4690 (?); b2631; b4066; b2636]
- c **clyton** (Cramer), [1775], 1775-1790; *Papilio* OD: Util. Kapellen 1(-):-, pl 67, f F,G [b1069] SS: rosimon (Fabricius), 1775; *Castalius* [TypeL - Malaya?] [Refs - b2747; b1840; b4108]
- e **cnejus** (Kirby), 1871, (ISS); *Cupido* OD: Syn. Cat. diurn. Lep. :353 [b2747] SS: cnejus (Fabricius), 1798; *Euchrysops* [Refs - b2747]
- a **cnejus** (Fabricius), 1798, 1792-1799; *Hesperia* OD: Ent. syst. Suppl.:430 [b1657] CG: *Euchrysops* [Type: ZMC-ht] [TypeL - India orientali-.] [Type of - *Euchrysops*] [Refs - b0964; b1450; b4198; b2280; b0965; b4094; b2479; b2747 (as cnejus); b0995; b1762; b2827; b2650; b1900; b1039; b2698; b1652; b5053; b5055; b4871; b1454; b4934; b0694; b4092; b4592; b5076; b4209; b0359; b4108]
- b **cnidus** Waterhouse & Lyell, 1914; *Euchrysops* OD: Butts Aust. :100 [b4947] SS: cnejus (Fabricius), 1798; *Euchrysops* [TypeL - Australia.] [Refs - b0870; b4094; b4947]
- e **ab. c-nigrum** Tutt, 1908, 1905-1914; *Celastrina* OD: Nat. Hist. Brit. Butts 2:398 [b4760] SS: argiolus (Linnaeus), 1758; *Celastrina* [Refs - b0236; b0400; b0471]
- e **ab. c-nigrum** Tutt, 1909, 1905-1914; *Polyommatus* OD: Nat. Hist. Brit. Butts 3:261 [b4760] SS: semiargus (Rotenburg), 1775; *Polyommatus* (*Cyaniris*) [Refs - b0236; b0471]
- e **coaena** d'Abrera, 1980, (ISS); *Lepidochrysops* OD: Butts Afrotropical Region :564 [b1452] SS: koaena (Strand), 1911; *Lepidochrysops* [Refs - b1452]
- e **coalescens** (Gillmer), 1904; *Lycaena* OD: Soc. ent. 18(23):180 [b1955] SS: arion (Linnaeus), 1758; *Maculinea* [Refs - b0400; b4092]
- b **coalescens** Tite & Dickson, 1973; *Aloeides* OD: Bull. Br. Mus. nat. Hist. (Ent.) 29(5):241 [b4685] SS: molomo (Trimen), 1870; *Aloeides* [Type: BMNH-ht; # Rh. 17218.] [TypeL - Umtali, Rhodesia.] [Refs - b1259; b0104; b4685]
- a **coalita** (de Nicéville), 1891; *Cyaniris* OD: J. Bombay nat. Hist. Soc. 6(3):363, pl F, f 12 (nec 13) [b1155] CG: Udara (Udara) [Type: ZSI-ht] [TypeL - Java.] [Note - The butterfly described and figured by de Nicéville as the female of *Cyaniris coalita* is a male of *Oreolyce quadriplaga*.] [Refs - b0964; b0965; b1840; b1580; b2200]
- b **coalitoides** (Rothschild), 1915; *Lycaenopsis* OD: Novit. zool. 22:388 [b3879] SS: dilectus (Moore), 1879; Udara (Udara) [Type: BMNH-ht; designated by Eliot & Kawazoé, 1983] [Butts *Lycaenopsis* group :88 [b1580]] [TypeL - Mansela, Central Ceram.] [Refs - b1840; b1580]
- e ♂ **ab. coarctata** Hulstaert, 1924; *Aethiopana* OD: Revue zool. afr. 12(2):118 [b2496] SS: honorius (Fabricius), 1793; *Aethiopana* [TypeL - Belgian Congo.] [Refs - b2496; b4400]
- a **cobaltana** Bálint & Lamas, 1994; *Madeleinea* OD: Acta zool. hung. 40(3):235, f 5,6,9 [b0217] [Type: MUSM-ht] [TypeL - Ondores, Junin, Peru.] [Refs - b0217]
- a **cobaltina** (Aurivillius), [1899]; *Hypolycaena* OD: K. svenska VetenskAkad. Handl. (nf)31(5):317 [b0156] CG: *Hemiolaus* [TypeL - Madagascar.] [Refs - b1452; b4400; b2920]
- a **cobaltina** (Stempffer), 1964; *Deudorix* OD: Bull. Inst. franç. Afr. Noire 26(A):1271 [b4397] CG: *Hypokopelates* [TypeL - Congo.] [Refs - b1452; b4400]
- b **coccineata** (Kaye), 1904; *Cricosoma* OD: Trans. ent. Soc. Lond. 52(2):185, pl 18, f 10 [b2708] SS: lateritia Bates, [1868]; *Pachythone* [TypeL - Trinidad.] [Refs - b4475]
- a **coccineifrons** Godman & Salvin, [1887], 1879-1901; *Thecla* OD: Biol. centr.-amer., Lep. Rhop. 2:23; 3-pl 50, f 7-9 [b1975] CG: *Thecla* (New World *Eumaeini*) [Type: BMNH-st] [TypeL - Chontales, Nicaragua and Santa Marta, Colombia.] [Refs - b0908; b2406; b1975]
- b **coccinella** (Bates), [1868]; *Eurygona* OD: J. lim. Soc. Lond., Zool. 9:374 [b0267] SS: zena (Hewitson), [1860]; *Euselasia* [TypeL - Amazon.] [Refs - b2747; b4474; b3717]
- b **coccineus** (Ford), 1924; *Heodes* OD: Trans. ent. Soc. Lond. 71(3/4):726, pl 54, f 3,4 [b1757] SS: phlaeas (Linnaeus), 1761; *Lycaena* (*Lycaena*) [TypeL - Tian-Shan.] [Refs - b0236; b3796; b0471]
- c **cocciincta** Seitz, [1917], 1910-1924; *Amarynthys* OD: In Seitz, Grossschmett. Erde 5:691, pl 132g [b4093] SS: menea (Cramer), [1776]; *Amarynthys* [TypeL - Nouveau-Chantier, French Guiana.] [Refs - b4474; b4093]
- a **cockaynei** Goodson, 1945; *Thecla* OD: Entomologist 78:187 [b1998] CG: *Thecla* (New World *Eumaeini*) [Type: BMNH-st] [Refs - b0908]
- a **coea** Hübner, [1819], 1816-1826; *Mesosemia* OD: Verz. bekannt. Schmett. (2):21 [b2484] [TypeL - Surinam.] [Refs - b2747; b4474; b2260; b1456]
- e **coeca** (Miller & Zubovschi & Rušcinski), 1929; *Lycaena* OD: Bul. Muz. natn. Inst. nat. Chişinău 1929(2/3):126 [b3185] SS: alexis (Poda von Neuhaus), 1761; *Glaucopygma* [TypeL - Bessarabia.] [Refs - b0070; b3185]
- a **coecias** (Hewitson), [1866], 1852-1877; *Charis* OD: Ill. exot. Butts 3:[---], pl [57], f 2 [b2323] CG: *Crocozona* [TypeL - Upper Amazon.] [Refs - b2988; b2747; b4474; b1456]
- e **coeculus** (Pinhey), 1969, (ISS); *Iolaus* OD: *Amoldia* Rhodesia 4(8):1 [b3608] SS: caeculus (Hopffer), 1855; *Hemiolaus* [Refs - b3608; b4400; b3609]
- a **coelebs** (Herrich-Schäffer), 1862, 1862-1863; *Thecla* OD: CorrespBl. zool.-min. Ver. Regensb. 16:142 [b2315] CG: *Allosmaitia* [TypeL - Cuba.] [Type of - *Allosmaitia*] [Refs - b0908; b0907; b2747; b3192; b0833; b1375]
- a **coelestina** (Eversmann), 1843; *Lycaena* OD: Bull. Soc. imp. Nat. Moscou 16(3):535 [b1648] CG: *Polyommatus* (*Neolyandra*) [TypeL - Ural.] [Refs - b2375; b2747; b1762; b2827; b0113 (*Neolyandra*); b0236; b3359; b0410; b2794; b2859; ns0486; b4092; b2788]
- d **coelestina** (Kollar), [1844], (H); *Lycaena* OD: In Hügel, Kaschmir 4(2):423 [b2821] OS: kollari (Westwood), [1851]; *Celastrina* [TypeL - Kashmir, India.] [Refs - b1636; b2747; b0995; b1840; b1580; b0236; b3055; b4092]

- c *coelestina* (Ménétriés), 1855, 1855:1857; *Mesosemia* OD: *Enum. corp. anim.* 1:91, pl 6, f 7 [b3152] SS: *geminus* (Fabricius), 1793; *Semomesia* [Refs - b2747; b4474]
- d *coelestina* (Millière), 1872, (H); *Lycaena* OD: *Petites Nouv. ent.* 1(64):256 [b3206] SS: *semiargus* (Rottemburg), 1775; *Polyommatus* (*Cyaniris*) [Refs - b0236; b0410; b4092; b0471]
- c *coelestina* (Ungemach), 1932; *Lycaenesthes* OD: *Mém. Soc. Sci. nat. phy. Maroc* (32):85 [b4780] SS: *aureobrunnea* (Ungemach), 1932; *Anthene* (Rfs - b0070)
- e f. *coelestina* (Riley), 1939, (IFS); *Thecla* OD: *Novit. zool.* 41:358 [b3778] SS: *leechi* (Riley), 1939; *Favonius* [TypeL - Szechwan, China.]
- c *coelestis* (Drapier), 1819; *Polyommatus* OD: *Ann. Sc. Phys. Brux.* 2:354, pl 30, f 3 [b1347] SS: *evagoras* (Donovan), 1805; *Jalmenus* [Refs - b2747; b4934]
- a *coelestis* Godman & Salvin, [1885], 1879-1901; *Mesosemia* OD: *Biol. centr.-amer., Lep. Rhop.* 1:382; 3:pl 38, f 16 [b1975] [TypeL - Costa Rica.] [Refs - b2988; b4474; b1456]
- b *coelestis* (Wood-Mason & de Nicéville), [1887]; *Nacaduba* OD: *J. asiat. Soc. Bengal, Pt II* 55(4):366 [b5032] SS: *aluta* (H. Druce), 1873; *Prosotas* [TypeL - Andamans.] [Refs - b4676; b1636; b0938; b2479; b1454 (as *coelestis*); b4094; b3055; b0694]
- b *coelestis* (Miskin), 1891; *Danis* OD: *Ann. Qd Mus.* 1:50 [b3215] SS: *aleuas* (Felder & Felder), 1865; *Jamides* [TypeL - Australia.] [Refs - b4671; b1450; b1865; b0870; b4094; b4934]
- a *coelestis* (Alphéraký), 1897; *Lycaena* OD: *In Romanoff, Mém. Lép.* 9:113 [b0046] CG: *Caerulea* [TypeL - Kham, Sichuan, China.] [Type of - *Caerulea*] [Refs - b2280; b1762; b2479; b4070; b2239]
- d *coelestis* (Oberthür), 1908, (H); *Lycaena* OD: *Bull. Soc. ent. Fr.* 1908(1):25 [b3444] OS: *pictionensis* (Hemming), 1931; *Polyommatus* (*Lysandra*) [TypeL - Vendée, western France.] [Refs - b0236; b3444; b2239; b0471; b2239]
- a *coelestis* Bethune-Baker, 1926; *Iolaus* OD: *Ann. Mag. nat. Hist.* (9)17:394 [b0362] CG: *Iolaus* (*Epamera*) [TypeL - Kameruns.] [Refs - b1452; b0836; b4400]
- e *coelestissima* (Verity), 1921, 1919-1922, (IOS); *Agriaedes* OD: *Ent. Rec.* 33:192 [b4840] SS: *caelestissima* (Verity), 1921; *Polyommatus* (*Lysandra*) [Refs - b0236; b4840; b0471]
- c *coeli* (Oberthür), 1908; *Lycaena* OD: *Annl. Soc. ent. Fr.* 77:312, pl 5, f 1,2 [b3445] SS: *coelestis* (Alphéraký), 1897; *Caerulea* [TypeL - Ta-Tsien-Lou, China.] [Refs - b0993; b1762; b0236; b0471; b2239]
- b *coelia* (Grose-Smith), 1894; *Nacaduba* OD: *Novit. zool.* 1:573 [b2037] SS: *palmyra* (C. Felder), 1860; *Erysichton* [Type: BMNH-ht] [TypeL - Humboldt Bay, New Guinea.] [Refs - b4676; b1450]
- a *coelicolor* (Butler & H. Druce), 1872; *Strymon* OD: *Cistula Entomologica* 1(5):106 [b0662] CG: *Thecla* (New World *Eumacini*) [Type: BMNH-ht] [TypeL - Cartago, Costa Rica.] [Refs - b0908; b2753; b1975]
- a *coeligena* (Oberthür), 1876; *Lycaena* OD: *Étud. ent.* 2:21, pl 1, f 3a,b [b3417] CG: *Caerulea* [Type: BMNH-ht] [TypeL - Moupin, China.] [Refs - b4179; b2753; b0993; b1762; b2479; b4092; b2239]
- b *coeligena* (Joicey & Talbot), 1916; *Lampides* OD: *Trans. ent. Soc. Lond.* 64(1):76, pl 6, f 2,3 [b2653] SS: *pseudosias* (Rothschild), 1915; *Jamides* [TypeL - Schouten Island.] [Refs - b1450; b2653; b4094]
- b *coelinus* (Grose-Smith), 1898; *Thysonotis* OD: *Novit. zool.* 5(1):106 [b2047] SS: *caelius* (Felder & Felder), 1860; *Psychonotis* [TypeL - Fergusson Island.] [Refs - b1450; b2078]
- a *coelisparsus* (Butler), 1883; *Mileus* OD: *Ann. Mag. nat. Hist.* (5)12:159 [b0627] CG: *Hypochrysops* [Type: BMNH-ht] [TypeL - Nias.] [Refs - b1450; b0964; b0965; b2078; b1454; b3926]
- e *coelistic* (Seitz), [1908], 1907-1921, (ISS); *Zephyrus* OD: *In Seitz, Grossschmett. Erde* 1:271 [b4092] SS: *caelestis* (Leech), 1890; *Howarthia* [Refs - b4092]
- e *coelistic* d'Abbrera, 1986, (ISS); *Prosotas* OD: *Butis Oriental Region, Pt 3* :641 [b1454] SS: *coelestis* (Wood-Mason & de Nicéville), [1887]; *Prosotas* [Refs - b1454]
- e *coelurea* d'Abbrera, 1986, (ISS); *Tajuria* OD: *Butis Oriental Region, Pt 3* :614 [b1454] SS: *caerulea* Nire, 1920; *Tajuria* [Refs - b1454]
- a *coenoides* (Hewitson), 1870, 1869-1877; *Threnodes* OD: *Equatorial Lep. Buckley* (4):58 [b2330] CG: *Nahida* [TypeL - Ecuador.] [Type of - *Nahida*, *Threnodes*] [Refs - b2280; b2988; b1456]
- e *coenosa* Stichel, 1909; *Mesosemia* OD: *Berl. ent. Z.* 54(1/2):13 [b4444] SS: *naiadella* Stichel, 1909; *Mesosemia* [Refs - b4474]
- a *coerulans* Zikán, 1952; *Rhetus* OD: *Dusenja* 3:33, f [b5074] [Type: -lt; designated by Mielke & Casagrande, 1987] [*Revta bras. Ent.* 31(3):417 [b3178]] [TypeL - Brazil.] [Refs - b0121; b1456]
- a *coerulea* (Aurivillius), 1895; *Lycaenesthes* OD: *Ent. Tidskr.* 16:217 [b0151] CG: *Triclema* [TypeL - Cameroons.] [Refs - b4400 (as *caerulea*); b0151; b1452 (as *caerulea*)]
- b *coerulea* (Aurivillius), 1895; *Hypolycaena* OD: *Ent. Tidskr.* 16:210 [b0151] SS: *lebna* (Hewitson), [1865]; *Taura* [Refs - b4400 (as *caerulea*); b0151]
- e *coerulea* Tutt, 1907, 1905-1914; *Lampides* OD: *Nat. Hist. Brit. Butts* 2:336 [b4760] SS: *boenicus* (Linnaeus), 1767; *Lampides* [Refs - b0400; ns3741; b4092]
- a *coerulea* Jackson, 1962; *Epitola* OD: *Bull. Br. Mus. nat. Hist. (Ent.)* 12(3):140 [b2562] [TypeL - French Equatorial Africa.] [Refs - b1452; b4400]
- c *coeruleobasalis* (Andres), [1931]; *Chrysophanus* OD: *Bull. Soc. ent. Egypte* 1930:212, f [b0060] SS: *phlaeas* (Linnaeus), 1761; *Lycaena* (*Lycaena*) [Type: Cairo; Ministry of Agric., Plant Protection Section.] [TypeL - Mersa-Matrouh, Egypt.] [Refs - b0069; b0389; b0060 (as *coerulea-basalis*)]
- e *ab. coeruleamarginata* (Tutt), 1896; *Lysandra* OD: *Brit. Butts* :167 [b4758] SS: *coridon* (Poda von Neuhaus), 1761; *Polyommatus* (*Lysandra*) [Refs - b0236; b0471 (as *caeruleomarginata*)]
- c *coeruleoarcuatus* (Saalmüller), 1884; *Lycaena* OD: *Lepid. Madagascar* 1:102, pl 1, f 9-11 [b3906] SS: *sanguigutta* (Mabille), 1879; *Eicochrysops* [TypeL - Madagascar.] [Refs - b4400]
- e *ab. coeruleopuncta* Strand, 1902; *Lycaena* OD: *Nyt Mag. naturvid.* 40:162 [b4491] SS: *phlaeas* (Linnaeus), 1761; *Lycaena* (*Lycaena*) [Refs - b0236]
- e *coeruleopunctata* (Turati & Verity), [1911], (IFS); *Chrysophanus* OD: *Boll. Soc. ent. ital.* 42:244 [b4753] SS: *valderiana* (Turati & Verity), [1911]; *Palaeochrysophanus* [Refs - b2856; b0236; b0389; b4753; b0471 (as *caeruleo...*)]
- e *ab. coeruleopunctata* (Steiner), 1916; *Chrysophanus* OD: *Glasn. hrv. prirodosl. Društ.* 28:88, f 5 [b4352] SS: *hippotoe* (Linnaeus), 1761; *Palaeochrysophanus* [Refs - b0389; b4352]
- e *ab. coeruleascens* (Lange), 1919; *Lysandra* OD: *Deut. ent. Zeit.* [Iris] 33:23 [b2891] SS: *coridon* (Poda von Neuhaus), 1761; *Polyommatus* (*Lysandra*) [Refs - b0236]

- c ♀ *ab. coerulescens* Aurivillius, 1923; Oxyliodes OD: Lepidoptera, IV. In Schubotz 1:1221 [b0171] SS: faunus (Drury), [1773]; Oxyliodes [TypeL - W. Africa.] [Refs - b4400 (as caerulescens)]
- a *coeruleus* (Röber), [1886]; Plebeius OD: CorrespBl. ent. Ver. Iris 1(3):62 [b3820] CG: Candalides [Type: BMNH-ht] [TypeL - Aru.] [Refs - b4677; b1450]
- b *coffea* Jackson, 1966; Deudorix OD: Ann. Mag. nat. Hist. (13)8:529 [b2565] SS: lorisona (Hewitson), [1863]; Deudorix (Virachola) [TypeL - Kenya.] [Refs - b1452; b4400]
- a *cogina* (Schaus), 1902; Lycaena OD: Proc. U. S. nat. Mus. 24(1262):407 [b3948] CG: Leptotes [Type: USNM-ht; #5920] [TypeL - Castro, Parana, Brazil.] [Refs - b0908; b2221; b3948]
- a *cognata* (Staudinger), 1892; Thecla OD: In Romanoff, Mém. Lép. 6:152 [b4335] CG: Favonius [Note - May be a synonym of *taxila*.] [Refs - b2988; b0996; b2827; b1900; b2866 (with Motsch.); b3778; b1399; b4214; b4200; b3296; b4092; ns1397; b1455]
- b *cohaerens* Staudinger, 1889; Caleta OD: Deut. ent. Zeit. [Iris] 2(1):96 [b4332] SS: roxus (Godart), [1824]; Caleta [Refs - b1450; b1840]
- e *colarata* Stempffer, 1967, (ISS); Thermoniphias OD: Bull. Br. Mus. nat. Hist. (Ent.) Suppl. 10:243 [b4400] SS: colorata (Ungemach), 1932; Thermoniphias [Refs - b4400]
- a *colaxes* (Hewitson), 1870, 1869-1877; Esthemopsis OD: Equatorial Lep. Buckley (4):54 [b2330] CG: Brachyglenis [TypeL - Ecuador.] [Refs - b2747; b4474; b1453; b1456]
- a *colchis* (Felder & Felder), 1865, 1865-1875; Lemonias OD: Reise Novara (2):300, pl 37, f 5,6 [b1692] CG: Audre [TypeL - Brasilia.] [Refs - b2747; b4475; b1456]
- c *collenettei* Corbet, 1940; Bindahara OD: Entomologist 73:43 [b0951] SS: phocides (Fabricius), 1793; Bindahara [TypeL - Singapore.] [Refs - b0964; b0965; b4108]
- a *collina* (Philippi), 1859; Lycaena OD: An. Univ. Chile 16(12):1093 [b3595] CG: Pseudolucia [Type: lost] [TypeL - Santiago, Chile.] [Note - Also described in *Linnaea Ent.* 14:270 (1860).] [Refs - b2747; b2221; b3326; b3846 (in Iylos); b0908; b3718; ns3596 (14:270); b4782; b0212; b0207; b0208]
- a *collinsi* Kielland, 1980; Anthene OD: In Butts Afrotropical Region :530, f [b2731] [Type: BMNH-ht] [TypeL - Ethiopia.] [Refs - b0113]
- a *collinsi* Kielland, 1980; Spindasis OD: In Butts Afrotropical Region :482 [b2731] [TypeL - Tanzania.] [Refs - b0113; b1452]
- c *collinsi* Kielland, 1987; Harpendyreus OD: Lambillionea 87(3/4):42, f [b2736] SS: argenteostriatus Stempffer, 1961; Harpendyreus [TypeL - Rwanda.] [Refs - b0120; ns2737]
- a *collinsi* Henning & Henning, 1988; Capys OD: Durban Mus. Novit. 14(6):114, f [b2286] [Type: DM-ht] [TypeL - Oldonyo Sabuk, Kenya.] [Refs - b2286]
- c *collitorum* (Birket-Smith), 1960; Lectiles OD: Bull. Inst. franç. Afr. Noire 22(A):966 [b0430] SS: schoutedeni Berger, 1954; Liptena (Tetrarhanis) [TypeL - French Cameroons.] [Type of - Lectiles] [Refs - b2280; b4400]
- a *collosa* Johnson, 1992; Novosatsuma OD: Neue Ent. Nachr. 29:58, f [b2609] [TypeL - Gansu.] [Refs - b0126]
- a *collicia* (Hewitson), [1877], 1863-1878; Thecla OD: Ill. diurn. Lep. Lycaenidae 1:186; 2:pl 74, f 577,578 [b2326] CG: Gigantorubra [Type: BMNH-ht; designated by Johnson, 1993] [Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (32):22 [b2614]] [TypeL - Esp. Santo.] [Type of - Gigantorubra] [Refs - b0908; b2753; b1375; b2614]
- a *collustra* H. H. Druce, 1907; Thecla OD: Proc. zool. Soc. Lond. 1907(3):600, pl 35, f 15 [b1375] CG: Thecla (New World Eumaeini) [Type: pc; Druce collection.] [TypeL - Caparo, Trinidad, B. W. I.] [Refs - b0908; b1375]
- c *colmus* (Fruhstorfer), [1923], 1909-1923; Castalius OD: In Seitz, Grossschmett. Erde 9:887 [b1840] SS: ethion (Westwood), [1851]; Discolampa [TypeL - Indoaustralia.] [Refs - b1636; b1840; b1454; b0694]
- a *colombiana* Johnson & Miller & Herrera, 1992; Heoda OD: Acta ent. Chilena 17:133, f [b2638] [Type: BMNH-ht] [TypeL - Colombia.] [Refs - b0126; b2638]
- a *colombiana* Johnson, 1992; Arases OD: Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (22):199 (as colombiana), f [b2611] [Type: AMNH-ht] [TypeL - Rio Penderisco, Antioquia, Colombia.] [Note - Since Johnson states the species is named for the region of occurrence it seems reasonable to emend the name from colombiana to colombiana.] [Refs - b0125; b2611]
- c *colombica* Seitz, [1917], 1910-1924; Mesene OD: In Seitz, Grossschmett. Erde 5:675 [b4093] SS: rubella Bates, 1864; Mesene [TypeL - Colombia.] [Refs - b4474; b4093]
- b *colombiensi* Johnson, 1992; Radissima OD: Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (22):173, f [b2611] SS: umbratus (Geyer), [1837]; Radissima [Type: AMNH-ht] [TypeL - Rio Penderisco, Antioquia, Colombia.] [Refs - b0125; b2611]
- e *colonarium* (Anonymous), 1929, (ISS); Lycaena OD: Zool. Rec. 65(1928)(Ins.):241 [b0066] SS: coloniarum (Turati), 1927; Pseudophilotes [Refs - b0066]
- c *coloniarium* (Turati), 1927; Lycaena OD: Atti Soc. ital. Sci. nat. 66:318, f [b4749] SS: abencerragus (Pierret), 1837; Pseudophilotes [TypeL - Cyrenaica.] [Note - Not spelled colonarium.] [Refs - b0066 (as colonarium); b4749; b2905; b0236; b0471]
- a *color* H. H. Druce, 1907; Thecla OD: Proc. zool. Soc. Lond. 1907(3):582, pl 33, f 11 [b1375] CG: Thecla (New World Eumaeini) [Type: pc; Druce collection.] [TypeL - British Guiana.] [Note - Druce says "allied to *athymbra*".] [Refs - b0908; b1375]
- e *ab. coloradensis* (Gunder), 1925; Heodes OD: Ent. News 36(7):194, f [b2095] SS: heteronea (Boisduval), 1852; Chalceria [Type: AMNH-ht] [TypeL - Plain View, Colorado.] [Note - Dos Passos treats this as an available name, but it was described as an aberration.] [Refs - b0908; b3192; b1321]
- b *coloradensis* (Mattoni), [1966]; Philotes OD: J. Res. Lep. 4(2):88-92 [b3109] SS: rita (Barnes & McDunnough), 1916; Euphilotes [Type: LACM-ht] [TypeL - Kendrick, Lincoln County, Colorado.] [Refs - b0109; b3192; b1743; b0493; b4690 (R); b4066; b1722]
- b *colorata* (Ungemach), 1932; Everes OD: Mém. Soc. Sci. nat. phy. Maroc (32):97, pl 2, f 14 [b4780] SS: micylus (Cramer), [1780]; Thermoniphias [Type: pc-ht; collection of Ungemach.] [TypeL - Youbdo, Abyssinia.] [Note - Not spelled colorata.] [Refs - b1259; b4400 (as colarata); b0827; b1452; b4780; b4388]
- c *colossus* Ribbe, 1926; Rapala OD: Ent. Mitt. 15(1):82 [b3742] SS: ribbei (Röber), [1886]; Rapala [TypeL - Celebes.] [Refs - b3742]
- a *colubra* (Saunders), [1859]; Erycina OD: Trans. ent. Soc. Lond. (2)5(9):103, pl 11, f 12 [b3939] CG: Ancyluris [TypeL - Amazon.] [Refs - b2988; b2747; b4474; b3939; b1456]
- c *colubris* Hübner, [1823], 1808-1837; Caria OD: Zutr. Samml. exot. Schmett. 2:14, pl [44], f 251,252 [b2483] SS: plutargus (Fabricius), 1793; Caria [Type of - Caria] [Refs - b2988; b2280; b2747; b4474; b2221; b3192; b1321; b2497; b1456]

- b *columba* Stichel, 1910; *Hermathena* OD: *Gen. Insectorum* 112(A):74, pl 24, f 9 [b4446] SS: *andidata* Hewitson, 1874; *Hermathena* [Type: ZMHU-ht] [TypeL - Colombia.] [Refs - b4474; b1456; b4446]
- b *columbana* Stichel, 1926; *Methone* OD: *Deut. ent. Zeit.* 1926:90 [b4464] SS: *chrysomela* (Butler), 1872; *Methone* [TypeL - Colombia.] [Refs - b4474]
- c *columbanus* (Prunner), 1798; *Papilio* OD: *Lep. Pedemont.* :76 [b3657] SS: *gordius* (Sulzer), 1776; *Lycaena* (*Alciphronia*) [Refs - b2747; b0996; b0236; b0389; b0471]
- b *columbia* (Skinner), 1917; *Lycaena* OD: *Ent. News* 28(5):213 [b4241] SS: *lygdamus* (Doubleday), 1841; *Glaucopsyche* [Type: CM-ht] [TypeL - Fort Columbia, Washington.] [Refs - b0908; b1321; b3192; b4066]
- b *columbia* (McDunnough), 1944; *Callipsyche* OD: *Can. Ent.* 76(9):190 [b3137] SS: *behrii* (Edwards), 1870; *Satyrrium* [Type: CNC-ht] [TypeL - Fairview, British Columbia.] [Refs - b0908; b3192; b1321]
- b *columbinae* (Mattoni), 1954; *Philotes* OD: *Bull. S. Calif. Acad. Sci.* 53(3):162, pl 43, f 7,11 [b3108] SS: *euptes* (Boisduval), 1852; *Euphilotes* [Type: USNM-ht] [TypeL - Columbia River near Brewster, Okanogan County, Washington.] [Refs - b0908; b3192; b1321; b4066]
- b *columbiana* Staudinger, [1888], 1884-1888; *Theope* OD: *In Exot. Schmett.* 1:263 [b4329] SS: *euryonina* Bates, [1868]; *Theope* [TypeL - Colombia.] [Refs - b4475; b1456]
- c *columbiana* Le Moult, 1940, 1939-1940; *Helicopsis* OD: *Novit. ent.* (17):132 [b2943] SS: *cupido* (Linnaeus), 1758; *Helicopsis* [Type: MNHN-ht] [TypeL - Rio Putumayo, Colombia.] [Refs - b3199]
- e *columbiana* Johnson, 1992, (IOS); *Arases* OD: *Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point)* (22):198+ [b2611] SS: *columbiana* Johnson, 1992; *Arases* [Refs - b0125; b2611]
- a *columbicola* Strand, 1916, 1914-1916; *Thecla* OD: *Lep. Niepelt.* (2):16, pl 14, f 27,28 [b4516] CG: *Thecla* (New World Eumaeini) [Type: pc-st; Niepelt collection.] [TypeL - Colombia.] [Refs - b0908; b4528]
- a *columbinia* (Strand), 1916, 1914-1916; *Thecla* OD: *Lep. Niepelt.* (2):17, pl 14, f 25,26 [b4516] CG: *Riodina* (?) [Type: pc; Niepelt collection.] [TypeL - Colombia.] [Refs - b0908; b1456]
- a *columella* (Fabricius), 1793, 1792-1799; *Hesperia* OD: *Ent. syst.* 3(1):282 [b1657] CG: *Strymon* [Type: ZMC-ht] [TypeL - *Americae meridionalis Insulis*.] [LifeH - Tietz lists b0897.] [Refs - b1530 :217, f 417; b1321 :56; b0908; b0907; b2747; b1343; b3192; b3192; b1581; b0833; b0817; b2631; b4066; b5076]
- c *coluteae* (Füssly), 1775; *Papilio* OD: *Verz. bekannt. Schweiz. Ins.* :31, f 2,2 [b1903] SS: *boeticus* (Linnaeus), 1767; *Lampides* [Refs - b2747; b0995; b0400; b2794; b4934 (as *coluteae*); b4092]
- c *colutha* (Fruhstorfer), [1919]; *Pithecopis* OD: *Arch. Naturgesch.* (A)83(1):84, f [b1889] SS: *zalmora* (Butler), [1870]; *Neopithecopis* [Type: BMNH-ht; designated by Eliot & Kawazoé, 1983] [Butts *Lycaenopsis* group :43 [b1580]] [TypeL - Palawan, Philippines.] [Refs - b1840; b1580; b1011]
- a *comae* (H. H. Druce), 1907; *Thecla* OD: *Proc. zool. Soc. Lond.* 1907(3):576, pl 32, f 8,9 [b1375] CG: *Macusia* [Type: BMNH] [TypeL - Río Minero, Muzo, Colombia.] [Refs - b0908; b0845; b4137 (as *comae*); b1375; b3810; b2618]
- a *comana* (Hewitson), [1867], 1863-1878; *Thecla* OD: *Ill. diurn. Lep. Lycaenidae* 1:97; 2:pl 36, f 87,88 or 86,87 [b2326] CG: *Noreena* [Type: BMNH-ht] [TypeL - Tapajos, Amazon.] [Refs - b0908; b2747; b3818; b3809; b2588; b2593; b2597]
- c *comeda* (Fruhstorfer), 1915; *Lampides* OD: *Arch. Naturgesch.* (A)81(6):12 [b1865] SS: *kondulana* (C. Felder), 1862; *Jamides* [TypeL - Tana Djampea.] [Refs - b1865; b4094]
- c *comedarum* Grun-Grshimaillo, 1890; *Lycaena* OD: *In Romanoff, Mém. Léop.* 4:365 [b2067] SS: *phlaeus* (Linnaeus), 1761; *Lycaena* (*Lycaena*) [Refs - b4092]
- a *comes* (Leech), 1890; *Dipsas* OD: *Entomologist* 23:41 [b2963] CG: *Cordelia* [TypeL - China.] [Type of - *Cordelia*] [Refs - b4198; b2988; b2280; b0996; b2479; b4214; b4200; b1454; b4092]
- e *comes* Stichel, [1909], (IFS); *Panara* OD: *Berl. ent. Z.* 53(3/4):266 [b4443] SS: *lemniscata* Thieme, 1907; *Panara* [Refs - b4474]
- e *ab. cometa* Wize, 1917; *Polyommatus* OD: *Rocz. poznań. Tow. przyj. Nauk* 44:7 [b5023] SS: *icarus* (Rottemburg), 1775; *Polyommatus* [TypeL - Poland.] [Refs - b1503]
- a *comica* de Nicéville, 1900; *Arhopala* OD: *J. Bombay nat. Hist. Soc.* 13(1):170, pl EE, f 18 [b1167] CG: *Arhopala* j [TypeL - Near Bhamo, N. Burma.] [Refs - b1644; b1454; b4094]
- c *comla* (Swinhoe), 1912, 1909-1913; *Marmessus* OD: *In Moore, Lep. Ind.* 9:194 [b4575] SS: *caesarea* Weymer, 1887; *Drupadia* [Type: BMNH-st] [TypeL - Sumatra, Indonesia.] [Refs - b1030; b4094; b4575]
- a *commodus* (Felder & Felder), 1865, 1865-1875; *Thecla* OD: *Reise Novara* (2):262, pl 32, f 19,20 [b1692] CG: *Paralustrus* [Type: BMNH-ht; designated by Johnson, 1992] [Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (22):155 [b2611]] [TypeL - Bogota, Colombia.] [Type of - *Paralustrus*] [Refs - b0908; b2747; b2631; b2593; b0125; b2611]
- e *ab. communa* (Stetter-Stätermayer), 1937; *Lycaena* OD: *Ent. Rundsch.* 54:531 [b4432] SS: *allardi* (Oberthür), 1874; *Plebejus* (*Plebejides*) [Refs - b0075]
- c *communis* (Herrich-Schäffer), 1869; *Lycaena* OD: *Stett. ent. Zig* 30(1-3):72 [b2317] SS: *labradus* (Godart), [1824]; *Zizina* [Refs - b2747; b4094 (as Koch MS); b4934; b1475]
- a *comosa* Stichel, 1911; *Theope* OD: *Gen. Insectorum* 112(B):356 [b4447] [Type: ZMHU-ht] [TypeL - Pebas, Peru.] [Refs - b4475; b1456; b4446]
- b *comparata* Stichel, 1911; *Calociasma* OD: *Gen. Insectorum* 112(B):377 [b4447] SS: *pulcherrima* (Butler), [1867]; *Calociasma* [Type: pc-st; collection of Stichel] [TypeL - Oberlauf des Rio Madre Dios, Peru.] [Refs - b4446]
- a *compassbergae* Quickelberge & McMaster, 1970; *Thestor* OD: *Ent. Rec.* 82(12):319, f [b3681] [TypeL - Cape Province, S. Africa.] [Refs - b1259; b1452]
- a *compendina* Johnson, 1993; *Ziegleria* OD: *Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point)* (32):65, f [b2614] [Type: AMNH-ht] [TypeL - Rabinal, Guatemala.] [Refs - b2614]
- b *completa* (Lathy), 1904; *Nymphidium* OD: *Trans. ent. Soc. Lond.* 52(3):467, pl 27, f 9 [b2914] SS: *molpe* (Hübner), [1808]; *Juditha* [TypeL - Peru.] [Refs - b4475]
- e *completa* Verity, 1919, 1919-1922, (IFS); *Glaucopsyche* OD: *Ent. Rec.* 31:29 [b4840] SS: *alexis* (Poda von Neuhaus), 1761; *Glaucopsyche* [Type: MZS-st] [Refs - b3059; b2856; b0236; b0400; b0471]
- e *f. completa* (Rangnow), 1935; *Lycaena* OD: *Ent. Rundsch.* 52:188 [b3691] SS: *violaceus* (Rangnow), 1935; *Plebejus* (*Lycaeides*) [TypeL - Lapland.] [Refs - b0073]
- b *complicata* (Butler), 1882; *Lampides* OD: *Ann. Mag. nat. Hist.* (5)10:151 [b0621] SS: *ancyra* (C. Felder), 1860; *Catopyrops* [Type: BMNH-ht] [TypeL - New Britain or Duke-of-York Island.] [Refs - b4676; b1450; b0621]

- c **comstocki** Fox, 1924; Plebejus OD: Ent. News 35(4):140 [b1783] SS: shasta (Edwards), 1862; Plebejus (Icaricia) [Type: AMNH-hi] [TypeL - Glacier Point, Yosemite National Park, California.] [Refs - b0908; b1713; b3796; b3192; b1321]
- c **comstocki** Gunder, 1925; Philotes OD: Ent. News 36(1):6, pl 1, f 1,2,3 [b2094] SS: sonorensis (Felder & Felder), 1865; Philotes [Type: AMNH-hi] [TypeL - San Gabriel River, Duarte, Los Angeles County, California.] [Refs - b0908; b4177; b3192; b1321; b2094]
- b **comstocki** Henne, 1940; Callophrys OD: Bull. S. Calif. Acad. Sci. 39(1):71 [b2282] SS: sheridani (Edwards), 1877; Callophrys [Type: LACM-hi] [TypeL - Providence Mtns., San Bernardino Co., California.] [LifeH - Tietz lists b0415, b5004, b1507, b0345, b3176, b3654, b3244, b0470, b0902, b1700, b1792, b1968, b4076, b2143, b2429, b3244, b4088, b4089, b4090, b0053.] [Refs - b1530 :210, f 401; b1321 :58; b0908; b3192; b1743; b0493 (?); b4690; b4690 (R); b2585; b4066; b4652]
- b **comstocki** (Shields), 1975; Shijimiaoides OD: Bull. Allyn Mus. (28):12, f 5-8 [b4179] SS: battoides (Behr), 1867; Euphilotes [Type: LACM-hi] [TypeL - Tehachapi, Kern County, California.] [Refs - b4179; b0107; b3192; b4066]
- a **comstocki** Johnson, 1992; Rhamma OD: Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (22):137, f [b2611] [Type: AMNH-hi] [TypeL - La Calera, Bogota, Colombia.] [Refs - b0125; b2620; b2942; b2611]
- a **comyntas** (Godart), [1824], 1819-1824; Polyommatus OD: In Ency. méth. 9(Ins.)(2):660 [b1970] CG: Evers [Type: MNHN-hi] [TypeL - North America.] [Note - Also treated as a subspecies of *argiades*.] [Refs - b1530 :240, f 468, 469; b1321 :66; b0908; b3078; b4094; b0113; b0236; b3192; b3512; b1055; b1743; b4237; b4690; b0493; b4066]
- b **conara** Couchman, 1965; Pseudalmenus OD: Pap. Proc. R. Soc. Tasmania 99:83, f [b0973] SS: chlorinda (Blanchard), 1848; Pseudalmenus [TypeL - Tasmania.] [Refs - b0870; b3646]
- c **concanus** (Moore), 1884; Aphnaeus OD: J. asiat. Soc. Bengal, Pt II 53(1):27 [b3236] SS: lazuliana (Moore), [1881]; Spindasis [TypeL - Süd-Indien, Karwar.] [Refs - b1636; b0996; b1850; b4094; b0694]
- a **concepcion** Suffert, 1904; Epitola OD: Deut. ent. Zeit. [Iris] 17:54 [b4535] [Refs - b3842; b1452; b2564; b4400; b1585]
- a **conchylum** H. H. Druce, 1907; Thecla OD: Proc. zool. Soc. Lond. 1907(3):598, pl 35, f 12 [b1375] CG: Thecla (New World Eumacini) [Type: pc; Druce collection.] [TypeL - Castro, Parana, Brasil; Paraguay.] [Note - Druce says "allied to *norax* and *gadira*".] [Refs - b0908; b1375]
- b **concinna** (Stichel), 1910; Polystichis OD: Berl. ent. Z. 55(1/2):75 [b4445] SS: lucianus (Fabricius), 1793; Calospila [Type: ZMHU-st] [TypeL - Rio San Juan, Colombia.] [Refs - b4475; b4445]
- a **concolor** (Rothschild), 1916; Thysonotis OD: Rep. B. O. U. Exped. New Guinea 2(15):32 [b3880] CG: Danis [TypeL - Dutch New Guinea.] [Refs - b1450; b3880; b1882 (as ssp of phroso); b2388]
- c **concolor** Joicey & Talbot, 1917; Deudorix OD: Ann. Mag. nat. Hist. (8)20:220 [b2654] SS: turbo Fruhstorfer, [1912]; Deudorix [Type: BMNH-hi] [TypeL - Waigeu.] [Refs - b1450; b4094]
- e **ab. concolor** (Agenjo), 1934; Thestor OD: Eos 9:314, pl 18, f 6 [b0010] SS: catalonica (de Sagarra y Castellamau), 1930; Tomares [TypeL - Spain.] [Refs - b3059; b0072]
- a **condamini** Stempffer, 1956; Hypolycaena OD: Mém. Inst. Franç. Afr. Noire 48(1)(11):207, f 1,2 [b4389] [TypeL - French W. Africa.] [Refs - b1452; b0836; b4400]
- b **condamini** Stempffer, 1963; Pentila OD: Bull. Inst. franç. Afr. Noire 25(A):954, f 1-5 [b4396] SS: cloetensi Aurivillius, 1897; Pentila [TypeL - Senegal.] [Refs - b0836 (:275, f 164-166); b4400]
- b **condensa** Stichel, 1926; Euselasia OD: Deut. ent. Zeit. 1926:393 [b4465] SS: melaphaea (Hübner), [1823]; Euselasia [TypeL - Bolivia.] [Refs - b4474]
- b **condigna** Stichel, 1925; Emesis OD: Z. wiss. InsektBiol. 20:84 [b4463] SS: lucinda (Cramer), [1775]; Emesis [TypeL - Brazil.] [Refs - b4475]
- c **conferenda** (Butler), 1886; Lampides OD: Ann. Mag. nat. Hist. (5)18:185 [b0634] SS: celeno (Cramer), [1775]; Jamides [TypeL - Burma.] [Note - May belong with *aelianus*.] [Refs - b1636; b4094; b1865; b0694]
- e **confolata** Stichel, 1910, (IFS); Amarynthus OD: Berl. ent. Z. 55(1/2):10 [b4445] SS: meneria (Cramer), [1776]; Amarynthus [Refs - b4474; b4445]
- c **confluens** (Gerhard), 1853, 1850-1853; Polyommatus OD: Vers. monog. europ. Schmett. :5, pl 8, f 1 (a-d) [b1928] SS: hippothoe (Linnaeus), 1761; Palaeochrysophanus [Refs - b2747; b0389; b0471]
- e **ab. confluens** (Courvoisier), 1903; Lycaena OD: Mitt. schweiz. ent. Ges. 11:18-35 [b0981] SS: coridon (Poda von Neuhaus), 1761; Polyommatus (Lysandra) [Refs - b0236]
- e **ab. confluens** Oudemans, 1905; Plebejus OD: Tijdschr. Ent. 48:pl 5, f 8 [b3529] SS: argus (Linnaeus), 1758; Plebejus [Refs - b0236]
- e **ab. confluens** (Schultz), 1905; Chrysophanus OD: Ent. Zeit. 18(34):133 [b4003] SS: alciphron (Rottemburg), 1775; Lycaena (Alciphronia) [Refs - b0236; b0389]
- e **ab. confluens** (Aigner-Abafi), 1906; Lysandra OD: Ent. Zeit. 19(35):209 [b0028] SS: bellargus (Rottemburg), 1775; Polyommatus (Lysandra) [Refs - b0236; b0471]
- c **confluens** (Grünberg), 1908; Liptena OD: Sber. Ges. naturf. Freunde Berl. 1908(3):50-62 [b2073] SS: orientalis (Bethune-Baker), 1906; Falcuna [Refs - b4400]
- e **ab. confluens** (Oberthür), 1910; Lycaena OD: Émd. Lép. comp. 4:129 [b3451] SS: hippothoe (Linnaeus), 1761; Palaeochrysophanus [Refs - b0236]
- e **ab. confluens** (Slevogt-Bathen), 1910; Lycaena OD: Arb. NatForschVer. Riga (nf)12:49 [b4244] SS: icarius (Esper), [1789]; Polyommatus (Plebicula) [Refs - b0993; b4092]
- b **confluens** Corbet, 1941; Dodona OD: J. Fed. Malay St. Mus. 18(5):811 [b0954] SS: egeon (Westwood), [1851]; Dodona [TypeL - Selangor.] [Refs - b0964; b0965; b1454]
- e **ab. confluens** (Burrau), 1953; Polyommatus OD: Opuscula entomologica 18(2/3):119, f 20 [b0578] SS: arenicola (Burrau), 1953; Plebejus (Eumedonia) [TypeL - Sweden.] [Refs - b0087; b0578]
- e **ab. confluens transversa** Courvoisier, 1911, 1910-1911; Lycaena OD: Ent. Zeit. 24:255 [b0985] SS: alciphron (Rottemburg), 1775; Lycaena (Alciphronia) [Refs - b0236; b0389; b0471]
- e **ab. confluens transversa** Courvoisier, 1912; Lycaena OD: Deut. ent. Zeit. [Iris] 26:57 [b0987] SS: phlaeas (Linnaeus), 1761; Lycaena (Lycaena) [Refs - b0236; b0389 (Iris, 1921:97); b0471]
- e **ab. confluens multiplex** Courvoisier, 1911, 1910-1911; Lycaena OD: Ent. Zeit. 24:255 [b0985] SS: alciphron (Rottemburg), 1775; Lycaena (Alciphronia) [Refs - b0236; b0471]
- e **confluens simplex** Courvoisier, 1912; Scolitantides OD: Deut. ent. Zeit. [Iris] 26:pl 4, f 5 [b0987] SS: orion (Pallas), 1771; Scolitantides [Note - Figures 3a and 3b are baton.] [Refs - b0400]

- c **conformata** Stichel, 1929; *Emesis* OD: Deut. ent. Zeit. 1929:205 [b4471] SS: glaucescens Talbot, 1929; *Emesis* [TypeL - Colombia.] [Refs - b4475]
- c **conformis** (Butler), 1877; *Lycaena* OD: Proc. zool. Soc. Lond. 1877(3):469 [b0609] SS: karsandra (Moore), 1865; *Zizeeria* [Type: BMNH-ht] [TypeL - Cape York, Australia.] [Refs - b0609; b4940; b4934; b1475; b4108]
- c **confucius** Moore, 1878; *Zemeros* OD: Proc. zool. Soc. Lond. 1878(3):701 [b3229] SS: indicus Fruhstorfer, [1904]; *Zemeros* [TypeL - Hainan.] [Refs - b1636; b4473; b1454 (as good ssp of flegyas); b1840]
- a **confusa** Aurivillius, [1899]; *Liptena* OD: K. svenska VetenskAkad. Handl. (nf)31(5):276 [b0156] [TypeL - Cameroons.] [Refs - b1452; b4400]
- e **f. confusa** Oberthür, 1914; *Cigaritis* OD: Étud. Léop. comp. 10:pl 293, f 2407,2408 [b3454] SS: zohra Donzel, 1847; *Cigaritis* [Refs - b0236]
- e **ab. confusa** Oberthür, 1914; *Cigaritis* OD: Étud. Léop. comp. 10:pl 293, f 2412,2413 [b3454] SS: zohra Donzel, 1847; *Cigaritis* [Refs - b0236; b0471]
- b **confusa** (Riley), 1922; *Horsfieldia* OD: Entomologist 55:51 [b3752] SS: narada (Horsfield), [1828]; *Amblypodia* [Refs - b4094; b1454]
- c **confusa** (Evans), 1925; *Sinthusia* OD: J. Bombay nat. Hist. Soc. 30(4):774 [b1634] SS: virgo (Elwes), 1887; *Pseudochliaria* [TypeL - Sikkim.] [Refs - b4604]
- d **confusa** Tytler, 1926, (H); *Pseudochliaria* OD: J. Bombay nat. Hist. Soc. 31(3):586 [b4773] SS: confusa (Evans), 1925; *Pseudochliaria* [TypeL - India.] [Refs - b0694]
- a **confusa** Jörgensen, 1934; *Thecla* OD: Deut. ent. Zeit. [Iris] 48:61 [b2670] CG: *Thecla* (New World Eumaeini) [TypeL - Argentina.] [Refs - b2221; b0072; b2670 (near dissidentanea)]
- a **confusa** Lathy, 1936, (H); *Thecla* OD: Livre jubilaire de M. Eugene-Louis Bouvier :231 [b2925] CG: *Thecla* (New World Eumaeini) [Type: biblio; replacement name for *epopea* Hewitson, 1863.] [TypeL - Pérou.] [Note - Replacement name is needed. Primary homonym. The name was based on *epopea* Hewitson, *Equat. Lepid.*, p. 169, pl LXVI, f 472, not the true *epopea*.] [Refs - b0908; b2925; b2591]
- b **confusa** Eliot & Kawazoé, 1983; *Udara* OD: Butts *Lycaenopsis* group :97, f 276-277, 292-293 [b1580] SS: placidula (H. H. Druce), 1895; *Udara* (Udara) [Type: BMNH-ht] [TypeL - Koentoroen, Buru, South Moluccas.] [Refs - b1580]
- a **confusa** Kielland, 1989; *Uranotauma* OD: *Lambillionea* 89(5/6):54 [b2737] [TypeL - Malawi.] [Refs - b0123]
- a **congdoni** (Kielland), 1985; *Epamera* OD: *Lambillionea* 84(9-10):67, f 1,2 [b2733] CG: *Iolaus* (Epamera) [Type: BMNH-ht] [TypeL - Tanzania.] [Refs - b0119; b2733]
- b **congdoni** Kielland, 1985; *Abisara* OD: *Lambillionea* 85(11-12):97, f [b2734] SS: neavei Riley, 1932; *Abisara* [TypeL - Tanzania.] [Refs - b0119]
- a **congdoni** Kielland, 1990; *Baliocilia* OD: Butts *Tanzania* :174, f [b2738] [TypeL - Tanzania.] [Refs - b0125]
- b **congoana** Aurivillius, [1914], 1908-1925; *Alaena* OD: In Seitz, *Grossschmett. Erde* 13:299 [b0162] SS: amazoula (Boisduval), 1847; *Alaena* [TypeL - Lower Congo and Angola.] [Refs - b1452; b4400; b0162]
- c **ab. congoana** Strand, 1918; *Pentila* OD: Int. ent. Z. 12(13):102 [b4519] SS: immaculata Suffert, 1904; *Pentila* [TypeL - Congo Belge.] [Refs - b4528; b4400]
- a **congoana** Aurivillius, 1923; *Deudorix* OD: Lepidoptera, IV. In Schubotz 1:1218, pl L, f 8 [b0171] CG: *Deudorix* (Pilodeudorix) [TypeL - Kimuenza, Kongo.] [Refs - b1452; b0171; b4400]
- a **congoana** Aurivillius, 1923; *Epitola* OD: *Lepidoptera*, IV. In Schubotz 1:1202, f [b0171] [TypeL - Kimuenza, Kongo.] [Refs - b3842; b1452; b0171; b4400]
- a **congoana** Hawker-Smith, 1933; *Liptena* OD: *Stylops* 2:9 [b2168] [TypeL - West Semliki Valley, Belgian Congo.] [Refs - b1452; b4382; b2168; b4400]
- c **congoensis** Joicey & Talbot, 1921; *Pentila* OD: Bull. Hill Mus. 1(1):81, pl 14, f 51 [b2655] SS: catanga Rebel, 1914; *Pentila* [Type: BMNH-ht] [TypeL - Itoa River, Iuri Forest.] [Refs - b4400; b3796]
- b **congoensis** Joicey & Talbot, 1921; *Hewitsonia* OD: Bull. Hill Mus. 1(1):87, pl 14, f 64 [b2655] SS: boisduvali (Hewitson), [1869]; *Hewitsonia* [Type: BMNH-ht] [TypeL - Itoa River, Iuri Forest.] [Refs - b1452; b4400; b2655]
- b **congoensis** (Joicey & Talbot), 1921; *Tanetheira* OD: Bull. Hill Mus. 1(1):90, pl 15, f 74 [b2655] SS: timon (Fabricius), 1787; *Iolaus* (Tanetheira) [Type: BMNH-ht] [TypeL - Albertville, Tanganyika.] [Refs - b1452; b4400; b2655]
- b **congoensis** Schultze, 1923; *Liptena* OD: In Schubotz :1181, f [b4018] SS: praestans (Grose-Smith), 1901; *Liptena* [TypeL - C. Africa.] [Refs - b1452; b4400]
- b **congoensis** Stempffer, 1953; *Teratoneura* OD: *Annls Mus. r. Congo Belge* (8vo)27:16 [b4384] SS: isabellae Dudgeon, 1909; *Teratoneura* [TypeL - Belgian Congo.] [Refs - b1452; b0836; b4400]
- a **congoensis** Stempffer, 1964; *Ornipholidotos* OD: Bull. Inst. franç. Afr. Noire 26(A):1228 [b4397] [TypeL - Congo.] [Refs - b1452; b4400]
- b **congolanus** Dufrane, 1954; *Spindasis* OD: Bull. Annls Soc. ent. Belg. 90:284 [b1412] SS: trimeni Neave, 1910; *Spindasis* [TypeL - Belgian Congo.] [Refs - b1452; b4400]
- c **conguensis** (Mabille), 1877; *Lycaena* OD: Bull. Soc. zool. Fr. 2:218 [b3039] SS: malathana (Boisduval), 1833; *Euchrysops* [TypeL - Congo.] [Refs - b4400]
- e **ab. conjugens** Strand, 1912; *Cupidopsis* OD: Arch. Naturgesch. (A)78(1):81 [b4508] SS: jobates (Hopffer), 1855; *Cupidopsis* [Note - Described as an aberration and thus unavailable as of this author and date.] [Refs - b4400 (as conjugens); b4528; b4508]
- a **conjuncta** Grose-Smith & Kirby, 1893, 1887-1902; *Epitola* OD: Rhop. exot. 2(23):86, pl 20, f 3-5 [b2049] [TypeL - W. Africa.] [Refs - b3842; b1452; b0836; b4400]
- e **conjuncta** (Tutt), 1906, 1905-1914; *Rumiccia* OD: Nat. Hist. Brit. Butts 1:363 [b4760] SS: phlaeas (Linnaeus), 1761; *Lycaena* (Lycaena) [Refs - b4092]
- e **ab. conjuncta** (Tutt), 1909, 1905-1914; *Agriades* OD: Nat. Hist. Brit. Butts 3:352 [b4760] SS: bellargus (Rottemburg), 1775; *Polyommatus* (Lysandra) [Refs - b0471]
- b **conjuncta** Corbet, 1941; *Arhopala* OD: Proc. R. ent. Soc. Lond. (B)10(9):152 [b0956] SS: myrzala (Hewitson), [1869]; *Arhopala* a [Type: BMNH-ht] [TypeL - Langkawi Island.] [Refs - b1644; b0956; b2200; b1454]
- c **conjuncta** Zikán, 1952; *Barbicornis* OD: *Dusenja* 3:39, f [b5074] SS: basilis Godart, [1824]; *Barbicornis* [Type: -lt; designated by Azzarà, 1978] [Acta biol. parana. 7(1/4):41 [b0189]] [TypeL - Brazil.] [Refs - b0111]
- b **conjuncta** Jackson, 1969; *Telipna* OD: Bull. Br. Mus. nat. Hist. (Ent.) 23(1):5 [b2568] SS: acraea (Westwood), [1851]; *Telipna* [TypeL - Benin Province, Nigeria.] [Refs - b1452]
- c **conjugens** (Lucas), 1889; *Lycaena* OD: Proc. R. Soc. Qd 6(4):160, f 11,12 [b3024] SS: dubiosa (Semper), [1879]; *Prosotas* [TypeL - Townsville to Brisbane, Australia.] [Refs - b3024; b1473; b4934; b0976]

- e *conjungens* Stempffer, 1967, (ISS); Cupidopsis OD: Bull. Br. Mus. nat. Hist. (Ent.) Suppl. 10:240 [b4400] SS: jobates (Hopffer), 1855; Cupidopsis [Note - An ISS of conjungens Strand, 1912.] [Refs - b4400]
- a *connae* (Evans), 1932; Neolycaena OD: Ident. Indian Butts (2nd ed.) :247 [b1638] CG: Satyrium (Neolycaena) [TypeL - Baluchistan.] [Refs - b1638; b0694 (in Neolycaena); ns3033; b1455]
- b *connectens* Hulstaert, 1924; Pentila OD: Revue zool. afr. 12(2):118 [b2496] SS: umangiana Aurivillius, 1898; Pentila [TypeL - Belgian Congo.] [Refs - b3796; b1452; b4420; b2496; b4400]
- b *connectens* Talbot, 1935; Alaena OD: Ent. mon. Mag. 71:69 [b4623] SS: picata E. Sharpe, 1896; Alaena [TypeL - Kenya.] [Refs - b4623; b4400]
- e *f. connexa* Tutt, 1907, 1905-1914; Callophrys OD: Nat. Hist. Brit. Butts 2:92 [b4760] SS: rubi (Linnaeus), 1758; Callophrys [Refs - b0236; b2585]
- e *ab. connexa* (Aurivillius), 1923; Lycaenesthes OD: Lepidoptera, IV. In Schubotz 1:1237 [b0171] SS: zenkeri (Karsch), 1895; Anthene [TypeL - Yukaduma-Urwald, Süd-Kamerun.] [Refs - b4400; b0171]
- c *f. connexa* (Wataru), 1932; Zephyrus OD: Zephyrus 4(4):237 [b4927] SS: butleri (Fenton), [1882]; Antigius [TypeL - Japan.] [Note - Described again in Zephyrus 6:189.] [Refs - b1900]
- b *connexa* (Riley), [1945]; Marmessus OD: Trans. R. ent. Soc. Lond. 94(2):265, pl 1, f 14,15 [b3782] SS: ravindra (Horsfield), [1828]; Drupadia [Type: BMNH-ht] [TypeL - Siberut, Indonesia.] [Refs - b1030; b0105; b1454; b3782]
- a *connexivus* Butler, [1897]; Capys OD: Proc. zool. Soc. Lond. 1896(4):831, pl 41, f 6 [b0646] [TypeL - Kasungu, Mt. Nyika, Malawi.] [Refs - b1452; b4400 (as ssp of disunctus); b2286]
- b *conos* Fruhstorfer, 1904; Dicallaneura OD: Deut. ent. Zeit. [Iris] 17(1):147 [b1819] SS: decorata (Hewitson), [1862]; Dicallaneura [Type: biblio] [TypeL - Deutsch New Guinea.] [Refs - b1450; b1840; b4474; b1819]
- a *conoveria* Schaus, 1902; Thecla OD: Proc. U. S. natn. Mus. 24(1262):413 [b3948] CG: Thecla (New World Eumacini) [Type: USNM-ht; #5934] [TypeL - Petropolis, Mexico.] [Refs - b0908; b3948]
- a *conradsi* (Aurivillius), 1907; Phasis OD: Ark. Zool. 3(19):3 [b0161] CG: Aloeides [Type: lost] [TypeL - Ukerewe, Tanzania.] [Refs - b0104; b1452; b4400; b4685]
- a *conradti* Stempffer, 1956; Eresina OD: Annl. Mus. r. Congo Belge (8vo)49:27, pl 1, f 27,28 [b4388] [Type: BMNH-ht] [TypeL - Johann Albrechts, Höhe Station, Cameroun.] [Refs - b1452; b4388; b4400]
- c *consanguinea* Rebel, 1914; Telipna OD: Amln naturh. Mus. Wien 28:262, pl 22, f 39,41 [b3710] SS: erica Suffert, 1904; Telipna [TypeL - C. Africa.] [Refs - b4400; b0113; b1452; b3710; b4400; b2560]
- a *consimilis* Waterhouse, 1942; Candalides OD: Rec. Aust. Mus. 21(2):125 [b4944] CG: Candalides [TypeL - Sydney, Australia.] [Refs - b4677; b1450; b0870]
- e *f. consonans* Jachontov, 1906; Lycaena OD: Mater. Pozn. Fauny Flory SSSR 7:135 [b2554] SS: tityrus (Poda von Neuhaus), 1761; Lycaena (Heodes) [Refs - b0236]
- e *f. conspecifica* Bryk, 1953; Helicopsis OD: Ark. Zool. (ns)5(1):123 [b0569] SS: nigrobasalis Aurivillius, 1929; Helicopsis [TypeL - Guiana, Brazil.]
- a *conspersa* Stichel, 1926; Pachythone OD: Deut. ent. Zeit. 1926:94 [b4464] [TypeL - Peru.] [Refs - b4464; b1456]
- c *f. conspicua* Rebillard, 1958; Euselasia OD: Mém. Mus. natn. Hist. nat. (A)15:162 [b3717] SS: zena (Hewitson), [1860]; Euselasia [Type: MNHN-ht] [TypeL - Manicore, Rio Madeira, Amazone, Brazil.] [Refs - b3717; b0093]
- b *constancea* d'Abrera, 1971; Hypochrysops OD: Butts Australian Region :338, pl 338 [b1450] SS: scintillans (Butler), 1882; Hypochrysops [Type: BMNH-ht] [TypeL - Guadalcanal, Solomon Islands.] [Note - Not spelled constantacea.] [Refs - b1450; b0104; b3926 (as constantacea)]
- b *constanceae* de Nicéville, 1894; Arhopala OD: J. asiat. Soc. Bengal, Pt II 63(1):34, pl 4, f 11 [b1158] SS: selta (Hewitson), [1869]; Arhopala f [TypeL - Port Blair, S. Andaman Island.] [Refs - b1644; b1454; b4094]
- c *constanti* (Blachier), 1910; Lycaena OD: Bull. Soc. Léop. Genève 2(2):51 [b0436] SS: coridon (Poda von Neuhaus), 1761; Polyommatus (Lysandra) [Refs - b4142]
- e *constanti* (Reverdin), 1910; Agriades OD: Ent. Rec. 22(3):60 [b3728] SS: hispana (Herrich-Schäffer), [1851]; Polyommatus (Lysandra) [Refs - b1135; b0236; b0471; b4038]
- a *constantinoi* Johnson & Kroenlein, 1993; Angulopsis OD: Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (33):28, f [b2627] [Type: UNBC-ht] [TypeL - Meta, Remolinos, Colombia.] [Refs - b2627]
- a *constantius* (Fabricius), 1793, 1792-1799; Papilio OD: Ent. syst. 3(1):152 [b1657] CG: Eurybia [Refs - b2747; b4474; b5076; b1456]
- e *ab. constellata* (Cabeau), 1913; Nemeobius OD: Revue mens. Soc. ent. namur. 13(7):101 [b0664] SS: lucina (Linnaeus), 1758; Hamearis [Refs - b0236; b0664]
- e *constricta* (Schultz), 1905; Chrysophanus OD: Ent. Zeit. 18(33):131 [b4002] SS: gordius (Sulzer), 1776; Lycaena (Alciphronia) [Refs - b0389; b4092]
- a *contexta* Johnson, 1992; Cissatsuma OD: Neue Ent. Nachr. 29:79, f [b2609] [TypeL - Yunnan.] [Refs - b0126]
- c *contilia* (Fruhstorfer), 1910; Cyaniris OD: Stett. ent. Zig 71(2):285 [b1843] SS: puspa (Horsfield), [1828]; Acytolepis [Type: BMNH-ht; designated by Eliot & Kawazoé, 1983] [Butts Lycaenopsis group :179 [b1580]] [TypeL - Sumba.] [Refs - b1840; b1580]
- c *continentalis* Fruhstorfer, [1912]; Loxura OD: Berl. ent. Z. 56(3/4):221 [b1850] SS: atymnus (Stoll), [1780]; Loxura [TypeL - Siam.] [Refs - b1636; b1454; b1850; b4094; b0694; b4209]
- b *continentalis* Fruhstorfer, 1913; Alloitinus OD: Z. wiss. Insektbiol. 9(11):344 [b1851] SS: unicolor Felder & Felder, 1865; Alloitinus (Paragerydus) [Type: ZSI?-lt; designated by Corbet, 1939] [Trans. R. ent. Soc. Lond. 89(5):63-77 [b0944]] [TypeL - Bhamo, Burma.] [Refs - b1636; b1840; b1571; b0694; b1552]
- b *continentalis* Fruhstorfer, 1916; Nacaduba OD: Zoöl. Meded. 2(2):114 [b1873] SS: pactolus (C. Felder), 1860; Nacaduba [TypeL - Sikkim.] [Refs - b4676; b1636; b1454; b4094; b0694]
- b *continentalis* Shirôzu, 1952; Artopoetes OD: Sieboldia 1(1):20, pl 6, f 30,31 [b4192] SS: pryeri (Murray), 1873; Artopoetes [Type: ELKU-ht] [TypeL - Kwainai, N. E. Korea.] [Refs - b4192]
- b *continentalis* (Clench), 1965; Herniargus OD: J. New York ent. Soc. 73(1):44 [b0837] SS: huningtoni Rindge & Comstock, 1953; Echinargus [TypeL - Colombia.]
- b *contra* (Evans), 1957; Narathura OD: Bull. Br. Mus. nat. Hist. (Ent.) 5(3):106 [b1644] SS: pseudomuta (Staudinger), 1889; Arhopala f [Type: BMNH-ht] [TypeL - Borneo.] [Refs - b1644; b1454 (with pseudomuta); b1544; b4108]

- a **contracolora** Johnson, 1992; *Abloxurina* OD: Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (22):28, f [b2610] [Type: BMNH-ht] [TypeL - Bogota, Colombia.] [Refs - b0125; b2942; b2610]
- a **contracta** (Butler), 1880; *Lampides* OD: Proc. zool. Soc. Lond. 1880(3):406, pl 39, f 3 [b0616] CG: Lachides [Type: BMNH-lt; designated by Nekrutenko, 1984] [Vestnik Zoologii 1984(3):37 [b3364]] [TypeL - Candahar, Kutch.] [Note - *Stempffer treated this as a synonym of parrhasius.*] [Refs - b1452; b3364; b4400; b1636; b4094; b2827; b0162; b4092]
- c **contractus** (Leech), 1890; *Iolaus* OD: Entomologist 23:39 [b2963] SS: icetas (Hewitson), [1865]; Pratapa [TypeL - China.] [Note - *D'Abrebra thinks this may be a good species.*] [Refs - b0995; b2479; b4092; b1455]
- a **contraloxurina** Johnson, 1992; *Candora* OD: Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (22):38, f [b2610] [Type: AMNH-ht] [TypeL - Rio Penderisco, Antioquia, Colombia.] [Refs - b0125; b2610]
- a **contrastata** (Ungemach), 1932; *Lycaenesthes* OD: Mém. Soc. Sci. nat. phy. Maroc (32):86 [b4780] CG: Anthea [TypeL - Abyssinia.] [Refs - b1259; b0070; b1452; b2898; b4400]
- a **convexa** Roche, 1954; *Epitola* OD: Bull. Br. Mus. nat. Hist. (Ent.) 3:496, pl 20, f 11,12 [b3842] [Type: BMNH-ht] [TypeL - Bwamba, Uganda.] [Refs - b3842; b1452; b4400]
- e **convulsa** Stichel, 1919, (IFS); *Helicopis* OD: Deut. ent. Zeit. 1919:322 [b4454] SS: erotica Seitz, [1917]; *Helicopis* [Type: ZSBS-st; pc-st; collection of Stichel] [TypeL - Upper Amazon.] [Refs - b4474; b4454]
- a **cooksoni** H. H. Druce, 1905; *Erikssonina* OD: In Trans. ent. Soc. Lond. 53(2):255 [b1372] [TypeL - Rhodesia.] [Refs - b1452; b4400]
- a **cooksoni** Bennett, 1954; *Euthecta* OD: Entomologist 87:171,182, f 1 [b0295] [TypeL - Port. E. Africa.] [Type of - *Euthecta*] [Refs - b2280; b0295; b1259; b1452; b4400]
- e ♀ **ab. coolidgei** Gunder, 1925; *Brephidium* OD: Ent. News 36(1):2, pl 1, f L [b2094] SS: exilis (Boisduval), 1852; *Brephidium* [Type: AMNH-ht] [TypeL - Los Angeles, Los Angeles County, California.] [Refs - b1530 :242, f 474; b1321 :62; b0908; b3192; b2094]
- b **coolinensis** (Watson & Comstock), 1920; *Strymon* OD: Bull. amer. Mus. nat. Hist. 42(10):451 [b4952] SS: acadica (Edwards), 1862; *Satyrnum* [Type: AMNH-ht] [TypeL - Coolin, Idaho.] [Refs - b0908; b3192; b1743; b1321; b4952]
- b **coomassiensis** Hawker-Smith, 1933; *Liptena* OD: *Stylops* 2:8 [b2168] SS: xanthostola (Holland), 1890; *Liptena* [TypeL - Friapere, Coomassie, West Africa.] [Refs - b1452; b0836; b2168; b4400]
- b **cooperi** (Evans), 1925; *Amblypodia* OD: J. Bombay nat. Hist. Soc. 30(3):631 [b1633] SS: buddha Bethune-Baker, 1903; *Arhopala* a [Type: BMNH-ht] [TypeL - Mergui.] [Refs - b1644; b1454]
- b **cooperi** (Tyler), 1940; *Biduanda* OD: J. Bombay nat. Hist. Soc. 42(1):123 [b4774] SS: scaeva (Hewitson), [1863]; *Drupadia* [Type: BMNH-ht] [TypeL - Maymyo, Burma.] [Refs - b1030; b0105; b0105; b2201; b1454]
- b **copiosa** Stichel, 1919; *Euselasia* OD: Deut. ent. Zeit. 1919:312 [b4454] SS: authe (Godman), 1903; *Euselasia* [Type: ZSBS-st] [TypeL - Tarapoto, Peru; Bolivia.] [Refs - b4474; b4454]
- e **coppelia** (Thierry-Mieg), 1911; *Lysandra* OD: Naturaliste 32:117 [b4642] SS: bellargus (Rouemburg), 1775; *Polyommatus* (*Lysandra*) [Refs - b0236]
- a **coquimbiensis** Johnson, 1992; *Pontirama* OD: Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (22):45, f [b2610] [Type: UMCE-ht] [TypeL - Tongoy, Coquimbo, Chile.] [Refs - b0125; b2610]
- c **corana** (Fruhstorfer), 1915; *Lampides* OD: Zool. Meded. 1(2):142 [b1863] SS: minor (Rothschild), 1916; *Jamides* [TypeL - New Guinea.] [Refs - b4671; b1450; b1863; b4094]
- b **corax** (Stoll), [1782], 1780-1790; *Papilio* OD: In Cramer, Uinl. Kapellen 4(32):176, pl 379, f D,E [b4478] SS: silenus (Fabricius), 1775; *Myrina* [Refs - b1019 :7; b1014; b2747; b0836; b4400]
- b **corax** Fruhstorfer, [1919]; *Pithecopis* OD: Arch. Naturgesch. (A)83(1):79 [b1889] SS: corvus Fruhstorfer, [1919]; *Pithecopis* [TypeL - Java.] [Type of - *Pithecopis*] [Note - *Placed on the Official List by Op 822.*] [Refs - b2280; b1454; b1840; b0694; b3151; b4604; b4108]
- b **corbeti** Bennett, 1950; *Abisara* OD: Entomologist 83:41 [b0294] SS: saturata (Moore), 1878; *Abisara* [Type: BMNH] [TypeL - Mindanao, Philippines.] [Refs - b0294; b1454]
- a **corbeti** Eliot, 1956; *Allotinus* OD: Bull. Raffles Mus. 27:34 [b1542] CG: *Allotinus* (*Paragerydus*) [Type: BMNH-ht] [TypeL - West Malaysia.] [Refs - b1542; b0965; b1568; b1571; b4108]
- b **corbeti** Cowan, 1974; *Drupadia* OD: Bull. Br. Mus. nat. Hist. (Ent.) 29(6):299 [b1030] SS: ravindra (Horsfield), [1828]; *Drupadia* [Type: BMNH-st] [TypeL - Pulo Condor, South Vietnam.] [Note - *Replacement name for lisias Fabricius, 1787*] [Refs - b1030; b0105; b1454]
- e **ab. corcorani** Gunder, 1934; *Atlides* OD: Can. Ent. 66(6):131 [b2104] SS: corcorani Clench, 1942; *Atlides* [Type: AMNH-ht] [TypeL - Riverside, Riverside County, California.] [Refs - b3192; b1321]
- b **corcorani** Clench, 1942; *Atlides* OD: Ent. News 53(8):219-221 [b0816] SS: halesus (Cramer), [1777]; *Atlides* [Type: AMNH-ht] [Note - *Originally described by Gunder, 1934, as a transitional form. As such the name was infrasubspecific, and thus not available. Clench raised it to subspecific rank, and therefore is the author for nomenclatural purposes. Miller & Brown attributed the name to dos Passos, 1964.*] [Refs - b0528; ns2104 (Can. Ent. 66:131); b0908; b0102; b3192; b1743; b0493]
- a **corculum** (Stichel), 1929; *Nymphidium* OD: Mitt. zool. Mus. Berl. 15:24 [b4470] CG: *Pixus* [Type: ZMHU-ht] [TypeL - Colombia.] [Type of - *Pixus*] [Refs - b4476; b0675; b4470; b1456]
- e **cordaea** (Seitz), [1924], 1912-1927, (ISS); *Lampides* OD: In Seitz, Grossschmett. Erde 9:906 [b4094] SS: cordaa (Fruhstorfer), 1915; *Jamides* [Refs - b4094]
- e **ab. cordata** (Tutt), 1909, 1905-1914; *Plebeius* OD: Nat. Hist. Brit. Butts 3:179 [b4760] SS: argus (Linnaeus), 1758; *Plebejus* [Refs - b0236; b0471]
- e **cordata** (Blom), 1947; *Polyommatus* OD: Tijdschr. Ent. 88:333 [b0452] SS: optilete (Knoch), 1781; *Plebejus* (*Vacciniina*) [TypeL - Holland.] [Refs - b0082; b0452]
- a **cordatus** (E. Sharpe), [1892]; *Hyreus* OD: Proc. zool. Soc. Lond. 1891(4):636, pl 48, f 4 [b4154] CG: *Uranotauma* [TypeL - E. Africa.] [Refs - b1452; b4400]
- a **cordelia** (Hewitson), 1870, 1869-1877; *Thecla* OD: Equatorial Lep. Buckley (4):64 [b2330] CG: *Orcya* [Type: BMNH-ht] [TypeL - Curaray, Ecuador.] [Refs - b0908; b2747; b1375; b2593; b2597; ns2602]
- c **f. cordelia** (Kirby), 1890; *Teriomima* OD: Ann. Mag. nat. Hist. (6):270 [b2766] SS: dispar (Kirby), 1887; *Epitolina* [TypeL - Tropical Africa.] [Refs - b0836; b2766; b4400]

- c *cosmophila* Tessimann, 1928; *Thecla* OD: Mitt. zool. Mus. Berl. 14(1):125, pl 5, f 8 [b4638] SS: orobiana Hewitson, [1867]; *Thecla* (New World Eumaeini) [TypeL - Between La Paz and La Salud, Eastern Peru.] [Refs - b0908]
- b *cosquinia* (Giacomelli), 1928; *Apodemia* OD: Boln Inst. clin. quir. 4:689, f 4 [b1938] SS: chilensis (Felder & Felder), 1865; *Audre* [TypeL - Argentina.] [Refs - b4475; b2221; b2988 (as *conquinia*); b1456]
- a *coxaea* (de Nicéville), 1895; *Cyaniris* OD: J. Bombay nat. Hist. Soc. 9(3):271, pl O, f 14,15 [b1159] CG: *Plautella* [Type: ZSI-ht] [TypeL - Sumatra.] [Type of - *Plautella*] [Refs - b1557; b0964; b1636; b1840; b0104; b1580; b2200]
- e *ab. costajuncta* (Courvoisier), 1907; *Lycaena* OD: Z. wiss. InsektBiol. 3:pl 1, f 6 [b0982] SS: orion (Pallas), 1771; *Scolitantides* [Refs - b0236; b0471]
- e *ab. costajuncta* (Courvoisier), 1907; *Lycaena* OD: Z. wiss. InsektBiol. 3:50 [b0982] SS: baton (Bergsträsser), [1779]; *Pseudophilotes* [Refs - b0471]
- e *ab. costajuncta* (Courvoisier), 1907; *Lycaena* OD: Z. wiss. InsektBiol. 3:50 [b0982] SS: bellargus (Rottemburg), 1775; *Polyommatus* (*Lysandra*) [Refs - b0471]
- e *ab. costajuncta* (Courvoisier), 1907; *Lycaena* OD: Z. wiss. InsektBiol. 3:50 [b0982] SS: idas (Linnaeus), 1761; *Plebejus* (*Lycæides*) [Refs - b0471]
- e *ab. costajuncta* (Courvoisier), 1907; *Lycaena* OD: Z. wiss. InsektBiol. 3:50 [b0982] SS: eros (Ochsenheimer), 1807; *Polyommatus* [Refs - b0471]
- e *ab. costajuncta* (Tun), 1909, 1905-1914; *Plebejus* OD: Nat. Hist. Brit. Butts 3:178 [b4760] SS: argus (Linnaeus), 1758; *Plebejus* [Refs - b0236; b0471]
- e *ab. costajuncta* (Courvoisier), 1911, 1910-1911; *Lycaena* OD: Ent. Zeit. 25:83 [b0985] SS: orion (Pallas), 1771; *Scolitantides* [Refs - b0471; b0985; b0400 (as *costojuncta*)]
- e *ab. costajuncta* (Vorbrot), 1912; *Lycaena* OD: Schmetz. Schweiz 1:150 [b4885] SS: damon ([Denis & Schiffermüller]), 1775; *Polyommatus* (*Agrodiaetus*) [Refs - b0236]
- a *costalis* Bates, [1868]; *Dysmathia* OD: J. linn. Soc. Lond., Zool. 9:383 [b0267] [Type: BMNH-ht] [TypeL - Ega.] [Refs - b2747; b4475; b1456]
- a *costarica* Johnson, 1992; *Thecloxurina* OD: Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (22):13, f [b2610] [Type: MNHN-ht] [TypeL - Orosi, Costa Rica.] [Refs - b0125; b2610]
- c *costaricensis* Draudt, [1919], 1917-1924; *Eumaeus* OD: In Seitz, Grossschmetz. Erde 5:745, pl 146-b [b1348] SS: godartii (Boisduval), 1870; *Eumaeus* [TypeL - Costa Rica.] [Refs - b0908; b1601; b3835]
- a *costaricensis* Strand, 1916, 1914-1916; *Calephelis* OD: Lep. Niepelt. (2):19, pl 14, f 20,21 [b4516] [Type: CM-nt; designated by McAlpine, [1971]] [J. Res. Lep. 10(1):45 [b3127]] [TypeL - Costa Rica.] [Refs - b4474; b4528; b3127]
- e *costipuncta* (Beuret), 1953, (IFS); *Heodes* OD: Lyc. Schweiz. I :11 [b0389] SS: virgaureae (Linnaeus), 1758; *Lycaena* (*Heodes*) [Refs - b0389]
- a *costleyi* H. H. Druce, 1912; *Mimacraea* OD: Ann. Mag. nat. Hist. (8)9:636 [b1379] [TypeL - Central Africa.] [Refs - b1943; b1452; b4400]
- e *ab. costojuncta* Courvoisier, 1907; *Plebejus* OD: Z. wiss. InsektBiol. 3:50 [b0982] SS: argyrognomon (Bergsträsser), [1779]; *Plebejus* (*Lycæides*) [Refs - b0236]
- e *ab. costojuncta* Courvoisier, 1910, 1910-1911; *Lycaena* OD: Ent. Zeit. 24:83 [b0985] SS: thersamon (Esper), [1784]; *Lycaena* (*Thersamon*) [Refs - b0236]
- e *costojuncta* Courvoisier, 1912; *Pseudophilotes* OD: Deut. ent. Zeit. [Iris] 26:45,50 [b0987] SS: hylactor (Bergsträsser), [1779]; *Pseudophilotes* [Refs - b0400]
- e *ab. costojuncta* (Vorbrot), 1912; *Lycaena* OD: Schmetz. Schweiz 1:150 [b4885] SS: damon ([Denis & Schiffermüller]), 1775; *Polyommatus* (*Agrodiaetus*) [Refs - b0236]
- a *cotera* Johnson, 1991; *Uzzia* OD: Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (21):45, f [b2606] [Type: MNHN-ht] [TypeL - St. Jean de Maroni, French Guiana.] [Refs - b0125; b2606]
- c *cotoides* (Tyler), 1915; *Camena* OD: J. Bombay nat. Hist. Soc. 24(1):140, pl 4, f 38 [b4772] SS: cotys (Hewitson), [1865]; *Dacalana* [TypeL - Manipur.] [Refs - b1636; b0236]
- e *ab. cotswoldensis* (Le Chamberlain), 1908; *Lycaena* OD: Entomologist 41:202 [b2940] SS: arion (Linnaeus), 1758; *Maculinea* [Refs - b0236; b0400; b0471; b2940]
- c *cottlei* Grinnell, 1916; *Plebejus* OD: J. Ent. Zool. 8:83, 6 f [b2023] SS: acmon Westwood, [1852]; *Plebejus* (*Icaricia*) [Type: AMNH-ht] [TypeL - Baker's Beach, San Francisco, California.] [Refs - b0908; b3192; b1321; b4066]
- b *cottoni* Bethune-Baker, 1908; *Iolaus* OD: Proc. zool. Soc. Lond. 1908(1):113, pl 9, f 14 [b0340] SS: catori Bethune-Baker, 1904; *Iolaus* (*Etesiolaus*) [TypeL - Congo.] [Refs - b1452; b4400]
- a *cottoni* Bethune-Baker, 1908; *Powellana* OD: Proc. zool. Soc. Lond. 1908(1):114, pl 9, f 13 [b0340] [TypeL - Congo.] [Type of - *Powellana*] [Refs - b4400; b2280; b1452]
- b *cottrelli* Stempffer, 1954; *Lepidochrysops* OD: Bull. Soc. ent. Fr. 59(5/6):110 [b4385] SS: intermedia (Bethune-Baker), 1923; *Lepidochrysops* [TypeL - N. Rhodesia.] [Refs - b1943; b1452; b4385; b4400]
- a *cottrelli* Stempffer & Bennett, 1958; *Iolaus* OD: Bull. Inst. franç. Afr. Noire 20(A):1330 [b4418] CG: *Iolaus* (*Iolophilus*) [TypeL - Uganda.] [Refs - b1452; b4400]
- a *cottrelli* (Dickson), 1975; *Poecilmitis* OD: Ent. Rec. 87:225 [b1256] CG: *Chrysoiris* [TypeL - Knysna, Cape Province, S. Africa.] [Refs - b1259; b0107; b1452]
- a *cotys* (Hewitson), [1865], 1863-1878; *Iolaus* OD: Ill. diurn. Lep. Lycaenidae 1:43; 2:pl 19, f 19,20 [b2326] CG: *Dacalana* [TypeL - Nepal.] [Refs - b1636; b2747; b1850; b1454; b4094; b0694]
- b *couperi* Grote, 1873; *Glaucopsyche* OD: Bull. Buffalo Soc. nat. Sci. 1(4):185 [b2054] SS: lygdamus (Doubleday), 1841; *Glaucopsyche* [TypeL - Anticosti Island, Canada.] [Refs - b0908; b0428; b2753; b0236; b2721; b3192; b1724; b1321; b1940; b4066]
- c *couperii* (Draudt), [1920], 1917-1924; *Lycaena* OD: In Seitz, Grossschmetz. Erde 5:816, pl 144-d [b1348] SS: *couperi* Grote, 1873; *Glaucopsyche* [Refs - b0908]
- e *courvoisieri* Eliot, 1957, (ISS); *Poritia* OD: Entomologist 90:74 [b1543] SS: *courvoisieri* Fruhstorfer, 1917; *Poritia* [Refs - b1543]
- c *courvoisieri* (Ribbe), 1900; *Amblypodia* OD: Deut. ent. Zeit. [Iris] 13:335, pl 6, f 2 [b3739] SS: disparilis (C. Felder), 1860; *Arhopala* 1 [Type: SMT-ht; designated by Takanami, 1989] [Tyô to Ga 40(1):51 [b4602]] [TypeL - Ceram.] [Refs - b1644; b4094; b4602]
- a *courvoisieri* (Oberthür), 1908; *Thecla* OD: Anns Soc. ent. Fr. 77:312, pl 5, f 3 [b3445] CG: *Howarthia* [TypeL - W. China.] [Refs - b0996; b2479; b0236; b4214; b4200 (genus uncertain); b0471; b0126]
- e *ab. courvoisieri* (Hirschke), 1910; *Lycaena* OD: Verh. zool.-bot. Ges. Wien 60:412 [b2397] SS: icarus (Rottemburg), 1775; *Polyommatus* [Refs - b0236; b0471]

- c *courvoisieri* (Fruhstorfer), 1915; Lampides OD: Arch. Naturgesch. (A)81(6):26 [b1865] SS: amphissa (Felder & Felder), 1860; Jamides [Type: BMNH-ht] [TypeL - Nias.] [Refs - b1865; b1454 (as ssp of cyta); b4094; b3786]
- c *courvoisieri* (Fruhstorfer), [1915], 1909-1923; Gerydus OD: In Seitz, Grossschmett. Erde 9:818 [b1840] SS: boisduvali Moore, [1858]; Miletus 3 [TypeL - Java.] [Refs - b1546; b1840 (Z. wiss. Insekt Biol 11:267); b4108]
- b *courvoisieri* Fruhstorfer, 1917; Pontia OD: Soc. ent. 32(10):40 [b1878] SS: phama H. H. Druce, 1895; Pontia [TypeL - Ostjawa.] [Refs - b1878; b1543 (as courvoisieri)]
- b *courvoisieri* (Fruhstorfer), 1917; Thysonotis OD: Soc. ent. 32:37 [b1882] SS: nerine (Grose-Smith & Kirby), 1899; Nacaduba [TypeL - Deutsch New Guinea.] [Refs - b1882]
- c *f. courvoisieri* (Stauder), 1922; Lycaena OD: Ent. Anz. 2:69 [b4313] SS: bellargus (Rottemburg), 1775; Polyommatus (Lysandra) [TypeL - Austria.] [Refs - b0236]
- e *ab. couteau* (Pionneau), 1938; Chrysophanus OD: Misc. Ent. 39:46 [b3620] SS: phlaeus (Linnaeus), 1761; Lycaena (Lycaena) [TypeL - France.] [Refs - b0076]
- e *courvoisieri* d'Abdera, 1993, (ISS); Howarthia OD: Butts Holarctic Region, Pt 3 :407 [b1455] SS: courvoisieri (Oberthür), 1908; Howarthia [Refs - b1455]
- a *cowani* Corbet, 1939; Rapala OD: Proc. R. ent. Soc. Lond. (B)8(6):109, f [b0943] [TypeL - Singapore.] [Refs - b0964; b0965; b1454; b1554]
- a *cowani* Corbet, 1940; Drina OD: Proc. R. ent. Soc. Lond. (B)9(1):5 [b0945] [TypeL - Sapagaya, Borneo.] [Refs - b0964; b0965; b1454; b4108]
- c *cowani* (Corbet), 1940; Celastrina OD: Proc. R. ent. Soc. Lond. (B)9(1):1 [b0945] SS: lenya (Evans), 1932; Callenya [Type: BMNH-ht] [TypeL - Malay Peninsula.] [Refs - b0964; b0965; b1580; b4108]
- b *cowani* (Corbet), 1940; Tajuria OD: Trans. R. ent. Soc. Lond. 90(5):117 [b0948] SS: buto (de Nicéville), 1895; Bullis [TypeL - Malaysia.] [Refs - b0964; b0965; b1454; b4108]
- c *cowani* Corbet, 1941; Arhopala OD: Proc. R. ent. Soc. Lond. (B)10(9):156 [b0956] SS: belphoebé Doherty, 1889; Arhopala b [Type: BMNH-ht] [TypeL - Malay Peninsula.] [Refs - b1644; b0956; b4108]
- a *coxii* (Pinhey), 1945; Cupido OD: Proc. Trans. Rhod. Sci. Assoc. 40:61, f [b3605] CG: Lepidochrysops [TypeL - Inyanga, S. Rhodesia.] [Refs - b1259; b1452; b4400]
- a *crambus* (Hewitson), 1874; Thecla OD: Descr. new Spec. Butts Buckley Bolivia :20 [b2344] CG: Strymon [Type: BMNH-ht] [TypeL - Bolivia.] [Refs - b0908; b2753; b2221; b0124]
- b *cramera* (Eschscholtz), 1821; Lycaena OD: In Kotzebue, Endeck. Reise Süd-See 3:217, pl 5 or 10, f 26a-b [b1622] SS: agestis ((Denis & Schiffemüller)), 1775; Plebejus (Aricia) [Refs - b2375; b3059; b2747; b2399; b0236; b0410; b2794 (as good species); b0270; b0316; b4366; b2859 (as good species); ns0226; b4092]
- c *cramer* Swainson, [1833], 1829-1833; Rhetus OD: Zool. Illustr. (2)3(-):pl 33 [b4551] SS: arcus (Linnaeus), 1763; Rhetus [Refs - b2747; b4474]
- c *cramer* Moore, [1881], 1880-1881; Azanus OD: Lep. Ceylon 1(2):80, pl 35, f 1 [b3232] SS: jesous (Guérin-Ménéville), 1847; Azanus [TypeL - Ceylon.] [Refs - b1636; b1840; b0694 (with gamra)]
- e *ab. crasipuncta* (Stauder), 1924; Lycaena OD: Soc. ent. 39:27 [b4318] SS: dolus (Hübner), [1823]; Polyommatus (Agrodiaetus) [TypeL - Italy.] [Refs - b0471; b3796 (as crasipunctata :188)]
- a *craspediodonta* (Dyar), 1918; Charis OD: Proc. U. S. nat. Mus. 54:335 [b1448] CG: Sarota [TypeL - Mexico.] [Refs - b4474; b1456]
- b *crassa* (Leech), [1893], 1893-1894; Zephyrus OD: Butts China Japan Corea :384, pl 28, f 11 [b2966] SS: bembale (Linnaeus), 1758; Thecla [TypeL - Moupin, W. China.] [Refs - b4220; b2479; b4092; b2966]
- a *crassipuncta* (Christoph), 1893; Lycaena OD: Deut. ent. Zeit. [Iris] 6:86 [b0792] CG: Plebejus (Ultraaricia) [Type: ZIL-L; designated by Nekrutenko, 1980] [Nota lepid. 3(1/2):60 [b3358]] [Refs - b0993; b0105; b0105 (as sp in Aricia); b0113; b3358; b2794; b4092 (as crassipunctata)]
- e *ab. crassipuncta* (Courvoisier), 1903; Lycaena OD: Mitt. schweiz. ent. Ges. 11(1):19 [b0981] SS: argus (Linnaeus), 1758; Plebejus [Refs - b0471]
- e *ab. crassipuncta* (Courvoisier), 1903; Lycaena OD: Mitt. schweiz. ent. Ges. 11(1):19 [b0981] SS: bellargus (Rottemburg), 1775; Polyommatus (Lysandra) [Refs - b0236; b0471]
- e *ab. crassipuncta* (Courvoisier), 1903; Lycaena OD: Mitt. schweiz. ent. Ges. 11(1):19 [b0981] SS: icarus (Rottemburg), 1775; Polyommatus [Refs - b0471]
- e *ab. crassipuncta* (Courvoisier), 1903; Lycaena OD: Mitt. schweiz. ent. Ges. 11(1):20, pl 2 [b0981] SS: coridon (Poda von Neuhaus), 1761; Polyommatus (Lysandra) [Refs - b0236; b0471]
- e *ab. crassipuncta* (Vorbrod), 1912; Lycaena OD: Schmetten. Schweiz 1:150 [b4885] SS: damon ((Denis & Schiffemüller)), 1775; Polyommatus (Agrodiaetus) [Refs - b0236]
- e *crassipuncta* (Stauder), 1921, (IFS); Lycaena OD: Deut. ent. Zeit. [Iris] 35:31 [b4312] SS: dolus (Hübner), [1823]; Polyommatus (Agrodiaetus) [Note - Described again in Soc. ent. 39:27.] [Refs - b0236; b3796 (as crassipunctata); b4316; b4312]
- e *ab. crassipuncta* (Glais), 1926; Lycaena OD: Encyc. ent. Ser. B. III. Lep. 1(3):119, pl 4, f 15 [b1966] SS: plouharnelensis Oberthür, 1910; Plebejus [TypeL - France.] [Refs - b0236; b0471; b0064; b1966]
- e ♀ *f. crassipuncta* Hannemann, 1928; Helleia OD: Int. ent. Z. 22(22):210 [b2132] SS: helle ((Denis & Schiffemüller)), 1775; Helleia A [Refs - b0236; b0389]
- e *crassipuncta* Derenne, 1931; Lycaena OD: Lambillionea 31:pl 10, f 7 [b1200] SS: utyrus (Poda von Neuhaus), 1761; Lycaena (Heodes) [Refs - b0389]
- e *ab. crassipuncta* (Lempke), 1936; Lycaena OD: Tijdschr. Ent. 79:307 [b2975] SS:alcon ((Denis & Schiffemüller)), 1775; Maculinea [TypeL - Holland.] [Refs - b0074; b0400]
- e *ab. crassipuncta* Derenne, 1937; Maculinea OD: Lambillionea 37:pl 1, f 1,2 [b1202] SS: arion (Linnaeus), 1758; Maculinea [Refs - b0400]
- e *crassipuncta* (Blom), 1947; Polyommatus OD: Tijdschr. Ent. 88:333 [b0452] SS: opulete (Knoch), 1781; Plebejus (Vacciniina) [TypeL - Holland.] [Refs - b0082; b0452]
- c *crataegi* (Boisduval & Le Conte), [1835], 1829-1837; Polyommatus OD: Hist. Lépid. Amer. sept. (14):128, pl 37, f 1-5 [b0470] SS: tarquinius (Fabricius), 1793; Feniseca [Type: biblio; Based on Abbot drawing.] [TypeL - Georgia.] [Refs - b0908; b2747; b3192; b1321]
- b *cratevas* Salvin, 1891; Hypochrysops OD: In Trans. ent. Soc. Lond. 39(2):191, pl 10, f 16,18 [b3914] SS: archias Salvin, 1891; Hypochrysops [TypeL - Aola, Guadalcanal, Solomon Islands.] [Refs - b1450; b2078; b3926]
- a *cratia* (Hewitson), [1870], 1852-1877; Lymnas OD: Ill. exot. Butts 4:[-], pl [50], f 15 [b2323] CG: Melanis [TypeL - Colombia; Venezuela.] [Refs - b2747; b4474; b1456]

- a *cytis* (Christoph), 1877, 1876-1877; Lycaena OD: Horae Soc. ent. ross. 12:234, pl 5, f 5,6 [b0787] CG: Turanana [TypeL - Schahkuh, Northern Iran.] [Type of - Turanana, Turania] [Refs - b2280; b2988; b4177; b4178; b4179; b0993; b1636; b1762; b2827; b0400; b3910; b5065; b0694; b4092.]
- d *cytis* (Lang), 1884; Lycaena OD: Lep. Europ. 1:369 [b2890] SS: *cytis* (Christoph), 1877; Turanana [TypeL - Samarcand.] [Refs - b2890]
- b *cytis* Stichel, 1919; Euselasia OD: Deut. ent. Zeit. 1919:290 [b4454] SS: *mys* Herrich-Schäffer, [1853]; Euselasia [Type: pc-st; collection of Stichel] [TypeL - Cuyaba, Brazil.] [Refs - b4474; b4454]
- e *ab. czekelii* (Diószeghy), 1930; Lycaena OD: Verh. Mitt. siebenb. Ver. Naturw. 79-80:216 [b1282] SS: *astrarche* (Bergsträsser), [1779]; Plebejus (*Aricia*) [TypeL - Hungary.] [Refs - b0068]
- e *ab. czernyi* Diószeghy, 1912; Maculinea OD: Rovart. Lap. 19:144 [b1279] SS: *arion* (Linnaeus), 1758; Maculinea [Refs - b0236; b0400; b0471]
- e *ab. czernyi* Diószeghy, 1912; Scolitantides OD: Rovart. Lap. 19:128 [b1278] SS: *orion* (Pallas), 1771; Scolitantides [Refs - b0400; b0236 (*csenyi?*); b0471]
- b *dacia* H. H. Druce, 1896; Tajuria OD: Proc. zool. Soc. Lond. 1896(3):674, pl 31, f 4,5 [b1365] SS: *diaeus* (Hewitson), [1865]; Tajuria [Type: ZMHU-lt; designated by Takanami, 1989] [Tyô to Ga 40(1):31 [b4602]] [TypeL - Mt. Gede, W. Java.] [Refs - b4094 (also as *daeia*); b1454; b4602]
- e *ab. daedalus* (Behr), 1867; Lycaena OD: Proc. Calif. Acad. Sci. 3(4):280 [b0283] SS: *icanoides* (Boisduval), 1852; Plebejus (*Acaria*) [Type: destroyed] [TypeL - Alpine regions, headwaters Tuolumne River, California.] [Refs - b0908; b3192; b1321]
- a *daemeli* (Semper), [1879]; Ialmenus OD: J. Mus. Godeffroy 5(2)(14):166 [b4109] CG: Jalmenus [TypeL - Rockhampton, Australia.] [Note - *The original spelling may have been dämeli, in which case dameli would be correct.*] [Refs - b1450; b4094; b0870; b3013 (as *dameli*); b2171]
- c *daemon* H. H. Druce, 1910; Liptena OD: Proc. zool. Soc. Lond. 1910(1):363, pl 33, f 10-11 [b1378] SS: *o-rubrum* (Holland), 1890; Liptena [TypeL - W. Africa.] [Refs - b4400]
- c *daganda* Corbet, 1941; Arhopala OD: Proc. R. ent. Soc. Lond. (B)10(9):155 [b0956] SS: *moorei* Bethune-Baker, 1896; Arhopala b [Type: BMNH] [Refs - b1644; b0956]
- c *f. dageletensis* (Seok), 1938; Lycaena OD: Zephyrus 8(12):28 [b4114] SS: *orion* (Pallas), 1771; Scolitantides [TypeL - Dagelet Island, Korea.] [Refs - b4115; b0076]
- b *dagestanica* (Forster), 1960; Agrodiaetus OD: Z. wien. ent. Ges. 45(7-10):134, pl 10,11, f 28 [b1772] SS: *phyllis* (Christoph), 1877; Polyommatus (*Agrodiaetus*) [TypeL - Dagestan.] [Refs - b1772; b2827]
- a *dagmara* (Grum-Grshimailo), 1888; Lycaena OD: Horae Soc. ent. ross. 22:306 [b2066] CG: Polyommatus (*Paragrodiaetus*) [TypeL - Turkestan.] [Refs - b0993; b1762; b2827; b3910; b4092; b1455]
- e *ab. dahlstroemi* Dietzel, 1991; Pseudophilotes OD: Folia Mus. Hist.-Nat. Bakonyiensis 10:82 [b1276] SS: *schiffermuelleri* (Hemming), 1929; Pseudophilotes [Refs - b0125]
- c *dahurica* (Graeser), 1888, 1888-1893; Polyommatus OD: Berl. ent. Z. 32:75 [b2004] SS: *dispar* ((Haworth)), 1802; Lycaena (*Thersamolycaena*) [Refs - b0996; b2827; b2866; b4092]
- a *dalmio* Seitz, [1908], 1907-1921; Lycaena OD: In Seitz, Grossschmett. Erde 1:286, pl 77b [b4092] CG: Lycaena (*Lycaena*) [Refs - b3901; b0996 (as *ssyn* of *phlaeas*); b2479; b0236; b4548 (as *ssp* of *phlaeas*); b4092.]
- e *ab. daisena* (Hirose), 1933; Zephyrus OD: Trans. Kansai ent. Soc. 4:35, f 5 [b2383] SS: *buleri* (Fenton), [1882]; Antigius [TypeL - Mt. Daisen, Hoki Province, Japan.] [Refs - b0072; b2383]
- e *ab. daisenensis* (Tanaka), 1941; Zephyrus OD: Zephyrus 9(1):4-5, f [b4627] SS: *jezoensis* (Matsumura), 1915; Favonius [TypeL - Japan.]
- b *daisensis* (Matsumura), 1926; Lycaena OD: Ins. matsumur. 1(1):27, pl 2, f 8 [b3092] SS: *teleius* (Bergsträsser), [1779]; Maculinea [TypeL - Mt. Daisen, Tottori-ken, Japan.] [Refs - b1900; b0236; b0471; b0064; b4225]
- e *daisensis* Fujioka, 1975, (ISS); Antigius OD: Butts Japan 1:290 [b1900] SS: *buleri* (Fenton), [1882]; Antigius [Note - *An incorrect spelling of daisena Hirose, 1933.*] [Refs - b1900]
- b *daisetsuzana* (Matsumura), 1926; Lycaena OD: Ins. matsumur. 1(2):105, f [b3093] SS: *opulete* (Knoch), 1781; Plebejus (*Vacciniina*) [TypeL - Japan.] [Note - *Not spelled daisetsuana.*] [Refs - b1900; b2866; b0236 (as *daisetsuana*); b3091; b0471; b0064]
- a *daitzana* Wileman, 1908; Phengaris OD: Annot. zool. jap. 6(5):323 [b5005] [Refs - b4198; b5006; b2479; b0236; b5052; b5053]
- a *dajagaka* Bethune-Baker, 1896; Arhopala OD: In Proc. zool. Soc. Lond. 1896(3):660, pl 29, f 11,12 [b0326] CG: Arhopala b [Type: BMNH-ht] [TypeL - Borneo.] [Refs - b1644; b0965; b1454; b4094; b4108]
- b *daliensis* Sugiyama, 1992; Abisara OD: Pallarge 1:10, f [b4540] SS: *freda* Bennett, 1957; Abisara [Type: pc-ht; collection of Sugiyama.] [TypeL - Yunnan, China.] [Refs - b0126; b1455]
- b *dalmatica* (Speyer), 1882; Lycaena OD: Stett. ent. Zig 43(7-9):381 [b4291] SS: *escheri* (Hübner), [1823]; Polyommatus (*Plebicula*) [Refs - b2375; b0993; b4092]
- b *dalmaticola* (Koçak), 1980; Lycaeides OD: Nota lepid. 2(4):141 [b2790] SS: *argyrognomon* (Bergsträsser), [1779]; Plebejus (*Lycaeides*) [Type: biblio; replacement for *dalmatina* von Neustetter, 1938] [Refs - b0113; b2790]
- b *dalmatina* (Wagner), 1909; Lycaena OD: Ent. Zeit. 23(4):17 [b4893] SS: *daphnis* ((Denis & Schiffermüller)), 1775; Polyommatus (*Meleageria*) [TypeL - Dalmatia.] [Refs - b0113; b0236; b2790; b4171]
- d *dalmatina* (von Neustetter), 1938, (H); Lycaena OD: Ent. Rundsch. 55(27):315 [b4884] OS: *dalmaticola* (Koçak), 1980; Plebejus (*Lycaeides*) [Refs - b0113; b0076; b2790]
- b *daltini* Poulton, 1929; Liptena OD: In Trans. ent. Soc. Lond. 77(2):493, pl 30, f 11 [b3632] SS: *ilma* Hewitson, [1873]; Liptena (*Tetrarhanis*) [Type: UMO-ht] [TypeL - Nr Kakindu Hill, Tanganyika Territory.] [Note - *Eltringham is not the author of this name!*] [Refs - b1452; b3632; b4400]
- b *dalyensis* (Le Souëf & Tindale), 1970; Virachola OD: J. Aust. ent. Soc. 9(3):219, f [b2948] SS: *smilis* Hewitson, [1863]; Deudorix (*Virachola*) [TypeL - Daly river, Northern Territory, Australia.] [Refs - b0870]
- a *dama* (Staudinger), 1892; Lycaena OD: Deut. ent. Zeit. [Iris] 4(2):234 [b4336] CG: Polyommatus (*Agrodiaetus*) [TypeL - Malatia.] [Refs - b0993; b1762; b0236; b2794; b1774; b1122; b4092; b3747]
- b *dama* Suffert, 1904; Pentila OD: Deut. ent. Zeit. [Iris] 17:46 [b4535] SS: *pauli* Staudinger, [1888]; Pentila [Refs - b4420; b4400]
- b *dama* Swinhoe, 1910, 1909-1913; Arhopala OD: In Moore, Lep. Ind. 8:186, pl 683, f 4 [b4575] SS: *elopura* H. H. Druce, 1894; Arhopala f [Type: BMNH-ht] [TypeL - Mergui, Burma.] [Refs - b1644; b1454; b1544]

- a *decorata* (Hewitson), [1862], 1852-1877; Taxila OD: Ill. exot. Butis 3:[-], pl [54], f 11-13 [b2323] CG: Dicallaneura [TypeL - Ins. Papuanae.] [Refs - b1450; b2988; b2747; b4474; b1840]
- b *decorata* Godman & Salvin, 1878; Theope OD: Proc. zool. Soc. Lond. 1878(2):369 [b1973] SS: thestias Hewitson, [1860]; Theope [TypeL - Nicaragua.] [Refs - b4475]
- c *f. decorata* (Courvoisier), 1910, 1910-1911; Lycaena OD: Ent. Zeit. 24:197 [b0985] SS: semiargus (Rouemburg), 1775; Polyommatus (Cyaniris) [Refs - b0236; b0471]
- e *ab. decorata* (Courvoisier), 1910, 1910-1911; Lycaena OD: Ent. Zeit. 24:188 [b0985] SS: damon ((Denis & Schiffmüller), 1775; Polyommatus (Agrodiaetus) [Refs - b0236; b0471]
- a *decorata* Lathy, 1926; Lamprospilus OD: Ann. Mag. nat. Hist. (9)17:47 [b2918] [Type: MNHN-ht; Fournier collection.] [TypeL - Oxapampa [Oxupampa], Peru.] [Refs - b0908; b2923; b2591; b2918; b2592]
- e *decorata* Miller & Brown, 1981, (ISS); Everes OD: Mem. Lep. Soc. (2):115 [b3192] SS: decolorata Staudinger, 1886; Everes [Refs - b3192]
- b *decreta* Butler, 1883; Zizina OD: Proc. zool. Soc. Lond. 1883(2):150 [b0625] SS: otis (Fabricius), 1787; Zizina [TypeL - Mhow, India.] [Note - May be synonymous with indica.] [Refs - b1636; b0995; b4094; b0694]
- e *ab. decurtata* (Schultz), 1903; Chrysophanus OD: Nyt Mag. naturvid. 41:24 [b3999] SS: hippothoe (Linnaeus), 1761; Palaeochrysophanus [Refs - b0236; b0389; b3999; b4092]
- a *decussis* Stichel, 1926; Euselasia OD: Deut. ent. Zeit. 1926:395 [b4465] [TypeL - Mexico.] [Refs - b4474]
- e ♀ *ab. decyanea* Lathy, 1932; Lamprospilus OD: Ann. Mag. nat. Hist. (10)9:182 [b2923] SS: azaria (Hewitson), [1867]; Lamprospilus [Type: MNHN-ht; Fournier collection.] [TypeL - Petropolis, Brazil.] [Refs - b0908; b2923; b2591; b2592]
- c *dedalus* (Giorna), 1793; Papilio OD: Calend. ent. - [b1964] SS: dorylas ((Denis & Schiffmüller), 1775; Polyommatus (Plebicula) [Refs - b2747; b2794]
- a *deebi* (Larsen), 1974; Agrodiaetus OD: Alexanor 8(7):305, f [b2895] CG: Polyommatus (Agrodiaetus) [TypeL - Nabi Sbat, Lebanon.] [Refs - b0105; b1455]
- b *defasciata* Lathy, 1932; Siseme OD: Ann. Mag. nat. Hist. (10)9:70 [b2922] SS: pallas (Latreille), [1813]; Siseme [Type: BMNH-ht] [TypeL - Rio Inambar, Peru.] [Refs - b2922; b1456]
- b *f. deficiens* Dufrane, 1953; Azanus OD: Bull. Anns Soc. ent. Belg. 89:55 [b1410] SS: occidentalis Butler, [1888]; Azanus [TypeL - Kivu.] [Refs - b4400]
- e *ab. deficiens* Dufrane, 1953; Larinopoda OD: Bull. Anns Soc. ent. Belg. 89:48 [b1410] SS: lagyra (Hewitson), [1866]; Larinopoda [TypeL - Kivu.] [Refs - b4400]
- a *definita* (Butler), 1899; Lycaenesthes OD: Ann. Mag. nat. Hist. (7)4:342 [b0652] CG: Anthene [Type: BMNH] [TypeL - S. Africa.] [Refs - b1943; b1259; b1452; b0343; b4400; b3606; b1226; b2560]
- b *degener* (de Sagarra y Castellarnau), 1930; Plebeius OD: Bull. Inst. catal. Hist. nat. (2)10:117 [b1180] SS: argyrognomon (Bergsträsser), [1779]; Plebejus (Lycaeides) [Type: MC-st] [TypeL - Spain.] [Refs - b3059; b1180]
- b *degenerata* (Fruhstorfer), 1898; Tajuria OD: Berl. ent. Z. 42:336 [b1808] SS: jalindra (Horsfield), [1829]; Eliotia [TypeL - Insel Nias.] [Refs - b4094 (BeZ 56:210); b2201; b1850; b1568; b4586; b1454]
- c *deidamia* (Burmeister), 1878; Thecla OD: Descr. phys. Rép. Argentine 5(Lép.)(1):224 [b0574] SS: remus (Hewitson), 1868; Cyanophrys [TypeL - Las Conchas, north of Buenos Aires, Argentina.] [Refs - b0908; b2221; b2585]
- b *deinaretton* (Fruhstorfer), 1917; Chrysophanus OD: Ent. Rundsch. 34(4):18 [b1876] SS: alciphron (Rottemburg), 1775; Lycaena (Alciphronia) [TypeL - Gran Sasso, Monti Sibillini, Italy.] [Refs - b0236; b0471 (as dainaretton); b2858]
- b *deinostratus* Fruhstorfer, [1912]; Loxura OD: Berl. ent. Z. 56(3/4):222 [b1850] SS: atymnus (Stoll), [1780]; Loxura [TypeL - Java.] [Refs - b1454; b1850; b4094]
- a *dejeani* (Riley), 1939; Strymon OD: Novit. zool. 41:360 [b3778] CG: Satyrium [TypeL - Siao-lou, Western China.] [Refs - b3778; b1455]
- b *dekaiarchus* Fruhstorfer, [1912]; Rapala OD: Berl. ent. Z. 56(3/4):263 [b1850] SS: iarus (Fabricius), 1787; Rapala [TypeL - Java.] [Refs - b4094 (with melampus); b2201; b1454; b1850; b4592; b4604]
- b *delacouri* (Eliot), 1963; Heliphorus OD: Entomologist 96:180 [b1549] SS: kohimensis (Tytler), 1912; Heliophorus [Type: BMNH-ht] [TypeL - Bac-Kan, Tonkin.] [Refs - b1549]
- c *delagoensis* (E. Sharpe), 1891; Cigaritis OD: Ann. Mag. nat. Hist. (6)8:240 [b4153] SS: leroma (Wallengren), 1857; Crudaria [TypeL - Delagoa Bay.] [Refs - b4400]
- e *delapolei* Riley, 1927; Talicada OD: Entomologist 60:59 [b3761] SS: nyseus (Guérin-Méneville), [1843]; Talicada [TypeL - Ceylon.] [Refs - b0065; b3761; b0694]
- c *delapra* (Moulton), [1912]; Lycaenopsis OD: J. Straits Brch. R. asiat. Soc. 60:98 [b3259] SS: matanga (Chapman), 1911; Cebrella (Chelakina) [TypeL - Sarawak, Borneo.] [Refs - b1580; b4108]
- a *delatorum* Heron, 1909; Uranothauma OD: Trans. zool. Soc. Lond. 19(2):161, pl 5, f 21-22 [b2312] [TypeL - Ruwenzori.] [Refs - b1452; b4400; b2560; b0162]
- b *delattini* (Junge), 1971; Plebejides OD: NachrBl. bayer. Ent. 20:35, f [b2674] SS: pylaon (Fischer von Waldheim), 1832; Plebejus (Plebejides) [TypeL - Vinschgau, Austria.] [Refs - b0102]
- b *delecta* Stichel, 1910; Ithomeis OD: Gen. Insectorum 112(A):122 [b4446] SS: astrea (Felder & Felder), 1862; Ithomeis [Type: ZMHU-st] [TypeL - Blumenau, S. Brazil.] [Refs - b4474; b4446]
- c *delegorguei* (Boisduval), 1847; Lycaena OD: In Delegorgue, Voy. Afrique Austr. 2:588 [b0464] SS: bibulus (Fabricius), 1793; Lachnocnema [Refs - b2747; b4400]
- e *delerei* Heydemann, 1954; Polyommatus OD: Z. wien. ent. Ges. 39:424 [b2360] SS: candalus (Herrich-Schäffer), [1851]; Polyommatus (Sublysandra) [TypeL - Afghanistan.]
- e *ab. deleta* Rebel, 1909; Satyrium OD: In Berge, Schmetterlingsbuch (ed. 9) :58 [b3706] SS: spini ((Denis & Schiffmüller), 1775; Satyrium [Refs - b0236; b0471])
- b *delia* (Stichel), 1911; Polystichtis OD: Gen. Insectorum 112(B):327 [b4447] SS: latona (Hewitson), [1853]; Calospila [Type: ZMHU-ht] [TypeL - Rio Guainia, Venezuela.] [Refs - b4475; b4446]
- a *deliana* (Snellen), 1892; Lycaena OD: Tijdschr. Ent. 35:139 [b4265] CG: Nacaduba [TypeL - Java.] [Refs - b4676; b1454; b4094; b2387; b2388]
- c *delicata* (Tepper), 1882; Cupido OD: Trans. R. Soc. S. Aust. 4:30, pl 2, f 12 [b4633] SS: labradus (Godart), [1824]; Zizina [TypeL - S. Australia.] [Refs - b4094; b4934; b1475]
- a *delicata* Lathy, 1901; Abisara OD: Trans. ent. Soc. Lond. 49(1):28, pl 3, f 4 [b2911] [Refs - b1943; b2988; b0162; b4473; b1452]

- c **depictus** Fruhstorfer, 1913; *Allotinus* OD: Z. wiss. Insektbiol. 9(11):343 [b1851] SS: major Felder & Felder, 1865; *Allotinus* [Type: BMNH-ht; designated by Eliot, 1986] [Bull. Br. Mus. nat. Hist. (Ent.) 53(1):18 [b1571]] [TypeL - Sulawesi.] [Refs - b1840 (as depista); b1851; b1571; b4602]
- c **depista** Fruhstorfer, [1915], 1909-1923, (ISS); *Allotinus* OD: In Seitz, Grossschmett. Erde 9:809 [b1840] SS: depictus Fruhstorfer, 1913; *Allotinus* [Refs - b1840]
- a **deplorans** (Butler), [1876]; *Lampides* OD: Proc. zool. Soc. Lond. 1875(4):614 [b0601] CG: Nacaduba [Type: BMNH-ht] [TypeL - Loyalty Islands.] [Refs - b4676; b1450; b2753; b4094; b2387; b2388]
- c **depompata** (Stichel), 1910, (IFS); *Lymnas* OD: Gen. Insectorum 112(A):205 [b4446] SS: xenia (Hewitson), [1853]; *Melanis* [Type: ZMHU-st] [TypeL - Santa Catharina + Rio Grande do Sul, S. Brazil.] [Refs - b4474; b4446]
- b **depreei** (Tyler), 1926; *Lycaena* OD: J. Bombay nat. Hist. Soc. 31(3):584 [b4773] SS: galathea (Blanchard), [1844]; *Polyommatus* (*Albulina*) [TypeL - Dras, Ladak.] [Refs - b0065; b0694]
- c **ab. depuncta** (Hirschke), 1903; *Lycaena* OD: Verh. zool.-bot. Ges. Wien 53:270, pl 2, f 3,4 [b2395] SS: alctetas (Hoffmannsegg), 1804; *Everses* [Refs - b0995; b0400; b1961; b4094; b4092]
- c **ab. depuncta** (Stetter-Stättermayer), 1937; *Lycaena* OD: Ent. Rundsch. 54:531 [b4432] SS: allardi (Oberthür), 1874; *Plebejus* (*Plebejides*) [Refs - b0075]
- b **depuncta** Talbot, 1937; *Telipna* OD: Trans. R. ent. Soc. Lond. 86(4):59 [b4625] SS: sanguinea Plötz, 1880; *Telipna* [Type: BMNH-ht] [TypeL - Tero Forest, S. E. Buddu, Uganda.] [Refs - b1452; b4400; b2560; b4625]
- e **depuncta** (Beuret), 1953; *Thersamonia* OD: Lyc. Schweiz. I :77 [b0389] SS: dispar ((Haworth)), 1802; *Lycaena* (*Thersamolycaena*) [TypeL - Switzerland.] [Refs - b0389]
- c **f. depuncta** (Lempke), 1955; *Thecla* OD: Tijdschr. Ent. 98:323 [b2982] SS: quercus (Linnaeus), 1758; *Quercusia* [Refs - b0089]
- c **ab. derema** Strand, 1911; *Pentila* OD: Arch. Naturgesch. (1)77(1):193 [b4500] SS: parapeteira Rebel, 1908; *Pentila* [TypeL - Usambara.] [Refs - b4400; b4528]
- e ♀ **ab. derennei** (Lambillion), 1913; *Chrysophanus* OD: Revue mens. Soc. ent. namur. 13:127 [b2884] SS: helle ((Denis & Schiffenmüller)), 1775; *Helleia* A [Refs - b0236; b0389; b2884]
- c **deria** (Moore), 1865; *Thecla* OD: Proc. zool. Soc. Lond. 1865(2):507, pl 31, f 11 [b3220] SS: sassanides (Kollar), [1849]; *Satyrium* [Refs - b2747; b2479; b4094; b4092]
- a **deritas** (Hewitson), 1874; *Deudorix* OD: Trans. ent. Soc. Lond. 22(3):352 [b2341] CG: Diopetes [TypeL - Angola.] [Type of - Diopetes] [Refs - b2280; b2753; b1452; b2224; b4400]
- a **dermaptera** (Wallengren), 1857; *Loxura* OD: K. svenska VetenskAkad. Handl. (nf)2(4):34 [b4913] CG: *Myrina* [TypeL - Africa mer.] [Refs - b1943; b2747; b1452; b4400; b3606; b3312]
- c **derona** Grose-Smith, 1891; *Deudorix* OD: Ann. Mag. nat. Hist. (6)7:126 [b2033] SS: baükeli (Boisduval), 1833; *Deudorix* (*Virachola*) [TypeL - Madagascar.] [Refs - b4400]
- b **deronda** (Fruhstorfer), [1922], 1909-1923; *Lycaenopsis* OD: In Seitz, Grossschmett. Erde 9:871 [b1840] SS: puspa (Horsfield), [1828]; *Acytolepis* [Type: BMNH-ht; designated by Eliot & Kawazoe, 1983] [Butus *Lycaenopsis* group :181 [b1580]] [TypeL - Sula Islands.] [Refs - b1840; b1580]
- b **derpiha** (Hewitson), [1878], 1863-1878; *Myrina* OD: Ill. dium. Lep. Lycaenidae Suppl.:25, pl 3b, f 101,102 [b2326] SS: danis (Felder & Felder), 1865; *Hypolycaena* [TypeL - Aru.] [Refs - b1450; b2078]
- **ab. derufata** Lathy, 1932; *Nymphidium* OD: Ann. Mag. nat. Hist. (10)9:73 [b2922] SS: lisimon (Stoll), [1790]; *Nymphidium* [Type: BMNH-st] [TypeL - Paramaribo, Surinam.] [Refs - b0680 (as a good sp); b2922; b1456]
- e **derus** Capronnier, 1874, (NN); *Thecla* OD: Anns Soc. ent. Belg. 17:18 [b0699] [TypeL - Botafogo, Brazil.] [Refs - b0908]
- a **descimoni** Johnson, 1990; *Penaincisalia* OD: Pan-Pac. Ent. 66(2):117, f [b2603] [Type: AMNH-ht] [TypeL - Quebrada Pachaesto, nr Catac, Cordillera Blanca, Peru.] [Refs - b0124; b2611]
- c **desdemona** Hewitson, [1867], 1863-1878; *Thecla* OD: Ill. dium. Lep. Lycaenidae 1:79; 2:pl 45, f 189,190 [b2326] SS: barajo Reakirt, [1867]; *Thecla* (New World Eumaeini) [Type: BMNH] [TypeL - Pochic Valley, Guatemala.] [Refs - b0908; b2747; b2406; b1975]
- c **deserta** (Draudt), [1920], 1917-1924; *Thecla* OD: In Seitz, Grossschmett. Erde 5:779, pl 151-k [b1348] SS: sierrae (Dyar), 1916; *Panthiades* [TypeL - Guerrero, Mexico.] [Refs - b0908; b3390]
- b **deserti** Barnes & McDunnough, 1918; *Apodemia* OD: Contr. nat. Hist. Lep. N. Amer. 4(2):75, pl 12, f 1,2 [b0251] SS: mormo (Felder & Felder), 1859; *Apodemia* [Type: USNM-ht] [Refs - b4475; b3192; b1321; b4066]
- c **deserticola** (Elwes), 1899; *Lycaena* OD: Trans. ent. Soc. Lond. 47(3):325 [b1595] SS: cyane (Eversmann), 1837; *Polyommatus* (*Agrodiaetus*) [Refs - b0993; b2827; b4092]
- b **deserticola** Stempffer, 1969; *Myrina* OD: Bull. Inst. fond. Afr. Noire 31(A):96, f [b4403] SS: silenus (Fabricius), 1775; *Myrina* [TypeL - Koussou, Tibesti, Chad.] [Refs - b1259; b2898]
- b **desertorum** (Grinnell), 1917; *Strymon* OD: Can. Ent. 49(10):349 [b2024] SS: sylvinus (Boisduval), 1852; *Satyrium* [Type: AMNH-ht] [TypeL - Oak Creek, Kern County, California.] [Refs - b0908; b3192; b1743; b1321]
- a **desgodinsi** (Oberthür), 1886; *Thecla* OD: Étud. ent. 11:21, pl 7, f 54 [b3429] CG: *Chrysozephyrus* [Type: BMNH-ht] [TypeL - Ta Tsien Lu, Yunnan, China.] [Refs - b0996; b2479; b3778; b4200; b3296; b1454; b0694; b4092; b2463]
- a **desinens** Nekrutenko & Effendi, 1980; *Tomares* OD: Nota lepid. 3(1/2):69, f 1-8 [b3370] [TypeL - Azerbaidjan.] [Refs - b0113; b3370]
- a **desjardinas** Johnson & Kroenlein, 1993; *Angulopsis* OD: Rep. Mus. Nat. Univ. Wis. (Stevens Point) (33):5, f [b2627] [Type: AMNH-ht] [TypeL - Parque Nacional Calilegua, Prov. Jujuy, Argentina.] [Refs - b2627]
- b **deslandesi** (Hemming), 1932; *Lycaena* OD: Proc. ent. Soc. Lond. 7(2):29 [b2245] SS: helle ((Denis & Schiffenmüller)), 1775; *Helleia* A [Type: biblio; replacement for pyrenaica Deslandes, 1930] [Refs - b2245; b0070]
- a **desmondi** Stempffer, 1951; *Lepidochrysops* OD: Bull. Soc. ent. Fr. 56(5):70, f [b4380] [TypeL - Kenya.] [Refs - b1943; b1452; b4400; b4380]
- a **desora** Schaus, 1928; *Xenandra* OD: Proc. ent. Soc. Wash. 30(3):49 [b3954] [TypeL - Colombia.] [Refs - b4474; b1456]
- a **despecta** (Holland), 1890; *Pseuderesia* OD: Psyche 5:426 [b2423] CG: *Liptena* [TypeL - Upper Ogove River, Gaboon.] [Refs - b1452; b4400]
- b **despoena** Hewitson, [1863], 1863-1878; *Deudorix* OD: Ill. dium. Lep. Lycaenidae 1:18; 2:pl 6, f 1-3 [b2326] SS: epirus (C. Felder), 1860; *Deudorix* [TypeL - Waigiou.] [Refs - b1450; b2747; b4094; b4934]
- a **destituta** Stichel, 1909; *Mesosemia* OD: Berl. ent. Z. 54(1/2):20 [b4444] [TypeL - Colombia.] [Refs - b4474; b1456]

- a *dis* (Grum-Grshimailo), 1891; *Lycaena* OD: Horae Soc. ent. ross. 25:453 [b2068] CG: *Polyommatus* (*Agriaedae*) [TypeL - Amdo, Central Asia.] [Refs - b0993; b2479; b1762; b0236; b4092; b3762]
- c *discalis* Moore, 1879; *Curetis* OD: Proc. zool. Soc. Lond. 1879(1):138 [b3231] SS: *bulis* (Westwood), [1851]; *Curetis* [TypeL - Nepal; Darjiling, N. India.] [Refs - b1636; b0996; b4094; b0694; b3231]
- b *discalis* Moore, 1879; *Surendra* OD: Proc. zool. Soc. Lond. 1879(1):142 [b3231] SS: *vivama* (Horsfield), [1829]; *Surendra* [TypeL - Ceylon.] [Refs - b1636; b1454; b4094; b0694; b3231]
- a *discalis* Fruhstorfer, 1897; *Tajuria* OD: Soc. ent. 12(7):49 [b1804] [TypeL - Plateau von Sambalun, Lombok.] [Refs - b1850; b4094; b4604; b3060]
- c *discifer* (Herrich-Schäffer), 1869; *Chrysophanus* OD: Stett. ent. Ztg 30(1-3):72, pl 4, f 21 [b2317] SS: *limbaria* (Swainson), [1833]; *Lucia* [TypeL - Brisbane.] [Refs - b2747; b4094; b4940; b4939; b4934]
- b *discifera* Toxopeus, 1944; *Dicallaneura* OD: *Treubia* Hors. Série:176 [b4709] SS: *amabilis* Rothschild, 1904; *Dicallaneura* [TypeL - New Guinea.] [Refs - b4709]
- a *discimacula* (Joicey & Talbot), 1921; *Lycaenesthes* OD: Bull. Hill Mus. 1(1):96, pl 16, f 87,88 [b2655] CG: *Anthene* [Type: BMNH-ht] [TypeL - Between Epule and Duye Rivers, N. Iwuri Valley.] [Refs - b1452; b4400; b2655]
- b *discirubra* Talbot, 1937; *Mimeresia* OD: Trans. R. ent. Soc. Lond. 86(4):60 [b4625] SS: *dinora* (Kirby), 1890; *Mimeresia* [Type: BMNH-ht] [TypeL - Yala River, south edge of Kakumba Forest, Uganda.] [Refs - b1452; b4400; b4625]
- e *ab. discoanterior* (Tutt), 1909, 1905-1914; *Plebeius* OD: Nat. Hist. Brit. Butts 3:176 [b4760] SS: *argus* (Linnaeus), 1758; *Plebejus* [Refs - b0236; b0471 (as *discoanteriora*)]
- e *discoelongata* (Courvoisier), 1907; *Lycaena* OD: Z. wiss. Insektbiol. 3:34 [b0982] SS: *alexis* (Poda von Neuhaus), 1761; *Glaucopsyche* [Refs - b0400 (as *disco*-*elongata*)]
- e *discoelongata* (Courvoisier), 1911, 1910-1911; *Lycaena* OD: Ent. Zeit. 25:83 [b0985] SS: *orion* (Pallas), 1771; *Scolitantides* [Refs - b0400]
- e *discoelongata* (Courvoisier), 1911, 1910-1911; *Chrysophanus* OD: Ent. Zeit. 25:83 [b0985] SS: *phlaeas* (Linnaeus), 1761; *Lycaena* (*Lycaena*) [Refs - b0389]
- e *discoelongata* (Courvoisier), 1911, 1910-1911; *Lycaena* OD: Ent. Zeit. 25:83 [b0985] SS: *decolorata* Staudinger, 1886; *Everes* [Refs - b0400]
- e *ab. discoelongata* Courvoisier, 1912; *Tarucus* OD: Deut. ent. Zeit. [Iris] 26:46 [b0987] SS: *theophrastus* (Fabricius), 1793; *Tarucus* [Refs - b0236]
- e *discoelongata* (Courvoisier), 1912; *Lycaena* OD: Deut. ent. Zeit. [Iris] 26:46 [b0987] SS: *argiolus* (Linnaeus), 1758; *Celastrina* [Refs - b0400; b0471]
- e *ab. discoelongata* (Courvoisier), 1912; *Lycaena* OD: Deut. ent. Zeit. [Iris] 26:47 [b0987] SS: *dolus* (Hübner), [1823]; *Polyommatus* (*Agrodiaetus*) [Refs - b0236]
- e *discoelongata* (Courvoisier), 1912, (IFS); *Chrysophanus* OD: Deut. ent. Zeit. [Iris] 26:46 [b0987] SS: *alciphron* (Rottemburg), 1775; *Lycaena* (*Alciphronia*) [Refs - b0389]
- e *discoelongata* (Courvoisier), 1912; *Chrysophanus* OD: Deut. ent. Zeit. [Iris] 26:46-47 [b0987] SS: *hippochoe* (Linnaeus), 1761; *Palaeochrysothorus* [Refs - b0389]
- e *discoelongata* (Courvoisier), 1912; *Lycaena* OD: Deut. ent. Zeit. [Iris] 26:46 [b0987] SS: *argiades* (Pallas), 1771; *Everes* [Refs - b0400]
- e *ab. discoelongata* (Courvoisier), 1912; *Lycaena* OD: Deut. ent. Zeit. [Iris] 26:46 [b0987] SS: *argus* (Linnaeus), 1758; *Plebejus* [Refs - b0236; b0471]
- e *ab. discoelongata* (Courvoisier), 1912, (IFS); *Chrysophanus* OD: Deut. ent. Zeit. [Iris] 26:46 [b0987] SS: *virgaureae* (Linnaeus), 1758; *Lycaena* (*Heodes*) [Refs - b0389]
- e *ab. discoelongata* (Vorbrodrt), 1912; *Lycaena* OD: Schmett. Schweiz 1:145 [b4885] SS: *bellargus* (Rottemburg), 1775; *Polyommatus* (*Lysandra*) [Refs - b0236]
- e *discoelongata* Derenne, 1936; *Lycaena* OD: *Lambillionea* 36:pl 12, f 1 [b1201] SS: *dispar* ([Haworth]), 1802; *Lycaena* (*Thersamolycaena*) [Refs - b0389]
- e *ab. discoelongata* (Lempke), 1936; *Lycaena* OD: Tijdschr. Ent. 79:307 [b2975] SS: *alcon* ([Denis & Schiffermüller]), 1775; *Maculinea* [TypeL - Holland.] [Refs - b0074; b0400]
- c *discoidalis* (Skinner), 1897; *Thecla* OD: Can. Ent. 29(6):156 [b4234] SS: *castalis* (Edwards), [1871]; *Mitoura* [Type: CM-ht] [TypeL - Round Mountain, Blanco County, Texas.] [Refs - b0908; b3192; b1321]
- e *ab. discoidalisduplex* (Tutt), 1909, 1905-1914; *Agriaedae* OD: Nat. Hist. Brit. Butts 3:338 [b4760] SS: *bellargus* (Rottemburg), 1775; *Polyommatus* (*Lysandra*) [Refs - b0471]
- e *ab. discoidalisnulla* (Tutt), 1909, 1905-1914; *Agriaedae* OD: Nat. Hist. Brit. Butts 3:338 [b4760] SS: *bellargus* (Rottemburg), 1775; *Polyommatus* (*Lysandra*) [Refs - b0471]
- e *discoidea* Waterhouse, 1937, (PS); *Lucia* OD: Rep. Aust. N.Z. Assoc. Advmt Sci. 23:119 [b4940] SS: *limbaria* (Swainson), [1833]; *Lucia* [Refs - b4940 (as *Leach*, MS)]
- e *ab. discojuncta* (Tutt), 1906, 1905-1914; *Rumicida* OD: Nat. Hist. Brit. Butts 1:380, pl 13, f 13 [b4760] SS: *phlaeas* (Linnaeus), 1761; *Lycaena* (*Lycaena*) [Refs - b0236; b0389; b0471]
- e *ab. discojuncta* Courvoisier, 1912; *Polyommatus* OD: Deut. ent. Zeit. [Iris] 26:50 [b0987] SS: *eros* (Ochsenheimer), 1807; *Polyommatus* [Refs - b0236; b0471]
- e *ab. discojuncta* Courvoisier, 1912; *Maculinea* OD: Deut. ent. Zeit. [Iris] 26:50 [b0987] SS: *arion* (Linnaeus), 1758; *Maculinea* [Refs - b0236; b0400; b0471]
- e *discojuncta* Beuret, 1927; *Lycaena* OD: *Lambillionea* 27:24 [b0368] SS: *tityrus* (Poda von Neuhaus), 1761; *Lycaena* (*Heodes*) [Refs - b0389]
- e *f. discojuncta* (Lempke), 1955; *Aricia* OD: Tijdschr. Ent. 98:304 [b2982] SS: *agestis* ([Denis & Schiffermüller]), 1775; *Plebejus* (*Aricia*) [TypeL - Holland.] [Refs - b0089]
- e *ab. discolor* Seitz, [1926], 1912-1927; *Sinthusa* OD: In Seitz, Grossschmett. Erde 9:979 [b4094] SS: *chandrana* (Moore), 1882; *Sinthusa* [Refs - b4094]
- a *discolor* Stichel, 1929; *Mesene* OD: Mitt. zool. Mus. Berl. 15:19 [b4470] [TypeL - Peru; Bolivia.] [Refs - b4474; b4470; b1456]
- e *ab. discolorunulata* (Tutt), 1909, 1905-1914; *Plebeius* OD: Nat. Hist. Brit. Butts 3:176 [b4760] SS: *argus* (Linnaeus), 1758; *Plebejus* [Refs - b0236; b0471]
- e *ab. discoobsoleta* Tutt, 1909, 1905-1914; *Plebejus* OD: Nat. Hist. Brit. Butts 3:176 [b4760] SS: *argus* (Linnaeus), 1758; *Plebejus* [Refs - b0236; b0471]
- b *discoobsoleta* Beuret, 1958; *Maculinea* OD: Mitt. ent. Ges. Basel (nf)8:4, f [b0404] SS: *teleius* (Bergsträsser), [1779]; *Maculinea* [TypeL - Germany.]
- a *discophora* (Felder & Felder), 1862; *Myrina* OD: Wien. ent. Monats. 6(9):290 [b1688] CG: *Drina* [TypeL - Philippines.] [Refs - b2747; b4094; b2201; b1454]

- e *ab. discoposteriora* (Tutt), 1909, 1905-1914; Plebeius OD: Nat. Hist. Brit. Butts 3:176 [b4760] SS: argus (Linnaeus), 1758; Plebejus [Refs - b0236; b0471]
- c *discus* Bates, [1868]; Theope OD: J. linn. Soc. Lond., Zool. 9:409 [b0267] SS: thestias Hewitson, [1860]; Theope [TypeL - Amazon.] [Refs - b2747; b4475]
- e *disjuncta* Le Moult, 1940, 1939-1940, (IFS); Helicopsis OD: Novit. ent. (17):132 [b2943] SS: cupido (Linnaeus), 1758; Helicopsis [Type: AME-ht] [Refs - b3199]
- a *disjuncta* Johnson, 1992; Rhamma OD: Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (22):147, f [b2611] [Type: MNHN-ht] [TypeL - Vulkan Irazu", Costa Rica.] [Refs - b0125; b2611]
- a *disjunctus* Trimen, 1895; Capys OD: Trans. ent. Soc. Lond. 43(2):190, pl 5, f 5 [b4730] [TypeL - S. Africa.] [Refs - b1943; b1259; b1452; b4400; b1230; b3312; b2286]
- a *dispar* ([Haworth]), 1802; Papilio OD: Prodr. Lep. Brit. :3 et nota (or :40) [b2172] CG: Lycaena (Thersamolycaena) [TypeL - England.] [Type of - Disparia, Rapsidia, Thersamolycaena] [Note - *The nominate subspecies is extinct.*] [Refs - b2280; b2375; b2747; b0996; b1780; b2827; b4220; b2479; b0107; b2866; b4545; b4784; b0236; b0389; b1138 (n=24); b3771; b2859; ns0271; ns0288; ns0318; ns0386; ns0424; ns0966; ns2945; ns0711; ns0725; ns0739; ns0740; ns1930; ns3963; ns4374; b4092; b1405]
- b *dispar* (Bremer), 1864; Amblypodia OD: Mém. Acad. Sci. St.-Petersbourg 8:24, pl 3, f 9 [b0483] SS: fusca (Bremer & Grey), 1853; Niphanda [Refs - b4092; b2479; b2747; b1840; b0995]
- a *dispar* (Kirby), 1887; Teriomima OD: Ann. Mag. nat. Hist. (5)19:367 [b2763] CG: Epitolina [TypeL - W. Africa.] [Type of - Epitolina] [Refs - b2280; b1452; b0836; b4400]
- b *dispar* (Grose-Smith & Kirby), 1895, 1887-1902; Thysonotus OD: Rhop. exot. 2(33):23, pl 4, f 1-4 [b2049] SS: danis (Cramer), [1775]; Danis [TypeL - New Britain.] [Refs - b1450; b2078]
- a *dispar* Riley & Godfrey, 1921; Arhopala OD: J. nat. Hist. Soc. Siam 4(3):183 [b3787] CG: Arhopala a [Type: BMNH-ht] [TypeL - N. Siam.] [Refs - b1644; b1454]
- e *disparalis* Seitz, [1926], 1912-1927, (ISS); Arhopala OD: In Seitz, Grossschmett. Erde 9:967 [b4094] SS: disparilis (C. Felder), 1860; Arhopala l [Refs - b4094]
- a *disparatus* (Howarth), 1957; Neozephyrus OD: Bull. Br. Mus. nat. Hist. (Ent.) 5(6):259, f 26, 76, 86 [b2463] CG: Chrysozephyrus [Type: BMNH-ht] [TypeL - Yunnan, W. China.] [Refs - b4198; b2468; b4200; b3296; b1454; b0694; b2463; b1455]
- a *disparilis* (C. Felder), 1860; Amblypodia OD: Sber. Akad. Wiss. Wien 40(11):453 [b1676] CG: Arhopala l [Type: BMNH-ht] [TypeL - Amboina.] [Refs - b1450; b1644; b4094 (as disparalis); b2747]
- a *disparilis* (Bates), [1868]; Aricoris OD: J. linn. Soc. Lond., Zool. 9:403 [b0267] CG: Setabis [Type: BMNH-ht] [TypeL - Tapajos.] [Refs - b2747; b4475; b1456]
- b *disparilis* Riley, [1945]; Abisara OD: Trans. R. ent. Soc. Lond. 94(2):251 [b3782] SS: geza Fruhstorfer, [1904]; Abisara [Type: BMNH-ht] [TypeL - Sipora.] [Check - Classification.] [Refs - b0294; b1454; b2126 (with kausambi)]
- a *disrupta* Talbot, 1935; Lachnocnema OD: Ent. mon. Mag. 71:76, pl 1, f 9,10; pl 3, f 4 [b4623] [TypeL - Uganda.] [Refs - b4623; b4400]
- c *dissentanea* (Draudt), [1919], 1917-1924; Thecla OD: In Seitz, Grossschmett. Erde 5:758, pl 153-e [b1348] SS: muela (Dyar), 1913; Abloxurina [Type: NMB; Fassi collection.] [TypeL - Cuzco, Peru.] [Refs - b0908; b3846; b4782; b0125; b2610]
- a *dissimilis* (Joicey & Talbot), 1916; Thysonotus OD: Trans. ent. Soc. Lond. 64(1):76, pl 3, f 7,8 [b2653] CG: Danis [TypeL - Schouten Islands.] [Refs - b2653]
- e *f. dissimilis* Hayward, 1949, (IFS); Ematurgina OD: Acta zool. lilloana 8:199 [b2216] SS: ochrophlegma Stichel, 1911; Ematurgina [TypeL - Argentina.] [Refs - b2221]
- e *ab. distalba* (Kuwayama), 1926; Chrysophanus OD: Entomologist 59:181, f 3,6 [b2868] SS: daimio Seitz, [1908]; Lycaena (Lycaena) [Type: pc-ht; collection of Kuwayama.] [TypeL - Mt. Moiwa, near Sapporo, Hokkaido, Japan.] [Refs - b2868; b0471]
- a *distanti* Semper, 1887, 1886-1892; Logania OD: In Semper, Reisen Philipp. (2)(5):161, pl 31, f 6,7,21 [b4110] [Type: SMF-ht] [TypeL - Cebus, Philippines.] [Refs - b1840; b1571]
- a *distanti* (Staudinger), 1889; Deudorix OD: Deut. ent. Zeit. [Iris] 2(1):121 [b4332] CG: Iraota [Type: biblio; replacement for nila Distant, 1886] [TypeL - Malacca, Malay Peninsula.] [Refs - b0964; b0965; b4094; b1454; b4602]
- d *distanti* (Staudinger), 1889, (H); Alloxinus OD: Deut. ent. Zeit. [Iris] 2(1):93, pl 1, f 3 [b4332] SS: palawana Fruhstorfer, 1914; Logania [Type: ZMHU-ht; designated by Takamami, 1989] [Tyô to Ga 40(1):25 [b4602]] [TypeL - Palawan.] [Refs - b1840; b1571; b4602]
- c *distanti* (Fruhstorfer), 1910; Cyaniris OD: Stett. ent. Ztg 71(2):288 [b1843] SS: sonchus (H. H. Druce), 1896; Plautella [TypeL - Malacca", West Malaysia.] [Refs - b0964; b1636; b0965; b1840; b0104 (=cossaea); b1580; b1557; b4108]
- b *distanti* Riley, 1942; Eooxylides OD: Entomologist 75:88 [b3779] SS: tharis (Geyer), [1837]; Eooxylides [Type: BMNH-ht] [TypeL - Province Wellesley, Malaya.] [Refs - b0964; b0965; b1020; b1454]
- a *distigma* Bates, [1868]; Pachythone OD: J. linn. Soc. Lond., Zool. 9:390 [b0267] [Type: BMNH-ht] [TypeL - Para.] [Refs - b2747; b4475; b1456]
- a *distincta* (Talbot), 1935; Everes OD: Ent. mon. Mag. 71:149, pl 2, f 15,18 [b4623] CG: Thermoniphas [TypeL - Tropical Africa.] [Refs - b1452; b4623; b4388; b4400]
- e *f. distincta* Hayward, 1949, (IFS); Ematurgina OD: Acta zool. lilloana 8:198 [b2216] SS: ochrophlegma Stichel, 1911; Ematurgina [TypeL - Argentina.] [Refs - b2221; b1456]
- b *distincta* Tite, 1963; Catopyrops OD: Bull. Br. Mus. nat. Hist. (Ent.) 13(4):106, pl 1, f 22 [b4676] SS: ancyrta (C. Felder), 1860; Catopyrops [Type: BMNH-ht] [TypeL - Nissan Island, Solomon Islands.] [Refs - b4676; b1450]
- b *f. distinctesignatus* (Strand), 1911; Cupido OD: Ent. Rundsch. 28:138 [b4501] SS: nubifer (Trimen), 1895; Uranothauma [TypeL - Abyssinia.] [Refs - b4528; b4400; b0162]
- b *distorta* (de Nicéville), 1887; Rapala OD: Proc. zool. Soc. Lond. 1887(3):461, pl 40, f 6 [b1150] SS: todara (Moore), [1884]; Zinaspa [TypeL - Sikkim.] [Refs - b1636; b2479; b4094; b0694]
- a *distractus* (Joannis & Verity), 1913; Catochrysops OD: Boll. Soc. ent. ital. 44:118, f [b2581] CG: Eiochrysops [TypeL - Erihtraea.] [Refs - b1452; b4400]
- a *distractus* (Clench), 1946; Thecla OD: Entomologist 79:153 [b0824] CG: Cyanophrys [Type: BMNH-ht] [TypeL - Río Minero, Muza, Colombia.] [Refs - b0908; b2718; b0528; b1343; b2721; x3192; b2585]
- b *diva* Staudinger, [1887], 1884-1888; Necyria OD: In Exot. Schmett. 1:247; 2:pl 89 [b4329] SS: duellona Westwood, [1851]; Necyria [TypeL - Cauca Valley.] [Refs - b4474]
- b *divaricatus* (Riley), 1928; Argiolaus OD: Novit. zool. 34:377 [b3767] SS: parasilanus (Rebel), 1914; Iolaus (Argiolaus) [TypeL - Nandi Plateau, Kenya.] [Refs - b1452; b4400]

- a *divergens* Gaede, 1915, 1915-1916; *Lachnocnema* OD: *Int. ent. Z.* 9(13):72 [b1909] [TypeL - Camerouns.] [Refs - b4400]
- c *divergens* Seitz, [1917], 1910-1924; *Helicopsis* OD: In Seitz, *Grossschmett. Erde* 5:633, pl 124b [b4093] SS: *erotica* Seitz, [1917]; *Helicopsis* [TypeL - Humayta, Rio Madeira.] [Refs - b4474; b1456; b4093]
- a *diversa* Bethune-Baker, 1904; *Liptena* OD: *Ann. Mag. nat. Hist.* (7)14:225 [b0332] CG: *Liptena* (*Tetranhanis*) [TypeL - Sierra Leone.] [Refs - b1452; b0836; b4400]
- c *diversa* (de Sagarra y Castellamau), 1926; *Scolitantides* OD: *Buitt. Inst. catal. Hist. nat.* (2)6:137 [b1179] SS: *marchandii* (Boisduval), 1834; *Apelles* [TypeL - Spain.] [Refs - b3059; b2239]
- a *divina* (Fixsen), 1887; *Lycaena* OD: In Romanoff, *Mém. Léop.* 3:286, pl 13, f 5a,b [b1745] CG: *Shijimiaeoides* [TypeL - Korea.] [Refs - b4115; b4178; b4179; b0993; b1762; b2827; b2242; b4092; b2393]
- b *divisa* (Butler), 1901; *Epitola* OD: *Ann. Mag. nat. Hist.* (7)7:289 [b0660] SS: *honorius* (Fabricius), 1793; *Aethiopana* [TypeL - Sierra Leone.] [Refs - b1452; b0836; b4400]
- e *ab. divisa* (Tut), 1912, 1905-1914; *Agriades* OD: *Nat. Hist. Brit. Butts* 4:10 [b4760] SS: *coridon* (Poda von Neuhaus), 1761; *Polyommatus* (*Lysandra*) [Refs - b0236; b0471]
- e *f. divisa* (Fruhstorfer), 1913, (IFS); *Gerydus* OD: *Z. wiss. Insektbiol.* 9(9):245 [b1851] SS: *maximus* (Holland), 1890; *Miletus* 4 [Refs - b1546; b1840]
- b *divisa* (Rothschild), 1915; *Spindasis* OD: *Ann. Mag. nat. Hist.* (8)16:248 [b3877] SS: *acamas* (Klug), 1834; *Apharitis* [Refs - b1452]
- e *Q f. divisa* Talbot, 1935; *Hypolycaena* OD: *Ent. mon. Mag.* 71:116, pl 1, f 16 [b4623] SS: *buxtoni* Hewitson, 1874; *Hypolycaena* [TypeL - N. Rhodesia.] [Note - Unavailable as of this data and author.] [Refs - b4623; b4400]
- b *dixonii* Eliot, 1978; *Arhopala* OD: *Butts Malay Penin.* (3rd ed.) :417 [b1563] SS: *pseudocentaurus* (Doubleday), 1847; *Arhopala* h [Type: BMNH-ht] [TypeL - Palau Tioman, Tioman Islands, Malaysia.] [Refs - b1563; b2200]
- a *diyllus* Hewitson, [1878], 1863-1878; *Deudorix* OD: *Ill. diurn. Lep. Lycaenidae Suppl.*:32, pl 5a, f 70,71 [b2326] CG: *Deudorix* (*Pilodeudorix*) [TypeL - Sierra Leone.] [Refs - b1452; b0836; b1661; b4400]
- a *diziniensis* (Schurian), 1982; *Agrodiaetus* OD: *Ent. Zeit.* 92(7):92, f 1-3 [b4033] CG: *Polyommatus* (*Agrodiaetus*) [Type: pc-ht; collection of Schurian.] [TypeL - Elburs Mountains, Prov. Teheran, Iran.] [Refs - b4033]
- b *djampeana* (Snellen), 1890; *Lycaena* OD: *Tijdschr. Ent.* 33:271, pl 11, f 1 [b4262] SS: *aratus* (Stoll), [1781]; *Jamides* [Refs - b1865; b4094]
- b *dobbensis* (Röber), [1886]; *Plebeius* OD: *CorrespBl. ent. Ver. Iris* 1(3):65, pl 5, f 19; pl 4, f 34 [b3820] SS: *bernice* (Herrich-Schäffer), 1869; *Nacaduba* [Type: SMT-ht; designated by Takanami, 1992] [Työ to Ga 43(1):49 [b4606]] [TypeL - Aru.] [Refs - b4676; b1450; b4094]
- b *dobrogensis* Caradja, 1895; *Tomares* OD: *Deut. ent. Zeit.* [Iris] 8:34 [b0703] SS: *nogelii* (Herrich-Schäffer), [1851]; *Tomares* [Refs - b2794; x0276; b0703; b4092]
- c *doellii* (Butler), [1888]; *Lycaenesthes* OD: *Proc. zool. Soc. Lond.* 1887(4):571 [b0636] SS: *sichela* (Wallengren), 1857; *Petrelaea* [TypeL - W. Africa.] [Refs - b0636; b4400]
- c *docus* (H. Druce), 1875; *Miletus* OD: *Cistula Entomologica* 1(12):361 [b1387] SS: *untinga* (Boisduval), 1833; *Spalgis* [TypeL - Madagascar.] [Refs - b2753; b4400]
- a *dodava* Hewitson, [1877], 1863-1878; *Thecla* OD: *Ill. diurn. Lep. Lycaenidae* 1:200; 2:pl 79, f 647,648 [b2326] CG: *Thecla* (New World *Eumaeini*) [Type: pc; Staudinger collection.] [TypeL - Chiriquí, Panamá.] [Refs - b0908; b2753; b1975]
- b *doddi* Waterhouse & Lyell, 1914; *Ogyris* OD: *Butts Aust.* :118 [b4947] SS: *iphis* Waterhouse & Lyell, 1914; *Ogyris* [TypeL - Darwin, Australia.] [Refs - b1450; b0870; b4094]
- b *doddi* Burns, 1948; *Candalides* OD: *Mem. natn Mus. Vict.* 15:95, f [b0575] SS: *heathi* (Cox), 1873; *Candalides* [TypeL - Barrington Tops, New South Wales, Australia.] [Refs - b4677; b1450; b0870; b1475]
- e *ab. dodgei* Gunder, 1927; *Everes* OD: *Can. Ent.* 59(12):283 [b2099] SS: *amynula* (Boisduval), 1852; *Everes* [Type: AMNH-ht] [TypeL - Santa Cruz, California.] [Refs - b3192; b1321]
- a *dodomaensis* Kielland, 1983; *Alaena* OD: *Ent. Rec.* 95(5/6):110 [b2732] [Type: BMNH-ht] [TypeL - Tanzania.] [Refs - b2732]
- e *dodona* Stichel, 1930, (ISS); *Brachyglenis* OD: *Lep. Cat. Pars* 40:281 [b4474] SS: *dodone* (Godman & Salvin), [1886]; *Brachyglenis* [Refs - b4474]
- a *dodonaea* (Moore), [1858]; *Amblypodia* OD: In *Cat. Lep. Ins. E. India Co.* (1):43, pl 1a, f 8 [b3219] CG: *Arhopala* j [Type: BMNH-ht] [TypeL - N. India.] [Refs - b1644; b2747; b4094 (as *dodonea*:964); b0996; b2479 (as *dodonea*); b1454; b3219; b4092]
- a *dodone* (Godman & Salvin), [1886], 1879-1901; *Tmetoglene* OD: *Biol. centr.-amer., Lep. Rhop.* 1:404; 3:pl 42, f 2-4 [b1975] CG: *Brachyglenis* [TypeL - Costa Rica and Panama.] [Refs - b2988; b4474 (as *dodona*); b1456; b1975]
- b *dohertyi* (de Nicéville), [1889]; *Zephyrus* OD: *J. asiat. Soc. Bengal, Pt II* 57(4):278, pl 14, f 1,2 [b1151] SS: *bieti* (Oberthür), 1886; *Esakiozephyrus* [TypeL - Himalaya.] [Refs - b1636; b0996; b4094; b4214; b3296; b0694; b4092]
- a *dohertyi* (Oberthür), 1894; *Deudorix* OD: *Étud. ent.* 19:13, pl 3, f 10 [b3435] CG: *Arüpe* [TypeL - New Guinea.] [Refs - b1450; b1943; b4094]
- a *dohertyi* Oberthür, 1894; *Hypochrysops* OD: *Étud. ent.* 19:12, pl 10, f 48 [b3435] [Type: BMNH-ht; designated by Sands, 1986] [TypeL - New Guinea.] [Refs - b1450; b2078; b3926]
- b *dohertyi* Rothschild, 1901; *Mimacraea* OD: *Novit. zool.* 8:219, pl 10, f 3 [b3873] SS: *marshalli* Trimen, 1898; *Mimacraea* [TypeL - E. Africa.] [Refs - b1452; b4400; b1586]
- a *dohertyi* Bethune-Baker, 1903; *Arhopala* OD: *Trans. zool. Soc. Lond.* 17(1):64, pl 1, f 1 [b0331] CG: *Arhopala* a [Type: BMNH-ht] [TypeL - Celebes.] [Refs - b1644; b4094 (with bad reference); b1454; b0331]
- d *dohertyi* Bethune-Baker, 1905, (H); *Deudorix* OD: *Novit. zool.* 12:492 [b0336] SS: *ecaudata* Gifford, 1963; *Deudorix* (*Virachola*) [TypeL - Kikuyu escarpment.] [Refs - b1943; b4400]
- b *dohertyi* Fruhstorfer, [1912]; *Yasoda* OD: *Berl. ent. Z.* 56(3/4):225 [b1850] SS: *pita* (Horsfield), [1829]; *Yasoda* [TypeL - Perak, Malay Peninsula.] [Refs - b0964; b0965; b1454; b1850; b4094; b4108]
- a *dohertyi* (Tyler), 1915; *Cyaniris* OD: *J. Bombay nat. Hist. Soc.* 24(1):121, pl 4, f 45,46 [b4772] CG: *Oreolyce* (*Oreolyce*) [Type: BMNH-ht; designated by Eliot & Kawazoé, 1983] [*Butts Lycaenopsis* group :33 [b1580]] [TypeL - Naga Hills, India.] [Refs - b1636; b1840; b1580; b0236]
- a *dohertyi* (Tyler), 1915; *Virachola* OD: *J. Bombay nat. Hist. Soc.* 24(1):138 [b4772] CG: *Deudorix* (*Virachola*) [TypeL - Naga Hills.] [Check - Homonym in need of a replacement.] [Refs - b1454; b4772]

- b dohertyi** Seitz, [1924], 1912-1927; *Curetis* OD: In Seitz, *Grossschmett. Erde* 9:934, pl 162d [b4094] SS: thetis (Drury), [1773]; *Curetis* [TypeL - Macassar.] [Refs - b4094]
- b dohertyi** Evans, 1925; *Simiskina* OD: *J. Bombay nat. Hist. Soc.* 30(2):335, f [b1632] SS: proxima de Nicéville, 1895; *Simiskina* [TypeL - Tavoy.] [Refs - b0964; b1636; b0965; b3610; b1454; b0694; b0950]
- b dohertyi** (Riley), [1945]; *Marmessus* OD: *Trans. R. ent. Soc. Lond.* 94(2):264, pl 1, f 18,19 [b3782] SS: niasica (Röber), [1886]; *Drupadia* [Type: BMNH-ht] [TypeL - Marang, S. E. Sumatra.] [Refs - b1030; b0105; b2201; b1454]
- e dohertyi** d'Abbrera, 1993, (NN); *Phengaris* OD: *Butis Holarctic Region, Pt 3* :486 [b1455] SS: atroguttata (Oberthür), 1876; *Phengaris* [Note - *D'Abbrera attributed the name to Hemming, saying it applied to the population from the Naga Hills and northern Burma. I doubt there is such a name.*] [Refs - b1455]
- a doibosatsuzuana** Kanda & Kato, 1931; *Lycaena* OD: *Ins. World* 35:373 [b2688] [TypeL - Japan.] [Refs - b0070]
- c doii** (Matsumura), 1928; *Lycaena* OD: *Ins. matsumur.* 2(4):199 [b3096] SS: teleius (Bergsträsser), [1779]; *Maculinea* [TypeL - Kurile Islands.] [Refs - b1900; b0236; b0066; b2866; b0471]
- a doleschallii** (C. Felder), 1860; *Thecla* OD: *Sber. Akad. Wiss. Wien* 40(11):454 [b1676] CG: *Hypochrysops* [Type: BMNH-ht] [TypeL - Amboin, Indonesia.] [Refs - b1450; b2747; b2078; b3926]
- a doleta** Kirby, 1890; *Epitola* OD: *Ann. Mag. nat. Hist.* (6):273 (male only) [b2766] [TypeL - Tropical Africa.] [Note - *Female was cephena Hewison, 1873.*] [Refs - b3842; b0836; b2766; b4400]
- c dolichos** Hübner, [1823], 1808-1837; *Atides* OD: *Zutr. Samml. exot. Schmett.* 2:9, pl [39], f 219,220 [b2483] SS: halesus (Cramer), [1777]; *Atides* [TypeL - Georgia.] [Refs - b0908; b3192; b2406; b1321; b1975]
- a dolichos** Staudinger, [1888], 1884-1888; *Euselasia* OD: In *Exot. Schmett.* 1:240 [b4329] [TypeL - Pebas] [Refs - b1456]
- e dolichus** Hübner, [1819], 1816-1826, (ISS); *Atides* OD: *Verz. bekannt. Schmett.* (5):80, no. 815 [b2484] SS: dolichos Hübner, [1823]; *Atides* [Refs - b0908; b3192]
- a dolium** H. H. Druce, 1907; *Thecla* OD: *Proc. zool. Soc. Lond.* 1907(3):619 [b1375] CG: *Thecla* (New World Eumaeini) [Type: BMNH] [TypeL - Honduras.] [Note - *Druce says "much like fabulla".*] [Refs - b0908; b1375]
- a dollmani** (Bethune-Baker), 1923; *Neochrysops* OD: *Trans. ent. Soc. Lond.* 70(3/4):309, pl 13, f 12; pl 19, f 25; pl 28, f 25 [b0359] CG: *Lepidochrysops* [Type: BMNH-ht] [TypeL - Solwezi, Rhodesia.] [Refs - b1452; b0359; b4400]
- b dollmani** Riley, 1932; *Abisara* OD: *Novit. zool.* 37:183 [b3775] SS: rogersi H. Druce, 1878; *Abisara* [TypeL - Rhodesia.] [Refs - b1452]
- c dolona** (Fruhstorfer), [1919]; *Pithecopis* OD: *Arch. Naturgesch.* (A)83(1):83 [b1889] SS: zalmora (Bulter), [1870]; *Neopithecopis* [Type: -lt; designated by Eliot & Kawazoé, 1983] [Butis *Lycaenopsis* group :43 [b1580]] [TypeL - Hong Kong.] [Note - *Fruhstorfer refers to figures by Kershaw, 1907 (Butis Hong Kong & China, :69, pl 9, f 5.7). Figure 5 was selected as type.*] [Refs - b2479; b2650; b1580; b0236; b1840; b4108]
- c f. dolores** (Suffert), 1904; *Hypolycaena* OD: *Deut. ent. Zeit.* [Iris] 17:57 [b4535] SS: caeculus (Hopffer), 1855; *Hemiolaus* [TypeL - E. Africa.] [Refs - b4400]
- a dolorosa** (Trimen), 1887, 1887-1889; *Lycaena* OD: In *Trimen & Bowker, S. Afr. Butts* 2:41 [b4725] CG: *Euchrysops* [Type: BMNH-st] [TypeL - S. Africa.] [Note - *Also seen in Lepidochrysops.*] [Refs - b1259; b1452 (in *Lepidochrysops*); b4400; b0359]
- a dolorosa** Roche, 1954; *Epitola* OD: *Bull. Br. Mus. nat. Hist. (Ent.)* 3:498, pl 21, f 27-30 [b3842] [Type: BMNH-ht] [TypeL - Bwamba Forest, Semliki Valley, Uganda.] [Refs - b3842; b1452; b4400]
- a dolosa** Staudinger, [1888], 1884-1888; *Thecla* OD: In *Exot. Schmett.* 1:286; 2:pl 97 [b4329] [Type: ZMHU-It; designated by Johnson, 1993] [Rep. *Mus. Nat. Hist. Univ. Wis. (Stevens Point)* (37):14 [b2616]] [TypeL - Mérida, Venezuela.] [Refs - b0908; b2221; b1375; b4329; b2616]
- a dolus** (Hübner), [1823], 1796-1838; *Papilio* OD: *Samml. europ. Schmett.* 1:pl 159, f 793-796 [b2480] CG: *Polyommatus* (*Agrodiaetus*) [Refs - b2375; b3059; b2747; b0993; b1762; b0111; b0236; b2794; b1774; b2859; ns0776; b4092]
- a dolyllas** (Cramer), [1777], 1775-1790; *Papilio* OD: *Uil. Kapellen* 2(10):22, pl 111, f B,C [b1069] CG: *Tigrinota* (?) [TypeL - Surinam.] [Note - *Original figures fit no known specimen or phene.*] [Refs - b0908; b2747; b3818; b2918; b0125; b2616; b2611]
- b dombaiensis** (Alberti), 1969; *Lycaena* OD: *Deut. ent. Zeit.* (nf)16:197, pl 2, f 1c [b0035] SS: anterus (Freyer), 1839; *Plebejus* (*Ultraaricia*) [TypeL - Caucasus.] [Refs - b0035; b0113; b3358; b2859 (as a good species)]
- a domina** (Bates), 1864, 1864-1865; *Lemonias* OD: *Ent. mon. Mag.* 1:204 [b0263] CG: *Audre* [TypeL - Panama.] [Refs - b2747; b4475; b0263; b1456]
- a dominica** (Möschler), 1886; *Lycaena* OD: *Abh. Senckenb. naturf. Ges.* 14(3):26, f 10 [b3250] CG: *Cyclargus* [TypeL - Jamaica, B. W. I.] [Refs - b0908; b0540; b0907; b3326; b3327; b0833]
- a dominicana** (Lathy), 1904; *Thecla* OD: *Proc. zool. Soc. Lond.* 1904(I)(2):452 [b2913] CG: *Electrostrymon* [Type: BMNH-ht] [TypeL - Dominica, B. W. I.] [Refs - b0908; b0907; b0833; b2606]
- a dominus** H. H. Druce, 1895; *Tajuria* OD: *Proc. zool. Soc. Lond.* 1895(3):600, pl 33, f 12 [b1362] [Type: ZMHU-st; BMNH-st] [TypeL - Mt. Kinabalu, N. E. Borneo.] [Refs - b0964; b0965; b2190; b2201; b1850; b1362; b1454; b4602; b3989; b4108]
- a domitia** (Hewison), [1863], 1863-1878; *Deudorix* OD: *Ill. dium. Lep. Lycaenidae* 1:18; 2:pl 6, f 6,7 [b2326] CG: *Rapala* [TypeL - Singapore.] [Refs - b0964; b0965; b2747; b4094; b1454]
- a domitianus** (Fabricius), 1793, 1792-1799; *Hesperia* OD: *Ent. syst.* 3(1):315 [b1657] CG: *Caria* [TypeL - Gouadeloupe".] [Refs - b1530 :247, f 488; b1321 :50; b2988; b2747; b4474; b3192; b5076; b1456]
- b donahuei** McAlpine, [1971]; *Calephelis* OD: *J. Res. Lep.* 10(1):49 f [b3127] SS: *perditalis* Barnes & McDunnough, 1918; *Calephelis* [Type: USNM-ht] [TypeL - Jacala, Hidalgo, Mexico.] [Refs - b3127]
- a donatana** (de Nicéville), [1889]; *Tajuria* OD: *J. asiat. Soc. Bengal, Pt II* 57(4):287, pl 14, f 15 [b1151] CG: *Pseudotajuria* [TypeL - Tenasserim.] [Type of *Pseudotajuria*] [Refs - b0964; b1636; b0965; b4094; b1454; b0694]
- b donoensis** Pennington, 1953; *Deloneura* OD: *J. ent. Soc. S. Afr.* 16:102, f [b3568] SS: *millari* Trimen, 1906; *Deloneura* [TypeL - S. Africa.] [Refs - b1259; b1452; b4400]

- c **doni** (Tytler), 1915; *Zephyrus* OD: *J. Bombay nat. Hist. Soc.* 24(1):129 [b4772] SS: tsangkie (Oberthür), 1886; *Teratozephyrus* [TypeL - India.] [Refs - b1636; b0236; b4214; b1454; b0694; b2463; b1455]
- a **donina** (Hewitson), [1865], 1863-1878; *Myrina* OD: *Ill. diurn. Lep. Lycaenidae* 1:39; 2:pl 17, f 61,62 [b2326] CG: *Drina* [TypeL - Burmah.] [Type of - *Drina*] [Refs - b0964; b1636; b2280; b0965; b4094; b2747; b2201; b1454; b0694]
- b **donina** (Snellen), 1901; *Lycaena* OD: *Tijdschr. Ent.* 43:262 [b4268] SS: *gracilis* (Röber), [1886]; *Prosotas* [TypeL - W. Java.] [Refs - b4676; b0938; b4094; b4268; b1454; b4108]
- a **donna** Felder & Felder, 1862; *Eurybia* OD: *Wien. ent. Monat.* 6(12):410 [b1689] [TypeL - Bogota, Colombia.] [Refs - b2988; b2747; b4474; b1453; b1456]
- a **donovani** Kirby, 1871; *Cupido* OD: *Syn. Cat. diurn. Lep.* :346 [b2747] CG: *Cupido* (?) [Type: biblio; replacement for *hylax* Donovan, 1800] [Refs - b2747]
- c **donussa** Fruhstorfer, 1914; *Logania* OD: *Z. wiss. Insektbiol.* 10(1):24 [b1855] SS: *obscurus* (Röber), [1886]; *Logania* [Type: BMNH-ht; designated by Eliot, 1986] [*Bull. Br. Mus. nat. Hist. (Ent.)* 53(1):68 [b1571]] [TypeL - Sulawesi.] [Refs - b1840; b1855; b1571]
- e **donzeli** Vorbrod, 1912, (ISS); *Plebejus* OD: *Schmett. Schweiz* 1:134 [b4885] SS: *donzeli* (Boisduval), [1832]; *Plebejus* (*Pseudoaricia*) [Refs - b0410]
- c **donzeli** (Boisduval), [1832], 1832-1834; *Lycaena* OD: *Icon. Hist. Lépid. Europe* 1:64, pl 15, f 1-3 [b0458] SS: *nicias* (Meigen), 1829; *Plebejus* (*Pseudoaricia*) [TypeL - Europe; Siberia.] [Refs - b3059 (as *donzeli*); b3901; b2747; b1780; b1762; b0993; b2827; b2479; b0236 (+ as *donzeli*); b0410; b2794; b4366; ns3443; b4092]
- a **dora** Fruhstorfer, [1904]; *Taxila* OD: *Berl. ent. Z.* 48(4):277 [b1817] [TypeL - Tonkin.] [Refs - b4474; b1454 (in *Paralaxita*); b1840]
- a **dorcas** (Kirby), 1837; *Lycaena* OD: In Richardson, *Fauna Bor.-Amer.* (4):299, pl 4, f 1 [b2743] CG: *Epidemia* [Type: CNC-nt; designated by Ferris, 1977] [*Bull. Allyn Mus.* (45):22 [b1714]] [TypeL - The Pas, Manitoba.] [Refs - b1530 :228, f 439; b1321 :61; b0908; b1714; b0428; b3191; b2747; b4220; b0236; b3192; b3512; b3189; b0493; b4066]
- c **dorcas** (H. H. Druce), 1907; *Thecla* OD: *Proc. zool. Soc. Lond.* 1907(3):572 [b1375] SS: *damo* (H. Druce), 1875; *Pseudolycaena* [Type: pc; Godman collection.] [TypeL - vina, Northwest Peru.] [Refs - b0908; b1453; b1375]
- a **doreena** Parsons, 1986; *Arhopala* OD: *Tyô to Ga* 37(3):132, f 43, 125-129 [b3550] CG: *Arhopala n* [Type: ANIC-ht] [TypeL - Fly River, Kiunga, New Guinea.] [Refs - b3550]
- a **doreia** Tite, 1963; *Phyliris* OD: *Bull. Br. Mus. nat. Hist. (Ent.)* 14(5):249 [b4677] [Type: BMNH-ht] [TypeL - Dorey, Dutch New Guinea.] [Refs - b4677]
- b **doreia** (Tite), 1963; *Holochila* OD: *Bull. Br. Mus. nat. Hist. (Ent.)* 14(5):210 [b4677] SS: *coeruleus* (Röber), [1886]; *Candalides* [Type: BMNH-ht] [TypeL - Dorey Bay, Dutch New Guinea.] [Refs - b4677; b1450]
- e **dorifera** Lathy, 1932, (ISS); *Chamaelimas* OD: *Ann. Mag. nat. Hist.* (10)9:67 [b2922] SS: *doryphora* Stichel, 1910; *Chamaelimas* [Refs - b2922]
- a **dorilas** (Cramer), [1775], 1775-1790; *Papilio* OD: *Uitl. Kapellen* 1(4):75, pl 48, f C [b1069] CG: *Symmatia* [TypeL - Brasilia.] [Refs - b2988; b2747; b4474; b4950; b1456]
- d **dorilas** (Rottemburg), 1775, (H); *Papilio* OD: *Naturforscher* 6:6 [b3890] SS: *tityrus* (Poda von Neuhaus), 1761; *Lycaena* (Heodes) [Refs - b2747; b0996; b0389]
- c **dorilis** (Hüfnagel), 1766; *Papilio* OD: *Berlin Mag.* 2:68 [b2492] SS: *tityrus* (Poda von Neuhaus), 1761; *Lycaena* (Heodes) [TypeL - Asia bor. et occ.] [Type of - *Loweia*, *Palaeoloweia*] [Refs - b2280; b3059; b2747; b0996; b1780; b2827; b0236; b0389; ns0348; ns0763; b4092]
- a **dorilis** (Bates), 1866; *Nymphidium* OD: *Ent. mon. Mag.* 3:156 [b0264] CG: *Juditha* [Type: BMNH-ht] [TypeL - Lion Hill, Panama.] [Refs - b2747; b4474; b1456 (as *dorilis*); b0264]
- c **dorimond** (Stoll), [1790], 1780-1790; *Papilio* OD: In Cramer, *Uitl. Kapellen Aanh.*, pl 31, f 1,1a,1b, or pl 27, f 4,40 [b4478] SS: *apidanus* (Cramer), [1777]; *Flos* [TypeL - Cape of Good Hope", but really Java.] [Refs - b1644; b2747; b4094 (as *dorimond*)]
- a **dorina** (Hewitson), [1860], 1852-1877; *Eurygona* OD: *Ill. exot. Butts* 2:[--], pl [48], f 80,81 [b2323] CG: *Euselasia* [TypeL - Amazon.] [Refs - b4474; b1456]
- c **dorine** (Stoll), [1782], 1780-1790; *Papilio* OD: In Cramer, *Uitl. Kapellen* 4(-):249, pl 376, f G,H [b4478] SS: *cecilia* (Cramer), [1777]; *Methone* [Refs - b4474]
- e **dorinond** (Seitz), [1926], 1912-1927, (ISS); *Amblypodia* OD: In Seitz, *Grossschmett. Erde* 9:960 [b4094] SS: *dorimond* (Stoll), [1790]; *Flos* [Refs - b4094]
- b **doris** Hopkins, 1927; *Deudorix* OD: *Insects of Samoa* (3)Lep.(1):49 [b2447] SS: *epijarbas* (Moore), [1858]; *Deudorix* [TypeL - Samoa.]
- a **dorothea** Bethune-Baker, 1903; *Micropentila* OD: *Ann. Mag. nat. Hist.* (7)12:327 [b0328] [TypeL - W. Africa.] [Refs - b1452; b0836; b4400]
- a **dorothea** (Bethune-Baker), 1904; *Epitolina* OD: *Ann. Mag. nat. Hist.* (7)14:227 [b0332] CG: *Epitola* [TypeL - Sierra Leone.] [Refs - b3842; b1452; b0836; b4400]
- e **dorothea** Stempffer, 1967, (ISS); *Falcuna* OD: *Bull. Br. Mus. nat. Hist. (Ent.) Suppl.* 10:47 [b4400] SS: *dorothea* Stempffer & Bennett, 1963; *Falcuna* [Refs - b4400]
- b **dorothea** Eliot & Kawazoë, 1983; *Neopithecops* OD: *Butts Lycaenopsis* group :53, f 229,253 [b1580] SS: *umbretta* Grose-Smith, 1895; *Neopithecops* [Type: BMNH-ht] [TypeL - Sula Besi, Sula Islands.] [Refs - b1580]
- a **dorothea** Stempffer & Bennett, 1963; *Falcuna* OD: *Bull. Br. Mus. nat. Hist. (Ent.)* 13(6):190 [b4421] [Type: BMNH-ht] [*Note - Not spelled dorothea.*] [Refs - b1452; b4421; b4400 (as *dorothea*)]
- c **dorothea** Pryer & Cator, 1894; *Cyaniriodes* OD: *Br. N. Borneo Herald* 12:- [b3660] SS: *libna* (Hewitson), [1869]; *Cyaniriodes* [TypeL - Sandakan.] [Refs - b4108]
- e **dorrilis** d'Abrera, 1994, (ISS); *Juditha* OD: *Butts Neotropical Region*, Pt 4:1004 SS: *dorilis* (Bates), 1866; *Juditha* [Refs - b1456]
- b **dorsumstellae** (Graves), 1923; *Polyommatus* OD: *Entomologist* 56:156 [b2009] SS: *isaurica* (Staudinger), 1870; *Plebejus* (*Pseudoaricia*) [TypeL - Lebanon.] [Refs - b0236; b0410; b0471]
- a **doryasa** Hewitson, [1874], 1863-1878; *Thecla* OD: *Ill. diurn. Lep. Lycaenidae* 1:179; 2:pl 70, f 527,528 [b2326] CG: *Thecla* (New World Eumeaini) [Type: BMNH] [TypeL - Pará, Amazon.] [Refs - b0908; b2753]
- a **dorylas** ((Denis & Schiffmüller), 1775; *Papilio* OD: *Ankündigung syst. Werkes Schmett.* :322 [b1193] CG: *Polyommatus* (*Plebicula*) [TypeL - Europe; Asia Minor.] [Refs - b3059; b2375; b3059; b2747; b1780; b2827; b2300; b1183; b2794; b2859; b4092; b0471; b2797]
- a **doryphora** Stichel, 1910; *Chamaelimas* OD: *Berl. ent. Z.* 55(1/2):24 [b4445] [Type: pc-ht; collection of Stichel] [TypeL - Rio de Janeiro, Brazil.] [Refs - b2988; b4474; b2221; b0419 (as *doryphora*); b2922 (as *donifera*); b1456; b4445]

- b dositheus** Fruhstorfer, 1914; *Allotinus* OD: *Z. wiss. InsektBiol.* 10(1):22 [b1855] SS: *apries* Fruhstorfer, 1913; *Allotinus* (*Paragerydus*) [Refs - b1855; b1840; b1571]
- b dospassosi** (McDunnough), 1940; *Lycæna* OD: *Can. Ent.* 72(7):130 [b3135] SS: *dorcas* (Kirby), 1837; *Epidemia* [Type: CNC-ht] [TypeL - Bathurst, New Brunswick.] [Note - Originally spelled *dospassosi*.] [Refs - b0908; b3191; b0107; b3192; b4643; b1321; b4066]
- a dospassosi** (Clench), 1981; *Callophrys* OD: *Bull. Allyn Mus.* (64):15-20, f 23-28 [b0853] CG: *Mitoura* [Type: CM-ht] [TypeL - Five miles north of Zimapan, Hidalgo, Mexico.] [Refs - b0853; b2585; b4182]
- c dossemus** (Fruhstorfer), 1913; *Gerydus* OD: *Z. wiss. InsektBiol.* 9(10):310 [b1851] SS: *boisduvali* Moore, [1858]; *Miletus* 3 [TypeL - Obi.] [Refs - b1450; b1546; b1840; b4108]
- e dossenius** (Seitz), 1927, 1912-1927, (ISS); *Gerydus* OD: *In Seitz, Grossschmett. Erde* 9:1015 [b4094] SS: *dossemus* (Fruhstorfer), 1913; *Miletus* 3 [Refs - b4094]
- b dotion** Fruhstorfer, 1913; *Allotinus* OD: *Z. wiss. InsektBiol.* 9(11):343 [b1851] SS: *fallax* Felder & Felder, 1865; *Allotinus* [Type: BMNH-ht; designated by Eliot, 1986] [*Bull. Br. Mus. nat. Hist. (Ent.)* 53(1):12 [b1571]] [TypeL - *Bazilan*, Philippines.] [Refs - b1840; b1571]
- a doubledail** (Westwood), 1848; *Acontia* OD: *Cabinet orient. Ent.* :76, pl 37, f 4 [b4982] CG: *Neurellipes* [Refs - b2280]
- b doudoroffi** (dos Passos), 1940; *Incisalia* OD: *Can. Ent.* 72(8):168 [b1316] SS: *mossii* (H. Edwards), 1881; *Deciduphagus* [Type: AMNH-ht] [TypeL - Big Sur, Monterey County, California.] [Refs - b0908; b3192; b1321; b1950; b2585; b4066; b1722]
- b dovina** (Schaus), 1902; *Hamearis* OD: *Proc. U. S. natn. Mus.* 24(1262):404 [b3948] SS: *chilensis* (Felder & Felder), 1865; *Audre* [Type: USNM-ht; #5913] [TypeL - Bolivia.] [Refs - b2988; b4475; b2221; b3948; b1456]
- b dowi** (Clench), 1941; *Strymon* OD: *Torreia* (7):4 [b0815] SS: *angelia* (Hewitson), [1874]; *Electrostrymon* [Type: MCZ; #25451] [TypeL - Arthurs Town, Cat Island, Bahamas.] [Note - Johnson spelled this *dowei*, and stated the type was in the CM.] [Refs - b0908; b0907; b1581; b0833; b0817; b2631; b2606]
- a downeyi** Johnson, 1990; *Penaincisalia* OD: *Pan-Pac. Ent.* 66(2):114, f [b2603] [Type: MNHN-ht] [TypeL - Monte Tolima, Central Cordillera, Colombia.] [Refs - b0124; b2611]
- b doxa** Evans, 1954; *Curetis* OD: *Entomologist* 87:242 [b1641] SS: *bulis* (Westwood), [1851]; *Curetis* [TypeL - Hainan.] [Refs - b1454]
- a dracon** de Nicéville, 1897; *Dodona* OD: *J. asiat. Soc. Bengal, Pt II* 66(3):555, pl 2, f 14 [b1164] [TypeL - Ruby Mines, N. Burma.] [Refs - b1636; b2988; b4473; b1454; b1840]
- a draesekei** (Schawerda), 1926; *Zizera* OD: *Deut. ent. Zeit. [Iris]* 40:204 [b3959] CG: *Cupido* [TypeL - China.] [Note - Not spelled *draeseckeii*.] [Refs - b1762; b0236 (as *draeseckeii*); b0471 (as *draeseckeii*)]
- a dragones** Johnson & Eisele & MacPherson, 1988; *Calycopis* OD: *Bull. Allyn Mus.* (123):17, f 6C,6D,13B,15D [b2623] [Type: AME-ht] [TypeL - *Dragones*, Salta Province, Argentina.] [Refs - b2623; b2606]
- c dramos** H. H. Druce, 1895; *Rapala* OD: *Proc. zool. Soc. Lond.* 1895(3):624, pl 34, f 13 [b1362] SS: *dieneces* (Hewitson), [1878]; *Rapala* [Type: ZMHU-ht] [TypeL - *Labuan*, N. E. Borneo.] [Refs - b0964; b4094; b1362; b1454; b1554; b4602; b4108]
- a drasula** Swinhoe, 1910, 1909-1913; *Polyommatus* OD: *In Moore, Lep. Ind.* 8:23, pl 645, f 3 [b4575] CG: *Polyommatus* [TypeL - North western Himalayas.] [Refs - b1455; b0205]
- a draudti** Lathy, 1926; *Thecla* OD: *Ann. Mag. nat. Hist.* (9)17:40 [b2918] CG: *Thecla* (*New World Eumaeini*) [Type: MNHN-ht; designated by Johnson, 1991] [*J. Lep. Soc.* 45(2):145 [b2605]] [TypeL - Bogota, Colombia.] [Refs - b0908; b0064; b2591; b2918; b2592]
- a draudti** Lathy, 1932; *Lamprospilus* OD: *Ann. Mag. nat. Hist.* (10)9:181 [b2923] [Type: MNHN-ht; Fournier collection.] [TypeL - Rio Aqual, Colombia.] [Refs - b0908; b2923; b2591; b2592]
- a dreisbachi** McAlpine, [1971]; *Calephelis* OD: *J. Res. Lep.* 10(1):61, f [b3127] [Type: USNM-ht] [TypeL - San Blas, Sinaloa, Mexico.] [Refs - b3192; b0493; b4690 (R); b4066 (as ssp of *rawsoni*); b3127]
- a drepana** Bates, [1868]; *Theope* OD: *J. linn. Soc. Lond., Zool.* 9:409 [b0267] [Type: BMNH-ht] [TypeL - Ega.] [Refs - b2747; b4474; b1456]
- b droa** (Evans), 1957; *Narathura* OD: *Bull. Br. Mus. nat. Hist. (Ent.)* 5(3):100 [b1644] SS: *hercules* (Hewitson), 1862; *Arhopala e* [Type: BMNH-ht] [TypeL - Aroa River, New Guinea.] [Refs - b1450; b1644]
- b dromicus** (Fruhstorfer), 1910; *Lampides* OD: *Ent. Zeit.* 23(49):219 [b1842] SS: *alecto* C. Felder, 1860; *Jamides* [TypeL - *Formosa*.] [Refs - b4094; b2479; b1900; b0236; b4547; b5053; b1454]
- b droshana** Evans, 1925; *Polyommatus* OD: *J. Bombay nat. Hist. Soc.* 30(2):349 [b1632] SS: *eros* (Ochsenheimer), 1807; *Polyommatus* [TypeL - Western Himalayas.] [Note - According to Bálint, morphologically distant from *European eros*.] [Refs - b1636; b0694; b1455; b0205]
- a drucei** (Semper), 1887, 1886-1892; *Gerydus* OD: *In Semper, Reisen Philipp.* (2)(5):162, pl 31, f 8,9 [b4110] CG: *Miletus* 3 [TypeL - Philippines.] [Refs - b0965; b1840]
- b drucei** Oberthür, 1894; *Hypochrysops* OD: *Étud. ent.* 19:9, pl 6, f 47 [b3435] SS: *pythias* Felder & Felder, 1865; *Hypochrysops* [Type: BMNH-ht; designated by Sands, 1986] [*Entomograph* 7:76 [b3926]] [TypeL - New Guinea.] [Refs - b1450; b2078; b3926]
- a drucei** (Grose-Smith & Kirby), 1895, 1887-1902; *Thysonotis* OD: *Rhop. exot.* 2(34):31, pl 4, f 11-13 [b2049] CG: *Danis* [TypeL - *Au On*, New Guinea.] [Refs - b1450; b2078; b2388]
- c drucei** Bethune-Baker, 1896; *Arhopala* OD: *In Proc. zool. Soc. Lond.* 1896(3):661, pl 30, f 1,2 [b0326] SS: *athada* (Staudinger), 1889; *Arhopala f* [Type: ZMHU-ht; designated by Takanami, 1989] [*Tyô to Ga* 40(1):27 [b4602]] [TypeL - *Mt. Kinabalu*, N. E. Borneo.] [Refs - b1644; b1556; b4094; b4602; b4108]
- b drucei** Neave, 1904; *Aphnaeus* OD: *Novit. zool.* 11:338, pl 1, f 6 [b3345] SS: *hutchinsonii* Trimen, 1887; *Aphnaeus* (*Paraphnaeus*) [TypeL - Victoria, Nyanza.] [Refs - b4387; b4400]
- a drucei** (Bethune-Baker), 1906; *Cyaniris* OD: *Ann. Mag. nat. Hist.* (7)17:102 [b0337] CG: *Udara* (*Udara*) [Type: BMNH-ht] [TypeL - New Guinea.] [Refs - b1450; b1840; b0111; b1580]
- b drucei** (Bethune-Baker), 1906; *Zizera* OD: *Ann. Mag. nat. Hist.* (7)17:109 [b0338] SS: *lucida* (Trimen), 1883; *Actizera* [TypeL - Madagascar.] [Refs - b4400]
- c drucei** Swinhoe, 1910, 1909-1913; *Tajuria* OD: *In Moore, Lep. Ind.* 9:107, pl 728, f 4 [b4575] SS: *albiplaga* de Nicéville, 1887; *Tajuria* [TypeL - Haipau, Shan States.] [Refs - b0694; b1557]
- b drucei** Moulton, [1912]; *Logania* OD: *J. Straits Brch. R. asiat. Soc.* 60:85, f 9 [b3259] SS: *distanti* Semper, 1887; *Logania* [Type: BMNH-ht] [TypeL - Sarawak, Borneo.] [Refs - b1840; b1571; b4108]

- a **drucei** (Giacomelli), 1914; *Apodemia* OD: An. Soc. cient. argent. 78:165 [b1936] CG: Audre [TypeL - Argentina.] [Refs - b4475; b2221; b1456]
- a **drucei** Lathy, 1926; *Thecla* OD: Ann. Mag. nat. Hist. (9)17:41 [b2918] CG: *Thecla* (New World Eumaeini) [Type: MNHN-ht; Fournier collection.] [TypeL - Santa Catherina, Brazil.] [Note - Closely allied to *mavors* and *paupera*.] [Refs - b0908; b0064; b2591; b2918; b2592]
- a **drucei** (Stempffer), 1954; *Pseuderesia* OD: Bull. Soc. ent. Fr. 59(5/6):89, f 4 [b4385] CG: *Mimeresia* [Refs - b1452; b4385; b4400]
- a **drumila** (Moore), [1866]; *Miletus* OD: Proc. zool. Soc. Lond. 1865(3):777, pl 41, f 12 [b3221] CG: *Allotinus* (*Paragerydus*) [TypeL - Sikkim, India.] [Type of - *Miletographa*] [Refs - b1636; b1153; b2280; b1840; b2747; b3235; b1454; b1571; b3055; b0694]
- b **drunela** Swinhoe, 1910, 1909-1913; *Polyommatus* OD: In Moore, Lep. Ind. 8:27, pl 646, f 3 [b4575] SS: *stoliczkana* (Felder & Felder), 1865; *Polyommatus* [TypeL - Western Himalayas.] [Note - Also seen with *eros*.] [Refs - b1636; b0694; b1455]
- b **drupadi** (Horsfield), [1828], 1828-1829; *Emesis* OD: Descr. Cat. lepid. Ins. (1):explic. pl 2, f 3,3a [b2457] SS: *haquinus* (Fabricius), 1793; *Taxila* [Type of - *Taxila*] [Refs - b2280; b2747; b4474; b1454; b1840]
- e **dryyi** Stichel, 1911, (ISS); *Apodemia* OD: Gen. Insectorum 112(B):288 [b4447] SS: *duryi* (Edwards), 1882; *Apodemia* [Refs - b3192]
- a **drusilla** Field, 1967; *Calycopis* OD: Proc. U. S. natn. Mus. 119(3552):23 [b1737] [Type: USNM-ht; #34900] [TypeL - Province of Limón, La Florida, Costa Rica.] [Refs - b3818; b1737; b2606]
- b **dryadella** Stichel, 1909; *Mesosemia* OD: Berl. ent. Z. 54(1/2):13 [b4444] SS: *naiadella* Stichel, 1909; *Mesosemia* [TypeL - Ecuador.] [Refs - b4474]
- a **dryades** Dognin, 1891; *Baetis* OD: Naturaliste 13=(2)5:125 [b1294] [TypeL - Loja, Ecuador.] [Refs - b4474; b1456]
- a **dryas** Tite & Dickson, 1968; *Aloeides* OD: Bull. Br. Mus. nat. Hist. (Ent.) 21(7):379, pl 5 [b4684] [Type: BMNH-ht] [TypeL - Zoutpansberg, Shilouvane, Transvaal.] [Refs - b4684; b1259; b1452]
- a **dryburghi** van Son, 1966; *Thestor* OD: Ann. Transv. Mus. 25(4):86 [b4812] [TypeL - Kamieskroon, Namaqualand, S. Africa.] [Refs - b1259; b1452]
- c **dryina** (Chapman), [1909]; *Zizera* OD: Trans. ent. Soc. Lond. 56(3/4)(Proc.):lxxxii, pl B, f 2 [b0749] SS: *otis* (Fabricius), 1787; *Zizina* [TypeL - Java.] [Refs - b1636; b0977; b4108]
- a **drymo** (Godman & Salvin), [1886], 1879-1901; *Tmetoglene* OD: Biol. centr.-amer., Lep. Rhop. 1:404 [b1975] CG: *Brachyglenis* [TypeL - Brazil.] [Refs - b4474; b2221; b1453; b1456]
- a **dryope** (Edwards), 1870; *Thecla* OD: Trans. amer. ent. Soc. 3(1):19 [b1499] CG: *Satyrnum* [Type: AMNH-ht] [TypeL - Santa Clara County, California. Restrictcd by Brown, 1970] [Refs - b1530 :196, f 370; b1321 :57; b0908; b2747; b3192; b1500; b4066 (as ssp of *sylvinus*)]
- b **dryope** Grose-Smith & Kirby, 1895, 1887-1902; *Hypochrysops* OD: Rhop. exot. 2(32):15, pl 3, f 1-3 [b2049] SS: *narcissus* (Fabricius), 1775; *Hypochrysops* [Type: ZMHU-lt; designated by Sands, 1986] [Entomograph 7:38 [b3926]] [TypeL - New Guinea.] [Refs - b1450; b3926]
- b **dschagatai** (Grum-Grshimailo), 1887; *Lycaena* OD: In Romanoff, Mém. Léop. 3:400 [b2065] SS: *orbitulus* (Prunner), 1798; *Polyommatus* (*Albulina*) [TypeL - Central Asia.] [Note - Sakai makes this a synonym of *argyrognomon*.] [Refs - b2065; b4094 (as *dschagataica*); b4092]
- e **dschagataica** (Seitz), [1924], 1912-1927, (ISS); *Lycaena* OD: In Seitz, Grossschmett. Erde 9:929 [b4094] SS: *dschagatai* (Grum-Grshimailo), 1887; *Polyommatus* (*Albulina*) [Refs - b4094]
- c **dschagataicus** (O. Bang-Haas), 1915; *Lycaena* OD: Deut. ent. Zeit. [Iris] 29:100 [b0235] SS: *pheretiades* (Eversmann), 1843; *Polyommatus* (*Agriades*) [Refs - b0236; b0235; b0471; b4146]
- c **dua** (Ribbe), 1926; *Tajuria* OD: Ent. Mitt. 15(1):80 [b3742] SS: *anysis* (Hewitson), [1865]; *Dacalana* [Type: SMT-ht] [TypeL - Banggai Island.] [Refs - b3742; b4602]
- b **duaringa** Bethune-Baker, 1905; *Ogyris* OD: Trans. ent. Soc. Lond. 53(3):280 [b0335] SS: *genoveva* Hewitson, [1854]; *Ogyris* [TypeL - Coomoolooloo, Australia.] [Refs - b1450; b4094 (as *duaringae*); b0870; b0335; b0355]
- c **duaringae** (Waterhouse), 1903; *Miletus* OD: Proc. linn. Soc. N. S. Wales 28(1):167 [b4934] SS: *delicia* Hewitson, 1875; *Hypochrysops* [Type: AM-ht] [TypeL - Duaringa, Queensland, Australia.] [Refs - b1450; b2078; b4094; b0870; b4934; b3926; ns1430]
- e **duaringae** Seitz, [1926], 1912-1927, (ISS); *Ogyris* OD: In Seitz, Grossschmett. Erde 9:941 [b4094] SS: *duaringa* Bethune-Baker, 1905; *Ogyris* [Note - An earlier use of this spelling is Waterhouse & Lyell, 1914.] [Refs - b4094; b1475]
- b **dubernardi** (Hemming), 1931; *Maculinea* OD: Trans. ent. Soc. Lond. 79(2):330 [b2239] SS: *coelestis* (Alphéraky), 1897; *Caerulea* [Type: BMNH-st] [TypeL - Tsékou, China.] [Refs - b2479; b2239]
- a **dubernardi** (Riley), 1939; *Thecla* OD: Novit. zool. 41:356 [b3778] CG: *Neozephyrus* [Type: BMNH-ht] [TypeL - Tsekou, Yunnan, China.] [Refs - b3778; b4214; b4200; b3296; b2463]
- b **dubia** Bates, [1868]; *Zelotaea* OD: J. linn. Soc. Lond., Zool. 9:382 [b0267] SS: *phasma* Bates, [1868]; *Zelotaea* [TypeL - Para.] [Refs - b2747; b4474; b1456]
- b **dubia** (Schulz), 1881; *Lycaena* OD: In Stett. ent. Ztg 42:135 [b4021] SS: *idas* (Linnaeus), 1761; *Plebejus* (*Lycaeides*) [TypeL - Banks of Oder.] [Refs - b1780 (as Hering name); b4425; b2355; b0410; ns3410; b4092]
- c **f. dubia** (Kirby), 1890; *Teriomima* OD: Ann. Mag. nat. Hist. (6)6:271 [b2766] SS: *dispar* (Kirby), 1887; *Epitolina* [TypeL - Tropical Africa.] [Refs - b2766; b4400]
- c **dubia** (Aurivillius), 1895; *Hypolycaena* OD: Ent. Tidskr. 16:211 [b0151] SS: *lebana* (Hewitson), [1865]; *Taurra* [TypeL - Cameroons.] [Refs - b0113; b0151; b1452; b0836; b4400]
- c **dubia** Slevogt-Bathen, 1900; *Plebejus* OD: Horae Soc. ent. ross. 34:528 [b4243] SS: *nicias* (Meigen), 1829; *Plebejus* (*Pseudoaricia*) [Refs - b0236]
- e **dubia** (Nordström), 1935; *Lycaena* OD: Int. ent. Z. 29(9):98, f 1,3 [b3410] SS: *argyrognomon* (Bergsträsser), [1779]; *Plebejus* (*Lycaeides*) [Refs - b0410; b3410]
- a **dubia** Jackson, 1964; *Epitola* OD: Bull. Br. Mus. nat. Hist. (Ent.) 15(3):70 [b2563] [Type: BMNH-ht] [TypeL - Mongiro, Bwamba, Uganda.] [Refs - b1452; b4400; b2563]
- a **dubiosa** (Semper), [1879]; *Plebejus* OD: J. Mus. Godeffroy 5(2)(14):159 [b4109] CG: *Prosotas* [Type: BMNH-ht] [TypeL - Queensland, Australia.] [Refs - b4676; b1450; b0964; b1636; b0965; b0938; b0995; b1454; b0870; b4934; b0694; b2388]
- e **f. dubiosa** (Stauder), 1923, 1920-1923; *Lycaena* OD: Z. wiss. Insektbiol. 18:192 [b4310] SS: *semiargus* (Rottemburg), 1775; *Polyommatus* (*Cyaniris*) [Refs - b0236; b0471]

- a **dubiosa** Lathy, 1936; *Thecla* OD: Livre jubilaire de M. Eugene-Louis Bouvier :232, pl 8, f 20 [b2925] CG: *Thecla* (New World Eumaeini) [Type: MNHN-ht; collection of Fournier de Horrack.] [TypeL - Not stated.] [Refs - b0908; b2925; b2591; b2592]
- a **dubiosa** Stempffer & Bennett, 1953; *Baliocbila* OD: Bull. Br. Mus. nat. Hist. (Ent.) 3:90 [b4415] [TypeL - British E. Africa.] [Refs - b1452; b4400]
- a **dubiosa** (Stempffer & Bennett), 1959; *Epamera* OD: Bull. Inst. franç. Afr. Noire 21(A):310, f 188-189 [b4419] CG: *Iolaus* (*Epamera*) [TypeL - Tanganyika; N. Rhodesia.] [Refs - b1452; b4394; b4400]
- b **dubitata** (Grose-Smith), 1899, 1887-1902; *Holochila* OD: Rhop. exot. 3(47):13, pl 4, f 4-6 [b2029] SS: *helena* (Snellen), 1887; *Philiris* [Type: BMNH-ht] [TypeL - Milne Bay, New Guinea.] [Refs - b4677; b1450; b2078]
- a **ducalis** (Westwood), [1851], 1846-1852; *Thecla* OD: In Gen. dium. Lep. (2):pl 77, f 1, (:483) [b4981] CG: *Arcas* [Type: BMNH] [TypeL - Brazil.] [Refs - b0908; b4245; b2747; b2221; b1601; b2497; b3389; b1975]
- b **ducalis** (Fruhstorfer), [1912]; *Aphnaeus* OD: Berl. ent. Z. 56(3/4):218 [b1850] SS: *takanonis* (Matsumura), 1906; *Spindasis* [TypeL - West- und Central-China.] [Refs - b4094; b2479; b1850]
- b **ducas** Fruhstorfer, 1912; *Taxila* OD: Ent. Rundsch. 29(3):23 [b1849] SS: *haquinus* (Fabricius), 1793; *Taxila* [TypeL - Sumatra.] [Refs - b4474; b1454; b1840; b1849]
- c **dukinfieldia** (Zikán), 1946, (ISS); *Phaenochitonina* OD: Livro hom. R. Ferreira d'Almeida (43):347 [b5072] SS: *dukinfieldia* (Schaus), 1902; *Stichelia* [Refs - b5072]
- a **dudgeoni** Riley, 1929; *Eicochrysops* OD: In Trans. ent. Soc. Lond. 77(2):497, pl 30, f 2,4 [b3772] [Type: BMNH-ht] [TypeL - Zaria Province, Nigeria.] [Refs - b1452; b0836; b4400; b3772]
- a **dudgeonii** (de Nicéville), 1894; *Listeria* OD: J. asiat. Soc. Bengal, Pt II 63(1):36, pl 4, f 3 [b1158] CG: *Pamela* [Type: BMNH-ht] [TypeL - Bhutan, N. W. Himalayas.] [Type of - *Listeria*, *Pamela*] [Refs - b2280; b1636; b4094; b0694; b1455]
- b **dueldueli** (Pfeiffer), 1932; *Cupidopsis* OD: In Mitt. münchen. ent. Ges. 22(1):38 [b3590] SS: *acamas* (Klug), 1834; *Apharitis* [TypeL - N. Syria.] [Refs - b0070 (as *düldüli*)]
- a **duelliona** Westwood, [1851], 1846-1852; *Necyria* OD: In Gen. dium. Lep. (2):432 [b4981] [TypeL - Ecuador.] [Refs - b2988; b2747; b4474; b1456]
- b **duessa** Doherty, 1889; *Arhopala* OD: J. asiat. Soc. Bengal, Pt II 58(4):419, pl 23, f 6 [b1301] SS: *epimete* (Staudinger), 1889; *Arhopala* k [Type: BMNH-ht] [TypeL - Tavoy.] [Refs - b1644; b4094; b1454]
- c **ab. duesseldorfensis** (Strand), 1927; *Lycaena* OD: Arch. Naturgesch. (A)91(11):282 [b4529] SS: *icanus* (Rotenburg), 1775; *Polyommatus* [Note - Replacement name for *caeca* Oberthür.] [Refs - b4529 (=caeca); b0236; b0066; b0471]
- a **dufranei** Bouyer, 1991; *Spindasis* OD: Lambillionea 91(3):222, f [b0474] [TypeL - Zaire.] [Refs - b0125]
- b **dugijani** (Schurian & Haeuser), 1981; *Meleageria* OD: Aialanta (Münnerstadt) 12(2):101-111 [b4041] SS: *daphnis* ([Denis & Schiffmüller]), 1775; *Polyommatus* (*Meleageria*) [TypeL - Iran.]
- c **duhameli** Le Moutl, 1940, 1939-1940, (IFS); *Helicopsis* OD: Novit. ent. (13):101 [b2943] SS: *cupido* (Linnaeus), 1758; *Helicopsis* [Type: AME-ht] [Refs - b3199]
- a **duida** Johnson, 1991; *Gigantofalca* OD: Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (21):17, f [b2606] [Type: AMNH-ht] [TypeL - Mt. Duida, Venezuela.] [Refs - b0125; b2606]
- e **dujardini** (Barragué), 1987; *Lysandra* OD: *Linnaea Belgica* 11(1):4 [b0254] SS: *albicans* (Gerhard), 1851; *Polyommatus* (*Lysandra*) [Type: pc-ht; collection of Barragué.] [TypeL - Djebel Bouhalla, Morocco.] [Refs - b0254; b4038]
- b **dujianensis** (Sugiyama), 1992; *Strymondia* OD: *Pallarge* 1:7, f [b4540] SS: *pruni* (Linnaeus), 1758; *Fixsenia* [TypeL - Sichuan, China.] [Refs - b0126]
- a **dukei** van Son, 1951; *Thestor* OD: Ann. Transv. Mus. 21:439 [b4807] [TypeL - S. Africa.] [Refs - b1259; b1452; b4400]
- a **dukei** Cottrell, 1965; *Lepidochrysops* OD: Mem. ent. Soc. sth. Afr. (9):65 [b0969] [TypeL - Worcester, Cape Province, S. Africa.] [Refs - b1259; b1452]
- b **dukei** Dickson, 1967; *Poecilmitis* OD: Ent. Rec. 79:65 [b1241] SS: *felthami* (Trimen), 1904; *Poecilmitis* [TypeL - Roodeberg nr Vink, Cape Province, S. Africa.] [Refs - b1259; b1452]
- a **dukinfieldia** (Schaus), 1902; *Charis* OD: Proc. U. S. nat. Mus. 24(1262):401 [b3948] CG: *Stichelia* [Type: USNM-ht; #5904] [TypeL - Castro, Parana, Brazil.] [Refs - b2988; b4474; b3948; b1456]
- c **dulcis** (Pagenstecher), 1902; *Lycaenesthes* OD: Jb. nass. Ver. Nat. 55:156 [b3542] SS: *otacilia* (Trimen), 1868; *Anthene* [TypeL - Abyssinia.] [Refs - b1452; b4400]
- a **dulcis** Stichel, 1910; *Mesosemia* OD: Gen. Insectorum 112(A):41, pl 24, f 6a [b4446] [Type: pc-st; collection of Stichel] [TypeL - N. W. Matto Grosso, Brazil.] [Refs - b4474; b1456; b4446]
- a **duma** Hewitson, [1878], 1863-1878; *Thecla* OD: Ill. dium. Lep. Lycaenidae 1:211; 2:pl 84, f 713 [b2326] CG: *Thecla* (New World Eumaeini) [Type: pc; Staudinger collection.] [TypeL - Bogotá, Colombia.] [Refs - b0908]
- a **duma** (Hewitson), [1878], 1863-1878; *Dipsas* OD: Ill. dium. Lep. Lycaenidae Suppl.:15, pl 6, f 15 [b2326] CG: *Chrysozephyrus* [Type: BMNH-ht] [TypeL - India bor.] [Refs - b1636; b4094; b3778; b2747; b0236; b4200; b3296; b1454; b0694; b2463]
- a **dumenilii** (Godart), [1824], 1819-1824; *Polyommatus* OD: In Ency. méth. 9(Ins.)(2):677 [b1970] CG: *Arawacus* [TypeL - Antilles?] [Type of - *Polyniphes*] [Refs - b0908; b2280; b1375; b2631]
- c **dumeti** (Behr), 1865; *Nemeobius* OD: Proc. Calif. Acad. Sci. 3(3):178 [b0281] SS: *mommo* (Felder & Felder), 1859; *Apodemia* [Type: destroyed] [Refs - b2747; b3192; b1321]
- a **dumetorum** (Boisduval), 1852; *Thecla* OD: Anns Soc. ent. Fr. (2)10:291 [b0467] CG: *Calophrys* [Type: USNM-ht] [TypeL - California.] [LifeH - Tietz lists b0931, b0875.] [Refs - b1530 :210, f 399; b1321 :58; b0908; b2747; b0995; b0236; b3192; b2406; b0467; b2585; b4066; b4652]
- b **dumoides** (Tytler), 1915; *Zephyrus* OD: J. Bombay nat. Hist. Soc. 24(1):127, pl 4, f 39 [b4772] SS: *desgodinsi* (Oberthür), 1886; *Chrysozephyrus* [Type: BMNH-ht] [TypeL - India.] [Refs - b1636; b0236; b4214; b3296; b1454; b0694; b2463]
- a **dunia** Kirby, 1887; *Epitola* OD: Ann. Mag. nat. Hist. (5)19:443 [b2764] [Refs - b3842; b1452; b0836; b4400]
- b **duofacies** (Johnson & Balogh), 1977; *Lycaena* OD: Bull. Allyn Mus. (43):21, f 13a,19,20 [b2621] SS: *rubidus* (Behr), 1866; *Chalceria* [Type: AME-ht] [TypeL - Bogus Basin, Near Boise, Boise County, Idaho.] [Refs - b2621; b3191; b3192; b3189]
- c **duplex** (Alphéraky), 1887; *Lycaena* OD: In Romanoff, Mém. Lép. 3:405 [b0044] SS: *prosecusa* (Erschoff), 1874; *Cupido* [Refs - b0995; b1762; b4092]
- c **ab. duplex** (Cockerell), 1889; *Lycaena* OD: Entomologist 22:6 [b0864] SS: *argus* (Linnaeus), 1758; *Plebejus* [Refs - b0471]

- c **duplicata** (A. Bang-Haas), 1910; *Lycaena* OD: Deut. ent. Zeit. [Iris] 24:30 [b0233] SS: juldusa (Staudinger), 1886; *Polyommatus* (*Agrodiaetus*) [TypeL - Tuldus.] [Note - Perhaps this belongs with *damone* Eversmann.] [Refs - b1772; b0236; b0471]
- c **duplicata** Toxopeus, 1930; *Catopyrops* OD: De soorte als Functie :149 [b4702] SS: subfestivus (Röber), [1886]; *Catopyrops* [TypeL - Kalawara, Central Celebes.] [Refs - b4676; b1450; b4702]
- a **duplicata** Johnson, 1992; *Rhamma* OD: Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (22):145, f [b2611] [Type: MNHN-ht] [TypeL - Mendoza", Argentina.] [Refs - b0125; b2611]
- a **duplicatis** Johnson & Kroenlein, 1993; *Angulopsis* OD: Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (34):38, f [b2628] [Type: AMNH-ht] [TypeL - Coatepec, Mexico.] [Refs - b2628]
- a **duponchelli** (Godart), [1824], 1819-1824; *Polyommatus* OD: In Ency. méth. 9(Ins.)2:677 [b1970] CG: Cupido (?) [TypeL - Regio Indica.] [Refs - b2747]
- c **duponti** Dufrane, 1953; *Hemiolaus* OD: Bull. Anns Soc. ent. Belg. 89:53 [b1410] SS: caeculus (Hopffer), 1855; *Hemiolaus* [TypeL - Kivu, Zaire.] [Refs - b4400; b1410]
- a **durbani** Trimen, 1887, 1887-1889; *Lachnocnema* OD: In Trimen & Bowker, S. Afr. Butts 2:236 [b4725] [TypeL - S. Africa.] [Refs - b1943; b1259; b1452; b4400]
- a **durbania** (Bethune-Baker), 1915; *Pentila* OD: Ann. Mag. nat. Hist. (8)16:189 [b0353] CG: *Liptena* [TypeL - Cameroons.] [Refs - b1452; b4400]
- a **durga** (Kollar), [1844]; *Melitaea* OD: In Hügel, Kaschmir 4(2):441, pl 13, f 3,4 [b2821] CG: *Dodona* [TypeL - Simla.] [Type of - *Dodona*] [Refs - b1636; b1149; b4245; b2988; b2280; b2747; b4473; b0236; b1454; b1840; b4092]
- b **duryi** (Edwards), 1882; *Lemonias* OD: *Papilio* 2(3):47 [b1517] SS: momo (Felder & Felder), 1859; *Apodemia* [Type: CM-lt; designated by Brown, 1968] [Trans. amer. ent. Soc. 94(4):121 [b0507]] [TypeL - Organ Mtns., 5 mi. E Mesilla, Dona Ana Co., New Mexico.] [Refs - b4475; b3192; b1743; b0493; b0865; b1321; b4690; b4066]
- a **dushak** Dubatolov, 1989; *Turanana* OD: Trudy zool. Inst., Leningr. 200:136-140 [b1393] [Type: ht; Leningrad?] [TypeL - Mt. Dushak, Turkmenistan.]
- a **dushak** (Zhdanko), 1990; *Thersamonia* OD: Ent. Obozr. 69(1):136, f [b5066] CG: *Lycaena* (*Thersamonia*) [TypeL - Turkmenistan.] [Refs - b0124]
- b **dusunensis** Barlow & Banks & Holloway, 1971; *Arhopala* OD: Orient. Insects 5(3):291 [b0239] SS: paraganesa (de Nicéville), 1882; *Arhopala* o [TypeL - Mt. Kinabalu, Sabah, Borneo.] [Refs - b0102; b2200; b1454; b4108]
- b **dusuntua** Corbet, 1940; *Anthene* OD: Entomologist 73:40 [b0951] SS: licates (Hewitson), 1874; *Anthene* [Type: BMNH-ht] [TypeL - Selangor, Malay Peninsula.] [Refs - b0964; b0965; b1454]
- b **duvalii** Perty, 1834, 1830-1834; *Stalachtis* OD: Delect. Anim. art. Bras. :153, pl 30, f 1,1b [b3580] SS: phaedusa Hübner, [1818]; *Stalachtis* [TypeL - Upper Amazon.] [Refs - b2747; b4476; b1456]
- b **duvana** (Fruhstorfer), 1915; *Lampides* OD: Arch. Naturgesch. (A)81(6):24 [b1865] SS: aratus (Stoll), [1781]; *Jamides* [TypeL - Dampier.] [Refs - b1450; b4094; b1865]
- a **dux** Riley, 1926; *Polyommatus* OD: Ent. mon. Mag. 62:278, pl 3, f 4,5 [b3760] CG: *Polyommatus* [Type: BMNH-ht] [TypeL - N. Kumaon, India.] [Note - Usually seen as a subspecies or *eros*.] [Refs - b0109; b0236; b0694; b0471; b1455]
- a **dydimaon** (Cramer), [1777], 1775-1790; *Papilio* OD: Uil. Kapellen 2(12):59, pl 134, f A [b1069] CG: *Thecla* (New World *Eurmaeni*) [TypeL - Surinam.] [Refs - b0908; b2988 (as *didymaon*); b2747 (as *didymaon*)]
- e **dyeri** Le Moul, 1940, 1939-1940, (IFS); *Helicopsis* OD: Novit. ent. (14):108 [b2943] SS: *cupido* (Linnaeus), 1758; *Helicopsis* [Type: MNHN-pt] [Refs - b3199]
- c **dymus** (Herbst), 1804, 1788-1804; *Papilio* OD: In Jablonsky, Natursyst. Ins., Schmett. 11:pl 309, f 10,11 [b2306] SS: alexis (Poda von Neuhaus), 1761; *Glaucopsyche* [Refs - b2747; b0993]
- c **dyndima** (Cramer), [1780], 1775-1790; *Papilio* OD: Uil. Kapellen 3(23):142, pl 271, f G,H. [b1069] SS: *lucinda* (Cramer), [1775]; *Emesis* [Type of - *Aphaciis*] [Refs - b2280; b2747; b4475; b3192]
- a **dyopa** (Herrich-Schäffer), 1869; *Lycaena* OD: Stett. ent. Ztg 30(1-3):75 [b2317] CG: *Nacaduba* [TypeL - Overlau.] [Refs - b4676; b1450; b2387; b2388]
- e **dyrophora** Biezanko & Mielke & Wedderhoff, 1978, (ISS); *Chamaelirnas* OD: Acta biol. parana. 7(1-4):12 [b0419] SS: *doryphora* Stichel, 1910; *Chamaelirnas* [Refs - b0419]
- c **dyrrhachius** Seitz, [1917], 1910-1924; *Euselasia* OD: In Seitz, Grossschmett. Erde 5:624 [b4093] SS: *eutychus* (Hewitson), [1856]; *Euselasia* [TypeL - Not stated.] [Refs - b4474; b4093]
- a **dysmenia** Draudt, [1919], 1917-1924; *Theorema* OD: In Seitz, Grossschmett. Erde 5:745, pl 153-a [b1348] [Type: BMNH; Fossil collection.] [TypeL - Uper Rio Negro, Colombia.] [Refs - b0908]
- a **dysonii** (Saunders), [1850]; *Erycina* OD: Trans. ent. Soc. Lond. (1)5(9):218, pl 20, f 1,1a,2,2a [b3938] CG: *Rhemus* [Type: BMNH?] [TypeL - Venezuela.] [Refs - b2988; b2747; b4474; b1456]
- b **dzhemagate** (Sheljuzhko), 1934; *Lycaena* OD: Z. öst. EntVer. 19:31 [b4172] SS: *loewii* (Zeller), 1847; *Polyommatus* (*Plebejidea*) [TypeL - N. Caucasus.] [Check - Spelling.] [Refs - b0072; b1455 (as *dzhemegati* :504)]
- c **eanes** (Godman), 1903; *Mesene* OD: Trans. ent. Soc. Lond. 51(4):540, pl 22, f 8 [b1972] SS: *pyrsodes* (Bates), [1868]; *Phaenochitonina* [TypeL - Amazons.] [Refs - b4474]
- b **eanides** Stichel, 1929; *Phaenochitonina* OD: Mitt. zool. Mus. Berl. 15:19 [b4470] SS: *pyrsodes* (Bates), [1868]; *Phaenochitonina* [TypeL - Colombia.] [Refs - b4474; b4470]
- c **ebenina** Clench, 1972; *Celastrina* OD: Ann. Cam. Mus. 44(4):34, f [b0848] SS: *nigra* (Forbes), 1960; *Celastrina* [Type: CM-ht] [TypeL - Coalburgh, Kanawha County, West Virginia.] [Refs - b4898; b0528; b3192; b0856; b1580; b3512; b4897; b4066; b1722; b4070]
- b **eberalda** Fruhstorfer, 1907; *Amblypodia* OD: Ent. Zeit. 21(24):150 [b1825] SS: *annetta* Staudinger, [1888]; *Amblypodia* [TypeL - Deutsch New Guinea.] [Refs - b1450; b4094; b1825]
- b **eberalda** Fruhstorfer, 1908; *Curetis* OD: Stett. ent. Ztg 69:51 [b1835] SS: *theis* (Drury), [1773]; *Curetis* [TypeL - Key Islands.] [Refs - b1450; b4094; b1835]
- a **eberti** Forster, 1972; *Lycaena* OD: Ent. Zeit. 82(20):225, f [b1777] CG: *Lycaena* (*Thersamonia*) [Type: ZSBS-ht] [TypeL - Band i Amir, Afghanistan.] [Note - Described as ssp. of *lampon*.] [Refs - b0115; b1777]
- c **eberti** (Koçak), 1979; *Agrodiaetus* OD: *Atalanta* (Münnerstadt) 10(4a):318, f [b2789] SS: *banthae* (Pfeiffer), 1932; *Polyommatus* (*Agrodiaetus*) [Type: DSZUA-ht] [TypeL - Demirkazik, Niğde Province, S. Turkey.] [Refs - b0111; b2789; b0124]

- b eborata** Tite, 1963; *Prosotas* OD: Bull. Br. Mus. nat. Hist. (Ent.) 13(4):96, pl 2, f 10-11 [b4676] SS: *dubiosa* (Semper), [1879]; *Prosotas* [Type: BMNH-ht] [TypeL - N. side of Choiseul Island, Solomon Islands.] [Refs - b4676; b1450]
- e eburnea** Le Moul, 1940, 1939-1940, (IFS); *Helicopis* OD: Novit. ent. (15):120 [b2943] SS: *cupido* (Linnaeus), 1758; *Helicopis* [Type: AME-ht] [Refs - b3199]
- e eburneobasalis** Le Moul, 1940, 1939-1940, (IFS); *Helicopis* OD: Novit. ent. (15):119 [b2943] SS: *cupido* (Linnaeus), 1758; *Helicopis* [Type: AME-ht] [Refs - b3199]
- e eburneomarginata** Le Moul, 1940, 1939-1940; *Helicopis* OD: Novit. ent. (15):117 [b2943] SS: *cupido* (Linnaeus), 1758; *Helicopis* [Type: AME-ht] [Refs - b3199]
- e eburneoradiata** Le Moul, 1940, 1939-1940; *Helicopis* OD: Novit. ent. (15):117 [b2943] SS: *cupido* (Linnaeus), 1758; *Helicopis* [Type: AME-ht] [Refs - b3199]
- c ecaudata** Butler, 1900; *Talicauda* OD: Ann. Mag. nat. Hist. (7)5:61 [b0654] SS: *nyseus* (Guérin-Méneville), [1843]; *Talicauda* [Type: biblio] [Note - A new name for *nyseus* *Staudinger, [1888], 1884-1888 (In Exot. Schmett., 1:271).*] [Refs - b0654; b0162]
- e ab. ecaudata** Oberthür, 1910; *Lampides* OD: Étud. Léop. comp. 4:157 [b3451] SS: *boeticus* (Linnaeus), 1767; *Lampides* [Refs - b0236; b0400; b0471]
- c f. ecaudata** Stempffer, 1950; *Cacyreus* OD: Revue fr. Ent. 17(2):144, f [b4377] SS: *palemon* (Stoll), [1782]; *Cacyreus* [TypeL - Basutoland.] [Refs - b1259; b4400]
- a ecaudata** Gifford, 1963; *Deudorix* OD: Entomologist 96:43 [b1942] CG: *Deudorix* (*Virachola*) [Type: biblio; replacement for *dohertyi* Bethune-Baker, 1905] [Refs - b1943; b1452; b4400; b1942]
- b ecbatana** (Hewitson), 1868; *Thecla* OD: Descr. new Spec. Lycaenidae :24 [b2327] SS: *cleon* (Fabricius), 1775; *Rubroserrata* [Type: BMNH-lt; designated by Johnson & Kroenlein, 1993] [Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (34):22 [b2628]] [TypeL - Amazon.] [Refs - b0908; b2747; b1375; b2628]
- e echeilea** (Seitz), [1924], 1912-1927, (ISS); *Lampides* OD: In Seitz, *Grossschmett. Erde* 9:911 [b4094] SS: *ccheilea* (Fruhstorfer), 1915; *Jamides* [Refs - b4094]
- a echelta** Hewitson, [1867], 1863-1878; *Thecla* OD: Ill. dium. Lep. Lycaenidae 1:109; 2:pl 44, f 187,188 [b2326] CG: *Thecla* (New World Eumaeini) [Type: BMNH] [TypeL - Tápajos, Amazon.] [Refs - b0908; b2747]
- a echerius** (Stoll), [1790], 1780-1790; *Papilio* OD: In Cramer, *Uitl. Kapellen Aanh.*:140, 383, pl 27, f 4,4d (or pl 31, f 1,1a) [b4478] CG: *Abisara* [TypeL - India.] [Refs - b1636; b1149; b2988; b0294; b2747; b1454; b1840; b4092]
- b echidna** Seitz, [1917], 1910-1924; *Melanis* OD: In Seitz, *Grossschmett. Erde* 5:661 [b4093] SS: *ubia* (Felder & Felder), 1865; *Melanis* [TypeL - San Estaban, Venezuela.] [Refs - b4474; b4093]
- a echinita** (Schaus), 1902; *Thecla* OD: Proc. U. S. natn. Mus. 24(1262):418 [b3948] CG: *Angulopsis* [Type: USNM-ht; #5946] [TypeL - Orizaba, Mexico.] [Refs - b0908; b3948; b2627]
- b echiolus** (Draudt), [1920], 1917-1924; *Thecla* OD: In Seitz, *Grossschmett. Erde* 5:786, pl 156-f [b1348] SS: *echion* (Linnaeus), 1767; *Tmolus* [TypeL - Mexico.] [Refs - b0908; b2988 (as *echion*); b1530 :200, f 377; b2988; b3192]
- a echion** (Linnaeus), 1767; *Papilio* OD: Syst. nat. (ed. 12) 1(2):788 [b2997] CG: *Tmolus* [TypeL - In America.] [Type of - *Tmolus*] [Check - Described from a written description and figure. The written description refers to *Strymon basilides* and the figure to *echion*. An application to the Commission will be needed to assure stability.] [Refs - b0908; b4245; b2280; b3390; b1321 :56; b2747; b1743; b1375; b1975; b2221; b3818; b3192; b3806; b2631; b2589; b4066; b2918]
- c echion** (Süchel), 1910; *Echenais* OD: Berl. ent. Z. 55(1/2):36 [b4445] SS: *penthea* (Cramer), [1777]; *Adelotypa* [TypeL - Camaria, British Guiana.] [Refs - b4475]
- b echo** (Edwards), 1864; *Lycaena* OD: Proc. ent. Soc. Philad. 2(4):506 [b1493] SS: *argiolus* (Linnaeus), 1758; *Celastrina* [Type: CM-nt; designated by Brown, 1970] [Trans. amer. ent. Soc. 96:430 [b0510]] [TypeL - San Francisco, California. Restricted by Brown & Clench, 1970.] [Refs - b0908; b3192; b0856; b2747; b1580; b1321; b4066]
- c echo** (Grose-Smith & Kirby), 1890, 1887-1902; *Liptena* OD: Rhop. exot. 1(13):40, pl 10, f 4,5 [b2049] SS: *acraea* (Westwood), [1851]; *Telipna* [TypeL - Ashanti.] [Refs - b0836; b4400]
- c echo** Sands, 1986; *Hypochrysops* OD: Entomograph 7:90 [b3926] SS: *heros* Grose-Smith, 1894; *Hypochrysops* [Type: biblio; replacement for *mioswara* Bethune-Baker, 1913] [TypeL - Mioswar Island, Geelvink Bay, North New Guinea.] [Refs - b3926]
- b eckweileri** Koçak, 1979; *Glaucoopsyche* OD: *Atalanta* (Münnerstadt) 10(4a):310, f [b2789] SS: *astraea* (Freyer), 1852; *Glaucoopsyche* [Type: DSZUA-ht] [TypeL - Kohu mountains, Antalya Province, S. W. Turkey.] [Refs - b0111; b2789]
- a eckweileri** (Lukhtanov), 1993; *Neolycaena* OD: *Atalanta* (Münnerstadt) 24(1/4):61-70 [b3033] CG: *Satyrium* (*Neolycaena*)
- b ecleetus** (Grose-Smith), 1894; *Lampides* OD: Novit. zool. 1:589 [b2037] SS: *nemophila* (Butler), 1876; *Jamides* [TypeL - New Guinea.] [Refs - b4671; b1450; b4094; b1865]
- b eclypsis** Seitz, [1917], 1910-1924; *Panara* OD: In Seitz, *Grossschmett. Erde* 5:657, pl 132d [b4093] SS: *thisbe* (Fabricius), 1781; *Panara* [TypeL - Espiritu Santo.] [Refs - b1456]
- e ecephanthus** d'Abrera, 1986, (ISS); *Pratapa* OD: Butts Oriental Region, Pt 3 :611 [b1454] SS: *ecphantus* (Fruhstorfer), [1912]; *Pratapa* [Refs - b1454]
- b ecephantus** (Fruhstorfer), [1912]; *Camena* OD: Berl. ent. Z. 56(3/4):206 [b1850] SS: *icetoides* (Elwes), [1893]; *Pratapa* [TypeL - Ost-Java.] [Refs - b4094; b2201; b1850; b1454 (as *ecephanthus*)]
- b ectabanensis** (de Lesse), 1964; *Agrodiaetus* OD: *Alexanor* 3:167 [b1132] SS: *altivagans* (Forster), 1956; *Polyommatus* (*Agrodiaetus*) [TypeL - Persia.]
- b ecuadorensis** Lathy, 1926; *Euselasia* OD: Entomologist 59:146 [b2919] SS: *archelaus* Seitz, [1917]; *Euselasia* [TypeL - Ecuador.] [Refs - b4474]
- b ecuadorensis** Lathy, 1932; *Brachyglenis* OD: Ann. Mag. nat. Hist. (10)9:66 [b2922] SS: *esthema* Felder & Felder, 1862; *Brachyglenis* [Type: BMNH-st] [TypeL - Ecuador.] [Refs - b2922]
- a ecuadorica** (Strand), 1911; *Ithomeis* OD: Ent. Rundsch. 28:150 [b4502] CG: *Nahida* [TypeL - Ecuador.] [Check - Spelling.] [Refs - b4474; b4528; b1456 (as *ecuadorica* :953)]
- b ecyla** Seitz, [1927], 1912-1927; *Eooxylides* OD: In Seitz, *Grossschmett. Erde* 9:1117 [b4094] SS: *tharis* (Geyer), [1837]; *Eooxylides* [TypeL - S. W. Borneo.] [Note - Seitz attributed the name to Fruhstorfer.] [Refs - b4094; b4108]

- c **eda** Fruhstorfer, 1908; Curetis OD: Steu. ent. Ztg 69:54 [b1835] SS: jopa Fruhstorfer, 1908; Curetis [Type: BMNH-ht] [TypeL - Java.] [Refs - b0936; b1835; b4094; b4108]
- a **editha** (Mead), 1878; Chrysophanus OD: Can. Ent. 10(10):198 [b3141] CG: Gaeides [Type: FMNH-st] [TypeL - Lake Tahoe, near Camelian Bay, California.] [Note - May be a subspecies of *xanthoides*.] [Refs - b1530 :224, f 432; b1321 :60; b0908; b3191; b4220; b0178; b3192; b3189; b1134 (n=24); b4066; b3814]
- c **edna** (Doubleday), 1843; Lycaena OD: In Dieffenbach 2(appx):283 [b1326] SS: salustius (Fabricius), 1793; Helleia [Refs - b1450; b2488; b2747; b1697; b4094]
- b **edonus** (Fruhstorfer), 1913; Gerydus OD: Z. wiss. InsektBiol. 9(9):244 [b1851] SS: symethus (Cramer), [1777]; Miletus 4 [TypeL - Palawan.] [Refs - b1546; b1840]
- a **edwardsi** (Gabriel), 1939; Virachola OD: Ruwenzori Exp. 3(3):74, f [b1905] CG: Deudorix (Virachola) [TypeL - Ruwenzori.] [Refs - b1452; b4400]
- a **edwardsii** (Grote & Robinson), 1867; Thecla OD: Trans. amer. ent. Soc. 1(2):172 [b2060] CG: Satyrium [Type: AMNH-nt; designated by Michener & dos Passos, 1942] [Amer. Mus. Novit. (1210):4 [b3175]] [TypeL - Queenstown, Ontario.] [LifeH - Tietz lists b0906, b1695, b2429, b4088, b4090.] [Note - It is doubtful the neotype selection meets the qualifying conditions of the code (Article 75(d)), and thus it could be rejected.] [Refs - b0908; b0851 (by Scudder); b3192; b4956; b3512; b1743; b1321; b1471; b2631; b4218; b4066; b4652]
- b **effima** (Hewitson), 1869, 1869-1877; Eurygona OD: Equatorial Lep. Buckley (3):46 [b2330] SS: euryone (Hewitson), [1856]; Euselasia [TypeL - Ecuador.] [Refs - b2747; b4474]
- b **efulena** Clench, 1963; Axiocerses OD: J. New York ent. Soc. 71(3):183 [b0831] SS: harpax (Fabricius), 1775; Axiocerses [TypeL - Cameroon.] [Refs - b0831; b0528; b1452; b4400]
- c **ega** Ménétrés, 1857, 1855-1857, (NN); Symmachia OD: Enum. corp. anim. 2:80 [b3152] [Refs - b4474]
- b **egabella** Bates, [1868]; Mesosemia OD: J. linn. Soc. Lond., Zool. 9:374 [b0267] SS: philodes (Linnaeus), 1758; Mesosemia [TypeL - Amazon sup.] [Refs - b2747; b4474]
- b **egaensis** Butler, [1867]; Lemonias OD: J. linn. Soc. Lond., Zool. 9:225, pl 6, f 28 [b0586] SS: zygia Hübner, [1807]; Lemonias [TypeL - Ega.] [Refs - b2747; b4474]
- b **egea** (Herrich-Schäffer), [1852], 1843-1856; Lycaena OD: Syst. Bearb. Schmett. Europ. 6:25 [b2313] SS: bavius (Eversmann), 1832; Rubrapterus [TypeL - Turkey.] [Refs - b0111; x0276; b2789 (in Pseudophilotes); b2860]
- b **egena** (Felder & Felder), 1865, 1865-1875; Anops OD: Reise Novara (2):222 [b1692] SS: insularis (Horsfield), [1829]; Curetis [TypeL - Gilolo.] [Refs - b1450; b2747; b4094]
- a **egeon** (Westwood), [1851], 1846-1852; Taxila OD: In Gen. dium. Lep. (2):pl 69, f 2, (:422) [b4981] CG: Dodona [TypeL - India.] [Refs - b0964; b1636; b1149; b2988; b0965; b2747; b4473; b1454; b1840; b4092]
- a **egeria** Biedermann, 1936; Mimocastnia OD: Bull. Soc. ent. Fr. 41(15):258, pl 3, f 5,6 [b0417] [Type: MNHN-ht] [TypeL - French Guiana.] [Refs - b0417; b1456]
- a **egerides** (Riley), 1938; Phasis OD: Trans. R. ent. Soc. Lond. 87(10):238 [b3777] CG: Aloeides [Type: BMNH-ht] [TypeL - Simon's Town, S. Africa.] [Refs - b4684; b1259; b1452; b4400; b3777]
- b **eggletoni** (Corbet), 1941; Zizeria OD: Hongkong Nat. 10(3/4):150 [b0957] SS: alsulus (Herrich-Schäffer), 1869; Famegana [TypeL - Hong Kong.] [Refs - b2650]
- b **eglawe** Brévignon & Gallard, 1993; Euselasia OD: Bull. Soc. Sci. Nat. (77):20, f [b0491] SS: urites (Hewitson), [1855]; Euselasia [TypeL - French Guiana.] [Refs - b0126]
- c **egyptiaca** (Bethune-Baker), 1894; Lycaena OD: Trans. ent. Soc. Lond. 42(1):33, pl 1, f 1 [b0325] SS: piriuous (Linnaeus), 1767; Leptotes [TypeL - Alexandria.] [Note - Often seen as *aegyptiaca*.] [Refs - b2905 (as *aegyptiaca*); b3547 (as *aegyptiaca*); b2903; b0995]
- b **egyptiaca** Riley, 1925; Aphanis OD: Novit. zool. 32:88 [b3759] SS: acamas (Klug), 1834; Aphanis [TypeL - Egypt.] [Refs - b2905; b0236; b0471]
- a **eichhorni** (Staudinger), [1888], 1884-1888; Jalmenus OD: In Exot. Schmett. 1:275 [b4329] CG: Jalmenus [TypeL - Cooktown.] [Refs - b1450; b4094; b0870; b4934]
- b **eichhorni** (Evans), 1957; Narathura OD: Bull. Br. Mus. nat. Hist. (Ent.) 5(3):116 [b1644] SS: philander Felder & Felder, 1865; Arhopala h [Type: BMNH-ht] [TypeL - New Ireland.] [Refs - b1644; b1450]
- a **eicotrichilus** Bethune-Baker, 1924; Eicochrysops OD: Ann. Mag. nat. Hist. (9)14:132 [b0360] [TypeL - Africa.] [Type of - Eicochrysops] [Refs - b1943; b2280; b3796; b1452; b0360; b4400]
- b **eidothea** Butler, 1873; Zelotaea OD: Cistula Entomologica 1(7):171 [b0596] SS: phasma Bates, [1868]; Zelotaea [TypeL - Rio de Janeiro, Brazil.] [Note - Not spelled *idothea*.] [Refs - b4475; b2753 (as *idothea*); b1456]
- a **eiselei** Johnson, 1992; Pontirama OD: Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (22):44, f [b2610] [Type: AMNH-ht] [TypeL - Dept. Caldera, Prov. Salta, Argentina.] [Refs - b0125; b2610]
- a **eiselei** Johnson, 1992; Penaincisalia OD: Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (22):165, f [b2611] [Type: FMLT-ht] [TypeL - Villazon, Bolivia.] [Refs - b0125; b2611]
- a **eiseleurum** Johnson, 1992; Thecloxurina OD: Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (22):7, f 5,101 [b2610] [Type: AMNH-ht] [TypeL - Parque Nacional Callilegua, Dept. Ledesma, Jujuy Province, Argentina.] [Refs - b2610]
- b **eitschbergeri** (Kocak), 1975; Pseudophilotes OD: Atalanta (Münnerstadt) 6(1):51, f [b2787] SS: bavius (Eversmann), 1832; Rubrapterus [TypeL - Camlidere, Urfa Province, Turkey.] [Refs - b0107; b2788]
- a **eitschbergeri** Johnson, 1993; Argentostriatius OD: Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (36):15, f [b2615] [Type: BMNH-ht] [TypeL - French Guiana.] [Refs - b2615]
- a **eitschbergeri** Lukhtanov, 1993; Athamanthia OD: Atalanta (Münnerstadt) 24(14):71-74 [b3034] CG: Athamanthia [TypeL - Kyrgyzstan.]
- a **eikei** Bethune-Baker, 1904; Dicallaneura OD: Novit. zool. 11:370 [b0334] [TypeL - Ekeiki, Owen-Stanley Mountains, New Guinea.] [Refs - b1450; b4474; b1840]
- a **eikei** (Bethune-Baker), 1908; Thysonotis OD: Proc. zool. Soc. Lond. 1908(1):124, pl 9, f 1 [b0340] CG: Danis [TypeL - New Guinea.] [Refs - b2078]
- a **eketi** Bethune-Baker, 1926; Liptena OD: Ann. Mag. nat. Hist. (9)17:391 [b0362] [TypeL - S. Nigeria.] [Refs - b1452; b4400]
- c **ela** Hewitson, [1874], 1863-1878; Thecla OD: Ill. dium. Lep. Lycaenidae 1:171; 2:pl 67, f 488,489 [b2326] SS: ergina Hewitson, [1867]; Thecla (New World Eumaeini) [Type: BMNH] [TypeL - Cayenne.] [Refs - b0908; b2747]
- c **elaborata** (Lucas), 1900; Lycaena OD: Proc. R. Soc. Qd 15:137 [b3028] SS: tasmanicus (Miskin), 1890; Erysichton [TypeL - Brisbane, Queensland, Australia.] [Refs - b4676; b1450; b4934]
- e **ab. elachista** (Dannehl), 1927; Lycaena OD: Mit. münchn. ent. Ges. 17:7 [b1102] SS: dolus (Hübner), [1823]; Polyommatus (Agrodiaetus) [Refs - b0236; b0471]

- a **elgneri** (Waterhouse & Lyell), 1909; *Miletus* OD: *Victorian Nat.* 26(8):114 [b4945] CG: *Hypochrysops* [Type: AM-lt; designated by Sands, 1986] [Entomograph 7:29 [b3926]] [TypeL - Prince of Wales Island.] [Refs - b1450; b0870; b4094; b3926]
- b **elgnae** Talbot, 1935; *Mimacraea* OD: *Ent. mon. Mag.* 71:71, pl 1, f 3; pl 3, f 5 [b4623] SS: *krausei* Dewitz, 1889; *Mimacraea* [TypeL - Uganda.] [Refs - b4623; b4400]
- a **elgnae** Stempffer, 1950; *Lepidochrysops* OD: *Revue fr. Ent.* 17(2):147 [b4377] [TypeL - Kenya.] [Refs - b1452; b4400]
- b **elgnae** Stempffer & Bennett, 1958; *Iolaus* OD: *Bull. Inst. franç. Afr. Noire* 20(A):1291 [b4418] SS: *crawshayi* (Butler), [1901]; *Iolaus* (*Argiolaus*) [TypeL - Kenya.] [Refs - b1452; b4400]
- b **elgonensis** (Aurivillius), 1925; *Lycaenesthes* OD: *Ent. Tidskr.* 46:210 [b0173] SS: *hobleyi* (Neave), 1904; *Anthene* [TypeL - E. Africa.] [Refs - b1452; b4400]
- d **elgonensis** Stempffer, 1936, (H); *Anthene* OD: *Revue fr. Ent.* 3:135 [b4364] OS: *jeanneli* Stempffer, 1961; *Anthene* [TypeL - Mt. Elgon, Kenya.] [Refs - b4400; b4393]
- b **eliana** Fruhstorfer, 1916; *Nacaduba* OD: *Zoöl. Meded.* 2(2):128 [b1873] SS: *berenicæ* (Herrich-Schäffer), 1869; *Nacaduba* [Type: BMNH-ht] [TypeL - Celebes.] [Refs - b4676; b4094; b1454]
- a **eliatha** Hewitson, [1867], 1863-1878; *Thecla* OD: *Ill. diurn. Lep. Lycaenidae* 1:112; 2:pl 41, f 141,142 [b2326] CG: *Thecla* (*New World Eumaeini*) [Type: BMNH] [TypeL - Brazil.] [Refs - b0908; b2747]
- a **elicola** (Strand), 1911; *Cupido* OD: *Ent. Rundsch.* 28:138 [b4501] CG: *Chilades* [TypeL - Abyssinia.] [Refs - b0714; b1452; b4528; b4400]
- a **elika** Hewitson, [1867], 1863-1878; *Thecla* OD: *Ill. diurn. Lep. Lycaenidae* 1:101; 2:pl 41, f 143,144 [b2326] CG: *Thecla* (*New World Eumaeini*) [Type: BMNH] [TypeL - Rio Grande".] [Refs - b0908; b2747]
- a **elima** (Moore), 1877; *Aphnaeus* OD: *Ann. Mag. nat. Hist.* (4)20:51 [b3224] CG: *Spindasis* [TypeL - NW India.] [Refs - b1636; b4094; b0996; b0625; b0694; b0695; b4092]
- c **elimes** Dyar, 1914; *Thecla* OD: *Proc. U. S. nat. Mus.* 47:149 [b1444] SS: *uterkudante* H. H. Druce, 1907; *Thecla* (*New World Eumaeini*) [Type: USNM-ht; #15756] [TypeL - Trinidad River, Panamá.] [Refs - b0908]
- e **elina** (Fruhstorfer), 1918, (IFS); *Castalius* OD: *Tijdschr. Ent.* 61:37 [b1884] SS: *noliteia* (Fruhstorfer), 1918; *Caleta* [Refs - b1636; b1840; b0694]
- b **elinas** Rebillard, 1958; *Metacharis* OD: *Mém. Mus. nat. Hist. nat.* (A)15:197, pl 4, f 6 [b3717] SS: *melusina* Staudinger, [1887]; *Metacharis* [Type: MNHN-ht] [TypeL - Uypiranga, Amazone.] [Note - This may not be the original description.] [Refs - b3717]
- c **elion** Westwood, [1851], 1846-1852; *Epitola* OD: *In Gen. diurn. Lep.* (2):pl 68, f 5, (:471) [b4981] SS: *posthumus* (Fabricius), 1793; *Epitola* [TypeL - Ashanti.] [Type of - Epitola] [Refs - b2280; b3842; b2747; b4400]
- b **elioti** Corbet, 1938; *Nacaduba* OD: *Trans. R. ent. Soc. Lond.* 87(5):133, pl 1, f 25,32 [b0938] SS: *sanaya* Fruhstorfer, 1916; *Nacaduba* [Type: BMNH-ht] [TypeL - Singapore.] [Refs - b0964; b4676; b0965; b0938; b1454; b0694; b4108]
- c **elioti** Corbet, 1939; *Allotinus* OD: *Trans. R. ent. Soc. Lond.* 89(5):76 [b0944] SS: *borneensis* Moulton, [1912]; *Allotinus* (*Fabitaras*) [Type: BMNH-ht] [TypeL - West Malaysia.] [Refs - b0964; b0965; b1571; b4108]
- b **elioti** Corbet, 1940; *Simiskina* OD: *Trans. R. ent. Soc. Lond.* 90(11):349, f [b0950] SS: *philura* (H. H. Druce), 1895; *Simiskina* [Type: BMNH-ht] [TypeL - Mersing Road, Johore, Peninsular Malaya.] [Refs - b0964; b0965; b1454; b0950]
- a **elioti** (Corbet), 1940; *Tajuria* OD: *Trans. R. ent. Soc. Lond.* 90(5):118 [b0948] CG: *Bullis* [TypeL - Malaysia.] [Refs - b0964; b0965 (in Pratapa); b1454]
- a **elioti** Corbet, 1940; *Deudorix* OD: *Entomologist* 73:42 [b0951] [Refs - b0964; b0965; b3498; b1454]
- b **elioti** Corbet, 1941; *Arhopala* OD: *Proc. R. ent. Soc. Lond.* (B)10(9):156 [b0956] SS: *zylda* Corbet, 1941; *Arhopala* b [Type: BMNH-ht] [TypeL - Malaya.] [Refs - b1644; b0956; b1454]
- b **elioti** Tite, 1963; *Prosotas* OD: *Bull. Br. Mus. nat. Hist. (Ent.)* 13(4):94 [b4676] SS: *pia* *Toxopeus*, 1929; *Prosotas* [Type: BMNH-ht] [TypeL - Malino, S. Celebes.] [Refs - b4676; b1454]
- b **elioti** Hayashi, 1976; *Udara* OD: *Tyô to Ga* 27(1):13, f [b2181] SS: *cyma* (*Toxopeus*), 1927; *Udara* (*Udara*) [Type: OMNH-ht] [TypeL - Palawan, Philippines.] [Refs - b0109; b1580]
- d **elioti** Hayashi, 1976, (H); *Nacaduba* OD: *Tyô to Ga* 27(3):97, f [b2184] OS: *hayashii* Takanami, 1990; *Nacaduba* [TypeL - Indonesia.] [Refs - b0109]
- b **elioti** Takanami, 1989; *Thrix* OD: *Tyô to Ga* 40(1):69 [b4602] SS: *scopula* (H. Druce), 1873; *Thrix* [Type: BMNH-ht] [Note - *Nomen novum pro Thrix scopula cloella auctorum, nec cloella Weymer.*] [Refs - b4602]
- a **elioti** Hirowatari & Cassidy, 1994; *Jamides* OD: *Tyô to Ga* 45(1):1, f 1-5 [b2394] [Type: BMNH-ht] [TypeL - Palolo, nr Palu, Sulawesi, Indonesia.] [Refs - b2394]
- b **elira** Corbet, 1941; *Arhopala* OD: *Proc. R. ent. Soc. Lond.* (B)10(9):168 [b0956] SS: *ammonides* (Doherty), 1891; *Arhopala* o [Type: BMNH-ht] [TypeL - Assam.] [Refs - b1644; b0956; b1454]
- a **elis** (Cramer), [1779], 1775-1790; *Papilio* OD: *Uitl. Kapellen* 3(20):70, pl 233, f D [b1069] CG: *Thecla* (*New World Eumaeini*) [TypeL - Surinam.] [Refs - b0908; b2747]
- e **elis** (Fruhstorfer), 1914, (IFS); *Amblypodia* OD: *Deut. ent. Zeit.* [Iris] 28(2):122 [b1859] SS: *eumolphus* (Stoll), [1780]; *Arhopala* g [Type: BMNH-ht] [TypeL - Sikkim.] [Refs - b1644; b4094; b1859]
- c **elisa** Suffert, 1904; *Iolaus* OD: *Deut. ent. Zeit.* [Iris] 17:65 [b4535] SS: *paneperata* H. H. Druce, 1890; *Iolaus* (*Iolaphilus*) [TypeL - Africa.] [Refs - b4400]
- b **elisabetha** Hulstaert, 1924; *Pentila* OD: *Revue zool. afr.* 12(2):116, f 16 [b2496] SS: *pauli* Staudinger, [1888]; *Pentila* [TypeL - Belgian Congo.] [Refs - b3796; b1452; b4420; b2496; b4400; b3609]
- a **elisae** Zikán, 1952; *Cremna* OD: *Dusenja* 3:29, f [b5074] [Type: -lt; designated by Mielke & Casagrande, 1987] [Revta bras. Ent. 31(3):417 [b3178]] [TypeL - Brazil.] [Refs - b0121; b1456]
- a **elissa** Grose-Smith, 1898; *Epitola* OD: *Novit. zool.* 5:354 [b2046] [TypeL - Niger.] [Refs - b3842; b1452; b0836; b4400]
- a **elizabethae** (Eliot), 1959; *Panchala* OD: *Bull. Br. Mus. nat. Hist. (Ent.)* 7(8):380, f [b1544] CG: *Arhopala* o [Type: BMNH-ht] [TypeL - Raub, Perak.] [Refs - b1564; b1564; b1454; b1544]
- b **elizabethae** Eliot & Kawazoé, 1983; *Celarchus* OD: *Butts Lycaenopsis group* :198, f [b1580] SS: *shelfordii* (de Nicéville), 1902; *Celarchus* (*Armentulus*) [Type: BMNH-ht] [TypeL - Lebong Tandai, west Sumatra.] [Refs - b1580]
- a **ella** (Hewitson), [1865], 1863-1878; *Aphnaeus* OD: *Ill. diurn. Lep. Lycaenidae* 1:63; 2:pl 25, f 6 [b2326] CG: *Spindasis* [TypeL - Natal.] [Refs - b1943; b1259; b2747; b1452; b4400; b3312; b3606; b1235]

- c **ella** (Butler), 1881; *Catochrysops* OD: Proc. zool. Soc. Lond. 1881(3):606 [b0618] SS: *contracta* (Butler), 1880; *Lachides* [TypeL - Kurrachee.] [Refs - b1636; b4094; b4092]
- a **ella** Seitz, [1917], 1910-1924; *Euselasia* OD: In Seitz, *Grossschmett. Erde* 5:625, pl 142b [b4093] [TypeL - Bolivia.] [Refs - b4474; b1456]
- a **ella** Draudt, [1919], 1917-1924; *Thecla* OD: In Seitz, *Grossschmett. Erde* 5:750, pl 148-b (as *mavors*) [b1348] CG: *Thecla* (New World *Eumaeini*) [TypeL - Colombia and Ecuador.] [Refs - b0908]
- a **ella** *Toxopeus*, 1930; *Prosotas* OD: De soorte als Functie :188 [b4702] [TypeL - Palu, Central Celebes.] [Refs - b4676; b0938; b4702; b1454]
- b **ella** (Bollow), 1931, 1929-1931; *Lycaena* OD: In Seitz, *Grossschmett. Erde* 1(Suppl.):267 [b0471] SS: *cyane* (Eversmann), 1837; *Polyommatus* (*Agrodiaetus*) [TypeL - Issykkul.] [Refs - b0069; b0471]
- a **ellida** (Hewitson), [1867], 1863-1878; *Thecla* OD: Ill. dium. Lep. *Lycaenidae* 1:88; 2:pl 34, f 62,63,64 [b2326] CG: *Tigrinota* [Type: BMNH-It; designated by Johnson, 1992] [Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (22):186 [b2611]] [TypeL - Venezuela.] [Type of - *Tigrinota*] [Refs - b0908; b2747; b1453; b0125; b2616; b2611]
- e **ab. elliptica** (Stetter-Stättermayer), 1937; *Lycaena* OD: Ent. Rundsch. 54:532 [b4432] SS: *allardi* (Oberthür), 1874; *Plebejus* (*Plebejides*) [Refs - b0075]
- c **ellisi** Marshall, 1882; *Polyommatus* OD: J. asiat. Soc. Bengal, Pt II 51(2/3):41, pl 4, f 4 [b3067] SS: *jaloka* Moore, [1875]; *Polyommatus* (*Agniades*) [TypeL - NW Himalayas.] [Refs - b1636; b0993; b4094; b0694; b4092]
- c **ellisi** Evans, 1914; *Arhopala* OD: J. Bombay nat. Hist. Soc. 23(2):303 [b1627] SS: *aberrans* (de Nicéville), [1889]; *Arhopala* o [TypeL - Upper Burma.] [Refs - b1644]
- b **ellisi** Evans, 1925; *Tajuria* OD: J. Bombay nat. Hist. Soc. 30(4):762 [b1634] SS: *yajna* (Doherty), 1886; *Tajuria* [TypeL - Shan States.] [Refs - b1636; b1454; b0694]
- b **ellisi** (Shields), 1975; *Shijimiaeoides* OD: Bull. Allyn Mus. (28):12, f 9-12 [b4179] SS: *bautoides* (Behr), 1867; *Euphilotes* [Type: AME-ht] [TypeL - West Creek, Unaweep Canyon, Mesa County, Colorado.] [Note - Not spelled *ellisi*.] [Refs - b4179; b0107; b3192; b1743 (as *ellisi*); b2419; b0493; b4690]
- a **ellisoni** (Pfeiffer), 1931; *Lycaena* OD: Mitt. Münchn. ent. Ges. 21:65 [b3589] CG: *Polyommatus* (*Neolysandra*) [TypeL - Lebanon.] [Refs - b1762; b0109; b0069; b3359; b0410; b2788; b2246; b1455]
- c **elmira** (Hewitson), 1870; *Eurygona* OD: Ent. mon. Mag. 6:226 [b2331] SS: *aurantiaca* (Salvin & Godman), 1868; *Euselasia* [TypeL - Nicaragua.] [Refs - b2747; b4474]
- a **elna** (Hewitson), [1876], 1852-1877; *Lycaena* OD: Ill. exot. Butts 5:[-], pl [46], f 8 [b2323] CG: *Caleta* [TypeL - Java.] [Note - *Hayashi* places this in *Castalius*.] [Refs - b0964; b1636; b0965; b2479; b2753; b1840; b2177; b1454; b2390; b2388]
- b **elodina** Fruhstorfer, [1914], 1909-1923; *Suboges* OD: In Seitz, *Grossschmett. Erde* 9:796, pl 189c [b1840] SS: *nymphidia* Butler, 1876; *Suboges* [TypeL - W. China to Tonkin.] [Refs - b4474; b0236 (as *elodina*); b1840; b1454; b1840]
- a **elongata** (Hewitson), 1870, 1869-1877; *Thecla* OD: *Equatorial Lep. Buckley* (4):60 [b2330] CG: *Variegata* [Type: BMNH-It; designated by Johnson, 1992] [Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (22):182 [b2611]] [TypeL - Sarayaco, Ecuador.] [Type of - *Variegata*] [Refs - b0908; b2747; b2631; b2593; b0125; b2611]
- e **ab. elongata** (Courvoisier), 1903; *Lycaena* OD: Mitt. schweiz. ent. Ges. 11:19 [b0981] SS: *conidon* (Poda von Neuhaus), 1761; *Polyommatus* (*Lysandra*) [Refs - b0236]
- e **ab. elongata** Courvoisier, 1903; *Lycaena* OD: Mitt. schweiz. ent. Ges. 11:19 [b0981] SS: *nityrus* (Poda von Neuhaus), 1761; *Lycaena* (*Heodes*) [Refs - b0236; b0389 (Ent. Zeit., 25:3 (1911))]
- e **ab. elongata** (Courvoisier), 1903; *Lycaena* OD: Mitt. schweiz. ent. Ges. 11(1):19 [b0981] SS: *argiolus* (Linnaeus), 1758; *Celastrina* [Refs - b0995; b0400]
- e **ab. elongata** (Courvoisier), 1903; *Chrysophanus* OD: Mitt. schweiz. ent. Ges. 11:19 [b0981] SS: *phlaeas* (Linnaeus), 1761; *Lycaena* (*Lycaena*) [Refs - b0236; b0389]
- e **ab. elongata** (Oudemans), 1905; *Lycaena* OD: Tijdschr. Ent. 48-pl 5, f 7 [b3529] SS: *argus* (Linnaeus), 1758; *Plebejus* [Refs - b0236]
- e **ab. elongata** (Courvoisier), 1907; *Lycaena* OD: Z. wiss. Insektbiol. 3:34 [b0982] SS: *alexis* (Poda von Neuhaus), 1761; *Glaucopsyche* [Refs - b0236 (as (disco-)elongata); b4092]
- e **elongata** (Courvoisier), 1907; *Lycaena* OD: Z. wiss. Insektbiol. 3:34 [b0982] SS: *decolorata* Staudinger, 1886; *Evers* [Refs - b0400]
- e **elongata** (Courvoisier), 1907; *Lycaena* OD: Z. wiss. Insektbiol. 3:34 [b0982] SS: *alexis* (Poda von Neuhaus), 1761; *Glaucopsyche* [Refs - b0993]
- e **elongata** (Courvoisier), 1910, 1910-1911; *Lycaena* OD: Ent. Zeit. 24:100 [b0985] SS: *orion* (Pallas), 1771; *Scolitantides* [Refs - b0400; b0471]
- e **elongata** (Courvoisier), 1910, 1910-1911; *Lycaena* OD: Ent. Zeit. 24:210 [b0985] SS: *minus* (Füssly), 1775; *Cupido* [Refs - b0995; b0236; b0400]
- e **elongata** (Courvoisier), 1910, 1910-1911; *Lycaena* OD: Ent. Zeit. 24:99 [b0985] SS: *argyrognomon* (Bergsträsser), [1779]; *Plebejus* (*Lycaeides*) [Refs - b0471; b0985]
- e **ab. elongata** (Courvoisier), 1910, 1910-1911; *Lycaena* OD: Ent. Zeit. 24:203 [b0985] SS: *arion* (Linnaeus), 1758; *Maculinea* [Refs - b0236; b0400; b0471]
- e **ab. elongata** (Courvoisier), 1910, 1910-1911; *Chrysophanus* OD: Ent. Zeit. 24:155 [b0985] SS: *hippotoe* (Linnaeus), 1761; *Palaeochrysophanus* [Refs - b0236; b0389; b0984; b0471]
- e **ab. elongata** (Courvoisier), 1910, 1910-1911; *Lycaena* OD: Ent. Zeit. 24:191 [b0985] SS: *damon* (Denis & Schiffmüller), 1775; *Polyommatus* (*Agrodiaetus*) [Refs - b0236]
- e **elongata** (Courvoisier), 1910, 1910-1911; *Lycaena* OD: Ent. Zeit. 24:94 [b0985] SS: *argus* (Linnaeus), 1758; *Plebejus* [Refs - b0471; b0985]
- e **ab. elongata** Courvoisier, 1911, 1910-1911; *Lycaena* OD: Ent. Zeit. 24:255 [b0985] SS: *alciphron* (Rottemburg), 1775; *Lycaena* (*Alciphronia*) [Refs - b0236]
- e **elongata** (Courvoisier), 1911, 1910-1911, (IFS); *Chrysophanus* OD: Ent. Zeit. 24:236 [b0985] SS: *virgaureae* (Linnaeus), 1758; *Lycaena* (*Heodes*) [Refs - b0389; b4092; b0471]
- e **f. elongata** Vorbrodt, 1912; *Satyrium* OD: *Schmett. Schweiz* 1:106 [b4885] SS: *spini* (Denis & Schiffmüller), 1775; *Satyrium* [Refs - b0236]
- e **ab. elongata** (Vorbrodt), 1912; *Lycaena* OD: *Schmett. Schweiz* 1:134 [b4885] SS: *agesis* (Denis & Schiffmüller), 1775; *Plebejus* (*Anicia*) [Refs - b0236; b0471]
- e **elongata** Osthelder, 1926; *Maculinea* OD: Mitt. Münchn. ent. Ges. 15(Sup.):157 [b3525] SS: *teleius* (Bergsträsser), [1779]; *Maculinea* [Refs - b0400]

- e *ab. elongata* (Turati), 1927; *Lycaena* OD: Atti Soc. ital. Sci. nat. 66:318 [b4749] SS: abencerragus (Pierret), 1837; Pseudophilotes [Refs - b0236]
- e *ab. elongata* (Kieffer), 1938; *Lycaena* OD: Z. öst. EntVer. 23:67 [b2727] SS: minimus (Füssly), 1775; Cupido [TypeL - Steiermark.] [Refs - b0076]
- e *ab. elongatus* (Courvoisier), 1910, (NN); *Lycaena* OD: Verh. naturf. Ges. Basel 21:163 [b0984] SS: alexis (Poda von Neuhaus), 1761; Glaucopsyche [Refs - b0400; b0984]
- a *elopura* H. H. Druce, 1894; *Arhopala* OD: Ent. mon. Mag. 30:10 [b1360] CG: *Arhopala* f [Type: BMNH-hi] [TypeL - Borneo.] [Refs - b1644; b4094; b3498; b1454; b1544; b4108]
- a *elorea* (Fabricius), 1793, 1792-1799; *Papilio* OD: Ent. syst. 3(1):194 [b1657] CG: Cupido (?) [TypeL - Sierra Leone.] [Check - May not be *Lycaenidae*.] [Refs - b2747; b0836; b5076]
- e *elorea* (Staudinger), [1888], 1884-1888, (MID); *Lycaena* OD: In Exot. Schmett. 2:pl 94 [b4329] SS: punctatus (Dewitz), 1879; *Oboronia* [Refs - b4400]
- c *elorina* (Staudinger), [1888], 1884-1888; *Lycaena* OD: In Exot. Schmett. 1:271 [b4329] SS: *elorea* (Fabricius), 1793; Cupido (?) [TypeL - Sierra Leone.] [Refs - b4329]
- b *elothales* (Fruhstorfer), 1910; *Cyaniris* OD: Stutt. ent. Ztg 71(2):297 [b1843] SS: *selma* (H. H. Druce), 1895; *Udara* (*Selmanix*) [TypeL - Padangsches Bovenlande, Sumatra.] [Refs - b1840; b1580; b2200]
- c *elpfriedana* Strand, 1926, (ISS); *Pentila* OD: Bull. Soc. zool. Fr. 51:401 [b4528] SS: *aspasia* Grünberg, 1910; *Pentila* [Refs - b4528]
- b *elpidion* (Doherty), 1891; *Lampides* OD: J. asiat. Soc. Bengal, Pt II 60(1):28 [b1303] SS: *elpis* (Godart), [1824]; *Jamides* [TypeL - Engano.] [Refs - b4094; b1865; b1454 (with *alecto*); b3786]
- a *elpinice* (Godman), 1903; *Lemonias* OD: Trans. ent. Soc. Lond. 51(4):542, pl 23, f 1 [b1972] CG: *Adelotypa* [TypeL - Colombia.] [Refs - b2988; b4475; b1456]
- c *elpinice* Grünberg, 1910; *Pentila* OD: Sber. Ges. naturf. Freunde Berl. 1910:474 [b2076] SS: *maculata* (Kirby), 1887; *Pentila* [TypeL - Cameroons.] [Refs - b2076; b4400]
- e *f. elpinides* (Fruhstorfer), 1915, (IFS); *Lampides* OD: Arch. Naturgesch. (A)81(6):4 [b1865] SS: *celeno* (Cramer), [1775]; *Jamides* [TypeL - Assam.] [Refs - b4094; b0236; b1865]
- a *elpis* (Godart), [1824], 1819-1824; *Polyommatus* OD: In Ency. méth. 9(Ins.):2:654 [b1970] CG: *Jamides* [TypeL - Java.] [Refs - b1450; b1636; b0964; b0965; b2747; b4094; b2479; b0236; b1454; b0694; b2388; b3786]
- d *elpis* (Horsfield), [1828], 1828-1829, (H); *Lycaena* OD: Descr. Cat. lepid. Ins. (1):76 or 96, n 11; pl 1, f 4 [b2457] SS: *alecto* C. Felder, 1860; *Jamides* [Refs - b2479]
- a *elsa* (Hewitson), [1877], 1863-1878; *Thecla* OD: Ill. diurn. Lep. Lycaenidae 1:198; 2:pl 79, f 639,640 [b2326] CG: *Magnastigma* [Type: BMNH] [TypeL - Chiriquí, Panamá] [Refs - b0908; b3391; b2753; b1375; b2631]
- a *elsa* (Grose-Smith), 1895; *Nacaduba* OD: Novit. zool. 2(4):509 [b2038] CG: *Prosotas* [Type: BMNH-hi] [TypeL - Amboina.] [Refs - b4676; b1450; b2388]
- b *elsae* (Wyau), 1952; *Plebeius* OD: Z. wien. ent. Ges. 37:206, pl 26, f A2 [b5047] SS: *morroneis* (Ribbe), 1910; *Plebejus* (*Aricia*) [TypeL - Spain.] [Refs - b3059]
- b *elsiei* (Evans), 1925; *Amblypodia* OD: J. Bombay nat. Hist. Soc. 30(3):627 [b1633] SS: *epimuta* Moore, [1858]; *Arhopala* b [Type: BMNH-hi] [TypeL - Tavoy.] [Refs - b1644; b2200; b1454]
- b *elsiei* Evans, 1925; *Poritia* OD: J. Bombay nat. Hist. Soc. 30(2):334 [b1632] SS: *erycinoides* (Felder & Felder), 1865; *Poritia* [TypeL - India.] [Refs - b1636; b3610; b1454; b0694]
- b *elta* (Higgins), 1964; *Nordmannia* OD: Entomologist 97:197 [b2372] SS: *acaciae* (Fabricius), 1787; *Saryrium* [Type: BMNH-hi] [TypeL - Ankara, Turkey.] [Note - Described as a subspecies of *abdominalis*.] [Refs - b2788 (with *abdominalis*); b4247; b2372]
- c *eltola* Hewitson, [1869], 1863-1878; *Hypolycaena* OD: Ill. diurn. Lep. Lycaenidae Suppl.:4 or 14, pl 5, f 37,38 [b2326] SS: *othona* Hewitson, [1865]; *Hypolycaena* (*Chliaria*) [TypeL - Andamans.] [Refs - b1636; b0995; b2747; b4094; b0694]
- a *eltringhami* H. H. Druce, 1912; *Mimacraea* OD: Ann. Mag. nat. Hist. (8)9:635 [b1379] [TypeL - Central Africa.] [Refs - b1452; b4400]
- a *eltus* Eliot, 1986; *Lontalius* OD: Bull. Br. Mus. nat. Hist. (Ent.) 53(1):75, f 82 [b1571] [Type: BMNH-hi] [TypeL - Pulo Laut, Borneo.] [Type of - *Lontalius*] [Refs - b1571; b4108]
- b *elunata* (Nordström), 1935; *Lycaena* OD: Ark. Zool. 27A(7):33 [b3411] SS: *dis* (Grum-Grshimailo), 1891; *Polyommatus* (*Agriades*) [TypeL - China.] [Refs - b0073]
- a *elvina* Stichel, 1910; *Eurybia* OD: Gen. Insectorum 112(A):71, pl 24, f 7b [b4446] [Type: pc-st; collection of Stichel] [TypeL - Central America; Colombia; Venezuela; Guayana; Brazil.] [Refs - b4474; b2406; b2459; b4446]
- a *elvira* (Eversmann), 1854; *Lycaena* OD: Bull. Soc. imp. Nat. Moscou 27(2):177 [b1651] CG: *Polyommatus* (*Agrodiaetus*) [TypeL - Kirghis, Central Asia.] [Refs - b2747; b0993; b1762; b2827; b4092; b1455]
- a *elvira* Staudinger, 1896; *Dodona* OD: Deut. ent. Zeit. [Iris] 9:239, pl 5, f 6 [b4343] [TypeL - Borneo.] [Refs - b0965; b4473; b1454; b1840; b3528]
- b *elvira* (Fruhstorfer), 1918; *Castalius* OD: Tijdschr. Ent. 61:37 or 38 [b1884] SS: *elina* (Hewitson), [1876]; *Caleta* [TypeL - Sumatra; Borneo.] [Refs - b0964; b0965; b1840; b2177; b4108]
- a *elvira* Johnson, 1992; *Galba* OD: Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (22):168, f [b2611] [Type: BMNH-hi] [TypeL - Carohas, Peru.] [Type of - *Galba*] [Refs - b0125; b2611]
- b *elvirae* (Mattoni), [1966]; *Philotes* OD: J. Res. Lep. 4(2):94 [b3109] SS: *pallescens* (Tilden & Downey), 1955; *Euphilotes* [Type: LACM-hi] [TypeL - 3.5 miles W. of Pearblossom, Los Angeles County, California.] [Refs - b3192; b4066; b1722; b3640]
- b *elwesi* Leech, 1890; *Thecla* OD: Entomologist 23:39 [b2963] SS: *betulae* (Linnaeus), 1758; *Thecla* [TypeL - China.] [Refs - b4092]
- a *elwesi* Evans, 1925; *Spindasis* OD: J. Bombay nat. Hist. Soc. 30(4):759 [b1634] [TypeL - Kumaon.] [Refs - b1636; b1634; b1454; b1634; b0694; b1455]
- a *emarginata* (Hawker-Smith), 1933; *Pentila* OD: Stylops 2:4 [b2168] CG: *Ornipholidotos* [TypeL - Lowowo Valley, South Lowa District, West Kivu, Belgian Congo.] [Refs - b1452; b2168; b4400]
- e *f. emarginata* (Warnecke), 1942; *Chrysophanus* OD: Deut. ent. Zeit. [Iris] 56:103 [b4921] SS: *alciphron* (Rottemburg), 1775; *Lycaena* (*Alciphronia*) [TypeL - Germany.] [Refs - b0389]
- b *emas* (Fruhstorfer), [1912]; *Catapocilma* OD: Berl. ent. Z. 56(3/4):235 [b1850] SS: *major* H. H. Druce, 1895; *Catapocilma* [Refs - b0964; b0965; b4094 (also as *enias*); b2201; b1454; b1850]

- a **ematheon** (Cramer), [1777], 1775-1790; *Papilio* OD: *Uitd. Kapellen* 2(14):104, pl 163, f F,G [b1069] CG: *Thecla* (New World Eumaeini) [TypeL - Surinam.] [Refs - b0908; b2747; b1375]
- c **embla** Kirby, 1871, (NN); *Plebeius* OD: *Syn. Cat. diurn. Lep.* :653 [b2747] [Refs - b0908; b2747 (with Edwards, *TaeS* 1870)]
- c **emblemata** Stichel, 1919; *Euselasia* OD: *Deut. ent. Zeit.* 1919:163 [b4454] SS: *toppini* E. Sharpe, 1915; *Euselasia* [TypeL - Rio Jurua.] [Refs - b4474; b2747]
- b **emelina** (de L'Orza), 1869; *Lycaena* OD: *Lépidoptères Japonais* :21 [b1142] SS: *otus* (Fabricius), 1787; *Zizina* [TypeL - Japan.] [Refs - b1900; b3479]
- a **emendatus** (H. H. Druce), 1907; *Thecla* OD: *Proc. zool. Soc. Lond.* 1907(3):619, pl 36, f 20 [b1375] CG: *Caerofethra* [Type: BMNH-ht] [TypeL - Rio Juntas, Bolivia.] [Type of - *Caerofethra*] [Refs - b0908; b1375; b2593; b2606]
- a **emesia** (Hewitson), [1867], 1852-1877; *Symmachia* OD: *Ill. exot. Butts* 4:[-], pl [45], f 7 [b2323] CG: *Emesia* [Type: BMNH-ht] [TypeL - Nicaragua.] [Refs - b1530 :245, f 484; b1321 :51; b2719; b2747; b4475; b3192; b1342; b4066; b1456]
- c **emesina** Sharp, [1889], (ISS); *Emesia* OD: *Zool. Rec.* 25(1888)(Ins.):220 [b4123] SS: *emesina* Staudinger, [1887]; *Emesia* [Refs - b4123]
- b **emesine** Staudinger, [1887], 1884-1888; *Emesia* OD: *In Exot. Schmett.* 1:253; 2:pl 90 [b4329] SS: *temesa* (Hewitson), 1877; *Emesia* [TypeL - Pebas.] [Refs - b4475; b4123 (as *emesina* :220)]
- c **emesioides** Kirby, 1871, (ISS); *Zemeros* OD: *Syn. Cat. diurn. Lep.* :285 [b2747] SS: *emesioides* Felder & Felder, 1860; *Zemeros* [Refs - b2747]
- a **emesoides** Felder & Felder, 1860; *Zemeros* OD: *Wien. ent. Monats.* 4(12):396 [b1683] [TypeL - Malaya.] [Type of - *Barisana*] [Refs - b0964; b1149; b2988; b2280; b0965; b2747; b4473; b1454; b1840]
- a **emessa** Hewitson, [1867], 1863-1878; *Thecla* OD: *Ill. diurn. Lep. Lycaenidae* 1:111; 2:pl 42, f 160,161 [b2326] CG: *Thecla* (New World Eumaeini) [Type: BMNH] [TypeL - Amazon.] [Refs - b0908; b2747; b3818; b1975]
- b **emetallicus** (H. H. Druce), 1895; *Lampides* OD: *Proc. zool. Soc. Lond.* 1895(3):582 [b1362] SS: *philatus* (Snellen), 1878; *Jamides* [TypeL - Batchian.] [Refs - b1450; b4094; b1865; b1362]
- b **emidiata** Stichel, 1915; *Eurybia* OD: *Deut. ent. Zeit.* 1915:691, pl 23, f 8 [b4451] SS: *elvina* Stichel, 1910; *Eurybia* [Type: BMNH-st] [TypeL - Ega, Amazonas, Brazil.] [Refs - b4451; b4474]
- a **emigdionis** (Grinnell), 1905; *Lycaena* OD: *Ent. News* 16(4):115 [b2022] CG: *Plebejus* (*Plebulina*) [Type: AMNH-ht] [Type of - *Plebulina*] [LifeH - Tietz lists b0880, b0881.] [Refs - b1530 :231, f 442; b1321 :64; b0908; b2280; b3325; b3192; ns0919; b4066; b4652]
- b **f. emilia** Suffert, 1904; *Larinopoda* OD: *Deut. ent. Zeit.* [Iris] 17:48 [b4535] SS: *lagyra* (Hewitson), [1866]; *Larinopoda* [TypeL - Cameroons.] [Refs - b4400]
- c **emiliae** d'Abreu, 1971; *Hypochrysops* OD: *Butts Australian Region* :334, pl 335 [b1450] SS: *aristobol* (Fruhstorfer), 1908; *Hypochrysops* [Type: BMNH-ht] [TypeL - Aroa River, Papua New Guinea.] [Refs - b1450; b0104; b3926]
- e **f. emilianus** (Turati), 1923; *Chrysophanus* OD: *Atti Soc. ital. Sci. nat.* 62:42 [b4747] SS: *virgaureae* (Linnaeus), 1758; *Lycaena* (Heodes) [TypeL - Appennines.] [Refs - b0236; b0724 (as good ssp); b0471]
- c **emma** Suffert, 1904; *Iolaus* OD: *Deut. ent. Zeit.* [Iris] 17:69 [b4535] SS: *laon* Hewitson, [1878]; *Iolaus* (*Epamera*) [TypeL - Africa.] [Refs - b0836; b4400]
- b **emmeli** Shields, 1975; *Euphilotes* OD: *Bull. Allyn Mus.* (28):16, f 17-20 [b4179] SS: *rita* (Barnes & McDunnough), 1916; *Euphilotes* [Type: AME-ht] [TypeL - Little Flat Top, Emery County, Utah.] [Refs - b4179; b0107; b3192; b1743; b0493; b2419; b4690; b4066; b1722]
- b **emoloides** Tite, 1966; *Anthene* OD: *Bull. Br. Mus. nat. Hist. (Ent.)* 18(8):263 [b4679] SS: *paraffinis* (Fruhstorfer), 1916; *Anthene* [Type: BMNH-ht] [TypeL - Hydrographer Mus., British New Guinea.] [Refs - b4679; b1450]
- a **emolus** (Godart), [1824], 1819-1824; *Polyommatus* OD: *In Ency. méih.* 9(Ins.):2)656 [b1970] CG: *Anthene* [TypeL - Bengal, India.] [Note - Placed on the Official List of Specific Names in Zoology by Opinion 1527.] [Refs - b4679; b0964; b1636; b0965; b1840; b2747; b1564; b1454; b4400; b4934; b3055; b0694; b2547; b4683]
- e **emona** Fruhstorfer, [1912]; *Loxura* OD: *Berl. ent. Z.* 56(3/4):222 [b1850] SS: *deinostratus* Fruhstorfer, [1912]; *Loxura* [Refs - b4094]
- c **emperamus** (Snellen), 1872; *Lucia* OD: *Tijdschr. Ent.* 15:25, pl 2, f 1-3 [b4257] SS: *bibulus* (Fabricius), 1793; *Lachnocnema* [TypeL - Guinea] [Refs - b2753 (as *emperanus*:763); b4400; b4257]
- c **emperanus** (Kirby), 1877, (ISS); *Lucia* OD: *Syn. Cat. diurn. Lep., Suppl.* :763 [b2753] SS: *emperamus* (Snellen), 1872; *Lachnocnema* [Refs - b2753]
- b **empesta** Corbet, 1941; *Arhopala* OD: *Proc. R. ent. Soc. Lond.* (B)10(9):162 [b0956] SS: *inornata* (Felder & Felder), 1860; *Arhopala* k [Type: BMNH-ht] [TypeL - Borneo.] [Refs - b1644; b0956; b1454; b4108]
- b **empetri** (Freeman), 1938; *Plebeius* OD: *Can. Ent.* 70(3):62, f 1,2,5 [b1789] SS: *idas* (Linnaeus), 1761; *Plebejus* (*Lycaeides*) [Type: CNC-ht] [TypeL - Baddeck, Nova Scotia.] [Refs - b0908; b3328 (=aster); b3192; b1321; b4066]
- b **emphatica** Stichel, 1911; *Ematurgina* OD: *Gen. Insectorum* 112(B):283; pl 27, f 73 [b4447] SS: *leucotopus* Stichel, 1910; *Ematurgina* [Type: ZMHU-ht] [TypeL - Yurimaguas, Peru.] [Refs - b4475; b1456; b4446]
- a **empusa** Hewitson, [1867], 1863-1878; *Thecla* OD: *Ill. diurn. Lep. Lycaenidae* 1:106; 2:42, f 158,159 [b2326] CG: *Thecla* (New World Eumaeini) [Type: BMNH] [TypeL - Pará, Amazon.] [Refs - b0908; b2747; b1375; b1975]
- c **empyrea** (Freyer), 1852, 1831-1858; *Lycaena* OD: *Neuere Beitr. Schmett.* 6:147, pl 573, f 1 [b1795] SS: *loewii* (Zeller), 1847; *Polyommatus* (*Plebejidea*) [Check - Koçak attributes the name to Gerhard, 1851.] [Refs - b2747; b0995; b2794; b4092]
- c **emulata** (Marschner), 1909; *Lycaena* OD: *Berl. ent. Z.* 54:73 [b3065] SS: *nausithous* (Bergsträsser), [1779]; *Maculinea* [Note - Beuret gives Marschner, 1909, *Z. wiss. Insektbiol.* 5:166] [Refs - b0236; b0400; b0471; ns3066]
- b **emylina** (Stichel), 1911; *Lemonias* OD: *Gen. Insectorum* 112(B):321 [b4447] SS: *emylus* (Cramer), [1775]; *Calospila* [Type: ZMHU-st] [TypeL - Brazil; Peru; Ecuador.] [Refs - b1456; b4446]
- a **emylus** (Cramer), [1775], 1775-1790; *Papilio* OD: *Uitd. Kapellen* 1(6):104, pl 66, f G,F [b1069] CG: *Calospila* [TypeL - Guiana.] [Refs - b2988; b2747; b4475; b1456]
- c **enatheus** Fruhstorfer, 1913; *Allotinus* OD: *Z. wiss. Insektbiol.* 9(12):370 [b1851] SS: *posidion* Fruhstorfer, 1913; *Allotinus* (*Paragerydus*) [Type: BMNH-ht; designated by Eliot, 1986] [Bull. Br. Mus. nat. Hist. (Ent.) 53(1):49 [b1571]] [TypeL - Java.] [Refs - b1840; b1571]
- e **endaemon** d'Abreu, 1984, (ISS); *Ancyluris* OD: *Butts South America* :246 [b1453] SS: *eudaemon* Stichel, 1910; *Ancyluris* [Refs - b1453]

- a **endela** Hewitson, [1874], 1863-1878; Thecla OD: Ill. diurn. Lep. Lycaenidae 1:168; 2:pl 66, f 470,471 [b2326] CG: Thecla (New World Eumaeini) [Type: BMNH] [TypeL - Venezuela.] [Refs - b0908; b2753; b1975]
- a **endera** Hewitson, [1867], 1863-1878; Thecla OD: Ill. diurn. Lep. Lycaenidae 1:111; 2:pl 42, f 156,157 [b2326] CG: Thecla (New World Eumaeini) [Type: BMNH] [TypeL - Ega, Amazon.] [Refs - b0908; b2747; b1375]
- c **endimion** (Gigoux), 1927; Lycaena OD: Revta univ. cat. 12(10):1433 [b1945] SS: trigrammaus (Butler), 1881; Leptotes [Refs - b3846]
- a **endymiaena** (Hübner), [1819], 1816-1826; Hexuropterus OD: Verz. bekannt. Schmett. (2):22, no. 165 [b2484] CG: Helicopsis [Type: biblio-lt; designated by Hemming, 1964] [Annot. Lep. (3):103 [b2273]] [Type of - Hexuropterus] [Refs - b2280; b4474; b2273; b1456]
- d **endymion** ((Denis & Schiffmüller)), 1775, (H); Papilio OD: Ankündigung syst. Werkes Schmett. :182 [b1193] SS: daphnis ((Denis & Schiffmüller)), 1775; Polyommatus (Meleageria) [TypeL - Europe; Asia Minor.] [Refs - b2747; b3326 (=meleager); b2794; b2797]
- a **endymion** (Fabricius), 1775; Papilio OD: Syst. Ent. :519 [b1653] CG: Electrostrymon [Type: BMNH-ht; Banks collection.] [TypeL - Brazil.] [Type of - Electrostrymon] [Refs - b1530 :219, f 421; b1321 :55; b0908; b1023; b0907; b2747; b2221; b3818; b1039; b3192; b2406; b0833; b1975; b3805; b2631; b4066; b5076; b2628; b2606]
- d **endymion** (Cramer), [1779], 1775-1790, (H); Papilio OD: Uid. Kapellen 3(21):86, pl 244, f C,D, nec E,F [b1069] OS: endymiaena (Hübner), [1819]; Helicopsis [Type: biblio-lt; designated by Hemming, 1964] [Annot. Lep. (3):103 [b2273]] [TypeL - Surinam.] [Note - Hemming restricted the name to figure C. He also selected the same figure as the lectotype of endymiaena, thus making the two name objective synonyms. Figures E & F apply to Papilio acis Fabricius, 1781.] [Refs - b2988; b0907; b2747; b4474; b4950; b2273]
- d **endymion** (Fabricius), 1781, 1781-1782, (H); Papilio OD: Spec. Ins. 2:115 [b1655] SS: regalis (Cramer), [1775]; Evenus [TypeL - Surinam.] [Type of - Evenus] [Refs - b0908; b2280; b3805; b5076]
- a **endymion** (Gerhard), 1851, 1850-1853; Lycaena OD: Vers. monog. europ. Schmett. :- [b1928] CG: Turanana [Note - Koçak uses this name in place of panagaea.] [Refs - b0113; b2794]
- d **endymion** (Blanchard), 1852, (H); Lycaena OD: In Gay, Hist. fis. pol. Chile 7:37, pl 3, f 3a,b [b0449] SS: sibylla (Kirby), 1871; Pseudolucia [TypeL - Coquimbo, Chile.] [Refs - b0908; b2747; b3326; b3846 (as good species); b3718; b4782]
- d **endymion** (Freyer), 1852, 1831-1858, (H); Lycaena OD: Neuere Beitr. Schmett. 6:145, pl 572, f 2,3 [b1795] SS: endymion (Gerhard), 1851; Turanana [Refs - b2747; b0993; b2794]
- e **endymion** (Holland), 1931, (MISID); Thecla OD: Butt. Book (2nd ed.) :242, pl 64, f 32 [b2438] SS: angelia (Hewitson), [1874]; Electrostrymon [Note - The specimen figured by Holland is not endymion Fabricius.] [Refs - b0908; b3805]
- a **endymion** Pennington, 1962; Poecilmitis OD: J. ent. Soc. S. Afr. 25(2):274 [b3570] [TypeL - Cape Province, S. Africa.] [Refs - b1259; b1452; b4400]
- b **eneli** (Betti), 1977; Lycaena OD: Alexanor 10(2):92, f [b0364] SS: helle ((Denis & Schiffmüller)), 1775; Helleia A [TypeL - France.] [Refs - b0109]
- a **enelia** Hewitson, [1867], 1863-1878; Thecla OD: Ill. diurn. Lep. Lycaenidae 1:108; 2:pl 41, f 146,147 [b2326] CG: Thecla (New World Eumaeini) [Type: BMNH] [Refs - b0908; b2747; b3818; b2497]
- e **enervis** (Verity), 1926, 1926-1933, (RA); Agriades OD: Ent. Rec. 38:122 [b4844] SS: hylas (Esper), [1778]; Polyommatus (Plebicula) [Note - Replacement name for dorylas.] [Refs - b2856; b0236; b0471]
- b **eneus** Eliot, 1961; Miletus OD: Bull. Raffles Mus. 26:164 [b1546] SS: nymphis (Fruhstorfer), 1913; Miletus 1
- b **engadiniana** (Beuret), 1953; Palaeochrysopterus OD: Mitt. ent. Ges. Basel (nf)3:6 [b0390] SS: hippothoe (Linnaeus), 1761; Palaeochrysopterus [Type: NMB-lt; designated by Steiniger, 1975] [Mitt. ent. Ges. Basel (nf)25:22 [b4355]] [TypeL - Switzerland.] [Refs - b0107; b0389; b4355]
- b **engana** Fruhstorfer, [1912]; Rapala OD: Berl. ent. Z. 56(3/4):254 [b1850] SS: manea (Hewitson), [1863]; Rapala [TypeL - Engano.] [Refs - b4094; b1454; b1850]
- b **enganicus** Fruhstorfer, 1904; Eooxylides OD: Berl. ent. Z. 49:204 [b1820] SS: thanis (Geyer), [1837]; Eooxylides [Refs - b4094; b1454]
- b **enganicus** Fruhstorfer, [1912]; Deudorix OD: Berl. ent. Z. 56(3/4):267 [b1850] SS: epjarbas (Moore), [1858]; Deudorix [TypeL - Engano.] [Refs - b4094; b1454; b1850]
- c **enganicus** Fruhstorfer, 1913; Allotinus OD: Z. wiss. InsektBiol. 9(12):369 [b1851] SS: posidion Fruhstorfer, 1913; Allotinus (Paragerydus) [Type: BMNH-lt; designated by Corbet, 1939] [Trans. R. ent. Soc. Lond. 89(5):70, pl 1, f 12 [b0944]] [TypeL - Engano.] [Refs - b1840; b1571]
- b **enganicus** (Fruhstorfer), 1915; Lampides OD: Arch. Naturgesch. (A)81(6):36 [b1865] SS: bochus (Stoll), [1782]; Jamides [TypeL - Engano.] [Refs - b3786; b4094; b1865; b1454]
- b **enigma** (Bryk), 1953; Orimba OD: Ark. Zool. (ns)5(1):132 [b0569] SS: argenissa (Stoll), [1790]; Calospila [Type: UZIU-ht] [TypeL - S. Gabriel, Amazonas.] [Refs - b0569]
- b **enimanga** (Seitz), [1917], 1910-1924; Nymphidium OD: In Seitz, Grossschmett. Erde 5:711 [b4093] SS: phillone (Godart), [1824]; Synargis [TypeL - Paraguay.] [Refs - b4475; b0419; b1456]
- a **enipeus** (Staudinger), [1888], 1884-1888; Deudorix OD: In Exot. Schmett. 1:279 [b4329] CG: Rapala [Type: ZMHU-lt; designated by Takamami, 1989] [Tyô to Ga 40(1):35 [b4602]] [TypeL - N. Sulawesi.] [Refs - b1454; b4094; b4602]
- c **enoma** Corbet, 1946; Arhopala OD: Trans. R. ent. Soc. Lond. 96(5):85 [b0960] SS: asinarus Felder & Felder, 1865; Arhopala i [Type: BMNH-ht] [TypeL - S. Annam.] [Refs - b1644]
- a **enoptes** (Boisduval), 1852; Lycaena OD: Annl. Soc. ent. Fr. (2)10:298 [b0467] CG: Euphilotes [Type: USNM-ht] [TypeL - California.] [Type of - Euphilotes] [Refs - b1530 :238, f 461, 462; b1321 :67; b0908; b4177; b4179; b4176; b0113; b3192; b0400; b1743; b0493; b4690 (*) ; b0467; b4066; b3642; b1722; ns5016]
- e **entebbae** Stempffer, 1967, (ISS); Iolaus OD: Bull. Br. Mus. nat. Hist. (Ent.) Suppl. 10:133 [b4400] SS: entebbeae (Riley), 1928; Iolaus (Iolaphilus) [Refs - b4400]
- b **entebbeae** (Riley), 1928; Argiolas OD: Novit. zool. 34:376 [b3767] SS: aelianus Staudinger, 1891; Iolaus (Iolaphilus) [TypeL - Entebbe.] [Refs - b1452; b4400; b0066]
- b **entebbeana** Bethune-Baker, 1926; Epitola OD: Ann. Mag. nat. Hist. (9)17:392 (male only) [b0362] SS: cephenia Hewitson, 1873; Epitola [TypeL - Uganda.] [Note - Female was carcina.] [Refs - b4400; b3842 (as ssp of doleta); b1452; b0836]
- a **enthea** (Janson), 1877; Thecla OD: Cistula Entomologica 2(16):157 [b2572] CG: Araragi [TypeL - Japan.] [Type of - Araragi] [Refs - b4198; b4115; b2280; b2988 (as euthea); b2753; b2827; b2479; b0996; b1900; b2866; b0236; b4214; b4200; b1454; b4092; b1455]

- c **entheoides** (Oberthür), 1914; Zephyrus OD: Étud. Lép. comp. 9(2):53 [b3453] SS: enthea (Janson), 1877; Araragi [TypeL - Siao Lou, China.] [Refs - b0996; b0236; b0471; b1455]
- c **enyo** Seitz, [1917], 1910-1924; Necyria OD: In Seitz, Grossschmett. Erde 5:669, pl 129b [b4093] SS: bellona Westwood, [1851]; Necyria [TypeL - Bolivia.] [Refs - b4474; b4093]
- c **ensilii** (Butler), 1876; Chrysophanus OD: Ent. mon. Mag. 13:153 [b0606] SS: feredayi (Bates), 1867; Helleia [TypeL - New Zealand.] [Refs - b1450; b2488; b2753; b4094]
- a **eone** (Felder & Felder), 1860; Thecla OD: Wien. ent. Monats. 4(8):243 [b1681] CG: Pseudodipsas [TypeL - Aru.] [Type of - Pseudodipsas] [Refs - b1450; b2280; b2747; b3923; b1840; b4934]
- b **eordaa** (Fruhstorfer), 1915; Lampides OD: Arch. Naturgesch. (A)81(6):8 [b1865] SS: suidas (Felder & Felder), 1865; Jamides [TypeL - Palawan.] [Refs - b1865 (as eordaa); b4094 (as cordaea)]
- b **eos** Hewitson, [1863], 1863-1878; Deudorix OD: Ill. diurn. Lep. Lycaenidae 1:19; 2:pl 6, f 8, 9 [b2326] SS: epirus (C. Felder), 1860; Deudorix [TypeL - Barchinan.] [Refs - b1450; b4094; b2747]
- c **eos** Röber, 1887; Curetis OD: CorrespBl. ent. Ver. Iris 1(4):198, pl 7, f 9 [b3821] SS: celebensis (Felder & Felder), 1865; Curetis [Type: SMT-It; designated by Takanami, 1989] [Työ to Ga 40(1):54 [b4602]] [TypeL - N. Sulawesi.] [Refs - b4094 (as Fruhstorfer i.l.); b3821; b4602]
- c **eas** d'Abreu, 1971, (ISS); Petrelaea OD: Butts Australian Region :343 [b1450] SS: ios (Waterhouse & Lyell), 1914; Petrelaea [Refs - b1450; b4992]
- c **ab. easteri** (Harrison), 1928; Aricia OD: Vasculum 14:147 [b2148] SS: medon (Hüfnagel), 1766; Plebejus (Aricia)
- a **epalia** (Godart), [1824], 1819-1824; Erycina OD: In Ency. méth. 9(Ins.):2:588 [b1970] CG: Mesene [TypeL - Brasilia] [Refs - b2988; b2747; b4474; b2221; b1456]
- a **epaphus** (Stoll), [1780], 1780-1790; Papilio OD: In Cramer, Uil. Kapellen 4(28):88, pl 335, f D,E [b4478] CG: Mesene [TypeL - Guiana.] [Refs - b2988; b2747; b4474; b1456]
- a **epargyros** (Eversmann), 1854; Polyommatus OD: Bull. Soc. imp. Nat. Moscou 27(2):178, pl 1, f 1, 2 [b1651] CG: Aphantis [Type of - Aphantis] [Refs - b1636; b2988; b2280; b2747; b4094; b0996; b2827; b0236; b2794; b3910; b0694; b4092; b0471; b1455]
- c **epesus** (Sulzer), 1776; Papilio OD: Abgekürzte Gesch. Ins. 1:146; 2:pl 18, f 10 [b4544] SS: quercus (Linnaeus), 1758; Quercusia [Refs - b2747]
- a **epeus** (Westwood), [1851], 1846-1852; Geridus OD: In Gen. diurn. Lep. (2):pl 76, f 5 [b4981] CG: Spalgis [TypeL - Ceylon.] [Type of - Spalgis] [Check - Spelling.] [Refs - b1450; b0964; b2280; b0965; b2747 (as epius); b1636 (as epius); b1840 (as epius); b1454 (as epius); b3055 (as epius); b0694]
- b **epeus** (Corbet), 1938; Castalius OD: J. Fed. Malay St. Mus. 18(2):249 [b0940] SS: elna (Hewitson), [1876]; Caleta [TypeL - Malaya.] [Refs - b0964; b0965]
- b **ephippium** Thieme, 1907; Barbicornis OD: Berl. ent. Z. 52:7 [b4640] SS: basiliis Godart, [1824]; Barbicornis [TypeL - Brazil.] [Refs - b0111; b4474; b0419]
- b **ephorus** (Fruhstorfer), [1904]; Taxila OD: Berl. ent. Z. 48(4):278 [b1817] SS: thuisto (Hewitson), [1861]; Laxita [Refs - b4474; b1454; b1840]
- a **ephyne** (Cramer), [1776], 1775-1790; Papilio OD: Uil. Kapellen 1(8):146, pl 93, f E,F [b1069] CG: Mesosemia [TypeL - Surinam.] [Refs - b2988; b2747; b4474; b1456]
- b **epiala** Corbet, 1941; Arhopala OD: Proc. R. ent. Soc. Lond. (B)10(9):154 [b0956] SS: epimuta Moore, [1858]; Arhopala b [Type: BMNH-ht] [TypeL - Malaya.] [Refs - b1644; b0956; b3498; b1454]
- c **epibata** Corbet, 1948; Arhopala OD: Proc. R. ent. Soc. Lond. (B)17(7/8):95 [b0963] SS: pseudomuta (Staudinger), 1889; Arhopala f [Type: BMNH-ht] [TypeL - Singapore.] [Refs - b1644; b1544; b0963]
- b **epicharma** (Fruhstorfer), 1910; Cyaniris OD: Steit. ent. Ztg 71(2):293 [b1843] SS: lavendularis (Moore), 1877; Celastrina [Type: BMNH-It; designated by Eliot & Kawazoé, 1983] [Butts Lycaenopsis group :256 [b1580]] [TypeL - Flores.] [Refs - b1580; b1840; b4592]
- a **epicles** (Godart), [1824], 1819-1824; Polyommatus OD: In Ency. méth. 9(Ins.):2:646 [b1970] CG: Heliophorus [TypeL - Java.] [Type of - Herda] [Refs - b0964; b4198; b1636; b2988; b2280; b0965; b4094; b2747; b0996; b4220; b2479; b0236; b0389; b1454; b0694; b1549; b4092]
- b **epicletus** (Felder & Felder), 1859; Lycaena OD: Wien. ent. Monats. 3(11):324, pl 6, f 3 [b1680] SS: polycletus (Linnaeus), 1758; Hypochrysops [Type: BMNH-ht] [TypeL - Aru Island, Indonesia.] [Refs - b1450; b2747; b2078; b4934; b3926]
- b **epicoritus** (Boisduval), 1832; Lycaena OD: In d'Urville, Voy. Astrolabe 1(Lép.):67 [b0457] SS: cyanea (Cramer), [1775]; Nacaduba [Refs - b1450; b2747; b2078; b1382]
- a **epicurus** Miskin, 1876; Hypochrysops OD: Trans. ent. Soc. Lond. 24(3):455 [b3209] [Type: QM-It; designated by Sands, 1986] [Entomograph 7:49-50 [b3926]] [TypeL - Brisbane, Australia.] [Refs - b1450; b2753; b2078; b0870; b4934; b3926; b1108]
- b **epidelon** (Fruhstorfer), 1917; Chrysophanus OD: Ent. Rundsch. 34(4):18 [b1876] SS: alciphron (Rottemburg), 1775; Lycaena (Alciphronia) [TypeL - Maritime Alps.] [Refs - b0236; b0471; b2858]
- a **epidius** Hewitson, [1859], 1852-1877; Mesosemia OD: Ill. exot. Butts 2:[---], pl [54], f 45-47 [b2323] [TypeL - Cayenne.] [Refs - b2988; b4474; b1456]
- c **epidius** Godman & Salvin, [1887], 1879-1901; Thecla OD: Biol. centr.-amer., Lep. Rhop. 2:54; 3:pl 54, f 21, 22 [b1975] SS: doryasa Hewitson, [1874]; Thecla (New World Eumaeini) [Type: BMNH] [TypeL - Panamá and Colombia.] [Refs - b0908; b1975]
- c **epidolus** (Boisduval), 1840, (NN); Lycaena OD: Gen. Index méth. europ. Lep. :13 (NN) [b0463] SS: menalcas (Freyer), 1837; Polyommatus (Agrodiaetus) [Refs - b2747; b0993; b2794]
- c **epidurus** (Fruhstorfer), 1913; Gerydus OD: Z. wiss. InsektBiol. 9(10):309 [b1851] SS: drucei (Semper), 1887; Miletus 3 [TypeL - Palawan.] [Refs - b1546; b1840]
- c **epigea** (Godart), [1824], 1819-1824; Nymphalis OD: In Ency. méth. 9(Ins.):2:426 [b1970] SS: epitus (Cramer), [1780]; Setabis [Refs - b2747; b4475 (as epigia)]
- c **epigelon** Doubleday, 1847, 1844-1848, (NN); Eurygona OD: List Spec. lep. Brit. Mus. (2):5 [b1327] [Refs - b4474]
- b **epigenes** (Fruhstorfer), [1912]; Tajuria OD: Berl. ent. Z. 56(3/4):214 [b1850] SS: cleoboides (Elwes), [1893]; Britomaritis [TypeL - Java.] [Refs - b4094; b2201; b1454; b1850]
- a **epijarbas** (Moore), [1858]; Dipsas OD: In Cat. Lep. Ins. E. India Co. (1):32 [b3219] CG: Deudorix [TypeL - India.] [Type of - Deudorix] [Refs - b0964; b1636; b4198; b1450; b2280; b0965; b4094; b2747; b0995; b2479; b4092; b0113; b0236; b3916; b2201; b1454; b0870; b0694; b4108]

- b **epijarbas** Staudinger, [1888], 1884-1888; *Melanis* OD: In Exot. Schmett. 1:245 [b4329] SS: *ubia* (Felder & Felder), 1865; *Melanis* [TypeL - Tapajoz, Amazonas, Brazil.] [Refs - b4474]
- a **epijessa** (Prittwitz), 1865; *Charis* OD: Stett. ent. Ztg 26:315 [b3651] CG: *Chalodeta* [TypeL - Brasilia.] [Refs - b2988; b2747; b4474; b0419 (in *Charis*); b3717; b1456]
- a **epilecta** (Stichel), 1910; *Orimba* OD: Berl. ent. Z. 55(1/2):71 [b4445] CG: *Setabis* [Type: ZMHU-st] [TypeL - Iquitos, W. Peru.] [Refs - b4475; b1456; b4445]
- c **epilectus** (Grose-Smith), 1897; *Lampides* OD: Ann. Mag. nat. Hist. (6)19:179 [b2040] SS: *nemophila* (Butler), 1876; *Jamides* [TypeL - Fergusson Island.] [Refs - b4671; b4094; b1865]
- a **epimete** (Staudinger), 1889; *Amblypodia* OD: Deut. ent. Zeit. [Iris] 2(1):128, pl 2, f 2 [b4332] CG: *Arhopala* k [Type: ZMHU-lt; designated by Takanami, 1989] [Työ to Ga 40(1):28 [b4602]] [TypeL - Palawan, Philippines.] [Refs - b1644; b4094; b1454; b4108]
- a **epimuta** Moore, [1858]; *Arhopala* OD: In Cat. Lep. Ins. E. India Co. (1):42, n 62 [b3219] CG: *Arhopala* b [Type: BMNH-ht] [TypeL - Borneo.] [Refs - b1644; b2747; b4094; b2200; b1454; b4108]
- c **epiphania** (Boisduval), 1848; *Polyommatus* OD: Bull. Soc. ent. Fr. (2)6:xxviii [b0465] SS: *callimachus* (Eversmann), 1848; *Tomares* [Refs - b2747; b0996; b2794; ns2313 (f 438-440); b4092]
- b **epiphanis** (Stichel), 1910; *Orimba* OD: Berl. ent. Z. 55(1/2):68 [b4445] SS: *epitus* (Cramer), [1780]; *Setabis* [Type: biblio] [TypeL - Amazonas.] [Refs - b4475; b1456; b4445]
- b **epiplatea** Butler, 1867; *Nymphidium* OD: Ent. mon. Mag. 3:222 [b0584] SS: *lisimon* (Stoll), [1790]; *Nymphidium* [TypeL - Pernambuco.] [Refs - b2747; b4476; b0584]
- a **epirus** (C. Felder), 1860; *Myrina* OD: Sber. Akad. Wiss. Wien 40(11):452 [b1676] CG: *Deudorix* [TypeL - Amboina.] [Refs - b1450; b2747; b4094; b0870; b4934]
- b **episatnius** Prittwitz, 1865; *Panara* OD: Stett. ent. Ztg 26:313 [b3651] SS: *phereclus* (Linnaeus), 1758; *Panara* [Refs - b2747 (as *episatnius*); b4474]
- a **episcopalis** Fassl, 1912; *Thecla* OD: Revue mens. Soc. ent. namur. 12(4):42 [b1662] CG: *Thecla* (New World *Eumaeini*) [Type: NMB; Fassl collection.] [TypeL - Río Aguaca Valley, Colombia.] [Refs - b0908]
- a **epitus** (Cramer), [1780], 1775-1790; *Papilio* OD: Uid. Kapellen 3(23):140, pl 270, f C [b1069] CG: *Setabis* [TypeL - Guayana.] [Refs - b2988; b0856 (reproduction of Cramer's figure); b2747; b4475; b1023; b1456]
- e **epius** (Kirby), 1871, (ISS); *Lucia* OD: Syn. Cat. diurn. Lep. :337 [b2747] SS: *epeus* (Westwood), [1851]; *Spalgis* [Refs - b2698; b1454; b1840; b3055; b2747]
- a **epixanthe** (Boisduval & Le Conte), [1835], 1829-1837; *Polyommatus* OD: Hist. Lépid. Amer. sept. (15):127, pl 38, f 4,5 [b0470] CG: *Epidemia* [Type: USNM-lt; designated by Rawson, 1948] [J. New York ent. Soc. 56(1):58 [b3693]] [TypeL - New Jersey. Restricted by Rawson, 1948] [Type of - *Epidemia*] [LifeH - Tietz lists b1792, b4088, b4090.] [Refs - b1530 :227, f 437; b1321 :61; b0908; b2280; b3191; b2747; b4220; b3192; b3512; b3189; b2753; b4066; b4652]
- a **epixanthe** (Stichel), 1910; *Echenais* OD: Berl. ent. Z. 55(1/2):30 [b4445] CG: *Adelotypa* [Type: ZMHU-st] [TypeL - San Paulo de Olivença, Amazonas, Brazil.] [Refs - b4474; b4446]
- b **epodes** (Fruhstorfer), 1916; *Lycaena* OD: Ent. Rundsch. 33(5):19 [b1875] SS: *erotides* (Staudinger), 1892; *Polyommatus* [TypeL - Chingan Mt., Inner Mongolia.] [Refs - b0236; b3301; b0471; b0206]
- b **epone** (Godart), [1824], 1819-1824; *Erycina* OD: In Ency. méth. 9(Ins.)(2):580 [b1970] SS: *zygia* Hübner, [1807]; *Lemonias* [Refs - b2747; b4475; b3866]
- a **epopea** Hewitson, 1870, 1869-1877; *Thecla* OD: Equatorial Lep. Buckley (4):61 [b2330] CG: *Thecla* (New World *Eumaeini*) [Type: BMNH] [TypeL - Curaray, Ecuador.] [Refs - b0908; b2747; b2925; b1975]
- a **epopeoides** Schaus, 1902; *Thecla* OD: Proc. U. S. nat. Mus. 24(1262):412 [b3948] CG: *Thecla* (New World *Eumaeini*) [Type: USNM-ht; #5933] [TypeL - Coatepec, Mexico.] [Note - Related to *epopea*.] [Refs - b0908; b3948; b1375 (as *epopeodes*)]
- c **epopus** (Stoll), [1781], 1780-1790; *Papilio* OD: In Cramer, Uid. Kapellen 4(31):—, pl 363, f G.H [b4478] SS: *polycletus* (Linnaeus), 1758; *Hypochrysops* [Refs - b2747; b2078; b3926]
- a **epulus** (Cramer), [1775], 1775-1790; *Papilio* OD: Uid. Kapellen 1(5):79, pl 50, f C,D [b1069] CG: *Audre* [TypeL - America mer.] [Type of - *Audre*, *Lemonias*] [Refs - b2988; b2280; b2747; b4475; b2221; b1456]
- a **epytus** (Godman & Salvin), [1887], 1879-1901; *Thecla* OD: Biol. centr.-amer., Lep. Rhop. 2:40; 3:pl 52, f 27,29 [b1975] CG: *Panthiades* [Type: BMNH] [TypeL - Bugaba, Panamá.] [Note - Near *arindela*.] [Refs - b0908; b2631]
- c **erasmus** (Kirby), 1887; *Teriomina* OD: Ann. Mag. nat. Hist. (5)19:366 [b2763] SS: *erastus* (Hewitson), [1866]; *Citrinophila* [TypeL - Angelo, W. Africa.] [Refs - b4400]
- a **erasmus** Grose-Smith, 1900, 1887-1902; *Hypolycaena* OD: Rhop. exot. 3(52):2, pl 23, f 4,5 [b2029] [Refs - b1450]
- a **eraste** (Bates), [1868]; *Cricosoma* OD: J. linn. Soc. Lond., Zool. 9:385 [b0267] CG: *Symmachia* [Type: BMNH-ht] [TypeL - Ega.] [Refs - b2747; b1456]
- a **erastus** (Hewitson), [1866], 1852-1877; *Tachyris* OD: Ill. exot. Butts 3:[-], pl [5], f 51 [b2323] CG: *Citrinophila* [Refs - b2907; b1452; b4400]
- b **eratosthenes** (Fruhstorfer), 1908; *Miletus* OD: Int. ent. Z. 2(14):85,86 [b1830] SS: *narcissus* (Fabricius), 1775; *Hypochrysops* [Type: BMNH-lt; designated by Sands, 1986] [Entomograph 7:38 [b3926]] [TypeL - New Guinea.] [Refs - b1450; b3926]
- b **ereiyasi** (Schurian & Haeuser), 1981; *Meleageria* OD: *Atalanta* (Münnerstadt) 12(2):104, f [b4041] SS: *daphnis* ((Denis & Schiffermüller), 1775; *Polyommatus* (*Meleageria*) [TypeL - Turkey.] [Refs - b1610 (8267-E12); b0114]
- a **erebia** Bates, [1868]; *Pachythone* OD: J. linn. Soc. Lond., Zool. 9:390 [b0267] [TypeL - Ega.] [Type of - *Pachythone*] [Refs - b2280; b2747; b4475; b2753; b1456]
- c **erebina** (Staudinger), 1889; *Amblypodia* OD: Deut. ent. Zeit. [Iris] 2(1):123, pl 1, f 14 [b4332] SS: *annulata* (C. Felder), 1860; *Arhopala* a [Type: ZMHU-lt; designated by Takanami, 1989] [Työ to Ga 40(1):26 [b4602]] [TypeL - Palawan.] [Refs - b1644; b4094; b4590; b4602]
- c **erebus** (Knoch), 1782, 1781-1783; *Papilio* OD: Beitr. Insekengesch. 2:93, pl 6, f 6,7 [b2784] SS: *nausithous* (Bergsträsser), [1779]; *Maculinea* [Refs - b2747; b0993; b0400; b2794; b4092]
- a **erema** Hewitson, [1867], 1863-1878; *Thecla* OD: Ill. diurn. Lep. Lycaenidae 1:104; 2:pl 44, f 179,180 [b2326] CG: *Thecla* (New World *Eumaeini*) [Type: BMNH] [TypeL - Vera Paz, Guatemala.] [Refs - b0908; b2747; b1975]
- a **erembis** Nabokov, 1948; *Cyclargus* OD: Entomologist 81(12):273, f [b3327] CG: *Cyclargus* [Type: BMNH-ht] [TypeL - Cayman Islands.] [Refs - b3327; b0833]
- a **eremica** (Hayward), 1949; *Thecla* OD: Acta zool. lilloana 8:574 [b2217] CG: *Strymon* [Type: FMLT-ht] [TypeL - Catamarca, Argentina.] [Refs - b0908; b2218; b2624]

- c *eremicola* (Röber), 1891; Plebeius OD: Tijdschr. Ent. 34(3/4):316 [b3823] SS: gaura (Doherty), 1891; Theclinesthes [Type: BMNH-nt; designated by Sibatani & Grund, 1978] [Tyô to Ga 29(1):5,6 [b4223]] [TypeL - Flores.] [Type of - Theclinesthes] [Refs - b2280; b4094; b4223; b4934; b4592; b2388]
- c *erenea* (Hewitson), [1867], 1863-1878; Thecla OD: Ill. dium. Lep. Lycaenidae 1:113; 2:pl 42, f 163,164 [b2326] SS: stagira (Hewitson), [1867]; Rekoa [Type: BMNH-lt; designated by Robbins, 1991] [Smithsonian Contr. Zool. (498):52 [b3817]] [TypeL - Santarem, Amazon.] [Refs - b0908; b2747; b0125; b3817]
- c *eretria* (Hewitson), [1867], 1863-1878; Thecla OD: Ill. dium. Lep. Lycaenidae 1:114; 2:pl 42, f 153 [b2326] SS: grandis (Felder & Felder), 1862; Satyrium [Refs - b2747; b0996; b2479; b4092]
- c *♀ f. eretria* Fruhstorfer, [1915], 1909-1923; Allotinus OD: In Seitz, Grossschmett. Erde 9:814 [b1840] SS: nigratus (Semper), 1887; Allotinus (Fabitaras) [TypeL - Mindanao, Philippines.] [Refs - b1840; b1571]
- b *ergane* (Higgins), 1981; Agriades OD: Ent. Gaz. 32(4):231, f [b2377] SS: pyrenaicus (Boisduval), 1840; Polyommatus (Agriades) [Type: lost-ht] [TypeL - Voronezh, Ukraine, R.S.F.S.R., U.S.S.R.] [Refs - b2377; b4247]
- a *ergeus* (Godart), [1824], 1819-1824; Polyommatus OD: In Ency. méth. 9(Ins.):2;635 [b1970] CG: Thecla (New World Eumaeini) [TypeL - Antilles.] [Refs - b0908; b0907; b2747; b1375]
- a *ergina* Hewitson, [1867], 1863-1878; Thecla OD: Ill. dium. Lep. Lycaenidae 1:105; 2:pl 43, f 170,171 [b2326] CG: Thecla (New World Eumaeini) [Type: BMNH] [TypeL - Jamaica?] [Refs - b0908; b0907; b2747]
- b *ergines* (Seitz), [1917], 1910-1924; Tharops OD: In Seitz, Grossschmett. Erde 5:716 [b4093] SS: hebrus (Cramer), [1775]; Menander [TypeL - Bolivia.] [Refs - b4475; b4093]
- c *eribaea* (Hewitson), [1867], 1863-1878; Thecla OD: Ill. dium. Lep. Lycaenidae 1:108; 2:pl 42, f 154,155 [b2326] SS: bitias (Cramer), [1777]; Panthiades [Type: BMNH] [TypeL - Pará, Amazon.] [Refs - b0908; b2747]
- a *erica* Suffert, 1904; Telipna OD: Deut. ent. Zeit. [Iris] 17:41 [b4535] [TypeL - Cameroons.] [Refs - b1452; b4400]
- c *ab. erica* (Stephan), 1924; Nemeobius OD: Z. wiss. InsektBiol. 19(1):49 [b4427] SS: lucina (Linnaeus), 1758; Hamearis [Refs - b4473; b0236]
- b *ericae* Lempke, 1955; Maculinea OD: Tijdschr. Ent. 98:pl 3 [b2982] SS:alcon (Denis & Schiffemüller), 1775; Maculinea [Refs - b0400]
- a *ericeta* Hewitson, [1867], 1863-1878; Thecla OD: Ill. dium. Lep. Lycaenidae 1:104; 2:pl 44, f 177,178 [b2326] CG: Thecla (New World Eumaeini) [Type: BMNH] [TypeL - Vera Paz, Guatemala.] [Refs - b0908; b2747; b1375; b1975]
- b *erichsonii* Felder & Felder, 1865, 1865-1875; Amblypodia OD: Reise Novara (2):218 [b1692] SS: narada (Horsfield), [1828]; Amblypodia [TypeL - Luzon, Philippines.] [Refs - b2747; b4094; b1636 (with Anita and dif. authors); b1454; b4601; b4713]
- c *ericus* (Fabricius), 1793, 1792-1799; Hesperia OD: Ent. syst. 3(1):281 [b1657] SS: lingeus (Stoll), [1782]; Cacyreus [TypeL - India?] [Refs - b4400; b5076]
- c *ericusa* (Hewitson), [1867], 1863-1878; Thecla OD: Ill. dium. Lep. Lycaenidae 1:113; 2:pl 42, f 162 [b2326] SS: marius (Lucas), 1857; Rekoa [Type: BMNH-lt; designated by Robbins, 1991] [Smithsonian Contr. Zool. (498):46 [b3817]] [TypeL - Brazil.] [Refs - b0908; b2747; b3818; b1371; b2593; b0125; b3817]
- a *eridanus* (C. Felder), 1860; Amblypodia OD: Sber. Akad. Wiss. Wien 40(11):452 [b1676] CG: Arhopala a [Type: BMNH-ht] [TypeL - Amboina.] [Refs - b1450; b1644; b2747; b2200; b1454; b4094]
- c *erigone* (Boisduval), 1870; Erycina OD: Consid. Lép. Guatemala :20 [b0469] SS: jurgensenii (Saunders), [1850]; Ancyluris [TypeL - Honduras.] [Refs - b2747; b4474]
- a *erigone* Grun-Grshimailo, 1890; Polyommatus OD: In Romanoff, Mém. Lép. 4:397 [b2067] CG: Polyommatus [TypeL - Pamir, Turkestan.] [Refs - b2827; b3910; b4092; b1455]
- a *erikssoni* Trimen, 1891; Aphnaeus OD: Proc. zool. Soc. Lond. 1891(1):86, pl 9, f 15 [b4727] [TypeL - W. Africa.] [Refs - b1943; b4400; b4387; b1259; b1452]
- c *erilda* Fruhstorfer, [1914], 1909-1923; Abisara OD: In Seitz, Grossschmett. Erde 9:783, pl 138d [b1840] SS: geza Fruhstorfer, [1904]; Abisara [TypeL - W. Java.] [Refs - b0294; b4473; b1454; b1840]
- b *erilis* Stichel, 1919; Euselasia OD: Deut. ent. Zeit. 1919:305 [b4454] SS: gelanor (Stoll), [1780]; Euselasia [Type: pc-st; collection of Stichel] [TypeL - Tarapoto, Matto Grosso, Brazil.] [Refs - b4474; b1456; b4454]
- b *erinnya* Stichel, 1910; Mesosemia OD: Gen. Insectorum 112(A):62 [b4446] SS: eumene (Cramer), [1776]; Mesosemia [Type: pc-st; collection of Stichel] [TypeL - Macas + Archidona, Ecuador; Pozuzo, Peru.] [Refs - b4474; b1456; b4446]
- a *erinus* (Fabricius), 1775; Papilio OD: Syst. Ent. :525 [b1653] CG: Candalides [Type: BMNH-ht; Banks collection.] [TypeL - Australia.] [Type of - Erina, Holochila] [Refs - b1450; b4677; b2280 (as erina); b2747; b2078; b0870; b4934; b1479; b5076]
- e *eriphon* (Morris), 1862, (ISS); Thecla OD: Smithsonian Misc. Coll. [4]:100 [b3244] SS: eryphon (Boisduval), 1852; Incisalia [Refs - b0908]
- e *erissus* Draudt, [1920], 1917-1924, (ISS); Thecla OD: In Seitz, Grossschmett. Erde 5:776 [b1348] SS: eryssus (Herbst), 1800; Thecla (New World Eumaeini) [Refs - b0908]
- b *eristalis* Stichel, 1923; Mesene OD: Z. wiss. InsektBiol. 18(10/11):280 [b4457] SS: phareus (Cramer), [1777]; Mesene [TypeL - Brazil.] [Refs - b4474]
- b *erivanensis* (Forster), 1960; Agrodiaetus OD: Ent. Zeit. 70(3):17 [b1770] SS: demavendi (Pfeiffer), 1938; Polyommatus (Agrodiaetus) [TypeL - Eriwan, Transcaucasus.] [Note - Described as a subspecies of ripartii.] [Refs - b2788]
- c *erix* (Cramer), [1775], 1775-1790; Papilio OD: Uitl. Kapellen 1(7):129, pl 82, f B [b1069] SS: eryssus (Herbst), 1800; Thecla (New World Eumaeini) [TypeL - Surinam.] [Refs - b0908; b2747]
- e *erlam* Fruhstorfer, 1907, (IFS); Iraota OD: Ent. Zeit. 21(25):156 [b1826] SS: johnsoniana Holland, 1890; Iraota [TypeL - Not stated.] [Refs - b4094 (also as erla:944); b1826; b4589]
- c *erna* (Staudinger), [1888], 1884-1888; Aphnaeus OD: In Exot. Schmett. 1:274 [b4329] SS: phanes (Trimen), 1873; Spindasis [TypeL - Transvaal.] [Refs - b4400]
- b *erna* (Fruhstorfer), 1907; Sithon OD: Ent. Zeit. 21(23):144 [b1824] SS: jangala (Horsfield), [1829]; Remelana [TypeL - Lompa-Batuan, S. Celebes.] [Refs - b4094; b2201; b1824]
- b *erna* Kalis, 1933; Hypolycaena OD: Tijdschr. Ent. 76(1/2):63 [b2679] SS: erylus (Godart), [1824]; Hypolycaena [TypeL - Neth. E. Indies.]
- a *ernesti* (Karsch), 1895; Epitola OD: Ent. Nachr. 21:290 [b2694] CG: Egumbia [TypeL - Tropical Africa.] [Note - Suffert described the male in 1904.] [Refs - b1452; b0836; b2694; b4400 (cpl)]

- b **ernesti** Eckweiler, 1989; *Polyommatus* OD: Nachr. ent. Ver. Apollo (nf)10(2):97, f [b1468] SS: firdussii (Forster), 1956; *Polyommatus* (*Agrodiaetus*) [TypeL - Turkey.] [Refs - b0123]
- c **eroe** (Hewitson), [1865], 1852-1877; *Nymphidium* OD: Ill. exot. Butts 3:[--], pl [55], f 11,12 [b2323] SS: tytia (Cramer), [1777]; *Synargis* [TypeL - Cayenne.] [Refs - b2747; b4475; b0569]
- a **eroides** Frivaldszky von Frivald, 1835; *Polyommatus* OD: Cat. Lep. Balkan 2:270, pl 7, f 9 [b1799] [TypeL - E. Europe.] [Refs - b2375; b2747; b1780; b1762; b2827; b0236; b2380; b2794; b2859; ns2839; b4092; b0206]
- c **eroides** (Gerhard), 1853, 1850-1853; *Lycaena* OD: Vers. monog. europ. Schmett. :pl 37, f 3 [b1928] SS: anteros (Freyer), 1839; *Plebejus* (*Ultraaricia*) [Refs - b2747]
- b **eromena** Stichel, 1910; *Mesene* OD: Gen. Insectorum 112(A):216 [b4446] SS: nola Herrich-Schäffer, [1853]; *Mesene* [Type: BMNH-st; Ecuador; ZMHU-st] [TypeL - Yungas & Suapi, Bolivia.] [Refs - b4474; b1456; b4446]
- a **eromena** (Jordan), 1912; *Abisara* OD: Novit. zool. 18:594 [b2665] CG: *Praetaxila* [TypeL - Utakwa River, New Guinea.] [Refs - b1450; b2665; b4474; b3880; b1840]
- a **eronus** H. H. Druce, 1890; *Thecla* OD: Ent. mon. Mag. 26:151 [b1354] CG: *Thecla* (New World Eumaeini) [Type: pc; Druce collection.] [TypeL - Colombia.] [Refs - b0908]
- a **eros** (Ochsenheimer), 1807, 1807-1835; *Papilio* OD: Schmett. Europa 1(2):42 [b3470] CG: *Polyommatus* [TypeL - Europe.] [Refs - b1636; b1153; b4115; b2375; b3059; b2827; b1762; b2479; b2747; b4094; b1780; b2866; b0236; b2380; b2794; b3910; b4367; b3055; b0694; b2859; ns0768; b4092]
- e **erosa** Stichel, 1919, (IFS); *Euselasia* OD: Deut. ent. Zeit. 1919:301 [b4454] SS: midas (Fabricius), 1775; *Euselasia* [Refs - b4474; b4454]
- d **erosine** (Fabricius), 1787, (H); *Papilio* OD: Mantissa Ins. 2:51 [b1656] SS: thero (Linnaeus), 1764; *Phasis* [TypeL - ad Cap. Bon. Spei" [Cape of Good Hope].] [Refs - b2747; b4400; b4685; b5076]
- a **erostratus** (Westwood), [1851], 1846-1852; *Anatole* OD: In Gen. dium. Lep. (2):458, pl 71, f 4 [b4981] CG: *Audre* [TypeL - Venezuela.] [Refs - b2988; b2747; b4475; b2497; b1456]
- a **erota** (Cramer), [1780], 1775-1790; *Papilio* OD: Util. Kapellen 3(2-):152, pl 276, f G [b1069] CG: *Notheme* [Refs - b4474; b1456]
- b **erotica** Seitz, [1917], 1910-1924; *Helicopsis* OD: In Seitz, Grossschmett. Erde 5:633, pl 124a [b4093] SS: cupido (Linnaeus), 1758; *Helicopsis* [TypeL - Pará & Itaituba, Amazonas, Brazil.] [Refs - b4474; b4093]
- a **erotides** (Staudinger), 1892; *Lycaena* OD: Deut. ent. Zeit. [Iris] 5:319 [b4338] CG: *Polyommatus* [TypeL - Southern Siberia.] [Refs - b2827; b2479; b4169; b4092; b1455; b0206; b4338]
- b **erotulus** Nekrutenko, 1985; *Polyommatus* OD: Vestnik Zoologii 1985(4):29-35 [b3367] SS: forsteri (Pfeiffer), 1938; *Polyommatus* [TypeL - Mistan, Talysh Mts., Azerbaijan.] [Refs - b3367; b0206]
- a **erotylus** Stichel, 1910; *Cariomothis* OD: Berl. ent. Z. 55(1/2):55 [b4445] [Type: ZMHU-st] [TypeL - Marcapata, Peru; Rio Songo, Bolivia.] [Refs - b2988; b4474; b4445; b3717 (in *Metacharis*); b1456]
- b **errans** (Riley), 1927; *Lycaena* OD: Trans. ent. Soc. Lond. 75(1):128 [b3762] SS: dis (Grum-Grshimailo), 1891; *Polyommatus* (*Agriades*) [Type: BMNH-ht] [TypeL - Phari, Tibet.] [Refs - b0236; b0065; b0471; b3762]
- c **erratica** Seitz, [1917], 1910-1924; *Riodina* OD: In Seitz, Grossschmett. Erde 5:658, pl 132e [b4093] SS: *lysiippus* (Linnaeus), 1758; *Riodina* [TypeL - Colombia.] [Refs - b4474; b4093]
- a **erschoffi** (Lederer), 1869; *Lycaena* OD: Horae Soc. ent. ross. 6:80, pl 4, f 4,5 [b2955] CG: *Polyommatus* (*Paragrodiaetus*) [TypeL - Persia.] [Refs - b2988; b2747; b0993; b1762; b2827 (as *ershovi*); b0109 (as *..ii*); ns3862; b4092]
- a **ertli** (Aurivillius), 1907; *Cupido* OD: Ark. Zool. 3(19):3 [b0161] CG: *Tuxentius* [Refs - b1943; b0714; b1452; b2898; b4400; b0162; b2899]
- b **ertli** Aurivillius, 1916; *Iolaus* OD: Ark. Zool. 10(14):2 [b0168] SS: *tajoraca* Walker, 1870; *Iolaus* (*Epamera*) [TypeL - Madibira, Dutch E. Africa.] [Refs - b1452; b0168; b4400]
- b **ertli** Joicey & Talbot, 1924; *Mimacraea* OD: Entomologist 57:38 [b2660] SS: *chamian* Grose-Smith & Kirby, 1890; *Mimacraea* [TypeL - Congo.] [Refs - b3796; b1452; b4400]
- b **erubescens** Stichel, 1929; *Nymphidium* OD: Mitt. zool. Mus. Berl. 15:24 [b4470] SS: *caricae* (Linnaeus), 1758; *Nymphidium* [TypeL - Venezuela.] [Refs - b4476; b4470]
- a **erybathis** Hewitson, [1867], 1863-1878; *Thecla* OD: Ill. dium. Lep. Lycaenidae 1:84; 2:pl 34, f 58,59 [b2326] CG: *Thecla* (New World Eumaeini) [Type: BMNH] [TypeL - Mexico.] [Note - Related to *viridicans*.] [Refs - b0908; b2747; b2406; b1975]
- a **erycina** (Schweizer & Kay), 1941; *Hamearis* OD: An. Mus. Hist. nat. Montevideo (2)5(2):7 [b4053] CG: *Audre* [TypeL - Uruguay.] [Refs - b0420; b1456]
- a **erycinoides** (Felder & Felder), 1865, 1865-1875; *Pseudodipsas* OD: Reise Novara (2):259, pl 30, f 23,24 [b1692] CG: *Poritia* [Type: BMNH-ht] [TypeL - Java.] [Refs - b0964; b1636; b0965; b2747; b4094; b4950; b2200; b1850; b3610; b1454]
- c **erycinoides** (Grose-Smith & Kirby), 1890, 1887-1902; *Durbania* OD: Rhop. exot. 1(15):47, pl 11, f 11,12 [b2049] SS: *helenae* (H. H. Druce), 1888; *Liptena* [Refs - b4400; b2049]
- a **erylus** (Godart), [1824], 1819-1824; *Polyommatus* OD: In Ency. méth. 9(Ins.)(2):633 [b1970] CG: *Hypolycaena* [TypeL - Malaya.] [Refs - b0964; b1450; b0965; b4094; b2747; b1601; b0236; b1454; b4400; b0694; b4595; b4105]
- b **erymanthus** Ménétrés, 1855, 1855-1857; *Nymphidium* OD: Enum. corp. anim. 1:90, pl 6, f 6 [b3152] SS: *acherois* (Boisduval), 1836; *Nymphidium* [TypeL - Minas Geraes.] [Refs - b2747; b4476; b1456]
- c **erymus** (Boisduval), 1869, 1868-1869; *Lycaena* OD: Amls Soc. ent. Belg. 12:48 [b0468] SS: *fenderi* Macy, 1931; *Plebejus* (*Icaricia*) [Type: USNM-ht] [TypeL - Oregon.] [Refs - b0908; b3192; b1321]
- a **eryphon** (Boisduval), 1852; *Thecla* OD: Annlis Soc. ent. Fr. (2)10:289 [b0467] CG: *Incisalia* [Type: USNM-ht] [TypeL - California.] [Refs - b1530 :204, f 387; b1321 :55; b0908; b0428; b2728; b4688; b1711; b3722; b2747; b3192; b3512; b2417; b0493; b1743; b5015; b2419; b4690; b0467; b2585; b4066]
- b **eryphyla** Stichel, 1919; *Euselasia* OD: Deut. ent. Zeit. 1919:314 [b4454] SS: *eucrates* (Hewitson), [1872]; *Euselasia* [Type: pc-st; collection of Stichel] [TypeL - Los Llanos, Ecuador.] [Refs - b4474; b0680; b4454]
- a **eryssus** (Herbst), 1800, 1788-1804; *Papilio* OD: In Jablonsky, Natursyst. Ins., Schmett. 10:316, pl 294, f 3 [b2306] CG: *Thecla* (New World Eumaeini) [Refs - b0908; b2747]
- c **erytalus** (Butler), [1870]; *Tmolus* OD: Cat. dium. Lep. Fabricius Br. Mus. :189 [b0590] SS: *columella* (Fabricius), 1793; *Strymon* [Refs - b0908; b1321; x3192]

- b erythema** Quickelberge, 1980; Phasis OD: Durban Mus. Novit. 12(16):185, f 2 [b3678] SS: clavum Murray, 1935; Phasis [Type: DM-ht] [TypeL - Cape Province, S. Africa.] [Refs - b3678; b0113]
- e ab. erythiana** (Dietzel), 1991; Lysandra OD: Folia Mus. Hist.-Nat. Bakonyiensis 10:82 [b1276] SS: coridon (Poda von Neuhaus), 1761; Polyommatus (Lysandra) [Refs - b0125]
- b erythinosia** Stichel, 1910; Eurybia OD: Gen. Insectorum 112(A):67 [b4446] SS: niceus (Fabricius), 1775; Eurybia [Type: pc-st; collection of Stichel] [TypeL - Ecuador.] [Refs - b4474; b1456; b4446]
- c erythra** (Ménétriés), 1855, 1855-1857; Lymnas OD: Enum. corp. anim. 1:93, pl 3, f 8 [b3152] SS: xenia (Hewitson), [1853]; Melanis [TypeL - Brasilia.] [Refs - b2988; b4474; b2221; b2747 (as erythrus :301)]
- a erythraea** (Bates), [1868]; Eurygona OD: J. linn. Soc. Lond., Zool. 9:375 [b0267] CG: Euselasia [TypeL - Upper Amazon.] [Refs - b2988; b2747; b4474; b1453; b0569; b1456]
- c erythraea** (Staudinger), 1892; Cigariüs OD: Deut. ent. Zeit. [Iris] 5:280 [b4337] SS: acamas (Klug), 1834; Apharitis [TypeL - Tunis.] [Refs - b4092; b4337]
- b erythraea** Stichel, 1910; Cariomothis OD: Berl. ent. Z. 55(1/2):54 [b4445] SS: erythromelas (Sepp), [1848]; Cariomothis [Type: ZMHU-ht] [TypeL - Leopoldina, Espirito Santo, Brazil.] [Refs - b4474; b4445]
- b erythraicum** Stichel, 1910; Nymphidium OD: Berl. ent. Z. 55(1/2):63 [b4445] SS: lisimon (Stoll), [1790]; Nymphidium [Type: pc-st; collection of Stichel] [TypeL - Rio Madeira, Manicore, Amazonas, Brazil.] [Refs - b4476; b1456; b4445]
- b erythrina** (Waterhouse & Lyell), 1909; Miletus OD: Victorian Nat. 26(8):115 [b4945] SS: ignita (Leach), 1814; Hypochrysops [Type: AM-lt; designated by Sands, 1986] [Entomograph 7:52 [b3926]] [TypeL - Port Darwin, Australia.] [Refs - b1450; b0870; b4094; b3926]
- a erythromelas** (Sepp), [1848], 1828-1855; Papilio OD: Surinaam. Vlinders 1:65, pl 29 [b4116] CG: Cariomothis [TypeL - Guiana.] [Type of - Cariomothis] [Refs - b2988; b2280; b2747; b4474; b1456]
- e erythropeccilus** Stempffer, 1967, (ISS); Anthene OD: Bull. Br. Mus. nat. Hist. (Ent.) Suppl. 10:191 [b4400] SS: erythropeccilus (Holland), 1893; Anthene [Refs - b4400]
- e ab. erythrophoba** Bubačėk, 1924; Satyrium OD: Verh. zool.-bot. Ges. Wien 73:(24) [b0570] SS: spini ([Denis & Schiffmüller]), [1775]; Satyrium [Refs - b0236; b0471]
- a erythropeccilus** (Holland), 1893; Lycaenesthes OD: Ent. News 4(1):26 [b2427] CG: Anthene [TypeL - W. Africa.] [Refs - b1452; b0836; b2427; b4400 (as erythropeccilus)]
- a erythrozona** Röber, 1927; Thecla OD: Int. ent. Z. 20:428, f [b3837] CG: Thecla (New World Eumacini) [TypeL - Brazil.] [Refs - b0065; b3837]
- a eryx** (Linnaeus), 1771; Papilio OD: Mant. Plant. (2nd ed.) :537 [b2998] CG: Arupe [TypeL - India bor.] [Refs - b0964; b1636; b4198; b0965; b4094; b2747; b2479; b2834 (in Deudorix); b2650; b0236; b1454; b0694]
- d eryx** (Cramer), [1777], 1775-1790, (H); Papilio OD: Uil. Kapellen 2(12):75, pl 143, f D [b1069] SS: lydus (Hübner), [1819]; Theclopsis [TypeL - Surinam.] [Note - May be an Objective Synonym of lydus.] [Refs - b0908; b2988; b2747; b1375]
- b eryximachus** Fruhstorfer, 1913; Allotinus OD: Z. wiss. Insektbiol. 9(11):343 [b1851] SS: fallax Felder & Felder, 1865; Allotinus [Type: BMNH-lt; designated by Eliot, 1986] [Bull. Br. Mus. nat. Hist. (Ent.) 53(1):11 [b1571]] [TypeL - Mindoro, Philippines.] [Refs - b1840; b1571]
- b eryxo** (Saunders), [1859]; Erycina OD: Trans. ent. Soc. Lond. (2)5(9):104, pl 11, f 13 [b3939] SS: aulestes (Cramer), [1777]; Ancyluris [TypeL - Peru.] [Refs - b2747; b4474; b3939; b1456]
- b erzurumensis** (Eckweiler & Hesselbarth), 1978; Agriades OD: NachrBl. bayer. Ent. 27(4):65, f [b1469] SS: pyrenaicus (Boisduval), 1840; Polyommatus (Agriades) [TypeL - Turkey.] [Refs - b0110]
- c esakii** (Umeno), 1937; Zephyrus OD: Bull. Umeno ent. Lab. (4):23 [b4779] SS: smaragdina (Bremer), 1861; Chrysozephyrus [TypeL - Japan.] [Refs - b4200; b4283; b2463]
- d esakii** (Sonan), 1940, (H); Zephyrus OD: Trans. nat. Hist. Soc. Formosa 30:81 [b4280] OS: teisoï (Sonan), 1941; Chrysozephyrus [Type: biblio; replacement for formosanus Esaki, 1932.] [TypeL - Formosa.] [Refs - b4198; b4547; b5053; b4214; b3296; b4283; b2463]
- a esakii** (Shirōzu), 1941; Strymon OD: Zephyrus 9(2):73, f 1,2 [b4188] CG: Satyrium [Type: KIUH-ht] [TypeL - Formosa.] [Note - Closely resembles patrius.] [Refs - b4198; b5053; b4188]
- b esakii** Shirōzu, 1952; Dodona OD: Sieboldia 1(1):23, f [b4192] SS: eugenae Bates, [1868]; Dodona [Type: ELKU-ht] [TypeL - Taikokei valley, Formosa.] [Refs - b4198; b5052; b4192]
- b esava** Corbet, 1941; Arhopala OD: Proc. R. ent. Soc. Lond. (B)10(9):160 [b0956] SS: aroa (Hewitson), [1863]; Arhopala f [Type: BMNH-ht] [TypeL - Mergui.] [Refs - b1644; b0956; b1454]
- a escheri** (Hübner), [1823], 1796-1838; Papilio OD: Samml. europ. Schmett. 1:pl 160, f 799,800 [b2480] CG: Polyommatus (Plebicula) [Refs - b2375; b3059; b2747; b0993; b1780 (in Lysandra); b1762; b2827 (in Lysandra); b0236; b2794 (in Plebicula); b2859 (in Polyommatus); b2374 (in Plebicula); b4092; b2374]
- e ab. escheri** (Harrison), 1929; Lysandra OD: Vasculum 15:40 [b2149] SS: bellargus (Rottemburg), 1775; Polyommatus (Lysandra) [Refs - b0236]
- e ab. escherinus** Rowland-Brown, 1909; Polyommatus OD: Entomologist 42:297, nota [b3892] SS: escheri (Hübner), [1823]; Polyommatus (Plebicula) [Refs - b0236; b0471]
- b escobioi** Schwartz, 1987; Pseudochrysops OD: Bull. Allyn Mus. (110):2, f 1 [b4047] SS: bomoi (Comstock & Huntington), 1943; Pseudochrysops [Type: AME-ht] [TypeL - Puerto Rico] [Refs - b4047]
- b escorialensis** Oberthür, 1910; Laeosopis OD: Étud. Léop. comp. 4:57 [b3451] SS: roboris (Esper), [1789]; Laeosopis [Refs - b3059; b0995 (as escorialis); b0236; b0471]
- a escuintla** Johnson, 1991; Kroenleina OD: Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (21):32, f [b2606] [Type: CM-ht] [TypeL - Mtns above Escuintla, Chiapas State, Mexico.] [Refs - b0125; b2606]
- a esculi** (Hübner), [1819], 1816-1826; Strymon OD: Verz. bekannt. Schmett. (5):74, no. 737 [b2484] CG: Satyrium [Refs - b3337; b2375; b3059 (in Strymon); b1213; b2747; b3070; b0236; b2794; b2985; b2859; ns3894; b4092; b1455]
- c esla** Fruhstorfer, 1912; Zemeris OD: Ent. Rundsch. 29(3):23 [b1849] SS: flegyas (Cramer), [1780]; Zemeris [Refs - b4473; b1840]
- b esla** (Swinhoe), 1912, 1909-1913; Biduanda OD: In Moore, Lep. Ind. 9:190 [b4575] SS: ravindra (Horsfield), [1828]; Drupadia [Type: BMNH-ht] [TypeL - Sumatra, Indonesia.] [Refs - b1030; b0105; b2201; b1454; b4575]
- b esme** (Grose-Smith), 1894; Thysonotis OD: Ann. Mag. nat. Hist. (6)13:501 [b2035] SS: schaeffera (Eschscholtz), 1821; Nothodanis [TypeL - New Britain.] [Refs - b1450; b2078]

- a **esmeralda** Butler, [1886]; *Chloroselas* OD: Proc. zool. Soc. Lond. 1885(4):765, pl 47, f 4 [b0633] CG: *Chloroselas* [TypeL - Somali.] [Type of - *Chloroselas*] [Refs - b2280; b1452; b2898; b0116; b4400]
- a **esmeralda** (Jones), 1912; *Thecla* OD: Proc. zool. Soc. Lond. 1912(4):900, pl 97, f 10, 11 [b2663] CG: *Chalybs* [Type: BMNH.] [TypeL - Castro, Paraná, Brazil.] [Refs - b0908; b2497]
- b **esmeralda** Clench, [1972]; *Lasaia* OD: J. Res. Lep. 10(2):174, f 32, 33 [b0846] SS: *agesilas* (Latreille), [1813]; *Lasaia* [Type: CM-ht] [TypeL - Villa Rica, Paraguay.] [Refs - b0528; b0846]
- a **esmeralda** Gallard & Brévignon, 1989; *Mesosemia* OD: Bull. Soc. Sci. Nat. (61):12, f [b1917] [TypeL - French Guiana.] [Refs - b0123]
- b **eso** Fruhstorfer, [1904]; *Zemerus* OD: Berl. ent. Z. 48(4):276 [b1817] SS: *emesoides* Felder & Felder, 1860; *Zemerus* [Refs - b4473; b1454; b1840; b3528]
- a **esolana** Johnson, 1992; *Radissima* OD: Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (22):176, f [b2611] [Type: MPM-ht] [TypeL - Morro d'Martha, Rio de Janeiro State, Brazil.] [Refs - b0125; b2611]
- c **espada** (Fruhstorfer), 1915; *Lampides* OD: Arch. Naturgesch. (A)81(6):11 [b1865] SS: *kondulana* (C. Felder), 1862; *Jamides* [TypeL - Celebes.] [Refs - b4094; b1865]
- a **esperanza** Schaus, 1913; *Mesosemia* OD: Ann. Mag. nat. Hist. (8)11:299 [b3949] [Refs - b4474; b1456]
- d **esra** (Herbst), 1800, 1788-1804, (H); *Papilio* OD: In Jablonsky, *Natursyst. Ins.*, Schmett. 10: , pl 285, f 5, 6 [b2306] SS: *thamyra* (Linnaeus), 1758; *Arhopala* n [Refs - b1644; b2747]
- b **esra** (Fruhstorfer), 1907; *Sithon* OD: Ent. Zeit. 21(23):144 [b1824] SS: *jangala* (Horsfield), [1829]; *Remelana* [TypeL - Palawan, Philippines.] [Refs - b4094; b2201; b1454; b1824]
- a **essus** (Herrich-Schäffer), [1853], 1850-1869; *Thecla* OD: Samml. neuer. aussereurop. Schmett. 1:[55], pl [14], f 59, 60 [b2314] CG: *Olynthus* [TypeL - Surinam.] [Refs - b0908; b3394; b2747; b2918]
- b **estebita** (Agenjo), 1972; *Plebejus* OD: *Graellsia* 26:27 [b0023] SS: *nivescens* (Keferstejn), 1851; *Polyommatus* (*Plebica*) [TypeL - Navacerrada, Spain.]
- a **estela** (Clench), 1981; *Callophrys* OD: Bull. Allyn Mus. (64):24-27, f 37-42 [b0853] CG: *Loranthomitoura* [Type: CM-ht] [TypeL - East Salto, Durango, Mexico.] [Note - Not spelled *estella*.] [Refs - b0853; b2586; b2585 (as *estella*); b0126]
- a **estella** (Hewitson), [1863], 1863-1878; *Myrina* OD: Ill. dium. Lep. Lycaenidae 1:31; 2:pl 16, f 50-51 [b2326] CG: *Drupadia* [Type: BMNH-l; designated by Cowan, 1974] [Bull. Br. Mus. nat. Hist. (Ent.) 29(6):340 [b1030]] [TypeL - Sumatra.] [Refs - b1030; b0964; b0965; b2747; b4094; b0105; b1454; b0694; b4108]
- b **esteparina** (Agenjo), 1956; *Plebejus* OD: *Graellsia* 14:82 [b0013] SS: *albicans* (Gerhard), 1851; *Polyommatus* (*Lysandra*) [Refs - b3059; b0091; b4038]
- b **estesi** Clench, 1942; *Atlides* OD: Ent. News 53(8):219 [b0816] SS: *halesus* (Cramer), [1777]; *Atlides* [Type: MCZ-ht] [TypeL - Riverside, California.] [Refs - b0908; b4688; b0528; b3192; b1321]
- a **esthema** Felder & Felder, 1862; *Brachyglenis* OD: Wien. ent. Monats. 6(3):73 [b1687] [TypeL - Rio Negro.] [Type of - *Brachyglenis*, *Tmetoglene*] [Refs - b2280; b2988; b2747; b4474; b1456]
- e **esther** (Doubleday), 1847, 1844-1848, (NN); *Taxila* OD: List Spec. lep. Brit. Mus. (2):2 [b1327] SS: *thuisto* (Hewitson), [1861]; *Laxita* [TypeL - Java (Borneo?).] [Note - May be available with later authorship. May be a good species.] [Refs - b4474; b1454 (as good subspecies); b4469]
- b **estherae** Brévignon, 1985; *Cigaritis* OD: *Alexanor* 13(7):307 [b0488] SS: *allardi* Oberthür, 1909; *Cigaritis* [TypeL - Morocco.] [Refs - b0119]
- c **estonica** Huene, 1883; *Lycaena* OD: Ent. Nachr. 9:49 [b2491] SS: *virgaureae* (Linnaeus), 1758; *Lycaena* (*Heodes*) [Refs - b4092]
- a **estrada** Schaus, 1928; *Sarota* OD: Proc. ent. Soc. Wash. 30(3):48 [b3954] [TypeL - Guatemala.] [Refs - b4474]
- b **estrella** (Waterhouse & Lyell), 1914; *Nacaduba* OD: Butts Aust. :96 [b4947] SS: *florinda* (Butler), 1877; *Catopyrops* [TypeL - Cooktown.] [Refs - b4676; b1450; b0870; b4094]
- a **ethelinda** (Hewitson), 1870; *Nymphidium* OD: Ent. mon. Mag. 7:6 [b2332] CG: *Synargis* [TypeL - Minas Geraes.] [Refs - b2988; b2747; b4475; b2753; b1456]
- a **ethemon** (Cramer), [1775], 1775-1790; *Papilio* OD: Utitl. Kapellen 1(4):75, pl 48, f D [b1069] CG: *Euselasia* (?) [TypeL - Indes Occidentales".] [Note - According to Robbins, the original figure is very bad, and the species may never be recognized with certainty.] [Refs - b0908; b0907; b2747; b1375; b3808]
- a **ethion** (Westwood), [1851], 1846-1852; *Lycaena* OD: In Gen. dium. Lep. (2):pl 76, f 3, (:490) [b4981] CG: *Discolampa* [TypeL - India bor.] [Type of - *Discolampa*, *Ethion*] [Refs - b2280; b1636 (*Castalius*); b0964 (*Castalius*); b0965; b1840; b2747; b1454; b2753; b0694; b4209; b2388]
- b **ethionides** (Fruhstorfer), 1918; *Castalius* OD: Tijdschr. Ent. 61:29 [b1884] SS: *ethion* (Westwood), [1851]; *Discolampa* [TypeL - Sumatra.] [Refs - b1840; b1454; b3782]
- c **ethiopica** (Poulton), 1922; *Heodes* OD: Trans. ent. Soc. Lond. 69(5)(Proc.):lxxxvi [b3631] SS: *pseudophaeas* Lucas, [1866]; *Lycaena* (*Lycaena*) [TypeL - S. W. Uganda.] [Refs - b1452 (with *phaeas*); b4400]
- b **ethiopica** Stempffer & Bennet, 1958; *Iolaus* OD: Bull. Inst. franç. Afr. Noire 20(A):1266 [b4418] SS: *bowkeri* Trimen, 1864; *Iolaus* (*Stugeta*) [TypeL - Abyssinia.] [Refs - b1452; b4400]
- a **ethiopicus** Tite, 1961; *Cacyreus* OD: Entomologist 94:112, f [b4674] [TypeL - Ethiopia.] [Refs - b1452; b2898; b4400]
- c **ethoda** (Walker), 1870; *Lampides* OD: Entomologist 5:53 [b4911] SS: *livia* (Klug), 1834; *Deudorix* (*Virachola*) [TypeL - Caire.] [Note - Stempffer makes this a synonym of *ubaldus*.] [Refs - b2753; b0109; b0236; b4400 (*ethode*); b4911]
- e **ethode** (Stempffer), 1967, (ISS); *Azanus* OD: Bull. Br. Mus. nat. Hist. (Ent.) Suppl. 10:252 [b4400] SS: *ethoda* (Walker), 1870; *Deudorix* (*Virachola*) [Refs - b4400]
- a **etias** (Saunders), [1859]; *Erycina* OD: Trans. ent. Soc. Lond. (2)5(9):102, ppl 11, f 11 [b3939] CG: *Ancyluris* [TypeL - Peru.] [Refs - b2747; b4474; b3939; b1456]
- a **etias** (Distant & Pryer), 1887; *Hypolycaena* OD: Ann. Mag. nat. Hist. (5)19:268 [b1290] CG: *Eooxylides* [TypeL - Sandakan, Borneo.] [Refs - b0965; b4094; b1454; b4594; b4108]
- c **etolus** (Cramer), [1779], 1775-1790; *Papilio* OD: Utitl. Kapellen 3(18):28, pl 208, f E,F [b1069] SS: *vulcanus* (Fabricius), 1775; *Spindasis* [Type: ZMC-ht] [TypeL - Indüs".] [Refs - b1636; b0996; b2747; b0694; b5076]
- d **etolus** (Fabricius), 1787, (H); *Papilio* OD: *Mantissa* Ins. 2:66 [b1656] SS: *amasa* Hewitson, [1865]; *Hypolycaena* (*Zeltus*) [Type of - *Hypolycaena* (*Zeltus*)] [Refs - b1636; b2280; b2747; b4094; b1039; b0694]

- a etoumbi** Stempffer, 1964; *Liptena* OD: Bull. Inst. franç. Afr. Noire 26(A):1236 [b4397] CG: *Liptena* (Tetrahanis) [TypeL - Uoumbi, Brazzaville, Congo.] [Refs - b1452; b4400]
- a etoumbi** Stempffer, 1967; *Ornipholidotos* OD: Bull. Inst. fond. Afr. Noire 29(A):986 [b4401] [TypeL - Etoumbi, Brazzaville, Congo.] [Refs - b1452]
- b etoumbi** Stempffer & Bennett & May, 1974; *Liptena* OD: Bull. Br. Mus. nat. Hist. (Ent.) 30(1):148, f [b4423] SS: *decipiens* (Kirby), 1890; *Liptena* [TypeL - Etoumbi, Brazzaville, Congo.] [Check - Homonym in need of a replacement.] [Refs - b0105; b1452]
- e etrusca** (Verity), 1919, 1919-1922, (IFS); *Agniades* OD: Ent. Rec. 31:29 [b4840] SS: *bellargus* (Rottemburg), 1775; *Polyommatus* (*Lysandra*) [Type: MZS-st] [Refs - b2856; b0236; b0471]
- c etsu** d'Abbrera, 1986; *Chrysozephyrus* OD: Butts Oriental Region, Pt 3 :554 [b1454] SS: *yuchingkinus* Murayama & Shimonoya, 1960; *Chrysozephyrus* [Note - D'Abbrera attributed the name to Okura, but no such name was published by that author.] [Refs - b1454; x0276; b4203]
- a etsuzoi** Eliot & Kawazoe, 1983; *Udara* OD: Butts *Lycaenopsis* group :119, f 79, 438-439, 491 [b1580] [Type: NSMT-ht] [TypeL - Parado, Sapan Tana Toraja, Sulawesi.] [Refs - b1580]
- c etuna** Corbet, 1941; *Arhopala* OD: Proc. R. ent. Soc. Lond. (B)10(9):166 [b0956] SS: *labuana* Bethune-Baker, 1896; *Arhopala* i [Type: BMNH-ht] [TypeL - N. Pagi Island.] [Refs - b1644; b0956]
- b etymander** (Fruhstorfer), 1908; *Taxila* OD: Ent. Zeit. 22(12):48 [b1829] SS: *burnii* (de Nicéville), 1895; *Abisara* [TypeL - Kanshirei.] [Refs - b4198; b4473; b1454; b1840]
- c euadrus** Stempffer, 1967, (ISS); *Aloeides* OD: Bull. Br. Mus. nat. Hist. (Ent.) Suppl. 10:176 [b4400] SS: *evadrus* (Fabricius), 1787; *Aloeides* [Refs - b4684; b4400]
- b euaemon** Hemming, 1931; *Polyommatus* OD: Ann. Mag. nat. Hist. (10)8:536 [b2241] SS: *eurypilus* (Freyer), 1852; *Polyommatus* (*Kretania*) [Type: BMNH-ht] [TypeL - Mt. Hermon, Lebanon.] [Refs - b2241; b0206]
- c euanthes** Fruhstorfer, [1919]; *Pithecopus* OD: Arch. Naturgesch. (A)83(1):80 [b1889] SS: *dionisius* (Boisduval), 1832; *Pithecopus* [Type: BMNH-ht] [TypeL - Southern Moluccas.] [Refs - b1450; b1840; b2381; b1011]
- b eubages** (Hewitson), [1856], 1852-1877; *Eurygona* OD: Ill. exot. Butts 1:[---], pl [56], f 68,69 [b2323] SS: *uria* (Hewitson), [1855]; *Euselasia* [TypeL - Amazon.] [Refs - b2747; b4474; b0126]
- a euboea** (Hewitson), [1855], 1852-1877; *Eurygona* OD: Ill. exot. Butts 1:[---], pl [54], f 4,5 [b2323] CG: *Euselasia* [TypeL - Amazon.] [Refs - b2988; b2747; b4474; b1453; b1456]
- a eubotes** (Hewitson), [1856], 1852-1877; *Eurygona* OD: Ill. exot. Butts 1:[---], pl [56], f 64 [b2323] CG: *Euselasia* [TypeL - Amazon.] [Refs - b2747; b4474; b1456]
- a eubule** (R. Felder), 1869; *Eurygona* OD: Verh. zool.-bot. Ges. Wien 19:467 [b1694] CG: *Euselasia* [TypeL - Mexico.] [Refs - b2988; b2747; b4474; b2406; b1456]
- b eubulus** (Miskin), 1876; *Jalmenus* OD: Trans. ent. Soc. Lond. 24(3):457 [b3209] SS: *evagoras* (Donovan), 1805; *Jalmenus* [TypeL - Queensland, Australia.] [Refs - b1450; b4094; b2753; b0870; b4934]
- b eucalypti** Sibatani & Grund, 1978; *Theclinesthes* OD: Tyô to Ga 29(1):21, f 16-18, 41,42, 86-88, 144-149 [b4223] SS: *miskini* (Lucas), 1889; *Theclinesthes* [Type: ANIC-ht] [TypeL - Queensland, Australia.] [Refs - b4223; b0870; b4788]
- c eucerus** (Hewitson), [1872], 1852-1877; *Eurygona* OD: Ill. exot. Butts 5:[---], pl [35], f 95-97 [b2323] SS: *apisaon* (Dalman), 1823; *Euselasia* [TypeL - Brazil.] [Refs - b2753; b4474; b0419; b0420]
- a eucharila** (Bates), 1867; *Cremna* OD: Trans. ent. Soc. Lond. (3)5(7):543 [b0266] CG: *Napaea* [Type: biblio-ht; designated by Hemming, 1964] [Annot. Lep. (3):102 [b2273]] [TypeL - Amazon, Bahia.] [Type of - *Napaea*] [Note - Placed on Official List by Op 820.] [Refs - b2988; b2280; b2747; b4474; b0266; b2406; b1456]
- a euchylas** (Hübner), [1819], 1816-1826; *Pepliphorus* OD: Verz. bekannt. Schmett. (5):71, no. 698 [b2484] CG: *Jamides* [TypeL - Ceram, Amboina.] [Refs - b4671; b1450; b2747; b4094; b2698; b1865; b2388]
- b euctetus** Felder & Felder, 1865, 1865-1875; *Hypochrypsops* OD: Reise Novara (2):253 [b1692] SS: *narcissus* (Fabricius), 1775; *Hypochrypsops* [Type: BMNH-ht] [TypeL - Halmadeira.] [Refs - b1450; b2078; b2747; b4934; b3926]
- b euclides** Miskin, 1889; *Hypochrypsops* OD: Proc. linn. Soc. N. S. Wales (2)3(4):1517 [b3211] SS: *pythias* Felder & Felder, 1865; *Hypochrypsops* [Type: lost] [TypeL - Australia.] [Refs - b1450; b2078; b0870; b4940; b4934; b3926; b2646; b4788; b1109]
- b eucolpis** (Kirsch), 1877; *Amblypodia* OD: Mitt. zool. Mus. Dresd. 1:128, pl 6, f 6,6a [b2769] SS: *admete* Hewitson, [1863]; *Arhopala* i [TypeL - Jobi, New Guinea.] [Refs - b1644; b1450; b2753]
- a eucrates** (Hewitson), [1872], 1852-1877; *Eurygona* OD: Ill. exot. Butts 5:[---], pl [35], f 101,102 [b2323] CG: *Euselasia* [TypeL - Ecuador.] [Refs - b2988; b2753; b4474; b1456]
- a eucritus** (Hewitson), [1855], 1852-1877; *Eurygona* OD: Ill. exot. Butts 1:[---], pl [51], f 14 (nec 16) [b2323] CG: *Euselasia* [TypeL - Amazon.] [Refs - b4474; b1456]
- a eudaemon** Stichel, 1910; *Ancyluris* OD: Berl. ent. Z. 55(1/2):97 [b4445] [Type: pc-st; collection of Stichel] [TypeL - Popuzo, Peru; Rio Magdalena, Colombia; La Paz, Bolivia.] [Refs - b4474; b0569; b1456; b4445]
- a eudocia** Westwood, [1851], 1846-1852; *Theope* OD: In Gen. dium. Lep. (2):439, pl 70, f 4 [b4981] [TypeL - Amazon.] [Refs - b2988; b2747; b4475; b1456]
- a eudocia** (H. H. Druce & Bethune-Baker), 1893; *Thysonotis* OD: Proc. zool. Soc. Lond. 1893(3):548, pl 46, f 4 [b1382] CG: *Psychonotis* [TypeL - Baichian.] [Refs - b1450; b1866; b2078; b2388; b1382]
- a eudocia** (Godman & Salvin), 1897; *Lemonias* OD: Trans. ent. Soc. Lond. 45(2):244 [b1981] CG: *Adelotypa* [TypeL - Mexico.] [Refs - b4475; b1456]
- b euergetes** (Stauder), 1914; *Lycaena* OD: Deut. ent. Zeit. [Iris] 28:14 or 15 [b4305] SS: *argyrogomon* (Bergsträsser), [1779]; *Plebejus* (*Lycaeides*) [TypeL - Triest.] [Refs - b1780; b0236; b4425; b0410; b0471]
- a eugenea** Stichel, 1910; *Mesosemia* OD: Gen. Insectorum 112(A):41, pl 24, f 6b [b4446] [Type: pc-st; collection of Stichel] [TypeL - Surinam.] [Refs - b4474; b1456; b4446]
- c eugenea** (Fruhstorfer), 1916; *Nacaduba* OD: Zool. Meded. 2(2):137 [b1873] SS: *cythora* (Fruhstorfer), 1916; *Erysichton* [Type: BMNH-ht] [TypeL - Obi.] [Refs - b4676; b1450; b4094]
- a eugenes** Bates, [1868]; *Dodona* OD: J. linn. Soc. Lond., Zool. 9:371 [b0267] [TypeL - India.] [Refs - b1636; b4198; b0964; b1149; b4245; b2988; b0965; b2747; b4473; b0236; b1454; b1840; b4092]
- c eugenia** (Cramer), [1777], 1775-1790; *Papilio* OD: Uil. Kapellen 2(12):58, pl 133, f F [b1069] SS: *calliope* (Linnaeus), 1758; *Stalactis* [TypeL - Surinam.] [Refs - b4476]

- c **eugenia** Waterhouse & Lyell, 1914; *Candalides* OD: Butts Aust. :80 [b4947] SS: *hyacinthina* (Semper), [1879]; *Candalides* [Type: AM-ht] [TypeL - Kuranda, Queensland, Australia.] [Refs - b4677; b1450; b0870; b4094; b1479; ns1430]
- a **eugeon** (Hewitson), [1856], 1852-1877; *Eurygona* OD: Ill. exot. Butts 1:[---], pl [56], f 62 [b2323] CG: *Euselasia* [TypeL - Amazon.] [Refs - b2988; b2747; b4474; b0419; b1456]
- b **eugippus** (Fruhstorfer), 1908; *Miletus* OD: Int. ent. Z. 2(14):85 [b1830] SS: *siren* Grose-Smith, 1894; *Hypochrysops* [Type: ZSBS-ht] [TypeL - Obi Island.] [Refs - b1450 (as *eugippus*); b3926]
- a **euhemerus** (Hewitson), [1856], 1852-1877; *Eurygona* OD: Ill. exot. Butts 1:[---], pl [56], f 65,66 [b2323] CG: *Euselasia* [TypeL - Amazon.] [Refs - b2747; b4474; b1456]
- a **eukrinaria** Bethune-Baker, 1926; *Liptena* OD: Ann. Mag. nat. Hist. (9)17:391 [b0362] [TypeL - Kameruns.] [Refs - b1452; b4400]
- a **eukrines** H. H. Druce, 1905; *Liptena* OD: In Trans. ent. Soc. Lond. 53(2):253, pl 13, f 7 [b1372] [TypeL - Rhodesia.] [Refs - b1452; b4400]
- a **eukrinoides** Talbot, 1937; *Liptena* OD: Trans. R. ent. Soc. Lond. 86(4):64, f [b4625] [Type: BMNH-ht] [TypeL - Tero Forest, South-east Buddu, Uganda.] [Refs - b1452; b4400; b4625]
- a **eulema** Hewitson, [1870], 1852-1877; *Ithomeis* OD: Ill. exot. Butts 4:[75], pl [50], f 1 [b2323] [TypeL - Columbia.] [Refs - b2988; b2747; b4474; b1453; b4950; b1456]
- b **eulesca** (Dyar), 1909; *Tmetoglene* OD: Proc. ent. Soc. Wash. 11:19 [b1441] SS: *dodone* (Godman & Salvin), [1886]; *Brachyglenis* [Type: USNM-ht; No. 12218.] [TypeL - Motzorongo, Mexico.] [Refs - b4474; b1441]
- a **eullone** (Hewitson), [1856], 1852-1877; *Eurygona* OD: Ill. exot. Butts 1:[---], pl [55], f 52 [b2323] CG: *Euselasia* [TypeL - Amazon.] [Refs - b2747; b4474; b1456]
- c **eulus** (Fruhstorfer), 1913; *Gerydus* OD: Z. wiss. InsektBiol. 9(9):244 [b1851] SS: *florensis* (Fruhstorfer), 1913; *Miletus* 4 [TypeL - Sumbawa.] [Refs - b1546; b1840]
- c **eumedes** (Meisner), 1818; *Lycaena* OD: Natur. Anz. Allg. Schw. Ges. 1818:87 [b3147] SS: *agestis* ([Denis & Schiffermüller]), 1775; *Plebejus* (*Aricia*) [TypeL - Helvetia.] [Note - Reference also seen as 4:87.] [Refs - b2747; b0995; b0410 (=allous)]
- c **eumedes** (Doubleday), 1847, 1844-1848; *Hypophylla* OD: List Spec. lep. Brit. Mus. (2):9 [b1327] SS: *zeurippa* (Boisduval), 1836; *Calospila* [Refs - b4475]
- a **eumedia** (Hewitson), [1855], 1852-1877; *Eurygona* OD: Ill. exot. Butts 1:[---], pl [50], f 6,7 [b2323] CG: *Euselasia* [TypeL - Amazon.] [Refs - b2747; b4474; b0680; b1456]
- a **eumedon** (Esper), [1780], 1776-1830; *Papilio* OD: Die Schmett. 1(2)(1):16, pl 52, f 2,3 [b1623] CG: *Plebejus* (*Eumedonia*) [Type of - *Eumedonia*] [Refs - b2280; b1636; b4115; b2375; b3059; b2747; b0993; b1780; b1762; b2827; b0107; b2866; b0236; b0410; b2300; b2794; b3910; b4974; b3366; ns3375; b4092; b2302; ns3269; b0211]
- a **eumene** (Cramer), [1776], 1775-1790; *Papilio* OD: UtiL Kapellen 1(8):145, pl 92, f F,G [b1069] CG: *Mesosemia* [TypeL - Surinam; Amazon.] [Refs - b2988; b2747; b4474; b1456]
- a **eumenes** (Hewitson), [1855], 1852-1877; *Eurygona* OD: Ill. exot. Butts 1:[---], pl [51], f 18 or 20,21 [b2323] CG: *Euselasia* [TypeL - Amazon.] [Refs - b2747; b4474; b2221; b1456 (= *eusepus*)]
- a **eumenia** Hewitson, [1865], 1863-1878; *Theorema* OD: Ill. diurn. Lep. Lycaenidae 1:69; 2:pl 27, f 1,2 [b2326] [Type: BMNH] [TypeL - Colombia.] [Type of - *Theorema*] [Refs - b0908; b2988; b2280; b2747; b2406; b4950; b1975; b2631 (as *eumeonia*)]
- e **eumeonia** Johnson & MacPherson & Ingraham, 1986, (ISS); *Theorema* OD: Bull. Allyn Mus. (102):6 [b2631] SS: *eumenia* Hewitson, [1865]; *Theorema* [Refs - b2631]
- b **eumeus** (Fabricius), 1781, 1781-1782; *Papilio* OD: Spec. Ins. 2:63 [b1655] SS: *erota* (Cramer), [1780]; *Nothema* [TypeL - Caiennia".] [Refs - b2988; b2747; b4474; b5076; b1456]
- c **eumithres** Stichel, 1919; *Euselasia* OD: Deut. ent. Zeit. 1919:317 [b4454] SS: *extensa* (Bates), [1868]; *Euselasia* [Type: ZMHU-ht] [TypeL - S. Paulo de Olivença, W. Amazonas, Brazil.] [Refs - b4474; b4454]
- a **eumolpus** (Stoll), [1780], 1780-1790; *Papilio* OD: In Cramer, UtiL Kapellen 4(25):19, pl 299, f G,H [b4478] CG: *Arhopala* g [TypeL - Bengal Coast.] [Refs - b1644; b2747; b4094; b1564; b0236; b2193; b2200; b1454; b4209]
- a **eumorpha** Hayward, 1949; *Thecla* OD: Acta zool. lilloana 8:572, pl. f 6 [b2217] CG: *Thecla* (New World *Eumacini*) [Type: MACN] [TypeL - Puerto Bemberg, Misiones, Argentina.] [Refs - b0908; b2221]
- c **f. eunaeola** Stichel, 1925; *Euselasia* OD: Z. wiss. InsektBiol. 20:14 [b4463] SS: *cafusa* Bates, [1868]; *Euselasia* [TypeL - Brazil.] [Refs - b4474]
- a **eunaeus** (Hewitson), [1856], 1852-1877; *Eurygona* OD: Ill. exot. Butts 1:[---], pl [53], f 34,35 [b2323] CG: *Euselasia* [TypeL - Amazon.] [Refs - b2747; b4474; b1456]
- c **eunice** (Fruhstorfer), 1915; *Miletus* OD: Zoöl. Meded. 1(2):146 [b1863] SS: *theon* Felder & Felder, 1865; *Hypochrysops* [TypeL - Halmaherah.] [Refs - b3926]
- e **eunomia** Kirby, 1871, (NN); *Plebejus* OD: Syn. Cat. diurn. Lep. :653 [b2747] [Check - Original description.] [Refs - b0908; b2747 (as Edwards, TaES 1870:194); b2753]
- e **eunomia** Strecker, 1900, 1872-1900, (ISS); *Theorema* OD: Lep. Rhop. Het. 3:20 [b4531] SS: *eumenia* Hewitson, [1865]; *Theorema* [Refs - b0908]
- a **eunus** Godman & Salvin, [1887], 1879-1901; *Thecla* OD: Biol. centr.-amer., Lep. Rhop. 2:30; 3:pl 51, f 25,26 [b1975] CG: *Thecla* (New World *Eumacini*) *myrtea* group [Type: BMNH] [TypeL - Poloch Valley, Guatemala.] [Refs - b0908; b2406; b1975; b3810]
- a **euodias** (Hewitson), [1856], 1852-1877; *Eurygona* OD: Ill. exot. Butts 1:[---], pl [54], f 42,43 [b2323] CG: *Euselasia* [TypeL - Amazon.] [Refs - b4474; b1456]
- a **euoras** (Hewitson), [1856], 1852-1877; *Eurygona* OD: Ill. exot. Butts 1:[---], pl [53], f 38-40 [b2323] CG: *Euselasia* [TypeL - Amazon.] [Refs - b2988; b2747; b4474; b3717; b1456]
- c **eupalin** Fruhstorfer, 1914; *Allotinus* OD: Z. wiss. InsektBiol. 10(1):22 [b1855] SS: *apries* Fruhstorfer, 1913; *Allotinus* (*Paragerydus*) [Type: BMNH-ht; designated by Eliot, 1986] [Bull. Br. Mus. nat. Hist. (Ent.) 53(1):43 [b1571]] [TypeL - Sumatra.] [Refs - b1855; b1840; b1571; b4108]
- a **eupatra** Seitz, [1917], 1910-1924; *Euselasia* OD: In Seitz, Grossschmett. Erde 5:630 [b4093] [TypeL - Colombia.] [Refs - b4474; b0680; b1456]
- b **eupepia** (Godman & Salvin), [1885], 1879-1901; *Eurygona* OD: Biol. centr.-amer., Lep. Rhop. 1:369; 3:pl 43, f 5-8 [b1975] SS: *regipennis* (Butler & H. Druce), 1872; *Euselasia* [TypeL - Panama.] [Refs - b4474; b1456]
- a **euphaes** (Hewitson), [1855], 1852-1877; *Eurygona* OD: Ill. exot. Butts 1:[---], pl [52], f 27,28 [b2323] CG: *Euselasia* [TypeL - Amazon.] [Refs - b2988; b2747; b4474; b1456]

- b **euphemia** (Staudinger), 1887; *Lycaena* OD: In Romanoff, *Mém. Léop.* 3:142, pl 13, f 6 [b4331] SS: teleius (Bergsträsser), [1779]; *Maculinea* [TypeL - Raddefka, Ussuri and Sidemi, Amur, Korea, Peking.] [Refs - b2827; b2479; b2866; b4092; b4225]
- b **euphemus** (Hübner), [1800], 1796-1838; *Papilio* OD: *Samml. europ. Schmett.* 1:pl 54, f 257-259 (:44) [b2480] SS: teleius (Bergsträsser), [1779]; *Maculinea* [Refs - b4115; b3059; b2747; b0993; b1780; b1762; b2827; b2479; b2866; b0236; b0400; b2794; b2260; b2859; ns0366; ns1951; ns3638; ns4269; b4092]
- b **euphon** (Fruhstorfer), 1910; *Cyaniris* OD: *Stett. ent. Ztg.* 71(2):291 [b1843] SS: *camenae* (de Nicéville), 1895; *Udara* (*Udara*) [Type: BMNH-ht; designated by Eliot & Kawazoé, 1983] [*Butis* *Lycaenopsis* group :113 [b1580]] [TypeL - Bua-Kraeng, South Celebes.] [Refs - b1840; b1580; b2200]
- b **euphranor** (Fruhstorfer), 1914; *Gerydus* OD: *Z. wiss. Insektenbiol.* 10(2):60 [b1857] SS: *melanion* Felder & Felder, 1865; *Miletus* 5 [Type: BMNH-ht; designated by Eliot, 1986] [*Bull. Br. Mus. nat. Hist. (Ent.)* 53(1):82 [b1571]] [TypeL - Mindoro, Philippines.] [Refs - b1546; b1857; b1571; b1840]
- a **euphratica** (Eckweiler), 1989; *Lycaena* OD: *Nachr. ent. Ver. Apollo (nf)* 10(2):83, f [b1468] CG: *Phoenicurusia* [TypeL - Turkey] [Refs - b0123]
- a **euphyla** Stichel, 1926; *Euselasia* OD: *Deut. ent. Zeit.* 1926:392,393 [b4465] [TypeL - Amazonas; Peru; Ecuador.] [Refs - b4474]
- c **epiolo** (Schaus), 1902, (ISS); *Eurygona* OD: *Proc. U. S. natn. Mus.* 24(1262):398 [b3948] SS: *euphaes* (Hewitson), [1855]; *Euselasia* [Refs - b3948]
- b **euplea** Fruhstorfer, 1916; *Nacaduba* OD: *Zool. Meded.* 2(2):132 or 133 [b1873] SS: *kurava* (Moore), [1858]; *Nacaduba* [Type: BMNH-ht] [TypeL - Sikkim.] [Refs - b4676; b1636; b0938; b4094; b2650; b1454; b0694]
- a **euploea** (Hewitson), [1856], 1852-1877; *Eurygona* OD: *Ill. exot. Butis* 1:[-], pl [53], f 32,33 [b2323] CG: *Euselasia* [TypeL - Brasilia.] [Refs - b2747; b4474; b1456]
- a **eupolemia** (Godart), [1824], 1819-1824; *Erycina* OD: In *Ency. méh.* 9(Ins.)(2):572 [b1970] CG: *Calospila* [TypeL - America.] [Refs - b2747; b4475; b1456]
- c **eupolis** (Miskin), 1890; *Amblypodia* OD: *Proc. linn. Soc. N. S. Wales* (2)5(1):42 [b3212] SS: *centaurus* (Fabricius), 1775; *Arhopala h* [TypeL - Cape York.] [Refs - b1450; b1644; b4094; b4934; b1475; b3254; ns3670]
- a **eupolis** Schaus, 1890; *Theope* OD: *Ent. Amer.* 6(1):19 [b3947] [TypeL - Central America.] [Refs - b4475; b1456]
- a **euprepes** Bates, [1868]; *Baeotis* OD: *J. linn. Soc. Lond., Zool.* 9:396 [b0267] [TypeL - Tapajos.] [Refs - b2988 (as *eufrepas*); b2747; b4474]
- a **euprepes** (H. H. Druce), 1905; *Iridopsis* OD: In *Trans. ent. Soc. Lond.* 53(2):254, pl 13, f 8 [b1372] CG: *Iridana* [TypeL - Rhodesia.] [Refs - b1452; b4400]
- a **euprepes** Hayward, 1949; *Ipidecla* OD: *Acta zool. lilloana* 8:579, pl, f 5 [b2217] [Type: pc; Breyer collection.] [TypeL - Santa María, Misiones, Argentina.] [Note - Not spelled *eurepes*.] [Refs - b2221; b0908 (as *eurepes*); b2217]
- b **eupteryx** Bates, [1868]; *Mesene* OD: *J. linn. Soc. Lond., Zool.* 9:389 [b0267] SS: *nola* Herrich-Schäffer, [1853]; *Mesene* [TypeL - Para.] [Refs - b2747; b4474; b1456]
- a **euptychia** Draudt, [1920], 1917-1924; *Thecla* OD: In *Seitz, Grossschmett. Erde* 5:811, pl 145-1 [b1348] CG: *Thecla* (New World Eumaeini) [Type: MP] [TypeL - South Brazil.] [Refs - b0908]
- a **eurema** (Plötz), 1880; *Phytala* OD: *Stett. ent. Ztg.* 41:199 [b3622] CG: *Larinopoda* [TypeL - W. Africa.] [Refs - b1452; b0836; b4400]
- e **eurepes** Comstock & Huntington, 1960, 1958-1964, (ISS); *Ipidecla* OD: *J. New York ent. Soc.* 68:60 [b0908] SS: *eurepes* Hayward, 1949; *Ipidecla* [Refs - b0908]
- b **euretes** H. H. Druce, 1891; *Nacaduba* OD: *Proc. zool. Soc. Lond.* 1891(3):360, pl 31, f 6,7 [b1358] SS: *kurava* (Moore), [1858]; *Nacaduba* [Type: BMNH-ht] [TypeL - Aola, Solomon Islands.] [Refs - b4676; b1450; b4094; b3916; b1358]
- c **euridice** (Rottemburg), 1775; *Papilio* OD: *Naturforscher* 6:28 [b3890] SS: *hippotoe* (Linnaeus), 1761; *Palaeochrysopterus* [Refs - b2747; b0389; b0996 (as *eurydice*)]
- d **euridice** (Hübner), [1800], 1796-1838, (H); *Papilio* OD: *Samml. europ. Schmett.* 1:pl 68, f 339-342 [b2480] SS: *hippotoe* (Linnaeus), 1761; *Palaeochrysopterus* [Refs - b2747; b2260]
- c **eurina** Schaus, 1902; *Symmachia* OD: *Proc. U. S. natn. Mus.* 24(1262):400 [b3948] SS: *menetas* (Drury), 1782; *Symmachia* [Type: USNM-ht; #5900] [TypeL - Castro, Parana, Brazil.] [Refs - b4474; b3948]
- e **euriopes** Kirby, 1871, (ISS); *Thecla* OD: *Syn. Cat. diurn. Lep.* :398 [b2747] SS: *euriopes* (Fabricius), 1793; *Thecla* (New World Eumaeini) [Refs - b0908]
- c **euriopes** (Fabricius), 1793, 1792-1799; *Hesperia* OD: *Ent. syst.* 3(1):267 [b1657] SS: *ixion* (Fabricius), 1775; *Thecla* (New World Eumaeini) [TypeL - Indii".] [Refs - b0908; b0907; b2747; b5076]
- c **eurisides** (Hübner), [1823], 1808-1837; *Jolaus* OD: *Zutr. Samml. exot. Schmett.* 2:20, pl [52], f 297,298 [b2483] SS: *meliboeus* (Fabricius), 1793; *Arawacus* [TypeL - Brazil.] [Refs - b0908; b2747]
- a **eurisus** (Cramer), [1779], 1775-1790; *Papilio* OD: *Uitl. Kapellen* 3(19):47, pl 221, f D,E [b1069] CG: *Iolaus* [Type of - Iolaus] [Refs - b2280; b2747; b1452; b0836; b4400]
- b **eurisus** H. H. Druce, 1891; *Arhopala* OD: *Proc. zool. Soc. Lond.* 1891(3):370, pl 32, f 11,12 [b1358] SS: *araxes* Felder & Felder, 1865; *Arhopala h* [Type: BMNH-ht] [TypeL - Guadalcanal, Solomon Islands.] [Refs - b1644; b1450; b4094; b3916; b1358]
- a **euriteus** (Cramer), [1777], 1775-1790; *Papilio* OD: *Uitl. Kapellen* 2(13):89, pl 152, f D,E [b1069] CG: *Euselasia* [TypeL - Guiana; Amazon.] [Refs - b2988; b2747; b4474; b1453; b4950; b1456]
- a **euromus** (Hewitson), [1856], 1852-1877; *Eurygona* OD: *Ill. exot. Butis* 1:[-], pl [56], f 70,71 [b2323] CG: *Euselasia* [TypeL - Amazon.] [Refs - b2747; b4474; b0680; b1456]
- b **eurotias** Stichel, 1919; *Methone* OD: *Deut. ent. Zeit.* 1919:320 [b4454] SS: *chrysomela* (Butler), 1872; *Methone* [Type: ZSBS-st; pc-st; collection of Stichel] [TypeL - Sarayaku & Santa Inez, Ecuador.] [Refs - b4474; b4454]
- b **eurybia** (Ochsenheimer), 1808, 1807-1835; *Papilio* OD: *Schmett. Europa* 1(2):81 [b3470] SS: *hippotoe* (Linnaeus), 1761; *Palaeochrysopterus* [TypeL - Alps.] [Refs - b2747; b0996; b1780; b2827; b2866; b0236; b0389; b1191; b4092]
- e **ab. eurybina** (Ter Haar), 1905; *Chrysopterus* OD: *Tijdschr. Ent.* 48:204 or 242 [b4637] SS: *hippotoe* (Linnaeus), 1761; *Palaeochrysopterus* [Refs - b0996]
- e **eurycida** Doubleday, 1847, 1844-1848, (NN); *Pandemos OD:* *List Spec. lep. Brit. Mus.* (2):7 [b1327] [Refs - b4475]
- b **eurydame** (Hoffmannsegg), 1806; *Chrysopterus* OD: *Mag. f. Insektenk. (Müller)* 5:178 [b2411] SS: *hippotoe* (Linnaeus), 1761; *Palaeochrysopterus* [Note - Seen as *eurydome*.] [Refs - b2375; b0996; b0389; b0471]
- b **eurydice** Godman, 1903; *Emesis* OD: *Trans. ent. Soc. Lond.* 51(4):536, pl 21, f 6,7 [b1972] SS: *lucinda* (Cramer), [1775]; *Emesis* [Type: BMNH-ht] [TypeL - Ecuador.] [Refs - b2988; b4475; b1456]

- b **eurydice** Fruhstorfer, [1912]; Cheritra OD: Berl. ent. Z. 56(3/4):243 [b1850] SS: orpheus (Felder & Felder), 1862; Cheritra [TypeL - Palawan.] [Refs - b1016; b4094; b2201; b1454; b1850]
- a **eurygonina** Bates, [1868]; Theope OD: J. linn. Soc. Lond., Zool. 9:410 [b0267] [TypeL - Santarem.] [Refs - b2747; b4475; b1456]
- e **euryhia** (Kirby), 1871, (ISS); Lycaena OD: Syn. Cat. diurn. Lep. :341 [b2747] SS: eurybia (Ochsenheimer), 1808; Palaeochrysophanus [Refs - b2747]
- a **eurymachus** (Hewitson), [1872], 1852-1877; Eurygona OD: Ill. exot. Butts 5:[-], pl [35], f 103-104 [b2323] CG: Euselasia [Type: BMNH-ht] [TypeL - Ecuador.] [Refs - b2753; b4474; b1456]
- a **euryone** (Hewitson), [1856], 1852-1877; Eurygona OD: Ill. exot. Butts 1:[-], pl [55], f 53,54 [b2323] CG: Euselasia [TypeL - Amazon.] [Refs - b2988; b2747; b4474; b1456]
- e **eurypho** Doubleday, 1847, 1844-1848, (NN); Eurygona OD: List Spec. lep. Brit. Mus. (2):5 [b1327] [Refs - b4474]
- c **eurypilos** (Gerhard), 1851, 1850-1853; Lycaena OD: Vers. monog. europ. Schmett. :11, pl 20, f 1a,b,c [b1928] SS: carmon (Herrich-Schäffer), [1851]; Polyommatus (Agrodiaetus) [Refs - b0113; b2794; b4036]
- a **eurypilus** (Freyer), 1852, 1831-1858; Lycaena OD: Neuere Beitr. Schmett. 6:148, pl 573, f 4 [b1795] CG: Polyommatus (Kretania) [TypeL - Turcia.] [Refs - b2375 (as eurypilos); b3901; b2747; b0993; b1762; b2827; b0410; b2794; b3910; b4036; b2859; b4092; b0206]
- b **eurypus** (Hewitson), [1856], 1852-1877; Eurygona OD: Ill. exot. Butts 1:[-], pl [56], f 63 [b2323] SS: angulata (Bates), [1868]; Euselasia [TypeL - Amazon.] [Refs - b2747; b4474; b1116; b1456]
- b **eurysaces** (Fruhstorfer), 1915; Lampides OD: Arch. Naturgesch. (A)81(6):17 [b1865] SS: alecto C. Felder, 1860; Jamides [Type: BMNH-ht] [TypeL - Assam.] [Note - *Cantlie makes this the WSF of alocina.*] [Refs - b1636; b4094; b1865; b1454; b0694; b3786]
- e **eurysides** (Kirby), 1871, (ISS); Thecla OD: Syn. Cat. diurn. Lep. :384 [b2747] SS: eurisides (Hübner), [1823]; Arawacus [Refs - b0908; b2747]
- a **eurysthenes** (Hewitson), [1872], 1852-1877; Eurygona OD: Ill. exot. Butts 5:[-], pl [35], f 93-94 [b2323] CG: Euselasia [TypeL - Ecuador.] [Refs - b2753; b4474; b1456]
- b **eurysthenes** Fruhstorfer, 1914; Arhopala OD: Deut. ent. Zeit. [Iris] 28(2):126 [b1859] SS: horsfieldi (Pagenstecher), 1890; Arhopala g [TypeL - Tenasserim.] [Refs - b1644; b4094; b2200; b1859]
- b **eurysthenes** (Fruhstorfer), 1915; Lampides OD: Arch. Naturgesch. (A)81(6):19 [b1865] SS: alecto C. Felder, 1860; Jamides [TypeL - Sumbawa.] [Refs - b4094; b1865; b4592]
- c **eurysthenes** (Fruhstorfer), 1917; Lycaena OD: Deut. ent. Zeit. [Iris] 31:31 [b1877] SS: iolas (Ochsenheimer), 1816; Iolana [TypeL - Wallis; Follaterres; Südtirol.] [Refs - b0236; b0400; b0471; b2858 (as eurysthenes)]
- c **eurytanus** Fruhstorfer, 1913; Allotinus OD: Z. wiss. InsektBiol. 9(12):368 [b1851] SS: unicolor Felder & Felder, 1865; Allotinus (Paragerydus) [Type: BMNH-ht; designated by Eliot, 1986] [Bull. Br. Mus. nat. Hist. (Ent.) 53(1):47 [b1571]] [TypeL - Sintang, Borneo.] [Refs - b1840; b1571; b4108]
- a **eurythmia** Stichel, 1915; Mesosemia OD: Deut. ent. Zeit. 1915:689, pl 23, f 3 [b4451] [Type: BMNH-ht] [TypeL - Guianas; Amazonas.] [Refs - b4451; b4474; b1456]
- a **eurytulus** (Hübner), [1819], 1806-1838; Tmolus OD: Samml. exot. Schmett. 2-pl [90] [b2482] CG: Strymon [Refs - b0908; b0540; b2988; b0907; b2747; b2221; b1375; b1975; b0420; b2260; b2918; b2624]
- c **eusebes** Stichel, 1919; Methone OD: Deut. ent. Zeit. 1919:320 [b4454] SS: chrysomela (Butler), 1872; Methone [Type: biblio] [TypeL - Panama; Costa Rica.] [Refs - b4474; b4454]
- e **eusemia** (Sharp), [1905], (ISS); Castalius OD: Zool. Rec. 41(1904)(Ins.):249 [b4135] SS: usemia (Neave), 1904; Tuxentius [Refs - b4135]
- a **eusepus** (Hewitson), [1855], 1852-1877; Eurygona OD: Ill. exot. Butts 1:[-], pl [51], f 17 [b2323] CG: Euselasia [TypeL - Rio de Janeiro.] [Refs - b2988; b2747; b4474; b0680; b1456]
- c **eustachius** (Herbst), 1793, 1788-1804; Papilio OD: In Jablonsky, Natursyst. Ins., Schmett. 8:77, pl 193, f 8,9 [b2306] SS: hygenius (Stoll), [1790]; Euselasia [Refs - b2753; b4474]
- b **eustatius** (Fruhstorfer), 1913; Gerydus OD: Z. wiss. InsektBiol. 9(10):308 [b1851] SS: gopara (de Nicéville), 1890; Miletus 2 [TypeL - Lawas, Sarawak, Borneo.] [Refs - b1546; b1840; b4108]
- b **eustola** Stichel, 1919; Euselasia OD: Deut. ent. Zeit. 1919:169 [b4454] SS: hygenius (Stoll), [1790]; Euselasia [Type: pc-st; collection of Stichel] [TypeL - La Paz, Bolivia; Hillapani, Peru.] [Refs - b4474; b4454]
- a **eustorgia** (Hulstaert), 1924; Axiocerses OD: Revue zool. afr. 12(2):179 [b2496] CG: Lipaphnaeus [TypeL - Belgian Congo.] [Refs - b3796; b1452; b2496; b4400; b2733]
- b **euctacta** Stichel, 1910; Themone OD: Gen. Insectorum 112(A):130 [b4446] SS: pais (Hübner), [1820]; Themone [Type: biblio] [TypeL - Surinam.] [Refs - b4474; b4446]
- a **eutea** (Hewitson), [1855], 1852-1877; Eurygona OD: Ill. exot. Butts 1:[-], pl [50], f 8,9 [b2323] CG: Euselasia [TypeL - Amazon.] [Refs - b4474; b1456]
- a **euterpe** (Linnaeus), 1758; Papilio OD: Syst. nat. (ed. 10) 1:466 [b2993] CG: Stalactis [TypeL - Habitat in America.] [Refs - b2988; b2747; b4476; b4950; b0569; b2753; b1456]
- a **euthria** Westwood, [1851], 1846-1852; Calydnina OD: In Gen. diurn. Lep. (2):436, pl 70, f 10 [b4981] [TypeL - America mer.] [Refs - b2988; b2747; b4475; b1456]
- a **eutrappela** Bates, [1868]; Nymphidium OD: J. linn. Soc. Lond., Zool. 9:401 [b0267] [TypeL - Amazon.] [Refs - b2747; b4476; b1456]
- e **eutyces** Otsuka, 1988, (ISS); Laxita OD: Butts Borneo I :61 [b3528] SS: eutyches (Fruhstorfer), 1912; Laxita [Refs - b3528]
- b **eutyches** (Fruhstorfer), 1912; Taxila OD: Ent. Rundsch. 29(3):24 [b1849] SS: thuisto (Hewitson), [1861]; Laxita [TypeL - Borneo.] [Refs - b4474; b1454; b1840; b1849]
- b **eutychnus** (Hewitson), [1856], 1852-1877; Eurygona OD: Ill. exot. Butts 1:[-], pl [54], f 44-46 [b2323] SS: orfita (Cramer), [1777]; Euselasia [TypeL - Surinam; Amazon.] [Refs - b2988; b2747; b4474; b0680]
- b **eutyphron** (Fruhstorfer), 1915; Lycaena OD: Soc. ent. 30:67 [b1868] SS: arion (Linnaeus), 1758; Maculinea [TypeL - Cornwall, England.] [Refs - b0072; b0236 (as eutyphron); b1868; b0471; b2858]
- c **evadrus** (Fabricius), 1787; Papilio OD: Mantissa Ins. 2:89 [b1656] SS: pierus (Cramer), [1779]; Aloeides [Type: ZMC-st] [TypeL - as Cap. Bon. Spei] [Cape of Good Hope.] [Note - *Female was thyra Linnaeus, 1764.*] [Refs - b4684 (as euadrus); b2747; b4400 (as euadrus); b1640; b5076]

- a evagoras** (Donovan), 1805; *Papilio* OD: *Epitome Ins. New Holland* sig.F:[1], pl 30, f 1 [b1311] CG: *Jalmenus* [TypeL - Australia; Tasmania.] [Type of - *Austromyrina*] [Refs - b1450; b2280; b4094; b2747; b4950; b0870; b4934; b2171; b1428; b2170; ns1429; ns2499; b0478; b2773]
- d evagoras** (Hübner), [1818], 1808-1837, (H); *Jalmenus* OD: *Zutr. Samml. exot. Schmett.* 1:29, pl [31], f 175,176 [b2483] SS: *evagoras* (Donovan), 1805; *Jalmenus* [Type of - *Jalmenus*] [Refs - b2280]
- b evandra** Corbet, 1941; *Arhopala* OD: *Proc. R. ent. Soc. Lond.* (B)10(9):154 [b0956] SS: *allata* (Staudinger), 1889; *Arhopala* a [Type: BMNH-ht] [TypeL - Borneo.] [Refs - b1644; b0956; b2200; b1454; b4108]
- b evanescens** (Butler), [1876]; *Lampides* OD: *Proc. zool. Soc. Lond.* 1875(4):615 [b0601] SS: *celeno* (Cramer), [1775]; *Jamides* [TypeL - New Hebrides.] [Refs - b1450; b2753; b4094]
- a evanescens** (Kirby), 1887; *Pentila* OD: *Ann. Mag. nat. Hist.* (5)19:364 [b2763] CG: *Liptena* [TypeL - Cameroons.] [Refs - b1452; b4400]
- c evanescens** (Gillmer), 1904; *Chrysophanus* OD: *Soc. ent.* 18(23):178 [b1955] SS: *alciphron* (Rottemburg), 1775; *Lycaena* (*Alciphronia*) [Refs - b0389; b4092]
- c ab. evanidus** (Murayama), 1947; *Neozephyrus* OD: *Zephyrus* 9(4):279, f [b3274] SS: *aurorina* (Oberthür), 1880; *Chrysozephyrus* [TypeL - Japan.]
- d evansi** *Toxopeus*, 1927, 1927-1928, (H); *Nacaduba* OD: *Tijdschr. Ent.* 70:247 [b4697] OS: *toxopeusi* Corbet, 1938; *Nacaduba* [TypeL - Ceylon.] [Refs - b4676; b0938; b0694]
- b evansi** *Toxopeus*, 1927, 1927-1928; *Celastrina* OD: *Tijdschr. Ent.* 70:247 [b4697] SS: *hersilia* (Leech), [1893]; *Celastrina* [TypeL - Menkong, China.] [Refs - b1580]
- c evansi** *Toxopeus*, 1927; *Nacaduba* OD: *Treubia* 9(4):424 [b4696] SS: *euplea* Fruhstorfer, 1916; *Nacaduba* [Type: BMNH-ht] [TypeL - E. Dawns.] [Note - *Described as a dry season form, but treated as a good subspecies by Corbet. According to the Code (Art 45(g)) it thus becomes available with the original author and date.*] [Refs - b4676; b0938 (as good subspecies)]
- a evansi** Pendlebury, 1933; *Catapaecilma* OD: *J. Fed. Malay St. Mus.* 17(2):401 [b3559] [TypeL - Selangor, Malay Peninsula.] [Refs - b0964; b1557; b0965; b0104; b2199; b2199; b2201; b1454; b4587; b4108]
- b evansi** Riley & Corbet, 1938; *Jamides* OD: *Trans. R. ent. Soc. Lond.* 87(5):154 [b3786] SS: *ferrari* Evans, 1932; *Jamides* [Type: BMNH-ht] [TypeL - Bukit Kuu, Selangor, Malay Peninsula.] [Refs - b0964; b0965; b2384; b1454; b3786]
- b evansi** Corbet, 1940; *Poritia* OD: *Trans. R. ent. Soc. Lond.* 90(11):341 [b0950] SS: *manilia* Fruhstorfer, [1912]; *Poritia* [Type: BMNH-ht] [TypeL - King Island, Mergui.] [Refs - b1564; b1454; b0694; b0950]
- a evansi** Corbet, 1941; *Arhopala* OD: *Proc. R. ent. Soc. Lond.* (B)10(9):151 [b0956] CG: *Arhopala* f [Type: BMNH-ht] [TypeL - Malay Peninsula.] [Refs - b1644; b1556; b0956; b1454; b4108]
- b evansi** (Forster), 1956; *Agrodiaetus* OD: *Z. wien. ent. Ges.* 41:50 [b1769] SS: *caerulea* (Staudinger), 1871; *Polyommatus* (*Agrodiaetus*) [TypeL - Chitral, N. Pakistan.] [Refs - b0091; b0694]
- b evansi** Eliot, 1964; *Deramas* OD: *Entomologist* 97:244 [b1550] SS: *livens* Distant, 1886; *Deramas* [Type: BMNH-ht] [TypeL - Mergui, Burma.] [Refs - b1550; b3610; b1454; b0694; b1550]
- b evansi** Cowan, 1965; *Cheritra* OD: *Entomologist* 98:71 [b1007] SS: *freja* (Fabricius), 1793; *Cheritra* [Type: BMNH-ht] [TypeL - Khasi Hills, Assam, India.] [Refs - b1016; b2201; b1454; b0694]
- b evansii** (de Nicéville), 1902; *Chrysophanus* OD: *J. Bombay nat. Hist. Soc.* 14(2):249, pl FF, f 11 [b1168] SS: *caspius* (Lederer), 1869; *Hyrcanana* [TypeL - Chitral, N. Pakistan.] [Note - *Not spelled evansi.*] [Refs - b1636; b4094 (as *evansi*); b1759; b1168; b4220 (as *evansi*); b0236 (as *evansi*); b0105 (as *evansi*); b3360 (as *evansi*); b3910; b0694]
- a evansii** (Tytler), 1915; *Aphnaeus* OD: *J. Bombay nat. Hist. Soc.* 24(1):132 [b4772] CG: *Spindasis* [Note - *Often seen as a subspecies of nipalicus.*] [Refs - b1636; b4772; b1454 (as a good sp); b0694; b0123]
- b evelina** Butler, 1870; *Stalactis* OD: *Ann. Mag. nat. Hist.* (4)5:365 [b0592] SS: *zephyritis* (Dalman), 1823; *Stalactis* [TypeL - Not stated.] [Refs - b2747; b4476]
- e evelinae** Takanami, 1985, (ISS); *Deramas* OD: *Tokurana* (*Acta Rhopalocera*) 8(2):2 [b4588] SS: *evelinae* Schröder & Treadaway, 1978; *Deramas* [Refs - b4588]
- a evelinae** Schröder & Treadaway, 1978; *Deramas* OD: *Ent. Zeit.* 88(16):177, f 3 [b3976] [Type: pe-ht; collection of Treadaway.] [TypeL - Quezon National Park, Luzon, Philippines.] [Refs - b3976; b1454; b4594; b4588 (as *evelinae*)]
- a evena** (Hewitson), [1876], 1852-1877; *Lycaena* OD: *Ill. exot. Butts* 5:[87], pl [46], f 2,3 [b2323] CG: *Upolampes* [TypeL - New Guinea.] [Refs - b1450; b2753; b1840; b2280; b2388]
- b eventa** Fruhstorfer, 1918; *Heliophorus* OD: *Tijdschr. Ent.* 61:52, pl 6 [b1885] SS: *tamu* (Kollar), [1844]; *Heliophorus* (B) [TypeL - China.]
- a everesti** Riley, 1923; *Polyommatus* OD: *Trans. ent. Soc. Lond.* 70(3/4):473, pl 36, f 1-3 [b3754] [Type: BMNH-st] [TypeL - Mt. Everest, Tibet.] [Refs - b4180; b1762; b2479; b4094; b0236; b0471; b1455]
- b everetti** (Evans), 1957; *Narathura* OD: *Bull. Br. Mus. nat. Hist.* (Ent.) 5(3):121 [b1644] SS: *arsenius* Felder & Felder, 1865; *Arhopala* i [Type: BMNH-ht] [TypeL - Mindoro.] [Refs - b1644; b2200; b1454]
- c everos** (Gerhard), 1853, 1850-1853; *Lycaena* OD: *Vers. monog. europ. Schmett.* :pl 27, f 1 [b1928] SS: *eroides* Frivaldszky von Frivald, 1835; *Polyommatus* [Note - *Could be Dup., 1844; Cat. Lep. Eur. :32*] [Refs - b2747; b2794 (as Duponchel, 1844); b4092]
- a eversmanni** (Lang), 1884; *Lycaena* OD: *Lep. Europ.* 1:370 [b2890] CG: *Plebejus* [Note - *Due to confusion on my part about this name some of the references here really belong with eversmanni Staudinger, 1886.*] [Refs - b2988; b4330; b0993; b1762; b2827; b0410; b3910; b1765; b4092; b2890]
- a eversmanni** (Staudinger), 1886, 1886-1889; *Lycaena* OD: *Stett. ent. Ztg.* 47:205 [b4330] CG: *Plebejus* [TypeL - Central Asia.] [Check - *Homonym in need of a replacement.*] [Refs - b1455]
- b evias** Stichel, 1923; *Mesosemia* OD: *Z. wiss. Insek.Biol.* 18(10/11):274 [b4457] SS: *epidius* Hewitson, [1859]; *Mesosemia* [TypeL - Brazil.] [Refs - b4474]
- b evinculis** Wind & Clench, 1947; *Philiis* OD: *Bull. Brooklyn ent. Soc.* 42(1):11 [b5021] SS: *innotatus* (Miskin), 1874; *Philiis* [Type: CU-ht] [TypeL - Redlynch, N. Queensland, Australia.] [Refs - b4677; b1450; b0528; b0870; b5021]
- c evippus** (Hübner), [1800], 1796-1838; *Papilio* OD: *Samml. europ. Schmett.* 1:pl 73, f 366,367 [b2480] SS: *roboris* (Esper), [1789]; *Lacosopsis* [Note - *An earlier description could be 1793, Vogel & Schmett, pls 56,57*] [Refs - b2747; b0995; b4092; b2794; b2985; b2260]

- b *evius* (Boisduval), 1869, 1868-1869; *Lycaena* OD: *Annl. Soc. ent. Belg.* 12:49 [b0468] SS: *icarioides* (Boisduval), 1852; *Plebejus* (Icaricia) [Type: USNM-hi] [TypeL - Southern California.] [Refs - b0908; b3192; b1321; b4066]
- c *evora* Fruhstorfer, [1915], 1909-1923; *Logania* OD: In Seitz, *Grossschmett. Erde* 9:806 [b1840] SS: *regina* (H. Druce), 1873; *Logania* [Type: SMF-hi] [TypeL - Sulu Island, Philippines.] [Refs - b1840; b1571; b4108]
- b *ex* (Forster), 1956; *Agrodiaetus* OD: *Z. wien. ent. Ges.* 41:74 [b1769] SS: *transcaspica* (Staudinger), 1899; *Polyommatus* (*Agrodiaetus*) [TypeL - Kurdistan.]
- c *exameri* Moore, [1881], 1880-1881; *Azanius* OD: *Lep. Ceylon* 1(2):80, pl 36, f 1 [b3232] SS: *jesous* (Guérin-Méneville), 1847; *Azanius* [Refs - b0995]
- b *excellens* (Butler), [1876]; *Scolitantides* OD: *Proc. zool. Soc. Lond.* 1875(4):616, pl 67, f 1,2 [b0601] SS: *cleotas* (Guérin-Méneville), [1831]; *Chilades* [TypeL - New Hebrides.] [Refs - b1450; b2753; b4094; b1451]
- b *excellens* (Eliot), 1959; *Atripe* OD: *Bull. Br. Mus. nat. Hist. (Ent.)* 7(8):382 [b1544] SS: *eryx* (Linnaeus), 1771; *Atripe* [Type: BMNH-hi] [TypeL - Fraser's Hill, Pahang.] [Refs - b0965; b1454; b1544]
- a *excelsa* Bates, [1868]; *Theope* OD: *J. linn. Soc. Lond., Zool.* 9:406 [b0267] [TypeL - Ega.] [Refs - b2988; b2747; b4475; b1456]
- e *ab. excelsia* (Tutt), 1909, 1905-1914; *Agricides* OD: *Nat. Hist. Brit. Butts* 3:331 [b4760] SS: *bellargus* (Rottemburg), 1775; *Polyommatus* (*Lysandra*) [Refs - b0236; b0471]
- e *excessa* (Tutt), 1906, 1905-1914; *Chrysophanus* OD: *Nat. Hist. Brit. Butts* 1:430 [b4760] SS: *dispar* ([Haworth]), 1802; *Lycaena* (*Thersamolycaena*) [Refs - b0389]
- e *f. excessa* (Tutt), 1907, 1905-1914; *Strymon* OD: *Nat. Hist. Brit. Butts* 2:197 [b4760] SS: *pruni* (Linnaeus), 1758; *Fixsenia* [Refs - b0236]
- e *ab. excessa* Gillmer, 1908, 1907-1909; *Polyommatus* OD: *Int. ent. Z.* 2:178 [b1959] SS: *icarus* (Rottemburg), 1775; *Polyommatus* [Refs - b0236 (as *striata*); b1959]
- e *ab. excessa* Tutt, 1909, 1905-1914; *Polyommatus* OD: *Nat. Hist. Brit. Butts* 3:261 [b4760] SS: *semiargus* (Rottemburg), 1775; *Polyommatus* (*Cyaniris*) [Refs - b0236]
- e *ab. excessa* (Pether), 1927; *Strymon* OD: *Ent. Rec.* 39:136 [b3584] SS: *spini* ([Denis & Schiffmüller]), 1775; *Satyrus* [Refs - b3584]
- e *ab. excessa* (Tutt), 1907, 1905-1914; *Strymon* OD: *Nat. Hist. Brit. Butts* 2:198 [b4760] SS: *quercus* (Linnaeus), 1758; *Quercusia* [Refs - b4092]
- c *excisicosta* (Dyar), 1913; *Thecla* OD: *Proc. U. S. natn. Mus.* 45:637 [b1443] SS: *faga* (Dognin), 1895; *Nabokovia* [Type: USNM-lt; designated by Bálint & Johnson, 1994] [*Acta zool. hung.* 40(2):112 [b0214]] [TypeL - Cotahuasi and Chuquibamba, Peru.] [Refs - b0908; b3326; b0214; b0213]
- c *exclusa* (Trimen), 1894; *Lycaena* OD: *Proc. zool. Soc. Lond.* 1894(1):47, pl 6, f 11 [b4729] SS: *peculiaris* (Rogenhöfer), 1891; *Lepidochrysops* [TypeL - Manica.] [Refs - b4729; b4400]
- a *exigua* Bates, [1868]; *Metacharis* OD: *J. linn. Soc. Lond., Zool.* 9:396 [b0267] [TypeL - Tapajos.] [Refs - b2747; b4474; b1456]
- b *exiguus* (Distant), 1886, 1882-1886; *Everes* OD: *Rhop. malayana* :455, pl 44, f 17 [b1285] SS: *panomus* (C. Felder), 1860; *Catochrysops* [TypeL - Malay Peninsula.] [Note - Not spelled *exignus*.] [Refs - b0964; b4198; b0965; b4670; b2650; b1285; b1900 (as *exignus*); b3498; b5053; b3495; b1454; b0694; b4592; b3258; b3782; b4108]
- a *exiguus* Holland, 1890; *Lachnocnema* OD: *Psyche* 5:427 or 426 [b2423] [TypeL - Upper Ogove River, Gaboon.] [Refs - b1452; b4400]
- a *exiguus* (H. H. Druce), 1907; *Thecla* OD: *Proc. zool. Soc. Lond.* 1907(3):580, pl 33, f 5 [b1375] CG: *Iaspis* [Type: BMNH] [TypeL - Surinam.] [Refs - b0908; b1375; b2618]
- a *exiguus* Joicey & Noakes & Talbot, [1916]; *Dicallaneura* OD: *Trans. ent. Soc. Lond.* 63(3/4):371, pl 60, f 3,4 [b2651] [TypeL - New Guinea.] [Refs - b1450; b4474; b2651]
- a *exiguus* Austin, 1993; *Calephelis* OD: *J. Res. Lep.* 30(3/4):241, f 5,6,7,8,14 [b0184] [Type: AME-hi] [TypeL - Paraiso, Sixaola Road, Limon Province, Costa Rica.] [Refs - b0184]
- e *exile* Scudder, 1876, (ISS); *Brephidium* OD: *Bull. Buffalo Soc. nat. Sci.* 3:124 [b4083] SS: *exilis* (Boisduval), 1852; *Brephidium* [Refs - b0908; b0540; b4688; b1711; b0907; b3192; b1321]
- a *exilis* (Boisduval), 1852; *Lycaena* OD: *Annl. Soc. ent. Fr.* (2)10:294 [b0467] CG: *Brephidium* [Type: USNM-hi] [TypeL - California.] [Type of - *Brephidium*] [*LifeH* - Tietz lists b1527, b0927, b0932, b0875.] [Refs - b0908; b2280; b2747; b2648; b3192; b3512; ns0927; b2417; b0493; b1743; b1321; b2419; b0833; b4950; b4690; b0467; b4066; b4652; b1455]
- d *exilis* (Lucas), 1889, (H); *Lycaena* OD: *Proc. R. Soc. Qd* 6(4):159, f 13,14,15 [b3024] OS: *exiloides* (Lucas), 1891; *Famegana* [TypeL - Cooktown to Bowen, Australia.] [Refs - b4094; b4934; b3024]
- c *exiloides* (Lucas), 1891; *Lycaena* OD: *Proc. R. Soc. Qd* 7(1):47 [b3027] SS: *alsulus* (Herrich-Schäffer), 1869; *Famegana* [Type: biblio; replacement for *exilis* Lucas, 1889] [Refs - b4094; b4934; b1475]
- a *eximia* (Fixsen), 1887; *Thecla* OD: In Romanoff, *Mém. Léop.* 3:271, pl 13, f 2 [b1745] CG: *Satyrus* [Type of - *Felderia*, *Thecliolia*] [Refs - b4115; b4198; b2280; b0965; b3778; b0995; b2827; b2479; b2866; b0236; b1454; b4092; b1455]
- e *exoculata* (Stauder), 1921, (IFS); *Lycaena* OD: *Deut. ent. Zeit.* [Iris] 35:31 [b4312] SS: *virgilia* Oberthür, 1910; *Polyommatus* (*Agrodiaetus*) [Note - *Described again in Soc. ent.*, 39:27] [Refs - b0236; b3796; b4316; b4312; b0471]
- e *ab. exoculata* (Stauder), 1924; *Lycaena* OD: *Soc. ent.* 39:27 [b4318] SS: *dolus* (Hübner), [1823]; *Polyommatus* (*Agrodiaetus*) [TypeL - Italy.] [Refs - b3796]
- e *ab. exoculatus* (Burrau), 1953; *Polyommatus* OD: *Opuscula entomologica* 18(2/3):119, f 21 [b0578] SS: *arenicola* (Burrau), 1953; *Plebejus* (*Eumedonia*) [TypeL - Sweden.] [Refs - b0087; b0578]
- c *ab. exoleta* (H. Edwards), 1881; *Thecla* OD: *Papilio* 1(4):53 [b1487] SS: *nelsoni* (Boisduval), 1869; *Mitoura* [Type: AMNH-hi] [TypeL - Big Trees, Calaveras County, California.] [Refs - b0908; b3192; b1321]
- b *exoticus* Seki, 1994; *Hypochrysops* OD: *Futao* (15):20, pl 3, f 5-8 [b4102] SS: *coelisparsus* (Butler), 1883; *Hypochrysops* [Type: pc-hi; collection of Seki.] [TypeL - Pulau Simeulue.] [Refs - b4102]
- a *exotissima* Johnson, 1993; *Gigantorubra* OD: *Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point)* (32):28, f [b2614] [Type: BMNH-hi] [TypeL - Tijuco, Goias, Brazil.] [Refs - b2614]
- b *expallida* Seki, 1994; *Arhopala* OD: *Futao* (15):26, pl 4, f 1-4 [b4103] SS: *antheus* (Westwood), [1852]; *Arhopala* a [Type: pc-hi; collection of Seki.] [TypeL - Pulau Simeulue, of the N.W. coast of Sumatra.] [Refs - b4103]
- e *ab. expallidata* (Dannehl), 1933; *Chrysophanus* OD: *Ent. Zeit.* 46:246 [b1103] SS: *hippotoe* (Linnaeus), 1761; *Palaeochrysophanus* [TypeL - Tyrol.] [Refs - b0071]

- e *ab. expansa* (Pionneau), 1937; *Cyaniris* OD: Échange 53:3 [b3619] SS: argiolus (Linnaeus), 1758; *Celastrina* [TypeL - France.]
- a *expleta* Stichel, 1910; *Baeotis* OD: Gen. Insectorum 112(A):181 [b4446] [Type: BMNH-st] [TypeL - Honduras.] [Refs - b4474; b1456; b4446]
- b *exponens* (Fruhstorfer), 1916; *Nacaduba* OD: Zoöl. Meded. 2(2):124 [b1873] SS: ancyra (C. Felder), 1860; *Catopyrops* [TypeL - Cocos Inseln (Holl. Klappereiland).] [Refs - b4676; b4094; b1454]
- a *exquisita* (Grose-Smith), 1898; *Iris* OD: Novit. zool. 5:353 [b2046] CG: Iridana [Type: BMNH-ht] [TypeL - W. Africa.] [Refs - b1452; b4400; b2899]
- b *exquisita* (Riley), 1928; *Epamera* OD: Novit. zool. 34:388, pl 10,11, f 14 [b3767] SS: bellina (Plötz), 1880; *Iolaus* (*Epamera*) [TypeL - S. E. Uganda.] [Refs - b1452; b4394; b4400]
- e *extincta* Riley & Tams, 1925, (ISS); *Telipna* OD: Zool. Rec. 60(1923)(Ins.):226 [b3795] SS: consanguinea Rebel, 1914; *Telipna* [Refs - b3795]
- c *exsuperia* Hulstaert, 1924; *Telipna* OD: Revue zool. afr. 12(2):112 [b2496] SS: hollandi Joicey & Talbot, 1921; *Telipna* [TypeL - Kamerun.] [Refs - b3796; b2496; b4400]
- a *extensa* (Bates), [1868]; *Eurygona* OD: J. linn. Soc. Lond., Zool. 9:377 [b0267] CG: Euselasia [Type: BMNH-ht] [TypeL - St. Paulo.] [Refs - b2747; b4474; b1456]
- e *extensa* Krod., 1904; *Polyommatus* OD: Ent. Zeit. 18(14):54 [b2840] SS: damon ((Denis & Schiffemüller)), 1775; *Polyommatus* (*Agrodiaetus*) [Refs - b4092]
- b *extensa* Fruhstorfer, [1912]; *Hypolycaena* OD: Berl. ent. Z. 56(3/4):237 [b1850] SS: thecloides (Felder & Felder), 1860; *Hypolycaena* [TypeL - Engano.] [Refs - b4094; b1454; b1850]
- e *f. extensa* Gaede, 1917; *Liphyra* OD: Mitt. zool. Mus. Berl. 8:404 [b1910] SS: brassolis Westwood, [1864]; *Liphyra*
- b *extensa* Evans, 1925; *Pratapa* OD: J. Bombay nat. Hist. Soc. 30(4):761 [b1634] SS: icetas (Hewison), [1865]; *Pratapa* [TypeL - Burma.] [Refs - b1636; b1454; b0694]
- a *extensa* Evans, 1926; *Rapala* OD: J. Bombay nat. Hist. Soc. 31(3):718 [b1635] [TypeL - Chitral, Kashmir, India.] [Note - Also seen as a subspecies of nissa.] [Refs - b1636; b0236; b3910; b0694; b1455]
- a *extensa* (Lathy), 1932; *Orimba* OD: Ann. Mag. nat. Hist. (10)9:72 [b2922] CG: Setabis [Type: BMNH-ht] [TypeL - Rio Pacaya, Lower Ucayali, Peru.] [Refs - b2922; b1456]
- e *ab. extensa* Lathy, 1932; *Monethe* OD: Ann. Mag. nat. Hist. (10)9:67 [b2922] SS: nesotopus Stichel, 1910; *Monethe* [Type: BMNH-ht] [TypeL - Ecuador.] [Refs - b2922]
- b *extensa* (Tite), 1963; *Philiris* OD: Bull. Br. Mus. nat. Hist. (Ent.) 14(5):226 [b4677] SS: sublutea (Bethune-Baker), 1906; *Titea* [Type: BMNH-ht] [TypeL - Angi Lakes, Arfak Mts., Dutch New Guinea.] [Refs - b4677; b1450]
- a *extensa* Johnson, 1991; *Furcovalva* OD: Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (21):23, f [b2606] [Type: AMNH-ht] [TypeL - Igarapi-Assu, Paraná State, Brazil.] [Type of - Furcovalva] [Refs - b0125]
- e *ab. extensaconjuncta* (Tutt), 1906, 1905-1914; *Rumicia* OD: Nat. Hist. Brit. Butts 1:363, pl 13, f 7-8 [b4760] SS: phlaeas (Linnaeus), 1761; *Lycaena* (*Lycaena*) [Refs - b0236; b0389; b0471]
- e *f. extenta* Strand, 1901; *Plebejus* OD: Nyt Mag. naturvid. 39(1):47 [b4490] SS: argyrognomon (Bergsträsser), [1779]; *Plebejus* (*Lycaeides*) [Refs - b0236; b0471]
- b *extentus* Lyeckelberge, 1979; *Capsys* OD: Durban Mus. Novit. 12(2):25, f [b3675] SS: alpheus (Cramer), [1777]; *Capsys* [Type: DM-ht] [TypeL - Karkloof, Natal, South Africa.] [Refs - b3675; b0111; b2286]
- e *extincta* Fuchs, 1899; *Lycaena* OD: Jb. nass. Ver. Nat. 52:120-121 [b1896] SS: phlaeas (Linnaeus), 1761; *Lycaena* (*Lycaena*) [Refs - b0389]
- e *f. extincta* Strand, 1901; *Plebejus* OD: Nyt Mag. naturvid. 39(1):47 [b4490] SS: argyrognomon (Bergsträsser), [1779]; *Plebejus* (*Lycaeides*) [Refs - b0236; b0471]
- e *ab. extincta* Gillmer, 1904; *Lycaena* OD: Ent. Zeit. 18(1):6 [b1956] SS: alciphron (Rottemburg), 1775; *Lycaena* (*Alciphronia*) [Refs - b0236; b0471]
- e *ab. extincta* (Gillmer), 1904; *Lycaena* OD: Ent. Zeit. 18(1):6 [b1956] SS: hippothoe (Linnaeus), 1761; *Palaeochrysophanus* [Refs - b0236; b0389; b1956; b4092]
- e *extincta* (Hensel), 1920, (IFS); *Chrysophanus* OD: Int. ent. Z. 14(16):122 [b2301] SS: rutilus (Werneburg), 1864; *Lycaena* (*Thersamolycaena*) [Note - Not spelled extincta.] [Refs - b0236; b0389 (as extincta); b2301; b0471]
- e *ab. extincta* Schultzze, 1923; *Telipna* OD: In Schubotz :1150, f [b4018] SS: consanguinea Rebel, 1914; *Telipna* [TypeL - W. Africa.] [Refs - b3795 (as extincta); b4400]
- b *extinctis* Mattoni, 1991; *Philotes* OD: J. Res. Lep. 28(4):300, f 2 [b3107] SS: sonorensis (Felder & Felder), 1865; *Philotes* [Type: USNM-ht] [TypeL - San Gabriel wash, California.] [Refs - b3107]
- b *extranea* (Walker), 1854, 1854-1856; *Erchia* OD: List Spec. Lep. Ins. Brit. Mus. 2:357 [b4910] SS: barca (Hewison), [1852]; *Melanis* [Type of - Erchia, Pseuderchia] [Note - Described as a Geometrid moth.] [Refs - b2280; b3192]
- c *extraneus* (Toxopeus), 1929; *Gerydus* OD: Tijdschr. Ent. 72(3/4):211 [b4699] SS: biggsii (Distant), 1884; *Miletus* 3 [TypeL - Weh or Sumatra.] [Refs - b1546; b4699; b4108]
- e *ab. extrema* (Courvoisier), 1907; *Lycaena* OD: Z. wiss. InsektBiol. 3:36 [b0982] SS: coridon (Poda von Neuhaus), 1761; *Polyommatus* (*Lysandra*) [Refs - b0471]
- e *ab. extrema* (Courvoisier), 1907; *Lycaena* OD: Z. wiss. InsektBiol. 3:36 [b0982] SS: argus (Linnaeus), 1758; *Plebejus* [Refs - b0471]
- e *ab. extrema* (Courvoisier), 1907; *Lycaena* OD: Z. wiss. InsektBiol. 3:37 [b0982] SS: bellargus (Rottemburg), 1775; *Polyommatus* (*Lysandra*) [Refs - b0236; b0471]
- e *ab. extrema* (Courvoisier), 1907; *Lycaena* OD: Z. wiss. InsektBiol. 3:37, pl 1, f 24 [b0982] SS: argus (Linnaeus), 1758; *Plebejus* [Refs - b0236; b0471]
- e *ab. extrema* Tutt, 1908, 1905-1914; *Everes* OD: Nat. Hist. Brit. Butts 3:55 [b4760] SS: argiades (Pallas), 1771; *Everes* [Refs - b0236; b0400; b0471]
- e *ab. extrema* (Tutt), 1909, 1905-1914; *Plebejus* OD: Nat. Hist. Brit. Butts 3:179 [b4760] SS: argus (Linnaeus), 1758; *Plebejus* [Refs - b0236; b0471]
- e *extrema* Tutt, 1909, 1905-1914; *Cupido* OD: Nat. Hist. Brit. Butts 3:108 [b4760] SS: minimus (Esper), [1777]; *Cupido* [Refs - b0400]
- e *ab. extrema* (Courvoisier), 1910, 1910-1911; *Lycaena* OD: Ent. Zeit. 24:142 [b0985] SS: icarus (Rottemburg), 1775; *Polyommatus* [Refs - b0471]
- e *ab. extrema* (Courvoisier), 1910, 1910-1911; *Lycaena* OD: Ent. Zeit. 24:157 [b0985] SS: argiades (Pallas), 1771; *Everes* [Refs - b0236; b0471]
- e *ab. extrema* (Courvoisier), 1910, 1910-1911; *Lycaena* OD: Ent. Zeit. 24:94 [b0985] SS: argus (Linnaeus), 1758; *Plebejus* [Refs - b0471; b0985]
- e *extrema* (Courvoisier), 1912; *Chrysophanus* OD: Deut. ent. Zeit. [Iris] 26:55 [b0987] SS: utyrus (Poda von Neuhaus), 1761; *Lycaena* (*Heodes*) [Refs - b0389]

- c *extrema* (Draudt), [1919], 1917-1924; *Thecla* OD: In Seitz, *Grossschmett. Erde* 5:754, pl 153-d [b1348] SS: ion (H. H. Druce), 1890; *Macusia* (?) [Type: NMB; Fassl collection.] [TypeL - Medina, East Colombia.] [Refs - b0908; b0845]
- e *f. extrema* Manley, 1970; *Satyrion* OD: In Butts Spain :114, pl 35, f 31 [b3057] SS: *leonensis* Manley, 1970; *Satyrion* [Refs - b3057]
- e *ab. extremacompleta* Tutt, 1908, 1905-1914; *Everes* OD: *Nat. Hist. Brit. Butts* 3:55 [b4760] SS: *argiades* (Pallas), 1771; *Everes* [Refs - b0236; b0400; b0471]
- e *extremafulva* Tutt, 1908, 1905-1914; *Everes* OD: *Nat. Hist. Brit. Butts* 3:55 [b4760] SS: *argiades* (Pallas), 1771; *Everes* [Refs - b0400; b0471]
- e *ab. extremarestricta* Tutt, 1908, 1905-1914; *Everes* OD: *Nat. Hist. Brit. Butts* 3:55 [b4760] SS: *argiades* (Pallas), 1771; *Everes* [Refs - b0236; b0400; b0471]
- c *extremata* (de Sagarra y Castellamau), 1930; *Plebeius* OD: *Bull. Inst. catal. Hist. nat.* (2)10:117 [b1180] SS: *nevadensis* (Oberthür), 1896; *Plebejus* (*Lycacides*) [Type: MC-st] [TypeL - Cuenca, Spain.] [Refs - b3059; b3328; b0070; b1180]
- b *extremiorientalis* (Kurentzov), 1970; *Lycaena* OD: *Butts Far East USSR* :138 [b2864] SS: *eroides* (Staudinger), 1892; *Polyommatus* [Refs - b2866]
- c *extricatus* Butler, 1886; *Tarucus* OD: *Proc. zool. Soc. Lond.* 1886(3):366, pl 35, f 2 [b0635] SS: *nara* (Kollar), [1844]; *Tarucus* [TypeL - India.] [Refs - b1636; b0995; b1840; b0694; b4092]
- b *exuberans* (Verity), 1926, 1926-1933, (RA); *Hirsutina* OD: *Ent. Rec.* 38:121 [b4844] SS: *admetus* (Esper), [1783]; *Polyommatus* (*Agrodiaetus*) [Type: MZS-st] [TypeL - Cottian Alps.] [Note - Apparently extinct.] [Refs - b2856; b0236; b2859 (as a good species); b0471]
- b *exul* Seitz, [1917], 1910-1924; *Stalactis* OD: In Seitz, *Grossschmett. Erde* 5:718, pl 143d [b4093] SS: *phaedusa* Hübner, [1818]; *Stalactis* [TypeL - Kouron River.] [Refs - b4476; b4093]
- e *ab. exula* (Schultz), 1906; *Lycaena* OD: *Ent. Zeit.* 19(36):214-215 [b4005] SS: *charybdis* (Staudinger), 1886; *Glaucompsyche* [Refs - b4092]
- e *eyllarus* (O. Bang-Haas), 1928, 1926-1930, (ISS); *Lycaena* OD: *Novit. Macrolep.* (3):37 [b0236] SS: *alexis* (Poda von Neuhaus), 1761; *Glaucompsyche* [Refs - b0236]
- b *eyria* (Fruhstorfer), 1915; *Lampides* OD: *Arch. Naturgesch.* (A)81(6):5, f 1 [b1865] SS: *celeno* (Cramer), [1775]; *Jamides* [Type: BMNH-hi] [TypeL - Engano.] [Refs - b3786; b4094; b1865; b1454]
- b *ezeon* (Fruhstorfer), 1915; *Lampides* OD: *Arch. Naturgesch.* (A)81(6):22 [b1865] SS: *aratus* (Stoll), [1781]; *Jamides* [TypeL - Banda.] [Refs - b1450; b4094; b1865]
- a *fabia* (Godman), 1903; *Eurygona* OD: *Trans. ent. Soc. Lond.* 51(4):533, pl 20, f 11 [b1972] CG: *Euselasia* [TypeL - Peru.] [Refs - b4474; b1456]
- b *fabiana* Fruhstorfer, 1907; *Amblypodia* OD: *Ent. Zeit.* 21(24):150 [b1825] SS: *annetta* Staudinger, [1888]; *Amblypodia* [TypeL - Waigiü.] [Refs - b1450; b4094; b1825]
- a *fabius* (Distant & Pryer), 1887; *Paragyrdus* OD: *Ann. Mag. nat. Hist.* (5)19:266 [b1290] CG: *Allothinus* (*Fabitaras*) [Type: BMNH-hi] [TypeL - Sandakan, Borneo.] [Type of - *Fabitaras*] [Refs - b0964; b1636; b1153; b0965; b1840; b1571; b4108]
- b *fabressi* (Oberthür), 1910; *Agrodiaetus* OD: *Étud. Léop. comp.* 4:260 [b3451] SS: *ripartii* (Freyer), 1830; *Polyommatus* (*Agrodiaetus*) [TypeL - Spain.] [Refs - b2375; b3059; b2827; b1775; b0111; b0236; b2794 (as good species); b3366; b2859 (as sp); ns0730; b0471 (as *fabressi*); b1455]
- e *fabricii* (Kirby), 1871, (NN & PS); *Thecla* OD: *Syn. Cat. diurn. Lep.* :654 [b2747] SS: *edwardsii* (Grote & Robinson), 1867; *Satyrion* [Note - Kirby credited the name to Scudder.] [Refs - b2747; b3192; b1530 :195, f 366; b1321 :57; b0908]
- b *fabricii* Moore, 1884; *Drupadia* OD: *J. asiat. Soc. Bengal, Pt II* 53(1):32 [b3236] SS: *theda* (Felder & Felder), 1862; *Drupadia* [TypeL - Mergui, south Burma.] [Refs - b1030; b1636; b1153; b4094; b0105; b2201; b1454; b0694]
- a *fabronia* (Hewitson), [1878], 1863-1878; *Myrina* OD: *Ill. diurn. Lep. Lycaenidae Suppl.*:23, pl 3a, f 89-91 [b2326] CG: *Neocherira* [Refs - b0964; b1636; b0965; b1454; b0694]
- a *fabulla* Hewitson, 1868; *Thecla* OD: *Descr. new Spec. Lycaenidae* :20 [b2327] CG: *Thecla* (*New World Eumaemi*) *fabulla* group [Type: BMNH] [TypeL - Venezuela.] [Refs - b0908; b2747; b1375; b2593; b2597]
- b *faceta* Stichel, 1919; *Euselasia* OD: *Deut. ent. Zeit.* 1919:307 [b4454] SS: *argentea* (Hewitson), 1871; *Euselasia* [Type: ZMHU-hi] [TypeL - Popayan, Colombia.] [Refs - b4474; b0680; b4454]
- a *faciepictra* Strand, 1911; *Ogyris* OD: *Mitt. zool. Mus. Berl.* 5:472, f [b4503] [TypeL - Deutsch Neu-Guinea.] [Refs - b1450; b4094; b4503]
- a *facuna* (Hewitson), [1877], 1863-1878; *Thecla* OD: *Ill. diurn. Lep. Lycaenidae* 1:202; 2-pl 80, f 661,662 [b2326] CG: *Androcona* [Type: BMNH-hi] [Refs - b1530 :220; b0908; b2753; b3192; b1321; b2626]
- a *faga* (Dognin), 1895; *Thecla* OD: *Annl. Soc. ent. Belg.* 39:105 [b1297] CG: *Nabokovia* [Type: BMNH-hi] [TypeL - Loja, Ecuador.] [Type of - *Nabokovia*, *Pseudothecla*] [Refs - b2280; b2988; b0908; b3846; b3326; b0214; b0213; b0207; b0208]
- e *fairlei* d'Abrera, 1986, (ISS); *Spindasis* OD: *Butts Oriental Region, Pt 3* :603 [b1454] SS: *fairleii* Ormiston, 1924; *Spindasis* [Refs - b1454]
- b *fairleii* Ormiston, 1924; *Spindasis* OD: *Butts Ceylon* :73 [b3516] SS: *elima* (Moore), 1877; *Spindasis* [Refs - b1636; b1454 (as *fairlei*); b3516; b0694]
- b *faisina* Ribbe, 1899; *Amblypodia* OD: *Deut. ent. Zeit.* [Iris] 12:252, pl 4, f 16 [b3738] SS: *annetta* Staudinger, [1888]; *Amblypodia* [TypeL - Bougainville Straits.] [Refs - b1450; b4094; b4093]
- b *falacer* (Godart), [1824], 1819-1824; *Polyommatus* OD: *In Ency. méth.* 9(Ins.)(2):633 [b1970] SS: *calanus* (Hübner), [1809]; *Satyrion* [Type: MNHN-hi] [TypeL - Near Philadelphia, Pennsylvania.] [Refs - b0908; b3078; b1915; b1944; b2747; b3192; b1321; b4066; b2592]
- e *f. falcata* (Stauder), 1923; *Lycaena* OD: *Ent. Anz.* 3:7 [b4315] SS: *aetnaea* (Zeller), 1847; *Polyommatus* (*Cyaniris*) [TypeL - N. W. Africa.] [Refs - b0236]
- e *f. falcata* (Stauder), 1923; *Lycaena* OD: *Ent. Anz.* 3:7 [b4315] SS: *meleager* (Esper), [1778]; *Polyommatus* (*Meleageria*) [TypeL - N. W. Africa.] [Refs - b0236; b0471]
- b *falcis* Weymer, 1890; *Isapis* OD: *In Stübel, Reisen in Süd-Amer., Lep.* :121, pl 4, f 10 [b4988] SS: *agyrtus* (Cramer), [1777]; *Isapis* [TypeL - Colombia.]
- a *falcistriga* Stichel, 1910; *Symmachia* OD: *Berl. ent. Z.* 55(1/2):81 [b4445] [Type: ZMHU-hi] [TypeL - Massauary, Rio Maués, Amazonas, Brazil.] [Refs - b4474; b1456; b4445]
- a *falerina* Hewitson, [1867], 1863-1878; *Thecla* OD: *Ill. diurn. Lep. Lycaenidae* 1:96; 2-pl 43, f 168,169 [b2326] CG: *Thecla* (*New World Eumaemi*) *myrtea* group [Type: BMNH] [TypeL - Amazon.] [Refs - b0908; b2747; b3810]

- c** *falkensteini* Dewitz, 1879; Epitola OD: Nova Acta Acad. Caesar. Leop. Carol. 41(2):181 (=9), pl 1 (=25), f 3 [b1218] SS: hewitsoni (Mabille), 1877; Epitola [TypeL - Chinchoxo.] [Refs - b3842; b4400]
- a** *falkensteini* (Dewitz), 1879; Plebeius OD: Nova Acta Acad. Caesar. Leop. Carol. 41(2):204 (=32), pl 1 (=25), f 5 [b1218] CG: Uranothauma [TypeL - Guinea.] [Refs - b1943; b4400; b0108; b1452; b0836; b4950; b2560; b4436; b0162]
- a** *falkovitshi* (Zhdanko & Korshunov), 1985; Neolycaena OD: CG: Satyrium (Neolycaena) [Check - Original description.] [Refs - ns3033; b5066]
- a** *fallacandor* Johnson, 1992; Candora OD: Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (22):33, f [b2610] [Type: AMNH-ht] [TypeL - Azuay, Seville de Oro, Ecuador.] [Type of - Candora] [Refs - b0125; b2610]
- a** *fallax* Felder & Felder, 1865, 1865-1875; Allotinus OD: Reise Novara (2):285, pl 35, f 24 (nec 25,26) [b1692] [Type: BMNH-lt; designated by Eliot, 1986] [Bull. Br. Mus. nat. Hist. (Ent.) 53(1):10 [b1571]] [TypeL - Luzon, Philippines.] [Type of - Allotinus] [Refs - b1153; b2280; b0965; b1840; b2747; b4094; b1564; b1571]
- c** *fallax* (E. Sharpe), 1890; Zenitius OD: Ann. Mag. nat. Hist. (6):104 [b4150] SS: adema (Plötz), 1880; Lipaphnaeus [TypeL - Sierra Leone.] [Refs - b0836; b4400]
- a** *fallax* Bethune-Baker, 1915; Pentula OD: Ann. Mag. nat. Hist. (8):16:187 [b0353] [TypeL - Cameroons.] [Refs - b1452; b4420; b4400]
- e** *ab. falloui* (Tutt), 1909, 1905-1914; Plebeius OD: Nat. Hist. Brit. Butts 3:188 [b4760] SS: argus (Linnaeus), 1758; Plebeius [Refs - b0236; b0471 (also as falconi)]
- e** *ab. falvolunulata* (Tutt), 1909, 1905-1914; Plebeius OD: Nat. Hist. Brit. Butts 3:181 [b4760] SS: argus (Linnaeus), 1758; Plebeius [Refs - b0236]
- b** *famelica* (Seitz), [1908], 1907-1921; Lycaena OD: In Seitz, Grossschmett. Erde 1:305, pl 79 [b4092] SS: abencerragus (Pierret), 1837; Pseudophilotes [Refs - b0236; b4092; b0471]
- a** *familiaris* (Johnson), 1991; Thecla OD: J. Lep. Soc. 45(2):151 [b2605] CG: Paralustus [Type: biblio; replacement for viridis Lathy, 1930] [TypeL - Not stated, but perhaps Bolivia.] [Refs - b2592; b0125; b2611]
- a** *fancia* (Jones), 1912; Thecla OD: Proc. zool. Soc. Lond. 1912(4):897, pl 97, f 2 [b2663] CG: Olynthus [Type: BMNH.] [TypeL - Castro, Paraná, Brazil.] [Refs - b0908; b3394; b2631 (in Panthiades)]
- b** *fangola* (Kheil), 1884; Lucia OD: Rhop. Nias :28, pl 5, f 31 [b2725] SS: epeus (Westwood), [1851]; Spalgis [TypeL - Nias.] [Refs - b1840; b1454; b4108]
- a** *fani* Koiwaya, 1993; Ussuriana OD: Stud. Chin. Butterflies 2:47, f [b2818] [TypeL - Shaanxi, China.] [Refs - b0126]
- a** *fannia* (Godman), 1903; LEMONIAS OD: Trans. ent. Soc. Lond. 51(4):545, pl 22 or 23, f 4 [b1972] CG: Calospila [Type: BMNH-ht] [TypeL - Rio Essequibo, British Guyana.] [Refs - b4474; b1456]
- b** *fara* Fruhstorfer, 1907; Amblypodia OD: Ent. Zeit. 21(24):150 [b1825] SS: narada (Horsfield), [1828]; Amblypodia [TypeL - Sumatra.] [Refs - b4094; b1454; b1825]
- c** *farmina* (Schaus), 1902; Thecla OD: Proc. U. S. nat. Mus. 24(1262):421 [b3948] SS: dicaea (Hewitson), [1874]; Dicya [Type: USNM-ht; #5954] [TypeL - Castro, Parana, Brazil.] [Refs - b0908; b1375; b3948]
- c** *farquhari* (Distant), 1885, 1882-1886; Narathura OD: Rhop. malayana :264, pl 23, f 3 [b1285] SS: maxwelli (Distant), 1885; Arhopala g [Type: BMNH-ht] [TypeL - Malaya.] [Refs - b1644; b2747; b4094]
- u** *farquharsoni* (Bethune-Baker), 1922; Epamera OD: Trans. ent. Soc. Lond. 69(3/4):462 [b0358] CG: Iolous (Epamera) [TypeL - S. Nigeria.] [Refs - b1452; b4400]
- c** *farriosi* (de Sagarra y Castellamau), 1930; Jolana OD: Bull. Inst. catal. Hist. nat. (2)10:118 [b1180] SS: iolous (Ochsenheimer), 1816; Iolana [Type: MC-st] [TypeL - Barcelone, Spain.] [Refs - b0320; b1180]
- b** *farsica* Rose & Schurian, 1977; Aphantus OD: Ent. Zeit. 87(14):146, f 1 [b3860] SS: myrmecophila (Dumont), 1922; Aphantus [Type: pc-ht; collection of Rose.] [TypeL - Dasht-e-Arjan, S. Iran.] [Refs - b1610 (2612-E9); b0109; b3860]
- a** *fasciata* (Hopffer), 1874; Charis OD: Stett. ent. Ztg 35:364 [b2446] CG: Crocozona [Refs - b2988; b2753; b4474; b1456]
- c** *fasciata* (Janson), 1878; Thecla OD: Cistula Entomologica 2(19):272, pl 5, f 4 [b2573] SS: taxila (Bremer), 1861; Neozephyrus [TypeL - Yokohama, Japan.] [Refs - b3778; b0996; b2827; b4092; b2463]
- e** *ab. fasciata* (Strecker), 1878; Chrysophanus OD: Butts Moths N. Amer., Comp. Syn. Cat. :101 [b4532] SS: americana Harris, 1862; Lycaena (Lycaena) [Type: FMNH-ht] [TypeL - Florida.] [Refs - b0908; b3191; b0996; b3192; b0389; b1321; b4066; b4092]
- b** *fasciata* Moore, [1879]; Taxila OD: Proc. zool. Soc. Lond. 1878(4):832, pl 3 or 52, f 1 [b3230] SS: haquinus (Fabricius), 1793; Taxila [TypeL - Tenasserim.] [Refs - b1636; b1149; b4474; b1454; b1840]
- e** *fasciata* (Gillmer), 1904; Lycaena OD: Soc. ent. 18(23):180 [b1955] SS: arion (Linnaeus), 1758; Maculinea [Refs - b0236; b0400]
- c** *fasciata* Lathy, 1904; Theope OD: Trans. ent. Soc. Lond. 52(3):467, pl 27, f 10 [b2914] SS: speciosa Godman & Salvin, 1897; Theope [TypeL - Not stated.] [Refs - b4475]
- e** *ab. fasciata* Tutt, 1907, 1905-1914; Lampides OD: Nat. Hist. Brit. Butts 2:336 [b4760] SS: boeticus (Linnaeus), 1767; Lampides [Refs - b0236]
- e** *ab. fasciata* Skala, 1912, (H); Maculinea OD: Verh. naturf. Ver. Brünn 50:63 [b4231] SS: arion (Linnaeus), 1758; Maculinea [Refs - b0236; b0400; b0471]
- e** *ab. fasciata* Strand, 1916, 1914-1916; Emesis OD: Lep. Niepelt. (2):19, pl 14, f 30 [b4516] SS: tenedia Felder & Felder, 1861; Emesis [TypeL - Costa Rica.] [Refs - b4475; b4528]
- b** *fasciata* (Ungemach), 1932; Lycaenesthes OD: Mém. Soc. Sci. nat. phy. Maroc (32):87 [b4780] SS: definita (Butler), 1899; Anthene [TypeL - Abyssinia.] [Refs - b0070]
- e** *ab. fasciatacaeruleopunctata* (Tutt), 1906, 1905-1914; Rumicia OD: Nat. Hist. Brit. Butts 1:368 [b4760] SS: phlaeas (Linnaeus), 1761; Lycaena (Lycaena) [Refs - b0389]
- a** *fasciatus* (Röber), 1887; Plebeius OD: CorrespBl. ent. Ver. Iris 1(4):194, pl 9, f 15 [b3821] CG: Castalius [Type: SMT-ht] [TypeL - Bangkok (or Bangkai) Island.] [Refs - b1840; b1642; b3821; b1454; b1573; b4602; b2388]
- a** *fasciatus* (Aurivillius), 1895; Lycaenesthes OD: Ent. Tidskr. 16:218 [b0151] CG: Triclema [TypeL - Cameroons.] [Refs - b0151; b1452; b0836; b4400]
- b** *fasciatus* (Ribbe), 1926; Lampides OD: Ent. Mit. 15(1):90 [b3742] SS: philatus (Snellen), 1878; Jamides [TypeL - Celebes.] [Refs - b3742]
- c** *fasciola* (Tepper), 1882; Cupido OD: Trans. R. Soc. S. Aust. 4:30, pl 2, f 13 [b4633] SS: serpentata (Herrich-Schäffer), 1869; Theclines thes [TypeL - S. Australia.] [Refs - b4094; b4934]
- c** *fascista* (Turati), 1927; Lycaena OD: Atti Soc. ital. Sci. nat. 66:317 [b4749] SS: melanops (Boisduval), [1828]; Apelles [Refs - b0236; b0066; b4749; b0471]

- a fassli** (H. H. Druce), 1912; *Thecla* OD: Ent. mon. Mag. 48:130, pl 9, f 10 [b1380] CG: *Thecloxurina* [Type: BMNH-ht] [TypeL - Monte Socorro, Colombia.] [Refs - b0908; b2593; b0125; b2610]
- a fassli** (Seitz), [1917], 1910-1924; *Aricoris* OD: In Seitz, *Grossschmett. Erde* 5:721, pl 143a [b4093] CG: *Setabis* [Type: pc-ht; collection of Fassl] [TypeL - Rio Songo, Bolivia.] [Refs - b4475; b1456; b4093]
- b fassli** Seitz, [1917], 1910-1924; *Eurybia* OD: In Seitz, *Grossschmett. Erde* 5:721 [b4093] SS: *dardus* (Fabricius), 1787; *Eurybia* [Type: pc-ht; collection of Fassl] [TypeL - Rio Songo, Bolivia.] [Refs - b4474; b4093]
- c fassli** Seitz, [1917], 1910-1924; *Mesosemia* OD: In Seitz, *Grossschmett. Erde* 5:642, pl 125c [b4093] SS: *desituta* Stichel, 1909; *Mesosemia* [TypeL - Colombia.] [Refs - b4474; b4093]
- b fastidiosa** Ménétriés, 1855, 1855-1857; *Emesis* OD: *Enum. corp. anim.* 1:90, pl 3, f 5 [b1552] SS: *lucinda* (Cramer), [1775]; *Emesis* [TypeL - Brasilia.] [Refs - b2753; b4474; b1456]
- a fatima** (Cramer), [1780], 1775-1790; *Papilio* OD: *Uitl. Kapellen* 3(23):141, pl 271, f A-D [b1069] CG: *Emesis* [TypeL - America mer. pars sept.] [Type of - *Nelone*] [Refs - b2988; b2280; b2747; b4475; b3192; b0419; b1456]
- a fatima** (Kirby), 1890; *Tingra* OD: *Ann. Mag. nat. Hist.* (6)6:268 [b2766] CG: *Liptena* [TypeL - Tropical Africa.] [Refs - b1452; b2766; b4400]
- a fatima** (Eckweiler & Schurian), 1980; *Neolysandra* OD: *Atalanta* (Münnerstadt) 11(1):72, f [b1470] CG: *Polyommatus* (*Neolysandra*) [TypeL - Turkey.] [Refs - b0113; ns0705]
- c fatimella** Westwood, [1851], 1846-1852; *Emesis* OD: In *Gen. dium. Lep.* (2):447 [b4981] SS: *fatima* (Cramer), [1780]; *Emesis* [TypeL - New Granada.] [Refs - b2747; b4475]
- b fatma** (Oberthür), 1890; *Scolitantides* OD: *Étud. ent.* 13:19, pl 7, f 50,51 [b3431] SS: *bavius* (Eversmann), 1832; *Rubraapterus* [Refs - b4178; b4179; b2375; b4092; b2789]
- e fatna** (Doubleday), 1847, 1844-1848, (NN); *Taxila* OD: *List Spec. lep. Brit. Mus.* (2):2 [b1327] SS: *adonira* Hewitson, [1866]; *Dodona* [Refs - b1149; b2458]
- c fatureus** (Röber), [1886]; *Plebeius* OD: *CorrespBl. ent. Ver. Iris* 1(3):66, pl 5, f 21 [b3820] SS: *meiranganus* (Röber), [1886]; *Erysichton* [TypeL - Aru.] [Refs - b4676; b1450; b4094]
- a faunalia** (Hewitson), 1868; *Thecla* OD: *Descr. new Spec. Lycaenidae* :31 [b2327] CG: *Strymon* [Type: BMNH-ht] [TypeL - Amazon (published), or Caracas (labels)] [Refs - b0908; b2747; b1375; b2631; b2624]
- a faunus** (Drury), [1773], 1770-1782; *Papilio* OD: *Ill. nat. Hist.* 2:Index+2, pl 1, f 4,5 [b1392] CG: *Oxyliodes* [TypeL - Africa occ.] [Type of - *Oxyliodes*] [Refs - b2280; b2747; b1452; b0836; b4400; b0309]
- d faunus** (Fabricius), 1775, (H); *Papilio* OD: *Syst. Ent.* :532 [b1653] OS: *octavius* (Fabricius), 1787; *Chorinea* [TypeL - Indius", but really Brazil.] [Refs - b2988; b2747; b4474; b1453; b1039; b4950; b5076; b1456]
- b faustina** Fruhstorfer, 1914; *Logania* OD: *Z. wiss. InsektBiol.* 10(1):23 [b1855] SS: *marmorata* Moore, 1884; *Logania* [Type: SMF-ht] [TypeL - Mindanao, Philippines.] [Refs - b1840; b1571]
- c faventia** Hewitson, [1869], 1863-1878; *Thecla* OD: *Ill. dium. Lep. Lycaenidae* 1:106; 2:pl 43, f 172,173 [b2326] SS: *tephraeus* (Geyer), [1837]; *Thecla* (*New World Eumacini*) [Type: BMNH] [TypeL - Venezuela.] [Refs - b0908; b2747; b2221]
- a favillacea** (Grünberg), 1910; *Pseuderisia* OD: *Sber. Ges. naturf. Freunde Berl.* 1910:475 [b2076] CG: *Mimeresia* [TypeL - Spanish Guinea.] [Refs - b1452; b2076; b4400]
- a favonius** (Smith), 1797; *Papilio* OD: In *Abbot & Smith, Ins. Georgia* 1:27, pl 14 [b4254] CG: *Fixsenia* [Type: biblio] [TypeL - Georgia.] [Type of - *Euristrymon*] [LifeH - Tietz lists b0001, b0470, b1792.] [Refs - b1530 :213, f 406; b1321 :56; b0908; b1023; b0907; b0851; b2747; b3192 (in *Euristrymon*); b3512; b2631; b4066; b4652; b1455]
- e favreli** Le Moul, 1940, 1939-1940; *Helicopsis* OD: *Novit. ent.* (15):113 [b2943] SS: *cupido* (Linnaeus), 1758; *Helicopsis* [Type: AME-ht] [Refs - b3199]
- b fayei** Stempffer, 1963; *Pentila* OD: *Bull. Inst. franç. Afr. Noire* 25(A):957 [b4396] SS: *preussi* Staudinger, [1888]; *Pentila* [TypeL - Senegal.] [Refs - b1784 :276; b1452; b4400]
- c fea** (Edwards), [1871]; *Lycaena* OD: *Trans. amer. ent. Soc.* 3(3/4):211 [b1501] SS: *exilis* (Boisduval), 1852; *Brephidium* [Type: CM-ht; designated by Brown, 1970] [Trans. amer. ent. Soc. 96:357 [b0510]] [TypeL - Near Waco, Texas.] [Refs - b0908; b0907; b3192; b1501; b1321]
- b februlis** Stichel, 1919; *Euselasia* OD: *Deut. ent. Zeit.* 1919:313 [b4454] SS: *eucretes* (Hewitson), [1872]; *Euselasia* [Type: ZSBS-ht] [TypeL - Santa Inez, Ecuador.] [Refs - b4474; b4454]
- c fedora** (Fruhstorfer), [1919]; *Pithecopis* OD: *Arch. Naturgesch.* (A)83(1):83 [b1889] SS: *zalmora* (Butler), [1870]; *Neopithecopis* [Type: BMNH-ht; designated by Eliot & Kawazoé, 1983] [Buis *Lycaenopsis* group :43 [b1580]] [TypeL - Formosa.] [Refs - b4198; b2479; b1580; b0236; b5053; b1840; b4108]
- a fedoseevi** Korshunov & Ivonin, 1990; *Celastrina* OD: *Nov. Maloizvestiye Vidy Fauny Sib.* (22):72, f [b2831] [TypeL - Russian SFSR.] [Refs - b0125]
- a fedtschenkoi** (Erschoff), 1874; *Thestor* OD: *Mém. Soc. amis Sci. nat. Moscou* 11(2):8, pl 1, f 6 [b1612] CG: *Tomares* [Type: ZMMU] [TypeL - Turkestan.] [Refs - b2988; b2753; b0996; b2827; b3363; b0127; b4092; b1455]
- b feildenii** (McLachlan), 1878; *Chrysophanus* OD: *J. linn. Soc. Lond., Zool.* 14(74):111 [b3139] SS: *phlaeus* (Linnaeus), 1761; *Lycaena* (*Lycaena*) [TypeL - Lat. 81 deg. 45 min. North, Grant Land, Northwest Territories.] [Refs - b0908; b1710; b3191; b0996; b0236; b3192; b1321; b1940; b4092]
- a felderi** (Murray), 1874; *Lycaena* OD: *Trans. ent. Soc. Lond.* 22(4):527, pl 10, f 4,6 [b3318] CG: *Prosotas* [TypeL - Queensland, Australia.] [Refs - b4676; b1450; b2753; b4094; b3318; b0870; b4940; b4934; b1425; b2388]
- a felderi** Distant, 1884, 1882-1886; *Curetis* OD: *Rhop. malayana* :203, pl 22, f 26; pl 24, fig 3 [b1285] [Type: BMNH-ht] [TypeL - Malay Peninsula.] [Refs - b0964; b0965; b0936; b4094; b1454; b4108]
- b felderi** Semper, 1887, 1886-1892; *Allotinus* OD: In *Semper, Reisen Philipp.* (2)(5):163, pl 31, f 22 [b4110] SS: *nivalis* (H. Druce), 1873; *Allotinus* (*Paragerydus*) [Type: SMF-ht; designated by Eliot, 1986] [Bull. Br. Mus. nat. Hist. (Ent.) 53(1):52 [b1571]] [TypeL - Philippines.] [Refs - b0965; b1840; b1568; b1571]
- a felderi** Oberthür, 1894; *Hypochrypsops* OD: *Étud. ent.* 19:11, pl 10, f 46 [b3435] [Type: BMNH-ht] [TypeL - New Guinea.] [Refs - b1450; b2078; b3926]
- d felderi** Rothschild, 1915, (H); *Nacaduba* OD: *Novit. zool.* 22:139 [b3878] OS: *cajetani* Tite, 1963; *Nacaduba* [Type: BMNH-ht] [TypeL - Central Ceram.] [Refs - b1450; b4676; b3878]
- b felderi** Toxopeus, 1927, 1927-1928; *Acytolepis* OD: *Tijdschr. Ent.* 70:294 [b4697] SS: *puspa* (Horsfield), [1828]; *Acytolepis* [TypeL - Sri Lanka.] [Refs - b1580]

- a **felderi** Goodson, 1945; *Thecla* OD: Entomologist 78:186 [b1998] CG: *Thecla* (New World Eumacini) [Type: BMNH-st] [TypeL - Bogotá, Colombia; Ecuador.] [Refs - b0908]
- a **felgara** Parsons, 1986; *Callictia* OD: Bull. Allyn Mus. (103):13, f 8, 50, 51, 102-103 [b3549] [Type: BMNH-ht] [TypeL - Menoo River, Weyland Mountains, New Guinea.] [Refs - b3549; b2388]
- b **felicia** Evans, 1932; *Polyommatus* OD: Ident. Indian Butts (2nd ed.) :227 [b1638] SS: sieversii (Christoph), 1873; *Polyommatus* (Farsia) [TypeL - Baluchistan.] [Refs - b1759; b0070; b3910; b1638; b0694 (in *Polyommatus*)]
- a **felicis** (Oberthür), 1886; *Lycaena* OD: Étud. ent. 11:21, pl 7, f 52 [b3429] CG: *Patricius* [Type of *Patricius*] [Refs - b0993; b4094; b1762; b2479; b0410; b1765; b4092]
- c **f. felicis** (Rebillard), 1958; *Echenais* OD: Mém. Mus. natn. Hist. nat. (A)15:197 [b3717] SS: pulcherrima (Bulder), 1867; *Calociasma* [Type: MNHN-ht] [TypeL - U. Putumayo, S.E. Colombia.] [Refs - b3717; b0093]
- b **felicissima** Thieme, 1907; *Baeotis* OD: Berl. ent. Z. 52:14, pl 1, f 18 [b4640] SS: *felix* Hewitson, 1874; *Baeotis* [TypeL - Ecuador.] [Refs - b4474]
- a **felix** Hewitson, 1874; *Baeotis* OD: Descr. new Spec. Butts Buckley Bolivia :17 [b2344] [TypeL - Bolivia.] [Refs - b2753; b4474; b1456]
- e **fallacandor** Anonymous, 1992, (ISS); *Candora* OD: Zool. Rec. 128(1991)(Ins. D-Lep.):313 [b0125] SS: *fallacandor* Johnson, 1992; *Candora* [Refs - b0125]
- a **felsina** (Hewitson), [1863], 1852-1877; *Lemonias* OD: Ill. exot. Butts 3:[-], pl [58], f 27,28 [b2323] CG: *Menander* [TypeL - Brasilia.] [Refs - b4475; b0672; b1456]
- b **felsina** Waterhouse & Lyell, 1914; *Nacaduba* OD: Butts Aust. :96 [b4947] SS: *kurava* (Moore), 1858; *Nacaduba* [TypeL - Darwin.] [Refs - b4676; b1450; b0870]
- a **felthami** (Trimen), 1904; *Zentis* OD: Trans. ent. Soc. Lond. 52(2):233, pl 19, f 2 [b4732] CG: *Poecilmitis* [Type: TM; cotype.] [TypeL - S. Africa.] [Refs - b1259; b1452; b4400]
- b **felthami** (Stevenson), 1934; *Cupido* OD: Occ. Pap. natn. Mus. Sth. Rhodesia 1(3):16 [b4433] SS: *antinerii* (Oberthür), 1883; *Uranotauma* [Type: MNBZ-ht] [TypeL - S. Africa.] [Refs - b1259; b1452; b4400; b0119]
- b **feminalba** Sibatani & Grund, 1978; *Theclinesthes* OD: Tyô to Ga 29(1):26, f 46,47,95,96,154,155 [b4223] SS: *miskini* (Lucas), 1889; *Theclinesthes* [Type: BMNH-ht] [TypeL - West Irian.] [Refs - b4223; b4222]
- e ♂ **f. feminalis** (Draudt), [1920], 1917-1924; *Thecla* OD: In Seitz, Grossschmett. Erde 5:785 [b1348] SS: *pholeus* (Cramer), [1777]; *Thestius* [TypeL - Surinam.] [Refs - b0908]
- c **feminina** E. Sharpe, 1904; *Oxyliodes* OD: Entomologist 37:202 [b4161] SS: *albata* (Aurivillius), 1895; *Oxyliodes* [TypeL - Uganda.] [Refs - b4400]
- c **feminina** (Hulstaert), 1924; *Deudorix* OD: Revue zool. afr. 12(2):121 [b2496] SS: *kafuensis* (Neave), 1910; *Hypokopelates* [TypeL - Belgian Congo.] [Refs - b3796; b2496; b4400]
- a **feminina** Johnson, 1992; *Thecloxurina* OD: Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (22):12, f [b2610] [Type: AMNH-ht] [TypeL - Uuapes, Calamar, Colombia.] [Refs - b0125; b2613; b2610]
- b **femininoides** (Eckweiler), 1987; *Agrodiaetus* OD: Acta Ent. Mus. Nat. Pragae 42:49-56 [b1467] SS: *antidolus* (Rebel), 1901; *Polyommatus* (*Agrodiaetus*) [TypeL - Northern Iran.] [Refs - b0426]
- b **fenderi** Macy, 1931; *Plebejus* OD: Ent. News 42(1):1, pl 1 [b3051] SS: *pardalis* (Behr), 1867; *Plebejus* (*Icaricia*) [Type: pc-ht; collection of Macy.] [TypeL - 6 miles S. E. of McMinnville, Oregon.] [Refs - b0908; b0069; b3192; b1321]
- a **fenella** (Grose-Smith), 1902, 1887-1902; *Phelus* OD: Rhop. exot. 3(60):6, pl 2, f 5 [b2029] CG: *Esthemopsis* [Refs - b4474; b1456]
- b **fenestrella** Bates, [1868]; *Mesene* OD: J. linn. Soc. Lond., Zool. 9:387 [b0267] SS: *hya* Westwood, [1851]; *Mesene* [TypeL - Ega.] [Refs - b2747; b4474]
- a **fenestrella** Lathy, 1932; *Thisbe* OD: Ann. Mag. nat. Hist. (10)9:71 [b2922] [Type: MNHN-ht] [TypeL - Ecuador.] [Note - *D'Abrebra* claims the type is in the BMNH.] [Refs - b3717; b2922; b1456]
- b **fentoni** (Butler), [1882]; *Strymon* OD: Proc. zool. Soc. Lond. 1881(4):854 [b0620] SS: *w-album* (Knoch), 1782; *Satyrum* [TypeL - Yesso, Japan.] [Refs - b2479; b1900; b2866; b4092]
- c **ferdinandi** (de Sagarra y Castellamau), 1926; *Agriades* OD: Buttl. Inst. catal. Hist. nat. (2)6:138 [b1179] SS: *thersites* (Cantener), 1834; *Polyommatus* (*Plebicula*) [TypeL - Spain.] [Refs - b3059]
- e **ab. fereconfluens** (Oberthür), 1896; *Lycaena* OD: Étud. ent. 20:9, pl 5, f 81 [b3436] SS: *hippohoe* (Linnaeus), 1761; *Palaeochrysophanus* [Refs - b0236; b0389; b0471]
- a **feredayi** (Bates), 1867; *Chrysophanus* OD: Ent. mon. Mag. 4(3):53 [b0265] CG: *Helleia* [TypeL - New Zealand.] [Refs - b2747; b1450; b4094 (as Hudson name); b4220; b1048; b1610 (121-E12); b0105; b0113; b1697]
- e **ferenigra** (Verity), 1943, (IFS); *Aricia* OD: Farfalle Diurne Ital. 2:216 [b4862] SS: *ferenigra* Beuret, 1961; *Plebejus* (*Pseudoaricia*) [Note - *Replacement name for obscura Courvoisier, 1910.*] [Refs - b2856; b0410 (as good ssp)]
- b **ferenigra** Beuret, 1961; *Plebejus* OD: Lyc. Schweiz. III :374 [b0410] SS: *nicias* (Meigen), 1829; *Plebejus* (*Pseudoaricia*) [Note - *Beuret* attributed the name to *Verity*, but that use of the name did not make it available.] [Refs - b2856 (as *frenigra?*); b0410]
- e **ferephlaeas** (Hannemann), 1931, (IFS); *Chrysophanus* OD: Int. ent. Z. 24(37/38):401 [b2134] SS: *marchica* (Hannemann), 1928; *Helleia* A [TypeL - Germany.] [Refs - b0069]
- a **feretria** Hewitson, [1878], 1863-1878; *Thecla* OD: Ill. diurn. Lep. Lycaenidae 1:210; 2-pl 84, f 709,710 [b2326] CG: *Thecla* (New World Eumacini) [Type: pc; Staudinger collection.] [Refs - b0908]
- a **fergana** (Staudinger), 1881; *Lycaena* OD: Stett. ent. Ztg 42:262 [b4328] CG: *Polyommatus* (*Plebejidea*) [TypeL - Central Asia.] [Note - *According to Koçak*, this may belong in *Plebejidea*.] [Refs - b1762; b2827; b0410; b2794; b4092; ns3032; b1455]
- e **ab. fergana** Tuu, 1909, 1905-1914; *Polyommatus* OD: Nat. Hist. Brit. Butts 3:271 [b4760] SS: *semiargus* (Rottemburg), 1775; *Polyommatus* (*Cyaniris*) [Refs - b0236; b0471]
- c **fergussoni** Chapman, 1915; *Curetis* OD: Novit. zool. 22:87 [b0770] SS: *theis* (Drury), [1773]; *Curetis*
- a **fernanda** (Jones), 1912; *Thecla* OD: Proc. zool. Soc. Lond. 1912(4):899, pl 97, f 7 [b2663] CG: *Gigantorubra* [Type: BMNH-ht] [TypeL - Fernandes Pinheiro, Paraná, Brazil.] [Refs - b0908; b2614]
- b **ferniensis** (Chermock), 1945; *Plebeius* OD: Can. Ent. 76(11):215 [b0779] SS: *idas* (Linnaeus), 1761; *Plebejus* (*Lycaeides*) [Type: AME-ht] [TypeL - Fernie, British Columbia.] [Refs - b0908; b3192; b3328; b1321; b0779]
- a **ferrana** Walker, 1870; *Lampides* OD: Entomologist 5:52 [b4911] CG: *Lampides* (?) [TypeL - Arabia.] [Refs - b2753]

- a **ferrari** Evans, 1932; *Jamides* OD: *Ident. Indian Butts* (2nd ed.) :238 [b1638] [Type: BMNH-hi] [TypeL - Central and South Nicobars.] [Refs - b0964; b0965; b1638; b1454; b0694; b2388; b3786]
- a **ferrea** (Butler), 1866; *Lycaena* OD: *J. linn. Soc. Lond., Zool.* 9:57 [b0582] CG: *Ahlbergia* [Type: BMNH-hi] [TypeL - Japan.] [Type of - *Ahlbergia*, *Ginzia*, *Satsuma*] [Refs - b2280; b4115; b0995 (=frivaldszkyi); b2827; b4092 (=frivaldszkyi); b2747; b1900 (in *Ahlbergia*); b2866; b1652; b2585; b1455]
- c **ferrea** (Araki), 1949; *Virachola* OD: *Trans. Kansai ent. Soc.* 14(2):17, f [b0128] SS: *rapaloides* (Naritomi), 1941; *Deudorix* [TypeL - Japan.] [Note - *May be a good species. The type was destroyed by fire during WWII.*] [Refs - b4198; b3343]
- e **ferreti** Favre, 1903; *Polyommatus* OD: *Suppl. Faune Valais* :4 [b1669] SS: *damon* ((Denis & Schüffermüller), 1775; *Polyommatus* (*Agrodiaetus*) [Refs - b4092]
- b **ferrisi** (Johnson & Balogh), 1977; *Lycaena* OD: *Bull. Allyn Mus.* (43):40, f 31,32,13h [b2621] SS: *rubidus* (Behr), 1866; *Chalceia* [Type: AME-hi] [TypeL - Apache Ditch Camp, 13 miles E. of McNary, Apache County, Arizona.] [Refs - b2621; b3191; b3192; b0493; b4690 (R); b4066]
- e **ab. ferruginea** d'Almeida, 1922; *Eurybia* OD: *Mélanges Lép.* 1:209 [b1457] SS: *pergaea* (Geyer), [1832]; *Eurybia* [TypeL - Brazil.] [Refs - b4474]
- a **ferruginea** Schultze, 1923; *Liptena* OD: *In Schubotz* :1184, f [b4018] [TypeL - C. Africa.] [Refs - b4400]
- b **ferruginea** (Lathy), 1932; *Nymula* OD: *Ann. Mag. nat. Hist.* (10)9:73 [b2922] SS: *gela* (Hewitson), [1853]; *Synargis* [Type: BMNH] [Refs - b2922]
- a **ferrugo** (Bates), [1868]; *Eurygona* OD: *J. linn. Soc. Lond., Zool.* 9:376 [b0267] CG: *Euselasia* [TypeL - Ega.] [Refs - b2747; b4474]
- a **ferrugineus** Sands, 1986; *Hypochrysops* OD: *Entomograph* 7:70 [b3926] [Type: BMNH-hi] [TypeL - Talasea, New Britain.] [Refs - b3926]
- a **ferrulineata** Hawker-Smith, 1933; *Alaena* OD: *Stylops* 2:2 [b2168] [TypeL - Ngorongoro Crater, Arusha District, Tanganyika.] [Refs - b1452; b2168; b4400]
- a **ferrymani** (Grose-Smith & Kirby), 1891, 1887-1902; *Pentila* OD: *Rhop. exot.* 1(15):50, pl 12, f 11,12 [b2049] CG: *Liptena* [TypeL - Tropical Africa.] [Refs - b1452; b4400]
- a **fervida** (Butler), 1874; *Eurygona* OD: *Trans. ent. Soc. Lond.* 22(4):431 [b0598] CG: *Euselasia* [TypeL - Maracaibo.] [Refs - b2753; b4474; b1456]
- c **fervida** (Grose-Smith & Kirby), 1890, 1887-1902; *Liptena* OD: *Rhop. exot.* 1(13):39, pl 10, f 1-3 [b2049] SS: *bimacula* Plötz, 1880; *Telipna* [TypeL - W. Africa.] [Refs - b4400]
- b **fervida** Staudinger, 1901; *Callophrys* OD: *Cat. Lep. Palae. Faun.* (3rd ed) :70 [b4347] SS: *rubi* (Linnaeus), 1758; *Callophrys* [TypeL - North Africa.] [Refs - b3059; b0995; b4347; b1455]
- b **fervidina** Stichel, 1919; *Euselasia* OD: *Deut. ent. Zeit.* 1919:308 [b4454] SS: *fervida* (Butler), 1874; *Euselasia* [TypeL - Sta. Leopoldina, S. Brazil.] [Refs - b4474]
- c **fescennia** Hulstaert, 1924; *Euchrysops* OD: *Revue zool. afr.* 12(2):186 [b2496] SS: *subpallida* Bethune-Baker, 1923; *Euchrysops* [TypeL - Congo.] [Refs - b2496; b4400]
- c **fessa** (Möschler), 1883; *Thecla* OD: *Verh. zool.-bot. Ges. Wien* 32:310, pl 17, f 4 [b3248] SS: *narbal* (Stoll), [1790]; *Olynythus* [TypeL - Surinam.] [Refs - b0908; b3394; b3248; b2918]
- b **festata** (Weeks), 1891; *Hypolycaena* OD: *Ent. News* 2(6):102 [b4957] SS: *critola* (Hewitson), [1874]; *Hypostrymon* [Type: MCZ] [TypeL - San José del Cab, Lower California.] [Refs - b1530 :214; b0908; b0849; b4967]
- e **festivus** d'Abreira, 1986, (ISS); *Jamides* OD: *Butts Oriental Region*, Pt 3 :644 [b1454] SS: *festivus* (Röber), [1886]; *Jamides* [Refs - b1454; b4594]
- a **festivus** (Röber), [1886]; *Plebeius* OD: *CorrespBL ent. Ver. Iris* 1(3):58, pl 4, f 17 [b3820] CG: *Jamides* [Type: SMT-It; designated by Takunami, 1989] [Tyô to Ga 40(1):49 [b4602]] [TypeL - E. Sulawesi.] [Refs - b4094; b1865; b1454 (as *festivus*); b4602; b2388]
- b **festivus** Krulikovskii, 1909; *Lycaena* OD: *Revue Russe Ent.* 9:300 [b2851] SS: *dispar* ((Haworth)), 1802; *Lycaena* (*Thersamolycaena*) [Refs - b2827; b0236; b0471]
- e **f. festoneata** Lasso de la Vega Westendorp, [1980]; *Tomares* OD: *Revta Lep.* 7(4):278 [b2909] SS: *ballus* (Fabricius), 1787; *Tomares* [Refs - b0113]
- b **fiana** Riley, 1932; *Saribia* OD: *Novit. zool.* 37:187 [b3775] SS: *perroti* Riley, 1932; *Saribia* [TypeL - Fianarantsoa, Malagasy.] [Refs - b1452; b3775]
- b **ficedula** Trimen, 1879; *Myrina* OD: *Trans. ent. Soc. Lond.* 27(4):340 [b4722] SS: *silenus* (Fabricius), 1775; *Myrina* [TypeL - S. Africa.] [Note - *Not spelled fidecula.*] [Refs - b1943; b1259; b1452; b4722; b4400 (*fidecula*); b3606; b3312; b3609]
- b **fictus** Corbet, 1939; *Miletus* OD: *Proc. R. ent. Soc. Lond.* (B)8(2):26, f [b0942] SS: *nymphis* (Fruhstorfer), 1913; *Miletus* 1 [TypeL - Pahang.] [Refs - b0964; b1546; b0965]
- e **fidecula** Stempffer, 1967, (ISS); *Myrina* OD: *Bull. Br. Mus. nat. Hist. (Ent.) Suppl.* 10:112 [b4400] SS: *ficedula* Trimen, 1879; *Myrina* [Refs - b4400]
- a **fidelia** Hewitson, [1874], 1863-1878; *Thecla* OD: *Ill. diurn. Lep. Lycaenidae* 1:167; 2:pl 66, f 468,469 [b2326] CG: *Thecla* (New World *Eumaeina*) [Type: BMNH] [TypeL - Venezuela.] [Refs - b0908; b2753; b2593]
- b **fidelis** (Fernández-Rubio & Gómez Bustillo), 1973; *Maculinea* OD: *Cuadernos Cienc. Biol.* 2(2):79, f [b1704] SS: *iolas* (Ochsenheimer), 1816; *Iolana* [TypeL - Loeches, Madrid, Spain.] [Refs - b0108]
- a **fidena** (Hewitson), [1867], 1863-1878; *Thecla* OD: *Ill. diurn. Lep. Lycaenidae* 1:112; 2:pl 44, f 183,184 [b2326] CG: *Allosmaitia* [Type: BMNH] [TypeL - Hispaniola] [Refs - b0908; b0907; b2747; b0833; b1375; b2632]
- a **fidentia** (Hewitson), 1868; *Thecla* OD: *Descr. new Spec. Lycaenidae* :32 [b2327] CG: *Ministrymon* [Type: BMNH] [TypeL - Venezuela.] [Refs - b0908; b2747; b2636]
- a **fidonioides** Schultze, 1923; *Pentila* OD: *In Schubotz* :1155 [b4018] [TypeL - C. Africa.] [Refs - b1452 (author as Schultze & Aurivillius); b0836; b4420; b4400]
- e **fieldeni** Dyar, [1903], (ISS); *Lycaena* OD: *Bull. U. S. nat. Mus.* 52:41, n 399a [b1439] SS: *feildeni* (McLachlan), 1878; *Lycaena* (*Lycaena*) [Refs - b3191; b3192]
- b **figulus** Fruhstorfer, [1912]; *Hypolycaena* OD: *Berl. ent. Z.* 56(3/4):238 [b1850] SS: *erylus* (Godart), [1824]; *Hypolycaena* [TypeL - Waigiü.] [Refs - b1450; b4094; b1850]
- b **filenus** (Poey), 1832; *Polyommatus* OD: *Cent. Lép. Cuba* :pl [13], 3 f & text [b3624] SS: *hamo* (Stoll), [1790]; *Hemiargus* [TypeL - Cuba.] [Note - *May belong with ceraunus.*] [Refs - b0908; b0540; b0907; b0528; b2747; b2221 (as sp); b3326; b3626; b0833; b0817; b4048 (with *ceraunus*)]
- a **filicaudis** (Pryer), 1877; *Lampides* OD: *Cistula Entomologica* 2(18):231 [b3659] CG: *Tongcia* [TypeL - North China.] [Refs - b4198; b2988; b4094; b0995; b1762; b2479; b4092]

- b *filipina* (Murayama & Okamura), 1973; *Celastrina* OD: Tyô to Ga 24(1):23, f 43,44 [b3305] SS: *camenae* (de Nicéville), 1895; *Udara* (*Udara*) [Type: pc-ht; collection of Murayama.] [TypeL - Mt. Santo Thomas, Luzon, Philippines.] [Refs - b0104; b1580; b2200; b3305]
- a *filipjevi* (Riley), 1934; *Lycaenopsis* OD: Entomologist 67:85, pl 1, f 1-6 [b3776] CG: *Celastrina* [Type: ZLL-ht] [TypeL - Ussuri, USSR.] [Type of - Maslowskia] [Refs - b2827; b2479; b2866; b1580; b0072; b3298; b3368]
- c *florii* (Verity), 1943, (RA); *Strymon* OD: Farfalle Diurne Ital. 2:358 [b4862] SS: *ilicis* (Esper), [1779]; *Satyrnum* [Type: MZS-st] [Refs - b2856]
- a *firdussii* (Forster), 1956; *Agrodiaetus* OD: Z. wien. ent. Ges. 41:58, pl 8,9, f 16,17 [b1769] CG: *Polyommatus* (*Agrodiaetus*) [TypeL - Persia.] [Refs - ns1468]
- b *firuskuhi* (Forster), 1941; *Polyommatus* OD: Deut. ent. Zeit. [Iris] 54:73 [b1765] SS: *eversmanni* (Staudinger), 1886; *Plebejus* [TypeL - N. W. Afghanistan.] [Refs - b0087; b3910; b1765]
- a *fischeri* (Eversmann), 1843; *Lycaena* OD: Bull. Soc. imp. Nat. Moscou 16(3):537 [b1648] CG: *Tongeia* [TypeL - Ural.] [Type of - *Tongeia*] [Refs - b4115; b2280; b2747; b0995; b4094; b1762; b2827; b2479; b1900; b2866; b0236; b0400; b2859; b4092]
- b *fisheri* Tindale, 1953; *Pseudalmenus* OD: Rec. S. Aust. Mus. 11(1):52 [b4664] SS: *chlorinda* (Blanchard), 1848; *Pseudalmenus* [TypeL - Grampians Mtns, Victoria, Australia.] [Note - Not spelled *fischeri*.] [Refs - b1450; b0870; b0870; b3646]
- a *fisheri* Heath, 1983; *Iolaus* OD: *Amoldia* Zimbabwe 9(10):149, f 3a,b, 4a-h [b2224] [Type: BMNH-ht] [TypeL - Zambia.] [Refs - b2224]
- e *f. fissilis* Stichel, 1929, (IFS); *Calydna* OD: Mitt. zool. Mus. Berl. 15:20 [b4470] SS: *lusca* (Geyer), [1835]; *Calydna* [TypeL - Brazil.] [Refs - b4475; b4470; b1456]
- a *fissurata* Stichel, 1929; *Mesene* OD: Mitt. zool. Mus. Berl. 15:18 [b4470] [TypeL - Colombia.] [Refs - b4474; b1456]
- c *fixseni* (Leech), [1893], 1893-1894; *Thecla* OD: Butts China Japan Corea :360, pl 29, f 2,3 [b2966] SS: *eximia* (Fixsen), 1887; *Satyrnum* [TypeL - Not stated.] [Refs - b4115; b3778; b0995; b2479; b4092; b2966]
- c *flamen* (Leech), 1887; *Dipsas* OD: Proc. zool. Soc. Lond. 1887(3):410, pl 26 or 37, f 2 [b2961] SS: *raphaelis* (Oberthür), 1880; *Coreana* [TypeL - Korea.] [Type of - *Bergmania*] [Refs - b4115; b2280; b2479; b3335; b3471; b4092; b1455]
- a *flammula* (Bates), [1868]; *Aricoris* OD: J. linn. Soc. Lond., Zool. 9:404 [b0267] CG: *Setabis* [TypeL - Amazon.] [Refs - b2747; b4475; b1453]
- c *flammula* (Bates), [1868]; *Limnas* OD: J. linn. Soc. Lond., Zool. 9:380 [b0267] SS: *smithiae* (Westwood), [1851]; *Melanis* [TypeL - Ega.] [Refs - b2747; b4474; b1456]
- a *flava* Bethune-Baker, 1913; *Tumerepedes* OD: Ann. Mag. nat. Hist. (8)11:564 [b0347] [TypeL - Upper Niger.] [Type of - *Tumerepedes*] [Refs - b2280; b1452; b0836; b4400 (cpl); b0347]
- e *ab. flava* Seitz, [1917], 1910-1924; *Euselasia* OD: In Seitz, Grossschmett. Erde 5:631 [b4093] SS: *ocalea* (H. H. Druce), 1904; *Euselasia* [TypeL - Not stated.] [Refs - b4474; b4093]
- b *flava* (Holland), 1920; *Oboronia* OD: Bull. amer. Mus. nat. Hist. 43(6):235 [b2434] SS: *ornata* (Mabille), 1890; *Athysanota* [TypeL - Benito, Spanish Guinea.] [Refs - b4400]
- a *flavaria* (Ureta), 1956; *Thecla* OD: Boln Mus. nac. Hist. nat. Chile 26(6):258 [b4783] CG: *Eiseliana* [Type: MNHN-ht] [TypeL - El Loa Prov., Chile.] [Refs - b3846; b0126; b2638]
- e *ab. flavastriata* Dujardin, 1945; *Polyommatus* OD: Revue fr. Lép. 10:172 [b1414] SS: *icarus* (Rottemburg), 1775; *Polyommatus* [TypeL - France.] [Refs - b0082; b1414]
- e *flavofasciata* Stempffer, 1967, (ISS); *Mimacraea* OD: Bull. Br. Mus. nat. Hist. (Ent.) Suppl. 10:30 [b4400] SS: *flavofasciata* Schultze, 1912; *Mimacraea* [Refs - b4400]
- b *flavens* (Ford), 1924; *Heodes* OD: Trans. ent. Soc. Lond. 71(3/4):725 [b1757] SS: *phlaeas* (Linnaeus), 1761; *Lycaena* (*Lycaena*) [TypeL - Tibet.] [Refs - b1636; b3796; b0471 (as *flavescens*); b1757]
- c *flaveola* (Kirby), 1887; *Teriormina* OD: Ann. Mag. nat. Hist. (5)19:366 [b2763] SS: *erastus* (Hewitson), [1866]; *Citirionphila* [TypeL - Ashanti & Cameroons, W. Africa.] [Refs - b4400]
- e *ab. flavescens* Tutt, 1908, 1905-1914; *Everes* OD: Nat. Hist. Brit. Butts 3:56 [b4760] SS: *argiades* (Pallas), 1771; *Everes* [Refs - b0400; b4760]
- e *ab. flavescens* (Gillmer), 1909, 1907-1909; *Lycaena* OD: Int. ent. Z. 2(50):313 [b1959] SS: *semiargus* (Rottemburg), 1775; *Polyommatus* (*Cyaniris*) [Refs - b0236; b1959; b0471]
- e *ab. flavescens* Tutt, 1909; *Lycaena* OD: Ent. Rec. 21(10):228 [b4765] SS: *gordius* (Sulzer), 1776; *Lycaena* (*Alciphronia*) [Refs - b0236]
- e *ab. flavescens* (Tutt), 1909, 1905-1914; *Plebeius* OD: Nat. Hist. Brit. Butts 3:179 [b4760] SS: *argus* (Linnaeus), 1758; *Plebeius* [Refs - b0236; b0471]
- e *ab. flavescens* (Tutt), 1909, 1905-1914; *Agriades* OD: Nat. Hist. Brit. Butts 3:332 [b4760] SS: *bellargus* (Rottemburg), 1775; *Polyommatus* (*Lysandra*) [Refs - b0236]
- e *ab. flavescens* Rebel, 1914; *Mimacraea* OD: Annln naturh. Mus. Wien 28:263, pl 18, f 12 [b3710] SS: *landbecki* H. H. Druce, 1910; *Mimacraea* [Refs - b3710; b4400]
- e *ab. flavescens* (de Sagarra y Castellamau), 1924; *Thestor* OD: Trab. Mus. Cienc. nat. Barcelona 11(1):17, pl 4, f 2 [b1175] SS: *catalonica* (de Sagarra y Castellamau), 1930; *Tomares* [TypeL - Catalonia.] [Refs - b3059; b0236]
- e *ab. flavescens* (Fiedler), 1926; *Chrysophanus* OD: Int. ent. Z. 20(7):59 [b1727] SS: *hippotoe* (Linnaeus), 1761; *Palaeochrysophanus* [TypeL - Bohemia.] [Refs - b0236; b0389]
- e *ab. flavescens* (Lempke), 1937; *Heodes* OD: Tijdschr. Ent. 80(3/4):303 [b2977] SS: *tityrus* (Poda von Neuhaus), 1761; *Lycaena* (*Heodes*) [Refs - b0075; b0389]
- e *flavescens* Le Mout, 1940, 1939-1940; *Helicopsis* OD: Novit. ent. (13):102 [b2943] SS: *cupido* (Linnaeus), 1758; *Helicopsis* [Type: AME-ht] [Refs - b3199]
- a *flavescens* Stempffer, 1954; *Aphnaeus* OD: Trans. R. ent. Soc. Lond. 105(21):514, pls 1,2, f 4,5, tf 16 [b4387] [TypeL - Nyasaland.] [Refs - b1943; b4387; b1452; b4400]
- e *flavescens* (Høegh-Guldberg), 1963, (IFS); *Aricia* OD: Ent. Med. Ned.-Indië 32:25 [b2398] SS: *vandalica* (Kaaber & Høegh-Guldberg), 1961; *Plebejus* (*Aricia*) [TypeL - Denmark.] [Refs - b2398]
- b *flavibasis* Lathy, 1932; *Chimastrum* OD: Ann. Mag. nat. Hist. (10)9:69 [b2922] SS: *camutes* (Hewitson), [1875]; *Chimastrum* [TypeL - Colombia.]
- a *flavicans* (Grose-Smith & Kirby), 1891, 1887-1902; *Pentila* OD: Rhop. exot. 1(15):50, pl 12, f 5-8 [b2049] CG: *Liptena* [TypeL - Tropical Africa.] [Refs - b2907; b1452; b4388; b4400]
- b *flavicincta* (Lathy), 1932; *Charis* OD: Ann. Mag. nat. Hist. (10)9:70 [b2922] SS: *acantus* (Stoll), [1782]; *Sarota* [Type: BMNH-ht] [TypeL - San Remon, Peru] [Refs - b2922]

- b **flavida** Quickeberge, 1981; Durbania OD: Durban Mus. Novit. 12(19):219 [b3679] SS: amakosa Trimen, 1862; Durbania [Type: DM-ht] [TypeL - Natal.] [Refs - b3679]
- b **flavifasciata** Lathy, 1932; Lepricomis OD: Ann. Mag. nat. Hist. (10)9:67 [b2922] SS: atricolor Butler, 1871; Lepricomis [Type: BMNH-st] [TypeL - Brasil; Bolivia.] [Refs - b2922; b1456]
- a **flavilinea** (Riley), 1928; Epamera OD: Novit. zool. 34:389, pl 10,11, f 32 [b3767] CG: Iolais (Epamera) [Type: BMNH-ht] [TypeL - Kamerun.] [Refs - b1452; b4395; b4400]
- e **ab. flavimarginata** Schulze, 1915; Lycaena OD: Deut. ent. Zeit. 1915:326 or 327 [b4022] SS: tityrus (Poda von Neuhaus), 1761; Lycaena (Heodes) [Refs - b0236; b0389; b0471]
- e **flavisquamata** Stempffer, 1967, (ISS); Lepidochrysops OD: Bull. Br. Mus. nat. Hist. (Ent.) Suppl. 10:230 [b4400] SS: flavisquamosa Tite, 1959; Lepidochrysops [Refs - b4400]
- a **flavisquamosa** Tite, 1959; Lepidochrysops OD: Entomologist 92:161 [b4669] [TypeL - Angola.] [Note - Not spelled *flavisquamata*.] [Refs - b4669; b1452; b4400 (as *flavisquamata*)]
- e **flavissima** Le Moul, 1940, 1939-1940, (IFS); Helicopsis OD: Novit. ent. (16):124 [b2943] SS: cupido (Linnaeus), 1758; Helicopsis [Type: AME-ht] [Refs - b3199]
- e **flavoalba** Le Moul, 1940, 1939-1940, (IFS); Helicopsis OD: Novit. ent. (16):121 [b2943] SS: cupido (Linnaeus), 1758; Helicopsis [Type: AME-ht] [Refs - b3199]
- a **flavoantennata** Roche, 1954; Epitola OD: Bull. Br. Mus. nat. Hist. (Ent.) 3:495, pl 19, f 1-4 [b3842] [Type: BMNH-ht] [TypeL - Biije, Ja River, Cameroons.] [Refs - b3842; b1452; b4400]
- e **flavobasalis** Le Moul, 1940, 1939-1940, (IFS); Helicopsis OD: Novit. ent. (15):117 [b2943] SS: cupido (Linnaeus), 1758; Helicopsis [Type: AME-ht] [Refs - b3199]
- e **ab. flavocinctata** Rowland-Brown, 1909; Polyommatus OD: Entomologist 42:300 [b3892] SS: icarus (Rotenburg), 1775; Polyommatus [Refs - b0236; b0471]
- e **flavocinerea** Le Moul, 1940, 1939-1940, (IFS); Helicopsis OD: Novit. ent. (17):132 [b2943] SS: cupido (Linnaeus), 1758; Helicopsis [Refs - b3199]
- e **Q ab. flavodentata** Stauder, 1914; Plebejus OD: Deut. ent. Zeit. [Ris] 28:119 [b4306] SS: argus (Linnaeus), 1758; Plebejus [Refs - b0236; b4306; b0471; b4306]
- a **flavofasciata** Schultze, 1912; Mimacraea OD: Ent. Rundsch. 29(7):50 [b4012] [TypeL - Kamerun.] [Note - Not spelled *flavofasciata*.] [Refs - b4012; b4400 (as *flavofasciata*)]
- c **flavofasciata** Talbot, 1929; Mesosemia OD: Bull. Hill Mus. 3(1):83 [b4618] SS: pacifica Stichel, 1926; Mesosemia [Type: BMNH-ht] [TypeL - Putumayo, South Colombia.] [Refs - b4476]
- e **flavofusca** Le Moul, 1940, 1939-1940, (IFS); Helicopsis OD: Novit. ent. (15):120 [b2943] SS: cupido (Linnaeus), 1758; Helicopsis [Type: AME-ht] [Refs - b3199]
- e **ab. flavolunulata** (Tutt), 1909, 1905-1914; Plebeius OD: Nat. Hist. Brit. Butts 3:181 [b4760] SS: argus (Linnaeus), 1758; Plebejus [Refs - b0471]
- e **flavolunulata** (Beuret), 1933; Plebejus OD: Lambillionea 33:143-144 [b0370] SS: glandon (Prunner), 1798; Polyommatus (Agiades) [Note - Could be 1947, Vereins-Nachrichten Ent. Verein Basel 4:20.] [Refs - b0410]
- e **Q ab. flavomaculata** (Lekic), 1924; Lycaena OD: Z. öst. EntVer. 9(5):42 [b2973] SS: bellargus (Rotenburg), 1775; Polyommatus (Lysandra) [TypeL - Austria.] [Refs - b0236; b0471]
- a **flavomaculatus** (Grose-Smith & Kirby), 1893, 1887-1902; Lycaenesthes OD: Rhop. exot. 2(26):104, pl 23, f 7,8 [b2049] CG: Anthene [TypeL - W. Africa.] [Refs - b1452; b4400]
- e **flavomarginata** Le Moul, 1940, 1939-1940, (IFS); Helicopsis OD: Novit. ent. (16):126 [b2943] SS: cupido (Linnaeus), 1758; Helicopsis [Type: AME-ht] [Refs - b3199]
- e **ab. flavopostcaerulescens** (Tutt), 1909, 1905-1914; Plebeius OD: Nat. Hist. Brit. Butts 3:181 [b4760] SS: argus (Linnaeus), 1758; Plebejus [Refs - b0236; b0471]
- a **flavopunctata** Stempffer & Bennett, 1965; Micropentila OD: Bull. Br. Mus. nat. Hist. (Ent.) 15(11):414 [b4422] [TypeL - Cameroons.] [Refs - b1452; b4400]
- e **ab. flavosemivirgata** (Tutt), 1909, 1905-1914; Plebeius OD: Nat. Hist. Brit. Butts 3:181 [b4760] SS: argus (Linnaeus), 1758; Plebejus [Refs - b0236; b0471]
- c **f. flavosticta** (de Sagarra y Castellarnau), 1924; Thestor OD: Trab. Mus. Cienc. nat. Barcelona 11(1):17 [b1175] SS: ballus (Fabricius), 1787; Tomares [TypeL - Catalonia.] [Refs - b0236]
- e **flavotransversa** Le Moul, 1940, 1939-1940, (IFS); Helicopsis OD: Novit. ent. (15):119 [b2943] SS: cupido (Linnaeus), 1758; Helicopsis [Type: AME-ht] [Refs - b3199]
- e **ab. flavovirgata** (Tutt), 1909, 1905-1914; Plebeius OD: Nat. Hist. Brit. Butts 3:181 [b4760] SS: argus (Linnaeus), 1758; Plebejus [Refs - b0236; b0471]
- e **ab. flavovirgatacaerulescens** (Tutt), 1909, 1905-1914; Plebeius OD: Nat. Hist. Brit. Butts 3:181 [b4760] SS: argus (Linnaeus), 1758; Plebejus [Refs - b0236; b0471]
- a **flegia** (Fabricius), 1787; Papilio OD: Mantissa Ins. 2:51 [b1656] CG: Calospila [Type: ZMC-ht] [TypeL - Cajennae".] [Refs - b2747; b4475; b5076; b1456]
- a **flegyas** (Cramer), [1780], 1775-1790; Papilio OD: Uil. Kapellen 3(24):158, pl 280, f E,F [b1069] CG: Zemerus [TypeL - Front. Orient. du Thibet.] [Refs - b0964; b1636; b1149; b2988; b0965; b2747; b4473; b1454; b1840; b4092; b1455]
- b **flemingi** Eliot, 1969; Rapala OD: Entomologist 102:277 [b1554] SS: domitia (Hewitson), [1863]; Rapala [Type: BMNH-ht] [TypeL - Langkawi Island, Malaya.] [Refs - b0965; b1454; b1554]
- a **flemingi** Eliot, 1974; Acupicta OD: Malay Nat. J. 28(2):110 [b1560] [TypeL - Selangor Pahang border, Malaya.] [Refs - b1560; b0965; b0107; b1454]
- b **fletcheri** (Michener & dos Passos), 1942; Strymon OD: Amer. Mus. Novit. (1210):3 [b3175] SS: liparops (Boisduval & Le Conte), [1833]; Satyrium [Type: USNM-ht] [TypeL - Manitoba.] [Refs - b0908; b3192; b1743; b1321]
- b **fleurys** Le Moul, 1940, 1939-1940; Helicopsis OD: Novit. ent. (12):91 [b2943] SS: gnidus (Fabricius), 1787; Helicopsis [Type: AME-at] [TypeL - Brazil.] [Refs - b3199]
- a **flocculus** Brévignon & Gallard, 1993; Roerberella OD: Bull. Soc. Sci. Nat. (77):22, f [b0491] [TypeL - French Guiana.] [Refs - b0126]
- a **flocculus** Brévignon & Gallard, 1993; Zeloxaea OD: Bull. Soc. Sci. Nat. (77):23, f [b0491] [TypeL - French Guiana.] [Refs - b0126]
- b **floralia** (H. H. Druce), 1907; Thecla OD: Proc. zool. Soc. Lond. 1907(3):572, pl 31, f 6 [b1375] SS: tagyra (Hewitson), [1865]; Evenus [Type: pc; Godman collection.] [TypeL - Maranh, North Brazil.] [Refs - b0908; b1375; b3810]
- a **floralis** Felder & Felder, 1865, 1865-1875; Ithomiola OD: Reise Novara (2):311 [b1692] [TypeL - Surinam.] [Type of - Ithomiola] [Refs - b2988; b2280; b2747; b4474; b1456]

- c **f. florella** Stichel, 1915; *Ithomiola* OD: Deut. ent. Zeit. 1915:693, pl 23, f 4 [b4451] SS: cascella (Hewitson), 1870; *Ithomiola* [TypeL - Ecuador.] [Refs - b4474]
- c **florencia** (Clémence), 1914; *Lycaena* OD: Ent. News 25(1):28 [b0813] SS: gyas (Edwards), [1871]; *Hemiargus* [Type: pc; Clémence collection.] [TypeL - Huachuca Mountains, Arizona.] [Refs - b0908; b3326; b3192; b1321; b0813]
- a **florenciae** (Tytler), 1926; *Lycaena* OD: J. Bombay nat. Hist. Soc. 31(3):583, pl 1, f 4 [b4773] CG: *Polyommatus* [TypeL - Kashmir, India.] [Note - Also seen as a subspecies of *isaurica*.] [Refs - b1762; b0236; b0065; b0694; b0471 (as *florenciae*); b1455]
- e **florenciae** (Nabokov), 1945, (ISS); *Lycaena* OD: Psyche 52(1/2):20 [b3326] SS: *florencia* (Clémence), 1914; *Hemiargus* [Refs - b0908]
- b **florens** Cowan, 1974; *Drupadia* OD: Bull. Br. Mus. nat. Hist. (Ent.) 29(6):338, pl 3, f 72,76 [b1030] SS: *niasica* (Röber), [1886]; *Drupadia* [Type: BMNH-ht] [TypeL - Lanao Plains, Kolambagan, Mindanao, Philippines.] [Refs - b1030; b0105; b2201; b1454; b4596]
- b **florensis** (Fruhstorfer), 1913; *Gerydus* OD: Z. wiss. Insektbiol. 9(9):244 [b1851] SS: *leos* (Guérin-Méneville), [1831]; *Miletus* 4 [TypeL - Flores.] [Refs - b1546; b1840; b4592]
- b **florensis** Takanami, 1986; *Neopithecopis* OD: Gekkan Mushi (187):9, f 11, 40 [b4592] SS: *iolanthe* Eliot & Kawazoe, 1983; *Neopithecopis* [Type: pc-ht; collection of Takanami.] [TypeL - Ruteng, West Flores.] [Refs - b4592]
- b **florensis** Hanafusa, 1993; *Zemeros* OD: Futao (11):15, pl 5, f 13-16 [b2125] SS: *flegyas* (Cramer), [1780]; *Zemeros* [Type: pc-ht; collection of Hanafusa.] [TypeL - Flores Island, Indonesia.] [Refs - b0126; b4068]
- e **florentina** (Verity), 1916, (IFS); *Lycaena* OD: Annls Soc. ent. Fr. 84:517 [b4837] SS: *reznicki* (Bartel), 1904; *Polyommatus* (*Lysandra*) [Refs - b2856; b1135; b0236; b0471 (as *florentinae*); b4146]
- b **floresiana** (Courvoisier), 1912; *Lycaenopsis* OD: Tijdschr. Ent. 55:16, f 13 [b0988] SS: *lavendularis* (Moore), 1877; *Celastrina* [Type: NMB-ht] [TypeL - Java.] [Refs - b1840; b1580; b2200]
- b **floresica** Murayama, 1983; *Tajuria* OD: New Ent. 32(2):40, f 7,17 [b3300] SS: *discalis* Fruhstorfer, 1897; *Tajuria* [TypeL - Flores Island, Indonesia.] [Refs - b0426; b1454; b4592]
- a **floreus** H. H. Druce, 1907; *Thecla* OD: Proc. zool. Soc. Lond. 1907(3):581, pl 33, f 8 [b1375] CG: *Thecla* (New World *Eumaeini*) [Type: pc; Godman collection.] [TypeL - Tapajos, Amazonas, Brazil.] [Note - Druce says "allied to *melleus*".] [Refs - b0908; b1375]
- b **florida** Röber, 1926; *Eumaeus* OD: Ent. Mit. 15:375 [b3835] SS: *atala* (Poey), 1832; *Eumaeus* [TypeL - (Probably) Miami, Dade County, Florida.] [Refs - b3078; b1321; b3192; b3512; b1321; b0833; b3835; b3889; b1609]
- c **floridensis** (Morrison), 1873; *Lycaena* OD: Bull. Buffalo Soc. nat. Sci. 1(4):187 [b3246] SS: *theonus* (Lucas), 1857; *Leptotes* [Type: USNM?; Burgess and Morrison collection.] [TypeL - Key West, Florida.] [Refs - b0908; b2747; b3192; b1321; b2753]
- a **florimel** Doherty, 1889; *Surendra* OD: J. asiat. Soc. Bengal, Pt II 58(4):424, pl 23, f 4,17 [b1301] [TypeL - Lower Tenasserim.] [Refs - b0964; b1636; b0965; b4094; b1454; b0696; b0694; ns1729; b4108]
- a **florinda** (Butler), 1877; *Lampides* OD: Ann. Mag. nat. Hist. (4)20:354 [b0608] CG: *Catopyrops* [Type: BMNH-ht] [TypeL - Lifu Island, Loyalty Group.] [Note - Has been treated as a subspecies of *ancyra*.] [Refs - b4094; b4871; b0608; b1450; b4676; b3550; b0870; b4934; b1475; b2388]
- a **florinda** (Grose-Smith), 1896; *Pseudonotis* OD: Ann. Mag. nat. Hist. (6)18:155 [b2039] CG: *Arhopala* q [TypeL - Guadalcanar, Solomon Islands.] [Note - An unusual species in that it appears superficially like a *Danis*.] [Refs - b1450; b2078; b0104; b2039; b1451; b1559]
- a **florus** (Fabricius), 1793, 1792-1799; *Hesperia* OD: Ent. syst. 3(1):310 [b1657] CG: *Mesene* [TypeL - Indii?].] [Refs - b2747; b4474; b5076; b1456]
- b **florus** (Edwards), [1884]; *Chrysophanus* OD: Can. Ent. 15(11):210 [b1523] SS: *dorcas* (Kirby), 1837; *Epidemia* [Type: CNC-lt; designated by Bird & Ferris, 1979] [Can. Ent. 111(5):638 [b0429]] [TypeL - Crow's Neck Pass, Albert, Canada.] [Note - May be a subspecies of *helloides*. There was an earlier lectotype designation by Brown (b0508), but this was invalid, as pointed out by Bird & Ferris.] [Refs - b0908; b1714; b3191; b0111; b3192; b3189; b1321; b4066 (with *helloides*); b0429]
- a **florus** (Staudinger), [1887], 1884-1888; *Lemonias* OD: In Exot. Schmett. 1:258; 2.pl 92 [b4329] CG: *Calospila* [TypeL - Colombia.] [Refs - b2988; b4475; b1456]
- a **flosculus** (H. H. Druce), 1907; *Thecla* OD: Proc. zool. Soc. Lond. 1907(3):583, pl 33, f 15 [b1375] CG: *Janthecla* [Type: pc; Druce collection.] [TypeL - Espiritu Santo, Brazil.] [Refs - b0908; b1375]
- e **flumen** Seitz, [1924], 1912-1927, (ISS); *Nacaduba* OD: In Seitz, Grossschmett. Erde 9:914 [b4094] SS: *flumena* Fruhstorfer, 1916; *Nacaduba* [Refs - b4094]
- b **flumena** Fruhstorfer, 1916; *Nacaduba* OD: Zool. Meded. 2(2):112 [b1873] SS: *angusta* (H. Druce), 1873; *Nacaduba* [TypeL - W. Java.] [Refs - b4676; b4094 (as *flumen*); b1873; b1454; b0938]
- c **fluminensis** Zikán, 1952; *Mesosemia* OD: *Dusenja* 3:20 [b5074] SS: *coea* Hübner, [1819]; *Mesosemia* [TypeL - Brazil.] [Refs - b0086]
- a **fluvialis** Grose-Smith, 1895; *Tarucus* OD: Novit. zool. 2(4):511 [b2038] CG: *Tarucus* (??) [TypeL - Celebes.] [Refs - b1642 (not in *Tarucus*!)]
- b **folia** Godman & Salvin, [1886], 1879-1901; *Theope* OD: Biol. centr.-amer., Lep. Rhop. 1:483; 3-pl 47, f 23-24 [b1975] SS: *phaeo* Prittwitz, 1865; *Theope* [TypeL - Panama.] [Refs - b4475; b1456]
- a **foliorum** Bates, [1868]; *Theope* OD: J. linn. Soc. Lond., Zool. 9:470 [b0267] [Type: BMNH-ht] [TypeL - Lower Amazon.] [Refs - b2988; b2747; b4475; b1456]
- e **f. fontainei** Berger, 1952, (IFS); *Aphnaeus* OD: *Lambillionea* 52:70 [b0307] SS: *orcas* (Drury), 1782; *Aphnaeus* [TypeL - Belgian Congo.] [Refs - b4387; b4400]
- a **fontainei** Stempffer, 1956; *Zeritis* OD: Annls Mus. r. Congo Belge (8vo)49:35, pl 2, f 13,14 [b4388] [Type: MRCB-ht] [TypeL - Pic Mense, 25 km east of Léopoldville.] [Refs - b1452; b4388; b4400]
- a **fontainei** (Stempffer), 1956; *Epamera* OD: Annls Mus. r. Congo Belge (8vo)49:33, pl 2, f 9,10 [b4388] CG: *Iolaus* (*Epamera*) [Type: MRCB-ht] [TypeL - Léopoldville, Belgian Congo.] [Refs - b1452; b0836; b4388; b4395; b4400]
- a **fontainei** Stempffer, 1956; *Thermoniphys* OD: Annls Mus. r. Congo Belge (8vo)49:47, pl 3, f 9-12 [b4388] [Type: MRCB-ht] [TypeL - Lusambo, Sankuru, Belgian Congo.] [Refs - b0827; b4388; b4400]
- a **fontainei** Stempffer, 1956; *Eresina* OD: Annls Mus. r. Congo Belge (8vo)49:18, pl 1, f 15,16 [b4388] [Type: MRCB-ht] [TypeL - Katako Kombe, Sankuru, Belgian Congo.] [Refs - b1452 (as *fontainaei*?); b4388; b4400]
- b **fontainei** Stempffer, 1961; *Pseudaletis* OD: Annls Mus. r. Afr. cent. (8vo) (Zool.)94:60 [b4393] SS: *nigra* Holland, 1892; *Pseudaletis* [TypeL - Equatorial Africa.] [Refs - b1452; b4400]

- a **fontainei** Stempffer, 1961; *Eicochrysops* OD: *Annl. Mus. r. Afr. cent.* (8vo) (Zool.)94:68, f [b4393] [TypeL - Congo.] [Refs - b1452; b4400]
- b **fontainei** Stempffer & Bennett, 1961; *Pentila* OD: *Bull. Inst. franç. Afr. Noire* 23(A):1153, f 62-64 [b4420] SS: *umangiana* Aurivillius, 1898; *Pentila* [Type: MNHN-ht] [TypeL - Congo.] [Refs - b1452; b4420; b4400]
- b **fontainei** Stempffer, 1961; *Myrina* OD: *Annl. Mus. r. Afr. cent.* (8vo) (Zool.)94:54, f [b4393] SS: *sharpei* Bethune-Baker, 1906; *Myrina* [TypeL - Congo.] [Refs - b1452; b4400]
- a **fontainei** Stempffer & Bennett, 1965; *Micropentila* OD: *Bull. Br. Mus. nat. Hist. (Ent.)* 15(11):419 [b4422] [TypeL - Congo.] [Refs - b1452; b4400]
- b **fontainei** Stempffer, 1967; *Euchrysops* OD: *Bull. Inst. fond. Afr. Noire* 29(A):988 [b4401] SS: *subdita* (Grose-Smith), 1901; *Euchrysops* [TypeL - Kitega, Urundi.] [Refs - b1452]
- a **fontainei** Stempffer, 1974; *Liptena* OD: *In Bull. Br. Mus. nat. Hist. (Ent.)* 30:169, f [b4413] [TypeL - Paulis, Uele, Zaire.] [Refs - b0105; b1452]
- e **f. formis** Riley, 1932; *Abisara* OD: *Novit. zool.* 37:185 [b3775] SS: *tantalus* Hewitson, [1866]; *Abisara*
- a **formosa** Hewitson, [1851], 1846-1852; *Mesosemia* OD: *In Gen. diurn. Lep.* :453, pl 71, f 5 [b2322] [TypeL - Amazon.] [Refs - b2747; b4474]
- c **formosa** (Hewitson), 1870, 1869-1877; *Erycina* OD: *Equatorial Lep. Buckley* (4):49 [b2330] SS: *pulchra* (Hewitson), 1870; *Ancyluris* [TypeL - Ecuador.] [Refs - b2988; b4474; b1456]
- c **formosa** Fruhstorfer, 1908; *Mahathala* OD: *Ent. Zeit.* 22(12):49 [b1829] SS: *hainani* Bethune-Baker, 1903; *Mahathala* [TypeL - Formosa.] [Refs - b4198; b4094; b2479; b0236; b1829]
- b **formosana** Fruhstorfer, 1908; *Curetis* OD: *Ent. Zeit.* 22(12):49 [b1829] SS: *acuta* Moore, 1877; *Curetis* [TypeL - Formosa.] [Refs - b4198; b4094; b5053; b1454; b1829; b0236]
- a **formosana** (Matsumura), 1910; *Thecla* OD: *Ent. Zeit.* 23(50):221 [b3084] CG: *Satyrium* [TypeL - Formosa.] [Refs - b4198; b0995; b4094; b2479; b0236; b5053; b1454; b3084]
- b **formosana** Fruhstorfer, [1912]; *Rapala* OD: *Berl. ent. Z.* 56(3/4):259 [b1850] SS: *varuna* (Horsfield), [1829]; *Rapala* [TypeL - Formosa.] [Refs - b4198; b4094; b2479; b5053; b1454; b1850]
- c **formosana** (Bethune-Baker), 1914; *Celastrina* OD: *Ent. Mitt.* 3(4):127 [b0350] SS: *myla* (Fruhstorfer), 1909; *Acytolepis* [TypeL - Formosa.] [Refs - b4198; b1580; b0236; b1840; b4281]
- c **formosana** Süchel, 1914; *Abisara* OD: *Ent. Mitt.* 3(4):121 [b4449] SS: *eymander* (Fruhstorfer), 1908; *Abisara* [TypeL - Formosa.] [Refs - b4198; b4473]
- b **formosana** (Fruhstorfer), 1916; *Nacaduba* OD: *Zoöl. Meded.* 2(2):116 [b1873] SS: *nora* (C. Felder), 1860; *Prosotas* [Type: BMNH-ht] [TypeL - Formosa.] [Refs - b4676; b4198; b0938; b4094; b0236; b5053; b1454]
- b **formosana** Matsumura, 1919; *Chilades* OD: *Thous. Ins. Japan Addit.* 3:663, pl 50, f 9 [b3089] SS: *urochylus* (Freyer), 1845; *Chilades* (Freyeria) [Refs - b4198; b2479; b0236; b5053]
- d **formosana** Matsumura, 1919, (H); *Rapala* OD: *Thous. Ins. Japan Addit.* 3:599, pl 47, f 1,2 [b3089] OS: *formosanella* Matsumura, 1929; *Rapala* [Refs - b4198; b0236; b0071; b4281]
- b **formosana** Matsumura, 1919; *Dodona* OD: *Thous. Ins. Japan Addit.* 3:591, pl 46, f 4-5 [b3089] SS: *eugenes* Bates, [1868]; *Dodona* [TypeL - Shito and Tochosi, Taihoku Pref., North Formosa.] [Refs - b4198; b4473; b0236; b4192; b1454]
- b **formosana** (Matsumura), 1926; *Lycaena* OD: *Ins. matsumur.* 1(1):26, pl 2, f 10 [b3092] SS: *atroguttata* (Oberthür), 1876; *Phengaris* [TypeL - Formosa.] [Refs - b4198; b1658; b0236; b4547; b5053; b0064]
- c **formosana** Matsumura, 1927; *Taraka* OD: *Ins. matsumur.* 2(2):117, pl 3, f 7 [b3095] SS: *thalaba* Fruhstorfer, [1923]; *Taraka* [TypeL - Formosa.] [Refs - b4198; b3095]
- b **formosana** Kato, 1930; *Arhopala* OD: *Zephyrus* 2(4):206, f [b2696] SS: *ganesa* (Moore), [1858]; *Arhopala* o [TypeL - Formosa.] [Refs - b1644; b4198; b4547; b5053; b1454]
- b **formosana** Nomura, 1931; *Euaspa* OD: *Zephyrus* 3(1):58, f [b3406] SS: *milionia* (Hewitson), [1869]; *Euaspa* [TypeL - Formosa.] [Refs - b4198; b5053; b4214; b1454]
- c **f. formosanella** Matsumura, 1929; *Rapala* OD: *Ill. comm. Ins. Japan* 1:25 [b3097] SS: *nissa* (Kollar), [1844]; *Rapala* [Type: biblio; replacement for *formosana* Matsumura, 1919] [Refs - b2479; b0071]
- b **formosanus** (Moore), 1877; *Aphnaeus* OD: *Ann. Mag. nat. Hist.* (4)20:51 [b3224] SS: *lohita* (Horsfield), [1829]; *Spindasis* [TypeL - Formosa.] [Note - *May belong with syama.*] [Refs - b4198; b2650; b5053; b1454 (with *syama*); b2479; b0236; b4094; b3224]
- b **formosanus** Fruhstorfer, 1909; *Jamides* OD: *Ent. Zeit.* 23(25):116 [b1838] SS: *bochus* (Stoll), [1782]; *Jamides* [TypeL - Formosa.] [Refs - b4198; b4094; b2479; b2650; b4547; b5053; b1865 (as new name); b1454]
- b **formosanus** (Fruhstorfer), 1915; *Lampides* OD: *Arch. Naturgesch.* (A)81(6):38 [b1865] SS: *bochus* (Stoll), [1782]; *Jamides* [TypeL - Formosa.] [Refs - b3793]
- d **formosanus** (Esaki), 1932, (H); *Zephyrus* OD: *Icon. Ins. Japan* :969, f 1910 [b1616] SS: *teiso* (Sonan), 1941; *Chrysozephyrus* [TypeL - Formosa.] [Check - *Why is this a homonym.*] [Refs - b4198; b2463]
- b **formosensis** Matsumura, 1929; *Niphanda* OD: *Ins. matsumur.* 3(2/3):103 [b3098] SS: *fusca* (Bremer & Grey), 1853; *Niphanda* [TypeL - Formosa.] [Refs - b4198; b0236; b5053]
- c **formosicola** (Matsumura), 1929; *Rapala* OD: *Ins. matsumur.* 3(2/3):98 [b3098] SS: *liliacea* Nire, 1920; *Tajuria* [TypeL - Formosa.] [Refs - b4198; b0236]
- a **formosissima** (Hewitson), 1870, 1869-1877; *Erycina* OD: *Equatorial Lep. Buckley* (4):49 [b2330] CG: *Ancyluris* [TypeL - Ecuador.] [Refs - b2988; b2747; b1453; b4950; b2922; b1456]
- a **formosus** (Cramer), [1777], 1775-1790; *Papilio* OD: *Uitl. Kapellen* 2(10):33, pl 118, f G. [b1069] CG: *Anteros* [TypeL - America mer.] [Type of - *Anteros*] [Refs - b2988; b2280; b2747; b4474; b1456]
- a **fornoi** Johnson, 1991; *Cyanodivida* OD: *Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point)* (21):25, f [b2606] [Type: AMNH-ht] [TypeL - Hotel Tamampaya area, Province Sud Yungas, Dept. La Paz, Bolivia.] [Type of - *Cyanodivida*] [Refs - b0125; b2606]
- a **forresti** Bálint, 1992; *Polyommatus* OD: *Limneana Belgica* 13(8):428, f 4-5, 10 [b0206] [Type: BMNH-ht] [TypeL - Yunnan, China.] [Refs - b0206]
- a **forsskali** Larsen, 1982; *Lepidochrysops* OD: *Biologische Skrifter* 23(3):50, pl 2, f 10 [b2898] [Type: BMNH-ht] [TypeL - Yemen.] [Refs - b0115; b2898; b2899]
- a **forsteri** (Pfeiffer), 1938; *Lycaena* OD: *Mitt. münchn. ent. Ges.* 28(2):193 [b3592] CG: *Polyommatus* [TypeL - Persia.] [Refs - b0076; b3592; b0206]
- a **forsteri** (Esaki & Shirôzu), 1943; *Thecla* OD: *Zephyrus* 9(3):151-156, f [b1621] CG: *Euaspa* [TypeL - Formosa.] [Refs - b4198; b2988; b5053; b4214; b4200; b3296; b1454; b2463]

- b **forsteri** (Sakai), 1978; *Agrïades* OD: *Atalanta* (Münnerstadt) 9(1):111-112 [b3909] SS: pheretiades (Eversmann), 1843; *Polyommatus* (*Agrïades*) [TypeL - Afghanistan.] [*Check - Homonym in need of a replacement.*] [Refs - b3910]
- a **forsteri** (Blom), 1979; *Agrodiaetus* OD: *Ent. Ber.* 39(12):185, f [b0455] CG: *Polyommatus* (*Agrodiaetus*) [Type: pc-ht; collection of Blom] [TypeL - Khoshyeylag, Kuh e Sovar, Prov. Mazandaran, Iran.] [*Check - Homonym in need of a replacement.*] [Refs - b1610 (3688-E11); b0111; b0455]
- b **fortis** (Jordan), 1930; *Deudorix* OD: *Novit. zool.* 36:149 [b2667] SS: dohertyi (Oberthür), 1894; *Artipe* [TypeL - New Guinea.] [Refs - b1450]
- b **fortuna** (H. H. Druce), 1907; *Thecla* OD: *Proc. zool. Soc. Lond.* 1907(3):608 [b1375] SS: vitruvia (Hewitson), [1877]; *Calycopis* [Type: BMNH-ht; designated by Field, 1967] [*Proc. U. S. natn. Mus.* 119(3552):- [b1737]] [TypeL - Yurimaguas, Peru.] [Refs - b0908; b1375; b2606]
- c **fortunata** (Staudinger), 1870; *Lycaena* OD: *Berl. ent. Z.* 14:99 [b4322] SS: webbianus (Brullé), 1840; *Leptotes* (*Cyclirius*) [TypeL - Canary Islands.] [Refs - b2747; b0995; b4092]
- b **fortunata** Fruhstorfer, 1908; *Curetis* OD: *Stett. ent. Ztg.* 69:56 [b1835] SS: bulis (Westwood), [1851]; *Curetis* [*Note - Eliot considers this a nomen dubium.*] [Refs - b4094; b2479; b1835; b1454 (with dentata); b0125]
- a **fostera** Schaus, 1902; *Thecla* OD: *Proc. U. S. natn. Mus.* 24(1262):421 [b3948] CG: *Thecla* (New World Eumaeini) [Type: USNM-ht; #5953] [TypeL - Sao Paulo, Brazil.] [Refs - b0908; b3948]
- c **foticus** (Szabó), 1956; *Plebeius* OD: *Folia ent. hung. (ns)* 9:276,339 [b4582] SS: sephyrus (Frivaldszky von Frivald), 1835; *Plebejus* (*Plebejides*) [TypeL - Hungary.] [Refs - b0210]
- a **fortis** (Strecker), [1878], 1872-1900; *Thecla* OD: *Lep. Rhop. Het.* :129 [b4531] CG: *Deciduphagus* [Type: FMNH-st] [TypeL - Arizona.] [Refs - b1530 :203, f 382, 383; b1321 :55; b0908; b4688; b1712; b3192; b1743; b0493; b2419; b4690; b1950; b2585; b4066; b1722; b0126]
- e **var. foulquieri** (Oberthür), 1910; *Lycaena* OD: *Étud. Léop. comp.* 4:214 [b3451] SS: escheri (Hübner), [1823]; *Polyommatus* (*Plebicaula*) [Refs - b0236; b0471]
- e **♀ foulquieri** Riverigat, 1914; *Callophrys* OD: *Bull. Soc. Hist. nat. Afr. N.* 5(6):154, f 2,4 [b3803] SS: rubi (Linnaeus), 1758; *Callophrys* [TypeL - Bône.] [Refs - b0236; b2588; b3803]
- c **fountainae** (Aigner-Abafi), 1906; *Thecla* OD: *Ent. Zeit.* 19(35):209 [b0028] SS: ilicis (Esper), [1779]; *Satyrrium* [TypeL - Algeria.] [*Note - Also described in Rovati. Lap., 13:69-75*] [Refs - b3059; b0028; b4092]
- a **fournierae** Lathy, 1924; *Euselasia* OD: *Ann. Mag. nat. Hist.* (9)14:285 [b2917] [Type: MNHN-ht] [TypeL - Colombia.] [Refs - b4474; b3717; b0093; ns1916]
- b **fournierae** Gabriel, 1939; *Hypomyrina* OD: *Ruwenzori Exp.* 3(3):74, f [b1905] SS: nomenia (Hewitson), 1874; *Hypomyrina* [TypeL - Ruwenzori.] [Refs - b1452; b4400]
- b **fournierae** Le Mout, 1939, 1939-1940; *Helicopsis* OD: *Novit. ent.* (11):85 [b2943] SS: gnidus (Fabricius), 1787; *Helicopsis* [Type: MNHN-ht] [TypeL - Para.] [Refs - b3199]
- a **fournierae** Rebillard, 1958; *Alesa* OD: *Mém. Mus. natn. Hist. nat.* (A)15:169, f [b3717] [Type: MNHN-ht] [TypeL - Uypiranga, Amazone, Brazil.] [Refs - b3717; b0558; b1456]
- c **fowleri** (South), 1900; *Lycaena* OD: *Entomologist* 33:104, pl 3, f 4,5 [b4284] SS: condon (Poda von Neuhaus), 1761; *Polyommatus* (*Lysandra*) [Refs - b4092]
- a **foyi** Schaus, 1902; *Thecla* OD: *Proc. U. S. natn. Mus.* 24(1262):417 [b3948] CG: *Thecla* (New World Eumaeini) [Type: USNM-ht; #5944] [TypeL - Peru.] [Refs - b0908; b1375]
- c **f. fracta** (Grünberg), 1912; *Cupido* OD: *Ergebn. D. Zentr.-Afrik. Exp.* 3:545 [b2077] SS: palemon (Stoll), [1782]; *Cacyreus* [Refs - b4400]
- b **f. fracta** Stempffer, 1948; *Spindasis* OD: *Revue fr. Ent.* 15(3):190 [b4376] SS: homeyeri (Dewitz), 1886; *Spindasis* [TypeL - Congo; S. Rhodesia; Mombasa.] [Refs - b4400]
- b **fracta** (Evans), 1957; *Narathura* OD: *Bull. Br. Mus. nat. Hist. (Ent.)* 5(3):91 [b1644] SS: dispar Riley & Godfrey, 1921; *Arhopala a* [Type: BMNH-ht] [TypeL - Karen Hills, Burma.] [Refs - b1644; b1454; b3401]
- b **fracta** (Tite), 1962; *Mambara* OD: *Entomologist* 95:130 [b4675] SS: nigropunctata (Bethune-Baker), 1908; *Pistoria* [TypeL - New Guinea.] [Refs - b1450]
- b **fracta** Cowan, 1967; *Cheritra* OD: *Bull. Br. Mus. nat. Hist. (Ent.)* 20(3):93, pl 1-6, 2-18 [b1016] SS: freja (Fabricius), 1793; *Cheritra* [Type: BMNH-ht] [TypeL - Banka Islands.] [Refs - b1016; b2201; b1454]
- a **fracta** Johnson, 1989; *Noreena* OD: *Insecta Mundi* 3(3):247, f [b2600] [TypeL - Peru.] [Refs - b0123]
- a **fractilinea** Tite, 1960; *Jamides* OD: *Bull. Br. Mus. nat. Hist. (Ent.)* 9(5):335 [b4672] [TypeL - Macassar, Celebes.] [Refs - b4672; b1454; b2388]
- e **fractuna** Johnson & MacPherson & Ingraham, 1986, (ISS); *Calycopis* OD: *Bull. Allyn Mus.* (102):6 [b2631] SS: *fractunda* Field, 1967; *Calycopis* [Refs - b2631]
- a **fractunda** Field, 1967; *Calycopis* OD: *Proc. U. S. natn. Mus.* 119(3552):33 [b1737] [Type: AMNH-ht; Bassler collection.] [TypeL - Achinamiza (Department of Loreto), Peru.] [Refs - b2631 (as fractuna); b1737; b2606]
- a **fragilis** Stempffer & Benne, 1953; *Baliochila* OD: *Bull. Br. Mus. nat. Hist. (Ent.)* 3:95 [b4415] [TypeL - Kenya; Somaliland.] [Refs - b1452; b4400]
- c **francesca** Swinhoe, 1911, 1909-1913; *Rapala* OD: *In Moore, Lep. Ind.* 9:51, pl 716, f 4 [b4575] SS: tara de Nicéville, [1889]; *Rapala* [TypeL - Assam.] [Refs - b1636; b4094; b0694]
- a **francis** Weeks, 1901; *Thecla* OD: *Can. Ent.* 33(12):322 [b4961] CG: *Thecla* (New World Eumaeini) francis group [Type: MCZ] [TypeL - Alezuni, Brazil.] [Refs - b0908; b2221; b4967; b2592]
- b **franciscana** Felder & Felder, 1862; *Eurybia* OD: *Wien. ent. Monats.* 6(3):70 [b1687] SS: dardus (Fabricius), 1787; *Eurybia* [TypeL - Amazon.] [Refs - b2747; b4474]
- b **franki** Field, 1938; *Strymon* OD: *J. Kansas ent. Soc.* 11(4):127 [b1735] SS: melinus Hübner, [1818]; *Strymon* [Type: USNM-ht] [TypeL - Lawrence, Kansas.] [Refs - b0908; b4688; b1711; b3192; b2417; b0493; b1743; b0512; b1321; b2419; b4690]
- a **franklinii** (Curtis), 1835; *Lycaena* OD: *In Ross, Voy. Search Northwest Pass.* :lxix, pl A, f 8,9 [b1081] CG: *Polyommatus* (*Agrïades*) [TypeL - Arctic America.] [*Note - According to Ferris, the names aquilo and glandon are restricted to the Old World, with franklinii and rustica as counterparts in the New World.*] [Refs - b0908; b2747; b0993; b3192; b1724 (with glandon); b1743 (as franklini, a good species); b1321; b4690 (*, as good sp); b4066; b1722]
- a **frater** (Joicey & Talbot), 1921; *Epamera* OD: *Bull. Hill Mus.* 1(1):92, pl 15, f 68,69 [b2655] CG: *Iolaus* (*Epamera*) [Type: BMNH-st] [TypeL - Between Lindi and Lubila Rivers, N. of Batama.] [Refs - b1452; b4400; b2655]

- c *fraterna* Moore, [1884]; Abisara OD: Proc. zool. Soc. Lond. 1883(4):532 [b3235] SS: suffusa Moore, 1882; Abisara [TypeL - Bombay.] [Refs - b1636; b1149; b0294; b4473; b3235; b1840]
- a *freda* Bennett, 1957; Abisara OD: Entomologist 90:27, f [b0296] [Type: BMNH-ht] [TypeL - Loimwe, Southern Shan States, Burma.] [Refs - b0296; b1455]
- a *freda* Eliot, 1959; Curetis OD: Bull. Br. Mus. nat. Hist. (Ent.) 7(8):377, pl 10, f 10 [b1544] [Type: BMNH-ht] [TypeL - Perak.] [Refs - b0965; b1454; b1544; b4108]
- c *fredegunda* (Fruhstorfer), 1908; Chrysophanus OD: Int. ent. Z. 2(29):194 [b1834] SS: virgaureae (Linnaeus), 1758; Lycaena (Heodes) [Refs - b0389; b4092; b1834]
- a *frederikkae* Libert, 1993; Uranothauma OD: Bull. Soc. ent. Fr. 97(4):321-332 [b2990] [TypeL - Cameroun.]
- a *freemani* McAlpine, [1971]; Calephelis OD: J. Res. Lep. 10(1):53, f [b3127] [Type: USNM-ht] [TypeL - Davis Mountains, Jeff Davis County, Texas.] [Refs - b3192; b0493; b4690 (R); b4066 (as ssp of rawsoni); b3127]
- a *freja* (Fabricius), 1793, 1792-1799; Hesperia OD: Ent. syst. 3(1):263 [b1657] CG: Chentra [Type: ZMC-ht] [TypeL - Tranquebariae", but probably Mergui Archipelago.] [Refs - b0964; b1636; b1016; b0965; b4094; b2747; b2479; b2201; b1454; b0694; b4209]
- c *frejus* (Prunier), 1798; Papilio OD: Lep. Pedemont. :76 [b3657] SS: semiargus (Rottemburg), 1775; Polyommatus (Cyaniris) [Refs - b2747; b0410]
- c *frequens* Butler & H. Druce, 1872; Mesosemia OD: Cistula Entomologica 1(5):104 [b0662] SS: asa Hewitson, 1869; Mesosemia [TypeL - Costa Rica.] [Refs - b2753; b4474]
- c *fretchini* (Chermock), 1945; Plebeius OD: Can. Ent. 76(11):214 [b0779] SS: ricei (Cross), 1937; Plebejus (Lycaeides) [Type: AME-ht] [TypeL - Paradise Valley, Mt. Ranier, Washington.] [Refs - b0908; b3328; b3192; b1321; b0779]
- c *freya* (Grose-Smith & Kirby), 1894, 1887-1902; Teriomima OD: Rhop. exot. 2(29):115, pl 25, f 1,2 [b2049] SS: hildegarda (Kirby), 1887; Bariochila [TypeL - E. Africa.] [Refs - b1943 (as Lathy); b4400]
- b *friburgensis* Schaus, 1902; Mesosemia OD: Proc. U. S. natn. Mus. 24(1262):399 [b3948] SS: rhodia (Godart), [1824]; Mesosemia [Type: USNM-ht; #5898] [TypeL - Nova Friburgo, Brazil.] [Refs - b4474; b3948; b1456]
- c *fridayi* (Chermock), 1945; Plebeius OD: Can. Ent. 76(11):215 [b0779] SS: melissa (Edwards), 1873; Plebejus (Lycaeides) [Type: CNC?] [TypeL - Mammoth, California.] [Refs - b0908; b3192; b1321; b0779]
- b *frigga* Fruhstorfer, [1912]; Chentra OD: Berl. ent. Z. 56(3/4):243 [b1850] SS: freja (Fabricius), 1793; Chentra [Type: BMNH-ht; designated by Cowan, 1967] [Bull. Br. Mus. nat. Hist. (Ent.) 20(3):93 [b1016]] [TypeL - N. E. Sumatra.] [Refs - b1016; b0964; b0965; b4094; b2201; b1454; b1850]
- b *frigidior* (Verity), 1926, 1926-1933, (RA); Strymon OD: Ent. Rec. 38:125 [b4844] SS: acaciae (Fabricius), 1787; Stryrium [Type: MZS-st] [TypeL - Cottian Alps.] [Refs - b2856; b0236; b2985 (as good ssp); b0471]
- e *frigidius* d'Abrera, 1986, (ISS); Spindasis OD: Butts Oriental Region, Pt 3 :602 [b1454] SS: frigidus (H. Druce), 1873; Spindasis [Refs - b1454; b4594]
- b *frigidus* (H. Druce), 1873; Aphnaeus OD: Proc. zool. Soc. Lond. 1873(2):350, pl 32, f 10 [b1383] SS: syama (Horsfield), [1829]; Spindasis [TypeL - Borneo.] [Refs - b1383; b2753; b4094; b2201; b1454 (as frigidius); b4108]
- e *frivaldskyi* (Kirby), 1871, (ISS); Thecla OD: Syn. Cat. diurn. Lep. :671 (index) [b2747] SS: frivaldskyi (Lederer), 1855; Ahlbergia [Refs - b2747; b2585]
- c *frivaldskyi* Aigner-Abafi, 1906; Tarucus OD: Anns hist.-nat. Mus. natn. hung. 4:515, pl 14, f 4 [b0029] SS: balkanicus (Freyer), 1844; Tarucus [Refs - b1642; b0236; b0471]
- a *frivaldskyi* (Lederer), 1855; Thecla OD: Verh. zool.-bot. Ges. Wien 5:100, pl 1, f 1 [b2952] CG: Ahlbergia [Type: NMW7-st] [TypeL - Ust-Buchtarminsk, Kazakhstan, Soviet Union.] [Refs - b4115 (as Leech name); b4092; b0995 (as ...szkyi); b2827 (as ...dzkyi); b2953; b2479; b2952; b2747 (as trivaldski); b2866; b1950; b2585; b4169]
- c *frivola* Stichel, 1919; Euselasia OD: Deut. ent. Zeit. 1919:164 [b4454] SS: zena (Hewitson), [1860]; Euselasia [TypeL - Amazonas, Brazil.] [Refs - b4474]
- b *frommi* Strand, 1911; Hypolycaena OD: Mitt. zool. Mus. Berl. 5(2):288, f [b4504] SS: auricostalis (Butler), [1897]; Hypolycaena [TypeL - E. Africa.] [Refs - b4528; b4400]
- b *frontinus* Fruhstorfer, [1912]; Tajuria OD: Berl. ent. Z. 56(3/4):211 [b1850] SS: cippus (Fabricius), 1798; Tajuria [TypeL - Lombok.] [Refs - b1850; b1454; b4094]
- b *fruginus* (Fruhstorfer), 1917; Chrysophanus OD: Ent. Rundschr. 34(4):17 [b1876] SS: alciphron (Rottemburg), 1775; Lycaena (Alciphronia) [TypeL - Armenia.] [Refs - b0236; b0471]
- a *fruhstorferi* Röber, 1897; Dodona OD: Ent. Nachr. 23:6 [b3825] [TypeL - Java.] [Refs - b2988; b1454 (as ssp of aponata); b1840]
- b *fruhstorferi* (Röber), 1897; Amblypodia OD: Ent. Nachr. 23:5 or 6 [b3825] SS: opalina (Moore), [1884]; Arhopala a [Type: BMNH-ht] [TypeL - Java.] [Refs - b1644; b4473; b4094; b2200; b1454; b3401]
- c *fruhstorferi* (Toxopeus), 1930; Horsfieldia OD: De soorte als Functie :158 [b4702] SS: fara Fruhstorfer, 1907; Amblypodia [TypeL - Dutch E. Indies.] [Refs - b4702]
- c *fruhstorferi* Corbet, 1939; Allotinus OD: Trans. R. ent. Soc. Lond. 89(5):74 [b0944] SS: maitus Fruhstorfer, 1914; Allotinus (Fabitaras) [Type: BMNH-ht] [TypeL - West Malaysia.] [Refs - b0964; b0965; b1571]
- a *fruhstorferi* Corbet, 1940; Portia OD: Trans. R. ent. Soc. Lond. 90(11):342 [b0950] [Type: BMNH-ht] [TypeL - Sukabumi, West Java.] [Refs - b0965; b1454; b1543; b0950]
- b *fruhstorferi* Corbet, 1941; Horaga OD: Proc. R. ent. Soc. Lond. (B)10(3):50 [b0953] SS: onyx (Moore), [1858]; Horaga [Type: BMNH-ht] [TypeL - Central Java.] [Refs - b1012; b2201; b1454]
- e *frustatoria* Stichel, 1910, (IFS); Napaea OD: Gen. Insectorum 112(A):84 [b4446] SS: eucharila (Bates), 1867; Napaea [Type: ZMHU-st] [TypeL - Brazil.] [Refs - b4446]
- b *fuchsi* (Sheljuzhko), 1928; Lycaena OD: Lep. Rdsch. 2:119 [b4169] SS: icarus (Rottemburg), 1775; Polyommatus [Type: biblio; replacement for sibirica Fuchs.] [Refs - b0236; b0066; b4169; b2866; b0471]
- b *fuconius* Fruhstorfer, [1912]; Loxura OD: Berl. ent. Z. 56(3/4):222 [b1850] SS: atymnus (Stoll), [1780]; Loxura [TypeL - Borneo.] [Refs - b0964; b0965; b4094; b1454; b1850; b4108]
- b *fugitiva* (Butler), 1881; Lycaena OD: Proc. zool. Soc. Lond. 1881(3):606 [b0618] SS: icarus (Rottemburg), 1775; Polyommatus [TypeL - Quetta.] [Refs - b1636; b1153; b4094; b1759; b0236; b3910; b0618; b0694; b0471]
- b *fuiulus* Fruhstorfer, [1912]; Hypolycaena OD: Berl. ent. Z. 56(3/4):238 [b1850] SS: erylus (Godart), [1824]; Hypolycaena
- b *fuiokai* Hayashi, 1976; Nacaduba OD: Tyô to Ga 27(3):97, f [b2184] SS: kurava (Moore), [1858]; Nacaduba [TypeL - Mindanao, Philippines.] [Refs - b0109]

- a **fuljanus** (Matsumura), 1910; Zephyrus OD: Ent. Zeit. 23(50):221 [b3084] CG: Sibataniozephyrus [TypeL - Japan.] [Type of - Sibataniozephyrus] [Note - Often placed in *Favonius*.] [Refs - b0996; b2827; b1900; b0236; b0070; b4214; b4200; b3296; b0122; b1455 (in *Quercusia*)]
- b **fukienensis** Forster, 1941; Orthomiella OD: Mitt. Münchn. ent. Ges. 31:625 [b1766] SS: pontis (Elwes), 1887; Orthomiella [TypeL - China.] [Note - Not spelled *fukiensis*.] [Refs - b1766; b2388]
- c **fukiensis** Anonymous, 1951, (ISS); Orthomiella OD: Zool. Rec. 84(1947)(Ins.):300 [b0081] SS: fukiensis Forster, 1941; Orthomiella [Refs - b0081]
- c **fulgens** Distant, 1886; Simiskina OD: Entomologist 19:12 [b1289] SS: potina (Hewitson), 1874; Simiskina [TypeL - Penang, Peninsular Malaya.] [Type of - Simiskina] [Refs - b0964; b1636; b2280; b0965; b4094; b0950]
- a **fulgens** Doherty, 1889; Pithecopus OD: J. asiat. Soc. Bengal, Pt II 58(1):127, pl 10, f 6 [b1300] [Type: USNM] [TypeL - Assam] [Note - Cowan says the type is in the BMNH.] [Refs - b1636; b1014; b0236; b1538; b1454; b1840; b0694; b4212; x0965; b2388; b1011]
- a **fulgens** (Grose-Smith & Kirby), 1897, 1887-1902; Holochila OD: Rhop. exot. 2(39):8, pl 10, f 13 [b2049] CG: Philiris [Type: BMNH-ht] [TypeL - Amboina.] [Refs - b4677; b1450; b2078]
- b **fulgens** Stichel, 1910; Eurybia OD: Gen. Insectorum 112(A):68 [b4446] SS: lamia (Cramer), [1777]; Eurybia [Type: pc-ht; collection of Stichel] [TypeL - San Carlos, Costa Rica.] [Refs - b2988; b4474; b4446]
- b **fulgens** (de Sagarra y Castellamau), 1926; Hirsutina OD: Buttl. Inst. catal. Hist. nat. (2)5:271 [b1178] SS: dolus (Hübner), [1823]; Polyommatus (Agrodiaetus) [TypeL - Santa Coloma de Queralt, Catalonia.] [Refs - b0236; b1774; b0471]
- b **fulgens** Cowan, 1974; Drupadia OD: Bull. Br. Mus. nat. Hist. (Ent.) 29(6):327, pl 2, f 50,53 [b1030] SS: theda (Felder & Felder), 1862; Drupadia [Type: BMNH-ht] [TypeL - Bangka Island, Indonesia.] [Refs - b1030; b0105; b2201; b1454]
- a **fulgida** (Hewitson), [1863], 1863-1878; Amblypodia OD: Ill. dium. Lep. Lycaenidae 1:11; 2:pl 5, f 31 [b2326] CG: Flos [Type: BMNH-ht] [TypeL - Philippines, but really Sikkim.] [Refs - b1644; b0965; b2747; b2201; b1454; b4094]
- c **fulginea** d'Abrera, 1994, (ISS); Phaenochitonia OD: Butts Neotropical Region, Pt 4:1046 SS: fulginea (Bates), [1868]; Phaenochitonia [Refs - b1456]
- b **fulgurata** Grose-Smith, 1901, 1887-1902; Dicallaneura OD: Rhop. exot. 3(55):7, pl 2, f 4,5 [b2029] SS: kirschi Röber, [1886]; Dicallaneura [Refs - b1450; b4474; b1840]
- e **ab. fulgurata** (Mezger), 1931; Chrysophanus OD: Lambillionea 31:23 [b3170] SS: rutilus (Werneburg), 1864; Lycaena (Thersamolycaena) [TypeL - Germany.] [Refs - b0069; b0389; b3170]
- b **fulgurita** Seki, 1994; Arhopala OD: Futao (15):26, pl 4, f 5-8 [b4103] SS: anhelus (Westwood), [1852]; Arhopala a [Type: pc-ht; collection of Seki.] [TypeL - Pulau Pagai Selatan, Mentawai.] [Refs - b4103]
- a **fulginea** (Bates), [1868]; Mesene OD: J. linn. Soc. Lond., Zool. 9:386 [b0267] CG: Phaenochitonia [TypeL - Amazon.] [Refs - b2747; b1456 (as *fulginea*); b0267]
- a **fuliginosa** (Edwards), 1861; Lycaena OD: Proc. Acad. Nat. Sci. Philad. 13:164 [b1488] CG: Satyrium [Type: CM-nt; designated by Opler, 1970] [In Trans. amer. ent. Soc. 96(1):28 [b3511]] [TypeL - Summit (now Norden), El Dorado County, California.] [Type of - Satyrium] [LifeH - Tietz lists b0882.] [Refs - b0908; b2280; b0851; b4245 (as *fulginosa*); b2747; b1530 :192, f 358; b1321 :53; b0908; b3192; b1743; b2631; b4066; b4652; b3511]
- e **f. fuliginosa** (Vorbrod & Müller-Rutz), 1917; Lycaena OD: Mitt. schweiz. ent. Ges. 12(9/10):447 [b4889] SS: dorylas ((Denis & Schiffermüller)), 1775; Polyommatus (Plebicula) [Refs - b0236; b0471]
- e **ab. fuliginosa** (Vorbrod & Müller-Rutz), 1921; Lysandra OD: Mitt. schweiz. ent. Ges. 13(3/4):181 [b4890] SS: bellargus (Rouemburg), 1775; Polyommatus (Lysandra) [Refs - b0236; b0471]
- a **fulla** (Hewitson), 1862; Amblypodia OD: Spec. Cat. Lyc. Brit. Mus. :10, pl 6, f 67,68 [b2325] CG: Arhopala 1 [Type: BMNH-ht] [TypeL - Buru.] [Refs - b1450; b1644; b2747; b4094; b1454]
- c **fulla** (Edwards), 1870; Lycaena OD: Trans. amer. ent. Soc. 3(2):194 [b1500] SS: icarioides (Boisduval), 1852; Plebejus (Icaricia) [Type: CM-nt; designated by Downey, 1970] [In Trans. amer. ent. Soc. 96:386 [b1341]] [TypeL - Sonora Pass, Mono County, California.] [Refs - b0908; b2753; b3192; b5015; b0493; b1500; b1321]
- e **ab. fulliolus** (Hulst), 1886; Chrysophanus OD: Ent. Amer. 2(9):182 [b2494] SS: americana Harris, 1862; Lycaena (Lycaena) [Type: USNM-ht] [TypeL - Not stated.] [Refs - b0908; b3191; b0996; b3192; b0236; b1321; b4092]
- a **fulmen** Sichel, 1910; Calephelis OD: Berl. ent. Z. 55(1/2):103 [b4445] [Type: ZMHU-ht] [TypeL - San Carlos, Costa Rica.] [Refs - b4474; b3127; b4445]
- a **fulminans** Bates, [1868]; Nymphidium OD: J. linn. Soc. Lond., Zool. 9:400 [b0267] [TypeL - Amazon.] [Note - Often seen as a subspecies of *olinda* Bates, 1864.] [Refs - b2747; b4476; b0677; b0680; b0119; b1456]
- b **fulminans** (Grum-Grshimailo), 1888; Polyommatus OD: Horae Soc. ent. ross. 22:305 [b2066] SS: solskyi (Erschoff), 1874; Lycaena (Thersamonia) [Refs - b0996; b2827; b4092]
- b **fulminans** (Staudinger), 1889; Sithon OD: Deut. ent. Zeit. [Iris] 2(1):109 [b4332] SS: ravindra (Horsfield), [1828]; Drupadia [Type: ZMHU-ht; designated by Takanami, 1989] [Tyô to Ga 40(1):30 [b4602]] [TypeL - Borneo.] [Refs - b1030; b4094; b0105; b2201; b1454; b4602; b4332; b4108]
- b **fulminans** Schröder & Treadaway, 1978; Remelana OD: Ent. Zeit. 88(24):275, f 4 [b3977] SS: davisi Jumalon, 1975; Remelana [Type: pc-ht; collection of Treadaway.] [TypeL - Quezon National Park, Luzon, Philippines.] [Refs - b1610 (2810-E10); b3977; b2201; b4713]
- c **fulminatrix** Felder & Felder, 1861; Necyria OD: Wien. ent. Monats. 5(4):101 [b1684] SS: manco Saunders, [1859]; Necyria [Refs - b2747; b4474]
- c **f. fulmineus** (Turati), 1933; Chrysophanus OD: Boll. Soc. ent. ital. 65:13 [b4750] SS: solskyi (Erschoff), 1874; Lycaena (Thersamonia) [TypeL - Karakoram Mts.] [Refs - b0072; b0071]
- e **f. fulva** (Fixsen), 1887; Thecla OD: In Romanoff, Mém. Lép. 3:279 [b1745] SS: prunoides (Staudinger), 1887; Satyrium [Refs - b0236; b1745; b4092]
- e **ab. fulva** Lambillon, 1903; Lycaena OD: Cat. Lép. Belg. (2me éd) :424 [b2883] SS: tityrus (Poda von Neuhaus), 1761; Lycaena (Heodes) [Refs - b0236; b0389; b0471]
- e **ab. fulva** (Gillmer), 1908, 1907-1909; Thecla OD: Int. ent. Z. 2(9):54 [b1959] SS: pruni (Linnaeus), 1758; Fixsenia [Refs - b0236; b1959; b0471]
- e **ab. fulva** Tutt, 1908, 1905-1914; Everes OD: Nat. Hist. Brit. Butts 3:54 [b4760] SS: argiades (Pallas), 1771; Everes [Refs - b0236]
- c **fulva** (Moulton), [1912]; Lehera OD: J. Straits Brch. R. asiat. Soc. 60:168 [b3259] SS: anna (H. H. Druce), 1896; Arupe [TypeL - Sarawak, Borneo.]

- b *fulva* (Evans), 1925; *Nacaduba* OD: J. Bombay nat. Hist. Soc. 30(3):613, f [b1633] SS: nora (C. Felder), 1860; *Prosotas* [Type: BMNH-ht] [TypeL - Andamans.] [Refs - b4676; b1636; b0938; b1454; b0694]
- b *fulva* (Osthelder), 1926; *Nemeobius* OD: Mitt. münchn. ent. Ges. 15(Sup.):134, pl 6, f 9-12 [b3525] SS: lucina (Linnaeus), 1758; *Hamearis* [TypeL - Bavaria.] [Refs - b0236; b2985]
- e *fulva* (Hannemann), 1931, (IFS); *Chrysophanus* OD: Int. ent. Z. 24(37/38):401 [b2134] SS: marchica (Hannemann), 1928; *Helleia* A [TypeL - Germany.] [Refs - b0069]
- b *fulva* Riley, [1945]; *Sinthusia* OD: Trans. R. ent. Soc. Lond. 94(2):269 [b3782] SS: nasaka (Horsfield), [1829]; *Sinthusia* [Type: BMNH-ht] [TypeL - N. Pagi Islands.] [Refs - b3782]
- e *ab. fulvanigrescens* Tutt, 1908, 1905-1914; *Everes* OD: Nat. Hist. Brit. Butts 3:54 [b4760] SS: argiades (Pallas), 1771; *Everes* [Refs - b0236; b0400; b0471]
- b *fulvaria* Aurivillius, 1895; *Mimacraea* OD: Ent. Nachr. 21:381 [b0149] SS: neurata Holland, 1895; *Mimacraea* [TypeL - Congo.] [Refs - b0836 :283, f 173, 174; b1452; b2163; b4400]
- e *fulvescens* (H. Edwards), [1877], (IFS); *Thecla* OD: Proc. Calif. Acad. Sci. 7(12):172 [b1483] SS: saepium (Boisduval), 1852; *Satyrium* [Type: AMNH-st] [TypeL - California.] [Refs - b0908; b3192; b1321; b1483]
- e *fulvescens* Tutt, 1909; *Lycaena* OD: Ent. Rec. 21(10):228 [b4765] SS: alciphron (Rottemburg), 1775; *Lycaena* (Alciphronia) [Refs - b0389]
- a *fulvescens* Tite, 1961; *Lepidochrysops* OD: Entomologist 94:24 [b4673] [TypeL - Angola.] [Refs - b1452; b4400]
- a *fulvicans* Hawker-Smith, 1933; *Liptena* OD: Stylops 2:8 [b2168] [TypeL - Katanga, Belgian Congo.] [Refs - b1452; b2168; b4400]
- a *fulvicauda* Stichel, 1924; *Symmachia* OD: Deut. ent. Zeit. 1924:418 [b4459] [TypeL - S. America.] [Refs - b4459; b4474; b1456]
- c *fulvimacula* (Mabille), 1890; *Lycaena* OD: Annls Soc. ent. Fr. (6)10:24, pl 2, f 5 [b3047] SS: lusones (Hewitson), 1874; *Neurellipes* [TypeL - Senegal.] [Refs - b4400]
- c *fulvimargo* Lathy, 1904; *Caria* OD: Trans. ent. Soc. Lond. 52(3):466, pl 27, f 6 [b2914] SS: amazonica (Bates), [1868]; *Caria* [TypeL - Peru.] [Refs - b4474; b2497; b2922; b1456]
- c *fulvior* Stefanelli, 1900; *Lycaena* OD: Boll. Soc. ent. ital. 32:331 [b4350] SS: tityrus (Poda von Neuhaus), 1761; *Lycaena* (Heodes) [Refs - b0389; b4092]
- e *ab. fulvior* (Tutt), 1907, 1905-1914; *Satyrium* OD: Nat. Hist. Brit. Butts 2:197 [b4760] SS: pruni (Linnaeus), 1758; *Fixsenia* [Refs - b4092]
- e *ab. fulvior* (Rocci), 1923; *Nemeobius* OD: Memorie Soc. ent. ital. 2:6 [b3841] SS: lucina (Linnaeus), 1758; *Hamearis* [Refs - b4473; b0236; b2985]
- c *fulviplaga* Lathy, 1926; *Euselasia* OD: Entomologist 59:146 [b2919] SS: phrygia Stichel, 1925; *Euselasia* [TypeL - Peru.] [Refs - b4474]
- a *fulvofasciata* Joicey & Noakes & Talbot, [1916]; *Dicallaneura* OD: Trans. ent. Soc. Lond. 63(3/4):370, pl 60, f 2; pl 59, f 5 [b2651] [TypeL - New Guinea.] [Refs - b1450; b4474]
- e *f. fulvofenestrata* (Fixsen), 1887; *Thecla* OD: In Romanoff, Mém. Léop. 3:279 [b1745] SS: prunoides (Staudinger), 1887; *Satyrium* [Refs - b0236; b1745; b4092]
- c *fulvomaculata* (Beuret), 1950; *Strymon* OD: VerNachr. EntVer. Basel 7:15, f [b0381] SS: esculi (Hübner), [1819]; *Satyrium* [TypeL - France.] [Refs - b0085]
- e ♂ *ab. fulvomarginalis* (Schultz), 1905; *Chrysophanus* OD: Ent. Zeit. 18(34):134 [b4003] SS: tityrus (Poda von Neuhaus), 1761; *Lycaena* (Heodes) [Refs - b0389; b4003; b4092; b0471]
- e *fulvomarginata* Le Moul, 1940, 1939-1940, (IFS); *Helicopsis* OD: Novit. ent. (16):124 [b2943] SS: cupido (Linnaeus), 1758; *Helicopsis* [Type: AME-ht] [Refs - b3199]
- e *fulvonigra* Le Moul, 1940, 1939-1940, (IFS); *Helicopsis* OD: Novit. ent. (16):121 [b2943] SS: cupido (Linnaeus), 1758; *Helicopsis* [Type: AME-ht] [Refs - b3199]
- e *fulvosignata* (Beuret), 1953, (IFS); *Chrysophanus* OD: Lyc. Schweiz I :36 [b0389] SS: tityrus (Poda von Neuhaus), 1761; *Lycaena* (Heodes) [Refs - b0389]
- a *fulvula* Hawker-Smith, 1933; *Micropentila* OD: Stylops 2:9 [b2168] [TypeL - Bitje, Ja River, Cameroons.] [Refs - b1452; b2168; b4400]
- e *ab. fulvus* (Rummel), 1929; *Heodes* OD: Bull. Brooklyn ent. Soc. 23(5):268 [b3904] SS: americana Harris, 1862; *Lycaena* (Lycaena) [Type: AMNH-ht] [TypeL - Green Village, New Jersey.] [Refs - b0908; b0066 (as bulvus); b3191; b3192; b3797; b1321; b1722]
- b *fulvus* Lathy, 1932; *Cariomothis* OD: Ann. Mag. nat. Hist. (10)9:67 [b2922] SS: erythromelas (Sepp), [1848]; *Cariomothis* [Type: BMNH-st] [TypeL - Mauo Grosso, Brasil.] [Refs - b2922]
- a *fulvus* (Stempffer), 1962; *Anthene* OD: Bull. Inst. franç. Afr. Noire 24(A):1180, f 79-80 [b4395] CG: *Neurellipes* [Type: BMNH-ht] [TypeL - Cameroun.] [Refs - b1452; b4395; b4400]
- e *ab. fumata* Graves, 1918; *Deudorix* OD: Entomologist 51:97 [b2008] SS: livia (Klug), 1834; *Deudorix* (Virachola) [Refs - b0236; b0471]
- c *f. fumata* Schultze, 1923; *Omipholidotos* OD: In Schubotz :1160 [b4018] SS: kirbyi (Aurivillius), 1895; *Omipholidotos* [Refs - b1784 :280; b4400]
- a *fumata* (Stempffer), 1954; *Deudorix* OD: Bull. Soc. ent. Fr. 59(5/6):106 [b4385] CG: *Diopetes* [TypeL - Gold Coast.] [Refs - b1452; b4385; b4400]
- b *fumatus* (Röber), 1887; *Sithon* OD: CorrespBl. ent. Ver. Iris 1(4):196, pl 9, f 7 [b3821] SS: phocides (Fabricius), 1793; *Bindahara* [TypeL - Bangkei.] [Refs - b4094; b2201; b3821]
- b *fumiae* Hayashi, 1984; *Tajuria* OD: Iwase (2):17; pl 1, f 13; pl 2, f 13 [b2199] SS: igolotiana (Murayama & Okamura), 1973; *Tajuria* [TypeL - Philippines.] [Refs - b2199; b2201; b1454]
- e *ab. fumida* (Scudder), 1889, 1888-1889; *Cyaniris* OD: Butts E. United States & Canada 2:933 [b4088] SS: lucia (Kirby), 1837; *Celastrina* [Refs - b0908; b3192; b0236; b1321]
- c *fumidus* Miskin, 1890; *Pseudodipsas* OD: Proc. R. Soc. Qd 6(5):264 [b3213] SS: cephenes Hewitson, 1874; *Pseudodipsas* [TypeL - Brisbane, Australia.] [Refs - b2747; b1840; b1473; b4934; b1474; b0976]
- c *fumosa* (Butler), [1886]; *Catochrysops* OD: Proc. zool. Soc. Lond. 1885(4):762 [b0633] SS: letsea (Trimen), 1870; *Lepidochrysops* [Type: BMNH-st] [TypeL - Somaliland.] [Refs - b1452 (as good species); b4400; b0633]
- e *ab. fumosa* (Schultze), 1923; *Pentila* OD: In Schubotz :1160 [b4018] SS: kirbyi (Aurivillius), 1895; *Omipholidotos* [TypeL - C. Africa.]
- c *fumosa* (de Sagarra y Castellamau), 1926; *Strymon* OD: Bull. Inst. catal. Hist. nat. (2)6:135 [b1179] SS: acaciae (Fabricius), 1787; *Satyrium* [TypeL - Spain.] [Refs - b3059]
- e *fumosa* (Verity), 1926, 1926-1933, (RA); *Agriades* OD: Ent. Rec. 38:123 [b4844] SS: coridon (Poda von Neuhaus), 1761; *Polyommatus* (Lysandra) [Type: MZS-st] [TypeL - N. France.] [Refs - b2856; b0236; b0471; b4038]
- e *funosa* Le Moul, 1940, 1939-1940, (IFS); *Helicopsis* OD: Novit. ent. (15):116 [b2943] SS: cupido (Linnaeus), 1758; *Helicopsis* [Type: AME-ht] [Refs - b3199]

- a **fumosa** Stempffer, 1952; *Thermoniphos* OD: Bull. Soc. ent. Fr. 57(8):119, f 2, pl 1, f 10,22 [b4382] [TypeL - Chang, Cameroun, Nigeria.] [Refs - b0827; b1452; b4382; b4388; b4400]
- a **fumosa** Johnson, 1992; *Galba* OD: Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (22):169, f [b2611] [Type: UMCE-ht] [TypeL - Arequipa, Yura Viejo, Peru.] [Refs - b0125; b2611]
- b **fumosum** Emmel & Mattoni, 1990; *Satyrium* OD: J. Res. Lep. 28(1/2):102, f [b1600] SS: auretorum (Boisduval), 1852; *Satyrium* [TypeL - Santa Monica Mtns, California.] [Refs - b0124; b3116]
- a **fumosus** (Balletto), 1993; *Ityloides* OD: Boll. Soc. ent. ital. 124(3):234, f 2 [b0220] CG: *Itylos* [Type: BMNH-ht] [TypeL - Corongo, Peru.] [Type of - *Ityloides*] [Refs - b0208; b0220; b0215]
- b **fundania** Fruhstorfer, 1914; *Arhopala* OD: Deut. ent. Zeit. [Iris] 28(2):134 [b1859] SS: *silhetensis* (Hewitson), 1862; *Arhopala* f [Type: BMNH-ht] [TypeL - Java.] [Refs - b1644; b2200; b1859; b1454; b4094]
- c **funebriis** Oberthür, 1914; *Ciganitis* OD: Étud. Léop. comp. 10-pl 293, f 2401,2402 [b3454] SS: *siphax* Lucas, 1849; *Ciganitis* [Refs - b0236]
- b **funeraria** (Nekrutenko), 1984; *Lycaena* OD: Vestnik Zoologii 1984(6):47, f [b3365] SS: *japhetica* (Nekrutenko & Effendi), 1983; *Athamanthia* [Type: ZMMU-ht] [TypeL - Uzbekistan] [Refs - b0117; b3365; b5068]
- e **funereus** Rebillard, 1958, (NN); *Stalachtis* OD: Mém. Mus. natn Hist. nat. (A):15:203 [b3717] SS: *albulus* Rebillard, 1958; *Stalachtis* [Note - *Callaghan suspects this is a Lathy MS name.*] [Refs - b3717; b0684; b1456]
- b **funga** Fruhstorfer, [1912]; *Horaga* OD: Berl. ent. Z. 56(3/4):233 [b1850] SS: *syrinx* (C. Felder), 1860; *Horaga* [TypeL - Nias.]
- a **furcifer** (H. H. Druce), 1907; *Thecla* OD: Proc. zool. Soc. Lond. 1907(3):621 [b1375] CG: *Ministrymon* [Type: pc; Druce collection.] [TypeL - Espiritu Santo, Brazil.] [Refs - b0908; b1375; b2636]
- e **furcifer** (Comstock & Huntington), 1960, 1958-1964, (ISS); *Thecla* OD: J. New York ent. Soc. 68:113 [b0908] SS: *furcifer* (H. H. Druce), 1907; *Ministrymon* [Refs - b0908]
- b **furia** Stichel, 1910; *Mesosemia* OD: Gen. Insectorum 112(A):62 [b4446] SS: *eumene* (Cramer), [1776]; *Mesosemia* [Type: pc-st; collection of Stichel] [TypeL - La Paz, Bolivia; Pebas, Amazonas, Brazil.] [Refs - b4474; b1456; b4446]
- b **furia** Stichel, 1925; *Ancyluris* OD: Z. wiss. InsektBiol. 20:22 [b4463] SS: *colubra* (Saunders), [1859]; *Ancyluris* [TypeL - Ecuador; Colombia.] [Refs - b4474]
- b **furina** (Godman & Salvin), [1887], 1879-1901; *Thecla* OD: Biol. centr.-amer., Lep. Rhop. 2:28; 3-pl 51, f 13,14 [b1975] SS: *aegides* (Felder & Felder), 1865; *Macusia* [Type: BMNH] [TypeL - Quiche Mountains, Guatemala.] [Refs - b0908; b0845; b2406; b1975]
- b **furor** Butler & H. Druce, 1872; *Emesis* OD: Cistula Entomologica 1(5):104 [b0662] SS: *mandana* (Cramer), [1780]; *Emesis* [TypeL - Costa Rica.] [Refs - b2719; b2753; b4475; b1342; b1456]
- e **furva** (Stichel), 1911, (IFS); *Nymula* OD: Gen. Insectorum 112(B):373 [b4447] SS: *agle* (Hewitson), [1853]; *Synargis* [Type: pc-ht; collection of Stichel] [TypeL - Pará, Brazil.] [Refs - b4475; b4446]
- a **fusca** (Bremer & Grey), 1853; *Thecla* OD: Schmett. N. China's :9, n 33 [b0484] CG: *Niphanda* [TypeL - China bor.; Amoorland.] [Refs - b4115; b4198; b2988; b4092; b2747; b0995; b1840; b2827; b2479; b1900; b2866; b0236; b1454; b1455]
- b **fusca** (Moore), [1881], 1880-1881; *Aphnaeus* OD: Lep. Ceylon 1(3):106, pl 41, f 2,2a-b [b3232] SS: *vulcanus* (Fabricius), 1775; *Spindasis* [TypeL - Ceylon.] [Refs - b1636; b1153; b4094; b1454; b0694; b0695]
- a **fusca** (Cator), 1904; *Pseuderesia* OD: Ann. Mag. nat. Hist. (7)13:75 [b0729] CG: *Eresina* [Type: BMNH-ht; ex collection of Cator.] [TypeL - Sierra Leone.] [Refs - b4400; b0729; b1452; b0836; b4388]
- e **fusca** Tutt, 1907, 1905-1914; *Lampides* OD: Nat. Hist. Brit. Butts 2:336 [b4760] SS: *boeticus* (Linnaeus), 1767; *Lampides* [Refs - b0400; b4092]
- e **ab. fusca** Gillmer, 1908; *Lycaena* OD: Int. ent. Z. 2(2):11 [b1960] SS: *ityrus* (Poda von Neuhaus), 1761; *Lycaena* (Heodes) [Refs - b0389; b1960]
- e **ab. fusca** Tutt, 1908, 1905-1914; *Everes* OD: Nat. Hist. Brit. Butts 3:55 [b4760] SS: *argiades* (Pallas), 1771; *Everes* [Refs - b0236; b0400; b0471]
- e **ab. fusca** (Tutt), 1909, 1905-1914; *Plebejus* OD: Nat. Hist. Brit. Butts 3:199 [b4760] SS: *pyrenaica* (Tutt), 1909; *Plebejus* [Refs - b0236]
- a **fusca** (Aurivillius), 1923; *Deudorix* OD: Lepidoptera, IV. In Schubotz 1:1216, pl L, f 6 [b0171] CG: *Hypokopelates* [TypeL - Kimuenza, Congo.] [Note - *May be a synonym of canescens.*] [Refs - b4400; b0171]
- c **fusca** de Sagarra y Castellarnau, 1926; *Lampides* OD: Bull. Inst. catal. Hist. nat. (2):6:136 [b1179] SS: *boeticus* (Linnaeus), 1767; *Lampides* [TypeL - Spain.] [Refs - b3059; b0400]
- b **fusca** Evans, 1932; *Jamides* OD: Ident. Indian Butts (2nd ed.) :238 [b1638] SS: *alecto* C. Felder, 1860; *Jamides* [TypeL - Andamans.] [Refs - b1638; b0694]
- e **ab. fusca** (Stetter-Stättemayer), 1937; *Lycaena* OD: Ent. Rundsch. 54:531 [b4432] SS: *allardi* (Oberthür), 1874; *Plebejus* (*Plebejides*) [Refs - b0075]
- e **fusca** Le Moul, 1940, 1939-1940, (IFS); *Helicopsis* OD: Novit. ent. (15):114 [b2943] SS: *cupido* (Linnaeus), 1758; *Helicopsis* [Type: AME-ht] [Refs - b3199]
- b **fusca** Stempffer & Bennett, 1963; *Falcuna* OD: Bull. Br. Mus. nat. Hist. (Ent.) 13(6):179 [b4421] SS: *synesia* (Hulstaert), 1924; *Falcuna* [Type: BMNH-ht] [TypeL - Cameroons.] [Refs - b4400; b1452; b4421]
- e **fuscaextensa** (Pether), 1927; *Strymon* OD: Ent. Rec. 39:136 [b3584] SS: *spini* ((Denis & Schiffermüller), 1775; *Satyrium* [TypeL - Spain.] [Refs - b3059; b0236; b3584 (as *fusca-extensa*); b0471]
- e **ab. fuscafasciata** Tutt, 1907, 1905-1914; *Lampides* OD: Nat. Hist. Brit. Butts 2:336 [b4760] SS: *boeticus* (Linnaeus), 1767; *Lampides* [Refs - b0236; b0400]
- e **ab. fuscafulva** Tutt, 1908, 1905-1914; *Everes* OD: Nat. Hist. Brit. Butts 3:55 [b4760] SS: *argiades* (Pallas), 1771; *Everes* [Refs - b0236; b0400; b0471]
- e **fuscamarginata** Tutt, 1907, 1905-1914; *Lampides* OD: Nat. Hist. Brit. Butts 2:336 [b4760] SS: *boeticus* (Linnaeus), 1767; *Lampides* [Refs - b0400]
- e **ab. fuscaata** (Tutt), 1906, 1905-1914; *Rumicia* OD: Nat. Hist. Brit. Butts 1:378 [b4760] SS: *phlaeas* (Linnaeus), 1761; *Lycaena* (*Lycaena*) [Refs - b0389]
- e **ab. fuscatacaudata** (Tutt), 1906, 1905-1914; *Rumicia* OD: Nat. Hist. Brit. Butts 1:378 [b4760] SS: *phlaeas* (Linnaeus), 1761; *Lycaena* (*Lycaena*) [Refs - b0389; b4760]
- e **fuscasthetis** (Verity), 1943, (IFS); *Lysandra* OD: Farfalle Diurne Ital. 2:297 [b4862] SS: *bellargus* (Rottemburg), 1775; *Polyommatus* (*Lysandra*) [Refs - b2856]

- e *ab. fuscescens* (Tutt), 1909, 1905-1914; Agriades OD: Nat. Hist. Brit. Butts 3:333 or 337 [b4760] SS: bellargus (Rotenburg), 1775; Polyommatus (Lysandra) [Note - May be available as of Verity, 1943.] [Refs - b0236; b0471; b4038]
- e *f. fuscescens* Lempke, 1955; Plebejus OD: Tijdschr. Ent. 98:298, f [b2982] SS: argus (Linnaeus), 1758; Plebejus [TypeL - Holland.] [Refs - b0089]
- b *fuscicaudata* Fruhstorfer, [1912]; Loxura OD: Berl. ent. Z. 56(3/4):223 [b1850] SS: cassiopeia Distant, 1884; Loxura [TypeL - Nias.] [Refs - b4094; b1454; b1850]
- c *fuscicollis* (Fourcroy), 1785; Papilio OD: Ent. paris. 2:245 [b1782] SS: icarus (Rotenburg), 1775; Polyommatus [Refs - b2747; b2794]
- e *fuscobasalis* Le Moul, 1940, 1939-1940, (IFS); Helicopsis OD: Novit. ent. (15):119 [b2943] SS: cupido (Linnaeus), 1758; Helicopsis [Type: AME-ht] [Refs - b3199]
- e *fuscocastanea* Le Moul, 1940, 1939-1940, (IFS); Helicopsis OD: Novit. ent. (17):132 [b2943] SS: cupido (Linnaeus), 1758; Helicopsis [Type: AME-ht] [Refs - b3199]
- e *ab. fuscociliata* (Metschl & Sälzl), 1923; Lycaena OD: Ber. naturw. Ver. Regensburg 16:82 [b3160] SS: coridon (Poda von Neuhaus), 1761; Polyommatus (Lysandra) [TypeL - Regensburg.] [Refs - b0236; b3796; b0471]
- e *fuscovlava* Le Moul, 1940, 1939-1940, (IFS); Helicopsis OD: Novit. ent. (15):115 [b2943] SS: cupido (Linnaeus), 1758; Helicopsis [Type: AME-ht] [Refs - b3199]
- c *fuscomarginata* (Jocey & Talbot), 1921; Epamera OD: Bull. Hill Mus. 1(1):91, pl 15, f 70,71 [b2655] SS: creta Hewitson, [1878]; Iolaus (Epamera) [Type: BMNH-ht] [TypeL - Bafwabolli, Tshopo River.] [Refs - b4400; b2655]
- e *fuscomarginata* Le Moul, 1940, 1939-1940, (IFS); Helicopsis OD: Novit. ent. (15):114 [b2943] SS: cupido (Linnaeus), 1758; Helicopsis [Type: AME-ht] [Refs - b3199]
- b *fuscomarginata* (Beuret), 1957; Philotes OD: Lyc. Schweiz. II :184 [b0400] SS: hylactor (Bergsträsser), [1779]; Pseudophilotes [TypeL - Switzerland.] [Refs - b0400]
- e *fuscunigra* Le Moul, 1940, 1939-1940, (IFS); Helicopsis OD: Novit. ent. (13):103 [b2943] SS: cupido (Linnaeus), 1758; Helicopsis [Type: AME-ht] [Refs - b3199]
- e *fuscoradiata* Le Moul, 1940, 1939-1940, (IFS); Helicopsis OD: Novit. ent. (15):117 [b2943] SS: cupido (Linnaeus), 1758; Helicopsis [Type: AME-ht] [Refs - b3199]
- e *fuscocrecta* Le Moul, 1940, 1939-1940, (IFS); Helicopsis OD: Novit. ent. (16):121 [b2943] SS: cupido (Linnaeus), 1758; Helicopsis [Type: AME-ht] [Refs - b3199]
- a *fuscula* (Grose-Smith), 1898; Teriomima OD: Novit. zool. 5:355 [b2046] CG: Micropentila [TypeL - Niger.] [Refs - b1452; b4400]
- e *ab. fuscus* (Tutt), 1909, 1905-1914; Plebejus OD: Nat. Hist. Brit. Butts 3:180 [b4760] SS: argus (Linnaeus), 1758; Plebejus [Refs - b0236; b0471]
- a *fusius* (Godman & Salvin), [1887], 1879-1901; Thecla OD: Biol. centr.-amer., Lep. Rhop. 2:34; 3:pl 52, f 6,7 [b1975] CG: Antephris [Type: BMNH-ht; designated by Johnson, 1981] [TypeL - Jalapa, Mexico.] [Refs - b0908; b2406; b1975; b2585; b2626]
- c *fusius* (Staudinger), [1887], 1884-1888; Lemonias OD: In Exot. Schmett. 1:258; 2:pl 92 [b4329] SS: amphix (Hewitson), 1870; Calospila [TypeL - Upper Amazon.]
- e *ab. fusus* Seitz, [1917], 1910-1924; Barbicomis OD: In Seitz, Grossschmett. Erde 5:663 [b4093] SS: melanops Butler, 1873; Barbicomis [Refs - b4474; b4093; b1456]
- c *fyllgia* (Spangberg), 1876; Cupido OD: Stett. ent. Ztg 37:91 [b4289] SS: eumedon (Esper), [1780]; Plebejus (Eumedonia) [TypeL - Lapponia.] [Refs - b2747; b2866; b4092]
- a *fylla* (Westwood), [1851], 1846-1852; Taxila OD: In Gen. dium. Lep. (2):pl 69, f 3, (:422) [b4981] CG: Abisara [TypeL - India.] [Type of - Sospita] [Refs - b1636; b1149; b2988; b0296; b2280; b4473; b2747; b1454; b1840; b4092]
- c *fyllaria* Fruhstorfer, [1914], 1909-1923; Abisara OD: In Seitz, Grossschmett. Erde 9:780, pl 139c [b1840] SS: fylla (Westwood), [1851]; Abisara [Note - Described as a dry season form, so may be unavailable.] [Refs - b1636; b0296; b4473; b1840]
- a *fylloides* (Moore), 1901, 1890-1913; Sospita OD: Lep. Ind. 5:81 [b3238] CG: Abisara [TypeL - China.] [Refs - b4473; b1454; b1840; b1636]
- a *gabatha* Hewitson, 1870, 1869-1877; Thecla OD: Equatorial Lep. Buckley (4):62 [b2330] CG: Thecla (New World Eumaeini) [Type: BMNH] [TypeL - Chisoy Valley, Guatemala.] [Refs - b0908; b4245; b2747; b1375; b2593]
- c *gabathana* Strand, 1918, 1917-1918; Thecla OD: Soc. ent. 33(8):30 [b4518] SS: gabatha Hewitson, 1870; Thecla (New World Eumaeini) [TypeL - Colombic.] [Refs - x0276; x0908; b4518; b4528]
- a *gabbroensis* Rebel, 1898; Lycaenites OD: Sber. Akad. Wiss. Wien 107:742-745, pl 1, f 6,7 [b3699] [Type of - Lycaenites] [Note - A fossil.] [Refs - b2280]
- a *gabelus* (Godart), [1824], 1819-1824; Polyommatus OD: In Ency. méth. 9(Ins.)(2):639 [b1970] CG: Thecla (New World Eumaeini) [TypeL - Brazil.] [Refs - b0908; b2747; b1375]
- e *gabenia* Cantlie, 1963, (ISS); Rapala OD: Lyc. Butts Revised :149 [b0694] SS: gebenia Fruhstorfer, 1914; Rapala [Refs - b0694]
- a *gabina* (Godman & Salvin), [1887], 1879-1901; Thecla OD: Biol. centr.-amer., Lep. Rhop. 2:82; 3:pl 57, f 20,21 [b1975] CG: Sarracena [Type: BMNH] [TypeL - David, Panamá.] [Refs - b0908; b3818; b1375; b1975; b2631; b2626]
- a *gabinus* Godart, [1824], 1819-1824; Polyommatus OD: In Ency. méth. 9(Ins.)(2):659 [b1970] CG: Polyommatus (?) [TypeL - Brazil?] [Refs - b0908; b2747]
- a *gabonensis* Stempffer, 1947; Omipholidotos OD: Revue zool. bot. afr. 40:169 [b4375] [TypeL - Gabun.] [Refs - b1452; b4400]
- b *gabonensis* Stempffer, 1951; Iolaus OD: Bull. Soc. ent. Fr. 56(8):125 [b4381] SS: carina Hewitson, 1873; Iolaus [TypeL - Gaboon.] [Refs - b4400; b4381]
- b *gabonensis* Stempffer & Bennett, 1963; Falcuna OD: Bull. Br. Mus. nat. Hist. (Ent.) 13(6):178 [b4421] SS: synesia (Hulstaert), 1924; Falcuna [Type: BMNH-ht] [TypeL - Gabon.] [Refs - b1452; b4421; b4400]
- e *ab. gabori* (Diószeghy), 1913; Chrysophanus OD: Rovart. Lap. 20:193 [b1281] SS: festivus Krulikovskii, 1909; Lycaena (Thersamolycaena) [Refs - b0236 (as gabori); b0389; b1281]
- c *gabriel* (Godart), [1824], 1819-1824; Polyommatus OD: In Ency. méth. 9(Ins.)(2):622 [b1970] SS: gabriela (Cramer), [1775]; Thecla (New World Eumaeini) [TypeL - Amérique meridionale.] [Refs - b0908; b2988; b4245]
- b *gabriel* (Swinhoe), 1912, 1909-1913; Aphnaeus OD: In Moore, Lep. Ind. 9:162, pl 733, f 4 [b4575] SS: schistacea (Moore), [1881]; Spindasis [TypeL - Burma.] [Refs - b1636; b1454; b0694 (as a good species); b0695]
- a *gabriela* (Cramer), [1775], 1775-1790; Papilio OD: Uil. Kapellen 1(1):9, pl 6, f C,D [b1069] CG: Thecla (New World Eumaeini) [TypeL - Berbice.] [Refs - b0908; b2747; b1375; b1975; b2918]
- c *gabrieli* Corbet, 1937; Curetis OD: Proc. R. ent. Soc. Lond. (B)6(12):229 [b0936] SS: felderi Distant, 1884; Curetis [Type: BMNH-ht] [TypeL - Bentong Forest Reserve, Pahang, Malay Peninsula.] [Refs - b0964; b0965; b0936; b4108]

- b **gabriele** (Corbet), 1938; *Chliaria* OD: J. Fed. Malay St. Mus. 18(2):255 [b0940] SS: balua (Moulton), [1912]; *Hypolycaena* (*Chliaria*) [TypeL - Malaya.] [Refs - b0964; b0965; b1454; b0076 (as gabriele :316)]
- b **gabriele** (Bálint), 1989; *Plebeius* OD: *Atalanta* (Münnerstadt) 19(1/4):88, f [b0199] SS: argyrognomon (Bergsträsser), [1779]; *Plebejus* (*Lycaeides*) [TypeL - Mongolia.] [Refs - b0123]
- c **gabriele** (Fabricius), 1787; *Papilio* OD: *Mantissa* Ins. 2:65 [b1656] SS: gabriela (Cramer), [1775]; *Thecla* (New World *Eumaeini*) [Refs - b0908; b2747]
- b **gabriele** (Leech), [1893], 1893-1894; *Zephyrus* OD: *Buus China Japan Korea* :389, pl 28, f 7 [b2966] SS: michaelis (Oberthür), 1880; *Ussuriya* [TypeL - Omei-shan, W. China.] [Refs - b2479; b4214; b4092; b0126; b2966]
- c **gabriele** (Oberthür), 1910; *Lycaena* OD: *Étud. Lép. comp.* 4:228 [b3451] SS: dorylas ((Denis & Schiffemüller)), 1775; *Polyommatus* (*Plebicula*) [Refs - b0236]
- c **gabriele** (Anonymous), 1939, (ISS); *Chliaria* OD: *Zool. Rec.* 75(1938)(Ins.):316 [b0076] SS: gabriele (Corbet), 1938; *Hypolycaena* (*Chliaria*) [Refs - b0076]
- b **gabunica** Aurivillius, [1899]; *Cupidesthes* OD: *K. svenska VetenskAkad. Handl.* (nf)31(5):349 [b0156] SS: voltae (E. Sharpe), 1890; *Cupidesthes* [Refs - b0343; b0836; b4400]
- a **gabunica** (Riley), 1928; *Argiolaus* OD: *Novit. zool.* 34:375, pl 10,11, f 8 [b3767] CG: *Iolaus* (*Iolophilus*) [TypeL - Gabun.] [Refs - b1452; b4394; b4400]
- b **gabunica** Riley, 1932; *Abisara* OD: *Novit. zool.* 37:181 [b3775] SS: gerontes (Fabricius), 1781; *Abisara* [TypeL - Gabun.] [Refs - b1452]
- b **gabunica** Stempffer & Bennett, 1961; *Pentila* OD: *Bull. Inst. franç. Afr. Noire* 23(A):1157, f 70-74 [b4420] SS: *occidentarium* Aurivillius, [1899]; *Pentila* [Type: BMNH-ht] [TypeL - Lake Azingo, Gabon.] [Refs - b1452 (as gabonica); b4420; b4400]
- a **gabunica** Stempffer, 1964; *Iridana* OD: *Bull. Inst. franç. Afr. Noire* 26(A):1246 [b4397] [TypeL - Gabon.] [Refs - b1452; b4400]
- a **gabunica** Stempffer & Bennett, 1965; *Micropentila* OD: *Bull. Br. Mus. nat. Hist. (Ent.)* 15(11):409 [b4422] [TypeL - Gabon.] [Refs - b1452; b4400]
- b **gabunica** Stempffer & Bennett & May, 1974; *Liptena* OD: *Bull. Br. Mus. nat. Hist. (Ent.)* 30(1):119 [b4423] SS: *opaca* (Kirby), 1890; *Liptena* [TypeL - Gabon.] [Refs - b0105; b1452]
- b **gadames** (Fruhstorfer), 1918; *Castalius* OD: *Tijdschr. Ent.* 61:29 [b1884] SS: *ethion* (Westwood), [1851]; *Discolampa* [TypeL - Lombok; Sumba.] [Refs - b1454; b1840; b4592; b4604]
- b **gadara** (Fruhstorfer), 1910; *Cyaniris* OD: *Stett. ent. Ztg* 71(2):301 [b1843] SS: *lavendularis* (Moore), 1877; *Celastrina* [Type: BMNH-It; designated by Eliot & Kawazoe, 1983] [*Buus* *Lycaenopsis* group :257 [b1580]] [TypeL - Obi, North Moluccas.] [Refs - b1450; b1580; b1840]
- b **gades** (Fruhstorfer), 1915; *Luthrodes* OD: *Deut. ent. Zeit.* [Iris] 29:48 [b1860] SS: *cleotas* (Guérin-Méneville), [1831]; *Chilades* [Refs - b4094; b3916; b1860]
- a **gadira** Hewitson, [1867], 1863-1878; *Thecla* OD: *Ill. diurn. Lep. Lycaenidae* 1:113; 2:pl 44, f 181,182 [b2326] CG: *Thecla* (New World *Eumaeini*) [Type: BMNH] [TypeL - Polochic Valley, Guatemala.] [Note - Druce says "close to *mulsus*".] [Refs - b0908; b2747; b3818; b1975]
- c **gadmensis** Beuret, 1949; *Maculinea* OD: *Bull. Soc. ent. Mulhouse* 1949:43, pl 6, f 17,18 [b0379] SS: *rebeli* (Hirschke), 1904; *Maculinea* [TypeL - Switzerland.] [Refs - b0400]
- a **gaesa** (de Nicéville), 1895; *Gerydus* OD: *J. Bombay nat. Hist. Soc.* 10(1):26, pl S, f 16 [b1160] CG: *Miletus* 1 [TypeL - Sumatra.] [Refs - b0964; b1546; b0965; b3498; b1840; b1552]
- b **gaetulia** de Nicéville, 1893; *Deudorix* OD: *J. Bombay nat. Hist. Soc.* 7(3):338, pl H, f 12 [b1156] SS: *hypargyria* (Elwes), [1893]; *Deudorix* [TypeL - Khasi Hills.] [Refs - b1636; b4094 (12:148); b1156; b1454 (as good sp); b0694]
- a **gaetulus** (de Nicéville), 1894; *Gerydus* OD: *J. asiat. Soc. Bengal, Pt II* 63(1):24 [b1158] CG: *Miletus* 2 [TypeL - Sumatra.] [Refs - b1546; b0965; b1840]
- a **gagarini** Johnson, 1993; *Nicolaea* OD: *Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point)* (32):68, f [b2614] [Type: AMNH-ht] [TypeL - Umuarama, São Paulo State, Brazil.] [Refs - b2614]
- c **gaika** (Trimen), 1862; *Lycaena* OD: *Trans. ent. Soc. Lond.* (3)1:403 [b4715] SS: *hylax* (Fabricius), 1775; *Zizula* [TypeL - S. Africa.] [Type of - *Zizula*] [Refs - b1636; b4198; b1019 :7; b2280; b4178; b4094; b2747; b0995; b1762; b0236; b3192; b0836; b4400; b0694; b4092; b2920; b4108]
- b **gaillardi** Beuret, 1950; *Plebejus*; *Plebejus* OD: *Revue fr. Lép.* 12:232 [b0380] SS: *argus* (Linnaeus), 1758; *Plebejus* [Type: NMB-It; designated by Steiniger, 1975] [*Mitt. ent. Ges. Basel* (nf)25:26 [b4355]] [TypeL - France.] [Refs - b0107; b0410; b4355]
- c **gaimana** (Doi & Cho), 1931; *Zephyrus* OD: *J. Chos. Nat. Hist.* (12):50, f [b1308] SS: *betulina* Staudinger, 1887; *Thecla* [TypeL - Korea.] [Refs - b4115]
- a **gaina** Hewitson, 1870, 1869-1877; *Thecla* OD: *Equatorial Lep. Buckley* (4):61 [b2330] CG: *Thecla* (New World *Eumaeini*) [Type: BMNH] [TypeL - Curaray, Ecuador.] [Refs - b0908; b2747]
- b **gaius** (Fruhstorfer), 1910; *Cyaniris* OD: *Stett. ent. Ztg* 71(2):298 [b1843] SS: *caetres* (de Nicéville), 1895; *Ptoxa* [TypeL - Padangsches Bovenland, Sumatra.] [Refs - b1840 (as *gajus*); b1580; b2200 (with *corythus*)]
- a **galactica** Johnson, 1989; *Noreena* OD: *J. New York ent. Soc.* 97(1):35, f 11,21,31 [b2597] [Type: MPM-ht] [TypeL - Collegio Baptista, Rio de Janeiro, Brazil.] [Refs - b2597]
- c **galactina** Stichel, 1910, (IFS); *Nymphidium* OD: *Gen. Insectorum* 112(A):383 [b4446] SS: *minias* Hewitson, [1865]; *Nymphidium* [Type: pc-st; collection of Röber] [TypeL - Amazonas, Brazil.] [Refs - b4476; b1456; b4446]
- b **galani** Agenjo, 1967; *Plebejus* OD: *Eos* 43:21 [b0018] SS: *pylaon* (Fischer von Waldheim), 1832; *Plebejus* (*Plebejides*) [TypeL - La Mato, Toledo Province, Spain.] [Refs - b3059; b0107; b0018]
- c **galatea** Stichel, 1919, (IFS); *Helicopsis* OD: *Deut. ent. Zeit.* 1919:324 [b4454] SS: *gnidus* (Fabricius), 1787; *Helicopsis* [Type: ZSBS-st] [TypeL - Pará.] [Note - Stichel states that this is an incorrect original spelling, but according to the rules it must stand.] [Refs - b4474; b4454]
- a **galathea** (Swainson), [1821], 1820-1823; *Thecla* OD: *Zool. Illustr.* 2:69 [b4549] CG: *Deudorix* (*Virachola*) [TypeL - Sierra Leone.] [Refs - b4400; b2747; b1452; b0836]
- a **galathea** (Blanchard), [1844], 1841-1844; *Lycaena* OD: *In Jacquemont, Voy. Inde* 4(Zool.):21, pl 1, f 5,6 [b0446] CG: *Polyommatus* (*Albulina*) [TypeL - Kashmir, India.] [Refs - b1636; b2280; b2747; b4094; b1762; b0410; b3055; b0694; b0471]
- c **galathea** Stichel, 1930, (ISS); *Helicopsis* OD: *Lep. Cat. Pars* 40:204 [b4474] SS: *gnidus* (Fabricius), 1787; *Helicopsis* [Refs - b4474]

- a **galba** (Lederer), 1855; *Lycaena* OD: Verh. zool.-bot. Ges. Wien 5:190, pl 1, f 4 [b2953] CG: Lachides [Type: ZMHU-ht; designated by Nekrutenko, 1984] [Vestnik Zoologii 1984(3):31 [b3364]] [TypeL - Syria.] [Type of - Lachides] [Note - Associated with the ant *Monomorium gracillimum*.] [Refs - b1636; b2747; b0995; b1762; b1610 (854-E12, with Freyer as author); b0113; b2905; b3547; b3364; b0293 (in Chilades); b2794; b3910; b0694; b2859 (in Chilades); b4092]
- b **galbula** (Felder & Felder), 1861; *Symmachia* OD: Wien. ent. Monats. 5(4):99 [b1684] SS: domitianus (Fabricius), 1793; Caria [TypeL - Venezuela.] [Refs - b2747; b4474]
- a **galena** (Bates), [1868]; *Lemonias* OD: J. linn. Soc. Lond., Zool. 9:398 [b0267] CG: Thyranota [TypeL - America mer.] [Type of - Thyranota] [Refs - b2280; b2988; b2747; b4475; b2881; b1456]
- a **galenides** (Holland), 1895; *Teriomima* OD: Ent. News 6(5):167 [b2428] CG: Micropentila [TypeL - Bulé Country, Cameroons.] [Note - Placed in *Micropentila* because Holland compared it to *adelgunda*. Overlooked by subsequent authors.] [Refs - b2428]
- b **galinthias** Fruhstorfer, 1908; *Curetis* OD: Stett. ent. Ztg 69:49 or 50 [b1835] SS: thetis (Drury), [1773]; *Curetis* [Refs - b1450; b4094]
- a **galionicus** Gallard & Brevignon, 1989; *Theope* OD: Bull. Soc. Sci. Nat. (63):5, f [b1918] [TypeL - French Guiana.] [Refs - b0123; b1456]
- b **galla** Stempffer, 1947; *Anthene* OD: Bull. Soc. ent. Fr. 52:38 [b4372] SS: butleri (Oberthür), 1880; *Anthene* [TypeL - Kenya.] [Refs - b1452; b4400]
- e **galliae** (Verity), 1926, 1926-1933, (RA); *Agriades* OD: Ent. Rec. 38:123 [b4844] SS: coridon (Poda von Neuhaus), 1761; *Polyommatus* (*Lysandra*) [Type: MZS-st] [TypeL - N. France.] [Refs - b2856; b0236; b0471; b4038]
- e **galliaealbicans** (Verity), 1939, (RA); *Lysandra* OD: *Lambillionea* 39:213 [b4861] SS: hispana (Herrich-Schäffer), [1851]; *Polyommatus* (*Lysandra*) [Type: MZS-st] [TypeL - France.] [Refs - b2856; b1135; b0410; b4038]
- c **gallica** (Oberthür), 1910; *Aricia* OD: Étud. Léop. comp. 4:252 [b3451] SS: agestis ([Denis & Schiffermüller]), 1775; *Plebejus* (*Aricia*) [Refs - b0236; b0410; b0270; b0471]
- a **galliena** Hewitson, [1877], 1863-1878; *Thecla* OD: Ill. dium. Lep. Lycaenidae 1:185; 2-pl 74, f 575,576 [b2326] CG: *Thecla* (New World Eumacini) [Type: BMNH-st] [TypeL - Chontales, Nicaragua; Espiritu Santo, Brazil.] [Refs - b0908; b2753; b1375]
- a **galloi** (Balletto & Toso), 1979; *Agrodiaetus* OD: Note divulg. Ist. Ent. agrar. Univ. Napoli Portici 2(1/2):14, f [b0225] CG: *Polyommatus* (*Agrodiaetus*) [TypeL - Mt Pollino and Orsomarso Mts, southern Italy.] [Refs - b0111; b2794; b2859; b0222]
- a **gallus** (de Nicéville), 1894; *Gerydus* OD: J. asiat. Soc. Bengal, Pt II 63(1):25, pl 5, f 11 [b1158] CG: *Milenus* 4 [TypeL - Sumatra.] [Refs - b0964; b1546; b0965; b1840; b4108]
- c **galsintha** (Fruhstorfer), 1908; *Chrysophanus* OD: Int. ent. Z. 2(29):195 [b1834] SS: *virgaureae* (Linnaeus), 1758; *Lycaena* (*Heodes*) [Note - Seen as *galsuintha*.] [Refs - b0389; b4092]
- a **gama** (Distant), 1886, 1882-1886; *Neocheritra* OD: Rhop. malayana :462, text-fig 128 [b1285] CG: *Mantoides* [Type: ZMHU-ht] [TypeL - Penang, Malay Peninsula.] [Refs - b0964; b0965; b4094; b1454; b0694; b4602]
- b **gamatius** Fruhstorfer, [1912]; *Hypolycaena* OD: Berl. ent. Z. 56(3/4):238 [b1850] SS: *erylus* (Godart), [1824]; *Hypolycaena* [TypeL - Celebes.] [Refs - b4094; b3742; b1454; b1850]
- e **gambara** (Seitz), [1927], 1912-1927, (ISS); *Tajuria* OD: In Seitz, Grossschmett. Erde 9:1016 [b4094] SS: *gamtara* (Fruhstorfer), [1912]; *Eliotia* [Refs - b4094; b1577]
- c **gambius** (Boisduval), 1847; *Lycaena* OD: In Delegorgue, Voy. Afrique Austr. 2:588 [b0464] SS: *antalus* (Hopffer), 1855; *Deudorix* (*Virachola*) [TypeL - Natal.] [Refs - b2747; b3045; b4400 (as Mabilie name)]
- c **gamblea** Swinhoe, 1916; *Jamides* OD: Ann. Mag. nat. Hist. (8)18:209 [b4577] SS: *euchylas* (Hübner), [1819]; *Jamides* [TypeL - Ceram.] [Refs - b4671; b1450]
- b **gamelan** Seki, 1994; *Mantoides* OD: *Futao* (15):23, pl 3, f 25-28 [b4102] SS: *gama* (Distant), 1886; *Mantoides* [Type: pc-ht; collection of Seki.] [TypeL - Pulau Sipora, Mentawai.] [Refs - b4102]
- a **gamelia** Godman & Salvin, [1886], 1879-1901; *Sarota* OD: Biol. centr.-amer., Lep. Rhop. 1:436 [b1975] [Type: BMNH-ht] [TypeL - Vera Paz, Sinanja, Guatemala.] [Refs - b2988; b4474; b1456]
- a **gamma** (H. H. Druce), 1909; *Thecla* OD: Trans. ent. Soc. Lond. 57(3):437, pl 11, f 9 [b1376] CG: *Ministrymon* [Type: BMNH] [TypeL - Tucumán, Argentina.] [Refs - b0908; b2593; b2636]
- b **gamra** (Lederer), 1855; *Lycaena* OD: Verh. zool.-bot. Ges. Wien 5:189, pl 1, f 3 [b2953] SS: *jesous* (Guérin-Méneville), 1847; *Azanus* [TypeL - Syria.] [Refs - b1636; b2747; b0995; b1840; b2905; b3547 (as good ssp); b0293; b4400; b0694; b4092]
- b **gamtara** (Fruhstorfer), [1912]; *Tajuria* OD: Berl. ent. Z. 56(3/4):210 [b1850] SS: *jalindra* (Horsfield), [1829]; *Eliotia* [TypeL - Nord-Borneo.] [Refs - b2201; b1850; b1568; b4586; b1454; b4094; b4108]
- c **gana** Corbet, 1941; *Arhopala* OD: Proc. R. ent. Soc. Lond. (B)10(9):163 [b0956] SS: *cooperi* (Evans), 1925; *Arhopala* a [Type: BMNH-ht] [TypeL - Malaya.] [Refs - b1644; b0956]
- b **gander** (Evans), 1957; *Narathura* OD: Bull. Br. Mus. nat. Hist. (Ent.) 5(3):116 [b1644] SS: *philander* Felder & Felder, 1865; *Arhopala* h [Type: BMNH-ht] [TypeL - Fergusson Island.] [Refs - b1450; b1644]
- b **gandzhana** (Obratsov), 1936; *Lycaena* OD: *Lambillionea* 36:15 [b3468] SS: *thersites* (Cantener), 1834; *Polyommatus* (*Plebicula*) [TypeL - Gandzha.] [Refs - b0074]
- a **ganesa** (Moore), [1858]; *Amblypodia* OD: In Cat. Lep. Ins. E. India Co. (1):44, pl 1a, f 9 [b3219] CG: *Arhopala* o [TypeL - N. India.] [Type of - Panchala] [Refs - b1644; b4198; b2988; b2280; b2747; b4094; b0996; b2479; b0236; b1454; b4092]
- e **ganymedes** Boisduval, 1870, (ISS); *Thecla* OD: *Consid. Léop. Guatemala* :14 [b0469] SS: *ganymedes* (Cramer), [1775]; *Thecla* (New World Eumacini) [Refs - b2280]
- c **ganssuensis** (Grum-Grshimailo), 1891; *Lycaena* OD: *Horae Soc. ent. ross.* 25:450 [b2068] SS: *nausithous* (Bergsträsser), [1779]; *Maculinea* [Note - May belong with *argyrognomon*.] [Refs - b2479 (as *argyrognomon* ssp); b3328; b4092]
- b **gansuensis** Murayama, 1983; *Polyommatus* OD: *Entomotaxonomia* 5(4):283, pl 3, f 4-6 [b3301] SS: *eros* (Ochsenheimer), 1807; *Polyommatus* [Type: pc-ht; collection of Murayama.] [TypeL - Gansu, China.] [Note - May belong with *erotides* subspecies of *erotides*.] [Refs - b0119; b3301; b0206]
- b **gansuensis** Murayama, 1991; *Japonica* OD: *Konchu to Shizen* (Nature & Insects) 26(3):20, f [b3303] SS: *lutea* (Hewitson), [1865]; *Japonica* [Type: pc-ht; collection of Murayama.] [TypeL - Mt. Xinglongshan, Shaanxi, North China.] [Refs - b0124; b3303]

- b gansuensis** (Sugiyama), 1992; *Strymondia* OD: *Pallarge* 1:8, f [b4540] SS: *pruni* (Linnaeus), 1758; *Fixsenia* [TypeL - Gansu, China.] [Refs - b0126]
- a ganymedes** (Cramer), [1775], 1775-1790; *Papilio* OD: *Uitl. Kapellen* 1(4):64, pl 40, f C,D [b1069] CG: *Thecla* (New World Eumaeini) [TypeL - Indes Occidentales].] [Type of - Eucharis] [Note - Often seen as *ganymedes*.] [Refs - b2747; b2406; b2497; b1975; b2280; b0908; b0907]
- a gaol** Koiwaya, 1993; *Chrysozephyrus* OD: *Stud. Chin. Butterflies* 2:68, f [b2318] [TypeL - Shaanxi, China.] [Refs - b0126]
- e garasa** (Sharp), [1920], (ISS); *Castalius* OD: *Zool. Rec.* 55(1918)(ins.):155 [b4147] SS: *gerasa* (Fruhstorfer), 1918; *Caleta* [Refs - b4147]
- c garbas** (Fabricius), 1787; *Papilio* OD: *Mantissa Ins.* 2:82 [b1656] SS: *utyrsus* (Poda von Neuhaus), 1761; *Lycaena* (Heodes) [TypeL - Austria].] [Refs - b2747; b0996; b0389 (as *garbus*); b4092; b5076]
- c gardineri** (Fruhstorfer), 1914; *Gerydus* OD: *Z. wiss. Insektbiol.* 10(2):59 [b1857] SS: *leos* (Guérin-Méneville), [1831]; *Mileus* 4 [Refs - b1450; b1546; b1857; b1840]
- b gardineri** Henning & Henning, 1988; *Capys* OD: *Durban Mus. Novit.* 14(6):113, f 53,54,59,60,99 [b2286] SS: *connexivus* Butler, [1897]; *Capys* [Type: DM-hi] [TypeL - Mufulira, Zambia.] [Refs - b2286]
- a gargara** Hewitson, 1868; *Thecla* OD: *Descr. new Spec. Lycaenidae* :8 [b2327] CG: *Thecla* (New World Eumaeini) [Type: BMNH] [TypeL - Pará, Amazon.] [Refs - b0908; b2747]
- a gargophia** Hewitson, [1877], 1863-1878; *Thecla* OD: *Ill. diurn. Lep. Lycaenidae* 1:190; 2-pl 75, f 597,598 [b2326] CG: *Thecla* (New World Eumaeini) [Type: BMNH] [TypeL - Espiritu Santo, Brazil.] [Refs - b0908; b2753]
- b garmicus** (Stüchctkin), 1986; *Cupido* OD: *Zool. Zh.* 65(7):1092, f [b4442] SS: *buddhista* (Alphéraky), 1881; *Everes* [TypeL - Tadzhikistan.] [Refs - b0120]
- e ab. garretti** (Harrison & Carter), 1929; *Aricia* OD: *Vasculum* 15:17 [b2151] SS: *medon* (Hüfnagel), 1766; *Plebejus* (*Aricia*) [Refs - b0236]
- e ab. garthi** Gunder, 1928; *Plebejus* OD: *Can. Ent.* 60(7):168, pl B, f 21 [b2100] SS: *hilda* (Grinnell & Grinnell), 1907; *Plebejus* (*Icaricia*) [Type: AMNH-hi] [TypeL - Tahquitz Valley, Riverside County, California.] [Refs - b0908; b3192; b1321]
- b garthi** Matoni, 1989; *Euphilotes* OD: *J. Res. Lep.* 27(3/4):180, f [b3113] SS: *bernardino* (Barnes & McDunnough), 1916; *Euphilotes* [TypeL - Mexico.] [Refs - b0124]
- b garzoni** Schröder & Treadaway, 1986; *Iraota* OD: *Ent. Zeit.* 96(22):335, f 4 [b3984] SS: *rochana* (Horsfield), [1829]; *Iraota* [Type: pc-hi; collection of Treadaway.] [TypeL - Mt. Kanlaon, Mambucal, Negros, Philippinen.] [Refs - b3984; ns3990; b3990]
- b gauchoana** (Stichel), 1910; *Hamearis* OD: *Berl. ent. Z.* 55(1/2):45 or 46 [b4445] SS: *aurinia* (Hewitson), [1863]; *Audre* [Type: ZMHU-st] [TypeL - Uruguay.] [Refs - b4475; b2221; b0419; b0420; b3717; b1456; b4445]
- b gaudeolus** (Fruhstorfer), 1909; *Chrysophanus* OD: *Int. ent. Z.* 3(21):120 [b1837] SS: *alciphron* (Rouemburg), 1775; *Lycaena* (*Alciphronia*) [TypeL - Schweiz; Zermatt; restricted by Verity, 1943.] [Refs - b1837; b0996; b0236; b0389; b0471; b2858]
- a gaudiolum** Bates, 1864, 1864-1865; *Mesosemia* OD: *Ent. mon. Mag.* 1:202 [b0263] [TypeL - Guatemala.] [Refs - b2988; b2747; b4474; b0263; b0113 (as *gaudiolum*); b1453 (as *gaudiolum*); b2406; b1116; b1456]
- a gaumeri** (Godman & Salvin), [1901], 1879-1901; *Thecla* OD: *Biol. centr.-amer., Lep. Rhop.* 2:714; 3-pl 111, f 1,2 [b1975] CG: *Atlides* [Type: BMNH-st] [TypeL - Valladolid and Temax, Yucatan, Mexico.] [Refs - b0908; b3818 (in *Atlides?*); b2406; b1975]
- a gauna** Boisduval, 1870; *Thecla* OD: *Consid. Léop. Guatemala* :16 [b0469] CG: *Thecla* (New World Eumaeini) [TypeL - Costa Rica.] [Refs - b0908; b2747]
- c gaura** (Moore), 1884; *Parapithecopus* OD: *J. asiat. Soc. Bengal*, Pt II 53(1):20 (partim) [b3236] SS: *dharmas* (Moore), [1881]; *Neopithecopus* [TypeL - Calcutta and Assam, India.] [Type of - *Parapithecopus*] [Refs - b1636; b2280; b1580; b1840; b4934; b0694; b1011]
- b gaura** (Doherty), 1891; *Nacaduba* OD: *J. asiat. Soc. Bengal*, Pt II 60(2):181, pl 2, f 8 [b1304] SS: *miskini* (Lucas), 1889; *Theclinesthes* [Type: BMNH-hi] [TypeL - Sumba.] [Refs - b1542; b0938; b4094; b4223; b4592]
- c gazei** (H. H. Druce), 1912; *Epamera* OD: *Ent. mon. Mag.* 48:128, pl 9, f 2,3 [b1380] SS: *scintillans* (Aurivillius), 1895; *Tatura* [TypeL - Nigeria.] [Refs - b0836; b4400]
- e ab. gazeli** Beuret, 1934; *Plebejus* OD: *Lambillionea* 34:108 [b0371] SS: *idas* (Linnaeus), 1761; *Plebejus* (*Lycaeides*) [Refs - b0072; b0410; ns0312]
- b gazella** Fruhstorfer, 1914; *Arhopala* OD: *Deut. ent. Zeit.* [Iris] 27(4):159 [b1853] SS: *philander* Felder & Felder, 1865; *Arhopala* h [Type: BMNH-hi] [TypeL - New Britain.] [Refs - b1450; b1644; b4094; b1853]
- e gazora** Holland, 1931, (ISS); *Celastrina* OD: *Butt. Book* (2nd ed.) :256 [b2438] SS: *gozora* (Boisduval), 1870; *Celastrina* [Refs - b3192]
- b ge** Fruhstorfer, 1900; *Curetis* OD: *Berl. ent. Z.* 45(1):28 [b1815] SS: *bulis* (Westwood), [1851]; *Curetis* [Type: BMNH-hi] [TypeL - Nias.] [Refs - b4094; b1454 (as subspecies of *santana*); b0936; b3782]
- a geba** Hewitson, [1877], 1863-1878; *Thecla* OD: *Ill. diurn. Lep. Lycaenidae* 1:198; 2-pl 79, f 641,642 [b2326] CG: *Thecla* (New World Eumaeini) [Type: BMNH] [Note - Druce says "very near to *atena*".] [Refs - b0908; b2753; b1375]
- c gebenia** Fruhstorfer, 1914; *Rapala* OD: *Deut. ent. Zeit.* [Iris] 27(4):173 [b1854] SS: *orseis* (Hewitson), [1863]; *Rapala* [TypeL - Assam.] [Refs - b4094; b0694 (as *gabenia*); b1854]
- c geda** Scudder, 1876, (PS); *Calephelis* OD: *Bull. Buffalo Soc. nat. Sci.* 3:102 [b4083] SS: *borealis* (Grote & Robinson), 1866; *Calephelis* [Refs - b1530 :250, f 498, 499; b1321 :51; b3192]
- e gedeon** Capronnier, 1874, (NN); *Thecla* OD: *Annis Soc. ent. Belg.* 17:15 [b0699] [TypeL - Botafogo, Brazil.] [Refs - b0908]
- a gedrosia** (Hewitson), 1868; *Thecla* OD: *Descr. new Spec. Lycaenidae* :10 [b2327] CG: *Calycopis* (?) [Type: BMNH] [TypeL - Tapajos, Amazon.] [Refs - b0908; b2988; b2747]
- a gela** (Hewitson), [1853], 1852-1877; *Nymphidium* OD: *Ill. exot. Butts* 1:[---], pl [57], f 9 [b2323] CG: *Synargis* [TypeL - Amazon.] [Refs - b2988; b4475; b1456]
- c gela** Waterhouse, 1941; *Ogyris* OD: *Proc. linn. Soc. N. S. Wales* 66(3/4):237 [b4943] SS: *genoveva* Hewitson, [1854]; *Ogyris* [TypeL - Australia.] [Refs - b1450; b0870; b4786; ns1430]
- d gelaena** Hübner, [1819], 1816-1826, (JOS); *Euselasia* OD: *Verz. bekannt. Schmett.* (2):24, no. 181 [b2484] OS: *gelon* (Stoll), [1787]; *Euselasia* [Type of - *Euselasia*] [Note - Replacement name for *gelon* Stoll.] [Refs - b2280; b3192]

- a **gelanor** (Stoll), [1780], 1780-1790; *Papilio* OD: In Cramer, *Uitl. Kapellen* 4(28):89, pl 336, f C,D [b4478] CG: Euselasia [TypeL - Surinam; Amazon.] [Refs - b2988; b2747; b4474; b1456]
- b **gelasus** (Bates), [1868]; *Ariconis* OD: *J. linn. Soc. Lond., Zool.* 9:402 [b0267] SS: *myrtis* (Westwood), [1851]; *Setabis* [TypeL - Ega.] [Refs - b2988; b2747; b4475; b1456]
- a **geleis** Holland, 1900; *Nacaduba* OD: *Novit. zool.* 7:75 [b2431] [Refs - b1450]
- a **gelinia** (Oberthür), 1893; *Liptena* OD: *Étud. ent.* 17:31, pl 2, f 24 [b3434] CG: *Mimacraea* [TypeL - Usambara.] [Refs - b1452; b4400]
- a **gelisae** Rebillard, 1958; *Ancyluris* OD: *Mém. Mus. natn. Hist. nat. (A)* 15:173, pl 3, f 7,20 [b3717] [Type: MNHN-ht] [TypeL - Tэффэ, Amazone, Brazil.] [Refs - b3717; b0093; b1456]
- a **gelisae** Rebillard, 1958; *Euselasia* OD: *Mém. Mus. natn. Hist. nat. (A)* 15:148, pl 2, f 14 [b3717] [Type: MNHN-ht] [TypeL - Rio Curva, Amazone, Brazil.] [Refs - b3717; b0093]
- e **gelisi** Le Moul, 1940, 1939-1940, (IFS); *Helicopsis* OD: *Novit. ent.* (16):124 [b2943] SS: *cupido* (Linnaeus), 1758; *Helicopsis* [Refs - b3199]
- a **gelon** (Stoll), [1787], 1780-1790; *Papilio* OD: In Cramer, *Uitl. Kapellen Aanh.* 23, pl 5, f 2,2B [b4478] CG: Euselasia [TypeL - Surinam.] [Refs - b2988; b2719; b2747; b4474; b3192; b1456]
- b **gelrae** Lempke, 1955; *Maculinea* OD: *Tijdschr. Ent.* 98:284 [b2982] SS: *arion* (Linnaeus), 1758; *Maculinea* [Refs - b0400; b2982]
- c **gemellus** (Fabricius), 1793, 1792-1799; *Hesperia* OD: *Ent. syst.* 3(1):319 [b1657] SS: *teleclus* (Stoll), [1790]; Euselasia [TypeL - Cajenne".] [Refs - b2747; b4474; b5076]
- a **gemina** de la Maza E. & de la Maza E., 1980; *Mesosemia* OD: *Revta. Soc. mex. Lep.* 6(1):12, f [b1116] [Type: MHNCM-ht] [TypeL - Dos Amates, Veracruz, Mexico.] [Refs - b0113; b1116; b1456]
- a **geminata** Draudt, [1920], 1917-1924; *Thecla* OD: In Seitz, *Grossschmett. Erde* 5:796, pl 158-b [b1348] CG: *Thecla* (New World Eumaeini) [TypeL - Río Songo, Bolivia.] [Refs - b0908]
- a **geminatus** Sands, 1986; *Hypochrysops* OD: *Entomograph* 7:73, f 57, 125-128 [b3926] [Type: ANIC-ht] [TypeL - Mt. Kaindi, Morobe Districk, Papua New Guinea.] [Refs - b3926]
- a **geminus** (Fabricius), 1793, 1792-1799; *Hesperia* OD: *Ent. syst.* 3(1):322 [b1657] CG: *Semomesia* [TypeL - America".] [Refs - b2747; b4474; b5076; b1456]
- a **geminus** Edwards & Kerr, 1978; *Candalides* OD: *Aust. ent. Mag.* 4(5):81-90 [b1479] [Type: ANIC-ht] [TypeL - Cape York Peninsula, N. Queensland, Australia.] [Refs - b1610 (4785-E9); b0113; b0870; b1479; b1472]
- a **gemma** H. H. Druce, 1907; *Thecla* OD: *Proc. zool. Soc. Lond.* 1907(3):581, pl 33, f 9 [b1375] CG: *Thecla* (New World Eumaeini) [Type: pc; Godman collection.] [TypeL - Río Napo, Peru.] [Note - Druce says "allied to *minyia*".] [Refs - b0908; b1375]
- c **gemma** (Seitz), [1917], 1910-1924; *Tharops* OD: In Seitz, *Grossschmett. Erde* 5:716, pl 138d [b4093] SS: *hebrus* (Cramer), [1775]; *Menander* [Type: BMNH-ht] [TypeL - Carabaya, Peru.] [Refs - b4475; b1456; b1456]
- c **gemma** van Eecke, 1924; *Hypochrysops* OD: *Nova Guinea* 15(*Zool.* 4):41, f [b4796] SS: *chrysargyra* Grose-Smith & Kirby, 1895; *Hypochrysops* [Type: RNH-ht] [TypeL - Pionierbivak, N. New Guinea.] [Refs - b3926]
- e **gemma** Riley, 1929, (IFS); *Heliophorus* OD: *J. Bombay nat. Hist. Soc.* 33(2):397 [b3769] SS: *rubida* Riley, 1929; *Heliophorus* (B) [TypeL - Burma.]
- a **gemmarius** (H. H. Druce), 1910; *Epamera* OD: *Proc. zool. Soc. Lond.* 1910(1):372, pl 35, f 3 [b1378] CG: *Iolaus* (*Epamera*) [TypeL - W. Africa.] [Refs - b1452; b4394; b4400]
- c **gemmata** H. H. Druce, 1887; *Nacaduba* OD: *Ent. mon. Mag.* 23:204 [b1350] SS: *dyopa* (Herrich-Schäffer), 1869; *Nacaduba* [Type: BMNH-ht] [TypeL - Fiji Island.] [Refs - b4676; b1450]
- a **gemmifera** (Neave), 1910; *Lycaenesthes* OD: *Proc. zool. Soc. Lond.* 1910(1):54, pl 2, f 5 [b3346] CG: *Neurellipes* [TypeL - Rhodesia.] [Refs - b1452; b3346; b4400]
- a **genera** Hewitson, [1867], 1863-1878; *Thecla* OD: *Ill. diurn. Lep. Lycaenidae* 1:111; 2:pl 44, f 185,186 [b2326] CG: *Thecla* (New World Eumaeini) [Type: BMNH] [TypeL - Pará, Amazon.] [Refs - b0908; b2747; b1375]
- e **genialis** Stichel, 1923; *Mesene* OD: *Z. wiss. Insektbiol.* 18(10/11):280 [b4457] SS: *sertata* Stichel, 1910; *Mesene* [Refs - b4474; b1456]
- a **genius** Geyer, [1832], 1832-1837; *Lamprospilus* OD: In *Zutr. Samml. exot. Schmett.* 4:30, pl [125], f 727,728 [b1934] [TypeL - West Indies".] [Type of - *Lamprospilus*] [Refs - b0908; b2988; b2280; b2747; b2923]
- c **genji** (Narimoto), 1942; *Nacaduba* OD: *Ent. World* 10(104):640-642 [b3342] SS: *formosana* (Fruhstorfer), 1916; *Prosotas* [TypeL - Kuraru, Formosa.] [Refs - b4198; b3342]
- e **f. gennadia** (Fruhstorfer), 1915, (IFS); *Lampides* OD: *Arch. Naturgesch. (A)* 81(6):5 [b1865] SS: *parazebra* (Fruhstorfer), 1915; *Jamides* [Type: BMNH-ht] [Refs - b3786; b4094; b1865]
- b **gennargenti** (Leigheb), 1987; *Lysandra* OD: *Boll. Mus. Reg. Sci. nat. Torino* 5(2):447-454 [b2972] SS: *coridon* (Poda von Neuhaus), 1761; *Polyommatus* (*Lysandra*) [TypeL - Sardinia.] [Refs - ns2970]
- a **genoveva** Hewitson, [1854], 1852-1877; *Ogyris* OD: *Ill. exot. Butts* 1:[96], pl [48], f 5,6 [b2323] [TypeL - Moreton Bay, Australia.] [Refs - b1450; b2747; b0870; b4094; b4934; b0355; b3182; ns3239]
- a **gentiana** H. H. Druce, 1907; *Thecla* OD: *Proc. zool. Soc. Lond.* 1907(3):601, pl 36, f 1 [b1375] CG: *Thecla* (New World Eumaeini) [Type: pc; Druce collection.] [TypeL - Bogotá, Colombia.] [Refs - b0908; b1375]
- a **gentilii** Johnson, 1992; *Solanorum* OD: *Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point)* (22):200, f [b2611] [Type: AMNH-ht] [TypeL - Quimili, Santiago del Estero Prov., Argentina.] [Type of - *Solanorum*] [Refs - b0125; b2942; b2611]
- c **gentilis** Stichel, 1915; *Semomesia* OD: *Deut. ent. Zeit.* 1915:663, pl 20, f 17 [b4451] SS: *marisa* (Hewitson), [1858]; *Semomesia* [TypeL - Tapajoz.] [Refs - b4474]
- a **gentilis** (Rebillard), 1958; *Antheros* OD: *Mém. Mus. natn. Hist. nat. (A)* 15:168, f [b3717] CG: *Antheros* [Type: MNHN-ht] [TypeL - Pichis, Peru.] [Refs - b3717; b1456]
- a **gentilla** (Schaus), 1902; *Thecla* OD: *Proc. U. S. natn. Mus.* 24(1262):420 [b3948] CG: *Calystryma* [Type: USNM-ht; #5951] [TypeL - Petropolis, Brazil.] [Refs - b0908; b1738; b2606]
- c **genua** Waterhouse, 1941; *Ogyris* OD: *Proc. linn. Soc. N. S. Wales* 66(3/4):237 [b4943] SS: *genoveva* Hewitson, [1854]; *Ogyris* [TypeL - Australia.] [Refs - b1450; b0870; ns1430]
- c **genuba** (Hewitson), 1875; *Myrina* OD: *Ent. mon. Mag.* 12:106 [b2347] SS: *otraeda* (Hewitson), [1863]; *Hypokopelates* [TypeL - Camaroons.] [Refs - b2753; b0836; b4400]
- c **geometrica** Stichel, 1915; *Semomesia* OD: *Deut. ent. Zeit.* 1915:663, pl 20, f 17 or 19 [b4451] SS: *marisa* (Hewitson), [1858]; *Semomesia* [TypeL - San Paulo de Olivença, Amazonas, Brazil.] [Refs - b4474; b4451]

- a **geon** Seitz, [1917], 1910-1924; Euselasia OD: In Seitz, *Grossschmett. Erde* 5:pl 122f [b4093] [TypeL - Not stated.] [Note - Seitz figured what he thought was *eugeon*, but the plate was mislabelled as *geon*. Stichel concluded that the figure was not of the true *eugeon*, but a new species, and accepted the incorrect spelling as the name of this new species.] [Refs - b4474; b4093]
- c **georgi** (Fruhstorfer), 1910; Cyaniris OD: *Stett. ent. Ztg* 71(2):286 [b1843] SS: bazilana (Fruhstorfer), 1910; *Acytolepis* [TypeL - Camiguin de Mindanao, Philippines.] [Refs - b1840; b1580]
- b **georgi** (Fruhstorfer), 1915; Lampides OD: *Arch. Naturgesch.* (A)81(6):38 [b1865] SS: bochus (Stoll), [1782]; *Jamides* [TypeL - Philippines.] [Refs - b4094; b1865]
- b **georgi** Fruhstorfer, 1916; *Nacaduba* OD: *Zoöl. Meded.* 2(2):110 or 111 [b1873] SS: pavana (Horsfield), [1828]; *Nacaduba* [TypeL - E. Mindanao, Philippines.] [Refs - b4676; b0938; b4094; b1454]
- b **georgi** Fruhstorfer, [1919]; Spalgis OD: *Arch. Naturgesch.* (A)83(1):76 [b1888] SS: epeus (Westwood), [1851]; Spalgis [TypeL - Bohol.] [Refs - b1840; b4108]
- c **georgiana** Ribbe, 1899; *Curetis* OD: *Deut. ent. Zeit.* [Iris] 12:248 [b3738] SS: solita Butler, 1882; *Curetis* [Refs - b1450; b4094; b1865]
- c **georgiana** (Ribbe), 1899; Lampides OD: *Deut. ent. Zeit.* [Iris] 12:227 [b3738] SS: areas (H. H. Druce), 1891; *Jamides* [Type: SMT-lt; designated by Takanami, 1989] [Tyô to Ga 40(1):50 [b4602]] [TypeL - New Georgia.] [Refs - b1450; b4094; b4602 (as georgiana)]
- c **georgias** Piepers & Snellen, 1918; *Arhopala* OD: *Rhop. Java - Ery., Lyc.* :70 [b3601] SS: zambra Swinhoe, 1911; *Arhopala* f [TypeL - Java.] [Refs - b1644; b4094]
- e **georgica** (Forster), 1936; *Lycaena* OD: *Mitt. münchn. ent. Ges.* 26:132 [b1758] SS: tscherkessica (Forster), 1936; *Plebejus* [TypeL - Georgia.] [Refs - b0074]
- e **georgina** Takanami, 1989, (ISS); *Jamides* OD: Tyô to Ga 40(1):50 [b4602] SS: georgiana (Ribbe), 1899; *Jamides* [Refs - b4602]
- b **georgius** Fruhstorfer, [1912]; *Hypolycaena* OD: *Berl. ent. Z.* 56(3/4):239 [b1850] SS: erylus (Godart), [1824]; *Hypolycaena* [TypeL - Sulu Archipelago.] [Refs - b4094; b1454; b1850]
- b **georgius** Fruhstorfer, 1913; *Allotinus* OD: *Z. wiss. Insektbiol.* 9(12):368 [b1851] SS: unicolor Felder & Felder, 1865; *Allotinus* (Paragerydus) [Type: SMF-ht] [TypeL - Bohol, Philippines.] [Refs - b1840; b1571]
- b **gerasa** (Fruhstorfer), 1918; *Castalius* OD: *Tijdschr. Ent.* 61:42 [b1884] SS: caleta (Hewitson), [1876]; *Caleta* [TypeL - Camiguin de Mindanao, Philippines.] [Refs - b1840; b1454; b4147 (as garasa :155)]
- a **gerda** (Kirby), 1890; *Durbania* OD: *Ann. Mag. nat. Hist.* (6)6:265 [b2766] CG: *Toxochitona* [TypeL - Cameroons.] [Type of - *Toxochitona*] [Refs - b2280; b1452; b2766; b4388; b4400]
- c **gerhardi** (Staudinger), 1894; *Thecla* OD: *Deut. ent. Zeit.* [Iris] 7:241 [b4340] SS: acaciae (Fabricius), 1787; *Satyrium* [Refs - b3778; b0995 (as ab.); b4092]
- b **gerhardi** Mengel, 1902; *Necyria* OD: *Ent. News* 13(6):177, pl 8 [b3154] SS: saundersii (Hewitson), 1854; *Necyria* [TypeL - Peru.] [Refs - b4474]
- e **ab. gerhardii** (Hirschke), 1910; *Chrysophanus* OD: *Verh. zool.-bot. Ges. Wien* 60:412 [b2397] SS: alciphron (Rotenburg), 1775; *Lycaena* (*Alciphronia*) [Refs - b0236; b0389; b0471]
- a **gerina** Hewitson, [1878], 1863-1878; *Epitola* OD: *Ill. dium. Lep. Lycaenidae Suppl.*:19 [b2326] [Refs - b3842; b1452; b4400]
- e **geris** (Doubleday), 1847, 1844-1848, (NN); *Calospila* OD: *List Spec. lep. Brit. Mus.* (2):15 [b1327] SS: aemulius (Fabricius), 1793; *Catocyclotus* [Refs - b4475]
- e **germanella** (Verity), 1926, 1926-1933, (RA); *Agriades* OD: *Ent. Rec.* 38:125 [b4844] SS: coridon (Poda von Neuhaus), 1761; *Polyommatus* (*Lysandra*) [Type: MZS-st] [TypeL - Bavaria.] [Refs - b2856; b0236; b0471; b4038]
- b **germaniciae** (Pfeiffer), 1932; *Lycaena* OD: *In Mitt. münchn. ent. Ges.* 22(1):41 [b3590] SS: loewii (Zeller), 1847; *Polyommatus* (*Plebejidea*) [TypeL - N. Syria.] [Refs - b0070]
- b **germanus** (Godman & Salvin), [1886], 1879-1901; *Nymphidium* OD: *Biol. centr.-amer., Lep. Rhop.* 1:478 [b1975] SS: lycorias (Hewitson), [1853]; *Thisbe* [TypeL - Colombia.] [Refs - b4475; b1456]
- a **gerontes** (Fabricius), 1781, 1781-1782; *Papilio* OD: *Spec. Ins.* 2:117 [b1655] CG: Abisara [Type: BMNH-ht; Banks collection.] [TypeL - Africa aequinoctial.] [Refs - b2988; b2747; b4473; b1452; b0836; b5076]
- c **gerra** (Fruhstorfer), 1915; Lampides OD: *Arch. Naturgesch.* (A)81(6):11 [b1865] SS: kondulana (C. Felder), 1862; *Jamides* [Type: BMNH-st] [TypeL - Palawan.] [Note - Takanami says the BMNH syntype is *virgulatus*.] [Refs - b4094; b1865; b1454 (with elpis)]
- a **gerres** (Thieme), 1907; *Drepanula* OD: *Berl. ent. Z.* 52:10, pl 1, f 20 [b4640] CG: Roerberella [TypeL - Colombia.] [Refs - b2988; b4475; b1456]
- a **gertraudis** Stichel, 1910; *Mesosemia* OD: *Gen. Insectorum* 112(A):49, pl 24, f 6c [b4446] [Type: pc-ht; collection of Stichel] [TypeL - Pachitea, Peru.] [Refs - b4474; b1456; b4446]
- a **gertrudes** (Schröder & Treadaway), 1978; *Jacoona* OD: *Ent. Zeit.* 88(14):154, f 4 [b3975] CG: *Neocheritra* [Type: pc-ht; collection of Treadaway.] [TypeL - Mt. Apo, Mindanao, Philippines.] [Refs - b2199; b3975; b1454]
- b **gertschi** (dos Passos), 1938; *Plebeius* OD: *Can. Ent.* 70(3):46, pl 2, f 5-8 [b1314] SS: saepiolus (Boisduval), 1852; *Plebejus* (*Icaricia*) [Type: AMNH-ht] [TypeL - Cedar Breaks, near Cedar City, Utah.] [Refs - b0908; b4688; b1711; b3192; b1743; b1321; b4690; b0493; b4066]
- c **gerydomaculata** (Rothschild), 1915; *Nacaduba* OD: *Novit. zool.* 22:139 [b3878] SS: gracilis (Röber), [1886]; *Prosotas* [Type: BMNH-ht] [TypeL - Central Ceram.] [Refs - b4676; b4094]
- c **geryon** Staudinger, [1887], 1884-1888; Abisara OD: *In Exot. Schmett.* 1:239; 2:pl 88 [b4329] SS: rogersi H. Druce, 1878; Abisara [TypeL - Angola.] [Refs - b4473]
- b **gesa** Corbet, 1941; *Arhopala* OD: *Proc. R. ent. Soc. Lond.* (B)10(9):157 [b0956] SS: agesilaus (Staudinger), 1889; *Arhopala* b [Type: BMNH-ht] [TypeL - Langkawi Island.] [Refs - b1644; b1564; b0956; b2200; b1454]
- b **geta** Fawcett, 1897; *Pontia* OD: *Ann. Mag. nat. Hist.* (6)20:112 [b1672] SS: phama H. H. Druce, 1895; *Pontia* [TypeL - Toungoo, Burma.] [Refs - b1636; b4094; b1454; b1573; b0694]
- b **gethusus** (Fruhstorfer), [1915], 1909-1923; *Gerydus* OD: *In Seitz, Grossschmett. Erde* 9:816 [b1840] SS: mallus (Fruhstorfer), 1913; *Miletus* 1 [TypeL - Tonkin.] [Refs - b1840; b1571]
- a **getus** (Fabricius), 1787; *Papilio* OD: *Mantissa Ins.* 2:66 [b1656] CG: *Thecla* (New World *Euracini*) [TypeL - Surinami.] [Refs - b0908; b2988; b2747; b2221; b3818 (in Brangas); b5076]
- a **geza** Fruhstorfer, [1904]; Abisara OD: *Berl. ent. Z.* 48(4):287 [b1817] [Type: BMNH] [Refs - b0964; b2988; b0294; b0965; b4473; b1454; b1840]

- a **ghanana** Stempffer, 1964; *Iridana* OD: Bull. Inst. franç. Afr. Noire 26(A):1249 [b4397] [TypeL - Uganda.] [Refs - b1452; b4400]
- b **ghela** Fruhstorfer, [1912]; *Deudorix* OD: Berl. ent. Z. 56(3/4):267 [b1850] SS: perse Hewitson, [1863]; *Deudorix* (*Virachola*) [TypeL - Ceylon.] [Refs - b1636; b4094; b1454; b1850; b0694]
- a **ghesquierei** Roche, 1954; *Epitola* OD: Bull. Br. Mus. nat. Hist. (Ent.) 3:498, pl 22, f 33-34 [b3842] [Type: BMNH-ht] [TypeL - Eala, Belgian Congo.] [Note - Not spelled ghesquieri.] [Refs - b3842; b1452; b2564 (as ghesquieri); b4400]
- e **ghesquieri** Jackson, 1965, (ISS); *Epitola* OD: Ann. Mag. nat. Hist. (13)7:697 [b2564] SS: ghesquierei Roche, 1954; *Epitola* [Refs - b2564]
- b **ghimirra** Talbot, 1935; *Cacyreus* OD: Ent. mon. Mag. 71:148, pl 2, f 20 [b4623] SS: palemon (Stoll), [1782]; *Cacyreus* [TypeL - Abyssinia.] [Refs - b0714; b1452; b4623; b4400]
- a **giapor** Schaus, 1902; *Thecla* OD: Proc. U. S. natn. Mus. 24(1262):407 [b3948] CG: *Thecla* (New World Eumaeini) [Type: USNM-ht; #5921] [TypeL - Sao Paulo, Brazil.] [Refs - b0908; b3948]
- a **gibberosa** Hewitson, [1867], 1863-1878; *Thecla* OD: Ill. diurn. Lep. Lycaenidae 1:85; 2:pl 33, f 48,49 [b2326] CG: *Thecla* (New World Eumaeini) [Type: BMNH] [TypeL - New Grenada.] [Refs - b0908; b4245; b2747; b1453]
- e **ab. gibboni** (Gunder), 1927; *Lycaena* OD: Can. Ent. 59(12):284, pl A, f 13 [b2099] SS: dione (Scudder), 1868; *Gaeides* [Type: CNC-ht] [TypeL - Maniota, Manitoba.] [Refs - b0908; b0825; b0065; b3192; b1321]
- a **giganta** Johnson, 1993; *Crimsinota* OD: Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (32):42, f [b2614] [Type: MPM-ht] [TypeL - Umuarama, São Paulo State, Brazil.] [Refs - b2614]
- b **gigantipina** (Beuret), 1961; *Agrïades* OD: Lyc. Schweiz. III :389, f [b0410] SS: glandon (Prunner), 1798; *Polyommatus* (*Agrïades*) [TypeL - Switzerland.] [Refs - b0410; b4355]
- a **gigantea** Hewitson, [1867], 1863-1878; *Thecla* OD: Ill. diurn. Lep. Lycaenidae 1:83; 2:pl 32, f 43,44 [b2326] CG: *Thecla* (New World Eumaeini) [Type: BMNH] [TypeL - Pará, Brazil.] [Refs - b0908; b2747]
- a **gigantea** (Grum-Grshimailo), 1885; *Lycaena* OD: In Romanoff, Mém. Léop. 2:215 [b2064] CG: *Iolana* [Type: BMNH-ht] [TypeL - Utsch-Kurgan, Alai, RSS du Tadjikistan, U.R.S.S.] [Refs - b0993; b1762; b2827; b0236; b0400; b0320; b4092; b1455; b2239]
- a **gigantea** (Trimen), 1898; *Lycaena* OD: Trans. ent. Soc. Lond. 46(1):4, pl 1, f 2,3 [b4731] CG: *Lepidochrysops* [TypeL - Mashonaland.] [Check - Primary homonym in need of a replacement.] [Refs - b1259; b1452; b4400; b3567; b0359]
- b **gigantea** Stichel, 1915; *Mesosemia* OD: Deut. ent. Zeit. 1915:689 [b4451] SS: steli Hewitson, [1858]; *Mesosemia* [Type: pc-st; collection of Stichel] [TypeL - Amazonas, Brazil.] [Refs - b4474; b1456]
- b **gigantea** (Tyler), 1926; *Horsfieldia* OD: J. Bombay nat. Hist. Soc. 31(3):587 [b4773] SS: anita Hewitson, 1862; *Amblypodia* [TypeL - Manipur Valley.] [Refs - b1454; b0694]
- a **gigantea** Johnson & Eisele & MacPherson, 1988; *Calycopis* OD: Bull. Allyn Mus. (123):11, f 5A,5B,14A,15B [b2623] [Type: IML-ht] [TypeL - San Ramón, Tucuman Province, Argentina.] [Refs - b2623; b2606]
- a **gigantes** (de Nicéville), 1894; *Gerydus* OD: J. asiat. Soc. Bengal, Pt II 63(1):23, pl 5, f 1,13 [b1158] CG: *Miletus* 4 [TypeL - Sumatra.] [Refs - b0964; b1546; b3498; b1454; b1571; b1840]
- a **giganteus** (Distant), 1881; *Iolaus* OD: Ent. mon. Mag. 17:245 [b1283] CG: *Purilisa* [TypeL - Penang.] [Type of - *Purilisa*] [Refs - b0964; b1636; b2280; b0965; b4094; b1850; b1454; b0694]
- a **giganteus** Röber, 1927; *Eumaeus* OD: Int. ent. Z. 21:105, pl opp. p 182, f 5 [b3837] [Type: pc; Niepelt collection.] [TypeL - Macas, Ecuador.] [Refs - b0908]
- c **gigas** (Staudinger), 1871; *Lycaena* OD: In Staud. & Wocke, Cat. Lep. Eur. :10 [b4323] SS: loewii (Zeller), 1847; *Polyommatus* (*Plebejidea*) [TypeL - Lydia.] [Refs - b2747; b0995; b2794; b4094; b4092; b0471]
- a **gigas** Godman & Salvin, 1878; *Pachythone* OD: Proc. zool. Soc. Lond. 1878(2):364 [b1973] [TypeL - Panama.] [Refs - b2988; b4475; b1456; b4446]
- b **gigas** (H. H. Druce), 1895; *Gerydus* OD: Proc. zool. Soc. Lond. 1895(3):559, pl 31, f 3 [b1362] SS: ancon (Doherty), 1889; *Miletus* 4 [TypeL - Kinabalu, Borneo.] [Refs - b1546; b0965; b1362; b1840; b4108]
- c **gigas** Bethune-Baker, 1914; *Megalopalpus* OD: Trans. ent. Soc. Lond. 62(2):335, pl 58, f 9,9a [b0351] SS: simplex Röber, [1886]; *Megalopalpus* [Type: BMNH-st] [TypeL - Cameroun/Gabon.] [Refs - b4400; b1571]
- a **gigas** (Hemming), 1928; *Lycaenopsis* OD: Proc. ent. Soc. Lond. 3(1):29, pl 2, f 3 [b2233] CG: *Celastrina* [Type: BMNH-ht] [TypeL - Mussoorie, India.] [Refs - b2233; b1580; b0400]
- a **gilberti** Waterhouse, 1903; *Candalides* OD: Proc. linn. Soc. N. S. Wales 28(1):181 [b4934] [TypeL - Port Darwin, Australia.] [Refs - b4677; b1450; b2078; b0870; b4934]
- b **gilgitica** (Tyler), 1926; *Lycaena* OD: J. Bombay nat. Hist. Soc. 31(3):584, pl 1, f 7 [b4773] SS: metallica (Felder & Felder), 1865; *Polyommatus* (*Albulina*) [TypeL - Pakistan.] [Refs - b0694; b4773; b0471; b1455]
- b **gilgitica** (Tyler), 1926; *Polyommatus* OD: J. Bombay nat. Hist. Soc. 31(3):586, pl 1, f 16 [b4773] SS: gigantea (Grum-Grshimailo), 1885; *Iolana* [TypeL - Yasin, Gilgit, Kashmir, Pakistan.] [Refs - b0236; b0065; b0320; b4773; b0694; b0471; b2239]
- a **gilletti** Riley, 1925; *Aphantis* OD: Novit. zool. 32:85, f [b3759] [TypeL - Somaliland.] [Note - Not spelled gillettii.] [Refs - b1452 (as gillettii); b4400]
- e **gillmeri** Krod., 1904; *Polyommatus* OD: Ent. Zeit. 18(14):54 [b2840] SS: damon ((Denis & Schiffmüller)), 1775; *Polyommatus* (*Agrodiaetus*) [Refs - b4092]
- a **gilloni** Stempffer, 1966; *Aphnaeus* OD: Bull. Inst. fond. Afr. Noire 28(A):1575, f 10,11 [b4399] [TypeL - Ivory Coast.] [Refs - b1452; b4409; b4400]
- a **gillottae** Riley, 1924; *Erora* OD: Entomologist 57:88 [b3757] [TypeL - Mt. Irazu, 2 miles N. of Cartago, Costa Rica.] [Refs - b0908; b0115]
- c **gilolensis** Felder & Felder, 1865, 1865-1875; *Arhopala* OD: Reise Novara (2):225 [b1692] SS: tyrannus Felder & Felder, 1865; *Arhopala* e [Type: BMNH-ht] [TypeL - Gilolo.] [Refs - b1644; b1450; b2747]
- b **gina** Higgins, 1958; *Polyommatus* OD: Entomologist 91:43 [b2369] SS: icarius (Esper), [1789]; *Polyommatus* (*Plebicula*) [Type: BMNH-ht] [TypeL - Sersang, N. Iraq.] [Refs - b2788; b4247; b2369]
- b **ginzii** (Seok), 1936; *Zephyrus* OD: Zool. Mag. 48:60, pl 2, f 3,4 [b4112] SS: superans (Oberthür), 1914; *Protantigius* [TypeL - Japan.] [Refs - b4115; b3361; b4214]
- b **girschtschi** (Schneeur), 1934; *Lycaena* OD: Ent. Zeit. 48(6):45 [b3969] SS: icarus (Rottemburg), 1775; *Polyommatus* [TypeL - Tunisia.] [Refs - b0072]

- c *girthii* Dewitz, 1886; *Liptena* OD: Deut. ent. Zeit. 30(2):428, pl 2, f 7 [b1221] SS: *ideoides* Dewitz, 1886; *Liptena* [TypeL - W. Africa.] [Refs - b0836; b1221; b4400]
- b *gisca* (Fruhstorfer), 1910; *Cyaniris* OD: Stutt. ent. Ztg 71(2):285 [b1843] SS: *puppa* (Horsfield), [1828]; *Acytolepis* [Type: BMNH-lt; designated by Eliot & Kawazoé, 1983] [Buts *Lycaenopsis* group :174 [b1580]] [TypeL - Sikkim, India.] [Refs - b1636; b1840; b1580; b2200; b3910]
- b *giscon* Fruhstorfer, [1912]; *Hypolycaena* OD: Berl. ent. Z. 56(3/4):239 [b1850] SS: *sipylus* (C. Felder), 1860; *Hypolycaena* [TypeL - Celebes.] [Refs - b4094 (+ as *giseon*); b1850; b1454]
- b *gisela* (Püngeler), 1901; *Lycaena* OD: Deut. ent. Zeit. [Iris] 14:180, pl 2, f 12 [b3663] SS: *prosecusa* (Erschoff), 1874; *Cupido* [TypeL - Chinese Turkestan.] [Refs - b0995; b1762; b2827 (as species); b4092]
- b *gisella* (Staudinger), [1888], 1884-1888; *Lycaena* OD: In Exot. Schmetz. 1:272 [b4329] SS: *helena* (Snellen), 1887; *Philiris* [TypeL - Northern Moluccas.] [Refs - b4677; b1450; b2078 (pl 145g, as *grandissima*); b3835]
- c *giseon* Seitz, [1926], 1912-1927, (ISS); *Hypolycaena* OD: In Seitz, Grossschmetz. Erde 9:985 [b4094] SS: *giscon* Fruhstorfer, [1912]; *Hypolycaena* [Refs - b4094]
- a *gispa* Hewitson, [1865], 1863-1878; *Thecla* OD: Ill. diurn. Lep. Lycaenidae 1:75; 2:pl 30, f 25 [b2326] CG: *Thecla* (New World Eumaeini) [Type: BMNH] [TypeL - Amazon.] [Refs - b0908; b2747]
- a *gitte* Bennett, 1969; *Falcuna* OD: Entomologist 102:143, f 5,6,7 [b0299] [Type: BMNH-ht] [TypeL - Ilaro Forest, Western Nigeria.] [Refs - b0299; b1452]
- a *gizela* (Hewitson), [1877], 1863-1878; *Thecla* OD: Ill. diurn. Lep. Lycaenidae 1:197; 2:pl 78, f 631,632 [b2326] CG: *Terminospinissima* [Type: BMNH-lt; designated by Johnson, 1991] [Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (21):21 [b2606]] [TypeL - Bolivia.] [Refs - b0908; b2753; b0278; b0125; b2606]
- c *glaciata* (Verity), 1921, 1919-1922, (RA); *Aricia* OD: Ent. Rec. 33:174 [b4840] SS: *chiron* (Rottemburg), 1775; *Plebejus* (Eumedonia) [Refs - b2856; b0107 (as ssp); b0236; b0410; b0471]
- c *glacilis* Sakai, 1981, (ISS); *Polyommatus* OD: Buts Afghanistan :261 [b3910] SS: *gracilis* (Evans), 1912; *Polyommatus* [Refs - b3910; b0205]
- a *glagoessa* (Holland), 1893; *Tingra* OD: Ent. News 4(1):22, pl 1, f 4 [b2427] CG: *Pentila* [TypeL - W. Africa.] [Refs - b1452; b4420; b4400]
- a *glandon* (Prunner), 1798; *Papilio* OD: Lep. Pedemont. :76 [b3657] CG: *Polyommatus* (*Agríades*) [Type of - *Agríades*, *Latorina*] [Note - Placed on Official List (#91) by Op 270.] [Refs - b2280; b2375; b3059; b2747; b3325; b0995; b2827; b1780; b1762; b0236; b3192; b0410; b2300; b0400; b1724; b2417; b0493; b1743; b2794; b4066; ns0370; b3151; b2522]
- c *glaphyra* (Saunders), [1850]; *Erycina* OD: Trans. ent. Soc. Lond. (1)(5)(9):222, pl 21, f 3,3a [b3938] SS: *aulestes* (Cramer), [1777]; *Ancylyrus* [Refs - b2747; b4474; b3938]
- a *glaphyra* Westwood, [1851], 1846-1852; *Lemonias* OD: In Gen. diurn. Lep. (2):pl 71, f 3, (:458) [b4981] CG: *Lemonias* [TypeL - Brasilia.] [Refs - b2988; b2747; b4475; b1456]
- a *glauca* (Godman & Salvin), [1886], 1879-1901; *Lemonias* OD: Biol. centr.-amer., Lep. Rhop. 1:460; 3:pl 44, f 20 [b1975] CG: *Adelotypa* [TypeL - Costa Rica.] [Refs - b2988; b4475; b1456]
- a *glauca* (Trimen), 1887, 1887-1889; *Lycaena* OD: In Trimen & Bowker, S. Afr. Butts 2:21 [b4725] CG: *Lepidochrysois* [Type: BMNH-st] [TypeL - Transvaal, S. Africa.] [Refs - b1943; b1259; b1452; b4400; b0359]
- d *glauca* (Snellen), 1892, (H); *Lycaena* OD: Tijdschr. Ent. 35:142 [b4265] OS: *glaucônia* (Snellen), 1901; *Nacaduba* [TypeL - Java.] [Refs - b4676; b0938; b4094; b4265]
- e *glaucaargester* (Verity), 1939, (RA); *Lysandra* OD: *Lambillionea* 39:222 [b4861] SS: *argester* (Bergsträsser), [1779]; *Polyommatus* (*Plebicula*) [Type: MZS-st] [TypeL - Not stated.] [Refs - b2856; b0077]
- b *glaucescens* Talbot, 1929; *Emesis* OD: Bull. Hill Mus. 3(1):83, pl 3, f 1 [b4618] SS: *lucinda* (Cramer), [1775]; *Emesis* [Type: BMNH-ht] [TypeL - Moutepa, Putumayo, South Colombia.] [Refs - b4475; b4618; b1456]
- a *glaucias* (Lederer), 1872; *Lycaena* OD: Horae Soc. ent. ross. 8:10, pl 1, f 6-7 or 8 [b2957] CG: *Polyommatus* (*Paragrodiaetus*) [TypeL - Persia.] [Type of - *Paragrodiaetus*] [Refs - b2747; b0993; b1762; b2827; b0109; ns3862; b3910; b4092; b0205]
- a *glauцина* Stichel, 1928; *Dysmathia* OD: Z. wiss. InsekBiol. 23:41 [b4468] [TypeL - Amazonas.] [Refs - b4475; b1456]
- e *glaucoibühris* (Sharp), [1912], (ISS); *Echenais* OD: Zool. Rec. 48(1911)(Ins.):202 [b4141] SS: *alector* (Butler), [1867]; *Adelotypa* [Refs - b4141]
- e *glaucoibrihis* (Stichel), 1910, (IFS); *Echenais* OD: Berl. ent. Z. 55(1/2):31 [b4445] SS: *alector* (Butler), [1867]; *Adelotypa* [TypeL - Peru.] [Refs - b4475; b4141 (as *glaucoibühris*)]
- a *glaucoconia* Stichel, 1911; *Dysmathia* OD: Gen. Insectorum 112(B):312, pl 27, f 87 [b4447] [Type: BMNH-ht] [TypeL - British Guyana.] [Refs - b4475; b1456; b4446]
- a *glaucoma* Geyer, [1837], 1832-1837; *Periplacis* OD: In Zutr. Samml. exot. Schmetz. 5:32, pl [159], f 927,928 [b1934] [TypeL - Brasilia.] [Type of - *Periplacis*] [Refs - b2988; b2280; b2747; b4475; b1456]
- b *glaucoma* Stichel, 1909; *Mesosemia* OD: Berl. ent. Z. 54(1/2):18 [b4444] SS: *ama* Hewitson, 1869; *Mesosemia* [TypeL - Bolivia.] [Refs - b4474]
- b *glaucon* (Edwards), [1871]; *Lycaena* OD: Trans. amer. ent. Soc. 3(3/4):210 [b1501] SS: *batooides* (Behr), 1867; *Euphilotes* [Type: AMNH-lt; designated by Brown, 1970] [Trans. amer. ent. Soc. 96:409 [b0510]] [TypeL - Storey County, Nevada. Restricted by Brown, 1970.] [Refs - b0908; b2753; b3192; b1743; b1501; b1321; b4066]
- a *glaucônia* (Snellen), 1901; *Lycaena* OD: Tijdschr. Ent. 43:264 [b4268] CG: *Nacaduba* [Type: biblio; replacement for *glauca* Snellen, 1892.] [TypeL - Java.] [Refs - b4676; b0938; b1454; b4594; b4268; b2387; b2388]
- a *glauconia* (Bates), [1868]; *Charis* OD: J. linn. Soc. Lond., Zool. 9:393 [b0267] CG: *Argyrogrammana* [TypeL - Ega.] [Refs - b2747; b4474; b1456]
- a *glaucopis* (Grose-Smith), 1894; *Thysonotis* OD: Novit. zool. 1:575 [b2037] CG: *Danis* [TypeL - New Guinea.] [Refs - b1450; b2078; b2388]
- b *glaucosmia* Hewitson, 1870, 1869-1877; *Imelda* OD: Equatorial Lep. Buckley (4):56 [b2330] SS: *mycea* (Hewitson), [1865]; *Imelda* [TypeL - Ashpiyaco, Ecuador.] [Type of - *Imelda*] [Refs - b2988; b2280; b2747; b4475; b0117; b0678; b1456]
- a *glaucus* Butler, [1886]; *Iolaus* OD: Proc. zool. Soc. Lond. 1885(4):766 [b0633] CG: *Iolaus* (*Epamera*) [TypeL - Somali.] [Note - *Larsen rejects all subspecies.*] [Refs - b1452; b0293; b2898; b2901; b4400]
- a *glenis* Holland, 1900; *Nacaduba* OD: Novit. zool. 7:75 [b2431] [TypeL - Buru.] [Refs - b4676; b2431]
- b *glennudai* Schröder & Treadaway, 1989; *Pontia* OD: Ent. Zeit. 99(19):277, f 4 [b3989] SS: *philota* Hewitson, 1874; *Pontia* [Type: pc-ht; collection of Treadaway.] [TypeL - Temate, Cavite, C. Luzon, Philippines.] [Refs - b3989]

- e *glisa* Doubleday, 1847, 1844-1848, (NN); Mesene OD: List Spec. lep. Brit. Mus. (2):7 [b1327] [Refs - b4474]
- b *gloria* (Evans), 1957; Narathura OD: Bull. Br. Mus. nat. Hist. (Ent.) 5(3):95 [b1644] SS: muta (Hewitson), 1862; Arhopala b [Type: BMNH-ht] [TypeL - Nias.] [Refs - b1644; b1454]
- b *gloriel* (Hulstaert), 1924; Lampides OD: Anns Soc. ent. Belg. 64:80 [b2495] SS: aruensis (Pagenstecher), 1884; Jamides [TypeL - Kei Island.] [Refs - b4671; b1450; b3796]
- b *gloriosa* Moore, [1884]; Curetis OD: Proc. zool. Soc. Lond. 1883(4):523, pl 48, f 1 [b3235] SS: saronis Moore, 1877; Curetis [Type: BMNH-ht] [TypeL - Silhet.] [Refs - b1636; b1153; b0936; b4094; b3235; b1454 (with thetis); b0694 (with thetis)]
- a ♂ *gloriosa* (Bethune-Baker), 1908; Candalides OD: Proc. zool. Soc. Lond. 1908(1):121 only [b0340] CG: Philiris [TypeL - Angabunga River, New Guinea.] [Refs - b4677; b2078]
- c ♀ *gloriosa* (Bethune-Baker), 1908; Candalides OD: Proc. zool. Soc. Lond. 1908(1):121, pl 8, f 3 [b0340] SS: agatha (Grose-Smith), 1899; Philiris [Type: BMNH-ht] [TypeL - Angabunga River, New Guinea.] [Refs - b4677; b1450; b2078]
- b *gloriosa* Fruhstorfer, [1912]; Semanga OD: Berl. ent. Z. 56(3/4):235 [b1850] SS: superba (H. Druce), 1873; Semanga [TypeL - Java.] [Refs - b1454; b1850; b4094]
- a *gloriosa* Lathy, 1930; Thecla OD: Trans. ent. Soc. Lond. 78(1):134, pl 9, f 5 [b2921] CG: Thecla (New World Eumaeini) [Type: MNHN-ht; Fournier collection.] [TypeL - Rio Micaí-Joly, Chocó, Colombia.] [Refs - b0908; b2591; b2592]
- a *gloriosa* Johnson & Kroenlein, 1993; Rubroserrata OD: Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (34):24, f [b2628] [Type: BMNH-ht] [TypeL - Balzapamba, Prov. de Bolivar, Ecuador.] [Refs - b2628]
- a *glorissima* Johnson & Salazar E., 1993; Strymon OD: Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (26):2, pl 2, f 3AB; f 1AB [b2641] [Type: BMNH-ht] [TypeL - Bogota, Colombia.] [Refs - b2641; b2629]
- a *gloveri* Hawker-Smith, 1929; Oxyliodes OD: Bull. Hill Mus. 3(3):234 [b2167] [Type: BMNH-ht] [TypeL - Sanga River, Nola-Byanga, French Congo.] [Refs - b1452; b2167; b4400 (cp)]
- b *glycon* (Corbet), 1940; Everes OD: Entomologist 73:41 [b0951] SS: potanini (Alphéraky), 1889; Tongeia [TypeL - Langkawi Islands.] [Refs - b0964; b0965]
- c *glypha* Fruhstorfer, 1914; Logania OD: Z. wiss. Insektbiol. 10(1):24 [b1855] SS: javanica Fruhstorfer, 1914; Logania [Type: BMNH-ht; designated by Eliot, 1986] [Bull. Br. Mus. nat. Hist. (Ent.) 53(1):67 [b1571]] [TypeL - Java.] [Refs - b1855; b1840; b1571]
- c *gneris* (Westwood), [1851], 1846-1852; Mesosemia OD: In Gen. diurn. Lep. (2):454, pl 71, f 6 [b4981] SS: capanea (Cramer), [1779]; Semomesia [Refs - b2747; b4474]
- a *gnidus* (Fabricius), 1787; Papilio OD: Mantissa Ins. 2:64 [b1656] CG: Helicopsis [Type: biblio; replacement for acis Fabricius, [1782].] [TypeL - Surinami.] [Type of - Helicopsis [Illiger], Rusticus] [Refs - b2280; b1601 (as acis); b5076; b1456]
- c *gnoma* (Snellen), 1876; Lycaena OD: Tijdschr. Ent. 19:159, pl 7, f 1 [b4258] SS: trochylus (Freyer), 1845; Chilades (Freyeria) [TypeL - Java.] [Refs - b2753; b0995; b4934]
- a *gnosia* Hewitson, 1868; Thecla OD: Descr. new Spec. Lycaenidae :9 [b2327] CG: Thecla (New World Eumaeini) [Type: BMNH] [TypeL - Not stated.] [Refs - b0908; b2747]
- c *gnosis* (Boisduval), 1836; Nymula OD: Spec. gén. Lépid. 1:pl 20 [=4C], f 4 [b0462] SS: tytia (Cramer), [1777]; Synargis [TypeL - Cayenne.] [Type of - Nymula] [Refs - b2280; b2747; b4475]
- b *goberus* (Fruhstorfer), 1916; Lycaenesthes OD: Zoöl. Meded. 2(2):97 [b1872] SS: emolus (Godart), [1824]; Anthene [TypeL - Borneo.] [Refs - b4679; b0964; b0965; b1840; b1564; b1454; b4209; b4108]
- b *godarti* Fruhstorfer, 1918; Castalius OD: Tijdschr. Ent. 61:27 [b1884] SS: rosimon (Fabricius), 1775; Castalius [TypeL - Malay Archipeligo.] [Refs - b1450; b1840; b4108]
- b *godarti* (Field), 1938; Strymon OD: J. Kansas ent. Soc. 11(4):129 [b1735] SS: calanus (Hübner), [1809]; Satyrium [Type: USNM-ht] [TypeL - Rosemont, Teller County, Colorado.] [Refs - b1321 :58; b0908; b4688; b3192; b2417; b0493; b1743; b0512; b4065; b4690]
- a *godartii* (Boisduval), 1870; Eumenia OD: Consid. Lépid. Guatemala :13 [b0469] CG: Eumaeus [TypeL - Central America.] [Refs - b0908; b2747; b1975; b2918]
- c *godartii* (Boisduval), 1870; Nelone OD: Consid. Lépid. Guatemala :24 [b0469] SS: fastidiosa Ménétriés, 1855; Emesis [TypeL - Brazil.] [Refs - b2747; b4475; b1456]
- b *godeffroyi* (Semper), [1879]; Lycaenesthes OD: J. Mus. Godeffroy 5(2)(14):165 [b4109] SS: lycaenoides (C. Felder), 1860; Anthene [TypeL - Bowen and Cooktown, Australia.] [Refs - b4679; b1450; b1840; b0870; b4940; b4788; b4785]
- a *godmani* Goodson, 1945; Thecla OD: Entomologist 78:169 [b1998] CG: Thecla (New World Eumaeini) [Type: BMNH] [TypeL - Chisoy Valley, Guatemala.] [Refs - b0908]
- a *godmanii* Dewitz, 1877; Pandemos OD: Mitt. münchn. ent. Verh. 1:89 or 90, pl 2, f 7 [b1217] [TypeL - Vera Cruz, Mexico.] [Refs - b4475; b1456]
- a *golbachii* Johnson & Eisele & MacPherson, 1990; Strymon OD: Bull. Allyn Mus. (130):8, f [b2624] [Type: MNHN-ht] [TypeL - Mendoza, Argentina.] [Refs - b2624]
- a *goleta* (Hewitson), [1877], 1863-1878; Thecla OD: Ill. diurn. Lep. Lycaenidae 1:203; 2:pl 81, f 666,667 [b2326] CG: Solanorum [Type: BMNH-ht] [TypeL - New Granada (Colombia).] [Refs - b0908; b2753; b0125; b2611]
- a *golgus* (Hübner), [1813], 1796-1838; Papilio OD: Samml. europ. Schmett. 1:pl 136, f 688-689 [b2480] CG: Polyommatus (Plebicula) [TypeL - Sierra Nevada, southern Spain.] [Refs - b2375; b3059; b2794; b1136; b2859; ns1185; b1455; b3267]
- a *goliathensis* Tite, 1963; Philiris OD: Bull. Br. Mus. nat. Hist. (Ent.) 14(5):250 [b4677] [Type: BMNH-ht] [TypeL - Mt. Goliath, Dutch New Guinea.] [Refs - b4677; b1450]
- b *golona* Fruhstorfer, 1908; Curetis OD: Steu. ent. Ztg 69:50 [b1835] SS: insularis (Horsfield), [1829]; Curetis [Refs - b4094]
- b *gomensis* Dufrane, 1953; Hewitsonia OD: Bull. Anns Soc. ent. Belg. 89:52 [b1410] SS: intermedia Joicey & Talbot, 1921; Hewitsonia [TypeL - Kivu.] [Refs - b4400]
- a *gone* H. H. Druce, 1895; Mahathala OD: Proc. zool. Soc. Lond. 1895(3):593 [b1362] [Type: BMNH-ht] [TypeL - Mongolia.] [Refs - b4094; b1362; b1455]
- c *gonzalezi* (Agenjo), [1969]; Plebejus OD: Graellsia 24:47 [b0021] SS: hispana (Herrich-Schäffer), [1851]; Polyommatus (Lysandra) [TypeL - Calar del Mundo, Riopar, Spain.] [Refs - b1993; b4038]
- a *goodenovii* (Butler), 1876; Lampides OD: Proc. zool. Soc. Lond. 1876(1):252 [b0602] CG: Jamides [TypeL - Espirito Santo, New Hebrides.] [Refs - b2753; b4094 (as goodenovi); b1865 (as goodenovi); b1450; b0602; b2388]

- c *goodi* Holland, 1890; *Epitola* OD: Psyche 5:424 [b2423] SS: *gerina* Hewitson, [1878]; *Epitola* [TypeL - Upper Ogove River, Gaboon.] [Refs - b3842; b1452; b4400]
- b *goodingi* (Tindale), 1965; *Holochila* OD: Rec. S. Aust. Mus. 15(1):166 [b4665] SS: *consimilis* Waterhouse, 1942; *Candalides* [TypeL - Victoria, Australia.] [Refs - b0870]
- a *goodsoni* (Clench), 1946; *Thecla* OD: Entomologist 79:186 [b0824] CG: *Plesiocyanocephrys* [Type: BMNH-ht] [TypeL - Tegucigalpa, Honduras.] [Type of - *Plesiocyanocephrys*] [Refs - b0908; b0528; b1343; b3192; b2585; b4066; b2585; b1455; b2626]
- b *gooraisica* Tytler, 1926; *Polyommatus* OD: J. Bombay nat. Hist. Soc. 31(3):586 [b4773] SS: *sarta* (Alphéraky), 1881; *Polyommatus* [TypeL - Goorais.] [Refs - b1759; b0236; b0065; b0694; b0471; b1455]
- a *gopara* (de Nicéville), 1890; *Gerydus* OD: Butts India Burmah Ceylon 3:25 [b1153] CG: *Miletus* 2 [TypeL - Perak.] [Refs - b0964; b1636; b1153; b1546; b0965]
- a *gordios* Stichel, 1919; *Euselasia* OD: Deut. ent. Zeit. 1919:299 [b4454] [Type: ZMHU-st; pc-ht; collection of Stichel] [TypeL - Yungas, Rio Songo, Brazil.] [Refs - b4474; b1456; b4454]
- b *gordius* (Sulzer), 1776; *Papilio* OD: Abgekürzte Gesch. Ins. 1:146; 2:pl 18, f 7,8 [b4544] SS: *alciophon* (Rottemburg), 1775; *Lycaena* (*Alciophrona*) [TypeL - Africa mer.] [Refs - b2375; b3059; b1213; b0487; b2747; b0996; b1780; b2827; b0236; b0389; ns0387; b4092; b2858]
- c *gordoni* H. H. Druce, 1903; *Epitola* OD: Ann. Mag. nat. Hist. (7)11:70 [b1368] SS: *staudingeri* Kirby, 1890; *Epitola* [TypeL - W. Africa.] [Refs - b3842; b1452; b0836; b4400]
- a *gordoni* (H. H. Druce), 1903; *Pseuderesia* OD: Ann. Mag. nat. Hist. (7)11:69 [b1368] CG: *Liptena* [Refs - b4400; b0162; b1452; b0836]
- b *gorgano* (Wimmeas), 1931; *Lycaena* OD: Ent. Zeit. 45(7):96 [b5019] SS: *dolus* (Hübner), [1823]; *Polyommatus* (*Agrodiaetus*) [Refs - b0069]
- a *gorgias* (Stoll), [1790], 1780-1790; *Papilio* OD: In Cramer, Uil. Kapellen Aanh.:150, pl 33, f 5,5d [b4478] CG: *Leptomyrina* (*Gonatomyrina*) [Refs - b1943; b4400; b1259; b2747; b1452; b3312; b0805; b1235]
- a *gorgon* (Boisduval), 1852; *Polyommatus* OD: Anns Soc. ent. Fr. (2)10:292 [b0467] CG: *Gaeides* [Type: USNM?] [TypeL - Mountains of California.] [Refs - b1530 :224, f 431; b1321 :60; b0908; b3191; b2747; b4220; b3192; b1321; b4066]
- a *gorgoniensis* Johnson & Sourakov, 1993; *Serratofalca* OD: Tropical Lepidoptera 4(2):111, f 3,9 [b2643] [Type: BMNH-ht] [TypeL - Gorgona Island, Colombia.] [Refs - b2643]
- e ♂ *ab. gorgonioi* (Gunder), 1925; *Phaedrotes* OD: Ent. News 36(1):4, pl 1, f P [b2094] SS: *catalina* (Reakirt), 1866; *Glaucoopsyche* [Type: AMNH-ht] [TypeL - San Gorgonio Mts., San Bernardino County, California.] [Refs - b0908; b3192; b1321]
- b *gosseli* (Comstock & Huntington), 1943; *Thecla* OD: Ann. New York Acad. Sci. 45:67, pl 1, f 3 [b0907] SS: *acis* (Drury), [1773]; *Strymon* [Type: AMNH] [TypeL - Don Christopher's Cove, St. Ann, Jamaica, B. W. I.] [Refs - b0908; b0540; b0907; b0833]
- c *ab. gottschalki* (Clark & Clark), 1938; *Strymon* OD: Proc. Biol. Soc. Wash. 51:3 [b0799] SS: *oecrops* (Fabricius), 1793; *Calycopis* [Type: USNM-ht; #52256] [TypeL - Fort Lewis Mountain, Roanoke County, Virginia.] [Refs - b1530 :199, f 376; b1321 :56; b0908; b0799; b3192]
- a *gowani* Tite & Dickson, 1968; *Aloeides* OD: Bull. Br. Mus. nat. Hist. (Ent.) 21(7):387, pl 4,6 [b4684] [Type: BMNH-ht] [TypeL - Naauwpoort, Cape Province, S. Africa.] [Refs - b4684; b1259; b1452]
- b *gozora* (Boisduval), 1870; *Lycaena* OD: Consid. Lép. Guatemala :17 [b0469] SS: *argiolus* (Linnaeus), 1758; *Celastrina* [TypeL - Guatemala or Mexico.] [Refs - b0908; b3192; b0856; b2747; b1580; b1321; b4066]
- c *graafii* (Snellen), 1867; *Lycaena* OD: Vlind. Nederl. Macrolep. :59 [b4256] SS: *agestis* ([Denis & Schiffermüller]), 1775; *Plebejus* (*Aricia*) [Refs - b2747]
- e *f. gracil* Agenjo, 1966; *Plebejus* OD: Eos 41:176 [b0016] SS: *argus* (Linnaeus), 1758; *Plebejus* [TypeL - Spain.] [Refs - b3059 (as ssp)]
- e *ab. gracilens* (Derenne), 1927; *Nemeobius* OD: Lambillionea 27:11 [b1199] SS: *lucina* (Linnaeus), 1758; *Hamearis* [TypeL - Belgium.] [Refs - b0236]
- a *gracilis* (Röber), [1886]; *Plebeius* OD: CorrespBl. ent. Ver. Iris 1(3):67, pl 5, f 1 [b3820] CG: *Prosotas* [Type: SMT-ht; designated by Takamami, 1992] [Työ to Ga 43(1):49 [b4606]] [TypeL - Ceram.] [Refs - b4676; b1450; b0964; b0965; b4094; b1454; b0694; b2388]
- c *gracilis* (Miskin), 1890; *Lycaena* OD: Proc. linn. Soc. N. S. Wales (2)5(1):37 [b3212] SS: *alsulus* (Herrich-Schäffer), 1869; *Famegana* [TypeL - Queensland, Australia.] [Refs - b4094; b4934]
- b *gracilis* Semper, 1890, 1886-1892; *Catapaecilma* OD: In Semper, Reisen Philipp. (2)(5):217, pl -, f - [b4110] SS: *elegans* (H. Druce), 1873; *Catapaecilma* [Refs - b4094; b2201; b1454; b1861]
- c *gracilis* (Staudinger), 1891; *Hypolycaena* OD: Deut. ent. Zeit. [Iris] 4(1):152, pl 1, f 9 [b4334] SS: *virgata* H. H. Druce, 1891; *Kopelates* [TypeL - W. Africa.] [Refs - b0836; b4400]
- b *gracilis* Stichel, 1910; *Ancyluris* OD: Berl. ent. Z. 55(1/2):97 [b4445] SS: *etias* (Saunders), [1859]; *Ancyluris* [Type: ZMHU-ht] [TypeL - Berg en Dahl, Surinam.] [Refs - b4474; b4445]
- b *gracilis* (Evans), 1912, (H); *Lycaena* OD: J. Bombay nat. Hist. Soc. 21(3):559,984,1008 [b1626] SS: *devanica* Moore, [1875]; *Polyommatus* [Type: BMNH-st] [TypeL - Western Himalayas.] [Check - *Homonym in need of a replacement.*] [Refs - b1636; b0236; b3910 (as *glacilis*); b0694]
- a *gradata* Stichel, 1926; *Euselasia* OD: Deut. ent. Zeit. 1926:394 [b4465] [TypeL - Venezuela.] [Refs - b4474]
- b *gradeniga* (Fruhstorfer), 1910; *Cyaniris* OD: Steu. ent. Ztg 71(2):301 [b1843] SS: *philippina* (Semper), 1889; *Celastrina* [Type: BMNH-ht; designated by Eliot & Kawazoé, 1983] [Butts *Lycaenopsis* group :247 [b1580]] [TypeL - Sulawesi.] [Refs - b1580; b2200; b1840]
- e *gradenigra* (Toxopeus), 1926, (ISS); *Lycaenopsis* OD: *Treubia* 8:369 [b4695] SS: *gradeniga* (Fruhstorfer), 1910; *Celastrina* [Refs - b1580]
- b *gradiva* Stichel, 1919; *Helicopsis* OD: Deut. ent. Zeit. 1919:322 [b4454] SS: *cupido* (Linnaeus), 1758; *Helicopsis* [Type: pc-ht; collection of Stichel] [TypeL - St. Thomas, Rio Negro.] [Refs - b4474; b4454]
- c *graeca* (Rühl), 1893, 1892-1893; *Lysandra* OD: In Palae. Grossschmett. 1:70 [b3901] SS: *coridon* (Poda von Neuhaus), 1761; *Polyommatus* (*Lysandra*) [TypeL - Greece.] [Refs - b4092; b4038; b1455]
- c *graeca* (Tutt), 1909, 1905-1914; *Plebeius* OD: Nat. Hist. Brit. Butts 3:196 [b4760] SS: *argus* (Linnaeus), 1758; *Plebejus* [Refs - b0236; b0471]
- b *graecia* (Fruhstorfer), 1919; *Poritia* OD: Arch. Naturgesch. (A)83(2):93 [b1890] SS: *phalena* (Hewitson), 1874; *Simiskina* [TypeL - N. E. Sumatra.] [Refs - b0950]

- b *graeseri* Schultze, 1912; *Mimacraea* OD: Ent. Rundsch. 29(7):50 [b4012] SS: landbecki H. H. Druce, 1910; *Mimacraea* [TypeL - Congo.] [Refs - b1452; b4012; b4400]
- a *grahami* (Trimen), 1893; *Lycaena* OD: Trans. ent. Soc. Lond. 41(2):123, pl 8, f 1,2 [b4728] CG: *Lepidochrysops* [Type: BMNH-st] [TypeL - S. Africa.] [Refs - b1259; b1452; b4400; b0359]
- b *grahami* Corbet, 1941; *Arhopala* OD: Proc. R. ent. Soc. Lond. (B)10(9):151, f 3 [b0956] SS: antheus (Westwood), [1852]; *Arhopala a* [Type: BMNH-ht] [TypeL - Malaya.] [Refs - b1644; b0956; b2200; b1454]
- a *grammicus* (Grose-Smith & Kirby), 1893, 1887-1902; *Lycaenesthes* OD: Rhop. exot. 2(26):102, pl 23, f 3,4 [b2049] CG: *Tarucus* [TypeL - Mombasa.] [Refs - b1452; b2898; b4400; b0162; b2899]
- b *granadensis* (Ribbe), 1905; *Chrysephanus* OD: Soc. ent. 20(18):138 [b3740] SS: alciphron (Rottemburg), 1775; *Lycaena* (Alciphronia) [Refs - b3059; b0996; b4092]
- a *grande* (Godman), 1903; *Nymphidium* OD: Trans. ent. Soc. Lond. 51(4):546, pl 23, f 7 [b1972] CG: *Judiha* [Type: BMNH-ht] [TypeL - Colombia.] [Refs - b2988; b4475 (as grandis); b1456]
- a *grandimuta* Seki, 1993; *Arhopala* OD: Fil-Kulisap 1(2):4 [b4101] CG: *Arhopala i* [Type: pc-ht; collection of Seki] [TypeL - Mt. Cadahaan, Mahaplag, Leyte, Philippines.] [Refs - b4101]
- c *grandiosa* Fruhstorfer, 1914; *Arhopala* OD: Deut. ent. Zeit. [Iris] 27(4):161 [b1853] SS: araxes Felder & Felder, 1865; *Arhopala h* [TypeL - Celebes.] [Refs - b1644; b4094; b1853]
- a *grandis* (Felder & Felder), 1862; *Thecla* OD: Wien. ent. Monats. 6(1):24 [b1686] CG: *Satyrnum* [Refs - b2747 (at 4:24); b0996; b2479; b4092; b1455]
- a *grandis* H. Druce, 1874; *Mesosemia* OD: Trans. ent. Soc. Lond. 22(1):159 [b1384] [TypeL - Chiriqui.] [Refs - b2753; b4474; b1456]
- c *grandis* (Grose-Smith), 1899, 1887-1902; *Holochila* OD: Rhop. exot. 3(47):14, pl 4, f 12-14 [b2029] SS: gisella (Staudinger), [1888]; *Philius* [TypeL - Batchian.] [Refs - b4677; b1450; b2078]
- a *grandis* (Rothschild & Jordan), 1905; *Deudorix* OD: Novit. zool. 12:465 [b3885] CG: *Artipe* [TypeL - New Guinea.] [Refs - b1450; b4094]
- d *grandis* Bethune-Baker, 1906, (H); *Candalides* OD: Ann. Mag. nat. Hist. (7)17:102 [b0337] OS: *grandissima* Bethune-Baker, 1908; *Candalides* [Type: BMNH-ht] [TypeL - Owgarr, New Guinea.] [Refs - b1450; b4677; b2078]
- e *f. grandis* Gaede, 1917; *Liphyra* OD: Mitt. zool. Mus. Berl. 8:404 [b1910] SS: *brassolis* Westwood, [1864]; *Liphyra*
- a *grandis* Talbot, 1937; *Lepidochrysops* OD: Trans. R. ent. Soc. Lond. 86(4):65, pl 1, f 8,9 [b4625] [Type: BMNH-ht] [TypeL - Tananarivo, Madagascar.] [Refs - b1452; b4400; b4625]
- b *grandis* Tite & Dickson, 1968; *Aloeides* OD: Bull. Br. Mus. nat. Hist. (Ent.) 21(7):375, pl 1 [b4684] SS: *pallida* (Riley), 1938; *Aloeides* [Type: BMNH-ht] [TypeL - Du Toit's Klooff, Cape Province, S. Africa.] [Refs - b4684; b1259; b1452]
- a *grandissima* Bethune-Baker, 1908; *Candalides* OD: Proc. zool. Soc. Lond. 1908(1):121, pl 8, f 15 [b0340] [Type: BMNH-ht; biblio; replacement for *grandis* Bethune-Baker, 1906] [TypeL - Owgarr, New Guinea.] [Refs - b4677; b1450; b2078 (:851, nec pl 145g); b5021]
- b *granulata* Stichel, 1910; *Eurybia* OD: Gen. Insectorum 112(A):71 [b4446] SS: *elvina* Stichel, 1910; *Eurybia* [Type: pc-st; collection of Stichel] [TypeL - Peru; Ecuador.] [Refs - b4474; b4446]
- e *ab. graslini* Oberthür, 1910; *Satyrnum* OD: Étud. Léop. comp. 4:77, pl 49, f 402 [b3451] SS: *esculi* (Hübner), [1819]; *Satyrnum* [Refs - b0236; b0471]
- b *grassoides* (Eitschberger & Steiniger), 1975; *Eumedonia* OD: *Atalanta* (Münnerstadt) 6(2):113, f [b1537] SS: *eumedon* (Esper), [1780]; *Plebejus* (*Eumedonia*) [TypeL - Grasse, Maritime Alpes, France.] [Refs - b0107]
- b *grata* Grose-Smith, 1895; *Jamides* OD: Novit. zool. 2(4):510 [b2038] SS: *bochus* (Stoll), [1782]; *Jamides* [TypeL - Tenimber.] [Refs - b4094; b1865]
- a *grata* (Köhler), 1934; *Itylos* OD: *Revta Soc. ent. argent.* 6:39, f 1,2 [b2806] CG: *Pseudolucia* [Type: pc; Breyer collection.] [TypeL - Primer Pine, Departamento Las Laja, Argentina.] [Type of - Cheriella] [Refs - b0908; b2221; b3326; b3846; b0220; b0207]
- b *gratidianus* (Fruhstorfer), [1912]; *Zelus* OD: Berl. ent. Z. 56(3/4):242 [b1850] SS: *amasa* Hewitson, [1865]; *Hypolycaena* (*Zelus*) [TypeL - Nias.] [Refs - b4094; b2201; b1454; b1850]
- b *gration* Seitz, [1917], 1910-1924; *Euselasia* OD: In Seitz, *Grossschmett. Erde* 5:624, pl 121c [b4093] SS: *euriteus* (Cramer), [1777]; *Euselasia* [TypeL - Amazon.] [Refs - b4474; b4093]
- b *gratiosa* Stichel, 1910; *Chorinea* OD: Gen. Insectorum 112(A):117 [b4446] SS: *sylphina* (Bates), [1868]; *Chorinea* [Type: BMNH-ht] [TypeL - Ecuador.] [Refs - b4474; b4446]
- b *gratius* Fruhstorfer, 1912; *Abisara* OD: Ent. Rundsch. 29(3):23 [b1849] SS: *neophron* (Hewitson), [1861]; *Abisara* [TypeL - Tonkin, Tenasserim.] [Refs - b1636; b4473; b1840; b1849]
- c *gravenotata* (Klots), 1930; *Lycaena* OD: Bull. Brooklyn ent. Soc. 25(3):163, f 1-4 [b2778] SS: *heteronea* (Boisduval), 1852; *Chalceria* [Type: AMNH-ht] [TypeL - Plainview, Jefferson County, Colorado.] [Refs - b0908; b4688; b0068; b3192; b3189; b0493; b1321; b4066]
- c *gravesi* (Chapman), 1912; *Agriades* OD: Ent. mon. Mag. 48:159, f 1, pl 7,8 [b0758] SS: *thersites* (Cantener), 1834; *Polyommatus* (*Plebicula*) [TypeL - Cedar Mountains, Syria.] [Refs - b0236 (also as *grawesi*); b0758; b0761; b0762; b4854; b0471]
- e *gravesi* (Verity), 1929, (RA); *Heodes* OD: Bull. Soc. ent. Fr. 1929(7):129 [b4849] SS: *virgaureae* (Linnaeus), 1758; *Lycaena* (*Heodes*) [Type: MZS-st] [TypeL - France.] [Refs - b2856; b0236; b4849]
- e *gravesica* (Verity), 1929, (RA); *Heodes* OD: Bull. Soc. ent. Fr. 1929(7):129 [b4849] SS: *virgaureae* (Linnaeus), 1758; *Lycaena* (*Heodes*) [Type: MZS-st] [TypeL - France.] [Refs - b2856; b4849]
- c *grayi* Comstock & Huntington, 1943; *Eumaeus* OD: Ann. New York Acad. Sci. 45:60 [b0907] SS: *florida* Röber, 1926; *Eumaeus* [Type: AMNH-ht] [TypeL - Miami, Florida.] [Refs - b0908; b0907; b3192; b1321; b0833]
- c *greeni* Heron, 1896; *Spindasis* OD: Ann. Mag. nat. Hist. (6)18:190 [b2311] SS: *ceylanica* R. Felder, 1868; *Spindasis* [TypeL - Ceylon.] [Refs - b1636; b4094; b1454 (as a good? sp); b2311; b0694]
- b *greenwoodi* d'Abrera, 1980; *Euchrysops* OD: Butts *Afrotropical Region* :554, f [b1452] SS: *albiatriatus* (Capronnier), 1889; *Euchrysops* [Type: BMNH-ht] [TypeL - Sierra Leone.] [Refs - b0113; b1452]
- a *gregorii* (Butler), [1895]; *Castalius* OD: Proc. zool. Soc. Lond. 1894(4):598, pl 36, f 3 [b0640] CG: *Tuxentius* [TypeL - E. Africa.] [Refs - b1259; b1452; b2898; b4400; b0162]
- c *gregoryi* (Watkins), 1927; *Lycaenopsis* OD: Ann. Mag. nat. Hist. (9)19:329 [b4949] SS: *astynome* (Oberthür), [1919]; *Celastrina* [Type: BMNH-ht] [TypeL - NW. Yunnan, China.] [Refs - b2479; b1580; b0065]

- a **greppa** Dyar, 1912; *Thecla* OD: Proc. U. S. natn. Mus. 42:42 [b1442] CG: *Thecla* (New World Eumaeini) [Type: USNM-ht; #14279] [TypeL - Mexico.] [Refs - b0908; b3818; b2497]
- b **gritqua** (Trimen), 1887, 1887-1889; *Lycaena* OD: In Trimen & Bowker, S. Afr. Butts 2:84 [b4725] SS: melaena (Trimen), 1887; Tuxentius [TypeL - S. Africa.] [Refs - b1452; b2898; b4400; b0162]
- d **griqua** (Schaus), 1902, (H); *Lycaena* OD: Proc. U. S. natn. Mus. 24(1262):407 [b3948] OS: parana Bálint, 1993; *Pseudolucia* [Type: USNM-st; #5919] [TypeL - Castro, Parana, Brazil.] [Refs - b0908; b3948; b0207]
- b **grisea** (Moore), 1879; *Deudorix* OD: Proc. zool. Soc. Lond. 1879(1):140 [b3231] SS: varuna (Horsfield), [1829]; Rapala [Type: BMNH] [TypeL - Deyra Dhoon, N. W. Himalaya.] [Refs - b1636; b1153; b4094; b0694; b3231]
- b **grisea** (Röber), [1886]; *Lampides* OD: CorrespBl. ent. Ver. Iris 1(1):60 [b3820] SS: celeno (Cramer), [1775]; Jamides [Refs - b4094]
- c **grisea** Aigner-Abafi, 1906; *Chilades* OD: Ent. Zeit. 19(35):209 [b0028] SS: trochylus (Freyer), 1845; *Chilades* (Freyeria) [Note - Also described in *Rovart. Lap.*, 13:69-75] [Refs - b0236; b0471]
- e **f. grisea** (Tutt), 1907, 1905-1914; *Ruralis* OD: Nat. Hist. Brit. Butts 2:278 [b4760] SS: betulae (Linnaeus), 1758; *Thecla* [Refs - b0236]
- e **ab. grisea** (Courvoisier), 1910, 1910-1911; *Lycaena* OD: Ent. Zeit. 24:160 [b0985] SS: bellargus (Rottemburg), 1775; *Polyommatus* (Lysandra) [Refs - b0236; b0471]
- e ♂ **ab. grisea** (Courvoisier), 1913; *Lycaena* OD: Ent. Mitt. 2(10):294 [b0989] SS: arion (Linnaeus), 1758; *Maculinea* [Refs - b0236; b0400; b0989; b0471]
- c **grisea** Riley & Godfrey, 1921; *Allotinus* OD: J. nat. Hist. Soc. Siam 4(3):180 [b3787] SS: aphonius Fruhstorfer, 1914; *Allotinus* (Paragerydus) [Type: BMNH-ht] [TypeL - Thailand.] [Refs - b1571; b4774]
- c **grisea** (Talbot), 1935; *Lycaenesthes* OD: Ent. mon. Mag. 71:208, pl 4, f 9,14,15 [b4623] SS: levis (Hewitson), [1878]; *Anthene* [TypeL - Uganda.] [Refs - b0113; b1452; b4623; b4400]
- b **grisea** (Dufrane), 1939; *Thecla* OD: Bull. Anns Soc. ent. Belg. 79:290 [b1408] SS: melinus Hübner, [1818]; *Strymon* [TypeL - Trujillo, Peru.] [Refs - b0908]
- e **ab. grisea** (Opheim), 1943; *Polyommatus* OD: Norsk ent. Tidsskr. 6:190 [b3509] SS: eumedon (Esper), [1780]; *Plebejus* (Eumedonia) [TypeL - S. Norway.] [Refs - b0079]
- e **griseaspinosa** (Tutt), 1907, 1905-1914; *Ruralis* OD: Nat. Hist. Brit. Butts 2:278 [b4760] SS: pruni (Linnaeus), 1758; *Fixsenia* [Refs - b0471]
- b **griseata** Talbot, 1937; *Mimeresia* OD: Trans. R. ent. Soc. Lond. 86(4):61 [b4625] SS: favillacea (Grünberg), 1910; *Mimeresia* [Type: BMNH-ht] [TypeL - Entebbe, Uganda.] [Refs - b1452; b4400; b4625]
- c **griseldis** (Staudinger), [1887], 1884-1888; *Lycaena* OD: In Exot. Schmett. 1:272; 2:pl 94 [b4329] SS: helena (Snellen), 1887; *Philiris* [TypeL - Waigiou.] [Refs - b1450; b4677; b3835]
- e **ab. griseoviolaceus** (Oberthür), 1896; *Lycaena* OD: Étud. ent. 20:17, f [b3436] SS: hylactor (Bergsträsser), [1779]; *Pseudophilotes* [Refs - b0471]
- e **grisescens** Tutt, 1907, 1905-1914; *Lampides* OD: Nat. Hist. Brit. Butts 2:335 [b4760] SS: boeticus (Linnaeus), 1767; *Lampides* [Refs - b0400; b4092]
- e **ab. grisescens** (Lempke), 1936; *Lycaena* OD: Tijdschr. Ent. 79:308 [b2975] SS: euphemus (Hübner), [1800]; *Maculinea* [TypeL - Holland.] [Refs - b0074; b0400]
- **f. grisescens** (Eisner), 1964; *Lycaenopsis* OD: Ent. Ber. 24:115 [b1534] SS: argiolus (Linnaeus), 1758; *Celastrina* [TypeL - Netherlands.]
- a **griseus** (Röber), [1886]; *Plebejus* OD: CorrespBl. ent. Ver. Iris 1(3):60, pl 4, f 18 [b3820] CG: *Plebejus* (?) [TypeL - Celebes.] [Refs - b2195]
- a **griseus** Riley, 1922; *Aloeides* OD: Trans. ent. Soc. Lond. 69(3/4):251, pl 7, f 1,2 [b3749] [Type: BMNH-ht] [TypeL - Solwezi, Zambia.] [Refs - b1452; b3853; b4400; b4685]
- e **grisolvi** Le Moul, 1940, 1939-1940, (IFS); *Helicopsis* OD: Novit. ent. (14):105 [b2943] SS: cupido (Linnaeus), 1758; *Helicopsis* [Type: AME-pt] [Refs - b3199]
- a **griveaudi** Stempffer, 1969; *Liptena* OD: Bull. Inst. fond. Afr. Noire 31(A):937, f [b4404] [TypeL - Anguédédou, Ivory Coast.] [Refs - b1452]
- c **gronieri** Bernardi, 1963; *Lycaena* OD: Alexanor 3(2):53 [b0318] SS: carueli Le Moul, 1945; *Lycaena* (Thersamolycaena) [TypeL - France.] [Refs - b0113]
- e **groningana** (Ter Haar), 1901; *Polyommatus* OD: Tijdschr. Ent. 43:242 [b4636] SS: hippothoe (Linnaeus), 1761; *Palaeochrysophanus* [Refs - b0389; b4636; b4092]
- c **grosei** (Aurivillius), [1899]; *Lycaenesthes* OD: K. svenska VetenskAkad. Handl. (nf)31(5):348 [b0156] SS: lunulata (Trimen), 1894; *Anthene* [TypeL - Africa.] [Refs - b4400]
- a **grosnyi** Rebillard, 1958; *Dysmathia* OD: Mém. Mus. natn. Hist. nat. (A)15:202, pl 2, f 7 [b3717] [Type: MNHN-ht] [TypeL - Barreiros, Rio Tapajoz, Brazil.] [Refs - b3717; b0093; b1456]
- b **grossi** (Rose), 1975; *Plebejus* OD: J. ent. Soc. Iran 1(Suppl.):45, f [b3856] SS: loewii (Zeller), 1847; *Polyommatus* (Plebejidea) [TypeL - Rudehen, Elburs Mts., Iran.] [Refs - b0107]
- b **grotei** (Moore), [1884]; *Hypolycaena* OD: Proc. zool. Soc. Lond. 1883(4):527, pl 49, f 5 [b3235] SS: chandrana (Moore), 1882; *Sinthusa* [TypeL - N. E. Bengal.] [Refs - b1636; b2761 (as grotii); b2762; b4094; b2650; b3235; b0694]
- b **grumi** (Staudinger), 1901; *Lycaena* OD: Cat. Lep. Palae. Faun. (3rd ed) :79 [b4347] SS: eversmanni (Staudinger), 1886; *Plebejus* [Refs - b2827; b4347; b1765; b4092]
- a **grumi** (Forster), 1937; *Glaucopygma* OD: Mitt. münchn. ent. Ges. 27:58 [b1759] CG: *Actizera* [Refs - b1762; b1759; ns0408; b0076; b3910 (in Turanana)]
- a **grumus** Johnson & Kroenlein, 1993; *Electrostrymon* OD: Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (34):39, f [b2628] [Type: AMNH-ht] [TypeL - Arima Valley, Trinidad.] [Refs - b2628]
- a **grunus** (Boisduval), 1852; *Thecla* OD: Anns Soc. ent. Fr. (2)10:289 [b0467] CG: *Habrodais* [Type: USNM-ht] [TypeL - California.] [Type of - *Habrodais*] [LifeH - Tietz lists b1437, b0896, b2429, b2438.] [Refs - b1530 :178, f 346; b1321 :52; b0908; b2280; b2747; b0551; b3192; b1743; b2406; b0493; b4690 (R); b4214; b0467; b4200; b4066; b4652]
- c **grynea** (Hewitson), [1878], 1863-1878; *Amblypodia* OD: Ill. diurn. Lep. Lycaenidae Suppl.:20, pl 7, f 59,60 [b2326] SS: adonias (Hewitson), 1862; *Arhopala* g [Type: BMNH-ht] [TypeL - Java.] [Refs - b1644; b4094]
- a **gryneus** (Hübner), [1819], 1816-1826; *Lycus* OD: Verz. bekannt. Schmett. (5):74, no. 732 [b2484] CG: *Mitoura* [LifeH - Tietz lists, under damon, b0415, b3937, b3176, b3244, b0470, b0902, b1792, b2429, b3244, b4088, b4090.] [Refs - b1530 :207, f 343, 344, 392; b0908; b0493; b2583; b3078; b2622; b2747; b3192; b4216; b3512; b1743; b2585; b2584; b4066; b4652]
- a **guacanagari** Wallengren, 1860; *Thecla* OD: Wien. ent. Monats. 4(2):37 [b4915] CG: *Thecla* (New World Eumaeini) [Type: NRS] [TypeL - Puna Island, Ecuador.] [Refs - b0908; b2747; b4915]

- c **guadala** (Schaus), 1902; Thecla OD: Proc. U. S. natn. Mus. 24(1262):418 [b3948] SS: zebina (Hewitson), [1869]; Rekoa [Type: USNM-ht; #5947] [TypeL - Guadalajara, Mexico.] [Refs - b0908; b0833; b3948; b3817]
- b **gualaviarensis** (Munguira & Martin), 1988; Aricia OD: Ecologia (Madrid) 2:346, f [b3265] SS: morronensis (Ribbe), 1910; Plebejus (Aricia) [TypeL - Spain.] [Refs - b0123]
- c **guadarramensis** (Ribbe), 1910, 1909-1912; Lycaena OD: Deut. ent. Zeit. [Iris] 23(1/2):200 [b3741] SS: albicans (Gerhard), 1851; Polyommatus (Lysandra) [Note - Not spelled *guadarramensis*.] [Refs - b3059; b0236; b3741; b0105 (as *guadarramensis*); b0471; b4038]
- c **guadeloupe** (Strecker), [1878], 1872-1900; Charis OD: Lep. Rhop. Het. :131 [b4531] SS: nemesis (Edwards), [1871]; Calephelis [Type: FMNH-ht] [TypeL - Texas.] [Refs - b1530 :251, f 500, 501; b1321 :51; b4474; b3192; b4066]
- e **gudiolum** Anonymous, 1983, (ISS); Mesosemia OD: Zool. Rec. 117(1980)(Ins. D-Lep.):288 [b0113] SS: gaudiolum Bates, 1864; Mesosemia [Refs - b0113; b1453]
- a **guapila** Schaus, 1913; Thecla OD: Proc. zool. Soc. Lond. 1913(3):354, pl 52, f 1 [b3950] CG: Thecla (New World Eumacini) [Type: BMNH] [TypeL - Guapiles, Costa Rica.] [Refs - b0908; b3950]
- a **guatemala** McAlpine, [1971]; Calephelis OD: J. Res. Lep. 10(1):88, f [b3127] [Type: BMNH-ht] [TypeL - Valley of River Polochic, Hague, Guatemala.] [Refs - b3127]
- a **guatemalena** (Clench), 1981; Callophrys OD: Bull. Allyn Mus. (64):27-30, f 43-48 [b0853] CG: Cisincisalia [Type: CM-ht] [TypeL - Balen, Municipio San Cristobal, Verapaz, Guatemala.] [Refs - b0853; b2585 (in Cisincisalia); b0125; ns2609; b0126; b2611]
- e **guayapensis** (Köhler), 1923, (IFS); Hamearis OD: Z. wiss. InsektBiol. 18(12)(Sonderheft):29, pl 2, f 26-28 [b2805] SS: guttata (Stichel), 1910; Audre [TypeL - Argentina.] [Check - Used twice? stx 595.705z] [Refs - b4475; b2221]
- a **guayra** Jörgensen, 1935; Thecla OD: An. Mus. argent. Cienc. nat. 38:93, pl 2, f 5 [b2671] CG: Thecla (New World Eumacini) [Type: MACN] [TypeL - Villarrica, Paraguay.] [Refs - b0908]
- b **gudarensis** (Aistleitner), 1989; Lysandra OD: Atalanta (Münnerstadt) 19(1/4):75, f [b0031] SS: hispana (Herrich-Schäffer), [1851]; Polyommatus (Lysandra) [TypeL - Spain.] [Refs - b0123]
- b **gudula** (Fruhstorfer), 1904; Abisara OD: Deut. ent. Zeit. [Iris] 17(1):145 [b1819] SS: statira (Hewitson), [1862]; Praetaxila [TypeL - Waigiu.] [Refs - b1450; b1840; b4474; b1819]
- e **ab. guedati** (Reverdin), 1924; Lycaena OD: Bull. Soc. Léop. Genève 5:63 [b3733] SS: coridon (Poda von Neuhaus), 1761; Polyommatus (Lysandra) [Refs - b0236; b3733; b0471]
- b **guelayae** (Schurian & Rose), 1991; Polyommatus OD: Linneana Belgica 13(2):84, f [b4044] SS: hyacinthus (Herrich-Schäffer), [1847]; Plebejus (Pseudoaricia) [TypeL - Turkey.] [Refs - b0125]
- c **guevara** Fruhstorfer, [1912]; Rapala OD: Berl. ent. Z. 56(3/4):263 [b1850] SS: sequeira (Distant), 1885; Rapala [TypeL - Borneo.] [Refs - b1454; b1850; b4094]
- b **guianensis** (Hall), 1939; Tmetoglène OD: Agr. J. Br. Guiana 10:238 [b2117] SS: colaxes (Hewitson), 1870; Brachyglenis [TypeL - British Guiana.]
- a **guianivaga** Johnson, 1989; Noreena OD: J. New York ent. Soc. 97(1):31, f 1F,2C,3C,4D [b2597] [Type: AMNH-ht] [TypeL - Caripito, Venezuela.] [Refs - b2597]
- a **guichardi** Gabriel, 1949; Lepidochrysops OD: Proc. R. ent. Soc. Lond. (B)18(11/12):213, f [b1907] [TypeL - Abyssinia.] [Refs - b1452; b4400]
- c **guichardi** (Higgins), 1965; Nordmannia OD: Entomologist 98:10 [b2373] SS: acaciae (Fabricius), 1787; Satyrium [Type: BMNH-ht] [TypeL - Ankara, Turkey.] [Refs - b2794; b2789; b4247; b1455]
- b **guineensis** Staudinger, 1889; Rapala OD: Deut. ent. Zeit. [Iris] 2(1):117 [b4332] SS: varuna (Horsfield), [1829]; Rapala [Refs - b1450; b4094]
- b **guizoensis** Tite, 1963; Nacaduba OD: Bull. Br. Mus. nat. Hist. (Ent.) 13(4):80, pl 1, f 5 [b4676] SS: novaebridensis H. H. Druce, 1892; Nacaduba [Type: BMNH-ht] [TypeL - Guizo Island, Solomon Islands.] [Refs - b4676; b1450]
- e **ab. gunderi** (Rudkin), 1933; Lycaena OD: Ent. News 44(4):97 [b3899] SS: helloides (Boisduval), 1852; Epidemia [Type: CAS-ht] [TypeL - Bouquet Canyon, Los Angeles County, California.] [Refs - b0908; b3191; b0071; b3192; b1321]
- b **gundlachianus** Bates, 1935; Strymon OD: Bull. Harvard Mus. Comp. Zool. 78(2):195-196 [b0259] SS: bazochii (Godart), [1824]; Strymon [Type: MCZ] [TypeL - Sierra Maestra, Oriente, Cuba.] [Refs - b0908; b0540; b0907; b0833]
- c **gunga** Swinhoe, 1885; Megisba OD: Proc. zool. Soc. Lond. 1885(1):133, pl 9, f 7 [b4565] SS: thwaitesi Moore, [1881]; Megisba [Type: BMNH-ht] [TypeL - Poona, India.] [Refs - b1636; b4565; b1580; b0694 (as *ganga*)]
- c **gunongensis** Bethune-Baker, 1897; Arhopala OD: Ent. mon. Mag. 33:205 [b0327] SS: metamuta (Hewitson), [1863]; Arhopala b [Type: BMNH-ht] [TypeL - Gunong Ijan, Perak.] [Refs - b1644; b4094; b0327]
- a **guppyi** Kaye, 1904; Emesis OD: Trans. ent. Soc. Lond. 52(2):187, pl 18, f 9 [b2708] [TypeL - Trinidad.] [Refs - b2988; b4475; b1456]
- a **gussfeldtii** (Dewitz), 1879; Plebejus OD: Nova Acta Acad. Caesar. Leop. Carol. 41(2):206 (=34), pl 2 (=26), f 12 [b1218] CG: Oboronia [TypeL - Guinea.] [Note - Should probably be spelled *gussfeldtii*.] [Refs - b1943; b1259; b1218 (as *gussfeldtii*); b1452 (as *gussfeldti*); b0836; b4400]
- e ♂ **ab. guttata** (Schultz), 1904; Chrysophanus OD: Ent. Zeit. 18(24):93 [b4001] SS: virgaureae (Linnaeus), 1758; Lycaena (Heodes) [Refs - b0389; b4001; b4092]
- a **guttata** (Stichel), 1910; Hamearis OD: Berl. ent. Z. 55(1/2):46 [b4445] CG: Audre [Type: pc-ht; collection of Stichel] [TypeL - Argentina.] [Refs - b4475; b2221; b4445; b1456]
- a **guttatus** Plötz, 1880; Aphnaeus OD: Stett. ent. Ztg 41:201 [b3622] CG: Aphnaeus (?) [TypeL - Abo, W. Africa.] [Check - Not sure where this belongs.] [Refs - b3622]
- b **guttula** Stichel, 1916; Mesene OD: Z. wiss. InsektBiol. 12:166 [b4453] SS: hya Westwood, [1851]; Mesene [TypeL - Tobago.] [Refs - b4474; b1456]
- b **guyanensis** Gallard & Brevignon, 1989; Nymphidium OD: Bull. Soc. Sci. Nat. (63):4, f [b1918] SS: fulminans Bates, [1868]; Nymphidium [TypeL - French Guiana.] [Refs - b0123]
- c **guzanta** (Schaus), 1902; Thecla OD: Proc. U. S. natn. Mus. 24(1262):420 [b3948] SS: denarius (Butler & H. Druce), 1872; Pendantus [Type: USNM-ht; #5952] [TypeL - Jalapa, Orizaba, Mexico.] [Refs - b0908; b2988; b3948; b2628]
- a **gyas** (Cramer), [1775], 1775-1790; Papilio OD: Uitl. Kapellen 1(3):45, pl 28, f F,G [b1069] CG: Sarota [TypeL - Surinam; Amazon.] [Refs - b2988; b2747; b4474; b2255; b2497; b1456]
- b **gyas** (Edwards), [1871]; Lycaena OD: Trans. amer. ent. Soc. 3(3/4):210 [b1501] SS: ceraunus (Fabricius), 1793; Hemiargus [Type: CM-nt; designated by Brown & Clench, 1970] [In Trans. amer. ent. Soc. 96:362 [b0537]] [TypeL - Tucson, Pima County, Arizona.] [LifeH - Tietz lists b0895, b0875.] [Refs - b0908; b4688; b1711; b3326; b2753; b3192; b1743; b1501; b1321; b4690; b0493; b4066; b4652]

- a **gyda** (Hewitson), [1860], 1852-1877; *Eurygona* OD: Ill. exot. Butts 2:[-], pl [48], f 79 [b2323] CG: Euselasia [TypeL - Brasilia.] [Refs - b2988; b2747; b4474; b0680; b1456]
- b **gydina** Stichel, 1919; Euselasia OD: Deut. ent. Zeit. 1919:315 [b4454] SS: gyda (Hewitson), [1860]; Euselasia [Type: ZMHU-st; ZSBS-st] [TypeL - Panama.] [Refs - b4474; b4454]
- b **gyges** (Stichel), 1911; Polystichtis OD: Gen. Insectorum 112(B):323 [b4447] SS: zeanger (Stoll), [1790]; Calospila [Type: ZMHU-ht] [TypeL - Huayabamba, Peru.] [Refs - b4475; b4446]
- a **gynaea** (Godart), [1824], 1819-1824; *Erycina* OD: In Ency. méth. 9(Ins.):2:573 [b1970] CG: Charis [TypeL - Brasilia.] [Refs - b2988; b2747; b4474; b1456]
- c **gynaecae** (Godman & Salvin), 1889; *Lymnas* OD: Ann. Mag. nat. Hist. (6)3:356 [b1977] SS: pixe (Boisduval), 1836; *Melanis* [Type: BMNH-ht] [TypeL - Mexico.] [Refs - b3347; b4474; b3192]
- b **f. gyrala** Suffert, 1904; *Larinopoda* OD: Deut. ent. Zeit. [Iris] 17:49 [b4535] SS: lagyra (Hewitson), [1866]; *Larinopoda* [Refs - b4400]
- b **gythion** Fruhstorfer, [1914], 1909-1923; *Taxila* OD: In Seitz, Grossschmett. Erde 9:793 [b1840] SS: haquinus (Fabricius), 1793; *Taxila* [TypeL - Natuna Islands.] [Refs - b4474; b1454; b1840]
- b **gythion** Fruhstorfer, 1916; *Nacaduba* OD: Zoöl. Meded. 2(2):131 [b1873] SS: berce (Felder & Felder), 1865; *Nacaduba* [Type: BMNH-ht] [TypeL - Assam.] [Refs - b4676; b1636; b4094; b1454; b0694]
- c **haani** (Kalis), 1938; *Lycanopsis* OD: Ent. Rundsch. 55:198 [b2680] SS: hermione (Fruhstorfer), 1905; *Acytolepis* [TypeL - Kangean.] [Refs - b1580]
- b **haberhaueri** (Staudinger), 1886, 1886-1889; *Lycæna* OD: Stett. ent. Ztg 47:206 [b4330] SS: sieversii (Christoph), 1873; *Polyommatus* (Farsia) [Refs - b1762; b0993; b0410; b0205 (as haberhaurei); b4330]
- e **haberhaurei** (Bálint), 1992, (ISS); *Vacciniina* OD: Linneana Belgica 13(8):405 [b0205] SS: haberhaueri (Staudinger), 1886; *Polyommatus* (Farsia) [Refs - b0205]
- a **hades** (de Nicéville), 1895; *Hysudra* OD: J. Bombay nat. Hist. Soc. 9(3):318, pl P, f 46 [b1159] CG: Rapala [TypeL - Burma.] [Refs - b1636; b0965; b4094; b1568; b1454; b0694; b4108]
- a **hades** Bethune-Baker, 1910; *Triclema* OD: Trans. ent. Soc. Lond. 58(1):74, pl 3, f 9 [b0343] [Type: BMNH-ht] [TypeL - Sierra Leone.] [Refs - b1452; b0836; b4400]
- c **hadjina** (Heyne), 1895, 1893-1895; *Lycæna* OD: In Palae. Grossschmett. 1(15):764 [b2363] SS: hopfferi (Herrich-Schäffer), [1851]; *Polyommatus* (*Agrodiaetus*) [Refs - b2794; b1774; b4092]
- b **hadros** (Cook & Watson), 1909; *Incisalia* OD: Can. Ent. 41(6):181 [b0913] SS: irus (Godart), [1824]; *Deciduphagus* [Type: USNM-pt; AMNH-pt] [TypeL - Houston, Texas.] [Refs - b0908; b1321 :54; b1343; b3192; b1950; b2585; b4066]
- b **haefelfingeri** (Beuret), 1935; *Lycæides* OD: Mitt. schweiz. ent. Ges. 16(8):609 [b0373] SS: idas (Linnaeus), 1761; *Plebejus* (*Lycæides*) [TypeL - High Alps.] [Refs - b2375; b1780 (häf...); b0410; b0389; b0373]
- b **haematites** Stichel, 1909; *Hades* OD: Berl. ent. Z. 54(1/2):54 [b4444] SS: hecamede Hewitson, [1870]; *Hades* [TypeL - Ecuador.] [Refs - b4474]
- a **haematostictum** Godman & Salvin, 1878; *Nymphidium* OD: Proc. zool. Soc. Lond. 1878(2):367 [b1973] [TypeL - Panama.] [Refs - b4476; b0680; b1456]
- c **haemus** (Stichel), 1916; *Polystichtis* OD: Deut. ent. Zeit. 1916:19 [b4452] SS: amphis (Hewitson), 1870; *Calospila* [TypeL - Peru.] [Refs - b4452; b4475]
- b **haemus** (Talbot), 1935; *Epamera* OD: Ent. mon. Mag. 71:118 [b4623] SS: mimosae Trimen, 1874; *Iolaus* (*Epamera*) [TypeL - Kenya.] [Refs - b1452; b4623; b4400]
- e **haefelfingeri** Forster & Wohlfhart, 1955, (ISS); *Plebejus* OD: Schmett. Mitteleuropas 2:- [b1780] SS: haefelfingeri (Beuret), 1935; *Plebejus* (*Lycæides*) [Refs - b4355; b1780 (as häf...)]
- c **hafis** (Kollar), [1849]; *Polyommatus* OD: Denkschr. K. Akad. Wiss. Wien 1:51 [b2822] SS: callimachus (Eversmann), 1848; *Tomares* [Refs - b2747; b0996; b4092]
- e **ab. hafneri** (Priessecker), 1908; *Lycæna* OD: Verh. zool.-bot. Ges. Wien 58:(68) [b3644] SS: coridon (Poda von Neuhaus), 1761; *Polyommatus* (*Lysandra*) [Refs - b0236; b0471]
- b **hageni** Toxopeus, 1944; *Dicallaneura* OD: Treubia Hors Série:171 [b4709] SS: ribbei Röber, [1886]; *Dicallaneura* [TypeL - New Guinea.] [Refs - b4709]
- c **hagius** Fruhstorfer, 1914; *Arhopala* OD: Deut. ent. Zeit. [Iris] 27(4):165 [b1853] SS: agnis Felder & Felder, 1865; *Arhopala* a [Type: BMNH-ht] [TypeL - E. Java".] [Refs - b1644; b4094; b1853]
- c **hagmanni** Röber, 1923; *Eumaeus* OD: Stett. ent. Ztg 84:95 [b3833] SS: minijas (Hübner), [1809]; *Eumaeus* [TypeL - Obidos, Brazil.] [Refs - b0908]
- b **hahneli** Staudinger, [1887], 1884-1888; *Euselasia* OD: In Exot. Schmett. 1:240, 2:pl 87 [b4329] SS: fervida (Butler), 1874; *Euselasia* [TypeL - Pebas.] [Refs - b2988; b4474; b0680; b1456]
- c **hahneli** (Staudinger), [1888], 1884-1888; *Thecla* OD: In Exot. Schmett. 1:286; 2:pl 97 [b4329] SS: centoripa (Hewitson), 1868; *Morphissima* [Type: pc; Staudinger collection.] [TypeL - Upper Amazon; Iquitos, Peru.] [Refs - b0908; b1375; b4329]
- b **hainana** Crowley, 1900; *Amblypodia* OD: Proc. zool. Soc. Lond. 1900(3):508 [b1077] SS: narada (Horsfield), [1828]; *Amblypodia* [TypeL - Hainan.] [Refs - b4094; b2479; b1454 (with anita)]
- c **hainana** (Fruhstorfer), 1910; *Cyaniris* OD: Stett. ent. Ztg 71(2):289 [b1843] SS: dilectus (Moore), 1879; *Udara* (*Udara*) [Type: BMNH-ht; designated by Eliot & Kawazoé, 1983] [Butts *Lycanopsis* group :85 [b1580]] [TypeL - Hainan.] [Refs - b1840; b2479; b1580]
- b **hainana** Riley & Godfrey, 1925; *Taxila* OD: Entomologist 58:140, pl 3, f 4 [b3788] SS: dora Fruhstorfer, [1904]; *Taxila* [TypeL - Hainan.] [Refs - b4474; b1454]
- b **hainana** Eliot, 1953; *Spindasis* OD: Mem. Hong Kong biol. Circle (2):-, f [b1540] SS: syama (Horsfield), [1829]; *Spindasis* [Note - The name is usually attributed to Riley, but no such description has been found. Eliot may have used an unpublished name taken from the BMNH collection.] [Refs - b2650; b1454; x0276; b1573; b1575]
- b **hainana** Koiwaya, 1993; *Ravenna* OD: Stud. Chin. Butterflies 2:60, f [b2818] SS: kwangtungensis (Forster), 1942; *Ravenna* [TypeL - Guangdong, China.] [Refs - b0126]
- c **hainanensis** (Joicey & Talbot), 1922; *Tajuria* OD: Bull. Hill Mus. 1(2):353 [b2657] SS: travana (Hewitson), [1865]; *Remelana* [Type: BMNH-st] [TypeL - Hoihow, Hainan.] [Note - Classification?] [Refs - b4094; b2479 (jangala ssp); b2657; b1454 (as jangala ssp); b2657]
- b **hainani** Bethune-Baker, 1903; *Mahathala* OD: Trans. zool. Soc. Lond. 17(1):23, pl 1, f 1 [b0331] SS: ameria (Hewitson), 1862; *Mahathala* [TypeL - Hainan.] [Refs - b4198; b4094; b2479; b2650; b5053; b4775; b1454]

- b **hainani** Bethune-Baker, 1914; *Nacaduba* OD: Ent. Mit. 3(4):125 [b0350] SS: *pactolus* (C. Felder), 1860; *Nacaduba* [TypeL - Formosa.] [Refs - b4676; b4198; b4094; b0236; b4547; b5053; b1454]
- a **hainani** (Bethune-Baker), 1914; *Everes* OD: Ent. Mit. 3(4):126 [b0350] CG: *Tongeia* [TypeL - Formosa.] [Refs - b4198; b2479; b0236; b5053; b4192; b1454]
- a **hainanicum** Sugiyama, 1992; *Acupicta* OD: *Pallarge* 1:8, f [b4540] [TypeL - Hainan.] [Refs - b0126]
- b **hainanicus** Koiwaya, 1993; *Chrysozephyrus* OD: Stud. Chin. Butterflies 2:70, f [b2818] SS: *inthanonensis* Kimura & Murrayama, 1990; *Chrysozephyrus* [TypeL - Guangdong, China.] [Refs - b0126]
- b **hakkariensis** Koçak, 1977; *Polyommatus* OD: *Atalanta* (Münnerstadt) 8(1):53, f 11,12 [b2788] SS: *myrrha* (Herrich-Schäffer), [1852]; *Polyommatus* (Sublysandra) [Type: DSZUA-ht] [TypeL - Hakkari Province, SE Turkey.] [Refs - b0109; b2794 (with *myrrha*); b2788]
- b **hakusanensis** Fujioka, 1975; *Maculinea* OD: *Butts Japan* 1:281 [b1900] SS: *teleius* (Bergsträsser), [1779]; *Maculinea* [TypeL - Mt. Dainichi-dake, Gifu-ken, Japan.] [Refs - b1900; b4225 (as a synonym of *hosonoi*)]
- c **hakutozana** (Matsumura), 1927; *Lycaena* OD: *Ins. matsumur.* 1(4):166, pl 5, f 11 [b3094] SS: *allous* (Geyer), [1836]; *Plebejus* (*Aricia*) [TypeL - Korea.] [Refs - b4115; b2479; b0236; b2866; b0471 (as *kakutozana*)]
- c **halala** (Hewitson), 1868; *Thecla* OD: *Descr. new Spec. Lycaenidae* :7 [b2327] SS: *leucophaeus* (Hübner), [1818]; *Siderus* [Type: BMNH] [TypeL - Amazon.] [Refs - b0908; b2747; b1375]
- c **halba** Distant, 1886, 1882-1886; *Horaga* OD: *Rhop. malayana* :460, pl 44, f 23 [b1285] SS: *maenala* (Hewitson), [1869]; *Horaga* [Type: BMNH-ht] [TypeL - Penang.] [Refs - b1012; b1636; b0964; b0965; b2078; b4094; b4108]
- c **halcones** (Butler & H. Druce), 1872; *Tmolus* OD: *Cistula Entomologica* 1(5):108 [b0662] SS: *empusa* Hewitson, [1867]; *Thecla* (New World *Eumaeini*) [Type: BMNH] [TypeL - Cartago, Costa Rica.] [Refs - b0908; b2753; b1975]
- a **halesus** (Cramer), [1777], 1775-1790; *Papilio* OD: *Uitl. Kapellen* 2(9):3, pl 98, f B,C [b1069] CG: *Atides* [TypeL - Virginia.] [Type of - *Atides*] [Refs - b2280; b3078; b1711; b1530 :211, f 403; b1321 :52; b4245; b2747; b1601; b3192; b3512; b2417; b0493; b1743; b1319; b2406; b5001; b2419; b4950; b1975; b4690; b2631; b4066; b3814]
- a **halimede** (Hübner), [1807], 1806-1838; *Limnias* OD: *Samml. exot. Schmett.* 1:pl [27] [b2482] CG: *Eurybia* [TypeL - Bahia; Amazon.] [Type of - *Eurybia*] [Refs - b2988; b2280; b2747; b4474; b2260; b1456]
- c **halius** (Dalman), 1823; *Papilio* OD: *Analecta ent.* :45 [b1093] SS: *pais* (Hübner), [1820]; *Themone* [TypeL - Brasilia.] [Refs - b2747; b4474]
- e **halloides** McDunnough, 1914, (ISS); *Epidemia* OD: *Ent. Rec.* 26:201 [b3128] SS: *helloides* (Boisduval), 1852; *Epidemia* [Refs - b3191; b3192; b1321]
- a **halma** (Evans), 1957; *Narathura* OD: *Bull. Br. Mus. nat. Hist.* (Ent.) 5(3):109 [b1644] CG: *Arhopala* g [Type: BMNH-ht] [TypeL - Halmaheira.] [Refs - b1450; b1644]
- a **halmaheira** Bethune-Baker, 1904; *Arhopala* OD: *Ann. Mag. nat. Hist.* (7)14:233 [b0333] CG: *Arhopala* g [Type: BMNH-ht] [TypeL - Halmaheira.] [Refs - b1450; b1644; b0333]
- b **halmaturia** Tepper, 1890; *Ogyris* OD: *Common Ins. S. Aust.* :12 [b4634] SS: *idmo* Hewitson, 1862; *Ogyris* [Refs - b4094; b0870; b1450; b4934; b1476; b0355; b1744]
- a **halosa** Johnson, 1992; *Cissatsuma* OD: *Neue Ent. Nachr.* 29:75, f [b2609] [TypeL - China.] [Refs - b0126]
- a **halus** Takanami, 1994; *Jamides* OD: *Tyô to Ga* 45(1):8, f 5-8,11 [b4610] [Type: pc-ht; collection of Tsukada.] [TypeL - Palopo, Sulawesi Selatan.] [Refs - b4610]
- a **halyaetus** Hewitson, 1874; *Hypochrysops* OD: *Trans. ent. Soc. Lond.* 22(3):350 [b2341] [Type: BMNH-ht; designated by Sands, 1986] [Entomograph 7:45-46 [b3926]] [TypeL - South-western Australia.] [Refs - b1450; b2078; b2753; b0870; b4934; b3926]
- c **halys** (Waterhouse), 1934; *Nacaduba* OD: *Proc. linn. Soc. N. S. Wales* 59(5-6):419 [b4938] SS: *estrella* (Waterhouse & Lyell), 1914; *Catopyrops* [TypeL - Australia.] [Refs - b4676; b1450; b0870]
- a **hamada** (H. Druce), 1875; *Miletus* OD: *Cistula Entomologica* 1(12):361 [b1387] CG: *Taraka* [TypeL - Japan.] [Type of - *Taraka*] [Refs - b1636; b4198; b0964; b4115; b2988; b1019 :6; b0965; b2280; b2747; b0995; b1762; b2479; b1900; b0236; b1454; b1840; b2753; b3055; b4092; b0471]
- a **hamadanensis** (de Lesse), 1959; *Agrodiaetus* OD: *Bull. Soc. ent. Mulhouse* 1959:14 [b1122] CG: *Polyommatus* (*Agrodiaetus*) [Type: MNHN-ht] [TypeL - Between Kazvin and Hamadan, Iran.] [Note - Described as a subspecies of *dama*.] [Refs - b1774; b1122; b1455]
- b **hamatus** (Moore), [1881], 1880-1881; *Castalius* OD: *Lep. Ceylon* 1(2):84, pl 36, f 6,6a [b3232] SS: *caleta* (Hewitson), [1876]; *Caleta* [TypeL - Ceylon.] [Refs - b1636; b1840; b0694]
- c **hamatus** (Talbot), 1928; *Orimba* OD: *Bull. Hill Mus.* 2(3):215 [b4617] SS: *velutina* (Butler), [1867]; *Setabis* [Type: BMNH-ht] [TypeL - Mato Grosso.] [Refs - b4475; b1456]
- b **hamid** (Fruhstorfer), 1915; *Lampides* OD: *Arch. Naturgesch.* (A)81(6):16 [b1865] SS: *abdul* (Distant), 1886; *Jamides* [Type: BMNH-ht] [TypeL - Nias.] [Refs - b4094; b1865; b1454; b3786]
- a **hamila** (Jones), 1912; *Thecla* OD: *Proc. zool. Soc. Lond.* 1912(4):896, pl 97, f 1 [b2663] CG: *Denivia* [Type: BMNH] [TypeL - Castro, Paraná, Brazil.] [Note - Johnson has not been able to locate the type.] [Refs - b0908; b2221; b0125; b2611]
- b **hamilcar** (Grose-Smith), 1894; *Thysonotis* OD: *Ann. Mag. nat. Hist.* (6)14:25 [b2036] SS: *cyanea* (Cramer), [1775]; *Nacaduba* [TypeL - New Britain.] [Refs - b1450; b2078]
- a **hammon** Fruhstorfer, 1914; *Arhopala* OD: *Deut. ent. Zeit.* [Iris] 28(2):137 [b1859] CG: *Arhopala* o [Type: BMNH-ht] [TypeL - Java.] [Refs - b1644; b4094; b2200; b1859; b1454]
- a **hamo** Lucas, 1857; *Lycaena* OD: *In Sagra, Hist. Cuba* 7:612 [b3021] [TypeL - Havana, Cuba.] [Refs - b0908; b0907]
- e **hampsoni** de Nicéville, 1890, (PS); *Megisba* OD: *Butts India Burma Ceylon* 3:61 [b1153] SS: *thwaitesi* Moore, [1881]; *Megisba* [Refs - b1580; b1840; b0694]
- a **hampsoni** Fruhstorfer, 1914; *Logania* OD: *Z. wiss. Insektbiol.* 10(1):24 [b1855] [Type: BMNH-ht; designated by Eliot, 1986] [Bull. Br. Mus. nat. Hist. (Ent.) 53(1):72 [b1571]] [TypeL - New Guinea.] [Refs - b1450; b1855; b1840; b1571]
- e **hampsoni** Fruhstorfer, [1922], 1909-1923, (NN); *Megisba* OD: *In Seitz, Grossschmett. Erde* 9:857 [b1840] SS: *thwaitesi* Moore, [1881]; *Megisba* [Refs - b1636; b1840]
- b **hampsonii** (de Nicéville), 1885; *Nacaduba* OD: *J. asiat. Soc. Bengal, Pt II* 54(2):118, pl 2, f 13 [b1147] SS: *noreia* (R. Felder), 1868; *Prosotas* [TypeL - Ootacamund, Nilgiri Hills.] [Refs - b4676; b1636; b0938; b4094; b1454; b0694]
- e **hanalensis** d'Abrera, 1994, (ISS); *Eiseleia* OD: *Butts Neotropical Region, Pt* 4:911, f SS: *pichanalensis* Müller & Müller, 1972; *Eiseleia* [Refs - b1456]

- a **handmani** (Gifford), 1965; *Epamera* OD: Butterflies of Malawi :52 [b1943] CG: *Iolaus* (*Epamera*) [Refs - b1943; b1452; b4400]
- a **handmani** Gifford, 1965; *Leptomyrina* OD: Butterflies of Malawi :53 [b1943] [Refs - b1943; b4400; b1452]
- b **handmani** Tite & Dickson, 1973; *Aloeides* OD: Bull. Br. Mus. nat. Hist. (Ent.) 29(5):242, f [b4685] SS: molomo (Trimen), 1870; *Aloeides* [Type: BMNH-ht; # Rh. 17226.] [TypeL - Near Ncheu, Malawi.] [Refs - b0104; b4685]
- a **handmani** Quickelberge, 1980; *Lepidochrysops* OD: Durban Mus. Novit. 12(11):139, f 1,2 [b3677] [TypeL - Malawi.] [Refs - b3677; b1610 (124-E12); b0113]
- b **hanna** (Evans), 1932; *Polyommatus* OD: Ident. Indian Butts (2nd ed.) :227 [b1638] SS: iris (Lang), 1884; *Plebejus* (*Vaccinina*) [TypeL - Baluchistan.] [Refs - b0070; b3910; b1638; b0694]
- a **hanno** (Stoll), [1790], 1780-1790; *Papilio* OD: In Cramer, Uid. Kapellen Aanh.:170, pl 39, f 2,2b [b4478] CG: *Hemiargus* [TypeL - Surinam and the Cape of Good Hope.] [LifeH - Tiez lists b2159.] [Refs - b0908; b0540; b2988; b0907; b3326; b2747; b3325; b0278; b0833; b2497; b2753; b4652; b0207]
- b **hanno** (Grose-Smith), 1894; *Thysonotis* OD: Ann. Mag. nat. Hist. (6)14:25 [b2036] SS: caelius (Felder & Felder), 1860; *Psychonotis* [TypeL - New Britian.] [Refs - b1450; b2078]
- b **hannoides** (Clench), 1965; *Hemiargus* OD: J. New York ent. Soc. 73(1):44 [b0837] SS: huntingtoni Rindge & Comstock, 1953; *Echinargus* [Refs - b0528]
- b **hantamsbergae** Dickson, 1978; *Poecilmitis* OD: Ent. Rec. 90(12):293, f [b1260] SS: lysander Pennington, 1962; *Poecilmitis* [TypeL - Cape Province, S. Africa.] [Refs - b1610 (152-E11)]
- c **hantu** Corbet, 1938; *Taraka* OD: Trans. R. ent. Soc. Lond. 87(5):162 [b0939] SS: mahanetra Doherty, 1890; *Taraka* [TypeL - Malaya.] [Refs - b0964; b0965]
- a **hapale** Talbot, 1935; *Liptena* OD: Ent. mon. Mag. 71:72 [b4623] [TypeL - Uganda.] [Refs - b1452; b4623; b4400]
- c **hapalina** (Butler), 1883; *Catochrysops* OD: Proc. zool. Soc. Lond. 1883(2):148, pl 24, f 2,3 [b0625] SS: cnejus (Fabricius), 1798; *Euchrysops* [Type: BMNH] [TypeL - Mhow, India.] [Refs - b1636; b4094; b0625; b4092; b4108]
- a **happensis** (Matsumura), 1927; *Lycaena* OD: Ins. matsumur. 1(4):168, pl 5, f 12 [b3094] CG: *Glaucoopsyche* [TypeL - Korea.] [Refs - b4115; b1762; b2827; b2479; b2866; b0236; b0065; b0471]
- a **haquinus** (Fabricius), 1793, 1792-1799; *Papilio* OD: Ent. syst. 3(1):55 [b1657] CG: *Taxila* [TypeL - Tranquebariae.] [Refs - b0964; b1636; b1149; b2988; b0965; b2747; b4474; b1039; b1454; b1840; b5076]
- a **haradai** Igarashi, 1973; *Ahlbergia* OD: Tyô to Ga 23(3/4):68, f [b2500] [TypeL - Godavari, Nepal.] [Refs - b0104]
- b **harae** (Matsumura), 1906; *Lycaena* OD: Annot. zool. jap. 6(1):13, pl 1, f 5 [b3082] SS: maha (Kollar), [1844]; *Pseudozizeeria* [Refs - b2479]
- a **haraldus** (Fabricius), 1787; *Papilio* OD: Mantissa Ins. 2:82 [b1656] CG: *Lycaenopsis* [Type: ZMC-ht] [TypeL - India orientali", probably Sumatra.] [Refs - b0964; b1636; b0965; b0933; b1580; b0400; b2200; b1840; b2747; b5076]
- b **hari** Weeks, 1901; *Eurybia* OD: Can. Ent. 33(10):268 [b4958] SS: jumma Felder & Felder, 1865; *Eurybia* [TypeL - Bolivia.] [Refs - b4474; b1456]
- c **haretta** Draudt, [1919], 1917-1924, (ISS); *Thecla* OD: In Seitz, Grossschmetz. Erde 5:750 [b1348] SS: harrietta Weeks, 1901; *Thecla* (New World Eumaeini) [Refs - b0908]
- a **harmani** Cassidy, 1982; *Catapaecilma* OD: Brunei Museum Journal 5(2):248, f [b0726] [TypeL - Brunei, Borneo.] [Refs - b0115; b0116; b1454; b4108]
- b **harmodius** Godman & Salvin, [1886], 1879-1901; *Symphachia* OD: Biol. centr.-amer., Lep. Rhop. 1:418 [b1975] SS: leena Hewitson, 1870; *Symphachia* [TypeL - Colombia.] [Refs - b4474; b1456]
- c **harmonia** Godman & Salvin, [1886], 1879-1901; *Caria* OD: Biol. centr.-amer., Lep. Rhop. 1:449; 3:pl 43, f 26-27 [b1975] SS: rhaocotis (Godman & Salvin), 1878; *Caria* [TypeL - Panama; Colombia.] [Refs - b4474; b1456]
- a **harpax** (Fabricius), 1775; *Papilio* OD: Syst. Ent. :appx 829 [b1653] CG: *Axiocerses* [TypeL - America", but really Africa.] [Refs - b1943; b0831; b2747; b1601; b1452; b0836; b4400]
- b **harrietta** Weeks, 1901; *Thecla* OD: Can. Ent. 33(11):294 [b4959] SS: paupera (Felder & Felder), 1865; *Thecla* (New World Eumaeini) [Type: MCZ] [TypeL - Near "Conicoc", Bolivia.] [Refs - b0908; b1375; b4967]
- b **harterti** (Doherty), 1889; *Massaga* OD: J. asiat. Soc. Bengal, Pt II 58(1):128, pl 10, f 1 [b1300] SS: phalena (Hewitson), 1874; *Simiskina* [TypeL - Upper Assam.] [Refs - b1636; b4094; b2200; b1850; b3610; b1454; b0694; b0950]
- a **harterti** (Grose-Smith), 1894; *Holochila* OD: Novit. zool. 1:579 [b2037] CG: *Philiris* [Type: BMNH-ht] [TypeL - Humboldt Bay, New Guinea.] [Refs - b4677; b1450; b2078]
- a **hartii** Turner & Miller, 1992; *Cyanophrys* OD: Bull. Allyn Mus. (137):2, f [b4756] [Type: AME-ht] [TypeL - Jamaica.] [Refs - b0126]
- c **harukii** Hori & Tamanuki, 1937; *Neozephyrus* OD: Bull. Central Exp. Stat, Saghalien (19):177 [b2450] SS: taxila (Bremer), 1861; *Neozephyrus* [Refs - b2463]
- b **harutai** Inomata, 1989; *Fixsenia* OD: Stud. Chin. Butterflies 1:236, f [b2504] SS: iyonis (Ôta & Kusunoki), 1957; *Fixsenia* [TypeL - China.] [Refs - b0123]
- a **hassan** (Stoll), [1790], 1780-1790; *Papilio* OD: In Cramer, Uid. Kapellen Aanh.:168, pl 38, f 4,4D [b4478] CG: *Chalybs* [TypeL - Surinam.] [Refs - b0908; b2747; b1975; b2626]
- a **hatita** Hewitson, [1865], 1863-1878; *Hypolycaena* OD: Ill. diurn. Lep. Lycaenidae 1:51; 2:pl 23, f 21,24 [b2326] [TypeL - Africa occ.] [Refs - b1943; b2747; b1452; b0836; b4400]
- b **haurii** (Fruhstorfer), 1917; *Lycaena* OD: Soc. ent. 32:26 [b1881] SS:alcon ((Denis & Schiffemüller), 1775; *Maculinea* [TypeL - Graubünden; Filisur.] [Note - Also described in Deut. ent. Zeit. [Iris], 31:24 (b1877).] [Refs - b0236; b0400; b1877; b2858]
- d **haurii** (Fruhstorfer), 1917, (H); *Lycaena* OD: Deut. ent. Zeit. [Iris] 31:24 [b1877] SS: haurii (Fruhstorfer), 1917; *Maculinea* [Refs - b1877]
- b **hauttecoeri** Oberthür, 1888; *Alaena* OD: Étud. ent. 12:7 [b3430] SS: interposita Butler, 1883; *Alaena* [*Check - Spelling?*] [Refs - b1452 (as *hauttecoeri*); b4400; b3609]
- c **havea** Corbet, 1941; *Arhopala* OD: Proc. R. ent. Soc. Lond. (B)10(9):166 [b0956] SS: wildeyana Corbet, 1941; *Arhopala* i [Type: BMNH-ht] [TypeL - Langkawi Island.] [Refs - b1644; b0956]
- a **haveni** Larsen, 1983; *Lepidochrysops* OD: Fauna Saudi Arabia 5:407, f [b2900] [TypeL - Yemen.] [Refs - b0116; b2899]
- a **havila** Hewitson, [1865], 1863-1878; *Thecla* OD: Ill. diurn. Lep. Lycaenidae 1:76; 2:pl 30, f 23,24 [b2326] CG: *Thecla* (New World Eumaeini) [Type: BMNH] [TypeL - New Granada.] [Refs - b0908; b2747]
- a **havitandi** Bethune-Baker, 1896; *Arhopala* OD: In Proc. zool. Soc. Lond. 1896(3):665, pl 30, f 8,9 [b0326] CG: *Arhopala* f [TypeL - Borneo.] [Refs - b1644; b4094; b1454; b4108]

- a **hawkeri** (Talbot), 1929; *Euchrysops* OD: Bull. Hill Mus. 3(2):140, f [b4619] CG: *Lepidochrysops* [Type: BMNH-st] [TypeL - Moxico District, South-east Angola.] [Refs - b1452; b4619; b4400]
- c **hayashii** Shirôzu, 1951; *Favonius* OD: Kontyû 19:61 [b4191] SS: *ultramarina* (Fixsen), 1887; *Favonius* [TypeL - Japan.] [Refs - b1900; b4214; b3276]
- b **hayashii** Schröder & Treadaway, 1979; *Simiskina* OD: Ent. Zeit. 89(24):272, f 3 [b3978] SS: *phalena* (Hewitson), 1874; *Simiskina* [Type: pc-ht; collection of Treadaway.] [TypeL - Mindanao, Philippines.] [Refs - b1610 (7015-E11); b2200; b3978; b3524; b3487]
- c **hayashii** (Detani), 1983; *Narathura* OD: *Iwase* (1):55-56 [b1211] SS: *lewara* Ribbe, 1926; *Arhopala* a [TypeL - Peleng Island, nr Celebes.] [Refs - b2199]
- c **hayashii** (Detani), 1983; *Virachola* OD: *Iwase* (1):56-57 [b1211] SS: *verruculata* (Snellen), 1891; *Sinthusa* [TypeL - Peleng Island, nr Celebes.] [Refs - b2199]
- a **hayashii** Schröder & Treadaway, 1989; *Drupadia* OD: Ent. Zeit. 99(19):273, f 1,2 [b3989] [Type: pc-ht; collection of Treadaway.] [TypeL - Cavan, Sibutu Island, Tawitawi Group, Philippines.] [Refs - b3989]
- b **hayashii** Takanami, 1990; *Nacaduba* OD: *Tyô to Ga* 41(2):74 [b4605] SS: *beroe* (Felder & Felder), 1865; *Nacaduba* [Type: biblio; replacement for *elioti* Hayashi, 1976.] [TypeL - Indonesia.] [Refs - b0124]
- b **hayesi** (Larsen), 1974; *Meleageria* OD: *Alexanor* 8(7):304, f [b2895] SS: *daphnis* ([Denis & Schiffermüller]), 1775; *Polyommatus* (*Meleageria*) [TypeL - Nabi Sbat, Lebanon.] [Refs - b0105; b1455]
- a **hazara** Evans, 1932; *Tarucus* OD: *Ident. Indian Butts* (2nd ed.):215 [b1638] [TypeL - Abbottabad.] [Note - Described as a subspecies of *venosus*.] [Refs - b1642; b0070; b1638; b0694; b2388]
- a **hazela** Stempffer, 1973; *Harpenderyus* OD: Bull. Soc. ent. Fr. 78(5/6):223, f 1-3 [b4411] [Type: MNHN-ht] [TypeL - Missuku Hills, N. Malawi.] [Refs - b0104 (as *hezela*?); b1452; b4411]
- a **hazeorum** Bálint & Johnson, 1993; *Pseudolucia* OD: Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (27):8, f [b0212] [Type: UMCE-ht] [TypeL - Cordillera Parral, Malco, Maule, Reg. Bio Bio, Chile.] [Refs - b0212; b0207]
- a **heathi** (Cox), 1873; *Lycaena* OD: *Entomologist* 6:402 [b1068] CG: *Candalides* [Type: BMNH-ht] [TypeL - S. Australia.] [Type of *Microscena*] [Refs - b4677; b1450; b1019 :6; b2753; b2078; b0870; b4934; ns3669]
- b **heathi** d'Abbrera, 1980; *Spindasis* OD: *Butts Afrotropical Region* :479, f [b1452] SS: *modestus* (Trimen), 1891; *Spindasis* [TypeL - Zambia.] [Refs - b0113; b1452; b2224]
- e **heathi** Scott, 1986, (IFS); *Satyrium* OD: *Butts N. America* :363 [b4066] SS: *albidus* Scott, 1981; *Satyrium* [Refs - x3192; b4066]
- b **heathi** Henning & Henning, 1988; *Capys* OD: *Durban Mus. Novit.* 14(6):102-139 [b2286] SS: *brunneus* Aurivillius, 1916; *Capys* [Type: DM-ht] [TypeL - Isombo, Ik lengi, Zambia.] [Refs - b2286]
- c **heathii** (Fletcher), [1904]; *Thecla* OD: *Trans. R. Soc. Can.* 9(4):211, f [b1749] SS: *falacer* (Godart), [1824]; *Satyrium* [Type: USNM-ht] [TypeL - Long River valley, near Cartwright, Manitoba.] [Note - Also described in *Can. Ent.*, 36:125 (7 May 1904).] [Refs - b0908; b1321 :58; x3192; b4065; b1748; b1722; b1749]
- a **hebes** (H. H. Druce), 1904; *Thysonotis* OD: *Ann. Mag. nat. Hist.* (7)13:140 [b1369] CG: *Psychonotis* [TypeL - Upper Aroa River, British New Guinea.] [Refs - b1450; b2078; b0111; b1866; b2388; b1369]
- a **hebraeus** (Hewitson), [1867], 1863-1878; *Thecla* OD: *Ill. dium. Lep. Lycaenidae* 1:104; 2-pl 43, f 165,166 [b2326] CG: *Panthiades* [Type: BMNH; Boisduval collection] [TypeL - Bahia.] [Refs - b0908; b3390; b2747; b2631]
- a **hebrus** (Cramer), [1775], 1775-1790; *Papilio* OD: *Uitl. Kapellen* 1(5):79, pl 50, f E,F [b1069] CG: *Menander* [TypeL - America mer.] [Refs - b2988; b2747; b4475; b4950; b1456]
- e **hecale** (Godman & Salvin), [1887], 1879-1901, (IOS); *Thecla* OD: *Biol. centr.-amer., Lep. Rhop.* 3:pl 58, f 15-17 [b1975] SS: *hecate* (Godman & Salvin), [1887]; *Michaelus* [Refs - b0908; b3392]
- a **hecale** (Leech), [1893], 1893-1894; *Zephyrus* OD: *Butts China Japan Corea* :379, pl 27, f 1,2 [b2966] CG: *Teratozephyrus* [TypeL - China.] [Refs - b4198; b2988 (*Heliconid*); b0996 (nec f 2); b2479; b4214; b4200; b3296; b1454; b4092]
- b **hecalina** (Bryk), 1946; *Ruralis* OD: *Ark. Zool.* 38A(3):51 [b0568] SS: *aurorina* (Oberthür), 1880; *Chrysozephyrus* [TypeL - Korea.] [Refs - ns4903]
- b **hecalius** Miskin, 1884; *Hypochrysops* OD: *Trans. ent. Soc. Lond.* 32(1):94 [b3210] SS: *byzos* (Boisduval), 1832; *Hypochrysops* [Type: QM-lt; designated by Sands, 1986] [*Entomograph* 7:73 [b3926]] [TypeL - Victoria, Australia.] [Refs - b2078; b0870; b1450; b0870; b4934; b3926]
- a **hecamede** Hewitson, [1870], 1852-1877; *Hades* OD: *Ill. exot. Butts* 4:[75], pl [49], f 1-3 [b2323] [TypeL - Ecuador.] [Refs - b2988; b2747; b4474; b1456]
- a **hecate** (Godman & Salvin), [1887], 1879-1901; *Thecla* OD: *Biol. centr.-amer., Lep. Rhop.* 2:98; 3:pl 58, f 15-17 [b1975] CG: *Michaelus* [TypeL - Jalapa, Mexico.] [Refs - b0908; b3392; b0111; b2406; b1975]
- b **hecate** Stichel, 1919; *Hades* OD: *Deut. ent. Zeit.* 1919:324 [b4454] SS: *hecamede* Hewitson, [1870]; *Hades* [Type: ZMHU-st] [TypeL - Colombia.] [Refs - b4474; b4454]
- c **hecateus** (Drapier), 1819; *Polyommatus* OD: *Ann. Sc. Phys. Brux.* 2:335, pl 30, f 5 [b1347] SS: *orion* (Pallas), 1771; *Scolitantides* [Refs - b2747; b0993; b0400; b2794]
- b **hedemanni** (R. Felder), 1869; *Mesene* OD: *Verh. zool.-bot. Ges. Wien* 19:468 [b1694] SS: *tricolor* Hewitson, [1867]; *Symmachia* [TypeL - Mexico.] [Refs - b2747; b4474; b1456]
- a **hedgesi** Schwartz & Johnson, 1992; *Leptotes* OD: *Caribb. J. Sci.* 28(3/4):149, f 1,2 [b4050] [Type: CNCH-ht] [TypeL - 5.5 km NW Niceto Pérez, Provincia de Pinar del Río, Cuba.] [Refs - b4050]
- c **hedwiga** Suffert, 1904; *Pentila* OD: *Deut. ent. Zeit.* [Iris] 17:43 [b4535] SS: *maculata* (Kirby), 1887; *Pentila* [TypeL - Bipindi, Cameroun.] [Refs - b4420; b4400]
- e **hedwigia** Sharp, [1911], (ISS); *Mesosemia* OD: *Zool. Rec.* 47(1910)(Ins.):320 [b4140] SS: *hedwigis* Stichel, 1910; *Mesosemia* [Refs - b4140]
- a **hedwigis** Stichel, 1910; *Mesosemia* OD: *Gen. Insectorum* 112(A):50 [b4446] [Type: pc-st; collection of Stichel] [TypeL - Cuzco, Peru; La Paz, Bolivia.] [Refs - b4474; b4140 (as *hedwigia*); b4446; b1456; b4446]
- c **hegesander** (Fruhstorfer), 1910; *Cyaniris* OD: *Stett. ent. Ztg* 71(2):292 [b1843] SS: *lavendularis* (Moore), 1877; *Celastrina* [Type: BMNH-lt; designated by Eliot & Kawazoé, 1983] [*Butts Lycaenopsis* group :254 [b1580]] [TypeL - North Vietnam.] [Refs - b1580; b1840]
- b **hegasias** (Fruhstorfer), 1910; *Cyaniris* OD: *Stett. ent. Ztg* 71(2):289 [b1843] SS: *coxae* (de Nicéville), 1895; *Plautella* [Type: BMNH-lt; designated by Eliot & Kawazoé, 1983] [*Butts Lycaenopsis* group :171 [b1580]] [TypeL - Nias.] [Refs - b1843; b1840; b1580; b2200]

- c **hesiodus** (Fabricius), 1793, 1792-1799; *Hesperia* OD: Ent. syst. 3(1):260 [b1657] SS: faunus (Drury), [1773]; *Oxylides* [TypeL - India.] [Refs - b2747; b0836; b4400; b5076]
- e **hesiona** Doubleday, 1847, 1844-1848, (NN); Charis OD: List Spec. lep. Brit. Mus. (2):17 [b1327] [Refs - b4474]
- b **hesione** Stichel, 1910; *Symmachia* OD: Berl. ent. Z. 55(1/2):79 [b4445] SS: hetaerina Hewitson, [1867]; *Symmachia* [TypeL - Fonteboa, W. Amazonas, Brazil; Iquitos, Peru.] [Refs - b4474; b4445]
- a **hesperia** Sibatani & Grund, 1978; *Theclinesthes* OD: Tyô to Ga 29(1):30, f 31,52,157 [b4223] [Type: ANIC-ht] [TypeL - Western Australia.] [Refs - b4223; b0870; b2388]
- b **hesperica** (Rambur), 1839, 1837-1840; *Lycæna* OD: Faune ent. Andal. 2:270, pl 10, f 1-4 [b3688] SS: pylaon (Fischer von Waldheim), 1832; *Plebejus* (*Plebejides*) [TypeL - Andalusia.] [Refs - b2375; b3059; b1780; b0993; b2747; b0410; b2859; b4092]
- a **hesperina** Butler, 1874; *Mesosemia* OD: Trans. ent. Soc. Lond. 22(4):430 [b0598] [TypeL - Chontales.] [Refs - b2753; b4474; b1456]
- b **hesperinum** Stichel, 1911; *Nymphidium* OD: Gen. Insectorum 112(B):381 [b4447] SS: lisimon (Stoll), [1790]; *Nymphidium* [Type: pc-st; collection of Stichel] [TypeL - Peru.] [Refs - b4476; b1456; b4446]
- a **hesperis** (Vári), 1976; *Castalius* OD: Ann. Transv. Mus. 30(13):133, f [b4821] CG: Tuxentius [TypeL - Vioolsdrif, S. Africa.] [Refs - b1259; b0108; b2898]
- a **hesperitis** (Butler & H. Druce), 1872; *Bithys* OD: Cistula Entomologica 1(5):107 [b0662] CG: Ziegleria [Type: BMNH-ht] [TypeL - Costa Rica.] [Refs - b0908; b2988; b2753; b2221; b3818; b2497; b1375; b1975; b0125; b2614; b2606]
- b **hesselbarthi** (Manley), 1970; *Aricia* OD: In Butts Spain :95, pl 31, f 49; pl 32, f 1-3 [b3057] SS: morronensis (Ribbe), 1910; *Plebejus* (*Aricia*) [Refs - b3057]
- b **hesselbarthi** (Nekrutenko), 1974; *Agrïades* OD: J. Lep. Soc. 28(3):281, f [b3350] SS: pyrenaicus (Boisduval), 1840; *Polyommatus* (*Agrïades*) [Type: ZMKU] [TypeL - Ulu-Dag, Bursa, Turkey.] [Refs - b0105; b3350]
- a **hesseli** Rawson & Ziegler, 1950; *Mitoura* OD: J. New York ent. Soc. 58(2):74, pl 10, f 5-9 [b3694] CG: *Mitoura* [Type: USNM-ht] [TypeL - Lakehurst, Ocean County, New Jersey.] [Note - Johnson lists the type as being in the AMNH.] [Refs - b1530 :206, f 391; b1321 :54; b0908; b2583; b1740; b1944; b1343; b0277; b3192; b3512; b2585; b2584; b4066]
- a **hesychia** (Godman & Salvin), [1887], 1879-1901; *Thecla* OD: Biol. centr.-amer., Lep. Rhop. 2:87; 3:pl 57, f 32,33 [b1975] CG: *Caerofethra* [Type: BMNH] [TypeL - Río Sucio, Costa Rica.] [Refs - b0908; b1975; b2593; b2593; b0125]
- a **hetaerina** Hewitson, [1867], 1852-1877; *Symmachia* OD: Ill. exot. Butts 4:[--], pl [45], f 10 [b2323] [Type: BMNH-ht] [TypeL - Tapajos.] [Refs - b2988; b2747; b4474; b1456]
- e **heteraea** Kirby, 1871, (ISS); *Cremna* OD: Syn. Cat. dium. Lep. :293 [b2747] SS: *heteroea* Bates, 1867; *Cremna* [Refs - b2747]
- a **heterisa** (Jordan), 1912; *Abisara* OD: Novit. zool. 18:595 [b2665] CG: *Praetaxila* [TypeL - New Guinea.] [Refs - b1450; b2665; b4474; b1840]
- a **heterochroa** Hopffer, 1874; *Emesis* OD: Stutt. ent. Ztg 35:364 [b2446] [TypeL - Peru.] [Refs - b2988; b2753; b4475; b3717; b1456]
- a **heteroclitia** Stichel, 1929; *Emesis* OD: Mitt. zool. Mus. Berl. 15:21 [b4470] [TypeL - Pebas.] [Refs - b4475; b4470; b1456]
- b **heteroea** Bates, 1867; *Cremna* OD: Trans. ent. Soc. Lond. (3)5(7):542 [b0266] SS: *actoris* (Cramer), [1776]; *Cremna* [TypeL - Amazon sup.] [Refs - b2747 (as *heteraea*); b0266]
- a **heteronea** (Boisduval), 1852; *Lycæna* OD: Annls Soc. ent. Fr. (2)10:298 [b0467] CG: *Chalceria* [Type: USNM-ht] [TypeL - (Mountains of Northern) California.] [LifeH - Tietz lists b5012, b0876.] [Refs - b1530 :223, f 430; b1321 :60; b0908; b2747; b4179; b4220 (Tharsalea); b1601; b3192; b3189; b0493; b4690; b0467; b4066; b4652]
- c f. **heteropyga** (Rebillard), 1958; *Orimba* OD: Mém. Mus. natn Hist. nat. (A)15:208, pl 1, f 12 [b3717] SS: *tapaja* (Saunders), [1859]; *Setabis* [Type: MNHN-ht] [TypeL - Teffé, Rio Solimões, Brazil.] [Refs - b3717; b0093]
- a **hewitsoni** Moore, [1866]; *Poritia* OD: Proc. zool. Soc. Lond. 1865(3):775, pl 41, f 10 [b3221] [Type: BMNH-ht] [TypeL - Sikkim.] [Type of - *Poritia*] [Refs - b1636; b2280; b0965; b2747; b4094; b1850; b3610; b1454; b3055; b0694; b1543]
- d **hewitsoni** (Kirby), 1871, (JOS); *Thecla* OD: Syn. Cat. dium. Lep. :386 [b2747] SS: *ira* (Hewitson), [1867]; *Michaelus* [Type: biblio; replacement for *ira* Hewitson, [1867]] [Refs - b0908; b2747; b3392; b2406; b2631]
- a **hewitsoni** (Mabille), 1877; *Amblypodia* OD: Bull. Soc. zool. Fr. 2:221 [b3039] CG: *Epitola* [TypeL - Landana.] [Refs - b3842; b4400; b1452; b1585]
- a **hewitsoni** Grose-Smith & Kirby, 1887, 1887-1902; *Pentila* OD: Rhop. exot. 1(10):3 [b2049] [TypeL - Vieux Calabar, Nigeria.] [Refs - b4400; b1452; b0836; b4420]
- c **hewitsoni** Elwes, 1888; *Jamides* OD: Trans. ent. Soc. Lond. 36(3):400 [b1592] SS: *coruscans* (Moore), 1877; *Jamides* [Refs - b0996]
- d **hewitsoni** Staudinger, 1889, (H); *Epitola* OD: Ent. Nachr. 15:178 [b4333] SS: *crowleyi* E. Sharpe, 1890; *Epitola* [TypeL - Africa.] [Refs - b4400]
- a **hewitsoni** (Röber), 1895; *Taxila* OD: Ent. Nachr. 21:150 [b3824] CG: *Paralaxia* [TypeL - Borneo.] [Refs - b4474; b1454; b1840; b3528]
- c **hewitsoni** (Kirby), 1896, 1894-1897; *Catagrammina* OD: In Allen, Nat. Libr., Lepid. 2:42 [b2768] SS: *tapaja* (Saunders), [1859]; *Setabis* [TypeL - Amazonas.] [Refs - b4475; b1456]
- c **hewitsoni** Aurivillius, [1899]; *Euliphyra* OD: K. svenska VetenskAkad. Handl. (nf)31(5):286 [b0156] SS: *mirifica* Holland, 1890; *Euliphyra* [Refs - b4400; b0836]
- c **hewitsoni** (Aurivillius), [1899]; *Lycænesthes* OD: K. svenska VetenskAkad. Handl. (nf)31(5):347 [b0156] SS: *lunulata* (Trimen), 1894; *Anthene* [Refs - b4400; b4400]
- c **hewitsoni** (Rebel), 1902; *Nymphidium* OD: In Berl. ent. Z. 46(2/3):301 [b3701] SS: *phliasus* (Cramer), [1777]; *Synargis* [Refs - b4475]
- b **hewitsoni** Waterhouse, 1902; *Ogyris* OD: Proc. linn. Soc. N. S. Wales 27(3):338, pl 14, f 5-8 [b4932] SS: *amaryllis* Hewitson, 1862; *Ogyris* [TypeL - Australia.] [Refs - b1450; b4094; b4934; b0870]
- c **hewitsoni** Bethune-Baker, 1903; *Arhopala* OD: Trans. zool. Soc. Lond. 17(1):132, pl 3, f 9, pl 5, f 23,23a [b0331] SS: *atrax* (Hewitson), 1862; *Arhopala* f [Type: BMNH-ht] [TypeL - India.] [Note - Shirôzu & Saigusa consider this a good species.] [Refs - b1644; b4094; b4209]
- b **hewitsoni** Stichel, 1915; *Semomesia* OD: Deut. ent. Zeit. 1915:663,664, pl 20, f 13 [b4451] SS: *marisa* (Hewitson), [1858]; *Semomesia* [Type: biblio] [TypeL - Pará, Brazil.] [Refs - b4474; b4451]
- a **hewitsoni** Johnson, 1990; *Orcya* OD: J. New York ent. Soc. 98(1):69, f [b2602] [TypeL - Ecuador] [Refs - b0123]

- c **hewitsonii** Saunders, [1859]; *Necyria* OD: Trans. ent. Soc. Lond. (2)5(9):106, pl 10, f 9,10 [b3939] SS: saundersii (Hewitson), 1854; *Necyria* [TypeL - New Granada.] [Refs - b2747; b4474; b3939; b1456]
- c **hewitsonii** (Boisduval), 1870; *Mesene* OD: Consid. Lép. Guatemala :22 [b0469] SS: argentea (Bates), 1866; *Chimastrum* [TypeL - Guatemala.] [Refs - b2747; b4474]
- c **hewitsonii** (H. H. Druce), 1895; *Biduanda* OD: Proc. zool. Soc. Lond. 1895(3):615, pl 34, f 5 [b1362] SS: cineas (Grose-Smith), 1889; *Drupadia* [Type: BMNH-ht] [TypeL - Sabah, East Malaysia.] [Refs - b1030; b4094 (..i); b0105; b0105; b1362]
- a **hewitsonioides** Hawker-Smith, 1933; *Epitola* OD: Stylops 2:11 [b2168] [TypeL - Nr Walikale, Middle Lova Valley, Belgian Congo.] [Refs - b3842; b1452; b2168; b4400]
- b **heynei** (Wnukowsky), 1929; *Lycaena* OD: Zool. Anz. 83:221 [b5026] SS: agestis [Denis & Schiffemüller], 1775; *Plebejus* (Aricia) [Note - Replacement name.] [Refs - b0236; b0471]
- e **ab. heynei** (Strand), 1913; *Chrysophanus* OD: Ent. Rundsch. 30:98, f [b4514] SS: festivus Krulikovskii, 1909; *Lycaena* (*Thersamolycaena*) [Refs - b0236; b0471]
- c **hibera** (Verity), 1939, (RA); *Lysandra* OD: Lambillionea 39:215 [b4861] SS: albicans (Gerhard), 1851; *Polyommatus* (*Lysandra*) [Type: MZS-st] [TypeL - Spain.] [Refs - b3059; b2856]
- e **hibernata** (Verity), 1919, 1919-1922, (IFS); *Agriades* OD: Ent. Rec. 31:44 [b4840] SS: thersites (Cantener), 1834; *Polyommatus* (*Plebicula*) [Refs - b2856; b0236; b4854; b0471]
- b **hibernica** Goodson, 1948; *Lycaena* OD: Entomologist 81(8):177 [b1996] SS: phlaeas (Linnaeus), 1761; *Lycaena* (*Lycaena*) [Type: BMNH] [TypeL - Ireland.] [Refs - b1996; b0082]
- a **hictetas** (Godman & Salvin), [1887], 1879-1901; *Thecla* OD: Biol. centr.-amer., Lep. Rhop. 2:87; 3-pl 57, f 34,35 [b1975] CG: Auberina [Type: BMNH] [TypeL - Cordova, Mexico.] [Note - Not spelled hictetas.] [Refs - b0908; b3818; b1975; b2593; b0125 (as hictetas)]
- b **hiemalis** (Godman & Salvin), 1878; *Myrina* OD: Proc. zool. Soc. Lond. 1878(3):640, pl 40, f 5,6 [b1974] SS: nivea (Godman & Salvin), 1878; *Neomyrina* [TypeL - Burma.] [Type of - Neomyrina] [Refs - b1636; b2280; b1021; b0965; b4094; b4950; b2201; b1454; b0694]
- b **hiemalis** (Niepelt), 1934; *Cupido* OD: Int. ent. Z. 28(6):54 [b3399] SS: atrogutata (Oberthür), 1876; *Phengaris* [TypeL - Formosa.]
- e **hiendlmayeri** (Aurivillius), [1914], 1908-1925, (ISS); *Pentila* OD: In Seitz, Grossschmett. Erde 13:304 [b0162] SS: hiendlmayeri (Dewitz), 1886; *Liptenara* [Refs - b0162]
- a **hiendlmayeri** (Dewitz), 1886; *Pentila* OD: Deut. ent. Zeit. 30(2):429, pl 2, f 3 [b1221] CG: Liptenara [TypeL - Mukenge, Congo region, W. Africa.] [Refs - b1452; b1221; b4420; b4400; b0162]
- a **hiendlmayerii** de Nicéville, 1894; *Aphnaeus* OD: J. asiat. Soc. Bengal, Pt II 63(1):38, pl 5, f 5 [b1158] [TypeL - Sumatra.]
- c **hiere** (Fabricius), 1787; *Papilio* OD: Mantissa Ins. 2:80 [b1656] SS: alciphron (Rottemburg), 1775; *Lycaena* (*Alciphronia*) [Type: ZMC-ht] [TypeL - Austria."] [Refs - b2747; b0996; b0236; b0389; b5076]
- a **hieronymi** (Salvin & Godman), 1868; *Eurygona* OD: Ann. Mag. nat. Hist. (4)2:149 [b3915] CG: Euselasia [TypeL - Vera Paz.] [Refs - b2988; b2719; b2747; b4474; b1342 (as hieronymi); b2406; b1456]
- e **hieronymi** Downey & Allyn, 1980, (ISS); *Euselasia* OD: J. Lep. Soc. 34(2):142 [b1342] SS: hieronymi (Salvin & Godman), 1868; *Euselasia* [Refs - b1342]
- b **hierophantes** (Fruhstorfer), [1915], 1909-1923; *Gerydus* OD: In Seitz, Grossschmett. Erde 9:822 [b1840] SS: symethus (Cramer), [1777]; *Miletus* 4 [TypeL - Sulu.] [Refs - b1546; b1840; b4108]
- c **hieropocus** (Fruhstorfer), [1915], 1909-1923; *Gerydus* OD: In Seitz, Grossschmett. Erde 9:822 [b1840] SS: petronius (Distant & Pryer), 1887; *Miletus* 4 [TypeL - Brunei, N. Borneo.] [Refs - b1546; b1840 (as hieropocus)]
- b **higginsii** Agenjo, 1963; *Laeosopsis* OD: Boln Serv. Plag. Forest. 6(12):138, pl 1, f 9 [b0014] SS: roboris (Esper), [1789]; *Laeosopsis* [TypeL - Spain.] [Refs - b3059]
- e **f. hikosana** (Murayama), 1964; *Coreana* OD: Tyô to Ga 15(1):17 [b3292] SS: stygiana (Butler), 1881; *Ussuriana* [Refs - b3292]
- b **hilaiera** Fruhstorfer, 1914; *Logania* OD: Z. wiss. InsektBiol. 10(1):23 [b1855] SS: marmorata Moore, 1884; *Logania* [Type: BMNH-ht; designated by Eliot, 1986] [Bull. Br. Mus. nat. Hist. (Ent.) 53(1):65 [b1571]] [TypeL - Sumatra.] [Refs - b1855; b1840; b1571; b4108]
- b **hilaria** Hewitson, [1867], 1852-1877; *Symmachia* OD: Ill. exot. Butts 4:[-], pl [45], f 5 [b2323] SS: leopardinum (Felder & Felder), 1865; *Symmachia* [TypeL - Amazon.] [Refs - b2747; b4474; b1456]
- c **hilarion** Hulstaert, 1924; *Cupidesthes* OD: Revue zool. afr. 12(2):180 [b2496] SS: aresepa Bethune-Baker, 1910; *Cupidesthes* [TypeL - Kamerun.] [Refs - b0113; b3796; b2496; b4400]
- b **hilda** (Grinnell & Grinnell), 1907; *Cupido* OD: J. New York ent. Soc. 15(1):46 [b2025] SS: saepiolus (Boisduval), 1852; *Plebejus* (*Icaricia*) [Type: AMNH-ht] [TypeL - Upper cinega at head of S. Fork, Santa Ana, California.] [Refs - b0908; b3192; b1321; b4066]
- b **hilda** (Evans), 1957; *Narathura* OD: Bull. Br. Mus. nat. Hist. (Ent.) 5(3):95 [b1644] SS: metamuta (Hewitson), [1863]; *Arhopala* b [Type: BMNH-ht] [TypeL - Borneo.] [Refs - b1644; b1454; b4108]
- a **hildegarda** (Kirby), 1887; *Teriomima* OD: Ann. Mag. nat. Hist. (5)19:367 [b2763] CG: Baliocchila [TypeL - W. Africa.] [Refs - b1943; b1452; b4400]
- c **hilima** (Fruhstorfer), [1912]; *Plerda* OD: Berl. ent. Z. 56(3/4):253 [b1850] SS: epicles (Godart), [1824]; *Heliophorus* [Type: BMNH-st] [TypeL - E. Java.] [Refs - b4094; b1454; b1850; b1549]
- b **hilina** (Fruhstorfer), 1918; *Castalius* OD: Tijdschr. Ent. 61:38 [b1884] SS: elna (Hewitson), [1876]; *Caleta* [TypeL - Nias.] [Refs - b1840]
- a **hillapana** (Röber), 1904; *Lymnas* OD: Soc. ent. 19(14):106 [b3830] CG: Melanis [TypeL - Peru.] [Refs - b4474; b2988 (as hellapana); b4135; b3830; b1456]
- b **himalayanus** (Moore), 1884; *Aphnaeus* OD: J. asiat. Soc. Bengal, Pt II 53(1):26 [b3236] SS: lohita (Horsfield), [1829]; *Spindasis* [TypeL - Sikkim, Assam (ZR says Nepal, Darjiling.)] [Refs - b1636; b1153; b4094; b0996; b0236; b2201; b1850; b1454; b0694; b0695; b1553]
- e **himavanthus** Shirôzu & Saigusa, 1962, (ISS); *Hypolycaena* OD: Nature Life Southeast Asia 2:58 [b4209] SS: himavantus Fruhstorfer, [1912]; *Hypolycaena* [Refs - b4209]
- b **himavantus** Fruhstorfer, [1912]; *Hypolycaena* OD: Berl. ent. Z. 56(3/4):237 [b1850] SS: erylus (Godart), [1824]; *Hypolycaena* [TypeL - Sikkim.] [Refs - b1636; b4094; b1454; b1850; b0694; b4209]

- b himilcon** (Fruhstorfer), 1909; *Cyaniris* OD: *Ent. Zeit.* 23(25):116 [b1838] SS: *lavendularis* (Moore), 1877; *Celastrina* [Type: BMNH-It; designated by Eliot & Kawazoe, 1983] [Buts *Lycaenopsis* group :255 [b1580]] [TypeL - Chip-Chip, Taihanroku, Formosa.] [Refs - b4198; b1840; b1580; b0236; b5053; b4281]
- a himna** (Fruhstorfer), 1914; *Arhopala* OD: *Deut. ent. Zeit.* [Iris] 28(2):128 [b1859] CG: *Flos* [TypeL - Mindanao, Philippines.] [Refs - b4094; b1859]
- a hinigugma** Takanami, 1985; *Arhopala* OD: *Chô Chô* 8(8):14, f 1, 5, 7 [b4590] CG: *Arhopala i* [Type: NSMT-ht] [TypeL - Tandag, Surigao, Mindanao.] [Refs - b4590]
- a hinomaru** Fujioka, 1970; *Rapala* OD: *Spec. Bull. Lep. Soc. Japan* 4:29, f [b1899] [TypeL - Tombol Bridge, Darapani, E. Nepal.]
- a hintza** (Trimen), 1864; *Lycaena* OD: *Trans. ent. Soc. Lond.* (3)2:177 [b4717] CG: *Zintha* [TypeL - Africa mer.] [Type of - *Zintha*] [Refs - b1943; b4400; b1259; b1559; b2747; b1452; b2898; b2560; b3606; b3609; b0162]
- c hiphia** (Hübner), [1819], 1816-1826; *Mesosemia* OD: *Verz. bekannt. Schmett.* (2):21 [b2484] SS: *hyphea* (Cramer), [1776]; *Leucochimona* [Note - Also seen as a synonym of *eumene*.] [Refs - b4474]
- a hippea** Herrich-Schäffer, [1853], 1850-1869; *Symmachia* OD: *Samml. neuer. aussereurop. Schmett.* 1:[55], pl [-], f 39,40 [b2314] [TypeL - Amazon.] [Refs - b2988; b4474; b1456]
- a hippocrate** (Godman), 1903; *Aricoris* OD: *Trans. ent. Soc. Lond.* 51(4):547, pl 23, f 9 [b1972] CG: *Setabis* [TypeL - Ecuador.] [Refs - b4475; b1456]
- a hippocrates** (Fabricius), 1793, 1792-1799; *Hesperia* OD: *Ent. syst.* 3(1):288 [b1657] CG: *Eiochrysops* [TypeL - India, but really Africa.] [Refs - b1943; b1259; b1452; b0836; b4780; b4400; b5076; b2920]
- a hippodice** (Godman), 1903; *Symmachia* OD: *Trans. ent. Soc. Lond.* 51(4):537, pl 21, f 11 [b1972] CG: *Audre* [Type: BMNH-ht] [TypeL - Chapada, Mato Grosso, Brazil.] [Refs - b4475; b1456]
- c hipponoe** (Esper), [1782], 1776-1830; *Papilio* OD: *Die Schmett.* 1(2)(5):pl 78, f 2 [b1623] SS: *alciphron* (Rottemburg), 1775; *Lycaena* (*Alciphronia*) [Refs - b2747; b0389; b2302]
- c hippophaes** (Anonymous), 1934, (ISS); *Chrysophanus* OD: *Zool. Rec.* 70(1933)(Ins.):295 [b0071] SS: *hippotoe* (Linnaeus), 1761; *Palaeochrysophanus* [Refs - b0071]
- a hippothoe** (Linnaeus), 1761; *Papilio* OD: *Faun. svec.* (ed. 2) :274 [b2994] CG: *Palaeochrysophanus* [TypeL - Europe.] [Type of - *Palaeochrysophanus*] [Refs - b4115; b2280; b2375; b3059; b4220; b2747; b0996; b1780; b2827; b0107; b0111; b2866 (as *hippotoe*); b1601; b0236 (..ë); b0389; b2300; b0400; b4950; b1189; b2859; ns0011; ns0383; ns0395; ns0403; b4092]
- d hippothoe** (Esper), [1778], 1776-1830, (H); *Papilio* OD: *Die Schmett.* 1(1)(7):pl 38, f 1a,b [b1623] SS: *dispar* ((Haworth)), 1802; *Lycaena* (*Thersamolycaena*) [Refs - b2747; b4092; b2302]
- a hippuris** Hewitson, 1874; *Hypochrysops* OD: *Trans. ent. Soc. Lond.* 22(3):351 [b2341] [Type: BMNH-ht] [TypeL - Aru Islands.] [Refs - b1450; b2078; b2753; b0870; b3926]
- b hirava** Corbet, 1941; *Arhopala* OD: *Proc. R. ent. Soc. Lond.* (B)10(9):168 [b0956] SS: *vihara* (Felder & Felder), 1860; *Arhopala i* [Type: BMNH-ht] [TypeL - Langkawi Island.] [Refs - b1644; b0956; b2200; b1454]
- a hirayamae** (Matsumura), 1919; *Aphnaeus* OD: *Thous. Ins. Japan Addit.* 3:613, pl 48, f 7 [b3089] CG: *Spindasis* [TypeL - Japan.] [Refs - b4198; b0236; b5053]
- b hirayamana** Matsumura, 1926; *Rapala* OD: *Ins. matsumur.* 1(1):23, pl 2, f 6 [b3092] SS: *nissa* (Kollar), [1844]; *Rapala* [TypeL - Formosa.] [Refs - b4198; b0236; b5052; b5053; b1454]
- a hiria** (Godart), [1824], 1819-1824; *Erycina* OD: *In Ency. méth.* 9(Ins.)(2):584 [b1970] CG: *Calydna* [TypeL - Brasilia.] [Refs - b2747; b4475; b2988 (as *hira*); b1456]
- e ab. hironobui** (Sugitani), 1933, 1933-1938; *Lycaena* OD: *Zephyrus* 5:167-168 [b4539] SS: *ussuriensis* (Sheljuzhko), 1928; *Maculinea* [TypeL - Korea.] [Refs - b4115; b0072]
- a hirsuta** (Pruittwitz), 1865; *Thecla* OD: *Stett. ent. Ztg* 26:321 [b3651] CG: *Magnastigma* [TypeL - Corcovado, Rio de Janeiro, Brazil.] [Refs - b0908; b3391; b2747; b2631]
- a hirtipes** Sands, 1980; *Acrodipsas* OD: *J. Aust. ent. Soc.* 18(3):251-265 [b3923] [Type: ANIC-ht] [TypeL - Queensland, Australia.] [Refs - b1610 (7913-E11); b3923; b0113; b0870]
- a hirundo** (Wallengren), 1857; *Thecla* OD: *K. svenska VetenskAkad. Handl.* (nF)2(4):35 [b4913] CG: *Leptomyrina* [TypeL - Africa mer.] [Refs - b1943; b4400; b1259; b2747; b1452; b1235]
- a hisamatsusanus** (Nagami & Ishiga), 1935; *Zephyrus* OD: *Fukuoka hakub. zasshi* 1(4):303 [b3329] CG: *Chrysozephyrus* [TypeL - Japan.] [Refs - b1900; b4543; b4214; b4200; b3296; b2463; b3296 (as *hisamatsuzanus*)]
- e hisamatsuzanus** Shimonoya & Murayama, 1965, (ISS); *Chrysozephyrus* OD: *Tôhoku Konchu Kenkyu* 2(2):27 [b4183] SS: *hisamatsusanus* (Nagami & Ishiga), 1935; *Chrysozephyrus* [Note - Since I have not seen the original description, this could be the correct spelling.] [Refs - b4183]
- c hisbaena** Hübner, [1819], 1816-1826; *Baetis* OD: *Verz. bekannt. Schmett.* (2):21, no. 156 [b2484] SS: *hisbon* (Cramer), [1775]; *Baetis* [Type of - *Baetis*] [Refs - b2280; b2221]
- a hisbon** (Cramer), [1775], 1775-1790; *Papilio* OD: *Uitl. Kapellen* 1(7):130, pl 83, f C [b1069] CG: *Baetis* [TypeL - Guiana.] [Refs - b2747; b4474; b2221; b1456]
- c hisbon** Godman & Salvin, [1887], 1879-1901; *Thecla* OD: *Biol. centr.-amer., Lep. Rhop.* 2:17; 3:pl 49, f 4-6 [b1975] SS: *lisus* (Stoll), [1790]; *Thecla* (*New World Eumaeini*) [Type: BMNH-st] [TypeL - (Central) Guatemala; Costa Rica.] [Refs - b0908; b2406; b1975]
- b hislopi** Eliot, 1962; *Arhopala* OD: *Entomologist* 95:220 [b1547] SS: *selta* (Hewitson), [1869]; *Arhopala f* [TypeL - Malaya.] [Refs - b0965; b4108]
- a hispana** (Herrich-Schäffer), [1851], 1843-1856; *Lycaena* OD: *Syst. Bearb. Schmett. Europ.* 1:pl 104, f 500,501 [b2313] CG: *Polyommatus* (*Lysandra*) [Type: ZMHU-It; designated by Schurian, 1988] [Ent. Zeit. 98(10):132 [b4038]] [TypeL - Barcelona.] [Refs - b2747; b0111; b0104 (as *hispania*); b3665; b3059; b0236; b2380; b0410; b2794; b2375; b2794; b2859; b4024; b4845; ns4032; ns4024; ns0407; ns0402; ns0399; ns1415; b4092; b4038; b1135]
- d hispana** (Staudinger), 1871, (H); *Lycaena* OD: *In Staud. & Wocke, Cat. Lep. Eur.* :6 [b4323] SS: *hispana* (Herrich-Schäffer), [1851]; *Polyommatus* (*Lysandra*) [Refs - b3059; b2375]
- e hispanafusca** (Verity), 1931, (RA); *Lycaeides* OD: *Deut. ent. Zeit.* [Iris] 45:43 [b4852] SS: *argus* (Linnaeus), 1758; *Plebejus* [Type: MZS-st] [TypeL - Castile, Spain.] [Refs - b3059; b2856; b0069]
- b hispanafusca** Manley & Allcard, 1970; *Plebejus* OD: *Buts Spain* :91,152 [b3059] SS: *argus* (Linnaeus), 1758; *Plebejus* [TypeL - Province of Cuenca, Spain.] [Refs - b2856; b3059]

- e *hispanagallica* (Verity), 1926, 1926-1933, (RA); *Agriadus* OD: Ent. Rec. 38:124 [b4844] SS: coridon (Poda von Neuhaus), 1761; *Polyommatus* (*Lysandra*) [Type: MZS-st] [TypeL - S. France.] [Refs - b3059; b2856; b0236; b0471 (as *hispanagallica*); b4038]
- a *hispaniola* Johnson & Matusik, 1988; *Terra* OD: Ann. Cam. Mus. 57(10):241, f 8A-D, 9B [b2632] [Type: CM-ht] [TypeL - Abejas, Hispaniola] [Refs - b2632]
- c *hispellis* (Fruhstorfer), 1910; *Lycaena* OD: Soc. ent. 25(12):48 [b1845] SS: icarius (Esper), [1789]; *Polyommatus* (*Plebicula*) [TypeL - Schweiz: Wallis: Simplongebiet, Martigny.] [Refs - b0993; b0236; b1845; b0471; b2858]
- b *hissarica* (Sthchetkin), 1963; *Lycaena* OD: Trudy Inst. Zool. Parazit. 24:59 [b4437] SS: loewii (Zeller), 1847; *Polyommatus* (*Plebejidea*) [TypeL - Tadzhikistan.]
- b *histiaa* (Fruhstorfer), 1914; *Chliaria* OD: Deut. ent. Zeit. [Iris] 27(4):176 [b1854] SS: merguia (Doherty), 1889; *Hypolycaena* [TypeL - N. E. Sumatra.] [Refs - b4094 (*histiaea*); b1854 (*histiaa*); b1454 (as *histiaea*)]
- e *histiaea* d'Abrera, 1986, (ISS); *Hypolycaena* OD: Butts Oriental Region, Pt 3 :622 [b1454] SS: histiaa (Fruhstorfer), 1914; *Hypolycaena* [Refs - b1454; b4094]
- a *histica* (Boisduval), 1870; *Hypophylla* OD: Consid. Lép. Guatemala :23 [b0469] CG: Cremna [TypeL - Brazil.] [Refs - b2747; b4474; b1456]
- a *histrica* Stichel, 1910; *Symmachia* OD: Berl. ent. Z. 55(1/2):81 [b4445] [Type: pc-ht; collection of Stichel] [TypeL - Bugaba, Panama.] [Refs - b4474; b1456; b4445]
- c *histrion* (Goeze), 1779, 1777-1783; *Papilio* OD: Ent. Beyträge 3(1):119 [b1982] SS: briola Bates, [1868]; *Chamaelinnas* [Refs - b2747; b4474; b2753; b4445]
- b *hitamus* Takanami, 1990; *Allotinus* OD: Tyô to Ga 41(2):67, f [b4605] SS: subviolaceus Felder & Felder, 1865; *Allotinus* [TypeL - Indonesia.] [Refs - b0124]
- b *hitamus* Takanami, 1990; *Allotinus* OD: Tyô to Ga 41(2):70 [b4605] SS: subviolaceus Felder & Felder, 1865; *Allotinus*
- b *hiural* (Hayashi), 1976; *Panchala* OD: Tyô to Ga 26(3/4):112, f 5-8 [b2177] SS: birmana (Moore), [1884]; *Arhopala* o [Type: OMNH-ht] [Refs - b2177; b2200]
- a *hobartensis* (Miskin), 1890; *Lycaena* OD: Proc. linn. Soc. N. S. Wales (2)5(1):38 [b3212] CG: Neolucia [TypeL - Tasmania.] [Refs - b1450; b4094; b0870; b4934; ns3668; b2388]
- a *hobleiyi* (Neave), 1904; *Lycaenesthes* OD: Novit. zool. 11:339 [b3345] CG: Anthene [TypeL - Victoria, Nyanza.] [Refs - b1943; b1452; b0343; b4400]
- a *hodia* (Butler), 1870; *Limnas* OD: Cistula Entomologica 1(2):32 [b0589] CG: Melanis [TypeL - Venezuela.] [Refs - b2747; b4474; b1456]
- a *hodsoni* (Talbot), 1935; *Lycaenesthes* OD: Ent. mon. Mag. 71:125, pl 2, f 12; pl 3, f 14 [b4623] CG: Anthene [TypeL - Abyssinia.] [Refs - b1452; b4623; b4400]
- b *hoenei* Forster, 1941; *Celastrina* OD: Mitt. münchn. ent. Ges. 31:602 [b1766] SS: oreas (Leech), [1893]; *Celastrina* [Type: MAK-ht] [TypeL - Zhejiang (Chekiang), China.] [Refs - b1580; b1766]
- a *hoenei* Forster, 1951; *Dodona* OD: Z. wien. ent. Ges. 36:64, f [b1768] [TypeL - Yunnan.] [Refs - b0085]
- a *hoenei* d'Abrera, 1993; *Laeosopsis* OD: Butts Holarctic Region, Pt 3 :405, f [b1455] [Type: ZMHU-ht] [TypeL - Mien Shan, Prov. Shansi, China.] [Refs - b1455]
- a *hoffmani* Johnson, 1993; *Ziegleria* OD: Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (32):64, f [b2614] [Type: AMNH-ht] [TypeL - 2 mi. W. Colotlipa, Guerrero, Mexico.] [Refs - b2614]
- c *hoffmannseggii* (Zeller), 1850; *Polyommatus* OD: Stett. ent. Ztg 11:312 [b5062] SS: pirithous (Linnaeus), 1767; *Leptotes* [Refs - b2747; b0995; b0400]
- b *hofizi* (Bernardi), 1964; *Lysandra* OD: Alexanor 3:274 [b0319] SS: argiolus (Linnaeus), 1758; *Celastrina* [Type: biblio; replacement for *iranica* Pfeiffer, 1938] [TypeL - Kendevan Pass, Mt. Elbours, Iran.] [Refs - b0319]
- b *hofmanni* (Rose & Schurian), 1977; *Plebejus* OD: J. ent. Soc. Iran 4(1/2):74, f [b3863] SS: loewii (Zeller), 1847; *Polyommatus* (*Plebejidea*) [TypeL - Iran.] [Refs - b0109]
- b *hokiensis* (Kobayashi), 1931; *Lycaena* OD: Zephyrus 3(3/4):170, f [b2785] SS: argus (Linnaeus), 1758; *Plebejus* [TypeL - Japan.] [Refs - b1900; b0070; b2785; b3333 (=micrargus)]
- b *hollandi* Butler, 1902; *Aphnaeus* OD: Proc. zool. Soc. Lond. 1902(I)(1):49, pl 1, f 7 [b0661] SS: orcas (Drury), 1782; *Aphnaeus* [TypeL - Uganda.] [Refs - b4387; b0836]
- a *hollandi* Joicey & Talbot, 1921; *Telipna* OD: Bull. Hill Mus. 1(1):80, pl 14, f 46,47 [b2655] [TypeL - Ituri Forest, N. W. Beni.] [Refs - b1452; b4400; b2655]
- c *hollandii* (Ehrmann), 1894; *Argiolaria* OD: J. New York ent. Soc. 2(2):77 [b1533] SS: caerulea H. H. Druce, 1890; *Deudorix* (*Pilodeudorix*) [TypeL - W. Africa.] [Note - Not spelled *hollandi*.] [Refs - b1533; b4400]
- a *hollandii* (Aurivillius), 1895; *Liptena* OD: Ent. Tidskr. 16:200 [b0151] CG: Falcuna [Refs - b1452; b4400; b0151 (as Staudinger, in lit.)]
- c *hollowayi* (Hayashi), 1981; *Narathura* OD: Tyô to Ga 32(1,2):72, f 17-20,50 [b2198] SS: trionoea Semper, 1890; *Arhopala* a [Type: NSMT-ht] [TypeL - Mindanao, Philippines.] [Refs - b2198; b4590 (=trionoea?); b4602]
- b *hollowayi* Eliot & Kawazoé, 1983; *Cebrella* OD: Butts *Lycaenopsis* group :71, f 38, 234-235, 258-259 [b1580] SS: lingga (Moulton), [1912]; *Cebrella* (*Chelakina*) [Type: BMNH-ht] [TypeL - Gunong Mulu Nat. Park, Sarawak, Borneo.] [Refs - b1580; b4108]
- a *holmesii* van Son, 1951; *Thestor* OD: Ann. Transv. Mus. 21:441 [b4807] [TypeL - S. Africa.] [Refs - b1259; b1452; b4400]
- e *f. holmgreni* Bryk, 1953, (IFS); *Crocozona* OD: Ark. Zool. (ns)5(1):123 [b0569] SS: fasciata (Hopffer), 1874; *Crocozona* [Type: UZIU-ht] [TypeL - Mojos, Bolivia.] [Refs - b0569]
- b *holochroma* Berger, 1981; *Epitola* OD: Papillons du Zaire :255, pl 194, f 3,4 [b0309] SS: crowleyi E. Sharpe, 1890; *Epitola* [Type: MRAC-ht] [TypeL - Lualaba (Kafakumbe), Zaire.] [Refs - b0309]
- a *holosticta* (Godman & Salvin), 1878; *Charis* OD: Proc. zool. Soc. Lond. 1878(2):364 [b1973] CG: *Argyrogrammana* [TypeL - Veragua.] [Refs - b2988; b4474; b1456]
- c *holothura* Swinhoe, 1894; *Horaga* OD: Ann. Mag. nat. Hist. (6)14:430 [b4570] SS: onychina (Staudinger), 1889; *Horaga* [Type: BMNH-ht] [TypeL - E. Java.] [Refs - b1012; b2078; b4094 (as *holoturia*, *holothuria*); b4570]
- e *holothuria* Seitz, [1926], 1912-1927, (ISS); *Horaga* OD: In Seitz, Grossschmitt. Erde 9:982 [b4094] SS: *holothura* Swinhoe, 1894; *Horaga* [Refs - b4094]
- e *holothuria* Seitz, [1927], 1912-1927, (ISS); *Horaga* OD: In Seitz, Grossschmitt. Erde 9:1017 [b4094] SS: *holothura* Swinhoe, 1894; *Horaga* [Refs - b4094]
- a *holtra* Parsons, 1986; *Catopyrops* OD: Tyô to Ga 37(3):139, f 47, 139 [b3550] [Type: ANIC-ht] [TypeL - Keravat, New Britain.] [Refs - b3550; b2388]

- a **homeyeri** (Dewitz), 1879; *Plebeius* OD: *Nova Acta Acad. Caesar. Leop. Carol.* 41(2):206 (=34), pl 2, f 13 [b1218] CG: *Symptoptera* [TypeL - Guinea.] [Refs - b1943; b1452; b4400]
- a **homeyeri** Dewitz, 1884; *Liptena* OD: *Berl. ent. Z.* 28:188, pl 1, f 3,3a [b1220] [TypeL - W. Africa.] [Refs - b1259; b1452; b4400; b3609]
- a **homeyeri** (Dewitz), 1886; *Aphnaeus* OD: *Deut. ent. Zeit.* 30(2):429, pl 2, f 5 [b1221] CG: *Spindasis* [TypeL - W. Africa.] [Refs - b1259; b1452; b1221; b4400; b3609]
- b **homoperplexa** Bames & Benjamin, 1923; *Callophrys* OD: *Contr. nat. Hist. Lep. N. Amer.* 5(2):68 [b0241] SS: *apama* (Edwards), 1882; *Callophrys* [Type: USNM-ht] [TypeL - Golden, Colorado.] [Refs - b0908; b4688; b3192; b1743; b0493; b0512; b1321; b4690; b2585; b4066]
- c **hondai** Hayashi, 1976; *Nacaduba* OD: *Tyô to Ga* 27(1):13, f [b2181] SS: *angusta* (H. Druce), 1873; *Nacaduba* [TypeL - Palawan, Philippines.] [Refs - b0109; b4108]
- b **hondai** Hayashi, 1976; *Zemeros* OD: *Tyô to Ga* 27(1):9, f [b2180] SS: *flegyas* (Cramer), [1780]; *Zemeros* [TypeL - Philippines.] [Refs - b0109]
- c **hondai** (Hayashi), 1976; *Castalius* OD: *Tyô to Ga* 26(3/4):112, f 1,2 [b2177] SS: *elna* (Hewitson), [1876]; *Caleta* [Type: OMNH-ht] [TypeL - Palawan, Philippines.] [Refs - b2177; b4108]
- a **hondai** Eliot & Kawazoe, 1983; *Monodontides* OD: *Butts Lycaenopsis group* :280, f [b1580] [Type: BMNH-ht] [TypeL - Mt Mantalingajan, Palawan, Philippines.] [Refs - b1580; b2200]
- a **honduriana** Johnson, 1993; *Nicolaea* OD: *Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point)* (32):73, f [b2614] [Type: AMNH-ht] [TypeL - Honduras.] [Refs - b2614]
- b **honei** (Forster), 1940; *Glaucopsyche* OD: *Mitt. münchn. ent. Ges.* 30(3):877 [b1764] SS: *lanty* (Oberthür), 1886; *Shijimia* [TypeL - China.]
- e ♂ **f. honesta** Fruhstorfer, 1908, (IFS); *Curetis* OD: *Stett. ent. Zig* 69:58 [b1835] SS: *malayica* (Felder & Felder), 1865; *Curetis* [Type: BMNH-ht] [TypeL - West Sumatra.] [Refs - b0964; b0936; b4094; b0694; b4108]
- b **honora** Grose-Smith, 1898; *Hypochrysops* OD: *Novit. zool.* 5(1):103 [b2047] SS: *armonica* (Felder & Felder), 1859; *Hypochrysops* [Type: BMNH-lt; designated by Sands, 1986] [Entomograph 7:32 [b3926]] [TypeL - New Hanover.] [Refs - b1450; b2078; b3926]
- e **honorifica** Seitz, [1924], 1912-1927, (ISS); *Nacaduba* OD: *In Seitz, Grossschmett. Erde* 9:914 [b4094] SS: *honorifice* Fruhstorfer, 1916; *Nacaduba* [Refs - b4094]
- b **honorifice** Fruhstorfer, 1916; *Nacaduba* OD: *Zoöl. Meded.* 2(2):112 [b1873] SS: *angusta* (H. Druce), 1873; *Nacaduba* [TypeL - Nias.] [Refs - b4676; b4094 (as honorifica); b1454; b1873; b0938]
- a **honorius** (Fabricius), 1793, 1792-1799; *Papilio* OD: *Ent. syst.* 3(1):151 [b1657] CG: *Aethiopana* [Type of - *Aethiopana*] [Refs - b2280; b2747; b1039; b1452; b0836; b4400; b1585; b5076]
- a **honos** de Nicéville, 1898; *Hypothecla* OD: *J. Bombay nat. Hist. Soc.* 12(1):150, pl Z, f 25 [b1165] [TypeL - Celebes.] [Refs - b4094; b1454]
- b **hopensis** Burns, 1948; *Ogyris* OD: *Mem. natn. Mus. Vict.* 15:93, f [b0575] SS: *amaryllis* Hewitson, 1862; *Ogyris* [TypeL - Australia.] [Refs - b1450; b1475]
- e **hopferi** (Pfeiffer), 1932, (ISS); *Agrodiaetus* OD: *In Mitt. münchn. ent. Ges.* 22(1):47 [b3590] SS: *hopferi* (Herrich-Schäffer), [1851]; *Polyommatus* (*Agrodiaetus*) [Refs - b1774]
- d **hopferi** (Gerhard), 1851, 1850-1853, (H); *Lycaena* OD: *Vers. monog. europ. Schmett.* :- [b1928] SS: *hopferi* (Herrich-Schäffer), [1851]; *Polyommatus* (*Agrodiaetus*) [Refs - b0113; b2794 (as senior name)]
- a **hopferi** (Herrich-Schäffer), [1851], 1843-1856; *Lycaena* OD: *Syst. Bearb. Schmett. Europ.* 1:pl 107, f 512-514 [b2313] CG: *Polyommatus* (*Agrodiaetus*) [TypeL - Asia Minor.] [Note - *Kocak* makes this name a synonym of *hopferi* Gerhard, 1851.] [Refs - b3901; b2747; b0993 (1851:24, f 512-514); b1762; b4092]
- b **hopkinsi** Müller & Müller, 1993; *Catochrysops* OD: *Occ. Pap. Bernice P. Bishop Mus.* (34):1-24 [b3186] SS: *taitensis* (Boisduval), 1832; *Catochrysops*
- b **horiella** (Matsumura), 1929; *Lehera* OD: *Ins. matsumur.* 3(2/3):99 [b3098] SS: *eryx* (Linnaeus), 1771; *Aripe* [TypeL - Formosa.] [Refs - b4198; b0236; b5053; b4775; b1454]
- b **horii** (Matsumura), 1915; *Zizera* OD: *Ent. Mag. (Kyoto)* 1(2):67,68 [b3087] SS: *hylax* (Fabricius), 1775; *Zizula* [TypeL - Saipan.] [Refs - b2479; x0276; b3087; b4108]
- b **horishana** Matsumura, 1910; *Arhopala* OD: *Ent. Zeit.* 23(50):221 [b3084] SS: *paramuta* (de Nicéville), [1884]; *Arhopala* j [TypeL - Formosa.] [Refs - b1644; b4198; b4094; b0236; b5053; b1454]
- c **horishana** Matsumura, 1919; *Rapala* OD: *Thous. Ins. Japan Addit.* 3:601, pl 47, f 4 [b3089] SS: *formosana* Fruhstorfer, [1912]; *Rapala* [TypeL - Japan.] [Refs - b4198; b0236]
- b **horkei** (Høegh-Guldberg), 1966; *Aricia* OD: *Natura juul.* 13:80 [b2399] SS: *artaxerxes* (Fabricius), 1793; *Plebejus* (*Aricia*) [Refs - b2399]
- c **horrackae** Le Moul, 1940, 1939-1940; *Helicopsis* OD: *Novit. ent.* (15):115 [b2943] SS: *cupido* (Linnaeus), 1758; *Helicopsis* [Type: AME-ht] [TypeL - Brazil.] [Refs - b3199]
- b **horsa** (Grose-Smith), 1898; *Thysonotis* OD: *Novit. zool.* 5(1):104 [b2047] SS: *drucei* (Grose-Smith & Kirby), 1895; *Danis* [TypeL - Ron Island, New Guinea.] [Refs - b1450; b2078; b2388]
- a **horsfieldi** (Moore), [1858]; *Miletus* OD: *In Cat. Lep. Ins. E. India Co.* (1):19, pl 1a, f 1 [b3219] CG: *Allotinus* (*Paragerydus*) [Type: BMNH-lt; designated by Eliot, 1986] [Bull. Br. Mus. nat. Hist. (Ent.) 53(1):33 [b1571]] [TypeL - Java.] [Type of - *Paragerydus*] [Refs - b0964; b1636 (as horsfieldii); b1153; b2280; b1542; b0965; b1840; b2747; b0236; b3601; b1571; b1552]
- b **horsfieldi** Distant, 1884, 1882-1886; *Neopithecopis* OD: *Rhop. malayana* :210, pl 22, f 15 [b1285] SS: *zalmora* (Butler), [1870]; *Neopithecopis* [TypeL - Singapore.] [Refs - b0964; b0965; b1840; b4934; b1011; b4108]
- a **horsfieldi** (Pagenstecher), 1890; *Amblypodia* OD: *Jb. nass. Ver. Nat.* 43:99,106 [b3537] CG: *Arhopala* g [TypeL - Java.] [Refs - b1644; b4094; b2193; b2200; b1454]
- b **horsfieldi** (Toxopeus), 1929; *Lampides* OD: *Tijdschr. Ent.* 72(3/4):231 [b4700] SS: *aelecto* C. Felder, 1860; *Jamides* [TypeL - Java.] [Refs - b4700; b1454; b3786]
- e **horsii** (Ureta), 1949, (IFS); *Scoliantides* OD: *Boln Mus. nac. Hist. nat. Chile* 24:122, pl 6, f [b4782] SS: *andina* (Bartlett-Calvert), 1894; *Pseudolucia* [Refs - b3846; b4782]
- a **horus** (Stoneham), 1938; *Cupido* OD: *Bull. Stoneham Mus.* (36):2 [b4481] CG: *Euchrysops* [Type: pc-ht; collection of Stoneham Museum.] [TypeL - East Surrey Coffee Estates, Kenya Colony.] [Refs - b4481; b4400]
- a **hosmeri** Weeks, 1906; *Thecla* OD: *Ent. News* 17(6):198 [b4969] CG: *Thecla* (*New World Eumaeini*) [Type: MCZ] [TypeL - Suapure, Venezuela.] [Refs - b0908]

- b **hosonoi** Takahashi, 1973; *Maculinea* OD: Tyô to Ga 23(3/4):80, f [b4584] SS: teleius (Bergsträsser), [1779]; *Maculinea* [TypeL - Nagano Prefecture, Japan.] [Refs - b0104; b4225]
- c **hospitali** Vilarrubia, 1948; *Maculinea* OD: Trab. Mus. Cienc. nat. Barcelona (ns)1(2):6 [b4875] SS:alcon ((Denis & Schiffermüller), 1775; *Maculinea* [TypeL - Spain.] [Refs - b3059]
- a **hostis** Schaus, 1902; *Thecla* OD: Proc. U. S. natn. Mus. 24(1262):420 [b3948] CG: *Thecla* (New World Eumaeini) [Type: USNM-ht; #5950] [TypeL - Nova Friburgo, Brazil.] [Refs - b0908; b3948; b1375]
- b **hostius** Fruhstorfer, 1912; *Zemeros* OD: Ent. Rundsch. 29(3):23 [b1849] SS: flegyas (Cramer), [1780]; *Zemeros* [TypeL - N. Borneo.] [Refs - b4473; b1454; b1840; b1849; b3528]
- a **hothurus** Berg, 1882; *Siseme* OD: An. Soc. cient. argent. 13(4):168 [b0302] [TypeL - Argentina.] [Refs - b4475; b2221; b1456]
- b **howarthi** (Cantlie & Nonman), 1960; *Celastrina* OD: J. Bombay nat. Hist. Soc. 57(2):427, f [b0697] SS: placidula (H. H. Druce), 1895; *Udara* (*Udara*) [Type: BMNH-ht] [TypeL - Sibsagar District, Assam, India.] [Refs - b1580; b2200; b0697]
- b **howarthi** Hayashi, 1976; *Simiskina* OD: Tyô to Ga 27(1):19, f [b2182] SS: phalena (Hewitson), 1874; *Simiskina* [TypeL - Palawan, Philippines.] [Refs - b0109; b2200; b3524]
- b **howarthi** Hayashi, 1976; *Jamides* OD: Tyô to Ga 27(4):151, f [b2185] SS: pura (Moore), 1886; *Jamides* [TypeL - Palawan, Philippines.]
- e *ab. howkowi* Tutt, 1909, 1905-1914; *Cupido* OD: Nat. Hist. Brit. Butts 3:112 [b4760] SS: minimus (Esper), [1777]; *Cupido* [Refs - b0995; b4760; b0236; b0471]
- b **howlandi** Weeks, 1906; *Euselasia* OD: Can. Ent. 38(3):79 [b4968] SS: labdacus (Stoll), [1780]; *Euselasia* [TypeL - Venezuela.] [Refs - b4474]
- c **hozanensis** (Matsumura), 1927; *Lycaena* OD: Ins. matsumur. 1(4):168, pl 5, f 10 [b3094] SS: euphemia (Staudinger), 1887; *Maculinea* [TypeL - Paekdusan, N. Korea.] [Refs - b4115; b1762; b2479; b0236; b0065; b2866; b0471; b4225]
- c **hsheshanus** Shimonoya & Murayama, 1969; *Chrysozephyrus* OD: Tôhoku Konchu Kenkyu 4(2):22-23, pl 3 [b4184] SS: mushaellus (Matsumura), 1938; *Chrysozephyrus* [Refs - b0113; b4185; b5053; b3296; b1454 (as good sp)]
- b **huana** (Saunders), [1859]; *Erycina* OD: Trans. ent. Soc. Lond. (2)5(9):100 [b3939] SS: arcus (Linnaeus), 1763; *Rhetus* [Refs - b2747; b4474; b3939; b1456]
- a **huascar** (Saunders), [1859]; *Erycina* OD: Trans. ent. Soc. Lond. (2)5(9):101, pl 11, f 15 [b3939] CG: *Ancyluris* [TypeL - New Granada.] [Refs - b2988; b2747; b4474; b3939; b1456]
- a **huascarana** Bálint & Lamas, 1994; *Madeleinea* OD: Acta zool. hung. 40(3):234, f 3,4,8 [b0217] [Type: MUSM-ht] [TypeL - Parque National Huascarán, Ancash, Peru.] [Refs - b0217]
- b **huashana** Koiwaya, 1993; *Ussuriana* OD: Stud. Chin. Butterflies 2:51, f [b2818] SS: fani Koiwaya, 1993; *Ussuriana* [TypeL - Shaanxi, China.] [Refs - b0126]
- a **huasteca** McAlpine, [1971]; *Calephelis* OD: J. Res. Lep. 10(1):68, f [b3127] [Type: USNM-ht] [TypeL - Tamazanchale, San Luis Potosi, Mexico.] [Refs - b3127]
- b **huasteca** White L. & White L. & White O., 1989; *Melanis* OD: Revta Soc. mex. Lep. C13(1):14, f [b4995] SS: cephise (Ménétriés), 1855; *Melanis* [TypeL - Mexico.] [Refs - b0126]
- b **huberta** (Fruhstorfer), 1907; *Sithon* OD: Ent. Zeit. 21(23):144 [b1824] SS: jangala (Horsfield), [1829]; *Remelana* [TypeL - Mt. Kinabalu, Borneo.] [Refs - b4094; b2201; b1824; b4108]
- c **hubnerii** (Godart), [1824], 1819-1824; *Polyommatus* OD: In Ency. méth. 9(Ins.)(2):677 [b1970] SS: xanthospilos (Hübner), [1817]; *Candalides* [TypeL - Timor?] [Refs - b4677; b1450; b2078; b2747; b4934 (as hübnerei)]
- a **hubrichi** (Süchel), 1926; *Hamearis* OD: Revta Soc. ent. argent. 1:12 [b4466] CG: *Audre* [TypeL - Argentina.] [Refs - b4475; b2221 (+as hubrichi); b1456]
- a **huebneri** (Butler), [1867]; *Lemonias* OD: J. linn. Soc. Lond., Zool. 9:214, pl 6, f 4,5 [b0586] CG: *Adelotypa* [TypeL - Para.] [Refs - b2747; b4475; b0586 (as hübnerei); b1456]
- e *ab. huebneri* (Tutt), 1906, 1905-1914; *Rumicia* OD: Nat. Hist. Brit. Butts 1:355 [b4760] SS: phlaeas (Linnaeus), 1761; *Lycaena* (*Lycaena*) [Refs - b0236 (as hübnerei); b0389 (1905, BSeF :55); ns3451 (4:99); b4092]
- e *ab. huebneri* (Oberthür), 1910; *Lycaena* OD: Étud. Lép. comp. 4:219 [b3451] SS: icarius (Esper), [1789]; *Polyommatus* (*Plebicula*) [Refs - b0236; b0471]
- a **huegelii** (Gistel), 1857; *Lycaena* OD: Vacuna 2(2):605 [b1965] CG: *Everes* [TypeL - Kashmir.] [Note - Original spelling was hügelii.] [Refs - b0694; b1636 (as argiades indica); b2258]
- a **huegelii** (Moore), 1882; *Cyaniris* OD: Proc. zool. Soc. Lond. 1882(1):244 [b3234] CG: *Celastrina* [Type: BMNH-ht; designated by Eliot & Kawazoé, 1983] [*Butts Lycaenopsis* group :233 [b1580]] [TypeL - Masuri, India.] [Refs - b1636; b4198; b1153; b0995; b2479; b1580; b1840; b4092]
- e **hugo** (Doubleday), 1847, 1844-1848, (ISS); *Thecla* OD: List Spec. lep. Brit. Mus. (2):32 [b1327] SS: hugon (Godart), [1824]; *Electrostrymon* [Refs - b0908; b0907; b3192; b1321; b1722]
- c **hugon** (Godart), [1824], 1819-1824; *Polyommatus* OD: In Ency. méth. 9(Ins.)(2):640 [b1970] SS: *endymion* (Fabricius), 1775; *Electrostrymon* [Type: MNHN-ht] [Refs - b0908; b0907; b2747; b3192; b1321; b3805]
- e ♂ *ab. huguenini* Gunder, 1925; *Glaucopsyche* OD: Ent. News 36(1):3, pl 1, f O [b2094] SS: xerces (Boisduval), 1852; *Glaucopsyche* [Type: LACM-ht] [TypeL - San Francisco, California.] [Refs - b0908; b3192; b1321; b2094]
- e ♀ *f. hulbirti* (Field), 1936; *Lycaena* OD: J. Ent. Zool. 28(2):25 [b1732] SS: florus (Edwards), [1884]; *Epidemia* [Type: USNM-ht] [TypeL - Broadwater County, Montana.] [Refs - b0908; b3191; b3192; b1321; b1732]
- a **hulstaerti** Hawker-Smith, 1926; *Liptena* OD: Revue zool. afr. 14:239 [b2163] [Type: MT-ht] [TypeL - Sandoa, Belgian Congo.] [Note - Very close to *amabilis*.] [Refs - b1452; b2163; b4400]
- a **humber** Schaus, 1902; *Thecla* OD: Proc. U. S. natn. Mus. 24(1262):422 [b3948] CG: *Thecla* (New World Eumaeini) [Type: USNM-ht; #5957] [TypeL - Cucuta, Venezuela.] [Refs - b0908; b3948]
- b **humboldti** (H. H. Druce), 1894; *Pseudonotis* OD: Ann. Mag. nat. Hist. (6)13:252 [b1361] SS: lorquini (Felder & Felder), 1865; *Hypochlorosis* [Type: ZMHU-ht] [TypeL - Humboldt Bay, New Guinea.] [Refs - b1450; b2078; b1361]
- a **humedasa** (Toso & Balletto), 1977; *Agrodiaetus* OD: Annali Mus. civ. Stor. nat. Genova 81:124-130 [b4691] CG: *Polyommatus* (*Agrodiaetus*) [TypeL - Ponder, Val d'Aosta region, NW Italy.] [Refs - b1610 (6648-E9); b0109; b2794; b2859; ns4735; ns3056; b1455; b0221]
- b **humuli** (Harris), 1841; *Thecla* OD: Rep. Ins. Inj. Veg. :215 [b2141] SS: melinus Hübner, [1818]; *Strymon* [TypeL - Massachusetts.] [Refs - b0908; b2747; b3192; b1743; b1321]

- b hungarica** (Diószeghy), 1913; *Lycaena* OD: *Rovart. Lap.* 20:108 [b1280] SS: *bavius* (Eversmann), 1832; *Rubrapterus* [Type: -lt; designated by Bálint, 1990] [*Janus Pannonius Muz Evk* 34:50 [b0201]] [TypeL - Hungary.] [Refs - b1780; b0236; b3366 (in *Pseudohilotes*); b0471]
- d hungarica** Szabó, 1956, (H); *Lycaena* OD: *Folia ent. hung.* (ns)9:302,340 [b4582] SS: *rutilus* (Werneburg), 1864; *Lycaena* (*Thersamolycaena*) [Type: -lt; designated by Bálint, 1990] [*Janus Pannonius Muz Evk* 34:49 [b0201]] [TypeL - Hungary.] [Refs - b0091; b0125]
- a huntei** (E. Sharpe), 1903; *Abisara* OD: *Entomologist* 36:310 [b4159] CG: *Praetaxila* [TypeL - New Guinea.] [Refs - b1450; b4474; b1840]
- a huntingtoni** Rindge & Comstock, 1953; *Echinargus* OD: *J. New York ent. Soc.* 61(2):99 [b3800] CG: *Echinargus* [Type: AMNH] [TypeL - Hololo Mountain Road, St. Ann's, Trinidad.] [Refs - b0908; b3326; b0207]
- b hunza** (Grun-Grshimailo), 1890; *Lycaena* OD: In Romanoff, *Mém. Léop.* 4:397, pl 15, f 2 [b2067] SS: *stoliczkana* (Felder & Felder), 1865; *Polyommaus* [Note - Also seen as a subspecies of *erigone* and *eros*.] [Refs - b4180; b1762; b1759; b0993; b2827; b3910; b0694 (with *eros*); b4092; b0205]
- b huonis** Jordan, 1930; *Praetaxila* OD: *Novit. zool.* 35:282 [b2666] SS: *weiskei* (Rothschild), 1901; *Praetaxila* [TypeL - New Guinea.]
- c husaina** (Fruhstorfer), 1914; *Arhopala* OD: *Deut. ent. Zeit.* [Iris] 28(2):130 [b1859] SS: *anniella* (Hewitson), 1862; *Flos* [Type: BMNH-ht] [TypeL - Sumatra.] [Refs - b1644; b4094 (as *husarina*); b1859]
- e husarina** (Seitz), [1926], 1912-1927, (ISS); *Amblypodia* OD: In Seitz, *Grossschmett. Erde* 9:961 [b4094] SS: *husaina* (Fruhstorfer), 1914; *Flos* [Refs - b4094]
- a hutchinsonii** Trimen, 1887, 1887-1889; *Aphnaeus* OD: In Trimen & Bowker, *S. Afr. Butts* 2:148 [b4725] CG: *Aphnaeus* (*Paraphnaeus*) [TypeL - S. Africa.] [Type of - *Paraphnaeus*] [Refs - b2280; b1943; b4387; b1259; b1452; b4950; b4400; b3567]
- a hya** Westwood, [1851], 1846-1852; *Mesene* OD: In *Gen. dium. Lep.* (2):442, pl 70, f 9 [b4981] [TypeL - Amazon.] [Refs - b2988; b2747; b4474; b2221; b1456]
- a hyacinthina** (Semper), [1879]; *Holochila* OD: *J. Mus. Godeffroy* 5(2)(14):162 [b4109] CG: *Candalides* [Type: BMNH-ht; designated by Edwards & Kerr, 1978] [*Aust. ent. Mag.* 4(5):88 [b1479]] [TypeL - Sydney, Australia.] [Refs - b4677; b1450; b2078; b0870; b4934; b0976; b1476; b1479; b1095]
- a hyacinthina** Stichel, 1910; *Eurybia* OD: *Gen. Insectorum* 112(A):67 [b4446] [Type: pc-st; collection of Stichel] [TypeL - Espirito Santo + Olivença, Brazil.] [Refs - b1140; b1456; b4446]
- a hyacinthus** (Cramer), [1775], 1775-1790; *Papilio* OD: *Uitl. Kapellen* 1(3):59, pl 36, f E [b1069] CG: *Trichonis* [TypeL - *Indes Occidentales*.] [Refs - b0908; b0907; b2747; b4474; b3810]
- d hyacinthus** (Lewin), 1795, (H); *Papilio* OD: *Ins. Brit.* :78, pl 37, f 4-6 [b2987] SS: *bellargus* (Rottemburg), 1775; *Polyommatus* (*Lysandra*) [Refs - b2747; b0236; b2794; b0471; b4038]
- a hyacinthus** (Herrich-Schäffer), [1847], 1843-1856; *Lycaena* OD: *Syst. Bearb. Schmett. Europ.* 1:pl 72, f 345-348 [b2313] CG: *Plebejus* (*Pseudoaricia*) [TypeL - Turcia.] [Refs - b2747; b1762; b0993 (= *nicias*); b0410; b2794; b4366; b4092]
- b hyacinthus** (Röber), 1931; *Amblypodia* OD: *Int. ent. Z.* 24(37/38):390 [b3838] SS: *anthaia* Grose-Smith, 1894; *Arhopala* g [TypeL - S. W. New Guinea.] [Refs - b1450; b1644]
- a hyacinthus** *Toxopeus*, 1944; *Dicallaneura* OD: *Treubia* *Hors* Série:172 [b4709] [TypeL - New Guinea.] [Refs - b4709]
- a hyale** Felder & Felder, 1865, 1865-1875; *Mesene* OD: *Reise Novara* (2):292 [b1692] [TypeL - Colombia.] [Refs - b2988; b2747; b4474; b1456]
- a hyalina** (Butler), [1867]; *Tharops* OD: *J. linn. Soc. Lond., Zool.* 9:225, pl 6, f 26 [b0586] CG: *Uraneis* [TypeL - Amazon.] [Type of - *Uraneis*] [Refs - b2280; b2988; b2747; b4475; b1456]
- e ab. hyalina** (Mezger), 1931; *Chrysophanus* OD: *Lambillionera* 31:23 [b3170] SS: *rutilus* (Werneburg), 1864; *Lycaena* (*Thersamolycaena*) [TypeL - Germany.] [Refs - b0069; b0389; b3170]
- b hyalodis** (Stichel), 1910; *Xynias* OD: *Gen. Insectorum* 112(A):223, pl 26, f 58 [b4446] SS: *cynosema* (Hewitson), 1874; *Esthemopsis* [Type: pc-ht; collection of Niepelt] [TypeL - Macas, Ecuador.] [Refs - b4474; b1456; b4446]
- c hyas** Godman & Salvin, [1887], 1879-1901; *Thecla* OD: *Biol. centr.-amer., Lep. Rhop.* 2:27; 3:pl 51, f 5-7 [b1975] SS: *tolmides* (Felder & Felder), 1865; *Thecla* (*New World Eumaeini*) [Type: BMNH-st] [TypeL - Mexico; Vera Paz, Guatemala; Costa Rica; Chiriquí, Panamá.] [Refs - b0908; b2406; b1975]
- a hybla** (H. H. Druce), 1907; *Thecla* OD: *Proc. zool. Soc. Lond.* 1907(3):578, pl 33, f 4 [b1375] CG: *Rhamma* [Type: BMNH-ht] [TypeL - Ecuador.] [Refs - b0908; b1375; b2631; b2593; b0125; b2611]
- e ab. hybrida** (Tyler), 1912; *Ilerda* OD: *J. Bombay nat. Hist. Soc.* 21(2):599 [b4770] SS: *brahma* Moore, [1858]; *Heliophorus* (B) [Note - Described as an aberration, thus unavailable as of this date and author. May be a hybrid of *brahma* and *androcles*.] [Refs - b1636; b4220; b0236; b1454 (as a good sp); b4770]
- c hybrida** *Toxopeus*, 1929; *Prosotas* OD: *Tijdschr. Ent.* 72(3/4):239 [b4700] SS: *subardates* (Piepers & Snellen), 1918; *Prosotas* [TypeL - Java.] [Refs - b4676; b0938; b4700]
- e ab. hybridata** (Chapman), [1913], (NN); *Agriades* OD: *Trans. ent. Soc. Lond.* 60(4):675 [b0762] SS: *orientalis* (Chapman), [1913]; *Polyommatus* (*Plebicula*) [Note - *Gn. MS name*.] [Refs - b0762]
- e hycarra** (Johnson & Matusik), 1988, (ISS); *Terra* OD: *Ann. Carn. Mus.* 57(10):235 [b2632] SS: *hycarra* (Hewitson), 1868; *Sipaea* [TypeL - Abejas, Hispaniola] [Refs - b2632]
- a hycarra** (Hewitson), 1868; *Thecla* OD: *Descr. new Spec. Lycaenidae* :7 [b2327] CG: *Sipaea* [Type: BMNH-ht] [TypeL - Amazon.] [Type of - *Sipaea*] [Refs - b0908; b2747; b2593; b2632; b0125]
- a hyetta** (Hewitson), 1873; *Epitola* OD: *Ent. mon. Mag.* 10:150 [b2337] CG: *Hypophytala* [TypeL - Angola.] [Refs - b2753; b1452; b0836; b4400]
- a hyettina** (Aurivillius), 1897; *Phytala* OD: *Ent. Tidskr.* 18:214 [b0153] CG: *Hypophytala* [TypeL - W. Africa.] [Refs - b1452; b0836; b4400]
- a hyettoides** (Aurivillius), 1895; *Epitola* OD: *Ent. Tidskr.* 16:206 [b0151] CG: *Hypophytala* [TypeL - Cameroons.] [Type of - *Hypophytala*] [Refs - b0151; b1452; b4400]
- a hygela** (Hewitson), 1868; *Thecla* OD: *Descr. new Spec. Lycaenidae* :30 [b2327] CG: *Strymon* [Type: BMNH] [TypeL - Not stated.] [Refs - b0908; b2747; b2631]
- a hygenius** (Stoll), [1790], 1780-1790; *Papilio* OD: In *Cramer, Uitl. Kapellen Aanh.*:43, pl 9, f 2,2A [b4478] CG: *Euselasia* [TypeL - Amazon; Surinam.] [Refs - b2747; b4474; b0680; b1456]
- a hylactor** (Bergsträsser), [1779], 1778-1780; *Papilio* OD: *Nom. Ins.* 2:78, pl 47, f 7,8 [b0310] CG: *Pseudophilotes* [Refs - b2280; b2747; b0400 (as *nomen dubium*); b2794 (= *dorylas*)]

- c **hylais** (Godart), [1824], 1819-1824; *Polyommatus* OD: In Ency. méth. 9(Ins.)(2):654 [b1970] SS: *euchylas* (Hübner), [1819]; *Jamides* [Refs - b0539; b2747]
- c **hylaitus** (Fruhstorfer), 1908; *Miletus* OD: Int. ent. Z. 2(15):92 [b1830] SS: *rex* (Boisduval), 1832; *Hypochrysops* [Type: BMNH-ht] [TypeL - New Guinea.] [Refs - b1450; b3926]
- a **hylander** Grose-Smith, 1894; *Arhopala* OD: Novit. zool. 1:582 [b2037] CG: *Arhopala h* [Type: BMNH-ht] [TypeL - Schouten Island, New Guinea.] [Refs - b1450; b1644; b4094]
- d **hylas** ((Denis & Schiffermüller)), 1775, (H); *Papilio* OD: Ankündigung syst. Werkes Schmett. :185 [b1193] SS: *hylactor* (Bergsträsser), [1779]; *Pseudophilotes* [TypeL - Asia oc.] [Note - Brown & Field note this is often seen as *hylus*.] [Refs - b2747; b4094; b0539; b1321; x3192; b2794; b2797; b4092]
- d **hylas** (Esper), [1778], 1776-1830, (H); *Papilio* OD: Die Schmett. 1(1)(8):pl 45, f 3; 1(1)(9):375 [1779]; 1(2)(1):29, pl 55, f 1 [1780] [b1623] SS: *dorylas* ((Denis & Schiffermüller)), 1775; *Polyommatus* (*Plebicula*) [Refs - b3059; b2747; b0993; b1762; b2827; b0236; b2794; b4092; b2302]
- d **hylas** (Stoll), [1781], 1780-1790, (H); *Papilio* OD: In Cramer, Uil. Kapellen 4(31):142, pl 363, f E,F [b4478] SS: *euchylas* (Hübner), [1819]; *Jamides* [Refs - b4671; b1450; b2747]
- a **hylassus** (Herbst), 1800, 1788-1804; *Papilio* OD: In Jablonsky, Natursyst. Ins., Schmett. 10:266, pl 286, f 7,8 [b2306] CG: *Jamides* (?) [Note - Kirby identifies this with *euchylas* Hübner.] [Refs - b2753]
- a **hylax** (Fabricius), 1775; *Papilio* OD: Syst. Ent. :526 [b1653] CG: *Zizula* [TypeL - India orientali", probably Java.] [Refs - b1943; b1450; b0964; b4198; b1636; b4400; b2479; b1019 :7; b4178; b1259; b0965; b1840; b2747; b4094; b1564; b1900; b0236; b2698; b5053; b1452; b0836; b2898; b4412; b4194; b1454; b1235; b3055; b0694; b0952; b5076; b4209; b4108]
- d **hyllus** (Cramer), [1775], 1775-1790, (PD); *Papilio* OD: Uil. Kapellen 1(4):67, pl 43, f B,C [b1069] SS: *thersamon* (Esper), [1784]; *Lycaena* (*Thersamonina*) [TypeL - Smyrna".] [Check - Brown & Field identified this *nomen oblitum* as a senior synonym of *thoe* Guérin-Méville. They did not refer the case to the Commission as required by the ICZN. Miller used the name for *thoe*, and made it the type of his genus *Hyllolycaena*. Koçak has identified the name with *thersamon* Esper. An application to the ICZN should be prepared, asking for use of the Plenary Powers to invalidate the name.] [Refs - b0908; b3191; b0856; b2747; b0996; b0102; b3192; b2280; b3512; b3189; b0539; b4690 (R); b0493; b2753; b2859; b4066]
- b **hyllus** (Waterhouse & Lyell), 1914; *Nacaduba* OD: Butts Aust. :97 [b4947] SS: *helicon* (C. Felder), 1860; *Ionolyce* [TypeL - Cape York.] [Refs - b4676; b1450; b0870; b4094; b2871]
- c **hyllus** (Fruhstorfer), [1915], 1909-1923; *Gerydus* OD: In Seitz, Grossschmett. Erde 9:818 [b1840] SS: *biggsii* (Distant), 1884; *Miletus* 3 [TypeL - N. E. Sumatra.] [Refs - b1546; b1840; b4108]
- c **hyllus** (Fruhstorfer), [1922], 1909-1923; *Lycaenopsis* OD: In Seitz, Grossschmett. Erde 9:870 [b1840] SS: *kuehni* (Röber), [1886]; *Acytolepis* [Type: ZSBS-lt; designated by Eliot & Kawazoé, 1983] [Butts *Lycaenopsis* group :181 [b1580]] [TypeL - Banggai Island.] [Refs - b1840; b1580]
- e **hylus** (Fabricius), 1787, (ISS); *Papilio* OD: Mantissa Ins. 2: [b1656] SS: *hylas* ((Denis & Schiffermüller)), 1775; *Pseudophilotes* [Refs - b0539]
- a **hymen** (Fabricius), 1775; *Papilio* OD: Syst. Ent. :519 [b1653] CG: *Dapidodigma* [Type: BMNH-ht; Banks collection.] [TypeL - Sierra Leon".] [Refs - b0828; b2747; b1452; b0836; b4400]
- a **hymetus** (C. Felder), 1860; *Thysonotis* OD: Sber. Akad. Wiss. Wien 40(11):459 [b1676] CG: *Psychonotis* [TypeL - Amboina.] [Refs - b1450; b2078; b0111; b0870 (in Danis); b2388; b1382]
- b **hypanica** (Obratzov), 1936; *Lycaena* OD: *Lambillionea* 36:15 [b3468] SS: *thersites* (Cantener), 1834; *Polyommatus* (*Plebicula*) [TypeL - Bug.] [Refs - b0074]
- e **hypargyrea** d'Abreu, 1986, (ISS); *Deudorix* OD: Butts Oriental Region, Pt 3 :631 [b1454] SS: *hypargyria* (Elwes), [1893]; *Deudorix* [Refs - b1454]
- a **hypargyria** (Elwes), [1893]; *Rapala* OD: Proc. zool. Soc. Lond. 1892(4):643, pl 44, f 7 [b1594] CG: *Deudorix* [TypeL - Karen Hills.] [Refs - b0964; b1636; b0965; b4094; b1564; b0236; b2201; b1454; b0694 (as *hypergyria*)]
- b **hypargyros** (Butler), 1886; *Spindasis* OD: Proc. zool. Soc. Lond. 1886(3):369, pl 35, f 3 [b0635] SS: *acamas* (Klug), 1834; *Apharitus* [TypeL - Miranshah, N. W. India.] [Note - Not spelled *hypargyros*.] [Refs - b1636; b1153; b0996; b4094; b2901; b0635; b3910 (as *hypargyros*); b0694 (as *hypargyros*); b4092 (as *hypargyros*)]
- e **hypargyros** (Seitz), [1909], 1907-1921, (ISS); *Ciganitis* OD: In Seitz, Grossschmett. Erde 1:279 [b4092] SS: *hypargyros* (Butler), 1886; *Apharitus* [Refs - b3910; b4092; b1455]
- c **hypatada** (Moore), [1858]; *Amblypodia* OD: In Cat. Lep. Ins. E. India Co. (1):45 [b3219] SS: *cleobis* (Godart), [1824]; *Creon* [Refs - b2747]
- a **hypates** Hewitson, 1874; *Hypochrysops* OD: Trans. ent. Soc. Lond. 22(3):351 [b2341] [Type: BMNH-ht] [TypeL - Kaioa Island.] [Refs - b1450; b2753; b2078; b3926]
- c **hyperborea** (Ford), 1924; *Heodes* OD: Trans. ent. Soc. Lond. 71(3/4):739, pl 14, f 14 [b1757] SS: *polaris* Courvoisier, 1911; *Lycaena* (*Lycaena*) [TypeL - Arctic.] [Refs - b0236; b3796; b0471; b4666]
- c **hyperesia** (Fruhstorfer), 1916; *Nacaduba* OD: Zoöl. Meded. 2(2):139 [b1873] SS: *palmyra* (C. Felder), 1860; *Erysichton* [TypeL - Obi.] [Refs - b4676; b4094; b1450 (as *hypersia*)]
- c **hyperici** (Boisduval & Le Conte), [1833], 1829-1837; *Thecla* OD: Hist. Lépid. Amer. sept. (9-10):90, pl 28 [b0470] SS: *melinus* Hübner, [1818]; *Strymon* [TypeL - Georgia; Florida.] [Refs - b0908; b2747; b3192; b1321; b1975]
- c **hyperion** Seitz, [1917], 1910-1924; *Siseme* OD: In Seitz, Grossschmett. Erde 5:698 [b4093] SS: *pseudopallas* Weymer, 1890; *Siseme* [TypeL - Hyabamba.] [Refs - b4475; b0569]
- a **hyperion** Dickson, 1975; *Poecilmitis* OD: Ent. Rec. 87:229, f [b1256] [TypeL - Zwanberg Pass, Cape Province, S. Africa.] [Refs - b1259; b0107; b1452]
- a **hypermegala** Stichel, 1909; *Mesosemia* OD: Berl. ent. Z. 54(1/2):15 [b4444] [Type: ZMHU-st] [TypeL - Colombia.] [Refs - b4474; b1456 (as *hypermegale*); b4446]
- a **hypermegale** d'Abreu, 1994, (ISS); *Mesosemia* OD: Butts Neotropical Region, Pt 4:925 [Refs - b1456]
- b **hyperpeustis** (Toxopeus), 1929; *Nacaduba* OD: Tijdschr. Ent. 72(3/4):210 [b4699] SS: *ancyra* (C. Felder), 1860; *Catopyrops* [TypeL - Pulo Weh, nr Sumatra.] [Refs - b4676; b0938; b4699; b1454]
- e **hypphaea** (Cramer), [1776], 1775-1790, (IOS); *Papilio* OD: Uil. Kapellen 1(8):pl 92, f C [b1069] SS: *hyphea* (Cramer), [1776]; *Leucochimona* [Refs - b2747 (as *hypphaea*); b4474 (as *hyphea*); b1456]

- c **hypbasis** (Fruhstorfer), 1915; Lampides OD: Zool. Meded. 1(2):142 [b1863] SS: corius (Guérin-Méneville), [1831]; Jamides [TypeL - New Guinea.] [Refs - b4671; b1450; b4094; b1865]
- a **hyphea** (Cramer), [1776], 1775-1790; Papilio OD: Uil. Kapellen 1(8):145; pl 92, f C (as hyphaea) [b1069] CG: Leucochimona [TypeL - Amazon.] [Refs - b2747 (as hyphaea); b4474 (as hyphea)]
- a **hypocala** (Eltringham), 1929; Liptena OD: In Trans. ent. Soc. Lond. 77(2):494, pl 30, f 6 [b1587] CG: Iridana [Type: UMO-ht] [TypeL - Jinja, Uganda.] [Refs - b1452; b4400]
- b **hypocala** Rebillard, 1958; Euselasia OD: Mém. Mus. nat. Hist. nat. (A)15:144, pl 1, f 2 [b3717] SS: psammathe Seitz, [1917]; Euselasia [Type: MNHN-ht; collection of Fournier de Horrack.] [TypeL - Colombia.] [Refs - b3717; b0093]
- a **hypochalybe** (Felder & Felder), 1861; Amarynthis OD: Wien. ent. Monats. 5(4):98 [b1684] CG: Exoplisia [TypeL - New Granada.] [Type of - Exoplisia] [Refs - b2988; b2280; b2747; b4474; b1456]
- b **hypochionalpina** (Verity), 1931, (RA); Lycaeides OD: Deut. ent. Zeit. [Iris] 45:52 [b4852] SS: argus (Linnaeus), 1758; Plebejus [Type: pc-st; in Stempffer collection.] [TypeL - S. E. France.] [Refs - b1780; b2856; b0069]
- e **ab. hypochionoides** (Tutu), 1909, 1905-1914; Plebejus OD: Nat. Hist. Brit. Butts 3:199 [b4760] SS: pyrenaica (Tutu), 1909; Plebejus [Refs - b0236; b0471]
- e **hypochionous** d'Aberra, 1993, (ISS); Plebejus OD: Butts Holarctic Region, Pt 3 :487 [b1455] SS: hypochionus Rambur, 1858; Plebejus [Refs - b1455]
- b **hypochionus** Rambur, 1858, 1858-1866; Plebejus OD: Cat. syst. Lépid. Andal. 1:35 [b3689] SS: argus (Linnaeus), 1758; Plebejus [TypeL - Spain.] [Refs - b2375; b3059; b2747; b0410; b2859; b4092; b1455 (as hypochionous)]
- a **hypochloris** (Bates), [1868]; Emesia OD: J. linn. Soc. Lond., Zool. 9:385 [b0267] CG: Exoplisia [Type: BMNH-ht] [TypeL - Ega.] [Refs - b2747; b4474; b1456]
- c **hypocletus** Oberthür, 1880; Hypochrysops OD: Annali Mus. civ. Stor. nat. Genova 15:521 [b3421] SS: rex (Boisduval), 1832; Hypochrysops [Type: MHNG-lt; designated by Sands, 1986] [Entomograph 7:80 [b3926]] [TypeL - Andai, New Guinea.] [Refs - b1450; b2078; b3926]
- a **hypocrita** (Schaus), 1913; Thecla OD: Proc. zool. Soc. Lond. 1913(3):352, pl 52, f 6 [b3950] CG: Tigrinota [Type: BMNH] [TypeL - Tuis, Juan Vinas, Costa Rica.] [Refs - b0908 (as hypocrita); b3950; b2406; b3950; b0125; b2616 (type not found); b2611]
- b **hypocrita** Stichel, 1919; Euselasia OD: Deut. ent. Zeit. 1919:164 [b4454] SS: eucritus (Hewitson), [1855]; Euselasia [TypeL - Rio Songo & Yungas, Bolivia.] [Refs - b4474]
- a **hypoglauca** (Godman & Salvin), 1878; Lemonias OD: Proc. zool. Soc. Lond. 1878(2):367 [b1973] CG: Apodemia [Type: BMNH-ht] [TypeL - Mexico.] [Refs - b2719; b4475 (as ssp. of palmerii); b1720; b1456]
- b **hypoleuca** (Kollar), [1849]; Lycaena OD: Denkschr. K. Akad. Wiss. Wien 1:52 [b2822] SS: argiolus (Linnaeus), 1758; Celastrina [Type: NMW-st] [TypeL - Iran.] [Refs - b2747; b0995; b1580; b0400; b4092; b0471]
- a **hypoleuca** (Hewitson), [1865], 1863-1878; Myrina OD: Ill. dium. Lep. Lycaenidae 1:38; 2-pl 17, f 54,55 [b2326] CG: Manto [TypeL - Java.] [Type of - Manto] [Refs - b1636; b2280; b0964; b0965; b2747; b1454; b4094; b0694]
- d **hypoleuca** (Prittwitz), 1867, (H); Lycaena OD: Stett. ent. Zig 28(7-9):273 [b3652] OS: amazara (Kirby), 1871; Euchrysops [TypeL - Botany Bay, Australia (in error?)] [Note - Waterhouse was unable to identify this species, and doubted it was Australian. Edwards was unable to locate the type, so the placement is tentative.] [Refs - b3652; b2747; b4934; b1475]
- a **hypoleuca** Bates, [1868]; Theope OD: J. linn. Soc. Lond., Zool. 9:406 [b0267] [Type: BMNH-ht] [TypeL - Santarem.] [Refs - b2747; b4475; b1456]
- a **hypoleucus** (Butler), [1894]; Castalius OD: Proc. zool. Soc. Lond. 1893(4):660 [b0639] CG: Lepidochrysops [TypeL - C. Africa.] [Note - Stempffer considered this a synonym of peculiaris.] [Refs - b1943; b1452; b0639; b4400]
- e **hypoliedes** Anonymous, 1971, (ISS); Thecla OD: Zool. Rec. 104(1967)(Ins.):586 [b0099] SS: hypoliedes Hayward, 1967; Thecla (New World Eumaeini) [Refs - b0099; b0276]
- a **hypoliedes** Hayward, 1967; Thecla OD: Acta zool. lilloana 21:7 [b2219] CG: Thecla (New World Eumaeini) [TypeL - Argentina.] [Refs - b2221]
- a **hypomuta** (Hewitson), 1862; Amblypodia OD: Spec. Cat. Lyc. Brit. Mus. :11, pl 6, f 63,64 [b2325] CG: Arhopala b [Type: BMNH-ht] [TypeL - Not stated.] [Type of - Narathura] [Refs - b1644; b2280; b2747; b4094; b1454]
- a **hypophaea** Godman & Salvin, 1878; Euselasia OD: Proc. zool. Soc. Lond. 1878(2):360 [b1973] [TypeL - Veragua; Chiriqui.] [Refs - b4474; b2406 (=eubule); b1456]
- b **hypophlaeas** (Boisduval), 1852; Polyommatus OD: Anns Soc. ent. Fr. (2)10:291 [b0467] SS: phlaeas (Linnaeus), 1761; Lycaena (Lycaena) [Type: USNM?-ht] [TypeL - Northern California.] [LifeH - Tietz lists b0415, b5004, b3930, b2000, b3176, b1582, b3244, b0902, b1525, b1700, b1792, b2143, b2429, b3119, b4088, b4085, b4089.] [Refs - b0908; b1710; b3191; b0996; b2866; b0236; b3192; b1321; b0467; b4652; b4092]
- a **hypopolia** (Trimen), 1887, 1887-1889; Lycaena OD: In Trimen & Bowker, S. Afr. Butts 2:30 [b4725] CG: Lepidochrysops [Type: BMNH-st] [TypeL - S. Africa.] [Refs - b1259; b1452; b4400; b3567; b0359]
- a **hypoxantha** (Röber), 1926; Candalides OD: Ent. Mitt. 15:375 [b3835] CG: Philiris [TypeL - S. W. New Guinea.] [Refs - b4677; b1450; b3835]
- e **hypoxanthe** (Doubleday), 1847, 1844-1848, (nn); Polyommatus OD: List Spec. lep. Brit. Mus. (2):55 [b1327] SS: epixanthe (Boisduval & Le Conte), [1835]; Epidemia [Refs - b0505; x3192; x1321]
- c **hypoxanthe** (Kirby), 1862; Chrysophanus OD: Manual Europ. Butts :91, f 11 [b2744] SS: utyrus (Poda von Neuhaus), 1761; Lycaena (Heodes) [Type: BMNH-ht] [TypeL - Polish Ukraine".] [Refs - b0908; b0505; b3192; b1321]
- c **hypoxanthe** Bates, [1868]; Theope OD: J. linn. Soc. Lond., Zool. 9:405 [b0267] SS: pedias Herrich-Schäffer, [1853]; Theope [TypeL - Para.] [Refs - b2747; b4475; b1456]
- e **hypocrita** (Comstock & Huntington), 1960, 1958-1964, (ISS); Thecla OD: J. New York ent. Soc. 68:185 [b0908] SS: hypocrita (Schaus), 1913; Tigrinota [Refs - b0908]
- a **hypsea** (Godman & Salvin), [1887], 1879-1901; Thecla OD: Biol. centr.-amer., Lep. Rhop. 2:38; 3-pl 52, f 20,21 [b1975] CG: Olynthus [Type: pc; Staudinger collection.] [TypeL - Chiriquí, Panamá.] [Refs - b0908; b3394; b3818; b1375; b1975]
- e **hypseus** (Martin), 1922, (NN); Lycaena OD: Fruh. coll. types :88 [b3073] SS:alcon ((Denis & Schiffermüller), 1775; Maculinea [Note - Fruhstorfer manuscript name.] [Refs - b2858]

- d *hyrcana* (Lederer), 1869, (H); *Lycaena* OD: *Horae Soc. ent. ross.* 6:78, pl 4, f 6,7 [b2955] SS: *morgiana* (Kirby), 1871; *Plebejus* [TypeL - Persia.] [Type of - Farsia] [Refs - b2988; b0993; b1762; b2827; b0410; b2792; b3860; b4092]
- b *hyrcana* (Neuburger), 1903; *Chrysophanus* OD: *Soc. ent.* 18(8):59 [b3378] SS: *ochimus* (Herrich-Schäffer), [1851]; *Lycaena* (Thersamonia) [Refs - b0996; b3355; b4092]
- e *hyrcania* (d'Abrera), 1993, (ISS); *Strymonidia* OD: *Butts Holarctic Region, Pt 3* :442 [b1455] SS: *hyrcanica* (Riley), 1939; *Armenia* [Refs - b1455]
- a *hyrcanica* (Riley), 1939; *Strymon* OD: *Novit. zool.* 41:360 [b3778] CG: *Armenia* [Type: BMNH] [TypeL - North-East Persia.] [Refs - b3778; b4976; b1455 (as *hyrcania*)]
- b *hyrcanus* (C. Felder), 1860; *Lycaena* OD: *Sber. Akad. Wiss. Wien* 40(11):455 [b1676] SS: *plinius* (Fabricius), 1793; *Leptotes* [TypeL - Amboina.] [Refs - b1450; b2747; b2792; b4934; b4108]
- e *iabda* Doubleday, 1847, 1844-1848, (NN); *Mesene* OD: *List Spec. lep. Brit. Mus.* (2):7 [b1327] [Refs - b4474]
- a *iachus* (Fabricius), 1775; *Papilio* OD: *Syst. Ent.* :533 [b1653] CG: *Toxochitona* [Type: BMNH-ht; Banks collection.] [TypeL - Nova Hollandia"] [Refs - b2280; b5076]
- c *iaera* (Hübner), [1819], 1816-1826; *Hesperia* OD: *Verz. bekannt. Schmetz.* (2):25 [b2484] SS: *epitus* (Cramer), [1780]; *Setabis* [Refs - b2747; b4475 (as *jaera*)]
- a *iaeris* Bates, [1868]; *Chamaelimnas* OD: *J. linn. Soc. Lond., Zool.* 9:378 [b0267] [TypeL - Ega.] [Refs - b2747; b4474; b0267; b1456]
- a *iambe* (Godman & Salvin), [1887], 1879-1901; *Thecla* OD: *Biol. centr.-amer., Lep. Rhop.* 2:86; 3:pl 57, f 28,29 [b1975] CG: *Caerofethra* [Type: BMNH] [TypeL - San Francisco, Costa Rica.] [Refs - b0908; b1975; b2593]
- c *ianthe* (Edwards), [1871]; *Chrysophanus* OD: *Trans. amer. ent. Soc.* 3(3/4):211 [b1501] SS: *navalis* (Boisduval), 1869; *Epidemia* [Type: CM-lt; designated by Brown, 1969] [*Trans. amer. ent. Soc.* 95:171 [b0508]] [TypeL - Lake Tahoe, California. Restricted by Brown, 1969] [Refs - b3191; b2753; b3192; b1501; b1321; b3386]
- b *ianthina* (Salmon), 1946; *Chrysophanus* OD: *Dom. Mus. Rec. Ent.* 1:10, f [b3913] SS: *boldenarum* White, 1862; *Lycaena* [TypeL - New Zealand.]
- a *ianthina* Tiee, 1963; *Philiris* OD: *Bull. Br. Mus. nat. Hist. (Ent.)* 14(5):229 [b4677] [Type: BMNH-ht] [TypeL - Mt. Siwi, Arfak Mts., Dutch New Guinea.] [Refs - b1450; b4677]
- b *ianthina* Cowan, 1974; *Drupadia* OD: *Bull. Br. Mus. nat. Hist. (Ent.)* 29(6):336, pl 3, f 70,74 [b1030] SS: *niasica* (Röber), [1886]; *Drupadia* [Type: BMNH-ht] [TypeL - Pulo Telo, Indonesia.] [Refs - b1030; b0105; b1454]
- a *ianthis* Waterhouse, 1900; *Ogyris* OD: *Proc. linn. Soc. N. S. Wales* 25(1):52, pl 1, f 1-4 [b4931] [TypeL - Australia.] [Refs - b1450; b4094 (with Lower, 25:52); b4950; b0870; b4934; b2111]
- a *iapyx* Hewitson, [1865], 1863-1878; *Tajuria* OD: *Ill. diurn. Lep. Lycaenidae* 1:45; 2:pl 18, f 1,2 [b2326] [TypeL - Celebes.] [Note - Not spelled *japyx*.] [Refs - b1840; b2747; b4094; b2201; b1454; b4602]
- a *iarbas* (Fabricius), 1787; *Papilio* OD: *Mantissa Ins.* 2:83 [b1656] CG: *Melanis* [TypeL - Cajennae"] [Refs - b1019; b2988; b2747 (as *jarbus*); b4474; b3192; b5076; b1456]
- e *iarbas* Hemming, 1967, (ISS); *Rapala* OD: *Bull. Br. Mus. nat. Hist. (Ent.) Suppl.* 9:303 [b2280] SS: *iarbus* (Fabricius), 1787; *Rapala* [Refs - b2280; b1019; b1636 (as *jarbas*); b1153 (as *jarbas*)]
- e *iarbas* Hemming, 1967, (ISS); *Panara* OD: *Bull. Br. Mus. nat. Hist. (Ent.) Suppl.* 9:333 [b2280] SS: *jarbas* (Drury), 1782; *Panara* [Refs - b1019; b2280; b2747]
- a *iarbus* (Fabricius), 1787; *Papilio* OD: *Mantissa Ins.* 2:68 [b1656] CG: *Rapala* [Type: BMNH-ht; Banks collection.] [TypeL - Siam"] [Type of - Nadisepa] [Refs - b0964; b2280; b0965; b4092 (as *jarbas*); b4094 (as *jarbas*); b0995 (as *jarbus*); b4950 (j.); b2201; b1454; b2747 (as *iarbas*); b0694; b5076; b4209; b3519]
- a *iasis* Hewitson, [1865], 1863-1878; *Iolaus* OD: *Ill. diurn. Lep. Lycaenidae* 1:42; 2:pl 19, f 11,12 [b2326] CG: *Iolaus* (*Epamera*) [Refs - b2747; b1452; b0836; b4400; b1661]
- a *iasis* (Godman), 1903; *Mesene* OD: *Trans. ent. Soc. Lond.* 51(4):540, pl 22, f 7 [b1972] CG: *Stichelia* [TypeL - Peru.] [Refs - b2988; b4474; b1456]
- c *iaspis* H. H. Druce, 1890; *Iolaus* OD: *Ann. Mag. nat. Hist.* (6)5:30 [b1353] SS: *bellina* (Plötz), 1880; *Iolaus* (*Epamera*) [TypeL - W. Africa.] [Refs - b4400]
- a *ibara* (Butler), [1882]; *Thecla* OD: *Proc. zool. Soc. Lond.* 1881(4):852 [b0620] CG: *Ussuriana* [TypeL - Ibara Pass, Dewa, Japan.] [Note - Has been considered a synonym of *stygiaria*.] [Refs - b0996; b1900; b2866; b4214; b3285; b4092]
- e *iberia* Waterhouse & Lyell, 1914, (IFS); *Ogyris* OD: *Butts Aust.* :120, f [b4947] SS: *zosine* Hewitson, [1854]; *Ogyris* [Refs - b4094; b1475; b0355]
- b *iberica* (Staudinger), 1901; *Zephyrus* OD: *Cat. Lep. Palaearct.* (3rd ed) :71 [b4347] SS: *quercus* (Linnaeus), 1758; *Quercusia* [Refs - b2375; b3059; b4347; b4092]
- b *iberica* (Tutt), 1909, 1905-1914; *Plebeius* OD: *Nat. Hist. Brit. Mus.* 3:194 [b4760] SS: *argus* (Linnaeus), 1758; *Plebejus* [Refs - b3059; b0236; b0471]
- b *ibukiensis* (Futo & Murayama), 1990; *Strymonidea* OD: *Konchu to Shizen (Nature & Insects)* 25(3):33, f [b1904] SS: *mera* (Janson), 1877; *Satyrium* [TypeL - Japan.] [Check - Classification.] [Refs - b0124]
- b *iburiensis* (Butler), [1882]; *Lycaena* OD: *Proc. zool. Soc. Lond.* 1881(4):852 [b0620] SS: *cleobis* (Bremer), 1861; *Plebejus* (*Lycaeides*) [TypeL - Yesso, Japan.] [Refs - b1900; b3328; b4092]
- a *ibycus* Hewitson, [1859], 1852-1877; *Mesosemia* OD: *Ill. exot. Butts* 2:[---], pl [56], f 68-69 [b2323] [TypeL - Amazon.] [Refs - b2988; b2747; b4474; b1456]
- a *icadius* (Grum-Grshimaillo), 1890; *Lycaena* OD: *In Romanoff, Mém. Léop.* 4:402 [b2067] CG: *Polyommatus* [TypeL - Pamir.] [Refs - b2827; b4319; b4092; ns5069; b1455]
- a *icana* (Moore), [1875]; *Dipsas* OD: *Proc. zool. Soc. Lond.* 1874(4):575, pl 67, f 3 [b3223] CG: *Esakiozephyrus* [TypeL - Himalaya.] [Type of - *Esakiozephyrus*] [Refs - b1153; b2280; b1636; b2988; b4094; b3778; b2753; b0996; b2479; b4214; b3223; b4200; b3296 (in *Teratozephyrus*); b0694; b4092; b2463; b1455]
- e *icarescheri* (Wrlri), 1950; *Lycaena* OD: SS: *icarus* (Rottemburg), 1775; *Polyommatus* [Note - Date is a guess. Maybe author is *Wehrli? Hybrid.*] [Check - Original description.] [Refs - b0087; ns0392; b0276]
- c *icarinus* (Scriba), 1791, 1790-1791; *Papilio* OD: *Journ. Ent.* 3:216 [b4072] SS: *icarus* (Rottemburg), 1775; *Polyommatus* [Refs - b2747; b2794; b3366; b4230; b4092]
- a *icarioides* (Boisduval), 1852; *Lycaena* OD: *Annls Soc. ent. Fr.* (2)10:297 [b0467] CG: *Plebejus* (*Icaricia*) [Type: USNM-ht] [TypeL - (Mountains of) California.] [Type of - *Icaricia*] [*LifeH* - Tietz lists b3931, b3385, b0920, b0896, b3140.] [Refs - b1530 :234, f 448; b1321 :64; b0908; b2280; ns1344; b2747; b3325; b3192; b2417; b0493; b1743; b4690 (*); b0467; b4066; b4652]
- a *icarius* (Esper), [1789], 1776-1830; *Papilio* OD: *Die Schmett. Suppl. Theil* 1:35, pl 99, f 4 [b1623] CG: *Polyommatus* (*Plebicula*) [TypeL - Europa; Altai.] [Refs - b3059; b2747; b0993; b1780; b2827; b0236; b2255; b2794; b4092; b2302]

- e *icaroides* (Sauruck), 1927, 1927-1928; *Lycaena* OD: Z. öst. EntVer. 12:99 [b3940] SS: dorylas ([Denis & Schiffermüller]), 1775; *Polyommatus* (*Plebicula*) [Refs - b0236; b0471]
- e *ab. icaroides* (Carter & Harrison), 1928; *Aricia* OD: Vasculum 15:148 [b0722] SS: medon (Hüfnagel), 1766; *Plebejus* (*Aricia*) [Refs - b0236]
- a *icarus* (Rotenburg), 1775; *Papilio* OD: Naturforscher 6:21, n 8 [b3890] CG: *Polyommatus* [Type of - *Polyommatus*] [Note - Placed on Official List by Dir 96.] [Refs - b2280; b4115; b1636; b2280; b2375; b3059; b1213; b1963; b2747; b0993; b4094; b1780; b1762; b2827; b2479; b2866; b1601; b2905; b3547; b0236; b2380; b2300; b0410; b0293; b0400; b0691; b4950; b2794; b3910; b4367; b3366; b3055; b0694; b2859; ns0441; ns1339; ns2967; b4092; b3151 (Dir 96); b0139; ns3035; b3530; b0206]
- d *icarus* (Fabricius), 1777, (H); *Papilio* OD: Gen. Ins. :269 [b1654] SS: *philemon* (Cramer), [1775]; *Leucochimona* [TypeL - Surinami.] [Refs - b2747; b5076]
- b *icena* Fruhstorfer, 1916; *Nacaduba* OD: Zoöl. Meded. 2(2):127 [b1873] SS: *berenice* (Herrich-Schäffer), 1869; *Nacaduba* [Type: BMNH-ht] [TypeL - Macromalaya.] [Refs - b0964; b4676; b0965; b0938; b4094; b1454]
- b *icenus* (Fruhstorfer), 1918; *Castalius* OD: Tijdschr. Ent. 61:30 [b1884] SS: *ethion* (Westwood), [1851]; *Discolampa* [TypeL - Borneo.] [Refs - b1454; b1840; b4108]
- a *icetas* (Hewitson), [1865], 1863-1878; *Iolaus* OD: Ill. diurn. Lep. Lycaenidae 1:44; 2:pl 18, f 6,7 [b2326] CG: *Pratapa* [TypeL - India.] [Refs - b0964; b1636; b0965; b4094; b2747; b0995; b2479; b4092; b2988; b2201; b1454; b0694]
- a *icetoides* (Elwes), [1893]; *Carmena* OD: Proc. zool. Soc. Lond. 1892(4):636, pl 44, f 3 [b1594] CG: *Pratapa* [TypeL - Karen Hills.] [Refs - b1636; b0964; b0965; b2201; b1454; b0694]
- c *icnographia* (Büler), 1866; *Thecla* OD: J. linn. Soc. Lond., Zool. 9:57 [b0582] SS: *arata* (Bremer), 1861; *Rapala* [TypeL - Japan.] [Refs - b2747; b0995; b4092; b2479; b1900]
- a *icilius* (Hewitson), [1865], 1863-1878; *Ialmenus* OD: Ill. diurn. Lep. Lycaenidae 1:54; 2:pl 24, f 3 [b2326] CG: *Ialmenus* [Refs - b1450; b2747; b4094; b0870; b4934]
- a *icterias* Stichel, 1910; *Mesene* OD: Gen. Insectorum 112(A):214 [b4446] [Type: ZMHU-st] [TypeL - Venezuela; Tarapoto, Peru.] [Refs - b4474; b1456; b4446]
- a *ictericum* (Godman & Salvin), 1878; *Nymphidium* OD: Proc. zool. Soc. Lond. 1878(2):367 [b1973] CG: *Calociasma* [TypeL - Veragua; Chiriqui.] [Type of - *Calociasma*] [Refs - b2988; b2280; b4476; b1973; b1456]
- b *ictina* (Seitz), [1924], 1912-1927; *Aphnaeus* OD: In Seitz, Grossschmett. Erde 9:939 [b4094] SS: *elima* (Moore), 1877; *Spindasis* [TypeL - Not stated.] [Refs - b4094]
- c f. *ictina* Rebillard, 1958; *Euselasia* OD: Mém. Mus. natn Hist. nat. (A)15:157 [b3717] SS: *zena* (Hewitson), [1860]; *Euselasia* [Type: MNHN-ht] [TypeL - Upper Amazon, Brazil.] [Refs - b3717; b0093]
- a *ictinus* (Hewitson), [1865], 1863-1878; *Ialmenus* OD: Ill. diurn. Lep. Lycaenidae 1:54; 2:pl 24, f 6-8 [b2326] CG: *Ialmenus* [TypeL - Australia.] [Type of - *Protialmenus*] [Refs - b1450; b2280; b2747; b4094; b0870; b4934]
- a *ictis* (Hewitson), [1865], 1863-1878; *Aphnaeus* OD: Ill. diurn. Lep. Lycaenidae 1:61; 2:pl 25, f 8,9 [b2326] CG: *Spindasis* [TypeL - India bor.; Ceylon.] [Refs - b1636; b1153; b2747; b0996; b4094; b1454; b0694; b0695; b4092; b1455]
- b *ida* (Grum-Grshimailo), 1891; *Lycaena* OD: Horae Soc. ent. ross. 25:451 [b2068] SS: *cleobis* (Bremer), 1861; *Plebejus* (*Lycaeides*) [Refs - b0993; b2827; b4092]
- a *idamis* (Fruhstorfer), [1917]; *Lycaenopsis* OD: Arch. Naturgesch. (A)82(1):23, pl 2, f 17 [b1880] CG: *Sidima* [Type: BMNH-ht; designated by Eliot & Kawazoé, 1983] [Butts *Lycaenopsis* group :162 [b1580]] [TypeL - Sumatra.] [Type of - *Sidima*] [Refs - b0965; b1840; b1580; b0400]
- a *idas* (Linnaeus), 1761; *Papilio* OD: Faun. svec. (ed. 2) :284 [b2994] CG: *Plebejus* (*Lycaeides*) [Type: LC-st] [TypeL - Sweden.] [Note - Placed on Official List (#85) by Op 269. The name applies to a common circumpolar species, with short falces.] [Refs - b2375; b3059; b2747; b0993; b1780; b1762; b2827; b2479; b1601; b0236; b2355; b2521; b1321; b3192; b1743 (as *argyrognomon*); b2794; b2379; b0410; b2859; b4066; ns0017; ns0371; ns0374; ns0377; ns0378; ns2861; b0471; b3151; ns2978; b1722]
- d *idas* (Lewin), 1795, (H); *Papilio* OD: Ins. Brit. pl 39, f 1,2 [b2987] SS: *alexis* (Poda von Neuhaus), 1761; *Glaucopsyche* [Refs - b2747; b2794]
- d *idas* (Rambur), [1840], 1837-1840, (H); *Lycaena* OD: Faune ent. Andal. 2:266, pl 10, f 5-7 [b3688] SS: *morroneis* (Ribbe), 1910; *Plebejus* (*Aricia*) [TypeL - Andalusia.] [Note - Rejected by Verity as a secondary homonym.] [Refs - b3059; b2747; b1762; b0993; b0236; b0410; b2794; b0270; b4092]
- d *idasoides* (Beuret), 1934, (JOS); *Lycaeides* OD: *Lambillionea* 34:114 [b0371] SS: *idas* (Linnaeus), 1761; *Plebejus* (*Lycaeides*) [Note - Replacement name.] [Refs - b0410]
- a *idealus* Johnson & Matusik, 1988; *Leptotes* OD: Ann. Cam. Mus. 57(10):243, f 11A, B; 12C [b2632] [Type: CM-ht] [TypeL - Abejas, Hispaniola] [Refs - b2632; b2634]
- a *ideoides* Dewitz, 1886; *Liptena* OD: Deut. ent. Zeit. 30(2):428, pl 2, f 9 [b1221] [TypeL - W. Africa.] [Refs - b1452; b0836; b1221; b4400]
- e f. *idina* Fruhstorfer, [1912], (IFS); *Ticherra* OD: Berl. ent. Z. 56(3/4):245 [b1850] SS: *acte* (Moore), [1858]; *Ticherra* [Refs - b1016; b1636; b4094; b1850]
- a *idmo* Hewitson, 1862; *Ogyris* OD: Spec. Cat. Lyc. Brit. Mus. :2, pl 1, f 3,4 [b2325] [TypeL - Australia.] [Refs - b1450; b2747; b4094; b0870; b4934]
- a *idmon* (Hübner), [1824], 1796-1838; *Papilio* OD: Samml. europ. Schmett. 1:pl 165, f 820,821 [b2480] CG: *Cupido* (?) [Refs - b2747; b2260]
- a *idmon* (Godman & Salvin), 1889; *Lemonias* OD: Ann. Mag. nat. Hist. (6)3:357 [b1977] CG: *Calospila* [TypeL - Chiriqui.] [Refs - b4475]
- a *idotea* (Westwood), [1851], 1846-1852; *Mesosemia* OD: In Gen. diurn. Lep. (2):455 nota [b4981] CG: *Mesophthalma* [TypeL - Amazon.] [Type of - *Mesophthalma*] [Refs - b2988; b2280; b2747; b4474; b1453; b0680; b1456]
- e *idothea* Kirby, 1877, (ISS); *Zelotaea* OD: Syn. Cat. diurn. Lep., Suppl. :757 [b2753] SS: *eidothea* Butler, 1873; *Zelotaea* [Refs - b2753]
- b *igarashii* Hayashi, 1976; *Britomartis* OD: Tyô to Ga 27(3):99, f [b2184] SS: *cleoboides* (Elwes), [1893]; *Britomartis* [TypeL - Mt. Kinabalu, Sabah, Borneo.] [Refs - b0109; b2201; b1454; b4108]
- b *ignara* Riley & Godfrey, 1921; *Arhopala* OD: J. nat. Hist. Soc. Siam 4(3):185 [b3787] SS: *fulla* (Hewitson), 1862; *Arhopala* 1 [Type: BMNH-ht] [TypeL - N. Siam.] [Refs - b1644]
- a *ignicauda* (Godman & Salvin), 1878; *Mesene* OD: Proc. zool. Soc. Lond. 1878(2):363 [b1973] CG: *Phaenochitonina* [TypeL - Veragua.] [Refs - b4474; b1456]
- a *ignifer* Stichel, 1911; *Pachythone* OD: Gen. Insectorum 112(B):281 [b4447] [Type: ZMHU-ht] [TypeL - Rio San Juan, Colombia.] [Refs - b4475; b1456; b4446]
- a *ignipicta* Schaus, 1913; *Phaenochitonina* OD: Ann. Mag. nat. Hist. (8)11:300 [b3949] [TypeL - Costa Rica.] [Refs - b4474; b1456]

- a **ignita** (Leach), 1814, 1814-1817; *Lycaena* OD: Zool. Miscell. 1:136, pl 60, f 1-3 [b2949] CG: Hypochrysops [TypeL - Australia.] [Refs - b1450; b2078; b2747; b0870; b4934; b3926; b1094]
- e **ignita** (Tut), 1906, 1905-1914; *Rumicia* OD: Nat. Hist. Brit. Butts 1:353 [b4760] SS: phlaeas (Linnaeus), 1761; *Lycaena* (*Lycaena*) [Refs - b0389; b4092]
- e **ignita** Sharp, [1920], (ISS); *Deudorix* OD: Zool. Rec. 55(1918)(Ins.):155 [b4147] SS: ignota Piepers & Snellen, 1918; *Deudorix* [Refs - b4147]
- c **f. ignita** (Lempke), 1954; *Thersamonia* OD: Tijdschr. Ent. 97:336 [b2981] SS: dispar ([Haworth]), 1802; *Lycaena* (*Thersamolycaena*) [TypeL - Holland.]
- e **ignitacaudata** (Tut), 1906, 1905-1914; *Rumicia* OD: Nat. Hist. Brit. Butts 1:360 [b4760] SS: phlaeas (Linnaeus), 1761; *Lycaena* (*Lycaena*) [Refs - b0389]
- c **ignitus** (Herrich-Schäffer), [1846], 1843-1856; *Polyommatus* OD: Syst. Bearb. Schmett. Europ. 1:pl 69, f 332 [b2313] SS: thetis Klug, 1834; *Lycaena* (*Thersamonia*) [Refs - b2747; b0996; b2794; b4092]
- b **ignitus** Stichel, 1924; *Euselasia* OD: Z. wiss. Insektbiol. 19:246 [b4462] SS: artos Herrich-Schäffer, [1853]; *Euselasia* [TypeL - Brazil.] [Refs - b4474; b4476; b1456]
- a **ignobilis** (Joicey & Talbot), 1916; *Candalides* OD: Ann. Mag. nat. Hist. (8)17:81 [b2652] CG: Philiris [Type: BMNH-h] [TypeL - Wandammen Mns., North Dutch New Guinea.] [Refs - b4677; b1450; b2652]
- a **ignobilis** Johnson, 1992; *Ignata* OD: Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (22):194 [b2611] [Type: AMNH-h] [TypeL - Pano, Huanuco, Peru.] [Type of - Ignata] [Refs - b0125; b2611]
- e **ignorata** Staudinger, 1901; *Polyommatus* OD: Cat. Lep. Palae. Faun. (3rd ed) :86 [b4347] SS: daphnis ([Denis & Schiffemüller]), 1775; *Polyommatus* (*Meleageria*) [Refs - b4092; b2788 (as a good subspecies)]
- a **ignota** (Trimen), 1887, 1887-1889; *Lycaena* OD: In Trimen & Bowker, S. Afr. Butts 2:39 [b4725] CG: Lepidochrysops [Type: BMNH] [TypeL - S. Africa.] [Refs - b1259; b1452; b4400; b0359]
- a **ignota** Piepers & Snellen, 1918; *Deudorix* OD: Rhop. Java - Ery., Lyc. :90, pl 26, f 141 [b3601] [TypeL - Java.] [Refs - b3601; b4147 (as ignita :155)]
- a **igolotiana** (Murayama & Okamura), 1973; *Pratapa* OD: Tyô to Ga 24(1):17, f 24,25 [b3305] CG: Tajuria [Type: pc-h; collection of Okamura.] [TypeL - Mt. Santo Thomas, Luzon, Philippines.] [Refs - b2189; b2199; b2201; b1454; b0104; b3305]
- a **iguapensis** Johnson & Sourakov, 1993; *Serratofalca* OD: Tropical Lepidoptera 4(2):113, f 6,12,17 [b2643] [Type: AMNH-h] [TypeL - Iguape, Paraná State, Brazil.] [Refs - b2643]
- a **ijanensis** Bethune-Baker, 1897; *Arhopala* OD: Ent. mon. Mag. 33:203 [b0327] CG: Arhopala a [Type: BMNH-h] [TypeL - Gunong Ijan, Perak.] [Note - Usually seen as *ijauensis*.] [Refs - b1644; b4094; b1454; b4594; b0327]
- e **ijauensis** (Seitz), [1926], 1912-1927, (ISS); *Amblypodia* OD: In Seitz, Grossschmett. Erde 9:956 [b4094] SS: *ijanensis* Bethune-Baker, 1897; *Arhopala* a [Type: BMNH-h] [Refs - b4094 (correct in index)]
- a **ikedai** Hayashi, 1978; *Deramas* OD: Tyô to Ga 29(3):164, f 1,2,9-11 [b2191] [Type: OMNH-h] [TypeL - Mt. Apo, Mindanao.] [Note - Patronym - Mr. Masahiro Ikeda.] [Refs - b2198; b2191; b2211; b1454; b4588]
- a **ikoya** Roche, 1954; *Epitola* OD: Bull. Br. Mus. nat. Hist. (Ent.) 3:497, pl 19, f 5-8 [b3842] [Type: BMNH-h] [TypeL - Lagos, southern Nigeria.] [Refs - b3842; b1452; b4400]
- a **ila** (de Nicéville), [1896]; *Ilerda* OD: In J. asiat. Soc. Bengal, Pt II 64(3):472 [b1161] CG: *Heliophorus* [TypeL - Battak Mountains, N. E. Sumatra.] [Refs - b0964; b0965; b4094 (nila); b4220; b5053; b1454; b1549]
- b **ilagana** Osada & Hashimoto, 1987; *Simiskina* OD: Mem. Tsukada Colln (5):77, pl 3, f 5; pl 4, f 5 [b3524] SS: phalena (Hewitson), 1874; *Simiskina* [Type: pc; collection of Tsukada.] [TypeL - Digusi del Pilar, San Mariano, Isabela, N.E. Luzon.] [Refs - b3524]
- b **ilala** Riley, 1929; *Liptena* OD: In Trans. ent. Soc. Lond. 77(2):493 [b3772] SS: diversa Bethune-Baker, 1904; *Liptena* (*Tetrarhanis*) [Type: UMO-h] [TypeL - Kaia River, Sudan-Uganda frontier.] [Note - Eltringham is not the author of this name!] [Refs - b1452; b3772; b4400]
- a **ilaro** Stempffer, 1974; *Liptena* OD: In Bull. Br. Mus. nat. Hist. (Ent.) 30:139, f [b4413] [TypeL - Iaro, Lagos District, Nigeria.] [Refs - b0105; b1452]
- b **ilavia** (Beutenmüller), 1899; *Thecla* OD: J. New York ent. Soc. 7(4):254 [b0416] SS: ontario (Edwards), 1869; *Fixsenia* [Type: AMNH-st] [TypeL - Texas.] [Refs - b0908; b4688; b1711; b3192; b1321; b4690; b0493; b4066]
- b **iliaca** Fruhstorfer, 1912; *Abisara* OD: Ent. Rundsch. 29(3):23 [b1849] SS: saturata (Moore), 1878; *Abisara* [Type: BMNH] [TypeL - Nias.] [Refs - b0294; b4473; b1454; b1840; b1849]
- a **ilias** (C. Felder), 1860; *Thecla* OD: Sber. Akad. Wiss. Wien 40(11):454 [b1676] CG: Philiris [Type: BMNH-h] [TypeL - Amboina.] [Type of - Philiris] [Refs - b1450; b4677; b2280; b4677; b2747; b2698; b2078]
- b **ilioides** (Gerhard), 1853, 1850-1853; *Thecla* OD: Vers. monog. europ. Schmett. :3, pl 4, f 5a-c [b1928] SS: esculi (Hübner), [1819]; *Satyrium* [Refs - b3059; b2747; b0996]
- a **ilicis** (Esper), [1779], 1776-1830; *Papilio* OD: Die Schmett. 1(1)(9):353 [b1623] CG: *Satyrium* [Refs - b4245; b3337; b2375; b3059; b0851; b2747; b0996; b1780; b2827; b1213; b3070; ns1741; b0236; b2300 (in Nordmannia); b0293 (Nordmannia); b2794; b2985; b4923; b2859; b4092; b2302; b1455]
- b **iliensis** (Staudinger), 1886, 1886-1889; *Polyommatus* OD: Stett. ent. Ztg 47:203 [b4330] SS: phoenicurus (Lederer), 1872; *Athamanthia* [Type: ZMHU-l; designated by Nekrutenko, 1984] [Vestnik Zoologii 1984(6):45 [b3365]] [Refs - b0996; b2827; b4330; b3365; b4092]
- b **iliensis** (Grum-Grshimailo), 1891; *Lycaena* OD: Horae Soc. ent. ross. 25:452 [b2068] SS: tengstroemi (Erschoff), 1874; *Satyrium* (*Rhymmaria*) [TypeL - Mongolia.] [Refs - b2479; b5064; b4092; ns3033; b1455]
- a **illissus** (Felder & Felder), 1859; *Danis* OD: Wien. ent. Monats. 3(6):186 [b1678] CG: *Discolampa* [TypeL - Sulawesi.] [Refs - b4094 (as illissus); b1678; b1840; b1454; b2388]
- a **iljai** (Hayashi & Schröder & Treadaway), 1984; *Matsutaroa* OD: Senckenbergiana 65(1/2):36, f 16-20 [b2211] CG: *Tajuria* (*Matsutaroa*) [Type: pc-h; collection of Colin G. Treadaway] [TypeL - Philippines.] [Type of - Matsutaroa] [Refs - b2211; b1454]
- a **illepida** Johnson, 1992; *Ignata* OD: Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (22):195, f [b2611] [Type: BMNH-h] [TypeL - Sierra Paramo, Bolivia.] [Refs - b0125; b2611]
- a **illex** Schaus, 1902; *Thecla* OD: Proc. U. S. natn. Mus. 24(1262):419 [b3948] CG: *Thecla* (New World Eumaeini) [Type: USNM-h; #5949] [TypeL - Colombia.] [Refs - b0908; b3948; b1375]
- c **illidgei** (Lucas), 1889; *Ialmenus* OD: Proc. R. Soc. Qd 6(4):156, f 1,2 [b3024] SS: daemeli (Semper), [1879]; *Ialmenus* [TypeL - Brisbane, Australia.] [Refs - b4934; b3024]

- a **illidgei** (Waterhouse & Lyell), 1914; *Pseudodipsas* OD: Butts Aust. :83 [b4947] CG: *Acrodipsas* [Type: SAM-ht; designated by Sands, 1980] [J. Aust. ent. Soc. 18(3):256 [b3923]] [TypeL - Queensland, Australia.] [Refs - b1450; b3923; b0113; b0870; b2110; b3918]
- e **illissus** (Seitz), [1927], 1912-1927, (ISS); *Castalius* OD: In Seitz, *Grossschmett. Erde* 9:1017 [b4094] SS: *illissus* (Felder & Felder), 1859; *Discolampa* [Refs - b4094]
- b **illuensis** (Röber), [1886]; *Plebeius* OD: *CorrespBl. ent. Ver. Iris* 1(3):64, pl 4, f 30,31 [b3820] SS: *bernice* (Herrich-Schäffer), 1869; *Nacaduba* [TypeL - Ceram and Aru.] [Refs - b4676; b0485; b4094]
- a **illuminata** (Turati), 1924; *Thestor* OD: *Atti Soc. ital. Sci. nat.* 63:36, pl 1, f 17 [b4748] SS: *ballus* (Fabricius), 1787; *Tomares* [TypeL - Tripoli.] [Refs - b0236; b3796]
- a **illurgioides** de Nicéville, 1890; *Tajuria* OD: *Butts India Burma Ceylon* 3:375, pl 28, f 218 [b1153] [TypeL - Sikkim.] [Refs - b0964; b1636; b1153; b4094; b1454; b0694]
- a **illurgis** (Hewitson), [1869], 1863-1878; *Iolaus* OD: *Ill. dium. Lep. Lycaenidae Suppl.* 10, pl 4, f 37,38 [b2326] CG: *Tajuria* [TypeL - Sikkim.] [Type of - *Cophanta*] [Refs - b1636; b1153; b4198; b2280; b2747; b4094; b1850; b1454; b0694]
- b **illustris** (Röber), [1886]; *Plebeius* OD: *CorrespBl. ent. Ver. Iris* 1(3):53, pl 4, f 6 [b3820] SS: *cyanea* (Cramer), [1775]; *Nacaduba* [TypeL - Key Islands.] [Refs - b1450; b2078; b1382]
- c **illustris** (Stauder), 1915; *Lycaena* OD: *Deut. ent. Zeit.* [Iris] 29:28 [b4308] SS: *alexis* (Poda von Neuhaus), 1761; *Glaucoopsyche* [Refs - b0236; b0400; b4308; b0471; b4146]
- e **ab. illustris** (Dannehl), 1927; *Lycaena* OD: *Mitt. münchn. ent. Ges.* 17:7 [b1102] SS: *opilete* (Knoch), 1781; *Plebejus* (*Vacciniina*) [TypeL - Bremen.] [Refs - b0236; b0471]
- a **ilma** Hewitson, [1873], 1852-1877; *Liptena* OD: *Ill. exot. Butts* 5:[86], pl [45], f 13 [b2323] CG: *Liptena* (*Tetrarhanis*) [TypeL - Angola.] [Type of - *Tetrarhanis*] [Refs - b2280; b2753; b1452; b4400]
- a **ilocana** Osada & Hashimoto, 1987; *Arhopala* OD: *Mem. Tsukada Colln* (5):73, ft 1, pl 3, f 21,22; pl 4, f 21,22 [b3524] CG: *Arhopala* i [Type: biblio; replacement for *natsumiae* Hayashi, 1984] [Refs - b3524]
- c **ilogo** Holland, 1890; *Aphnaeus* OD: *Psyche* 5:429 [b2423] SS: *asterius* Plötz, 1880; *Aphnaeus* [TypeL - Upper Ogove River, Gaboon.] [Refs - b4387; b4400]
- b **imanishii** (Takeuchi), 1936; *Lycaena* OD: *Zephyrus* 6(3/4):355-356 [b4616] SS: *eros* (Ochsenheimer), 1807; *Polyommatus* [TypeL - Japan.] [Refs - b2827; b0074; b4616]
- e **f. imbona** Stichel, 1925, (IFS); *Euselasia* OD: *Z. wiss. Insektenbiol.* 20:15 [b4463] SS: *mys* Herrich-Schäffer, [1853]; *Euselasia* [TypeL - Brazil.] [Refs - b4474]
- c **imitata** (H. H. Druce), 1895; *Biduanda* OD: *Proc. zool. Soc. Lond.* 1895(3):617 [b1362] SS: *fabricii* Moore, 1884; *Drupadia* [Type: BMNH-ht] [TypeL - Tenasserim.] [Refs - b1030; b4094; b1362]
- b **imitatrix** Godman & Salvin, 1878; *Ithomeis* OD: *Proc. zool. Soc. Lond.* 1878(2):362 [b1973] SS: *eulama* Hewitson, [1870]; *Ithomeis* [TypeL - Veragua, Costa Rica.] [Refs - b4474; b1456]
- a **imma** Prittwitz, 1865; *Thecla* OD: *Stett. ent. Ztg.* 26:322 [b3651] CG: *Thecla* (*New World Eumaeini*) [TypeL - Corcovado, Rio de Janeiro, Brazil.] [Refs - b0908; b2747; b2616]
- a **immaculata** Trimen, 1868; *Deloneura* OD: *Trans. ent. Soc. Lond.* 16(1):83, pl 5, f 4 [b4718] [TypeL - Bashee River, Kaffraria.] [Type of - *Deloneura*] [Note - *Known from only three specimens, all females.*] [Refs - b2280; b1259; b2747; b1452; b4400]
- e **ab. immaculata** Fuchs, 1891; *Callophrys* OD: *Jb. nass. Ver. Nat.* 44:211 [b1895] SS: *rubi* (Linnaeus), 1758; *Callophrys* [Refs - b3059; b0995; b4092; b2585]
- b **immaculata** Suffert, 1904; *Pentila* OD: *Deut. ent. Zeit.* [Iris] 17:46 [b4535] SS: *occidentarium* Aurivillius, [1899]; *Pentila* [Refs - b4420; b4400]
- e **ab. immaculata** (Cockle), 1910; *Thecla* OD: *Can. Ent.* 42(6):204 [b0867] SS: *iroides* (Boisduval), 1852; *Deciduphagus* [Type: CNC-ht] [TypeL - Kaslo, British Columbia.] [Refs - b1321 :54; b0908; b3192]
- b **immaculata** Grünberg, 1910; *Liptena* OD: *Sber. Ges. naturf. Freunde Berl.* 1910:477 [b2076] SS: *opaca* (Kirby), 1890; *Liptena* [TypeL - Spanish Guinea.] [Refs - b2076; b4400]
- e **ab. immaculata** Oberthür, 1914; *Cigariis* OD: *Étud. Léop. comp.* 10:pl 292, f 2397,2398 [b3454] SS: *siphax* Lucas, 1849; *Cigariis* [Refs - b0236]
- e **ab. immaculata** (Sheldon), 1914; *Scolitantides* OD: *Entomologist* 47(10):273 [b4165] SS: *pylaon* (Fischer von Waldheim), 1832; *Plebejus* (*Plebejides*) [Refs - b0236; b0471; b4165]
- e **ab. immaculata** Gunder, 1927; *Satyrium* OD: *Can. Ent.* 59(12):283, pl A, f 6 [b2099] SS: *fuliginosa* (Edwards), 1861; *Satyrium* [Type: AMNH-ht] [TypeL - McGee's Creek, near Mammoth, Mono County, California.] [Refs - b0908; b3192; b1321]
- c **f. immaculata** Hawker-Smith, 1928; *Deudorix* OD: *Revue zool. bot. afr.* 16:215 [b2165] SS: *lorisona* (Hewitson), [1863]; *Deudorix* (*Virachola*) [Refs - b4400]
- e **ab. immaculata** (Chermock), 1929; *Plebeius* OD: *Bull. Brooklyn ent. Soc.* 24(1):20 [b0777] SS: *lupini* (Boisduval), 1869; *Plebejus* (*Icaricia*) [Type: AME-ht] [TypeL - Gold Lake District, Sierra County, California.] [Refs - b0908; b3192; b1321]
- a **immaculata** Lathy, 1930; *Trichonis* OD: *Trans. ent. Soc. Lond.* 78(1):133 [b2921] [Type: MNHN] [TypeL - Not stated.] [Refs - b0908; b3810; b2921; b2591; b2592]
- e **f. immaculata** Scott, 1981; *Everes* OD: *Papilio* (*New Series*) (1):6 [b4062] SS: *amyntula* (Boisduval), 1852; *Everes* [Refs - b4062; x3192; b4066]
- e **ab. immaculatus** (Watari), 1935; *Zephyrus* OD: *Zephyrus* 6(1/2):42, f [b4928] SS: *saphirina* (Staudinger), 1887; *Favonius* [TypeL - Japan.]
- e **f. immaculatus** (Stoneham), 1938, (IFS); *Cupido* OD: *Bull. Cuneidom Mus.* (36):3 [b4481] SS: *cissus* (Godart), [1824]; *Cupidopsis* [Type: pc-ht; collection of Stoneham Museum.] [TypeL - East Surrey Coffee Estates, Kenya Colony.] [Refs - b4481; b4400]
- b **immaculosus** (Comstock), 1913; *Strymon* OD: *Bull. Brooklyn ent. Soc.* 8(3):33-36, pl 11, f A-H [b0905] SS: *titus* (Fabricius), 1793; *Harkenclenus* [Type: AMNH-ht] [TypeL - Provo, Utah.] [Refs - b0908; b4688; b3192; b1743; b0493; b1321; b4690; b4066]
- c **f. immarginata** (Stauder), 1925; *Tarucus* OD: *Ent. Anz.* 5(9):68 [b4319] SS: *pirithous* (Linnaeus), 1767; *Leptotes* [Refs - b0236; b0400; b4319; b0471]
- b **imogena** d'Abrera, 1971; *Hypochrysops* OD: *Butts Australian Region* :331, pl 331 [b1450] SS: *heros* Grose-Smith, 1894; *Hypochrysops* [Type: BMNH-ht] [TypeL - Dampier Island.] [Refs - b1450; b0104; b3926]
- e **ab. impar** (Cockayne), 1916; *Agriades* OD: *Trans. ent. Soc. Lond.* 64(2):243, pl 73, f 1,2 [b0860] SS: *coridon* (Poda von Neuhaus), 1761; *Polyommatus* (*Lysandra*) [Refs - b0236; b0860; b0471]

- b **impar** (Evans), 1957; Narathura OD: Bull. Br. Mus. nat. Hist. (Ent.) 5(3):89 [b1644] SS: anhelus (Westwood), [1852]; Arhopala a [Type: BMNH-ht] [TypeL - Mindoro.] [Refs - b1644; b2211; b2200; b3524]
- a **impedita** Stichel, 1909; Mesosemia OD: Berl. ent. Z. 54(1/2):10 [b4444] [TypeL - Amazonas.] [Refs - b4474; b4139 (as impedia); b1456; b4444]
- c **imperatrix** (Butler), 1900; Cyaniris OD: Ann. Mag. nat. Hist. (7):5:444 [b0656] SS: lambi (Distant), 1882; Acytoplepis [Type: BMNH-ht] [TypeL - Thailand.] [Refs - b1840; b1580]
- a **imperialis** (Cramer), [1775], 1775-1790; Papilio OD: Utiil. Kapellen 1(7):120, pl 76, f E.F. [b1069] CG: Arcas [TypeL - Surinam.] [Type of - Arcas] [Refs - b2280; b0908 (in Theritas); b2747; b2221; b3818; b2406; b2497; b3389; b1975; b2631]
- e **ab. imperialis** (Le Chamberlain), 1908; Lycaena OD: Entomologist 41:202 [b2940] SS: arion (Linnaeus), 1758; Maculinea [Refs - b0236; b0400; b0471; b2940]
- e ♀ **f. imperialis** (Stoneham), 1938; Cupido OD: Bull. Stoneham Mus. (36):2 [b4481] SS: cinerea (Bethune-Baker), 1923; Lepidochrysops [Type: pc-ht; collection of Stoneham Museum.] [TypeL - East Surrey Coffee Estates, Kenya Colony.] [Refs - b4481; b4400]
- c **imperirosa** (Fruhstorfer), 1914; Arhopala OD: Deut. ent. Zeit. [Iris] 28(2):132 [b1859] SS: kuehni (Röber), 1887; Flos [TypeL - Celebes.] [Refs - b1644; b4094; b1859]
- a **improba** Reed, 1877; Cupido OD: An. Univ. Chile 49:711 [b3718] CG: Cupido (?) [Type: MNHNC] [TypeL - Chile.] [Refs - b0908; b3718]
- b **improbus** (H. H. Druce), 1896; Gerydus OD: Proc. zool. Soc. Lond. 1896(3):651, pl 29, f 1,2 [b1365] SS: zinckenii Felder & Felder, 1865; Mileus 2 [Type: ZMHU-lt; designated by Takanami, 1989] [Tyô to Ga 40(1):24 [b4602]] [TypeL - Kinabalu, Borneo.] [Refs - b1546; b0965; b1840; b4602; b4108]
- e **impuncta** (Courvoisier), 1903; Lycaena OD: Mitt. schweiz. ent. Ges. 11:24 [b0981] SS: arion (Linnaeus), 1758; Maculinea [Refs - b0400; b0471 (as impunctata)]
- e **ab. impuncta** (Courvoisier), 1903; Lycaena OD: Mitt. schweiz. ent. Ges. 11:22 [b0981] SS: bellargus (Rottemburg), 1775; Polyommatus (Lysandra) [Refs - b0236; b0471 (as impunctata)]
- e **ab. impuncta** (Courvoisier), 1910, 1910-1911; Lycaena OD: Ent. Zeit. 24:148 [b0985] SS: eroides Frivaldszky von Frivald, 1835; Polyommatus [Refs - b0471 (as impuncta); b0985]
- e **ab. impunctata** (Oberthür), 1900; Aricia OD: Feuille jeun. Nat. 1900:18, f [b3437] SS: agestis (Denis & Schiffermüller), 1775; Plebejus (Aricia) [Refs - b0236; b0471]
- e **ab. impunctata** (Tutt), 1906, 1905-1914; Rumicia OD: Nat. Hist. Brit. Butts 1:361 [b4760] SS: phlaeas (Linnaeus), 1761; Lycaena (Lycaena) [Refs - b0389; b4760]
- e **ab. impunctata** Hauder, 1909; Maculinea OD: Jber. Ver. Naturk. Ost. Linz 38:(30) [b2161] SS: nausithous (Bergsträsser), [1779]; Maculinea [Refs - b0236; b0400; b0471]
- e **ab. impunctata** (Tutt), 1909, 1905-1914; Plebejus OD: Nat. Hist. Brit. Butts 3:179 [b4760] SS: argus (Linnaeus), 1758; Plebejus [Refs - b0236; b0471]
- e **ab. impunctata** Oberthür, 1910; Polyommatus OD: Étud. Léop. comp. 4:239, pl 43, f 322, 325, 326 [b3451] SS: icarus (Rottemburg), 1775; Polyommatus [Refs - b0236; b0471]
- b **impunctata** (Stichel), 1910; Lymnas OD: Gen. Insectorum 112(A):200 [b4446] SS: xarifa (Hewitson), [1853]; Melanis [Type: pc-st; collection of Stichel] [TypeL - Rio Magdalena sup., Colombia.] [Refs - b4474; b4446]
- e **ab. impunctata** Skala, 1912; Pseudophilotes OD: Verh. naturf. Ver. Brünn 50:67 [b4231] SS: hylactor (Bergsträsser), [1779]; Pseudophilotes [Refs - b0236; b0400; b0471 (as unipunctata)]
- e **ab. impunctata** Oberthür, 1914; Cigaritis OD: Étud. Léop. comp. 10:401 [b3454] SS: siphax Lucas, 1849; Cigaritis [Refs - b0236; b0471]
- e **ab. impunctata** (Foulquier), 1923; Lysandra OD: Cat. Léop. Fr., Amat. Pap. :95 [b1781] SS: bellargus (Rottemburg), 1775; Polyommatus (Lysandra) [Refs - b0236]
- e **ab. impura** (Krulikovskii), 1906; Lycaena OD: Soc. ent. 21(7):50 [b2849] SS: semiargus (Rottemburg), 1775; Polyommatus (Cyaniris) [Refs - b0236; b4092]
- c **f. impura** Stichel, 1910; Melanis OD: Gen. Insectorum 112(A):203 [b4446] SS: albigo (Stichel), 1910; Melanis [Type: pc-st; collection of Stichel] [TypeL - Paraguay.] [Refs - b4474; b4446]
- a **ina** (Schweizer & Kay), 1941; Hamearis OD: An. Mus. Hist. nat. Montevideo (2)5(2):10 [b4053] CG: Audre [TypeL - Uruguay.] [Refs - b0420; b1456]
- a **inachus** (Cramer), [1775], 1775-1790; Papilio OD: Utiil. Kapellen 1(3):58, pl 36, f D [b1069] CG: Atlides (?) [TypeL - Indes Occidentales".] [Refs - b0908; b2988; b0907; b2747; b1975]
- e **inaequalis** (Tutt), 1896; Lysandra OD: Brit. Butts :167 [b4758] SS: coridon (Poda von Neuhaus), 1761; Polyommatus (Lysandra) [Refs - b4092; b0471]
- e **ab. inaequalis** Tutt, 1908, 1905-1914; Celastrina OD: Nat. Hist. Brit. Butts 2:416 [b4760] SS: lucia (Kirby), 1837; Celastrina [TypeL - Brooklyn, New York.] [Refs - b0908; b3192; b1321; b0236]
- b **inalpina** (Verity), 1911, (RA); Thecla OD: Boll. Soc. ent. ital. 42:272, pl 1, f 12,13 [b4834] SS: ilicis (Esper), [1779]; Satyrium [Type: MZS-st] [Refs - b2856; b0236; b2985 (as good ssp); b4834; b0471]
- e **inalpina** (Verity), 1919, 1919-1922, (RA); Agriades OD: Ent. Rec. 31:29 [b4840] SS: bellargus (Rottemburg), 1775; Polyommatus (Lysandra) [Type: MZS-st] [Refs - b2856; b0236; b4038]
- e **inalpinus** (Verity), 1913, (RA); Chrysophanus OD: J. linn. Soc. Lond., Zool. 32(215):187 [b4835] SS: virgaureae (Linnaeus), 1758; Lycaena (Heodes) [Type: MZS-st] [Refs - b2856; b0236; b0471]
- e **inanis** (Verity), 1938, 1938-1939, (RA); Aricia OD: Ent. Rec. 50(Sup.):5 [b4860] SS: anteros (Freyer), 1839; Plebejus (Ultraaricia) [Type: MZS-st] [TypeL - Salonika.] [Refs - b2856]
- b **inari** (Wileman), 1908; Tajuria OD: Annot. zool. jap. 6(5):325 [b5005] SS: kina Hewitson, [1869]; Hypolycaena (Chliaria) [TypeL - Formosa.] [Refs - b4198; b5005; b2479; b4094; b0113; b0236; b5053; b1454]
- a **inaria** (Westwood), [1851], 1846-1852; Limnas OD: In Gen. diurn. Lep. (2):460, pl 73, f 7 [b4981] CG: Esthemopsis [TypeL - Amazon.] [Refs - b2988; b2747; b4474; b1456]
- c **inariella** (Strand), 1916, 1914-1916; Esthemopsis OD: Lep. Niepelt. (2):20, pl 14, f 29 [b4516] SS: cleomedes (Hewitson), 1870; Setabis [TypeL - Costa Rica.] [Refs - b4475; b4528]
- a **inca** (Saunders), [1850]; Erycina OD: Trans. ent. Soc. Lond. (1)5(9):227, pl 21, f 6,6a [b3938] CG: Ancyluris [TypeL - Mexico; Guatemala.] [Refs - b2988; b2747; b4474; b3938; b2406; b2497; b1456]

- c **inca** (Röber), 1895; *Aculhua* OD: Ent. Nachr. 21:150 [b3824] SS: cinaron (Felder & Felder), 1861; *Melanis* [TypeL - Chinchamayo.] [Note - Introduced as a new name for the insect figured as cinaron by Staudinger, Exot. Schmett., pl 89. Not mentioned by Stichel.] [Refs - b3824]
- a **inca** McAlpine, [1971]; *Calephelis* OD: J. Res. Lep. 10(1):90, f [b3127] [Type: CM-ht] [TypeL - Cacagualito, Dept. Magdalena, Colombia.] [Refs - b3127]
- b **incana** (Stichel), 1910; *Hamearis* OD: Berl. ent. Z. 55(1/2):45 [b4445] SS: aurinia (Hewitson), [1863]; *Audre* [Type: ZMHU-st] [TypeL - Tarapoto, Peru.] [Refs - b4445]
- b **incarum** Seitz, [1917], 1910-1924; *Thisbe* OD: In Seitz, Grossschmett. Erde 5:715, pl 140f [b4093] SS: lycorias (Hewitson), [1853]; *Thisbe* [TypeL - Ecuador.] [Refs - b4475; b1456]
- a **incendiaria** Thieme, 1907; *Necyria* OD: Berl. ent. Z. 52:3, pl 1, f 2,24 [b4640] [Type: ZMHU-st] [TypeL - Colombia.] [Refs - b4474; b1456; b4446]
- a **incerta** Staudinger, [1887], 1884-1888; *Lepricomis* OD: In Exot. Schmett. 1:249; 2pl 90 [b4329] [TypeL - Upper Amazon.] [Refs - b2988; b4474; b1456]
- b **incerta** Moulton, [1912]; *Arhopala* OD: J. Straits Brch. R. asiat. Soc. 60:128 [b3259] SS: cleander (C. Felder), 1860; *Arhopala* f [Type: BMNH-ht] [TypeL - Sarawak, Borneo.] [Refs - b1644; b2198; b1454; b4602; b4108]
- c **ab. incerta** Meier-Ramel, 1928, (IFS); *Helicopsis* OD: Encyc. ent. Ser. B. III. Lep. 3(2):64 [b3145] SS: cupido (Linnaeus), 1758; *Helicopsis* [Type: pc-ht; collection of Meier-Ramel.] [TypeL - Sao Paulo de Olivença, Brazil.] [Refs - b4474; b3145]
- c **inclara** (Harrison), 1906; *Polyommatus* OD: Ent. Rec. 18:236 [b2146] SS: agestis ((Denis & Schiffmüller), 1775; *Plebejus* (*Aricia*) [Refs - b4092]
- b **incognitus** Tilden, [1974]; *Glaucoopsyche* OD: J. Res. Lep. 12(4):213 [b4658] SS: lygdamus (Doubleday), 1841; *Glaucoopsyche* [Type: CAS-ht] [TypeL - Alum Rock Park, Santa Clara County, California.] [Refs - b0105; b3192; b4066]
- a **incoides** (Schaus), 1902; *Charis* OD: Proc. U. S. natn. Mus. 24(1262):401 [b3948] CG: *Exoplisia* [Type: USNM-ht; #5903] [TypeL - Peru.] [Refs - b2988; b4474; b2221; b0419 (in *Nelone*); b0420; b1456]
- e **f. incompleta** Tutt, 1907, 1905-1914; *Callophrys* OD: Nat. Hist. Brit. Butts 2:92 [b4760] SS: rubi (Linnaeus), 1758; *Callophrys* [Refs - b0236; b2585; b0471]
- e **inconspicua** Stempffer, 1967, (ISS); *Triclema* OD: Bull. Br. Mus. nat. Hist. (Ent.) Suppl. 10:199 [b4400] SS: *inconspicua* H. H. Druce, 1910; *Triclema* [Refs - b4400]
- a **inconspicua** Godman & Salvin, 1878; *Euselasia* OD: Proc. zool. Soc. Lond. 1878(2):360 [b1973] [TypeL - Veragua; Chiriqui; Costa Rica.] [Refs - b4474; b2406; b1456]
- a **inconspicua** H. H. Druce, 1910; *Pentila* OD: Proc. zool. Soc. Lond. 1910(1):357, pl 33, f 3 [b1378] [TypeL - W. Africa.] [Refs - b4400; b1452; b4420]
- a **inconspicua** H. H. Druce, 1910; *Triclema* OD: Proc. zool. Soc. Lond. 1910(1):374, pl 34, f 9 [b1378] [TypeL - Biije, Ja River, Cameroons.] [Refs - b4400 (as *inconspicua*); b1452]
- a **inconspicua** (Draudt), [1921], 1917-1924; *Itylos* OD: In Seitz, Grossschmett. Erde 5:822, pl 144-m [b1348] CG: *Paralycaeides* [Type: SMF-ht] [TypeL - Cuzco, Peru.] [Type of - *Paralycaeides*] [Refs - b2280; b3326; b0908; b3328; b0207]
- a **inconspicua** Lathy, 1930; *Thecla* OD: Trans. ent. Soc. Lond. 78(1):136, pl 9, f 15 [b2921] CG: *Thecla* (New World *Eumaeini*) [Type: MNHN-It; designated by Johnson, 1991] [J. Lep. Soc. 45(2):146 [b2605]] [TypeL - Petropolis, Brazil.] [Refs - b0908; b2591; b2592]
- b **inconspicua** Lathy, 1932; *Mesosemia* OD: Ann. Mag. nat. Hist. (10)9:65 [b2922] SS: *eumene* (Cramer), [1776]; *Mesosemia* [Type: BMNH-st] [TypeL - St. Laurent du Maroni, French Guiana.] [Refs - b2922; b1456]
- a **incredibilis** (Staudinger), 1891; *Iris* OD: Deut. ent. Zeit. [Iris] 4(1):141, pl 1, f 7 [b4334] CG: *Iridana* [Type of - *Iridana*, *Iridopsis*, *Iris*] [Refs - b2280; b1452; b0836; b4400; b2560; b1661; b1585]
- e **incruentus** (Martin), 1922, (NN); *Thecla* OD: Fruh. coll. types :88 [b3073] SS: *ilicis* (Esper), [1779]; *Satyrion* [Note - *Fruhstorfer manuscript name.*] [Refs - b2858]
- e **incurvata** Talbot, 1935, (IFS); *Mimacraea* OD: Ent. mon. Mag. 71:205 [b4623] SS: *neurata* Holland, 1895; *Mimacraea* [TypeL - Nigeria.] [Refs - b4623; b4400]
- a **indefinita** (Bethune-Baker), 1910; *Lycaenesthes* OD: Trans. ent. Soc. Lond. 58(1):25, pl 1, f 7,8 [b0343] CG: *Anthene* [Type: BMNH-st] [TypeL - Kikuyu; Nairobi; Ruwenzori.] [Refs - b1259; b1452; b0343; b4400; b4436]
- c **indica** (Murray), 1874; *Lycaena* OD: Trans. ent. Soc. Lond. 22(4):525, pl 10, f 2,3 [b3318] SS: *otis* (Fabricius), 1787; *Zizina* [TypeL - Allahabad.] [Refs - b1636; b1153; b1450; b2753; b4094; b0995; b2479; b0754; b3910; b4361; b1638; b3318; b0694; b4092]
- a **indica** (Evans), 1925; *Lycaena* OD: J. Bombay nat. Hist. Soc. 30(2):346 [b1632] CG: *Plebejus* (*Plebejides*) [TypeL - India.] [Note - Described as a subspecies of *pylaon*.] [Check - Homonym in need of a replacement.] [Refs - b1636; b1638; b0694; b1632]
- b **indica** (Evans), 1925; *Nacaduba* OD: J. Bombay nat. Hist. Soc. 30(3):613 [b1633] SS: *dubiosa* (Semper), [1879]; *Prosotas* [Type: BMNH-ht] [TypeL - Ceylon.] [Refs - b4676; b1636; b0938; b1638; b1454; b0694]
- a **indica** Evans, 1932; *Everes* OD: Ident. Indian Butts (2nd ed.) :219 [b1638] CG: *Everes* [TypeL - N.-W. Himalayas.] [Note - Classification according to *Bálint (pers. comm.)*] [Refs - b1638]
- a **indica** Evans, 1932; *Tarucus* OD: Ident. Indian Butts (2nd ed.) :216 [b1638] [Note - Described as a subspecies of *theophrastus*.] [Refs - b1642; b0070; b1638; b4824; b0694; b2388]
- b **indicus** Fruhstorfer, [1904]; *Zemeros* OD: Berl. ent. Z. 48(4):282 [b1817] SS: *flegyas* (Cramer), [1780]; *Zemeros* [Refs - b1636; ns4181; b1840]
- a **indicus** (Fruhstorfer), 1908; *Ierda* OD: Ent. Zeit. 22(12):49 [b1829] CG: *Heliophorus* [Type: BMNH-ht] [TypeL - Sikkim.] [Note - Described as a subspecies of *epicles*.] [Refs - b0964; b1636; b1551; b4094; b4220; b0694; b1549; ns4181 (as ssp of *epicles*); b1454 (with *epicles*); b4209]
- b **indicus** Riley, 1923; *Arhopala* OD: *Spolia Zeylanica* 12:326 [b3756] SS: *abseus* (Hewitson), 1862; *Arhopala* c [Type: BMNH-ht] [TypeL - Sikkim, N. India.] [Refs - b1644; b1636; b4094 (as *indica*); b2200; b1454; b3756]
- e **indicus** Evans, 1927, (NN); *Lycaena* OD: Ident. Indian Butts (1st ed) :- [b1636] SS: *baralacha* (Moore), 1884; *Lycaena* (*Lycaena*) [Refs - b1636; b1638; b0694]
- b **indigator** Stichel, 1911; *Anteros* OD: Gen. Insectorum 112(B):256 [b4447] SS: *renaldus* (Stoll), [1790]; *Anteros* [Type: pc-ht; collection of Stichel] [TypeL - Bugaba, Panama.] [Refs - b4474; b4446]
- b **indigeta** (Fruhstorfer), [1919]; *Pithecopis* OD: Arch. Naturgesch. (A)83(1):83 [b1889] SS: *zalmora* (Butler), [1870]; *Neopithecopis* [Type: BMNH-It; designated by Eliot & Kawazoé, 1983] [Butts *Lycaenopsis* group :45 [b1580]] [TypeL - Bawean.] [Refs - b1580; b1840; b1011]

- a **indigo** (H. H. Druce), 1907; *Thecla* OD: Proc. zool. Soc. Lond. 1907(3):609 [b1375] CG: Morphissima [Type: BMNH-ht] [TypeL - Chapada Campo, Brazil.] [Refs - b0908; b1737; b2221; b1375; b0125]
- b **indissimilis** Weeks, 1901; *Metacharis* OD: Trans. amer. ent. Soc. 27:358 [b4964] SS: regalis Butler, 1867; *Metacharis* [TypeL - Bolivia.] [Refs - b4474; b1456]
- b **indistincta** (Lathy), 1932; *Hamearis* OD: Ann. Mag. nat. Hist. (10)9:71 [b2922] SS: epulus (Cramer), [1775]; *Audre* [Type: BMNH] [TypeL - Paramaribo, Surinam.] [Refs - b2922]
- b **indochinensis** Eliot & Kawazoé, 1983; *Acytolepis* OD: Butts *Lycaenopsis* group :187, f [b1580] SS: lilacea (Hampson), [1889]; *Acytolepis* [Type: RIEB-ht] [TypeL - Van Vieng, Laos.] [Refs - b1580]
- b **indosinica** Fruhstorfer, 1908; *Curetis* OD: Stett. ent. Ztg 69:54 [b1835] SS: saronis Moore, 1877; *Curetis* [Type: BMNH-ht] [Refs - b4094; b2479; b1835; b1454 (with thetis); b0936]
- b **indra** (Moore), [1884]; *Sithon* OD: Proc. zool. Soc. Lond. 1883(4):527 [b3235] SS: jalindra (Horsfield), [1829]; *Eliotia* [TypeL - Bengal.] [Refs - b1636; b1153; b4094; b3235; b2201; b1850; b1568; b4586; b1454; b0694]
- b **indra** (Evans), 1957; *Narathura* OD: Bull. Br. Mus. nat. Hist. (Ent.) 5(3):96 [b1644] SS: sceva Bethune-Baker, 1903; *Arhopala* b [Type: BMNH-ht] [TypeL - Borneo.] [Refs - b1644; b0965; b1454; b4108]
- a **indrasari** (Snellen), 1878; *Deudoryx* OD: In Tijdschr. Ent. 21:26, pl 1, f 7 [b4259] CG: *Sinthusa* [TypeL - Bonthain, Celebes.] [Refs - b4094; b1454 (also as indrasiri, in *Hypothecla*); b4259; b4594; b4598]
- e **indrasiri** (d'Abreira), 1986, (ISS); *Hypothecla* OD: Butts *Oriental Region*, Pt 3 :589 [b1454] SS: indrasari (Snellen), 1878; *Sinthusa* [Note - I don't know what this is. The reference given by d'Abreira doesn't exist. The figure looks like *Sinthusa indrasari*.] [Refs - b1454 (as indrasara on plate)]
- a **ineptus** Stichel, 1916; *Mesene* OD: Deut. ent. Zeit. 1916:15 [b4452] [TypeL - Pará, Brazil.] [Refs - b4474; b1456; b4452]
- c **ines** (Edwards), 1882; *Thecla* OD: *Papilio* 2(2):25 [b1516] SS: leda (Edwards), 1882; *Ministrymon* [Type: CM-lt; designated by Brown, 1970] [Trans. amer. ent. Soc. 96(1):53 [b0509]] [TypeL - Vicinity of Tucson, Pima County, Arizona. Restricted by Brown, 1970.] [Note - Miller & Brown incorrectly treat this name as unavailable. May be a synonym of *cyllie*.] [Refs - b1530 :197, f 371; b0908; b1321 :56; b4688; b1711; b3192; b1743; b0493; b4690; b2631; b4066; b2636 (=cyllie)]
- b **ines** (Fruhstorfer), [1904]; *Laxita* OD: Berl. ent. Z. 48(4):282 [b1817] SS: telesia (Hewitson), [1861]; *Paralaxita* [Refs - b4474; b1454; b1840; b3528]
- c **ines** Swinhoe, 1911, 1909-1913; *Bindahara* OD: In Moore, *Lep. Ind.* 9:27, pl 710, f 3 [b4575] SS: moorei Fruhstorfer, 1904; *Bindahara* [TypeL - Andaman Islands.] [Refs - b0694; b4108]
- e **ines** Scott, 1986, (IFS); *Hypostrymon* OD: Butts *N. America* :381 [b4066] SS: critola (Hewitson), [1874]; *Hypostrymon* [Note - This may not be the original description.] [Refs - b4066; x3192]
- c **inexpectata** (Ribbe), 1926; *Biduanda* OD: Ent. Mitt. 15(1):78 [b3742] SS: thaliarchus (Staudinger), [1887]; *Drupadia* [TypeL - Celebes.] [Refs - b1030; b0105; b0105; b3742]
- a **inexpectata** Eliot, 1973; *Tajuria* OD: *Entomologist* 106:7 [b1557] [Type: BMNH-ht] [TypeL - Sumatra.] [Refs - b1557; b0965; b1564; b0104; b1454; b4108]
- a **inexpectata** Johnson, 1992; *Rhamma* OD: Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (22):140, f [b2611] [Type: BMNH-ht] [TypeL - Rio Inambari to Limbani, SE Peru.] [Refs - b0125; b2611]
- b **infera** (Nekrutenko), 1984; *Lycaena* OD: *Vestnik Zoologii* 1984(6):47, f [b3365] SS: japhetica (Nekrutenko & Effendi), 1983; *Athamanthia* [Type: ZMMU-ht] [TypeL - Uzbekistan] [Refs - b0117; b3365; b5068]
- a **inferna** Bethune-Baker, 1926; *Triclema* OD: *Ann. Mag. nat. Hist.* (9)17:399 [b0362] [TypeL - Kameruns.] [Refs - b1452; b4400]
- b **inferna** Sibatani & Saigusa & Hirowatari, 1994; *Maculinea* OD: *Tyô to Ga* 44(4):188 [b4225] SS: arion (Linnaeus), 1758; *Maculinea* [Type: biblio; replacement for tatsienluica Oberthür, 1910] [TypeL - Tibet, now in Province of Sichuan, China.] [Refs - b4225]
- a **infernalis** Staudinger, 1876; *Styx* OD: *Verh. zool.-bot. Ges. Wien* 25:93 [b4326] [TypeL - Peru.] [Type of - Styx] [Refs - b2280; b2988; b2280; b0540; b4950; b3831; b3814; b0556; b1456]
- e **f. inferopunctata** Tutt, 1907, 1905-1914; *Callophrys* OD: *Nat. Hist. Brit. Butts* 2:92 [b4760] SS: rubi (Linnaeus), 1758; *Callophrys* [Refs - b0236; b2585; b0471]
- a **infirma** Grose-Smith & Kirby, 1890, 1887-1902; *Liptena* OD: *Rhop. exot.* 1(14):46, pl 11, f 15-16 [b2049] [Note - Not spelled infirma.] [Refs - b1452 (as infirma); b0836; b4400]
- c **f. infirmata** Stichel, 1910; *Riodina* OD: *Gen. Insectorum* 112(A):195 [b4446] SS: lycisca (Hewitson), [1852]; *Riodina* [TypeL - Minas Geraes, Brazil.] [Refs - b2221; b4474]
- a **inflammata** (Alphéraky), 1889; *Thecla* OD: In Romanoff, *Mém. Lép.* 5:102, pl 5, f 3 [b0045] CG: *Satyrium* [TypeL - China.] [Refs - b0996; b2479; b4092]
- e **f. infrabrunnea** (Lempke), 1955; *Strymonidia* OD: *Tijdschr. Ent.* 98:323 [b2982] SS: ilicis (Esper), [1779]; *Satyrium* [Refs - b0089]
- e **infracacaotica** (Verity), 1920, 1919-1922, (IFS); *Aricia* OD: *Ent. Rec.* 32:149 [b4840] SS: medon (Hüfnagel), 1766; *Plebejus* (*Aricia*) [Refs - b2856; b0236; b0471]
- e **infracana** (Verity), 1943, (IFS); *Heodes* OD: *Farfalle Diurne Ital.* 2:34 [b4862] SS: thersamon (Esper), [1784]; *Lycaena* (*Thersamonia*) [Type: MZS-st] [TypeL - Italy.] [Refs - b2856; b0080; b0389]
- e **infracanaomphale** (Verity), 1943, (NN); *Thersamonia* OD: *Farfalle Diurne Ital.* 2:64 [b4862] SS: thersamon (Esper), [1784]; *Lycaena* (*Thersamonia*) [Refs - b2856]
- e **infracandida** (Verity), 1920, 1919-1922, (RA); *Aricia* OD: *Ent. Rec.* 32:148 or 150 [b4840] SS: medon (Hüfnagel), 1766; *Plebejus* (*Aricia*) [Type: MZS-ht] [Refs - b2856; b0236; b0471]
- e **f. infracrassipuncta** Lempke, 1955; *Maculinea* OD: *Tijdschr. Ent.* 98:289 [b2982] SS: teleius (Bergsträsser), [1779]; *Maculinea* [Refs - b0089; b0400]
- e **ab. infraextensa** (Tutt), 1906, 1905-1914; *Rumicia* OD: *Nat. Hist. Brit. Butts* 1:379 [b4760] SS: phlaeas (Linnaeus), 1761; *Lycaena* (*Lycaena*) [Refs - b0389; b0471; b4760]
- e **infraflava** (Verity), 1943, (IFS); *Heodes* OD: *Farfalle Diurne Ital.* 2:34 [b4862] SS: thersamon (Esper), [1784]; *Lycaena* (*Thersamonia*) [TypeL - Italy.] [Refs - b0080]
- **f. infraflavomaculata** (Lempke), 1955; *Thecla* OD: *Tijdschr. Ent.* 98:323 [b2982] SS: quercus (Linnaeus), 1758; *Quercusia* [Refs - b0089]
- **f. infraflavomaculata** (Lempke), 1955; *Strymonidia* OD: *Tijdschr. Ent.* 98:323 [b2982] SS: ilicis (Esper), [1779]; *Satyrium* [Refs - b0089]
- c **f. infragrisea** Lempke, 1954; *Palaeochrysophanus* OD: *Tijdschr. Ent.* 97:340 [b2981] SS: hippothoe (Linnaeus), 1761; *Palaeochrysophanus* [TypeL - Holland.]

- e *infralbans* (Verity), 1920, 1919-1922, (IFS); Aricia OD: Ent. Rec. 32:148 [b4840] SS: medon (Hüfnagel), 1766; Plebejus (Aricia) [Refs - b2856; b0236; b0471]
- e *infralunulata* (Verity), 1943, (IFS); Agrodiaetus OD: Farfalle Diurne Ital. 2:323 [b4862] SS: dolus (Hübner), [1823]; Polyommatus (Agrodiaetus) [TypeL - Italy.] [Refs - b2856]
- a *inframacula* Hawker-Smith, 1933; Liptena OD: Stylops 2:7 [b2168] [TypeL - Bitje, Ja River, Cameroons.] [Refs - b1452; b2168; b4400]
- e *f. inframaculata* (Lempke), 1955; Thecla OD: Tijdschr. Ent. 98:323 [b2982] SS: quercus (Linnaeus), 1758; Quercusia [Refs - b0089]
- e *f. infraobscura* Lempke, 1955; Plebejus OD: Tijdschr. Ent. 98:298, f [b2982] SS: argus (Linnaeus), 1758; Plebejus [TypeL - Holland.] [Refs - b0089]
- e *infrapallida* Verity, 1943, (IFS); Lycaena OD: Farfalle Diurne Ital. 2:52, pl 6, f 25 [b4862] SS: phlaeas (Linnaeus), 1761; Lycaena (Lycaena) [TypeL - Italy.] [Refs - b2856; b0080; b0389]
- e *infrapallida* Verity, 1943, (IFS); Leptotes OD: Farfalle Diurne Ital. 2:80, pl 7, f 11 [b4862] SS: pithous (Linnaeus), 1767; Leptotes [Type: MZS-hit] [Refs - b2856; b0400]
- e *f. infrapallida* (Lempke), 1955; Cyaniris OD: Tijdschr. Ent. 98:309 [b2982] SS: semiargus (Rottemburg), 1775; Polyommatus (Cyaniris) [TypeL - Holland.] [Refs - b0089]
- e *f. infrapallida* (Lempke), 1955; Strymonidia OD: Tijdschr. Ent. 98:323 [b2982] SS: ilicis (Esper), [1779]; Satyrium [Refs - b0089]
- c *f. infraparvipuncta* (Lempke), 1954; Thersamonia OD: Tijdschr. Ent. 97:338 [b2981] SS: dispar ([Haworth]), 1802; Lycaena (Thersamolycaena) [TypeL - Holland.]
- e *f. infrapaucipuncta* Lempke, 1955; Maculinea OD: Tijdschr. Ent. 98:290 [b2982] SS: teleius (Bergsträsser), [1779]; Maculinea [Refs - b0089]
- e *infraplumbea* (Verity), 1920, 1919-1922, (IFS); Aricia OD: Ent. Rec. 32:149 [b4840] SS: medon (Hüfnagel), 1766; Plebejus (Aricia) [Refs - b2856; b0236; b0471]
- e *ab. infraradiata* (Tutt), 1906, 1905-1914; Rumicia OD: Nat. Hist. Brit. Butts 1:380 [b4760] SS: phlaeas (Linnaeus), 1761; Lycaena (Lycaena) [Refs - b0389; b0471; b4760]
- c *f. infrarufolineata* Lempke, 1954; Lycaena OD: Tijdschr. Ent. 97:331 [b2981] SS: phlaeas (Linnaeus), 1761; Lycaena (Lycaena) [TypeL - Holland.] [Refs - b0088]
- c *infrequens* (Weeks), 1901; Thecla OD: Ent. News 12(9):265 [b4960] SS: bazochii (Godart), [1824]; Strymon [Type: MCZ] [TypeL - Cusilluni, Bolivia.] [Refs - b0908; b1375; b4967]
- e ♀ *ab. infulvata* (Schultz), 1905; Chrysophanus OD: Ent. Zeit. 18(34):133 [b4003] SS: alciphron (Rottemburg), 1775; Lycaena (Alciphronia) [Refs - b0389; x0276; b4003; b4092]
- b *infumata* Fruhstorfer, 1910; Hypolycaena OD: Deut. ent. Zeit. [Inis] 24:56 [b1841] SS: phorbis (Fabricius), 1793; Hypolycaena [Refs - b1450; b4094]
- c *infumata* Fruhstorfer, 1913; Allostinus OD: Z. wiss. InsektBiol. 9(11):344 [b1851] SS: permagnus Fruhstorfer, 1913; Allostinus (Paragerydus) [Type: BMNH-lt; designated by Eliot, 1986] [Bull. Br. Mus. nat. Hist. (Ent.) 53(1):34 [b1571]] [TypeL - N. Oekor.] [Refs - b1840; b1571]
- c *infumata* Fruhstorfer, 1918; Megisba OD: Arch. Naturgesch. (A)82(12):7 [b1883] SS: sikkima Moore, 1884; Megisba [Type: BMNH-lt; designated by Eliot & Kawazoé, 1983] [Butts Lycaenopsis group :57 [b1580]] [TypeL - Samanga, S. Celebes.] [Refs - b1840; b1580; b4108]
- e *ab. infusata* Tutt, 1906, 1905-1914; Lycaena OD: Nat. Hist. Brit. Butts 1:355 [b4760] SS: phlaeas (Linnaeus), 1761; Lycaena (Lycaena) [Refs - b0236; b0389; b4760]
- e *ab. infusata* (Metschl & Sälzl), 1923; Lycaena OD: Ber. naturw. Ver. Regensburg 16:81 [b3160] SS: coridon (Poda von Neuhaus), 1761; Polyommatus (Lysandra) [TypeL - Regensburg.] [Refs - b0236; b0471 (as fuscata)]
- e *infusata* de Sagarra y Castellamau, 1932; Lampides OD: In Trab. Mus. Cienc. nat. Barcelona 14:166 [b1181] SS: boeticus (Linnaeus), 1767; Lampides [Refs - b0400]
- a *infusata* (Stempffer), 1964; Deudorix OD: Bull. Inst. franç. Afr. Noire 26(A):1275 [b4397] CG: Hypokopelates [TypeL - Congo.] [Refs - b1452; b4400]
- c *ingae* (Sepp), [1848], 1828-1855; Papilio OD: Surinaam. Vlinders 1:41, pl 17 [b4116] SS: lydus (Hübner), [1819]; Theclopsis [TypeL - Surinam.] [Refs - b0908; b1375]
- b *ingana* Fruhstorfer, [1912]; Rapala OD: Berl. ent. Z. 56(3/4):255 [b1850] SS: manea (Hewitson), [1863]; Rapala [TypeL - Borneo.] [Note - Described as a subspecies of *alcetas*.] [Refs - b4094; b1850; b4591; b1454; b4108]
- a *ingaretha* (Hewitson), [1872], 1852-1877; Necyria OD: Ill. exot. Butts 5:[-], pl [38], f 8,9 or 18,19 [b2323] CG: Lyropteryx [Type: BMNH-hit] [TypeL - Nicaragua.] [Refs - b2753; b4474; b1456]
- b *ingeni* (Corbet), 1948; Pratapa OD: Entomologist 81(1):12, f [b0962] SS: deudorix (Hewitson), [1869]; Tajuria [TypeL - Singapore; Sumatra.] [Refs - b0964; b0965; b2201; b1454]
- e *f. ingens* (Stichel), 1925; Nymula OD: Z. wiss. InsektBiol. 20:263 [b4463] SS: regulus (Fabricius), 1793; Synargis [TypeL - Brazil.] [Refs - b4476; b1456]
- b *ingura* Tindale, 1923; Hypolycaena OD: Trans. R. Soc. S. Aust. 47:349, f [b4662] SS: phorbis (Fabricius), 1793; Hypolycaena [TypeL - N. Australia.] [Refs - b1450; b0870]
- b *inhonora* (Jachontov), 1909; Lycaena OD: Revue Russe Ent. 9:253 [b2556] SS: artaxerxes (Fabricius), 1793; Plebejus (Aricia) [TypeL - Ukraine] [Refs - b2375; b1762; b2827 (as allous spp); b2399; b0236; b0410 (=allous); b0270; b2859 (good sp); b0471]
- c *ininiensis* Le Moult, 1940, 1939-1940; Helicopsis OD: Novit. ent. (17):136 [b2943] SS: selene Felder & Felder, 1865; Helicopsis [Type: AME-hit] [TypeL - French Guiana.] [Refs - b3199]
- e *ab. iniitia* (Tutt), 1906, 1905-1914; Rumicia OD: Nat. Hist. Brit. Butts 1:374 [b4760] SS: phlaeas (Linnaeus), 1761; Lycaena (Lycaena) [Refs - b0236; b0389; b4760]
- e *ab. iniitia* (Tutt), 1909, 1905-1914; Agriades OD: Nat. Hist. Brit. Butts 3:337 [b4760] SS: bellargus (Rottemburg), 1775; Polyommatus (Lysandra) [Refs - b0471; b4760]
- e *ab. iniiticaudata* (Tutt), 1906, 1905-1914; Rumicia OD: Nat. Hist. Brit. Butts 1:374 [b4760] SS: phlaeas (Linnaeus), 1761; Lycaena (Lycaena) [Refs - b0236; b0389; b4760]
- c *innesi* van Son, 1949; Deloneura OD: Occ. Pap. natn Mus. Sth. Rhodesia 2(15):259, f [b4806] SS: subfusca Hawker-Smith, 1933; Deloneura [TypeL - Nyasaland.] [Refs - b1943; b4400]
- b *innocens* (H. H. Druce), 1895; Gerydus OD: Proc. zool. Soc. Lond. 1895(3):560, pl 31, f 4 [b1362] SS: gaenilus (de Nicéville), 1894; Miletus 2 [TypeL - Kinabalu, Borneo.] [Refs - b1546; b0965; b1362; b1840; b4108]
- b *f. innocentia* (Gaede), 1915, 1915-1916; Larynopoda OD: Int. ent. Z. 9(21):111 [b1909] SS: lircaea (Hewitson), [1866]; Larinopoda [Refs - b4400]
- a *innotatus* (Miskin), 1874; Pseudodipsas OD: Ent. mon. Mag. 11:165 [b3208] CG: Philiris [TypeL - Brisbane, Queensland, Australia.] [Refs - b4677; b1450; b2753; b2078; b0870; b4940; b4934; b1110]
- e *innua* Dallas, 1867, (ISS); Thecla OD: Zool. Rec. 2(1865)(Ins.):599 [b1089] SS: imma Prittwitz, 1865; Thecla (New World Eumacini) [Refs - b0908]

- b **ino** Godman & Salvin, [1886], 1879-1901; *Caria* OD: Biol. centr.-amer., Lep. Rhop. 1:449; 3-pl 43, f 22,23,25 [b1975] SS: domitianus (Fabricius), 1793; *Caria* [Type: BMNH-ht] [TypeL - Mexico, Ventanas.] [Note - Scott makes this a good species, with *melicerta* as the US subspecies.] [Refs - b2719; b4474; b3192; b1321; b1975; b4066; b1456]
- a **ino**a (Godman & Salvin), [1887], 1879-1901; *Thecla* OD: Biol. centr.-amer., Lep. Rhop. 2:88; 3-pl 58, f 18,19 [b1975] CG: Ministrymon [Type: BMNH] [TypeL - Jalapa, Mexico.] [Refs - b0908; b2988; b2497 (as Hewitson name); b1975; b2589; b2636]
- e **ab. ino**cellata (Sohn), 1893; *Lycaena* OD: Soc. ent. 8(10):77 [b4273] SS: nausithous (Bergsträsser), [1779]; *Maculinea* [Refs - b0400; b4092]
- b **inopinata** (Butler), 1883; *Myrina* OD: Ann. Mag. nat. Hist. (5)12:159 [b0627] SS: hypoleuca (Hewitson), [1865]; *Manto* [Type: BMNH-ht] [TypeL - Nias.] [Refs - b4094; b4602]
- a **inops** (Felder & Felder), 1860; *Lycaena* OD: Wien. ent. Monats. 4(8):244 [b1681] CG: Epimastidia [TypeL - Aru.] [Type of - Epimastidia] [Refs - b2280; b1450; b2747; b2078; b2388]
- c **inorata** (Grote & Robinson), 1868; *Thecla* OD: Trans. amer. ent. Soc. 1(4):323 [b2061] SS: falacer (Godart), [1824]; *Satyrium* [Type: AMNH-ht] [TypeL - New York, New York.] [Refs - b3192 (as inornata); b0908; b1321; b0414; b1722]
- e **inornata** Comstock & Huntington, 1960, 1958-1964, (ISS); *Thecla* OD: J. New York ent. Soc. 68:236 [b0908] SS: inornata Lathy, 1936; *Thecla* (New World Eumaeini) [Refs - b0908]
- a **inores** (Hewitson), 1872; *Iolaus* OD: Ent. mon. Mag. 9:85 [b2335] CG: Sukidion [Type: BMNH-ht] [Type of - Sukidion] [Refs - b2280; b0965; b2753; ns1017; b1454; b4400; ns4108; b4108]
- a **inornata** (Felder & Felder), 1860; *Amblypodia* OD: Wien. ent. Monats. 4(12):396 [b1683] CG: Arhopala k [Type: BMNH-ht] [TypeL - Malaya.] [Type of - Iois] [Refs - b1644; b2280; b2747; b4094; b1454]
- c **inornata** (Verity), 1911, (RA); *Thecla* OD: Boll. Soc. ent. ital. 42:273 [b4834] SS: ilicis (Esper), [1779]; *Satyrium* [Type: MZS-st] [Refs - b2856; b0236; b2985; b3612; b4834; b0471]
- e **ab. inornata** (Courvoisier), 1913; *Lycaena* OD: Ent. Mitt. 2(10):289 [b0989] SS: argus (Linnaeus), 1758; *Plebejus* [Refs - b0989]
- e **ab. inornata** (Grund), 1913; *Lycaena* OD: Int. ent. Z. 7(19):127 [b2081] SS: argyrognomon (Bergsträsser), [1779]; *Plebejus* (*Lycaeides*) [Refs - b0236; b0471]
- e **ab. inornata** Grund, 1913; *Plebejus* OD: Int. ent. Z. 7(19):127 [b2081] SS: argus (Linnaeus), 1758; *Plebejus* [Refs - b0236; b0471]
- e **ab. inornata** (Nordström), 1933; *Polyommatus* OD: Ent. Tidsskr. 54:201 [b3409] SS: opilete (Knoch), 1781; *Plebejus* (*Vacciniina*) [TypeL - Lapland.] [Refs - b0071]
- d **inornata** Lathy, 1936, (H); *Thecla* OD: Livre jubilaire de M. Eugene-Louis Bouvier :229, pl 8, f 3 [b2925] OS: lathyi Johnson, 1991; *Thecla* (New World Eumaeini) [Type: MNHN-ht; collection of Fournier de Horrack.] [TypeL - Rio Grande do Sul, Brésil.] [Refs - b0908 (as inornata); b2925; b2591 (type not found); b2592]
- e **inornata** (Blom), 1947; *Polyommatus* OD: Tijdschr. Ent. 88:333 [b0452] SS: opilete (Knoch), 1781; *Plebejus* (*Vacciniina*) [TypeL - Holland.] [Refs - b0082; b0452]
- a **inornata** Rebillard, 1958; *Themone* OD: Mém. Mus. natn Hist. nat. (A)15:170 [b3717] [Type: MNHN-ht] [TypeL - Barreiras, Rio Tapajoz, Amazone, Brazil.] [Note - See d'Abreira for some notes on a pseudotype in BMNH.] [Refs - b3717; b0093; b1456]
- e **inornata** Miller & Brown, 1981, (ISS); *Satyrium* OD: Mem. Lep. Soc. (2):101 [b3192] SS: inornata (Grote & Robinson), 1868; *Satyrium* [Refs - b3192; b0414; b1722]
- a **inouei** (Shirôzu), 1959; *Strymonidia* OD: Kontyû 27(1):91, pl 7, f 9-10 (Esaki mem. Issue) [b4197] CG: *Satyrium* [TypeL - Formosa.] [Refs - b4198; b5053; b3343]
- a **inous** (Hewitson), [1865], 1863-1878; *Ialmenus* OD: Ill. diurn. Lep. Lycaenidae 1:54; 2-pl 24, f 1,2 [b2326] CG: *Ialmenus* [TypeL - Australia.] [Refs - b1450; b2747; b4094; b0870; b4934]
- c **inquinata** (Bates), [1868]; *Aricoris* OD: J. linn. Soc. Lond., Zool. 9-pl 7, f 1 [b0267] SS: lagus (Cramer), [1777]; *Setabis* [TypeL - Brasilia?] [Refs - b2747; b4475]
- a **insignis** (Godman & Salvin), [1887], 1879-1901; *Thecla* OD: Biol. centr.-amer., Lep. Rhop. 2:99 [b1975] CG: *Ipidecla* [Type: pc; Staudinger collection.] [TypeL - Chiriqui, Panama.] [Refs - b0908; b3818; b1975]
- c **insignis** (Staudinger), [1887], 1884-1888; *Miletus* OD: In Exot. Schmett. 1:269, 2-pl 94 [b4329] SS: *drumila* (Moore), [1866]; *Allotinus* (*Paragerydus*) [Type: ZMHU?-ht] [TypeL - Sylhet; Cherra Punji; Darjeeling.] [Refs - b1636; b1153; b1571; b0694]
- b **insignis** (de Sagarra y Castellamau), 1924; *Loweia* OD: Buttl. Inst. catal. Hist. nat. (2)4:201 [b1176] SS: *alciphron* (Rottemburg), 1775; *Lycaena* (*Alciphronia*) [TypeL - Spain.] [Refs - b3059; b0105; b0236; b0471]
- c **insignis** (Shel'juzhko), 1928; *Lycaena* OD: Lep. Rdsch. 2:51 [b4168] SS: *euphemia* (Staudinger), 1887; *Maculinea* [TypeL - Pogranitsinaya, Manchuria.] [Refs - b0236; b0066; b2866; b0471; b4225]
- c **insignis** Stichel, 1929; *Chamaelimnas* OD: Mitt. zool. Mus. Berl. 15:17 [b4470] SS: *briola* Bates, [1868]; *Chamaelimnas* [TypeL - Peru.] [Refs - b4474; b4470]
- a **insolens** Stichel, 1929; *Crocozona* OD: Mitt. zool. Mus. Berl. 15:17 [b4470] [TypeL - Bolivia.] [Refs - b4474; b4470; b1456]
- e **f. insolita** Stichel, 1910; *Ancyluris* OD: Berl. ent. Z. 55(1/2):98 [b4445] SS: *eryxo* (Saunders), [1859]; *Ancyluris* [TypeL - Amazonas.] [Refs - b4474; b1456]
- e **ab. insolia** (Wileman), 1911; *Zephyrus* OD: Entomologist 44:55 [b5008] SS: *argia* (Ménétriés), 1857; *Pseudozizeeria* [Refs - b0236; b0471]
- b **insperatus** Kawazôé & Wakabayashi, 1976; *Shijimia* OD: Ill. Butts Japan :- [b2707] SS: *moorei* (Leech), 1889; *Shijimia* [Refs - b0122; ns2505]
- a **instita** (H. H. Druce), 1907; *Thecla* OD: Proc. zool. Soc. Lond. 1907(3):618 [b1375] CG: *Distissima* [Type: BMNH-ht] [TypeL - Chapada, Mato Grosso, Brazil.] [Refs - b0908; b1375; b0125; b2606]
- e **instrata** Stichel, 1929, (IFS); *Lepricornis* OD: Deut. ent. Zeit. 1929:203 [b4471] SS: *incerta* Staudinger, [1887]; *Lepricornis* [TypeL - Colombia.] [Refs - b4474]
- c **insubrica** (Vorbrodt), 1912; *Lycaena* OD: Schmett. Schweiz 1:156 [b4885] SS: *arion* (Linnaeus), 1758; *Maculinea* [Refs - b0236; b0400 (as a good ssp); b0471]
- d **insubrica** (Vorbrodt), 1930, (H); *Lycaena* OD: Mitt. schweiz. ent. Ges. 14(6):251, pl 8, f [b4887] SS: *insubrica* (Vorbrodt), 1912; *Maculinea* [Refs - b4887]
- c **insulana** Waterhouse & Lyell, 1914; *Neolucia* OD: Butts Aust. :107 [b4947] SS: *agricola* (Westwood), [1851]; *Neolucia* [TypeL - Tasmania.] [Refs - b1450; b0870; b4094; ns1430]
- a **insulana** Aurivillius, 1923; *Epitola* OD: Lepidoptera, IV. In Schubotz 1:1203, pl L, f 4 [b0171] [TypeL - Fernando Poo.] [Refs - b3842; b1452; b0171; b4400]

- e *insulana* (Verity), 1926, 1926-1933, (RA); Agriades OD: Ent. Rec. 38:123 [b4844] SS: coridon (Poda von Neuhaus), 1761; Polyommatus (Lysandra) [Type: MZS-st] [TypeL - England.] [Refs - b2856; b0236; b0471; b4038]
- b *insulanus* Aurivillius, 1909; Leptotes OD: In Voeltzkow, Reise Ost-Afr. 2:324 [b0163] SS: piriuous (Linnaeus), 1767; Leptotes [Refs - b1452; b4400]
- b *insulanus* (Blackmore), 1920; Plebeius OD: Proc. ent. Soc. Brit. Columbia 14:8, pl 1, f 7 [b0442] SS: saepiolus (Boisduval), 1852; Plebejus (Icaricia) [Type: CNC-ht] [TypeL - Victoria, British Columbia.] [Refs - b0908; b3192; b0442; b1321; b0443 :98; b4066]
- a *insularis* (Horsfield), [1829], 1828-1829; Phaedra OD: Descr. Cat. lepid. Ins. (2):125 [b2457] CG: Curetis [Type: BMNH-ht] [TypeL - Java.] [Refs - b0964; b1450; b0965; b2747; b1454; b4094; b0694; b4108]
- c *insularis* (Röber), [1886]; Plebeius OD: CorrespBl. ent. Ver. Iris 1(3):55, pl 4, f 14 [b3820] SS: schatzii (Röber), [1886]; Jamides [Type: SMT-It; designated by Takanaami, 1989] [Tyô to Ga 40(1):49 [b4602]] [TypeL - Batjan.] [Refs - b4094; b4602]
- c *insularis* (Leech), [1893], 1893-1894; Lycaena OD: Butts China Japan Corea :302, pl 31, f 5,8 [b2966] SS: pseudaeon (Butler), [1882]; Plebejus [Type: BMNH-ht] [TypeL - Hakodate, Yesso, Japan.] [Refs - b2479 (as argus ssp); b1900; b0236; b4425; b0410; b2521; b4092; b0471; b2966]
- b *insularis* (Lathy), 1932; Hamearis OD: Ann. Mag. nat. Hist. (10)9:73 [b2922] SS: erostratus (Westwood), [1851]; Audre [Type: BMNH-st] [TypeL - Taboga.] [Refs - b2922; b1456]
- b *insularis* (Riley), [1945]; Euchrysops OD: Trans. R. ent. Soc. Lond. 94(2):257 [b3782] SS: pandava (Horsfield), [1829]; Chilades [Type: BMNH-ht] [TypeL - Sipora.] [Refs - b3782]
- b *insularis* Shirôzu, 1957; Wagimo OD: Sieboldia 2:41, f [b4196] SS: sulgeri (Oberthür), 1908; Wagimo [TypeL - Formosa.] [Refs - b4198; b4547; b5053; b3283; b1454]
- e *insularis* Tite, 1959, (ISS); Catochrysops OD: Entomologist 92:201+ [b4670] SS: straboinularis Swinhoe, 1916; Catochrysops [Refs - b4670]
- b *insularis* Tite, 1963; Erysichton OD: Bull. Br. Mus. nat. Hist. (Ent.) 13(4):102 [b4676] SS: lineata (Murray), 1874; Erysichton [Type: BMNH-ht] [TypeL - Mt. Riu, Sudest Island, Louisiade Archipelago.] [Refs - b4676; b1450]
- c *insulicola* (Rothschild), 1915; Lycaena copsis OD: Novit. zool. 22:388 [b3879] SS: strongyle (C. Felder), 1860; Megisba [Type: BMNH-ht] [TypeL - Dampier Island.] [Refs - b1450; b1840; b1580]
- c f. *insulicola* (Turati & Fion), 1930; Lycaena OD: Memorie Soc. ent. ital. 9:204 [b4751] SS: alexis (Poda von Neuhaus), 1761; Glaucopsyche [TypeL - Rodi Island.] [Refs - b0068]
- b *intaca* Corbet, 1941; Arhopala OD: Proc. R. ent. Soc. Lond. (B)10(9):170, f [b0956] SS: fulla (Hewitson), 1862; Arhopala 1 [Type: BMNH-ht] [TypeL - Borneo.] [Refs - b1644; b0956; b1454 (as intacta); b4108]
- e *intacta* d'Abrera, 1986, (ISS); Arhopala OD: Butts Oriental Region, Pt 3 :579 [b1454] SS: intacta Corbet, 1941; Arhopala 1 [Refs - b1454; b4594]
- a *intensa* (Butler), 1876; Holochila OD: Ann. Mag. nat. Hist. (4)18:245 [b0604] CG: Philiris [TypeL - New Guinea.] [Refs - b4677; b1450; b2753; b3548; b2078]
- b *intensa* (Toxopeus), 1928, 1927-1928; Celastrina OD: Tijdschr. Ent. 71:241 [b4697] SS: placidula (H. H. Druce), 1895; Udara (Udara) [TypeL - Sumatra.] [Refs - b1580; b2200; b4697]
- e *interjecta* Fruhstorfer, [1912], (IFS); Poritia OD: Berl. ent. Z. 56(3/4):198 [b1850] SS: hewitsoni Moore, [1866]; Poritia [Type: BMNH-ht] [TypeL - Sikkim.] [Refs - b1636; b4094; b1850; b0694]
- b *interjecta* (Verity), 1919, 1919-1922, (RA); Bithys OD: Ent. Rec. 31:48 [b4840] SS: quercus (Linnaeus), 1758; Quercusia [Type: MZS-st] [Refs - b2856; b0236; b2985; b4840; b0471]
- e *interjecta* (Verity), 1919, 1919-1922, (IFS); Agriades OD: Ent. Rec. 31:44 [b4840] SS: thersites (Cantener), 1834; Polyommatus (Plebicula) [Type: MZS-st] [Refs - b2856; b0236; b0471]
- b *interjecta* Talbot, 1928; Thisbe OD: Bull. Hill Mus. 2(3):213 [b4617] SS: irenea (Stoll), [1780]; Thisbe [TypeL - Mauo Grosso.] [Refs - b4475]
- a *interjectus* (de Lesse), 1960; Agrodiaetus OD: Revue fr. Ent. 27(3):253, f [b1124] CG: Polyommatus (Agrodiaetus) [Check - Spelling.] [Refs - b2794; b1455 (as interjectes :516)]
- e *ab. intermedia* Stefanelli, 1875; Lycaena OD: Boll. Soc. ent. ital. 6:83, f [b4349] SS: alciphron (Rottemburg), 1775; Lycaena (Alciphronia) [Refs - ns3011; b4092]
- e ♀ f. *intermedia* (Strecker), 1878, (NN); Lycaena OD: Butts Moths N. Amer., Comp. Syn. Cat. :95 [b4532] SS: nigra (Forbes), 1960; Celastrina [TypeL - Virginia.] [Refs - b0908; b3192; b1580; b1321; b4070]
- a *intermedia* Aurivillius, 1895; Abisara OD: Ent. Nachr. 21:381 [b0149] [TypeL - Cameroons.] [Refs - b4473; b1452]
- e *ab. intermedia* Tutt, 1896; Lycaena OD: Brit. Butts :153 [b4758] SS: phlaeas (Linnaeus), 1761; Lycaena (Lycaena) [Refs - b0236; b0389]
- c *intermedia* Tutt, 1907, 1905-1914; Callophrys OD: Nat. Hist. Brit. Butts 2:91 [b4760] SS: caecus (Geoffroy), 1785; Callophrys [Refs - b0293; b2985; b3555; b4760; b0315]
- e *intermedia* Tutt, 1908, 1905-1914; Everes OD: Nat. Hist. Brit. Butts 3:56 [b4760] SS: argiades (Pallas), 1771; Everes [Refs - b0400]
- e *intermedia* Tutt, 1909, 1905-1914; Polyommatus OD: Nat. Hist. Brit. Butts 3:275 [b4760] SS: semiargus (Rottemburg), 1775; Polyommatus (Cyaniris) [Refs - b0471]
- a *intermedia* Grünberg, 1910; Liptena OD: Sber. Ges. naturf. Freunde Berl. 1910:477 [b2076] [TypeL - Spanish Guinea.] [Refs - b4400; b1452; b2076]
- a *intermedia* (Tylder), 1915; Zephyrus OD: J. Bombay nat. Hist. Soc. 24(1):127 [b4772] CG: Chrysozephyrus [TypeL - India.] [Refs - b1636; b0236; b4214; b4200; b3296; b1454; b0694; b2463]
- b *intermedia* (Barnes & McDunnough), 1917; Philotes OD: Contr. nat. Hist. Lep. N. Amer. 3(4):214, pl 16, f 4-6 [b0250] SS: battoides (Behr), 1867; Euphilotes [Type: USNM-ht] [TypeL - Shasta County, California.] [Refs - b0908; b3192; b1321; b4066]
- a *intermedia* Joicy & Talbot, 1921; Hewitsonia OD: Bull. Hill Mus. 1(1):86, pl 15, f 65 [b2655] [Refs - b4400; b1452; b2560]
- b *intermedia* Ollenbach, 1921, (H); Rapala OD: J. Bombay nat. Hist. Soc. 28(1):131, f [b3504] SS: elcia (Hewitson), [1863]; Rapala [TypeL - Kalataung, Tavoy District, Burma.] [Check - Homonym in need of a replacement.] [Refs - b3504]
- a *intermedia* (Bethune-Baker), 1923; Neochrysops OD: Trans. ent. Soc. Lond. 70(3/4):310, pl 12, f 4,5; pl 19, f 26; pl 28, f 26; pl 32, f 62 [b0359] CG: Lepidochrysops [Type: BMNH-st] [TypeL - Portuguese East Africa.] [Refs - b1943; b4400; b1452; b0359]

- c **intermedia** Chermock, 1929; *Glaucopsyche* OD: Bull. Brooklyn ent. Soc. 24(1):20 [b0777] SS: xerces (Boisduval), 1852; *Glaucopsyche* [Type: AME-ht] [TypeL - Lone Mountain, San Francisco, California.] [Note - Miller & Brown incorrectly treat this name as unavailable.] [Refs - b0908; b3192; b1321]
- c **intermedia** (Pionneau), 1931; *Chrysophanus* OD: Échange 47:7 [b3617] SS: tityrus (Poda von Neuhaus), 1761; *Lycaena* (Heodes) [TypeL - France.] [Refs - b0069]
- e **ab. intermedia** (Lempke), 1936; Heodes OD: Tijdschr. Ent. 79:295 [b2975] SS: tityrus (Poda von Neuhaus), 1761; *Lycaena* (Heodes) [TypeL - Holland.] [Refs - b1503; b0075; b0389]
- a **intermedia** Roche, 1954; *Epitola* OD: Bull. Br. Mus. nat. Hist. (Ent.) 3:497, pl 19, f 9,10 [b3842] [Type: BMNH-ht] [TypeL - Katera, Uganda.] [Refs - b3842; b4400; b1452]
- b **intermedia** Tite, 1958; *Phylaria* OD: Entomologist 91:115 [b4667] SS: herisia (Hewitson), [1876]; *Phylaria* [Type: BMNH-ht] [TypeL - Mabera Forest, Kyagwe, Mulange, Uganda.] [Refs - b4400; b1452; b4667]
- e **ab. intermediacaudata** (Tutt), 1906, 1905-1914; *Rumicia* OD: Nat. Hist. Brit. Butts 1:359 [b4760] SS: phlaeas (Linnaeus), 1761; *Lycaena* (*Lycaena*) [Refs - b0389; b4760]
- e **ab. intermediamarginata** (Tutt), 1909, 1905-1914; *Plebeius* OD: Nat. Hist. Brit. Butts 3:174 [b4760] SS: argus (Linnaeus), 1758; *Plebejus* [Refs - b0236; b0471]
- b **intermedius** (Staudinger), [1888], 1884-1888; *Deudorix* OD: In Exot. Schmett. 1:279 [b4329] SS: dienece (Hewitson), [1878]; *Rapala* [Type: ZMHU-lt; designated by Takanami, 1989] [Työ to Ga 40(1):35 [b4602]] [TypeL - Andamans.] [Refs - b1636; b4094; b1454; b0694; b1554]
- c **intermedius** (Ribbe), 1899; *Thysonotis* OD: Deut. ent. Zeit. [Iris] 12:239 [b3738] SS: hamilcar (Grose-Smith), 1894; *Nacaduba* [Refs - b2078]
- b **intermedius** Toxopeus, 1929; *Loxura* OD: Tijdschr. Ent. 72(3/4):214 [b4699] SS: atymnus (Stoll), [1780]; *Loxura* [TypeL - Sumatra.] [Refs - b4699]
- b **intermedius** Kalis, 1938; *Hypolycaena* OD: Ent. Rundsch. 55:198 [b2680] SS: sipylus (C. Felder), 1860; *Hypolycaena* [TypeL - Kangean.]
- a **intermixta** (Aurivillius), 1897; *Phytala* OD: Ent. Tidskr. 18:215 [b0153] CG: *Hypophytala* [Refs - b1452; b4400]
- c **interniplaga** Strand, 1912; *Arhopala* OD: Arch. Naturgesch. (A)78(11):79 [b4512] SS: phryxus Boisduval, 1832; *Arhopala* n [TypeL - Waigou.] [Refs - b1644; b1450; b4094; b4528]
- a **interposita** Butler, 1883; *Alaena* OD: Ann. Mag. nat. Hist. (5)12:103 [b0624] [TypeL - Victoria Nyanza.] [Refs - b1452; b4400]
- b **interposita** Fruhstorfer, [1923], 1909-1923; *Taraka* OD: In Seitz, Grossschmett. Erde 9:884 [b1840] SS: hamada (H. Druce), 1875; *Taraka* [TypeL - Kiushiu, Japan.] [Refs - b0236; b1840; b0471]
- b **interpositus** (Howarth), 1957; *Neozephyrus* OD: Bull. Br. Mus. nat. Hist. (Ent.) 5(6):260, f 77, 87 [b2463] SS: disparatus (Howarth), 1957; *Chrysozephyrus* [Type: BMNH-ht] [TypeL - Sikkim.] [Refs - b2468; b1454; b0694; b2463]
- b **interrupta** Lathy, 1924; *Euselasia* OD: Ann. Mag. nat. Hist. (9)14:284 [b2917] SS: opalescens (Hewitson), [1855]; *Euselasia* [Refs - b4474]
- b **interrupta** (Lathy), 1932; *Phaenochitona* OD: Ann. Mag. nat. Hist. (10)9:69 [b2922] SS: sagaris (Cramer), [1775]; *Stichelia* [Type: BMNH-ht] [TypeL - French Guiana.] [Refs - b2922; b1456]
- b **interrupta** Hawker-Smith, 1933; *Alaena* OD: *Stylops* 2:2 [b2168] SS: *picata* E. Sharpe, 1896; *Alaena* [TypeL - Mt. Manje, Nyasaland.] [Refs - b1943; b1452; b2168; b4400]
- c **interrupta** Le Moul, 1940, 1939-1940; *Helicopsis* OD: Novit. ent. (11):86, f 12 [b2943] SS: *gnidus* (Fabricius), 1787; *Helicopsis* [TypeL - Peru.] [Refs - b3199]
- b **interruptus** (de Nicéville), [1884]; *Castalius* OD: J. asiat. Soc. Bengal, Pt II 52(2/4):74, pl 9, f 12 [b1145] SS: *caleta* (Hewitson), [1876]; *Caleta* [TypeL - Bombay.] [Note - Also described as new by Moore.] [Refs - b1840; b3235; b0694 (=hamatus)]
- d **interruptus** (Moore), [1884], (H); *Castalius* OD: Proc. zool. Soc. Lond. 1883(4):523, pl 48, f 4 [b3235] SS: **interruptus** (de Nicéville), [1884]; *Caleta* [TypeL - Bombay.]
- a **interruptus** (Gabriel), 1954; *Castalius* OD: Exped. S. W. Arabia 1937-1938 1:381 [b1908] CG: *Tuxentius* [TypeL - Arabia.] [Check - Described as a subspecies of *melaena*. The name is a junior primary homonym in need of a replacement.] [Refs - b1452; b2898; b4400; b2899]
- b **interruptus** Koiwaya, 1993; *Chrysozephyrus* OD: Stud. Chin. Butterflies 2:4, f [b2818] SS: *zoa* (de Nicéville), 1889; *Chrysozephyrus* [TypeL - Sichuan, China.] [Note - D'Abbrera attributes the name to Sugiyama.] [Refs - b0126; b1455]
- a **inthanonensis** Kimura & Murayama, 1990; *Chrysozephyrus* OD: Konchu to Shizen (Nature & Insects) 25(2):20, f [b2742] [TypeL - Thailand] [Refs - b0123]
- a **inthanonius** Kimura & Murayama, 1990; *Chrysozephyrus* OD: Konchu to Shizen (Nature & Insects) 25(2):20, f [b2742] [TypeL - Thailand] [Refs - b0123]
- e ♀ **f. intricata** Fruhstorfer, 1913; *Allotinus* OD: Z. wiss. InsektBiol. 9(11):344, 366 [b1851] SS: *leogoron* Fruhstorfer, [1915]; *Allotinus* (*Paragerydus*) [Type: BMNH-lt; designated by Eliot, 1986] [Bull. Br. Mus. nat. Hist. (Ent.) 53(1):35 [b1571]] [TypeL - Sumatra.] [Refs - b1840; b1571; b1552]
- b **intricata** Corbet, 1938; *Nacaduba* OD: Trans. R. ent. Soc. Lond. 87(5):131, pl 1 f 28 [b0938] SS: *subperusia* (Snellen), 1896; *Nacaduba* [Type: BMNH-lt; designated by Tite, 1963] [Bull. Br. Mus. nat. Hist. (Ent.) 13(4):73 [b4676]] [TypeL - Bukit Kuu, Selangor, Malay Peninsula.] [Refs - b4676; b0964; b0965; b0694 (=lysa); b0938]
- a **inundifera** Hawker-Smith, 1933; *Argyrocheila* OD: *Stylops* 2:10 [b2168] [TypeL - Katanga, Belgian Congo.] [Refs - b1452; b2168; b4400]
- c **invisus** (Butler & H. Druce), 1872; *Tmolus* OD: *Cistula* Entomologica 1(5):108 [b0662] SS: *mulucha* (Hewitson), [1867]; *Strymon* [Type: BMNH] [TypeL - Cartago, Costa Rica.] [Refs - b0908; b2747; b1975]
- a **inyangae** (Pinhey), 1945; *Cupido* OD: Proc. Trans. Rhod. Sci. Assoc. 40:64, f [b3605] CG: *Lepidochrysops* [TypeL - Inyanga, S. Rhodesia.] [Refs - b1259; b1452; b4400]
- e **ab. inyoensis** (Gunder), 1927; *Plebeius* OD: Can. Ent. 59(12):281, pl A, f 1 [b2099] OS: *inyoensis* (Nabokov), 1949; *Plebejus* (*Lycaeides*) [Type: AMNH-ht] [TypeL - Olancha, Inyo County, California.] [Refs - b0908; b3328; b3192; b1321]
- c **inyoensis** (Nabokov), 1949; *Lycaeides* OD: Bull. Harvard Mus. Comp. Zool. 101(4):530-532 [b3328] SS: *paradoxa* (Chermock), 1945; *Plebejus* (*Lycaeides*) [Type: AMNH-ht] [Refs - b0908; b3328; b3192]
- e **iobates** Stempffer, 1967, (ISS); *Cupidopsis* OD: Bull. Br. Mus. nat. Hist. (Ent.) Suppl. 10:240 [b4400] SS: *jobates* (Hopffer), 1855; *Cupidopsis* [Refs - b4400; b2920]
- a **iodinus** (Kaye), [1914]; *Tmolus* OD: Trans. ent. Soc. Lond. 61(3):569, pl 30, f 12 [b2709] CG: *Thecla* (New World Eumacini) [Type: BMNH] [TypeL - Port of Spain, Trinidad.] [Refs - b0908]

- a iolanthe** Eliot & Kawazoé, 1983; Neopitheops **OD**: Butts *Lycanopsis* group :53, f 25,26,231,255,430,431 [b1580] [**Type**: BMNH-ht] [**TypeL** - Tanimber.] [Refs - b1580]
- a iolas** (Ochsenheimer), 1816, 1807-1835; *Lycaena* **OD**: Schmett. Europa 4:144 [b3470] **CG**: Iolana [**TypeL** - Hungury.] [**Type of** - Iolana] [Refs - b1636; b2280; b2375; b3059; b2747; b0993 (as jolas); b1780 (as jolas); b1762; b2827; b0236 (as jolas); b0400; b2794; b0320; b2859; b4092; b2239; b0211]
- c iolaus** (Cramer), [1780], 1775-1790; *Papilio* **OD**: Uidl. Kapellen 3(23):140, pl 270, f F,G [b1069] **SS**: Iara (Linnaeus), 1764; *Leptomyrina* (*Gonatomyrina*) [Refs - b0856 (reproduction of Cramer's figure); b2747]
- a iole** Waterhouse & Lyell, 1914; *Pseudodipsas* **OD**: Butts Aust. :81 [b4947] **SS**: eone (Felder & Felder), 1860; *Pseudodipsas* [**TypeL** - Australia.] [Refs - b1450; b0870; b4788]
- b ion** (Westwood), [1851], 1846-1852; *Tharops* **OD**: In Gen. dium. Lep. (2):458 [b4981] **SS**: hebrus (Cramer), [1775]; Menander [**TypeL** - Brasilia.] [Refs - b2747; b4475; b1456]
- a ion** (H. H. Druce), 1890; *Thecla* **OD**: Ent. mon. Mag. 26:151 [b1354] **CG**: Macusia (?) [**Type**: pc-ht; Druce collection.] [**TypeL** - (Interior of) Colombia.] [Refs - b0908; b0845; b3810]
- a ion** (Leech), 1891; *Lycaena* **OD**: Entomologist 24(Suppl.):58 [b2965] **CG**: Tongeia [**TypeL** - W. China.] [Refs - b0995; b4094; b1762; b2479; b0236; b4092; b0471]
- b ionima** Stichel, 1910; *Semomesia* **OD**: Gen. Insectorum 112(A):34 [b4446] **SS**: capanea (Cramer), [1779]; *Semomesia* [**Type**: ZMHU-st] [**TypeL** - Manicore etc., Amazonas, Brazil.] [Refs - b4474; b4446]
- a iopas** Godman & Salvin, [1887], 1879-1901; *Thecla* **OD**: Biol. centr.-amer., Lep. Rhop. 2:65; 3:pl 56, f 4,5 [b1975] **CG**: *Thecla* (New World Eumaeni) [**Type**: BMNH] [**TypeL** - Chontales, Nicaragua.] [Refs - b0908; b1975]
- c ios** (Waterhouse & Lyell), 1914; *Nacaduba* **OD**: Butts Aust. :99, f 856,857 [b4947] **SS**: dana (de Nicéville), [1884]; *Petrelaea* [**TypeL** - Thursday Island, Torres Straits.] [Refs - b4676; b0870; b4094]
- b iovis** Fruhstorfer, [1924], 1909-1923; *Pseudodipsas* **OD**: In Seitz, Grossschmett. Erde 9:899 [b1840] **SS**: eone (Felder & Felder), 1860; *Pseudodipsas* [**TypeL** - New Guinea.] [Refs - b1450; b1840]
- a iphias** Stichel, [1909]; *Leucochimona* **OD**: Berl. ent. Z. 53(3/4):274 [b4443] [**TypeL** - Central America.] [Refs - b4474; b1456]
- c iphicles** (Staudinger), 1886, 1886-1889; *Lycaena* **OD**: Stett. ent. Ztg 47:227 [b4330] **SS**: gigantea (Grum-Grshimailo), 1885; *Iolana* [**TypeL** - Alai, Oche, Samarkand, Uzbekistan.] [Refs - b0993; b0320; b4092; b2239]
- a iphidamon** (Staudinger), 1899; *Lycaena* **OD**: Deut. ent. Zeit. [Iris] 12(1):144 [b4345] **CG**: *Polyommatus* (*Agrodiaetus*) [Refs - b1762; b0993; b1772; b1004; b4092]
- a iphigenia** (Herrich-Schäffer), [1847], 1843-1856; *Lycaena* **OD**: Syst. Bearb. Schmett. Europ. 1:pl 73, f 354 [b2313] **CG**: *Polyommatus* (*Agrodiaetus*) [**TypeL** - Turcia.] [Refs - b2747; b0993; b1772; b1762; b2827; b2794; b2859; b1004; b4092; b1455]
- b iphigenia** Sichel, 1926; *Mesosemia* **OD**: Deut. ent. Zeit. 1926:84 [b4464] **SS**: asa Hewitson, 1869; *Mesosemia* [**TypeL** - Colombia.] [Refs - b4474; b0688; b1456]
- a iphigenides** (Staudinger), 1886, 1886-1889; *Lycaena* **OD**: Stett. ent. Ztg 47:213 or 214 [b4330] **CG**: *Polyommatus* (*Agrodiaetus*) [*Note* - Not spelled *iphigeniades*.] [Refs - b1762; b0993; b1772; b1004; b4092; b1455]
- c iphinoe** (Godart), [1824], 1819-1824; *Erycina* **OD**: In Ency. méh. 9(Ins.)2:565 [b1970] **SS**: periander (Cramer), [1777]; *Rhetus* [Refs - b2747; b4474; b2221]
- c iphis** Meigen, 1830, 1827-1832; *Polyommatus* **OD**: Syst. Besch. Europ. Schmett. 2(1):25, pl 47, f 5 [b3146] **SS**: icarus (Rottemburg), 1775; *Polyommatus* [Refs - b2747; b2794; b4092; b0471]
- a iphis** Waterhouse & Lyell, 1914; *Ogyris* **OD**: Butts Aust. :117, f 394 [b4947] [**TypeL** - N. Queensland, Australia.] [Refs - b1450; b4094; b0870]
- a ipsea** (Godman & Salvin), [1886], 1879-1901; *Nymphidium* **OD**: Biol. centr.-amer., Lep. Rhop. 1:476; 3:pl 45, f 17-18 [b1975] **CG**: *Juditha* [**Type**: BMNH-ht] [**TypeL** - Chontales, Nicaragua.] [Refs - b4475; b1456]
- e ipsia** Doubleday, 1847, 1844-1848, (NN); *Theope* **OD**: List Spec. lep. Brit. Mus. (2):7 [b1327] [Refs - b4475]
- a ira** (Hewitson), [1867], 1863-1878; *Thecla* **OD**: Ill. dium. Lep. *Lycaenidae* 1:89; 2:pl 35, f 81,82 [b2326] **CG**: *Michaelus* [**Type**: BMNH] [**TypeL** - Mexico.] [Refs - b0908; b2747; b3392; b0111; b2631]
- b iranica** (Forster), 1938, (H); *Lycaena* **OD**: Ent. Rundsch. 55:216, pl 1, f 5a, 6a [b1761] **SS**: *eurypilus* (Freyer), 1852; *Polyommatus* (Kretania) [**TypeL** - Elburz Mts., N. Persia.] [*Check* - *Homonym in need of a replacement*.] [Refs - b0113; b0076; b2790; b3910; b2788; b0206; b0205]
- b iranica** (Pfeiffer), 1938; *Lycaena* **OD**: Mitt. münchen. ent. Ges. 28(2):195 [b3592] **SS**: *argiolus* (Linnaeus), 1758; *Celastrina* [**TypeL** - Kendevar Pass, Mt. Elbours, Iran.] [*Note* - Described as a subspecies of *coelestina*.] [*Check* - Maybe this is the homonym. Has been replaced by *hofizi*.] [Refs - b0076 (with *coelestina*); b3592]
- d iranica** (Forster), 1939, (H); *Lycaena* **OD**: Danish scient. Invest. Iran 1:5 [b1763] **OS**: *iranicola* (Kočak), 1980; *Plebejus* (*Plebejides*) [**TypeL** - Iran.] [Refs - b0113; b2790]
- b iranicola** (Kočak), 1980; *Plebejides* **OD**: Nota lepid. 2(4):141 [b2790] **SS**: *pylaon* (Fischer von Waldheim), 1832; *Plebejus* (*Plebejides*) [**Type**: biblio; replacement for *iranica* Forster, 1939.] [Refs - b0113; b2790]
- c irata** (Bulter), 1869; *Emesis* **OD**: *Cistula* Entomologica 1(1):12 [b0587] **SS**: *rubina* Bates, 1866; *Symphachia* [**TypeL** - Bogota.] [Refs - b2747; b4474]
- a irawana** (Hayashi & Schröder & Treadaway), 1984; *Chliaria* **OD**: Senckenbergiana 65(1/2):38, f 21-22 [b2211] **CG**: *Hypolycaena* (*Chliaria*) [**Type**: pc-ht; Colin G. Treadaway] [**TypeL** - Philippines.] [Refs - b2211; b1454 (*Hypolycaena*); b0117]
- b irenae** (Corbet), 1937; *Celastrina* **OD**: Trans. R. ent. Soc. Lond. 86(2):32, f 5 [b0934] **SS**: *placidula* (H. H. Druce), 1895; *Udara* (*Udara*) [**Type**: BMNH-ht] [**TypeL** - West Malaysia.] [Refs - b0964; b0965; b1580; b2200]
- b irenae** Dujardin, 1974; *Everes* **OD**: Entomops (35):83, f [b1419] **SS**: *alcetas* (Hoffmansegg), 1804; *Everes* [**TypeL** - Corte, Corsica.] [Refs - b0105]
- e irenaea** Kirby, 1871, (ISS); *Thisbe* **OD**: Syn. Cat. dium. Lep. :326 [b2747] **SS**: *irenea* (Stoll), [1780]; *Thisbe* [Refs - b2747]
- a irene** (Westwood), [1851], 1846-1852; *Lemonias* **OD**: In Gen. dium. Lep. (2):459, nota [b4981] **CG**: *Calospila* [**TypeL** - Amazon.] [**Type of** - *Calliona*] [Refs - b2988; b2280; b2747; b4475; b1456]
- a irene** Pennington, 1968; *Poecilmitis* **OD**: *Novos Taxa* ent. (56):7 [b3573] [**TypeL** - Du Toit's Kloof Pass, Cape Province, S. Africa.] [Refs - b1259; b1452]
- a irenea** (Stoll), [1780], 1780-1790; *Papilio* **OD**: In Cramer, Uidl. Kapellen 4(28):77, pl 328, f C,D [b4478] **CG**: *Thisbe* [**TypeL** - Guiana; Amazon.] [Refs - b2988; b2747; b4475; b2497; b0514; b1456]

- b **irghiza** (Nekrutenko), 1985; *Lycaena* OD: *Vestnik Zoologii* 1985(4):31, f [b3367] SS: *japhetica* (Nekrutenko & Effendi), 1983; *Athamanthia* [TypeL - Irghiz, Kazakhstan.] [Refs - b3367; b5068]
- e **irgiza** Zhdanko, 1990, (ISS); *Athamanthia* OD: *Ent. Obozr.* 72(3):670 [b5068] SS: *irghiza* (Nekrutenko), 1985; *Athamanthia* [Refs - b5068]
- b **iriensis** (Storace), 1962; *Lysandra* OD: *Boll. Soc. ent. ital.* 92:127 [b4488] SS: *albicans* (Gerhard), 1851; *Polyommatus* (*Lysandra*) [TypeL - Italy.]
- e **irigza** Zhdanko, 1990, (ISS); *Athamanthia* OD: *Ent. Obozr.* 72(3):670 [b5068] SS: *irghiza* (Nekrutenko), 1985; *Athamanthia* [Refs - b5068]
- a **irina** Stichel, 1928; *Calephelis* OD: *Z. wiss. Insektbiol.* 23:39 [b4468] [TypeL - Costa Rica.] [Refs - b4474]
- e **irioides** (Scudder), 1876, (ISS); *Incisalia* OD: *Bull. Buffalo Soc. nat. Sci.* 3:104 [b4083] SS: *iroides* (Boisduval), 1852; *Deciduphagus* [Refs - b0908]
- c **irion** Seitz, [1917], 1910-1924; *Stalactis* OD: In Seitz, *Grossschmett. Erde* 5:718, pl 143c [b4093] SS: *phlegia* (Cramer), [1779]; *Stalactis* [TypeL - Goyaz.] [Refs - b4476; b4093]
- e **iris** (Harris), 1862, (ISS); *Thecla* OD: *Ins. injur. Veget.* (3rd ed.) :97 [b2143] SS: *irus* (Godart), [1824]; *Deciduphagus* [Refs - b0908; b3192]
- a **iris** (Staudinger), 1876; *Charis* OD: *Verh. zool.-bot. Ges. Wien* 25:110 [b4326] CG: *Calephelis* [TypeL - Chiriqui.] [Refs - b2988; b2753; b4474; b1456]
- a **iris** (Lang), 1884; *Lycaena* OD: *Lep. Europ.* 1:369 [b2890] CG: *Plebejus* (*Vacciniina*) [TypeL - Samarcand.] [Refs - b1636; b4094; b1762; b2827; b0410; b3910; b0694; b4092; b0471; b2890]
- e **iris** Le Moul, 1940, 1939-1940, (IFS); *Helicopsis* OD: *Novit. ent.* (16):127 [b2943] SS: *cupido* (Linnaeus), 1758; *Helicopsis* [Type: AME-ht] [Refs - b3199]
- b **iris** (Agenjo), 1972; *Plebejus* OD: *Graellsia* 26:30 [b0023] SS: *damon* ((Denis & Schiffemüller), 1775; *Polyommatus* (*Agrodiaetus*) [TypeL - Santander Province, Spain.] [*Check - Homonym in need of a replacement.*]
- a **iriya** (Fruhstorfer), 1914; *Arhopala* OD: *Deut. ent. Zeit.* [Iris] 28(2):128 [b1859] CG: *Flos* [Type: BMNH-ht] [TypeL - Bazilan.] [Refs - b1644; b4094; b1859; b1454]
- a **irma** Fruhstorfer, 1914; *Arhopala* OD: *Deut. ent. Zeit.* [Iris] 28(2):134 [b1859] CG: *Arhopala* g [Type: BMNH-ht] [TypeL - Obi.] [Refs - b1644; b1450; b1859]
- b **irma** (Evans), 1925; *Thecla* OD: *J. Bombay nat. Hist. Soc.* 30(3):620, f [b1633] SS: *bieti* (Oberthür), 1886; *Esakiozephyrus* [TypeL - Bhutan.] [Refs - b1636; b0694; b2463]
- a **irmae** (Bailey), 1932; *Lycaena* OD: *J. Bombay nat. Hist. Soc.* 35(3):697 [b0193] CG: *Helleia* B [TypeL - Tibet.] [*Note - Near li.*] [Refs - b0193; b0070]
- a **irmae** Hayashi & Schröder & Treadaway, 1983; *Dacalana* OD: *Senckenbergiana* 63(1/2):55, f 17-21 [b2210] [Type: pc-ht; collection of Colin G. Treadaway] [TypeL - Philippines.] [Refs - b2210; b2201; b1454]
- b **irmina** Fruhstorfer, 1904; *Jacoona* OD: *Deut. ent. Zeit.* [Iris] 16(2):310 [b1818] SS: *anasuja* (Felder & Felder), 1865; *Jacoona* [TypeL - Nias.] [Refs - b4094]
- b **iroides** (Boisduval), 1852; *Thecla* OD: *Annl. Soc. ent. Fr.* (2)10:289 [b0467] SS: *augustinus* (Westwood), [1852]; *Deciduphagus* [Type: USNM-ht] [TypeL - California.] [*LifeH - Tietz lists b0893.*] [Refs - b0908; b0428; b4688; b2747; b3192; b1743; b2406; b1321; b2419; b0493; b4690; b0467; b2585 (as *irioides*); b4066; b4652]
- c **irregularis** (Ribbe), 1899; *Thysonotis* OD: *Deut. ent. Zeit.* [Iris] 12:238, pl 4, f 10 [b3738] SS: *hanno* (Grose-Smith), 1894; *Psychonotis* [Refs - b1450; b2078]
- a **irregularis** Bethune-Baker, 1903; *Arhopala* OD: *Trans. zool. Soc. Lond.* 17(1):111, pl 2, f 18 [b0331] CG: *Arhopala* c [Type: BMNH-ht] [TypeL - Bangkei.] [Refs - b1644; b4094; b2200; b1454]
- e **ab. irregularis** (Tutt), 1909, 1905-1914; *Plebejus* OD: *Nat. Hist. Brit. Butts* 3:177 [b4760] SS: *argus* (Linnaeus), 1758; *Plebejus* [Refs - b0236; b0471]
- e **ab. irregularis** (Tutt), 1909, 1905-1914; *Agriades* OD: *Nat. Hist. Brit. Butts* 3:348 [b4760] SS: *bellargus* (Rottemburg), 1775; *Polyommatus* (*Lysandra*) [Refs - b0236; b0471]
- c **irregularis** (Ribbe), 1926; *Rapala* OD: *Ent. Mitt.* 15(1):81 [b3742] SS: *ribbei* Röber, [1886]; *Dicallaneura* [Type: SMT-ht] [TypeL - C. W. Sulawesi.] [Refs - b3742; b4602]
- a **irroratum** (Godman), 1903; *Cricosoma* OD: *Trans. ent. Soc. Lond.* 51(4):540, pl 22, f 6 [b1972] CG: *Comphotis* [TypeL - Carimang river, British Guiana.] [Type of - Comphotis] [Refs - b2988 (as *irrorata*); b2280; b4474; b1456]
- c **irroratus** H. Druce, 1874; *Miletus* OD: *Proc. zool. Soc. Lond.* 1874(1):106 [b1385] SS: *learchus* Felder & Felder, 1865; *Miletus* 1 [TypeL - Nahconchaisse.] [Refs - b1153; b1546; b2753; b3610; b1840; b1385]
- a **irumum** Stempffer, 1948; *Cupidesthes* OD: *Revue fr. Ent.* 15(3):192, f [b4376] [TypeL - Belgian Congo.] [Refs - b1452; b4400]
- a **irus** (Godart), [1824], 1819-1824; *Polyommatus* OD: In *Ency. méth.* 9(Ins.)(2):674 [b1970] CG: *Deciduphagus* [Type: MNHN-ht] [TypeL - America?"] [*LifeH - Tietz lists b0415, b1482, b3176, b3244, b0470, b0902, b2429, b3120, b3244, b4088, b4090.*] [Refs - b1530 :202, f 380; b0908; b2747; b0236; b3192; b3512; b1321; b1940; b2585; b4066; b4652; b2592; b4052; b0126; b1923]
- a **irvingi** (Swanepoel), 1948; *Cupido* OD: *J. ent. Soc. S. Afr.* 10(2):193, f [b4552] CG: *Lepidochrysops* [TypeL - Transvaal.] [Refs - b1259; b1452; b4400]
- b **isabella** (C. Felder), 1860; *Myrina* OD: *Sber. Akad. Wiss. Wien* 40(11):451 [b1676] SS: *phocides* (Fabricius), 1793; *Bindahara* [TypeL - Aru.] [Refs - b1450; b2747; b4094]
- b **isabella** Corbet, 1937; *Celastrina* OD: *Trans. R. ent. Soc. Lond.* 86(2):31 [b0934] SS: *lavendularis* (Moore), 1877; *Celastrina* [Type: BMNH-ht] [TypeL - West Malaysia.] [Refs - b0964; b0965; b1580; b2200]
- b **isabellae** (E. Sharpe), 1890; *Lymnas* OD: *Proc. zool. Soc. Lond.* 1890(3):571, pl 46, f 3 [b4152] SS: *inaria* (Westwood), [1851]; *Esthemopsis* [TypeL - Brazil.] [Refs - b4474; b1456]
- a **isabellae** Dudgeon, 1909; *Teratoneura* OD: *Trans. ent. Soc. Lond.* 57(4)(Proc.):li [b1401] [TypeL - Sierra Leone.] [Type of - Teratoneura] [Refs - b2280; b1452; b0836; b4400; b2887]
- b **isabellae** (Schultze), 1916; *Pseuderesia* OD: *Arch. Naturgesch.* (A)82(3):36 [b4017] SS: *libentina* (Hewitson), [1866]; *Mimeresia* [Refs - b1452; b0836; b4400; b4017]
- e **ab. isabellata** Rostagno, 1906; *Polyommatus* OD: *Boll. Soc. zool. ital.* (2)7(7/9):272 [b3868] SS: *icarus* (Rottemburg), 1775; *Polyommatus* [Refs - b0236]
- a **isaeus** (Hewitson), [1865], 1863-1878; *Iolaus* OD: *Ill. diurn. Lep. Lycaenidae* 1:44; 2-pl 19, f 13,14 [b2326] CG: *Tajuria* [TypeL - Borneo; Sumatra.] [Refs - b0964; b1636; b0965; b2747; b4094; b2201; b1850; b1454; b0694; b4108]
- a **isala** (Godart), [1824], 1819-1824; *Erycina* OD: In *Ency. méth.* 9(Ins.)(2):579 [b1970] CG: *Calydna* [TypeL - America mer.] [*Note - Stichel considered this a species dubiae.*] [Refs - b2747; b4475; b1456]

- c **isana** Fruhstorfer, 1916; *Nacaduba* OD: Zool. Meded. 2(2):128 [b1873] SS: kurava (Moore), [1858]; *Nacaduba* [Type: BMNH-ht] [TypeL - W. Java.] [Refs - b4676; b0938; b4094]
- c **isarchus** (Fabricius), 1793, 1792-1799; *Hesperia* OD: Ent. syst. 3(1):316 [b1657] SS: isis (Drury), [1773]; *Azonus* [TypeL - America"] [Refs - b2747; b4400; b5076]
- a **isaurica** (Staudinger), 1870; *Lycaena* OD: Berl. ent. Z. 14:327 [b4322] CG: *Plebejus* (*Pseudoaricia*) [TypeL - Asia Minor.] [Refs - b2747; b0993; b1762; b0236; b0410; b2794; b4366; b4092]
- a **isauricoides** Graves, 1923; *Polyommatus* OD: Entomologist 56:155 [b2009] CG: *Polyommatus* (*Sublysandra*) [TypeL - Lebanon.] [Refs - b0109; b0236; b0471; b2788]
- a **isca** (Hewitson), [1873], 1852-1877; *Liptena* OD: Ill. exot. Buts 5:[86], pl [45], f 14-16 [b2323] CG: *Eresiomera* [TypeL - Old Calabar.] [Type of - *Eresiomera*] [Refs - b2753; b2907; b1452; b0836; b4400]
- a **ischaris** (Godart), [1824], 1819-1824; *Nymphalis* OD: In Ency. méth. 9(Ins.)(2):Suppl.:826 [b1970] CG: *Laxia* [TypeL - Malaya?] [Refs - b2747; b4474]
- e **ab. ishibashii** Nanitomi, 1941; *Taraka* OD: Ent. World 9(91):617, pl 4, f 2 [b3340] SS: hamada (H. Druce), 1875; *Taraka* [Refs - b3340]
- c **ishidae** (Matsumura), 1929; *Lycaena* OD: Ins. matsumur. 3(2/3):139 [b3099] SS: iburiensis (Butler), [1882]; *Plebejus* (*Lycaeides*) [Refs - b1900; b3328; b0236; b0067; b0471]
- c **ishigakiana** (Matsumura), 1929; *Zizera* OD: Ins. matsumur. 3(2/3):109 [b3098] SS: karsandra (Moore), 1865; *Zizeeria* [Type: EIHU-ht] [TypeL - Okinawa Island, Japan.] [Refs - b3508; b4108]
- b **ishigakiana** (Matsumura), 1929; *Cyaniris* OD: Ins. matsumur. 3(2/3):104 [b3098] SS: pupsa (Horsfield), [1828]; *Acytolepis* [Type: EIHU-ht] [TypeL - Japan.] [Refs - b1900; b1580; b0236]
- b **ishigakianus** Shirôzu, 1953; *Jamides* OD: *Sieboldia* 1(2):155, f [b4193] SS: bochus (Stoll), [1782]; *Jamides* [Type: ELKU-ht] [TypeL - Loochoos (Ishigaki Island.)] [Refs - b1900; b4193; b3508; b1902]
- b **ishkashimicus** Stschetkin, 1986; *Polyommatus* OD: Zool. Zh. 65(7):1093, f [b4442] SS: iphigenia (Herrich-Schäffer), [1847]; *Polyommatus* (*Agrodiaetus*) [TypeL - Tadzhikistan.] [Refs - b0120]
- b **isia** Godman & Salvin, 1878; *Theope* OD: Proc. zool. Soc. Lond. 1878(2):368 [b1973] SS: pedias Herrich-Schäffer, [1853]; *Theope* [Type: BMNH-ht] [TypeL - Polochic Valley, Guatemala.] [Refs - b4475; b1456]
- c **isias** (Fruhstorfer), 1910; *Lycaena* OD: Soc. ent. 25(12):47 [b1845] SS: icanus (Esper), [1789]; *Polyommatus* (*Plebicula*) [TypeL - Alpes Maritimes: Moulinet bei Menton.] [Refs - b0993; b3323; b0236; b1845; b0471; b2858]
- b **isiro** Berger, 1981; *Pentila* OD: *Papillons du Zaire* :229, pl 187, f 38,39 [b0309] SS: tachyroides Dewitz, 1879; *Pentila* [Type: MRAC-ht] [TypeL - Kisangani (Stanleyville), Zaire.] [Refs - b0309]
- a **isis** (Drury), [1773], 1770-1782; *Papilio* OD: Ill. nat. Hist. 2:index+6, pl 3, f 4,5 [b1392] CG: *Azonus* [TypeL - Africa occ.] [Refs - b4178; b1039; b1452; b0836; b4400; b3609; b2753; b2747]
- e **isis** Stichel, 1915, (IFS); *Mesosemia* OD: Deut. ent. Zeit. 1915:686, pl 22, f 17 [b4451] SS: candara H. H. Druce, 1904; *Mesosemia* [Refs - b4474; b4451]
- c **iskander** (Fruhstorfer), [Apr 1912]; *Marmessus* OD: Berl. ent. Z. 56(3/4):249 [b1850] SS: esla (Swinhoe), 1912; *Drupadia* [TypeL - West & N. E. Sumatra, Indonesia.] [Refs - b1030; b4094; b0105]
- a **ismaeli** Hayashi & Schröder & Treadaway, 1983; *Pratapa* OD: *Senckenbergiana* 63(1/2):58, f 26-27 [b2210] [Type: pc-ht; collection of Colin G. Treadaway] [TypeL - Philippines.] [Note - Described as a ssp. of *tyolaroi*.] [Refs - b2210; b2211; b2199; b2201; b1454]
- b **ismailii** Hanafusa, 1993; *Abisara* OD: *Futao* (11):15, pl 4, f 8-11 [b2125] SS: aita de Nicéville, 1893; *Abisara* [Type: pc-ht; collection of Hanafusa.] [TypeL - Mt. Dempo, South Sumatra, Indonesia.] [Refs - b0126; b4068]
- a **ismarus** (Cramer), [1777], 1775-1790; *Papilio* OD: *Uitl. Kapellen* 2(15):123, pl 176, f F [b1069] CG: *Thecla* (New World *Eumacini*) [TypeL - Surinam.] [Refs - b0908; b2747; b1375]
- b **ismarus** Fruhstorfer, [1912]; *Sithon* OD: Berl. ent. Z. 56(3/4):226 [b1850] SS: nedymond (Stoll), [1780]; *Sithon* [TypeL - Burma.] [Refs - b0964; b1636; b0965; b4094; b2201; b1454; b1850; b0694; b3782]
- e **ismena** Doubleday, 1847, 1844-1848, (NN); *Charis* OD: List Spec. lep. Brit. Mus. (2):16 [b1327] [Refs - b4474]
- c **ismenias** (Hoffmansegg), 1804; *Papilio* OD: *Mag. f. Insektenk.* (Illiger) 3:184 [b2410] SS: argus (Linnaeus), 1758; *Plebejus* [Refs - b0410]
- c **ismenias** (Meigen), 1829, 1827-1832; *Polyommatus* OD: Syst. Besch. Europ. Schmett. 2(1):33, pl 49, f 5a-d [b3146] SS: argyrognomon (Bergsträsser), [1779]; *Plebejus* (*Lycaeides*) [Refs - b1762; b2827; b2252; b3328 (as good species); b0236; b4425; b2355; b2521; b0410; b2859; ns2356; ns3174]
- a **ismenias** (Klug), 1834, 1829-1845; *Lycaena* OD: In Ehrenberg, *Sym. Phys. Ins.* 4:pl 40, f 1,2 [b2782] CG: *Iolaus* (*Iolaphilus*) [TypeL - Ambokohl.] [Refs - b2747; b0836; b4400]
- e **f. ismenides** (Rangnow), 1935; *Lycaena* OD: Ent. Rundsch. 52:188 [b3691] SS: violaceus (Rangnow), 1935; *Plebejus* (*Lycaeides*) [TypeL - Lapland.] [Refs - b0073]
- c **ismenius** (Gerhard), 1853, 1850-1853; *Lycaena* OD: *Vers. monog. europ. Schmett.* :pl 24, f 3 [b1928] SS: argyrognomon (Bergsträsser), [1779]; *Plebejus* (*Lycaeides*) [Refs - b2747]
- b **isna** Corbet, 1941; *Horaga* OD: *Proc. R. ent. Soc. Lond.* (B)10(3):48 [b0953] SS: amethystus H. H. Druce, 1902; *Horaga* [Type: BMNH-ht] [TypeL - Nias Is.] [Refs - b1012; b1454]
- a **isobea** (Butler & H. Druce), 1872; *Tmolus* OD: *Cistula Entomologica* 1(5):108 [b0662] CG: *Calycopis* [Type: BMNH-ht; designated by Field, 1967] [*Proc. U. S. nat. Mus.* 119(3552):- [b1737]] [TypeL - Cartago, Costa Rica.] [Refs - b0908; b3078; b1737; b2753; b3818; b3192; b3512; b2649; b1375; b1975; b2631; b4066]
- a **isocrates** (Fabricius), 1793, 1792-1799; *Hesperia* OD: Ent. syst. 3(1):266 [b1657] CG: *Deudorix* (*Virachola*) [Type: ZMC-st] [TypeL - India"] [Refs - b1636; b4094 (also as *isokrates*); b2747; b5037; b0113; b0236; b2201; b1454; b0694; b5076]
- b **isokrates** (Fruhstorfer), 1909; *Chrysophanus* OD: *Int. ent. Z.* 3(21):120 [b1837] SS: alciphron (Rottemburg), 1775; *Lycaena* (*Alciphronia*) [TypeL - Simplon.] [Refs - b1837; b0236; b0389; b0471; b2858]
- a **isola** (Reakirt), [1867], 1866-1867; *Lycaena* OD: *Proc. Acad. nat. Sci. Philad.* 18:332 [b3697] CG: *Echinargus* [Type: pc; Strecker collection.] [TypeL - Vera Cruz, Mexico.] [Type of - *Echinargus*] [Refs - b1530 :234, f 449; b1321 :63; b2280; b0907; b0908; b4688; b0662 (as *zachacina* female); b2747; b2221 (= *filenus*); b3325; b3326; b3192; b3512; ns0577; b2417; b0493; b1743; b4534; b5015; b0833; b4690 (*); b4066]

- b *isona* Fruhstorfer, [1923], 1909-1923; Taraka OD: In Seitz, Grossschmett. Erde 9:884 [b1840] SS: hamada (H. Druce), 1875; Taraka [TypeL - Moupin and Ormei-shan, Szechuan, China.] [Refs - b2479; b2650; b0236; b1840; b0471]
- b *isophthalma* (Herrich-Schäffer), 1862, 1862-1863; Lycaena OD: CorrespBl. zool.-min. Ver. Regensb. 16:141 [b2315] SS: exilis (Boisduval), 1852; Brephidium [TypeL - Cuba.] [Refs - b4400; b1321; b0540; b0908; b1450 :363; b0907; b3192; b0833; b0817; b2157]
- e *isophthalma* Scott, 1986, (ISS); Brephidium OD: Butts N. America :395 [b4066] SS: isophthalma (Herrich-Schäffer), 1862; Brephidium [Refs - b4066]
- e *issekutsi* (Anonymous), 1964, (ISS); Aricia OD: Zool. Rec. 97(1960)(Ins.):275.6 [b0094] SS: issekutzi (Balogh), 1957; Plebejus (Aricia) [Refs - b0094]
- b *issekutzi* (Balogh), 1956; Aricia OD: Folia ent. hung. (ns)9:71,76 [b0228] SS: montensis (Verity), 1928; Plebejus (Aricia) [TypeL - N. Hungary.] [Check - Spelling.] [Refs - b0091; ns2684; b0211 (as issekutzi)]
- d *issekutzi* (Balogh), 1957, (H); Aricia OD: Acta zool. hung. 3:2 [b0229] SS: issekutzi (Balogh), 1956; Plebejus (Aricia) [Refs - b0092]
- b *isshia* Butler, 1869; Mesosemia OD: Cistula Entomologica 1(1):11 [b0587] SS: sifia (Boisduval), 1836; Mesosemia [TypeL - Bogota.] [Refs - b4474; b2753]
- a *isshiki* Koiiwaya, 1989; Zinaspia OD: Stud. Chin. Butterflies 1:210, f [b2817] [TypeL - China.] [Refs - b0123]
- a *issia* Stempffer, 1969; Mimeresia OD: Bull. Inst. fond. Afr. Noire 31(A):930, f [b4404] [TypeL - Issia, Ivory Coast.] [Refs - b1452; b0100]
- a *issia* Stempffer, 1969; Pseuderesia OD: Bull. Inst. fond. Afr. Noire 31(A):935, f [b4404] [TypeL - Issia, Ivory Coast.] [Refs - b1452; b0100]
- a *issia* Stempffer, 1969; Omipholidotos OD: Bull. Inst. fond. Afr. Noire 31(A):929, f [b4404] [TypeL - Issia, Ivory Coast.] [Refs - b1452; b0100]
- a *issorina* (Hewitson), 1869, 1869-1877; Eurygona OD: Equatorial Lep. Buckley (3):47 [b2330] CG: Euselasia [TypeL - Ecuador.] [Refs - b2747; b4474; b1453; b4950; b1456]
- a *issykkuli* Zhdanko, 1990; Athamanthia OD: Ent. Obozr. 69(1):135, f 4,5 [b5066] CG: Athamanthia [TypeL - Russian SFSR.] [Refs - b0124; b5068; b5066]
- b *istapa* (Reakin), [1867], 1866-1867; Thecla OD: Proc. Acad. nat. Sci. Philad. 18:339 [b3697] SS: columella (Fabricius), 1793; Strymon [TypeL - Near Vera Cruz, Mexico.] [Refs - b0908; b0540; b0907; b2747; b3818; b1343; b3192; b1321; b0493; b4690 (R?); b1975]
- a *ister* (Hewitson), [1865], 1863-1878; Iolaus OD: Ill. diurn. Lep. Lycaenidae 1:43; 2:pl 19, f 15,16 [b2326] CG: Tajuria [TypeL - India.] [Refs - b0964; b1636; b0965; b2747; b4094; b0236; b2201; b1850; b1454; b0694]
- a *isthmica* (Godman & Salvin), 1878; Tharops OD: Proc. zool. Soc. Lond. 1878(2):366 [b1973] CG: Periplacis [Type: BMNH-ht] [TypeL - Veragua; Calobre.] [Refs - b4475; b1973; b1456]
- b *istroidea* de Nicéville, 1887; Tajuria OD: Proc. zool. Soc. Lond. 1887(3):458, pl 40, f 3 [b1150] SS: yajna (Doherty), 1886; Tajuria [TypeL - Sikkim.] [Refs - b1636; b4094; b1454; b0694]
- b *isurugiae* Okano, 1968; Artopoetes OD: Rep. Gakugei Fac. Iwate Univ. 6(2):39, f [b3484] SS: pryeri (Murray), 1873; Artopoetes [TypeL - Morioka, Iwate Prefecture, Japan.]
- a *itaituba* Johnson, 1989; Femniterga OD: Insecta Mundi 3(3):207, f [b2599] [Type: AMNH-ht] [TypeL - Itaituba, Rio Pastaza, Brazil.] [Refs - b0123; b2606]
- e *italaegiades* Verity, 1943, (IFS); Plebejus OD: Farfalle Diurne Ital. 2:197 [b4862] SS: argus (Linnaeus), 1758; Plebejus [Type: MZS-st] [Refs - b2856; b0410]
- e *italagallica* (Verity), 1926, 1926-1933, (RA); Agriades OD: Ent. Rec. 38:124 [b4844] SS: coridon (Poda von Neuhaus), 1761; Polyommatus (Lysandra) [Type: MZS-st] [TypeL - Alps.] [Note - Not spelled *italgallica*.] [Refs - b2856; b0236 (as *italagallica*); b4844; b0471 (as *italgallica*)]
- e *italaglauca* (Verity), 1939, (RA); Lysandra OD: Lambillionea 39:220 [b4861] SS: syriaca (Tutt), 1914; Polyommatus (Lysandra) [TypeL - Abruzzia.] [Note - May be a hybrid of *coridon* and *bellagus*.] [Refs - b0077; b2859 (as a hybrid); b1417]
- e *italanigrans* Verity, 1943, (IFS); Plebejus OD: Farfalle Diurne Ital. 2:191 [b4862] SS: argus (Linnaeus), 1758; Plebejus [Type: MZS-st] [Refs - b2856; b0080]
- e *italapulchra* (Verity), 1943, (RA); Lycaeides OD: Farfalle Diurne Ital. 2:169 [b4862] SS: idas (Linnaeus), 1761; Plebejus (Lycaeides) [Type: MZS-st] [TypeL - Italy.] [Refs - b2856; b0080; b0410]
- e *italaveris* (Verity), 1924, (IFS); Loweia OD: Ent. Rec. 36:108 [b4842] SS: tityrus (Poda von Neuhaus), 1761; Lycaena (Heodes) [Type: MZS-st] [TypeL - Italy.] [Refs - b2856; b0236; b3796; b0471]
- e *italiae* (Verity), 1943, (IFS); Thersamonia OD: Farfalle Diurne Ital. 2:61 [b4862] SS: dispar (Kirby), 1887; Epitolina [Refs - b2856]
- c *italica* (Calberla), 1887; Lycaena OD: CorrespBl. ent. Ver. Iris 1:126 [b0671] SS: hippothoe (Linnaeus), 1761; Palaeochrysophanus [Refs - b4092]
- e var. *uatica* Oberthür, 1910; Polyommatus OD: Étud. Lép. comp. 4:232, pl 50, f 423 [b3451] SS: epodes (Fruhstorfer), 1916; Polyommatus [Refs - b0236; b0471]
- e ab. *uatica* Turati, 1919; Lycaena OD: Atti Soc. ital. Sci. nat. 58:149 [b4745] SS: alciphron (Rottemburg), 1775; Lycaena (Alciphronia) [Refs - b0471]
- e *italica* (Verity), 1919, 1919-1922, (RA); Thecla OD: Ent. Rec. 31:48 [b4840] SS: acaciae (Fabricius), 1787; Satyrium [Type: MZS-st] [Refs - b2856; b0236; b0471]
- d *italica* Verity, 1919, (H); Maculinea OD: Atti Soc. ital. Sci. nat. 58:19 [b4839] SS:alcon ((Denis & Schiffermüller), 1775; Maculinea [Note - Replaced by *turati* Verity. Could be valid. May also be described in *Atti Soc. ital. Sci. nat.*, 60:211-229, and 62:43.] [Refs - b4865; b0236; b0400]
- e *italorum* Verity, 1919, 1919-1922, (RA); Plebejus OD: Ent. Rec. 31:45 [b4840] SS: argus (Linnaeus), 1758; Plebejus [Type: MZS-st] [Note - May require different authorship if available.] [Refs - b2856; b0236; b0471]
- e *italorum* (Verity), 1919, 1919-1922, (RA); Loweia OD: Ent. Rec. 31:29 [b4840] SS: donlis (Hüfnagel), 1766; Lycaena (Heodes) [Type: MZS-st] [Refs - b2856; b0236; b0389; b0471]
- c *itama* Ribbe, 1926; Arhopala OD: Ent. Mitt. 15(1):88 [b3742] SS: lewara Ribbe, 1926; Arhopala a [Type: SMT-It; designated by Takanami, 1989] [Tyô to Ga 40(1):51 [b4602]] [TypeL - C. W. Sulawesi.] [Refs - b1644; b3742; b4602]
- e ab. *itamus* Ribbe, 1926; Curetis OD: Ent. Mitt. 15(1):82 [b3742] SS: celebensis (Felder & Felder), 1865; Curetis [Type: SMT-It; designated by Takanami, 1989] [Tyô to Ga 40(1):54 [b4602]] [TypeL - C. W. Sulawesi.] [Refs - b4602]
- c *itea* (Walker), 1870; Lycaena OD: Entomologist 5:55 [b4911] SS: ubaldus (Stoll), [1782]; Azanus [TypeL - Cairo.] [Refs - b2753; b4400]
- a *ithna* Hewitson, [1869], 1863-1878; Hypolycaena OD: Ill. diurn. Lep. Lycaenidae Suppl.:13, pl 5, f 35,36 [b2326] [TypeL - Philippines.] [Refs - b2747; b4094; b1454]

- c **itonus** (Miskin), 1890; **Ialmenus** OD: Proc. linn. Soc. N. S. Wales (2)5(1):41 [b3212] SS: eichhomi (Staudinger), [1888]; **Ialmenus** [TypeL - Cape York, Australia.] [Refs - b4934]
- a **iturenis** (Joicey & Talbot), 1921; **Argiolaus** OD: Bull. Hill Mus. 1(1):91 [b2655] CG: Iolaus (Iolaphilus) [Type: BMNH-ht] [TypeL - Watershed of Ituri and Lindi Rivers, S. W. of Avakubi.] [Refs - b4400; b1452; b2655]
- a **ituri** (Bethune-Baker), 1908; **Deudorix** OD: Proc. zool. Soc. Lond. 1908(1):111, pl 9, f 7 [b0340] CG: Hypokopelates [TypeL - Congo.] [Refs - b4400; b1452]
- a **itura** (Bethune-Baker), 1910; **Lycaenesthes** OD: Trans. ent. Soc. Lond. 58(1):22, pl 1, f 4 [b0343] CG: Anthene [Type: BMNH-ht] [TypeL - Congo.] [Refs - b4400; b1452; b0343]
- a **ituriensis** Joicey & Talbot, 1921; **Triclema** OD: Bull. Hill Mus. 1(1):98, pl 15, f 89,90 [b2655] [Type: BMNH-st] [TypeL - Avakubi, Ituri River.] [Refs - b4400; b2655; b2655]
- a **iturina** Joicey & Talbot, 1921; **Epitola** OD: Bull. Hill Mus. 1(1):85, pl 14, f 62 [b2655] [Type: BMNH-ht] [TypeL - Between Ituri and Lindi Rives, S. W. of Avakubi.] [Refs - b3842; b4400; b1452; b2655]
- a **iturina** Stempffer & Bennet, 1963; **Falcuna** OD: Bull. Br. Mus. nat. Hist. (Ent.) 13(6):187, f [b4421] [Type: BMNH-ht] [TypeL - Congo.] [Refs - b4400; b1452; b4421]
- b **itys** (Edwards), 1882; **Thecla** OD: Papilio 2(2):23 [b1516] SS: sylvinus (Boisduval), 1852; **Satyrium** [Type: CM-ht; designated by Brown, 1970] [Trans. amer. ent. Soc. 96(1):40 [b0509]] [TypeL - Prescott, Arizona.] [Refs - b0908; b3192; b5015; b0493; b1321; b2419; b4690]
- e **iulus** Kirby, 1871, (ISS); **Iolaus** OD: Syn. Cat. diurn. Lep. :410 [b2747] SS: julus Hewitson, [1869]; **Iolaus** (Iolaphilus) [Refs - b2747]
- c **ivelia** Gosse, 1880; **Thecla** OD: Entomologist 13:205, pl 2, f 3 [b2001] SS: thara Hewitson, [1867]; **Thecla** (New World **Eumaeini**) myrtea group [Type: BMNH] [TypeL - North bank of Paraná River, Paraguay.] [Refs - b0908; b1375]
- b **ivoirensis** Stempffer, 1966; **Lipaphnaeus** OD: Bull. Inst. fond. Afr. Noire 28(A):1577 [b4399] SS: leonina (E. Sharpe), 1890; **Lipaphnaeus** [TypeL - Ivory Coast.] [Refs - b4400; b1452]
- a **ivoriensis** Jackson, 1967; **Epitola** OD: J. nat. Hist. 1:333 [b2566] [TypeL - Abidjan, Ivory Coast.] [Refs - b1452]
- c **iwasakii** Matsumura, 1919; **Megisba** OD: Thous. Ins. Japan Addit. 3:643, pl 49, f 24 [b3089] SS: sikkima Moore, 1884; **Megisba** [Type: EIHU-ht] [TypeL - Yaeyama, Japan.] [Refs - b1900; b1580; b0236]
- e **ab. iwateanus** Murayama, 1964; **Wagimo** OD: Tyô to Ga 15(1):16 [b3292] SS: signata (Butler), [1882]; **Wagimo** [Refs - b3292]
- a **ixion** (Fabricius), 1775; **Papilio** OD: Syst. Ent. :523 [b1653] CG: **Thecla** (New World **Eumaeini**) [TypeL - India.] [Refs - b0908; b0907; b2747; b1375; b5076]
- b **lynteana** (de Nicéville), [1884]; **Cyaniris** OD: J. asiat. Soc. Bengal, Pt II 52(2/4):69, pl 9, f 7,7a [b1145] SS: argiolus (Linnaeus), 1758; **Celastrina** [Type: ZSL?-lt; designated by Eliot & Kawazoe, 1983] [Butts **Lycaenopsis** group :217 [b1580]] [TypeL - Sikkim, India.] [Note - Often as **lynteana**.] [Refs - b1636; b1153; b4094; b3762; b2479; b0236]
- a **lyonis** (Ôta & Kusunoki), 1957; **Strymonidia** OD: Trans. Shikoku ent. Soc. 5:101 [b3527] CG: **Fixsemia** [TypeL - Shikoku, Japan.] [Refs - b1900; ns4208; b4614 (in **Strymonidia**); b4906; b0123; b1455]
- a **lza** (Hewitson), [1865], 1863-1878; **Aphnaeus** OD: Ill. diurn. Lep. Lycaenidae 1:62; 2:pl 25, f 5 [b2326] CG: **Spindasis** [Refs - b4400; b2747 (as **lza**); b1452]
- b **izabella** Fruhstorfer, 1900; **Curetis** OD: Berl. ent. Z. 45(1):28 [b1815] SS: tagalica (Felder & Felder), 1862; **Curetis** [Type: BMNH-ht] [Refs - b0936; b4094]
- b **ja** Bethune-Baker, 1926; **Telipna** OD: Ann. Mag. nat. Hist. (9)17:388 [b0362] SS: atrinervis Hulstaert, 1924; **Telipna** [TypeL - Ditje, Ja River, Cameroons; Gaboon.] [Refs - b4400; b0362]
- e **ja** Stempffer, 1967, (PS); **Anthene** OD: Bull. Br. Mus. nat. Hist. (Ent.) Suppl. 10:190,191 [b4400] SS: bakeri (H. H. Druce), 1910; **Anthene** [Refs - b4400 (as **Druce** ms name)]
- b **jabadia** Fruhstorfer, 1914; **Arhopala** OD: Deut. ent. Zeit. [Iris] 27(4):163 [b1853] SS: anthelus (Westwood), [1852]; **Arhopala** a [Type: BMNH-ht] [TypeL - Java.] [Refs - b1644; b4094; b2200; b1853; b1454]
- c **jacchus** (Fruhstorfer), 1913; **Gerydus** OD: Z. wiss. InsektBiol. 9(10):309 [b1851] SS: drucei (Semper), 1887; **Miletus** 3 [TypeL - Luzon, Philippines.] [Refs - b1840]
- b **jachontovi** (Wnukowsky), 1934; **Lycaena** OD: Ent. Anz. 14:111 [b5027] SS: coridon (Poda von Neuhaus), 1761; **Polymmatius** (Lysandra) [TypeL - Russia.] [Refs - b0072]
- e **jacksoni** Paskevsky, 1937, (ISS); **Hypolycaena** OD: Bull. Soc. ent. Fr. 42(7):106 [b3554] SS: jacksoni Bethune-Baker, 1906; **Hypolycaena** [Refs - b3554]
- b **jacki** Stallings & Turner, 1947; **Glaucoopsyche** OD: J. Kansas ent. Soc. 20(3):93 [b4301] SS: lygdamus (Doubleday), 1841; **Glaucoopsyche** [Type: pc-ht; Collection of Stallings & Turner.] [TypeL - Barber County, Kansas.] [Refs - b2721; b3192; b1743; b1321; b0493; b4690 (R); b4066]
- a **jacksoni** Bethune-Baker, 1906; **Hypolycaena** OD: Ann. Mag. nat. Hist. (7)17:106 [b0338] [TypeL - E. Africa.] [Refs - b1452; b3554 (as **jacksoni**); b4400]
- b **jacksoni** Carpenter, 1934; **Liptena** OD: Proc. R. ent. Soc. Lond. (A)9(1):12 [b0712] SS: rubromacula Hawker-Smith, 1933; **Liptena** [TypeL - Uganda.] [Note - Also seen as subspecies of **ideoides**.] [Refs - b1452 (as ssp of **ideoides**); b4400]
- a **jacksoni** (Talbot), 1935; **Virachola** OD: Ent. mon. Mag. 71:206, pl 4, f 2,3 [b4623] CG: **Deudorix** (**Virachola**) [TypeL - Uganda; Kenya.] [Refs - b1452; b4623; b4400]
- a **jacksoni** Talbot, 1937; **Micropentila** OD: Trans. R. ent. Soc. Lond. 86(4):61 [b4625] [Type: BMNH-st] [TypeL - Katera, Uganda.] [Refs - b1452; b4400; b4625]
- b **jacksoni** Stempffer, 1942; **Oboronia** OD: Anns Soc. ent. Fr. 111:132 [b4369] SS: punctatus (Dewitz), 1879; **Oboronia** [TypeL - Uganda.] [Refs - b4400]
- a **jacksoni** Stempffer, 1948; **Axiocerses** OD: Revue fr. Ent. 15(3):191, f [b4376] [TypeL - Abyssinia.] [Refs - b0831; b1452; b4400]
- a **jacksoni** (Stempffer), 1950; **Epamera** OD: Revue fr. Ent. 17(2):139 [b4377] CG: **Iolaus** (**Epamera**) [TypeL - Kenya.] [Refs - b1452; b4400]
- a **jacksoni** Stempffer, 1952; **Euchrysops** OD: Bull. Soc. ent. Fr. 57(8):117, tf 1; pl 1, f 11,23 [b4382] [TypeL - Uganda.] [Note - Also described in *Mém. Inst. franc. Afr. noire* 19:146, f] [Refs - b1452; b0836; b4382; b4400; ns4383]
- d **jacksoni** Stempffer, 1953, (H); **Liptena** OD: Anns Soc. r. Congo Belge (8vo)27:9, f [b4384] SS: nigromarginata Stempffer, 1961; **Liptena** [TypeL - Uganda.] [Refs - b4400]
- c **jacksoni** Roche, 1954; **Epitola** OD: Bull. Br. Mus. nat. Hist. (Ent.) 3:496, pl 20, f 15,16 [b3842] SS: mara Talbot, 1935; **Epitola** [Type: BMNH-ht] [TypeL - Katera, Uganda.] [Refs - b3842; b4400]
- a **jacksoni** Stempffer, 1954; **Aphnaeus** OD: Trans. R. ent. Soc. Lond. 105(21):512, pls 1,2, f 9,10; tf 14 [b4387] [TypeL - Uganda.] [Refs - b1452; b4400]

- a **jacksoni** van Someren, 1957; *Lepidochrysops* OD: J. ent. Soc. S. Afr. 20(1):67 [b4803] [TypeL - Kenya; Uganda.] [Refs - b1452; b4400]
- a **jacksoni** Stempffer, 1961; *Ornipholidotos* OD: Anns Mus. r. Afr. cent. (8vo) (Zool.)94:11 [b4393] [TypeL - Uganda.] [Refs - b1452; b4400]
- a **jacksoni** Stempffer, 1961; *Eresina* OD: Anns Mus. r. Afr. cent. (8vo) (Zool.)94:48 [b4393] [TypeL - Uganda.] [Refs - b1452; b0836; b4400]
- a **jacksoni** Stempffer, 1964; *Pseudoneaveia* OD: Bull. Inst. franç. Afr. Noire 26(A):1265, f [b4397] [TypeL - Congo.] [Type of - *Pseudoneaveia*] [Refs - b1019 :6; b1452; b4400]
- a **jacksoni** Stempffer, 1964; *Iridana* OD: Bull. Inst. franç. Afr. Noire 26(A):1252 [b4397] [TypeL - Uganda.] [Refs - b1452; b4400]
- a **jacksoni** Stempffer, 1967; *Spalgis* OD: Bull. Inst. fond. Afr. Noire 29(A):998 [b4401] [TypeL - Bwamba Mongiro, W. Uganda.]
- a **jacksoni** Stempffer, 1967; *Lachnocnema* OD: Bull. Inst. fond. Afr. Noire 29(A):980 [b4401] [TypeL - Uganda.]
- a **jacksoni** Stempffer, 1969; *Pseuderesia* OD: Bull. Inst. fond. Afr. Noire 31(A):932, f [b4404] [TypeL - Issia, Ivory Coast.] [Refs - b1452]
- a **jacksoni** Stempffer, 1969; *Cupidesthes* OD: Bull. Inst. fond. Afr. Noire 31(A):947, f [b4404] [TypeL - Gagnoa, Ivory Coast.] [Refs - b1452]
- b **jacksoni** Tite & Dickson, 1973; *Aloeides* OD: Bull. Br. Mus. nat. Hist. (Ent.) 29(5):247, f [b4685] SS: *conradi* (*Aurivillius*), 1907; *Aloeides* [Type: BMNH-ht; # Rh. 17224.] [TypeL - Nairobi, Kenya.] [Refs - b0104; b4685]
- e **jacoda** Fruhstorfer, [1912], (ISS); *Deramas* OD: Berl. ent. Z. 56(3/4):204 [b1850] SS: *jasoda* (de Nicéville), [1889]; *Deramas* [Refs - b1850]
- b **jactantis** (Jordan), 1930; *Deudorix* OD: Novit. zool. 36:148 [b2667] SS: *grandis* (Rothschild & Jordan), 1905; *Ariape* [TypeL - Dutch New Guinea.] [Refs - b2667]
- a **jactator** H. H. Druce, 1907; *Thecla* OD: Proc. zool. Soc. Lond. 1907(3):587, pl 34, f 9 [b1375] CG: *Thecla* (New World *Eumaeini*) [Type: pc; Druce collection.] [TypeL - Paraguay.] [Refs - b0908; b1375]
- a **jacuticus** Korshunov & Viidaleep, 1980; *Pseudophilotes* OD: Nov Malozvestiye Vidy Fauny Sib. (14):154, f [b2833] [TypeL - Yakutia, Russian SFSR.] [Refs - b0123]
- a **jada** (Hewitson), [1867], 1863-1878; *Thecla* OD: Ill. diurn. Lep. Lycaenidae 1:87; 2:pl 34, f 67,68 [b2326] CG: *Arawacus* [Type: BMNH] [TypeL - Mexico.] [Type of - *Dolymorpha*] [Refs - b2280; b2718; b0908; b3192; b1975; b2406; b1530 :212, f 404; b1321 :55; b2747; b1343; b0493; b4690 (S); b2631 (in *Dolymorpha*); b2107; b4066]
- e **jaffra** (Horsfield), [1829], 1828-1829, (ISS); *Myrina* OD: Descr. Cat. lepid. Ins. (2):118, explic. pl 2, f 5,5a [b2457] SS: *jafra* (Godart), [1824]; *Cheritra* [Refs - b1016; b1636; b2747; b4094 (wrong author); b0694]
- b **jafra** (Godart), [1824], 1819-1824; *Myrina* OD: In Ency. méth. 9(Ins.)(2):593 [b1970] SS: *freja* (Fabricius), 1793; *Cheritra* [TypeL - India bor.] [Type of - *Cheritra*] [Refs - b2280; b1016; b2747; b2201; b1454; b4094; b0694]
- c **jago** (Comstock & Huntington), 1943; *Thecla* OD: Ann. New York Acad. Sci. 45:74, pl 1, f 7 [b0907] SS: *simaethis* (*Drury*), [1773]; *Chlorostymon* [Type: AMNH-ht] [TypeL - Dunrobin District, Mandeville, Manchester, Jamaica, B. W. I.] [Refs - b0908; b0540; b0907; b0540; b0833; b2598]
- c **jahara** Corbet, 1941; *Arhopala* OD: Proc. R. ent. Soc. Lond. (B)10(9):153 [b0956] SS: *malayana* Bethune-Baker, 1903; *Arhopala* a [Type: BMNH-ht] [TypeL - Mergui.] [Refs - b1644; b0956; b1454]
- a **jakamensis** (Tylder), 1915; *Zephyrus* OD: J. Bombay nat. Hist. Soc. 24(1):130, pl 4, f 32,33 [b4772] CG: *Chrysozephyrus* [Type: BMNH-ht] [TypeL - Naga Hills, Manipur.] [Refs - b1636; b0236; b4214; b4200; b3296; b1454; b0694; b2463]
- c **jakutica** (Kurentzov), 1970; *Lycaena* OD: Butts Far East USSR :132 [b2864] SS: *tancrei* (Graeser), 1888; *Plebejus* (*Lycaeides*) [Refs - b2866]
- a **jalajala** Felder & Felder, 1862; *Tajuria* OD: Wien. ent. Monats. 6(9):292 [b1688] [Type: BMNH-ht] [TypeL - Philippines.] [Refs - b0964; b1557; b4094 (with *Reise Novara* 2:238); b2201; b1454; b0694 (as *jaljala*)]
- e **jaloka** (Kirby), 1877, (ISS); *Plebeius* OD: Syn. Cat. diurn. Lep., Suppl. :771 [b2753] SS: *jaloka* Moore, [1875]; *Polyommatus* (*Agriades*) [Refs - b2753]
- b **jalan** (Reakirt), [1867], 1866-1867; *Thecla* OD: Proc. Acad. nat. Sci. Philad. 18:337 [b3697] SS: *bathis* (Fabricius), 1781; *Panthiades* [TypeL - Near Vera Cruz, Mexico.] [Refs - b0908; b3390; b2747; b3818; b2406; b1975]
- a **jalindra** (Horsfield), [1829], 1828-1829; *Amblypodia* OD: Descr. Cat. lepid. Ins. (2):109 or 110 [b2457] CG: *Eliotia* [TypeL - Java.] [Type of - *Rachana*] [Refs - b0964; b1153; b1636; b0965; b2747; b4094; b2199; b2201; b1850; b1568; b1454; b0694]
- a **jaloka** Moore, [1875]; *Polyommatus* OD: Proc. zool. Soc. Lond. 1874(4):573, pl 66, f 3 [b3223] CG: *Polyommatus* (*Agriades*) [TypeL - N. W. Himalayas.] [Refs - b1636; b1153; b2753 (as *jaloka*); b4094; b1762 (as *ialoka*); b0993; b0410; b3223; b0694; b4092]
- b **jalysus** (Felder & Felder), 1865, 1865-1875; *Myrina* OD: *Reise Novara* (2):239 [b1692] SS: *mantra* (Felder & Felder), 1860; *Tajuria* [TypeL - Philippines.] [Refs - b2747; b4094; b2201; b1454]
- e **jambe** (Draudt), [1920], 1917-1924, (ISS); *Thecla* OD: In Seitz, *Grossschmett. Erde* 5:802, pl 158-1 [b1348] SS: *iambe* (Godman & Salvin), [1887]; *Caerofethra* [Refs - b0908]
- c **jambia** (Fruhstorfer), 1915; *Lampides* OD: Arch. Naturgesch. (A)81(6):10 [b1865] SS: *kondulana* (C. Felder), 1862; *Jamides* [TypeL - Not stated.] [Refs - b4094; b1865]
- a **jamesi** Swanepoel, 1971; *Lepidochrysops* OD: Ent. Rec. 83(3):97, f [b4559] [TypeL - Cape Province, S. Africa.] [Refs - b1259; b0102]
- c **jamesoni** (H. H. Druce), 1891; *Argiolaus* OD: Ann. Mag. nat. Hist. (6)8:145 [b1356] SS: *aelianus* Staudinger, 1891; *Iolaus* (*Iolaphilus*) [TypeL - C. Africa.] [Refs - b1452; b4400]
- e **janais** (Hewitson), [1877], 1863-1878, (ISS); *Thecla* OD: Ill. diurn. Lep. Lycaenidae 1:202 [b2326] SS: *janias* (Cramer), [1779]; *Chalybs* [Refs - b0908; b2631; b2626]
- b **janetae** Evans, 1927; *Polyommatus* OD: Tijdschr. Ent. 70:161 [b1637] SS: *stoliczkana* (Felder & Felder), 1865; *Polyommatus* [TypeL - Western Himalayas.] [Note - Also seen as a subspecies of *eros*.] [Refs - b4180; b0236; b0065; b0694; b0471; b1455; b0205]
- a **jangala** (Horsfield), [1829], 1828-1829; *Amblypodia* OD: Descr. Cat. lepid. Ins. (2):113 [b2457] CG: *Remelana* [TypeL - Java; India bor.] [Type of - *Remelana*] [Refs - b0964; b1636; b1153; b2280; b0965; b2747; b4094; b2479; b1564; b2201; b1454; b0694; b4592; b3060]
- a **janias** (Cramer), [1779], 1775-1790; *Papilio* OD: Utit. Kapellen 3(18):36, pl 213, f D.E. [b1069] CG: *Chalybs* [TypeL - Surinam.] [Type of - *Chalybs*] [Refs - b2280; b2747; b1453; b3818; b1975; b2626]
- b **janigena** Stichel, 1919; *Euselasia* OD: Deut. ent. Zeit. 1919:171 [b4454] SS: *cafusa* Bates, [1868]; *Euselasia* [Type: pc-ht; collection of Stichel] [TypeL - Pebas, Peru.] [Refs - b4474; b4454]

- a **janigena** (Riley), 1923; *Lycaena* OD: Trans. ent. Soc. Lond. 70(3/4):475, pl 36, f 4,5 [b3754] CG: *Polyommatus* (*Albulina*) [Type: BMNH-ht] [TypeL - Nyenham, Tibet.] [Note - Classification according to Bálint (pers. comm.)] [Refs - b2479; b4094; b1762; b2866; b0236; b0471; b1455]
- c **jankowskii** Seitz, [1908], 1907-1921; *Chrysozephyrus* OD: In Seitz, Grossschmett. Erde 1:270, pl 73g [b4092] SS: *aurorina* (Oberthür), 1880; *Chrysozephyrus* [Refs - b2479; b3778; b1399; b2866; b3296; b4092; b2463]
- b **janna** Gabriel, 1949; *Anthene* OD: Proc. R. ent. Soc. Lond. (B)18(11/12):214 [b1907] SS: *opalina* Stempfifer, 1946; *Anthene* [TypeL - Abyssinia.] [Refs - b1452; b4400]
- a **jansel van Someren**, 1957; *Lepidochrysops* OD: J. ent. Soc. S. Afr. 20(1):75 [b4803] [TypeL - Kenya; Uganda.] [Refs - b1452; b4400]
- b **jansonii** (Butler), 1870; *Aricoris* OD: *Cistula* Entomologica 1(2):31 [b0589] SS: *lagus* (Cramer), [1777]; *Setabis* [TypeL - Nicaragua.] [Refs - b2988; b2747; b4475; b1456]
- a **janthina** (Hewitson), [1867], 1863-1878; *Thecla* OD: Ill. diurn. Lep. *Lycaenidae* 1:93; 2-pl 37, f 104,105 [b2326] CG: *Janthecla* [Type: BMNH] [TypeL - Vera Paz, Guatemala] [Type of - *Janthecla*] [Refs - b0908; b2747; b0278; b1975; b0125]
- a **janthodonia** (Dyar), 1918; *Thecla* OD: Proc. U. S. natn. Mus. 54:337 [b1448] CG: *Janthecla* [Type: USNM; #21202] [TypeL - Sant Rosa, Vera Cruz, Mexico.] [Refs - b0908; b0125]
- a **janus** Bates, 1867; *Theope* OD: Trans. ent. Soc. Lond. (3)5(7):546 [b0266] [TypeL - Maranham.] [Refs - b2747; b4475; b0266; b1456]
- b **janus** (Riley), [1945]; *Marmessus* OD: Trans. R. ent. Soc. Lond. 94(2):266 [b3782] SS: *ravindra* (Horsfield), [1828]; *Drupadia* [Type: BMNH-ht] [TypeL - Marang, W. Sumatra.] [Refs - b1030; b0105; b2201; b1454; b3782]
- a **japhetica** (Nekrutenko & Effendi), 1983; *Lycaena* OD: *Vestnik Zoologii* 1983(4):12, f [b3371] CG: *Athamanthia* [TypeL - Azerbaidjan] [Refs - b3371; b5068]
- b **japhusa** Riley, 1922; *Hypolycaena* OD: Trans. ent. Soc. Lond. 69(3/4):246 [b3749] SS: *hatia* Hewitson, [1865]; *Hypolycaena* [TypeL - Rhodesia.] [Refs - b1452; b4400]
- a **japola** Jones, 1912; *Thecla* OD: Proc. zool. Soc. Lond. 1912(4):898, pl 97, f 6 [b2663] CG: *Thecla* (New World *Eumaeini*) [Type: BMNH.] [TypeL - Castro, Paraná, Brazil.] [Refs - b0908]
- b **japonica** (Murray), 1874; *Dipsas* OD: Ent. mon. Mag. 11:169 [b3317] SS: *taxila* (Bremer), 1861; *Neozephyrus* [Type: BMNH-ht] [TypeL - Japan.] [Refs - b2753; b0996; b2827; b3317; b3778; b1900; b4214; b2509; b2703; b4092; b2463]
- a **japonica** (Murray), 1874; *Amblypodia* OD: Ent. mon. Mag. 11:170 [b3317] CG: *Arhopala* j [TypeL - Japan.] [Refs - b1644; b4115; b4198; b2988; b2753; b4094; b3317; b0236; b1454; b4092]
- c **japonica** (Murray), 1874; *Lycaena* OD: Ent. mon. Mag. 11:167 [b3317] SS: *maha* (Kollar), [1844]; *Pseudozizeeria* [TypeL - Japan.] [Refs - b2753; b0995; b2479; b3317; b1900; b4092]
- b **japonica** Fruhstorfer, 1908; *Curetis* OD: *Stett. ent. Ztg* 69:56 [b1835] SS: *acuta* Moore, 1877; *Curetis* [TypeL - Japan.] [Refs - b0996; b4094; b2479; b1835; b1900 (as *japonics*); b4092]
- c **japonica** (Oberthür), 1910; *Lycaena* OD: *Étud. Lép. comp.* 4-pl 41, f 313,314 [b3451] SS: *micrargus* (Butler), 1878; *Plebejus* [TypeL - Japan.] [Refs - b1900; b0236; b0410; b3333; b0471]
- b **japonica** (Ford), 1924; *Heodes* OD: Trans. ent. Soc. Lond. 71(3/4):729 [b1757] SS: *phlaeas* (Linnaeus), 1761; *Lycaena* (*Lycaena*) [TypeL - Japan.] [Check - Homonym in need of a replacement.] [Refs - b1900 (=daimio); b0236; b3796; b0471]
- c **japonica** Fujioka, 1975; *Tongeia* OD: *Butts Japan* 1:282 [b1900] SS: *fischeri* (Eversmann), 1843; *Tongeia* [TypeL - Sakaki-machi, Nagano-ken, Japan.] [Refs - b1900; b0122]
- d **jarbas** (Drury), 1782, 1770-1782, (H); *Papilio* OD: *Ill. nat. Hist.* 3:index+10, pl 8, f 2 [b1392] SS: *thisbe* (Fabricius), 1781; *Panara* [Type of - *Panara*] [Refs - b2280; b4474]
- e **jarbas** (Fabricius), 1793, 1792-1799, (ISS); *Hesperia* OD: Ent. syst. 3(1):276 [b1657] SS: *iartbas* (Fabricius), 1787; *Melanis* [Refs - b1636; b1153; b2747]
- e **jarbus** (Kirby), 1871, (ISS); *Lymnas* OD: *Syn. Cat. diurn. Lep.* :300 [b2747] SS: *iartbas* (Fabricius), 1787; *Melanis* [Refs - b2747]
- c **jasilkowskii** (Hornuzaki), 1897; *Lycaena* OD: *Verh. zool.-bot. Ges. Wien* 47:138 [b2454] SS: *arion* (Linnaeus), 1758; *Maculinea* [Refs - b4092; b2454]
- a **jasoda** (de Nicéville), [1889]; *Zarona* OD: *J. asiat. Soc. Bengal*, Pt II 57(4):280, pl 14, f 5 [b1151] CG: *Deramas* [TypeL - Pegu Hills, Tenasserim, Burma.] [Type of - *Zarona*] [Refs - b1636; b2280; b1153; b0965; b4094; b1550; b1850 (as *jacoda*); b3610; b1454; b0694; b1550]
- b **javana** Fruhstorfer, 1908; *Mahathala* OD: *Ent. Zeit.* 22(12):49 [b1829] SS: *ameria* (Hewitson), 1862; *Mahathala* [TypeL - E. Java.] [Refs - b4094; b1454]
- b **javana** *Toxopeus*, 1927; *Nacaduba* OD: *Treubia* 9(4):433 [b4696] SS: *beroe* (Felder & Felder), 1865; *Nacaduba* [TypeL - W. Java.] [Refs - b4676; b0938; b1454]
- b **javana** *Nieuwenhuis*, 1970; *Arhopala* OD: *Ent. Ber.* 29:217, f 13,14,15 [b3401] SS: *moolaiana* (Moore), [1879]; *Arhopala* b [Type: NHMR-ht] [TypeL - Oedjoeng Genteng, West Java.] [Refs - b0101; b3401]
- b **javana** (Fruhstorfer), [1912]; *Ponitia* OD: *Berl. ent. Z.* 56(3/4):202 [b1850] SS: *phalena* (Hewitson), 1874; *Simiskina* [Type: BMNH-ht] [TypeL - West Java.] [Refs - b4094; b2200; b1850; b1454; b0950]
- b **javana** *Fruhstorfer*, 1914; *Logania* OD: *Z. wiss. InsektBiol.* 10(1):23 [b1855] SS: *marmorata* Moore, 1884; *Logania* [Type: BMNH-ht; designated by Eliot, 1986] [*Bull. Br. Mus. nat. Hist. (Ent.)* 53(1):67 [b1571]] [TypeL - Java.] [Refs - b1855; b1840; b1454; b1571; b4592]
- b **javana** *Toxopeus*, 1929; *Ionolyce* OD: *Tijdschr. Ent.* 72(3/4):236 [b4700] SS: *helicon* (C. Felder), 1860; *Ionolyce* [TypeL - Java.] [Type of - *Ionolyce*] [Refs - b4676; b2280; b0938; b4700; b1454]
- c **javana** (*Toxopeus*), 1932; *Biduanda* OD: *Versl. Afd. Ned. Ost.-Ind. ned. ent. Ver.* 1(3):lxx [b4704] SS: *ravindra* (Horsfield), [1828]; *Drupadia* [TypeL - Java.] [Refs - b0105]
- b **javanicus** *Fruhstorfer*, 1904; *Eooxylides* OD: *Deut. ent. Zeit.* [Nis] 16(2):312 [b1818] SS: *tharis* (Geyer), [1837]; *Eooxylides* [TypeL - Java.] [Refs - b4094; b1454; b1818]
- b **javanus** Moore, 1902, 1890-1913; *Zemeros* OD: *Lep. Ind.* 5:99 [b3238] SS: *flegys* (Cramer), [1780]; *Zemeros* [Refs - b4473; b1454; b1840]
- b **javanus** (*Fruhstorfer*), [1912]; *Aphnaeus* OD: *Berl. ent. Z.* 56(3/4):220 [b1850] SS: *vulcanus* (Fabricius), 1775; *Spindasis* [TypeL - West-Java.] [Refs - b4094; b1850; b1454; b4594]
- b **javanus** (*Fruhstorfer*), 1916; *Lycaenesthes* OD: *Zoöl. Meded.* 2(2):97 [b1872] SS: *emolus* (Godart), [1824]; *Anthene* [Refs - b4679; b1840; b1454]

- c **javieri** (Gomez de Aizpurva & Fernández-Rubio), 1974; *Plebejus* OD: *Munibe* 25(1):48, f [b1993] SS: *hispana* (Herrich-Schäffer), [1851]; *Polyommatus* (*Lysandra*) [TypeL - Javier, Navarra Province, Spain.] [*Check - Schurian gives the reference as 1973:147.*] [Refs - b0105; b0104; b1993; b4038]
- b **jeanensis** (Eitschberger & Steiniger), 1975; *Eumedonia* OD: *Atalanta* (Münnerstadt) 6(2):94, f [b1537] SS: *eumedon* (Esper), [1780]; *Plebejus* (*Eumedonia*) [TypeL - Zigan pass, Trabzon Gumusane, Turkey.] [Refs - b0107]
- b **jeanhooperae** Schröder & Treadaway, 1988; *Paruparo* OD: *Ent. Zeit.* 98(24):355, f 2 [b3987] SS: *mamertina* (Hewitson), [1869]; *Paruparo* [Type: pc-ht; collection of Treadaway.] [TypeL - Eastern Samar Province, Philippinen.] [Refs - b3987]
- a **jeanneli** (Stempffer), 1935; *Syntarucus* OD: *Mém. Mus. natn. Hist. nat.* (ns)2(12):232, f 7; pl 9, f 6 [b4362] CG: *Leptotes* [TypeL - Kenya.] [Refs - b1943; b1259; b1452; b0836; b2898; b4382; b4400]
- b **jeanneli** Stempffer, 1961; *Anthene* OD: *Annlis Mus. r. Afr. cent.* (8vo) (Zool.)94:64 [b4393] SS: *rubricinctus* (Holland), 1891; *Anthene* [Type: biblio; replacement for *elgonensis* Stempffer, 1956.] [Refs - b1452; b0836; b4400; b4393]
- a **jebelia** (Nakamura), 1975; *Strymonidia* OD: *J. Ent.* (B)44(3):283-295 [b3336] CG: *Satyrium* [Type: BMNH-ht] [TypeL - Afghanistan.] [Refs - b1610 (7E662); b1455]
- a **jebus** (Godart), [1824], 1819-1824; *Polyommatus* OD: *In Ency. méth.* 9(Ins.)2:639 [b1970] CG: *Michaelus* [TypeL - Brazil.] [Refs - b0908; b2747; b3392; b0111; b3818; b2406; b1975; b2631]
- b **jedja** Fruhstorfer, 1916; *Nacaduba* OD: *Zoöl. Meded.* 2(2):131 [b1873] SS: *beroe* (Felder & Felder), 1865; *Nacaduba* [Type: BMNH-ht] [TypeL - Nias.] [Refs - b4676; b0938; b4094; b1454]
- a **jefferyi** (Swiersta), 1909; *Lycaena* OD: *Ann. Transv. Mus.* 1:176 [b4563] CG: *Lepidochrysops* [TypeL - S. Africa.] [Refs - b1259; b1452; b4400]
- a **jefferyi** Hawker-Smith, 1928; *Aphnaeus* OD: *Bull. Hill Mus.* 2(1):30 [b2164] [Type: BMNH] [TypeL - Kiiale, Kenya.] [Refs - b4387; b1452; b4400; b2164]
- b **jefferyi** Stempffer, 1950; *Eresinopsides* OD: *Revue fr. Ent.* 17(2):135 [b4377] SS: *bichroma* Strand, 1911; *Eresinopsides* [TypeL - Kenya.] [Refs - b1452; b4400]
- b **jefferyi** Jackson, 1969; *Telipna* OD: *Bull. Br. Mus. nat. Hist.* (Ent.) 23(1):9 [b2568] SS: *aurivillii* Rebel, 1914; *Telipna* [TypeL - Budongo Forest, Uganda.] [Refs - b1452]
- a **jehana** Moore, [1884]; *Tajuria* OD: *Proc. zool. Soc. Lond.* 1883(4):529, pl 49, f 7 [b3235] [TypeL - Lucknow.] [Refs - b1636; b1153; b4094; b3235; b1454; b0694]
- c **jeholana** (Matsumura), 1939; *Lycaena* OD: *Bull. Biogeogr. Soc. Japan* 9(20):357, f [b3105] SS: *orion* (Pallas), 1771; *Scolitantides* [TypeL - Manchuria.] [Refs - b0083]
- e **ab. jemezensis** Gunder, 1927; *Everes* OD: *Can. Ent.* 59(12):284, pl A, f 11 [b2099] SS: *herii* (Grinnell), 1901; *Everes* [Type: AMNH-ht] [TypeL - Jemez Springs, New Mexico.] [Refs - b0908; b3192; b1321; b4690; b0493]
- a **jemima** Hewitson, 1869, 1869-1877; *Eurybia* OD: *Equatorial Lep. Buckley* (3):45 [b2330] [TypeL - Ecuador.] [Refs - b2747; b4474; b1456]
- a **jeneirica** (C. Felder), 1862; *Thecla* OD: *Verh. zool.-bot. Ges. Wien* 12:474 [b1677] CG: *Calycopis* [TypeL - Rio de Janeiro, Brazil.] [Refs - b0908; b2221 (as *janeirica*); b2623]
- b **jenissejensis** (Sheljuzhko), 1928; *Lycaena* OD: *Lep. Rdsch.* 2:46, f 5 [b4168] SS: *alcon* ([Denis & Schiffemüller]), 1775; *Maculinea* [TypeL - Siberia.] [Refs - b0236; b0066]
- a **jenniferi** Johnson, 1992; *Tigrinota* OD: *Rep. Mus. Nat. Hist. Univ. Wis.* (Stevens Point) (22):187, f [b2611] [Type: AMNH-ht] [TypeL - Rio Tacanas, Amazonas, Colombia.] [Refs - b0125; b2616; b2611]
- c **jermyni** (Swinhoe), 1910, 1909-1913; *Plebeius* OD: *In Moore, Lep. Ind.* 8:89, pl 660, f 2 [b4575] SS: *antiqua* (Staudinger), 1899; *Plebejus* (*Eumedonia*) [TypeL - Himalaya.] [Refs - b1636; b4180; b0236; b0694]
- a **jesous** (Guérin-Méneville), 1847; *Polyommatus* OD: *In Lefebvre, Voyage Abyss.* 6:383, pl 11, f 3,4 [b2089] CG: *Azanus* [TypeL - Africa.] [Refs - b1943; b1636; b1259; b2375; b1840; b2747; b0995; b1762; b2905; b1452; b0293; b2898; b4400; b2560; b3609; b2753; b2859; b4092]
- a **jessa** (Boisduval), 1836; *Nymphidium* OD: *Spec. gén. Lépid.* 1:pl 6 [=2B], f 10 [b0462] CG: *Charis* [TypeL - Brasilia.] [*Note - May be a synonym of azora.*] [Refs - b4474; b1039; b1456]
- a **jesse** (Butler), 1870; *Lymnas* OD: *Ann. Mag. nat. Hist.* (4)5:363 [b0592] CG: *Esthemopsis* [TypeL - Venezuela.] [Refs - b2988 (as *jessi*); b2747; b4474; b1456]
- b **jetavanus** (Seitz), [1927], 1912-1927; *Lampides* OD: *In Seitz, Grossschmett. Erde* 9:1114, pl 151g [b4094] SS: *elpis* (Godart), [1824]; *Jamides* [TypeL - Not stated.] [Refs - b4094]
- b **jeunana** (Forster), 1940; *Glaucopsyche* OD: *Mitt. münchn. ent. Ges.* 30(3):877 [b1764] SS: *atrogutata* (Oberthür), 1876; *Phengaris* [TypeL - China.]
- a **jeziela** Butler, 1869; *Mesosemia* OD: *Cistula Entomologica* 1(1):11 [b0587] [TypeL - Bogota.] [Refs - b2988; b2753; b4474; b1456]
- b **jezoensis** (Matsumura), 1915; *Zephyrus* OD: *Ent. Mag.* (Kyoto) 1(2):57,60; pl 2, f 6 [b3086] SS: *ultramarina* (Fixsen), 1887; *Favonius* [TypeL - Sappora, Japan.] [Refs - b4115; b3778; b1913; b2827 (kezoensis); b1900 (as good species); b2866; b0236; b1399 (jes.); b4214 (good species); b4200; b3296; b3086; b0471; b1455]
- c **jezoensis** Matsumura, 1919; *Taraka* OD: *Thous. Ins. Japan Addit.* 3:735 [b3089] SS: *hamada* (H. Druce), 1875; *Taraka* [TypeL - Japan.] [Refs - b0236]
- b **jezoensis** (Matsumura), 1919; *Thecla* OD: *Thous. Ins. Japan Addit.* 3:616 [b3089] SS: *pruni* (Linnaeus), 1758; *Fixsenia* [TypeL - Japan.] [Refs - b1900]
- c **jezoensis** (Matsumura), 1919; *Lycaena* OD: *Thous. Ins. Japan Addit.* 3:651; pl 49, f 28 [b3089] SS: *orion* (Pallas), 1771; *Scolitantides* [TypeL - Japan.] [Refs - b1900; b0236; b0067]
- d **jezoensis** (Matsumura), 1926, (H); *Lycaena* OD: *Ins. matsumur.* 1(1):28, pl 2, f 14 [b3092] OS: *matsumurai* Shirôzu, 1953; *Maculinea* [TypeL - Japan.] [Refs - b2479; b0236; b0087; b0471; b0064]
- e **jezoensis** Shirôzu, 1952, (ISS); *Antopoetes* OD: *Sieboldia* 1(1):11-37 [b4192] SS: *yezoensis* Nakahara, 1951; *Antopoetes* [Refs - b4192]
- c **jezonicus** Murayama, 1953; *Favonius* OD: *Tyô to Ga* 3(3):19, f 13,14,15 [b3276] SS: *saphirina* (Staudinger), 1887; *Favonius* [Type: pc-ht; collection of Murayama.] [TypeL - Hokkaido] [Refs - b1900; b3276; b2509]
- c **jhana** Fruhstorfer, [1914], 1909-1923; *Abisara* OD: *In Seitz, Grossschmett. Erde* 9:782, pl 140c [b1840] SS: *angulata* Moore, [1879]; *Abisara* [Type: BMNH-ht] [TypeL - Chin Hills.] [Refs - b0294; b4473; b1840]
- b **jiadengyuensis** (Huang & Murayama), 1992; *Thersamonia* OD: *Tyô to Ga* 43(1):9, f 27,28 [b2478] SS: *thersamon* (Esper), [1784]; *Lycaena* (*Thersamonia*) [Type: BLXU-ht] [TypeL - Jiadengyu, Altai, Xinjiang, China.] [Refs - b2478]
- b **jiadengyunus** (Huang & Murayama), 1992; *Cyaniris* OD: *Tyô to Ga* 43(1):11, f 32 [b2478] SS: *semiargus* (Rottemburg), 1775; *Polyommatus* (*Cyaniris*) [Type: BLXU-ht] [TypeL - Jiadengyu, Altai, Xinjiang, China.] [Refs - b2478]

- a **jivaro** Nicolay, 1971; Arcas OD: *J. Lep. Soc.* 25(2):105, f 1a, 5a, 11A-D [b3389] [Type: USNM-ht] [TypeL - Eastern Ecuador.] [Refs - b0102; b3389; b0556]
- b **jiwabarwana** (Eliot), 1980; Chliaria OD: *Tyô to Ga* 31(1,2):56, f 11, 12 [b1565] SS: othona Hewitson, [1865]; *Hypolycaena* (Chliaria) [Type: BMNH-ht] [TypeL - Indonesia.] [Refs - b1610 (113-E12); b0113; b1565]
- c **ab. joannisi** (Glais), 1926; *Lycaena* OD: *Encyc. ent. Ser. B. III. Lep.* 1(3):119, pl 4, f 4 [b1966] SS: plouhamelensis Oberthür, 1910; Plebejus [TypeL - France.] [Refs - b0471; b0064; b1966]
- b **joannisi** (Dufrane), 1939; Thecla OD: *Bull. Anns Soc. ent. Belg.* 79:290 [b1408] SS: davara (Hewitson), 1868; Strymon [TypeL - Trujillo, Peru.] [Refs - b0908; b3846; b4782]
- c **joannisi** Dufrane, 1954, (IFS); *Axioceres* OD: *Bull. Anns Soc. ent. Belg.* 90:284 [b1412] SS: harpax (Fabricius), 1775; *Axioceres* [TypeL - Rhodesia.]
- a **jobates** (Hopffer), 1855; *Lycaena* OD: *Ber. Verh. Akad. Berl.* 1855:642 [b2443] CG: *Cupidopsis* [TypeL - Africa mer. et or.] [Type of - *Cupidopsis*] [*Check - Spelling.*] [Refs - b1943; b2280; b1259; b2747; b1452; b0836; b2898 (as iobates); b4400 (as iobates); b1235; b2899 (as iobates); b2920]
- b **jobiensis** Tite, 1960; Jamides OD: *Bull. Br. Mus. nat. Hist. (Ent.)* 9(5):332 [b4671] SS: aleuas (Felder & Felder), 1865; Jamides [Refs - b4671; b1450]
- b **jobina** (Evans), 1957; Narathura OD: *Bull. Br. Mus. nat. Hist. (Ent.)* 5(3):101 [b1644] SS: cleander (C. Felder), 1860; Arhopala f [Type: BMNH-ht] [TypeL - Jobi Island.] [Refs - b1644; b1450]
- b **jocularis** Stichel, 1909; *Ancyluris* OD: *Berl. ent. Z.* 54(1/2):39 [b4444] SS: aulestes (Cramer), [1777]; *Ancyluris* [TypeL - Colombia.] [Refs - b4474]
- c **ab. jodina** Aigner-Abafi, 1906; Everes OD: *Anns hist-nat. Mus. natn. hung.* 4:515 [b0029] SS: argiades (Pallas), 1771; Everes [Refs - b0236; b0400; b0471]
- a **johanna** E. Sharpe, 1890; Alaena OD: *Ann. Mag. nat. Hist. (6)5:442* [b4149] [TypeL - British East Africa.] [Refs - b4474; b1452; b4400]
- a **johannae** E. Sharpe, 1890; Baeotis OD: *Proc. zool. Soc. Lond.* 1890(3):573, pl 46, f 7 [b4152] [TypeL - Brazil.] [Refs - b1456]
- c **ab. johannae** (Andres), 1914; *Lycaena* OD: *Bull. Soc. ent. Egypte* 1914:86 [b0059] SS: uranicola (Walker), 1870; *Polyommatus* (Plebejidea) [TypeL - Egypt.] [Refs - b0109; b0236; b0059; b0471]
- b **johanseni** (Wnukowsky), 1934; *Lycaena* OD: *Ent. Anz.* 14:111 [b5027] SS: orion (Pallas), 1771; *Scolitantides* [TypeL - Russia.] [Refs - b0072]
- a **johnsoni** (Skinner), 1904; Thecla OD: *Ent. News* 15(9):298 [b4238] CG: *Loranthomitoura* [Type: CM-st] [TypeL - Seattle, Washington; British Columbia.] [LifeH - Tietz lists b4238.] [Refs - b1530 :208, f 396; b1321 :53; b2583; b2717; b3192; b2586; b2585; b4066; b4652; b0126]
- b **johnsoniana** Holland, 1890; Iraota OD: *Proc. Boston Soc. nat. Hist.* 25:73 [b2422] SS: rochana (Horsfield), [1829]; Iraota [TypeL - Celebes.] [Refs - b4094; b1454; b4589]
- a **johnstoni** (Dannat), 1904; Monethe OD: *Entomologist* 37:174, pl 7, f 2 [b1098] CG: *Colaciticus* [TypeL - British Guiana.] [Type of - *Colaciticus*] [Refs - b2988; b2280; b4474; b1456]
- a **johoreana** Corbet, 1941; Arhopala OD: *Proc. R. ent. Soc. Lond.* (B)10(9):153 [b0956] CG: Arhopala a [Type: BMNH-ht] [TypeL - Malay Peninsula.] [Refs - b1644; b1556; b0956; b1454]
- a **johorensis** (Cowan), 1958; *Marmessus* OD: *Malay Nat. J.* 13(2):85-89, f [b1006] CG: *Drupadia* [Type: BMNH-ht; designated by Cowan, 1974] [*Bull. Br. Mus. nat. Hist. (Ent.)* 29(6):348 [b1030]] [TypeL - Johore, West Malaysia.] [Refs - b1030; b0965; b1454; b3401]
- b **joiceyi** Lathy, 1924; *Euselasia* OD: *Ann. Mag. nat. Hist. Euselasia* [Refs - b2917] SS: opalescens (Hewitson), [1855]; *Euselasia* [Refs - b4474]
- b **jokoi** Hanafusa, 1993; *Zemeros* OD: *Futao* (11):15, pl 5, f 9-12 [b2125] SS: flegyas (Cramer), [1780]; *Zemeros* [Type: pc-ht; collection of Hanafusa.] [TypeL - Mt. Dempo, South Sumatra, Indonesia.] [Refs - b0126; b4068]
- a **jola** Parsons, 1986; *Callictia* OD: *Bull. Allyn Mus.* (103):13, f46-49, 96-101 [b3549] [Type: ANIC-ht; #2381] [TypeL - Bridge Camp, Loloipa River, Tapini, New Guinea.] [Refs - b3549; b2388]
- c **jolcus** (C. Felder), 1860; *Myrina* OD: *Sber. Akad. Wiss. Wien* 40(11):451 [b1676] SS: isabella (C. Felder), 1860; Bindahara [Refs - b2747; b4094]
- e **jollans** Verity, 1948, 1947-1957; *Cupido* OD: *Var. Pap. dium. France* :84 [b4863] SS: minimus (Füssly), 1775; *Cupido* [Refs - b0400]
- b **joloana** (Staudinger), 1889; *Sithon* OD: *Deut. ent. Zeit. [Iris]* 2:109 [b4332] SS: ravindra (Horsfield), [1828]; *Drupadia* [Type: ZMHU-ht; designated by Takanami, 1989] [*Tyô to Ga* 40(1):30 [b4602]] [TypeL - Jolo Island, Philippines.] [*Note - The name is usually attributed to Fruhstorfer, [1912].*] [Refs - b1030; b4094; b0105; b2201; b1454; b4602; b4601]
- b **joloana** Fruhstorfer, [1912]; *Horaga* OD: *Berl. ent. Z.* 56(3/4):232 [b1850] SS: syrinx (C. Felder), 1860; *Horaga* [TypeL - Tolo.] [Refs - b1012; b4094 (also as jolcana); b2078; b2201; b1850; b1454]
- b **jolona** Fruhstorfer, 1908; *Curetis* OD: *Stett. ent. Ztg* 69:52 [b1835] SS: tagalica (Felder & Felder), 1862; *Curetis* [Type: BMNH-ht] [Refs - b0936; b1835; b4094]
- b **jona** (Evans), 1957; Narathura OD: *Bull. Br. Mus. nat. Hist. (Ent.)* 5(3):117 [b1644] SS: micale Boisduval, 1853; Arhopala h [Type: BMNH-ht] [TypeL - Mioswar Island.] [Refs - b1644; b1450]
- a **jonasi** (Janson), 1877; Thecla OD: *Cistula Entomologica* 2(16):157 [b2572] CG: *Shirozua* [TypeL - Japan.] [Type of - *Shirozua*] [Refs - b4115; b2280; b2753; b0996; b2827 (Thecla); b2479; b1900; b2866; b4214; b4200; b4092]
- b **jonathani** Pringle, 1987; *Aloeides* OD: *Ent. Rec.* 99(1/2):4, f [b3649] SS: pallida (Riley), 1938; *Aloeides* [TypeL - Cape Province, S. Africa.] [Refs - b0120]
- a **jonesi** Johnson, 1992; *Candora* OD: *Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point)* (22):36 [b2610] [Type: biblio; replacement for schausa Jones, 1912] [TypeL - Castro, Paraná and Sao Paulo, Brazil.] [Refs - b0125; b2610]
- b **jopa** Fruhstorfer, 1908; *Curetis* OD: *Stett. ent. Ztg* 69:53 [b1835] SS: tagalica (Felder & Felder), 1862; *Curetis* [Type: BMNH-ht] [TypeL - Borneo.] [Refs - b0964; b0936; b4094; b1454; b4108]
- e **joranus** O. Bang-Haas, 1930, 1926-1930, (ISS); *Favonius* OD: *Novit. Macrolep.* (1):75 [b0236] SS: jozanus Matsumura, 1931; *Favonius* [Refs - b0236]
- a **jordani** Seitz, [1917], 1910-1924; *Colaciticus* OD: *In Seitz, Grossschmett. Erde* 5:672, pl 142e [b4093] [TypeL - Brazil.] [Refs - b2988; b4474; b1456]
- c **jordanus** (Staudinger), 1897; *Jolaus* OD: *Deut. ent. Zeit. [Iris]* 10:153, pl 5, f 5 [b4344] SS: glaucus Butler, [1886]; *Iolaus* (Epamera) [TypeL - Palestine.] [Refs - b2988; b0995; b1452; b0293; b2898; b0116; b4400; b4092]

- c **josephina** (de Sagarra y Castellamau), 1924; *Agraides* OD: *Bull. Inst. catal. Hist. nat.* (2)4:202 [b1176] SS: *thersites* (Cantener), 1834; *Polyommatus* (*Plebicula*) [TypeL - Spain.] [Refs - b3059; b0236; b0471]
- b **josephina** Harris, 1952; *Candalides* OD: *N. Qd Nat.* 20:33, f [b2139] SS: *hyacinthina* (Semper), [1879]; *Candalides* [TypeL - Stawell, Victoria, Australia.] [Refs - b4677; b1450]
- a **joviana** Schaus, 1902; *Chamaelinnas* OD: *Proc. U. S. natn. Mus.* 24(1262):401 [b3948] [Type: USNM-ht; #5905] [TypeL - Peru.] [Refs - b2988; b4474; b2221; b3948; b1456]
- a **joya** (Dognin), 1895; *Thecla* OD: *Annl. Soc. ent. Belg.* 39:106 [b1297] CG: *Electrostrymon* [Type: BMNH-ht] [TypeL - Loja, Ecuador.] [Refs - b0908; b2631; b2628]
- c **jozanus** (Matsumura), 1915; *Zephyrus* OD: *Ent. Mag. (Kyoto)* 1(2):58,61, pl 2, f 8 [b3086] SS: *cognata* (Staudinger), 1892; *Favonius* [TypeL - Sapporo, Japan.] [Refs - b1900; b4214; b2510; b3086; b0471]
- d **jozanus** Matsumura, 1931, (H); *Favonius* OD: 6000 III. *Ins. Jap.* :573, f 401 [b3100] SS: *ultramarina* (Fixsen), 1887; *Favonius* [Refs - b4115 (as *jozanus*); b3873; b2479]
- c **juana** Fruhstorfer, [1904]; *Abisara* OD: *Berl. ent. Z.* 48(4):289 [b1817] SS: *mindanaensis* Semper, 1892; *Abisara* [Refs - b0294; b1840]
- a **juana** Tite & Dickson, 1968; *Aloeides* OD: *Bull. Br. Mus. nat. Hist. (Ent.)* 21(7):374, pl 3 [b4684] [Type: BMNH-ht] [TypeL - Cape Province, South Africa.] [Refs - b4684; b1259; b0104; b1452; b4685]
- a **juanae** Orfila, 1951; *Mesene* OD: *Folia univ.* 5:54 [b3514] [TypeL - Bolivia.] [Refs - b0086; b1456]
- c **juanita** (Scudder), 1868; *Thecla* OD: *Proc. Boston Soc. nat. Hist.* 11:435 [b4074] SS: *halesus* (Cramer), [1777]; *Atlides* [TypeL - Pilatka (now Palatka), Florida.] [Refs - b2747; b3192; b1321; b1975]
- c **juanita** (Staudinger), [1887], 1884-1888; *Lemonias* OD: *In Exot. Schmett.* 1:258; 2:pl 92 [b4329] SS: *occidentalis* (Godman & Salvin), [1886]; *Argyrogrammana* [TypeL - Colombia.] [Refs - b4474]
- a **juba** (Fabricius), 1787; *Papilio* OD: *Mantissa Ins.* 2:82 [b1656] CG: *Anthene* [Type: ZMC-ht] [TypeL - Sierra Leon Africae.] [Refs - b2747; b1452; b0836; b4400; b5076 (as *iuba*, but *juba* in index)]
- a **jucunda** Stichel, 1923; *Mesosemia* OD: *Z. wiss. Insektbiol.* 18(10/11):271 [b4457] [TypeL - Brazil.] [Refs - b4474; b1456]
- a **judae** Johnson, 1988; *Femniterga* OD: *Insecta Mundi* 2(1):39, f 2E-H; 4B,H; 5D [b2595] [Type: AMNH-ht] [TypeL - Mosconi, Salta Province, Argentina.] [Refs - b2595; b2623; b2606]
- a **judicialis** Butler, 1874; *Mesosemia* OD: *Trans. ent. Soc. Lond.* 22(4):430 [b0598] [TypeL - Ucayali.] [Refs - b2753; b4474; b1456]
- b **judithi** Gómez Bustillo, 1978; *Plebejus* OD: *Treb. Soc. catal. Lep.* 1:21 [b1986] SS: *nicias* (Meigen), 1829; *Plebejus* (*Pseudoaricia*) [TypeL - Spain.] [Refs - b0111]
- b **jugata** Stichel, 1919; *Euselasia* OD: *Deut. ent. Zeit.* 1919:168 [b4454] SS: *clithra* (Bates), [1868]; *Euselasia* [Type: pc-ht; collection of Stichel] [TypeL - Rio Juruá.] [Refs - b4474; b4454]
- c **jugurtha** Oberthür, 1876; *Cigaritis* OD: *Étud. ent.* 1:20-21 [b3416] SS: *zohra* Donzel, 1847; *Cigariüs* [TypeL - Algeria.] [Refs - b2753; b0996; b0236; b4092; b0471]
- a **jugurtha** Staudinger, [1887], 1884-1888; *Symphachia* OD: *In Exot. Schmett.* 1:254; 2:pl 91 [b4329] [TypeL - Colombia.] [Refs - b2988; b4474; b1456]
- c **jugurtha** (Fruhstorfer), 1910; *Cyaniris* OD: *Stett. ent. Ztg.* 71(2):298 [b1843] SS: *clothales* (Fruhstorfer), 1910; *Udara* (*Selmanix*) [Type: BMNH-ht; designated by Eliot & Kawazoe, 1983] [*Butus* *Lycaenopsis* group :144 [b1580]] [TypeL - Flores, Sumatra.] [Refs - b1840; b1580]
- e **juica** Dallas, 1868, (ISS); *Rekoa* OD: *Zool. Rec.* 3(1866)(Ins.):470 [b1090] SS: *juicha* (Reakirt), [1867]; *Rekoa* [Refs - b3192]
- c **juicha** (Reakirt), [1867], 1866-1867; *Thecla* OD: *Proc. Acad. nat. Sci. Philad.* 18:338 [b3697] SS: *palegon* (Cramer), [1780]; *Rekoa* [TypeL - Near Vera Cruz, Mexico.] [Refs - b0908; b1091 (as *juica*); b2747; b3192; b1975; b3817]
- a **juldusa** (Staudinger), 1886, 1886-1889; *Lycaena* OD: *Stett. ent. Ztg.* 47:213 [b4330] CG: *Polyommatus* (*Agrodiaemus*) [Refs - b3012; b1772; b2479; b1004; b4092; b1455]
- b **julia** (Saunders), [1850]; *Erycina* OD: *Trans. ent. Soc. Lond.* (1)5(9):pl 21, f 1,1a,2,2a (nec :225) [b3938] SS: *meliboeus* (Fabricius), 1777; *Ancyluris* [Type: biblio-ht; designated by Hemming, 1964] [Annot. Lep. (3):103 [b2273]] [Type of - *Melibaea*] [Note - The text portion of the original description applies to *Papilio aulestes* Cramer, [1779].] [Refs - b2280; b2747; b3938; b2273]
- a **julia** H. Druce, 1878; *Euselasia* OD: *Ent. mon. Mag.* 15:102 [b1389] [TypeL - Santarem.] [Refs - b4474; b1456]
- a **julia** Nicolay, 1977; *Magnastigma* OD: *Bull. Allyn Mus.* (44):14, f 10e,f,13,14,20 [b3391] [TypeL - Brazil.] [Refs - b3391; b0559]
- b **juliae** (Kardakoff), 1928; *Deudorix* OD: *Ent. Mit.* 17:271, pl 7, f 12 [b2692] SS: *arata* (Bremer), 1861; *Rapala* [TypeL - Ussuri, USSR.] [Refs - b1913; b0236; b0471]
- a **juliae** Henning & Henning, 1988; *Capys* OD: *Durban Mus. Novit.* 14(6):117, f [b2286] [Type: DM-ht] [TypeL - Cherangani Hills, Kenya.] [Refs - b2286]
- b **juliana** (van Eecke), 1914; *Lampides* OD: *Notes Leyden Mus.* 36(3/4):250 [b4792] SS: *pura* (Moore), 1886; *Jamides* [TypeL - Simalur.] [Refs - b3786; b4094; b1865; b1454]
- c **julianus** Staudinger, 1891; *Iolaus* OD: *Deut. ent. Zeit.* [Iris] 4(1):144, pl 1, f 2 [b4334] SS: *alcibiades* Kirby, 1871; *Iolaus* (*Iolaphilus*) [TypeL - Sierra Leone.] [Refs - b4400]
- c **julius** Staudinger, 1891; *Iolaus* OD: *Deut. ent. Zeit.* [Iris] 4(1):146 [b4334] SS: *lukabas* H. H. Druce, 1890; *Iolaus* (*Iolaphilus*) [TypeL - Sierra Leone.] [Refs - b0836; b4400]
- a **julus** Hewitson, [1869], 1863-1878; *Iolaus* OD: *Ill. diurn. Lep. Lycaenidae Suppl.*:9, pl 4, f 41-43 [b2326] CG: *Iolaus* (*Iolaphilus*) [TypeL - I. Sherborough.] [Refs - b2747 (as *iulus*); b1452; b0836 (as *iulus*); b1661]
- b **jumaloni** Hayashi, 1976; *Jamides* OD: *Tyô to Ga* 27(4):152, f [b2185] SS: *schatzi* (Röber), [1886]; *Jamides* [TypeL - Palawan, Philippines.] [Refs - b2186]
- b **jumaloni** Treadaway & Nuyda, 1993; *Paruparo* OD: *Fil-Kulisap* 1(2):7 [b4713] SS: *lumawigi* (Schröder), 1976; *Paruparo* [Type: pc-ht; collection of Treadaway] [TypeL - Mt. Cuitinguitin, Sibuyan, Philippines.] [Refs - b4713]
- b **junae** Dickson, 1974; *Lepidochrysops* OD: *Ent. Rec.* 86:65 [b1255] SS: *oreas* Tite, 1964; *Lepidochrysops* [TypeL - Klein Drakenstein Mts., Cape Province, S. Africa.] [Refs - b1259; b0105]
- e **ab. juncta** (Tutt), 1906, 1905-1914; *Rumicia* OD: *Nat. Hist. Brit. Butts* 1:362 [b4760] SS: *phlaeas* (Linnaeus), 1761; *Lycaena* (*Lycaena*) [Refs - b0236; b0389; b4760]
- e **ab. juncta** (Tutt), 1909, 1905-1914; *Plebeius* OD: *Nat. Hist. Brit. Butts* 3:185 [b4760] SS: *argus* (Linnaeus), 1758; *Plebejus* [Refs - b0236; b0471]
- e **ab. junctacaudata** (Tutt), 1906, 1905-1914; *Rumicia* OD: *Nat. Hist. Brit. Butts* 1:362 or 363 [b4760] SS: *phlaeas* (Linnaeus), 1761; *Lycaena* (*Lycaena*) [Refs - b0236; b0389]

- b juniperaria** J. A. Comstock, 1925; *Mitoura* OD: Bull. S. Calif. Acad. Sci. 24(2):37, f [b0872] SS: siva (Edwards), 1874; *Mitoura* [Type: LACM-ht] [TypeL - Mint Canyon, Sierra Madre Mountains, California.] [Refs - b3192; b1321; b2585; b4182]
- a juno** (Butler), [1897]; *Cyclirius* OD: Proc. zool. Soc. Lond. 1896(4):830, pl 41, f 5 [b0646] CG: Harpendyreus [TypeL - Kasungu Mt., Nyika, Nyasaland.] [Refs - b1943; b1452; b0162; b4400]
- a juno** Hemming, 1933; *Polyommatus* OD: Entomologist 66:7 [b2248] [TypeL - Lebanon.] [Note - Described as a subspecies of *icarus*.] [Refs - b0113; b0071; b0206]
- e juno** Le Moult, 1940, 1939-1940, (IFS); *Helicopsis* OD: Novit. ent. (16):127 [b2943] SS: cupido (Linnaeus), 1758; *Helicopsis* [Type: AME-ht] [Refs - b3199]
- a juno** Rebillard, 1958; *Dysmathia* OD: Mém. Mus. natn. Hist. nat. (A)15:201, pl 2, f 20 [b3717] [Type: MNHN-ht] [TypeL - Rio Putumayo, Colombia.] [Refs - b3717; b0093; b1456]
- a junodi** d'Abbrera, 1980; *Spindasis* OD: Butts Afrotropical Region :480, f [b1452] [TypeL - Transvaal.] [Refs - b0113; b1452]
- a junta** Stichel, 1910; *Mesosemia* OD: Gen. Insectorum 112(A):60 [b4446] [Type: ZMHU-ht] [TypeL - Vilcanota, Peru.] [Refs - b4474; b1456; b4446]
- e ab. jura** (Strand), 1927; *Lycaena* OD: Arch. Naturgesch. (A)91(11):282 [b4529] SS: semiargus (Rottemburg), 1775; *Polyommatus* (Cyaniris) [Note - Replacement name for *ab. caerulescens* Reverdin.] [Refs - b4529 (= caerulescens); b0236; b0066; b0471]
- e jurae** (Verity), 1926, 1926-1933, (RA); *Agrinae* OD: Ent. Rec. 38:123 [b4844] SS: coridon (Poda von Neuhaus), 1761; *Polyommatus* (Lysandra) [Type: MZS-st] [TypeL - Jura.] [Refs - b2856; b0236; b0410; b0471; b4038]
- e juragloria** Beuret, 1953; *Helleia* OD: Lyc. Schweiz. I :58 [b0389] SS: helle (Denis & Schiffemüller), 1775; *Helleia* A [TypeL - Switzerland.] [Refs - b0389]
- a juratrix** Westwood, [1851], 1846-1852; *Symmachia* OD: In Gen. dium. Lep. (2):445, nota [b4981] [TypeL - Para.] [Refs - b2747; b4474; b1456]
- a jurgenseni** (Saunders), [1850]; *Erycina* OD: Trans. ent. Soc. Lond. (1)5(9):220, pl 20, f 3 [b3938] CG: Ancylyris [TypeL - Mexico.] [Refs - b2988; b2747; b4474; b3938; b2406; b1456]
- a jurileontyi** Schjotkin, 1986; *Turanana* OD: Senckenbergiana 66(4-6):251-254 [b3966] [Type: ZIL-ht] [TypeL - Turkestan Mt. Ridge, Tajikistan (Tadzhikistan).] [Refs - b3966]
- b jusana** H. H. Druce, 1895; *Jacoona* OD: Proc. zool. Soc. Lond. 1895(3):609, pl 34, f 3 [b1362] SS: anasuja (Felder & Felder), 1865; *Jacoona* [TypeL - Borneo.] [Refs - b4094; b1362; b1578; b4108]
- b justini** Schröder & Treadaway, 1988; *Liphya* OD: Ent. Zeit. 98(21):320, f 4 [b3986] SS: brassolis Westwood, [1864]; *Liphya* [TypeL - Philippines.] [Refs - b3986]
- c justoi** (Agenjo), 1967; *Glaucopsyche* OD: Eos 43:19 [b0020] SS: marchandii (Boisduval), 1834; *Apelles* [Refs - b3059]
- a juturna** Felder & Felder, 1865, 1865-1875; *Eurybia* OD: Reise Novara (2):228 [b1692] [TypeL - Guiana.] [Refs - b2988; b2747; b4474; b1456]
- a juturna** Hewitson, 1869, 1869-1877; *Necyria* OD: Equatorial Lep. Buckley (3):48 [b2330] [TypeL - Ecuador.] [Refs - b2747; b4474; b1456]
- b juvara** (Fruhstorfer), 1908; *Chrysophanus* OD: Int. ent. Z. 2(29):195 [b1834] SS: virgaureae (Linnaeus), 1758; *Lycaena* (Heodes) [TypeL - Bayern: Passau.] [Refs - b0389; b4092; b2858]
- c juvenal** (Fruhstorfer), [1923], 1909-1923; *Tarucus* OD: In Seitz, Grossschmett. Erde 9:893 [b1840] SS: hyrcanus (C. Felder), 1860; *Leptotes* [TypeL - Bajjan.] [Refs - b1450; b2698 (as good ssp); b1840; b4108]
- c jyntheana** (Moore), [1884]; *Cyaniris* OD: Proc. zool. Soc. Lond. 1883(4):524, pl 48, f 10 [b3235] SS: iyntheana (de Nicéville), [1884]; *Celastrina* [Type: BMNH-ht; designated by Eliot & Kawazoé, 1983] [TypeL - Khasia Hills, India.] [Refs - b1580; b0400; b3235; b1840]
- a kabrosae** (Bethune-Baker), 1906; *Catochrysops* OD: Ann. Mag. nat. Hist. (7)17:107 [b0338] CG: *Euchrysops* [Type: BMNH-st] [TypeL - Kabros, N'joro, British East Africa.] [Refs - b1452; b2898; b4400; b0359]
- a kabrua** (Tytler), 1915; *Zephyrus* OD: J. Bombay nat. Hist. Soc. 24(1):128, pl 4, f 41 [b4772] CG: *Chrysozephyrus* [TypeL - India.] [Refs - b4198; b4145 (as kabruae); b0113; b0236; b4214; b4200; b3296; b1454; b0694; b2463]
- e kabruae** (Sharpe), [1917], (ISS); *Zephyrus* OD: Zool. Rec. 52(1915)(Ins.):197 [b4145] SS: kabrua (Tytler), 1915; *Chrysozephyrus* [Refs - b4145]
- b kacheleba** d'Abbrera, 1980; *Myrina* OD: Butts Afrotropical Region :474, f [b1452] SS: subornata Lathy, 1903; *Myrina* [TypeL - Kenya.] [Refs - b0113; b1452]
- b kadazanensis** Barlow & Banks & Holloway, 1971; *Celastrina* OD: Orient. Insects 5(3):287 [b0239] SS: algemoni (Fruhstorfer), [1917]; *Celastrina* [Type: BMNH-ht] [TypeL - Mt Kinabalu, Borneo.] [Refs - b0102; b1580; b2200; b4108]
- a kadenii** (Felder & Felder), 1861; *Lemonias* OD: Wien. ent. Monats. 5(4):101 [b1684] CG: *Imelda* [TypeL - Venezuela.] [Refs - b2747; b4475; b1456]
- a kadiskos** H. H. Druce, 1890; *Hypolycaena* OD: Ann. Mag. nat. Hist. (6)5:27 [b1353] [TypeL - W. Africa.] [Refs - b1452; b4400]
- b kadugli** Talbot, 1935; *Axiocerses* OD: Ent. mon. Mag. 71:120, pl 2, f 9 [b4623] SS: harpax (Fabricius), 1775; *Axiocerses* [TypeL - Sudan.] [Refs - b0831; b1452; b2898; b2901; b4623; b4400]
- b f. kaduglii** (Bethune-Baker), 1916; *Spindasis* OD: Ann. Mag. nat. Hist. (8)17:379 [b0354] SS: nilus (Hewitson), [1865]; *Aphanius* [TypeL - Kordofan.] [Refs - b4400]
- a kaffana** (Talbot), 1935; *Castalius* OD: Ent. mon. Mag. 71:149, pl 2, f 17 [b4623] CG: *Tuxentius* [TypeL - Abyssinia.] [Refs - b0714; b1452; b2898; b4623; b4400; b2899]
- a kafuensis** (Neave), 1910; *Deudorix* OD: Proc. zool. Soc. Lond. 1910(1):44, pl 2, f 11 [b3346] CG: *Hypokopelates* [TypeL - Rhodesia.] [Refs - b1943; b1452; b3346; b4400]
- b kagera** Talbot, 1935; *Alaena* OD: Ent. mon. Mag. 71:69, pl 1, f 1; pl 3, f 2 [b4623] SS: caissa Rebel & Rogenhofer, 1894; *Alaena* [TypeL - Uganda.] [Refs - b1452; b4623; b4400]
- b kagizmanensis** (Kocak), 1980; *Aricia* OD: Nota lepid. 2(4):142 [b2790] SS: eumedon (Esper), [1780]; *Plebejus* (Eumedonia) [Type: biblio; replacement for osiris Bang-Haas, 1927.] [Refs - b0113; b2790]
- a kaguya** Eliot & Kawazoé, 1983; *Callenya* OD: Butts Lycaenopsis group :263, f [b1580] [Type: BMNH-ht] [TypeL - West Mt Mantalingajam, Taot-Daram, south Palawan, Philippines.] [Refs - b1580; b2200]
- b kaiphas** (Fruhstorfer), 1915; *Luthrodes* OD: Deut. ent. Zeit. [Iris] 29:47 or 48 [b1860] SS: cleotas (Guérin-Méneville), [1831]; *Chilades* [TypeL - New Guinea.] [Refs - b1450; b4094; b1860]
- a kala** (de Nicéville), 1890; *Everes* OD: Butts India Burmah Ceylon 3:139, pl 26, f 181 [b1153] CG: *Tongeia* [TypeL - E. India.] [Refs - b1636; b1153; b4094; b0995; b0236; b0696; b0694]

- b **kala** (Tyler), 1912; *Ilerda* OD: J. Bombay nat. Hist. Soc. 21(2):599, pl B, f 4 [b4770] SS: tamu (Kollar), [1844]; *Heliophorus* (B) [Refs - b1636; b0236; b1454; b0694]
- b **kala** Tyler, 1940; *Dodona* OD: J. Bombay nat. Hist. Soc. 42(1):122 [b4774] SS: adonira Hewitson, [1866]; *Dodona* [TypeL - Huhawgaw, N. E. Burma.] [Refs - b1454; b4774]
- b **kalabakana** Eliot, 1972; *Arhopala* OD: J. nat. Hist. 6:2 [b1556] SS: ammonides (Doherty), 1891; *Arhopala* o [Type: BMNH-ht] [TypeL - Kalabakan, S. E. Sabah, Borneo.] [Refs - b1556; b2200; b4108]
- c **kalawara** Ribbe, 1926; *Surendra* OD: Ent. Mitt. 15(1):86 [b3742] SS: samina Fruhstorfer, 1904; *Surendra* [Type: SMT-lt; designated by Takanami, 1989] [Tyô to Ga 40(1):50 [b4602]] [TypeL - C. W. Sulawesi.] [Refs - b3742; b4602]
- c **kalawara** Ribbe, 1926; *Hypolycaena* OD: Ent. Mitt. 15(1):85 [b3742] SS: gison Fruhstorfer, [1912]; *Hypolycaena* [Type: SMT-lt; designated by Takanami, 1989] [Tyô to Ga 40(1):53 [b4602]] [TypeL - C. W. Sulawesi.] [Refs - b3742; b4602]
- c **kalawara** Ribbe, 1926; *Curetis* OD: Ent. Mitt. 15(1):83 [b3742] SS: celebensis (Felder & Felder), 1865; *Curetis* [Type: SMT-lt; designated by Takanami, 1989] [Tyô to Ga 40(1):54 [b4602]] [TypeL - C. W. Sulawesi.] [Refs - b3742; b4602]
- c **kalawara** (Ribbe), 1926; *Castalius* OD: Ent. Mitt. 15(1):85 [b3742] SS: caleta (Hewitson), [1876]; *Caleta* [Type: SMT-lt; designated by Takanami, 1989] [Tyô to Ga 40(1):47 [b4602]] [TypeL - C. W. Sulawesi.] [Refs - b3742; b4602]
- c **kalawari** (Ribbe), 1926; *Cyanirus* OD: Ent. Mitt. 15(1):89 [b3742] SS: kuehni (Röber), [1886]; *Acytolepis* [Type: SMT-st] [TypeL - Kalawara, Sulawesi.] [Refs - b1580; b3742]
- c **kalawarus** (Ribbe), 1926; *Lampides* OD: Ent. Mitt. 15(1):90 [b3742] SS: celeno (Cramer), [1775]; *Jamides* [Type: SMT-lt; designated by Takanami, 1989] [Tyô to Ga 40(1):50 [b4602]] [TypeL - C. W. Sulawesi.] [Refs - b3742; b4602]
- a **kalawarus** (Ribbe), 1926; *Zizera* OD: Ent. Mitt. 15(1):91 [b3742] CG: Cupido (?) [TypeL - Celebes.] [Refs - b3742]
- c **kalawarus** Ribbe, 1926; *Allotinus* OD: Ent. Mitt. 15(1):91 [b3742] SS: major Felder & Felder, 1865; *Allotinus* [Type: SMT-lt; designated by Takanami, 1989] [Tyô to Ga 40(1):47 [b4602]] [TypeL - Sulawesi.] [Refs - b3742; b1571; b4602]
- b **kalawna** Evans, 1925; *Abisara* OD: J. Bombay nat. Hist. Soc. 30(2):324, pl 26, f G4,3 [b1632] SS: chela de Nicéville, 1886; *Abisara* [TypeL - India.] [Refs - b1636; b4473; b1454]
- c **kali** (Strecker), [1878], 1872-1900; *Thecla* OD: Lep. Rhop. Het. :129 [b4531] SS: behrii (Edwards), 1870; *Satyrium* [Type: FMNH-ht] [TypeL - Arizona.] [Refs - b0908; b3192; b1321]
- a **kallikimaka** Clench, 1944; *Thecla* OD: J. New York ent. Soc. 52:258 [b0821] CG: *Thecla* (New World Eumaeini) [TypeL - Jalapa, Mexico.] [Refs - b0908; b0528]
- b **kalima** (Evans), 1957; *Narathura* OD: Bull. Br. Mus. nat. Hist. (Ent.) 5(3):90 [b1644] SS: johoreana Corbet, 1941; *Arhopala* a [Type: BMNH-ht] [TypeL - Nias.] [Refs - b1644; b1454]
- a **kalinzu** Stempffer, 1950; *Neurypexina* OD: Revue fr. Ent. 17(2):143 [b4377] [TypeL - Uganda.] [Refs - b1452; b4400]
- b **kallias** Fruhstorfer, 1908; *Deudorix* OD: Soc. ent. 23(5):38 [b1828] SS: epirus (C. Felder), 1860; *Deudorix* [Refs - b1450; b4094 (as *kallios*, *callias*); b1828]
- c **kallikrates** Fruhstorfer, 1913; *Allotinus* OD: Z. wiss. InsektBiol. 9(11):342 [b1851] SS: subviolaceus Felder & Felder, 1865; *Allotinus* [Type: BMNH-lt; designated by Eliot, 1986] [Bull. Br. Mus. nat. Hist. (Ent.) 53(1):14 [b1571]] [TypeL - Mindanao, Philippines.] [Refs - b1840; b1571; b4108]
- a **kallimoides** (Schultze), 1912; *Aslauga* OD: Ent. Rundsch. 29(6):43 [b4011] CG: *Paraslauga* [TypeL - Cameroons.] [Type of - *Paraslauga*] [Refs - b2280; b1452; b4011; b4400]
- b **kallimon** H. H. Druce, 1905; *Spindasis* OD: In Trans. ent. Soc. Lond. 53(2):254, pl 13, f 9 [b1372] SS: homeyeri (Dewitz), 1886; *Spindasis* [TypeL - Rhodesia.] [Refs - b4400]
- e **kallios** Seitz, [1926], 1912-1927, (ISS); *Deudorix* OD: In Seitz, Grossschmett. Erde 9:1000 [b4094] SS: *kallias* Fruhstorfer, 1908; *Deudorix* [Refs - b4094]
- a **kallipygos** Birket-Smith, 1960; *Hypokopelates* OD: Bull. Inst. franç. Afr. Noire 22(A):974, f [b0430] [TypeL - French Cameroons.] [Refs - b1452; b4400]
- c **kama** (Trimen), 1862; *Lycaena* OD: Trans. ent. Soc. Lond. (3)1:403 [b4715] SS: malathana (Boisduval), 1833; *Euchrysops* [Refs - b2747; b4400]
- a **kamengensis** Jackson, 1962; *Epitola* OD: Bull. Br. Mus. nat. Hist. (Ent.) 12(3):150 [b2562] [TypeL - Uganda.] [Refs - b1452; b4400]
- c **kamerungae** Waterhouse, 1903; *Philiris* OD: Proc. linn. Soc. N. S. Wales 27(4):650 [b4933] SS: nitens (Grose-Smith), 1898; *Philiris* [Type: -lt; designated by Sands, 1980] [Aust. ent. Mag. 6(5):82 [b3924]] [TypeL - Queensland, Australia.] [Refs - b1450; b4677; b1610 (7914-E11); b0113; b2078; b4934; b0976]
- b **kamerunica** (Riley), 1928; *Epamera* OD: Novit. zool. 34:385 [b3767] SS: frater (Joicey & Talbot), 1921; *Iolaus* (*Epamera*) [TypeL - Kamerun.] [Refs - b1452; b4400]
- a **kamiilla** Bethune-Baker, 1910; *Triclema* OD: Trans. ent. Soc. Lond. 58(1):76, pl 3, f 11 [b0343] [Type: BMNH-ht] [TypeL - Nandi.] [Refs - b1452; b0836; b4400]
- a **kamitugensis** Dufrane, 1945; *Telipna* OD: Bull. Anns Soc. ent. Belg. 81:114 [b1409] [TypeL - Kamituga, Zaire.] [Refs - b4400; b1409]
- b **kamitugensis** Dufrane, 1945; *Liptena* OD: Bull. Anns Soc. ent. Belg. 81:118 [b1409] SS: praestans (Grose-Smith), 1901; *Liptena* [TypeL - Kivu, Zaire.] [Refs - b4400]
- a **kamitugensis** (Dufrane), 1945; *Everes* OD: Bull. Anns Soc. ent. Belg. 81:122 [b1409] CG: *Thermoniphys* [TypeL - Kamituga, Zaire.] [Refs - b4400; b1409]
- c **kamorta** (C. Felder), 1862; *Myrina* OD: Verh. zool.-bot. Ges. Wien 12:485 [b1677] SS: areca C. Felder, 1862; *Bindahara* [TypeL - Sambelong.] [Refs - b1636; b1153; b2747; b4094; b0694]
- a **kampala** (Bethune-Baker), 1910; *Lycaenesthes* OD: Trans. ent. Soc. Lond. 58(1):52, pl 2, f 12 [b0343] CG: *Anthene* [Type: BMNH-ht] [TypeL - Kampala, Uganda.] [Refs - b1452; b4400]
- b **kamtchatica** (Kurentzov), 1970; *Lycaena* OD: Buts Far East USSR :132 [b2864] SS: argyrognomon (Bergsträsser), [1779]; *Plebejus* (*Lycaeides*) [Refs - b2866]
- e **kamtschadalis** Bálint, 1992, (ISS); *Polyommatus* OD: Linneana Belgica 13(8):434 [b0206] SS: *kamtschadalis* (Sheljuzhko), 1933; *Polyommatus* [Refs - b0206]
- b **ab. kamtschadalis** (Sheljuzhko), 1933; *Lycaena* OD: Z. öst. EntVer. 18:85 [b4171] SS: erotides (Staudinger), 1892; *Polyommatus* [TypeL - Kamtschatka.] [Check - Authorship and spelling, described as a aberration.] [Refs - b0071; b0206 (as *kamtschadalis*)]

- b **kamuikotana** (Matsumura), 1928; *Lycaena* OD: *Ins. matsumur.* 2(4):200 [b3096] SS: *opilete* (Knoch), 1781; *Plebejus* (Vacciniina) [TypeL - Kurile Islands.] [Refs - b1900; b2866; b0236; b0066; b0471]
- b **kanara** Evans, 1925; Thaduka OD: *J. Bombay nat. Hist. Soc.* 30(3):624, f [b1633] SS: *multicaudata* Moore, [1879]; Thaduka [TypeL - S. India.] [Refs - b1636; b1454; b0694]
- b **kandarpa** (Horsfield), [1828], 1828-1829; *Lycaena* OD: *Descr. Cat. lepid. Ins.* (1):82 [b2457] SS: *strabo* (Fabricius), 1793; *Catochrysops* [TypeL - Java.] [Refs - b2747; b4094; b4670; b2479; b2698; b4592; b4604]
- c **kandura** (Moore), [1866]; *Polyommatus* OD: *Proc. zool. Soc. Lond.* 1865(3):772, pl 41, f 7 [b3221] SS: *lajus* (Stoll), [1780]; *Chilades* [TypeL - Bengal.] [Refs - b1636; b3221; b2747; b0995; b0694]
- b **kangeana** Nieuwenhuis, 1970; *Arhopala* OD: *Ent. Ber.* 29:215, f 4-6 [b3401] SS: *camdana* Corbet, 1941; *Arhopala a* [Type: NHMR-ht] [TypeL - Petapan, Kangean Islands.] [Refs - b0101; b3401]
- b **kangeanus** Kalis, 1933; *Loxura* OD: *Tijdschr. Ent.* 76(1/2):63 [b2679] SS: *atymnus* (Stoll), [1780]; *Loxura* [TypeL - Kangean.]
- a **kankena** (C. Felder), 1862; *Lycaena* OD: *Verh. zool.-bot. Ges. Wien* 12:481 [b1677] CG: *Jamides* [TypeL - Nicobars.] [Refs - b1636; b1153; b2747; b4094; b1454; b0694; b2388]
- c **kankonis** (Matsumura), 1926; *Lycaenopsis* OD: *Ins. matsumur.* 1(1):30, pl 2, f 9 [b3092] SS: *arisanus* (Matsumura), 1910; *Celastrina* [Type: EIHU-ht] [TypeL - Taiwan.] [Refs - b4198; b2479; b0236; b4281]
- b **kanoi** Omoto, 1959; *Prosotas* OD: *Tyô to Ga* 10(4):62, f G, 64-68 [b3508] SS: *nora* (C. Felder), 1860; *Prosotas* [TypeL - Ishigaki Island, Loochoos.] [Refs - b1900; b3508]
- b **kanonis** (Matsumura), 1929; *Thecla* OD: *Ins. matsumur.* 3(2/3):102 [b3098] SS: *watarii* (Matsumura), 1927; *Fixsenia* [TypeL - Formosa.] [Refs - b0236; b0067]
- c **kanonis** (Matsumura), 1929; *Zephyrus* OD: *Ins. matsumur.* 3(2/3):101 [b3098] SS: *niitakanus* (Kano), 1928; *Chrysozephyrus* [TypeL - Formosa.] [Refs - b4198; b0236]
- b **kansaiensis** (Murayama), 1954; *Neozephyrus* OD: *New Ent.* 3(4):34 [b3279] SS: *aurorina* (Oberthür), 1880; *Chrysozephyrus* [Type: pc-ht; collection of Murayama.] [TypeL - Kansai district, Japan.] [Refs - b1900; b2509; b3279; b2463]
- b **kansuensis** (Nordström), 1935; *Hyponion* OD: *Ark. Zool.* 27A(7):29 [b3411] SS: *lama* Leech, [1893]; *Polycaena* [TypeL - Kansu, China.]
- a **kansuensis** Johnson, 1992; *Cissatsuma* OD: *Neue Ent. Nachr.* 29:74, f [b2609] [TypeL - Gansu.] [Refs - b0126]
- a **kapaura** Tite, 1963; *Philiris* OD: *Bull. Br. Mus. nat. Hist. (Ent.)* 14(5):253 [b4677] [Type: BMNH-ht] [TypeL - Kapaur, Dutch New Guinea.] [Refs - b1450; b4677]
- a **kaplani** Dickson & Stephen, 1971; *Thestor* OD: *Ent. Rec.* 83:131 [b1268] [TypeL - W. Cape Province, S. Africa.] [Refs - b1259; b0102; b1452]
- a **kaplani** Tite & Dickson, 1977; *Aloeides* OD: *Ent. Rec.* 89(7):211 [b4687] [TypeL - Cape Province, S. Africa.] [Refs - b1259; b1452]
- a **kaplani** Henning, 1979; *Poecilmitis* OD: *J. ent. Soc. S. Afr.* 42(2):153, f [b2288] [TypeL - Cape Province, S. Africa.] [Refs - b1610 (2230-E11); b0111]
- a **karafutonis** Matsumura, 1919; *Lycaena* OD: *Thous. Ins. Japan Addit.* 3:648, pl 49, f 27 [b3089] [TypeL - Japan.] [Refs - b0236; b0067]
- b **karatafica** Lukhtanov, 1990; *Polyommatus* OD: *Vestnik Zoologii* 1990(6):21, f [b3031] SS: *iphigenides* (Staudinger), 1886; *Polyommatus* (*Agrodiaetus*) [TypeL - Kazakhstan.] [Refs - b0124]
- b **karatshaica** (Obraztsov), 1936; *Lycaena* OD: *Lambillionea* 36:15 [b3468] SS: *thersites* (Cantener), 1834; *Polyommatus* (*Plebicula*) [TypeL - Caucasus.] [Refs - b0074]
- e **karenina** d'Abrebra, 1986, (ISS); *Poritia* OD: *Butts Oriental Region, Pt 3* :538 [b1454] SS: *karennia* Evans, 1921; *Poritia* [Refs - b1454; b4594]
- b **karenkonis** Matsumura, 1929; *Tajuria* OD: *Ins. matsumur.* 3(2/3):99 [b3098] SS: *diaeus* (Hewitson), [1865]; *Tajuria* [TypeL - Formosa.] [Refs - b4198; b0236; b4547; b5053; b3272; b3283; b3286; b1454]
- a **karennia** Evans, 1921; *Poritia* OD: *J. Bombay nat. Hist. Soc.* 28(1):35,36 [b1629] [Type: BMNH-ht] [TypeL - Karen Hills, Burma.] [Refs - b1636; b1454 (as *karenina*); b1629; b0694; b4209]
- b **karennia** (Evans), 1925; *Surendra* OD: *J. Bombay nat. Hist. Soc.* 30(4):756 [b1634] SS: *todara* (Moore), [1884]; *Zinaspas* [TypeL - Burma.] [Refs - b0964; b1636; b0965; b1454 (as *karennina*); b1634; b0694]
- c **karennia** (Evans), 1925; *Amblypodia* OD: *J. Bombay nat. Hist. Soc.* 30(3):626 [b1633] SS: *varro* Fruhstorfer, 1914; *Arhopala a* [Type: BMNH-ht] [TypeL - Karens.] [Refs - b1644]
- b **karennia** (Evans), 1932; *Gerydus* OD: *Ident. Indian Butts* (2nd ed.) :210 [b1638] SS: *croton* (Doherty), 1889; *Miletus* 1 [TypeL - Karens.] [Refs - b1546; b1638; b0694]
- e **karennina** d'Abrebra, 1986, (ISS); *Zinaspas* OD: *Butts Oriental Region, Pt 3* :583 [b1454] SS: *karennia* (Evans), 1925; *Zinaspas* [Refs - b1454]
- b **karinda** (Riley), 1921; *Lycaena* OD: *Ann. Mag. nat. Hist.* (9)8:597 [b3747] SS: *dama* (Staudinger), 1892; *Polyommatus* (*Agrodiaetus*) [Type: BMNH-st] [TypeL - Karind Gorge, N. W. Iran.] [Refs - b0236; b1774; b0471; b3747]
- b **karnyi** Corbet, 1941; *Arhopala* OD: *Proc. R. ent. Soc. Lond.* (B)10(9):160 [b0956] SS: *ralanda* Corbet, 1941; *Arhopala f* [Type: BMNH-ht] [TypeL - Mentawi Island.] [Refs - b1644; b0956; b1454]
- b **karnyi** (Riley), [1945]; *Marmessus* OD: *Trans. R. ent. Soc. Lond.* 94(2):264, pl 1, f 1,20 [b3782] SS: *niasica* (Röber), [1886]; *Drupadia* [Type: BMNH-ht] [TypeL - Siberut, Indonesia.] [Refs - b1030; b0105; b1454; b3782]
- b **karpaia** (H. H. Druce & Bethune-Baker), 1893; *Thysanotis* OD: *Proc. zool. Soc. Lond.* 1893(3):540, pl 45, f 3,4 [b1382] SS: *danis* (Cramer), [1775]; *Danis* [Type: BMNH-st] [TypeL - Ceram.] [Refs - b1450; b2078; b2078; b1382]
- a **karsandra** (Moore), 1865; *Polyommatus* OD: *Proc. zool. Soc. Lond.* 1865(2):505, pl 31, f 7 [b3220] CG: *Zizeeria* [Type: BMNH] [TypeL - India.] [Type of - *Zizeeria*] [Refs - b0964; b1450; b4198; b1636; b1153; b3220; b0995; b0965; b2375; b2280; b2747; b1762; b2479; b2650 (as ssp of *kynsna*); b1900; b0113; b2905; b3547; b3621; b5053; b0754; b0293; b2898; b2794; b3910; b1454; b4400; b0870; b4094; b0694; b2859; ns0396; ns0397; ns0421; b4092; b4209; b4108]
- b **karschioides** Carpenter & Jackson, 1950; *Mimacraea* OD: *Proc. R. ent. Soc. Lond.* (B)19(7/8):106 [b0715] SS: *krausei* Dewitz, 1889; *Mimacraea* [TypeL - S. Sudan.] [Refs - b1452; b4400]
- c **kartaphilus** (Fruhstorfer), 1914; *Arhopala* OD: *Deut. ent. Zeit.* [Iris] 28(2):127 [b1859] SS: *saturata* (Snellen), 1890; *Flos* [Type: BMNH-ht] [TypeL - Malaya.] [Refs - b1644; b0965; b4094 (*kartophilus*); b1859]

- = *kartophilus* (Seitz), [1926], 1912-1927, (ISS); *Amblypodia* OD: In Seitz, *Grossschmett. Erde* 9:960 [b4094] SS: *kartophilus* (Fruhstorfer), 1914; *Flos* [Note - In an attempt to correct this error on page 1116, two additional errors were made (*karthophilus*, *karthaphilus*).] [Refs - b4094]
- b *kartopus* Stichel, 1919; *Euselasia* OD: *Deut. ent. Zeit.* 1919:302 [b4454] SS: *midas* (Fabricius), 1775; *Euselasia* [Type: pc-ht; collection of Stichel] [TypeL - La Paz, Bolivia.] [Refs - b4474; b4454]
- e *karusi* (Sharp), [1890], (ISS); *Mimacraea* OD: *Zool. Rec.* 26(1889)(Ins.):221 [b4124] SS: *krausei* Dewitz, 1889; *Mimacraea* [Refs - b4124]
- b *kasakhstana* (Lukhtanov), 1990; *Neolycaena* OD: *Vestnik Zoologii* 1990(6):19, f [b3031] SS: *tengstroemi* (Erschoff), 1874; *Satyrium* (*Rhymnarina*) [TypeL - Kazakhstan.] [Refs - b0124; ns3033]
- a *kasai* Stempffer & Bennett, 1963; *Falcuna* OD: *Bull. Br. Mus. nat. Hist. (Ent.)* 13(6):182, f [b4421] [Type: BMNH-ht] [TypeL - Congo.] [Refs - b4400]
- e *kashgharensis* Bálint, 1992, (ISS); *Polyommatus* OD: *Linneana Belgica* 13(8):415 [b0205] SS: *kashgharensis* Moore, 1878; *Polyommatus* [Refs - b0205]
- e *kashgarensis* Bálint, 1992, (ISS); *Polyommatus* OD: *Linneana Belgica* 13(8):433 [b0206] SS: *kashgharensis* Moore, 1878; *Polyommatus* [Refs - b0205]
- a *kashgharensis* Moore, 1878; *Polyommatus* OD: *Ann. Mag. nat. Hist. (5)* 1:230 [b3227] [TypeL - Yarkand.] [Refs - b1759; b4092 (as *kaschgharensis*); b3227; b0206; b0206 (as *kashgharensis*)]
- e *kashikurai* (Nakamura), 1931; *Zizeeria* OD: *Lansania* 2:113 [b3339] SS: *maha* (Kollar), [1844]; *Pseudozizeeria* [TypeL - Japan.] [Refs - b0069; b3339]
- b *kashiwarii* Eliot & Kawazoé, 1983; *Cebrella* OD: *Butts Lycaenopsis group* :68 [b1580] SS: *penelope* Eliot & Kawazoé, 1983; *Cebrella* (*Cebrella*) [Type: NSMT-ht] [TypeL - Mt Madjaas-Banderahan, Panay, Philippines.] [Refs - b1580]
- c *kasmira* (Moore), 1865; *Polyommatus* OD: *Proc. zool. Soc. Lond.* 1865(2):503, pl 31, f 1 [b3220] SS: *kollari* (Westwood), [1851]; *Celastrina* [TypeL - Kashmir, India.] [Refs - b1636; b2747; b0995; b1580; b0236; b4092]
- a *kasyapa* (Moore), 1865; *Chrysophanus* OD: *Proc. zool. Soc. Lond.* 1865(2):506, pl 31, f 10 [b3220] CG: *Lycaena* (*Thersamolycaena*) [TypeL - Kunawur.] [Refs - b1636; b2747; b0996; b4094; b4220; b2479; b0236; b0694]
- c *katakirii* Sonan, 1932; *Amblopala* OD: *Zephyrus* 4(2/3):128 [b4277] SS: *y-fasciata* (Sonan), 1929; *Amblopala* [Refs - b4198]
- b *katanga* Clench, 1965; *Deudorix* OD: *J. New York ent. Soc.* 73(3):178 [b0839] SS: *camerona* (Plötz), 1880; *Deudorix* (*Pilodeudorix*) [TypeL - Katanga.] [Refs - b0528; b1452; b4400]
- a *katangae* Bethune-Baker, 1923; *Euchrysops* OD: *Trans. ent. Soc. Lond.* 70(3/4):354, pl 12, f 11; pl 24, f 56,56a; pl 31, f 56,56a [b0359] [Type: BMNH-st] [TypeL - Kambove, Zaire.] [Refs - b4400; b1452; b0359]
- b *katangae* (Hawker-Smith), 1926; *Pseuderessia* OD: *Revue zool. afr.* 14:239 [b2163] SS: *russulus* (H. H. Druce), 1910; *Mimeresia* [Type: MT-ht] [TypeL - Kafakumbu, Katanga.] [Refs - b4400; b1452; b2163]
- a *katangae* Stempffer, 1947; *Ornipholidotos* OD: *Revue zool. bot. afr.* 40:170 [b4375] [TypeL - Belgian Congo.] [Refs - b4400; b1452]
- a *katangae* Stempffer, 1961; *Telipna* OD: *Annls Mus. r. Afr. cent. (8vo)* (Zool.)94:9 [b4393] [TypeL - Congo.] [Refs - b4400; b1452]
- c *katangana* (Romieux), 1937; *Euliphyrodes* OD: *Mitt. schweiz. ent. Ges.* 17(3):123 [b3854] SS: *ernesti* (Karsch), 1895; *Egumbia* [TypeL - Belgian Congo.] [Type of - *Euliphyrodes*] (Refs - b4400; b2280; b0836)
- a *katangana* Stempffer, 1956; *Eresina* OD: *Annls Mus. r. Congo Belge (8vo)*49:15, pl 1, f 11,12 [b4388] [Type: MRCB-ht] [TypeL - Kafakumba, Lualaba, Belgian Congo.] [Refs - b4400; b1452; b4388]
- a *katangana* Stempffer & Bennett, 1965; *Micropentila* OD: *Bull. Br. Mus. nat. Hist. (Ent.)* 15(11):430 [b4422] [TypeL - Congo.] [Refs - b1452; b4400]
- c *katanganus* Romieux, 1934; *Iolaus* OD: *Mitt. schweiz. ent. Ges.* 16(3):141, pl 4, f 2-4 [b3852] SS: *violacea* (Riley), 1928; *Iolaus* (*Epamera*) [TypeL - Belgian Congo.] [Note - This is the same as *Bull. Soc. Lep. Genève* 7:107.] [Refs - b4400; b3852]
- a *katera* Talbot, 1937; *Anthene* OD: *Trans. R. ent. Soc. Lond.* 86(4):68, pl 1, f 15 [b4625] [Type: BMNH-ht] [TypeL - Katera, Uganda.] [Refs - b4400; b1452; b4625]
- b *katera* (Talbot), 1937; *Epamera* OD: *Trans. R. ent. Soc. Lond.* 86(4):65, pl 1, f 13 [b4625] SS: *neavei* (H. H. Druce), 1910; *Iolaus* (*Epamera*) [Type: BMNH-ht] [TypeL - Katera, Uganda.] [Refs - b4400; b1452; b4394; b4625]
- b *katera* Stempffer, 1956; *Liptena* OD: *Annls Mus. r. Congo Belge (8vo)*49:8, pl 2, f 5,6 [b4388] SS: *flavicans* (Grose-Smith & Kirby), 1891; *Liptena* [Type: BMNH-ht] [TypeL - Katera, Uganda.] [Refs - b4400; b1452; b4388]
- b *katera* Stempffer, 1961; *Pseuderessia* OD: *Annls Mus. r. Afr. cent. (8vo)* (Zool.)94:14 [b4393] SS: *eleaza* (Hewitson), [1873]; *Pseuderessia* [TypeL - Katera, Uganda.] [Refs - b4400; b1452]
- a *katera* Stempffer, 1962; *Eresina* OD: *Bull. Inst. franç. Afr. Noire* 24(A):1155, f 35-38 [b4395] [Type: MNHN-ht] [TypeL - Katera, Masaka, Uganda.] [Refs - b4400; b1452; b4395]
- a *katera* Stempffer, 1964; *Iridana* OD: *Bull. Inst. franç. Afr. Noire* 26(A):1255 [b4397] [TypeL - Katera, Uganda.] [Refs - b4400; b1452]
- a *katerae* Jackson, 1962; *Epitola* OD: *Bull. Br. Mus. nat. Hist. (Ent.)* 12(3):149 [b2562] [TypeL - Uganda.] [Refs - b4400; b1452]
- a *katerae* Stempffer & Bennett, 1965; *Micropentila* OD: *Bull. Br. Mus. nat. Hist. (Ent.)* 15(11):412 [b4422] [TypeL - Uganda.] [Refs - b4400; b1452]
- b *katerae* d'Abrera, 1980; *Triclema* OD: *Butts Afrotropical Region* :539, f [b1452] SS: *lamias* (Hewitson), [1878]; *Triclema* [Type: BMNH-ht] [TypeL - Uganda.] [Refs - b1452]
- a *katharinae* Poulton, 1929; *Epitola* OD: In *Trans. ent. Soc. Lond.* 77(2):494, f [b3632] [Type: UMO-ht] [TypeL - Ibadan, S. Nigeria.] [Note - Not spelled *katherinae*.] [Refs - b3842; b1452 (as *katherinae*); b4400]
- e *katherinae* d'Abrera, 1980, (ISS); *Epitola* OD: *Butts Afrotropical Region* :460,461 [b1452] SS: *katharinae* Poulton, 1929; *Epitola* [Refs - b1452]
- a *kathleena* Johnson & Matusik, 1992; *Cyclargus* OD: *Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point)* (23):3, f [b2634] [Type: AME-ht] [TypeL - Dominican Republic.] [Refs - b0125; b2634]
- b *katoi* Hayashi, 1981; *Horaga* OD: *Tyô to Ga* 32(1,2):78, f 33,34 [b2198] SS: *albimacula* (Wood-Mason & de Nicéville), 1881; *Horaga* [Type: NSMT-ht] [TypeL - Philippines.] [Note - *Patronym* - Mr. Kin-nosuke Katô.] [Refs - b2198]

- b **katunensis** Břilint & Lukhtanov, 1990; *Plebejus* OD: *Linnaea Belgica* 12(7):281, f [b0218] SS: *pylaon* (Fischer von Waldheim), 1832; *Plebejus* (*Plebejides*) [TypeL - Russian SFSR.] [Refs - b0124]
- b **katunica** (Shtandel), 1960; *Lycaena* OD: *Ent. Obozr.* 39:695 [b4215] SS: *nausithous* (Bergsträsser), [1779]; *Maculinea* [TypeL - Siberia.]
- c **katūra** (Hewitson), [1865], 1863-1878; *Dipsas* OD: *Ill. diurn. Lep. Lycaenidae* 1:65; 2:pl 26, f 1,2 [b2326] SS: *ataxus* (Westwood), [1851]; *Themozephyrus* [TypeL - India, but really Java.] [Refs - b1636; b4094; b2747; b0996; b2479; b0694; b2463]
- a **kausambl** Felder & Felder, 1860; *Abisara* OD: *Wien. ent. Monats.* 4(12):397 [b1683] [Type: BMNH] [TypeL - Malacca.] [Type of - *Abisara*] [Refs - b0964; b1636; b1149; b2988; b4245; b2280; b0294; b0965; b2747; b4473; b1454; b1840]
- b **kausambides** *Toxopeus*, 1944; *Dicallaneura* OD: *Treubia Hors Série*:160 [b4709] SS: *decorata* (Hewitson), [1862]; *Dicallaneura* [TypeL - New Guinea.] [Refs - b4709]
- b **kausambioides** de Nicéville, [1896]; *Abisara* OD: *In J. asiat. Soc. Bengal, Pt II* 64(3):442 [b1161] SS: *saturata* (Moore), 1878; *Abisara* [TypeL - Sumatra.] [Refs - b0964; b1636; b2988; b0294; b0965; b4473; b2549; b1454 (as *kausamboides*); b1840]
- c **kausamboides** (d'Abredera), 1986, (ISS); *Abiasra* OD: *Butts Oriental Region, Pt 3* :658 [b1454] SS: *kausambioides* de Nicéville, [1896]; *Abisara* [Refs - b1454]
- b **kava** H. H. Druce, 1892; *Jamides* OD: *Proc. zool. Soc. Lond.* 1892(3):443, pl 27, f 15 [b1359] SS: *pulcherrima* Butler, 1884; *Jamides* [TypeL - New Hebrides.] [Refs - b1450; b4094; b1865; b4871; b2388; b1359]
- c **ab. kawachensis** Hirose, 1933; *Lampides* OD: *Trans. Kansai ent. Soc.* 4:36, f 4 [b2383] SS: *boeticus* (Linnaeus), 1767; *Lampides* [TypeL - Nagase-mura, Kawachi Province, Japan.] [Refs - b2383]
- b **kawaii** Matsumura, 1926; *Everes* OD: *Ins. matsumur.* 1(1):29, pl 2, f 15 [b3092] SS: *lactumus* (Godan), [1824]; *Everes* [TypeL - Japan.] [Refs - b2479; b1900; b0236; b2173; b0471]
- e **ab. kawamotoi** Murayama, 1956; *Neozephyrus* OD: *New Ent.* 5(1-2):28, f [b3281] SS: *taxila* (Bremer), 1861; *Neozephyrus* [TypeL - Japan.]
- b **kawamural** Takanami, 1988; *Dacalana* OD: *Gekkan Mushi* (208):19, f 11,12 [b4601] SS: *polyorketes* (Fruhstorfer), [1912]; *Dacalana* [Type: pc-ht; collection of Takanami.] [TypeL - Sanga Sanga Island, Sulu Archipelago, Philippines.] [Refs - b4601]
- c **kawazoei** Hayashi & Iwanaga, 1974; *Celastrina* OD: *Kontyū* 42(1):17, f 6-8, 1a-5a [b2206] SS: *kadazanensis* Barlow & Banks & Holloway, 1971; *Celastrina* [Type: OMNH-ht] [TypeL - Sabah, Borneo.] [Refs - b1610 (5897-E9); b0105; b1580; b4108]
- b **kawazoei** Hayashi, 1976; *Sinthusia* OD: *Tyō to Ga* 27(1):20, f [b2182] SS: *privata* Fruhstorfer, [1912]; *Sinthusia* [TypeL - Taot - Daram, Palawan, Philippines.] [Refs - b0109; b2201; b4598]
- b **kawazoei** Hayashi, 1976; *Udara* OD: *Tyō to Ga* 27(4):152, f [b2185] SS: *placidula* (H. H. Druce), 1895; *Udara* (*Udara*) [Type: OMNH-ht] [TypeL - Palawan, Philippines.] [Refs - b0109; b1580; b2200]
- b **kawazoei** Hayashi, 1976; *Jamides* OD: *Tyō to Ga* 27(4):151, f [b2185] SS: *alecto* C. Felder, 1860; *Jamides* [TypeL - Palawan, Philippines.]
- a **kawazoei** Hayashi, 1981; *Deramas* OD: *Tyō to Ga* 32(1,2):66, f 3,4,46 [b2198] [Type: NSMT-ht] [TypeL - Minduque, Philippines.] [Refs - b2198; b2200; b1454; b4588; b4596]
- b **kawazoei** Okubo, 1983; *Curetis* OD: *Tyō to Ga* 33(3,4):180, f 44-47 [b3498] SS: *spenthis* (Felder & Felder), 1865; *Curetis* [Type: pc-ht; collection of Okubo.] [TypeL - Tioman Island, West Malaysia.] [Refs - b3498]
- a **kayonza** Stempffer, 1956; *Deudorix* OD: *Annis Mus. r. Congo Beige* (8vo)49:31, pl 2, f 15-18 [b4388] CG: *Deudorix* (*Virachola*) [Type: BMNH-ht] [TypeL - Kayonza, Kigezi, Uganda.] [Refs - b1452; b4388; b4400]
- a **kayonza** Stempffer & Bennett, 1958; *Iolaus* OD: *Bull. Inst. franç. Afr. Noire* 20(A):1333, f 104-105 [b4418] CG: *Iolaus* (*Iolaphilus*) [TypeL - Uganda.] [Note - In the original description the figures of the female are mislabelled.] [Refs - b1452; b4394; b4400]
- a **kayonza** Jackson, 1969; *Telipna* OD: *Bull. Br. Mus. nat. Hist. (Ent.)* 23(1):14 [b2568] [TypeL - Kigezi, Uganda.] [Refs - b1452]
- b **kaystrus** (Fruhstorfer), 1908; *Miletus* OD: *Int. ent. Z.* 2(15):92 [b1830] SS: *polycletus* (Linnaeus), 1758; *Hypochrysops* [Type: BMNH-ht; designated by Sands, 1986] [Entomograph 7:79 [b3926]] [TypeL - New Guinea.] [Refs - b1450; b3926]
- e **kazamote** (Kirby), 1877, (ISS); *Plebeius* OD: *Syn. Cat. diurn. Lep., Suppl.* :771 [b2753] SS: *kazamote* (H. Druce), 1875; *Maculinea* [Refs - b2753]
- b **kazamoto** (H. Druce), 1875; *Lycaena* OD: *Cistula Entomologica* 1(12):361 [b1387] SS: *teleius* (Bergsträsser), [1779]; *Maculinea* [TypeL - Yokohama, probably implying Central Japan.] [Note - Not spelled *kazamote*.] [Refs - b2753; b0993; b2479; b1387; b1900; b0236 (as *kazamoto*); b2866 (as *kazamoto*); b4092; b4225]
- c **kazuyai** Hayashi, 1979; *Eliouia* OD: *Tyō to Ga* 30(1,2):85, f 3,4,10 [b2196] SS: *plateni* (Semper), 1887; *Eliouia* [Type: OMNH-ht] [TypeL - Mindanao, Philippines.] [Note - *Paironym - Mr. Kazuya Nakamoto*.] [Refs - b1610 (2229-E11); b0111; b2196; b3983]
- a **kedassa** H. H. Druce, 1910; *Diopetes* OD: *Proc. zool. Soc. Lond.* 1910(1):369, pl 34, f 13 [b1378] [TypeL - W. Africa.] [Refs - b1452; b4400]
- a **kedonga** (Grose-Smith), 1898; *Everes* OD: *Novit. zool.* 5:357 [b2046] CG: *Chilades* [TypeL - Uganda.] [Refs - b1452; b4400]
- b **kedonga** (van Someren), 1939; *Stugeta* OD: *J. E. Afr. Ug. nat. Hist. Soc.* 14:175, f [b4802] SS: *bowkeri* Trimen, 1864; *Iolaus* (*Stugeta*) [TypeL - Kenya.] [Refs - b1452; b4400]
- c **kefersteinii** (Gerhard), 1853, 1850-1853; *Pol.* OD: *Vers. monog. europ. Schmett.* :pl 9, f 4a-c; :7 [b1928] SS: *ochimus* (Herrich-Schäffer), [1851]; *Lycaena* (*Thersamonina*) [Note - *Kocak* makes the date 1851 and reverses the usage of these two names.] [Refs - b2747; b0996; b0113; b4092]
- b **keiana** (Rothschild), 1904; *Abisara* OD: *Novit. zool.* 11:317, pl 2, f 24 [b3874] SS: *albipлага* (Röber), [1886]; *Practaxila* [Refs - b1450; b4474; b1840]
- a **keila** Hewitson, [1869], 1863-1878; *Thecla* OD: *Ill. diurn. Lep. Lycaenidae* 1:121; 2:pl 52, f 280,281 [b2326] CG: *Thecla* (New World *Eumacini*) [Type: BMNH] [TypeL - Polochic Valley, Guatemala.] [Refs - b0908; b2747; b3818; b1975; b2593]
- a **keiria** (H. H. Druce), 1891; *Nacaduba* OD: *Proc. zool. Soc. Lond.* 1891(3):362, pl 31, f 13,14 [b1358] CG: *Catopyrops* [Type: BMNH-ht] [TypeL - Solomon Islands.] [Refs - b4676; b1450; b4094; b4871; b1358; b3550; b2388]
- c **kelantanus** Corbet, 1938; *Miletus* OD: *J. Fed. Malay St. Mus.* 18(2):248 [b0940] SS: *learchus* Felder & Felder, 1865; *Miletus* 1 [TypeL - Malaya.] [Refs - b0964; b1546; b0965]

- c *kelle* Stempffer, 1964; *Liptena* OD: Bull. Inst. franc. Afr. Noire 26(A):1231 [b4397] SS: *perobscura* H. H. Druce, 1910; *Liptena* [TypeL - Congo.] [Refs - b0105; b4400]
- a *kelle* Stempffer, 1967; *Ornipholidotos* OD: Bull. Inst. fond. Afr. Noire 29(A):985 [b4401] [TypeL - Kellé, Congo.] [Refs - b1452]
- a *kelle* Stempffer, 1967; *Iolaus* OD: Bull. Inst. fond. Afr. Noire 29(A):991 [b4401] CG: *Iolaus* (*Epamera*) [TypeL - Kellé, Congo.] [Refs - b1452]
- a *kelle* Jackson, 1969; *Telipna* OD: Bull. Br. Mus. nat. Hist. (Ent.) 23(1):13 [b2568] [TypeL - Kelle, Moyen Congo, Congo.] [Refs - b1452]
- a *kelleana* Stempffer & Bennett, 1965; *Micropentilia* OD: Bull. Br. Mus. nat. Hist. (Ent.) 15(11):422 [b4422] [TypeL - Congo.] [Refs - b1452; b4400]
- a *kellya* Johnson, 1992; *Candora* OD: Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (22):36, f [b2610] [Type: UMCE-hi] [TypeL - Peru.] [Refs - b0125; b2610]
- c *ab. kelseyi* Wright, 1930; *Plebejus* OD: Trans. San Diego Soc. Nat. Hist. 6(1):29 [b5046] SS: *acmon* Westwood, [1852]; *Plebejus* (*Icaricia*) [Type: SDM-hi] [TypeL - San Diego County, California.] [Refs - b3192; b1321]
- c *f. kempfi* (Eliot), 1959, (IFS); *Narathura* OD: Bull. Br. Mus. nat. Hist. (Ent.) 7(8):380 [b1544] SS: *alaconia* (Hewitson), [1869]; *Arhopala* i [Type: BMNH-hi] [TypeL - Langkawi Island.] [Refs - b1544]
- b *kendevani* (Forster), 1956; *Agrodiaetus* OD: Z. wien. ent. Ges. 41:88 [b1769] SS: *carmon* (Herrich-Schäffer), [1851]; *Polyommatus* (*Agrodiaetus*) [TypeL - Persia.] [Refs - ns4033]
- b *kennethi* Weeks, 1901; *Lasaia* OD: Proc. New Engl. zool. Club 2:71 [b4962] SS: *moeros* Staudinger, [1887]; *Lasaia* [TypeL - Bolivia.] [Refs - b4474; b0846]
- a *kennethi* Kielland, 1986; *Lepidochrysops* OD: *Lambillionea* 86(11/12):144, f [b2735] [TypeL - Tanzania.] [Refs - b0120]
- b *kentauensis* Lukhtanov, 1990; *Polyommatus* OD: *Vestnik Zoologii* 1990(6):22, f [b3031] SS: *phyllis* (Christoph), 1877; *Polyommatus* (*Agrodiaetus*) [TypeL - Kazakhstan.] [Refs - b0124]
- b *kenteana* (Staudinger), 1892; *Lycaena* OD: Deut. ent. Zeit. [Inis] 5:316 [b4338] SS: *cleobis* (Bremer), 1861; *Plebejus* (*Lycaeides*) [TypeL - Kentei-Gebirges.] [Refs - b3328; b4338; b4092]
- c *ab. kenteana* Courvoisier, 1914, (NN); *Plebejus* OD: Deut. ent. Zeit. [Inis] 28:211 [b0993] SS: *nicias* (Meigen), 1829; *Plebejus* (*Pseudoaricia*) [Refs - b0236]
- c *kenteana* (Bollow), 1931, 1929-1931; *Lycaena* OD: In Seitz, *Grossschmett. Erde* 1(Suppl.):272 [b0471] SS: *nicias* (Meigen), 1829; *Plebejus* (*Pseudoaricia*) [Refs - b0471]
- b *kermansis* (de Lesse), 1963; *Agrodiaetus* OD: *Alexandor* 2(8):311 [b1129] SS: *carmon* (Herrich-Schäffer), [1851]; *Polyommatus* (*Agrodiaetus*) [Type: MNHN-hi] [TypeL - Kuh-i-Lalihzar (Kerman), N. E. Iran.] [Refs - b1129]
- b *kerri* Riley, 1932; *Hypochrysops* OD: J. nat. Hist. Soc. Siam Suppl. 8:252, f [b3774] SS: *coelisparus* (Butler), 1883; *Hypochrysops* [Type: BMNH-hi] [TypeL - Tambon Kao Panom, Tambon, Krabi, Siam.] [Refs - b0964; b0965; b1454; b3926; b4108]
- b *kerriana* Distant, 1886; *Nacaduba* OD: Ann. Mag. nat. Hist. (5)17:253 [b1287] SS: *angusta* (H. Druce), 1873; *Nacaduba* [TypeL - Singapore.] [Refs - b0964; b1636; b4676; b0965; b4094; b1454; b0694; b0938]
- c *kersteini* Stempffer, 1967, (ISS); *Anthene* OD: Bull. Br. Mus. nat. Hist. (Ent.) Suppl. 10:192 [b4400] SS: *kersteni* (Gerstäcker), 1871; *Anthene* [Refs - b4400]
- b *kersteni* (Gerstäcker), 1871; *Lycaena* OD: Arch. Naturgesch. (1)37(1):359 [b1931] SS: *larydas* (Cramer), [1780]; *Anthene* [TypeL - Zanzibar.] [Note - Not spelled *kersteini*.] [Refs - b0162; b2753; b1931; b1452; b0836; b4400 (as *kersteini*); b2886]
- a *kessuma* (Horsfield), [1829], 1828-1829; *Thecla* OD: Descr. Cat. lepid. Ins. (2):89 [b2457] CG: *Deudorix* (*Virachola*) [TypeL - Java.] [Refs - b0964; b1636; b0965; b2747; b4094; b2201; b1454; b0694]
- a *keta* Field, 1967; *Calistryma* OD: Proc. U. S. nat. Mus. 123(3611):5, f 1,14; pl 1, f 1,2; pl 2, f 1 [b1738] [Type: USNM-hi; #34904] [TypeL - Limón, Province of Limón, Costa Rica.] [Refs - b1738; b2631 (in *Calycopis*); b2606]
- b *ketshevana* (Obraztsov), 1936; *Lycaena* OD: *Lambillionea* 36:17 [b3468] SS: *thersites* (Cantener), 1834; *Polyommatus* (*Plebicula*) [TypeL - Ketshevan.] [Refs - b0074]
- a *ketsi* Cottrell, 1965; *Lepidochrysops* OD: Mem. ent. Soc. sth. Afr. (9):50 [b0969] [TypeL - Grahamstown, Cape Province, S. Africa.] [Refs - b1259; b1452; b3648]
- b *keyensis* Tite, 1966; *Anthene* OD: Bull. Br. Mus. nat. Hist. (Ent.) 18(8):291 [b4679] SS: *seluttus* (Röber), [1886]; *Anthene* [Type: BMNH-hi] [TypeL - Little Key, Key Islands.] [Refs - b4679; b1450]
- b *khamti* Doherty, 1891; *Arhopala* OD: J. asiat. Soc. Bengal, Pt II 60(1):32, pl 1, f 5 [b1303] SS: *oenea* (Hewitson), [1869]; *Arhopala* f [Type: BMNH-hi] [TypeL - Upper Assam.] [Refs - b1644; b4094; b1454]
- a *khasia* (de Nicéville), 1890; *Zephyrus* OD: Butts India Burmah Ceylon 3:301 [b1153] CG: *Chrysozephyrus* [Type: BMNH-hi] [TypeL - Khasia Hills.] [Refs - b1636; b4094; b0236; b4214; b4200; b3296; b1454; b0694; b2463]
- c *khasia* H. H. Druce, 1902; *Talicauda* OD: Proc. zool. Soc. Lond. 1902(II)(1):113 [b1367] SS: *khasiana* Swinhoe, 1893; *Talicauda* [Refs - b1367; b4575]
- b *khasiana* Swinhoe, 1893; *Talicauda* OD: Trans. ent. Soc. Lond. 41(3):296 [b4569] SS: *nyseus* (Guérin-Ménéville), [1843]; *Talicauda* [Refs - b1636; b0694]
- b *khayyami* Bernardi, 1964; *Iolana* OD: *Alexandor* 3:212 [b0319] SS: *iolas* (Ochsenheimer), 1816; *Iolana* [TypeL - Reyné, Demavend, Iran.] [Refs - b0320]
- c *khelifa* (Bethune-Baker), 1904; *Epitolina* OD: Ann. Mag. nat. Hist. (7)14:229 [b0332] SS: *carcina* Hewitson, 1873; *Epitola* [TypeL - Sierra Leone.] [Refs - b3842; b0162 (as *khalifa*); b4400; b0332; b0836]
- a *khoshyellaqi* (Blom), 1979; *Agrodiaetus* OD: Ent. Ber 39(1):12, f 10-14 [b0454] CG: *Polyommatus* (*Agrodiaetus*) [Type: pc-hi; collection of Blom] [TypeL - Kuh e Sovar, Khosh Yeilq, Prov. Mazandaran, Iran.] [Refs - b1610 (5579-E10); b1455 (as *khosheilaqui* :516); b0454]
- e *khosheilaqi* (d'Abbrera), 1993, (ISS); *Agrodiaetus* OD: Butts Holarctic Region, Pt 3:516 SS: *khoshyellaqi* (Blom), 1979; *Polyommatus* (*Agrodiaetus*) [Refs - b1455]
- c *khurdanus* (Moore), 1884; *Aphnaeus* OD: J. asiat. Soc. Bengal, Pt II 53(1):26 [b3236] SS: *elima* (Moore), 1877; *Spindasia* [TypeL - Orissa, Calcutta.] [Refs - b1636; b4094; b0694]
- c *kiamurae* (Matsumura), 1910; *Everes* OD: Ent. Zeit. 23(50):222 [b3084] SS: *mindora* (Felder & Felder), 1865; *Chilades* [TypeL - *Yaeyama* group, Ryukyus.] [Refs - b1900; b0236; b3330; b4902; b4108]
- a *kiana* (Grose-Smith), 1889; *Sithon* OD: Ann. Mag. nat. Hist. (6)3:317 [b2031] CG: *Heliophorus* [TypeL - Kina Balu.] [Refs - b4094; b4220; b1454]
- b *kiangana* Talbot, 1942; *Mahathala* OD: Proc. R. ent. Soc. Lond. (B)11(8):121 [b4626] SS: *ameria* (Hewitson), 1862; *Mahathala* [TypeL - China.] [Refs - b0694]

- b** *kiblensis* (Shirôzu & Nanba), 1973; *Strymonidia* OD: Tyô to Ga 23(3/4):65, f [b4208] SS: iyonis (Ôta & Kusumoki), 1957; *Fixsenia* [TypeL - Nanba, Okayama Prefecture, Japan.] [Refs - b0104; b1900; b1455]
- b** *kiellandi* Carcasson, 1961; *Alcoecis* OD: Occ. Pap. *Coryndon Mem. Mus.* (7):19, f [b0707] SS: molomo (Trimen), 1870; *Alcoecis* [Type: BMNH-ht] [TypeL - Mpanda, Wanzizi, Tanzania.] [Refs - b1452; b4400; b4685]
- a** *kiellandi* Carcasson, 1965; *Alaena* OD: J. E. Afr. nat. Hist. Soc. 25:132, f [b0709] [TypeL - Tanzania.] [Refs - b1452; b4400]
- a** *kiellandi* Stempffer, [1973]; *Lepidochrysops* OD: Bull. Soc. ent. Fr. 77(7-8):250, f 4,6 [b4410] [Type: MNHN-ht] [TypeL - Mugombazi, Kigoma, Tanzania.] [Note - Described as a ssp of *aneriis*.] [Refs - b1452; b4410]
- b** *kiellandi* Stempffer, [1973]; *Aphnaeus* OD: Bull. Soc. ent. Fr. 77(7-8):250 [b4410] SS: erikssoni Trimen, 1891; *Aphnaeus* [Type: MNHN-ht] [TypeL - Sitebi, Mpanda, Tanzania.] [Refs - b0103; b1452; b4410]
- a** *kigezi* Stempffer, 1956; *Themnomiphas* OD: Anns Mus. r. Congo Belge (8vo)49:48, pl 3, f 19-22 [b4388] [Type: BMNH-ht] [TypeL - Kayonza, Kigezi, Uganda.] [Refs - b1452; b4388; b4400]
- b** *kigezi* Stempffer, 1956; *Liptena* OD: Anns Mus. r. Congo Belge (8vo)49:8, pl 2, f 1,2 [b4388] SS: stempfferi Berger, 1954; *Liptena* (Tetrarhanis) [Type: BMNH-ht] [TypeL - Kayonza, Kigezi, Uganda.] [Refs - b0827; b1452; b4388; b4400]
- b** *kigezi* Stempffer & Bennett, 1958; *Iolaus* OD: Bull. Inst. franc. Afr. Noire 20(A):1287 [b4418] SS: ialos (H. H. Druce), 1896; *Iolaus* (Argiolaus) [TypeL - Uganda.] [Refs - b1452; b4400]
- b** *kigezi* Stempffer, 1961; *Anthene* OD: Anns Mus. r. Afr. cent. (8vo) (Zool.)94:63 [b4393] SS: hobleiyi (Neave), 1904; *Anthene* [Type: MRAC-ht] [TypeL - Mafuga Forest, Kigezi, Uganda.] [Refs - b1452; b4400; b4393]
- b** *kigoma* Kielland, 1978; *Telipna* OD: Tijdschr. Ent. 121(4):193, pl 11, f 43-45 [b2730] SS: sanguinea Plötz, 1880; *Telipna* [Type: NMN-ht] [TypeL - Lubalizi, Kigoma, Tanzania.] [Refs - b1610 (6236-E10); b2730]
- b** *kijevensis* (Sheljuzhko), 1928; *Lycaena* OD: Lep. Rdsch. 2:64 [b4168] SS: nausithous (Bergsträsser), [1779]; *Maculinea* [TypeL - Austria.] [Refs - b0236; b0066; b0471]
- a** *kiki* Larsen, 1975; *Tarucus* OD: Bull. Inst. fond. Afr. Noire 37(A)3:684-686 [b2897] [TypeL - Hamdala Hotel, Kaduna, Nigeria.] [Refs - b1610 (6646-E9); b0108; b1452; b2899]
- b** *kikuyu* (Bethune-Baker), 1910; *Lycaenesthes* OD: Trans. ent. Soc. Lond. 58(1):37, pl 2, f 2 [b0343] SS: otacilia (Trimen), 1868; *Anthene* [Type: BMNH-st] [TypeL - Kikuyu District.] [Refs - b1452; b0343; b4400]
- a** *kilimandjarensis* (Strand), 1909; *Cupido* OD: Int. ent. Z. 3(23):129 [b4494] CG: *Lepidochrysops* [TypeL - E. Africa.] [Note - Not spelled *kilimanjarensis*.] [Refs - b4494; b1452 (as *kilimanjarensis*); b4528; b4400]
- e** *kilimanjarensis* d'Abrebra, 1980, (ISS); *Lepidochrysops* OD: Butts Afrotropical Region :564 [b1452] SS: *kilimandjarensis* (Strand), 1909; *Lepidochrysops* [Refs - b1452]
- a** *kilimensis* Kielland, 1985; *Uranotauma* OD: *Lambillionea* 84(9-10):86, f [b2733] [Type: pc-ht; collection of Kielland.] [TypeL - Tanzania.] [Refs - b0119; b2733]
- c** *kiliassi* Christ, 1883; *Plebejus* OD: Jber. naturf. Ges. Graubündens (nŉ)26:10 [b0785] SS: argus (Linnaeus), 1758; *Plebejus* [Refs - b0236; b0410; b0989 (as *kiliassii*); b0471] (also as *kiliassi*)
- a** *kimboza* Kielland, 1990; *Triclema* OD: Butts Tanzania :209, f [b2738] [TypeL - Tanzania.] [Refs - b0125]
- a** *kina* Hewitson, [1869], 1863-1878; *Hypolycaena* OD: Ill. dium. Lep. Lycaenidae 1:13, pl 5, f 32-34 [b2326] CG: *Hypolycaena* (Chliaria) [TypeL - Sikkim, India.] [Refs - b0964; b4198; b1636; b0965; b4094; b2747; b1454; b0694]
- b** *kina* Cowan, 1974; *Drupadia* OD: Bull. Br. Mus. nat. Hist. (Ent.) 29(6):318, pl 3, f 62,66 [b1030] SS: *rufotaenia* (Fruhstorfer), [1912]; *Drupadia* [Type: BMNH-ht] [TypeL - Kina Balu, Sabah, Borneo.] [Refs - b1030; b0105; b1454; b4108]
- b** *kina* Parsons, 1986; *Callicūta* OD: Bull. Allyn Mus. (103):10, f 5, 32-39, 83-89 [b3549] SS: lara Parsons, 1986; *Callicūta* [Type: ANIC-ht; #2380] [TypeL - Feramin, Telefomin, New Guinea.] [Refs - b3549]
- a** *kinabala* H. H. Druce, 1895; *Arhopala* OD: Proc. zool. Soc. Lond. 1895(3):592 [b1362] CG: *Arhopala* b [TypeL - Mt. Kinabalu, Borneo.] [Refs - b1644; b2200; b1362; b1454; b4108]
- c** *kinbote* Bálint & Johnson, 1993; *Pseudolucia* OD: Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (27):18, f [b0212] SS: *scintilla* (Balletto), 1993; *Pseudolucia* [Type: FMNH-ht] [TypeL - Hacienda. Ilapel, Reg. Coquimbo, Chile.] [Refs - b0212; b0207]
- c** *kindermanni* (Lederer), 1852; *Lycaena* OD: Verh. zool.-bot. Ges. Wien 2:37 [b2951] SS: *carmon* (Herrich-Schäffer), [1851]; *Polyommatus* (Agrodiaetus) [Refs - b2747; b0993; b1772 (maybe senior); b2794; b4092]
- c** *kingana* (Matsumura), 1939; *Lycaena* OD: Bull. Biogeogr. Soc. Japan 9(20):357, f [b3105] SS: *opulete* (Knoch), 1781; *Plebejus* (Vacciniina) [TypeL - Manchuria.] [Refs - b0083]
- a** *kingi* (Klots & Clench), 1952; *Strymon* OD: Amer. Mus. Novit. (1600):2, f [b2779] CG: *Satyrium* [Type: AMNH-ht] [TypeL - Savannah, Georgia.] [Refs - b1530 :194, f 364; b1321 :58; b0851; b3078; b0528; b1944; b4228; b3192; b0056; b3512; b2631; b4066]
- e** *kinkura* Riley & Corbet, 1938, (ISS); *Jamides* OD: Trans. R. ent. Soc. Lond. 87(5):151 [b3786] SS: *kinkurka* C. Felder, 1862; *Jamides* [Refs - b1454; b4594; b3786]
- b** *kinkurka* C. Felder, 1862; *Jamides* OD: Verh. zool.-bot. Ges. Wien 12:481 [b1677] SS: *celeno* (Cramer), [1775]; *Jamides* [TypeL - Nicobar.] [Refs - b1636; b3786; b2747; b4094; b1865; b1454 (as *kinkura*); b0694]
- b** *kinoshitai* Hayashi, 1976; *Ponitia* OD: Tyô to Ga 27(2):49, f [b2183] SS: *erycinoides* (Felder & Felder), 1865; *Ponua* [TypeL - Palawan, Philippines.] [Refs - b0109; b2200]
- c** *kinumbensis* (Dufrane), 1945; *Deudorix* OD: Bull. Anns Soc. ent. Belg. 81:120 [b1409] SS: *mera* (Hewitson), 1873. *Hypokopelates* [TypeL - Kivu.] [Refs - b1452; b4400]
- a** *kirbariensis* (Tytler), 1915; *Zephyrus* OD: J. Bombay nat. Hist. Soc. 24(1):130, pl 4, f 36,37 [b4772] CG: *Chrysozephyrus* [Type: BMNH-ht] [Note - Not spelled *kirubariensis*.] [Refs - b1636; b0236; b4214 (as *kirubanensis*); b4200; b3296; b1454; b0694; b2463]
- a** *kirbyi* Dewitz, 1879; *Hewitsonia* OD: Nova Acta Acad. Caesar. Leop. Carol. 41(2):207 (=35), pl 2, f 17 [b1218] [TypeL - Guinea.] [Note - As *kirbyi* in *Zool. Rec.*] [Refs - b0151 (f 1a,b of pupae); b1452; b4400]
- a** *kirbyi* (Aurivillius), 1895; *Penula* OD: Ent. Tidskr. 16:198 [b0151] CG: *Omipholidotos* [TypeL - Africa.] [Type of - *Omipholidotos*] [Note - Placed on Official List (#2198) by Op 814.] [Refs - b1019 :6; b2280; b0151; b1452; b0836; b4400; b3151; b2532]
- b** *kirishimaensis* (Okajima), 1922; *Zephyrus* OD: Zool. Mag. 34:585-588, f [b3477] SS: *ataxus* (Westwood), [1851]; *Thermozephyrus* [TypeL - Japan.] [Refs - b2479; b1900; b4543; b4214; b1898; b5056; b3475; b3296; b3485; b2463; b1455]

- b *kiritana* Doherty, 1891; Curetis OD: J. asiat. Soc. Bengal, Pt II 60(2):179 [b1304] SS: sperthis (Felder & Felder), 1865; Curetis [Refs - b4094; b1454; b1573; b4592]
- a *kiriwini* Bethune-Baker, 1903; Arhopala OD: Trans. zool. Soc. Lond. 17(1):38, pl 1, f 10 [b0331] CG: Arhopala h [Type: BMNH-ht] [TypeL - Trobriand Island.] [Refs - b1644; b1450 (as kiriwini); b4094]
- a *kirschl* Röber, [1886]; Dicallaneura OD: CorrespBl. ent. Ver. Iris 1(3):50, pl 5, f 14 [b3820] [TypeL - Aru Island.] [Refs - b1450; b4474; b1840]
- a *kirtoni* Eliot, 1984; Nacaduba OD: Malay Nat. J. 38(2):100, f 1 [b1568] [Type: BMNH-ht] [TypeL - Wray's Camp, Taman Negara, Pahang, Malay Peninsula.] [Refs - b1568; b2387; b2388]
- c *kirubariensis* Shirôzu & Yamamoto, 1956, (ISS); Chrysozephyrus OD: Sieboldia 1(4):385 [b4214] SS: kirbariensis (Tyler), 1915; Chrysozephyrus [Refs - b4214]
- b *kisaba* (Joicey & Talbot), 1921; Catochrysops OD: Bull. Hill Mus. 1(1):100, pl 16, f 94,95 [b2655] SS: meruanus Aurivillius, 1910; Harpendyreus [Type: BMNH-st] [TypeL - Kisaba Forest, E. Lake Kivu.] [Refs - b0113; b1452; b0162; b4400; b2655]
- b *kitale* (Stempffer), [1937]; Neochrysops OD: Bull. Soc. ent. Fr. 41(18):284 [b4365] SS: cinerea (Bethune-Baker), 1923; Lepidochrysops [Type: MNHN-ht] [TypeL - Uasin Gishu, Kitale, Kenya.] [Refs - b1452; b4365; b4400]
- a *kitawakili* Koiwaya, 1993; Cordelia OD: Stud. Chin. Butterflies 2:51, f [b2818] [TypeL - Hubei, China.] [Refs - b0126]
- c *kitjila* Ribbe, 1926; Arhopala OD: Ent. Mitt. 15(1):87 [b3742] SS: acetes (Hewitson), 1862; Arhopala g [Type: SMT-lt; designated by Takanami, 1989] [Tyô to Ga 40(1):51 [b4602]] [TypeL - C. W. Celebes.] [Refs - b1644; b3742; b4602]
- b *kitobolensis* (Strand), 1912; Deudoryx OD: Arch. Naturgesch. (A)78(9):145 [b4510] SS: antalus (Hopffer), 1855; Deudoryx (Virachola) [TypeL - Congo.] [Refs - b4528; b4400]
- b *kivuensis* (Joicey & Talbot), 1921; Catochrysops OD: Bull. Hill Mus. 1(1):99, pl 16, f 91-93 [b2655] SS: parsimon (Fabricius), 1775; Lepidochrysops [Type: BMNH-ht] [TypeL - Nr Loya Valley, 15 miles south of Irumu.] [Refs - b1452; b4400; b2655]
- b *kivuensis* Riley, 1932; Abisara OD: Novit. zool. 37:184 [b3775] SS: neavei Riley, 1932; Abisara [TypeL - Kamerun.] [Refs - b1452]
- a *klyokoe* Sakai, 1978; Lycaena OD: Atalanta (Münnerstadt) 9(1):115 [b3909] CG: Lycaena (Lycaena) [TypeL - Afghanistan.] [Refs - b3910]
- c *klanga* (Corbet), 1938; Nacaduba OD: Trans. R. ent. Soc. Lond. 87(5):142 [b0938] SS: goberus (Fruhstorfer), 1916; Anthene [TypeL - Malaya.] [Refs - b0964; b4679; b0938; b0965]
- b *klaphecki* (Courvoisier), 1910, 1910-1911; Lycaena OD: Ent. Zeit. 24:148 [b0985] SS: eroudes (Staudinger), 1892; Polymnatus [TypeL - Shandong.] [Refs - b0236; b3301; b0471; b0985]
- b *klausrosel* (Bálint & Kenes & Lukhtanov), 1992; Plebeius OD: Ent. Obozr. 71(4):863-886 [b0216] SS: zephyrinus (Christoph), 1884; Plebejus (Plebejides)
- c *ab. kinzigii* Vicol, 1977; Plebejus OD: Bull. Soc. ent. Mulhouse 1977:55 [b4870] SS: argus (Linnaeus), 1758; Plebejus [Refs - b0109]
- b *klossi* (Corbet), 1937; Celastrina OD: Trans. R. ent. Soc. Lond. 86(2):26 [b0934] SS: arisunus (Fruhstorfer), [1917]; Udara (Udara) [Type: BMNH-ht] [TypeL - Pulau Tioman, West Malaysia.] [Refs - b0964; b0965; b1580]
- b *klossi* Corbet, 1941; Arhopala OD: Proc. R. ent. Soc. Lond. (B)10(9):156 [b0956] SS: moolaiiana (Moore), [1879]; Arhopala b [Type: BMNH-ht] [TypeL - Sipora.] [Refs - b1644; b0956; b1454]
- b *klossi* Riley, [1945]; Sithon OD: Trans. R. ent. Soc. Lond. 94(2):269 [b3782] SS: nedymond (Stoll), [1780]; Sithon [Type: BMNH-ht] [TypeL - Sipora.] [Refs - b3782]
- b *klossi* Riley, [1945]; Cyaniriodes OD: Trans. R. ent. Soc. Lond. 94(2):252 [b3782] SS: libna (Hewitson), [1869]; Cyaniriodes [Type: BMNH-ht] [TypeL - Siberut Island.] [Refs - b3782]
- c *klotsi* (Field), 1936; Lycaena OD: Ent. News 47(5):123 [b1731] SS: heteronea (Boisduval), 1852; Chalceria [Type: USNM-ht] [TypeL - Broadwater County, Montana.] [Refs - b0074; b3192; b3189; b1321]
- b *knobeli* (van Son), 1959; Phasia OD: Koedoe (2):56 [b4809] SS: sardonix (Trimen), 1868; Tylopaedia [TypeL - Cape Province, South Africa.] [Refs - b4400; b4685]
- a *knysna* (Trimen), 1862; Lycaena OD: Trans. ent. Soc. Lond. (3)1:282 [b4716] CG: Zizeeria [Refs - b1943; b4198; b0964; b1450; b4178; b1259; b2375; b3059; b2747; b0995; b2479; b1752; b0113; b2905; b5055; b1705; b1452; b0836; b2898; b4412; b4400; b1226; b3609; b4934; b2859; b3850; b1455]
- a *koa* (H. Druce), 1876; Lycaena OD: Proc. zool. Soc. Lond. 1876(1):239, pl 18, f 7 [b1388] CG: Madeleinea [Type: BMNH-lt; designated by Bálint, 1993] [Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (29):26 [b0207]] [TypeL - Pozuzo, Peru.] [Refs - b2753; b2221; b3326; b0207]
- a *koena* (Strand), 1911; Cupido OD: Annl. Soc. ent. Belg. 55:145 [b4499] CG: Lepidochrysops [TypeL - D. O. Afrika.] [Refs - b0162; b1452 (as koena); b4499; b4528; b4400 (as koena)]
- c *kobei* Tutt, 1908, 1905-1914; Celastrina OD: Nat. Hist. Brit. Butts 2:401 [b4760] SS: argiolus (Linnaeus), 1758; Celastrina [Refs - b0995; b0236; b4092]
- e *ab. kochi* Strand, 1902; Lycaena OD: Nyt Mag. naturvid. 40:162 [b4491] SS: phlaeas (Linnaeus), 1761; Lycaena (Lycaena) [Refs - b0236; b0389 (as kocki); b4092]
- a *kodama* Eliot & Kawazoe, 1983; Udara OD: Butts Lycaenopsis group :136, f 94, 505, 321 [b1580] CG: Udara (Perivaga) [Type: ANIC-ht] [TypeL - Mt Kaindi, Kodama Range, Papua New Guinea.] [Refs - b1580; b3550]
- c *kodi* (Evans), 1910; Nacaduba OD: J. Bombay nat. Hist. Soc. 20(2):387 [b1625] SS: ardates (Moore), [1875]; Prosotas [Type: BMNH-ht] [TypeL - Palni Hills.] [Refs - b4676; b1636; b0236; b0694]
- c *kodiak* (Edwards), 1870; Lycaena OD: Trans. amer. ent. Soc. 3(1):20 [b1499] SS: amica (Edwards), 1863; Plebejus (Icanca) [Type: FMNH-lt; designated by Brown, 1970] [Trans. amer. ent. Soc. 96:382 [b0510]] [TypeL - Kodiak.] [Refs - b2747; b0109; b3192; b1499; b1321]
- c *kuchleri* Ajmat de Toledo, 1978; Eiseliana OD: Acta zool. lilloana 33(1):80, f 1-6 [b0033] SS: punona (Clench), 1944; Eischiana [Type: FMLT-ht] [TypeL - Argentina.] [Type of - Eiseliana] [Refs - b1610 (4749-E10); b0033; b2631; b0126]
- e *koena* Stempffer, 1967, (ISS); Lepidochrysops OD: Bull. Br. Mus. nat. Hist. (Ent.) Suppl. 10:231 [b4400] SS: koena (Strand), 1911; Lepidochrysops [Refs - b4400]
- b *koenigswarteri* Schröder & Treadaway & Nuyda, 1993; Jamides OD: Fil-Kulsap 1(2):6 [b3995] SS: cyta (Boisduval), 1832; Jamides [Type: pc-ht; collection of Treadaway] [TypeL - Calapan, Mindoro, Philippines.] [Refs - b3995]
- a *kogistana* (Grum-Grshimailo), 1888; Lycaena OD: Horae Soc. ent. ross. 22:306 [b2066] CG: Plebejus (Eumedonia) [TypeL - Pamirs, Central Asia.] [Refs - b0993; b2827; b4092]

- b kohlibabaensis** Sakai, 1978; *Polyommatus* OD: *Atalanta* (Münsterstadt) 9(1):116 [b3909] SS: *devanica* Moore, [1875]; *Polyommatus* [TypeL - Afghanistan.] [Refs - b3910]
- a kohimensis** (Tytler), 1912; *Ilerda* OD: *J. Bombay nat. Hist. Soc.* 21(2):598, pl B, f 3 [b4770] CG: *Heliophorus* [TypeL - Naga Hills.] [Refs - b1636; b4094 (also as *kohy.*); b4220; b0236 (as *hoh.*); b1454; b0694; b1549]
- a kohll Aurivillius**, [1921], 1908-1925; *Deudorix* OD: In Seitz, *Grossschmett. Erde* 13:370 [b0162] CG: *Deudorix* (*Pilodeudorix*) [TypeL - Congo.] [Refs - b1452; b4395; b4400]
- e ab. kohlsaati** Gunder, 1932; *Polyommatus* OD: *Pan-Pac. Ent.* 8(3):127 [b2102] SS: *bryanti* Leussler, 1935; *Polyommatus* (*Agriades*) [Type: AMNH-ht] [TypeL - Mount McKinley National Park, Alaska.] [Refs - b0070; b3192; b1321]
- e kohymensis** (Seitz), [1927], 1912-1927, (ISS); *Ilerda* OD: In Seitz, *Grossschmett. Erde* 9:1018 [b4094] SS: *kohimensis* (Tytler), 1912; *Heliophorus* [Note - Correct in text and index.] [Refs - b4094]
- b kolwayasi** Inomata, 1989; *Fixsenia* OD: *Stud. Chin. Butterflies* 1:237, f [b2504] SS: *iyonis* (Ôta & Kusunoki), 1957; *Fixsenia* [TypeL - China.] [Refs - b0123]
- b kollirel** (Murayama), 1957; *Cyaniris* OD: *New Ent.* 6(2/3):39, f [b3284] SS: *semiarigus* (Rottemburg), 1775; *Polyommatus* (*Cyaniris*) [TypeL - Japan.] [Refs - b0098]
- e kokopana** (Seitz), [1924], 1912-1927, (ISS); *Nacaduba* OD: In Seitz, *Grossschmett. Erde* 9:918 [b4094] SS: *kokopana* (Ribbe), 1899; *Catopyrops* [Refs - b4094]
- a kokopana** (Ribbe), 1899; *Nacaduba* OD: *Deut. ent. Zeit.* [ris] 12:232 [b3738] CG: *Catopyrops* [TypeL - New Britain.] [Refs - b4676; b1450; b3550; b4094 (as *kokopana*:918); b2388]
- c kolak** Higgins, 1965; *Callophrys* OD: *Entomologist* 98:10 [b2373] SS: *rubi* (Linnaeus), 1758; *Callophrys* [Type: BMNH-ht] [TypeL - Maden, Gumusane, Turkey.] [Refs - b0109; b2794; b2585; b2788 (with *suaveola*); b4247]
- a kolari** (Ribbe), 1926; *Cyaniris* OD: *Ent. Mitt.* 15(1):88 [b3742] CG: *Monodontides* (*Monodontides*) [Type: SMT-ht] [TypeL - Kalawara, Sulawesi.] [Refs - b1580; b2200; b3742]
- b kollari** (Westwood), [1851], 1846-1852; *Lycaena* OD: In *Gen. dium. Lep.* (2):491 [b4981] SS: *argiolus* (Linnaeus), 1758; *Celastrina* [TypeL - Kashmir, India.] [Note - Replacement name for *coelestina* Kollar, [1844]] [Refs - b1636; b2747; b0995; b1580; b3910]
- b kondakovi** (Kurenizov), 1970; *Lycaena* OD: *Butts Far East USSR* :120, 142 [b2864] SS: *alcon* ((Denis & Schiffemüller), 1775; *Maculinea* [Type: IBP-It; designated by Sibatani & Saigusa & Hirowatari, 1994] [Tyô to Ga 44(4):173 [b4225]] [TypeL - Supuinka River, Primor'e.] [Refs - b2827; b2866; b4225]
- b kondula** Evans, 1954; *Curetus* OD: *Entomologist* 87:194 [b1641] SS: *theus* (Drury), [1773]; *Curetus* [TypeL - Kondul Islands.] [Refs - b1454; b0694]
- b kondulana** (C. Felder), 1862; *Lycaena* OD: *Verh. zool.-bot. Ges. Wien* 12:484 [b1677] SS: *alexto* C. Felder, 1860; *Jamides* [TypeL - Kondul, Nicobars.] [Refs - b1636; b3786; b2747; b4094; b1865; b1454; b0694; b3786]
- b kondulana** (Evans), 1932; *Nacaduba* OD: *Ident. Indian Butts* (2nd ed.) :241 [b1638] SS: *helicon* (C. Felder), 1860; *Ionolyce* [Type: BMNH-ht] [TypeL - Kondul, S. Nicobars.] [Refs - b4676; b1638; b1454; b0694]
- a kongmingi** Murayama, 1992; *Satyrnum* OD: *Konchu to Shizen* (*Nature & Insects*) 27(5):41, f 11 [b3304] [TypeL - China.] [Refs - b3304; b1455]
- e ab. kononis** (Matsumura), 1926; *Lycaena* OD: *Ins. matsumur.* 1(1):29, pl 2, f 13 [b3092] SS: *maha* (Kollar), [1844]; *Pseudozizeena* [TypeL - Japan.] [Refs - b0236; b3091; b2479 (as good subspecies); b0471; b0064]
- b kontu** (Karsch), 1893; *Cupido* OD: *Berl. ent. Z.* 38(1/2):227 [b2693] SS: *carana* (Hewitson), [1876]; *Tuxentius* [TypeL - W. Africa.] [Refs - b1452; b0836; b4400; b0162]
- b kooronya** (Edwards), [1956]; *Ialmenus* OD: *Proc. R. zool. Soc. N. S. Wales* 1954-55:61 [b1481] SS: *ictinus* (Hewitson), [1865]; *Ialmenus* [TypeL - New South Wales, Australia.] [Refs - b0870]
- c korbi** Forster, *Polyommatus* OD: SS: *araratensis* (de Lesse), 1957; *Polyommatus* (*Agrodiaetus*) [Check - Original description.] [Refs - b1772]
- a korea** Johnson, 1992; *Ahlbergia* OD: *Neue Ent. Nachr.* 29:23, f [b2609] [TypeL - South Korea.] [Refs - b0126]
- c koreana** (Riley), 1939; *Thecla* OD: *Novit. zool.* 41:356 [b3778] SS: *japonica* (Murray), 1874; *Neozephyrus* [Type: BMNH-ht] [TypeL - Korea.] [Refs - b3778; b2463]
- b korene** H. H. Druce, 1891; *Nacaduba* OD: *Proc. zool. Soc. Lond.* 1891(3):361, pl 31, f 8 [b1358] SS: *bernice* (Herrich-Schäffer), 1869; *Nacaduba* [Type: BMNH-ht] [TypeL - Aola, Guadalcanal, Solomon Islands.] [Refs - b4676; b1450; b4094; b1358]
- b korion** (H. H. Druce & Bethune-Baker), 1893; *Thysonotis* OD: *Proc. zool. Soc. Lond.* 1893(3):547, pl 46, f 3 [b1382] SS: *caelius* (Felder & Felder), 1860; *Psychonotis* [TypeL - Kei Islands.] [Refs - b1450; b2078; b1866; b1382]
- c korlana** (Staudinger), 1901; *Lycaena* OD: *Cat. Lep. Palae. Faun.* (3rd ed.) :90 [b4347] SS: *prosecusa* (Erschoff), 1874; *Cupido* [Refs - b0995; b2479; b4347; b4092]
- b korshunovi** (Shtandel), 1960; *Lycaena* OD: *Ent. Obozr.* 39:695 [b4215] SS: *nausithous* (Bergsträsser), [1779]; *Maculinea* [TypeL - Siberia.]
- a korshunovi** (Dubatolov & Sergejev), 1982; *Neozephyrus* OD: *Ent. Obozr.* 61(2):375, f 1,2 [b1398] CG: *Favonius* [TypeL - Russian SFSR.] [Refs - b1399; b1399]
- c koshuna** Shirôzu, 1960, (ISS); *Deudorix* OD: *Butts Formosa* :308, 454 [b4198] SS: *koshunna* (Sonan), 1931; *Deudorix* [Refs - b4198]
- b koshunensis** Matsumura, 1919; *Chilades* OD: *Thous. Ins. Japan Addit.* 3:662, pl 53, f 6 [b3089] SS: *lajus* (Stoll), [1780]; *Chilades* [Refs - b4198; b2479; b0236 (as *koshunensis*); b5053; b4775]
- c koshunna** (Sonan), 1931; *Rapala* OD: *Zephyrus* 3(3/4):205, f [b4276] SS: *epijarbas* (Moore), [1858]; *Deudorix* [Refs - b4198 (as *hoshuna*); b0070]
- b kota** (Evans), 1957; *Narathura* OD: *Bull. Br. Mus. nat. Hist. (Ent.)* 5(3):113 [b1644] SS: *havilandi* Bethune-Baker, 1896; *Arhopala* j [Type: BMNH-ht] [TypeL - Kota Tinggi, Johore.] [Refs - b1644; b1454]
- c kotushona** (Sonan), 1940; *Amblypodia* OD: *Trans. nat. Hist. Soc. Formosa* 30:368, f [b4282] SS: *japonica* (Murray), 1874; *Arhopala* j [TypeL - Kotosho, Formosa.] [Refs - b1644; b4198; b5053; b4775; b1454; b4282]
- c kutshubeji** (Sovinsky), 1915; *Lycaena* OD: *Revue Russe Ent.* 15:388 [b4288] SS: *damon* ((Denis & Schiffemüller), 1775; *Polyommatus* (*Agrodiaetus*) [TypeL - Caucasus] [Refs - b0236; b0471 (as *kotshubeji*); b4288]
- a kotzschii** (Forster), 1956; *Agrodiaetus* OD: *Z. wien. ent. Ges.* 41:78 [b1769] CG: *Polyommatus* (*Agrodiaetus*) [TypeL - Persia.]
- b kounga** Bethune-Baker, 1896; *Arhopala* OD: In *Proc. zool. Soc. Lond.* 1896(3):662, pl 30, f 3,4 [b0326] SS: *azinis* de Nicéville, [1896]; *Arhopala* f [TypeL - Kina Balu, Borneo.] [Refs - b1644; b1454; b4094; b4108]

- c **kovacsi** (Szabó), 1954; *Plebejus* OD: *Folia ent. hung.* (ns)7:39 [b4581] SS: *sephyrus* (Fridvaldszky von Fridvald), 1835; *Plebejus* (*Plebejides*) [TypeL - It; designated by Bálint, 1990] [*Janus Pannonius Muz Evk* 34:52 [b0201]] [TypeL - Nr Budapest, Hungary.] [Refs - b0125; b0210]
- b **kozhanstshikovi** (Sheljuzhko), 1928; *Lycaena* OD: *Lep. Rdsch.* 2:116 [b4169] SS: *cyane* (Eversmann), 1837; *Polyommatus* (*Agrodiaetus*) [TypeL - Minussinsk.] [Note - Not spelled *kozhanstshikovi*.] [Refs - b0236 (as *kozhanstshikovi*); b0066; b4169; b0471 (as *kozhanstshikovi*); b1455]
- b **kratke** (Tite), 1962; *Mambara* OD: *Entomologist* 95:129 [b4675] SS: *nigropunctata* (Bethune-Baker), 1908; *Pistoria* [TypeL - New Guinea.] [Refs - b1450]
- a **krausel** Dewitz, 1889; *Mimacraea* OD: *Ent. Nachr.* 15:106, pl 1, f 1 [b1222] [TypeL - Tropical Africa.] [Refs - b1452; b4400; b2560; b4124 (as *krausi*); b1222]
- e **krimaee** (Forster), 1961, (PS); *Agrodiaetus* OD: *Z. wien. ent. Ges.* 46:8 [b1774] SS: *krymaee* (Sheljuzhko), 1928; *Polyommatus* (*Agrodiaetus*) [Note - *Otto Bang-Haas i.l.*] [Refs - b1774]
- e **krishna** Riley & Tams, 1925, (ISS); *Poritia* OD: *Zool. Rec.* 60(1923)(Ins.):226 [b3795] SS: *trishna* Fruhstorfer, 1919; *Poritia* [Refs - b3795]
- c **krodell** (Gillmer), 1900; *Lycaena* OD: *Ilte Z. Ent.* 5:50-52, pl [b1952] SS: *bellargus* (Rottemburg), 1775; *Polyommatus* (*Lysandra*) [Refs - b4092; b0471]
- b **krooni** (Dickson), 1973; *Castalius* OD: *Ent. Rec.* 85(6):137, f [b1254] SS: *hintza* (Trimen), 1864; *Zintha* [TypeL - Cape Province, S. Africa.] [Refs - b0104; b1452; b1254]
- b **krooni** Tite & Dickson, 1973; *Aloeides* OD: *Bull. Br. Mus. nat. Hist. (Ent.)* 29(5):240 [b4685] SS: *molomo* (Trimen), 1870; *Aloeides* [Type: BMNH-ht; # Rh. 17216.] [TypeL - Kunuman, Cape Province, South Africa.] [Refs - b1259; b0104; b4685]
- c **kruegeri** (Bargmann), 1930; *Lemonias* OD: *Int. ent. Z.* 24(31):331 [b0238] SS: *thara* (Hewitson), [1858]; *Calospila* [TypeL - Amazonas.] [Refs - b0238 (krügeri)]
- a **kruera** (H. H. Druce), 1891; *Thysonotis* OD: *Proc. zool. Soc. Lond.* 1891(3):364, pl 31, f 16, 17 [b1358] CG: *Psychonotus* [TypeL - Florida Island, Solomon Islands.] [Refs - b1450; b2078; b0111; b1358; b1866; b2388; b1382]
- b **krymaee** (Sheljuzhko), 1928; *Lycaena* OD: *Lep. Rdsch.* 2:45 [b4168] SS: *poseidon* (Herrich-Schäffer), [1851]; *Polyommatus* (*Agrodiaetus*) [TypeL - Crimea.] [Refs - b2827; b0236; b0066, b3366, b1774; b0471]
- a **krystyna** d'Abreira, 1980; *Zentis* OD: *Butis Afrotropical Region* :484, f [b1452] [TypeL - Angola.] [Refs - b0113; b1452]
- a **kuafu** Hsu & Lun, 1994; *Sibatanozephyrus* OD: *J. Lep. Soc.* 48(2):143, f [b2476] [Type: NTULM-ht] [TypeL - Mt. N. Chauenshan, Sanhsia, Taipei Hsien, Taiwan.] [Refs - b2476]
- a **kudaratus** Takanami, 1990; *Allotinus* OD: *Tyô to Ga* 41(2):67, f [b4605] [Type: pc-ht; collection of Takanami.] [TypeL - Philippines] [Refs - b0124]
- b **kudrmai** (Kocak), 1980; *Agnades* OD: *Nota lepid.* 2(4):142 [b2790] SS: *pyrenaicus* (Boisduval), 1840; *Polyommatus* (*Agnades*) [Type: biblo, replacement for *rebels* Tulcschkow, 1932.] [Refs - b0113, b2790; b0410 (as *rebels*)]
- b **kuehni** (Röber), [1886]; *Plebejus* OD: *CorrespBl. ent. Ver. Iris* 1(1):60, pl 4, f 29 [b3820] SS: *puspa* (Horsfield), [1828]; *Acytotelepis* [Type: -It; designated by Ribbe, 1926] [*Ent. Mit.* 15(1):89 [b3742]] [TypeL - Sulawesi.] [Refs - b1580; b2200; b1840 (as *kühni*)]
- a **kuehni** (Röber), 1887; *Jolaus* OD: *CorrespBl. ent. Ver. Iris* 1(4):195, pl 9, f 12 [b3821] CG: *Paruparo* [Type: SMT-It; designated by Takanami, 1989] [*Tyô to Ga* 40(1):52 [b4602]] [TypeL - Banggai Island.] [Refs - b4094 (as *kühni*); b3821 (as *kühni*); b4602; b0125]
- a **kuehni** (Röber), 1887; *Amblypodia* OD: *CorrespBl. ent. Ver. Iris* 1(4):200, pl 9, f 5, 8 [b3821] CG: *Flos* [Type: BMNH-ht] [TypeL - Insel Bangkei.] [Refs - b1644; b4094 (as *kühni*); b2201; b3821 (as *kühni*); b1454 (as *kühni*); b4594]
- a **kugitangi** Zhdanko, 1984; *Turanana* OD: *Trudy zool. Inst., Leningr.* 122:104, f [b5065] [TypeL - Turkmenistan.] [Note - *Zhdanko attributes the name to Redzhepaliev, but that author never published it.*] [Refs - b0117; b5065; b3368]
- a **kulala** Evans, 1955; *Tarucus* OD: *Entomologist* 88:185 [b1642] [TypeL - Kenya.] [Refs - b1452; b4400]
- b **kuli** Toxopeus, 1929; *Zizina* OD: *Tijdschr. Ent.* 72(3/4):207 [b4699] SS: *otis* (Fabricius), 1787; *Zizina* [TypeL - Deli, Sumatra.] [Refs - b4699; b1454; b3782; b4108]
- b **kumboae** (Bethune-Baker), 1926; *Epamera* OD: *Ann. Mag. nat. Hist.* (9)17:397 [b0362] SS: *frater* (Jocey & Talbot), 1921; *Iolaus* (*Epamera*) [TypeL - Nigeria.] [Refs - b1452; b4400]
- a **kumukuleensis** Huang & Murayama, 1988; *Xinjiangia* OD: *Konchu to Shizen (Nature & Insects)* 23(12):28, f [b2477] [TypeL - China.] [Type of - Xinjiangia] [Refs - b0123]
- a **kumusiensis** Tite, 1963; *Phileris* OD: *Bull. Br. Mus. nat. Hist. (Ent.)* 14(5):239 [b4677] [Type: BMNH-ht] [TypeL - Kumusi River, British New Guinea.] [Refs - b1450; b4677]
- b **kunupiensis** (Wind & Clench), 1947; *Candalides* OD: *Bull. Brooklyn ent. Soc.* 42(1):3 [b5021] SS: *meeki* (Bethune-Baker), 1906; *Udara* (*Penivaga*) [Type: AMNH-ht] [TypeL - Mt. Kunupi, Menoo Valley, Weyland Mts, New Guinea.] [Refs - b4677; b1450; b0528; b1580; b5021]
- a **kupris** Hewitson, [1875], 1852-1877; *Anteros* OD: *Ill. exot. Butis* 5:Ery, f 4, 5 [b2323] [TypeL - Venezuela.] [Refs - b2753; b4474; b4445; b1456]
- b **kupu** (Kheil), 1884; *Plebejus* OD: *Rhop. Nias* :28 or 29, pl 5, f 34 [b2725] SS: *nora* (C. Felder), 1860; *Prostotas* [Type: BMNH-ht] [TypeL - Nias.] [Refs - b4676; b0938, b4094; b1454]
- b **kurandae** Waterhouse, 1903; *Phileris* OD: *Proc. linn. Soc. N. S. Wales* 27(4):651 [b4933] SS: *fulgens* (Grose-Smith & Kirby), 1897; *Phileris* [TypeL - Cairns District, Queensland, Australia.] [Refs - b4677; b1450; b4094; b0870; b4934; b5033]
- e **ab. kuraruna** Umeno, 1936; *Rapala* OD: *Zephyrus* 6(3/4):231 [b4778] SS: *formosana* Fruhstorfer, [1912]; *Rapala* [TypeL - Formosa.] [Refs - b4198; b4778]
- a **kurava** (Moore), [1858]; *Lycaena* OD: *In Cat. Lep. Ins E India Co.* (1):22 [b3219] CG: *Nacaduba* [Type: BMNH-ht] [TypeL - Java.] [Refs - b4676; b1636; b4198; b0964, b1450; b0965; b0938; b2479; b2747; b3916; b1454; b2385, b0870; b0694; b3258; b2387; b2388]
- b **kurdistanae** Eckweiler, 1984; *Turanana* OD: *Nachr. ent. Ver. Apollo* (nf)5(2/3):66, f [b1466] SS: *cytis* (Christoph), 1877, *Turanana* [TypeL - Turkey.] [Refs - b0117]
- b **kurdistanica** (Riley), 1921; *Heodes* OD: *Ann. Mag. nat. Hist.* (9)8:598 [b3747] SS: *thersamon* (Esper), [1784]; *Lycaena* (*Thersamonia*) [Type: BMNH-st] [TypeL - Hanir, Iran.] [Refs - b1759; b2905; b0236; b2798; b3910; b3555; b0471; b3747]
- b **kurdistanica** (Forster), 1961; *Agrodiaetus* OD: *Z. wien. ent. Ges.* 46:111 [b1774] SS: *antidolus* (Rebel), 1901; *Polyommatus* (*Agrodiaetus*) [TypeL - Kurdistan.] [Refs - b0095; b2794; b1774]

- b *kurentzovi* Koçak, 1980; *Plebejus* OD: *Nota lepid.* 2(4):142 [b2790] SS: *argus* (Linnaeus), 1758; *Plebejus* [Type: biblio; replacement for *orientalis* Kurentzov, 1970] [Refs - b0113 (as *kurentzovi*?); b2790]
- a *kurentzovi* Sibatani & Saigusa & Hirowatari, 1994; *Maculinea* OD: *Tyô to Ga* 44(4):196, f [b4225] [Type: KUCGE-ht] [TypeL - Ryanggang-Do, South Korea.] [Refs - b4225]
- b *kurilensis* (Matsumura), 1927; *Lycæna* OD: *Ins. matsumur.* 1(4):166 [b3094] SS: *opulete* (Knoch), 1781; *Plebejus* (*Vacciniina*) [TypeL - Kurile Islands.] [Refs - b1900; b2866; b0236; b0065; b0471]
- e *ab. kurilensis* (Matsumura), 1928; *Chrysophanus* OD: *Ins. matsumur.* 2(4):200 [b3096] SS: *chinensis* C. Felder, 1862; *Miletus* 1 [TypeL - Kurile Island.] [Refs - b0236; b0471]
- b *kuriliphlaeas* (Bryk), 1942; *Heodes* OD: *Deut. ent. Zeit.* [Iris] 56:19 [b0567] SS: *phlaeas* (Linnaeus), 1761; *Lycæna* (*Lycæna*) [TypeL - Kurile Islands.] [Refs - b1900 (=daimio)]
- c *kurinodakensis* Fujioka, 1975; *Antigius* OD: *Butts Japan* 1:281 [b1900] SS: *butleri* (Fenton), [1882]; *Antigius* [Refs - b1900; b0122]
- b *kurnakovi* (Kurentzov), 1970; *Lycæna* OD: *Butts Far East USSR* :140 [b2864] SS: *lygdamus* (Doubleday), 1841; *Glaucopsyche* [Refs - b2866]
- a *kuromon* Sugiyama, 1994; *Teratozephyrus* OD: *Pallarge* (4):2, f 5-8,19,20 [b4542a] [Type: pc-ht; collection of Sugiyama.] [TypeL - W.Mt. Signiang, Sichuan, China.] [Refs - b4542a]
- b *kurosawai* Hayashi, 1976; *Dacalana* OD: *Tyô to Ga* 27(1):19, f [b2182] SS: *sannio* (H. H. Druce), 1895; *Dacalana* [TypeL - Palawan, Philippines.] [Note - *Patronym - Dr. Yoshihiko Kurosawa.*] [Refs - b0109]
- c *kurosawai* Hayashi, 1981; *Neocheritra* OD: *Tyô to Ga* 32(1,2):80, f 37,38 [b2198] SS: *gertrudes* (Schröder & Treadaway), 1978; *Neocheritra* [Type: NSMT-ht] [TypeL - Philippines.] [Note - *Patronym - Dr. Yoshihiko Kurosawa.*] [Refs - b2198; b2199]
- b *kurumi* Fujioka, 1970; *Chaetoprocta* OD: *Spec. Bull. Lep. Soc. Japan* 4:25, f [b1899] SS: *odata* (Hewitson), [1865]; *Chaetoprocta* [TypeL - Godavari, Kathmandu, Nepal.]
- a *kurzi* (Distant), 1885, 1882-1886; *Narathura* OD: *Rhop. malayana* :268, pl 21, f 1 [b1285] CG: *Arhopala* b [TypeL - Malacca.] [Refs - b1644; b4094; b1564; b1454]
- a *kuscheli* (Ureta), 1949; *Thecla* OD: *Boln Mus. nac. Hist. nat. Chile* 24:98, pl 1, f 4 [b4782] CG: *Chlorostrymon* [Type: MNHNC-ht] [TypeL - Larancagua, Tarapaca, Chile.] [Refs - b0908; b3846; b4782; b2598]
- a *kutu* Corbet, 1940; *Spindasis* OD: *Entomologist* 73:42 [b0951] [TypeL - Selangor, Malay Peninsula.] [Refs - b0964; b0965; b1454; b1553; b4108]
- b *kuyaniana* (Matsumura), 1919; *Virachola* OD: *Thous. Ins. Japan Addit.* 3:626, pl 48, f 25 [b3089] SS: *chandrana* (Moore), 1882; *Sinthusa* [TypeL - Japan.] [Refs - b4198; b0109; b5052; b5053; b3343; b1454 (as *kuyoniana*, in *Deudorix*)]
- a *kuyaniana* (Matsumura), 1919; *Aphnaeus* OD: *Thous. Ins. Japan Addit.* 3:611, pl 48, f 6 [b3089] CG: *Spindasis* [TypeL - Japan.] [Refs - b4198; b0236; b5053]
- c *kuyoniana* (d'Abrebra), 1986, (ISS); *Deudorix* OD: *Butts Oriental Region, Pt 3* :631 [b1454] SS: *kuyaniana* (Matsumura), 1919; *Sinthusa* [Refs - b1454]
- b *kwaja* (Evans), 1932; *Polyommatus* OD: *Ident. Indian Butts* (2nd ed.) :227 [b1638] SS: *morgiana* (Kirby), 1871; *Plebejus* [TypeL - Baluchistan.] [Note - *Classification?*] [Refs - b0070; b1638; b0694 (as species in *Vacciniina*)]
- a *kwangtungensis* (Forster), 1942; *Zephyrus* OD: *Mitt. münchn. ent. Ges.* 32:579, pl 16, 4 f [b1767] CG: *Ravenna* [TypeL - Kwangtung, China.] [Note - *Underside looks like a Spindasis?*] [Refs - b1767; b4214 (*kwantungensis*); b4200 (genus uncertain)]
- e *kwantungensis* Shirôzu & Yamamoto, 1956, (ISS); *Ravenna* OD: *Sieboldia* 1(4):340, 408 [b4214] SS: *kwangtungensis* (Forster), 1942; *Ravenna* [Refs - b4214; b4200]
- a *kwokli* d'Abrebra, 1994; *Mesosemia* OD: *Butts Neotropical Region, Pt 4*:911, f [Type: BMNH-ht] [TypeL - Cundinamarca, Colombia.] [Refs - b1456]
- e *kwokii* d'Abrebra, 1994, (ISS); *Nymphidium* OD: *Butts Neotropical Region, Pt 4*:1012 SS: *heliotis* Bates, [1868]; *Nymphidium* [Refs - b1456]
- b *kyushuensis* Shirôzu, 1943; *Celastrina* OD: *Zephyrus* 9(3):193, f 6,10 [b4189] SS: *sugitanii* (Matsumura), 1919; *Celastrina* [Type: FAKU-ht] [TypeL - Kyushu, Japan.] [Refs - b1900; b1580; b4195; b3275]
- c *kyushuensis* Fujioka, 1975; *Iratsume* OD: *Butts Japan* 1:281 [b1900] SS: *orsedice* (Butler), [1882]; *Iratsume* [TypeL - Mt. Sobosan, Japan.] [Refs - b1900; b0122]
- a *labdacus* (Stoll), [1780], 1780-1790; *Papilio* OD: *In Cramer, Utl. Kapellen* 4(28):90, pl 336, f G,H [b4478] CG: *Euselasia* [TypeL - Surinam.] [Type of - *Erythia*] [Refs - b2280; b2988; b2747; b4474; b0680; b1456]
- c *labdacus* (Godman & Salvin), [1886], 1879-1901; *Nymphidium* OD: *Biol. centr.-amer., Lep. Rhop.* 1:471; 3-pl 47, f 17 [b1975] SS: *nymphidioides* (Butler), 1872; *Synargis* [TypeL - Guatemala.] [Refs - b4476]
- c *labdalon* Waterhouse & Lyell, 1914; *Zizina* OD: *Butts Aust.* :105 [b4947] SS: *labradus* (Godart), [1824]; *Zizina* [TypeL - Australia.] [Refs - b1450; b0870; b4094; b1475]
- e *ab. labecula* (Watson & Comstock), 1920; *Plebeius* OD: *Bull. amer. Mus. nat. Hist.* 42(10):457 [b4952] SS: *coulei* Grinnell, 1916; *Plebejus* (*Icaricia*) [Type: AMNH-ht] [TypeL - San Francisco, California.] [Refs - b0908; b3192; b1321; b4952]
- a *labes* (H. H. Druce), 1907; *Thecla* OD: *Proc. zool. Soc. Lond.* 1907(3):602, pl 36, f 6 [b1375] CG: *Tmolus* (?) [Type: pc; Druce collection.] [TypeL - Cunapo, Trinidad, B. W. I.] [Refs - b0908; b1375]
- c *labiena* (Hewitson), [1870], 1852-1877; *Eurygona* OD: *Ill. exot. Butts* 5:176, pl [44], f 88 [b2323] SS: *chrysippe* (Bates), 1866; *Euselasia* [TypeL - Nicaragua.] [Refs - b2747 (with *Ent. mon. Mag.* 6:226 (1870)); b4474]
- c *labienus* Jermyns, 1827; *Polyommatus* OD: *Vademecum* :58 [b2578] SS: *icarus* (Rottemburg), 1775; *Polyommatus* [Refs - b2747]
- a *labradus* (Godart), [1824], 1819-1824; *Polyommatus* OD: *In Ency. méth.* 9(Ins.)(2):680 [b1970] CG: *Zizina* [TypeL - Australia.] [Type of - *Zizina*] [Note - *Often seen as a subspecies of ois.*] [Refs - b2280; b1450; b4178; b2747; b4094; b1762; b2488; b0754; b4871; b4361; b0870; b4934; b1475; b1744]
- b *labranda* (Fruhstorfer), [1917]; *Lycænopis* OD: *Arch Naturgesch.* (A)82(1):37 [b1880] SS: *philippina* (Semper), 1889; *Celastrina* [Type: BMNH-ht; designated by Eliot & Kawazoë, 1983] [*Butts Lycænopis* group :248 [b1580]] [TypeL - Amboina, South Moluccas.] [Refs - b1450 (as *labranda*); b1840; b1580]
- a *labuana* Bethune-Baker, 1896; *Arhopala* OD: *In Proc. zool. Soc. Lond.* 1896(3):667, pl 30, f 12,13 [b0326] CG: *Arhopala* i [TypeL - Labuan, Borneo.] [Refs - b1644; b4094; b2199; b1454; b4108]
- b *labuana* Evans, 1954; *Curetus* OD: *Entomologist* 87:214 [b1641] SS: *agalica* (Felder & Felder), 1862; *Curetus* [TypeL - Labuan.] [Refs - b0964; b0936; b1454; b4108]
- c f. *labuschagnei* (van Son), 1959; *Phasia* OD: *Koedoe* (2):57 [b4809] SS: *argyraspis* (Trimen), 1873; *Argyraspodes* [Type: TM-ht] [TypeL - Nossob River Bed, Botswana.] [Refs - b4400; b4685]

- a **labwor** van Someren, 1957; *Lepidochrysops* OD: J. ent. Soc. S. Afr. 20(1):68 [b4803] [TypeL - Kenya; Uganda.] [Refs - b1452; b4400]
- a **lavernata** Stichel, 1909; *Mesosemia* OD: Berl. ent. Z. 54(1/2):6 [b4444] [TypeL - Surinam.] [Refs - b4474; b1456]
- c **laceyl** (Barnes & McDunnough), 1910; *Callicista* OD: Can. Ent. 42(11):365 [b0245] SS: alea (Godman & Salvin), [1887]; *Strymon* [Type: USNM-hi] [TypeL - Del Rio, Texas.] [Refs - b1530 :219, f 422; b1321 :56; b0907; b0552; b3192; b4066]
- a **lachares** (Hewitson), [1878], 1863-1878; *Lycaenesthes* OD: Ill. diurn. Lep. Lycaenidae 1:225, 2:pl --, f 33,34 [b2326] CG: *Anthene* [TypeL - Cameroons.] [Refs - b1452; b0836; b4400; b2887]
- c **lacheres** Stempffer, 1967, (ISS); *Anthene* OD: Bull. Br. Mus. nat. Hist. (Ent.) Suppl. 10:189 [b4400] SS: *lachares* (Hewitson), [1878]; *Anthene* [Refs - b4400]
- c **laches** (Fabricius), 1793, 1792-1799; *Hesperia* OD: Ent. syst. 3(1):317 [b1657] SS: *bibulus* (Fabricius), 1793; *Lachnocnema* [TypeL - America.] [Refs - b2747; b5076]
- a **lacidis** (Hewitson), 1874; *Lycaenesthes* OD: Trans. ent. Soc. Lond. 22(3):348 [b2341] CG: *Triclema* [TypeL - Angola.] [Refs - b2753; b1452; b4400]
- c **lacon** Jermyns, 1827; *Polyommatus* OD: *Vademecum* :58 [b2578] SS: *icarus* (Rottemburg), 1775; *Polyommatus* [Refs - b2747]
- a **laconia** Hewitson, 1868; *Thecla* OD: Descr. new Spec. Lycaenidae :10 [b2327] CG: *Thecla* (New World Eumaeini) [Type: BMNH] [TypeL - Amazon.] [Refs - b0908; b2747; b1375]
- b **lacrmosa** Stichel, 1915; *Semomesia* OD: Deut. ent. Zeit. 1915:660 [b4451] SS: *croesus* (Fabricius), 1777; *Semomesia* [Type: BMNH-hi] [TypeL - Rio Meta, Colombia.] [Refs - b4474; b4451]
- a **lacrmosa** (Bethune-Baker), 1923; *Neochrysops* OD: Trans. ent. Soc. Lond. 70(3/4):281 [b0359] CG: *Orachrysops* [Type: BMNH] [TypeL - Newcastle, Natal.] [Note - Also seen in *Euchrysops*.] [Refs - b1259; b1452 (in *Euchrysops*); b0359; b4400; b0122]
- a **lacrines** Hewitson, 1870; *Eresia* OD: Ent. mon. Mag. 7:5 [b2332] [TypeL - Nicaragua.] [Refs - b2747; b4475; b2753; b1456]
- c **ab. lacrymosa** Oberthür, 1910; *Maculinea* OD: Étud. Léop. comp. 4:328 [b3451] SS: *arion* (Linnaeus), 1758; *Maculinea* [Refs - b0236; b0400; b0471]
- c **lacta** Stempffer, 1967, (ISS); *Mimacraea* OD: Bull. Br. Mus. nat. Hist. (Ent.) Suppl. 10:31 [b4400] SS: *lacta* Schultze, 1912; *Mimacraea* [Refs - b4400]
- c **lactea** Le Moul, 1940, 1939-1940, (IFS); *Helicopsis* OD: Novit. ent. (16):122 [b2943] SS: *cupido* (Linnaeus), 1758; *Helicopsis* [Type: AME-hi] [Refs - b3199]
- a **lacteata** (de Nicéville), 1895; *Lampides* OD: J. Bombay nat. Hist. Soc. 10(1):36 [b1160] CG: *Jamides* [TypeL - Ceylon.] [Refs - b1636; b4094; b1454; b0694; b2388]
- c **lacteata** Stichel, 1919; *Euselasia* OD: Deut. ent. Zeit. 1919:167 [b4454] SS: *eutyclus* (Hewitson), [1856]; *Euselasia* [Refs - b4474]
- a **lacteata** Stempffer & Bennett, 1963; *Falcuna* OD: Bull. Br. Mus. nat. Hist. (Ent.) 13(6):180, f [b4421] [Type: BMNH-hi] [TypeL - Angola.] [Refs - b1452; b4421; b4400]
- c **lacteoradiata** Le Moul, 1940, 1939-1940, (IFS); *Helicopsis* OD: Novit. ent. (16):122 [b2943] SS: *cupido* (Linnaeus), 1758; *Helicopsis* [Type: AME-hi] [Refs - b3199]
- b **lactifusa** Stichel, 1910; *Teratophthalma* OD: Gen. Insectorum 112(A):78 [b4446] SS: *axilla* (H. H. Druce), 1904; *Teratophthalma* [Type: pc-ht; collection of Niepelt] [TypeL - Macas, Ecuador.] [Refs - b4474; b4446]
- b **lactinatus** (Butler), [1886]; *Castalius* OD: Proc. zool. Soc. Lond. 1885(4):764, pl 47, f 3 [b0633] SS: *cretosus* (Butler), 1876; *Tuxentius* [TypeL - Somaliland.] [Refs - b1452; b4400; b0162]
- a **lacturnus** (Godart), [1824], 1819-1824; *Polyommatus* OD: In Ency. méth. 9(Ins.)(2):660 [b1970] CG: *Everes* [TypeL - Timor.] [Refs - b0964; b4198; b1450; b0965; b2747; b4094; b2479 (as *lacturus*); b2699; b1454; b0696; b4592; b4595; b4601; b4604; b4108]
- b **lacustris** (Beuret), 1938, 1938-1939; *Lycaeides* OD: Ent. Rundsch. 55:683 [b0377] SS: *idas* (Linnaeus), 1761; *Plebejus* (*Lycaeides*) [TypeL - Switzerland.] [Refs - b0410; b0076]
- b **lacustris** (Freeman), 1939; *Plebejus* OD: Can. Ent. 71(8):180 [b1791] SS: *franklinii* (Curtis), 1835; *Polyommatus* (*Agriades*) [Type: CNC-hi] [TypeL - Norway House, Manitoba.] [Refs - b3192; b1321]
- e **lacyi** (Sharp), [1911], (ISS); *Callicista* OD: Zool. Rec. 47(1910)(Ins.):321 [b4140] SS: *laceyi* (Barnes & McDunnough), 1910; *Strymon* [Refs - b0908]
- e **ab. lada** (Kozhanchikov), 1936; *Lycaena* OD: Folia zool. hydrobiol. 9:24 [b2837] SS: *lycormas* (Butler), 1866; *Glaucopsyche* [TypeL - Siberia.] [Refs - b0074; b2837]
- b **ladon** (Cramer), [1780], 1775-1790; *Papilio* OD: *Uitl. Kapellen* 3(23):141, pl 270, f D,E [b1069] SS: *argiolus* (Linnaeus), 1758; *Celastrina* [Type: AME-nt; designated by Clench & Miller, 1980] [J. Lep. Soc. 34(2):117 [b0856]] [TypeL - Patuxent River, Anne Arundel County, Maryland.] [LifeH - Tietz lists, under pseudargiolus, b0415, b5004, b3933, b1505, b1511, b3176, b1521, b3244, b0001, b0470, b0875, b0902, b1496, b1700, b1792, b2429, b3119, b3244, b4088, b4090, b4089, b4814.] [Refs - b0908 (in *Thecla*); b0856; b2747; b0113; b1580; b1343; b3192; b3512; b5015; b0856; b4066; b4652; b1722]
- b **ladonides** (de L'Orza), 1869; *Lycaena* OD: *Lépidoptères Japonais* :20 [b1142] SS: *argiolus* (Linnaeus), 1758; *Celastrina* [Type: -st; not located by Eliot & Kawazoé, 1983] [TypeL - Japan.] [Refs - b4115; b2747; b2479; b0995; b1900; b1580; b4195; b1840; b4092; b0471; ns2550]
- b **laduanae** Schröder & Treadaway, 1989; *Dacalana* OD: Ent. Zeit. 99(15):219, f 6,7 [b3988] SS: *polyorketes* (Fruhstorfer), [1912]; *Dacalana* [Type: pc-ht; collection of Treadaway] [TypeL - Eastern Samar Province, Philippines.] [Refs - b3988]
- a **lacta** (Edwards), 1862; *Thecla* OD: Proc. Acad. nat. Sci. Philad. 14(1/2):55 or 56 [b1489] CG: *Eroria* [Type: CM-hi] [TypeL - London, Ontario.] [Type of - Eroria] [LifeH - b4088.] [Refs - b1530 :218, f 419; b1321 :55; b2280; b2747; b2780, b1343; b3192; b3512; b4253; b3188; b2631; b4066; b4652]
- a **lacta** Schultze, 1912; *Mimacraea* OD: Ent. Rundsch. 29(7):49 [b4012] [TypeL - Kamerun.] [Refs - b0162; b1452; b4012; b4400 (as *lacta*)]
- c **lactifica** Bates, [1868]; *Mesosemia* OD: J. linn. Soc. Lond., Zool. 9:373 [b0267] SS: *philocles* (Linnaeus), 1758; *Mesosemia* [TypeL - Para.] [Refs - b2747; b4474; b0267]
- c **lactifica** (Püngeler), 1898; *Lycaena* OD: Soc. ent. 13(8):57 [b3662] SS: *alexis* (Poda von Neuhaus), 1761; *Glaucopsyche* [TypeL - Central Asia.] [Refs - b0993; b1762; b4092]
- a **lactitia** Eliot & Kawazoé, 1983; *Udara* OD: *Butus Lycaenopsis* group :133, f 91, 303, 319, 496 [b1580] [Type: ANIC-hi] [TypeL - Mt Kaindi, Kodama Range, Papua New Guinea.] [Refs - b1580]

- a **lagora** Herrich-Schäffer, [1853], 1850-1869; *Leucochimona* OD: *Samm. neuer. aussereurop. Schmett.* 1:55, pl [13], f 43,44 [b2314] [TypeL - Surinam, New Granada.] [*Check - Original genus could be Diophtalma.*] [Refs - b2988; b2747; b0680; b1456]
- a **lagus** (Cramer), [1777], 1775-1790; *Papilio* OD: *Uitl. Kapellen* 2(10):31, pl 117, f F,G [b1069] CG: *Setabis* [TypeL - Guiana; Amazon.] [Refs - b2988; b2747; b4475; b1456]
- a **lagyra** (Hewitson), [1866], 1852-1877; *Liptena* OD: *Ill. exot. Buts* 3:[-], pl [60], f 4 [b2323] CG: *Larinopoda* [TypeL - Old Calabar.] [Refs - b2747; b1452; b4400]
- b **lahomius** (Kheil), 1884; *Miletus* OD: *Rhop. Nias* :27, pl 5, f 28,29 [b2725] SS: *marmorata* Moore, 1884; *Logania* [TypeL - Nias.] [Refs - b1840; b1571]
- b **laima** H. H. Druce, 1895; *Rapala* OD: *Proc. zool. Soc. Lond.* 1895(3):624, pl 34, f 12 [b1362] SS: *suffusa* (Moore), [1879]; *Rapala* [Type: ZMHU-lt; designated by Takunami, 1989] [Tyb to Ga 40(1):35 [b4602]] [TypeL - Mt. Kinabalu, N. E. Borneo.] [Refs - b1362; b1454 (=nemana); b4094; b4602; b4108]
- a **lais** (Boisduval), 1870; *Erycina* OD: *Consid. Léop. Guatemala* :19 [b0469] CG: *Ancylyrus* [Refs - b2747; b4474; b3717; b1456]
- a **lais** (Leech), [1893], 1893-1894; *Thecla* OD: *Buts China Japan Corea* :363, pl 29 or 39, f 4 [b2966] CG: *Satyrnum* [TypeL - China.] [Refs - b0996; b2479; b4092]
- c **lais** (Doubleday), 1847, 1844-1848, (ISS); *Lycaena* OD: *List Spec. lep. Brit. Mus.* (2):44 [b1327] SS: *lais* (Stoll), [1780]; *Chilades* [Refs - b1636; b2988; b4094; b2458; b0694; b4092]
- a **lalus** (Godman & Salvin), [1886], 1879-1901; *Nymphidium* OD: *Biol. centr.-amer., Lep. Rhop.* 1:472; 3:pl 47, f 15-16 [b1975] CG: *Calociasma* [Type: BMNH-ht] [TypeL - Vera Paz, Guatemala.] [Refs - b4476; b1456]
- a **lajus** (Stoll), [1780], 1780-1790; *Papilio* OD: In Cramer, *Uitl. Kapellen* 4(27):62, pl 319, f D,E [b4478] CG: *Chilades* [TypeL - India bor.] [Type of - *Chilades*] [*Note - Kocak makes this a primary homonym of laia. A ICZN ruling might be required for stability.*] [Refs - b0964; b4198; b1636 (as laius); b4179 (as laius); b2988 (as laius); b2280 (as laius); b0965; b4094 (as laius); b2479 (laius); b2747 (laius); b0995 (as laius); b1762 (as laius); b0236 (as laius); b0410; b2794 (as laius); b0008; b1454; b3055; b0694 (as laius); b4209]
- b **lakattl** Corbet, 1940; *Jamides* OD: *Proc. R. ent. Soc. Lond.* (B)9(1):2 [b0945] SS: *zebra* (H. H. Druce), 1895; *Jamides* [TypeL - Johore.] [Refs - b0964; b0965; b2384; b1454]
- c **al. lallemandi** (Pionneau), 1924; *Lycaena* OD: *Échange* 37:23 [b3611] SS: *bellargus* (Rottschburg), 1775; *Polyommatus* (*Lysandra*) [TypeL - France.] [Refs - b0236]
- a **lalos** (H. H. Druce), 1896; *Argiolous* OD: *Ann. Mag. nat. Hist.* (6)17:286 [b1363] CG: *lolaus* (*Argiolous*) [TypeL - Dares-Salam.] [Refs - b1943; b1259; b1452; b4950; b4400; b4436; b1363]
- c **lama** (Grun-Grshimaïlo), 1891; *Lycaena* OD: *Horae Soc. ent. ross.* 25:453 [b2068] SS: *venus* (Staudinger), 1886; *Polyommatus* [TypeL - Tibet.] [Refs - b0993; b2479; b4092; b0206]
- a **lama** Leech, [1893], 1893-1894; *Polycaena* OD: *Buts China Japan Corea* :294, pl 28, f 13,15 [b2966] [TypeL - Thibet.] [Refs - b4473; b3438; b4092; b1455]
- a **lamachus** Hewitson, [1857], 1852-1877; *Mesosemia* OD: *Ill. exot. Buts* 2:[-], pl [50], f 3-6 [b2323] [TypeL - Central America.] [Refs - b2747; b4474; b2406 (=telcogone); b1456]
- c **lamaeus** Doubleday, 1847, 1844-1848, (NN); *Bacotis* OD: *List Spec. lep. Brit. Mus.* (2):12 [b1327] [Refs - b4474]
- a **lamasem** (Oberthür), 1910; *Lycaena* OD: *Étud. Léop. comp.* 4:299, pl 41, f 303 [b3451] CG: *Plebejus* (*Lycaeides*) [Refs - b1762; b0995; b0236; b0471; b3451]
- b **lamax** Riley, [1945]; *Jamides* OD: *Trans. R. ent. Soc. Lond.* 94(2):259 [b3782] SS: *cyta* (Boisduval), 1832; *Jamides* [Type: BMNH-ht] [TypeL - Sipora.] [Refs - b3782]
- b **lambi** (Distant), 1882; *Polyommatus* OD: *Ann. Mag. nat. Hist.* (5)10:245 [b1284] SS: *puspa* (Horsfield), [1828]; *Acytolepis* [TypeL - West Malaysia.] [Refs - b0964; b0965; b1840; b2479; b1580; b2200]
- a **lamborni** H. H. Druce, 1910; *Neaveia* OD: *Proc. zool. Soc. Lond.* 1910(1):365, pl 35, f 1 [b1378] [TypeL - W. Africa.] [Type of - *Neaveia*] [Refs - b2280; b1452; b4400]
- a **lamborni** Bethune-Baker, 1914; *Aslauga* OD: In *Trans. ent. Soc. Lond.* 61(3):499 [b0349] [TypeL - Lagos, W. Africa.] [Refs - b1452; b4400]
- a **lamborni** Bethune-Baker, 1922; *Epitola* OD: *Trans. ent. Soc. Lond.* 69(3/4):461 [b0358] [TypeL - Southern Nigeria.] [Refs - b3842; b1452; b4400]
- a **lamborni** Gifford, 1965; *Alaena* OD: *Butterflies of Malawi* :41 [b1943] [Refs - b1943; b1452; b4400]
- a **lamia** (Cramer), [1777], 1775-1790, (H); *Papilio* OD: *Uitl. Kapellen* 2(13):85, pl 150, f C [b1069] CG: *Eurybia* [TypeL - Surinam.] [*Note - Homonym. A replacement name is needed.*] [Refs - b2988; b2747; b4474; b1456]
- a **lamia** Bates, [1868]; *Symmatia* OD: *J. linn. Soc. Lond., Zool.* 9:379 [b0267] [Type: BMNH-ht] [TypeL - Ega.] [Refs - b2747; b4474; b1456]
- a **lamia** (Grose-Smith), 1897; *Holochila* OD: *Ann. Mag. nat. Hist.* (6)19:179 [b2040] CG: *Candalides* [Type: BMNH-ht] [TypeL - Fergusson Island.] [Refs - b4677; b1450; b2078]
- a **lamias** (Hewitson), [1878], 1863-1878; *Lycaenesthes* OD: *Ill. dium. Lep. Lycaenidae* 1:227, 2:pl 91, f 25,26 [b2326] CG: *Triclema* [TypeL - W. Africa.] [Refs - b1452; b0836; b4400; b1585]
- a **laminifer** (Clench), 1965; *Tetrarhanis* OD: In *Buts Liberia* :300, f 185-189 [b0836] CG: *Liptena* (*Tetrarhanis*) [Type: CM-ht] [TypeL - Cameroon.] [Refs - b0836; b4400 (as laminifer); b0528; b1452]
- c **laminifer** Stempffer, 1967, (ISS); *Liptena* OD: *Bull. Br. Mus. nat. Hist. (Ent.) Suppl.* 10:57 [b4400] SS: *laminifer* (Clench), 1965; *Liptena* (*Tetrarhanis*) [Refs - b4400]
- d **lamis** (Stoll), [1780], 1780-1790, (H); *Papilio* OD: In Cramer, *Uitl. Kapellen* 4(28):88, pl 335, f F,G [b4478] OS: *molpe* (Hübner), [1808]; *Juditha* [TypeL - Surinam.] [Type of - *Juditha*] [Refs - b1023; b2988; b2280; b2747; b4475; b2221; b2497; b1456]
- b **laminas** Corbet, 1941; *Arhopala* OD: *Proc. R. ent. Soc. Lond.* (B)10(9):152, f 6 [b0956] SS: *myrzala* (Hewitson), [1869]; *Arhopala* a [Type: BMNH-ht] [TypeL - Malay Peninsula.] [Refs - b1644; b0956; b2200; b1454; b4108]
- c **lamonti** (Kaye), [1925], (IFS); *Zeonia* OD: *Trans. ent. Soc. Lond.* 72(3/4):415 [b2713] SS: *octavius* (Fabricius), 1787; *Choronea* [TypeL - Trinidad.] [Refs - b4474]
- b **lampa** (Corbet), 1940; *Zizeena* OD: *Entomologist* 73:41 [b0951] SS: *ous* (Fabricius), 1787; *Zizina* [TypeL - Singapore.] [Refs - b0964; b0965; b1454; b4108]
- c **lampedo** Doubleday, 1847, 1844-1848, (NN); *Mesene* OD: *List Spec. lep. Brit. Mus.* (2):7 [b1327] [Refs - b4474]
- a **lampetia** Godman & Salvin, [1887], 1879-1901; *Thecla* OD: *Biol. centr.-amer., Lep. Rhop.* 2:83 [b1975] CG: *Thecla* (New World *Eumacini*) [Type: BMNH] [TypeL - Cache, Costa Rica.] [*Note - Allied to badeta.*] [Refs - b0908; b1375; b1975]

- c **lampetie** ((Denis & Schiffermüller), 1775; Papilio OD: Ankündigung syst. Werkes Schmett. :322 [b1193] SS: *alciphron* (Rottemburg), 1775; *Lycaena* (*Alciphronia*) [Refs - b2747; b0996; b0389; b2797]
- a **lampeto** Godman & Salvin, [1886], 1879-1901; *Caria* OD: Biol. centr.-amer., Lep. Rhop. 1:448; pl 42 or 52, f 8,9 [b1975] [TypeL - Guatemala to Panama.] [Refs - b2988; b4474; b2497; b1116; b1456]
- a **lampon** (Lederer), 1872; *Polyommatus* OD: Horae Soc. ent. ross. 8:8, pl 1, f 2,3 [b2957] CG: *Lycaena* (*Thersamonia*) [TypeL - Persia.] [Refs - b2988; b2747; b0996; b4220; b0694 (as ssp of *solskyi*); b4092]
- c **lamponides** (Staudinger), 1901; *Chrysophanus* OD: Cat. Lep. Palae. Faun. (3rd ed) :73 [b4347] SS: *lampon* (Lederer), 1872; *Lycaena* (*Thersamonia*) [Refs - b4092]
- b **lampira** (Röber), 1926; *Cupido* OD: Ent. Mit. 15:373 [b3835] SS: *atroguttata* (Oberthür), 1876; *Phengaris* [TypeL - Assam.] [Refs - b3835]
- b **lampira** Tite, 1969; *Zizina* OD: Ent. Med. Ned.-Indië 37:64 [b4682] SS: *otis* (Fabricius), 1787; *Zizina* [TypeL - Witu, Bismarck Archipelago.] [Refs - b1450; b0100]
- a **lamproctes** (Hewitson), [1878], 1863-1878; *Lycaenesthes* OD: Ill. dium. Lep. Lycaenidae 1:225, 2-pl 91, f 31 [b2326] CG: *Neurypexina* [TypeL - W. Africa.] [Refs - b1452; b4400]
- c **lamprotenis** (Röber), 1903; *Esthemopheles* OD: Stett. ent. Ztg 64:344 [b3829] SS: *ucubis* Hewitson, [1870]; *Uraneis* [TypeL - Colombia.] [Type of - *Esthemopheles*] [Note - Not spelled *lamprotenis*.] [Refs - b2280 (as *lamprotenis*); b4475; b3829; b2881]
- e **lamprotenis** (Hemming), 1967, (ISS); *Esthemopheles* OD: Bull. Br. Mus. nat. Hist. (Ent.) Suppl. 9:170 [b2280] SS: *lamprotenis* (Röber), 1903; *Uraneis* [Refs - b2280; b2881]
- a **lampropteryx** Bates, [1868]; *Theope* OD: J. linn. Soc. Lond., Zool. 9:404 [b0267] [Type: BMNH-ht] [TypeL - Santarem.] [Refs - b2747; b4475; b1456]
- a **lampros** (Bates), [1868]; *Lemonias* OD: J. linn. Soc. Lond., Zool. 9:399 [b0267] CG: *Adelotypa* [TypeL - Upper Amazon.] [Refs - b2747; b4475; b2078; b1456]
- b **lampros** (H. H. Druce), 1897; *Thysonotis* OD: Ann. Mag. nat. Hist. (6)19:16 [b1366] SS: *danis* (Cramer), [1775]; *Danis* [TypeL - Trobriand Islands.] [Refs - b1450; b2078]
- e ♀ **f. lamprosa** Stichel, 1910; *Mesosemia* OD: Gen. Insectorum 112(A):61, pl 24, f 6g [b4446] SS: *ulrica* (Cramer), [1777]; *Mesosemia* [Type: pc-ht; collection of Stichel] [TypeL - Pozuzo, S. Peru.] [Refs - b4474]
- c **lamprosidis** (Grose-Smith), 1898; *Thysonotis* OD: Novit. zool. 5(1):105 [b2047] SS: *lampros* (H. H. Druce), 1897; *Danis* [TypeL - Trobriand Islands.] [Refs - b1450; b2078]
- c **lamprotaenia** Stichel, 1909; *Ancylyrus* OD: Berl. ent. Z. 54(1/2):39 [b4444] SS: *aulestes* (Cramer), [1777]; *Ancylyrus* [TypeL - Iquitos.] [Refs - b4474; b0569]
- b **lana** (Evans), 1957; *Narathura* OD: Bull. Br. Mus. nat. Hist. (Ent.) 5(3):124 [b1644] SS: *avatha* de Nicéville, [1896], *Arhopala* k [Type: BMNH-ht] [TypeL - Mindanao.] [Refs - b1644; b1454]
- a **lanckena** Schaus, 1902; *Thecla* OD: Proc. U. S. natn. Mus. 24(1262):422 [b3948] CG: *Thecla* (New World Eumacini) [Type: USNM-ht; #5955] [TypeL - Peru.] [Refs - b0908; b3948]
- c **f. landana** Stempffer & Bennett, 1963; *Falcuna* OD: Bull. Br. Mus. nat. Hist. (Ent.) 13(6):178 [b4421] SS: *synesia* (Hulstaert), 1924; *Falcuna* [Refs - b4421; b4400]
- a **landbecki** H. H. Druce, 1910; *Mimacraea* OD: Proc. zool. Soc. Lond. 1910(1):358 [b1378] [TypeL - Tropical West Africa.] [Refs - b1452; b4400]
- a **landbecki** Stempffer & Bennett, 1961; *Pentila* OD: Bull. Inst. franç. Afr. Noire 23(A):1165 f 85-89 [b4420] [Type: BMNH-ht] [TypeL - Upper Kasai district, Congo.] [Refs - b1452; b4420; b4400]
- b **langei** J. A. Comstock, 1939; *Apodemia* OD: Bull. S. Calif. Acad. Sci. 37(3):129, f [b0887] SS: *mormo* (Felder & Felder), 1859; *Apodemia* [Type: LACM-ht] [TypeL - E of Antioch, Contra Costa Co., California.] [Refs - b0135; b3192; b1321; b4066; b3639]
- c **langhami** (Romei), 1927; *Agriades* OD: Ent. Rec. 39:128 [b3848] SS: *thetis* Klug, 1834; *Lycaena* (*Thersamonia*) [TypeL - Spain.] [Refs - b0236]
- a **langi** Holland, 1920; *Epitola* OD: Bull. amer. Mus. nat. Hist. 43(6):217, pl 12, f 10 [b2434] [TypeL - Congo.] [Refs - b3842]
- c **langii** (Moore), [1884]; *Ilerda* OD: Proc. zool. Soc. Lond. 1883(4):526 [b3235] SS: *coruscans* (Moore), 1882; *Heliophorus* (B) [TypeL - Masuri, N. W. Himalaya.] [Refs - b1636; b1153; b0996; b2479; b4094; b3235; b0694]
- b **langstoni** (Shields), 1975; *Shijimiaeoides* OD: Bull. Allyn Mus. (28):23, f 25-28 [b4179] SS: *nooptes* (Boisduval), 1852; *Euphilotes* [Type: AME-ht] [TypeL - 6 miles S. of Sherwin Summit, Mono County, California.] [Refs - b4179; b0107; b3192; b1722]
- a **languana** Schröder & Treadaway, 1986; *Poritia* OD: Ent. Zeit. 96(24):355, f 3,4 [b3985] [Type: pc-ht; collection of Treadaway.] [TypeL - Palawan, Philippinen.] [Refs - b3985]
- e **lanieli** Le Moulit, 1940, 1939-1940, (IFS); *Helicopsis* OD: Novit. ent. (16):125 [b2943] SS: *cupido* (Linnaeus), 1758; *Helicopsis* [Refs - b3199]
- a **lanin** Bálint & Johnson, 1993; *Pseudolucia* OD: Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (27):17, f [b0212] [Type: FMLT-ht] [TypeL - Eastern side, Cordillera de los Andes, Argentina.] [Refs - b0212; b0207]
- a **lanka** (Moore), 1877; *Polyommatus* OD: Ann. Mag. nat. Hist. (4)20:341 or 342 [b3225] CG: *Udara* (*Udara*) [Type: BMNH-ht; designated by Eliot & Kawazoé, 1983] [Buts *Lycaenopsis* group :114 [b1580]] [TypeL - Ceylon.] [Refs - b1636; b1153; b1580; b1840]
- b **lanka** (Evans), 1925; *Euchrysops* OD: J. Bombay nat. Hist. Soc. 30(2):339 [b1632] SS: *pandava* (Horsfield), [1829]; *Chilades* [TypeL - India.] [Refs - b1636; b0694]
- b **lanka** Evans, 1957; *Arhopala* OD: Bull. Br. Mus. nat. Hist. (Ent.) 5(3):110 [b1644] SS: *bazaloides* (Hewitson), [1878], *Arhopala* f [Type: BMNH-ht] [TypeL - Ceylon.] [Refs - b1644; b1454]
- a **lankana** (Moore), 1879; *Deudorix* OD: Proc. zool. Soc. Lond. 1879(1):141 [b3231] CG: *Rapala* [TypeL - Kotawah forest nr Galle, Ceylon.] [Refs - b1636; b1153; b4094; b1454; b0694; b3231]
- a **lanoraicensis** Sheppard, 1934; *Incisalia* OD: Can. Ent. 66(6):141 [b4173] CG: *Incisalia* [Type: CNC-ht] [TypeL - Lanoraic, 40 miles east of Montreal, Quebec.] [Refs - b1530; b0993, b1762; b2479; b2242; b4092; b2393]
- a **lanty** (Oberthür), 1886; *Lycaena* OD: Étud. ent. 11:21, pl 7, f 35 or 53 [b3429] CG: *Shijimia* [TypeL - Ta-Tsien-Lou, China.] [Note - May belong in *Shijimiaeoides*.] [Refs - b4179; b0993, b1762; b2479; b2242; b4092; b2393]
- c **laobatas** Stichel, 1930, (ISS); *Calospila* OD: Lep. Cat. Pars 41:634 [b4475] SS: *laobotas* (Hewitson), [1875]; *Calospila* [Refs - b4475]
- a **laobotas** (Hewitson), [1875], 1852-1877; *Lemonias* OD: Ill. exot. Butts 5:175, pl 40, f 1,2 [b2323] CG: *Calospila* [TypeL - Panama.] [Note - Not spelled *laobatas*.] [Refs - b2988; b2747; b4475; b2753; b1456]

- b **laocoon** (de Nicéville), 1894; *Laxita* OD: J. asiat. Soc. Bengal, Pt II 63(1):20, pl 2, f 6 [b1158] SS: orphna (Boisduval), 1836; *Paralaxita* [TypeL - Malay Peninsula.] [Refs - b0964; b0965; b4474; b1454]
- c **laodamia** (Felder & Felder), 1864, (ISS); *Erycina* OD: Diag. Lep. 6:7 [b1691] SS: laodamia (Felder & Felder), 1862; *Rhetus* [Refs - b1051; b2747]
- b **laodamia** (Stichel), 1923; *Nymula* OD: Z. wiss. InsektBiol. 18(12):311 [b4457] SS: phylleus (Cramer), [1775]; *Synargis* [TypeL - Brazil.] [Refs - b4475]
- c **laodomia** (Felder & Felder), 1862; *Erycina* OD: Wien. ent. Monats. 6(3):71 [b1687] SS: psecas (Saunders), [1850]; *Rhetus* [TypeL - Rio Negro.] [Refs - b2747 (as laodamia); b4474 (as laodamia); b2221 (as laodamia); b1051]
- a **laon** Hewitson, [1878], 1863-1878; *Iolous* OD: Ill. dium. Lep. Lycaenidae Suppl.:28, pl 4a, f 46,47 [b2326] CG: Iolous (Epamera) [TypeL - Gold Coast.] [Refs - b1452; b0836; b4400]
- a **laonides** Aurivillius, 1897; *Iolous* OD: Ent. Tidskr. 18:218 [b0153] CG: Iolous (Iolaphilus) [TypeL - W. Africa.] [Refs - b1452; b0836; b4400]
- b **laonome** (Morisse), [1838]; *Diorhina* OD: Anns Soc. ent. Fr. [1]6(4):422, pl 14, f 5,6 [b3241] SS: perianter (Cramer), [1777]; *Rhetus* [Type of - Diorina] [Refs - b2280; b2747; b2221; b1456]
- a **laothoe** Godman & Salvin, [1887], 1879-1901; *Thecla* OD: Biol. centr.-amer., Lep. Rhop. 2:25; 3:pl 50, f 26,27 [b1975] CG: *Thecla* (New World Eumaeina) [Type: BMNH] [TypeL - Parula, Senahu, Polochic Valley, Guatemala.] [Note - Near *oceia*.] [Refs - b0908; b2406; b1975]
- a **lapazensis** Johnson, 1992; *Pontirama* OD: Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (22):42, f [b2610] [Type: AMNH-hit] [TypeL - LaPaz, Bolivia.] [Refs - b0125; b2610]
- c **lapillas** Sharp, [1911], (ISS); *Mesosemia* OD: Zool. Rec. 47(1910)(Ins.):320 [b4140] SS: hedwigis Stichel, 1910; *Mesosemia* [Refs - b4140]
- a **lapillus** Stichel, 1910; *Mesosemia* OD: Gen. Insectorum 112(A):60 [b4446] [Type: ZMHU-hit] [TypeL - Cuzco, Peru.] [Refs - b4140 (as lapillas); b4446; b1456; b4446]
- a **lapithis** (Moore), [1858]; *Myrina* OD: In Cat. Lep. Ins. E. India Co. (1):48 [b3219] CG: *Araotes* [TypeL - India bor.; Singapore.] [Type of - *Araotes*] [Refs - b2280; b0964; b1636; b0965; b2747; b4094; b2201; b1454; b0694]
- b **laplumel** Devos, 1919, *Telipna* OD: Revue zool. afr. 6:62 [b1214] SS: *acraeoides* (Grose-Smith & Kirby), 1890; *Telipna* [TypeL - Congo] [Refs - b1452; b4400]
- c **lapponica** (Gerhard), 1853, 1850-1853; *Lycaena* OD: Vers. monog. europ. Schmetz. pl 34, f 3 [b1928] SS: idas (Linnaeus), 1761; *Plebejus* (*Lycaeides*) [Refs - b2747; b4425; b0410; b4092]
- b **lapponica** (Backhaus), 1876. *Polyommatus* OD: Ent. Monats 1:40 [b0192] SS: helle ([Denis & Schiffermüller]), 1775; *Helleia* A [TypeL - Lapponia.] [Refs - b0389; b4092; b2753]
- b **lapponicus** Gerhard, 1853, 1850-1853; *Plebejus* OD: Vers. monog. europ. Schmetz. pl 34, f 4 [b1928] SS: *argyrognomon* (Bergsträsser), [1779]; *Plebejus* (*Lycaeides*) [Refs - b2375]
- a **lara** (Linnaeus), 1764; *Papilio* OD: Mus. Lud. Ulr. :320 [b2996] CG: *Leptomyrna* (*Gonatomyrina*) [TypeL - Africa mer.] [Type of - *Gonatomyrina*] [Refs - b1943; b4177; b4400; b1259; b0856; b2747; b1452; b2280; b3312; b0805]
- c **lara** Staudinger, 1892; *Larinopoda* OD: Deut. ent. Zeit. [Iris] 4(2):218 [b4336] SS: *lagyra* (Hewitson), [1866]; *Larinopoda* [TypeL - W. Africa.]
- b **lara** Stichel, 1919; *Euselasia* OD: Deut. ent. Zeit. 1919:290 [b4454] SS: *mys* Herrich-Schäffer, [1853]; *Euselasia* [Type: ZMHU-st] [TypeL - Sta. Leopoldina, S. Brazil.] [Refs - b4474; b4454]
- a **lara** Parsons, 1986; *Callictia* OD: Bull. Allyn Mus. (103):9, f 4, 24-31, 73-82 [b3549] [Type: ANIC-hit; #2379] [TypeL - Mt. Kaindi, Kodama Range, New Guinea.] [Refs - b3549; b2388]
- a **larancagua** Johnson, 1990; *Chlorostymon* OD: J. Lep. Soc. 44(3):190, f [b2601] [TypeL - Mt. Larancagua, Chile.] [Refs - b0124]
- b **laranda** (Fruhstorfer), 1910; *Lycaena* OD: Int. ent. Z. 4(10):55 [b1844] SS: *arion* (Linnaeus), 1758; *Maculinea* [TypeL - Südtirol: Klausen.] [Refs - b1844; b0236; b0400; b1844; b0471; b2858]
- b **laria** (Verity), 1937; *Lycaeides* OD: Memorie Soc. ent. ital. 16:38 [b4858] SS: *argyrognomon* (Bergsträsser), [1779]; *Plebejus* (*Lycaeides*) [TypeL - Italy.] [Note - Replacement name for *ligurica* Oberthür, 1910.] [Refs - b2856; b0410]
- c **lariana** (Fruhstorfer), 1910; *Lycaena* OD: Int. ent. Z. 4(12):63 [b1844] SS: *nigricans* Trautmann, 1909; *Scolitantides* [TypeL - Monte Bisbino.] [Refs - b1844; b0236; b0400; b0471; b2858]
- c **laridetta** (Dyar), 1909; *Tmetoglene* OD: Proc. ent. Soc. Wash. 11:19 [b1441] SS: *melanchroia* Felder & Felder, 1865; *Lepicomis* [Type: USNM-hit; No. 12219.] [TypeL - Motzorongo, Mexico.] [Refs - b4474; b1441]
- a **lariyojoa** Johnson & Eisele & MacPherson, 1990; *Strymon* OD: Bull. Allyn Mus. (130):24, f [b2624] [Type: AMNH-hit] [TypeL - La Rioja, Argentina.] [Refs - b2624]
- a **larseni** (Lathy), 1936; *Thecla* OD: Livre jubilaire de M. Eugene-Louis Bouvier :230, pl 8, f 7 [b2925] CG: *Orcya* [Type: MNHN-hit; collection of Fournier de Horrack.] [TypeL - Mendoza, Argentina.] [Refs - b0908; b2925; b2591; b2592; ns2602]
- a **larseni** Stempffer, 1969; *Omipholidotos* OD: Bull. Inst. fond. Afr. Noire 31(A):90, f [b4403] [TypeL - Awka, Nigeria.] [Refs - b1452]
- a **larsoni** Johnson, 1991; *Serratoterga* OD: Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (21):20, f [b2606] [Type: AMNH-hit] [TypeL - Santo Domingo de los Colorados, Pichincha, Ecuador.] [Type of - *Serratoterga*] [Refs - b0125; b2606]
- a **larunda** Godman & Salvin, [1885], 1879-1901; *Necyria* OD: Biol. centr.-amer., Lep. Rhop. 1:397; 3:pl 43, f 11,12 [b1975] [Refs - b4474; b1116; b1456]
- b **laruta** Eliot, 1962; *Yasoda* OD: Entomologist 95:222, f [b1547] SS: *pitane* de Nicéville, 1893; *Yasoda* [TypeL - Malaya.] [Refs - b1454; b0965]
- b **larutensis** Pendlebury, 1933; *Tajuria* OD: J. Fed. Malay St. Mus. 17(2):400 [b3559] SS: *berenis* H. H. Druce, 1896; *Tajuria* [TypeL - Perak, Malay Peninsula.] [Refs - b0964; b1557; b0965; b0104; b1454; b4594]
- a **larydas** (Cramer), [1780], 1775-1790; *Papilio* OD: Util. Kapellen 3(24):160, pl 282, f H. [b1069] CG: *Anthene* [Type of - *Anthene*] [Refs - b1943; b2280; b1259; b2747; b1452; b0836; b4400; b2886; b1235]
- c **lasciva** (Stichel), 1910; *Charis* OD: Gen. Insectorum 112(A):250 [b4446] SS: *gyas* (Cramer), [1775]; *Sarota* [Type: ZMHU-hit] [TypeL - Manaus, Amazonas, Brazil.] [Refs - b4474; b4446]
- b **lasciva** Stichel, 1929; *Perophtalma* OD: Deut. ent. Zeit. 1929:199 [b4471] SS: *tullius* (Fabricius), 1787; *Perophtalma* [TypeL - Colombia.] [Refs - b4474; b0680]

- b *lasica* (Fruhstorfer), [1914], 1909-1923; *Laxita* OD: In Seitz, *Grossschmett. Erde* 9:789, pl 138e [b1840] SS: *damajanti* (Felder & Felder), 1860; *Paralaxia* [TypeL - Sumatra.] [Refs - b4474; b1454; b1840]
- e *ab. lasius* Suffert, 1904; *Iolaus* OD: *Deut. ent. Zeit.* [Iris] 17:70 [b4535] SS: *silarus* H. H. Druce, 1885; *Iolaus* (*Argiolaus*) [Refs - b4400]
- e *lasius* Stichel, [1909], (ISS); *Perophthalma* OD: *Berl. ent. Z.* 53(3/4):271 [b4443] SS: *lasus* (Westwood), [1851]; *Perophthalma* [Refs - b2406]
- b *laspora* (Evans), 1932; *Polyommatus* OD: *Ident. Indian Butts* (2nd ed.) :227 [b1638] SS: *cytis* (Christoph), 1877; *Turanana* [TypeL - Chitral.] [Refs - b1759; b0070; b3910; b1638; b0694]
- c *lassus* (Fabricius), 1787; *Papilio* OD: *Mantissa Ins.* 2:26 [b1656] SS: *lucinda* (Cramer), [1775]; *Emesis* [Type: ZMC-hi] [TypeL - Cajennae.] [Refs - b2747; b4475; b5076]
- b *lasthenes* (Hewitson), 1870; *Lemonias* OD: *Ent. mon. Mag.* 7:5 [b2332] SS: *zeurippa* (Boisduval), 1836; *Calospila* [TypeL - Nicaragua.] [Refs - b2988; b2747; b4475; b2497; b2753; b1456]
- c *lasti* (Grose-Smith & Kirby), 1889, 1887-1902; *Tingra* OD: *Rhop. exot.* 1(10):31, pl 8, f 1-4 [b2049] SS: *mombasae* (Grose-Smith & Kirby), 1889; *Pentila* [TypeL - Mombasa.] [Refs - b4420; b4400]
- a *lasti* (Grose-Smith & Kirby), 1894, 1887-1902; *Lycaenesthes* OD: *Rhop. exot.* 2(27):109, pl 24, f 1,2 [b2049] CG: *Anthene* [TypeL - Tropical Africa.] [Refs - b1943; b1259; b1452; b0343; b4400]
- b *lasurea* Graeser, 1888, 1888-1893; *Niphanda* OD: *Berl. ent. Z.* 32:74 [b2004] SS: *fusca* (Bremer & Grey), 1853; *Niphanda* [Refs - b1840; b2479; b4092 (as ab.); b2866; b1455]
- b *lasus* (Westwood), [1851], 1846-1852; *Mesosemia* OD: In *Gen. diurn. Lep.* (2):455 [b4981] SS: *tullius* (Fabricius), 1787; *Perophthalma* [Refs - b4474; b2406]
- e *ab. lata* (Tuu), 1907, 1905-1914; *Ruralis* OD: *Nat. Hist. Brit. Butts* 2:279 [b4760] SS: *betulae* (Linnaeus), 1758; *Thecla* [Refs - b0236]
- e *ab. lata* Tuu, 1908, 1905-1914; *Celastrina* OD: *Nat. Hist. Brit. Butts* 2:394 [b4760] SS: *argiolus* (Linnaeus), 1758; *Celastrina* [Refs - b0236; b0471]
- a *lata* (Evans), 1957; *Narathura* OD: *Bull. Br. Mus. nat. Hist. (Ent.)* 5(3):115 [b1644] CG: *Arhopala* h [Type: BMNH-hi] [TypeL - Halmahera.] [Refs - b1450; b1644]
- a *latagus* Godman & Salvin, [1887], 1879-1901; *Thecla* OD: *Biol. cent. amer., Lep. Rhop.* 2:58; 3:pl 55, f 9,10 [b1975] CG: *Thecla* (New World Eumacini) [Type: pc; Staudinger collection] [TypeL - Chiriqui, Panamá.] [Refs - b0908; b1975]
- e *ab. latalineata* (Tuu), 1907, 1905-1914; *Ruralis* OD: *Nat. Hist. Brit. Butts* 2:279 [b4760] SS: *betulae* (Linnaeus), 1758; *Thecla* [Refs - b0236; b0471]
- e *ab. latamarginata* (Tuu), 1909, 1905-1914; *Plebeius* OD: *Nat. Hist. Brit. Butts* 3:174 [b4760] SS: *argus* (Linnaeus), 1758; *Plebeius* [Refs - b0471]
- e *lateacaerulea* Venty, 1943, (IFS); *Cupido* OD: *Farfalle Diume Ital.* 2:97 [b4862] SS: *minimus* (Füssly), 1775; *Cupido* [Type: MZS-hi] [Refs - b2856]
- e *lateacaerulea* Venty, 1943; *Cupido* OD: *Farfalle Diume Ital.* 2:97, plf 7, f 54 [b4862] SS: *minimus* (Esper), [1777]; *Cupido* [TypeL - Italy.] [Refs - b0400]
- b *latedisjuncta* (Alberti), 1973; *Lycaena* OD: *Ent. Zeit.* 83(19):221 [b0036] SS: *pyrenaicus* (Boisduval), 1840; *Polyommatus* (*Agriaedes*) [Type: pc-hi; collection of Alberti.] [TypeL - Kasbek Mt., Caucasus.] [Refs - b0105; b0104; b3350; b0036]
- c *f. latefascia* Dufrene, 1953; *Pentila* OD: *Bull. Anns Soc. ent. Belg.* 89:47 [b1410] SS: *aspasia* Grünberg, 1910; *Pentila* [TypeL - Kivu.] [Refs - b4420 (as *latefasciata*); b4400; b1410]
- b *latefasciata* Staudinger, [1888], 1884-1888; *Stalachtis* OD: In *Exot. Schmett.* 1:265 [b4329] SS: *euterpe* (Linnaeus), 1758; *Stalachtis* [TypeL - W. Amazonas, Brazil; Venezuela; Peru; Ecuador.] [Refs - b4476; b1456]
- e *f. latefasciata* (Courvoisier), 1903; *Zephyrus* OD: *Mitt. schweiz. ent. Ges.* 11(1):24 [b0981] SS: *quercus* (Linnaeus), 1758; *Quercusia* [Refs - b4092]
- e *f. latefasciata* (Courvoisier), 1903; *Thecla* OD: *Mitt. schweiz. ent. Ges.* 11(1):24 [b0981] SS: *spini* (Denis & Schiffmüller), 1775; *Satyrium* [Refs - b0236; b0471]
- e *ab. latefasciata* (Schultz), 1906; *Lycaena* OD: *Ent. Zeit.* 19(36):214-215 [b4005] SS: *bellargus* (Rottemburg), 1775; *Polyommatus* (*Lysandra*) [Refs - b4092]
- e *f. latefasciata* Courvoisier, 1911, 1910-1911; *Fixsenia* OD: *Ent. Zeit.* 25:23 [b0985] SS: *pruni* (Linnaeus), 1758; *Fixsenia* [Refs - b0236; b0471]
- e *f. latefasciata* Courvoisier, 1911, 1910-1911; *Satyrium* OD: *Ent. Zeit.* 25:63 [b0985] SS: *w-album* (Knoch), 1782; *Satyrium* [Refs - b0236; b0471; b0985]
- e *latefasciata* (Costantini), 1916, (IFS); *Thecla* OD: *Atti Soc. Nat. Mat. Modena* (5)3:15 [b0968] SS: *ilicis* (Esper), [1779]; *Satyrium* [Refs - b0236; b0968]
- e *f. latefasciata* Stempffer, 1944; *Anthene* OD: *Revue fr. Ent.* 10:50 [b4370] SS: *jeanneli* Stempffer, 1961; *Anthene* [TypeL - Uganda.] [Refs - b4400]
- e *ab. latefasciata* Dufrene, 1953; *Hypolycaena* OD: *Bull. Anns Soc. ent. Belg.* 89:52 [b1410] SS: *antifaunus* Westwood, [1852]; *Hypolycaena* [TypeL - Kivu.] [Refs - b4400; b1410]
- c *f. latefasciata* (Lempke), 1954; *Thersamonia* OD: *Tijdschr. Ent.* 97:336 [b2981] SS: *dispar* (Haworth), 1802; *Lycaena* (*Thersamolycaena*) [TypeL - Holland.]
- e *latefasciata* Stempffer & Bennett, 1961, (ISS); *Pentila* OD: *Bull. Inst. franç. Afr. Noire* 23(A)(4):1098-1211 [b4420] SS: *latefascia* Dufrene, 1953; *Pentila* [Refs - b4420]
- c *latemarginata* (Schultze), 1916; *Liptena* OD: *Arch. Naturgesch.* (A)82(3):38 [b4017] SS: *margarita* (Suffert), 1904; *Falcuna* [Refs - b4400]
- b *latemarginata* Tite, 1963; *Nacaduba* OD: *Bull. Br. Mus. nat. Hist. (Ent.)* 13(4):74 [b4676] SS: *pendleburyi* Corbet, 1938; *Nacaduba* [Type: BMNH-hi] [TypeL - Karimon Island, Rhio Archipelago.] [Refs - b4676; b1454]
- b *lateplaga* Tite, 1963; *Erysichton* OD: *Bull. Br. Mus. nat. Hist. (Ent.)* 13(4):104, pl 2, f 22 [b4676] SS: *palmyra* (C. Felder), 1860; *Erysichton* [Type: BMNH-hi] [TypeL - Flonda Island, Solomon Islands.] [Refs - b4676; b1450; b3550]
- e *ab. lateradiata* (Schulz), 1905; *Chrysophanus* OD: *Ent. Zeit.* 18(33):131, f [b4002] SS: *virgaureae* (Linnaeus), 1758; *Lycaena* (*Ilcodes*) [Refs - b3059; b0389; b4002; b4092]
- a *lateritia* Bates, [1868]; *Pachythone* OD: *J. linn. Soc. Lond., Zool.* 9:390 [b0267] [TypeL - Amazon.] [Refs - b2988; b2747; b1456]
- e *latevitata* Venty, 1943, (IFS); *Hamearis* OD: *Farfalle Diume Ital.* 2:388 [b4862] SS: *lucina* (Linnaeus), 1758; *Hamearis* [TypeL - Italy.] [Refs - b2856]
- b *lathyi* Joicey & Talbot, 1921; *Liptena* OD: *Bull. Hill Mus.* 1(1):82, pl 14, f 52 [b2655] SS: *ilma* Hewitson, [1873]; *Liptena* (*Tetrarhanis*) [Type: BMNH-st] [TypeL - Rutshuru River, N. Kivu.] [Refs - b1452; b4400]

- a **lathyl** Johnson, 1991; *Thecla* OD: *J. Lep. Soc.* 45(2):150 [b2605] CG: *Thecla* (New World Eumacini) [Type: biblio; replacement for *inornata* Lathy, 1936] [TypeL - Rio Grande do Sul, Brazil.] [Refs - b2592; b0125]
- c **latialis** Rostagno & Zapelloni, 1910; *Plebejus* OD: *Boll. Soc. zool. ital.* (2)11:338 [b3870] SS: *argyrognomon* (*Bergsträsser*), [1779]; *Plebejus* (*Lycæides*) [*Check - Classification?*] [Refs - b0236; b4425; b0471 (with *argus*)]
- a **latibrunus** Callaghan, 1985; *Nymphidium* OD: *Bull. Allyn Mus.* (98):14, f [b0679] [Type: AME-ht] [TypeL - Rio Napo, Limoncocha, Ecuador.] [Refs - b0119; b1456]
- b **laticlavia** (Stichel), 1910; *Lymnas* OD: *Gen. Insectorum* 112(A):201 [b4446] SS: *vidali* (*Dognin*), 1891; *Melanis* [Type: ZMHU-st] [TypeL - Colombia.] [Refs - b4474; b4446]
- a **laticlavia** (Clench), 1965; *Deudorix* OD: *J. New York ent. Soc.* 73(3):180 [b0839] CG: *Diopetes* [TypeL - Cameroon.] [Refs - b1452; b4400]
- b **latifascia** (Rothschild), 1915; *Thysonotis* OD: *Novit. zool.* 22:394 [b3879] SS: *danis* (*Cramer*), [1775]; *Danis* [Refs - b1450; b1882 (with *wallacei*)]
- c **latifascia** Stempffer, 1967, (ISS); *Mimacraea* OD: *Bull. Br. Mus. nat. Hist. (Ent.) Suppl.* 10:31 [b4400] SS: *landbecki* H. H. Druce, 1910; *Mimacraea* [Note - *An incorrect spelling of latifasciata.*] [Refs - b4400]
- a **latifasciata** (Hewitson), 1869, 1869-1877; *Mesosemia* OD: *Equatorial Lep. Buckley* (3):40 [b2330] CG: *Eurybia* [TypeL - Ecuador.] [Refs - b2988; b2747; b4474; b3717; b1456]
- b **latifasciata** (Lathy), 1904; *Erycina* OD: *Trans. ent. Soc. Lond.* 52(3):464, pl 27, f 3 [b2914] SS: *cacica* (*Felder & Felder*), 1865; *Ancyluris* [TypeL - Peru.] [Refs - b4474]
- e **ab. latifasciata** Rebel, 1909; *Satyrium* OD: In *Berge, Schmetterlingsbuch* (ed. 9) :58 [b3706] SS: *ilicis* (*Esper*), [1779]; *Satyrium* [Refs - b0236; b0471]
- e **f. latifasciata** Rebel, 1909; *Satyrium* OD: In *Berge, Schmetterlingsbuch* (ed. 9) :58 [b3706] SS: *spini* (*Denis & Schiffmüller*), 1775; *Satyrium* [Refs - b0236]
- e **ab. latifasciata** Rebel, 1914; *Mimacraea* OD: *Annln naturh. Mus. Wien* 28:263, pl 18, f 10 [b3710] SS: *landbecki* H. H. Druce, 1910; *Mimacraea* [Refs - b3710; b4400 (as *latifascia*)]
- b **latifasciata** Riley, 1932; *Abisara* OD: *Novit. zool.* 37:184 [b3775] SS: *neavei* Riley, 1932; *Abisara* [Refs - b1452]
- b **latifasciata** Inoué & Kawazoe, 1964; *Abisara* OD: *Nature Life Southeast Asia* 4:325 [b2508] SS: *geza* *Fruhstorfer*, [1904]; *Abisara* [TypeL - S Vietnam.] [*Check - Homonym in need of a replacement*]
- a **latifasciatus** Shirôzu & Hayashi, 1959; *Favonius* OD: In *Icon. Ins. Jap.* 1:36, pl 20, f 5a-5d [b4205] [Note - *Sometimes seen in Neozephyrus Nax spelled latifasciatus.*] [Refs - b1900; b1399 (as *latifascimus*), b4200; b3296; b1455]
- c **latifimbriata** (E. Sharpe), 1890; *Zentis* OD: *Ann. Mag. nat. Hist.* (6)6:105 [b4150] SS: *adema* (*Plötz*), 1880; *Lipaphnaeus* [TypeL - Sierra Leone.] [Refs - b0836; b4400]
- a **latifurca** Courell, 1981; *Aslauga* OD: *Syst. Ent.* 6(1):27, f [b0970] [Type: BMNH-ht] [TypeL - Zambia.] [Refs - b1610 (5949-E12); b0970]
- b **latilimbata** (Fruhstorfer), 1908; *Ierda* OD: *Ent. Zeit.* 22(12):49 [b1829] SS: *epicles* (*Godart*), [1824]; *Heliophorus* [Type: BMNH-ht] [TypeL - Sikkim.] [Refs - b1636; b4094; b0694; b1549]
- b **latimaculata** (Joicey & Talbot), 1921; *Zelus* OD: *Bull. Hill Mus.* 1(1):94, pl 15, f 79,81 [b2655] SS: *antifaunus* *Westwood*, [1852]; *Hypolycaena* [Type: BMNH-ht] [TypeL - Lumpungu River, Malagarassi Valley, Urundi District.] [Refs - b1452; b4400; b2655]
- c **latimarginata** E. Sharpe, 1890; *Spalgis* OD: *Ann. Mag. nat. Hist.* (6)6:347 [b4151] SS: *lemolea* H. H. Druce, 1890; *Spalgis* [TypeL - Senegambia.] [Refs - b0836; b4400]
- b **f. latimarginata** Grose-Smith, 1898; *Larinopoda* OD: *Novit. zool.* 5:354 [b2046] SS: *aspidos* H. H. Druce, 1890; *Larinopoda* [TypeL - Niger.] [Refs - b4400]
- c **latimarginata** Strand, 1912; *Arhopala* OD: *Arch. Naturgesch.* (A)78(11):78 [b4512] SS: *phryxus* *Boisduval*, 1832; *Arhopala* n [TypeL - Teba, New Guinea.] [Refs - b1644; b1450; b4094; b4528]
- a **latimarginata** (Hawker-Smith), 1933; *Teriomima* OD: *Stylops* 2:6 [b2168] CG: *Baliochila* [TypeL - Rabai, Mombasa, Kenya.] [Note - *Has been considered a subspecies of minima.*] [Refs - b1452; b2168; b4400]
- b **latimarginata** (Murayama), 1963; *Quercusia* OD: *Tyô to Ga* 14(2):48 [b3291] SS: *fujisanus* (*Matsumura*), 1910; *Sibatanozephyrus* [TypeL - Japan.] [Refs - b1900; b0122]
- b **latimargo** Moore, 1879; *Surendra* OD: *Proc. zool. Soc. Lond.* 1879(1):142 [b3231] SS: *vivama* (*Horsfield*), [1829]; *Surendra* [Type: BMNH] [TypeL - Andamans.] [Refs - b1636; b1153; b4094 (1883 :523); b1454; b0694; b3231]
- c **latimargo** (Moore), [1884]; *Cyaniris* OD: *Proc. zool. Soc. Lond.* 1883(4):523, pl 48, f 9 [b3235] SS: *transpectus* (*Moore*), 1879; *Lestranicus* [Type: BMNH-ht] [TypeL - N. E. Bengal, India.] [Refs - b1636; b1153; b1580 (as *latimargo*); b3235]
- e **ab. latimargo** Courvoisier, 1910, 1910-1911; *Everes* OD: *Ent. Zeit.* 24:157 [b0985] SS: *argiades* (*Pallas*), 1771; *Everes* [Refs - b0236; b0400; b0471]
- e **ab. latimargo** (Tutt), 1912, 1905-1914; *Agriades* OD: *Nat. Hist. Brit. Butts* 4:10 [b4760] SS: *condon* (*Poda* von *Neuhaus*), 1761; *Polyommatus* (*Lysandra*) [Refs - b0471]
- e ♂ **ab. latimargo** (Courvoisier), 1913; *Lycæna* OD: *Ent. Mit.* 2(10):294 [b0989] SS: *rebeli* (*Hirschke*), 1904; *Maculinea* [Refs - b0993; b0400; b0989; b0471]
- e **ab. latimargo** (Courvoisier), 1913; *Lycæna* OD: *Ent. Mit.* 2(10):291 [b0989] SS: *icarus* (*Rottemburg*), 1775; *Polyommatus* [Refs - b0471]
- e **ab. latimargo** (Courvoisier), 1913; *Lycæna* OD: *Ent. Mit.* 2(10):294 [b0989] SS: *alexis* (*Poda* von *Neuhaus*), 1761; *Glaucopsyche* [Refs - b0236; b3059; b0993; b0400 (as *Verity name?*); b0471]
- e ♂ **ab. latimargo** (Courvoisier), 1913; *Lycæna* OD: *Ent. Mit.* 2(10):291 [b0989] SS: *isaurica* (*Staudinger*), 1870; *Plebejus* (*Pseudoaricia*) [Refs - b0236; b0989; b0471]
- e **ab. latimargo** (Eibert), 1926; *Lycæna* OD: *Deut. ent. Zeit.* [Ins] 40:35 [b1463] SS: *glandon* (*Prunner*), 1798; *Polyommatus* (*Agriades*) [TypeL - Bavaria.] [Refs - b0236; b0410; b0471; b0064]
- d **latimargo** (Matsumura), 1929, (H); *Cyaniris* OD: *Ins. matsumur.* 3(2/3):105 [b3098] OS: *shonen* (*Esaki*), 1932; *Callenya* [Type: EIHU-ht] [TypeL - Formosa.] [Refs - b1580; b0236; b4198 (as *latemargo?*); b4281; b1615]
- a **latimargo** (Hawker-Smith), 1933; *Pentila* OD: *Stylops* 2:3 [b2168] CG: *Ornipholdotos* [TypeL - South Sudan; Uganda.] [Refs - b1452; b2168; b4400]
- b **latimargus** (Snellen), 1878; *Cupido* OD: In *Tijdschr. Ent.* 21:19, pl 1, f 4 [b4259] SS: *alecto* C. *Felder*, 1860; *Jamides* [TypeL - Celebes.] [Refs - b4094; b1865; b4259; b2388]
- e **f. latina** (Harrug), 1940; *Lycæna* OD: *Memorie Soc. ent. ital.* 18:187, f [b2152] SS: *alexis* (*Poda* von *Neuhaus*), 1761; *Glaucopsyche* [TypeL - Italy.] [Refs - b0400]
- b **latior** (Lixsen), 1887; *Thecla* OD: In *Romanoff, Mém. Lép.* 3:271 [b1745] SS: *spini* (*Denis & Schiffmüller*), 1775; *Satyrium* [Refs - b4115; b0851 (spca); b0996; b2827; b2479; b2866; b4092; b0471; b1455]

- c *latipicta* Fruhstorfer, 1908; *Curetis* OD: *Stett. ent. Ztg.* 69:58 or 49 [b1835] SS: *sperthis* (Felder & Felder), 1865; *Curetis* [Type: BMNH-ht] [TypeL - Java.] [Refs - b0936; b4094; b4108]
- b *latipicta* (Fruhstorfer), [1912]; *Aphnaeus* OD: *Berl. ent. Z.* 56(3/4):217 [b1850] SS: *syama* (Horsfield), [1829]; *Spindasis* [TypeL - Tonkin.] [Refs - b4094; b2479; b1850]
- b *latipictus* Fruhstorfer, 1904; *Eooxylides* OD: *Deut. ent. Zeit.* [Iris] 16(2):311 [b1818] SS: *tharis* (Geyer), [1837]; *Eooxylides* [TypeL - Nias.] [Refs - b4094; b1454; b1818]
- e *latisquama* Ball, 1914; *Celastrina* OD: *Annis Soc. ent. Belg.* 57:180 [b0219] SS: *argiolus* (Linnaeus), 1758; *Celastrina* [Refs - b0400]
- b *latissima* Sichel, 1909; *Mesosemia* OD: *Berl. ent. Z.* 54(1/2):12 [b4444] SS: *judicialis* Butler, 1874; *Mesosemia* [TypeL - Bolivia.] [Refs - b4474; b1456]
- a *latizonata* Butler, 1874; *Mesosemia* OD: *Trans. ent. Soc. Lond.* 22(4):430 [b0598] [Type: BMNH-ht] [TypeL - Ecuador.] [Refs - b2753; b4474; b1456]
- c *latmicus* Seitz, [1917], 1910-1924; *Helicopsis* OD: *In Seitz, Grossschmett. Erde* 5:634, pl 124c [b4093] SS: *endymiaena* (Hübner), [1819]; *Helicopsis* [TypeL - Guiana.] [Refs - b4474; b4093]
- b *lato* Stichel, 1910; *Mesosemia* OD: *Gen. Insectorum* 112(A):44 [b4446] SS: *coea* Hübner, [1819]; *Mesosemia* [Type: ZMHU-st] [TypeL - Rio Tonantins, N. W. Brazil.] [Refs - b4474; b4446]
- e *latois* Doubleday, 1847, 1844-1848, (NN); *Nymphidium* OD: *List Spec. lep. Brit. Mus.* (2):10 [b1327] [Refs - b4476]
- e *latalinbo* (Verity), 1927, (IFS); *Plebeius* OD: *Annis Soc. ent. Fr.* 96:7 [b4846] SS: *idas* (Linnaeus), 1761; *Plebejus* (*Lycaeides*) [Type: MZS-st] [Refs - b2856; b0236; b0410; b0471]
- e *latomarginata* (Tutt), 1906, 1905-1914; *Rumicia* OD: *Nat. Hist. Brit. Buts* 1:366 or 363 [b4760] SS: *phlaeas* (Linnaeus), 1761; *Lycaena* (*Lycaena*) [Refs - b0389; b0471]
- a *latona* (Hewitson), [1853], 1852-1877; *Lemonias* OD: *Ill. exot. Buts* 1:[---], pl [58], f 1,2 [b2323] CG: *Calospila* [TypeL - Amazon.] [Refs - b2988 (also in Emesis); b2747; b4475; b3717; b1456]
- b *latostrigatus* van Eecke, 1915; *Hypolycaena* OD: *Nova Guinea* 13(*Zool.* 3):75, pl 3, f 10 [b4794] SS: *phorbis* (Fabricius), 1793; *Hypolycaena*
- a *latrellii* (Hewitson), [1865], 1863-1878; *Thecla* OD: *Ill. diurn. Lep. Lycaenidae* 1:74, 2:pl 29, f 8,9 [b2326] CG: *Brentas* [Type: BMNH-ht] [TypeL - Java", but Draudt gives Brazil to Paraguay.] [Type of - Cryptaenota] [Refs - b0908; b2747; b2221; b0420 (as latrellii); b0125; b2611]
- e *latruncula* Stempffer, 1967, (ISS); *Euchrysops* OD: *Bull. Br. Mus. nat. Hist. (Ent.) Suppl.* 10:235 [b4400] SS: *latrunculata* (Grünberg), 1910; *Euchrysops* [Refs - b4400]
- c *latruncularia* (Holland), 1890; *Pseuderesia* OD: *Psyche* 5:426 [b2423] SS: *modesta* (Kirby), 1890; *Liptena* [TypeL - Upper Ogove River, Gaboon.] [Refs - b4400]
- a *latrunculata* (Grünberg), 1910; *Cupido* OD: *Sber. Ges. naturf. Freunde Berl.* 1910:478 [b2076] CG: *Euchrysops* [TypeL - Cameroons.] [Note - Not spelled *latruncula*.] [Refs - b0162; b2076; b4400 (as *latruncula*)]
- a *laudonia* Hewitson, [1867], 1863-1878; *Thecla* OD: *Ill. diurn. Lep. Lycaenidae* 1:77, 2:pl 45, f 191,192 [b2326] CG: *Thecla* (New World *Eumaeini*) [Type: BMNH] [TypeL - Amazon.] [Refs - b0908; b2747]
- c *laura* (Kirby), 1890; *Tingra* OD: *Ann. Mag. nat. Hist.* (6):267 [b2766] SS: *hewitsoni* Grose-Smith & Kirby, 1887; *Penüta* [TypeL - Tropical Africa.] [Refs - b0836; b0276; b2766; b0162; b4400 (as *leura*); b4420]
- b *laura* Doherty, 1891; *Nacaduba* OD: *J. asiat. Soc. Bengal, Pt II* 60(2):181 or 182, pl 2, f 9 [b1304] SS: *kurava* (Moore), [1858]; *Nacaduba* [TypeL - Sumba.] [Refs - b4676; b4094; b4592; b4604]
- b *laura* Fruhstorfer, [1904]; *Abisara* OD: *Berl. ent. Z.* 48(4):290 [b1817] SS: *echerius* (Stoll), [1790]; *Abisara* [Type: BMNH] [TypeL - Mindoro, Philippines.] [Refs - b0294; b4473; b1454; b1840]
- b *laura* Evans, 1932; *Polyommatus* OD: *Ident. Indian Buts* (2nd ed.) :227 [b1638] SS: *loewii* (Zeller), 1847; *Polyommatus* (*Plebejidea*) [TypeL - Ladak.] [Refs - b0070; b1638; b0694]
- b *laurina* Fruhstorfer, 1916; *Nacaduba* OD: *Zoöl. Meded.* 2(2):135 [b1873] SS: *kurava* (Moore), [1858]; *Nacaduba* [Type: BMNH-ht] [TypeL - Lombok.] [Refs - b4676; b4094; b1454]
- c *lauronia* Schaus, 1902; *Ithomeis* OD: *Proc. U. S. natn. Mus.* 24(1262):406 [b3948] SS: *aerella* Grose-Smith, 1902; *Ithomeis* [Type: USNM-ht; #5916] [TypeL - Peru.] [Refs - b4474; b3948; b1456]
- a *lausus* (Cramer), [1779], 1775-1790; *Papilio* OD: *Uul. Kapellen* 3(20):70, pl 233, f E [b1069] CG: *Thereus* [Type: BMNH-ht; designated by Johnson, 1988] [TypeL - Surinam.] [Type of - *Thereus*] [Refs - b2280; b0908; b2747; b3192; b1975; b2593; b2632; b2597; b3817]
- e *lausa* Sichel, 1910; *Eurybia* OD: *Gen. Insectorum* 112(A):68 [b4446] SS: *lamia* (Cramer), [1777]; *Eurybia* [Type: pc-st; collection of Sichel] [TypeL - Surinam.] [Refs - b4474; b4446]
- c *lauta* (Draudt), [1919], 1917-1924; *Thecla* OD: *In Seitz, Grossschmett. Erde* 5:768, pl 152-a [b1348] SS: *ortygus* (Cramer), [1779]; *Oenomaus* [TypeL - Deserts of Guerrero, Mexico.] [Refs - b0908; b2406]
- b *lavara* Couchman, 1954; *Theclinesthes* OD: *Pap. Proc. R. Soc. Tasmania* 88:75 [b0971] SS: *serpentata* (Herrich-Schäffer), 1869; *Theclinesthes* [TypeL - Tasmania.] [Refs - b1450; b0870]
- a *lavendula* Tite, 1963; *Phileris* OD: *Bull. Br. Mus. nat. Hist. (Ent.)* 14(5):234 [b4677] [Type: BMNH-ht] [TypeL - Wandesi, Geelvuk Bay, Dutch New Guinea.] [Refs - b1450; b4677]
- a *lavendularis* (Moore), 1877; *Polyommatus* OD: *Ann. Mag. nat. Hist.* (4)20:341 (parim) [b3225] CG: *Celastrina* [Type: BMNH-ht; designated by Eliot & Kawazoé, 1983] [Buts *Lycaenopsis* group :254 [b1580]] [TypeL - Sri Lanka.] [Refs - b1636; b1153; b1450; b1542; b0965; b1766; b1580; b2200; b1840]
- a *laverna* (Godman & Salvin), 1880; *Charis* OD: *Trans. ent. Soc. Lond.* 28(3):125 [b1976] CG: *Calephelis* [Type: BMNH-ht] [TypeL - V. de Chiriqui.] [Refs - b4474; b2497; b3127; b1456]
- c *lavinia* (Kirby), 1890; *Tingra* OD: *Ann. Mag. nat. Hist.* (6):267 [b2766] SS: *torida* (Kirby), 1887; *Penüta* [TypeL - Tropical Africa.] [Refs - b2766; b4400]
- b *lawasa* (Moulton), [1912]; *Lampides* OD: *J. Straits Brch. R. asiat. Soc.* 60:110 [b3259] SS: *celeno* (Cramer), [1775]; *Jamides* [TypeL - Borneo.] [Refs - b3786; b4094 (+ as *levasa*); b1454; b3259; b4108]
- b *lazarena* (Felder & Felder), 1862; *Myrina* OD: *Wien. ent. Monats.* 6(9):293 [b1688] SS: *rochana* (Horsfield), [1829]; *Iraota* [Type: BMNH-ht?] [TypeL - Mindoro, Philippines.] [Refs - b2747; b4094; b2479; b1454; b4589]

- c **lazula** (Moore), 1884; Satadra OD: J. asiat. Soc. Bengal, Pt II 53(1):40 [b3236] SS: chinensis (Felder & Felder), 1865; Flos [Type: BMNH-ht] [TypeL - Sikkim.] [Refs - b1644; b4094]
- b **lazularia** (Moore), [1881], 1880-1881; Aphnaeus OD: Lep. Ceylon 1(3):107, pl 41, f 1,1a-c [b3232] SS: lohita (Horsfield), [1829]; Spindasis [TypeL - Ceylon.] [Refs - b1636; b1153; b0996; b4094; b1850; b1454; b0694]
- b **lazulina** (Moore), 1879; Deudorix OD: Proc. zool. Soc. Lond. 1879(1):140 [b3231] SS: varuna (Horsfield), [1829]; Rapala [TypeL - Ceylon.] [Refs - b1636; b1153; b4094; b0694; b3231]
- b **leander** (Evans), 1957; Narathura OD: Bull. Br. Mus. nat. Hist. (Ent.) 5(3):116 [b1644] SS: philander Felder & Felder, 1865; Arhopala h [Type: BMNH-ht] [TypeL - Humboldt Bay.] [Refs - b1450; b1644; ns3551 (as a good species)]
- c **leona**e Sharp, [1922], (ISS); Aslauga OD: Zool. Rec. 57(1920)(Ins.):195 [b4148] SS: leonae Aurivillius, [1920]; Aslauga [Refs - b4148]
- b **learchus** Felder & Felder, 1865, 1865-1875; Miletus OD: Reise Novara (2):284 or 285, pl 35, f 37 [b1692] SS: chinensis C. Felder, 1862; Miletus 1 [TypeL - Cochín, China.] [Refs - b1546; b0965; b1840; b2747; b3610; b0694]
- a **learmond**i Tyler, 1940; Spindasis OD: J. Bombay nat. Hist. Soc. 42(1):122 [b4774] [TypeL - India.] [Refs - b1454; b1573; b4774; b0694]
- b **learmond**i Tyler, 1940; Dodona OD: J. Bombay nat. Hist. Soc. 42(1):122 [b4774] SS: adonira Hewitson, [1866]; Dodona [TypeL - S. Shan States, India.] [Refs - b1454; b4774]
- c **learmond**i (Tyler), 1940; Surendra OD: J. Bombay nat. Hist. Soc. 42(1):122 [b4774] SS: comica de Nicéville, 1900; Arhopala j [TypeL - Loimwe, S. Shan States, India.] [Refs - b1644 (as learmondii); b1573; b4774]
- b **lebena** (Hewitson), 1868; Thecla OD: Descr. new Spec. Lycaenidae -9 [b2327] SS: lydus (Hübner), [1819]; Theclopsis [Type: BMNH] [TypeL - Cayenne.] [Type of - Theclopsis] [Refs - b2280; b0908; b2747; b1375; b1975; b2631]
- a **lebena** (Hewitson), [1865], 1863-1878; Hypolycaena OD: Ill. dium. Lep. Lycaenidae 1:51; 2-pl 23, f 28,29 [b2326] CG: Tatura [TypeL - Old Calabar.] [Type of - Tatura] [Note - Placed on Official List (#2494) by Op 994.] [Refs - b2280; b2747; b1452 (in Hypolycaena); b0836; b4400; b2887; b3151; b2540]
- b **lecerfi** Fruhstorfer, [1914], 1909-1923; Dodona OD: In Seitz, Grossschmett. Erde 9:779, pl 141b [b1840] SS: deodata Hewitson, 1876; Dodona [TypeL - Vinh, Annam.] [Refs - b4473; b1454; b1840]
- c **lecerfi** Le Moul't, 1940, 1939-1940; Helicopsis OD: Novit. ent. (17):131 [b2943] SS: cupido (Linnaeus), 1758; Helicopsis [Type: AME-ht] [TypeL - Colombia.] [Refs - b3199]
- a **lecromi** Johnson & Eisele & MacPherson, 1993; Androcona OD: Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (39):8, f [b2626] [Type: UMBC-ht] [TypeL - Cerro Aguacatal, Quinchia, Riseralda, Colombia.] [Refs - b2626]
- b **lectabilis** Stichel, 1909; Anteros OD: Berl. ent. Z. 54(1/2):46 [b4444] SS: formosus (Cramer), [1777]; Anteros [TypeL - Brazil.] [Refs - b4474; b1456]
- a **leda** (Boisduval), 1847; Dryas OD: In Delegorgue, Voy. Afrique Austr. 2:588 [b0464] CG: Aethiopana [Refs - b2280]
- a **leda** (Edwards), 1882; Thecla OD: Papilio 2(2):23 [b1516] CG: Ministrymon [Type: CM-ht; designated by Brown, 1970] [Trans. amer. ent. Soc. 96(1):51 [b0509]] [TypeL - Prescott, Arizona.] [Type of - Ministrymon] [LifeH - Tietz lists b0898.] [Refs - b1530 :197, f 372; b1321 :56; b2280; b4688; b1711; b3192; b1743; b0493; b4690; b1975; b2631; b4066; b4652; b2636]
- e **leda** Le Moul't, 1940, 1939-1940, (IFS); Helicopsis OD: Novit. ent. (17):129 [b2943] SS: cupido (Linnaeus), 1758; Helicopsis [Type: AME-ht] [Refs - b3199]
- a **ledaea** Hewitson, 1868; Thecla OD: Descr. new Spec. Lycaenidae :8 [b2327] CG: Thecla (New World Eumaeini) [Type: BMNH] [TypeL - Ega, Amazon.] [Refs - b0908; b2747; b1375]
- a **ledereri** (Boisduval), 1848; Lycaena OD: Bull. Soc. ent. Fr. (2)6:xxix [b0465] CG: Armenia [TypeL - [Foothills of Caucasus].] [Type of - Argus, Armenia, Bakera] [Refs - b2988; b2280; b0851; b3778; b0996; b2827; b3361 (in Armenia); b3357 (in Pseudothecla); b3910 (in Fixsenia); b2631 (in Argus); b4092; b4976; b1455]
- a **ledereri** (Herrich-Schäffer), [1850], 1843-1856; Thecla OD: Syst. Bearb. Schmett. Europ. 1:pl 93, f 445-448 [b2313] CG: Laeosopsis (?) [TypeL - Transcaucasia.] [Refs - b2747]
- e **ab. ledereri** Thierry-Mieg, 1911; Plebejus OD: Naturaliste 32:235 [b4642] SS: pylaen (Fischer von Waldheim), 1832; Plebejus (Plebejides) [Check - Spelling and original genus.] [Refs - b0236; b0471 (as lederi)]
- c **lederi** (A. Bang-Haas), 1907; Lycaena OD: Deut. ent. Zeit. [Iris] 20:69 [b0232] SS: lycornas (Butler), 1866; Glaucopsyche [Refs - b0236; b2866; b0471]
- a **leca** Robbins & Venables, 1991; Janthecla OD: J. Lep. Soc. 45(1):17, f [b3819] [TypeL - Peru.] [Refs - b0125]
- a **leechi** (Swinhoe), 1912, 1909-1913; Aphnaeus OD: In Moore, Lep. Ind. 9:184 [b4575] CG: Spindasis [Type: BMNH-st] [TypeL - Moupin and Ichang, W. China.] [Refs - b1455]
- c ♀ **f. leechi** (Esaki), 1938; Zephyrus OD: Zephyrus 7:229, pl 16, f 5 [b1617] SS: iaxila (Bremer), 1861; Neozephyrus [Refs - b2463]
- d **leechi** (Riley), 1939, (H); Thecla OD: Novit. zool. 41:355 [b3778] SS: suffusa (Leech), [1893]; Favonius [TypeL - Szechwan, China.] [Refs - b3778; b3296]
- a **leechi** (Forster), 1940; Glaucopsyche OD: Mitt. münchn. ent. Ges. 30(3):875, pl 22, f 6,7; pl 23, [b1764] CG: Sunia [TypeL - E. Asia.] [Type of - Sunia] [Refs - b2280; b4179]
- b **leechi** Forster, 1941; Bothrinia OD: Mitt. münchn. ent. Ges. 31:593, pl 19,20, f 1,9 [b1766] SS: nebulosa (Leech), 1890. Bothrinia [TypeL - China.] [Refs - b1766]
- a **leechii** (de Nicéville), 1893; Thecla OD: J. Bombay nat. Hist. Soc. 7(3):335 [b1156] CG: Ahlbergia [Type: BMNH-ht, designated by Johnson, 1992] [Neue Ent. Nachr. 29:52 [b2609]] [TypeL - Jaintia Hills, Assam Province, India] [Note - Described and figured, but not named. In 1891 Johnson incorrectly attributes the name to Riley] [Refs - b1636; b0995 (1891 :375, pl F, f 17); b2479; b0236 (as leechi); b1156; b1950; b2585; b0694]
- b **leei** Elliot & Kawazoe, 1983; Celastrina OD: Butis Lycaenopsis group 229, f [b1580] SS: sugitanii (Matsumura), 1919, Celastrina [Type: OMNH-ht] [TypeL - Mt Juli San, Taesung, South Korea.] [Refs - b1580]
- b **leei** Hsu, 1990; Nacaduba OD: J. Taiwan Mus. 43(1):13, f [b2474] SS: borenice (Herrich-Schäffer), 1869; Nacaduba [TypeL - Taiwan.] [Refs - b0124; b2388]
- a **leei** Johnson, 1992; Ahlbergia OD: Neue Ent. Nachr. 29:25, f [b2609] [TypeL - China.] [Refs - b0126]

- b **leela** (de Nicéville), [1884]; *Lycaena* OD: J. asiat. Soc. Bengal, Pt II 52(2/4):66, pl 1, f 3,3a [b1145] SS: jaloka Moore, [1875]; *Polyommatus* (*Agriaedes*) [TypeL - Ladak.] [Refs - b1636; b1153; b4094; b0993; b0694; b4092; b0471]
- a **leena** Hewitson, 1870; *Symmachia* OD: Ent. mon. Mag. 6:226 [b2331] [TypeL - Nicaragua.] [Refs - b2747; b4474; b2753; b1456]
- b **lefebvrei** Godart, [1824], 1819-1824; *Polyommatus* OD: In Ency. méth. 9(Ins.)(2):696 [b1970] SS: dolus (Hübner), [1823]; *Polyommatus* (*Agrodiaetus*) [TypeL - Italy.] [Note - Often seen as *lefebvreii*.] [Refs - b2747; b0993; b2794; b4092]
- a **lefebvrei** (Felder & Felder), 1862; *Myrina* OD: Wien. ent. Monats. 6(9):291 [b1688] CG: Horaga [Type: BMNH-ht] [TypeL - Luzon, Philippines.] [Refs - b1012; b2747; b4094; b2078; b2201; b1454]
- c **legayi** Le Moul't, 1940, 1939-1940; *Helicopsis* OD: Novit. ent. (16):126 [b2943] SS: cupido (Linnaeus), 1758; *Helicopsis* [Type: AME-ht] [TypeL - Rio Curusamba, Pará, Brazil.] [Refs - b3199]
- c **legeri** Freyer, 1839, 1831-1858; *Lycaena* OD: Neuere Beitr. Schmett. 3-pl 133, f 1 [b1795] SS: ottomanus (Lefebvre), 1831; *Lycaena* (*Heodes*) [Refs - b2747; b0996; b4092]
- a **legionis** (Clench), 1944; *Thecla* OD: Bull. Harvard Mus. Comp. Zool. 94:240 [b0823] CG: Cyanophrys [Type: MCZ-ht] [TypeL - Blumenau, Santa Catharina State, Brazil.] [Refs - b0908; b0528; b2221; b2585]
- a **legota** (Hewitson), [1877], 1863-1878; *Thecla* OD: Ill. diurn. Lep. Lycaenidae 1:205; 2-pl 81, f 676,677 [b2326] CG: Strymon [Type: BMNH-ht] [TypeL - Bolivia.] [Refs - b0908; b2753; b2641]
- c **legouaisi** Le Moul't, 1940, 1939-1940, (IFS); *Helicopsis* OD: Novit. ent. (16):125, f 50,51 [b2943] SS: cupido (Linnaeus), 1758; *Helicopsis* [Type: MNHN-pt] [Refs - b3199]
- a **legrasi** Stempffer, 1948; *Tarucus* OD: Revue fr. Ent. 15(3):194, f [b4376] [TypeL - Senegal to Nigeria.] [Refs - b1452; b0836; b4400]
- c **legytha** Hewitson, [1874], 1863-1878; *Thecla* OD: Ill. diurn. Lep. Lycaenidae 1:180; 2-pl 71, f 537,538 [b2326] SS: emessa Hewitson, [1867]; *Thecla* (*New World Eumaeini*) [Type: BMNH] [TypeL - Chontales, Nicaragua.] [Refs - b0908; b2753; b1975]
- c **lehairi** Le Moul't, 1940, 1939-1940; *Helicopsis* OD: Novit. ent. (15):113, f 40,41 [b2943] SS: cupido (Linnaeus), 1758; *Helicopsis* [Type: AME-ht] [TypeL - Tefé, Rio Solimões, Amazonas, Brazil.] [Refs - b3199]
- a **lehanus** Moore, 1878. *Polyommatus* OD: Ann. Mag. nat. Hist. (5):230 [b3227] CG: *Polyommatus* (*Albulina*) [TypeL - Ladak, Yarkund.] [Note - Classification according to Bálint (*pers. comm.*)] [Refs - b1636; b1153; b4094; b0993; b2827; b3227; b2479; b4180 (as full sp); b3055; b0694; b4092; b0471]
- c **lelothrix** (Fruhstorfer), 1915; *Lampides* OD: Arch. Naturgesch. (A)81(6):27 [b1865] SS: amphissa (Felder & Felder), 1860, *Jamides* [TypeL - Engano] [Refs - b4094; b1865; b1454 (as ssp of *cyta*); b3786]
- c **leitus** Fruhstorfer, [1915], 1909-1923; *Allotinus* OD: In Seitz, Grossschmett. Erde 9:811 [b1840] SS: georgius Fruhstorfer, 1913; *Allotinus* (*Paragerydus*) [Type: ZMHU?-ht] [TypeL - Mindoro, Philippines.] [Refs - b1571; b1840]
- c **lekanion** (H. H. Druce), 1891; *Argiolaus* OD: Ann. Mag. nat. Hist. (6):8:144 [b1356] SS: lukabas H. H. Druce, 1890; *Iolaus* (*Iolaphilus*) [TypeL - Sierra Leone.] [Refs - b0836; b4400]
- c **lemaii** Le Moul't, 1940, 1939-1940, (IFS); *Helicopsis* OD: Novit. ent. (15):113 [b2943] SS: cupido (Linnaeus), 1758; *Helicopsis* [Type: AME-ht] [Refs - b3199]
- b **lemberti** Tilden, 1963; *Callophrys* OD: J. Res. Lep. 1(4):292 [b4656] SS: sheridanii (Edwards), 1877; *Callophrys* [Type: CAS-ht] [TypeL - W above Tioga Pass, Yosemite National Park, California.] [Refs - b3192; b2585; b4066]
- b **leminius** Fruhstorfer, [1912]; *Loxura* OD: Berl. ent. Z. 56(3/4):222 [b1850] SS: atymnus (Stoll), [1780]; *Loxura* [TypeL - Sumatra.] [Refs - b4094; b1454; b1850]
- b **lemniscata** Thieme, 1907; *Panara* OD: Berl. ent. Z. 52:6 [b4640] SS: phereclus (Linnaeus), 1758; *Panara* [Refs - b4474]
- a **lemnos** (Hewitson), [1878], 1863-1878; *Lycaenesthes* OD: Ill. diurn. Lep. Lycaenidae 1:221, 2-pl 90, f 13,14 [b2326] CG: Anthene [Type: BMNH] [TypeL - Delagoa Bay.] [Refs - b1943; b1259; b1452; b0343; b4400; b1235]
- a **lemnos** (H. H. Druce), 1890; *Thecla* OD: Ent. mon. Mag. 26:152 [b1354] CG: Strymon [Type: BMNH-ht] [TypeL - (Interior of) Colombia.] [Note - Druce says "allied to *serapio*".] [Refs - b0908; b1375; b2641]
- a **lemolea** H. H. Druce, 1890; *Spalgis* OD: Ann. Mag. nat. Hist. (6):5:26 [b1353] [TypeL - West Africa.] [Refs - b1943; b1259; b0473; b1452; b0836; b4400; b2887; b2560; b3550]
- a **lemona** (Hewitson), [1874], 1863-1878; *Thecla* OD: Ill. diurn. Lep. Lycaenidae 1:177; 2-pl 69, f 519,520 [b2326] CG: Noreena [Type: BMNH-ht; designated by Johnson, 1989] [J. New York ent. Soc. 97(1):38 [b2597]] [TypeL - Brazil.] [Refs - b0908; b2753; b2588; b2593; b2597]
- c **lempkei** (Blom), 1979; *Chilades* OD: Ent. Ber. 39(1):10-14 [b0454] SS: contracta (Butler), 1880; *Lachides* [Type: pc-ht; collection of Blom] [TypeL - Takht-i-Jamshid, Persepolis, Prov. Fars, Iran.] [Refs - b1610 (854-E12); b0111; b0113; b3364; b0454]
- a **lemuria** Hewitson, 1868; *Thecla* OD: Descr. new Spec. Lycaenidae :10 [b2327] CG: *Thecla* (*New World Eumaeini*) [Type: BMNH] [TypeL - Amazon.] [Refs - b0908; b2747; b1375]
- b **lena** (Kurentzov), 1970; *Chrysophanus* OD: Butts Far East USSR :128 [b2864] SS: virgaureae (Linnaeus), 1758; *Lycaena* (*Heodes*) [Refs - b2866]
- b **lenaiia** Fruhstorfer, 1913; *Allotinus* OD: Z. wiss. InsektBiol. 9(12):370 [b1851] SS: substrigosa (Moore), 1884; *Allotinus* (*Paragerydus*) [Type: BMNH-ht; designated by Eliot, 1986] [Bull. Br. Mus. nat. Hist. (Ent.) 53(1):54 [b1571]] [TypeL - Nias.] [Refs - b1840; b1571; b1552]
- a **lenecates** (Hewitson), [1875], 1852-1877; *Lemonias* OD: Ill. exot. Butts 5:Lem, f 11 [b2323] CG: *Roerberella* [TypeL - Trinidad.] [Refs - b2753; b1456]
- c **lenis** (Capronnier), 1874; *Thecla* OD: Anns Soc. ent. Belg. 17:16, pl 1, f 3 [b0699] SS: una (Hewitson), [1873]; *Ministrymon* [TypeL - Itaipú, Brazil.] [Refs - b0908; b2753; b1375]
- a **lenitas** (H. H. Druce), 1907; *Thecla* OD: Proc. zool. Soc. Lond. 1907(3):603, pl 36, f 5 [b1375] CG: *Symbiopsis* [Type: pc-st; Godman collection.] [TypeL - Chapada Campo, Brazil, Paraguay.] [Refs - b0908; b3388; b2221; b0102; b1375]
- a **lenningi** Tate & Dickson, 1973; *Alocides* OD: Bull. Br. Mus. nat. Hist. (Ent.) 29(5):267, f [b4685] [Refs - b0104]
- a **lenocinium** Schaus, 1913; *Nymphidium* OD: Ann. Mag. nat. Hist. (8):11:302 [b3949] [Type: USNM-ht] [TypeL - La Florida, Santa Cruz.] [Note - Not spelled *lenocinium*.] [Refs - b4476; b0680; b3949; b0685; b1456; b1456]
- a **lenya** (Evans), 1932; *Lycaenopsis* OD: Ident. Indian Butts (2nd ed.) :222 [b1638] CG: *Callenya* [Type: BMNH-ht; designated by Eliot & Kawazoé, 1983] [Butts *Lycaenopsis* group :261 [b1580]] [TypeL - S. Myanmar, S. Burma.] [Refs - b0965; b0933; b1580; b2200; b1638]

- b **leizeni** Forster, 1941; *Celastrina* OD: Mitt. münchn. ent. Ges. 31:608 (partim), pl 19,20, f 7 [b1766] SS: sugitaniü (*Matsumura*), 1919; *Celastrina* [Type: MAK-hi] [TypeL - Tapai-Shan, South Shensi, China.] [Refs - b1580; b1766]
- b **leo** H. H. Druce, 1894; *Arhopala* OD: Ann. Mag. nat. Hist. (6)13:254 [b1361] SS: hercules (Hewitson), 1862; *Arhopala e* [Type: BMNH-st] [TypeL - Humboldt Bay.] [Refs - b1450; b1644; b4094]
- c **leocrates** (Hewitson), [1878], 1863-1878; *Lycaenesthes* OD: III. dium. Lep. Lycaenidae 1:220; 2:pl 90, f 5,10 [b2326] SS: philo (Hopffer), 1874; *Anthene* [Type: BMNH-hi] [TypeL - Macassar, Celebes.] [Refs - b4679]
- c **leodorus** (Esper), [1782], 1776-1830; *Papilio* OD: Die Schmett. 1(2)5:pl 80, f 1,2 [b1623] SS: argus (Linnaeus), 1758; *Plebejus* [Refs - b0236; b2747; b0410; b2794]
- c **leodorus** (Gerhard), 1853, 1850-1853; *Lycaena* OD: Vers. monog. europ. Schmett. :pl 23, f 3 [b1928] SS: argus (Linnaeus), 1758; *Plebejus* [Check - Original description?] [Refs - b2747; b0471 (as Suppl. 1:137)]
- a **leogoron** Fruhstorfer, [1915], 1909-1923; *Allotinus* OD: In Seitz, Grossschmett. Erde 9:811 [b1840] CG: *Allotinus* (*Paragerydus*) [Type: BMNH-lt; designated by Eliot, 1986] [Bull. Br. Mus. nat. Hist. (Ent.) 53(1):35 [b1571]] [TypeL - Sumatra.] [Refs - b1840; b1571]
- c **leokrates** Fruhstorfer, 1914; *Arhopala* OD: Deut. ent. Zeit. [Iris] 28(2):126 [b1859] SS: basivindis de Nicéville, 1891; *Arhopala g* [Type: BMNH-hi] [TypeL - W. Borneo.] [Refs - b1644; b4094; b1859; b4108]
- c **leonae** Aurivillius, [1920], 1908-1925; *Aslauga* OD: In Seitz, Grossschmett. Erde 13:343 [b0162] SS: vininga (Hewitson), 1875; *Aslauga* [TypeL - Sierra Leone.] [Refs - b0162; b4400]
- c **leonensis** Bethune-Baker, 1904; *Epitola* OD: Ann. Mag. nat. Hist. (7)14:227 [b0332] SS: cephenia Hewitson, 1873; *Epitola* [Type: biblio; replacement for leonina Bethune-Baker, 1903] [TypeL - W. Africa.] [Refs - b4400; b3842; b0836]
- a **leonensis** Stempffer & Bennett, 1963; *Falcuna* OD: Bull. Br. Mus. nat. Hist. (Ent.) 13(6):174, f [b4421] [Type: BMNH-hi] [TypeL - Sierra Leone.] [Refs - b4400; b1452; b0836; b4421]
- b **leonensis** Manley, 1970; *Satyrnum* OD: In Butts Spain :114, pl 35, f 28-30 [b3057] SS: spini ([Denis & Schiffermüller]), 1775; *Satyrnum* [Refs - b3057]
- b **leonhardi** (Fruhstorfer), 1917; *Chrysophanus* OD: Ent. Rundsch. 34(4):17 [b1876] SS: hippothoc (Linnaeus), 1761; *Palaeochrysophanus* [TypeL - Bulgaria.] [Refs - b2375; b0111; b0236; b0471; b2858]
- b **leonia** (Beuret), 1936; *Lycaena* OD: *Lambillionea* 36:272 [b0375] SS: helle ([Denis & Schiffermüller]), 1775; *Helleia A* [Type: NMB-lt; designated by Steinger, 1975] [Mitt. ent. Ges. Basel (nF)25:21 [b4355]] [TypeL - Bernese Jura.] [Refs - b0107; b0074; b0389; b4355]
- c **leonidas** (Toxopeus), 1930; *Amblypodia* OD: De soorte als Funcue :167 [b4702] SS: leo II. H. Druce, 1894; *Arhopala e* [TypeL - Pulau Salawati, nr New Guinea.] [Refs - b1644; b4702]
- a **leonina** Staudinger, [1888], 1884-1888; *Epitola* OD: In Exot. Schmett. 1:268 [b4329] [TypeL - Sierra Leone.] [Refs - b3842; b0836; b4400]
- a **leonina** (E. Sharpe), 1890; *Zenitis* OD: Ann. Mag. nat. Hist. (6)6:104 [b4150] CG: *Lipaphnaeus* [TypeL - Sierra Leone.] [Refs - b1452; b0836; b4400]
- a **leonina** (Bethune-Baker), 1903; *Lycaenesthes* OD: Ann. Mag. nat. Hist. (7)12:333 [b0328] CG: *Cupidesthes* [TypeL - W. Africa.] [Refs - b1452; b0343; b4400]
- d **leonina** (Bethune-Baker), 1903, (H); *Phytala* OD: Ann. Mag. nat. Hist. (7)12:328 [b0328] OS: *Iconensis* Bethune-Baker, 1904; *Epitola* [TypeL - W. Africa.] [Refs - b0836; b0328; b4400]
- a **leonina** (Bethune-Baker), 1904; *Deudorix* OD: Ann. Mag. nat. Hist. (7)14:231 [b0332] CG: *Hypokopelates* [TypeL - Sierra Leone.] [Refs - b1452; b0836; b4400]
- b **leoninus** (Fruhstorfer), [1923], 1909-1923; *Castalius* OD: In Seitz, Grossschmett. Erde 9:888 [b1840] SS: *ilissus* (Felder & Felder), 1859; *Discolampa* [TypeL - Indoaustralia.] [Refs - b1840; b1454]
- a **leonis** (Staudinger), [1888], 1884-1888; *Sithon* OD: In Exot. Schmett. 1:276 [b4329] CG: *Pseudaletis* [TypeL - Sierra Leone.] [Refs - b1452; b0836; b4400]
- b **leonis** (Riley), 1928; *Epamera* OD: Novit. zool. 34:390 [b3767] SS: *cytaeis* Hewitson, 1875; *Iolaus* (*Epamera*) [TypeL - Sierra Leone.] [Refs - b1452; b0836; b4400; b3767]
- b **leontodamas** (Toxopeus), 1930; *Amblypodia* OD: De soorte als Funcue :167 [b4702] SS: hercules (Hewitson), 1862; *Arhopala e* [TypeL - Pulau Misool, nr New Guinea.] [Note - Not spelled leontodamas.] [Refs - b1450; b1644; b4702]
- b **leopardina** Schultze, 1923; *Pentila* OD: In Schubotz :1154, f 51 [b4018] SS: pauli Staudinger, [1888]; *Pentila* [TypeL - C. Africa.] [Refs - b1452; b4420; b4400]
- a **leopardinum** (Felder & Felder), 1865, 1865-1875; *Cricosoma* OD: Reise Novara (2):293, pl 37, f 29,30 [b1692] CG: *Symmachia* [TypeL - Bahia.] [Type of - *Cricosoma*] [Refs - b0355; b2988; b2747; b4474; b1456]
- b **leopardus** (Schultze), 1910; *Tarucus* OD: Philippine J. Sci. 5:161, pl 1, f 9 [b4020] SS: *plinius* (Fabricius), 1793; *Leptotes* [TypeL - Luzon, Philippines.] [Refs - b1450; b1642; b1840; b4108]
- a **leos** (Guérin-Méneville), [1831], 1830-1838; *Symethus* OD: In Duperrey, Voy. Coquille, Zool. 2(2):pl Ins. 18, f 8 [b2087] CG: *Miletus 4* [TypeL - Bounu.] [Refs - b1450; b1546; b2747; b2698; b1840]
- a **leos** Schaus, 1913; *Thecla* OD: Proc. zool. Soc. Lond. 1913(3):353, pl 52, f 7 [b3950] CG: *Thecla* (New World Eumacini) [TypeL - Guapiles, La Florida, Costa Rica.] [Refs - b0908; b3950]
- c **leos** Fruhstorfer, [1915], 1909-1923, (ISS); *Allotinus* OD: In Seitz, Grossschmett. Erde 9:812 [b1840] SS: *melos* (H. H. Druce), 1896; *Allotinus* (*Paragerydus*) [Refs - b1840; x027b; b1570; b4108]
- c **leosida** (Boursduval), 1832; *Emesis* OD: In d'Urville, Voy. Astrolabe 1(Lep.):65 [b0457] SS: *pulchra* (Guérin Méneville), [1830], *Dicallanura* [Refs - b2747]
- c **leotodamas** (Anonymous), 1931, (ISS); *Amblypodia* OD: Zool. Rec. 67(1930)(Ins.):242 [b0068] SS: *leontodamas* (Toxopeus), 1930; *Arhopala e* [Refs - b0068]
- a **lepida** (Godman & Salvin), [1885], 1879-1901; *Mesosemia* OD: Biol. centr.-amer., Lep. Rhop. 1:386; 3:pl 43, f 3 [b1975] CG: *Leucochimona* [TypeL - Panama.] [Refs - b4474; b1456]
- c **ab. leptontosi** (Glais), 1926; *Lycaena* OD: Encyc. ent. Ser. B III Lep. 1(3):116, pl 4, f 8,11 [b1966] SS: *plouhamelensis* Oberthür, 1910; *Plebejus* [TypeL - France.] [Refs - b0236; b0471; b0064; b1966]
- c **ab. lepsinskana** (Obraztsov), 1935; *Lycaena* OD: Folia zool. hydrobiol. 8:146 [b3467] SS: *inhonora* (Jachontov), 1909; *Plebejus* (*Arcia*) [Refs - b0073]
- a **leptala** (Courvoisier), 1914; *Lycaenesthes* OD: In Strand, Lep. Nicpelt :43, pl 11, f 2 [b0992] CG: *Anthene* [TypeL - W. Africa.] [Refs - b1452; b0992; b4528; b4400]

- a **leptines** (Hewitson), 1874; *Lycaenesthes* OD: *Trans. ent. Soc. Lond.* 22(3):348 [b2341] CG: *Anthene* [TypeL - Congo.] [Refs - b2753; b1452; b4400]
- b **leptines** Fruhstorfer, 1914; *Arhopala* OD: *Deut. ent. Zeit.* [Iris] 27(4):158 [b1853] SS: *micale* Boisduval, 1853; *Arhopala* h [Type: BMNH-ht] [TypeL - Kei Island.] [Refs - b1644; b1450; b4094; b1853]
- c **leptocosma** (Hayward), 1949; *Thecla* OD: *Acta zool. lilloana* 8:578 [b2217] SS: *bicolor* (Philippi), 1859; *Eiseliana* [Type: FMLT-ht] [TypeL - Zapala, Nueguén, Argentina.] [Refs - b0908; b2221; b2218; b2638]
- b **leptographia** Stichel, 1911; *Argyrogrammana* OD: *Gen. Insectorum* 112(B):247, pl 26, f 64 [b4447] SS: *trochilia* (Westwood), [1851]; *Argyrogrammana* [Type: BMNH-st; ZMHU-st] [TypeL - Rio San Juan, Colombia.] [Refs - b4474; b1453; b1456; b4446]
- a **lerbela** Field, 1967; *Calycopis* OD: *Proc. U. S. natn. Mus.* 119(3552):12 [b1737] [Type: USNM-ht; #34898] [TypeL - Obidos, Amazonas, Brazil.] [Refs - b1737; b2606]
- a **leroma** (Wallengren), 1857; *Amblypodia* OD: *K. svenska VetenskAkad. Handl.* (nf)2(4):42 [b4913] CG: *Crudaria* [TypeL - Caffraria.] [Type of - *Crudaria*] [Refs - b1943; b2280; b1259; b2747; b1265; b1452; b4400; b0802; b0803]
- a **lerothodi** (Trimen), 1904; *Lycaena* OD: *Trans. ent. Soc. Lond.* 52(2):242, pl 19, f 6 [b4732] CG: *Lepidochrysops* [Type: BMNH-ht] [TypeL - Mount Machacha, Mahii Range, S. Africa.] [Refs - b1259; b1452; b4400; b3563; b0359]
- b **leslel** (Tyler), 1926; *Lycaena* OD: *J. Bombay nat. Hist. Soc.* 31(3):584, pl 1, f 2 [b4773] SS: *christophi* (Staudinger), 1874; *Plebejus* (*Lycaeides*) [TypeL - Chitral.] [Refs - b0236; b0065; b3910; b0694; b0471]
- c **lesoudierae** Le Moul, 1939, 1939-1940; *Helicopis* OD: *Novit. ent.* (12):90, f 19 [b2943] - SS: *gnidus* (Fabricius), 1787; *Helicopis* [Type: AME-ht] [TypeL - Brazil.] [Refs - b3199]
- b **lessei** Bernardi, 1964; *Iolana* OD: *Alexand. 3:276* [b0319] SS: *iolas* (Ochsenheimer), 1816; *Iolana* [TypeL - Amasia, Turkey.] [Refs - b0320]
- b **lessina** (Fruhstorfer), 1916; *Nacaduba* OD: *Zool. Meded.* 2(2):119 [b1873] SS: *aluta* (H. Druce), 1873; *Prosotas* [Type: BMNH-ht] [TypeL - Nias.] [Refs - b4676; b0938; b4094; b1454]
- a **letha** (Watson), 1897; *Zephyrus* OD: *J. Bombay nat. Hist. Soc.* 10(4):664, pl A, f 7 [b4951] CG: *Chrysozephyrus* [TypeL - Nr. Tiddim, North Chin Hills, Burma.] [Refs - b1636; b4094; b4214; b4200; b3296; b1454; b0694; b2463]
- b **letitia** (Hemming), 1934; *Lycaeides* OD: *Stylops* 3:98 [b2252] SS: *argyrognomon* (Bergsträsser), [1779]; *Plebejus* (*Lycaeides*) [Type: biblio; replacement for *ligurica* Oberthür, 1910.] [Refs - b2252; b0072]
- a **letsea** (Trimen), 1870; *Lycaena* OD: *Trans. ent. Soc. Lond.* 18(4):362, pl 6, f 3,4 [b4719] CG: *Lepidochrysops* [Type: BMNH-st] [TypeL - Southern Africa.] [Refs - b1259; b2747; b1452; b4400; b0359]
- c **leucania** (Hewitson), 1868; *Thecla* OD: *Descr. new Spec. Lycaenidae* :33 [b2327] SS: *herodotus* (Fabricius), 1793; *Cyanophrys* [Type: BMNH-ht; designated by Johnson, 1981] [Revision of *Callophryna* :446 [b2585]] [TypeL - Mexico.] [Refs - b2406; x3192; b2721; b2327; b4170; b2747; b0908 (as *leucania*); b2585]
- a **leucanthe** Bates, [1868]; *Theope* OD: *J. linn. Soc. Lond., Zool.* 9:408 [b0267] [TypeL - Lower Amazon.] [Refs - b2747; b4475]
- a **leucarpis** (Süchel), 1925; *Nymphidium* OD: *Z. wiss. InsektBiol.* 20:263 [b4463] CG: *Mycastor* [TypeL - Not stated.] [Type of - *Mycastor*] [Refs - b4476; b0677; b1456]
- e **leucaspis** (Zikán), 1928, (ISS); *Nymphidium* OD: *Ent. Rundsch.* 45:20 [b5070] SS: *leucarpis* (Süchel), 1925; *Mycastor* [Refs - b0677]
- c **leucidiodes** Seitz, [1917], 1910-1924; *Nymphidium* OD: *In Seitz, Grossschmett. Erde* 5:714, pl 142i [b4093] SS: *menalcus* (Stoll), [1782]; *Nymphidium* [TypeL - Guiana.] [Refs - b4476; b4093]
- c **leucobalia** Süchel, 1910; *Monethe* OD: *Gen. Insectorum* 112(A):136 [b4446] SS: *albertus* Felder & Felder, 1862; *Monethe* [Type: pc-st; collection of Süchel] [TypeL - Pozuzo, Peru.] [Refs - b4474; b4446]
- c **leucoceros** Oberthür, 1916; *Iolaus* OD: *Étud. Léop. comp.* 11:173 [b3455] SS: *argentarius* Butler, 1879; *Iolaus* (*Trichiolaus*) [Refs - b4400]
- e **leucochroa** (Sharp), [1905], (ISS); *Ialmenus* OD: *Zool. Rec.* 40(1903)(Ins.):257 [b4134] SS: *lithochroa* (Waterhouse), 1903; *Ialmenus* [Refs - b4134]
- a **leucocyana** (Geyer), [1837], 1832-1837; *Echenais* OD: *In Zutr. Samml. exot. Schmett.* 5:29, pl [157], f 915,916 [b1934] CG: *Adelotypa* [TypeL - Para.] [Refs - b2988; b2747; b4475; b1456]
- e **leucocyanae** (Anonymous), 1969, (ISS); *Termoniphas* OD: *Zool. Rec.* 102(1965)(Ins.):338 [b0098] SS: *leucocyanea* Clench, 1961; *Termoniphas* [Refs - b0098]
- a **leucocyanea** Clench, 1961; *Termoniphas* OD: *Ann. Carn. Mus.* 36(6):56, pl 1, f 5,6,8,9 [b0827] [TypeL - Cameroon.] [Refs - b0827; b0528; b1452; b4400; b0098 (as *leucocyanae*)]
- b **leucocyon** (Toxopeus), 1940; *Gerydus* OD: *Ent. Med. Ned.-Indië* 6:15, f [b4708] SS: *gallus* (de Nicéville), 1894; *Miletus* 4 [TypeL - Java.] [Refs - b1546]
- e **ab. leucodes** (Cabeau), 1913; *Nemeobius* OD: *Revue mens. Soc. ent. namur.* 13(7):100 [b0664] SS: *lucina* (Linnaeus), 1758; *Hamearis* [Refs - b4473; b0236; b0664]
- b **leucodesma** Seitz, [1917], 1910-1924; *Siseme* OD: *In Seitz, Grossschmett. Erde* 5:698, pl 133e [b4093] SS: *aristoteles* (Latreille), [1813]; *Siseme* [Type: BMNH-ht] [TypeL - Rio Dagua, Colombia.] [Refs - b4475; b1456; b4093]
- b **leucofasciatus** (Röber), [1886]; *Plebeius* OD: *CorrespBl. ent. Ver. Iris* 1(3):59, pl 4, f 32 [b3820] SS: *lajus* (Stoll), [1780]; *Chilades* [TypeL - Hong Kong.] [Refs - b2650]
- b **leucogaea** (Godman & Salvin), [1885], 1879-1901; *Mesosemia* OD: *Biol. centr.-amer., Lep. Rhop.* 1:385 [b1975] SS: *vestalis* (Bates), 1864; *Leucochimona* [TypeL - Nicaragua.] [Refs - b4474]
- a **leucogonia** (Süchel), 1911; *Anatole* OD: *Gen. Insectorum* 112(B):332 [b4447] CG: *Lemonias* [Type: ZMHU-ht] [TypeL - Rio San Juan, Colombia.] [Refs - b4475; b1456; b4446]
- a **leucogyna** (Felder & Felder), 1865, 1865-1875; *Pseudolycaena* OD: *Reise Novara* (2):245, pl 31, f 16,17,18 [b1692] CG: *Arawacus* [TypeL - Venezuela; Bogotá, New Granada.] [Refs - b0908; b2988; b2747; b1975]
- b **leucolopha** Thieme, 1907; *Eurybia* OD: *Berl. ent. Z.* 52:2 [b4640] SS: *jemima* Hewitson, 1869; *Eurybia* [TypeL - Ecuador.] [Refs - b2988; b4474]
- b **leucoma** Tite, 1963; *Philiris* OD: *Bull. Br. Mus. nat. Hist.* (Ent.) 14(5):231 [b4677] SS: *harerü* (Grose-Smith), 1894; *Philiris* [Type: BMNH-ht] [TypeL - Upper Aroa River, British New Guinea.] [Refs - b4677; b1450]
- c **ab. leucomelaina** Breyer, 1930; *Ematurgina* OD: *Revia Soc. ent. argent.* 3:171, pl 7, f 4 [b0492] SS: *ochrophlegma* Süchel, 1911; *Ematurgina* [TypeL - Argentina.] [Refs - b2221 (as *leucomelaina*); b1456]
- a **leucomelas** Rothschild & Jordan, 1905; *Dicallaneura* OD: *Novit. zool.* 12:464 [b3885] [TypeL - New Guinea.] [Refs - b1450, b2988; b4992; b4474; b1840]

- a **leucon** (Mabille), 1879; *Lycaena* OD: *Petites Nouv. ent.* 2(211):289 [b3041] CG: *Lepidochrysops* [TypeL - Madagascar.] [Refs - b1452; b4400; b2920; b0359]
- a **leucon** (Schaus), 1913; *Eurygona* OD: *Proc. zool. Soc. Lond.* 1913(3):349, pl 51, f 1,3 [b3950] CG: *Euselasia* [TypeL - Costa Rica.] [Refs - b4474; b3950]
- a **leucophaea** (Hübner), [1821], 1806-1838; *Echenais* OD: *Samml. exot. Schmett.* 2-pl [13] [b2482] CG: *Adelotypa* [Refs - b2988; b2747; b4475; b2221; b2260; b1456]
- a **leucophaeus** (Hübner), [1818], 1808-1837; *Bithys* OD: *Zutr. Samml. exot. Schmett.* 1:18, pl [16], f 87,88 [b2483] CG: *Sidenus* [TypeL - Brazil.] [Type of - *Bithys*] [Note - *Placed on Official List by Op 541.*] [Refs - b2280; b0908; b2988; b2747; b3818; b2530 (Op 541, L 1604); b1375; b3151]
- a **leucophlegma** (Stichel), 1910; *Lymnas* OD: *Gen. Insectorum* 112(A):283 [b4446] CG: *Melanis* [Type: MNHN-ht] [TypeL - Venezuela or Peru.] [Refs - b4474; b1456; b4446]
- c **leucophlegmoides** (Seitz), [1917], 1910-1924; *Lymnas* OD: In *Seitz, Grossschmett. Erde* 5:661, pl 131e [b4093] SS: *leucophlegma* (Stichel), 1910; *Melanis* [Type: BMNH-ht] [TypeL - Peru.] [Refs - b4474; b1456]
- a **leucophryna** (Schaus), 1913; *Eurygona* OD: *Proc. zool. Soc. Lond.* 1913(3):349, pl 53, f 8 [b3950] CG: *Euselasia* [TypeL - Costa Rica.] [Refs - b4474; b3950]
- b **leucophryne** Stichel, 1911; *Imelda* OD: *Gen. Insectorum* 112(B):297 [b4447] SS: *aenetus* (Hewitson), 1874; *Imelda* [Type: ZMHU-ht; ZMHU-st] [TypeL - Marcapata, Peru.] [Refs - b4475; b4446]
- b **leucophrys** Bates, [1868]; *Mesene* OD: *J. linn. Soc. Lond., Zool.* 9:387 [b0267] SS: *phareus* (Cramer), [1777]; *Mesene* [TypeL - Amazonas.] [Refs - b2747; b4474; b1456]
- c **f. leucophthalma** (Stauder), 1923, 1920-1923; *Lycaena* OD: *Z. wiss. Insektbiol.* 18:188 [b4310] SS: *bellargus* (Rottemburg), 1775; *Polyommatus* (*Lysandra*) [Refs - b0236; b0471]
- a **leucoplaga** Schaus, 1913; *Corrachia* OD: *Proc. zool. Soc. Lond.* 1913(3):351, pl 53, f 2 [b3950] [TypeL - Costa Rica.] [Type of - *Corrachia*] [Refs - b2988; b2280; b4474; b3950]
- a **leucopus** Godman & Salvin, [1886], 1879-1901; *Mesene* OD: *Biol. centr.-amer., Lep. Rhop.* 1:423 [b1975] [TypeL - Guatemala.] [Refs - b4474 (as *leucopa*); b1456]
- c **leucorrhea** d'Abreu, 1994, (ISS); *Euselasia* OD: *Butts Neotropical Region*, Pt 4:1090 SS: *leucorrhoa* Godman & Salvin, 1878; *Euselasia* [Refs - b1456]
- a **leucorrhoa** Godman & Salvin, 1878; *Euselasia* OD: *Proc. zool. Soc. Lond.* 1878(2):360 [b1973] [TypeL - Veragua; Chiqui.] [Refs - b2988; b4474; b1116; b0680; b1456 (as *leucorrhea*); b1973]
- a **leucosia** (Hübner), [1806], 1806-1838; *Limnas* OD: *Samml. exot. Schmett.* 1-pl [29] [b2482] CG: *Nymphidium* [TypeL - Amazon.] [Type of - *Limnas*, *Heliochlaena*, *Nymphidium* [Illiger]] [Refs - b2988; b2280; b2747; b4476; b1140; b0680; b2260; b1456]
- b **leucosticha** Clench, 1992; *Strymon* OD: In *Ann. Cam. Mus* 61(1):30, f [b0854] SS: *acis* (Drury), [1773]; *Strymon* [TypeL - Bahamas.] [Refs - b0125]
- c **leucosticta** Stauder, 1923, 1920-1923; *Callophrys* OD: *Z. wiss. Insektbiol.* 18:66 [b4310] SS: *rubi* (Linnaeus), 1758; *Callophrys* [Refs - b0236; b2585; b0471]
- b **leucostola** (Holland), Dec 1890; *Teriomima* OD: *Psyche* 5:429 [b2423] SS: *decipiens* (Kirby), 1890; *Liptena* [TypeL - Upper Ogove River, Gaboon.] [Refs - b0105; b1452; b4400]
- b **leucothelia** (Jordan), 1930; *Celastrina* OD: *Novit. zool.* 35:283, f [b2666] SS: *manokwariensis* (Joicey & Noakes & Talbot), [1916]; *Udara* (*Perivaga*) [Type: BMNH-ht] [TypeL - Edie Creek, New Guinea.] [Refs - b1450; b1580]
- a **leucotopus** Stichel, 1910; *Ematurgina* OD: *Gen. Insectorum* 112(A):283 [b4446] [Type: ZMHU-st; pc-st; collection of Stichel] [TypeL - La Paz, Bolivia; Hillapani, Peru.] [Refs - b4475; b1456; b4446]
- e **leucyana** Stempffer, 1967, (ISS); *Euliphya* OD: *Bull. Br. Mus. nat. Hist. (Ent.) Suppl.* 10:71 [b4400] SS: *leucyana* (Hewitson), 1874; *Euliphya* [Refs - b4400]
- a **leucyana** (Hewitson), 1874; *Liphya* OD: *Trans. ent. Soc. Lond.* 22(3):355 [b2341] CG: *Euliphya* [TypeL - Old Calabar.] [Refs - b0162; b2753; b1452 (as *leucyana*); b0836; b2341; b4400 (as *leucyana*)]
- e **leura** Stempffer, 1967, (ISS); *Pentila* OD: *Bull. Br. Mus. nat. Hist. (Ent.) Suppl.* 10:18 [b4400] SS: *laura* (Kirby), 1890; *Pentila* [Refs - b4400]
- e **ab. leussleri** Gunder, 1927; *Glaucoopsyche* OD: *Can. Ent.* 59(12):283, f [b2099] SS: *oro* (Scudder), 1876; *Glaucoopsyche* [Type: OSU-ht; ex. Leussler collection.] [TypeL - Harrisburg, Banner County, Nebraska.] [Refs - b1321; b3192]
- e **ab. leussleri** (Gunder), 1927; *Plebeius* OD: *Can. Ent.* 59(12):282, f [b2099] SS: *saepiolus* (Boisduval), 1852; *Plebeius* (*Icaricia*) [Type: OSU-ht; ex. Leussler collection.] [TypeL - Cassel's Park County, Nebraska.] [Refs - b3192; b1321; b1722]
- e **levasa** (Seitz), [1924], 1912-1927, (ISS); *Lampides* OD: In *Seitz, Grossschmett. Erde* 9:904 [b4094] SS: *iawassa* (Moulton), [1912]; *Jamides* [Refs - b4094]
- c **levettii** (Butler), 1883; *Lycaena* OD: *Ann. Mag. nat. Hist.* (5)11:111 [b0622] SS: *ladonides* (de L'Orza), 1869; *Celastrina* [Type: BMNH-ht; designated by Eliot & Kawazoé, 1983] [*Butts Lycaenopsis* group :214 [b1580]] [TypeL - Korea.] [Note - *Often seen as levettii.*] [Refs - b4115; b0995 (ssp of *argiolaus*); b1580; b0622; b1840 (as *levettii*); b4092]
- a **levis** (Hewitson), [1878], 1863-1878; *Lycaenesthes* OD: *Ill. dium. Lep. Lycaenidae* 1:221, 2-pl 91, f 21,22 [b2326] CG: *Anthene* [Refs - b1452; b0343; b0836; b4400]
- a **levis** (H. H. Druce), 1907; *Thecla* OD: *Proc. zool. Soc. Lond.* 1907(3):598, pl 35, f 14 [b1375] CG: *Ignata* [Type: BMNH-ht] [TypeL - Pará, Amazonas, Brazil.] [Note - *Johnson has been unable to locate the type.*] [Refs - b0908; b1375; b0125; b2611]
- a **levis** Suchel, 1915; *Mesosemia* OD: *Deut. ent. Zeit.* 1915:673, pl 21, f 15 [b4451] [Type: BMNH-st] [TypeL - Chapada, Matto Grosso, Brazil.] [Refs - b4451; b4474; b1456]
- b **lewara** Ribbe, 1926; *Arhopala* OD: *Ent. Mitt.* 15(1):87 [b3742] SS: *eridanus* (C. Felder), 1860; *Arhopala* a [TypeL - Celebes.] [Refs - b1644; b2199; b2200; b3742; b1454]
- c **lewara** Ribbe, 1926; *Hypolycaena* OD: *Ent. Mitt.* 15(1):86 [b3742] SS: *giscon* Fruhstorfer, [1912]; *Hypolycaena* [Type: SMT-ht; designated by Takanami, 1989] [*Tyô to Ga* 40(1):53 [b4602]] [TypeL - C. W. Sulawesi.] [Refs - b3742; b4602]
- b **lewaranus** Ribbe, 1926; *Tajuna* OD: *Ent. Mitt.* 15(1):81 [b3742] SS: *cyrillus* (Hewitson), [1865]; *Tajuna* [TypeL - Celebes.] [Refs - b3742]
- b **lewari** (Ribbe), 1926; *Cyaniris* OD: *Ent. Mitt.* 15(1):89 [b3742] SS: *aristius* (Fruhstorfer), 1910; *Udara* (*Udara*) [Type: SMT-ht] [TypeL - Sulawesi.] [Refs - b1580; b3742]
- b **leyte** Medicielo, 1993; *Cyaninodes* OD: *Futao* (12):18, pl 1, f 9,10 [b3143] SS: *sirasporum* Schröder & Treadaway, 1979; *Cyaninodes* [TypeL - Babag Mts, Brgy. Bantawon Saint Bernard, Southern Leyte, Philippines.] [Refs - b3143]

- c *leytensis* Jumalon, 1975; Iraota OD: Tyô to Ga 26(2):61, f [b2673] SS: lazarena (Felder & Felder), 1862; Iraota [Type: pc-ht; collection of Jumalon.] [TypeL - Tigbawan, Oromoc City, Leyte, Philippines.] [Refs - b0107; b4589]
- b *leytensis* Eliot & Kawazoé, 1983; Celarchus OD: Butts Lycaenopsis group :193, f [b1580] SS: archagathos (Fruhstorfer), 1910; Celarchus (Celarchus) [Type: BMNH-ht] [TypeL - Mt Danao, Leyte, Philippines.] [Refs - b1580; b2200]
- b *hasana* (Murayama), 1983; Lysandra OD: Entomotaxonomia 5(4):283, pl 3, f 11,12 [b3301] SS: icarius (Esper), [1789]; Polyommatus (Plebicula) [Type: pc-ht; collection of Murayama.] [TypeL - China.] [Check - Classification, may go with *venus*.] [Refs - b0119]
- a *li* (Oberthür), 1886; Chrysophanus OD: Bull. Soc. ent. Fr. (6)6:xxii [b3428] CG: Helleia B [TypeL - Thibet, China.] [Refs - b2988; b0996 (Étud. 11:19, pl 5, f 34,38); b4220 (Helleia); b2479; b0236; b0389; b4092]
- a *liana* Roche, 1954; Epitola OD: Bull. Br. Mus. nat. Hist. (Ent.) 3:500, pl 21, f 23,24 [b3842] [Type: BMNH-ht] [TypeL - Bwamba, Uganda.] [Refs - b3842; b1452; b4400]
- a *liaoi* Hayashi & Schröder & Treadaway, 1983; Dacalana OD: Senckenbergiana 63(1/2):53, 14-16 [b2210] [Type: pc-ht; collection of Colin G. Treadaway] [TypeL - Panay Island, Philippines.] [Refs - b2210; b2201; b1454]
- a *liara* H. H. Druce, 1890; Hypolycaena OD: Ann. Mag. nat. Hist. (6)5:27 [b1353] [TypeL - W. Africa.] [Refs - b0113; b1452; b0836; b4400]
- c *libanius* (Stoll), [1782], 1780-1790; Papilio OD: In Cramer, Utl. Kapellen 4(32):177, pl 379, f H,I [b4478] SS: lausus (Cramer), [1779]; Thereus [TypeL - Surinam.] [Refs - b0908; b2747]
- c *f. libanochra* Rebillard, 1958; Euselasia OD: Mém. Mus. nat. Hist. nat. (A)15:158 [b3717] SS: zena (Hewitson), [1860]; Euselasia [Type: MNHN-ht] [TypeL - Téfé, Amazone, Brazil.] [Refs - b3717; b0093]
- a *libentina* (Hewitson), [1866], 1852-1877; Liptena OD: Ill. exot. Butts 3:[120], pl [60], f 8,9 [b2323] CG: Mimeresia [TypeL - Old Calabar.] [Type of - Mimeresia] [Refs - b2280; b2907; b2747; b1452; b0836; b4400]
- a *liberiana* Stempffer, 1950; Oboronia OD: Bull. Inst. franç. Afr. Noire 12(A) 405, f [b4378] [TypeL - Libena.] [Refs - b1452; b0836; b4400]
- b *liberiana* Clench, 1965; Abisara OD: In Butts Liberia :401, f 230,231 [b0836] SS: caerulea Carpenter & Jackson, 1950; Abisara [Type: CM-ht] [TypeL - Liberia.] [Refs - b0528; b1452; b0836]
- b *liberiana* Stempffer & Bennett & May, 1974; Liptena OD: Bull. Br. Mus. nat. Hist. (Ent.) 30(1):132, f [b4423] SS: submacula Lathy, 1903; Liptena [TypeL - Kpaine, Liberia.] [Refs - b0105; b1452]
- c *libsonis* (Fruhstorfer), 1911; Lycaena OD: Soc. ent. 25(24):96 [b1848] SS: canus (Esper), [1789]; Polyommatus (Plebicula) [TypeL - Sudurul Klausen, Waidbruck.] [Refs - b0993; b0236; b0471; b2858]
- a *libna* (Hewitson), [1869], 1863-1878; Hypolycaena OD: Ill. diurn. Lep. Lycaenidae 1:15, pl 5, f 39-40 [b2326] CG: Cyaninodes [Type: BMNH-ht] [TypeL - North Borneo.] [Refs - b0964; b1636; b0965; b2747; b4094; b2200; b1850; b1454; b0694; b3782; b4108]
- c *libna* (Butler), 1870; Charis OD: Ann. Mag. nat. Hist. (4)5:364 [b0592] SS: simbla (Boisduval), 1870; Baetis [TypeL - Mexico?] [Refs - b2747; b4474]
- c *libora* (Ribbe), 1926; Castalius OD: Ent. Mitt. 15(1):84 [b3742] SS: rhode (Hopffer), 1874; Calca [Type: SMT-ht; designated by Takanami, 1989] [Tyô to Ga 40(1):47 [b4602]] [TypeL - E. Sulawesi.] [Refs - b3742; b4602]
- c *libori* Ribbe, 1926; Tajuria OD: Ent. Mitt. 15(1):80 [b3742] SS: iapyx Hewitson, [1865]; Tajuria [Type: SMT-ht; designated by Takanami, 1989] [Tyô to Ga 40(1):52 [b4602]] [TypeL - C. W. Sulawesi.] [Refs - b3742; b4602]
- c *libussa* (Staudinger), [1888], 1884-1888; Liptena OD: In Exot. Schmett. 1:268 [b4329] SS: eureka (Plötz), 1880; Larinopoda [TypeL - Sierra Leone.] [Refs - b4400]
- e *libyassa* (Robbins), 1988, (ISS); Liptena OD: Proc. ent. Soc. Wash. 90(3):362 [b3814] SS: libyssa (Hewitson), [1866]; Falcuna [Refs - b3814]
- a *libyssa* (Hewitson), [1866], 1852-1877; Liptena OD: Ill. exot. Butts 3:[120], pl [60], f 5,6 [b2323] CG: Falcuna [TypeL - Old Calabar.] [Type of - Falcuna] [Refs - b2280; b2747; b1452; b4400; b3814 (as libyassa)]
- c *licarsis* (Fabricius), 1777; Papilio OD: Gen. Ins. :271 [b1654] SS: arcus (Linnaeus), 1763; Rhetus [TypeL - Surinam?].] [Refs - b2747; b4474; b5076]
- a *licates* (Hewitson), 1874; Lycaenesthes OD: Trans. ent. Soc. Lond. 22(3):350 [b2341] CG: Anthene [Type: BMNH-ht] [TypeL - Macassar, Celebes.] [Refs - b4679; b0964; b1450; b0965; b1840; b2753; b1454]
- c *licinia* (Mabille), 1878; Thecla OD: Bull. Soc. zool. Fr. 3:83 [b3040] SS: baükeli (Boisduval), 1833; Deudorix (Virachola) [TypeL - Madagascar.] [Refs - b4400; b3582; b0836; b2920]
- a *licinia* (Godman), 1903; Eurygona OD: Trans. ent. Soc. Lond. 51(4):531, pl 20, f 6 [b1972] CG: Euselasia [Type: BMNH-ht] [TypeL - Guiana.] [Refs - b4474; b1456]
- b *licinias* (Staudinger), [1887], 1884-1888; Nymphidium OD: In Exot. Schmett. 1:261; 2:pl 92 [b4329] SS: dorilis (Bates), 1866; Judiha [TypeL - Colombia.]
- c *licinius* H. H. Druce, 1896; Mantoides OD: Proc. zool. Soc. Lond. 1896(3):677, pl 21, f 10,11 [b1365] SS: teunga (Grose-Smith), 1889; Mantoides [Type: ZMHU-ht; designated by Takanami, 1989] [Tyô to Ga 40(1):32 [b4602]] [TypeL - Mt. Kinabalu, N. E. Borneo.] [Type of - Mantoides] [Refs - b1636; b2280; b1454; b0694; b1578; b4602; b4094; b4108]
- a *licursis* (Fabricius), 1775; Papilio OD: Syst. Ent. :532 [b1653] CG: Chorinea [TypeL - Indüs", but really Brasilia mer.] [Refs - b2747; b4474; b0419; b0420; b5076; b1456]
- a *lidwina* (Zikán), 1952; Lymnas OD: Dusenja 3:45 [b5074] CG: Melanis [TypeL - Brazil.] [Refs - b1456]
- b *ligamenta* (H. H. Druce), 1891; Nacaduba OD: Proc. zool. Soc. Lond. 1891(3):361, pl 31, f 11,12 [b1358] SS: ancyræ (C. Felder), 1860; Catopyrops [Type: BMNH-ht] [TypeL - Ugi Island, Solomon Islands.] [Refs - b4676; b1450; b4094; b1358]
- c *liger* (Cramer), [1780], 1775-1790; Papilio OD: Utl. Kapellen 3(22):109, pl 254, f E.F. [b1069] SS: hymen (Fabricius), 1775; Dapidodigma [Type of - Dapidodigma] [Refs - b2280; b0828; b2747; b0836]
- a *ligia* (Hewitson), [1877], 1863-1878; Thecla OD: Ill. diurn. Lep. Lycaenidae 1:204; 2:pl 81, f 670-672 [b2326] CG: Ministrymon [Type: BMNH] [TypeL - Santa Martha.] [Refs - b0908; b2988; b2753; b2636]
- a *ligures* (Hewitson), 1874; Lycaenesthes OD: Trans. ent. Soc. Lond. 22(3):349 [b2341] CG: Anthene [Type: BMNH] [TypeL - Angola.] [Refs - b2753; b1452; b0343; b4400; b2560]
- b *ligurica* (Wagner), 1904; Lycaena OD: Soc. ent. 19(1):1 [b4892] SS: arion (Linnaeus), 1758; Maculinea [Refs - b2252; b0410; b0400; b2859; b4092]
- b *ligurica* (Courvoisier), 1910, 1910-1911, (H); Lycaena OD: Ent. Zeit. 24:81 [b0985] SS: idas (Linnaeus), 1761; Plebejus (Lycacides) [Check - Homonym in need of a replacement. Are both Courvoisier names the same taxon.] [Refs - b0236; b4425; b2521; b0410; b0471]

- d *ligurica* (Oberthür), 1910, (H); *Lycaena* OD: *Étud. Lép. comp.* 4:201, pl 51, f 291-297 [b3451] OS: *leüia* (Hemming), 1934; *Plebejus* (*Lycaeides*) [Refs - b1780; b2827; b2252; b4425; b0072; b0410; b2379; b2859; b0471]
- d *ligurica* Courvoisier, 1911, (H); *Plebejus* OD: *Deut. ent. Zeit.* [Iris] 25:104, pl 2, f 16 [b0986] SS: *idas* (Linnaeus), 1761; *Plebejus* (*Lycaeides*) [Refs - b0236; b4425; b2521; b0410; b0471]
- a *ligurina* Hewitson, [1874], 1863-1878; *Thecla* OD: *Ill. dium. Lep. Lycaenidae* 1:181; 2:pl 71, f 541,542 [b2326] CG: *Thecla* (New World *Eumacini*) [Type: BMNH] [TypeL - *Chontales*, Nicaragua.] [Note - *Allied to voltinia.*] [Refs - b0908; b2753; b2497; b1975]
- b *liguroides* (Strand), 1911; *Lycaenesthes* OD: *Ent. Rundsch.* 28:138 [b4501] SS: *definita* (Butler), 1899; *Anthene* [TypeL - *Abyssinia.*] [Refs - b4528; b4400]
- a *likouala* (Stempffer), 1962; *Anthene* OD: *Bull. Inst. franç. Afr. Noire* 24(A):1176 [b4395] CG: *Neurellipes* [Type: BMNH-ht] [TypeL - *Etoumbi*, Congo.] [Refs - b1452; b4395; b4400]
- a *likouala* Stempffer, 1962; *Eresina* OD: *Bull. Inst. franç. Afr. Noire* 24(A):1149, f 25-28 [b4395] [Type: BMNH-ht] [TypeL - *Etoumbi*, Congo.] [Refs - b1452; b4400]
- a *likouala* Stempffer, 1969; *Ornipholidotos* OD: *Bull. Inst. fond. Afr. Noire* 31(A):92, f [b4403] [TypeL - *Congo-Brazzaville.*] [Refs - b1452]
- b *lila* Moore, [1884]; *Pratapa* OD: *Proc. zool. Soc. Lond.* 1883(4):529, pl 49, f 9 [b3235] SS: *deva* (Moore), [1858]; *Pratapa* [TypeL - *Silhet*, E. Bengal.] [Refs - b1636; b1153; b3235; b1454; b4094; b0694]
- a *lila* Eliot, 1967; *Catapacilma* OD: *Entomologist* 100:140, f [b1553] [Type: pc-ht; collection of Eliot.] [TypeL - *Kluang*, *Johore*, *Malaya.*] [Refs - b0965; b1454; b1553]
- a *lilacea* (Hampson), [1889]; *Cyaniris* OD: *J. asiat. Soc. Bengal*, Pt II 57(4):356 [b2120] CG: *Acytolepis* [Type: BMNH-ht; designated by Eliot & Kawazoé, 1983] [Butts *Lycaenopsis* group :187 [b1580] [TypeL - *Nilgiris*, *India.*] [Refs - b1636; b1153; b1840; b1580]
- e *ab. lilacina* Tutt, 1908, 1905-1914; *Celastrina* OD: *Nat. Hist. Brit. Butts* 2:394 [b4760] SS: *argiolus* (Linnaeus), 1758; *Celastrina* [Refs - b0236; b0400; b4760; b0471]
- e *ab. lilacina* Tutt, 1909, 1905-1914; *Plebejus* OD: *Nat. Hist. Brit. Butts* 3:173 [b4760] SS: *argus* (Linnaeus), 1758; *Plebejus* [Refs - b0471]
- e *ab. lilacina* (Tutt), 1909, 1905-1914; *Plebejus* OD: *Nat. Hist. Brit. Butts* 3:173 [b4760] SS: *argus* (Linnaeus), 1758; *Plebejus* [Refs - b0236; b0471]
- e *ab. lilacina* (Oberthür), 1914; *Chrysophanus* OD: *Étud. Lép. comp.* 9(2):55, pl 255, f 2153 [b3453] SS: *li* (Oberthür), 1886; *Helleis* B [Refs - b0236]
- a *lilacina* Lathy, 1930; *Thecla* OD: *Trans. ent. Soc. Lond.* 78(1):136, pl 9, f 13 [b2921] CG: *Thecla* (New World *Eumacini*) [Type: MNHN-ht; designated by Johnson, 1991] [*J. Lep. Soc.* 45(2):146 [b2605]] [TypeL - *Petropolis*, *Brazil.*] [Refs - b0908; b2591; b2592]
- a *lilacina* (Lathy), 1932; *Xynias* OD: *Ann. Mag. nat. Hist.* (10):69 [b2922] CG: *Esihemopsis* [Type: BMNH-ht] [TypeL - *San Remon*, *Peru.*] [Refs - b3717; b2922; b1456]
- b *lilacina* (Ungemach), 1932; *Euchrysops* OD: *Mém. Soc. Sci. nat. phy. Maroc* (32):92 [b4780] SS: *pterou* (Bethune-Baker), 1923; *Lepidochrysops* [TypeL - *Abyssinia.*] [Refs - b1452; b4400]
- e *ab. lilacinalata* (Tutt), 1907, 1905-1914; *Ruralis* OD: *Nat. Hist. Brit. Butts* 2:294 [b4760] SS: *argiolus* (Linnaeus), 1758; *Celastrina* [Refs - b0236; b0400; b0471]
- e *ab. lilacinaminor* (Tutt), 1909, 1905-1914; *Plebejus* OD: *Nat. Hist. Brit. Butts* 3:172 [b4760] SS: *argus* (Linnaeus), 1758; *Plebejus* [Refs - b0471]
- e *ab. lilacinassuffusa* (Tutt), 1907, 1905-1914; *Ruralis* OD: *Nat. Hist. Brit. Butts* 2:294 [b4760] SS: *argiolus* (Linnaeus), 1758; *Celastrina* [Refs - b0236; b0400; b0471]
- a *lilacinus* (Moore), 1884; *Aphnaeus* OD: *J. asiat. Soc. Bengal*, Pt II 53(1):28 [b3236] CG: *Apharitus* [TypeL - *Not stated.*] [Refs - b1636; b1153; b4094; b1454 (in *Spindasis*); b0694]
- b *lilicea* Nire, 1920; *Tajuria* OD: *Zool. Mag.* 32:373-377 [b3404] SS: *caerulea* Nire, 1920; *Tajuria* [Note - *Classification?*] [Refs - b4198; b4547; b5053; b1454 (in *Rapala*)]
- a *lilina* (Butler), 1870; *Nymphidium* OD: *Ent. mon. Mag.* 6:252, pl 1, f 8 [b0591] CG: *Calociasma* [Type: BMNH-ht] [TypeL - *Mexico.*] [Refs - b2988; b2747; b4476; b1456]
- e *ab. liliputana* (Strand), 1920; *Lycaena* OD: *Arch. Naturgesch.* (A)85(4):18 [b4523] SS: *icarus* (Rotenburg), 1775; *Polyommatus* [TypeL - *Germany.*] [Refs - b0236; b0471]
- e *ab. liliputana* (Oberthür), 1914; *Aricia* OD: *Étud. Lép. comp.* 10:386, pl 291, f 2385,2384 [b3454] SS: *astrarche* (Bergsträsser), [1779]; *Plebejus* (*Aricia*) [*Check - Figure 2384 is ornata, 2385 is calida.*] [Refs - b4529; b0236; b0066; b0471]
- b *lilybaeus* (Stichel), 1926; *Lymnas* OD: *Z. wiss. Insektbiol.* 21:103 [b4467] SS: *aegates* (Hewitson), 1874; *Melanis* [TypeL - *S. America.*] [Refs - b4474]
- a *limbaria* (Swainson), [1833], 1829-1833; *Polyommatus* OD: *Zool. Illustr.* (2)3(29):pl 135 et explic. [b4551] CG: *Lucia* [Type of - *Lucia*] [Refs - b1450; b2280; b2747; b0870; b4094; b4940; b4939; b4934; b1475]
- a *limbata* Kirby, 1887; *Citrinophila* OD: *Ann. Mag. nat. Hist.* (5)19:368 [b2763] [TypeL - *W. Africa.*] [Refs - b0836; b4400]
- a *limbata* Trimen, 1887, 1887-1889; *Durbania* OD: *In Trimen & Bowker, S. Afr. Butts* 2:217 [b4725] [TypeL - *South Africa.*] [Refs - b1259; b1452; b4400]
- b *limbata* (Holland), 1893; *Tingra* OD: *Ent. News* 4(1):23, pl 1, f 3 [b2427] SS: *hewitsoni* Grose-Smith & Kirby, 1887; *Penüla* [TypeL - *W. Africa.*] [Refs - b0836 :279, f 169-172.; b4420; b4400]
- b *limbata* Stichel, 1915; *Mesosemia* OD: *Deut. ent. Zeit.* 1915:676, pl 21, f 16 or 19 [b4451] SS: *jeziela* Butler, 1869; *Mesosemia* [Type: BMNH-ht] [TypeL - *Ecuador.*] [Refs - b4451; b4474]
- b *limbata* (Stichel), 1925; *Lymnas* OD: *Z. wiss. Insektbiol.* 20:259 [b4463] SS: *albugo* (Stichel), 1910; *Melanis* [TypeL - *Brazil.*] [Refs - b4474]
- e *ab. limbata* (Kozhanchikov), 1936; *Lycaena* OD: *Folia zool. hydrobiol.* 9:23 [b2837] SS: *kenteana* (Staudinger), 1892; *Plebejus* (*Lycaeides*) [TypeL - *Siberia.*] [Refs - b0074; b2837]
- a *limbata* (Tite), 1963; *Holochila* OD: *Bull. Br. Mus. nat. Hist.* (Ent.) 14(5):207, pl 1, f 130; pl 2, f 141; f 27 [b4677] CG: *Candalides* [Type: BMNH-ht] [TypeL - *Snow Mountains*, *New Guinea.*] [Refs - b4677; b1450]
- b *limbatus* (Moore), 1879; *Polyommatus* OD: *Proc. zool. Soc. Lond.* 1879(1):139 [b3231] SS: *lavendularis* (Moore), 1877; *Celastrina* [Type: BMNH-ht] [TypeL - *Parisnath Hill*, *Behar*, *Bengal*, *India.*] [Refs - b0964; b4198; b1636; b1840; b1580; b0236; b2200; b3231]
- a *limbatus* Rothschild, 1916; *Curetis* OD: *Rep. B. O. U. Exped. New Guinea* 2(15):35 [b3880] [TypeL - *New Guinea.*] [Refs - b3880]
- e *ab. limbojuncta* (Courvoisier), 1907; *Chrysophanus* OD: *Z. wiss. Insektbiol.* 3:36 [b0982] SS: *hippotoe* (Linnaeus), 1761; *Palaeochrysophanus* [Refs - b0236; b0389; b0471]

- e *ab. limbojuncta* (Courvoisier), 1907; *Lycaena* OD: *Z. wiss. Insektbiol.* 3:51 [b0982] SS: *argyrognomon* (Bergsträsser), [1779]; *Plebejus* (*Lycaeides*) [Refs - b0236; b0471]
- e *ab. limbomaculata* (Schultz), 1906; *Lycaena* OD: *Jber. Wien. ent. Ver.* 16:77 [b4006] SS: *coridon* (Poda von Neuhaus), 1761; *Polyommatus* (*Lysandra*) [Refs - b0471]
- e *ab. limbopunctata* (Schultz), 1906; *Lycaena* OD: *Ent. Zeit.* 19(36):214-215 [b4005] SS: *meleager* (Esper), [1778]; *Polyommatus* (*Meleageria*) [Refs - b4092]
- e *ab. limbosplendens* (Heinrich), 1938; *Lycaena* OD: *Deut. ent. Zeit.* 1938:10 [b2228] SS: *decolorata* Staudinger, 1886; *Everes* [TypeL - *Basses Alpes.*] [Refs - b0076; b0400]
- b *limbura* Fruhstorfer, 1916; *Nacaduba* OD: *Zoöl. Meded.* 2(2):112 [b1873] SS: *angusta* (H. Druce), 1873; *Nacaduba* [TypeL - *S. Philippines.*] [Refs - b4676; b4094; b1454]
- a *limenia* (Hewitson), 1868; *Thecla* OD: *Descr. new Spec. Lycaenidae* :32 [b2327] CG: *Strymon* [Type: BMNH-ht] [TypeL - *Jamaica.*] [Refs - b0908; b2988; b0540; b0907; b2747; b3192; b3512; b0833; b2631; b4229; b4066]
- a *limes* (H. H. Druce), 1895; *Lampides* OD: *Proc. zool. Soc. Lond.* 1895(3):581, pl 32, f 16 [b1362] CG: *Jamides* [Type: ZMHU-ht; designated by Takanami, 1989] [Tyô to Ga 40(1):25 [b4602]] [TypeL - *Mt. Kinabalu, N. E. Borneo.*] [Refs - b0965; b1362; b1454; b4094; b4602; b2388; b4108]
- b *limltaenea* Bflint, 1986; *Maculinea* OD: *Galathea* 1(3):62-74 [b0196] SS: *sevastios* (Rebel & Zerny), 1932; *Maculinea* [TypeL - *Cheile Bicazului, Transylvania, Romania.*] [Refs - ns0201; b0211]
- e *limnatis* Stichel, [1909]; *Xenandra* OD: *Berl. ent. Z.* 53(3/4):263 [b4443] SS: *helius* (Cramer), [1779]; *Xenandra* [Refs - b4474]
- e *f. limpia* Pascual Linares, 1985; *Cupido* OD: *Revta Lep.* 13(2):154 [b3553] SS: *lorquini* (Herrich-Schäffer), [1850]; *Cupido* [TypeL - *Spain.*] [Refs - b0119]
- b *lina* (Eliot), 1959; *Jacoona* OD: *Bull. Br. Mus. nat. Hist. (Ent.)* 7(8):381 [b1544] SS: *fabronia* (Hewitson), [1878]; *Neochenitra* [Type: BMNH-ht] [TypeL - *Gunong Batu Brinchang, Pahang.*] [Refs - b0965; b1454; b1544]
- a *linae* Koiwaya, 1993; *Chrysozephyrus* OD: *Stud. Chin. Butterflies* 2:66, f [b2818] [TypeL - *Shaanxi, China.*] [Refs - b0126]
- c *lineoides* (Draudt), [1919], 1917-1924; *Thecla* OD: In Seitz, *Grossschmett. Erde* 5:757, pl 150-c [b1348] SS: *togama* (Hewitson), [1867]; *Arawacus* [TypeL - *Colombia; Ecuador.*] [Refs - b0908, b3818]
- c *linicus* (Fabricius), 1793, 1792-1799; *Hesperia* OD: *Ent. syst.* 3(1):289 [b1657] SS: *aetolus* (Sulzer), 1776; *Arawacus* [Type: biblio. replacement for *linus* Fabricius, 1777.] [TypeL - *Sunnamu.*] [Refs - b0908; b2747; b2406; b1975; b5076]
- b *lindana* Möschler, 1883; *Euselasia* OD: *Verh. zool.-bot. Ges. Wien* 32:313, pl 17, f 10 [b3248] SS: *eutaea* (Hewitson), [1855]; *Euselasia* [TypeL - *Sunnam.*] [Refs - b4474]
- b *lindeni* Grote, 1874; *Helicopsis* OD: *Bull. Buffalo Soc. nat. Sci.* 2:108, pl 2 [b2055] SS: *cupido* (Linnaeus), 1758; *Helicopsis* [TypeL - *Amazon.*] [Refs - b2753; b4474]
- c *lindigii* Felder & Felder, 1862; *Necyria* OD: *Wien. ent. Monats.* 6(12):411 [b1689] SS: *manco* Saunders, [1859]; *Necyria* [TypeL - *New Granada.*] [Refs - b2747; b4474]
- c *lindus* Corbet, 1939; *Alloxinus* OD: *Trans. R. ent. Soc. Lond.* 89(5):73 [b0944] SS: *leogoron* Fruhstorfer, [1915]; *Alloxinus* (*Paragerydus*) [Type: BMNH-ht] [TypeL - *West Malaysia.*] [Refs - b0964; b0965; b1571]
- a *linearis* Godman & Salvin, 1880; *Esthemopsis* OD: *Trans. ent. Soc. Lond.* 28(3):132, pl 4, f 13 [b1976] [TypeL - *Santa Marta, W. Colombia.*] [Refs - b4474; b1456]
- b *linearis* (Aurivillius), [1924], 1908-1925; *Cupido* OD: In Seitz, *Grossschmett. Erde* 13:465 [b0162] SS: *sybaris* (Hopffer), 1855; *Tarucus* [TypeL - *Damaraland.*] [Refs - b1452; b4400; b0162]
- a *lineata* (Guérin-Méneville), 1844, 1829-1844; *Nerias* OD: *Icon. Règne Anim. Cuvier* 7:473 [b2086] CG: *Stalactis* [TypeL - *Para.*] [Refs - b2988; b4476; b2747; b1453; b0569; b1456]
- a *lineata* (Murray), 1874; *Lycaena* OD: *Trans. ent. Soc. Lond.* 22(4):524, pl 10, f 9 [b3318] CG: *Erysichton* [TypeL - *Queensland, Australia.*] [Type of - *Erysichton*] [Refs - b4676; b1450; b1019 :6; b4094; b2753; b3916; b3318; b0870; b4934; b2388]
- e *ab. lineata* (Tutt), 1907, 1905-1914; *Ruralis* OD: *Nat. Hist. Brit. Butts* 2:198 or 298 [b4760] SS: *betulae* (Linnaeus), 1758; *Thecla* [Refs - b4092]
- e *ab. lineata* Tutt, 1909, 1905-1914; *Polyommatus* OD: *Nat. Hist. Brit. Butts* 3:261 [b4760] SS: *semiargus* (Rottemburg), 1775; *Polyommatus* (*Cyaniris*) [Refs - b0236; b0471]
- b *lineata* Talbot, 1935, (IFS); *Mimacraea* OD: *Ent. mon. Mag.* 71:205 [b4623] SS: *neurata* Holland, 1895; *Mimacraea* [TypeL - *Nigeria.*] [Note - *Unavailable as of this date and author.*] [Refs - b4623; b4400 (as good subspecies)]
- a *lineata* Lathy, 1936; *Thecla* OD: *Livre jubilaire de M. Eugene-Louis Bouvier* :231, pl 8, f 14 [b2925] CG: *Thecla* (*New World Eumaeni*) [Type: MNHN-ht; collection of Fournier de Horrack.] [TypeL - *Balzapamba, Ecuador.*] [Refs - b0908; b2925; b2591; b2592]
- b *lineata* Rebillard, 1958; *Euselasia* OD: *Mém. Mus. natn Hist. nat. (A)* 15:149, pl 3, f 1 [b3717] SS: *pellos* Stichel, 1919; *Euselasia* [Type: MNHN-st] [TypeL - *Rio Mauès, Amazone, Brazil.*] [Refs - b3717; b0093]
- c *f. lineosa* Joicey & Talbot, 1921; *Hypokopelates* OD: *Bull. Hill Mus.* 1(1):89 [b2655] SS: *iuri* (Bethune-Baker), 1908; *Hypokopelates* [Type: BMNH-st] [TypeL - *Between Lindi and Lubila Rivers, N. of Batama.*] [Refs - b4400]
- a *lingeus* (Stoll), [1782], 1780-1790; *Papilio* OD: In Cramer, *Uitl. Kapellen* 4(32):176, pl 379, f F,G [b4478] CG: *Cacyreus* [TypeL - *Africa mer.*] [Type of - *Cacyreus, Hyreus*] [Refs - b1943; b2280; b1259; b2747; b1452; b0836; b4400; b2898; b2560; b3609; b1235; b0162; b2920]
- a *lingga* (Moulton), [1912]; *Lycaenopsis* OD: *J. Straits Brch. R. asiat. Soc.* 60.96, f 5 [b3259] CG: *Cebrella* (*Chelakina*) [Type: BMNH-ht] [TypeL - *Sarawak, Borneo.*] [Refs - b1840, b1580; b4108]
- b *lingi* Okano & Ohkura, 1969; *Thermozephyrus* OD: *Tôhoku Konchu Kenyu* 2(2):7-8, pl 1 [b3485] SS: *ataxus* (Westwood), [1851]; *Thermozephyrus* [Type: pc-ht; collection of Ohkura.] [TypeL - *Rarasan, N. Formosa.*] [Refs - b5053; x0276; b3296; b3485; b2811]
- c *linus* Fruhstorfer, 1908; *Hypochrysops* OD: *Int. ent. Z.* 2(15):92 [b1831] SS: *rex* (Boisduval), 1832; *Hypochrysops* [Type: BMNH-ht] [TypeL - *Roon, New Guinea.*] [Refs - b1450; b1831; b3926]
- c *linta* Corbet, 1941; *Arhopala* OD: *Proc. R. ent. Soc. Lond.* (B)10(9):162 [b0956] SS: *regina* Corbet, 1941; *Arhopala* k [Type: BMNH-ht] [TypeL - *Malaya.*] [Refs - b1644; b0956]
- e *linus* (Sulzer), 1776, (Myth); *Papilio* OD: *Abgekürzte Gesch. Ins.* 2-pl 19, f 10,11 [b4544] OS: *aetolus* (Sulzer), 1776; *Arawacus* [Type of - *Arawacus*] [Note - *A myth. Roemer republished Sulzer's figure of aetolus but substituted the name linus. Later Kaye cited Papilio linus, Sulz as the type of his genus Arawacus, and this mistake is still with us.*] [Refs - b4245; b2280; b2747; b3192; b3806; b2631]

- d lincus** (Fabricius), 1777, (H); *Papilio* OD: Gen. Ins. :269 [b1654] OS: *lincus* (Fabricius), 1793; *Arawacus* [Type: ZMC-st] [TypeL - Surinami.] [Refs - b0908; b2988; b2747; b5076]
- a lioba** (Zikán), 1952; *Lymnas* OD: *Dusenja* 3:46 [b5074] CG: *Melanis* [Type: -lt; designated by Mielke & Casagrande, 1987] [Revta bras. Ent. 31(3):418 [b3178]] [TypeL - Brazil.] [Refs - b0121; b1456]
- a liodes** (Hewitson), 1874; *Lycaenesthes* OD: Trans. ent. Soc. Lond. 22(3):349 [b2341] CG: *Anthene* [Type: BMNH] [TypeL - Gaboon.] [Refs - b1943; b2753; b1452; b0343; b0836; b4400; b2887; b2920]
- c liodes** Godman & Salvin, [1886], 1879-1901; *Emesis* OD: Biol. centr.-amer., Lep. Rhop. 1:447; 3-pl 43, f 19-21 [b1975] SS: *saturata* Godman & Salvin, [1886]; *Emesis* [Type: BMNH-ht] [TypeL - Mexico.] [Refs - b4475; b2497; b1456]
- b lipara** Bates, [1868]; *Alesa* OD: J. linn. Soc. Lond., Zool. 9:371 [b0267] SS: *amesis* (Cramer), [1777]; *Alesa* [TypeL - Tapajos.] [Refs - b2747; b4474; b1456]
- a lipara** Stempffer & Bennett, 1953; *Baliochila* OD: Bull. Br. Mus. nat. Hist. (Ent.) 3:99 [b4415] [TypeL - Nyasaland; Kenya; S. Rhodesia.] [Refs - b1943; b1259; b1452; b4400]
- c liparis** (Grose-Smith), 1898; *Lycaenesthes* OD: Novit. zool. 5:357 [b2046] SS: *lachares* (Hewitson), [1878]; *Anthene* [Type: BMNH-ht] [TypeL - W. Africa.] [Refs - b4400]
- a liparops** (Boisduval & Le Conte), [1833], 1829-1837; *Thecla* OD: Hist. Lépid. Amer. sept. (9-10):99, pl 31, f 1-4 [b0470] CG: *Satyrnum* [Type: biblio] [TypeL - Georgia.] [LifeH - Tietz lists b0415, b5004, b3933, b3176, b3029, b1695, b3244, b0902, b1496, b1700, b1792, b2429, b3936, b4088, b4090.] [Note - Miller & Brown attribute the name to Le Conte alone.] [Refs - b1530 :194, f 363; b1321 :58; b0560; b0851; b1944; b2747; b1601; b3192; b3512; b1743; b2631; b4066; b4652]
- d liparops** Fletcher, [1904], (H); *Satyrnum* OD: Trans. R. Soc. Can. 9(4):210 [b1749] OS: *fletcheri* (Michener & dos Passos), 1942; *Satyrnum* [Type: USNM] [TypeL - Manitoba.] [Note - Also described in *Can. Ent., 36(5):124 (7 May 1904).*] [Refs - b1749; b1748]
- a lircaea** (Hewitson), [1866], 1852-1877; *Liptena* OD: Ill. exot. Buts 3:[---], pl [60], f 10,11 [b2323] CG: *Larinopoda* [TypeL - Old Calabar.] [Refs - b2747; b1452; b4400]
- b liris** (Staudinger), 1889; *Sithon* OD: Deut. ent. Zeit. [Ins] 2(1):110, pl 1, f 10 [b4332] SS: *lisides* (Hewitson), [1863]; *Suasa* [Type: ZMHU-It; designated by Takanami, 1989] [Tyô to Ga 40(1):33 [b4602]] [TypeL - Palawan, Philippines.] [Refs - b4094; b2201; b1454; b4602; b4108]
- b lisa** Benneu, 1950; *Abisara* OD: Entomologist 83:4 [b0294] SS: *echenius* (Stoll), [1790]; *Abisara* [Type: BMNH] [TypeL - Hainan.] [Refs - b0294; b1454]
- b lisba** (Corbet), 1948; *Chliana* OD: Proc. R. ent. Soc. Lond. (B)17(7/8):97 [b0963] SS: *amabilis* (de Nicéville), 1895; *Hypolycaena* [Type: BMNH-ht] [TypeL - Pahang, Camero Highlands, TanahRau, Malay Peninsula.] [Refs - b0964; b0965; b1454; b0963]
- c lisiades** (Fruhstorfer), [1912]; *Marmessus* OD: Berl. ent. Z. 56(3/4):248 [b1850] SS: *ravindra* (Horsfield), [1828]; *Drupadia* [TypeL - Mt. Kuna Balu, Sabah, East Malaysia.] [Refs - b1030; b4094; b0105; b2201; b1454; b1850; b4108]
- a lisias** (Cramer), [1777], 1775-1790; *Papilio* OD: Uid. Kapellen 2(13):89, pl 152, f F,G [b1069] CG: *Euselasia* [Type: BMNH-st; Banks collection.] [TypeL - Pulicandor.] [Type of - Marmessus] [Refs - b2280; b1636, b2988, b4094; b2747; b4474 (as *lysius*); b5076; b1456]
- d lisias** (Fabricius), 1787, (H); *Papilio* OD: *Mantissa* Ins. 2:65 [b1656] OS: *corbei* Cowan, 1974; *Drupadia* [Type: BMNH-st] [TypeL - South Vietnam.] [Refs - b1030; b1014; b2747; b4094; b0105; b0694]
- a lisides** (Hewitson), [1863], 1863-1878; *Myrina* OD: Ill. diurn. Lep. Lycaenidae 1:33; 2-pl 14, f 28,29 [b2326] CG: *Suasa* [TypeL - Mont. Kasiyae.] [Type of - *Suasa*] [Refs - b1636; b2280; b0964; b0965; b2747; b4094; b4950; b2201; b1454; b0694]
- c lisimaena** (Hübner), [1819], 1816-1826; *Peplia* OD: Verz. bekannt. Schmett. (2):20 [b2484] SS: *lisimon* (Stoll), [1790]; *Nymphidium* [Refs - b4476]
- a lisimon** (Stoll), [1790], 1780-1790; *Papilio* OD: In Cramer, Uid. Kapellen Aanh.:169, pl 39, f 1,1a [b4478] CG: *Nymphidium* [TypeL - America mer.] [Refs - b2988; b4476; b0680; b2747 (as *lysimon*); b0569; b1456]
- a lisus** (Stoll), [1790], 1780-1790; *Papilio* OD: In Cramer, Uid. Kapellen Aanh.:167, pl 38, f 2,2B [b4478] CG: *Thecla* (New World Eumaeini) [TypeL - Surinam.] [Note - Hoffmann places this near *Therias*.] [Refs - b0908; b4245; b2747; b2406; b4950; b1375; b1975]
- b liita** (Hayward), 1949; *Thecla* OD: Acta zool. lilloana 8:570 [b2217] SS: *ocrisia* (Hewitson), 1868; *Ocaria* [Type: FMLT-ht] [TypeL - Tucumán, Argentina.] [Note - May be a good species.] [Refs - b0908; b2221; b2218]
- b litavicus** Fruhstorfer, 1912; *Abisara* OD: Ent. Rundsch. 29(3):23 [b1849] SS: *geza* Fruhstorfer, [1904]; *Abisara* [Type: BMNH] [TypeL - N. Borneo.] [Refs - b0294; b4473; b1454; b1840; b1849]
- a literatus** (H. H. Druce), 1907; *Thecla* OD: Proc. zool. Soc. Lond. 1907(3):588, pl 34, f 13,14 [b1375] CG: *Nicolaea* [Type: BMNH] [TypeL - San José, Paraguay.] [Refs - b0908; b1375; b2619]
- b lithargyria** (Moore), 1877; *Lampides* OD: Ann. Mag. nat. Hist. (4)20:340 [b3225] SS: *panormus* (C. Felder), 1860; *Catochrysops* [TypeL - Ceylon.] [Refs - b1636; b1153; b4094; b4670; b2479 (strabo ssp); ns1303 :27; b4934; b0694; b3782]
- a lithas** (H. H. Druce), 1890; *Lycaenesthes* OD: Ann. Mag. nat. Hist. (6)5:24 [b1353] CG: *Cupidesthes* [Type: BMNH] [TypeL - W. Africa.] [Refs - b0162; b1452; b0343; b0836; b4400]
- c lithas** Grose-Smith & Kirby, 1894, 1887-1902; *Anthene* OD: Rhop. exot. 2(27):110, pl 24, f 3-6 [b2049] SS: *lunulata* (Tinnem), 1894; *Anthene* [Refs - b4400]
- a lithochroa** (Waterhouse), 1903; *Jalmenus* OD: Proc. linn. Soc. N. S. Wales 28(1):258, pl 2, f 29 [b4934] CG: *Jalmenus* [TypeL - Parkside, South Australia.] [Refs - b1450; b4094; b0870; b4934]
- a lithosina** Bates, [1868]; *Esthemopsis* OD: J. linn. Soc. Lond., Zool. 9:380 [b0267] [TypeL - Upper Amazon.] [Refs - b2988; b2747; b4474; b1456]
- a littoralis** Joicey & Talbot, 1916; *Deudorix* OD: Ann. Mag. nat. Hist. (8)17:83 [b2652] CG: *Deudorix* [Type: BMNH-st] [TypeL - Kapaur, North Dutch New Guinea.] [Refs - b1450; b4094; b2652; ns3551]
- b littoralis** Riley, 1925; *Ciganus* OD: Novit. zool. 32:75 [b3759] SS: *zohra* Donzel, 1847; *Ciganus* [TypeL - N. W. Africa.] [Refs - b0236; b0471]
- b littoralis** Talbot, 1935; *Deloneura* OD: Ent. mon. Mag. 71:74 [b4623] SS: *ochraceus* (Neave), 1904; *Deloneura* [TypeL - Kenya.] [Refs - b1452; b4623; b4400]
- c littoralis** Le Moul, 1940, 1939-1940; *Helicopsis* OD: Novit. ent. (13):103 [b2943] SS: *cupido* (Linnaeus), 1758; *Helicopsis* [Type: AME-ht] [TypeL - Lower Nickene River, Surinam.] [Refs - b3199]

- b *littoalis* Stempffer, 1953; *Hemiolaus* OD: *Annls Mus. r. Congo Belge* (8vo)27:25 [b4384] SS: caeculus (Hopffer), 1855; *Hemiolaus* [TypeL - Kenya.] [Refs - b1452; b4400]
- b *littoalis* Stempffer & Bennett, 1958; *Iolaus* OD: *Bull. Inst. franç. Afr. Noire* 20(A):1295 [b4418] SS: crawshayi (Butler), [1901]; *Iolaus* (*Argiolaus*) [TypeL - Kenya.] [Refs - b1452; b4400]
- b *littoalis* Carcasson, 1964; *Aphnaeus* OD: *J. E. Afr. nat. Hist. Soc.* 24(4):71 [b0708] SS: coronae Talbot, 1935; *Aphnaeus* [TypeL - Kenya.] [Refs - b1452; b4400]
- b *littoalis* Tite & Dickson, 1968; *Aloeides* OD: *Bull. Br. Mus. nat. Hist. (Ent.)* 21(7):375, pl 2 [b4684] SS: pallida (Riley), 1938; *Aloeides* [Type: BMNH-ht] [TypeL - Knysna, Cape Province, S. Africa.] [Refs - b4684; b1259; b1452; b4685]
- b *littoalis* Sibatani & Grund, 1978; *Theclinesthes* OD: *Tyô to Ga* 29(1):31, f 53,110-113 [b4223] SS: hesperia Sibatani & Grund, 1978; *Theclinesthes* [Type: ANIC-ht] [TypeL - Western Australia.] [Refs - b4223; b0870]
- a *littoalis* Swanepoel & Vári, 1983; *Lepidochrysops* OD: *Ann. Transv. Mus.* 33(2):328, f [b4562] [TypeL - Cape Province, S. Africa.] [Refs - b0116]
- c *litunia* Fruhstorfer, [1912]; *Rapala* OD: *Berl. ent. Z.* 56(3/4):256 [b1850] SS: barthema (Distant), 1885; *Rapala* [TypeL - Java.] [Refs - b4094 (also as *litunia*); b1850]
- a *livens* Distant, Mar 1886; *Deramas* OD: *Ann. Mag. nat. Hist.* (5)17:252 [b1287] [TypeL - Singapore.] [Type of - *Deramas*] [Refs - b1636; b0964; b1153; b2280; b0965; b4094; b1850; b3610; b1454; b1550; b4108]
- b *livescens* Fruhstorfer, 1897; *Deramas* OD: *Ent. Nachr.* 23(4):62 [b1807] SS: livens Distant, 1886; *Deramas* [Type: BMNH-st] [TypeL - E. Java.] [Refs - b4094; b1550; b1850; b1878; b1550]
- a *livia* (Klug), 1834, 1829-1845; *Lycaena* OD: *In Ehrenberg, Sym. Phys. Ins.* 4:pl 40, f 3-6 [b2782] CG: *Deudorix* (*Virachola*) [TypeL - Arabia.] [Refs - b1259; b2747; b0995; b0109; b2905; b2213; b0236; b5055; b1452; b0293; b0836; b2898; b2901; b3555; b4400; b4092]
- b *liviana* Fruhstorfer, [1912]; *Ticherra* OD: *Berl. ent. Z.* 56(3/4):245 [b1850] SS: acte (Moore), [1858]; *Ticherra* [Type: pc-ht; collection of Morton.] [TypeL - N. E. Sumatra.] [Refs - b1016; b0965; b4094; b2201; b1454; b1850; b1544]
- b *livida* (Trimen), 1881; *Lycaenesthes* OD: *Trans. ent. Soc. Lond.* 29(3):443 [b4723] SS: bulen (Oberthür), 1880; *Anthene* [TypeL - S. Africa.] [Refs - b1943; b1259; b1452; b0343; b4400]
- c *ab. livida* (Güllmer), 1909; *Lycaena* OD: *Int. ent. Z.* 3(12):64 [b1962] SS: icarus (Rottemburg), 1775; *Polyommatus* [Refs - b0236; b0471]
- c *livida* Le Moul't, 1940, 1939-1940, (IFS); *Helicopsis* OD: *Novit. ent.* (15):119 [b2943] SS: cupido (Linnaeus), 1758; *Helicopsis* [Type: AME-ht] [Refs - b3199]
- b *lividus* (H. H. Druce), 1895; *Lampides* OD: *Proc. zool. Soc. Lond.* 1895(3):584, pl 32, f 20 [b1362] SS: cya (Boisduval), 1832; *Jamides* [TypeL - Labuan, Borneo.] [Refs - b4094; b1865; b1362; b1454; b4108]
- c *livius* (Fabricius), 1793, 1792-1799; *Hesperia* OD: *Ent. syst.* 3(1):315 [b1657] SS: narcissus (Fabricius), 1775; *Hypochrysops* [TypeL - Indns.] [Refs - b2747, b2078; b3926; b5076]
- a *llorentel* Johnson & Kroenlein, 1993; *Angulopsis* OD: *Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point)* (33):36, f [b2627] [Type: AMNH-ht] [TypeL - Colima, Mexico.] [Refs - b2627]
- b *loa* (Strand), 1911; *Lycaenesthes* OD: *Arch. Naturgesch.* (1)77(1):196 [b4500] SS: lemnos (Hewitson), [1878]; *Anthene* [TypeL - Usambara.] [Refs - b1452; b4528; b4400]
- a *lobbichleri* (Forster), 1961; *Albulina* OD: *Veröff. zool. StSamml., Münch.* 6:148, f [b1773] CG: *Polyommatus* (*Albulina*) [TypeL - Nepal.] [Note - Classification according to *Bálint (pers. comm.)*.] [Refs - b4180]
- c *lobelia* Butler, 1884; *Jamides* OD: *Ann. Mag. nat. Hist.* (5)13:347 [b0630] SS: candrena (Herrich-Schäffer), 1869; *Jamides* [TypeL - Fiji.] [Refs - b1450; b4094]
- c *locarnensis* (Tutu), 1903; *Chrysophanus* OD: *Ent. Rec.* 15(9):224 [b4759] SS: tityrus (Poda von Neuhaus), 1761; *Lycaena* (Heodes) [Refs - b0236; b0389; b1057; b0471]
- c *lochias* (Hewitson), [1878], 1863-1878; *Lycaenesthes* OD: *Ill. dium. Lep. Lycaenidae* 1:220; 2:pl 90, f 7,8 [b2326] SS: smithii (Mabille), 1877; *Anthene* [TypeL - Madagascar.] [Refs - b0343; b4400]
- a *lochophila* Tite, 1967; *Hypolycaena* OD: *Entomologist* 100:166, f 1,4,7,10 [b4680] [Type: BMNH-ht] [TypeL - Hluhluwe, Zululand.] [Refs - b1259; b1452]
- c *lockharti* Hemming, 1929; *Polyommatus* OD: *Proc. ent. Soc. Lond.* 4(1):3 [b2237] SS: uranicola (Walker), 1870; *Polyommatus* (*Plebejidea*) [TypeL - Quasr Azraq, Transjordan.] [Refs - b0109; b2905; b0236; b0070; b0471; b1455]
- c *locra* (Plötz), 1880; *Lycaena* OD: *Stett. ent. Ztg.* 41:203 [b3622] SS: sylvanus (Drury), [1773]; *Anthene* [TypeL - W. Africa.] [Refs - b4400]
- a *locuples* (Grose-Smith), 1898; *Lycaenesthes* OD: *Novit. zool.* 5:357 [b2046] CG: *Anthene* [TypeL - W. Africa.] [Refs - b1452; b4400]
- b *lochensis* (Gómez Bustillo), 1973; *Glaucopsyche* OD: *Revta Lep.* 1(1-2):33, f [b1985] SS: melanops (Boisduval), [1828]; *Apelles* [TypeL - Campo Real, Madrid, Spain.] [Refs - b0104]
- c *loewei* (O. Bang-Haas), 1927, 1926-1930, (ISS); *Lycaena* OD: *Novit. Macrolep.* (2):93 [b0236] SS: loewii (Zeller), 1847; *Polyommatus* (*Plebejidea*) [Refs - b0236]
- a *loewensteini* (Swanepoel), 1951; *Cupido* OD: *J. ent. Soc. S. Afr.* 14(1):57, f 1-4 [b4554] CG: *Lepidochrysops* [Type: pc-ht; collection of Swanepoel.] [TypeL - Mokhotlong, Basutoland.] [Note - Not spelled *lowensteini*.] [Refs - b1259; b1452 (as *lowensteini*); b3648; b4554; b4400]
- a *loewii* (Zeller), 1847; *Lycaena* OD: *Isis von Oken* 1847(1).9, n 35 [b5060] CG: *Polyommatus* (*Plebejidea*) [TypeL - Asia Minor.] [Type of - *Plebejidea*] [Note - Larsen and Nakamura note that this species is not well placed in *Agrodiaetus* *Polyommatus* or *Plebejidea* and may need a genus of its own. *Kocak* provided such a genus.] [Refs - b1636; b1153; b2988; b2747; b0993; b4094; b1762; b2827; b2905 (in *Agrodiaetus*); b0236 (+ as *loewei*); b0410 (as *loewii*); b0293 (*Polyommatus*); b2794; b3910; b3055; b0694; b4092; b0471; b0122]
- a *lohita* (Horsfield), [1829], 1828-1829; *Amblypodia* OD: *Descr. Cat. lepid. Ins.* (2):106 [b2457] CG: *Spindasis* [TypeL - Ost- und West-Java.] [Refs - b0964; b4198; b1636; b0965; b2747; b0996; b4094; b2479; b0236; b2201; b1850; b1454; b0694; b4092; b1553]
- a *lois* (Butler), [1886]; *Catochrysops* OD: *Proc. zool. Soc. Lond.* 1885(4):762 [b0633] CG: *Euchrysops* [TypeL - Somaliland.] [Refs - b1452; b2898; b0116; b4400; b0633]
- a *loki* (Skinner), 1907; *Thecla* OD: *Ent. News* 18(9):378 [b4239] CG: *Mitoura* [Type: CM-ht] [TypeL - Mount Springs, San Diego County, California.] [LifeH - Tietz lists b0928, b0891.] [Refs - b1530; b1321; b0908; b2583; b0552; b3192; ns0930; b0928; b2585; b4066; b4652; b4182]
- a *lola* (de Nicéville), 1894; *Laxita* OD: *J. asiat. Soc. Bengal, Pt II* 63(1):20, pl 2, f 7,9 [b1158] CG: *Paralaxia* [TypeL - S. E. Borneo.] [Refs - b4474; b1840; b3528 (as ssp of *damajanti*)]

- a **lollia** Bálint, 1993; *Madeleinea* OD: Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (29):24, f 67,115 [b0207] [Type: BMNH-ht] [TypeL - Huambo, Dept. Amazonas, Peru.] [Refs - b0207; b0208]
- a **lollia** Godman & Salvin, [1887], 1879-1901; *Thecla* OD: Biol. centr.-amer., Lep. Rhop. 2:85; 3:pl 57, f 26,27 [b1975] CG: *Thecla* (New World Eumacini) [Type: BMNH] [TypeL - Irazú, Costa Rica.] [Refs - b0908; b1975; b2593]
- b **lombardiana** (Beuret), 1938; *Lycaeides* OD: *Lambillionea* 38:50 [b0376] SS: *argyrognomon* (Bergsträsser), [1779]; *Plebejus* (*Lycaeides*) [Refs - b0410]
- c **lombokensis** (Fruhstorfer), [1917]; *Lycaenopsis* OD: Arch. Naturgesch. (A)82(1):16 [b1880] SS: *subcoalita* (Rothschild), 1915; *Udara* (*Udara*) [Type: BMNH-ht; designated by Eliot & Kawazoé, 1983] [Butts *Lycaenopsis* group :88 [b1580]] [TypeL - Lombok.] [Refs - b1840; b1580]
- b **lombokiana** Fruhstorfer, [1912]; *Rapala* OD: Berl. ent. Z. 56(3/4):254 [b1850] SS: *manea* (Hewitson), [1863]; *Rapala* [TypeL - Lombok.] [Refs - b4094; b1454; b1850; b4592]
- c **lombokianus** (Fruhstorfer), 1913; *Gerydus* OD: Z. wiss. InsektBiol. 9(10):309 [b1851] SS: *boisduvali* Moore, [1858]; *Miletus* 3 [TypeL - Lombok.] [Refs - b1546; b1840; b4108]
- c **lompana** (Ribbe), 1926; *Arhopala* OD: Ent. Mitt. 15(1):88 [b3742] SS: *kuehni* (Röber), 1887; *Flos* [TypeL - Bonthain, Celebes.] [Refs - b1644; b3742]
- a **lona** (Röber), 1927; *Thysonotis* OD: Int. ent. Z. 21:105 [b3837] CG: *Danis* [TypeL - Waigeu.]
- b **longeana** (de Nicéville), 1898; *Gerydus* OD: J. Bombay nat. Hist. Soc. 12(1):141, pl Z, f 15,16 [b1165] SS: *chincensis* C. Felder, 1862; *Miletus* 1 [TypeL - Burma.] [Refs - b1636; b1546; b0236; b1840; b0694]
- b **longi** (Johnson & Balogh), 1977; *Lycaena* OD: Bull. Allyn Mus. (43):28, f 23,24,13c [b2621] SS: *rubidus* (Behr), 1866; *Chalceria* [Type: AME-ht] [TypeL - Canyon region N. of Harrison, Sioux County, Nebraska.] [Refs - b2621; b3191; b3192; b3189]
- b **longicauda** (Riley), 1921; *Zephyrus* OD: Ann. Mag. nat. Hist. (9)8:599 [b3747] SS: *quercus* (Linnaeus), 1758; *Quercusia* [Type: BMNH-st] [TypeL - Karind Gorge, N. W. Iran.] [Refs - b3547; b0236; b0471; b2788]
- a **longicauda** (Stempffer & Bennett), 1959; *Epamera* OD: Bull. Inst. franç. Afr. Noire 21(A):264 [b4419] CG: *Iolais* (*Epamera*) [TypeL - Nigeria.] [Refs - b1452; b4400]
- b **longicaudata** de Nicéville, 1881; *Dodona* OD: Proc. asiat. Soc. Bengal 1881:121 [b1143] SS: *deodata* Hewitson, 1876; *Dodona* [TypeL - Assam, India.] [Refs - b1636; b1149; b4473; b1454; b1840]
- a **longifalces** Tite, 1961; *Lepidochrysops* OD: Entomologist 94:22 [b4673] [TypeL - S. Rhodesia.] [Refs - b1943; b1259; b1452; b4400]
- a **longifascia** Joicey & Talbot, 1922; *Dicallaneura* OD: Bull. Hill Mus. 1(2):331 [b2656] [Type: BMNH-ht] [TypeL - Nomnagihé, Dutch New Guinea.] [Refs - b4474; b2656]
- b **longinus** (Fabricius), 1798, 1792-1799; *Hesperia* OD: Ent. syst. Suppl.:430 [b1657] SS: *cippus* (Fabricius), 1798; *Tajuna* [Type: ZMC-ht] [TypeL - India orientali.] [Type of -Tajuria] [Refs - b1636; b2280; b2747; b0995; b4092; b4094; b2479; b1039; b1850; b1454; b0694; b5076]
- b **longinus** (Nabokov), 1949; *Lycaeides* OD: Bull. Harvard Mus. Comp. Zool. 101(4):516, pl 1, f 31; pl 8, f 106 [b3328] SS: *idas* (Linnaeus), 1761; *Plebejus* (*Lycaeides*) [Type: MCZ-ht] [TypeL - Jackson Hole, Wyoming.] [Refs - b0908; b3192; b3328; b1743; b1321]
- a **longula** (Hewitson), 1868; *Thecla* OD: Descr. new Spec. Lycaenidae :34 [b2327] CG: *Cyanophrys* [Type: BMNH-ht] [TypeL - Mexico.] [Note - *Clench* designated a *neotype*, but the *holotype* is extant. A case for the ICZN.] [Refs - b0908; b2747; b2221; b1975; b2585]
- a **longuloides** (Clench), 1944; *Thecla* OD: Bull. Harvard Mus. Comp. Zool. 94:237 [b0823] CG: *Cyanophrys* [Type: MCZ-ht] [TypeL - Coroico, Bolivia.] [Refs - b0908; b0528; b2221; b2585]
- b **loomisi** (Pryer), 1886, 1886-1888; *Amblypodia* OD: Rhop. nihon. (1):11, pl 2, f 15 [b3658] SS: *ganesa* (Moore), [1858]; *Arhopala* o [TypeL - Kanozan, Japan.] [Refs - b1644; b0996; b2479; b1900; b4092]
- b **lopedevega** Agenjo, [1967]; *Glaucoopsyche* OD: Eos 42:297 [b0019] SS: *alexis* (Poda von Neuhaus), 1761; *Glaucoopsyche* [Refs - b3059]
- a **lophis** H. H. Druce, 1912; *Thecla* OD: Ent. mon. Mag. 48:131, pl 10, f 1 [b1380] CG: *Thecla* (New World Eumacini) [Type: pc; Druce collection.] [TypeL - El Tigre, Rio Tanana, Chocó, Colombia.] [Refs - b0908]
- c **lorata** (Grote & Robinson), 1867; *Thecla* OD: Trans. amer. ent. Soc. 1(2):171 [b2060] SS: *falacer* (Godart), [1824]; *Satyrium* [Type: AMNH-ht] [TypeL - Atlantic District, Virginia.] [Refs - b0908; b2747; b3192; b1321; b0414]
- a **lorca** Möschler, 1883; *Thecla* OD: Verh. zool.-bot. Ges. Wien 32:309, pl 17, f 3 [b3248] CG: *Thecla* (New World Eumacini) [TypeL - (Interior of) Surinam.] [Refs - b0908; b3248]
- a **lorca** Johnson, 1992; *Pontirama* OD: Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (22):43, f [b2610] [Type: BMNH-ht] [TypeL - Sierra Paramo, Bolivia.] [Refs - b0125; b2610]
- a **lorina** Hewitson, [1874], 1863-1878; *Thecla* OD: Ill. dium. Lep. Lycaenidae 1:181; 2:pl 71, f 539,540 [b2326] CG: *Thecla* (New World Eumacini) [Type: BMNH] [Refs - b0908; b2988; b2753; b1375]
- a **lorisona** (Hewitson), [1863], 1863-1878; *Myrina* OD: Ill. dium. Lep. Lycaenidae 1:37; 2:pl 16, f 48,49 [b2326] CG: *Deudonx* (*Virachola*) [TypeL - Sierra Leone.] [Refs - b1943; b1259; b2747; b1452; b0836; b4400; b4436]
- c **lorne** (Higgins), 1981; *Vacciniina* OD: Ent. Gaz. 32(4):232, f [b2377] SS: *lucifera* (Staudinger), 1867; *Plebejus* [Type: BMNH-ht] [TypeL - Novokuznek, Siberia, Kemerovskaya Oblast, R.S.F.S.R., U.S.S.R.] [Note - Classification according to Bálint (pers. comm.)] [Refs - b2377; b3359; b4247]
- d **lorquini** (Behr), 1867, (H); *Lycaena* OD: Proc. Calif Acad. Sci. 3(4):280 [b0283] SS: *piasus* (Boisduval), 1852; *Glaucoopsyche* [Type: destroyed] [TypeL - Higher Sierra Nevada, California.] [Refs - b0908; b2747; b3192; b1321]
- b **lorquini** Field, 1938; *Habrodais* OD: Bull. S. Calif. Acad. Sci. 37(1):27 [b1733] SS: *grunus* (Boisduval), 1852; *Habrodais* [Type: AME-ht; ex. F. Martin Brown collection.] [TypeL - Mount Diablo, Contra Costa County, California.] [Refs - b0908; b3192; b1321]
- a **lorquini** (Hermch-Schäffer), [1850], 1843-1856; *Lycaena* OD: Syst. Bearb. Schmett. Europ. 1:pl 92, f 442-444 [b2313] CG: *Cupido* [Refs - b2375; b3059; b2747; b0995; b1762 (lorquini); b0236; b1705; b0400 (lorquini); b2794; b2859; b4092]
- a **lorquini** (Felder & Felder), 1865, 1865-1875; *Myrina* OD: Reise Novara (2):239, pl 30, f 9-11 [b1692] CG: *Hypochlorosis* [TypeL - Gilolo, Aru.] [Refs - b1450; b2078; b2747]

- a lorralnea** Johnson & Eisele & MacPherson, 1990; *Strymon* OD: Bull. Allyn Mus. (130):26, f [b2624] [Type: FMLT-hi] [TypeL - San Pedro del Calaleo, Tucumán Province, Argentina.] [Refs - b2624]
- a loruhama** Hewitson, 1869, 1869-1877; *Mesosemia* OD: Equatorial Lep. Buckley (3):43 [b2330] [TypeL - Ecuador.] [Refs - b2988; b2747; b4474; b1453; b1456]
- a lotana** Swanepeol, 1963; *Lepidochrysops* OD: J. ent. Soc. S. Afr. 25(2):291 [b4556] [TypeL - S. Africa.] [Refs - b1259; b1452; b4400]
- b lotis** (Lintner), 1878; *Lycaena* OD: Rep. N. Y. State Mus. nat. Hist. 30:169 [b2999] SS: idas (Linnaeus), 1761; *Plebejus* (*Lycaeides*) [Type: NYSM-hi] [TypeL - Mendocino, California.] [Refs - b0908; b2753; b0135; b3328; b3192; b1321; b4066; b0137]
- a lotis** Goodson, 1945; *Thecla* OD: Entomologist 78:184 or 185 [b1998] CG: *Thecla* (New World *Eumacini*) [Type: BMNH-st] [TypeL - Venezuela.] [Refs - b0908]
- a lotli** Jackson, 1969; *Telipna* OD: Bull. Br. Mus. nat. Hist. (Ent.) 23(1):12 [b2568] [TypeL - Lotu Forest, S. Sudan.] [Refs - b1452]
- b loulisa** (Evans), 1957; *Narathura* OD: Bull. Br. Mus. nat. Hist. (Ent.) 5(3):100 [b1644] SS: hercules (Hewitson), 1862; *Arhopala e* [Type: BMNH-hi] [TypeL - Sudest Island.] [Refs - b1450; b1644]
- c lousae** E. Sharpe, 1898; *Tarucus* OD: Proc. zool. Soc. Lond. 1898(3):371 [b4157] SS: grammicus (Grose-Smith & Kirby), 1893; *Tarucus* [TypeL - Somaliland.] [Refs - b4400; b0162]
- c louisiana** Holland, 1929; *Calephelis* OD: Ent. News 40(1):20 [b2436] SS: virginienis (Guérin-Ménéville), [1832]; *Calephelis* [Type: CM-hi] [TypeL - Opelousas, Louisiana.] [Refs - b3192; b1321; b2436; b3127]
- c loveni** (Aurivillius), 1922; *Cupido* OD: Ark. Zool. 14(5):13 [b0170] SS: parsimon (Fabricius), 1775; *Lepidochrysops* [TypeL - E. Africa.] [Refs - b4400]
- c lowei** (Lang), 1884, (ISS); *Lycaena* OD: Lep. Europ. 1:371 [b2890] SS: loewii (Zeller), 1847; *Polyommatus* (*Plebejidea*) [Refs - b2890]
- a lowii** (H. H. Druce), 1895; *Arrhenothrix* OD: Proc. zool. Soc. Lond. 1895(3):596, pl 33, f 2 [b1362] CG: *Dacalana* [TypeL - Borneo.] [Refs - b0965; b4094 (as lowi); b1362; b2201; b1850 (.i); b1362; b1454; b4108]
- a loxias** Hewitson, [1863], 1863-1878; *Deudorix* OD: Ill. diurn. Lep. Lycaenidae 1:19, 2:pl 6, f 4,5 [b2326] [TypeL - Celebes.] [Refs - b2747; b4094; b1454 (as loxius)]
- c loxius** d'Abreu, 1986, (ISS); *Deudorix* OD: Butts Oriental Region, Pt 3 :631 [b1454] SS: loxias Hewitson, [1863], *Deudorix* [Refs - b1454, b4594]
- a loxura** (Rebel), 1914; *Spindasis* OD: Annln naturh. Mus. Wien 28:266 [b3710] CG: *Lipaphnaeus* [TypeL - C. Africa.] [Refs - b1452; b3710, b4400]
- a loxurina** (Felder & Felder), 1865, 1865-1875; *Thecla* OD: Reise Novara (2):262, pl 32, f 21,22 [b1692] CG: *Thecloxunna* [Type: BMNH-hi] [TypeL - Bogotá, Colombia.] [Type of - *Thecloxunna*] [Refs - b0908; b4245; b2747; b1453; b2670; b2631; b0125]
- a lua** Grum-Grshimailo, 1891; *Polycaena* OD: Horae Soc. ent. ross. 25:454 [b2068] [TypeL - Eastern Tibet.] [Refs - b2988; b4473; b3438; b4092; b1455]
- a lualaba** Berger, 1981; *Liptena* OD: Papillons du Zaire :243, pl 192, f 24,25 [b0309] [Type: MRAC-hi] [TypeL - Kafakumba, Lualaba, Zaire.] [Refs - b0309]
- b luana** (Evans), 1915; *Lycaena* OD: J. Bombay nat. Hist. Soc. 23(3):544, f [b1628] SS: dis (Grum-Grshimailo), 1891; *Polyommatus* (*Agriades*) [TypeL - S. E. Tibet.] [Note - Above like *arixerzes*, below *unique*.] [Refs - b1628; b0236; b4098; b0471]
- c luca** de Nicéville, 1894; *Logania* OD: J. asiat. Soc. Bengal, Pt II 63(1):28, pl 2, f 13 [b1158] SS: massalia Doherty, 1891; *Logania* [Type: ZSI?-st] [TypeL - Perak.] [Refs - b0964; b1636; b0965; b1840; b1571]
- a lucagus** Godman & Salvin, [1887], 1879-1901; *Thecla* OD: Biol. centr.-amer., Lep. Rhop. 2:86; 3:pl 57, f 30,31 [b1975] CG: *Thecla* (New World *Eumacini*) [Type: BMNH] [TypeL - Jalapa, Mexico.] [Note - Allied to *lollia*.] [Refs - b0908; b1975; b2593]
- b lucana** Stichel, 1924; *Semomesia* OD: Deut. ent. Zeit. 1924:409 [b4459] SS: tenella Stichel, 1910; *Semomesia* [TypeL - Ecuador.] [Refs - b4459; b4474]
- a lucana** Tite, 1963; *Nacaduba* OD: Bull. Br. Mus. nat. Hist. (Ent.) 13(4):83, f 20,31; pl 1, f 6-8 [b4676] [Type: BMNH-hi] [TypeL - Witu (or French Island), Bismarck Archipelago.] [Refs - b4676; b1450; b2387; b2388]
- e lucania** (Comstock & Huntington), 1961, 1958-1964, (ISS); *Thecla* OD: J. New York ent. Soc. 69:115 [b0908] SS: leucania (Hewitson), 1868; *Cyanophrys* [Refs - b0908]
- a lucanus** (Fabricius), 1793, 1792-1799; *Hesperia* OD: Ent. syst. 3(1):322 [b1657] CG: *Liptena* (?) [TypeL - Indii?]. [Note - Waterhouse notes that this is not an Australian species, but rather, a *Lipteninae* from Africa.] [Refs - b1450; b2747; b4094; b4940; b4939; b5076]
- b lucaris** (Wecks), 1901; *Thecla* OD: Proc. New Engl. zool. Club 2:102 [b4963] SS: rufosusca (Hewitson), [1877]; *Strymon* [Type: MCZ] [TypeL - Cusilluni, Bolivia.] [Refs - b0908; b2221; b1375; b4967]
- c lucasi** Le Moutl, 1940, 1939-1940, (IFS); *Helicopsis* OD: Novit. ent. (13):101 [b2943] SS: cupido (Linnaeus), 1758; *Helicopsis* [Refs - b3199]
- b lucayensis** Schultze, 1923; *Pentila* OD: In Schubotz :1158 [b4018] SS: cloetensi Aurivillius, 1897; *Pentila* [TypeL - C. Africa.] [Refs - b1452; b4420; b4400]
- a lucena** (Hewitson), 1868; *Thecla* OD: Descr. new Spec. Lycaenidae :26 [b2327] CG: *Strymon* [Type: BMNH-hi] [TypeL - Venezuela.] [Refs - b0908; b2747; b2641]
- c lucentina** (de Lesse), 1969; *Lysandra* OD: Alexanor 6(3):132, f [b1135] SS: semperi (Agenjo), [1969]; *Polyommatus* (*Lysandra*) [TypeL - Alicante, Spain.] [Refs - b3059; b1135; b1993, b4038]
- a luceres** (Hewitson), 1870, 1869-1877; *Lemonias* OD: Equatorial Lep. Buckley (4):53 [b2330] CG: *Calospila* [TypeL - Ecuador.] [Refs - b2747; b4475; b2753; b1456]
- a lucescens** Tite, 1963; *Phileris* OD: Bull. Br. Mus. nat. Hist. (Ent.) 14(5):247 [b4677] [Type: BMNH-hi] [TypeL - Rook Island, Bismarck Archipelago.] [Refs - b4677; b1450]
- c luectia** (Hübner), 1821; *Echenais* OD: Index exot. Lep. :4 [b2485] SS: pseudocrispus (Westwood), [1851]; *Calospila* [Refs - b4475]
- b luetta** (Culot), 1915; *Lycaena* OD: Bull. Soc. ent. Fr. 1915(15):243 [b1079] SS: icarus (Rouemburg), 1775; *Polyommatus* [Type: biblio; replacement for *luca* Culot, 1909] [TypeL - Syria.] [Refs - b0236; b0070; b4854; b0471; b1079]

- b lucia** (Kirby), 1837; *Lycaena* OD: In Richardson, *Fauna Bor.-Amer.* (4):299, pl 3, f 8,9 [b2743] SS: argiolus (Linnaeus), 1758; *Celastrina* [TypeL - Taken in Latitude 54 deg.". Perhaps Cumberland House, Manitoba.] [Note - *Comstock & Huntington and Miller & Brown list the Original Genus as Polyommatus.*] [Refs - b0908; b0428; b3192; b1321; b0856; b2747; b1580; b0236; b0400; b1724 (as ssp of ladon); b1743; b4066]
- d lucia** (Culot), 1905, (H); *Lycaena* OD: Bull. Soc. Lép. Genève 1:68-69 [b1078] OS: lucetta (Culot), 1915; *Polyommatus* [TypeL - Syria.] [Refs - b0236; b0070; b4854; b4092]
- c luciana** (Hübner), [1811], 1806-1838; *Lemonias* OD: Samml. exot. Schmett. 1:pl [36] [b2482] SS: pseudocrispus (Westwood), [1851]; *Calospila* [Refs - b2747; b2497; b2260]
- a lucianus** (Fabricius), 1793, 1792-1799; *Hesperia* OD: Ent. syst. 3(1):313 [b1657] CG: *Calospila* [TypeL - Insula Guadeloupe".] [Refs - b2988; b2747; b4475; b5076; b1456]
- c lucianus** (Röber), [1886]; *Plebeius* OD: CorrespBl. ent. Ver. Iris 1(3):54, pl 4, f 11 [b3820] SS: batjanensis (Röber), [1886]; *Jamides* [Type: SMT-It; designated by Takanami, 1989] [Tyô to Ga 40(1):48 [b4602]] [TypeL - Batjan.] [Refs - b1450; b4094; b1865; b4602]
- a lucida** (Trimen), 1883; *Lycaena* OD: Trans. ent. Soc. Lond. 31(4):348 [b4724] CG: *Actizera* [TypeL - S. Africa.] [Refs - b1943; b1259; b0754; b1452; b0754; b0836; b2898; b4409; b4400; b3606; b1235; b2899]
- c lucida** Geest, 1903; *Maculinea* OD: Allg. Z. Ent. 8:314 [b1925] SS: nausithous (Bergsträsser), [1779]; *Maculinea* [Check - Original description pagination.] [Refs - b0993; b0400; b4092]
- a lucida** Forster, 1942; *Orthomiella* OD: Mitt. münchn. ent. Ges. 32:580 [b1767] [TypeL - China.] [Refs - b1767]
- b lucida** Crosby, 1951; *Paralucia* OD: Victorian Nat. 67(11):225, f [b1073] SS: pyrodiscus (Rosenstock), 1885; *Paralucia* [TypeL - Eltham, nr Melbourne, Australia.] [Refs - b1450; b0870; ns0479; b3383]
- a lucide** (de Nicéville), 1894; *Lampides* OD: J. asiat. Soc. Bengal, Pt II 63(1):33, pl 5, f 3 [b1158] CG: *Jamides* [TypeL - Sumatra.] [Refs - b0965; b4094; b1865; b1454; b2388; b3786]
- c lucidus** (H. H. Druce), 1895; *Pratapa* OD: Proc. zool. Soc. Lond. 1895(3):596, pl 33, f 3 [b1362] SS: blanka (de Nicéville), 1894; *Ancema* [TypeL - Borneo.] [Refs - b1636; b4094; b2201; b1850; b1362; b1454; b4108]
- a lucifer** (Röber), [1886]; *Plebeius* OD: CorrespBl. ent. Ver. Iris 1(3):61, pl 4, f 5 [b3820] CG: *Neopithecopis* [Type: SMT-st; coll. Rubbe] [TypeL - Aru; Key Islands.] [Type of - Papua] [Refs - b2280; b1450; b1580; b1840; b1011]
- a lucifera** (Staudinger), 1867; *Lycaena* OD: Stutt. ent. Ztg 28:100 [b4321] CG: *Plebejus* [TypeL - Altai.] [Refs - b2988 (as lucifer), b2747; b0993; b1762; b2827; b2866; b0236; b0410 (in Albulina), b1765; b4092; b0471]
- c lucifuga** Fruhstorfer, 1909; *Curetus* OD: Soc. ent. 24(16):121 [b1839] SS: brunnea Wileman, 1909; *Curetus* [TypeL - Formosa.] [Refs - b4198, b4094; b0236; b1839]
- b lucifuga** (Fruhstorfer), 1915; *Lycaena* OD: Soc. ent. 30:73 [b1869] SS: *lucifera* (Staudinger), 1867; *Plebejus* [TypeL - Batang, Szechuan, China.] [Refs - b2479; b0236; b0072; b1765; b0471]
- a lucilia** (Möschler), 1883; *Cremna* OD: Verh. zool.-bot. Ges. Wien 32:302 or 312, pl 17, f 9a [b3248] CG: *Napaea* [TypeL - Sunnam.] [Refs - b2988; b4474; b1456]
- b lucillus** Hopffer, 1874; *Siseme* OD: Stutt. ent. Ztg 35:363 [b2446] SS: alectryo Westwood, [1851]; *Siseme* [TypeL - Peru.] [Refs - b2753; b4475]
- b lucilla** d'Abbrera, 1971; *Hypochrysops* OD: Butts Australian Region :334, pl 334 [b1450] SS: doherityi Oberthür, 1894; *Hypochrysops* [Type: BMNH-ht] [TypeL - Angabunga River, Papua New Guinea.] [Refs - b1450; b0104; b3926]
- a lucillae** Hayashi & Schröder & Treadaway, 1983; *Dacalana* OD: Senckenbergiana 63(1/2):47, f 4-7 [b2210] [Type: pc-ht; collection of Colin G. Treadaway] [TypeL - Philippines] [Refs - b2210; b1454]
- c f. lucimargina** Scott, 1981; *Celastrina* OD: *Papilio* (New Series) (1):6 [b4062] SS: argiolus (Linnaeus), 1758; *Celastrina* [Check - Does not belong with argiolus, but with ladon.] [Refs - b4062; x3192; b4066]
- a lucina** (Linnaeus), 1758; *Papilio* OD: Syst. nat. (ed. 10) 1:480 [b2993] CG: *Hamearis* [TypeL - Europe.] [Type of - Hamearis, Nemeobius] [Refs - b2280; b2988; b4245; b2375; b1213; b2747; b2827; b4473; b0521; b0236; b2380; b2300; b1920; b1183; b4950; b2794; b2985; ns0291; ns0292; ns1204; b4092; b0038]
- b lucina** (Grum-Grshimailo), 1902; *Lycaena* OD: Annu. Mus. zool. St. Pétersbourg 7:193 [b2071] SS: *lucifera* (Staudinger), 1867; *Plebejus* [TypeL - Sung-pang, Szechuan, China.] [Refs - b0236; b1765; b0471]
- b lucina** Waterhouse & Lyell, 1914; *Philiris* OD: Butts Aust. :77 [b4947] SS: nitens (Grose-Smith), 1898; *Philiris* [Type: -lt; designated by Sands, 1980] [Aust. ent. Mag. 6(5):82 [b3924]] [TypeL - Cape York, Australia.] [Refs - b4677; b1450; b1610 (7914-E11); b0113; b0870]
- a lucinda** (Cramer), [1775], 1775-1790; *Papilio* OD: Uidl. Kapellen 1(1):3, pl 1, f E.F. [b1069] CG: *Emesis* [TypeL - America mer.] [Type of - Nimula] [Refs - b2280; b2988; b2747; b4475; b1453; b3192; b1456]
- a lucius** (Fabricius), 1793, 1792-1799; *Hesperia* OD: Ent. syst. 3(1):320 [b1657] CG: *Metacharis* [TypeL - Indus".] [Refs - b2988; b2747; b4474; b5076; b1456]
- e ab. lucretia** (Gaschet & Mabilbe), 1877; *Lycaena* OD: Bull. Soc. ent. Fr. (5):7:lxiv [b1921] SS: coridon (Poda von Neuhaus), 1761; *Polyommatus* (*Lysandra*) [Refs - b0236; b1921; b0471]
- c lucretia** (Grose-Smith & Kirby), 1894, 1887-1902; *Lycaenesthes* OD: Rhop. exot. 2(27):111, pl 24, f 7,8 [b2049] SS: *lucretilis* (Hewitson), 1874; *Triclema* [TypeL - Tropical Africa.] [Refs - b4400]
- a lucretilis** (Hewitson), 1874; *Lycaenesthes* OD: Trans. ent. Soc. Lond. 22(3):349 [b2341] CG: *Triclema* [TypeL - Gaboon.] [Type of - Triclema] [Refs - b2280; b2753; b1452; b0836; b4400; b2887]
- b lucrosa** Fruhstorfer, [1912]; *Tajuna* OD: Berl. ent. Z. 56(3/4):271 [b1850] SS: *deudorix* (Hewitson), [1869]. *Tajuna* [Type: pc; collection of Semper.] [Refs - b4094, b1850]
- c luctuosa** (Watson & Comstock), 1920; *Heodes* OD: Bull. amer. Mus. nat. Hist. 42(10):453 [b4952] SS: *xanthoides* (Boisduval), 1852; *Gaeides* [Type: AMNH-ht] [TypeL - Tehachapi, California.] [Note - Wrongly treated as unavailability by Miller & Brown.] [Refs - b0908; b3191; b3192; b1321; b4952]
- b luctus** Berg, 1896; *Riodina* OD: An. Mus. nac. Buenos Aires (2)5, 2, f 2 [b0303] SS: *lysisistratus* Burmeister, 1878; *Riodina* [TypeL - Paraguay.] [Note - Not spelled luctus.] [Refs - b4474; b0420 (as luctus); b1456]
- a luctulenta** Erschoff, 1874; *Siseme* OD: Mém. Soc. amis Sci. nat. Moscou 11(2):3, pl 3, f 4 [b1612] [TypeL - Peru.] [Refs - b2988, b2753; b4475; b1456]
- a luctulenta** (Leech), 1890; *Iolaus* OD: Entomologist 23:38 [b2963] CG: *Tajuna* [TypeL - China.] [Refs - b0964; b1636; b0965; b4094, b2479; b4092; b1850; b1454; b0694]

- c *f. luculenta* (Kurihara), 1943; *Zizeeria* OD: *Trans. Kansai ent. Soc.* 13(1):57-62 [b2867] SS: *sylvia* (Nakahara), 1922; *Pseudozizeeria* [TypeL - Japan.]
- a *lucullus* H. H. Druce, 1904; *Tajuria* OD: *Ann. Mag. nat. Hist.* (7)13:141 [b1369] [TypeL - Mt. Kina Balu, Borneo.] [Refs - b1557; b0965; b2201; b1454; b4108]
- a *ludicra* (Weymer), 1890; *Lycaena* OD: In Stübel, *Reisen in Süd-Amer., Lep.* :122, pl 4, f 3 [b4988] CG: *Madeleinea* [Type: ZMHU] [TypeL - Tacora, Bolivia.] [Refs - b0908; b3326; b3846 (as ssp of moza); b4782; b0207; b0208]
- a *ludmila* (Zikán), 1952; *Lymanis* OD: *Dusenias* 3:44 [b5074] CG: *Melanis* [Type: -It; designated by Mielke & Casagrande, 1987] [*Revta bras. Ent.* 31(3):417 [b3178]] [TypeL - Brazil.] [Refs - b0121; b1456 (as *ludmilla*); b5074]
- c *ludmilla* d'Abrera, 1994, (ISS); *Melanis* OD: *Butus Neotropical Region*, Pt 4:1025 SS: *ludmila* (Zikán), 1952; *Melanis* [Refs - b1456]
- b *ludovicana* (Betü), 1977; *Plebecula* OD: *Alexandor* 10(2):90, f [b0364] SS: *icarius* (Esper), [1789]; *Polyommatus* (*Plebicula*) [TypeL - France.] [Refs - b0109]
- c *lugens* Caradja, 1893; *Glaucopsyche* OD: *Deut. ent. Zeit.* [Iris] 6:177 [b0702] SS: *alexis* (Poda von Neuhaus), 1761; *Glaucopsyche* [Refs - b3059; b0993; b3366; b4092]
- b *lugens* Niepelt, 1921; *Liphyra* OD: *Int. ent. Z.* 15(12):92 [b3397] SS: *brassolis* Westwood, [1864]; *Liphyra* [TypeL - Bismarck Archipelago.]
- a *luginis* (H. H. Druce), 1895; *Nacaduba* OD: *Proc. zool. Soc. Lond.* 1895(3):577, pl 32, f 15 [b1362] CG: *Jamides* [TypeL - Labuan, Borneo.] [Refs - b0965; b4094; b1865; b1362; b1454; b2388; b3786; b4108]
- c *lugra* (H. H. Druce), 1895; *Cyaniris* OD: *Proc. zool. Soc. Lond.* 1895(3):573, pl 32, f 5 [b1362] SS: *musina* (Snellen), 1892; *Monodontites* (*Monodontites*) [Type: ZMHU-ht] [TypeL - Mt. Kinabalu, Borneo.] [Refs - b2988; b1840; b1580; b1362; b4108]
- c *lugubris* (Möschler), 1876; *Thecla* OD: *Verh. zool.-bot. Ges. Wien* 26:301, pl 3, f 4 [b3247] SS: *hesperius* (Butler & H. Druce), 1872; *Ziegleria* [TypeL - (Inner) Surinam; Colombia.] [Refs - b0908; b2753; b2221; b1375; b1975; b2614]
- e *Q. f. lugubris* Eliot, 1957; *Poritia* OD: *Entomologist* 90:73 [b1543] SS: *philota* Hewitson, 1874; *Poritia* [Type: BMNH-ht] [TypeL - Singapore.] [Refs - b0965; b1454; b1543; b4108]
- e *lukokeshcha* (Sharp), [1896], (ISS); *Lycaenesthes* OD: *Zool. Rec.* 32(1895)(Ins.):280 [b4130] SS: *lukokeshcha* (Karsch), 1895; *Anthene* [Refs - b4130]
- a *lukabas* H. H. Druce, 1890; *Iolaus* OD: *Ann. Mag. nat. Hist.* (6)5:30 [b1353] CG: *Iolaus* (*Iolaphilus*) [TypeL - W. Africa.] [Refs - b1452; b0836; b4400]
- a *lukena* van Someren, 1957; *Lepidochrysops* OD: *J. ent. Soc. S. Afr.* 20(1):69 [b4803] [TypeL - Kenya; Uganda.] [Refs - b1452; b4400]
- c *lukokeshcha* (Karsch), 1895; *Lycaenesthes* OD: *Ent. Nachr.* 21:295 [b2694] SS: *xanthopocillus* (Holland), 1893; *Anthene* [TypeL - Tropical Africa.] [Note - Not spelled *lukokeshcha* or *kohokeshcha*.] [Refs - b2694; b4400]
- e *lukokeshcha* Stempffer, 1967, (ISS); *Anthene* OD: *Bull. Br. Mus. nat. Hist. (Ent.) Suppl.* 10:192 [b4400] SS: *lukokeshcha* (Karsch), 1895; *Anthene* [Refs - b4400]
- a *lukwangule* Kielland, 1987; *Uranothauma* OD: *Lambillionea* 87(3/4):39, f [b2736] [TypeL - Tanzania.] [Refs - b0120]
- b *lulu* (Mathew), 1889; *Lycaena* OD: *Trans. ent. Soc. Lond.* 37(2):312 [b3080] SS: *alsulus* (Herrich-Schäffer), 1869; *Famegana* [Type: BMNH] [TypeL - Tonga, Fiji.] [Refs - b1450; b4094; b4940; b4934]
- a *lulua* (Riley), 1944; *Pseudiolaus* OD: *Entomologist* 77:28, f [b3781] CG: *Iolaus* (*Pseudiolaus*) [Type: BMNH-ht] [TypeL - Zululand.] [Refs - b1259; b1452; b3781; b4400]
- a *lumawigi* (Schröder), 1976; *Charana* OD: *Ent. Zeit.* 86(24):266, f [b3974] CG: *Paruparo* [Type: pc-ht; collection of Treadaway.] [TypeL - Marindugue Island, Philippines.] [Refs - b1610 (2603-E9); b0108; b2211; b2201; b3974; b4586; b1454]
- b *lumpura* (Corbet), 1938; *Nacaduba* OD: *Trans. R. ent. Soc. Lond.* 87(5):141 [b0938] SS: *dubiosa* (Semper), [1879]; *Prosotas* [Type: BMNH-ht] [TypeL - Malay Peninsula.] [Refs - b4676; b0964; b0965; b0938; b1454; b3258]
- c *luna* H. H. Druce, 1910; *Lachnocnema* OD: *Proc. zool. Soc. Lond.* 1910(1):368, pl 34, f 5 [b1378] SS: *reutingeri* Holland, 1892; *Lachnocnema* [TypeL - W. Africa.] [Refs - b4400]
- c *lunaris* (Weymer), 1892; *Tingra* OD: *Stett. ent. Ztg.* 53:95 [b4989] SS: *preussi* Staudinger, [1888]; *Pentila* [TypeL - Sierra Leone.] [Refs - b4400]
- b *lunata* (de Nicéville), 1898; *Lampides* OD: *J. Bombay nat. Hist. Soc.* 12(1):145, pl Z, f 21,23 [b1165] SS: *aratus* (Stoll), [1781]; *Jamides* [TypeL - Celebes.] [Refs - b4094; b1865; b1454]
- e *lunensis* (Verity), 1919, 1919-1922, (IFS); *Plebeius* OD: *Ent. Rec.* 31:45 [b4840] SS: *argus* (Linnaeus), 1758; *Plebejus* [Type: MZS-st] [Refs - b2856; b0236; b0471]
- b *lunifer* (Rebel), 1914; *Cupido* OD: *Annln naturh. Mus. Wien* 28:268, pl 22, f 37,40 [b3710] SS: *poggei* (Dewitz), 1879; *Uranothauma* [TypeL - C. Africa.] [Refs - b3710; b4400; b0162]
- e *ab. luniger* (Seitz), [1908], 1907-1921; *Deudorix* OD: In Seitz, *Grossschmett. Erde* 1:260 [b4092] SS: *arata* (Bremer), 1861; *Rapala* [Refs - b4115; b0995; b4092]
- b *luniger* (Toxopeus), 1930; *Lampides* OD: *De soorte als Functie* :139 [b4702] SS: *elpis* (Godart), [1824]; *Jamides* [TypeL - Dutch E. Indies.] [Refs - b4702]
- e *ab. lunula* Dufrane, 1945; *Abisara* OD: *Bull. Annlis Soc. ent. Belg.* 81:112 [b1409] SS: *herwigii* Dewitz, 1886; *Abisara* [TypeL - Kivu.]
- a *lunulata* (Erschoff), 1874; *Thecla* OD: *Mém. Soc. amis Sci. nat. Moscou* 11(2):7, pl 1, f 5 [b1612] CG: *Satyrum* [Type of - Erschoffia, *Pseudothecla*] [Refs - b2280; b2988; b0851; b2753; b0996; b2827; b2631 (in *Pseudothecla*); b4092; b1455]
- a *lunulata* (Trimen), 1894; *Lycaenesthes* OD: *Proc. zool. Soc. Lond.* 1894(1):51, pl 6, f 12 [b4729] CG: *Anthene* [TypeL - Manica.] [Refs - b1943; b1259; b0113; b1452; b0343; b0836; b4729; b4400; b3609]
- c *ab. lunulata* (Courvoisier), 1903; *Lycaena* OD: *Mitt. schweiz. ent. Ges.* 11:23 [b0981] SS: *eros* (Ochsenheimer), 1807; *Polyommatus* [Refs - b0236; b0471]
- e *ab. lunulata* (Courvoisier), 1903; *Chrysophanus* OD: *Mitt. schweiz. ent. Ges.* 11:23 [b0981] SS: *virgaureae* (Linnaeus), 1758; *Lycaena* (*Heodes*) [Refs - b0236; b0389; b0471]
- c *ab. lunulata* (Fitt), 1909, 1905-1914; *Agrinaes* OD: *Nat. Hist. Brit. Butts* 3:332 [b4760] SS: *bellargus* (Rottemburg), 1775; *Polyommatus* (*Lysandra*) [Refs - b0236]
- e *ab. lunulata* (Lange), 1919; *Lysandra* OD: *Deut. ent. Zeit.* [Iris] 33:22 [b2891] SS: *coridon* (Poda von Neuhaus), 1761; *Polyommatus* (*Lysandra*) [Refs - b0236; b0471]
- e *f. lunulata* Schwingenschuss, 1935; *Polyommatus* OD: *Verh. zool.-bot. Ges. Wien* 85:132 [b4054] SS: *actis* (Herrich-Schäffer), [1851]; *Polyommatus* (*Agrodiaetus*) [Refs - b1772]
- c *ab. lunulata* (Stetter-Stättermayer), 1937; *Lycaena* OD: *Ent. Rundsch.* 54:531 [b4432] SS: *allardi* (Oberthür), 1874; *Plebejus* (*Plebejides*) [Refs - b0075]

- e *f. lunulata* (Wamecke), 1942; *Lycaena* OD: Deut. ent. Zeit. [Iris] 56:103 [b4921] SS: alcon ([Denis & Schiffmüller]), 1775; *Maculinea* [TypeL - Germany.] [Refs - b0400]
- a *lunulatus* (Gmelin), [1790]; *Papilio* OD: C. A. Linné, Sys. Nat. ed. 13 1(5)(Insecta 2):2359 [b1969] CG: Cupido (??) [Type: destroyed; formerly in NMI.] [TypeL - Europe.] [Note - Vane-Wright notes that this name has never been recognised as pertaining to any known species.] [Refs - b2747; b4815]
- b *lunullfer* (Ungemach), 1932; *Euchrysops* OD: Mém. Soc. Sci. nat. phy. Maroc (32):92 [b4780] SS: cinerea (Bethune-Baker), 1923; *Lepidochrysops* [TypeL - Abyssinia.] [Refs - b1452; b4400]
- c *lunullifera* (Moore), 1879; *Aphnaeus* OD: Proc. zool. Soc. Lond. 1879(1):140 [b3231] SS: elima (Moore), 1877; *Spindasis* [TypeL - Darjiling.] [Refs - b1636; b1153; b0996; b4094; b1454 (as good sp); b0694; b3231]
- a *luperca* Stichel, 1910; *Mesosemia* OD: Gen. Insectorum 112(A):44 [b4446] [Type: pc-ht; collection of Stichel] [TypeL - Pachitea, Peru.] [Refs - b4474; b1456; b4446]
- c *lupina* Godman & Salvin, [1886], 1879-1901; *Emesis* OD: Biol. centr.-amer., Lep. Rhop. 1:444; 3-pl 42, f 13-15 [b1975] SS: tenedia Felder & Felder, 1861; *Emesis* [TypeL - Honduras to Costa Rica.] [Refs - b4475; b1456]
- a *lupini* (Boisduval), 1869, 1868-1869; *Lycaena* OD: Anns Soc. ent. Belg. 12:46 [b0468] CG: Plebejus (Icaricia) [Type: USNM-ht] [TypeL - (Southern) California.] [Refs - b1321 :65; b0908; b3192; b4066]
- c *lupita* Beutelspacher, 1975; *Mesosemia* OD: Revta Biol. trop. 23(1):55, f [b0412] SS: gaudiolum Bates, 1864; *Mesosemia* [TypeL - Santa Rosa, Chiapas, Mexico.] [Refs - b0107; b0113; b1116]
- a *lurida* Corbet, 1941; *Arhopala* OD: Proc. R. ent. Soc. Lond. (B)10(9):153 [b0956] CG: Arhopala a [Type: BMNH-ht] [TypeL - Mentawi Island.] [Refs - b1644; b1556; b0956; b1454; b4108; b4108]
- a *lusambo* Stempffer, 1961; *Pseudalethis* OD: Anns Mus. r. Afr. cent. (8vo) (Zool.)94:61 [b4393] [TypeL - Equatorial Africa.] [Refs - b1452; b4400]
- c *lusca* (Hübner), [1819], 1816-1826, (NN); *Aphacis* OD: Verz. bekannt. Schmett. (2):19, no. 129 [b2484] SS: lusca (Geyer), [1835]; *Calydna* [TypeL - Brasilia.] [Refs - b2988; b2484]
- a *lusca* (Geyer), [1835], 1827-1838; *Hamanumida* OD: In Samml. exot. Schmett. 3:[31], pl 3, f 1-4 [b1933] CG: *Calydna* [Refs - b2747; b4474; b2221; b0419; b2988; b3717; b1456]
- b *lusi* Lee, 1962; *Abisara* OD: Acta ent. sinica 11:141,146, f [b2959] SS: bifasciata Moore, 1877; *Abisara* [TypeL - Yunnan.] [Refs - b2959]
- c *lusia* (Hübner), [1819], 1816-1826; *Hamanumida* OD: Verz. bekannt. Schmett. (2):18, no. 108 [b2484] SS: actonis (Cramer), [1776]; *Crema* [Refs - b2747; b4474]
- b *lusitanica* Staudinger, 1892; *Lacosopsis* OD: Deut. ent. Zeit [Iris] 4(2):232 [b4336] SS: roboris (Esper), [1789]; *Lacosopsis* [Refs - b3059; b0995; b4092]
- b *lusitanicus* (Bryk), 1940; *Heodes* OD: Ark. Zool. 32A(22):20, pl 6, f 37,38 [b0566] SS: phlaeas (Linnaeus), 1761; *Lycaena* (*Lycaena*) [TypeL - Portugal.] [Refs - b3059]
- a *lusones* (Hewitson), 1874; *Lycaenesthes* OD: Trans. ent. Soc. Lond. 22(3):347 [b2341] CG: *Neurellipes* [TypeL - Gaboon.] [Type of - *Neurellipes*] [Refs - b2280; b2753; b1452; b0836; b4400]
- b *lustra* Johnson, 1992; *Thecloxurina* OD: Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (22):10, f [b2610] SS: *loxurina* (Felder & Felder), 1865; *Thecloxurina* [Type: AMNH-ht] [TypeL - Tungurahua, Baños, Ecuador.] [Refs - b0125; b2613; b2610]
- a *lutea* (Hewitson), [1865], 1863-1878; *Dipsas* OD: Ill. diurn. Lep. Lycaenidae 1:67; 2-pl 26, f 9,10 [b2326] CG: *Japonica* [Type: BMNH-st] [TypeL - Japan.] [Refs - b4198; b4115; b2988; b3778; b2747; b2405; b0996; b2827; b2479; b1900; b2866; b4200; b1454; b4092; b3907]
- c *lutea* (Caradja), 1893; *Lycaena* OD: Deut. ent. Zeit. [Iris] 6:174 [b0702] SS: *argyrognomon* (Bergsträsser), [1779]; *Plebejus* (*Lycaeides*) [Refs - b4092]
- a *lutea* (Martín), 1895; *Nacaduba* OD: Tagsschmett. Nord-Sumatra :1 [b3072] CG: *Prosotas* [Type: BMNH-ht] [TypeL - Northeast Sumatra.] [Refs - b4676; b0964; b0965; b0938; b4094; b5057; b1454; b0694; b2388]
- e *ab. lutea* (Tutt), 1907, 1905-1914; *Strymon* OD: Nat. Hist. Brit. Butts 2:197 [b4760] SS: *pruni* (Linnaeus), 1758; *Fixsenia* [Refs - b4092; b0471]
- e *ab. lutea* (Tutt), 1908, 1905-1914; *Ruralis* OD: Nat. Hist. Brit. Butts 2:278 [b4760] SS: *betulae* (Linnaeus), 1758; *Thecla* [Refs - b0236]
- e *ab. lutea* (Reverdin), 1918; *Lycaena* OD: Bull. Soc. Léop. Genève 4(1):39, pl 1, f 8 [b3732] SS: *semiargus* (Rottemburg), 1775; *Polyommatus* (*Cyaniris*) [Refs - b0236; b0471]
- c *luteaspinosa* (Tutt), 1907, 1905-1914; *Ruralis* OD: Nat. Hist. Brit. Butts 2:278 [b4760] SS: *pruni* (Linnaeus), 1758; *Fixsenia* [Refs - b0471]
- c *luteomaculata* Grünberg, 1908; *Mimacraea* OD: Sber. Ges. naturf. Freunde Berl. 1908(3):57 [b2073] SS: *poultoni* Neave, 1904; *Mimacraea* [TypeL - Uganda.] [Refs - b1452; b4400]
- c *luteonaevia* (Stichel), 1911; *Echenais* OD: Gen. Insectorum 112(B):338 [b4447] SS: *zema* (Hewitson), [1872]; *Adeloyta* [Type: ZMHU-ht] [TypeL - Rio songo, Yungas, Bolivia.] [Refs - b4475; b4446]
- c *f. luteopunctata* (Perrier), 1957; *Lysandra* OD: Revue fr. Léop. 16:40 [b3579] SS: *bellargus* (Rottemburg), 1775; *Polyommatus* (*Lysandra*) [TypeL - France.]
- e *ab. lutescens* (Pether), 1927; *Strymon* OD: Ent. Rec. 39:136 [b3584] SS: *spini* ([Denis & Schiffmüller]), 1775; *Satyrnum* [Refs - b3584]
- a *lutescens* Tate & Dickson, 1968; *Aloeides* OD: Bull. Br. Mus. nat. Hist. (Ent.) 21(7):385, pl 4, f 67,68,79,80 [b4684] [Type: BMNH-ht] [TypeL - Below De Wets Berg, Brand Vlei, Cape Province, S. Africa.] [Refs - b4684; b1259; b1265; b1452]
- c *luteuifera* Vcnty, 1919, 1919-1922, (IFS); *Everes* OD: Ent. Rec. 31:47 [b4840] SS: *alcetas* (Hoffmansegg), 1804; *Everes* [Type: MZS-st] [Refs - b2856; b0236; b0400; b0471]
- a *luteus* Sands, 1986; *Hypochrysops* OD: Entomograph 7:35, f 93,94 [b3926] [Type: ANIC-ht] [TypeL - New Guinea.] [Refs - b3926]
- a *lutosus* (Platz), 1880; *Aphnaeus* OD: Steit. ent. Ztg 41:200 [b3622] CG: *Spindasis* [TypeL - W. Africa.] [Refs - b1452; b0836; b4400; b3622]
- b *lutshniki* (Krulikovskii), 1926; *Lycaena* OD: Zbirn. Prats zool. Mus. 1:69 [b2852] SS: *arion* (Linnaeus), 1758; *Maculinea* [TypeL - Ukraine.] [Note - Not spelled *lutshnikii*.] [Refs - b0236 (as *lutshniki*); b0065; b0471 (as *lutshniki*); b2852]
- a *lutzi* Holland, 1920; *Tnclema* OD: Bull. amer. Mus. nat. Hist. 43(6):229, pl 12, f 2 [b2434] [TypeL - Congo.] [Refs - b1452; b4400]

- a **lutzi** Huntington, 1932; *Thecla* OD: Bull. amer. Mus. nat. Hist. 63(3):212, f 1 [b2497] CG: *Thecla* (New World Eumaeini) [Type: AMNH-ht] [TypeL - Baro Colorado Island, Panama.] [Refs - b0908; b3818; b0070; b2497]
- b **lutzi** (dos Passos), 1938; *Plebeius* OD: Can. Ent. 70(3):48, pl 2, f 9-12 [b1314] SS: *acmon* Westwood, [1852]; *Plebejus* (*Icaricia*) [Type: AMNH-ht] [TypeL - Snowlike Canyon, 8 miles from Montpelier, Idaho.] [Refs - b0908; b0428; b3192; b1743; b0512; b1321; b4066; b0690]
- c **luxurians** Courvoisier, 1910, 1910-1911; *Glaucopsyche* OD: Ent. Zeit. 24:199 [b0985] SS: *alexis* (Poda von Neuhaus), 1761; *Glaucopsyche* [Refs - b0400]
- e **ab. luxurians** (Courvoisier), 1910, (NN); *Chrysophanus* OD: Verh. naturf. Ges. Basel 21:156 [b0984] SS: *dispar* ([Haworth]), 1802; *Lycaena* (*Thersamolycaena*) [Refs - b0389; b0984]
- e **ab. luxurians** (Stetter-Stüettermayer), 1937; *Lycaena* OD: Ent. Rundsch. 54:532 [b4432] SS: *allardi* (Oberthür), 1874; *Plebejus* (*Plebejides*) [Refs - b0075]
- b **luxurlans** Forster, 1940; *Polymommatus* OD: Mitt. münchn. ent. Ges. 30(3):880 [b1764] SS: *tatsienluica* (Oberthür), 1910; *Polymommatus* (*Albulina*) [TypeL - China.] [Note - Classification according to Bálint (pers. comm.)] [Refs - b0080; b3301]
- c **luxurlans** (Murayama), 1953; *Neozephyrus* OD: Tyô to Ga 4(2/3):10, f 9-11 [b3277] SS: *odakae* (Watan), 1929; *Chrysozephyrus* [TypeL - Foot of Mt. Yatsugatake, Nagano Pref., Central Honshu, Japan.] [Refs - b1900; b3277; b3279; b2463]
- a **luxuriosa** Johnson, 1989; *Noreena* OD: J. New York ent. Soc. 97(1):32, f 1G,2D,3D,4E [b2597] [Type: AMNH-ht] [TypeL - Guayquichuma, Dept. el Oro, Ecuador.] [Refs - b2597]
- c **luzhin** Bálint, 1993; *Itylos* OD: Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (29):13, f 3,4,106 [b0207] SS: *fumosus* (Balleto), 1993; *Itylos* [Type: BMNH-ht] [TypeL - Corongo, Peru.] [Refs - b0207; b0208]
- b **luzona** Eliot & Kawazoó, 1983; *Udara* OD: *Butis Lycaenopsis* group :115, f 76, 278-279, 294-295, 487 [b1580] SS: *dilectissima* (H. H. Druce), 1895; *Udara* (*Udara*) [Type: BMNH-ht] [TypeL - Haight Place, Panai, subprov. Benguet, Luzon, Philippines.] [Refs - b1580; b2200]
- b **luzonensis** Tite, 1959; *Catochrypsus* OD: Entomologist 92:204 [b4670] SS: *strabo* (Fabricius), 1793; *Catochrypsus* [Type: BMNH-ht] [TypeL - Montalban, Rizal, Luzon, Philippines.] [Refs - b4670, b1900; b4595; b4601]
- a **luzonensis** Eliot, 1967; *Allounus* OD: Entomologist 100:68 [b1552] CG: *Allounus* (*Paragerydus*) [Type: BMNH-ht] [TypeL - Benguet, Baguio, Luzon, Philippines.] [Refs - b1571; b1552]
- a **luzonensis** Eliot & Kawazoó, 1983; *Monodonüdes* OD: *Butis Lycaenopsis* group :275, f [b1580] [Type: BMNH-ht] [TypeL - Mt Santo Tomas, Luzon, Philippines.] [Refs - b1580, b2200]
- a **luzonensis** Takamami & Ballanunc, 1987; *Arhopala* OD: Tyô to Ga 38(1):3, f 1-3 [b4612] CG: *Arhopala* [Type: pc-ht; collection of Takamami] [TypeL - Bicol National Park, Camarines Sur, S I. Luzon, Philippines.] [Refs - b4612, b4101]
- b **luzonica** Swinhoe, 1917; *Loxura* OD: Ann Mag. nat. Hist. (8)20:158 [b4579] SS: *atymnus* (Stoll), [1780]; *Loxura* [TypeL - Luzon, Philippines.]
- c **luzonica** Murayama & Okamura, 1973; *Pithecopis* OD: Tyô to Ga 24(1):22, f 39,40 [b3305] SS: *corax* Fruhstorfer, [1919]; *Pithecopis* [Type: pc-ht; collection of Murayama.] [TypeL - Ashin, Luzon, Philippines.] [Refs - b0104; b3305; b4108]
- b **luzonicus** (Röber), [1886]; *Plebeius* OD: *CorrespBl. ent. Ver. Iris* 1(3):60, pl 5, f 22 [b3820] SS: *cnejus* (Fabricius), 1798; *Euchrysops* [TypeL - Luzon, Philippines.] [Refs - b4601; b0359; b4108]
- c **luzoniensis** Murayama & Okamura, 1973; *Iraota* OD: Tyô to Ga 24(1):21, f 37-38 [b3305] SS: *lazarena* (Felder & Felder), 1862; *Iraota* [Type: pc-ht; collection of Murayama.] [TypeL - Ashin, Luzon, Philippines.] [Note - Described as a subspecies of *timoleon*.] [Refs - b0104; b3305; b4589]
- a **lya** Rebillard, 1958; *Zelotaea* OD: Mém. Mus. nat. Hist. (A)15:183 [b3717] [Type: MNHN-ht] [TypeL - Amazone, Brazil.] [Refs - b3717; b0093; b1456]
- b **lybas** (Godart), [1824], 1819-1824; *Polymommatus* OD: In Ency. méth. 9(Ins.)2:655 [b1970] SS: *plinius* (Fabricius), 1793; *Leptotes* [TypeL - Timor.] [Refs - b1450; b2747; b4108]
- a **lybia** (Staudinger), 1892; *Larinopoda* OD: Deut. ent. Zeit. [Iris] 4(2):217 [b4336] CG: *Falcuna* [TypeL - W. Africa.] [Refs - b1452; b4400]
- a **lycabas** (Cramer), [1777], 1775-1790; *Papilio* OD: *Uitl. Kapellen* 2(10):31, pl 117, f E [b1069] CG: *Thecla* (New World Eumaeini) [TypeL - Surinam.] [Refs - b0908; b2747; b1375; b2918]
- e **lycaea** (Kirby), 1871, (ISS); *Lymnas* OD: *Syn. Cat. dium. Lep.* :300 [b2747] SS: *lycea* Hübner, [1823]; *Melanis* [Refs - b2747]
- b **lycaenaria** (Felder & Felder), 1860; *Amblypodia* OD: *Wien. ent. Monats.* 4(12):396 [b1683] SS: *democritus* (Fabricius), 1793; *Arhopala* f [Type: BMNH-ht] [TypeL - Malacca.] [Refs - b1644; b2747; b4094; b2200; b1454]
- a **lycaenina** Bates, [1868]; *Theope* OD: *J. linn. Soc. Lond., Zool.* 9:406 [b0267] [TypeL - Lower Amazon.] [Refs - b2988; b2747; b4475; b1456]
- a **lycaenina** (R. Felder), 1868; *Lycaenesthes* OD: *Verh. zool.-bot. Ges. Wien* 18:281 [b1693] CG: *Anthene* [TypeL - Ceylon.] [Refs - b4679; b1636; b0965; b2747; b1840; b1454; b3055]
- a **lycaenoides** (C. Felder), 1860; *Dipsas* OD: *Sber. Akad. Wiss. Wien* 40(11):454 [b1676] CG: *Anthene* [Type: BMNH-ht] [TypeL - Amboina.] [Refs - b4679; b0964; b1450; b2747; b1840; b0694]
- c **lycaenoides** Butler, 1871; *Larinopoda* OD: *Trans. ent. Soc. Lond.* 19(2):173, pl 7, f 2-5 [b0593] SS: *lycaea* (Hewitson), [1866]; *Lannopoda* [TypeL - W. Africa.] [Type of *Lannopoda*] [Note - Described in the family *Pieridae*.] [Refs - b2280, b4400]
- a **lycaenolus** Tite, 1966; *Anthene* OD: *Bull. Br. Mus. nat. Hist. (Ent.)* 18(8):267 [b4679] [Type: BMNH-ht] [TypeL - Talaut.] [Refs - b4679; b1454; b4595]
- a **lycaeus** Staudinger, [1888], 1884-1888; *Euselasia* OD: *In Exot. Schmett.* 1:241 [b4329] [TypeL - Brazil.] [Refs - b4474, b1456]
- b **lycambes** (Hewitson), [1878], 1863-1878; *Lycaenesthes* OD: *Ill. dium. Lep. Lycaenidae* 1:220; 2:pl 90, f 11,12 [b2326] SS: *lycaenina* (R. Felder), 1868; *Anthene* [Type: BMNH-ht] [TypeL - N. India.] [Refs - b4679; b1636; b2747, b2479, b1840; b1454; b0694]
- c ♂ **ab. lycaonius** (Schultz), 1904; *Lycaena* OD: *Ent. Zeit.* 18(24):94 [b4001] SS: *nausithous* (Bergsträsser), [1779]; *Maculinea* [Refs - b0400; b4001; b4092]
- a **lyce** Walker, 1870; *Lampides* OD: *Entomologist* 5:54 [b4911] CG: *Lampides* (?) [TypeL - Arabia.] [Refs - b0162; b2753]
- b **lyce** (Grose-Smith), 1895; *Cyaniris* OD: *Novit. zool.* 2(4):506 [b2038] SS: *lavendulans* (Moore), 1877; *Celastrina* [Type: BMNH-ht; designated by Eliot & Kawazoó, 1983] [*Butis Lycaenopsis* group :257 [b1580]] [TypeL - Sulawesi.] [Refs - b1542; b1580; b2200; b1840]

- a **lycea** Hübner, [1823], 1808-1837; *Melanis* OD: *Zutr. Samml. exot. Schmett.* 2:18, pl [50], f 283,284 [b2483] [TypeL - Brasilia.] [Refs - b4474; b2747 (as *lycaea* :300); b2260; b1456]
- b **lycea** (Edwards), 1864; *Lycaena* OD: *Proc. ent. Soc. Philad.* 2(4):507 [b1493] SS: *icarioides* (Boisduval), 1852; *Plebejus* (*icarcia*) [Type: CM-nt; designated by Downey, 1970] [In *Trans. amer. ent. Soc.* 96:396 [b1341]] [TypeL - Gregory Canyon, Boulder, Boulder County, Colorado.] [Refs - b0908; b4688; b2747; b3192; b2417; b0493; b1743; b1502; b1321; b2419; b4690; b2420]
- a **lycegenes** (Trimen), 1874; *Zeritis* OD: *Trans. ent. Soc. Lond.* 22(3):337, pl 2, f 7 [b4721] CG: *Poecilmitis* [TypeL - Natal.] [Type of - *Poecilmitis*] [Refs - b2280; b1259; b2753; b4220; b1452; b4400]
- a **lychnaptes** (Holland), 1891; *Lycaenesthes* OD: *Psyche* 6(179):51 [b2424] CG: *Anthene* [TypeL - W. Africa.] [Refs - b1452; b0836; b4400]
- a **lychnides** (Hewitson), [1878], 1863-1878; *Lycaenesthes* OD: *Ill. diurn. Lep. Lycaenidae* :224, pl 92, f 38; pl 91, fig 32 [b2326] CG: *Anthene* [TypeL - Old Calabar.] [Refs - b1452]
- b **lychnitis** (Fruhstorfer), [1904]; *Laxita* OD: *Berl. ent. Z.* 48(4):281 [b1817] SS: *telesia* (Hewitson), [1861]; *Paralaxita* [Refs - b4474; b1454; b1840]
- c **lychnoptera** Grose-Smith & Kirby, 1893, 1887-1902; *Anthene* OD: *Rhop. exot.* 2(25):97, pl 22, f 1,2 [b2049] SS: *lychnaptes* (Holland), 1891; *Anthene* [Refs - b4400]
- c **lychorida** (Fruhstorfer), [1923], 1909-1923; *Lycaenopsis* OD: *In Seitz, Grossschmett. Erde* 9:875 [b1840] SS: *nedda* (Grose-Smith), 1894; *Celastrina* [Type: ZSBS-ht] [TypeL - Kunigumang, Neu-Pommern, Bismarck Archipelago.] [Refs - b1450; b1580; b1840]
- a **lycla** Riley, 1938; *Poecilmitis* OD: *Trans. R. ent. Soc. Lond.* 87(10):242, pl 1, f 21, pl 2, f 46 [b3777] [Type: BMNH-ht] [TypeL - Matjesfontein, Cape Province, S. Africa.] [Refs - b1259; b1452; b4400; b3777]
- d **lycidas** (Borkhausen), 1788, (H); *Papilio* OD: *Nat. Eur. Schmett.* 1:319, pl 73, f 4,5 [b0472] SS: *argyrognomon* (Bergsträsser), [1779]; *Plebejus* (*Lycaeides*) [Note - *Homonym of Papilio lycidas Cramer, [1779].*] [Refs - b2747; b2859 (as Meigen, 1830)]
- d **lycidas** (Trapp), 1863, (H); *Lycaena* OD: *Mitt. schweiz. ent. Ges.* 1(4):103 [b4711] OS: *trappi* (Venty), 1927; *Plebejus* (*Plebejides*) [Refs - b0236; b0410 (as good ssp); b4711; b2859; b4092]
- b **lyeldasoides** Beuret, 1934; *Plebejus* OD: *Lambillionea* 34:118 [b0371] SS: *idas* (Linnaeus), 1761; *Plebejus* (*Lycaeides*) [Note - *Described as ab of argyrognomon, so may not be available as of this date.*] [Refs - b1780; b0072; b0410]
- c **lyeldes** (Meigen), 1829, 1827-1832; *Polyommatus* OD: *Syst. Besch. Europ. Schmett.* 2(1):32, pl 49, f 4a-d [b3146] SS: *argyrognomon* (Bergsträsser), [1779]; *Plebejus* (*Lycaeides*) [Refs - b0236]
- a **lycimna** (Hewitson), 1868, *Thecla* OD: *Descr. new Spec. Lycaenidae* :33 [b2327] CG: *Cyanophrys* [Type: BMNH-ht] [TypeL - Espirito Santo, Brazil.] [Refs - b0908; b2747; b2221; b0420; b2585]
- a **lycisca** Westwood, [1851], 1846-1852; *Eurybia* OD: *In Gen. diurn. Lep.* (2):417, pl 69, f 4 [b4981] [TypeL - Honduras.] [Refs - b2988; b2747; b4474; b2406; b2497; b1456]
- a **lycisca** (Hewitson), [1852], 1852-1877; *Limnas* OD: *Ill. exot. Butts* 1:[---], pl [60], f 7-9 [b2323] CG: *Riodina* [TypeL - Minas Geraes.] [Refs - b2988; b2747; b4474 (non f 8,9), b2221; b0419; b1456]
- b **lycene** (de Nicéville), 1894; *Laxita* OD: *J. asiat. Soc. Bengal, Pt II* 63(1):21, pl 2, f 10 [b1158] SS: *telesia* (Hewitson), [1861]; *Paralaxita* [TypeL - Malay Peninsula.] [Refs - b0964; b0965; b4474; b1454; b1840]
- b **lycoreia** Fruhstorfer, 1916; *Nacaduba* OD: *Zool. Meded.* 2(2):115 [b1873] SS: *paciolus* (C. Felder), 1860; *Nacaduba* [Type: BMNH-ht] [TypeL - Java.] [Refs - b4676; b4094; b1454; b0938]
- a **lycorias** (Hewitson), [1853], 1852-1877; *Nymphidium* OD: *Ill. exot. Butts* 1:[---], pl [57], f 7,8 [b2323] CG: *Thisbe* [TypeL - Central America.] [Refs - b2988; b2747; b4475; b1456]
- b **lycorias** Stichel, 1915; *Mesosemia* OD: *Deut. ent. Zeit.* 1915:666 [b4451] SS: *hesperia* Butler, 1874; *Mesosemia* [Type: BMNH-st] [TypeL - Pará & Itaparica, Brazil.] [Refs - b4451; b4474; b1456]
- a **lycormas** (Butler), 1866; *Polyommatus* OD: *J. linn. Soc. Lond., Zool.* 9:57 [b0582] CG: *Glaucopsyche* [TypeL - Japan.] [Refs - b4115; b2988; b2747; b0993; b1762; b2827; b2479; b1900; b2866; b0236; b0400; b4092]
- c **lycorias** Doubleday, 1847, 1844-1848, (NN); *Eresia* OD: *List Spec. lep. Brit. Mus.* (2):9 [b1327] [Refs - b4475]
- c **lycutas** (Grose-Smith), 1898; *Lycaenesthes* OD: *Novit. zool.* 5:356 [b2046] SS: *xanthopocilus* (Holland), 1893; *Anthene* [Refs - ns2049 (3(37):137, pl 29, f 1-3); b4400]
- e **lycus** (Skinner), 1898, (PS); *Thecla* OD: *Syn. Cat. N. Amer. Rhop.* :48 [b4235] SS: *simaethis* (Drury), [1773]; *Chlorostyrm* [Note - *Skinner attributed the name to Hübner.*] [Refs - b0908; b0907; b4235; b2598]
- b **lydanus** (Fruhstorfer), 1910; *Lampides* OD: *Ent. Zeit.* 23(49):219 [b1842] SS: *cleodus* (Felder & Felder), 1865; *Jamides* [TypeL - Formosa.] [Refs - b1842; b0236]
- d **lydanus** (Fruhstorfer), 1915, (H); *Lampides* OD: *Arch. Naturgesch. (A)*81(6):7 [b1865] SS: *lydanus* (Fruhstorfer), 1910; *Jamides* [Refs - b4094; b1865]
- c **lydda** (Hewitson), [1866], 1852-1877; *Sospita* OD: *Ill. exot. Butts* 3:[---], pl [57], f 13 [b2323] SS: *echerus* (Stoll), [1790]; *Abisara* [TypeL - Hong Kong.] [Refs - b0294; b2747; b1840; b4092]
- a **lyde** (Godman & Salvin), [1887], 1879-1901; *Thecla* OD: *Biol. centr.-amer., Lep. Rhop.* 2:44; 3:pl 53, f 17 [b1975] CG: *Rekoa* [Type: BMNH] [TypeL - Polochic Valley, Guatemala.] [Note - *Allied to voltinia.*] [Refs - b0908; b3818; b2497; b1375; b1975; b2593; b2597]
- c **lydia** (Kirby), 1871; *Thecla* OD: *Syn. Cat. diurn. Lep.* :393 [b2747] SS: *stagra* (Hewitson), [1867]; *Rekoa* [TypeL - Pará.] [Refs - b0908; b2747; b0125; ns3817]
- c **lydia** (Krnlikovskii), 1892; *Lycaena* OD: *Ent. Nachr.* 18:97 [b2846] SS: *icarius* (Esper), [1789]; *Polyommatus* (*Plebicula*) [Refs - b0993; b4092]
- b **lydia** Fruhstorfer, 1916; *Nacaduba* OD: *Zool. Meded.* 2(2):136 [b1873] SS: *kurava* (Moore), [1858]; *Nacaduba* [TypeL - Louisiana.] [Refs - b4676; b1450; b4094]
- c **lydia** Hulstaet, 1924; *Triclema* OD: *Revue zool. afr.* 12(2) 184 [b2496] SS: *nigenae* (Aurivillius), 1905; *Triclema* [TypeL - Belgian Congo.] [Refs - b2496; b4400]
- b **lydiades** (Fruhstorfer), 1910; *Lycaena* OD: *Int. ent. Z.* 4(12) 62 [b1844] SS: *argus* (Linnaeus), 1758; *Plebejus* [TypeL - Alpes Manimes: Menton.] [Refs - b1844; b0236; b0471; b2858]
- c **lydiades** (Bollow), 1930, 1929-1931, (ISS); *Lycaena* OD: *In Seitz, Grossschmett. Erde* 1(Suppl):258 [b0471] SS: *lydiades* (Fruhstorfer), 1910; *Plebejus* [Refs - b0471]

- a *lydus* (Hübner), [1819], 1816-1826; *Bithys* OD: Verz. bekannt. Schmett. (5):75, no. 753 [b2484] CG: Theclopsis [Type: biblio; based on *eryx* Cramer, [1777]] [Refs - b0908; b2988 (as *eryx*); b2747; b1375]
- e *lygdamus* (Edwards), 1869, 1868-1897, (ISS); *Lycaena* OD: Butts N. Amer. 1, *Lycaena*, 1:2 [b1496] SS: *lygdamus* (Doubleday), 1841; *Glaucopsyche* [Refs - b0908; b3192]
- a *lygdamus* (Doubleday), 1841; *Polyommatus* OD: Entomologist 1:209 [b1325] CG: *Glaucopsyche* [Type: BMNH-ht] [TypeL - (Pine forests of) Georgia.] [Type of - *Glaucopsyche*] [LifeH - Tietz lists b0475, b4653, b0878, b0897, b0875, b1496, b4088.] [Refs - b1530 :236, f 453; b1321 :68; b0908; b2280; b0798; b4179; b4118; b2747; b1762; b2827; b2866; b1343; b2721; b3192; b3512; b0400; b2417; b0493; b1743; b4690 (*); b4066; b4652]
- e *lygdarnus* (Scudder), 1872, (ISS); *Lycaena* OD: 4th Ann. Rep. Peabody Acad. Sci. 1871:33 [b4078] SS: *lygdarnus* (Doubleday), 1841; *Glaucopsyche* [Refs - b0908; b3192]
- c *lygia* (Grose-Smith), 1897; *Thysonotus* OD: Ann. Mag. nat. Hist. (6)20:516 [b2041] SS: *phroso* (Grose-Smith), 1897; *Danis* [TypeL - Samarai Island.] [Refs - b1450; b2078]
- e *lyicoris* Doubleday, 1847, 1844-1848, (NN); *Mesene* OD: List Spec. lep. Brit. Mus. (2):7 [b1327] [Refs - b4474]
- a *lyncestes* (Hewitson), [1874], 1852-1877; *Lemonias* OD: Ill. exot. Butts 5:[-], pl [41], f 50,51 [b2323] CG: *Calospila* [TypeL - Cayenne.] [Refs - b4475; b1456]
- c *lyncestis* (de Nicéville), 1894; *Laxia* OD: J. asiat. Soc. Bengal, Pt II 63(1):22, pl 2, f 8 [b1158] SS: *laocoon* (de Nicéville), 1894; *Paralaxia* [TypeL - Malay Peninsula.] [Refs - b0964; b0965; b1840]
- d *lynceus* (Esper), [1778], 1776-1830, (H); *Papilio* OD: Die Schmett. 1(1)(7):pl 39, f 3 [b1623] SS: *spini* ([Denis & Schiffermüller]), 1775; *Satyrnum* [Refs - b2794; b2985; b2302]
- d *lynceus* (Fabricius), 1787, (H); *Papilio* OD: Mantissa Ins. 2:69 [b1656] SS: *ilicis* (Esper), [1779]; *Satyrnum* [Refs - b2794; b2985; b2747]
- d *lynceus* (Hübner), [1813], 1796-1838, (H); *Papilio* OD: Samml. europ. Schmett. 1:pl 132, f 674,675 [b2480] SS: *spini* ([Denis & Schiffermüller]), 1775; *Satyrnum* [Refs - b3059; b2747 (as Esper, 1779, Schmett. 1(1):356); b0996; b1780; b0236; b1183; b2794; b2260; b4092]
- a *lyncurium* (Trimen), 1868; *Zeritis* OD: Trans. ent. Soc. Lond. 16(1):86 [b4718] CG: *Poecilmitis* [TypeL - Africa mer.] [Refs - b1259; b2747; b1452; b4400]
- a *lynda* Johnson, 1992; *Ahlbergia* OD: Neue Ent. Nachr. 29:50, f [b2609] [TypeL - Xizang] [Refs - b0126]
- a *lyndseyae* Henning, 1979; *Poecilmitis* OD: J. ent. Soc. S. Afr. 42(2):155, f [b2288] [TypeL - Cape Province, S. Africa] [Refs - b1610 (2230-E11); b0111]
- b *lyngensis* (Høegh-Guldberg), 1966; *Ancia* OD: Natura jutl 13:81 [b2399] SS: *artaxerxes* (Fabricius), 1793; *Plebejus* (*Ancia*) [Refs - b2399]
- a *lypera* (Bates), [1868]; *Chans* OD: J. linn. Soc. Lond., Zool 9:392 [b0267] CG: *Chalodeta* [Type: BMNH-ht] [TypeL - Ega.] [Refs - b2747; b4474, b1456]
- a *lyra* Saunders, [1859]; *Lyropteryx* OD: Trans. ent. Soc. Lond. (2)5(9):97, 109 [b3939] [TypeL - Bogota, Colombia.] [Refs - b2988; b2747; b4474; b1453; b1456]
- a *lyrica* Seki, 1994; *Dacalana* OD: Futao (15):22, f 1, pl 3, f 21-24 [b4102] [Type: pc-ht; collection of Seki.] [TypeL - Pulau Simeulue, off the N.W. coast of Sumatra.] [Refs - b4102]
- a *lyrnessa* (Hewitson), 1874; *Lycaena* OD: Ent. mon. Mag. 11:107 [b2343] CG: *Pseudolucia* [Type: BMNH-ht; designated by Bálint, 1993] [Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (29):18 [b0207]] [TypeL - Chili.] [Refs - b0908; b2753; b3326; b3846; b3718; b2343; b0207; b0208]
- b *lysa* Fruhstorfer, 1916; *Nacaduba* OD: Zoöl. Meded. 2(2):109 [b1873] SS: *subperusia* (Snellen), 1896; *Nacaduba* [Type: BMNH-ht] [TypeL - Sumatra.] [Refs - b0964; b4676; b0938; b0847; b4094; b1454; b0694; b4108]
- a *lysander* Pennington, 1962; *Poecilmitis* OD: J. ent. Soc. S. Afr. 25(2):275 [b3570] [TypeL - Cape Province, S. Africa.] [Refs - b1259; b0230; b1452; b4400; b1235]
- b *lyseas* (Grose-Smith), 1895; *Cyaniris* OD: Novit. zool. 2(4):506 [b2038] SS: *placidula* (H. H. Druce), 1895; *Udara* (*Udara*) [Type: BMNH-ht] [TypeL - Batjan, North Moluccas.] [Refs - b1580]
- b *lysius* Stichel, 1910; *Riodina* OD: Gen. Insectorum 112(A):195 [b4446] SS: *lysippus* (Linnaeus), 1758; *Riodina* [Type: pc-st; collection of Stichel] [TypeL - Bolivia; Santa Inéz, Ecuador.] [Refs - b4474; b4446]
- c *lysius* (Hulstaert), 1924; *Lycaenesthes* OD: Revue zool. afr. 12(2):181 [b2496] SS: *afra* (Bethune-Baker), 1910; *Anthene* [TypeL - Belgian Congo.] [Refs - b3796; b2496; b4400]
- a *lysicles* (Hewitson), 1874; *Lycaenesthes* OD: Trans. ent. Soc. Lond. 22(3):348 [b2341] CG: *Anthene* [TypeL - Old Calabar.] [Refs - b2753; b1452; b0836; b4400]
- a *lysimachus* Staudinger, [1888], 1884-1888; *Euselasia* OD: In Exot. Schmett. 1:241 [b4329] [TypeL - Amazonas, Brazil.] [Refs - b4474]
- a *lysimachus* Stichel, 1910; *Riodina* OD: Gen. Insectorum 112(A):196 [b4446] [Type: ZMHU-st] [TypeL - Novo Friburgo, Brazil.] [Refs - b4474; b1456; b4446]
- d *lysimon* (Hübner), [1804], 1796-1838, (H); *Papilio* OD: Samml. europ. Schmett. 1:pl 105, f 534,535 [b2480] SS: *knysna* (Trimen), 1862; *Zizeeria* [Refs - b1636; b3059; b4178; b2747; b0995; b4094; b1762; b2479; b3547; b1039; b0236; b0754; b0836; b4400; b4934; ns3850; b4092; b2920; b1422]
- e *lysimon* Kirby, 1871, (ISS); *Nymphidium* OD: Syn. Cat. diurn. Lep. :328 [b2747] SS: *lysimon* (Stoll), [1790]; *Nymphidium* [Refs - b2747]
- c *lysisippe* (Hübner), [1831], 1808-1837; *Erycina* OD: Zutr. Samml. exot. Schmett. 3:31, pl [91], f 527,528 [b2483] SS: *lysippus* (Linnaeus), 1758; *Riodina* [Refs - b4474; b2260]
- a *lysiptoides* Berg, 1882; *Riodina* OD: An. Soc. cient. argent. 13(4):167 [b0302] [TypeL - Argentina.] [Refs - b4474; b2221; b0419; b0420; b1456]
- a *lysippus* (Linnaeus), 1758; *Papilio* OD: Syst. nat. (ed. 10) 1:484 [b2993] CG: *Riodina* [TypeL - America mer.] [Type of - *Erycina*, *Riodina*] [Note - Placed on Official List by Op 1073] [Refs - b2280; b0908; b2988; b2747; b4474; b0521; b3151; b3151; b2753; b1456]
- b *lysippus* Fruhstorfer, 1907; *Iraota* OD: Ent. Zeit. 21(25):156 [b1826] SS: *rochana* (Horsfield), [1829]; *Iraota* [TypeL - Nias.] [Refs - b4094; b1454; b1826; b4104]
- a *lystratus* Burmeister, 1878; *Riodina* OD: Descr. phys. Rép. Argentine 5(Lép.)(1):221, pl 8, f 7 [b0574] [TypeL - Rio Guaiquiraró.] [Refs - b2988; b4474; b2221; b0419; b0420; b1456]
- c *lyszone* (Snellen), 1876; *Lycaena* OD: Tijdschr. Ent. 19:152 or 161, pl 7, f 2,2a [b4258] SS: *otus* (Fabricius), 1787; *Zizina* [TypeL - Java.] [Note - May be a good subspecies.] [Refs - b4094, b2479; b0995; b2753; b5057; b4592 (as a good ssp); b4604 (as a good ssp); b4108]
- c *lytaea* (Hübner), [1837], 1808-1837; *Psaliodes* OD: Zutr. Samml. exot. Schmett. 5:f 901,902 [b2483] SS: *terambus* (Godart), [1824]; *Theope* [Refs - b2747; b4475]

- a **lyzanius** (Hewitson), 1874; *Lycaenesthes* OD: Ent. mon. Mag. 11:36 [b2340] CG: *Neurypexina* [TypeL - Old Calabar.] [Type of - *Neurypexina*] [Refs - b2280; b2753; b1452; b0836; b2340; b4400; b2887]
- e **iza** (Kirby), 1871, (ISS); *Aphnaeus* OD: Syn. Cat. dium. Lep. :404 [b2747] SS: *iza* (Hewitson), [1865]; *Spindasis* [Refs - b2747]
- a **mabangi** Bethune-Baker, 1904; *Micropentila* OD: Ann. Mag. nat. Hist. (7)14:226 [b0332] [TypeL - Sierra Leone.] [Refs - b1452; b0836; b4400; b2899]
- c **mabildei** Röber, 1903; *Ematurgina* OD: Steu. ent. Ztg 64:346 [b3829] SS: *bifasciata* (Mengel), 1902; *Ematurgina* [TypeL - Rio Grande do Sul.] [Type of - *Ematurgina*] [Refs - b4475; b2280; b3829; b1456]
- e **mabillei** Sharp, [1905], (ISS); *Ematurgina* OD: Zool. Rec. 40(1903)(Ins.):255 [b4134] SS: *mabildei* Röber, 1903; *Ematurgina* [Refs - b2280; b4134]
- b **mabillei** (Lathy), 1921; *Lycaenesthes* OD: Ann. Mag. nat. Hist. (9)8:208 [b2916] SS: *princeps* (Butler), 1876; *Anthene* [TypeL - Madagascar.] [Refs - b4400; b2920]
- c **mabillei** (Aurivillius), [1923], 1908-1925; *Hypolycaena* OD: In Seitz, *Grossschmett. Erde* 13:387 [b0162] SS: *ceres* (Hewitson), [1865]; *Hemiolaus* [Refs - b4400; b2920]
- b **mabillei** (Riley), 1928; *Argiolaus* OD: Novit. zool. 34:378 [b3767] SS: *parasilanus* (Rebel), 1914; *Iolaus* (*Argiolaus*) [TypeL - Landana, Port. Congo.] [Refs - b4400; b1452]
- c **macalenga** Trimen, 1870; *Azonus* OD: Trans. ent. Soc. Lond. 18(4):364, pl 6, f 5,6 [b4719] SS: *ubaldus* (Stoll), [1782]; *Azonus* [TypeL - Africa mer.] [Refs - b1259; b2747; b0995; b4400]
- b **macanita** (Fruhstorfer), [1912]; *Tajuria* OD: Berl. ent. Z. 56(3/4):210 [b1850] SS: *jalindra* (Horsfield), [1829]; *Eliotia* (*macanita* - Karwar, S. India.) [Refs - b1636; b4094; b1850; b4586; b1454; b0694 (as *macanita*)]
- a **macara** (Grose-Smith), 1902, 1887-1902; *Lepicomis* OD: Rhop. exot. 3(60):9, pl 2, f 15,16 [b2029] CG: *Esthemopsis* [Type: BMNH-ht] [TypeL - Valdecia, Colombia.] [Refs - b4474; b1456]
- c **macaria** Swainson, [1822], 1820-1823; *Thecla* OD: Zool. Illustr. 3:133 [b4549] SS: *rustan* (Stoll), [1790]; *Thecla* (New World *Eumaeini*) [Refs - b0908; b2747; b2406]
- a **macaris** (Hewitson), [1859], 1852-1877; *Mesosemia* OD: Ill. exot. Buus 2:[---], pl [53], f 31,32 [b2323] CG: *Semomesia* [TypeL - Amazon.] [Refs - b2988; b2747; b4474; b1456]
- a **macassarensis** (Holland), 1890; *Paragerydus* OD: Proc. Boston Soc. nat. Hist. 25:70, pl 4, f 5 [b2422] CG: *Allotunus* (*Paragerydus*) [Type: CM?-ht] [TypeL - Sulawesi.] [Note - *Not spelled macassariensis*.] [Refs - b1840 (as *macassariensis*); b2422; b1571; b1552]
- e **macassariensis** Fruhstorfer, [1915], 1909-1923, (ISS); *Allotunus* OD: In Seitz, *Grossschmett. Erde* 9:812 [b1840] SS: *macassarensis* (Holland), 1890; *Allotunus* (*Paragerydus*) [Refs - b1840; b1552]
- a **macbethi** Riley, 1932; *Talocada* OD: J. nat. Hist. Soc. Siam Suppl. 8:251, f [b3774] [Type: BMNH-ht] [TypeL - Siam.]
- e **macdunnoughi** McDunnough, 1938, (ISS); *Lycaena* OD: Mem. Sth. Calif. Acad. Sci. 1:26 [b3134] SS: *snowi* (Edwards), 1881; *Lycaena* (*Alciphronia*) [Refs - b0908]
- e **macdunnoughi** dos Passos, 1964, (ISS); *Glaucopsyche* OD: Mem. Lep. Soc. (1):68 [b1321] SS: *couperi* Grote, 1873; *Glaucopsyche* [Note - *Miller & Brown treat this as an unjustified emendation. That is probably what dos Passos intended, but without clear evidence it must be considered only an incorrect subsequent spelling.*] [Refs - b0908 (as *macdunnoughi*); b3192; b1321]
- e **macdunnoughi** dos Passos, 1964, (UE); *Lycaena* OD: Mem. Lep. Soc. (1):61 [b1321] SS: *snowi* (Edwards), 1881; *Lycaena* (*Alciphronia*) [Note - *This is a unjustified emendation of an unavailable name.*] [Refs - b3192; b1321]
- e **macedonica** (Verity), 1936, 1936-1937, (RA); *Aricia* OD: Ent. Rec. 48(Sup.):7 [b4857] SS: *montensis* (Verity), 1928; *Plebejus* (*Aricia*) [Type: MZS-st] [TypeL - Macedonia.] [Refs - b2856]
- c **macedonica** (Schulte), 1958; *Philotes* OD: Biol. Glasn. 11:73 [b3996] SS: *egea* (Herrich-Schäffer), [1852]; *Rubrapterus* [TypeL - Treschka-Schlucht (Young, Macedonia).] [Refs - b0111; x0276; b2860; b2789]
- a **macella** Hewitson, [1859], 1852-1877; *Mesosemia* OD: Ill. exot. Buus 2:[---], pl [53], f 28-30 [b2323] [TypeL - Amazon.] [Refs - b2988; b2747; b4474; b1456]
- d **macfarlandi** dos Passos, 1964, (UE); *Sandia* OD: Mem. Lep. Soc. (1):59 [b1321] OS: *macfarlandi* (Ehrlich & Clench), 1960; *Sandia* [Note - *This unfortunate error has been copied by many subsequent authors.*] [Refs - b1743; b1321; b2419; b4688; b2417; b2585; b2594]
- a **machaera** Hewitson, [1860], 1852-1877; *Mesosemia* OD: Ill. exot. Buus 2:[---], pl [57], f 70-71 [b2323] [TypeL - Amazon.] [Refs - b2988; b2747; b4474; b1456]
- c **mackayensis** (Miskin), 1890; *Lycaena* OD: Proc. linn. Soc. N. S. Wales (2)5(1):35 [b3212] SS: *dubiosa* (Semper), [1879]; *Prostos* [Type: QM-ht] [TypeL - Mackay, Queensland, Australia.] [Refs - b4676; b4934; b1475]
- a **mackwoodi** (Evans), 1914; *Thecla* OD: J. Bombay nat. Hist. Soc. 23(2):302 [b1627] CG: *Satyrium* [Type: BMNH-ht] [TypeL - Manipur, Saitu, Upper Burma.] [Note - *Known only from the holotype.*] [Refs - b1636; b1454; b0694 (in *Strymon*)]
- b **mackwoodi** (Riley), 1923; *Amblypodia* OD: *Spolia Zeylanica* 12:325 [b3756] SS: *abscus* (Hewitson), 1862; *Arhopala* c [Type: BMNH-ht] [TypeL - Ratnapura, Ceylon.] [Refs - b1644; b4094; b1454; b3756]
- c **macleayi** (Semper), [1879]; *Plebejus* OD: J. Mus. Godeffroy 5(2)(14):155 [b4109] SS: *salamandri* MacLeay, 1866; *Psychonotis* [TypeL - Cape York, Australia.] [Refs - b2078; b1866; b4934; b1475; b1382]
- a **macmasteri** (Dickson), 1968; *Phasis* OD: Ent. Rec. 80:89, f [b1244] CG: *Trimenia* [Type: BMNH-ht] [TypeL - Vleekpoort, Cape Province, South Africa.] [Refs - b1259; b1610 (122-I:12); b1452 (in *Phasis*); b4685]
- a **macmasteri** Tite & Dickson, 1973; *Aloeides* OD: Bull. Br. Mus. nat. Hist. (Ent.) 29(5):269 [b4685] [Type: BMNH-ht; Rh. #17245] [TypeL - Steynsburg, Hillmoor, Cape Province, South Africa.] [Refs - b1259; b0104; b1452; b4685]
- a **macphersoni** Johnson, 1988; *Tergisima* OD: *Insecta Mundi* 2(1):34, f 1E-II; 3Cc; 4F; 5C [b2595] [Type: AMNH-ht] [TypeL - Tartagal, Salta Province, Argentina.] [Refs - b2595; b2623; b2606]
- a **macphersoni** Johnson, 1992; *Shapiroana* OD: Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (22):152, f [b2611] [Type: AMNH-ht] [TypeL - 5 mi. N of Cucho, Dept. Ledesma, Jujuy Prov., Argentina.] [Refs - b0125; b2611]
- c **macra** Verity, 1920, 1919-1922, (RA); *Polyommatus* OD: Ent. Rec. 32:144 [b4840] SS: *meleager* (Hübner), [1804]; *Polyommatus* (*Agnades*) [Type: MZS-st] [Refs - b2856; b0236; b0471]
- c **macraalpinclara** Venty, 1936, 1936-1937, (NN); *Polyommatus* OD: Ent. Rec. 48(Sup.):7 [b4857] SS: *meleager* (Hübner), [1804]; *Polyommatus* (*Agnades*) [Refs - b2856]
- a **macrina** (Felder & Felder), 1865, 1865-1875; *Diophthalma* OD: Reise Novara (2):296 [b1692] CG: *Mesosemia* [TypeL - Bogota, Colombia.] [Refs - b2988; b2747; b4474; b1456]

- a *macrocerus* Wakabayashi & Fukuda, 1985; *Favonius* OD: *Nature Life Southeast Asia* 15(2):34, f [b4904] [TypeL - South Korea.] [Refs - b0124; b1455 (as *macrocerus*)]
- e *macrocerus* d'Abreu, 1993, (ISS); *Favonius* OD: *Butts Holartic Region*, Pt 3:420 SS: *macrocerus* Wakabayashi & Fukuda, 1985; *Favonius* [Refs - b1455]
- b *macroconia* Beuret, 1949; *Maculinea* OD: *Bull. Soc. ent. Mulhouse* 1949:34, pl 6, f 6,7 [b0379] SS: *alcon* ([Denis & Schiffermüller]), 1775; *Maculinea* [Type: NMB-at; see Steiniger, 1975] [*Mit. ent. Ges. Basel* (nf)25:23 [b4355]] [TypeL - Switzerland.] [Refs - b0400; b4355]
- a *macroma* Johnson, 1993; *Nicolaea* OD: *Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point)* (32):69, f [b2614] [Type: AMNH-ht] [TypeL - Massaranduba-Blumenau, Brazil.] [Refs - b2614]
- e *macromargarita* (Verity), 1926, 1926-1933, (RA); *Agriadetes* OD: *Ent. Rec.* 38:121 [b4844] SS: *euchylas* (Hübner), [1819]; *Jamides* [Type: MZS-st] [TypeL - Alps.] [Note - *Not spelled macromarginata. Synonym doubtful.*] [Refs - b2856; b0236 (as *macromarginata*); b0471]
- e *macromelanica* Verity, 1943, (RA); *Maculinea* OD: *Farfalle Diurne Ital.* 2:147 [b4862] SS: *teleius* (Bergsträsser), [1779]; *Maculinea* [Type: MZS-st] [TypeL - Italy.] [Refs - b2856; b0080]
- b *macrophthalma* (C. Felder), 1862; *Lycaena* OD: *Verh. zool.-bot. Ges. Wien* 12:483 [b1677] SS: *pactolus* (C. Felder), 1860; *Nacaduba* [TypeL - Pulu Mihu, Nicobars.] [Refs - b4676; b0938; b1636; b2747; b4094; b0236; b1454; b3055; b0694 (as *macrophthalma*)]
- b *macularia* (Boisduval), 1870; *Mesene* OD: *Consid. Léop. Guatemala* :22 [b0469] SS: *sulphurea* (R. Felder), 1869; *Argyrogrammana* [TypeL - Central America.] [Refs - b2747; b4474]
- a *maculata* (Hewitson), [1865], 1863-1878; *Iolaus* OD: *Ill. diurn. Lep. Lycaenidae* 1:47; 2:pl 21, f 29,30 [b2326] CG: *Tajuna* [TypeL - Mont. Kasiyae.] [Refs - b1636; b1153; b0964 (in *Pratapa*); b0965; b2747; b4094; b2650; b0236; b1850; b1454; b0694; b4108]
- b *maculata* (Kirby), 1887; *Tingra* OD: *Ann. Mag. nat. Hist.* (5)19:363 [b2763] SS: *abraxas* Westwood, [1852]; *Pentila* [TypeL - Cameroons.] [Refs - b1452; b0836; b4420; b4400]
- c *maculata* (Rühl), 1893, 1892-1893; *Thecla* OD: *In Palae. Grossschmeu.* 1:188 [b3901] SS: *taxila* (Bremer), 1861; *Neozephyrus* [Refs - b2463]
- e *ab. maculata* Seitz, [1908], 1907-1921; *Rapala* OD: *In Seitz, Grossschmeu. Ent.* 1:259 [b4092] SS: *nissa* (Kollar), [1844]; *Rapala* [Refs - b0995; b4094; b4092; b4281]
- e *ab. maculata* (Reverdin), 1909, (H); *Lycaena* OD: *Bull. Soc. Léop. Genève* 1372, pl 10, f 4 [b3727] OS: *scheffeli* (Lükemeyer), 1921; *Polyommatus* (*Agrodiactus*) [Note - *Name replaced, but was not available.*] [Refs - b0236; b3037; b0471]
- a *maculata* Hawker-Smith, 1926; *Epitola* OD: *Revue zool. afr.* 14:240 [b2163] [Type: MT-ht] [TypeL - Elisabetha, near Basoko, Belgian Congo] [Refs - b3842; b1452; b2163; b4400]
- a *maculata* Hawker-Smith, 1933; *Alaena* OD: *Stylops* 2:2 [b2168] [TypeL - South Lufonso River, east Luvua Valley, Lake Mweru district, S. E. Congo.] [Refs - b1452; b2168; b4400]
- a *maculata* Lathy, 1936; *Thecla* OD: *Livre jubilaire de M. Eugene-Louis Bouvier* :230, pl 8, f 8 [b2925] CG: *Thecla* (New World Eumacini) [Type: MNHN] [TypeL - Huancabamba, Peru.] [Refs - b0908, b1453, b2925; b2591 (type not found); b2592]
- e *maculata* Le Moul, 1940, 1939-1940, (IFS); *Helicopsis* OD: *Novit. ent.* (13):1012 [b2943] SS: *cupido* (Linnaeus), 1758; *Helicopsis* [Type: AME-ht] [Refs - b3199]
- e *maculata* Beuret, 1957; *Maculinea* OD: *Lyc. Schweiz* II :237 [b0400] SS: *nausithous* (Bergsträsser), [1779]; *Maculinea* [TypeL - Switzerland.] [Refs - b0400]
- a *maculata* Sands, 1981; *Philaris* OD: *J. Aust. ent. Soc.* 20(1):89-96 [b3925] [TypeL - Papua New Guinea.]
- e *ab. maculatasuffusa* (Cockle), 1910; *Cyaniris* OD: *Can. Ent.* 42(6):204 [b0867] SS: *quesnellii* (Cockle), 1910; *Celastrina* [TypeL - Bala Lake, Quesnelle, (Northern) British Columbia.] [Refs - b0908; b3192; b1321]
- c *maculatus* (Gerhard), 1853, 1850-1853; *Thecla* OD: *Vers. monog. europ. Schmett.* :3, pl 4, f 4,5 [b1928] SS: *ilicis* (Esper), [1779]; *Satyrium* [Refs - b2747]
- b *maculifera* (Staudinger), 1892; *Thestor* OD: *Deut. ent. Zeit.* [Iris] 4(2):233 [b4336] SS: *romanovi* (Christoph), 1882; *Tomares* [Refs - b3357; b4092; b0471; b1455]
- e *ab. maculinita* (Gunder), 1926; *Heodes* OD: *Ent. News* 37(1):8, pl 1, f 11 [b2096] SS: *cupreus* (Edwards), 1870; *Lycaena* (*Alciphronia*) [Type: AMNH-ht] [TypeL - Mammoth, Mono County, California.] [Refs - b0908; b3191; b3192; b1321]
- c f. *maculispostcarens* Lempke, 1954; *Celastrina* OD: *Tijdschr. Ent.* 97:345 [b2981] SS: *argiolus* (Linnaeus), 1758; *Celastrina* [TypeL - Holland.] [Refs - b0400]
- a *maculosa* Bates, [1868]; *Calydna* OD: *J. linn. Soc. Lond., Zool.* 9:394 [b0267] [Type: BMNH-ht] [TypeL - St. Paulo de Olivença.] [Refs - b2747; b4475; b1456]
- b *maculosa* Leech, 1890; *Dodona* OD: *Entomologist* 23:44 [b2963] SS: *eugenes* Bates, [1868]; *Dodona* [TypeL - China.] [Refs - b4473; b4092]
- c *madara* (Fruhstorfer), 1915; *Lampides* OD: *Arch. Naturgesch.* (A)81(6):28 [b1865] SS: *amphissa* (Felder & Felder), 1860; *Jamides* [TypeL - Key.] [Refs - b1450; b4094; b1865]
- b *madaura* Fruhstorfer, [1912]; *Suasa* OD: *Berl. ent. Z.* 56(3/4):230 [b1850] SS: *lisides* (Hewitson), [1863]; *Suasa* [TypeL - Tonkin.] [Refs - b4094; b1454]
- c *madurensis* Le Moul, 1939, 1939-1940; *Helicopsis* OD: *Novit. ent.* (12):91, f 20 [b2943] SS: *gnidus* (Fabricius), 1787; *Helicopsis* [Type: AME-ht] [TypeL - Brazil.] [Refs - b3199]
- a *madibirensis* (Wichgraf), 1921; *Lycaenesthes* OD: *Int. ent. Z.* 14(22):179 [b5003] CG: *Anthene* [TypeL - German E. Africa.] [Refs - b4400; b1452]
- a *madibirensis* Wichgraf, 1921; *Alaena* OD: *Int. ent. Z.* 14:195 [b5003] [Refs - b4400; b1452]
- a *madie* Weeks, 1906; *Thecla* OD: *Ent. News* 17(6)197 [b4969] CG: *Thecla* (New World Eumacini) [Type: MCZ] [TypeL - Suapure, Venezuela.] [Refs - b0908]
- b *madreoriente* Johnson, 1988; *Sandia* OD: *Insecta Munda* 2(1):17, f 1A-B, 3B [b2594] SS: *mcfarlandi* (Ehrlich & Clench), 1960; *Sandia* [Type: CM-ht] [TypeL - Coahuila State, Mexico.] [Refs - b2594]
- c *madriti* (Verity), 1928, (RA); *Turania* OD: *Bull. Soc. ent. Fr.* 1928(8):143 [b4847] SS: *hylactor* (Bergsträsser), [1779]. *Pseudophilotes* [Type: MZS-st] [TypeL - Spain.] [Refs - b2856; b0236; b4847; b0471]
- b *madriti* Munley & Allcard, 1970; *Pseudophilotes* OD: *Butts Spain* :84,151 [b3059] SS: *hylactor* (Bergsträsser), [1779]. *Pseudophilotes* [TypeL - El Escorial (Madrid), Spain.] [Refs - b2856, b3059]
- a *madytus* Fruhstorfer, 1914; *Arhopala* OD: *Deut. ent. Zeit.* [Iris] 27(4):159 [b1853] CG: *Arhopala* h [Type: BMNH-ht] [TypeL - Queensland.] [Refs - b1450; b1644; b4094; b1853; b0870; b4788]
- b *madytus* (Fruhstorfer), 1917; *Chrysophanus* OD: *Ent. Rundsch.* 34(4):17 [b1876] SS: *alciphron* (Rottemberg), 1775; *Lycaena* (*Alciphronia*) [TypeL - Sicily.] [Refs - b0236; b0471; b2858]

- a** *maeander* (Plötz), 1880; *Lycaenesthes* OD: *Stett. ent. Ztg.* 41:202 [b3622] CG: *Neurellipes* [TypeL - W. Africa.] [Note - *Not spelled meander.*] [Refs - b0162; b1452; b4400 (as meander)]
- d** *maecenas* (Fabricius), 1793, 1792-1799, (H); *Hesperia* OD: *Ent. syst.* 3(1):306 [b1657] OS: *dimas* (Fabricius), 1796; *Amarynthis* [TypeL - *Insula Guadeloupe.*] [Refs - b2747; b4474; b1039; b5076]
- b** *maecenas* (Fabricius), 1793, 1792-1799; *Hesperia* OD: *Ent. syst.* 3(1):271 [b1657] SS: *timoleon* (Stoll), [1783]; *Iraota* [TypeL - China"] [Type of - *Iraota*] [Refs - b0964; b1636; b2280; b0965; b2747; b4094; b0996; b2479; b1564; b1039; b1454; b0694; b4092; b5076]
- a** *maenades* (Hewitson), [1858], 1852-1877; *Mesosemia* OD: *Ill. exot. Butts* 2:[---], pl [51], f 18 [b2323] CG: *Teratophthalma* [TypeL - New Granada.] [Refs - b2747; b4474; b1456]
- b** *maenala* (Hewitson), [1869], 1863-1878; *Myrina* OD: *Ill. diurn. Lep. Lycaenidae* 1:7; 2:pl 3, f 85,86 [b2326] SS: *synix* (C. Felder), 1860; *Horaga* [Type: BMNH-ht] [TypeL - Borneo.] [Refs - b1012; b0964; b0965; b2747; b4094; b2078; b2201; b1454; b4108]
- a** *maeon* (Godman), 1903; *Lemonias* OD: *Trans. ent. Soc. Lond.* 51(4):542, pl 22, f 13 [b1972] CG: *Calospila* [Type: BMNH-ht] [TypeL - Rio San Juan, San Pablo, W. Colombia.] [Refs - b4475; b1456]
- e** *maeonides* Stichel, 1930, (ISS); *Calospila* OD: *Lep. Cat. Pars* 41:633 [b4475] SS: *maeonoides* (Godman), 1903; *Calospila* [Refs - b4475; b1456]
- e** *maeonis* Doubleday, 1847, 1844-1848, (NN); *Setabis* OD: *List Spec. lep. Brit. Mus.* (2):19 [b1327] [Refs - b4475]
- e** *maeonis* Doubleday, 1847, 1844-1848, (NN); *Emesis* OD: *List Spec. lep. Brit. Mus.* (2):9 [b1327] [Refs - b4475]
- a** *maeonis* Godman & Salvin, [1887], 1879-1901; *Thecla* OD: *Biol. centr.-amer., Lep. Rhop.* 2:70; 3:pl 56, f 22,23 [b1975] CG: *Thecla* (New World *Eumaeini*) [Type: BMNH] [TypeL - San Gerónimo, Guatemala.] [Refs - b0908; b1975]
- a** *maeonius* Staudinger, [1888], 1884-1888; *Symphachia* OD: *In Exot. Schmett.* 1:253 [b4329] [TypeL - Upper Amazon.] [Note - *Not spelled maconius.*] [Refs - b4329; b4474; b1456]
- a** *maeonoides* (Godman), 1903; *Lemonias* OD: *Trans. ent. Soc. Lond.* 51(4):542, pl 22, f 14 [b1972] CG: *Calospila* [Type: BMNH-ht] [TypeL - Bergen-Daal, British Guiana.] [Refs - b4475 (as maeonides); b4134; b1972]
- a** *maeotis* Hewitson, [1859], 1852-1877; *Mesosemia* OD: *Ill. exot. Butts* 2:[---], pl [55], f 50,51 [b2323] [TypeL - Amazonas; Guianas.] [Refs - b2747 (as mocous, =cippus), b4474 (as macous); b1456 (as moesia)]
- b** *maera* Hewitson, [1873], 1852-1877; *Mesosemia* OD: *Ill. exot. Butts* 5:[---], pl [33], f 114,115 [b2323] SS: *meubon* Hewitson, [1860]; *Mesosemia* [TypeL - Trinidad.] [Refs - b2753; b4474; b1456]
- a** *maesa* (Hewitson), [1863], 1863-1878; *Epamera* OD: *Ill. diurn. Lep. Lycaenidae* 1:27, pl 11, f 4,5 [b2326] CG: *Iolaus* (*Epamera*) [TypeL - Sierra Leone.] [Refs - b2747; b1452; b0836; b4400]
- b** *maesia* Hewitson, [1857], 1852-1877; *Mesosemia* OD: *Ill. exot. Butts* 2:[---], pl [50], f 7,8 [b2323] SS: *rhodia* (Godart), [1824]; *Mesosemia* [TypeL - Brasilia.] [Refs - b4474 (as moesia); b2747]
- a** *maesles* (Herrich-Schäffer), 1864, 1864-1865; *Thecla* OD: *CorrespBl. zool.-min. Ver. Regensb.* 18(11/12):165 [b2316] CG: *Chlorostymon* [TypeL - Cuba.] [Refs - b1530 :190, f 355; b1321 :55; b0908; b0907; b2747 (as moesites), b0540; b3192; b3512; b0833; b0817; b4066; b1348 (as moesites); b2598]
- a** *maesseni* Stempffer, 1956; *Eresina* OD: *Annl. Mus. r. Congo Belge* (8vo)49:14, pl 1, 7-10 [b4388] [Type: pc-ht; collection of Th. Maessen.] [TypeL - Ho, Togo britannique, Belgian Congo.] [Refs - b1452; b0836; b4388; b4400]
- c** *maesseni* (Stempffer), 1957; *Anthena* OD: *Bull. Inst. franç. Afr. Noire* 19(A):223, f 7 [b4390] SS: *marshalli* (Bethune-Baker), 1903; *Triclema* [TypeL - British Togoland; Gambia.] [Refs - b1452; b0836; b4400]
- b** *maesseni* Stempffer & Bennett, 1958; *Iolaus* OD: *Bull. Inst. franç. Afr. Noire* 20(A):1340, f 97-98 [b4418] SS: *parasılanus* (Rebel), 1914; *Iolaus* (*Argiolaus*) [TypeL - British Togoland.] [Note - *In the original description the figures of the female are mislabelled.*] [Refs - b1452; b0836; b4394; b4400]
- a** *maesseni* Stempffer, 1970; *Telipna* OD: *Bull. Inst. fond. Afr. Noire* 32(A):767, f [b4406] [TypeL - Likpe Mate, Ghana.] [Refs - b1452]
- b** *maesseni* Stempffer & Bennett & May, 1974; *Liptena* OD: *Bull. Br. Mus. nat. Hist. (Ent.)* 30(1):131, f [b4423] SS: *submacula* Lathy, 1903; *Liptena* [TypeL - Ho, Ghana.] [Refs - b0105; b1452]
- a** *maevia* (Godman & Salvin), [1887], 1879-1901; *Thecla* OD: *Biol. centr.-amer., Lep. Rhop.* 2:89; 3:pl 58, f 3,4 [b1975] CG: *Ministrymon* [Type: BMNH-st] [TypeL - San Gerónimo, Guatemala.] [Refs - b1530 :197, f 373; b1321 :56; b0908; b3192; b1975; b2589; b2593; b2636]
- e** *mafidi* (d'Abrera), 1993, (ISS); *Agrodiaetus* OD: *Butts Holarctic Region, Pt 3* :516 [b1455] SS: *mofidi* (de Lesse), 1963; *Polyommatus* (*Agrodiaetus*) [Refs - b1455]
- b** *mafugae* Stempffer & Bennett, 1959; *Iolaus* OD: *Bull. Inst. franç. Afr. Noire* 21(A):249 [b4419] SS: *aphnaeoides* Trimen, 1873; *Iolaus* (*Epamera*) [TypeL - Uganda.] [Refs - b1452; b4400]
- b** *maga* (Corbet), 1948; *Jacoona* OD: *Proc. R. ent. Soc. Lond.* (B)17(7/8):96 [b0963] SS: *gama* (Distant), 1886; *Mantoides* [Type: BMNH-ht] [TypeL - Karen Hills, Burma.] [Refs - b0694; b0963]
- b** *magana* Corbet, 1940; *Jamides* OD: *Proc. R. ent. Soc. Lond.* (B)9(1):3 [b0945] SS: *zebra* (H. H. Druce), 1895; *Jamides* [TypeL - Mentawai Islands.]
- b** *maganda* (Takanami), 1982; *Rachana* OD: *Mem. Tsukada Colln* 4:57, pl 7,8, f 9 [b4586] SS: *jalandra* (Horsfield), [1829]; *Eliotia* [Type: pc-ht; collection of Takanami.] [TypeL - Mt. Apo, Mindanao, Philippines.] [Refs - b2201; b1568; b3982; b4586; b4597]
- c** *magaris* Fruhstorfer, 1913; *Allotinus* OD: *Z. wiss. Insektbiol.* 9(12):370 [b1851] SS: *substringosa* (Moore), 1884; *Allotinus* (*Paragorytus*) [Type: BMNH-ht; designated by Eliot, 1986] [*Bull. Br. Mus. nat. Hist. (Ent.)* 53(1):53 [b1571]] [TypeL - Sumatra.] [Refs - b1840; b1571; b1552; b4108]
- a** *magda* Gifford, 1963; *Deudorix* OD: *Entomologist* 96:46 [b1942] CG: *Deudorix* (*Virachola*) [Type: RSM-ht] [TypeL - Blantyre, Mitsidi Hill, Nyasaland.] [Refs - b1943; b1259; b1452; b4400; b1942]
- b** *magdala* Fruhstorfer, [1904]; *Abisara* OD: *Berl. ent. Z.* 48(4):284 [b1817] SS: *sylla* (Westwood), [1851]; *Abisara* [Refs - b0296; b1840]
- a** *magdaleneae* Westwood, [1851], 1846-1852; *Stalactis* OD: *In Gen. diurn. Lep.* (2):467, pl 73, f 6 [b4981] [TypeL - New Granada.] [Refs - b2988; b4476; b2747; b0680; b3814; b1456]
- a** *magdaleneae* Stempffer, 1951; *Hewitsonia* OD: *Bull. Soc. ent. Fr.* 56(5):67 [b4380] [TypeL - Belgian Congo.] [Refs - b1452; b4400; b4380]
- b** *magdaleneae* (Guénn), 1959; *Lycaena* OD: *Alexandor* 1(3):87 [b2090] SS: *helle* ([Denis & Schiffemüller]), 1775; *Helleia* A [TypeL - France.] [Refs - b2090; b3164]

- a **magenta** Johnson, 1992; Rhamma OD: Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (22):146, f [b2611] [Type: BMNH-ht] [TypeL - Cerro de Pasco, Huancabamba, Peru.] [Refs - b0125; b2611]
- a **magete** Hewitson, [1860], 1852-1877; Mesosemia OD: Ill. exot. Butts 2: [---], pl [57], f 72 [b2323] [TypeL - Amazon.] [Refs - b2988; b2747; b4474; b1456]
- a **maggae** Johnson, 1992; Denivia OD: Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (22):204, f [b2611] [Type: MNHN-ht] [TypeL - Santiago del Estero, Argentina.] [Refs - b0125; b2611]
- b **magindana** Osada, 1987; Arhopala OD: Mem. Tsukada Colln (5):47, pl 3, f 19,20; pl 4, f 19,20 [b3519] SS: epimete (Staudinger), 1889; Arhopala k [Type: pc; collection of Takanami.] [TypeL - Tandag, Surigao Sur, N.E. Mindanao.] [Refs - b3519]
- b **magis** Agenjo, 1963; Laeosopis OD: Boln Serv. Plag. Forest. 6(12):136 [b0014] SS: roboris (Esper), [1789]; Laeosopis [TypeL - Spain.] [Refs - b3059]
- a **magna** Aurivillius, 1895; Lachnocnema OD: Ent. Tidskr. 16:209 [b0151] [TypeL - Cameroons.] [Refs - b0151; b1452; b4400]
- b **magna** (Heyne), 1895, 1893-1895; Lycaena OD: In Palae. Grossschmett. 1:766 [b2363] SS: minimus (Füssly), 1775; Cupido [Refs - b0995; b2827; b2363; b4092]
- b **magna** Bethune-Baker, 1905; Ogyris OD: Trans. ent. Soc. Lond. 53(3):280 [b0335] SS: zosine Hewitson, [1854]; Ogyris [TypeL - Brisbane, Australia.] [Refs - b4094; b0355]
- b **ab. magna** (Hulstaert), 1924; Lycanesthes OD: Revue zool. afr. 12(2):182 [b2496] SS: lunulata (Trimen), 1894; Anthene [TypeL - Belgian Congo.] [Check - Described as an aberration, thus not available with this author and date.] [Refs - b3796; b2496; b4400]
- b **magna** (Bálint), 1985; Plebicula OD: Neue Ent. Nachr. (14):14-20 [b0197] SS: dorylas ([Denis & Schiffmüller], 1775; Polyommatus (Plebicula) [Refs - b0211]
- b **magnaglandon** (Verity), 1949, 1947-1957; Agriades OD: Var. Pap. dium. France :134 [b4863] SS: glandon (Prunner), 1798; Polyommatus (Agriades) [Note - Replacement name for oberthueri Staudinger, 1901.] [Refs - b2856; b0410]
- c **magnagraeca** (Verity), 1936, 1936-1937, (RA); Plebeius OD: Ent. Rec. 48(Sup.):6 [b4857] SS: idas (Linnaeus), 1761; Plebejus (Lycacides) [TypeL - Macedonia.] [Refs - b2375; b2856]
- b **magnagraeca** (Higgins), 1975; Lycacides OD: Class. Europ. Butts :143 [b2375] SS: argyrognomon (Bergsträsser), [1779]; Plebejus (Lycacides) [Refs - b2856]
- b **magnalolas** Beuret, 1957; Iolana OD: Lyc. Schweiz. II :192 [b0400] SS: iolas (Ochsenheimer), 1816; Iolana [TypeL - Italy.] [Refs - b0400; b0320]
- c **magnalpicola** Beuret, 1949; Maculinea OD: Bull. Soc. ent. Mulhouse 1949:42 [b0379] SS: rebeli (Hirschke), 1904; Maculinea [Type: NMB-at; see Steiniger, 1975] [Mitt. ent. Ges. Basel (n)25:23 [b4355]] [TypeL - Switzerland.] [Refs - b0400; b4355]
- e **magnalpina** (Verity), 1927, (RA); Plebeius OD: Anns Soc. ent. Fr. 96:10 [b4846] SS: idas (Linnaeus), 1761; Plebejus (Lycacides) [Type: MZS-st] [TypeL - Italy.] [Refs - b2856; b0236; b4425; b0471]
- e **magnalutea** (Verity), 1943, (RA); Lysandra OD: Farfalle Diurne Ital. 2:296 [b4862] SS: bellargus (Rottemburg), 1775; Polyommatus (Lysandra) [Type: MZS-st] [Refs - b2856; b4038]
- e **magnaluteabellargus** (Verity), 1943, (IFS); Lysandra OD: Farfalle Diurne Ital. 2:297 [b4862] SS: bellargus (Rottemburg), 1775; Polyommatus (Lysandra) [Refs - b2856]
- **magnapunctifera** (Verity), 1937, 1937-1938, (IFS); Lysandra OD: Ent. Rec. 49:5 [b4859] SS: punctifera (Oberthür), 1876; Polyommatus (Lysandra) [Type: MZS-st] [TypeL - Morocco.] [Refs - b2856; b0075]
- a **magnapurpurata** Johnson, 1991; Thecla OD: J. Lep. Soc. 45(2):150 [b2605] CG: Thecla (New World Eumaeina) [Type: biblio; replacement for violacea Lathy, 1936] [TypeL - Aburia, Amazons.] [Refs - b2592; b0125]
- a **magnapurpurea** Johnson, 1992; Novosatsuma OD: Neue Ent. Nachr. 29:66, f [b2609] [TypeL - Myanmar.] [Refs - b0126]
- a **magnarea** (Seitz), [1917], 1910-1924; Methonella OD: In Seitz, Grossschmett. Erde 5:633, pl 122i [b4093] CG: Methone [TypeL - Amazon to Bolivia.] [Refs - b4474; b0680; b1456; b4093]
- a **magnasuffusa** Johnson, 1992; Novosatsuma OD: Neue Ent. Nachr. 29:60, f [b2609] [TypeL - Yunan.] [Refs - b0126]
- b **magnessa** Stichel, 1909; Mesosemia OD: Berl. ent. Z. 54(12):23 [b4444] SS: mevania Hewitson, [1857]; Mesosemia [TypeL - Colombia.]
- c **magnifica** (Grum-Grshimailo), 1887; Lycaena OD: In Romanoff, Mém. Lép. 3:399 [b2065] SS: superba (Staudinger), 1887; Polyommatus (Paragordaeus) [TypeL - Central Asia.] [Refs - b0993; b2827; b4092]
- e **ab. magnifica** (Heydemann), 1910, (H); Lycaena OD: Ent. Zeit. 23(40):177 [b2354] SS: arion (Linnaeus), 1758; Maculinea [TypeL - Tirol.] [Refs - b0236; b0400 (=laranda); b2354; b0471]
- b **magnifica** (Stichel), 1911; Nymula OD: Gen. Insectorum 112(B):371, pl 27, f 100 [b4447] SS: phylleus (Cramer), [1775]; Synargis [Type: pc-ht; collection of Stichel] [TypeL - Arouany, Französisch Guayana.] [Refs - b4475; b4446]
- c **magnifica** Hawker-Smith, 1933; Iridana OD: Stylops 2:11 [b2168] SS: hypocala (Eltringham), 1929; Iridana [TypeL - Katanga, Belgian Congo.] [Refs - b2168; b4400]
- e **ab. magnifica** (Pionneau), 1936; Chrysophanus OD: Échange 52:24 [b3618] SS: gordius (Sulzer), 1776; Lycaena (Alciphronia) [Note - Stated to be a replacement name for violaceus.] [Refs - b0074; b3618]
- a **magnifica** Jackson, 1965; Epitola OD: Ann. Mag. nat. Hist. (13)7:699, f [b2564] [Type: BMNH-ht] [TypeL - Kelle, Moyen Congo, République du Congo.] [Refs - b1452; b2564; b4400, b2564]
- a **magnifica** Johnson, 1992; Pons OD: Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (22):22, f [b2610] [Type: AMNH-ht] [TypeL - La Calera, Bogota, Colombia.] [Type of - Pons] [Refs - b0125; b2610]
- b **f. magnificans** Storcham, 1937; Uranothauma OD: Bull. Storcham Mus. (34):3 [b4480] SS: antinorii (Oberthür), 1883; Uranothauma [TypeL - Kenya.] [Refs - b4400]
- c **magnificans** Murayama, 1953; Favonius OD: Tyô to Ga 4(2/3):10, f 1-3 [b3277] SS: jezoensis (Matsumura), 1915; Favonius [TypeL - Honshu.] [Refs - b1900; b3277; b2510]
- b **magnimacula** (Rebel), 1914; Pseudersea OD: Annln naturh. Mus. Wien 28:264 [b3710] SS: isca (Hewitson), [1873]; Eresiomera [TypeL - C. Africa.] [Refs - b1452 (as magnimaculata), b4400 (as magnimaculata); b3710]
- c **magnimaculata** (Stempffer), 1967, (ISS); Pseudersea OD: Bull. Br. Mus. nat. Hist. (Ent.) Suppl. 10:35 [b4400] SS: magnimacula (Rebel), 1914; Eresiomera [Refs - b4400]
- c **magnimus** Fruhstorfer, [1915], 1909-1923, (ISS); Allouinus OD: In Seitz, Grossschmett. Erde 9:809 [b1840] SS: maximus Staudinger, [1888]; Allouinus [Refs - b1840; b1570]
- c **magniplaga** Zikán, 1952; Barbicomis OD: Dusenja 3:39, f [b5074] SS: basilis Godart, [1824]; Barbicomis [TypeL - Brazil.] [Refs - b0111]

- e magnipuncta** (Tuu), 1906, 1905-1914; Rumicia OD: Nat. Hist. Brit. Butts 1:362 [b4760] SS: phlaeas (Linnaeus), 1761; *Lycaena* (*Lycaena*) [Refs - b0389; b4092; b0471]
- e magnipuncta** Tutt, 1908, 1905-1914; Everes OD: Nat. Hist. Brit. Butts 3:59 [b4760] SS: argiades (Pallas), 1771; Everes [Refs - b0400]
- e ab. magnipuncta** (Tuu), 1909, 1905-1914; Plebeius OD: Nat. Hist. Brit. Butts 3:177 [b4760] SS: argus (Linnaeus), 1758; Plebejus [Refs - b0236; b0471]
- e magnipuncta** Tutt, 1909, 1905-1914; Cupido OD: Nat. Hist. Brit. Butts 3:108 [b4760] SS: minimus (Esper), [1777]; Cupido [Refs - b0400]
- c magnus** Sugitani, 1938, 1933-1938; Cupido OD: Zephyrus 8:15-16 [b4539] SS: minimus (Füssly), 1775; Cupido [Refs - b4115]
- a maha** (Kollar), [1844]; *Lycaena* OD: In Hügel, Kaschmir 4(2):422 [b2821] CG: Pseudozizeeria [TypeL - India bor.] [Type of - Pseudozizeeria] [Refs - b2280; b4178; b4179; b2747; b0995; b1762; b1764; b4115; b4198; b1636; b2988; b2479; b0236; b0754; b3910; ns4181; b1454; b4594; b0694; b4092; b4209]
- b mahale** Kielland, 1978; Abisara OD: Tijdschr. Ent. 121(4):192, ff 30, pl 14, f 54,55 [b2730] SS: neavei Riley, 1932; Abisara [Type: NMN-ht] [TypeL - Kasoge, Kigoma, Tanzania.] [Refs - b1610 (6236-E10); b2730; b0119]
- e mahallakoena** Pinhey & Loe, 1977, (ISS); Eicochrysops OD: Butts of Zambia :71 [b3609] SS: mahallakoena (Wallengren), 1857; Eicochrysops [Note - A much earlier reference for this mistake is Kirby, 1871.] [Refs - b3609; b2747 (:363)]
- b mahallakoena** (Wallengren), 1857; Everes OD: K. svenska VetenskAkad. Handl. (nF)2(4):41 [b4913] SS: messapus (Godart), [1824]; Eicochrysops [TypeL - Caffraria.] [Refs - b1943; b1259; b2747; b1452; b4400; b3609 (as mahallakoena)]
- a mahanetra** Doherty, 1890; Taraka OD: In Butts India Burmah Ceylon 3:59 [b1302] [TypeL - Perak.] [Refs - b0964; b0965; b1454; b1840]
- c mahara** Fruhstorfer, [1912]; *Loxura* OD: Berl. ent. Z. 56(3/4):221 [b1850] SS: atymnus (Stoll), [1780]; *Loxura* [Note - May belong with *continentalis*.] [Refs - b1636; b4094; b0694 (with *continentalis*)]
- a mahota** (Grose-Smith), 1887; *Lycaenesthes* OD: Ann. Mag. nat. Hist. (5)19:65 [b2026] CG: Anthene [TypeL - Delagoa Bay.] [Refs - b1452; b0836; b4400]
- a mahurya** Brévignon & Gallard, 1993; Mesene OD: Bull. Soc. Sci. Nat. (77):20, f [b0491] [TypeL - French Guiana.] [Refs - b0126]
- b mala** (Godman), 1903; Aricoris OD: Trans. ent. Soc. Lond 51(4):547, pl 23, f 10 [b1972] SS: alcmaeon (Hewitson), [1876]; *Setabis* [TypeL - Rio S. Juan, Colombia.] [Refs - b4475; b1456]
- b mala** Corbet, 1944; *Thamala* OD: Entomologist 77:40 [b0959] SS: marciانا (Hewitson), [1863]; *Thamala* [TypeL - Tavoy.]
- e maidie** Weeks, 1911, (ISS); *Thecla* OD: Ill. diurn. Lep. 2:3 [b4970] SS: madie Weeks, 1906; *Thecla* (New World Eumacini) [Refs - b0908]
- c malmon** (Fabricius), 1775; *Papilio* OD: Syst. Ent. :534 [b1653] SS: rosimon (Fabricius), 1775; *Castalius* [Type: ZMC-ht] [TypeL - Asia*.] [Refs - b2747; b1840; b5076; b4108]
- b malna** (Fruhstorfer), 1917; *Poriua* OD: Soc. ent. 32(12):49 [b1879] SS: pheretia (Hewitson), 1874; *Simiskina* [Type: pc-ht; collection of Courvoisier] [TypeL - N. Borneo.] [Refs - b4108]
- b maitus** Fruhstorfer, 1914; *Allotinus* OD: Z. wiss. InsektBiol. 10(1):21 [b1855] SS: portunus (de Nicéville), 1894; *Allotinus* (*Fabitaras*) [Type: BMNH-It; designated by Eliot, 1986] [Bull. Br. Mus. nat. Hist. (Ent.) 53(1):29 [b1571]] [TypeL - Sumatra.] [Refs - b1855; b1840; b1571]
- e maja** (Verity), 1919, 1919-1922, (IFS); *Agniades* OD: Ent. Rec. 31:29 [b4840] SS: thetis Klug, 1834; *Lycaena* (*Thersamonia*) [Type: MZS-st] [Refs - b2856; b0236; b0471]
- e ab. majellensis** (Dannchl), 1927; *Lycaena* OD: Mitt. münchn. ent. Ges. 17:6 [b1102] SS: argus (Linnaeus), 1758; Plebejus [Refs - b0236; b0471; b1102]
- b majestatis** Fruhstorfer, 1914; *Arhopala* OD: Deut. ent. Zeit. [Iris] 27(4):163 [b1853] SS: anthelus (Westwood), [1852]; *Arhopala* a [Type: BMNH-ht] [TypeL - Nias.] [Refs - b1644; b4094; b2200; b1853; b1454]
- a major** Felder & Felder, 1865, 1865-1875; *Allotinus* OD: Reise Novara (2):286, pl 35, f 29, nec 30,31 [b1692] [Type: BMNH-It; designated by Eliot, 1986] [Bull. Br. Mus. nat. Hist. (Ent.) 53(1):17 [b1571]] [TypeL - Sulawesi.] [Refs - b1840; b2747; b1571; b2774; b4602]
- a major** Staudinger, 1889; *Arhopala* OD: Deut. ent. Zeit. [Iris] 2(1):128 [b4332] CG: *Arhopala* b [Type: ZMHU-It; designated by Takanami, 1989] [Työ to Ga 40(1):27 [b4602]] [TypeL - Malacca, Malay Peninsula.] [Refs - b1644; b1057; b1454; b4602; b4108]
- e major** (Rühl), 1893, 1892-1893; *Thecla* OD: In Palae. Grossschmett. 1:180 [b3901] SS: spini ((Denis & Schiffenmüller), 1775; *Satyrnum* [Note - Also see Oberthür, 1910, Étud. Léop. comp., 4:69.] [Refs - b0236; b2985; ns3451; b3901; b4092]
- c major** Oberthür, 1894; *Alaena* OD: Étud. ent. 19:-- [b3435] SS: nyassa Hewitson, 1877; *Alaena* [Refs - b1452; b1259; b4400]
- a major** H. H. Druce, 1895; *Catapaecilma* OD: Proc. zool. Soc. Lond. 1895(3):612 [b1362] [TypeL - Sikkim.] [Refs - b1636; b4198; b4094; b0964; b0965; b5053; b2201; b1362; b1454; b1861; b0694]
- c ab. major** (Tutt), 1896; *Lysandra* OD: Brit. Butts :171 [b4758] SS: bellargus (Rottemburg), 1775; *Polyommatus* (*Lysandra*) [Refs - b0471]
- b major** Rothschild, 1898; *Liphya* OD: Novit. zool. 5(1):97 [b3871] SS: brassolis Westwood, [1864]; *Liphya* [Refs - b1450; b2078; b0870]
- c major** (Tutt), 1906, 1905-1914; Rumicia OD: Nat. Hist. Brit. Butts 1:353 [b4760] SS: phlaeas (Linnaeus), 1761; *Lycaena* (*Lycaena*) [Refs - b0389]
- c ab. major** (Tutt), 1907, 1905-1914; *Ruralis* OD: Nat. Hist. Brit. Butts 2:280 [b4760] SS: betulae (Linnaeus), 1758; *Thecla* [Refs - b0236, b0471]
- c ab. major** (Tutt), 1907, 1905-1914; *Strymon* OD: Nat. Hist. Brit. Butts 2:199 [b4760] SS: pruni (Linnaeus), 1758; *Fixsenia* [Refs - b0471]
- c ab. major** Tutt, 1907, 1905-1914; *Lampides* OD: Nat. Hist. Brit. Butts 2:337 [b4760] SS: boeticus (Linnaeus), 1767; *Lampides* [Refs - b0400]
- c ab. major** Tutt, 1908, 1905-1914; *Celastrina* OD: Nat. Hist. Brit. Butts 2:394 [b4760] SS: argiolus (Linnaeus), 1758; *Celastrina* [Refs - b0236; b0400; b0471]
- c ab. major** Tutt, 1908, 1905-1914; Everes OD: Nat. Hist. Brit. Butts 3:56 [b4760] SS: argiades (Pallas), 1771; Everes [Refs - b0400; b4760]
- c ab. major** (Tutt), 1909, 1905-1914; Plebeius OD: Nat. Hist. Brit. Butts 3:172 [b4760] SS: argus (Linnaeus), 1758; Plebejus [Refs - b0236; b0471]

- e *major* Tutt, 1909, 1905-1914; Cupido OD: Nat. Hist. Brit. Butts 3:107 [b4760] SS: minimus (Esper), [1777]; Cupido [Refs - b0400; b0471]
- e *ab. major* Tutt, 1909, 1905-1914; Polyommatus OD: Nat. Hist. Brit. Butts 3:258 [b4760] SS: semiargus (Rottemburg), 1775; Polyommatus (Cyaniris) [Refs - b0236]
- e *ab. major* (Oberthür), 1910; Thecla OD: Étud. Léop. comp. 4:69 [b3451] SS: spini (Denis & Schiffermüller), 1775; Satyrium [Refs - b0471; b3451]
- b *major* (Evans), 1915; Lycaena OD: J. Bombay nat. Hist. Soc. 23(3):544 [b1628] SS: orbitulus (Prunner), 1798; Polyommatus (Albulina) [Refs - b2479]
- a *major* Rothschild, 1915; Nacaduba OD: Novit. zool. 22:139 [b3878] [Type: BMNH-ht] [TypeL - N. Ceram.] [Refs - b1450; b4676; b4094; b2387; b2388]
- e *var. major* Oberthür, 1916; Maculinea OD: Étud. Léop. comp. 12:486 [b3456] SS: arion (Linnaeus), 1758; Maculinea [Refs - b0236; b0400; b0471]
- c *major* (Rothschild), 1916; Miletus OD: Rep. B. O. U. Exped. New Guinea 2(15):34 [b3880] SS: praeclearus (Fruhstorfer), 1908; Hypochrysops [Type: BMNH-ht] [TypeL - Utakwa River, New Guinea.] [Refs - b3880; b3926]
- a *major* (Bethune-Baker), 1923; Neochrysops OD: Trans. ent. Soc. Lond. 70(3/4):282 [b0359] CG: Orachrysops [TypeL - Newcastle, Natal.] [Refs - b4400; b0359; ns4822]
- b *major* Bethune-Baker, 1923; Euchrysops OD: Trans. ent. Soc. Lond. 70(3/4):351 [b0359] SS: subpallida Bethune-Baker, 1923; Euchrysops [Type: BMNH-ht] [TypeL - Nairobi district, Laitokitok, Kbewzi, N. W. Rhodesia.] [Refs - b4400; b0359]
- a *major* (Joicey & Talbot), 1924; Cyclirius OD: Bull. Hill Mus. 1(3):548 [b2661] CG: Harpendyreus [Type: BMNH-st] [TypeL - Marungu Plateau, Belgian Congo.] [Refs - b1943; b3796; b1452; b4400; b2661]
- c *major* (Lathy), 1926; Thecla OD: Ann. Mag. nat. Hist. (9)17:42 [b2918] SS: rocena (Hewitson), [1867]; Janthecla [Type: MNHN-lt; designated by Johnson, 1991] [J. Lep. Soc. 45(2):147 [b2605]] [TypeL - Muzo, Colombia.] [Refs - b0908; b0064; b2918; b2592; b0125]
- c *major* Evans, 1932, (H); Nacaduba OD: Ident. Indian Butts (2nd ed.) :240 [b1638] SS: vicania Corbet, 1938; Nacaduba [Type: BMNH-ht] [TypeL - S. Nicobars.] [Refs - b4676; b1638]
- c *major* Evans, 1932; Heliophorus OD: Ident. Indian Butts (2nd ed.) :246 [b1638] SS: brahma Moore, [1858]; Heliophorus (B.) [TypeL - Assam.] [Refs - b1638; b0694]
- b *major* Lathy, 1932; Nymphidium OD: Ann. Mag. nat. Hist. (10)9:73 [b2922] SS: cancac (Linnaeus), 1758; Nymphidium [Type: BMNH-ht] [TypeL - Ecuador.] [Refs - b2922]
- b *major* (Lathy), 1932; Charmona OD: Ann. Mag. nat. Hist. (10)9:67 [b2922] SS: auius (Cramer), [1776]; Charis [Type: BMNH-ht] [TypeL - El Topo, Rio Pastazza, E. Ecuador.] [Refs - b2922; b1456 (with caryaus)]
- e *major* (Verity), 1943, (IFS); Melcagena OD: Farfalle Diurne Ital. 2:332 [b4862] SS: daphnis (Denis & Schiffermüller), 1775; Polyommatus (Melcagena) [Refs - b2856]
- e *ab. major* (Schnaider), 1950; Chrysophanus OD: Polsk. Pismo ent. 19:252 [b3968] SS: phlacas (Linnaeus), 1761; Lycaena (Lycaena) [TypeL - Poland.]
- a *major* Murray, 1956; Lepidochrysops OD: Ann. S. Afr. Mus. 43:114 [b3314] [TypeL - Cape Peninsula, S. Africa.]
- c *majorina* (Stichel), 1910; Phaeochitonina OD: Berl. ent. Z. 55(1/2):52 [b4445] SS: saniuus (Dalman), 1823; Stichelia [Type: ZMHU-ht; pc-st; collection of Röber; pc-st; collection of Stichel] [TypeL - Brazil; Marcapata, Peru.] [Refs - b4474; b4445]
- c *majuscata* Jachontov, 1911; Satyrium OD: Izv. kavkaz. Muz. 5:313 [b2558] SS: w-album (Knoch), 1782; Satyrium [Refs - b0236; b4141 (author as Žachontov); b0471]
- e *majuscunctata* (Verity), 1934, 1934-1936, (IFS); Cupido OD: Ent. Rec. 46(Sup.):34 [b4853] SS: argiolus (Linnaeus), 1758; Celastrina [Type: pc-st; in Wagner collection, Wien.] [TypeL - Anatolia.] [Refs - b2856]
- a *makakensis* Birket-Smith, 1960; Lachnocnema OD: Bull. Inst. franc. Afr. Noire 22(A):972, f [b0430] [TypeL - French Cameroons.] [Refs - b1452]
- b *makala* (Bethune-Baker), 1908; Deudorix OD: Proc. zool. Soc. Lond. 1908(1):111, pl 9, f 4 [b0340] SS: angelita (Suffert), 1904; Hypokopelates [TypeL - Congo.] [Refs - b4400]
- a *makala* Bethune-Baker, 1908; Leptomyrina OD: Proc. zool. Soc. Lond. 1908(1):115 [b0340] [TypeL - Congo.] [Refs - b4400; b1452]
- a *makala* (Bethune-Baker), 1910; Lycaenesthes OD: Trans. ent. Soc. Lond. 58(1):58, pl 2, f 16 [b0343] CG: Anthene [Type: BMNH-ht] [TypeL - Makala, Congo.] [Refs - b1452; b4400]
- a *makikoe* Hayashi & Ohtsuka, 1985; Sinthusa OD: Iwase (3):4, pl 1, f 5-6 [b2208] [Type: pc-ht; collection of Ohtsuka.] [TypeL - Keningau, Sabah, Borneo.] [Refs - b2208; b4598; b4108]
- e *makines* Seitz, [1927], 1912-1927, (ISS); Tajuria OD: In Seitz, Grossschmett. Erde 9:1019 [b4094] [Note - Seitz cited this as a Fruhstorfer name, giving a faulty reference. No other reference has been found.] [Refs - b4094 (:1019, not in index or under Tajuria); x0276]
- b *makitai* Takanami, 1987; Jamides OD: Gekkan Mushi (191):28, f 13,14,15 [b4595] SS: aratus (Stoll), [1781]; Jamides [Type: pc-ht; collection of Takanami.] [TypeL - Kepulauan Talaud.] [Refs - b4595]
- e *ab. makomensis* Strand, 1913; Larinopoda OD: Arch. Naturgesch. (A)79(12):134 [b4513] SS: lircaea (Hewitson), [1866]; Larinopoda [TypeL - Spanisch Guinea.] [Note - Described as an aberration. Not available as of this date and author. Not spelled makoniensis.] [Refs - b4513; b4528; b4400 (as makoniensis)]
- e *makoniensis* Stimpffer, 1967, (ISS); Larinopoda OD: Bull. Br. Mus. nat. Hist. (Ent.) Suppl. 10:45 [b4400] SS: lircaea (Hewitson), [1866]; Larinopoda [Note - An incorrect spelling of makomensis.] [Refs - b4400]
- a *makrikii* (Ribbe), 1900; Waigeum OD: Deut. ent. Zeit. [In] 13:336, f [b3739] CG: Hypochrysops [TypeL - Ceram] [Refs - b1450; b2078; b3926]
- a *mala* Parsons, 1986; Calliclita OD: Bull. Allyn Mus. (103)12, f 7, 45, 94, 95 [b3549] [Type: BMNH-ht] [TypeL - Mainbar R., Biagi, New Guinea.] [Refs - b3549; b2388]
- a *malaccanus* (Röber), [1886]; Plebeius OD: CorrespBl. ent. Ver. Ins 1(3):57, pl 4, f 3 [b3820] CG: Jamides [Type: SMT-lt; designated by Takanami, 1989] [Tyô to Ga 40(1):49 [b4602]] [TypeL - Perak, Malay Peninsula.] [Refs - b0964, b0965; b4094; b1865; b2384; b1454; b4602; b2388]
- a *malagrida* (Wallengren), 1857; Ciganis OD: K. svenska VetenskAkad. Handl. (nf)2(4):43 [b4913] CG: Argyrocupha [Type: NR-ht] [TypeL - 'Caffrana', recte Cape Peninsula, South Africa.] [Type of - Argyrocupha] [Refs - b3582; b4400; b1259, b2747; b1610 (7376-E12); b0104; b0520; b0522; b1452; b4685]
- c *malaguna* (Ribbe), 1899; Lampides OD: Deut. ent. Zeit. [In] 12:228 [b3738] SS: cyta (Boisduval), 1832; Jamides [Type: SMT-lt; designated by Takanami, 1989] [Tyô to Ga 40(1):50 [b4602]] [TypeL - New Ireland.] [Refs - b1450; b4094; b1865]

- b malangana** (Toxopeus), 1929; *Amblypodia* OD: Tijdschr. Ent. 72(3/4):220 [b4700] SS: *anniclla* (Hewitson), 1862; *Flos* [TypeL - Java.] [Note - *Not spelled malanga.*] [Refs - b1644; b0067; b4700; b1454]
- a malathana** (Boisduval), 1833; *Lycaena* OD: Nouv. Ann. Mus. Hist. nat. (Paris) 2(2):173 [b0459] CG: *Euchrysops* [TypeL - Madagascar.] [Refs - b1943; b4400; b1259; b1452; b0836; b2898; b1661; b2560; b3606; b3609; b1235; b0359]
- b malatiae** (Forster), 1961; *Agrodiaetus* OD: Z. wien. ent. Ges. 46:41, pl 12,13, f 21,22 [b1774] SS: *hopfferi* (Herrich-Schäffer), [1851]; *Polyommatus* (*Agrodiaetus*) [Type: NMW-hit] [TypeL - Tecde b. Malatya, West-Kurdistan.] [Refs - b2794; b1774]
- a malaya** (Horsfield), [1828], 1828-1829; *Lycaena* OD: Descr. Cat. lepid. Ins. (1):70 [b2457] CG: *Megisba* [Type: BMNH-hit] [TypeL - Java.] [Refs - b0964; b1636; b4198; b1450; b4947; b1580; b0236; b2200; b1454; b1840; b3055; b4592; b4604]
- b malaya** (Pendlebury & Corbet), 1933; *Virachola* OD: J. Fed. Malay St. Mus. 17(2):404 [b3562] SS: *subguttata* (Elwes), [1893]; *Deudorix* (*Virachola*) [TypeL - Selangor, Malay Peninsula.] [Refs - b0964; b0965; b1454; b4108]
- b malaya** Pendlebury, 1936; *Heliophorus* OD: J. Fed. Malay St. Mus. 18(1):183 [b3560] SS: *ila* (de Nicéville), [1896]; *Heliophorus* [TypeL - Cameron Highlands, Malaya.] [Refs - b0964; b0965; b1454; b1549]
- b malaya** Corbet, 1941; *Horaga* OD: Proc. R. ent. Soc. Lond. (B)10(3):48 [b0953] SS: *chalcedonyx* Fruhstorfer, 1914; *Horaga* [Type: BMNH-hit] [TypeL - Singapore.] [Refs - b0964; b0965; b1012; b1569; b1454 (with *albimacula*); b0117 (with *albimacula*); b1573]
- b malayana** Bethune-Baker, 1903; *Arhopala* OD: Ent. mon. Mag. 39:218 [b0330] SS: *atosia* (Hewitson), [1863]; *Arhopala* a [Type: BMNH-hit] [TypeL - Singapore.] [Refs - b1644; b1454; b0330]
- b malayanus** Corbet, 1939; *Alloinus* OD: Trans. R. ent. Soc. Lond. 89(5):75 [b0944] SS: *strigatus* Moulton, [1912]; *Alloinus* (*Fabitaras*) [Type: BMNH-hit] [TypeL - West Malaysia.] [Refs - b0964; b0965; b1571]
- b malayica** (Felder & Felder), 1865, 1865-1875; *Anops* OD: Reise Novara (2):221, pl 28, f 18 [b1692] SS: *santana* (Moore), [1858]; *Curetis* [Type: BMNH-hit] [TypeL - Malacca, Malay Peninsula.] [Refs - b0964; b1636; b0965; b0936; b4094; b2747; b3498; b1454; b0694; b4108]
- a malayica** Distant, 1884, 1882-1886; *Logania* OD: Rhop. malayana :208, pl 22, f 21 [b1285] [TypeL - Sungei Ujong, West Malaysia.] [Type of - Logania] [Refs - b0964; b2280; b0965; b1571; b1840; b4108]
- b malayica** Bethune-Baker, 1903; *Arhopala* OD: Trans. zool. Soc. Lond. 17(1)71, pl 2, f 2 [b0331] SS: *cleander* (C. Felder), 1860; *Arhopala* f [Type: BMNH-hit] [TypeL - Philippines.] [Refs - b1644; b4094; b2200; b1454; b4104]
- c malayica** Fruhstorfer, 1908; *Cureus* OD: Steit. ent. Ztg 69:58 [b1835] SS: *tagalica* (Felder & Felder), 1862; *Cureus*
- b malayica** Corbet, 1933; *Nacaduba* OD: Trans. R. ent. Soc. Lond. 87(5)137 [b0938] SS: *calauria* (C. Felder), 1860; *Nacaduba* [Type: BMNH-hit] [TypeL - Malay Peninsula.] [Refs - b0964; b4676; b0938; b0965; b4108]
- b malayica** (Pendlebury), 1939; *Thecla* OD: J. Fed. Malay St. Mus. 18(3):391 [b3561] SS: *absolon* (Hewitson), [1865]; *Austrozeephyrus* [Type: BMNH-hit] [TypeL - Pahang, Cameron Highlands, Malaya.] [Refs - b0964; b0965; b4210; b2200; b4214; b1454; b2463]
- a m-album** (Boisduval & Le Conte), [1833], 1829-1837; *Thecla* OD: Hist. Lépid. Amer. sept. (9-10):86, pl 26 [b0470] CG: *Parrhasius* [Type: biblio] [TypeL - Georgia.] [Type of - Eupsyche] [LifeH - Tietz lists b3176, b3244, b0470, b0902, b1792, b3244, b4088.] [Refs - b2280; b3078; b0845; b3390; b0908; b4245; b2747; b3392; b1343; b3192; b3512; b1743; b2406; b1321; b1375; b1975; b2631 (also in Eupsyche); b4066; b4652; b1455]
- a malca** (Schaus), 1902; *Lemonias* OD: Proc. U. S. natn. Mus. 24(1262):405 [b3948] CG: *Adelotypa* [Type: USNM-hit; #5915] [TypeL - Castro, Parana, Brazil.] [Refs - b4475; b3948; b1456]
- e ab. malcolmi** (Gunder), 1925; *Plebeius* OD: Ent. News 36(7):195, pl 5, f 2 [b2095] SS: *monticola* (Clémence), 1909; *Plebeius* (*Icaricia*) [Type: AMNH-hit] [TypeL - Ridge Route, Los Angeles County, California.] [Refs - b0908; b3192; b1321]
- b malcolmi** Riley & Godfrey, 1925; *Tajuria* OD: Entomologist 58:142, f [b3788] SS: *cippus* (Fabricius), 1798; *Tajuria* [TypeL - Hainan.] [Note - *Not spelled malcomi.*] [Refs - b4094; b2479; b2650 (as *malcomi*); b1454]
- e ab. malcolmi** (Gunder), 1927; *Philotes* OD: Can. Ent. 59(12):282, pl A, f 5 [b2099] SS: *intermedia* (Barnes & McDunnough), 1917; *Euphilotes* [Type: AMNH-hit] [TypeL - American River, Placer County, California.] [Refs - b0908; b3192; b1321]
- c malcomi** Johnston & Johnston, 1980, (ISS); *Tajuria* OD: Hong Kong Butterflies :188 [b2650] SS: *malcolmi* Riley & Godfrey, 1925; *Tajuria* [Refs - b2650]
- a malika** (Horsfield), [1829], 1828-1829; *Thecla* OD: Descr. Cat. lepid. Ins. (2):90 [b2457] CG: *Sinthusa* [TypeL - Java; Sumatra.] [Refs - b0964; b0965; b2747; b4094; b1564; b2201; b1454; b4598]
- a malina** (Hewitson), [1867], 1863-1878; *Thecla* OD: Ill. dium. Lep. Lycaenidae 1:88, 2:pl 34, f 69,70 [b2326] CG: *Rekoa* [Type: BMNH] [TypeL - Brazil.] [Refs - b0908; b2747; b0420; b3817]
- b malindangensis** Schröder & Treadaway, 1988; *Dodona* OD: Ent. Zeit. 98(24):360 [b3987] SS: *deodata* Hewitson, 1876; *Dodona* [Type: pc-hit; collection of Treadaway.] [TypeL - Mindanao, Philippines.] [Refs - b3987]
- b malis** (Godman), 1903; *Cremna* OD: Trans. ent. Soc. Lond. 51(4):530, pl 20, f 4 [b1972] SS: *beliana* (Bates), 1867; *Napaea* [Type: BMNH-hit] [TypeL - Colombia.] [Refs - b4474; b1456]
- a mallicollo** H. H. Druce, 1892; *Nacaduba* OD: Proc. zool. Soc. Lond. 1892(3):439, pl 27, f 18 [b1359] [Type: BMNH-hit] [TypeL - Mallicollo Island, New Hebrides.] [Refs - b4676; b1450; b4094; b4871 (as *mallicolo*); b2387; b2388]
- c mallicolo** Viette, 1950, (ISS); *Nacaduba* OD: Lépid. Rhop. Océanie fr. :54 [b4871] SS: *mallicollo* H. H. Druce, 1892; *Nacaduba* [Refs - b4871]
- c mallikrates** Sharp, [1914], (ISS); *Alloinus* OD: Zool. Rec 50(1913)(Ins.):336 [b4143] SS: *kallikrates* Fruhstorfer, 1913; *Alloinus* [Refs - b4143]
- a mallus** (Fruhstorfer), 1913; *Gerydus* OD: Z. wiss. Insektbiol 9(10):310 [b1851] CG: *Mileus* 1 [TypeL - Annam.] [Refs - b1546; b0965; b1840; b3610; b1571; b1552]
- b maloyensis** (Rühl), 1893; *Lycaena* OD: Soc. ent. 7(23):181 [b3902] SS: *orbitalus* (Prunner), 1798; *Polyommatus* (*Albulina*) [Refs - b2479]
- a malta** (Schaus), 1902; *Thecla* OD: Proc. U. S. natn. Mus. 24(1262):410 [b3948] CG: *Calystryma* [Type: USNM-hit; #5928] [TypeL - Peru.] [Note - *Johnson say the type is a lectotype, but gives no reference to its designation.*] [Refs - b0908; b1738; b2606]

- c *malu* Corbet, 1946; *Arhopala* OD: *Trans. R. ent. Soc. Lond.* 96(5):78 [b0960] SS: brooksiana Corbet, 1941; *Arhopala* a [Type: BMNH-ht] [TypeL - Mergui.] [Refs - b1644]
- a *maluti* Pringle, 1983; *Aloeides* OD: *Ent. Rec.* 95(9/10):173, f [b3647] [Type: pc-ht; collection of Pringle.] [TypeL - Lesotho.] [Refs - b3647]
- a *malvania* Hewitson, [1867], 1863-1878; *Thecla* OD: *Ill. dium. Lep. Lycaenidae* 1:95; 2:pl 38, f 106,107 [b2326] CG: *Thecla* (New World Eumacini) [Type: BMNH] [Refs - b0908; b2747]
- a *malvina* (Hewitson), [1867], 1863-1878; *Thecla* OD: *Ill. dium. Lep. Lycaenidae* 1:93; 2:pl 37, f 102,103 [b2326] CG: *Janthecla* [Type: BMNH] [TypeL - Rio de Janeiro, Brazil.] [Refs - b0908; b2747; b1453; b0125]
- b *mambarensis* (Rothschild & Jordan), 1907; *Abisara* OD: *Deut. ent. Zeit.* 1907:192 [b3887] SS: satraps (Grose-Smith), 1894; *Practaxila* [Refs - b1450; b3887; b4474; b1840]
- c *mamberana* (Sharp), [1918], (ISS); *Thysonotis* OD: *Zool. Rec.* 53(1916)(Ins.):171 [b4146] SS: mamberano (Joicey & Talbot), 1916; *Danis* [Refs - b4146]
- a *mamberano* (Joicey & Talbot), 1916; *Thysonotis* OD: *Ann. Mag. nat. Hist.* (8)17:82 [b2652] CG: *Danis* [Type: BMNH-ht] [TypeL - River Mamberano, North Dutch New Guinea.] [Refs - b2652; b4146 (as mamberana)]
- c *mamers* (Bergsträsser), [1779], 1778-1780; *Papilio* OD: *Nom. Ins.* 2:pl 43, f 6; 3:pl 59, f 1,2 [b0310] SS:alcon ([Denis & Schiffemüller]), 1775; *Maculinea* [Refs - b2747; b4865; b0236; b0400 (with arion?); b2794; b0471]
- a *mamertina* (Hewitson), [1869], 1863-1878; *Myrina* OD: *Ill. dium. Lep. Lycaenidae Suppl.*:2, pl 2, f 66,67 [b2326] CG: *Paruparo* [TypeL - Mindanao, Philippines.] [Refs - b4094; b2747; b2199; b4586; b1454]
- a *mamfe* Larsen, 1983; *Micropentila* OD: *Bull. Inst. fond. Afr. Noire* 45(A):155, f 3,4 [b2899] [Type: BMNH-ht] [TypeL - Near Mamfe, Ghana.] [Refs - b2899]
- a *mamilia* Hewitson, 1870; *Mesosemia* OD: *Trans. ent. Soc. Lond.* 18(2):160 [b2333] [TypeL - Ecuador.] [Refs - b2753; b4474; b1456]
- a *mammeae* (Sepp), [1855], 1828-1855; *Papilio* OD: *Surinaam. Vlinders* 3:248, pl 113 [b4116] CG: *Euselasia* [TypeL - Surinam.] [Refs - b2747; b4474]
- c *mamoris* (Comstock & Huntington), 1961, 1958-1964, (ISS); *Thecla* OD: *J. New York ent. Soc.* 69:162 [b0908] SS: marmoris (H H Druce), 1907; *Orcya* [Refs - b0908]
- b *manaos* Bryk, 1953; *Helicopsis* OD: *Ark. Zool.* (ns)5(1):123 [b0569] SS: cupido (Linnaeus), 1758; *Helicopsis* [Type: UZIU-ht] [TypeL - Surinam; Trinidad; Guiana.] [Refs - b0569]
- a *manata* Semper, 1887, 1886-1892; *Pratapa* OD: *In Semper, Reisen Philipp* (2)(5) 208 [b4110] [TypeL - Philippines.]
- c *f. manchurica* (Matsumura), 1939; *Lycaenopsis* OD: *Bull. Biogeogr. Soc. Japan* 9(20):358, f [b3105] SS: argiolus (Linnaeus), 1758; *Celastrina* [TypeL - Manchuria.]
- a *mancla* Hewitson, 1870; *Mesosemia* OD: *Trans. ent. Soc. Lond.* 18(2):159 [b2333] [TypeL - Ecuador.] [Refs - b2753; b4474; b1456]
- a *manco* Saunders, [1859]; *Necyria* OD: *Trans. ent. Soc. Lond.* (2)5(9):107, pl 11, f 16 [b3939] [TypeL - New Granada.] [Refs - b2988; b2747; b4474; b3939; b1456]
- a *mandana* (Cramer), [1780], 1775-1790; *Papilio* OD: *Uit Kapellen* 3(23):142, pl 271, f E [b1069] CG: *Erness* [TypeL - America mer. pars sept.] [Refs - b2988; b2719; b2747; b4475; b0569; b3814; b1456]
- b *mandara* (Doherty), 1886; *Thecla* OD: *J. asiat. Soc. Bengal, Pt II* 55(2):130 [b1298] SS: bieti (Oberthür), 1886; *Esakiozephyrus* [TypeL - Himalaya.] [Refs - b1636; b1153; b4094; b4214; b4200; b3296; b0694]
- a *mandarinus* (Hewitson), [1863], 1863-1878; *Myrina* OD: *Ill. dium. Lep. Lycaenidae* 1:28; 2:pl 28, f 6,7 [b2326] CG: *Charana* [TypeL - Mont. Kasiyae] [Type of - *Charana*] [Refs - b1636; b0964; b2280; b0965; b4094; b2747; b2201; b1850; b1454; b0694]
- e *mandei* Seitz, [1926], 1912-1927, (ISS); *Deudorix* OD: *In Seitz, Grossschmett. Erde* 9:1019 [b4094] SS: maudei Joicey & Talbot, 1916; *Deudorix* [Refs - b4094]
- b *mandersi* (Elwes), 1890; *Chrysophanus* OD: *In Trans. ent. Soc. Lond.* 38(3):531 [b1593] SS: useng (Oberthür), 1886; *Helleia* B [TypeL - Bansan, Shan States, India.] [Refs - b1636; b0694]
- a *mandersi* (H. H. Druce), 1907; *Nacaduba* OD: *Ann. Mag. nat. Hist.* (7)20:219, pl 39, f 5,5a [b1374] CG: *Leptotes* (Cyclynius) [TypeL - Mauritius.] [Refs - b1452; b4400; b3054]
- e *ab. mandersi* Graves, 1918; *Chilades* OD: *Entomologist* 51:97 [b2008] SS: trochylus (Freyer), 1845; *Chilades* (Freyeria) [Refs - b0236; b0471]
- e *mandli* Seitz, [1926], 1912-1927, (ISS); *Deudorix* OD: *In Seitz, Grossschmett. Erde* 9:1000 [b4094] SS: maudei Joicey & Talbot, 1916; *Deudorix* [Refs - b4094]
- b *mandosa* (H. H. Druce), 1904; *Charis* OD: *Proc. zool. Soc. Lond.* 1904(1)(2):486, pl 34, f 6 [b1370] SS: arbuscula (Möschler), 1883; *Stichelia* [TypeL - Rio de Janeiro, Brazil.] [Refs - b1370; b4474; b1456]
- a *mandschurica* (Staudinger), 1892; *Lycaena* OD: *In Romanoff, Mém. Léop.* 6:190 [b4335] CG: *Plebejus* (*Aricia*) [Refs - b2479; b4092]
- c *mandzhuriana* (Obraztsov), 1935; *Lycaena* OD: *Folia zool. hydrobiol.* 8:148 [b3467] SS: allous (Geyer), [1836]; *Plebejus* (*Aricia*) [TypeL - Pograniitshnaja.] [Refs - b2827; b0073; b3467]
- a *manca* (Hewitson), [1863], 1863-1878; *Deudorix* OD: *Ill. dium. Lep. Lycaenidae* 1:23; 2:pl 10, f 40-41 [b2326] CG: *Rapala* [TypeL - Celebes.] [Refs - b0964; b0965; b2747; b4094; b2479; b1454; b0694]
- a *mancia* (Hewitson), [1863], 1863-1878; *Myrina* OD: *Ill. dium. Lep. Lycaenidae* 1:29; 2:pl 12, f 14-15 [b2326] CG: *Drina* [TypeL - Singapore.] [Refs - b0964; b1636; b0965; b4094; b2747; b1454; b0694; b4108]
- b *manengoubensis* Libert, 1993; *Uranotauma* OD: *Bull. Soc. ent. Fr.* 97(4):321-332 [b2990] SS: fredenckae Libert, 1993; *Uranotauma* [TypeL - Cameroun.]
- b *mangalisae* Kielland, 1986; *Harpenderyeus* OD: *Lambillionea* 86(11/12):147, f [b2735] SS: manungensis (Joicey & Talbot), 1924; *Harpenderyeus* [TypeL - Tanzania.] [Refs - b0120]
- b *mangoensis* (Butler), 1884; *Lycaena* OD: *Ann. Mag. nat. Hist.* (5)13:347 [b0630] SS: ouis (Fabricius), 1787; *Zizina* [TypeL - Fiji.] [Refs - b1450]
- b *mangolicus* (Fruhstorfer), 1913; *Gerydus* OD: *Z. wiss. Insektbiol.* 9(9):245 [b1851] SS: leos (Guérin-Méneville), [1831]; *Miletus* 4 [TypeL - Sula Mangoli.] [Refs - b1546; b1840]
- b *mangolina* Fruhstorfer, [1912]; *Iraota* OD: *Berl. ent. Z.* 56(3/4):272 [b1850] SS: rochana (Horsfield), [1829]; *Iraota* [TypeL - Sula Mangoli.] [Refs - b4094; b2479; b1850; b1454; b4104]
- c *mani* (Seitz), [1924], 1912-1927, (ISS); *Chrysophanus* OD: *In Seitz, Grossschmett. Erde* 9:932 [b4094] SS: mau (Fereday), [1877]; *Helleia* [Refs - b4094]

- a mania** Godman & Salvin, 1897; Theope OD: Trans. ent. Soc. Lond. 45(2):247 [b1981] [TypeL - Mexico.] [Refs - b4475; b1456]
- b maniana** (H. H. Druce), 1891; Nacaduba OD: Proc. zool. Soc. Lond. 1891(3):361, pl 31, f 9 [b1358] SS: ancyrus (C. Felder), 1860; Catopyrops [Type: BMNH-ht] [TypeL - Ulaua Island, Solomon Islands.] [Refs - b4676; b1450; b4094; b1358]
- b manias** (Fruhstorfer), 1915; Lampides OD: Arch. Naturgesch. (A)81(6):7 [b1865] SS: cleodus (Felder & Felder), 1865; Jamides [TypeL - Mindanao, Philippines.] [Refs - b4094; b1865; b1454]
- c manicoensis** Le Mout, 1939, 1939-1940; Helicopsis OD: Novit. ent. (11):87, f 14 [b2943] SS: gnidus (Fabricius), 1787; Helicopsis [Type: AME-ht] [TypeL - Peru.] [Refs - b3199]
- a manicoensis** Callaghan, 1985; Nymphidium OD: Bull. Allyn Mus. (98):15, f [b0679] [Type: MNRJ-ht] [TypeL - Manicore, Amazonas, Brazil.] [Refs - b0119; b1456]
- b manilana** (Felder & Felder), 1862; Myrina OD: Wien. ent. Monats. 6(9):290 [b1688] SS: vivama (Horsfield), [1829]; Surendra [TypeL - Philippines.] [Refs - b2747; b0696; b0694]
- c manilana** (Toxopeus), 1930; Lampides OD: De soote als Functie :140 [b4702] SS: dromicus (Fruhstorfer), 1910; Jamides [TypeL - Philippines.] [Refs - b4702]
- a manilla** Fruhstorfer, [1912]; Poritia OD: Berl. ent. Z. 56(3/4):200 [b1850] [TypeL - Mt. Battak, N. Sumatra.] [Refs - b0965; b4094; b1564; b1850; b1454; b4594; b1878 (as a new name); b3520]
- b manillus** Fruhstorfer, [1912]; Loxura OD: Berl. ent. Z. 56(3/4):223 [b1850] SS: atymnus (Stoll), [1780]; Loxura [TypeL - Lombok.] [Refs - b4094; b1850; b4592; b4604]
- b manilus** (Stichel), 1910; Nymula OD: Berl. ent. Z. 55(1/2):66 [b4445] SS: calyce (Felder & Felder), 1861; Synargis [Type: pc-st; collection of Stichel] [TypeL - Surinam; British Guyana.] [Note - Described as a subspecies of brennus.] [Refs - b4445]
- c manleyi** (de Lesse), 1962; Lysandra OD: Revue fr. Ent. 29(4):313 [b1128] SS: asturiensis (de Sagarra y Castellamau), 1924; Poliommatas (Lysandra) [TypeL - Spain.] [Refs - b3059; b0108; b4027; b4038]
- e manlueta** (Seitz), [1927], 1912-1927, (ISS); Castalius OD: In Seitz, Grossschm. Erde 9:1019 [b4094] SS: manluena (C. Felder), 1862, Calca [Refs - b4094]
- b manluena** (C. Felder), 1862; Lycaena OD: Verh. zool.-bot. Ges. Wien 12 484 [b1677] SS: roxus (Godart), [1824]; Calca [TypeL - Kundul.] [Refs - b1636; b2747; b4094 (as manlueta); b1840, b1454, b0694]
- a manobo** Schröder & Treadaway, 1978; Derramas OD: Ent. Zeit. 88(16)174, f 1 [b3976] [Type: pc-ht; collection of Treadaway.] [TypeL - Mount Apo, Mindanao, Philippines.] [Refs - b2200, b3976, b1454, b4588]
- e ab manoi** (Numura), 1941, Lycaena OD: Zephyrus 9(1):6-13 [b3402] SS: usulans (Leach), [1893]; Plebejus [TypeL - Japan.] [Refs - b0082, b3402]
- a manokwariensis** (Lucey & Noakes & Talbot), [1916]; Cyaniris OD: Trans. ent. Soc. Lond. 63(3/4):372, pl 60, f 6 [b2651] CG: Udara (Pensaga) [Type: BMNH-ht] [TypeL - 'Vogelkop', Irian Jaya, New Guinea.] [Refs - b1450; b1561; b1840; b0111; b1580; b2651]
- a manovus** (Fruhstorfer), 1918; Castalius OD: Tijdschr. Ent. 61:34 [b1884] CG: Calca [TypeL - Kina Balu, N. Borneo.] [Refs - b1840; b1454; b4602; b2390; b2388; b4108]
- c mansaka** Okano & Okano, 1990, (ISS); Pseudotajuna OD: Rhopalocera Philippina (2):4 [b3487] SS: masaru Osada, 1987; Pseudotajuna [Refs - b3487]
- b mansfieldi** Tilden, 1951; Mitoura OD: Bull. S. Calif. Acad. Sci. 50(2):96, pl 33 [b4654] SS: siva (Edwards), 1874; Mitoura [Type: LACM-ht] [TypeL - 7 miles west of Summler, San Luis Obispo County, California.] [Refs - b0908; b3192; b1321; b2585; b4182]
- b mansuela** Eliot & Kawazoé, 1983; Udara OD: Butts Lycaenopsis group :113 [b1580] SS: camenae (de Nicéville), 1895; Udara (Udara) [Type: BMNH-ht] [TypeL - Mansuela, central Ceram, Serang.] [Refs - b1580]
- a mantica** H. H. Druce, 1907; Thecla OD: Proc. zool. Soc. Lond. 1907(3):616, pl 36, f 16,17 [b1375] CG: Thecla (New World Eumacini) [Type: pc; Godman collection.] [TypeL - Chapada Campo, Brazil.] [Refs - b0908; b1375; b0559]
- a mantinea** (Felder & Felder), 1861; Symmachia OD: Wien. ent. Monats. 5(4):99 [b1684] CG: Caria [TypeL - Ecuador.] [Refs - b2988; b2747; b4474; b4950; b1456]
- b manto** (Grose-Smith & Kirby), 1896, 1887-1902; Thysonotis OD: Rhop. exot. 2(36):42, pl 8, f 11,12 [b2049] SS: cyanea (Cramer), [1775]; Nacaduba [TypeL - New Guinea.] [Refs - b1450; b2078]
- a mantra** (Felder & Felder), 1860; Pseudolycaena OD: Wien. ent. Monats. 4(12):396 [b1683] CG: Tajuria [TypeL - Malay Peninsula.] [Refs - b0964; b1636; b0965; b2747; b4094; b2201; b1850; b1454; b0694; b4108]
- a mantus** (Cramer), [1775], 1775-1790; Papilio OD: Util. Kapellen 1(4):74, pl 47, f F,G [b1069] CG: Nymphidium [TypeL - America mer.] [Refs - b2988; b2747; b4476; b0680; b0119; b1456]
- b manusi** (Rothschild), 1915; Syntarucus OD: Novit. zool. 22:390 [b3879] SS: plinius (Fabricius), 1793; Leptotes [TypeL - Admiralty Island.] [Refs - b1450; b4992; b4108]
- b manusi** (Rothschild), 1915; Thysonotis OD: Novit. zool. 22:394 [b3879] SS: caelius (Felder & Felder), 1860; Psychonotis [Refs - b1450; b4992; b1882]
- c manychus** Fruhstorfer, 1913; Allotinus OD: Z. wiss. Insektenbiol. 9(11):342 [b1851] SS: subviolaceus Felder & Felder, 1865; Allotinus [Type: BMNH-ht; designated by Eliot, 1986] [Bull. Br. Mus. nat. Hist. (Ent.) 53(1):14 [b1571]] [TypeL - Myanmar, Burma.] [Refs - b1636; b1840; b1571; b0694; b4108]
- a mapongua** (Holland), 1893; Durbania OD: Ent. News 4(1):25 [b2427] CG: Eresiomera [TypeL - W. Africa.] [Refs - b4400]
- a maputi** (Semper), 1889, 1886-1892; Chilades OD: In Semper, Reisen Philipp. (2)(5):170, pl 32, f 26 [b4110] CG: Prosotas [TypeL - E. Mindanao, Philippines.] [Refs - b4676, b1454; ns4605]
- b maputi** (Takanami), 1984; Narathura OD: Tokurana (Acta Rhopalocera) (6/7):51, pl 2, f 1,2 [b4587] SS: chamaeleona Bethune-Baker, 1903; Arhopala g [Type: pc-ht; collection of Takanami.] [TypeL - Marinduque, Luzon, Philippines.] [Note - Described as a subspecies of mizunumai.] [Refs - b0117; b4590; b4587; b3414]
- b mara** Fruhstorfer, [1904]; Stiboges OD: Berl. ent. Z. 48(4):292 [b1817] SS: nymphidia Butler, 1876; Stiboges [Refs - b4474; b1454 (as mara); b1817; b1840]
- b mara** Talbot, 1935; Epiola OD: Ent. mon. Mag. 71:75 [b4623] SS: staudingeri Kirby, 1890; Epiola [TypeL - Uganda.] [Refs - b3842; b1452 (as good species); b4623; b4400]
- c maracandica** (Erschoff), 1874; Lycaena OD: Mém. Soc. amis Sci. nat. Moscou 11(2):10 [b1612] SS: argyrognomon (Bergsträsser), [1779]; Plebejus (Lycacides) [Type: ZMMU] [TypeL - Maracanda.] [Refs - b2747; b3363; b0127; b4092]

- a maraches** H. H. Druce, 1912; *Thecla* OD: Ent. mon. Mag. 48:130, pl 10, f 2 [b1380] CG: *Thecla* (New World *Eumacini*) [Type: pc; Druce collection.] [TypeL - Banos, Río Pastaza, (East) Ecuador.] [Refs - b0908]
- c marakata** (de Nicéville), 1890; *Lampides* OD: Butts India Burmah Ceylon 3:174 [b1153] SS: *abdul* (Distant), 1886; *Jamides* [TypeL - Perak, Malay Peninsula.] [Refs - b0964; b0965; b4602]
- c marakata** Corbet, 1940; *Poniua* OD: Trans. R. ent. Soc. Lond. 90(11):341 [b0950] SS: *hewitsoni* Moore, [1866]; *Poniua* [Type: BMNH-ht] [TypeL - Malay Peninsula.] [Refs - b1543; b0950]
- b maranda** Corbet, 1941; *Arhopala* OD: Proc. R. ent. Soc. Lond. (B)10(9):155 [b0956] SS: *muta* (Hewitson), 1862; *Arhopala b* [Type: BMNH-ht] [TypeL - Malaya.] [Refs - b1644; b0956]
- b maraschi** (Forster), 1956; *Agrodiaetus* OD: Z. wien. ent. Ges. 41:57 [b1769] SS: *damone* (Eversmann), 1841; *Polyommatus* (*Agrodiaetus*) [TypeL - Syria.] [Note - *Koçak considers this a good species.*] [Refs - b2794 (as good species); b2789 (as good species)]
- c marata** (Corbet), 1936; *Celastrina* OD: Proc. R. ent. Soc. Lond. (B)5:186 [b0933] SS: *marginata* (de Nicéville), [1884]; *Celatoxia* [Type: biblio; replacement name for *marginata* Moore, 1884.] [Refs - b1580; b3910; ns4181 (as ssp of *cama*)]
- a marathon** (Felder & Felder), 1865, 1865-1875; *Oreas* OD: Reise Novara (2):305, pl 38, f 23,24 [b1692] CG: *Melanis* [TypeL - New Granada.] [Type of - *Oreas*, *Rusalkia*] [Refs - b2280; b2988; b2747; b1456]
- a maravalica** (Seitz), [1917], 1910-1924; *Nymphidium* OD: In Seitz, Grossschmett. Erde 5:711, pl 139h,i [b4093] CG: *Synargis* [Type: BMNH-sl] [TypeL - Trinidad.] [Refs - b4475; b1456]
- b marchandii** (Boisduval), 1834; *Argus* OD: Revue ent. Silbermann 2:121, pl 27, f 1-2 [b0460] SS: *melanops* (Boisduval), [1828]; *Apelles* [Type: BMNH-ht] [TypeL - Mont Serrat, nr Barcelona, Spain.] [Refs - b3059; b4092; b2239]
- b marchica** (Hannemann), 1928; *Chrysophanus* OD: Int. ent. Z. 22(22):210 [b2132] SS: *helle* ((Denis & Schiffmüller), 1775; *Helleia A* [TypeL - Berlin, Germany.] [Refs - b3166; b0236; b0389; b3164; b0471]
- c marcia** (Fawcett), 1904; *Lycaena* OD: Proc. zool. Soc. Lond 1904(II):139, pl 9, f 7 [b1673] SS: *asialis* (de Nicéville), 1895; *Niphanda* [TypeL - Tounghoo.] [Note - *The type is lost, and Eliot considers it a nomen dubium which should not be used.*] [Refs - b1636; b0965; b1568; b1454; b1840; b0694; b1544]
- a marciana** (Hewitson), [1863], 1863-1878; *Myrina* OD: Ill. dium. Lep. Lycaenidae 1:34; 2:pl 12, f 12,13; pl 16, f 44 [b2326] CG: *Thamala* [TypeL - Sumatra; Borneo.] [Refs - b0964; b1636; b0965; b4094; b2747; b1454; b0694; b4108]
- b marcida** (Lederer), 1872; *Lycaena* OD: Horae Soc. ent. ross. 8:10, pl 1, f 6-8 [b2957] SS: *daphnis* ((Denis & Schiffmüller), 1775; *Polyommatus* (*Meleageria*) [TypeL - Iran.] [Note - *Bálint thinks this is a good species.*] [Refs - b2747; b0993; b2827; ns3861; b4092; b1455]
- b marcida** Süchel, 1919; *Euselasia* OD: Deut. ent. Zeit 1919:296 [b4454] SS: *fabia* (Godman), 1903; *Euselasia* [Type: pc-ht; collection of Süchel] [TypeL - Macas, Ecuador.] [Refs - b4474; b4454]
- a marcidus** (Riley), 1921; *Strymon* OD: Ann. Mag. nat. Hist. (9)8:600 [b3747] CG: *Satynium* [Type: BMNH-ht] [TypeL - Harir, Iran.] [Refs - b0236; b2794; b0471; b2789; b1455]
- e ab. marculi** (Vicol), 1977; *Aricia* OD: Bull. Soc. ent. Mulhouse 1977(Oct/Dec):55 [b4870] SS: *agestus* ((Denis & Schiffmüller), 1775; *Plebejus* (*Aricia*) [Refs - b0109]
- a marcusa** Johnson & Eisele & MacPherson, 1993; *Necmitoura* OD: Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (39):10, f [b2626] [Type: AMNH-ht] [TypeL - Tomegú, Colombia.] [Type of - *Necmitoura*] [Refs - b2626]
- b mardinus** van Oorschot & van den Brink & van Oorschot, 1985; *Satyrrium* OD: Ent. Ber. 45(10):146, f [b4800] SS: *marcidus* (Riley), 1921; *Satyrrium* [TypeL - Turkey.] [Refs - b0119; b1455]
- b mareoticus** Graves, 1918; *Tomares* OD: Entomologist 51:97, pl 1, f 1,2 [b2008] SS: *ballus* (Fabricius), 1787; *Tomares* [TypeL - Egypt.] [Refs - b0236; b0471; b4147 (as *mareoticus*); b2008]
- e mareoticus** Sharp, [1920], (ISS); *Tomares* OD: Zool. Rec. 55(1918)(Ins.):156 [b4147] SS: *mareoticus* Graves, 1918; *Tomares* [Refs - b4147]
- b margala** Fruhstorfer, [1912]; *Sinthusia* OD: Berl. ent. Z. 56(3/4):228 [b1850] SS: *chandrana* (Moore), 1882; *Sinthusia* [TypeL - Annam.] [Refs - b4094; b1850]
- c margarelon** (Fruhstorfer), [1922], 1909-1923; *Lycaenopsis* OD: In Seitz, Grossschmett. Erde 9:866 [b1840] SS: *briga* (Fruhstorfer), [1917]; *Udara* (*Udara*) [Type: ZSBS-lt; designated by Eliot & Kawazoé, 1983] [Buus *Lycaenopsis* group :104 [b1580]] [TypeL - Sumatra.] [Refs - b0964; b0965; b1840; b1580]
- b margaretæ** (dos Passos), 1943; *Incisalia* OD: Amer. Mus. Novit. (1230):4 [b1317] SS: *henrici* (Grote & Robinson), 1867; *Deciduphagus* [Type: AMNH-ht] [TypeL - Deland, Florida.] [Refs - b0908; b3192; b1321; b4066]
- a margaretæ** Tite & Dickson, 1968; *Aloeides* OD: Bull. Br. Mus. nat. Hist. (Ent.) 21(7):386, pl 4 [b4684] [Type: BMNH-ht] [TypeL - South of Lambert's Bay, Cape Province, S. Africa.] [Refs - b4684; b1259; b1452]
- a margaretæ** Clench, 1975; *Hypostrymon* OD: Bull. Allyn Mus. (25):6 [b0849] [Type: CM-ht] [TypeL - Sinaloa, Mazatlan, Mexico.] [Refs - b0849; b0528; b0107]
- c margaretha** Krüger, 1928; *Symmachia* OD: Ent. Zeit. 41(22):442 [b2842] SS: *balluca* Süchel, 1924; *Symmachia* [Type: BMNH-ht] [TypeL - Colombia.] [Refs - b4474; b1456]
- a margaretta** (White), 1843; *Agathina* OD: Zoologist 1:28, f [b4996] CG: *Mesene* [TypeL - Honduras; New Granada.] [Type of - *Agathina*] [Refs - b2280; b2747; b4474; b2988; b1453; b4950, b1116; b1456]
- c margarita** (Felder & Felder), 1865, 1865-1875; *Neris* OD: Reise Novara (2):310 [b1692] SS: *zephyntus* (Dalman), 1823; *Stalachus* [Refs - b2747; b4476]
- a margarita** (Semper), [1879]; *Holochila* OD: J. Mus. Godeffroy 5(2)(14):161 [b4109] CG: *Candalides* [Type: BMNH-ht] [TypeL - Bowen, Australia.] [Refs - b4677; b1450; b2078; b3550; b0870, b4934]
- b margarita** (Martin), 1895; *Lampides* OD: Tagsschmett. Nord-Sumatra :9 [b3072] SS: *cyta* (Boisduval), 1832; *Jamides* [TypeL - Sumatra.] [Refs - b1865; b1454; b4094]
- a margarita** (Suffert), 1904; *Liptena* OD: Deut. ent. Zeit. [Iris] 17:51 [b4535] CG: *Falcuna* [Type: ZMHU-ht] [TypeL - Cameroons.] [Refs - b1452; b4421; b4400]
- c f. margarita** (Ribbe), 1910, 1909-1912; *Lycaena* OD: Deut. ent. Zeit. [Iris] 23(1/2):201 [b3741] SS: *albicans* (Gerhard), 1851; *Polyommatus* (*Lysandra*) [Refs - b0236; b0471]
- a margarita** (Draudt), [1920], 1917-1924; *Thecla* OD: In Seitz, Grossschmett. Erde 5:793, pl 157-i [b1348] CG: *Hypostrymon* [TypeL - Río Songo, (West) Bolivia.] [Refs - b0908; b2631]

- c** *margaritacea* Draudt, [1919], 1917-1924; *Thecla* OD: In Seitz, *Grossschmett. Erde* 5:755, pl 153-b [b1348] SS: *danaus* (Felder & Felder), 1865; *Thecla* (New World Eumacini) [Type: NMB; Fassle collection.] [TypeL - Muzo, Colombia.] [Refs - b0908]
- a** *margaritacea* Eltringham, 1929; *Alaena* OD: In *Trans. ent. Soc. Lond.* 77(2):492 [b1587] [TypeL - Nr Haenertsbury, NE Transvaal, South Africa.] [Refs - b1259; b1452; b4400; b2295]
- a** *margaritaceus* (E. Sharpe), [1892]; *Castalius* OD: *Proc. zool. Soc. Lond.* 1891(4):636, pl 48, f 3 [b4154] CG: *Tuxentius* [TypeL - E. Africa.] [Refs - b1452; b2898; b4400; b0162]
- c** *Q.f. margaritae* Hemming, 1929; *Polyommatus* OD: *Proc. ent. Soc. Lond.* 4(1):4 [b2238] SS: *lockharti* Hemming, 1929; *Polyommatus* (Plebejidea) [TypeL - Transjordan.] [Refs - b0236; b0471]
- a** *margelanica* (Staudinger), 1881; *Polyommatus* OD: *Stett. ent. Ztg* 42:282 [b4328] CG: *Phoenicurusia* [Type: ZMHU-lt; designated by Nekrutenko, 1984] [Vestnik Zoologii 1984(6):44 [b3365]] [Type of - *Phoenicurusia*] [Refs - b2827; b3371; b3365; b4092]
- a** *marginalis* Kirby, 1887; *Citrinophila* OD: *Ann. Mag. nat. Hist.* (5)19:368 [b2763] [TypeL - W. Africa.] [Type of - *Citrinophila*] [Refs - b2280; b2907; b1452; b0836; b4400]
- c** *marginalis* Kirby, 1890; *Aslauga* OD: *Ann. Mag. nat. Hist.* (6)6:261 [b2766] SS: *vinga* (Hewitson), 1875; *Aslauga* [TypeL - Sierra Leone.] [Refs - b0836; b2766; b4400]
- c** *f. marginalis* (Skinner), 1920; *Lemonias* OD: *Ent. News* 31(6):175 [b4242] SS: *palmerii* (Edwards), 1870; *Apodemia* [Type: CM-st] [Refs - b4475; b3192; b1743; b1321]
- b** *marginalis* (Riley), 1921; *Aphnaeus* OD: *Ann. Mag. nat. Hist.* (9)8:598 [b3747] SS: *epargyros* (Eversmann), 1854; *Aphnaeus* [Type: BMNH-st] [TypeL - Patiak, N. W. Persia.] [Refs - b0236; b0471; b3747]
- a** *marginalis* (Aurivillius), [1924], 1908-1925; *Cupido* OD: In Seitz, *Grossschmett. Erde* 13:470 [b0162] CG: *Leptotes* [TypeL - Ruwenzori.] [Refs - b1943; b1452; b4400]
- c** *marginaria* Talbot, 1937; *Aslauga* OD: *Trans. R. ent. Soc. Lond.* 86(4):61, f [b4625] SS: *marshalli* Butler, [1899]; *Aslauga* [Type: UMO-ht] [TypeL - Lamogi Camp, Gulu District, Uganda.] [Refs - b1610 (5949-E12); b0970; b1452; b4400; b4625]
- c** *marginata* (Plötz), 1880; *Deloneura* OD: *Stett. ent. Ztg* 41:204 [b3622] SS: *vinga* (Hewitson), 1875; *Aslauga* [TypeL - W. Africa.] [Refs - b0836; b4400]
- c** *marginata* (Edwards), 1883; *Lycæna* OD: *Papilio* 3(5/6):87 [b1521] SS: *lucia* (Kirby), 1837; *Celastrina* [Type: CM-lt; designated by Clench, 1970] [In *Trans. amer. ent. Soc.* 96:423 [b0844]] [TypeL - Orono, Maine. Restnced by Clench, 1970.] [Refs - b0908; b3192; b1580; b0236; b3192; b1743; b1321]
- a** *marginata* (de Nicéville), [1884]; *Cyaniris* OD: *J. asiat. Soc. Bengal, Pt II* 52(2/4):70, pl 1, f 9 [b1145] CG: *Celaetoxia* [Type: ZSI-ht] [TypeL - Sikkim and Darjiling, India.] [Refs - b1636; b1153; b1840; b1580; b3055]
- d** *marginata* (Moore), [1884], (H); *Cyaniris* OD: *Proc. zool. Soc. Lond.* 1883(4):523, pl 48, f 6 [b3235] OS: *marata* (Corbet), 1936; *Celaetoxia* [Type: BMNH-lt; designated by Eliot & Kawazoe, 1983] [TypeL - Nepal.] [Refs - b4198; b1580; b3235]
- d** *marginata* (Poujade), 1885, (H); *Lycæna* OD: *Bull. Soc. ent. Fr.* (6)4:cli [b3629] SS: *maha* (Kollar), [1844]. *Pseudozizeeria* [TypeL - Mou-pin.] [Refs - b0995; b2479; b4092]
- a** *marginata* Kirby, 1887; *Epitola* OD: *Ann. Mag. nat. Hist.* (5)19:443 [b2764] [Type: BMNH-ht] [TypeL - Cameroons.] [Refs - b3842; b1452; b4400; b2655]
- a** *marginata* (Grose-Smith), 1894; *Holochila* OD: *Novit. zool.* 1:579 [b2037] CG: *Philiris* [Type: BMNH-ht] [TypeL - Humboldt Bay, New Guinea.] [Refs - b4677; b1450; b2078; b3835]
- e** *marginata* (Tutt), 1896; *Lysandra* OD: *Brit. Butis* :167 [b4758] SS: *coridon* (Poda von Neuhaus), 1761; *Polyommatus* (*Lysandra*) [Refs - b4092]
- e** *ab. marginata* (Tutt), 1896; *Lysandra* OD: *Brit. Butis* :170 [b4758] SS: *bellargus* (Rottemburg), 1775; *Polyommatus* (*Lysandra*) [Refs - b0236]
- e** *ab. marginata* (Le Chamberlain), 1908; *Lycæna* OD: *Entomologist* 41:202 [b2940] SS: *arion* (Linnaeus), 1758; *Maculinea* [Refs - b0400; b0236; b2940]
- b** *marginata* Seitz, [1917], 1910-1924; *Barbicomis* OD: In Seitz, *Grossschmett. Erde* 5:664, pl 132b [b4093] SS: *basilis* Godart, [1824]; *Barbicomis* [TypeL - Brazil.] [Refs - b0111; b4474; b1453; b3717; b1456]
- b** *marginata* (Hulstaert), 1924; *Lycænesthes* OD: *Revue zool. afr.* 12(2):182 [b2496] SS: *crawshayi* (Butler), 1899; *Anthene* [TypeL - Belgian Congo.] [Refs - b3796; b1452; b2496; b4400]
- b** *marginata* Lathy, 1926; *Euselasia* OD: *Entomologist* 59:144 [b2919] SS: *auranúaca* (Salvin & Godman), 1868; *Euselasia* [TypeL - Venezuela.] [Refs - b4474]
- c** *marginata* Sonan, 1926; *Phengaris* OD: *Trans. nat. Hist. Soc. Formosa* 16:182 [b4274] SS: *daitozana* Wileman, 1908; *Phengaris* [TypeL - Formosa.] [Check - *Infrasubspecific.*] [Refs - b4198; b0236]
- e** *marginata* (Seitz), [1927], 1912-1927, (ISS); *Lampides* OD: In Seitz, *Grossschmett. Erde* 9:1019 [b4094] SS: *margarita* (Martin), 1895; *Jamides* [Refs - b4094]
- a** *marginata* (Stempffer), 1962; *Deudorix* OD: *Bull. Inst. franc. Afr. Noire* 24(A):1157, f 40-43 [b4395] CG: *Hypokopelates* [Type: BMNH-ht] [TypeL - Mambili Forest, Ouessou, Congo.] [Refs - b1452; b4395; b4400]
- b** *marginata* Titc, 1963; *Prosotas* OD: *Bull. Br. Mus. nat. Hist. (Ent.)* 13(4):94, pl 1, f 16-17 [b4676] SS: *pia* *Toxopeus*, 1929; *Prosotas* [Type: BMNH-ht] [TypeL - Kirban, Naga Hills, Assam.] [Refs - b4676; b1454]
- c** *marginatus* (Retzius), 1783; *Papilio* OD: *Gen. Spec. Ins.* :30 [b3724] SS: *argiolus* (Linnaeus), 1758; *Celastrina* [TypeL - Sweden.] [Refs - b2747; b1580]
- a** *marginatus* (Howarth), 1957; *Neozephyrus* OD: *Bull. Br. Mus. nat. Hist. (Ent.)* 5(6):248, f 10, 53,63 [b2463] CG: *Chrysozephyrus* [Type: BMNH-ht] [TypeL - Mo-Sy Mien (Szechwan), China.] [Refs - b4200; b3296; b2463]
- c** *f. marginedistincta* Lempke, 1955; *Maculinea* OD: *Tijdschr. Ent.* 98:294 [b2982] SS: *alcon* ((Denis & Schiffermüller), 1775, *Maculinea* [Refs - b0089; b0400]
- c** *ab. marginelineata* Hackray, 1946; *Polyommatus* OD: *Lambillionea* 46(2/3):18 [b2109] SS: *icarus* (Rottemburg), 1775; *Polyommatus* [TypeL - Belgium.] [Refs - b0080, b2109]
- c** *ab. marginemaculata* (Schwingenschuss), 1939; *Lycæna* OD: *Ent. Zeit.* 53(11):87 [b4056] SS: *posthumus* (Christoph), 1877; *Polyommatus* (*Agrodiaetus*) [TypeL - Iran] [Refs - b0077]
- c** *f. marginemaculata* Lempke, 1955; *Maculinea* OD: *Tijdschr. Ent.* 98:293 [b2982] SS: *alcon* ((Denis & Schiffermüller), 1775, *Maculinea* [Refs - b0089; b0400]
- c** *marginepunctata* Gillmer, 1904; *Maculinea* OD: *Soc. ent.* 18(23)179 [b1955] SS: *alcon* ((Denis & Schiffermüller), 1775, *Maculinea* [Refs - b0993; b4092]
- c** *f. margineducta* Lempke, 1955; *Maculinea* OD: *Tijdschr. Ent.* 98:290 [b2982] SS: *telcius* (Bergsträsser), [1779]; *Maculinea* [Refs - b0089]

- c *ab. marginipunctata* (Tuu), 1909, 1905-1914; Plebeius OD: Nat. Hist. Brit. Butts 3:174 [b4760] SS: argus (Linnaeus), 1758; Plebejus [Refs - b0236; b0471]
- a *margites* (Mabille), 1899; Hypolycaena OD: Bull. Mus. Hist. nat. Paris 5:375 [b3049] CG: Hemiolaus [Type: BMNH-ht] [TypeL - Madagascar.] [Refs - b1452; b4400; b2920]
- b *margueritae* Dickson, 1982, 1981-1982; Poecilmius OD: Ent. Rec. 94(4):41-44 [b1264] SS: palmus (Stoll), [1781]; Poecilmius [TypeL - Cape Province, S. Africa.] [Refs - b1610 (8837-213)]
- b *maria* (Butler), 1877; Mesosemia OD: Trans. ent. Soc. Lond. 25(2):128 [b0607] SS: capanea (Cramer), [1779]; Semomesia [TypeL - Rio Trombetas] [Refs - b4474; b0607]
- b *maria* (Suffert), 1904; Stugeta OD: Deut. ent. Zeit. [Iris] 17:60 [b4535] SS: bowkeri Trimen, 1864; lolaus (Stugeta) [TypeL - Angola.] [Refs - b1452; b4400]
- b *maria* Bethune-Baker, 1908; Candalides OD: Proc. zool. Soc. Lond. 1908(1):120 [b0340] SS: margarita (Semper), [1879]; Candalides [Type: BMNH-ht] [TypeL - Aroa River, New Guinea.] [Refs - b4677; b1450; b2078]
- a *maria* Clench, [1972]; Lasaia OD: J. Res. Lep. 10(2):164, f 3,12-15 [b0846] [Type: CM-ht] [TypeL - Ajijic, Jalisco, Mexico.] [Refs - b0528; b0846; b1456]
- a *maria* Johnson & MacPherson & Ingraham, 1986; Noreena OD: Bull. Allyn Mus. (102):2, f 1,2 [b2631] CG: Noreena [Type: AME-ht] [TypeL - Mosconi, Salta Province, Argentina.] [Type of - Noreena] [Refs - b2631; b3809; b2597]
- a *marilaba* (Hewitson), [1869], 1863-1878; Myrina OD: Ill. dium. Lep. Lycaenidae Suppl.:2, pl 2, f 68,69 [b2326] CG: Eliotia [TypeL - Mindanao, Philippines.] [Refs - b2747; b4094; b2199; b2201; b1454]
- a *mariae* de Nicéville, 1894; Pithecopis OD: J. asiat. Soc. Bengal, Pt II 63(1):30, pl 4, f 2,9 [b1158] [Type: BMNH-ht] [TypeL - Sumatra.] [Refs - b0965; b1454; b1840; b4212; b2388; b1011]
- c *mariae* Dufrane, 1945; Telipna OD: Bull. Anns Soc. ent. Belg. 81:112 [b1409] SS: sanguinea Plötz, 1880; Telipna [TypeL - Kivu.] [Refs - b4400]
- a *mariae* Dufrane, 1945; Mimacraea OD: Bull. Anns Soc. ent. Belg. 81:115 [b1409] [TypeL - Kivu.] [Refs - b1452; b4400]
- a *mariae* Eliot, 1969; Drina OD: Entomologist 102:276, f [b1554] [Type: BMNH-ht] [TypeL - Quoin, S. E. Sabah, Borneo.] [Refs - b0965; b1454; b1554; b4108]
- a *marialis* (Clench), 1944; Thecla OD: Bull. Harvard Mus. Comp. Zool. 94:244 [b0823] CG: Antephris [Type: MCZ-ht] [TypeL - Victoria, Veracruz, Mexico] [Refs - b0908; b2585]
- c *mariana* (Hulstaert), 1924; Deudora OD: Revue zool. afr. 12(2):120 [b2496] SS: elcalodes (Bethune-Baker), 1908; Hypokopelates [TypeL - Belgian Congo.] [Refs - b3796; b2496; b4400]
- b *mariana* Suffert, 1904; Pentila OD: Deut. ent. Zeit. [Iris] 17:43 [b4535] SS: rotha Hewitson, [1873]; Penula [TypeL - Africa.] [Refs - b1452; b4400]
- b *marica* (Leech), [1893], 1893-1894; Herda OD: Butts China Japan Corea :407, pl 30, f 1,4 [b2966] SS: moorei (Hewitson), [1865]; Heliochorus (B) [TypeL - Not stated.] [Refs - b1636; b0996; b2479; b1454; b4092; b2966]
- b *marica* Stichel, 1919; Euselasia OD: Deut. ent. Zeit. 1919:291 [b4454] SS: cnonn Stichel, 1919; Euselasia [Type: pc-ht; collection of Stichel] [TypeL - S. Leopoldina, S. Brazil.] [Refs - b4474; b4454]
- c *maricopa* (Reakirt), 1866, 1866-1867; Lycaena OD: Proc. Acad. nat. Sci. Philad. 18:245 [b3697] SS: icarioides (Boisduval), 1852; Plebejus (Icaria) [Type: FMNH-st; Strecker collection.] [TypeL - California.] [Refs - b0908; b2747; b3192; b1321]
- b *marionis* (Eitschberger & Steiniger), 1975; Eumedonia OD: Atalanta (Münnerstadt) 6(2):116, f [b1537] SS: eumedon (Esper), [1780]; Plebejus (Eumedonia) [TypeL - Barranco Agrio, Sierra de Maria, Spain.] [Refs - b0107]
- c *f. marigemina* Stichel, 1915; Teratophthalma OD: Deut. ent. Zeit. 1915:694, pl 23, f 10 [b4451] SS: marsidia (Hewitson), 1869; Teratophthalma [Type: BMNH-ht] [TypeL - Ecuador.] [Refs - b4474]
- b *marikit* Schröder & Treadaway, 1986; Pratapa OD: Ent. Zeit. 96(24):353, f 1,2 [b3985] SS: icetoides (Elwes), [1893]; Pratapa [Type: pc-ht; collection of Treadaway.] [TypeL - Palawan, Philippinen.] [Refs - b3985]
- a *marina* (Reakirt), 1868; Lycaena OD: Proc. Acad. nat. Sci. Philad. 20:87 [b3698] CG: Leptotes [Type: FMNH-st7; Strecker collection.] [TypeL - Orizaba and near Vera Cruz, Mexico.] [LifeH - Tietz lists b0923, b0875.] [Refs - b1530 :241, f 471; b1321 :62; b0907; b3078; b4688; b1711; b0908; b2747; b3192; b3512; b0400; b2417; b0493; b1743; b4534; b5015; b0512; b2419; b0833; b4690; b4361; b4066; b4652; b1455]
- a *marina* Talbot, 1935; Iridana OD: Ent. mon. Mag. 71:74 [b4623] [TypeL - Uganda.] [Refs - b1452; b4623; b4400; b2560; b1661]
- b *marinduquensis* Hayashi & Schröder & Treadaway, 1983; Dacalana OD: Senckenbergiana 63(1/2):57, f 22-25 [b2210] SS: monsaponia Schröder & Treadaway, 1978; Dacalana [Type: OMNH-ht] [TypeL - Marinduque, Philippines.] [Refs - b2210; b2201]
- b *marinduquensis* (Hayashi & Schröder & Treadaway), 1984; Narathura OD: Senckenbergiana 65(1/2):32, f 7-8 [b2211] SS: anthelus (Westwood), [1852]; Arhopala a [Type: pc-ht; Colin G. Treadaway] [TypeL - Marinduque, Philippines.] [Refs - b2211]
- c *marini* Le Moul, 1939, 1939-1940; Helicopsis OD: Novit. ent. (18):138 [b2943] SS: selene Felder & Felder, 1865; Helicopsis [Type: AME-ht] [TypeL - Peru.] [Refs - b3199]
- a *mariposa* (Reakirt), 1866; Polyommatus OD: Proc. ent. Soc. Philad. 6(1):149 [b3696] CG: Epidemia [Type: FMNH-st; Strecker collection.] [TypeL - California.] [LifeH - Tietz lists b0922, b3385, b0921.] [Refs - b1530 :225, f 434; b1321 :60; b0908, b4220, b0428; b3191; b2753; b3192; b1724; b3189; b3641; b2747; b4066; b4652]
- b *maris* (Riley), 1928; Epamera OD: Novit. zool. 34:388 [b3767] SS: bellina (Plötz), 1880, lolaus (Epamera) [TypeL - San Thomé] [Refs - b1452; b4400]
- a *marisa* (Hewitson), [1858], 1852-1877; Mesosemia OD: Ill. exot. Butts 2:[...], pl [52], f 27 [b2323] CG: Semomesia [TypeL - Guiana, Amazon.] [Refs - b2747; b4474; b1456]
- c *mariscolore* (Gerhard), 1853, 1850-1853; Lycaena OD: Vers. monog europ. Schmett. :pl 32, f 3a,b [b1928] SS: condon (Podá von Neuhaus), 1761; Polyommatus (Lysandra) [Refs - b2753 (as mariscolore); b2753; b4092]
- b *mariscolore* (Kane), 1893, (H); Lycaena OD: Entomologist 26:243 [b2689] SS: icarus (Rottemberg), 1775; Polyommatus [TypeL - Ireland.] [Check - Homonym in need of a replacement.] [Refs - b4632 (as mariscolore); b2689; b2860]
- c *mariscolore* (Kirby), 1877, (ISS); Plebeius OD: Syn. Cat. dium. Lep., Suppl. :767 [b2753] SS: mariscolore (Gerhard), 1853; Polyommatus (Lysandra) [Note - Correct in index.] [Refs - b2753]

- a** *maritima* Weeks, 1902; *Lycaena* OD: Proc. New Engl. zool. Club 3:12 [b4966] CG: *Lycaena* (?) [Type: MCZ] [TypeL - Baja California.] [Refs - b0908; b4966]
- c** *var. maritima* (Oberthür), 1910; *Lycaena* OD: Étud. Lép. comp. 4:pl 42, f 310 [b3451] SS: eumedon (Esper), [1780]; *Plebejus* (*Eumedonia*) [Refs - b0236; b0471; b3451]
- b** *maritimalpina* (Beuret), 1938, 1938-1939; *Lycacides* OD: Ent. Rundsch. 55:638 [b0377] SS: argyrognomon (Bergsträsser), [1779]; *Plebejus* (*Lycacides*) [TypeL - Italy.] [Refs - b0076]
- e** *maritimalpium* Verity, 1928; *Glaucopsyche* OD: Bull. Soc. ent. Fr. 1928(8):141 [b4847] SS: alexis (Poda von Neuhaus), 1761; *Glaucopsyche* [Type: biblio; replacement for alpina Turati & Verity, 1911] [Refs - b2255; b2856; b0236 (as *maritinalpium*); b4847; b0471 (as *maritinalpium*)]
- e** *maritimarum* (Verity), 1943, (RA); *Lysandra* OD: Farfalle Diurne Ital. 2:312 [b4862] SS: apenninus (Zeller), 1847; *Polyommatus* (*Lysandra*) [Type: MZS-sl] [Refs - b2856; b4038]
- e** *ab. maritimus* Stephens, 1829; *Plebejus* OD: Syst. Cat. Br. Ins. 2:25 [b4429] SS: argus (Linnaeus), 1758; *Plebejus* [Refs - b0236; b0471]
- a** *maritimus* Stempffer & Bennett, 1958; *Iolaus* OD: Bull. Inst. franç. Afr. Noire 20(A):1308, f 64 [b4418] CG: *Iolaus* (*Iolophilus*) [TypeL - Kenya.] [Refs - b1452; b4394; b4400]
- a** *marius* (Lucas), 1857; *Thecla* OD: In Sagra, Hist. Cuba 7:599 [b3021] CG: Rekoa [Type: BMNH-lt; designated by Robbins, 1991] [Smithsonian Contr. Zool. (498):46 [b3817]] [TypeL - Cuba".] [Refs - b0908; b0907; b2747; b3817]
- b** *markira* Tite, 1963; *Nacaduba* OD: Bull. Br. Mus. nat. Hist. (Ent.) 13(4):82, pl 1, f 1,2 [b4676] SS: mallicollo H. H. Druce, 1892; *Nacaduba* [Type: BMNH-ht] [TypeL - Markira Harbour, S. Christoval, Solomon Islands.] [Refs - b4676; b1450]
- b** *marlene* (Hemming), 1934; *Agriades* OD: Stylops 3:193 [b2255] SS: jaloka Moore, [1875]; *Polyommatus* (*Agriades*) [Type: biblio; replacement for astorica Tytler, 1926.] [Refs - b2255; b0694]
- a** *marileri* Stempffer, 1961; *Harpencyreus* OD: Annls Mus. r. Afr. cent. (8vo) (Zool.)94:64 [b4393] [Type: MRAC-ht] [TypeL - Mt. Muhi, Kivu, Congo.] [Refs - b1452; b4400; b4393]
- a** *marmorata* Moore, 1884; *Logania* OD: J. asiat. Soc. Bengal, Pt II 53(1):22 [b3236] [Type: ZSI-ht] [TypeL - Mergui Archipelago, Burma.] [Refs - b0964; b1636, b0965; b1840, b1454; b1571; b0694]
- b** *marmorata* Hawker-Smith, 1933; *Alaena* OD: Stylops 2:1 [b2168] SS: nyassa Hewitson, 1877; *Alaena* [TypeL - East Luvua Valley, Lake Mweru District, S. E. Congo.] [Refs - b1452; b2168; b4400]
- a** *marmoreus* (Butler), 1866; *Aphnaeus* OD: Ent. mon. Mag. 2:169, f [b0581] CG: *Iolaus* (*Stugeta*) [TypeL - White Nile.] [Refs - b2747; b1452; b0836; b4400]
- a** *marmoris* (H. H. Druce), 1907; *Thecla* OD: Proc. zool. Soc. Lond. 1907(3):604 [b1375] CG: *Oreya* [Type: BMNH-ht] [TypeL - Colombia.] [Refs - b0908; b1375; b2593; b2597, ns2602]
- e** *maroccana* Lucas, 1920; *Polyommatus* OD: Bull. Soc. ent. Fr. 1920(17):298 [b3015] SS: semiargus (Rottemburg), 1775; *Polyommatus* (*Cyanus*) [Refs - b0236, b0471]
- c** **f.** *maroccanus* (Zopp), 1954; *Thestor* OD: Z. wien. ent. Ges. 39:129 [b5078] SS: mauritanicus (Lucas), 1849; *Tomares* [TypeL - Morocco.]
- b** *maroneia* Fruhstorfer, [1912]; *Tajuria* OD: Berl. ent. Z. 56(3/4):212 [b1850] SS: manira (Felder & Felder), 1860; *Tajuria* [TypeL - Nias.] [Refs - b4094; b2201; b1850]
- b** *maroni* Brévignon & Gallard, 1993; *Mesene* OD: Bull. Soc. Sci. Nat. (77):21, f [b0491] SS: silaris Godman & Salvin, 1878; *Mesene* [TypeL - French Guiana.] [Refs - b0126]
- e** *ab. marpurgica* (Strand), 1920; *Lycaena* OD: Arch. Naturgesch. (A)85(4):18 [b4523] SS: nausithous (Bergsträsser), [1779]; *Maculinea* [TypeL - Germany.] [Refs - b0236; b0471]
- c** *mars* (Fabricius), 1777; *Papilio* OD: Gen. Ins. :268 [b1654] SS: acis (Drury), [1773]; *Strymon* [TypeL - America meridionali".] [Refs - b1530 :215, f 411; b1321 :56; b0908; b0907; b2747; b0833; b5076]
- c** **f.** *mars* (Trimen), 1862; *Zeritis* OD: Trans. ent. Soc. Lond. (3)1:285 [b4716] SS: aranda (Wallengren), 1857; *Aloeides* [Type: lost] [TypeL - Knysna, Cape Province, South Africa.] [Refs - b1259; b2747; b4400; b4685]
- e** *mars* Le Moulit, 1939, 1939-1940, (IFS); *Helicopsis* OD: Novit. ent. (16):126 [b2943] SS: cupido (Linnaeus), 1758; *Helicopsis* [Type: AME-ht] [Refs - b3199]
- b** *marsena* (Hewitson), 1869, 1869-1877; *Mesosemia* OD: Equatorial Lep. Buckley (3):38 [b2330] SS: maenades (Hewitson), [1858]; *Teratophthalma* [TypeL - Ecuador.] [Refs - b2988; b2747; b4474; b1456]
- a** *marshalli* Butler, [1898]; *Cacyreus* OD: Proc. zool. Soc. Lond. 1897(4):845, pl 1, f 5 [b0647] [TypeL - Natal.] [Refs - b1452; b2898; b1228; b4400; b0162]
- a** *marshalli* Trimen, 1898; *Mimacraea* OD: Trans. ent. Soc. Lond. 46(1):13, pl 1, f 9 [b4731] [TypeL - Mashonaland.] [Refs - b1943; b1259; b1452; b4950 (marshallii); b4400; b3609]
- a** *marshalli* Butler, [1899]; *Aslauga* OD: Proc. zool. Soc. Lond. 1898(4):908 [b0650] CG: *Aslauga* [Type: BMNH-ht] [TypeL - Salisbury, Mashonaland.] [Refs - b1259; b1610 (5949-E12); b0970; b1452; b4400; b0650]
- a** *marshalli* (Bethune-Baker), 1903; *Lycaenesthes* OD: Ann. Mag. nat. Hist. (7)12:332 [b0328] CG: *Triclema* [TypeL - W. Africa.] [Refs - b1452; b0836; b4400]
- a** *marshalli* Neave, 1910; *Aphnaeus* OD: Proc. zool. Soc. Lond. 1910(1):48, pl 2, f 8 [b3346] [TypeL - Rhodesia.] [Refs - b4387; b1259; b1452; b3346; b4400; b3609]
- b** *marshalli* (Aurivillius), [1924], 1908-1925; *Phasis* OD: In Seitz, Grossschmet. Erde 13:427 [b0162] SS: aranda (Wallengren), 1857; *Aloeides* [Type: lost] [TypeL - Gazaland, Rhodesia.] [Refs - b1259; b3796; b1452; b4400; b4436, b4685]
- a** *masidia* (Hewitson), 1869, 1869-1877; *Mesosemia* OD: Equatorial Lep. Buckley (3):38 [b2330] CG: *Teratophthalma* [TypeL - Ecuador.] [Refs - b2747, b4474; b2988 (as *masidia*); b1456]
- a** *marsyas* (Linnaeus), 1758; *Papilio* OD: Syst. nat. (ed. 10) 1:482 [b2993] CG: *Pseudolycaena* [TypeL - In Calidus regionibus".] [Type of - *Pseudolycaena*] [Refs - b0908, b4245, b2280; b2718; b0907; b2747; b2221; b1453; b0833; b2670; b1975, b0420; b2631]
- b** *marsyas* Godman, 1903; *Caria* OD: Trans. ent. Soc. Lond. 51(4):538, pl 21, f 13,14 [b1972] SS: castalia (Ménétiés), 1855; *Caria* [TypeL - Brazil.] [Refs - b4474; b2221; b1456]
- b** *martenensis* Pascual Linares, 1985; *Cupido* OD: Revta Lep 13(2) 154 [b3553] SS: lorquini (Hermch-Schäffer), [1850]; *Cupido* [TypeL - Spain.] [Refs - b0119]
- c** *marteniana* (de Sagarra y Castellamau), 1926; *Meleagena* OD: Bull. Inst. catal. Hist. nat. (2)5:271 [b1178] SS: Japhus ((Denis & Schiffermüller)), 1775; *Polyommatus* (*Meleagena*) [TypeL - Spain.] [Refs - b0236; b1535; b0471]
- c** *martha* Pritwitz, 1865; *Mesosemia* OD: Stett. ent. Zig 26:315 [b3651] SS: rhodia (Godart), [1824]; *Mesosemia* [TypeL - Rio de Janeiro.] [Refs - b4474; b2747]

- a martha** (Dognin), 1887; *Lycaena* OD: Naturaliste 9=(2)1(16):190, f 5 [b1293] CG: Echinargus [Type: BMNH-It; designated by Bálint, 1993] [Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (29):16 [b0207]] [TypeL - Loja, Ecuador.] [Refs - b0908; b3326; b4782; b0207; b0208]
- a martha** Schaus, 1902; *Mesene* OD: Proc. U. S. natn. Mus. 24(1262):402 [b3948] [Type: USNM-ht; #5908] [TypeL - Peru.] [Refs - b4474; b3948; b1456]
- b martha** Eliot, 1955; *Nacaduba* OD: Proc. R. ent. Soc. Lond. (B)24:156 [b1541] SS: subperusia (Snellen), 1896; *Nacaduba* [Type: BMNH-ht] [TypeL - New Guinea.] [Refs - b4676; b1450]
- a martia** Westwood, [1851], 1846-1852; *Cyrenia* OD: In Gen. dium. Lep. (2):pl 72, f 2, (:434 nota) [b4981] [TypeL - Amazon.] [Type of - *Cyrenia*] [Refs - b2988; b2280; b2747; b4474; b1456]
- a martia** (Godman), 1903; *Lemonias* OD: Trans. ent. Soc. Lond. 51(4):543, pl 22 or 23, f 2 [b1972] CG: Calospila [Type: BMNH-ht] [TypeL - Rio San Juan, W. Colombia.] [Refs - b2988; b4475; b1456]
- a martialis** (Herrich-Schäffer), 1864, 1864-1865; *Thecla* OD: CorrespBl. zool.-min. Ver. Regensb. 18(11/12):164 [b2316] CG: Strymon [TypeL - Cuba.] [Refs - b1530 :215, f 410; b1321 :55; b0908; b0540; b0907; b2747; b3192; b3512; b1581; b0833; b0817; b2631; b4066; b1722]
- a martialis** (Felder & Felder), 1865, 1865-1875; *Lemonias* OD: Reise Novara (2):301 [b1692] CG: Calospila [TypeL - Surinam.] [Refs - b2747; b4475; b1456]
- b martina** (Hewitson), [1869], 1863-1878; *Myrina* OD: Ill. dium. Lep. Lycaenidae Suppl.3, pl 2, f 70,71 [b2326] SS: hypoleuca (Hewitson), [1865]; Manto [TypeL - Borneo.] [Type of - *Pseudomyrina*] [Refs - b1636; b2280; b1454; b4094; b0694; b4108]
- a martini** (Allard), 1867; *Lycaena* OD: Anns Soc. ent. Fr. (4)7:319, pl 6, f 2 [b0041] CG: Plebejus (Plebejides) [Type: BMNH-nt; designated by De Prins & van der Poorten & Bálint, 1992] [Phegea 20(1):14 [b1173]] [TypeL - Lambessa, Algeria.] [Note - Not spelled martine.] [Refs - b2375; b2747; b0993; b0041; b1762; b0410; b0041; b4092; b1173; b0125]
- c martini** (Fruhstorfer), [1922], 1909-1923; *Lycaenopsis* OD: In Seitz, Grossschmett. Erde 9:870 [b1840] SS: kuchni (Röber), [1886]; Acytolepis [Type: ZSBS-It; designated by Eliot & Kawazoe, 1983] [Butis Lycaenopsis group :181 [b1580]] [TypeL - Sulawesi] [Refs - b1840; b1580]
- b martini** Corbet, 1941; *Taraka* OD: J. Fed. Malay St. Mus 18(5):812 [b0954] SS: mahantira Doherty, 1890; *Taraka* [TypeL - Sumatra.]
- b martini** (Corbet), 1948; *Chliana* OD: Proc. R. ent. Soc. Lond. (B)17(7/8):97 [b0963] SS: amabilis (de Nicéville), 1895; *Hypolycaena* [Type: BMNH-ht] [TypeL - Selessch, N. I. Sumatra.] [Refs - b0963]
- b martini** (Mattoni), 1954; *Philotes* OD: Bull. S. Calif. Acad. Sci. 53(3):157, pl 43, f 3,4 [b3108] SS: bernardino (Barnes & McDunnough), 1916; *Euphilotes* [Type: USNM-ht] [TypeL - Oauman, Mohave County, Arizona.] [Refs - b0908; b1321; b3192; b4066; b3640]
- e martinii** (Allard), 1867, (IOS), *Lycaena* OD: Anns Soc. ent. Fr. (4)7:314 [b0041] SS: martini (Allard), 1867; *Plebejus* (Plebejides) [Refs - b0041; b1173]
- c martinus** (Fruhstorfer), 1913; *Allotinus* OD: Z. wiss. Insektbiol. 9(12):371 [b1851] SS: obscurus (Röber), [1886]; *Logania* [Type: BMNH-ht] [TypeL - Buton Island, Sulawesi.] [Refs - b1840; b1571]
- e f. martyni** Bennett, 1969; *Baliochila* OD: Entomologist 102:73, f [b0298] SS: singularis Stempffer & Bennett, 1953; *Baliochila* [Type: BMNH-ht] [TypeL - Danga Lima Farm, Melfort, Bromley, S. Rhodesia.] [Refs - b0298]
- a marungensis** (Joicey & Talbot), 1924; *Cyclinrus* OD: Bull. Hill Mus. 1(3):547 [b2661] CG: *Harpenderyus* [Type: BMNH-st] [TypeL - South-west Lake Tanganyika, Marungu Plateau, Belgian Congo.] [Refs - b3796; b1452; b4400; b2661]
- b maruyamai** (Takanami), 1989; *Hypolycaena* OD: Konchu to Shizen (Nature & Insects) 24(3):40, f 16,17 [b4604] SS: othona Hewitson, [1865]; *Hypolycaena* (*Chliaria*) [Type: pc-ht; collection of Takanami.] [TypeL - Near Lenanguar, Sumbawa Island, Inonesia.] [Refs - b4604]
- b maryae** Dickson, 1980; *Argyrocupha* OD: Ent. Rec. 92(11/12):297-300 [b1263] SS: malagrida (Wallengren), 1857; *Argyrocupha* [TypeL - Cape Province, S. Africa.] [Refs - b1610 (7376-E12)]
- a maryra** (Mabille), 1885, 1885-1887; *Hypolycaena* OD: In Grandidier, Hist. Madagascar 1:230, pl 30a, f 1,1a [b3045] CG: *Hemiolaus* [TypeL - Madagascar.] [Refs - b1452; b4400; b2920]
- a masae** Kawai, 1994; *Deramas* OD: In Futao (15):9, f3, pl 2, f 9-10 [b2702] [Type: pc-ht; collection of Kawai.] [TypeL - Pulu Pulu, C. Sulawesi, Indonesia.] [Refs - b2702]
- a masai** (Bethune-Baker), 1905; *Everes* OD: Novit. zool. 12:494 [b0336] CG: *Eicochrysops* [TypeL - Kikuyu escarpment.] [Refs - b1452; b4400]
- a masaka** Stempffer, 1962; *Eresina* OD: Bull. Inst. franc. Afr. Noire 24(A):1152, f 30-33 [b4395] [Type: MNHN-ht] [TypeL - Katera, Masaka, Uganda.] [Refs - b1452; b4395; b4400]
- a masamichii** (Okubo), 1983; *Virachola* OD: New Ent. 32(4):79-81, f [b3499] CG: *Deudorix* (*Virachola*) [Type: pc-ht; collection of Okubo.] [TypeL - Mindanao, Philippines.] [Refs - b3499]
- c masana** Fruhstorfer, [1915], 1909-1923; *Logania* OD: In Seitz, Grossschmett. Erde 9:808 [b1840] SS: hamptoni Fruhstorfer, 1914; *Logania* [Type: ZMHU?-st] [TypeL - New Guinea.] [Refs - b1450; b1840; b1571]
- b masara** Osada, 1987; *Pseudotajuria* OD: Mem. Tsukada Colln (5):45, pl 3, f 9,10; pl 4, f 9,10 [b3519] SS: donatana (de Nicéville), [1889]; *Pseudotajuria* [Type: pc-ht; collection of Tsukada.] [TypeL - Masara, Minit Maco, Davao del Norte, S. I. Mindanao] [Refs - b3519; b3487 (as mansaka)]
- a masara** Osada, 1987; *Rapala* OD: Mem. Tsukada Colln (5) 44, tl 1, pl 3, f 14; pl 4, f 14 [b3519] [Type: pc. collection of Tsukada.] [TypeL - Masara, Mainit Maco, Davao del Norte, S.E. Mindanao.] [Refs - b3519]
- b masaya** (Takanami), 1984; *Zeltus* OD: Tokurana (Acta Rhopalocera) (6/7):53, pl 3, f 2,3 [b4587] SS: amasa Hewitson, [1865]; *Hypolycaena* (*Zeltus*) [Type: pc-ht; collection of Takanami.] [TypeL - Mindanao, Philippines.] [Refs - b0117]
- b mascae** Fruhstorfer, [1912]; *Deudonx* OD: Berl. ent. Z. 56(3/4) 267 [b1850] SS: smilis Hewitson, [1863]; *Deudonx* (*Virachola*) [TypeL - Andaman Islands.] [Refs - b1636; b4094; b1850; b0694]
- b maseruna** (Riley), 1938; *Phasis* OD: Trans. R. ent. Soc. Lond. 87(10):239, pl 1, f 11,12; pl 2, f 36,37 [b3777] SS: deniaus (Swiersta), 1909; *Alocides* [Type: BMNH-ht] [TypeL - Maseru, Basutoland.] [Refs - b4684; b1259; b1452; b4400; b3563; b3777; b2297]
- a mashenka** Bálint, 1993; *Madeleinea* OD: Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (29):27, f 68 [b0207] [Type: BMNH-ht] [TypeL - Between Tama and La Oroya, Junin, Peru.] [Refs - b0207; b0208]

- b mashona** Tite & Dickson, 1973; *Alocides* OD: Bull. Br. Mus. nat. Hist. (Ent.) 29(5):258 [b4685] SS: damarensis (Trimen), 1891; *Alocides* [Type: BMNH-ht; Rh. #17235] [TypeL - Bulawayo, Rhodesia.] [Refs - b1259; b0104; b4685]
- a mashuna** (Trimen), 1894; *Lycæna* OD: Proc. zool. Soc. Lond. 1894(1):48 [b4729] CG: Lepidochrysops [Type: BMNH-ht] [TypeL - Mashonaland, S. Africa.] [Refs - b0162; b4400; b1259; b1452; b4729; b0359]
- b mashuna** (Stevenson), 1937; *Lycænesthes* OD: Occ. Pap. natn Mus. Sth. Rhodesia 1(6):31 [b4434] SS: contrastata (Ungemach), 1932; *Anthene* [Type: MNBZ-It; designated by Hancock, 1985] [Arnoldia Zimbabwe 9(16):247 [b2127]] [TypeL - S. Rhodesia.] [Refs - b0113; b1452; b4400; b0119]
- b mashunae** Stempffer, 1954; *Aphnaeus* OD: Trans. R. ent. Soc. Lond. 105(21):105 [b4387] SS: erikssoni Trimen, 1891; *Aphnaeus* [TypeL - Rhodesia.] [Refs - b4387; b1259; b1452; b4400]
- c maslikazi** Wallengren, 1857; *Spindasis* OD: K. svenska VetenskAkad. Handl. (nF)2(4):45 [b4913] SS: natalensis (Westwood), [1851]; *Spindasis* [Type of - Spindasis] [Refs - b1943; b2280; b2747; b4400]
- b masindaæ** Bethune-Baker, 1913; *Mimacraea* OD: Ann. Mag. nat. Hist. (8)11:565 [b0347] SS: krausei Dewitz, 1889; *Mimacraea* [TypeL - Budongo Forest, Masindi, B. E. Africa.] [Refs - b1452; b4400; b0347]
- c masinissa** Lucas, 1849; *Cigaritis* OD: Explor. Algér. 3:364 [b3020] SS: zohra Donzel, 1847; *Cigariüs* [TypeL - Algeria.] [Refs - b2747; b0996; b4092 (as massinissa)]
- a masinissa** (Fruhstorfer), 1910; *Cyaniris* OD: Stutt. ent. Zig 71(2):299 [b1843] CG: Udara (Udara) [Type: BMNH-It; designated by Eliot & Kawazoé, 1983] [Butts *Lycænopis group* :97 [b1580]] [TypeL - Flores.] [Refs - b1840; b1580; b1577; b4592]
- ab. masoi** (Pujol y Fiol), 1943; *Thestor* OD: Graellsia 1(2):14, f [b3661] SS: catalonica (de Sagarra y Castellamau), 1930, Tomares [TypeL - Spain.]
- b massalla** Doherty, 1891; *Logania* OD: J. asiat. Soc. Bengal, Pt II 60(1):37 [b1303] SS: distantu Semper, 1887; *Logania* [Type: BMNH-ht] [TypeL - Upper Assam, India.] [Refs - b0964; b1636; b0965; b1840; b0236; b1571; b0694]
- c massarensis** Le Mout, 1940, 1939-1940; *Helicopsis* OD: Novit. ent. (17):133 [b2943] SS: cupido (Linnaeus), 1758; *Helicopsis* [Type: MNHN-ht] [TypeL - Massanary, Amazonas, Brazil.] [Refs - b3199]
- c masseyi** (Tutt), 1909; *Plebejus* OD: Ent. Rec. 21(2):59 [b4763] SS: argus (Linnaeus), 1758; *Plebejus* [Note - Also described in *Nai Hist Brit. Butts*, 3:202. Believed to be extinct.] [Refs - b0236; b0410; b4645]
- b massicus** Fruhstorfer, [1912]; *Tajuria* OD: Berl. ent. Z. 56(3/4):214 [b1850] SS: iapyx Hewitson, [1865]; *Tajuria* [TypeL - Celebes.] [Refs - b2201; b1850; b1454; b4094]
- c massinissa** Seitz, [1909], 1907-1921, (ISS) *Cigariti*; *Cigaritis* OD: In Seitz, Grossschmett. Erde 1:279 [b4092] SS: masinissa Lucas, 1849; *Cigariüs* [Refs - b4092]
- c massiva** (Hewitson), [1863], 1863-1878; *Myrina* OD: Ill. diurn. Lep. Lycænidæ 1:29, 2:pl 12, f 10-11 [b2326] SS: orpheus (Felder & Felder), 1862, Cheritra [Refs - b1016; b2747]
- a massyla** (Hewitson), [1869], 1863-1878; *Mynna* OD: Ill. diurn. Lep. Lycænidæ Suppl.:7, pl 3, f 87,88 [b2326] CG: Mota [TypeL - Cherra Punji.] [Type of - Mota] [Refs - b1636; b2280; b2747; b4094; b1454; b0694]
- b mastanabal** Fruhstorfer, [1912]; *Sithon* OD: Berl. ent. Z. 56(3/4):226 [b1850] SS: nedymond (Stoll), [1780]; *Sithon* [TypeL - S. E. Borneo.] [Refs - b4094; b2201; b1850; b4108]
- b masu** (H. H. Druce), 1891; *Lampides* OD: Trans. ent. Soc. Lond. 39(2):184, pl 2, f 11 [b1357] SS: aratus (Stoll), [1781]; *Jamides* [TypeL - Sumba.] [Refs - b4094 (as Doherty name); b1865; b4592; b4604]
- a matanga** (Chapman), 1911; *Lycænopis* OD: Trans. ent. Soc. Lond. 59(1):185, pl 28, f 1-4 [b0756] CG: *Cebrella* (Chelakina) [Type: BMNH-ht] [TypeL - Borneo.] [Type of - Chelakina] [Refs - b0965; b0933; b1840; b1580; b4108]
- b matatha** (Hewitson), [1873], 1852-1877; *Mesosemia* OD: Ill. exot. Butts 5:[---], pl [33], f 116,117 [b2323] SS: philemon (Cramer), [1775]; *Leucochimona* [Refs - b4474 (as mathata); b2221; b2753 (as matutha); b2323]
- a materna** Stichel, 1909; *Mesosemia* OD: Berl. ent. Z. 54(1/2):9 [b4444] [TypeL - Bolivia.] [Refs - b4474; b1456]
- a mathania** Schaus, 1902; *Mesosemia* OD: Proc. U. S. natn. Mus. 24(1262):398 [b3948] [Type: USNM-ht; #5897] [TypeL - Peru.] [Refs - b4474; b3948; b1456]
- c mathata** Stichel, 1930, (ISS); *Leucochimona* OD: Lep. Cat. Pars 40:212 [b4474] SS: mataha (Hewitson), [1873]; *Leucochimona* [Refs - b2753]
- a matheri** McAlpine, [1971]; *Calephelis* OD: J. Res. Lep. 10(1):66, f [b3127] [Type: CM-ht] [TypeL - San Jose Purua, Michoacan, Mexico.] [Refs - b4066 (as ssp of rawsoni); b3127]
- a mathewi** (Hewitson), 1874; *Thecla* OD: Ent. mon. Mag. 11:106 [b2343] CG: *Rubroserrata* [Type: BMNH-ht] [TypeL - Mexico] [Type of - *Rubroserrata*] [Note - *Clench restricted the type locality to Acapulco, Guerrero, Mexico.*] [Refs - b0908; b4094; b3818; b2343; b1375; b1975; b2628]
- a mathewi** (Miskin), 1890; *Lycæna* OD: Proc. linn. Soc. N. S. Wales (2)5(1):38 [b3212] CG: *Neolucia* [TypeL - Sidney, Australia.] [Refs - b1450; b0870; b4094; b4934; b2388]
- a mathewi** H. H. Druce, 1892; *Deudorix* OD: Proc. zool. Soc. Lond. 1892(3):446, pl 27, f 9 [b1359] [TypeL - New Hebrides.]
- a mathu** (Godman & Salvin), [1887], 1879-1901; *Thecla* OD: Biol. centr.-amer., Lep. Rhop. 2:80 [b1975] CG: *Argentostratus* [Type: BMNH-ht] [TypeL - Carimang River, British Guiana.] [Refs - b0908; b1975; b0125; b2615; b2606]
- b matiana** (Fruhstorfer), [1912]; *Chliaria* OD: Berl. ent. Z. 56(3/4):231 [b1850] SS: *othona* Hewitson, [1865]; *Ilypolycæna* (Chliaria) [TypeL - Tonkin.] [Refs - b0964; b4094; b1454; b1850]
- b matienus** Fruhstorfer, [1912]; *Loxura* OD: Berl. ent. Z. 56(3/4):222 [b1850] SS: *atymnus* (Stoll), [1780]; *Loxura* [TypeL - Java.] [Refs - b4094; b1454; b1850]
- c matilda** Suffern, 1904; *Iolais* OD: Deut. ent. Zeit. [Iris] 17:64 [b4535] SS: *julus* Hewitson, [1869]; *Iolais* (*Iolaphilus*) [TypeL - Africa.] [Refs - b4400]
- c matildæ** Gómez Busillo & Fernández-Rubio, 1972; *Plebejus* OD: Archos Inst. Acim. 17:23, f [b1992] SS: *galani* Agenjo, 1967; *Plebejus* (*Plebejides*) [TypeL - Campo Real, Madrid, Spain.] [Refs - b0107]
- a matisea** (Hewitson), [1860], 1852-1877; *Mesosemia* OD: Ill. exot. Butts 2:[---], pl [57], f 73 [b2323] CG: *Leucochimona* [TypeL - Amazon.] [Refs - b2988; b2747; b4474; b1456]
- b matouryensis** Brévignon & Gallard, 1993; *Euselasia* OD: Bull. Soc. Sci. Nat. (77):20, f [b0491] SS: *eubotes* (Hewitson), [1856]; *Euselasia* [TypeL - French Guiana.] [Refs - b0126]
- c f. matronalis** (Stichel), 1910; *Phaenochitonina* OD: Berl. ent. Z. 55(1/2):52 [b4445] SS: *salmus* (Dalman), 1823; *Süchelia* [TypeL - Brasilia.] [Refs - b4474]

- b **matsumurae** (Fruhstorfer), 1908; *Ierda* OD: Ent. Zeit. 22(12):49 [b1829] SS: *ila* (de Nicéville), [1896]; *Heliophorus* [TypeL - Formosa.] [Refs - b4198; b4094; b2479; b0236 (as matsumura); b5053 (as matsumurai); b4547; b1454; b1829; b1549]
- c **matsumurai** Sonan, 1926; *Phengaris* OD: Trans. nat. Hist. Soc. Formosa 16:181 or 178 [b4274] SS: *formosana* (Matsumura), 1926; *Phengaris* [TypeL - Formosa.] [Refs - b4198; b2479 (as matsumurana)]
- c **matsumurai** Shirôzu, 1953; *Maculinea* OD: *Sieboldia* 1(2):155, f [b4193] SS: *teleius* (Bergsträsser), [1779]; *Maculinea* [Type: biblio; replacement name for *jezoensis* Matsumura, 1926.] [TypeL - Japan.] [Refs - b1900; b0087; b4193]
- c **matsumurana** Kano, 1930; *Dodona* OD: *Zephyrus* 2(3):159 [b2691] SS: *formosana* Matsumura, 1919; *Dodona* [TypeL - Oowaki, Shinchiku Pref., North Formosa.] [Refs - b4192; b2691]
- b **matsumuranus** Bryk, 1946; *Scolitantides* OD: Ark. Zool. 38A(3):59 [b0568] SS: *orion* (Pallas), 1771; *Scolitantides* [Type: biblio; replacement for *coreana* Matsumura, 1926] [TypeL - Korea.] [Refs - b0080]
- b **matsumuranus** (Bryk), 1946; *Heodes* OD: Ark. Zool. 38A(3):55 [b0568] SS: *phaeas* (Linnaeus), 1761; *Lycaena* (*Lycaena*) [TypeL - Korea.] [Refs - b0080]
- a **matsutarol** (Hayashi), 1979; *Narathura* OD: *Tyô to Ga* 30(1,2):83, f 1,2,9 [b2196] CG: *Arhopala* d [Type: OMNH-ht] [TypeL - Mindanao, Philippines.] [Note - *Patronym - Author's father, Matswarô.*] [Refs - b1610 (2229-E11); b0111; b2196; b2200]
- a **matsutarol** Hayashi, 1984; *Tajuria* OD: *Tyô to Ga* 34(3):127-129, f 1-3 [b2202] [Type: OMNH-ht] [TypeL - Mt. Apo, Mindanao, Philippines.] [Note - *Patronym - Author's father, Matswarô.*] [Refs - b2202; b1454]
- b **matthias** Tite, 1966; *Anthene* OD: Bull. Br. Mus. nat. Hist. (Ent.) 18(8):264 [b4679] SS: *paraffinis* (Fruhstorfer), 1916; *Anthene* [Type: BMNH-ht] [TypeL - St. Matthias Island, St. Matthias Group.] [Refs - b4679; b1450]
- c **mattonensis** (Gómez Busillo), 1980; *Lysandra* OD: *Revta Lep.* 8(3):170 [b1987] SS: *asturiensis* (de Sagarra y Castellamau), 1924; *Polyommatus* (*Lysandra*) [TypeL - Spain.] [Refs - b1610 (2420-E12); b0113; b4038]
- b **mattonica** Gómez Busillo, 1982; *Pseudophilotes* OD: *Revta Lep.* 10(38) 93-100 [b1988] SS: *abencerragus* (Pierret), 1837; *Pseudophilotes* [TypeL - Spain.] [Note - *Agenjo emends the name to mattoni.*] [Refs - b0024; ns1989; b0119]
- b **mattonii** (Shields), 1975; *Shijimiacoides* OD: Bull. Allyn Mus. (28):20, f 21 24 [b1179] SS: *pallascens* (Tilden & Downey), 1955; *Euphilotes* [Type: AMNH-ht] [TypeL - 4 miles W. of Charleston Reservoir, Elko County, Nevada.] [Refs - b4179; b3192; b1722; b3640]
- c **matula** Sharp, [1894], (ISS). *Polycaena* OD: *Zool. Rec* 30(1893)(ns) 233 [b4128] SS: *matuta* Leech, [1893]; *Polycaena* [Refs - b4128]
- a **matusiki** Johnson, 1992; *Novosotsuma* OD: *Neue Ent. Nachr.* 29:59, f [b2609] [TypeL - Xizang.] [Refs - b0126]
- a **matuikororum** Johnson, 1992; *Shapiroana* OD: *Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point)* (22):151, f [b2611] [Type: AMNH-ht] [TypeL - Quebrada de las Cruces, Dept. Tucumán, Jujuy Prov., Argentina.] [Refs - b0125; b2613; b2611]
- a **matula** Leech, [1893], 1893-1894; *Polycaena* OD: *Butts China Japan Corea* :294, pl 28, f 16 [b2966] [TypeL - Thibet.] [Refs - b4473; b3438; b4092; b1455; b4128 (as matula)]
- b **matuta** Godman & Salvin, 1897; *Theope* OD: *Trans. ent. Soc. Lond.* 45(2):246 [b1981] SS: *thebais* Hewitson, [1860]; *Theope* [TypeL - Costa Rica.] [Refs - b2988; b4475; b2497; b1456]
- a **matuta** (Schaus), 1913; *Eurygona* OD: *Proc. zool. Soc. Lond.* 1913(3):349, pl 51, f 7 [b3950] CG: *Euselasia* [TypeL - Costa Rica.] [Refs - b4474; b3950; b1456]
- e **matutha** (Kirby), 1877, (ISS); *Mesosemia* OD: *Syn. Cat. diurn. Lep., Suppl.* :753 [b2753] SS: *matatha* (Hewitson), [1873]; *Leucochimona* [Refs - b2753]
- b **maudei** Joicey & Talbot, 1916; *Deudorix* OD: *Trans. ent. Soc. Lond.* 64(1):77, pl 5, f 4,5 [b2653] SS: *ceramensis* Ribbe, 1900; *Deudorix* [TypeL - Schouten Islands.] [Refs - b4094 (mandli, mandei); b1450; b2653]
- a **mauensis** Bethune-Baker, 1923; *Euchrysops* OD: *Trans. ent. Soc. Lond.* 70(3/4):352, pl 12, f 13; pl 24, f 54; pl 31, f 54 [b0359] [Type: BMNH-ht] [TypeL - Mau Escarpment, British East Africa.] [Refs - b1452; b0359; b4400]
- c **maui** (Fereday), [1877]; *Chrysophanus* OD: *Trans. Proc. New Zealand Inst.* 9:462 [b1697] SS: *salustius* (Fabricius), 1793; *Helleia* [TypeL - New Zealand.] [Refs - b2488; b4094 (as mani); b1697]
- a **maureli** Dufrane, 1954; *Axiocerses* OD: *Bull. Anns. Soc. ent. Belg.* 90:284 [b1412] [TypeL - Ethiopia.] [Refs - b1452; b4400]
- b **maureli** Dufrane, 1954; *Iolau* OD: *Bull. Anns. Soc. ent. Belg.* 90:283 [b1412] SS: *crawshayi* (Butler), [1901]; *Iolau* (*Argiolau*) [TypeL - Ethiopia.] [Refs - b1452; b4400]
- b **mauretanic** (Staudinger), 1892; *Thecla* OD: *Deut. ent. Zeit.* [Iris] 5:279 [b4337] SS: *esculi* (Hübner), [1819]; *Satyrium* [TypeL - Tunis.] [Refs - b2375; b4092; b4337]
- b **mauretanic** (Rothschild), 1925; *Lycaena* OD: *Novit. zool.* 32:214 [b3884] SS: *argiolus* (Linnaeus), 1758; *Celastrina* [Type: biblio; replacement name for *algirica* Oberthür, 1915] [TypeL - Algeria.] [Refs - b3059; b1580; b0236; b0471]
- e **mauretanic** Stempffer, 1967, (ISS); *Cupidopsis* OD: *Bull. Br. Mus. nat. Hist. (Ent.) Suppl.* 10:240 [b4400] SS: *mauritanica* Riley, 1932; *Cupidopsis* [Refs - b4400]
- c f. **mauretanicoides** Barragué, 1954; *Tomares* OD: *Bull. Soc. Hist. nat. Afr. N.* 45(3/4):185 [b0253] SS: *ballus* (Fabricius), 1787; *Tomares* [TypeL - Algiers.]
- c **mauretanicus** O. Bang-Haas, 1926, 1926-1930, (ISS); *Tomares* OD: *Novit. Macrolep.* :- [b0236] SS: *mauritanicus* (Lucas), 1849; *Tomares* [Refs - b0236; b0979]
- a **mauritanica** Riley, 1932; *Cupidopsis* OD: *Ann. Mag. nat. Hist.* (10)10:141, pl 9, f 1,2 [b3773] [Type: BMNH-ht] [TypeL - Mauritania.] [Note - *Not spelled mauritanica*] [Refs - b1452; b0836; b4409; b3773; b4400 (as mauritanica)]
- a **mauritanicus** (Lucas), 1849; *Polyommatus* OD: *Explor. Algér* 3:360, pl *Lep.* 1, f 3 [b3020] CG: *Tomares* [TypeL - North Africa.] [Refs - b2375; b2747; b0996; b0236 (as maur...); b0979 (as maur...); b4092; b1455]
- b **mavisa** (Fruhstorfer), [1917]; *Lycaenopsis* OD: *Arch. Naturgesch.* (A)82(1):8 [b1880] SS: *akasa* (Horsfield), [1828], *Udara* (*Udara*) [Type: BMNH-ht; designated by Elou & Kawazoe, 1983] [Butts *Lycaenopsis* group :109 [b1580]] [TypeL - S. India.] [Refs - b1636; b1840; b1580]
- a **mavors** Hübner, [1818], 1808-1837; *Therapis* OD: *Zutr. Samml. exot. Schmett.* 1:31, pl [33], f 189,190 [b2483] [TypeL - Surinam.] [Type of - *Therapis*] [Refs - b0908; b4245; b2280; b2747; b1453; b3818; b2406; b1975; b2631; b0125; b2611]
- a **mavortia** (Hewitson), [1869], 1863-1878; *Myrina* OD: *Ill. diurn. Lep. Lycaenidae Suppl.*:3, pl 2, f 72,74 [b2326] CG: *Drina* [TypeL - Mindanao, Philippines.] [Refs - b2747; b4094 (+ as wavortia); b2201; b1454; b4594]
- b **maxentius** Fruhstorfer, [1912]; *Tajuria* OD: *Berl. ent. Z.* 56(3/4):211 [b1850] SS: *cippus* (Fabricius), 1798; *Tajuria* [TypeL - Malacca.] [Refs - b0964; b0965; b4094; b3498; b2201; b1850; b1454]

- c maxima** (Weeks), 1891; *Lemonias* OD: Ent. News 2(6):104 [b4957] SS: virgultu (Behr), 1865; *Apodemia* [TypeL - Baja, California.] [Refs - b4967; b4475; x3192]
- b maxima** Staudinger, 1901; *Aphanius* OD: Cat. Lep. Palae. Faun. (3rd ed) :76 [b4347] SS: cilissa (Lederer), 1861; *Aphanius* [Refs - b2794; b2860; b0471; b1455 (as a good species)]
- b maxima** (O. Bang-Haas), 1927; *Lycaena* OD: Horae Macrolep. 1:52, pl 7, f 24,25 [b0237] SS: cyane (Eversmann), 1837; *Polyommatus* (*Agrodiactus*) [TypeL - N. W. China.] [Refs - b0236; b0066; b0237; b0471]
- b maximinianus** (Fruhstorfer), [1912]; *Zeltus* OD: Berl. ent. Z. 56(3/4):242 [b1850] SS: amasa Hewitson, [1865]; *Hypolycaena* (*Zeltus*) [TypeL - Sumatra, Malay, Borneo.] [Refs - b0964; b0965; b4094; b1454; b1850; b4108]
- a maximus** Staudinger, [1888], 1884-1888; *Alloinus* OD: In Exot. Schmett. 1:269, pl 94 [b4329] [Type: ZMHU-It; designated by Takanami, 1989] [Tyô to Ga 40(1):24 [b4602]] [TypeL - Sulawesi.] [Refs - b1840 (as magnimus); b1570; b1571; b4602]
- b maximus** (Holland), 1890; *Gerydus* OD: Proc. Boston Soc. nat. Hist. 25:68, pl 5, f 9 [b2422] SS: leos (Guérin-Méneville), [1831]; *Miletus* 4 [TypeL - Celebes.] [Refs - b1546; b1840]
- a maximus** (Elwes), [1893]; *Aphnaeus* OD: Proc. zool. Soc. Lond. 1892(4):637, pl 43, f 5 [b1594] CG: Spindasia [Refs - b1636; b4094; b0996; b2201; b1454; b0694; b0695]
- b maxwelli** (Distant), 1885, 1882-1886; *Narathura* OD: Rhop. malayana :263, pl 23, f 10 [b1285] SS: eumolphus (Stoll), [1780]; *Arhopala* g [TypeL - Malay Peninsula.] [Refs - b1644; b1564; b2200; b1454; b4094; b4108]
- b maya** (Evans), 1932; *Amblypodia* OD: Ident. Indian Butts (2nd ed.) :259 [b1638] SS: moolaiana (Moore), [1879]; *Arhopala* b [Type: BMNH-It] [TypeL - Mergui, S. Burma.] [Refs - b1644; b1638; b1454]
- b maya** Bennett, 1950; *Abisara* OD: Entomologist 83:39 [b0294] SS: saturata (Moore), 1878; *Abisara* [Type: BMNH] [TypeL - S. Burma.] [Refs - b0294; b1454]
- a maya** McAlpine, [1971]; *Calephelis* OD: J. Res. Lep. 10(1):76, f [b3127] [Type: USNM-It] [TypeL - X-can, Quintana Roo, Mexico.] [Refs - b3127]
- b mayangelae** Takanami, 1990; *Lycaenopsis* OD: Tyô to Ga 41(2):68, f [b4605] SS: haraldus (Fabricius), 1787; *Lycaenopsis* [Type: pc-ht; collection of Takanami.] [TypeL - Indonesia.] [Refs - b0124]
- b mayangelae** Takanami, 1992; *Jamides* OD: Tyô to Ga 43(1):83, f [b4607] SS: abdul (Distant), 1886; *Jamides* [Type: pc-ht; collection of Takanami.] [TypeL - Simeulue Islnd, Indonesia] [Refs - b0126]
- b mayae** (d'Abrera), 1971. *Danis* OD: Butts Australian Region :327, pl 327 [b1450] SS: caelus (Felder & Felder), 1860, *Psychonous* [TypeL - St. Aignan, Louisiades, East Papuan Islands.] [Refs - b1450, b0104]
- b mayencis** (Eitschberger & Steiniger), 1975; *Eumedonia* OD: *Aulanta* (Münnerstadt) 6(2):106, f [b1537] SS: eumedon (Esper), [1780], *Plebejus* (*Eumedonia*) [TypeL - Mainz-Mombach, Rhineland-Palatinate, Germany.] [Refs - b0107]
- c mayeli** Le Mout, 1940, 1939-1940, (IFS); *Helicopsis* OD: Novit. ent. (14):105 [b2943] SS: cupido (Linnaeus), 1758; *Helicopsis* [Type: AME-It] [Refs - b3199]
- a mayi** Rebillard, 1958; *Mesosemia* OD: Mém. Mus. natn Hist. nat. (A)15:165 [b3717] [Type: MNIH-It] [TypeL - Rio de Janeiro, Brazil.] [Refs - b3717; b0093; b1456]
- c maymoica** Evans, 1957, (ISS); *Arhopala* OD: Bull. Br. Mus. nat. Hist. (Ent.) 5(3):129 [b1644] SS: maymoia (Tytler), 1926; *Arhopala* o [Refs - b1644]
- c maymoia** (Tytler), 1926; *Amblypodia* OD: J. Bombay nat. Hist. Soc. 31(3):588 [b4773] SS: birmana (Moore), [1884]; *Arhopala* o [Type: BMNH-It] [TypeL - N. Shan States.] [Refs - b1644; b0065]
- b mayombe** Stempffer, 1974; *Liptena* OD: In Bull. Br. Mus. nat. Hist. (Ent.) 30:128, f [b4413] SS: ouesso Stempffer, 1974; *Liptena* [TypeL - Mayombe, Brazzaville, Congo.] [Refs - b0105; b1452]
- a mayottensis** (Tite), 1958; *Syntarucus* OD: Entomologist 91:191, t f D; pl 2, f 13-16 [b4668] CG: *Leptotes* [TypeL - Mayotte, Comoro Islands.] [Refs - b1452; b4400; b4668]
- b mayotti** d'Abrera, 1980; *Azanus* OD: Butts Afrotropical Region :552, f [b1452] SS: sitalces (Mabille), 1899; *Azanus* [Type: BMNH-It] [TypeL - Comoro Islands.] [Refs - b0113; b1452]
- a mayri** Wind & Clench, 1947; *Philiris* OD: Bull. Brooklyn ent. Soc. 42(1):14 [b5021] [Type: AMNH-It] [TypeL - Mt. Siwi, Arfak Mts., New Guinea.] [Refs - b1450; b4677; b0528; b5021]
- a mazaca** (Hewitson), [1860], 1852-1877; *Eurygona* OD: Ill. exot. Butts 2:---, pl [48], f 77-78 [b2323] CG: *Euselasia* [TypeL - Amazon.] [Refs - b2747; b4474; b0680; b1456]
- a mazai** Beutelspacher, 1975; *Euselasia* OD: Revta Biol. trop. 23(1):53, f [b0412] [TypeL - Cerro Hueco, Chiapas, Mexico.] [Refs - b0107]
- c mazangouli** d'Abrera, 1980, (ISS); *Pseudaletis* OD: Butts Afrotropical Region :496,497 [b1452] SS: mazanguli Neave, 1910; *Pseudaletis* [Refs - b1452]
- a mazanguli** Neave, 1910; *Pseudaletis* OD: Proc. zool. Soc. Lond. 1910(1):46, pl 2, f 6 [b3346] [TypeL - Rhodesia.] [Note - Not spelled mazangouli.] [Refs - b1452 (as mazangouli); b3346; b4400]
- a mazoensis** Trimén, 1898; *Desmolycaena* OD: Trans. ent. Soc. Lond. 46(1):8, pl 1, f 4 [b4731] [TypeL - Mashonaland.] [Type of - *Desmolycaena*] [Refs - b2280; b1259; b1452; b4400; b3567]
- a mazurka** Hewitson, [1867], 1863-1878; *Thecla* OD: Ill. diurn. Lep. Lycaenidae 1:79, 2:pl 31, f 33 [b2326] CG: *Thecla* (New World Eumaeini) [Type: BMNH] [TypeL - Amazon.] [Refs - b0908; b2747; b2925]
- b mbami** (Libert), 1993; *Iolophilus* OD: Bull. Soc. ent. Fr. 97(4):321-332 [b2990] SS: gabunica (Riley), 1928; *Iolais* (*Iolophilus*) [TypeL - Cameroun.]
- c ab. macdunnoughi** Gunder, 1927; *Glaucopsyche* OD: Can. Ent. 59(12):282 [b2099] SS: coupon Grote, 1873; *Glaucopsyche* [Type: CNC-It] [TypeL - Saskatchewan.] [Refs - b0908; b3134 (also macdunnoughi); b1321 (as macdunnoughi); b0065; b3192]
- c ab. macdunnoughi** Gunder, 1927; *Lycaena* OD: Can. Ent. 59(12):284, pl A, f 12 [b2099] SS: snowi (Edwards), 1881; *Lycaena* (*Alciphronia*) [Type: CNC-It] [TypeL - Laggan, Alberta.] [Refs - b1321 :61 (as macdunnoughi (em)); b0908; b3191; b3134 :437 (as macdunnoughi)]
- a macfarlandi** (Ehrlich & Clench), 1960; *Callophrys* OD: Ent. News 71(6):139, f [b1529] CG: *Sandia* [Type: AMNH-It] [TypeL - La Cueva Canyon, W Slope Sandia Mts., Bernalillo County, New Mexico.] [Type of - *Sandia*] [Note - Dos Passos tried to emend this name to macfarlandi, but there is no justification for this. However his mistake has been accepted by many subsequent authors.] [Refs - b3192; b0493; b2419; b4690; b2417; b1743; b1321 (as mac...); b2419; b2280; b4688; b2585; b4066; b2594]
- a mcgregori** Pennington, 1970; *Lepidochrysops* OD: Ann. Natal Mus. 20(2):377, f [b3574] [TypeL - Nieuwoudtville, Cape Province, S. Africa.] [Refs - b1259]

- e *Q. f. meadi* (Field), 1936; *Lycaena* OD: *J. Ent. Zool.* 28(2):25 [b1732] SS: montana (Field), 1936; *Gaeides* [Type: USNM-hi] [TypeL - Teton Mountains, Wyoming.] [Refs - b0908; b0074; b3192; b1321]
- b *meana* (Hewitson), [1858], 1852-1877; *Mesosemia* OD: *Ill. exot. Butts* 2:[-], pl [52], f 23,24 [b2323] SS: croesus (Fabricius), 1777; *Semomesia* [TypeL - Amazonas.] [Refs - b2747; b4474; b1456]
- a *meander* Boisduval, 1832; *Arhopala* OD: *In d'Urville, Voy. Astrolabe 1(Lép.):76* [b0457] CG: *Arhopala* h [Type: BMNH-hi] [TypeL - W. New Guinea.] [Refs - b1450; b1644; b2747; b4094; b4934]
- e *meander* Stempffer, 1967, (ISS); *Neurellipes* OD: *Bull. Br. Mus. nat. Hist. (Ent.) Suppl.* 10:197 [b4400] SS: macander (Plötz), 1880; *Neurellipes* [Refs - b4400]
- e *mecki* (Sharp), [1917], (ISS); *Malais* OD: *Zool. Rec.* 52(1915)(Ins.):196 [b4145] SS: meeki (Rothschild), 1915; *Logania* [Refs - b4145]
- c *f. meconites* Rebillard, 1958; *Euselasia* OD: *Mém. Mus. natn. Hist. nat. (A)*15:158 [b3717] SS: zena (Hewitson), [1860]; *Euselasia* [Type: MNHN-hi] [TypeL - Manicore, Rio Madeira, Brazil.] [Refs - b3717; b0093]
- a *mecria* Hewitson, [1867], 1863-1878; *Thecla* OD: *Ill. dium. Lep. Lycaenidae* 1:94; 2:pl 38, f 108,109 [b2326] CG: *Thecla* (New World Eumacini) [Type: BMNH] [TypeL - Amazon.] [Refs - b0908; b2747; b3818; b1975]
- b *medea* Stichel, 1923; *Baeotis* OD: *Z. wiss. InsektBiol.* 18(1/2):6 [b4456] SS: creusis Hewitson, 1874; *Baeotis* [TypeL - Minas Geraes.] [Refs - b4474]
- b *medea* (Hemming), 1934; *Vacciniina* OD: *Stylops* 3:98 [b2252] SS: opulete (Knoch), 1781; *Plebejus* (*Vacciniina*) [Type: biblio; replacement for uralensis Seitz, [1908], 1907-1921.] [Refs - b2252; b0072]
- b *media* Talbot, 1937; *Mimacraca* OD: *Trans. R. ent. Soc. Lond.* 86(4):63 [b4625] SS: marshalli Trimen, 1898; *Mimacraca* [Type: BMNH-hi] [TypeL - South Kavirondo, west boundary, Mirua or Sondo River Valley, Kenya or Uganda.] [Refs - b1452; b4400; b4625]
- c *media* (Verity), 1943, (RA); *Vacciniina* OD: *Farfalle Diurne Ital.* 2:242 [b4862] SS: opulete (Knoch), 1781; *Plebejus* (*Vacciniina*) [Type: MZS-st] [Note - *Beuret places this as =cosana Higgins.*] [Refs - b2856; b0410]
- b *media* (Evans), 1957; *Narathura* OD: *Bull. Br. Mus. nat. Hist. (Ent.)* 5(3):121 [b1644] SS: alaconia (Hewitson), [1869]; *Arhopala* i [Type: BMNH-hi] [TypeL - Peninsular Siam.] [Refs - b1644, b1454, b1544]
- a *medialis* Schaus & Cockerall, 1923; *Helicopsis* OD: *Proc. ent. Soc. Wash.* 25(7/8):163 [b3955] [TypeL - Colombia.] [Refs - b4474; b3717; b1456]
- b *mediclelol* Okano & Okano, 1991; *Tajuria* OD: *Rhopalocera Philippina* (6).7, pl 4, f 5-8 [b3491] SS: jalajala Felder & Felder, 1862; *Tajuria* [Type: pc-hi; collection of Masao Okano.] [TypeL - Sta. Cruz Mts., Leyte Island, Visayan Islands, Philippines.] [Refs - b3491]
- b *mediclelol* Okano & Okano, 1991; *Paruparo* OD: *Rhopalocera Philippina* (5):5, f 17-20 [b3490] SS: cebuensis (Jumalon), 1975; *Paruparo* [Type: pc-hi; collection of Masao Okano.] [TypeL - Bantawon Mts., Leyte Island, Philippines.] [Refs - b4101; b3490]
- e *ab. mediojuncta* (Tutt), 1909, 1905-1914; *Plebeius* OD: *Nat. Hist. Brit. Butts* 3:185 [b4760] SS: argus (Linnaeus), 1758; *Plebejus* [Refs - b0471]
- c *mediomontana* (Verity), 1929, (RA); *Heodes* OD: *Bull. Soc. ent. Fr.* 1929(7):131 [b4849] SS: virgaureae (Linnaeus), 1758; *Lycaena* (*Heodes*) [Type: MZS-st] [TypeL - France.] [Refs - b2856; b0236; b0389; b4849]
- b *mediomontana* Beuret, 1953; *Lycaena* OD: *Lyc. Schweiz.* I :30 [b0389] SS: virgaureae (Linnaeus), 1758; *Lycaena* (*Heodes*) [Refs - b2856; b0389 (as Verity name)]
- e *ab. mediopunctata* Oberthür, 1914; *Apelles* OD: *Étud. Lép. comp.* 10:391, pl 209, f 2363 [b3454] SS: melanops (Boisduval), [1828]; *Apelles* [Refs - b0236; b0471]
- c *mediterranea* Turai, 1911; *Lycaena* OD: *Soc. ent.* 25(21):84, (23):89 [b4743] SS: alciiphron (Rottemburg), 1775; *Lycaena* (*Alciiphronia*) [Refs - b0236; b0471]
- c *mediterraneae* Bethune-Baker, 1918; *Tarucus* OD: *Trans. ent. Soc. Lond.* 65(2/4):281, pl 14, f 7-7b; pl 16, f 7; pl 19, f 26 [b0356] SS: rosaceus (Austaut), 1885; *Tarucus* [TypeL - Alexandria.] [Refs - b1762; b2905 (as *mediterranea*); b0236; b0836; b0356; b2898 (as *mediterraneus*); b4400; b0773; b0162; b0694; b0471]
- a *medjensis* Holland, 1920; *Telipna* OD: *Bull. amer. Mus. nat. Hist.* 43(6):214, pl 12, f 8 [b2434] [TypeL - Congo.] [Refs - b4400]
- b *medocus* (Fruhstorfer), 1908; *Miletus* OD: *Int. ent. Z.* 2(14):85 [b1830] SS: theon Felder & Felder, 1865; *Hypochrysops* [Type: BMNH-hi] [TypeL - Queensland, Australia.] [Refs - b1450; b0870; b4940; b3926; ns1097]
- d *medon* (Hübner), 1766, (H); *Papilio* OD: *Berlin Mag.* 2:78 [b2492] SS: agestus ((Denis & Schiffermüller)), 1775; *Plebejus* (*Aricia*) [TypeL - Potsdam] [Refs - b2747; b0993; b1780; b1762; b1759; b2399; b0236; b0410; b2794; b0270; ns2147]
- a *meduana* (Hewitson), [1869], 1863-1878; *Myrina* OD: *Ill. dium. Lep. Lycaenidae* Suppl.:4, pl 3, f 75,76 [b2326] CG: *Eooxylides* [TypeL - Mindanao, Philippines.] [Refs - b2747 (as *meduana*); b4094; b1454; b4594]
- e *meduana* (Kirby), 1871, (ISS); *Sithon* OD: *Syn. Cat. dium. Lep.* :415 [b2747] SS: *meduana* (Hewitson), [1869]; *Eooxylides* [Refs - b2747]
- c *medullia* (Fruhstorfer), [1912]; *Marmessus* OD: *Berl. ent. Z.* 56(3/4):250 [b1850] SS: ravindra (Horsfield), [1828]; *Drupadia* [Type: BMNH-hi; designated by Cowan, 1974] [*Bull. Br. Mus. nat. Hist. (Ent.)* 29(6):307 [b1030]] [TypeL - S. E. Java, Indonesia.] [Refs - b1030; b4094; b1850]
- c *medusa* H. Druce, 1874; *Anteros* OD: *Trans. ent. Soc. Lond.* 22(1):160 [b1384] SS: carausius Westwood, [1851]; *Anteros* [TypeL - Panama.] [Refs - b2719; b2753; b4474]
- b *medusa* H. H. Druce, 1904; *Nymphidium* OD: *Proc. zool. Soc. Lond.* 1904(1)(2):487, pl 34, f 3 [b1370] SS: ninias Hewitson, [1865]; *Nymphidium* [TypeL - Peru.] [Refs - b4476; b1456]
- a *medea* Hewitson, [1858], 1852-1877; *Mesosemia* OD: *Ill. exot. Butts* 2:[-], pl [51], f 16,17 [b2323] [TypeL - Brasilia.] [Refs - b4474, b1456]
- a *meeki* Rothschild, 1900; *Ogyris* OD: *Novit. zool.* 7:274, pl 5, f 1 [b3872] [TypeL - New Guinea.] [Refs - b1450; b4094]
- a *meeki* (Rothschild & Jordan), 1905; *Sulbon* OD: *Novit. zool.* 12:465 [b3885] CG: Bindahara [TypeL - New Guinea.] [Type of - Sulbon] [Refs - b2280]
- a *meeki* Rothschild & Jordan, 1905; *Hypochrysops* OD: *Novit. zool.* 12:464 [b3885] [Type: BMNH-hi; designated by Sands, 1986] [*Entomograph* 7:71 [b3926]] [TypeL - British New Guinea.] [Refs - b1450; b2078; b3926]
- a *meeki* (Bethune-Baker), 1906; *Candalides* OD: *Ann. Mag. nat. Hist.* (7)17:101 [b0337] CG: Udara (Penvaga) [Type: BMNH-hi] [TypeL - Angabunga River, New Guinea.] [Type of - Penvaga] [Refs - b4677; b1450; b1561; b2078; b1580, b5021]

- c meeki** (Rothschild), 1911; Deudorix OD: Ann. Mag. nat. Hist. (8)8:233 [b3876] SS: chrysargyra Grose-Smith & Kirby, 1895; Hypochrysops [Type: BMNH-ht; designated by Sands, 1986] [Entomograph 7:30 [b3926]] [TypeL - Snow Mts., Dutch New Guinea.] [Refs - b4094; b3926]
- c meeki** (Rothschild), 1915; Malais OD: Novit. zool. 22:387 [b3879] SS: hamponi Fruhstorfer, 1914; Logania [Type: BMNH-ht; designated by Eliot, 1986] [Bull. Br. Mus. nat. Hist. (Ent.) 53(1):72 [b1571]] [TypeL - Dampier Island, New Guinea.] [Refs - b3879; b1571]
- b meeki** (Evans), 1957; Narathura OD: Bull. Br. Mus. nat. Hist. (Ent.) 5(3):116 [b1644] SS: philander Felder & Felder, 1865; Arhopala h [Type: BMNH-ht] [TypeL - New Hannover.] [Refs - b1450; b1644]
- a meeki** Eliot, 1974; Acupicta OD: Malay Nat. J. 28(2):112 [b1560] [TypeL - New Hanover, Papua New Guinea.] [Refs - b1560; b0107]
- c meeloni** de Sagarra y Castellamau, 1930; Glaucopsyche OD: Butll. Inst. catal. Hist. nat. (2)10:118 [b1180] SS: alexis (Poda von Neuhaus), 1761; Glaucopsyche [TypeL - Spain.] [Refs - b0070; b3059 (as melconi); b1180]
- a meforensis** (Tite), 1963; Holochila OD: Bull. Br. Mus. nat. Hist. (Ent.) 14(5):207 [b4677] CG: Candalides [Type: BMNH-ht] [TypeL - Geelvink Bay, Mefor Island, Suer, New Guinea.] [Refs - b4677; b1450]
- b megabates** Fruhstorfer, [1912]; Sithon OD: Berl. ent. Z. 56(3/4):226 [b1850] SS: nedymond (Stoll), [1780]; Sithon [TypeL - N. E. Sumatra.] [Refs - b4094; b1454; b1850; b3782]
- e megabates** d'Abrera, 1986, (ISS); Sithon OD: Butts Oriental Region, Pt 3 :632 [b1454] SS: megabates Fruhstorfer, [1912]; Sithon [Refs - b1454]
- a megacles** (Stoll), [1780], 1780-1790; Papilio OD: In Cramer, Uil. Kapellen 4(28):85, pl 333, f E,F [b4478] CG: Thecla (New World Eumacini) [Type: BMNH] [TypeL - Surinam.] [Refs - b0908; b2747; b1375; b2593]
- e megakeles** Sharp, [1913], (ISS); Deudorix OD: Zool. Rec. 49(1912)(Ins.):309 [b4142] SS: megakles Fruhstorfer, [1912]; Deudorix [Refs - b4142]
- c megakles** Fruhstorfer, [1912]; Deudorix OD: Berl. ent. Z. 56(3/4):266 [b1850] SS: epijarbas (Moore), [1858]; Deudorix [TypeL - Celebes.] [Refs - b4094; b2201; b1454; b1850; b4108]
- c megala** Scitz, [1917], 1910-1924; Sisine OD: In Scitz, Grossschmett. Erde 5:698, pl 133b [b4093] SS: alectryo Westwood, [1851]; Sisine [TypeL - Monte Tolima & Aguaca Valley, Colombia.] [Refs - b4475; b4093]
- c megalesia** Fruhstorfer, [1912]; Neochentra OD: Berl. ent. Z. 56(3/4):246 [b1850] SS: theodora (H. H. Druce), 1885; Neochentra [TypeL - N. Borneo.] [Refs - b4094; b1850; b4108]
- a megalia** (Süchcl), 1911; Orimba OD: Gen. Insectorum 112(B):348 [b4447] CG: Setabis [Type: ZMIIU-ht] [TypeL - Tarapoto, Peru.] [Refs - b4475; b1456; b4446]
- b megalio** (McDunnough), 1927; Plebeius OD: Can. Ent. 59(7):161 [b3131] SS: rustica (Edwards), 1865; Polyommatus (Agnades) [Type: CNC-ht] [TypeL - Mount McLean, Lillooet, British Columbia.] [Refs - b0908; b0428; b1321; b3192; b1743; b1321]
- b megaloceras** Ferris, 1977; Epidemia OD: Bull. Allyn Mus. (45):31, f 84-85,88 [b1714] SS: dorcas (Kirby), 1837; Epidemia [Type: AME-ht] [TypeL - 5-Spring Creek, Big Horn County, Wyoming.] [Note - May be a subspecies of helloides.] [Refs - b1714; b3191; b3192; b3189; b4066 (with helloides)]
- a megamede** Pritwitz, 1865; Thecla OD: Stell. ent. Ztg 26:322 [b3651] CG: Thecla (New World Eumacini) [TypeL - Corcovado, Rio de Janeiro, Brazil.] [Refs - b0908; b2747]
- a megana** Johnson, 1989; Femniterga OD: Insecta Mundi 3(3):204, f [b2599] [Type: MNHN-ht] [TypeL - Mendoza, Argentina.] [Refs - b0123; b2606]
- c megaris** (Fruhstorfer), 1913; Gerydus OD: Z. wiss. InsektBiol. 9(9):244 [b1851] SS: perlucidus (Fruhstorfer), 1913; Miletus 4 [TypeL - Lombok.] [Refs - b1546; b1454 (as good subspecies); b1840]
- a megarus** (Godart), [1824], 1819-1824; Polyommatus OD: In Ency. méth. 9(Ins.)(2):638 [b1970] CG: Strymon [Type: MNHN-ht] [TypeL - Brazil.] [Refs - b0908; b2747; b3192; b1375; b2592; b2624]
- c megdora** (Fruhstorfer), 1915; Lampides OD: Arch. Naturgesch. (A)81(6):28 [b1865] SS: amphissa (Felder & Felder), 1860; Jamides [TypeL - Obi.] [Refs - b1450; b4094; b1865]
- a megistia** (Hewitson), [1869], 1863-1878; Myrina OD: Ill. diurn. Lep. Lycaenidae Suppl.:5, pl 3, f 77,78 [b2326] CG: Tajuria [Refs - b1636; b1153; b0965; b4094; b2747; b1454; b0694]
- a mehida** Hewitson, 1869, 1869-1877; Mesosemia OD: Equatorial Lep. Buckley (3):42 [b2330] [TypeL - Ecuador.] [Refs - b4474; b2747; b0688; b1456; b4446]
- c meieri** Le Moul, 1940, 1939-1940; Helicopsis OD: Novit. ent. (15):118 [b2943] SS: cupido (Linnaeus), 1758; Helicopsis [Type: AME-ht] [TypeL - São Paulo de Olivença, Amazonas, Brazil.] [Refs - b3199]
- b melichius** (Fruhstorfer), 1915; Lampides OD: Arch. Naturgesch. (A)81(6):18 [b1865] SS: alecto C. Felder, 1860; Jamides [TypeL - Ceylon.] [Refs - b1636; b4094; b1865; b1454; b0694]
- c ab. meinersi** Gunder, 1927, (IFS); Strymon OD: Can. Ent. 59(12):283, pl A, f 9.9a [b2099] SS: humuli (Harris), 1841; Strymon [Type: AMNH-ht] [TypeL - Table Rock, North Carolina.] [Refs - b0908; b3192; b1321]
- e meinersi** Field, 1938, (IFS); Evers OD: J. Kansas ent. Soc. 11(4):132 [b1735] SS: comyntas (Godart), [1824]; Evers [Type: USNM-ht] [TypeL - Lawrence, Kansas.] [Note - Described as the spring brood, and thus unavailable.] [Refs - b0908; b3192; b1321; b1735; b4066]
- b meiranganus** (Röber), [1886]; Plebeius OD: CorrespBl. ent. Ver. Iris 1(3):65, pl 5, f 23,25 [b3820] SS: lineata (Murray), 1874; Erysichton [TypeL - Aru.] [Refs - b4676; b1450; b4094]
- b mejicanus** (Behr), 1865; Nemeobius OD: Proc. Calif. Acad. Sci. 3(3):179 [b0281] SS: momo (Felder & Felder), 1859; Apodemia [Type: destroyed] [TypeL - Mountains S of Maxatlan, Sinaloa, Mexico.] [Refs - b2719; b4688; b1711; b2747; b4475; b3192; b1342; b1321; b4690; b0493; b4066]
- c mela** (Strecker), 1900, 1872-1900; Lycaena OD: Lep. Rhop. Hct. 3:20 [b4531] SS: cyna (Edwards), 1881; Zuzula [Type: FMNH-st] [TypeL - Colorado; Bastrop, Texas; Chihuahua, Mexico; Muzo, Colombia.] [Refs - b0908; b3192; b1321]
- a melaena** (Trimen), 1887, 1887-1889; Lycaena OD: In Trimen & Bowker, S. Afr. Butts 2:82 [b4725] CG: Tuxentius [TypeL - S. Africa.] [Type of - Tuxentius] [Refs - b1943; b1259; b1452; b2898; b4400; b2899]
- a melaena** (Doherty), 1889; Cyaniris OD: J. asiat. Soc. Bengal, Pt II 58(4):434, pl 23, f 13 [b1301] CG: Callenya [TypeL - Tenasserim Valley, Burma.] [Type of - Callenya] [Refs - b0964; b1636; b4400; b1840; b1580]
- c melaena** Zikán, 1952; Mesosemia OD: Dusenya 3:21 [b5074] SS: machaera Hewitson, [1860]; Mesosemia [TypeL - Brazil.] [Refs - b0086]

- a** *melaene* Hewitson, [1859], 1852-1877; *Mesosemia* OD: Ill. exot. Butts 2:[---], pl [54], f 54,55 [b2323] [TypeL - Amazon.] [Refs - b2747; b4474; b1456]
- c** *melaenoides* (Tyler), 1915; *Cyaniris* OD: J. Bombay nat. Hist. Soc. 24(1):121, pl 3, f 28 [b4772] SS: *melaena* (Doherty), 1889; *Callenya* [Type: BMNH-lt; designated by Eliot & Kawazoé, 1983] [Butts *Lycaenopsis* group :259 [b1580]] [TypeL - Manipur.] [Refs - b1636; b1840; b1580; b0236]
- c** *melama* (Aurivillius), [1924], 1908-1925, (ISS); *Castalius* OD: In Seitz, *Grossschmett. Erde* 13:467 [b0162] SS: *melaena* (Trimen), 1887; *Tuxentius* [Refs - b4400]
- a** *melambrotus* (Holland), 1893; *Lycaenesthes* OD: Ent. News 4(1):27 [b2427] CG: *Anthene* [TypeL - W. Africa.] [Refs - b1452; b4400]
- a** *melampia* (Bates), 1867; *Cremna* OD: Trans. ent. Soc. Lond. 3(5(7)):543 [b0266] CG: *Napaea* [TypeL - Bahia.] [Refs - b2747; b4474; b0266; b1456]
- d** *melampus* (Stoll), [1783], 1780-1790, (H); *Papilio* OD: In Cramer, *Uitl. Kapellen* 4(31):142, pl 362, f G,H [b4478] SS: *iarius* (Fabricius), 1787; *Rapala* [TypeL - India bor.; Java.] [Type of - Baspa] [Refs - b1636; b2280; b4094; b2747; b0995; b4092; b0625]
- a** *melanacra* Tite, 1963; *Philiris* OD: Bull. Br. Mus. nat. Hist. (Ent.) 14(5):245 [b4677] [Type: BMNH-hi] [TypeL - Witu or French Islands, Bismarck Archipelago.] [Refs - b4677; b1450]
- b** *melancholica* Stichel, 1916; *Emesis* OD: Z. wiss. Insektbiol. 12:244 [b4453] SS: *tenedia* Felder & Felder, 1861; *Emesis* [TypeL - S. Brazil.] [Refs - b4475; b1456]
- c** *melancholica* Bryk, 1946; *Maculinea* OD: Ark. Zool. 38A(3):58 [b0568] SS: *euphemia* (Staudinger), 1887; *Maculinea* [TypeL - Korea.] [Refs - b0080; b4225]
- a** *melanchroia* Felder & Felder, 1865, 1865-1875; *Lepicomis* OD: Reise Novara (2):307, pl 38, f 25 [b1692] [TypeL - Mexico.] [Type of - *Lepicomis*] [Refs - b2988; b2280; b2747; b4474; b1456]
- a** *melander* (Stoll), [1780], 1780-1790; *Papilio* OD: In Cramer, *Uitl. Kapellen* 4(28):89 (pro parte), pl 336, f B [b4478] CG: *Melanis* [TypeL - Surinam; Amazon.] [Type of - *Melanis*] [Refs - b2280; b2988; b2747; b4474; b3192; b1456]
- a** *melandeta* (Holland), 1893; *Larinpoda* OD: Ent. News 4(1):25, pl 1, f 5,6 [b2427] CG: *Falcuna* [TypeL - W. Africa.] [Refs - b1452; b4400]
- a** *melane* (Joicey & Talbot), 1916; *Thysonotus* OD: Ann. Mag. nat. Hist. (8)17:82, pl 7, f 7 [b2652] CG: *Psychonotus* [Type: BMNH-st] [TypeL - Wandammen Mts., New Guinea.] [Refs - b1450; b0111; b2652; b2388]
- c** *melania* (Staudinger), 1886, 1886-1889; *Agrodiactus* OD: Stett. ent. Zig 47:214 [b4330] SS: *iphigenides* (Staudinger), 1886; *Polyommatus* (*Agrodiactus*) [Note - *Scheitkin* considers this a good subspecies.] [Refs - b2827; b1772; b4092; b0120]
- c** *melania* (Capronnier), 1889; *Lycaena* OD: C. r. Soc. ent. Belg 33:cxv [b0700] SS: *acthiops* (Mabille), 1877; *Petrelaea* [TypeL - Congo.] [Refs - b4400]
- b** *melania* Waterhouse & Lyell, 1914; *Liphya* OD: Butts Aust. 135 [b4947] SS: *brassolis* Westwood, [1864]; *Liphya* [TypeL - Darwin, Australia.] [Refs - b1450; b0113]
- a** *melania* Sands, 1980; *Acrodipsas* OD: J. Aust. ent. Soc. 18(3):251-265 [b3923] [Type: ANIC-hi] [TypeL - Queensland, Australia.] [Refs - b1610 (7913:l11); b3923; b0113; b0870]
- a** *melaniae* (Stichel), 1930; *Lymnas* OD: Lep. Cat. Pars 40:461 [b4474] CG: *Melanis* [TypeL - Sta Catharina.] [Refs - b4474; b1456]
- a** *melanion* Felder & Felder, 1865, 1865-1875; *Miletus* OD: Reise Novara (2):284, pl 35, f 32,33 [b1692] CG: *Miletus* 5 [Type: BMNH-lt; designated by Eliot, 1986] [Bull. Br. Mus. nat. Hist. (Ent.) 53(1):81 [b1571]] [TypeL - Luzon, Philippines.] [Refs - b1153; b1546; b2747; b1571; b1840]
- a** *melanis* Hübner, [1831], 1808-1837; *Baeotis* OD: Zutr. Samml. exot. Schmett. 3:12, pl [74], f 427,428 [b2483] [TypeL - Brasilia.] [Refs - b2988; b4474; b2747; b0419; b1456]
- c** *f. melanochloe* (Watarai), 1932; *Zephyrus* OD: *Zephyrus* 4(4):236, f [b4927] SS: *butleri* (Fenton), [1882]; *Antigius* [TypeL - Japan.] [Refs - b1900; b2383]
- b** *melanochlora* Godman & Salvin, 1878; *Mesenopsis* OD: Proc. zool. Soc. Lond. 1878(2):362 [b1973] SS: *bryaxis* (Hewitson), 1870; *Mesenopsis* [TypeL - Veragua; Chiriqui.] [Refs - b1453; b2497; b1456; b1456]
- c** *melanogyra* (Bates), [1868]; *Lemonias* OD: J. linn. Soc. Lond., Zool. 9:447 [b0267] SS: *nepioides* (Butler), [1867]; *Calospila* [TypeL - Para.] [Refs - b2747; b4475]
- b** *melanoma* Tite, 1963; *Philiris* OD: Bull. Br. Mus. nat. Hist. (Ent.) 14(5):231 [b4677] SS: *harteri* (Grose-Smith), 1894; *Philiris* [Type: BMNH-hi] [TypeL - Jobi Island, Dutch New Guinea.] [Refs - b4677; b1450]
- a** *melanomitra* Karsch, 1895; *Symoptera* OD: Ent. Nachr. 21:308 [b2694] [TypeL - Cameroons.] [Type of - *Symoptera*] [Refs - b2280; b1452; b2694; b4400]
- c** var. *melanophlaeas* Villiers & Guéneé, 1835; *Lycaena* OD: Table Synopt. Lép. :36 [b4877] SS: *phlaeas* (Linnaeus), 1761; *Lycaena* (*Lycaena*) [Refs - b0236; b0389; b1057; b0276; b0068; b0471]
- c** *melanoposmater* Verity, 1928, (RA); *Glaucopsyche* OD: Bull. Soc. ent. Fr. 1928(8):141 [b4847] SS: *alexis* (Poda von Neuhaus), 1761; *Glaucopsyche* [Type: MZS-st] [TypeL - Alberia.] [Refs - b2856 (as *melanopostmater*); b0236; b4847; b0471]
- b** *melanoposmater* Higgins & Riley, 1970; *Glaucopsyche* OD: Field Guide Butts Brit. Europ. :262 [b2380] SS: *alexis* (Poda von Neuhaus), 1761; *Glaucopsyche* [Refs - b2856]
- c** *melanopostmater* Kudrna, 1983, (ISS); *Glaucopsyche* OD: J. Res. Lep. 21(1):31 [b2856] SS: *melanoposmater* Verity, 1928; *Glaucopsyche* [Refs - b2856]
- a** *melanops* (Boisduval), [1828]; *Polyommatus* OD: Europ. Lepid. Ind. Meth. :13 [b0456] CG: *Apelles* [TypeL - Au. France.] [Type of - *Apelles*] [Note - *Placed on Official List by Opinion 972.*] [Refs - b2280; b2375; b3059; b1213. b2747 b0993; b1762; b0108; ns3069; b0236; b0400 (in *Glaucopsyche*); b2794; b2859 (in *Glaucopsyche*); ns0020; b4092; b2239]
- c** *melanops* Butler, 1873; *Barbicomis* OD: *Cistula Entomologica* 1(7):171 [b0596] SS: *basilis* Godart, [1824]; *Barbicomis* [Type: -lt; designated by Azzarà, 1978] [*Acta biol. parana* 7(1/4) 40 [b0189]] [TypeL - Brazil.] [Refs - b0111; b2988; b2753; b4474; b1456]
- a** *melanorubra* Johnson, 1993; *Gigantorubra* OD: Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (32):29, f [b2614] [Type: MNHN-hi] [TypeL - Omonbe, Surinam.] [Refs - b2614]
- c** *ab melanostrata* (Crombrugge de Picquendaale), 1911; *Lycaena* OD: *Revue mens. Soc. ent. namur.* 11:82-83 [b1071] SS: *icarus* (Rottemburg), 1775; *Polyommatus* [Refs - b0236; b1071]
- b** *melanotica* (Riley), [1945]; *Taxila* OD: Trans. R. ent. Soc. Lond. 94(2):251 [b3782] SS: *thuisto* (Hewitson), [1861]; *Laxita* [Type: BMNH-hi] [TypeL - Siberia.] [Refs - b1454; b3782]

- c **melanotoxa** (Pinctore Marott), 1879; *Lycaena* OD: G. Sci. nat. econ. Palermo 14:54, pl 3, f 14,15 [b3604] SS: icarus (Rottemburg), 1775; *Polyommatus* [TypeL - Sicily.] [Refs - b0236; b0276; b4146]
- e **ab. melanthea** (Cabeau), 1922, 1919-1922; *Zephyrus* OD: Revue mens. Soc. ent. namur. 22:26 [b0665] SS: *betulae* (Linnaeus), 1758; *Thecla* [TypeL - Vinton.] [Refs - b0236]
- b **melantho** (Klug), 1834, 1829-1845; *Lycaena* OD: In Ehrenberg, Sym. Phys. Ins. 4:pl 40, f 10,11 [b2782] SS: *spini* ((Denis & Schiffermüller)), 1775; *Satyrion* [Refs - b2747; b0293; b3555; b4092; b0471]
- b **melantho** (Ménétriés), 1855, 1855-1857; *Limnas* OD: Enum. corp. anim. 1:93, pl 3, f 7 [b3152] SS: *iartas* (Fabricius), 1787; *Melanis* [Refs - b4474]
- a **melaphaea** (Hübner), [1823], 1808-1837; *Erythia* OD: Zutr. Samml. exot. Schmett. 2:8, pl [37], f 209,210 [b2483] CG: *Euselasia* [TypeL - Amazon.] [Refs - b2988; b2747; b4474; b1456]
- c **melas** (Aurivillius), [1924], 1908-1925, (ISS); *Castalius* OD: In Seitz, Grossschmett. Erde 13:467 [b0162] SS: *melaena* (Trimen), 1887; *Tuxentius* [Refs - b4400; b0162 (on plate as *melama*)]
- a **melastigma** de Nicéville, 1887; *Tajuria* OD: Proc. zool. Soc. Lond. 1887(3):460, pl 40, f 1 [b1150] [TypeL - Sikkim.] [Refs - b1636; b4094; b1454; b0694]
- c **melba** Hewitson, [1877], 1863-1878; *Thecla* OD: Ill. diurn. Lep. *Lycaenidae* 1:202; 2:pl 80, f 657,658 [b2326] SS: *badeta* Hewitson, [1873]; *Thecla* (New World Eumacini) [Type: BMNH] [TypeL - Minas Gerais.] [Refs - b0908; b2753]
- b **meleager** (Esper), [1778], 1776-1830; *Papilio* OD: Die Schmett. 1(1)(8):pl 45; 1(1)(9):375 [1779] [b1623] SS: *daphnis* ((Denis & Schiffermüller)), 1775; *Polyommatus* (*Meleageria*) [Type of - *Meleageria*] [Refs - b3059; b2280; b1213; b2747; b3326; b0993; b1780; b1762; b2827; b0236; b0410; b2794; b4092; b1417; b2302]
- d **meleager** (Hübner), [1804], 1796-1838, (H); *Papilio* OD: Samml. europ. Schmett. 1:pl 103, f 522-525; f 761-762 (-43) [b2480] SS: *glandon* (Prunner), 1798; *Polyommatus* (*Agrades*) [Refs - b2747; b0993; b2280; b0410; b2794; b2260; b4092]
- a **meleager** (H. H. Druce), 1907; *Thecla* OD: Proc. zool. Soc. Lond. 1907(3):618 [b1375] CG: *Klaufera* [Type: BMNH]-it; designated by Johnson, 1991 [Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (21):15 [b2606]] [TypeL - Surinam.] [Refs - b1738; b1375; b2631; b0125; b2606]
- b **meleagris** Hopffer, 1874; *Cremna* OD: Stett. ent. Ztg 35:362 [b2446] SS: *actons* (Cramer), [1776]; *Cremna* [TypeL - Peru.] [Refs - b4474; b2753]
- c **meleagris** (Waterhouse), 1903; *Miletus* OD: Proc. Linn. Soc. N. S. Wales 28(1):270 [b4934] SS: *euclides* Miskin, 1889, *Hypochrysops* [TypeL - Cardwell, Queensland, Australia] [Refs - b4934; b3926]
- e **ab. meledamon** (Rebel), 1920; *Lycaena* OD: Verh. zool.-bot. Ges. Wien 70:(75) [b3712] SS: *meleager* (Esper), [1778], *Polyommatus* (*Meleageria*) [Note - *Hyb* of *meleager* × *damon*] [Refs - b0471; b3712; b3323]
- e ♀ **f. melera** Seitz, [1926], 1912-1927, (IFS); *Horaga* OD: In Seitz, Grossschmett. Erde 9:983, f 158a [b4094] SS: *osma* Fruhstorfer, [1912]; *Horaga* [Refs - b1012; b4094]
- a **melese** Hewitson, [1860], 1852-1877; *Mesosemia* OD: Ill. exot. Butts 2:[---], pl [57], f 74 [b2323] [TypeL - Amazon.] [Refs - b2747; b4094; b1456]
- c **meletia** (Felder & Felder), 1865, 1865-1875; *Diophtalma* OD: Reise Novara (2):297 [b1692] SS: *mevania* Hewitson, [1857]; *Mesosemia* [TypeL - Bogota.] [Refs - b2747; b4474]
- c **melia** (Bates), [1868]; *Lemonias* OD: J. linn. Soc. Lond., Zool. 9:397 [b0267] SS: *thara* (Hewitson), [1858]; *Calospila* [TypeL - Amazon.] [Refs - b2747; b4475]
- c **melibaeus** Butler, [1870], (ISS); *Arawacus* OD: Cat. diurn. Lep. Fabricius Br. Mus. :198 [b0590] SS: *melibocus* (Fabricius), 1793; *Arawacus* [Refs - b0908; b2988]
- a **melibocus** (Fabricius), 1777; *Papilio* OD: Gen. Ins. :271 [b1654] CG: *Ancyluris* [TypeL - Surinam.] [Refs - b4474; b2747; b5076; b0569; b1456]
- a **melibocus** (Fabricius), 1793, 1792-1799; *Hesperia* OD: Ent. syst. 3(1):271 [b1657] CG: *Arawacus* [TypeL - India.] [Refs - b0908; b2221; b2747 (as *melibaeus*); b4518; b5076]
- c **melibocus** (Staudinger), 1878, 1878-1879; *Polyommatus* OD: Horae Soc. ent. ross. 14:231 [b4327] SS: *alciphron* (Rottemburg), 1775; *Lycaena* (*Alciphronia*) [Refs - b4092]
- c **melicerta** Schaus, 1890; *Caria* OD: Ent. Amer. 6(1):18 [b3947] SS: *ino* Godman & Salvin, [1886]; *Caria* [Type: USNM-st] [TypeL - Mexico.] [Refs - b2719; b4474; b3192; b1342; b1321; b4066]
- a **melicertes** (Nekrutenko), 1985; *Lycaena* OD: Vestnik Zoologii 1985(4):29-35, f [b3367] CG: *Phoenicurusia* [TypeL - Araxes river valley near Negram, Nakhitshivan.] [Refs - b3367]
- b **melida** Fruhstorfer, [1912]; *Rapala* OD: Berl. ent. Z. 56(3/4):257 [b1850] SS: *rhoecus* de Nicéville, 1895; *Rapala* [Type: ZMILU-it; designated by Takanami, 1989] [Tyō to Ga 40(1):35 [b4602]] [TypeL - Mt. Kinabalu, N. E. Borneo.] [Refs - b4094 (as ssp of *sphinx*); b2209; b2201; b1850; b4602; b4108]
- a **melidor** (H. H. Druce), 1909; *Thecla* OD: Trans. ent. Soc. Lond. 57(3):431, pl 11, f 4 [b1376] CG: *Atides* [Type: BMNH-it J. J. Adams collection.] [TypeL - Río Colorado, Peru.] [Refs - b0908; b2988; b1376]
- a **melimnos** (H. H. Druce & Bethune-Baker), 1893; *Thysanotis* OD: Proc. zool. Soc. Lond. 1893(3):544, pl 46, f 2 [b1382] CG: *Danis* [TypeL - Jobi Island, Dutch New Guinea.] [Refs - b1450; b2078; b1866; b2388; b1382]
- c **melimona** Wright, 1905; *Plebejus* OD: Butts W. Coast U. S. :226, pl 29, f 382,b,c,cc [b5043] SS: *emigdionis* (Grinnell), 1905; *Plebejus* (*Plebulina*) [Type: CAS-it; designated by Tilden, 1975] [Occ. Pap. Calif. Acad. Sci. (118):36 [b4659]] [TypeL - San Bernardino Mountains, California.] [Refs - b0908; b0107; b3192; b1321; b5043]
- c **melinus** (Dufranc), 1939, (ISS); *Thecla* OD: Bull. Anns Soc. ent. Belg 79:290 [b1408] SS: *melinus* Hübner, [1818], *Strymon* [Refs - b0908]
- c **f. melini** Bryk, 1953, (IFS); *Stalachus* OD: Ark. Zool. (ns)5(1):130 [b0569] SS: *calliope* (Linnaeus), 1758, *Stalachus* [Type: UZLU-it] [TypeL - Manaus, Brazil.] [Refs - b0569]
- a **melino** Dyar, 1912; *Caria* OD: Proc. U. S. natn. Mus. 42:41 [b1442] [TypeL - Mexico.] [Refs - b4474; b1456]
- a **melinus** Hübner, [1818], 1808-1837; *Strymon* OD: Zutr. Samml. exot. Schmett. 1:22, pl [21], f 121,122 [b2483] [TypeL - Georgia.] [Type of - *Callipareus*, *Strymon*, *Uranotes*] [LiteH - Tietz lists b0415, b3176, b1582, b3244, b3802, b0470, b0782, b0875, b0902, b1072, b1624, b2142, b2143, b2429, b3119, b3244, b3531, b3557, b4088, b4089, b4814, b0049, b0050, b0051, b0052, b0053, b0054, b0055.] [Note - Placed on Official List by Op 541.] [Refs - b2280; b3078; b0908; b2221; b1530 :216, f 412; b1321 :56; b4245; b2747; b1601; b3818; b3192; b2530 (Op 541, L 1602); b3512; b2417; b0493; b1743; b4534; b5015; b1975; b4690 (*); b0467; b2631; b4066; b4652; b3151]

- b** *mellor* Stichel, 1910; *Ancyluris* OD: Berl. ent. Z. 55(1/2):97 [b4445] SS: etias (Saunders), [1859]; *Ancyluris* [TypeL - San Paulo de Olivença, W. Amazonas, Brazil; Peru.] [Refs - b4474; b4445]
- c** *melipoeus* Emmel, 1975, (ISS); *Ancyluris* OD: Butterflies [105] [b1601] SS: *melibocus* (Fabricius), 1777; *Ancyluris* [Refs - b1601]
- b** *mellisa* (Hewitson), [1869], 1863-1878; *Myrina* OD: Ill. diurn. Lep. Lycaenidae Suppl.:6, pl 3, f 82,83 [b2326] SS: *scaeva* (Hewitson), [1863]; *Drupadia* [Type: BMNH-It; designated by Cowan, 1974] [Bull. Br. Mus. nat. Hist. (Ent.) 29(6):343 [b1030]] [TypeL - Burma.] [Refs - b1030; b0964; b1636; b1153; b0965; b4094; b2747; b0105; b2201; b1454; b0694]
- a** *melissa* (Edwards), 1873; *Lycaena* OD: Trans. amer. ent. Soc. 4(4):346 [b1504] CG: *Plebejus* (*Lycaeides*) [Type: CM-It; designated by Brown, 1970] [Trans. amer. ent. Soc. 96:374-375 [b0510]] [TypeL - La Plata Peak, vicinity of Twin Lakes, Lake County, Colorado. Restricted by Brown, 1970] [Refs - b1530 :232, f 44; b1321 :64; b0908; b5041; b4688; b2753; b3325; b1762; b2827; b3328; b3192; b3512; b0410; b2417; b0493; b1743; b4237; b5015; b1504; b0512; b4690; b2379; b1212; b4092]
- c** *f. melissa* (H. H. Druce), 1888; *Teriomima* OD: Ent. mon. Mag. 25:109 [b1352] SS: *dispar* (Kirby), 1887; *Epitolina* [TypeL - W. Africa.] [Refs - b0836; b4400]
- c** *var. melissa* Oberthür, 1917; *Plebejus* OD: Étud. Léop. comp. 14:pl 11, f 31-33 [b3457] SS: *argus* (Linnaeus), 1758; *Plebejus* [Refs - b0236]
- b** *melissa* Nicolay, 1979; *Parrhasius* OD: Bull. Allyn Mus. (56):11, f 7E,F,G,H, 10,11,42 [b3392] SS: *orgia* (Hewitson), [1867]; *Parrhasius* [Refs - b3392]
- a** *melleus* H. H. Druce, 1907; *Thecla* OD: Proc. zool. Soc. Lond. 1907(3):580, pl 33, f 7 [b1375] CG: *Thecla* (New World Eumaeini) [Type: pc; Godman collection.] [TypeL - Río Muza, Colombia.] [Note - Druce says "allied to *atena*".] [Refs - b0908; b1375]
- a** *melli* (Forster), 1940; *Zephyrus* OD: Mitt. Münchn. ent. Ges. 30(3):871, pl 22,23, f 4,5 [b1764] CG: *Howarthia* [TypeL - China.] [Refs - b1764; b4214; b4200 (genus uncertain); b2463; b0126]
- c** *mellinus* (Grote & Robinson), 1867, (ISS); *Thecla* OD: Trans. amer. ent. Soc. 1(2):173 [b2060] SS: *melinus* Hübner, [1818]; *Strymon* [Refs - b0908]
- a** *melliplaga* (Suchel), 1910; *Lynnas* OD: Gen. Insectorum 112(A):203 [b4446] CG: *Melanis* [Type: pc-st; collection of Stichel] [TypeL - Cayenne, Surinam.] [Refs - b4474; b1456, b4446]
- a** *mellita* (Thucme), 1907; *Lemnias* OD: Berl. ent. Z. 52:15, pl 1, f 7 [b4640] CG: *Adelotypa* [TypeL - Ecuador.] [Refs - b4475; b1456]
- a** *melma* Schaus, 1913; *Thecla* OD: Proc. zool. Soc. Lond. 1913(3):354, pl 52, f 4 [b3950] CG: *Thecla* (New World Eumaeini) [TypeL - Guapiles, Costa Rica.] [Refs - b0908, b3818; b3950]
- a** *melos* (H. H. Druce), 1896; *Paragerydus* OD: Proc. zool. Soc. Lond. 1896(3):652 [b1365] CG: *Allotinus* (*Paragerydus*) [Type: BMNH-It; designated by Eliot, 1986] [Bull. Br. Mus. nat. Hist. (Ent.) 53(1):36 [b1571]] [TypeL - Cagayan Sulu, Philippines.] [Refs - b1840 (as *leos*), b1570, b1571; b1552, b4108]
- c** *melpe* Doubleday, 1847, 1844-1848, (NN); *Lamnas* OD: List Spec. lep. Brit. Mus. (2):17 [b1327] [Refs - b4474]
- a** *melpia* Hewitson, [1859], 1852-1877; *Mexosemia* OD: Ill. exot. Butts 2:[---], pl [56], f 66-67 [b2323] [TypeL - Amazon.] [Refs - b2988; b2747; b4474; b1456]
- a** *melpomene* (Leech), 1890; *Dipsas* OD: Entomologist 23:41 [b2963] CG: *Shirozua* [TypeL - China.] [Refs - b2988; b0996; b2827 (in *Thecla*); b2479; b2866; b4214; b4200 (genus uncertain); b4092]
- a** *melusina* Staudinger, [1887], 1884-1888; *Metacharis* OD: In Exot. Schmett. 1:256; 2-pl 91 (as *erythromelas* male) [b4329] [TypeL - Colombia.] [Refs - b4474; b3717]
- a** *melzeri* Spitz, 1931; *Thecla* OD: Revta Ent. Rio de J. 1:51 [b4293] CG: *Thecla* (New World Eumaeini) [Type: MP-It; designated by Lamas, 1973] [Papéis avulsos Dept. Zool., São Paulo 26(13):182 [b2878]] [TypeL - Minas Geraes.] [Refs - b0908; b0104; b3179]
- b** *memphis* (Hemming), 1934; *Lycaena* OD: Stylops 3:98 [b2252] SS: *hippohoe* (Linnaeus), 1761; *Palaeochrysophanus* [Type: biblio; replacement for *obscura* Courvoisier, 1911.] [Refs - b0072; b2252]
- b** *menadensis* Eliot, 1967; *Allotinus* OD: Entomologist 100:68 [b1552] SS: *macassarensis* (Holland), 1890; *Allotinus* (*Paragerydus*) [Type: BMNH-ht] [TypeL - Minahassa, N. Celebes.] [Refs - b1571; b1552]
- c** *var. menadensis* Stauder, 1913; *Polyommatus* OD: Ent. Zeit. 27(12):65 [b4304] SS: *icarus* (Rottemburg), 1775; *Polyommatus* [Refs - b0236; b0471]
- b** *menaichus* Fruhstorfer, [1912]; *Rapala* OD: Berl. ent. Z. 56(3/4):263 [b1850] SS: *iabus* (Fabricius), 1787; *Rapala* [TypeL - Nias.] [Refs - b4094; b1850; b1854]
- c** *menalcas* (Cramer), [1780], 1775-1790; *Papilio* OD: Uid. Kapellen 3(22):117, pl 259, f A,B [b1069] SS: *amyntor* (Cramer), [1775]; *Cyanophrys* [TypeL - Surinam.] [Refs - b0908; b2747; b2406; x3192; b2721; b2585]
- b** *menalcas* (Freyer), 1837, 1831-1858; *Lycaena* OD: Neuere Beitr. Schmett. 3:pl 223, f 2,3 [b1795] SS: *dolus* (Hübner), [1823]; *Polyommatus* (*Agrodiaetus*) [TypeL - Turcia.] [Refs - b0993; b2827; b2794 (as good species); b4092]
- c** *menalcidas* (Seitz), [1917], 1910-1924; *Nymphidium* OD: In Seitz, Grossschmett. Erde 5:712, pl 139f [b4093] SS: *agle* (Hewitson), [1853]; *Synargis* [TypeL - Kouron River.] [Refs - b4093]
- a** *menalcus* (Stoll), [1782], 1780-1790; *Papilio* OD: In Cramer, Uid. Kapellen 4(33):209 [b4478] CG: *Nymphidium* [TypeL - Surinam.] [Refs - b2747; b4476; b1456]
- c** *menalcus* (Seitz), [1917], 1910-1924, (IOS); *Nymphidium* OD: In Seitz, Grossschmett. Erde 5:pl 139f [b4093] SS: *menalcidas* (Seitz), [1917]; *Synargis* [Refs - b4093]
- a** *menander* (Stoll), [1780], 1780-1790; *Papilio* OD: In Cramer, Uid. Kapellen 4(28):86, pl 334, f C,D [b4478] CG: *Menander* [TypeL - America mer.] [Type of - Menander] [Refs - b2280; b2988; b4950; b1456]
- b** *menandrus* (Fruhstorfer), 1908; *Miletus* OD: Int. ent. Z. 2(14):85 [b1830] SS: *narcissus* (Fabricius), 1775; *Hypochrysoptis* [Type: BMNH-It; designated by Sands, 1986] [Entomograph 7:39 [b3926]] [TypeL - Waigiu.] [Refs - b1450, b3926; b1830]
- a** *menas* H. H. Druce, 1890; *Iolaus* OD: Ann. Mag. nat. Hist. (6):5,29 [b1353] CG: *Iolaus* (*Iolaphilus*) [TypeL - W. Africa.] [Type of - *Iolaphilus*] [Refs - b2280; b1452; b0836; b2224, b4400]
- a** *mendava* Corbet, 1941; *Arhopala* OD: Proc. R. ent. Soc. Lond. (B)10(9):167 [b0956] CG: *Arhopala* o [Type: BMNH-ht; BMNH] [TypeL - Larut Hill, Perak.] [Refs - b1644; b0956; b2200, b1454]
- c** *mendava* Riley, [1945]; *Allotinus* OD: Trans. R. ent. Soc. Lond. 94(2):253, pl 2, f 30,31 [b3782] SS: *sarrastes* Fruhstorfer, 1913; *Allotinus* (*Fabiaras*) [Type: BMNH-ht] [TypeL - Sipora, Mentawai Islands.] [Refs - b1571; b3782; b4108]

- b mendax** Eliot, 1986; *Allotinus* OD: Bull. Br. Mus. nat. Hist. (Ent.) 53(1):41, f 26,72,73 [b1571] SS: *albatus* Felder & Felder, 1865; *Allotinus* (*Paragerydus*) [Type: BMNH-ht] [TypeL - Luzon.] [Refs - b1571]
- b mendeche** (Grose-Smith), 1889; *Chrysorychia* OD: Ann. Mag. nat. Hist. (6)3:135 [b2030] SS: *amanga* (Westwood), 1881; *Axiocerses* [TypeL - Mombasa.] [Refs - b0831; b4400]
- b mendesia** Fruhstorfer, 1918; *Taraka* OD: Tijdschr. Ent. 61:23 [b1884] SS: *hamada* (H. Druce), 1875; *Taraka* [TypeL - Sumatra.] [Refs - b0964; b1636; b0965; b1454; b1840; b0694; b4108]
- c mendita** (H. H. Druce), 1904; *Erycina* OD: Proc. zool. Soc. Lond. 1904(1)(2):485, pl 34, f 2 [b1370] SS: *etias* (Saunders), [1859]; *Ancyluris* [TypeL - Boliva.] [Refs - b4474]
- a menelaos** Brown, 1976; *Polyommatus* OD: Ent. Gaz. 27(2):82, f [b0542] [TypeL - Langadha, Mount Taygetos, Greece.] [Refs - b0108; b2794; b2859; b0206]
- a menelas** H. H. Druce, 1907; *Spindasis* OD: Trans. ent. Soc. Lond. 55(1):80, pl 2, f 5 [b1373] [TypeL - Nigeria.] [Refs - b1452; b4400]
- c menelicki** (Thierry-Mieg), 1911; *Chrysophanus* OD: Naturaliste 32:167 [b4642] SS: *pseudophaeas* Lucas, [1866]; *Lycaena* (*Lycaena*) [Refs - b0236; b4400]
- c menendezpelayoi** (Agenjo), 1956; *Plebejus* OD: Graellsia 14:80 [b0013] SS: *asturiensis* (de Sagarra y Castellamau), 1924; *Polyommatus* (*Lysandra*) [TypeL - Spain.] [Note - Originally spelled *menendez-pelayoi*.] [Refs - b0091; b3059; b4027; b4038]
- a meneria** (Cramer), [1776], 1775-1790; *Papilio* OD: Uil. Kapellen 1(8):147, pl 94, f D.E. [b1069] CG: *Amarynthis* [TypeL - America mer.] [Type of - *Amarynthis*] [Refs - b2988; b2280; b2747; b4474; b2221; b1453; b4950; b1456]
- c menesicles** Fruhstorfer, [1912]; *Deudorix* OD: Berl. ent. Z. 56(3/4):265 [b1850] SS: *epijarbas* (Moore), [1858]; *Deudorix* [TypeL - Formosa.] [Refs - b4198; b4094; b2650; b0236; b5053; b1454; b1850; b4108]
- b menestratus** Fruhstorfer, 1908; *Curetis* OD: Steu. ent. Ztg 69:49 or 50 [b1835] SS: *theis* (Drury), [1773]; *Curetis* [Refs - b1450; b4094]
- a menetis** (Drury), 1782, 1770-1782; *Papilio* OD: Ill. nat. Hist. 3:index+10, pl 8, f 3 [b1392] CG: *Symmachia* [TypeL - Brasilia.] [Refs - b2988; b2747; b4474; b1456]
- a mengoensis** Bethune-Baker, 1906; *Epitola* OD: Ann. Mag. nat. Hist. (7)17:105 [b0338] [TypeL - E. Africa.] [Refs - b3842; b1452; b4400]
- c ♀ f. menippe** (Fruhstorfer), 1910; *Lycaena* OD: Int. ent. Z. 4(12):63 [b1844] SS: *nigricans* Traumann, 1909; *Scolitantodes* [Refs - b0236; b0400; b0471]
- a menippus** (Fabricius), 1777; *Papilio* OD: Gen. Ins. :272 [b1654] CG: *Mesosemia* [TypeL - Surinam.] [Refs - b2747; b4474; b5076; b1456]
- c menna** (Hulstien), 1924; *Neochrypsops* OD: Revue zool. afr. 12(2):192 [b2496] SS: *cinerea* (Bethune-Baker), 1923; *Lepidochrypsops* [TypeL - Belgian Congo.] [Refs - b3796; b2496; b4400]
- b mennonia** Suchel, 1909; *Mesosemia* OD: Berl. ent. Z. 54(1/2):17 [b4444] SS: *menoetes* Hewitson, [1859]; *Mesosemia* [TypeL - E. Peru; W. Amazonas; Sunnam.] [Refs - b4474]
- e meno** Doubleday, 1847, 1844-1848, (NN); *Bacotis* OD: List Spec. lep. Brit. Mus. (2):11 [b1327] [Refs - b4474]
- a menoetes** Hewitson, [1859], 1852-1877; *Mesosemia* OD: Ill. exα. Butts 2:[110], pl [55], f 56-58 [b2323] [TypeL - Upper Amazon.] [Note - Not spelled *manoetes*.] [Refs - b2988; b2747; b4474; b1456]
- b mentawica** (Hagen), 1893; *Lampides* OD: Abh. Senckenb. naturf. Ges. 20:337 [b2113] SS: *elpis* (Godart), [1824]; *Jamides* [TypeL - Mentawai Islands.] [Refs - b4094; b1865; b2113; b1454 (with *alecto*); b3786]
- b mentawica** Riley, [1945]; *Nacaduba* OD: Trans. R. ent. Soc. Lond. 94(2):259, pl 1, f 10 [b3782] SS: *kurava* (Moore), [1858]; *Nacaduba* [Type: BMNH-ht] [TypeL - Sipora.] [Refs - b4676; b3782; b1454; b3782]
- b mentawiensis** (Riley), [1945]; *Castalius* OD: Trans. R. ent. Soc. Lond. 94(2):254 [b3782] SS: *ethion* (Westwood), [1851]; *Discolampa* [Type: BMNH-ht] [TypeL - Sipora.] [Refs - b1840; b3782]
- b menyangka** Takanami, 1990; *Nacaduba* OD: Tyô to Ga 41(2):74, f [b4605] SS: *kurava* (Moore), [1858]; *Nacaduba* [Type: pc-ht; collection of Takanami.] [TypeL - Indonesia.] [Refs - b0124]
- c menyillus** (Fruhstorfer), 1908; *Miletus* OD: Int. ent. Z. 2(15):91 [b1830] SS: *atromarginata* H. H. Druce, 1891; *Hypochrypsops* [Type: BMNH-ht] [TypeL - Halmahera.] [Refs - b1450; b3926]
- a mera** (Hewitson), 1873; *Hypolycaena* OD: Ent. mon. Mag. 10:124 [b2336] CG: *Hypokopelates* [TypeL - Angola.] [Type of - *Hypokopelates*] [Refs - b2280; b2753; b1452; b4400]
- a mera** (Janson), 1877; *Thecla* OD: Cistula Entomologica 2(16):156 [b2572] CG: *Satyrium* [TypeL - Japan.] [Refs - b4115; b2753; b0996; b1900; b4092; b1455]
- b meraha** (Fruhstorfer), 1916; *Nacaduba* OD: Zoöl. Meded. 2(2):117 [b1873] SS: *nora* (C. Felder), 1860; *Prosotas* [Type: BMNH-ht] [TypeL - Engano.] [Refs - b4676; b0938; b4146 (as *meraba*); b4094; b1454]
- a mercedes** Suffert, 1904; *Epitola* OD: Deut. ent. Zeit. [Iris] 17:53 [b4535] [TypeL - Cameroons.] [Refs - b3842; b1452; b4400]
- a merces** Henning & Henning, 1986; *Aloeides* OD: J. ent. Soc. S. Afr. 49(2):339, f 3,4,7,8 [b2292] [Type: TM-ht] [TypeL - Wakkerstroom, Transvaal, South Africa.] [Refs - b2292]
- a merguia** (Doherty), 1889; *Chliaria* OD: J. asiat. Soc. Bengal, Pt II 58(4):427, pl 23, f 2 [b1301] CG: *Hypolycaena* [TypeL - Mergui Archipelago.] [Refs - b0964; b1636; b0965; b4094; b1454; b0694; b1854; b4105]
- b merguiana** (Moore), 1884; *Lycaenesthes* OD: J. asiat. Soc. Bengal, Pt II 53(1):23 [b3236] SS: *helicon* (C. Felder), 1860; *Ionolyce* [Type: BMNH-ht] [TypeL - Myanmar, Mergui, Burma.] [Refs - b4676; b0964; b1636; b0965; b0938; b4094; b1454; b0694]
- b merguiana** Corbet, 1941; *Arhopala* OD: Proc. R. ent. Soc. Lond. (B)10(9):155 [b0956] SS: *muta* (Hewitson), 1862; *Arhopala* b [Type: BMNH-ht] [TypeL - Mergui.] [Refs - b1644; b0956; b1454]
- a merhaba** De Prins, 1991; *Polyommatus* OD: Phegea 19(4):142, f [b1174] CG: *Polyommatus* (*Agrodiactus*) [TypeL - Turkey.] [Note - The name actually has six authors, but that is nonsense.] [Refs - b0125]
- c meriana** (Eschscholtz), 1821; *Mechanius* OD: In Kotzebue, Endeck. Reise Süd-See 3:213, pl 8, f 19a,b [b1622] SS: *susanna* (Fabricius), 1787; *Stalactis* [Refs - b2747; b2221]
- b meridae** (Dyar), 1909; *Tmetoglene* OD: Proc. ent. Soc. Wash 11:19 [b1441] SS: *stingosus* (Staudinger), 1876; *Lepncomis* [Type: USNM-ht; No. 12220.] [TypeL - Merida, Venezuela.] [Refs - b4474; b1441; b1456]
- c meridiana** (Venty), 1919, 1919-1922, (IFS); *Agnades* OD: Ent. Rec. 31:43 [b4840] SS: *thersites* (Cantener), 1834; *Polyommatus* (*Plebicula*) [Type: MZS-st] [Refs - b2856; b0236; b4854; b0471]

- c **meridionalis** (Stschetkin), 1963; *Chrysophanus* OD: *Trudy Inst. Zool. Parazit.* 24:52 [b4437] SS: ophion (Hemming), 1933; *Hyrcanana* [TypeL - Tadzhikistan.] [Refs - b3360]
- e **meridiocassus** (Verity), 1951, 1947-1957, (RA); *Agrodiaetus* OD: *Var. Pap. dium. France* :176 [b4863] SS: *damon* ([Denis & Schiffermüller]), 1775; *Polyommatus* (*Agrodiaetus*) [Type: MZS-st] [Refs - b2856]
- b **meridionalis** Bethune-Baker, 1905; *Ogyris* OD: *Trans. ent. Soc. Lond.* 53(3):286 [b0335] SS: *amaryllis* Hewitson, 1862; *Ogyris* [TypeL - Victoria, Australia.] [Refs - b1450; b4094; b0870]
- e var. **meridionalis** Rebel, 1909; *Satyrium* OD: In *Berge, Schmetterlingsbuch* (ed. 9) :58 [b3706] SS: *w-album* (Knoch), 1782; *Satyrium* [Refs - b0236; b0471]
- e ab. **meridionalis** Tutt, 1909; *Polyommatus* OD: *Ent. Rec.* 21(12):299 [b4766] SS: *icarus* (Rottemburg), 1775; *Polyommatus* [Refs - b0471]
- e ab. **meridionalis** (Tutt), 1909, (NN); *Agriades* OD: *Ent. Rec.* 21(12):299 [b4766] SS: *hispana* (Herrich-Schäffer), [1851]; *Polyommatus* (*Lysandra*) [Refs - b0236; b1057; b4766; b0471; b4038]
- c **meridionalis** (Tutt), 1910, 1905-1914; *Agriades* OD: *Nat. Hist. Brit. Butts* 4:46-47 [b4760] SS: *coridon* (Poda von Neuhaus), 1761; *Polyommatus* (*Lysandra*) [Refs - b1057; b1455]
- c **meridionalis** (Draudt), [1920], 1917-1924; *Thecla* OD: In *Seitz, Grossschmett. Erde* 5:785, pl 156-b [b1348] SS: *pholeus* (Cramer), [1777]; *Thestius* [TypeL - Brazil; Colombia.] [Refs - b0908; b2918]
- d **meridionalis** (Stauder), 1921, (H); *Lycaena* OD: *Deut. ent. Zeit. [Iris]* 35:30 [b4312] OS: *stauderi* (Bollow), 1931; *Plebejus* (*Eumedonia*) [*Note - Not spelled meridionalis.*] [Refs - b0236 (as ab. *meridionalis*); b0069; b0410; b4312; b0107 (with *Staudinger* as author); b0471]
- b **meridionalis** Riley, 1925; *Cigaritis* OD: *Novit. zool.* 32:72 [b3759] SS: *allardi* Oberthür, 1909; *Cigaritis* [TypeL - N. W. Africa.] [Refs - b0236; b1455]
- b **meridionalis** (Lathy), 1932; *Elaphrois* OD: *Ann. Mag. nat. Hist.* (10)9:71 [b2922] SS: *thelephus* (Cramer), [1775]; *Echenais* [Type: BMNH-st] [TypeL - Cuyaba, Mato Grosso, Brasil.] [Refs - b2922; b1456]
- b **meridionalis** Lathy, 1932; *Chamaelimnas* OD: *Ann. Mag. nat. Hist.* (10)9:67 [b2922] SS: *doryphora* Stichel, 1910; *Chamaelimnas* [Type: BMNH-h] [TypeL - Villarica, Paraguay.] [Refs - b2221; b2922; b1456]
- b **meridionalis** Berger, 1981; *Pentila* OD: *Papillons du Zaire* :229, pl 187, f 13-15 [b0309] SS: *umangiana* Aurivillius, 1898; *Pentila* [Type: MRAC-h] [TypeL - Kapanga, Zaire.] [Refs - b0309]
- e **meridionalis** (Riley & Tams), 1924, (ISS); *Lycaena* OD: *Zool. Rec.* 58(1921)(Ins.):175 [b3793] SS: *meridionalis* (Stauder), 1921; *Plebejus* (*Eumedonia*) [Refs - b3793]
- a **meris** (Stoll), [1781], 1780-1790; *Papilio* OD: In *Cramer, Uitd. Kapellen* 4(31):146, pl 366, f B,C [b4478] CG: *Lasaia* [TypeL - Sunnam.] [Type of - *Lasaia*, Talites] [Refs - b2988; b2280; b2747; b4474; b3192; b0419; b1319; b1321; b1456; b0846]
- b **merisina** Lorkovic, 1943; *Everes* OD: *Mitt. münchn. ent. Ges.* 33:450 [b3009] SS: *argiades* (Pallas), 1771; *Everes* [TypeL - China.]
- c **merita** Godman, 1903; *Lasaia* OD: *Trans. ent. Soc. Lond.* 51(4):541, pl 22, f 9 [b1972] SS: *kennethi* Weeks, 1901; *Lasaia* [TypeL - La Paz, Bolivia.] [Refs - b4474; b0846]
- b **meritatas** Corbet, 1941; *Arhopala* OD: *Proc. R. ent. Soc. Lond.* (B)10(9):153 [b0956] SS: *aedias* (Hewitson), 1862; *Arhopala* a [Type: BMNH-h] [TypeL - Mergui.] [Refs - b1644; b0956; b2200; b1454]
- a **mermeros** (Mabille), 1878; *Hypolycaena* OD: *Bull. Soc. zool. Fr.* 3:82 [b3040] CG: *Iolaus* (*Tricholaus*) [TypeL - Madagascar.] [Type of - *Tricholaus*] [Refs - b2280; b1452; b4400]
- a **mermis** (H. H. Druce), 1896; *Epamera* OD: *Ann. Mag. nat. Hist.* (6)17:285 [b1363] CG: *Iolaus* (*Epamera*) [TypeL - E. Africa.] [Refs - b1452; b4400]
- c **meronus** (Fruhstorfer), 1913; *Gerydus* OD: *Z. wiss. Insektbiol.* 9(9):245 [b1851] SS: *leos* (Guérin-Méneville), [1831]; *Miletus* 4 [TypeL - Ceram.] [Refs - b1450; b1546; b1840]
- c **mertila** (Edwards), 1866; *Lycaena* OD: *Proc. ent. Soc. Philad.* 6(2):206 [b1495] SS: *xerces* (Boisduval), 1852; *Glaucopsyche* [Type: CM-h] [TypeL - Vicinity of San Francisco, California. Restricted by Brown, 1970.] [*Note - Miller & Brown incorrectly treat this name as unavailable.*] [Refs - b0908; b2747; b3192; b1321; b1495]
- a **meruanus** Aurivillius, 1910; *Harpenderus* OD: *Wiss. Erge. Kilimandjaro* 2(9):10 [b0165] [Refs - b1452; b0162; b4400]
- a **meruensis** Henning & Henning, 1988; *Capys* OD: *Durban Mus. Novit.* 14(6):102-139 [b2286] [Type: DM-h] [TypeL - Meru, Mount Kenya, Kenya.] [Refs - b2286]
- a **merula** (Thieme), 1907; *Cremna* OD: *Berl. ent. Z.* 52:3, pl 1, f 12 [b4640] CG: *Napaea* [TypeL - Ecuador.] [Refs - b4474; b1456]
- a **merymae** Rougeot, 1983; *Eicochrysops* OD: *Bull. mens. Soc. linn. Lyon* 52(7):231, f [b3891] [TypeL - Haut-Simyen, Ethiopia.] [Refs - b0116]
- e f. **merzbacheri** (Courvoisier), 1913; *Lycaena* OD: *Ent. Mitt.* 2(10):293 [b0989] SS: *damon* ([Denis & Schiffermüller]), 1775; *Polyommatus* (*Agrodiaetus*) [Refs - b0236; b0989; b0471]
- b **mesambria** Fruhstorfer, [1912]; *Tajuria* OD: *Berl. ent. Z.* 56(3/4):212 [b1850] SS: *mantra* (Felder & Felder), 1860; *Tajuria* [TypeL - Java.] [Refs - b4094; b2201; b1850; b1454]
- c **mesarchus** Fruhstorfer, [1912]; *Deudorix* OD: *Berl. ent. Z.* 56(3/4):266 [b1850] SS: *epijarbas* (Moore), [1858]; *Deudorix* [TypeL - Lombok.] [*Note - Not spelled mesarchus.*] [Refs - b4094; b1454; b1850; b4108]
- c **mesca** (Dyar), 1914; *Thecla* OD: *Proc. U. S. natn. Mus.* 47:151 [b1444] SS: *serapio* (Godman & Salvin), [1887]; *Strymon* [Type: USNM; #15762] [TypeL - Taboga Island, Panamá.] [Refs - b0908]
- b **mesembrina** (Hayward), 1949; *Orimba* OD: *Acta zool. lilloana* 8:197 [b2216] SS: *myrtis* H. H. Druce, 1904; *Charis* (?) [TypeL - Bolivia.]
- a **mesia** Hulstaert, 1924; *Pentila* OD: *Revue zool. afr.* 12(2):115 [b2496] [TypeL - Kamerun.] [Refs - b3796; b1452; b4420; b2496; b4400]
- b **mesites** (Jordan), 1930; *Deudorix* OD: *Novit. zool.* 36:147 [b2667] SS: *grandis* (Rothschild & Jordan), 1905; *Arripe* [TypeL - Dutch New Guinea.] [Refs - b2667]
- a **mesoba** Hewitson, [1873], 1852-1877; *Mesosemia* OD: *Ill. exot. Butts* 5:---, pl [33], f 118,119 [b2323] [TypeL - Ecuador.] [Refs - b2753; b4474; b1456]
- c **mesoleucum** (Bates), [1868]; *Nymphidium* OD: *J. linn. Soc. Lond., Zool.* 9:401 [b0267] SS: *calyce* (Felder & Felder), 1861; *Synargis* [TypeL - New Granada.] [Refs - b2221; b2747]
- e **mesomedes** Doubleday, 1847, 1844-1848, (NN); *Baeotis* OD: *List Spec. lep. Brit. Mus.* (2):12 [b1327] [Refs - b4474]
- c **mesopotamica** (Staudinger), 1892; *Lycaena* OD: *Deut. ent. Zeit. [Iris]* 4(2):233 [b4336] SS: *poseidon* (Herrich-Schäffer), [1851]; *Polyommatus* (*Agrodiaetus*) [Refs - b1774; b4092; b0125]

- e *ab. mesopotamica* Tutt, 1909, 1905-1914; *Polyommatus* OD: Nat. Hist. Brit. Butts 3:256 [b4760] SS: semiargus (Rottemburg), 1775; *Polyommatus* (Cyaniris) [TypeL - Iraq.] [Refs - b0236; b0471; b1455]
- a *mesopotamica* Hayward, 1968; Audre OD: Acta zool. lilloana 22:137 [b2220] [TypeL - Pronunciamento, Entre Rios, Argentina.] [Refs - b2221; b1456]
- b *messala* Hewitson, 1870; *Mesosemia* OD: Trans. ent. Soc. Lond. 18(2):16 [b2333] SS: ulrica (Cramer), [1777]; *Mesosemia* [TypeL - Ecuador.] [Refs - b2753; b4474]
- a *messapus* (Godart), [1824], 1819-1824; *Polyommatus* OD: In Ency. méth. 9(Ins.)(2):682 [b1970] CG: Eicochrysops [Refs - b1943; b1153; b1259; b1452; b4780; b4400; b2560; b3606]
- a *messels* Hewitson, [1860], 1852-1877; *Mesosemia* OD: Ill. exot. Butts 2:[-], pl [57], f 75 [b2323] [TypeL - Amazon.] [Refs - b2988; b2747; b4474; b1456]
- b *meta* Fruhstorfer, [1904]; *Abisara* OD: Berl. ent. Z. 48(4):285,290,295 [b1817] SS: saturata (Moore), 1878; *Abisara* [Type: BMNH] [TypeL - Tonkin.] [Refs - b0294; b4473; b1840]
- a *metaleucus* Karsch, 1893; *Megalopalpus* OD: Berl. ent. Z. 38(1/2):217 [b2693] [Type: ZMHU7-st] [TypeL - Bismarckburg, Togo.] [Refs - b1452; b0836; b4400; b1571]
- a *metallica* (Felder & Felder), 1865, 1865-1875; *Lycaena* OD: Reise Novara (2):283, pl 35, f 7-9 (or 7-8) [b1692] CG: *Polyommatus* (Albulina) [TypeL - Ladak.] [Refs - b1636; b1153; b2747; b0993; b0236; b3910; b0694; b0471]
- e *metallica* (Favre), 1903; *Lycaena* OD: Suppl. Faune Valais 4 [b1669] SS: icarius (Esper), [1789]; *Polyommatus* (Plebicula) [Refs - b4092]
- e *ab. metallica* (Tutt), 1909, 1905-1914; *Agriades* OD: Nat. Hist. Brit. Butts 3:332 [b4760] SS: bellargus (Rottemburg), 1775; *Polyommatus* (Lysandra) [Refs - b0236; b0471]
- b *metallica* (Fruhstorfer), 1915; *Lampides* OD: Arch. Naturgesch. (A)81(6):13 [b1865] SS: kankena (C. Felder), 1862; *Jamides* [TypeL - Java.] [Refs - b4094; b1865; b1454 (with caerulea); b3786]
- b *metallica* Fruhstorfer, 1916; *Nacaduba* OD: Zoöl. Meded. 2(2):110 [b1873] SS: sanaya Fruhstorfer, 1916; *Nacaduba* [Type: BMNH-ht] [TypeL - Celebes.] [Refs - b4676; b0938; b4094; b1454]
- e *metallica* Courvoisier, 1920; *Everes* OD: Deut. ent. Zeit. [Iris] 34:244 [b0995] SS: alcetas (Hoffmansegg), 1804; *Everes* [Refs - b0995; b0236; b0400; b0471]
- e ♂ *f. metallicus* Berger, 1981; *Abisara* OD: Papillons du Zaire 2:15, pl 184, f 5 [b0309] SS: tantalus Hewitson, [1866]; *Abisara* [Type: MRAC-ht] [TypeL - D'Isiro, Zaire.] [Refs - b0309]
- a *metamuta* (Hewitson), [1863], 1863-1878; *Amblypodia* OD: Ill. dium. Lep. Lycaenidae 1:13; 2:pl 2, f 14,15 [b2326] CG: *Arhopala* b [Type: BMNH-ht] [TypeL - Sumatra.] [Refs - b1644; b2747; b4094; b1454]
- a *metana* Riley & Godfrey, 1921; *Talicauda* OD: J. nat. Hist. Soc. Siam 4(3):181 [b3787] [TypeL - Siam.]
- c ♀ *f. melani* Ribbe, 1926; *Tajuria* OD: Ent. Mitt. 15(1):80 [b3742] SS: libori Ribbe, 1926; *Tajuria* [Type: SMT-It; designated by Takanami, 1989] [Tyô to Ga 40(1):52 [b4602]] [TypeL - C. W. Sulawesi.] [Refs - b3742; b4602]
- a *metanira* Hewitson, [1867], 1863-1878; *Thecla* OD: Ill. dium. Lep. Lycaenidae 1:95; 2:pl 46, f 201,202 or 200,201 [b2326] CG: *Thecla* (New World Eumaeini) [Type: BMNH] [TypeL - St. Paulo, Amazon.] [Refs - b0908; b2747; b1343]
- c *metasuja* H. H. Druce, 1895; *Jacoona* OD: Proc. zool. Soc. Lond. 1895(3):609, pl 34, f 4 [b1362] SS: jusana H. H. Druce, 1895; *Jacoona* [TypeL - Borneo.] [Refs - b4094; b1362; b1578; b4104; b4108]
- b *metayel* Inoué & Kawazoé, 1964; *Curetis* OD: Nature Life Southeast Asia 4:343 [b2508] SS: tonkina Evans, 1954; *Curetis* [TypeL - S. Vietnam.] [Refs - b0125]
- e *f. metella* Stichel, 1919, (IFS); *Methone* OD: Deut. ent. Zeit. 1919:319 [b4454] SS: cecilia (Cramer), [1777]; *Methone* [Refs - b4474; b4454]
- b *methara* (Fruhstorfer), [1912]; *Camena* OD: Berl. ent. Z. 56(3/4):206 [b1850] SS: deva (Moore), [1858]; *Pratapa* [TypeL - Ost-Java.] [Refs - b4094; b1850]
- a *methemona* Bates, [1868]; *Theope* OD: J. linn. Soc. Lond., Zool. 9:408 [b0267] [Type: BMNH-ht] [TypeL - Santarem.] [Refs - b2747; b4475; b1456]
- a *methion* Hewitson, [1860], 1852-1877; *Mesosemia* OD: Ill. exot. Butts 2:[-], pl [57], f 76 [b2323] [TypeL - Brasilia] [Refs - b2747; b4474; b1456]
- d *methion* Godman & Salvin, [1885], 1879-1901; *Mesosemia* OD: Biol. centr.-amer., Lep. Rhop. 1:380 [b1975] SS: *Iamachus* Hewitson, [1857]; *Mesosemia* [TypeL - Mexico; British Honduras; Guatemala.] [Refs - b1975]
- a *methymna* Trimen, 1862; *Lepidochrysops* OD: Trans. ent. Soc. Lond. (3):1:280 [b4716] [Type: BMNH-It; designated by Cottrell, 1967] [Mem. ent. Soc. s. Afr. (9):8 [b0969]] [TypeL - S. Africa.] [Refs - b1259; b1452; b4400; b0795; b0359]
- b *metilia* (Fruhstorfer), 1908; *Pseudonotis* OD: Int. ent. Z. 2(18):114 [b1833] SS: lorquinii (Felder & Felder), 1865; *Hypochlorosis* [TypeL - Fergusson.] [Refs - b1450; b2078]
- c *metioche* (Fruhstorfer), 1910; *Lycaena* OD: Int. ent. Z. 4(12):63 [b1844] SS: nigricans Trautmann, 1909; *Scolitantides* [TypeL - Wallis; Südtirol.] [Refs - b1844; b0236; b0400; b0471; b2858]
- a *meton* (Cramer), [1779], 1775-1790; *Papilio* OD: Uid. Kapellen 3(17):15, pl 201, f D,E [b1069] CG: *Rekoa* [Type: BMNH] [TypeL - Surinam.] [Type of - Rekoa] [Refs - b0908; b2280; b2747; b4950; b1975; b2631; b2593; b3817]
- a *metope* Hewitson, [1859], 1852-1877; *Mesosemia* OD: Ill. exot. Butts 2:[-], pl [56], f 64,65 [b2323] [TypeL - Amazon.] [Refs - b2988; b2747; b4474; b1456]
- a *metophis* (Wallengren), 1860; *Lycaena* OD: Wien. ent. Monats. 4(2):37 [b4915] CG: *Brephidium* [TypeL - Kuisip Africae.] [Refs - b1259; b2747; b1452; b4361; b4400; b4915]
- a *metriodes* (Bethune-Baker), 1911; *Nacaduba* OD: Ann. Mag. nat. Hist. (8)8:542 [b0344] CG: *Paraduba* [Type: BMNH-ht] [TypeL - Dinawa, British New Guinea.] [Refs - b4676; b1450; b2388]
- b *metrophanes* (Fruhstorfer), 1915; *Thysonois* OD: Soc. ent. 30:49 [b1866] SS: cyanea (Cramer), [1775]; *Nacaduba* [TypeL - Biak, New Guinea.] [Refs - b1450 (in Danis); b1866]
- b *metrovius* (Fruhstorfer), 1913; *Gerydus* OD: Z. wiss. Insektbiol. 9(10):308 [b1851] SS: drucei (Semper), 1887; *Miletus* 3 [TypeL - Sandakan, Sabah, Borneo.] [Refs - b1546; b0965; b1840; b4108]
- a *metuana* (Felder & Felder), 1865, 1865-1875; *Diopthalma* OD: Reise Novara (2):297 [b1692] CG: *Mesosemia* [TypeL - Bogota, Colombia.] [Refs - b2988; b2747; b4474; b1456]
- a *metura* Hewitson, [1873], 1852-1877; *Mesosemia* OD: Ill. exot. Butts 5:[-], pl [33], f 120,121 [b2323] [TypeL - Amazonas to Mato Grosso.] [Refs - b2753; b4474; b1456]

- c *metus* (Hübner), [1819], 1816-1826; *Mithras* OD: Verz. bekannt. Schmett. (5):79, no. 804 [b2484] SS: meton (Cramer), [1779]; *Rekoa* [Refs - b0908]
- a *mevania* Hewitson, [1857], 1852-1877; *Mesosemia* OD: Ill. exot. Butts 2:[-], pl [50], f 1,2 [b2323] [TypeL - New Granada.] [Refs - b2988; b2747; b4474; b4950; b1456]
- b *mexicana* Lathy, 1926; *Euselasia* OD: Entomologist 59:145 [b2919] SS: hypophaea Godman & Salvin, 1878; *Euselasia* [TypeL - Mexico.] [Refs - b4474]
- b *mexicana* (Clench), 1965; *Lycaeides* OD: Ent. News 76(6):160 [b0838] SS: melissa (Edwards), 1873; *Plebejus* (*Lycaeides*) [TypeL - Mexico.] [Refs - b0528]
- a *mexicana* McAlpine, [1971]; *Calephelis* OD: J. Res. Lep. 10(1):41, f [b3127] [Type: AMNH-ht] [TypeL - Mirador, Veracruz, Mexico.] [Refs - b3127; b1456]
- a *mexicana* Johnson, 1989; *Contrafacia* OD: J. New York ent. Soc. 97(1):41, f 5B,C,6A,B [b2597] [Type: AMNH-ht] [TypeL - Mexico City, Mexico.] [Type of - Contrafacia] [Refs - b2597]
- a *mexicana* Johnson, 1993; *Ziegleria* OD: Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (32):62, f [b2614] [Type: AMNH-ht] [TypeL - Puente Chamula, Chiapas State, Mexico.] [Refs - b2614]
- b *meyerbeeri* d'Abrera, 1980; *Mimeresia* OD: Butts Afrotropical Region :432, f [b1452] SS: dinora (Kirby), 1890; *Mimeresia* [Type: BMNH-ht] [TypeL - Uganda.] [Refs - b0113; b1452]
- b *mezetulus* Fruhstorfer, [1912]; *Rapala* OD: Berl. ent. Z. 56(3/4):261 [b1850] SS: dienece (Hewitson), [1878]; *Rapala* [TypeL - Java.] [Refs - b4094; b1454; b1850]
- a *mladora* Dyar, 1916; *Ipidecla* OD: Proc. U. S. natn. Mus. 51:2 [b1447] [Type: USNM; #18825] [TypeL - Sierra de Guerrero, Mexico.] [Type of - Ipidecla] [Refs - b2280; b0908; b4475; b2631]
- a *micaela* (Schaus), 1902; *Eurygona* OD: Proc. U. S. natn. Mus. 24(1262):397 [b3948] CG: *Euselasia* [Type: USNM-ht; #5894] [TypeL - Peru.] [Refs - b4474; b3948]
- c *micaelis* Okamoto, 1926; *Ussuriana* OD: Zool. Mag. 38:173-181 [b3478] SS: michaelis (Oberthür), 1880; *Ussuriana* [Refs - b4115]
- e *ab. micaerulescens* (Oberthür), 1910; *Lycaena* OD: Étud. Lép. comp. 4:159, pl 49, f 409 [b3451] SS: theophrastus (Fabricius), 1793; *Tarucus* [Refs - b0236; b1642 (as *micoerulescens*), b0471]
- a *micale* Boisduval, 1853, 1848-1853; *Arhopala* OD: In Voy. Pôle Sud :399, pl 3, f 11,12 [b0466] CG: *Arhopala* h [TypeL - New Guinea] [Refs - b1450; b1644; b2747; b4094; b4950; b0870]
- c *micalla* (Cramer), [1776], 1775-1790; *Papilio* OD: Uid. Kapellen 1(8)147, pl 94, f F [b1069] SS: menea (Cramer), [1776]. *Amarynthis* [Refs - b4474; b1601; b0569; b1456]
- a *micandriana* Johnson, 1992; *Arases* OD: Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (22):198, f [b2611] [Type: AMNH-ht] [TypeL - Rabinal, Guatemala.] [Refs - b0125; b2611]
- b *micans* (Brerem & Grey), 1853; *Thecla* OD: Schmett. N. China's :9, n 30 [b0484] SS: nissa (Kollar), [1844]; *Rapala* [TypeL - Pekin, China.] [Refs - b1636; b1153; b4115; b2988; b2747; b0995; b2479; b4094; b4092; b4180; b3778; b0236; b0694]
- b *micans* Stichel, 1924; *Ancyluris* OD: Deut. ent. Zeit. 1924:411 [b4459] SS: aulesius (Cramer), [1777]; *Ancyluris* [TypeL - Ecuador.] [Refs - b4459; b4474; b1456]
- c *micator* (Seitz), [1913], 1910-1924; *Echenais* OD: In Seitz, Grossschmett. Erde 5:708, pl 138 h [b4093] SS: asemna (Stichel), 1910; *Adelotypa* [TypeL - Rio Pachitea, Peru.] [Refs - b2988; b4475; b4093]
- b *micea* (Hewitson), [1869], 1863-1878; *Myrina* OD: Ill. dium. Lep. Lycaenidae Suppl.:6, pl 3, f 81 [b2326] SS: nedymond (Stoll), [1780]; *Sithon* [TypeL - Borneo.] [Refs - b2747; b4094; b2201; b1454 (as good sp); b4108]
- a *michaelis* (Oberthür), 1880; *Thecla* OD: Étud. ent. 5:19, pl 5, f 2 [b3422] CG: *Ussuriana* [TypeL - Askold.] [Type of - Ussuriana] [Refs - b4115; b2988; b2280; b0996; b2827; b2479; b2866; b4187; b4214; b4200; b4092; b0731]
- c *michaelis* Eliot, 1959; *Allotinus* OD: Bull. Br. Mus. nat. Hist. (Ent.) 7(8):376, pl 10, f 8 (nec 9) [b1544] SS: apus de Nicéville, 1895; *Allotinus* [Type: BMNH-ht] [TypeL - Selangor, Ginting Sempak, West Malaysia.] [Refs - b0965; b1564; b1571; b1544]
- a *michellae* Henning & Henning, 1983; *Lepidochrysops* OD: J. ent. Soc. S. Afr. 46(1):59, f 3-4,9-10,13,16-17,20 [b2290] [Type: TM] [TypeL - Namibia.] [Refs - b2290]
- b *michiganensis* (Rawson), 1948; *Lycaena* OD: J. New York ent. Soc. 56(1):59 [b3693] SS: epixanthe (Boisduval & Le Conte), [1835]; *Epidemia* [Type: AMNH-ht] [TypeL - Proud Lake, Oakland County, Michigan.] [Refs - b3191; b3192; b1321; b0082]
- e *micoerulescens* Evans, 1955, (ISS); *Tarucus* OD: Entomologist 88:179-187 [b1642] SS: theophrastus (Fabricius), 1793; *Tarucus* [Note - An ISS of *micaerulescens* Oberthür, 1910.] [Refs - b1642]
- b *micon* H. Druce, 1875; *Anteros* OD: Cistula Entomologica 1(12):360 [b1387] SS: formosus (Cramer), [1777]; *Anteros* [TypeL - Calobre.] [Refs - b2753; b4474]
- a *micra* Bates, [1868]; *Calydna* OD: J. linn. Soc. Lond., Zool. 9:395 [b0267] [TypeL - Amazon.] [Refs - b2747; b4475; b1456]
- a *micra* (Grose-Smith), 1898; *Durbania* OD: Novit. zool. 5:356 [b2046] CG: *Teriomima* [TypeL - E. Africa.] [Refs - b1452; b4400]
- c *micra* (Avinoff), 1910; *Lycaena* OD: Horae Soc. ent. ross. 39:244, pl 14, f 19 [b0187] SS: pheretiades (Eversmann), 1843; *Polyommatus* (*Agnades*) [Refs - b0236; b0471; b0187]
- b *micrargus* (Butler), 1878; *Lampides* OD: Cistula Entomologica 2(19):283 [b0610] SS: argus (Linnaeus), 1758; *Plebejus* [TypeL - Japan.] [Refs - b1900; b2866; b3338; b0410; b3292; b3333; b4092]
- e *micreros* Verity, 1949, 1947-1957, (RA); *Polyommatus* OD: Var. Pap. dium. France :148 [b4863] SS: eros (Ochsenheimer), 1807; *Polyommatus* [Refs - b2856]
- b *microarion* Beuret, 1957; *Maculinea* OD: Lyc. Schweiz. II :207 [b0400] SS: arion (Linnaeus), 1758; *Maculinea* [Type: NMB-at,lt; see Steiniger, 1975] [Mit. ent. Ges. Basel (nf)25:25 [b4355]] [TypeL - Switzerland.] [Refs - b0107; b0400; b4355]
- e *microchroa* Verity, 1948, 1947-1957, (RA); *Maculinea* OD: Var. Pap. dium. France :106 [b4863] SS: arion (Linnaeus), 1758; *Maculinea* [Type: MZS-st] [Refs - b2856; b0400]
- e *microconia* (Ball), 1914; *Cyaniris* OD: Annl. Soc. ent. Belg. 57:180 [b0219] SS: cimon (Lewin), 1795; *Polyommatus* (*Cyaniris*) [Refs - b0410]
- e *ab. microdes* (Cabeau), 1922, 1919-1922; *Lycaena* OD: Revue mens. Soc. ent. namur. 22:54 [b0665] SS: agesus ([Denis & Schiffermüller]), 1775; *Plebejus* (*Aricia*) [Refs - b0236]
- e *ab. microdes* (Cabeau), 1925; *Cyaniris* OD: Revue mens. Soc. ent. namur. 25:7 [b0668] SS: argiolus (Linnaeus), 1758; *Celastrina* [TypeL - Belgium.] [Refs - b0236; b0400; b0471]

- b microgyris** Sibatani, 1974; *Melanolycaena* OD: J. Aust. ent. Soc. 13(2):103, f 15,16,21 [b4220] SS: *altimontana* Sibatani, 1974; *Melanolycaena* [TypeL - Eastern Highlands, New Guinea.] [Refs - b4220; b0105; b4221]
- e microhypochiona** (Verity), 1931, (RA); *Lycacides* OD: Deut. ent. Zeit. [Iris] 45:38 [b4852] SS: *argus* (Linnaeus), 1758; *Plebejus* [Type: MZS-st] [TypeL - Albarracin.] [Refs - b3059; b2856; b0069; b0410]
- b microhypochiona** Manley & Allcard, 1970; *Plebejus* OD: Butts Spain :91,152 [b3059] SS: *argus* (Linnaeus), 1758; *Plebejus* [TypeL - Albarracin (Teruel), Spain.] [Refs - b2856; b3059]
- e micromargaria** (Verity), 1926, 1926-1933, (RA); *Agniades* OD: Ent. Rec. 38:121 [b4844] SS: *euchylas* (Hübner), [1819]; *Jamides* [Type: MZS-st] [TypeL - Alps.] [Refs - b2856; b0236; b0471]
- e micromelanica** Verity, 1943, (IFS); *Maculinea* OD: Farfalle Dieme Ital. 2:147 [b4862] SS: *teleius* (Bergsträsser), [1779]; *Maculinea* [Type: MZS-st] [Refs - b2856; b0400]
- b micromelanica** Beuret, 1957; *Maculinea* OD: Lyc. Schweiz. II :233 [b0400] SS: *teleius* (Bergsträsser), [1779]; *Maculinea* [Refs - b2856; b0410]
- e micrometioche** Verity, 1943, (IFS); *Scolitantides* OD: Farfalle Dieme Ital. 2:112 [b4862] SS: *metioche* (Fruhstorfer), 1910; *Scolitantides* [Type: MZS-st] [TypeL - Italy.] [Refs - b2856]
- e micrometioche** Verity, 1943, (RA); *Scolitantides* OD: Farfalle Dieme Ital. 2:112 [b4862] SS: *nigricans* Trautmann, 1909; *Scolitantides* [Type: MZS-st] [Refs - b2856; b0400]
- a micronota** Johnson, 1993; *Nicolaea* OD: Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (32):70, f [b2614] [Type: BMNH-hi] [TypeL - Santa Catharina, Brazil.] [Refs - b2614]
- b micropunctulatus** Degtyareva, 1978; *Plebejus* OD: Entomology of Tadzhikistan :120-125 [b1187] SS: *christophi* (Staudinger), 1874; *Plebejus* (*Lycacides*) [TypeL - Tadzhikistan.] [Refs - b0110]
- e microrientalis** (Verity), 1935, (IFS); *Lysandra* OD: Bull. Soc. ent. Fr. 40(17):244 [b4854] SS: *thersites* (Cantener), 1834; *Polyommatus* (*Plebicula*) [TypeL - Asia Minor.] [Refs - b2856; b0073 (as *micro-orientalis*); b4854]
- e microsephyrus** (Verity), 1935, (RA); *Plebejus* OD: Bull. Soc. ent. Fr. 40(17):245 [b4854] SS: *sephyrus* (Fruivaldszky von Fruivald), 1835; *Plebejus* (*Plebejides*) [Type: MZS-st] [TypeL - Asia Minor.] [Refs - b2856; b0073; b4854]
- e microsticta** (Venty), 1929, (RA); *Agniades* OD: Bull. Soc. ent. Fr. 1929(9):158 [b4850] SS: *escheri* (Hübner), [1823]; *Polyommatus* (*Plebicula*) [Type: MZS-st] [TypeL - France.] [Refs - b2856; b0236; b4850; b0471]
- a microterminalis** Johnson & Kroenlein, 1993; *Angulopsis* OD: Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (33):18, f [b2627] [Type: AMNH-hi] [TypeL - Estancia Aracu, Prov. Sud Yungas, Dept. La Paz, Bolivia.] [Refs - b2627]
- e micyclus** (Godart), [1824], 1819-1824, (ISS); *Polyommatus* OD: In Ency. méth. 9(Ins.)(2):659 [b1970] SS: *micylus* (Cramer), [1780]; *Thermoniphys* [Refs - b2747; b1452; x0836]
- a micylus** (Cramer), [1780], 1775-1790; *Papilio* OD: Uil. Kapellen 3(24):160, pl 282, f F,G [b1069] CG: *Thermoniphys* [TypeL - Africa occ.] [Refs - b1943; b0827; b1452 (as *micyclus*); b0836; b2747; b4388; b4400]
- c midare** (Sugitani), 1936, 1933-1938; *Lycanopsis* OD: *Zephyrus* 6:166 [b4539] SS: *virgaureae* (Linnaeus), 1758; *Lycacna* (*Heodes*) [TypeL - Korea.] [Refs - b4115]
- a midas** (Fabricius), 1775; *Papilio* OD: Syst. Ent. :527 [b1653] CG: *Euselasia* [TypeL - Indüs".] [Refs - b2747; b4474; b5076; b1456]
- e ab. midas** Lowe, 1903; *Lycacna* OD: In Wheeler, Butterfl. Switz :16 [b3010] SS: *alciphron* (Rottemburg), 1775; *Lycacna* (*Alciphronia*) [Refs - b0236; b0389; b0471]
- a midas** Pennington, 1962; *Poecilmius* OD: J. ent. Soc. S. Afr. 25(2):272 [b3570] [TypeL - Cape Province, S. Africa.] [Refs - b1259; b1452; b4400]
- a middletoni** (E. Sharpe), 1890; *Anatole* OD: Proc. zool. Soc. Lond. 1890(3):574, pl 46, f 8,9 [b4152] CG: *Audre* [TypeL - Brazil.] [Refs - b4475; b1456]
- b miegi** Vogel, 1857; *Lycacna* OD: Allg. dt. naturh. Zig (nf)3:201, pl 6, f 1-4 or pl 1, f 2,3 [b4880] SS: *virgaureae* (*Linnaeus*), 1758; *Lycacna* (*Heodes*) [Note - *Not spelled miegi.*] [Refs - b3059; b2747; b0996; b0526; ns0741; b4092]
- e migiurtinensis** Stempffer, 1967, (ISS); *Euchrysops* OD: Bull. Br. Mus. nat. Hist. (Ent.) Suppl. 10:236 [b4400] SS: *migiurtinensis* Stempffer, 1946; *Euchrysops* [Refs - b4400]
- a migiurtinensis** Stempffer, 1946; *Euchrysops* OD: Revue fr. Ent. 13(1):17, pl 1, f 10,11 [b4371] [Type: UMO-hi] [TypeL - Ribableh, Mijuntein, Somalia.] [Note - *Not spelled migiurtinensis.*] [Refs - b1452; b4371; b4400 (as *migiurtinensis*)]
- a mijburghi** (Vári), 1986; *Lepidochrysops* OD: CG: *Orachrysops* [Check - *Original description.*] [Refs - ns4822]
- b mijburghi** Dickson, 1980, 1979-1980; *Trimenia* OD: Ent. Rec. 92(2):43, f [b1261] SS: *macmasteri* (Dickson), 1968; *Trimenia* [TypeL - Cape Province, S. Africa.] [Refs - b1610 (122-E12); b0113]
- b mildbraedi** Schultze, 1912; *Iolaus* OD: Ent. Rundsch. 29:93 [b4013] SS: *hemicyanus* E. Sharpe, 1904; *Iolaus* (*Epamera*) [TypeL - Cameroons.] [Refs - b1452; b4400]
- c mildbraedi** (Schultze), 1912; *Pseuderisia* OD: Ent. Rundsch. 29(6):43 [b4011] SS: *osheba* (Holland), 1890; *Eresiomera* [TypeL - Kamerun.] [Refs - b4011; b4400]
- b mildredae** Chermock, 1945; *Glaucopsyche* OD: Can. Ent. 76(11):216 [b0779] SS: *lygdamus* (Doubleday), 1841; *Glaucopsyche* [Type: lost] [TypeL - Baddek, Cape Breton Island, Nova Scotia.] [Refs - b0908; b3192; b1321; b0779; b4066]
- e mildredi** Anonymous, 1983, (ISS); *Glaucopsyche* OD: In Hodges, List Lep. Amer. N. Mexico :56 [b0112] SS: *mildredae* Chermock, 1945; *Glaucopsyche* [Note - *Probably intended as an emendation, but lack of a specific statement to that effect means that it must be treated as an Incorrect Subsequent Spelling.*] [Refs - b1722; x3192]
- e milena** (Schultz), 1905, (IFS); *Chrysophanus* OD: Ent. Zeit. 18(33):132 [b4002] SS: *virgaureae* (Linnaeus), 1758; *Lycacna* (*Heodes*) [Refs - b0389; b4002; b4092]
- b milesius** (Röber), 1926; *Miletus* OD: Ent. Mitt. 15 374 [b3835] SS: *theon* Felder & Felder, 1865; *Hypochrysops* [TypeL - Southwestern Irian Jaya.] [Refs - b3926; b3835]
- b milia** Fruhstorfer, 1917; *Ponua* OD: Soc. ent. 32(12)49 [b1879] SS: *sumatrae* (Felder & Felder), 1865; *Ponua* [TypeL - Borneo.] [Refs - b1454; x0276; b1890; b4108]
- a milionia** (Hewitson), [1869], 1863-1878; *Myrina* OD: Ill dium. Lep. Lycaenidae Suppl.:5, pl 3, f 79,80 [b2326] CG: *Euaspa* [TypeL - Simla.] [Type of - *Euaspa*] [Refs - b4198; b1636; b2280; b2747; b4094; b4214; b4200; b3296; b1454; b0694]
- c militaris** (Hopffer), 1874; *Lasaia* OD: Stett. ent. Zig 35:365 [b2446] SS: *luculenta* Erschoff, 1874; *Siseme* [TypeL - Peru.] [Type of - *Hopfferia*] [Refs - b2280; b2753; b4475]
- c f. militaris** (Graves), 1925; *Heodes* OD: Trans. ent. Soc. Lond. 73(1/2):66 [b2010] SS: *thersamon* (Esper), [1784]; *Lycacna* (*Thersamonia*) [TypeL - Paestum.] [Refs - b0236; b0471]

- a *millari* (Trimen), 1893; *Lycaenesthes* OD: *Trans. ent. Soc. Lond.* 41(2):133, pl 8, f 9 [b4728] CG: *Anthene* [TypeL - Natal.] [Refs - b1943; b4400; b1259; b1452; b0343]
- a *millari* Trimen, 1906; *Deloneura* OD: *Trans. ent. Soc. Lond.* 54(1):69, pl 4, f 6,a,b [b4733] [TypeL - S. Africa.] [Refs - b4400; b1259; b1452; b3563]
- c *milleri* Corbet, 1940; *Spindasis* OD: *Entomologist* 73:42 [b0951] SS: *senama* (Fruhstorfer), [1912]; *Spindasis* [TypeL - Langkawi Islands.] [Refs - b0964; b0965; b1553]
- a *milleri* Corbet, 1941; *Arhopala* OD: *Proc. R. ent. Soc. Lond.* (B)10(9):160 [b0956] CG: *Arhopala* f [Type: BMNH-ht] [TypeL - Langkawi Island.] [Refs - b1644; b0965; b0956; b1454; b4108]
- a *milleri* Johnson, 1991; *Nesiostrymon* OD: *Amer. Mus. Novit.* (3011):15, f [b2604] [TypeL - Argentina] [Refs - b0125]
- b *millieriana* Corbet, 1941; *Arhopala* OD: *Proc. R. ent. Soc. Lond.* (B)10(9):156 [b0956] SS: *major* Staudinger, 1889; *Arhopala* b [Type: BMNH] [TypeL - Langkawi Island.] [Refs - b1644; b0956; b1454 (with *amphimuta*)]
- c *millierorum* (Clench), 1981; *Callophrys* OD: *Bull. Allyn Mus.* (64):21-23, f 34-36 [b0853] SS: *spinetorum* (Hewitson), [1867]; *Loranthomitura* [Type: AME-ht] [TypeL - Vicinity of El Encarnacion, Hidalgo State, Mexico.] [Refs - b0853; x3192; x4688; b2586; b2585; b4066; b1722; b0126; b3816]
- c *milnei* Fruhstorfer, 1904; *Dicallaneura* OD: *Deut. ent. Zeit.* [Iris] 17(1):147 [b1819] SS: *diantha* Grose-Smith, 1901; *Dicallaneura* [TypeL - New Guinea.] [Refs - b4474]
- b *milo* (Grose-Smith), 1896; *Myrina* OD: *Ann. Mag. nat. Hist.* (6)18:155 [b2039] SS: *danis* (Felder & Felder), 1865; *Hypolycaena* [TypeL - New Ireland.] [Refs - b1450; b2078]
- a *mitto* (Godman & Salvin), [1887], 1879-1901; *Thecla* OD: *Biol. centr.-amer., Lep. Rhop.* 2:83; 3:pl 57, f 22,23 [b1975] CG: *Magnastigma* [Type: BMNH] [TypeL - Chiriqui, Panama.] [Refs - b0908; b3391; b1975; b2631]
- c *mitivus* (Fruhstorfer), 1913; *Gerydus* OD: *Z. wiss. InsektBiol.* 9(10):309 [b1851] SS: *assamensis* (Doherty), 1891; *Miletus* 1 [TypeL - Sikkim.] [Refs - b1546; b1840]
- b *mima* (Joicey & Talbot), 1916; *Parelodina* OD: *Ann. Mag. nat. Hist.* (8)17:81, pl 7, f 6 [b2652] SS: *owgarra* (Bethune-Baker), 1906; *Udara* (Perivaga) [Type: BMNH-ht] [TypeL - Wandammen Mtns., North Dutch New Guinea.] [Refs - b1450; b4677; b1580; b2652; b1840]
- b *mimallonis* Stichel, 1909; *Mesosemia* OD: *Berl. ent. Z.* 54(1/2):23 [b4444] SS: *mevania* Hewitson, [1857]; *Mesosemia* [TypeL - Ecuador.] [Refs - b4474]
- a *mimas* (Godman & Salvin), [1887], 1879-1901; *Thecla* OD: *Biol. centr.-amer., Lep. Rhop.* 2:81; 3:pl 57, f 18,19 [b1975] CG: *Mercedes* [Type: BMNH] [TypeL - Calobre and Veraguas, Panamá.] [Note - Johnson could not locate the type specimen.] [Refs - b0908; b1975; b0125; b2606]
- a *mimeta* Karsch, 1895; *Acus* OD: *Ent. Nachr.* 21:315 [b2694] [Type of - Acus] [Refs - b2280; b1452; b2694; b4400]
- a *mimetica* (H. H. Druce), 1910; *Lycaenesthes* OD: *Proc. zool. Soc. Lond.* 1910(1):373, pl 34, f 11 [b1378] CG: *Cupidesthes* [TypeL - W. Africa.] [Refs - b1452; b0343; b4400]
- a *mimetica* (Aurivillius), 1916; *Stugeta* OD: *Ark. Zool.* 10(14):1 [b0168] CG: *Iolaus* (*Stugeta*) [TypeL - E. Africa.] [Refs - b1452; b0168; b4400]
- b *mimetica* Tite, 1960; *Jamides* OD: *Bull. Br. Mus. nat. Hist.* (Ent.) 9(5):322 [b4671] SS: *euchylas* (Hübner), [1819]; *Jamides* [TypeL - Libya.] [Refs - b4671; b1450]
- a *mimica* Bates, 1862; *Ithomeis* OD: *Trans. linn. Soc. Lond.* 23(3):542 [b0262] [TypeL - Lower Amazon.] [Refs - b2988; b2747; b4474; b1456]
- b *mimica* Joicey & Talbot, 1916; *Dicallaneura* OD: *Ann. Mag. nat. Hist.* (8)17:78, pl 8, f 4 [b2652] SS: *amabilis* Rothschild, 1904; *Dicallaneura* [Type: BMNH-ht] [TypeL - Geelvink Bay, North Dutch New Guinea.] [Refs - b2652]
- b *mimima* (H. H. Druce), 1895; *Chliaria* OD: *Proc. zool. Soc. Lond.* 1895(3):605, pl 34, f 1 [b1362] SS: *othona* Hewitson, [1865]; *Hypolycaena* (*Chliaria*) [Type: ZMHU-ht; designated by Takanami, 1989] [Tyô to Ga 40(1):33 [b4602]] [TypeL - Mt. Kinabalu, N. E. Borneo.] [Note - Not spelled minima. Often seen with *amabilis*.] [Refs - b4094; b1362; b1454 (as *minima*); b4594; b1854 (as *minima*); b4602; b4130 (as *minima*)]
- a *mimosae* Trimen, 1874; *Iolaus* OD: *Trans. ent. Soc. Lond.* 22(3):330, pl 2, f 1,2 [b4721] CG: *Iolaus* (*Epamera*) [TypeL - Africa mer.] [Refs - b1259; b2753; b1452; b4400; b3312; b0803]
- a *mimula* Bates, [1868]; *Pachythone* OD: *J. linn. Soc. Lond., Zool.* 9:391 [b0267] [Type: BMNH-ht] [TypeL - Santarem, Amazonas.] [Refs - b2747; b4475; b1456]
- a *mimula* Draudt, [1920], 1917-1924; *Thecla* OD: *In Seitz, Grossschmett. Erde* 5:793, pl 157-g [b1348] CG: *Thecla* (New World Eumacini) [TypeL - Pachitea, Peru.] [Refs - b0908]
- c *minara* (Fruhstorfer), [1912]; *Biduanda* OD: *Berl. ent. Z.* 56(3/4):251 [b1850] SS: *thesmia* (Hewitson), [1863]; *Drupadia* [Type: BMNH-ht] [TypeL - Sumatra, Indonesia.] [Refs - b1030; b4094 (as Hewitson name)]
- e *mincha* (Kirby), 1871, (ISS); *Plebeius* OD: *Syn. Cat. dium. Lep.* :653 [b2747] SS: *mintha* (Edwards), 1870; *Plebejus* (*Icaricia*) [Refs - b0908; b2747; x3192; b2753]
- a *mindanaensis* Semper, 1892, 1886-1892; *Abisara* OD: *In Semper, Reisen Philipp.* (2)(5):348 [b4110] [Note - Semper attributed the name to Staudinger.] [Refs - b0294; b4473; b1454 (as *mindanensis*); b4110; b3144]
- b *mindanaensis* (Fruhstorfer), [1912]; *Hypolycaena* OD: *Berl. ent. Z.* 56(3/4):271 [b1850] SS: *astyla* (Felder & Felder), 1862; *Hypothecla* [Type: SMF] [TypeL - Mindanao, Philippines.] [Refs - b4094; b1454; b1850]
- e *mindanaensis* d'Abbrera, 1986, (ISS); *Sinthusia* OD: *Butts Oriental Region, Pt 3* :634 [b1454] SS: *mindanensis* Hayashi & Schröder & Treadaway, 1978; *Sinthusia* [Note - D'Abbrera also attributed the name to Fruhstorfer.] [Refs - b1454; b4594]
- b *mindanensis* Bethune-Baker, 1903; *Arhopala* OD: *Trans. zool. Soc. Lond.* 17(1):62, pl 1, f 24 [b0331] SS: *aluaeus* (Hewitson), 1862; *Arhopala* f [Type: BMNH-ht] [TypeL - Mindanao, Philippines.] [Refs - b1644; b4094; b1454; b1544; b4104]
- b *mindanensis* Eliot, 1964; *Deramas* OD: *Entomologist* 97:245 [b1550] SS: *nolens* Eliot, 1964; *Deramas* [TypeL - Mindanao, Philippines.] [Refs - b1550; b1454; b4588 (as a good species)]
- b *mindanensis* Hayashi, 1977; *Jamides* OD: *Tyô to Ga* 28(4):167, f [b2186] SS: *rothschildi* Hayashi, 1976; *Jamides* [Type: OMNH-ht] [TypeL - Mindanao, Philippines.] [Note - Patronym - Mr. Kazuya Nakamoto.] [Refs - b2186]
- a *mindanensis* Hayashi & Schröder & Treadaway, 1978; *Sinthusia* OD: *Tyô to Ga* 29(4):215, f 5-8,17-19 [b2209] [Type: OMNH-ht] [TypeL - Mt. Apo, Mindanao, Philippines.] [Refs - b2209; b2201; b1454 (as Fruhstorfer name); b4594; b4598]
- b *mindanensis* Eliot & Kawazoé, 1983; *Udara* OD: *Butts Lycaenopsis group* :144, f 99, 307-308, 323-324 [b1580] SS: *selma* (H. H. Druce), 1895; *Udara* (*Selmanix*) [Type: BMNH-ht] [TypeL - Mt Apo, Mindanao, Philippines.] [Refs - b1580; b2200]

- c** *mindanensis* d'Abreu, 1986, (ISS); *Abisara* OD: Butts Oriental Region, Pt 3 :656 [b1454] SS: *mindanensis* Semper, 1892; *Abisara* [Refs - b1454]
- a** *mindarus* (Felder & Felder), 1865, 1865-1875; *Lycaena* OD: *Reise Novara* (2):268, pl 33, f 13,14 [b1692] CG: *Caleta* [TypeL - New Guinea.] [Note - An unusual species in that it appears superficially like a *Danis*.] [Refs - b1450; b4178; b1840; b1451; b1559; b2390; b2388]
- a** *mindora* (Felder & Felder), 1865, 1865-1875; *Lycaena* OD: *Reise Novara* (2):277, pl 34, f 9,10 [b1692] CG: *Chilades* [TypeL - Mindoro, Philippines.] [Note - Also seen as a subspecies of *cleotas*.] [Refs - b2747; b4094; b1454; b4601; b4108]
- b** *mindora* Osada, 1994; *Poritia* OD: *Futao* (15):14, pl 2, f 15-18 [b3523] SS: *philoa* Hewitson, 1874; *Poritia* [Type: pc-ht; collection of Tsukada.] [TypeL - Mt. Halcon, Mindoro.] [Refs - b3523]
- b** *mindoranus* Fruhstorfer, [1912]; *Hypolycaena* OD: *Berl. ent. Z.* 56(3/4):238 [b1850] SS: *erylus* (Godart), [1824]; *Hypolycaena* [TypeL - Mindoro, Philippines.] [Refs - b4094; b1850]
- b** *mindorensis* (Schröder & Treadaway), 1985; *Rachana* OD: *Ent. Zeit.* 95(23):349, f 3 [b3982] SS: *jalindra* (Horsfield), [1829]; *Eliotia* [Type: pc-ht; collection of Treadaway.] [TypeL - Mindoro, Philippines.] [Refs - b3982]
- a** *minereus* (Fabricius), 1787; *Papilio* OD: *Mantissa* Ins. 2:77 [b1656] CG: *Thecla* (New World Eumaeini) [Type: ZMC-st] [TypeL - America meridionalis.] [Refs - b0908; b2747; b5076]
- b** *minerva* Felder & Felder, 1865, 1865-1875; *Siseme* OD: *Reise Novara* (2):308, pl 36, f 14,15 [b1692] SS: *aristoteles* (Latreille), [1813]; *Siseme* [TypeL - New Granada.] [Refs - b2747; b4475; b1456]
- a** *minerva* (Leech), 1890; *Dipsas* OD: *Entomologist* 23:40 [b2963] CG: *Cordelia* [TypeL - China.] [Note - Also seen in *Chrysozephyrus*.] [Refs - b0996; b2479; b4214; b4200 (genus uncertain); b4092; b0126]
- c** *minerva* Le Moul, 1940, 1939-1940, (IFS); *Helicopsis* OD: *Novit. ent.* (16):126 [b2943] SS: *cupido* (Linnaeus), 1758; *Helicopsis* [Type: AME-ht] [Refs - b3199]
- c** *minetta* Seitz, [1926], 1912-1927, (ISS); *Arhopala* OD: In Seitz, *Grossschmett. Erde* 9:953 [b4094] SS: *minnetta* (Butler), 1882; *Arhopala* n [Refs - b4094; b1450]
- c** *mingawa* (Fruhstorfer), 1914; *Tajuria* OD: *Deut. ent. Zeit.* [Ins.] 27(4):174 [b1854] SS: *gamtara* (Fruhstorfer), [1912]; *Eliotia* [TypeL - Sintang, W. Borneo.] [Refs - b4094; b2201; b1568; b4586; b1454; b1854; b4104; b4108]
- c** *miniacea* Stichel, [1909]; *Xenandra* OD: *Berl. ent. Z.* 53(3/4):263 [b4443] SS: *heliodes* Felder & Felder, 1865; *Xenandra* [Refs - b4474; b1456]
- b** *miniata* Moore, [1879]; *Thamala* OD: *Proc. zool. Soc. Lond.* 1878(4):834, pl 52, f 6 [b3230] SS: *marciana* (Hewitson), [1863]; *Thamala* [TypeL - Tenasserim.] [Type of - *Thamala*] [Refs - b2280; b1636; b4094; b1454; b0694]
- a** *minicus* Sugiyama, 1994; *Chrysozephyrus* OD: *Pallarge* (3):9, f 25-28,35 [b4542] [Type: pc-ht; collection of Sugiyama.] [TypeL - S. E.-Min Mis. (=Minshan), Sichuan, China.] [Refs - b4542]
- a** *minijas* (Hübner), [1809], 1806-1838; *Rusticus* OD: *Samml. exot. Schmett.* 1:pl [97] [b2482] CG: *Eumaeus* [TypeL - Mexico; Honduras.] [Type of - *Eumaeus*] [Note - According to Robbins, what was called *minijas* in Seitz is actually six species in two species groups which are sympatric over much of South America.] [Refs - b0908; b2280; b2747 (as *minyas*); b1343; b1039; b2721; b3192; ns1215; b1321; b1975; b2631; b2260; b4066]
- a** *minikyanos* Johnson & Matusik, 1988; *Electrostrymon* OD: *Ann. Cam. Mus.* 57(10):223, f 1A, B; 2A [b2632] [Type: AMNH-ht] [TypeL - Abejas, Hispaniola] [Refs - b2632; b2606]
- c** *minima* Distant & Pryer, 1887; *Curetis* OD: *Ann. Mag. nat. Hist.* (5)19:265 [b1290] SS: *sperthis* (Felder & Felder), 1865; *Curetis* [TypeL - Borneo.] [Refs - b0936; b4094; b0694; b4108]
- a** *minima* (Trimen), 1893; *Lycanesthes* OD: *Trans. ent. Soc. Lond.* 41(2):135, pl 8, f 10 [b4728] CG: *Anthene* [TypeL - Natal.] [Refs - b1259; b1452; b0343; b4400]
- c** *minima* (Sharp), [1896], (ISS); *Chliaria* OD: *Zool. Rec.* 32(1895)(Ins.):278 [b4130] SS: *mimima* (H. H. Druce), 1895; *Hypolycaena* (*Chliaria*) [Refs - b4130]
- c** *minima* Butler, 1901; *Spindasis* OD: *Ann. Mag. nat. Hist.* (7)7:289 [b0660] SS: *fusca* (Moore), [1881]; *Spindasis* [TypeL - Ceylon.] [Note - *D'Abreu* attributes this name to *Staudinger*, and associates it with *cilissa*.] [Refs - b1636; b0694; b1455]
- c** *ab. minima* Rostagno & Zapelloni, 1910; *Polyommatus* OD: *Boll. Soc. zool. ital.* (2)11:340 [b3870] SS: *icarus* (Rouemburg), 1775; *Polyommatus* [Refs - b0236; b0471]
- c** *minima* (Fruhstorfer), 1914; *Chliaria* OD: *Deut. ent. Zeit.* [Iris] 27(4):176 [b1854] SS: *mimima* (H. H. Druce), 1895; *Hypolycaena* (*Chliaria*) [Refs - b1854]
- c** *minima* (Seitz), [1917], 1910-1924; *Mesosemia* OD: In Seitz, *Grossschmett. Erde* 5:640 [b4093] SS: *phelina* (Felder & Felder), 1862; *Teratophthalma* [TypeL - Villavicencio.] [Refs - b4474; b4093]
- c** *minima* (Ribbe), 1926; *Tajuria* OD: *Ent. Mitt.* 15(1):81 [b3742] SS: *orsolina* (Hewitson), [1865]; *Remelana* [Type: SMT-ht; designated by Takanami, 1989] [TypeL - S. W. Sulawesi.] [Refs - b3742; b4602]
- b** *minima* Toxopeus, 1927; *Nacaduba* OD: *Treubia* 9(4):433 [b4696] SS: *beroe* (Felder & Felder), 1865; *Nacaduba* [TypeL - Kandy, Ceylon.] [Refs - b4676; b1454; b0694]
- c** *minima* (Evans), 1932; *Lycaenopsis* OD: *Ident. Indian Butts* (2nd ed.) :222 [b1638] SS: *melaena* (Doherty), 1889; *Callenya* [Type: BMNH-ht; designated by Eliot & Kawazoé, 1983] [Butts *Lycaenopsis* group :259 [b1580]] [TypeL - Manipur, India.] [Refs - b4198; b1580; b1638]
- a** *minima* (Hawker-Smith), 1933; *Teriomima* OD: *Stylops* 2:6 [b2168] CG: *Baliochila* [TypeL - Uchweni Forest, Witu, Kenya.] [Refs - b1452; b2168; b4400]
- a** *minima* Jackson, 1966; *Chloroselas* OD: *Ann. Mag. nat. Hist.* (13)8:524, f [b2565] [TypeL - Kenya.] [Refs - b1452; b4400]
- c** *minima* d'Abreu, 1986, (ISS); *Hypolycaena* OD: Butts Oriental Region, Pt 3 :620 [b1454] SS: *mimima* (H. H. Druce), 1895; *Hypolycaena* (*Chliaria*) [Refs - b1454; b4594]
- a** *minimus* (Füssly), 1775; *Papilio* OD: *Verz. bekannt. Schweiz. Ins.* :31 [b1903] CG: *Cupido* [Type of - *Cupido*] [Note - Placed on Official List by *Op 503*.] [Refs - b4115; b2280; b2375; b3059 (as *Fusslin*); b1213; b2747; b0995; b1780; b1762; b2827; b2479; b4545; b0236; b1705; b2528 (*Op 503*, L 1478); b0400; b2300; b4950; b2794; b3366; b4169; b2859; b2859; b4092]
- c** *minimus* (Esper), [1777], 1776-1830; *Papilio* OD: *Die Schmett.* 1(1)(6):pl 34, f 3 [b1623] SS: *minimus* (Füssly), 1775; *Cupido* [Refs - b2747; b2302]
- b** *minimus* (Junge & Rose), 1978; *Plebejus* OD: *Atalanta* (Münnerstadt) 9(3):237, f [b2675] SS: *loewii* (Zeller), 1847; *Polyommatus* (*Plebejidea*) [TypeL - Turkey.] [Refs - b0110]
- a** *mininota* Johnson, 1993; *Gigantorubra* OD: *Rep. Mus. Nat. Hist. Univ. Wis.* (Stevens Point) (32):13, f [b2614] [Type: - ht] [TypeL - Dept. La Paz, Prov. Sud Yungas, Bolivia.] [Refs - b2614]

- a *miniola* (Bates), [1868]; Erycina OD: J. linn. Soc. Lond., Zool. 9:384 [b0267] CG: Ancylyrus [Type: BMNH-ht] [TypeL - Ega.] [Refs - b2747; b4474; b1456]
- a *minissima* Johnson, 1992; Shapiroana OD: Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (22):153, f [b2611] [Type: AMNH-ht] [TypeL - Bogota, Colombia.] [Refs - b0125; b2611]
- c *minium* (H. H. Druce), 1910; Pseuderesia OD: Proc. zool. Soc. Lond. 1910(1):359 [b1378] SS: osheba (Holland), 1890; Eresiomera [Refs - b4400]
- b *minja* Fruhstorfer, 1916; Nacaduba OD: Zoöl. Meded. 2(2):109 [b1873] SS: hermus (C. Felder), 1860; Nacaduba [Type: BMNH-ht] [TypeL - Lombok.] [Refs - b4676; b4094; b1454]
- b *minna* Riley & Corbet, 1938; Jamides OD: Trans. R. ent. Soc. Lond. 87(5):157 [b3786] SS: cyta (Boisduval), 1832; Jamides [Type: BMNH-ht] [TypeL - Maxwell's Hill, Perak, Malay Peninsula.] [Refs - b0964; b0965; b2384; b1454; b2771; b3786]
- b *minnehaha* (Scudder), 1875; Agriades OD: Proc. Boston Soc. nat. Hist. 17(1):88 [b4079] SS: shasta (Edwards), 1862; Plebejus (Icaricia) [Type: MCZ-ht] [TypeL - Heart River Crossing, Dakota Territory.] [Refs - b0908; b1713; b2753; b3192; b1743; b1321; b4066]
- b *minnetta* (Butler), 1882; Amblypodia OD: Ann. Mag. nat. Hist. (5)10:152 [b0621] SS: thamyras (Linnaeus), 1758; Arhopala n [Type: BMNH-ht] [TypeL - Duke-of-York Island.] [Refs - b1644; b1450 (as mineeta); b0621; b4094 (as minetta)]
- a *minnilles* Dyar, 1916; Thecla OD: Proc. U. S. nat. Mus. 51:3 [b1447] CG: Thecla (New World Eumacini) [Type: USNM; #19254] [TypeL - Sierra de Guerrero, Mexico.] [Refs - b0908]
- e *minor* de Selys-Longchamps, 1857; Everes OD: Annl. Soc. ent. Belg. 1:16 [b1183] SS: argiades (Pallas), 1771; Everes [Refs - b0400]
- c *minor* (Frey), 1882; Lycaena OD: Mitt. schweiz. ent. Ges. 6(7):352 [b1793] SS: nausithous (Bergsträsser), [1779]; Maculinea [Refs - b0993; b0400; b4092]
- e *ab. minor* (Tutt), 1896; Lysandra OD: Brit. Butts :171 [b4758] SS: bellargus (Rottemburg), 1775; Polyommatus (Lysandra) [Refs - b0236; b0471]
- e *ab. minor* (Tutt), 1896; Lysandra OD: Brit. Butts :166 [b4758] SS: condon (Poda von Neuhaus), 1761; Polyommatus (Lysandra) [Refs - b0236; b0471]
- e *ab. minor* Lambillon, 1902; Satyrium OD: Revue mens. Soc. ent. namur. 2:15 [b2882] SS: ilicis (Esper), [1779]; Satyrium [Refs - b0236; b0471]
- e *ab. minor* Lambillon, 1902; Satyrium OD: Revue mens. Soc. ent. namur. 2:15 [b2882] SS: spini ((Denis & Schiffmüller)), 1775; Satyrium [Refs - b0471]
- e *ab. minor* Wheeler, 1903; Pseudophilotes OD: Butts Switzerland :34 [b4991] SS: hylactor (Bergsträsser), [1779]; Pseudophilotes [Refs - b0471]
- e *minor* (Tutt), 1906, 1905-1914; Rumicia OD: Nat. Hist. Brit. Butts 1:353 [b4760] SS: phlaeas (Linnaeus), 1761; Lycaena (Lycaena) [Refs - b0389]
- e *minor* (Tutt), 1906, 1905-1914; Chrysophanus OD: Nat. Hist. Brit. Butts 1:431 [b4760] SS: dispar ((Haworth)), 1802; Lycaena (Thersamolycaena) [Refs - b0389]
- e *ab. minor* (Tutt), 1907, 1905-1914; Ruralis OD: Nat. Hist. Brit. Butts 2:280 [b4760] SS: betulae (Linnaeus), 1758; Thecla [Refs - b0236; b0471]
- e *ab. minor* (Tutt), 1907, 1905-1914; Strymon OD: Nat. Hist. Brit. Butts 2:197 [b4760] SS: pruni (Linnaeus), 1758; Fixsenia [Refs - b0471]
- e *minor* Tutt, 1907, 1905-1914; Lampides OD: Nat. Hist. Brit. Butts 2:337 [b4760] SS: boeticus (Linnaeus), 1767; Lampides [Refs - b0400]
- e *ab. minor* (Muschamp), 1908; Lysandra OD: Bull. Soc. Léop. Genève 1(3):264 [b3319] SS: bellargus (Rottemburg), 1775; Polyommatus (Lysandra) [Refs - b0236]
- e *ab. minor* Tutt, 1908, 1905-1914; Celastrina OD: Nat. Hist. Brit. Butts 2:394 [b4760] SS: argiolus (Linnaeus), 1758; Celastrina [Refs - b0236; b0400; b0471]
- e *minor* Tutt, 1908, 1905-1914; Everes OD: Nat. Hist. Brit. Butts 3:56 [b4760] SS: argiades (Pallas), 1771; Everes [Refs - b0400; b4760]
- e *ab. minor* (Muschamp), 1909; Lycaena OD: Bull. Soc. Léop. Genève 1:369 [b3320] SS: orbitulus (Prunner), 1798; Polyommatus (Albulina) [Check - Original genus] [Refs - b0236; b0471]
- e *minor* Tutt, 1909, 1905-1914; Cupido OD: Nat. Hist. Brit. Butts 3:107 [b4760] SS: minimus (Esper), [1777]; Cupido [Refs - b0400; b0471]
- e *ab. minor* (Tutt), 1909, 1905-1914; Plebeius OD: Nat. Hist. Brit. Butts 3:172 [b4760] SS: argus (Linnaeus), 1758; Plebejus [Refs - b0236; b0471]
- e *ab. minor* Tutt, 1909, 1905-1914; Polyommatus OD: Nat. Hist. Brit. Butts 3:257 [b4760] SS: semiargus (Rottemburg), 1775; Polyommatus (Cyaniris) [Refs - b0236]
- e *ab. minor* (Gramann), 1911; Lycaena OD: Ent. Zeit. 25(40):217 [b2006] SS: alcon ((Denis & Schiffmüller)), 1775; Maculinea [Refs - b0236; b0400; b0471]
- e *ab. minor* (Diószeghy), 1913; Chrysophanus OD: Rovart. Lap. 20:194 [b1281] SS: festivus Krulikovskii, 1909; Lycaena (Thersamolycaena) [Refs - b0236; b0389; b0471]
- b *minor* (Rothschild), 1916; Pepliphorus OD: Rep. B. O. U. Exped. New Guinea 2(15):28 [b3880] SS: aruensis (Pagenstecher), 1884; Jamides [TypeL - New Guinea.] [Refs - b4671; b1450; b4094; b3880]
- b *minor* (van Eecke), 1918; Lycaenesthes OD: Zoöl. Meded. 4(2):94 [b4795] SS: emolus (Godart), [1824]; Anthene [Refs - b4679; b1454]
- e *ab. minor* (Blackie), 1919; Aricia OD: Entomologist 52:234 [b0438] SS: medon (Hüfnagel), 1766; Plebejus (Aricia)
- a *minor* Joicey & Talbot, 1921; Cupidesthes OD: Bull. Hill Mus. 1(1):95, pl 15, f 83 [b2655] [Type: BMNH-ht] [TypeL - Avakubi, Ituri River.] [Refs - b1452; b4400; b2655]
- e *ab. minor* (Derenne), 1925, 1923-1927; Chrysophanus OD: Revue mens. Soc. ent. namur. 25:92 [b1196] SS: amphidamas (Esper), [1781]; Helleia A [TypeL - Belgium.] [Refs - b0236; b0389; b0471]
- e *ab. minor* (Derenne), 1926; Chrysophanus OD: Lambillon 26:4 [b1197] SS: phlaeas (Linnaeus), 1761; Lycaena (Lycaena) [TypeL - Belgium.] [Refs - b0236; b0389 (= minor Tutt)]
- c *minor* (Ribbe), 1926; Luthrodes OD: Ent. Mitt. 15(1)91 [b3742] SS: boopis (Fruhstorfer), 1915; Chilades [TypeL - Celeses.] [Refs - b3742]
- c *minor* Ribbe, 1926; Hypolycaena OD: Ent. Mitt. 15(1)86 [b3742] SS: gison Fruhstorfer, [1912]; Hypolycaena [Type: SMT-It; designated by Takanami, 1989] [Työ to Ga 40(1):53 [b4602]] [TypeL - C. W. Sulawesi.] [Refs - b3742, b4602]
- e *ab. minor* (Pionneau), 1927; Thecla OD: Échange 43:12 [b3614] SS: w-album (Knoch), 1782; Satyrium [TypeL - Gironde.] [Refs - b0236; b0065]
- e *ab. minor* (Pionneau), 1928; Lycaena OD: Misc. Ent. 31(5):50 [b3616] SS: boeticus (Linnaeus), 1767; Lampides [Refs - b0236; b0067; b0400]

- c *ab. minor* (Pionneau), 1928; *Lycaena* OD: Misc. Ent. 31(5):51 [b3616] SS: thersites (Cantener), 1834; *Polyommaus* (*Plebicula*) [Refs - b0236; b0067]
- b *minor* (Rangnow), 1935; *Lycaena* OD: Ent. Rundsch. 52:188 [b3691] SS: *argus* (Linnaeus), 1758; *Plebejus* [TypeL - Lapland.] [Refs - b0073]
- c *ab. minor* (Heinrich), 1938; *Lycaena* OD: Deut. ent. Zeit. 1938:11 [b2228] SS: *melanops* (Boisduval), [1828]; *Apelles* [TypeL - Basses Alps.] [Refs - b0076]
- e *minor* (Verity), 1943, (IFS); *Lysandra* OD: Farfalle Diume Ital. 2:306 [b4862] SS: *rezniceki* (Bartel), 1904; *Polyommatus* (*Lysandra*) [Type: MZS-st] [Refs - b2856]
- e *minor* (Verity), 1943, (IFS); *Cupido* OD: Farfalle Diume Ital. 2:99 [b4862] SS: *decolorata* Staudinger, 1886; *Everes* [TypeL - Italy.] [Refs - b2856; b0400]
- c *minor* (Verity), 1943, (IFS); *Meleageria* OD: Farfalle Diume Ital. 2:332 [b4862] SS: *daphnis* ((Denis & Schiffmüller)), 1775; *Polyommatus* (*Meleageria*) [Refs - b2856]
- b *minor* Forster, 1951; *Polycena* OD: Z. wien. ent. Ges. 36:63 [b1768] SS: *lua* Grun-Grshimailo, 1891; *Polycena* [TypeL - Tibet.] [Refs - b1455]
- b *minor* (Evans), 1957; *Narathura* OD: Bull. Br. Mus. nat. Hist. (Ent.) 5(3):101 [b1644] SS: *cleander* (C. Felder), 1860; *Arhopala* f [Type: BMNH-ht] [TypeL - Batchian.] [Refs - b1644; b1450]
- c *minorata* (Verity), 1938, 1938-1939, (IFS); *Aricia* OD: Ent. Rec. 50(Sup.):5 [b4860] SS: *anteros* (Freyer), 1839; *Plebejus* (*Ultraaricia*) [Type: MZS-st] [TypeL - Salonika.] [Refs - b2856]
- e *minoratissima* (Verity), 1938, 1938-1939, (IFS); *Aricia* OD: Ent. Rec. 50(Sup.):6 [b4860] SS: *anteros* (Freyer), 1839; *Plebejus* (*Ultraaricia*) [Type: MZS-st] [TypeL - Salonika.] [Refs - b2856]
- a *minos* Hewitson, [1859], 1852-1877; *Mesosemia* OD: Ill. exot. Butts 2:[—], pl [54], f 39-41 [b2323] [TypeL - Amazon.] [Refs - b2988; b2747; b4474; b1456]
- a *minshanicum* Murayama, 1992; *Satyrnum* OD: *Konchu to Shizen* (Nature & Insects) 27(5):40, f 8 [b3304] [TypeL - Min-Shan, China.] [Refs - b3304; b1455]
- b *minshenkensis* Lukhtanov, 1990; *Polyommatus* OD: *Vestnik Zoologii* 1990(6):21, f [b3031] SS: *persephatta* (Alphéraký), 1881; *Polyommatus* (*Cyaniris*) [TypeL - Kazakhstan] [Refs - b0124]
- c *mintha* (Edwards), 1870; *Lycaena* OD: Trans. amer. ent. Soc. 3(2):194 [b1500] SS: *icarioides* (Boisduval), 1852; *Plebejus* (*Icancia*) [Type: CM-lt; designated by Brown, 1970] [Trans. amer. ent. Soc. 96:389 [b0510]] [TypeL - Nevada.] [Refs - b0908; b2747 (as mincha); b3192; b1500; b1321]
- a *minthe* Godman & Salvin, [1887], 1879-1901; *Thecla* OD: *Biol. centr.-amer., Lep. Rhop.* 2:60; 3-pl 55, f 15,16 [b1975] CG: *Thecla* (New World Eumaeini) [Type: BMNH] [TypeL - Milpas, Mexico.] [*Note - Allied to gadira.*] [Refs - b0908; b3818; b1975]
- b *minthe* (Fruhstorfer), 1915; *Lampides* OD: *Arch. Naturgesch.* (A)81(6):22 [b1865] SS: *aratus* (Stoll), [1781]; *Jamides* [TypeL - Sula.] [Refs - b4094; b1865]
- b *minturna* (Fruhstorfer), [1912]; *Camena* OD: *Berl. ent. Z.* 56(3/4):207 [b1850] SS: *blanka* (de Nicéville), 1894; *Ancema* [TypeL - Sikkim.] [Refs - b1636; b4094; b2201; b1454; b1850; b0694]
- a *minuscula* (Aurivillius), 1909; *Cupido* OD: *In Voeltzkow, Reise Ost-Afr.* 2:325 [b0163] CG: *Chilades* (Freyeria) [TypeL - Madagaskar.] [Refs - b1452; b4400]
- c *minuscula* (Giacomelli), 1911; *Apodemia* OD: *An. Soc. cient. argent.* 72:23 [b1935] SS: *guttata* (Stichel), 1910; *Audre* [TypeL - Argentina.] [Refs - b2221; b4475; b1456]
- e *ab. minuscula* (Agenjo), 1967; *Glaucopteryche* OD: *Eos* 43:20 [b0020] SS: *melanops* (Boisduval), [1828]; *Apelles* [TypeL - Castelldefels, Spain.] [Refs - b3059]
- e *minusornata* (Verity), 1928, (IFS); *Aricia* OD: *Bull. Soc. ent. Fr.* 1928(11):182 [b4848] SS: *cramera* (Eschscholtz), 1821; *Plebejus* (*Aricia*) [Type: MZS-st] [TypeL - Iberian Peninsula.] [Refs - b3059; b2856; b0236; b4848; b0471]
- c *minuta* (Grun-Grshimailo), 1890; *Lycaena* OD: *In Romanoff, Mém. Lép.* 4:415 [b2067] SS: *persephatta* (Alphéraký), 1881; *Polyommatus* (*Cyaniris*) [Refs - b4092]
- a *minuta* H. H. Druce, 1904; *Nymphidium* OD: *Proc. zool. Soc. Lond.* 1904(I)(2):487, pl [b1370] [TypeL - Briúsh Guiana, 34, f 10] [*Note - Also seen as a synonym or form of baeotia Hewitson, [1852].*] [Refs - b4476; b2497; b0680; b0119; b4093]
- b *minuta* (Bethune-Baker), 1916; *Lycaenesthes* OD: *Ann. Mag. nat. Hist.* (8)17:379 [b0354] SS: *crawshayi* (Butler), 1899; *Anthene* [Refs - b1452; b4400; b3004; b0354]
- c *minuta* (Verity), 1919, 1919-1922, (RA); *Thecla* OD: *Ent. Rec.* 31:48 [b4840] SS: *spini* ((Denis & Schiffmüller)), 1775; *Satyrnum* [Type: MZS-st] [Refs - b2856; b0236; b0471]
- b *minuta* (Evans), 1932; *Euchrysops* OD: *Ident. Indian Butts* (2nd ed.) :235 [b1638] SS: *parthasius* (Fabricius), 1793; *Chilades* [TypeL - Peshawar, Baluchistan.] [*Note - Cantlie says this is probably merely a DSF.*] [Refs - b1638; b0694]
- a *minutaea* Johnson, 1989; *Contrafacia* OD: *J. New York ent. Soc.* 97(1):43, f 5F,6F [b2597] [Type: MPM-ht] [TypeL - Morro Dona Martha, Rio de Janeiro, Brazil.] [Refs - b2597]
- e *minutepunctata* (Verity), 1926, 1926-1933, (RA); *Agriadés* OD: *Ent. Rec.* 38:124 [b4844] SS: *coridon* (Poda von Neuhaus), 1761; *Polyommatus* (*Lysandra*) [Type: MZS-st] [TypeL - S. France.] [Refs - b0236; b0471; b4038]
- c *minutepunctata* (Verity), 1948, 1947-1957, (RA); *Heodes* OD: *Var. Pap. dium. France* :62 [b4863] SS: *alciphron* (Rottemburg), 1775; *Lycaena* (*Alciphronia*) [Refs - b2856]
- e *ab. minutissima* (Stephan), 1923; *Zizera* OD: *Deut. ent. Zeit. [Iris]* 37:45 [b4426] SS: *minimus* (Füssly), 1775; *Cupido* [TypeL - Glatz Mts.] [Refs - b0236; b0400; b0471]
- e *ab. minutissimus* (Tutt), 1909, 1905-1914; *Plebejus* OD: *Nat. Hist. Brit. Butts* 3:173 [b4760] SS: *argus* (Linnaeus), 1758; *Plebejus* [Refs - b0236; b0471]
- c *minutus* (Esper), [1798], 1776-1830; *Papilio* OD: *Die Schmett. Suppl. Theil* 1:71, pl 108, f 8 [b1623] SS: *minimus* (Füssly), 1775; *Cupido* [Refs - b2747; b0236; b0400; b2794; b2302]
- d *minyas* Hübner, [1819], 1816-1826, (UE); *Eumaeus* OD: *Verz. bekannt. Schmett.* (5):67, no. 643 [b2484] SS: *minijas* (Hübner), [1809]; *Eumaeus* [*Note - I follow dos Passos in considering this an unjustified emendation.*] [Refs - b1530 :189, f 352; b1321 :52; b0908; b4245; b2988; b1039; b3192; ns1215; b1137 (24); b2406; b1975]
- a *minyla* Hewitson, [1867], 1863-1878; *Thecla* OD: *Ill. dium. Lep. Lycaenidae* 1:91; 2-pl 38, f 115,116 [b2326] CG: *Thecla* (New World Eumaeini) [Type: BMNH] [TypeL - Amazon.] [Refs - b0908; b2747; b1975]
- b *mio* (Hayashi), 1981; *Narathura* OD: *Tyô to Ga* 32(1,2):77, f 29,30 [b2198] SS: *alesia* Felder & Felder, 1865; *Arhopala* i [Type: NSMT-ht] [TypeL - Philippines.] [Refs - b2198]
- a *mio* Hayashi & Schröder & Treadaway, 1983; *Dacalana* OD: *Senckenbergiana* 63(1/2):50, f 8-10 [b2210] [Type: OMNH-ht] [TypeL - Philippines.] [Refs - b2210]
- a *mio* Hayashi & Schröder & Treadaway, 1984; *Paruparo* OD: *Senckenbergiana* 65(1/2):33, f 9-13 [b2211] [Type: pc-ht; Colin G. Treadaway] [TypeL - Philippines.] [Refs - b2211; b1454]

- b *mloae* Hayashi, 1976; *Jamides* OD: Tyô to Ga 26(3/4):98, f 17-21 [b2176] SS: *callistus* (Röber), [1886]; *Jamides* [Type: OMNH-ht] [TypeL - Sabah, Borneo.] [Refs - b2176; b4108]
- a *mloae* Hayashi, 1978; *Eliotia* OD: Tyô to Ga 29(3):166, f 5,6,12-15 [b2191] [Type: OMNH-ht] [TypeL - Mindanao, Philippines.] [Type of - *Eliotia*] [Refs - b2196; b2191; b2201; b1454]
- a *mioswara* Bethune-Baker, 1913; *Hypochrysops* OD: Ann. Mag. nat. Hist. (8)11:568 [b0347] [Type: BMNH-ht] [TypeL - Mioswar Island, Geelvink Bay, North New Guinea.] [Refs - b1450; b3926; b0347]
- d *mioswara* (Bethune-Baker), 1913, (H); *Waigeum* OD: Ann. Mag. nat. Hist. (8)11:566 [b0347] OS: *echo* Sands, 1986; *Hypochrysops* [Type: BMNH-ht] [TypeL - Mioswar Island, Geelvink Bay, North New Guinea.] [Refs - b1450; b3926; b0347]
- a *mioswara* Tite, 1963; *Nacaduba* OD: Bull. Br. Mus. nat. Hist. (Ent.) 13(4):83, tf 11,44; pl 1, f 3 [b4676] [Type: BMNH-ht] [TypeL - Mioswar, Geelvink Bay, North New Guinea.] [Refs - b1450; b4676; b2387; b2388]
- b *mlotsukushi* Hayashi, 1976; *Cyaniriodes* OD: Tyô to Ga 27(2):49, f [b2183] SS: *libna* (Hewitson), [1869]; *Cyaniriodes* [TypeL - Palawan, Philippines.] [Refs - b0109; b2200]
- a *mira* (Hewitson), 1874; *Erycina* OD: Descr. new Spec. Butts Buckley Bolivia :12 [b2344] CG: *Ancyluris* [TypeL - Bolivia.] [Refs - b2988; b2753; b4474; b1456]
- e *mira* (Verity), 1914, (RA); *Lycæna* OD: Boll. Soc. ent. ital. 45:230, pl 1, f 44,45 [b4836] SS: *idas* (Linnaeus), 1761; *Plebejus* (*Lycæides*) [Type: MZS-st] [Refs - b2856; b0236; b4425; b0471]
- c *mira* Stichel, 1924; *Euselasia* OD: Z. wiss. InsektBiol. 19:249 [b4462] SS: *zena* (Hewitson), [1860]; *Euselasia* [TypeL - Amazonas, Brazil.] [Refs - b4474; b3717]
- b *mira* Corbet, 1941; *Arhopala* OD: Proc. R. ent. Soc. Lond. (B)10(9):157 [b0956] SS: *alitaeus* (Hewitson), 1862; *Arhopala* f [Type: BMNH-ht] [TypeL - Borneo.] [Refs - b1644; b0956; b4108]
- b *mirabella* Doherty, 1889; *Arhopala* OD: J. asiat. Soc. Bengal, Pt II 58(4):420, pl 23, f 2 [b1301] SS: *alitaeus* (Hewitson), 1862; *Arhopala* f [Type: BMNH-ht] [TypeL - Mergui.] [Refs - b1644; b4094; b1454]
- c *mirabelle* (Barnes), 1900; *Thecla* OD: Can. Ent. 32(2):43 [b0240] SS: *ilavia* (Beutenmüller), 1899; *Fixsenia* [Type: USNM-ht] [TypeL - Utah.] [Refs - b0908; b3192; b1321]
- c *mirabilis* (Erschoff), 1874; *Thecla* OD: Mém. Soc. amis Sci. nat. Moscou 11(2):7, pl 1, f 4 [b1612] SS: *sassanides* (Kollar), [1849]; *Satyrnum* [Type: ZMMU] [Refs - b2753; b0996; b2827; b3363; b0127; b4094; b4092]
- c *mirabilis* Pagenstecher, 1893; *Hypochrysops* OD: Jb. nass. Ver. Nat. 47:78 [b3538] SS: *scintillans* (Butler), 1882; *Hypochrysops* [TypeL - Mioko, Duke of York Island, New Guinea.] [Refs - b2078; b3926]
- c *mirabilis* (H. H. Druce), 1903; *Epamera* OD: Ann. Mag. nat. Hist. (7)11:71 (male) [b1368] SS: *aethria* Karsch, 1893; *Iolaus* (*Epamera*) [TypeL - Sierra Leone.] [Refs - b1373 :81, pl 2, f 8 (type); b1368; b0145; b0836; b4400]
- e *mirabilis* (Verity), 1919, 1919-1922, (RA); *Loweia* OD: Ent. Rec. 31:28 [b4840] SS: *alciphron* (Rottemburg), 1775; *Lycæna* (*Alciphronia*) [Type: MZS-st] [Refs - b2856; b0236; b0471]
- d *mirabilis* Lathy, 1930, (H); *Thecla* OD: Trans. ent. Soc. Lond. 78(1):135, pl 9, f 8 [b2921] OS: *rhapitissima* Johnson, 1991; *Thecla* (New World *Eumacini*) [Type: MNHN; Fournier collection.] [TypeL - Rio Pastazza, (Eastern) Ecuador:iconfluens] [Refs - b0908; b2591; b2592]
- e *ab. mirabilis* Mezger, 1935; *Plebejus* OD: *Lambillionea* 35:188 [b3173] SS: *argus* (Linnaeus), 1758; *Plebejus* [TypeL - France.] [Refs - b0073; b3173]
- e *mirabilis* Beuret, 1957; *Glaucoopsyche* OD: Lyc. Schweiz II :199 [b0400] SS: *alexis* (Poda von Neuhaus), 1761; *Glaucoopsyche* [TypeL - Switzerland.] [Refs - b0400]
- a *miraculum* (H. H. Druce & Bethune-Baker), 1893; *Thysonotis* OD: Proc. zool. Soc. Lond. 1893(3):552, pl 46, f 12 [b1382] CG: *Hypochrysops* [TypeL - Waigeo.] [Type of - *Waigeum*] [Refs - b1450; b2280; b2078; b3926; b1382]
- a *miranda* (Hewitson), 1874; *Erycina* OD: Descr. new Spec. Butts Buckley Bolivia :13 [b2344] CG: *Ancyluris* [TypeL - Bolivia.] [Refs - b2753; b4474; b1453; b1456]
- a *miranda* (Godman & Salvin), [1887], 1879-1901; *Thecla* OD: Biol. centr.-amer., Lep. Rhop. 2:99 [b1975] CG: *Ipidecla* [Type: BMNH] [TypeL - Upper Amazons.] [Refs - b0908; b1975]
- a *miranda* Staudinger, 1889; *Epitola* OD: Ent. Nachr. 15:176 [b4333] [TypeL - Africa.] [Refs - b3842; b1452; b0836; b4400; b1585]
- a *miranla* (Bates), [1868]; *Eurygona* OD: J. linn. Soc. Lond., Zool. 9:376 [b0267] CG: *Euselasia* [TypeL - Ega.] [Refs - b2747; b4474; b0267; b0680; b1456]
- a *mirifica* Holland, 1890; *Euliphya* OD: Psyche 5:423 [b2423] [TypeL - Upper Ogove River, Gaboon.] [Type of - *Euliphya*] [Refs - b2280; b1452; b0836; b4400; b2887; b1585; b1584]
- a *mirifica* Jackson, 1964; *Epitola* OD: Bull. Br. Mus. nat. Hist. (Ent.) 15(3):72 [b2563] [Type: BMNH-ht] [TypeL - Etoumbi, Moyen Congo, République du Congo.] [Refs - b1452; b4400; b2563]
- b *mirificus* (Sugitani), 1936, 1933-1938; *Lycænopis* OD: *Zephyrus* 6:167, pl 9, f 11,12 [b4539] SS: *oreas* (Leech), [1893]; *Celastrina* [Type: FAKU-ht] [TypeL - Korea.] [Refs - b4115; b1580]
- a *miris* (Staudinger), 1881; *Lycæna* OD: Stett. ent. Ztg 42:263 [b4328] CG: *Polyommatus* (*Agrodiaetus*) [TypeL - Persia; Saisan.] [Refs - b0993; b1762; b2827; b4092; ns3032 (*Polyommatus*); b1455]
- c *mirita* (Herrich-Schäffer), [1853], 1850-1869; *Diophthalma* OD: Samml. neuer. aussereurop. Schmett. 1:[55], pl [--], f 42 [b2314] SS: *idotea* (Westwood), [1851]; *Mesophthalma* [Refs - b2747; b4475]
- a *mirma* (Hewitson), [1878], 1863-1878; *Thecla* OD: Ill. diurn. Lep. Lycaenidae 1:212; 2:pl 85, f 719,720 [b2326] CG: *Rhamma* [Type: BMNH-ht; designated by Johnson, 1992] [Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (22):50 [b2610]] [TypeL - Moritz, Venezuela.] [Refs - b0908; b4474; b2631; b2593; b0125; b2620; b2610]
- a *miron* Grose-Smith, 1898; *Symmachia* OD: Ann. Mag. nat. Hist. (7)2:71 [b2044] [TypeL - Ecuador.] [Refs - b1456]
- b *mironi* Coutsis, 1976; *Glaucoopsyche* OD: Ent. Rec. 88(2):34 [b0997] SS: *alexis* (Poda von Neuhaus), 1761; *Glaucoopsyche* [TypeL - Skyros Island, Greece.] [Refs - b0108]
- e *mirus* (Verity), 1913, (RA); *Chrysophanus* OD: J. linn. Soc. Lond., Zool. 32(215):188 [b4835] SS: *hippothoe* (Linnaeus), 1761; *Palaeochrysophanus* [Type: MZS-st] [Refs - b3059; b2856; b0236]

- b mirus van Eecke**, 1914; *Allotinus* OD: *Notes Leyden Mus.* 36(3/4):247 [b4792] SS: *subviolaceus* Felder & Felder, 1865; *Allotinus* [Type: RNH-It; designated by Eliot, 1986] [*Bull. Br. Mus. nat. Hist. (Ent.)* 53(1):15 [b1571]] [TypeL - Simeulue (Simalur) Island.] [Refs - b1840; b1571]
- c mirusnigra** (Agenjo), 1944; *Chrysophanus* OD: *Eos* 20:76 [b0011] SS: *hippotoche* (Linnaeus), 1761; *Palaeochrysophanus* [TypeL - Spain.]
- d mirza** (Staudinger), 1874, (RC); *Lycaena* OD: *Stett. ent. Ztg.* 35:90 [b4325] SS: *sieversii* (Christoph), 1873; *Polyommatus* (*Farsia*) [TypeL - Persia.] [Note - Placed on the Official Index of Rejected and Invalid Specific Names in Zoology by Opinion 1478.] [Refs - b2753; b0993; b2790; b2902; b4092; b2546]
- b mirza** (Plötz), 1880; *Lycaena* OD: *Stett. ent. Ztg.* 41:203 [b3622] SS: *occidentalis* Butler, [1888]; *Azanus* [TypeL - W. Africa.] [Note - Conserved by Opinion 1478.] [Refs - b1943; b1259; b0995; b0113; b1452; b2790; b0836; b2898; b2790; b4400; b1235; b2902; b2546]
- d mirzaellus** Koçak, 1980, (RC & JOS); *Azanus* OD: *Nota lepid.* 2(4):141 [b2790] OS: *mirza* (Plötz), 1880; *Azanus* [Type: biblio; replacement for *mirza* Plötz, 1880] [Note - Placed on the Official Index of Rejected and Invalid Specific Names in Zoology by Opinion 1478.] [Refs - b0113; b2790; x0836; b2790; b2902; b2546]
- b misellivestis** Stichel, 1910; *Eurybia* OD: *Gen. Insectorum* 112(A):68 [b4446] SS: *dardus* (Fabricius), 1787; *Eurybia* [Type: pc-st; collection of Stichel] [TypeL - Espirito Santo, S. Brazil.] [Refs - b4474; b2221; b0419; b1140; b4446]
- a misenes** (Cramer), [1777], 1775-1790; *Papilio* OD: *Uið. Kapellen* 2(10):31, pl 117, f D [b1069] CG: *Thecla* (New World Eumacini) [TypeL - Surinam.] [Note - *Comstock & Huntington say 'This name is ignored by modern authors and its identity is in doubt'.*] [Refs - b0908; b2747]
- c misera** (Verity), 1919, 1919-1922, (IFS); *Plebeius* OD: *Ent. Rec.* 31:46 [b4840] SS: *idas* (Linnaeus), 1761; *Plebeius* (*Lycæides*) [Type: MZS-ht] [Refs - b2856; b0236; b0471]
- a miserabilis** (Clench), 1946; *Thecla* OD: *Entomologist* 79:156 [b0824] CG: *Cyanophrys* [Type: BMNH-ht] [TypeL - Rioñán, Guerrero, Mexico.] [Refs - b1530 :211, f 402; b1321 :59; b0908; b0528; b3818; b1343; b3192; b2585; b4066]
- a mishma** (Hewitson), [1878], 1863-1878; *Thecla* OD: *Ill. diurn. Lep. Lycaenidae* 1:213; 2:pl 85, f 724,725 [b2326] CG: *Rhama* [Type: ZMHU-ht] [TypeL - Sierra Nevada, Colombia.] [Note - *Johnson could not confirm that the type was in ZMHU.*] [Refs - b0908; b0125; b2610]
- b mishmia** Evans, 1925; *Pratapa* OD: *J. Bombay nat. Hist. Soc.* 30(4):761 [b1634] SS: *icetas* (Hewitson), [1865]; *Pratapa* [TypeL - Burma.] [Refs - b1636; b0694]
- a mishmimensis** (South), 1913; *Aphnaeus* OD: *J. Bombay nat. Hist. Soc.* 22(3):608 [b4285] CG: *Spindasis* [TypeL - S. E. Tibet.] [Refs - b0236; b1455]
- a misimensis** Wind & Clench, 1947; *Philiris* OD: *Bull. Brooklyn ent. Soc.* 42(1):15 [b5021] [Type: MCZ-ht] [TypeL - Mt. Misim, Morobe District, New Guinea.] [Refs - b4677; b0528; b5021]
- a misionensis** Johnson, 1991; *Antrissima* OD: *Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point)* (21):34, f [b2606] [Type: AMNH-ht] [TypeL - Iguazu, Misiones Province, Argentina.] [Refs - b0125; b2606]
- c misipota** Hewitson, [1859], 1852-1877; *Mesosemia* OD: *Ill. exot. Butts* 2:[-]; pl [53], f 33-35 [b2323] SS: *ephyne* (Cramer), [1776]; *Mesosemia* [TypeL - Amazon.] [Refs - b2747; b4474; b1456]
- a miskini** (Lucas), 1889; *Lycaena* OD: *Proc. R. Soc. Qd* 6(4):158, f 5-7 [b3024] CG: *Theclinesthes* [Type: SAM-It; designated by Sibatani & Grund, 1978] [Tyô to Ga 29(1):15 [b4223]] [TypeL - Mackay and Brisbane, Australia.] [Refs - b1450; b4223; b4902; b0870; b4934; b3024; b3121; ns1427; b2388]
- a miskini** (Waterhouse), 1903; *Miletus* OD: *Proc. linn. Soc. N. S. Wales* 28(1):164, pl 3, f 30,31 [b4934] CG: *Hypochrysops* [Type: AM-ht] [TypeL - Coomera, Queensland, Australia.] [Refs - b1450; b2078; b0870; b4940; b4934; b3926]
- b misionensis** Hovanitz, 1937; *Plebeius* OD: *Pan-Pac. Ent.* 13(4):187 [b2461] SS: *icarioides* (Boisduval), 1852; *Plebeius* (*Icaricia*) [Type: CAS-ht] [TypeL - Twin Peaks, San Francisco, California.] [Refs - b0908; b0135; b0075; b3192; b1321; b1083]
- b mitchelli** (Edwards), 1951; *Jaimeus* OD: *Proc. R. zool. Soc. N. S. Wales* 1949-50:59 [b1480] SS: *icilius* (Hewitson), [1865]; *Jaimeus* [TypeL - Queensland, Australia.] [Refs - b1450; b0870]
- e miha** Fauvel, 1862; *Desmozona* OD: *Bull. Soc. linn. Normandie* 6:141 [b1667] [Refs - b4475]
- a mithridates** (Staudinger), 1878, 1878-1879; *Lampides* OD: *Horae Soc. ent. ross.* 14:247 [b4327] CG: *Polyommatus* (*Agrodiaetus*) [TypeL - Asia Minor.] [Refs - b1762; b2794; b4092; b1455]
- c mithrophorus** Seitz, [1913], 1910-1924; *Isapis* OD: *In Seitz, Grossschmett. Erde* 5:657, pl 132c; :1141 [b4093] SS: *sustus* Stichel, [1909]; *Isapis* [TypeL - Surinam.] [Refs - b4474; b4093]
- e ab. miita** (Tuu), 1906, 1905-1914; *Rumicia* OD: *Nat. Hist. Brit. Butts* 1:374 [b4760] SS: *phlaeas* (Linnaeus), 1761; *Lycaena* (*Lycaena*) [Refs - b0236]
- b mitis** Seki, 1994; *Arhopala* OD: *Futao* (15):26, pl 4, f 9-12 [b4103] SS: *anthelus* (Westwood), [1852]; *Arhopala* a [Type: pc-ht; collection of Seki.] [TypeL - Pulau Belitang.] [Refs - b4103]
- e f. mitterbergeri** Stauder, 1915; *Glaucoopsyche* OD: *Z. wiss. Insektbiol.* 11:4 [b4309] SS: *alexis* (Poda von Neuhaus), 1761; *Glaucoopsyche* [Refs - b0236; b0400; b0471]
- a miltoni** Jackson, 1964; *Hewitsonia* OD: *Bull. Br. Mus. nat. Hist. (Ent.)* 15(3):77 [b2563] [TypeL - Uganda.] [Refs - b1452; b4400]
- e mixta** (Verity), 1919, 1919-1922, (IFS); *Lycaenopsis* OD: *Ent. Rec.* 31:45 or 47 [b4840] SS: *argiolus* (Linnaeus), 1758; *Celastrina* [Type: MZS-ht] [Refs - b2856; b0236; b0400; b0471]
- e mixta** Le Moul't, 1940, 1939-1940, (IFS); *Helicopsis* OD: *Novit. ent.* (15):115 [b2943] SS: *cupido* (Linnaeus), 1758; *Helicopsis* [Type: AME-ht] [Refs - b3199]
- e mixtalpina** (Verity), 1948, 1947-1957, (RA); *Heodes* OD: *Var. Pap. diurn. France* :39 or 60 [b4863] SS: *utyrsus* (Poda von Neuhaus), 1761; *Lycaena* (*Heodes*) [Type: MZS-st] [TypeL - Italy.] [Refs - b2856; b0080]
- c mixtura** (Hulstaert), 1924; *Oxylides* OD: *Revue zool. afr.* 12(2):174 [b2496] SS: *homeyeri* (Dewitz), 1879; *Symoptera* [TypeL - Belgian Congo.] [Refs - b3796; b2496; b4400]
- b miya** (Fruhstorfer), 1916; *Lycanesthes* OD: *Zoöl. Meded.* 2(2):101 [b1872] SS: *lycaenina* (R. Felder), 1868; *Anthene* [TypeL - Borneo.] [Refs - b4679; b0964; b0965; b1840; b3498; b1454; b4108]
- b miyashitai** Eliot & Kawazoë, 1983; *Udara* OD: *Butts Lycaenopsis* group :100 [b1580] SS: *cardia* (C. Felder), 1860; *Udara* (*Udara*) [Type: NSMT-ht] [TypeL - Temate, North Moluccas.] [Refs - b1580]

- b miyatakei** (Hayashi), 1976; Zeltes OD: Tyô to Ga 27(1):14, f [b2181] SS: amasa Hewitson, [1865]; Hypolycaena (Zeltes) [TypeL - Palawan, Philippines.] [Refs - b0109; b2201]
- b miyo** Takanami, 1987; *Drupadia* OD: Mem. Tsukada Colln (5):31, pl 3, f 7, pl 4, f 7 [b4596] SS: theda (Felder & Felder), 1862; *Drupadia* [Type: pc; collection of Takanami.] [TypeL - Pinamalayan, East Mindoro.] [Refs - b4596]
- c ab. mizudorii** Murayama, 1960; Favonius OD: Tyô to Ga 11(2):33 [b3290] SS: latifasciatus Shirôzu & Hayashi, 1959; Favonius [Refs - b3290]
- b mizunumai** Hayashi, 1978; Tajuria OD: Tyô to Ga 29(2):114, f 5,6,11-14 [b2190] SS: dominus H. H. Druce, 1895; Tajuria [Type: OMNH-ht] [TypeL - Mindanao, Philippines.] [Note - Patronym - Mr. Tetsuo Mizunuma.] [Refs - b2190; b2201; b3989]
- b mizunumai** (Hayashi), 1978; Narathura OD: Tyô to Ga 29(3):171, f 1-6 [b2193] SS: chamaeleona Bethune-Baker, 1903; Arhopala g [Type: OMNH-ht] [TypeL - Mt. Apo, Mindanao, Philippines.] [Note - Patronym - Mr. Tetsuo Mizunuma.] [Refs - b2193; b1454; b4590; b4587]
- a mizunumai** Hanafusa, 1989; Dodona OD: Futao (1):3, f 7,9 [b2122] [Type: pc-ht; collection of Hanafusa] [TypeL - Mt. Canlaon, Negros Island, Philippines.] [Refs - b2122]
- c mnea** H. H. Druce, 1897; Philiris OD: Ann. Mag. nat. Hist. (6)19:15 [b1366] SS: gisella (Staudinger), [1888]; Philiris [Type: BMNH-ht] [TypeL - Batchian.] [Refs - b4677; b1450; b2078]
- c mnestra** (Möschler), 1887; Liptena OD: Abh. Senckenb. naturf. Ges. 15(1):63, f 21 [b3251] SS: dispar (Kirby), 1887; Epitolina [TypeL - W. Africa.] [Refs - b0836; b4400]
- b moctezuma** (Clench), 1971; Panthiades OD: Bull. Allyn Mus. (3):4 [b0845] SS: m-album (Boisduval & Le Conte), [1833]; Panthiasius [Type: CM-ht] [TypeL - Nr Zimapan, Hidalgo, Mexico.] [Refs - b0845; b0528; b0845]
- a modesta** (Bates), [1868]; Eurygona OD: J. linn. Soc. Lond., Zool. 9:376 [b0267] CG: Euselasia [TypeL - Tapajos.] [Refs - b2747; b4474; b2221; b1456]
- b modesta** (Maynard), 1873; Lycaena OD: Amer. Nat. 7(3):177 [b3118] SS: columella (Fabricius), 1793; Strymon [Type: MCZ-ht] [TypeL - Florida.] [Refs - b0908; b0907; b2753; b0540; b3192; b3512; b1321; b0833]
- b modesta** (Staudinger), 1889; Pseudodipsas OD: Deut. ent. Zeit. [Iris] 2(1):104, pl 1, f 7 [b4332] SS: emolus (Godart), [1824]; Anthene [TypeL - Palawan.] [Refs - b4679; b1840]
- a modesta** (Kirby), 1890; Teriomima OD: Ann. Mag. nat. Hist. (6):270 [b2766] CG: Liptena [TypeL - Tropical Africa.] [Refs - b1452; b0836; b2766; b4400]
- b modesta** (Mengel), 1902; Anatole OD: Ent. News 13(6):176, pl 8 [b3154] SS: glaphyra Westwood, [1851]; Lemonias [TypeL - Paraguay.] [Refs - b4475; b2221]
- c ab. modesta** (Schultz), 1908; Thecla OD: Ent. Zeit. 21(37):222 [b4007] SS: spini ([Denis & Schiffemüller]), 1775; Satyrium [Refs - b4092]
- a modesta** Schultze, 1923; Aslauga OD: In Schubotz :1192 [b4018] [TypeL - S. Kamerun.] [Refs - b1452; b4400]
- c ♀ f. modesta** Talbot, 1935; Hypokopelates OD: Ent. mon. Mag. 71:77 [b4623] SS: oreaea (Hewitson), [1863]; Hypokopelates [Note - Unavailable as of this date and author.] [Refs - b4623; b4400]
- c modestissima** Rebel, 1914; Liptena OD: Annln naturh. Mus. Wien 28:264 [b3710] SS: despecta (Holland), 1890; Liptena [TypeL - C. Africa.] [Refs - b3710; b4400]
- a modestus** (Trimen), 1891; Aphnaeus OD: Proc. zool. Soc. Lond. 1891(1):87, pl 9, f 16 [b4727] CG: Spindasis [Type: SAMCT-ht] [TypeL - W. Africa.] [Refs - b1259; b1452; b2224; b4400]
- c modestus** (Waterhouse), 1903; Lycaenesthes OD: Proc. linn. Soc. N. S. Wales 28(1):198, pl 3, f 38 [b4934] SS: affinis (Waterhouse & Turner), [1905]; Anthene [TypeL - Australia.] [Refs - b1450; b4679; b4934]
- c modestus** (Röber), 1926; Miletus OD: Ent. Mitt. 15:374 [b3835] SS: herdonia Hewitson, 1874; Hypochrysops [TypeL - New Guinea.] [Refs - b3926; b3835]
- c modestus** Lorkovic, 1943; Everes OD: Mitt. münch. ent. Ges. 33:442 [b3009] SS: argiades (Pallas), 1771; Everes [Refs - b0400]
- b modestus** (Nekrutenko), 1972; Eumedonia OD: J. Lep. Soc. 26(4):215, f [b3348] SS: eumedon (Esper), [1780]; Plebejus (Eumedonia) [TypeL - Awadhara, SW Caucasus Abkhasian SSR.] [Refs - b0107; b2788]
- b modica** Stichel, 1910; Mesosemia OD: Gen. Insectorum 112(A):43 [b4446] SS: minus Hewitson, [1859]; Mesosemia [Type: pc-st; collection of Stichel] [TypeL - Surinam.] [Refs - b4474; b4446]
- c modica** (Verity), 1935, (RA); Plebeius OD: Bull. Soc. ent. Fr. 40(17):245 [b4854] SS: sephyrus (Friedwaldsky von Friedvald), 1835; Plebejus (Plebejides) [Type: pc-st; in Wagner collection, Wien.] [TypeL - Asia Minor.] [Refs - b2856; b0073; b0410; b4854]
- c modicior** (Verity), 1938, 1938-1939, (IFS); Aricia OD: Ent. Rec. 50(Sup.):5 [b4860] SS: anteros (Freyer), 1839; Plebejus (Ultraaricia) [Type: MZS-st] [TypeL - Salonika.] [Refs - b2856]
- a modulata** Stichel, 1910; Mesosemia OD: Gen. Insectorum 112(A):47 [b4446] [Type: pc-ht; collection of Stichel] [TypeL - Pachitea, Peru.] [Refs - b4474; b1456; b4446]
- a moeckii** Johnson, 1992; Cisincisalia OD: Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (22):179, f [b2611] [Type: MPM-ht] [TypeL - Mexico.] [Type of - Cisincisalia] [Refs - b0125; ns2609; b2611]
- b moedensis** Callaghan, 1979; Apodemia OD: Bull. Allyn Mus. (53):4, f [b0673] SS: paucipuncta Spitz, 1930; Apodemia [TypeL - Brazil.] [Refs - b1610 (2239-E11); b0111]
- c moelleri** (de Nicéville), [1884]; Nilasera OD: J. asiat. Soc. Bengal, Pt II 52(2/4):80, pl 9, f 4,4a [b1145] SS: chinensis (Felder & Felder), 1865; Flos [TypeL - Assam.] [Refs - b1644; b4094]
- b moenus** (Eitschberger & Steiniger), 1975; Eumedonia OD: Atalanta (Münsterstadt) 6(2):99, f [b1537] SS: eumedon (Esper), [1780]; Plebejus (Eumedonia) [TypeL - Thungersheim, Bavaria, Germany.] [Refs - b0107]
- c moerens** (Rosenstock), 1885; Lycaena OD: Ann. Mag. nat. Hist. (5)16:377 [b3865] SS: acasta (Cox), 1873; Candalides [Type: BMNH-ht] [TypeL - S. Australia.] [Refs - b4677; b1450; b4940 (as maerens); b4934]
- a moeros** Staudinger, [1887], 1884-1888; Lasaia OD: In Exot. Schmett. 1:257; 2:pl 91 [b4329] [TypeL - Chanchamaya, Peru.] [Refs - b2988; b4474; b1456; b0846]
- b moeros** (Staudinger), [1888], 1884-1888; Lycaena OD: In Exot. Schmett. 1:271; 2:pl 94 [b4329] SS: phoenix Röber, [1886]; Pithecops [Type: ZMHU-ht; designated by Takanami, 1989] [Tyô to Ga 40(1):25 [b4602]] [TypeL - N. Sulawesi.] [Refs - b1840; b4329; b4595; b4602; b1011]
- c moesiues** (Kirby), 1871, (ISS); Thecla OD: Syn. Cat. diurn. Lep. :398 [b2747] SS: maesites (Herrich-Schäffer), 1864; Chlorostrymon [Refs - b0908; b3192; b2747; b1348]
- c moesta** Stichel, 1915; Mesosemia OD: Deut. ent. Zeit. 1915:678, pl 21, f 22 [b4451] SS: oreaa Stichel, 1915; Mesosemia [Refs - b4474]
- a mofidii** (de Lesse), 1963; Agrodiaetus OD: Alexanor 3:34 [b1130] CG: Polyommatus (Agrodiaetus) [Type: MNHN-ht] [TypeL - Kopet Dagn, N. E. Iran.] [Refs - b1455 (as mafidii :516)]

- b *mogoka* Evans, 1932; Heliophorus OD: Ident. Indian Butts (2nd ed.) :247 [b1638] SS: brahma Moore, [1858]; Heliophorus (B) [TypeL - Mogok, N. Burma.] [Refs - b1638; b1454; b0694]
- c *mogorka* Anonymus, 1933, (ISS); Heliophorus OD: Zool. Rec. 69(1932)(Ins.):295 [b0070] SS: mogoka Evans, 1932; Heliophorus (B) [Refs - b0070]
- c *f. mohamad* (Kalis), 1933; Horsfieldia OD: Tijdschr. Ent. 76(1/2):63 [b2679] SS: narada (Horsfield), [1828]; Amblypodia [TypeL - Kangean.]
- c *mohave* (McDunnough), 1938, (ISS); Philotes OD: Mem. Sth. Calif. Acad. Sci. 1:28 [b3134] SS: mojave (Watson & Comstock), 1920; Euphilotes [Refs - b0908; b3134; x3192; b1321]
- a *molra* (Grose-Smith), 1899, 1887-1902; Holochila OD: Rhop. exot. 3(47):14, pl 4, f 9-11 [b2029] CG: Philiris [Type: BMNH-ht] [TypeL - Ferguson Island, New Guinea.] [Refs - b4677; b1450; b2078]
- a *mojave* (Watson & Comstock), 1920; Philotes OD: Bull. amer. Mus. nat. Hist. 42(10):455 [b4952] CG: Euphilotes [Type: AMNH-ht] [TypeL - Mojave Desert, California.] [Note - Often treated as a subspecies of enoptes.] [Refs - b1530 :239, f 463; b1321 :67; b4179; b0908; b3192; b4952; b4066; b1722; b3640]
- c *mola* Barlow & Banks & Holloway, 1971, (ISS); Drupadia OD: Orient. Insects 5(3): [b0239] SS: nola (Fruhstorfer), [1912]; Drupadia [Refs - b1030]
- a *moleta* (Hewitson), [1865], 1852-1877; Nymphidium OD: Ill. exot. Butts 3:[-], pl [56], f 23,24 [b2323] CG: Thisbe [TypeL - Amazon.] [Refs - b2988; b2747; b4475; b1456]
- a *molena* (Jones), 1912; Thecla OD: Proc. zool. Soc. Lond. 1912(4):899, pl 97, f 9 [b2663] CG: Noreena [Type: BMNH-lt; designated by Johnson, 1989] [J. New York ent. Soc. 97(1):36 [b2597]] [TypeL - Castro, Paraná, Brazil.] [Refs - b0908; b2588; b2597; b3817]
- b *molestia* Sichel, 1929; Ancylyris OD: Mitt. zool. Mus. Berl. 15:16 [b4470] SS: huascar (Saunders), [1859]; Ancylyris [TypeL - Ecuador.] [Refs - b4474; b4470]
- c *molina* (Godman & Salvin), [1885], 1879-1901; Mesosemia OD: Biol. centr.-amer., Lep. Rhop. 1:386 [b1975] SS: lagora Herrich-Schäffer, [1853]; Leucochimona [TypeL - Nicaragua to S. America.] [Refs - b4474; b2497; b2589]
- a *molone* (Godman), 1903; Monete OD: Trans. ent. Soc. Lond. 51(4):539, pl 22, f 4, or pl 7, f 2 [b1972] CG: Paraphthonia [Type: BMNH-ht] [TypeL - Pebas, Peru.] [Type of - Paraphthonia] [Refs - b2280; b4474; b1456]
- c *molonides* Fruhstorfer, 1913; Allouinus OD: Z. wiss. InsektBiol. 9(12)368 [b1851] SS: position Fruhstorfer, 1913; Allouinus (Paragerydus) [Type: BMNH-lt; designated by Corbet, 1939] [Trans. R. ent. Soc. Lond. 89(5):68 [b0944]] [TypeL - Bali.] [Refs - b1840; b1571]
- c *molliis* (Butler), 1877; Echenais OD: Trans. ent. Soc. Lond. 25(2):133, pl 3, f 4 [b0607] SS: alector (Butler), [1867]; Adelotypa [TypeL - Furneboa.] [Refs - b4475; b0607]
- a *molochina* Sichel, 1910; Eurybia OD: Gen. Insectorum 112(A):67, pl 24, f 7a [b4446] [Type: pc-hit; collection of Sichel] [TypeL - Santa Catarina, S. Brazil.] [Refs - b4474; b1456; b4446]
- a *molomo* (Trimen), 1870; Zenis OD: Trans. ent. Soc. Lond. 18(4):373, pl 6, f 9 [b4719] CG: Aloeides [Type: lost] [TypeL - Koro Koro, Lesho.] [Refs - b1259; b2747; b0104; b1452; b4400; b4685]
- a *molpe* (Hübner), [1808], 1806-1838; Limnas OD: Samml. exot. Schmett. 1:pl [31] [b2482] CG: Juditha [TypeL - Amazon.] [Refs - b1023; b0676; b2747; b4475; b2497; b2260; b1456]
- b *molta* (Evans), 1957; Narathura OD: Bull. Br. Mus. nat. Hist. (Ent.) 5(3):104 [b1644] SS: raianda Corbet, 1941; Arhopala f [Type: BMNH-st] [TypeL - Java.] [Note - Apparently based on a stained specimen.] [Refs - b1644; b1454]
- b *moltechtli* (Wileman), 1908; Tajuria OD: Annot. zool. jap. 6(5):326 [b5005] SS: major H. H. Druce, 1895; Catapaecilma [TypeL - Formosa.] [Refs - b0236; b5053; b1454; b1861; b5005; b4198 (as moltechli); b2479 (as ssp of elegans)]
- d *moltechtli* H. H. Druce, 1909, (H); Phengaris OD: Ann. Mag. nat. Hist. (8)4:416 [b1377] SS: moltechtli Oberthür, 1909; Phengaris [TypeL - Formosa.] [Refs - b1377]
- c *moltechtli* Oberthür, 1909; Phengaris OD: Bull. Soc. ent. Fr. 1909(2):48 [b3446] SS: daitozana Wileman, 1908; Phengaris [TypeL - Formosa.] [Refs - b0236; b3446; b4198]
- b *moltechtli* Matsumura, 1919; Horaga OD: Thous. Ins. Japan Addit. 3:604 [b3089] SS: onyx (Moore), [1858]; Horaga [TypeL - Formosa.] [Refs - b1012; b4198; b1542; b2650; b5053; b1454]
- a *moluccana* Tite, 1963; Philiris OD: Bull. Br. Mus. nat. Hist. (Ent.) 14(5):242 [b4677] [Type: BMNH-ht] [TypeL - Obi, Moluccas.] [Refs - b4677]
- c *molybdena* (Guest), 1882; Cupido OD: Trans. R. Soc. S. Aust. 5:36 [b2091] SS: serpentata (Herrich-Schäffer), 1869; Theclinesthes [TypeL - Adelaide, Australia.] [Refs - b4094; b4934]
- b *mombasae* (Grose-Smith & Kirby), 1889, 1887-1902; Tingra OD: Rhop. exot. 1(10):31, pl 8, f 9-12 [b2049] SS: tropicalis (Boisduval), 1847; Penula [TypeL - Mombasa.] [Refs - b1452; b4420; b4400]
- b *mombasae* (Butler), 1901; Stugeta OD: Ann. Mag. nat. Hist. (7)7:29 [b0658] SS: bowkeri Trimen, 1864; Iolaus (Stugeta) [TypeL - Mombasa.] [Refs - b0162; b0658; b1452; b4400 (as mombase)]
- c *mombase* Stempffer, 1967, (ISS); Iolaus OD: Bull. Br. Mus. nat. Hist. (Ent.) Suppl. 10:126 [b4400] SS: mombasae (Butler), 1901; Iolaus (Stugeta) [Refs - b4400]
- b *mona* Westwood, [1851], 1846-1852; Barbicomis OD: In Gen. dium. Lep. (2):425, pl 70, f 2 [b4981] SS: basilis Godart, [1824]; Barbicomis [Refs - b0111; b2988; b2747; b4474; b0419; b1456]
- b *monacha* Grose-Smith, 1894; Megisba OD: Novit. zool. 1:571 [b2037] SS: strongyle (C. Felder), 1860; Megisba [Type: BMNH-lt; designated by Eliot & Kawazoe, 1983] [Butts Lycaenopsis group :61 [b1580]] [TypeL - Humboldt Bay, New Guinea.] [Refs - b1450; b1580; b1840]
- c *f. monacha* Sichel, 1924, (IFS); Barbicomis OD: Deut. ent. Zeit. 1924:411 [b4459] SS: mona Westwood, [1851]. Barbicomis [TypeL - Brazil.] [Refs - b4459; b4474]
- b *monachensis* (Johnson & Balogh), 1977; Lycaena OD: Bull. Allyn Mus. (43):38, f 29,30,13b [b2621] SS: rubidus (Behr), 1866; Chalceia [Type: AMNH-ht] [TypeL - Monache Meadows, Tulare County, California.] [Refs - b2621; b3191; b3192]
- c *monarchus* (Higgins), 1981; Aricia OD: Ent. Gaz. 32(4):230, f [b2377] SS: semiargus (Rottemburg), 1775; Polyommatus (Cyaniris) [Type: BMNH-ht] [TypeL - Vladivostok region, Primorskiy Kray, R.S.F.S.R., U.S.S.R.] [Note - Classification according to Bálint (pers. comm.).] [Refs - b2377; b3359; b4247]
- c *monsapona* d'Abrera, 1986, (ISS); Dacalana OD: Butts Oriental Region, Pt 3 :610 [b1454] SS: monsapona Schröder & Treadaway, 1978; Dacalana [Refs - b1454]
- b *monava* Corbet, 1941; Arhopala OD: Proc. R. ent. Soc. Lond. (B)10(9):168 [b0956] SS: ammonides (Doherty), 1891; Arhopala o [Type: BMNH-ht] [TypeL - Langkawi Island.] [Refs - b1644; b0956; b2200; b1454]

- c monca** (Fabricius), 1781, 1781-1782; *Papilio* OD: Spec. Ins. 2:113 [b1655] SS: sylvanus (Drury), [1773]; *Antheus* [Type: BMNH-ht; Banks collection.] [TypeL - Africa aequinoctialis, probably Sierra Leone.] [Refs - b0908; b2747; b4400; b5076]
- c mondo** (Holland), 1890; *Durbania* OD: *Psyche* 5:428 [b2423] SS: *cellularis* (Kirby), 1890; *Mimeresia* [TypeL - Upper Ogove River, Gaboon.] [Refs - b4400]
- a monenoptron** Dyar, 1918; *Ipidecla* OD: Proc. U. S. natn. Mus. 54:336 [b1448] [Type: USNM; #21198] [TypeL - Sierra de Guerrero, Mexico.] [Refs - b0908; b4475]
- c moneta** (Mabille), 1890; *Lycaena* OD: *Annl. Soc. ent. Fr.* (6)10:23, pl 2, f 4 [b3047] SS: *adelgiha* (Hewitson), 1874; *Micropentilia* [TypeL - Senegal.] [Refs - b4400]
- c f. moneta** Stichel, 1909, (IFS); *Barbicomis* OD: *Berl. ent. Z.* 54(1/2):43 [b4444] SS: *mona* Westwood, [1851]; *Barbicomis* [Refs - b4474; b3717]
- a mongiro** Jackson, 1968; *Epitola* OD: *Bull. Inst. fond. Afr. Noire* 30(A):1474 [b2567] [TypeL - Uganda.] [Refs - b1452]
- a mongiro** Stempffer, 1969; *Iolaus* OD: *Bull. Inst. fond. Afr. Noire* 31(A):99, f [b4403] CG: *Iolaus* (Epamera) [TypeL - Mongiro Bwamba, W. Uganda.] [Refs - b1452]
- b mongolensis** (Koçak), 1980; *Agrodiaetus* OD: *Nota lepid.* 2(4):142 [b2790] SS: *damone* (Eversmann), 1841; *Polyommatus* (*Agrodiaetus*) [Type: biblio; replacement for *mongolica* Kurentsov, 1970] [Refs - b0113; b2790]
- b mongolica** (Rühl), 1893, 1892-1893; *Lycaena* OD: *In Palaë. Grossschmett.* 1:235 [b3901] SS: *argyrognomon* (Bergsträsser), [1779]; *Plebejus* (*Lycaeides*) [Refs - b2479; b2790; b4092]
- b mongolica** (Kurentzov), 1970, (H); *Chrysophanus* OD: *Butts Far East USSR* :128 [b2864] SS: *virgaureae* (Linnaeus), 1758; *Lycaena* (Heodes) [Note - Secondary homonym. A replacement name is needed.] [Refs - b2866]
- d mongolica** (Kurentzov), 1970, (H); *Lycaena* OD: *Butts Far East USSR* :139 [b2864] OS: *mongolensis* (Koçak), 1980; *Polyommatus* (*Agrodiaetus*) [Refs - b0108; b2790; b2866]
- d mongolica** (Forster), 1972, (H); *Agrodiaetus* OD: *Ent. Zeit.* 82(20):215, f [b1777] SS: *mongolensis* (Koçak), 1980; *Polyommatus* (*Agrodiaetus*) [TypeL - Mongolia.] [Refs - b0108; b0113; b2790]
- c monica** (Reakirt), 1866, 1866-1867; *Lycaena* OD: *Proc. Acad. nat. Sci. Philad.* 18:244 [b3697] SS: *cnejus* (Fabricius), 1798; *Euchrysops* [Type: pc; Streckler collection.] [TypeL - California?]. [Note - Also seen as a synonym of *alcetas Hoffmannsegg, 1804*] [Refs - b0908; b2747; b0236; b3697]
- a monica** Hewitson, [1867], 1863-1878; *Thecla* OD: *Ill. diurn. Lep. Lycaenidae* 1.80. 2-pl 32, f 39,40 [b2326] CG: *Thecla* (New World *Eumaeus*) [Type: BMNH] [TypeL - Venezuela.] [Refs - b0908, b2747, b1453; b1975]
- c monila** (Edwards), 1872, (ISS); *Lycaena* OD: *Synopsis N. Amer. Butts* :34, no. 18 [b1503] SS: *monica* (Reakirt), 1866; *Euchrysops* [Refs - b0908]
- c monina** Doubleday, 1847, 1844-1848, (NN); *Calospila* OD: *List Spec. lep. Bnt. Mus.* (2):15 [b1327] [Refs - b4475]
- a monochroma** Stichel, 1910; *Teratophthalma* OD: *Gen. Insectorum* 112(A):78, pl 24, f 11b [b4446] [Type: pc-ht; collection of Niepelt] [TypeL - S. Brazil?] [Refs - b4474; b1456; b4446]
- b monogramma** (Bates), [1868]; *Charis* OD: *J. linn. Soc. Lond., Zool.* 9:391 [b0267] SS: *amarynthina* (Felder & Felder), 1865; *Parcella* [TypeL - Amazon.] [Refs - b2747; b4474; b2221]
- a monopetelinus** Schwartz & Müller, 1985; *Strymon* OD: *Bull. Allyn Mus.* (99):2, f [b4051] [TypeL - Dominican Republic.] [Refs - b0119]
- a monostigma** (Erichson), 1848; *Emesis* OD: *In Schomburgk. Reisen Brit.-Guiana* 3:601 [b1611] CG: *Mesene* [TypeL - Guiana.] [Refs - b2747; b4474; b2221; b2753; b1456]
- a monotona** (Stichel), 1910; *Melanope* OD: *Berl. ent. Z.* 55(1/2):13, 102 [b4445] CG: *Aricoris* [Type: ZMHU-rt] [TypeL - Casa Branca, Brazil.] [Note - Not spelled monotone.] [Refs - b0419; b4445; b2988 (as monotone); b4445; b4475 (as monotone); b1456; b4445]
- b monotona** (Schwingschuss), 1939; *Thestor* OD: *Ent. Rundsch.* 56:328 [b4057] SS: *nogelii* (Herrich-Schäffer), [1851]; *Tomares* [TypeL - Bythinia.] [Refs - b1455]
- b monrosi** Semper, 1887, 1886-1892; *Castalius* OD: *In Semper, Reisen Philipp.* (2)(5):187, pl 33, f 14 [b4110] SS: *rosimon* (Fabricius), 1775; *Castalius* [Type: SMF-lt; designated by Schröder & Treadaway, 1985] [*Ent. Zeit.* 95(23):348 [b3982]] [TypeL - Luzon, Philippines.] [Refs - b3982; b1840]
- a monsapona** Schröder & Treadaway, 1978; *Dacalana* OD: *Ent. Zeit.* 88(14):151, f 2 [b3975] [Type: pc-ht; collection of Treadaway.] [TypeL - Mt. Apo, Mindanao, Philippines.] [Refs - b2210; b2201; b3975; b1454 (as monaspona)]
- a monstrabilis** Johnson, 1992; *Novosatsuma* OD: *Neue Ent. Nachr.* 29:58, f [b2609] [TypeL - Myanmar.] [Type of - *Novosatsuma*] [Refs - b0126]
- b montana** Meyer-Dür, 1851; *Lycaena* OD: *Verz. Schmett. Schweiz* 12:53 [b3162] SS: *virgaureae* (Linnaeus), 1758; *Lycaena* (Heodes) [TypeL - Alps.] [Refs - b0389; b2862]
- b montana** (Meyer-Dür), 1851, (H); *Lycaena* OD: *Verz. Schmett. Schweiz* 12:90, pl 2, f 2 [b3162] SS: *semiragus* (Rottemburg), 1775; *Polyommatus* (*Cyaniris*) [*Check - Primary homonym in need of a replacement.*] [Refs - b1780; b0410; b0400; b2799; b1780; b0389; b2856; b4092]
- d montana** (Heyne), 1895, 1893-1895, (H); *Lycaena* OD: *In Palaë. Grossschmett.* 1:759 [b2363] OS: *heynei* (Wnukowsky), 1929; *Plebejus* (*Aricia*) [Note - *Bewert makes this = montensis Verity.*] [Refs - b3059; b0993; b2856; b0236; b0067; b0410; b2363; b4092]
- c montana** Favre & Wullschlegel, 1899; *Cupido* OD: *Faune Macro-Lép. Valais* :23 [b1671] SS: *minimus* (Füssly), 1775; *Cupido* [Note - Could be a homonym.] [Refs - b0236; b0400; b0471]
- a montana** Joicey & Talbot, 1924; *Spindasia* OD: *Bull. Hill Mus.* 1(3):545 [b2661] [Type: BMNH-ht] [TypeL - East Luwua Valley, Belgian Congo.] [Refs - b1452; b4400; b2661]
- d montana** (Field), 1936, (H); *Lycaena* OD: *Ent. News* 47(5):122 [b1731] OS: *vurali* Koçak, 1984; *Gaeides* [Type: USNM-ht] [TypeL - Broadwater County, Montana.] [Refs - b0908; b3191; b0074; b0178; b3192; b3189; b2799; b1321]
- a montana** (Schneider), 1937; *Hamearis* OD: *Ent. Rundsch.* 55:137 [b3971] CG: *Audre* [TypeL - Uruguay.] [Refs - b1456]
- a montana** (Kielland), 1978; *Iolaphilus* OD: *Tijdschr. Ent.* 121(4):199, tf 31, pl 11, f 46-49 [b2730] CG: *Iolaus* (*Iolaphilus*) [Type: NMN-ht] [TypeL - Wanzizi Hills, Mpanda, Tanzania.] [Refs - b1610 (6236-E10); b2730]
- a montana** Schröder & Treadaway, 1978; *Deramas* OD: *Ent. Zeit.* 88(16):175, f 2 [b3976] [Type: pc-ht; collection of Treadaway.] [TypeL - Mount Kitanlad, Bukidnon, Mindanao, Philippines.] [Refs - b2200; b2205; b3976; b4588 (as ssp of manobo); b0119]
- a montana** (Kielland), 1985; *Virachola* OD: *Lambillionea* 85(11-12):110, f [b2734] CG: *Deudorix* (*Virachola*) [TypeL - Tanzania.] [Refs - b0119; ns2739]

- a** *montana* Kielland, 1990; *Anthene* OD: Butts Tanzania :205, f [b2738] [TypeL - Tanzania.] [Refs - b0125]
- b** *montana* Kielland, 1990; *Anthene* OD: Butts Tanzania :207, f [b2738] SS: *rubrimaculata* (Strand), 1909; *Anthene* [TypeL - Tanzania.] [Refs - b0125]
- c** *montanabella* (Verity), 1928, (RA); *Aricia* OD: Bull. Soc. ent. Fr. 1928(11):180 [b4848] SS: *montanabella* (Manley & Allcard), 1970; *Plebejus* (*Aricia*) [Type: MZS-st] [TypeL - Spain.] [Refs - b3059; b2856; b0236; b0270; b4848; b0471]
- b** *montanabella* (Manley & Allcard), 1970; *Aricia* OD: Butts Spain :94,153 [b3059] SS: *montensis* (Verity), 1928; *Plebejus* (*Aricia*) [TypeL - Villacabras & Huelamo (Cuenca), Spain.] [Refs - b2856; b3059]
- c** *montanaclara* (Verity), 1943, (IFS); *Cyaniris* OD: Farfalle Diurne Ital. 2:239 [b4862] SS: *semiargus* (Rottemburg), 1775; *Polyommatus* (*Cyaniris*) [Type: MZS-st] [TypeL - Italy.] [Note - May represent a good subspecies.] [Refs - b2856; b0410]
- e** *ab. montanagrandis* Tutt, 1909, 1905-1914; *Polyommatus* OD: Nat. Hist. Brit. Butts 3:257 [b4760] SS: *semiargus* (Rottemburg), 1775; *Polyommatus* (*Cyaniris*) [Refs - b0236; b0410; b0471]
- b** *montanensis* (Watson & Comstock), 1920; *Strymon* OD: Bull. amer. Mus. nat. Hist. 42(10):451 [b4952] SS: *acacidica* (Edwards), 1862; *Satyrium* [Type: AMNH-ht] [TypeL - Montana.] [Refs - b0908; b3192; b1743; b1321; b0493; b4690 (R); b4952]
- b** *montanensis* (Barlow & Banks & Holloway), 1971; *Celastrina* OD: Orient. Insects 5(3):287 [b0239] SS: *shelfordii* (de Nicéville), 1902; *Celarchus* (*Armentulus*) [Type: BMNH-ht] [TypeL - Mt Kinabalu, Borneo.] [Refs - b1580; b4108]
- a** *montanensis* Johnson, 1989; *Tergisima* OD: *Insecta Mundi* 3(3):202, f [b2599] [Type: AMNH-ht] [TypeL - Mt. Ollantaitamba, Peru.] [Refs - b0123; b2606]
- d** *montanus* (Yagi), 1915, (H); *Lycaena* OD: Ent. Mag. (Kyoto) 1(4):139, f 1 [b5050] SS: *cleobis* (Bremer), 1861; *Plebejus* (*Lycaeides*) [TypeL - Mt. Asama, Shinano Province, Japan.] [Refs - b0236; b3328 (as *montinus*); b5050]
- e** *ab. montanus* Gunder, 1930; *Plebejus* OD: Bull. Brooklyn ent. Soc. 24(5):326, pl 31, f 3 [b2101] SS: *monticola* (Clémence), 1909; *Plebejus* (*Icaricia*) [Type: AMNH-ht] [TypeL - Cajon Pass, San Bernardino County, California.] [Refs - b0908; b3192; b1321]
- a** *montanus* van Son, 1941; *Thestor* OD: J. ent. Soc. S. Afr. 4:191 [b4804] [TypeL - S. Africa.] [Refs - b1259; b1452; b4400]
- c** *monteironis* (Kirby), 1878; *Lycaenesthes* OD: In Ill. diurn. Lep. Lycaenidae 1.223 [b2754] SS: *liodes* (Hewitson), 1874; *Anthene* [TypeL - Angola; Calabar.] [Refs - b4400]
- a** *montensis* (Verity), 1928; *Aricia* OD: Bull. Soc. ent. Fr. 1928(11):180 [b4848] CG: *Plebejus* (*Aricia*) [Type: biblio; replacement for *montana* Heyne-Rühl, 1895.] [Refs - b2375; b3059; b2856 (=alios?); b1769; b2399; b0236; b0410; b0270; b0316; b4366, b4848, b2859; b0471]
- c** *monterfilensis* Oberthür, 1910; *Lycaena* OD: Étud. Léop. comp. 4:109, pl 43, f 334 [b3451] SS: *utyirus* (Poda von Neuhaus), 1761; *Lycaena* (*Ileodes*) [Refs - b0236; b0389; b0471]
- a** *montevagus* Johnson & Eisele & MacPherson, 1990; *Strymon* OD: Bull. Allyn Mus. (130):22, f [b2624] [Type: BMNH-ht] [TypeL - Córdoba Province, Argentina.] [Refs - b2624]
- c** *montezuma* (Saunders), [1850]; *Erycina* OD: Trans. ent. Soc. Lond. (1)5(9):226, pl 21, f 5,5a [b3938] SS: *jurgenseni* (Saunders), [1850]; *Ancyluris* [Note - Not spelled *montezuma*.] [Refs - b2747; b4474; b3938; b2406]
- a** *montezuma* McAlpine, [1971]; *Calephelis* OD: J. Res. Lep. 10(1):69, f [b3127] [Type: USNM-ht] [TypeL - Ciudad Valles, San Luis Potosi, Mexico.] [Refs - b3127]
- e** *montezuma* (Anonymous), 1975, (ISS); *Panhiades* OD: Zool. Rec. 108(1971)(ins.):599 [b0102] SS: *moctezuma* (Clench), 1971; *Parrhasius* [Refs - b0102]
- c** *monticola* (Staudinger), 1901; *Lycaena* OD: Cat. Lep. Palae. Faun. (3rd ed) :90 [b4347] SS: *alcon* ((Denis & Schiffemüller)), 1775; *Maculinea* [Note - May belong with *rebeli*. *Kudrna* considers it an available name.] [Refs - b0993; b2827; b4347; b0400; b2859; b4092]
- a** *monticola* (Clémence), 1909; *Rusticus* OD: Can. Ent. 41(1):38 [b0812] CG: *Plebejus* (*Icaricia*) [Type: LACM-ht] [TypeL - Pasadena, California.] [Refs - b1321 :65; b0908; b3192; b4066]
- b** *monticola* Waterhouse & Lyell, 1914; *Neolucia* OD: Butts Aust. :108 [b4947] SS: *hobartensis* (Miskin), 1890; *Neolucia* [TypeL - New South Wales.] [Refs - b1450; b0870; b4094]
- b** *monticola* Riley, 1925; *Cigaritis* OD: Entomologist 58:270 [b3758] SS: *zohra* Donzel, 1847; *Cigaritis* [TypeL - Morocco.]
- c** *monticola* Shirôzu, 1952; *Neozephyrus* OD: *Sieboldia* 1(1):22, pl 7, f 36,37,40,41 [b4192] SS: *japonica* (Murray), 1874; *Neozephyrus* [Type: ELKU-ht] [TypeL - Hinoki-pass, Nagano Pref., Central Honshu.] [Refs - b1900; b4192; b2509; b2463]
- a** *montigena* Tite, 1963; *Philaris* OD: Bull. Br. Mus. nat. Hist. (Ent.) 14(5):230 [b4677] [Type: BMNH-ht] [TypeL - Mt. Goliath, New Guinea.] [Refs - b4677; b1450]
- b** *montis* (Blackmore), 1923; *Plebeius* OD: Can. Ent. 55(4):99 [b0443] SS: *icarioides* (Boisduval), 1852; *Plebejus* (*Icaricia*) [Type: CNC-ht] [TypeL - Mount McLean, near Lillooet, British Columbia.] [Refs - b0908; b3192; b1321]
- c** *montiummagna* (Verity), 1928, (RA); *Aricia* OD: Bull. Soc. ent. Fr. 1928(11):181 [b4848] SS: *zulichi* (Hemming), 1933; *Polyommatus* (*Agriades*) [Type: MZS-st] [TypeL - Italy.] [Check - Classification?] [Refs - b2856; b0236; b0410 (=debroisi); b4848; b0471]
- e** *montiummagnaagestis* (Verity), 1949, 1947-1957, (IFS); *Aricia* OD: Var. Pap. diurn. France :130 [b4863] SS: *agestis* ((Denis & Schiffemüller)), 1775; *Plebejus* (*Aricia*) [Type: MZS-st] [Refs - b2856]
- b** *montivaga* Johnson, 1992; *Ahlbergia* OD: Neue Ent. Nachr. 29:46, f [b2609] SS: *circe* (Leech), [1893]; *Ahlbergia* [TypeL - Xizang.] [Refs - b0126]
- e** *montoni* Seitz, [1926], 1912-1927, (ISS); *Hypolycaena* OD: In Seitz, Grossschmell. Erde 9:985 [b4094] SS: *moutoni* Ribbe, 1899; *Hypolycaena* [Refs - b4094]
- b** *montriensis* (Nel), 1976; *Eumedonia* OD: *Alexanor* 9(6):251-254 [b3374] SS: *eumedon* (Esper), [1780]; *Plebejus* (*Eumedonia*) [TypeL - Montrieux, France.] [Refs - b1610 (8E1715); b0108]
- b** *montsiai* (de Sagarra y Castellamau), 1930; *Plebeius* OD: Bull. Inst. catal. Hist. nat. (2)10:116 [b1180] SS: *argus* (Linnaeus), 1758; *Plebejus* [Type: MC-st] [TypeL - Montsià, Spain.] [Refs - b3059; b0070; b1180]
- a** *moolaiiana* (Moore), [1879]; *Narathura* OD: Proc. zool. Soc. Lond. 1878(4):835 [b3230] CG: *Arhopala* b [TypeL - Tenasserim.] [Refs - b1644; b1153; b4094; b1454]
- a** *moorei* (Hewitson), [1865], 1863-1878; *Ierda* OD: Ill. diurn. Lep. Lycaenidae 1:58 [b2326] CG: *Heliophorus* (B) [TypeL - Bhotan.] [Note - May be a subspecies of *androcles*.] [Refs - b1636; b1153; b2988; b0996; b2479; b2747; b4094; b1454; b0694 (as ssp of *androcles*); b4092; b1455]
- b** *moorei* (Distant), 1882; *Sithon* OD: Ann. Mag. nat. Hist. (5)10:246 [b1284] SS: *ravindra* (Horsfield), [1828]; *Drupadia* [TypeL - Province Wellesley, West Malaysia.] [Refs - b1030; b1153; b0964; b0965; b4094; b0105; b2201; b1454; b4108]

- a moorei** (Leech), 1889; *Lycaena* OD: Trans. ent. Soc. Lond. 37(1):109, pl 7, f 3 [nec 4] [b2962] CG: Shijimia [TypeL - Kiukiang.] [Type of - Shijimia] [Refs - b2280; b4198; b4179; b1636; b0993; b1762; b2479; b1900; b4202; b0400; b1454 (in Tongeia); b0694; ns2505 (in Everes)]
- c moorei** (H. H. Druce), 1895; *Paragerydus* OD: Proc. zool. Soc. Lond. 1895(3):562, pl 31, f 5,6 [b1362] SS: unicolor Felder & Felder, 1865; *Allotinus* (*Paragerydus*) [Type: ZMHU?-st] [TypeL - Mt. Kina Balu, Borneo.] [Refs - b1840; b1362; b1571; b4092; b4108]
- a moorei** Bethune-Baker, 1896; *Arhopala* OD: In Proc. zool. Soc. Lond. 1896(3):669, pl 31, f 1 [b0326] CG: *Arhopala* b [Type: BMNH-ht] [TypeL - Labuan, Borneo.] [Refs - b1644; b4094; b4108]
- b moorei** Fruhstorfer, 1904; *Bindahara* OD: Deut. ent. Zeit. [Iris] 17(1):151 [b1819] SS: *phocides* (Fabricius), 1793; *Bindahara* [TypeL - S. India.] [Refs - b1636; b1819; b4094; b1454; b0694]
- b moorei** (Toxopeus), 1926; *Lycaenopsis* OD: *Treubia* 8:365,374 [b4695] SS: *lilacea* (Hampson), [1889]; *Acytoteles* [Type: BMNH-ht] [TypeL - Sri Lanka.] [Refs - b1580]
- c moorii** Kirby, [1883], (ISS); *Drupadia* OD: *Zool. Rec.* 19(1882[Ins.):177 [b2760] SS: *moorei* (Distant), 1882; *Drupadia* [Refs - b2760]
- b mopsis** (Hübner), [1818], 1808-1837; *Chrysophanus* OD: *Zutr. Samml. exot. Schmett.* 1:24, pl [24], f 135,136 [b2483] SS: *titus* (Fabricius), 1793; *Harkencleus* [TypeL - Georgia.] [Type of - *Chrysophanus*, *Harkencleus*] [Refs - b2280; b3078; b0908; b2747; b3192; b0389; b2417; b0493; b1743; b0512; b1321]
- c mora** (Swinhoe), [1885]; *Zizera* OD: *Proc. zool. Soc. Lond.* 1884(4):506, pl 47, f 2 [b4564] SS: *knysna* (Trimen), 1862; *Zizeeria* [TypeL - Kurrachee, India.] [Note - May belong with *karsandra*.] [Refs - b1636; b0995; b4094; b0694; b4092.]
- b mora** Dyar, 1914; *Ancyluris* OD: *Proc. U. S. natn. Mus.* 47:366 [b1445] SS: *inca* (Saunders), [1850]; *Ancyluris* [Refs - b2406]
- e ab. moreana** Tutt, 1909, 1905-1914; *Cupido* OD: *Nat. Hist. Brit. Butts* 3:114 [b4760] SS: *minimum* (Esper), [1777]; *Cupido* [Refs - b0995; b4760; b0236; b0471]
- a moreelsi** (Aurivillius), 1901; *Pseuderesia* OD: *Ent. Tidskr.* 22:118 [b0157] CG: *Mimeresia* [TypeL - Congo.] [Refs - b1452; b4400]
- c f. morena** (Ribbe), 1910, 1909-1912; *Lycaena* OD: *Deut. ent. Zeit.* [Iris] 23(1/2):201 [b3741] SS: *albicans* (Gerhard), 1851; *Polyommatus* (*Lysandra*) [Refs - b0236; b0471]
- b morena** Agenjo, [1967]; *Glaucopsyche* OD: *Eos* 42:296 [b0019] SS: *alexis* (Poda von Neuhaus), 1761; *Glaucopsyche* [Refs - b3059]
- b morgani** (Le Cerf), 1909; *Lycaena* OD: *Bull. Mus. natn. Hist. nat., Paris* 1909:535 [b2932] SS: *antidolus* (Rebel), 1901; *Polyommatus* (*Agrodiaetus*) [Refs - b1762]
- d morgani** (Le Cerf), 1914, (H); *Lycaena* OD: *Annls Hist. nat. Delég. Perse* 2(2):66, pl 1, f 6,7 [b2934] SS: *morgani* (Le Cerf), 1909; *Polyommatus* (*Agrodiaetus*) [Refs - b0236; b4143]
- a morgiana** (Kirby), 1871; *Cupido* OD: *Syn. Cat. diurn. Lep.* :369 [b2747] CG: *Plebejus* [Type: biblio; replacement name for *hyrcana* Lederer, 1869] [TypeL - Persia.] [Refs - b2747; b0995; b2792]
- e ab. morii** Murayama, 1954; *Spindasis* OD: *New Ent.* 3(2/3):23, f [b3278] SS: *takanonis* (Matsumura), 1906; *Spindasis* [TypeL - Japan.]
- b morinis** Murayama, 1967; *Spindasis* OD: *Tyô to Ga* 18(1/2):21, f 9-12 [b3294] SS: *takanonis* (Matsumura), 1906; *Spindasis* [TypeL - Siga Prefecture, Japan.] [Refs - b1900; b3294; b1455]
- b morio** Stichel, 1929; *Calydna* OD: *Mitt. zool. Mus. Berl.* 15:20 [b4470] SS: *lusca* (Geyer), [1835]; *Calydna* [TypeL - Brazil.] [Refs - b4474; b4470; b1456]
- a moriqua** (Wallengren), 1857; *Lycaena* OD: *K. svenska VetenskAkad. Handl.* (nf)2(4):39 [b4913] CG: *Azanas* [TypeL - Africa mer.] [Refs - b1943; b1259; b2747; b0995; b1452; b0836; b2898; b4400]
- b morishitai** Hayashi, 1976; *Simiskina* OD: *Tyô to Ga* 27(1):5, f [b2179] SS: *phalia* (Hewitson), 1874; *Simiskina* [TypeL - Palawan, Philippines.] [Refs - b0109; b2200; b1454]
- b morisonensis** (Inoué), 1942; *Thecla* OD: *Ent. World* 10(104):644-646, 2 f [b2507] SS: *entheia* (Janson), 1877; *Araragi* [TypeL - Mt. Morrison, Formosa.] [Refs - b4198; b4547; b5053; b1454; b2507; b2813]
- c morissel** (Boisduval), 1835; *Zeaonia* OD: *In Isabelle, Voy. Buénos-Ayres :325 [b0461] SS: licursis* (Fabricius), 1775; *Chorinea* [Refs - b2747; b4474]
- a mormo** (Felder & Felder), 1859; *Lemonias* OD: *Wien. ent. Monats.* 3(9):271 [b1679] CG: *Apodemia* [TypeL - Great Salt Lake, restricted to near Pyramid Lake, Washoe Co., Nevada, by Miller & Brown, 1981] [Type of - *Apodemia*] [LifeH - Tietz lists b0931, b0917, b0880, b0883, b0875.] [Refs - b1530 :245, f 483; b1321 :50; b2988; b2280; b4688; b2747; b4475; b2721; b3192; b2417; b0493; b1743; b2419; b4690; b4066; b4652]
- c mormonia** (Boisduval), 1869, 1868-1869; *Chrysobia* OD: *Annls Soc. ent. Belg.* 12:52 [b0468] SS: *mormo* (Felder & Felder), 1859; *Apodemia* [Type: USNM-ht] [TypeL - California.] [Type of - *Chrysobia*] [Refs - b2280; b2747; b4475; b3192; b1321]
- b morobea** Wind & Clench, 1947; *Candalides* OD: *Bull. Brooklyn ent. Soc.* 42(1):4 [b5021] SS: *grandissima* Bethune-Baker, 1908; *Candalides* [Type: CM-ht] [TypeL - Wau, Morobe District, Mandated New Guinea.] [Refs - b4677; b1450; b5028; b5021]
- b moroensis** (Stemitzky), 1930; *Plebeius* OD: *Pan-Pac. Ent.* 7(2):93 [b4431] SS: *icarioides* (Boisduval), 1852; *Plebejus* (*Icaricia*) [Type: CAS-ht] [TypeL - Moro Beach, San Luis Obispo County, California.] [Refs - b0908; b3192; b1321]
- c morphicolor** Corbet, 1941; *Arhopala* OD: *Proc. R. ent. Soc. Lond.* (B)10(9):152 [b0956] SS: *anarte* (Hewitson), 1862; *Arhopala* a [Type: BMNH-ht] [TypeL - Malaya.] [Refs - b1644; b0956]
- a morphina** (Distant), 1884; *Panchala* OD: *Ann. Mag. nat. Hist.* (5)14:201 [b1286] CG: *Flos* [TypeL - Perak.] [Refs - b1644; b0965; b4094; b1454; b4108]
- a morpho** Nicolay, 1971; *Symbiopsis* OD: *J. Lep. Soc.* 25(Suppl. 1):17, text-fig 8, pl 3, f 5,6 [b3388] [TypeL - Ecuador.] [Refs - b3388; b0102]
- b morphoides** Butler, 1884; *Jamides* OD: *Ann. Mag. nat. Hist.* (5)13:347 [b0630] SS: *pulcherrima* Butler, 1884; *Jamides* [TypeL - New Hebrides.] [Refs - b1450; b4094; b1865; b2388]
- a morronensis** (Ribbe), 1910, 1909-1912; *Lycaena* OD: *Deut. ent. Zeit.* [Iris] 23(1/2):189 [b3741] CG: *Plebejus* (*Aricia*) [TypeL - Spain.] [Refs - b2375; b3059; b0993; b0236; b2794; b2859; b0471]
- a morsheadi** (Evans), 1915; *Cyaniris* OD: *J. Bombay nat. Hist. Soc.* 23(3):543, f [b1628] CG: *Celastrina* [Type: BMNH-ht; designated by Eliot & Kawazoé, 1983] [Butts *Lycaenopsis* group :240 [b1580]] [TypeL - Tibet, China.] [Refs - b2479; b1762; b1580]
- a morsheadi** (Evans), 1923; *Lycaena* OD: *Trans. ent. Soc. Lond.* 70(3/4):478 [b1630] CG: *Polyommatus* (*Albulina*) [TypeL - Mt. Everest, Tibet.] [Refs - b2479; b0236; b0471]

- b morvandica** Bellenger & Descimon, 1977; *Lycaena* OD: *Alexanor* 10(4):166, f [b0289] SS: *alciphron* (Rottemburg), 1775; *Lycaena* (*Alciphronia*) [TypeL - France.] [Refs - b0109]
- a mosconensis** Johnson, 1988; *Tergissima* OD: *Insecta Mundi* 2(1):34, f 1A-D; 3Ca-b,H; 4E [b2595] [Type: AMNH-ht] [TypeL - Mosconi, Salta Province, Argentina.] [Type of - *Tergissima*] [Refs - b2595; b2623; b2606]
- a mosera** Hewitson, [1860], 1852-1877; *Mesosemia* OD: *Ill. exot. Butts* 2:[—], pl [57], f 77-79 [b2323] [TypeL - Amazon.] [Refs - b2747; b4474; b1456]
- a mossi** Johnson & Kroenlein, 1993; *Angulopsis* OD: *Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point)* (33):33, f [b2627] [Type: BMNH-ht] [TypeL - Pará, Brazil.] [Refs - b2627]
- a mossii** (H. Edwards), 1881; *Thecla* OD: *Papilio* 1(4):54 [b1487] CG: *Deciduphagus* [Type: AMNH-ht] [TypeL - Esquimalt, Vancouver Island, British Columbia.] [Note - *Not spelled mossi.*] [Refs - b0908; b1601; b3192; b1743; b1321; b1950; b4066; b1722; b0126]
- c moulmainus** Staudinger, 1889; *Taxila* OD: *Deut. ent. Zeit.* [Iris] 2(1):92 [b4332] SS: *fasciata* Moore, [1879]; *Taxila* [Note - *Originally described as a variety of haquinus.*] [Refs - b1636 (as *moulmainus*); b1638 (as *moulmainus*); b4600]
- b moulmaina** Moore, [1884]; *Horaga* OD: *Proc. zool. Soc. Lond.* 1883(4):525 [b3235] SS: *syrinx* (C. Felder), 1860; *Horaga* [Type: BMNH-ht] [TypeL - Moulmein.] [Refs - b1012; b1636; b1153; b2078; b4094; b2201; b3235; b1454; b0694]
- c moulmainus** Evans, 1927, (ISS); *Taxila* OD: *Ident. Indian Butts* (1st ed) :129 [b1636] SS: *moulmainus* Staudinger, 1889; *Taxila* [Refs - b1636; b1638]
- b moulloni** (Chapman), 1911; *Lycaenopsis* OD: *Trans. ent. Soc. Lond.* 59(1):184, pl 28, f 5-7 [b0756] SS: *pellecebra* (Fruhstorfer), 1910; *Cebrella* (*Cebrella*) [Type: BMNH-ht] [TypeL - Nr Kuching, Sarawak, Borneo.] [Refs - b1557; b0965; b1840; b1580; b1011; b4108]
- b moulloni** Toxopeus, 1929; *Tajuria* OD: *Tijdschr. Ent.* 72(3/4):256 [b4701] SS: *cippus* (Fabricius), 1798; *Tajuria* [TypeL - Borneo.] [Refs - b4701; b4108]
- b moulloni** Corbet, 1940; *Simiskina* OD: *Trans. R. ent. Soc. Lond.* 90(11):349 [b0950] SS: *proxima* de Nicéville, 1895; *Simiskina* [Type: BMNH-ht] [TypeL - Labuan, Borneo.] [Refs - b0950]
- a moulloni** Corbet, 1942; *Thamala* OD: *Entomologist* 75:173-174 [b0958] [TypeL - S. W. Borneo.] [Refs - b0965; b1454; b4594; b4108]
- c moutoni** Ribbe, 1899; *Hypolycaena* OD: *Deut. ent. Zeit.* [Iris] 12:220 [b3738] SS: *phorbis* (Fabricius), 1793; *Hypolycaena* [Refs - b4094 (+ as *montoni*)]
- c moutoni** (Ribbe), 1899; *Thysonotis* OD: *Deut. ent. Zeit.* [Iris] 12:237, pl 4, f 8 [b3738] SS: *hanno* (Grose-Smith), 1894; *Psychonotis* [Refs - b2078]
- a moyambina** Bethune-Baker, 1903; *Epitola* OD: *Ann. Mag. nat. Hist.* (7)12:330 [b0328] [TypeL - Sierra Leone.] [Refs - b3842; b1452; b0836; b4400]
- a moyambina** (Bethune-Baker), 1904; *Pseuderesia* OD: *Ann. Mag. nat. Hist.* (7)14:224 [b0332] CG: *Mimeresia* [TypeL - Sierra Leone.] [Refs - b1452; b0836; b4400]
- a moyambina** (Bethune-Baker), 1904; *Hypolycaena* OD: *Ann. Mag. nat. Hist.* (7)14:232 [b0332] CG: *Hypokopelates* [TypeL - Sierra Leone.] [Refs - b1452; b0836; b4400]
- a moyambina** (Stempffer & Benneu), 1959; *Epamera* OD: *Bull. Inst. franc. Afr. Noire* 21(A):254 [b4419] CG: *Iolus* (*Epamera*) [TypeL - Sierra Leone.] [Refs - b1452; b0836; b4400]
- b moyo van Someren**, 1957; *Lepidochrysops* OD: *J. ent. Soc. S. Afr.* 20(1):73 [b4803] SS: *elgonae* Stempffer, 1950; *Lepidochrysops* [TypeL - Kenya; Uganda.] [Refs - b1452; b4400]
- a moza** (Staudinger), 1894; *Cupido* OD: *Deut. ent. Zeit.* [Iris] 7:79, pl 2, f 5 [b4339] CG: *Madeleinea* [Type: ZMHU-ht; designated by Bálint, 1993] [Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (29):25 [b0207]] [TypeL - Cocapata, Bolivia.] [Type of - *Madeleinea*, *Nivalis*] [Refs - b0908; b2221; b3326; b0207; b0220]
- a mozambica** Bertoloni, 1851; *Spindasis* OD: *Memorie Accad. Sci. Ist. Bologna* 2:177 [b0322] [Refs - b1943; b1259; b0836; b2224; b4400; b3312; b3606]
- b mozuellca** (Agenjo), 1972; *Plebejus* OD: *Graellsia* 26:31 [b0023] SS: *ripartii* (Freyer), 1830; *Polyommatus* (*Agrodiaetus*) [TypeL - Mozuelos, Burgos Province, Spain.]
- a mpanda** Tite, 1961; *Lepidochrysops* OD: *Entomologist* 94:23 [b4673] [TypeL - Tanganyika.] [Refs - b1452; b4400]
- a mpanda** Kielland, 1990; *Anthene* OD: *Butts Tanzania* :205, f [b2738] [TypeL - Tanzania.] [Refs - b0125]
- a mpanda** (Kielland), 1990; *Virachola* OD: *Butts Tanzania* :197, f [b2738] CG: *Deudorix* (*Virachola*) [TypeL - Tanzania.] [Refs - b0125]
- a mpangensis** Jackson, 1962; *Epitola* OD: *Bull. Br. Mus. nat. Hist. (Ent.)* 12(3):149 [b2562] [TypeL - Uganda.] [Refs - b1452; b4400]
- a mpigi** Stempffer & Bennett, 1965; *Micropentila* OD: *Bull. Br. Mus. nat. Hist. (Ent.)* 15(11):418 [b4422] [TypeL - Uganda.] [Refs - b1452; b4400]
- b muanensis** Dufrane, 1953; *Abisara* OD: *Bull. Anns Soc. ent. Belg.* 89:47 [b1410] SS: *talantus* Aurivillius, 1891; *Abisara* [TypeL - Kivu.]
- a muatta** Hewitson, [1877], 1863-1878; *Thecla* OD: *Ill. diurn. Lep. Lycaenidae* 1:206; 2:pl 82, f 687,688 [b2326] CG: *Thecla* (New World *Eumaeini*) [Type: BMNH] [TypeL - Brazil.] [Refs - b0908; b2753]
- a muattina** Schaus, 1902; *Thecla* OD: *Proc. U. S. natn. Mus.* 24(1262):415 [b3948] CG: *Thecla* (New World *Eumaeini*) [Type: USNM-ht; #5940] [TypeL - Castro, Parana, Brazil.] [Refs - b0908; b3948]
- b mudarra** Agenjo, 1963; *Laeosopsis* OD: *Boln Serv. Plag. Forest.* 6(12):137, pl 1, f 7,8 [b0014] SS: *robons* (Esper), [1789]; *Laeosopsis* [TypeL - Spain.] [Refs - b3059]
- b mudita** Fruhstorfer, [1914], 1909-1923; *Abisara* OD: *In Seitz. Grossschmett. Erde* 9:784 [b1840] SS: *mundanaensis* Semper, 1892; *Abisara* [Type: ZMHU-ht] [TypeL - Mindoro, Philippines.] [Refs - b0294; b1840; b3144]
- b mudra** (Fruhstorfer), 1907; *Sithon* OD: *Ent. Zeit.* 21(23) 144 [b1824] SS: *jangala* (Horsfield), [1829]; *Remelana* [TypeL - Hong Kong.] [Refs - b2479; b2650; b1454; b4094; b1824]
- a muela** (Dyar), 1913; *Thecla* OD: *Proc. U. S. natn. Mus.* 45:637 [b1443] CG: *Abloxunna* [Type: USNM; #15624] [TypeL - Coxahuasi, Peru.] [Refs - b0908; b2610]
- a muetingi** (Bálint), 1992; *Agrodiaetus* OD: *Linneana Belgica* 13(8):405, f 8,9,23 [b0205] CG: *Polyommatus* (*Agrodiaetus*) [Type: HNHM-ht] [TypeL - Vicinity of Kabul, Afghanistan] [Refs - b0205]
- a muhata** (Dewitz), 1886; *Pentila* OD: *Deut. ent. Zeit.* 30(2):428, pl 2, f 6 [b1221] CG: *Omipholidotos* [TypeL - W. Africa.] [Note - *Stempffer considers this a species dubium.*] [Refs - b2280; b1452; b1221; b4400; b2560]
- a muhshengi** Shimonoya & Murayama, 1971; *Chrysozephyrus* OD: *Tyô to Ga* 22(1,2):19, f [b4185] [Type: pc-ht; collection of Shimonoya.] [TypeL - Prov. Nantou, Formosa.] [Refs - b0102; b4185; b5053 (-15 as *mushengi*); b3296]

- a *mulri* (H. Edwards), 1881; *Thecla* OD: *Papilio* 1(4):53 [b1487] CG: *Mitoura* [Type: AMNH-ht] [TypeL - Mendocino County, California.] [Refs - b0908; b0904; b3192; b2585]
- a *mulleola* Stichel, 1910; *Mesene* OD: *Gen. Insectorum* 112(A):216 [b4446] [Type: ZMHU-st] [TypeL - San Paulo de Olivença, W. Amazonas, Brazil.] [Refs - b4474; b1456; b4446]
- c *mulsa* Thieme, 1904; *Alaena* OD: *Berl. ent. Z.* 49:164 [b4639] SS: *picata* E. Sharpe, 1896; *Alaena* [TypeL - E. Africa.] [Refs - b4400]
- a *mulsus* H. H. Druce, 1907; *Thecla* OD: *Proc. zool. Soc. Lond.* 1907(3):598, pl 35, f 10 [b1375] CG: *Thecla* (New World Eumaeini) [Type: pc; Godman collection.] [TypeL - Tapajos, Amazonas, Brazil.] [Note - Druce says "allied to elana".] [Refs - b0908; b1375]
- a *multesima* Stichel, 1910; *Symmachia* OD: *Berl. ent. Z.* 55(1/2):79 [b4445] [Type: ZMHU-ht] [TypeL - Rio San Juan, Colombia.] [Refs - b4474; b1456; b4445]
- a *multicaudata* Moore, [1879]; *Thaduka* OD: *Proc. zool. Soc. Lond.* 1878(4):836, pl 52, f 7 [b3230] [TypeL - Tenasserim.] [Type of - Thaduka] [Refs - b1636; b2280; b4094; b1454; b0694]
- e *ab. multiconfluens* (Courvoisier), 1907; *Chrysophanus* OD: *Z. wiss. InsektBiol.* 3:36, pl 1, f B [b0982] SS: *alciphron* (Rottemburg), 1775; *Lycaena* (*Alciphronia*) [Refs - b0236]
- e *f. multiconfluens* Vorbrod, 1912; *Satyrium* OD: *Schmett. Schweiz* 1:106 [b4885] SS: *spini* ((Denis & Schiffermüller)), 1775; *Satyrium* [Refs - b0236; b0471]
- e *multiconfluens* Metschl & Sälzl, 1923; *Scolitantides* OD: *Ber. naturw. Ver. Regensburg* 16:73 [b3160] SS: *orion* (Pallas), 1771; *Scolitantides* [Refs - b0400]
- a *multiplaga* Schaus, 1902; *Apodemia* OD: *Proc. U. S. natn. Mus.* 24(1262):404 [b3948] [Type: USNM-ht; #5912] [TypeL - Rinconada, Mexico.] [Refs - b1530 :244, f 478; b1321 :51; b4475; b3192; b3948; b4066; b1456]
- b *multiplagata* Bethune-Baker, 1908; *Pentila* OD: *Proc. zool. Soc. Lond.* 1908(1):111 [b0340] SS: *pauli* Staudinger, [1888]; *Pentila* [TypeL - Congo.] [Refs - b1452; b4420; b4400]
- e *ab. multipuncta* (Courvoisier), 1907; *Lycaena* OD: *Z. wiss. InsektBiol.* 3:74 [b0982] SS: *icarus* (Rottemburg), 1775; *Polyommatus* [Refs - b0471]
- e *multipuncta* Rebel, 1909; *Lycaena* OD: *In Berge. Schmetterlingsbuch* (ed. 9) :62 [b3706] SS: *dispar* ((Haworth)), 1802; *Lycaena* (*Thersamolycaena*) [Refs - b0389]
- e *ab. multipuncta* (Courvoisier), 1910; *Lycaena* OD: *In Berge. Schmetterlingsbuch* (ed. 9) :67 [b0983] SS: *hylactor* (Bergsträsser), [1779]; *Pseudophilotes* [Refs - b0236; b0471]
- c *multipunctata* Lathy, 1903; *Pentila* OD: *Trans. ent. Soc. Lond.* 51(2):195, pl 8, f 4 [b2912] SS: *pauli* Staudinger, [1888]; *Pentila* [TypeL - Nigeria.] [Refs - b0836; b4420; b4400]
- e *f. multipunctata* (Warmecke), 1942; *Chrysophanus* OD: *Deut. ent. Zeit. [Ins]* 56:103 [b4921] SS: *virgaureae* (Linnaeus), 1758; *Lycaena* (*Heodes*) [TypeL - Germany.] [Refs - b0389]
- e *ab. multistriata* Howarth, 1971; *Cupido* OD: *Ent. Gaz.* 22(2):118 [b2466] SS: *minus* (Füssly), 1775; *Cupido* [Type: BMNH] [Refs - b2466]
- c *multistrigatus* de Nicéville, 1886; *Allotinus* OD: *J. asiat. Soc. Bengal, Pt II* 55(3):253, pl 11, f 11,2 [b1148] SS: *drumila* (Moore), [1866]; *Allotinus* (*Paragerydus*) [Type: BMNH-ht; designated by Eliot, 1986] [Bull. Br. Mus. nat. Hist. (Ent.) 53(1):57 [b1571]] [TypeL - Sikkim, India.] [Refs - b1636; b1153; b1840; b1571; b3055; b0694]
- c *multochrea* Kaye, 1919; *Nymphidium* OD: *Ann. Mag. nat. Hist.* (9)3:215 [b2710] SS: *caricae* (Linnaeus), 1758; *Nymphidium* [TypeL - Amazons.] [Refs - b4476]
- e *ab. multomaculata* (Le Chamberlain), 1908; *Lycaena* OD: *Entomologist* 41:202 [b2940] SS: *arion* (Linnaeus), 1758; *Maculinea* [Refs - b0236; b0400; b0471; b2940 (as *multo-maculata*)]
- a *mulucha* (Hewitson), [1867], 1863-1878; *Thecla* OD: *Ill. dium. Lep. Lycaenidae* 1:89; 2:pl 38, f 117 [b2326] CG: *Strymon* [Type: BMNH-ht] [TypeL - Venezuela (published), or Costa Rica (labels)] [Note - Often placed in *Callicista*.] [Refs - b0908; b2988; b2747; b2221; b3818; b0278; b1975; b2670; b2631; b2624]
- b *mumbuensis* Riley, 1922; *Aloeides* OD: *Trans. ent. Soc. Lond.* 69(3/4):250 [b3749] SS: *molomo* (Trimen), 1870; *Aloeides* [Type: BMNH-ht] [TypeL - Mumbwa, Zambia.] [Refs - b1452; b4400; b4685]
- c *munatia* Hewitson, [1878], 1863-1878; *Thecla* OD: *Ill. dium. Lep. Lycaenidae* 1:211; 2:pl 84, f 716,717 [b2326] SS: *ericeta* Hewitson, [1867]; *Thecla* (New World Eumaeini) [Type: pc; Staudinger collection.] [TypeL - Guatemala.] [Refs - b0908; b1975]
- e *munda* Stichel, 1909, (IFS); *Mesoserma* OD: *Berl. ent. Z.* 54(1/2):23 [b4444] SS: *mevania* Hewitson, [1857]; *Mesoserma* [Refs - b4474]
- a *munditia* H.H. Druce, 1907; *Thecla* OD: *Proc. zool. Soc. Lond.* 1907(3):586, pl 34, f 10,11 [b1375] CG: *Thecla* (New World Eumaeini) [Type: pc; Druce collection.] [TypeL - Bartaica, British Guiana.] [Refs - b0908; b3818; b1375]
- a *mundula* Stichel, 1926; *Theope* OD: *Deut. ent. Zeit.* 1926:96 [b4464] [TypeL - Peru.] [Refs - b4475; b1456]
- b *munichya* Fruhstorfer, 1914; *Logania* OD: *Z. wiss. InsektBiol.* 10(1):24 [b1855] SS: *marmorata* Moore, 1884; *Logania* [Type: BMNH-ht; designated by Eliot, 1986] [Bull. Br. Mus. nat. Hist. (Ent.) 53(1):66 [b1571]] [TypeL - Java.] [Refs - b1855; b1840 (as *munychia*); b1571]
- e *munychia* Fruhstorfer, [1915], 1909-1923, (ISS); *Logania* OD: *In Seitz, Grossschmett. Erde* 9:807 [b1840] SS: *munichya* Fruhstorfer, 1914; *Logania* [Refs - b1840]
- b *munzuricus* (Rose), 1978; *Agrodiaetus* OD: *Ent. Zeit.* 88(22):246, f 1 [b3858] SS: *carmon* (Herrich-Schäffer), [1851]; *Polyommatus* (*Agrodiaetus*) [Type: pc-ht; collection of Rose.] [TypeL - Tanyeri, Turkey.] [Refs - b1610 (2816-E10); b3858]
- e *murae* Le Moul, 1940, 1939-1940, (IFS); *Helicopsis* OD: *Novit. ent.* (14):105 [b2943] SS: *cupido* (Linnaeus), 1758; *Helicopsis* [Type: AME-ht] [Refs - b3199]
- b *murakamii* Seki & Takami, 1990; *Arhopala* OD: *Gekkan Mushi* (231):6 [b4106] SS: *hellada* Fruhstorfer, 1914; *Arhopala* a [TypeL - Malaysia.] [Refs - b4108]
- e *ab. muratae* (Matsumura), 1926; *Lycaena* OD: *Ins. matsumur.* 1(1):28, pl 2, f 11 [b3092] SS: *euphemus* (Hübner), [1800]; *Maculinea* [TypeL - Japan.] [Refs - b0236; b0471; b0064]
- a *murayamai* Eliot & Kawazoé, 1983; *Sidima* OD: *Butis Lycaenopsis* group :164, f 120-121, 374-375, 390-391, 518 [b1580] [Type: BMNH-ht] [TypeL - Mindanao, Philippines.] [Refs - b1580]
- c *f. mureisana* Matsumura, 1939; *Everes* OD: *Bull. Biogeogr. Soc. Japan* 9(20):357, f [b3105] SS: *argiades* (Pallas), 1771; *Everes* [TypeL - Manchuria.]
- a *murex* (H. H. Druce), 1907; *Thecla* OD: *Proc. zool. Soc. Lond.* 1907(3):585, pl 34, f 6 [b1375] CG: *Theclopsis* [Type: pc; Druce collection.] [TypeL - Rio Grande, Brazil.] [Note - Druce says "allied to mycon", but this is doubtful. *Mycon* does not have a segmented male foretarsus.] [Refs - b0908; b1375; b3814; b3815]

- a** *muridosca* (Dyar), 1918; *Thecla* OD: Proc. U. S. natn. Mus. 54:337 [b1448] CG: *Androcona* [Type: USNM; #21201] [TypeL - Jalapa, Mexico.] [Type of - *Androcona*] [Refs - b0908; b2626]
- a** *murina* Stichel, 1925; *Euselasia* OD: Z. wiss. InsektBiol. 20:16 [b4463] [TypeL - Brazil.]
- a** *murphyl* Austin, 1988; *Apodemia* OD: J. Res. Lep. 26(1/4):133, f [b0181] [TypeL - Mexico.] [Refs - b0122]
- a** *murrayi* Swanepoel, 1953; *Thestor* OD: J. ent. Soc. S. Afr. 16:191, f [b4555] [TypeL - Cape Province, S. Africa.] [Refs - b1259; b1452; b4400]
- c** *mus Suffert*, 1904; *Epitola* OD: Deut. ent. Zeit. [Iris] 17:53 [b4535] SS: *catuna* Kirby, 1890; *Epitola* [TypeL - Cameroons.] [Refs - b4400]
- b** *musageta* Bryk, 1953; *Lyropteryx* OD: Ark. Zool. (ns)5(1):124 [b0569] SS: *apollonia* Westwood, [1851]; *Lyropteryx* [Type: UZIU-hi] [TypeL - Brazil; Bolivia to Colombia.] [Refs - b0569]
- c** *musagetes* (Holland), 1893; *Lycaenesthes* OD: Ent. News 4(1):25 [b2427] SS: *rubricinctus* (Holland), 1891; *Anthene* [Type: CM] [TypeL - W. Africa.] [Note - Description based on a female.] [Refs - b1943; b0528; b0343; b0836; b4400]
- b** *muscolor* (Weeks), 1901; *Amarynthys* OD: Can. Ent. 33(10):267 [b4958] SS: *hypochalybe* (Felder & Felder), 1861; *Exoplisia* [Refs - b4474; b4445; b1456]
- a** *mushaellus* (Matsumura), 1938; *Zephyrus* OD: Ins. matsumur. 13:44, f [b3104] CG: *Chrysozephyrus* [TypeL - Formosa.] [Refs - b4198; b0113; b5053; b4214; b4200; b3296; b1454; b2463; b2808]
- b** *mushana* (Matsumura), 1929; *Thecla* OD: Ins. matsumur. 3(2/3):102 [b3098] SS: *eximia* (Fixsen), 1887; *Satyrium* [TypeL - Formosa.] [Refs - b4198; b0236; b5053; b1454]
- c** *mushana* Matsumura, 1935; *Rapala* OD: Ins. matsumur. 9:173, f [b3102] SS: *hirayamana* Matsumura, 1926; *Rapala* [TypeL - Formosa.] [Refs - b4198]
- b** *mushana* (Tanikawa), 1940; *Everes* OD: Taiko, Taihoku High School, Formosa (16):48 [b4628] SS: *filicaudis* (Pryer), 1877; *Tongeia* [TypeL - Nōkō near Musha, Taihō Pref., Central Formosa.] [Refs - b4198; b5053; b4192]
- a** *musina* (Snellen), 1892; *Lycaena* OD: Tijdschr. Ent. 35:145 [b4265] CG: *Monodontides* (*Monodontides*) [Type: RNH-lt; designated by Eliot & Kawazoé, 1983] [Butts *Lycaenopsis* group :278 [b1580]] [TypeL - Java.] [Refs - b0964; b1636; b0965; b1840; b1580; b2200; b4108]
- b** *musinoides* (Swinhoe), 1910, 1909-1913; *Lycaenopsis* OD: In Moore, Lep. Ind. 7:205, pl 619, f 3,3a,3b [b4575] SS: *musina* (Snellen), 1892; *Monodontides* (*Monodontides*) [Type: BMNH-lt; designated by Eliot & Kawazoé, 1983] [Butts *Lycaenopsis* group :278 [b1580]] [TypeL - Burma.] [Refs - b1636; b1840; b1580; b2200]
- c** *ab. muskoka* (Watson & Comstock), 1920; *Strymon* OD: Bull. amer. Mus. nat. Hist. 42(10):450 [b4952] SS: *acadica* (Edwards), 1862; *Satyrium* [Type: AMNH-hi] [TypeL - Gravenhurst, Muskoka District, Ontario.] [Refs - b0908; b3192; b1321; b4952]
- b** *mustela* Hewitson, 1870; *Mesosemia* OD: Trans. ent. Soc. Lond. 18(2):161 [b2333] SS: *macrina* (Felder & Felder), 1865; *Mesosemia* [TypeL - Ecuador.] [Refs - b4474; b2753; b1456]
- a** *muta* (Hewitson), 1862; *Amblypodia* OD: Spec. Cat. Lyc. Brit. Mus. :11, pl 6, f 57,58 [b2325] CG: *Arhopala* b [TypeL - Java.] [Refs - b1644; b2747; b4094; b1454]
- a** *mutator* Seitz, [1917], 1910-1924; *Euselasia* OD: In Seitz, Grossschmett. Erde 5:628 [b4093] [TypeL - Not stated.] [Refs - b4474; b4093]
- b** *mutica* Stichel, 1925; *Euselasia* OD: Z. wiss. InsektBiol. 20:260 [b4463] SS: *thucydides* (Fabricius), 1793; *Euselasia* [TypeL - Brazil.] [Refs - b4474]
- a** *muticum* McAlpine, 1937; *Calephelis* OD: Bull. Brooklyn ent. Soc. 32(2):43, pl 1, f 1-7 [b3123] [Type: USNM-hi] [TypeL - Willis, Washtenaw County, Michigan.] [LifeH - Tietz lists b3124.] [Refs - b1530 :249, f 496, 497; b1321 :51; b2988; b3192; b3512; b4066; b3127; b4652]
- c** *ab. mutilata* (Schultz), 1905; *Chrysophanus* OD: Ent. Zeit. 18(33):131 [b4002] SS: *gordius* (Salzer), 1776; *Lycaena* (*Alciphronia*) [Refs - b0389; b4002; b4092; b0471]
- a** *mutina* (Hewitson), [1867], 1863-1878; *Thecla* OD: Ill. diurn. Lep. Lycaenidae 1:94; 2-pl 38, f 113,114 [b2326] CG: *Tmolus* [Type: BMNH] [TypeL - Amazon.] [Refs - b0908; b2747; b2631; b2588; b2589]
- c** *muzaffar* (Grum-Grshimailo), 1887; *Lycaena* OD: In Romanoff, Mém. Lép. 3:399 [b2065] SS: *alaina* (Staudinger), 1887; *Cupido* [TypeL - Central Asia.] [Refs - b0993; b4092]
- b** *f. muzizii* Bethune-Baker, 1924; *Zeritis* OD: Ann. Mag. nat. Hist. (9)14:134 [b0360] SS: *neriene* Boisduval, 1836; *Zeritis* [TypeL - S. E. Africa.] [Refs - b3796; b0360; b4400]
- a** *mwagensis* Dufrane, 1953; *Liptena* OD: Bull. Anns Soc. ent. Belg. 89:49 [b1410] [TypeL - Kivu.] [Refs - b1452; b4400]
- a** *mycea* (Hewitson), [1865], 1852-1877; *Nymphidium* OD: Ill. exot. Butts 3:[---], pl [56], f 19 [b2323] CG: *Imelda* [TypeL - New Granada.] [Refs - b2747; b4475; b0678; b1456]
- b** *mycene* Hewitson, 1870; *Mesosemia* OD: Trans. ent. Soc. Lond. 18(2):160 [b2333] SS: *asa* Hewitson, 1869; *Mesosemia* [TypeL - Ecuador.] [Refs - b2753; b4474; b1456]
- a** *mycon* Godman & Salvin, [1887], 1879-1901; *Thecla* OD: Biol. centr.-amer., Lep. Rhop. 2:46; 3-pl 53, f 20,21,22 [b1975] CG: *Thecla* (New World *Eumaeini*) [Type: BMNH] [TypeL - San Gerónimo, Guatemala.] [Refs - b0908; b3818; b2497; b1375; b1975]
- b** *mycone* (Hewitson), [1865], 1852-1877; *Nymphidium* OD: Ill. exot. Butts 3:[---], pl [56], f 16-18 [b2323] SS: *calyce* (Felder & Felder), 1861; *Synargis* [TypeL - Nicaragua.] [Refs - b2988; b2747; b4475; b1456]
- c** *mygdon* Schaus, 1913; *Mesene* OD: Ann. Mag. nat. Hist. (8)11:300 [b3949] SS: *rubella* Bates, 1864; *Mesene* [Refs - b4474]
- b** *mygdonia* (Fruhstorfer), [1917]; *Lycaenopsis* OD: Arch. Naturgesch. (A)82(1):26 [b1880] SS: *puspa* (Horsfield), [1828]; *Acytolepis* [Type: BMNH-lt; designated by Eliot & Kawazoé, 1983] [Butts *Lycaenopsis* group :177 [b1580]] [TypeL - N. E. Sumatra.] [Refs - b1840; b1580; b2200; b4108]
- b** *myla* (Fruhstorfer), 1909; *Cyaniris* OD: Ent. Zeit. 23(25) 116 [b1838] SS: *puspa* (Horsfield), [1828]; *Acytolepis* [Type: BMNH-lt; designated by Eliot & Kawazoé, 1983] [Butts *Lycaenopsis* group :175 [b1580]] [TypeL - Porsha-Hori, Formosa.] [Refs - b4198; b2479; b1840; b1580; b0236; b5053; b4281]
- c** *mylica* (Guénée), 1863; *Lycaena* OD: In Maillard, Noces Ile Réunion 2(Lép.):18 [b2084] SS: *hylax* (Fabricius), 1775; *Zizula* [TypeL - Bourbon.] [Refs - b4400; b2747; b4108]
- b** *mylitta* (Hemming), 1932; *Aricia* OD: *Stylops* 1:12, pl 1, f 7,8 [b2246] SS: *eumedon* (Esper), [1780]; *Plebejus* (*Eumedonia*) [Type: BMNH-hi] [TypeL - Cedar Mountains, Lebanon.] [Refs - b0107; b0070; b2246]
- c** *mylothrina* (Butler), 1888; *Tingra* OD: Proc. zool. Soc. Lond. 1888(1):67 [b0637] SS: *tachyroides* Dewitz, 1879; *Penula* [TypeL - C. Africa.] [Refs - b0637; b4400]

- b **myokoensis** (Murayama), 1969; *Lycaeides* OD: Tyô to Ga 20(3/4):69, f [b3295] SS: cleobis (Bremer), 1861; Plebejus (*Lycaeides*) [TypeL - Miyôkôsan Mus., Niigata Prefecture, Japan.] [Refs - b1900]
- a **myonia** Hewitson, [1859], 1852-1877; *Mesosemia* OD: Ill. exot. Buts 2:[-], pl [56], f 59-60 [b2323] [TypeL - Guiana, Amazon.] [Refs - b4474; b1456]
- b **mysotina** Fruhstorfer, [1912]; *Catapaecilma* OD: Berl. ent. Z. 56(3/4):234 [b1850] SS: elegans (H. Druce), 1873; *Catapaecilma* [Note - May belong with major.] [Refs - b1636; b4094; b1850; b1454 (as mysotina); b0694 (as myosiina, with major)]
- c **myriandus** Fruhstorfer, 1913; *Allotinus* OD: Z. wiss. Insektbiol. 9(12):368 [b1851] SS: aphocha Kheil, 1884; *Allotinus* (Paragerydus) [Type: BMNH-lt; designated by Corbet, 1939] [Trans. R. ent. Soc. Lond. 89(5):68 [b0944]] [TypeL - Sumatra.] [Refs - b1840; b1571]
- a **myrmecias** (Christoph), 1877, 1876-1877; *Lycaena* OD: Horae Soc. ent. ross. 12:235, pl 5, f 7 [b0787] CG: Plebejus (*Aricia*) [TypeL - Krasnovodsk.] [Refs - b2827; b0787; b4092]
- a **myrmecias** Sichel, 1910; *Mesosemia* OD: Gen. Insectorum 112(A):49 [b4446] [Type: ZMHU-st] [TypeL - Cuzco, Peru.] [Refs - b2988; b4474; b1456; b4446]
- a **myrmecophila** (Waterhouse & Lyell), 1913; *Pseudodipsas* OD: Victorian Nat. 29(10):156 [b4946] CG: *Acrodipsas* [Type: AM-lt; designated by Sands, 1980] [J. Aust. ent. Soc. 18(3):260 [b3923]] [TypeL - Victoria, Australia.] [Type of - *Acrodipsas*] [Refs - b1450; b1610 (7913-E11); b3923; b0870; b1840]
- a **myrmecophila** (Dumont), 1922; *Cigariis* OD: Bull. Soc. ent. Fr. 1922(15):217 [b1421] CG: *Aphariis* [TypeL - Tunisia.] [Refs - b2375; b1610 (2612-E9); b2905; b0236; b2898; b2901; b3860; b1421; b4400; b0471; b1455]
- c **myrmecus** (Seitz), [1926], 1912-1927; *Thrix* OD: In Seitz, Grossschmett. Erde 9:992, pl 159g [b4094] SS: teunga (Grose-Smith), 1889; *Mantoides* [TypeL - Borneo.] [Note - Seitz attributed the name to Fruhstorfer.] [Refs - b4094; b4108]
- c **myrmidon** de Selys-Longchamps, 1844; *Everes* OD: Mém. Soc. roy. Sci. Liège 2(1845):31 [b1182] SS: argiades (Pallas), 1771; *Everes* [Note - In 1857 de Selys-Longchamps treated the name as if the author was Engramelle.] [Refs - b0400; b0995; b1183; b4092]
- a **myron** (Godman & Salvin), [1887], 1879-1901; *Thecla* OD: Biol. centr.-amer., Lep. Rhop. 2:82 [b1975] CG: *Sarracenota* [Type: BMNH] [TypeL - Cache, Costa Rica.] [Refs - b0908; b1975; b2626]
- a **myrrha** (Herrich-Schäffer), [1852], 1843-1856; *Lycaena* OD: Syst. Bearb. Schmett. Europ. 1:pl 106, f 508-511 [b2313] CG: *Polyommatus* (*Sublysandra*) [Refs - b3901; b2747; b0993; b1762; b2827 (in *Lysandra*); b1610 (8266-E12); b0109; b0113; b2791; b2794; b2313; b4092; b2788]
- a **myrrhinus** (Staudinger), 1901; *Lycaena* OD: Cat. Lep. Palae. Faun. (3rd ed) :81 or 85 [b4347] CG: *Polyommatus* (*Sublysandra*) [Refs - b0113; b4347; b2791; b2794 (with aedon); b4092; b2788]
- c **myrsilus** (Westwood), [1851], 1846-1852; *lalmenus* OD: In Gen. dium. Lep. (2):pl 75, f 3 [b4981] SS: chlorinda (Blanchard), 1848; *Pseudalmenus* [TypeL - Tasmania.] [Type of - *Pseudalmenus*] [Refs - b1450; b2280; b2747; b4094; b0975; b0870]
- a **myrsina** Hewitson, [1874], 1863-1878; *Thecla* OD: Ill. dium. Lep. Lycaenidae 1:184, 2:pl 73, f 571,572 [b2326] CG: *Thecla* (New World Eumaeini) [Type: BMNH] [TypeL - Chontales, Nicaragua.] [Refs - b0908; b2988; b2753; b1975]
- a **myrtale** (Klug), 1834, 1829-1845; *Lycaena* OD: In Ehrenberg, Sym. Phys. Ins. 4:pl 40, f 15,16 [b2782] CG: *Satyrimum* [Type of - *Nordmannia*] [Refs - b2280; b3337; b4245; b0851; b2747; b0995; b3555; b2631 (in *Nordmannia*); b4092; b1455]
- b **myrtale** (Staudinger), 1889; *Amblypodia* OD: Deut. ent. Zeit. [Iris] 2(1):126, pl 1, f 16 [b4332] SS: *alitaeus* (Hewitson), 1862; *Arhopala* f [TypeL - Palawan.] [Refs - b1644; b4094; b1454]
- a **myrtea** Hewitson, [1867], 1863-1878; *Thecla* OD: Ill. dium. Lep. Lycaenidae 1:93; 2:pl 38, f 112 [b2326] CG: *Thecla* (New World Eumaeini) *myrtea* group [Type: BMNH] [TypeL - Amazon.] [Refs - b0908; b2747; b3810]
- b **myrtea** Godman & Salvin, [1886], 1879-1901; *Sarota* OD: Biol. centr.-amer., Lep. Rhop. 1:436 [b1975] SS: *acanthoides* (Herrich-Schäffer), [1853]; *Sarota* [TypeL - Guatemala, Nicaragua.] [Refs - b2988; b4474; b1975]
- a **myrtha** (Staudinger), 1889; *Amblypodia* OD: Deut. ent. Zeit. [Iris] 2(1):127 [b4332] CG: *Arhopala* f [Type: ZMHU-st] [TypeL - Palawan.] [Refs - b1644; b4094; b2200; b1454; b4602]
- c **myrtillus** (Stoll), [1782], 1780-1790; *Papilio* OD: In Cramer, Uid. Kapellen 4(32):178, pl 380, f B,C [b4478] SS: *palegon* (Cramer), [1780]; *Rekoa* [TypeL - Surinam.] [Refs - b0908; b2747; b3192; b2406]
- a **myrtis** (Westwood), [1851], 1846-1852; *Aricoris* OD: In Gen. dium. Lep. (2):450, nota [b4981] CG: *Setabis* [TypeL - Amazon.] [Type of - *Arotis*, *Setabis*] [Refs - b2280; b2747; b4475; b1456]
- a **myrtis** H. H. Druce, 1904; *Charis* OD: Proc. zool. Soc. Lond. 1904(I)(2):486, pl 34, f 6,7 [b1370] CG: *Charis* (?) [TypeL - Paraguay.] [Note - Overlooked by Stichel, so placement in *Charis* is tentative.] [Refs - b1370; b1456]
- a **myrtusa** Hewitson, [1867], 1863-1878; *Thecla* OD: Ill. dium. Lep. Lycaenidae 1:95; 2:pl 38, f 111 [b2326] CG: *Thecla* (New World Eumaeini) [Type: BMNH] [TypeL - Amazon.] [Refs - b0908; b2747; b1975; b3810]
- a **myrzala** (Hewitson), [1869], 1863-1878; *Amblypodia* OD: Ill. dium. Lep. Lycaenidae 1:14c, 2:pl 3b, f 41,42 [b2326] CG: *Arhopala* a [TypeL - Mindanao, Philippines.] [Refs - b1644; b2747; b4094; b2200; b1454; b4594]
- a **myrzalina** Corbet, 1941; *Arhopala* OD: Proc. R. ent. Soc. Lond. (B)10(9):157 [b0956] CG: *Arhopala* b [Type: BMNH-hi] [TypeL - Malaya.] [Refs - b1644; b1564; b0956; b1454]
- a **mys** Herrich-Schäffer, [1853], 1850-1869; *Euselasia* OD: Samml. neuer. aussereurop. Schmett. 1:[55], pl [-], f 37,38 [b2314] [TypeL - Amazon.] [Refs - b2988; b2747; b4474; b1456]
- b **mysia** (Waterhouse & Lyell), 1914; *Nacaduba* OD: Buts Aust. :96 [b4947] SS: *ancyra* (C. Felder), 1860; *Catopyrops* [TypeL - Prince of Wales Island.] [Refs - b4676; b1450; b0870; b4094]
- c **mysoina** d'Abrera, 1986, (ISS); *Catapaecilma* OD: Buts Oriental Region, Pt 3 :588 [b1454] SS: *myosouna* Fruhstorfer, [1912]; *Catapaecilma* [Refs - b1454]
- a **mystaphia** Miller, 1912; *Callophrys* OD: Deut. ent. Zeit. [Ins] 26:222 [b3183] CG: *Callophrys* [Type: ZMMU] [TypeL - Kars, (central) Turkey.] [Note - Often seen as a synonym of *rubi*.] [Refs - b2827; b0236; b3363; b0127; b2794; b2585; b0471; b2788; b1455]
- b **mysteriosa** Clench, 1965; *Spindasis* OD: In Buts Liberia :360, f 216,217 [b0836] SS: *crustaria* (Holland), 1890; *Spindasis* [Type: CM-hi] [TypeL - Guinea.] [Refs - b0528; b1452; b0836; b4400]
- a **mystica** (Schaus), 1913; *Eurygona* OD: Proc. zool. Soc. Lond. 1913(3):348, pl 51, f 8 [b3950] CG: *Euselasia* [TypeL - Costa Rica.] [Refs - b4474; b2406; b3950; b2155]

- a** *mysticus* Johnson, 1993; Argentostriatus OD: Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (36):15, f [b2615] [Type: MPM-ht] [TypeL - Independencia, Petropolis, Brazil.] [Refs - b2615]
- c** *mytilus* (Godman & Salvin), [1887], 1879-1901, (ISS); Thecla OD: Biol. centr.-amer., Lep. Rhop. 2:37 [b1975] SS: myrtilus (Stoll), [1782]; Rekoa [Refs - b0908; b1722]
- c** *naara* Hewitson, 1873; Hypolycaena OD: Ent. mon. Mag. 10:124 [b2336] SS: liara H. H. Druce, 1890; Hypolycaena [TypeL - Angola.] [Refs - b2753; b1452; b0836; b4400]
- c** *nabala* Corbet, 1941; Arhopala OD: Proc. R. ent. Soc. Lond. (B)10(9):157 [b0956] SS: kinabala H. H. Druce, 1895; Arhopala b [Type: BMNH-ht] [TypeL - Mt. Kinabalu, Borneo.] [Refs - b1644; b0956; b4108]
- b** *nabataeus* (Graves), 1925; Turania OD: Trans. ent. Soc. Lond. 73(1/2):62, f [b2010] SS: abencerragus (Pierret), 1837; Pseudophilotes [TypeL - Transjordania.] [Refs - b2905; b0236; b0293; b0471]
- b** *nabo* Fruhstorfer, 1916; Nacaduba OD: Zoöl. Meded. 2(2):108 [b1873] SS: hermus (C. Felder), 1860; Nacaduba [Type: BMNH-ht] [TypeL - Assam.] [Refs - b4676; b1636; b0938; b4094; b1873; b1454; b0694]
- b** *nabokovi* (Masters), 1972; Lycaeides OD: J. Lep. Soc. 26(3):151, f [b3077] SS: argyrognomon (Bergsträsser), [1779]; Plebejus (Lycaeides) [Type: CM-ht] [TypeL - Two Harbors, Lake County, Minnesota.] [Refs - b3192; b3512]
- b** *nabonassar* (Fruhstorfer), 1915; Lampides OD: Arch. Naturgesch. (A)81(6):36 [b1865] SS: bochus (Stoll), [1782]; Jamides [TypeL - Borneo.] [Refs - b0964; b3786; b0965; b4094; b1865; b2384; b1454; b4108]
- b** *nacandra* (Fruhstorfer), [1912]; Camena OD: Berl. ent. Z. 56(3/4):207 [b1850] SS: blanka (de Nicéville), 1894; Ancema [TypeL - West-Java.] [Refs - b4094; b2201; b1850]
- a** *nacrescens* Tite, 1961; Lepidochrysops OD: Entomologist 94:24 [b4673] [TypeL - Angola.] [Refs - b1452; b4400]
- b** *nada* Fruhstorfer, [1912]; Rapala OD: Berl. ent. Z. 56(3/4):259 [b1850] SS: varna (Horsfield), [1829]; Rapala [TypeL - Palawan.] [Refs - b4094; b1850]
- c** *nada* Fruhstorfer, 1914; Logania OD: Z. wiss. Insektbiol. 10(1):24 [b1855] SS: hilaeira Fruhstorfer, 1914; Logania [Type: BMNH-ht; designated by Eliot, 1986] [Bull. Br. Mus. nat. Hist. (Ent.) 53(1):65 [b1571]] [TypeL - Sumatra.] [Refs - b1855; b1840; b1571; b4108]
- b** *nadla* Eliot, 1955; Nacaduba OD: Proc. R. ent. Soc. Lond. (B)24:155 [b1541] SS: subperusia (Snellen), 1896; Nacaduba [Type: BMNH-ht] [TypeL - Nicobar Island.] [Refs - b4676; b1454; b0694]
- a** *nadira* (Moore), 1884; Lycæna OD: J. asiat. Soc. Bengal, Pt II 53(1):24 [b3236] CG: Polyommatus (Paragrodiaetus) [TypeL - Kabul.] [Note - Not spelled nadura.] [Refs - b0993; b0236 (as nadura); b3236; b0205]
- c** *naenia* (Hewitson), [1863], 1863-1878; Myrina OD: Ill. diurn. Lep. Lycænidæ 2:33, 2:pl 13, f 21,22 [b2326] SS: namusa (Hewitson), [1863]; Drupadia [Type: BMNH-ht] [TypeL - [S. Sulawesi], Indonesia.] [Refs - b1030; b2747; b4094]
- b** *naerina* Riley, [1945]; Catochrysops OD: Trans. R. ent. Soc. Lond. 94(2):257 [b3782] SS: strabo (Fabricius), 1793; Catochrysops [Type: BMNH-ht] [TypeL - Siberut Island.] [Refs - b4670; b3782; b4108]
- b** *naevia* Toxopeus, 1929; Nacaduba OD: Tijdschr. Ent. 72(3/4):232 [b4700] SS: sanaya Fruhstorfer, 1916; Nacaduba [TypeL - W. Java.] [Refs - b4676; b0938; b4700; b1454]
- b** *naevlanus* Stichel, 1910; Rhetus OD: Gen. Insectorum 112(A):113 [b4446] SS: periander (Cramer), [1777]; Rhetus [Type: pc-ht; collection of Stichel] [TypeL - Carrillo, Costa Rica.] [Refs - b4474; b2406; b4446]
- e** *ab.naevusnanus* Agenjo, [1967]; Glaucopsyche OD: Eos 42:297 [b0019] SS: alexis (Poda von Neuhaus), 1761; Glaucopsyche [Refs - b0019]
- b** *naga* Tytler, 1940; Dodona OD: J. Bombay nat. Hist. Soc. 42(1):121 [b4774] SS: adonira Hewitson, [1866]; Dodona [TypeL - Naga Hills, Manipur, India.] [Refs - b4774]
- a** *naga* Evans, 1954; Curetis OD: Entomologist 87:243 [b1641] [TypeL - Naga Hills, Manipur, India.] [Refs - b1454; b0694]
- c** *nagana* Röber, 1926; Cheritrella OD: Ent. Mitt. 15:376 [b3835] SS: truncipennis de Nicéville, 1887; Cheritrella [TypeL - Naga Hills, Assam, India.] [Refs - b1016; b3835]
- c** *naganumai* (Kanda), 1934; Lycæna OD: Ageha 3(1):8-9, pl 1 [b2687] SS: teleius (Bergsträsser), [1779]; Maculinea [TypeL - Kurile Island.] [Refs - b1900; b2687]
- a** *nagata* Koiwaya, 1989; Subsolanoides OD: Stud. Chin. Butterflies 1:210, f [b2817] [TypeL - China.] [Type of - Subsolanoides] [Refs - b0123]
- b** *nahlerica* (Eckweiler), 1978; Aricia OD: Note divulg. Ist. Ent. agrar. Univ. Napoli Portici 1(3):115, f [b1465] SS: teberdina (Sheljuzhko), 1934; Plebejus (Aricia) [TypeL - Turkey.] [Refs - b0110]
- b** *nahomia* Takunami, 1985; Deramas OD: Tokurana (Acta Rhopalocera) 8(2):1, f [b4588] SS: kawazoei Hayashi, 1981; Deramas [Type: pc-ht; collection of Fumio Kanzaki, Tokyo.] [TypeL - Mambucal, Mt. Canlaon, Negros, Philippines.] [Refs - b0119; b4588; b4596]
- a** *naiadella* Stichel, 1909; Mesosemia OD: Berl. ent. Z. 54(1/2):13 [b4444] [TypeL - Peru.] [Refs - b4474; b1456]
- a** *naidina* (Butler), [1886]; Catochrysops OD: Proc. zool. Soc. Lond. 1885(4):762, pl 47, f 2 [b0633] CG: Lepidochrysops [Type: BMNH-ht] [TypeL - Somaliland.] [Refs - b4669; b1452; b4400; b0359]
- b** *nairobiensis* E. Sharpe, 1904; Spindasis OD: Entomologist 37:133 [b4160] SS: apelles (Obenbör), 1878; Spindasis [TypeL - Equatorial Africa.] [Refs - b1452 (as full species); b4400]
- d** *nais* (Cramer), [1775], 1775-1790, (H); Papilio OD: Util. Kapellen 1(4):74, pl 47, f D,E [b1069] SS: thysbe (Linnaeus), 1764; Poecilmius [Refs - b4400; b2747]
- e** *nais* (Kirby), 1871, (NN); Lycæna OD: Syn. Cat. diurn. Lep. :653 [b2747] SS: nais (Edwards), 1877; Apodemia [Refs - b0908; x3192; b2753]
- a** *nais* (Edwards), 1877; Chrysophanus OD: Trans. amer. ent. Soc. 5(3/4):291 [b1508] CG: Apodemia [Type: CM-ht; designated by Brown, 1968] [Trans. amer. ent. Soc. 94(4):125 [b0507]] [TypeL - Southern California; Prescott, Arizona; restricted to Prescott, Arizona, by Brown, 1968] [Type of - Polyostigma] [LifeH - Tietz lists b1496, b2429, b2438.] [Refs - b2280; b2988; b4688; b1711; b4475; b3192; b1530 :243, f 345, 475a, 477; b1321 :51; b2753; b2417; b0493; b1743; b4237; b5015; b2419; b4950; b4690; b4066; b4652]
- c** *naisisi* (Anonymous), 1929, (ISS); Epamera OD: Zool. Rec. 65(1928)(Ins.):240 [b0066] SS: naisiü (Riley), 1928; lolaus (Epamera) [Refs - b0066]
- a** *najara* (Fruhstorfer), 1910; Cyaniris OD: Stutt. ent. Ztg 71(2):287 (partim) [b1843] CG: Acytolepis [Type: BMNH-ht] [TypeL - Bua-Kraeng, Sulawesi.] [Refs - b1840; b1580]
- a** *naka* (Field), 1967; Calystryma OD: Proc. U. S. natn. Mus. 123(3611):10, f 4,22; pl 1, f 7; pl 2, f 4 [b1738] CG: Serratoterga [Type: AMNH-ht; Bassler collection.] [TypeL - Upper Rio Marañon, Department of Amazonas, Peru.] [Refs - b1738; b2631; b0125; b2606]
- e** *ab.nakaharai* (Naritomi), 1941; Aphnaeus OD: Ent. World 9(91):618, pl 4, f 4 [b3340] SS: formosanus (Moore), 1877; Spindasis [Refs - b3340]

- e *ab. nakaharai* Naritomi, 1941; Spindasis OD: Zephyrus 9(2):112-116 [b3341] SS: *syama* (Horsfield), [1829]; Spindasis [Refs - b4198]
- b *nakamotol* Hayashi, 1977; Jamides OD: Tyô to Ga 28(4):167, f 3,4 [b2186] SS: *schatzi* (Röber), [1886]; Jamides [Type: OMNH-ht] [TypeL - Mindanao, Philippines.] [Note - Patronym - Mr. Kazuya Nakamoto.] [Refs - b2186]
- c *nakamotol* (Hayashi), 1978; Narathura OD: Tyô to Ga 29(3):164, f 3,4 [b2191] SS: *alexandrae* (Schroder & Treadaway), 1978; Arhopala a [Type: OMNH-ht] [TypeL - Mt. Apo, Mindanao, Philippines.] [Note - Patronym - Mr. Kazuya Nakamoto.] [Refs - b2198; b2191; b1454; b4590]
- a *nakamotol* Hayashi, 1979; Catapaecilma OD: Tyô to Ga 30(1,2):87, f 5,6,11 [b2196] [Type: OMNH-ht] [Note - Patronym - Mr. Kazuya Nakamoto.] [Refs - b1610 (2229-E11); b0111; b2196; b2201]
- b *nakamotol* Detani, 1983; Curetis OD: Iwase (1):26 [b1211] SS: *thetis* (Drury), [1773]; Curetis [TypeL - Indonesia] [Refs - b0117]
- e *ab. nakamurai* (Kanda & Kato), 1931; Lycaena OD: Ins. World 35:375 [b2688] SS: *pryeri* (Murray), 1873; Artopoetes [TypeL - Japan.] [Refs - b1900; b0070]
- b *nakula* (Felder & Felder), 1860; Amblypodia OD: Wien. ent. Monats. 4(12):395 [b1683] SS: *pseudocentaurus* (Doubleday), 1847; Arhopala h [Type: BMNH-ht] [TypeL - Malay Peninsula.] [Refs - b1644; b0965; b2747; b4094; b2200; b2771; b4108]
- a *namaqua* (Trimen), 1874; Aphnaeus OD: Trans. ent. Soc. Lond. 22(3):334, pl 2, f 5,6 [b4721] CG: Spindasis [TypeL - Namaqua Land.] [Refs - b1259; b2753 (as namaquus); b1452]
- a *namoa* de Nicéville, 1894; Neocheritra OD: J. asiat. Soc. Bengal, Pt II 63(1):41, pl 5, f 9 [b1158] [TypeL - Sumatra.] [Refs - b0965; b4094; b1454]
- b *namusa* (Hewitson), [1863], 1863-1878; Myrina OD: Ill. diurn. Lep. Lycaenidae 1:33; 2:pl 13, f 23,24 [b2326] SS: *theda* (Felder & Felder), 1862; Drupadia [TypeL - Macassar, S. Sulawesi, Indonesia.] [Refs - b1030; b2747; b4094; b0105; b2201; b1454]
- a *nana* (Felder & Felder), 1865, 1865-1875; Pseudolycaena OD: Reise Novara (2):250, pl 31, f 21,22 [b1692] CG: Thecla (New World Eumacini) [TypeL - Bogotá, New Granada.] [Refs - b0908; b2747; b3805]
- a *nana* (Leech), [1893], 1893-1894; Timelaea OD: Butts China Japan Corea 246, pl 23, f 8 [b2966] CG: Takashia [TypeL - China] [Type of - Takashia] [Refs - b2966]
- e *nana* Wheeler, 1903; Lycaena OD: Butts Switzerland :17 [b4991] SS: *uryrus* (Poda von Neuhaus), 1761; Lycaena (*Heodes*) [Refs - b0389; b4092; b0471]
- e *ab. nana* (Grund), 1908; Lycaena OD: Int. ent. Z. 2(13):79 [b2080] SS: *icarus* (Fabricius), 1777; *Leucochimona* [Refs - b0236]
- e *ab. nana* (Courvoisier), 1910, (NN); Lycaena OD: Verh. naturf. Ges. Basel 21:163 [b0984] SS: *arion* (Linnaeus), 1758; *Maculinea* [Refs - b0400; b0984; b0471]
- e *ab. nana* (Stephan), 1924; Nemeobius OD: Z. wiss. InsektBiol. 19(1):49 [b4427] SS: *lucina* (Linnaeus), 1758; *Hamearis* [Refs - b4473; b0236]
- e *ab. nana* (Pionneau), 1931; Lycaena OD: Échange 47:8 [b3617] SS: *hylactor* (Bergsträsser), [1779]; *Pseudophilotes* [TypeL - France.] [Refs - b0069]
- e *ab. nana* (Pionneau), 1931; Zephyrus OD: Échange 47:8 [b3617] SS: *quercus* (Linnaeus), 1758; *Quercusia* [TypeL - France.] [Refs - b0069]
- e *nana* Omoto, 1959, (NN); Prosotas OD: Tyô to Ga 10:- [b3508] SS: *dubiosa* (Semper), [1879]; Prosotas [TypeL - Palau Island, Micronesia.] [Note - Omoto attributed the name to Nakamura, 1931, but no such name has been found. Omoto may have taken the name from a catalogue by Kishida and Nakamura, 1936 (Ent. World, 4:242 pp).] [Refs - b3508; b4203]
- a *nanae* Osada, 1994; Deramas OD: Futao (15):6, tf 2, pl 2, f 5-8 [b3522] [Type: pc-ht; collection of E. Tsukada.] [TypeL - Palolo, Palu, C. Sulawesi, Indonesia.] [Refs - b3522]
- a *nancea* Johnson & Eisele & MacPherson, 1988; Calycopis OD: Bull. Allyn Mus. (123):13, f 5E,5F,12D,13A [b2623] [Type: AMNH-ht] [TypeL - Cucho, Jujuy Province, Argentina.] [Refs - b2623; b2606]
- b *nanda* (de Nicéville), 1895; Nacaduba OD: J. Bombay nat. Hist. Soc. 10(1):34, f [b1160] SS: *aiuta* (H. Druce), 1873; Prosotas [TypeL - N.E. Sumatra.] [Refs - b4676; b0964; b0938; b0965; b0938; b4094; b1454]
- a *nandensis* (Neave), 1904; Catochrysops OD: Novit. zool. 11:339, pl 1, f 12 [b3345] CG: Euclychrysops [Type: UMO-ht] [TypeL - British East Africa.] [Refs - b1452; b4400; b0359]
- a *nandiana* (Bethune-Baker), 1906; Catochrysops OD: Ann. Mag. nat. Hist. (7)17:108 [b0338] CG: Eicochrysops [TypeL - Nandi.] [Refs - b1452; b4400; b2560; b3606]
- a *nankoshana* (Shimonoya & Murayama), 1976; Panchala OD: Tyô to Ga 27(2):43, f [b4186] CG: Arhopala o [TypeL - Formosa.] [Refs - b0109; b5053]
- a *nannidion* Burmeister, 1878; Thecla OD: Descr. phys. Rép. Argentine 5(Lép.)(1):231, pl 8, f 10 [b0574] CG: Thecla (New World Eumacini) [TypeL - Corrientes Province, Argentina.] [Refs - b0908]
- a *nannothis* Süchel, 1924; Euselasia OD: Z. wiss. InsektBiol. 19:247 [b4462] [TypeL - Brazil.] [Refs - b4474]
- b *nanshanica* (Forster), 1936; Lycaena OD: Mit. münchn. ent. Ges. 26:84 [b1758] SS: *christophi* (Staudinger), 1874; *Plebejus* (*Lycaeides*) [TypeL - Kansu, China.] [Refs - b0074]
- c *nanus* (Herbst), 1804, 1788-1804; Papilio OD: In Jablonsky, Naturesyst. Ins., Schmett. 11:pl 312, f 1,2 [b2306] SS: *opilete* (Knoch), 1781; *Plebejus* (*Vacciniina*) [Refs - b2747]
- b *napaea* (Grum-Grshimailo), 1891; Lycaena OD: Horae Soc. ent. ross. 25:453 or 458 [b2068] SS: *icarus* (Rouzeburg), 1775; *Polyommatus* [TypeL - Central Asia.] [Note - Also seen with *eros*.] [Refs - b2479; b4092; b1455; b0206]
- a *nara* (Kollar), [1844]; Lycaena OD: In Hügel, Kaschmir 4(2):421 [b2821] CG: *Tanucus* [TypeL - India bor.] [Refs - b1636; b1153; b2747; b0995; b1642; b2794 (=theophrastus), b1454; b0694; b4092; b2388]
- e *nara* d'Abrera, 1986, (ISS); Suboges OD: Butts Oriental Region, Pt 3 :660 [b1454] SS: *mara* Fruhstorfer, [1904]; *Suboges* [Refs - b1454]
- a *narada* (Horsfield), [1828], 1828-1829; Thecla OD: Descr. Cat. lepid. Ins. (1):98, explic. pl 1, f 8; [1829] (2):98 [b2457] CG: *Amblypodia* [TypeL - Java.] [Type of - *Amblypodia*, Horsfieldia] [Refs - b0964; b2280; b1153; b1636; b0965; b2747; b4094; b1454; b0694]
- b *naradoides* Moore, 1879; *Amblypodia* OD: Proc. zool. Soc. Lond. 1879(1):141 [b3231] SS: *anita* Hewitson, 1862; *Amblypodia* [TypeL - Ceylon.] [Refs - b1636; b1153; b4094; b1454; b0694; b3231]
- b *naram* Fruhstorfer, [1914], 1909-1923; *Praetaxila* OD: In Seitz, Grossschmett. Erde 9:795 [b1840] SS: *staura* (Hewitson), [1862]; *Praetaxila* [TypeL - Kapaur, New Guinea.] [Refs - b1450; b1840; b4474]

- a *narbal* (Stoll), [1790], 1780-1790; *Papilio* OD: In Cramer, *Uitl. Kapellen Aanh.*:168, pl 38, f 6,6F [b4478] CG: *Olynythus* [TypeL - Surinam.] [Type of - *Olynythus*] [Refs - b0908; b2280; b3394; b2747; b3818; b2497; b2631; b2918]
- e *narbonensis* (Verity), 1926, 1926-1933, (RA); *Agrinades* OD: Ent. Rec. 38:123 [b4844] SS: conidon (Poda von Neuhaus), 1761; *Polyommatus* (*Lysandra*) [Type: MZS-st] [TypeL - Provence.] [Refs - b2856; b0236; b3059; b0471; b4038]
- a *narcissus* (Fabricius), 1775; *Papilio* OD: Syst. Ent. :524 [b1653] CG: *Hypochrysops* [Type: BMNH-ht; Banks collection.] [TypeL - Nova Hollandia] [Queensland, Australia.] [Refs - b1450; b2747; b2078; b0870; b4934; b3926; b5076; b4788]
- b *narlica* Carbonell, 1991; *Polyommatus* OD: *Linneana Belgica* 13(4):224, f [b0706] SS: *buzulmavi* Carbonell, 1991; *Polyommatus* (*Meleageria*) [TypeL - Turkey.] [Refs - b0125]
- b *narovona* (Grose-Smith), 1897; *Nacaduba* OD: Ann. Mag. nat. Hist. (6)20:518 [b2041] SS: *astarte* (Butler), 1882; *Tartesa* [Type: BMNH-ht] [TypeL - Narovo, Solomon Islands.] [Refs - b4676; b1450; b2388]
- b *narsana* (Alberti), 1973; *Lycaena* OD: *Atalanta* (Münnerstadt) 4(6)(B):383, f [b0037] SS: *daphnis* ((Denis & Schiffermüller)), 1775; *Polyommatus* (*Meleageria*) [TypeL - Shitomir, Ukraine.] [Refs - b0104]
- c *narsares* Fruhstorfer, 1913; *Allotinus* OD: Z. wiss. InsektBiol. 9(12):370 [b1851] SS: *portunus* (de Nicéville), 1894; *Allotinus* (*Fabitaras*) [Type: BMNH-ht; designated by Eliot, 1986] [Bull. Br. Mus. nat. Hist. (Ent.) 53(1):29 [b1571]] [TypeL - Java.] [Refs - b1840; b1571; b3782]
- a *narses* Staudinger, [1888], 1884-1888; *Lasaea* OD: In Exot. Schmetz. 1:257 [b4329] [Type: ZMHU-ht; designated by Clench, [1972]] [J. Res. Lep. 10(2):172 [b0846]] [TypeL - S. America.] [Refs - b1530 :246, f 486; b1321 :50; b4474; b2221 (=agesilas); b1453; b3192; b1055; b1456]
- c *naruenta* (Courvoisier), 1910, 1910-1911; *Lycaena* OD: Ent. Zeit. 24:202 [b0985] SS: *arion* (Linnaeus), 1758; *Maculinea* [TypeL - Naryn, Turkestan.] [Refs - b0236; b0471; b0985; b4225]
- e *ab. naruenta* Courvoisier, 1911, 1910-1911; *Lycaena* OD: Ent. Zeit. 24:262 [b0985] SS: *phlaeas* (Linnaeus), 1761; *Lycaena* (*Lycaena*) [Refs - b0236]
- e *f. naruenta* (Courvoisier), 1913; *Lycaena* OD: Ent. Mit. 2(10):289 [b0989] SS: *argus* (Linnaeus), 1758; *Plebejus* [Refs - b0236, b0989, b0471]
- c *naryna* (Oberthur), 1910; *Polyommatus* OD: Étud. Lép. comp. 4:115, pl 49, f 407 [b3451] SS: *alciphron* (Rottemburg), 1775; *Lycaena* (*Alciphronia*) [Refs - b0236; b0471]
- b *naryoniensis* (Beuret), 1938; *Lycaeides* OD: *Lambillionea* 38:50 [b0376] SS: *arion* (Linnaeus), 1758; *Maculinea*
- b *narzana* (Obraszov), 1936; *Lycaena* OD: *Lambillionea* 36:15 [b3468] SS: *thersites* (Cantener), 1834; *Polyommatus* (*Plebicula*) [Refs - b0074]
- a *nasaka* (Horsfield), [1829], 1828-1829; *Thecla* OD: Descr. Cat. lepid. Ins. (2):91 [b2457] CG: *Sinthusia* [TypeL - Java.] [Type of - *Sinthusia*] [Refs - b1636; b0964; b2280; b0965; b2747; b4094; b0236; b2201; b1454; b0694; b4598]
- b *nasisil* (Riley), 1928; *Epamera* OD: *Novit. zool.* 34:391, pls 10,11, f 26 [b3767] SS: *aphnaeoides* Trimen, 1873; *Iolous* (*Epamera*) [TypeL - Kenya.] [Note - *Not spelled nasisiil or nasisiil.*] [Refs - b1259; b0108; b1452; b4400 (as *nasisiil*); b3767; b0066 (as *nasisiil*)]
- e *nasisiil* Stempffer, 1967, (ISS); *Iolous* OD: Bull. Br. Mus. nat. Hist. (Ent.) Suppl. 10:145 [b4400] SS: *nasisiil* (Riley), 1928; *Iolous* (*Epamera*) [Refs - b4400]
- a *natalensis* (Westwood), [1851], 1846-1852; *Amblypodia* OD: In Gen. dium. Lep. (2):pl 75, f 4 [b4981] CG: *Spindasis* [TypeL - Natal.] [Refs - b1943; b1259; b2747; b1452; b0836; b4400; b3312; b3606; b1235]
- c *natalensis* (Staudinger), [1887], 1884-1888; *Pseudodipsas* OD: In Exot. Schmetz. 1:273; 2:pl 94 [b4329] SS: *sylvanus* (Drury), [1773]; *Anthene* [Refs - b4329]
- a *natalensis* (Trimen), 1887, 1887-1889; *Lycaena* OD: In Trimen & Bowker, S. Afr. Butts 2:77 [b4725] CG: *Azanus* [TypeL - S. Africa.] [Refs - b1943; b4178; b1259; b0995; b1452; b0836; b4400; b3606]
- b *natalensis van Son*, 1959; *Durbania* OD: *Novos Taxa ent.* (16):8, f [b4810] SS: *amakosa* Trimen, 1862; *Durbania* [TypeL - Natal.] [Refs - b1259; b3679; b1452; b4400]
- a *natalensis van Son*, 1966; *Poecilmitis* OD: Ann. Transv. Mus. 25(4):84 [b4812] [TypeL - Howick, Natal, S. Africa.] [Refs - b1259; b1452]
- c *natalensis* Tite & Dickson, 1968; *Aloeides* OD: Bull. Br. Mus. nat. Hist. (Ent.) 21(7):380, pl 5 [b4684] SS: *permingtoni* Tite & Dickson, 1968; *Aloeides* [Type: BMNH-ht] [TypeL - Muden, Natal.] [Refs - b4684; b1259; b1452; b2285]
- c *natalica* Vári, 1976; *Iolous* OD: Ann. Transv. Mus. 30(13):132, f [b4821] SS: *aphnaeoides* Trimen, 1873; *Iolous* (*Epamera*) [TypeL - Hluhluwe, S. Africa.] [Refs - b1259; b0113 (=aphnaeoides); b1452 (=aphnaeoides)]
- c *natanda* Fruhstorfer, 1914; *Arhopala* OD: *Deut. ent. Zeit.* [In] 27(4):160 [b1853] SS: *aecone* (Hewitson), [1863]; *Arhopala* h [Type: BMNH-ht] [TypeL - Fergusson Island.] [Refs - b1644; b1450; b4094 (as *notanda*); b1853]
- b *natini* Takanami, 1987; *Drupadia* OD: Mem. Tsukada Colln (5):32, lf 2, pl 3, f 8, pl 4, f 8 [b4596] SS: *niasica* (Röber), [1886]; *Drupadia* [Type: pc; collection of Takanami.] [TypeL - Mindoro.] [Refs - b4596]
- b *natsumiae* Hayashi, 1976; *Jamides* OD: *Tyô to Ga* 27(4):152, f [b2185] SS: *cyta* (Boisduval), 1832; *Jamides* [TypeL - Palawan, Philippines.]
- a *natsumiae* Hayashi, 1979; *Sinthusia* OD: *Tyô to Ga* 30(1,2):88, f 7,8,12 [b2196] [Type: OMNH-ht] [TypeL - Mt. Apo, Mindanao, Philippines.] [Note - *Patronym - Author's daughter, Natsumi.*] [Refs - b1610 (2229-E11); b0111; b2196; b2201; b1454; b4598]
- b *natsumiae* (Hayashi), 1981; *Narathura* OD: *Tyô to Ga* 32(1,2):76, f 25,26 [b2198] SS: *aronya* (Hewitson), [1869]; *Arhopala* d [Type: NSMT-ht] [TypeL - Philippines.] [Refs - b2198; b2200; b3524; b4104]
- a *natsumiae* Hayashi & Schröder & Treadaway, 1983; *Dacalana* OD: *Senckenbergiana* 63(1/2):47, f 1-3 [b2210] [Type: OMNH-ht] [TypeL - Philippines.] [Refs - b2210; b1454]
- a *natsumiae* Hayashi, 1984; *Horaga* OD: *Iwase* (2):16; pl 1, f 11; pl 2, f 11 [b2199] [TypeL - Philippines] [Refs - b2199; b1454]
- d *natsumiae* Hayashi, 1984, (H); *Arhopala* OD: *Iwase* (2):13, pl 1, f 5, pl 2, f 5 [b2199] OS: *ilocana* Osada & Hashimoto, 1987; *Arhopala* i [TypeL - Ifugao, N. Luzon, Philippines.] [Refs - b2199; b4612; b3524]
- c *natuna* (Fruhstorfer), 1904; *Thamola* OD: *Deut. ent. Zeit.* [In] 17(1):148 [b1819] SS: *marciana* (Hewitson), [1863]; *Thamola* [TypeL - Natuna Island.] [Refs - b4094; b1454; b1819]
- b *natunensis* (Fruhstorfer), [1915], 1909-1923; *Gerydus* OD: In Seitz, *Grossschmetz. Erde* 9:819 [b1840] SS: *biggsii* (Distant), 1884; *Miletus* 3 [Type: RNH-ht] [TypeL - Natuna Islands.] [Refs - b1546; b1840 (as *van Eecke* i.l.)]

- e *naukydes* Fruhstorfer, [1912], (IFS); *Poritia* OD: Berl. ent. Z. 56(3/4):199 [b1850] SS: *erycinoides* (Felder & Felder), 1865; *Poritia* [Type: BMNH-ht] [TypeL - Java.] [Refs - b0965; b4094 (also as naukydes); b1850]
- b *nausiphanes* (Fruhstorfer), 1915; *Lampides* OD: Arch. Naturgesch. (A)81(6):22 [b1865] SS: *aratus* (Stoll), [1781]; *Jamides* [Type: BMNH-ht] [TypeL - Palawan.] [Refs - b4094; b1865; b1454; b3786]
- e *nausithoe* (Bergsträsser), [1779], 1778-1780, (ISS); *Papilio* OD: Nom. Ins. 2:71, pl 43, f 2,3 [b0310] SS: *nausithous* (Bergsträsser), [1779]; *Maculinea* [Refs - b0400]
- a *nausithous* (Bergsträsser), [1779], 1778-1780; *Papilio* OD: Nom. Ins. 2:70, pl 43, f 1-3 [b0310] CG: *Maculinea* [TypeL - Continental Europe west of the Urals.] [Refs - b3059; b2375; b2747; b1780; b2827; ns4648; b0400; b2794; b3061; b2859; ns3052; b4225; b1407; b0211]
- a *nautes* (Cramer), [1779], 1775-1790; *Papilio* OD: Uuil. Kapellen 3(20):70, pl 233, f F,G [b1069] CG: *Mithras* [TypeL - Surinam.] [Type of - *Mithras*] [Refs - b2280; b0908; b2631; b2611]
- e *nautus* Hübner, [1819], 1816-1826, (ISS); *Mithras* OD: Verz. bekannt. Schmett. (5):79, no. 802 [b2484] SS: *nautes* (Cramer), [1779]; *Mithras* [Refs - b0908]
- c *nava* Fruhstorfer, 1914; *Arhopala* OD: Deut. ent. Zeit. [Iris] 28(2):131 [b1859] SS: *abseus* (Hewitson), 1862; *Arhopala* c [TypeL - Borneo.] [Refs - b1644; b4094; b1859; b4108]
- c *nava* Seitz, [1924], 1912-1927; *Jamides* OD: In Seitz, Grossschmett. Erde 9:902 [b4094] SS: *bochus* (Stoll), [1782]; *Jamides* [TypeL - S. India.] [Refs - b1636; b4094; b1865; b0694 (as Felder name)]
- c *navales* Schröder & Treadaway, 1986; *Eliotia* OD: Ent. Zeit. 96(21):312, f 1,2 [b3983] SS: *platani* (Semper), 1887; *Eliotia* [Type: pc-ht; collection of Treadaway.] [TypeL - Mt. Balocauc, Mahaplag, Leyte, Philippinen.] [Refs - b3983; b4104]
- b *navarredondae* (Wyatt), 1952; *Plebejus* OD: Z. wien. ent. Ges. 37:206, pl 26, f A4 [b5047] SS: *morronensis* (Ribbe), 1910; *Plebejus* (*Aricia*) [TypeL - Spain.] [Refs - b3059]
- e *navia* Doubleday, 1847, 1844-1848, (NN); *Limnas* OD: List Spec. lep. Brit. Mus. (2):18 [b1327] [Refs - b4474]
- c *naxus* Hübner, [1819], 1816-1826; *Castalius* OD: Verz. bekannt. Schmett. (5):70 [b2484] SS: *rosimon* (Fabricius), 1775; *Castalius* [Refs - b2747; b2260; b4108]
- b *nazeri* (Larsen), 1974; *Fixsenia* OD: Alexanor 8(7):301, f [b2895] SS: *ledereri* (Boisduval), 1848; *Armenia* [TypeL - Jabal Kasrouan, Lebanon.] [Refs - b0105; b4976; b1455]
- c *nazira* (Moore), 1865; *Polyommatus* OD: Proc. zool. Soc. Lond. 1865(2):504, pl 31, f 4 [b3220] SS: *agesis* (([Denis & Schiffermüller]), 1775; *Plebejus* (*Aricia*) [TypeL - Kunawur.] [Refs - b1636; b1153; b2747; b4094 (+ as nazyra); b1759; b0995; b2479; b0236; b3910; b0694]
- a *ndolae* Stempffer & Bennett, 1958; *Iolaus* OD: Bull. Inst. franç. Afr. Noire 20(A):1313 [b4418] CG: *Iolaus* (*Iolaphilus*) [TypeL - N. Rhodesia.] [Refs - b1943; b1452; b2224; b4400]
- b *neathus* (Fruhstorfer), 1915; *Lampides* OD: Arch. Naturgesch. (A)81(6):15 [b1865] SS: *callistus* (Röber), [1886]; *Jamides* [TypeL - Mindoro, Philippines.] [Refs - b4094; b1865]
- e *neagra* (Brown), 1993, (ISS); *Alesa* OD: Occ. Pap. IUCN Species Survival Comm. (8):151 [b0558] SS: *negra* (Röber), 1931; *Echenais* [Note - See *Rebillard, 1958, for an earlier use of this spelling.*] [Refs - b0558; b3717]
- b *neaira* Fruhstorfer, 1916; *Nacaduba* OD: Zoöl. Meded. 2(2):114 [b1873] SS: *pactolus* (C. Felder), 1860; *Nacaduba* [TypeL - Philippines.] [Refs - b4676; b4094; b1454]
- a *nealces* (Hewitson), [1871], 1852-1877; *Nymphidium* OD: Ill. exot. Butts 4:[79], pl [47], f 32,33 [b2323] CG: *Mycastor* [TypeL - Cayenne.] [Refs - b2753; b4476; b4094; b0677; b1456]
- a *nearcha* (Fruhstorfer), [1917]; *Lycaenopsis* OD: Arch. Naturgesch. (A)82(1):38, pl 1, f 11 [b1880] CG: *Oreolyce* (*Oreolyce*) [Type: BMNH-lt; designated by Eliot & Kawazoe, 1983] [Butts *Lycaenopsis* group :29 [b1580]] [TypeL - Sumatra.] [Refs - b0965; b1580; b1840]
- a *neavel* Eltringham, 1909; *Mimacraea* OD: Ent. mon. Mag. 45:172 [b1583] [TypeL - Cameroons.] [Refs - b4400]
- a *neavel* (H. H. Druce), 1910; *Epamera* OD: Proc. zool. Soc. Lond. 1910(1):371, pl 35, f 4 [b1378] CG: *Iolaus* (*Epamera*) [Type: BMNH-ht] [TypeL - W. Africa.] [Refs - b1452; b4400]
- a *neavel* H. H. Druce, 1912; *Sheffieldia* OD: Ent. mon. Mag. 48:128, pl 9, f 7 [b1380] [TypeL - German East Africa.] [Type of - *Sheffieldia*] [Refs - b2280; b1452; b4400]
- a *neavel* (Joicey & Talbot), 1921; *Pseuderusia* OD: Bull. Hill Mus. 1(1):80, pl 14, f 49,50 [b2655] CG: *Mimeresia* [Type: BMNH-h] [TypeL - W. Semliki River.] [Refs - b1452; b4400; b2655]
- a *neavel* (Bethune-Baker), 1923; *Neochrysops* OD: Trans. ent. Soc. Lond. 70(3/4):307, pl 13, f 8,10; pl 18, f 24; pl 28, f 24 [b0359] CG: *Lepidochrysops* [Type: BMNH-st] [TypeL - Portuguese East Africa.] [Refs - b1943; b1452; b3059; b4400]
- b *neavel* Bethune-Baker, 1926; *Telipna* OD: Ann. Mag. nat. Hist. (9)17:386 [b0362] SS: *citrimaculata* Schultze, 1916; *Telipna* [TypeL - Uganda.] [Refs - b1452; b0362; b4400]
- a *neavel* Bethune-Baker, 1926; *Aphnaeus* OD: Ann. Mag. nat. Hist. (9)17:397 [b0362] [TypeL - Briush E. Africa.] [Refs - b4387; b1452; b4400]
- a *neavel* Riley, 1932; *Abisara* OD: Novit. zool. 37:183 [b3775] [TypeL - Kamerun.] [Refs - b1452]
- a *neavel* Stempffer & Bennett, 1953; *Baliochila* OD: Bull. Br. Mus. nat. Hist. (Ent.) 3:88 [b4415] [TypeL - Nyasaland; Briush C. & E. Africa; Mozambique.] [Refs - b1943; b1259; b1452; b4400]
- e *nebeli* Verity, 1953, (ISS); *Maculinea* OD: Entomologist 86(7):174 [b4865] SS: *rebeli* (Hirschke), 1904; *Maculinea* [Refs - b4865]
- c *nebenius* Fruhstorfer, 1914; *Arhopala* OD: Deut. ent. Zeit. [Iris] 28(2):131 [b1859] SS: *bazalus* (Hewitson), 1862; *Arhopala* g [Type: BMNH-ht] [TypeL - Sumatra.] [Refs - b1644; b4094; b1859]
- a *nebis* (Godart), [1824], 1819-1824; *Polyommatus* OD: In Ency. méth. 9(Ins.)(2):636 [b1970] CG: *Thecla* (New World *Eumacini*) [TypeL - Brazil.] [Refs - b0908; b2747; b1375]
- b *nebrodensis* Ragusa, 1919; *Plebejus* OD: Naturalista sicil. 23(7/12):- [b3687] SS: *eumedon* (Esper), [1780]; *Plebejus* (*Eumedonia*) [Check - Original description pagination.] [Refs - b0107; x0276]
- e *ab. nebulifer* Seitz, [1908], 1907-1921; *Rapala* OD: In Seitz, Grossschmett. Erde 1:259 [b4092] SS: *repercussa* Leach, 1890; *Rapala* [Refs - b4092; b2479]
- a *nebulosa* (Leach), 1890; *Lycaena* OD: Entomologist 23:43 [b2963] CG: *Bothrinia* [TypeL - China.] [Refs - b0995; b1766; b1762; b1840; b2479; b4092]
- a *nebulosa* (H. H. Druce), 1892; *Nacaduba* OD: Proc. zool. Soc. Lond. 1892(3):440, pl 27, f 10,11 [b1359] CG: *Catopyrops* [Type: BMNH-ht] [TypeL - New Hebrides.] [Refs - b4676; b1450; b4094; b4871 (as ssp of keina); b2388]
- b *nebulosus* Sands, 1986; *Hypochrysops* OD: Entomograph 7:85 [b3926] SS: *hippuris* Hewitson, 1874; *Hypochrysops* [Type: ANIC-ht] [TypeL - Iron Range, Queensland, Australia.] [Refs - b3926]

- a **nebadaca** Johnson, 1993; *Gigantoribra* OD: Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (32):31, f [b2614] [Type: AMNH-ht] [TypeL - Pichinal, Salta Prov., Argentina.] [Refs - b2614]
- a **neopina** Johnson & Llorente-Bousquets, 1992; *Cyanophrys* OD: Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (23):12, f [b2630] [Type: AMNH-ht] [TypeL - Catemaco, Veracruz State, Mexico.] [Refs - b0125; b2630]
- b **nedda** (Grose-Smith), 1894; *Cyaniris* OD: Novit. zool. 1:572 [b2037] SS: *philippina* (Semper), 1889; *Celastrina* [Type: BMNH-lt; designated by Eliot & Kawazoé, 1983] [Buts *Lycaenopsis* group 248 [b1580]] [TypeL - Humboldt Bay, New Guinea.] [Refs - b1450; b1542; b1840; b1580]
- a **nedymond** (Stoll), [1780], 1780-1790; *Papilio* OD: In Cramer, *Uitl. Kapellen* 4(25):19, pl 299, f E,F [b4478] CG: *Sithon* [TypeL - Sumatra.] [Type of - *Sithon*] [Refs - b2280; b0965; b0964; b1636; b2747; b4094; b3235; b1454; b0694; b3782]
- a **neemlas** Hewison, [1872], 1852-1877; *Emesis* OD: Ill. exot. Buts 5:[-], pl [36], f 3,4 [b2323] [TypeL - Brazil.] [Refs - b2753; b4475; b1456]
- c **nega** (Herrich-Schäffer), [1853], 1850-1869; *Thecla* OD: *Samm. neuer. aussereurop. Schmett.* 1:[55], pl [-], f 51,52 [b2314] SS: *silas* Fruhstorfer, [1923]; *Castalius* [Refs - b2747]
- c **neglecta** (Edwards), 1862; *Lycaena* OD: Proc. Acad. nat. Sci. Philad. 14(1/2):56 [b1489] SS: *lucia* (Kirby), 1837; *Celastrina* [Type: CM-lt; designated by Brown, 1970] [Trans. amer. ent. Soc. 96:427 [b0510]] [TypeL - Hunter, Greene County, New York. Restricted by Brown, 1970] [Note: *Incorrectly shown as unavailable by Miller & Brown.*] [Refs - b0908; b2747; b1580; b3192; b0400; b1743; b0512; b1321]
- c **neglecta** (Trimen), 1891; *Lycaenesthes* OD: Trans. ent. Soc. Lond. 39(1):175 [b4726] SS: *princeps* (Butler), 1876; *Anthene* [TypeL - Natal.] [Refs - b4400]
- c **neglecta** (Stichel), 1910; *Charis* OD: Berl. ent. Z. 55(1/2):27 [b4445] SS: *chrysus* (Stoll), [1782]; *Sarota* [Type: ZMHU-st] [TypeL - Rio San Juan, Colombia.] [Refs - b4474; b4445; b4445]
- b **neglecta** South, 1913; *Zinaspia* OD: J. Bombay nat. Hist. Soc. 22(3):609 [b4285] SS: *todara* (Moore), [1884]; *Zinaspia* [TypeL - W. China.] [Refs - b0694]
- c **neglecta** (de Sagarra y Castellamau), 1926; *Strymon* OD: *Buttl. Inst. catal. Hist. nat.* (2):6:136 [b1179] SS: *esculi* (Hübner), [1819]; *Satyrion* [TypeL - Spain.] [Refs - b3059; b2985]
- c **neglectamajor** Tuu, 1908, 1905-1914, (IFS); *Celastrina* OD: Nat. Hist. Brit. Buts 2:407 [b4760] SS: *ladon* (Cramer), [1780]; *Celastrina* [TypeL - (Eastern) United States.] [Note - *This may be a good species, a sibling of ladon. The name is not available, as it was described as a summer form.*] [Refs - b0908; b3192; b1580; b3512; b1321; b4760; b4066; b1722]
- c **f. negra** Ribbe, 1910, 1909-1912; *Polyommatus* OD: *Deut. ent. Zeit.* [Iris] 23(1/2):201 [b3741] SS: *albicans* (Gerhard), 1851; *Polyommatus* (*Lysandra*) [Refs - b0236; b0471 (as *nigra*)]
- b **negra** (Röber), 1931; *Alesa* OD: *Int. ent. Z.* 24(37/38):390, f [b3838] SS: *thelephus* (Cramer), [1775]; *Echenais* [Type: MNHN-lt; designated by Lathy, 1932] [Ann. Mag. nat. Hist. (10)9:484 [b2924]] [TypeL - Ypiranga, Brazil.] [Note - *Not spelled neagra. Based on a mixed series.*] [Refs - b3717 (as *neagra*); b3838; b2924; b0558 (as *neagra*)]
- b **negrita** (C. Felder), 1862; *Aphnaeus* OD: *Verh. zool.-bot. Ges. Wien* 12:487 [b1677] SS: *syama* (Horsfield), [1829]; *Spindasis* [Refs - b4094; b2201; b1454]
- b **negrita** Seitz, [1917], 1910-1924; *Riodina* OD: In Seitz, *Grossschmett. Erde* 5:658, pl 132e [b4093] SS: *lysippus* (Linnaeus), 1758; *Riodina* [TypeL - Bolivar, Venezuela.] [Refs - b4474; b4093]
- b **negrosensis** Okano & Okano, 1990; *Dacalana* OD: *Rhopalocera Philippina* (4):4, f 9-12 [b3489] SS: *liaoi* Hayashi & Schröder & Treadaway, 1983; *Dacalana* [Type: pc-ht; collection of Masao Okano.] [TypeL - Mt. Canlaon, Negros Island, Visayan Islands, Philippines.] [Refs - b3489]
- b **negrosensis** Okano & Okano, 1990; *Remelana* OD: *Rhopalocera Philippina* (3):5, pl 4, f 3,4,7,8 [b3488] SS: *davisi* Jumalon, 1975; *Remelana* [Type: pc-ht; collection of Masao Okano.] [TypeL - Mt. Canlaon, Negros Island, Visayan Islands, Philippines.] [Refs - b3488]
- b **negrosensis** Okano & Okano, 1990; *Eliotia* OD: *Rhopalocera Philippina* (3):5, pl 4, f 1,2,5,6 [b3488] SS: *circumdata* (Schröder & Treadaway & Hayashi), 1981; *Eliotia* [Type: pc-ht; collection of Masao Okano.] [TypeL - Mt. Canlaon, Negros Island, Visayan Islands, Philippines.] [Refs - b3488]
- b **negrosiana** (Hayashi), 1981; *Narathura* OD: *Tyô to Ga* 32(1,2):76, f 27,28 [b2198] SS: *staudingeri* Semper, 1890; *Arhopala* g [Type: NSMT-ht] [TypeL - Negros, Philippines.] [Refs - b2198; b2200; b3524]
- c **negrosiana** Murayama, 1983; *Discolampa* OD: *New Ent.* 32(2):40, f 9,19 [b3300] SS: *ulysses* (Staudinger), 1889; *Discolampa* [TypeL - Mt. Canlaon, Negros Island, Philippines.] [Refs - b0426; b1454; b3300; b2388]
- a **negus** (Felder & Felder), 1865, 1865-1875; *Lycaena* OD: *Reise Novara* (2):279, pl 35, f 1,2 [b1692] CG: *Lepidochrysops* [Type: BMNH-ht] [TypeL - Africa.] [Refs - b4400; b2747; b1452; b4400; b0359]
- a **nehalemia** Fruhstorfer, 1914; *Logania* OD: *Z. wiss. Insektbiol.* 10(1):25 [b1855] [Type: BMNH-ht] [TypeL - New Guinea.] [Refs - b1450; b1855; b1840 (Zool. Med. Leyden Mus. 2:134); b1571]
- c **neidhoferi** Shimonoya & Murayama, 1971; *Chrysozephyrus* OD: *Tyô to Ga* 22(1,2):18, f [b4185] SS: *niitakanus* (Kano), 1928; *Chrysozephyrus* [Type: pc-ht; collection of Shimonoya.] [TypeL - Middle Formosa.] [Refs - b0102; b4185; b5053; b3296]
- c **neis** (Walker), 1870; *Lampides* OD: *Entomologist* 5:54 [b4911] SS: *karsandra* (Moore), 1865; *Zizeena* [TypeL - Wady Gennéh, Arabia.] [Refs - b0109; b4911; b2753; b4108]
- a **neis** (Oberthür), 1914; *Zephyrus* OD: *Étud. Lép. comp* 9(2):49, pl 254, f 2141 [b3453] CG: *Teratozephyrus* [Type: BMNH-ht] [TypeL - Tali, Haute Yunnan, China] [Refs - b0996; b0236; b4214; b4200; b3296; b0471; b2463; b1455]
- b **nela** Swinhoe, 1896; *Tajuria* OD: *Ann. Mag. nat. Hist.* (6)17:359 [b4571] SS: *luculenta* (Leech), 1890; *Tajuria* [TypeL - Khasia Hills, E. India.] [Refs - b0964; b1636; b0694]
- a **nelides** (de Nicéville), 1895; *Nacaduba* OD: *J. Bombay nat. Hist. Soc.* 9(3):280, pl O, f 24 [b1159] CG: *Prosoas* [Type: BMNH-ht] [TypeL - N.E. Sumatra.] [Refs - b4676; b0964; b0965; b0938; b1454; b2388]
- b **nellyae** Lamas, 1981; *Pseudolycaena* OD: *Revta peruana Ent.* 23(1):143 [b2880] SS: *marsyas* (Linnaeus), 1758; *Pseudolycaena* [TypeL - Peru.] [Refs - b0114]
- a **nelsoni** (Boisduval), 1869, 1868-1869; *Thecla* OD: *Annls Soc. ent. Belg.* 12:43 [b0468] CG: *Mitoura* [Type: USNM-ht] [LifeH - Tietz lists b0881.] [Refs - b1530 :208, f 395; b1321 :53; b0908; b2583; b2747; b1343; b3192; b1743; b2585; b4066; b4652]

- a *nelvis* Eliot, 1964; *Deramas* OD: Entomologist 97:245 [b1550] [Type: BMNH-ht] [TypeL - Lombong, Johore, Malay Peninsula.] [Refs - b0965; b1550; b1454; b1550]
- b *nemana* Semper, 1887, 1886-1892; *Rapala* OD: In Semper, Reisen Philipp. (2)(5):223 [b4110] SS: manea (Hewitson), [1863]; *Rapala* [TypeL - Mindanao, Philippines.] [Refs - b4094; b1454]
- c *nemana* Fruhstorfer, 1916; *Nacaduba* OD: Zool. Meded. 2(2):134 [b1873] SS: kurava (Moore), [1858]; *Nacaduba* [Type: BMNH-ht] [TypeL - Macromalayana.] [Refs - b4676; b0964; b0965; b0938; b4094; b1454; b0125; b4108]
- a *nemea* (C. Felder), 1860; *Lycaena* OD: Sber. Akad. Wiss. Wien 40(11):455 or 456 [b1676] CG: Jamides [TypeL - Amboina.] [Refs - b2747; b4094; b1865]
- a *nemesis* (Edwards), [1871]; *Charis* OD: Trans. amer. ent. Soc. 3(3/4):212 [b1501] CG: *Calephelis* [Type: CM-ht?] [TypeL - Vicinity of Tucson, Pima County, Arizona. Restricted by Brown, 1968] [LifeH - Tietz lists b0890.] [Refs - b2988; b4688; b1711; b2753; b4474; b3192; b1501; b1321; b4690; b0493; b0411; b4066; b3127; b4652]
- a *nemesis* Rebillard, 1958; *Symmachia* OD: Mém. Mus. natn Hist. nat. (A)15:186, pl 4, f 16 [b3717] [Type: MNHN-ht] [TypeL - Santa Catharina, Brazil.] [Refs - b3717; b0093; b1456]
- a *neomiphila* (Butler), 1876; *Danis* OD: Ann. Mag. nat. Hist. (4)18:245 [b0604] CG: *Jamides* [TypeL - Pt. Moresby, New Guinea.] [Refs - b4671; b1450 (as *neomiphila*); b2753; b4094; b1865; b0870; b2388]
- b *nemoptilète* (Bryk), 1942; *Lycaena* OD: Deut. ent. Zeit. [Iris] 56:19, f [b0567] SS: optilète (Knoch), 1781; *Plebejus* (*Vacciniina*) [TypeL - Kurile Islands.]
- a *nemorensis* Oberthür, 1914; *Rapala* OD: Étud. Léop. comp. 9(2):53, pl 255, f 2150-2151 [b3453] [TypeL - Tatsienlou, Yunnan, China.] [Refs - b0236; b0471]
- c *ab. neoatilia* (Sugitani), 1919; *Zephyrus* OD: Ent. Mag. (Kyoto) 3(3/4):150 [b4537] SS: *atilia* (Bremer), 1861; *Antigius* (Japan.) [Refs - b0070; b4907; b4537]
- c *neodilecta* (Fruhstorfer), [1917]; *Lycaenopsis* OD: Arch. Naturgesch. (A)82(1):15 [b1880] OS: *neodilecta* (Corbet), 1937; *Udara* (*Udara*) [Type: BMNH-ht; designated by Eliot & Kawazoe, 1983] [Butts *Lycaenopsis* group :86 [b1580]] [TypeL - Sumatra.] [Refs - b1580; b1840]
- b *neodilecta* (Corbet), 1937; *Celastrina* OD: Trans. R. ent. Soc. Lond. 86(2):30 [b0934] SS: *dilectus* (Moore), 1879; *Udara* (*Udara*) [Type: BMNH-ht; designated by Eliot & Kawazoe, 1983] [Butts *Lycaenopsis* group :86 [b1580]] [TypeL - Sumatra.] [Refs - b4094; b1580; b2200]
- a *neoximlia* Murayama, 1992; *Satyrium* OD: Konchu to Shizen (Nature & Insects) 27(5):40, f 9,10 [b3304] [TypeL - China.] [Refs - b3304; b1455]
- a *neokoton* H. H. Druce, 1907; *Mimacraea* OD: Trans. ent. Soc. Lond. 55(1):79, pl 2, f 4 [b1373] [TypeL - Rhodesia.] [Refs - b1259; b1452; b4400]
- c *neomeris* Doubleday, 1847, 1844-1848, (NN); *Stalachus* OD: List Spec. lep. Brit. Mus. (2):19 [b1327] [Refs - b4476]
- c *neon* Capronnier, 1874, (NN); *Thecla* OD: Anns Soc. ent. Belg. 17:15 [b0699] [TypeL - Botafogo, Brazil.] [Refs - b0908]
- b *neon* Fruhstorfer, 1916; *Nacaduba* OD: Zool. Meded. 2(2):131 [b1873] SS: *beroe* (Felder & Felder), 1865; *Nacaduba* [Type: BMNH-ht] [TypeL - N.E. Sumatra.] [Refs - b4676; b0964; b0965; b4094; b1454; b4108]
- b *neon* Corbet, 1941; *Arhopala* OD: Proc. R. ent. Soc. Lond. (B)10(9):155 [b0956] SS: *avathina* Corbet, 1941; *Arhopala* b [Type: BMNH-ht] [TypeL - Sumatra.] [Refs - b1644; b0956; b1454]
- a *neonegus* (Bethune-Baker), 1923; *Neochrysops* OD: Trans. ent. Soc. Lond. 70(3/4):337, pl 14, f 8; pl 22, f 45; pl 30, f 45 [b0359] CG: *Lepidochrysops* [Type: BMNH-st] [TypeL - Nairobi District.] [Refs - b1452; b0359; b4400]
- b *neoperplexa* Barnes & Benjamin, 1923; *Callophrys* OD: Contr. nat. Hist. Lep. N. Amer. 5(2):67 [b0241] SS: *sherdanii* (Edwards), 1877; *Callophrys* [Type: USNM-ht] [TypeL - Eureka, Utah.] [Refs - b0908; b3192; b1743; b1321; b2419; b0493; b4690; b2585]
- a *neophron* (Hewitson), [1861], 1852-1877; *Sospita* OD: Ill. exot. Butts 2:[-], pl [46], f 3 [b2323] CG: *Abisara* [TypeL - Mont. Kasiyac.] [Refs - b0964; b1636; b1149; b2988; b0965; b4473; b2747; b1454; b1840]
- b *neophronides* Fruhstorfer, [1914], 1909-1923; *Abisara* OD: In Seitz, Grossschmett. Erde 9:785 [b1840] SS: *neophron* (Hewitson), [1861]; *Abisara* [TypeL - Nepal; Sikkim.] [Refs - b1636; b1840]
- c *neopommerana* Ribbe, 1899; *Deudorix* OD: Deut. ent. Zeit. [Iris] 12:249, pl 4, f 15 [b3738] SS: *woodfordi* H. H. Druce, 1891; *Deudorix* [Type: SMT-ht; designated by Takanami, 1989] [Tyô to Ga 40(1):54 [b4602]] [TypeL - New Britain.] [Refs - b1450; b4094; b4602]
- a *neora* (Hewitson), [1867], 1863-1878; *Thecla* OD: Ill. diurn. Lep. Lycaenidae 1:90; 2-pl 38, f 110 [b2326] CG: *Brangas* [Type: BMNH] [TypeL - Guatemala.] [Refs - b0908; b2988; b2747 (as *nerva*); b3818; b2406; b1975; b3817]
- a *neorcillata* Johnson, 1991; *Cyanodivida* OD: Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (21):26, f [b2606] [Type: MNHN-ht] [TypeL - St. Jean de Maroni, French Guiana.] [Refs - b0125; b2606]
- b *nepalensis* Forster, 1961; *Polyommatus* OD: Veröff. zool. StSamml., Münch. 6:149, f [b1773] SS: *pseuderos* Moore, 1879; *Polyommatus* [TypeL - Nepal.] [Refs - b4180; b3322; b1455; b0205; b0206]
- b *nepalica* (Forster), 1980; *Arletta* OD: *Spixiana* 3(1):6, f 17,18,19,20 [b1779] SS: *vardhana* (Moore), [1875]; *Oreolyce* (*Arletta*) [Type: ZSBS-ht] [TypeL - Nepal.] [Refs - b1610 (6672-E12); b0113; b1580]
- b *nepalica* Eliot, 1987; *Amblopala* OD: Tyô to Ga 38(1):26, f 6,7,13 [b1574] SS: *avidiena* (Hewitson), 1877; *Amblopala* [Type: BMNH-ht] [TypeL - Kathmandu area, Nepal.] [Refs - b1574]
- b *nepete* (Fruhstorfer), 1915; *Lycaena* OD: Soc. ent. 30 68 [b1868] SS: *arion* (Linnaeus), 1758; *Maculinea* [TypeL - Kansu, Central China.] [Refs - b2479; b0236; b0072, b1868, b0471; b4225]
- a *nephohiptamenos* (Brown & Coutsis), 1978; *Agrodiaetus* OD: Ent. Gaz. 29(4):201-213 [b0547] CG: *Polyommatus* (*Agrodiaetus*) [TypeL - Greece.] [Refs - b1610 (5591-F10); b2794; b2859]
- c *nephon* (Westwood), [1852], 1846-1852, (ISS); *Thecla* OD: In Gen. diurn. Lep. (2):486 [b4981] SS: *niphon* (Hubner), [1819]; *Incisalia* [Refs - b0908; b3192]
- c *nepia* (Westwood), [1851], 1846-1852; *Lemonias* OD: In Gen. diurn. Lep. (2):pl 73, f 2 [b4981] SS: *lucianus* (Fabricius), 1793; *Calospila* [Refs - b2747; b4475]
- c *nepia* Godman & Salvin, [1887], 1879-1901; *Thecla* OD: Biol. centr.-amer., Lep. Rhop. 2:16; 3-pl 50, f 19,20 [b1975] SS: *theocius* (Fabricius), 1793; *Thecla* (New World *Eumacini*) [Type: BMNH] [TypeL - Polochic Valley, Guatemala.] [Refs - b0908; b2406; b1975]
- a *nepioides* (Butler), [1867]; *Lemonias* OD: J. linn. Soc. Lond., Zool. 9:217, pl 6, f 12,13 [b0586] CG: *Calospila* [TypeL - Amazon.] [Refs - b2747; b4475; b1456]
- a *nepos* (Fabricius), 1793, 1792-1799; *Hesperia* OD: Ent. syst. 3(1):340 [b1657] CG: *Napaea* [TypeL - India.] [Refs - b2988; b2747; b4474; b5076; b1456]

- a nepticula** Möschler, 1876; *Mesene* OD: Verh. zool.-bot. Ges. Wien 26:307, pl 3, f 7 [b3247] [TypeL - Surinam.] [Refs - b2988; b2753; b4474; b1456; b4446]
- b nerela** Tite, 1966; *Anthene* OD: Bull. Br. Mus. nat. Hist. (Ent.) 18(8):266 [b4679] SS: *paraffinis* (Fruhstorfer), 1916; *Anthene* [Type: BMNH-ht] [TypeL - Guadalcanar, Solomon Islands.] [Refs - b4679; b1450]
- a nerlene** Boisduval, 1836; *Zenitis* OD: Spec. gén. Lépid. 1:pl 22 [=6C], f 6 [b0462] [TypeL - Guinea.] [Type of - *Zenitis*] [Refs - b2280; b2747; b1452; b0836 (as *nerene*); b4400]
- a nerline** (Grose-Smith & Kirby), 1899, 1887-1902; *Thyssonotis* OD: Rhop. exot. 3(50):54, pl 21, f 13,14 [b2049] CG: *Nacaduba* [TypeL - Ron Island, New Guinea.] [Refs - b1450; b2078; b0111; b3835; b2388]
- a nerline** Stichel, 1909; *Mesosamia* OD: Berl. ent. Z. 54(1/2):14 [b4444] [TypeL - Bolivia.] [Refs - b4474; b1456]
- b nerlitos** (Fruhstorfer), 1907; *Amblypodia* OD: Ent. Zeit. 21(24):151 [b1825] SS: *vivama* (Horsfield), [1829]; *Surendra* [TypeL - S. Annam; Chiem-Hoa, Tonkin.] [Refs - b4094; b1454; b1825; b0694]
- a nero** (Grose-Smith & Kirby), 1894, 1887-1902; *Tingra* OD: Rhop. exot. 2(29):119, pl 25, f 10,11 [b2049] CG: *Pentila* [TypeL - Kulu River and Congo District.] [Refs - b1452; b4420; b4400; b0162]
- c nerva** (Kirby), 1871, (ISS); *Thecla* OD: Syn. Cat. dium. Lep. :387 [b2747] SS: *neora* (Hewitson), [1867]; *Brangas* [Refs - b2747]
- a nesaesa** Godman & Salvin, 1889; *Baeotis* OD: Ann. Mag. nat. Hist. (6)3:356 [b1977] [TypeL - Chiriqui.] [Refs - b2988; b4474; b1456]
- a nesimachus** (Oberthür), 1894; *Thestor* OD: Étud. ent. 19:14, pl 2, f 30 [b3435] CG: *Tomares* [TypeL - Syria.] [Refs - b0996 (=nogelii); b0105; b2905; b0293; b4092; b1455]
- a nesophila** (Felder & Felder), 1862; *Phaedra* OD: Wien. ent. Monats. 6(9):289 [b1688] CG: *Curetis* [Type: SMF-ht] [TypeL - Luzon, Philippines.] [Refs - b0936; b2747; b4094; b1454 (with *thetis*)]
- b nesotopus** Stichel, 1910; *Monethe* OD: Gen. Insectorum 112(A):136 [b4446] SS: *albertus* Felder & Felder, 1862; *Monethe* [Type: pc-ht; collection of Stichel] [TypeL - Archidona, Ecuador.] [Refs - b4474; b4446]
- nessus** Corbet, 1939; *Alloünus* OD: Trans. R. ent. Soc. Lond. 89(5):72 [b0944] SS: *permagnus* Fruhstorfer, 1913; *Alloünus* (*Paragerydus*) [Type: BMNH-ht] [TypeL - West Malaysia.] [Refs - b0964; b0965; b1571; b1552; b4108]
- b nestae** (Higgins), 1930; *Lycaena* OD: Entomologist 63:100, pl 2, f 11 (nec 9) [b2365] SS: *alcon* ((Denis & Schiffemüller), 1775; *Maculinea* [Type: BMNH-st] [TypeL - Limone, Piemonte, Italy.] [Refs - b0068; b4247]
- nestli** Hewitson, [1858], 1852-1877; *Mesosemia* OD: Ill. exot. Buts 2:[---], pl [51], f 11,12 [b2323] [TypeL - Cayenne.] [Refs - b2747; b4474; b1456]
- nestos** (Boisduval), 1869, 1868-1869; *Lycaena* OD: Anns Soc. ent. Belg. 12:50 [b0468] SS: *podarce* (Felder & Felder), 1865; *Polyommatus* (*Agnades*) [Type: USNM-ht] [TypeL - Oregon.] [Refs - b0908; b2747; b0993; b0236; b3192; b1321]
- netesca** (Draudt), [1920], 1917-1924; *Thecla* OD: In Seitz, Grossschmett. Erde 5:795, pl 158-a [b1348] CG: *Morphissima* [TypeL - Guiana to South Peru.] [Refs - b0908; b0125; b2606]
- ab. newi** (Rummel), 1929; *Heodes* OD: Bull. Brooklyn ent. Soc. 23(5):268 [b3904] SS: *americana* Harris, 1862; *Lycaena* (*Lycaena*) [Type: AMNH-ht] [TypeL - Hillsdale, New Jersey.] [Note - *Comstock & Huntington give the type locality as Hillside, New Jersey, and place the type in the Newark Museum.*] [Refs - b0908; b3191; b3192; b3797; b1321; b1722]
- a neurapacuna** Bethune-Baker, 1908; *Candalides* OD: Proc. zool. Soc. Lond. 1908(1):121, pl 9, f 10 [b0340] CG: *Candalides* [Type: BMNH-ht] [TypeL - British New Guinea.] [Refs - b4677; b1450; b2078]
- a neurata** Holland, 1895; *Mimacraea* OD: Ent. News 6(5):166 [b2428] [TypeL - Liberia.] [Refs - b1452; b0836; b4400; b2428]
- c neurata** (Tutt), 1906, 1905-1914; *Chrysophanus* OD: Nat. Hist. Brit. Buts 1:431 [b4760] SS: *dispar* ((Haworth)), 1802; *Lycaena* (*Thersamolycaena*) [Refs - b0389]
- a neurodes** Felder & Felder, 1861; *Siseme* OD: Wien. ent. Monats. 5(4):98 [b1684] [TypeL - Amer. mer.] [Refs - b2988; b2747; b4475; b1456]
- a neurona** (Skinner), 1902; *Lycaena* OD: Ent. News 13(1):15 [b4236] CG: *Plebejus* (*Icaricia*) [Type: CM-ht] [TypeL - Doble, San Bernardino County, California.] [LifeH - Tietz lists b0900.] [Refs - b1530 :230, f 440; b1321 :66; b0908; b3325; b3192; b4066; b4652]
- b neva** (Evans), 1957; *Narathura* OD: Bull. Br. Mus. nat. Hist. (Ent.) 5(3):109 [b1644] SS: *wildei* Miskin, 1891; *Arhopala* g [Type: BMNH-ht] [TypeL - Stephansort.] [Refs - b1644; b1450]
- b nevada** Brown, 1975; *Glaucopsyche* OD: Proc. ent. Soc. Wash. 77(4):501, f [b0517] SS: *piaus* (Boisduval), 1852; *Glaucopsyche* [Type: USNM-ht] [TypeL - Bob Scott Campground, Toiyabe National Forest, Lander County, Nevada.] [Refs - b0107; b3192; b0493 (as *navadae*)]
- c nevadae** Fisher, 1981, (ISS); *Glaucopsyche* OD: In Ferris & Brown, Buts Rockies :213 [b1743] SS: *nevada* Brown, 1975; *Glaucopsyche* [Refs - b1743]
- b nevadensis** (Oberthür), 1896; *Lycaena* OD: Étud. ent. 20:pl 4, f 54 [b3436] SS: *idas* (Linnaeus), 1761; *Plebejus* (*Lycaeides*) [TypeL - Sierra Nevada, S. Spain.] [Note - *Kudrna considers this a good species.*] [Refs - b3059; b2856; b3328; b0236; b2859]
- c ab. nevadensis** (Oberthür), 1910; *Polyommatus* OD: Étud. Lépid. comp. 4:114, pl 38, f 248 [b3451] SS: *paupercula* (de Sagarra y Castellarnau), 1924; *Lycaena* (*Alciphronia*) [Refs - b3059; b0996; b0236; b0471]
- d nevadensis** (Oberthür), 1910, (H); *Lycaena* OD: Étud. Lépid. comp. 4:191, f 259,260 [b3451] SS: *argus* (Linnaeus), 1758; *Plebejus* [Refs - b2250; b4425]
- d nevadensis** (Oberthür), 1910, (H); *Lycaena* OD: Étud. Lépid. comp. 4:250; 10:pl ccxci, f 2372,2373 (1915) [b3451] SS: *montensis* (Verity), 1928; *Plebejus* (*Aricia*) [Refs - b3059; b0993; b2856; b0236; b0410; b0270; b0471]
- d nevadensis** (Züllich), 1928, (H); *Lycaena* OD: Z. öst. EntVer 13(8):73, pl 5, f 2,7-10 [b5080] OS: *züllichi* (Hemming), 1933; *Polyommatus* (*Agnades*) [TypeL - Spain.] [Refs - b3059; b2250; b1762; b0236; b0066; b0410; b0471]
- d nevadensis** (Austin), 1984, (H); *Lycaena* OD: J. Res. Lep. 23(1):83, f [b0178] OS: *obscuramaculata* (Austin), [1989]. *Gaeides* [Type: NSM-ht] [TypeL - Jarbidge Canyon, Elko County, Nevada.] [Refs - b0178; x3192; b4066; b0180; b1722; b0124]
- a nevillei** (Bethune-Baker), 1923; *Neochrysops* OD: Trans. ent. Soc. Lond. 70(3/4):340, pl 12, f 9; pl 22, f 47; pl 30, f 47 [b0359] CG: *Lepidochrysops* [Type: BMNH-st] [TypeL - Nope Fountain, S. Rhodesia.] [Refs - b1452; b0359; b4400]
- c newara** (Moore), 1884; *Darasana* OD: J. asiat. Soc. Bengal, Pt II 53(1):42 [b3236] SS: *paramuta* (de Nicéville), [1884]; *Arhopala* j [Type: BMNH-ht] [TypeL - Nepal.] [Refs - b1644; b4094]
- b newcomeri** Clench, 1963; *Callophrys* OD: J. Res. Lep. 2(2):154 [b0832] SS: *shenidanii* (Edwards), 1877; *Callophrys* [Type: CM-ht] [TypeL - Mill Creek, Yakima County, Washington.] [Refs - b0528; b3192; b1743; b4066]

- c *newmanni* (A. Bang-Haas), 1912; *Lysandra* OD: Deut. ent. Zeit. [Iris] 26:105 [b0234] SS: bellargus (Rottemburg), 1775; *Polyommatus* (*Lysandra*) [Refs - b0471]
- a *ngoko* Stempffer, 1962; *Anthea* OD: Bull. Inst. franç. Afr. Noire 24(A):1174, f 70-71 [b4395] [Type: BMNH-ht] [TypeL - Ketta Forest, Ouessou, Congo.] [Refs - b1452; b0836; b4395; b4400]
- a *ngonga* Jackson, 1966; *Alaena* OD: Ann. Mag. nat. Hist. (13)8:527, f [b2565] [TypeL - Kenya.] [Refs - b1452; b4400]
- a *ngura* Kielland, 1987; *Ornipholidotos* OD: *Lambillionea* 87(3/4):43, f [b2736] [TypeL - Tanzania.] [Refs - b0120]
- a *ngura* Kielland, 1987; *Ornipholidotos* OD: *Lambillionea* 87(3/4):43, f [b2736] [TypeL - Tanzania.] [Refs - b0120]
- a *nguru* Kielland, 1985; *Uranotauma* OD: *Lambillionea* 84(9-10):77, f 9-11 [b2733] [Type: BMNH-ht] [TypeL - Tanzania.] [Refs - b0119; b2733]
- b *nguru* Kielland, 1986; *Mimacraea* OD: *Lambillionea* 86(11/12):148, f [b2735] SS: *gelinia* (Oberthür), 1893; *Mimacraea* [TypeL - Tanzania]
- a *nguru* Kielland, 1986; *Baliocbila* OD: *Lambillionea* 86(11/12):141, f [b2735] [TypeL - Tanzania.] [Refs - b0120]
- b *ni* (de Nicéville), 1902; *Nacaduba* OD: J. Bombay nat. Hist. Soc. 14(2):247, pl FF, f 8 [b1168] SS: *gracilis* (Röber), [1886]; *Prosotas* [TypeL - N.E. Sumatra.] [Refs - b4676; b0964; b1636; b0965; b0938; b4094; b1454; b0694]
- b *niasana* (Fruhstorfer), 1899; *Catapoecilma* OD: Berl. ent. Z. 44(1-2):157 [b1811] SS: *elegans* (H. Druce), 1873; *Catapoecilma* [TypeL - Insel Nias.] [Refs - b4094; b1454; b1861; b1811; b1850]
- b *niasana* Fruhstorfer, [1904]; *Abisara* OD: Berl. ent. Z. 48(4):288 [b1817] SS: *geza* Fruhstorfer, [1904]; *Abisara* [Type: BMNH] [Refs - b0294; b4473; b1454; b1840]
- b *niasanus* (Swinhoe), 1910, 1909-1913; *Castalius* OD: In Moore, Lep. Ind. 7:249 [b4575] SS: *ethion* (Westwood), [1851]; *Discolampa* [TypeL - Nias.] [Refs - b1840; b1454; b3782]
- a *niasica* (Röber), [1886]; *Sithon* OD: CorrespBl. ent. Ver. Iris 1(3):68, pl 5, f 20 [b3820] CG: *Drupadia* [Type: SMT-ht; designated by Takanami, 1989] [Tyô to Ga 40(1):52 [b4602]] [TypeL - Nias Island, Indonesia.] [Refs - b1030; b0965; b4094; b0105; b2197; b1009; b2199; b2201; b1454; b4602]
- e *niasica* (Staudinger), 1889, (IOS); *Sithon* OD: Deut. ent. Zeit. [Iris] 2(1):109,164 [b4332] SS: *niasicola* (Staudinger), 1889; *Drupadia* [Refs - b1030; b4602]
- b *niasica* Fruhstorfer, 1900; *Curetus* OD: Berl. ent. Z. 45(1):28 [b1815] SS: *sperthus* (Felder & Felder), 1865; *Curetus* [Type: BMNH-ht] [TypeL - Nias.] [Refs - b1454; b4094; b0936; b3782]
- b *niasica* *Toxopeus*, 1927; *Nacaduba* OD: *Treubia* 9(4):426 [b4696] SS: *kurava* (Moore), [1858]; *Nacaduba* [TypeL - Nias.] [Refs - b4676; b0938; b1454]
- c *niasicola* (Staudinger), 1889; *Sithon* OD: Deut. ent. Zeit. [Iris] 2(1):109,164 [b4332] SS: *caesarea* Weymer, 1887; *Drupadia* [Type: ZMHU-ht; designated by Takanami, 1989] [Tyô to Ga 40(1):30 [b4602]] [TypeL - Palawan.] [Refs - b1030; b4094; b4602]
- b *niasicola* Fruhstorfer, [1912]; *Sinthusa* OD: Berl. ent. Z. 56(3/4):229 [b1850] SS: *malika* (Horsfield), [1829]; *Sinthusa* [TypeL - Nias.] [Refs - b4094; b1850; b1454]
- b *niasicus* (Fruhstorfer), 1913; *Gerydus* OD: Z. wiss. Insektbiol. 9(10):307 [b1851] SS: *biggsii* (Distant), 1884; *Mileus* 3 [TypeL - Malay Archipelago.] [Refs - b1546; b1840]
- b *niasina* Fruhstorfer, [1899]; *Simiskina* OD: Stutt. ent. Ztg 59(9/10):266 [b1810] SS: *phalena* (Hewitson), 1874; *Simiskina* [TypeL - Nias.] [Refs - b4094; b2200; b1850; b1454; b0950]
- c *nicaeensis* Dujardin, 1945; *Polyommatus* OD: Revue fr. Lép. 10:123 [b1413] SS: *coridon* (Poda von Neuhaus), 1761; *Polyommatus* (*Lysandra*) [TypeL - France.] [Refs - b0082; b1413; b4038; b1417]
- a *nicaeus* (Fabricius), 1775; *Papilio* OD: Syst. Ent. :482 [b1653] CG: *Eurybia* [TypeL - India", but really Guiana, Amazon.] [Type of - *Eurybia* Hoffmannsegg, *Eurybia* Hübner"] [Refs - b2988; b2280; b2747; b4474; b5076; b1456]
- c *nicaste* (Herrich-Schäffer), [1853], 1850-1869; *Nymphidium* OD: Samml. neuer. aussereurop. Schmett. 1:[55], pl [-], f 47,48 [b2314] SS: *lucius* (Fabricius), 1793; *Metacharis* [Refs - b2747; b4474]
- a *nicephora* Hulstaert, 1924; *Deudorix* OD: Revue zool. afr. 12(2):173 [b2496] CG: *Deudorix* (*Virachola*) [TypeL - Elizabethville, Katanga.] [Refs - b3796; b1452; b2496; b4400; b1942]
- c *niceratus* Fruhstorfer, 1913; *Allotinus* OD: Z. wiss. Insektbiol. 9(12):368 [b1851] SS: *posidion* Fruhstorfer, 1913; *Allotinus* (*Paragerydus*) [Type: BMNH-ht; designated by Eliot, 1986] [Bull. Br. Mus. nat. Hist. (Ent.) 53(1):49 [b1571]] [TypeL - Sumbawa.] [Refs - b1571; b1840; b4604 (as a good subspecies)]
- a *nicetus* (Felder & Felder), 1865, 1865-1875; *Thecla* OD: Reise Novara (2):263, pl 32, f 23 [b1692] CG: *Lamprospilus* [Type: BMNH-ht] [TypeL - Venezuela.] [Refs - b0908; b2747; b2923]
- b *nicevillei* (Doherty), 1889; *Biduanda* OD: J. asiat. Soc. Bengal, Pt II 58(4):425, pl 23, f 16 [b1301] SS: *estella* (Hewitson), [1863]; *Drupadia* [TypeL - Lower Tenasserim, Burma.] [Refs - b1030; b1636; b1153; b4094; b0105; b1454; b0694]
- a *nicevillei* (Leech), [1893], 1893-1894; *Satsuma* OD: Butts China Japan Corea :355, pl 30, f 9 [b2966] CG: *Ahlbergia* [Type: BMNH-ht; designated by Johnson, 1992] [Neue Ent. Nachr. 29:54 [b2609]] [TypeL - Chang-yang, Hupeh Province, China.] [Refs - b2988; b0995; b2479; b4092; b1950; b2585]
- c *nicevillei* (Röber), 1895; *Taxila* OD: Ent. Nachr. 21:149 [b3824] SS: *orphna* (Boisduval), 1836; *Paralaxita* [TypeL - Borneo.] [Refs - b4474; b1840; b3528]
- b *nicevillei* Dohm, 1899; *Dodona* OD: Stutt. ent. Ztg 60:245, pl 1, f 1 [b1305] SS: *fruhstorferi* Röber, 1897; *Dodona* [TypeL - Sumatra.] [Refs - b4473; b1454; b1840]
- b *nicevillei* Butler, 1901; *Iraota* OD: Ann. Mag. nat. Hist. (7)7:291 [b0660] SS: *timoleon* (Stoll), [1783]; *Iraota* [TypeL - Ceylon.] [Refs - b1636; b1454; b0694]
- a *nicevillei* Bethune-Baker, 1903; *Arhopala* OD: Trans. zool. Soc. Lond. 17(1):73, pl 2, f 3 [b0331] CG: *Arhopala* f [Type: BMNH-ht] [TypeL - N.E. Bengal.] [Refs - b1644; b1556; b4094 (EMM 39:73); b1454]
- b *nicevillei* Swinhoe, 1911, 1909-1913; *Rapala* OD: In Moore, Lep. Ind. 9:49, pl 716, f 1 [b4575] SS: *elcia* (Hewitson), [1863]; *Rapala* [TypeL - Assam.] [Refs - b1636; b4094; b0694]
- b *nicevillei* Evans, 1925; *Jamides* OD: J. Bombay nat. Hist. Soc. 30(3):614 [b1633] SS: *celeno* (Cramer), [1775]; *Jamides* [TypeL - Great Nicobar Island.] [Refs - b1636; b0694; b1633]
- c *nicevillei* (Tytler), 1926; *Virachola* OD: J. Bombay nat. Hist. Soc. 31(3):589 [b4773] SS: *maseas* Fruhstorfer, [1912]; *Deudorix* (*Virachola*) [TypeL - Andamans.] [Refs - b0694]
- b *nicevillei* *Toxopeus*, 1930; *Catopyrops* OD: De soorte als Funcie :147 [b4702] SS: *ancyra* (C. Felder), 1860; *Catopyrops* [TypeL - Dutch E. Indies.] [Refs - b4676; b0938; b4702; b1454]
- b *nicholli* (Elwes), 1901; *Lycaena* OD: In Trans. ent. Soc. Lond. 49(1):96 [b1596] SS: *pylaon* (Fischer von Waldheim), 1832; *Plebejus* (*Plebejides*) [Type: BMNH-ht] [TypeL - Baalbek, Lebanon.] [Refs - b2905; x0276; b0410; b1596; b4092; b2860]

- a *nicholsi* Moulton, [1912]; *Allotinus* OD: J. Straits Brch. R. asiat. Soc. 60:83 [b3259] [Type: BMNH-ht] [TypeL - Sarawak, Borneo.] [Refs - b0965; b1840; b1571; b1552; b4108]
- a *nicla* Hübner, [1819], 1816-1826; *Hyphilaria* OD: Verz. bekannt. Schmett. (2):26, no. 203 [b2484] [Type: biblio; based on *nicias* Stoll, [1790]] [Type of - *Hyphilaria*] [Refs - b2280; b1456]
- c *niclades* (Boisduval), 1870; *Baeotis* OD: Consid. Lép. Guatemala :22 [b0469] SS: hedemanni (R. Felder), 1869; *Symphachia* [TypeL - Guatemala.] [Refs - b2747; b4474]
- d *nicias* (Stoll), [1790], 1780-1790, (H); *Papilio* OD: In Cramer, Utl. Kapellen Aanh.:60, pl 13, f 3 [b4478] OS: *nicia* Hübner, [1819]; *Hyphilaria* [TypeL - Surinam, Amazon.] [Refs - b2988; b2747; b4474; b2280; b1456]
- a *nicias* (Meigen), 1829, 1827-1832; *Polyommatus* OD: Syst. Besch. Europ. Schmett. 2(1):10, pl 45, f 3A,B [b3146] CG: *Plebejus* (*Pseudoaricia*) [Type of - *Pseudoaricia*] [Refs - b2280; b2375; b3059; b2747; b0993; b1780; b2827; b0236; b0410; b2300; b2794; b2859 (in *Aricia*); b0471; ns0287]
- c *niclas* Fruhstorfer, 1917; *Poritia* OD: Soc. ent. 32(10):39 [b1878] SS: *philita* Hewitson, 1874; *Poritia* [Type: BMNH-ht] [TypeL - North Borneo.] [Refs - b1878; b1543; b4108]
- b *nicobarica* Swinhoe, 1890; *Curetis* OD: Ann. Mag. nat. Hist. (6):451 [b4568] SS: *saronis* Moore, 1877; *Curetis* [TypeL - Nicobar Islands.] [Refs - b1636; b1454 (with *theis*); b1573; b0694]
- b *nicobarica* Evans, 1925; *Hypolycaena* OD: J. Bombay nat. Hist. Soc. 30(4):769 [b1634] SS: *thecloides* (Felder & Felder), 1860; *Hypolycaena* [TypeL - Nicobar Islands.] [Refs - b1636; b0694]
- d *nicobarica* *Toxopeus*, 1927, (H); *Nacaduba* OD: Treubia 9(4):425 [b4696] OS: *sambalanga* Tite, 1963; *Nacaduba* [TypeL - Nicobar Islands.] [Refs - b0694; b4676]
- b *nicobarica* Evans, 1932; *Loxura* OD: Ident. Indian Butts (2nd ed.) :274 [b1638] SS: *atymnus* (Stoll), [1780]; *Loxura* [TypeL - Car, Nicobar Islands.] [Refs - b1638; b1454; b0694]
- b *nicobaricus* Wood-Mason & de Nicéville, 1881; *Nacaduba* OD: J. asiat. Soc. Bengal, Pt II 50(4):234 [b5031] SS: *berenicé* (Herrich-Schäffer), 1869; *Nacaduba* [TypeL - Katschal Island, Nicobar Islands.] [Refs - b4676; b1636; b1153; b1454; b4094; b0694]
- b *nicobaricus* de Nicéville, 1890; *Jamides* OD: Butts India Burmah Ceylon 3:158 [b1153] SS: *bochus* (Stoll), [1782]; *Jamides* [TypeL - Nicobar Islands.] [Refs - b1636; b1153; b4094; b1865; b1454, b0694]
- c *nicola* (Swinhoe), 1885; *Catochrysops* OD: Proc. zool. Soc. Lond. 1885(1):132 [b4565] SS: *pandava* (Horsfield), [1829]; *Chilades* [TypeL - India.] [Refs - b1636; b4094; b0995; b0236 (as *ab.*); b0694]
- a *nicolay* Field, 1967; *Calycopis* OD: Proc. U. S. natn. Mus. 119(3552):8 [b1737] [Type: USNM-ht; #34897] [TypeL - João Pessoa, State of Paraíba, Brazil.] [Refs - b1737; b2606]
- a *nicolay* Johnson & Eisele & MacPherson, 1990; *Strymon* OD: Bull. Allyn Mus. (130):23, f [b2624] [Type: AME-ht] [TypeL - Pichanal, Argentina.] [Refs - b2624]
- c *nicon* Godart, [1824], 1819-1824; *Hyphilaria* OD: In Ency. méth. 9(Ins.)2:588 [b1970] SS: *nicia* Hübner, [1819]; *Hyphilaria* [Refs - b2747; b4474]
- c *niconia* (C. Felder), 1860; *Lycæna* OD: Sber. Akad. Wiss. Wien 40(11):458 [b1676] SS: *perusia* (C. Felder), 1860; *Nacaduba* [Type: BMNH-ht] [TypeL - Amboina.] [Refs - b4676; b1450; b2747]
- a *nlebhri* Larsen, 1982; *Cacyreus* OD: Biologiske Skrifter 23(3):43, pl 1,2 - f 6 [b2898] [Type: BMNH-ht] [TypeL - Yemen.] [Note - *Near ethiopicus* Tite, 1961.] [Refs - b0115; b2898; b2899]
- a *nlepetti* Joicey & Talbot, 1922; *Deudorix* OD: Bull. Hill Mus. 1(2):354 [b2658] [Type: BMNH-ht] [TypeL - New Ireland.] [Refs - b1450; b2658]
- b *nlepetti* Strand, 1922; *Liphyra* OD: Arch. Naturgesch. (A)88(12):170 [b4526] SS: *brassolis* Westwood, [1864]; *Liphyra* [TypeL - Key.] [Refs - b4528]
- c *ab. niesiolowskii* (Prüffer), 1922; *Lycæna* OD: Annl. zool. fysyogr. 57:78 [b3656] SS: *bellargus* (Rottemburg), 1775; *Polyommatus* (*Lysandra*) [TypeL - Poland.] [Refs - b0236 (+ as *niesiolowskii*); b0064]
- c *niesiolowskii* (Prüffer), 1923; *Lycæna* OD: Spraw. Kom. fizyogr. 57:78 [b3656] SS: *bellargus* (Rottemburg), 1775; *Polyommatus* (*Lysandra*) [Refs - b0471]
- b *nieuwenhulsi* Eliot & Kawazoé, 1983; *Udara* OD: Butts *Lycænopis* group :125, f 298-299, 314-315 [b1580] SS: *toxopeusi* (Corbet), 1937; *Udara* (*Udara*) [Type: BMNH-ht] [TypeL - Slopes of Mt Korintji, west-central Sumatra.] [Refs - b1580; b2200]
- c ♂ *f. nig* (Strecke), 1878, (IFS); *Lycæna* OD: Butts Moths N. Amer., Comp. Syn. Cat. :95 [b4532] SS: *nigra* (Forbes), 1960; *Celastrina* [TypeL - Virginia.] [Refs - b0908; b3192; b1580; b1321; b4070]
- c *nigella* Fruhstorfer, [1912], (NN); *Tajuria* OD: Berl. ent. Z. 56(3/4):211 [b1850] SS: *maculata* (Hewitson), [1865]; *Tajuria* [TypeL - Borneo.] [Refs - b4094; b1850; b4108]
- a *nigeriae* (E. Sharpe), 1902; *Euchrysops* OD: Entomologist 35:102 [b4158] CG: *Chilades* [TypeL - Nigeria.] [Refs - b4400]
- a *nigeriae* (Aurivillius), 1905; *Lycænesthes* OD: Ark. Zool. 2(12):16, pl 3, f 4 [b0160] CG: *Triclema* [TypeL - W. Africa.] [Refs - b1943; b1259; b1452; b4400; b2560; b4436]
- a *nigeriae* Stempffer, 1957; *Lepidochrysops* OD: Bull. Inst. franc. Afr. Noire 19(A):222, f [b4390] [TypeL - Nigeria.] [Refs - b1452; b4400]
- c *nigeriae* Jackson, 1962; *Epitola* OD: Bull. Br. Mus. nat. Hist. (Ent.) 12(3):145 [b2562] SS: *ghesquierei* Roche, 1954; *Epitola* [TypeL - Nigeria.] [Refs - b2564; b4400]
- a *nigeriae* Stempffer, 1964; *Omipholidotos* OD: Bull. Inst. franc. Afr. Noire 26(A):1230 [b4397] [TypeL - Nigeria.] [Refs - b1452; b4400]
- a *nigeriana* Stempffer & Bennett, 1961; *Penüla* OD: Bull. Inst. franc. Afr. Noire 23(A):1158, f 75-79 [b4420] [Type: BMNH-ht] [TypeL - Reddik, Afikpo, Ogoja, Nigeria.] [Refs - b2907; b1452; b4420; b4400]
- a *nigeriana* (Stempffer), 1962; *Pseuderisia* OD: Bull. Inst. franc. Afr. Noire 24(A):1139 [b4395] CG: *Eresiomera* [Type: BMNH-ht] [TypeL - Mamu Forest, Awaka, Oruisha, Nigeria.] [Refs - b1452; b4395; b4400]
- a *nigeriana* Stempffer, 1964; *Iridana* OD: Bull. Inst. franc. Afr. Noire 26(A):1247 [b4397] [TypeL - Nigeria.] [Refs - b1452, b4400]
- a *nigeriana* Stempffer & Bennett, 1965; *Micropentila* OD: Bull. Br. Mus. nat. Hist. (Ent.) 15(11):417 [b4422] [TypeL - Nigeria.] [Refs - b1452; b4400]
- b *nigeriensis* Jackson, 1962; *Hewitsonia* OD: Bull. Br. Mus. nat. Hist. (Ent.) 12(3):160 [b2562] SS: *boisduvalii* (Hewitson), [1869]; *Hewitsonia* [TypeL - Nigeria.] [Refs - b1452; b0836; b4400]
- b *nigerrima* Corbet, 1948; *Jacoona* OD: Proc. R. ent. Soc. Lond. (B)17(7/8):96 [b0963] SS: *anasuja* (Felder & Felder), 1865; *Jacoona* [Type: BMNH-ht] [TypeL - Karen Hills, Burma.] [Refs - b1454; b0694; b0963]

- a *nigerrimus* (Moulton), [1912]; *Lycaenopsis* OD: J. Straits Brch. R. asiat. Soc. 60:96 [b3259] CG: Cebrella (Chelakina) [Type: BMNH-ht] [TypeL - Sarawak, Borneo.] [Refs - b0965; b1840; b1580; b4108]
- c *nigra* (Gerhard), 1882; *Lycaena* OD: Berl. ent. Z. 26:126 [b1929] SS: orion (Pallas), 1771; Scolitantides [Refs - b3059; b0993; b0400; b4092; b1929]
- e *nigra* (Edwards), 1884, 1868-1897, (IFS); *Lycaena* OD: Butts N. Amer. 2:315, pl 50, f 7 [b1496] SS: *nigra* (Forbes), 1960; *Celastrina* [Type: CM-ht; designated by Clench, 1970] [In Trans. amer. ent. Soc. 96:425 [b0844]] [TypeL - Kanawha River, West Virginia.] [Refs - b0908; b3192; b1580; b1321; b1496; b4066; b4070]
- e *ab. nigra* (Cockerell), 1889; *Lycaena* OD: Entomologist 22:5 [b0864] SS: *bellargus* (Rottemburg), 1775; *Polyommatus* (*Lysandra*) [Refs - b0236; b0864; b0471]
- b *nigra* (Miskin), 1890, (H); *Lycaena* OD: Proc. linn. Soc. N. S. Wales (2)5(1):36 [b3212] SS: *strongyle* (C. Felder), 1860; *Megisba* [Type: QM-ht] [TypeL - Cardwell, Australia.] [Check - Homonym in need of a replacement.] [Refs - b4947; b1580; b1840; b0870; b4934; b2646]
- a *nigra* Holland, 1892; *Pseudaletia* OD: Ann. Mag. nat. Hist. (6)10:286 [b2425] [TypeL - W. Africa.] [Refs - b1452; b4400]
- e *ab. nigra* (Favre), 1897; *Polyommatus* OD: In Mitt. schweiz. ent. Ges. 10(1):36 [b1668] SS: *hippochoe* (Linnaeus), 1761; *Palaeochrysophanus* [Refs - b0389; b1668; b4092]
- a *nigra* Bethune-Baker, 1903; *Epitola* OD: Ann. Mag. nat. Hist. (7)12:331 [b0328] [TypeL - W. Africa.] [Refs - b3842; b1452; b0836; b4400]
- c *nigra* Wheeler, 1903, (IFS); *Maculinea* OD: Butts Switzerland :21 [b4991] SS: *alcon* ((Denis & Schiffmüller), 1775; *Maculinea* [Refs - b0993; b0400; b4092]
- b *nigra* Cator, 1904; *Pseuderesia* OD: Ann. Mag. nat. Hist. (7)13:74 [b0729] SS: *eleaza* (Hewitson), [1873]; *Pseuderesia* [TypeL - Sierra Leone.] [Refs - b0729; b1452; b0836; b4400; b4625]
- b *nigra* Suffert, 1904; *Telipna* OD: Deut. ent. Zeit. [Iris] 17:42 [b4535] SS: *acraea* (Westwood), [1851]; *Telipna* [Refs - b1784 :270; b4400]
- e *ab. nigra* (Courvoisier), 1910; *Lycaena* OD: Verh. naturf. Ges. Basel 21:163 [b0984] SS: *alexis* (Poda von Neuhaus), 1761; *Glaucopsyche* [Refs - b0236; b0400; b0984; b0471]
- c *nigra* Fruhstorfer, [1912]; *Poritia* OD: Berl. ent. Z. 56(3/4):199 [b1850] SS: *erycinoides* (Felder & Felder), 1865; *Poritia* [Type: BMNH-ht] [Refs - b0965; b0950]
- a *nigra* Bethune-Baker, 1914; *Hypolycaena* OD: In Trans. ent. Soc. Lond. 61(3):502 [b0349] [TypeL - Lagos.] [Refs - b1452; b0836; b0349; b4400; b2887]
- c *nigra* Bethune-Baker, 1918; *Tarucus* OD: Trans. ent. Soc. Lond. 65(2/4):278 [b0356] SS: *balkanicus* (Freyer), 1844; *Tarucus* [TypeL - Cutch & Karach.] [Refs - b1636; b1642; b0694]
- e *nigra* Riley, 1919, (IFS); *Helicopsis* OD: Entomologist 52:186 [b3744] SS: *cupido* (Linnaeus), 1758; *Helicopsis* [TypeL - Brazil.] [Refs - b4474]
- e *ab. nigra* Kaye, [1925]; *Alesa* OD: Trans. ent. Soc. Lond. 72(3/4):415 [b2713] SS: *prema* (Godart), [1824]; *Alesa* [TypeL - Trinidad.] [Refs - b4474]
- b *nigra* (Lathy), 1926; *Thecla* OD: Ann. Mag. nat. Hist. (9)17:46 [b2918] SS: *eurytulus* (Hübner), [1819]; *Strymon* [Type: MNHN-ht; Fournier collection.] [TypeL - Tucuman, Argentina.] [Refs - b0908; b0907; b2221; b2591; b2918; b2592; b2624]
- e ♀ *f. nigra* (Hannemann), 1929; *Lycaena* OD: Int. ent. Z. 23(11):153 [b2133] SS: *hylactor* (Bergsträsser), [1779]; *Pseudophilotes* [TypeL - Germany.] [Refs - b0236; b0067; b0400; b0471]
- a *nigra* (Forbes), 1960; *Plebeius* OD: Lep. New York Part IV :127 [b1754] CG: *Celastrina* [TypeL - West Virginia and western Pennsylvania.] [Refs - b4070]
- e *ab. nigra* Vasile, 1980; *Plebeius* OD: Bull. Soc. ent. Mulhouse 1980:52 [b4825] SS: *sephyrus* (Frivaldszky von Frivald), 1835; *Plebeius* (*Plebejides*) [Refs - b0113]
- c *nigrapex* (Seitz), [1917], 1910-1924; *Lymnas* OD: In Seitz, Grossschmett. Erde 5:660, pl 131d [b4093] SS: *cretiplaga* (Stichel), 1910; *Melanis* [TypeL - Paraguay.] [Refs - b4474; b2221 (as *nigrapex*); b4093]
- a *nigrasarotina* Johnson, 1992; *Rhamma* OD: Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (22):138, f [b2611] [Type: BMNH-ht] [TypeL - Carabaya, Limbani, Peru.] [Refs - b0125; b2611]
- a *nigrella* Bates, [1868]; *Metacharis* OD: J. linn. Soc. Lond., Zool. 9:396 [b0267] [TypeL - Tapajos.] [Refs - b2988; b2747; b4474; b1456]
- a *nigrescens* Dubois, 1868; *Lycaena* OD: Archs Cosmol. 1868:259, pl 12, f 1,2 [b1400] [TypeL - Luchon.] [Note - Luchuan, China?] [Refs - b2747]
- a *nigrescens* Mengel, 1899; *Siseme* OD: Ent. News 10(6):168 [b3153] [TypeL - Tolima, Neiva, Colombia.] [Note - Not mentioned by Stichel.] [Refs - b3153; b1456]
- d *nigrescens* (Fletcher), [1904], (H); *Lycaena* OD: Trans. R. Soc. Can. 9(4):213 [b1749] SS: *ladon* (Cramer), [1780]; *Celastrina* [Type: USNM-ht] [TypeL - Kaslo, British Columbia.] [Refs - b0908; b3192; b0856; b1321]
- e *nigrescens* (Tutt), 1906, 1905-1914; *Chrysophanus* OD: Nat. Hist. Brit. Butts 1:431 [b4760] SS: *dispar* ((Haworth)), 1802; *Lycaena* (*Thersamolycaena*) [Refs - b0389]
- e *ab. nigrescens* Tutt, 1908, 1905-1914; *Everes* OD: Nat. Hist. Brit. Butts 3:55 [b4760] SS: *argiades* (Pallas), 1771; *Everes* [Refs - b0236; b0400; b0471]
- e *ab. nigrescens* (Tutt), 1909, 1905-1914; *Agiades* OD: Nat. Hist. Brit. Butts 3:332 [b4760] SS: *bellargus* (Rottemburg), 1775; *Polyommatus* (*Lysandra*) [Refs - b0236; b0471]
- e *ab. nigrescens* (Courvoisier), 1910, 1910-1911; *Lycaena* OD: Ent. Zeit. 24:94 [b0985] SS: *argus* (Linnaeus), 1758; *Plebeius* [Refs - b0236; b0471]
- e *nigrescens* Le Moul, 1940, 1939-1940, (IFS); *Helicopsis* OD: Novit. ent. (15):113 [b2943] SS: *cupido* (Linnaeus), 1758; *Helicopsis* [Type: AME-ht] [Refs - b3199]
- e *nigrescens* (Verity), 1943, (IFS); *Lysandra* OD: Farfalle Diurne Ital. 2:309 [b4862] SS: *coridon* (Poda von Neuhaus), 1761; *Polyommatus* (*Lysandra*) [Note - Replacement name for *atrescens* Verity, 1926.] [Refs - b2856]
- a *nigrescens* Eliot, 1964; *Deramas* OD: Entomologist 97:246 [b1550] [Type: BMNH-ht] [TypeL - North of Palos Bay, Tawaya, Celebes.] [Refs - b1550; b2191; b1454]
- a *nigrescens* (Jackson), 1964; *Phytala* OD: Bull. Br. Mus. nat. Hist. (Ent.) 15(3):67 [b2563] CG: *Hypophytala* [TypeL - Nigeria.] [Refs - b1452; b4400]
- c *nigretta* (Seitz), [1917], 1910-1924; *Limnas* OD: In Seitz, Grossschmett. Erde 5:660, pl 131d [b4093] SS: *smithiae* (Westwood), [1851]; *Melanis* [TypeL - Itaituba.] [Refs - b4474; b4093]
- c *f. nigribasis* Hulstaert, 1924; *Pentila* OD: Revue zool. afr. 12(2):116 [b2496] SS: *elisabetha* Hulstaert, 1924; *Pentila* [Refs - b4400]

- c *nigricans* (Leech), [1893], 1893-1894; *Zephyrus* OD: *Butus* China Japan Korea :383 [b2966] SS: *caelestis* (Leech), 1890; *Howarthia* [Note - *Koiwaya* treats this as a good species.] [Refs - b0996; b2479; b4092; b0126; ns2818]
- b *nigricans* Trautmann, 1909; *Scolitantides* OD: *Int. ent. Z.* 3(12):66 [b4712] SS: *orion* (Pallas), 1771; *Scolitantides* [Refs - b0400]
- b *nigricans* (Kiu), 1912; *Lycaena* OD: *Verh. zool.-bot. Ges. Wien* 62:360-361 [b2776] SS: *arion* (Linnaeus), 1758; *Maculinea* [Refs - b0400; b4319; b0471]
- a *nigricans* (Aurivillius), [1924], 1908-1925; *Phasis* OD: *In Seitz, Grossschmet. Erde* 13:430 [b0162] CG: *Poecilmius* [TypeL - S. Africa.] [Refs - b1259; b1452; b4400; b1229]
- b *nigricans* Stempffer & Bennett, 1963; *Falcuna* OD: *Bull. Br. Mus. nat. Hist. (Ent.)* 13(6):186 [b4421] SS: *hollandii* (Aurivillius), 1895; *Falcuna* [Type: MRAC-ht] [TypeL - Congo.] [Refs - b1452; b4421; b4400]
- b *nigrilcllata* Schaus, 1913; *Pachythone* OD: *Ann. Mag. nat. Hist.* (8)11:301 [b3949] SS: *ignifer* Stichel, 1911; *Pachythone* [TypeL - Costa Rica.] [Refs - b4475; b1456]
- c *nigrioleus* (Verity), 1920, 1919-1922, (NN); *Rumicia* OD: *Ent. Rec.* 32:5 [b4840] SS: *phlaeas* (Linnaeus), 1761; *Lycaena* (*Lycaena*) [Note - *Not spelled nigrioleus.*] [Refs - b2856; b0236; b0389; b3612; b4840; b0471]
- c *ab. nigriplaga* (Dufrene), 1939; *Thecla* OD: *Bull. Anns Soc. ent. Belg.* 79:290 [b1408] SS: *melinus* Hübner, [1818]; *Suymon* [TypeL - Trujillo, Peru.] [Refs - b0908]
- c ♀ *f. nigrita* (Stauder), 1925; *Tarucus* OD: *Ent. Anz.* 5(9):68 [b4319] SS: *pirihous* (Linnaeus), 1767; *Leptotes* [Refs - b0236; b0400; b4319]
- c ♀ *f. nigrita* Talbot, 1935; *Telipna* OD: *Ent. mon. Mag.* 71:70 [b4623] SS: *albofasciata* Aurivillius, 1910; *Telipna* [TypeL - Congo.] [Refs - b1784 :271; b4623; b4400]
- b *nigrita* Jackson, 1969; *Telipna* OD: *Bull. Br. Mus. nat. Hist. (Ent.)* 23(1):5 [b2568] SS: *acraea* (Westwood), [1851]; *Telipna* [TypeL - Congo.] [Refs - b1452]
- a *nigrita* Salazar Escobar, 1993; *Teratophthalma* OD: *Revta Lep.* 21(81):49, f [b3911] [TypeL - Colombia.] [Refs - b0126]
- c *nigritia* Fruhstorfer, [1912], (IFS); *Poritia* OD: *Berl. ent. Z.* 56(3/4):198 [b1850] SS: *tavoyana* Doherty, 1889; *Poritia* [Type: BMNH-ht] [TypeL - Sikkim.] [Refs - b1636; b0965; b4094; b1850; b0694; b0950]
- a *nigritia* Tite, 1959; *Lepidochrysops* OD: *Entomologist* 92:162 [b4669] [TypeL - Bahr al Gjazal, Sudan.] [Refs - b4669; b1452; b4400]
- a *nigritus* (Semper), 1887, 1886-1892; *Paragerydus* OD: *In Semper, Reisen Philipp.* (2)(5):164, pl 31, f 15 [b4110] CG: *Alloünus* (Fabricius) [Type: SMF-ht; designated by Eliot, 1986] [Bull. Br. Mus. nat. Hist. (Ent.) 53(1):24 [b1571]] [TypeL - Mindanao, Philippines.] [Refs - b1840; b1571]
- a *nigrivenata* Schaus, 1913; *Xenandra* OD: *Ann. Mag. nat. Hist.* (8)11:300 [b3949] [TypeL - Costa Rica.] [Refs - b4474; b1456]
- a *nigroapicalis* (Howarth), 1957; *Neozephyrus* OD: *Bull. Br. Mus. nat. Hist. (Ent.)* 5(6):242, 3, 49, 59 [b2463] CG: *Chrysozephyrus* [Type: BMNH-ht] [TypeL - Szechwan, W. China.] [Refs - b4200; b3296; b2463]
- c *ab. nigroapicata* (Tuu), 1906, 1905-1914; *Rumicia* OD: *Nat. Hist. Brit. Buus* 1:366 [b4760] SS: *phlaeas* (Linnaeus), 1761; *Lycaena* (*Lycaena*) [Refs - b0389; b0471; b4760]
- b *nigrobasalis* Aurivillius, 1929; *Helicopsis* OD: *Ent. Tidskr.* 50(3/4):165 [b0174] SS: *gnidus* (Fabricius), 1787; *Helicopsis* [TypeL - Taracua, Amazonas.] [Refs - b0569; b1456]
- c *nigrocaudata* (Pagenstecher), 1902; *Lycaenesthes* OD: *Jb. nass. Ver. Nau.* 55:156 [b3542] SS: *definita* (Butler), 1899; *Anthene* [TypeL - Abyssinia.] [Refs - b1452; b4400]
- c *nigrocinctus* (Sepp), [1855], 1828-1855; *Papilio* OD: *Surinaam. Vlinders* 3:pl 106 [b4116] SS: *phareus* (Cramer), [1777]; *Mesene* [TypeL - Surinam.] [Refs - b2747; b4474; b2221]
- e *ab. nigrocostalis* (Schultz), 1906; *Lysandra* OD: *Jber. Wien. ent. Ver.* 16:77 [b4006] SS: *coridon* (Poda von Neuhaus), 1761; *Polyommatus* (*Lysandra*) [Refs - b0236; x0276; b0471]
- e *ab. nigrocuneata* (Lacrezue), 1909; *Lycaena* OD: *Bull. Soc. Léop. Genève* 1:382, pl 9, f 1 [b2872] SS: *icarus* (Rottemburg), 1775; *Polyommatus* [Refs - b0236; b0471]
- a *nigroflavus* (Goeze), 1779, 1777-1783; *Papilio* OD: *Ent. Beyträge* 3(1):119, no. 49 [b1982] CG: *Thecla* (New World Eumacini) [Refs - b0908; b2753; b1375]
- e *nigrofusca* Le Moulit, 1940, 1939-1940, (IFS); *Helicopsis* OD: *Novit. ent.* (14):105 [b2943] SS: *cupido* (Linnaeus), 1758; *Helicopsis* [Type: AME-ht] [Refs - b3199]
- e *ab. nigroinuita* (Gunder), 1924; *Callipsyche* OD: *Ent. News* 35(3):154, pl 2, f A [b2093] SS: *behrii* (Edwards), 1870; *Satyrium* [Type: AMNH-ht] [TypeL - Mammoth Camp, Mono County, California.] [Refs - b0908; b3796; b3192; b1321]
- e *ab. nigrolineata* (Verity), 1904; *Chrysophanus* OD: *Entomologist* 37:57 [b4833] SS: *dispar* ((Haworth)), 1802; *Lycaena* (*Thersamolycaena*) [Note - *Not mentioned in Kundra catalog.*] [Refs - b2856; b0389; b4092]
- e *nigromaculata* Le Moulit, 1939, 1939-1940, (IFS); *Helicopsis* OD: *Novit. ent.* (11):85 [b2943] SS: *gnidus* (Fabricius), 1787; *Helicopsis* [Type: AME-ht] [TypeL - Para.] [Refs - b3199]
- e *nigromaculata* (Blom), 1947; *Polyommatus* OD: *Tijdschr. Ent.* 88:332 [b0452] SS: *optilete* (Knoch), 1781; *Plebejus* (*Vacciniina*) [TypeL - Holland.] [Refs - b0082; b0452]
- e *ab. nigromaculatus* (Dahl), 1931; *Plebeius* OD: *Ent. Tidskr.* 51:251, f [b1087] SS: *optilete* (Knoch), 1781; *Plebejus* (*Vacciniina*) [TypeL - Sweden.] [Refs - b0069]
- e *nigromarginata* Le Moulit, 1940, 1939-1940, (IFS); *Helicopsis* OD: *Novit. ent.* (16):124 [b2943] SS: *cupido* (Linnaeus), 1758; *Helicopsis* [Type: AME-ht] [Refs - b3199]
- a *nigromarginata* Stempffer, 1961; *Liptena* OD: *Anns Mus. r. Afr. cent.* (8vo) (*Zool.*)94:43 [b4393] [Type: biblio; replacement for *jacksoni* Stempffer, 1953] [TypeL - Uganda.] [Refs - b1452; b4400]
- e *ab. nigroocellata* (Tutt), 1909, 1905-1914; *Agriades* OD: *Nat. Hist. Brit. Buus* 3:333 [b4760] SS: *bellargus* (Rouemburg), 1775; *Polyommatus* (*Lysandra*) [Refs - b0236; b0471]
- e *ab. nigropuncta* (Sheldon), 1914; *Scolitantides* OD: *Entomologist* 47(10):273 [b4165] SS: *pylaon* (Fischer von Waldheim), 1832; *Plebejus* (*Plebejides*) [Refs - b0236; b0471; b4165]
- e *nigropunctata* (Wheeler), 1903; *Lycaena* OD: *Butus* Switzerland :34 [b4991] SS: *icarius* (Esper), [1789]; *Polyommatus* (*Plebicula*) [Refs - b4092]
- a *nigropunctata* (Bethune-Baker), 1908; *Mambara* OD: *Proc. zool. Soc. Lond.* 1908(1):120, pl 8, f 5 [b0340] CG: *Pistoria* [TypeL - New Guinea.] [Type of - Mambara, Pistoria] [Refs - b2280; b1450; b4094; b2388]
- a *nigropunctata* (Bethune-Baker), 1910; *Lycaenesthes* OD: *Trans. ent. Soc. Lond.* 58(1):36, pl 1, f 16 [b0343] CG: *Anthene* [Type: BMNH-ht] [TypeL - Fort Jameson, N. E. Rhodesia.] [Refs - b1943; b1259; b1452; b0343; b0836; b4400]

- e *nigropunctata* (Steiner), 1916; *Lycaena* OD: Glasn. hrv. prirodosl. Društ. 28:88, f 2,4 [b4352] SS: hippothoe (Linnaeus), 1761; *Palaeochrysophanus* [Refs - b0389]
- e *nigropunctata* Le Moul't, 1940, 1939-1940, (IFS); *Helicopsis* OD: Novit. ent. (14):113 [b2943] SS: cupido (Linnaeus), 1758; *Helicopsis* [Type: AME-ht] [Refs - b3199]
- e *nigroradiata* Le Moul't, 1940, 1939-1940, (IFS); *Helicopsis* OD: Novit. ent. (13):100 [b2943] SS: cupido (Linnaeus), 1758; *Helicopsis* [Refs - b3199]
- e *nigrorecta* Le Moul't, 1940, 1939-1940, (IFS); *Helicopsis* OD: Novit. ent. (15):115 [b2943] SS: cupido (Linnaeus), 1758; *Helicopsis* [Type: AME-ht] [Refs - b3199]
- e f. *nigrosignata* (Lempke), 1955; *Strymonidia* OD: Tijdschr. Ent. 98:323 [b2982] SS: ilicis (Esper), [1779]; *Satyrion* [Refs - b0089]
- e ab. *nigrostriata* Muschamp, 1908; *Plebejus* OD: Bull. Soc. Lép. Genève 1(3):264 [b3319] SS: eumedon (Esper), [1780]; *Plebejus* (Eumedonia) [Check - Original genus] [Refs - b0236; b0368; b0471]
- e ab. *nigrostriata* (Aurivillius), 1923; *Deudorix* OD: Lepidoptera, IV. In Schubotz 1:1215 [b0171] SS: ula Karsch, 1895; *Actis* [TypeL - C. Africa.] [Refs - b4400; b0171]
- e ab. *nigrostriata* (Lingonblad), 1936; *Lycaena* OD: Notulae ent. 16:7, f [b2992] SS: optilote (Knoch), 1781; *Plebejus* (Vacciniina) [TypeL - Finland.] [Refs - b0074; b2992]
- e *nigrotransversa* Le Moul't, 1940, 1939-1940, (IFS); *Helicopsis* OD: Novit. ent. (13):103 [b2943] SS: cupido (Linnaeus), 1758; *Helicopsis* [Type: AME-ht] [Refs - b3199]
- e *nigrovelata* (Verity), 1943, (IFS); *Cyaniris* OD: Farfalle Diurne Ital. 2:238 [b4862] SS: semimontana Bollow, 1931; *Polyommatus* (Cyaniris) [Type: MZS-st] [Refs - b2856]
- e ab. *nigrovenata* (Obraztsov), 1936; *Lycaena* OD: Lambillionea 36:17 [b3468] SS: gandzhana (Obraztsov), 1936; *Polyommatus* (Plebicula) [TypeL - Gandzha.] [Refs - b0074]
- a *nigrovenata* Jackson, 1962; *Epitola* OD: Bull. Br. Mus. nat. Hist. (Ent.) 12(3):136 [b2562] [TypeL - Nigeria.] [Refs - b1452; b4400]
- e *nigroventralis* Le Moul't, 1940, 1939-1940, (IFS); *Helicopsis* OD: Novit. ent. (16):128 [b2943] SS: cupido (Linnaeus), 1758; *Helicopsis* [Type: AME-ht] [Refs - b3199]
- c *nihana* (Moore), 1878; *Pithecopis* OD: Proc. zool. Soc. Lond. 1878(3):702 [b3229] SS: zalmora (Butler), [1870]; *Neopithecopis* [Type: BMNH-ht; designated by Eliot & Kawazoé, 1983] [Butts *Lycaenopsis* group :43 [b1580]] [TypeL - Hainan] [Refs - b4198; b2479; b1840; b1580; b0236; b4108]
- d *niitakana* (Matsumura), 1929, (H); *Zephyrus* OD: Ins. matsumur. 3(2/3)100 [b3098] SS: yugaii (Kano), 1928; *Teratozephyrus* [TypeL - Formosa.] [Refs - b4198; b0236; b0067; b4547; b5052]
- b *niitakanus* (Kano), 1928; *Zephyrus* OD: Taiwan Sangaku 3:75 [b2690] SS: kabrua (Tyler), 1915; *Chrysozephyrus* [TypeL - Taiwan] [Refs - b5053; b4214; b4198; b0113; b1454; b2690; b2463; b2814]
- b *nilla* Horsfield, [1828], 1828-1829; *Jamides* OD: Descr. Cat. lepid. Ins. (1)78, n 14 [b2457] SS: bochus (Stoll), [1782]; *Jamides* [Type: BMNH-ht] [TypeL - West Java.] [Refs - b3786; b2747; b4094; b0995; b1865; b1454]
- c *nilla* (Kollar), [1844]; *Thecla* OD: In Hügel, Kaschmir 4(2):413, pl 4, f 5,6 [b2821] SS: timoleon (Stoll), [1783]; *Iraota* [Refs - b1636; b4094; b2747; b0996; b0694]
- d *nila* (Distant), 1886, 1882-1886, (H); *Iraota* OD: Rhop. malayana :462, pl 44, f 24 [b1285] SS: distantii (Staudinger), 1889; *Iraota* [Type: ZMHU-ht; designated by Takanami, 1989] [Tyô to Ga 40(1):28 [b4602]] [TypeL - Malacca, Malay Peninsula.] [Refs - b0964; b1153; b0965; b4094; b4602]
- b *nilla* (Evans), 1925; *Euchrysops* OD: J. Bombay nat. Hist. Soc. 30(2):339 [b1632] SS: parthasius (Fabricius), 1793; *Chilades* [TypeL - India.] [Refs - b1636; b1454; b1573; b0694]
- b *nilla* Eliot, 1957; *Poritia* OD: Entomologist 90:74 [b1543] SS: fruhstorferi Corbet, 1940; *Poritia* [Type: BMNH-ht] [TypeL - Battak Mts., Sumatra.] [Refs - b0965; b1543]
- b *nilana* (Fruhstorfer), 1915; *Lampides* OD: Arch. Naturgesch. (A)81(6):36 [b1865] SS: bochus (Stoll), [1782]; *Jamides* [Type: BMNH-ht] [TypeL - East Java.] [Refs - b3786; b4094; b1865]
- b *nilleia* Fruhstorfer, 1904; *Iraota* OD: Deut. ent. Zeit. [Iris] 17(1):149 [b1819] SS: distantii (Staudinger), 1889; *Iraota* [TypeL - Mt. Kinabalu, Borneo.] [Refs - b4094; b1454; b4108]
- a *nilgirica* Moore, [1884]; *Hypolycaena* OD: Proc. zool. Soc. Lond. 1883(4):527, pl 49, f 8 [b3235] [TypeL - Coonoor, Nilgiris.] [Refs - b1636; b1153; b4094; b3235; b0694]
- c *nilios* (Stichel), 1910; *Echenais* OD: Berl. ent. Z. 55(1/2):36 [b4445] SS: auselus (Hewitson), [1863]; *Adelotypa* [Type: ZMHU-st] [TypeL - Obidos & Manaos, Brazil.] [Refs - b4475; b1456 (with penthea); b4445]
- a *nilotica* (Aurivillius), 1904; *Cupido* OD: Jägerskiöld Exped. 8:3 [b0159] CG: *Euchrysops* [Note - Often seen as a ssp of *malathana*.] [Refs - b1943; b0836; b2898; b4400; b2899]
- b *niloticus* Stempffer & Bennett, 1958; *Iolaus* OD: Bull. Inst. franç. Afr. Noire 20(A):1293 [b4418] SS: crawshayi (Butler), [1901]; *Iolaus* (Argiolaus) [TypeL - Uganda.] [Refs - b2988; b1452; b4400]
- a *nilus* (Felder & Felder), 1861; *Charis* OD: Wien. ent. Monats. 5(4):100 [b1684] CG: *Calephelis* [Type: BMNH-ht] [TypeL - Venezuela.] [Refs - b1530 :251, f 502, 503.; b2747; b4474; b2221; b0419; b2497; b4066; b3127; b2753; b1456]
- a *nilus* (Hewitson), [1865], 1863-1878; *Aphnaeus* OD: Ill. diurn. Lep. Lycaenidae 1:62 [b2326] CG: *Aphanius* [TypeL - White Nile.] [Note - Close to *acamas*.] [Refs - b2747; b1452; b0836; b4400]
- d *nina* (Herbst), 1793, 1788-1804, (H); *Papilio* OD: In Jablonsky, Natursyst. Ins., Schmett. 9:30, pl 233, f 1,2 [b2306] SS: formosa Hewitson, [1851]; *Mesosemia* [Refs - b2753; b4474; b1456]
- b *ninae* (Forster), 1956; *Agrodiaetus* OD: Z. wien. ent. Ges. 41:70 [b1769] SS: transcaspica (Staudinger), 1899. *Polyommatus* (Agrodiaetus) [TypeL - Armenia.] [Refs - b2827; b2788]
- c *nineyanus* (Fruhstorfer), 1914; *Gerydus* OD: Z. wiss. InsektBiol. 10(2):60 [b1857] SS: aronicus (Fruhstorfer), 1914; *Miletus* 4 [Refs - b1450; b1546; b1857; b1840]
- a *ninius* Hewitson, [1865], 1852-1877; *Nymphidium* OD: Ill. exot. Butts 3:[---], pl [56], f 22 [b2323] [TypeL - Amazon.] [Refs - b2988; b2747; b4476; b1456]
- b *ninoda* H. H. Druce, 1895; *Drina* OD: Proc. zool. Soc. Lond. 1895(3):619 [b1362] SS: donina (Hewitson), [1865]; *Drina* [Type: BMNH-ht] [TypeL - Labuan, Borneo.] [Refs - b4094; b2201; b1362; b1454; b4594; b4108]
- d *ninoda* H. H. Druce, 1896, (H & JOS); *Drina* OD: Proc. zool. Soc. Lond. 1896(3):680, f [b1365] OS: *ninoda* H. H. Druce, 1895; *Drina* [Refs - b4094; b2201; b1454]

- b** *ninus* (Edwards), [1871]; *Thecla* OD: *Trans. amer. ent. Soc.* 3(3/4):270 [b1502] SS: *spinetorum* (Hewitson), [1867]; *Loranthomitoura* [Type: CM-lt; designated by Brown, 1970] [*Trans. amer. ent. Soc.* 96(1):59 [b0509]] [TypeL - About 1 mile E of Kenosha Pass, Park County, Colorado. Restricted by Brown, 1970] [Refs - b0908; b0853; b2753; b3192; b1502; b1321; b1975; b2585; b1722]
- a** *niobe* (Trimen), 1862; *Lycaena* OD: *Trans. ent. Soc. Lond.* 3(1):282 [b4716] CG: *Orachrysops* [Type: BMNH] [TypeL - Knysna, S. Africa.] [Type of - *Orachrysops*] [*Note - Also seen in Euchrysops.*] [Refs - b1259; b2747; b1452 (in *Euchrysops*); b4400; b0122; b0359]
- a** *nipallicus* (Moore), 1884; *Aphnaeus* OD: *J. asiat. Soc. Bengal, Pt II* 53(1):27 [b3236] CG: *Spindasia* [TypeL - Nepal, Sikkim.] [Refs - b1636; b4094; b1454; b0694; b0695]
- c** *nipha* Morris, 1860, (ISS); *Incisalia* OD: *Smithsonian Misc. Coll.* [3]:12 [b3243] SS: *nippon* (Hübner), [1819]; *Incisalia* [Refs - b1530 :204, f 386; b1321 :55; b0908; b3192]
- a** *nippon* (Hübner), [1819], 1816-1826; *Lycus* OD: *Verz. bekannt. Schmetz.* (5):74, no. 730 [b2484] CG: *Incisalia* [TypeL - Florida.] [Type of - *Incisalia*] [LifeH - Tietz lists b0415, b3933, b1747, b0910, b3176, b1582, b1695, b3244, b0470, b0902, b1700, b1792, b2429, b3119, b3244, b3532, b4088, b4090, b0052.] [Refs - b0908; b4245; b2280; b3078; b3722; b2747; b1023; b3192; b3512; b1743; b1321; b2585; b4066; b4652]
- b** *niphonica* Matsumura, 1929; *Niphanda* OD: *Ins. matsumur.* 3(2/3):103 [b3098] SS: *fusca* (Bremer & Grey), 1853; *Niphanda* [TypeL - Japan.] [Refs - b2479; b2747; b1900; b0236; b0471]
- c** *nipona* (Hewitson), [1877], 1863-1878; *Thecla* OD: *Ill. diurn. Lep. Lycaenidae* 1:204; 2:pl 81, f 673-675 [b2326] SS: *azia* (Hewitson), [1873]; *Ministrymon* [Type: BMNH-hi] [TypeL - Brazil.] [Refs - b0908; b3192; b1321; b1375; b2636]
- a** *nippla* (Dyar), 1918; *Thecla* OD: *Proc. U. S. natn. Mus.* 54:337 [b1448] CG: *Symbiopsis* [Type: USNM; #21201] [TypeL - Sierra de Guerrero, Mexico.] [Refs - b0908; b3388; b0102]
- c** *nipponicus* Murayama, 1953; *Favonius* OD: *Tyô to Ga* 3(3):18, f 10,11,12 [b3276] SS: *saphirina* (Staudinger), 1887; *Favonius* [Type: pc-hi; collection of Murayama.] [TypeL - Honshu, Korea.] [Refs - b1900; b3276; b2509]
- a** *nirmo* (Clench), 1965; *Deudorix* OD: *J. New York ent. Soc.* 73(3):179 [b0839] CG: *Diopetes* [TypeL - Cameroon.] [Refs - b1452; b4400]
- a** *nisa* Wallace & Moore, 1866; *Lycaena* OD: *Proc. zool. Soc. Lond.* 1866(2):360 [b4912] [TypeL - Formosa.] [Refs - b2747; b4912]
- a** *nisae* (Godman & Salvin), [1887], 1879-1901; *Thecla* OD: *Biol. centr.-amer., Lep. Rhop.* 2:67; 3:pl 56, f 8,9 [b1975] CG: *Profieldia* [Type: BMNH-hi] [TypeL - Bugaba, Panamá.] [Refs - b0908; b1375; b1975; b0125; b2606]
- b** *nisanca* (Fruhstorfer), 1915; *Lampides* OD: *Arch. Naturgesch.* (A)81(6):14 [b1865] SS: *virgulatus* (H. H. Druce), 1895; *Jamides* [TypeL - Malay Peninsula.] [Refs - b0964; b0965; b4094; b1865; b2384; b1454; b0694; b3786]
- a** *nishikaze* (Araki & Sibatani), 1941; *Thecla* OD: *Zephyrus* 9(2):91-92, pl 7 & 8, f 1 [b0130] CG: *Chrysozephyrus* [Type: pc-hi; collection of Araki.] [TypeL - Mt. Rara, Taihoku Prefecture, Formosa.] [Refs - b4198; b5053; b4214; b3280; b4200; b3296; b1454; b3289 (makes it a synonym of *teisoi*); b2463]
- c** *nishiyamai* Hayashi, 1980; *Drupadia* OD: *Tyô to Ga* 30(3,4):176, 4 f [b2197] SS: *theda* (Felder & Felder), 1862; *Drupadia* [Type: OMNH-hi] [TypeL - Marinduque, Philippines.] [*Note - Patronym - Mr. Yasunori Nishiyama.*] [Refs - b1610 (6153-E11); b0113 (as *nishiyamai*); b2197; b2200; b4586; b1454; b4596]
- c** *nishiyamai* (Hayashi), 1981; *Narathura* OD: *Tyô to Ga* 32(1,2):71, f 15,16,49 [b2198] SS: *mindanensis* Bethune-Baker, 1903; *Arhopala* f [Type: NSMT-hi] [TypeL - Philippines.] [Refs - b2198; b4104]
- a** *nishiyamai* Eliot & Kawazoé, 1983; *Udara* OD: *Butts Lycaenopsis group* :141, f [b1580] [Type: BMNH-hi] [TypeL - Mt Apo, Mindanao, Philippines.] [Refs - b1580]
- c** *nishiyami* Anonymous, 1983, (ISS); *Drupadia* OD: *Zool. Rec.* 117(1980)(Ins. D-Lep.):290 [b0113] SS: *nishiyamai* Hayashi, 1980; *Drupadia* [Refs - b0113]
- c** *nisias* Fruhstorfer, 1908; *Curetis* OD: *Stett. ent. Ztg.* 69:49 or 50 [b1835] SS: *bulis* (Westwood), [1851]; *Curetis* [TypeL - Malay Peninsula.] [Refs - b0964; b0965; b0936; b4094; b0694]
- b** *nisisibis* (de Nicéville), 1895; *Neocheritra* OD: *J. Bombay nat. Hist. Soc.* 9(3):316, pl P, f 45 [b1159] SS: *scopula* (H. Druce), 1873; *Thrix* [TypeL - Sumatra.] [Type of - *Thrix*] [*Note - Placed on Official List (#2340) by Op 894.*] [Refs - b0964; b2280; b0965; b4094; b1454; b3151; b2537; b1578]
- a** *nissa* (Kollar), [1844]; *Thecla* OD: *In Hügel, Kaschmir* 4(2):412, pl 4, f 3,4 [b2821] CG: *Rapala* [TypeL - India bor.] [Type of - *Bidaspa*] [Refs - b0964; b1636; b4198; b2280; b0965; b4180; b2747; b0995; b4094; b2479; b4092; b0236; b2201; b1454; b4281; b0694]
- b** *nissanis* (Tite), 1963; *Nacaduba* OD: *Bull. Br. Mus. nat. Hist. (Ent.)* 13(4):77 [b4676] SS: *astarte* (Butler), 1882; *Tartesa* [Type: BMNH-hi] [TypeL - Nissan Island, Solomon Islands.] [Refs - b4676; b1450; b2388]
- b** *nissanis* Tite, 1966; *Anthene* OD: *Bull. Br. Mus. nat. Hist. (Ent.)* 18(8):264 [b4679] SS: *paraffinis* (Fruhstorfer), 1916; *Anthene* [Type: BMNH-hi] [TypeL - Nissan Island, Solomon Islands.] [Refs - b4679; b1450]
- b** *nissoldes* Swinhoe, 1915; *Rapala* OD: *Ann. Mag. nat. Hist.* (8)16:176 [b4576] SS: *nissa* (Kollar), [1844]; *Rapala* [Refs - b1636; b2201; b0694]
- b** *nitelina* (Stichel), 1910; *Echenais* OD: *Berl. ent. Z.* 55(1/2):35 [b4445] SS: *penthea* (Cramer), [1777]; *Adelotypa* [Type: ZMHU-hi] [TypeL - Yurimaguas, Peru.] [Refs - b4475; b4445]
- a** *nitens* (Grose-Smith), 1898; *Holochila* OD: *Novit. zool.* 5(1):107 [b2047] CG: *Philiis* [Type: BMNH-hi] [TypeL - Queensland, Australia.] [Refs - b4677; b1610 (7914-E11); b0113; b2078; b0870; b4934; b0976]
- a** *nitens* (Joicey & Talbot), 1916; *Lampides* OD: *Ann. Mag. nat. Hist.* (8)17:80, pl 8, f 5 [b2652] CG: *Jamides* [Type: BMNH-hi] [TypeL - Wandammen Mts., North Dutch New Guinea.] [Refs - b2652; b2388]
- d** *nitens* (Seitz), [1927], 1912-1927, (H); *Lampides* OD: *In Seitz, Grossschmetz. Erde* 9:1114, pl 147a [b4094] SS: *nitens* (Joicey & Talbot), 1916; *Jamides* [TypeL - Not stated.] [Refs - b1450; b4094]
- a** *nitetis* Godman & Salvin, [1887], 1879-1901; *Thecla* OD: *Biol. centr.-amer., Lep. Rhop.* 2:74; 3:pl 57, f 1,3 [b1975] CG: *Thecla* (New World *Eumaeura*) [Type: BMNH] [TypeL - Jalapa and mountains of Oaxaca, Mexico.] [Refs - b0908; b1975]
- b** *nitida* (Butler), [1867]; *Tharops* OD: *J. linn. Soc. Lond., Zool.* 9:223, pl 6, f 20,21 [b0586] SS: *menander* (Stoll), [1780]; *Menander* [TypeL - Brasilia.] [Refs - b2988; b2747; b4475; b2221; b1456]

- b *nitida* Stichel, 1923; *Mesosemia* OD: Z. wiss. Insektbiol. 18(10/11):273 [b4457] SS: *sirenia* Stichel, 1909; *Mesosemia* [TypeL - Brazil.] [Refs - b4474]
- a *nitide* H. H. Druce, 1910; *Epitola* OD: Proc. zool. Soc. Lond. 1910(1):366, pl 35, f 1 [b1378] [TypeL - W. Africa.] [Refs - b3842; b1452 (notes spelling is not nitida); b4400]
- b *nitidus* Tie, 1960; *Jamides* OD: Bull. Br. Mus. nat. Hist. (Ent.) 9(5):330 [b4671] SS: *aleuas* (Felder & Felder), 1865; *Jamides* [TypeL - New Guinea.] [Refs - b4671; b4198]
- a *nitior* (H. H. Druce), 1907; *Thecla* OD: Proc. zool. Soc. Lond. 1907(3):585, pl 34, f 5 [b1375] CG: *Olynthus* [Type: pc; Godman collection.] [TypeL - Ega, Amazonas, Brazil.] [Refs - b3394; b1375]
- b *nitschei* (Hemming), 1933; *Aricia* OD: Entomologist 66:277 [b2250] SS: *eumedon* (Esper), [1780]; *Plebejus* (*Eumedonia*) [Note - Replacement name for *alticola* Hüsche.] [Refs - b2250; b0071; b0410]
- b *nittanyensis* Chermock, 1945; *Glaucopsyche* OD: Can. Ent. 76(11):216 [b0779] SS: *lygdamus* (Doubleday), 1841; *Glaucopsyche* [Type: AME-ht] [TypeL - Bear Meadows, near State College, Pennsylvania.] [Refs - b0908; b3192; b1321; b0779]
- a *nivalis* (Boisduval), 1869, 1868-1869; *Polyommatus* OD: Annls Soc. ent. Belg. 12:44 [b0468] CG: *Epidemia* [Type: USNM-ht] [TypeL - California.] [Refs - b1530 :226, f 436; b1321 :60; b0908; b3191; b2747; b4220; b3192; b3189; b3386; b4066]
- a *nivalis* (H. Druce), 1873; *Miletus* OD: Proc. zool. Soc. Lond. 1873(2):348 [b1383] CG: *Alotinus* (*Paragerydus*) [Type: BMNH-ht] [TypeL - Borneo.] [Refs - b0964; b1636; b1153; b0965; b1383; b1840; b2753; b1571; b1552; b4108]
- b *nivalis* (Godman & Salvin), [1885], 1879-1901; *Mesosemia* OD: Biol. centr.-amer., Lep. Rhop. 1:386; 3pl 43, f 4 [b1975] SS: *lepida* (Godman & Salvin), [1885]; *Leucochimona* [TypeL - Mexico to Nicaragua.] [Refs - b4474; b2406; b1456]
- b *nivata* Fruhstorfer, 1918; *Taraka* OD: Tijdschr. Ent. 61:24 [b1884] SS: *hamada* (H. Druce), 1875; *Taraka* [TypeL - Java.] [Refs - b1454; b1840]
- a *nivea* (Godman & Salvin), 1878; *Myrina* OD: Proc. zool. Soc. Lond. 1878(3):640, pl 40, f 3,4 [b1974] CG: *Neomyrina* [TypeL - Billiton Island.] [Refs - b0964; b1021; b0965; b4094; b2201; b1454; b4209]
- c *nivea* (Godman & Salvin), [1885], 1879-1901; *Mesosemia* OD: Biol. centr.-amer., Lep. Rhop. 1:386 [b1975] SS: *matatha* (Hewitson), [1873]; *Leucochimona* [TypeL - Bolivia; Brazil.] [Refs - b4474; b2221]
- b *nivea* (Courvoisier), 1910, 1910-1911; *Lycaena* OD: Ent. Zeit. 24:88 [b0985] SS: *idas* (Linnaeus), 1761; *Plebejus* (*Lycaeides*) [Refs - b0236; b4425; b0410; b0471]
- c *var. nivea* Oberthür, 1917; *Plebejus* OD: Étud. Léop. comp. 14:pl 13, f 38 [b3457] SS: *argus* (Linnaeus), 1758; *Plebejus* [Refs - b0236; b0471]
- a *nivea* Joicey & Talbot, 1924; *Symptera* OD: Bull. Hill Mus. 1(3):544 [b2661] [Type: BMNH-ht] [TypeL - North-East Lubutu, Lubilinga Valley, Belgian Congo.] [Refs - b3796; b1452; b4400; b2661]
- a *nivea* Talbot, 1928; *Nymphidium* OD: Bull. Hill Mus. 2(3):217 [b4617] [Refs - b4476; b0685]
- a *nivea* Johnson & Miller & Herrera, 1992; *Heoda* OD: Acta ent. Chilena 17:132, f [b2638] [Type: AMNH-ht] [TypeL - Zapala, Neuquén Prov., Argentina.] [Refs - b0126; b2638]
- b *niveocincta* Ungemach, 1932; *Euchrysops* OD: Mém. Soc. Sci. nat. phy. Maroc (32):93 [b4780] SS: *reducta* Hulstaert, 1924; *Euchrysops* [TypeL - Abyssinia.] [Refs - b0714; b1452; b0836; b4400]
- a *niveopunctata* H. H. Druce, 1907; *Thecla* OD: Proc. zool. Soc. Lond. 1907(3):592, pl 35, f 1 [b1375] CG: *Thecla* (New World Eumaeini) [Type: pc-st; Druce collection.] [TypeL - British Guiana; Surinam.] [Refs - b0908; b1375]
- a *nivescens* (Keferstein), 1851; *Lycaena* OD: Stett. ent. Ztg 12:309 [b2715] CG: *Polyommatus* (*Plebicula*) [TypeL - Spain.] [Note - Described as a variety. Available.] [Refs - b2375; b3059; b2747; b1762; b0236; b2794; b1136; b4092]
- c *niveus* H. H. Druce, 1910; *Lachnocnema* OD: Proc. zool. Soc. Lond. 1910(1):368, pl 34, f 4 [b1378] SS: *magna* Aurivillius, 1895; *Lachnocnema* [TypeL - W. Africa.] [Refs - b2496; b4400]
- a *niveus* (Nire), 1920; *Zephyrus* OD: Zool. Mag. 32:375 [b3404] CG: *Ravenna* [Type of - Ravenna] [Refs - b4198; b2280; b5053; b4207 (in *Leucantigus*); b4214; b4200; b1454; b2807]
- b *niveus* Stempffer, 1953; *Anthene* OD: Annls Mus. r. Congo Beige (8vo)27:36 [b4384] SS: *sylvanus* (Drury), [1773]; *Anthene* [TypeL - Belgian Congo.] [Refs - b4400]
- c *nivlum* (Boisduval), 1869, 1868-1869; *Lycaena* OD: Annls Soc. ent. Belg. 12:47 [b0468] SS: *shasta* (Edwards), 1862; *Plebejus* (*Icaricia*) [Type: USNM-ht] [TypeL - Oregon.] [Refs - b0908; b1713; b2747; b3192; b1321]
- a *nivnix* Johnson & Eisele & MacPherson, 1990; *Strymon* OD: Bull. Allyn Mus. (130):28, f [b2624] [Type: MNHN-ht] [TypeL - Cadenta, Mendoza Province, Argentina.] [Refs - b2624]
- a *nivosa* Stichel, 1929; *Ematurgina* OD: Mitt. zool. Mus. Berl. 15:22 [b4470] [TypeL - Peru.] [Refs - b4475; b4470; b1456]
- b *nix* (Toxopeus), 1928, 1927-1928; *Celastrina* OD: Tijdschr. Ent. 71:213, pl 5, f 7 [b4697] SS: *ceyx* (de Nicéville), 1893; *Udara* (*Selmanix*) [Type: RNH-ht] [TypeL - Java.] [Refs - b1580]
- b *niya* Fruhstorfer, [1914], 1909-1923; *Abisara* OD: In Seitz, Grossschmett. Erde 9:782 [b1840] SS: *geza* Fruhstorfer, [1904]; *Abisara* [Type: BMNH] [TypeL - Riouw Archipelago.] [Refs - b0964; b0294; b0965; b4473; b1454; b1840]
- c *noachis* Seitz, [1927], 1912-1927; *Rapala* OD: In Seitz, Grossschmett. Erde 9:1002, pl 160i [b4094] SS: *diocetus* Hewitson, [1863]; *Rapala* [TypeL - Saleyer.] [Refs - b4094; b1454; b4602; b0126]
- b *noacki* (Koçak), 1980; *Agrodiaetus* OD: *Atalanta* (Münnerstadt) 11(4):270, f 10-13 [b2791] SS: *myrrha* (Herrich-Schäffer), [1852]; *Polyommatus* (*Sublysandra*) [Type: LNK-ht] [TypeL - Turkey.] [Refs - b1610 (8266-E12); b0113; b2791; b2794 (with *aedon*)]
- c *noah* (Herz), 1900; *Lycaena* OD: Annu. Mus. zool. St. Pétersbourg 5:442 [b2318] SS: *alcedo* (Christoph), 1877; *Plebejus* (*Vacciniina*) [Refs - b0236; b0471]
- b *noblitata* Stichel, 1910; *Emesis* OD: Berl. ent. Z. 55(1/2):39 [b4445] SS: *fatima* (Cramer), [1780]; *Emesis* [Type: pc-ht; collection of Stichel] [TypeL - Piedras Negras, Costa Rica.] [Refs - b4475; b1456; b4445]
- c *nobilior* Fruhstorfer, 1914; *Arhopala* OD: Deut. ent. Zeit. [In:] 27(4):165 [b1853] SS: *nobilis* (C. Felder), 1860; *Arhopala* g [Type: BMNH-ht] [TypeL - Obi.] [Refs - b4094; b1853; b1644]
- c *nobilis* Herrich-Schäffer, [1853], 1850-1869; *Thecla* OD: Samml. neuer. aussereurop. Schmett. 1:[55], pl [14], f 55,56 [b2314] SS: *ganymedes* (Cramer), [1775]; *Thecla* (New World Eumaeini) [TypeL - Surinam.] [Note - Godman & Salvin treat this as a good species, but Comstock & Huntington considered it the female of *ganymedes*.] [Refs - b0908; b2753; b1975; b2918]

- a nobilis** (C. Felder), 1860; *Amblypodia* OD: Sber. Akad. Wiss. Wien 40(11):453 [b1676] CG: *Arhopala* g [Type: BMNH-ht] [TypeL - Amboina.] [Refs - b1450; b1644; b2747; b4094]
- b nobilis** Bates, [1868]; *Theope* OD: J. linn. Soc. Lond., Zool 9:410 [b0267] SS: *virgilius* (Fabricius), 1793; *Theope* [TypeL - Lower Amazon.] [Refs - b2747; b4475]
- c nobilis** (Staudinger), 1891; *Hypolycaena* OD: Deut. ent. Zeit. [Iris] 4(1):149, pl 1, f 8 [b4334] SS: *camerona* (Plötz), 1880; *Deudorix* (Pilodeudorix) [TypeL - W. Africa.] [Refs - b0836; b4400]
- b nobumal** Hayashi, 1984; *Drupadia* OD: *Iwase* (2):14, pl 1, f 7,8; pl 2, f 7,8 [b2199] SS: *theda* (Felder & Felder), 1862; *Drupadia* [TypeL - Indonesia.] [Refs - b2199; b2201; b1454; b0117]
- c f. nocensis** (Dannehl), 1925; *Lycaena* OD: Ent. Zeit. 39:72 or 76 [b1101] SS: *idas* (Linnaeus), 1761; *Plebejus* (*Lycaeides*) [TypeL - S. Tyrol.] [Refs - b0410; b0471]
- c nocticoelum** Seitz, [1917], 1910-1924; *Stalactis* OD: In Seitz, *Grossschmett. Erde* 5:718, pl 143c [b4093] SS: *phlegia* (Cramer), [1779]; *Stalactis* [TypeL - Obidos.] [Refs - b4476; b4093]
- c noctis** (Staudinger), [1887], 1884-1888; *Mesene* OD: In Exot. Schmett. 1:254; 2-pl 91 [b4329] SS: *phoenicura* (Godman & Salvin), [1886]; *Stichelia* [TypeL - Colombia.] [Refs - b4474]
- a noctula** Westwood, [1851], 1846-1852; *Hades* OD: In Gen. dium. Lep. (2):pl 72, f 3, (:435 nota) [b4981] [TypeL - Venezuela.] [Type of - Hades] [Refs - b2280; b2988; b2747; b4474; b1453; b2406; b2497; b0680; b3814; b2155; b1456]
- c noctula** Staudinger, [1888], 1884-1888; *Hypolycaena* OD: In Exot. Schmett. 1:283; 2-pl 96 [b4329] SS: *phorbis* (Fabricius), 1793; *Hypolycaena* [TypeL - Cooktown.] [Refs - b4094; b4934]
- b nocturna** Seki, 1994; *Arhopala* OD: *Futao* (15):21, pl 3, f 13-14 [b4102] SS: *alaconia* (Hewitson), [1869]; *Arhopala* i [Type: pc-ht; collection of Seki.] [TypeL - Pulau Sipora, Mentawai.] [Refs - b4102]
- e ab. nodibuja** (Ribbe), 1910, 1909-1912; *Lycaena* OD: Deut. ent. Zeit. [Iris] 23(1/2):203 [b3741] SS: *minimus* (Füssly), 1775; *Cupido* [Refs - b0995; b0236; b0471 (as *nodijuba*)]
- b nodleri** (Oberthür), 1883; *Lycaena* OD: Bull. Soc. ent. Fr. (6)3:xxii [b3425] SS: *cretosus* (Butler), 1876; *Tuxentius* [TypeL - Senegal.] [Refs - b1452; b0836; b4400; b0162; b3425]
- b noell** (Comstock & Huntington), 1943; *Hemiargus* OD: Ann. New York Acad. Sci. 45:99, pl 1, f 23 [b0907] SS: *ammon* (Lucas), 1857; *Cyclargus* [Type: AMNH] [TypeL - St. Marc, Haiti.] [Refs - b0908; b0540; b0907; b3326; b0833]
- b noell** Treadaway & Nuyda, 1993; *Remelana* OD: *Fil-Kulisap* 1(2):8 [b4713] SS: *davisi* Jumalon, 1975; *Remelana* [Type: pc-ht; collection of Treadaway] [TypeL - Mt. Halcon, Mindoro, Philippines.] [Refs - b4713]
- a nogelli** (Herrich-Schäffer), [1851], 1843-1856; *Thecla* OD: Syst. Bearb. Schmett. Europ. 1:pl 110, f 529-532 [b2313] CG: *Tomares* [TypeL - Syria.] [Refs - b2988; b2375; b2747; b0996; b2827 (as ...); b2905; b2794; b2859 (as *nogelli*); b4092; ns2320; b1455]
- c noguerae** (de Sagarra y Castellamau), 1924; *Hirsutina* OD: *Bull. Inst. catal. Hist. nat.* (2):4:203 [b1176] SS: *damon* ((Denis & Schiffermüller), 1775; *Polymmatius* (*Agrodiaetus*) [TypeL - Spain.] [Refs - b3059; b0236; b3613; b0471]
- c noguerae** Haig-Thomas, 1929; *Cupido* OD: Ent. Rec. 41:46 [b2116] SS: *minimus* (Füssly), 1775; *Cupido* [TypeL - Spain.] [Refs - b3059; b0236; b3850; b0471]
- c nohirae** (Matsumura), 1915; *Zephyrus* OD: Ent. Mag. (Kyoto) 1(1):1-3, pl 1, f B [b3085] SS: *fujisanus* (Matsumura), 1910; *Sibatanozephyrus* [TypeL - Mt. Daisen, Japan.] [Refs - b1900; b0070; b3085; b4204]
- a nota** Herrich-Schäffer, [1853], 1850-1869; *Mesene* OD: *Samml. neuer. aussereurop. Schmett.* 1:[55], pl [2], f 23 [b2314] [TypeL - Amazon.] [Refs - b2747; b4474; b1456; b1456]
- c nota** (Fruhstorfer), [1912]; *Marmessus* OD: *Berl. ent. Z.* 56(3/4):250 [b1850] SS: *moorei* (Distant), 1882; *Drupadia* [Type: BMNH-ht] [TypeL - Brunei, Borneo.] [Refs - b1030; b4094; b0105; b1850; b4108]
- a notaensis** (Stempffer), 1951; *Epamera* OD: *Bull. Soc. ent. Fr.* 56(8):125, f [b4381] CG: *Iolaus* (*Epamera*) [TypeL - Usambara.] [Refs - b1452; b4400; b4381]
- a notens** Eliot, 1964; *Deramas* OD: *Entomologist* 97:247 [b1550] [Type: BMNH-ht] [TypeL - Daunt Range, Tenasserim, Burma.] [Refs - b0965; b1550; b1454; b0694; b1552; b1550]
- b noliteia** (Fruhstorfer), 1918; *Castalius* OD: *Tijdschr. Ent.* 61:37 [b1884] SS: *elna* (Hewitson), [1876]; *Caleta* [TypeL - Sikkim; Burma.] [Refs - b1636; b1840; b0694]
- a nollothi** Tite & Dickson, 1977; *Aloeides* OD: *Ent. Rec.* 89(7):210 [b4687] [TypeL - Cape Province, S. Africa.] [Refs - b1259; b1452]
- b nolus** Eliot, 1963; *Heliophorus* OD: *Entomologist* 96:175 [b1549] SS: *ila* (de Nicéville), [1896]; *Heliophorus* [Type: BMNH-ht] [TypeL - Taok Plateau, Tenasserim, Burma.] [Refs - b1551; b1454; b0694; b1549]
- e nomaea** Doubleday, 1847, 1844-1848, (NN); *Emesis* OD: *List Spec. lep. Brit. Mus.* (2):9 [b1327] [Refs - b4475]
- c nomancha** (Ribbe), 1910, 1909-1912; *Lycaena* OD: *Deut. ent. Zeit.* [Iris] 23(1/2):185 [b3741] SS: *argus* (Linnaeus), 1758; *Plebejus* [Refs - b3059; b0236; b0471]
- a nomenia** (Hewitson), 1874; *Myrina* OD: *Trans. ent. Soc. Lond.* 22(3):353 [b2341] CG: *Hypomyrina* [TypeL - Old Calabar.] [Type of - *Hypomyrina*] [Refs - b2280; b2753; b1452; b0836; b4400]
- b nomia** (Godman), 1903; *Lemonias* OD: *Trans. ent. Soc. Lond.* 51(4):544 [b1972] SS: *thara* (Hewitson), [1858]; *Calospila* [TypeL - Guiana.] [Refs - b4475]
- b nomion** (Staudinger), 1891; *Myrina* OD: *Deut. ent. Zeit.* [Iris] 4(1):156 [b4334] SS: *nomenia* (Hewitson), 1874; *Hypomyrina* [TypeL - Sierra Leone.] [Refs - b1452; b0836; b4400]
- b nonacriensis** (Brown), 1977; *Agrodiaetus* OD: *Ent. Gaz.* 28(1):3, f [b0544] SS: *iphigenia* (Herrich-Schäffer), [1847]; *Polymmatius* (*Agrodiaetus*) [TypeL - Greece.] [Refs - b1610 (8E3341); b0109; b1000; b1004; b1455]
- a noquasa** (Trimen), 1887, 1887-1889; *Lycaena* OD: In *Trimen & Bowker, S. Afr. Buus* 2:64 [b4725] CG: *Harpodyreus* [Refs - b1943; b1259; b0108; b1452; b0162; b4400; b3312]
- a nora** (C. Felder), 1860; *Lycaena* OD: Sber. Akad. Wiss. Wien 40(11):458 [b1676] CG: *Prosotas* [Type: BMNH-ht] [TypeL - Amboina.] [Refs - b4676; b0964; b4198; b1450; b1636; b0965; b2747; b0995; b4094; b1762; b0236; b1454; b0694; b4092; b2388]
- a nora** Jones, 1912; *Thecla* OD: *Proc. zool. Soc. Lond.* 1912(4):899, pl 97, f 8 [b2663] CG: *Thecla* (New World Eumacini) [Type: BMNH.] [TypeL - Castro, Paraná, Brazil.] [Refs - b0908]
- a nora** Stichel, 1925; *Mesosemia* OD: *Z. wiss. Insektbiol.* 20:20 [b4463] [TypeL - Brazil.] [Refs - b4474; b1456]

- a *norax* Godman & Salvin, [1887], 1879-1901; *Thecla* OD: *Biol. centr.-amer., Lep. Rhop.* 2:59; 3:pl 55, f 17,18 [b1975] CG: *Thecla* (New World Eumaeini) [Type: BMNH] [TypeL - Polochic Valley, Guatemala.] [Note - Allied to *gadia*.] [Refs - b0908; b3818; b1375; b1975]
- a *norda* (Evans), 1957; *Narathura* OD: *Bull. Br. Mus. nat. Hist. (Ent.)* 5(3):97 [b1644] CG: *Arhopala* b [Type: BMNH-hi] [TypeL - Langkawi Island.] [Refs - b1644; b1454; b4602; b4108]
- c *ab. nordlandica* (Strand), 1901; *Thecla* OD: *Nyt Mag. naturvid.* 39(1):45 [b4490] SS: *borealis* Krulikovskii, 1890; *Calophrys* [TypeL - Langöen, Denamrk.] [Refs - b0995; b0236; b2585]
- a *norela* (R. Felder), 1868; *Lycaena* OD: *Verh. zool.-bot. Ges. Wien* 18:282 [b1693] CG: *Prosotas* [TypeL - Ceylon.] [Refs - b4676; b1636; b0938; b0995; b2747; b4094; b1454; b0694; b4092; b2388]
- a *norina* Hewison, [1867], 1852-1877; *Symphachia* OD: *Ill. exot. Buts* 4:—, pl [45], f 4 [b2323] [Type: BMNH-hi] [TypeL - Tapajos.] [Refs - b2988; b4474; b1456]
- a *norina* Toxopeus, 1929; *Prosotas* OD: *Tijdschr. Ent.* 72(3/4):239 [b4700] [TypeL - Java.] [Refs - b4676; b0938; b4700; b1454; b2388]
- a *normahal* Schaus, 1902; *Thecla* OD: *Proc. U. S. natn. Mus.* 24(1262):410 [b3948] CG: *Thecla* (New World Eumaeini) [Type: USNM-hi; #5927] [TypeL - Peru.] [Refs - b0908; b3948]
- b *normani* Eliot, 1967; *Allotinus* OD: *Entomologist* 100:69 [b1552] SS: *leogoron* Fruhstorfer, [1915]; *Allotinus* (*Paragerydus*) [Type: BMNH-hi] [TypeL - Sibatik Island, S.E. Sabah, Borneo.] [Refs - b1571; b1552; b1554; b4108]
- a *normani* Eliot, 1969; *Nacaduba* OD: *Entomologist* 102:273 [b1554] [Type: BMNH-hi] [TypeL - Kalabakan, S. E. Sabah, Borneo.] [Refs - b1454; b2387; b4108]
- a *normani* Eliot, 1972; *Arhopala* OD: *J. nat. Hist.* 6:11, f [b1556] CG: *Arhopala* f [Type: BMNH-hi] [TypeL - Sibatik Islands, Sabah, Borneo.] [Refs - b1556; b1454; b0965; b4108]
- a *normani* (Larsen), 1983; *Epamera* OD: *Bull. Inst. fond. Afr. Noire* 45(A):158, f 5-7 [b2899] CG: *Iolaus* (*Epamera*) [Type: BMNH-hi] [TypeL - Anara Forest Reserve, Kaduna, Nigeria.] [Refs - b2899]
- a *nortea* Le Crom & Johnson, 1993; *Pontirama* OD: *Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point)* (38):2, f [b2942] [Type: AMNH-hi] [TypeL - Villapinzon Cundinamarca, Colombia.] [Refs - b2942]
- a *nortia* Godman & Salvin, [1887], 1879-1901; *Thecla* OD: *Biol. centr.-amer., Lep. Rhop.* 2:76; 3:pl 57, f 11-13 [b1975] CG: *Thecla* (New World Eumaeini) [Type: BMNH] [TypeL - San Gerónimo, San Isidro, Guatemala.] [Refs - b0908; b2988; b1975]
- b *norvegica* (Nordström), 1935; *Lycæides* OD: *Norsk ent. Tidskr.* 4:87, f [b3412] SS: *ismenias* (Klug), 1834; *Iolaus* (*Iolaphilus*) [TypeL - Norway.]
- b *nostia* Fruhstorfer, 1912; *Dodona* OD: *Ent. Rundsch.* 29(3):24 [b1849] SS: *dipoea* Hewison, [1866]; *Dodona* [TypeL - Kaschmir.] [Refs - b1636; b4473; b1840; b1849]
- b *nostras* Courvoisier, 1913; *Satyrnum* OD: *Int. ent. Z.* 7(38):252 [b0990] SS: *acaciæ* (Fabricius), 1787; *Satyrnum* [Refs - b0236; b2985; b0471]
- a *nota* H. H. Druce, 1907; *Thecla* OD: *Proc. zool. Soc. Lond.* 1907(3):592, pl 34, f 7 [b1375] CG: *Thecla* (New World Eumaeini) [Type: pc; Godman collection.] [TypeL - San Sebastián, Colombia.] [Note - Druce says "allied to *doryasa*".] [Refs - b0908; b1375]
- a *notacastanea* Johnson, 1988; *Femniurga* OD: *Insecta Mundi* 2(1):38, f 2A-D; 3D-G; 4A,G [b2595] [Type: AMNH-hi] [TypeL - Laguna Las Casas, Salta Province, Argentina.] [Type of - *Femniurga*] [Refs - b2595; b2623; b2606]
- e *notanda* (Seitz), [1924], 1912-1927, (ISS); *Amblypodia* OD: *In Seitz, Grossschmett. Erde* 9:949 [b4094] SS: *natanda* Fruhstorfer, 1914; *Arhopala* h [Refs - b4094]
- b *notha* Benuu, 1950; *Abisara* OD: *Entomologist* 83:6 [b0294] SS: *echerius* (Stoll), [1790]; *Abisara* [Type: BMNH] [TypeL - Tonkin.] [Refs - b0294]
- b *notia* Hayward, 1949; *Apodemia* OD: *Acta zool. lilloana* 8:198 [b2216] SS: *castanea* (Prittwitz), 1865; *Apodemia* [TypeL - Argentina.] [Refs - b2221]
- a *notialis* (Stichel), 1910; *Hamearis* OD: *Berl. ent. Z.* 55(1/2):45 [b4445] CG: *Audre* [Type: ZMHU-hi] [TypeL - Argentina.] [Refs - b4475; b2221; b0420; b4445; b1456]
- b *notius* Stichel, 1911; *Anteros* OD: *Gen. Insectorum* 112(B):256 [b4447] SS: *renaldus* (Stoll), [1790]; *Anteros* [Type: ZMHU-st] [TypeL - Santa Catharina, Brazil.] [Refs - b4474; b4446]
- a *notoba* (Trimen), 1868; *Lycaena* OD: *Trans. ent. Soc. Lond.* 16(1):91 [b4718] CG: *Harpenderyus* [TypeL - Africa mer.] [Note - According to Stempffer, the male genitalia of this species differ somewhat from other members of the genus.] [Refs - b0162; b1259; b2747; b1452; b4400 (as *notobia*); b3312; b4718]
- c *notobia* Stempffer, 1967, (ISS); *Harpenderyus* OD: *Bull. Br. Mus. nat. Hist. (Ent.) Suppl.* 10:224 [b4400] SS: *notoba* (Trimen), 1868; *Harpenderyus* [Refs - b4400]
- a *notocrucifer* Johnson & Hay & Bollam, 1992; *Jalmenus* OD: *Aust. ent. Mag.* 19(3):69, f [b2644] [TypeL - Western Australia.] [Refs - b0126]
- a *nototrebula* Johnson & Eisele & MacPherson, 1988; *Calystryma* OD: *Bull. Allyn Mus.* (123):5, f 3CD, 10BC [b2623] [Type: AMNH-hi] [TypeL - Tartagal, Salta, Argentina.] [Refs - b2623; b2606]
- b *novabritannica* Willner, 1985; *Liphyra* OD: *Mitt. münchn. ent. Ges.* 75:79, f [b5017] SS: *brassolis* Westwood, [1864]; *Liphyra* [TypeL - Papua New Guinea.] [Refs - b0119]
- c *novaeguinae* Sharp, [1914], (ISS); *Arhopala* OD: *Zool. Rec.* 50(1913)(Ins.):336 [b4143] SS: *novaeguinae* Strand, 1912; *Arhopala* h [Refs - b4143]
- b *novaeguinae* Strand, 1912; *Arhopala* OD: *Arch. Naturgesch* (A)78(11):78 [b4512] SS: *micale* Boisduval, 1853; *Arhopala* h [TypeL - Teba, New Guinea.] [Refs - b1644; b1450; b4528]
- a *novaehbridensis* H. H. Druce, 1892; *Nacaduba* OD: *Proc. zool. Soc. Lond.* 1892(3):438, pl 27, f 7,8 [b1359] [Type: BMNH-hi] [TypeL - Pentecost Island, New Hebrides.] [Refs - b4676; b1450 (as *novaehbridensis*); b2387; b2388]
- c *novaehollandiae* (C. Felder), 1862; *Lycaena* OD: *Verh. zool.-bot. Ges. Wien* 12:490 [b1677] SS: *labradus* (Godart), [1824]; *Zizina* [Refs - b2747; b4094; b1475]
- b *novascotiae* McDunnough, 1935; *Feniseca* OD: *Can. Ent.* 67(10):211 [b3132] SS: *tarquinius* (Fabricius), 1793; *Feniseca* [Type: CNC-hi] [TypeL - South Milford, Nova Scotia.] [Note - Marked emendatio by dos Passos because the name was originally spelled with a hyphen.] [Refs - b0908; b3192; b1321]
- e *ab. novopuncta* Courvoisier, 1912; *Plebejus* OD: *Deut. ent. Zeit.* [Iris] 26:58 [b0987] SS: *argus* (Linnaeus), 1758; *Plebejus* [Refs - b0471]
- e *novopuncta* Wehrli, 1913; *Maculinea* OD: *Mitt. thurgau. naturf. Ges.* 20:15 [b4971] SS: *alcon* ((Denis & Schiffermüller)), 1775; *Maculinea* [Check - Reference not found.] [Refs - b0400; x0276]

- c** *f. nox* Seki & Takanami & Otsuka, 1991; *Simiskina* OD: *Butus* Borneo 2(1):6 [b4108] SS: *phalena* (Hewitson), 1874; *Simiskina* [TypeL - Cameron Highlands, Malay Peninsula.] [Refs - b0125; b4108]
- a** *ntebi* (Bethune-Baker), 1906; *Pentila* OD: *Ann. Mag. nat. Hist.* (7)17:105 [b0338] CG: *Ompholidotos* [TypeL - Uganda.] [Refs - b1452; b4400]
- b** *nuba* Talbot, 1935; *Myrina* OD: *Ent. mon. Mag.* 71:78 [b4623] SS: *subornata* Lathy, 1903; *Myrina* [TypeL - Sudan.] [Refs - b1452; b4623; b4400]
- a** *nubes* (H. H. Druce), 1907; *Thecla* OD: *Proc. zool. Soc. Lond.* 1907(3):625 [b1375] CG: *Electrostrymon* [Type: BMNH-ht] [TypeL - Tabago Island (Trinidad), B. W. I.] [Refs - b0908; b0278; b1375; b2628]
- a** *nubilifer* (Trimen), 1895; *Lycæna* OD: *Trans. ent. Soc. Lond.* 43(2):187, pl 5, f 4 [b4730] CG: *Uranothauma* [TypeL - S. Africa.] [Refs - b1943; b1259; b1452; b4400; b2560; b3606; b0162]
- a** *nubilifera* H. H. Druce, 1910; *Liptena*; *Liptena* OD: *Proc. zool. Soc. Lond.* 1910(1):362, pl 33, f 14 [b1378] CG: *Liptena* (*Tetrarhanis*) [TypeL - W. Africa.] [Refs - b1452; b4400]
- b** *nubilla* J. A. Comstock, 1926; *Tharsalea* OD: *Bull. S. Calif. Acad. Sci.* 25(1):34 [b0873] SS: *arota* (Boisduval), 1852; *Tharsalea* [Type: LACM-ht] [TypeL - Griffith Park, Los Angeles, California.] [Refs - b0908; b3191; b3192; b1321; b4066]
- a** *nubilla* Titc, 1959; *Catochrysops* OD: *Entomologist* 92:212, pl 10,11, f 8, 1f C,G [b4670] [Type: BMNH-ht] [TypeL - Ysabel Island.] [Refs - b1450; b4670; b2388]
- c** *ab. nubilatus* Murayama & Shimonoya, 1968; *Deudorix* OD: *New Ent.* 17(1):8, f 22 [b3308] SS: *menesicles* Fruhstorfer, [1912]; *Deudorix* [Refs - b3308]
- a** *nubilum* (H. H. Druce), 1907; *Thecla* OD: *Proc. zool. Soc. Lond.* 1907(3):612 [b1375] CG: *Gigantorubra* [Type: BMNH-ht] [TypeL - Castro, Paraná, Brazil.] [Refs - b0908; b1375; b2614]
- b** *nubilus* Moore, [1884]; *Spalgis* OD: *Proc. zool. Soc. Lond.* 1883(4):522 [b3235] SS: *epeus* (Westwood), [1851]; *Spalgis* [TypeL - Andaman Isles.] [Refs - b0964; b1636; b1153; b0965; b1840; b3235; b1454; b0694; b4108]
- a** *nubilus* (Moore), [1887], 1880-1881; *Aphnaeus* OD: *Lep. Ceylon* 3:530, pl 210, f 1,1b [b3232] CG: *Spindasis* [TypeL - Ceylon.] [Refs - b1636; b1153; b4094; b1454; b0694; b0695]
- a** *nubilus* Henning, 1982; *Alcides* OD: *J. ent. Soc. S. Afr.* 45(2):234, f [b2284] [TypeL - Transvaal.] [Refs - b0115]
- b** *nuctus* Eliot, 1961; *Miletus* OD: *Bull. Raffles Mus.* 26:169 [b1546] SS: *symethus* (Cramer), [1777]; *Miletus* 4 [TypeL - Sumatra.] [Refs - b1546]
- b** *nuditurca* Lorkovic, 1943; *Everes* OD: *Mitt. münchen. ent. Ges.* 33:443 [b3009] SS: *argiades* (Pallas), 1771; *Everes* [TypeL - Russia.]
- b** *nuevoleon* McAlpine, [1971]; *Calephelis* OD: *J. Res. Lep.* 10(1):59, f [b3127] SS: *sinaloensis* McAlpine, [1971]; *Calephelis* [Type: USNM-ht] [TypeL - Iturbide, Nuevo Leon, Mexico.] [Refs - b4066; b3127]
- c** *nuffrellensis* (Leraut), 1980, (ISS); *Lysandra* OD: *Liste Lép. France Belg.* Corse :129 [b2985] SS: *nuffrellensis* (Schurian), 1977; *Polyommatus* (*Lysandra*) [Refs - b4038]
- b** *nuffrellensis* (Schurian), 1977; *Lysandra* OD: *Ent. Zeit.* 87(3):13-18 [b4029] SS: *coridon* (Poda von Neuhaus), 1761; *Polyommatus* (*Lysandra*) [Type: pc-ht; collection Schurian.] [TypeL - Corsica.] [Refs - b1610 (4145-E9); b0109; b4029; b4038]
- a** *nugar* (Schaus), 1902; *Thecla* OD: *Proc. U. S. natn. Mus.* 24(1262):408 [b3948] CG: *Nicolaea* [Type: USNM-ht; #5924] [TypeL - Jalapa, Mexico] [Refs - b0908; b3818; b3948; b1375; b2619]
- a** *nuksani* (Forster), 1937; *Lycæna* OD: *Mit. münchen. ent. Ges.* 27:62, pl 4, f 1,2,3 [b1759] CG: *Polyommatus* (*Sublysandra*) [TypeL - Hindu Kush.] [Note - Also seen as a subspecies of *stoliczkana*, *pheretiades* and *candalus*.] [Refs - b1759; b0076; b3910 (with *stoliczkana*); b0205 (with *candalus*)]
- b** *numa* Fruhstorfer, [1912]; *Hypolycaena* OD: *Berl. ent. Z.* 56(3/4):240 [b1850] SS: *sipylus* (C. Felder), 1860; *Hypolycaena* [TypeL - Sumbawa] [Refs - b4094; b1454; b1850; b4592]
- b** *numana* Fruhstorfer, [1912]; *Loxura* OD: *Berl. ent. Z.* 56(3/4):223 [b1850] SS: *cassiopeia* Distant, 1884; *Loxura* [TypeL - Sumatra.] [Refs - b4094; b1454; b1850]
- a** *numen* H. H. Druce, 1907; *Thecla* OD: *Proc. zool. Soc. Lond.* 1907(3):574, pl 32, f 4,5 [b1375] CG: *Thecla* (New World *Eumacini*) [Type: pc; Godman collection.] [TypeL - Roraima, British Guiana.] [Refs - b0908; b1375]
- a** *numerus* (Stoll), [1790], 1780-1790; *Papilio* OD: In Cramer, *Uitl. Kapellen Aanh.*:169, pl 38, f 7,7G [b4478] CG: *Leptotes* [TypeL - Surinam.] [Refs - b0908; b2747]
- c** *ab. nunenmacheri* (Strand), 1915; *Cyaniris* OD: *Arch. Naturgesch.* (A)80(11):159 [b4517] SS: *echo* (Edwards), 1864; *Celastrina* [TypeL - Eldorado County, California; Lake County, Oregon.] [Refs - b0908; b3192; b1321; b4528]
- c** *nuu* (Karsch), 1893; *Tingra* OD: *Berl. ent. Z.* 38(1/2):215, pl 5, f 10 [b2693] SS: *phidia* Hewitson, 1874; *Pentila* [TypeL - W. Africa.] [Refs - b4400]
- b** *nuptus* Clench, 1961; *Dapidodigma* OD: *Ann. Cam. Mus.* 36(6):65, pl 1, f 9,12 [b0828] SS: *demeter* Clench, 1961; *Dapidodigma* [TypeL - Katanga.] [Refs - b0828; b0528; b1452; b4400]
- a** *nursel* Butler, 1896; *Iolaus* OD: *Proc. zool. Soc. Lond.* 1896(1):251, pl 10, f 16 [b0644] CG: *Iolaus* (*Epamera*) [TypeL - Aden.] [Refs - b1452; b2898; b2901; b4400]
- a** *nurtia* Süchel, 1911; *Argyrogrammana* OD: *Gen. Insectorum* 112(B):246 [b4447] [Type: ZMHU-st] [TypeL - Pachitea, Peru; Rio songo, Yungas, Bolivia.] [Refs - b4474; b1456; b4446]
- c** *nuydai* Hayashi & Iwanaga, 1974; *Celastrina* OD: *Kontyû* 42(1):22, f [b2206] SS: *algeroni* (Fruhstorfer), [1917]; *Celastrina* [Type: OMNH-ht] [TypeL - Montalban, Luzon, Philippines.] [Refs - b0105; b1580]
- a** *nuydai* Takanami, 1988; *Catapaecilma* OD: *Konchu to Shizen* (Nature & Insects) 23(4):38 [b4599] [Type: pc-ht; collection of Takanami.] [TypeL - Mt. Kitanglad, Bukidnon, North Mindanao, Philippines.] [Refs - b4599]
- c** *nyagora* (Boisduval), 1870; *Lycæna* OD: *Consid. Lép. Guatemala* :17 [b0469] SS: *isola* (Reakit), [1867]; *Echinargus* [TypeL - Mexico or Honduras.] [Refs - b0908; b2747]
- a** *nyanza* Neave, 1904; *Telipna* OD: *Novit. zool.* 11:335, pl 1, f 19 [b3345] [TypeL - Uganda.] [Refs - b1452; b4400]
- a** *nyanzae* Stempffer, 1954; *Aphnaeus* OD: *Trans. R. ent. Soc. Lond.* 105(21):499, f 4,18 [b4387] [TypeL - Uganda.] [Refs - b1452; b4400]
- b** *nyanzae* Stempffer & Benett, 1958; *Iolaus* OD: *Bull. Inst. franç. Afr. Noire* 20(A):1291 [b4418] SS: *crawshayi* (Bulter), [1901]; *Iolaus* (*Argiolaus*) [TypeL - Kenya.] [Refs - b1452; b4400]
- b** *nyanzana* (Wichgraf), 1911; *Stugeta* OD: *Int. ent. Z.* 5(25):173 [b5002] SS: *bowkeri* Trimen, 1864; *Iolaus* (*Stugeta*) [Refs - b1452; b4400]

- a *nyanzana* (Stempffer), 1957; *Deudorix* OD: Bull. Inst. franç. Afr. Noire 19(A):214 [b4390] CG: *Hypokopelates* [Type: BMNH-ht] [TypeL - Uganda.] [Refs - b1452; b4400]
- c *nyassae* (Bethune-Baker), 1923; *Neochrysops* OD: Trans. ent. Soc. Lond. 70(3/4):332, pl 14, f 10 [b0359] SS: *aethiopia* (Bethune-Baker), 1923; *Lepidochrysops* [Type: BMNH-st] [TypeL - Nyasaland, S. Africa.] [Refs - b1943; b4669; b0359; b4400]
- a *nyassae* Stempffer & Bennet, 1953; *Baliochila* OD: Bull. Br. Mus. nat. Hist. (Ent.) 3:92 [b4415] [TypeL - Nyasaland.] [Refs - b1943; b1452; b4400]
- c *nyassae* Stempffer, 1967, (ISS); *Myrina* OD: Bull. Br. Mus. nat. Hist. (Ent.) Suppl. 10:112 [b4400] SS: *nyassae* Talbot, 1935; *Myrina* [Refs - b4400]
- b *nyasana* Hawker-Smith, 1933; *Alaena* OD: *Stylops* 2:1 [b2168] SS: *amazoula* (Boisduval), 1847; *Alaena* [TypeL - Mt. Mlanje, Nyasaland.] [Refs - b1943; b1452; b2168; b4400]
- b *nyasana* (Talbot), 1935; *Stugeta* OD: Ent. mon. Mag. 71:116, pl 1, f 17; pl 3, f 6 [b4623] SS: *bowkeri* Trimen, 1864; *Iolaus* (*Stugeta*) [TypeL - E. Africa.] [Refs - b1943; b1452; b4623]
- a *nyassa* Hewitson, 1877; *Alaena* OD: Ent. mon. Mag. 14:6 [b2351] [TypeL - Lake Nyassa.] [Refs - b1943 (as *nyassae*); b1259; b1452; b2351; b4400 (as *nyassae*)]
- a *nyassae* (Butler), 1884; *Aphnaeus* OD: Ent. mon. Mag. 20:250 [b0632] CG: *Spindasis* [TypeL - Lake Nyassa.] [Refs - b1943; b1452; b4400; b2560]
- b *nyassae* Talbot, 1935; *Myrina* OD: Ent. mon. Mag. 71:78 [b4623] SS: *dermaptera* (Wallengren), 1857; *Myrina* [Refs - b1943; b1452; b4623; b4400 (as *nyassae*)]
- e *nyassae* Gifford, 1965, (ISS); *Alaena* OD: Butterflies of Malawi :- [b1943] SS: *nyassa* Hewitson, 1877; *Alaena* [Refs - b4400; b1943]
- b *nyassana* Aurivillius, [1899]; *Pentila* OD: K. svenska VetenskAkad. Handl. (nF)31(5):261, f 22 [b0156] SS: *pauli* Staudinger, [1888]; *Pentila* [Refs - b1943; b1452; b0836; b4420; b4400]
- c *nyctetus* (Stoll), [1782], 1780-1790; *Papilio* OD: In Cramer, *Uil. Kapellen* 4(32):178, pl 380, f F,G [b4478] SS: *thyra* (Linnaeus), 1764; *Aloeides* [TypeL - Cape of Good Hope.] [Refs - b4684; b2747; b4400]
- c *nycha* (Hübner), [1823], 1808-1837; *Psalidopterus* OD: *Zur. Samml. exot. Schmett.* 2:17, pl [49], f 279,280 [b2483] SS: *thucydides* (Fabricius), 1793; *Euselasia* [Type of - *Psalidopterus*] [Refs - b2280; b2747; b4474; b3192]
- c *nyctea* (Hoffmansegg), 1818; *Emesia* OD: In Wiedemann, *Zool. Mag.* 1(2):99 [b2412] SS: *coea* Hübner, [1819]; *Mesosemia* [*Check - Priority.*] [Refs - b4474; b1456]
- a *nyctels* Westwood, [1851], 1846-1852; *Parnes* OD: In *Gen. dium. Lep.* (2):pl 73, f 3, (:464) [b4981] [TypeL - Amazon.] [Type of - *Parnes*] [Refs - b2280; b2988; b2747; b4475; b1456]
- a *nycteus* (Godman & Salvin), [1886], 1879-1901; *Nymphidium* OD: *Biol. centr.-amer., Lep. Rhop.* 1:476; 3:pl 47, f 18 [b1975] CG: *Synargis* [TypeL - Panama.] [Refs - b2988; b4476; b1456]
- b *nycula* Moore, 1865; *Polyommatus* OD: *Proc. zool. Soc. Lond.* 1865(2):503, pl 31, f 3 [b3220] SS: *galathea* (Blanchard), [1844]; *Polyommatus* (*Albulina*) [TypeL - Kunawur.] [Refs - b2747; b4094; b2479]
- c *nydia* Bates, [1868]; *Mesene* OD: *J. linn. Soc. Lond., Zool.* 9:389 [b0267] SS: *eupteryx* Bates, [1868]; *Mesene* [TypeL - Ega.] [Refs - b2747; b4474]
- e *nyeni* (Seitz), [1909], 1907-1921, (ISS); *Chrysophanus* OD: In Seitz, *Grossschmett. Erde* 1:287 [b4092] SS: *uyeni* (Ter Haar), 1901; *Lycaena* (Heodes) [Refs - b4092]
- a *nyika* Tite, 1961; *Lepidochrysops* OD: *Entomologist* 94:23 [b4673] [TypeL - Nyasaland.] [Refs - b1943; b1452; b4400]
- a *nyika* Quickelberge, 1984; *Axiocerses* OD: *Durban Mus. Novit.* 13(19):239-243 [b3680] [TypeL - Malawi.] [Refs - b0117]
- a *nympha* Durden & Rose, 1978; *Riodinella* OD: *Pearce- Sellards ser. Tex. mem. Mus.* (29):17, f [b1435] [TypeL - Colorado (Middle Miocene).] [Type of - *Riodinella*] [*Note - A fossil.*]
- a *nympharena* Stichel, 1909; *Mesosemia* OD: *Berl. ent. Z.* 54(1/2):12 [b4444] [TypeL - Guyana.] [Refs - b4474; b1456]
- a *nymphidia* Butler, 1876; *Stiboges* OD: *Proc. zool. Soc. Lond.* 1876(2):309, pl 22, f 1 [b0603] [TypeL - Pinang.] [Type of - *Stiboges*] [Refs - b1636; b1149; b2988; b2280; b0965; b2753; b4474; b0236; b1454; b1840; b4092]
- b *nymphidioides* (Butler), 1872; *Pandemos* OD: *Cistula Entomologica* 1(4):79 [b0595] SS: *ethelinda* (Hewitson), 1870; *Synargis* [TypeL - Costa Rica.] [Type of - *Acysipoda*] [Refs - b2280; b2988; b2753; b4476]
- a *nymphis* (Fruhstorfer), 1913; *Gerydus* OD: *Z. wiss. InsektBiol.* 9(10):307 [b1851] CG: *Miletus* 1 [TypeL - Malay Archipelago.] [Refs - b1546; b0965; b1840; b0694]
- a *nyseus* (Guérin-Méneville), [1843]; *Polyommatus* OD: In Delessert, *Souvenirs Voy. Inde* (2):78, pl 22, f 1,1a [b2088] CG: *Talicada* [TypeL - India.] [Type of - *Talicada*] [Refs - b2280; b1636; b4179; b2747; b4094; b0236; b1454; b0694]
- c *nyx* (Hübner), [1817], 1806-1838; *Limnas* OD: *Samml. exot. Schmett.* 1:pl [33], f 1,2 nec 3,4 [b2482] SS: *dorilas* (Cramer), [1775]; *Syrmatia* [Type of - *Syrmatia*] [Refs - b2280; b2747; b4474; b2260; b1456]
- b *nzola* Talbot, 1937; *Mimacraea* OD: *Trans. R. ent. Soc. Lond.* 86(4):64 [b4625] SS: *marshalli* Trimen, 1898; *Mimacraea* [Type: BMNH-ht] [TypeL - Kitale, Kenya.] [Refs - b1452; b4400; b4625]
- b *nzolae* Stoneham, 1937; *Myrina* OD: *Bull. Stoneham Mus.* (34):2 [b4480] SS: *silenus* (Fabricius), 1775; *Myrina* [TypeL - Kenya.] [Refs - b1452; b2898; b2901; b4400]
- c *oakesii* (Butler), 1884; *Theritas* OD: *Ann. Mag. nat. Hist.* (5)14:267 [b0631] SS: *imperialis* (Cramer), [1775]; *Arcas* [TypeL - Colombia.] [Refs - b2221; b3389]
- a *obelus* (H. H. Druce), 1907; *Thecla* OD: *Proc. zool. Soc. Lond.* 1907(3):588, pl 34, f 12 [b1375] CG: *Nicolaea* [Refs - b1375; b2619]
- e *ab obenbergeri* (Troniček), 1938; *Lycaena* OD: *Čas. ěsl. Spol. ent.* 35:116, f [b4736] SS: *psylonia* (Freyer), 1845; *Polyommatus* (*Kretania*) [TypeL - Crete.] [Refs - b0076]
- b *obensis* (Forster), 1936; *Lycaena* OD: *Mitt. münchn. ent. Ges* 26:135 [b1758] SS: *argus* (Linnaeus), 1758; *Plebejus* [TypeL - W. Siberia.] [Refs - b0074]
- c *oberthueri* (Grum-Grshimailo), 1887; *Lycaena* OD: In Romanoff, *Mém. Léop.* 3:399 [b2065] SS: *elvira* (Eversmann), 1854; *Polyommatus* (*Agrodiaetus*) [TypeL - Central Asia.] [Refs - b2856; b0993; b2065 (as *oberthuri*); b4092]
- b *oberthueri* (Staudinger), 1887; *Thecla* OD: In Romanoff, *Mém. Léop.* 3:138, pl 6, f 4a,b [b4331] SS: *butleri* (Fenton), [1882]; *Anugius* [TypeL - Amurland.] [Refs - b0996 (*oberthuri*); b2827 (*oberthuri*); b1900; b4331 (as *oberthuri*); b4092]
- b *oberthueri* (Staudinger), 1889; *Amblypodia* OD: *Deut. ent. Zeit.* [Iris] 2(1):132, pl , f 4 [b4332] SS: *alaconia* (Hewitson), [1869]; *Arhopala* i [Type: ZMHU-It; designated by Takamami, 1989] [*Tyô to Ga* 40(1):28 [b4602]] [TypeL - Palawan.] [*Note - Often seen as oberthuri.*] [Refs - b1644; b4094; b1454; b4594; b4332 (as *oberthuri*); b4602]

- d *oberthueri* (Staudinger), 1901, (H); *Lycaena* OD: *Cat. Lep. Palae. Faun.* (3rd ed) :81 [b4347] SS: *magnaglandon* (Verity), 1949; *Polyommatus* (*Agriades*) [*Note - Verity replaced this name with magnaglandon.*] [Refs - b3059; b2856; b4347 (as *oberthueri*); b0410; b4092]
- c *oberthueri* (Holl), 1909; *Thestor* OD: *Bull. Soc. ent. Fr.* 1909(13):228, f 1 [b2415] SS: *ballus* (Fabricius), 1787; *Tomares* [TypeL - Algeria.] [Refs - b0236 (as *oberthueri*); b2415; b0471]
- e *ab. oberthueri* (Gelin), 1914; *Lysandra* OD: *Bull. Soc. ent. Fr.* 1914(6):184, pl 3, f 5 [b1926] SS: *syngnatha* (Keferstein), 1851; *Polyommatus* (*Lysandra*) [Refs - b0236 (as *oberthueri*); b0471]
- e *oberthueri* Riley, 1925, (IFS); *Cigaritis* OD: *Novit. zool.* 32:75 [b3759] SS: *zohra* Donzel, 1847; *Cigariis* [TypeL - N. W. Africa.] [Refs - b0236 (as *oberthueri*); b0471; b3759]
- b *oberthueri* (Riley), 1929; *Epamera* OD: *In Trans. ent. Soc. Lond.* 77(2):496 [b3772] SS: *pollux* (Aurivillius), 1895; *Iolaus* (*Epamera*) [Type: BMNH-ht] [TypeL - Ivory Coast.] [Refs - b1452; b0836; b4400; b3772]
- a *oberthueri* Aurivillius, [1899]; *Alaena* OD: *K. svenska VetenskAkad. Handl.* (nF)31(5):256 [b0156] [TypeL - Mpala, west coast of Lake Tanganyika.] [*Check - Spelling.*] [Refs - b1452; b4400]
- e *ab. oberthuri* (Blachier), 1908; *Chrysophanus* OD: *Annls Soc. ent. Fr.* 77(2):217, pl 4, f 7 [b0434] SS: *phlaeas* (Linnaeus), 1761; *Lycaena* (*Lycaena*) [Refs - b0996; b0236 (as *oberthueri*); b0389 (as *oberthueri*); b0434]
- e *ab. oberthuri* (Stetter-Stüeremayer), 1937; *Lycaena* OD: *Ent. Rundsch.* 54:531 [b4432] SS: *allardi* (Oberthür), 1874; *Plebejus* (*Plebejides*) [*Check - Spelling.*] [Refs - b0075 (as *oberthueri*)]
- b *oblana* (Fruhstorfer), 1908; *Pseudonotis* OD: *Int. ent. Z.* 2(18):114 [b1833] SS: *lorquini* (Felder & Felder), 1865; *Hypochlorosis* [TypeL - Obi.] [Refs - b1450; b2078]
- b *oblana* (Fruhstorfer), 1915; *Thysonotis* OD: *Soc. ent.* 30:44, f 2 [b1866] SS: *cyanea* (Cramer), [1775]; *Nacaduba* [TypeL - Obi.] [Refs - b1866]
- b *oblana* Tite, 1963; *Philiiris* OD: *Bull. Br. Mus. nat. Hist.* (Ent.) 14(5):229 [b4677] SS: *philotas* (C. Felder), 1860; *Philiiris* [Type: BMNH-ht] [TypeL - Obi.] [Refs - b4677; b1450]
- b *oblanus* Eliot & Kawazof, 1983; *Neopithecopis* OD: *Butts Lycaenopsis group* :53 [b1580] SS: *umbretta* Grose-Smith, 1895; *Neopithecopis* [Type: BMNH-ht] [TypeL - Laivui, Obi Island, Moluccas.] [Refs - b1580]
- c *oblonus* Le Mout, 1939, 1939-1940; *Helicopsis* OD: *Novit. ent.* (11):82 [b2943] SS: *gnidus* (Fabricius), 1787; *Helicopsis* [Type: AME-at] [TypeL - Brazil.] [Refs - b3199]
- b *oblina* (Evans), 1957; *Narathura* OD: *Bull. Br. Mus. nat. Hist.* (Ent.) 5(3):117 [b1644] SS: *micale* Boisduval, 1853; *Arhopala* h [Type: BMNH-ht] [TypeL - Obi.] [Refs - b1644; b1450]
- a *obliqua* Johnson, 1990; *Orcya* OD: *J. New York ent. Soc.* 98(1):78, f [b2602] [TypeL - Argentina.] [Refs - b0123]
- c *obliquisigna* Hulstaert, 1924; *Lachnocnema* OD: *Revue zool. afr.* 12(2):119 [b2496] SS: *brimo* Karsch, 1893; *Lachnocnema* [TypeL - Belgian Congo.] [Refs - b3796; b2496; b4400]
- e *ab. oblitterata* (Scudder), 1889, 1888-1889; *Heodes* OD: *Butts E. United States & Canada* 2:1001 [b4088] SS: *americana* Harris, 1862; *Lycaena* (*Lycaena*) [Type: biblio; name for a Maynard figure.] [TypeL - New England.] [Refs - b3191; b0996; b3192; b0236; b0389; b1321]
- e *oblitterata* (Turau & Verity), [1911], (IFS); *Chrysophanus* OD: *Boll. Soc. ent. ital.* 42:244 [b4753] SS: *valderiana* (Turau & Verity), [1911]; *Palaeochrysophanus* [Type: MZS-ht?] [Refs - b2856; b0236; b0389; b0471]
- c *oblitterata* Stichel, 1916; *Necyria* OD: *Deut. ent. Zeit.* 1916:6 [b4452] SS: *westwoodi* Hopffer, 1874; *Necyria* [TypeL - Peru.] [Refs - b4452; b4474]
- e ♀ *f. oblitterata* Hawker-Smith, 1928; *Deudorix* OD: *Revue zool. bot. afr.* 16:215 [b2165] SS: *lorisona* (Hewitson), [1863]; *Deudorix* (*Virachola*) [Type: BMNH-ht] [TypeL - St. Principe Island.] [Refs - b4400; b2165]
- a *oblitterata* Lathy, 1936; *Thecla* OD: *Livre jubilaire de M. Eugene-Louis Bouvier* :230 [b2925] CG: *Thecla* (*New World Eumacini*) [Type: MNHN-ht; collection of Fournier de Horrack.] [TypeL - Pampas, Peru.] [Refs - b2925; b2591; b2592]
- e *ab. obliuescens* (Schultz), 1906; *Lycaena* OD: *Ent. Zeit.* 19(36):214-215 [b4005] SS: *minis* (Staudinger), 1881; *Polyommatus* (*Agrodiactus*) [Refs - b4092]
- c *f. oblongata* (Kurihara), 1943; *Zizeeria* OD: *Trans. Kansai ent. Soc.* 13(1):57-62 [b2867] SS: *sylvia* (Nakahara), 1922; *Pseudozizeeria* [TypeL - Japan.]
- c *obscura* (Christ), 1877; *Lycaena* OD: *Verh. naturf. Ges. Basel* 6(3):374 [b0784] SS: *arion* (Linnaeus), 1758; *Maculinea* [*Note - Also described in Frey, Die Lepidopteren der Schweiz.* :22.] [Refs - b3059; b0410; b0400; b2859; b4092]
- d *obscura* Distant & Pryer, 1887, (H); *Logania* OD: *Ann. Mag. nat. Hist.* (5)19:266 [b1290] OS: *cineraria* Fruhstorfer, [1915]; *Logania* [TypeL - Sandakan, Borneo.] [Refs - b1290; b1840; b1571; b4108]
- b *obscura* (Staudinger), [1888], 1884-1888; *Thecla* OD: *In Exot. Schmett.* 1:286 [b4329] SS: *dumenilii* (Godart), [1824]; *Arawacus* [Refs - b1375; b4329]
- a *obscura* Miskin, 1891; *Amblypodia* OD: *Blue Book Papua New Guinea* :122 [b3214] CG: *Amblypodia* (?) [TypeL - New Guinea.] [Refs - b1473]
- b *obscura* (Rühl), 1893, 1892-1893; *Thestor* OD: *In Palae. Grossschmett.* 1:199 [b3901] SS: *callimachus* (Eversmann), 1848; *Tomares* [*Note - Proposed as ssp of nogelii.*] [Refs - b2827; b2795; b4092]
- b *obscura* (Rühl), 1893, 1892-1893; *Polyommatus* OD: *In Palae. Grossschmett.* 1:220 [b3901] SS: *helle* ((Denis & Schiffermüller)), 1775; *Helleia* A [Refs - b2252; b3466; b0389; b4092]
- c *obscura* (Grose-Smith), 1894; *Nacaduba* OD: *Novit. zool.* 1:574 [b2037] SS: *dana* (de Nicéville), [1884]; *Petrelaea* [Type: BMNH-ht] [TypeL - Humbolt Bay, New Guinea.] [Refs - b4676; b1450]
- e *ab. obscura* (Aigner-Abafi), 1906; *Nemeobius* OD: *Annls hist.-nat. Mus. natn. hung.* 4:514, f 23 [b0029] SS: *lucina* (Linnaeus), 1758; *Hamearis* [Refs - b4473; b0236]
- e *f. obscura* (Tuu), 1907, 1905-1914; *Strymon* OD: *Nat. Hist. Brit. Butts* 2:199 [b4760] SS: *pruni* (Linnaeus), 1758; *Fixsenia* [Refs - b0236]
- e *ab. obscura* (Grund), 1908; *Lycaena* OD: *Int. ent. Z.* 2(12):71 [b2080] SS: *argus* (Linnaeus), 1758; *Plebejus* [Refs - b0236; b0471]
- e *ab. obscura* (Courvoisier), 1910, 1910-1911; *Lycaena* OD: *Ent. Zeit.* 24:126 [b0985] SS: *donzelii* (Boisduval), [1832]; *Plebejus* (*Pseudoaricia*) [Refs - b2856; b0410; b0471; b0236]
- a *obscura* H. H. Druce, 1910; *Triclema* OD: *Proc. zool. Soc. Lond.* 1910(1):375, pl 34, f 10 [b1378] [TypeL - W. Africa.] [Refs - b1452; b0836 (as *Bethune-Baker* name); b1378; b4400]
- d *obscura* (Courvoisier), 1911, 1910-1911, (H); *Lycaena* OD: *Ent. Zeit.* 24:245 [b0985] OS: *memphis* (Hemming), 1934; *Palaeochrysophanus* [Refs - b2252; b0072; b0236; b0389]
- e *ab. obscura* Courvoisier, 1911, 1910-1911; *Lycaena* OD: *Ent. Zeit.* 24:245 [b0985] SS: *alciphron* (Rottenburg), 1775; *Lycaena* (*Alciphronia*) [Refs - b0236; b0389; b0471]

- a *obscura* Bethune-Baker, 1914; Hypokopelates OD: In Trans. ent. Soc. Lond. 61(3):501 [b0349] [TypeL - Lagos.] [Refs - b1452; b4400]
- b *obscura* (Waterhouse & Lyell), 1914; Neolucia OD: Butts Aust. :109 [b4947] SS: sulpitius (Miskin), 1890; Theclinesthes [TypeL - Cooktown & Cairns, Australia.] [Refs - b1450; b0870; b4094; b1475; b0126]
- a *obscura* (Schultze), 1916; Phytala OD: Arch. Naturgesch. (A)81(12):142 [b4016] CG: Hypophytala [TypeL - Fernando Po.] [Refs - b1452; b4400]
- e *ab. obscura* Aurivillius, [1924], 1908-1925; Spindasis OD: In Seitz, Grossschmett. Erde 13:413 [b0162] SS: natalensis (Westwood), [1851]; Spindasis [TypeL - Natal.] [Refs - b1943; b4400]
- e *ab. obscura* (Kauchi), 1924; Lycaena OD: Polsk. Pismo ent. 3:91 [b2701] SS: euphemus (Hübner), [1800]; Maculinea [TypeL - Poland.] [Refs - b0236; b3796; b0400; b0471]
- b *obscura* Evans, 1932; Curetis OD: Ident. Indian Butts (2nd ed.) :253 [b1638] SS: saronis Moore, 1877; Curetis [TypeL - Car Nicobar.] [Refs - b1638; b1454; b0694]
- a *obscura* Hawker-Smith, 1933; Epitola OD: Stylops 2:11 [b2168] [TypeL - Lagos, Gold Coast.] [Refs - b3842; b1452; b0836; b2168; b4400]
- b *obscura* Stempffer, 1947; Hypolycaena OD: Bull. Soc. ent. Fr. 52:37 [b4372] SS: liara H. H. Druce, 1890; Hypolycaena [TypeL - Sudan.] [Refs - b4400]
- e *obscura* (Heydemann), 1954; Freyeria OD: Z. wien. ent. Ges. 39:424, f [b2360] SS: trochylus (Freyer), 1845; Chilades (Freyeria) [TypeL - Afghanistan.]
- a *obscura* Stempffer, 1964; Iridana OD: Bull. Inst. franç. Afr. Noire 26(A):1259 [b4397] [TypeL - Uganda.] [Refs - b1452; b4400]
- e *f. obscura* Pascual Linares, 1985; Cupido OD: Revta Lep. 13(2):154 [b3553] SS: lorquini (Herrich-Schäffer), [1850]; Cupido [TypeL - Spain.] [Refs - b0119]
- b *obscura* Hanafusa, 1991; Laxita OD: Futao (7):9, f [b2123] SS: thuisto (Hewitson), [1861]; Laxita [TypeL - Indonesia.] [Refs - b0125]
- b *obscura* Hanafusa, 1991; Abisara OD: Futao (8):19, f [b2124] SS: savitri Felder & Felder, 1860; Abisara [TypeL - Indonesia.] [Refs - b0126]
- e *obscuraimperialis* Tutt, 1914, 1905-1914; Maculinea OD: Nat. Hist. Brit. Butts 4:323 [b4760] SS: arion (Linnaeus), 1758; Maculinea [Refs - b0400]
- b *obscuramaculata* (Austin), [1989]; Lycaena OD: J. Res. Lep. 27(3/4):266 [b0182] SS: editha (Mead), 1878; Gaecides [Type: biblio; replacement for nevadensis Austin, 1984] [TypeL - Jarbidge Canyon, Elko County, Nevada.] [Refs - b0124]
- e *obscuramajor* Tutt, 1911, 1905-1914; Maculinea OD: Nat. Hist. Brit. Butts 4:317 [b4760] SS: arion (Linnaeus), 1758; Maculinea [Refs - b0400]
- b *obscurata* Trimen, 1891; Deudorix OD: Proc. zool. Soc. Lond. 1891(1):84, pl 9, f 13 [b4727] SS: caerulea H. H. Druce, 1890; Deudorix (Plodeudorix) [TypeL - S. W. Africa.] [Refs - b1943; b1259; b0836; b4400; b3609]
- b *obscurata* (Staudinger), 1892; Lycaena OD: Deut. ent. Zeit. [Iris] 5:320 [b4338] SS: teleius (Bergsträsser), [1779]; Maculinea [TypeL - Kentei-Gebirges.] [Refs - b2827; b2866; b4092]
- b *obscurata* (Staudinger), 1901; Cigaritis OD: Cat. Lep. Palae. Faun. (3rd ed.) :76 [b4347] SS: acamas (Klug), 1834; Aphantius [Refs - b4092; b0471]
- e *ab. obscurata* (Courvoisier), 1907; Lycaena OD: Z. wiss. Insektbiol. 3:74 [b0982] SS: coridon (Poda von Neuhaus), 1761; Polyommatus (Lysandra) [Refs - b0236]
- e *ab. obscurata* (Courvoisier), 1910, 1910-1911; Lycaena OD: Ent. Zeit. 24:182 [b0985] SS: coridon (Poda von Neuhaus), 1761; Polyommatus (Lysandra) [Refs - b0471]
- e *ab. obscurata* (Courvoisier), 1911, 1910-1911; Chrysophanus OD: Ent. Zeit. 24:258 [b0985] SS: phlaeas (Linnaeus), 1761; Lycaena (Lycaena) [Refs - b0236; b0471]
- c *obscurata* Fruhstorfer, [1912]; Sinthusa OD: Berl. ent. Z. 56(3/4):228 [b1850] SS: amba Kirby, 1878; Sinthusa [TypeL - Assam.] [Refs - b4094; b1850; b0694; b4108]
- e *obscurata* (Verity), 1919, 1919-1922, (IFS); Scolitantides OD: Ent. Rec. 31:29 [b4840] SS: baton (Bergsträsser), [1779]; Pseudophilotes [Type: lost; Destroyed by museum pests?] [Refs - b2856; b0236; b0400; b0471]
- c *obscurata* (Ribbe), 1926; Castalius OD: Ent. Mitt. 15(1):84 [b3742] SS: rhode (Hopffer), 1874; Caleta [Type: SMT-It; designated by Takanaami, 1989] [Tyô to Ga 40(1):47 [b4602]] [TypeL - E. Sulawesi.] [Refs - b3742; b4602]
- c *obscurata* Ribbe, 1926; Arhopala OD: Ent. Mitt. 15(1):87 [b3742] SS: sophilus Fruhstorfer, 1914; Arhopala e [TypeL - W. New Guinea.] [Refs - b1644; b1450; b3742]
- b *obscuratus* Ribbe, 1926; Tajuria OD: Ent. Mitt. 15(1):81 [b3742] SS: cyrillus (Hewitson), [1865]; Tajuria [TypeL - Celebes.] [Refs - b3742]
- c *obscuriolas* Betti, 1977; Iolana OD: Alexanor 10(2):89, f [b0364] SS: iolas (Ochsenheimer), 1816; Iolana [TypeL - Hungary.] [Refs - ns1674]
- c *obscurior* (de Selys-Longchamps), 1857; Polyommatus OD: Annis Soc. ent. Belg. 1:16 [b1183] SS: tityrus (Poda von Neuhaus), 1761; Lycaena (Heodes) [Refs - b0389; b1183]
- e *ab. obscurior* (Hoffmann & Klos), 1914; Chrysophanus OD: Mitt. nat. Ver. Steierm. 50:288 [b2409] SS: dispar ([Haworth]), 1802; Lycaena (Thersamolycaena) [TypeL - Styria.] [Refs - b0996; b0236; b0389; b0471]
- e *ab. obscurior* (Pionneau), 1937; Chrysophanus OD: Échange 53:3 [b3619] SS: burdigalensis (Stempffer), 1932; Maculinea [TypeL - France.] [Refs - b0075]
- b *obscurus* (Röber), [1886]; Plebeius OD: CorrespBl. ent. Ver. Iris 1(3):56 [b3820] SS: celeno (Cramer), [1775]; Jamides [TypeL - Celebes.] [Refs - b4094]
- a *obscurus* (Röber), [1886]; Allotinus OD: CorrespBl. ent. Ver. Iris 1(3):52, pl 4, f 8 [b3820] CG: Logania [Type: SMT-It; designated by Takanaami, 1989] [Tyô to Ga 40(1):47 [b4602]] [TypeL - E. Sulawesi.] [Refs - b1840; b1571; b4602]
- c *f. obscurus* (Suffert), 1904; Hypolycaena OD: Deut. ent. Zeit. [Iris] 17:60 [b4535] SS: caeculus (Hopffer), 1855; Hemiolaus [Refs - b1452; b4400]
- a *obscurus* Aurivillius, [1924], 1908-1925; Iolaus OD: In Seitz, Grossschmett. Erde 13:406 [b0162] CG: Iolaus (Epamera) [TypeL - Damaraland.] [Refs - b1259; b1452; b4400]
- d *obscurus* van Son, 1941, (H); Thestor OD: J. ent. Soc. S. Afr. 4:192 [b4804] OS: yildizae Koçak, 1983; Thestor [TypeL - Cape Town, S. Africa.] [Refs - b1259; b1452; b2795; b4400]
- b *obscurus* (Edwards), 1951; Jalmenus OD: Proc. R. zool. Soc. N. S. Wales 1949-50:59 [b1480] SS: icilius (Hewitson), [1865]; Jalmenus [TypeL - Queensland, Australia.] [Refs - b0870]
- b *obscurus* (Ferris & Fisher), 1973; Callophrys OD: J. Lep. Soc. 27(2):115, f [b1726] SS: polios Cook & Watson, 1907; Deciduphagus [Type: LACM-ht] [TypeL - Lookout Mtn., Jefferson Co., Colorado.] [Refs - b0428; b1712; b4688 (as obscura); b0104; b3192; b1724; b1743; b0493; b4690; b1726; b2585]
- a *obscurus* Johnson & Kroenlein, 1993; Angulopsis OD: Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (33):14, f [b2627] [Type: BMNH-ht] [TypeL - Pelotas, Rio Grande do Sul State, Brazil.] [Refs - b2627]

- b *obsolescens* (Bethune-Baker), 1910; *Lycaenesthes* OD: *Trans. ent. Soc. Lond.* 58(1):48, pl 2, f 8 [b0343] SS: *lachares* (Hewitson), [1878]; *Anthene* [TypeL - Not stated.] [Refs - b0343; b0836; b4400]
- e *ab. obsolescens* Hawker-Smith, 1926; *Mimacraea* OD: *Revue zool. afr.* 14:238 [b2163] SS: *krausei* Dewitz, 1889; *Mimacraea* [Type: MT-hi] [TypeL - Lubi, Katanga.] [Refs - b1452; b2163; b4400]
- c *obsoleta* (Felder & Felder), 1862; *Phaedra* OD: *Wien. ent. Monats.* 6(9):289 [b1688] SS: *camotina* Fruhstorfer, 1908; *Curetis* [TypeL - Mindanao, Philippines.] [Refs - b2747; b4094]
- e *ab. obsoleta* (Tutt), 1896; *Lysandra* OD: *Brit. Butts* :171 [b4758] SS: *bellargus* (Rottemburg), 1775; *Polyommatus* (*Lysandra*) [Refs - b3059; b0471; b4038]
- e *ab. obsoleta* (Tutt), 1896; *Nemeobius* OD: *Brit. Butts* :211 [b4758] SS: *lucina* (Linnaeus), 1758; *Hamearis* [Refs - b4473; b0236]
- e *ab. obsoleta* (Tutt), 1896; *Lysandra* OD: *Brit. Butts* :167 [b4758] SS: *coridon* (Poda von Neuhaus), 1761; *Polyommatus* (*Lysandra*) [Refs - b0236]
- e *ab. obsoleta* Tutt, 1896; *Cupido* OD: *Brit. Butts* :161 [b4758] SS: *minimus* (Füssly), 1775; *Cupido* [Refs - b0995; b0236; b0400; b0471]
- e *obsoleta* Tutt, 1896; *Lycaena* OD: *Brit. Butts* :153 [b4758] SS: *phlaeas* (Linnaeus), 1761; *Lycaena* (*Lycaena*) [Refs - b0389]
- e *obsoleta* Gillmer, 1904; *Maculinea* OD: *Ent. Zeit.* 18(2):6 [b1956] SS: *teleius* (Bergsträsser), [1779]; *Maculinea* [Refs - b0400; b4092]
- e *ab. obsoleta* (Tutt), 1906, 1905-1914; *Rumicia* OD: *Nat. Hist. Brit. Butts* 1:369 [b4760] SS: *phlaeas* (Linnaeus), 1761; *Lycaena* (*Lycaena*) [Refs - b0236; b0389 (Brit. Butts, 1896:153); b0471]
- e *obsoleta* (Tutt), 1906, 1905-1914; *Chrysophanus* OD: *Nat. Hist. Brit. Butts* 1:430 [b4760] SS: *dispar* ((Haworth)), 1802; *Lycaena* (*Thersamolycaena*) [Refs - b0389]
- e *ab. obsoleta* (Tutt), 1907, 1905-1914; *Bithys* OD: *Nat. Hist. Brit. Butts* 2:236 [b4760] SS: *quercus* (Linnaeus), 1758; *Quercusia* [Refs - b4092]
- e *ab. obsoleta* (Tutt), 1907, 1905-1914; *Strymon* OD: *Nat. Hist. Brit. Butts* 2:200 [b4760] SS: *pruni* (Linnaeus), 1758; *Fixsenia* [Refs - b4092; b0471]
- e *ab. obsoleta* Tutt, 1908; *Polyommatus* OD: *Ent. Rec.* 20(12):274 [b4762] SS: *orbitulus* (Prunner), 1798; *Polyommatus* (*Albulina*) [Refs - b0236; b0471; b4762]
- e *ab. obsoleta* Tutt, 1908, 1905-1914; *Celastrina* OD: *Nat. Hist. Brit. Butts* 2:398 [b4760] SS: *argiolus* (Linnaeus), 1758; *Celastrina* [Refs - b0236; b0400; b0471]
- e *ab. obsoleta* (Rebel), 1909; *Plebejus* OD: *In Berge, Schmetterlingsbuch* (ed. 9) :70 [b3706] SS: *meleager* (Hübner), [1804]; *Polyommatus* (*Agnades*) [Refs - b0236; b0471]
- e *ab. obsoleta* Courvoisier, 1910, 1910-1911; *Plebejus* OD: *Ent. Zeit.* 24:126 [b0985] SS: *nicias* (Meigen), 1829; *Plebejus* (*Pseudoanxia*) [Refs - b0236; b0471]
- e *obsoleta* Barnes & McDunnough, 1917, (ISS); *Lycaena* OD: *Checklist Lep. Boreal Amer.* :15 [b0249] SS: *americana* Harris, 1862; *Lycaena* (*Lycaena*) [Note - *A lapsus for oblitterata* Scudder, 1899.] [Refs - b3191; b3192; b1321]
- e *obsoleta* (Stauder), 1921, (IFS); *Lycaena* OD: *Deut. ent. Zeit.* [Iris] 35:31 [b4312] SS: *virgilia* Oberthür, 1910; *Polyommatus* (*Agrodiaetus*) [Note - *Described again in Soc. ent.* 39:27] [Refs - b0236; b4316; b4312; b0471]
- e *ab. obsoleta* (Stauder), 1924; *Lycaena* OD: *Soc. ent.* 39:27 [b4318] SS: *dolus* (Hübner), [1823]; *Polyommatus* (*Agrodiaetus*) [TypeL - Italy.] [Refs - b3796]
- e *ab. obsoleta* (Züllich), 1924; *Lycaena* OD: *Z. öst. Ent. Ver.* 9(4):25 [b5079] SS: *cyparissus* (Hübner), [1813]; *Plebejus* (*Vacciniina*) [TypeL - Austria.] [Refs - b0236; b0471]
- c *obsoleta* Evans, 1925; *Lampides* OD: *J. Bombay nat. Hist. Soc.* 30(2):351, f [b1632] SS: *boeticus* (Linnaeus), 1767; *Lampides* [TypeL - Andaman Islands.] [Refs - b1636; b0694; b4108]
- c *obsoleta* (Lathy), 1926; *Thecla* OD: *Ann. Mag. nat. Hist.* (9)17:43 [b2918] SS: *punctum* (Herrich-Schäffer), [1853]; *Olynthus* [Type: biblio; based on Hewitson, *Ill. diurn. Lep.* :109, pl 40, f 132,133] [Refs - b3394; b2918]
- b *obsoleta* Lathy, 1926; *Eumaeus* OD: *Ann. Mag. nat. Hist.* (9)17:39 [b2918] SS: *minijas* (Hübner), [1809]; *Eumaeus* [Type: MNHN-It; designated by Johnson, 1991] [*J. Lep. Soc.* 45(2):148 [b2605]] [TypeL - Sara, Bolivia.] [Refs - b2591; b2918; b2592]
- e *obsoleta* Osthelder, 1926; *Maculinea* OD: *Mit. münchen. ent. Ges.* 15(Sup.):158 [b3525] SS: *nausithous* (Bergsträsser), [1779]; *Maculinea* [Refs - b0400]
- b *obsoleta* (Takeuchi), 1929; *Zephyrus* OD: *Zephyrus* 1(3):86, f [b4615] SS: *atilia* (Bremer), 1861; *Anugijs* [TypeL - Formosa.] [Refs - b0236; b4198 (as *obsoletus*); b0067; b5053; b3272; b1454]
- b *obsoleta* Hawker-Smith, 1933; *Pentila* OD: *Stylops* 2:3 [b2168] SS: *pauli* Staudinger, [1888]; *Pentila* [TypeL - Victoria Falls, Zambezi.] [Refs - b1259; b1452; b2168; b4420; b4400; b4436]
- e *obsoleta* (Nordström), 1935, (IFS); *Lycaena* OD: *Ark. Zool.* 27A(7):33 [b3411] SS: *jaloka* Moore, [1875]; *Polyommatus* (*Agnades*) [TypeL - China.] [Refs - b0073]
- b *obsoleta* Stempffer, 1947; *Neurellipes* OD: *Bull. Soc. ent. Fr.* 52:41 [b4372] SS: *staudingeri* (Grose-Smith & Kirby), 1894; *Neurellipes* [TypeL - Kenya.] [Refs - b1452; b4400]
- b *obsoleta* Dufrane, 1953; *Liptena* OD: *Bull. Annl. Soc. ent. Belg.* 89:49 [b1410] SS: *eukrines* H. H. Druce, 1905; *Liptena* [TypeL - Kivu.] [Refs - b4400]
- e *ab. obsoleta* Vasile, 1980; *Plebejus* OD: *Bull. Soc. ent. Mulhouse* 1980:52 [b4825] SS: *sephyrus* (Fruvaldszky von Frivald), 1835; *Plebejus* (*Plebejides*) [Refs - b0113]
- e *obsoletacaeruleopunctata* (Tutt), 1906, 1905-1914; *Rumicia* OD: *Nat. Hist. Brit. Butts* 1:368 [b4760] SS: *phlaeas* (Linnaeus), 1761; *Lycaena* (*Lycaena*) [Refs - b0389]
- e *ab. obsoletajuncta* (Tutt), 1909, 1905-1914; *Plebejus* OD: *Nat. Hist. Brit. Butts* 3:178 [b4760] SS: *argus* (Linnaeus), 1758; *Plebejus* [Refs - b0236; b0471]
- e *ab. obsoletalunulata* Tutt, 1908, 1905-1914; *Celastrina* OD: *Nat. Hist. Brit. Butts* 2:408 [b4760] SS: *ladon* (Cramer), [1780]; *Celastrina* [TypeL - (Eastern) United States.] [Note - *Marked emendatio by das Passos.*] [Refs - b3192; b1321; b4760 (as *obsoleta-lunulata*)]
- b *ocalea* (H. H. Druce), 1904; *Eurygona* OD: *Proc. zool. Soc. Lond.* 1904(I)(2):481, pl 33, f 1 [b1370] SS: *authe* (Godman), 1903; *Euselasia* [TypeL - Bolivia.] [Refs - b4474]
- b *occidens* Waterhouse & Lyell, 1914; *Neolucia* OD: *Butts Aust.* :107 [b4947] SS: *agricola* (Westwood), [1851]; *Neolucia* [TypeL - Australia.] [Refs - b1450; b0870; b4094]
- a *occidentalis* (Godman & Salvin), [1886], 1879-1901; *Charis* OD: *Biol. centr.-amer., Lep. Rhop.* 1:431 [b1975] CG: *Argyrogrammana* [Type: BMNH-hi] [TypeL - Rio San Juan, S. Pablo, W. Colombia.] [Refs - b2988; b4474; b1456]
- a *occidentalis* Butler, [1888]; *Azonus* OD: *Proc. zool. Soc. Lond.* 1887(4):571 [b0636] [TypeL - W. Africa.] [Refs - b4400 (also as *occidentalis*); b0636]

- e** *ab. occidentalis* (Le Chamberlain), 1908; *Lycaena* OD: Entomologist 41:202 [b2940] SS: arion (Linnaeus), 1758; *Maculinea* [Refs - b0236; b0400; b0471; b2940]
- b** *occidentalis* Le Cerf, 1923; *Cigaritis* OD: Bull. Soc. ent. Fr. 1923(15):197 [b2936] SS: allardi Oberhür, 1909; *Cigaritis* [TypeL - Marocco.] [Refs - b0236; b2936; b0254; b0471]
- c** *occidentalis* Bethune-Baker, 1926; *Pseudaletis* OD: Ann. Mag. nat. Hist. (9)17:393 [b0362] SS: nigra Holland, 1892; *Pseudaletis* [TypeL - Kameruns.] [Refs - b4400]
- a** *occidentalis* Bethune-Baker, 1926; *Liptena* OD: Ann. Mag. nat. Hist. (9)17:390 [b0362] [TypeL - Kameruns.] [Refs - b4400]
- b** *occidentalis* Lathy, 1926; *Thecla* OD: Ann. Mag. nat. Hist. (9)17:44 [b2918] SS: strephon (Fabricius), 1775; *Thecla* (New World Eumacini) [Type: MNHN-lt; designated by Johnson, 1991] [J. Lep. Soc. 45(2):148 [b2605]] [TypeL - Rio Tono, Peru.] [Refs - b0064; b2918; b2592]
- b** *occidentalis* Lathy, 1926; *Theclopsis* OD: Ann. Mag. nat. Hist. (9)17:47 [b2918] SS: lydus (Hübner), [1819]; *Theclopsis* [Type: MNHN-lt; designated by Johnson, 1991] [J. Lep. Soc. 45(2):148 [b2605]] [TypeL - Rio Tono, Peru.] [Refs - b2918; b2591; b2592]
- b** *occidentalis* (Röber), 1926; *Thysonotis* OD: Ent. Mitt. 15:376 [b3835] SS: danis (Cramer), [1775]; *Danis* [TypeL - Buru.] [Refs - b3835]
- b** *occidentalis* (Hemming), 1929; *Turanana* OD: Entomologist 62:29, pl 1, f 10; pl 2, f 32 [b2235] SS: hylactor (Bergsträsser), [1779]; *Pseudophilotes* [TypeL - Oporto.] [Refs - b3059; b0236; b0471]
- c** *occidentalis* (Lalanne), 1947; *Heodes* OD: Revue fr. Léop. 10(1):24 [b2876] SS: gordius (Sulzer), 1776; *Lycaena* (Alciphronia) [TypeL - France.] [Refs - b0081]
- b** *occidentalis* Stempffer & Bennett, 1958; *Iolaus* OD: Bull. Inst. franç. Afr. Noire 20(A):1268 [b4418] SS: bowkeri Trimen, 1864; *Iolaus* (Stugeta) [TypeL - Sierra Leone.] [Refs - b4400; b1452; b0836]
- b** *occidentalis* Clench, 1963; *Aphnaeus* OD: Ent. News 74(2):46 [b0830] SS: chapini (Holland), 1920; *Aphnaeus* [TypeL - Cameroons.] [Refs - b4400; b0528; b1452]
- b** *occidentalis* Callaghan, 1986; *Nymphidium* OD: Bull. Allyn Mus. (100):3, f 9-12 [b0681] SS: azanoides Butler, 1867; *Nymphidium* [Type: AME-ht] [TypeL - Pina, Canal Zone, Panama.] [Refs - b0681; b1456]
- a** *occidentallum* Aurivillius, [1899]; *Pentila* OD: K. svenska VetenskAkad. Handl. (nf)31(5):262 [b0156] [TypeL - Cameroons.] [Refs - b1452; b4420; b4400]
- b** *occidentissima* (Rose), 1977; *Vacciniina* OD: Ent. Zeit. 87(6):62, f [b3857] SS: alcedo (Christoph), 1877; *Plebejus* (*Vacciniina*) [Type: pc-ht; collection of Rose.] [TypeL - Urm. Göreme, Prov. Nevşehir, Iran.] [Refs - b1610 (4146-E9); b3857]
- b** *occulta* Süchel, 1919; *Euselasia* OD: Deut. ent. Zeit. 1919:170 [b4454] SS: hygenius (Stoll), [1790]; *Euselasia* [Type: ZSBS-st] [TypeL - Rio Grande do Sul, Brazil.] [Refs - b4474; b2221; b0419; b0419; b0420; b4454]
- c** *oceanus* (Venty), 1948, 1947-1957, (RA); *Heodes* OD: Var. Pap. dium. France :58 [b4863] SS: tityrus (Poda von Neuhaus), 1761; *Lycaena* (*Heodes*) [Type: MZS-st] [Refs - b2856]
- c** *oceanus* (Bergsträsser), [1779], 1778-1780; *Papilio* OD: Nom. Ins. 3:pl 53, f 3-4 [b0310] SS: bellargus (Rottemburg), 1775; *Polyommatus* (*Lysandra*) [Refs - b2747; b2794; b4038]
- c** *occea* Doubleday, 1847, 1844-1848, (NN); *Theope* OD: List Spec. lep. Brit. Mus. (2):6 [b1327] [Refs - b4475]
- a** *ocella* Godman & Salvin, [1887], 1879-1901; *Thecla* OD: Biol. centr.-amer., Lep. Rhop. 2:25; 3:pl 50, f 23,25 [b1975] CG: *Thecla* (New World Eumacini) [Note - Near *viridicans* and *laothoe*.] [Refs - b1975]
- b** *ocella* Waterhouse, 1934; *Ogyris* OD: Proc. linn. Soc. N. S. Wales 59(5-6):419 [b4938] SS: olane Hewitson, 1862; *Ogyris* [TypeL - Australia.] [Note - Not spelled *ocella*.] [Refs - b1450; b0870; b4938; b1110; b0072 (as *ocella* :311)]
- a** *ocellata* (Hewitson), [1867], 1852-1877; *Symmachia* OD: Ill. exot. Butts 4:—, pl [45], f 8 [b2323] CG: *Charis* [TypeL - Venezuela.] [Refs - b4474; b1456]
- c** *ab. ocellata* (Mezger), 1927; *Glaucopsyche* OD: Bull. Soc. ent. Fr. 1927(14):213 [b3169] SS: melanops (Boisduval), [1828]; *Apelles* [TypeL - France.] [Refs - b0236; b0471]
- c** *ocellifera* (Grote), 1873; *Callicista* OD: Bull. Buffalo Soc. nat. Sci. 1(3):178 [b2053] SS: columella (Fabricius), 1793; *Strymon* [Type: AMNH-ht] [TypeL - Aurora, New York.] [Type of - *Callicista*] [Refs - b2280; b1321; b0907; b2753; b3192; b2631]
- c** *ocerta* Fruhstorfer, [1912]; *Rapala* OD: Berl. ent. Z. 56(3/4):254 [b1850] SS: iarbuz (Fabricius), 1787; *Rapala* [TypeL - Java.] [Refs - b0964; b0965; b4094; b1454; b1850]
- c** *ochima* (Hübner), [1819], 1816-1826; *Symmachia* OD: Verz. bekannt. Schmett. (2):26 [b2484] SS: helius (Cramer), [1779]; *Xenandra* [Refs - b2747; b4474]
- a** *ochimus* (Herrich-Schäffer), [1851], 1843-1856; *Polyommatus* OD: Syst. Bearb. Schmett. Europ. 1:pl 109, f 523-526 [b2313] CG: *Lycaena* (*Thersamonia*) [TypeL - Turcia.] [Refs - b2988; b2747; b0996; b2827; b4220; b3355; b3555; b2859; b4092]
- a** *ochra* (Bates), [1868]; *Nymphidium* OD: J. linn. Soc. Lond., Zool. 9:399 [b0267] CG: *Synargis* [TypeL - Upper Amazon.] [Refs - b2747; b4475; b1456]
- a** *ochracea* Butler, [1894]; *Alaena* OD: Proc. zool. Soc. Lond. 1893(4):659 [b0639] [TypeL - Nyassaland.] [Note - Has also been treated as a subspecies or aberration of *nyassa*.] [Refs - b1943; b1452; b0639; b4400]
- c** *ochracea* H. H. Druce, 1895; *Cheritra* OD: Proc. zool. Soc. Lond. 1895(3):610 [b1362] SS: pallida (H. Druce), 1873; *Cheritra* [Type: ZMHU-lt; designated by Seki & Takanami & Otsuka, 1991] [Butts Borneo :102 (Japanese), 78 (English) [b4108]] [TypeL - Borneo.] [Refs - b1016; b4094; b2201; b1362; b1454; b4108]
- a** *ochracea* (Mengel), 1902; *Apodemia* OD: Ent. News 13(6):176, pl 8, f 5,6 [b3154] CG: *Audre* [TypeL - Paraguay.] [Refs - b4475; b2221; b1456]
- a** *ochracea* Süchel, 1910; *Leprieomis* OD: Gen. Insectorum 112(A):147 [b4446] [Type: bibli] [TypeL - Merida, Venezuela.] [Refs - b4474; b1456; b4446]
- b** *ochracea* (Lathy), 1932; *Echenais* OD: Ann. Mag. nat. Hist. (10)9:72 [b2922] SS: trinitatis (Lathy), 1932; *Adelotypa* [Type: MNHN-ht] [TypeL - Loja, Ecuador.] [Refs - b2922; b2592; b1456]
- b** *ochracea* Lathy, 1932; *Lamprospilus* OD: Ann. Mag. nat. Hist. (10)9:182 [b2923] SS: nicetus (Felder & Felder), 1865; *Lamprospilus* [Type: MNHN-ht; Fournier collection.] [TypeL - Loja, Ecuador.] [Refs - b2923; b2591]
- b** *ochracea* Riley, 1932; *Sanibia* OD: Novit. zool. 37:187 [b3775] SS: perroti Riley, 1932; *Sanibia* [TypeL - Fenerive, Malagasy.] [Refs - b1452; b3775]
- c** ♀ *ochraceus* (Joicey & Talbot), 1924; *Phasis* OD: Bull. Hill Mus. 1(3):546 [b2661] SS: talboti Tite & Dickson, 1973; *Aloeides* [Type: BMNH-ht] [TypeL - District of Great Craters, Tanzania.] [Refs - b3796; b4400 (as *ochraceus*); b4685; b2661]

- e *ochraceus* (Riley & Tams), 1925, (ISS); Phasis OD: Zool. Rec. 61(1924)(Ins.):188 [b3796] SS: talboti Tite & Dickson, 1973; Aloeides [Refs - b3796]
- e *ochraceus* Stempffer, 1967, (ISS); Aloeides OD: Bull. Br. Mus. nat. Hist. (Ent.) Suppl. 10:176 [b4400] SS: talboti Tite & Dickson, 1973; Aloeides [Refs - b4400]
- a *ochraceus* Johnson & Salazar E., 1993; Strymon OD: Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (26):9, pl 2, f 3F; f 1F [b2641] [Type: BMNH-ht] [TypeL - Ciudad Bolivar, Venezuela.] [Refs - b2641]
- a *ochrascens* (Neave), 1904; Poultonia OD: Novit. zool. 11:336, pl 1, f 13 or 1 [b3345] CG: Deloneura [TypeL - Victoria, Nyanza.] [Type of - Ebepius, Poultonia] [Refs - b2280; b1943; b1452; b3345; b4400; b2560]
- a *ochrea* Hawker-Smith, 1933; Liptena OD: Stylops 2:8 [b2168] [TypeL - Biije, Ja River, Cameroons.] [Refs - b1452; b2168; b4400]
- b *ochrea* Hawker-Smith, 1933; Alaena OD: Stylops 2:3 [b2168] SS: maculata Hawker-Smith, 1933; Alaena [TypeL - East Luvua Valley, S. E. Congo.] [Refs - b1452; b2168; b4400]
- c *ochreofascia* (Talbot), 1935; Lycaenesthes OD: Ent. mon. Mag. 71:123, pl 2, f 11; pl 3, f 12 [b4623] SS: ligures (Hewitson), 1874; Anthene [TypeL - Uganda.] [Refs - b1452; b4623; b4400]
- b *ochreopuncta* (Aurivillius), [1925], 1908-1925, (IFS); Cupido OD: In Seitz, Grossschmett. Erde 13:490 [b0162] SS: jobates (Hopffer), 1855; Cupidopsis [TypeL - S. Africa.] [Note - Described as an ab., and thus unavailable as of this date and author.] [Refs - b0162; b4400]
- c *ochrias* (Godman & Salvin), 1878; Charis OD: Proc. zool. Soc. Lond. 1878(2):365 [b1973] SS: macularia (Boisduval), 1870; Argyrogramma [TypeL - Costa Rica.] [Refs - b4474]
- e *ab. ochrogutta* (Hayward), 1939; Lymnas OD: Physis 17:336 [b2215] SS: aegates (Hewitson), 1874; Melanis [TypeL - Argentina.]
- b *ochroma* Vári, 1976; Alaena OD: Ann. Transv. Mus. 30(13):128, f [b4821] SS: amazoula (Boisduval), 1847; Alaena [TypeL - Griffin Mine, S. Africa.] [Refs - b1259; b1452]
- b *ochrophlegma* Stichel, 1911; Ematurgina OD: Gen. Insectorum 112(B):283 [b4447] SS: bifasciata (Mengel), 1902; Ematurgina [Type: ZMHU-st; pc-ht; collection of Stichel] [TypeL - Cordoba & Catamarca, Argentina.] [Refs - b4475; b2221; b1456; b4446]
- e *ab. ochrostigma* (Dannehl), 1927; Lycaena OD: Mitt. münchn. ent. Ges. 17:7 [b1102] SS: optilata (Knoch), 1781; Plebejus (Vacciniina) [TypeL - Bremen.] [Refs - b0236; b0471]
- b *ochrotaenia* Seitz, [1917], 1910-1924; Siseme OD: In Seitz, Grossschmett. Erde 5:698, pl 133d [b4093] SS: aristoteles (Latreille), [1813], Siseme [TypeL - Loja, Ecuador.] [Refs - b4475; b1456; b4093]
- b *ochsenfeldinus* (Beau), 1977; Heodes OD: Alexanor 10(2):91, f [b0364] SS: alciphron (Rottemburg), 1775; Lycaena (Alciphrona) [TypeL - W. Germany.] [Refs - b0109]
- a *ochsenheimeri* (Godart), [1824], 1819-1824; Polymmatius OD: In Ency. méth. 9(Ins.):2:683 [b1970] CG: Leptotes [TypeL - Anúlles.] [Refs - b0907; b2747]
- a *ochus* (Godman & Salvin), [1887], 1879-1901; Thecla OD: Biol. centr.-amer., Lep. Rhop. 2:55; 3:pl 54, f 24-27 [b1975] CG: Panthiades [Refs - b2988; b3390; b1375; b1975; b2631]
- b *odfferlus* (Nekrutenko), 1977; Heodes OD: Dopov. Akad. Nauk Ukr. RSR (B) 1977(5):457, f [b3355] SS: ochimus (Herrich-Schäffer), [1851]; Lycaena (Thersamonia) [TypeL - Georgia, SSSR.] [Refs - b0109; b3355]
- b *ocollo* (Saunders), [1859]; Erycina OD: Trans. ent. Soc. Lond. (2)5(9):105, pl 10, f 6,7 [b3939] SS: inca (Saunders), [1850]; Ancylyrus [TypeL - New Granada.] [Refs - b2747; b4474; b3939]
- a *ocrida* Hewitson, 1868; Thecla OD: Descr. new Spec. Lycaenidae :5 [b2327] CG: Thecla (New World Eumaeini) [TypeL - Amazon.] [Refs - b2747; b3818]
- a *ocrida* (Hewitson), [1869], 1863-1878; Amblypodia OD: Ill. diurn. Lep. Lycaenidae 1:14b, 2:pl 3a, f 38,39 [b2326] CG: Arhopala i [Type: BMNH-ht] [TypeL - Mindanao.] [Refs - b1644; b2747; b4094; b2200; b1454]
- a *ocrisia* (Hewitson), 1868; Thecla OD: Descr. new Spec. Lycaenidae :5 [b2327] CG: Ocaria [Type: BMNH-ht] [TypeL - Ecuador.] [Type of - Ocaria] [Note - According to Robbins there are several species lumped under this name, and the U.S. record may not apply to this name.] [Refs - b0908; b0528; b2747; b2221; b3818; b3192; b4871; b1375; b1975; b4066; b1722]
- a *octavius* (Fabricius), 1787; Papilio OD: Mantissa Ins. 2:9 [b1656] CG: Chorinea [Type: biblio; replacement for faunus Fabricius, 1775.] [Refs - b2747; b4474; b5076]
- e *october* (Verity), 1943, (IFS); Lysandra OD: Farfalle Diurne Ital. 2:294 [b4862] SS: thetis Klug, 1834; Lycaena (Thersamonia) [TypeL - Italy.] [Refs - b2856; b0080]
- e *ab. octomaculata* (Dean), 1918; Chrysophanus OD: Lepidoptera 2(8):60 [b1186] SS: americana Harris, 1862; Lycaena (Lycaena) [TypeL - Meramac Highlands, Missouri.] [Refs - b0908; b3191; b3192; b1321]
- e *ab. octoscripta* Buchholz, 1951; Mitoura OD: Bull. Brooklyn ent. Soc. 46(3):78 [b0571] SS: gryneus (Hübner), [1819]; Mitoura [Type: AMNH-ht] [TypeL - Passaic County, New Jersey.] [Refs - b0908; b3192; b3797; b1321]
- b *f. oculata* Stempffer, 1946; Anthene OD: Revue fr. Ent. 13(1):15, pl 1, f 8 [b4371] SS: indefinita (Bethune-Baker), 1910; Anthene [Type: UMO-ht] [TypeL - Kenya.] [Refs - b4371; b4400]
- a *oculatus* (Gmelin), [1790]; Papilio OD: C. A. Linné, Sys. Nat. ed. 13 1(5)(Insecta 2):2359, n 897 [b1969] CG: Cupido (?) [Type: destroyed; Formerly in NMI] [TypeL - Europe.] [Note - Vane-Wright notes that this name has never been recognised as pertaining to any known species. Kirby placed it near arion Linnaeus, 1758.] [Refs - b2747; b4815]
- a *oculatus* (Grose-Smith & Kirby), 1893, 1887-1902; Lycaenesthes OD: Rhop. exot. 2(26):101, pl 23, f 1,2 [b2049] CG: Triclema [TypeL - Gaboon.] [Refs - b1452; b4400]
- b *oculus* (Ungemach), 1932; Euchrysops OD: Mém. Soc. Sci. nat. phy. Maroc (32):92 [b4780] SS: parsimon (Fabricius), 1775; Lepidochrysops [TypeL - Abyssinia.] [Refs - b4400]
- a *ocypore* (Geyer), [1837], 1832-1837; Polysüchtus OD: In Zutr. Samml. exot. Schmett. 5:44, pl [170], f 989,990 [b1934] CG: Emesis [TypeL - Mexico.] [Refs - b2988; b2747; b4475; b1456]
- a *oda* (Hewitson), [1865], 1863-1878; Ilerda OD: Ill. diurn. Lep. Lycaenidae 1:58; 2:pl 24, f 9,10 [b2326] CG: Heliophorus (B) [TypeL - Western Himalayas.] [Refs - b1636; b4094; b2747; b0996; b4220; b2479; b0694; b1455]
- e *f. odai* (Murayama), 1964; Coreana OD: Tyô to Ga 15(1):17 [b3292] SS: stygiana (Butler), 1881; Ussuriana [Refs - b3292]
- b *odakae* (Watarai), 1929; Zephyrus OD: Zool. Mag. 41:187, f 10, 15 [b4926] SS: smaragdina (Bremer), 1861; Chrysozephyrus [TypeL - Kamikochi, Nagano Pref., Japan.] [Refs - b1900; b3279; x0276; b4926; b2463]
- a *odana* H. H. Druce, 1887; Deudorix OD: Ent. mon. Mag. 23:204 [b1350] CG: Deudorix (Virachola) [TypeL - Cameroon Mts., W. Africa.] [Refs - b1452; b0836; b4400; b1350]

- a **odata** (Hewitson), [1865], 1863-1878; *Dipsas* OD: Ill. diurn. Lep. Lycaenidae 1:66; 2:pl 30, f 13,14 [b2326] CG: *Chaetoprocta* [TypeL - Kunawur.] [Type of - *Chaetoprocta*] [Refs - b2280; b3337; b1636; b2988; b2747; b4094; b2479; b1610 (6672-E12); b4214; b3910; b4200; b1454; b0694]
- a **odice** (Godart), [1824], 1819-1824; *Erycina* OD: In Ency. méth. 9(Ins.)(2):583 [b1970] CG: *Mesosemia* [TypeL - *Brasilia*.] [Refs - b2988; b2747; b4474; b2221; b0419; b1456]
- c **odin** (Fabricius), 1793, 1792-1799; *Papilio* OD: Ent. syst. 3(1):56 [b1657] SS: *echerius* (Stoll), [1790]; *Abisara* [TypeL - *China*.] [Refs - b2747; b5076]
- a **odinus** Godman & Salvin, [1887], 1879-1901; *Thecla* OD: Biol. centr.-amer., Lep. Rhop. 2:70; 3:pl 56, f 20,21 [b1975] CG: *Thecla* (New World *Eumaeini*) [Type: BMNH] [TypeL - *Volcan de Chiriqui, Panama*.] [Refs - b0908; b1975]
- a **odites** (Cramer), [1775], 1775-1790; *Papilio* OD: Utl. Kapellen 1():pl 11, f E,F [b1069] CG: *Synargis* [TypeL - *Surinam*.] [Refs - b2747; b4475; b2753; b1456]
- b **odon** Fruhstorfer, 1916; *Nacaduba* OD: Zool. Meded. 2(2):114 [b1873] SS: *pactolus* (C. Felder), 1860; *Nacaduba* [Type: BMNH-hi] [TypeL - *N. E. Sumatra*.] [Refs - b0964; b4676; b0965; b0938; b4094; b3498; b1454; b0694; b0938; b4108]
- b **odon** (Fruhstorfer), 1918; *Castalius* OD: Tijdschr. Ent. 61:35 [b1884] SS: *roxus* (Godart), [1824]; *Caleta* [TypeL - *Lombok; Sumba*.] [Refs - b1840; b1454; b4592]
- b **odosia** Fruhstorfer, [1912]; *Rapala* OD: Berl. ent. Z. 56(3/4):257 [b1850] SS: *nissa* (Kollar), [1844]; *Rapala* [TypeL - *Java*.] [Refs - b4094; b2201; b1454; b1850]
- a **odrysla** Stichel, 1926; *Euselasia* OD: Deut. ent. Zeit. 1926:396 [b4465] [TypeL - *Ecuador*.] [Refs - b4474]
- c **oeta** (Seitz), [1926], 1912-1927, (ISS); *Amblypodia* OD: In Seitz, *Grossschmet. Erde* 9:965 [b4094] SS: *aeta* de Nicéville, 1893; *Arhopala i* [Refs - b4094]
- c **oenabarus** Toxopeus, 1926, (NN); *Abisara* OD: Tijdschr. Ent. 69(Verslag):lxx [b4694] SS: *kausambi* Felder & Felder, 1860; *Abisara* [Refs - b4473]
- a **oenea** (Hewitson), [1869], 1863-1878; *Amblypodia* OD: Ill. diurn. Lep. Lycaenidae 1:14e, 2:pl 3c, f 55 [b2326] CG: *Arhopala f* [Type: BMNH-hi] [TypeL - *Sikkim*.] [Refs - b1644; b2747; b4094; b1454]
- c **oenetus** (Kirby), 1877, (ISS); *Nymphidium* OD: Syn. Cat. diurn. Lep., Suppl. :761 [b2753] SS: *aenetus* (Hewitson), 1874; *Imelda* [Refs - b2753]
- c **oeniacus** Kirby, 1877, (ISS); *Ethemopsis* OD: Syn. Cat. diurn. Lep., Suppl. :757 [b2753] SS: *aeniacus* Hewitson, [1876]; *Ethemopsis* [Refs - b2753]
- b **oenobarus** Toxopeus, 1929; *Abisara* OD: Tijdschr. Ent. 72(3/4):205 [b4699] SS: *echerius* (Stoll), [1790]; *Abisara* [TypeL - *Pulau Weh*.] [Refs - b4699; b1454; b3782]
- a **oenone** (Leech), [1893], 1893-1894; *Thecla* OD: *Butus China Japan Corea* :366, pl 29, f 7 [b2966] CG: *Satyrium* [TypeL - *Ta-chien-lu, China*.] [Refs - b0996; b2479; b4092; b1455; b2966]
- b **oenotria** (Hewitson), [1869], 1863-1878; *Amblypodia* OD: Ill. diurn. Lep. Lycaenidae 1:14d, 2:pl 3c, f 56 [b2326] SS: *aedias* (Hewitson), 1862; *Arhopala a* [TypeL - *Mindanao, Philippines*.] [Refs - b1644; b2747; b4094; b2200; b1454; b4590]
- c **oepea** Kirby, 1877, (ISS); *Thecla* OD: Syn. Cat. diurn. Lep., Suppl. :780 [b2753] SS: *aepea* Hewitson, [1874]; *Thecla* (New World *Eumaeini*) [Refs - b2753]
- b **oeta** (de Nicéville), 1895; *Ops* OD: *J. Bombay nat. Hist. Soc.* 9(3):299, pl P, f 38 [b1159] SS: *deudorix* (Hewitson), [1869]; *Tajuria* [Refs - b1636 (*aeta*); b0694; b1159; b4104]
- c **ofenia** (Tutti), 1909; *Lycaena* OD: Ent. Rec. 21(9):198 [b4764] SS: *nepete* (Fruhstorfer), 1915; *Maculinea* [Note - *Classification? Described as a var. of Lycaena arion*.] [Refs - b0236; b0400 (=obscura Christ); b1057]
- a **ogadenensis** Stempffer, 1946; *Hypolycaena* OD: *Revue fr. Ent.* 13(1):10, pl 1, f 1 [b4371] [Type: UMO-hi] [TypeL - *Dagahbur, Somaliland*.] [Note - *Stempffer's placement in Hypolycaena was tentative, the male genitalia is of a type very different from the other species*.] [Refs - b1452; b4371; b4400]
- a **ogadenensis** Jackson, 1966; *Chloroselas* OD: *Ann. Mag. nat. Hist.* (13)8:526 [b2565] [Refs - b1452; b4400]
- c **ogasawarae** Matsumura, 1919; *Rapala* OD: *Thous. Ins. Japan* Addit. 3:733 [b3089] SS: *arata* (Bremer), 1861; *Rapala* [Refs - b0236]
- a **ogasawaraensis** (Pryer), 1886, 1886-1888; *Lycaena* OD: *Rhop. nihon.* (1):10, pl 2, f 12 or 13 [b3658] CG: *Celastrina* [TypeL - *Bonin Islands*.] [Type of - *Cyaniriodes*] [Refs - b1561; b3658; b1580; b0236]
- b **ogatai** Hayashi, 1976; *Sinthusia* OD: *Tyô to Ga* 27(1):20, f [b2182] SS: *nasaka* (Horsfield), [1829]; *Sinthusia* [TypeL - *Palawan, Philippines*.] [Refs - b0109; b2201]
- b **oghatinna** Fruhstorfer, 1914; *Arhopala* OD: *Deut. ent. Zeit.* [Iris] 28(2):130 [b1859] SS: *abseus* (Hewitson), 1862; *Arhopala c* [Type: BMNH-hi] [TypeL - *Bazilan*.] [Note - *Often seen as oghatina*.] [Refs - b1644; b4094; b2200; b1859; b1454; b4594]
- a **ogojae** Stempffer, 1961; *Liptena* OD: *Annl. Mus. r. Afr. cent.* (8vo) (Zool.)94:44 [b4393] CG: *Liptena* (*Tetrarhanis*) [TypeL - *Nigeria*.] [Refs - b1452; b4400]
- a **ogojae** Stempffer & Bennett, 1965; *Micropentila* OD: *Bull. Br. Mus. nat. Hist. (Ent.)* 15(11):421 [b4422] [TypeL - *Nigeria*.] [Refs - b1452; b4400]
- b **ogumae** (Matsumura), 1910; *Lycaena* OD: *Ent. Zeit.* 23(50):221 [b3084] SS: *teleius* (Bergsträsser), [1779]; *Maculinea* [TypeL - *Sakhalin*.] [Refs - b1900; b0236; b2174; b2866; b0471; b4225]
- a **ogyges** (de Nicéville), 1895; *Ops* OD: *J. Bombay nat. Hist. Soc.* 9(3):298, pl P, f 36,37 [b1159] CG: *Tajuria* [Type of - *Ops*] [Refs - b1636; b2280; b2280; b1454; b0694]
- a **ohaui** Spitz, 1933; *Thecla* OD: *Revta Ent. Rio de J.* 3:224, f 1 [b4294] CG: *Thecla* (New World *Eumaeini*) [Type: MP-lt; designated by Lamas, 1973] [Papéis avulsos Dept. Zool., São Paulo 26(13):182 [b2878]] [TypeL - *Sao Caetano, São Paulo*.] [Refs - b0908; b0104; b3179; b0559 (in *Strymon*)]
- b **ohkuboi** Hayashi, 1984; *Horaga* OD: *Iwase* (2):16; pl 1, f 12; pl 2, f 12 [b2199] SS: *albimacula* (Wood-Mason & de Nicéville), 1881; *Horaga* [TypeL - *Nias*.] [Refs - b2199; b1569]
- c **ohkurai** d'Abreu, 1993, (ISS); *Spindasis* OD: *Butus Holarctic Region, Pt 3* :427 [b1455] SS: *ohkuranis* Murayama, 1967; *Spindasis* [Refs - b1455]
- c **ohkuranis** Murayama, 1967; *Spindasis* OD: *Tyô to Ga* 18(1/2):21, f 13-16 [b3294] SS: *takanonis* (Matsumura), 1906; *Spindasis* [TypeL - *Yamanashi Prefecture, Japan*.] [Refs - b1900; b3294; b0122; b1455 (as *ohkurai*)]
- b **ohruii** Shirôzu, 1962; *Coreana* OD: *Tyô to Ga* 12(3):48, f 5-10 [b4199] SS: *raphaelis* (Oberthür), 1880; *Coreana* [TypeL - *Yamagata Prefecture, Japan*.] [Refs - b1900; ns4209; b4199]
- c **ohtai** Hayashi, 1976; *Jamides* OD: *Tyô to Ga* 26(3/4):97, f 1-7,10-12 [b2176] SS: *snelleni* (Röber), [1886]; *Jamides* [Type: OMNH-hi] [TypeL - *Bantimurung, S. W. Sulawesi*.] [Refs - b2176; b4602]

- b *ohtal* Hayashi, 1984; *Drupadia* OD: *Iwase* (2):14, pl 1, f 9; pl 2, f 9 [b2199] SS: *niasica* (Röber), [1886]; *Drupadia* [TypeL - Indonesia.] [Refs - b2199; b2201; b1454]
- b *ohtsukai* Hayashi, 1984; *Dodona* OD: *Iwase* (2):13, pl 1, f 4, pl 2, f 4 [b2199] SS: *deodata* Hewitson, 1876; *Dodona* [TypeL - Negros Island, Visayan Islands, Philippines.] [Refs - b2199; b3488]
- e *f. oichalia* (Fruhstorfer), 1913, (IFS); *Gerydus* OD: *Z. wiss. Insektenbiol.* 9(10):308 [b1851] SS: *artaxatus* (Fruhstorfer), 1913; *Miletus* 2 [TypeL - Malay Archipelago.] [Refs - b1546; b1840]
- c *f. oicles* (Darmehl), 1925; *Lycaena* OD: *Ent. Zeit.* 39:72 [b1101] SS: *hylactor* (Bergsträsser), [1779]; *Pseudophilotes* [TypeL - S. Tyrol.] [Refs - b0236; b0400 (as good ssp); b0471]
- a *olleus* Godman, 1903; *Lasaia* OD: *Trans. ent. Soc. Lond.* 51(4):541, pl 22, f 10,11 [b1972] [Type: BMNH-ht] [TypeL - Paraguay.] [Refs - b2988; b4474; b1456]
- c *olneus* (Fruhstorfer), 1908; *Miletus* OD: *Int. ent. Z.* 2(15):91 [b1830] SS: *rex* (Boisduval), 1832; *Hypochrysops* [Type: BMNH-ht; designated by Sands, 1986] [*Entomograph* 7:80 [b3926]] [TypeL - New Guinea.] [Refs - b1450; b3926]
- c *olnoplion* Fruhstorfer, [1919]; *Pithecopis* OD: *Arch. Naturgesch.* (A)83(1):81 [b1889] SS: *dionisius* (Boisduval), 1832; *Pithecopis* [Type: BMNH-ht] [TypeL - Shortland Islands.] [Refs - b1450; b1840; b1011]
- e *ab. oiwakeana* (Matsumura), 1926; *Lycaena* OD: *Ins. matsumur.* 1(1):27, pl 2, f 16 [b3092] SS: *kazamoto* (H. Druce), 1875; *Maculinea* [TypeL - Japan.] [Refs - b0471 (as *oiwakana*); b0064]
- b *okanagana* (McDunnough), 1944; *Strymon* OD: *Can. Ent.* 76(9):190 [b3137] SS: *saepium* (Boisduval), 1852; *Satyrrium* [Type: CNC-ht] [TypeL - Peachland, British Columbia.] [Refs - b0908; b3192; b1743; b1321]
- c *okinawana* (Matsumura), 1919; *Lehera* OD: *Thous. Ins. Japan Addit.* 3:734, f [b3089] SS: *eryx* (Linnaeus), 1771; *Aripe* [TypeL - Okinawa.] [Refs - b1900 (in *Deudorix*); b0236; b2705]
- b *okinawana* (Matsumura), 1929; *Zizera* OD: *Ins. matsumur.* 3(2/3):105 [b3098] SS: *maha* (Kollar), [1844]; *Pseudozizera* [TypeL - Japan.] [Refs - b4198; b1900; b0236; b5053; b2705]
- b *okinawanus* Fujioka, 1975; *Everes* OD: *Butus* Japan 1:282 [b1900] SS: *lactumus* (Godart), [1824]; *Everes* [TypeL - Yona, Okinawa-jima, Okinawa-ken, Japan.] [Refs - b1900; b4108]
- b *olalae* (Stoneham), 1933; *Stugeta* OD: *Bull. Stoneham Mus.* (17):2 [b4479] SS: *mamoreus* (Butler), 1866; *Iolais* (*Stugeta*) [TypeL - Kenya.] [Refs - b1452; b4400; b2560]
- a *olane* Hewitson, 1862; *Ogyris* OD: *Spec. Cat. Lyc. Brit. Mus.* :2, pl 1, f 10,11 [b2325] [TypeL - Australia.] [Refs - b1450; b0870; b4094; b4934]
- a *olbia* Hewitson, [1867], 1863-1878; *Thecla* OD: *Ill. diurn. Lep. Lycaenidae* 1:97; 2-pl 36, f 85,86 [b2326] CG: *Thecla* (New World Eumaeini) [Type: BMNH] [TypeL - Amazon.] [Refs - b0908; b2747; b2593; b2597]
- a *oleris* (H. H. Druce), 1907; *Thecla* OD: *Proc. zool. Soc. Lond.* 1907(3):614, pl 36, f 14 [b1375] CG: *Sarracena* [Type: BMNH-ht] [TypeL - (South) Paraguay.] [Refs - b0908; b1375; b2626]
- c *olga* (Grose-Smith), 1898; *Thysonotis* OD: *Novit. zool.* 5(1):106 [b2047] SS: *albula* (Grose-Smith), 1897; *Discolampa* [TypeL - New Guinea.] [Refs - b2078]
- a *oligocyanea* (Ureia), 1956; *Itylos* OD: *Boln Mus. nac. Hist. nat. Chile* 26(6):159, f [b4783] CG: *Pseudolucia* [Type: lost] [TypeL - Chile.] [Refs - b3846; b0212; b2027]
- c *oligosema* Röber, 1927; *Surendra* OD: *Int. ent. Z.* 21:106 [b3837] SS: *palowna* (Staudinger), 1889; *Surendra* [TypeL - S. Borneo.] [Refs - b4108]
- a *olinda* Bates, 1864, 1864-1865; *Nymphidium* OD: *Ent. mon. Mag.* 1:204 [b0263] [TypeL - New Granada.] [Refs - b2988; b2747; b0263; b1456]
- b *olinda* (H. Druce), 1873; *Amblypodia* OD: *Proc. zool. Soc. Lond.* 1873(2):354, pl 33, f 5 [b1383] SS: *democritus* (Fabricius), 1793; *Arhopala* f [Type: BMNH-ht] [TypeL - Borneo.] [Refs - b1644; b1383; b2753; b4094; b1383; b2200; b1454; b4108]
- e *ab. olivacea* Blachier, 1909; *Callophrys* OD: *Bull. Soc. Léop. Genève* 1(4):379 [b0435] SS: *rubi* (Linnaeus), 1758; *Callophrys* [Refs - b0236; b2585; b0471]
- c *olivae* Butler & H. Druce, 1872; *Emesis* OD: *Cistula Entomologica* 1(5):103 [b0662] SS: *aethalia* Bates, [1868]; *Emesis* [TypeL - Costa Rica.] [Refs - b2753; b4475]
- a *olivencia* Bates, [1868]; *Mesosemia* OD: *J. linn. Soc. Lond., Zool.* 9:373 [b0267] [TypeL - St. Paulo.] [Refs - b2988; b2747; b4474; b1456]
- c *olivencia* Seitz, [1917], 1910-1924; *Ancyluris* OD: *In Seitz, Grossschmett. Erde* 5:667 [b4093] SS: *aulestes* (Cramer), [1777]; *Ancyluris* [TypeL - Not stated.] [Refs - b4474; b4093]
- e *olivencia* Le Moul, 1940, 1939-1940, (IFS); *Helicopsis* OD: *Novit. ent.* (15):116 [b2943] SS: *cupido* (Linnaeus), 1758; *Helicopsis* [Type: AME-ht] [Refs - b3199]
- b *olivia* Butler, 1870; *Lyropteryx* OD: *Ann. Mag. nat. Hist.* (4)5:364 [b0592] SS: *lyra* Saunders, [1859]; *Lyropteryx* [TypeL - Not stated.] [Refs - b2747; b4474]
- b *olivia* H. H. Druce, 1895; *Rapala* OD: *Proc. zool. Soc. Lond.* 1895(3):622, pl 34, f 16 [b1362] SS: *varuna* (Horsfield), [1829]; *Rapala* [TypeL - Celebes.] [Refs - b4094; b1362]
- a *ollantaitamba* Johnson & Miller & Herrera, 1992; *Eiseliana* OD: *Acta ent. Chilena* 17:114, f [b2638] [Type: AMNH-ht] [TypeL - Mt. Ollantaitambo, Cuzco Dept., Peru.] [Refs - b0126; b2638]
- b *olliffi* Miskin, 1889; *Hypochrysops* OD: *Proc. linn. Soc. N. S. Wales* (2)3(4):1518 [b3211] SS: *ignita* (Leach), 1814; *Hypochrysops* [Type: AM-ht] [TypeL - Fremantle, W. Australia.] [Note - Not spelled *olliffi*.] [Refs - b1450; b2078; b4934; b3211; b0870; b3926]
- a *ollyytti* Corbet, 1947; *Nacaduba* OD: *Proc. R. ent. Soc. Lond.* (B)16:1, f [b0961] [Type: BMNH-ht] [TypeL - Ceylon] [Refs - b4676; b1454; b0694; b2387; b2388]
- a *olombo* (Holland), 1890; *Durbania* OD: *Psyche* 5 429 [b2423] CG: *Liptena* [TypeL - Upper Ogove River, Gaboon.] [Refs - b4400]
- c *olurus* (Fruhstorfer), 1907; *Diorhina* OD: *Stett. ent. Zig* 68(2):258 [b1823] SS: *psecas* (Saunders), [1850]; *Rhetus* [Refs - b4474; b2221]
- e *olympena* (Verity), 1936, 1936-1937, (RA); *Lysandra* OD: *Ent. Rec.* 48(Sup.):8 [b4857] SS: *escheri* (Hübner), [1823]. *Polyommatus* (*Plebicula*) [Type: MZS-st] [TypeL - Macedonia.] [Refs - b2856]
- b *olympica* (Lederer), 1852; *Lycaena* OD: *Verh. zool.-bot. Ges. Wien* 2:36 [b2951]. SS: *osmar* (Gerhard), 1851. *Polyommatus* (*Lysandra*) [Type: ZMHU-ht; designated by Schurian, 1988] [*Ent. Zeit.* 98(10):136 [b4038]] [TypeL - Turkey.] [Refs - b2747; b2794; b4092; b4038]
- c *olympusa* (Walker), 1870; *Lampides* OD: *Entomologist* 5:53 [b4911] SS: *amarah* (Guérin-Méneville), 1847; *Anthene* [TypeL - Arabia.] [Refs - b2753; b4400]
- a *omois* Hewitson, [1865], 1852-1877; *Nymphidium* OD: *Ill. exot. Butus* 3:[-], pl [56], f 20 [b2323] [Type: BMNH?] [TypeL - Amazon.] [Refs - b2988; b2747; b4476; b0680; b0685; b1456]

- a *omitol* (Forster), 1972; *Vacciniina* OD: Ent. Zeit. 82(20):231, f [b1777] CG: *Plebejus* (*Vacciniina*) [TypeL - Koh i Baba Mts, Afghanistan.] [Refs - b1777; b3910]
- b *omitol* Forster, 1972; *Polyommatus* OD: Ent. Zeit. 82(20):228, f [b1777] SS: *venus* (Staudinger), 1886; *Polyommatus* [TypeL - Badakhshan, Afghanistan.] [Refs - b1777; b3910; b0205; b0206]
- b *omphale* Klug, 1834, 1829-1845; *Lycaena* OD: In Ehrenberg, Sym. Phys. Ins. 4:pl 40, f 12-14 [b2782] SS: *thersamon* (Esper), [1784]; *Lycaena* (*Thersamonia*) [Refs - b2747; b0996; b1780; b2905 (as good ssp); b3547; b0293; b4092]
- c *omphira* (d'Abrebra), 1993, (ISS); *Albulina* OD: *Butts Holarctic Region*, Pt 3 :498 [b1455] SS: *omphisa* Moore, [1875]; *Polyommatus* (*Albulina*) [Refs - b1455]
- a *omphisa* Moore, [1875]; *Polyommatus* OD: Proc. zool. Soc. Lond. 1874(4):573, pl 66, f 2 [b3223] CG: *Polyommatus* (*Albulina*) [TypeL - Western Himalayas.] [Refs - b1636; b1153; b2753 (as *omphissa*); b0993; b4094; b1762; b3223; b4909; b0410 (as *omphissa*); b3223; b3055; b0694; b4092; b0471; b1455 (as *omphira*)]
- c *omphissa* Kirby, 1877, (ISS); *Polyommatus* OD: Syn. Cat. dium. Lep., Suppl. :771 [b2753] SS: *omphisa* Moore, [1875]; *Polyommatus* (*Albulina*) [Refs - b2753; b4094]
- b *onaeus* Hewitson, 1869; *Nymphidium* OD: Trans. ent. Soc. Lond. 17(1):35, f 6 [b2328] SS: *chione* Bates, 1867; *Nymphidium* [TypeL - Nicaragua.] [Refs - b2988; b2747; b4476; b4950; b2753; b1456]
- b *onalpae* (Kocak), 1977; *Pseudophilotes* OD: *Atalanta* (Mürnerstadt) 8(1):51, f [b2788] SS: *bavius* (Eversmann), 1832; *Rubrapterus* [TypeL - Beynam, Ankara Province, Turkey.] [Refs - b0107; b2788; b2789]
- b *ondai* Takanami, 1982; *Sinthusia* OD: Mem. Tsukada Colln 4:57, pl 7,8, f 4,8 [b4586] SS: *natsumiae* Hayashi, 1979; *Sinthusia* [Type: pc-ht; collection of Hideki Onda.] [TypeL - Near Lake Balinsasyao, S. Negros, Philippines.] [Refs - b0115; b2201; b4586; b4598]
- c *onesso* Stempffer, 1967, (ISS); *Pseuderesia* OD: Bull. Br. Mus. nat. Hist. (Ent.) Suppl. 10:36 [b4400] SS: *ouesso* Stempffer, 1962; *Pseuderesia* [Refs - b4400]
- b *oneter* Fruhstorfer, 1914; *Arhopala* OD: Deut. ent. Zeit. [Iris] 27(4):161 [b1853] SS: *araxes* Felder & Felder, 1865; *Arhopala* h [Type: BMNH-ht] [TypeL - Savu.] [Refs - b1644; b1450; b0965; b4094; b2200; b1853; b1454; b4592]
- c *ab. ongodai* (Tuu), 1907, 1905-1914; *Ruralis* OD: Nat. Hist. Brit. Butts 2:282 [b4760] SS: *betulae* (Linnaeus), 1758; *Thecla* [Refs - b0236; b4092]
- c *ongodai* (Tuu), 1909, 1905-1914; *Plebeius* OD: Nat. Hist. Brit. Butts 3:199 [b4760] SS: *argus* (Linnaeus), 1758; *Plebejus* [Refs - b0236; b2866; b0471]
- a *onias* (Hulstaert), 1924; *Lycaenesthes* OD: Revue zool. afr. 12(2):183 [b2496] CG: *Anthene* [TypeL - Belgian Congo.] [Refs - b3796; b1452; b2496; b4400]
- b *oniens* Talbot, 1935; *Liptena* OD: Ent. mon. Mag. 71:72, pl 1, f 6 [b4623] SS: *flavicans* (Grose-Smith & Kirby), 1891; *Liptena* [TypeL - Lagos.] [Note - *Not spelled oniensis.*] [Refs - b1452 (as *oniensis*); b4623; b4400]
- c *oniensis* Bethune-Baker, 1914; *Epitola* OD: In Trans. ent. Soc. Lond. 61(3):501 [b0349] SS: *elissa* Grose-Smith, 1898; *Epitola* [TypeL - Lagos.] [Refs - b3842; b0836; b4400]
- c *oniensis* d'Abrebra, 1980, (ISS); *Liptena* OD: *Butts Afrotropical Region* :444 [b1452] SS: *oniens* Talbot, 1935; *Liptena* [Note - *Missing from index.*] [Refs - b1452]
- a *onitshae* Stempffer, 1962; *Omipholidotos* OD: Bull. Inst. franç. Afr. Noire 24(A):1135, f 1 [b4395] [Type: MNHN-ht] [TypeL - Mamu Forest, Awka, Onitsha, Nigeria.] [Refs - b1452; b4395; b4400]
- a *onitshae* Stempffer, 1962; *Liptena* OD: Bull. Inst. franç. Afr. Noire 24(A):1146, f 19-20 [b4395] CG: *Liptena* (*Tetrarhanis*) [Type: MNHN-ht] [TypeL - Mamu Forest, Awka, Onitsha, Nigeria.] [Refs - b1452; b4395; b4400]
- c *onka* (Fruhstorfer), 1908, (IFS); *Chrysophanus* OD: Int. ent. Z. 2(29):195 [b1834] SS: *virgaureae* (Linnaeus), 1758; *Lycaena* (*Heodes*) [Refs - b0389; b1834; b4092]
- a *onoba* Hewitson, [1865], 1852-1877; *Nymphidium* OD: Ill. exot. Butts 3:[-], pl [56], f 21 [b2323] [TypeL - Amazon.] [Refs - b2747; b1456]
- a *onoi* Murayama, 1953; *Japonica* OD: Tyô to Ga 3(3):18, f 7,8 [b3276] [Type: pc-ht; collection of Murayama.] [TypeL - Hokkaido, Japan.] [Refs - b1900; b3276; b3907]
- b *onoma* Fruhstorfer, [1919]; *Niphanda* OD: Arch. Naturgesch. (A)83(1):72 [b1887] SS: *fusca* (Bremer & Grey), 1853; *Niphanda* [TypeL - Sumatra; Billiton.] [Refs - b1454; b1840; b1887]
- b *onomichiana* (Matsumura), 1919; *Zephyrus* OD: Thous. Ins. Japan Addit. 3:735 [b3089] SS: *butleri* (Fenton), [1882]; *Antigius* [TypeL - Honshu, Japan.] [Refs - b2479; b1900; b0067; b2510; b3279]
- a *onorata* (Hewitson), 1869, 1869-1877; *Eurygona* OD: *Equatorial Lep. Buckley* (3):47 [b2330] CG: *Euselasia* [TypeL - Ecuador.] [Refs - b2747; b4474; b1456 (as *omata*)]
- a *ontario* (Edwards), 1869; *Thecla* OD: Trans. amer. ent. Soc. 2(2):209 [b1497] CG: *Fixsenia* [Type: CNC-ht] [TypeL - London, Ontario.] [LIFEH - Tietz lists b0796.] [Refs - b1530 :213, f 407; b1321 :57; b0908; b3078; b0851; b1944; b2747; b1343; b3192; b3512; b1743; b0493; b4690 (*); b2631; b4066; b4652]
- a *onycha* (Hewitson), [1865], 1863-1878; *Utica* OD: Ill. dium. Lep. Lycaenidae 1:56; 2:pl 24, f 11,12 [b2326] CG: *Theclinesthes* [Type: BMNH-lt; designated by Sibatani & Grund, 1978] [Tyô to Ga 29(1):5,6 [b4223]] [TypeL - Australia.] [Type of - *Utica*] [Refs - b1450; b2280; b2747; b4094; b4223; b0870; b4934; b2388]
- b *onychina* (Staudinger), 1889; *Sithon* OD: Deut. ent. Zeit. [Iris] 2(1):113 [b4332] SS: *syninx* (C. Felder), 1860; *Horaga* [Type: ZMHU-lt; designated by Takanami, 1989] [Tyô to Ga 40(1):29 [b4602]] [TypeL - Java.] [Refs - b1012; b4094; b2078; b2201; b1454; b4602; b4332]
- a *onyx* (Moore), [1858]; *Thecla* OD: In Cat. Lep. Ins. E. India Co. (1):30 [b3219] CG: *Horaga* [Type: BMNH-ht] [TypeL - Himalaya.] [Type of - *Horaga*] [Refs - b1012; b0964; b1636; b2280; b0965; b2078; b2747; b4094; b0995; b2479; b4092; b2201; b1454; b0694]
- b *onyx* Stichel, 1936; *Euselasia* OD: Mitt. dtsch. ent. Ges. 6:65 [b4477] SS: *opalescens* (Hewitson), [1855]; *Euselasia* [TypeL - Peru.]
- c *onyxitis* Fruhstorfer, 1914; *Horaga* OD: Deut. ent. Zeit. [Iris] 28(1):34 [b1858] SS: *chalcedonyx* Fruhstorfer, 1914; *Horaga* [Type: ZSBS] [TypeL - Sintang, S. W. Borneo.] [Refs - b1012; b4094; b1569; b1573; b4108]
- c *ab. oolitic* Le Chamberlain, 1908; *Maculinea* OD: *Entomologist* 41:202 [b2940] SS: *arion* (Linnaeus), 1758; *Maculinea* [Refs - b0236; b0400]
- c *ab. oolitic* (Le Chamberlain), 1908; *Lycaena* OD: *Entomologist* 41:202 [b2940] SS: *arion* (Linnaeus), 1758; *Maculinea* [Refs - b0236; b0471 (as *coalitica*); b2940]
- a *oosthuizeni* Swanepoel & Vári, 1983; *Lepidochrysops* OD: Ann. Transv. Mus. 33(21):325, f [b4562] [TypeL - Cape Province, S. Africa.] [Refs - b0116]

- a *opaca* (Kirby), 1890; *Larinopoda* OD: *Ann. Mag. nat. Hist.* (6)6:266 [b2766] CG: *Liptena* [Type: -lt; designated by Stempffer, 1974] [*In Bull. Br. Mus. nat. Hist. (Ent.)* 30:118 [b4413]] [TypeL - Cameroons.] [Refs - b1452; b0836; b2766; b4403]
- b *opaca* Stichel, 1910; *Emesis* OD: *Berl. ent. Z.* 55(1/2):37 [b4445] SS: *lucinda* (Cramer), [1775]; *Emesis* [Type: pc-ht; collection of Stichel] [TypeL - French Guayana.] [Refs - b4475; b4445]
- a *opacitas* (H. H. Druce), 1907; *Thecla* OD: *Proc. zool. Soc. Lond.* 1907(3):624 [b1375] CG: *Angulopsis* [Type: BMNH-ht] [TypeL - Atoyac, Vera Cruz, Mexico.] [Refs - b0908; b1375; b2627]
- a *opalescens* (Hewitson), [1855], 1852-1877; *Eurygona* OD: *Ill. exot. Butts* 1:[-], pl [52], f 23,24 [b2323] CG: *Euselasia* [TypeL - Brasilia.] [Refs - b2988; b2747; b4474; b1456]
- a *opalia* Hewitson, 1868; *Thecla* OD: *Descr. new Spec. Lycaenidae* :6 [b2327] CG: *Thecla* (New World Eumaeini) [Type: BMNH] [TypeL - Amazon.] [Refs - b0908; b2747]
- a *opaliana* Hayward, 1967; *Thecla* OD: *Acta zool. lilloana* 21:9, f 3 [b2219] CG: *Thecla* (New World Eumaeini) [TypeL - Argentina.]
- a *opalina* (Westwood), [1851], 1846-1852; *Eurygona* OD: *In Gen. dium. Lep.* (2):439 [b4981] CG: *Euselasia* [TypeL - Amazon.] [Refs - b2747; b4474; b1456]
- a *opalina* (Moore), [1884]; *Nilasera* OD: *Proc. zool. Soc. Lond.* 1883(4):531, pl 49, f 1 [b3235] CG: *Arhopala* a [Type: BMNH-ht] [TypeL - Assam, but really Siam.] [Refs - b1644; b4094; b1454; b3235]
- c *opalina* (Poujade), 1885; *Lycaena* OD: *Bull. Soc. ent. Fr.* (6)5:cxliii [b3630] SS: *maha* (Kollar), [1844]; *Pseudozizeeria* [TypeL - Mou-pin.] [Refs - b0995; b1762; b2479; b4092]
- a *opalina* Stempffer, 1946; *Anthene* OD: *Revue fr. Ent.* 13(1):16, pl 1, f 6,7 [b4371] [Type: UMO-ht] [TypeL - Callafo, Webi Shebeli, Ogaden, Somaliland.] [Refs - b1452; b4371; b4400]
- b *ophelmi* (Høegh-Guldberg), 1966; *Aricia* OD: *Natura jutl.* 13:80 [b2399] SS: *artaxerxes* (Fabricius), 1793; *Plebejus* (*Aricia*) [Refs - b2399]
- a *ophella* (Hewitson), [1867], 1863-1878; *Thecla* OD: *Ill. dium. Lep. Lycaenidae* 1:110; 2:pl 46, f 209,210 [b2326] CG: *Olynthus* [TypeL - Amazon.] [Refs - b0908; b3394; b2747; b1375; b1975]
- a *ophia* Hewitson, 1868; *Thecla* OD: *Descr. new Spec. Lycaenidae* :6 [b2327] CG: *Thecla* (New World Eumaeini) [Type: BMNH] [TypeL - Amazon.] [Refs - b0908; b2747; b1375]
- b *ophiala* Corbet, 1941; *Arhopala* OD: *Proc. R. ent. Soc. Lond.* (B)10(9):168 [b0956] SS: *absesus* (Hewitson), 1862; *Arhopala* c [Type: BMNH-ht] [TypeL - Karens.] [Refs - b1644; b0956; b2200; b1454]
- c *ophlas* (Herrich-Schäffer), [1853], 1850-1869; *Eurygona* OD: *Samml. neuer. aussereurop. Schmett.* 1:[55], pl [12], f 33,34 [b2314] SS: *eumedia* (Hewitson), [1855]; *Euselasia* [Refs - b2747; b4474]
- b *ophlon* (Hemming), 1933; *Lycaena* OD: *Entomologist* 66:278 [b2250] SS: *sarthus* (Siaudinger), 1886; *Hyracanana* [Note - Replacement name for *caudatus*.] [Refs - b2250; b0071; b3360]
- b *ophir* (Evans), 1957; *Narathura* OD: *Bull. Br. Mus. nat. Hist. (Ent.)* 5(3):107 [b1644] SS: *aida* de Nicéville, 1889; *Arhopala* f [Type: BMNH-ht] [TypeL - Mt. Ophir, Malaya.] [Refs - b1644; b1454]
- b *opigena* Stichel, 1919; *Euselasia* OD: *Deut. ent. Zeit.* 1919:317 [b4454] SS: *opalescens* (Hewitson), [1855]; *Euselasia* [Type: ZMHU-st; ZSBS-st] [TypeL - Bolivia.] [Refs - b4474; b4454]
- b *opimia* Stichel, 1919; *Euselasia* OD: *Deut. ent. Zeit.* 1919:314 [b4454] SS: *eucretes* (Hewitson), [1872]; *Euselasia* [Type: pc-st; collection of Stichel] [TypeL - La Paz, Bolivia.] [Refs - b4474; b4454]
- a *opisena* (H. H. Druce), 1912; *Thecla* OD: *Ent. mon. Mag.* 48:131, pl 10, f 3 [b1380] CG: *Sarracenota* [Type: BMNH-ht] [TypeL - Colombia.] [Type of -Sarracenota] [Refs - b0908; b2631 (as *opisina*); b2626]
- c *opisina* (Johnson & MacPherson & Ingraham), 1986, (ISS); *Thecla* OD: *Bull. Allyn Mus.* (102):6 [b2631] SS: *opisena* (H. H. Druce), 1912; *Sarracenota* [Refs - b2631]
- b *opisthochros* (Verity), 1939, (RA); *Palaeoloweia* OD: *Lambillionea* 39:186 [b4861] SS: *utyrys* (Poda von Neuhaus), 1761; *Lycaena* (Heodes) [Type: MZS-st] [TypeL - Persia.] [Refs - b2856]
- a *opites* (Hewitson), [1875], 1852-1877; *Limnas* OD: *Ill. exot. Butts* 5:[-], pl [44], f 16 [b2323] CG: *Melanis* [TypeL - Brazil.] [Refs - b2753; b4474; b1456]
- a *oppla* (Godman & Salvin), [1887], 1879-1901; *Thecla* OD: *Biol. centr.-amer., Lep. Rhop.* 2:56; 3:pl 55, f 1,2 [b1975] CG: *Thereus* [Type: BMNH] [TypeL - Cordova, Mexico.] [Refs - b0908; b0833; b1975; b3817]
- a *oppocoenosa* Johnson, 1992; *Novosaituma* OD: *Neue Ent. Nachr.* 29:65, f [b2609] [TypeL - Xizang.] [Refs - b0126]
- c *ops* (Latreille), [1813]; *Erycina* OD: *In Humboldt & Bonpland, Voy. Rég.* 2:84, pl 37, f 3,4 [b2928] SS: *mandana* (Cramer), [1780]; *Emesis* [Refs - b2747; b4475]
- a *optilete* (Knoch), 1781, 1781-1783; *Papilio* OD: *Beitr. Insekengesch.* 1:76, pl 5, f 5,6 [b2784] CG: *Plebejus* (*Vacciniina*) [TypeL - Europe.] [Type of - *Vacciniina*] [Refs - b1530 :233, f 446; b1321 :66; b4115; b0908; b2280; b1321 :66; b2375; b2747; b3325; b0993; b1780; b2827; b2866; b0236; b3192; b0410; b2300; b0400; b2794; b4367; b2859; b4066; b4092; b0471]
- b *optima* (Stichel), 1915; *Mesosemia* OD: *Deut. ent. Zeit.* 1915:664, pl 21, f 1 [b4451] SS: *tenella* Stichel, 1910; *Semomesia* [Type: BMNH-ht] [TypeL - Tapajoz, N. Brazil.] [Refs - b4451; b4474; b1456]
- b *optimus* (Röber), [1886]; *Plebejus* OD: *CorrespBl. ent. Ver. Iris* 1(3):56, pl 4, f 16 [b3820] SS: *celeno* (Cramer), [1775]; *Jamides* [Type: SMT-ht; designated by Takanami, 1989] [Työ to Ga 40(1):48 [b4602]] [TypeL - E. Sulawesi.] [Refs - b4094; b2195; b4602]
- b *ab. opulenta* Schultz, 1905; *Iolana* OD: *Ent. Zeit.* 19(4)18 [b4004] SS: *iolas* (Ochsenheimer), 1816; *Iolana* [Note - Described as an *ab.*, and thus not available as of this author and date.] [Refs - b0400; b4004]
- c *opulenta* (Verity), 1927, (RA); *Plebejus* OD: *Annls Soc. ent. Fr.* 96:7 [b4846] SS: *idas* (Linnaeus), 1761; *Plebejus* (*Lycaeides*) [Type: MZS-st] [Refs - b1780; b2856; b0236; b4425; b0410; b0471]
- b *opulenta* (Beuret), 1961; *Lycaeides* OD: *Lyc. Schweiz.* III :304 [b0410] SS: *argyrognomon* (Bergsträsser), [1779]. *Plebejus* (*Lycaeides*) [Refs - b2856; b0410]
- c *oranigra* (Lucas), 1889; *Lycaena* OD: *Proc. R. Soc. Qd* 6(2/3):118, pl 6, f 3-5 [b3023] SS: *phaseli* (Mathew), 1889; *Jamides* [TypeL - Queensland, Australia.] [Refs - b1473; b4934; b0976]
- c *oranula* Freyer, 1845, 1831-1858; *Lycaena* OD: *Neuere Beitr. Schmett.* 5:pl 455, f 1,2 [b1795] SS: *virgaureae* (Linnaeus), 1758; *Lycaena* (Heodes) [Refs - b2747; b0996; b4092]
- a *oratus* Godman & Salvin, [1887], 1879-1901; *Thecla* OD: *Biol. centr.-amer., Lep. Rhop.* 2:59; 3:pl 55, f 11,12 [b1975] CG: *Thecla* (New World Eumaeini) [Type: BMNH] [TypeL - Purula, Guatemala.] [Refs - b0908; b1975]

- c** *ab. orba* (Schultz), 1904; *Lycaena* OD: Soc. ent. 19(2):9 [b4000] SS: hippothoe (Linnaeus), 1761; Palaeochrysophanus [Refs - b0236; b0389; b4092]
- a** *orba* Stichel, 1919; *Euselasia* OD: Deut. ent. Zeit. 1919:166 [b4454] [Type: bibliol] [TypeL - Guayana; Para & Amazonas, Brazil.] [Refs - b4474; b4454]
- a** *orbis* Johnson & Smith, 1993; *Chlorostrymon* OD: Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (24):1, f 1,3 [b2642] [Type: BMNH-ht] [TypeL - Blue Mountain foothills, Jamaica.] [Refs - b2642]
- b** *orbittulinus* (Staudinger), 1892; *Lycaena* OD: Deut. ent. Zeit. [Iris] 5:318 [b4338] SS: orbilius (Prunner), 1798; *Polyommatus* (Albulina) [TypeL - Kentei-Gebirges.] [Refs - b2866; b4347; b4092]
- a** *orbitalus* (Prunner), 1798; *Papilio* OD: Lep. Pedemont. :75 [b3657] CG: *Polyommatus* (Albulina) [Refs - b1636; b2747; b0993; b1780; b1762; ns0755; b2827 (as atys); b2866; b0236; b0410; b2300; b2794; b4094; b3055; b2859; ns0346; ns0370; b4092]
- d** *orbitalus* (Esper), [1800], 1776-1830, (H); *Papilio* OD: Die Schmett. Suppl. Theil 1:pl 112, f 12 [b1623] SS: glandon (Prunner), 1798; *Polyommatus* (Agiades) [TypeL - Alpes.] [Refs - b2747; b4094; b1762; b2280; b0410; b2794; b2302]
- c** *orbitalus* (Strecker), 1874, 1872-1900; *Lycaena* OD: Lep. Rhop. Het. :86, pl 10, f 16 [b4531] SS: podarce (Felder & Felder), 1865; *Polyommatus* (Agiades) [Refs - b0908]
- c** *orbona* (Grum-Grshimallo), 1891; *Lycaena* OD: Horae Soc. ent. ross. 25:452 or 453 [b2068] SS: aquilo (Boisduval), 1832; *Polyommatus* (Agiades) [TypeL - Central Asia.] [Refs - b0993; b2479; b4092]
- a** *orbona* Godman, 1903; *Mesosemia* OD: Trans. ent. Soc. Lond. 51(4):530, pl 20, f 3 [b1972] [TypeL - Surinam.] [Refs - b2988; b4474; b1456]
- a** *oreas* (Drury), 1782, 1770-1782; *Papilio* OD: Ill. nat. Hist. 3:index+46, pl 34, f 2,3 [b1392] CG: *Aphnaeus* [TypeL - Sierra Leone.] [Type of - *Aphnaemorpha*, *Aphnaeus*] [Refs - b2280; b4387; b2747; b1452; b0836; b2224; b4400]
- b** *orchestris* (Stichel), 1910; *Zeonia* OD: Gen. Insectorum 112(A):116, pl 25, f 21 [b4446] SS: octavius (Fabricius), 1787; *Chorinea* [Type: ZMHU-st] [TypeL - Pebas, Peru.] [Refs - b4474; b4446]
- a** *oreidia* (Hewitson), [1874], 1863-1878; *Thecla* OD: Ill. diurn. Lep. Lycaenidae 1:183; 2:pl 73, f 560,561 [b2326] CG: *Gigantorubra* [Type: BMNH] [TypeL - Amazon.] [Refs - b0908; b2988; b2753; b1975; b2614]
- a** *oreilla* (Hewitson), [1874], 1863-1878; *Thecla* OD: Ill. diurn. Lep. Lycaenidae 1:184; 2:pl 73, f 564-566 [b2326] CG: *Calystryma* [Type: BMNH-ht; designated by Johnson, 1991] [Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (21):12 [b2606]] [TypeL - Ecuador.] [Refs - b0908; b2753 (as orsilla); b0125; b2606]
- a** *oreillula* (Strand), 1916, 1914-1916; *Thecla* OD: Lep. Niepelt. (2):17, pl 15, f 3 [b4516] CG: *Terminospinissima* [Type: BMNH-ht] [TypeL - Costa Rica.] [Refs - b0908; b4528; b0125; b2606]
- c** *orcus* (Edwards), [1869]; *Lycaena* OD: Trans. amer. ent. Soc. 2(4):376 [b1498] SS: *australis* Grinnell, 1917; *Glaucopsyche* [Type: CM-ht] [TypeL - California.] [Note - *Das Passos puts this name with pheres Boisduval, 1852. Miller & Brown incorrectly treated the name as unavailable.*] [Refs - b0908; b2747; b3192 (as unavailable); b1321; b1498]
- a** *orcynia* (Hewitson), 1868; *Thecla* OD: Descr. new Spec. Lycaenidae :11 [b2327] CG: *Orcya* [Type: BMNH-ht] [TypeL - Polochic Valley, Guatemala.] [Type of - *Orcya*] [Refs - b0908; b2747; b3818; b1375; b1975; b2593; b2918; b2597; ns2602]
- b** *ordesae* (de Sagarra y Castellamau), 1930; *Aricia* OD: Buttl. Inst. catal. Hist. nat. (2)10:117 [b1180] SS: *morroneis* (Ribbe), 1910; *Plebejus* (*Aricia*) [Type: MC-st] [TypeL - Vall d'Ordesa, Spain.] [Refs - b3059; b1180]
- b** *ordesana* (Blom), 1970; *Aricia* OD: Ent. Ber. 29:133, f [b0453] SS: *morroneis* (Ribbe), 1910; *Plebejus* (*Aricia*) [TypeL - Valle de Ordesa, Huesca Province, Spain.]
- b** *ordubadi* (Forster), 1938; *Lycaena* OD: Ent. Rundsch. 55:216, 238 [b1761] SS: *pylaon* (Fischer von Waldheim), 1832; *Plebejus* (*Plebejides*) [TypeL - Armenia.] [Refs - b0076]
- a** *oreala* (Hewitson), 1868; *Thecla* OD: Descr. new Spec. Lycaenidae :27 [b2327] CG: *Strymon* [Type: BMNH-ht; designated by Johnson & Salazar E., 1993] [Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (26):10 [b2641]] [TypeL - Bahia, Brazil.] [Refs - b0908; b2747; b1375; b1975; b0420; b2624; b2641]
- b** *oreana* (Swinhoe), 1910, 1909-1913; *Lycaenesthes* OD: In Moore, Lep. Ind. 7:206, pl 619, f 4,4a [b4575] SS: *huegelii* (Moore), 1882; *Celastrina* [Type: BMNH-ht; designated by Eliot & Kawazoé, 1983] [Butts *Lycaenopsis* group :235 [b1580]] [TypeL - Assam, India.] [Refs - b1636; b1840; b2479 (as oreans); b1580; ns4181]
- a** *oreas* (Trimen), 1891; *Zeritis* OD: Trans. ent. Soc. Lond. 39(1):176 [b4726] CG: *Chrysonis* [TypeL - Natal.] [Type of - *Chrysonis*] [Refs - b2280; b0162; b1259; b1452; b4400]
- a** *oreas* (Leech), [1893], 1893-1894; *Cyaniris* OD: Butts China Japan Corea :321, pl 31, f 12,15 [b2966] CG: *Celastrina* [Type: BMNH-ht; designated by Eliot & Kawazoé, 1983] [Butts *Lycaenopsis* group :237 [b1580]] [TypeL - China.] [Refs - b0995; b1762; b2479; b1580; b0236; b1840; b3368; b4092; b0119]
- b** *oreas* Stichel, 1915; *Mesosemia* OD: Deut. ent. Zeit. 1915:678, pl 21, f 23,24 [b4451] SS: *naiadella* Stichel, 1909; *Mesosemia* [Type: BMNH-st] [TypeL - British Guiana.] [Refs - b4451; b4474]
- a** *oreas* Tite, 1963; *Philiris* OD: Bull. Br. Mus. nat. Hist. (Ent.) 14(5):253 [b4677] [Type: BMNH-ht] [TypeL - Upper Setekwa River, Snow Mts., Dutch New Guinea.] [Refs - b4677; b1450]
- a** *oreas* Tite, 1964; *Lepidochrysops* OD: Entomologist 97:4 [b4678] [Type: BMNH-ht] [TypeL - Simon's Town, Cape Province, South Africa.] [Refs - b1259; b1452; b4400; b1235; b4678]
- a** *oreas* Tite & Dickson, 1968; *Aloeides* OD: Bull. Br. Mus. nat. Hist. (Ent.) 21(7):382, pl 5 [b4684] [Type: BMNH-ht] [TypeL - Loteni, Natal.] [Refs - b4684; b1259; b1452]
- b** *oregonensis* (Barnes & McDunnough), 1917; *Philotes* OD: Contr. nat. Hist. Lep. N. Amer. 3(4):214, pl 16, f 1-3 [b0250] SS: *bauoides* (Behr), 1867; *Euphilotes* [Type: USNM-ht] [TypeL - Crater Lake, Oregon.] [Refs - b0908; b3192; b1321; b4066]
- b** *oregonensis* Gorelick, [1970]; *Callophrys* OD: J. Res. Lep. 7(2):101 [b1999] SS: *dumetorum* (Boisduval), 1852; *Callophrys* [Type: CAS-ht] [TypeL - Kussli Creek, Yakima County, Washington.] [Refs - b4069; b3192]
- c** *orejus* (Hopffer), 1855; *Iolaus* OD: Ber. Verh. Akad. Berl. 1855:641, n 16 [b2443] SS: *philippus* (Fabricius), 1793; *Hypolycaena* [Refs - b2747; b0836; b4400]
- b** *oreoides* (Evans), 1925; *Lycaenopsis* OD: J. Bombay nat. Hist. Soc. 30(2):344, f [b1632] SS: *huegelii* (Moore), 1882; *Celastrina* [Type: BMNH-ht; designated by Eliot & Kawazoé, 1983] [Butts *Lycaenopsis* group :233 [b1580]] [TypeL - Tibet, China.] [Refs - b1636; b1580]

- c **oreopola** (Hayward), 1949; Irylos OD: Acta zool. lilloana 8:580, pl. f 2 [b2217] SS: vapa (Staudinger), 1894; Paralycaeides [Type: FMLT-ht] [TypeL - Casa de Piedra del Río de la Puerta, Dept. de Tafí, Tucumán, Argentina.] [Refs - b0908; b2221; b2218; b0207]
- a **orestes** (Cramer), [1780], 1775-1790; Papilio OD: Utit. Kapellen 3(24):159, pl 282, f A,B [b1069] CG: Synargis [TypeL - Amazon.] [Refs - b2988; b2747; b4475; b1456]
- c **orestes** (Röber), [1886]; Plebeius OD: CorrespBl. ent. Ver. Iris 1(3):58, pl 4, f 20 [b3820] SS: philatus (Snellen), 1878; Jamides [Type: SMT-It; designated by Takamami, 1989] [Tyô to Ga 40(1):49 [b4602]] [TypeL - Bonthain, S. W. Celebes.] [Refs - b4094; b1865; b4602]
- a **orflia** (Cramer), [1777], 1775-1790; Papilio OD: Utit. Kapellen 2(10):24, pl 112, f D,E, nec F [b1069] CG: Euselasia [TypeL - Surinam; Amazon.] [Refs - b2988; b2747; b4474; b1453; b1456]
- b **organensis** Ferris, 1980; Fixsenia OD: J. Lep. Soc. 34(2):221 [b1715] SS: polingi (Barnes & Benjamin), 1926; Fixsenia [Type: AME-ht] [TypeL - Organ Mtns., Doña Ana Co., New Mexico.] [Refs - b0113; b1610 (5193-E12); x3192; b1715; b0493; b1717; b4690; b1722]
- a **orgla** (Hewitson), [1867], 1863-1878; Thecla OD: Ill. diurn. Lep. Lycaenidae 1:102; 2-pl 41, f 148,149; pl 43, f 176 [b2326] CG: Parrhasius [Type: BMNH-st] [TypeL - Venezuela; Cayenne.] [Refs - b0908; b3390; b2747; b2221; b3392; b1453; b2406; b1975; b2631 (in Panthiades)]
- b **orglophantes** Clench, 1979; Parrhasius OD: In Bull. Allyn Mus. (56):17, f 12E,F,G,H, 15,16,42 [b0852] SS: orgia (Hewitson), [1867]; Parrhasius [Type: CM-ht] [TypeL - Rio Sunutu, E. Bolivia.] [Refs - b0852]
- c **oribasius** (Fruhstorfer), 1915; Thysonotis OD: Soc. ent. 30:50 [b1866] SS: peri (Grose-Smith), 1894; Perpheres [TypeL - New Guinea.] [Refs - b1866]
- a **orbata** (Weymer), 1890; Thecla OD: In Sübel, Reisen in Süd-Amer., Lep. :123, pl 4, f 8 [b4988] CG: Penaincisalia [Type: ZMHU-ht] [TypeL - Chile, but ZR says Bolivia.] [Refs - b0908; b2585; b2611]
- a **orichalceus** Süchel, 1916; Emesis OD: Deut. ent. Zeit. 1916:18 [b4452] [TypeL - Bolivia.] [Refs - b4452; b4475; b2221 (as Iris); b1456]
- c **oricolensis** Rostagno, 1912; Celastrina OD: Boll. Soc. zool. ital. (3)1:146 [b3869] SS: argiolus (Linnaeus), 1758; Celastrina [TypeL - b0236]
- b **oricus** (Fruhstorfer), 1910; Lycaena OD: Int. ent. Z. 4(12):62 [b1844] SS: daphnis ((Denis & Schiffmüller), 1775; Polyommatus (Meleageria) [TypeL - Südrubland.] [Refs - b1844; b0236; b0471; b2858]
- a **oriens** Butler, 1870; Mesene OD: Cistula Entomologica 1(2):31 [b0589] [TypeL - Venezuela.] [Refs - b2747; b4474; b1456]
- b **oriens** (Butler), 1883; Zizera OD: Ann. Mag. nat. Hist. (5)11:417 [b0623] SS: otis (Fabricius), 1787; Zizina [TypeL - Mundanao, Philippines.] [Refs - b0995; b4601; b4108]
- a **orientalis** (Murray), 1874; Dipsas OD: Ent. mon. Mag. 11:169, (nec male). [b3317] CG: Favonius [TypeL - Japan.] [Type of - Favonius] [Refs - b2280; b4115; b2988; b2280; b2827; b2753; b2479; b0996; b1399; b1900; b2866; b2804; b4214; b2772; b4200; b3296; b4092]
- b **orientalis** Staudinger, 1881; Lycaena OD: Stett. ent. Ztg 42:281 [b4328] SS: utyrus (Poda von Neuhaus), 1761; Lycaena (Heodes) [Refs - b2827; b3555; b4092]
- c **orientalis** (Staudinger), 1901; Lycaena OD: Cat. Lep. Palae. Faun. (3rd ed) :85 [b4347] SS: icarius (Esper), [1789]; Polyommatus (Plebicula) [Refs - b0993; b2790; b4092; b2788]
- a **orientalis** (Bethune-Baker), 1906; Liptena OD: Ann. Mag. nat. Hist. (7)18:339 [b0339] CG: Falcuna [Type: BMNH-ht] [TypeL - Uganda.] [Refs - b1452; b4400; b0339]
- c **orientalis** (Tutt), 1909, 1905-1914; Plebeius OD: Nat. Hist. Brit. Butts 3:192 [b4760] SS: argus (Linnaeus), 1758; Plebejus [Refs - b0236; b0471]
- d **orientalis** (Chapman), [1913], (H); Agriades OD: Trans. ent. Soc. Lond. 60(4):675 [b0762] OS: orientis (Sheljuzhko), 1928; Polyommatus (Plebicula) [TypeL - Asia.] [Note - Sheljuzhko rejected this name as a secondary homonym.] [Refs - b0236; b4169; b0762; b0066; b4854; b0471]
- b **orientalis** Joicey & Talbot, 1916; Megisba OD: Trans. ent. Soc. Lond. 64(1):75, pl 5, f 3 [b2653] SS: strongyle (C. Felder), 1860; Megisba [Type: BMNH-ht] [TypeL - Biak, Schouten Islands.] [Refs - b1450; b1580; b2653; b1840]
- b **orientalis** Hulstaert, 1924; Euchrysops OD: Revue zool. afr. 12(2):187 [b2496] SS: osiris (Hopffer), 1855; Euchrysops [TypeL - Uganda.] [Refs - b0113; b2496; b4400]
- b **orientalis** Riley, 1925; Cigariis OD: Novit. zool. 32:76 [b3759] SS: zohra Donzel, 1847; Cigariis [TypeL - N. W. Africa.] [Refs - b0236; b0471]
- b **orientalis** (Storace), 1947; Pentila OD: Annali Mus. civ. Stor. nat. Genova 63:77, f [b4483] SS: peucetia (Hewitson), [1866]; Ornipholidotos [TypeL - Italian Somaliland.] [Refs - b4400]
- a **orientalis** Roche, 1954; Epitola OD: Bull. Br. Mus. nat. Hist. (Ent.) 3:499, pl 22, f 35-36 [b3842] [Type: BMNH-ht] [TypeL - Bwamba, Uganda.] [Refs - b3842; b1452; b4400]
- b **orientalis** Stempffer, 1957; Deudorix OD: Bull. Inst. franç. Afr. Noire 19(A):217 [b4390] SS: diyllus Hewitson, [1878]; Deudorix (Pilodeudorix) [TypeL - Uganda.] [Refs - b0113 (=congoana); b1452 (=congoana); b4400]
- b **orientalis** Jackson, 1962; Neaveia OD: Bull. Br. Mus. nat. Hist. (Ent.) 12(3):158, f [b2562] SS: lamborni H. H. Druce, 1910; Neaveia [TypeL - Uganda.] [Refs - b1452; b4400]
- b **orientalis** (Stempffer), 1962; Anthene OD: Bull. Inst. franç. Afr. Noire 24(A):1169, f 62-63 [b4395] SS: areoscopa Bethune-Baker, 1910; Cupidesthes [Type: BMNH-ht] [TypeL - Kamengo, Mawakota, Uganda.] [Refs - b1452; b0836; b4395; b4400]
- b **orientalis** (Stempffer), 1962; Pseuderesia OD: Bull. Inst. franç. Afr. Noire 24(A):1145, f 18 [b4395] SS: paradoxa (Schultze), 1916; Eresiomera [Type: BMNH-ht] [TypeL - Kalinzu Forest, Ankole, Uganda.] [Refs - b1452; b4395; b4400]
- d **orientalis** (Kurentzov), 1970, (H); Lycaena OD: Butts Far East USSR :131 [b2864] OS: kurentzovi Koçak, 1980; Plebejus [Refs - b0113; b2866; b2790]
- a **orientalis** Swanepoel, 1976; Poecilmitis OD: Ann. Transv. Mus. 30(12):119, pl 12, f 1-4 [b4561] [TypeL - Boesmansnek, Drakensberg Mt., S. Africa.] [Refs - b1259; b4561; b0108]
- b **orientalis** (Forster), 1980; Freyeria OD: Spixiana 3(1):7, f [b1779] SS: trochylus (Freyer), 1845; Chiüades (Freyeria) [TypeL - Nepal.] [Refs - b1610 (6672-E12); b0113]
- a **orientalis** Courell, 1981; Aslauga OD: Syst. Ent. 6(1):32, f 8,9, pl 3, f 23,24 [b0970] [Type: UMO-ht] [TypeL - Tanzania.] [Refs - b1610 (5949-E12); b0970]
- b **orientalis** Eliot & Kawazoé, 1983; Neopithecops OD: Butts Lycaenopsis group :48, f 16X,225,249 [b1580] SS: sumbanus Eliot & Kawazoé, 1983; Neopithecops [Type: BMNH-ht] [TypeL - Dammer Island.] [Refs - b1580]
- c **orientalis** Krzywicki, 1983; Polyommatus OD: Polsk. Pismo ent. 53(3):401 [b2853] SS: boisduvalii (Herrich-Schäffer), [1844]; Polyommatus [TypeL - Poland.] [Refs - b0116; b0206]

- b orientalis** d'Abrera, 1994; Menander OD: Butts Neotropical Region, Pt 4:1083, f SS: cicuta (Hewitson), [1863]; Menander [Type: BMNH-ht] [TypeL - Demerara (River), Guyana.] [Refs - b1456]
- c orientalis** (Verity), 1931, (RA); Lycaeides OD: Deut. ent. Zeit. [Iris] 45:48 [b4852] SS: argus (Linnaeus), 1758; Plebejus [TypeL - N. Persia.] [Refs - b1780; b2856; b0069]
- b orientis** (Sheljuzhko), 1928; Lycaena OD: Lep. Rdsch. 2:128 [b4169] SS: thersites (Cantener), 1834; Polyommatus (Plebica) [Type: biblio; replacement for orientalis Chapman, 1913] [Refs - b0236; b0066; b4169; b4854; b0471]
- b orientius** Hulstaet, 1924; Iolaus OD: Revue zool. afr. 12(2):177 [b2496] SS: timon (Fabricius), 1787; Iolaus (Tanueheira) [TypeL - Uganda.] [Refs - b1452; b2496; b4400]
- b origenes** Fruhstorfer, [1912]; Bindahara OD: Berl. ent. Z. 56(3/4):245 [b1850] SS: phocides (Fabricius), 1793; Bindahara [Refs - b4094; b2201; b1850]
- c origo** (Godman & Salvin), [1887], 1879-1901; Thecla OD: Biol. centr.-amer., Lep. Rhop. 2:73; 3:pl 56, f 32,33 [b1975] SS: bellera (Hewitson), [1877]; Calycopis [Type: BMNH-ht; designated by Field, 1967] [Proc. U. S. nat. Mus. 119(3552):- [b1737]] [TypeL - Pará, Brazil.] [Refs - b0908; b4179; b1375; b1975; b2606]
- a orion** (Pallas), 1771; Papilio OD: Reise verschied. Prov. Russisch. Reichs 1:471 [b3546] CG: Scolitantides [Type of - Scolitantides] [Refs - b4115; b2375; b3059; b2747; b0993; b1780; b1762; b2827; b2479; b2866; b0236; b2300; b0400; b1321; x3192; b2794; b2242; b2859; ns2855; ns4297; ns4298; b4092]
- a orion** Rebillard, 1958; Euselasia OD: Mém. Mus. natn Hist. nat. (A)15:149, pl 3, f 14 [b3717] [Type: MNHN-ht] [TypeL - Rio Mica, Colombia.] [Refs - b3717; b0093]
- a orios** Godman & Salvin, [1887], 1879-1901; Thecla OD: Biol. centr.-amer., Lep. Rhop. 2:51; 3:pl 54, f 10,11 [b1975] CG: Thecla (New World Eumaeini) [Type: BMNH] [TypeL - Panama, Guatemala.] [Refs - b0908; b1975; b2593; b2597]
- c orissanus** (Moore), 1884; Aphnaeus OD: J. asiat. Soc. Bengal, Pt II 53(1):27 [b3236] SS: peguanus (Moore), 1884; Spindasis [TypeL - Orissa.] [Refs - b1636; b1153; b4094; b0996; b0694; b4092]
- c orissica** (Moore), 1884; Lycaenesthes OD: J. asiat. Soc. Bengal, Pt II 53(1) 23 [b3236] SS: lycaenina (R. Felder), 1868; Antheus [TypeL - Orissa.] [Refs - b4679; b1840; b0694 (=lycaenoides)]
- c orithylla** (Grum-Grshmanjo), 1891; Lycaena OD: Horae Soc. ent. ross. 25 452 [b2068] SS: orion (Pallas), 1771; Scoliantides [Refs - b0993; b2479; b4092]
- b orla** Fruhstorfer, 1907; Amblypodia OD: Ent. Zeit. 21(24):150 [b1825] SS: narada (Horsfield), [1828]; Amblypodia [TypeL - E. Java] [Refs - b4094; b1825]
- c ab. orlaria** (Ribbe), 1910, 1909-1912; Lycaena OD: Deut. ent. Zeit. [Ins] 23(1/2) 188 [b3741] SS: occidentalis (Hemming), 1929; Pseudophilotes [Refs - b3059; b0236; b0471]
- c ormenus** (Hübner), [1819], 1816-1826; Curetis OD: Verz. bekannt. Schmet. (7) 102 [b2484] SS: pasiphae (Cramer), [1775]; Pandemos [Refs - b2747; b4475; b2753; b2260]
- a ormistoni** Riley, 1920; Athopala OD: Entomologist 53:97 [b3746] CG: Athopala 1 [Type: BMNH-ht] [TypeL - Ceylon.] [Refs - b1644; b3795 (incor. as n.sp.); ns3753 :210; b1042; b1454]
- b ormistoni** Toxopeus, 1927; Nacaduba OD: Treubia 9(4):434 [b4696] SS: berenice (Herrich-Schäffer), 1869; Nacaduba [TypeL - Ceylon.] [Refs - b4676; b4696; b1454; b0694]
- a ornamentata** Johnson, 1993; Gigantorubra OD: Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (32):28, f [b2614] [Type: BMNH-ht] [TypeL - French Guyana.] [Refs - b2614]
- a ornata** (Leech), 1890; Thecla OD: Entomologist 23:40 [b2963] CG: Satyrium [TypeL - China.] [Refs - b2988; b0996; b4094; b2479; b4092; b1455]
- a ornata** (Mabille), 1890; Lycaena OD: Anns Soc. ent. Fr. (6)10:24, pl 2, f 6 [b3047] CG: Athysanota [TypeL - Senegal.] [Type of - Athysanota] [Refs - b2280; b1452; b0836; b4400]
- c ab. ornata** (Staudinger), 1892; Lycaena OD: Deut. ent. Zeit. [Iris] 5:280 [b4337] SS: astrarche (Bergsträsser), [1779]; Plebejus (Aricia) [Refs - b2252; b3547; b0236; b0270; b4092]
- d ornata** (Staudinger), 1892, (H); Lycaena OD: In Romanoff, Mém. Lép. 6:159 [b4335] OS: athene (Hemming), 1934; Scoliantides [Refs - b3059; b1780; b4115; b0993; b2827; b2252; b0072; b0400; b4092]
- c ornata** Stichel, [1909]; Panara OD: Berl. ent. Z. 53(3/4):267 [b4443] SS: aureizona Butler, 1874; Panara [TypeL - Amazonas?] [Refs - b4474]
- c ab. ornata** Pionneau, 1927; Everes OD: Échange 43:12 [b3614] SS: coretas Ochsenheimer, 1807; Everes [TypeL - Gironde.] [Refs - b0236; b0400; b0471]
- c ab. ornata** (Züllich), 1929; Chrysophanus OD: Z. öst. EntVer. 14(5):51 [b5081] SS: hippothoe (Linnaeus), 1761; Palaechrysophanus [TypeL - Bulgaria.] [Refs - b0236; b0389; b0471]
- c ab. ornata** (Schwingenschuss), 1938; Lycaena OD: Ent. Rundsch. 55:146 [b4055] SS: hyacinthus (Herrich-Schäffer), [1847]; Plebejus (Pseudoaricia) [TypeL - C. Anatolia.] [Refs - b0076]
- c ornata** Le Moul, 1940, 1939-1940, (IFS); Helicopsis OD: Novit. ent. (13):102 [b2943] SS: cupido (Linnaeus), 1758; Helicopsis [Type: AME-ht] [Refs - b3199]
- b ornata** Dufrane, 1953; Azanus OD: Bull. Anns Soc. ent. Belg. 89:55 [b1410] SS: occidentalis Butler, [1888]; Azanus [TypeL - Kuvu.] [Refs - b4400]
- c ornata** (Dufrane), 1954; Syntarucus OD: Bull. Anns Soc. ent. Belg. 90(3/4):68 [b1411] SS: babaulti (Stempffer), 1935; Leptotes [TypeL - Abyssinia.] [Refs - b1411]
- c f. ornata** (Lempke), 1954; Thersamonia OD: Tijdschr. Ent. 97:337 [b2981] SS: dispar ([Haworth]), 1802; Lycaena (Thersamolycaena) [TypeL - Holland.]
- c f. ornata** (Lempke), 1955; Strymonidia OD: Tijdschr. Ent. 98:323 [b2982] SS: ilicis (Esper), [1779]; Satynum [Refs - b0089]
- c ornata** (Lempke), 1955; Lycaeides OD: Tijdschr. Ent. 98:296, f [b2982] SS: idas (Linnaeus), 1761; Plebejus (Lycaeides) [TypeL - Holland.]
- c ♀ f. ornata** Eliot, 1957; Poritia OD: Entomologist 90:73 [b1543] SS: philota Hewitson, 1874; Ponua [Type: BMNH-ht] [TypeL - N.E. Sumatra.] [Refs - b0965; b1454; b1543; b4108]
- c ornata** d'Abrera, 1994, (ISS); Euselasia OD: Butts Neotropical Region, Pt 4:893 SS: onorata (Hewitson), 1869; Euselasia [Refs - b1456]
- c ab. ornaticissima** (Nordström), 1933; Heodes OD: Ent. Tidskr. 54:196, pl 8, f 10 [b3409] SS: hippothoe (Linnaeus), 1761; Palaechrysophanus [TypeL - Lapland.] [Refs - b0071; b0389]
- c ornaticissima** Le Moul, 1940, 1939-1940, (IFS); Helicopsis OD: Novit. ent. (13):103 [b2943] SS: cupido (Linnaeus), 1758; Helicopsis [Type: AME-ht] [Refs - b3199]
- a ornatrix** H. H. Druce, 1907; Thecla OD: Proc. zool. Soc. Lond. 1907(3):572, pl 31, f 5 [b1375] CG: Thecla (New World Eumaeini) [Type: pc; Druce collection.] [TypeL - Rio Demerara, British Guiana.] [Refs - b0908; b2988; b1375]

- c ornea** Hewitson, 1868; *Thecla* OD: *Descr. new Spec. Lycaenidae* :7 [b2327] SS: *orphia* Hewitson, 1868; *Thecla* (New World Eumaeini) [Type: BMNH] [TypeL - Amazon.] [Refs - b0908; b2747]
- b oro** (Scudder), 1876; *Nomiades* OD: *Can. Ent.* 8(2):23 [b4082] SS: *lygdamus* (Doubleday), 1841; *Glaucopsyche* [Type: MCZ?] [TypeL - Colorado.] [Refs - b0908; b4688; b2753; b2721; b3192; b2417; b0493; b1743; b1321; b2419; b4690]
- a orobia** Hewitson, [1867], 1863-1878; *Thecla* OD: *Ill. diurn. Lep. Lycaenidae* 1:103; 2:pl 40, f 134,135 [b2326] CG: *Thecla* (New World Eumaeini) [Type: BMNH] [TypeL - Amazon.] [Refs - b0908; b2747; b1975]
- a orobiana** Hewitson, [1867], 1863-1878; *Thecla* OD: *Ill. diurn. Lep. Lycaenidae* 1:103; 2:pl 40, f 205,206 [b2326] CG: *Thecla* (New World Eumaeini) [Type: BMNH] [TypeL - Ega, Amazon.] [Refs - b0908; b2747]
- a orocana** H. H. Druce, 1912; *Thecla* OD: *Ent. mon. Mag.* 48:130, pl 9, f 11 [b1380] CG: *Thecla* (New World Eumaeini) [Type: pc; Druce collection.] [TypeL - El Porvenir, (East) Peru.] [Refs - b0908]
- a oroetes** Hewitson, 1862; *Ogyris* OD: *Spec. Cat. Lyc. Brit. Mus.* :3, pl 1, f 12,13 [b2325] [TypeL - Moreton Bay, Australia.] [Refs - b1450; b2747; b4094; b0870; b4934]
- c orontas** Hewitson, 1862; *Ogyris* OD: *Spec. Cat. Lyc. Brit. Mus.* :2, pl 1, f 8,9 [b2325] SS: *idmo* Hewitson, 1862; *Ogyris* [Refs - b2747; b4094; b4934]
- b orontes** (Stichel), 1923; *Nymula* OD: *Z. wiss. Insektbiol.* 18(12):311 [b4457] SS: *phylleus* (Cramer), [1775]; *Synargis* [TypeL - Brazil.] [Refs - b4475; b4475]
- b orontius** (Hulstaert), 1924; *Neochrysops* OD: *Revue zool. afr.* 12(2):191 [b2496] SS: *skotos* (H. H. Druce), 1905; *Lepidochrysops* [TypeL - Belgian Congo.] [Refs - b3796; b2496; b4400]
- b oroplata** Scott, 1981; *Euphilotes* OD: *Papilio* (New Series) (1):8 [b4062] SS: *spaldingi* (Barnes & McDunnough), 1917; *Euphilotes* [Type: pc-ht; collection of Scott.] [Refs - b0115; x3192; b4062; b4066]
- a oroslensis** Johnson, 1992; *Paralustnus* OD: *Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point)* (22):156, f [b2611] [Type: MNHN-ht] [TypeL - Orosi, Costa Rica.] [Refs - b0125; b2611]
- a orphana** Stichel, 1911; *Dinoplotis* OD: *Gen. Insectorum* 112(B):293, pl 27, f 78 [b4447] [Type: ZMHU-ht] [TypeL - Massauary, Amazonas, Brazil.] [Type of - *Dinoplotis*] [Refs - b2988; b2280, b1456, b4446]
- b orpheus** (Westwood), [1851], 1846-1852; *Cremna* OD: *In Gen. diurn. Lep.* (2) 456, pl 71, f 8 [b4981] SS: *nepos* (Fabricius), 1793; *Napaea* [Refs - b2747; b4474; b2221; b0419; b0686; b1456]
- a orpheus** (Felder & Felder), 1862; *Myrina* OD: *Wien. ent. Monats.* 6(9):292 [b1688] CG: *Cheritra* [Type: BMNH-ht] [TypeL - Luzon, Philippines.] [Refs - b1016; b2747; b4094; b2201; b1454]
- c orpheus** (Nekrutenko), 1980; *Aricia* OD: *Nota lepid.* 3(1/2):63, f [b3358] SS: *anteros* (Freyer), 1839; *Plebejus* (*Ultraaricia*) [Type: ZMKU-ht] [TypeL - Bulgaria.] [Refs - b0113; b1001; b3358; b2794; b2859 (as good sp)]
- a orphna** (Boisduval), 1836; *Emesis* OD: *Spec. gén. Lépid.* 1:pl 21 [=5C], f 4, explic. 5 [b0462] CG: *Paralaxita* [TypeL - Malaya.] [Refs - b0964; b1149; b2988; b0965; b2747; b4474; b1454; b1840; b3528]
- b orphna** Clench, 1965; *Anthene* OD: *In Butts Liberia* :369, f 220-223 [b0836] SS: *amarah* (Guérin-Méneville), 1847; *Anthene* [Type: CM-ht] [TypeL - Liberia.] [Refs - b0528; b1452; b0836; b4400]
- c ab. orphnina** Vári, 1976; *Alaena* OD: *Ann. Transv. Mus.* 30(13):127 [b4821] SS: *amazoula* (Boisduval), 1847; *Alaena* [Refs - b0108; b1259]
- b orphnine** Cowan, 1967; *Cheritra* OD: *Bull. Br. Mus. nat. Hist. (Ent.)* 20(3):97, pl 1-9, 2-21 [b1016] SS: *orpheus* (Felder & Felder), 1862; *Cheritra* [Type: BMNH-ht] [TypeL - Mindanao, Philippines.] [Refs - b1016; b1454]
- a orsedice** (Butler), [1882]; *Thecla* OD: *Proc. zool. Soc. Lond.* 1881(4):852 [b0620] CG: *Iratsume* [TypeL - Japan.] [Type of - *Iratsume*] [Refs - b4198; b2280; b0996; b1900; b4214; b3271; b4200; b3296; b4092]
- b orsedice** Godman, 1903; *Hyphilaria* OD: *Trans. ent. Soc. Lond.* 51(4):531, pl 20, f 5 [b1972] SS: *anthias* (Hewitson), 1874; *Hyphilaria* [TypeL - S. America.] [Refs - b4474]
- b orsels** (Hewitson), [1863], 1863-1878; *Deudorix* OD: *Ill. diurn. Lep. Lycaenidae* 1:23 [b2326] SS: *varuna* (Horsfield), [1829]; *Rapala* [TypeL - Sumatra.] [Refs - b0964; b1636; b0965; b2747; b4094; b2479; b0694]
- c orses** (Godman & Salvin), [1887], 1879-1901; *Thecla* OD: *Biol. centr.-amer., Lep. Rhop.* 2:43; 3:pl 53, f 11,12 [b1975] SS: *zebina* (Hewitson), [1869]; *Rekoa* [Type: BMNH] [TypeL - San Gerónimo, Guatemala.] [Refs - b0908; b1975; b3817]
- c orsilla** (Kirby), 1877, (ISS); *Thecla* OD: *Syn. Cat. diurn. Lep., Suppl.* :780 [b2753] SS: *orcilla* (Hewitson), [1874]; *Calystryma* [Refs - b2753]
- a orsina** Hewitson, [1877], 1863-1878; *Thecla* OD: *Ill. diurn. Lep. Lycaenidae* 1:200; 3:pl 79, f 649-650 [b2326] CG: *Thecla* (New World Eumaeini) [Type: BMNH-ht] [TypeL - Bolivia.] [Refs - b0908; b2753; b2221; b2918; b2592]
- c orsiphantes** d'Abrera, 1986, (ISS); *Hypolycaena* OD: *Butts Oriental Region, Pt 3* :620 [b1454] SS: *orsiphantus* Fruhstorfer, [1912]; *Hypolycaena* [Refs - b1454; b4094]
- b orsiphantus** Fruhstorfer, [1912]; *Hypolycaena* OD: *Berl. ent. Z.* 56(3/4):239 [b1850] SS: *erylus* (Godart), [1824]; *Hypolycaena* [TypeL - Bazilan.] [Refs - b4094 (as *orsiphantes*); b1454 (as *orsiphantes*); b1850]
- b orsolina** (Hewitson), [1865], 1863-1878; *Myrina* OD: *Ill. diurn. Lep. Lycaenidae* 1:38; 2:pl 17, f 56-58 [b2326] SS: *jangala* (Horsfield), [1829]; *Remelana* [TypeL - Celebes.] [Refs - b2747; b4094; b2201; b1454]
- a ortaloides** Lathy, 1930; *Thecla* OD: *Trans. ent. Soc. Lond.* 78(1):135, pl 9, f 12 [b2921] CG: *Thecla* (New World Eumaeini) [Type: MNHN-ht; Fournier collection.] [TypeL - Petropolis, Brazil.] [Refs - b0908; b2591; b2592]
- a ortalus** (Godman & Salvin), [1887], 1879-1901; *Thecla* OD: *Biol. centr.-amer., Lep. Rhop.* 2:52; 3:pl 54, f 14,15 [b1975] CG: *Thereus* [Type: BMNH] [TypeL - Córdoba, Mexico.] [Note - *Allied to tiasa.*] [Refs - b0908; b1975; b3817]
- b orthia** Stichel, 1915; *Mesosemia* OD: *Deut. ent. Zeit.* 1915:674, pl 21, f 17 [b4451] SS: *zaoa* Hewitson, 1869; *Mesosemia* [Type: BMNH-ht] [TypeL - Colombia.] [Refs - b4451; b4474]
- b orthotaenia** Seitz, [1917], 1910-1924; *Baeotis* OD: *In Seitz, Grossschmetz. Erde* 5:684 [b4093] SS: *euprepes* Bates, [1868]; *Baeotis* [TypeL - Bolivia.] [Refs - b4474; b4093]
- c orthrus** (Trimen), 1874; *Zerius* OD: *Trans. ent. Soc. Lond.* 22(3):340, pl 2, f 10 [b4721] SS: *taikosama* (Wallengren), 1857; *Aloeides* [Type: lost] [TypeL - Natal.] [Refs - b1943; b2753; b0104; b4400; b4685]
- a ortygia** (Trimen), 1887, 1887-1889; *Lycaena* OD: *In Trimen & Bowker, S. Afr. Butts* 2:26 [b4725] CG: *Lepidochrysops* [Type: BMNH-ht] [TypeL - Maseru, Basutoland.] [Refs - b4400; b1259; b1452; b4678; b0359]

- a *ortygus* (Cramer), [1779], 1775-1790; Papilio OD: Uidl. Kapellen 3(21):84, pl 243, f B [b1069] CG: *Oenomaus* [TypeL - Surinam.] [Type of - *Oenomaus*] [Refs - b0908; b2988; b2280; b2718; b0528; b2747; b1343; b3192; b2406; b1975; b2631 (also in *Panhiades*); b4066]
- a *o-rubrum* (Holland), 1890; *Pseuderia* OD: *Psyche* 5:425 [b2423] CG: *Liptena* [TypeL - Upper Ogove River, Gaboon.] [Refs - b1452; b4400]
- a *orus* (Stoll), [1780], 1780-1790; Papilio OD: In Cramer, Uidl. Kapellen 4(28):84, pl 332, f E,F [b4478] CG: *Lycaena* [TypeL - Africa mer.] [Refs - b1259; b4220; b2747; b0113; b1452; b4400; b3312; b1230; b2753]
- e *oryzana* Corbet, 1941, (PS); *Arhopala* OD: Proc. R. ent. Soc. Lond. (B)10(9):168 [b0956] SS: *asakurae* (Matsumura), 1910; *Arhopala* o [TypeL - Formosa.] [Note - Corbet attributed the name to Wileman.] [Refs - b4198; b1644; b0956]
- b *osadal* Takanami, 1987; *Drupadia* OD: Mem. Tsukada Colln (5):32, pl 3, f 6, pl 4, f 6 [b4596] SS: *theda* (Felder & Felder), 1862; *Drupadia* [Type: pc; collection of Takanami.] [TypeL - Bilar, Bohol.] [Refs - b4596]
- c *osamul* Hayashi & Ohtsuka, 1985; *Deramas* OD: *Iwase* (3):3, f 3, pl 1, f 1-4 [b2208] SS: *nelvis* Eliot, 1964; *Deramas* [Type: pc-ht; collection of Ohtsuka.] [TypeL - Mamut, Sabah, Borneo.] [Refs - b2208; b4108]
- b *osbecki* Aurivillius, 1882; *Poecilmitis* OD: K. svenska VetenskAkad. Handl. (nf)19(5):117 [b0146] SS: *thysbe* (Linnaeus), 1764; *Poecilmitis* [Refs - b1259; b4400]
- b *oceanus* Murayama, 1954; *Favonius* OD: New Ent. 3(4):33 [b3279] SS: *saphirina* (Staudinger), 1887; *Favonius* [Type: pc-ht; collection of Murayama.] [TypeL - Ose district, Honshu, Japan.] [Refs - b1900; b2509; b3279]
- a *osheba* (Holland), 1890; *Durbania* OD: *Psyche* 5:428 [b2423] CG: *Eresiomera* [TypeL - Upper Ogove River, Gaboon.] [Refs - b1452; b0836; b4400; b4125 (as *oshera*)]
- c *oshera* (Sharp), [1891], (ISS); *Durbania* OD: Zool. Rec. 27(1890)(Ins.):217 [b4125] SS: *osheba* (Holland), 1890; *Eresiomera* [Refs - b4125]
- b *osias* (Röber), [1886]; *Plebeius* OD: *CorrespBl. ent. Ver. Iris* 1(3):56, pl 5, f 17 [b3820] SS: *philatus* (Snellen), 1878; *Jamides* [Type: SMT-It; designated by Takanami, 1989] [TypeL - Philippines.] [Refs - b4094; b1865; b4602]
- c *osinia* (Cramer), [1777], 1775-1790; Papilio OD: Uidl. Kapellen 2(10):29, pl 115, f F [b1069] SS: *philocles* (Linnaeus), 1758; *Mesosemia* [TypeL - Surinam, Amazon.] [Refs - b2747; b4474]
- a *osiris* Meigen, 1829, 1827-1832; *Cupido* OD: *Syst. Besch. Europ. Schmett.* 2(1):7, pl 46, f 3a,b [b3146] [Refs - b2375; b2747; b0995; b2827; b0400; b2794; b3366; b2859; b0211]
- a *osiris* (Hopffer), 1855; *Lycaena* OD: Ber. Verh. Akad. Berl. 1855:642 [b2443] CG: *Euchrysops* [Type: BMNH-ht] [TypeL - Mozambique.] [Refs - b1943; b1259; b0714; b2747; b1452; b2790; b0836; b2898; b4400; b2560; b3606; b3609; b1235; b2920; b0359]
- d *osiris* (O. Bang-Haas), 1927, (H); *Lycaena* OD: *Horae Macrolep.* 1:52, pl 7, f 26,27 [b0237] OS: *kagizmanensis* (Koçak), 1980; *Plebejus* (*Eumedonia*) [TypeL - Dorf Tshangla, Kagymann (=Kagizman) Mountains, NE Turkey.] [Refs - b1762; b0109; b0113; b0236; b0066; b2790; b0237; b0471 (also as *osensis*); b2788]
- c *oskewa* (Moulton), [1912]; *Lycaenopsis* OD: J. Straits Brch. R. asiat. Soc. 60:90 [b3259] SS: *moultoni* (Chapman), 1911; *Cebrella* (*Cebrella*) [Type: BMNH-It; designated by Eliot & Kawazoe, 1983] [*Butis Lycaenopsis* group :65 [b1580]] [TypeL - Sarawak, Borneo.] [Refs - b1580; b1840; b4108]
- b *oslari* (Dyar), 1904; *Thecla* OD: J. New York ent. Soc. 12(1):40 [b1440] SS: *alcestis* (Edwards), [1871]; *Phaeostrymon* [Type: USNM-ht] [TypeL - Tucson, Arizona.] [Refs - b0908; b4688; b1711; b1343; b3192; b1743; b0493; b1321; b4690; b4066]
- b *osma* Fruhstorfer, [1912]; *Horaga* OD: Berl. ent. Z. 56(3/4):233 [b1850] SS: *lefebvrei* (Felder & Felder), 1862; *Horaga* [Type: BMNH-ht] [TypeL - Mindanao, Philippines.] [Refs - b1012; b2078; b4094; b2201; b1454; b1850]
- b *osmana* Cowan, 1966; *Horaga* OD: Bull. Br. Mus. nat. Hist. (Ent.) 18(4):136 [b1012] SS: *lefebvrei* (Felder & Felder), 1862; *Horaga* [Type: BMNH-ht] [TypeL - Mindoro, Philippines.] [Refs - b1012; b2201; b1454]
- e *osmar* (Heydenreich), 1851, (NN); *Lycaena* OD: *Verz. europaischer Schmett.* :14 [b2361] SS: *osmar* (Gerhard), 1851; *Polyommatus* (*Lysandra*) [Refs - b4038]
- b *ossa* (Swinhoe), 1885; *Zizera* OD: Proc. zool. Soc. Lond. 1885(1):132, pl 9, f 11,12 [b4565] SS: *maha* (Kollar), [1844]; *Pseudozizeeria* [TypeL - Poona, India.] [Refs - b1636; b0995; b0754; b1454; b0694; b4092]
- a *osmar* (Gerhard), 1851, 1850-1853; *Lycaena* OD: *Vers. monog. europ. Schmett.* :17, pl 31, f 4a-c [b1928] CG: *Polyommatus* (*Lysandra*) [Type: ZMHU-nt; designated by Schurian, 1988] [*Ent. Zeit.* 98(10):135 [b4038]] [TypeL - Turkey.] [Refs - b2747; b2794; b4092; b4038]
- e *ostenia* Stichel, 1923; *Mesene* OD: Z. wiss. InsektBiol. 18(10/11):281 [b4457] SS: *crystalis* Stichel, 1923; *Mesene* [Refs - b4474]
- b *osthelderi* (Fruhstorfer), 1909; *Chrysophanus* OD: *Int. ent. Z.* 3(20):113 [b1837] SS: *virgaureae* (Linnaeus), 1758; *Lycaena* (*Heodes*) [TypeL - Tosafall; Formazzata; Cognetal.] [Refs - b0236; b0389; b0471; b2858]
- a *ostia* (Hewitson), [1867], 1863-1878; *Thecla* OD: *Ill. diurn. Lep. Lycaenidae* 1:110; 2:pl 40, f 130,131 [b2326] CG: *Olynthus* [Type: BMNH] [TypeL - Rio de Janeiro.] [Refs - b0908; b3394; b2747; b2631 (in *Panhiades*)]
- a *ostrina* Grose-Smith, 1894; *Dicallaneura* OD: *Novit. zool.* 1:543 [b2037] [TypeL - Humboldt Bay, New Guinea.] [Refs - b1450; b4474; b1840]
- a *ostrinus* H. H. Druce, 1907; *Thecla* OD: Proc. zool. Soc. Lond. 1907(3):596, pl 35, f 6 [b1375] CG: *Thecla* (New World *Eumaeini*) [Type: pc; Godman collection.] [TypeL - Cayenne, French Guiana.] [Refs - b0908; b1375]
- a *otacilia* (Trimen), 1868; *Lycaena* OD: *Trans. ent. Soc. Lond.* 16(1):90 [b4718] CG: *Anthea* [TypeL - Africa mer.] [Refs - b1943; b1259; b4400; b2747; b1452; b0343]
- c *otacilia* (Hewitson), [1878], 1863-1878; *Lycaenesthes* OD: *Ill. diurn. Lep. Lycaenidae* 1:pl 92, f 35-37 [b2326] SS: *lunulata* (Trimen), 1894; *Anthea* [Note - *Perhaps this is just a misidentification.*] [Refs - b4400]
- a *otanes* Felder & Felder, 1865, 1865-1875; *Ogyris* OD: *Reise Novara* (2):217, pl 28, f 1-3 [b1692] [TypeL - Australia.] [Refs - b1450; b2747; b4094; b0870; b4934; b1744]
- a *otho* Westwood, [1851], 1846-1852; *Anteros* OD: *In Gen. diurn. Lep.* (2):428, nota [b4981] [Type: BMNH-ht] [TypeL - Para.] [Refs - b2747; b4474; b1453; b1456]
- a *othona* Hewitson, [1865], 1863-1878; *Hypolycaena* OD: *Ill. diurn. Lep. Lycaenidae* 1:50; 2:pl 22, f 17,18 [b2326] CG: *Hypolycaena* (*Chliana*) [TypeL - India bor.] [Type of - *Chliana*] [Refs - b4198; b1636; b0964; b2280; b0965; b4094; b2747; b0995; b4092; b5053; b1454 (in *Hypolycaena*); b1850; b0694; b4604 (in *Hypolycaena*); ns1728 (in *Hypolycaena*)]
- c *othrys* Fruhstorfer, [1914], 1909-1923; *Taxila* OD: *In Seitz, Grossschmett. Erde* 9:pl 138g [b1840] SS: *haquinus* (Fabricius), 1793; *Taxila* [TypeL - N. Borneo.] [Refs - b4474; b1840; b3528 (as a good ssp)]

- a** *otlis* (Fabricius), 1787; *Papilio* OD: *Mantissa* Ins. 2:73 [b1656] CG: *Zizina* [Type: lost] [TypeL - China.] [Refs - b0964; b1636; b4198; b1450; b0965; b2747; b1762; b2479; b0995; b4094; b2650; b2698; b4871; b1454; b0694; b5076; b4209; b4108]
- a** *otlauga* Grose-Smith & Kirby, 1890, 1887-1902; *Liptena* OD: *Rhop. exot.* 1(14):46, pl 11, f 9,10 [b2049] [Refs - b2907; b1452; b0836; b4400]
- c** *otoheba* (Dyar), 1915; *Thecla* OD: *Proc. U. S. natn. Mus.* 47:423 [b1446] SS: *dominicana* (Lathy), 1904; *Electrostrymon* [Type: USNM; #18055] [TypeL - Dominica, B. W. L.] [Refs - b0908; b0907]
- a** *otraeda* (Hewitson), [1863], 1863-1878; *Myrina* OD: *Ill. diurn. Lep. Lycaenidae* 1:29; 2:pl 15, f 34 [b2326] CG: *Hypokopelates* [TypeL - Sierra Leone.] [Refs - b2747; b1452; b0836; b4400]
- a** *otsukai* Takanami & Seki, 1990; *Allotinus* OD: *Futao* (5):1, f [b4613] [Type: pc-ht; collection of Takanami.] [TypeL - Kinabalu, Borneo.] [Refs - b0125; b4108]
- b** *ottobonus* Seitz, [1923], 1912-1927; *Everes* OD: In Seitz, *Grossschmett. Erde* 9:924 [b4094] SS: *lactumus* (Godart), [1824]; *Everes* [TypeL - Not stated.] [Refs - b4094; b4108]
- a** *ottomanus* (Lefebvre), 1831; *Polyommatus* OD: *Mag. Zool.* 1(1831):19, 1 cpl [b2969] CG: *Lycaena* (Heodes) [TypeL - Turcia.] [Refs - b2375; b2747; b0996; b4220; b0389; b3967; b2859]
- b** *ottonis* Fruhstorfer, 1907; *Iraota* OD: *Ent. Zeit.* 21(25):156 [b1826] SS: *rochana* (Horsfield), [1829]; *Iraota* [TypeL - Palawan.] [Refs - b4094 (also as *ottonus*); b1454; b1826; b4589]
- c** *ottonis* (Fruhstorfer), 1910; *Cyaniris* OD: *Stett. ent. Ztg* 71(2):287 [b1843] SS: *cagaya* (Felder & Felder), 1865; *Acytolepis* [Type: BMNH-ht; designated by Eliot & Kawazoe, 1983] [Butts *Lycaenopsis* group :183 [b1580]] [Refs - b1840; b1580]
- a** *ouang* (Oberthür), 1891; *Chrysophanus* OD: *Étud. ent.* 15:17, pl 2, f 19 [b3432] CG: *Helleia* B [TypeL - Ts'i-kou.] [Refs - b0996; b4220; b2479; b0389; b4092]
- c** *oudini* Le Moul't, 1940, 1939-1940, (IFS); *Helicopsis* OD: *Novit. ent.* (13):101 [b2943] SS: *cupido* (Linnaeus), 1758; *Helicopsis* [Type: AME-ht] [Refs - b3199]
- a** *ouesso* Jackson, 1962; *Epitola* OD: *Bull. Br. Mus. nat. Hist.* (Ent.) 12(3):147 [b2562] [TypeL - Ouesso, Brazzaville, Congo.] [Refs - b1452; b4400]
- a** *ouesso* Stempffer, 1962; *Pseuderessia* OD: *Bull. Inst. franç. Afr. Noire* 24(A):1143, f 13-16 [b4395] [Type: BMNH-ht] [TypeL - Ketta Forest, Ouesso, Brazzaville, Congo.] [Refs - b1452; b4395; b4400 (as *ouesso*)]
- a** *ouesso* Stempffer, 1974; *Liptena* OD: In *Bull. Br. Mus. nat. Hist.* (Ent.) 30:126 [b4413] [TypeL - Ouesso, Brazzaville, Congo.] [Refs - b0105; b1452]
- a** *oulda* Moore, [1866]; *Dodona* OD: *Proc. zool. Soc. Lond.* 1865(3):771 [b3221] [TypeL - China; India.] [Refs - ns2323 (4(2):pl [41]=dod pl, f 4-6 (1866)); b1636; b1149; b4245; b2988; b4473; b2747; ns4181; b1454; b1840; b4092; b1455]
- a** *ouranus* (Stoll), [1780], 1780-1790; *Papilio* OD: In Cramer, *Uitl. Kapellen* 4(28):88, pl 335, f C [b4478] CG: *Notheme* [Type of - Notheme] [Refs - b2280; b2747; b4474; b2221; b1456]
- a** *outeniqua* Swanepoel & Vári, 1983; *Lepidochrysops* OD: *Ann. Transv. Mus.* 33(21):330, f [b4562] [TypeL - Cape Province, S. Africa.] [Refs - b0116]
- a** *ouvrardi* (Riley), 1939; *Thecla* OD: *Novit. zool.* 41:358 [b3778] CG: *Esakiozephyrus* [TypeL - Yunnan, China.] [Note - D'Abreera makes this a subspecies of *arisanus*.] [Refs - b3778; b4214; b3296 (in *Teratozephyrus*); b1455]
- b** *ovada* Fruhstorfer, [1914], 1909-1923; *Dicallaneura* OD: In Seitz, *Grossschmett. Erde* 9:787 [b1840] SS: *ribbei* Röber, [1886]; *Dicallaneura* [TypeL - Eilanden River, British New Guinea.] [Refs - b1450; b1840; b4474]
- c** *f. ovalis* Bryk, 1953, (IFS); *Crococozona* OD: *Ark. Zool.* (ns)5(1):122 [b0569] SS: *fasciata* (Hopffer), 1874; *Crococozona* [Type: UZIU-ht] [TypeL - Bolivia.] [Refs - b0569]
- b** *overdijkinki* Toxopeus, 1929; *Nacaduba* OD: *Tijdschr. Ent.* 72(3/4):236 [b4700] SS: *glauconia* (Snellen), 1901; *Nacaduba* [TypeL - E. Java.] [Refs - b4676; b0938; b4700]
- b** *overdijkinki* Corbet, 1941; *Horaga* OD: *Proc. R. ent. Soc. Lond.* (B)10(3):48 [b0953] SS: *amethystus* H. H. Druce, 1902; *Horaga* [Type: BMNH-ht] [TypeL - Mt. Halimon, Seokaboemi, W. Java.] [Refs - b1012; b1454]
- a** *overdijkinki* Corbet, 1941; *Arhopala* OD: *Proc. R. ent. Soc. Lond.* (B)10(9):164 [b0956] CG: *Arhopala* g [Type: BMNH-ht] [TypeL - Java.] [Refs - b1644; b0956; b1454]
- a** *overlaeti* Stempffer, 1947; *Omipholidotos* OD: *Revue zool. bot. afr.* 40:171 [b4375] [TypeL - Belgian Congo.] [Refs - b2732; b1452; b4400]
- c** *Q. f. overlaeti* Berger, 1952, (IFS); *Aphnaeus* OD: *Lambillionea* 52:70 [b0307] SS: *orca* (Drury), 1782; *Aphnaeus* [TypeL - Belgian Congo.] [Refs - b4387; b4400]
- a** *overlaeti* Stempffer, 1956; *Chloroselas* OD: *Annis Mus. r. Congo Belge* (8vo)49:36, pl 2, f 7,8 [b4388] [Type: MRCEB-ht] [TypeL - Rivière Lupweshi, Lualaba, Belgian Congo.] [Refs - b1452; b4388; b4400]
- a** *overlaeti* Stempffer & Benneu, 1963; *Falcuna* OD: *Bull. Br. Mus. nat. Hist.* (Ent.) 13(6):190, f [b4421] [Type: MRAC-ht] [TypeL - Congo.] [Refs - b1452; b4421; b4400]
- a** *overlaeti* Stempffer, 1974; *Liptena* OD: In *Bull. Br. Mus. nat. Hist.* (Ent.) 30:169, f [b4413] [TypeL - Kapanga, Katanga, Zaire.] [Refs - b0105; b1452]
- a** *ovianus* (Fruhstorfer), [1917]; *Lycaenopsis* OD: *Arch. Naturgesch.* (A)82(1):13, pl 2, f 13 [b1880] CG: *Udara* (Penudara) [Type: BMNH-ht] [TypeL - N. E. Sumatra.] [Refs - b0965; b1840; b2200; b1580; b1880]
- a** *ovidius* (Fabricius), 1793, 1792-1799; *Hesperia* OD: *Ent. syst.* 3(1):320 [b1657] CG: *Emesis* [TypeL - Indus.] [Type of - *Emesis*, Tapina] [Note - Placed on Official List by Opinion 232 (#660).] [Refs - b2280; b2747; b4475; b2221; b3192; b1321; b5076; b1456]
- c** *ovifera* Seitz, [1917], 1910-1924; *Panara* OD: In Seitz, *Grossschmett. Erde* 5:657, pl 132d [b4093] SS: *thusbe* (Fabricius), 1781; *Panara* [TypeL - Petropolis, S. Brazil.] [Refs - b4474; b4093]
- c** *ovomaculata* (Hewitson), [1878], 1863-1878; *Amblypodia* OD: *Ill. diurn. Lep. Lycaenidae* Sup.:22, pl 8, f 66,67 [b2326] SS: *agesias* (Hewitson), 1862; *Arhopala* b [Type: BMNH-ht] [TypeL - Sumatra.] [Refs - b1644; b4094]
- b** *owadai* Hayashi, 1976; *Loxura* OD: *Tyô to Ga* 27(1):1, f [b2178] SS: *cassiopia* Distant, 1884; *Loxura* [TypeL - Philippines.] [Refs - b0109]
- c** *owagarra* (Sharp), [1908], (ISS); *Candalides* OD: *Zool. Rec* 43(1906)(Ins.):319 [b4136] SS: *owgarra* (Bethune-Baker), 1908; *Udara* (Udara) [Refs - b4136]
- a** *oweni* Schaus, 1913; *Hermathena* OD: *Proc. zool. Soc. Lond.* 1913(3):350, pl 53, f 9 [b3950] [TypeL - Costa Rica.] [Refs - b1607; b4474; b0107; b3950; b1456]
- b** *owerri* Stempffer, 1961; *Mimeresia* OD: *Annis Mus. r. Afr. cent.* (8vo) (Zool.)94:33 [b4393] SS: *drucei* (Stempffer), 1954; *Mimeresia* [TypeL - Nigeria.] [Refs - b1452; b4400]

- a **owgarra** (Bethune-Baker), 1906; *Candalides* OD: *Ann. Mag. nat. Hist.* (7)17:100 [b0337] CG: Udara (Perivaga) [Type: BMNH-ht] [TypeL - Owgarra, New Guinea.] [Refs - b4677; b1450; b1561; b0337; b2078; b0111; b1580; b1840]
- a **owgarra** Bethune-Baker, 1906; *Paraduba* OD: *Ann. Mag. nat. Hist.* (7)17:104 [b0337] [Type: BMNH-ht] [TypeL - Owgarra, New Guinea.] [Type of - Paraduba] [Refs - b4676; b1450; b2280; b0337; b2388]
- d **owgarra** (Bethune-Baker), 1908, (H); *Cyaniris* OD: *Proc. zool. Soc. Lond.* 1908(1):116, pl 8, f 17 [b0340] SS: *cardia* (C. Felder), 1860; Udara (Udara) [Type: BMNH-ht] [TypeL - Owgarra, New Guinea.] [Refs - b1450; b4094; b1840; b1580]
- c **oxiana** Grun-Grshimailo, 1890; *Lycaena* OD: In Romanoff, *Mém. Lép.* 4:365 [b2067] SS: *phlaeas* (Linnaeus), 1761; *Lycaena* (*Lycaena*) [Refs - b4092]
- a **oxida** (Hewitson), 1870, 1869-1877; *Thecla* OD: *Equatorial Lep.* Buckley (4):68 [b2330] CG: *Rhamma* [Type: BMNH-ht; designated by Johnson, 1992] [Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (22):55 [b2610]] [TypeL - Jorge, Ecuador.] [Type of - Rhamma] [Refs - b0908; b2747; b2631; b2593; b0125; b2610]
- a **oxleyi** (Felder & Felder), 1865, 1865-1875; *Lycaena* OD: *Reise Novara* (2):280, pl 35, f 6 [b1692] CG: *Zizina* [TypeL - New Zealand.] [Note - forms of one collective species, *ois Fabricius*.] [Refs - b1450; b2487; b2747]
- c **oxylus** (Fruhstorfer), [1915], 1909-1923; *Gerydus* OD: In Seitz, *Grossschmett. Erde* 9:818 [b1840] SS: *boisduvali* Moore, [1858]; *Miletus* 3 [TypeL - Bawean.] [Refs - b1546; b1840; b4108]
- b **ozana** Fruhstorfer, 1914; *Arhopala* OD: *Deut. ent. Zeit.* [Iris] 27(4):166 [b1853] SS: *hellada* Fruhstorfer, 1914; *Arhopala a* [Type: BMNH-ht] [TypeL - Sumatra.] [Refs - b1644; b1556; b1853; b1454; b4094]
- e **f. ozea** (Fruhstorfer), 1915, (IFS); *Lampides* OD: *Arch. Naturgesch.* (A)81(6):18 [b1865] SS: *euryaces* (Fruhstorfer), 1915; *Jamides* [Type: BMNH-ht] [TypeL - Sikkim.] [Refs - b1636; b4094; b1865; b1454 (as ssp of *alecto*); b0694; b3786]
- a **ozora** Hewitson, 1869, 1869-1877; *Mesosemia* OD: *Equatorial Lep.* Buckley (3):43 [b2330] [Type: BMNH-ht] [TypeL - Ecuador.] [Refs - b2747; b4474; b1456]
- b **paarlensis** (Dickson), 1967; *Phasis* OD: *Ent. Rec.* 79:123, f [b1242] SS: *malagnida* (Wallengren), 1857; *Argyrocupha* [Type: BMNH-ht] [TypeL - Paarl Mountain, Cape Province, South Africa.] [Refs - b1259; b0107; b0104; b1452; b4685]
- a **pacclius** Johnson, 1992; *Paralustrus* OD: *Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (22):158, f [b2611]* [Type: MNHN-ht] [TypeL - Coc[h?]abamba, Bolivia.] [Refs - b0125; b2611]
- a **pachalica** Butler, 1888; *Hypolycaena* OD: *Proc. zool. Soc. Lond.* 1888(1):69 [b0637] [TypeL - C. Africa.] [Refs - b1943; b1452; b2898; b2901; b0637; b4400; b4436; b4680]
- b **pacifica** Stichel, 1926; *Mesosemia* OD: *Deut. ent. Zeit.* 1926:84 [b4464] SS: *mevania* Hewitson, [1857]; *Mesosemia* [TypeL - Colombia.] [Refs - b4474]
- b **pacifica** *Toxopeus*, 1927; *Nacaduba* OD: *Treubia* 9(4):431 [b4696] SS: *kurava* (Moore), [1858]; *Nacaduba* [Type: BMNH-ht] [TypeL - Goodenough Island.] [Refs - b4676; b1450]
- a **pacifica** (Dubatolov & Korshunov), 1984; *Ravenna* OD: *Chlenistonogyie i Gelminty* (17):54, f [b1394] CG: *Goldia* [Type: IBASN-ht] [Type of - *Goldia*] [Refs - b3361]
- b **pacificus** Stichel, 1924; *Rhetus* OD: *Deut. ent. Zeit.* 1924:145 [b4458] SS: *arcius* (Linnaeus), 1763; *Rhetus* [TypeL - Colombia.] [Refs - b4458; b4474]
- a **pacis** (Draudt), [1921], 1917-1924; *Itylos* OD: In Seitz, *Grossschmett. Erde* 5:821, pl 144-1 [b1348] CG: *Madeleinea* [TypeL - Cuzco, Peru.] [Refs - b0908; b3326; b3846; b0207]
- b **pacitolus** Fruhstorfer, 1916; *Nacaduba* OD: *Zool. Meded.* 2(2):115 [b1873] SS: *pacolus* (C. Felder), 1860; *Nacaduba* [TypeL - Celebes and Banggai.] [Refs - b4676; b4094]
- a **pacitolus** (C. Felder), 1860; *Lycaena* OD: *Sber. Akad. Wiss. Wien* 40(11):456 [b1676] CG: *Nacaduba* [Type: BMNH-ht] [TypeL - Amboina.] [Refs - b4676; b1636; b4198; b0964; b1450; b0965; b0938; b2479; b4094; b1454; b2385; b0694; b2387; b2388; b0938]
- a **pacitolus** Möscher, 1876; *Mesene* OD: *Verh. zool.-bot. Ges. Wien* 26:307, pl 4, f 12 [b3247] [TypeL - Surinam.] [Note - Not mentioned by Stichel, so placement is doubtful.] [Refs - b2753; b1456]
- a **paclya** Hewitson, [1874], 1863-1878; *Thecla* OD: *Ill. diurn. Lep. Lycaenidae* 1:167; 2:pl 66, f 466,467 [b2326] CG: *Thecla* (New World *Eumaeini*) [Type: BMNH-st] [TypeL - Bogotá, Colombia; Ecuador.] [Refs - b0908; b2753; b1975]
- b **padus** Felder & Felder, 1865, 1865-1875; *Arhopala* OD: *Reise Novara* (2):230 [b1692] SS: *eridanus* (C. Felder), 1860; *Arhopala a* [Type: BMNH-ht] [TypeL - Halmheira.] [Refs - b1644; b1450; b2747; b4094]
- b **paetula** Stichel, 1915; *Mesosemia* OD: *Deut. ent. Zeit.* 1915:683 [b4451] SS: *menoetes* Hewitson, [1859]; *Mesosemia* [Type: ZMHU-st; pc-st; collection of Stichel] [TypeL - Rio Songo, Bolivia.] [Refs - b4474; b4451]
- a **paetula** Stichel, 1916; *Ancyluris* OD: *Deut. ent. Zeit.* 1916:7 [b4452] [TypeL - Peru.] [Refs - b4452; b4474; b1456]
- a **paetus** (Godman & Salvin), [1887], 1879-1901; *Thecla* OD: *Biol. centr.-amer., Lep. Rhop.* 2:87; 3:pl 58, f 1,2 [b1975] CG: *Aubergina* [Type: BMNH-ht] [TypeL - Ciriqui, Panama.] [Refs - b0908; b1975; b2593; b0125]
- a **paetus** (de Nicéville), 1895; *Paragerydus* OD: *J. Bombay nat. Hist. Soc.* 9(3):269, pl O, f 12 [b1159] CG: *Alloinus* (*Paragerydus*) [Type: ZSI?-st] [TypeL - Sumatra.] [Refs - b1840; b1571]
- c **pagalensis** Ollenbach, 1921; *Arhopala* OD: *J. Bombay nat. Hist. Soc.* 28(1):128, f [b3504] SS: *moolaiana* (Moore), [1879]; *Arhopala b* [Type: BMNH-ht] [TypeL - Tavoy] [Refs - b1644]
- c **pagenstecheri** Ribbe, 1899; *Hypochrysops* OD: *Deut. ent. Zeit.* [Iris] 12:223 [b3738] SS: *scintillans* (Butler), 1882; *Hypochrysops* [TypeL - New Britain.] [Refs - b1450; b2078; b3926]
- b **pagenstecheri** (Ribbe), 1899; *Pseudonotis* OD: *Deut. ent. Zeit.* [Iris] 12:242, pl 4, f 13 [b3738] SS: *florinda* (Grose-Smith), 1896; *Arhopala q* [Type: SMT-ht; designated by *Takanami*, 1989] [TypeL to Ga 40(1):52 [b4602]] [TypeL - New Britain.] [Note - An unusual species in that it appears superficially like *a Danis*.] [Refs - b1450; b2078; b1451; b4602]
- b **pagia** Corbet, 1941; *Arhopala* OD: *Proc. R. ent. Soc. Lond.* (B)10(9):164 [b0956] SS: *vihara* (Felder & Felder), 1860; *Arhopala i* [Type: BMNH-ht] [TypeL - N. Pagi Island] [Refs - b1644; b0956; b1454]
- b **pagiensis** Riley, [1945]; *Taxila* OD: *Trans. R. ent. Soc. Lond.* 94(2):251 [b3782] SS: *haquinus* (Fabricius), 1793; *Taxila* [Type: BMNH-ht] [TypeL - N. Pagi Island.] [Refs - b1454; b3782]
- b **pagiensis** (Riley), [1945]; *Marmessus* OD: *Trans. R. ent. Soc. Lond.* 94(2):263, pl 1, f 11 [b3782] SS: *theda* (Felder & Felder), 1862; *Drupadia* [Type: BMNH-ht] [TypeL - North Pagi Island, Indonesia.] [Refs - b1030; b0105; b1454; b3782]

- a **pagwi** Sands, 1979; *Philiris* OD: *J. Aust. ent. Soc.* 18(2):130, f [b3922] [TypeL - Papua New Guinea.] [Refs - b3922 (2231-E11); b0111]
- b **paha** Fruhstorfer, [1914], 1909-1923; *Abisara* OD: In Seitz, *Grossschmett. Erde* 9:784 [b1840] SS: *kausambi* Felder & Felder, 1860; *Abisara* [Type: BMNH] [TypeL - Sumatra.] [Refs - b0294; b4473; b1454 (with *saturata*); b1840]
- a **pahanga** (Corbet), 1938; *Chliaria* OD: *J. Fed. Malay St. Mus.* 18(2):254 [b0940] CG: *Hypolycaena* (*Chliaria*) [TypeL - Malaya.] [Refs - b0964; b0965; b1454 (*Hypolycaena*); b1553]
- b **pahangana** Pendlebury & Corbet, 1933; *Rapala* OD: *J. Fed. Malay St. Mus.* 17(2):404 [b3562] SS: *nissa* (Kollar), [1844]; *Rapala* [TypeL - Pahang.] [Refs - b0964; b0965; b0071; b2201; b1454]
- c **palanius** (Fruhstorfer), 1913; *Gerydus* OD: *Z. wiss. Insektbiol.* 9(10):309 [b1851] SS: *drucei* (Semper), 1887; *Mileneus* 3 [TypeL - Mindoro, Philippines.] [Refs - b1546 (as *paianus*); b1840]
- e **paianus** (Sharp), [1914], (ISS); *Gerydus* OD: *Zool. Rec.* 50(1913)(Ins.):337 [b4143] SS: *paianus* (Fruhstorfer), 1913; *Mileneus* 3 [Refs - b4143]
- b **paldion** Stichel, 1910; *Themone* OD: *Gen. Insectorum* 112(A):130 [b4446] SS: *pais* (Hübner), [1820]; *Themone* [Type: ZMHU-ht] [TypeL - Jurimaguas, Peru.] [Refs - b4474; b4446]
- b **palonea** Fruhstorfer, [1914], 1909-1923; *Abisara* OD: In Seitz, *Grossschmett. Erde* 9:782 [b1840] SS: *echenius* (Stoll), [1790]; *Abisara* [Type: BMNH] [TypeL - Karen Hills, Burma.] [Refs - b1636; b0294; b1840]
- a **pais** (Hübner), [1820], 1806-1838; *Helicopsis* OD: *Samml. exot. Schmett.* 2:pl [16], f 1-4 [b2482] CG: *Themone* [TypeL - Amazon.] [Type of - Themone] [Refs - b2280; b2988; b2747; b4474; b1453; b2260; b1456]
- a **palades** Hewitson, [1873], 1852-1877; *Pachythone* OD: *Ill. exot. Butts* 5:[---], pl [37], f 1,2 [b2323] [TypeL - Brazil.] [Refs - b2988; b2753; b4475; b1456]
- a **palaeste** Hewitson, [1870], 1852-1877; *Pandemos* OD: *Ill. exot. Butts* 4:[75], pl [49], f 7,8 [b2323] [TypeL - New Granada.] [Refs - b2747; b4475; b1456]
- b **palamera** Fruhstorfer, [1912]; *Rapala* OD: *Berl. ent. Z.* 56(3/4):257 [b1850] SS: *nissa* (Kollar), [1844]; *Rapala* [TypeL - Sumatra.] [Refs - b4094; b2201; b1454; b1850]
- b **palandokis** (Schurian & Haeuser), 1981; *Meleageria* OD: *Atalanta* (Münnerstadt) 12(2):101-111 [b4041] SS: *daphnis* ((Denis & Schiffmüller), 1775; *Polyommatus* (*Meleageria*) [TypeL - Turkey.] [Refs - b1610 (8267-E12); b1455]
- a **palatua** Stichel, 1915; *Mesosemia* OD: *Deut. ent. Zeit.* 1915:684, pl 22, f 16 [b4451] [TypeL - N. E. Peru.] [Refs - b4451; b4474; b1456]
- b **palauensis** (Fruhstorfer), 1915; *Lampides* OD: *Arch. Naturgesch.* (A)81(6):38 [b1865] SS: *bochus* (Stoll), [1782]; *Jamides* [TypeL - Palau.] [Refs - b1865; b4094 (as *paulanensis*)]
- e **palavandra** d'Abrebra, 1986, (ISS); *Eliotia* OD: *Butts Oriental Region*, Pt 3 :617 [b1454] SS: *palavandra* (Staudinger), 1889; *Eliotia* [Refs - b1454; b4594; b4094]
- b **palawana** Staudinger, 1889; *Abisara* OD: *Deut. ent. Zeit.* [Iris] 2(1):90 [b4332] SS: *echenius* (Stoll), [1790]; *Abisara* [TypeL - Palawan.] [Refs - b0294; b4473; b1840]
- b **palawana** Fruhstorfer, 1914; *Logania* OD: *Z. wiss. Insektbiol.* 10(1):23 [b1855] SS: *marmorata* Moore, 1884; *Logania* [Type: biblio; replacement for *distanti* Staudinger, 1889.] [Refs - b1840; b1571]
- b **palawana** Hayashi, 1976; *Nacaduba* OD: *Tyô to Ga* 27(1):5, f [b2179] SS: *sericina* (Felder & Felder), 1865; *Nacaduba* [TypeL - Palawan, Philippines.] [Refs - b0109]
- b **palawana** Osada, 1994; *Pontia* OD: *Futao* (15):14, pl 2, f 11-14 [b3523] SS: *phama* H. H. Druce, 1895; *Pontia* [Type: pc-ht; collection of Tsukada.] [TypeL - Olanguan, Palawan.] [Refs - b3523]
- b **palawandra** (Staudinger), 1889; *Tajuria* OD: *Deut. ent. Zeit.* [Iris] 2(1):106 [b4332] SS: *jalindra* (Horsfield), [1829]; *Eliotia* [Type: ZMHU-It; designated by Takanami, 1989] [Tyô to Ga 40(1):33 [b4602]] [TypeL - Palawan.] [Refs - b4094 (also as *palavandra*); b4332; b2201; b1850; b1568; b3982; b4586 (as *palavandra*); b1454; b3984; b4602]
- b **palawancia** Staudinger, 1889; *Curetis* OD: *Deut. ent. Zeit.* [Iris] 2(1):121 [b4332] SS: *tagalica* (Felder & Felder), 1862; *Curetis* [Type: ZMHU-It; designated by Takanami, 1989] [Tyô to Ga 40(1):36 [b4602]] [TypeL - Palawan.] [Refs - b0936; b2747; b1454; b4094; b4602]
- b **palawania** (Hayashi), 1976; *Narathura* OD: *Tyô to Ga* 27(1):14, f [b2181] SS: *horsfieldi* (Pagenstecher), 1890; *Arhopala* g [TypeL - Palawan, Philippines.] [Refs - b0109; b2200]
- c **palawanicus** Staudinger, 1889; *Taxila* OD: *Deut. ent. Zeit.* [Iris] 2(1):91 [b4332] SS: *haquinus* (Fabricius), 1793; *Taxila* [TypeL - Palawan.] [Refs - b4474; b1454; b1840]
- b **palawanus** (Staudinger), 1889; *Amblypodia* OD: *Deut. ent. Zeit.* [Iris] 2(1):130 [b4332] SS: *apidanus* (Cramer), [1777]; *Flos* [Type: ZMHU-It; designated by Takanami, 1989] [Tyô to Ga 40(1):28 [b4602]] [TypeL - Palawan.] [Refs - b1644; b1454; b4094; b4602]
- b **palawensis** Hayashi, 1976; *Hypothecla* OD: *Tyô to Ga* 27(1):20, f [b2182] SS: *astyla* (Felder & Felder), 1862; *Hypothecla* [TypeL - Palawan, Philippines.] [Refs - b0109]
- b **palaya** Fruhstorfer, [1914], 1909-1923; *Dodona* OD: In Seitz, *Grossschmett. Erde* 9:777 [b1840] SS: *ouida* Moore, [1866]; *Dodona* [TypeL - China.] [Refs - b4473; b1840; b1455]
- a **palegon** (Cramer), [1780], 1775-1790; *Papilio* OD: *Uitd. Kapellen* 3(24):159, pl 282, f C,D [b1069] CG: *Rekoa* [TypeL - Sierra Leon, sur la cote d'or de l'Afrique".] [Refs - b0908; b0528; b2747; b2221; b3818; b3192; b2406; b2326; b1975; b4066; b0125; b3817]
- a **palemon** (Stoll), [1782], 1780-1790; *Papilio* OD: In Cramer, *Uitd. Kapellen* 4(33):209, pl 390, f E,F [b4478] CG: *Cacyreus* [TypeL - Africa mer.] [Refs - b1943; b1259; b2747; b1452; b2898 (as *palaemon*); b4400; b2753; b0162]
- c **paliassa** (Fruhstorfer), 1915; *Lampides* OD: *Arch. Naturgesch.* (A)81(6):9 [b1865] SS: *pseudelpis* (Butler), [1879]; *Jamides* [TypeL - Sikkim.] [Refs - b1636; b4094; b1865; b0694 (with *elpis*)]
- e **palia** Fruhstorfer, [1912], (IFS); *Pontia* OD: *Berl. ent. Z.* 56(3/4):199 [b1850] SS: *hewitsoni* Moore, [1866]; *Pontia* [Type: BMNH-ht] [TypeL - Sikkim.] [Refs - b1636; b4094; b1850; b0694; b0950]
- b **palilis** Stichel, 1910; *Thise* OD: *Berl. ent. Z.* 55(1/2) 87 [b4445] SS: *molela* (Hewitson), [1865]; *Thise* [Type: pc-ht; collection of Stichel] [TypeL - Surinam.] [Refs - b4475; b1456; b4445]
- b **pallantis** Brévignon & Gallard, 1993; *Euselasia* OD: *Bull. Soc. Sci. Nat.* (77):20, f [b0491] SS: *eucritus* (Hewitson), [1855]; *Euselasia* [TypeL - French Guiana.] [Refs - b0126]
- a **pallas** (Latreille), [1813]; *Erycina* OD: In Humboldt & Bonpland, *Voy. Rég.* 1:389 or 244, pl 24, f 7,8 [b2928] CG: *Siseme* [TypeL - New Granada.] [Refs - b2988; b2747; b4475; b1456]

- c *pallaxopas* (Fruhstorfer), 1913; *Gerydus* OD: Z. wiss. Insektbiol. 9(10):307 [b1851] SS: *valeus* (Fruhstorfer), 1913; *Miletus* 2 [TypeL - Malacca.] [Refs - b0964; b1546; b0965; b1840]
- a *pallene* (Wallengren), 1857; *Myrina* OD: K. svenska VetenskAkad. Handl. (nf)2(4):36 [b4913] CG: *Iolaus* (*Aphniolaus*) [TypeL - Caffraria.] [Type of - *Aphniolaus*] [Refs - b1943; b2280; b1259; b2747; b1452; b4400; b3567]
- c *pallescens* H. H. Druce, 1902; *Tajuria* OD: Proc. zool. Soc. Lond. 1902(II)(1):116 [b1367] SS: *albiplaga* de Nicéville, 1887; *Tajuria* [Refs - b1557; b4133 (as *pallens*); b1454; b4594; b0694]
- e *ab. pallescens* (Tutt), 1907, 1905-1914; *Bithys* OD: Nat. Hist. Brit. Butts 2:236 [b4760] SS: *quercus* (Linnaeus), 1758; *Quercusia* [Refs - b4092]
- e *pallescens* Tutt, 1908, 1905-1914; *Everes* OD: Nat. Hist. Brit. Butts 3:54 [b4760] SS: *argiades* (Pallas), 1771; *Everes* [Refs - b0400]
- e *ab. pallescens* (Tutt), 1909, 1905-1914; *Agriades* OD: Nat. Hist. Brit. Butts 3:336 [b4760] SS: *bellargus* (Rottemburg), 1775; *Polyommatus* (*Lysandra*) [Refs - b0236; b0471]
- e *ab. pallescens* Oberthür, 1914; *Cigaritis* OD: Étud. Léop. comp. 10:401 [b3454] SS: *siphax* Lucas, 1849; *Cigaritis* [Refs - b0236; b0471]
- b *pallescens* (Rothschild), 1921; *Virachola* OD: Novit. zool. 28:154 [b3882] SS: *livia* (Klug), 1834; *Deudorix* (*Virachola*) [TypeL - Asben.]
- e *pallescens* Le Moult, 1940, 1939-1940, (IFS); *Helicopsis* OD: Novit. ent. (13):101 [b2943] SS: *cupido* (Linnaeus), 1758; *Helicopsis* [Type: AME-ht] [Refs - b3199]
- a *pallescens* (Tilden & Downey), 1955; *Philotes* OD: Bull. S. Calif. Acad. Sci. 54(1):25, pl 11, f 1,3; pl 12, f 4-6 [b4660] CG: *Euphilotes* [Type: CAS-ht] [TypeL - Little Granite Mountain, Dugway Proving Grounds, Tooele County, Utah.] [Refs - b1530 :239, f 464, 465; b0908; b3192; b1743; b1321; b4066; b1722; b3640]
- b *pallescens* (Tite), 1963; *Cyprotides* OD: Bull. Br. Mus. nat. Hist. (Ent.) 14(5):215, f [b4677] SS: *cyprotus* (Olliff), 1886; *Candalides* [Type: BMNH-ht] [TypeL - Queensland, Australia.] [Refs - b4677; b1450; b0870]
- b *pallescens* Eliot & Kawazoé, 1983; *Udara* OD: *Butus* *Lycaenopsis* group :136 [b1580] SS: *sibatani* Eliot & Kawazoé, 1983; *Udara* (*Perivaga*) [Type: RNH-ht] [TypeL - Iebele Camp, Irian Jaya, New Guinea.] [Refs - b1580]
- a *pallida* (H. Druce), 1873; *Sithon* OD: Proc. zool. Soc. Lond. 1873(2):350, pl 33, f 3 [b1383] CG: *Cheritra* [Type: BMNH-ht] [TypeL - Labuan, Borneo.] [Refs - b1016; b0965; b1383; b2753; b1454; b4108]
- e *ab. pallida* (Austun), 1890; *Lysandra* OD: Ent. Rec. 1:12 [b0186] SS: *bellargus* (Rottemburg), 1775; *Polyommatus* (*Lysandra*) [Refs - b0236; b4092]
- a *pallida* Miskin, 1891; *Lycaena* OD: Blue Book Papua New Guinea :122 [b3214] CG: *Lycaena* (?) [TypeL - New Guinea] [Refs - b1473]
- e *pallida* (Tutt), 1896; *Lysandra* OD: Brit. Butts :170 [b4758] SS: *bellargus* (Rottemburg), 1775; *Polyommatus* (*Lysandra*) [Refs - b0811]
- e *pallida* Tutt, 1896; *Cupido* OD: Brit. Butts :161 [b4758] SS: *minimus* (Füssly), 1775; *Cupido* [Refs - b0995; b0236; b0400; b0471]
- e *pallida* (Tutt), 1896; *Lysandra* OD: Brit. Butts :167 [b4758] SS: *coridon* (Poda von Neuhaus), 1761; *Polyommatus* (*Lysandra*) [Refs - b0811]
- a *pallida* (Trimen), 1898; *Durbania* OD: Trans. ent. Soc. Lond. 46(1):12, pl 1, f 7,8 [b4731] CG: *Cnodontes* [TypeL - Mashonaland.] [Type of - *Cnodontes*] [Refs - b2280; b1259; b1452; b4400]
- e *f. pallida* (Tutt), 1907, 1905-1914; *Strymon* OD: Nat. Hist. Brit. Butts 2:198 [b4760] SS: *pruni* (Linnaeus), 1758; *Fixsenia* [Refs - b0236; b4760]
- e *ab. pallida* Tutt, 1907, 1905-1914; *Callophrys* OD: Nat. Hist. Brit. Butts 2:94 [b4760] SS: *rubi* (Linnaeus), 1758; *Callophrys* [Refs - b0236; b0471]
- e *ab. pallida* (Le Chamberlain), 1908; *Lycaena* OD: Entomologist 41:202 [b2940] SS: *arion* (Linnaeus), 1758; *Maculinea* [Refs - b0236; b0400; b0471; b2940]
- e *ab. pallida* (Tutt), 1908, 1905-1914; *Ruralis* OD: Nat. Hist. Brit. Butts 2:281 [b4760] SS: *betulae* (Linnaeus), 1758; *Thecla* [Refs - b4092]
- e *ab. pallida* Tutt, 1908, 1905-1914; *Celastrina* OD: Nat. Hist. Brit. Butts 2:395 [b4760] SS: *argiolus* (Linnaeus), 1758; *Celastrina* [Refs - b0236; b0471]
- e *ab. pallida* Tutt, 1908, 1905-1914; *Everes* OD: Nat. Hist. Brit. Butts 3:54 [b4760] SS: *argiades* (Pallas), 1771; *Everes* [Refs - b0236; b0400]
- e *ab. pallida* Rebel, 1909; *Lycaena* OD: In Berge, Schmetterlingsbuch (ed. 9) :61 [b3706] SS: *virgaureae* (Linnaeus), 1758; *Lycaena* (*Heodes*) [Refs - b0236; b0389; b0471]
- e *ab. pallida* (Tutt), 1909, 1905-1914; *Plebeius* OD: Nat. Hist. Brit. Butts 3:173 [b4760] SS: *argus* (Linnaeus), 1758; *Plebejus* [Refs - b0236; b0471]
- e *ab. pallida* Fritsch, 1912; *Lycaena* OD: Ent. Rundsch. 29(21):135 [b1797] SS: *alciphron* (Rottemburg), 1775; *Lycaena* (*Alciphronia*) [Refs - b0236; b0389; b0471]
- e *ab. pallida* Oberthür, 1914; *Cigaritis* OD: Étud. Léop. comp. 10:369 [b3454] SS: *siphax* Lucas, 1849; *Cigaritis* [Refs - b0236]
- e *ab. pallida* (Gussich), 1917; *Nemeobius* OD: Glasn. hrv. prirodosl. Društ. 29:221 [b2106] SS: *lucina* (Linnaeus), 1758; *Hamearis* [Refs - b4473; b0236]
- e *ab. pallida* Graves, 1918; *Deudorix* OD: Entomologist 51:97, pl 1, f 5,6 [b2008] SS: *livia* (Klug), 1834; *Deudorix* (*Virachola*) [Refs - b0236; b0471]
- c *f. pallida* Aurivillius, [1923], 1908-1925; *Megalopalpus* OD: In Seitz, Grossschmett. Erde 13:362 [b0162] SS: *zymna* (Westwood), [1851]; *Megalopalpus* [TypeL - Ruwenzori, Uganda.] [Refs - b4400; b1571]
- e ♀ *ab. pallida* (Gunder), 1925; *Plebeius* OD: Ent. News 36(1):3, pl I, f N [b2094] SS: *monticola* (Clémence), 1909; *Plebejus* (*Icaricia*) [Type: AMNH-ht] [TypeL - Cajon Pass, Saan Bernardino Mountains, San Bernardino County, California.] [Refs - b0908; b3192; b1321; b2094]
- e ♀ *f. pallida* Lathy, 1926; *Euselasia* OD: Entomologist 59:143 [b2919] SS: *eutychus* (Hewitson), [1856]; *Euselasia* [TypeL - Brazil.] [Refs - b4474]
- e *ab. pallida* (Pionneau), 1928; *Lycaena* OD: Misc. Ent. 31(5):50 [b3616] SS: *argiades* (Pallas), 1771; *Everes* [Refs - b0400]
- e *ab. pallida* (Pionneau), 1928; *Lycaena* OD: Misc. Ent. 31(5):50 [b3616] SS: *coretas* Ochseneheimer, 1807; *Everes* [Refs - b0236; b0067; b0400]
- a *pallida* (Lathy), 1930; *Thecla* OD: Trans. ent. Soc. Lond. 78(1):135 [b2921] CG: *Tigrinota* [Type: MNHN-ht; Fournier collection.] [TypeL - Not stated.] [Refs - b0908; b2591; b0125; b2616; b2611]
- c *pallida* (Evans), 1932; *Amblypodia* OD: Ident. Indian Butts (2nd ed.) :258 [b1638] SS: *yendava* (Grose-Smith), 1887; *Arhopala* a [TypeL - Tavoy, Karens.] [Refs - b1644; b1638]

- b *pallida* (Lathy), 1932; *Ethernopsis* OD: Ann. Mag. nat. Hist. (10)9:69 [b2922] SS: caeruleata (Godman & Salvin), 1878; *Xenandra* [Type: BMNH-hi] [TypeL - Cuyaba, Mato Grosso, Brazil.] [Refs - b2922; b1456]
- b *pallida* (Lathy), 1932; *Diophthalma* OD: Ann. Mag. nat. Hist. (10)9:65 [b2922] SS: hyphea (Cramer), [1776]; *Leucochimona* [Type: BMNH-st] [TypeL - Chaquimayo, S. Peru.] [Refs - b2922]
- b *pallida* Hawker-Smith, 1933; *Citrinophila* OD: *Stylops* 2:6 [b2168] SS: erastus (Hewitson), [1866]; *Citrinophila* [TypeL - Belgian Congo.] [Refs - b1452; b2168; b4400]
- a *pallida* (Riley), 1938; *Phasis* OD: Trans. R. ent. Soc. Lond. 87(10):238 [b3777] CG: *Alocides* [Type: BMNH] [TypeL - Steynsburg, S. Africa.] [Refs - b4684; b1259; b1452; b4400]
- e *ab. pallida* (Dufrane), 1939; *Thecla* OD: Bull. Anns Soc. ent. Belg. 79:291 [b1408] SS: joannisi (Dufrane), 1939; *Strymon* [TypeL - Trujillo, Peru.] [Refs - b0908]
- c *pallida* Le Mout, 1940, 1939-1940; *Helicopsis* OD: *Novit. ent.* (13):104 [b2943] SS: cupido (Linnaeus), 1758; *Helicopsis* [Type: AME-hi] [TypeL - Demerara River, British Guiana.] [Refs - b3199]
- e *ab. pallida* Hayward, 1949; *Chamaelinnas* OD: *Acta zool. lilloana* 8:197 [b2216] SS: joviana Schaus, 1902; *Chamaelinnas* [TypeL - Argentina.] [Refs - b2221]
- e *f. pallida* Berger, 1981; *Axiocerses* OD: *Papillons du Zaire* :293, pl 205, f 35 [b0309] SS: bambana Grose-Smith, 1900; *Axiocerses* [Type: MRAC-hi] [TypeL - Parc national de l'Upemba, Kaswabilinga, Zaire.] [Refs - b0309]
- e *ab. pallidalata* Tutt, 1908, 1905-1914; *Celastrina* OD: *Nat. Hist. Brit. Butts* 2:395 [b4760] SS: argiolus (Linnaeus), 1758; *Celastrina* [Refs - b0236; b0400; b0471]
- e *f. pallidamaculata* (Lempke), 1955; *Strymonidia* OD: *Tijdschr. Ent.* 98:325 [b2982] SS: ilicis (Esper), [1779]; *Satyrnum* [Refs - b0089]
- e *ab. pallidaspinosa* (Tutt), 1907, 1905-1914; *Strymon* OD: *Nat. Hist. Brit. Butts* 2:197 [b4760] SS: pruni (Linnaeus), 1758; *Fixsenia* [Refs - b0471]
- e *ab. pallidasuffusa* Tutt, 1908, 1905-1914; *Celastrina* OD: *Nat. Hist. Brit. Butts* 2:395 [b4760] SS: argiolus (Linnaeus), 1758; *Celastrina* [Refs - b0236; b0400]
- e *pallidecanariensis* (Venty), 1928, (IFS); *Aricia* OD: *Bull. Soc. ent. Fr.* 1928(11):182 [b4848] SS: *cramera* (Eschscholtz), 1821; *Plebejus* (*Aricia*) [TypeL - Iberian Peninsula.] [Refs - b2856; b0236; b4848; b0471]
- e *pallidecolor* (Venty), 1943, (RA); *Meleageria* OD: *Farfalle Diurne Ital.* 2:333 [b4862] SS: *daphnis* ([Denis & Schiffermüller]), 1775; *Polyommatus* (*Meleageria*) [Type: MZS-st] [TypeL - Sicily.] [Refs - b2856; b0080]
- e *pallidecramera* (Venty), 1928, (IFS); *Aricia* OD: *Bull. Soc. ent. Fr.* 1928(11):182 [b4848] SS: *cramera* (Eschscholtz), 1821; *Plebejus* (*Aricia*) [TypeL - Iberian Peninsula.] [Refs - b2856; b0236; b4848; b0471]
- e *pallidefulva* (Venty), 1920, 1919-1922, (IFS); *Aricia* OD: *Ent. Rec.* 32:149 [b4840] SS: *medon* (Hüfnagel), 1766; *Plebejus* (*Aricia*) [Refs - b2856; b0236; b0471]
- e *pallidipicta* (Venty), 1934, 1934-1936, (RA); *Palaeolowcia* OD: *Ent. Rec.* 46(Sup.):16 [b4853] SS: *tityrus* (Poda von Neuhaus), 1761; *Lycaena* (Hoodes) [Type: MZS-st] [TypeL - Rhone Valley.] [Refs - b2856; b0072]
- e *ab. pallidior* (Schultz), 1906; *Lycaena* OD: *Ent. Zeit.* 19(36):214-215 [b4005] SS: *alcon* ([Denis & Schiffermüller]), 1775; *Maculinea* [Refs - b4094; b0400; b1103; b4092]
- e *ab. pallidior* (Oberthür), 1910; *Aricia* OD: *Étud. Léop. comp.* 4:253 [b3451] SS: *agestis* ([Denis & Schiffermüller]), 1775; *Plebejus* (*Aricia*) [Refs - b0236; b0471]
- b *pallidior* Fruhstorfer, [1912]; *Sinthusa* OD: *Berl. ent. Z.* 56(3/4):228 [b1850] SS: *nasaka* (Horsfield), [1829]; *Sinthusa* [TypeL - Himalaya.] [Refs - b1636; b0236; b1850; b4094; b0694]
- e *ab. pallidior* Roepke, 1921; *Dodona* OD: *Treubia* 2:87 [b3844] SS: *vanleeuwenii* Roepke, 1921; *Dodona* [Refs - b4473]
- b *pallidor* Forster, 1951; *Polycaena* OD: *Z. wien. ent. Ges.* 36:62, pl 4, f 1,2 [b1768] SS: *chauchowensis* (Mell), 1923; *Polycaena* [TypeL - Yunnan.] [Refs - b1768]
- e *pallidula* (Venty), 1924, (RA); *Plebejus* OD: *Ent. Rec.* 36:110 [b4842] SS: *argus* (Linnaeus), 1758; *Plebejus* [Type: MZS-st] [TypeL - Italy.] [Refs - b2856; b0236; b3796; b0471; b4842]
- a *palmerii* (Edwards), 1870; *Lemonias* OD: *Trans. amer. ent. Soc.* 3(2):195 [b1500] CG: *Apodemia* [Type: CM-hi] [TypeL - Utah, restricted to St. George, Washington Co., Utah, by Brown, 1968] [Refs - b1530 :245, f 482; b1321 :51; b2988; b4688; b1711; b2753; b4475; b3192; b2417; b0493; b1743; b1342 (as palmeri); b4690; b4066]
- a *palmus* (Stoll), [1781], 1780-1790; *Papilio* OD: In Cramer, *Uitl. Kapellen* 4(29):100, pl 341, f F,G [b4478] CG: *Poecilmius* [Refs - b1259; b2747; b1452; b4400; b1227; b1235]
- a *palmyra* (C. Felder), 1860; *Lycaena* OD: *Sber. Akad. Wiss. Wien* 40(1):458 [b1676] CG: *Erysichton* [Type: BMNH-hi] [TypeL - Amboina.] [Refs - b4676; b1450; b2747; b4094; b4940; b4934; b2388]
- a *palos Osada*, 1987; *Poritia* OD: *Mem. Tsukada Colln* (5):56, f 2; pl 3, f 4; pl 4, f 4 [b3520] [Type: pc-hi; collection of Tsukada.] [TypeL - Puncak Dingin, Palu, C. Sulawesi.] [Refs - b3520]
- b *palosverdesensis* Perkins & Emmel, 1977; *Glaucopsyche* OD: *Proc. ent. Soc. Wash.* 79(3):468-471 [b3577] SS: *lygdamus* (Doubleday), 1841; *Glaucopsyche* [Type: USNM-hi] [TypeL - Rancho Palos Verdes, Palos Verdes Peninsula, Los Angeles County, California.] [Refs - b1610 (8E8615); b0109; b3192; b1722; b3115]
- b *palowna* (Staudinger), 1889; *Amblypodia* OD: *Deut. ent. Zeit.* [Iris] 2(1):131, pl 2, f 3 or 13 [b4332] SS: *vivama* (Horsfield), [1829]; *Surendra* [Type: ZMHU-lt; designated by Takanami, 1989] [Työ to Ga 40(1):29 [b4602]] [TypeL - Palawan, Philippines.] [Refs - b1636; b4094 (as palowna:943); b4332; b1454; b0696; b0694; b4602; b4108]
- b *palpatoris* (Fruhstorfer), 1914; *Chilaria* OD: *Deut. ent. Zeit.* [Iris] 27(4):176 [b1854] SS: *merguia* (Doherty), 1889; *Hypolycaena* [TypeL - W. Java.] [Refs - b4094; b1454; b1854]
- b *paluana* (Staudinger), 1889; *Sithon* OD: *Deut. ent. Zeit.* [Iris] 2(1):107, pl 1, f 9 [b4332] SS: *hypoleuca* (Hewitson), [1865]; *Manto* [Type: ZMHU-hi] [TypeL - Palawan, Philippines.] [Refs - b4094; b4602; b4104]
- a *paluana* Eliot, 1986; *Logania* OD: *Bull. Br. Mus. nat. Hist. (Ent.)* 53(1):63, f 79 [b1571] [Type: BMNH-hi] [TypeL - Sulawesi.] [Refs - b1571]
- a *paludicola* (Holland), 1891; *Lycaena* OD: *Psyche* 6(179):52 [b2424] CG: *Cupidesthes* [TypeL - W. Africa.] [Refs - b0528; b1452; b4400]
- a *palumbes* (H. H. Druce), 1907; *Thecla* OD: *Proc. zool. Soc. Lond.* 1907(3):617 [b1375] CG: *Serratofalca* [Type: BMNH-hi] [TypeL - Cayenne, French Guiana.] [Refs - b0908; b1375; b0125; b2643; b2606]

- b **pambihira** (Takanami), 1982; Narathura OD: Mem. Tsukada Colln 4:56, pl 7,8, f 10 [b4586] SS: allata (Staudinger), 1889; Arhopala a [Type: pc-ht; collection of Takanami.] [TypeL - N. E. Mindanao, Philippines.] [Refs - b0115; b4586; b1454; b4597; b0122]
- b **pambul** (Eliot), 1973; Celastrina OD: Entomologist 106:2 [b1557] SS: cossaea (de Nicéville), 1895; Plautella [Type: BMNH-ht] [TypeL - Perak, West Malaysia.] [Refs - b1557; b0965; b0104; b1580; b2200]
- b **pamela** Grose-Smith, 1895; Nacaduba OD: Novit. zool. 2(4):508 [b2038] SS: angusta (H. Druce), 1873; Nacaduba [Type: BMNH-ht] [TypeL - S. Celebes.] [Refs - b4676; b4094; b1454; b0125]
- b **pamelae** (Dickson), 1976; Epamera OD: Ent. Rec. 88(11):278 [b1257] SS: mimosae Trimen, 1874; Iolaus (Epamera) [TypeL - Kombat, Namibia.] [Refs - b1259; b0108]
- a **pamelae** Heath, 1983, (H); Iolaus OD: Arnoldia Zimbabwe 9(10):160, f 2a-b, 5c-f, 6a [b2224] CG: Iolaus (Argiolaus) [Type: BMNH-ht] [TypeL - Zambia.] [Check - Homonym in need of a replacement.] [Refs - b2224; b0119]
- b **pamira** (Forster), 1936; Lycaena OD: Mitt. münchn. ent. Ges. 26:138 [b1758] SS: argus (Linnaeus), 1758; Plebejus [TypeL - Pamir.] [Refs - b0074]
- a **pamira** Nekrutenko, 1983; Hyrcanana OD: Vestnik Zoologii 1983(3):12, f [b3360] [Type: ZMKU] [TypeL - Tadzhikistan.] [Refs - b3360]
- c **pamisus** Fruhstorfer, 1914; Allotinus OD: Z. wiss. InsektBiol. 10(1):22 [b1855] SS: fabius (Distant & Pryer), 1887; Allotinus (Fabitaras) [Type: BMNH-ht] [TypeL - S. E. Borneo.] [Refs - b1855; b1571; b1840; b4108]
- c **pampholyge** (Bergsträsser), [1779], 1778-1780; Papilio OD: Nom. Ins. 2:pl 47, f 1,2 [b0310] SS: icarus (Rottemburg), 1775; Polyommatus [Refs - b2747; b2794]
- a **pampolis** (H. H. Druce), 1905; Catochrysops OD: In Trans. ent. Soc. Lond. 53(2):258, pl 13, f 11 [b1372] CG: Lepidochrysops [Type: BMNH-ht] [TypeL - Rhodesia.] [Refs - b1943; b1452; b4400; b0359]
- a **pan** (Drury), [1773], 1770-1782; Papilio OD: Ill. nat. Hist. 2:index+40, pl 23, f 3,4 [b1392] CG: Electrostrymon [TypeL - Jamaica, B. W. I.] [Refs - b0908; b0540; b0907; b0833; b2631]
- b **pan** (Harris), 1833; Thecla OD: Rep. Geol. Min. Bot. Zool. Mass. :590 [b2140] SS: melinus Hübner, [1818]; Strymon [TypeL - Massachusetts.] [Refs - b0908]
- b **pan** (Talbot), 1935; Spindasis OD: Ent. mon. Mag. 71:120, pl 2, f 6 [b4623] SS: adema (Plötz), 1880; Lipaphnaeus [TypeL - Uganda.] [Refs - b1452; b4623; b4400]
- a **pan** Pennington, 1962; Poecilmitis OD: J. ent. Soc. S. Afr. 25(2):273 [b3570] [TypeL - Cape Province, S. Africa.] [Refs - b1259; b1452; b4400]
- a **panaegides** (Staudinger), 1886, 1886-1889; Lycaena OD: Stutt. ent. Ztg 47:206 [b4330] CG: Turanana [Refs - b1762; ns0408; b4330; b0993; b2827; b4092]
- c **panaetha** (Waterhouse & Lyell), 1909; Miletus OD: Victorian Nat. 26(8):112 [b4945] SS: medocus (Fruhstorfer), 1908; Hypochrysops [TypeL - Australia.] [Refs - b1450; b4094; b4940; b3926]
- c **panagaea** (Herrich-Schäffer), [1851], 1843-1856; Lycaena OD: Syst. Bearb. Schmett. Europ. 1:pl 103, f 490-493 [b2313] SS: endymion (Gerhard), 1851; Turanana [TypeL - Turcia.] [Note - *Kocak sunk this name to endymion Gerhard. He used the name twice, with dates of 1851 (unavailable) and 1852 (available). Often seen in Actizera.*] [Refs - b4179; b2375 (in Turanana); b2747; b0993; b1762; b0754; ns0408; b2827 (as panagaea); b0113; b0236; b0400; b2794; b4400; b2313; b2859 (as panagaea); b4092; b0471]
- e **panalbolimbata** (Høegh-Guldberg), 1963, (IFS); Aricia OD: Ent. Med. Ned.-Indië 32:25 [b2398] SS: vandalica (Kaaber & Høegh-Guldberg), 1961; Plebejus (Aricia) [TypeL - Denmark.] [Refs - b2398]
- a **panamensis** (Draudt), [1920], 1917-1924; Thecla OD: In Seitz, Grossschmett. Erde 5:801, pl 158-i [b1348] CG: Symbiopsis [TypeL - Panamá.] [Refs - b0908; b3388; b0102]
- b **panasa** (Fruhstorfer), [1912]; Aphnaeus OD: Berl. ent. Z. 56(3/4):219 [b1850] SS: lohita (Horsfield), [1829]; Spindasis [TypeL - Tonkin, Chiem Hoa.] [Refs - b4094; b1850]
- b **panatius** (Fruhstorfer), 1915; Thysonotis OD: Soc. ent. 30:50 [b1866] SS: danis (Cramer), [1775]; Danis [TypeL - New Guinea.] [Refs - b1866 (as panaius)]
- a **panava** (Westwood), [1852], 1846-1852; Thecla OD: In Gen. dium. Lep. (2):487 [b4981] CG: Lycaena (Thersamolycaena) [Type: biblio; replacement for pavana Kollar, [1844]] [TypeL - India bor.] [Refs - b2747; b4823; b4094; b0694 (as pavana)]
- b **panayensis** (Schröder & Treadaway & Hayashi), 1981; Rachana OD: Ent. Zeit. 91(24):265-272 [b3994] SS: circumdata (Schröder & Treadaway & Hayashi), 1981; Eliotia [Type: pc-ht; collection of Treadaway.] [TypeL - Antique, Panay Island, Philippines.] [Refs - b1610 (4891-Z13); b3974; b2201; b1568; b3488]
- b **panayensis** Hayashi & Schröder & Treadaway, 1984; Panuparo OD: Senckenbergiana 65(1/2):35, f 14-15 [b2211] SS: lumawigi (Schröder), 1976; Panuparo [Type: pc-ht; Colin G. Treadaway] [TypeL - Philippines.] [Refs - b2211; b4713]
- b **panayensis** Medicielo & Hanafusa, 1994; Abisara OD: Futao (15):16, pl 2, f 19-22 [b3144] SS: echerius (Stoll), [1790]; Abisara [Type: pc-ht; collection of Hanafusa.] [TypeL - Antique, Panay Island, Philippines.] [Refs - b3144]
- c **pancha** Fruhstorfer, [1914], 1909-1923; Abisara OD: In Seitz, Grossschmett. Erde 9:783, pl 140b [b1840] SS: palawana Staudinger, 1889; Abisara [TypeL - Palawan, Philippines.] [Refs - b4473; b0294; b0294; b1840]
- c **panchaea** (Hewitson), [1869], 1863-1878; Thecla OD: Ill. dium. Lep. Lycaenidae 1:126; 2:pl 51, f 274,275 [b2326] SS: strophius (Godart), [1824]; Allosmaitia [Type: BMNH] [TypeL - Amazon.] [Refs - b0908; b2747; b0833; b1375; b1975; b2918]
- a **pandama** (Saunders), [1850]; Erycina OD: Trans. ent. Soc. Lond. (1)5(9):222, pl 20, f 5,5a [b3938] CG: Ancyluris [TypeL - Bahia.] [Refs - b4474; b3938; b1456]
- a **pandama** Walker, 1870; Lampides OD: Entomologist 5:54 [b4911] CG: Lampides (?) [TypeL - Arabia.] [Refs - b2753]
- b **pandara** Fruhstorfer, 1907; Iraota OD: Ent. Zeit. 21(25):156 [b1826] SS: rochana (Horsfield), [1829]; Iraota [TypeL - Hinlap, Siam.] [Refs - b4094; b1454; b1826]
- a **pandava** (Horsfield), [1829], 1828-1829; Lycaena OD: Descr. Cat. lepid. Ins. (2):84 [b2457] CG: Chilades [TypeL - Java.] [Type of - Edales] [Refs - b1636; b0964; b2280; b1636; b4094; b2479; b0995; b1762; b0236; b4902; b1454; b0694; b4092; b4209; b4108]
- e **pandera** Sharp, [1914], (ISS); Aslauga OD: Zool. Rec. 50(1913)(Ins.):336 [b4143] SS: pandora H. H. Druce, 1913; Aslauga [Refs - b4143]
- c **pandla** (Kollar), [1844]; Lycaena OD: In Hügel, Kaschmir 4(2):418 [b2821] SS: cnejus (Fabricius), 1798; Euchrysops [TypeL - Kashmir.] [Refs - b2747; b0995; b4094; b2479; b4108]
- a **pandora** H. H. Druce, 1913; Aslauga OD: Ann. Mag. nat. Hist. (8)11:359 [b1381] [Type: BMNH-ht] [TypeL - Unyoro, Budongo Forest, Uganda.] [Refs - b1452; b4400; b1381]

- b pandora** Corbet, 1941; *Arhopala* OD: Proc. R. ent. Soc. Lond. (B)10(9):154 [b0956] SS: *allata* (Staudinger), 1889; *Arhopala a* [Type: BMNH-ht] [TypeL - Malaya.] [Refs - b1644; b0956; b2200; b1454]
- c pandu** (Horsfield), [1828], 1828-1829; *Symetha* OD: Descr. Cat. lepid. Ins. (1):explicit, pl 2, f 2,2a [b2457] SS: *symethus* (Cramer), [1777]; *Miletus 4* [Type of - *Symetha*] [Refs - b1153; b2280; b1546; b2747; b1840]
- a panepinata** H. H. Druce, 1890; *Iolaus* OD: Ann. Mag. nat. Hist. (6)5:30 [b1353] CG: *Iolaus (Iolaphilus)* [TypeL - W. Africa.] [Refs - b1353 :30; b1452; b0836; b4400; b1661]
- a pang** (Oberthür), 1886; *Chrysophanus* OD: Bull. Soc. ent. Fr. (6)6:xii [b3428] CG: *Helleia B* [TypeL - Thibet.] [Refs - b2988; b0996 (Et. xi:19, pl 3, f 36); b2479; b4220 (Helleia); b0389; b4092]
- c pangeran** Fruhstorfer, 1914; *Arhopala* OD: Deut. ent. Zeit. [Iris] 28(2):135 [b1859] SS: *aedias* (Hewitson), 1862; *Arhopala a* [TypeL - Sukabumi, W. Java.] [Refs - b1644; b1859; b4094]
- c pann** (Fabricius), 1793, 1792-1799; *Hesperia* OD: Ent. syst. 3(1):276 [b1657] SS: *isocrates* (Fabricius), 1793; *Deudorix (Virachola)* [TypeL - India.] [Refs - b2747; b4094; b5076]
- c ♀ panobsoleta** (Höegeh-Guldberg), 1963, (IFS); *Aricia* OD: Ent. Med. Ned.-Indië 32:25 [b2398] SS: *vandalica* (Kaaber & Höegeh-Guldberg), 1961; *Plebejus (Aricia)* [TypeL - Denmark.] [Refs - b2398]
- b panope** (Eversmann), 1851; *Lycaena* OD: Bull. Soc. imp. Nat. Moscou 24(2):619 [b1650] SS: *vicrama* (Moore), 1865; *Pseudophilotes* [TypeL - Ural.] [Refs - b2747; b0993; b1762; b2827; b2859; b4092]
- a panoptes** (Hübner), [1813], 1796-1838; *Papilio* OD: Samml. europ. Schmett. 1:pl 132, f 670-673 [b2480] CG: *Pseudophilotes* [TypeL - Andalusia; Africa bor.] [Refs - b2375; b3059; b2747; b2378; b0236; b2859; b4092]
- c panormis** Elwes, [1893]; *Allotinus* OD: Proc. zool. Soc. Lond. 1892(4):619, pl 43, f 8,9 [b1594] SS: *taras* (Doherty), 1889; *Allotinus (Fabiataras)* [Type: BMNH-ht] [TypeL - Karen Hills, East Pegu, Burma.] [Refs - b0964; b1636; b0965; b1840; b0694]
- a panormus** (C. Felder), 1860; *Lycaena* OD: Sber. Akad. Wiss. Wien 40(11):455 [b1676] CG: *Catochrysops* [TypeL - Amboina, Moluccas.] [Refs - b0964; b4198; b1450; b0965; b4670; b1454; b0694; b2388]
- a panornata** Johnson, 1991; *Kroenleina* OD: Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (21):32, f [b2606] [Type: CM-ht] [TypeL - Rio Surutu, E. Bolivia.] [Type of - *Kroenleina*] [Refs - b0125; b2606]
- c panowa** (Fruhstorfer), 1914; *Cheritra* OD: Deut. ent. Zeit. [Iris] 27(4):175 [b1854] SS: *aurea* (H. Druce), 1873; *Ritra* [TypeL - Sintan, W. Borneo.] [Refs - b1016; b4094; b2201; b1454; b1854; b4108]
- a pansa** Godman, 1903; *Chamaelinnas* OD: Trans. ent. Soc. Lond. 51(4):534, pl 20, f 13 [b1972] [TypeL - Brazil.] [Note - *Not spelled pausa.*] [Refs - b4474; b2988; b4134; b1456 (= *iaeris*)]
- b panta** (Evans), 1957; *Narathura* OD: Bull. Br. Mus. nat. Hist. (Ent.) 5(3):106 [b1644] SS: *alitaeus* (Hewitson), 1862; *Arhopala f* [Type: BMNH-ht] [TypeL - Mindanao.] [Refs - b1644; b1454; b3491; b4104]
- a pantanosa** Johnson & Adams, 1993; *Thecloxurina* OD: Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (25):1, pl 2, f 2A; f 1A [b2620] [Type: BMNH-ht] [TypeL - Dept. de Cauca, Colombia.] [Refs - b2620]
- c panthera** Corbet, 1946; *Arhopala* OD: Trans. R. ent. Soc. Lond. 96(5):79 [b0960] SS: *semperi* Bethune-Baker, 1896; *Arhopala a* [Refs - b1644]
- b pantoni** (Comstock & Huntington), 1943; *Thecla* OD: Ann. New York Acad. Sci. 45:69 [b0907] SS: *angelia* (Hewitson), [1874]; *Electrostrymon* [Type: AMNH-ht] [TypeL - Baron Hill, Trelawny, Jamaica, B. W. I.] [Refs - b0908; b0540; b0907; b0833; b2631; b2606]
- a panurga** Stichel, 1910; *Chalodeta* OD: Berl. ent. Z. 55(1/2):15 [b4445] CG: *Chalodeta* [Type: ZMHU-ht] [TypeL - Vaterlandsangabe.] [Refs - b4474; b4445; b1456]
- b panyasis** (Fruhstorfer), [1914], 1909-1923; *Laxita* OD: In Seitz, Grossschmett. Erde 9:791, pl 140c,d [b1840] SS: *orphna* (Boisduval), 1836; *Paralaxita* [TypeL - Sumatra; Banka Island.] [Refs - b4474; b1454; b1840]
- a paona** (Tytler), 1915; *Zephyrus* OD: J. Bombay nat. Hist. Soc. 24(1):131, pl 4, f 34,35 [b4772] CG: *Chrysozephyrus* [Type: BMNH-ht] [TypeL - Mt. Kabru, Manipur.] [Refs - b1636; b0236; b4214; b4200; b3296; b1454; b0694; b2463]
- c paphia** (Felder & Felder), 1865, 1865-1875; *Pseudolycaena* OD: Reise Novara (2):pl 243, pl 28, f 12,13 [b1692] SS: *cypria* (Geyer), [1837]; *Arcas* [TypeL - Bogotá, Colombia.] [Refs - b0908; b2747; b3389; b1975]
- b paphia** R. Felder, 1869; *Emesis* OD: Verh. zool.-bot. Ges. Wien 19:467 [b1694] SS: *cypria* Felder & Felder, 1861; *Emesis* [TypeL - Venezuela.] [Refs - b2747; b4475]
- a paphlagon** (Felder & Felder), 1865, 1865-1875; *Pseudolycaena* OD: Reise Novara (2):249, pl 31, f 10,11 [b1692] CG: *Panthiades* [TypeL - Bogotá, New Granada.] [Refs - b0908; b2988; b3390; b2747; b1375; b1975; b2631]
- a paphos** Chapman, 1920; *Glaucopsyche* OD: Trans. ent. Soc. Lond. 68(1/2):166, pl 5 [b0774] [TypeL - Cyprus.] [Refs - b1762; b3547; b0236; b0400; b2859; b0471]
- b papuana** Tite, 1959; *Catochrysops* OD: Entomologist 92:208 [b4670] SS: *panormus* (C. Felder), 1860; *Catochrysops* [Type: BMNH-ht] [TypeL - Kumusi River, N. E. British New Guinea.] [Refs - b1450; b4670]
- a papuana** Tite, 1963; *Prototas* OD: Bull. Br. Mus. nat. Hist. (Ent.) 13(4):93, f 51; pl 1, f 14-15 [b4676] [Type: BMNH-ht] [TypeL - Hydrographer Mts., British New Guinea.] [Refs - b4676; b1450; b2388]
- b papuanus** Wind & Clench, 1947; *Philaris* OD: Bull. Brooklyn ent. Soc. 42(1):6 [b5021] SS: *diana* Waterhouse & Lyell, 1914; *Philaris* [Type: MCZ-ht] [TypeL - Wau, Morobe District, New Guinea.] [Refs - b1450; b4677; b0528; b0870; b5033; b5021]
- e parabellargus** (Verity), 1939, (IFS); *Lysandra* OD: *Lambilliona* 39:214 [b4861] SS: *bellargus* (Rottemburg), 1775; *Polyommatus (Lysandra)* [Type: MZS-st] [TypeL - Ankara.] [Refs - b2856; b0077; b2794; b4038]
- c paracalla** (Sharp), [1916], (ISS); *Nacaduba* OD: Zool. Rec 51(1914)(Ins.):214 [b4144] SS: *caracalla* (Waterhouse & Lyell), 1914; *Ionolyce* [Refs - b4144]
- b paracatius** (Fruhstorfer), [1917]; *Lycaenopsis* OD: Arch. Naturgesch. (A)82(1):15 [b1880] SS: *dilectus* (Moore), 1879; *Udara (Udara)* [Type: BMNH-ht] [TypeL - Borneo.] [Refs - b1840; b1580; b2200; b4108]
- b paracuta** de Nicéville, 1902; *Curetis* OD: J. Bombay nat. Hist. Soc. 14(2):248 [b1168] SS: *acuta* Moore, 1877; *Curetis* [TypeL - Japan.] [Refs - b4115; b1900]
- b paracyanea** (de Lesse), 1963; *Agrodiaetus* OD: Revue fr. Ent. 30:178, f [b1131] SS: *carmon* (Herrich-Schäffer), [1851]; *Polyommatus (Agrodiaetus)* [TypeL - Persia.]
- c paradilecta** (Fruhstorfer), [1917], (IFS); *Lycaenopsis* OD: Arch. Naturgesch. (A)82(1):16 [b1880] SS: *subcoalita* (Rothschild), 1915; *Udara (Udara)* [Type: BMNH-ht; designated by Eliot & Kawazoé, 1983] [Butts *Lycaenopsis* group :88 [b1580]] [TypeL - Java.] [Refs - b1580; b1840]

- c **paradicta** (Toxopeus), 1928, 1927-1928; *Celastrina* OD: Tijdschr. Ent. 71:248, pl 5, f 13 [b4697] SS: subcoalita (Rothschild), 1915; Udara (Udara) [Refs - b4094; b1580; b4697]
- c **paradisii** Schröder & Treadaway, 1990; *Arhopala* OD: Ent. Zeit. 100(9):168, f [b3991] SS: anthelus (Westwood), [1852]; *Arhopala a* [TypeL - Philippines] [Refs - b0124; b4104]
- c **paradoxa** (Felder & Felder), 1861; *Moritzia* OD: Wien. ent. Monats. 5(4):100 [b1684] SS: noctula Westwood, [1851]; Hades [Type of - *Moritzia*] [Refs - b2280; b2747; b4474; b2406]
- c **paradoxa** (Guest), 1882; *Lycaena* OD: Trans. R. Soc. S. Aust. 5:36 [b2091] SS: heathi (Cox), 1873; *Candalides* [TypeL - Balhannah Co., Adelaide, Australia.] [Refs - b4677; b2078; b4934]
- b **paradoxa** (Schultze), 1908; *Spindasis* OD: Soc. ent. 23(17):130 [b4008] SS: leonina (E. Sharpe), 1890; *Lipaphnaeus* [TypeL - Cameroons.] [Refs - b1452; b4008; b4400]
- a **paradoxa** (H. H. Druce), 1910; *Pentila* OD: Proc. zool. Soc. Lond. 1910(1):357, pl 33, f 4 [b1378] CG: Omipholidotos [Refs - b1452; b4400]
- a **paradoxa** (Schultze), 1916; *Pseuderis* OD: Arch. Naturgesch. (A)82(3):37 [b4017] CG: *Eresiomera* [TypeL - N. W. Cameroons.] [Refs - b1452; b4400]
- b **paradoxa** (Chermock), 1945; *Plebeius* OD: Can. Ent. 76(11):214 [b0779] SS: melissa (Edwards), 1873; *Plebejus* (*Lycaeides*) [TypeL - Tehachapi Mountains, California.] [Refs - b0908; b3192; b1321; b0779]
- b **paradoxa** Riley, [1945]; *Rapala* OD: Trans. R. ent. Soc. Lond. 94(2):268 [b3782] SS: dienece (Hewitson), [1878]; *Rapala* [Type: BMNH-ht] [TypeL - Sipora.] [Refs - b3782]
- b **paradoxa** Scott, 1986; *Callophrys* OD: Butts N. America :379 [b4066] SS: sheridanii (Edwards), 1877; *Callophrys* [TypeL - W. Colorado & E. Utah.] [Note - *Ferris* claims this is a nomen nudum, but it isn't.] [Refs - x3192; b4066]
- b **paraena** Bates, [1868]; *Mesene* OD: J. linn. Soc. Lond., Zool. 9:387 [b0267] SS: hya Westwood, [1851]; *Mesene* [TypeL - Para.] [Refs - b2747; b4474; b1456]
- c **paraensis** Le Moul, 1940, 1939-1940; *Helicopsis* OD: Novit. ent. (11):86, f 11 [b2943] SS: gnidus (Fabricius), 1787; *Helicopsis* [Type: AME-ht] [TypeL - Para.] [Refs - b3199]
- e **paraerydice** Venty, 1943, (RA); *Palaeochrysophanus* OD: Farfalle Diurne Ital. 2:69 [b4862] SS: hippothoe (Linnaeus), 1761. *Palaeochrysophanus* [Type: MZS-st] [Note - Not spelled *paraerydice*] [Refs - b2856; b0080; b4862; b0389]
- a **paraffinis** (Fruhstorfer), 1916; *Lycaenesthes* OD: Zool. Meded. 2(2):98 [b1872] CG: *Anthene* [TypeL - Duke of York Island, Bismarck Archipelago.] [Refs - b4679; b1450; b1840]
- a **paraganesa** (de Nicéville), 1882; *Amblypodia* OD: J. asiat. Soc. Bengal, Pt II 51(2/3):63 [b1144] CG: *Arhopala o* [TypeL - Sikkim] [Type of - *Acesina*] [Refs - b1644; b2280 (*Arhopala*); b4094, b2200, b1454]
- a **paragora** Rebel, 1911. *Mimacraea* OD: Annln naturh. Mus. Wien 24:409 [b3708] [TypeL - Tanganika.] [Refs - b1452; b4400]
- b **paraguayensis** (Lathy), 1926; *Thecla* OD: Ann. Mag. nat. Hist. (9)17:42 [b2918] SS: aetolus (Sulzer), 1776; *Arawacus* [Type: MNHN-It; designated by Johnson, 1991] [J. Lep. Soc. 45(2):148 [b2605]] [TypeL - Patino, Paraguay.] [Refs - b0908; b2221; b0064; b2591; b2918; b2592]
- c **parakasa** (Fruhstorfer), [1922], 1909-1923; *Lycaenopsis* OD: In Seitz, Grossschmett. Erde 9:862 [b1840] SS: samanga (Fruhstorfer), 1910; *Acytolepis* [Type: SMF-st] [TypeL - Minahassa, Sulawesi.] [Refs - b1840; b1580]
- b **paralectis** (Forster), 1960; *Agrodiaetus* OD: Ent. Zeit. 70(3):17 [b1770] SS: ripartii (Freyer), 1830; *Polyommatus* (*Agrodiaetus*) [TypeL - Anatolia; Armenia.]
- a **paralea** (Evans), 1925; *Amblypodia* OD: J. Bombay nat. Hist. Soc. 30(3):631 [b1633] CG: *Arhopala i* [Type: BMNH-ht] [TypeL - Manipur.] [Refs - b1644; b1454; b4594]
- b **paralectus** (Grose-Smith), 1897, 1887-1902; *Lampides* OD: Rhop. exot. 3(-):7, pl 11, f 17, pl 12, f 1,2 [b2029] SS: nemophila (Butler), 1876; *Jamides* [TypeL - New Ireland.] [Refs - b4671; b1450; b4094; b1865]
- c **paraleuca** (Röber), 1897; *Plebeius* OD: Ent. Nachr. 23:270 [b3827] SS: hypoleuca (Kollar), [1849]; *Celastrina* [TypeL - Taurus, Turkey.] [Refs - b1580; b0236; b0293 (as ssp); b3555; b0471]
- a **paralithas** Bethune-Baker, 1926; *Cupidesthes* OD: Ann. Mag. nat. Hist. (9)17:399 [b0362] [TypeL - S. Nigeria.] [Refs - b1452]
- e **ab. parallela** Courvoisier, 1907; *Lycaena* OD: Z. wiss. Insektbiol. 3(2):36 [b0982] SS: phlaeas (Linnaeus), 1761; *Lycaena* (*Lycaena*) [Refs - b0236; b0389]
- e **parallela** Courvoisier, 1907, (IFS); *Lycaena* OD: Z. wiss. Insektbiol. 3(2):36 [b0982] SS: virgaureae (Linnaeus), 1758; *Lycaena* (*Heodes*) [Refs - b0389]
- e **ab. parallela** Courvoisier, 1907; *Lycaena* OD: Z. wiss. Insektbiol. 3(2):36 [b0982] SS: tityrus (Poda von Neuhaus), 1761; *Lycaena* (*Heodes*) [Refs - b0236; b0471]
- e **ab. parallela** (Courvoisier), 1910, 1910-1911; *Lycaena* OD: Ent. Zeit. 24:99 [b0985] SS: sephyrus (Frivaldszky von Frivald), 1835; *Plebejus* (*Plebejides*) [Check - Original genus] [Refs - b0236; b0471]
- e **ab. parallela** (Courvoisier), 1911, 1910-1911; *Lycaena* OD: Ent. Zeit. 24:236 [b0985] SS: coridon (Poda von Neuhaus), 1761; *Polyommatus* (*Lysandra*) [Refs - b0471]
- e **ab. parallela** Courvoisier, 1912; *Maculinea* OD: Deut. ent. Zeit. [Iris] 26:51 or 52-53 [b0987] SS: arion (Linnaeus), 1758; *Maculinea* [Refs - b0236; b0400; b0471]
- e **ab. parallela** (Courvoisier), 1912; *Lycaena* OD: Deut. ent. Zeit. [Iris] 26:51 [b0987] SS: coridon (Poda von Neuhaus), 1761; *Polyommatus* (*Lysandra*) [Refs - b0471]
- e **ab. parallela** (Aurivillius), [1924], 1908-1925; *Lycaenesthes* OD: In Seitz, Grossschmett. Erde 13:450 [b0162] SS: crawshayi (Butler), 1899; *Anthene* [Note - Described as an aberration, and thus unavailable as of this author and date.] [Refs - b0162; b4400]
- e **parallela** (Venty), 1943, (IFS); *Heodes* OD: Farfalle Diurne Ital. 2:42 [b4862] SS: alciphron (Rottemburg), 1775. *Lycaena* (*Alciphronia*) [TypeL - Italy.] [Refs - b2856, b0080, b0389]
- a **paralus** Godman & Salvin, [1887], 1879-1901; *Thecla* OD: Biol. centr.-amer., Lep. Rhop. 2:69; 3:pl 56, f 18,19 [b1975] CG: *Thecla* (New World Eumacini) [Type: BMNH] [TypeL - Deñas, Guatemala.] [Note - Allied to *arza*.] [Refs - b0908; b1975]
- b **paramalaccanus** Riley & Corbet, 1938; *Jamides* OD: Trans. R. ent. Soc. Lond. 87(5):152 [b3786] SS: parasaturata (Fruhstorfer), 1915; *Jamides* [Type: BMNH-ht] [TypeL - Ampang Forest Reserve, Selangor, Malay Peninsula.] [Refs - b0964; b0965; b2384; b1454; b3786; b3782]
- b **paramba** H. H. Druce, 1904; *Mesosemia* OD: Proc. zool. Soc. Lond. 1904(I)(2):483, pl 33, f 7 [b1370] SS: telegone (Boisduval), 1836; *Mesosemia* (*Lycaenis* - Peru.) [Refs - b4474]
- a **paramba** d'Abreu, 1994; *Ancyluris* OD: Butts Neotropical Region, Pt 4:948, f [Type: BMNH-ht] [TypeL - Paramba, Ecuador.] [Refs - b1456]

- b **parameleager** Verity, 1936; *Polyommatus* OD: Ent. Rec. 48:130 [b4856] SS: daphnis ((Denis & Schiffmüller), 1775; *Polyommatus* (Meleageria) [Type: MZS-st] [Refs - b2856; b1503; b4856]
- a **paramuta** (de Nicéville), [1884]; *Panchala* OD: J. asiat. Soc. Bengal, Pt II 52(2/4):81, pl 9, f 7,7a [b1145] CG: *Arhopala* j [TypeL - Sikkim.] [Refs - b1644; b4198; b4094; b1454]
- a **parana** Bálint, 1993; *Pseudolucia* OD: Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (29):17 [b0207] [Type: biblio; replacement for *griqua* Schaus, 1902] [TypeL - Castro, Parana, Brazil.] [Refs - b0207]
- e **paranus** d'Abreu, 1971, (PS); *Caleta* OD: Butts Australian Region :378 [b1450] SS: roxus (Godart), [1824]; *Caleta* [Note - D'Abreu treated this as a *Toxopeus* MS name.] [Refs - b1450]
- b **paraopeba** Azzarà, 1978; *Barbicornis* OD: Acta biol. parana. 7(1/4):59, f [b0189] SS: basilis Godart, [1824]; *Barbicornis* [TypeL - Brazil.] [Refs - b0111]
- b **parapetreia** Rebel, 1908; *Pentila* OD: Verh. zool.-bot. Ges. Wien 58:(159) [b3705] SS: rogersi (H. H. Druce), 1907; *Pentila* [TypeL - Zanzibar.] [Refs - b4400; b1452; b4420]
- b **paraplesius** Stichel, 1910; *Monethe* OD: Gen. Insectorum 112(A):137, pl 25, f 29 [b4446] SS: rudolphus Godman & Salvin, [1885]; *Monethe* [Type: pc-ht; collection of Stichel] [TypeL - Arouany, French Guiana.] [Refs - b4474; b4446]
- a **parapus** Fruhstorfer, 1913; *Allotinus* OD: Z. wiss. Insektbiol. 9(11):343 [b1851] CG: *Allotinus* (*Paragerydus*) [Type: BMNH-ht; designated by Eliot, 1986] [Bull. Br. Mus. nat. Hist. (Ent.) 53(1):51 [b1571]] [TypeL - Kinabalu, Borneo.] [Refs - b0965; b1840; b1571; b4108]
- b **parasangra** *Toxopeus*, 1929; *Zizina* OD: Tijdschr. Ent. 72(3/4):206 [b4699] SS: otis (Fabricius), 1787; *Zizina* [TypeL - Pulo Weh, Sumatra.] [Refs - b4699; b1454; b4108]
- a **parasaturata** (Fruhstorfer), 1915; *Lampides* OD: Arch. Naturgesch. (A)81(6):8, f 5 [b1865] CG: *Jamides* [Type: BMNH-ht] [TypeL - Sumatra.] [Note - Described as a form, but probably available.] [Refs - b4094; b0964; b0965; b1865; b1454; b2388]
- c **parasia** Hewitson, [1874], 1863-1878; *Thecla* OD: Ill. diurn. Lep. Lycaenidae 1:170; 2:pl 67, f 480,481 [b2326] SS: keila Hewitson, [1869]; *Thecla* (New World Eumacini) [Type: BMNH] [TypeL - Chontales, Nicaragua.] [Refs - b0908; b2753; b1975]
- a **paraslanus** (Rebel), 1914; *Jolaus* OD: Annln naturh. Mus. Wien 28:266 [b3710] CG: *Jolaus* (*Argiolaus*) [TypeL - Zaire.] [Type of - *Philiolaus*] [Refs - b2280; b1452; b0836; b4410; b3710; b4400; b0119]
- e **parastiera** Venty, 1943, (RA); *Plebejus* OD: Farfalle Diurne Ital. 2:199 [b4862] SS: argus (Linnaeus), 1758; *Plebejus* [Type: MZS-st] [Refs - b2856; b0410]
- e **paravirgilia** (Venty), 1943, (IFS); *Agrodiaetus* OD: Farfalle Diurne Ital. 2:325 [b4862] SS: virgilia Oberhür, 1910; *Polyommatus* (*Agrodiaetus*) [Type: MZS-st] [TypeL - Italy.] [Refs - b2856]
- b **parazebra** (Fruhstorfer), 1915; *Lampides* OD: Arch. Naturgesch. (A)81(6):5, f 2 [b1865] SS: pura (Moore), 1886; *Jamides* [Type: BMNH-ht] [TypeL - Java.] [Note - Described as a form, but probably available.] [Refs - b4094; b1865; b1454; b3786]
- a **parca** Stichel, 1919; *Euselasia* OD: Deut. ent. Zeit. 1919:302 [b4454] [Type: ZMHU-st] [TypeL - S. Paulo de Olivença, Brazil.] [Refs - b4474; b1456; b4454]
- b **pardalena** H. H. Druce, 1910; *Pentila* OD: Proc. zool. Soc. Lond. 1910(1):357, pl 33, f 1 [b1378] SS: abraxas Westwood, [1852]; *Pentila* [TypeL - W. Africa.] [Refs - b1452; b4420; b4400]
- a **pardalia** Stichel, 1924; *Symmachia* OD: Deut. ent. Zeit. 1924:418 [b4459] [TypeL - S. America.] [Refs - b4459; b4474; b1456]
- a **pardalis** (Behr), 1867; *Lycæna* OD: Proc. Calif. Acad. Sci. 3(4):279 [b0283] CG: *Plebejus* (*Icaricia*) [Type: destroyed] [TypeL - Contra Costa Range, vicinity of San Antonio, California.] [Refs - b1321 :65; b0908; b2747; b3192; b1321; b4066]
- a **pardalis** Hewitson, [1867], 1852-1877; *Symmachia* OD: Ill. exot. Butts 4:[-], pl [45], f 11 [b2323] [TypeL - St. Paulo.] [Refs - b2747; b4474; b1456]
- b **pardenas** Corbet, 1941; *Arhopala* OD: Proc. R. ent. Soc. Lond. (B)10(9):158 [b0956] SS: alitæus (Hewitson), 1862; *Arhopala* f [Type: BMNH-ht] [TypeL - Singapore.] [Refs - b1644; b0956; b1454]
- c **pardol** Gómez Bustillo & Fernández-Rubio, 1972; *Plebejus* OD: Archos Inst. Aclim. 17:24, f [b1992] SS: galani Agenjo, 1967; *Plebejus* (*Plebejides*) [TypeL - Aranjuez, Madrid, Spain.] [Refs - b0107]
- b **pardus** Eliot, 1961; *Miletus* OD: Bull. Raffles Mus. 26:165 [b1546] SS: gopara (de Nicéville), 1890; *Miletus* 2 [TypeL - Sumatra.] [Refs - b1546]
- c **paridion** (Dalman), 1823; *Papilio* OD: Analecta ent. :44 [b1093] SS: plutargus (Fabricius), 1793; *Caria* [Refs - b2747; b4474; b2221]
- b **parina** Fruhstorfer, [1914], 1909-1923; *Dicallaneura* OD: In Seitz, Grossschmett. Erde 9:788 [b1840] SS: decorata (Hewitson), [1862]; *Dicallaneura* [Type: BMNH-ht] [TypeL - Aroa River, New Guinea.] [Refs - b1450; b1840; b4474]
- a **parishi** H. H. Druce, 1904; *Mesosemia* OD: Proc. zool. Soc. Lond. 1904(I)(2):485, pl 33, f 10 [b1370] [TypeL - Briuh Guiana.] [Refs - b4474]
- c **parishii** (Rhé Philipe), 1911; *Cyaniris* OD: J. Bombay nat. Hist. Soc. 20(3):763 [b3736] SS: musinoides (Swinhoe), 1910; *Monodontides* (*Monodontides*) [Type: BMNH-ht] [TypeL - Shillong, India.] [Note - Not spelled *parishii*.] [Refs - b1580; b1636; b3736]
- c **parisiensis** (Gerhard), 1853, 1850-1853; *Lycæna* OD: Vers monog. europ. Schmett. :pl 32, f 4 [b1928] SS: condon (Poda von Neuhaus), 1761; *Polyommatus* (*Lysandra*) [Check - Spelling?] [Refs - b2747; b4092 (as *parisiensis*)]
- e **ab. parisiensis** (Pionneau), 1937; *Lycæna* OD: Échange 53 :3 [b3619] SS: hispana (Herrich-Schäffer), [1851]; *Polyommatus* (*Lysandra*) [TypeL - France.] [Refs - b0075]
- b **parma** Waterhouse & Lyell, 1914; *Nacaduba* OD: Butts Aust. :95 [b4947] SS: kurava (Moore), [1858]; *Nacaduba* [TypeL - Cape York.] [Refs - b4676; b1450; b0938, b0870; b4094; b4788]
- b **parmata** Stichel, 1919; *Euselasia* OD: Deut. ent. Zeit. 1919:304 [b4454] SS: psammathe Seitz, [1917]; *Euselasia* [Type: ZMHU-st] [TypeL - Puerto Cabello, Venezuela] [Refs - b4474; b3717; b0093; b4454]
- c **parnassia** (Staudinger), [1871]; *Lycæna* OD: Horac Soc. ent. ross. 7:55 [b4324] SS: semiargus (Rottemburg), 1775. *Polyommatus* (*Cyaniris*) [TypeL - Graecia.] [Refs - b2747; b2859; b4092]
- b **parnassica** (Brown), 1977; *Plebicula* OD: Ent. Gaz. 28(3):141-174 [b0545] SS: escheri (Hübner), [1823]. *Polyommatus* (*Plebicula*) [TypeL - Greece.] [Refs - b1610 (91-E9)]
- e **ab. paroeica** (Strand), 1922; *Aphnaeus* OD: Ent. Zeit. 36(1):19 [b4524] SS: syama (Horsfield), [1829]; *Spindasis* [Refs - b4198; b0236]
- b **paroemia** (Stichel), 1910; *Orimba* OD: Berl. ent. Z. 55(1/2):68 [b4445] SS: epitus (Cramer), [1780]; *Setabis* [Type: pc-ht; collection of Niepelt] [TypeL - Macas, Ecuador.] [Refs - b4445]

- a **paron** Godman & Salvin, [1887], 1879-1901; *Thecla* OD: Biol. centr.-amer., Lep. Rhop. 2:70; 3:pl 56, f 24,25 [b1975] CG: *Thecla* (New World Eumacini) [Type: BMNH] [TypeL - Cerro Zunil, Purula, Guatemala.] [Note - Allied to *tema*.] [Refs - b0908; b1975]
- c **parral** (Agenjo), 1944; *Chrysophanus* OD: Eos 20:78 [b0011] SS: *hippochoe* (Linnaeus), 1761; *Palaeochrysophanus* [TypeL - Spain.]
- a **parrhastoides** (Wallengren), 1860; *Lycaena* OD: Wien. ent. Monats. 4(2):37 [b4915] CG: *Leptotes* [Type: NRS] [TypeL - Galapagos.] [Refs - b0908; b2747; b0833; b4915]
- a **parrhadius** (Fabricius), 1793, 1792-1799; *Hesperia* OD: Ent. syst. 3(1):289 [b1657] CG: *Chilades* [TypeL - India", but probably Java.] [Type of - Binghamia] [Refs - b1636; b2280; b0938; b4094; b2747; b0995; b2479; b1610 (854-E12); b0113; b3621; b0236; b1452; b0400; b2898; b1454; b4400; b4934; b0694; b4092; b5076]
- a **parsimon** (Fabricius), 1775; *Papilio* OD: Syst. Ent. :526 [b1653] CG: *Lepidochrysops* [Type: BMNH-ht; Banks collection.] [TypeL - Sierra Leon".] [Type of - *Lepidochrysops*, *Neochrysops*] [Note - Sometimes considered as conspecific with *patricia*. Bethune-Baker states that the specimen in the Banks collection was not referred to by Fabricius, and thus it cannot be the type.] [Refs - b2280; b1943; b2747; b1452; b0836; b4400; b2753; b5076; b0359]
- c **parsonsi** Angel, 1951; *Ogyris* OD: Trans. R. Soc. S. Aust. 74(1):9, f [b0062] SS: *meridionalis* Bethune-Baker, 1905; *Ogyris* [TypeL - Australia.] [Refs - b1450; b0870; ns1430]
- a **parthaon** (Dalman), 1823; *Papilio* OD: *Analecta* ent. :46 [b1093] CG: *Calospila* [TypeL - Brasilia.] [Refs - b2988 (as *parthaon*); b2747; b4475; b1456]
- b **parthenia** (Hewitson), [1874], 1863-1878; *Thecla* OD: Ill. diurn. Lep. Lycaenidae 1:174; 2:pl 68, f 502,503 [b2326] SS: *umbratus* (Geyer), [1837]; *Radissima* [Type: BMNH-ht; designated by Johnson, 1992] [Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (22):172 [b2611]] [TypeL - Chontales, Nicaragua.] [Refs - b0908; b2753; b2406; b1975; b2631 (as *pathenia*); b0125; b2611]
- a **parthenis** (Westwood), [1851], 1846-1852; *Baeotis* OD: In Gen. diurn. Lep. (2):451, pl 71, f 1 [b4981] CG: *Hyphilaria* [TypeL - Amazon.] [Refs - b2988; b1840; b2747; b4474; b1453; b4950; b0680; b1456]
- b **parthenium** Stichel, 1924; *Nymphidium* OD: Deut. ent. Zeit. 1924:150 [b4458] SS: *caricae* (Linnaeus), 1758; *Nymphidium* [TypeL - Colombia.] [Refs - b4458; b4476; b0680]
- c **ab. particular** (Tutt), 1909, 1905-1914; *Agriades* OD: Nat. Hist. Brit. Butts 3:340 [b4760] SS: *bellargus* (Rottemburg), 1775; *Polyommatus* (*Lysandra*) [Refs - b0236; b0471]
- c **ab. partimradiata** (Oberthür), 1896; *Lysandra* OD: Étud. ent. 20:18, pl 3, f 28 [b3436] SS: *bellargus* (Rottemburg), 1775; *Polyommatus* (*Lysandra*) [Refs - b0236; b0471]
- c **ab. partita** Strand, 1912; *Liphya* OD: Arch. Naturgesch. (A)78(9):145 [b4510] SS: *castnia* Strand, 1911; *Liphya* [TypeL - Holl. Neu-Guinea.] [Refs - b4528]
- a **partunda** (Hewitson), [1877], 1863-1878; *Thecla* OD: Ill. diurn. Lep. Lycaenidae 1:206; 2:pl 82, f 685,686 [b2326] CG: *Calycopis* [Type: BMNH-ht; designated by Field, 1967] [Proc. U. S. natn. Mus. 119(3552):29 [b1737]] [TypeL - Amazon.] [Refs - b0908; b1737; b2753; b2221; b1375; b2606]
- b **parumbretta** Eliot & Kawazoé, 1983; *Neopithecops* OD: Butts Lycaenopsis group :49, f 226,250,227,251 [b1580] SS: *lucifer* (Röber), [1886]; *Neopithecops* [Type: BMNH-ht] [TypeL - Batjan.] [Refs - b1580]
- c **parva** (Murray), 1874; *Lycaena* OD: Trans. ent. Soc. Lond. 22(4):526, pl 10, f 1 [b3318] SS: *trochylus* (Freyer), 1845; *Chilades* (*Freyeria*) [TypeL - Africa mer.] [Refs - b2753; b0995; b3318; b4400; b4092]
- b **parva** (Kirby), 1887; *Liptena* OD: Ann. Mag. nat. Hist. (5)19:362 [b2763] SS: *camuta* (Hewitson), 1873; *Ptelina* [TypeL - Sierra Leone to Cameroons.] [Refs - b0836 :273, f 163.; b4400]
- c **parva** (Tutt), 1906, 1905-1914; *Chrysophanus* OD: Nat. Hist. Brit. Butts 1:430 [b4760] SS: *dispar* ((Haworth)), 1802; *Lycaena* (*Thersamolycaena*) [Refs - b0389]
- a **parva** (Moulton), [1912]; *Biduanda* OD: J. Straits Brch. R. asiat. Soc. 60:164 [b3259] CG: *Drupadia* [Type: BMNH-ht; designated by Seki & Takanami & Otsuka, 1991] [Butts Borneo 2(1):107 [b4108]] [TypeL - Sarawak, Borneo.] [Refs - b1030; b4094; b0105; b0105; b0125; b4108]
- c **parva** Bethune-Baker, 1926; *Iolaus* OD: Ann. Mag. nat. Hist. (9)17:395 [b0362] SS: *pollux* (Aurivillius), 1895; *Iolaus* (*Epamera*) [TypeL - Cameroons.] [Refs - b4400; b3772]
- c **parva** Talbot, 1928; *Caria* OD: Bull. Hill Mus. 2(3):211 [b4617] SS: *arete* (Felder & Felder), 1861; *Caria* [TypeL - Matto Grosso.] [Refs - b4474]
- a **parva** Hawker-Smith, 1933; *Teriomima* OD: *Stylops* 2:6 [b2168] [TypeL - Rabai, Mombasa, Kenya.] [Refs - b1452; b2168; b4400]
- b **parva** Tite, 1963; *Catopyrops* OD: Bull. Br. Mus. nat. Hist. (Ent.) 13(4):107 [b4676] SS: *florida* (Butler), 1877; *Catopyrops* [Type: BMNH-ht] [TypeL - Oinainisa, Timor.] [Refs - b4676; b1450]
- b **parva** Eliot, 1980; *Amblypodia* OD: Malay Nat. J. 33(3/4):148 [b1564] SS: *anita* Hewitson, 1862; *Amblypodia* [Refs - b1564]
- b **parva** Eliot & Kawazoé, 1983; *Udara* OD: Butts Lycaenopsis group :89, f 53, 270, 286 [b1580] SS: *dilectus* (Moore), 1879; *Udara* (*Udara*) [Type: BMNH-ht] [TypeL - Angabunga R., New Guinea.] [Refs - b1580]
- b **parva** Schröder & Treadaway, 1988; *Catapaecilma* OD: Ent. Zeit. 98(24):358 [b3987] SS: *evansi* Pendlebury, 1933; *Catapaecilma* [Type: pc-ht; collection of Treadaway.] [TypeL - Mt. Canlaon, Negros, Philippines.] [Refs - b3987]
- b **parva** Austin, 1993; *Calephelis* OD: J. Res. Lep. 30(3/4):243, f 9,10,11,12 [b0184] SS: *lavema* (Godman & Salvin), 1880; *Calephelis* [Type: AME-ht] [TypeL - Osa Peninsula, Puntarenas Province, Costa Rica.] [Refs - b0184]
- c **parvalaria** (Verity), 1943, (IFS); *Lycaeides* OD: *Farfalle Diurne Ital.* 2:181 [b4862] SS: *argyrognomon* (Bergsträsser), [1779]; *Plebejus* (*Lycaeides*) [Type: MZS-st] [TypeL - Italy.] [Refs - b2856; b0080; b0410]
- c **parvanderaggi** Venty, 1938, 1938-1939, (RA); *Glaucopsyche* OD: Ent. Rec. 50(Sup.):4 [b4860] SS: *alexis* (Poda von Neuhaus), 1761; *Glaucopsyche* [Type: MZS-st] [TypeL - Macedonia.] [Refs - b2856; b0076]
- c **parvaplumbea** (Verity), 1934, 1934-1936, (RA); *Lysandra* OD: Ent. Rec. 46(Sup.):28 [b4853] SS: *argester* (Bergsträsser), [1779]; *Polyommatus* (*Plebicula*) [Type: MZS-st] [Refs - b2856; b0072]
- c **parvifascia** (Rothschild), 1915; *Candalides* OD: Novit. zool. 22:393 [b3879] SS: *helena* (Snellen), 1887; *Philins* [Type: BMNH-ht] [TypeL - Vulcan Island.] [Refs - b4677; b1450]
- c **parvifulvior** (Verity & Querci), 1923, (RA); *Nemobius* OD: Ent. Rec. 35(Sup.):14 [b4867] SS: *lucina* (Linnaeus), 1758; *Hameanis* [Type: MZS-st] [TypeL - Ipswich.] [Refs - b4473; b2856; b0236; b2985]
- c **parvimacula** (Aigner-Abafi), 1907; *Lycaena* OD: *Rovart. Lap.* 14:214 [b0030] SS: *arion* (Linnaeus), 1758; *Maculinea* [TypeL - b0400 (*parvimaculata* in index); b0030]

- b *parvimaculata* Okubo, 1983; *Arhopala* OD: Tyô to Ga 33(3,4):178, f 29-32 [b3498] SS: major Staudinger, 1889; *Arhopala* b [Type: pc-ht; collection of Okubo.] [TypeL - Tioman Island, West Malaysia.] [Refs - b3498]
- c *parvinox* Kaye, 1904; *Siderus* OD: Trans. ent. Soc. Lond. 52(2):195 [b2708] SS: leucophaeus (Hübner), [1818]; *Siderus* [Type: pc; Kaye collection.] [TypeL - Botanical Gardens, Port of Spain, Trinidad.] [Type of - *Siderus*] [Refs - b0908; b2280; b1375; b2631; b1464 (good species)]
- c *parviocellata* (Murayama & Sibatani), 1943, (fv.); *Pratapa* OD: Trans. Kansai ent. Soc. 13(1):37-56, f [b3309] SS: cakravasti (Fruhstorfer), 1909; *Ancema* [TypeL - Formosa.] [Refs - b4198]
- e *ab. parvipuncta* Fuchs, 1880; *Celastrina* OD: Stett. ent. Ztg 41(1-3):116 [b1892] SS: argiolus (Linnaeus), 1758; *Celastrina* [TypeL - Lemberg.] [Refs - b4474; b0995; b0400; b4092; b4092; b0471]
- e *ab. parvipuncta* Strand, 1902; *Lycaena* OD: Nyt Mag. naturvid. 40:162 or 163 [b4491] SS: phlacas (Linnaeus), 1761; *Lycaena* (*Lycaena*) [Refs - b0236; b0389; b0471]
- e *ab. parvipuncta* (Courvoisier), 1903; *Lycaena* OD: Mitt. schweiz. ent. Ges. 11(1):24 [b0981] SS: coridon (Poda von Neuhaus), 1761; *Polyommatus* (*Lysandra*) [Refs - b0471]
- e *ab. parvipuncta* (Courvoisier), 1903; *Lycaena* OD: Mitt. schweiz. ent. Ges. 11(1):24 [b0981] SS: argus (Linnaeus), 1758; *Plebejus* [Refs - b0471]
- e *ab. parvipuncta* (Courvoisier), 1903; *Lycaena* OD: Mitt. schweiz. ent. Ges. 11(1):20 [b0981] SS: icarus (Rottemburg), 1775; *Polyommatus* [Refs - b0471]
- e *ab. parvipuncta* (Aigner-Abafi), 1906; *Lycaena* OD: Ent. Zeit. 19(35):209 [b0028] SS: bellargus (Rottemburg), 1775; *Polyommatus* (*Lysandra*) [Refs - b4092; b3059; b0028]
- e *parvipuncta* (Courvoisier), 1907; *Lycaena* OD: Z. wiss. InsektBiol. 3:74 [b0982] SS: teleius (Bergsträsser), [1779]; *Maculinea* [Refs - b0400]
- e *parvipuncta* Tutt, 1908, 1905-1914; *Everes* OD: Nat. Hist. Brit. Butts 3:59 [b4760] SS: argiades (Pallas), 1771; *Everes* [Refs - b0400]
- e *ab. parvipuncta* (Tutt), 1909, 1905-1914; *Plebeius* OD: Nat. Hist. Brit. Butts 3:177 [b4760] SS: argus (Linnaeus), 1758; *Plebejus* [Refs - b0236; b0471]
- e *parvipuncta* Tutt, 1909, 1905-1914; *Cupido* OD: Nat. Hist. Brit. Butts 3:108 [b4760] SS: minimus (Esper), [1777]; *Cupido* [Refs - b0400]
- e *ab. parvipuncta* (Tutt), 1909, 1905-1914; *Agniades* OD: Nat. Hist. Brit. Butts 3:337 [b4760] SS: bellargus (Rottemburg), 1775; *Polyommatus* (*Lysandra*) [Refs - b0236]
- c *parvipuncta* (Rothschild), 1916; *Cyaniris* OD: Rep. B. O. U. Exped. New Guinea 2(15):27 [b3880] SS: drucei (Bethune-Baker), 1906; *Udara* (*Udara*) [Type: BMNH-ht] [TypeL - New Guinea.] [Refs - b1450; b1840; b1580; b3880]
- b *parvipuncta* Lathy, 1926; *Thecla* OD: Ann. Mag. nat. Hist. (9)17:44 [b2918] SS: phoster H. H. Druce, 1907; *Thecla* (New World Eumacini) [Type: MNHN-ht; designated by Johnson, 1991] [J. Lep. Soc. 45(2):148 [b2605]] [TypeL - Rio Tono, Peru.] [Refs - b0908; b0064; b2591; b2918; b2592]
- e *parvipuncta* Osthelder, 1926; *Maculinea* OD: Mitt. münchn. ent. Ges. 15(Sup.):158 [b3525] SS: nausithous (Bergsträsser), [1779]; *Maculinea* [Refs - b0400]
- e ♀ *f. parvipuncta* Hannemann, 1928; *Helleia* OD: Int. ent. Z. 22(22):210 [b2132] SS: helle (Denis & Schiffmüller), 1775; *Helleia* A [Refs - b0236; b0389]
- b *parvipuncta* Lathy, 1932; *Napaea* OD: Ann. Mag. nat. Hist. (10)9:65 [b2922] SS: eucharila (Bates), 1867; *Napaea* [Type: BMNH-st] [TypeL - Cuyaba, Matto Grosso, Brazil.] [Refs - b2922; b1456 (as *parvipunctata*)]
- e *ab. parvipuncta* (Obraztsov), 1935; *Lycaena* OD: Folia zool. hydrobiol. 8:146 [b3467] SS: inhonora (Jachontov), 1909; *Plebejus* (*Aricia*) [Refs - b0073]
- e *ab. parvipuncta* (Lempke), 1936; *Heodes* OD: Tijdschr. Ent. 79:292 or 296 [b2975] SS: hippothoe (Linnaeus), 1761; *Palaeochrysophanus* [TypeL - Holland.] [Refs - b1503; b0389]
- e *ab. parvipuncta* (Stetter-Stütemayer), 1937; *Lycaena* OD: Ent. Rundsch. 54:532 [b4432] SS: allardi (Oberthür), 1874; *Plebejus* (*Plebejides*) [Refs - b0075]
- e *parvipuncta* (Blom), 1947; *Polyommatus* OD: Tijdschr. Ent. 88:333 [b0452] SS: optulete (Knoch), 1781; *Plebejus* (*Vacciniina*) [TypeL - Holland.] [Refs - b0082; b0452]
- e *parvipunctata* d'Abrebra, 1994, (ISS); *Napaea* OD: Butts Neotropical Region, Pt 4:934 SS: *parvipuncta* Lathy, 1932; *Napaea* [Refs - b1456]
- c *parvula* de Sagarra y Castellamau, 1926; *Scolitantides* OD: Bull. Inst. catal. Hist. nat. (2)5:272 [b1178] SS: orion (Pallas), 1771; *Scolitantides* [TypeL - Spain.] [Refs - b3059; b0236; b0471]
- c *parvula* (Corbet), 1938; *Celastrina* OD: Trans. R. ent. Soc. Lond. 87(5):161, pl 1, f 17, f 14 [b0939] SS: tanarata (Corbet), 1937; *Udara* (*Selmanix*) [Type: BMNH-ht] [TypeL - Malaya.] [Refs - b0964; b0965; b1580]
- b *parvula* Schröder & Treadaway, 1989; *Eliotia* OD: Ent. Zeit. 99(24):363, f [b3990] SS: plateni (Semper), 1887; *Eliotia* [Type: pc-ht; collection of Treadaway.] [TypeL - Boloboc, Sanga Sanga Island, Tawitawi Group, Philippines] [Refs - b3990]
- b *parvulus* Sands, 1986; *Hypochrysops* OD: Entomograph 7:61, f 44, 109-112 [b3926] SS: miskini (Waterhouse), 1903; *Hypochrysops* [Type: ANIC-ht] [TypeL - Tapini, Central District, Papua New Guinea.] [Refs - b3926]
- b *parvus* (Bums), 1951; *Ialmenus* OD: Mem. natn Mus. Vict. 17:98 [b0576] SS: icilius (Hewitson), [1865]; *Ialmenus* [TypeL - W. Australia.] [Refs - b1450]
- b *parvus* (Kurentzov), 1970; *Chrysophanus* OD: Butts Far East USSR :128 [b2864] SS: dispar (Haworth), 1802; *Lycaena* (*Thersamolycaena*) [Note - This is not the original description.] [Refs - b2866]
- a *pasco* Bálint & Lamas, 1994; *Itylos* OD: Acta zool. hung. 40(3):232, f 1,2,7 [b0217] [Type: MUSM-ht] [TypeL - Km 300 carretera Lima-Huánuco, Department Pasco, Peru.] [Refs - b0217]
- b *pasuali* (Agenjo), 1972; *Plebejus* OD: Graellsia 26:28 [b0023] SS: nivescens (Keferstein), 1851; *Polyommatus* (*Plebicula*) [TypeL - Monachil, Granada Province, Spain.]
- a *paseo* Lucas, 1857; *Thecla* OD: In Sagra, Hist. Cuba 7:609 [b3021] CG: *Thecla* (New World Eumacini) [TypeL - Havana, Cuba.] [Refs - b0908; b2747]
- a *pasicles* Hewitson, [1873], 1852-1877; *Pachythone* OD: Ill. exot. Butts 5:[---], pl [37], f 6,7 [b2323] [Type: BMNH-ht] [TypeL - Espiritu Santo, Brazil.] [Refs - b2753; b4475; b1456]
- a *pasiphae* (Cramer), [1775], 1775-1790; *Papilio* OD: Util. Kapellen 1(7):127, pl 80, f E. [b1069] CG: *Pandemos* [TypeL - America mer.] [Type of - *Agnostogyna*] [Refs - b2280; b2988; b2747; b4475; b2753; b2753; b1456]
- a *pasira* (Moulton), [1912]; *Pontia* OD: J. Straits Brch. R. asiat. Soc. 60:122, f 2 [b3259] CG: *Simiskina* [Type: BMNH-ht] [TypeL - Sarawak, Borneo.] [Refs - b0964; b1636; b0965; b3610; b1454; b0694; b0950; b4108]
- b *paska* Eliot, 1955; *Nacaduba* OD: Proc. R. ent. Soc. Lond. (B)24:156 [b1541] SS: subperusia (Snellen), 1896; *Nacaduba* [Type: BMNH-ht] [TypeL - Sula Islands.] [Refs - b4676; b1454]

- c *pasquila* (Sharp), [1918], (ISS); *Hamearis* OD: *Zool. Rec.* 53(1916)(Ins.):169 [b4146] SS: *pasquita* (Stichel), 1916; *Audre* [Refs - b4146]
- a *pasquita* (Stichel), 1916; *Hamearis* OD: *Deut. ent. Zeit.* 1916:22 [b4452] CG: *Audre* [TypeL - *Matto Grosso*.] [Refs - b4452; b4475; b2221; b1456]
- b *passercula* Stichel, 1915; *Eurybia* OD: *Deut. ent. Zeit.* 1915:691, pl 23, f 4,5 [b4451] SS: *halimede* (Hübner), [1807]; *Eurybia* [Type: BMNH-st] [TypeL - *Chapada, Matto Grosso, Brazil.*] [Refs - b4451; b4474; b4451]
- a *passiena* (Hewitson), [1870], 1852-1877; *Lymnas* OD: *Ill. exot. Buts* 4:[-], pl [50], f 14 [b2323] CG: *Melanis* [TypeL - *Colombia; Bolivia.*] [Refs - b2988; b2747; b4474; b1456]
- a *pasteon* H. H. Druce, 1910; *Diopetes* OD: *Proc. zool. Soc. Lond.* 1910(1):370, pl 34, f 14 [b1378] [TypeL - *W. Africa.*] [Refs - b0113; b1452; b4400]
- b *pasteuri* Eliot, 1978; *Deramas* OD: *Buts Malay Penin.* (3rd ed.) :419 [b1563] SS: *molens* Eliot, 1964; *Deramas* [Type: BMNH-ht] [TypeL - *Genting Highlands, West Malaysia.*] [Refs - b1563; b1454; b4108]
- c *pastor* (Butler & H. Druce), 1872; *Strymon* OD: *Cistula Entomologica* 1(5):105 [b0662] SS: *longula* (Hewitson), 1868; *Cyanophrys* [Type: BMNH-ht] [TypeL - *Cartago, Costa Rica.*] [Refs - b1321 :56; b2988; b0908; b2753; b2406; x3192; b2585]
- c *pastorella* Doherty, 1889; *Arhopala* OD: *J. asiat. Soc. Bengal, Pt II* 58(4):418, pl 23, f 12 [b1301] SS: *moalaiana* (Moore), [1879]; *Arhopala* b [Type: BMNH-ht] [TypeL - *Tavoy.*] [Refs - b1644]
- b *patago* (Mabille), 1889; *Lycaena* OD: *Nouv. Archs Mus. Hist. nat.* (3)1:143, pl 10, f 1,2 [b3046] SS: *lymessa* (Hewitson), 1874; *Pseudolucia* [Type: MNHN] [TypeL - *Punta arenas, Patagonia.*] [Note - *Bálint could not find the type in MNHN.*] [Refs - b0908; b3846; b0207]
- a *patagonaevaga* Johnson, 1990; *Penaincisalia* OD: *Pan-Pac. Ent.* 66(2):117, f [b2603] [Type: AMNH-ht] [TypeL - *40 km N Rio Mayo, Chubut Prov., Argentina.*] [Refs - b0124; b2611]
- a *patagonia* Johnson, 1989; *Chlorostrymon* OD: *J. Lep. Soc.* 43(2):139, f 3A, 3B, 5H, 6N [b2598] [Type: MNHN-ht] [TypeL - *Nahuel Huapi, Mendoza Province, Argentina.*] [Refs - b2598]
- a *patagoniensis* Johnson & Miller & Herrera, 1992; *Eiseliana* OD: *Acta ent. Chilena* 17:113, f [b2638] [Type: AMNH-ht] [TypeL - *Zapala, Neuquén Prov., Argentina.*] [Refs - b0126; b2638]
- c *patala* (Kollar), [1844]; *Lycaena* OD: In *Hügel, Kaschmir* 4(2):419 [b2821] SS: *cnejus* (Fabricius), 1798; *Euchrysops* [TypeL - *Kashmir.*] [Refs - b0995; b4094; b2479; b0625; b0626; b2747; b4092; b4108]
- c *patana* (Kirby), [1885], (ISS); *Satadra* OD: *Zool. Rec.* 21(1884)(Ins.):192 [b2762] SS: *patuna* (Moore), 1884; *Flos* [Refs - b2762]
- a *patella* Stichel, 1926; *Euselasia* OD: *Deut. ent. Zeit.* 1926:395 [b4465] [TypeL - *Panama.*] [Refs - b4474]
- c *patersonia* (Brehme), 1907; *Thecla* OD: *Ent. News* 18(3):82 [b0481] SS: *gryneus* (Hübner), [1819]; *Mitoura* [Type: USNM-ht] [TypeL - *Garret Rock, Paterson, New Jersey.*] [Note - *Not spelled patersoniana.*] [Refs - b0908; b3192 (as *patersoniana*); b1321]
- c *patersoniana* Miller & Brown, 1981, (ISS); *Mitoura* OD: *Mem. Lep. Soc.* (2):107 [b3192] SS: *patersonia* (Brehme), 1907; *Mitoura* [Refs - b3192; b1722]
- c *pathenia* (Johnson & MacPherson & Ingraham), 1986, (ISS); *Thecla* OD: *Bull. Allyn Mus.* (102):6 [b2631] SS: *parthenia* (Hewitson), [1874]; *Radissima* [Refs - b2631]
- a *patriarcha* Bálint, 1992; *Plebejus* OD: *Atalanta* (Münnerstadt) 23(1/2):134, f [b0204] CG: *Plebejus* (*Plebejides*) [Type: BMNH-ht] [TypeL - *Tajikistan.*] [Refs - b0126]
- a *patricia* (Trimen), 1887, 1887-1889; *Lycaena* OD: In *Trimen & Bowker, S. Afr. Buts* 2:20 [b4725] CG: *Lepidochrysops* [Type: BMNH-st] [TypeL - *S. Africa.*] [Refs - b1259; b1452; b0836; b4400; b3312; b0804; b0359]
- a *patrius* (Leech), 1891; *Thecla* OD: *Entomologist* 24(Suppl.):58 [b2965] CG: *Satyrnum* [TypeL - *Western China.*] [Refs - b0996; b2479; b4092; b1455]
- b *patrocles* (Hemming), 1931; *Scolitantides* OD: *Ann. Mag. nat. Hist.* (10)8:579 [b2242] SS: *lanty* (Oberthür), 1886; *Shijimia* [Type: BMNH-ht] [TypeL - *Amdo, China.*] [Refs - b2242]
- a *patrona* Weymer, 1874; *Eurybia* OD: *Stett. ent. Zig* 36:368, pl 1, f 2 [b4986] [TypeL - *New Granada.*] [Refs - b2988; b2753; b4474; b2406; b2497; b1456]
- c *patruelis* Stichel, 1915; *Mesosemia* OD: *Deut. ent. Zeit.* 1915:675, pl 21, f 18 [b4451] SS: *philocles* (Linnaeus), 1758; *Mesosemia* [Type: BMNH-ht] [TypeL - *Tapajoz, Brazil.*] [Refs - b4451; b4474]
- c *patuna* (Moore), 1884; *Satadra* OD: *J. asiat. Soc. Bengal, Pt II* 53(1):40 [b3236] SS: *areste* (Hewitson), 1862; *Flos* [Type: BMNH-ht] [TypeL - *Nepal.*] [Refs - b1644; b1153; b4094]
- a *patungkoanui* Murayama, 1956; *Japonica* OD: *Tyô to Ga* 7(2):12-13, f 4,7,8 [b3282] [TypeL - *Sankakuho, Taichu Pref., Formosa.*] [Refs - b4198; b5053; b3282; b3907]
- e *pau* (Kirby), [1870], (ISS); *Thecla* OD: *Zool. Rec.* 6(1869)(Ins.):371 [b2746] SS: *pan* (Drury), [1773]; *Electrostrymon* [Refs - b0908]
- e *ab. paucimaculata* Oberthür, 1914; *Cigaritis* OD: *Étud. Léop. comp.* 10:369 [b3454] SS: *siphax* Lucas, 1849; *Ciganus* [Refs - b0236; b0471]
- e *ab. paucimaculata* Vorbrodt, 1917; *Lycaena* OD: *Schm. Schweiz* 2 (or 3), (Nachtrag) :13 [b4886] SS: *phlaeas* (Linnaeus), 1761; *Lycaena* (*Lycaena*) [Refs - b0236; b0389]
- e *ab. paucimaculosa* (Kuwayama), 1926; *Lycaena* OD: *Entomologist* 59:180, f [b2868] SS: *lycomas* (Butler), 1866; *Glaucopsyche* [TypeL - *Japan.*] [Refs - b0471; b0064]
- e *ab. paucimaculosus* (Kuwayama), 1926; *Lycaena* OD: *Entomologist* 59:180, f 1,4 [b2868] SS: *lycomas* (Butler), 1866; *Glaucopsyche* [Type: pc-ht; *collectum of Kuwayama.*] [TypeL - *Yamahana, Near Sapporo, Hokkaido, Japan.*] [Refs - b2868; b0236; b2866]
- e *ab. paucipuncta* (Courvoisier), 1903; *Chrysophanus* OD: *Mitt. schweiz. ent. Ges.* 11:24 [b0981] SS: *hippochus* (Linnaeus), 1761; *Palaeochrysophanus* [Refs - b0236; b0389 (ent. *Zem.* 1911:249, Ins. 1912:63)]
- e *paucipuncta* (Courvoisier), 1903; *Lycaena* OD: *Mitt. schweiz. ent. Ges.* 11(1):25 [b0981] SS: *minimus* (Füssly), 1774; *Cupido* [Refs - b0995; b0236; b0400; b0471]
- e *ab. paucipuncta* (Courvoisier), 1903; *Lycaena* OD: *Mitt. schweiz. ent. Ges.* 11(1):19 [b0981] SS: *bellargus* (Rotenburg), 1775; *Polyommatus* (*Lysandra*) [Refs - b0471]
- e *ab. paucipuncta* (Courvoisier), 1907; *Chrysophanus* OD: *Z. wiss. InsektBiol.* 3:75 [b0982] SS: *tityrus* (Poda von Neuhaus), 1761; *Lycaena* (*Heodes*) [Refs - b0236; b0389 (Ins. 26:63 (1912)); b0471]
- e *ab. paucipuncta* (Courvoisier), 1907; *Lycaena* OD: *Z. wiss. InsektBiol.* 3:74 [b0982] SS: *conidon* (Poda von Neuhaus), 1761; *Polyommatus* (*Lysandra*) [Refs - b0236; b0471]
- e *ab. paucipuncta* (Courvoisier), 1907; *Lycaena* OD: *Z. wiss. InsektBiol.* 3:34 [b0982] SS: *decolorata* Staudinger, 1886; *Everes* [Refs - b0236; b0400; b0471]

- e *paucipuncta* (Courvoisier), 1907; *Lycaena* OD: Z. wiss. Insektbiol. 3:74 [b0982] SS: alexis (Poda von Neuhaus), 1761; *Glaucopsyche* [Refs - b0993; b0400; b0236; b0471]
- e *ab. paucipuncta* (Gillmer), 1909, 1907-1909; *Lycaena* OD: Int. ent. Z. 2(50):313 [b1959] SS: semiargus (Rottemburg), 1775; *Polyommatus* (*Cyaniris*) [Refs - b0471]
- e *paucipuncta* (Courvoisier), 1910, 1910-1911; *Lycaena* OD: Ent. Zeit. 24:206 [b0985] SS: argiolus (Linnaeus), 1758; *Celastrina* [Refs - b0995; b0400]
- e *ab. paucipuncta* (Courvoisier), 1910, 1910-1911; *Lycaena* OD: Ent. Zeit. 24:82 [b0985] SS: argus (Linnaeus), 1758; *Plebejus* [Refs - b0471]
- e *paucipuncta* (Courvoisier), 1910, 1910-1911; *Lycaena* OD: Ent. Zeit. 24:203 [b0985] SS: arion (Linnaeus), 1758; *Maculinea* [Refs - b0400; b0471 (as *paucipunctae*)]
- e *ab. paucipuncta* (Courvoisier), 1910, 1910-1911; *Lycaena* OD: Ent. Zeit. 24:82 [b0985] SS: argyrognomon (Bergsträsser), [1779]; *Plebejus* (*Lycacides*) [Refs - b0236; b0471]
- e *ab. paucipuncta* (Courvoisier), 1910, 1910-1911; *Lycaena* OD: Ent. Zeit. 24:197 [b0985] SS: semiargus (Rottemburg), 1775; *Polyommatus* (*Cyaniris*) [Refs - b0236; b0471]
- e *ab. paucipuncta* (Courvoisier), 1911, 1910-1911; *Chrysophanus* OD: Ent. Zeit. 24:236 [b0985] SS: virgaureae (Linnaeus), 1758; *Lycaena* (*Heodes*) [Refs - b0236; b0389; b0471]
- e *ab. paucipuncta* (Courvoisier), 1911, 1910-1911; *Chrysophanus* OD: Ent. Zeit. 24:249 [b0985] SS: hippothoe (Linnaeus), 1761; *Palaeochrysophanus* [Refs - b0389; b0471 (as Z. wiss. Insektbiol., 3:75)]
- e *ab. paucipuncta* (Courvoisier), 1911, 1910-1911; *Chrysophanus* OD: Ent. Zeit. 24:255 [b0985] SS: alciphron (Rottemburg), 1775; *Lycaena* (*Alciphronia*) [Refs - b0471; b0985]
- e *ab. paucipuncta* Courvoisier, 1912; *Apelles* OD: Deut. ent. Zeit. [Inis] 26:63 [b0987] SS: melanops (Boisduval), [1828]; *Apelles* [Refs - b0236; b0471]
- e *paucipuncta* (Courvoisier), 1912; *Lycaena* OD: Deut. ent. Zeit. [Inis] 26:63 [b0987] SS: teleius (Bergsträsser), [1779]; *Maculinea* [Refs - b0400]
- e *ab. paucipuncta* (Courvoisier), 1912; *Chrysophanus* OD: Deut. ent. Zeit. [Inis] 26:63 [b0987] SS: alciphron (Rottemburg), 1775; *Lycaena* (*Alciphronia*) [Refs - b0389]
- e *f. paucipuncta* (Courvoisier), 1912; *Chrysophanus* OD: Deut. ent. Zeit. [Inis] 26:63 [b0987] SS: splendens (Staudinger), 1881; *Lycaena* (*Thersamolycaena*) [Refs - b0236]
- e *paucipuncta* (Courvoisier), 1912; *Lycaena* OD: Deut. ent. Zeit. [Inis] 26:63 [b0987] SS: nausithous (Bergsträsser), [1779]; *Maculinea* [Refs - b0400]
- e *ab. paucipuncta* (Courvoisier), 1912; *Chrysophanus* OD: Deut. ent. Zeit. [Inis] 26:53 or 63 [b0987] SS: dispar ([Haworth]), 1802; *Lycaena* (*Thersamolycaena*) [Refs - b0236; b0389]
- e *ab. paucipuncta* (Vorbrod), 1912; *Lycaena* OD: Schmett. Schweiz 1:150 [b4885] SS: damon ([Denis & Schiffemüller]), 1775; *Polyommatus* (*Agrodiaetus*) [Refs - b0236]
- e *ab. paucipuncta* Le Charles, 1927; *Polyommatus* OD: Amat. Papil. 3:191, pl 8, f 6 [b2941] SS: dolus (Hübner), [1823]; *Polyommatus* (*Agrodiaetus*) [Refs - b0236; b0471]
- e *ab. paucipuncta* (Pionneau), 1928; *Lycaena* OD: Misc. Ent. 31(5):51 [b3616] SS: thersites (Cantener), 1834; *Polyommatus* (*Plebicula*) [Refs - b0236; b0067; b0471]
- a *paucipuncta* Spitz, 1930; *Apodemia* OD: Ent. Rundsch. 47:39, f [b4292] [Type: MP-lt; designated by Lamas, 1973] [Papéis avulsos Dept. Zool., São Paulo 26(13:181 [b2878]) [TypeL - Brazil.] [Note - Also described in *Revta Mus. Paul.*, 17:459.] [Check - Spelling.] [Refs - b3179; b0104 (as *paucipunctata*); b1456]
- e *ab. paucipuncta* (Obratzov), 1935; *Lycaena* OD: Folia zool. hydrobiol. 8:144 [b3467] SS: allous (Geyer), [1836]; *Plebejus* (*Aricia*) [Refs - b0073; b3467]
- e *f. paucipuncta* (Lempke), 1942; *Lycaena* OD: Natuurh. Maandbl. 31:107 [b2979] SS:alcon ([Denis & Schiffemüller]), 1775; *Maculinea* [TypeL - Holland.] [Refs - b0080; b0400; b2979]
- e *f. paucipuncta* Berger, 1946; *Maculinea* OD: Lambillionea 46:106 [b0305] SS: xerophila Berger, 1946; *Maculinea* [TypeL - Belgium.] [Refs - b0080]
- e *paucipuncta* Stempffer, 1967, (ISS); *Pentila* OD: Bull. Br. Mus. nat. Hist. (Ent.) Suppl. 10:19 [b4400] SS: *paucipunctata* (Kirby), 1890; *Pentila* [Refs - b4400]
- e *ab. paucipunctaalbosagittata* (Caruel), 1939; *Lysandra* OD: Lambillionea 39:142, pl 8, f 12 [b0723] SS: bellargus (Rottemburg), 1775; *Polyommatus* (*Lysandra*) [TypeL - France.] [Refs - b0077; b0723]
- c *paucipunctata* (Kirby), 1890; *Pseudoeresia* OD: Ann. Mag. nat. Hist. (6):263 [b2766] SS: preussi Staudinger, [1888]; *Pentila* [TypeL - Cameroons.] [Note - Not spelled *paucipuncta*.] [Refs - b2766; b4400 (as *paucipuncta*)]
- e *paucipunctata* Anonymous, 1977, (ISS); *Apodemia* OD: Zool. Rec. 110(1973)(Ins. D-Lep.):168 [b0104] SS: *paucipuncta* Spitz, 1930; *Apodemia* [Refs - b0104]
- e *ab. paula* (Schultz), 1906; *Lycaena* OD: Ent. Zeit. 19(36):214-215 [b4005] SS: euphemus (Hübner), [1800]; *Maculinea* [Refs - b0400; b4092]
- c *paulae* Pfeiffer, 1932; *Callophrys* OD: In Mit. münchn. ent. Ges. 22(1):30 [b3590] SS: rubi (Linnaeus), 1758; *Callophrys* [Type: ZSBS?] [TypeL - Ahir Daği, N. Maras, S-Turkey.] [Refs - b0109; b2794; b2585; b2788 (with *suaveola*)]
- e *paulanensis* Seitz, [1924], 1912-1927, (ISS); *Jamides* OD: In Seitz, Grossschmett. Erde 9:902 [b4094] SS: *palaucensis* (Fruhstorfer), 1915; *Jamides* [Refs - b4094]
- e *paularadiata* Fernandez Vidal, 1984; *Lycaena* OD: Revta Lep. 12(3):251 [b1702] SS: tityrus (Poda von Neuhaus), 1761; *Lycaena* (*Heodes*) [Refs - b0117]
- a *pauli* Staudinger, [1888], 1884-1888; *Pentila* OD: In Ent. Schmett. 1:267 [b4329] [TypeL - W. Afrca.] [Refs - b1452; b0836; b4420; b4400]
- a *pauliani* Stempffer, 1950; *Eicochrysops* OD: Naturaliste Malgache 2:131, f [b4379] [TypeL - Madagascar.] [Refs - b1452; b4400]
- c *paulina* Draudt, [1920], 1917-1924; *Thecla* OD: In Seitz, Grossschmett. Erde 5:781 [b1348] SS: *acameda* Hewitson, [1867]; *Thecla* (New World Eumacini) [Refs - b0908]
- b *paulina* Riley, 1932; *Neocheritra* OD: J. nat. Hist. Soc. Siam Suppl. 8:252, f [b3774] SS: *amrita* (Felder & Felder), 1860; *Neocheritra* [Type: BMNH-ht] [TypeL - Siam.]
- b *paulistina* (Süchel), 1910; *Nymula* OD: Berl. ent. Z. 55(1/2):66 [b4445] SS: *phillone* (Godart), [1824]; *Synargis* [TypeL - Sao Paulo, Brazil.] [Refs - b2221; b4475; b4445]
- e *f. paula* Süchel, 1926, (IFS); *Eurybia* OD: Deut. ent. Zeit. 1926:91 [b4464] SS: *nicaeus* (Fabricius), 1775; *Eurybia* [TypeL - Amazonas.] [Note - Not spelled *paula*.] [Refs - b4474; b1140 (as *paula*)]
- b *paullus* Fruhstorfer, [1912]; *Horaga* OD: Berl. ent. Z. 56(3/4):232 [b1850] SS: *syrix* (C. Felder), 1860; *Horaga* [Type: BMNH-ht] [TypeL - Bazilan Island.] [Refs - b1012; b2078; b4094; b2201; b1454; b1850]

- c *paulus* Staudinger, [1887], 1884-1888; Monethe OD: In Exot. Schmetz. 2:pl 89 [b4329] SS: albertus Felder & Felder, 1862; Monethe [Refs - b4474]
- e *ab. pauper* Tutt, 1908, 1905-1914; *Celastrina* OD: Nat. Hist. Brit. Butts 2:394 [b4760] SS: argiolus (Linnaeus), 1758; *Celastrina* [Refs - b0236; b0400; b0471]
- e *pauper* Verity, 1919, 1919-1922, (RA); *Glaucopsyche* OD: Ent. Rec. 31:29 [b4840] SS: alexis (Poda von Neuhaus), 1761; *Glaucopsyche* [Refs - b2856; b0236; b0400 (as good ssp); b0471]
- e *ab. pauper* Bytinski-Salz, 1937; *Chilades* OD: Ent. Rec. 49(Sup.):2 [b0663] SS: trochylus (Freyer), 1845; *Chilades* (Freyeria) [TypeL - Iran.]
- a *pauper* Sugiyama, 1994; *Shaanxiana* OD: Pallarge (3):11, f 29-30 [b4542] [Type: pc-ht; collection of Sugiyama.] [TypeL - N.-Mt. Signian, Sichuan, China.] [Refs - b4542]
- a *paupera* (Felder & Felder), 1865, 1865-1875; *Pseudolycaena* OD: Reise Novara (2):246, pl 31, f 15 [b1692] CG: *Thecla* (New World Eumacini) [TypeL - Bogotá, New Granada.] [Refs - b0908; b2747; b1375; b3805; b2918]
- e *ab. paupera* (Tutt), 1908, 1905-1914; *Strymon* OD: Nat. Hist. Brit. Butts 2:197 [b4760] SS: pruni (Linnaeus), 1758; *Fixsenia* [Refs - b4092; b0471]
- e *f. paupera* Stempffer, 1954, (IFS); *Aphnaeus* OD: Trans. R. ent. Soc. Lond. 105(21):498, pls 1,2, f 11,12 [b4387] SS: orcas (Drury), 1782; *Aphnaeus* [TypeL - Belgian Congo.] [Refs - b4387; b4400]
- b *paupercula* (de Sagarra y Castellamau), 1924; *Loweia*: OD: *Buttl. Inst. catal. Hist. nat.* (2):4:201 [b1176] SS: alciiphron (Rottemburg), 1775; *Lycaena* (*Alciiphronia*) [TypeL - Spain.] [Refs - b3059; b0236; b0471]
- a *paupercula* Zikán, 1952; *Napaea* OD: *Dusenia* 3:28 [b5074] [TypeL - Brazil.]
- c *pauperella* de Sagarra y Castellamau, 1926; *Glaucopsyche* OD: *Buttl. Inst. catal. Hist. nat.* (2):6:138 [b1179] SS: alexis (Poda von Neuhaus), 1761; *Glaucopsyche* [TypeL - Spain.] [Refs - b3059; b0400]
- e *ab. pauperlata* Tutt, 1908, 1905-1914; *Celastrina* OD: Nat. Hist. Brit. Butts 2:394 [b4760] SS: argiolus (Linnaeus), 1758; *Celastrina* [Refs - b0236; b0400; b0471]
- e *ab. paupersuffusa* Tutt, 1908, 1905-1914; *Celastrina* OD: Nat. Hist. Brit. Butts 2:394 [b4760] SS: argiolus (Linnaeus), 1758; *Celastrina* [Refs - b0236; b0400; b0471]
- e *ab. pauperula* (Strand), 1909; *Lycaenesthes* OD: Ent. Zeit. 23(27):126 [b4495] SS: ukerewensis (Strand), 1909; *Anthene* [Refs - b4495]
- c *pausias* (Felder & Felder), 1865, 1865-1875; *Erycina* OD: Reise Novara (2):290, pl 36, f 7,8 [b1692] SS: ocollo (Saunders), [1859]; *Ancylyrus* [Type: BMNH-ht] [TypeL - New Granada.] [Refs - b2747; b4474; b1456]
- b *pauzilla* (Stichel), 1910; *Echenais* OD: Gen. Insectorum 112(A):335 [b4446] SS: huebneri (Buder), [1867]; *Adelotypa* [Type: ZMHU-st] [TypeL - Peru; Amazonas, Brazil.] [Refs - b4475; b1456; b4446]
- a *pavana* (Horsfield), [1828], 1828-1829; *Lycaena* OD: Descr. Cat. lepid. Ins. (1):77 [b2457] CG: *Nacaduba* [Type: BMNH-ht] [TypeL - Java.] [Refs - b4676; b0964; b1636; b1153; b0965; b2747; b4094; b0995; b4823; b1638; b1454; b2385; b3055; b0694; b4092; b2387; b2388]
- d *pavana* (Kollar), [1844], (H); *Polyommatus* OD: In Hügél, Kaschmir 4(2):416, pl 5, f 5,6 [b2821] OS: *panava* (Westwood), [1852]; *Lycaena* (*Thersamolycaena*) [TypeL - Western Himalayas.] [Refs - b1636; b1153; b0996; b4094; b4220; b2479; ns4181; b4823; b1638; b0694; b4092]
- e *pavifulvior* (Riley & Tams), 1925, (ISS); *Nemeobius* OD: Zool. Rec. 60(1923)(Ins.):225 [b3795] SS: *lycina* (Linnaeus), 1758; *Hamearis* [Refs - b3795]
- c *pavlovi* (Kurentzov), 1970; *Lycaena* OD: Butts Far East USSR :140 [b2864] SS: altaianus Tutt, 1909; *Polyommatus* (*Cyaniris*) [Refs - b0108; b2866]
- a *pavo* (de Nicéville), 1887; *Zephyrus* OD: Proc. zool. Soc. Lond. 1887(3):460, pl 40, f 11 [b1150] CG: *Euaspia* [TypeL - India.] [Refs - b1636; b1153; b4094; b0236; b4214; b4200; b3296; b1454; b0694]
- a *pavonica* de Nicéville, 1895; *Simiskina* OD: J. Bombay nat. Hist. Soc. 10(1):28, pl S, f 18 [b1160] [TypeL - Sumatra.] [Refs - b0965; b4094; b1850; b1454; b0950]
- a *peanus* (Zhdanko), 1990; *Thersamonia* OD: Ent. Obozr. 69(1):143, f 12,13 [b5066] CG: *Lycaena* (*Thersamonia*) [TypeL - Iran.] [Refs - b0124; b3991]
- a *pearmani* Stempffer, 1974; *Liptena* OD: In Bull. Br. Mus. nat. Hist. (Ent.) 30:148, f [b4413] [TypeL - Ubijaja, Benin Province, Nigeria.] [Refs - b0105; b1452]
- a *peculiaris* (Rogenhöfer), 1891; *Chrysophanus* OD: In Baumann, Usambara :131 [b3845] CG: *Lepidochrysois* [TypeL - Usambara, W. Africa.] [Refs - b1943; b1259; b1452; b4400; b0359]
- a *peculiaris* H. H. Druce, 1904; *Siseme* OD: Proc. zool. Soc. Lond. 1904(I)(2):486, pl 34, f 9 [b1370] [TypeL - Peru.] [Refs - b2988; b4475; b1456]
- a *peculiaris* Lathy, 1930; *Thecla* OD: Trans. ent. Soc. Lond. 78(1):136, pl 9, f 14 [b2921] CG: *Thecla* (New World Eumacini) [Type: MNHN-ht; Fournier collection.] [TypeL - Petropolis, Brazil.] [Refs - b0908; b2591; b2592]
- a *pediada* (Hewitson), 1877; *Poritia* OD: Ent. mon. Mag. 13:223 [b2350] CG: *Simiskina* [TypeL - Singapore.] [Type of - Massaga] [Refs - b2280; b0964; b1636; b0965; b2753; b4094; b1850; b1454; b4594; b0694; b0950]
- a *pedias* Herrich-Schäffer, [1853], 1850-1869; *Theope* OD: *Samml. neuer aussereurop. Schmetz.* 1:[55], pl [-], f 24,25 [b2314] [TypeL - Amazon.] [Refs - b2988; b2747; b4475; b1456]
- a *pedias* Godman, 1903; *Siseme* OD: Trans. ent. Soc. Lond. 51(4):534, pl 21, f 1 [b1972] [TypeL - Colombia.] [Refs - b2988; b4475; b1456]
- a *pedius* (Leech), [1893], 1893-1894; *Zephyrus* OD: Butts China Japan Korea :378, pl 27, f 3 [b2966] CG: *Teratozephyrus* [TypeL - China.] [Refs - b0996; b2479; b4214; b4200 (genus uncertain); b3296; b4092]
- e *pedronia* (Stichel), 1910; *Nymula* OD: Berl. ent. Z. 55(1/2):66 [b4445] SS: *phillone* (Godart), [1824]; *Synargis* [Refs - b4475]
- a *pedusa* Hewitson, [1867], 1863-1878; *Thecla* OD: Ill. diurn. Lep. Lycaenidae 1:87, 2:pl 34, f 60,61 [b2326] CG: *Thecla* (New World Eumacini) [Type: BMNH] [TypeL - Amazon.] [Refs - b0908; b2747 (as *pednsa*); b2497]
- b *pegobates* (Holland), 1900; *Lycaenesthes* OD: *Novit. zool.* 7:71 [b2431] SS: *lycaenoides* (C. Felder), 1860; *Anthene* [TypeL - Bunu.] [Refs - b4679; b1450; b1840; b2431]
- b *peguanus* (Moore), 1884; *Aphnaeus* OD: J. asiat. Soc. Bengal, Pt II 53(1):26 [b3236] SS: *syama* (Horsfield), [1829]; *Spindasis* [TypeL - Magarce, Pegu.] [Note - Not spelled *peruanus*.] [Refs - b1636; b0996; b4094; b2479; b2201; b1454; b3236; b0694; b0695; b4092]
- b *peigleri* (Fernandez Vidal), 1991; *Aricia* OD: *Revta Lep.* 19(75):199, f [b1703] SS: *morroneensis* (Ribbe), 1910; *Plebejus* (*Aricia*) [TypeL - Spain.] [Refs - b0125]
- b *peiktusani* (Kurentzov), 1970; *Lycaena* OD: Butts Far East USSR :141 [b2864] SS: *semiargus* (Rottemburg), 1775; *Polyommatus* (*Cyaniris*) [Refs - b2866]

- a **peilei** Bethune-Baker, 1921; *Polyommatus* OD: Ent. Rec. 33:63 [b0357] CG: *Polyommatus* (*Agrodiaetus*) [Type: BMNH-st] [TypeL - Karind Gorge, Northwest Iran.] [Refs - b1762; b0236; b1774; b0471]
- b **peilei** Forster, 1980; *Chaetoprocta* OD: *Spixiana* 3(1):3, f [b1779] SS: *odata* (Hewitson), [1865]; *Chaetoprocta* [TypeL - Nepal.] [Refs - b1610 (6672-E12); b0113]
- b **pekas** Takanami, 1982; *Drupadia* OD: Mem. Tsukada Colln 4:54, pl 7,8, f 3,4 [b4586] SS: *theda* (Felder & Felder), 1862; *Drupadia* [Type: pc-ht; collection of Takanami.] [TypeL - N. E. Mindanao, Philippines.] [Refs - b0115; b2201; b4586; b1454; b4596]
- a **pelarge** (Godman & Salvin), 1878; *Lemonias* OD: Proc. zool. Soc. Lond. 1878(2):366 [b1973] CG: *Calospila* [TypeL - Guatemala.] [Refs - b4475; b2497; b1456; b1456]
- b **pelenga** Seki, 1989; *Arhopala* OD: Konchu to Shizen (Nature & Insects) 24(6):11, f [b4099] SS: *phaenops* Felder & Felder, 1865; *Arhopala* f [TypeL - Indonesia.] [Refs - b0123]
- e **pelenope** Le Moul, 1940, 1939-1940, (IFS); *Helicopsis* OD: Novit. ent. (17):130 [b2943] SS: *cupido* (Linnaeus), 1758; *Helicopsis* [Type: AME-ht] [Refs - b3199]
- b **pelides** (Fruhstorfer), 1910; *Cyaniris* OD: Stutt. ent. Ztg 71(2):300 [b1843] SS: *musina* (Snellen), 1892; *Monodontides* (*Monodontides*) [Type: BMNH-ht; designated by Eliot & Kawazoé, 1983] [Butts *Lycyaenopsis* group :278 [b1580]] [TypeL - South Annam, Vietnam.] [Refs - b1840; b1580]
- b **pelidna** Jordan, 1937; *Dicallaneura* OD: Novit. zool. 40:324 [b2668] SS: *kirsch Röber*, [1886]; *Dicallaneura* [TypeL - Dutch New Guinea.]
- c **pelidua** (Hübner), [1819], 1816-1826; *Peplia* OD: Verz. bekannt. Schmett. (2):20 [b2484] SS: *hebrus* (Cramer), [1775]; *Menander* [Refs - b2747; b4475 (as *pelidna*)]
- b **pelion** (Cramer), [1775], 1775-1790; *Papilio* OD: Utitl. Kapellen 1(1):10, pl 6, f E,F [b1069] SS: *aeolus* (Fabricius), 1775; *Panthiades* [TypeL - Berbice.] [Type of - *Panthiades*] [Refs - b0908; b2988; b4245; b2280; b3390; b2747; b1453; b2631]
- a **pelion** Pennington, 1953; *Poecilmitis* OD: J. ent. Soc. S. Afr. 16:106 [b3568] [TypeL - S. Africa.] [Refs - b1259; b1452; b4400]
- c **pellax** (Fruhstorfer), 1910; *Cyaniris* OD: Stutt. ent. Ztg 71(2):292 (partim) [b1843] SS: *cyanicomis* (Snellen), 1892; *Rhinelephas* [Type: BMNH-ht; designated by Eliot & Kawazoé, 1983] [Butts *Lycyaenopsis* group :159 [b1580]] [Refs - b1580; b1840]
- a **pellicebra** (Fruhstorfer), 1910; *Cyaniris* OD: Stutt. ent. Ztg 71(2):296 [b1843] CG: *Cebrella* (*Cebrella*) [Type: BMNH-ht] [TypeL - Sumatra.] [Type of - *Cebrella*] [Refs - b0964; b1557; b0965; b1840; b1580]
- c **pellex** Staudinger, [1887], 1884-1888; *Zelotaea* OD: In Exot. Schmett. 1:251; 2-pl 90 [b4329] SS: *phasma* Bates, [1868]; *Zelotaea* [TypeL - Brazil.] [Refs - b4475]
- b **pellonia** Distant & Pryer, 1887; *Poritia* OD: Ann. Mag. nat. Hist. (5)19:265 [b1290] SS: *erycinoides* (Felder & Felder), 1865; *Poritia* [TypeL - Borneo.] [Refs - b4094; b4602; b4108]
- c **pellonia** (Fruhstorfer), 1910; *Cyaniris* OD: Stutt. ent. Ztg 71(2):301 [b1843] SS: *lyce* (Grose-Smith), 1895; *Celastrina* [Type: BMNH-ht; designated by Eliot & Kawazoé, 1983] [Butts *Lycyaenopsis* group :257 [b1580]] [TypeL - Sulawesi.] [Refs - b1580; b1840]
- a **pellonia** Stichel, 1919; *Euselasia* OD: Deut. ent. Zeit. 1919:311 [b4454] [Type: ZMHU-st; ZSBS-st] [TypeL - Pebas, Peru; Casa Branca; S. Paulo & Tefé, Brazil.] [Refs - b2988; b4474; b1456; b4454]
- a **pellios** Stichel, 1919; *Euselasia* OD: Deut. ent. Zeit. 1919:162 [b4454] [Type: ZMHU-st] [TypeL - Amazonas.] [Refs - b4474; b4454]
- a **pelope** (Hübner), [1819], 1816-1826; *Peplia* OD: Verz. bekannt. Schmett. (2):20 [b2484] CG: *Synargis* [Refs - b4475; b1456]
- b **pelopi** (Brown), 1976; *Agrodiaetus* OD: Ent. Ber. 36(3):47 [b0543] SS: *ripartii* (Freyer), 1830; *Polyommatus* (*Agrodiaetus*) [TypeL - Mount Chelmos, Greece.] [Refs - b0108; b1000]
- a **pelopia** (H. Druce), 1890; *Castnia* OD: Ent. mon. Mag. 26:69 [b1390] CG: *Xenandra* [TypeL - Bolivia.] [Type of - *Uestiudia*, *Westwoodia*] [Refs - b4474; b1746; b1456]
- b **pelopides** (van der Poorten), 1984; *Kretania* OD: Nota lepid. 7(2):164-170 [b4790] SS: *eurypilus* (Freyer), 1852; *Polyommatus* (*Kretania*) [Type: pc-ht; collection of van der Poorten.] [TypeL - Southern Peloponesos, Greece.] [Refs - b4790; b0206]
- d **pelops** (Cramer), [1777], 1775-1790, (H); *Papilio* OD: Utitl. Kapellen 2(15):114, pl 170, f F [b1069] SS: *pelope* (Hübner), [1819]; *Synargis* [TypeL - Surinam.] [Refs - b2988; b2747; b4475; b1039]
- d **pelops** (Stoll), [1781], 1780-1790, (H); *Papilio* OD: In Cramer, Utitl. Kapellen 4(29):98, pl 341, f A [b4478] SS: *getus* (Fabricius), 1787; *Thecla* (*New World Eumaeini*) [Refs - b0908; b2747; b2221; b1975]
- a **pelor** (Hewitson), [1855], 1852-1877; *Eurygona* OD: Ill. exot. Butts 1:[---], pl [50], f 1-3 [b2323] CG: *Euselasia* [TypeL - Amazon.] [Refs - b2747; b4474; b0680; b1456]
- a **pelorias** (Weymer), 1890; *Lycyaena* OD: In Stübel, Reisen in Süd-Amer., Lep. :121, pl 4, f 2 [b4988] CG: *Madeleinea* [Type: ZMHU] [TypeL - Sajama, Bolivia.] [Refs - b0908; b3326; b3846; b0207]
- b **pelorion** (Szabó), 1956; *Aricia* OD: *Folia ent. hung. (ns)* 9:280,339 [b4582] SS: *agestis* ((Denis & Schiffmüller)), 1775; *Plebejus* (*Aricia*) [TypeL - Hungary.]
- a **pelotensis** Biezanko & Mielke & Wedderhoff, 1978; *Stichelia* OD: Acta biol. parana. 7(1-4):15, f [b0419] [Type: UFP-ht] [TypeL - Brazil.] [Refs - b0111; b0419; b1456]
- c **pelotus** (Karsch), 1895; *Lampides* OD: Ent. Nachr. 21:300 [b2694] SS: *nubifer* (Trimen), 1895; *Uranothauma* [TypeL - Kilimandjaro.] [Refs - b2694; b4400]
- c **pelta** (Schaus), 1902; *Lymnas* OD: Proc. U. S. natn. Mus. 24(1262):399 [b3948] SS: *lystratus* Burmeister, 1878; *Riodina* [Type: USNM-ht; #5899] [TypeL - Nova Friburgo, Sao Paulo, Brazil.] [Refs - b4474; b2221; b3948; b1456]
- a **pelusia** Stichel, 1919; *Euselasia* OD: Deut. ent. Zeit. 1919:303 [b4454] [Type: ZMHU-ht] [TypeL - Pachitea.] [Refs - b4474; b4454]
- b **pelusiota** (Fruhstorfer), 1910; *Chrysophanus* OD: Ent. Zeit. 24(26):144 [b1846] SS: *virgaureae* (Linnaeus), 1758; *Lycyaena* (*Heodes*) [TypeL - Aostatal; Cogne, Vieve.] [Refs - b0236; b0389; b0471; b1846; b2858]
- b **permanggilensis** Eliot, 1978; *Caleta* OD: Butts Malay Penin. (3rd ed.) :416 [b1563] SS: *roxus* (Godart), [1824]; *Caleta* [Type: BMNH-ht] [TypeL - Pulau Perangkil, Tioman Islands, Malaysia.] [Refs - b1563; b1454 (as *permanggilensis*)]
- b **permanggilensis** Eliot, 1978; *Jamides* OD: Butts Malay Penin. (3rd ed.) :417 [b1563] SS: *abdul* (Distant), 1886; *Jamides* [Type: BMNH-ht] [TypeL - Pulau Perangkil, Tioman Islands, Malaysia.] [Refs - b1563; b1564]
- b **pembina** (Edwards), 1862; *Lycyaena* OD: Proc. Acad. nat. Sci. Philad. 14:224 [b1490] SS: *icarioides* (Boisduval), 1852; *Plebejus* (*Icaria*) [Type: CM-nt; designated by Downey, 1970] [In Trans. amer. ent. Soc. 96:401 [b1341]] [TypeL - Lost Horse Road, Ravalli County, Montana.] [Refs - b0908; b2753; b0105; b3192; b1743; b1321; b4066]

- a **penai** Johnson, 1990; *Penaincisalia* OD: Pan-Pac. Ent. 66(2):118, f [b2603] [Type: AMNH-ht] [TypeL - Cuicocha, Imbabura, Ecuador.] [Refs - b0124; b2611]
- a **penai** Bálint & Johnson, 1993; *Pseudolucia* OD: Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (27):21, f [b0212] [Type: UMCE-ht] [TypeL - Elqui, Rio La Laguna, Reg. Coquimbo, Chile.] [Refs - b0212; b0207]
- b **penanga** Corbet, 1941; *Arhopala* OD: Proc. R. ent. Soc. Lond. (B)10(9):163 [b0956] SS: barami Bethune-Baker, 1903; *Arhopala* i [Type: BMNH-ht] [TypeL - Malaya.] [Refs - b1644; b0956; b1454]
- b **penangensis** Tite, 1963; *Nacaduba* OD: Bull. Br. Mus. nat. Hist. (Ent.) 13(4):74 [b4676] SS: pendleburyi Corbet, 1938; *Nacaduba* [Type: BMNH-ht] [TypeL - Penang Hill, Malaya.] [Refs - b4676; b0965; b1454]
- e **penicilligera** d'Abreu, 1986, (ISS); *Dacalana* OD: Butts Oriental Region, Pt 3 :608 [b1454] SS: penicilligera (de Nicéville), 1890; *Dacalana* [Refs - b1454]
- b **pendleburyi** (Corbet), 1937; *Celastrina* OD: Trans. R. ent. Soc. Lond. 86(2):27 [b0934] SS: camenae (de Nicéville), 1895; Udara (Udara) [Type: BMNH-ht] [TypeL - West Malaysia.] [Refs - b0964; b0965; b1580; b2200]
- a **pendleburyi** Corbet, 1938; *Nacaduba* OD: Trans. R. ent. Soc. Lond. 87(5):129, pl 1, f 26,29 [b0938] [Type: BMNH-ht] [TypeL - Fraser's Hill, Pahang, Malaya.] [Refs - b0964; b4676; b0965; b0938; b1454; b2385; b2387; b2388; b0938]
- c **pendleburyi** (Corbet), 1940; *Pratapa* OD: Entomologist 73:41 [b0951] SS: queda (Corbet), 1938; *Creon* [TypeL - Pahang.] [Refs - b0964; b0965]
- b **pendleburyi** Corbet, 1941; *Arhopala* OD: Proc. R. ent. Soc. Lond. (B)10(9):152 [b0956] SS: dispar Riley & Godfrey, 1921; *Arhopala* a [Type: BMNH-ht] [TypeL - Malaya.] [Refs - b1644; b0956; b1454]
- a **penelope** Eliot & Kawazoé, 1983; *Cebrella* OD: Butts Lycaenopsis group :67, f 34, 237, 261 [b1580] [Type: BMNH-ht] [TypeL - Agusan, Davao, Mindanao, Philippines.] [Refs - b1580]
- e **penigata** Fruhstorfer, [1912], (PS); *Rapala* OD: Berl. ent. Z. 56(3/4):256 [b1850] SS: testa Swinhoe, 1897; *Rapala* [Refs - b1840; b1854; b1850]
- a **penicilligera** (de Nicéville), 1890; *Arrhenothrix* OD: Butts India Burma Ceylon 3:337, pl 28, f 214 [b1153] CG: *Dacalana* [TypeL - Singapore?] [Type of - Arrhenothrix] [Refs - b1636 (as penicilligera); b2280; b1548; b4094; b1850; b1454 (as penicilligera); b1153; b0694]
- e **peninsulae** (Verity & Querci), 1923, (RA); *Lycaena* OD: Ent. Rec. 35(Sup.):7 [b4867] SS: euphemus (Hübner), [1800]; *Maculinea* [Type: MZS-st] [TypeL - Sibillini Mts.] [Refs - b2856; b0236; b0471]
- b **peninsularis** Clench, [1972]; *Lasaia* OD: J. Res. Lep. 10(2):172, f 7,20-23 [b0846] SS: sula Staudinger, [1888]; *Lasaia* [Type: CM-ht] [TypeL - Pisté, Yucatan, Mexico.] [Refs - b0528; b0846; b3192; b1342 (as peninsularis)]
- a **pennatus** (H. H. Druce), 1907; *Thecla* OD: Proc. zool. Soc. Lond. 1907(3):617 [b1375] CG: *Symbiopsis* [Type: BMNH; Godman collection.] [TypeL - Tapajos, Ega and Pár, Amazonas, Brazil.] [Refs - b0908; b3388; b1375]
- a **penningtoni** Riley, 1932; *Carys* OD: Ann. Mag. nat. Hist. (10)10:142, pl 8, f 4,5 [b3773] [TypeL - Inhlozane, Natal, South Africa.] [Refs - b1259; b1452; b3773; b4400; b3564; b2286]
- a **penningtoni** Riley, 1938; *Poecilmitis* OD: Trans. R. ent. Soc. Lond. 87(10):239, pl 1, f 19,20; pl 2, f 44,45 [b3777] [Type: BMNH-ht] [TypeL - Gaika's Kop, Cape Province, S. Africa.] [Refs - b1259; b1452; b4400; b3777]
- b **penningtoni** (Riley), 1944; *Pentila* OD: Entomologist 77:29 [b3781] SS: peucetia (Hewitson), [1866]; *Ornipholidotos* [TypeL - Zululand.] [Refs - b1259; b1452; b3781; b4400]
- a **penningtoni** van Son, 1949; *Thestor* OD: Ann. Transv. Mus. 21(2):214, f [b4805] [TypeL - S. Africa.] [Refs - b1259; b1452; b4400]
- a **penningtoni** van Son, 1949; *Deudorix* OD: Ann. Transv. Mus. 21(2):213, f 3; pl 3, f 9,10 [b4805] CG: *Deudorix* (Virachola) [TypeL - S. Africa.] [Refs - b1259; b1452; b4410; b4400]
- a **penningtoni** Bennett, 1954; *Cnodontes* OD: Entomologist 87:171, f [b0295] [TypeL - Cape Province, S. Africa.] [Refs - b0295; b1259; b1452; b4400]
- a **penningtoni** (Stempffer & Bennett), 1959; *Epamera* OD: Bull. Inst. franç. Afr. Noire 21(A):312 [b4419] CG: *Iolaus* (Epamera) [TypeL - S. Rhodesia.] [Refs - b1259; b1452; b4400]
- b **penningtoni** van Son, 1959; *Durbania* OD: Novos Taxa ent. (16):7 [b4810] SS: amakosa Trimen, 1862; *Durbania* [TypeL - Cape Province, S. Africa.] [Refs - b1259; b3679; b1452; b4400]
- a **penningtoni** Tite & Dickson, 1968; *Aloeides* OD: Bull. Br. Mus. nat. Hist. (Ent.) 21(7):380, pl 5 [b4684] [Type: BMNH-ht] [TypeL - Gillius, Durban, Natal.] [Refs - b4684; b1259; b1452]
- a **penningtoni** Dickson, 1969; *Lepidochrysops* OD: Ent. Rec. 81:97, f [b1246] [TypeL - Steinkopf, Little Namaqualand, W. Cape Province, S. Africa.] [Refs - b1259; b1452]
- b **penningtoni** Dickson & Stephen, 1971; *Myrina* OD: Ent. Rec. 83:255, f [b1269] SS: silenus (Fabricius), 1775; *Myrina* [TypeL - Doom River, W. Cape Province, S. Africa.] [Note - Not spelled pennington.] [Refs - b1259; b0102; b1452; b2898; b1269]
- e **peninsularis** Downey & Allyn, 1980, (ISS); *Lasaia* OD: J. Lep. Soc. 34(2):136 [b1342] SS: peninsularis Clench, [1972]; *Lasaia* [Refs - b1342]
- e **penrosae** Brown & Eff & Rotger, 1955, (ISS); *Epidemia* OD: Proc. Denver Mus. nat. Hist. 5:158 [b0538] SS: penroseae (Field), 1938; *Epidemia* [Refs - b3191; b3192; b1321]
- b **penroseae** (Field), 1938; *Lycaena* OD: Pan-Pac. Ent. 14(3):142 [b1734] SS: manposa (Reakirt), 1866; *Epidemia* [Type: AME-ht; ex. F. Martin Brown collection.] [TypeL - Lake Eleanor, Yellowstone National Park, Wyoming.] [Refs - b0908; b3191; b0076; b3189; b3192; b1321]
- a **pentas** Nicolay, 1971; *Symbiopsis* OD: J. Lep. Soc. 25(Suppl. 1):14, text-fig 6, pl 3, f 1-4 [b3388] [TypeL - Bolivia.] [Refs - b3388]
- a **penthea** (Cramer), [1777], 1775-1790; *Papilio* OD: Uil. Kapellen 2(12):75, pl 143, f E [b1069] CG: *Adelotypa* [TypeL - America mer.] [Refs - b2988; b2988; b2747; b4475; b1456]
- c **pentheus** (Fruhstorfer), 1913; *Gerydus* OD: Z. wiss. InsektBiol. 9(9):245 [b1851] SS: virtus (Fruhstorfer), 1913; *Miletus* 4 [TypeL - Halmahera.] [Refs - b1546; b1840]
- c **penthides** (Stichel), 1910; *Echenais* OD: Berl. ent. Z. 55(1/2):35 [b4445] SS: auselus (Hewitson), [1863]; *Adelotypa* [Type: ZMHU-ht] [TypeL - Massauary; Pebas; Iquitos.] [Refs - b4475; b4445; b0569]
- c **penulaensis** (Ribbe), 1910, 1909-1912; *Lycaena* OD: Deut. ent. Zeit. [Iris] 23(1/2):201 [b3741] SS: albicans (Gerhard), 1851; *Polyommatus* (Lysandra) [Refs - b3059; b0105; b0236; b0471; b4038]
- ♀ **f. penumbrata** Morrell, 1957; *Poritia* OD: Malay Nat. J. 11(4):95-100 [b3242] SS: philota Hewitson, 1874; *Poritia* [TypeL - Malay Peninsula.] [Refs - b0965; b1454; b4108]

- b *penunga* (Edwards), [1956]; *Ialmenus* **OD**: Proc. R. zool. Soc. N. S. Wales 1954-55:61 [b1481] **SS**: *ictinus* (Hewitson), [1865]; *Ialmenus* [**TypeL** - New South Wales, Australia.] [Refs - b0870]
- a *peona* Hewitson, [1874], 1863-1878; *Thecla* **OD**: Ill. diurn. Lep. Lycaenidae 1:169; 2-pl 66, f 477-479 [b2326] **CG**: *Thecla* (New World Eumaeini) [**Type**: BMNH] [Refs - b0908; b2753]
- e *ab. peongsanus* Seok, 1934, (IFS); *Lycaena* **OD**: Bull. Kagoshima Imp. Coll. Agr. For. 1:748, pl 9, f 139 [b4111] **SS**: *rutilus* (Werneburg), 1864; *Lycaena* (*Thersamolycaena*) [Refs - b4115]
- a *peonida* Draudt, [1919], 1917-1924; *Thecla* **OD**: In Seitz, Grossschmett. Erde 5:754, pl 159-a [b1348] **CG**: *Thecla* (New World Eumaeini) [**Type**: NMB; Fassl collection.] [**TypeL** - Río Aguaca Valley, Colombia.] [Refs - b0908]
- b *pepe* Hopkins, 1927; *Catochrysops* **OD**: Insects of Samoa (3)Lep.(1):55, f [b2447] **SS**: *taiensis* (Boisduval), 1832; *Catochrysops* [**TypeL** - Samoa.] [Refs - b1450; b4670; n3186]
- a *pephredo* (Trimen), 1889, 1887-1889; *Lycaena* **OD**: In Trimen & Bowker, S. Afr. Butts 3:389 [b4725] **CG**: *Lepidochrysops* [**Type**: BMNH] [**TypeL** - Natal, S. Africa.] [Refs - b1259; b1452; b4400; b3567; b0359]
- c *perakana* Corbet, 1938; *Catochrysops* **OD**: J. Fed. Malay St. Mus. 18(2):251 [b0940] **SS**: *exiguus* (Distant), 1886; *Catochrysops* [**TypeL** - Perak, Malay Peninsula.] [Refs - b0964; b0965; b4670]
- c *peralta* (Möschler), 1883; *Thecla* **OD**: Verh. zool.-bot. Ges. Wien 32:308, pl 17, f 1 [b3248] **SS**: *comana* (Hewitson), [1867]; *Noreena* [**TypeL** - Paramaribo, Surinam.] [Refs - b0908; b3248; b2597]
- c *perbella* Murayama, 1983; *Deudorix* **OD**: New Ent. 32(2):40, f 8,18 [b3300] **SS**: *epijarbas* (Moore), [1858]; *Deudorix* [**TypeL** - Flores Island, Indonesia.] [Refs - b0426; b4592; b4108]
- e *f. perclara* Agenjo, 1966; *Plebejus* **OD**: Eos 41:173 [b0016] **SS**: *argus* (Linnaeus), 1758; *Plebejus* [**TypeL** - Spain.] [Refs - b3059 (as ssp)]
- a *percomis* (Leech), [1893], 1893-1894; *Thecla* **OD**: Butts China Japan Corea :366, pl 29, f 5 [b2966] **CG**: *Satyrrium* [**Type**: BMNH-ht] [**TypeL** - Omei Shan, western China.] [Refs - b0996; b2479; b2966; b4092; b1455]
- c *perdistincta* (Kaye), 1904; *Tmolus* **OD**: Trans. ent. Soc. Lond. 52(2):194, pl 18, f 8 [b2708] **SS**: *hesperitis* (Butler & H. Druce), 1872; *Ziegleria* [**Type**: pc; Kaye collection.] [**TypeL** - Tabaquite, Trinidad.] [Refs - b0908; b2221; b1375; b2614]
- a *perdita* (Kirby), 1890; *Epitola* **OD**: Ann. Mag. nat. Hist. (6)6:274 [b2766] **CG**: *Iridana* [**TypeL** - Tropical Africa.] [Refs - b1452; b0836; b2766; b4400]
- a *perditalis* Bames & McDunnough, 1918; *Calephelis* **OD**: Contr. nat. Hist. Lep. N. Amer. 4(2):75, pl 12, f 5-7 [b0251] [**Type**: USNM-ht] [**TypeL** - San Benito, Texas.] [Refs - b1321 :51; b2719; b4474; b3192; b1342; b1119; b4066 (as a ssp of *nilus*); b3127]
- d *perditus* (Fabricius), 1793, 1792-1799, (JOS); *Hesperia* **OD**: Ent. syst. 3(1):323 [b1657] **OS**: *thisbe* (Fabricius), 1781; *Panara* [**Type**: biblio; replacement for *thisbe* Fabricius, 1781.] [**TypeL** - Caiennae".] [Refs - b2747; b4474; b5076]
- a *peregrinus* (Staudinger), 1889; *Sithon* **OD**: Deut. ent. Zeit. [Iris] 2(1):111, pl 1, f 11 [b4332] **CG**: *Sinthusia* [**Type**: ZMHU-ht; designated by Takanami, 1989] [**Tyô** to Ga 40(1):34 [b4602]] [**TypeL** - Palawan.] [Refs - b4094; b2209; b2201; b1454; b4598; b4602]
- b *perelegans* Seki, 1994; *Arhopala* **OD**: Futao (15):22, pl 3, f 17-20 [b4102] **SS**: *trogon* (Distant), 1884; *Arhopala* m [**Type**: pc-ht; collection of Seki.] [**TypeL** - Pulau Sipora, Mentawai.] [Refs - b4102]
- c *pereza* (Butler), 1877; *Tmolus* **OD**: Trans. ent. Soc. Lond. 25(2):140 [b0607] **SS**: *celmus* (Cramer), [1775]; *Celmia* [**Type**: BMNH] [**TypeL** - Prainha and Pupunha, Rio Jurua, Brazil.] [Refs - b0908; b1375; b0607; b2593]
- e *f. perfectissima* Stichel, 1928, (IFS); *Barbicomis* **OD**: Z. wiss. Insektbiol. 23:37 [b4468] **SS**: *mona* Westwood, [1851]; *Barbicomis* [**TypeL** - Paraguay.] [Refs - b4474; b3717]
- e *perfluxa* Stichel, 1924, (IFS); *Esthemopsis* **OD**: Neue Beitr. syst. Insektenk. 3:2 [b4460] **SS**: *thyaira* (Hewitson), [1853]; *Esthemopsis* [Refs - b4474]
- a *perfragilis* (Holland), 1890; *Larinopoda* **OD**: Psyche 5:427 [b2423] **CG**: *Ornipholidotos* [**TypeL** - Upper Ogove River, Gaboon.] [Refs - b1452; b4400]
- a *pergaea* (Geyer), [1832], 1832-1837; *Gonopteris* **OD**: In Zutr. Samml. exot. Schmett. 4:34, pl [129], f 747,748 [b1934] **CG**: *Eurybia* [**TypeL** - Brasilia.] [**Type** of - *Gonopteris*] [Refs - b2988; b2280; b2747; b4474; b1456]
- c *pergrata* (Szabó), 1956; *Lysandra* **OD**: Folia ent. hung. (ns)9:286,340 [b4582] **SS**: *thersites* (Cantener), 1834; *Polyommatus* (*Plebicula*) [**Type**: -lt; designated by Bálint, 1990] [*Janus Pannonius Muz Evk* 34:53 [b0201]] [**TypeL** - Hungary.] [Refs - b0125]
- b *peri* (Grose-Smith), 1894; *Thysonotis* **OD**: Novit. zool. 1:590 [b2037] **SS**: *perpheres* (H. H. Druce & Bethune-Baker), 1893; *Perpheres* [Refs - b1450; b2078]
- a *perlander* (Cramer), [1777], 1775-1790; *Papilio* **OD**: Util. Kapellen 2(16):139, pl 188, f C [b1069] **CG**: *Rhetus* [**TypeL** - Amer. mer. pars. sept.] [Refs - b2988; b2747; b4474; b2221; b2406; b1456]
- c *perlander* Grose-Smith, 1894; *Arhopala* **OD**: Novit. zool. 1:582 [b2037] **SS**: *meander* Boisduval, 1832; *Arhopala* h [**Type**: BMNH-ht] [**TypeL** - Jobi, New Guinea.] [Refs - b1644; b1450]
- c *pericles* (Fabricius), 1793, 1792-1799; *Hesperia* **OD**: Ent. syst. 3(1):273 [b1657] **SS**: *larydas* (Cramer), [1780]; *Anthene* [**TypeL** - Indiis".] [Refs - b2747; b4400; b5076]
- c *pericopidis* (Dyar), 1914; *Otaacustesis* **OD**: Proc. U. S. nat. Mus. 47:147 [b1444] **SS**: *ochracea* Stichel, 1910; *Lepricomis* [**TypeL** - Panama.] [**Type** of - *Otaacustesis*] [Refs - b2280]
- b *periculosa* Fruhstorfer, 1913; *Neomyrina* **OD**: Deut. ent. Zeit. [Iris] 27(3):136 [b1852] **SS**: *nivea* (Godman & Salvin), 1878; *Neomyrina* [**TypeL** - Malacca.] [Refs - b0964; b1021; b0965; b4094; b3498; b2201; b1454]
- c *peridesma* Oberthür, 1880; *Pithecopis* **OD**: Annali Mus. civ. Stor. nat. Genova 15:525 [b3421] **SS**: *dionisius* (Boisduval), 1832; *Pithecopis* [**TypeL** - Northern Moluccas.] [Refs - b1450; b1840; x0276; b2381; b1011]
- c *perigone* (Godart), [1824], 1819-1824; *Pieris* **OD**: In Ency. méth. 9(Ins.)(2):139 [b1970] **SS**: *pasiphae* (Cramer), [1775]; *Pandemos* [Refs - b4475; b2747]
- a *perigrapha* (Karsch), 1895; *Hypomyrina* **OD**: Ent. Nachr. 21:313 [b2694] **CG**: *Actis* [**TypeL** - C. Africa.] [Refs - b2694; b4400; b0125]
- c *perimela* Doubleday, 1847, 1844-1848, (NN); *Charis* **OD**: List Spec. lep. Brit. Mus. (2):16 [b1327] [Refs - b4474]
- a *perimuta* (Moore), [1858]; *Amblypodia* **OD**: In Cat. Lep. Ins. E. India Co. (1):42 [b3219] **CG**: *Arhopala* k [**Type**: BMNH-ht] [**TypeL** - Sylhet.] [**Type** of - *Darasana*] [Refs - b1644; b2280; b2747; b4094; b2187; b1454]

- e *ab. peringueyi* (Aurivillius), [1924], 1908-1925; Phasis OD: In Seitz, Grossschmett. Erde 13:430 [b0162] SS: sardonix (Trimen), 1868; Tylopaedia [TypeL - Cape Province, South Africa.] [Note - Not available as of this author and date. Available as of Dickson, 1969.] [Refs - b1259; b0162; b3796; b1452; b4400; b1235; b4685]
- a *perinota* Johnson, 1992; Tigrinota OD: Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (22):188, f [b2611] [Type: AMNH-ht] [TypeL - Tarapoto Region, Peru.] [Refs - b0125; b2616; b2611]
- b *perion* (Stoll), [1782], 1780-1790; Papilio OD: In Cramer, Utl. Kapellen 4(32):176, pl 379, f B,C [b4478] SS: harpax (Fabricius), 1775; Axiocerses [TypeL - Africa.] [Type of - Axiocersesharpax] [Refs - b2280; b2747; b0539; b4400]
- a *peripatria* Hsu, 1989; Chilades OD: Bull. Inst. Zool. Acad. Sin. (Taipei) 28(1):56, f [b2473] [TypeL - Taiwan.] [Refs - b0123]
- b *periphorbis* Butler, 1882; Hypolycaena OD: Ann. Mag. nat. Hist. (5)10:152 [b0621] SS: phorbis (Fabricius), 1793; Hypolycaena [Type: BMNH] [TypeL - New Britain.] [Refs - b1450; b4094; b0621]
- b *perissa* Doherty, 1889; Arhopala OD: J. asiat. Soc. Bengal, Pt II 58(4):419, pl 23, f 11 [b1301] SS: agelastus (Hewitson), 1862; Arhopala i [TypeL - Tavoy.] [Refs - b1644; b4094; b1454]
- b *peristera* (Stichel), 1910; Anatole OD: Berl. ent. Z. 55(1/2):89 [b4445] SS: zygia Hübner, [1807]; Lemonias [Type: ZMHU-ht] [TypeL - Torochita, Bolivia.] [Refs - b4475; b4445]
- a *peristictos* Johnson & Eisele & MacPherson, 1990; Strymon OD: Bull. Allyn Mus. (130):16, f [b2624] [Type: AMNH-ht] [TypeL - Atacama, Chile.] [Refs - b2624]
- a *perisus* (H. H. Druce), 1907; Thecla OD: Proc. zool. Soc. Lond. 1907(3):610 [b1375] CG: Pendantus [Type: BMNH-ht] [TypeL - Venezuela.] [Refs - b0908; b0278; b1375; b2631 (as persius); b2628]
- e *perixantha* Stichel, 1926, (ISS); Nymphidium OD: Z. wiss. InsektBiol. 21:104 [b4467] SS: erymanthus Ménétériés, 1855; Nymphidium [Type: pc-ht; collection of Stichel] [TypeL - S. America.] [Refs - b4476; b0064; b4467]
- b *periya* Fruhstorfer, [1914], 1909-1923; Abisara OD: In Seitz, Grossschmett. Erde 9:786 [b1840] SS: savitri Felder & Felder, 1860; Abisara [Type: BMNH-ht] [TypeL - Bungauan, Natuna Islands.] [Refs - b4473; b1454]
- a *perkinsae* Kaye, 1931; Leptotes OD: Trans. ent. Soc. Lond. 79(3):534, pl 30, f 2,5 [b2714] [Type: AME] [TypeL - Baron Hill, Jamaica, B. W. I.] [Refs - b0908; b0540; b0907; b0833]
- b *perkinsorum* (Johnson & Balogh), 1977; Lycaena OD: Bull. Allyn Mus. (43):25, f 21,22,13c [b2621] SS: rubidus (Behr), 1866; Chalceria [Type: AME-ht] [TypeL - 1 mile east of the Dalles, Wasco County, Oregon.] [Refs - b2621; b3191; b3192]
- b *perlisa* (Riley), 1942; Marmessus OD: Entomologist 75:88 [b3779] SS: niasica (Röber), [1886]; Drupadia [Type: BMNH-ht] [TypeL - Perlis, West Malaysia.] [Refs - b1030; b0964; b0965; b0105; b2201; b1454; b1544; b3782]
- b *perlucidus* (Fruhstorfer), 1913; Gerydus OD: Z. wiss. InsektBiol. 9(9):243 [b1851] SS: symethus (Cramer), [1777]; Miletus 4 [TypeL - Java.] [Refs - b1840; b4604]
- b *permagna* Fruhstorfer, [1912]; Horaga OD: Berl. ent. Z. 56(3/4):233 [b1850] SS: syrinx (C. Felder), 1860; Horaga [TypeL - Toli Toli, N. W. Celebes.] [Refs - b1012; b2078; b4094; b2201; b1454; b1850]
- b *permagnus* Fruhstorfer, 1913; Allotinus OD: Z. wiss. InsektBiol. 9(11):344 [b1851] SS: horsfieldi (Moore), [1858]; Allotinus (Paragerydus) [Type: BMNH-ht; designated by Eliot, 1986] [Bull. Br. Mus. nat. Hist. (Ent.) 53(1):34 [b1571]] [TypeL - Sumatra.] [Refs - b1840; b1571; b1552; b4108]
- e *permangilensis* d'Abrera, 1986, (ISS); Caleta OD: Butts Oriental Region, Pt 3 :648 [b1454] SS: pemangilensis Eliot, 1978; Caleta [Refs - b1454]
- a *perobscura* H. H. Druce, 1910; Liptena OD: Proc. zool. Soc. Lond. 1910(1):362, pl 33, f 13 [b1378] [TypeL - W. Africa.] [Refs - b0105; b1452; b4400]
- a *perola* Hewitson, [1867], 1863-1878; Thecla OD: Ill. dium. Lep. Lycaenidae 1:112; 2:pl 40, f 137,138; pl 46, f 211,212 [b2326] CG: Thecla (New World Eumacini) [Type: BMNH] [TypeL - St. Pauloo, Amazon.] [Refs - b0908; b2747; b1375]
- c *perone* (Westwood), [1851], 1846-1852; Charis OD: In Gen. dium. Lep. (2):pl 71, f 9 [b4981] SS: stilbe (Godart), [1824]; Argyrogramma [Type: BMNH-ht] [TypeL - Brasilia.] [Refs - b2747; b4474; b1456]
- c *perparva* (Saalmüller), 1884; Lycaena OD: Lepid. Madagascar 1:93 [b3906] SS: hylax (Fabricius), 1775; Zizula [TypeL - Madagascar.] [Refs - b4400; b4108]
- a *perpenna* Godman & Salvin, [1887], 1879-1901; Thecla OD: Biol. centr.-amer., Lep. Rhop. 2:27; 3:pl 51, f 3,4 [b1975] CG: Thecla (New World Eumacini) [Type: BMNH] [TypeL - Chiriquí, Panamá.] [Note - Near busa.] [Refs - b0908; b1975]
- a *perperes* (H. H. Druce & Bethune-Baker), 1893; Thysanotis OD: Proc. zool. Soc. Lond. 1893(3):544, pl 45, f 9,10 [b1382] CG: Perperes [Type: BMNH-ht] [TypeL - Dorey, New Guinea.] [Type of - Perperes] [Refs - b1450; b2078; b2388; b1382]
- b *perplexa* Bames & Benjamin, 1923; Callophrys OD: Contr. nat. Hist. Lep. N. Amer. 5(2):65 [b0241] SS: dumetorum (Boisduval), 1852; Callophrys [Type: USNM-ht] [TypeL - San Diego, California.] [Note - Various treated as a subspecies of affinis, or as a good species.] [Refs - b0908; b3192; b2406; b1321; b4066; b1722]
- a *perplexa* Eliot & Kawazoé, 1983; Celastrina OD: Butts Lycaenopsis group :242, f [b1580] [Type: BMNH-ht] [TypeL - Ta-Tsien-Lou, China.] [Refs - b1580]
- a *perplexissima* Johnson, 1993; Crimsinota OD: Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (32):46, f [b2614] [Type: BMNH-ht] [TypeL - Pará, Brazil.] [Refs - b2614]
- c *perpulichra* (Holland), 1892; Lycaena OD: Entomologist 25(Suppl.):90 [b2426] SS: peculiaris (Rogenhöfer), 1891; Lepidochrysopt [TypeL - E. Africa.] [Refs - b1943; b4400; b0359]
- b *perrettei* (Weiss), 1977; Lycaena OD: Linneana Belgica 6:255, f [b4977] SS: helle ((Denis & Schiffermüller), 1775; Helleia A [TypeL - Belgium] [Refs - b0109; b3164]
- a *perrrhaebis* Semper, 1887, 1886-1892; Araotes OD: In Semper, Reisen Philipp. (2)(5):220, pl 33, f 21 [b4110] [Type: ZMHU-st; SM-st] [TypeL - Mindanao, Philippines.] [Refs - b4094; b2201; b1454; b4602]
- a *perroti* Riley, 1932; Sanibia OD: Novit. zool. 37:187 [b3775] [TypeL - Antsianaka, Malagasy.] [Refs - b1452; b3775]
- e *f. perrupia* (Seitz), 1932; Ematurgina OD: Ent. Rundsch. 49:241 [b4097] SS: axena (Hewitson), [1876]; Ematurgina [TypeL - Brazil.]
- b *persa* Bytinski-Salz, 1937; Chilades OD: Ent. Rec. 49(Sup.):2 [b0663] SS: trochylus (Freyer), 1845; Chilades (Freyeria) [TypeL - Iran.]

- e *persaemagna* (Verity), 1937, 1937-1938, (RA); *Lysandra* OD: Ent. Rec. 49:3 [b4859] SS: bellargus (Rottemburg), 1775; *Polyommatus* (*Lysandra*) [Type: MZS-st] [TypeL - Persia.] [Refs - b2856; b0075; b4038]
- a *perse* Hewitson, [1863], 1863-1878; *Deudorix* OD: Ill. dium. Lep. Lycaenidae 1:18; 2-pl 8, f 24-26 [b2326] CG: *Deudorix* (*Virachola*) [TypeL - India bor.] [Type of - *Virachola*] [Refs - b1636; b2280; b4094; b2747; b0995; b0236; b4950; b1454; b0694]
- e *persensis* (Comstock & Huntington), 1962, 1958-1964, (ISS); *Thecla* OD: J. New York ent. Soc. 70:108 [b0908] SS: *perusensis* (Dufrane), 1939; *Strymon* [Refs - b0908; b3192]
- a *persephatta* (Alphéraky), 1881; *Lycaena* OD: Horae Soc. ent. ross. 16:395, pl 14, f 11 [b0043] CG: *Polyommatus* (*Cyaniris*) [TypeL - Fergana, Kulja.] [Refs - b0993; b1762; b2827; b2479; b0410; b3910; b4367; b4092]
- a *perseus* Henning, 1977; *Poecilmitis* OD: Ent. Rec. 89:27 [b2298] [TypeL - S. Africa.] [Refs - b1259; b1452]
- d *persica* (Bienert), [1870], (H); *Polyommatus* OD: Lepid. Reise Persien :28 [b0418] SS: *thersamon* (Esper), [1784]; *Lycaena* (*Thersamonia*) [TypeL - Persia.] [Refs - b2753; b0996; b1963; b2798; b4092]
- d *persica* (Bienert), [1870], (H); *Lycaena* OD: Lepid. Reise Persien :29 [b0418] OS: *bienerti* Bálint, 1992; *Polyommatus* [Refs - b1759; b4094; b2827; b2753; b4092]
- e *ab.persica* Tutt, 1909, 1905-1914; *Polyommatus* OD: Nat. Hist. Brit. Butts 3:277 [b4760] SS: *semiargus* (Rottemburg), 1775; *Polyommatus* (*Cyaniris*) [Refs - b0236; b0410; b0471]
- b *persica* (Riley), 1939; *Strymon* OD: Novit. zool. 41:359 [b3778] SS: *acaciae* (Fabricius), 1787; *Satyrium* [TypeL - Persia.] [Refs - b3778]
- a *persimilis* (Riley), 1939; *Strymon* OD: Novit. zool. 41:360 [b3778] CG: *Satyrium* [Type: BMNH-ht] [TypeL - Yunnan, S. W. China.] [Refs - b3778; b1455]
- c *persimilis* Waterhouse, 1942; *Candalides* OD: Rec. Aust. Mus. 21(2):123 [b4944] SS: *absimilis* (C. Felder), 1862; *Candalides* [TypeL - Mackay, Queensland, Australia.] [Refs - b4677; b1450; b0870]
- e *persius* (Johnson & MacPherson & Ingraham), 1986, (ISS); *Electrostrymon* OD: Bull. Allyn Mus. (102):5 [b2631] SS: *perisus* (H. H. Druce), 1907; *Pendantus* [Refs - b2631]
- b *persona* Staudinger, 1876; *Eurybia* OD: Verh. zool.-bot. Ges. Wien 25:109 [b4326] SS: *patrona* Weymer, 1874; *Eurybia* [TypeL - Chiriquí.] [Refs - b2753; b4474; b2406; b2497]
- a *personata* Osada, 1994; *Poritia* OD: *Futao* (15):5, 1f 1, pl 2, f 1-4 [b3522] [Type: pc-ht; collection of E. Tsukada.] [TypeL - Puncak Dingin, Palu, C. Sulawesi, Indonesia.] [Refs - b3522]
- a *pertaineda* Johnson, 1993; *Nicolaea* OD: Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (32):71, f [b2614] [Type: AMNH-ht] [TypeL - Cucho, Jujuy Prov., Argentina.] [Refs - b2614]
- b *pertimidus* Toxopeus, 1930; *Neopithecopus* OD: De soote als Functie :106 [b4702] SS: *zalmora* (Butler), [1870]; *Neopithecopus* [TypeL - Bomeo.] [Note - *Could be a good species.*] [Refs - b1580; b4108]
- b *peruana* Bryk, 1953; *Amarynthus* OD: Ark. Zool. (ns)5(1):127 [b0569] SS: *meneria* (Cramer), [1776]; *Amarynthus* [Type: UZIU-ht] [TypeL - Roque, Peru.] [Refs - b0569]
- c *perusensis* (Dufrane), 1939; *Thecla* OD: Bull. Anns Soc. ent. Belg. 79:290 [b1408] SS: *cestri* (Reakirt), [1867]; *Strymon* [Type: MT?] [TypeL - Trujillo, Peru.] [Refs - b0908 (as *persensis*); b3192 (as *persensis*)]
- b *perusia* (C. Felder), 1860; *Lycaena* OD: Sber. Akad. Wiss. Wien 40(11):458 [b1676] SS: *kurava* (Moore), [1858]; *Nacaduba* [Type: BMNH-ht] [TypeL - Amboina.] [Refs - b4676; b1450; b0938; b2747; b4094; b4934]
- c *peruviana* (Erschoff), 1877; *Thecla* OD: Trudy Russ. ént. Obsch. 10:57, pl 1, f 4 [b1613] SS: *ocrisia* (Hewitson), 1868; *Ocaria* [TypeL - Peru.] [Note - *May be a good species.*] [Refs - b0908; b2753; b1375]
- a *peruviana* (Lathy), 1904; *Symmachia* OD: Trans. ent. Soc. Lond. 52(3):466, pl 27, f 7 [b2914] CG: *Emesis* [TypeL - La Merced, Peru.] [Refs - b4475; b1456]
- b *peruviana* Lathy, 1926; *Eumaeus* OD: Ann. Mag. nat. Hist. (9)17:39 [b2918] SS: *minijas* (Hübner), [1809]; *Eumaeus* [Type: MNHN-ht; designated by Johnson, 1991] [J. Lep. Soc. 45(2):148 [b2605]] [TypeL - Chanchamayo, Peru.] [Refs - b0908; b2591; b2918; b2592]
- b *peruviana* Lathy, 1932; *Mesene* OD: Ann. Mag. nat. Hist. (10)9:68 [b2922] SS: *phareus* (Cramer), [1777]; *Mesene* [Type: BMNH-ht] [TypeL - San Remon, Peru.] [Refs - b2922; b1456]
- d *peruviana* (Lathy), 1936, (H); *Thecla* OD: Livre jubilaire de M. Eugene-Louis Bouvier :29, pl 8, f 2 [b2925] SS: *pentas* Nicolay, 1971; *Symbiopsis* [Type: MNHN-ht; collection of Fournier de Horrack.] [TypeL - Chanchamayo, Pérou.] [Refs - b0908; b2925; b3807; b2592]
- c *peruviana* Le Moul't, 1940, 1939-1940; *Helicopsis* OD: Novit. ent. (17):133 [b2943] SS: *cupido* (Linnaeus), 1758; *Helicopsis* [Type: MNHN-ht] [TypeL - Peru.] [Refs - b3199]
- e *ab.perversa* Schultz, 1906; *Plebejus* OD: Jber. Wien. ent. Ver. 16:75 [b4006] SS: *eumedon* (Esper), [1780]; *Plebejus* (*Eumedonia*) [Check - *Original genus*] [Refs - b0236; b0471]
- c *pervulgatus* (Guest), 1882; *Lycaena* OD: Trans. R. Soc. S. Aust. 5:36 [b2091] SS: *labradus* (Godart), [1824]; *Zizina* [TypeL - Adelaide, Australia.] [Refs - b4094; b4934; b1475]
- c *petalus* (Cramer), [1779], 1775-1790; *Papilio* OD: Utit. Kapellen 3(21):84, pl 243, f C,D [b1069] SS: *protumnus* (Linnaeus), 1764; *Thestor* [Type of - *Thestor*] [Refs - b2280; b2747; b4400]
- a *petaurister* (H. H. Druce), 1907; *Thecla* OD: Proc. zool. Soc. Lond. 1907(3):613 [b1375] CG: *Mercedes* [Type: BMNH-ht] [TypeL - Quonga (or Guonga), British Guiana.] [Note - *Not spelled petauristor.*] [Refs - b0908; b0125 (as *petauristor*); b1375; b2606 (as *petauristor*)]
- c *petavia* (Felder & Felder), 1865, 1865-1875; *Aricoris* OD: Reise Novara (2):295, pl 38, f 5,6 [b1692] SS: *lagus* (Cramer), [1777]; *Setabis* [Refs - b2747; b4475]
- a *petelina* Hewitson, [1877], 1863-1878; *Thecla* OD: Ill. dium. Lep. Lycaenidae 1:199; 2-pl 79, f 643,644 [b2326] CG: *Thecla* (New World *Eumaeini*) [Type: BMNH] [TypeL - Chiriquí, Panamá.] [Refs - b0908; b2753; b2406; b1975]
- a *petersi* Stempffer & Bennett, 1956; *Baliochila* OD: Bull. Inst. franç. Afr. Noire 18(A):503, f 1,2 [b4417] [TypeL - Liberia.] [Refs - b1452; b0836; b4400]
- a *petersi* (Stempffer & Bennett), 1956; *Deudorix* OD: Bull. Inst. franç. Afr. Noire 18(A):507, f [b4417] CG: *Hypokopelates* [TypeL - Liberia.] [Refs - b1452; b0836; b4400]
- e *f.petilus* d'Almeida, 1922; *Xenandra* OD: Mélanges Léop. 1:208 [b1457] SS: *agnia* (Hewitson), [1853]; *Xenandra* [Type: -lt; designated by Mielke & Casagrande, 1985] [Revta bras. Ent. 29(2):318 [b3177]] [TypeL - Brazil.] [Refs - b4474; b0119]
- a *petilla* Hewitson, 1868; *Thecla* OD: Descr. new Spec. Lycaenidae :20 [b2327] CG: *Thecla* (New World *Eumaeini*) [Type: BMNH] [TypeL - Amazon.] [Refs - b0908; b2747]

- b **petioni** (Comstock & Huntington), 1943; *Thecla* OD: Ann. New York Acad. Sci. 45:64, pl 1, f 4 [b0907] SS: acis (Drury), [1773]; *Strymon* [Type: AMNH] [TypeL - Prot-au-Prince, Haiti.] [Refs - b0908; b0540; b0907; b0833]
- b **petosiris** (Hewitson), [1863], 1863-1878; *Deudorix* OD: Ill. diurn. Lep. Lycaenidae 1:22; 2:pl 9, f 30,31 [b2326] SS: pheretima (Hewitson), [1863]; *Rapala* [TypeL - India.] [Type of - Vadebra] [Refs - b1636; b2280; b2747; b4094; b0236; b3235; b2201; b1454; b0694]
- a **petra** Pennington, 1962; *Thestor* OD: J. ent. Soc. S. Afr. 25(2):280 [b3570] [TypeL - Cape Province, S. Africa.] [Refs - b1259; b1452; b4400]
- a **petreia** Hewitson, 1874; *Pentila* OD: Ann. Mag. nat. Hist. (4)13:382 [b2339] [TypeL - Cape Coast.] [Refs - b2907; b2753; b1452; b0836; b4420; b4400]
- b **petrella** (Seitz), [1926], 1912-1927; *Thamola* OD: In Seitz, Grossschmett. Erde 9:986, pl 156g [b4094] SS: marciana (Hewitson), [1863]; *Thamala* [TypeL - Not stated.] [Refs - b4094; b0694]
- a **petreoides** Bethune-Baker, 1915; *Pentila* OD: Ann. Mag. nat. Hist. (8)16:187 [b0353] [TypeL - Cameroons.] [Refs - b0836 :275; b1452; b4420; b4400]
- e **ab. petri** (Verity), 1920, 1919-1922, (IFS); *Agricides* OD: Ent. Rec. 32:140 [b4840] SS: coridon (Poda von Neuhaus), 1761; *Polyommatus* (*Lysandra*) [Refs - b2856]
- e **ab. petri** (Verity), 1920, 1919-1922, (IFS); *Agricides* OD: Ent. Rec. 32:129 [b4840] SS: bellargus (Rottemburg), 1775; *Polyommatus* (*Lysandra*) [Refs - b0236; b0471]
- e **ab. petrividenda** Favre & Wullschlegel, 1899; *Polyommatus* OD: Faune Macro-Lép. Valais :19 [b1671] SS: eros (Ochsenheimer), 1807; *Polyommatus* [Refs - b4092]
- a **petronia** (Schaus), 1913; *Echenais* OD: Ann. Mag. nat. Hist. (8)11:301 [b3949] CG: *Adelotypa* [TypeL - Costa Rica.] [Refs - b4475; b1456]
- c **petronius** (Fabricius), 1793, 1792-1799; *Hesperia* OD: Ent. syst. 3(1):324 [b1657] SS: argenissa (Stoll), [1790]; *Calospila* [TypeL - Indii^s.] [Refs - b2747; b4475; b5076]
- c **petronius** (Godart), [1824], 1819-1824; *Erycina* OD: In Ency. méth. 9(Ins.)(2):570 [b1970] SS: menander (Stoll), [1780]; *Menander* [Refs - b4475]
- b **petronius** (Distant & Pryer), 1887; *Gerydus* OD: Ann. Mag. nat. Hist. (5)19:266 [b1290] SS: symethus (Cramer), [1777]; *Miletus* 4 [TypeL - Sandakan, Borneo.] [Refs - b1546; b0965; b1564; b1840; b0694; b4108]
- a **petunia** H. H. Druce, 1887; *Jamides* OD: Ent. mon. Mag. 23:203 [b1350]
- e **petus** (Fabricius), 1793, 1792-1799, (ISS); *Hesperia* OD: Ent. syst. 3(1):264 [b1657] SS: getus (Fabricius), 1787; *Thecla* (New World Eumaeini) [TypeL - Surinam.] [Refs - b0908; b2221]
- c **peucedra** Grose-Smith & Kirby, 1889, 1887-1902; *Ornipholidotos* OD: Rhop. exot. 1(11):37, pl 9, f 5,6 [b2049] SS: peucetia (Hewitson), [1866]; *Ornipholidotos* [Refs - b1452; b4400]
- a **peucetia** (Hewitson), [1866], 1852-1877; *Pentila* OD: Ill. exot. Butts 3:[-], pl [60], f 3 [b2323] CG: *Ornipholidotos* [TypeL - Zambesi.] [Refs - b1943; b1259; b2747; b1452; b4400]
- a **pfeifferi** (Brandt), 1938; *Lycaena* OD: Ent. Rundsch. 55:671, pl 4, f 1-3 [b0480] CG: *Polyommatus* (*Agrodiaetus*) [TypeL - Iran.] [Refs - b1762; b0076]
- b **pfeifferi** Beuret, 1952; *Palaeochrysophanus* OD: Mitt. ent. Ges. Basel (nf)2:59, f [b0385] SS: hippothoe (Linnaeus), 1761; *Palaeochrysophanus* [TypeL - Caucasus.]
- a **phacana** Draudt, [1920], 1917-1924; *Thecla* OD: In Seitz, Grossschmett. Erde 5:790, pl 157-d [b1348] CG: *Thecla* (New World Eumaeini) [TypeL - Río Negro and Aguaca Valley, Colombia.] [Refs - b0908]
- a **phace** Godman, 1903; *Mesosemia* OD: Trans. ent. Soc. Lond. 51(4):529, pl 20, f 1 [b1972] [Type: BMNH-ht] [TypeL - Guiana.] [Refs - b4474; b1456]
- a **phaea** (Godman & Salvin), [1887], 1879-1901; *Thecla* OD: Biol. centr.-amer., Lep. Rhop. 2:32; 3:pl 51, f 27-29 [b1975] CG: *Arawacus* [Type: BMNH] [TypeL - Volcán de Chiriquí, Panamá.] [Refs - b0908; b2988; b2406; b1975]
- a **phaedon** (Godman), 1903; *Aricoris* OD: Trans. ent. Soc. Lond. 51(4):547 [b1972] CG: *Setabis* [TypeL - Ecuador.] [Refs - b0505; b4475; b1456]
- a **phaedra** (Bates), [1868]; *Cricosoma* OD: J. linn. Soc. Lond., Zool. 9:386 [b0267] CG: *Symmachia* [TypeL - Tapajos.] [Refs - b2747; b4474; b3717; b1456]
- e **phaedra** (Fruhstorfer), 1907, (IFS); *Sithon* OD: Ent. Zeit. 21(23):144 [b1824] SS: ravata (Moore), [1866]; *Remelana* [Refs - b4094; b0694; b1824]
- c **phaedrus** (Fabricius), 1781, 1781-1782; *Papilio* OD: Spec. Ins. 2:125 [b1655] SS: thetis (Drury), [1773]; *Curetis* [Type: BMNH-st; Banks collection.] [TypeL - India orientaliⁿ.] [Type of - Anops] [Refs - b1636; b2280; b2747; b0694; b5076]
- b **phaedrus** (Hall), 1924; *Heodes* OD: J. New York ent. Soc. 32(2):111 [b2118] SS: epixanthe (Boisduval & Le Conte), [1835]; *Epidemia* [Type: AMNH-ht] [TypeL - Dublin Shore, Lunenburg County, Nova Scotia.] [Refs - b0908; b3191; b3796; b3192; b1321; b4066]
- a **phaedusa** Hübner, [1818], 1808-1837; *Stalactis* OD: Zutr. Samml. exot. Schmett. 1:9, pl [3], f 13,14 [b2483] [TypeL - Para.] [Type of - Stalactis] [Refs - b2988; b2280; b2747; b4476; b4950; b1456]
- c **phaenna** (Godman & Salvin), [1887], 1879-1901; *Thecla* OD: Biol. centr.-amer., Lep. Rhop. 2:31 [b1975] SS: sito (Boisduval), 1836; *Arawacus* [Type: BMNH-st] [TypeL - San Pedro, Honduras; Chontales, Nicaragua.] [Refs - b0908; b2988; b2406; b1975]
- a **phaenops** Felder & Felder, 1865, 1865-1875; *Arhopala* OD: Reise Novara (2):227 [b1692] CG: *Arhopala* f [Type: BMNH-ht] [TypeL - Luzon.] [Refs - b1450; b1644; b2747; b4094; b2200; b1454]
- a **phaeo** Pritwitz, 1865; *Theope* OD: Stett. ent. Ztg. 26:312 [b3651] [TypeL - Brasilia.] [Refs - b2747; b4475; b1456]
- a **phaeochiton** (Grünberg), 1910; *Pseuderesia* OD: Sber. Ges. naturf. Freunde Berl. 1910:476 [b2076] CG: *Eresiomera* [TypeL - Spanish Guinea.] [Refs - b1452; b2076; b4400]
- a **phaemallus** Hübner, [1823], 1808-1837; *Zesius* OD: Zutr. Samml. exot. Schmett. 2:15, pl [46], f 261,262 [b2483] [TypeL - Surinam.] [Refs - b0908; b2747]
- c **phaeton** (Freyer), 1852, 1831-1858; *Polyommatus* OD: Neuere Beitr. Schmett. 6:pl 571, f 2 [b1795] SS: ochimus (Herrich-Schäffer), [1851]; *Lycaena* (*Thersamonia*) [Refs - b2747; b0996; b4092]
- b **phaidon** (Fruhstorfer), 1915; *Lampides* OD: Arch. Naturgesch. (A)81(6):37 [b1865] SS: bochus (Stoll), [1782]; *Jamides* [TypeL - Celebes.] [Refs - b4094; b1865; b1454 (may be ssp of tiglath); b4595]
- e **phakes** d'Abrebra, 1986, (ISS); *Poriskina* OD: Butts Oriental Region, Pt 3 :538 [b1454] SS: phakos H. H. Druce, 1895; *Poriskina* [Refs - b1454; b4594]

- a **phakos** H. H. Druce, 1895; *Poriskina* OD: Proc. zool. Soc. Lond. 1895(3):570, pl 34, f 15 [b1362] [Type: ZMHU-It; designated by Takanami, 1989] [Tyō to Ga 40(1):24 [b4602]] [TypeL - Mindanao, Philippines.] [Type of - *Poriskina*] [Refs - b2280; b4094; b2200; b1850; b1362; b1454 (as *phakes*); b4602]
- b **phalaerus** Fruhstorfer, 1914; *Arhopala* OD: Deut. ent. Zeit. [Iris] 27(4):156 [b1853] SS: hercules (Hewitson), 1862; *Arhopala e* [Type: BMNH-st] [TypeL - Jobi.] [Refs - b1644; b1450; b4094; b1853]
- b **phalakron** (Fruhstorfer), 1914; *Arhopala* OD: Deut. ent. Zeit. [Iris] 28(2):128 [b1859] SS: apidanus (Cramer), [1777]; Flos [Type: BMNH-ht] [TypeL - Sumatra.] [Refs - b1644; b4094; b2201; b1859; b1454]
- a **phalanthus** (Stoll), [1780], 1780-1790; *Papilio* OD: In Cramer, *Uitl. Kapellen* 4(28):85, pl 333, f C,D [b4478] CG: Molus [TypeL - Surinam.] [Type of - Molus] [Refs - b2280; b0908; b2747; b1375]
- c **phalanthus** (Scudder), 1875, (ISS); *Molus* OD: Proc. amer. Acad. Arts Sci. 10:220 [b4080] SS: philanthus (Stoll), [1787]; *Thestius* [Refs - b0908]
- c **phalantus** Hübner, [1819], 1816-1826, (ISS); *Molus* OD: Verz. bekannt. Schmett. (5):78, no. 791 [b2484] SS: phalanthus (Stoll), [1780]; *Molus* [Refs - b0908]
- a **phalena** (Hewitson), 1874; *Portia* OD: Trans. ent. Soc. Lond. 22(3):344 [b2341] CG: Simiskina [TypeL - Singapore.] [Refs - b0964; b1636; b0965; b2753; b4094; b2200; b1850; b1454; b0950; b4108]
- a **phaleros** (Linnaeus), 1767; *Papilio* OD: Syst. nat. (ed. 12) 1(2):796 [b2997] CG: *Cycnus* [TypeL - In India.] [Type of - *Cycnus*] [Refs - b2747; b2221; b1453; b3818; b2406; b2497; b1975; b2631]
- a **phalia** (Hewitson), 1874; *Portia* OD: Trans. ent. Soc. Lond. 22(3):345 [b2341] CG: Simiskina [TypeL - Borneo.] [Refs - b0964; b1636; b0965; b2753; b4094; b2200; b1850; b1454; b0950; b4108]
- c **phaliga** (Fruhstorfer), 1915; *Lampides* OD: Arch. Naturgesch. (A)81(6):11 [b1865] SS: kondulana (C. Felder), 1862; *Jamides* [TypeL - Bazilan.] [Refs - b4094; b1865]
- c **phalike** Fruhstorfer, [1912], (ISS); *Poritia* OD: Berl. ent. Z. 56(3/4):200 [b1850] SS: phaluke H. H. Druce, 1895; *Poritia* [Refs - b1850]
- c **phallica** Hewitson, [1867], 1863-1878; *Thecla* OD: Ill. diurn. Lep. Lycaenidae 1:97; 2pl 40, f 136 [b2326] SS: olbia Hewitson, [1867]; *Thecla* (New World Eumaeini) [Type: BMNH] [TypeL - Amazon.] [Refs - b0908; b2747]
- c **phaloe** Staudinger, [1888], 1884-1888; *Stalachtis* OD: In Exot. Schmett. 1:265 [b4329] SS: duvalii Perty, 1834; *Stalachtis* [TypeL - Pará & E. Amazonas, Brazil.] [Refs - b4476]
- c **phaluke** H. H. Druce, 1895; *Poritia* OD: Proc. zool. Soc. Lond. 1895(3):567, pl 31, f 15 [b1362] SS: pellonia Distant & Pryer, 1887; *Poritia* [Type: ZMHU-It; designated by Takanami, 1989] [Tyō to Ga 40(1):24 [b4602]] [TypeL - Mt. Kinabalu, N. E. Borneo.] [Note - Not spelled *phalike*.] [Refs - b4094; b2200; b1850 (as *phalike*); b1362; b1454; b1878; b4602; b4108]
- a **phama** H. H. Druce, 1895; *Poritia* OD: Proc. zool. Soc. Lond. 1895(3):568, pl 31, f 18 [b1362] [Type: ZMHU-It; designated by Takanami, 1989] [Tyō to Ga 40(1):23 [b4602]] [TypeL - Mt. Kinabalu, N. E. Borneo.] [Refs - b0965; b4094; b1850; b1362; b1454; b1543; b3520; b4602; b4108]
- a **phanda** Corbet, 1941; *Arhopala* OD: Proc. R. ent. Soc. Lond. (B)10(9):161 [b0956] CG: *Arhopala f* [Type: BMNH-ht] [TypeL - Malaya.] [Refs - b1644; b0956; b1454]
- b **phaneas** (Fruhstorfer), 1915; *Lampides* OD: Arch. Naturgesch. (A)81(6):36 [b1865] SS: bochus (Stoll), [1782]; *Jamides* [TypeL - Lombok.] [Refs - b1865; b4094 (also as *phareas*); b1454]
- a **phanes** (Trimen), 1873; *Aphnaeus* OD: Trans. ent. Soc. Lond. 21(2):111, pl 1, f 4,5 [b4720] CG: Spindasis [TypeL - Griqua Land.] [Refs - b1943; b1259; b2753; b1452; b4400]
- c **phantera** Seki & Takanami & Otsuka, 1991, (ISS); *Arhopala* OD: Butus Borneo 2(1):56 (English text) [b4108] SS: panthera Corbet, 1946; *Arhopala a* [Refs - b4108]
- b **phantus** Eliot, 1986; *Miletus* OD: Bull. Br. Mus. nat. Hist. (Ent.) 53(1):78, f 88 [b1571] SS: symethus (Cramer), [1777]; *Miletus 4* [Type: pc-ht; collection of Treadaway.] [TypeL - Marindugue, Philippines.] [Refs - b1571]
- c **pharaonis** (Staudinger), 1894; *Lycaena* OD: Deut. ent. Zeit. [Iris] 7:243, pl 9, f 4 [b4340] SS: eleusis (Demaison), 1888; *Chilades* [TypeL - Egypt.] [Refs - b0995; b4363; b4400; b4092]
- b **phare** H. H. Druce, 1895; *Poritia* OD: Proc. zool. Soc. Lond. 1895(3):567, pl 31, f 14 [b1362] SS: philota Hewitson, 1874; *Poritia* [Type: ZMHU-ht] [TypeL - Mindanao, Philippines.] [Refs - b4094 (with *erycinoides*); b2200; b1850; b1362; b1454; b1878; b4602]
- c **phareolus** Stichel, 1923; *Mesene* OD: Z. wiss. InsektBiol. 18(10/11):281 [b4457] SS: eristalis Stichel, 1923; *Mesene* [Refs - b4474]
- a **phareus** (Cramer), [1777], 1775-1790; *Papilio* OD: Uitl. Kapellen 2(15):113, pl 170, f C. [b1069] CG: *Mesene* [TypeL - America mer.] [Type of - *Emesis*, *Mesene*] [Refs - b2988; b2280; b2747; b4474; b2221; b1036; b1456]
- b **pharis** (Fawcett), 1904; *Lycaena* OD: Proc. zool. Soc. Lond. 1904(II)(1):138, pl 9, f 5 [b1673] SS: lehanus Moore, 1878; *Polyommatus* (*Albulina*) [Note - Eliot notes that *d'Abrera* misused this name for an unnamed species from New Guinea.] [Refs - b1450; b2747; b2698; b1567; b3550; b1840; b4108]
- b **pharnus** C. Felder, 1860; *Spalgis* OD: Sber. Akad. Wiss. Wien 40(11):460 [b1676] SS: epeus (Westwood), [1851]; *Spalgis* [TypeL - Amboina.] [Note - Eliot notes that *d'Abrera* misused this name for an unnamed species from New Guinea.] [Refs - b1450; b2747; b2698; b1567; b3550; b1840; b4108]
- a **pharus** (H. H. Druce), 1907; *Thecla* OD: Proc. zool. Soc. Lond. 1907(3):586, pl 34, f 7 [b1375] CG: *Thereus* [Type: BMNH-ht; Godman collection.] [TypeL - Pará, Brazil.] [Refs - b0908; b3818; b1375; b2593; b2597]
- a **pharyge** (Hewitson), 1874; *Portia* OD: Trans. ent. Soc. Lond. 22(3):345 [b2341] CG: Simiskina [TypeL - Borneo.] [Refs - b0964; b1636; b0965; b2753; b4094; b1850; b3610; b1454; b0694; b0950; b4108]
- c **pharygoides** (de Nicéville), 1890; *Zarona* OD: J. Bombay nat. Hist. Soc. 5(3):208, pl E, f 3 [b1154] SS: livens Distant, 1886; *Deramas* [TypeL - Johore, Peninsular Malaya.] [Refs - b0964; b0965; b1550; b0950]
- a **phaseli** (Mathew), 1889; *Lampides* OD: Trans. ent. Soc. Lond. 37(2):312 [b3080] CG: *Jamides* [TypeL - North Australia.] [Refs - b1450; b4094; b1865; b0870; b4934; b2388]
- c **phasis** (Fruhstorfer), 1915; *Lampides* OD: Arch. Naturgesch. (A)81(6):34 [b1865] SS: pseudeuchylas (Strand), 1911; *Jamides* [TypeL - Roon.] [Refs - b4671; b1450; b1865; b4094 (as *phosis*)]
- a **phasma** Bates, [1868]; *Zelotaea* OD: J. linn. Soc. Lond., Zool. 9:382 [b0267] [TypeL - Ega.] [Type of - *Zelotaea*] [Refs - b2280; b2988; b2280; b4475; b2747; b1456]
- c **phasma** (Butler), 1901; *Catochrysops* OD: Ann. Mag. nat. Hist. (7):7:290 [b0660] SS: quassi (Karsch), 1895; *Lepidochrysops* [TypeL - Lagos.] [Refs - b0836; b4400; b0359]

- b **f. phasma** (Talbot), 1935; *Castalius* OD: Ent. mon. Mag. 71:148, pl 2, f 14 [b4623] SS: margaritaceus (E. Sharpe), [1892]; *Tuxentius* [TypeL - Kenya.] [Refs - b4623; b4400]
- b **phataea** (Fruhstorfer), 1914; *Chliaria* OD: Deut. ent. Zeit. [Iris] 27(4):176 [b1854] SS: othona Hewitson, [1865]; *Hypolycaena* (*Chliaria*) [TypeL - N. E. Sumatra.] [Refs - b4094 (as *tora* ssp); b1565; b1854 (as *phataea*)]
- e **f. phayla** Stichel, 1916, (IFS); *Caria* OD: Deut. ent. Zeit. 1916:11 [b4452] SS: arete (Felder & Felder), 1861; *Caria* [TypeL - Peru.] [Refs - b4452; b4474]
- c **pheda** Corbet, 1940; *Poritia* OD: Trans. R. ent. Soc. Lond. 90(11):343 [b0950] SS: courvoisieri Fruhstorfer, 1917; *Poritia* [Type: BMNH-ht] [TypeL - Mt. Gede, West Java.] [Refs - b1543; b0950]
- a **phedica** (Boisduval), 1836; *Eurygona* OD: Spec. gén. Lépid. 1:pl 21 [=5C], f 3 [b0462] CG: Euselasia [TypeL - Cayenne.] [Type of - *Eurygona*] [Refs - b2280; b4474; b2747 (as *phoedica*); b3192 (as *phoedica*); b1060; b1456]
- e **phedyma** Doubleday, 1847, 1844-1848, (NN); *Calydna* OD: List Spec. lep. Brit. Mus. (2):5 [b1327] [Refs - b4475]
- a **phegeus** Hewitson, [1865], 1863-1878; *Thecla* OD: Ill. dium. Lep. Lycaenidae 1:75; 2:pl 30, f 26,27 [b2326] CG: *Thecla* (New World Eumaeini) [Type: BMNH-st] [TypeL - Bahia and Amazon.] [Refs - b0908; b2747]
- a **phelina** (Felder & Felder), 1862; *Mesosemia* OD: Wien. ent. Monats. 6(12):411 [b1689] CG: *Teratophthalma* [TypeL - Bogota, Colombia.] [Type of - *Teratophthalma*] [Refs - b2280; b2988; b2280; b2747; b4474; b1456]
- a **phelina** (H. Druce), 1878; *Eurygona* OD: Ent. mon. Mag. 15:101 [b1389] CG: Euselasia [TypeL - Venezuela.] [Refs - b4474; b1456]
- e **phellodendri** (Seitz), [1908], 1907-1921, (PS); *Thecla* OD: In Seitz, Grossschmett. Erde 1:268 [b4092] SS: herzi (Fixsen), 1887; *Fixsenia* [Refs - b4092 (as *Staudinger*, il.); b1455]
- a **phellodendroni** Omelko & Omelko, 1987; *Celastrina* OD: In Lepid. Soviet Far East :116, f [b3507] [TypeL - Russian SFSR.] [Refs - b0125]
- b **phemis** H. H. Druce, 1895; *Hypolycaena* OD: Proc. zool. Soc. Lond. 1895(3):604, pl 33, f 18 [b1362] SS: amabilis (de Nicéville), 1895; *Hypolycaena* [Type: ZMHU-lt; designated by Takanami, 1989] [Tyô to Ga 40(1):33 [b4602]] [TypeL - Mt. Kinabalu, N. E. Borneo.] [Refs - b4094; b1362; b1454; b4602; b4108]
- a **phengotes** Tite, 1963; *Philaris* OD: Bull. Br. Mus. nat. Hist. (Ent.) 14(5):244 [b4677] [Type: BMNH-ht] [TypeL - Kokoda, British New Guinea.] [Refs - b4677; b1450]
- a **phereclus** (Linnaeus), 1758; *Papilio* OD: Syst. nat. (ed. 10) 1:484 [b2993] CG: *Panara* [TypeL - Amer. Mer. pars sept.] [Refs - b2988; b2747; b4474; b2753; b1456]
- d **phereclus** (Cramer), [1777], 1775-1790; *Papilio* OD: Uitl. Kapellen 2(-):—, pl 178, f D [b1069] SS: seleukia (Stichel), 1910; *Melanis* [Refs - b4474]
- b **pherenice** Fruhstorfer, 1915; *Amblopala* OD: Soc. ent. 30(11):63 [b1862] SS: avidiena (Hewitson), 1877; *Amblopala* [TypeL - Tatsienlu, Szetchuan, China.] [Refs - b0996; b2479; b0236; b1862]
- c **pherephatte** (Godart), [1824], 1819-1824; *Erycina* OD: In Ency. méth. 9(Ins.)(2):590 [b1970] SS: lagus (Cramer), [1777]; *Setabis* [Refs - b2747; b4475]
- a **pheres** (Boisduval), 1852; *Lycaena* OD: Anns Soc. ent. Fr. (2)10:297 [b0467] CG: *Plebejus* (*Icaricia*) [Type: USNM-ht] [TypeL - San Francisco, California.] [Refs - b1321 :65; b0908; b2747; b2827; b3192; b1321; b0467; b4066]
- b **pheres** (Staudinger), 1886, 1886-1889; *Lycaena* OD: Stett. ent. Ztg 47:209 [b4330] SS: pheretiades (Eversmann), 1843; *Polyommatus* (*Agriades*) [Refs - b2479; b4092]
- c **pheretes** (Hoffmansegg), 1804; *Papilio* OD: Mag. f. Insektenk. (Illiger) 3:187 [b2410] SS: orbitalus (Prunner), 1798; *Polyommatus* (*Albulina*) [Type of - *Polyommatus* (*Albulina*)] [Refs - b2280; b4180; b0236; b0410; b0694; ns0759]
- d **pheretes** (Hübner), [1806], 1796-1838, (H); *Papilio* OD: Samml. europ. Schmett. 1:45 [b2480] SS: orbitalus (Prunner), 1798; *Polyommatus* (*Albulina*) [Refs - b1636; b2280; b2747; b1780; b4094; b1762; b0993; b2827; b2479; b2866; b0236; b0410; b2794; b4092]
- a **phetia** (Hewitson), 1874; *Portia* OD: Trans. ent. Soc. Lond. 22(3):346 [b2341] CG: *Simiskina* [TypeL - Singapore.] [Refs - b0964; b0965; b2753; b4094; b1850; b1454; b0950]
- a **phetiades** (Eversmann), 1843; *Lycaena* OD: Bull. Soc. imp. Nat. Moscou 16(3):536, pl 7, f 3a,b [b1648] CG: *Polyommatus* (*Agriades*) [TypeL - Central Asia.] [Refs - b3901; b0993; b1762; b2827; b0236; b0410; b3910; b0694; ns0346; b4092]
- a **phetima** (Hewitson), [1863], 1863-1878; *Deudorix* OD: Ill. dium. Lep. Lycaenidae 1:21; 2:pl 9, f 27-29 [b2326] CG: *Rapala* [TypeL - Sarawak, Borneo.] [Refs - b1636; b0964; b0965; b2747; b4094; b3235; b2201; b1454; b0694; b3519]
- a **phetima** Felder & Felder, 1865, 1865-1875; *Crocozona* OD: Reise Novara (2):296, pl 36, f 16,17 [b1692] [TypeL - New Granada.] [Type of - *Crocozona*] [Refs - b2988; b2280; b2747 (:392); b4474 (:293); b1456]
- b **phetimus** (Staudinger), 1892; *Lycaena* OD: Deut. ent. Zeit. [Iris] 5:318 [b4338] SS: orbitalus (Prunner), 1798; *Polyommatus* (*Albulina*) [TypeL - Kentei-Gebirges.] [Refs - b2866 (:161); b4347; b4092]
- c **phetulus** (Staudinger), 1886, 1886-1889; *Lycaena* OD: Stett. ent. Ztg 47:209 [b4330] SS: pheretiades (Eversmann), 1843; *Polyommatus* (*Agriades*) [Refs - b4092]
- b **phiala** (Grum-Grshimailo), 1890; *Lycaena* OD: In Romanoff, Mém. Lép. 4:366, pl 21, f 4 [b2067] SS: galba (Lederer), 1855; *Lachides* [Type: ZIL-lt; designated by Nekrutenko, 1984] [Vestnik Zoologii 1984(3):33 [b3364]] [Refs - b1636; b1762; b2827 (as full sp); b3364; b0116; b0694 (as *phialia*); b4092]
- b **phidia** Hewitson, 1874; *Pentila* OD: Ann. Mag. nat. Hist. (4)13:383 [b2339] SS: abraxas Westwood, [1852]; *Pentila* [TypeL - Cape Coast.] [Refs - b2753; b1452; b0836; b4420; b4400]
- a **phidias** (Fabricius), 1793, 1792-1799; *Hesperia* OD: Ent. syst. 3(1):286 [b1657] CG: *Leptomyrina* [TypeL - India", but really Madagascar.] [Type of - *Leptomyrina*] [Refs - b2280; b4400; b2747; b1452; b5076; b2920]
- a **philander** Felder & Felder, 1865, 1865-1875; *Arhopala* OD: Reise Novara (2):226, pl 29, f 6 or 9 [b1692] CG: *Arhopala* h [Type: BMNH-ht] [TypeL - Halmaheria.] [Refs - b1450; b1644; b2747; b4094]
- c **philanthus** (Stoll), [1787], 1780-1790; *Papilio* OD: In Cramer, Uitl. Kapellen Aanh.:23, pl 5, f 3,3C [b4478] SS: pholeus (Cramer), [1777]; *Thestius* [Refs - b0908; b2747]
- a **philatus** (Snellen), 1878; *Cupido* OD: In Tijdschr. Ent. 21:21, pl 1, f 5 [b4259] CG: *Jamides* [Type: RNH?-st] [TypeL - Bonthain, S. W. Sulawesi.] [Refs - b0964; b1636; b1450; b0965; b4094; b1865; b1454; b4259; b0694; b4602; b2388; b3786]
- b **philbyi** (Graves), 1925; *Plebejus* OD: Trans. ent. Soc. Lond. 73(1/2):55, f [b2010] SS: indica (Evans), 1925; *Plebejus* (*Plebejides*) [TypeL - Transjordanica.] [Refs - b2905; b0070; b0293 (as ssp); b0471]
- a **philbyi** Gabriel, 1954; *Euchrysops* OD: Exped. S. W. Arabia 1937-1938 1:386, f [b1908] [TypeL - Arabia; Yemen.] [Refs - b1452; b2898; b4400]

- b **philebus** (Fruhstorfer), 1915; *Lycaena* OD: Soc. ent. 30:73 [b1869] SS: pheretiades (Eversmann), 1843; *Polyommatus* (*Agriades*) [TypeL - Kashgar.] [Refs - b0236; b0072; b0471]
- b **philebus** (Seitz), [1923], 1912-1927; *Lycaena* OD: In Seitz, Grossschmetz. Erde 9:929, pl 153m [b4094] SS: orbitulus (Prunner), 1798; *Polyommatus* (*Albulina*) [TypeL - Himalaya.] [Refs - b4094]
- c **philema** Stichel, 1910, (IFS); *Caria* OD: Berl. ent. Z. 55(1/2):26 [b4445] SS: amazonica (Bates), [1868]; *Caria* [Type: BMNH-ht] [TypeL - Ecuador.] [Refs - b4474; b4445]
- a **philemon** (Cramer), [1775], 1775-1790; *Papilio* OD: Uul. Kapellen 1(2):35, pl 22, f G.H. [b1069] CG: *Leucochimona* [TypeL - Guiana, Amazon.] [Type of - *Leucochimona*] [Refs - b2280; b2988; b2747; b4474; b2406; b0680; b1456]
- c **philemon** (Boisduval), 1869, 1868-1869; *Lycaena* OD: Annl. Soc. ent. Belg. 12:47 [b0468] SS: ama (Edwards), 1861; *Plebejus* (*Lycacides*) [Type: USNM-ht] [TypeL - (Central) California.] [Refs - b0908; b3192; b3328; b1321]
- e **philemon** Le Mout, 1940, 1939-1940, (IFS); *Helicopsis* OD: Novit. ent. (17):132 [b2943] SS: cupido (Linnaeus), 1758; *Helicopsis* [Type: AME-ht] [Refs - b3199]
- c **phileus** (Stichel), 1916; *Hamearis* OD: Deut. ent. Zeit. 1916:22 [b4452] SS: middletoni (E. Sharpe), 1890; *Audre* [TypeL - Mato Grosso.] [Refs - b4452]
- d **philenus** (Poey), [1852], 1851-1861, (UE); *Polyommatus* OD: Mem. hist. nat. Cuba :197 [b3625] OS: filenus (Poey), 1832; *Hemiargus* [TypeL - Cuba.] [Refs - b0908; b0907]
- c **phileros** (Boisduval), 1869, 1868-1869; *Lycaena* OD: Annl. Soc. ent. Belg. 12:50 [b0468] SS: icarioides (Boisduval), 1852; *Plebejus* (*Icaricia*) [Type: USNM-ht] [TypeL - (Mountains of Eastern) California.] [Refs - b0908; b2747; b3192; b1321]
- b **philetas** (Fruhstorfer), 1916; *Lycaenesthes* OD: Zoöl. Meded. 2(2):102 [b1872] SS: licates (Hewitson), 1874; *Anthene* [TypeL - Batjan.] [Refs - b4679; b1840]
- c **philiatus** (Linnaeus), 1767; *Papilio* OD: Syst. nat. (ed. 12) 1(2):790, n 233 [b2997] SS: pirithous (Linnaeus), 1767; *Leptotes* [Type: lost?] [TypeL - Africa bor.] [Refs - b2747; b4815; b0236]
- b **philiata** (Fruhstorfer), 1916; *Nacaduba* OD: Zoöl. Meded. 2(2):119 [b1873] SS: aluta (H. Druce), 1873; *Prosotas* [Type: BMNH-ht] [TypeL - Philippines.] [Refs - b4676; b4094; b1454]
- c **philiator** (Fruhstorfer), 1915; *Lycaena* OD: Soc. ent. 30:68 [b1868] SS: cyanecula (Eversmann), 1848; *Maculinea* [TypeL - Mongolia.] [Refs - b0109; b0236; b0072; b1868; b2866; b0471; b4225; ns0200]
- a **philinna** Hewitson, 1868; *Thecla* OD: Descr. new Spec. Lycaenidae :19 [b2327] CG: *Thecla* (New World Eumaeini) fabulla group [Type: BMNH] [TypeL - Amazon.] [Refs - b0908; b2988; b2747; b1375; b2597]
- b **philipi** Eliot, 1987; *Chrysozephyrus* OD: Tyô to Ga 38(1):24, f 10-12 [b1574] SS: nigroapicalis (Howarth), 1957; *Chrysozephyrus* [Type: BMNH-ht] [TypeL - Phang District, Thailand.] [Refs - b1574]
- b **philippa** (Evans), 1957; *Narathura* OD: Bull. Br. Mus. nat. Hist. (Ent.) 5(3):96 [b1644] SS: agesilaus (Staudinger), 1889; *Arhopala* b [Type: BMNH-ht] [TypeL - Mindanao.] [Refs - b1644; b2200; b1454]
- b **philippensis** Fruhstorfer, [1912]; *Rapala* OD: Berl. ent. Z. 56(3/4):254 [b1850] SS: manea (Hewitson), [1863]; *Rapala* [TypeL - Luzon, Philippines.] [Refs - b4094; b1850]
- e **philippensis** d'Abrera, 1986, (ISS); *Deramas* OD: Butts Oriental Region, Pt 3 :544 [b1454] SS: philippinensis Hayashi, 1981; *Deramas* [Refs - b1454; b4594]
- b **philippensis** Schröder & Treadaway, 1986; *Una* OD: Ent. Zeit. 96(21):317, f 5,6 [b3983] SS: usta (Distant), 1886; *Una* [Type: pc-ht; collection of Treadaway.] [TypeL - Mt. Imagao, Bukidnon, Mindanao, Philippines.] [Refs - b3983; b2388]
- c **philippi** (Brown & Coutsis), 1978; *Lysandra* OD: Ent. Gaz. 29(4):201-213 [b0547] SS: coridon (Poda von Neuhaus), 1761; *Polyommatus* (*Lysandra*) [TypeL - North eastern Greece.] [Refs - b1610 (5591-E10); b2794; b2859; b4038; b1455 (as philippi)]
- b **philippina** Staudinger, 1889; *Hypolycaena* OD: Deut. ent. Zeit. [Iris] 2(1):103 [b4332] SS: thecloides (Felder & Felder), 1860; *Hypolycaena* [Refs - b4094; b2201; b1454]
- a **philippina** (Semper), 1889, 1886-1892; *Cyaniris* OD: In Semper, Reisen Philipp. (2)(5):168, pl 32, f 16,18, 17(partim) [b4110] CG: *Celastrina* [Type: SMF-ht; designated by Toxopeus, 1926] [*Treubia* 8:369 [b4695]] [TypeL - Benguet, Luzon, Philippines.] [Refs - b1450; b1840; b1580; b2200; b4595; b4108]
- b **philippina** (Hayashi), 1981; *Narathura* OD: Tyô to Ga 32(1,2):71, f 13,14 [b2198] SS: silhetensis (Hewitson), 1862; *Arhopala* f [Type: NSMT-ht] [TypeL - Philippines.] [Refs - b2198; b4104]
- b **philippinensis** Hayashi, 1981; *Deramas* OD: Tyô to Ga 32(1,2):67, f 5,6,47 [b2198] SS: bidotata (Fruhstorfer), 1914; *Deramas* [Type: NSMT-ht] [TypeL - Marinduque, Philippines.] [Refs - b2198; b1454 (as philippensis); b1573; b4588]
- b **philippinensis** Schröder & Treadaway & Hayashi, 1981; *Deudorix* OD: Ent. Zeit. 91(24):270, f [b3994] SS: hypargyria (Elwes), [1893]; *Deudorix* [Type: pc-ht; collection of Treadaway.] [TypeL - Binunga, Marinduque, Philippines.] [Refs - b1610 (4891-Z13); b0114; b3974; b2201; b1454]
- e **philippus** Kirby, 1871, (ISS); *Hypolycaena* OD: Syn. Cat. dium. Lep. :407 [b2747] SS: philippus (Fabricius), 1793; *Hypolycaena* [Refs - b2747]
- a **philippus** (Fabricius), 1793, 1792-1799; *Hesperia* OD: Ent. syst. 3(1):283 [b1657] CG: *Hypolycaena* [TypeL - India", but really Africa.] [Refs - b1943; b1259; b2747 (as philippus); b1452; b0836; b2901; b4400; b2887; b2886; b5076; b4680; b2898]
- c **philippus** Staudinger, 1889; *Miletus* OD: Deut. ent. Zeit. [Iris] 2(1):92 [b4332] SS: drucei (Semper), 1887; *Miletus* 3 [Type: ZMHU-ht; designated by Takanami, 1989] [Tyô to Ga 40(1):23 [b4602]] [TypeL - Palawan.] [Refs - b1546; b1840; b4602]
- e **philippi** (d'Abrera), 1993, (ISS); *Lysandra* OD: Butts Holarctic Region, Pt 3 :508 [b1455] SS: philippi (Brown & Coutsis), 1978; *Polyommatus* (*Lysandra*) [Refs - b1455]
- a **phillone** (Godart), [1824], 1819-1824; *Erycina* OD: In Ency. méth. 9(Ins.)(2):574 [b1970] CG: *Synargis* [Refs - b2988; b2747; b4475; b1456]
- a **philo** (Hopffer), 1874; *Lycaena* OD: Stutt. ent. Ztg 35:27 [b2445] CG: *Anthene* [Type: ZMHU-ht; designated by Takanami, 1989] [Tyô to Ga 40(1):26 [b4602]] [TypeL - N. Sulawesi.] [Refs - b4679; b2753; b1840; b1454; b2445; b4602]
- a **philocles** (Linnaeus), 1758; *Papilio* OD: Syst. nat. (ed. 10) 1:483 [b2993] CG: *Mesosemia* [TypeL - Guiana, Obydos.] [Refs - b2988; b2747; b4474; b2753; b1456]
- d **philoclessa** Hübner, [1819], 1816-1826, (JOS); *Mesosemia* OD: Verz. bekannt. Schmetz. (2):21, no. 145 [b2484] OS: philocles (Linnaeus), 1758; *Mesosemia* [Type of - *Mesosemia*] [Refs - b2280; b4474]
- b **philocrates** (Fruhstorfer), 1915; *Thysonotis* OD: Soc. ent. 30:50 [b1866] SS: danis (Cramer), [1775]; *Danis* [TypeL - Obi.] [Refs - b1450; b1866]

- a **philonis** Hewitson, [1873], 1852-1877; *Pachythone* OD: Ill. exot. Butts 5:[---], pl [37], f 3,4 [b2323] [TypeL - Santa Martha, Brazil or Panama.] [Refs - b2753; b1456]
- b **philonis** Hewitson, [1874], 1852-1877; Mesene OD: Ill. exot. Butts 5:Ery, f 5 [b2323] SS: epalia (Godart), [1824]; Mesene [TypeL - Colombia; Panama.] [Refs - b2747; b4474; b2221]
- c **philonome** (Bergsträsser), [1779], 1778-1780; *Papilio* OD: Nom. Ins. 2:72, pl 44, f 6,8 [b0310] SS: argus (Linnaeus), 1758; Plebejus [Refs - b0410; b0236 (as philomene); b0471]
- e **philonomus** (Bergsträsser), [1779], 1778-1780, (IOS); *Papilio* OD: Nom. Ins. 2:73, pl 44, f 7 [b0310] SS: philonome (Bergsträsser), [1779]; Plebejus [Refs - b0410; b0471]
- b **philopator** (Fruhstorfer), 1914; *Gerydus* OD: Z. wiss. Insektbiol. 10(2):59 [b1857] SS: symethus (Cramer), [1777]; *Miletus* 4 [Refs - b1546; b1857; b1840]
- b **philostratus** (Felder & Felder), 1865, 1865-1875; *Lycaena* OD: Reise Novara (2):264, pl 33, f 1,2 [b1692] SS: danis (Cramer), [1775]; Danis [TypeL - Moluccas.] [Refs - b2747; b2078; b4934; b3835; b1382]
- a **philota** Hewitson, 1874; *Portia* OD: Trans. ent. Soc. Lond. 22(3):346 [b2341] [TypeL - Sumatra.] [Refs - b0964; b1636; b0965; b2753; b4094; b2194; b2211; b2200; b1850; b3610; b1454; b0694; b3782; b4108]
- e **philota** (Seitz), [1927], 1912-1927, (ISS); *Candalides* OD: In Seitz, Grossschmett. Erde 9:1022 [b4094] SS: philotas (C. Felder), 1860; *Philiris* [Refs - b4094]
- a **philotas** (C. Felder), 1860; *Thecla* OD: Sber. Akad. Wiss. Wien 40(11):454 [b1676] CG: *Philiris* [Type: BMNH-ht] [TypeL - Amboina.] [Refs - b4677; b1450; b2747 (as philotas); b2698; b2078]
- a **philotes** Westwood, [1851], 1846-1852; *Parnes* OD: In Gen. dium. Lep. (2):464 [b4981] [TypeL - Amazon.] [Refs - b2988; b2747; b4475; b1456]
- a **philotoides** Tite, 1963; *Philiris* OD: Bull. Br. Mus. nat. Hist. (Ent.) 14(5):229 [b4677] [Type: BMNH-ht] [TypeL - Aroa River, British New Guinea.] [Refs - b4677; b1450]
- e **philotas** (Kirby), 1871, (ISS); *Cupido* OD: Syn. Cat. dium. Lep. :376 [b2747] SS: philotas (C. Felder), 1860; *Philiris* [Refs - b2747]
- b **philtion** Fruhstorfer, 1914; *Arhopala* OD: Deut. ent. Zeit. [Iris] 28(2):136 [b1859] SS: araxes Felder & Felder, 1865; *Arhopala* h [Type: BMNH-ht] [TypeL - Yule Island.] [Refs - b1644; b1450; b1859; b4094]
- a **philura** (H. H. Druce), 1895; *Portia* OD: Proc. zool. Soc. Lond. 1895(3):569, pl 32, f 1 [b1362] CG: *Simiskina* [Type: ZMHU-ht] [TypeL - Mt. Kinabalu, N. E. Borneo.] [Refs - b0964; b0965; b4094; b1850; b1362; b1454; b4602; b0950; b4108]
- a **phineus** Schaus, 1913; *Theope* OD: Ann. Mag. nat. Hist. (8)11:302 [b3949] [TypeL - Costa Rica.] [Refs - b4475; b1456]
- b **phintonis** (Fruhstorfer), 1910; *Chrysophanus* OD: Ent. Zeit. 24(26):144 [b1846] SS: helle ((Denis & Schiffemüller), 1775; *Helleia* A [TypeL - Siberia.] [Refs - b0996; b0236; b0471; b1846]
- a **phlaeas** (Linnaeus), 1761; *Papilio* OD: Faun. svec. (ed. 2) :285 [b2994] CG: *Lycaena* (*Lycaena*) [TypeL - Sweden" (in pratis Westmanniae).] [Type of - *Lycaena*, *Lycia*, *Migonitis*, *Rumicia*] [Refs - b2280; b1636; b1710; b2375; b3059; b3191; b2747; b1943; b4115; b1530 :221, f 425; b1321 :61; b0996; b1213; b1780; b4094; b2827; b4220; b2479; b3192; b0107; b2866; b2905; b3547; b1192; b0236; b5053; b1452; b3512; b0389; b2300; b0293; b1724; b3189; b1183; b4950; b3910; b3366; b2753; b0694; b2859; b4066; ns0580; ns0734; ns0738; ns4666; b4092; b4666]
- b **phlaeoides** (Staudinger), 1901; *Chrysophanus* OD: Cat. Lep. Palae. Faun. (3rd ed) :74 [b4347] SS: phlaeas (Linnaeus), 1761; *Lycaena* (*Lycaena*) [Refs - b3059; b1752; b3472; b4092]
- e **phleas** Morris, 1860, (ISS); *Lycaena* OD: Smithsonian Misc. Coll. [3]:12 [b3243] OS: phlaeas (Linnaeus), 1761; *Lycaena* (*Lycaena*) [Note - An earlier citation may be Oken, *Lehrb. Zool.* 1:717 (1815).] [Refs - b0908; b0389]
- c **phlegetonia** (Perty), 1834, 1830-1834; *Acraea* OD: Delect. Anim. art. Bras. :153, pl 30, f 2,2b [b3580] SS: phlegia (Cramer), [1779]; *Stalactis* [Refs - b4476; b0569]
- a **phlegia** (Cramer), [1779], 1775-1790; *Papilio* OD: Uil. Kapellen 3(17):9, pl 197, f F; pl 236, f C [b1069] CG: *Stalactis* [TypeL - America. mer.] [Refs - b2988; b2747; b4476; b1453; b1140; b1456]
- b **phlegontis** Stichel, 1910; *Esthemopsis* OD: Gen. Insectorum 112(A):205 [b4446] SS: inaria (Westwood), [1851]; *Esthemopsis* [Type: ZMHU-ht] [TypeL - Yungas, Rio Songo, Bolivia.] [Refs - b4474; b4446]
- b **phlegra** Fruhstorfer, [1914], 1909-1923; *Dodona* OD: In Seitz, Grossschmett. Erde 9:777 [b1840] SS: ouida Moore, [1866]; *Dodona* [TypeL - Masuri.] [Refs - b1636; b1840; b4473; b1454]
- a **phliasus** (Cramer), [1777], 1775-1790; *Papilio* OD: Uil. Kapellen 2(16):145, pl 192, f A,B [b1069] CG: *Synargis* [TypeL - Guayana.] [Refs - b2988; b2747; b4475; b2753; b1456]
- c **phloeoides** (Lalanne), 1947; *Heodes* OD: Revue fr. Léop. 10(1):27 [b2876] SS: gordius (Sulzer), 1776; *Lycaena* (*Alciphronia*) [TypeL - France.] [Refs - b0081]
- c **phoa** (Snellen), 1872; *Lycaena* OD: Tijdschr. Ent. 15:24 [b4257] SS: osiris (Hopffer), 1855; *Euchrysops* [TypeL - Guinea.] [Refs - b2747; b4400]
- a **phobe** Godman & Salvin, [1887], 1879-1901; *Thecla* OD: Biol. centr.-amer., Lep. Rhop. 2:47; 3-pl 53, f 27-29 [b1975] CG: *Thecla* (New World Eumacini) [Type: BMNH] [TypeL - Chiso Valley, Guatemala.] [Note - Allied to petilla.] [Refs - b0908; b1975]
- c **phobos** (Bergsträsser), [1779], 1778-1780; *Papilio* OD: Nom. Ins. 3:11, pl 54, f 7,8 [b0310] SS: alexis (Poda von Neuhaus), 1761; *Glaucopsyche* [Refs - b2747; b0993; b0236; b0400; b2794]
- c **phocas** (Rottemburg), 1775; *Papilio* OD: Naturforscher 6:29 [b3890] SS: tityrus (Poda von Neuhaus), 1761; *Lycaena* (*Heodes*) [Refs - b2747; b0996; b0389; b4092]
- c **phocas** Staudinger, 1889; *Bindahara* OD: Deut. ent. Zeit. [Iris] 2(1):114 [b4332] SS: phocides (Fabricius), 1793; *Bindahara* [Type: ZMHU-ht; designated by Takanami, 1989] [Tyô to Ga 40(1):34 [b4602]] [TypeL - Palawan, Philippines.] [Refs - b4094; b2201; b4602; b4108]
- a **phocides** (Fabricius), 1793, 1792-1799; *Hesperia* OD: Ent. syst. 3(1):282 [b1657] CG: *Bindahara* [Type: BMNH-ht; Banks collection.] [TypeL - Africa", but really India.] [Type of - *Bindahara*] [Refs - b0964; b1450; b1636; b2280; b0965; b2747; b4094; b2698; b4950; b2201; b1454; b0870; b0694; b5076; b1544; b4108]
- e **f. phocidina** Fruhstorfer, [1912]; *Bindahara* OD: Berl. ent. Z. 56(3/4):244 [b1850] SS: phocides (Fabricius), 1793; *Bindahara* [Refs - b2201; b1850; b4094]
- c **phoebe** (Murray), 1873; *Lycaena* OD: Ent. mon. Mag. 10:107 [b3315] SS: labradus (Godart), [1824]; *Zizina* [TypeL - Australia.] [Refs - b2487; b2488; b2753; b4094; b4934; b1475]
- a **phoebus** (Blachier), 1905; *Chrysophanus* OD: Bull. Soc. ent. Fr. 1905(15):212 [b0433] CG: *Lycaena* (*Thersamonia*) [TypeL - Marocco.] [Refs - b2375; b0996; b0236; b0389; b0433; b4092]

- b **phoebus** (Waterhouse), 1928; Miletus OD: Proc. linn. Soc. N. S. Wales 53(4):405, f [b4937] SS: apollo Miskin, 1891; Hypochrysops [Type: AM-It; designated by Sands, 1986] [Entomograph 7:26 [b3926]] [TypeL - Cape York, Australia.] [Refs - b1450; b0870; b3926]
- e **phoedica** Kirby, 1871, (ISS); Euselasia OD: Syn. Cat. diurn. Lep. :295 [b2747] SS: phedica (Boisduval), 1836; Euselasia [Refs - b3192; b2747]
- a **phoenias** Hewitson, 1870, 1869-1877; Chamaelimnas OD: Equatorial Lep. Buckley (4):54 [b2330] [TypeL - Ecuador.] [Refs - b2753; b4474; b1456]
- a **phoenicis** Karsch, 1893; Triclema OD: Berl. ent. Z. 38(1/2):228 [b2693] [Refs - b1943; b1452; b0836; b4400]
- b **phoenicoparyphus** (Holland), 1887; Thecla OD: Trans. amer. ent. Soc. 14:120, pl 2, f 1 [b2421] SS: epicles (Godart), [1824]; Heliophorus [TypeL - Hainan.] [Refs - b2479; b4094; b2650; b1454; b1549]
- a **phoenicia** (Godman & Salvin), [1886], 1879-1901; Mesene OD: Biol. centr.-amer., Lep. Rhop. 1:421 [b1975] CG: Stichelia [TypeL - Nicaragua and Colombia.] [Refs - b2988; b4474; b1456]
- a **phoenicurus** (Lederer), 1872; Polyommatus OD: Horae Soc. ent. ross. 8:8, pl 1, f 4,5 [b2957] CG: Athamanthia [TypeL - Persia.] [Refs - b1636; b2280; b2747; b0996; b2827; b4220; b3371 (Lycaena); b2794; b3910; b0694; b4092; b5068]
- a **phoenissa** (Hewitson), [1867], 1863-1878; Thecla OD: Ill. diurn. Lep. Lycaenidae 1:100; 2:pl 40, f 139,140 [b2326] CG: Panthiades [Type: BMNH] [TypeL - Pará, Amazon.] [Refs - b0908; b2988; b2747; b3818; b2497; b1975; b2631]
- a **phoenix** Röber, [1886]; Pithecopus OD: CorrespBl. ent. Ver. Iris 1(1):61 [b3820] [TypeL - Ost-Celebes (Tomboengoe).] [Refs - b1454 (with corvus); b1840; b2388; b1011]
- e **phoenix** (Toxopeus), 1928, 1927-1928, (IFS); Celastrina OD: Tijdschr. Ent. 71:254, pl 5, f 14,15 [b4697] SS: subcoalita (Rothschild), 1915; Udara (Udara) [TypeL - Java.] [Refs - b1580; b4697]
- c **phoibides** (Fruhstorfer), 1915; Thysonotis OD: Soc. ent. 30:51 [b1866] SS: hermes (Grose-Smith), 1894; Danis [TypeL - Mefor Island.] [Refs - b1450; b1866]
- b **pholes** (Fruhstorfer), 1915; Lampides OD: Arch. Naturgesch. (A)81(6):32 [b1865] SS: aleuas (Felder & Felder), 1865; Jamides [TypeL - New Guinea.] [Refs - b4671; b1450; b4094; b1865]
- a **pholeus** (Cramer), [1777], 1775-1790; Papilio OD: Uil. Kapellen 2(14):104, pl 163, f D,E [b1069] CG: Thestius [TypeL - Surinam.] [Type of - Thestius] [Refs - b0908; b2280; b2747; b1453; b1375]
- c **phonia** Stichel, 1909; Ancylyrus OD: Berl. ent. Z. 54(1/2):37 [b4444] SS: melibocus (Fabricius), 1777; Ancylyrus [TypeL - S. America.] [Refs - b4474]
- a **phonix** Röber, [1886]; Plebejus OD: CorrespBl. ent. Ver. Iris 1(3):61, pl 4, f 26 [b3820] [TypeL - Celebes.]
- a **phorbanta** Rothschild, 1916; Hypolycaena OD: Rep. B. O. U. Exped. New Guinea 2(15):33 [b3880] [TypeL - New Guinea.] [Refs - b3880]
- a **phorbis** (Fabricius), 1793, 1792-1799; Hesperia OD: Ent. syst. 3(1):277 [b1657] CG: Hypolycaena [TypeL - India", but really New Guinea.] [Refs - b1450; b4094; b2747; b1039; b0870; b4934; b5076; b4788; b4785]
- a **phormedon** H. H. Druce, 1895; Poritia OD: Proc. zool. Soc. Lond. 1895(3):566, pl 31, f 16,17 [b1362] [Type: ZMHU-It; designated by Takanami, 1989] [Tyô to Ga 40(1):24 [b4602]] [TypeL - Mt. Kinabalu, N. E. Borneo.] [Refs - b0965; b4094; b1850; b1362; b1454; b1543; b4602; b4108]
- c **phormis** (Doubleday), 1847, 1844-1848; Limnas OD: List Spec. lep. Brit. Mus. (2):17 [b1327] SS: pais (Hübner), [1820]; Themone
- e **phoronis** Doubleday, 1847, 1844-1848, (NN); Lemonias OD: List Spec. lep. Brit. Mus. (2):16 [b1327] [Refs - b4475; b4446]
- e **phosis** (Seitz), [1924], 1912-1927, (ISS); Lampides OD: In Seitz, Grossschmett. Erde 9:912 [b4094] SS: phasis (Fruhstorfer), 1915; Jamides [Refs - b4094]
- a **phosphor** (Trimen), 1864; Zeritis OD: Trans. ent. Soc. Lond. (3)2:178 [b4717] CG: Bowkeria [TypeL - Caffraria.] [Type of - Bowkeria] [Refs - b4993 :269, pl 4, f 12; b1259; b2747; b0869 (as phosphor); b1452; b4400]
- a **phoster** H. H. Druce, 1907; Thecla OD: Proc. zool. Soc. Lond. 1907(3):597, pl 35, f 8 [b1375] CG: Thecla (New World Eumaeini) [Type: pc; Druce collection.] [TypeL - Surinam.] [Note - Druce says "allied to ostrinus".] [Refs - b0908; b1375]
- b **photeinos** H. H. Druce, 1907; Thecla OD: Proc. zool. Soc. Lond. 1907(3):573, pl 31, f 8 [b1375] SS: viresco H. H. Druce, 1907; Thecla (New World Eumaeini) [TypeL - Quonga, British Guiana.] [Refs - b0908; b1375]
- c **photeus** Johnson & MacPherson & Ingraham, 1986, (ISS); Thestius OD: Bull. Allyn Mus. (102):7 [b2631] SS: pholeus (Cramer), [1777]; Thestius [Refs - b2631]
- a **photismos** H. H. Druce, 1907; Thecla OD: Proc. zool. Soc. Lond. 1907(3):615, pl 36, f 15 [b1375] CG: Thecla (New World Eumaeini) [Type: BMNH; Godman collection.] [TypeL - Sarayacu, Ecuador.] [Note - Druce says "allied to thespia".] [Refs - b0908; b1375]
- b **phraatica** Hewitson, [1878], 1863-1878; Poritia OD: Ill. diurn. Lep. Lycaenidae 1:214; 2:pl 88, f 2 [b2326] SS: ercynioides (Felder & Felder), 1865; Poritia [Type: BMNH-ht] [TypeL - Perak.] [Refs - b0964; b1636; b0965; b4094; b2200; b1850; b3610; b1454; b0694; b1878]
- c **phradimon** (Fruhstorfer), 1915; Gerydus OD: Z. wiss. InsektBiol. 11(9/10):269 [b1864] SS: metrovius (Fruhstorfer), 1913; Miletus 3 [TypeL - N. Borneo.] [Note - Described as a subspecies of courvoisieri.] [Refs - b1546; b4108]
- b **phranga** (Hewitson), [1863], 1863-1878; Deudorix OD: Ill. diurn. Lep. Lycaenidae 1:22; 2:pl 9, f 34,35 [b2326] SS: varuna (Horsfield), [1829]; Rapala [TypeL - Batchian.] [Refs - b2747; b4094]
- b **phrangida** Fruhstorfer, [1912]; Rapala OD: Berl. ent. Z. 56(3/4):259 [b1850] SS: varuna (Horsfield), [1829]; Rapala [TypeL - Luzon, Philippines.] [Refs - b4094; b1850]
- a **phrosine** H. H. Druce, 1909; Thecla OD: Trans. ent. Soc. Lond. 57(3):435, pl 11, f 7 [b1376] CG: Thecla (New World Eumaeini) [Type: BMNH-ht J. J. Adams collection.] [TypeL - Chanchamayo, Peru.] [Refs - b0908; b1376]
- a **phroso** (Grose-Smith), 1897; Thysonotis OD: Novit. zool. 4:313 [b2042] CG: Danis [TypeL - New Guinea.] [Refs - b1450; b2078; b4094 (as phrosa)]
- a **phrutus** (Geyer), [1832], 1832-1837; Bythis OD: In Zutr. Samml. exot. Schmett. 4:26, pl [121], f 703,704 [b1934] CG: Ministrymon [TypeL - Java".] [Refs - b0908; b2988; b2747; b3818; b1975; b2593; b2636]
- a **phrygia** Stichel, 1925; Euselasia OD: Z. wiss. InsektBiol. 20:17 [b4463] [TypeL - Brazil.] [Refs - b4474]
- b **phrygiana** (Stichel), 1916; Phaenochitonina OD: Z. wiss. InsektBiol. 12:239 [b4453] SS: saganis (Cramer), [1775]; Stichelia [TypeL - Sao Paulo, Brazil.] [Refs - b4474; b0419 (in Pterographium)]
- a **phryne** Johnson & Eisele & MacPherson, 1988; Calystryma OD: Bull. Allyn Mus. (123):4, f 3B,10A [b2623] [Type: AMNH-ht] [TypeL - Yariquarenda, Salta, Argentina.] [Refs - b2623; b2606]

- c **phrynisca** (Burmeister), 1878; *Thecla* OD: Descr. phys. Rép. Argentine 5(Lép.):232, pl 8, f 11 [b0574] SS: malina (Hewitson), [1867]; Rekoa [TypeL - Corrientes Province, Argentina.] [Refs - b0908; b0125; b3817]
- a **phryxe** (Felder & Felder), 1865, 1865-1875; *Cremna* OD: Reise Novara (2):299, pl 37, f 23,24 [b1692] CG: *Napaea* [TypeL - Bahia.] [Refs - b2988; b2988; b2747; b4474; b1456]
- c **phryxis** (Lang), 1884; *Lycaena* OD: Lep. Europ. 1:372 [b2890] SS: devanica Moore, [1875]; *Polyommatus* [TypeL - Samarcand.] [Refs - b0993; b4092; b2890]
- b **phryxus** Boisduval, 1832; *Arhopala* OD: In d'Urville, Voy. Astrolabe 1(Lép.):75 [b0457] SS: thamyras (Linnaeus), 1758; *Arhopala* n [TypeL - New Guinea.] [Type of - *Arhopala*] [Refs - b1450; b1644; b2280; b2747; b4094]
- b **phuste** (H. H. Druce), 1895; *Cyaniris* OD: Proc. zool. Soc. Lond. 1895(3):573, pl 34, f 17 [b1362] SS: philippina (Semper), 1889; *Celastrina* [Type: BMNH-ht] [TypeL - Dili, Timor.] [Refs - b1450; b1580; b1362; b1840; b4592]
- e **phya** Doubleday, 1847, 1844-1848, (NN); *Limnas* OD: List Spec. lep. Brit. Mus. (2):18 [b1327] [Refs - b4474]
- c **phychooilius** (Forbes), 1929; *Thestor* OD: Ent. Rec. 41(1):10 [b1755] SS: ballus (Fabricius), 1787; *Tomares* [TypeL - Spain.] [Refs - b0236; b1756]
- c **phycodes** (Hayward), 1949; *Hamearis* OD: Acta zool. lilloana 8:199, f [b2216] SS: ochracea (Mengel), 1902; *Audre* [TypeL - Argentina.] [Refs - b2221; b1456]
- a **phyciodoides** Barnes & Benjamin, 1924; *Apodemia* OD: Contr. nat. Hist. Lep. N. Amer. 5(3):99 [b0242] [Type: USNM-ht] [Refs - b1530 :244, f 479, 480; b1321 :51; b3192; b0493; b4690 (R); b4066; b4251]
- a **phydela** Hewitson, [1867], 1863-1878; *Thecla* OD: Ill. diurn. Lep. Lycaenidae 1:84, 2:pl 33, f 54-56 [b2326] CG: *Thecla* (New World Eumacini) [Type: BMNH] [TypeL - Rio de Janeiro, Brazil.] [Refs - b0908; b4245; b2747]
- c **phylacis** (Godart), [1824], 1819-1824; *Nymphalis* OD: In Ency. méth. 9(Ins.):2; 426 [b1970] SS: phylleus (Cramer), [1775]; *Synargis* [Refs - b2747; b4475]
- e **phyleus** (Kirby), 1871, (ISS); *Nymphidium* OD: Syn. Cat. diurn. Lep. :327 [b2747] SS: phylleus (Cramer), [1775]; *Synargis* [Refs - b2747]
- b **phyliscus** Fruhstorfer, 1912; *Zemeros* OD: Ent. Rundsch. 29(3):23 [b1849] SS: flegyas (Cramer), [1780]; *Zemeros* [TypeL - West and Northeast Sumatra.] [Refs - b4473; b1454; b1840; b1849; b4068]
- a **phylleus** (Cramer), [1775], 1775-1790; *Papilio* OD: Uid. Kapellen 1(6):98, pl 63, f D,E [b1069] CG: *Synargis* [TypeL - Surinam.] [Refs - b2988; b2747 (as *phyleus*); b4475; b1456]
- b **phyllides** (Staudinger), 1886, 1886-1889; *Lycaena* OD: Stett. ent. Ztg 47:225 [b4330] SS: phyllis (Christoph), 1877; *Polyommatus* (*Agrodiaetus*) [Refs - b1762; b0993; b2827; b1772; b4092]
- a **phyllis** (Christoph), 1877, 1876-1877; *Lycaena* OD: Horae Soc. ent. ross. 12:237 [b0787] CG: *Polyommatus* (*Agrodiaetus*) [TypeL - N. Persia.] [Refs - b1772; b0993; b2827; b0236; b2794; b4092]
- d **phyllis** (Lang), 1884, (H); *Lycaena* OD: Lep. Europ. 1:372 [b2890] SS: phyllis (Christoph), 1877; *Polyommatus* (*Agrodiaetus*) [TypeL - North Persia.] [Refs - b2890]
- a **phyllodendri** (Elwes), [1882]; *Thecla* OD: Proc. zool. Soc. Lond. 1881(4):886 [b1589] CG: *Fixsenia* [Refs - b0996; b2479; b2966 (=herzi); b1455]
- e **phyllodoce** Doubleday, 1847, 1844-1848, (NN); *Stalactis* OD: List Spec. lep. Brit. Mus. (2):19 [b1327] [Refs - b4476]
- e **phylloides** (Sharp), [1903], (ISS); *Sospita* OD: Zool. Rec. 38(1901)(Ins.):207 [b4132] SS: fylloides (Moore), 1901; *Abisara* [Refs - b1636; b4132]
- a **physis** Stichel, 1911; *Argyrogrammana* OD: Gen. Insectorum 112(B):246 [b4447] [Type: ZMHU-ht] [TypeL - Rio San Juan, Colombia.] [Refs - b4474; b1456; b4446]
- b **phyton** Stichel, 1911; *Argyrogrammana* OD: Gen. Insectorum 112(B):246 [b4447] SS: physis Stichel, 1911; *Argyrogrammana* [Type: ZMHU-ht] [TypeL - San Paulo de Olivença, Amazonas, Brazil.] [Refs - b4474; b4446]
- a **pia** Toxopeus, 1929; *Prosotas* OD: Tijdschr. Ent. 72(3/4):239 [b4700] [Type: BMNH-pt] [TypeL - W. Java.] [Refs - b4676; b1450; b0965; b0938; b2698; b4700; b1454; b2388; b4108]
- b **piaggiae** Oberthür, 1883; *Iolaus* OD: Annali Mus. civ. Stor. nat. Genova 18:730, pl 9, f 6 [b3424] SS: ismenias (Klug), 1834; *Iolaus* (*Iolaphilus*) [TypeL - Abyssinia.] [Refs - b1452 (as good species); b0836; b4400]
- a **piasus** (Boisduval), 1852; *Lycaena* OD: Annlis Soc. ent. Fr. (2)10:299 [b0467] CG: *Glaucopsyche* [Type: USNM-ht] [TypeL - California.] [Refs - b1321 :68; b1530 :236, f 455; b0908; b2747; ns0926; b3192; b0400; b1743; b0493; b4690 (*)]; b0467; b4066]
- e **picardi** Le Moul't, 1940, 1939-1940, (IFS); *Helicopsis* OD: Novit. ent. (13):102 [b2943] SS: cupido (Linnaeus), 1758; *Helicopsis* [Type: AME-ht] [Refs - b3199]
- a **picata** E. Sharpe, 1896; *Alaena* OD: Ann. Mag. nat. Hist. (6)17:125 [b4156] [TypeL - British East Africa.] [Refs - b1943; b1452; b4400]
- a **piceata** Kerr & Macqueen & Sands, 1969; *Hypochrysops* OD: J. Aust. ent. Soc. 8(2):117, f [b2724] [Type: ANIC-ht] [TypeL - Leyburn, S. Queensland, Australia.] [Refs - b1450; b0870; b3926; b3927]
- a **picens** Hewitson, 1874; *Pentila* OD: Ann. Mag. nat. Hist. (4)13:382 [b2339] [TypeL - Cape Coast.] [Refs - b2753; b1452; b4420; b4400]
- a **picentia** (Hewitson), 1868; *Thecla* OD: Descr. new Spec. Lycaenidae :23 [b2327] CG: *Gigantorubra* [Type: BMNH-ht] [TypeL - Tapajos, Amazonas, Brazil.] [Refs - b0908; b2747; b1375; b2925; b2614]
- b **pichanalensis** Miller & Miller, 1972; *Eiseleia* OD: Bull. Allyn Mus. (4):1-4, f 1-11 [b3194] SS: terias (Godman), 1903; *Eiseleia* [TypeL - Salta, Argentina.] [Type of - *Eiseleia*] [Refs - b1456]
- a **pichincha** Johnson, 1990; *Penaincisalia* OD: Pan-Pac. Ent. 66(2):116, f [b2603] [Type: CM-ht] [TypeL - Pichincha, Napo Pass, Ecuador.] [Refs - b0124; b2611]
- b **picina** Stichel, 1910; *Napaea* OD: Gen. Insectorum 112(A):84 [b4446] SS: eucharila (Bates), 1867; *Napaea* [Type: pc-ht; collection of Stichel] [TypeL - Bugaba, Panama.] [Refs - b4474; b2406; b4446]
- a **picquenardi** (Oberthür), 1914; *Zephyrus* OD: Étud. Léop. comp. 9(2):53, pl 256, f 2160 [b3453] CG: *Teratozephyrus* [TypeL - Ta Tsien Lu, Yunnan, China.] [Refs - b3778; b0996; b0236; b4214; b3296 (as *piequenardi*); b0471]
- b **picta** (Godman & Salvin), [1886], 1879-1901; *Tharops* OD: Biol. centr.-amer., Lep. Rhop. 1:457 [b1975] SS: pretus (Cramer), [1777]; *Menander* [TypeL - Guatemala to Colombia.] [Refs - b4475; b1456]
- c **picta** (Grose-Smith), 1898; *Lycaenesthes* OD: Novit. zool. 5:356 [b2046] SS: eleaza (Hewitson), [1873]; *Pseuderisia* [TypeL - W. Africa.] [Refs - b4400]
- c **pictarata** Strand, 1914, 1914-1916; *Stalactis* OD: Lep. Niepelt. (1):49 [b4516] SS: calliope (Linnaeus), 1758; *Stalactis* [Refs - b4144]

- c **pictonensis** (Hemming), 1931; *Uranops* OD: *Trans. ent. Soc. Lond.* 79(2):330 [b2239] SS: *bellargus* (Rottemburg), 1775; *Polyommatus* (Lysandra) [Type: biblio; replacement for *coelestis* Oberthür, 1908] [TypeL - Vendée, western France.] [Refs - b2239; b1455]
- b **pictor** Fruhstorfer, [1912]; *Hypolycaena* OD: *Berl. ent. Z.* 56(3/4):240 [b1850] SS: *sipylus* (C. Felder), 1860; *Hypolycaena* [TypeL - Waigiu.] [Refs - b4094; b1850]
- c **picturata** Stichel, 1914; *Stalactis* OD: *In Strand, Lep. Niepeltiana* 1:49, pl 10, f 16 [b4450] SS: *voltumna* Stichel, 1911; *Stalactis* [TypeL - Ecuador.] [Refs - b4476; b4528]
- b **pictus** van Son, 1941; *Thestor* OD: *J. ent. Soc. S. Afr.* 4:192 [b4804] SS: *montanus* van Son, 1941; *Thestor* [TypeL - S. Africa.] [Refs - b1452; b4400]
- a **picus** H. H. Druce, 1907; *Thecla* OD: *Proc. zool. Soc. Lond.* 1907(3):606, pl 36, f 9 [b1375] CG: *Thecla* (New World *Eumaeini*) [Type: BMNH; Godman collection.] [TypeL - Roraima, British Guiana.] [Refs - b0908; b1375]
- c **picus** Seitz, [1917], 1910-1924; *Eunogyra* OD: *In Seitz, Grossschmett. Erde* 5:650, pl 124d [b4093] SS: *satyrus* Westwood, [1851]; *Eunogyra* [TypeL - Peru.] [Refs - b4474; b4093]
- c **piepersi** (Fruhstorfer), 1915; *Lampides* OD: *Arch. Naturgesch.* (A)81(6):12 or 13 [b1865] SS: *kondulana* (C. Felder), 1862; *Jamides* [Type: BMNH-ht] [TypeL - West Java.] [Refs - b4094; b3786]
- a **piepersii** (Snellen), 1878; *Cupido* OD: *In Tijdschr. Ent.* 21:16, pl 1, f 3 [b4259] CG: *Psychonotis* [TypeL - Celebes.] [Refs - b2078; b1866; b4259; b3835; b4602; b2388; b1382]
- a **pieridoides** Felder & Felder, 1865, 1865-1875; *Theope* OD: *Reise Novara* (2):292, pl 37, f 19,20 [b1692] [TypeL - Bahia.] [Refs - b2988; b2988; b2747; b4475; b4950; b1456]
- a **piers** (Cramer), [1779], 1775-1790; *Papilio* OD: *Uitl. Kapellen* 3(21):84, pl 243, f E,F [b1069] CG: *Aloeides* [Type: lost] [TypeL - Africa mer.] [Type of - *Aloeides*] [Refs - b2280; b1259; b2747; b3647; b1452; b4400; b4685]
- e **f. pigmentocarens** Verity, 1926, 1926-1933, (IFS); *Callophrys* OD: *Ent. Rec.* 38:125 [b4844] SS: *rubi* (Linnaeus), 1758; *Callophrys* [Type: MZS-ht] [TypeL - Cottian Alps.] [Refs - b2856; b0236; b2585; b0471]
- b **pigres** Fruhstorfer, [1912]; *Hypolycaena* OD: *Berl. ent. Z.* 56(3/4):238 [b1850] SS: *erylus* (Godart), [1824]; *Hypolycaena* [TypeL - Obi.] [Refs - b1450; b4094; b1850]
- b **pila** Evans, 1925; *Everes* OD: *J. Bombay nat. Hist. Soc.* 30(2):340, f [b1632] SS: *lactumus* (Godart), [1824]; *Everes* [TypeL - Nicobar Islands.] [Refs - b1636; b0694]
- b **pilaris** Stichel, 1910; *Symmachia* OD: *Gen. Insectorum* 112(A):230 [b4446] SS: *menetas* (Drury), 1782; *Symmachia* [Type: pc-st; collection of Röber] [TypeL - Santa Catharina, Brazil.] [Refs - b4474; b4446]
- a **pilos** H. H. Druce, 1890; *Spalgis* OD: *Ann. Mag. nat. Hist.* (6)5:27 [b1353] [TypeL - W. Africa.] [Refs - b1452; b0836; b4400]
- b **pilumna** H. H. Druce, 1894; *Epimastidia* OD: *Ann. Mag. nat. Hist.* (6)13:253 [b1361] SS: *inops* (Felder & Felder), 1860; *Epimastidia* [TypeL - New Guinea.] [Refs - b1450; b2078; b1361]
- c **pinamalaya** Takanami, 1987; *Tajuria* OD: *Mem. Tsukada Colln* (5):33, pl 3, f 11,12; pl 4, f 11,12 [b4596] SS: *jalajala* Felder & Felder, 1862; *Tajuria* [Type: pc; collection of Takanami.] [TypeL - Pinamalayan, E. Mindoro.] [Refs - b4596; b4104]
- c **pindarus** (Fabricius), 1793, 1792-1799; *Hesperia* OD: *Ent. syst.* 3(1):262 [b1657] SS: *orcus* (Drury), 1782; *Aphnaeus* [TypeL - India"] [Refs - b2747; b5076]
- b **pindus** (Felder & Felder), 1865, 1865-1875; *Lycaena* OD: *Reise Novara* (2):267, pl 33, f 17,18 [b1692] SS: *cyanea* (Cramer), [1775]; *Nacaduba* [TypeL - Ternate.] [Refs - b1450; b2747; b2078; b1382]
- a **pinguienta** Stichel, 1915; *Mesosemia* OD: *Deut. ent. Zeit.* 1915:671, pl 21, f 11,12 [b4451] [TypeL - Guianas.] [Refs - b4474; b1456]
- a **pinheyi** Heath, 1983; *Spindasis* OD: *Arnoldia Zimbabwe* 9(10):146, f 1a-b, 6f-i [b2224] [Type: BMNH-ht] [TypeL - Zambia.] [Refs - b2224]
- a **pinheyi** Heath, 1985; *Eicochrysops* OD: *Arnoldia Zimbabwe* 9(18):264, f [b2225] [TypeL - Zambia.] [Refs - b0119]
- a **pinheyi** (Kielland), 1986; *Etesiolaus* OD: *Lambillionea* 86(11/12):137, f [b2735] CG: *Iolaus* (Etesiolaus) [TypeL - Tanzania.] [Refs - b0120]
- b **pinjuna** Scott, 1981; *Euphilotes* OD: *Papilio* (New Series) (1):6 [b4062] SS: *spaldingi* (Barnes & McDermough), 1917; *Euphilotes* [Type: LACM-ht] [TypeL - Shilling's Spring, Conejos County, Colorado.] [Refs - b0115; x3192; b4062; b4066; b1722]
- a **pinodes** H. H. Druce, 1890; *Epitola* OD: *Ann. Mag. nat. Hist.* (6)5:24 [b1353] [TypeL - W. Africa.] [Refs - b3842; b1452; b0836; b4400]
- a **pinodoides** Grose-Smith & Kirby, 1893, 1887-1902; *Epitola* OD: *Rhop. exot.* 2(23):85, pl 20, f 1,2 [b2049] [TypeL - W. Africa.] [Refs - b3842; b1452; b0836; b4400]
- a **pion** (Godman & Salvin), [1887], 1879-1901; *Thecla* OD: *Biol. centr.-amer., Lep. Rhop.* 2:56; 3:pl 54, f 28,28a,29,30 [b1975] CG: *Allosmaitia* [Type: BMNH; BMNH-st] [TypeL - Guatemala; Panama.] [Refs - b0908; b3818; b3192; b0833; b2497; b1375; b1975; b4066; b1722]
- a **pione** (Bates), [1868]; *Lemonias* OD: *J. linn. Soc. Lond., Zool.* 9:398 [b0267] CG: *Calospila* [TypeL - Para.] [Refs - b2988; b2747; b4475; b2753; b1456]
- a **pilea** (Godman & Salvin), 1896; *Thecla* OD: *Proc. zool. Soc. Lond.* 1896(2):516 [b1980] CG: *Allosmaitia* [Type: BMNH] [TypeL - St. Vincent, B. W. I.] [Refs - b0908; b0907; b0833; b1375]
- b **pirama** (Moore), [1881], 1880-1881; *Nilasera* OD: *Lep. Ceylon* 1(3):116, pl 43, f 3,3a-c [b3232] SS: *centaurus* (Fabricius), 1775; *Arhopala* h [Type: BMNH-ht] [TypeL - Ceylon.] [Refs - b1644; b4094; b1454 (with *pseudocentaurus*)]
- b **pirene** (Godman), 1903; *Lemonias* OD: *Trans. ent. Soc. Lond.* 51(4):544, pl 22, f 3 [b1972] SS: *zeanger* (Stoll), [1790]; *Calospila* [TypeL - Ecuador.] [Refs - b4475; b1456]
- b **pirene** Stichel, 1924; *Ancyluris* OD: *Deut. ent. Zeit.* 1924:145 [b4458] SS: *aulestes* (Cramer), [1777]; *Ancyluris* [TypeL - S. America.] [Refs - b4458; b4474]
- a **pirithous** (Linnaeus), 1767; *Papilio* OD: *Syst. nat.* (ed. 12) 1(2):790, n 235 [b2997] CG: *Leptotes* [Type: lost?] [Refs - b1259; b2375; b0995; b1780; b1762; b2827; b4815; b2905; b3547; b1452; b0400; b0293 (Syntarucus); b0691; b2799; b0836; b2898; b2794; b3366; b4400; b3312; b3609; b2859 (in Syntarucus); b1455 (in Syntarucus)]
- b **pirithous** (Moore), [1884]; *Nilasera* OD: *Proc. zool. Soc. Lond.* 1883(4):532, pl 49, f 1 [b3235] SS: *centaurus* (Fabricius), 1775; *Arhopala* h [Type: BMNH-ht] [TypeL - N. E. Bengal, Assam.] [Refs - b1644; b4094; b2650; b3235; b1454]
- b **pisatis** Fruhstorfer, [1912]; *Tajuria* OD: *Berl. ent. Z.* 56(3/4):213 [b1850] SS: *dominus* H. H. Druce, 1895; *Tajuria* [TypeL - West-Java.] [Refs - b4094; b2201; b1850; b1454; b4104]
- c **piscator** Clench, 1943; *Axioceres* OD: *J. New York ent. Soc.* 51(3):219 [b0818] SS: *harpax* (Fabricius), 1775; *Axioceres* [TypeL - Liberia.] [Refs - b0831; b0528; b0836; b4400]

- a **pisidula** (H. H. Druce), 1907; *Thecla* OD: Proc. zool. Soc. Lond. 1907(3):618 [b1375] CG: *Klaufera* [Type: BMNH-It; designated by Johnson, 1991] [Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (21):15 [b2606]] [TypeL - Rio Grande, Brazil.] [Refs - b0908; b1375; b0125; b2606]
- a **pisis** (Godman & Salvin), [1887], 1879-1901; *Thecla* OD: Biol. centr.-amer., Lep. Rhop. 2:84; 3:pl 57, f 24,25 [b1975] CG: *Klaufera* [Type: BMNH-It; designated by Johnson, 1991] [Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (21):15 [b2606]] [TypeL - Bugaba, Panamá.] [Type of - *Klaufera*] [Refs - b0908; b1738; b1375; b1975; b0125; b2606]
- c **pisorum** (Fourcroy), 1785; *Papilio* OD: Ent. paris. 2:242 [b1782] SS: *boeticus* (Linnaeus), 1767; *Lampides* [Refs - b2747; b0995; b0400; b2794; b4934; b4092]
- b **pistyrus** (Fruhstorfer), [1914], 1909-1923; *Laxita* OD: In Seitz, Grossschmett. Erde 9:790, pl 138e [b1840] SS: *teselia* (Hewitson), [1861]; *Paralaxia* [TypeL - S. E. Borneo.] [Refs - b4474; b1454; b1840]
- a **pita** (Horsfield), [1829], 1828-1829; *Loxura* OD: Descr. Cat. lepid. Ins. (2):122 [b2457] CG: *Yasoda* [TypeL - Java.] [Refs - b0964; b2280; b0965; b2747; b4094; b2479; b1454; b0694]
- a **pitane** de Nicéville, 1893; *Yasoda* OD: J. Bombay nat. Hist. Soc. 8(1):50, pl L, f 5 [b1157] [TypeL - Sumatra.] [Refs - b0965; b4094; b1454]
- c **pitho** (Linnaeus), 1764; *Papilio* OD: Mus. Lud. Utr. :37 [b2996] SS: *thespis* (Linnaeus), 1764; *Tarucus* [Note - *Once thought to be a hesperid.*] [Refs - b1640 :191; b2747; b4400]
- b **pitkinensis** Ferris, 1976; *Plebejus* OD: Bull. Allyn Mus. (36):2, f 19,20,31 [b1713] SS: *shasta* (Edwards), 1862; *Plebejus* (*Icaricia*) [Type: AME-ht] [TypeL - Colorado.] [Refs - b1713; b3192; b1743; b0493 (?); b4690 (R); b4066]
- a **pitmani** Stempffer, 1936; *Antheone* OD: Revue fr. Ent. 3:139 [b4364] [TypeL - Kenya.] [Refs - b1452; b4400; b2899]
- a **pittawayi** Larsen, 1983; *Lepidochrysops* OD: Fauna Saudi Arabia 5:408, f [b2900] [TypeL - Saudi Arabia.] [Refs - b2901; b2899]
- c **pittheus** (Hoffmansegg), 1818; *Lemonias* OD: In Wiedemann, Zool. Mag. 1(2):100 [b2412] SS: *pelope* (Hübner), [1819]; *Synargis* [Refs - b4475]
- a **pixe** (Boisduval), 1836; *Limnas* OD: Spec. gén. Lépid. 1:pl 20 [=4C], f 1 [b0462] CG: *Melanis* [TypeL - Mexico.] [Type of - *Limnas*] [Refs - b2280; b2988; b3347; b2719; b2747; b4474; b1453; b3192; b2405; b1060; b4950; b0411; b4066; b3814; b1456]
- b **placibilis** Sichel, 1910; *Argyrogrammana* OD: Berl. ent. Z. 55(1/2):12 [b4445] SS: *occidentalis* (Godman & Salvin), [1886]; *Argyrogrammana* [Type: ZMHU-st] [TypeL - Yurutu & Pebas, Peru.] [Refs - b4474; b4445]
- b **placida** (de Nicéville), [1884]; *Cyaniris* OD: J. asiat. Soc. Bengal, Pt II 52(2/4):68, pl 9, f 8 [b1145] SS: *lavendularis* (Moore), 1877; *Celastrina* [Type: ZSI-ht] [TypeL - Sikkim, India.] [Note - *Also described as new by Moore.*] [Refs - b1636; b1153; b1840; b1766; b1580; b2036; b3235; b3055]
- b **placidina** (Fruhstorfer), [1917]; *Lycaenopsis* OD: Arch. Naturgesch. (A)82(1):31 [b1880] SS: *lavendularis* (Moore), 1877; *Celastrina* [Type: BMNH-It; designated by Eliot & Kawazoe, 1983] [Butts *Lycaenopsis* group :255 [b1580]] [TypeL - Sumatra.] [Refs - b1580; b2200; b1840; b4108]
- a **placidula** (H. H. Druce), 1895; *Cyaniris* OD: Proc. zool. Soc. Lond. 1895(3):572, pl 32, f 6,7 [b1362] CG: *Udara* (*Udara*) [Type: ZMHU-ht] [TypeL - Borneo.] [Refs - b0964; b0965; b1580; b2200; b2200; b1362; b1840; b4108]
- c **placidus** Seitz, [1916], 1910-1924; *Euselasia* OD: In Seitz, Grossschmett. Erde 5:626, (:1141 (1924)) [b4093] SS: *aurantia* (Buder & H. Druce), 1872; *Euselasia* [TypeL - Costa Rica; Panama.] [Refs - b4474; b4093]
- a **plagiaria** (Grose-Smith), 1901, 1887-1902; *Aricoris* OD: Rhop. exot. 3(59):4, pl 1, f 12,13 [b2029] CG: *Setabis* [TypeL - Ecuador.] [Refs - b2049; b4475; b0417; b1456]
- a **plagiata** Joicey & Talbot, 1921; *Telipna* OD: Bull. Hill Mus. 1(1):79, pl 14, f 44,45 [b2655] [Type: BMNH-ht] [TypeL - Lower Butahu River, Semliki Valley.] [Refs - b1452; b4400; b2655]
- b **plana** Talbot, 1935; *Hypolycaena* OD: Ent. mon. Mag. 71:116, pl 1, f 14,15 [b4623] SS: *liara* H. H. Druce, 1890; *Hypolycaena* [TypeL - N. Rhodesia.] [Refs - b1452; b4623; b4400; b3609]
- e **planina** Doubleday, 1847, 1844-1848, (NN); *Baeotis* OD: List Spec. lep. Brit. Mus. (2):12 [b1327] [Refs - b4474]
- c **planorum** (Alphéraky), 1881; *Lycaena* OD: Horae Soc. ent. ross. 16:379 [b0043] SS: *argyrognomon* (Bergsträsser), [1779]; *Plebejus* (*Lycaeides*) [Refs - b4092]
- a **planuma** Johnson, 1992; *Penaincisalia* OD: Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (22):165, f [b2611] [Type: FMLT-ht] [TypeL - El Infiernillo, Dept. Tafi del Valle, Prov. Tucuman, Argentina.] [Refs - b0125; b2611]
- b **plataea** (Seitz), [1926], 1912-1927; *Chliaria* OD: In Seitz, Grossschmett. Erde 9:981, pl 157h [b4094] SS: *amabilis* (de Nicéville), 1895; *Hypolycaena* [TypeL - Not stated.] [Refs - b4094; b1454 (with tora)]
- c **platea** Westwood, [1851], 1846-1852; *Nymphidium* OD: In Gen. dium. Lep. (2):448, pl 73, f 4 [b4981] SS: *lisimon* (Stoll), [1790]; *Nymphidium* [Refs - b2747; b4476]
- b **plateia** Fruhstorfer, [1912]; *Tajuria* OD: Berl. ent. Z. 56(3/4):212 [b1850] SS: *mantra* (Felder & Felder), 1860; *Tajuria* [TypeL - Bua-Kraeng, S. Celebes.] [Refs - b4094; b2201; b1850]
- a **plateni** (Semper), 1887, 1886-1892; *Pratapa* OD: In Semper, Reisen Philipp. (2)(5):206 [b4110] CG: *Eliotia* [Type: ZMHU-It; designated by Takanaami, 1989] [Tyô to Ga 40(1):33 [b4602]] [TypeL - S. E. Mindanao, Philippines.] [Refs - b4094; b2199; b2201; b1850; b4602]
- a **plateni** Staudinger, 1889; *Poritia* OD: Deut. ent. Zeit. [Iris] 2(1):104, pl 1, f 8 [b4332] [Type: ZMHU-It; designated by Takanaami, 1989] [Tyô to Ga 40(1):23 [b4602]] [TypeL - Palawan.] [Refs - b0965; b4094; b2200; b1850; b3610; b1454; b4602; b4108]
- b **plateni** (Grose-Smith & Kirby), 1896, 1887-1902; *Thysonotis* OD: Rhop. exot. 2(36):40, pl 7, f 5,6 [b2049] SS: *caelius* (Felder & Felder), 1860; *Psychonotis* [TypeL - Waigiou.] [Refs - b1450; b2078]
- b **plateni** (Riley), 1922; *Horsfieldia* OD: Entomologist 55:29 [b3752] SS: *narada* (Horsfield), [1828]; *Amblypodia* [TypeL - Mindanao, Philippines.] [Refs - b4094; b1454; b4713]
- b **plateni** (Evans), 1957; *Narathura* OD: Bull. Br. Mus. nat. Hist. (Ent.) 5(3):102 [b1644] SS: *zambra* Swinhoe, 1911; *Arhopala* f [Type: BMNH-ht] [TypeL - Mindanao.] [Refs - b1644; b1454]
- b **plattisa** (Herrich-Schäffer), 1869; *Lycaena* OD: Stett. ent. Ztg 30(1-3):74, pl 4, f 20 [b2317] SS: *panormus* (C. Felder), 1860; *Catochrysops* [TypeL - Rockhampton, Australia.] [Refs - b1450; b4094; b4670; b2747; b0870; b4934; b4788]
- c **plato** (Fabricius), 1793, 1792-1799; *Hesperia* OD: Ent. syst. 3(1):288 [b1657] SS: *bochus* (Stoll), [1782]; *Jamides* [Type: ZMC-ht] [TypeL - Indüis".] [Refs - b1636; b2747; b4094; b0995; b1865; b1454; b0694; b5076]
- e **plato** (Blanchard), 1848, 1848-1853, (MID); *Lycaena* OD: Voy. Pôle Sud :398, pl 3, f 9,10 [b0448] SS: *knysna* (Trimen), 1862; *Zizeeria* [Refs - b2747]

- a **platyptera** (Felder & Felder), 1865, 1865-1875; *Pseudolycaena* OD: Reise Novara (2):246, pl 28, f 6,7 [b1692] CG: *Micandra* [TypeL - Venezuela; Bogotá, New Granada.] [Type of - *Micandra*] [Refs - b2280; b0908; b0845; b2747; b0102; b1375; b3810; b2611]
- b **plauta** (H. H. Druce), 1895; *Cyaniris* OD: Proc. zool. Soc. Lond. 1895(3):574, pl 32, f 8,9 [b1362] SS: *cossaea* (de Nicéville), 1895; *Plautella* [Type: ZMHU-ht] [TypeL - Mt. Kina Balu, Borneo.] [Refs - b1840; b1580; b2200; b1362; b4108]
- c **plautus** Fabricius, 1793, 1792-1799; *Hesperia* OD: Ent. syst. 3(1):291 [b1657] [TypeL - *Indiis*"] [Note - *May not be a lycanid.*] [Refs - b2747 (in *Miletus*); b5076]
- e **plautus** Scudder, 1876, (NN); *Incisalia* OD: Bull. Buffalo Soc. nat. Sci. 3:104 [b4083] SS: *niphon* (Hübner), [1819]; *Incisalia* [TypeL - North America"] [Note - *The name was based on an Abbot drawing.*] [Refs - b0908; x3192; b1722]
- e **playptera** Robbins, 1987, (ISS); *Micandra* OD: J. Lep. Soc. 40(3):150 [b3810] SS: *platyptera* (Felder & Felder), 1865; *Micandra* [Refs - b3810]
- a **plebeia** (Butler), 1898; *Catochrysops* OD: Proc. zool. Soc. Lond. 1898(2):192, pl 20, f 2 [b0648] CG: *Lepidochrysops* [Type: BMNH-ht] [TypeL - S. Africa.] [Note - *Not spelled plebeja.*] [Refs - b1943; b1259; b1452; b0648; b4400 (as *plebeja*); b0359]
- d **plebeja** (Bethune-Baker), 1923, (UE); *Neochrysops* OD: Trans. ent. Soc. Lond. 70(3/4):316 [b0359] SS: *plebeia* (Butler), 1898; *Lepidochrysops* [Refs - b4400; b0359]
- b **plessis** Eliot, 1967; *Allotinus* OD: Entomologist 100:69 [b1552] SS: *leogoron* Fruhstorfer, [1915]; *Allotinus* (*Paragerydus*) [Type: BMNH-ht] [TypeL - South Java.] [Refs - b1571; b1552]
- a **pleurata** Hewitson, 1874; *Poritia* OD: Trans. ent. Soc. Lond. 22(3):346 [b2341] [Type: BMNH-ht] [TypeL - Singapore.] [Refs - b0964; b1636; b0965; b2753; b4094; b1850; b1454; b1543; b3520; b0950]
- a **plicataria** (Johnson), 1976; *Callophrys* OD: Bull. Allyn Mus. (38):15-17, f 6,11,15d [b2583] CG: *Mitoura* [Type: AME-ht] [TypeL - Cameron Lake, South Vancouver Island, British Columbia.] [Refs - b2583; b3192; b2585]
- c **plinioides** Moore, [1884]; *Niphanda* OD: Proc. zool. Soc. Lond. 1883(4):524, pl 48, f 8 [b3235] SS: *cymbia* de Nicéville, [1884]; *Niphanda* [TypeL - Sikkim.] [Refs - b1636; b3235; b0694]
- a **plinius** (Fabricius), 1793, 1792-1799; *Hesperia* OD: Ent. syst. 3(1):284 [b1657] CG: *Leptotes* [Type: ZMC-ht] [TypeL - *Indiis*"] [Refs - b1498; b1636; b1450; b0908; b2747; b0995; b1840; b1762; b2479; b1943 (as ssp of *pirithous*); b1900; b4547; b5053; b1452; b0400; b0836; b4400; b0870 (in *Syntarucus*); b4934; b3055; b0694 (*Syntarucus*); b4092; b4592 (*Syntarucus*); b5076; b4209; b2920; b4108; b0205 (in *Taracus*)]
- e **plinius** (Butler), [1870], (MID); *Lampides* OD: Cat. diurn. Lep. Fabricius Br. Mus. :164 [b0590] SS: *cassius* (Cramer), [1775]; *Leptotes* [TypeL - Jamaica, B. W. L.] [Refs - b0908]
- b **plinthobaphis** Stichel, 1910; *Nymphidium* OD: Berl. ent. Z. 55(1/2):63 [b4445] SS: *lisimon* (Stoll), [1790]; *Nymphidium* [Type: ZMHU-ht] [TypeL - Chuchuras & Jurimaguas, Peru.] [Refs - b4476; b4445]
- a **pliushtchi** Budashkin & Lukhtanov, 1993; *Polyommatus* OD: *Atalanta* (Münnerstadt) 24(1/4):85-87 [b0572] CG: *Polyommatus* (*Agrodiaeas*) [TypeL - Crimea Peninsula.]
- a **plotinus** Grose-Smith, 1894; *Hypochochrysops* OD: Novit. zool. 1:546 [b2037] [Type: BMNH-ht; designated by Sands, 1986] [Entomograph 7:36 [b3926]] [TypeL - Humboldt Bay, New Guinea.] [Refs - b1450; b2078; b3926]
- b **plotinus** (Grose-Smith & Kirby), 1894, 1887-1902; *Thysonotis* OD: Rhop. exot. 2(29):44, pl 8, f 5,7 [b2049] SS: *caelius* (Felder & Felder), 1860; *Psychonotis* [Refs - b1450; b2078]
- c **plouharnelensis** Oberthür, 1910; *Plebejus* OD: Étud. Léop. comp. 4:186, pl 38, f 252 [b3451] SS: *argus* (Linnaeus), 1758; *Plebejus* [Refs - b0236 (as good ssp); b0471]
- a **plowesi** Tite & Dickson, 1973; *Alcides* OD: Bull. Br. Mus. nat. Hist. (Ent.) 29(5):252 [b4685] [Type: BMNH-ht; Rh. 17231] [TypeL - Salisbury, Rhodesia.] [Refs - b1259; b0104; b4685]
- a **plumans** (H. H. Druce), 1907; *Thecla* OD: Proc. zool. Soc. Lond. 1907(3):622 [b1375] CG: *Femniterga* [Type: BMNH-ht] [TypeL - Chapada Campo, Brazil.] [Refs - b0908; b1375; b2593; b0123; b2606]
- a **plumbagina** Johnson, 1992; *Novosatsuma* OD: Neue Ent. Nachr. 29:61, f [b2609] [TypeL - China.] [Refs - b0126]
- b **plumbata** (H. H. Druce), 1891; *Nacaduba* OD: Proc. zool. Soc. Lond. 1891(3):359, pl 31, f 3,4 [b1358] SS: *astarte* (Butler), 1882; *Tartesa* [TypeL - Solomon Islands.] [Refs - b4676; b1450; b4094; b1358; b2388]
- a **plumbea** (Butler), 1881; *Scolitantides* OD: Trans. ent. Soc. Lond. 29(4):486 [b0619] CG: *Pseudolucia* [Type: BMNH-ht; designated by Bálint, 1993] [Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (29):19 [b0207]] [TypeL - Las Cabras, Cord. Chillán, Chile. Restricted by Bálint, 1993.] [Refs - b0908; b4783; b3846; b0207]
- e **ab. plumbea** (Tutt), 1909, 1905-1914; *Plebeius* OD: Nat. Hist. Brit. Butts 3:174 [b4760] SS: *argus* (Linnaeus), 1758; *Plebejus* [Refs - b0236; b0471]
- e **ab. plumbea** Tutt, 1909, 1905-1914; *Polyommatus* OD: Nat. Hist. Brit. Butts 3:256 [b4760] SS: *semiargus* (Rottemburg), 1775; *Polyommatus* (*Cyaniris*) [Refs - b0236]
- e **plumbea** (Courvoisier), 1913, (IFS); *Lycæna* OD: Ent. Mitt. 2(10):294 [b0989] SS: *decolorata* Staudinger, 1886; *Everes* [Refs - b0995; b0400; b0471]
- b **plumbeomicans** (Wood-Mason & de Nicéville), 1880; *Lampides* OD: J. asiat. Soc. Bengal, Pt II 49:231 [b5029] SS: *berenice* (Herrich-Schäffer), 1869; *Nacaduba* [TypeL - Andamans, ZR says Port Blair.] [Refs - b4676; b1636; b4094; b1454; b0694]
- e **ab. plumbeus** Courvoisier, 1910; *Glaucopsyche* OD: Verh. naturf. Ges. Basel 21:163 [b0984] SS: *alexis* (Poda von Neuhaus), 1761; *Glaucopsyche* [Refs - b0236; b0400; b0471]
- e **ab. plumbeus** (Courvoisier), 1910; *Lycæna* OD: Verh. naturf. Ges. Basel 21:161 [b0984] SS: *bellargus* (Rottemburg), 1775; *Polyommatus* (*Lysandra*) [Refs - b0471]
- e ♂ **ab. plumbeus** (Courvoisier), 1913; *Lycæna* OD: Ent. Mitt. 2(10):294 [b0989] SS: *decolorata* Staudinger, 1886; *Everes* [Refs - b0236; b0989]
- e **ab. plumbeus** (Rothschild), 1915; *Pepliphorus* OD: Novit. zool. 22:138 [b3878] SS: *euchylas* (Hübner), [1819]; *Jamides* [Refs - b4671; b1450; b4094]
- c **pluricauda** (Ungemach), 1932; *Monile* OD: Mém. Soc. Sci. nat. phy. Maroc (32):90 [b4780] SS: *gemmifera* (Neave), 1910; *Neurellipes* [TypeL - Abyssinia.] [Type of - *Monile*] [Refs - b2280; b4400]
- a **plurilimbata** Karsch, 1895; *Thermoniphys* OD: Ent. Nachr. 21:303 [b2694] [TypeL - C. Africa.] [Type of - *Thermoniphys*] [Refs - b2280; b0827; b1452; b2694; b4388; b4400]
- e **ab. pluripuncta** (Courvoisier), 1907; *Lycæna* OD: Z. wiss. InsektBiol. 3:74 [b0982] SS: *icarus* (Rottemburg), 1775; *Polyommatus* [Refs - b0471]
- e **ab. pluripuncta** (Courvoisier), 1907; *Lycæna* OD: Z. wiss. InsektBiol. 3:36 [b0982] SS: *bellargus* (Rottemburg), 1775; *Polyommatus* (*Lysandra*) [Refs - b0236; b0471]

- e *ab. pluripuncta* (Courvoisier), 1907; *Lycaena* OD: Z. wiss. InsektBiol. 3:24 or 74 [b0982] SS: argyrognomon (Bergsträsser), [1779]; *Plebejus* (*Lycaeides*) [Refs - b0471]
- e *ab. pluripuncta* (Courvoisier), 1910, 1910-1911; *Lycaena* OD: Ent. Zeit. 24:82 [b0985] SS: argus (Linnaeus), 1758; *Plebejus* [Refs - b0471]
- e *pluripuncta* (Courvoisier), 1911, 1910-1911; *Lycaena* OD: Ent. Zeit. 24:236 [b0985] SS: alexis (Poda von Neuhaus), 1761; *Glaucopsyche* [Refs - b0400]
- e *ab. pluripuncta* (Courvoisier), 1911, 1910-1911; *Chrysophanus* OD: Ent. Zeit. 24:236 [b0985] SS: virgaureae (Linnaeus), 1758; *Lycaena* (Heodes) [Refs - b0236; b0389; b0471]
- e *pluripuncta* (Courvoisier), 1912; *Chrysophanus* OD: Deut. ent. Zeit. [Iris] 26:59 or 63 [b0987] SS: dispar ([Haworth]), 1802; *Lycaena* (*Thersamolycaena*) [Refs - b0389; b0471]
- e *pluripuncta* (Courvoisier), 1912; *Chrysophanus* OD: Deut. ent. Zeit. [Iris] 26:58 [b0987] SS: utyrus (Poda von Neuhaus), 1761; *Lycaena* (Heodes) [Refs - b0389]
- e *ab. pluripuncta* (Vorbrod), 1912; *Lycaena* OD: Schmett. Schweiz 1:134 [b4885] SS: agestis ([Denis & Schiffermüller]), 1775; *Plebejus* (*Aricia*) [Refs - b0236; b0471]
- e *ab. pluripuncta* (Steuer-Stütermayer), 1937; *Lycaena* OD: Ent. Rundsch. 54:532 [b4432] SS: allardi (Oberhür), 1874; *Plebejus* (*Plebejides*) [Refs - b0075]
- a **plusios** (Godman & Salvin), [1887], 1879-1901; *Thecla* OD: Biol. centr.-amer., Lep. Rhop. 2:77 [b1975] CG: *Pendantus* [Type: BMNH-It; designated by Johnson & Kroenlein, 1993] [Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (34):8 [b2628]] [TypeL - Mexico.] [Type of - *Pendantus*] [Refs - b0908; b1975; b2628]
- b **plutarchus** (Fruhstorfer), [1923], 1909-1923; *Tarucus* OD: In Seitz, Grossschmett. Erde 9:893 [b1840] SS: plinius (Fabricius), 1793; *Leptotes* [TypeL - N. Sulawesi?] [Refs - b1840; b4108]
- a **plutargus** (Fabricius), 1793, 1792-1799; *Hesperia* OD: Ent. syst. 3(1):329 [b1657] CG: *Caria* [TypeL - Indiiis.] [Refs - b2988 (as *colubris*); b2747; b4474; b2221; b3192; b0419; b1321; b5076; b1456; b4445]
- a **pluto** (Leech), [1893], 1893-1894; *Satsuma* OD: Butts China Japan Corea :355, pl 30, f 8 [b2966] CG: *Ahlbergia* [Type: BMNH-It; designated by Johnson, 1992] [Neue Ent. Nachr. 29:30 [b2609]] [TypeL - Wa-suu-Kou, Yunnan Province, China.] [Refs - b2988; b0995; b2479; b4092; b2585]
- a **pluto** (Stichel), 1910; *Phaenochitonina* OD: Gen. Insectorum 112(A):241 [b4446] CG: *Stichelia* [Type: BMNH-st; ZMHU-st] [TypeL - Colombia.] [Refs - b4474; b1456; b4446]
- e *pluto* Le Mout, 1940, 1939-1940, (IFS); *Helicopsis* OD: Novit. ent. (17):135101 [b2943] SS: selene Felder & Felder, 1865; *Helicopsis* [Type: AME-ht] [Refs - b3199]
- a **plutus** Pennington, 1967; *Poecilmitis* OD: Novos Taxa ent. (51):4 [b3571] [TypeL - Zwanberg Mts., Cape Province, S. Africa.] [Refs - b1259; b1452]
- a **pnin** Bálint, 1993; *Itylos* OD: Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (29):13, f 5, 104 [b0207] [Type: BMNH-ht] [TypeL - Above Chosica, Peru.] [Refs - b0207; b0208; b0215]
- b **podarce** (Felder & Felder), 1865, 1865-1875; *Lycaena* OD: Reise Novara (2):282, pl 35, f 22, 23 [b1692] SS: rustica (Edwards), 1865; *Polyommatus* (*Agriades*) [TypeL - California.] [Refs - b0908; b2747; b0993; b0236; b3192; b5015; b0493; b1318; b1321; b4066]
- c **podorina** (Mabille), 1890; *Lycaena* OD: Annls Soc. ent. Fr. (6):10:25 [b3047] SS: eleusis (Demaison), 1888; *Chilades* [TypeL - Senegal.] [Refs - b0995; b4363; b4400; b4092]
- c **poeas** (Hübner), [1811], 1806-1838; *Rusticus* OD: Samml. exot. Schmett. 1:pl [101] [b2482] SS: cecrops (Fabricius), 1793; *Calycopis* [Type of - *Calycopis*] [Refs - b2280; b0908; b2747; b3192; b1321; b2631; b2260]
- a **poeas** Godman & Salvin, [1901], 1879-1901; *Emesis* OD: Biol. centr.-amer., Lep. Rhop. 2:704; 3:pl 110, f 7-10 [b1975] [Type: BMNH-ht] [TypeL - La Venta, Mexico.] [Refs - b4475; b1456]
- a **poecila** Bates, [1868]; *Themone* OD: J. linn. Soc. Lond., Zool. 9:378 [b0267] [TypeL - Ega.] [Refs - b2747; b4474; b1456]
- a **poecilaon** (Riley), 1928; *Argiolaus* OD: Novit. zool. 34:379 [b3767] CG: *Iolaus* (*Iolaphilus*) [TypeL - Uganda.] [Refs - b1452; b2224; b4400]
- a **poeciloptera** (Godman & Salvin), 1878; *Charis* OD: Proc. Soc. Lond. 1878(2):365 [b1973] CG: *Cariomothis* [TypeL - Veragua; Chiriqui.] [Refs - b2988; b4474; b1456]
- c **poecilta** (Holland), 1900; *Nacaduba* OD: Novit. zool. 7:74 [b2431] SS: palmyra (C. Felder), 1860; *Erysichton* [TypeL - Bura.] [Refs - b4676; b1450; b4094; b2431]
- c **poeta** (Boisduval), 1832; *Argus* OD: In d'Urville, Voy. Astrolabe 1(Lép.):90 [b0457] SS: cleotas (Guérin-Méneville), [1831]; *Chilades* [Refs - b2747]
- a **poggei** (Dewitz), 1879; *Plebeius* OD: Nova Acta Acad. Caesar. Leop. Carol. 41(2):205 (=33), pl 2 f 7 [b1218] CG: *Uranothauma* [TypeL - Guinea.] [Refs - b1943; b1259; b1452; b0836; b4400; b3609; b0162]
- a **polama** (Schaus), 1902; *Thecla* OD: Proc. U. S. natn. Mus. 24(1262):416 [b3948] CG: *Panthiades* [Type: USNM-ht; #5943] [TypeL - Petropolis, Castro, Brazil.] [Refs - b0908; b2988; b3948; b2631]
- c **polaris** Krulikovskii, 1890; *Callophrys* OD: Bull. Soc. imp. Nat. Moscou (ns)4(1890):217 [b2844] SS: borealis Krulikovskii, 1890; *Callophrys* [Refs - b0471]
- e *polaris* Krulikovskii, 1893, (IFS); *Callophrys* OD: Soc. ent. 7:164 [b2847] SS: borealis Krulikovskii, 1890; *Callophrys* [TypeL - Kasan, Soviet Union.] [Refs - b2585]
- b **polaris** Courvoisier, 1911, 1910-1911; *Lycaena* OD: Ent. Zeit. 24:262 [b0985] SS: phlaeas (Linnaeus), 1761; *Lycaena* (*Lycaena*) [TypeL - Northern Norway and Lapland.] [Refs - b0236; b4066; x3192; b4666]
- b **polassar** (Fruhstorfer), 1915; *Lampides* OD: Arch. Naturgesch. (A)81(6):37 [b1865] SS: *astraptus* C. Felder, 1860; *Jamides* [TypeL - Obi.] [Refs - b1450; b4094; b1865]
- b **polemon** (Fruhstorfer), 1915; *Miletus* OD: Zoöl. Meded. 1(2):146 [b1863] SS: *heros* Grose-Smith, 1894; *Hypochrysops* [Type: RNH-It; designated by Sands, 1986] [Entomograph 7:90 [b3926]] [TypeL - New Guinea.] [Refs - b1450; b3926]
- c **polemonia** (Toxopeus), 1928, 1927-1928; *Celastrina* OD: Tijdschr. Ent. 71:190, tf 31 [b4697] SS: *coalita* (de Nicéville), 1891; *Udara* (Udara) [Refs - b1580; b4697]
- c **poleti** Le Mout, 1939, 1939-1940; *Helicopsis* OD: Novit. ent. (12):91, f 21 [b2943] SS: *gnidus* (Fabricius), 1787; *Helicopsis* [TypeL - Amazons.] [Refs - b3199; b3717]
- e *poliaemus* (Seitz), [1927], 1912-1927, (ISS); *Lampides* OD: In Seitz, Grossschmett. Erde 9:1022 [b4094] SS: *poliamus* (Fruhstorfer), 1915; *Jamides* [Refs - b4094]
- b **poliamus** (Fruhstorfer), 1915; *Lampides* OD: Zoöl. Meded. 1(2):141 [b1863] SS: *aruensis* (Pagenstecher), 1884; *Jamides* [TypeL - Salawati.] [Refs - b4671; b1450; b4094 (as *polyaemus*); b1863 (as *poliamus*)]
- a **polibetes** (Stoll), [1781], 1780-1790; *Papilio* OD: In Cramer, Uitl. Kapellen 4(29):98, pl 341, f B,C [b4478] CG: *Parrhasius* [TypeL - Surinam.] [Type of - *Parrhasius*] [Refs - b2280; b0908; b3390; b2747; b2221; b3392; b3818; b3192; b1743; b2406; b1975; b2631]

- e ♂ *ab. poliensis* Murayama, 1959; Heliophorus OD: Tyô to Ga 10(4):66-68 [b3288] SS: matsumurae (Fruhstorfer), 1908; Heliophorus [Refs - b4198]
- b *polimela* Godman & Salvin, 1897; Theope OD: Trans. ent. Soc. Lond. 45(2):247 [b1981] SS: virgilius (Fabricius), 1793; Theope [TypeL - Colombia.] [Refs - b4475]
- a *polingi* (Barnes & Benjamin), 1926; Strymon OD: Bull. S. Calif. Acad. Sci. 25(3):94 [b0243] CG: Fixsenia [Type: USNM-ht] [TypeL - Sunny Glen Ranch, near Alpine, Brewster County, Texas.] [Refs - b1530 :212, f 405; b0908; b1321 :57; b0851; b0113; b1343; b3192; b1715; b0493; b4690 (*)]; b2631; b4066; b1722; b1455]
- e *poliorketes* d'Abrebra, 1986, (ISS); Dacalana OD: Butts Oriental Region, Pt 3 :609 [b1454] SS: polyorketes (Fruhstorfer), [1912]; Dacalana [Refs - b1454; b4594; b4094]
- a *polios* Cook & Watson, 1907; Deciduphagus OD: Can. Ent. 39(6):202-204, pl 5 [b0912] CG: Deciduphagus [Type: USNM-ht] [TypeL - Lakewood, New Jersey.] [Refs - b0908; b1712; b0912; b1343; b3192; b3512; b1743; b0493; b1321; b4690 (*)]; b1950; b2585; b4066; b0126]
- a *poliotactis* Stichel, 1910; Esthemopsis OD: Gen. Insectorum 112(A):225 [b4446] [Type: ZMHU-ht] [TypeL - Iquitos, E. Peru.] [Refs - b4474; b3717; b1456; b4446]
- c *polita* (Röber), 1887; Amblypodia OD: CorrespBl ent. Ver. Iris 1(4):199, pl 9, f 14 [b3821] SS: eridanus (C. Felder), 1860; Arhopala a [Type: SMT-ht] [TypeL - Ceram.] [Refs - b1644; b3821; b4602]
- b *polita* Stichel, 1910; Leucochimona OD: Gen. Insectorum 112(A):29 [b4446] SS: philemon (Cramer), [1775]; Leucochimona [Type: pc-st; collection of Stichel.] [TypeL - Carmen, Rio Vitaco, Colombia.] [Refs - b4446]
- a *politus* (H. H. Druce), 1907; Thecla OD: Proc. zool. Soc. Lond. 1907(3):625, pl 36, f 22.23 [b1375] CG: Angulopsis [Type: BMNH-lt; designated by Johnson, 1991] [Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (21):42 [b2606]] [TypeL - Santarem, Amazonas, Brazil.] [Refs - b0908; b3818; b0278; b1375; b0125; b2627; b2606]
- a *pollux* (Aurivillius), 1895; Jolaus OD: Ent. Tidskr. 16:213 [b0151] CG: Iolaus (Epamera) [TypeL - Cameroons.] [Refs - b0151; b1452; b0836; b4400; b4130 (as pullux)]
- e *pollux* Le Moult, 1940, 1939-1940, (IFS); Helicopsis OD: Novit. ent. (16):127 [b2943] SS: cupido (Linnaeus), 1758; Helicopsis [Type: AME-ht] [Refs - b3199]
- c *polonus* Zeller, 1845; Polyommatus OD: Stutt. ent. Ztg 1845:351 [b5059] SS: coridon (Poda von Neuhaus), 1761; Polyommatus (Lysandra) [TypeL - Posen.] [Note - May be a hybrid of coridon x bellargus.] [Refs - b3901; b1780; b2747; b2579; b4767; b4092; b1417]
- e *polowna* Seitz, [1926], 1912-1927, (ISS); Surendra OD: In Seitz, Grossschmet. Erde 9:943 [b4094] SS: palowna (Staudinger), 1889; Surendra [Refs - b4094]
- e *polyaemus* (Seitz), [1924], 1912-1927, (ISS); Lampides OD: In Seitz, Grossschmet. Erde 9:912 [b4094] SS: poliamus (Fruhstorfer), 1915; Jamides [Refs - b4094]
- a *polybe* (Linnaeus), 1763; Papilio OD: Amoen. acad. 6:404 [b2995] CG: Atliades [TypeL - America mer.] [Refs - b0908; b2988; b2747; b2221; b3818; b2406; b1975]
- e *polybetes* Hübner, [1819], 1816-1826, (ISS); Parrhasius OD: Verz. bekannt. Schmett. (5):79, no. 799 [b2484] SS: polibetes (Stoll), [1781]; Parrhasius [Refs - b0908]
- a *polycletus* (Linnaeus), 1758; Papilio OD: Syst. nat. (ed. 10) 1:485 [b2993] CG: Hypochrysops [TypeL - In Indies", corrected to Amboina.] [Type of - Hypochrysops] [Refs - b1450; b2280; b2078; b2747; b0870; b3926]
- a *polydialecta* (Bethune-Baker), 1923; Neochrysops OD: Trans. ent. Soc. Lond. 70(3/4):329, pl 14, f 5; pl 21, f 39, pl 29, f 39 [b0359] CG: Lepidochrysops [Type: UMO-st] [TypeL - Africa.] [Refs - b1452; b0836; b0359; b4400]
- b *polyglauca* Stichel, 1910; Mesosemia OD: Gen. Insectorum 112(A):40 [b4446] SS: metura Hewitson, [1873]; Mesosemia [Type: ZMHU-st] [TypeL - Tarapoto + Ucayali, Peru.] [Refs - b4474; b4446]
- c *polymenus* (Fabricius), 1793, 1792-1799; Papilio OD: Ent. syst. 3(1):54 [b1657] SS: mandana (Cramer), [1780]; Emesis [TypeL - Surinami".] [Refs - b2747; b4475; b5076]
- a *polyorketes* (Fruhstorfer), [1912]; Camena OD: Berl. ent. Z. 56(3/4):270 [b1850] CG: Dacalana [Type: SMF-lt; designated by Schröder & Treadaway, 1989] [Ent. Zeit. 99(15):218 [b3988]] [TypeL - S. Philippines.] [Note - Also seen as a subspecies of anysides.] [Refs - b1454 (as poliorketes); b4594; b4094 (as poliorketes); b3988]
- e *polypheosovalisquamosa* Verity, 1943, (IFS); Polyommatus OD: Farfalle Diurne Ital. 2:258 [b4862] SS: polyphemus (Esper), [1779]; Polyommatus [Refs - b2856]
- c *polyphemus* (Esper), [1779], 1776-1830; Papilio OD: Die Schmett. 1(1)(9):pl 50, f 2.3; 1(2)(1): pl 55, f 5 [1780]; 1(2)(5):pl 79, f 2 [1782] [b1623] SS: icarus (Rottemburg), 1775; Polyommatus [Refs - b2747; b2794; b4092; b2302]
- c *polyphemus* (Boisduval), 1869, 1868-1869; Lycaena OD: Annl. Soc. ent. Belg. 12:49 [b0468] SS: xerces (Boisduval), 1852; Glaucoopsyche [Type: USNM-ht] [TypeL - California.] [Note - Miller & Brown incorrectly treat this name as unavailable.] [Refs - b0908; b3192; b1321]
- e *ab. polyphemus* (Stetter-Stänermayer), 1937; Lycaena OD: Ent. Rundsch. 54:532 [b4432] SS: allardi (Oberthür), 1874; Plebejus (Plebejides) [Refs - b0075]
- b *polyphemus* (Toxopeus), 1944; Sospita OD: Treubia Hors Série:183 [b4709] SS: tyrannus (Grose-Smith), 1897; Praetaxila [TypeL - New Guinea.] [Refs - b4709]
- c *polyplaga* Seitz, [1917], 1910-1924; Barbicomis OD: In Seitz, Grossschmett. Erde 5:664 [b4093] SS: basilis Godart, [1824]; Barbicomis [TypeL - Not stated.] [Refs - b4474; b4093]
- b *polyplusia* Stichel, 1910; Teratophthalma OD: Gen. Insectorum 112(A):78, pl 24, f 11a [b4446] SS: maenades (Hewitson), [1858]; Teratophthalma [Type: pc-ht; collection of Stichel] [TypeL - S. E. Peru.] [Refs - b4474; b4446]
- c *polypoecila* (Stichel), 1910; Charis OD: Berl. ent. Z. 55(1/2):27 [b4445] SS: chrysus (Stoll), [1782]; Sarota
- e *polypoecila* (Stichel), 1910, (IFS); Charis OD: Berl. ent. Z. 55(1/2):27 [b4445] SS: chrysus (Stoll), [1782]; Sarota [Type: pc-ht; collection of Stichel] [TypeL - Bugaba, Panama.] [Refs - b4474; b4445]
- b *polysperchinus* (Kheil), 1884; Plebejus OD: Rhop. Nias :29, pl 5, f 36 [b2725] SS: lactumus (Godart), [1824]; Everes [TypeL - Nias.] [Refs - b4094; b3782; b4108]
- c *polysperchon* (Bergsträsser), [1779], 1778-1780; Papilio OD: Nom. Ins. 2:72, pl 44, f 3-5 [b0310] SS: argiades (Pallas), 1771; Everes [Refs - b3059 (as polysperchen); b0995; b4115; b2747; b0400; b1961; b4094; ns3719; b4092]
- c *pomona* Godman & Salvin, 1880; Siseme OD: Trans. ent. Soc. Lond. 28(3):132, pl 4, f 14 [b1976] SS: pallas (Latreille), [1813]; Siseme [TypeL - Santa Marta, Venezuela.] [Refs - b4475; b1456]
- b *pompadius* (Fruhstorfer), [1912]; Zeltus OD: Berl. ent. Z. 56(3/4):242 [b1850] SS: amasa Hewitson, [1865]; Hypolycaena (Zeltus) [TypeL - Java, Bali.] [Note - Often seen as pompaedius, which may be correct.] [Refs - b4094; b2201; b1454; b1850 (as pompadius)]

- e *pompaedius* (Seitz), [1926], 1912-1927, (ISS); Zeltus OD: In Seitz, Grossschmett. Erde 9:990 [b4094] SS: pompadius (Fruhstorfer), [1912]; Hypolycaena (Zeltus) [Note - Depending on the origin of the word, this may be the correct spelling.] [Refs - b4094; b4587]
- e *pompeius* Le Moul't, 1940, 1939-1940, (IFS); Helicopsis OD: Novit. ent. (18):138 [b2943] SS: selene Felder & Felder, 1865; Helicopsis [Type: AME-ht] [Refs - b3199]
- a *pomposa* Stichel, 1910; Ancyluris OD: Berl. ent. Z. 55(1/2):100 [b4445] [Type: ZMHU-st] [TypeL - Sao Paulo de Olivenca, Brazil.] [Refs - b4474; b1456; b4445]
- b *pomposa* Stichel, 1910; Lucillella OD: Gen. Insectorum 112(A):209 [b4446] SS: astra (Grose-Smith), 1898; Lucillella [Type: ZMHU-ht] [TypeL - Marcapata, Peru.] [Refs - b4474; b4446]
- b *ponce* (Comstock & Huntington), 1943; Thecla OD: Ann. New York Acad. Sci. 45:79 [b0907] SS: bubastus (Stoll), [1780]; Strymon [Type: AMNH] [TypeL - Ponce, Puerto Rico.] [Refs - b0908; b0907; b4049; b0833]
- b *pongulina* (Fruhstorfer), [1912]; Aphnaeus OD: Berl. ent. Z. 56(3/4):217 [b1850] SS: syama (Horsfield), [1829]; Spindasis [TypeL - Java.] [Refs - b4094; b2201; b1850]
- b *pontica* (Courvoisier), 1911; Lycaena OD: Deut. ent. Zeit. [Iris] 25:107, pl 2, f 12 [b0986] SS: coelestina (Eversmann), 1843; Polyommatus (Neolysandra) [TypeL - Amasia.] [Refs - b1762; b0993 (as full species); b0236; ns0317; b0471; b2788]
- a *pontis* (Elwes), 1887; Chilades OD: Proc. zool. Soc. Lond. 1887(3):446 [b1591] CG: Orthomiella [TypeL - Sikkim.] [Type of - Orthomiella] [Refs - b1636; b2988; b2280; b1762; b4092; b0236; b1454; b1840; b3055; b0694; b2388]
- a *poodiae* Brown & Faulkner, 1982; Habrodais OD: Bull. Allyn Mus. (67):4, f 1-6 [b0551] [Type: SDM-ht] [TypeL - Baja California.] [Refs - b0552; b0551; b4066 (as ssp of grunus)]
- a *porphyreticus* (H. H. Druce), 1907; Thecla OD: Proc. zool. Soc. Lond. 1907(3):593, pl 35, f 2 [b1375] CG: Olynthus [Type: BMNH; Godman collection.] [TypeL - Rio Napo, Peru.] [Refs - b0908; b3394; b1375]
- b *porphyris* Holland, 1900; Jamides OD: Novit. zool. 7:75 [b2431] SS: seminiger Grose-Smith, 1895; Jamides [TypeL - Buru.] [Refs - b1450; b2388]
- b *porphyritica* Fruhstorfer, [1914], 1909-1923; Abisara OD: In Seitz, Grossschmett. Erde 9:783 [b1840] SS: echerius (Stoll), [1790]; Abisara [Type: BMNH] [TypeL - Besi, Sula Islands.] [Refs - b0294; b4473; b1454; b1840]
- a *porphyritis* H. H. Druce, 1907; Thecla OD: Proc. zool. Soc. Lond. 1907(3):595, pl 35, f 4 [b1375] CG: Thecla (New World Eumaeini) [TypeL - Tapajos and Par , Brazil.] [Note - Near deliciae.] [Refs - b0908; b1375]
- e *porrecta* (Verity), 1919, 1919-1922, (RA); Cyaniris OD: Ent. Rec. 31:45 [b4840] SS: semiargus (Rottemburg), 1775; Polyommatus (Cyaniris) [Type: MZS-st] [Refs - b2856; b0236; b0471]
- e *porreclausonidarum* (Verity), 1943, (IFS); Cyaniris OD: Farfalle Diurne Ital. 2:237 [b4862] SS: semiargus (Rottemburg), 1775; Polyommatus (Cyaniris) [Type: MZS-st] [Refs - b2856]
- a *porriginosus* (Toxopeus), 1932; Biduanda OD: Versl. Afd. Ned. Ost-Ind. ned. ent. Ver. 1(3):lxxvii [b4704] CG: Drupadia [Refs - b1030]
- c *porriginosus* Toxopeus, 1932; Allotinus OD: Versl. Afd. Ned. Ost-Ind. ned. ent. Ver. 1(3):lxxvii [b4704] SS: sarrastes Fruhstorfer, 1913; Allotinus (Fabitaras) [TypeL - Java.] [Refs - b1571; b4108]
- c *porsonna* (Scudder), 1864; Polyommatus OD: Proc. Essex Inst. 3:163 [b4073] SS: tarquinius (Fabricius), 1793; Feniseca [Type: MCZ?] [TypeL - New England.] [Refs - b0908; b2747; b3192; b1321; b4073]
- b *portaensis* Betti, 1977; Laeosopsis OD: Alexanor 10(2):93, f [b0364] SS: roboris (Esper), [1789]; Laeosopsis [TypeL - France.] [Refs - b2985]
- a *portentosa* Stichel, 1926; Euselasia OD: Deut. ent. Zeit. 1926:395 [b4465] [TypeL - Costa Rica.] [Refs - b4474]
- a *porthura* H. H. Druce, 1907; Thecla OD: Proc. zool. Soc. Lond. 1907(3):581, pl 33, f 10 [b1375] CG: Thecla (New World Eumaeini) [Type: BMNH; Godman collection.] [TypeL - Bogot , Colombia.] [Note - Druce says "allied to gemma".] [Refs - b0908; b1375]
- a *portia* (Bates), [1868]; Dymathia OD: J. linn. Soc. Lond., Zool. 9:383 [b0267] CG: Dysmathia [TypeL - Para.] [Type of - Dysmathia] [Refs - b2988; b2280; b2747; b4475; b1456]
- c *portoena* (Clench), 1944; Thecla OD: Bull. Harvard Mus. Comp. Zool. 94:242 [b0823] SS: acastoides (Berg), 1882; Cyanophrys [Type: MCZ-ht; #26227] [TypeL - Cussilumi, Bolivia.] [Refs - b0908; b0528; b2585]
- a *portunus* (de Nic ville), 1894; Paragerydus OD: J. asiat. Soc. Bengal, Pt II 63(1):27, pl 5, f 14 [b1158] CG: Allotinus (Fabitaras) [Type: ZSI?-st] [TypeL - Java.] [Refs - b1840; b1571]
- b *porus* Eliot, 1961; Mileus OD: Bull. Raffles Mus. 26:164 [b1546] SS: nymphis (Fruhstorfer), 1913; Mileus 1 [TypeL - Shan States, India.] [Refs - b1546; b3610; b0694]
- a *poseidon* (Herrich-Sch ffer), [1851], 1843-1856; Lycaena OD: Syst. Bearb. Schmett. Europ. 6:24 [b2313] CG: Polyommatus (Agrodiaetus) [TypeL - Kleinasien.] [Refs - ns2951 2:37; b2988; b1636; b2827; b2747; b0993; b1762 (Lederer); b2794; b1774; b2313; b2859; b4092]
- a *poseidon* Pringle, 1987; Lepidochrysops OD: Ent. Rec. 99(1/2):1, f [b3649] [TypeL - Cape Province, S. Africa.] [Refs - b0120]
- a *poseidonides* Staudinger, 1886, 1886-1889; Polyommatus OD: Stett. ent. Ztg 47:225 [b4330] CG: Polyommatus (Agrodiaetus) [Refs - b1636; b0993; b2827; b4092; ns4738]
- c *posetta* Dyar, 1914; Thecla OD: Proc. U. S. natn. Mus. 47:150 [b1444] SS: amphrade Schaus, 1913; Thecla (New World Eumaeini) [Type: USNM-ht; #15759] [TypeL - Porto Bello, Panama.] [Refs - b0908]
- b *posidion* Fruhstorfer, 1913; Allotinus OD: Z. wiss. InsektBiol. 9(12):368 [b1851] SS: unicolor Felder & Felder, 1865; Allotinus (Paragerydus) [Type: BMNH-ht; designated by Corbet, 1939] [Trans. R. ent. Soc. Lond. 89(5):68 [b0944]] [TypeL - Java.] [Refs - b1636; b1840; b1571]
- e *postacis* (Verity), 1943, (IFS); Cyaniris OD: Farfalle Diurne Ital. 2:235 [b4862] SS: semiargus (Rottemburg), 1775; Polyommatus (Cyaniris) [Type: MZS-st] [TypeL - Italy.] [Refs - b2856; b0410]
- e *postagestis* (Beuret), 1961; Aricia OD: Lyc. Schweiz. III :353 [b0410] SS: agestis ((Denis & Schiffem ller)), 1775; Plebejus (Aricia) [Refs - b0410]
- c *postalba* (Rothschild & Jordan), 1907; Abisara OD: Deut. ent. Zeit. 1907:192 [b3887] SS: huntei (E. Sharpe), 1903; Praetaxila [TypeL - New Guinea.] [Note - Stichel treated this as a good species.] [Refs - b1450; b3887; b4474; b3880; b1840]
- e *postappenninigena* (Verity), 1943, (IFS); Lysandra OD: Farfalle Diurne Ital. 2:295 [b4862] SS: thetis Klug, 1834; Lycaena (Thersamonia) [Type: MZS-st] [TypeL - Italy.] [Note - Not spelled postappenninigena.] [Refs - b2856; b0080 (as postappenninigena); b4862]

- e *postargester* (Verity), 1934, 1934-1936, (IFS); *Lysandra* OD: Ent. Rec. 46(Sup.):28 [b4853] SS: argester (Bergsträsser), [1779]; *Polyommatus* (*Plebicula*) [Type: MZS-st] [Refs - b2856; b0072]
- e *postaustera* Verity, 1943, (IFS); *Plebejus* OD: *Farfalle Diurne Ital.* 2:199 [b4862] SS: argus (Linnaeus), 1758; *Plebejus* [Type: MZS-st] [Refs - b2856; b0410]
- e *postcandalus* Verity, 1937, 1937-1938, (IFS); *Polyommatus* OD: Ent. Rec. 49:7 [b4859] SS: candalus (Herrich-Schäffer), [1851]; *Polyommatus* (*Sublysandra*) [Type: pc-st; in Wagner collection, Wien.] [TypeL - Anatolia.] [Refs - b2856; b0075]
- e *f. postcarueli* Le Moul, 1945; *Lycaena* OD: Misc. Ent. 42:56 [b2945] SS: carueli Le Moul, 1945; *Lycaena* (*Thersamolycaena*) [TypeL - France.] [Refs - b0080; b0082]
- c *postelara* Graves, 1930; *Polyommatus* OD: Ent. Rec. 42(6):99 [b2012] SS: icarus (Rottemburg), 1775; *Polyommatus* [TypeL - Ireland.]
- e *postenervis* (Verity), 1934, 1934-1936, (IFS); *Lysandra* OD: Ent. Rec. 46(Sup.):29 [b4853] SS: hylas (Esper), [1778]; *Polyommatus* (*Plebicula*) [Refs - b2856; b0072]
- e *posteroalba* (Tutt), 1906, 1905-1914; *Rumicia* OD: Nat. Hist. Brit. Butts 1:357 [b4760] SS: phlaeas (Linnaeus), 1761; *Lycaena* (*Lycaena*) [Refs - b0389]
- e *ab. posterocaerulescens* (Tutt), 1909, 1905-1914; *Plebejus* OD: Nat. Hist. Brit. Butts 3:180 [b4760] SS: argus (Linnaeus), 1758; *Plebejus* [Refs - b0236; b0471 (as *postcoerulescens*)]
- e *ab. posterocroceus* (Tutt), 1909, 1905-1914; *Plebejus* OD: Nat. Hist. Brit. Butts 3:181 [b4760] SS: argus (Linnaeus), 1758; *Plebejus* [Refs - b0236; b0471; b4760]
- e *ab. posteroflava* (Tutt), 1909, 1905-1914; *Plebejus* OD: Nat. Hist. Brit. Butts 3:181 [b4760] SS: argus (Linnaeus), 1758; *Plebejus* [Refs - b0236; b0471]
- e *posteroimmaculata* Tutt, 1914, 1905-1914; *Maculinea* OD: Nat. Hist. Brit. Butts 4:324 [b4760] SS: arion (Linnaeus), 1758; *Maculinea* [Refs - b0400]
- e *ab. posteroimpunctata* (Tutt), 1909, 1905-1914; *Plebejus* OD: Nat. Hist. Brit. Butts 3:179 [b4760] SS: argus (Linnaeus), 1758; *Plebejus* [Refs - b0236; b0471 (also as *postereoimpunctata*)]
- e *ab. postgallica* (Le Moul), 1947; *Aricia* OD: Misc. Ent. 44:105 [b2946] SS: gallica (Oberthür), 1910; *Plebejus* (*Archia*) [Refs - b0082]
- a *posthumus* (Fabricius), 1793, 1792-1799; *Papilio* OD: Ent. syst. 3(1):149 [b1657] CG: *Epitola* [Refs - b3842; b2747; b1452; b0836; b4400; b5076]
- a *posthumus* (Christoph), 1877, 1876-1877; *Lycaena* OD: Horae Soc. ent. ross. 12:238, pl 5 or 9, f 11 [b0787] CG: *Polyommatus* (*Agrodiaetus*) [TypeL - Northern Iran.] [Refs - b1762; b0993; b2827; b1772; ns4033; b4092; b1455]
- e *posticelatenigra* Kudrna, 1983, (ISS); *Leptotes* OD: J. Res. Lep. 21(1):35 [b2856] SS: pirithous (Linnaeus), 1767; *Leptotes* [Refs - b2856]
- e *posticelatenigra* (Verity), 1938, 1938-1939, (IFS); *Syntarucus* OD: Ent. Rec. 50(Sup.):9 [b4860] SS: pirithous (Linnaeus), 1767; *Leptotes* [Type: MZS-ht] [TypeL - Macedonia.] [Note - Not spelled *posticelatenigra*.] [Refs - b2856; b0400; b4860]
- e *ab. posticeoatrata* (Mezger), 1931; *Chrysophanus* OD: *Lambillionea* 31:22 [b3170] SS: batavus (Oberthür), 1923; *Lycaena* (*Thersamolycaena*) [TypeL - Holland.] [Refs - b0069; b0389; b3170]
- e *posticobasipunctata* (Verity), 1943, (IFS); *Agrodiaetus* OD: *Farfalle Diurne Ital.* 2:321 [b4862] SS: ripartii (Freyer), 1830; *Polyommatus* (*Agrodiaetus*) [Type: MZS-st] [TypeL - Italy.] [Refs - b2856]
- e *ab. posticoineolata* Gillmer, 1910; *Polyommatus* OD: Int. ent. Z. 4(1):4 [b1963] SS: icarus (Rottemburg), 1775; *Polyommatus* [Refs - b0236; b0471]
- e *ab. posticolunulata* (Tutt), 1909, 1905-1914; *Agriades* OD: Nat. Hist. Brit. Butts 3:332 [b4760] SS: bellargus (Rottemburg), 1775; *Polyommatus* (*Lysandra*) [Refs - b0236; b0471]
- e *ab. posticostrata* (Tutt), 1909, 1905-1914; *Agriades* OD: Nat. Hist. Brit. Butts 3:352 [b4760] SS: bellargus (Rottemburg), 1775; *Polyommatus* (*Lysandra*) [Refs - b0236; b0471]
- c *f. postidisconulla* (Lempke), 1954; *Thersamonia* OD: Tijdschr. Ent. 97:337 [b2981] SS: dispar ([Haworth]), 1802; *Lycaena* (*Thersamolycaena*) [TypeL - Holland.]
- c *postimacula* (Matsumura), 1929; *Cyaniris* OD: Ins. matsumur. 3(2/3):104 [b3098] SS: myla (Fruhstorfer), 1909; *Acytolepis* [Type: EIHU-ht] [TypeL - Baibara, Formosa.] [Refs - b4198; b1580; b0236; b4281]
- c *f. postinigrigosta* (Lempke), 1954; *Thersamonia* OD: Tijdschr. Ent. 97:336 [b2981] SS: dispar ([Haworth]), 1802; *Lycaena* (*Thersamolycaena*) [TypeL - Holland.]
- b *postiriensis* (Storace), 1962; *Lysandra* OD: Boll. Soc. ent. ital. 92:127 [b4488] SS: albicans (Gerhard), 1851; *Polyommatus* (*Lysandra*) [TypeL - Italy.]
- e *postilocarnensis* Beuret, 1953; *Lycaena* OD: Lyc. Schweiz I :41 [b0389] SS: tityrus (Poda von Neuhaus), 1761; *Lycaena* (*Heodes*) [Refs - b0389]
- e *postmagnalutea* (Verity), 1943, (IFS); *Lysandra* OD: *Farfalle Diurne Ital.* 2:296 [b4862] SS: bellargus (Rottemburg), 1775; *Polyommatus* (*Lysandra*) [Type: MZS-st] [Refs - b2856]
- e *postmargarita* (Verity), 1943, (IFS); *Lysandra* OD: *Farfalle Diurne Ital.* 2:283 [b4862] SS: euchylas (Hübner), [1819]; *Jamides* [Type: MZS-st] [TypeL - Italy.] [Refs - b2856; b0080]
- e *postmircorientalis* (Verity), 1935, (IFS); *Lysandra* OD: Bull. Soc. ent. Fr. 40(17):244 [b4854] SS: thersites (Cantener), 1834; *Polyommatus* (*Plebicula*) [TypeL - Asia Minor.] [Refs - b2856; b4854]
- b *postnuditurca* Lorkovic, 1943; *Everes* OD: Mitt. münchn. ent. Ges. 33:443 [b3009] SS: argiades (Pallas), 1771; *Everes*
- e *postoceaniis* (Verity), 1948, 1947-1957, (IFS); *Heodes* OD: Var. Pap. diurn. France :58 [b4863] SS: tityrus (Poda von Neuhaus), 1761; *Lycaena* (*Heodes*) [Type: MZS-st] [Refs - b2856]
- e *postpulcherrima* Verity, 1943, (IFS); *Polyommatus* OD: *Farfalle Diurne Ital.* 2:254 [b4862] SS: celina (Austaut), 1879; *Polyommatus* [Type: MZS-st] [Refs - b2856]
- e *postpunctifera* (Verity), 1937, 1937-1938, (IFS); *Lysandra* OD: Ent. Rec. 49:5 [b4859] SS: punctifera (Oberthür), 1876; *Polyommatus* (*Lysandra*) [Type: MZS-st] [TypeL - Algeria.] [Refs - b2856]
- e *posttrauraca* Beuret, 1934; *Plebejus* OD: *Lambillionea* 34:120 [b0371] SS: idas (Linnaeus), 1761; *Plebejus* (*Lycaeides*) [Refs - b0072; b0410]
- e *postrufomarginata* (Verity), 1943, (IFS); *Lysandra* OD: *Farfalle Diurne Ital.* 2:296 [b4862] SS: rufomarginata (Bethune-Baker), 1910; *Anthene* [Type: MZS-st] [TypeL - Italy.] [Refs - b2856; b0080]
- e *postschiffermulleri* (Verity), 1943, (IFS); *Philotes* OD: *Farfalle Diurne Ital.* 2:117 [b4862] SS: schiffermulleri (Hemming), 1929; *Pseudophilotes* [Type: MZS-st] [Refs - b2856]

- e *postthersites* (Verity), 1934, 1934-1936, (IFS); *Lysandra* OD: Ent. Rec. 46(Sup.):27 [b4853] SS: thersites (Cantener), 1834; *Polyommatus* (Plebicula) [Refs - b2856; b0072 (as posttheristes)]
- e *postzelleri* Verity, 1943, (IFS); *Polyommatus* OD: Farfalle Diurne Ital. 2:256 [b4862] SS: icarus (Rottemburg), 1775; *Polyommatus* [Type: MZS-st] [Refs - b2856]
- a *potanini* (Alphéraky), 1889; *Lycaena* OD: In Romanoff, Mém. Léop. 5:104, pl 5, f 4 [b0045] CG: Tongeia [TypeL - Mongolia.] [Refs - b0964; b1636; b2988; b0965; b4094 (+ as potanini); b1762 (as pontanini); b2479; b1454; b0694; b4092]
- a *potaronus* (Kaye), 1919; *Xymias* OD: Ann. Mag. nat. Hist. (9)3:215 [b2710] CG: Esthemopsis [TypeL - Guiana.] [Refs - b4474; b1456]
- b *pothus* (Fruhstorfer), 1918; *Castalius* OD: Tijdschr. Ent. 61:34 [b1884] SS: roxus (Godart), [1824]; *Caleta* [TypeL - Sumatra.] [Refs - b0964; b0965; b1840; b1454]
- c *potidaea* Fruhstorfer, 1914; *Arhopala* OD: Deut. ent. Zeit. [Iris] 27(4):156 [b1853] SS: anthore (Hewitson), 1862; *Arhopala* n [Type: BMNH-ht] [TypeL - Obi.] [Refs - b1644; b1450; b4094; b1853]
- b *potidalon* (Fruhstorfer), 1915; *Lampides* OD: Arch. Naturgesch. (A)81(6):7 [b1865] SS: cleodus (Felder & Felder), 1865; *Jamides* [TypeL - Bazilan.] [Refs - b4094 (as potidolon); b1865; b1454; b4601]
- e *potidolon* (Seitz), [1924], 1912-1927, (ISS); *Lampides* OD: In Seitz, Grossschmett. Erde 9:905 [b4094] SS: potidalon (Fruhstorfer), 1915; *Jamides* [Refs - b4094]
- b *potina* (Hewitson), 1874; *Poritia* OD: Trans. ent. Soc. Lond. 22(3):347 [b2341] SS: phalia (Hewitson), 1874; *Simiskina* [Type: BMNH-ht] [TypeL - Borneo.] [Refs - b0964; b1636; b1153; b0965; b2753; b4094; b2200; b1850; b1454; b0950]
- b *poultoni* Neave, 1904; *Mimacraea* OD: Novit. zool. 11:337 [b3345] SS: krausei Dewitz, 1889; *Mimacraea* [Refs - b1452; b4400]
- b *poultoni* Joicey & Talbot, 1922; *Praetaxila* OD: Bull. Hill Mus. 1(2):332 [b2656] SS: eromena (Jordan), 1912; *Praetaxila* [Type: BMNH-st] [TypeL - Wanggar River, Dutch New Guinea.] [Refs - b1450; b4474; b2659; b2656]
- a *poultoni* (Riley), 1928; *Pseudiolaus* OD: Novit. zool. 34:392, pl 10,11, f 27 [b3767] CG: *Iolaus* (Pseudiolaus) [TypeL - Kenya.] [Type of - Pseudiolaus] [Refs - b2280; b1259; b1452; b4394; b4400; b0916]
- b *powolnyi* (Howarth), 1976; *Lycaena* OD: In Čas. morav. Mus. Brně 61:149, f [b2467] SS: phoenicurus (Lederer), 1872; *Athamanthia* [TypeL - Kabul, Afghanistan.] [Refs - b0108; b3365]
- c *powelli* Oberthür, 1910; *Satyrium* OD: Étud. Léop. comp. 4:78, pl 49, f 403,404 [b3451] SS: esculi (Hübner), [1819]; *Satyrium* [Refs - b0236; b0471]
- c *powelli* (Oberthür), 1911; *Lycaena* OD: Bull. Soc. ent. Fr. 1911(13):268 [b3452] SS: debilitata Schultz, 1905; *Iolana* [Type: BMNH-st] [TypeL - Sudoranaïs, Aflou, Algeria.] [Refs - b2250; b0236; b0471; b2239]
- b *prabha* (Moore), 1877; *Myrina* OD: Proc. zool. Soc. Lond. 1877(3):589, pl 58, f 5 [b3226] SS: atymnus (Stoll), [1780]; *Loxura* [TypeL - S. Andamans.] [Refs - b1636; b1153; b4094; b1454 (as praha); b0694]
- b *praectinides* (Forster), 1960; *Agrodiaetus* OD: Z. wien. ent. Ges. 45(7-10):107, pl 10,11, f 7,8 [b1772] SS: actis (Herrich-Schäffer), [1851]; *Polyommatus* (*Agrodiaetus*) [TypeL - Karatau Mts.] [Check - Spelling.] [Refs - b1772; b0094 (as praectinides)]
- e *praebleasei* (Verity), 1934, 1934-1936, (IFS); *Palaeoloweia* OD: Ent. Rec. 46(Sup.):17 [b4853] SS: tityrus (Poda von Neuhaus), 1761; *Lycaena* (Heodes) [Type: MZS-st] [TypeL - Rhone Valley.] [Refs - b2856; b0072]
- a *praecipua* Stichel, 1924; *Euselasia* OD: Z. wiss. InsektBiol. 19:248 [b4462] [TypeL - Brazil.] [Refs - b4474]
- b *praeclara* (Bates), 1866; *Nymphidium* OD: Ent. mon. Mag. 3:156 [b0264] SS: phylleus (Cramer), [1775]; *Synargis* [TypeL - Panama.] [Refs - b2747 (as praeclarum); b1456]
- a *praeclara* (Hewitson), 1869, 1869-1877; *Eurygona* OD: Equatorial Lep. Buckley (3):48 [b2330] CG: *Euselasia* [TypeL - Ecuador.] [Refs - b2988; b2747; b4474; b1453; b1456]
- c *praeclara* (Fruhstorfer), [1924], 1909-1923; *Lycaenesthes* OD: In Seitz, Grossschmett. Erde 9:897 [b1840] SS: philo (Hopffer), 1874; *Anthene* [TypeL - Celebes.] [Refs - b4679; b1840; b3796]
- a *praeclara* Tite, 1963; *Philiris* OD: Bull. Br. Mus. nat. Hist. (Ent.) 14(5):232 [b4677] [Type: BMNH-ht] [TypeL - Hydrographer Mts., British New Guinea.] [Refs - b4677; b1450]
- b *praeclarus* (Fruhstorfer), 1908; *Miletus* OD: Int. ent. Z. 2(15):91 [b1830] SS: apelles (Fabricius), 1775; *Hypochrysops* [TypeL - Dutch New Guinea.] [Refs - b3926]
- a *praeclarus* Talbot, 1928; *Joiceya* OD: Bull. Hill Mus. 2(3):214 [b4617] [Type: BMNH-ht] [TypeL - Central Mato Grosso, Brazil.] [Type of - Joiceya] [Refs - b2280; b4475; b0556; b1456]
- e *praecocior* (Verity), 1919, 1919-1922, (IFS); *Scolitantides* OD: Ent. Rec. 31:29 [b4840] SS: baton (Bergsträsser), [1779]; *Pseudophilotes* [Type: MZS-st] [Refs - b2856; b0236; b0400; b0471]
- e *praecox* (Reverdin), 1910; *Lysandra* OD: Ent. Rec. 22(3):60 [b3728] SS: albicans (Gerhard), 1851; *Polyommatus* (*Lysandra*) [Refs - b0236]
- b *praecox* Cowan, 1974; *Drupadia* OD: Bull. Br. Mus. nat. Hist. (Ent.) 29(6):319, pl 3, f 64,68 [b1030] SS: rufotaenia (Fruhstorfer), [1912]; *Drupadia* [Type: BMNH-ht] [TypeL - Mindoro, Philippines.] [Refs - b1030; b0105; b1454]
- a *praeculta* Stichel, 1910; *Mesosemia* OD: Gen. Insectorum 112(A):56 [b4446] [Type: ZMHU-ht] [TypeL - San Antonio, Yungas, Bolivia.] [Refs - b4474; b1456; b4446]
- b *praedilecta* Toxopeus, 1944; *Dicallaneura* OD: *Treubia* Hors Série:177 [b4709] SS: amabilis Rothschild, 1904; *Dicallaneura* [TypeL - New Guinea.] [Refs - b4709]
- e *praha* d'Abrera, 1986, (ISS); *Loxura* OD: Butts Oriental Region, Pt 3 :538 [b1454] SS: prabha (Moore), 1877; *Loxura* [Refs - b1454]
- e *praelibisonis* (Verity), 1943, (IFS); *Lysandra* OD: Farfalle Diurne Ital. 2:278 [b4862] SS: libisonis (Fruhstorfer), 1911; *Polyommatus* (Plebicula) [TypeL - Italy.] [Refs - b2856; b0080]
- b *praemerisina* Lorkovic, 1943; *Everes* OD: Mitt. münchn. ent. Ges. 33:451 [b3009] SS: argiades (Pallas), 1771; *Everes* [TypeL - China.]
- e *praepanoptes* (Verity), 1928, (RA); *Turania* OD: Bull. Soc. ent. Fr. 1928(8):143 [b4847] SS: euchylys (Hübner), [1819]; *Jamides* [Type: MZS-st] [TypeL - Spain.] [Refs - b2856; b0236; b4847; b0471]
- a *praestans* (Grose-Smith), 1901, 1887-1902; *Pentila* OD: Rhop. exot. 3(57):141, pl 7, f 15,16 [b2029] CG: *Liptena* [TypeL - Sierra Leone.] [Refs - b1452; b0836; b4400]
- e *praestans* (Verity & Querci), 1923, (RA); *Nemeobius* OD: Ent. Rec. 35(Sup.):13 [b4867] SS: lucina (Linnaeus), 1758; *Hamearis* [Type: MZS-st] [Refs - b2856; b4473; b0236]
- a *praestigiola* (Stichel), 1929; *Argyrogramma* OD: Mitt. zool. Mus. Berl. 15:19 [b4470] CG: *Argyrogramma* [TypeL - Not stated.] [Refs - b4474; b4470]

- b *praeterinsularis* (Verity), 1921, 1919-1922., (RA); *Plebeius* OD: Ent. Rec. 33:175 [b4840] SS: argyrognomon (Bergsträsser), [1779]; *Plebejus* (Lycaeides) [Type: MZS-st?] [TypeL - Central Honshu, Japan.] [Refs - b2856; b1900; b0236; b3928; b4650; b0410; b4193; b0471]
- a *praeterita* Swanepoel, 1963; *Lepidochrysops* OD: J. ent. Soc. S. Afr. 25(2):293 [b4556] [TypeL - S. Africa.] [Refs - b1259; b1452; b4400 (as praeterite); b4556]
- e *praeterite* Stempffer, 1967, (ISS); *Lepidochrysops* OD: Bull. Br. Mus. nat. Hist. (Ent.) Suppl. 10:232 [b4400] SS: *praeterita* Swanepoel, 1963; *Lepidochrysops* [Refs - b4400]
- b *praeusta* Schultze, 1916; *Liptena* OD: Arch. Naturgesch. (A)82(3):38 [b4017] SS: flavicans (Grose-Smith & Kirby), 1891; *Liptena* [Type: -lt; designated by Stempffer, 1974] [In Bull. Br. Mus. nat. Hist. (Ent.) 30:175 [b4413]] [Refs - b0105; b4388; b4400]
- c *prasiae* Fruhstorfer, 1914; *Arhopala* OD: Deut. ent. Zeit. [Iris] 27(4):157 [b1853] SS: fulla (Hewitson), 1862; *Arhopala* l [TypeL - Amboina.] [Refs - b1644; b4094 (as prasiae); b1853 (as prasiã)]
- a *prasinata* (Thieme), 1907; *Limnas* OD: Berl. ent. Z. 52:8, pl 1, f 4 [b4640] CG: *Xenandra* [TypeL - Colombia.] [Refs - b2988; b4474; b1456]
- c *f. praticola* (Burrau), 1953; *Polyommatus* OD: Opuscula entomologica 18(2/3):116, f 13-18 [b0578] SS: eumedon (Esper), [1780]; *Plebejus* (Eumedonia) [TypeL - Sweden.] [Refs - b0087; b0578]
- c *pratinas* Fruhstorfer, 1914; *Arhopala* OD: Deut. ent. Zeit. [Iris] 28(2):131 [b1859] SS: bazalus (Hewitson), 1862; *Arhopala* g [Type: BMNH-ht] [TypeL - W. Java.] [Refs - b1644; b4094; b1859]
- a *pratti* (Leech), 1889; *Thecla* OD: Trans. ent. Soc. Lond. 37(1):110, pl 7, f 4 [b2962] CG: *Novosatsuma* [Type: BMNH-lt; designated by Johnson, 1992] [Neue Ent. Nachr. 29:63 [b2609]] [TypeL - Chang Yang, Yunnan Province, China.] [Refs - b2988; b0995; b2479 (=chandrana); b4092; b1950; b2585 (in Novosatsuma); b0694 (=chandrana); b4598 (=chandrana); b0126; b1455]
- d *pratti* (Leech), 1890; *Satsuma* OD: Entomologist 23:44 [b2963] SS: *pratti* (Leech), 1889; *Novosatsuma* [TypeL - Ichang, China.] [Refs - b2963]
- c *pratti* (Bethune-Baker), 1908; *Candalides* OD: Proc. zool. Soc. Lond. 1908(1):122, pl 8, f 13 [b0340] SS: ziska (Grose-Smith), 1898; *Philinis* [Type: BMNH-ht] [TypeL - New Guinea.] [Refs - b4677; b0340; b2078]
- b *pratti* (Bethune-Baker), 1913; *Waigeum* OD: Ann. Mag. nat. Hist. (8)11:567 [b0347] SS: ribbei (Röber), [1886]; *Hypochrysops* [Type: BMNH-ht] [TypeL - River Uty, North New Guinea.] [Refs - b1450; b3926; b0347]
- b *pratti* (Hemming), 1931; *Maculinea* OD: Trans. ent. Soc. Lond. 79(2):329 [b2239] SS: coeligena (Oberthür), 1876; *Caerulea* [Type: BMNH-ht] [TypeL - Chang-Yang, China.] [Refs - b2479; b2239]
- b *pratti* (Evans), 1957; *Narathura* OD: Bull. Br. Mus. nat. Hist. (Ent.) 5(3):116 [b1644] SS: philander Felder & Felder, 1865; *Arhopala* h [Type: BMNH-ht] [TypeL - Mioswar Island.] [Refs - b1644; b1450]
- a *prattorum* Eliot & Kawazoé, 1983; *Sancterila* OD: Buts Lycaenopsis group :77, f 44, 280-281, 296-297, 471 [b1580] [Type: BMNH-ht] [TypeL - Central-west Buru, South Moluccas.] [Refs - b1580]
- b *praxeas* Fruhstorfer, 1914; *Rapala* OD: Deut. ent. Zeit. [Iris] 27(4):177 [b1854] SS: suffusa (Moore), [1879]; *Rapala* [TypeL - Java.] [Refs - b4094; b1454; b1854]
- c *praxilla* Westwood, [1851], 1846-1852; *Symmachia* OD: In Gen. diurn. Lep. (2):445, pl 73, f 1 [b4981] SS: probetor (Stoll), [1782]; *Symmachia* [TypeL - Brasilia.] [Refs - b2988; b2747; b4474]
- b *praxinus* (Stichel), [1909]; *Melanis* OD: Berl. ent. Z. 53(3/4):270 [b4443] SS: agrytus (Cramer), [1777]; *Isapis* [TypeL - Venezuela.] [Refs - b4474]
- a *praxis* Godman & Salvin, [1887], 1879-1901; *Thecla* OD: Biol. centr.-amer., Lep. Rhop. 2:52; 3-pl 54, f 12,13 [b1975] CG: *Thecla* (New World Eumaeini) [Type: BMNH-st] [TypeL - Panamá; Colombia.] [Refs - b0908; b1975]
- c *praxiteles* (C. Felder), 1862; *Lycaena* OD: Verh. zool.-bot. Ges. Wien 12:489 [b1677] SS: hellotia (Ménétriés), 1857; *Everes* [TypeL - Shanghai, China.] [Refs - b2747; b0995; b4094; b4092]
- c *praxitheas* (Boisduval), 1870; *Nelone* OD: Consid. Lép. Guatemala :24 [b0469] SS: hypochalybe (Felder & Felder), 1861; *Exoplisia* [TypeL - Nicaragua.] [Refs - b2747; b4474]
- e *praectinides* (Anonymous), 1964, (ISS); *Agrodiaetus* OD: Zool. Rec. 97(1960)(Ins.):275 [b0094] SS: praectinides (Forster), 1960; *Polyommatus* (*Agrodiaetus*) [Refs - b0094]
- a *precaria* (Schweizer & Kay), 1941; *Hamearis* OD: An. Mus. Hist. nat. Montevideo (2)5(2):10 [b4053] CG: *Audre* [TypeL - Uruguay.] [Refs - b0420; b1456]
- a *preciosa* (Stichel), 1929; *Orimba* OD: Mitt. zool. Mus. Berl. 15:23 [b4470] CG: *Setabis* [TypeL - Pebas.] [Refs - b4475; b4470; b1456]
- c *f. precursoria* (Beuret), 1951; *Aricia* OD: Mitt. ent. Ges. Basel (nf)1:55, f [b0382] SS: agestis (Denis & Schiffemüller), 1775; *Plebejus* (*Aricia*) [TypeL - Syria.]
- a *prema* (Godart), [1824], 1819-1824; *Erycina* OD: In Ency. méth. 9(Ins.)(2):569 [b1970] CG: *Alesa* [TypeL - Brasilia, Amazon.] [Type of - Alesa] [Refs - b2988; b2280; b2747; b4474; b2221; b1453; b4950; b0417; b1456]
- a *prenoxia* Seki & Takanami, 1990; *Tajuria* OD: Gekkan Mushi (23)1:5, f [b4106] [TypeL - Gn. Serapi, Borneo.] [Refs - b0125; b4108]
- b *presbyter* Fruhstorfer, 1918; *Megisba* OD: Arch. Naturgesch. (A)82(12):6 [b1883] SS: malaya (Horsfield), [1828]; *Megisba* [Type: BMNH-ht; designated by Eliot & Kawazoé, 1983] [Butts Lycaenopsis group :58 [b1580]] [TypeL - Andaman Islands.] [Refs - b1580; b1840; b0694]
- a *prestoni* Johnson & Eisele & MacPherson, 1993; *Antephrys* OD: Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (39):4, f [b2626] [Type: AMNH-ht] [TypeL - Cordoba, Rio Cazones, Veracruz State, Mexico.] [Type of - Antephrys] [Refs - b2626]
- b *pretiosa* (Lang), 1884; *Lycaena* OD: Lep. Europ. 1:370 [b2890] SS: sinensis (Alphéraky), 1881; *Satyrium* (*Neolycaena*) [TypeL - Morgelan, Russian Turkestan.] [Refs - b2890]
- d *pretiosa* (Staudinger), 1886, 1886-1889, (H); *Lycaena* OD: Stett. ent. Ztg 47:209 [b4330] SS: *pretiosa* (Lang), 1884; *Satyrium* (*Neolycaena*) [TypeL - Turkestan.] [Refs - b0851; b4330; b4092; ns3033; b1455]
- b *pretiosus* Grose-Smith, 1894; *Hypochrysops* OD: Novit. zool. 1:548 [b2037] SS: protogenes Felder & Felder, 1865; *Hypochrysops* [Type: BMNH-lt; designated by Sands, 1986] [Entomograph 7:63 [b3926]] [TypeL - Korrido, New Guinea.] [Refs - b1450; b2078; b3926]
- a *pretus* (Cramer), [1777], 1775-1790; *Papilio* OD: Uid. Kapellen 2(16):131, pl 182, f C,D [b1069] CG: *Menander* [TypeL - Guiana.] [Type of - Pretus] [Refs - b2988 (as preta); b2221; b2747; b4475; b0523; b1456]

- a **preussi** Staudinger, [1888], 1884-1888; *Pentila* OD: In Exot. Schmett. 1:267 [b4329] [TypeL - W. Africa.] [Refs - b1452; b0836; b4420; b4400]
- c **preussi** Staudinger, 1891; *Hewitsonia* OD: Deut. ent. Zeit. [Iris] 4(1):139 [b4334] SS: kirbyi Dewitz, 1879; *Hewitsonia* [TypeL - W. Africa.] [Refs - b4400]
- e **preusta** (d'Abrera), 1980, (ISS); *Telipna* OD: Butts Afrotropical Region :444 [b1452] SS: praeusta Schultzze, 1916; *Liptena* [Refs - b1452]
- e **preyeri** Otsuka, 1988, (ISS); *Dodona* OD: Butts Borneo I :59 [b3528] SS: pryeri (Moore), 1901; *Dodona* [Refs - b3528]
- e **priamus** Le Moulton, 1940, 1939-1940, (IFS); *Helicopsis* OD: Novit. ent. (17):130 [b2943] SS: cupido (Linnaeus), 1758; *Helicopsis* [Type: AME-ht] [Refs - b3199]
- e **priene** Doubleday, 1847, 1844-1848, (NN); *Symmachia* OD: List Spec. lep. Brit. Mus. (2):9 [b1327] [Refs - b4474]
- a **prima** Bates, [1868]; *Baeotis* OD: J. linn. Soc. Lond., Zool. 9:396 [b0267] [TypeL - Amazon.] [Refs - b2747; b4474; b1456]
- c **primipara** (Costantini), 1916; *Nemeobius* OD: Atti Soc. Nat. Mat. Modena (5)3:15 [b0968] SS: lucina (Linnaeus), 1758; *Hamearis* [Refs - b4473; b0236; b2985; b0968]
- b **primitivoi** Osada, 1987; *Tajuria* OD: Mem. Tsukada Colln (5):64, pl 3, f 15.16; pl 4, f 15.16 [b3521] SS: deudorix (Hewitson), [1869]; *Tajuria* [Type: pc; collection of Tsukada.] [TypeL - Bilar, Bohol.] [Refs - b3521]
- c **primo** (Godman & Salvin), [1887], 1879-1901; *Thecla* OD: Biol. centr.-amer., Lep. Rhop. 2:47; 3:pl 53, f 25,26 [b1975] SS: elsa (Hewitson), [1877]; *Magnastigma* [Type: pc; Staudinger collection.] [TypeL - Chiriquí, Panamá.] [Refs - b0908; b3391; b1375; b1975]
- b **primnoza** (Dyar), 1912; *Thecla* OD: Proc. U. S. nat. Mus. 42:41 [b1442] SS: elsa (Hewitson), [1877]; *Magnastigma* [Type: USNM-ht; #14277] [TypeL - Misantla and Santa Rosa, V. C.] [Refs - b0908; b3391]
- b **primoriensis** Murayama, 1978; *Favonius* OD: Tyô to Ga 29(3):161, f 17-20 [b3298] SS: orientalis (Murray), 1874; *Favonius* [TypeL - Russian SFSR.] [Note - May be a synonym of *schischkini*.] [Refs - b3298; ns1397]
- e **primus** (Le Moulton), 1942, (IFS); *Heodes* OD: Novit. ent. 11-12:141 [b2944] SS: dispar (Haworth), 1802; *Lycaena* (*Thersamolycaena*) [Refs - b2944]
- a **princeps** (Butler), 1876; *Lycaenesthes* OD: Ann. Mag. nat. Hist. (4)18:484 [b0605] CG: Anthene [Type: BMNH] [TypeL - Abyssinia.] [Refs - b1943; b1259; b2753; b1452; b0343; b0836; b4400]
- a **princeps** (Oberthür), 1886; *Emesis* OD: Émd. ent. 11:22, pl 7, f 57 [b3429] CG: *Polycaena* [TypeL - Thibet, China.] [Type of - Hyporion] [Refs - b4473; b4245; b2280; b3438; b4092; b1455]
- e **f. princeps** (Stoneham), 1938, (IFS); *Cupido* OD: Bull. Stoneham Mus. (36):2 [b4481] SS: cinerea (Bethune-Baker), 1923; *Lepidochrysops* [Type: pc-ht; collection of Stoneham Museum.] [TypeL - East Surrey Coffee Estates, Kenya Colony.] [Note - Stempffer treated this as a good subspecies.] [Refs - b4481; b4400]
- b **princessa** Grose-Smith, 1894; *Dicallaneura* OD: Novit. zool. 1:544 [b2037] SS: pulchra (Guérin-Méneville), [1830]; *Dicallaneura* [TypeL - New Guinea.] [Refs - b1450; b4474; b1840]
- b **principalis** Hopffer, 1874; *Anteros* OD: Stutt. ent. Ztg 35:363 [b2446] SS: carausius Westwood, [1851]; *Anteros* [TypeL - Peru.] [Refs - b2753; b4474; b1456]
- e **principalis** Fruhstorfer, [1912], (IFS); *Poritia* OD: Berl. ent. Z. 56(3/4):199 [b1850] SS: hewitsoni Moore, [1866]; *Poritia* [Note - Fruhstorfer did not use "nova" with this name. He also used the name with *erycinoides*.] [Refs - b1636; b1850; b0694]
- a **pringlei** Stempffer, 1967; *Baliochila* OD: Bull. Inst. fond. Afr. Noire 29(A):987 [b4401] [TypeL - Usambara, N. E. Tanzania.] [Refs - b1452]
- a **pringlei** Dickson, 1976; *Thestor* OD: Ent. Rec. 88(12):309, f [b1257] [TypeL - Sutherland, Cape Province, S. Africa.] [Refs - b1259]
- a **pringlei** Tite & Dickson, 1976; *Aloeides* OD: Ent. Rec. 88(7/8):177 [b4686] [TypeL - Winterberg, Cape Province, S. Africa.] [Refs - b1259; b0108]
- a **pringlei** Dickson, 1977; *Phasis* OD: Ent. Rec. 89(12):317 [b1258] [TypeL - Cape Province, S. Africa.] [Refs - b1259; b1452]
- a **pringlei** Dickson, 1982, 1982-1983; *Lepidochrysops* OD: Ent. Rec. 94(11/12):222 [b1265] [Type: BMNH-ht] [TypeL - Cape Province, S. Africa.] [Refs - b1265; b1266]
- c **prinoptas** (Zerny), 1932; *Thecla* OD: Deut. ent. Zeit. [Iris] 46:176 [b5063] SS: ilicis (Esper), [1779]; *Satyrium* [TypeL - N. Lebanon.] [Refs - b0070; b3555; ns4798]
- c **priolus** (Godart), [1824], 1819-1824; *Erycina* OD: In Ency. méth. 9(Ins.)2:569 [b1970] SS: amesis (Cramer), [1777]; *Alesa* [Refs - b2747]
- e **prior** (Verity), 1921, 1919-1922, (IFS); *Agriades* OD: Ent. Rec. 33:191 [b4840] SS: hispana (Herrich-Schäffer), [1851]; *Polyommatus* (*Lysandra*) [Refs - b2856; b0236; b0471]
- a **pritzkeri** Johnson, 1989; *Noreena* OD: J. New York ent. Soc. 97(1):33, f 1H,2E,3H,4H [b2597] [Type: MPM-ht] [TypeL - Morro Dona Martha, Rio de Janeiro, Brazil.] [Refs - b2597]
- c **privata** (Staudinger), 1895; *Lycaena* OD: Deut. ent. Zeit. [Iris] 8:300 [b4342] SS: eumedon (Esper), [1780]; *Plebejus* (*Eumedonia*) [TypeL - Tibet.] [Refs - b2479; b4092; b4342]
- e **ab. privata** (Courvoisier), 1903; *Lycaena* OD: Mitt. schweiz. ent. Ges. 11:18-25 [b0981] SS: coridon (Poda von Neuhaus), 1761; *Polyommatus* (*Lysandra*) [Refs - b0236]
- e **privata** (Courvoisier), 1911, 1910-1911; *Thecla* OD: Ent. Zeit. 25:37 [b0985] SS: esculi (Hübner), [1819]; *Satyrium* [Refs - b0471]
- a **privata** Fruhstorfer, [1912]; *Sinthusia* OD: Berl. ent. Z. 56(3/4):229 [b1850] [TypeL - Mt. Kinabalu, N. E. Borneo.] [Refs - b4094; b0109; b2209; b2201; b1454; b1850; b4598; b4108]
- e **privata** (Köhler), 1923, (IFS); *Nelone* OD: Z. wiss. InsektBiol. 18(12)(Sonderheft):28 [b2805] SS: incoides (Schaus), 1902; *Exoplisia* [TypeL - Argentina.] [Refs - b4474; b2221]
- e **ab. privata** (Schoenfeld), 1924; *Lycaena* OD: Int. ent. Z. 18(6):40 [b3972] SS: icarus (Rottemburg), 1775; *Polyommatus* [TypeL - Prague.] [Refs - b3796; b0471]
- e **privata** de Sagarra y Castellarnau, 1926; *Glaucoopsyche* OD: Bull. Inst. catal. Hist. nat. (2)6:138 [b1179] SS: alexis (Poda von Neuhaus), 1761; *Glaucoopsyche* [Refs - b0400]
- e **ab. privatissima** (Courvoisier), 1903; *Chrysophanus* OD: Mitt. schweiz. ent. Ges. 11:25 [b0981] SS: alciphron (Rottemburg), 1775; *Lycaena* (*Alciphronia*) [Refs - b0236; b0389; b0389; b0471]
- b **privigna** Fruhstorfer, 1897; *Horaga* OD: Berl. ent. Z. 42:113 [b1806] SS: syrinx (C. Felder), 1860; *Horaga* [Type: BMNH-h] [TypeL - Lombok.] [Refs - b1012; b4094; b2078; b2201; b1454]
- b **proavia** Seitz, [1917], 1910-1924; *Euselasia* OD: In Seitz, Grossschmett. Erde 5:627 [b4093] SS: arbas (Stoll), [1782]; *Euselasia* [TypeL - Medina, Colombia.] [Refs - b4474; b4093]

- a **proba** Godman & Salvin, [1887], 1879-1901; *Thecla* OD: Biol. centr.-amer., Lep. Rhop. 2:64; 3:pl 56, f 1-3 [b1975] CG: *Thecla* (New World Eumaeini) [Type: BMNH] [TypeL - Calobre, Panamá.] [Refs - b0908; b2988; b3818; b1975]
- c **proba** (Fruhstorfer), [1923], 1909-1923; *Lycaenopsis* OD: In Seitz, Grossschmett. Erde 9:875 [b1840] SS: *gradeniga* (Fruhstorfer), 1910; *Celastrina* [Type: BMNH-ht; designated by Eliot & Kawazoé, 1983] [Buts *Lycaenopsis* group :247 [b1580]] [TypeL - Sulawesi.] [Refs - b1840; b1580]
- a **probabilia** Johnson & Miller & Herrera, 1992; *Eiseliana* OD: *Acta ent. Chilena* 17:120, f [b2638] [Type: MNHN-ht] [TypeL - Valparaíso, Valparaíso Prov., Chile.] [Refs - b0126; b2638]
- a **probator** (Stoll), [1782], 1780-1790; *Papilio* OD: In Cramer, Utit. Kapellen 4(33):209, pl 390, f I [b4478] CG: *Symmachia* [TypeL - Surinam; Amazon.] [Refs - b2988 (as probator); b2747; b4474; b1456]
- c **probatrix** Hübner, [1819], 1816-1826; *Symmachia* OD: Verz. bekannt. Schmett. (2):26, no. 202 [b2484] SS: probator (Stoll), [1782]; *Symmachia* [Type of - *Symmachia*] [Refs - b2280; b4474]
- b **procella** Tite, 1963; *Catopyrops* OD: Bull. Br. Mus. nat. Hist. (Ent.) 13(4):106, pl 1, f 21 [b4676] SS: *ancyra* (C. Felder), 1860; *Catopyrops* [Type: BMNH-ht] [TypeL - Squally Island, Bismarck Archipelago.] [Refs - b4676; b1450]
- a **procera** (Trimen), 1893; *Lycaena* OD: Trans. ent. Soc. Lond. 41(2):125, pl 8, f 3,4 [b4728] CG: *Lepidochrysops* [Type: BMNH-ht] [TypeL - Natal, S. Africa.] [Refs - b1259; b1452; b4400; b3312; b0359]
- b **proclius** (Hulstaert), 1924; *Neochrysops* OD: Revue zool. afr. 12(2):188 [b2496] SS: *plebeia* (Butler), 1898; *Lepidochrysops* [TypeL - Belgian Congo.] [Refs - b3796; b2496; b4400]
- b **procotes** de Nicéville, 1895; *Simiskina* OD: J. Bombay nat. Hist. Soc. 10(1):32, pl S, f 21 [b1160] SS: *phalia* (Hewitson), 1874; *Simiskina* [Type: BMNH-ht] [TypeL - N. E. Sumatra.] [Refs - b4094; b2200; b1850; b0950]
- a **procula** (Godman & Salvin), [1885], 1879-1901; *Eurygona* OD: Biol. centr.-amer., Lep. Rhop. 1:365; 3:pl 39, f 15-18 [b1975] CG: *Euselasia* [Type: BMNH-ht] [TypeL - Costa Rica.] [Refs - b4474; b2406; b1456]
- b **prodiga** Stichel, 1929; *Thisbe* OD: Mitt. zool. Mus. Berl. 15:22 [b4470] SS: *irenea* (Stoll), [1780]; *Thisbe* [TypeL - Brazil.] [Refs - b4475; b4470]
- a **prodiga** Johnson, 1992; *Ahlbergia* OD: Neue Ent. Nachr. 29:48, f [b2609] [TypeL - Yunnan.] [Refs - b0126]
- b **prodita** Schultz, 1923; *Pentila* OD: In Schubotz :1156 [b4018] SS: *umangiana* Aurivillius, 1898; *Pentila* [TypeL - C. Africa.] [Refs - b1452; b4420; b4400]
- b **proedrus** (Fruhstorfer), 1915; *Thysonotis* OD: Soc. ent. 30:51 [b1866] SS: *danis* (Cramer), [1775]; *Danis* [TypeL - New Guinea.] [Refs - b1866]
- a **progne** (Godman), 1903; *Symmachia* OD: Trans. ent. Soc. Lond. 51(4):537, pl 21, f 10 [b1972] CG: *Emesis* [TypeL - Bolivia.] [Refs - b2988; b4475]
- c **progressa** (Tut), 1907, 1905-1914; *Strymon* OD: Nat. Hist. Brit. Butts 2:197 [b4760] SS: *pruni* (Linnaeus), 1758; *Fixsenia* [Refs - b0471]
- c **prologens** Seitz, [1927], 1912-1927, (ISS); *Hypochrysops* OD: In Seitz, Grossschmett. Erde 9:1022 [b4094] SS: *protogenes* Felder & Felder, 1865; *Hypochrysops* [Refs - b4094]
- c **prometheus** (H. H. Druce), 1891; *Tanuetheira* OD: Ann. Mag. nat. Hist. (6):8:149 [b1356] SS: *timon* (Fabricius), 1787; *Iolaus* (*Tanuetheira*) [TypeL - Sierra Leone.] [Refs - b0113; b1452; b4400 (as promethus); b1356]
- e **promethus** Stempffer, 1967, (ISS); *Iolaus* OD: Bull. Br. Mus. nat. Hist. (Ent.) Suppl. 10:129 [b4400] SS: *prometheus* (H. H. Druce), 1891; *Iolaus* (*Tanuetheira*) [Refs - b4400]
- b **prominens** (Moore), 1877; *Lampides* OD: Ann. Mag. nat. Hist. (4):20:341 [b3225] SS: *kurava* (Moore), [1858]; *Nacaduba* [Type: BMNH-ht] [TypeL - Ceylon.] [Type of - *Nacaduba*] [Refs - b4676; b1636; b2280; b4094; b1762; b2479; b1454; b0694]
- b **prominens** (de Nicéville), 1890; *Lycaenopsis* OD: Buts India Burnah Ceylon 3:103 [b1153] SS: *puspa* (Horsfield), [1828]; *Acytolepis* [Type: ZSI-ht] [TypeL - Little Nicobar Island.] [Refs - b1840; b1580]
- c **promissa** (Möschler), 1883; *Thecla* OD: Verh. zool.-bot. Ges. Wien 32:311, pl 17, f 9 [b3248] SS: *sabinus* (Felder & Felder), 1865; *Strymon* [TypeL - Paramaribo, Surinam.] [Refs - b0908; b3248]
- a **promota** Stichel, 1910; *Eurybia* OD: Gen. Insectorum 112(A):70 [b4446] [Type: pc-st; collection of Stichel] [TypeL - Amazonas.] [Refs - b4474; b1456; b4446]
- a **promula** Hewitson, 1874; *Poritia* OD: Trans. ent. Soc. Lond. 22(3):347 [b2341] [Type: BMNH-ht] [TypeL - Java.] [Refs - b0964; b0965; b2753; b4094 (also as pronula); b1850; b1454; b1543; b0950]
- a **pronostriga** (Stichel), 1910; *Lymnas* OD: Gen. Insectorum 112(A):202 [b4446] CG: *Melanis* [Type: pc-st; collection of Stichel] [TypeL - Santarem, Amazonas, Brazil; Rio Magdalena sup., Colombia.] [Refs - b4474; b2221; b4066; b1456; b4446]
- c **propinquus** Holland, 1893; *Aphnaeus* OD: Ent. News 4(1):25, pl 1, f 14 [b2427] SS: *argyrocyclus* Holland, 1890; *Aphnaeus* [TypeL - W. Africa.] [Refs - b4387; b4400]
- b **propinquus** Mengel, 1913; *Chamaelimnas* OD: Ent. News 24(7):316, 3 f [b3157] SS: *splendens* Grose-Smith, 1902; *Chamaelimnas* [TypeL - Neiva, Colombia.] [Refs - b4474; b3157]
- b **propitia** (Stichel), 1910; *Hamearis* OD: Berl. ent. Z. 55(1/2):43 [b4445] SS: *epulus* (Cramer), [1775]; *Audre* [Type: pc-ht; collection of Röber] [TypeL - Amazonas.] [Refs - b4474; b4445]
- c **prorsa** (Hüfnagel), 1766; *Papilio* OD: Berlin Mag. 2:68 [b2492] SS: *pruni* (Linnaeus), 1758; *Fixsenia* [Refs - b2747; b0236; b4092 (as ptorsas)]
- a **prosecula** (Erschoff), 1874; *Lycaena* OD: Mém. Soc. amis Sci. nat. Moscou 11(2):13, pl 1, f 9 [b1612] CG: *Cupido* [TypeL - Turkestan.] [Refs - b2753; b0995; b1762; b2827; b4092]
- e **proserpina** Le Mout, 1940, 1939-1940, (IFS); *Helicopsis* OD: Novit. ent. (16):127 [b2943] SS: *cupido* (Linnaeus), 1758; *Helicopsis* [Type: AME-ht] [Refs - b3199]
- e **f. prosocca** (Seitz), 1932; *Diophthalma* OD: Ent. Rundsch. 49:210, f [b4097] SS: *hyphea* (Cramer), [1776]; *Leucochimona* [TypeL - Guiana.]
- b **prospera** Okada, 1946; *Spindasis* OD: Bull. Lep. Soc. Japan 1(4):94 [b3476] SS: *takanonis* (Matsumura), 1906; *Spindasis* [TypeL - Western Honshu, Japan.] [Refs - b1900; b2212; b1455 (attributes name to Okagaki)]
- a **protogenes** Felder & Felder, 1865, 1865-1875; *Hypochrysops* OD: Reise Novara (2):255 [b1692] [Type: BMNH-ht] [TypeL - Wagiou.] [Refs - b1450; b2078; b2747; b4094 (as prologens); b3926]
- b **protogenes** (Fruhstorfer), 1917; *Lycaena* OD: Deut. ent. Zeit. [Iris] 31:31 [b1877] SS: *iolas* (Ochsenheimer), 1816; *Iolana* [TypeL - Basses-Alpes, France.] [Refs - b0236; b0400; b0320; b0471 (as protogenes); b2858; b2239]

- a **protumnus** (Linnaeus), 1764; **Papilio** OD: Mus. Lud. Ur. :340 [b2996] CG: Thestor [TypeL - Africa mer.] [Type of - Arrugia] [Refs - b2280; b1259; b2747; b1452; b4400; b3312; b0806; b2753]
- c **provo** (Watson & Comstock), 1920; **Strymon** OD: Bull. amer. Mus. nat. Hist. 42(10):452 [b4952] SS: saepium (Boisduval), 1852; **Satyrium** [Type: AMNH-ht] [TypeL - Provo, Utah.] [Note - Müller & Brown incorrectly treat this as unavailable.] [Refs - b0908; b3192; b1743; b0493; b1321; b4952]
- e **ab. proxargyrognomon** (Beuret), 1934; **Lycaeides** OD: Lambillionea 34:109 [b0371] SS: argyrognomon (Bergsträsser), [1779]; **Plebejus** (Lycaeides) [Refs - b0072]
- e **ab. proxarmoricana** (Beuret), 1934; **Lycaeides** OD: Lambillionea 34:109 [b0371] SS: argyrognomon (Bergsträsser), [1779]; **Plebejus** (Lycaeides) [Refs - b0072]
- a **proxima** de Nicéville, 1895; **Simiskina** OD: J. Bombay nat. Hist. Soc. 10(1):29, pl S, f 19,20 [b1160] [Type: BMNH-ht] [TypeL - N. E. Sumatra.] [Refs - b0965; b4094; b1850; b3610; b1454; b0950]
- b **proxima** (Rothschild), 1916; **Nacaduba** OD: Rep. B. O. U. Exped. New Guinea 2(15):29 [b3880] SS: metriodes (Bethune-Baker), 1911; **Paraduba** [Type: BMNH-ht] [TypeL - Uakwa River, Snow Mts., Dutch New Guinea.] [Refs - b4676; b1450 (as prosima); b4094; b3880]
- e **proxima** Le Moul, 1940, 1939-1940, (IFS); **Helicopsis** OD: Novit. ent. (14):112 [b2943] SS: cupido (Linnaeus), 1758; **Helicopsis** [Type: AME-ht] [Refs - b3199]
- c **proximus** (Szabó), 1954; **Plebeius** OD: Folia ent. hung. (ns)7:39 [b4581] SS: sephyrus (Frivaldszky von Frivald), 1835; **Plebejus** (Plebejides) [Type: -lt; designated by Bálint, 1990] [Janus Pamponius Muz Evk 34:52 [b0201]] [TypeL - Danube.] [Refs - b0125; b0210]
- e **ab. pruina** (Scudder), 1889, 1888-1889; **Thecla** OD: Butts E. United States & Canada 2:879 [b4088] SS: strigosa (Harris), 1862; **Satyrium** [TypeL - Walpole, Massachusetts.] [Refs - b0908; b3192; b1321]
- a **pruina** H. H. Druce, 1904; **Candalides** OD: Ann. Mag. nat. Hist. (7)13:140 [b1369] CG: Candalides [Type: BMNH-ht] [TypeL - Aroa River, New Guinea.] [Refs - b4677; b1450; b2078]
- b **pruinosa** Stichel, 1910; **Mesosemia** OD: Gen. Insectorum 112(A):45 [b4446] SS: metope Hewitson, [1859]; **Mesosemia** [Type: ZMHU-st] [TypeL - Iquitos, Peru.] [Refs - b4474; b4446]
- a **pruni** (Linnaeus), 1758; **Papilio** OD: Syst. nat. (ed. 10) 1:482 [b2993] CG: Fixsenia [Refs - b4115; b1530 :212; b4245; b2375; b3059; b0851; b2747; b0996; b1780; b2827; b2479; b2866; b0439; b0440; b4646; b0236; b2300 (in Strymonidia); b1183; b2794; b2985; b2631 (as Strymonidia); b3366; b2859; b4092; b1455]
- a **prunoides** (Staudinger), 1887; **Thecla** OD: In Romanoff, Mém. Lép. 3:129, pl 6, f 1a,b [b4331] CG: **Satyrium** [TypeL - Wladiwostok.] [Refs - b4115; b3778; b0996; b2827 (Strymonidia); b2479; b2866; b0236; b4169; b4092; b1455]
- b **prunosa** Moore, 1879; **Abisara** OD: Proc. zool. Soc. Lond. 1879(1):137 [b3231] SS: echerius (Stoll), [1790]; **Abisara** [Type: BMNH-ht] [TypeL - Ceylon.] [Refs - b1636; b1149; b0294; b4473; b1454; b1840]
- a **pryeri** (Murray), 1873; **Lycaena** OD: Ent. mon. Mag. 10:126 [b3316] CG: **Antopoetes** [TypeL - Japan.] [Type of - Antopoetes] [Refs - b4115; b2988; b2280; b1556; b2753; b1762; b0995; b2827; b2479; b1900; b2866; b2804; b4214; b3334; b4200; b4092; b0731; b2890]
- c **pryeri** (Butler), 1892; **Narathura** OD: Proc. zool. Soc. Lond. 1892(1):121 [b0638] SS: aroa (Hewitson), [1863]; **Arhopala** f [Type: BMNH-ht] [TypeL - Borneo.] [Refs - b1644; b4108]
- b **pryeri** (Moore), 1901, 1890-1913; **Balonca** OD: Lep. Ind. 5:77 [b3238] SS: fruhstorferi Röber, 1897; **Dodona** [Check - Classification] [Refs - b4473; b1454; b1840; b3528 (as pryeri, with deodata)]
- e ♀ **f. pryeri** (Esaki), 1935; **Zephyrus** OD: Suppl. Rhop. Nihon. :10 [b1618] SS: japonica (Murray), 1874; **Neozephyrus** [Refs - b2463]
- c **psama** Corbet, 1941; **Arhopala** OD: Proc. R. ent. Soc. Lond. (B)10(9):158 [b0956] SS: mira Corbet, 1941; **Arhopala** f [Type: BMNH-ht] [TypeL - Mentawi Island.] [Refs - b0956]
- c **psamathes** (Hoffmansegg), 1818; **Emesis** OD: In Wiedemann, Zool. Mag. 1(2):99 [b2412] SS: midas (Fabricius), 1775; **Euselasia** [Refs - b4474]
- a **psammathe** Seitz, [1917], 1910-1924; **Euselasia** OD: In Seitz, Grossschmett. Erde 5:628 [b4093] [Type: MNHN-ht] [TypeL - French Guiana.] [Refs - b4474; b0680; b3717; b1456]
- b **psaronius** (Stichel), 1911; **Saribia** OD: Gen. Insectorum 112(B):250 [b4447] SS: psaros Godman & Salvin, [1886]; **Sarota** [Type: ZMHU-st] [TypeL - Leopoldina, Espirito Santo, S. Brazil.] [Refs - b4474; b4446]
- a **psaros** Godman & Salvin, [1886], 1879-1901; **Sarota** OD: Biol. centr.-amer., Lep. Rhop. 1:437; 3:pl 43, f 14-15 [b1975] [TypeL - Guatemala.] [Refs - b1456]
- b **psecas** (Saunders), [1850]; **Erycina** OD: Trans. ent. Soc. Lond. (1)5(9):216 or 219, pl 20, f 4,4a [b3938] SS: dysonii (Saunders), [1850]; **Rhetus** [TypeL - Bolivia.] [Refs - b2747; b4474; b2221; b0569]
- b **pseudactis** (Forster), 1960; **Agrodiaetus** OD: Z. wien. ent. Ges. 45(7-10):107, pl 10,11, f 4,5 [b1772] SS: actis (Herrich-Schäffer), [1851]; **Polyommatus** (Agrodiaetus) [TypeL - Karli Bogaz, Taurus.] [Refs - b1772; b2794 (as pseuctis); b1455]
- b **pseudaeon** (Butler), [1882]; **Lycaena** OD: Proc. zool. Soc. Lond. 1881(4):851 [b0620] SS: argus (Linnaeus), 1758; **Plebejus** [TypeL - Yesso, Japan.] [Refs - b1900; b2866; b0410; b2521; b4616; b3333; b4092; b1455 (as pseudaeon)]
- e **pseudaeon** d'Abrera, 1993, (ISS); **Plebejus** OD: Butts Holarctic Region, Pt 3 :487 [b1455] SS: pseudaeon (Butler), [1882]; **Plebejus** [Refs - b1455]
- e **pseudalbescens** Le Moul, 1939, 1939-1940, (IFS); **Helicopsis** OD: Novit. ent. (11):84, f 8 [b2943] SS: gnidus (Fabricius), 1787; **Helicopsis** [Type: AME-ht] [TypeL - Para.] [Refs - b3199]
- c **pseudalbocincta** Le Moul, 1939, 1939-1940; **Helicopsis** OD: Novit. ent. (11):88, f 15 [b2943] SS: gnidus (Fabricius), 1787; **Helicopsis** [Type: AME-ht] [TypeL - Not stated.] [Refs - b3199]
- e **pseudamericana** (Anonymous), 1934, (ISS); **Lycaeides** OD: Zool. Rec. 70(1933)(Ins.):296 [b0071] SS: pseudamericana (Heydemann), 1933; **Plebejus** (Lycaeides) [Refs - b0071]
- e **pseudaeon** Capronnier, 1874, (NN); **Thecla** OD: Annl. Soc. ent. Belg. 17:15 [b0699] [TypeL - Botafogo, Brazil.] [Refs - b0908]
- b **pseudaratus** (Fruhstorfer), 1915; **Lampides** OD: Arch. Naturgesch. (A)81(6):22 [b1865] SS: aratus (Stoll), [1781]; **Jamides** [TypeL - Obi.] [Refs - b1450; b0066 (as pseudarenia); b4094; b1865]
- a **pseudarcularia** Giacomelli, 1914; **Thecla** OD: An. Soc. cient. argent. 78:164 [b1936] CG: **Thecla** (New World Eumaeini) francis group [Type: pc; Giacomelli collection.] [TypeL - La Rioja, Argentina.] [Refs - b0908; b2592]
- e **pseudarenia** Anonymous, 1929, (ISS); **Thecla** OD: Zool. Rec. 65(1928)(Ins.):241 [b0066] SS: pseudarcularia Giacomelli, 1914; **Thecla** (New World Eumaeini) francis group [Refs - b0908]

- c **pseudargiolus** (Boisduval & Le Conte), [1835], 1829-1837; Argus OD: Hist. Lépid. Amer. sept. (13):118, pl 36, f 1-5 [b0470] SS: ladon (Cramer), [1780]; *Celastrina* [TypeL - United States.] [Refs - b0908; b3078; b0856; b2747; b0113; b1580; b0236; b3192; b0400; b1743; b1321; b0467; b1940]
- c **pseudarmoricana** (Heydemann), 1933; *Lycaeides* OD: Int. ent. Z. 27:190 [b2358] SS: idas (Linnaeus), 1761; *Plebejus* (*Lycaeides*) [TypeL - Germany.] [Note - Not spelled *pseudarmoricana* or *pseudoarmoricana*.] [Refs - b0071; b0072; b0410; b2358]
- c **ab. pseudarmoricana** (Beuret), 1934, (H); *Lycaeides* OD: *Lambillionea* 34:111 [b0371] SS: *argyrognomon* (Bergsträsser), [1779]; *Plebejus* (*Lycaeides*) [Note - Replaced by *armoricanoideus*.] [Refs - b0072]
- a **pseudelissa** Jackson, 1968; *Epitola* OD: Bull. Inst. fond. Afr. Noire 30(A):1473 [b2567] [TypeL - Nigeria.] [Refs - b1452]
- b **pseudelpis** (Butler), [1879]; *Lampides* OD: Trans. linn. Soc. Lond., (2) Zool. 1(8):547, pl 68, f 7,8 [b0613] SS: *elpis* (Godart), [1824]; *Jamides* [Type: BMNH-ht] [TypeL - Malacca, Malay Peninsula.] [Refs - b0964; b1636; b0965; b4094; b2384; b1454; b0694; b3786; b4108]
- b **pseudepaea** Schultze, 1923; *Mimacraea* OD: In Schubotz :1165 [b4018] SS: *landbecki* H. H. Druce, 1910; *Mimacraea* [TypeL - C. Africa.] [Refs - b1452; b4400]
- a **pseuderis** Moore, 1879; *Polyommatus* OD: Proc. zool. Soc. Lond. 1879(1):138 [b3231] CG: *Polyommatus* [TypeL - Sind valley, Kashmir, India.] [Refs - b1636; b1153; b0694; b4092; b3231; b1455; b0206]
- e **pseuderitica** Le Moul, 1940, 1939-1940, (IFS); *Helicopsis* OD: Novit. ent. (16):126 [b2943] SS: *cupido* (Linnaeus), 1758; *Helicopsis* [Type: AME-ht] [Refs - b3199]
- b **pseudeuchylus** (Strand), 1911; *Cupido* OD: Mitt. zool. Mus. Berl. 5:471 [b4503] SS: *corius* (Guérin-Méneville), [1831]; *Jamides* [TypeL - Deutsch. Neu-Guinea.] [Refs - b4671; b1450; b4094; b1865; b4528 (as *pseudeuchylus*); b4503]
- e ♂ **ab. pseudibara** Mizoguchi & Hiura & Mizoguchi, 1958, (IFS); *Ussuriana* OD: Ent. Rev. Jap. 9:22,26, f [b3217] SS: *takarana* (Araki & Hirayama), 1941; *Ussuriana* [TypeL - Formosa.] [Refs - b4198]
- a **pseudictinus** Kerr & MacQueen, 1967; *Jalmenus* OD: J. Aust. ent. Soc. 6(1):45, f [b2723] [TypeL - Mimmerran, S. Queensland, Australia.] [Refs - b0870; b1475; b4785]
- e **pseudoaegon** Nakamura, 1971, (ISS); *Plebejus* OD: *Tyô to Ga* 22(3,4):100 [b3338] SS: *pseudoaegon* (Butler), [1882]; *Plebejus* [Refs - b3338]
- c **pseudoaesculi** (Bryk), 1940; *Strymon* OD: Ark. Zool. 32A(22):19 [b0566] SS: *aesculi* (Hübner), [1819]; *Satyrium* [TypeL - Spain.] [Refs - b3059]
- c **pseudoalbicans** (de Lesse), 1962; *Lysandra* OD: *Revue fr. Ent.* 29(4):313 [b1128] SS: *hispana* (Herrich-Schäffer), [1851]; *Polyommatus* (*Lysandra*) [TypeL - Spain.] [Refs - b3059; b1135; b1993; b4038]
- c **ab. pseudoalcon** (Le Chamberlain), 1908; *Lycaena* OD: *Entomologist* 41:202 [b2940] SS: *arion* (Linnaeus), 1758; *Maculinea* [Refs - b0236; b0400; b0471; b2940 (as *pseudo-alcon*)]
- e **ab. pseudoallous** (Obraztsov), 1935; *Lycaena* OD: *Folia zool. hydrobiol.* 8:141 [b3467] SS: *allous* (Geyer), [1836]; *Plebejus* (*Aricia*) [Type: biblio; replacement for *semiallous* Hann.] [Refs - b0073; b3467]
- e **pseudoarmoricana** Heydemann, 1930; *Plebejus* OD: Int. ent. Z. 24(25):269+ [b2355] SS: *idas* (Linnaeus), 1761; *Plebejus* (*Lycaeides*) [Refs - b0410 (author as Heydem)]
- e **ab. pseudoasturiensis** (Schawerda), 1942; *Lycaena* OD: *Deut. ent. Zeit.* [Iris] 55:12 [b3961] SS: *alica* von Neustetter, 1910; *Polyommatus* (*Lysandra*) [TypeL - Austria.] [Refs - b0087]
- e **ab. pseudobajuvaricus** Kozhanchikov, 1936; *Lycaena* OD: *Folia zool. hydrobiol.* 9:25 [b2837] SS: *splendens* (Staudinger), 1881; *Lycaena* (*Thersamolycaena*) [TypeL - Siberia.] [Refs - b0074; b2837]
- e **pseudobergeri** Le Moul, 1940, 1939-1940, (IFS); *Helicopsis* OD: *Novit. ent.* (16):125 [b2943] SS: *cupido* (Linnaeus), 1758; *Helicopsis* [Refs - b3199]
- e **ab. pseudoborealis** (Ebert), 1926; *Lycaena* OD: *Deut. ent. Zeit.* [Iris] 40:35 [b1463] SS: *glandon* (Prumer), 1798; *Polyommatus* (*Agriades*) [TypeL - Bavaria.] [Refs - b0236; b0410; b0471; b0064]
- b **pseudocassius** (Murray), 1873; *Lampides* OD: *Ent. mon. Mag.* 10:126 [b3316] SS: *plinius* (Fabricius), 1793; *Leptotes* [TypeL - Brisbane, Australia.] [Refs - b1450; b2753; b0400; b0870; b1840; b4934; b4108]
- a **pseudocellularis** Stempffer, 1968; *Mimeresia* OD: Bull. Inst. fond. Afr. Noire 30(A):200 [b4402] [TypeL - Congo.] [Refs - b1452]
- a **pseudocentaurus** (Doubleday), 1847, 1844-1848; *Amblypodia* OD: *List Spec. lep. Brit. Mus.* (2):24 [b1327] CG: *Arhopala* h [Type: BMNH-ht] [TypeL - Java.] [Refs - b1644; b0965; b2747; b4094; b2650; b1039; b2200; b1454]
- e ♀ **pseudocharybdis** Stauder, 1923, 1920-1923; *Glaucopsyche* OD: *Z. wiss. InsektBiol.* 18:194 [b4310] SS: *alexis* (Poda von Neuhaus), 1761; *Glaucopsyche* [Refs - b0400]
- c **pseudochromia** (Ribbe), 1899; *Thysonotis* OD: *Deut. ent. Zeit.* [Iris] 12:239, pl 4, f 11 [b3738] SS: *hamilcar* (Grose-Smith), 1894; *Nacaduba* [Refs - b2078]
- a **pseudoconjuncta** Jackson, 1962; *Epitola* OD: Bull. Br. Mus. nat. Hist. (Ent.) 12(3):153 [b2562] [TypeL - Uganda.] [Refs - b1452; b4400]
- e **pseudocoria** Le Moul, 1940, 1939-1940, (IFS); *Helicopsis* OD: *Novit. ent.* (16):124 [b2943] SS: *cupido* (Linnaeus), 1758; *Helicopsis* [Type: MNHN-pt] [Refs - b3199]
- e **pseudocramera** (Vorbrodt & Müller-Rutz), 1917; *Aricia* OD: *Mitt. schweiz. ent. Ges.* 12(9/10):- [b4889] SS: *agesis* ((Denis & Schiffmüller), 1775; *Plebejus* (*Aricia*) [Check - Original description not found.] [Refs - b0410]
- a **pseudocrawshayi** Kielland, 1980; *Uranotauma* OD: In Butts *Afrotropical Region* :542, f [b2731] [Type: BMNH-ht] [TypeL - Tanzania.] [Refs - b0113; b2731; b2733; b0119]
- b **pseudocrispus** (Westwood), [1851], 1846-1852; *Lemonias* OD: *In Gen. diurn. Lep.* (2):459 [b4981] SS: *lucianus* (Fabricius), 1793; *Calospila* [TypeL - Brasilia.] [Refs - b2747; b4475; b1456]
- b **pseudocyanea** (Forster), 1956; *Argodiaetus* OD: *Z. wien. ent. Ges.* 41:120 [b1769] SS: *xerces* (Boisduval), 1852; *Glaucopsyche* [TypeL - W. Africa.] [Refs - b2827 (with Staudinger, 1899)]
- e **pseudocyllarus** Verity, 1903, (IFS); *Polyommatus* OD: Bull. Soc. ent. Fr. 1903(17):288 [b4831] SS: *icarus* (Rouemburg), 1775; *Polyommatus* [Type: MZS-ht] [Refs - b2856; b4092; b0471]
- a **pseudoderitas** (Stempffer), 1964; *Deudorix* OD: Bull. Inst. franç. Afr. Noire 26(A):1283 [b4397] CG: *Diopetes* [TypeL - Congo.] [Refs - b1452; b4400]
- a **pseudofea** (Morrison), 1873; *Lycaena* OD: Bull. Buffalo Soc. nat. Sci. 1(4):186 [b3246] CG: *Brephidium* [TypeL - Key West, Monroe County, Florida.] [Refs - b1530 :242, f 475; b1321 :62; b0908; b3078; b0907; b2753; b3192; b3512; b0833; b4066]
- a **pseudofragilis** Kielland, 1976; *Baliocbila* OD: *Ent. Ber.* 36(7):105, f [b2729] [TypeL - Usa river, Arusha, Tanzania.] [Refs - b1610 (8E904); b1452]

- a **pseudofrater** Stempffer, 1962; *Iolaus* OD: Bull. Inst. franc. Afr. Noire 24(A):1167, f 57-60 [b4395] CG: *Iolaus* (*Epamera*) [Type: BMNH-ht] [TypeL - Kayonza Forest, Kigezi, Uganda.] [Refs - b1452; b4395; b4400]
- a **pseudofusca** Stempffer, 1961; *Eresina* OD: Annls Mus. r. Afr. cent. (8vo) (Zool.)94:47 [b4393] [TypeL - Ghana.] [Refs - b1452; b4400]
- c **pseudogradivus** Le Moul, 1940, 1939-1940; *Helicopsis* OD: Novit. ent. (13):102 [b2943] SS: *cupido* (Linnaeus), 1758; *Helicopsis* [Type: AME-ht] [TypeL - Gourdonville, River Kourou, French Guiana.] [Refs - b3199]
- e **pseudohypochiona** (Verity), 1931; *Lycaena* OD: Deut. ent. Zeit. [Iris] 45:42 [b4852] SS: *argus* (Linnaeus), 1758; *Plebejus* [Type: MZS-st] [TypeL - S. France.] [Note - Not spelled *pseudohypochiona*.] [Refs - b1780; b2856; b0069; b0410; b4355; b4852]
- e **pseudoinularis** Fruhstorfer, 1908, (IFS); *Curetis* OD: Stett. ent. Ztg 69:53 [b1835] OS: *pseudoinularis* Seitz, [1924]; *Curetis* [Type: BMNH-ht] [TypeL - Northeast Sumatra.] [Refs - b1835; b4108]
- c **pseudoinularis** Seitz, [1924], 1912-1927; *Curetis* OD: In Seitz, Grossschmett. Erde 9:935, pl 162 [b4094] SS: *inularis* (Horsfield), [1829]; *Curetis* [Type: biblio; based on *pseudoinularis* Fruhstorfer, 1908] [TypeL - N. E. Sumatra.] [Refs - b0964; b0965; b0936; b4094; b1454; b0694; b4108]
- b **pseudojafra** Moore, [1881], 1880-1881; *Cheritra* OD: Lep. Ceylon 1(3):110 [b3232] SS: *freja* (Fabricius), 1793; *Cheritra* [TypeL - Ceylon.] [Refs - b1016; b1636; b4094; b1454; b0694 (as *pseudojaffra*)]
- b **pseudoletha** (Howarth), 1957; *Neozephyrus* OD: Bull. Br. Mus. nat. Hist. (Ent.) 5(6):260 [b2463] SS: *disparatus* (Howarth), 1957; *Chrysozephyrus* [Type: BMNH-ht] [TypeL - Khasia Hills, Assam.] [Refs - b1454; b0694; b2463]
- c **pseudolindeni** Le Moul, 1940, 1939-1940; *Helicopsis* OD: Novit. ent. (16):122, f 44,45 [b2943] SS: *cupido* (Linnaeus), 1758; *Helicopsis* [Type: MNHN-ht] [TypeL - Brazil.] [Refs - b3199]
- e **pseudolonginus** (Doubleday), 1847, 1844-1848, (NN); *Amblypodia* OD: List Spec. lep. Brit. Mus. (2):23 or 24 [b1327] SS: *cippus* (Fabricius), 1798; *Tajuria* [Refs - b1636; b2747; b0995; b4094; b4092; b2201; b1850; b1454]
- a **pseudolongula** (Clench), 1944; *Thecla* OD: Bull. Harvard Mus. Comp. Zool. 94:235 [b0823] CG: *Cyanophrys* [Type: MCZ-ht; #26223] [TypeL - Mapoto, Ecuador.] [Refs - b0908; b2988; b0528; b2221; b2585]
- e **pseudolorquini** (Verity), 1925, (RA); *Cupido* OD: Ent. Rec. 37(5):76 [b4843] SS: *decolorata* Staudinger, 1886; *Everes* [Type: MZS-st] [TypeL - Spain.] [Refs - b3059; b2856; b0236; b0471]
- b **pseudolorquini** Manley & Allcard, 1970; *Everes* OD: Butts Spain :83,151 [b3059] SS: *decolorata* Staudinger, 1886; *Everes* [TypeL - Albarracin (Teruel), Spain.] [Refs - b2856; b3059]
- e **f. pseudolupini** Ferris, [1970], (IFS); *Plebejus* OD: J. Res. Lep. 8(3):91, f [b1708] SS: *lutzi* (dos Passos), 1938; *Plebejus* (*Icaricia*) [Type: pc-ht; collection of Ferris.] [TypeL - Sherman Range, Medicine Bow, Wyoming.] [Refs - b3192; b1743]
- c **pseudolus** (Bergsträsser), [1779], 1778-1780; *Papilio* OD: Nom. Ins. 3:pl 50, f 5,6 [b0310] SS: *minimus* (Füssly), 1775; *Cupido* [Refs - b2747; b0995; b0400; b2794; b0471 (as *pseudodolus*)]
- a **pseudomandana** Röber, 1927; *Emesis* OD: Int. ent. Z. 21:142 [b3837] [TypeL - Not stated.] [Refs - b4475; b1456]
- e **ab. pseudomas** (Lempke), 1936; *Strymon* OD: Lambillionea 36:36 [b2976] SS: *ilicis* (Esper), [1779]; *Satyrion* [TypeL - Holland.]
- e **pseudomasseyi** Thompson, [1937], (IFS); *Plebejus* OD: * :3 [b4649] SS: *caemensis* Thompson, [1937]; *Plebejus* [TypeL - Wales.] [Refs - b0075]
- e **ab. pseudomedon** (Obratsov), 1935; *Lycaena* OD: Folia zool. hydrobiol. 8:144 [b3467] SS: *allous* (Geyer), [1836]; *Plebejus* (*Aricia*) [Refs - b0073; b3467]
- a **pseudomeris** Clench, [1972]; *Lasaia* OD: J. Res. Lep. 10(2):170, f 5,18,19 [b0846] [Type: CM-ht] [TypeL - Chiquitos, Bolivia.] [Refs - b0528; b0846; b0680; b1456]
- e **pseudomicroorientalis** (Anonymous), 1936, (ISS); *Lysandra* OD: Zool. Rec. 72(1935)(Ins.):318 [b0073] SS: *thersites* (Cantener), 1834; *Polyommatus* (*Plebicula*) [Note - An Incorrect Subsequent Spelling of *postmicroorientalis*.] [Refs - b0073]
- e **pseudomięgi** (Beuret), 1953, (IFS); *Heodes* OD: Lyc. Schweiz. I :11 [b0389] SS: *virgaureae* (Linnaeus), 1758; *Lycaena* (*Heodes*) [Refs - b0389]
- a **pseudomuta** (Staudinger), 1889; *Amblypodia* OD: Deut. ent. Zeit. [Iris] 2(1):125 [b4332] CG: *Arhopala* f [Type: Lost] [TypeL - Malacca, Malaya.] [Refs - b1644; b4094; b1454; b1544]
- b **pseudonexus** Eliot, 1963; *Heliophorus* OD: Entomologist 96:176 [b1549] SS: *ila* (de Nicéville), [1896]; *Heliophorus* [Type: BMNH-ht] [TypeL - Lachin Lachoong, Sikkim.] [Refs - b0694; b1549]
- e **f. pseudonyassae** Vissian, 1976; *Spindasis* OD: Occ. Pap. nat. Mus. Monum. Rhod. (Nat. Sci.) 5(9):514 [b4879] SS: *natalensis* (Westwood), [1851]; *Spindasis* [Refs - b0108]
- a **pseudopallas** Weymer, 1890; *Siseme* OD: In Stübel, Reisen in Süd-Amer., Lep. :121, pl 4, f 13 [b4988] [TypeL - Peru.] [Refs - b2988; b4475; b1456]
- e **pseudopallida** Le Moul, 1940, 1939-1940, (IFS); *Helicopsis* OD: Novit. ent. (14):105 [b2943] SS: *cupido* (Linnaeus), 1758; *Helicopsis* [Type: AME-ht] [Refs - b3199]
- b **pseudophaeas** Lucas, [1866]; *Lycaena* OD: Annls Soc. ent. Fr. (4)5:499 [b3022] SS: *phlaeas* (Linnaeus), 1761; *Lycaena* (*Lycaena*) [TypeL - Ayybssinia.] [Refs - b0996; b0236; b4780; b4400; b4092; b0471]
- b **pseudophorbis** Fruhstorfer, [1914], 1909-1923; *Hypolycaena* OD: In Seitz, Grossschmett. Erde 9:985, pl 158d [b1840] SS: *phorbis* (Fabricius), 1793; *Hypolycaena* [TypeL - New Guinea.] [Refs - b1450; b4094; ns3880 2(15):33; b3880]
- a **pseudopollux** Stempffer, 1962; *Iolaus* OD: Bull. Inst. franc. Afr. Noire 24(A):1164, f 52-55 [b4395] CG: *Iolaus* (*Epamera*) [Type: BMNH-ht] [TypeL - Ruhiza, Kigezi, Uganda.] [Refs - b1452; b4395; b4400]
- a **pseudopruni** Murayama, 1992; *Satyrion* OD: Konchu to Shizen (Nature & Insects) 27(5):41, f 12 [b3304] [TypeL - China.] [Refs - b3304; b1455]
- c **pseudoptiletus** (Boisduval & Le Conte), [1835], 1829-1837; *Argus* OD: Hist. Lépid. Amer. sept. (13):114, pl 35, f 5-7 [b0470] SS: *filenus* (Poey), 1832; *Hemiargus* [Type: USNM-st] [TypeL - Carolina; Virginia; Georgia.] [Note - Miller & Brown mark this synonym with a ?] [Refs - b0908; b2747; b2221; b3192; b1321]
- a **pseudopunctatus** Strand, 1912; *Oboronia* OD: Arch. Naturgesch. (A)78(2):137 [b4509] [Refs - b1452; b0836; b4509; b4528; b4400]
- e **ab. pseudora** (Scudder), 1889, 1888-1889; *Cyaniris* OD: Butts E. United States & Canada 2:933 [b4088] SS: *lucia* (Kirby), 1837; *Celastrina* [TypeL - Milford, New Hampshire.] [Refs - b0908; b3192; b0236; b1321]
- e **ab. pseudoradiata** Seok, 1934; *Lycaena* OD: Bull. Kagoshima Imp. Coll. Agr. For. 1:— [b4111] SS: *rutilus* (Wernberg), 1864; *Lycaena* (*Thersamolycaena*) [Refs - b4115]

- b **pseudoroboris** Beuret, 1949; *Maculinea* OD: Bull. Soc. ent. Mulhouse 1949:34 [b0379] SS: alcon ([Denis & Schiffermüller], 1775; *Maculinea* [Type: NMB-at; see Steiniger, 1975] [Mitt. ent. Ges. Basel (nf)25:23 [b4355]] [Refs - b0107; b0400; b4355])
- a **pseudorothea** Stempffer & Bennett, 1961; *Pentila* OD: Bull. Inst. franç. Afr. Noire 23(A):1142, f 43-47 [b4420] [Type: MNHN-ht] [TypeL - Mamfe, Cameroun.] [Refs - b1452; b4420; b4400]
- c **pseudosamuelis** (Nabokov), 1949; *Lycaeides* OD: Bull. Harvard Mus. Comp. Zool. 101(4):529, pl 1, f 28; pl 6, f 75; pl 9, f 120 [b3328] SS: melissa (Edwards), 1873; *Plebejus* (*Lycaeides*) [Type: MCZ-ht] [TypeL - Vicinity of Red Mt. Inn, Highway 82, between Mt. Elbert and La Plata, Pitkin County, Colorado.] [Refs - b0908; b1711; b3192; b1743; b1321; b2419; b0493]
- a **pseudosias** Rothschild, 1915; *Jamides* OD: Novit. zool. 22:138 [b3878] [TypeL - Misol.] [Refs - b1450; b2388]
- c **pseudosoyauxii** (Ehmann), 1894; *Liptena* OD: J. New York ent. Soc. 2(2):78 [b1533] SS: omata (Mabille), 1890; *Athysanota* [TypeL - W. Africa.] [Refs - b0836 (as ..); b1533; b4400]
- b **pseudotaiwanus** (Howarth), 1957; *Neozephyrus* OD: Bull. Br. Mus. nat. Hist. (Ent.) 5(6):259 [b2463] SS: disparatus (Howarth), 1957; *Chrysozephyrus* [Type: BMNH-ht] [TypeL - Mareppa, Formosa.] [Refs - b4198; b5053; b1454; b2463]
- e **pseudotransita** Le Moul, 1939, 1939-1940, (IFS); *Helicopsis* OD: Novit. ent. (15):112 [b2943] SS: cupido (Linnaeus), 1758; *Helicopsis* [Type: AME-ht] [Refs - b3199]
- e **pseudotrinitensis** Le Moul, 1940, 1939-1940, (IFS); *Helicopsis* OD: Novit. ent. (16):121 [b2943] SS: cupido (Linnaeus), 1758; *Helicopsis* [Type: AME-ht] [Refs - b3199]
- e **pseudovigilius** (d'Abreva), 1993, (ISS); *Agrodiaetus* OD: Butts Holarctic Region, Pt 3 :516 [b1455] SS: pseudovirgilia (de Lesse), 1962; *Polyommatus* (*Agrodiaetus*) [Refs - b1455]
- a **pseudovihara** (Hayashi), 1981; *Narathura* OD: Tyô to Ga 32(1,2):74, f 21,22,51 [b2198] CG: *Arhopala* b [Type: NSMT-ht] [TypeL - Mindanao, Philippines.] [Refs - b2198; b4590 (=oenotria?)]
- a **pseudovirgilia** (de Lesse), 1962; *Agrodiaetus* OD: Alexanor 2(7):285 [b1127] CG: *Polyommatus* (*Agrodiaetus*) [Type: MNHN-ht] [TypeL - 25 Km W. Burgos, France.] [Refs - b2375; b3059; b1455 (as pseudovigilius :516)]
- b **pseudoxerxes** (Forster), 1956; *Agrodiaetus* OD: Z. wien. ent. Ges. 41:118 [b1769] SS: carmon (Herrich-Schäffer), [1851]; *Polyommatus* (*Agrodiaetus*) [TypeL - Persia.]
- a **pseudozeritis** (Trimen), 1873; *Aphnaeus* OD: Trans. ent. Soc. Lond. 21(2):113, pl 1, f 6 [b4720] CG: *Chloroselas* [TypeL - Bathurst.] [Refs - b1943; b1259; b2753; b1452; b4400; b3567]
- e **pseudunca** Le Moul, 1940, 1939-1940, (IFS); *Helicopsis* OD: Novit. ent. (15):116 [b2943] SS: cupido (Linnaeus), 1758; *Helicopsis* [Type: AME-ht] [Refs - b3199]
- c **pseustis** (Doherty), 1891; *Nacaduba* OD: J. asiat. Soc. Bengal, Pt II 60(2):182 [b1304] SS: almora (H. Druce), 1873; *Catopyrops* [TypeL - Borneo.] [Refs - b4676; b0938; b4094]
- c **psittacus** (Herrich-Schäffer), [1844], 1843-1856; *Lycaena* OD: Syst. Bearb. Schmett. Europ. 1:pl 48, f 220-223 [b2313] SS: theophrastus (Fabricius), 1793; *Tarucus* [Refs - b2747; b0995; b1642; b2794; b4092]
- b **psittacus** (Hopffer), 1874; *Symmachia* OD: Steu. ent. Ztg 35:364 [b2446] SS: chrysame (Hewitson), 1874; *Cania* [TypeL - Peru.] [Refs - b2753; b4474]
- b **psophis** Fruhstorfer, 1917; *Poritia* OD: Soc. ent. 32(10):39 [b1878] SS: erycinoides (Felder & Felder), 1865; *Poritia* [Type: BMNH-ht] [TypeL - North East Sumatra.] [Refs - b1878]
- c **psyche** (Boisduval & Le Conte), [1833], 1829-1837; *Thecla* OD: Hist. Lépid. Amer. sept. (9-10):88, pl 27 [b0470] SS: m-album (Boisduval & Le Conte), [1833]; *Parrhasius* [Type: biblio] [TypeL - Georgia.] [Note - Miller & Brown treated this name as unavailable.] [Refs - b1530 :214, f 409; b1321 :53; b0908; b2747; b3192]
- a **psyche** Pennington, 1968; *Poecilmitis* OD: J. ent. Soc. S. Afr. 29:121 [b3572] [TypeL - Bitterfontein, Cape Province, S. Africa.] [Refs - b1259; b1452]
- a **psylorita** (Freyer), 1845, 1831-1858; *Lycaena* OD: Neuere Beitr. Schmett. 5(79):146, pl 469, f 3,4 [b1795] CG: *Polyommatus* (*Kretania*) [TypeL - Crete.] [Type of - Kretania] [Refs - b2280; b2375; b2747; b0993; b1762; b0236; b0410; b2794; b4790; b2859; b4092; ns2971; b0206]
- a **pterou** (Bethune-Baker), 1923; *Neochrysoptis* OD: Trans. ent. Soc. Lond. 70(3/4):312 [b0359] CG: *Lepidochrysoptis* [Type: BMNH-ht] [TypeL - Kavirondo Country, S. Africa.] [Refs - b1452; b0359; b4400]
- b **ptesia** Riley, [1945]; *Loxura* OD: Trans. R. ent. Soc. Lond. 94(2):262 [b3782] SS: cassiopeia Distant, 1884; *Loxura* [Type: BMNH-ht] [TypeL - Siberut.] [Refs - b3782]
- a **ptolomaeus** (Fabricius), 1793, 1792-1799; *Hesperia* OD: Ent. syst. 3(1):319 [b1657] CG: *Metacharis* [TypeL - Indiis?]. [Type of - Metacharis] [Refs - b2988; b2280; b2747; b4474; b5076; b0686; b1456]
- e **ptorsas** (Seitz), [1908], 1907-1921, (ISS); *Thecla* OD: In Seitz, Grossschmett. Erde 1:267 [b4092] SS: prorsa (Hüfnagel), 1766; *Fixsenia* [Refs - b4092]
- c **publia** (Hulstaert), 1924; *Zizera* OD: Revue zool. afr. 12(2):184 [b2496] SS: antanossa (Mabille), 1877; *Zizina* [TypeL - Belgian Congo.] [Refs - b3796; b2496; b4400]
- a **publica** Röber, 1923; *Thecla* OD: Ent. Mit. 12:58 [b3832] CG: *Thecla* (New World Eumaeini) [TypeL - Río Magdalena, (Western) Colombia.] [Note - Comstock & Huntington say "near paphia Felder".] [Refs - b0908]
- a **publius** Felder & Felder, 1861; *Theope* OD: Wien. ent. Monats. 5(4):98 [b1684] [TypeL - Venezuela.] [Refs - b2988; b2747; b4475; b1456]
- b **pudica** (H. Edwards), [1877]; *Thecla* OD: Proc. Calif. Acad. Sci. 7(12):172 [b1483] SS: melinus Hübner, [1818]; *Strymon* [Type: AMNH-ht] [TypeL - Contra Costa County, California.] [Note - Original description could be considered infrasubspecific.] [Refs - b0908; b2747; b3192; b1743; b0493; b1321; b1483]
- a **puella** Kirby, 1887; *Teriomima* OD: Ann. Mag. nat. Hist. (5)19:365 [b2763] [TypeL - W. Africa.] [Refs - b1943; b1452; b4400]
- b **puella** Joicey & Talbot, 1921; *Hypolycaena* OD: Bull. Hill Mus. 1(1):93, pl 15, f 75,76 [b2655] SS: buxtoni Hewitson, 1874; *Hypolycaena* [Type: BMNH-ht] [TypeL - Ruwenzori, Western slope.] [Refs - b2655]
- a **puellaris** (Trimen), 1894; *Durbania* OD: Proc. zool. Soc. Lond. 1894(1):59, pl 6, f 14 [b4729] CG: *Teriomima* [TypeL - Manica.] [Refs - b1259; b1452; b4729; b4400]
- d **puer** Schrank, 1801, (RC); *Cupido* OD: Fauna bioc. 2(1):215 [b3973] OS: minimus (Füssly), 1775; *Cupido* [Type: -lt; designated by Hemming, 1956] [Bull. Zool. Nomen. 12(10):268, paragraph 4 [b2268]] [Refs - b2747; b1295; b0995; b2528 (Op 503, L 500); b0400; b2794; b2268]
- c **pugatsuki** (Kurentzov), 1970; *Zephyrus* OD: Butts Far East USSR :117, 128, f 97 [b2864] SS: ginzii (Seok), 1936; *Protantigius* [Refs - b2866; b3361; b2827]

- c **pulchella** (Swainson), [1833], 1829-1833; *Polyommatus* OD: Zool. Illustr. (2)3(29):pl 134 et explic [b4551] SS: xanthospilos (Hübner), [1817]; *Candalides* [Refs - b4677; b1450; b2078; b2747; b4934]
- a **pulchella** Godman, 1903; *Mesempopsis* OD: Trans. ent. Soc. Lond. 51(4):533, pl 20, f 12 [b1972] [TypeL - Amazons.] [Refs - b4474; b1456]
- a **pulchella** (Bernardi), 1951; *Lysandra* OD: Bull. Soc. ent. Fr. 56:30 [b0315] CG: *Polyommatus* (*Lysandra*) [Type: biblio; replacement for *pulchra* Sheljuzhko, 1928] [TypeL - Pamir.] [Refs - b0315]
- b **pulchellita** Brévignon & Gallard, 1992; *Symmachia* OD: Bull. Soc. Sci. Nat. (73):5, f [b0490] SS: miron Grose-Smith, 1898; *Symmachia* [TypeL - French Guiana.] [Refs - b0125; b1456]
- e **pulcher** (Yerbury), 1892, (ISS); *Turucus* OD: J. Bombay nat. Hist. Soc. 7(2):211 [b5055] SS: *pulchra* (Murray), 1874; *Leptotes* [Refs - b5055; b2898; b4400]
- c **pulcher** (Grose-Smith & Kirby), 1893, 1887-1902; *Lycaenesthes* OD: Rhop. exot. 2(26):105, pl 23, f 9,10 [b2049] SS: lachares (Hewitson), [1878]; *Anthene* [TypeL - W. Africa.] [Refs - b4400]
- a **pulcherrima** (Herrich-Schäffer), [1853], 1850-1869; *Eurygona* OD: Samml. neuer. aussereurop. Schmett. 1:[55], pl [12], f 26,27 [b2314] CG: *Melanis* [TypeL - Surinam.] [Note - May belong in *Xenandra*. D'Abbrera says "strikingly atypical".] [Refs - b2988; b2747; b4474; b3717; b0558; b1456]
- a **pulcherrima** (Butler), [1867]; *Anatole* OD: J. linn. Soc. Lond., Zool. 9:226, pl 6, f 27 [b0586] CG: *Calociasma* [TypeL - Nauta, Amazon.] [Refs - b2747 (as *pulcherrima*); b4476; b2988 (in *Echenais*); b1456]
- a **pulcherrima** Butler, 1884; *Jamides* OD: Ann. Mag. nat. Hist. (5)13:347 [b0630] [TypeL - Tanna, New Hebrides.] [Refs - b4094; b1865; b4871; b2388]
- d **pulcherrima** Aurivillius, 1916, (H & JOS); *Zeritis* OD: Ark. Zool. 10(14):4 [b0168] OS: *pulcherrima* Aurivillius, [1924]; *Zeritis* [TypeL - Wau, E. Sudan.] [Refs - b0168]
- e **pulcherrima** Verity, 1919, 1919-1922, (IFS); *Polyommatus* OD: Ent. Rec. 31:44 [b4840] SS: *celina* (Austaut), 1879; *Polyommatus* [Type: MZS-st] [Refs - b2856; b0236; b0471]
- a **pulcherrima** Aurivillius, [1924], 1908-1925; *Zeritis* OD: In Seitz, Grossschmett. Erde 13:418 [b0162] [TypeL - Sudan.] [Note - Described again in *Ark. Zool.*, 10(14):4] [Refs - b1452 (as 1923); b0168; b4400]
- e **pulcherrina** (Kirby), 1871, (ISS); *Apodemia* OD: Syn. Cat. diurn. Lep. :324 [b2747] SS: *pulcherrima* (Butler), [1867]; *Calociasma* [Refs - b2747]
- a **pulchra** (Guérin-Méneville), [1830], 1830-1838; *Argynnis* OD: In Duperré, Voy. Coquille, Zool. 2(2):pl Ins. 16, f 2,3 [b2087] CG: *Dicallaneura* [TypeL - Waigiou.] [Type of - *Dicallaneura*] [Refs - b1450; b2280; b2747; b4473; b1840]
- a **pulchra** (Hewitson), 1870, 1869-1877; *Erycina* OD: Equatorial Lep. Buckley (4):49 [b2330] CG: *Ancyluris* [Type: BMNH-ht] [TypeL - Ecuador.] [Refs - b2747; b4474; b1456]
- a **pulchra** (Murray), 1874; *Lycaena* OD: Trans. ent. Soc. Lond. 22(4):524, pl 10, f 7,8 [b3318] CG: *Leptotes* [TypeL - India occ.] [Note - Often seen as *pulcher*.] [Refs - b1943; b1259; b0995; b3318; b2753; b5055 (as *pulcher*); b1452; b2898 (as *pulcher*); b4400 (as *pulcher*); b4934; b4092]
- b **pulchra** (Lathy), 1904; *Lemonias* OD: Trans. ent. Soc. Lond. 52(3):467, pl 27, f 8 [b2914] SS: *thara* (Hewitson), [1858]; *Calospila* [TypeL - Peru.] [Refs - b2988; b4475]
- a **pulchra** Rothschild, 1915; *Everes* OD: Novit. zool. 22:388 [b3879] [TypeL - Vulcan Island.] [Refs - b3879]
- d **pulchra** (Sheljuzhko), 1928, (H); *Lycaena* OD: Lep. Rdsch. 2:44, f 1-4 [b4168] OS: *pulchella* (Bernardi), 1951; *Polyommatus* (*Lysandra*) [TypeL - Pamir.] [Refs - b1762; b1759; b2827; b0236; b0066; b3910; b0471; b0315]
- a **pulchra** (Talbot), 1929; *Argyrogramma* OD: Bull. Hill Mus. 3(2):145, pl 4, f 3,4 [b4620] CG: *Argyrogrammana* [Type: BMNH] [TypeL - Santa Fé de Bogota, Colombia.] [Refs - b4474; b1453; b4620; b1456]
- c **f. pulchra** Rebillard, 1958; *Symmachia* OD: Mém. Mus. nat. Hist. nat. (A)15:187 [b3717] SS: *tricolor* Hewitson, [1867]; *Symmachia* [Type: MNHN-ht] [TypeL - Iquitos, Peru.] [Refs - b3717; b0093]
- c **pulchra** Jackson, 1964; *Epitola* OD: Bull. Br. Mus. nat. Hist. (Ent.) 15(3):65, pl 3, f 35,36; pl 4, f 53,54 [b2563] SS: *maculata* Hawker-Smith, 1926; *Epitola* [TypeL - Congo.] [Refs - b1452 (as good species in *Hypophytala*); b2564; b4400]
- b **pulchralis** Stichel, 1910; *Theope* OD: Berl. ent. Z. 55(1/2):86 [b4445] SS: *eudocia* Westwood, [1851]; *Theope* [Type: biblio] [TypeL - Colombia; Panama.] [Refs - b4475; b4445]
- e **pulchrathonome** (Verity), 1931, (RA); *Lycaeides* OD: Deut. ent. Zeit. [Iris] 45:67 [b4852] SS: *argus* (Linnaeus), 1758; *Plebejus* [Type: MZS-st] [TypeL - Morbihan.] [Refs - b1780; b2856; b0069]
- e **pulchrina** Thompson, [1937], (IFS); *Plebejus* OD: * :3 [b4649] SS: *caemensis* Thompson, [1937]; *Plebejus* [Refs - b0075]
- b **pulchrrior** Grose-Smith, 1895; *Jamides* OD: Novit. zool. 2(4):510 [b2038] SS: *bochus* (Stoll), [1782]; *Jamides* [TypeL - Halmaheira.] [Refs - b4094; b1865]
- c **pulchristriata** (Bethune-Baker), 1905; *Lycaena* OD: Novit. zool. 12:495 [b0336] SS: *kedonga* (Grose-Smith), 1898; *Chilades* [TypeL - Kikuyu escarpment.] [Refs - b4400]
- a **pulchritudio** H. H. Druce, 1907; *Thecla* OD: Proc. zool. Soc. Lond. 1907(3):597, pl 35, f 1 [b1375] CG: *Thecla* (New World Eumacini) [Type: pc; Druce collection.] [TypeL - Amazon.] [Note - Druce says "allied to *ericeta*".] [Refs - b0908; b1375]
- a **pullata** Stichel, 1926; *Euselasia* OD: Deut. ent. Zeit. 1926:394 [b4465] [TypeL - Brazil.] [Refs - b4474; b1456]
- a **pullula** Stichel, 1910; *Mesene* OD: Gen. Insectorum 112(A):212 [b4446] [Type: ZMHU-st] [TypeL - Bersaba, Surinam.] [Refs - b4474; b1456; b4446]
- a **pullus** (Joicey & Talbot), 1916; *Cyaniris* OD: Ann. Mag. nat. Hist. (8)17:79, pl 7, f 4 [b2652] CG: *Udara* (*Perivaga*) [Type: BMNH-ht] [TypeL - Wandammen Mtns., North Dutch New Guinea.] [Refs - b1450; b1561; b0111; b1580; b2652; b3550; b1840]
- e **f. pullus** Talbot, 1936, (IFS); *Zemerus* OD: Entomologist 69:58 [b4624] SS: *allica* (Fabricius), 1787; *Zemerus* [TypeL - Siam.]
- e **pullux** Sharp, [1896], (ISS); *Iolus* OD: Zool. Rec. 32(1895)(Ins.):280 [b4130] SS: *pollux* (Aurivillius), 1895; *Iolus* (*Epamera*) [Refs - b4130]
- a **puloensis** Tite, 1960; *Jamides* OD: Bull. Br. Mus. nat. Hist. (Ent.) 9(5):333 [b4671] [TypeL - Pulo Laut, Borneo.] [Refs - b4672; b1454; b2388; b4108]
- c **pulsus** (Herbst), 1793, 1788-1804; *Papilio* OD: In Jablonsky, Natursyst. Ins., Schmett. 6:pl 156, f 6,7 [b2306] SS: *thero* (Linnaeus), 1764; *Phasis* [Refs - b2747; b4400; b4685]
- e **pulverulenta** Peyer-Imhof, 1910; *Maculinea* OD: Cat. Lép. d'Alsace (3rd ed) :28 [b3586] SS: *teleius* (Bergsträsser), [1779]; *Maculinea* [Refs - b0400]

- b **pulverulenta** Schultze, 1912; *Mimacraea* OD: Ent. Rundsch. 29(7):50 [b4012] SS: landbecki H. H. Druce, 1910; *Mimacraea* [Refs - b1452; b4012; b4400]
- a **pulverulenta** Dufrene, 1953; *Epitola* OD: Bull. Anns Soc. ent. Belg. 89:51 [b1410] [TypeL - Kivu.] [Refs - b1452; b4400]
- d **pumila** (Boisduval & Le Conte), [1835], 1829-1837, (JOS); *Polyommatus* OD: Hist. Lépid. Amer. sept. (14):131, pl 37, f 6-7 [b0470] OS: virginensis (Guérin-Méneville), [1832]; *Calephelis* [Type: USNM-h] [Refs - b3192; b1321; b3127]
- b **pumilina** (van Eecke), 1918; *Chliaria* OD: Zoöl. Meded. 4(2):96 [b4795] SS: tora Kheil, 1884; *Hypolycaena* (*Chliaria*) [TypeL - Sumatra.] [Refs - b1454]
- c **puncta** (Tutt), 1896; *Lysandra* OD: Brit. Butts :170 [b4758] SS: bellargus (Rottemburg), 1775; *Polyommatus* (*Lysandra*) [Refs - b3059; b4092; b0471]
- e **ab. puncta** (Tutt), 1896; *Lysandra* OD: Brit. Butts :166 [b4758] SS: coridon (Poda von Neuhaus), 1761; *Polyommatus* (*Lysandra*) [Refs - b0236]
- b **punctaria** (Fruhstorfer), 1904; *Abisara* OD: Deut. ent. Zeit. [Iris] 17(1):147 [b1819] SS: segecia (Hewitson), [1861]; *Praetaxila* [TypeL - Cape York Peninsula, Australia.] [Refs - b1450; b1840; b4474; b0870; b4940; b1475; b3257]
- a **punctata** Felder & Felder, 1861; *Calydna* OD: Wien. ent. Monats. 5(4):98 [b1684] [TypeL - Ecuador.] [Refs - b2988; b2747; b4474; b1456]
- a **punctata** Butler, 1877; *Symmachia* OD: Trans. ent. Soc. Lond. 25(2):130 [b0607] [TypeL - Rio Jurua, Amazonas.] [Refs - b4474; b0607; b1456]
- c **punctata** (Kirby), 1890; *Pseuderesia* OD: Ann. Mag. nat. Hist. (6)6:263 [b2766] SS: preussi Staudinger, [1888]; *Pentila* [Note - Not spelled *paucipuncta*.] [Refs - b2766]
- e **punctata** (Tutt), 1896; *Lysandra* OD: Brit. Butts :167 [b4758] SS: coridon (Poda von Neuhaus), 1761; *Polyommatus* (*Lysandra*) [Refs - b4092]
- c **punctata** (Gouin), 1904; *Lycaena* OD: P.-v. Soc. linn. Bordeaux 59:lxviii, lxxvi [b2002] SS: alexis (Poda von Neuhaus), 1761; *Glaucopsyche* [Refs - b0993; b0236 (with a 1922 reference); b0400; b2002]
- e **ab. punctata** Tutt, 1907, 1905-1914; *Callophrys* OD: Nat. Hist. Brit. Butts 2:92 [b4760] SS: rubi (Linnaeus), 1758; *Callophrys* [Refs - b4092; b2585; b0471; b0236]
- e **ab. punctata** Muschamp, 1908; *Glaucopsyche* OD: Bull. Soc. Lépid. Genève 1(3):264 [b3319] SS: alexis (Poda von Neuhaus), 1761; *Glaucopsyche* [Refs - b0236; b0400]
- e **punctata** Tutt, 1908, 1905-1914; *Celastrina* OD: Nat. Hist. Brit. Butts 2:394 [b4760] SS: argiolus (Linnaeus), 1758; *Celastrina* [Refs - b0400; b0471]
- b **f. punctata** H. H. Druce, 1910; *Larinopoda* OD: Proc. zool. Soc. Lond. 1910(1):361 [b1378] SS: lagyra (Hewitson), [1866]; *Larinopoda* [Refs - b4400]
- e **ab. punctata** (Skala), 1912; *Lycaena* OD: Verh. naturf. Ver. Brünn 50:63 [b4231] SS: meleager (Hübner), [1804]; *Polyommatus* (*Agnidia*) [Refs - b0236]
- e **ab. punctata** Vorbrod, 1912; *Polyommatus* OD: Schmetz. Schweiz 1:154 [b4885] SS: icarus (Rottemburg), 1775; *Polyommatus* [Refs - b0236]
- c **punctata** Lütkemeyer, 1920; *Polyommatus* OD: Ent. Zeit. 34(13):51 [b3036] SS: damon ((Denis & Schiffermüller)), 1775; *Polyommatus* (*Agrodiaetus*) [Refs - b0236; b0471]
- e **ab. punctata** (Aurivillius), [1924], 1908-1925; *Phasis* OD: In Seitz, Grossschmetz. Erde 13:427 [b0162] SS: damarensis (Trimen), 1891; *Aloeides* [TypeL - S. Africa.] [Refs - b1259; b3796; b4400; b4685]
- **ab. punctata** (Mezger), 1934; *Heodes* OD: Lambillionea 34:98 [b3171] SS: rutilus (Werneburg), 1864; *Lycaena* (*Thersamolycaena*) [TypeL - Germany.] [Refs - b0072; b0389; b3171]
- e **punctatissima** Tutt, 1914, 1905-1914; *Maculinea* OD: Nat. Hist. Brit. Butts 4:324 [b4760] SS: arion (Linnaeus), 1758; *Maculinea* [Refs - b0400]
- a **punctatus** (Dewitz), 1879; *Plebeius* OD: Nova Acta Acad. Caesar. Leop. Carol. 41(2):205 (=33), pl 2, f 15 [b1218] CG: Oboronia [TypeL - Guinea.] [Refs - b1452; b0836; b4400; b2887; b2886]
- a **punctatus** (Semper), 1887, 1886-1892; *Paragerydus* OD: In Semper, Reisen Philipp. (2)(5):165, pl 31, f 16,17 [b4110] CG: Allotinus (Fabitaras) [Type: SMF-lt; designated by Eliot, 1986] [Bull. Br. Mus. nat. Hist. (Ent.) 53(1):23 [b1571]] [TypeL - Mindanao, Philippines.] [Refs - b1840; b1571]
- b **punctatus** (Ribbe), 1926; *Lampides* OD: Ent. Mitt. 15(1):90 [b3742] SS: celeno (Cramer), [1775]; *Jamides* [Type: ZSBS-lt; designated by Takanami, 1989] [Tyô to Ga 40(1):65 [b4602]] [TypeL - Kalawara, C. W. Sulawesi.] [Refs - b3742; b4602]
- e **ab. punctalbae** (Yagi), 1922; *Lycaena* OD: Ber. Ôhara Inst. landw. Forsch. 2:234 [b5051] SS: barine (Leech), [1893]; *Shijimiacoides* [TypeL - Japan.] [Refs - b3794]
- a **puncticilia** (Trimen), 1883; *Lycaena* OD: Trans. ent. Soc. Lond. 31(4):350 [b4724] CG: Lepidochrysops [Type: BMNH] [TypeL - Cape Colony, S. Africa.] [Refs - b1259; b1452; b4400; b1235; b0359]
- a **punctifera** (Oberthür), 1876; *Lycaena* OD: Étud. ent. 2:23 [b3417] CG: *Polyommatus* (*Lysandra*) [TypeL - Algeria.] [Refs - b2375; b2380; b4045; b4092; b4038]
- e **ab. punctifera** (Schawerda), 1907; *Lycaena* OD: Verh. zool.-bot. Ges. Wien 58:(157) [b3956] SS: icanius (Esper), [1789]; *Polyommatus* (*Plebicula*) [Refs - b0236]
- e **ab. punctifera** (Grund), 1908; *Lycaena* OD: Int. ent. Z. 2(14):88 [b2080] SS: arion (Linnaeus), 1758; *Maculinea* [Refs - b0236; b0471]
- e **ab. punctifera** Courvoisier, 1910, 1910-1911; *Plebeius* OD: Ent. Zeit. 24:81 [b0985] SS: argus (Linnaeus), 1758; *Plebeius* [Refs - b0236; b0471]
- e **ab. punctifera** Courvoisier, 1910, 1910-1911; *Polyommatus* OD: Ent. Zeit. 24:148 [b0985] SS: eros (Ochsenheimer), 1807; *Polyommatus* [Refs - b0236; b0471]
- e **ab. punctifera** Courvoisier, 1911, 1910-1911; *Lycaena* OD: Ent. Zeit. 24:233 [b0985] SS: virgaureae (Linnaeus), 1758; *Lycaena* (*Heodes*) [Refs - b0236; b0389; b0471]
- e **ab. punctifera** (Obraztsov), 1936; *Lycaena* OD: Lambillionea 36:15 [b3468] SS: hypanica (Obraztsov), 1936; *Polyommatus* (*Plebicula*) [Refs - b0074]
- e **ab. punctifera** (Stetter-Stättermayer), 1937; *Lycaena* OD: Ent. Rundsch. 54:531 [b4432] SS: allardi (Oberthür), 1874; *Plebeius* (*Plebejides*) [Refs - b0075]
- e **ab. punctifera** Aigner-Abafi, 1906; *Polyommatus* OD: Anns hist.-nat. Mus. nat. hung. 4:516 [b0029] SS: icarus (Rottemburg), 1775; *Polyommatus* [Refs - b0236; b0471]
- c **punctigera** (Oberthür), 1909; *Lycaena* OD: Étud. Lépid. comp. 3:pl 19, f 57 [b3447] SS: bellargus (Rottemburg), 1775; *Polyommatus* (*Lysandra*) [TypeL - Sebdo, Algérie.] [Refs - b3447]
- e **ab. punctigera** (Dannehl), 1927; *Lycaena* OD: Mitt. münchn. ent. Ges. 17:7 [b1102] SS: dolus (Hübner), [1823]; *Polyommatus* (*Agrodiaetus*) [Refs - b0236; b0471]
- e **punctijuncta** (Tutt), 1906, 1905-1914; *Chrysophanus* OD: Nat. Hist. Brit. Butts 1:432 [b4760] SS: dispar ((Haworth)), 1802; *Lycaena* (*Thersamolycaena*) [Refs - b0389]

- c **punctipennis** Bates, [1868]; Theope OD: J. linn. Soc. Lond., Zool. 9:407 [b0267] SS: foliorum Bates, [1868]; Theope [TypeL - Upper Amazon.] [Refs - b2747; b4475; b1456]
- e **punctisnigrisremotis** Oberthür, 1896; Lycaena OD: Étud. ent. 20:13, f 75 [b3436] SS: phlaeas (Linnaeus), 1761; Lycaena (Lycaena) [Refs - b0236; b0389]
- e **ab. punctissubtusconfluentibus** Boisduval, 1836; Palaeochrysophanus OD: Spec. gén. Lépid. 1:9 [b0462] SS: hippothoe (Linnaeus), 1761; Palaeochrysophanus [Refs - b0236]
- e **punctulata** (Wheeler), 1903; Lycaena OD: Butts Switzerland :35 [b4991] SS: escheri (Hübner), [1823]; Polyommatus (Plebicula) [Refs - b4092]
- e **ab. punctulata** (Vorbrot), 1912; Lysandra OD: Schmett. Schweiz 1:143 [b4885] SS: bellargus (Rottemburg), 1775; Polyommatus (Lysandra) [Refs - b0236; b0471]
- a **punctum** (Herrich-Schäffer), [1853], 1850-1869; Thecla OD: Samml. neuer. aussereurop. Schmett. 1:[55], pl [-], f 57,58 [b2314] CG: Olyntus [TypeL - Surinam.] [Refs - b0908; b3394; b2747; b1375]
- a **punica** (Grose-Smith), 1889; Chrysorychia OD: Ann. Mag. nat. Hist. (6)3:134 [b2030] CG: Axiocerses [TypeL - Mombasa.] [Refs - b1943; b1259; b0831; b1452; b4400; b4436]
- a **punona** (Clench), 1944; Thecla OD: J. New York ent. Soc. 52:256 [b0821] CG: Eiseliana [Type: MCZ-ht; #26258] [TypeL - Puno, Peru.] [Refs - b0908; b0528; b2631; b2638]
- a **punta** Johnson & Kroenlein, 1993; Rubroserrata OD: Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (34):29, f [b2628] [Type: BMNH-ht] [TypeL - Puna Island, Ecuador.] [Refs - b2628]
- b **pupienus** Fruhstorfer, [1912]; Hypolycaena OD: Berl. ent. Z. 56(3/4):238 [b1850] SS: erylus (Godart), [1824]; Hypolycaena [TypeL - Lombok.] [Refs - b4094; b1454; b1850]
- a **pupilla** (Draudt), [1920], 1917-1924; Thecla OD: In Seitz, Grossschmett. Erde 5:801, pl 158-i [b1348] CG: Symbiopsis [TypeL - Guiana to Colombia and Bolivia."] [Refs - b0908; b3388]
- c **pupillarlis** (Aigner-Abafi), 1902; Lycaena OD: Rovart. Lap. 9:193 [b0027] SS: anteros (Freyer), 1839; Plebejus (Ultraancia) [Refs - b0993; b4092]
- e **ab. pupillata** (Muschamp), 1909; Lycaena OD: Bull. Soc. Léop. Genève 1:369 [b3320] SS: orbitalus (Prunner), 1798; Polyommatus (Albulina) [Check - Original genus] [Refs - b0236; b0471]
- e **pupillata** (Seitz), [1909], 1907-1921, (ISS); Lycaena OD: In Seitz, Grossschmett. Erde 1:310 [b4092] SS: pupillarlis (Aigner-Abafi), 1902; Plebejus (Ultraancia) [Refs - b4092]
- e ♀ **ab. pupillata** (Courvoisier), 1913; Lycaena OD: Ent. Mitt. 2(10):292 [b0989] SS: sarta (Alphéraky), 1881; Polyommatus [Refs - b0236; b0989; b0471]
- b **pupillata** Stichel, 1915; Cremna OD: Deut. ent. Zeit. 1915:698 [b4451] SS: alector (Geyer), [1836]; Cremna [Type: BMNH-st] [TypeL - Esp. Santo, Brazil.] [Refs - b4474]
- e **pupillata** Vorbrot & Müller-Rutz, 1917; Cupido OD: Mitt. schweiz. ent. Ges. 12(9/10):445 [b4889] SS: minimus (Esper), [1777]; Cupido [Refs - b0400]
- a **puppius** (Godman & Salvin), [1887], 1879-1901; Thecla OD: Biol. centr.-amer., Lep. Rhop. 2:84 [b1975] CG: Reversustus [Type: BMNH-ht] [TypeL - Carimang River, British Guiana.] [Type of - Reversustus] [Refs - b0908; b0125; b2606]
- a **pura** (Moore), 1886; Lampides OD: J. linn. Soc. Lond., Zool. 21(126):41 [b3237] CG: Jamides [Type: BMNH-ht] [TypeL - Mergui.] [Refs - b0964; b1636; b4179; b3786; b0965; b4094; b2479; b0236; b1865; b2384; b1454; b0694; b2388]
- e **ab. pura** Fruhstorfer, [1904]; Dodona OD: Berl. ent. Z. 48(4):293 [b1817] SS: elvira Staudinger, 1896; Dodona [Refs - b4473; b1840]
- a **pura** Draudt, [1919], 1917-1924; Thecla OD: In Seitz, Grossschmett. Erde 5:764, pl 154-e [b1348] CG: Thecla (New World Eumaeini) [Type: MZSP-ht] [TypeL - Sao Paulo, Brazil.] [Refs - b0908; b3179]
- b **pura** Tite, 1959; Catochrysops OD: Entomologist 92:208, pl 10, f 6; pl 11, f 6 [b4670] SS: noramus (C. Felder), 1860; Catochrysops [Type: BMNH-ht] [TypeL - Isabel Island, Solomons.] [Refs - b1450; b4670]
- a **purissima** Draudt, [1920], 1917-1924; Thecla OD: In Seitz, Grossschmett. Erde 5:788, pl 156-k [b1348] CG: Thecla (New World Eumaeini) [Type: NMB; Fassi collection.] [TypeL - Lino, Panamá.] [Refs - b0908]
- a **purpura** H. H. Druce, 1907; Thecla OD: Proc. zool. Soc. Lond. 1907(3):592, pl 34, f 20 [b1375] CG: Thecla (New World Eumaeini) [Type: pc; Druce collection.] [TypeL - Espiritu Santo, Brazil.] [Note - May be in *Siderus*, but no one has dissected it.] [Refs - b0908; b1375]
- b **purpura** Evans, 1925; Jamides OD: J. Bombay nat. Hist. Soc. 30(3):615, f [b1633] SS: virgulatus (H. H. Druce), 1895; Jamides [TypeL - Burma.] [Refs - b1636; b1454; b0694 (=misanca)]
- b **purpura** Evans, 1957; Arhopala OD: Bull. Br. Mus. nat. Hist. (Ent.) 5(3):109 [b1644] SS: irma Fruhstorfer, 1914; Arhopala g [Type: BMNH-ht] [TypeL - Oetakwa River. W. New Guinea.] [Refs - b1644; b1450]
- a **purpurantes** H. H. Druce, 1907; Thecla OD: Proc. zool. Soc. Lond. 1907(3):597, pl 35, f 7 [b1375] CG: Thecla (New World Eumaeini) [Type: pc; Druce collection.] [TypeL - Peru.] [Note - Druce says "allied to foyi".] [Refs - b0908; b1375]
- a **purpurascens** (Holland), 1890; Epitola OD: Psyche 5:424 [b2423] CG: Aslauga [Type: CM-ht] [TypeL - Upper Ogove River, Gaboon.] [Refs - b1943; b0473; b1610 (5949-E12); b0970; b1452; b4400; b2560]
- e **purpurascens** (Tutt), 1906, 1905-1914; Chrysophanus OD: Nat. Hist. Brit. Butts 1:432 [b4760] SS: dispar ([Haworth]), 1802; Lycaena (Thersamolycaena) [Refs - b0389]
- e **ab. purpurascens** Tutt, 1908, 1905-1914; Everes OD: Nat. Hist. Brit. Butts 3:55 [b4760] SS: argiades (Pallas), 1771; Everes [Refs - b0236; b0400; b0471]
- e **ab. purpurascens** (Tutt), 1909, 1905-1914; Agriades OD: Nat. Hist. Brit. Butts 3:331 [b4760] SS: bellargus (Rottemburg), 1775; Polyommatus (Lysandra) [Refs - b0236; b0471]
- e **purpurascensmarginata** Tutt, 1908, 1905-1914; Everes OD: Nat. Hist. Brit. Butts 3:54 [b4760] SS: argiades (Pallas), 1771; Everes [Refs - b0400; b0471]
- a **purpurata** (Godman & Salvin), 1878; Tharops OD: Proc. zool. Soc. Lond. 1878(2):356 [b1973] CG: Menander [TypeL - Guatemala; Veragua.] [Refs - b2988; b4475; b1456]
- a **purpurata** Grose-Smith, 1894; Jamides OD: Novit. zool. 1:574 [b2037] [TypeL - New Guinea.] [Refs - b1450; b4094; b2388]
- c **purpurea** (Grose-Smith & Kirby), 1897, 1887-1902; Holochila OD: Rhop. exot. 2(39):7, pl 10, f 11,12 [b2049] SS: cyprotus (Olliff), 1886; Candalides [Type: BMNH-ht] [TypeL - Moreton Bay.] [Refs - b1450; b2078; b4934; b1451]

- a **purpurea** (H. H. Druce), 1902; Una OD: Proc. zool. Soc. Lond. 1902(II):114, pl 11, f 3 [b1367] CG: Psychonotus [TypeL - Lifu Island, Loyalty Islands.] [Note - Eliot notes this as a 'curious and aberrantly marked species'.] [Refs - b1451; b1559; b2388]
- b **purpurea** (Hawker-Smith), 1933; Pseuderesia OD: Stylops 2-5 [b2168] SS: moreelsi (Aurivillius), 1901; Mimeresia [TypeL - Katanga, Belgian Congo.] [Refs - b1452; b2168; b4400]
- a **purpurea** Johnson, 1992; Pons OD: Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (22):24, f [b2610] [Type: BMNH-ht] [TypeL - Agualani, Peru.] [Refs - b0125; b2610]
- c **purpureopunctata** Wheeler, 1903; Lycaena OD: Butts Switzerland :17 [b4991] SS: tityrus (Poda von Neuhaus), 1761; Lycaena (Heodes) [Refs - b0389]
- c **purpureopunctata** Wheeler, 1903; Palaeochrysophanus OD: Butts Switzerland :14 [b4991] SS: hippothoe (Linnaeus), 1761; Palaeochrysophanus [Refs - b0471]
- e **ab. purpureotincta** (Tutt), 1906, 1905-1914; Rumicia OD: Nat. Hist. Brit. Butts 1:360 [b4760] SS: phlaeas (Linnaeus), 1761; Lycaena (Lycaena) [Refs - b0389; b4760]
- b **purpurescens** Corbet, 1941; Horaga OD: Proc. R. ent. Soc. Lond. (B)10(3):47 [b0953] SS: amethystus H. H. Druce, 1902; Horaga [Type: destroyed] [TypeL - Java.] [Refs - b0964; b1012; b0965; b1454; b0694 (as purpurascens)]
- a **purpuriticus** H. H. Druce, 1907; Thecla OD: Proc. zool. Soc. Lond. 1907(3):601, pl 36, f 2 [b1375] CG: Thecla (New World Eumaeini) [Type: pc; Druce collection.] [TypeL - (Interior of) Colombia.] [Note - Druce says "allied to empusa".] [Refs - b0908; b1375]
- e **pusillargus** (Strand), 1920, (IFS); Lycaena OD: Arch. Naturgesch. (A)85(4):18 [b4523] SS: semiargus (Rottemburg), 1775; Polyommatus (Cyaniris) [TypeL - Germany.] [Refs - b0236; b4523; b0471; b3795 (as pusillargus)]
- a **pusilla** (R. Felder), 1869; Eurygona OD: Verh. zool.-bot. Ges. Wien 19:467 [b1694] CG: Euselasia [TypeL - Mexico.] [Refs - b2988; b2747; b4474; b2406; b1456]
- e **pusilla** Ksienschopolski, 1911; Lycaena OD: Trudy obshch. Izsl. Volyni Zitomir 8:56, pl 1, f 10 [b2854] SS: phlaeas (Linnaeus), 1761; Lycaena (Lycaena) [Refs - b0389; b0236]
- e **pusillargus** (Riley & Tams), 1925, (ISS); Lycaena OD: Zool. Rec. 60(1923)(Ins.):226 [b3795] SS: semiargus (Rottemburg), 1775; Polyommatus (Cyaniris) [Refs - b3795]
- c **pusillus** (Gerhard), 1853, 1850-1853; Lycaena OD: Vers. monog. europ. Schmett. :pl 28, f 3 [b1928] SS: icarus (Rottemburg), 1775; Polyommatus [Refs - b2747; b2794]
- a **pusillus** (Ungemach), 1932; Catochryso OD: Mém. Soc. Sci. nat. phy. Maroc (32):94,96, f [b4780] CG: Eicochryso [TypeL - Abyssinia.] [Refs - b0070; b1452; b4400]
- a **pusio** (Grose-Smith), 1898; Teriomima OD: Novit. zool. 5:355 [b2046] CG: Citrinophila [TypeL - Niger.] [Refs - b0836; b4400]
- a **puspa** (Horsfield), [1828], 1828-1829; Polyommatus OD: Descr. Cat. lepid. Ins. (1):67 [b2457] CG: Acytoplepis [Type: BMNH-ht; designated by Eliot & Kawazoé, 1983] [Butts Lycaenopsis group :179 [b1580]] [TypeL - Java.] [Type of - Acytoplepis] [Refs - b0964; b1450; b4198; b1153; b1636; b2280; b0965; b1840; b2747; b2479; b1580; b0236; b2200; b4604]
- c **puspargiolus** (Chapman), 1909; Lycaenopsis OD: Proc. zool. Soc. Lond. 1909(2):446 [b0751] SS: iyntea (de Nicéville), [1884]; Celastrina [TypeL - Assam, India.] [Refs - b1636; b1840; b1580]
- b **puspinus** (Kheil), 1884; Plebejus OD: Rhop. Nias :30, pl 5, f 37-39 [b2725] SS: pupa (Horsfield), [1828]; Acytoplepis [TypeL - Nias.] [Refs - b1580; b2200; b1840]
- b **putaoa** Tytler, 1940; Dodona OD: J. Bombay nat. Hist. Soc. 42(1):121 [b4774] SS: dracon de Nicéville, 1897; Dodona [TypeL - Putao, N. E. Burma.] [Refs - b1454 (as putao); b4774]
- c **putaoica** Tytler, 1926; Orthomiella OD: J. Bombay nat. Hist. Soc. 31(3):587, pl 1, f 20 [b4773] SS: pontis (Elwes), 1887; Orthomiella [Refs - b0236; b0694]
- c **putealis** (Matsumura), 1927; Lycaena OD: Ins. matsumur. 1(4):167, pl 5, f 8 [b3094] SS: cleobis (Bremer), 1861; Plebejus (Lycaeides) [TypeL - Korea.] [Refs - b4115; b2479 (as sp); b2866; b0065; b0471]
- b **puti** Riley, [1945]; Jamides OD: Trans. R. ent. Soc. Lond. 94(2):258 [b3782] SS: suidas (Felder & Felder), 1865; Jamides [Type: BMNH-ht] [TypeL - Siberut.] [Refs - b3782]
- b **putih** Wind & Clench, 1947; Philiris OD: Bull. Brooklyn ent. Soc. 42(1):12 [b5021] SS: moira (Grose-Smith), 1899; Philiris [Type: CU-ht] [TypeL - Port Moresby, British New Guinea.] [Refs - b4677; b1450; b0528; b5021]
- a **putli** (Kollar), [1844]; Lycaena OD: In Hügel, Kaschmir 4(2):422 [b2821] CG: Chilades (Freyeria) [TypeL - India bor.] [Note - Often seen as a subspecies of trochylus.] [Refs - b1450; b1636; b4094; b3326; b2747; b0995; b3910; b1454; b0870; b4934; b0694; b4788]
- a **putli** Seitz, [1917], 1910-1924; Mesosemia OD: In Seitz, Grossschmett. Erde 5:638, pl 124d [b4093] [TypeL - Peru.] [Refs - b4474; b1456]
- e **putmani** (Brown & Eff & Rotger), 1955, (ISS); Strymon OD: Proc. Denver Mus. nat. Hist. 5:131 [b0538] SS: putnami (H. Edwards), 1877; Satyrium [Refs - b1321; x3192; b1722]
- e **putnami** (Scudder), 1876, (NN); Thecla OD: Bull. Buffalo Soc. nat. Sci. 3:109 [b4083] SS: putnami (H. Edwards), 1877; Satyrium [Refs - b0908]
- b **putnami** (H. Edwards), 1877; Thecla OD: Proc. Calif. Acad. Sci. 7(10):143 [b1485] SS: sylvinus (Boisduval), 1852; Satyrium [Type: AMNH-ht] [TypeL - Mt. Nebo, Utah.] [Refs - b0908; b2753; b3192; b1743; b0493; b4303; b1321; b4690]
- e **putoa** d'Abrera, 1986, (ISS); Dodona OD: Butts Oriental Region, Pt 3 :654 [b1454] SS: putaoa Tytler, 1940; Dodona [Refs - b1454]
- b **putreensis** Johnson, 1992; Abloxurina OD: Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (22):31, f [b2610] SS: muela (Dyar), 1913; Abloxurina [Type: AMNH-ht] [TypeL - Putre, Arica State, Prov. Parinacota, Chile.] [Refs - b0125; b2610]
- c **putumayensis** Le Moul, 1939, 1939-1940; Helicopsis OD: Novit. ent. (11):88 [b2943] SS: gnidus (Fabricius), 1787; Helicopsis [Type: MNHN-ht] [TypeL - Colombia.] [Refs - b3199]
- e **pyamaea** Anonymous, 1987, (ISS); Stalactis OD: Zool. Rec. 122(1985)(Ins. D-Lep.):372 [b0119] SS: susanna (Fabricius), 1787; Stalactis [Refs - b0119]
- e **pyane** (Sharp), [1916], (ISS); Miletus OD: Zool. Rec. 51(1914)(Ins.):214 [b4144] SS: cyane (Waterhouse & Lyell), 1914; Hypochryso [Refs - b4144]
- c **pycnoptera** (Toxopeus), 1930; Horsfieldia OD: De soorte als Functie :158 [b4702] SS: fara Fruhstorfer, 1907; Amblypodia [TypeL - Dutch E. Indies.] [Refs - b4702; b1454 (as good ssp)]
- a **pygmaea** (Cramer), [1775], 1775-1790; Papilio OD: Uitd. Kapellen 1(:)pl 7, f C,D [b1069] CG: Stichelia [TypeL - Surinam.] [Refs - b2747; b4474; b1456]

- b *pygmaea* (Snellen), 1876; *Lycaena* OD: Tijdschr. Ent. 19:163, pl 7, f 3 [b4258] SS: hylax (Fabricius), 1775; *Zizula* [TypeL - Java.] [Refs - b0964; b4400 (as *pygmoea*); b3582; b0965; b4094; b2753; b0995; b1564; b0236; b4934; b4092; b4592; b4595; b4108]
- e *ab. pygmaea* d'Almeida, 1922; *Stalactis* OD: Mélanges Léop. 1:208 [b1457] SS: susanna (Fabricius), 1787; *Stalactis* [Type: -lt; designated by Mielke & Casagrande, 1985] [Revta bras. Ent. 29(2):318 [b3177]] [TypeL - Brazil.] [Refs - b4476; b0119 (as *pyamaea*)]
- e *ab. pygmaea* (Stach), 1923; *Lycaena* OD: Spraw. Kom. fizyogr. 57:82 [b4299] SS: icarus (Rottemburg), 1775; *Polyommatus* [TypeL - Poland.] [Refs - b0064]
- c *f. pygmaea* (Stauder), 1925; *Tarucus* OD: Ent. Anz. 5(9):68 [b4319] SS: piriouthus (Linnaeus), 1767; *Leptotes* [Refs - b0236; b0400; b4319; b0471]
- e *pygmoea* Stempffer, 1967, (ISS); *Zizula* OD: Bull. Br. Mus. nat. Hist. (Ent.) Suppl. 10:261 [b4400] SS: *pygmaea* (Snellen), 1876; *Zizula* [Refs - b4400]
- a *pylaon* (Fischer von Waldheim), 1832; *Lycaena* OD: Mém. Soc. imp. nat. Moscou 8:357, pl 19, f 5,6 [b1742] CG: *Plebejus* (*Plebejides*) [Type: -lt; designated by Bálint & Lukhtanov, 1990] [Linneana Belgica 12(7):277 [b0218]] [TypeL - Russia mer.] [Type of - *Plebejides*] [Note - Often placed in *Plebejus*.] [Refs - b1636; b2375; b2747; b2890; b2747; b0993; b1780; b1762; b2827; b2905; b0236; b0410; b0293; b2794; b2859; ns0018; b4092; b0471; b0124; b3268]
- e *pylaonbrethertoni* Anonymous, 1980, (ISS); *Plebejus* OD: Zool. Rec. 113(1976)(Ins. D-Lep.):222 [b0108] SS: *brethertoni* Brown, 1976; *Plebejus* (*Plebejides*) [Refs - b0108]
- a *pyramus* Pennington, 1953; *Poecilmitis* OD: J. ent. Soc. S. Afr. 16:105 [b3568] [TypeL - S. Africa.] [Refs - b1259; b1452; b4400]
- e *pyrenaefuscans* Verity, 1948, 1947-1957, (RA); *Maculinea* OD: Var. Pap. diurn. France :106 [b4863] SS: *arion* (Linnaeus), 1758; *Maculinea* [Type: MZS-st] [Refs - b2856]
- b *pyrenaicola* Graves & Hemming, 1928; *Lycaena* OD: Entomologist 61:104, pl 2, f 3,4; pl 3 f 15,16 [b2013] SS: *virgaureae* (Linnaeus), 1758; *Lycaena* (*Heodes*) [TypeL - E. Pyrenees.] [Refs - b3059; b0236; b0066; b0471]
- e *pyrenaeorum* (Verity), 1951, 1947-1957, (RA); *Lysandra* OD: Var. Pap. diurn. France :156 [b4863] SS: *pyrenaeorum* (Manley & Allcard), 1970; *Polyommatus* (*Plebicula*) [Type: MZS-ht] [Refs - b3059; b2856]
- b *pyrenaeorum* (Manley & Allcard), 1970; *Plebicula* OD: Butts Spain :99,154 [b3059] SS: *icarius* (Esper), [1789]; *Polyommatus* (*Plebicula*) [TypeL - Gèdre (Hautes Pyrénées) & Porté Puymorens (Pyrénées-Orientales), N. Spain.] [Refs - b2856; b3059]
- b *pyrenaica* (Tuu), 1909, 1905-1914; *Plebeius* OD: Nat. Hist. Brit. Butts 3:198 [b4760] SS: *argus* (Linnaeus), 1758; *Plebejus* [Refs - b3059; b0236; b0410; b0471]
- d *pyrenaica* (Deslandes), 1930, (H); *Heodes* OD: Bull. Soc. ent. Fr. 1930(15):243 [b1210] OS: *deslandesi* (Hemming), 1932; *Helleia* A [Type: pc-st; collection of Deslandes.] [TypeL - French Pyrénées.] [Refs - b3059; b0070; b1210]
- a *pyrenaicus* (Boisduval), 1840; *Lycaena* OD: Gen. Index meth. europ. Lep. :11 [b0463] CG: *Polyommatus* (*Agríades*) [TypeL - Pyrenees.] [Refs - b2375; b3059; b2747; b1762; b0236; ns3373; b2794; b2859; b4092]
- e *pyrenemontana* (Verity), 1929, (RA); *Heodes* OD: Bull. Soc. ent. Fr. 1929(7):131 [b4849] SS: *virgaureae* (Linnaeus), 1758; *Lycaena* (*Heodes*) [Type: MZS-st] [TypeL - France.] [Refs - b2856; b0236; b4849]
- d *pyrete* Hübner, [1819], 1816-1826, (JOS); *Ancyluris* OD: Verz. bekannt. Schmett. (2):23, no. 168 [b2484] OS: *meliboeus* (Fabricius), 1777; *Ancyluris* [Type: biblio-lt; designated by Hemming, 1964] [Annot. Lep. (3):101 [b2273]] [Type of - *Ancyluris*] [Refs - b2280; b2273]
- c *pyretus* (Cramer), [1777], 1775-1790; *Papilio* OD: Uitt. Kapellen 2(12):76, pl 144, f A,B [b1069] SS: *meliboeus* (Fabricius), 1777; *Ancyluris* [Refs - b2747; b4474; b1456]
- c *pyretus* Saunders, [1850]; *Ancyluris* OD: Trans. ent. Soc. Lond. 1(5(9)):224, pl 21, f 4,4a [b3938] SS: *aulestes* (Cramer), [1777]; *Ancyluris* [Refs - b4474]
- a *pyrippe* Hewitson, [1874], 1852-1877; *Mesene* OD: Ill. exot. Butts 5:Ery, f 3,4 [b2323] [TypeL - Brazil.] [Refs - b2988; b2753; b4474; b1456]
- b *pyrippe* Godman & Salvin, 1878; *Cyrenia* OD: Proc. zool. Soc. Lond. 1878(2):362 [b1973] SS: *maria* Westwood, [1851]; *Cyrenia* [Refs - b4474]
- b *pyritis* Stichel, 1928; *Calephelis* OD: Z. wiss. InsektBiol. 23:40 [b4468] SS: *velutina* (Godman & Salvin), 1878; *Calephelis* [TypeL - Colombia.] [Refs - b3717 (as *Charis pyritos*); b4468]
- a *pyrodiscus* (Rosenstock), 1885; *Lucia* OD: Ann. Mag. nat. Hist. (5)16:377 [b3865] CG: *Paralucia* [Type: -lt; designated by Edwards, 1991] [Aust. ent. Mag. 18(1):29 [b1477]] [TypeL - S. Australia.] [Type of - *Paralucia*] [Note - Rosenstock attributed the name to Newman (MS).] [Check - Edwards attributes the name to Doubleday, 1847.] [Refs - b1450; b2280; b4094; b3865; b0870; b4940]
- a *pyroeis* (Trimen), 1864; *Zeritis* OD: Trans. ent. Soc. Lond. (3)2:178 [b4717] CG: *Poecilmitis* [TypeL - Cape Town.] [Refs - b4993 :264, pl 5, f 1; b1259; b2747; b1452; b4400; b1231; b4717 (as *pyroëis*)]
- c *pyronitens* Szabó, 1956; *Lycaena* OD: Folia ent. hung. (ns)9:299,340 [b4582] SS: *balkanicola* Graves & Hemming, 1928; *Lycaena* (*Heodes*) [Type: -lt; designated by Bálint, 1990] [Janus Pannonius Muz Ekv 34:49 [b0201]] [TypeL - Hungary.] [Refs - b0091; b0125]
- a *pyrophlegia* Stichel, 1923; *Phaenochitonía* OD: Z. wiss. InsektBiol. 18(10/11):283 [b4457] [TypeL - Brazil.] [Refs - b4474]
- a *pyroptera* (Aurivillius), 1895; *Lycaenesthes* OD: Ent. Nachr. 21:382 [b0149] CG: *Anthene* [TypeL - Congo.] [Refs - b1452; b4400]
- a *pyrrha* Bates, [1868]; *Mesene* OD: J. linn. Soc. Lond., Zool. 9:389 [b0267] [TypeL - Ega.] [Refs - b2747; b4474; b1456]
- a *pyrrhias* (Godman & Salvin), [1887], 1879-1901; ?*Chrysophanus* OD: Biol. centr.-amer., Lep. Rhop. 2:101; 3:pl 58, f 26,27 [b1975] CG: *Iophanus* [Type: BMNH] [TypeL - Chilasco, Guatemala.] [Type of - *Iophanus*] [Refs - b2280; b0908; b3191; b4220; b1975]
- c *pyrrhops* (Mabille), 1877; *Lycaena* OD: Bull. Soc. zool. Fr. 2:217 [b3039] SS: *osiris* (Hopffer), 1855; *Euchrysops* [TypeL - Landana.] [Refs - b4400]
- a *pyrsodes* (Bates), [1868]; *Mesene* OD: J. linn. Soc. Lond., Zool. 9:386 [b0267] CG: *Phaenochitonía* [Type: BMNH-ht] [TypeL - Ega.] [Refs - b2747; b4474; b1456]
- a *pythagoras* (Fabricius), 1793, 1792-1799; *Hesperia* OD: Ent. syst. 3(1):259 [b1657] CG: *Anthene* [TypeL - Indiis".] [Refs - b0162; b2747; b5076]
- c *pythia* (Hewitson), [1853], 1852-1877; *Lemonias* OD: Ill. exot. Butts 1:1-5, pl [58], f 8,9 [b2323] SS: *myrtis* (Westwood), [1851]; *Setabis* [TypeL - Amazon.] [Refs - b2988; b2747; b4475]
- a *pythias* Felder & Felder, 1865, 1865-1875; *Hypochrysops* OD: Reise Novara (2):254 [b1692] [Type: BMNH-ht] [TypeL - Waigiou.] [Refs - b1450; b2078; b2747; b4950; b3926]

- a **pythioides** (Butler), [1867]; *Aricoris* OD: J. linn. Soc. Lond., Zool. 9:220, pl 7, f 3 [b0586] CG: *Setabis* [Type: BMNH-ht] [TypeL - Ega.] [Refs - b2747; b4475; b1456]
- b **pythonica** Stichel, 1923; *Mesosemia* OD: Z. wiss. Insektbiol. 18(10/11):271 [b4457] SS: *eugenea* Stichel, 1910; *Mesosemia* [TypeL - Brazil.] [Refs - b4474]
- a **pyxis** Johnson, 1993; *Rindgea* OD: Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (40):6, f [b2617] [Type: AMNH-ht] [TypeL - Cacauyá, Rio Cocomá, Colombia.] [Refs - b2617]
- b **pyxus** (de Nicéville), 1894; *Paragerydus* OD: J. asiat. Soc. Bengal, Pt II 63(1):27, pl 5, f 2 [b1158] SS: *portunus* (de Nicéville), 1894; *Allotinus* (Fabitaras) [Type: ZSI?-ht] [TypeL - Kinabalu, Borneo.] [Refs - b1840; b1571; b4108]
- b **qilianshanus** (Murayama), 1983; *Lycacides* OD: *Entomotaxonomia* 5(4):283, pl 3, f 1-3 [b3301] SS: *cleobis* (Bremer), 1861; *Plebejus* (*Lycacides*) [Type: pc-ht; collection of Murayama.] [TypeL - China.] [Note - Described as a subspecies of *subsolanus*.] [Refs - b0119; b3301]
- b **qilianus** Murayama, 1983; *Cupido* OD: *Entomotaxonomia* 5(4):284, pl 3, f 7,16,20 [b3301] SS: *mimus* (Füssly), 1775; *Cupido* [Type: pc-ht; collection of Murayama.] [TypeL - China.] [Refs - b0119; b3301]
- a **qinghaiensis** (Murayama), 1992; *Lycacides* OD: *Konchu to Shizen* (Nature & Insects) 27(5):37, f 1,2 [b3304] CG: *Plebejus* (*Lycacides*) [TypeL - China.] [Refs - b3304]
- a **quaderna** (Hewitson), 1868; *Thecla* OD: *Descr. new Spec. Lycenidae* :35 [b2327] CG: *Errora* [Type: BMNH-ht] [TypeL - Mexico.] [Note - May be conspecific with *laeta*.] [Refs - b1530 :218, f 420; b1321 :55; b4688; b0908; b2747; b2780; b3192; b2417; b0493; b1743; b3188; b4690; b4690; b1975; b2631; b4066; b1455]
- b **quadra** (Evans), 1957; *Narathura* OD: *Bull. Br. Mus. nat. Hist. (Ent.)* 5(3):92 [b1644] SS: *amphimuta* (Felder & Felder), 1860; *Arhopala* b [Type: BMNH-ht] [TypeL - Java.] [Refs - b1644; b1454]
- a **quadratus** Ogilvie-Grant, 1899; *Tarucus* OD: *Bull. Liverp. Mus.* 2:10 [b3473] [TypeL - Sokotra.] [Refs - b1452 (as Nat. Hist. Sokotra, :305); b4400; b0162]
- a **quadricaudata** (Bethune-Baker), 1926; *Triclema* OD: *Ann. Mag. nat. Hist.* (9)17:400 [b0362] CG: *Neurypexina* [TypeL - Kameruns.] [Refs - b1452; b4400]
- c **quadriunulata** (Beuret), 1953, (IFS); *Heodes* OD: *Lyc. Schweiz.* I :11 [b0389] SS: *virgaureae* (Linnaeus), 1758; *Lycena* (*Heodes*) [Refs - b0389]
- c **quadrimaculata** (Hewitson), 1874; *Thecla* OD: *Ent. mon. Mag.* 11:106 [b2343] SS: *bicolor* (Philippi), 1859; *Eiseliana* [Type: BMNH] [TypeL - Chili.] [Refs - b0908; b3846; b3718; b2343; b2631; b2593; b2638; b2753 (as *quadrimaculata*)]
- e **quadrimaculata** (Kirby), 1877, (ISS); *Thecla* OD: *Syn. Cat. dium. Lep., Suppl.* :780 [b2753] SS: *quadrimaculata* (Hewitson), 1874; *Eiseliana* [Refs - b2753]
- c **quadrinota** (Bulter), 1870; *Baetis* OD: *Cistula Entomologica* 1(2):32 [b0589] SS: *monogramma* (Bates), [1868]; *Parcella* [TypeL - Brasilia.] [Refs - b2747; b4474; b2221]
- c **quadriocularis** (Saalmüller), 1884; *Lycena* OD: *Lepid. Madagascar* 1:100, pl 1, f 7,8 [b3906] SS: *scintilla* (Mabille), 1877; *Rysops* [TypeL - Madagascar.] [Refs - b4400]
- a **quadriplaga** (Snellen), 1892; *Lycena* OD: *Tijdschr. Ent.* 35:143 [b4265] CG: *Oreolyce* (*Oreolyce*) [Type: RNH-ht; designated by Eliot & Kawazoé, 1983] [Butts *Lycanopsis* group :28 [b1580]] [TypeL - Java.] [Type of - *Oreolyce*] [Refs - b0964; b2280; b1840; b1580; b0400; b4265]
- **quadriplaga** (Thieme), 1907; *Limnas* OD: *Berl. ent. Z.* 52:8, pl 1, f 15 [b4640] SS: *hillapana* (Röber), 1904; *Melanis* [TypeL - Bolivia.] [Refs - b4474; b4640]
- e **ab. quadriplaga** (Courvoisier), 1903; *Lycena* OD: *Mitt. schweiz. ent. Ges.* 11:22 [b0981] SS: *bellargus* (Rottemburg), 1775; *Polyommatus* (*Lysandra*) [Refs - b0236; b0471 (as *quadripunctata*)]
- e **ab. quadriplaga** (Courvoisier), 1903; *Lycena* OD: *Mitt. schweiz. ent. Ges.* 11:22 [b0981] SS: *coridon* (Poda von Neuhaus), 1761; *Polyommatus* (*Lysandra*) [Refs - b0471]
- e **ab. quadriplaga** Courvoisier, 1910, 1910-1911; *Plebejus* OD: *Ent. Zeit.* 24:203 [b0985] SS: *argus* (Linnaeus), 1758; *Plebejus* [Refs - b0471]
- e **quadripunctata** (Harrison), 1906; *Polyommatus* OD: *Ent. Rec.* 18:236 [b2146] SS: *agestis* ((Denis & Schiffermüller)), 1775; *Plebejus* (*Aricia*) [Refs - b4092]
- b **quadripunctata** Stichel, 1910; *Melanis* OD: *Gen. Insectorum* 112(A):200 [b4446] SS: *xarifa* (Hewitson), [1853]; *Melanis* [Type: ZMHU-st] [TypeL - Brazil; Surinam.] [Refs - b4474; b4446]
- e **ab. quadriplaga** (Pionneau), 1925; *Chrysophanus* OD: *Misc. Ent.* 28(8/9):57 [b3612] SS: *dispar* ((Haworth)), 1802; *Lycena* (*Thersamolycaena*) [Refs - b0236; b3612 (as 4-punctata)]
- c **quadrufus** (Hayward), 1935; *Thecla* OD: *Revta Soc. ent. argent.* 7:191 [b2214] SS: *cillutincarae* (Draudt), [1919]; *Thecloxurina* [Type: pc; Breyer collection.] [TypeL - Sierras de Clavillo, Tecumán, Argentina.] [Refs - b0908; b0125; b2610]
- a **quassa** Draudt, [1920], 1917-1924; *Thecla* OD: *In Seitz, Grossschmett. Erde* 5:784, pl 156-a [b1348] CG: *Thecla* (New World *Eumaeini*) [Type: MNHN-ht; designated by Johnson, 1991] [J. Lep. Soc. 45(2):152 [b2605]] [TypeL - Santa Catharina, Brazil.] [Refs - b0908; b2591; b2592]
- a **quassi** (Karsch), 1895; *Polyommatus* OD: *Ent. Nachr.* 21:305 [b2694] CG: *Lepidochrysops* [Type: ZMHU] [TypeL - Ashanti.] [Refs - b4400; b2693 (as *negus*); b1452; b0836; b2694; b0359]
- e **ab. quatuorplaga** (Courvoisier), 1903; *Lycena* OD: *Mitt. schweiz. ent. Ges.* 11:22 [b0981] SS: *icarus* (Rottemburg), 1775; *Polyommatus* [Refs - b0471]
- a **quebradivaga** Johnson & Miller, 1991; *Ministrymon* OD: *Acta ent. Chilena* 16:186, f 1-5 [b2636] [Type: AMNH-ht] [TypeL - Copda, Tarapacá region, Chile] [Refs - b2636]
- b **queda** (Corbet), 1938; *Pratapa* OD: *Proc. R. ent. Soc. Lond.* (B)7(4):172 [b0937] SS: *cleobis* (Godart), [1824]; *Creon* [TypeL - Malaya.] [Refs - b0964; b0965; b1454]
- c **querceti** (Moore), [1858]; *Amblypodia* OD: *In Cat. Lep. Ins. E. India Co.* (1):43, n 64 [b3219] SS: *rama* (Kollar), [1844]; *Arhopala* j [Type: BMNH-ht] [TypeL - N. India.] [Refs - b1644; b2747; b0996; b2479; b4094; b4092]
- b **quercetorum** (Moore), [1858]; *Amblypodia* OD: *In Cat. Lep. Ins. E. India Co.* (1):42, pl 1a, f 7 [b3219] SS: *vivama* (Horsfield), [1829]; *Surendra* [TypeL - Mont. Kasiyae.] [Type of - *Surendra*] [Refs - b1636; b2280; b2747; b4094; b0696; b0694]
- e **quercii** (Verity), 1919, 1919-1922, (RA); *Cyaniris* OD: *Ent. Rec.* 31:45 [b4840] SS: *semiargus* (Rottemburg), 1775; *Polyommatus* (*Cyaniris*) [Type: MZS-st] [Refs - b2856; b0236; b0471]
- **f. quercii** (Turati), 1923; *Chrysophanus* OD: *Atti Soc. ital. Sci. nat.* 62:42 [b4747] SS: *virgaureae* (Linnaeus), 1758; *Lycena* (*Heodes*) [TypeL - Appennines.] [Refs - b0236; b0471]

- b **quercivora** (Staudinger), 1887; *Thecla* OD: In Romanoff, Mém. Lép. 3:132, pl 6, f 2a,b [b4331] SS: signata (Butler), [1882]; Wagimo [TypeL - Amurland.] [Refs - b4115; b2827; b2479; b1900; b2866; b4214; b4926; b4092; b1455]
- a **quercoides** (Röber), [1886]; *Amblypodia* OD: CorrespBl. ent. Ver. Iris 1(3):72, pl 5, f 9 [b3820] CG: *Arhopala* f [Type: SMT-ht; designated by Takanami, 1989] [Tyô to Ga 40(1):51 [b4602]] [TypeL - Celebes.] [Refs - b1644; b4094; b2200; b1454; b4602]
- a **quercus** (Linnaeus), 1758; *Papilio* OD: Syst. nat. (ed. 10) 1:482 [b2993] CG: *Quercusia* [TypeL - Europe.] [Type of - *Quercusia*] [Refs - b2280; b2375; b3059; b1213; b2747; b2747; b0996; b1780; b2827; b1399; b4545; b0236; b2380; b2300; b1183; b4950; b2794; b4214; b2985; b4881; b1941; b4925; b3366; b4200; b3296; b2859; ns0365; ns0742; ns4647; b4092]
- c **quercus** (Rühl), 1893, 1892-1893; *Thecla* OD: In Palae. Grossschmett. 1:188 [b3901] SS: *taxila* (Bremer), 1861; *Neozephyrus* [Refs - b2463]
- e ♀ **quercus** Kardakoff, 1928; *Neozephyrus* OD: Ent. Mitt. 17:271, pl 7, f 16 [b2692] SS: *taxila* (Bremer), 1861; *Neozephyrus* [Refs - b3778; b2866; b0236; b0471]
- e **quesnelii** dos Passos, 1964, (ISS); *Celastrina* OD: Mem. Lep. Soc. (1):69 [b1321] SS: *quesnellii* (Cockle), 1910; *Celastrina* [Refs - b1321]
- c **quesnellii** (Cockle), 1910; *Cyaniris* OD: Can. Ent. 42(6):204 [b0867] SS: *ladon* (Cramer), [1780]; *Celastrina* [Type: CNC-ht] [TypeL - Bala Lake, Quesnelle, (Northern) British Columbia.] [Note - Not spelled *quesnelii*.] [Refs - b3192; b0908 (as *quesnelii*); b1321 (as *quesnelii*)]
- a **questiauxi** Aurivillius, 1903; *Aphnaeus* OD: Ark. Zool. 1:252, f 6 [b0158] [TypeL - Congo.] [Refs - b4387; b1452; b4400]
- a **quevara** Fruhstorfer, [1912]; *Rapala* OD: Berl. ent. Z. 56(3/4):262 [b1850] [Refs - b4094]
- a **quickelbergi** Tite & Dickson, 1968; *Aloeides* OD: Bull. Br. Mus. nat. Hist. (Ent.) 21(7):381, pl 3, f 54,55,65,66 [b4684] [Type: BMNH-ht] [TypeL - Robinson Pass, Cape Province, S. Africa.] [Refs - b4684; b1259; b1452]
- a **quickelbergi** Swanepoel, 1970; *Lepidochrysops* OD: Novos Taxa ent. (64):9, f [b4558] [TypeL - Cape Province, S. Africa.] [Refs - b1259; b1452]
- a **quindiensis** (Draudt), [1919], 1917-1924; *Thecla* OD: In Seitz, Grossschmett. Erde 5:758, pl 153-e [b1348] CG: *Theclorurina* [TypeL - Quindiu Pass, Colombia.] [Refs - b0908; b2631; b0125; b2610]
- b **quinoni** (Weeks), 1906; *Nymphidium* OD: Ent. News 17(6):201 [b4969] SS: *agle* (Hewitson), [1853]; *Synargis* [TypeL - Venezuela.] [Refs - b4475]
- e **quinquemaculata** (Sharp), [1914], (ISS); *Hermathena* OD: Zool. Rec. 50(1913)(Ins.):335 [b4143] SS: *quinquemaculata* (Mengel), 1913; *Adelotypa* [Refs - b4143]
- a **quinquemaculata** (Mengel), 1913; *Hermathena* OD: Ent. News 24(3):112, f [b3156] CG: *Adelotypa* [TypeL - Neiva, Colombia.] [Refs - b4475; b3156; b1456]
- e **ab. quinquepunctata** (Courvoisier), 1903; *Lycaena* OD: Mitt. schweiz. ent. Ges. 11:22 [b0981] SS: *icarus* (Rottemburg), 1775; *Polyommatus* [Refs - b0471]
- a **quintana** Johnson, 1991; *Calystryma* OD: Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (21):13, f [b2606] [Type: AMNH-ht] [TypeL - Consejo, Corozal Dist., Belize.] [Refs - b0125; b2606]
- a **rabatta** (Dyar), 1916; *Caria* OD: Proc. U. S. natn. Mus. 51:1 [b1447] CG: *Calephelis* [Type: USNM-ht] [TypeL - Sierra de Guerrero, Mexico.] [Refs - b4474; b1447]
- c **rabe** (Boisduval), 1833; *Lycaena* OD: Nouv. Ann. Mus. Hist. nat. (Paris) 2(2):173 [b0459] SS: *phidias* (Fabricius), 1793; *Leptomyrina* [Refs - b4400; b2747]
- c **rabefaner** (Mabille), 1877; *Lycaena* OD: Bull. Soc. ent. Fr. (5)7:lxix [b3038] SS: *pirithous* (Linnaeus), 1767; *Leptotes* [TypeL - Madagascar.] [Note - Not spelled *rabenafer*.] [Refs - b0995; b0236; b1452 (as *rabenafer*); b3038; b4400]
- e **rabenafer** d'Abreira, 1980, (ISS); *Leptotes* OD: Butts Afrotropical Region :547 [b1452] SS: *rabefaner* (Mabille), 1877; *Leptotes* [Refs - b1452]
- e ♀ **ab. rabulana** Stichel, 1910; *Metacharis* OD: Gen. Insectorum 112(A):142 [b4446] SS: *regalis* Butler, 1867; *Metacharis* [Type: pc-st; collection of Stichel] [TypeL - Pozuzo, Peru.] [Refs - b4446]
- b **rabuscula** (Stichel), 1910; *Lymnas* OD: Gen. Insectorum 112(A):202 [b4446] SS: *iarbas* (Fabricius), 1787; *Melanis* [Type: ZMHU-st] [TypeL - Amazonas, Peru.] [Refs - b4474; b4446]
- b **raddatzi** Schröder & Treadaway, 1984; *Jamides* OD: Ent. Zeit. 94(12):170 [b3981] SS: *cyta* (Boisduval), 1832; *Jamides* [Type: pc-ht; collection of Treadaway.] [TypeL - Mt. Guiting-Guiting, Sibuyan Island, Philippines.] [Refs - b3981]
- e **radialio** (Comstock & Huntington), 1963, 1958-1964, (ISS); *Thecla* OD: J. New York ent. Soc. 71(1):49 [b0908] SS: *radialio* (H. H. Druce), 1907; *Thereus* [Refs - b0908]
- e **ab. radiata** (Gaschet & Mabille), 1877; *Lycaena* OD: Bull. Soc. ent. Fr. (5)7:lxiii [b1921] SS: *bellargus* (Rottemburg), 1775; *Polyommatus* (*Lysandra*) [Refs - b0236]
- a **radiata** Godman & Salvin, [1886], 1879-1901; *Esthemopsis* OD: Biol. centr.-amer., Lep. Rhop. 1:486; 3pl 42, f 5 [b1975] CG: *Esthemopsis* [TypeL - Costa Rica.] [Type of - *Voltinia*] [Refs - b2280; b4474; b1456]
- e **radiata** Oberthür, 1896; *Lycaena* OD: Étud. ent. 20:9, pl 5, f 69 [b3436] SS: *dispar* ((Haworth)), 1802; *Lycaena* (*Thersamolycaena*) [Refs - b0389; b4092]
- e **radiata** Tutt, 1896; *Lycaena* OD: Brit. Butts :153 [b4758] SS: *phlaeas* (Linnaeus), 1761; *Lycaena* (*Lycaena*) [Refs - b0389; b4760 (:369); b4092]
- e **ab. radiata** (Courvoisier), 1903; *Lycaena* OD: Mitt. schweiz. ent. Ges. 11:22 [b0981] SS: *daphnis* ((Denis & Schiffermüller)), 1775; *Polyommatus* (*Meleageria*) [Refs - b0471]
- c **radiata** Lathy, 1903; *Pentila* OD: Trans. ent. Soc. Lond. 51(2):195, pl 8, f 3 [b2912] SS: *pauli* Staudinger, [1888]; *Pentila* [TypeL - Nigeria.] [Refs - b0836; b4420; b4400]
- e **ab. radiata** (Oberthür), 1906; *Lycaena* OD: Bull. Soc. ent. Fr. 1906(5):57,58 [b3442] SS: *escheri* (Hübner), [1823]; *Polyommatus* (*Plebicula*) [Refs - b0236; b0471]
- e **ab. radiata** (Courvoisier), 1907; *Chrysophanus* OD: Z. wiss. Insektbiol. 3:35 or 37 [b0982] SS: *tityrus* (Poda von Neuhaus), 1761; *Lycaena* (*Heodes*) [Refs - b0236; b0389; b0471]
- e **ab. radiata** (Courvoisier), 1907; *Chrysophanus* OD: Z. wiss. Insektbiol. 3(2):37 [b0982] SS: *hippochoe* (Linnaeus), 1761; *Palaeochrysophanus* [Refs - b3059; b0389; b0984; b0471]
- e **radiata** (Courvoisier), 1907; *Chrysophanus* OD: Z. wiss. Insektbiol. 3:37 [b0982] SS: *dispar* ((Haworth)), 1802; *Lycaena* (*Thersamolycaena*) [Refs - b0389; b0471]
- e **ab. radiata** (Courvoisier), 1907; *Lycaena* OD: Z. wiss. Insektbiol. 3:37 [b0982] SS: *phyllis* (Christoph), 1877; *Polyommatus* (*Agrodiaetus*) [Refs - b0236; b0471]
- e **ab. radiata** (Courvoisier), 1907; *Lycaena* OD: Z. wiss. Insektbiol. 3:37 [b0982] SS: *bellargus* (Rottemburg), 1775; *Polyommatus* (*Lysandra*) [Refs - b0236]

- e *ab. radiata* Spuler, 1907, 1901-1908; *Lycaena* OD: Schmett. Europ. 1:58 [b4296] SS: tityrus (Poda von Neuhaus), 1761; *Lycaena* (Heodes) [Refs - b0236; b0389]
- e *ab. radiata* Spuler, 1907, 1901-1908; *Lycaena* OD: Schmett. Europ. 1:58 [b4296] SS: phlaeas (Linnaeus), 1761; *Lycaena* (*Lycaena*) [Refs - b0236; b0389; b0471]
- e *ab. radiata* (Blachier), 1909; *Lycaena* OD: Bull. Soc. Lép. Genève 1(4):380, pl 9, f 8 [b0435] SS: aegidion (Meisner), 1818; *Plebejus* [Refs - b0236]
- a *radiata* (Bethune-Baker), 1910; *Lycaenesthes* OD: Trans. ent. Soc. Lond. 58(1):55, pl 2, f 15 [b0343] CG: Anthene [Type: BMNH-hi] [TypeL - Sierra Leone.] [Refs - b1452; b0836; b4400]
- e *ab. radiata* (Courvoisier), 1910, 1910-1911; *Lycaena* OD: Ent. Zeit. 24:99 [b0985] SS: sephyrus (Frivaldszky von Frivald), 1835; *Plebejus* (*Plebejides*) [Refs - b0236; b0471]
- e *ab. radiata* (Courvoisier), 1910, 1910-1911; *Chrysophanus* OD: Ent. Zeit. 24:155 [b0985] SS: hippothoe (Linnaeus), 1761; *Palaeochrysophanus* [Refs - b0236; b0471]
- e *ab. radiata* (Courvoisier), 1910, 1910-1911; *Lycaena* OD: Ent. Zeit. 24:148 [b0985] SS: eros (Ochsenheimer), 1807; *Polyommatus* [Refs - b0236; b0471]
- e *ab. radiata* (Courvoisier), 1910, 1910-1911; *Lycaena* OD: Ent. Zeit. 24:89 [b0985] SS: argus (Linnaeus), 1758; *Plebejus* [Refs - b0471; b0985]
- e *ab. radiata* (Courvoisier), 1910, 1910-1911; *Lycaena* OD: Ent. Zeit. 24:203 [b0985] SS: argus (Linnaeus), 1758; *Plebejus* [Refs - b0471]
- e *ab. radiata* Oberthür, 1910; *Lycaena* OD: Étud. Lép. comp. 4:108, f 332,333 [b3451] SS: tityrus (Poda von Neuhaus), 1761; *Lycaena* (Heodes) [Refs - b0236; b0389; b0471]
- e *ab. radiata* (Oberthür), 1910; *Lycaena* OD: Étud. Lép. comp. 4:159, pl 49, f 410,413 [b3451] SS: theophrastus (Fabricius), 1793; *Tarucus* [Refs - b1642; b0236; b0471]
- e *ab. radiata* (Oberthür), 1910; *Lysandra* OD: Étud. Lép. comp. 4:269, pl 19, f 62 [b3451] SS: bellargus (Rottemburg), 1775; *Polyommatus* (*Lysandra*) [Refs - b0236; b0471]
- e *f. radiata* Oberthür, 1910; *Plebejus* OD: Étud. Lép. comp. 4:185, pl 38, f 251 [b3451] SS: argus (Linnaeus), 1758; *Plebejus* [Refs - b0236; b0471]
- e *ab. radiata* Oberthür, 1910; *Polyommatus* OD: Étud. Lép. comp. 4:239, pl 41, f 299 [b3451] SS: icarus (Rottemburg), 1775; *Polyommatus* [Refs - b0236]
- e *ab. radiata* (Oberthür), 1910; *Lycaena* OD: Étud. Lép. comp. 4:253 [b3451] SS: agestis ((Denis & Schiffemüller)), 1775; *Plebejus* (*Aricia*) [Refs - b0471; b3451]
- e *ab. radiata* (Oberthür), 1910; *Lycaena* OD: Étud. Lép. comp. 4:281 [b3451] SS: coridon (Poda von Neuhaus), 1761; *Polyommatus* (*Lysandra*) [Refs - b0236; b0471]
- e *ab. radiata* (Courvoisier), 1911, 1910-1911; *Chrysophanus* OD: Ent. Zeit. 24:255 [b0985] SS: alciphron (Rottemburg), 1775; *Lycaena* (*Alciphronia*) [Refs - b0236; b0389; b0471]
- e *ab. radiata* (Siepi & Verity), 1911; *Lycaena* OD: Boll. Soc. ent. ital. 42:275, pl 1, f 16 [b4226] SS: escheri (Hübner), [1823]; *Polyommatus* (*Plebicula*) [Refs - b0236; b0471]
- e *radiata* (Turati & Verity), [1911], (IFS); *Chrysophanus* OD: Boll. Soc. ent. ital. 42:247 [b4753] SS: columbanus (Prumer), 1798; *Lycaena* (*Alciphronia*) [Type: MZS-hi] [Refs - b2856; b0236; b0389; b0471]
- e *ab. radiata* (Courvoisier), 1912; *Lycaena* OD: Deut. ent. Zeit. [Iris] 26:53 [b0987] SS: coridon (Poda von Neuhaus), 1761; *Polyommatus* (*Lysandra*) [Refs - b0236]
- e *f. radiata* Vorbrodt, 1912; *Satyrium* OD: Schmett. Schweiz 1:106 [b4885] SS: spini ((Denis & Schiffemüller)), 1775; *Satyrium* [Refs - b0236]
- e *ab. radiata* (Gelin), 1914; *Lysandra* OD: Bull. Soc. ent. Fr. 1914(6):183, pl 3, f 1 [b1926] SS: bellargus (Rottemburg), 1775; *Polyommatus* (*Lysandra*) [Refs - b0236]
- e *ab. radiata* (Courvoisier), 1920; *Zizara* OD: Deut. ent. Zeit. [Iris] 34:236 [b0995] SS: maha (Kollar), [1844]; *Pseudozizeeria* [Refs - b0995; b0236; b0471]
- e *ab. radiata* (Kozhanchikov), 1923; *Lycaena* OD: Ezheg. gosud. Muz. N. M. Mart'yanova 1:12 [b2835] SS: cyane (Eversmann), 1837; *Polyommatus* (*Agrodiaetus*) [TypeL - Siberia.] [Refs - b0236; b3796; b0471]
- b *radiata* Bethune-Baker, 1926; *Epitola* OD: Ann. Mag. nat. Hist. (9)17:393 [b0362] SS: viridana Joicey & Talbot, 1921; *Epitola* [TypeL - Kameruns.] [Refs - b3842; b1452; b4400]
- e *ab. radiata* (Romieux), 1926; *Lycaena* OD: Bull. Soc. Lép. Genève 5:142 [b3851] SS: decolorata Staudinger, 1886; *Everes* [TypeL - France.] [Refs - b0400]
- e *radiata* (Hannemann), 1931, (IFS); *Chrysophanus* OD: Int. ent. Z. 24(37/38):401 [b2134] SS: marchica (Hannemann), 1928; *Helleia* A [TypeL - Germany.] [Refs - b0069]
- e *ab. radiata* (Valle), 1935; *Chrysophanus* OD: Anim. fem. 2 I. Diurna :134 [b4789] SS: amphidamas (Esper), [1781]; *Helleia* A [TypeL - Finland.] [Refs - b0079]
- e *f. radiata* (Nordmann), 1939; *Chrysophanus* OD: Notulae ent. 19:37, f 7 [b3407] SS: amphidamas (Esper), [1781]; *Helleia* A [TypeL - Finland.] [Refs - b0389]
- e *radiata* Le Moul, 1940, 1939-1940, (IFS); *Helicopis* OD: Novit. ent. (16):127 [b2943] SS: cupido (Linnaeus), 1758; *Helicopis* [Type: AME-hi] [Refs - b3199]
- c *f. radiata* (Rebillard), 1958; *Pachytone* OD: Mém. Mus. nat. Hist. nat. (A)15:186 [b3717] SS: lateritia Bates, [1868]; *Pachytone* [Type: MNHN-hi] [TypeL - Uypiranga, Upper Amazon, Brazil.] [Refs - b3717; b0093]
- a *radiatio* (H. H. Druce), 1907; *Thecla* OD: Proc. zool. Soc. Lond. 1907(3):586, pl 34, f 8 [b1375] CG: *Thereus* [Type: BMNH; Godman collection.] [TypeL - Pará, Brazil.] [Refs - b4137; b1375; b0908 (as radialio); b2593; b2597]
- e *ab. radiosa* (Gaschet & Mabile), 1877; *Lycaena* OD: Bull. Soc. ent. Fr. (5)7:lxiv [b1921] SS: coridon (Poda von Neuhaus), 1761; *Polyommatus* (*Lysandra*) [Refs - b0236; b0471]
- a *radiosa* Zikán, 1952; *Lepricomis* OD: *Dusenya* 3:37, f [b5074] [TypeL - Brazil.]
- c *rafflesii* de Nicéville, 1890; *Arhopala* OD: Butts India Burmah Ceylon 3:248 [b1153] SS: pseudomuta (Staudinger), 1889; *Arhopala* f [Type: BMNH-hi] [TypeL - Singapore.] [Refs - b1153; b4094; b1544]
- b *rahmanni* (Jumalon), 1975; *Pratapa* OD: Tyô to Ga 26(2):63, f [b2673] SS: mamertina (Hewitson), [1869]; *Paruparo* [TypeL - Catmon, St. Bernard, Leyte, Philippines.] [Refs - b0107; b2201]
- e *raiatas* (Riley & Corbet), 1938; *Jamides* OD: Trans. R. ent. Soc. Lond. 87(5):174 [b3786] SS: rajatus Fruhstorfer, 1915; *Lampides* [Refs - b3786]
- b *raja* Sugiyama, 1993; *Chrysozephyrus* OD: *Pallarge* 2:9, f [b4541] SS: teiso (Sonan), 1941; *Chrysozephyrus* [TypeL - Sichuan, China.] [Refs - b0126]
- c *rajah* Moulton, [1912]; *Arhopala* OD: J. Straits Brch. R. asiat. Soc. 60:142 [b3259] SS: trogon (Distant), 1884; *Arhopala* m [Type: BMNH-hi] [TypeL - Sarawak, Borneo.] [Refs - b1644; b4141 (as sajah); b4108]
- c *rajata* Corbet, 1940; *Poritia* OD: Trans. R. ent. Soc. Lond. 90(11):343 [b0950] SS: phama H. H. Druce, 1895; *Poritia* [Type: BMNH-hi] [TypeL - N. E. Sumatra.] [Refs - b1572; b1573; b0950]

- a **rajatus** Fruhstorfer, 1915; *Lampides* OD: Arch. Naturgesch. (A)81(6):19 [b1865] [Type: BMNH-ht] [TypeL - Central Tonkin.] [Refs - b4094; b1865; b3786; b4143 (as *raiatius*); b1865]
- e **rukma** (Sharp), [1890], (ISS); *Aphnaeus* OD: Zool. Rec. 26(1889)(Ins.):224 [b4124] SS: *rukma* (de Nicéville), [1889]; *Spindasis* [Refs - b4124]
- a **ralanda** Corbet, 1941; *Arhopala* OD: Proc. R. ent. Soc. Lond. (B)10(9):160 [b0956] CG: *Arhopala* f [Type: BMNH-ht] [TypeL - Tavoy.] [Refs - b1644; b0956; b1454]
- b **raluana** Ribbe, 1899; *Nacaduba* OD: Deut. ent. Zeit. [Iris] 12:231 [b3738] SS: *pactolus* (C. Felder), 1860; *Nacaduba* [TypeL - Neu Pommern, Neu Lauenburg.] [Refs - b4676; b1450; b4094]
- a **rama** (Kollar), [1844]; *Thecla* OD: In Hügél, Kaschmir 4(2):412, pl 4, f 1,2 [b2821] CG: *Arhopala* j [TypeL - Himalayas.] [Refs - b1644; b2747; b0996; b4094; b2479; b1454; b4092]
- b **ramaini** (Le Moults), 1942; *Heodes* OD: Novit. ent. 11-12:141 [b2944] SS: *dispar* ([Haworth]), 1802; *Lycaena* (*Thersamolycaena*) [TypeL - Ural Mts.] [Refs - b2944]
- b **rambringi** (Høegh-Guldberg), 1966; *Aricia* OD: Natura jutl. 13:79 [b2399] SS: *artaxerxes* (Fabricius), 1793; *Plebejus* (*Aricia*) [Refs - b2401; b2399]
- b **ramburi** (Verity), 1913; *Aricia* OD: J. linn. Soc. Lond., Zool. 32(215):189 [b4835] SS: *morronensis* (Ribbe), 1910; *Plebejus* (*Aricia*) [Note - Replacement name for *idas Rambur, 1842.*] [Refs - b3059; b1762; b0993; b2856; b2794; b4366; ns0453]
- b **rameli** (Stichel), 1930; *Argyrogramma* OD: Lep. Cat. Pars 40:525 [b4474] SS: *trochilia* (Westwood), [1851]; *Argyrogrammana* [Type: biblio] [TypeL - Teffé, Amazonas, Brazil.] [Refs - b4474]
- a **ramnika** d'Abbrera, 1980; *Anthene* OD: Butts Afrotropical Region :532, f [b1452] [Type: BMNH-ht] [TypeL - Buta, Yopou District, British Congo.] [Refs - b0113; b1452]
- a **ramon** (Dognin), 1887; *Lycaena* OD: Naturaliste 9=(2)1(16):189, f 4 [b1293] CG: *Hemiargus* [Type: BMNH-ht; designated by Bálint, 1993] [Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (29):14 [b0207]] [TypeL - Loja, Ecuador.] [Refs - b0908; b3326; b3846; b4782; b0207]
- b **ramonza** (Saalmüller), 1878; *Cupido* OD: Ber. Senckenb. naturf. Ges. 1877-78:84 [b3905] SS: *philippus* (Fabricius), 1793; *Hypolycaena* [TypeL - Madagascar.] [Refs - b1452; b4400; b2920]
- b **ramosa** (Evans), 1925; *Amblypodia* OD: J. Bombay nat. Hist. Soc. 30(3):634 [b1633] SS: *rama* (Kollar), [1844]; *Arhopala* j [Type: BMNH-ht] [TypeL - N. Shan States.] [Refs - b1644; b1454]
- b **ramsdeni** (Skinner), 1912; *Mesosemia* OD: Ent. News 23(3):126 [b4240] SS: *carteri* (Holland), 1902; *Dianesia* [TypeL - Cuba.] [Refs - b4474; b0540 (in *Apodemia*); b2156; b1456]
- b **rana** de Nicéville, [1889]; *Horaga* OD: J. asiat. Soc. Bengal, Pt II 57(4):283, pl 14, f 10 [b1151] SS: *onyx* (Moore), [1858]; *Horaga* [TypeL - South Andaman Islands.] [Refs - b1012; b1636; b2078; b4094; b1454; b0694]
- c **rana** (Schaus), 1902; *Thecla* OD: Proc. U. S. natn. Mus. 24(1262):414 [b3948] SS: *eurytulus* (Hübner), [1819]; *Strymon* [Type: USNM-ht; #5939] [TypeL - Castro, Parana, Brazil.] [Refs - b0908; b3948; b1375]
- b **rangnowi** (Koçak), 1980; *Lycaeides* OD: Nota lepid. 2(4):141 [b2790] SS: *argyrognomon* (Bergsträsser), [1779]; *Plebejus* (*Lycaeides*) [Type: biblio; replacement for *violaceus Rangnow, 1935*] [Refs - b0113; b2790]
- b **ranta** Swinhoe, 1897; *Rapala* OD: Ann. Mag. nat. Hist. (6)19:409 [b4572] SS: *nissa* (Kollar), [1844]; *Rapala* [TypeL - Assam.] [Refs - b1636; b4094; b0694]
- a **rantaizana** Wileman, 1910; *Orthomiella* OD: Entomologist 43:93 [b5007] [TypeL - Formosa.] [Refs - b4198; b1767; b0236; b5053; b1454 (as *ssp of pontis*); b2388]
- c **rapahoe** (Reakirt), 1866; *Lycaena* OD: Proc. ent. Soc. Philad. 6(1):146 [b3696] SS: *lycea* (Edwards), 1864; *Plebejus* (*Icaricia*) [Type: FMNH-st] [TypeL - Rocky Mountains, Colorado.] [Refs - b0908; b2747; b3192; b1321]
- a **rapaloides** (Naritomi), 1941; *Thecla* OD: Ent. World 9(91):619, pl 4, f 5 [b3340] CG: *Dendorix* [Note - Known from only two specimens.] [Refs - b4198; b5053; b3343; b1454; b3340]
- b **rapara** Fruhstorfer, 1916; *Nacaduba* OD: Zoöl. Meded. 2(2):128 [b1873] SS: *berenice* (Herrich-Schäffer), 1869; *Nacaduba* [TypeL - Bawean.] [Refs - b4676; b0938; b4094; b1454]
- a **raphaelis** (Oberthür), 1880; *Thecla* OD: Étud. ent. 5:20, pl 5, f 14a,b [b3422] CG: *Coreana* [TypeL - Askold and Amurland.] [Type of - Coreana] [Refs - b4115; b2280; b0996 (:f 1); b2827 (*Thecla*); b2479; b1900; b2866; b4214; b4200; b4092; b2392; b3494]
- a **rarasana** Sonan, 1936; *Horaga* OD: Zephyrus 6(3/4):207, pl 14, f 4 [b4278] [TypeL - Formosa.] [Refs - b1012; b4198; b5053; b1454; b4278]
- a **rarasanus** (Matsumura), 1939; *Zephyrus* OD: Ins. matsumur. 13:110, f [b3106] CG: *Chrysozephyrus* [Type: pc-ht; collection of S. Hirayama.] [TypeL - Mt. Rara, Formosa.] [Refs - b4198; b5053; b4214; b4200; b3296; b1454; b4183; b2463; b2815]
- b **ras** Talbot, 1935; *Pentila* OD: Ent. mon. Mag. 71:70 [b4623] SS: *pauli* Staudinger, [1888]; *Pentila* [TypeL - Abyssinia.] [Refs - b1784 :274; b1452; b4623; b4420; b4400]
- e **rasa** Verity, 1920, 1919-1922, (NN); *Polyommatus* OD: Ent. Rec. 32:145 [b4840] SS: *icarus* (Rottemburg), 1775; *Polyommatus* [Refs - b2856; b0236; b0471]
- e **rasa** Verity, 1920, (NN); *Polyommatus* OD: Boll. Lab. Zool. Portici 14:48 [b4841] SS: *icarus* (Rottemburg), 1775; *Polyommatus* [Refs - b2856]
- e **rasa** Verity, 1943, (RA); *Polyommatus* OD: Farfalle Diurne Ital. 2:249 [b4862] SS: *icarus* (Rottemburg), 1775; *Polyommatus* [Type: MZS-ht?] [Refs - b2856]
- a **rasonea** (Schaus), 1902; *Eurygona* OD: Proc. U. S. natn. Mus. 24(1262):398 [b3948] CG: *Euselasia* [Type: USNM-ht; #5895] [TypeL - Cucuta, Venezuela.] [Refs - b4474; b3948; b1456]
- c **rattrayi** E. Sharpe, 1904; *Aphnaeus* OD: Entomologist 37:203 [b4161] SS: *hollandi* Butler, 1902; *Aphnaeus* [TypeL - Toro.] [Refs - b4387; b4400]
- a **rauparaha** (Fereday), [1877]; *Chrysophanus* OD: Trans. Proc. New Zealand Inst. 9:462 [b1697] CG: *Helleia* [TypeL - New Zealand.] [Refs - b2488; b1610 (121-E12); b0113; b1697; b4094]
- b **rauraca** (Beuret), 1934; *Lycaeides* OD: Lambillionea 34:119 [b0371] SS: *idas* (Limaeus), 1761; *Plebejus* (*Lycaeides*) [Refs - b0072; b0410]
- a **rava** (Holland), 1892; *Hypolycaena* OD: Ann. Mag. nat. Hist. (6)10:286 [b2425] CG: *Hypokopelates* [TypeL - W. Africa.] [Note - Possibly a synonym of *aruma Hewitson. Not spelled rave.*] [Refs - b2425; b4400]
- a **rava** Stichel, 1928; *Euselasia* OD: Z. wiss. InsektBiol. 23:46 [b4468] [TypeL - Bolivia.] [Refs - b4474]

- b **ravata** (Moore), [1866]; Myrina OD: Proc. zool. Soc. Lond. 1865(3):776, pl 41, f 11 [b3221] SS: jangala (Horsfield), [1829]; Remelana [TypeL - Bengal.] [Refs - b1636; b1153; b2747; b4094; b2201; b1454; b0694]
- b **ravidula** Stichel, 1910; Emesis OD: Berl. ent. Z. 55(1/2):41 [b4445] SS: tenedia Felder & Felder, 1861; Emesis [Type: pc-st; collection of Stichel] [TypeL - Paraguay.] [Note - Often seen as a synonym of *awrelia* Bates, 1867.] [Refs - b4475; b2221; b0420; b0093; b1456; b4445]
- a **ravindra** (Horsfield), [1828], 1828-1829; Thecla OD: Descr. Cat. lepid. Ins. (1):explic. pl 1, f 11,11a [b2457] CG: Drupadia [Type: BMNH-ht] [TypeL - Java, Indonesia.] [Type of - Drupadia] [Refs - b1030; b0964; b2280; b0965; b4094; b2747; b0105; b4950; b2201; b1454; b0694]
- b **ravindrana** (Staudinger), 1889; Sithon OD: Deut. ent. Zeit. [Iris] 2(1):108 [b4332] SS: ravindra (Horsfield), [1828]; Drupadia [Type: BMNH-ht] [TypeL - Palawan, Philippines.] [Refs - b1030; b4094; b0105; b2201; b1454]
- a **ravus** H. H. Druce, 1907; Thecla OD: Proc. zool. Soc. Lond. 1907(3):582, pl 33, f 12 [b1375] CG: Thecla (New World Eumaeini) [Type: BMNH] [TypeL - Amazons, Brazil.] [Note - Druce says "allied to *minyia*".] [Refs - b0908; b1375]
- a **rawlinsi** Johnson, 1990; Penaincisalia OD: Pan-Pac. Ent. 66(2):115, f [b2603] [Type: BMNH-ht] [TypeL - Pecipampa, Recuay, Peru.] [Refs - b0124; b2611]
- a **rawsoni** McAlpine, 1939; Calephelis OD: Bull. Brooklyn ent. Soc. 34(2):75 [b3125] [Type: USNM-ht] [TypeL - Kerrville, Kerr County, Texas.] [Refs - b1530 :248, f 493, 494; b1321 :51; b2988; b2719; b3192; b1342; b4066; b3127]
- a **rayata** Riley, 1939; Sinthusa OD: Novit. zool. 41:360 [b3778] [Type: BMNH-ht] [TypeL - Tien Tsuen, western China.] [Refs - b1455]
- e **Q.f. reakti** Field, 1936, (IFS); Leptotes OD: J. Ent. Zool. 28(2):26 [b1732] SS: marina (Reakti), 1868; Leptotes [Type: USNM-ht] [TypeL - Mesa Butte, Arizona.] [Refs - b0908; b3192; b1321; b1732]
- a **reba** Hewitson, 1869, 1869-1877; Mesosemia OD: Equatorial Lep. Buckley (3):44 [b2330] [TypeL - Ecuador.] [Refs - b2747; b4474; b1456]
- b **rebeli** (Hirschke), 1904; Lycaena OD: Iber. Wien. ent. Ver. 11:109, pl 2, f 1,2 [b2396] SS:alcon ([Denis & Schiffmüller]), 1775; Maculinea [Note - Probably a good species, differing from *alcon* in their specific association with ants during the late larval stages, but difficult to distinguish as adults.] [Refs - b2375; b0993; b1780; b3684; b4865 (as *nebeli*); b0080; b2790; b0400; b2859; ns0305; ns0311; ns0379; b4092; ns1274; b4225; b1407]
- d **rebeli** (Tuleschcow), 1932, (H); Lycaena OD: Mitt. bulgar. ent. Ges. Sofia 7:101 [b4741] OS: kudmai (Koçak), 1980; Polyommatus (Agriades) [TypeL - Bulgaria.] [Refs - b0113; b0070; b2790; b0410]
- c **rebilus** Fruhstorfer, 1913; Allotinus OD: Z. wiss. Insektbiol. 9(12):370 [b1851] SS: unicolor Felder & Felder, 1865; Allotinus (Paragerydus) [Type: BMNH-ht; designated by Eliot, 1986] [Bull. Br. Mus. nat. Hist. (Ent.) 53(1):48 [b1571]] [TypeL - N. Borneo.] [Refs - b1840; b1571; b4108]
- e **ab. recessa** (Carter & Harrison), 1923; Aricia OD: Entomologist 56:107 [b0721] SS: medon (Hüfnagel), 1766; Plebejus (Aricia) [TypeL - England.] [Refs - b0236]
- c **f. rectaserie** Lempke, 1954; Lycaena OD: Tijdschr. Ent. 97:331 [b2981] SS: phlaeas (Linnaeus), 1761; Lycaena (Lycaena) [TypeL - Holland.] [Refs - b0088]
- c **rectifascia** Hulstaert, 1924; Lachnocnema OD: Revue zool. afr. 12(2):119 [b2496] SS: brimo Karsch, 1893; Lachnocnema [TypeL - Belgian Congo.] [Refs - b3796; b2496; b4400]
- c **rectifascia** Hawker-Smith, 1933; Liptena OD: Stylops 2:8 [b2168] SS: durbania (Bethune-Baker), 1915; Liptena [TypeL - Biije, Ja River, Cameroons.] [Refs - b4400]
- a **rectilineata** (Fruhstorfer), [1912]; Aphnaeus OD: Berl. ent. Z. 56(3/4):219 [b1850] CG: Spindasis [TypeL - Umgebung von Lawang.] [Refs - b4094; b1850]
- a **rectivitta** (Moore), 1879; Deudorix OD: Proc. zool. Soc. Lond. 1879(1):141 [b3231] CG: Rapala [Type: BMNH] [TypeL - N. Cachar.] [Note - Also seen as a subspecies of *nissa*.] [Refs - b1636; b4094; b1454; b0694; b3231]
- e **reda** Doubleday, 1847, 1844-1848, (NN); Mesene OD: List Spec. lep. Brit. Mus. (2):7 [b1327] [Refs - b4474]
- a **reducta** (Aurivillius), 1923; Phytala OD: Lepidoptera, IV. In Schubotz 1:1197 [b0171] CG: Hypophytala [TypeL - Malén, Süd-Kamerun.] [Refs - b1452; b0171; b4400]
- a **reducta** Hulstaert, 1924; Euchrysops OD: Revue zool. afr. 12(2):185 [b2496] [TypeL - Congo.] [Refs - b1452; b0836; b2496; b4400; b4393]
- c **reducta** Lathy, 1926; Thecla OD: Ann. Mag. nat. Hist. (9)17:44 [b2918] SS: cyllarus (Cramer), [1775]; Thecla (New World Eumaeini) [Type: MNHN-ht; designated by Johnson, 1991] [J. Lep. Soc. 45(2):148 [b2605]] [TypeL - Rio Tono, Peru.] [Refs - b0908; b0064; b2591; b2918; b2592]
- b **reducta** Lathy, 1926; Euselasia OD: Entomologist 59:145 [b2919] SS: labdacus (Stoll), [1780]; Euselasia [TypeL - Colombia.] [Refs - b4474; b0680 (with labdacus)]
- b **reducta** (Lathy), 1932; Phaenochitona OD: Ann. Mag. nat. Hist. (10)9:69 [b2922] SS: sagaris (Cramer), [1775]; Stichelia [Type: BMNH-st] [TypeL - São Paulo, Brasil.] [Refs - b2922; b1456]
- e **reducta** Le Moul, 1939, 1939-1940, (IFS); Helicopsis OD: Novit. ent. (13):99 [b2943] SS: cupido (Linnaeus), 1758; Helicopsis [Type: AME-pt] [Refs - b3199]
- e **reducta** Beuret, 1953; Helleia OD: Lyc. Schweiz. I :58 [b0389] SS: helle ([Denis & Schiffmüller]), 1775; Helleia A [TypeL - Switzerland.] [Refs - b0389]
- b **reducta** Howarth, 1962; Catochrysops OD: Nat. Hist. Rennell I, Brit. Solomon Is. 4:76 [b2465] SS: amasea Waterhouse & Lyell, 1914; Catochrysops [TypeL - Rennell Island, Solomon Islands.] [Refs - b1450]
- b **reducta** Howarth, 1962; Catochrysops OD: Nat. Hist. Rennell I, Brit. Solomon Is. 4:77, f [b2465] SS: keiria (H. H. Druce), 1891; Catochrysops [TypeL - Rennell Island, Solomon Islands.] [Refs - b1450]
- a **reducta** Stempffer & Bennett, 1963; Falcuna OD: Bull. Br. Mus. nat. Hist. (Ent.) 13(6):189, f [b4421] [Type: BMNH-ht] [Refs - b1452; b4421; b4400]
- b **reducta** Berger, 1981; Larinopoda OD: Papillons du Zaire :239, pl 191, f 9,11 [b0309] SS: lagyra (Hewitson), [1866]; Larinopoda [Type: MRAC-ht] [TypeL - Kapanga, Zaire.] [Refs - b0309]
- a **reducta** Johnson, 1992; Variegatta OD: Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (22):182, f [b2611] [Type: MPM-ht] [TypeL - Parque Viacatic, Petropolis, Brazil.] [Refs - b0125; b2611]
- c **f. refracta** Stichel, 1910; Riodyna OD: Gen. Insectorum 112(A):195 [b4446] SS: lycisca (Hewitson), [1852]; Riodyna [TypeL - Minas Geraes, Brazil.] [Refs - b4474]
- c **refulgens** (Grum-Grshimailo), 1890; Agrodiaetus OD: In Romanoff, Mém. Lép. 4:408 [b2067] SS: poseidon (Herrich-Schäffer), [1851]; Polyommatus (Agrodiaetus) [Refs - b4092]
- a **refulgens** de Nicéville, 1891; Rapala OD: J. Bombay nat. Hist. Soc. 6(3):376, pl F, f 18 [b1155] [TypeL - Khasi Hills.] [Refs - b1636; b1454; b0694]

- a *refusa* (Grose-Smith), 1894; *Holochila* OD: *Novit. zool.* 1:580 [b2037] CG: *Philiris* [TypeL - New Guinea.] [Refs - b4677; b1450]
- a *regalis* (Cramer), [1775], 1775-1790; *Papilio* OD: *Uitl. Kapellen* 1(6):114, pl 72, f E.F. [b1069] CG: *Evenus* [TypeL - Surinam.] [Type of - *Endymion*] [Refs - b2280; b2718; b0908; b2988; b4245; b2747; b2221; b1453; b3818; b1343; b2406; b4950; b2670; b1975; b3805; b2631]
- a *regalis* Butler, 1867; *Metacharis* OD: *Ent. mon. Mag.* 3:175 [b0583] [TypeL - Brasilia.] [Refs - b2747; b4474; b1456]
- a *regalis* (Grose-Smith & Kirby), 1895, 1887-1902; *Thysonotis* OD: *Rhop. exot.* 2(34):28, pl 4, f 4,5 [b2049] CG: *Danis* [TypeL - New Guinea.] [Refs - b1450; b2078; b2388]
- e *regatus* (Johnson & MacPherson & Ingraham), 1986, (ISS); *Electrostrymon* OD: *Bull. Allyn Mus.* (102):5 [b2631] SS: *rugatus* (H. H. Druce), 1907; *Pendantus* [Refs - b2631]
- c *regia* (Boisduval), 1869, 1868-1869; *Lycaena* OD: *Annl. Soc. ent. Belg.* 12:46 [b0468] SS: *sonorensis* (Felder & Felder), 1865; *Philotes* [Type: USNM-ht] [TypeL - Los Angeles, California.] [Type of - *Philotes*] [Refs - b0908; b2280; b2747; b3192; b0400]
- b *regia* Evans, 1921; *Poritia* OD: *J. Bombay nat. Hist. Soc.* 28(1):37 [b1629] SS: *phama* H. H. Druce, 1895; *Poritia* [Type: BMNH-ht] [TypeL - Mergui, Burma.] [Refs - b1636; b0965; b1454; b0694; b1629; b1543]
- b *regia* (Evans), 1925; *Amblypodia* OD: *J. Bombay nat. Hist. Soc.* 30(3):629 [b1633] SS: *cleander* (C. Felder), 1860; *Arhopala* f [Type: BMNH-ht] [TypeL - Mergui.] [Refs - b1644]
- c *regia* Evans, 1925; *Cheritra* OD: *J. Bombay nat. Hist. Soc.* 30(3):766 [b1634] SS: *freja* (Fabricius), 1793; *Cheritra* [Type: BMNH-ht] [TypeL - Mergui Archipelago.] [Refs - b1016; b1636; b0956; b0694; b1634]
- d *regia* (Evans), 1925, (H); *Amblypodia* OD: *J. Bombay nat. Hist. Soc.* 30(3):635 [b1633] OS: *regina* Corbet, 1941; *Arhopala* k [Type: BMNH-ht] [TypeL - Mergui.] [Refs - b1644]
- c *regillus* (Holland), 1891; *Lycaenesthes* OD: *Psyche* 6(179):51 [b2424] SS: *lyzanius* (Hewitson), 1874; *Neurypexina* [TypeL - W. Africa.] [Refs - b4400]
- a *regina* (H. Druce), 1873; *Miletus* OD: *Proc. zool. Soc. Lond.* 1873(2):348, pl 32, f 4 [b1383] CG: *Logania* [Type: BMNH-ht] [TypeL - Borneo.] [Refs - b0964; b0965; b1383; b2753; b1840; b1564; b1571; b4108]
- a *regina* (Butler), 1882; *Holochila* OD: *Ann. Mag. nat. Hist.* (5)10:150 [b0621] CG: *Philiris* [Type: BMNH] [TypeL - Duke-of-York Island.] [Refs - b4677; b0621; b2078]
- c *regina* (Butler), [1882]; *Thecla* OD: *Proc. zool. Soc. Lond.* 1881(4):853 [b0620] SS: *taxila* (Bremer), 1861; *Neozephyrus* [TypeL - Northern Japan.] [Refs - b3778; b0996; b4094; b1900; b3334; b4092; b2463]
- b *regina* (Kirby), 1889; *Thysonotis* OD: *Ann. Mag. nat. Hist.* (6)4:163 [b2765] SS: *danis* (Cramer), [1775]; *Danis* [TypeL - Normanby Island, Louisiade Archipelago.] [Refs - b1450; b2078; b1382]
- c *regina* Grose-Smith & Kirby, 1895, 1887-1902; *Hypochrysops* OD: *Rhop. exot.* 2(32):21, pl 3, f 10,11 [b2049] SS: *delicia* Hewitson, 1875; *Hypochrysops* [Type: BMNH-ht] [TypeL - Molucca, which is incorrect.] [Refs - b2078; b3926]
- b *regina* Corbet, 1941; *Arhopala* OD: *Proc. R. ent. Soc. Lond.* (B)10(9):162 [b0956] SS: *perimuta* (Moore), [1858]; *Arhopala* k [Type: biblio; replacement for *regia* Evans, 1925.] [TypeL - Mergui.] [Refs - b1644; b0956; b1454]
- b *reginae* Schröder & Treadaway, 1982; *Austrozephyrus* OD: *Ent. Zeit.* 92(21):311, f 2 [b3979] SS: *borneana* (Pendlebury), 1939; *Austrozephyrus* [Type: pc-ht; collection of Treadaway.] [TypeL - Brookes Point, Mt. Tuba, South Palawan, Philippines.] [Refs - b3980; b2200; b3979; b1454]
- a *reginaldi* Heron, 1909; *Harpentryreus* OD: *Trans. zool. Soc. Lond.* 19(2):159, pl 5, f 23-26 [b2312] [TypeL - Ruwenzori.] [Type of - *Harpentryreus*] [Refs - b2280; b1452; b4400; b0162]
- a *regipennis* (Butler & H. Druce), 1872; *Eurygona* OD: *Cistula Entomologica* 1(5):103 [b0662] CG: *Euselasia* [Type: BMNH-ht] [TypeL - Costa Rica.] [Refs - b2753; b4474; b1116; b1456]
- e *ab. regnieri* André, 1901; *Polyommatus* OD: *J. Naturalistes* :52, f 1,2 [b0058] SS: *icarus* (Rottemburg), 1775; *Polyommatus* [Refs - b0236; b0471]
- a *regula* Evans, 1954; *Curetis* OD: *Entomologist* 87:215 [b1641] [TypeL - Borneo.] [Refs - b0964; b0965; b1216; b1454; b4594; b0694; b4108]
- c *regularis* Schultz, 1923; *Citrinophila* OD: *In Schubotz* :1173, f [b4018] SS: *terias* Joicey & Talbot, 1921; *Citrinophila* [TypeL - S. Kamerun.] [Refs - b4400]
- a *regulus* (Fabricius), 1793, 1792-1799; *Hesperia* OD: *Ent. syst.* 3(1):318 [b1657] CG: *Synargis* [TypeL - Indii.] [Refs - b2747; b4476; b5076; b1456]
- b *regulus* (Staudinger), [1888], 1884-1888; *Tajuria* OD: *In Exot. Schmett.* 1:276, pl 95 [b4329] SS: *kuehni* (Röber), 1887; *Paruparo* [Type: ZMHU-ht; designated by Takanami, 1989] [Työ to Ga 40(1):32 [b4602]] [TypeL - N. Sulawesi.] [Refs - b4094; b4602]
- a *reichenowii* (Dewitz), 1879; *Plebeius* OD: *Nova Acta Acad. Caesar. Leop. Carol.* 41(2):203 (=31), pl 2, f 14 [b1218] CG: *Lepidochrysops* [TypeL - Guinea.] [Note - Not spelled *reichenowi* or *reichnowi*.] [Refs - b1452 (as *reichnowi*); b1218; b4400 (as *reichenowii*); b0359]
- b *reimi* Seki, 1994; *Arhopala* OD: *Futao* (15):21, pl 3, f 15-16 [b4102] SS: *horsfieldi* (Pagenstecher), 1890; *Arhopala* g [Type: pc-ht; collection of Seki.] [TypeL - Pulau Pagai Selatan, Mentawai.] [Refs - b4102]
- b *rekia* Riley & Godfrey, 1921; *Allotinus* OD: *J. nat. Hist. Soc. Siam* 4(3):180 [b3787] SS: *unicolor* Felder & Felder, 1865; *Allotinus* (*Paragerydus*) [Type: BMNH-ht] [TypeL - East Siam (Thailand).] [Refs - b1571; b1552]
- b *relata* (Distant), 1884, 1882-1886; *Tajuria* OD: *Rhop. malayana* :246, pl 21, f 12 [b1285] SS: *deva* (Moore), [1858]; *Pratapa* [TypeL - Malay Peninsula.] [Refs - b0964; b0965; b4094; b1850; b1454]
- a *remissa* Tite, 1963; *Philiris* OD: *Bull. Br. Mus. nat. Hist.* (Ent.) 14(5):242 [b4677] [Type: BMNH-ht] [TypeL - Kumusi River, British New Guinea.] [Refs - b4677; b1450]
- e *ab. remota* (Tutt), 1906, 1905-1914; *Rumicia* OD: *Nat. Hist. Brit. Butts* 1:361 [b4760] SS: *phlaeas* (Linnaeus), 1761; *Lycaena* (*Lycaena*) [Refs - b0236; b0389; b0471; b4760]
- b *remota* Austin, 1991; *Apodemia* OD: *J. Lep. Soc.* 45(2):137, f [b0183] SS: *hepbumi* Godman & Salvin, [1886]; *Apodemia* [TypeL - Mexico.] [Refs - b0125]
- a *remus* (Hewitson), 1868; *Thecla* OD: *Descr. new Spec. Lycaenidae* :34 [b2327] CG: *Cyanophrys* [Type: BMNH-ht] [TypeL - Novo Friburgo, Brazil.] [Refs - b0908; b2747; b2221; b0420; b2585]
- a *renaldi* (Stoll), [1790], 1780-1790; *Papilio* OD: *In Cramer, Uitl. Kapellen Aanh.*: 59, pl 13, f 1,1a [b4478] CG: *Anteros* [TypeL - America mer.] [Refs - b2988; b2747; b4474; b1456]
- e *renarius* (Butler), [1873], 1869-1874, (ISS); *Tmolus* OD: *Lep. exot.* :162 [b0588] SS: *denarius* (Butler & H. Druce), 1872; *Pendantus* [Refs - b0908]

- b renata** Fruhstorfer, [1912]; *Rapala* **OD**: Berl. ent. Z. 56(3/4):255 [b1850] **SS**: scintilla de Nicéville, 1890; *Rapala* [**TypeL** - Eastern Java.] [Refs - b4094; b1454 (as good species in *Rapala*); b1850; b1573]
- c renatus** (Fabricius), 1787; *Papilio* **OD**: Mantissa Ins. 2:31 [b1656] **SS**: ulrica (Cramer), [1777]; *Mesosemia* [**TypeL** - Surinam.] [Refs - b2747; b4475]
- c regechiana** Matsumura, 1926; *Tajuria* **OD**: Ins. matsumur. 1(1):24, pl 2, f 4 [b3092] **SS**: caerulea Nire, 1920; *Tajuria* [**TypeL** - Formosa.] [Note - *Not spelled regechiana.*] [Refs - b4198; b0236; b1615; b3091]
- a renidens** (Mabille), 1884; *Hypolycaena* **OD**: C. r. Soc. ent. Belg. 28:clxxxvi [b3044] **CG**: Deudorix (*Virachola*) [**TypeL** - Madagascar.] [Refs - b1452; b4400; b2920]
- a renidens** Draudt, [1920], 1917-1924; *Thecla* **OD**: In Seitz, *Grossschmett. Erde* 5:793, pl 157-h [b1348] **CG**: *Thecla* (New World Eumaeini) [**TypeL** - Marecapata, Peru; Bolivia.] [Refs - b0908]
- b rennellensis** Howarth, 1962; *Catochrysops* **OD**: Nat. Hist. Rennell I., Brit. Solomon Is. 4:76 [b2465] **SS**: panomus (C. Felder), 1860; *Catochrysops* [**TypeL** - Rennell Island, Solomon Islands.] [Refs - b1450]
- b renonga** Riley, 1932; *Lycaenopsis* **OD**: J. nat. Hist. Soc. Siam Suppl. 8:251, pl 22, f 4 [b3774] **SS**: Haraldus (Fabricius), 1787; *Lycaenopsis* [**Type**: BMNH-ht] [**TypeL** - Thailand.] [Refs - b1580; b2200]
- b renonga** (Corbet), 1938; *Biduanda* **OD**: J. Fed. Malay St. Mus. 18(2):256 [b0940] **SS**: theda (Felder & Felder), 1862; *Drupadia* [**Type**: BMNH-ht] [**TypeL** - Renong, Peninsular Siam.] [Refs - b1030; b0964; b0965; b0105; b2201; b1454]
- a repercussa** Leech, 1890; *Rapala* **OD**: Entomologist 23:42 [b2963] [**TypeL** - China.] [Refs - b0995; b2479; b4092; b1455]
- e resarta** (Vorbrodh), 1912; *Lycaena* **OD**: Schmett. Schweiz 1:150 [b4885] **SS**: damon ([Denis & Schiffermüller]), 1775; *Polyommatus* (*Agrodiaetus*) [Refs - b0471]
- b resoluta** Cowan, 1974; *Drupadia* **OD**: Bull. Br. Mus. nat. Hist. (Ent.) 29(6):313, pl 2, f 49,52 [b1030] **SS**: ravindra (Horsfield), [1828]; *Drupadia* [**Type**: BMNH-ht] [**TypeL** - Mindoro, Philippines.] [Refs - b1030; b0105; b2201; b1454]
- b resplendens** (Butler), 1876; *Castalius* **OD**: Ann. Mag. nat. Hist. (4)18:484 [b0605] **SS**: hintza (Trimen), 1864; *Zintha* [**TypeL** - Abyssinia.] [Refs - b2753; b1452; b4400; b0162]
- c resplendens** (Bethune-Baker), 1908; *Waigeum* **OD**: Proc. zool. Soc. Lond. 1908(1):125, pl 9, f 12 [b0340] **SS**: herdonius Hewitson, 1874; *Hypochrysops* [**Type**: BMNH-ht] [**TypeL** - Aru Islands.] [Refs - b1450; b2078; b3926; b0340]
- e ab. restricta** (Tutt), 1907, 1905-1914; *Ruralis* **OD**: Nat. Hist. Brit. Butts 2:278 [b4760] **SS**: betulae (Linnaeus), 1758; *Thecla* [Refs - b0236; b4092]
- c restricta** Rothschild, 1916; *Arhopala* **OD**: Rep. B. O. U. Exped. New Guinea 2(15):36, f [b3880] **SS**: chamaeleona Bethune-Baker, 1903; *Arhopala* g [**Type**: BMNH-ht] [**TypeL** - W. New Guinea.] [Refs - b1644; b1450; b3880]
- b restricta** (Talbot), 1928; *Anatole* **OD**: Bull. Hill Mus. 2(3):213, pl 8, f 11,12 [b4617] **SS**: zygia Hübner, [1807]; *Lemonias* [**TypeL** - Mauto Grosso.] [Refs - b4475]
- a restricta** Lathy, 1936; *Thecla* **OD**: Livre jubilaire de M. Eugene-Louis Bouvier :230, pl 8, f 9 [b2925] **CG**: *Thecla* (New World Eumaeini) [**Type**: MNHN-ht; Fournier collection.] [**TypeL** - Salta, Northern Argentina.] [Refs - b0908; b2925; b2591; b2592]
- c restricta** Tite, 1963; *Phileris* **OD**: Bull. Br. Mus. nat. Hist. (Ent.) 14(5):241 [b4677] **SS**: nitens (Grose-Smith), 1898; *Phileris* [**Type**: BMNH-ht] [**TypeL** - Cedar Bay, Australia.] [Refs - b4677; b1610 (7914-E11); b0113; b0976]
- e ab. restrictilineata** (Tutt), 1907, 1905-1914; *Ruralis* **OD**: Nat. Hist. Brit. Butts 2:279 [b4760] **SS**: betulae (Linnaeus), 1758; *Thecla* [Refs - b0236; b0471]
- b reter** H. H. Druce, 1895; *Niphanda* **OD**: Proc. zool. Soc. Lond. 1895(3):576, pl 32, f 12 [b1362] **SS**: cymbia de Nicéville, [1884]; *Niphanda* [**TypeL** - Mt. Kinabalu, Borneo.] [Refs - b1362; b1454; b1840]
- b retiarus** Grose-Smith, 1895; *Zemeros* **OD**: Novit. zool. 2(4):505 [b2038] **SS**: flegyas (Cramer), [1780]; *Zemeros* [**TypeL** - Sambawa.] [Refs - b4473; b1454 (as *retiarus*); b2038; b1840]
- e retiarus** d'Abrera, 1986, (ISS); *Zemeros* **OD**: Butts Oriental Region, Pt 3 :654 [b1454] **SS**: *retiarus* Grose-Smith, 1895; *Zemeros* [Refs - b1454]
- a reticulata** Butler, 1896; *Alaena* **OD**: Ann. Mag. nat. Hist. (6)18:160 [b0645] [**TypeL** - Nyassaland.] [Refs - b1943; b0645; b1452; b4400]
- b reticulum** (Mabille), 1877; *Lycaena* **OD**: Bull. Soc. ent. Fr. (5)7:lxix [b3038] **SS**: sichela (Wallengren), 1857; *Petrelaea* [**TypeL** - Madagascar.] [Refs - b1452; b4400; b2920]
- b retracta** Cowan, 1967; *Ticherra* **OD**: Bull. Br. Mus. nat. Hist. (Ent.) 20(3):86, pl 1-3, 2-15, 3-26 [b1016] **SS**: acte (Moore), [1858]; *Ticherra* [**Type**: BMNH-ht] [**TypeL** - Interior Hainan, China.] [Refs - b1016; b1454]
- e ab. retrojuncta** (Courvoisier), 1907; *Lycaena* **OD**: Z. wiss. InsektBiol. 3:1, f 7 [b0982] **SS**: arion (Linnaeus), 1758; *Maculinea* [Refs - b0236; b0400 (Iris, 26:50, 1912); b0471]
- e retrojuncta** (Courvoisier), 1912; *Lycaena* **OD**: Deut. ent. Zeit. [Iris] 26:45,50, pl 4, f 6 [b0987] **SS**: hylactor (Bergsträsser), [1779]; *Pseudophilotes* [Refs - b0400]
- e f. retrojuncta** (Lempke), 1955; *Aricia* **OD**: Tijdschr. Ent. 98:304 [b2982] **SS**: agestus ([Denis & Schiffermüller]), 1775; *Plebejus* (*Aricia*) [**TypeL** - Holland.] [Refs - b0089]
- e ab. retropuncta** (Courvoisier), 1907; *Lycaena* **OD**: Z. wiss. InsektBiol. 3:50 [b0982] **SS**: argyrognomon (Bergsträsser), [1779]; *Plebejus* (*Lycaeides*) [Refs - b0236; b0471]
- a reutingeri** Holland, 1892; *Lachnocnema* **OD**: Ann. Mag. nat. Hist. (6)10:286 [b2425] [**TypeL** - Benita.] [Refs - b1452; b4400]
- e reverdina** (Seitz), [1924], 1912-1927, (ISS); *Lampides* **OD**: In Seitz, *Grossschmett. Erde* 9:909 [b4094] **SS**: *reverdini* (Fruhstorfer), 1915; *Jamides* [Refs - b4094]
- c reverdini** (Fruhstorfer), 1915; *Thysonotis* **OD**: Soc. ent. 30:51 [b1866] **SS**: syrius Misken, 1890; *Danis* [**TypeL** - Cape York, Australia.] [Note - *Placed as a synonym of syrius on the basis of the type locality.*] [Refs - b1866; b1475]
- a reverdini** (Fruhstorfer), 1915; *Lampides* **OD**: Zoöl. Meded. 1(2):143 [b1863] **CG**: *Jamides* [**TypeL** - New Guinea.] [Refs - b1450; b4094 (as *reverdina*); b1865; b1863; b2388]
- c reverdini** Fruhstorfer, [1915], 1909-1923; *Allotinus* **OD**: In Seitz, *Grossschmett. Erde* 9:812 [b1840] **SS**: melos (H. H. Druce), 1896; *Allotinus* (*Paragerydus*) [**Type**: SMF-It; designated by Eliot, 1986] [Bull. Br. Mus. nat. Hist. (Ent.) 53(1):36 [b1571]] [**TypeL** - Mindanao, Philippines.] [Refs - b1840; b1571; b1552; b4108]
- e reverdini** (Verity), 1916, (IFS); *Lycaena* **OD**: Annls Soc. ent. Fr. 84:516 [b4837] **SS**: rezniceki (Bartel), 1904; *Polyommatus* (*Lysandra*) [Refs - b2856; b1135; b0236; b0471; b4146]
- b reverdini** (Stauder), 1921; *Chrysophanus* **OD**: Deut. ent. Zeit. [Iris] 35:30 [b4312] **SS**: tityrus (Poda von Neuhaus), 1761; *Lycaena* (*Heodes*) [**TypeL** - Lower Italy.] [Refs - b4312; b0236; b3796; b4316; b0471]

- b **reverie** Seki, 1994; *Arhopala* OD: Futao (15):26, pl 4, f 13-16 [b4103] SS: anthelus (Westwood), [1852]; *Arhopala* a [Type: pc-ht; collection of Seki.] [TypeL - Mt. Malindog, Panay Island.] [Refs - b4103]
- b **rex** (Boisduval), 1832; *Simoethus* OD: In d'Urville, Voy. Astrolabe 1(Lép.):72 [b0457] SS: polycletus (Linnaeus), 1758; *Hypochrysops* [TypeL - Offack, Dorei.] [Refs - b1450; b2078; b2747; b0870; b4934; b3926]
- b **rex** Aurivillius, 1909; *Aphnaeus* OD: Ark. Zool. 5(5):5, f 41 [b0164] SS: erikssoni Trimen, 1891; *Aphnaeus* [TypeL - Dutch E. Africa.] [Refs - b1943; b4387; b1259; b1452; b4400]
- c **rex** (Fruhstorfer), 1913; *Gerydus* OD: Z. wiss. InsektBiol. 9(9):245 [b1851] SS: aronicus (Fruhstorfer), 1914; *Miletus* 4 [Note - Fruhstorfer attributed the name to Boisduval.] [Refs - b1450; b1546; b1840 (as Boisduval name)]
- b **reynoldsi** (Dickson), 1980, 1979-1980; *Stugeta* OD: Ent. Rec. 92(1):3, f [b1261] SS: subinfusata Grünberg, 1910; *Iolaus* (*Stugeta*) [TypeL - Cape Province, S. Africa.] [Refs - b1610 (9077-E11)]
- a **reza** (Grose-Smith & Kirby), 1893, 1887-1902; *Epitola* OD: Rhop. exot. 2(23):86, pl 20, f 6 [b2049] CG: Hypophytala [Refs - b1452; b2564; b4400]
- e **reznicki** (Leraut), 1980, (ISS); *Lysandra* OD: Liste Léop. France Belg. Corse :130 [b2985] SS: reznicki (Bartel), 1904; *Polyommatus* (*Lysandra*) [Refs - b4038]
- c **reznicki** (Bartel), 1904; *Lycaena* OD: Ent. Zeit. 18(30):117 [b0255] SS: hispana (Herrich-Schäffer), [1851]; *Polyommatus* (*Lysandra*) [TypeL - Riviera.] [Refs - b1135; b3323; b0236; x0276; b0255; b4092; b4038]
- a **rhacotis** (Godman & Salvin), 1878; *Symmachia* OD: Proc. zool. Soc. Lond. 1878(2):363 [b1973] CG: *Caria* [TypeL - Guatemala; Honduras.] [Refs - b2988; b4474; b2497; b1456]
- c **rhaea** (Boisduval), 1869, 1868-1869; *Lycaena* OD: Anns Soc. ent. Belg. 12:51 [b0468] SS: piatus (Boisduval), 1852; *Glaucopsyche* [Type: USNM-ht] [TypeL - Los Angeles, California.] [Refs - b0908 (as rhea); b2747; b3192; b1321]
- e **f. rhaetica** (Vorbrod & Müller-Rutz), 1917; *Lycaena* OD: Mitt. schweiz. ent. Ges. 12(9/10):447 [b4889] SS: escheri (Hübner), [1823]; *Polyommatus* (*Plebicula*) [Refs - b0236; b0471]
- b **rhaetica** (Beuret), 1952; *Heodes* OD: Mitt. ent. Ges. Basel (nf)2:86 [b0387] SS: alciphron (Rotenburg), 1775; *Lycaena* (*Alciphronia*) [TypeL - Switzerland.] [Refs - b0389; b0387]
- a **rhapsissima** Johnson, 1991; *Thecla* OD: J. Lep. Soc. 45(2):150 [b2605] CG: *Thecla* (New World Eumaeni) [Type: biblio; replacement for mirabilis Lathy, 1930] [TypeL - Rio Pastaza, Ecuador.] [Refs - b2592; b0125]
- a **rhapsos** Johnson & Eisele & MacPherson, 1990; *Strymon* OD: Bull. Allyn Mus. (130):15, f [b2624] [Type: AME-ht] [TypeL - Chubut Province, Argentina.] [Refs - b2624]
- e **rhea** Comstock & Huntington, 1963, 1958-1964, (ISS); *Glaucopsyche* OD: J. New York ent. Soc. 71(1):51 [b0908] SS: rhaea (Boisduval), 1869; *Glaucopsyche* [Refs - b3192; b0908]
- b **rhena** (Heydemann), [1942]; *Chrysophanus* OD: Deut. ent. Zeit. [Iris] 55:99, f [b2359] SS: virgaureae (Linnaeus), 1758; *Lycaena* (*Heodes*) [TypeL - Rhine Valley, Germany.] [Refs - b0087; b0389 (=juvara)]
- c **rhessa** (Hewitson), [1858], 1852-1877; *Lemonias* OD: Ill. exot. Butts 2:[-], pl [58], f 15,16 [b2323] SS: zeanger (Stoll), [1790]; *Calospila* [TypeL - Amazon.] [Refs - b2747; b4475; b1456]
- c **rhetus** (Cramer), [1775], 1775-1790; *Papilio* OD: Util. Kapellen 1(6):98, pl 63, f C. [b1069] SS: arcus (Linnaeus), 1763; *Rhetus* [TypeL - Surinam.] [Type of - Rhetus] [Refs - b2280; b2747; b4474]
- a **rhoda** de Nicéville, [1896]; *Rapala* OD: J. Bombay nat. Hist. Soc. 10(2):184 or 188, pl T, f 43,44 [b1162] [TypeL - Sumatra.] [Refs - b0965; b4094; b1454]
- b **rhodana** (Fruhstorfer), 1918; *Castalius* OD: Tijdschr. Ent. 61:39 [b1884] SS: elna (Hewitson), [1876]; *Caleta* [TypeL - Celebes.] [Refs - b1840]
- b **rhodanus** Fruhstorfer, [1912]; *Hypolycaena* OD: Berl. ent. Z. 56(3/4):240 [b1850] SS: sipylus (C. Felder), 1860; *Hypolycaena* [TypeL - Celebes.] [Refs - b4094; b1454; b1850]
- a **rhode** (Hopffer), 1874; *Lycaena* OD: Stutt. ent. Ztg 35:27 [b2445] CG: *Caleta* [Type: ZMHU-ht; designated by Takanami, 1989] [Tyò to Ga 40(1):25 [b4602]] [TypeL - N. Sulawesi.] [Refs - b2747; b1840; b1454 (with roxus); b2445; b4602; b2390; b2388]
- e **rhodesendae** Stempffer, 1967, (ISS); *Lepidochrysops* OD: Bull. Br. Mus. nat. Hist. (Ent.) Suppl. 10:232 [b4400] SS: rhodesensae (Bethune-Baker), 1923; *Lepidochrysops* [Refs - b4400]
- a **rhodesensae** (Bethune-Baker), 1923; *Neochrysops* OD: Trans. ent. Soc. Lond. 70(3/4):302 [b0359] CG: *Lepidochrysops* [Type: BMNH-ht] [TypeL - Fort Jamieson, N. E. Rhodesia.] [Note - Not spelled rhodesendae.] [Refs - b1452; b0359; b4400 (as rhodesendae)]
- b **rhodesiae** (Pinhey), 1962; *Cooksonia* OD: Occ. Pap. natn Mus. Sth. Rhodesia (B)3:886, f [b3607] SS: nevei H. H. Druce, 1912; *Sheffieldia* [TypeL - Rhodesia.] [Refs - b1259; b1452]
- a **rhodesiana** Stempffer, 1962; *Anthene* OD: Bull. Inst. franç. Afr. Noire 24(A):1171, f 66-67 [b4395] [Type: MNHN-ht] [TypeL - Southern Rhodesia.] [Refs - b1259; b1452; b4395; b4400]
- e **rhodesiensis** Stevenson, 1937, (IFS); *Deudorix* OD: Occ. Pap. natn Mus. Sth. Rhodesia 1(6):21 [b4434] SS: dinochares Grose-Smith, 1887; *Deudorix* (*Virachola*) [Type: MNBZ-ht; designated by Hancock, 1985] [Arnoldia Zimbabwe 9(16):245 [b2127]] [TypeL - Rhodesia.] [Refs - b4400]
- a **rhodia** (Godart), [1824], 1819-1824; *Erycina* OD: In Ency. méth. 9(Ins.):583 [b1970] CG: *Mesosemia* [TypeL - Brasilia.] [Refs - b2988; b2747; b4474; b1456]
- a **rhodinosa** (Stichel), 1911; *Orimba* OD: Gen. Insectorum 112(B):348 [b4447] CG: *Setabis* [Type: pc-ht; collection of Niepelt] [TypeL - Sarayaku, Ecuador.] [Refs - b4475; b1456]
- a **rhodogyne** (Godman), 1903; *Eurygona* OD: Trans. ent. Soc. Lond. 51(4):532, pl 20, f 8,9 [b1972] CG: *Euselasia* [TypeL - Colombia.] [Refs - b4474; b0680; b0688; b1456]
- a **rhodon** Seitz, [1917], 1910-1924; *Euselasia* OD: In Seitz, Grossschmett. Erde 5:626, pl 121f [b4093] [TypeL - Costa Rica; Surinam.] [Refs - b4474 (as ssp of sergia); b1456; b4093]
- a **rhodope** (Hewitson), [1853], 1852-1877; *Lemonias* OD: Ill. exot. Butts 1:[-], pl [58], f 6,7 [b2323] CG: *Calospila* [TypeL - Ega.] [Refs - b2988; b2747; b4475; b1456]
- a **rhodope** (Godman & Salvin), [1887], 1879-1901; *Thecla* OD: Biol. centr-amer., Lep. Rhop. 2:48; 3-pl 54, f 3,4 [b1975] CG: *Mitoura* [Type: BMNH-ht] [TypeL - Northern Sonora, Mexico.] [Note - Miller & Brown made this a synonym of siva. It does not occur in the U.S.] [Refs - b0908; b0853; b3192; b1321; b1975; b2585; b2596; b1722]
- a **rhodopis** de Nicéville, [1896]; *Rapala* OD: J. Bombay nat. Hist. Soc. 10(2):183, pl T, f 41,42 [b1162] [TypeL - Sumatra.] [Refs - b0965; b1454; b1162; b1544; b4108]
- b **rhodosense** Stempffer & Bennett, 1959; *Iolaus* OD: Bull. Inst. franç. Afr. Noire 21(A):237 [b4419] SS: mimosae Trimen, 1874; *Iolaus* (*Epamera*) [TypeL - S. Rhodesia.] [Refs - b1943; b1259; b1452; b4400]

- a **rhoecus** de Nicéville, 1895; Rapala OD: J. Bombay nat. Hist. Soc. 9(3):319, pl P, f 47 [b1159] CG: Rapala [TypeL - S. Burma.] [Note - ZR say Sumatra.] [Refs - b0964; b1636; b0965; b4094; b2201; b1454; b0694; b4209; b4602]
- a **rhyrnus** (Eversmann), 1832; Lycaena OD: Nouv. Mém. Soc. imp. nat. Moscou (ns)2:350, pl 19, f 1,2 [b1645] CG: Satyrium (Rhyrnaria) [Type: ZIL-lt; designated by Zhdanko, 1983] [Ent. Rev. 62(1):139 [b5064]] [TypeL - Russia mer.] [Type of - Rhyrnaria] [Refs - b2988; b2747; b0996; b2827; b5064; b2859 (in Neolycaena); b4092; ns3033 (Neolycaena); b1455]
- c **riama** Corbet, 1938; Catochrysops OD: J. Fed. Malay St. Mus. 18(2):250 [b0940] SS: strabo (Fabricius), 1793; Catochrysops [TypeL - Malay Peninsula.] [Refs - b0964; b0965; b4670; b2650; b0694; b3782]
- e **riballieri** Le Mout, 1940, 1939-1940, (IFS); Helicopsis OD: Novit. ent. (13):103 [b2943] SS: cupido (Linnaeus), 1758; Helicopsis [Type: AME-hi] [Refs - b3199]
- a **ribbei** (Röber), [1886]; Deudorix OD: CorrespBl. ent. Ver. Iris 1(3):68, pl 5, f 10, nec 11 [b3820] CG: Rapala [Type: SMT-lt; designated by Takanami, 1989] [Tyô to Ga 40(1):54 [b4602]] [TypeL - S. W. Sulawesi.] [Refs - b4094; b1454; b4602]
- b **ribbei** (Röber), [1886]; Amblypodia OD: CorrespBl. ent. Ver. Iris 1(3):70, pl 5, f 5 [b3820] SS: micale Boisduval, 1853; Arhopala h [TypeL - Aru.] [Refs - b1644; b1450; b4094]
- a **ribbei** (Röber), [1886]; Plebejus OD: CorrespBl. ent. Ver. Iris 1(3):52, pl 4, f 2 [b3820] CG: Hypochrysops [TypeL - Sekar, Northwestern Irian Jaya.] [Refs - b1450; b2078; b3926; b1382]
- a **ribbei** Röber, [1886]; Dicallaneura OD: CorrespBl. ent. Ver. Iris 1(3):49, pl 5, f 15,16 [b3820] [TypeL - Aru Island.] [Refs - b4474; b1450; b2988; b1840]
- a **ribbei** Röber, [1886]; Curetis OD: CorrespBl. ent. Ver. Iris 1(3):70, pl 5, f 2,3 [b3820] [TypeL - Aru.]
- b **ricardi** (Eliot), 1959; Pratapa OD: Bull. Br. Mus. nat. Hist. (Ent.) 7(8):381 [b1544] SS: cremera (de Nicéville), 1894; Dacalana [Type: BMNH-hi] [TypeL - Gunung Batu Brinchang, Pahang.] [Refs - b0965; b2192; b1568; b1454 (with sannio); b1544; b1554; b4108]
- b **ricei** (Cross), 1937; Plebeius OD: Pan-Pac. Ent. 13(1-2):88 [b1074] SS: idas (Linnaeus), 1761; Plebejus (Lycaeides) [Type: DMNH-hi] [TypeL - Big Cultus Lake, Oregon.] [Refs - b0908; b3328; b3192; b0075; b1321]
- a **richardi** Stempffer, 1952; Pseudaletis OD: Mém. Inst. Franç. Afr. Noire 19:146, f [b4383] [TypeL - French Guinée.] [Refs - b1452; b0836; b4400]
- a **rickmani** Schaus, 1902; Thecla OD: Proc. U. S. natn. Mus. 24(1262):411 [b3948] CG: Thecla (New World Eumacini) [Type: USNM-hi; #5931] [TypeL - Colombia] [Refs - b0908; b3948]
- c **rickmersi** (Forster), 1956; Agrodiaetus OD: Z. wien. ent. Ges. 41:48 [b1769] SS: caerulea (Staudinger), 1871; Polyommatus (Agrodiaetus) [TypeL - Pamir.] [Refs - b2827]
- b **ridleyi** Corbet, 1941; Arhopala OD: Proc. R. ent. Soc. Lond. (B)10(9):160 [b0956] SS: ralandia Corbet, 1941; Arhopala f [Type: BMNH-hi] [TypeL - Malaya.] [Refs - b1644; b0956; b1454]
- b **rileyi** Godfrey, 1916; Evers OD: J. nat. Hist. Soc. Siam 2(2):135 [b1971] SS: lacturus (Godart), [1824]; Evers [TypeL - Siam.] [Refs - b0964; b1636; b4198; b2650; b5053; b0694; b4209; b4108]
- b **rileyi** Joicey & Talbot, 1922; Arhopala OD: Bull. Hill Mus. 1(2):355 [b2658] SS: chamaeleona Bethune-Baker, 1903; Arhopala g [Type: BMNH-hi] [TypeL - Ceram.] [Refs - b1644; b1450; b2658]
- e **rileyi** (Toxopeus), 1930, (IFS); Horsfieldia OD: De soorte als Functie :159 [b4702] SS: sukabumi (Toxopeus), 1930; Amblypodia [TypeL - Dutch E. Indies.] [Refs - b4702]
- a **rileyi** Audeoud, 1936; Epitola OD: Mitt. schweiz. ent. Ges. 16(11):704, pl 7, f 3,4 [b0145] [TypeL - Ruwenzori.] [Refs - b3842; b0145; b1452; b4400]
- e **f. rileyi** Stoneham, 1938; Capys OD: Bull. Stoneham Mus. (36):1 [b4481] SS: catharus Riley, 1932; Capys [Type: pc-hi; collection of Stoneham Museum.] [TypeL - Western Kenya.] [Check - May be an available name.] [Refs - b1452; b4481; b4400; b2286]
- b **rileyi** (Forster), 1940; Zephyrus OD: Mitt. münchn. ent. Ges. 30(3):871, pls 22-23, f 1,2 [b1764] SS: mushaellus (Matsumura), 1938; Chrysozephyrus [Type: ZMHU-hi] [TypeL - Kwangtung Province, China.] [Refs - b1764; b1454; b2463; b1455]
- a **rileyi** Pennington, 1956; Thestor OD: J. ent. Soc. S. Afr. 19:33 [b3569] [TypeL - S. Africa.] [Refs - b1259; b1452; b4400]
- a **rileyi** Dickson, 1966; Poecilmitis OD: Ent. Rec. 78(10):241 [b1240] [TypeL - Brand Vlei, Cape Province, S. Africa.] [Refs - b1259; b1452]
- a **rileyi** Tite & Dickson, 1976; Aloeides OD: Ent. Rec. 88(7/8):179, f [b4686] [Type: UMO] [TypeL - Butha Buthe, Lesotho, South Africa.] [Refs - b1259; b2292]
- b **rinde** (Dyar), 1916; Thecla OD: Proc. U. S. natn. Mus. 51:2 [b1447] SS: arindela (Hewitson), [1874]; Panthiades [Type: USNM-hi; #19251] [TypeL - Sierra de Guerezo, Mexico.] [Refs - b0908; b2406]
- a **rindgei** Johnson, 1989; Contrafacia OD: J. New York ent. Soc. 97(1):40, f 5A,6C [b2597] [Type: AMNH-hi] [TypeL - Port San Pedro, Sonora, Mexico.] [Refs - b2597]
- a **ringa** Tite, 1959; Lepidochrysops OD: Entomologist 92:163 [b4669] [TypeL - N. Nigeria.] [Refs - b4669; b1452; b4400]
- a **ripartii** (Freyer), 1830, 1828-1830; Agrodiaetus OD: Beitr. Gesh. Eur. Schmett. 3:128, pl 133, f 3 [b1794] CG: Polyommatus (Agrodiaetus) [TypeL - South France and NW Italy.] [Note - Koçak notes that this name was spelled riptarii by Geyer, 1832, and rippertii by Boisduval, 1832. The Original Genus could be Lycaena.] [Refs - b3059; b2375; b2747; b0993; b1780; b2827; b1762 (as riptarii); b0105; b0111; b0236; b2794; b4028; b2859; ns0776; b4092]
- e **ripartii** (Boisduval), [1832], 1832-1834, (ISS); Agrodiaetus OD: Icon. Hist. Lépid. Europe 1:68, pl 16, f 4-6 [b0458] SS: riptarii (Freyer), 1830; Polyommatus (Agrodiaetus) [Refs - b3059]
- a **ripte** (H. H. Druce), 1895; Cyaniris OD: Proc. zool. Soc. Lond. 1895(3):574, pl 32, f 11 [b1362] CG: Acytoplepis [Type: BMNH-hi] [TypeL - Labuan, Borneo.] [Refs - b0965; b1840; b1580; b2200; b1362; b4108]
- b **ristus** Eliot, 1986; Allotinus OD: Bull. Br. Mus. nat. Hist. (Ent.) 53(1):44, f 106 [b1571] SS: apries Fruhstorfer, 1913; Allotinus (Paragerydus) [Type: pc-hi; collection of Treadaway.] [TypeL - Languan, Palawan, Philippines.] [Refs - b1571]
- a **rita** Staudinger, [1887], 1884-1888; Symmachia OD: In Exot. Schmett. 1:254, 2:pl 91 [b4329] [TypeL - Upper Amazon.] [Refs - b4474; b1456]
- a **rita** (Grose-Smith), 1895; Nacaduba OD: Novit. zool. 2(4):508 [b2038] CG: Catopyrops [Type: BMNH-hi] [TypeL - Weuter.] [Refs - b4676; b1450; b1542; b4094; b1454; b4592; b2388]
- a **rita** (Barnes & McDunnough), 1916; Lycaena OD: Can. Ent. 48(7):223 [b0247] CG: Euphilotes [Type: USNM-hi] [TypeL - (Southern) Arizona.] [Refs - b1530 :239, f 466, 467; b0908; b1321 :67; b1711; b4176; b4177; b4178; b4179; b4688; b3192; b2417; b0493; b1743; b4690; b4066; b1722]

- a *rita* Goodson, 1945; *Thecla* OD: *Entomologist* 78:187 [b1998] CG: *Thecla* (New World Eumaeini) [Type: BMNH] [TypeL - Santa Rita, Cauca River, Colombia.] [Refs - b0908]
- b *ritsemæ* van Eecke, 1914; *Eooxylides* OD: *Notes Leyden Mus.* 36(3/4):254 [b4792] SS: *tharis* (Geyer), [1837]; *Eooxylides* [TypeL - Belitung (Billiton) Island.] [Refs - b4094; b1454; b4594; b3782]
- a *riuensis* (Tite), 1963; *Holochila* OD: *Bull. Br. Mus. nat. Hist. (Ent.)* 14(5):208; pl 1, f 126-127; pl 2, f 137-138; tf 30 [b4677] CG: *Candalides* [Type: BMNH-ht] [TypeL - Mount Riu, Sudest Island, Louisiade Archipelago.] [Refs - b4677; b1450]
- b *riukuensis* (Matsumura), 1929; *Zizera* OD: *Ins. matsumur.* 3(2/3):106 [b3098] SS: *otis* (Fabricius), 1787; *Zizina* [TypeL - Okinawa, Japan.] [Note - Not spelled *riukuensis*.] [Refs - b4198; b1900; b5053; b0236; b2704 (as *riukuensis*); b2705 (as *kiukuensis*); b3098; b4108]
- b *riuna* (Evans), 1957; *Narathura* OD: *Bull. Br. Mus. nat. Hist. (Ent.)* 5(3):117 [b1644] SS: *micale* Boisduval, 1853; *Arhopala* h [Type: BMNH-ht] [TypeL - Riu, Sudest Island.] [Refs - b1644; b1450]
- b *rizali* Takanami, 1984; *Catapaecilma* OD: *Tokurana (Acta Rhopalocera)* (6/7):52, pl 2, f 3; pl 3, f 1 [b4587] SS: *evansi* Pendlebury, 1933; *Catapaecilma* [Type: pc-ht; collection of Takanami.] [TypeL - Marinduque, Luzon, Philippines.] [Refs - b4587]
- b *rjabovi* (Obratsov), 1936; *Lycaena* OD: *Lambillionea* 36:15 [b3468] SS: *thersites* (Cantener), 1834; *Polyommatus* (*Plebicula*) [Refs - b0074; b0113; b2790]
- d *rjabovi* (Forster), 1960, (H); *Agrodiaetus* OD: *Ent. Zeit.* 70(14):157-158 [b1771] SS: *rjabovianus* (Koçak), 1980; *Polyommatus* (*Agrodiaetus*) [TypeL - Caucasus.] [Refs - b2827; b1771; b2790]
- b *rjabovianus* (Koçak), 1980; *Agrodiaetus* OD: *Nota lepid.* 2(4):142 [b2790] SS: *valiabadi* (Rose & Schurian), 1977; *Polyommatus* (*Agrodiaetus*) [Type: biblio; replacement for *rjabovi* Forster, 1960.] [Refs - b0113; b2790]
- c *roana* Fruhstorfer, 1916; *Rapala* OD: *Ent. Rundsch.* 33(5):25 [b1870] SS: *selira* (Moore), 1874; *Rapala* [TypeL - India.] [Refs - b0236; b0694]
- a *robbinsi* Johnson, 1992; *Lamasa* OD: *Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point)* (22):185, f [b2611] [Type: AMNH-ht] [TypeL - Colombia] [Refs - b0125; b2611]
- e *ab. roberi* (Seitz), 1932; *Emarturgina* OD: *Ent. Rundsch.* 49:241 [b4097] SS: *axena* (Hewitson), [1876]; *Emarturgina* [TypeL - Brazil.]
- a *roberti* Johnson, 1992; *Rhamma* OD: *Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point)* (22):141, f [b2611] [Type: AMNH-ht] [TypeL - SE slopes Alto de las Sauces, Dept. La Caldera, Jujuy Prov., Argentina.] [Refs - b0125; b2611]
- a *robertsoni* Cottrell, 1965; *Lepidochrysops* OD: *Mem. ent. Soc. sth. Afr.* (9):58 [b0969] [TypeL - Muizengerg, Cape Peninsula, S. Africa.] [Refs - b1259; b1452]
- c *robiginosum* Stichel, 1929; *Nymphidium* OD: *Mit. zool. Mus. Berl.* 15:25 [b4470] SS: *minuta* H. H. Druce, 1904; *Nymphidium* [TypeL - Amazon.] [Refs - b4470; b4476 (as *robiginosum*); b0119]
- b *robinsoni* Rothschild, 1920; *Dodona* OD: *J. Fed. Malay St. Mus.* 8:160 [b3881] SS: *eugenes* Bates, [1868]; *Dodona* [TypeL - Sumatra.] [Refs - b4473; b1454 (as a good sp)]
- a *robinsoni* Holloway, 1986; *Yasoda* OD: *In Butts Oriental Region, Pt 3* :590, f [b2439] [Type: BMNH-ht] [TypeL - Sabah, Borneo.] [Refs - b1454; b4108]
- a *roboris* (Esper), [1789], 1776-1830; *Papilio* OD: *Die Schmett. Suppl. Theil* 1:59, pl 103, f 5 [b1623] CG: *Laeosopis* [TypeL - Europe mer. et occ.] [Type of - *Laeosopis*] [Refs - b2280; b2375; b3059; b2747; b0995; b4092; b0236; b2380; b2794; b4214; b2985; b4200; b2859; ns0025; ns0014; b2302; b1455]
- b *robusta* (Felder & Felder), 1865, 1865-1875; *Sterosis* OD: *Reise Novara* (2):219, pl 27, f 10,11 [b1692] SS: *brassolis* Westwood, [1864]; *Liphya* [Type of - *Sterosis*] [Refs - b1450; b1153; b2280; b2747; b2078; b4934]
- a *robusta* Aurivillius, 1895; *Cupidesthes* OD: *Ent. Tidskr.* 16:215 [b0151] [Type: NRS] [Type of - *Cupidesthes*] [Refs - b2280; b0151; b1452; b0343; b4400]
- c *robusta* (Turati & Fiori), 1930; *Lycaena* OD: *Memorie Soc. ent. ital.* 9:204 [b4751] SS: *loewii* (Zeller), 1847; *Polyommatus* (*Plebejidea*) [TypeL - Rodi Island.] [Refs - b0068]
- a *robusta* Lathy, 1932; *Pachythone* OD: *Ann. Mag. nat. Hist.* (10)9:70 [b2922] [Type: BMNH-ht] [TypeL - Cuyaba, Mato Grosso.] [Refs - b2922; b1456]
- a *rocena* (Hewitson), [1867], 1863-1878; *Thecla* OD: *Ill. diurn. Lep. Lycaenidae* 1:91; 2-pl 37, f 96,97 [b2326] CG: *Janthecla* [Type: BMNH] [TypeL - Amazon.] [Refs - b0908; b2747; b1453; b0125]
- a *rochana* (Horsfield), [1829], 1828-1829; *Amblypodia* OD: *Descr. Cat. lepid. Ins.* (2):108 [b2457] CG: *Iraota* [Refs - b0964; b1636; b0965; b4137 (as *rothana*); b2747; b4094; b1454; b0694]
- a *rochei* Stempffer, 1951; *Liptena* OD: *Bull. Soc. ent. Fr.* 56(5):66, f [b4380] [TypeL - Nigeria.] [Refs - b2907; b1452; b0836; b4400; b4380]
- b *rochesteri* Weeks, 1906; *Mesene* OD: *Can. Ent.* 38(3):77 [b4968] SS: *phareus* (Cramer), [1777]; *Mesene* [TypeL - Venezuela.] [Refs - b4474]
- a *rodersi* (Kielland), 1985; *Pilodeudorix* OD: *Lambillionea* 84(9-10):71, f 5-8 [b2733] CG: *Deudorix* (*Pilodeudorix*) [Type: pc-ht; collection of Kielland.] [TypeL - Tanzania.] [Refs - b0119; b2733]
- c *roeberi* (Fruhstorfer), [1922], 1909-1923; *Lycaenopsis* OD: *In Seitz, Grossschmett. Erde* 9:871 [b1840] SS: *darnis* (Fruhstorfer), [1922]; *Acytolepis* [Type: BMNH-ht; designated by Eliot & Kawazoé, 1983] [Butts *Lycaenopsis* group :182 [b1580]] [TypeL - Gorong Island.] [Refs - b1450; b1840 (as *roberi*); b1580 (as *roberi*)]
- e *roemii* Anonymous, 1934, (ISS); *Chilades* OD: *Zool. Rec.* 70(1933)(Ins.):295 [b0071] SS: *roemli* Kalis, 1933; *Chilades* [Refs - b0071]
- a *roemli* Kalis, 1933; *Chilades* OD: *Tijdschr. Ent.* 76(1/2):84 [b2679] [Type: pc-ht; collection of Delden.] [TypeL - Java.] [Refs - b0071 (as *roemii*)]
- c *roepkei* Toxopeus, 1929; *Prosotas* OD: *Tijdschr. Ent.* 72(3/4):239 [b4700] SS: *subardates* (Piepers & Snellen), 1918; *Prosotas* [TypeL - Java.] [Refs - b4676; b0938; b4700]
- a *rogersi* H. Druce, 1878; *Abisara* OD: *Ent. mon. Mag.* 15:101 [b1389] [TypeL - Angola.] [Refs - b2988; b4245; b4473; b1452]
- b *rogersi* (Bingham), 1907; *Lampides* OD: *Fauna Brit. Ind., Butts* 2:409 [b0423] SS: *kankena* (C. Felder), 1862; *Jamides* [TypeL - Central Nicobars.] [Refs - b4094; b0694; b0423]
- a *rogersi* (H. H. Druce), 1907; *Telipna* OD: *Trans. ent. Soc. Lond.* 55(1):78, pl 2, f 2 [b1373] CG: *Penüla* [TypeL - British East Africa.] [Refs - b1452; b0836; b4420; b4400]
- b *rogersi* Swinhoe, 1911, 1909-1913; *Rapala* OD: *In Moore, Lep. Ind.* 9:47, pl 715, f 2 [b4575] SS: *varuna* (Horsfield), [1829]; *Rapala* [TypeL - Nicobars.] [Refs - b1636; b4094; b0694]

- a *rogersi* Bethune-Baker, 1924; Eicochrysops. OD: Ann. Mag. nat. Hist. (9)14:133 [b0360] [TypeL - Africa.] [Refs - b3796; b1452; b0360; b4400]
- b *rogersi* Bethune-Baker, 1924; Hypolycaena OD: Ann. Mag. nat. Hist. (9)14:131 [b0360] SS: buxtoni Hewitson, 1874; Hypolycaena [TypeL - Mombasa.] [Refs - b1452; b0360; b4400]
- a *rogersi* Riley, 1932; Desmolycaena OD: Ann. Mag. nat. Hist. (10)10:149, pl 9, f 11-14 [b3773] [Type: UMO-ht] [TypeL - Kongwa, Tanganyika Territory.] [Refs - b1452; b3773; b4400]
- c *rogneda* (Grum-Grshimailo), 1890; Lycaena OD: In Romanoff, *Mém. Lép.* 4:376 [b2067] SS: christophi (Staudinger), 1874; Plebejus (Lycaeides) [Refs - b4092 (also as rogneta); b2067]
- c *f. roidesta* Suffert, 1904; Pentila OD: Deut. ent. Zeit. [Iris] 17:47 [b4535] SS: tachyroides Dewitz, 1879; Pentila [Refs - b4420; b4400]
- a *rojasi* (Ureta), 1956; Thecla OD: Boln Mus. nac. Hist. nat. Chile 26(6):258 [b4783] CG: Eiseliana [TypeL - Chile.] [Refs - b3846]
- a *rojos* Johnson & Kroenlein, 1993; Strymon OD: Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (35):6, f [b2629] [Type: MPM-ht] [TypeL - Umurama, São Paulo, Brazil.] [Refs - b2629]
- b *rokana* (Fruhstorfer), [1912]; Aphnaeus OD: Berl. ent. Z. 56(3/4):219 [b1850] SS: lohita (Horsfield), [1829]; Spindasis [TypeL - Nord-Borneo. Südost-Borneo.] [Refs - b4094; b1850; b1454; b4108]
- c *rollei* Suffert, 1904; Alaena OD: Ins. Börse 21:134 [b4536] SS: picata E. Sharpe, 1896; Alaena [TypeL - German East Africa.] [Refs - b4400; b4536]
- c *romani* (Aurivillius), 1929; Callione OD: Ent. Tidkr. 50(3/4):165 [b0174] SS: irene (Westwood), [1851]; Calospila [TypeL - Amazonas.]
- b *romanorum* (Fruhstorfer), 1909; Chrysophanus OD: Int. ent. Z. 3(21):120 [b1837] SS: alciphron (Rottemburg), 1775; Lycaena (Alciphronia) [TypeL - Rome, Italy.] [Refs - b1837; b0996 (Ent. Zeit. Guben); b0236; b0471; b2858]
- a *romanovi* (Christoph), 1882; Thestor OD: Horae Soc. ent. ross. 17:106 [b0788] CG: Tomares [TypeL - Ordubad, Transcaucasus.] [Note - Often seen as romanovi, romanovi.] [Refs - b2988; b4141; b0996; b2794; b0236; b3357; b2827 (as ramonayi); b0788; b4092; b2788; b1455]
- a *romulus* (Fabricius), 1793, 1792-1799; Hesperia OD: Ent. syst. 3(1):316 [b1657] CG: Thecla (New World Eumacini) [TypeL - Indis".] [Refs - b0908; b2747; b1375; b5076]
- a *rona* (Grose-Smith), 1894; Cyaniris OD: Novit. zool. 1:572 [b2037] CG: Udara (Udara) [Type: BMNH-ht] [TypeL - New Guinea.] [Refs - b1450; b0965; b1840; b1580; b2200]
- b *ronda* Parsons, 1986; Callictitia OD: Bull. Allyn Mus. (103):11, f 40-43, 90, 91 [b3549] SS: lara Parsons, 1986; Callictitia [Type: RNH-ht] [TypeL - Lower Mist Camp, Snow Mountains, New Guinea.] [Refs - b3549]
- c *rondensis* (Lasso de la Vega Westendorp), 1982; Lysandra OD: Revta Lep. 10(2):142 [b2910] SS: albicans (Gerhard), 1851; Polyommatus (Lysandra) [TypeL - Spain.] [Refs - b0115; b4038]
- a *rondo* Kielland, 1990; Pentila OD: Butus Tanzania :170, f [b2738] [TypeL - Tanzania] [Refs - b0125]
- b *rondoui* (Oberthür), 1906; Lycaena OD: Bull. Soc. ent. Fr. 1906(5):57 [b3442] SS: escheri (Hübner), [1823]; Polyommatus (Plebicula) [Refs - b3059; b2367; b0236; b0471; b3448]
- c *ab. rondoui* (Oberthür), 1910; Polyommatus OD: Étud. Lép. comp. 4:114, pl 38, f 246 [b3451] SS: paupercula (de Sagarra y Castellamau), 1924; Lycaena (Alciphronia) [Refs - b3059; b0236; b3451]
- c *rondoudimidia* (Verity), 1929, (RA); Agriades OD: Bull. Soc. ent. Fr. 1929(9):158 [b4850] SS: escheri (Hübner), [1823]; Polyommatus (Plebicula) [Type: MZS-sl] [TypeL - France.] [Refs - b3059 (as rondoudimidata); b2856; b0236; b4850; b0471]
- c *rondoudimidata* (Manley & Allcard), 1970, (ISS); Plebicula OD: Butus Spain :99,154 [b3059] SS: escheri (Hübner), [1823]; Polyommatus (Plebicula) [Refs - b3059]
- c *roona* (Moore), 1884; Narathura OD: J. asiat. Soc. Bengal, Pt II 53(1):42 [b3236] SS: zeta (Moore), 1877; Arhopala i [TypeL - Andaman Island.] [Refs - b1644; b4094]
- a *roraimaevagus* Johnson, 1993; Argentostratus OD: Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (36):4, f [b2615] [Type: AMNH-ht] [TypeL - Mt. Roraima, Brazil.] [Refs - b2615]
- a *roraimiensis* Johnson & Smith, 1993; Cyanophrys OD: Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (24):7, f 2,3 [b2642] [Type: AMNH-ht] [TypeL - Mr. Roraima, Brazil.] [Refs - b2642]
- b *roratus* Godman & Salvin, [1886], 1879-1901; Anteros OD: Biol. centr.-amer., Lep. Rhop. 1:439 [b1975] SS: chrysoprastus Hewitson, [1867]; Anteros [TypeL - Guatemala to Panama.] [Refs - b4474]
- a *rosacea* de Nicéville, [1889]; Rapala OD: J. asiat. Soc. Bengal, Pt II 57(4):285, pl 14, f 12 [b1151] CG: Rapala [TypeL - N. India.] [Refs - b1636; b1153; b4094; b0236; b1454 (as good sp); b0694]
- d *rosacea* (Tytler), 1915, (H); Virachola OD: J. Bombay nat. Hist. Soc. 24(1):138, pl 3, f 25 [b4772] SS: rubida Tytler, 1926; Rapala [TypeL - Naga Hills.] [Refs - b1636; b0236; b4772; b0694]
- a *rosaceus* (Austaut), 1885; Lycaena OD: Naturaliste 7(18):141 [b0176] CG: Tarucus [Refs - b2375; b0995; b2905; b3621; b1452; b0293; b0836; b2898; b4412; b4400; b0694; b4092; b1455]
- c *rosamonda* Weeks, 1905; Lasaia OD: Ill. diurn. Lep. 1:9, pl 5 [b4967] SS: moeros Staudinger, [1887]; Lasaia [TypeL - Bogota, Colombia.] [Refs - b4474; b0846]
- c *rosanna* Fruhstorfer, 1918; Megisba OD: Arch. Naturgesch. (A)82(12):6 [b1883] SS: sikkima Moore, 1884; Megisba [Type: BMNH-ht; designated by Eliot & Kawazoé, 1983] [Buts Lycaenopsis group :57 [b1580]] [TypeL - Mindoro, Philippines.] [Refs - b1840; b1580; b4108]
- b *rosario* Nicolay, 1980; Chlorostrymon OD: J. Lep. Soc. 34(2):254, f 1A, 1B, 2, 3 [b3393] SS: simaethis (Drury), [1773]; Chlorostrymon [Type: AME-ht] [TypeL - Ecuador.] [Refs - b1610 (5196-E12); b0113; b3393]
- b *rosarioi* Motta & Lozares, 1976; Scolitantides OD: Revta Lep. 4(1):63, f [b3253] SS: orion (Pallas), 1771; Scolitantides [TypeL - Burgos Province, Spain.] [Refs - b0108]
- c *rosca* (Fruhstorfer), 1908; Waigeum OD: Int. ent. Z. 2(18):113 [b1832] SS: miraculum (H. H. Druce & Bethune-Baker), 1893; Hypochrysops [Type: BMNH-ht; designated by Sands, 1986] [Entomograph 7:99 [b3926]] [TypeL - Waigeo.] [Refs - b2078; b3926]
- c *rosea* (Heyne), 1895, 1893-1895; Lycaena OD: In Palae. Grossschmetz. 1:749 [b2363] SS: theophrastus (Fabricius), 1793; Tarucus [Refs - b0236; b2363; b0471]
- c *ab. rosea* Verity, 1903; Polyommatus OD: Bull. Soc. ent. Fr. 1903(17):288 [b4831] SS: icarus (Rottemburg), 1775; Polyommatus [Refs - b0236; b0471]

- e *rosea* Verity, 1943, (IFS); *Polyommatus* OD: *Farfalle Diume Ital.* 2:249 [b4862] SS: *icarus* (Rottemburg), 1775; *Polyommatus* [Type: MZS-ht?] [Refs - b2856; b0236]
- a *rosei* Vane-Wright, 1980; *Alaena* OD: In Butts *Afrotropical Region* :416, f [b4816] [Type: BMNH-ht] [TypeL - 10 miles east of Gabela, Angola.] [Refs - b4816]
- a *rosei* Eckweiler, 1989; *Plebejus* OD: *Nachr. ent. Ver. Apollo* (nf)10(2):90, f [b1468] CG: *Plebejus* (*Vacciniina*) [TypeL - Turkey.] [Refs - b0123]
- a *rosemarie* Seki, 1993; *Paruparo* OD: *Fil-Kulisap* 1(2):3 [b4101] [Type: pc-ht; collection of Seki] [TypeL - Mt. Balocau, Mahaplag, Leyte, Philippines.] [Refs - b4101]
- b *roseonitens* (Oberthür), 1910; *Lycaena* OD: *Étud. Léop. comp.* 4:215 [b3451] SS: *escheri* (Hübner), [1823]; *Polyommatus* (*Plebicula*) [Refs - b3059; b0236; b0471]
- a *rosimon* (Fabricius), 1775; *Papilio* OD: *Syst. Ent.* :523 [b1653] CG: *Castalius* [Type: lost] [TypeL - India*] [Type of - *Castalius*] [Refs - b2280; b4400; b1636; b0964; b1450; b0965; b1840; b2747; b2650; b4950; b1454; b0694; b5076; b4209; b2388; b4108]
- c *rosina* (Stoll), [1780], 1780-1790; *Papilio* OD: In Cramer, *Util. Kapellen* 4(28):75, pl 326, f B [b4478] SS: *ulrica* (Cramer), [1777]; *Mesosemia* [TypeL - Surinam.] [Refs - b2747; b4474]
- e *var. rosina* (Holl), 1913; *Lycaena* OD: *Bull. Soc. Hist. nat. Afr. N.* 4:99 [b2416] SS: *icarus* (Rottemburg), 1775; *Polyommatus* [Refs - b0236]
- c *rosneri* (Johnson), 1976; *Callophrys* OD: *Bull. Allyn Mus.* (38):13-15, f 5,10,15c [b2583] SS: *plicataria* (Johnson), 1976; *Mitoura* [Type: AME-ht] [TypeL - 2 miles S of Kaslo, Near Kootenay Lake, British Columbia.] [Note - *May be a good subspecies, and may belong with siva.*] [Refs - b2583; b3192; b2585]
- b *rosselana* (Bethune-Baker), 1908; *Thysonotis* OD: *Proc. zool. Soc. Lond.* 1908(1):123 [b0340] SS: *cyanea* (Cramer), [1775]; *Nacaduba* [TypeL - Rossel Island.] [Refs - b1450; b2078]
- c *rossi* (Clench), 1964; *Anatole* OD: *J. Res. Lep.* 3(2):75, 6 f [b0834] SS: *caliginea* (Butler), [1867]; *Lemonias* [Type: CM-ht] [TypeL - Tuxtla Mts., Veracruz, Mexico.] [Refs - b0528; b0834; b3866; b0674; b1456]
- a *rossouwi* Dickson, 1971; *Thestor* OD: *Ent. Rec.* 83:155, f [b1251] [Type: TM-ht] [TypeL - Stanford District, W. Cape Province, South Africa.] [Refs - b1259; b0102; b1452 (as *rossouwi*); b1251]
- a *rossouwi* Henning, 1982; *Aloeides* OD: *J. ent. Soc. S. Afr.* 45(2):231, f [b2284] [TypeL - Transvaal.] [Refs - b0115]
- e *ab. rostagni* (Stefanelli), 1904; *Lycaena* OD: *Boll. Soc. ent. ital.* 36:5 [b4351] SS: *escheri* (Hübner), [1823]; *Polyommatus* (*Plebicula*) [Refs - b4351; b0236 (as *rostagnoi*); b0471 (as *rostagnoi*)]
- e *rostagnoi* O. Bang-Haas, 1929, 1926-1930, (ISS); *Polyommatus* OD: *Novit. Macrolep.* :- [b0236] SS: *escheri* (Hübner), [1823]; *Polyommatus* (*Plebicula*) [Refs - b0236]
- a *rotha* Hewitson, [1873], 1852-1877; *Pentila* OD: *Ill. exot. Butts* 5:[-], pl [45], f 8,9 [b2323] [TypeL - Cameroon to Gabun.] [Refs - b2753; b0151; b1452; b4420; b4400; b0162]
- a *rothi* (Grose-Smith), 1898; *Liptena* OD: *Novit. zool.* 5:353 [b2046] CG: *Telipna* [TypeL - Nr Warri, Nigeria.] [Refs - b2907; b1452; b4400 (cpl)]
- c *rothioides* Holland, 1920; *Telipna* OD: *Bull. amer. Mus. nat. Hist.* 43(6):214, pl 12, f 7 [b2434] SS: *aurivillii* Rebel, 1914; *Telipna* [TypeL - Congo.] [Refs - b4400]
- e *ab. rothschildi* (Diószeghy), 1913; *Lycaena* OD: *Rovart. Lap.* 20:109 [b1280] SS: *bavius* (Eversmann), 1832; *Rubrapterus* [Refs - b0236; b0471]
- a *rothschildi* Seitz, [1917], 1910-1924; *Mimocastnia* OD: In Seitz, *Grossschmett. Erde* 5:652, pl 127a [b4093] [Type: BMNH-ht] [TypeL - Guiana.] [Type of - *Mimocastnia*] [Refs - b2988; b2280; b4474; b1456]
- a *rothschildi* (Aurivillius), 1922; *Lycaenesthes* OD: *Voy. Maur. Rothsch., Lep.* :364, f [b0169] CG: *Anthene* [TypeL - Turkana, southern Ethiopia.] [Refs - b1452; b4400; b2899]
- b *rothschildi* Toxopeus, 1927; *Nacaduba* OD: *Treubia* 9(4):430 [b4696] SS: *kurava* (Moore), [1858]; *Nacaduba* [Type: BMNH-ht] [TypeL - St. Aignan, Louisiade Archipelago.] [Refs - b4676; b1450; b0066]
- d *rothschildi* (Toxopeus), 1930, (H); *Prosotas* OD: *De soorte als Functie* :100 [b4702] OS: *cajetani* Tite, 1963; *Nacaduba* [Type: biblio; replacement for *felderii* Rothschild, 1915] [TypeL - Central Ceram.] [Note - *Not spelled rothschilda.*] [Refs - b1450; b2988; b4676; b4702]
- a *rothschildi* Hayashi, 1976; *Jamides* OD: *Tyô to Ga* 27(4):151 [b2185] [TypeL - Mindanao, Moluccas.] [Note - *Hayashi attributed this name to Toxopeus, but I have been unable to trace such a description.*] [Refs - b2185; b2186; b4600; b2388]
- c *f. rougemonti* (Oberthür), 1909; *Zeritis* OD: *Étud. Léop. comp.* 3:93 or 98 [b3449] SS: *aranda* (Wallengren), 1857; *Aloeides* [Type: BMNH-ht] [TypeL - Zoutpansber, Shilouvane, Transvaal.] [Refs - b1259; b4400; b4685]
- a *rougeoti* Stempffer, 1954; *Liptena* OD: *Bull. Soc. ent. Fr.* 59(5/6):92, f 9 [b4385] CG: *Liptena* (*Tetrarhanis*) [TypeL - Gabon.] [Refs - b1452; b4385; b4400]
- a *rougeoti* Stempffer, 1956; *Eresina* OD: *Annls Mus. r. Congo Belge* (8vo)49:19, pl 1, f 17-20 [b4388] [Type: pc-ht; collection of Stempffer.] [TypeL - Port Gentil, Cap Lopez, Gabon.] [Refs - b1452; b0836; b4388; b4400]
- a *rougeoti* (Stempffer), 1961; *Pseuderesia* OD: *Annls Mus. r. Afr. cent.* (8vo) (Zool.)94:21 [b4393] CG: *Eresiomera* [TypeL - Gabon.] [Refs - b1452; b4400]
- a *rougeoti* Stempffer, 1964; *Iridana* OD: *Bull. Inst. franç. Afr. Noire* 26(A):1244 [b4397] [TypeL - Gabon.] [Refs - b4400]
- e *rousouwi* d'Abbrera, 1980, (ISS); *Thestor* OD: *Butts Afrotropical Region* :473 [b1452] SS: *rossouwi* Dickson, 1971; *Thestor* [Refs - b1452]
- b *rovena* H. H. Druce, 1891; *Hypochrysops* OD: *Trans. ent. Soc. Lond.* 39(2):184 [b1357] SS: *polycletus* (Linnaeus), 1758; *Hypochrysops* [Type: BMNH-ht; designated by Sands, 1986] [Entomograph 7:80 [b3926]] [TypeL - Queensland, Australia.] [Refs - b1450; b4947; b2078; b0870; b4934; b3926]
- e *roverea* d'Abbrera, 1986, (ISS); *Orthomiella* OD: *Butts Oriental Region, Pt 3* :637 [b1454] SS: *roverea* (Fruhstorfer), 1918; *Orthomiella* [Refs - b1454]
- b *roverea* (Fruhstorfer), 1918; *Una* OD: *Tijdschr. Ent.* 61:55, pl 6, f 9 [b1886] SS: *pontis* (Elwes), 1887; *Orthomiella* [TypeL - Birma.] [Refs - b1636; b1840; b1762; b2479; b1886; b1454 (as *roverea*); b0694]
- b *roxana* (de Nicéville), 1897; *Castalius* OD: *J. Bombay nat. Hist. Soc.* 10(4):633 [b1163] SS: *roxus* (Godart), [1824]; *Caleta* [TypeL - Shan States.] [Refs - b1636; b1840; b1454; b0694]
- c *roxane* (Grum-Grshimailo), 1887; *Lycaena* OD: In Romanoff, *Mém. Léop.* 3:400 [b2065] SS: *christophi* (Staudinger), 1874; *Plebejus* (*Lycaeides*) [TypeL - Central Asia.] [Note - *Near *torgoua* and *argus*.*] [Refs - b2065; b4092]
- a *roxus* (Godart), [1824], 1819-1824; *Polyommatus* OD: In *Ency. méth.* 9(Ins.)(2):659 [b1970] CG: *Caleta* [TypeL - Kangean, West Java.] [Type of - *Pyncophallium*] [Refs - b0964; b1636; b1450; b2280; b0965; b1840; b2747; b1454; b4602; b2390; b2388]

- c *var. roystonensis* (Pickett), 1916; *Lysandra* OD: Ent. Rec. 28(1):7.59 [b3597] SS: albicans (Gerhard), 1851; *Polyommatus* (*Lysandra*) [Refs - b0236; b0471]
- c *ruandensis* (Joicey & Talbot), 1924; *Cyclirius* OD: Bull. Hill Mus. 1(3):547 [b2661] SS: kisaba (Joicey & Talbot), 1921; *Harpenderis* [Type: BMNH-st] [TypeL - Rugege Forest, Ruanda district, Belgian Congo.] [Refs - b0113; b3796; b4400; b2661]
- b *rubella* Bates, 1864, 1864-1865; *Mesene* OD: Ent. mon. Mag. 1:204 [b0263] SS: phareus (Cramer), [1777]; *Mesene* [TypeL - Panama.] [Refs - b2747; b4474; b0263; b2497; b1456]
- b *rubeola* Stichel, 1916; *Teratophthalma* OD: Deut. ent. Zeit. 1916:6 [b4452] SS: phelina (Felder & Felder), 1862; *Teratophthalma* [TypeL - Ecuador.] [Refs - b4452; b4474]
- b *rubeolata* Stichel, 1910; *Eurybia* OD: Gen. Insectorum 112(A):69 [b4446] SS: dardus (Fabricius), 1787; *Eurybia* [Type: pc-st; collection of Stichel] [TypeL - Peru; Bolivia.] [Refs - b4474; b4446]
- e *ruberrotei* (Balleto), 1993, (ISS); *Nivalis* OD: Boll. Soc. ent. ital. 124(3):243 [b0220] SS: ruberrotei (Weeks), 1902; *Madeleinea* [Refs - b0220]
- a *ruberrothei* (Weeks), 1902; *Lycaena* OD: Ent. News 13(4):104 [b4965] CG: *Madeleinea* [Type: MCZ] [TypeL - Sicasica, Bolivia.] [Refs - b0908; b3326; b0207; b4965]
- a *rubi* (Linnaeus), 1758; *Papilio* OD: Syst. nat. (ed. 10) 1:483 [b2993] CG: *Callophrys* [Type of - *Callophrys*, *Lycus*] [Refs - b2280; b1636; b4245; b2375; b3059; b1213; b2747; b0995; b1780; b2827; b4092; b2866; b1601; b0236; b3192; b3349; b2300; b0293; b1183; b1321; b4950; b2794; b2985; b3910; b0783; b3366; b2585; b0694; b2859; ns2150; b2788; b2587; b1455]
- d *rubi* (Fourcroy), 1785; *Papilio* OD: Ent. paris. 2:245 [b1782] SS: dorilis (Hüfnagel), 1766; *Lycaena* (Heodes) [Refs - b2747]
- c *rubicunda* Evans, 1925; *Rapala* OD: J. Bombay nat. Hist. Soc. 30(4):771 [b1634] SS: suffusa (Moore), [1879]; *Rapala* [TypeL - Andamans.] [Refs - b1636; b0694; b1553; b4108]
- a *rubicundula* (Leech), 1890; *Thecla* OD: Entomologist 23:40 [b2963] CG: *Satyrion* [TypeL - China.] [Refs - b0996; b2479; b4092; b1455]
- c *rubicundus* (Fruhstorfer), [1912]; *Aphaenus* OD: Berl. ent. Z. 56(3/4):220 [b1850] SS: frigidus (H. Druce), 1873; *Spindasis* [TypeL - Borneo.] [Refs - b4094; b4108]
- a *rubida* Tyler, 1926; *Rapala* OD: J. Bombay nat. Hist. Soc. 31(3):590 [b4773] [TypeL - India.] [Refs - b1454; b0694]
- b *rubida* Riley, 1929; *Heliophorus* OD: J. Bombay nat. Hist. Soc. 33(2):396 [b3769] SS: androcles (Westwood), [1852]; *Heliophorus* (B) [TypeL - Burma.] [Refs - b1638; b0694]
- a *rubidus* (Behr), 1866; *Chrysophanus* OD: Proc. ent. Soc. Philad. 6(2):208 [b0282] CG: *Chalceria* [Type: CM-nt; designated by Johnson & Balogh, 1977] [Bull. Allyn Mus. (43):20 [b2621]] [TypeL - Interior of Oregon.] [Type of - *Chalceria*] [Refs - b1530 :223, f 429; b1321 :60; b2280; b4220; b0908; b4179; b2621; b3191; b2747; b3192; b3189; b0493; b4690 (*); b2753; b4066]
- e ♀ *f. rubidus* Evans, 1925; *Sinthusa* OD: J. Bombay nat. Hist. Soc. 30(4):774 [b1634] SS: groti (Moore), [1884]; *Sinthusa* [TypeL - Sikkim; Burma.] [Refs - b1636; b0694]
- a *rubifer* (H. H. Druce), 1907; *Thecla* OD: Proc. zool. Soc. Lond. 1907(3):621 [b1375] CG: *Crimsinota* [Type: BMNH-ht] [TypeL - Bogotá, Colombia.] [Refs - b0908; b2614]
- a *rubiferata* Johnson & Kroenlein, 1993; *Rubroserata* OD: Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (34):29, f [b2628] [Type: BMNH-ht] [TypeL - Chanchamayo, Peru.] [Refs - b2628]
- e *rubiginosum* Stichel, 1931, (ISS); *Nymphidium* OD: Lep. Cat. Pars 44:738 [b4476] SS: robiginosum Stichel, 1929; *Nymphidium* [Refs - b4476]
- a *rubigo* (Bates), [1868]; *Nymphidium* OD: J. linn. Soc. Lond., Zool. 9:401 [b0267] CG: *Juditha* [Type: BMNH-ht] [TypeL - Tapajos.] [Note - Known from only the holotype, which looks like a worn specimen of *molpe*.] [Refs - b2747; b4475; b1456]
- e *rubigofusca* Le Moutt, 1940, 1939-1940, (IFS); *Helicopsis* OD: Novit. ent. (15):120 [b2943] SS: cupido (Linnaeus), 1758; *Helicopsis* [Type: AME-ht] [Refs - b3199]
- a *rubina* Bates, 1866; *Symmachia* OD: Ent. mon. Mag. 3:155 [b0264] [TypeL - Panama.] [Refs - b2988; b2747; b4474; b2497; b1456]
- a *ruborbiculis* Johnson & Kroenlein, 1993; *Angulopsis* OD: Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (33):25, f [b2627] [Type: BMNH-ht] [TypeL - Santa Catarina, Brazil.] [Refs - b2627]
- e *rubriviola* Beuret, 1961; *Plebejus* OD: Lyc. Schweiz III :416 [b0410] SS: cosana (Higgins), 1930; *Plebejus* (*Vacciniina*) [Refs - b0410]
- c *rubrica* (H. H. Druce), 1888; *Liptena* OD: Ent. mon. Mag. 25:108 [b1352] SS: zerita (Plötz), 1880; *Mimeresia* [TypeL - W. Africa.] [Refs - b4400]
- a *rubrica* (Stichel), 1929; *Polystichtis* OD: Deut. ent. Zeit. 1929:205 [b4471] CG: *Calospila* [TypeL - Colombia.] [Refs - b4475; b1456]
- a *rubricinctus* (Holland), 1891; *Lycaenesthes* OD: Psyche 6(179):51 [b2424] CG: *Anthene* [Type: CM] [TypeL - W. Africa.] [Note - Description based on the male. The female was described as *musagetes* (Holland, 1893).] [Refs - b1452; b0343; b0836 (as *rubricincta*); b4400; b1661]
- e *ab. rubricornis* (Caradja), 1932; *Lycaena* OD: Bull. Acad. Roumaine 15:37 [b0704] SS: bellargus (Rottemburg), 1775; *Polyommatus* (*Lysandra*) [TypeL - Rumania.] [Refs - b0070]
- e ♀ *ab. rubrifasciata* (Courvoisier), 1913; *Lycaena* OD: Ent. Mitt. 2(10):291 [b0989] SS: orion (Pallas), 1771; *Scolitantides* [Refs - b0236; b0400; b0989; b0471]
- e *ab. rubrimaculata* (Courvoisier), 1907; *Lycaena* OD: Z. wiss. InsektBiol. 3:37 [b0982] SS: superba (Staudinger), 1887; *Polyommatus* (*Paragrodiaetus*) [Refs - b0236; b0471]
- a *rubrimaculata* (Strand), 1909; *Lycaenesthes* OD: Ent. Zeit. 23(27):126 [b4495] CG: *Anthene* [TypeL - Amani.] [Refs - b1452; b0343; b4528; b4400]
- e *ab. rubrimaculata* (Courvoisier), 1913; *Lycaena* OD: Ent. Mitt. 2(10):291 [b0989] SS: argyrognomon (Bergsträsser), [1779]; *Plebejus* (*Lycaeides*) [Refs - b0236; b0989; b0471]
- e *ab. rubrimaculata* (Courvoisier), 1913; *Lycaena* OD: Ent. Mitt. 2(10):291 [b0989] SS: sephyrus (Fridvaldszky von Fridvald), 1835; *Plebejus* (*Plebejides*) [Refs - b0236; b0471]
- e ♀ *ab. rubripuncta* (Courvoisier), 1913; *Lycaena* OD: Ent. Mitt. 2(10):291 [b0989] SS: baton (Bergsträsser), [1779]; *Pseudophilotes* [Refs - b0236; b0400 (with *vicrama*?); b0989; b0471]
- b *rubrocilia* Lathy, 1926; *Euselasia* OD: Entomologist 59:145 [b2919] SS: artos Herrich-Schäffer, [1853]; *Euselasia* [TypeL - French Guiana.] [Refs - b4474]
- e *ab. rubrofasciata* Lathy, 1932; *Ancyluris* OD: Ann. Mag. nat. Hist. (10)9:66 [b2922] SS: seitzii Lathy, 1932; *Ancyluris* [Type: BMNH] [Refs - b2922]
- c *rubrofilum* Stichel, 1909; *Ancyluris* OD: Berl. ent. Z. 54(1/2):37 [b4444] SS: eudaemon Stichel, 1910; *Ancyluris* [TypeL - Bolivia.] [Refs - b4474; ns4445 :37]
- e *f. rubrohaetata* Stauder, 1923, 1920-1923; *Lycaena* OD: Z. wiss. InsektBiol. 18:68 [b4310] SS: phlaeas (Linnaeus), 1761; *Lycaena* (*Lycaena*) [Refs - b0236; b0389; b0471]

- a **rubrolimbacosta** Johnson & Kroenlein, 1993; *Angulopsis* OD: Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (33):24, f [b2627] [Type: AMNH-ht] [TypeL - Dept. La Paz, Prov. Sud Yungas, Bolivia.] [Refs - b2627]
- b **rubrolineata** Lathy, 1904; *Ithomiola* OD: Trans. ent. Soc. Lond. 52(3):465 [b2914] SS: *floralis* Felder & Felder, 1865; *Ithomiola* [TypeL - Peru.] [Refs - b4474]
- e ♀ **ab. rubrolineata** Lathy, 1932; *Ancyluris* OD: Ann. Mag. nat. Hist. (10)9:65 [b2922] SS: *jocularis* Stichel, 1909; *Ancyluris* [Type: BMNH-ht] [TypeL - Villavicencia, Colombia.] [Refs - b2922]
- a **rubromacula** Hawker-Smith, 1933; *Liptena* OD: *Stylops* 2:9 [b2168] [TypeL - Nr Walikale, Middle Iowa Valley, Belgian Congo.] [Refs - b2168; b4400]
- e var. **rubromaculata** (Oberthür), 1909; *Lysandra* OD: *Étud. Léop. comp.* 3:407, pl 29 (or 19), f 57 [b3448] SS: *bellargus* (Rottemburg), 1775; *Polyommatus* (*Lysandra*) [Refs - b0236; b0471]
- e **rubromaculata** (Courvoisier), 1913; *Lycaena* OD: Ent. Mitt. 2(10):291 [b0989] SS: *pylaon* (Fischer von Waldheim), 1832; *Plebejus* (*Plebejides*) [Refs - b3059; b0989]
- c **rubropuncta** Lathy, 1921; *Azonus* OD: Ann. Mag. nat. Hist. (9)8:208 [b2916] SS: *sitalces* (Mabille), 1899; *Azonus* [TypeL - Madagascar.] [Refs - b4400; b2920]
- b **rubula** Fruhstorfer, [1914], 1909-1923; *Dodona* OD: In Seitz, *Grossschmett. Erde* 9:775 [b1840] SS: *durga* (Kollar), [1844]; *Dodona* [TypeL - Kweichou, China.] [Refs - b4473; b0236; b1840]
- a **rudolphus** Godman & Salvin, [1885], 1879-1901; *Monethe* OD: *Biol. centr.-amer., Lep. Rhop.* 1:398 [b1975] [TypeL - Nicaragua.] [Refs - b2988; b4474; b1453; b1456]
- a **rueckbeili** (Forster), 1960; *Agrodiaetus* OD: Z. wien. ent. Ges. 45(7-10):126, pl 10,11, f 21,22 [b1772] CG: *Polyommatus* (*Agrodiaetus*) [TypeL - Turkestan.] [Refs - b1772 (as *rueckbeili*); b1004; b1455]
- b **ruehli** Turati, 1911; *Lycaena* OD: Soc. ent. 25(21):83 [b4743] SS: *alciphron* (Rottemburg), 1775; *Lycaena* (*Alciphronia*) [Refs - b0236; b4743; b0471]
- e **rufa** Riley, 1929, (IFS); *Heliophorus* OD: J. Bombay nat. Hist. Soc. 33(2):400 [b3769] SS: *eventa* Fruhstorfer, 1918; *Heliophorus* (B) [TypeL - N. India.]
- c **rufanalis** (Hayward), 1935; *Thecla* OD: *Revta Soc. ent. argent.* 7:191 [b2214] SS: *cillutincaræ* (Draudt), [1919]; *Thecloxurina* [Type: pc; Breyer collection.] [TypeL - Sierras de Clavillo, Tucumán, Argentina.] [Refs - b0908; b0125; b2610]
- c **rufescens** (Boisduval), 1869, 1868-1869; *Lycaena* OD: *Annls Soc. ent. Belg.* 12:48 [b0468] SS: *saepiolus* (Boisduval), 1852; *Plebejus* (*Icaricia*) [Type: USNM-ht] [TypeL - (Interior of) California.] [Note - Miller & Brown incorrectly treat this name as unavailable.] [Refs - b0908; b2747; b3192; b1743; b1321]
- e **rufescens** Tutt, 1908, 1905-1914; *Everes* OD: *Nat. Hist. Brit. Butts* 3:56 [b4760] SS: *argiades* (Pallas), 1771; *Everes* [Refs - b0400]
- e **ab. rufescens** (Tutt), 1909, 1905-1914; *Plebejus* OD: *Nat. Hist. Brit. Butts* 3:179 [b4760] SS: *argus* (Linnaeus), 1758; *Plebejus* [Refs - b0236; b0471]
- e **ab. rufescens** (Tutt), 1909, 1905-1914; *Agriades* OD: *Nat. Hist. Brit. Butts* 3:336 [b4760] SS: *bellargus* (Rottemburg), 1775; *Polyommatus* (*Lysandra*) [Refs - b0471]
- e **ab. rufextensa** (Goodson), 1959; *Strymonidia* OD: *Entomologist* 92:149 [b1997] SS: *w-album* (Knoch), 1782; *Satyrium* [TypeL - England.]
- c **ruficaudis** (Strand), 1918; *Aphnaeus* OD: *Nacht. Lep. Niepelt.* 2, pl 18, f 9,10 [b4520] SS: *adema* (Plötz), 1880; *Lipaphnaeus* [Type: BMNH-ht] [TypeL - Bougainville, Salomon Archipelago, but really Africa.] [Refs - b4528; b4621]
- a **ruficirca** Tite, 1963; *Nacaduba* OD: *Bull. Br. Mus. nat. Hist. (Ent.)* 13(4):85 [b4676] [Type: BMNH-ht] [TypeL - Mydrographer Mts., British New Guinea.] [Refs - b1450; b4676; b2387; b2388]
- a **rufilla** (Grose-Smith), 1901, 1887-1902; *Liptena* OD: *Rhop. exot.* 3(57):133, pl 28, f 4,5 [b2029] CG: *Telipna* [TypeL - Nr Warri, Nigeria.] [Refs - b4400; b2029; b1452]
- a **rufimargo** (Rothschild), 1915; *Lycaenesthes* OD: *Novit. zool.* 22:390 [b3879] CG: *Hypochrysops* [Type: BMNH-ht] [TypeL - Vulcan Island, New Guinea.] [Refs - b4679; b1450; b0102; b3926]
- c **rufina** (Oberthür), 1894; *Lycaena* OD: *Étud. ent.* 19:14, pl 6, f 52 [b3435] SS: *icarus* (Rottemburg), 1775; *Polyommatus* [Refs - b4092]
- b **rufinus** Grose-Smith, 1898; *Hypochrysops* OD: *Novit. zool.* 5(1):104 [b2047] SS: *dicomas* Hewitson, 1874; *Hypochrysops* [Type: BMNH-ht] [TypeL - Ron Island.] [Refs - b1450; b2078; b2048; b3926]
- e **rufocincta** Kirby, 1871, (ISS); *Pheles* OD: *Syn. Cat. dium. Lep.* :306 [b2747] SS: *rufocincta* Bates, [1868]; *Pheles* [Refs - b2747]
- e **rufoclarens** (Verity), 1926, 1926-1933, (RA); *Agriades* OD: *Ent. Rec.* 38:122 [b4844] SS: *apenninus* (Zeller), 1847; *Polyommatus* (*Lysandra*) [TypeL - Tuscany.] [Refs - b2856; b0236; b0471; b4038]
- a **rufofusca** (Hewitson), [1877], 1863-1878; *Thecla* OD: *Ill. dium. Lep. Lycaenidae* 1:196; 2-pl 78, f 627,628 [b2326] CG: *Strymon* [Type: BMNH-ht] [TypeL - Not stated.] [Refs - b0908; b2718; b0907; b1530 :216, f 414; b1321 :56; b2753; b2221; b3192; b0833; b1375; b1975; b0420; b2631; b4066; b2624]
- e **rufolimбата** Stichel, 1910, (IFS); *Napaea* OD: *Gen. Insectorum* 112(A):84 [b4446] SS: *picina* Stichel, 1910; *Napaea* [Refs - b4474; b2406; b1456; b4446]
- e **ab. rufolunulata** (Reverdin), 1909; *Lycaena* OD: *Bull. Soc. Léop. Genève* 1:373, pl 10, f 1 [b3727] SS: *argus* (Linnaeus), 1758; *Plebejus* [Refs - b0236]
- e **ab. rufolunulata** (Tutt), 1909, 1905-1914; *Agriades* OD: *Nat. Hist. Brit. Butts* 3:343 or 350 [b4760] SS: *bellargus* (Rottemburg), 1775; *Polyommatus* (*Lysandra*) [Refs - b0471; b3059]
- e **ab. rufolunulata** (Tutt), 1909, 1905-1914; *Plebejus* OD: *Nat. Hist. Brit. Butts* 3:198 [b4760] SS: *argus* (Linnaeus), 1758; *Plebejus* [Refs - b0236; b0471]
- e **rufolunulata** (Verity), 1943, (IFS); *Agrodiaetus* OD: *Farfalle Diurne Ital.* 2:321 [b4862] SS: *ripartii* (Freyer), 1830; *Polyommatus* (*Agrodiaetus*) [TypeL - Italy.icobas] [Refs - b2856]
- e **ab. rufomaculata** Courvoisier, 1920; *Everes* OD: *Deut. ent. Zeit. [Iris]* 34:244 [b0995] SS: *alcetas* (Hoffmansegg), 1804; *Everes* [Refs - b0995; b0236; b0400; b0471]
- e **ab. rufomaculata** (Dannehl), 1927; *Lycaena* OD: *Mitt. münchen. ent. Ges.* 17:7 [b1102] SS: *dolus* (Hübner), [1823]; *Polyommatus* (*Agrodiaetus*) [Refs - b0236; b0471]
- e **ab. rufomarginata** (Wagner), 1909; *Lycaena* OD: *Ent. Zeit.* 23(4):17 [b4893] SS: *bellargus* (Rottemburg), 1775; *Polyommatus* (*Lysandra*) [Refs - b0236; b0471]
- a **rufomarginata** (Bethune-Baker), 1910; *Lycaenesthes* OD: *Trans. ent. Soc. Lond.* 58(1):54, pl 2, f 14 [b0343] CG: *Anthene* [Type: BMNH-st] [TypeL - Makala, Congo.] [Refs - b1452; b4400]

- e *ab. rufomarginata* (Stetter-Stättermayer), 1937; *Lycaena* OD: Ent. Rundsch. 54:532 [b4432] SS: allardi (Oberthür), 1874; Plebejus (Plebejides) [Refs - b0075]
- e *rufonotata* (Fruhstorfer), 1908, (IFS); *Ilerda* OD: Ent. Zeit. 22(12):49 [b1829] SS: laulimbata (Fruhstorfer), 1908; *Heliophorus* [Type: BMNH-ht] [TypeL - Sikkim.] [Refs - b1636; b1551; b0996; b4094; b1454; b0694; b1549]
- a *rufoplagata* Bethune-Baker, 1910; *Triclema* OD: Trans. ent. Soc. Lond. 58(1):72, pl 3, f 8 [b0343] [Type: BMNH-st] [TypeL - Sierra Leone.] [Refs - b1452; b0836; b4400]
- e *rufoprivata* (Verity), 1926, 1926-1933, (RA); *Lycaena* OD: Ent. Rec. 38:106 [b4844] SS: icarus (Rottemburg), 1775; *Polyommatus* [Type: MZS-st] [TypeL - Cottian Alps.] [Refs - b2856; b0236; b0471; b0064]
- e *ab. rufopunctata* (Neuburger), 1907; *Lycaena* OD: Soc. ent. 21(23):180 [b3379] SS: icarus (Rottemburg), 1775; *Polyommatus* [Refs - b0236]
- e *rufosaturior* (Verity), 1943, (RA); *Agrodiaetus* OD: Farfalle Diurne Ital. 2:328 [b4862] SS: damon ((Denis & Schiffmüller), 1775; *Polyommatus* (*Agrodiaetus*) [Type: MZS-st] [TypeL - Italy.] [Refs - b2856]
- e *rufosplendens* (Verity), 1926, 1926-1933, (RA); *Agriades* OD: Ent. Rec. 38:122 [b4844] SS: coridon (Poda von Neuhaus), 1761; *Polyommatus* (*Lysandra*) [Type: MZS-st] [TypeL - Alps.] [Refs - b2856; b0236; b0471; b4038]
- a *rufotaenia* (Fruhstorfer), [1912]; *Marmessus* OD: Berl. ent. Z. 56(3/4):249 [b1850] CG: *Drupadia* [Type: ZMHU-ht] [TypeL - Malacca, Malay Peninsula.] [Refs - b1030; b0964; b0965; b4094; b0105; b3498; b1454; b1850; b0694; b1544; b4602; b3060]
- b *rufotineta* Bates, [1868]; *Pheles* OD: J. lim. Soc. Lond., Zool. 9:379 [b0267] SS: *heliconides* Herrich-Schäffer, [1853]; *Pheles* [TypeL - Ega.] [Refs - b4474; b2747 (as *rufocincta*); b0267; b3717; b1456]
- e *ab. rufotineta* (Obratsov), 1936; *Lycaena* OD: Z. öst. EntVer. 21:48 [b3469] SS: icarus (Rottemburg), 1775; *Polyommatus* [TypeL - Ukraine.] [Refs - b0074]
- c *rufula* Grose-Smith, 1902, 1887-1902; *Pheles* OD: Rhop. exot. 3(60):5, pl 2, f 3,4 [b2029] SS: *rufotineta* Bates, [1868]; *Pheles* [Refs - b4474; b1456]
- e *rufula* (Sharp), [1903], (ISS); *Liptena* OD: Zool. Rec. 38(1901)(Ins.):207 [b4132] SS: *rufilla* (Grose-Smith), 1901; *Telipna* [Refs - b4132]
- a *rugatus* (H. H. Druce), 1907; *Thecla* OD: Proc. zool. Soc. Lond. 1907(3):611 [b1375] CG: *Pendantus* [Type: BMNH-ht] [TypeL - Vina, Amazons, (Northwest) Peru.] [Refs - b0908; b1375; b2631 (as *regatus*); b2628]
- c *ruhli* (Krulikovskii), 1892; *Lycaena* OD: Soc. ent. 7(1):1 [b2845] SS: *arion* (Linnaeus), 1758; *Maculinea* [Refs - b0400 (as *rühli*)]
- b *ruhlianus* Bryk, 1946; *Everes* OD: Ark. Zool. 38A(3):57 [b0568] SS: *argiades* (Pallas), 1771; *Everes* [TypeL - Korea.]
- b *rukma* (de Nicéville), [1889]; *Aphnaeus* OD: J. asiat. Soc. Bengal, Pt II 57(4):281, pl 14, f 5 [b1151] SS: *nipalicus* (Moore), 1884; *Spindasis* [TypeL - Sikkim.] [Note - Not spelled *rukma*.] [Refs - b4094; b1151; b1454; b0694; b1455]
- a *rukmini* (de Nicéville), [1889]; *Aphnaeus* OD: J. asiat. Soc. Bengal, Pt II 57(4):282, pl 14, f 8 [b1151] CG: *Spindasis* [TypeL - Sikkim.] [Refs - b1636; b1153; b4094; b1454; b0694]
- a *rumaniae* Cosmovici, 1892; *Thecla* OD: Naturaliste 14=(2)6(136):255 [b0967] CG: *Thecla* (?) [TypeL - Roumania.]
- b *rumeliensis* (Eitschberger & Steiniger), 1975; *Eumedonia* OD: *Atalanta* (Münnerstadt) 6(2):97, f [b1537] SS: *eumedon* (Esper), [1780]; *Plebejus* (*Eumedonia*) [TypeL - Karandila, Sliven, Bulgaria.] [Refs - b0107]
- d *rumina* (Drury), [1773], 1770-1782, (H); *Papilio* OD: Ill. nat. Hist. 1: index+, pl 2, f 1 [b1392] SS: *thero* (Linnaeus), 1764; *Phasis* [Refs - b2747; b4400; b4685]
- a *runides* (Zhdanko), 1990; *Normannia* OD: Ent. Obozr. 69(1):135, f 2,3 [b5066] CG: *Satyrrium* [TypeL - Russian SFSR.] [Refs - b0124; b5066]
- b *rupala* Evans, 1925; *Polyommatus* OD: J. Bombay nat. Hist. Soc. 30(2):350, f [b1632] SS: *devanica* Moore, [1875]; *Polyommatus* [Type: BMNH-ht] [TypeL - India.] [Note - Described as a subspecies of *sarta*.] [Refs - b1636; b1759; b0236 (with a later reference); b0065; b0694; b0471; b1455; b0205]
- d *rupala* Tytler, 1926, (H); *Polyommatus* OD: J. Bombay nat. Hist. Soc. 31(3):586 [b4773] SS: *rupala* Evans, 1925; *Polyommatus* [TypeL - Astor.]
- b *rutururi* Riley, 1928; *Jamides* OD: In Trans. ent. Soc. Lond. 76(2):464 [b3768] SS: *bochus* (Stoll), [1782]; *Jamides* [Type: BMNH-st] [TypeL - Austral Islands.] [Refs - b4871; b3768]
- e *ruschanica* Zhdanko, 1990, (ISS); *Athamanthia* OD: Ent. Obozr. 72(3):668 [b5068] SS: *rushanica* Zhdanko, 1990; *Athamanthia* [Refs - b5068]
- e *ruscinonis* (Verity), 1951, 1947-1957, (RA); *Lysandra* OD: Var. Pap. diurn. France :169 [b4863] SS: *coridon* (Poda von Neuhaus), 1761; *Polyommatus* (*Lysandra*) [Type: MZS-st] [Refs - b2856; b4038]
- a *rushanica* Zhdanko, 1990; *Athamanthia* OD: Ent. Obozr. 69(1):138, f 6,7,11b [b5066] CG: *Athamanthia* [TypeL - Tadzhikistan.] [Refs - b0124; b5068 (as *ruschianica*); b5066]
- a *ruspinoides* Schultze, 1923; *Telipna* OD: In Schubotz :1151, f [b4018] [TypeL - W. Africa.] [Refs - b1452; b4400]
- c *rusata* Godman & Salvin, 1878; *Euselasia* OD: Proc. zool. Soc. Lond. 1878(2):361 [b1973] SS: *leucorrhoea* Godman & Salvin, 1878; *Euselasia* [TypeL - Veragua; Chiriqui.] [Refs - b4474]
- b *russelli* Eliot, 1962; *Arhopala* OD: Entomologist 95:218 [b1547] SS: *semperi* Bethune-Baker, 1896; *Arhopala* a [TypeL - Malaya.] [Refs - b1568; b1454]
- a *russelli* Tite, 1963; *Nacaduba* OD: Bull. Br. Mus. nat. Hist. (Ent.) 13(4):72 [b4676] [Type: BMNH-ht] [TypeL - Ulu Gombak, Upper Gombak River, Malaya.] [Refs - b4676; b0965; b1454; b2387; b2388; b4108]
- a *russelli* Eliot & Kawazoé, 1983; *Sancterila* OD: Butts *Lycaenopsis* group :79, f 46-47, 434-437, 472 [b1580] [Type: BMNH-ht] [TypeL - Mt Tambusisi, East-central Sulawesi.] [Refs - b1580]
- b *russelli* Eliot, 1986; *Allotinus* OD: Bull. Br. Mus. nat. Hist. (Ent.) 53(1):38, f 66 [b1571] SS: *samarensis* Eliot, 1986; *Allotinus* (*Paragerydus*) [Type: BMNH-ht] [TypeL - Sulawesi.] [Refs - b1571]
- e *russeri* Hirowatani, 1992, (ISS); *Nacaduba* OD: Bull. Univ. Osaka Pref. (B)44(Suppl.):19 [b2388] SS: *russelli* Tite, 1963; *Nacaduba* [Refs - b2388]
- a *russula* Stichel, 1910; *Emesis* OD: Berl. ent. Z. 55(1/2):40 [b4445] [Type: pc-st; collection of Stichel] [TypeL - La Paz, Bolivia; S. Leopoldo, Brazil.] [Refs - b4475; b2221; b0419; b4445; b1456]
- a *rusculus* (H. H. Druce), 1910; *Pseuderisia* OD: Proc. zool. Soc. Lond. 1910(1):360, pl 33, f 8 [b1378] CG: *Mimeresia* [TypeL - W. Africa.] [Refs - b1452; b4400; b1378]

- a **rustan** (Stoll), [1790], 1780-1790; **Papilio** OD: In Cramer, *Uitl. Kapellen Aanh.*:166, pl 38, f 1,1A [b4478] CG: Thecla (New World Eumaeini) [TypeL - China.] [Refs - b0908; b2988; b2747; b2221; b3818; b2406; b1975]
- a **rustica** (Edwards), 1865; **Lycaena** OD: Proc. ent. Soc. Philad. 4(1):203 [b1494] CG: Polyommatus (Agriades) [Type: CM-lt; designated by Brown, 1970] [TypeL - Vicinity of Empire, Clear Creek County, Colorado. Restricted by Brown, 1970.] [Note - According to Ferris, *rustica* replaces *glandon* in the New World.] [Refs - b0908; b0428; b4688; b2747; b0993; b2866; b3192; b0410; b1724 (with glandon); b2417; b0493; b1743; b4237; b0866; b1321; b2419; b4690 (with franklinii); b2794 (with glandon); b4066; b1722; b1494]
- a **rusticum** Le Crom & Johnson, 1993; **Solanorum** OD: Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (38):1, f [b2942] [Type: UNBC-ht] [TypeL - Villapinzon Cundinamarca, Colombia.] [Refs - b2942]
- a **rutherfordii** Hewitson, 1874; **Abisara** OD: Ent. mon. Mag. 11:56 [b2342] [TypeL - Cross River, West Africa.] [Note - Often seen, incorrectly, as *rutherfordii*.] [Refs - b2988; b2753; b4473; b0151; b1452; b2342]
- a **ruthica** Pennington, 1953; **Lepidochrysops** OD: J. ent. Soc. S. Afr. 16:107 [b3568] [TypeL - S. Africa.] [Refs - b1259; b1452; b4400]
- c **rutila** (Mabille), 1878; **Thecla** OD: Bull. Soc. zool. Fr. 3:83 [b3040] SS: wardii (Mabille), 1878; **Deudorix** (Virachola) [TypeL - Madagascar.] [Refs - b4400 (also as rutilans); b3045]
- b **rutilans** (Staudinger), 1886, 1886-1889; **Lycaena** OD: Stett. ent. Ztg 47:208 [b4330] SS: iris (Lang), 1884; **Plebejus** (Vacciniina) [TypeL - Central Asia.] [Refs - b0993; b1762; b1759; b2827; b4439; b4092]
- e **rutilans** (Stempffer), 1967, (ISS); **Virachola** OD: Bull. Br. Mus. nat. Hist. (Ent.) Suppl. 10:110 [b4400] SS: rutila (Mabille), 1878; **Deudorix** (Virachola) [Note - May be an available name, or an incorrect spelling due to Mabille. Stempffer attributes it to Mabille, 1885.] [Refs - b4400]
- a **rutilo** (H. H. Druce), 1910; **Pseuderesia** OD: Proc. zool. Soc. Lond. 1910(1):360, pl 33, f 9 [b1378] CG: Eresiomera [TypeL - W. Africa.] [Refs - b1452; b4400]
- b **rutilus** (Werneburg), 1864; **Papilio** OD: Beitr. Schmett. 1:391 [b4979] SS: dispar ((Haworth)), 1802; **Lycaena** (Thersamolycaena) [TypeL - Germany.] [Refs - b4115; b2747; b0996 (Std. Cat. II. 8); b1780; b2827; b0236; b0080; b0389; b1190; b3366; b0082 (as rutilus); b2944; ns2413; b4092; b2937]
- b **rutshurensis** (Joicey & Talbot), 1921; **Oboronia** OD: Bull. Hill Mus. 1(1):99, pl 16, f 90 or 96 [b2655] SS: plurilimbata Karsch, 1895; **Thermoniphys** [Type: BMNH-st] [TypeL - Rutshuru River, N. Kivu.] [Refs - b0827; b1452; b4388; b4400; b2655]
- b **rutshuruensis** (Berger), 1981; **Virachola** OD: Papillons du Zaire :273 [b0309] SS: lorisona (Hewitson), [1863]; **Deudorix** (Virachola) [Type: MRAC-ht] [TypeL - Rutshuru, Kivu-Nord, Zaire.] [Refs - b0309]
- b **ruvana** (Fruhstorfer), 1915; **Lampides** OD: Arch. Naturgesch. (A)81(6):5 [b1865] SS: celeno (Cramer), [1775]; **Jamides** [Type: BMNH-ht] [TypeL - Lombok, but ZR says Java.] [Refs - b3786; b4094; b1865; b1454; b4592; b4604]
- a **ruwenzoricus** (Grünberg), 1912; **Lycaenesthes** OD: Ergebn. D. Zentr.-Afrik. Exp. 3:543 [b2077] CG: Anthene [TypeL - Ruwenzori.] [Refs - b1452; b4400]
- b **ryukyuensis** Shirôzu, 1964; **Pithecopis** OD: Kontyû 32(1):171 [b4201] SS: corvus Fruhstorfer, [1919]; **Pithecopis** [TypeL - Ryukyu Is.] [Refs - b1900; b1011; b4108]
- b **saadii** (Eckweiler & Schurian), 1980; **Neolysandra** OD: Atalanta (Münnerstadt) 11(1):77, f [b1470] SS: coelestina (Eversmann), 1843; **Polyommatus** (Neolysandra) [TypeL - Iran.] [Check - Spelling.] [Refs - b0113]
- b **sabanga** Toxopeus, 1929; **Cheritra** OD: Tijdschr. Ent. 72(3/4):213 [b4699] SS: freja (Fabricius), 1793; **Cheritra** [TypeL - Pulau Weh, off N. Sumatra.] [Refs - b1016; b4699; b1454; b3782]
- b **sabatina** (Fruhstorfer), 1910; **Cyaniris** OD: Stett. ent. Ztg 71(2):288+ [b1843] SS: cossaea (de Nicéville), 1895; **Plantella** [Type: BMNH-lt; designated by Eliot & Kawazoé, 1983] [Buts *Lycaenopsis* group :171 [b1580]] [TypeL - Java.] [Refs - b1840; b1580; b2200]
- b **sabatius** (Fruhstorfer), 1915; **Lampides** OD: Arch. Naturgesch. (A)81(6):16 [b1865] SS: alsietus (Fruhstorfer), 1915; **Jamides** [TypeL - Palawan.] [Refs - b4094; b1865; b1454]
- e **sabazus** Sharp, [1914], (ISS); **Allotinus** OD: Zool. Rec. 50(1913)(Ins.):336.4 [b4143] SS: sabazus Fruhstorfer, 1913; **Allotinus** [Refs - b0276; b4143]
- c **sabazus** Fruhstorfer, 1913; **Allotinus** OD: Z. wiss. Insektenbiol. 9(11):343 [b1851] SS: fallax Felder & Felder, 1865; **Allotinus** [Type: -lt; designated by Eliot, 1986] [Bull. Br. Mus. nat. Hist. (Ent.) 53(1):10 [b1571]] [TypeL - Bohol, Philippines.] [Refs - b1840; b1571]
- b **sabina** Stichel, 1924; **Abisara** OD: Neue Beitr. syst. Insektenk. 3:40 [b4461] SS: kausambi Felder & Felder, 1860; **Abisara** [TypeL - Celebes.] [Refs - b0294; b4473; b1454; b0276; b3796]
- b **sabina** (Dannehl), 1933; **Lycaena** OD: Ent. Zeit. 46:245 [b1103] SS: argyrognomon (Bergsträsser), [1779]; **Plebejus** (Lycaeides) [TypeL - Italy.] [Refs - b0071; b1103]
- b **sabinorum** (Dannehl), 1933; **Lycaena** OD: Ent. Zeit. 46:246 [b1103] SS: arion (Linnaeus), 1758; **Maculinea** [TypeL - Italy.] [Refs - b0071; b1103]
- c **sabinus** (Stoll), [1790], 1780-1790; **Papilio** OD: In Cramer, *Uitl. Kapellen Aanh.*:—, pl 9, f 3,3a [b4478] SS: gelon (Stoll), [1787]; **Euselasia** [TypeL - Surinam.] [Refs - b2747; b4474; x3192]
- b **sabinus** (Felder & Felder), 1865, 1865-1875; **Thecla** OD: Reise Novara (2):263, pl 32, f 24 [b1692] SS: melinus Hübner, [1818]; **Strymon** [TypeL - Bogotá, New Granada.] [Refs - b0908; b2747]
- b **sabirius** (Fruhstorfer), 1908; **Miletus** OD: Int. ent. Z. 2(15):91 [b1830] SS: narcissus (Fabricius), 1775; **Hypochrysops** [Type: BMNH-lt; designated by Sands, 1986] [Entomograph 7:39 [b3926]] [TypeL - Thursday Island.] [Refs - b1450; b3926; b1830]
- c **sabis** (Fruhstorfer), [1917]; **Lycaenopsis** OD: Arch. Naturgesch. (A)82(1):25 [b1880] SS: bazilana (Fruhstorfer), 1910; **Acytolepis** [Type: BMNH-lt; designated by Eliot & Kawazoé, 1983] [Buts *Lycaenopsis* group :184 [b1580]] [TypeL - Mindoro, Philippines.] [Refs - b1840; b1580]
- a **sabula** Johnson, 1992; **Rhamma** OD: Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (22):54, f [b2610] [Type: BMNH-ht] [TypeL - W. slope of Andes, Peru.] [Refs - b0125; b2610]
- c **f. sabulosa** (Hawker-Smith), 1929; **Spindasis** OD: Bull. Hill Mus. 3(3):231 [b2166] SS: nilus (Hewitson), [1865]; **Apharitus** [Type: BMNH-ht] [TypeL - Pountou, Haute Volta, French West Africa.] [Refs - b0836; b4400; b2166]
- e **ab. sabulosus** Oberthür, 1910; **Tomares** OD: Étud. Lép. comp. 4:96 [b3451] SS: mauritanicus (Lucas), 1849; **Tomares** [Refs - b0236; b0471]
- a **sacapulas** McAlpine, [1971]; **Calephelis** OD: J. Res. Lep. 10(1):82, f [b3127] [Type: AMNH-ht] [TypeL - Sacapulas, Quiche, Guatemala.] [Refs - b3127]

- c **sachalinensis** (Matsumura), 1919; *Lycaena* OD: Thous. Ins. Japan Addit. 3:647, pl 49, f 26 [b3089] SS: agestis ([Denis & Schiffermüller]), 1775; Plebejus (*Aricia*) [TypeL - Saghalien.] [Refs - b2479; b0236; b0067]
- c **sachalinensis** (Esaki), 1922; *Cyaniris* OD: Zool. Mag. 34:912 [b1614] SS: ladonides (de L'Orza), 1869; *Celastrina* [Type: EIHU-ht] [TypeL - South Saghalien, Japan.] [Refs - b1580; b2866]
- b **sachalinensis** (Matsumura), 1925; *Everes* OD: J. Coll. Agric. Hokkaido imp. Univ. 15(3):105, pl 8, f 18 [b3090] SS: fischeri (Evermann), 1843; *Tongeia* [TypeL - Saghalien.] [Refs - b2866; b0236]
- d **sachalinensis** Matsumura, 1925, (H); *Celastrina* OD: J. Coll. Agric. Hokkaido imp. Univ. 15(3):105, pl 8, f 16 [b3090] SS: ladonides (de L'Orza), 1869; *Celastrina* [Type: EIHU-st] [TypeL - South Saghalien, Japan.] [Refs - b1580; b0236]
- b **sachalinensis** (Matsumura), 1928; *Zephyrus* OD: Ins. matsumur. 2(4):199 [b3096] SS: taxila (Bremer), 1861; *Neozephyrus* [TypeL - Sakhalin.] [Refs - b3778; b1900; b0236; b0471; b2463]
- c **f. sachalinensis** Matsumura, 1929; *Callophrys* OD: Ins. matsumur. 3(2/3):103 [b3098] SS: rubi (Linnaeus), 1758; *Callophrys* [TypeL - Sachalin Island.] [Refs - b0236; b2585; b0471]
- b **sachalinensis** (Kurentzov), 1970; *Lycaena* OD: Butts Far East USSR :135 [b2864] SS: optilete (Knoch), 1781; *Plebejus* (*Vacciniina*) [Refs - b2866]
- b **sacharja** Fruhstorfer, 1914; *Arhopala* OD: Deut. ent. Zeit. [Iris] 28(2):133 [b1859] SS: alesia Felder & Felder, 1865; *Arhopala* i [Type: BMNH-ht] [TypeL - Annam.] [Refs - b1644; b1859; b1454]
- b **sadanobui** Eliot & Kawazoé, 1983; *Udara* OD: Butts *Lycaenopsis* group :109 [b1580] SS: akasa (Horsfield), [1828]; *Udara* (*Udara*) [Type: OMNH-ht] [TypeL - Dalat, Province de Lang Bien, Vietnam.] [Refs - b1580]
- a **saddacus** (Talbot), 1935; *Lycaenesthes* OD: Ent. mon. Mag. 71:123, pl 2, f 8 [b4623] CG: *Anthene* [TypeL - Abyssinia.] [Refs - b1452; b4623; b4400]
- a **sadeska** (Clench), 1965; *Deudorix* OD: J. New York ent. Soc. 73(3):179 [b0839] CG: *Diopetes* [TypeL - Cameroon.] [Refs - b1452; b4400]
- a **sadieii** Weeks, 1901; *Thecla* OD: Proc. New Engl. zool. Club 2:101 [b4963] CG: *Thecla* (New World *Eumaeini*) [Type: MCZ-ht] [TypeL - Coroico, Bolivia.] [Refs - b0908; b4967; b0276]
- a **saepestriata** (Hewitson), [1865], 1863-1878; *Dipsas* OD: Ill. diurn. Lep. *Lycaenidae* 1:67; 2:pl 26, f 7,8 [b2326] CG: *Japonica* [TypeL - Japan.] [Type of - *Japonica*] [Refs - b4115; b2988; b2280; b2747; b0996; b2827; b2479; b1900; b2866; b4950; b4214; b2772; b4200; b4092]
- a **saepiolus** (Boisduval), 1852; *Lycaena* OD: Anns Soc. ent. Fr. (2)10:296 [b0467] CG: *Plebejus* (*Icaricia*) [Type: USNM-ht] [TypeL - (Mountains of) California.] [LifeH - Tietz lists b3140.] [Refs - b1530 :233, f 447; b1321 :64; b0908; b2747; b3325; b3192; b0236; b1743; b0493; b4690 (*); b0467; b1940; b4066; b4652]
- c **saepistriata** d'Abrera, 1993, (ISS); *Japonica* OD: Butts *Holarctic Region*, Pt 3 :407 (plate) [b1455] SS: *saepestriata* (Hewitson), [1865]; *Japonica* [Refs - b1455]
- a **saepium** (Boisduval), 1852; *Thecla* OD: Anns Soc. ent. Fr. (2)10:287 [b0467] CG: *Satyrium* [Type: USNM-ht] [TypeL - Tuolumne County, California. Restricted by Brown, 1970] [LifeH - Tietz lists b0892.] [Refs - b0908; b4688; b2758 (as *sepium*); b0851; b2747; b1530 :193, f 361; b1321 :58; b3192; b1743; b0493; b4690; b0467; b2631; b4066; b4652]
- b **saetosus** (Pfeiffer), 1932; *Lycaena* OD: In Mitt. münchn. ent. Ges. 22(1):44 [b3590] SS: *mithridates* (Staudinger), 1878; *Polyommatus* (*Agrodiaetus*) [TypeL - N. Syria.] [Refs - b0070]
- b **safidensis** (Blom), 1979; *Agrodiaetus* OD: Ent. Ber. 39(12):186, f [b0455] SS: *alexis* (Poda von Neuhaus), 1761; *Glaucoopsyche* [Type: pc-ht; collection of Blom] [TypeL - Avaj, east of Hamadan, Prov. Hamadan, Iran.] [Refs - b1610 (3688-E11); b0111; b0455]
- a **saga** (Trimen), 1883; *Durbania* OD: Trans. ent. Soc. Lond. 31(4):354 [b4724] CG: *Durbaniopsis* [TypeL - South Africa.] [Type of - *Durbaniopsis*] [Refs - b2280; b1259; b1452; b4400]
- a **saga** Grose-Smith, 1895; *Chilades* OD: Novit. zool. 2(4):505 [b2038] CG: *Chilades* (?) [TypeL - Oinainisa, Timor.] [Note - Compared with *pulli* and *bibules*.] [Refs - b2038]
- e **ab. sagamiensis** (Kuzuzaki), 1937; *Zephyrus* OD: Ageha 3:6 [b2870] SS: *atilia* (Bremer), 1861; *Antigius* [TypeL - Japan.] [Refs - b4907; b0076]
- e **ab. sagamii** Wakabayashi & Tanaka & Sugai, 1958; *Antigius* OD: Tyô to Ga 9(2):27-29, f 17-28 [b4907] SS: *atilia* (Bremer), 1861; *Antigius* [Refs - b4907]
- a **sagaris** (Cramer), [1775], 1775-1790; *Papilio* OD: Utit. Kapellen 1(7):130, pl 83, f D [b1069] CG: *Stichelia* [TypeL - America mer.] [Refs - b2988; b2747; b4474; b2221; b1456]
- b **sagata** Fruhstorfer, [1912]; *Rapala* OD: Berl. ent. Z. 56(3/4):258 [b1850] SS: *varuna* (Horsfield), [1829]; *Rapala* [TypeL - Bawean.] [Refs - b4094; b1854]
- b **sagba** Libert, 1993; *Euchrysops* OD: Bull. Soc. ent. Fr. 97(4):321-332 [b2990] SS: *unigemmata* (Butler), 1895; *Euchrysops* [TypeL - Cameroun.]
- b **sagitta** Kaye, [1914]; *Symphachia* OD: Trans. ent. Soc. Lond. 61(3):560, pl 30, f 13 [b2709] SS: *technema* Stichel, 1910; *Symphachia* [TypeL - Trinidad.] [Refs - b4474]
- e **sagittifera** Hormuzaki, 1893; *Lycaena* OD: Soc. ent. 8(8):58 [b2452] SS: *dispar* ([Haworth]), 1802; *Lycaena* (*Thersamolycaena*) [Refs - b0389; b4092]
- c **sagittigera** (Felder & Felder), 1865, 1865-1875; *Lycaena* OD: *Reise Novara* (2):281, pl 35, f 20,21 [b1692] SS: *piasus* (Boisduval), 1852; *Glaucoopsyche* [TypeL - Sonora, Mexico.] [Refs - b0908; b2747; b0552; b3192; b1318; b1321; b4066]
- b **saha** Fruhstorfer, [1912]; *Rapala* OD: Berl. ent. Z. 56(3/4):258 [b1850] SS: *vanua* (Horsfield), [1829]; *Rapala* [TypeL - Borneo.] [Refs - b4094; b1850; b4108]
- b **sahandensis** (Schurian & Hofmann), 1982; *Thersamonia* OD: Nachr. ent. Ver. Apollo Suppl. 2:22, f [b4042] SS: *ochimus* (Herrich-Schäffer), [1851]; *Lycaena* (*Thersamonia*) [TypeL - Iran.] [Refs - b0115]
- c **saishutonis** (Matsumura), 1927; *Zizera* OD: Ins. matsumur. 1(4):169, pl 5, f 7 [b3094] SS: *maha* (Kollar), [1844]; *Pseudozizera* [TypeL - Korea.] [Refs - b4115; b2479; b0236; b0471]
- c **saitua** (Tytler), 1915; *Thecla* OD: J. Bombay nat. Hist. Soc. 24(1):132, pl 3, f 25 [b4772] SS: *mackwoodii* (Evans), 1914; *Satyrium* [TypeL - Manipur.] [Refs - b1636; b0236; b0694]
- e **sajah** Sharp, [1913], (ISS); *Arhopala* OD: Zool. Rec. 49(1912)(Ins.):308 [b4142] SS: *rajah* Moulton, [1912]; *Arhopala* m [Refs - b4142]
- b **sajana** (Heyne), 1895, 1893-1895; *Lycaena* OD: In *Palae. Grossschmetz* 1:757 [b2363] SS: *orbitulus* (Prumer), 1798; *Polyommatus* (*Albulina*) [Refs - b2866; b0410; b4092]

- b *sajana* (Kozhanchikov), 1923; *Chrysophanus* OD: *Ezhegosud. Muz. N. M. Mart'anova* 1:10 or 11 [b2835] SS: *hippotoe* (Linnaeus), 1761; *Palaeochrysophanus* [TypeL - Siberia.] [Refs - b0236; b3796; b4169]
- b *sajanica* (Huang & Murayama), 1992; *Thersamonia* OD: *Tyô to Ga* 43(1):10 [b2478] SS: *thersamon* (Esper), [1784]; *Lycaena* (*Thersamonia*) [Type: pc-ht; collection of Murayama.] [TypeL - Turan, Sajan Mts., S. W. Irkutsk, USSR.] [Refs - b2478]
- a *sakaguchii* (Hayashi), 1981; *Narathura* OD: *Tyô to Ga* 32(1,2):75, f 23,24,52 [b2198] CG: *Arhopala* b [Type: NSMT-ht] [TypeL - Philippines.] [Refs - b2198; b2204; b0119]
- b *sakaia* Fruhstorfer, [1912]; *Rapala* OD: *Berl. ent. Z.* 56(3/4):263 [b1850] SS: *pheretima* (Hewitson), [1863]; *Rapala* [TypeL - Java.] [Refs - b4094; b2201; b1454; b1850]
- b *sakaia* Corbet, 1940; *Pratapa* OD: *Proc. R. ent. Soc. Lond.* (B)9(1):5 [b0945] SS: *icetas* (Hewitson), [1865]; *Pratapa* [TypeL - Malaya.] [Refs - b0964; b0965; b2201; b1454]
- e ♀ *ab. sakaii* (Matsumura), 1910; *Ilerda* OD: *Ent. Zeit.* 23(50):221 [b3084] SS: *matsumurae* (Fruhstorfer), 1908; *Heliophorus* [TypeL - Formosa.] [Refs - b4198; b4094; b0236]
- b *sakaii* (Hayashi), 1976; *Dedona* OD: *Tyô to Ga* 27(1):12, f [b2180] SS: *deodata* Hewitson, 1876; *Dodona* [TypeL - Philippines.] [Refs - b0109]
- c *sakitatus* (Ribbe), 1926; *Thysonotis* OD: *Ent. Mitt.* 15(1):91 [b3742] SS: *piepersii* (Snellen), 1878; *Psychonotis* [Type: SMT-lt; designated by Takanami, 1989] [*Tyô to Ga* 40(1):48 [b4602]] [TypeL - E. Sulawesi.] [Refs - b3742; b4602]
- a *sakula* Koiwaya, 1993; *Chrysozephyrus* OD: *Stud. Chin. Butterflies* 2:2, f [b2818] [TypeL - Sichuan, China.] [*Check-D'Abrera attributes the name to Sugiyama, 1992 (Pallarge, 1:2), and places it in Neozephyrus.*] [Refs - b0126; b1455]
- a *sala* Hewitson, [1867], 1863-1878; *Thecla* OD: *Ill. diurn. Lep. Lycaenidae* 1:81; 2:pl 35, f 71,72 [b2326] CG: *Thecla* (New World Eumacini) [Type: BMNH] [TypeL - New Granada.] [Refs - b0908; b2747]
- c *sala* Fruhstorfer, [1914], 1909-1923; *Abisara* OD: In Seitz, *Grossschmett. Erde* 9:783, pl 140b [b1840] SS: *litavicus* Fruhstorfer, 1912; *Abisara* [TypeL - S. E. Borneo.] [Refs - b0294; b4473; b1454; b1840]
- e *ab. salacia* (Bergsträsser), [1779], 1778-1780; *Papilio* OD: *Nom. Ins.* 3:4, pl 50, f 1 [b0310] SS: *bellargus* (Rottemburg), 1775; *Polyommatus* (*Lysandra*) [b0236]
- c *salacia* (Bergsträsser), [1779], 1778-1780; *Papilio* OD: *Nom. Ins.* 3:4, pl 50, f 1-2 [b0310] SS: *bellargus* (Rottemburg), 1775; *Polyommatus* (*Lysandra*) [Refs - b2747; b2794; b4038]
- a *salaides* Draudt, [1919], 1917-1924; *Thecla* OD: In Seitz, *Grossschmett. Erde* 5:754, pl 159-a [b1348] CG: *Thecla* (New World Eumacini) [Type: NMB; Fassl collection.] [TypeL - Pacho, Colombia.] [Refs - b0908]
- b *salamandri* MacLeay, 1866; *Psychonotis* OD: *Proc. ent. Soc. N. S. Wales* 1(5):liv [b3050] SS: *caelius* (Felder & Felder), 1860; *Psychonotis* [TypeL - Torres Strait Islands, Cape York, Australia.] [Refs - b1450; b0870; b4934; b2388; b1382]
- c *salassorum* (Fruhstorfer), 1910; *Lycaena* OD: *Soc. ent.* 25(12):48 [b1845] SS: *semiargus* (Rottemburg), 1775; *Polyommatus* (*Cyaniris*) [TypeL - Piedmont: Val de Cogne.] [Refs - b0236; b1845; b0471; b2858]
- a *salazari* Le Crom & Johnson, 1993; *Paralustrus* OD: *Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point)* (38):3, f [b2942] [Type: AMNH-ht] [TypeL - Cerro Aguacatal Quinchia Risaralda, Colombia.] [Refs - b2942]
- c *salesiana* Zikán, 1952; *Mesosemia* OD: *Dusenja* 3:20 [b5074] SS: *machaera* Hewitson, [1860]; *Mesosemia* [TypeL - Brazil.] [Refs - b0086]
- *saleyerensis* Chapman, 1915; *Curetis* OD: *Novit. zool.* 22:94 [b0770] [Refs - b1454 (with *thetis*)]
- b *saleyra* Fruhstorfer, 1912; *Abisara* OD: *Ent. Rundsch.* 29(3):22 [b1849] SS: *echerius* (Stoll), [1790]; *Abisara* [Refs - b0294; b4473; b1840 (9:783, pl 140a); b1454]
- c *salimba* (Godart), [1824], 1819-1824; *Erycina* OD: In *Ency. méth.* 9(Ins.)(2):568 [b1970] SS: *lisias* (Cramer), [1777]; *Euselasia* [Refs - b2747; b4474]
- b *salmacis* (Stephens), 1829, 1828-1846; *Polyommatus* OD: *Ill. Brit. Ent.* 1:235 [b4428] SS: *antaxerxes* (Fabricius), 1793; *Plebejus* (*Aricia*) [Type: BMNH-lt; designated by Jarvis, 1968] [*Entomologist* 101:21 [b2575]] [TypeL - Castle Eden Dene, Durham, England.] [Refs - b2747; b0995; b2399; ns2576; b2575]
- c *salmoneus* (Stoll), [1781], 1780-1790; *Papilio* OD: In Cramer, *Uitl. Kapellen* 4(29):99, pl 341, f D,E [b4478] SS: *thero* (Linnaeus), 1764; *Phasis* [TypeL - Cape of Good Hope.] [Type of - Phasis] [Refs - b2280; b2747; b4400; b4685]
- c *salome* (Cramer), [1775], 1775-1790; *Papilio* OD: *Uitl. Kapellen* 1(1):18, pl 12, f G,H. [b1069] SS: *nicaeus* (Fabricius), 1775; *Eurybia* [Type of - *Eurybia Latreille, Eurybia Oken*] [Refs - b2280; b2747; b4474; b1456]
- b *salomonis* Samson & Smart, 1980; *Liphyra* OD: *Aurelian* 1(4):11, f [b3917] SS: *brassolis* Westwood, [1864]; *Liphyra* [TypeL - Solomon Islands.] [Refs - b0113]
- c *salona* (Hewitson), 1868; *Thecla* OD: *Descr. new Spec. Lycaenidae* :31 [b2327] SS: *bubastus* (Stoll), [1780]; *Strymon* [Type: BMNH] [TypeL - Venezuela.] [Refs - b0908; b0907; b2747; b2221; b1375; b1975]
- a *salustius* (Fabricius), 1793, 1792-1799; *Hesperia* OD: *Ent. syst.* 3(1):310 [b1657] CG: *Helleia* [TypeL - India, but really New Zealand.] [Refs - b1450; b2747; b4094; b4220 (in *Helleia*) b2488; b2489; b1610 (121-E12); b0105; b0113; b1697; b2753; b5076]
- b *salvator* Stichel, 1911; *Pandemos* OD: *Gen. Insectorum* 112(B):310, pl 27, f 86 [b4447] SS: *palaeste* Hewitson, [1870]; *Pandemos* [Type: ZMHU-ht] [TypeL - Costa Rica.] [Refs - b4475; b1456; b4446]
- b *salvia* Fruhstorfer, 1907; *Amblypodia* OD: *Ent. Zeit.* 21(24):150 [b1825] SS: *narada* (Horsfield), [1828]; *Amblypodia* [TypeL - N. Borneo.] [Refs - b4094; b1454; b1825; b4108]
- b *salvia* (Evans), 1957; *Narathura* OD: *Bull. Br. Mus. nat. Hist.* (Ent.) 5(3):89 [b1644] SS: *auesia* (Hewitson), [1863]; *Arhopala* a [Type: BMNH-ht] [TypeL - Salwaty.] [Refs - b1644; b1450]
- a *salvini* (Staudinger), [1887], 1884-1888; *Aricoris* OD: In *Exot. Schmett.* 1:264; 2:pl 93 [b4329] CG: *Setabis* [TypeL - Upper Amazon.] [Refs - b4475; b1456]
- e *samadra* (Kirby), 1877, (ISS); *Plebeius* OD: *Syn. Cat. diurn. Lep., Suppl.* :772 [b2753] SS: *samudra* (Moore), [1875]; *Plebejus* (*Lycaeides*) [Refs - b2753]
- a *samanga* (Fruhstorfer), 1910; *Cyaniris* OD: *Stett. ent. Ztg* 71(2):286 [b1843] CG: *Acytolepis* [Type: -lt; designated by Eliot & Kawazoé, 1983] [*Butts Lycaenopsis* group :188 [b1580]] [TypeL - Sulawesi.] [Refs - b1542; b1580; b2200; b1840]
- a *samarensis* Eliot, 1986; *Allotinus* OD: *Bull. Br. Mus. nat. Hist.* (Ent.) 53(1):37, f 23,65,105 [b1571] [Type: pc-ht; collection of Treadaway.] [TypeL - Samar, Bagacay, Philippines.] [Refs - b1571]
- b *sambalanga* Tite, 1963; *Nacaduba* OD: *Bull. Br. Mus. nat. Hist.* (Ent.) 13(4):81 [b4676] SS: *kurava* (Moore), [1858]; *Nacaduba* [Type: biblio; replacement for *nicobanica* *Toxopeus*, 1927] [TypeL - Nicobars.] [Refs - b4676; b0694]

- a *samia* Walker, 1870; *Lycaena* OD: Entomologist 5:55 [b4911] CG: *Lycaena* (?) [TypeL - Hor Tamanib, Arabia.] [Refs - b2753; b4911]
- b *samina* Fruhstorfer, 1904; *Surendra* OD: Deut. ent. Zeit. [Iris] 17(1):150 [b1819] SS: *vivama* (Horsfield), [1829]; *Surendra* [TypeL - N. Celebes.] [Refs - b4094; b1454; b0696; b0694]
- b *samoia* (Herrich-Schäffer), 1869; *Lycaena* OD: Stett. ent. Ztg 30(1-3):73, pl 4, f 18 [b2317] SS: *cnejus* (Fabricius), 1798; *Euchrysops* [TypeL - Samoa.] [Refs - b2747; b4094; b2479; b4108]
- b *samoena* Grose-Smith, 1895; *Horaga* OD: Novit. zool. 2(4):513 [b2038] SS: *syrinx* (C. Felder), 1860; *Horaga* [Type: BMNH-lt; designated by Cowan, 1966] [Bull. Br. Mus. nat. Hist. (Ent.) 18(4):124 [b1012]] [TypeL - Batchian.] [Refs - b1012]
- a *samoensis* H. H. Druce, 1892; *Nacaduba* OD: Proc. zool. Soc. Lond. 1892(3):437, pl 27, f 5, 6 [b1359] [Type: BMNH-ht] [TypeL - Samoa.] [Refs - b4676; b4094; b2387]
- b *samosata* Fruhstorfer, 1914; *Logania* OD: Z. wiss. Insektbiol. 10(1):23 [b1855] SS: *marmorata* Moore, 1884; *Logania* [Type: SMF-ht] [TypeL - Cebu, Philippines.] [Refs - b1855; b1840; b1571]
- e *samsoni* (Verity), 1920, 1919-1922, (IFS); *Agricides* OD: Ent. Rec. 32:140 [b4840] SS: *coridon* (Poda von Neuhaus), 1761; *Polyommatus* (*Lysandra*) [Refs - b2856; b0236; b0471]
- a *samudra* (Moore), [1875]; *Polyommatus* OD: Proc. zool. Soc. Lond. 1874(4):574, pl 66, f 2 [b3223] CG: *Plebejus* (*Lycaeides*) [Refs - b1636; b2988; b2753 (as *samadra*); b0993; b1759; b2479; b4094; b3223; b4092; b0471; b0205]
- b *samuelis* (Nabokov), [1944]; *Lycaeides* OD: Psyche 50(3-4):97 [b3324] SS: *melissa* (Edwards), 1873; *Plebejus* (*Lycaeides*) [Type: MCZ-ht] [TypeL - Kamer, New York.] [Refs - b0908; b3328; b3192; b1321; b4066]
- a *samarita* (Schaus), 1902; *Eucoora* OD: Proc. U. S. natn. Mus. 24(1262):400 [b3948] CG: *Eucoma* [Type: USNM-ht; #5902] [TypeL - Petropolis, Brazil.] [Type of - *Eucoora*, *Eucoma*] [Refs - b2280; b4474; b3948; b0557; b1456]
- e *sanatana* Seitz, [1924], 1912-1927, (ISS); *Curetis* OD: In Seitz, Grossschmett. Erde 9:935 [b4094] SS: *santana* (Moore), [1858]; *Curetis* [Refs - b4094]
- b *sanaya* (Fruhstorfer), 1915; *Lampides* OD: Arch. Naturgesch. (A)81(6):29 [b1865] SS: *pseudosias* Rothschild, 1915; *Jamides* [TypeL - Obi.] [Refs - b1450; b4094; b1865; b3793 (as *sanava*)]
- a *sanaya* Fruhstorfer, 1916; *Nacaduba* OD: Zoöl. Meded. 2(2):109 [b1873] [Type: BMNH-ht] [TypeL - Nias.] [Refs - b0964; b4676; b0965; b4094; b1454; b0694; b2387; b2388; b3782]
- b *sanchoi* Agenjo, 1966; *Plebejus* OD: Eos 41:174 [b0016] SS: *argus* (Linnaeus), 1758; *Plebejus* [TypeL - Spain.] [Refs - b3059]
- a *sanctissima* Jörgensen, 1935; *Thecla* OD: An. Mus. argent. Cienc. nat. 38:93, pl 2, f 6 [b2671] CG: *Thecla* (New World *Eumacini*) [Type: MACN] [TypeL - Santísima Trinidad near Asunción, Paraguay.] [Refs - b0908]
- d *sanctissima* (Araki & Sibatani), 1941, (H); *Thecla* OD: Zephyrus 9(2):94, f [b0130] SS: *teiso* (Sonan), 1941; *Chrysozephyrus* [TypeL - Formosa.] [Refs - b4198; b2463; b2463]
- a *sanctithomae* (E. Sharpe), 1893; *Catochrysops* OD: Proc. zool. Soc. Lond. 1893(3):556 [b4155] CG: *Chilades* [TypeL - St. Nicolau & St. Thomas, W. Africa.] [Refs - b1452; b4400; b4155]
- b *sandakani* Bethune-Baker, 1896; *Arhopala* OD: In Proc. zool. Soc. Lond. 1896(3):670, pl 31, f 2 [b0326] SS: *phaenops* Felder & Felder, 1865; *Arhopala* f [Type: BMNH-ht] [TypeL - Sandakan, Boreno.] [Refs - b1644; b4094; b2200; b1454; b4108]
- a *sandersi* (Howarth), 1957; *Neozephyrus* OD: Bull. Br. Mus. nat. Hist. (Ent.) 5(6):250, f 13, 57, 67 [b2463] CG: *Chrysozephyrus* [Type: BMNH-ht] [TypeL - Chungthang, EC. Sikkim.] [Refs - b4200; b3296; b1454; b0694; b2463]
- e *sandva* (Riley & Tams), 1924, (ISS); *Lampides* OD: Zool. Rec. 58(1921)(Ins.):174 [b3793] SS: *sandya* (Fruhstorfer), 1915; *Jamides* [Refs - b3793]
- b *sandya* (Fruhstorfer), 1915; *Lampides* OD: Arch. Naturgesch. (A)81(6):6 [b1865] SS: *celeno* (Cramer), [1775]; *Jamides* [TypeL - Halmahera.] [Refs - b4094; b1450; b1865; b4143 (as *sandva*)]
- a *sanfordi* dos Passos, 1940; *Erora* OD: Amer. Mus. Novit. (1052):1 [b1315] [Type: AMNH-ht] [TypeL - White Mountains, Arizona.] [Note - Considered by some as the same as *quaderna*.] [Refs - b0908; b1321 :55; b1711; b0528; b2780; b2721; b3192; b2417; b0493; b1743; b3188; b0115; b4690]
- c *sangala* (Hewitson), 1868; *Thecla* OD: Descr. new Spec. Lycaenidae :35 [b2327] SS: *autoclea* (Hewitson), [1877]; *Angulopsis* [Type: BMNH-lt; designated by Johnson, 1991] [Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (21):42 [b2606]] [TypeL - Venezuela.] [Refs - b0908; b2747; b1375; b0125; b2627; b2606]
- e *sangana* d'Abrera, 1986, (ISS); *Yasoda* OD: Butts Oriental Region, Pt 3 :590 [b1454] SS: *singama* Fruhstorfer, [1912]; *Yasoda* [Refs - b1454]
- b *sangarius* (Fruhstorfer), 1918; *Castalius* OD: Tijdschr. Ent. 61:29 [b1884] SS: *ethion* (Westwood), [1851]; *Discolampa* [TypeL - Bawean.] [Refs - b1454]
- b *sangha* Fruhstorfer, [1914], 1909-1923; *Dicallaneura* OD: In Seitz, Grossschmett. Erde 9:787 [b1840] SS: *decorata* (Hewitson), [1862]; *Dicallaneura* [TypeL - Mysol.] [Refs - b1450; b1840; b4474]
- a *sangira* Bethune-Baker, 1897; *Arhopala* OD: Ent. mon. Mag. 33:202 [b0327] CG: *Arhopala* d [Type: BMNH-ht] [TypeL - Sangir.] [Refs - b1644; b4094; b1454; b0327]
- b *sangira* Fruhstorfer, 1916; *Nacaduba* OD: Zoöl. Meded. 2(2):112 [b1873] SS: *angusta* (H. Druce), 1873; *Nacaduba* [TypeL - Sangir.] [Refs - b4676; b4094; b1454]
- e *sangira* d'Abrera, 1986, (ISS); *Dacalana* OD: Butts Oriental Region, Pt 3 :609 [b1454] SS: *sangirica* Fruhstorfer, [1912]; *Dacalana* [Refs - b1454; b4594; b4094]
- a *sangirica* Fruhstorfer, [1912]; *Dacalana* OD: Berl. ent. Z. 56(3/4):270 [b1850] [TypeL - Sangir.] [Refs - b4094 (also as *sangira*); b1454 (as *sangira*); b1850; b4595]
- c *sangra* (Moore), [1866]; *Polyommatus* OD: Proc. zool. Soc. Lond. 1865(3):772, pl 41, f 8 [b3221] SS: *otis* (Fabricius), 1787; *Zizina* [TypeL - Bengal.] [Refs - b1636; b1153; b2747; b4094; b0995; b2479; b0694; b4092; b4108]
- a *sanguigutta* (Mabille), 1879; *Lycaena* OD: Bull. Soc. Philomathique (7)3:132 [b3042] CG: *Eicochrysops* [TypeL - Madagascar.] [Refs - b1452; b4400; b2920]
- b *sanguilenta* Stichel, 1910; *Mesene* OD: Gen. Insectorum 112(A):215 [b4446] SS: *pyrippe* Hewitson, [1874]; *Mesene* [TypeL - Rio Grande do Sul & Santa Catharina, Brazil.] [Refs - b4474; b2221; b0419; b4446]
- a *sanguinalis* (Burmeister), 1878; *Thecla* OD: Descr. phys. Rép. Argentine 5(Lép.)(1):239, pl 8, f 12 [b0574] CG: *Ministrymon* [TypeL - Cordova and d'Entrenios, Argentina.] [Refs - b0908; b0420; b2636]

- a *sanguinea* Plötz, 1880; *Telipna* OD: Stett. ent. Ztg 41:198 [b3622] [TypeL - Cameroons to Angola.] [Refs - b1452; b4400]
- c *sanguinea* (Bethune-Baker), 1910; *Lycaenesthes* OD: Trans. ent. Soc. Lond. 58(1):41, pl 2, f 3 [b0343] SS: lunulata (Trimen), 1894; *Anthene* [Type: BMNH-st] [TypeL - Angola; Rhodesia.] [Refs - b1259; b0113; b1452; b0343; b0836; b4400]
- b *sanguinea* (Stichel), 1910; *Lymnas* OD: Gen. Insectorum 112(A):201 [b4446] SS: pixe (Boisduval), 1836; *Melanis* [Type: pc-st; collection of Stichel] [TypeL - Piedras Negras, Costa Rica; Bugaba, Panama.] [Refs - b4094; b2405; b4446]
- e *ab. sanguisorbae* Oberthür, 1910; *Maculinea* OD: Étud. Léop. comp. 4:333, pl 55, f 472 [b3451] SS: euphemus (Hübner), [1800]; *Maculinea* [Refs - b0400; b0471; b0236]
- c *sanherib* Fruhstorfer, 1914; *Arhopala* OD: Deut. ent. Zeit. [Iris] 28(2):123 [b1859] SS: hellenore Doherty, 1889; *Arhopala* g [Type: BMNH-ht] [TypeL - Java [doubtful].] [Refs - b1644; b4094; b1859]
- c *sani* (de Nicéville), [1889]; *Aphnaeus* OD: J. asiat. Soc. Bengal, Pt II 57(4):282, pl 14, f 7 [b1151] SS: rukma (de Nicéville), [1889]; *Spindasis* [TypeL - Sikkim.] [Refs - b1636; b1153; b4094; b0236; b1454; b0694; b0695]
- c *sania* (Fruhstorfer), 1910; *Cyaniris* OD: Stett. ent. Ztg 71(2):285 [b1843] SS: pupsa (Horsfield), [1828]; *Acytolepis* [Type: BMNH-ht; designated by Eliot & Kawazoé, 1983] [Butts *Lycaenopsis* group :179 [b1580]] [TypeL - Java.] [Refs - b1840; b1580]
- a *sanjuani* d'Abrera, 1994; *Theope* OD: Butts Neotropical Region, Pt 4:999, f [Type: BMNH-ht] [TypeL - Rio San Juan, Colombia.] [Refs - b1456]
- a *sankakuhonis* (Matsumura), 1938; *Rapala* OD: Ins. matsumur. 12:107 [b3103] CG: *Deudorix* [TypeL - Formosa.] [Refs - b4198; b5053; b1454]
- c *sankilia* (Fruhstorfer), 1914; *Virgaurina* OD: Deut. ent. Zeit. [Iris] 27(4):175 [b1854] SS: scopula (H. Druce), 1873; *Thrix* [TypeL - S. E. Borneo.] [Refs - b1854; b4094 (as seankilia); b2537; b4104; b4108]
- a *sankuru* Stempffer, 1961; *Toxochitona* OD: Anns Mus. r. Afr. cent. (8vo) (Zool.)94:51, f [b4393] [TypeL - Sankuru, Zaire.] [Refs - b1452; b4400]
- a *sankuru* Stempffer & Bennett, 1965; *Micropentila* OD: Bull. Br. Mus. nat. Hist. (Ent.) 15(11):428 [b4422] [TypeL - Sankuru, Zaire.] [Refs - b1452; b4400]
- b *sankuru* Stempffer & Bennett & May, 1974; *Liptena* OD: Bull. Br. Mus. nat. Hist. (Ent.) 30(1):121, f [b4423] SS: opaca (Kirby), 1890; *Liptena* [TypeL - Katako-Kombe, Sankuru, Zaire.] [Refs - b0105; b1452]
- b *sankuru* Berger, 1981; *Hewitsonia* OD: Papillons du Zaire :263, pl 196, f 4,5 [b0309] SS: kirbyi Dewitz, 1879; *Hewitsonia* [Type: MRAC-ht] [TypeL - Katako-Kombe, Zaire.] [Refs - b0309]
- b *sanmariana* Osada & Hashimoto, 1987; *Arhopala* OD: Mem. Tsukada Colln (5):76, pl 3, f 23; pl 4, f 24 [b3524] SS: anhelus (Westwood), [1852]; *Arhopala* a [Type: pc; collection of Tsukada.] [TypeL - Upper Digusi, San Mariano, Isabela, N.E. Luzon.] [Refs - b3524]
- a *sannio* (H. H. Druce), 1895; *Pratapa* OD: Proc. zool. Soc. Lond. 1895(3):596, pl 33, f 15 [b1362] CG: *Dacalana* [TypeL - Nord-Borneo (error), almost certainly Sulu Is.] [Refs - b0965; b4094; b1850; b1568; b1362; b1454; b1554; b4596; b3988]
- c *sannio* Stichel, 1916, (IFS); *Eurybia* OD: Deut. ent. Zeit. 1916:5 [b4452] SS: dardus (Fabricius), 1787; *Eurybia* [TypeL - Peru.] [Refs - b4474; b4452]
- b *sanoga* (Evans), 1925; *Lycaena* OD: J. Bombay nat. Hist. Soc. 30(2):346, pl 27, f 23(5) [b1632] SS: loewii (Zeller), 1847; *Polyommatus* (*Plebejidea*) [TypeL - India.] [Refs - b1636; b0236; b3910; b0694; b0471]
- b *santa* (Evans), 1957; *Narathura* OD: Bull. Br. Mus. nat. Hist. (Ent.) 5(3):126 [b1644] SS: fulla (Hewitson), 1862; *Arhopala* l [Type: BMNH-ht] [TypeL - Luzon.] [Refs - b1644; b1454]
- a *sanatana* (Moore), [1858]; *Anops* OD: In Cat. Lep. Ins. E. India Co. (1):54 [b3219] CG: *Curetis* [Type: BMNH-ht] [TypeL - Java.] [Refs - b0964; b0965; b2747; b4094 (as sanatana); b1454; b3219; b0694]
- a *santans* Dyar, 1926; *Thecla* OD: Insector Inscitiae Menstruus 14:140 [b1449] CG: *Thecla* (*New World Eumaeini*) [Type: USNM-ht; #39985] [TypeL - Acapulco, Mexico.] [Refs - b0908; b2221; b0064]
- c *santaremensis* Le Moul't, 1940, 1939-1940; *Helicopsis* OD: Novit. ent. (11):83, f 3 [b2943] SS: gnidus (Fabricius), 1787; *Helicopsis* [Type: AME-ht] [TypeL - Santarem.] [Refs - b3199]
- c *santava* Corbet, 1941; *Arhopala* OD: Proc. R. ent. Soc. Lond. (B)10(9):155 [b0956] SS: busa Corbet, 1941; *Arhopala* b [Type: BMNH] [Refs - b0956; b1573]
- a *santomasana* Eliot & Kawazoé, 1983; *Udara* OD: Butts *Lycaenopsis* group :145, f [b1580] [Type: BMNH-ht] [TypeL - Mt Santo Tomas, Baguio, Luzon, Philippines.] [Refs - b1580; b2200]
- a *saopauloensis* Johnson, 1991; *Serratoterga* OD: Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (21):20, f [b2606] [Type: BMNH-ht] [TypeL - Alto de Sara, São Paulo State, Brazil.] [Refs - b0125; b2606]
- c *saphir* (Blanchard), 1871; *Thecla* OD: C. r. heb'd. Séanc. Acad. Sci. 72:811, note 1 [b0450] SS: moorei (Hewitson), [1865]; *Heliophorus* (B) [Refs - b2753; b0996; b4220; b0236; b1454; b4094; b4092; b1455]
- a *saphirina* (Staudinger), [1887], 1884-1888; *Charis* OD: In Exot. Schmett. 1:256; 2-pl 91 [b4329] CG: *Argyrogrammana* [TypeL - Colombia.] [Refs - b4115; b2988; b4474; b1456]
- a *saphirina* (Staudinger), 1887; *Thecla* OD: In Romanoff, Mém. Léop. 3:135, pl 16, [b4331] CG: *Favonius* [TypeL - Askold I f 3-5] [Note - Sometimes placed in *Chrysozephyrus*.] [Refs - b2988; b0996 (Elwes, 1881, Pxls:884); b4094; b2827; b2479; b1399; b1900; b2866; b4214; b3276; b2509; b4200; b3296; b4092; b1455]
- a *saphirioides* Murayama, 1992; *Heliophorus* OD: Konchu to Shizen (Nature & Insects) 27(5):39, f 4 [b3304] [TypeL - China.] [Refs - b3304; b1455]
- a *sapho* (Staudinger), [1888], 1884-1888; *Micandra* OD: In Exot. Schmett. 1:289; 2-pl 97 [b4329] CG: *Theorema* [Type: ZMHU-ht] [TypeL - Río San Juan, Panamá.] [Check - ZR says Colombia.] [Refs - b0908; b4329; b2591; b2592]
- a *saphonota* Constantino & Salazar E. & Johnson, 1993; *Denivia* OD: Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (41):1, f [b0909] [Type: MHNC-ht] [TypeL - Valle, Alto Anchicayá, Colombia.] [Refs - b0909]
- a *saphronotis* Johnson & Kroenlein, 1993; *Angulopsis* OD: Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (33):19, f [b2627] [Type: BMNH-ht] [TypeL - Manabita, Palmar, Ecuador.] [Refs - b2627]
- c *saportae* (Duponchel), 1832, 1832-1835; *Polyommatus* OD: In Godart, Hist. nat. Lépid. 1(Diumes):pl 9, f 5-7 [b1431] SS: decolorata Staudinger, 1886; *Everes* [Refs - b2747; b0995; b0400; b2794 (=osiris)]

- d *saportae* (Hübner), [1832], 1796-1838, (RC); *Papilio* OD: Samml. europ. Schmett. 1:pl 188, f 922-925 [b2480] SS: melanops (Boisduval), [1828]; *Apelles* [TypeL - Aix, France.] [Note - Placed on official list by Opinion 972.] [Refs - b2747; b0995; b0993; b2794 (as Geyer, 1832); b2260; b3790; b4092; b2239]
- a *sapota* (Hewitson), [1877], 1863-1878; *Thecla* OD: Ill. diurn. Lep. Lycaenidae 1:203; 2:pl 81, f 668,669 [b2326] CG: Strymon [Type: BMNH-ht] [TypeL - Payta, Peru.] [Refs - b0908; b2753; b2221; b3846; b1375; b4782; b2624]
- b *sappheira* Sands, 1980; *Philiris* OD: Aust. ent. Mag. 6(5):82, f [b3924] SS: nitens (Grose-Smith), 1898; *Philiris* [TypeL - Papua New Guinea.] [Refs - b1610 (7914-E11); b0113]
- e *sapphirinus* (Sharp), [1880], (ISS); *Iolaus* OD: Zool. Rec. 24(1887)(Ins.):224 [b4122] SS: sapphirinus (Röber), 1887; *Tajuria* [Refs - b4122]
- e *Q. f. sapphirina* Biedermann, 1936, (IFS); *Alesa* OD: Bull. Soc. ent. Fr. 41(15):258 [b0417] SS: prema (Godart), [1824]; *Alesa* [TypeL - Amazon.] [Refs - b0417; b3717]
- a *sapphirina* (Stoneham), 1938; *Cupido* OD: Bull. Stoneham Mus. (36):2 [b4481] CG: Eicochrysops [Type: pc-ht; collection of Stoneham Museum.] [TypeL - East Surrey Coffee Estates, Kenya Colony.] [Refs - b4481; b4400]
- c *sapphirinus* (Röber), 1887; *Iolaus* OD: CorrespBl. ent. Ver. Ins 1(4):196, pl 7, f 4,5 [b3821] SS: jalysus (Felder & Felder), 1865; *Tajuria* [Type: SMT-lt; designated by Takanami, 1989] [Tyô to Ga 40(1):53 [b4602]] [TypeL - E. Sulawesi.] [Note - Not spelled sapphirinus.] [Refs - b4094; b2201; b4726; b3821; b1454; b4602]
- a *sapphirinus* Aurivillius, 1897; *Iolaus* OD: Ent. Tidskr. 18:218 [b0153] CG: *Iolaus* (Epamera) [TypeL - W. Africa.] [Note - Could be considered a primary homonym of *Iolaus sapphirinus* Röber, 1887.] [Refs - b1452; b4400]
- c *sapphirus* Meigen, 1829, 1827-1832; *Polyommatus* OD: Syst. Besch. Europ. Schmett. 2(1):22, pl 47, f 4a,b [b3146] SS: escheri (Hübner), [1823]; *Polyommatus* (Plebicula) [Refs - b2747; b0993; b4092; b0471]
- a *sappirus* (H. H. Druce), 1902; *Epamera* OD: Proc. zool. Soc. Lond. 1902(II)(1):117, pl 12, f 1 [b1367] CG: *Iolaus* (Epamera) [TypeL - Sierra Leone.] [Refs - b1452; b0836; b4400]
- b *saracena* Grose-Smith, 1902, 1887-1902; *Esthemopsis* OD: Rhop. exot. 3(60):8, pl Ery 2, f 13 [b2029] SS: alicia (Bates), 1864; *Esthemopsis* [Type: BMNH-ht] [TypeL - Aureos Mts., Maranhã, Brazil.] [Refs - b4474; b1456]
- a *saraha* Johnson, 1992; *Pons* OD: Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (22):25, f [b2610] [Type: AME-ht] [TypeL - Vicinity of Tufino, Carchi, Ecuador.] [Refs - b0125; b2610]
- b *sarata* Fruhstorfer, 1914; *Rapala* OD: Deut. ent. Zeit. [Iris] 27(4):178 [b1854] SS: rhoda de Nicéville, [1896]; *Rapala* [TypeL - Ost- und Westjava.] [Refs - b4094; b1454; b1854]
- b *sarawaca* Moulton, [1912]; *Arhopala* OD: J. Straits Brch. R. asiat. Soc. 60:134 [b3259] SS: ammon (Hewitson), 1862; *Arhopala* o [Type: BMNH-ht] [TypeL - Sarawak, Borneo.] [Refs - b1644; b1556; b2200; b1454; b4108 (as sarawaka)]
- e *sarawaka* Seki & Takanami & Otsuka, 1991, (ISS); *Arhopala* OD: Butts Borneo 2(1):67 (English text) [b4108] SS: sarawaca Moulton, [1912]; *Arhopala* o [Refs - b4108]
- b *sardinata* Callaghan, 1985; *Nymphidium* OD: Bull. Allyn Mus. (98):10, f [b0679] SS: fulminans Bates, [1868]; *Nymphidium* [Type: AME-ht] [TypeL - Colombia.] [Refs - b0119]
- e *var. sardoa* (Wagner), 1909; *Lycaena* OD: Ent. Zeit. 23(4):17 [b4893] SS: icarus (Rottemburg), 1775; *Polyommatus* [Refs - b0236; b0471]
- a *sardonyx* (Trimen), 1868; *Zeritis* OD: Trans. ent. Soc. Lond. 16(1):83, pl 5, f 5; pl 6, f 6,7 [b4718] CG: *Tylopaedia* [Type: BMNH-ht] [TypeL - Murraysburg, Cape Province, South Africa.] [Type of - *Tylopaedia*] [Refs - b1259; b2747; b1343; b1452 (in Phasis); b4400; b4685]
- a *sardonyx* Stichel, 1910; *Mesene* OD: Gen. Insectorum 112(A):217, pl 26, f 55 [b4446] [Type: ZMHU-ht] [TypeL - San Antonio, Prov. Yungas, Bolivia.] [Refs - b4474; b1456; b4446]
- b *sardonyx* Fruhstorfer, 1914; *Horaga* OD: Deut. ent. Zeit. [Iris] 28(1):33 [b1858] SS: onyx (Moore), [1858]; *Horaga* [Type: BMNH-ht] [TypeL - N. E. Sumatra.] [Refs - b1012; b0965; b4094; b2201; b1454; b4108]
- b *sareptensis* Chapman, 1917; *Plebejus* OD: Étud. Léop. comp. 14:52 [b0772] SS: cleobis (Bremer), 1861; *Plebejus* (Lycaeides) [TypeL - Krasnoarmeysk, Volgograd, Lower Volga, USSR.] [Refs - b2827 (with argyrogomon); b2859; b0122]
- e *var. sareptensis* Oberthür, 1917; *Plebejus* OD: Étud. Léop. comp. 14:pl 12, f 34-36 [b3457] SS: argus (Linnaeus), 1758; *Plebejus* [Refs - b0236]
- b *sariba* Fruhstorfer, [1914], 1909-1923; *Dicallaneura* OD: In Seitz, Grossschmett. Erde 9:788 [b1840] SS: decorata (Hewitson), [1862]; *Dicallaneura* [TypeL - Sariba Island nr New Guinea.] [Refs - b1450; b1840; b4474]
- c *sarita* (Skinner), 1895; *Thecla* OD: Ent. News 6(4):112 [b4233] SS: simaethis (Drury), [1773]; *Chlorostrymon* [Type: CM-ht] [TypeL - Comal County, Texas.] [Refs - b0908; b0907; b0548; b3818; b1343; b3192; b1321; b0493; b4690 (R); b2598]
- b *saritae* (Fernández-Rubio & Gómez Bustillo), 1973; *Maculinea* OD: Cuadernos Cienc. Biol. 2(2):78, f [b1704] SS: iolas (Ochsenheimer), 1816; *Iolana* [TypeL - Sierra Elvira, Granada, Spain.] [Refs - b0108]
- c *sarmatis* (Grum-Grshimailo), 1890; *Lycaena* OD: In Romanoff, Mém. Léop. 4:393 [b2067] SS: agestis ((Denis & Schiffermüller)), 1775; *Plebejus* (Aricia) [Refs - b4092; b0205]
- b *sarmice* (Fruhstorfer), 1915; *Lampides* OD: Arch. Naturgesch. (A)81(6):32 [b1865] SS: aleuas (Felder & Felder), 1865; *Jamides* [TypeL - New Mecklenburg.] [Refs - b4671; b1450; b4094; b1865]
- a *saronis* Moore, 1877; *Curetis* OD: Proc. zool. Soc. Lond. 1877(3):587 [b3226] [Type: BMNH-ht] [TypeL - S. Andamans.] [Note - May be a subspecies of *thetis*.] [Refs - b1636; b0936; b0965; b4094; b1454; b1573; b0694]
- a *sarotiana* Johnson, 1992; *Rhamma* OD: Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (22):139, f [b2611] [Type: BMNH-ht] [TypeL - Carabaya, Limbani, Peru.] [Refs - b0125]
- a *sarrastes* Fruhstorfer, 1913; *Allotinus* OD: Z. wiss. InsektBiol. 9(12):370 [b1851] CG: *Allotinus* (Fabitaras) [Type: BMNH-lt; designated by Eliot, 1986] [Bull. Br. Mus. nat. Hist. (Ent.) 53(1):28 [b1571]] [TypeL - Kinabalu, Borneo.] [Refs - b0965; b1840; b3498; b1571; b1552; b4108]
- b *sarsina* (Fruhstorfer), 1915; *Lampides* OD: Arch. Naturgesch. (A)81(6):31 [b1865] SS: aleuas (Felder & Felder), 1865; *Jamides* [TypeL - Aru.] [Refs - b4671; b1450; b4094; b1865]
- a *sarta* (Alphéraky), 1881; *Lycaena* OD: Horac Soc. ent. ross. 16:387, pl 14, f 8 [b0043] CG: *Polyommatus* [TypeL - Fergana, Tian-Chian.] [Refs - b1636; b1762; b4094; b0993; b2827; b0236; b3910; b4367; b3055; b0694; b4092; ns3032; b1455]
- e *sarta* Stichel, 1924, (IFS); *Esthemopsis* OD: Neue Beitr. syst. Insektenk. 3:2 [b4460] SS: thyatira (Hewitson), [1853]; *Esthemopsis* [Refs - b4474]

- a *sarthus* (Staudinger), 1886, 1886-1889; *Polyommatus* OD: Stett. ent. Ztg 47:202 [b4330] CG: Hyrcanana [TypeL - Central Asia.] [Type of - Sarthusia] [Refs - b2280; b0996; b2827; b4220; b0105; b3360; b4092]
- b *sartoides* Swinhoe, 1910, 1909-1913; *Polyommatus* OD: In Moore, Lep. Ind. 8:21, pl 645, f 1 [b4575] SS: sarta (Alphéraky), 1881; *Polyommatus* [TypeL - Chitral.] [Refs - b1636; b1759; b3910; b0694; b0471; b1455; b0205]
- b *sarupa* Corbet, 1944; *Thamala* OD: Entomologist 77:40 [b0959] SS: marciana (Hewitson), [1863]; *Thamala* [TypeL - Langkawi Island, Malaya.] [Refs - b0964; b0965; b1454]
- c *sarus* (Fruhstorfer), 1913; *Gerydus* OD: Z. wiss. InsektBiol. 9(9):244 or 245 [b1851] SS: maximus (Holland), 1890; Mileus 4 [TypeL - Celebes.] [Refs - b1546; b1840]
- b *sarykola* (Sheljuzhko), 1914; *Lycaena* OD: Deut. ent. Zeit. [Iris] 28(1):21 [b4166] SS: eumedon (Esper), [1780]; *Plebejus* (Eumedonia) [TypeL - Pamir.] [Refs - b1759; b0236; b3910; b0471]
- a *sasha* Johnson & Sourakov, 1993; *Serratofalca* OD: Tropical Lepidoptera 4(2):110, f 2,8,14 [b2643] [Type: AMNH-ht] [TypeL - Barro Colorado Island, Panama.] [Refs - b2643]
- a *sassanides* (Kollar), [1849]; *Thecla* OD: Denkschr. K. Akad. Wiss. Wien 1:51 [b2822] CG: *Satyrium* [Type of - Kollaria, Superflua] [Refs - b1636; b2988; b2280; b0851; b4220; b2479; b2747; b0996; b4094; b2827; b1044; b3910; b0694 (as assamica); b4092; b1455]
- e *satanas* Le Moul, 1940, 1939-1940, (IFS); *Helicopsis* OD: Novit. ent. (18), 138, f 67 [b2943] SS: selene Felder & Felder, 1865; *Helicopsis* [Type: AME-ht] [Refs - b3199]
- a *satellites* Bates, 1862; *Ithomeis* OD: Trans. linn. Soc. Lond. 23(3):503 [b0262] [TypeL - Rio Tapajos, Amazonas.] [Refs - b2747; b4474; b1456]
- c *satellitica* Nieuwenhuis, 1946; *Abisara* OD: Tijdschr. Ent. 87:56 [b3400] SS: *celebica* Röber, [1886]; *Abisara* [TypeL - Banggai Archipelago; Celebes.] [Refs - b1454]
- b *satelliticus* Fruhstorfer, 1913; *Allotinus* OD: Z. wiss. InsektBiol. 9(11):344 [b1851] SS: *horsfieldi* (Moore), [1858]; *Allotinus* (Paragerydus) [Type: BMNH-ht; designated by Eliot, 1986] [Bull. Br. Mus. nat. Hist. (Ent.) 53(1):34 [b1571]] [TypeL - Engano.] [Refs - b1840; b1571; b1552]
- b *satelliticus* Kalis, 1933; *Rapala* OD: Tijdschr. Ent. 76(1/2):64 [b2679] SS: *manea* (Hewitson), [1863]; *Rapala* [TypeL - Kangean.] [Refs - b0071; b2679]
- a *satema* (Schaus), 1902; *Symmachia* OD: Proc. U. S. natn. Mus. 24(1262):400 [b3948] CG: *Emesis* [Type: USNM-ht; #5901] [TypeL - Petropolis, Brazil.] [Refs - b4475; b3948; b1456]
- a *satis* Tite, 1963; *Philiris* OD: Bull. Br. Mus. nat. Hist. (Ent.) 14(5):252 [b4677] [Type: BMNH-ht] [TypeL - Goodenough Island, D'Entrecasteaux Islands.] [Refs - b1450; b4677]
- b *satnius* (Dalman), 1823; *Papilio* OD: *Analecta ent.* :45 [b1093] SS: *sagaris* (Cramer), [1775]; *Stichelia* [Refs - b2747; b4474; b1140; b5072]
- b *satraps* (Staudinger), 1878, 1878-1879; *Polyommatus* OD: *Horae Soc. ent. ross.* 14:230 [b4327] SS: *asabinus* (Herrich-Schäffer), [1851]; *Lycaena* (*Thersamonia*) [TypeL - Asia Minor.] [Refs - b4092]
- a *satraps* (Grose-Smith), 1894; *Abisara* OD: Novit. zool. 1:545 [b2037] CG: *Practaxila* [TypeL - New Guinea.] [Refs - b1450; b2988; b4474; b1840]
- e *saudingeri* Takanami, 1989, (ISS); *Ticherra* OD: Tyô to Ga 40(1):30 [b4602] SS: *saudingeri* (H. H. Druce), 1895; *Ticherra* [Refs - b4602]
- a *saturata* (Moore), 1878; *Sospita* OD: Proc. zool. Soc. Lond. 1878(3):701 [b3229] CG: *Abisara* [Type: BMNH] [TypeL - Hainan.] [Refs - b0964; b2988; b0294; b0965; b4473; b1454; b1840]
- b *saturata* Godman & Salvin, [1886], 1879-1901; *Emesis* OD: Biol. centr.-amer., Lep. Rhop. 1:447 [b1975] SS: *lucinda* (Cramer), [1775]; *Emesis* [TypeL - Mexico.] [Refs - b4475; b1456]
- b *saturata* (Snellen), 1890; *Amblypodia* OD: Tijdschr. Ent. 33:301 [b4263] SS: *apidanus* (Cramer), [1777]; *Flos* [TypeL - Billiton.] [Refs - b1644; b4108]
- b *saturata* (Snellen), 1892; *Lycaena* OD: Tijdschr. Ent. 35:137 [b4265] SS: *malaccanus* (Röber), [1886]; *Jamides* [TypeL - Java.] [Refs - b3786]
- b *saturata* Thieme, 1907; *Siseme* OD: Berl. ent. Z. 52:11 [b4640] SS: *aristoteles* (Latreille), [1813]; *Siseme* [Refs - b4475; b1456]
- b *saturator* (Staudinger), 1889; *Amblypodia* OD: Deut. ent. Zeit. [Iris] 2(1):122 [b4332] SS: *anhelus* (Westwood), [1852]; *Arhopala* a [Type: ZMHU-ht; designated by Takanami, 1989] [Tyô to Ga 40(1):26 [b4602]] [TypeL - Palawan.] [Refs - b1644; b4094; b2200; b1454; b3524; b4602]
- b *saturator* (Rothschild), 1915; *Nacaduba* OD: Novit. zool. 22:393 [b3879] SS: *gracilis* (Röber), [1886]; *Prototas* [Type: BMNH-ht] [TypeL - Dampier Island.] [Refs - b4676; b1450]
- e *saturior* (Verity), 1927, (RA); *Plebejus* OD: Anns Soc. ent. Fr. 96:11 [b4846] SS: *argyrognomon* (Bergsträsser), [1779]; *Plebejus* (*Lycaeides*) [TypeL - Pyrenees.] [Refs - b3059; b2856; b0236; b4425; b0471]
- b *saturior* Manley & Allcard, 1970; *Plebejus* OD: Butts Spain :89,152 [b3059] SS: *argyrognomon* (Bergsträsser), [1779]; *Plebejus* (*Lycaeides*) [TypeL - Vernet-les-Bains, Spain.] [Refs - b2856; b3059]
- e *saturnus* Le Moul, 1940, 1939-1940, (IFS); *Helicopsis* OD: Novit. ent. (18):138 [b2943] SS: *selene* Felder & Felder, 1865; *Helicopsis* [Type: AME-ht] [Refs - b3199]
- a *satyroides* (Hewitson), [1865], 1863-1878; *Thecla* OD: Ill. diurn. Lep. Lycaenidae 1:74; 2:pl 29, f 10,12,13 [b2326] CG: *Macusia* [Type: BMNH] [TypeL - Amazon.] [Type of - *Macusia*] [Refs - b0908; b2988; b2280; b2747; b2611]
- c *satyroides* Lathy, 1926; *Euselasia* OD: Entomologist 59:144 [b2919] SS: *modesta* (Bates), [1868]; *Euselasia* [TypeL - Argentina.] [Refs - b2221]
- a *satyroides* (Lathy), 1932; *Nymula* OD: Ann. Mag. nat. Hist. (10)9:73 [b2922] CG: *Synargis* [Type: BMNH-ht] [TypeL - Parish, British Guiana.] [Refs - b2922; b1456]
- a *satyrus* Westwood, [1851], 1846-1852; *Eunogyra* OD: In Gen. diurn. Lep. (2):pl 72, f 11, (:463) [b4981] [TypeL - Upper Amazon.] [Type of - *Eunogyra*] [Refs - b2988; b2280; b2747; b4474; b1456]
- a *sauberi* Schultze, 1912; *Liptena* OD: Ent. Rundsch. 29:92 [b4013] [TypeL - Cameroons.] [Refs - b1452; b4400]
- b *saunda* (Fruhstorfer), 1915; *Lampides* OD: Arch. Naturgesch. (A)81(6):11 [b1865] SS: *elpis* (Godart), [1824]; *Jamides* [TypeL - Obi.] [Refs - b1450; b4094; b1865]
- a *saundersi* Stempffer, 1956; *Eresina* OD: Anns Mus. r. Congo Belge (8vo)49:17, pl 1, f 13,14 [b4388] [Type: BMNH-ht] [TypeL - Kumasi, Gold Coast.] [Refs - b1452; b0836; b4388; b4400]
- a *saundersii* (Hewitson), 1854; *Erycina* OD: Trans. ent. Soc. Lond. (2)2:245, pl 22, f 1 [b2324] CG: *Necyria* [TypeL - New Granada.] [Refs - b2988; b2747; b4474; b1456]

- c **sauteri** (Fruhstorfer), [1917]; *Lycaenopsis* OD: Arch. Naturgesch. (A)82(1):13 [b1880] SS: alboceruleus (Moore), 1879; Udara (Penudara) [Type: DEUU-ht] [TypeL - Formosa.] [Refs - b4198; b1840; b2650; b1900; b1580; b0236; b1652; b5053; b4195; b4281]
- e **savana** (Riley & Tams), 1924, (ISS); *Lampides* OD: Zool. Rec. 58(1921)(Ins.):175 [b3793] SS: sanaya (Fruhstorfer), 1915; *Jamides* [Refs - b3793]
- a **savitri** Felder & Felder, 1860; *Abisara* OD: Wien. ent. Monats. 4(12):397 [b1683] [TypeL - Malayana.] [Refs - b0964; b1636; b1149; b2988; b0965; b2747; b4473; b1454; b1840]
- b **sawaja** Fruhstorfer, [1914], 1909-1923; *Laxita* OD: In Seitz, Grossschmett. Erde 9:791, pl 138f [b1840] SS: thuisto (Hewitson), [1861]; *Laxita* [TypeL - Burma.] [Refs - b1636; b1840; b4474; b1454]
- e **saxonica** (Verity), 1919, 1919-1922, (RA); *Agriades* OD: Ent. Rec. 31:29 [b4840] SS: borussia (Dadd), [1909]; *Polyommatus* (*Lysandra*) [Note - Not spelled *saxonia*.] [Refs - b2856; b0236; b0471; b4038 (as *saxonia*)]
- e **ab. sayamae** Wakabayashi & Tanaka & Sugai, 1958; *Antigius* OD: Tyô to Ga 9(2):27-29, f 5,6 [b4907] SS: atilia (Bremer), 1861; *Antigius* [Refs - b4907]
- e **ab. sayamaensis** (Watari), 1929; *Zephyrus* OD: Zool. Mag. 41:187 [b4926] SS: atilia (Bremer), 1861; *Antigius* [Refs - b4907; b4926]
- e **ab. sayamensis** (Watari), 1936; *Zephyrus* OD: *Zephyrus* 6:189 [b4929] SS: atilia (Bremer), 1861; *Antigius* [TypeL - Japan.] [Refs - b0074]
- e **scaea** Doubleday, 1847, 1844-1848, (NN); *Nymphidium* OD: List Spec. lep. Brit. Mus. (2):11 [b1327] [Refs - b4476]
- a **scaeva** (Hewitson), [1863], 1863-1878; *Myrina* OD: Ill. diurn. Lep. Lycaenidae 1:30; 2-pl 15, f 39,40 [b2326] CG: *Drupadia* [Type: BMNH-ht] [TypeL - Singapore.] [Refs - b1030; b0964; b0965; b2747; b4094; b0105; b2201; b1454; b0694; b4108]
- a **scalpera** Johnson, 1991; *Morphissima* OD: Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (21):27, f [b2606] [Type: AMNH-ht] [TypeL - River de Maroni, French Guiana.] [Type of - *Morphissima*] [Refs - b0125; b2606]
- a **scamander** Hübner, [1819], 1816-1826; *Atlides* OD: Verz. bekannt. Schmett. (5):80, no. 817 [b2484] [Refs - b0908 (=atys); b2988; b2747]
- e **scandicus** (Wahlgren), 1930; *Plebeius* OD: Svensk Insektfauna 10:67 [b4900] SS: nicias (Meigen), 1829; *Plebejus* (*Pseudoaricia*) [TypeL - Sweden.] [Refs - b0071]
- a **scaphia** (Clench), 1981; *Callophrys* OD: Bull. Allyn Mus. (64):7-11, f 11-16 [b0853] CG: *Sandia* [Type: AME-ht] [TypeL - San Cristobal, Las Casas, Chiapas, Mexico.] [Refs - b0853; b2585]
- b **scarpheia** (Fruhstorfer), 1915; *Thysonotis* OD: Soc. ent. 30:50 [b1866] SS: phroso (Grose-Smith), 1897; *Danis* [TypeL - New Guinea.] [Refs - b1450; b1866]
- a **sceva** Bethune-Baker, 1903; *Arhopala* OD: Trans. zool. Soc. Lond. 17(1):85 [b0331] CG: *Arhopala* b [TypeL - Sumatra.] [Refs - b1644; b0965; b4094; b1454]
- a **schaeffera** (Eschscholtz), 1821; *Lycaena* OD: In Kotzebue, Endeck. Reise Süd-See 3:216, pl 5, f 25a,b [b1622] CG: *Nothodanis* [TypeL - Philippines.] [Type of - *Nothodanis*] [Refs - b4198; b1450; b2078; b2747; b0108; b1900; b5053; b1454; b4601; b2388; b1382]
- b **schamyl** Sheldon, 1914; *Callophrys* OD: Entomologist 47(10):272 [b4165] SS: rubi (Linnaeus), 1758; *Callophrys* [Type: BMNH-ht; designated by Johnson, 1981] [Revision of *Callophryina* :507 [b2585]] [TypeL - Chitral.] [Refs - b0236; b3349; b2585; b0471]
- b **scharffi** (Corbet), 1937; *Celastrina* OD: Trans. R. ent. Soc. Lond. 86(2):26 [b0934] SS: alboceruleus (Moore), 1879; Udara (Penudara) [Type: BMNH-ht] [TypeL - West Malaysia.] [Refs - b0964; b0965; b1580]
- a **schatzi** (Röber), [1886]; *Plebeius* OD: CorrespBl. ent. Ver. Iris 1(3):53, pl 4, f 1 [b3820] CG: *Jamides* [Type: SMT-ht; designated by Takanami, 1989] [Tyô to Ga 40(1):49 [b4602]] [TypeL - Batjan.] [Refs - b1450; b4094; b1865; b1454; b4595; b4602; b2388]
- d **schausa** (Jones), 1912, (H); *Thecla* OD: Proc. zool. Soc. Lond. 1912(4):898, pl 97, f 5 [b2663] OS: jonesi Johnson, 1992; *Candora* [Type: BMNH-ht; designated by Johnson, 1992] [Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (22):36 [b2610]] [TypeL - Castro, Paraná and Sao Paulo, Brazil.] [Refs - b0908; b2593; b0125; b2610]
- a **schausi** (Godman & Salvin), [1887], 1879-1901; *Thecla* OD: Biol. centr.-amer., Lep. Rhop. 2:98; 3-pl 58, f 22,23 [b1975] CG: *Ipidecla* (?) [Type: BMNH-ht] [TypeL - Jalapa, Mexico.] [Note - Johnson places this in the *Strymon* group.] [Refs - b0908; b1975; b2631; b2593; b2610]
- a **schausi** McAlpine, [1971]; *Calephelis* OD: J. Res. Lep. 10(1):86, f [b3127] [Type: USNM-ht] [TypeL - San Mateo, Costa Rica.] [Refs - b3127]
- b **schedeli** Fruhstorfer, [1904]; *Abisara* OD: Berl. ent. Z. 48(4):286,290 [b1817] SS: echerius (Stoll), [1790]; *Abisara* [Type: BMNH] [TypeL - Liu-Kiu Islands.] [Refs - b0294; b4473; b1840]
- c **scheffeli** (Lükemeyer), 1920; *Lysandra* OD: Ent. Zeit. 34(13):51 [b3036] SS: coridon (Poda von Neuhaus), 1761; *Polyommatus* (*Lysandra*) [Refs - b0236]
- b **scheffeli** (Lükemeyer), 1921; *Lycaena* OD: Ent. Zeit. 34(24):95 [b3037] SS: damon ([Denis & Schiffermüller]), 1775; *Polyommatus* (*Agrodiaetus*) [Type: biblio; replacement for *maculata* Reverdin] [Refs - b3037]
- b **schellbachi** (Tilden), 1955; *Lycaena* OD: Bull. S. Calif. Acad. Sci. 54(2):72, pl 24, f 4 [b4655] SS: arota (Boisduval), 1852; *Tharsalea* [Type: USNM-ht] [TypeL - Bright Angel Trail, Grand Canyon, Coconino County, Arizona.] [Refs - b0908; b4688; b1711; b3191; b3192; b2417; b0493; b3189; b1321; b2419; b4690]
- b **schiffermuelleri** (Hemming), 1929; *Turanana* OD: Entomologist 62:61, pl 1, f 6,8; pl 2, f 19-22 [b2235] SS: vicrama (Moore), 1865; *Pseudophilotes* [TypeL - Austria.] [Refs - b2375; b1780; b3547 (in *Philotes*); b0236; ns3354; b3361; b0400; b3366; b2859 (as a good species); ns0998; b0471]
- c **f. schirmeri** (Schulze), 1918; *Chrysophanus* OD: Deut. ent. Zeit. 1918:170 [b4023] SS: hippothoe (Linnaeus), 1761; *Palaeochrysophanus* [Refs - b0236; b4023; b0389; b0471]
- a **schischkini** (Kurentzov), 1970; *Zephyrus* OD: Buts Far East USSR :124 [b2864] CG: *Favonius* [Type: -lt; designated by Dubatolov & Sergeev, 1987] [Nov Maloizvestiye Vidy Fauny Sib. (19):20 [b1397]] [Refs - b2866; b3298; b1455]
- b **schistacea** (Moore), 1879; *Deudorix* OD: Proc. zool. Soc. Lond. 1879(1):140 [b3231] SS: manea (Hewitson), [1863]; *Rapala* [TypeL - Calcutta, India.] [Refs - b1636; b1153; b4094; b2650; b0236; b1454; b0694; b3231]
- a **schistacea** (Moore), [1881], 1880-1881; *Aphnaeus* OD: Lep. Ceylon 1(3):106, pl 41, f 3,3a-b [b3232] CG: *Spindasis* [TypeL - Ceylon.] [Refs - b1636; b1153; b1454; b0694; b0695]
- e **ab. schmidti** (Tutt), 1906, 1905-1914; *Rumicia* OD: Nat. Hist. Brit. Buts 1:357 [b4760] SS: phlaeas (Linnaeus), 1761; *Lycaena* (*Lycaena*) [Refs - b0236; b4760]

- e *ab. schmidti* (Kardakoff), 1928; Lycaena OD: Ent. Mitt. 17:272, pl 7, f 18 [b2692] SS: arion (Linnaeus), 1758; Maculinea [TypeL - Ussuri.] [Note - Classification?] [Refs - b0236; b0066; b0400 (with orion?); b0471]
- c *schmidti* (Gerhard), 1853, 1850-1853; Polyommatus OD: Vers. monog. europ. Schmett. :7, pl 10, f 3a,b [b1928] SS: phlaeas (Linnaeus), 1761; Lycaena (Lycaena) [Refs - b2747; b0996; b2441; b0389; b4092]
- a *schmidtii* Schultze, 1923; Mimacraea OD: In Schubotz :1163 [b4018] [TypeL - C. Africa.] [Refs - b1452 (schmidti); b4400]
- e *ab. schmidticaudata* (Tutt), 1906, 1905-1914; Rumicia OD: Nat. Hist. Brit. Butts 1:358 [b4760] SS: phlaeas (Linnaeus), 1761; Lycaena (Lycaena) [Refs - b0236; b0389; b4760]
- a *schmidtummi* Johnson & Eisele & MacPherson, 1993; Chalybs OD: Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (39):14, f [b2626] [Type: AMNH-ht] [TypeL - Cauca Valley, Cali District, Colombia.] [Refs - b2626]
- a *schneideri* (Ribbe), 1899; Pseudonotis OD: Deut. ent. Zeit. [Iris] 12:240, pl 4, f 12 [b3738] CG: Nacaduba [TypeL - New Britain, Bismarck Islands.] [Refs - b1450; b2078; b0111; b1451; b2388]
- c *schneideri* (Strand), 1903; Lycaena OD: Arch. Math. Naturv. 25(9):4 [b4492] SS: alexis (Poda von Neuhaus), 1761; Glaucopsyche [Refs - b0993; b0236; b0400]
- a *schoutedeni* (Hulstaert), 1924; Lycaenesthes OD: Revue zool. afr. 12(2):181 [b2496] CG: Anthene [TypeL - Belgian Congo.] [Refs - b3796; b1452; b0836; b2496; b4400]
- a *schoutedeni* (Hawker-Smith), 1926; Pentila OD: Revue zool. afr. 14:238 [b2163] CG: Liptenara [Type: MT-ht] [TypeL - Sandoa, Belgian Congo.] [Refs - b1452; b4420; b2163; b4400]
- a *schoutedeni* Berger, 1954; Liptena OD: Annl. Mus. r. Congo Belge (4to):1:308 [b0308] CG: Liptena (Tetrarhanis) [TypeL - Belgian Congo.] [Refs - b1452; b4400]
- b *schoutensis* Joicey & Talbot, 1916; Horaga OD: Trans. ent. Soc. Lond. 64(1):76 [b2653] SS: syrinx (C. Felder), 1860; Horaga [Type: BMNH-ht] [TypeL - Biak, Schouten Islands.] [Refs - b1012; b2078; b4094; b2653]
- c *schraederi* (Felder & Felder), 1865, 1865-1875; Austromyrina OD: Reise Novara (2):260, pl 32, f 12,13 [b1692] SS: icinus (Hewitson), [1865]; Jalmenus [Refs - b2747; b4934]
- c *schroederi* (Hayashi), 1981; Narathura OD: Tyô to Ga 32(1,2):68, f 9,10 [b2198] SS: annulata (C. Felder), 1860; Arhopala a [Type: NSMT-ht] [TypeL - Palawan, Philippines.] [Refs - b2198; b1454; b4594; b4590 (=annulata?); b4602]
- a *schroederi* (Hayashi), 1984; Chliaria OD: Ent. Zeit. 94(21):313, f [b2203] CG: Hypolycaena (Chliaria) [Type: OMNH-ht] [TypeL - Mindanao, Philippines.] [Refs - b2203; b1454 (in Hypolycaena); b0117]
- e *schryneri* Anonymous, 1939, (ISS); Deciduphagus OD: Zool. Rec. 75(1938)(Ins.):316 [b0076] SS: schryveri (Cross), 1937; Deciduphagus [Refs - b3192; b0908]
- b *schryveri* (Cross), 1937; Incisalia OD: Proc. Colorado Mus. nat. Hist. 16(1):20 [b1075] SS: mossii (H. Edwards), 1881; Deciduphagus [TypeL - Chimney Gulch, Colorado.] [Refs - b0908; b1712; b0077 (as schryneri); b3192; b1743 (with mossii); b1321; b2585; b1722]
- b *schubotzi* Schultze, 1912; Mimacraea OD: Ent. Rundsch. 29(7):50 [b4012] SS: landbecki H. H. Druce, 1910; Mimacraea [TypeL - Kamerun.] [Note - Not spelled schuboltzi.] [Refs - b1452; b4012; b4400]
- a *schubotzi* Aurivillius, 1923; Hypolycaena OD: Lepidoptera, IV. In Schubotz 1:1223, pl L, f 9 [b0171] [TypeL - Yakoma, Congo.] [Refs - b1452; b4400; b0171]
- a *schultzei* (Aurivillius), 1905; Jolaus OD: Ark. Zool. 2(12):12, pl 3, f 1 [b0160] CG: Jolaus (Iolaphilus) [TypeL - W. Africa.] [Refs - b1452; b4400]
- b *schultzei* (Aurivillius), 1907; Deudorix OD: Ark. Zool. 3(19):2 [b0161] SS: angelita (Suffert), 1904; Hypokopelates [TypeL - Cameroons.] [Refs - b1452; b4400]
- a *schultzei* (Aurivillius), 1923; Phytala OD: Lepidoptera, IV. In Schubotz 1:1196, f [b0171] CG: Hypophytala [TypeL - Yukaduma, Süd-Kamerun.] [Refs - b1452; b0171; b4400]
- e *ab. schultzi* (Krodel), 1904; Agrodiaetus OD: Ent. Zeit. 18(6):21 [b2841] SS: phyllis (Christoph), 1877; Polyommatus (Agrodiaetus) [Refs - b0236; b0471; b2841]
- b *schuriani* (Rose), 1978; Agrodiaetus OD: Ent. Zeit. 88(22):248, f 3 [b3858] SS: carmon (Herrich-Schäffer), [1851]; Polyommatus (Agrodiaetus) [Type: pc-ht; collection of Rose.] [TypeL - Prov. Nevşehir, Umg. Göreme, Turkey.] [Refs - b1610 (2816-E10); b3858]
- e *ab. schwingenschussi* (Rebel), 1906; Nemeobius OD: Jber. Wien. ent. Ver. 16:59 [b3703] SS: lucina (Linnaeus), 1758; Hamearis [Refs - b4473; b4092]
- b *schwingenschussi* (Pfeiffer), 1937; Lycaena OD: Münch. ent. Ges. 27(1):34 [b3591] SS: loewii (Zeller), 1847; Polyommatus (Plebejidea) [TypeL - Persia.] [Refs - b0075; b3591]
- a *scintilla* (Mabille), 1877; Lycaena OD: Bull. Soc. ent. Fr. (57):lxxii [b3038] CG: Rysops [TypeL - Madagascar.] [Type of - Rysops] [Refs - b1452; b3038; b4400; b2920; b2388]
- a *scintilla* de Nicéville, 1890; Rapala OD: Butts India Burmah Ceylon 3:461 [b1153] [TypeL - Sikkim.] [Refs - b0964; b1636; b0965; b4094; b0236; b1454; b0694; b4108]
- a *scintilla* (Balletto), 1993; Cherchiella OD: Boll. Soc. ent. ital. 124(3):238 [b0220] CG: Pseudolucia [Type: UMCE-ht] [TypeL - Hacienda. Illapel, Reg. Coquimbo, Chile.] [Refs - b0220]
- a *scintillans* (Butler), 1882; Miletus OD: Ann. Mag. nat. Hist. (5)10:150 [b0621] CG: Hypochrysops [Type: BMNH-ht] [TypeL - New Britain.] [Refs - b1450; b2078; b0621; b3926]
- c *scintillans* (Christoph), 1887; Polyommatus OD: Stett. ent. Ztg 48:162 [b0791] SS: phoenicurus (Lederer), 1872; Athamanthia [Refs - b2827 (as scintillans); b0996; b3371; b4092]
- a *scintillans* (Leech), [1893], 1893-1894; Zephyrus OD: Butts China Japan Corea :367, pl 27, f 10,11 [b2966] CG: Chrysozephyrus [Type: BMNH-ht] [TypeL - Chang Yang, Central China.] [Refs - b0996; b1764; b2479; b0236; b4214; b4200; b3296; b4092; b2463]
- b *ab. scintillans* (Aurivillius), 1895; Hypolycaena OD: Ent. Tidskr. 16:210 [b0151] SS: lebona (Hewitson), [1865]; Tatura [Note - Described as an aberration, thus not available as of this author and date.] [Refs - b1943; b0151; b0836; b4400]
- a *scintillans* (Aurivillius), 1905; Jolaus OD: Ark. Zool. 2(12):13, pl 3, f 2 [b0160] CG: Jolaus (Epamera) [TypeL - W. Africa.] [Refs - b1452; b0836; b4400]
- e *f. scintillans* Riley, 1929, (IFS); Heliophorus OD: J. Bombay nat. Hist. Soc. 33(2):396 [b3769] SS: moorei (Hewitson), [1865]; Heliophorus (B) [TypeL - Sikkim.]
- b *scintillans* Tite, 1966; Anthene OD: Bull. Br. Mus. nat. Hist. (Ent.) 18(8):267 [b4679] SS: philo (Hopffer), 1874; Anthene [Type: BMNH-ht] [TypeL - Talaut.] [Refs - b4679; b1454; b4595]
- a *scintillans* Hayward, 1967; Thecla OD: Acta zool. lilloana 21:10 [b2219] CG: Thecla (New World Eumacini) [Refs - b2221]

- a **scintillata** (Lucas), 1889; *Lycaena* OD: Proc. R. Soc. Qd 6(4):157, f 8,9,10 [b3024] CG: Sahulana [TypeL - Brisbane, Australia.] [Type of - Sahulana] [Note - Common & Waterhouse say this species is misplaced in *Theclinesthes* and belongs in the *Nacaduba* group. Hirowatari provided the necessary new genus.] [Refs - b1450; b4094; b0870; b4934; b3024; b2388]
- a **scintillata** Sands, 1981; *Philiris* OD: J. Aust. ent. Soc. 20(1):91, f [b3925] [TypeL - Papua New Guinea.] [Refs - b0114 (as *sunillata*); b3925]
- a **scintillula** (Holland), 1891; *Lycaenesthes* OD: Psyche 6(179):50 [b2424] CG: Anthene [TypeL - W. Africa.] [Refs - b1452; b0836; b4400]
- a **sciophilus** (Schultze), 1916; *Jolaus* OD: Arch. Naturgesch. (A)81(7):165 [b4014] CG: Iolaus (Epamera) [TypeL - Kamerun.] [Refs - b4014; b1452; b4400]
- b **sciurus** (Fruhstorfer), [1904]; *Sospita* OD: Berl. ent. Z. 48(4):283 [b1817] SS: savitri Felder & Felder, 1860; Abisara [Refs - b4473; b1454; b1840]
- a **scopas** (Godman & Salvin), [1887], 1879-1901; *Thecla* OD: Biol. centr.-amer., Lep. Rhop. 2:89; 3-pl 58, f 5 [b1975] CG: Ministrymon [Type: BMNH; Schaus collection.] [TypeL - Jalapa, Mexico.] [Refs - b0908; b1975; b2593; b2636]
- a **scopula** (H. Druce), 1873; *Sithon* OD: Proc. zool. Soc. Lond. 1873(2):350 or 352, pl 33, f 2 [b1383] CG: Thrix [TypeL - Borneo.] [Type of - Virgarina] [Refs - b0964; b0965; b1383; b2753; b4094; b2280; b1454; b4108]
- c **scoteia** (Hewitson), [1877], 1863-1878; *Thecla* OD: Ill. diurn. Lep. Lycaenidae 1:206; 2-pl 82, f 683,684 [b2326] SS: strophius (Godart), [1824]; *Allosmaitia* [Type: BMNH] [TypeL - Minas Geraes.] [Refs - b0908; b2753; b0833; b1375]
- a **scotina** Stichel, 1909; *Mesosemia* OD: Berl. ent. Z. 54(1/2):5 [b4444] [TypeL - Surinam.] [Refs - b4474; b1456]
- a **scotina** Stichel, 1910; *Lasaia* OD: Gen. Insectorum 112(A):188 [b4446] [Type: ZMHU-ht] [TypeL - Rio Grande do Sul, Brazil.] [Refs - b4474; b1456; b4446]
- a **scotinosa** Stichel, 1930; *Euselasia* OD: Int. ent. Z. 24(25):257,276 [b4472] [TypeL - Amazonas.] [Refs - b4472]
- a **scotti** Gabriel, 1954; *Spindasis* OD: Exped. S. W. Arabia 1937-1938 1:378, f [b1908] [Type: BMNH-ht] [TypeL - Arabia.] [Note - Known only from 2 specimens.] [Refs - b1452 (but figures are somalina); b2898; b2901; b4400]
- b **scudderii** (Edwards), 1861; *Lycaena* OD: Proc. Acad. nat. Sci. Philad. 13:164 [b1488] SS: idas (Linnaeus), 1761; *Plebejus* (*Lycaeides*) [Type: MCZ-nt; designated by Nabokov, 1944] [Psyche 51(3/4):109-111 [b3325]] [TypeL - Saskatchewan, Manitoba.] [LifeH - Tietz lists b0415, b3935, b3176, b4087, b0902, b2429, b4088.] [Note - It is doubtful the neotype designation fulfills the requirements of the Code (Article 75(d)), and therefore it could be rejected.] [Refs - b0908; b2747; b3325; b3328; b3192; b0236; b0410; b1321; b4360; b1940 (as *scudderii*); b4066; b4652]
- b **scudderii** (Doherty), 1889; *Biduanda* OD: J. asiat. Soc. Bengal, Pt II 58(4):425, pl 23, f 14 [b1301] SS: niasica (Röber), [1886]; *Drupadia* [TypeL - South Burma.] [Refs - b1030; b1636; b0964; b1153; b4094; b0105; b1454; b0694]
- c **scurra** (Staudinger), [1888], 1884-1888; *Symmachia* OD: In Exot. Schmett. 1:253 [b4329] SS: psittacus (Hopffer), 1874; *Caria* [TypeL - Chanchamayo.] [Refs - b4474]
- a **scurrilis** (Stichel), 1929; *Nymphidium* OD: Mitt. zool. Mus. Berl. 15:25 [b4470] CG: Mycastor [Type: ZMHU-st] [TypeL - Jurimaguas.] [Note - Not spelled *scurrilus*.] [Refs - b4476; b0677 (as *scurmilus*); b0116 (.:); b4470]
- c **scylla** (Oberthür), 1880; *Lycaena* OD: Étud. ent. 5:22 [b3422] SS: lycomas (Butler), 1866; *Glaucopsyche* [TypeL - Askold and Amurland.] [Refs - b4115; b0995; b2827; b2479; b4092]
- d **scylla** (Lang), 1884, (H); *Lycaena* OD: Lep. Europ. 1:371 [b2890] SS: scylla (Oberthür), 1880; *Glaucopsyche* [TypeL - Amur.] [Refs - b2890]
- d **scylla** (Staudinger), 1887; *Lycaena* OD: In Romanoff, Mém. Lép. 3:139, pl 16, f 7 [b4331] SS: scylla (Oberthür), 1880; *Glaucopsyche* [TypeL - Amur-land.] [Refs - b4122]
- a **scythissa** (Nekrutenko), 1985; *Aricia* OD: Vestnik Zoologii 1985(4):29-35 [b3367] CG: Plebejus (*Aricia*) [TypeL - Tien-Shan Mts, Kirghizia.] [Refs - b3367; b0119 (as *seythissa*)]
- c **seamani** Trimen, 1874; *Hypolycaena* OD: Trans. ent. Soc. Lond. 22(3):332, pl 2, f 3,4 [b4721] SS: buxtoni Hewitson, 1874; *Hypolycaena* [TypeL - Natal.] [Refs - b2753; b4400]
- e **seankilia** (Sharp), [1916], (ISS); *Virgaurea* OD: Zool. Rec. 51(1914)(Ins.):214 [b4144] SS: sankilia (Fruhstorfer), 1914; Thrix [Note - Not mentioned in the text or index.] [Refs - b4094; b4144]
- b **searsi** (Clench), 1981; *Callophrys* OD: Bull. Allyn Mus. (64):20-21, f 30-33 [b0853] SS: dospassosi (Clench), 1981; *Mitoura* [Type: CM-ht] [TypeL - Mexico.] [Refs - b0853; b2585]
- d **sebae** (Boisduval), 1832, (JOS); *Damis* OD: In d'Urville, Voy. Astrolabe 1(Lép.):68 [b0457] OS: danis (Cramer), [1775]; *Danis* [Type: biblio-lit; designated by Hemming, 1964] [Annot. Lep. (3):105 [b2274]] [Refs - b2747; b2078; b2274]
- b **f. sebagadis** (Guérin-Méneville), 1847; *Polyommatus* OD: In Lefebvre, Voyage Abyss. 6:385, pl 7, f 7,8 [b2089] SS: messapus (Godart), [1824]; *Eicochrysops* [TypeL - Abyssinia.] [Refs - b2747; b1452; b4400]
- c **sebasta** Hulstaert, 1924; *Hypolycaena* OD: Revue zool. afr. 12(2):176 [b2496] SS: auricostalis (Butler), [1897]; *Hypolycaena* [TypeL - Belgian Congo.] [Refs - b2496; b4400]
- e **ab. sebdouica** (Strand), 1927; *Lycaena* OD: Arch. Naturgesch. (A)91(11):281 [b4529] SS: astrache (Bergsträsser), [1779]; *Plebejus* (*Aricia*) [Note - Nom. nov. pro *ab. lilliputana* Oberthür.] [Refs - b4529; b0236; b0066]
- c **sebethus** (Fruhstorfer), [1915], 1909-1923; *Gerydus* OD: In Seitz, Grossschmett. Erde 9:819 [b1840] SS: biggsii (Distant), 1884; *Miletus* 3 [TypeL - S. Borneo.] [Refs - b1546; b1840; b4108]
- b **sebonga** Tytler, 1915; *Tajuria* OD: J. Bombay nat. Hist. Soc. 24(1):141, pl 4, f 40 [b4772] SS: albiplaga de Nicéville, 1887; *Tajuria* [TypeL - Sebong.] [Refs - b1557; b1636; b0236; b0694]
- b **sebonga** (Tytler), 1926; *Amblypodia* OD: J. Bombay nat. Hist. Soc. 31(3):588 [b4773] SS: camdeo Moore, [1858]; *Arhopala* a [Type: BMNH-ht] [TypeL - Sebong, Manipur.] [Refs - b1644; b1454]
- d **sebrus** (Hübner), [1824], 1796-1838, (RC); *Papilio* OD: Samml. europ. Schmett. 1-pl 172, f 851-854 [b2480] SS: decolorata Staudinger, 1886; *Everes* [Type of - Tiora] [Note - Placed on Official Index (#967) by Opinion 970.] [Refs - b1636; b2280; b3059 (in *Cupido*); b1636; b2747; b3122 (in *Cupido*); b0995; b1780; b1762 (*Cupido*); b2856; b2866; b0236; b3192 (in *Everes*); b1705; b0400 (in *Cupido*); b0410; b2794; b3789; ns0313; ns0401; ns1206; b4092; b2539]
- b **sedecia** (Hewitson), 1874; *Thecla* OD: Ent. mon. Mag. 11:105 [b2343] SS: albata (Felder & Felder), 1865; *Strymon* [Type: BMNH-ht] [TypeL - Mexico.] [Refs - b0908; b2988; b2718; b2747; b3392; b3192; b1975; b2343]

- d *sedecia* (Hewitson), [1874], 1863-1878, (H); *Thecla* OD: Ill. dium. Lep. Lycaenidae 1:182; 2-pl 72, f 548,549 [b2326] SS: melissa Nicolay, 1979; Parrhasius [Type: BMNH] [TypeL - Mexico.] [Note - *Clench restricted the type locality to Mazatlán, Sinaloa, Mexico.*] [Refs - b0908; b3392; b2343]
- c *sedi* (Fabricius), 1781, 1781-1782; *Papilio* OD: Spec. Ins. 2:121 [b1655] SS: orion (Pallas), 1771; Scolitantides [TypeL - Sedo Telephio Germaniae"] [Refs - b2747; b0993; b0400; b2794; b4092; b5076]
- b *sedina* Fruhstorfer, 1915; *Catapaecilma* OD: Z. wiss. InsektBiol. 11(7/8):221 [b1861] SS: major H. H. Druce, 1895; *Catapaecilma* [TypeL - N. E. Sumatra.] [Refs - b4094 (with elegans); b1454; b1861; b4108]
- a *seducta* Brévignon & Gallard, 1993; *Symmachia* OD: Bull. Soc. Sci. Nat. (77):21, f [b0491] [TypeL - French Guiana.] [Refs - b0126]
- a *segecia* (Hewitson), [1861], 1852-1877; *Sospita* OD: Ill. exot. Butts 2:[92], pl [46], f 4-6 [b2323] CG: Praetaxila [TypeL - Aru; Mysol.] [Type of - Holodesmus, Praetaxila] [Refs - b1450; b2988; b2280; b2747; b4474; b3880; b1840]
- b *segestes* (Rothschild), 1904; *Abisara* OD: Novit. zool. 11:455 [b3875] SS: tyrannus (Grose-Smith), 1897; Praetaxila [Type: BMNH] [TypeL - Dutch New Guinea, probably East of Geelvink Bay.] [Refs - b1450; b4474; b1840]
- c *segustericus* Dujardin, 1968; *Polyommatus* OD: Riviera scient. 55:53 [b1416] SS: hispana (Herrich-Schäffer), [1851]; *Polyommatus* (*Lysandra*) [TypeL - St. Auban, France.] [Refs - b1135; b4038]
- c *seidakkadaya* Miyashita & Uemura, 1976; *Everes* OD: Tyô to Ga 27(1):33, f [b3216] SS: hellotia (Ménétriés), 1857; *Everes* [TypeL - Formosa.] [Refs - b0109; b5053; b4776]
- b *seitzi* Lathy, 1926; *Euselasia* OD: Entomologist 59:145 [b2919] SS: euboea (Hewitson), [1855]; *Euselasia* [Type: BMNH-ht] [TypeL - Peru.] [Refs - b4474; b1456]
- b *seitzi* (Wnukowsky), 1928; *Ununcula* OD: Deut. ent. Zeit. [Iris] 42:2 [b5025] SS: argiades (Pallas), 1771; *Everes* [TypeL - Japan.] [Refs - b2866; b0236 (=amurensis Rühl, =hellotia Mén.); b0072; b2255]
- a *seitzi* Spitz, 1931; *Thecla* OD: Revta Ent. Rio de J. 1:48 [b4293] CG: *Thecla* (New World Eurnaeini) [Type: MP-It; designated by Lamas, 1973] [Papéis avulsos Dept. Zool., São Paulo 26(13):181 [b2878]] [TypeL - Murtinho, Matto Grosso, Brazil.] [Refs - b0908; b3179]
- a *seitzi* Lathy, 1932; *Ancyluris* OD: Ann. Mag. nat. Hist. (10)9:66 [b2922] [Type: BMNH-st] [TypeL - Cuyaba, Matto Grosso, Brasil.] [Refs - b2922; b1456]
- a *sejuncta* (Stichel), 1910; *Echenais* OD: Berl. ent. Z. 55(1/2):32 [b4445] CG: *Adelotypa* [Type: ZMHU-st] [TypeL - Rio de Janeiro & Nov. Friborgo, Brazil.] [Refs - b4475; b4445; b1456; b4445]
- b *sekii* Takanami, 1988; *Jamides* OD: Konchu to Shizen (Nature & Insects) 23(4):38, f 3-5 [b4599] SS: virgulatus (H. H. Druce), 1895; *Jamides* [Type: pc-ht; collection of Takanami.] [TypeL - Palawan.] [Refs - b4599; b2388]
- b *selama* (Eliot), 1959; *Narathura* OD: Bull. Br. Mus. nat. Hist. (Ent.) 7(8):378 [b1544] SS: varro Fruhstorfer, 1914; *Arhopala* a [Type: BMNH-ht] [TypeL - Ulu Selama, Perak.] [Refs - b1544]
- b *selangorana* Pendlebury & Corbet, 1933; *Tajuria* OD: J. Fed. Malay St. Mus. 17(2):403 [b3562] SS: yajna (Doherty), 1886; *Tajuria* [TypeL - Selangor.] [Refs - b0964; b1454]
- b *selda* (Higgins), 1964; *Lycacides* OD: Entomologist 97:199 [b2372] SS: idas (Linnaeus), 1761; *Plebejus* (*Lycacides*) [Type: BMNH-ht] [TypeL - Cedars, Lebanon.] [Refs - b4247; b2372]
- a *selene* Felder & Felder, 1865, 1865-1875; *Helicopsis* OD: Reise Novara (2):289 [b1692] [Refs - b2747 (=endymiaena); b3199; b1456]
- c *selene* Hemming, 1934; *Glaucopsyche* OD: Stylops 3:98 [b2252] SS: alexis (Poda von Neuhaus), 1761; *Glaucopsyche* [Type: biblio; replacement for alpina Turati & Verity, 1911.] [Refs - b2252]
- b *selengensis* (Forster), 1941; *Polyommatus* OD: Deut. ent. Zeit. [Iris] 54:77 [b1765] SS: lucifera (Staudinger), 1867; *Plebejus* [TypeL - Siberia.] [Refs - b0087; b1765]
- a *seleukia* (Stichel), 1910; *Lymnas* OD: Gen. Insectorum 112(A):207 [b4446] CG: *Melanis* [Type: BMNH-ht] [TypeL - Espirito Santo, Brazil.] [Refs - b4474; b4140 (as zeleukia); b4446; b1456; b4446]
- e *selica* (Draudt), [1919], 1917-1924, (ISS); *Thecla* OD: In Seitz, Grossschmett. Erde 5:768, pl 152-c [b1348] SS: selika (Hewitson), [1874]; *Parrhasius* [Refs - b0908; b4245; b3392; b2631]
- b *seliga* (Fruhstorfer), [1912]; *Aphnaeus* OD: Berl. ent. Z. 56(3/4):218 [b1850] SS: lohita (Horsfield), [1829]; *Spindasis* [TypeL - Tavoy, Tenasserim.] [Refs - b1636; b0965; b4094; b2201; b1850; b1454 (as sp); b0694; b1553; b1455 (as a good species)]
- a *selika* (Hewitson), [1874], 1863-1878; *Thecla* OD: Ill. dium. Lep. Lycaenidae 1:170; 2-pl 67, f 484,485 [b2326] CG: *Parrhasius* [Type: BMNH] [TypeL - Brazil.] [Refs - b0908; b4245 (as selica); b2753; b3392; b1375; b2631 (as selica, in Panthiades)]
- a *selina* (Hewitson), [1869], 1863-1878; *Thecla* OD: Ill. dium. Lep. Lycaenidae 1:118; 2-pl 50, f 255 [b2326] CG: *Thestius* [Type: BMNH] [TypeL - Amazon.] [Note - *Near pholeus.*] [Refs - b0908; b2747; b1375; b2918]
- a *selina* Grose-Smith, 1895; *Horaga* OD: Novit. zool. 2(4):513 [b2038] [Type: BMNH-ht] [TypeL - South Celebes.] [Refs - b1012; b2201; b1454]
- e *selinus* Doubleday, 1847, 1844-1848, (NN); *Cremna* OD: List Spec. lep. Brit. Mus. (2):14 [b1327] [Refs - b4474]
- a *selira* (Moore), 1874; *Deudorix* OD: Proc. zool. Soc. Lond. 1874(1):272 [b3222] CG: *Rapala* [Type of - Hysudra] [Refs - b1636; b4115; b2988; b2280; b4180; b2753; b0995; b4094; b4092; b2479; b0236; b0694; b1455]
- a *selkon* Parsons, 1986; *Ionolyce* OD: Tyô to Ga 37(3):136, f 45, 134-135 [b3550] [Type: ANIC-ht] [TypeL - Bougainville, Guava, Solomon Islands.] [Refs - b3550; b2388]
- a *selma* (H. H. Druce), 1895; *Cyaniris* OD: Proc. zool. Soc. Lond. 1895(3):573, pl 32, f 10 [b1362] CG: *Udara* (*Selmanix*) [Type: ZMHU-ht] [TypeL - Mt Kinabalu, Borneo.] [Refs - b0965; b1840; b1580; b2200; b1362; b4108]
- a *selta* (Hewitson), [1869], 1863-1878; *Amblypodia* OD: Ill. dium. Lep. Lycaenidae 1:14f, 2-pl 3a, f 36,37 [b2326] CG: *Arhopala* f [Type: BMNH-ht] [TypeL - Moulmein.] [Refs - b1644; b2747; b4094; b1454]
- a *seluttus* (Röber), [1886]; *Plebeius* OD: Correspond. ent. Ver. Iris 1(3):66 or 67, pl 5, f 24 [b3820] CG: *Anthere* [TypeL - Aru.] [Refs - b4679; b1450; b1840]
- a *selvagia* (Fruhstorfer), 1915; *Lampides* OD: Zoöl. Meded. 1(2):145 [b1863] CG: *Jamides* [Type: BMNH-ht] [TypeL - Simalur.] [Refs - b4094; b1454 (with caerulea); b3786]
- b *selymbria* Fruhstorfer, 1914; *Arhopala* OD: Deut. ent. Zeit. [Iris] 27(4):158 [b1853] SS: micale Boisduval, 1853; *Arhopala* h [Type: BMNH-ht] [TypeL - Waigou.] [Refs - b1644; b1450; b4094; b1853]
- c *selzeri* (Wamecke), 1924; *Lycaena* OD: Deut. ent. Zeit. [Iris] 38:149, pl 2, f 5 [b4919] SS: arionides (Staudinger), 1887; *Maculinea* [TypeL - Siberia.] [Refs - b0236; b3796; b0471]

- b *semanga* (Corbet), 1940; *Chliaria* OD: Proc. R. ent. Soc. Lond. (B)9(5):91, f [b0946] SS: othona Hewitson, [1865]; *Hypolycaena* (*Chliaria*) [TypeL - Malaya.] [Refs - b0964; b0965; b1454]
- e *f. semiakio* (Murayama), 1964; *Coreana* OD: Tyô to Ga 15(1):17 [b3292] SS: stygiana (Butler), 1881; *Ussuriana* [Refs - b3292]
- e *ab. semialba* (Strand), 1912; *Chrysophanus* OD: Ent. Zeit. 25(50):257 [b4507] SS: phlaeas (Linnaeus), 1761; *Lycaena* (*Lycaena*) [Refs - b0236; b0389; b0471]
- e *f. semialbofasciata* (Tutt), 1907, 1905-1914; *Strymon* OD: Nat. Hist. Brit. Butts 2:200 [b4760] SS: pruni (Linnaeus), 1758; *Fixsenia* [Refs - b0236; b0471]
- e *ab. semialbovirgata* Tutt, 1896; *Satyrium* OD: Brit. Butts :200 [b4758] SS: w-album (Knoch), 1782; *Satyrium* [Refs - b0471]
- e *ab. semiallous* (Harrison), 1906; *Polyommatus* OD: Ent. Rec. 18:236 [b2146] SS: agestis ((Denis & Schiffmüller)), 1775; *Plebejus* (*Aricia*) [Refs - b4092]
- e *ab. semiallous* (Harrison), 1906; *Polyommatus* OD: Ent. Rec. 18:236 [b2146] SS: agestis ((Denis & Schiffmüller)), 1775; *Plebejus* (*Aricia*) [Refs - b0236; b0073; b3467]
- e *ab. semiallous* (Hannemann), 1916, (H); *Lycaena* OD: Int. ent. Z. 10(1):8 [b2131] SS: agestis ((Denis & Schiffmüller)), 1775; *Plebejus* (*Aricia*) [Note - Has been replaced by *pseudoallous*. May belong with *allous*.] [Refs - b0236; b0073; b4146; b3467]
- e *ab. semiarquata* (Courvoisier), 1903; *Lycaena* OD: Mitt. schweiz. ent. Ges. 11:20 [b0981] SS: bellargus (Rottemburg), 1775; *Polyommatus* (*Lysandra*) [Refs - b0236; b0471]
- e *ab. semiarquata* (Courvoisier), 1903; *Lycaena* OD: Mitt. schweiz. ent. Ges. 11:20 [b0981] SS: orion (Pallas), 1771; *Scolitantides* [Refs - b0471]
- e *ab. semiarquata* (Courvoisier), 1903; *Lycaena* OD: Mitt. schweiz. ent. Ges. 11:20 [b0981] SS: icarus (Rottemburg), 1775; *Polyommatus* [Refs - b0236; b0471]
- e *ab. semiarquata* (Courvoisier), 1903; *Lycaena* OD: Mitt. schweiz. ent. Ges. 11:20 [b0981] SS: coridon (Poda von Neuhaus), 1761; *Polyommatus* (*Lysandra*) [Refs - b0471]
- e *ab. semiarquata* Courvoisier, 1910, 1910-1911; *Polyommatus* OD: Ent. Zeit. 24:148 [b0985] SS: eros (Ochsenheimer), 1807; *Polyommatus* [Refs - b0471]
- e *ab. semiarquata* Courvoisier, 1912; *Scolitantides* OD: Deut. ent. Zeit. [Iris] 26:49 [b0987] SS: orion (Pallas), 1771; *Scolitantides* [Refs - b0400]
- a *semiargus* (Rottemburg), 1775; *Papilio* OD: Naturforscher 6:20, n 6 [b3890] CG: *Polyommatus* (*Cyaniris*) [TypeL - Europe; Siberia.] [Refs - b4115; b1636; b2280; b2375; b3059; b1780; b2827; ns2306 (11:177, pl 310, f 1-3); b2747; b0993; b1762; b1213; b2866; b1601; b0236; b0410; b2300; b0400; b2794; b4367; b3366; b2859; b4092]
- d *semiargus* (Herbst), 1804, 1788-1804, (H); *Papilio* OD: In Jablonsky, Natursyst. Ins., Schmett. 11:177 (as *semiargus*), pl 310, f 1-3 (as *acis*) [b2306] SS: *semiargus* (Rottemburg), 1775; *Polyommatus* (*Cyaniris*) [Type of - *Cyaniris*] [Refs - b1023]
- e *f. semiargus* (Stauder), 1923; *Lycaena* OD: Ent. Anz. 3:7 [b4315] SS: meleager (Esper), [1778]; *Polyommatus* (*Meleageria*)
- c *semiatra* (Seitz), [1917], 1910-1924; *Mesosemia* OD: In Seitz, Grossschmett. Erde 5:645, pl 125h [b4093] SS: marisa (Hewitson), [1858]; *Semomesia* [TypeL - Not stated.] [Refs - b4474; ns4095; b4093]
- e *ab. semiaurantia* (Tutt), 1896; *Lysandra* OD: Brit. Butts :166 [b4758] SS: coridon (Poda von Neuhaus), 1761; *Polyommatus* (*Lysandra*) [Refs - b0236; b0471]
- c *semibrunnea* (Millière), 1859, 1858-1863; *Lycaena* OD: Annl. Soc. linn. Lyon 2:pl 4, f 2 [b3205] SS: coridon (Poda von Neuhaus), 1761; *Polyommatus* (*Lysandra*) [Refs - b2747; b4092]
- e *f. semibrunnea* Vorbrodt, 1912; *Hamearis* OD: Schmett. Schweiz 1:105 [b4885] SS: lucina (Linnaeus), 1758; *Hamearis* [Refs - b0236]
- a *semibrunnea* Bethune-Baker, 1916; *Epitola* OD: Ann. Mag. nat. Hist. (8)17:378 [b0354] [Refs - b3842; b1452; b4400]
- e ♀ *f. semibrunnea* (Müller), 1920; *Chrysophanus* OD: Int. ent. Z. 14(14):108 [b3262] SS: rutilus (Werneburg), 1864; *Lycaena* (*Thersamolycaena*) [Refs - b4148]
- c *semibrunnea* (Osthelder), 1926; *Nemeobius* OD: Mitt. münchn. ent. Ges. 15(Sup.):134, pl 6, f 7 [b3525] SS: lucina (Linnaeus), 1758; *Hamearis* [Refs - b4473]
- e *ab. semicaeca* (Krulikovskii), 1909; *Lycaena* OD: Revue Russe Ent. 9:301 [b2851] SS: argiades (Pallas), 1771; *Everes* [Refs - b0236; b0400 (with *alctas*); b0471]
- e *ab. semicaeca* (Tshugunov), 1914; *Cyaniris* OD: Revue Russe Ent. 14:313 [b4739] SS: semiargus (Rottemburg), 1775; *Polyommatus* (*Cyaniris*) [Refs - b0236; b0471]
- b *semicaeca* Riley, 1932; *Abisara* OD: Novit. zool. 37:185 [b3775] SS: tantalus Hewitson, [1866]; *Abisara* [TypeL - Gabun.] [Refs - b1452]
- e *ab. semicaeca* (Heinrich), 1938; *Lycaena* OD: Deut. ent. Zeit. 1938:11 [b2228] SS: melanops (Boisduval), [1828]; *Apelles* [TypeL - Basses Alpes.] [Refs - b0076]
- e *ab. semiceronus* (Tutt), 1909, 1905-1914; *Agriades* OD: Nat. Hist. Brit. Butts 3:333 [b4760] SS: bellargus (Rottemburg), 1775; *Polyommatus* (*Lysandra*) [Refs - b0236; b0471]
- e *ab. semicinnus* (Cabeau), 1923; *Lycaena* OD: Revue mens. Soc. ent. namur. 23:49 [b0666] SS: coridon (Poda von Neuhaus), 1761; *Polyommatus* (*Lysandra*) [TypeL - France.] [Refs - b0236]
- e *semiclara* Tutt, 1907, 1905-1914; *Polyommatus* OD: Nat. Hist. Brit. Butts 2:175 [b4760] SS: icarus (Rottemburg), 1775; *Polyommatus* [Check - Reference not found.] [Refs - b4092]
- e *ab. semicoelestis* (Tutt), 1909, 1905-1914; *Agriades* OD: Nat. Hist. Brit. Butts 3:332 [b4760] SS: bellargus (Rottemburg), 1775; *Polyommatus* (*Lysandra*) [Refs - b0236; b0471]
- e *semicrassipuncta* Pionneau, 1937; *Maculinea* OD: Échange 53:11-12 [b3619] SS: arion (Linnaeus), 1758; *Maculinea* [Refs - b0400]
- e *semieburnea* Le Moul, 1940, 1939-1940, (IFS); *Helicopsis* OD: Novit. ent. (15):120 [b2943] SS: cupido (Linnaeus), 1758; *Helicopsis* [Type: AME-ht] [Refs - b3199]
- e *semiflava* Le Moul, 1940, 1939-1940, (IFS); *Helicopsis* OD: Novit. ent. (13):100 [b2943] SS: cupido (Linnaeus), 1758; *Helicopsis* [Refs - b3199]
- e *semiflavida* Le Moul, 1940, 1939-1940, (IFS); *Helicopsis* OD: Novit. ent. (14):105 [b2943] SS: cupido (Linnaeus), 1758; *Helicopsis* [Type: AME-ht] [Refs - b3199]
- c *semilimbata* (Mabille), 1890; *Lycaena* OD: Annl. Soc. ent. Fr. (6)10:24, pl 2, f 3 [b3047] SS: simplicia Möschler, 1887; *Liptena* [TypeL - Senegal.] [Refs - b0105; b0836; b4400]
- c *f. semilimbata* Fruhstorfer, 1908; *Curetis* OD: Stett. ent. Ztg 69:49 or 58 [b1835] SS: sperthis (Felder & Felder), 1865; *Curetis* [Type: BMNH-ht] [TypeL - Java.] [Refs - b0936; b4094; b0694]

- b *semiluna* Klots, 1930; *Satyrium* OD: Bull. Brooklyn ent. Soc. 25(3):161, f 5,6 [b2778] SS: fuliginosa (Edwards), 1861; *Satyrium* [Type: AMNH-ht] [TypeL - Half Moon Ranch, Jackson Hole, Wyoming.] [Refs - b0908; b3192; b1743; b1321]
- c *semimontana* Bollow, 1931, 1929-1931; *Polyommatus* OD: In Seitz, Grossschmett. Erde 1(Suppl.):289 [b0471] SS: semiargus (Rottemburg), 1775; *Polyommatus* (*Cyaniris*) [Refs - b0410; b0471]
- e *semimontensis* (Verity), 1928, (RA); *Aricia* OD: Bull. Soc. ent. Fr. 1928(11):180 [b4848] SS: semimontensis (Manley & Allcard), 1970; *Plebejus* (*Aricia*) [Type: MZS-st] [TypeL - Spain.] [Refs - b3059; b2856; b0236; b0410; b0270; b4848; b0471]
- b *semimontensis* (Manley & Allcard), 1970; *Aricia* OD: Butts Spain :94,153 [b3059] SS: montensis (Verity), 1928; *Plebejus* (*Aricia*) [TypeL - Santa Fé, Catalonia.] [Refs - b2856; b3059]
- a *seminger* Grose-Smith, 1895; *Jamides* OD: Novit. zool. 2(4):509 [b2038] [TypeL - Bachan.] [Refs - b1450; b4094; b1865; b2388]
- b *seminigra* (Leech), 1890; *Amblypodia* OD: Entomologist 23:44 [b2963] SS: ganesa (Moore), [1858]; *Arhopala* o [Type: BMNH-ht] [TypeL - Chang Yang.] [Refs - b1644; b0996; b1454]
- e *ab. seminigra* (Preissecker), 1906; *Lycaena* OD: Verh. zool.-bot. Ges. Wien 56:87 [b3643] SS: coridon (Poda von Neuhaus), 1761; *Polyommatus* (*Lysandra*) [Refs - b0236; b3643; b0471]
- e *ab. seminigra* (Rebel), 1914; *Lycaena* OD: Verh. zool.-bot. Ges. Wien 64:(151), f [b3711] SS: meleager (Esper), [1778]; *Polyommatus* (*Meleageria*) [TypeL - Austria.] [Refs - b0236; b3711; b0471]
- e *seminigra* Grund, 1916; *Lycaena* OD: Glasn. hrv. prirodosl. Društ. 28:120 [b2082] SS: dispar ([Haworth]), 1802; *Lycaena* (*Thersamolycaena*) [Refs - b0389]
- e *seminigra* Le Mout, 1940, 1939-1940, (IFS); *Helicopsis* OD: Novit. ent. (17):132 [b2943] SS: cupido (Linnaeus), 1758; *Helicopsis* [Type: AME-ht] [Refs - b3199]
- a *seminigra* Howarth, 1976; *Glaucoopsyche* OD: In Čas. morav. Mus. Brně 61:144, f [b2467] [TypeL - Kabul, Afghanistan.] [Refs - b0108; b3910]
- e *ab. semiobscurior* (Pionneau), 1931; *Chrysophanus* OD: Échange 47:7 [b3617] SS: dorilis (Hüfnagel), 1766; *Lycaena* (*Heodes*) [TypeL - France.] [Refs - b0069]
- e *ab. semiobscurior* (Pionneau), 1936; *Chrysophanus* OD: Échange 52:24 [b3618] SS: hippothoe (Linnaeus), 1761; *Palaeochrysophanus* [TypeL - Pyrenees.] [Refs - b1503; b3618]
- e *semiobsoleta* Tutt, 1908, 1905-1914; *Everes* OD: Nat. Hist. Brit. Butts 3:59 [b4760] SS: argiades (Pallas), 1771; *Everes* [Refs - b0400]
- e *semiobsoleta* Tutt, 1909, 1905-1914; *Cupido* OD: Nat. Hist. Brit. Butts 3:108, 110 [b4760] SS: minimus (Esper), [1777]; *Cupido* [Refs - b0400; b0471]
- a *semiota* (Bates), [1868]; *Limnas* OD: J. linn. Soc. Lond., Zool. 9:380 [b0267] CG: Melanis [Type: BMNH-ht] [TypeL - Tapajos.] [Refs - b2747; b4474; b1456]
- c *f. semipallida* (Barragué), 1954; *Calophris* OD: Bull. Soc. Hist. nat. Afr. N. 45(3/4):185 [b0253] SS: avis Chapman, 1909; *Calophris* [TypeL - Algiers.]
- c *semipersica* Tutt, 1907, 1905-1914; *Polyommatus* OD: Nat. Hist. Brit. Butts 2:175 [b4760] SS: icarus (Rottemburg), 1775; *Polyommatus* [Check - Reference not found.] [Refs - b1963; b4092]
- b *semiradiata* Felder & Felder, 1865, 1865-1875; *Mesene* OD: Reise Novara (2):292, pl 37, f 27,28 [b1692] SS: margareta (White), 1843; *Mesene* [Refs - b2747; b4474; b1116]
- b *semiramis* Stichel, 1924; *Nymphidium* OD: Deut. ent. Zeit. 1924:150 [b4458] SS: ninias Hewitson, [1865]; *Nymphidium* [TypeL - Colombia.] [Refs - b4458; b4476; b1456]
- b *semirufa* (Grose-Smith & Kirby), 1889, 1887-1902; *Liptena* OD: Rhop. exot. 1(10):33, pl 8, f 5,6 [b2049] SS: acraea (Westwood), [1851]; *Telipna* [TypeL - Gold Coast.] [Refs - b1452 (as good species); b0836; b4400]
- a *semirufa* Grose-Smith, 1894; *Dicallaneura* OD: Novit. zool. 1:544 [b2037] [TypeL - New Guinea.] [Refs - b1450; b4474; b4473; ns2049 (2(39):3, pl 1, f 5,6); b1840]
- a *semirufa* (Grose-Smith), 1902, 1887-1902; *Pseuderesia* OD: Rhop. exot. 3(59):146, pl 30, f 13,14 or 14,15 [b2029] CG: *Mimeresia* [Refs - b1452; b0836; b4400]
- e *f. semisebrus* (Turati), 1919; *Cyaniris* OD: Atti Soc. ital. Sci. nat. 58:149 or 167 [b4745] SS: semiargus (Rottemburg), 1775; *Polyommatus* (*Cyaniris*) [Refs - b0236; b0471]
- e *semisuffusa* Thompson, [1937], (IFS); *Plebejus* OD: * :3 [b4649] SS: caemensis Thompson, [1937]; *Plebejus* [TypeL - Wales.] [Refs - b0075]
- e *var. semisynggrapha* (Cockayne), 1916; *Lysandra* OD: Trans. Herts. nat. Hist. Soc. Fid Club 16:81 [b0861] SS: albicans (Gerhard), 1851; *Polyommatus* (*Lysandra*) [Refs - b0236]
- c *semitetrica* (de Sagarra y Castellamau), 1926; *Raywardia* OD: Bull. Inst. catal. Hist. nat. (2):6:137 [b1179] SS: tetrica (de Sagarra y Castellamau), 1925; *Leptotes* [TypeL - Spain.] [Refs - b1642; b0400]
- b *semiturcmenicus* Balint, 1991; *Plebejus* OD: Janus Pannonius Múz. Évk. 35:51, f 51,52 [b0202] SS: pylaon (Fischer von Waldheim), 1832; *Plebejus* (*Plebejides*) [TypeL - Nr Yerevan, Armenia.] [Refs - b0209]
- c *semivirea* (Seitz), [1917], 1910-1924; *Mesosemia* OD: In Seitz, Grossschmett. Erde 5:640, pl 125a [b4093] SS: polyplusia Stichel, 1910; *Teratophthalma* [TypeL - Huanaco, Peru.] [Refs - b4474; b1456; b4093]
- a *semliki* Stempffer & Bennett, 1963; *Falcuna* OD: Bull. Br. Mus. nat. Hist. (Ent.) 13(6):188, f [b4421] [Type: BMNH-ht] [TypeL - Congo.] [Refs - b1452; b4421; b4400]
- a *semones* Godman & Salvin, [1887], 1879-1901; *Thecla* OD: Biol. centr.-amer., Lep. Rhop. 2:98; 3:pl 58, f 20,21 [b1975] CG: *Thecla* (New World *Eumaeini*) [Type: BMNH] [TypeL - Jalapa, Mexico.] [Refs - b0908]
- c *semoni* (Pagenstecher), 1895; *Eupsychellus* OD: Beitrage. In Fürbringer 5:244 [b3539] SS: catreus (de Nicéville), 1895; *Ptox* [TypeL - Tjibodas, Java.] [Refs - b1580]
- a *semperi* Bethune-Baker, 1896; *Arhopala* OD: In Proc. zool. Soc. Lond. 1896(3):659, pl 29, f 9,10 [b0326] CG: *Arhopala* a [Type: BMNH-ht; designated by Evans, 1957] [Bull. Br. Mus. nat. Hist. (Ent.) 5(3):91 [b1644]] [TypeL - S. E. Borneo.] [Note - Takanami found an additional syntype at ZMHU, but it did not belong to this species.] [Refs - b1644; b4094; b1454; b4602; b4108]
- b *semperi* (Fruhstorfer), 1915; *Lampides* OD: Arch. Naturgesch. (A)81(6):7 [b1865] SS: cleodus (Felder & Felder), 1865; *Jamides* [TypeL - Mindoro, Philippines.] [Refs - b4094; b1865]
- b *semperi* (Fruhstorfer), 1916; *Nacaduba* OD: Zool. Meded. 2(2):116 [b1873] SS: nora (C. Felder), 1860; *Prosotas* [Type: BMNH-ht] [TypeL - S. Philippines.] [Refs - b4676; b0938; b4094; b1454; b4595]
- b *semperi* Fruhstorfer, [1919]; *Spalgis* OD: Arch. Naturgesch. (A)83(1):76 [b1888] SS: epeus (Westwood), [1851]; *Spalgis* [TypeL - Luzon, Philippines.] [Refs - b1454; b1840; b4108]

- b *semperi* (Fruhstorfer), 1919; *Poritia* OD: Arch. Naturgesch. (A)83(2):100 [b1890] SS: *pediada* (Hewitson), 1877; *Simiskina* [TypeL - Camiguin, Mindanao, Philippines.] [Refs - b0950]
- b *semperi* (Agenjo), [1969]; *Plebejus* OD: *Graellsia* 24:47 [b0021] SS: *hispana* (Herrich-Schäffer), [1851]; *Polyommatus* (*Lysandra*) [Type: pc-ht; collection of T. Garcia Sempere.] [TypeL - El Liriet, Benidorm, Prov. Alicante, Spain.] [Refs - b1993; b4038]
- b *semperna* (Corbet), 1944; *Marmessus* OD: *Entomologist* 77:40 [b0959] SS: *estella* (Hewitson), [1863]; *Drupadia* [Type: BMNH-ht] [TypeL - Frasers Hill, West Malaysia.] [Refs - b1030; b0964; b0965; b1015; b1454]
- a *sena* (Kollar), [1844]; *Polyommatus* OD: In *Hügel, Kaschmir* 4(2):415, pl 5, f 3,4 [b2821] CG: *Heliophorus* (A) [TypeL - India bor.] [Refs - b1636; b2988; b2747; b0996; b4220; b3910; b0694; b4092; b1455]
- b *senama* (Fruhstorfer), [1912]; *Aphnaeus* OD: *Berl. ent. Z.* 56(3/4):219 [b1850] SS: *lohita* (Horsfield), [1829]; *Spindasis* [TypeL - N. E. Sumatra.] [Refs - b0964; b0965; b4094; b2201; b1850; b1454; b1553; b4108]
- e *sendiga* (Kirby), 1877, (ISS); *Thecla* OD: *Syn. Cat. dium. Lep., Suppl.* :781 [b2753] SS: *seudiga* (Hewitson), [1874]; *Caerofethra* [Refs - b2753]
- e *ab. senilis* Rebel, 1909; *Polyommatus* OD: In *Berge, Schmetterlingsbuch* (ed. 9) :69 [b3706] SS: *eros* (*Ochsenheimer*), 1807; *Polyommatus* [Refs - b0236; b0471]
- e *ab. senilis* (Dannehl), 1933; *Lycaena* OD: *Ent. Zeit.* 46:246 [b1103] SS: *alcon* (*Denise & Schiffermüller*), 1775; *Maculinea* [TypeL - Bavaria.] [Refs - b0071; b0400; b1103; b2979]
- a *sennanensis* (de Lesse), 1959; *Agrodiaetus* OD: *Bull. mens. Soc. linn. Lyon* 28:150 [b1121] CG: *Polyommatus* (*Agrodiaetus*) [TypeL - Sanandadj., W. Iran.] [Refs - b1774]
- a *senta* (Hewitson), [1853], 1852-1877; *Echenais* OD: *Ill. exot. Butts* 1:[-], pl [58], f 4,5 [b2323] CG: *Adelotypa* [TypeL - Amazon.] [Refs - b2988; b2747; b4475; b1456]
- a *senta* Draudt, [1920], 1917-1924; *Thecla* OD: In *Seitz, Grossschmett. Erde* 5:783, pl 156-a [b1348] CG: *Thecla* (*New World Eumacini*) [Type: NMB; Fossil collection.] [TypeL - Cañon del Tolima, Colombia.] [Refs - b0908]
- e *seuthes* Grünberg, [1916], 1914-1923, (ISS); *Hypochrysops* OD: In *Seitz, Grossschmett. Erde* 9:838 [b2078] SS: *seuthes* *Salvin*, 1891; *Hypochrysops* [Refs - b2078]
- b *seoki* Shirôzu & Sibatani, 1943; *Plebejus* OD: *Trans. Kansai ent. Soc.* 13(1):25-35, f [b4211] SS: *argus* (*Linnaeus*), 1758; *Plebejus* [TypeL - Japan.]
- b *separata* (Lathy), 1926; *Thecla* OD: *Ann. Mag. nat. Hist.* (9)17:42 [b2918] SS: *aetolus* (*Sulzer*), 1776; *Arawacus* [Type: MNHN-ht; designated by Johnson, 1991] [*J. Lep. Soc.* 45(2):148 [b2605]] [TypeL - Rio Tono, Peru.] [Refs - b0908; b0064; b2591; b2918; b2592]
- b *separata* Lathy, 1932; *Symmachia* OD: *Ann. Mag. nat. Hist.* (10)9:69 [b2922] SS: *rubina* *Bates*, 1866; *Symmachia* [Type: BMNH-st] [TypeL - Bolivia; Brasil.] [Refs - b2922]
- b *separata* (Lathy), 1932; *Calliona* OD: *Ann. Mag. nat. Hist.* (10)9:71 [b2922] SS: *siaka* (Hewitson), [1858]; *Calospila* [Type: BMNH-ht] [TypeL - Cuyaba, Mato Grosso.] [Refs - b2922; b1456]
- b *separata* Lathy, 1932; *Nymphidium* OD: *Ann. Mag. nat. Hist.* (10)9:74 [b2922] SS: *leucosia* (*Hübner*), [1806]; *Nymphidium* [Type: BMNH] [Refs - b2922]
- d *separata* (Rebillard), 1958, (H); *Calliona* OD: *Mém. Mus. natn. Hist. nat.* (A)15:199, pl 1, f 18 [b3717] SS: *separata* (Lathy), 1932; *Calospila* [Type: MNHN-ht] [TypeL - Cuyaba, Mato-Grosso, Brésil.] [Refs - b3717]
- a *sepeina* Johnson, 1991; *Sipaea* OD: *Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point)* (21):47, f [b2606] [Type: MNHN-ht] [TypeL - St. Jean de Maroni, French Guiana.] [Refs - b0125; b2606]
- e *sephirus* d'Abrera, 1993, (ISS); *Plebejus* OD: *Butts Holarctic Region, Pt 3* :487 [b1455] SS: *sephyrus* (*Frivaldszky von Frivald*), 1835; *Plebejus* (*Plebejides*) [Refs - b1455]
- b *sephyrus* (*Frivaldszky von Frivald*), 1835; *Lycaena* OD: *Cat. Lep. Balkan* 2:269, pl 7, f 1,2 [b1799] SS: *pylaon* (*Fischer von Waldheim*), 1832; *Plebejus* (*Plebejides*) [Note - *Also seen as sephirus and zephyrus.*] [Refs - b2375; b0993; b1780; b2747; b3012; b0410; b3366; b0694; b2859; b4092; b0471]
- a *sepicana* (Strand), 1912; *Holochila* OD: *Arch. Naturgesch.* (A)78(11):66 [b4511] CG: *Philaris* [TypeL - New Guinea.] [Note - *Compared with ilias, butleri and fulgens.*] [Refs - b4528; b4511]
- e *sepium* (Kirby), [1880], (ISS); *Thecla* OD: *Zool. Rec.* 15(1878)(Ins.):185 [b2756] SS: *saeptium* (*Boisduval*), 1852; *Satyrnum* [Refs - b0908]
- e *septembris* (*Verity & Querci*), 1923, (IFS); *Agrinaes* OD: *Ent. Rec.* 35(Sup.):11 [b4867] SS: *hispana* (*Herrich-Schäffer*), [1851]; *Polyommatus* (*Lysandra*) [Type: MZS-st] [TypeL - Genoa.] [Refs - b2856; b1135; b0236; b0471]
- c *septentrionalis* (Fuchs), 1901; *Lycaena* OD: *Jb. nass. Ver. Nat.* 53:31 [b1897] SS: *icarus* (*Rottemburg*), 1775; *Polyommatus* [Refs - b1897; b4092]
- c *septentrionalis* (*Krulikovskii*), 1908; *Lycaena* OD: *Soc. ent.* 23(2):11 [b2850] SS: *nicias* (*Meigen*), 1829; *Plebejus* (*Pseudoaricia*) [Refs - b2850; b4092]
- b *septentrionalis* *Joicey & Talbot*, 1916; *Philaris* OD: *Trans. ent. Soc. Lond.* 64(1):76 [b2653] SS: *fulgens* (*Grose-Smith & Kirby*), 1897; *Philaris* [Type: BMNH-ht] [TypeL - Biak, Schouten Islands.] [Refs - b4677; b1450; b2653]
- b *septentrionalis* Lathy, 1926; *Thecla* OD: *Ann. Mag. nat. Hist.* (9)17:44 [b2918] SS: *ambrax* *Westwood*, [1852]; *Thecla* (*New World Eumacini*) [Type: BMNH-ht; designated by Johnson, 1991] [*J. Lep. Soc.* 45(2):148 [b2605]] [TypeL - Chontales, Nicaragua.] [Refs - b0908; b3818; b0064; b2591; b2918; b2592]
- c *septentrionalis* (*Beuret*), 1928; *Plebejus* OD: *Soc. ent.* 43:41, f [b0369] SS: *argyrognomon* (*Bergsträsser*), [1779]; *Plebejus* (*Lycaeides*) [TypeL - Switzerland.] [Refs - b0236; b4425; b0410; b0471]
- b *septentrionalis* *Forster*, 1941; *Celastrina* OD: *Mit. münchn. ent. Ges.* 31:600, pl 19,20, f 15,16 [b1766] SS: *oreas* (*Leech*), [1893]; *Celastrina* [Type: MAK-ht] [TypeL - Shansi, China.] [Refs - b1580 (as septentrionis); b1766]
- c *septentrionalis* (*Stempffer*), 1948; *Epamera* OD: *Revue fr. Ent.* 15(3):188 [b4376] SS: *berbera* (*Bethune-Baker*), 1924; *Iolaua* (*Epamera*) [TypeL - Abyssinia.] [Refs - b4400]
- b *septentrionalis* Shirôzu, 1953; *Nacaduba* OD: *Sieboldia* 1(2):156 or 22 [b4193] SS: *kurava* (*Moore*), [1858]; *Nacaduba* [Type: ELKU-ht] [TypeL - Ambô, Yakushima Island, Japan.] [Refs - b4676; b1900; b4193]
- c *septentrionalis* *K. Hayashi*, 1955; *Spindasis* OD: *Tyô to Ga* 6(4):30, f 7-10 [b2212] SS: *takanonis* (*Matsumura*), 1906; *Spindasis* [TypeL - Iwate Prefecture, Japan.] [Refs - b1900; b2212; b0122; b1455]
- e *septentrionis* *Eliot & Kawazoé*, 1983, (ISS); *Celastrina* OD: *Butts Lycaenopsis group* :240 [b1580] SS: *septentrionalis* *Forster*, 1941; *Celastrina* [Refs - b1580]
- a *septistrigata* (*Bethune-Baker*), 1903; *Pentila* OD: *Ann. Mag. nat. Hist.* (7)12:325 [b0328] CG: *Liptena* [TypeL - W. Africa.] [Refs - b2907; b1452; b0836; b4400]

- b *sepulveda* (Fruhstorfer), [1912]; *Aphnaeus* OD: Berl. ent. Z. 56(3/4):217 [b1850] SS: *syama* (Horsfield), [1829]; *Spindasis* [TypeL - China.] [Refs - b0996; b4094; b2479; b3299; b0236; b1454; b1850; b0471; b1455]
- a *sepyra* (Hewitson), 1877, 1869-1877; *Erycina* OD: Equatorial Lep. Buckley (5):94 [b2330] CG: *Necyria* [Type: BMNH-ht] [TypeL - Ecuador.] [Note - See *d'Abreira* for some notes on this name.] [Refs - b2753; b4474; b1456]
- c *sequeira* Seitz, [1926], 1912-1927, (ISS); *Rapala* OD: In Seitz, Grossschmett. Erde 9:1003 [b4094] SS: *sequeira* (Distant), 1885; *Rapala* [Refs - b4094]
- b *sequeira* (Distant), 1885, 1882-1886; *Deudorix* OD: Rhop. malayana :278, pl 23, f 21 [b1285] SS: *pheretima* (Hewitson), [1863]; *Rapala* [TypeL - Malaya.] [Refs - b0964; b0965; b4094 (as *sequeira*); b2201; b1454]
- c *sequerae* Le Moul, 1940, 1939-1940, (IFS); *Helicopsis* OD: Novit. ent. (15):116 [b2943] SS: *cupido* (Linnaeus), 1758; *Helicopsis* [Type: AME-ht] [Refs - b3199]
- c *serafis* Sharp, [1922], (ISS); *Euselasia* OD: Zool. Rec. 57(1920)(Ins.):195 [b4148] SS: *serapis* Stichel, 1919; *Euselasia* [Refs - b4148; b0276]
- a *serangana* Eliot & Kawazoe, 1983; *Udara* OD: Butts *Lycaenopsis* group :121, f 81, 298-299, 314-315, 489 [b1580] [Type: BMNH-ht] [TypeL - Mansuela, central Ceram, Serang.] [Refs - b1580]
- a *seraphim* (Oberthür), 1886; *Thecla* OD: Bull. Soc. ent. Fr. (6)6:xii [b3428] CG: *Gonerilia* [TypeL - Western China.] [Type of - *Gonerilia*] [Refs - b2280; b0996; b2479; b4214; b4200 (as *seraphium*); b3428; b4092; b1455]
- c *seraphis* Common, 1964, (ISS); *Danis* OD: Aust. Butts :- [b0869] SS: *serapis* Miskin, 1891; *Danis* [Refs - b0870; b1475]
- b *serapina* Seki, 1991; *Arhopala* OD: In Butts *Borneo* 2(1):70, f [b4100] SS: *stubbis* Eliot, 1962; *Arhopala* b [TypeL - Nr Kuching, Gn. Serapi, Sarawak, Borneo.] [Refs - b4100]
- a *serapio* (Godman & Salvin), [1887], 1879-1901; *Thecla* OD: Biol. centr.-amer., Lep. Rhop. 2:93; 3:pl 58, f 8,9 [b1975] CG: *Strymon* [Type: BMNH] [TypeL - David, Panamá.] [Note - Druce says "allied to *azuba*". *Godman & Salvin* say "*ally of T. bebrycia*".] [Refs - b0908; b1375; b1975; b2593]
- b *serapis* Miskin, 1891; *Danis* OD: Ann. Qd Mus. 1:49 [b3215] SS: *danis* (Cramer), [1775]; *Danis* [TypeL - Cardwell, Cairns, Queensland.] [Refs - b1450 (as *seraphis*); b2078; b0870; b4934; b3835; b2646; b1382]
- b *serapis* Stichel, 1919; *Euselasia* OD: Deut. ent. Zeit. 1919:299 [b4454] SS: *arbas* (Stoll), [1782]; *Euselasia* [Type: pc-ht; collection of Stichel] [TypeL - Amazonas, Brazil.] [Refs - b4474; b4148 (as *serafis*); b4454]
- b *seravshanica* (Sthchektin), 1984; *Pseudothecla* OD: Zool. Zh. 63(9):1431 [b4440] SS: *hyrcanica* (Riley), 1939; *Armenia* [TypeL - Iskander-Kul Lake, Zeravshanskiy Range, Tadzhikistan.] [Refs - b4440; b4976]
- a *serena* (Kirby), 1890; *Teriomima* OD: Ann. Mag. nat. Hist. (6)6:269 [b2766] CG: *Citrinophila* [TypeL - Tropical Africa.] [Refs - b0836; b2766; b4400]
- a *serena* Stichel, 1910; *Nahida* OD: Gen. Insectorum 112(A):119 [b4446] [Type: BMNH-ht] [TypeL - Colombia?] [Refs - b4474; b1456; b4446]
- b *serenata* Stichel, 1923; *Mesosemia* OD: Z. wiss. InsektBiol. 18(10/11):273 [b4457] SS: *tenebricosa* Hewitson, 1877; *Mesosemia* [TypeL - Brazil.] [Refs - b4474]
- b *sergeji* (Obraztsov), 1936; *Glaucoopsyche* OD: Z. öst. EntVer. 21:47 [b3469] SS: *arion* (Linnaeus), 1758; *Maculinea* [TypeL - Cherson.] [Refs - b1503]
- c *sergia* (Godman & Salvin), [1885], 1879-1901; *Eurygona* OD: Biol. centr.-amer., Lep. Rhop. 1:367; 3:pl 39, f 9-12 [b1975] SS: *abreas* (Edwards), 1881; *Euselasia* [Type: BMNH-st] [TypeL - Guatemala; Costa Rica; Panama.] [Refs - b1530 :243, f 476; b1321 :50; b4474 (as sp); b1975; b3192; b2406; b2497; b0680 (as good sp)]
- a *sergius* Godman & Salvin, [1887], 1879-1901; *Thecla* OD: Biol. centr.-amer., Lep. Rhop. 2:71 [b1975] CG: *Thecla* (New World *Eumaeini*) [Type: BMNH] [TypeL - Venezuela.] [Note - Allied to *heraclides* and *paron*.] [Refs - b0908; b1975]
- c *seriata* (Fruhstorfer), 1908; *Chrysophanus* OD: Int. ent. Z. 2(29):195 [b1834] SS: *virgaureae* (Linnaeus), 1758; *Lycaena* (Heodes) [Refs - b0389; b4092]
- a *serica* (Westwood), [1851], 1846-1852; *Aricoris* OD: In Gen. dium. Lep. (2):450, nota; pl 72, f 8 [b4981] CG: *Setabis* [TypeL - Amazon.] [Refs - b2747; b4475; b1456]
- c *serica* (C. Felder), 1862; *Lycaena* OD: Verh. zool.-bot. Ges. Wien 12:487 [b1677] SS: *knysna* (Trimen), 1862; *Zizeeria* [TypeL - Hong Kong.] [Refs - b2747; b2650 (as ssp of *maha*)]
- a *serica* (Grum-Grshimailo), 1902; *Lycaena* OD: Annu. Mus. zool. St. Pétersbourg 7:195 [b2071] CG: *Polyommatus* [TypeL - W. China.] [Check - Homonym in need of a replacement.] [Refs - b0236; b0471]
- a *sericea* Bates, [1868]; *Theope* OD: J. linn. Soc. Lond., Zool. 9:404 [b0267] [TypeL - Tapajos; Para.] [Refs - b2988; b2747; b4475; b1456]
- a *sericina* (Felder & Felder), 1865, 1865-1875; *Lycaena* OD: Reise Novara (2):277, pl 34, f 30,31 [b1692] CG: *Nacaduba* [Type: BMNH-ht] [TypeL - Luzon, Philippines.] [Refs - b4676; ns1873 :109; b2747; b4094; b1454; b2387; b2388]
- a *sericina* (Bates), 1867; *Pseudopheles* OD: Trans. ent. Soc. Lond. (3)5(7):544 [b0266] CG: *Ethemopsis* [TypeL - Brasilia.] [Type of - *Pseudopheles*] [Refs - b2988; b2747; b4474; b2280; b0266; b2753; b1456]
- b *serpa* Fruhstorfer, 1900; *Arhopala* OD: Stett. ent. Zig 60(4):349 [b1814] SS: *horsfieldi* (Pagenstecher), 1890; *Arhopala* g [TypeL - Nias.] [Refs - b1644; b1814; b2200; b1454]
- a *serpentata* (Herrich-Schäffer), 1869; *Lycaena* OD: Stett. ent. Zig 30(1-3):74 [b2317] CG: *Theclinesithes* [TypeL - Rockhampton, Australia.] [Refs - b1450; b2747; b4094; b0111; b4255; b0870; b4934; b3594; b1744; b2388]
- a *serpentatoides* Strand, 1924; *Lycaena* OD: Deut. ent. Zeit. [Iris] 38:146 [b4527] [TypeL - S. W. Australia.] [Refs - b3796; b4528]
- a *serrattissima* Johnson, 1991; *Terminospinissima* OD: Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (21):22, f [b2606] [Type: AMNH-ht] [TypeL - Rio Calary, Uaupes, Amazonas State, Brazil.] [Type of - *Terminospinissima*] [Refs - b0125; b2606]
- a *serrula* (Mabille), 1890; *Lycaena* OD: Anns Soc. ent. Fr. (6)10:25 [b3047] CG: *Chilades* [TypeL - Senegal.] [Note - *Aurivillius* says closely allied or identical with *eleusis*. *Siempffer* overlooked the name.] [Refs - b0162; b3047]
- b *sertata* Stichel, 1910; *Mesene* OD: Gen. Insectorum 112(A):213 [b4446] SS: *epaphus* (Stoll), [1780]; *Mesene* [Type: ZMHU-st] [TypeL - Tefé, W. Amazonas, Brazil.] [Refs - b4474; b4446]
- b *sertavulensis* (Koçak), 1979; *Agrodiaetus* OD: Atalanta (Münnerstadt) 10(4a):313, f [b2789] SS: *firdussii* (Forster), 1956; *Polyommatus* (*Agrodiaetus*) [Type: DSZUA-ht] [TypeL - Konya Province, S Turkey.] [Refs - b0111; b2789; ns1468]

- b *serunica* (van Eecke), 1914; *Marmessus* OD: Notes Leyden Mus. 36(3/4):255 [b4792] SS: ravindra (Horsfield), [1828]; *Drupadia* [TypeL - Simeulue [Simalur] Island, Indonesia.] [Refs - b1030; b4094; b0105; b2201; b1454; b3782]
- b *servilia* Stichel, 1915; *Ithomiola* OD: Deut. ent. Zeit. 1915:693 [b4451] SS: cascella (Hewitson), 1870; *Ithomiola* [Type: biblio] [TypeL - Peru.] [Refs - b4474; b1456; b4451]
- a *sesara* (Godman & Salvin), [1887], 1879-1901; *Thecla* OD: Biol. centr.-amer., Lep. Rhop. 2:90 [b1975] CG: Rubroserrata [Type: BMNH-ht] [TypeL - Manaure, Colombia.] [Refs - b0908; b1375; b1975; b2628]
- d *sesara* (Godman & Salvin), [1901], 1879-1901, (H); *Thecla* OD: Biol. centr.-amer., Lep. Rhop. 2:722; 3:pl 111, f 7,8 [b1975] OS: clenchi Johnson, 1992; *Arases* [Type: BMNH-ht] [TypeL - Las Vigas in Vera Cruz, Mexico.] [Refs - b0908; b1375; b1975; b2611]
- e *sesquiopulenta* (Verity), 1943, (IFS); *Lycaeides* OD: *Farfalle Diurne Ital.* 2:175 [b4862] SS: *opulenta* (Beuret), 1961; *Plebejus* (*Lycaeides*) [Type: MZS-st] [Refs - b2856; b0410]
- e *sesquiwiola* Verity, 1943, (IFS); *Palaeochrysophanus* OD: *Farfalle Diurne Ital.* 2:70 [b4862] SS: *hippochoe* (Linnaeus), 1761; *Palaeochrysophanus* [Type: MZS-st] [Refs - b2856]
- b *sesse* Stempffer & Jackson, 1962; *Deudorix* OD: Proc. R. ent. Soc. Lond. (B)31:34 [b4424] SS: *lorisona* (Hewitson), [1863]; *Deudorix* (*Virachola*) [TypeL - Uganda.] [Refs - b1452; b4400]
- a *sessilis* Schaus, 1890; *Lasaia* OD: Ent. Amer. 6(1):19 [b3947] [TypeL - Mexico.] [Refs - b1530 :246, f 487; b1321; b2988; b4474; b3192; b4950; b1456; b0846]
- b *sestus* Stichel, [1909]; *Isapis* OD: Berl. ent. Z. 53(3/4):271 [b4443] SS: *agyrtus* (Cramer), [1777]; *Isapis* [TypeL - Amazonas, Brazil; Bolivia.] [Refs - b4474]
- b *sestus* (Fruhstorfer), 1915; *Lampides* OD: Arch. Naturgesch. (A)81(6):23 [b1865] SS: *aratus* (Stoll), [1781]; *Jamides* [TypeL - Timor.] [Refs - b1450; b4094; b1865]
- b *setekwaensis* Tite, 1960; *Jamides* OD: Bull. Br. Mus. nat. Hist. (Ent.) 9(5):329 [b4671] SS: *coritus* (Guérin-Méneville), [1831]; *Jamides* [TypeL - New Guinea.] [Refs - b4671; b1450]
- a *sethon* (Godman & Salvin), [1887], 1879-1901; *Thecla* OD: Biol. centr.-amer., Lep. Rhop. 2:77; 3:pl 57, f 14 [b1975] CG: *Pendantus* [Type: BMNH-ht; designated by Johnson & Kroenlein, 1993] [Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (34):16 [b2628]] [TypeL - Calderas, Guatemala.] [Refs - b0908; b1375; b1975; b2628]
- b *setonia* McDunnough, 1927; *Strymon* OD: Can. Ent. 59(7):160 [b3131] SS: *melinus* Hübner, [1818]; *Strymon* [Type: CNC-ht] [TypeL - Seton Lake, Lillooet, British Columbia.] [Refs - b0908; b3192; b1321]
- b *setschuanica* (Riley), 1939; *Thecla* OD: Novit. zool. 41:358 [b3778] SS: *icana* (Moore), [1875]; *Esakiozephyrus* [TypeL - Szechwan, China.] [Refs - b3778; b1455]
- c *setsuroi* (Hayashi), 1981; *Flos* OD: *Tyô to Ga* 32(1,2):77, f 31,32,53 [b2198] SS: *aglais* Felder & Felder, 1865; *Arhopala* h [Type: NSMT-ht] [TypeL - Marinduque, Philippines.] [Note - Patronym - Mr. Setsuro Hashimoto.] [Refs - b2198; b1454; b4590]
- a *seudiga* (Hewitson), [1874], 1863-1878; *Thecla* OD: Ill. diurn. Lep. *Lycaenidae* 1:152; 2:pl 60, f 397,398 [b2326] CG: *Caerofethra* [Type: BMNH] [Refs - b0908; b2753 (sendiga); b1375; b2593]
- b *seuthes* Salvin, 1891; *Hypochrysops* OD: In Trans. ent. Soc. Lond. 39(2):192, pl , f 4,5 [b3914] SS: *architas* Salvin, 1891; *Hypochrysops* [TypeL - Malaita Island, Solomon Islands.] [Refs - b1450; b2078 (as *seuthes*); b3914; b3926]
- a *sevastopulo* d'Abrera, 1980; *Hypokopelates* OD: Butts Afrotropical Region :520, f [b1452] [Type: BMNH-ht] [TypeL - Cameroon Republic.] [Refs - b0113; b1452]
- a *sevastos* (Rebel & Zerny), 1932; *Lycaena* OD: Denkschr. K. Akad. Wiss. Wien 103:82, f [b3716] CG: *Maculinea* [TypeL - Macedonia.] [Refs - b0071; b0211]
- a *severini* Hulstaert, 1924; *Euchrysops* OD: Revue zool. afr. 12(2):185 [b2496] [TypeL - Congo.] [Refs - b1452; b0836 (as ssp. of *albistriatus*); b2496; b4400]
- c *sexpunctata* (Seitz), [1917], 1910-1924; *Limnas* OD: In Seitz, *Grossschmett. Erde* 5:659 [b4093] SS: *smithiae* (Westwood), [1851]; *Melanis* [TypeL - Guerrero, Mexico.] [Note - Classification?] [Refs - b4474; b2405 (as ssp. of *pixe*); b4093]
- c *seydeli* Berger, 1952; *Aphnaeus* OD: *Lambillionea* 52:68 [b0307] SS: *affinis* Riley, 1922; *Aphnaeus* [TypeL - Belgian Congo.] [Refs - b4387; b0113; b1452; b4400]
- e *seythissa* (Anonymous), 1987, (ISS); *Aricia* OD: Zool. Rec. 122(1985)(Ins. D-Lep.):373 [b0119] SS: *scythissa* (Nekrutenko), 1985; *Plebejus* (*Aricia*) [Refs - b0119]
- b *sfagia* Fruhstorfer, [1914], 1909-1923; *Dicallaneura* OD: In Seitz, *Grossschmett. Erde* 9:788, pl 140e [b1840] SS: *decorata* (Hewitson), [1862]; *Dicallaneura* [TypeL - Snow Mts., New Guinea.] [Refs - b1450; b1840; b4474]
- a *shaba* Bouyer, 1991; *Spindasis* OD: *Lambillionea* 91(3):221, f [b0474] [TypeL - Zaire.] [Refs - b0125]
- a *shade* Bálint, 1993; *Paralycaeides* OD: Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (29):23, f 57,58,110 [b0207] [Type: MNHN-ht] [TypeL - Huancayo, Junin, Peru.] [Refs - b0207]
- c *shakla* (Higgins), 1958; *Lysandra* OD: *Entomologist* 91:44 [b2369] SS: *bellargus* (Rottemburg), 1775; *Polyommatus* (*Lysandra*) [Type: BMNH-ht] [TypeL - Haji Omran, Iraq.] [Refs - b4247; b4038; b2369]
- c *shakojiana* Matsumura, 1929; *Rapala* OD: Ins. matsumur. 3(2/3):97 [b3098] SS: *arata* (Bremer), 1861; *Rapala* [TypeL - Korea.] [Refs - b4115; b1913; b0236; b0471]
- b *shakunage* Fujioka, 1970; *Chrysozephyrus* OD: Spec. Bull. Lep. Soc. Japan 4:24, f [b1899] SS: *kirbariensis* (Tyler), 1915; *Chrysozephyrus* [TypeL - Lhawh Pokri, Himalay, Nepal.]
- b *shandura* (Evans), 1912; *Lycaena* OD: J. Bombay nat. Hist. Soc. 21(3):984 [b1626] SS: *buddhista* (Alphéraky), 1881; *Everes* [Refs - b1636; b0696]
- b *shania* (Evans), 1932; *Gerydus* OD: Ident. Indian Butts (2nd ed.) :211 [b1638] SS: *mallus* (Fruhstorfer), 1913; *Miletus* 1 [TypeL - Bhamo, Shan States.] [Refs - b1546; b3610; b1638; b0694]
- b *shanxiensis* (Murayama), 1983; *Albulina* OD: *Entomotaxonomia* 5(4):283, pl 3, f 8-10 [b3301] SS: *tatsienluica* (Oberthür), 1910; *Polyommatus* (*Albulina*) [Type: pc-ht; collection of Murayama.] [TypeL - China.] [Note - Classification according to Bálint (pers. comm.).] [Refs - b0119]
- a *shapiro* Johnson & Miller & Herrera, 1992; *Heoda* OD: Acta ent. Chilena 17:144, f [b2638] [TypeL - Chile.] [Refs - b0126]
- a *shapiro* Johnson, 1992; *Shapiroana* OD: Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (22):149, f [b2611] [Type: AMNH-ht] [TypeL - Sierra Nevada de Santa Marta, Depto. Cesar, Colombia.] [Type of - Shapiroana] [Refs - b0125; b2620; b2611]
- a *shargeli* Johnson, 1989; *Tergissima* OD: *Insecta Mundi* 3(3):201, f [b2599] [Type: MNHN-ht] [TypeL - Santiago, Chile.] [Refs - b0123; b2606]

- a **sharpei** Bethune-Baker, 1906; *Myrina* OD: Ann. Mag. nat. Hist. (7)17:106 [b0338] [TypeL - Uganda.] [Refs - b1452; b4400]
- b **sharppiae** (Butler), [1901]; *Cycliurus* OD: Proc. zool. Soc. Lond. 1900(4):929, pl 58, f 4,5 [b0659] SS: aequatorialis (E. Sharpe), [1892]; *Harpencyreus* [TypeL - E. Africa.] [Refs - b4400]
- a **shasta** (Edwards), 1862; *Lycaena* OD: Proc. Acad. nat. Sci. Philad. 14:224 [b1490] CG: Plebejus (Icaricia) [Type: CM-nt; designated by Brown, 1970] [Trans. amer. ent. Soc. 96:404 [b0510]] [TypeL - Head of Tyndall Creek, Tulare County, California.] [Refs - b1530 :230, f 441; b1321 :65; b0908; b2747; b3325; b1713; b1610 (123-E12); b0113; b0236; b3192; b1743; b0493; b1940; b4066]
- a **sheffieldi** Bethune-Baker, 1926; *Telipna* OD: Ann. Mag. nat. Hist. (9)17:387 [b0362] [TypeL - Uganda.] [Refs - b1452; b4400 (cpl)]
- c **shelfordi** Moulton, [1912]; *Arhopala* OD: J. Straits Brch. R. asiat. Soc. 60:142 [b3259] SS: deva Bethune-Baker, 1896; *Arhopala* b [Type: BMNH-ht] [TypeL - Sarawak, Borneo.] [Refs - b1644]
- a **shelfordii** (de Nicéville), 1902; *Cyaniris* OD: J. Bombay nat. Hist. Soc. 14(2):245, pl FF, f 7 [b1168] CG: Celarchus (Armentulus) [Type: ZSI-ht] [TypeL - Matang, Sarawak, Borneo.] [Type of - Armentulus] [Refs - b1542; b0965; b1840 (as shelfordi); b1580; b1168; b4108]
- c **sheljuzhkoi** (Obratzov), 1935; *Lycaena* OD: Folia zool. hydrobiol. 8:148 [b3467] SS: allous (Geyer), [1836]; *Plebejus* (Aricia) [TypeL - Teberda-Gebiete, N. Kaukasus.] [Refs - b2827; b0073; b3467]
- b **sheljuzhkoi** (Forster), 1960; *Agrodiaetus* OD: Z. wien. ent. Ges. 45(7-10):132, pl 10,11, f 26,27 [b1772] SS: phyllis (Christoph), 1877; *Polyommatus* (*Agrodiaetus*) [TypeL - Armenia.] [Refs - b1772; b2827]
- b **sheljuzhkoiana** (Obratzov), 1936; *Lycaena* OD: Lambillionea 36:12 [b3468] SS: thersites (Cantener), 1834; *Polyommatus* (*Plebicula*) [TypeL - Greece.] [Check - Spelling] [Refs - b0074; b0315]
- b **sheltonensis** Chermock & Frechin, [1949]; *Incisalia* OD: Pan-Pac. Ent. 24(4):212 [b0778] SS: eryphon (Boisduval), 1852; *Incisalia* [Type: CM-ht] [TypeL - Shelton, Washington.] [Refs - b0908; b3192; b1743; b1321; b4066]
- a **sheppardi** Stevenson, 1934; *Deloneura* OD: Occ. Pap. natn Mus. Sth. Rhodesia 1(3):15, f [b4433] [Type: MNBZ-ht] [TypeL - Rhodesia.] [Refs - b1259; b1452; b4400; b0119]
- a **sheppardi** Stevenson, 1940; *Anthene* OD: J. ent. Soc. S. Afr. 3:103, pl 12, f 2, 6 [b4436] [Type: MNBZ-ht; designated by Hancock, 1985] [*Arnoldia* Zimbabwe 9(16):244 [b2127]] [TypeL - Chirinda Forest, S. Africa.] [Refs - b1259; b1452; b4400; b4436]
- a **sheridanii** (Edwards), 1877; *Thecla* OD: In Field and Forest 3(3):48 [b1509] CG: Calophrys [Type: CM-ht; designated by Brown, 1970] [TypeL - Near Sheridan, Wyoming. Restrictd by Brown, 1970.] [Note - There are at least two previous type designations for this insect, Holland (1939) and Clench (1946).] [Refs - b1530 :209, f 398; b1321 :59; b0908; b4688; b0104; b3192; b1743; b0493; b4690; b1509; b2585; b4066]
- e **sheridonii** (Edwards), 1877, (IOS); *Thecla* OD: In Field and Forest 3(3):48 [b1509] SS: sheridanii (Edwards), 1877; *Calophrys* [TypeL - Big Horn Mountains, Wyoming.] [Note - Miller & Brown state that the name was emended when Edwards stated he was naming the taxon for Sheridan.] [Refs - b3192; b1321]
- b **shigae** Murayama & Okamura, 1973; *Arhopala* OD: Tyô to Ga 24(1):20, f 33-36, D [b3305] SS: alitaeus (Hewitson), 1862; *Arhopala* f [Type: pc-ht; collection of Murayama.] [TypeL - Ashin, Luzon, Philippines.] [Refs - b0104; b1454 (as shigei, as good sp); b4587; b4594 (as shigae); b3305; b3491]
- e **shigei** d'Abrebra, 1986, (ISS); *Arhopala* OD: Butts Oriental Region, Pt 3 :574 [b1454] SS: shigae Murayama & Okamura, 1973; *Arhopala* f [Refs - b1454; b4594]
- b **shijima** Fruhstorfer, [1919]; *Niphanda* OD: Arch. Naturgesch. (A)83(1):72 [b1887] SS: fusca (Bremer & Grey), 1853; *Niphanda* [TypeL - Japan.] [Refs - b1900; b0236; b1840; b1887; b0471; b0122]
- b **shikokuana** (Ôkubo), 1935; *Lycaena* OD: Zephyrus 6(1/2):45, f [b3497] SS: pryri (Murray), 1873; *Antopoetes* [TypeL - Shikoku.] [Refs - b1900; b0073; b4192; b3497]
- b **shima** Gabriel, 1954; *Lycaena* OD: Exped. S. W. Arabia 1937-1938 1:388 [b1908] SS: phlaeus (Linnaeus), 1761; *Lycaena* (*Lycaena*) [TypeL - Arabia.] [Refs - b1452; b2898; b2901; b4400]
- b **shingara** Evans, 1932; *Polyommatus* OD: Ident. Indian Butts (2nd ed.) :231 [b1638] SS: eros (Ochsenheimer), 1807; *Polyommatus* [TypeL - Ziarat and Shingarh, Baluchistan.] [Refs - b0070; b1638; b0694]
- b **shirahatai** (Shirôzu), 1953; *Lycaeides* OD: Sieboldia 1(2):156 [b4193] SS: argyrogomon (Bergsträsser), [1779]; *Plebejus* (*Lycaeides*) [Type: ELKU-ht] [TypeL - Oohori, Otashimamura, Yamagata Pref. North Honshu, Japan.] [Refs - b1900; b4650; b4193]
- b **shiraishii** (Takanami), 1984; *Rachana* OD: Tokurana (Acta Rhopalocera) (6/7):52, pl 1, f 1; pl 3, f 2,3 [b4587] SS: jalindra (Horsfield), [1829]; *Eliotia* [Type: pc-ht; collection of Takanami.] [TypeL - N. W. Luzon, Philippines.] [Refs - b3982; b0117; b4587]
- c **shirakiana** (Matsumura), 1929; *Zephyrus* OD: Ins. matsumur. 3(2/3):100 [b3098] SS: yugai (Kano), 1928; *Teratozephyrus* [TypeL - Japan.] [Refs - b4198; b2479; b0236; b0067; b0471]
- c **shiranensis** (Scriba), 1921; *Lycaena* OD: Ent. Rundsch. 38:25, f 1,2 [b4071] SS: takamukui (Matsumura), 1919; *Maculinea* [TypeL - Japan.] [Refs - b1900; b0236 (as shiraensis); b0471 (as shiravensis); b4225]
- c **shiriyensis** (Matsumura), 1927; *Lycaena* OD: Ins. matsumur. 2(2):118, pl 3, f 9 [b3095] SS: teleius (Bergsträsser), [1779]; *Maculinea* [TypeL - Japan.] [Note - Not spelled shirivensis.] [Refs - b1900; b0236; b3095; b0471]
- c **shiroumana** (Matsumura), 1929; *Lycaena* OD: Ins. matsumur. 3(2/3):140 [b3099] SS: yagina (Strand), 1922; *Plebejus* (*Lycaeides*) [Type: EIHU-ht] [TypeL - Mt. Asama, Japan.] [Refs - b1900; b3328; b0236; b0067; b4193; b0471]
- b **shirozui** Murayama, 1954; *Favonius* OD: New Ent. 3(4):33 [b3279] SS: orientalis (Murray), 1874; *Favonius* [Type: pc-ht; collection of Murayama.] [TypeL - Hokkaido, Japan.] [Refs - b3279]
- b **shirozui** (Hayashi), 1976; *Narathura* OD: Tyô to Ga 27(1):7, f [b2179] SS: agrata de Nicéville, 1890; *Arhopala* f [TypeL - Palawan, Philippines.] [Refs - b0109; b2200]
- a **shirozui** (Hayashi), 1981; *Chliaria* OD: Tyô to Ga 32(1,2):81, f 39,40,55 [b2198] CG: Hypolycaena [Type: NSMT-ht] [TypeL - Philippines.] [Note - Patronym - Dr. Takashi Shirôzu.] [Refs - b2198; b2199; b2201; b1454]
- b **shirozui** Hsu, 1987; *Celastrina* OD: Tyô to Ga 38(1):5-8, 3 f [b2471] SS: sugitanii (Matsumura), 1919; *Celastrina* [TypeL - Taiwan.] [Refs - b1576; ns2475]
- b **shizukoae** Hayashi, 1984; *Catapaecilma* OD: Iwase (2):14, pl 1, f 6, pl 2, f 6 [b2199] SS: evansi Pendlebury, 1933; *Catapaecilma* [TypeL - Indonesia.] [Refs - b2199; b2201; b1454; b0117]

- b **shonen** (Esaki), 1932; *Lycaenopsis* OD: *Zephyrus* 4:14 [b1615] SS: melaena (Doherty), 1889; *Callenya* [Type: biblio; replacement for *latimargo* Matsumura, 1929.] [TypeL - Formosa.] [Refs - b4198; b1580; b5053; b4281; b1615]
- b **shonis** (Matsumura), 1927; *Lycaena* OD: *Ins. matsumur.* 1(4):159,162,166 [b3094] SS: optilete (Knoch), 1781; *Plebejus* (Vacciniina) [TypeL - Happa, Kankyonando, Korea.] [Refs - b4115; b2479; b2866; b0236; b0065; b0471]
- c **shortlandica** Ribbe, 1899; *Curetis* OD: *Deut. ent. Zeit.* [Iris] 12:248 [b3738] SS: solita Butler, 1882; *Curetis* [Refs - b1450; b4094]
- a **shoumatoffi** (Comstock & Huntington), 1943; *Thecla* OD: *Ann. New York Acad. Sci.* 45:75 [b0907] CG: *Nesiostrymon* [Type: AMNH-ht] [TypeL - Christiana, Jamaica.] [Type of - *Nesiostrymon*] [Refs - b0908; b0540; b2280; b0907; b0833; b0125]
- a **shueyi** Johnson, 1993; *Gigantorubra* OD: *Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point)* (32):34, f [b2614] [Type: AMNH-ht] [TypeL - Zunantunich Ruins, Cayo District, Belize.] [Refs - b2614]
- b **shuroabatica** (Stschetkin), 1963; *Lycaena* OD: *Trudy Inst. Zool. Parazit.* 24:57 [b4437] SS: argyrognomon (Bergsträsser), [1779]; *Plebejus* (*Lycaeides*) [TypeL - Tadzhikistan.]
- b **siabra** Corbet, 1941; *Arhopala* OD: *Proc. R. ent. Soc. Lond.* (B)10(9):156 [b0956] SS: sceva Bethune-Baker, 1903; *Arhopala* b [Type: BMNH-ht] [TypeL - Pulo Laut.] [Refs - b1644; b0956; b1454; b4104; b4108]
- a **siaka** (Hewitson), [1858], 1852-1877; *Lemonias* OD: *Ill. exot. Butts* 2:[-], pl [58], f 10,11 [b2323] CG: *Calospila* [TypeL - Amazon.] [Refs - b2988; b4475; b4950; b1456]
- c **siamensis** Fruhstorfer, [1904]; *Abisara* OD: *Berl. ent. Z.* 48(4):286,295 [b1817] SS: meta Fruhstorfer, [1904]; *Abisara* [Refs - b0294; b4473; b1454; b1840]
- b **siamensis** (Godfrey), 1916; *Gerydus* OD: *J. nat. Hist. Soc. Siam* 2(2):134 [b1971] SS: archilochus (Fruhstorfer), 1913; *Mileus* 4 [Refs - b1546; b1571]
- b **siamensis** Talbot, 1936; *Semanga* OD: *Entomologist* 69:58 [b4624] SS: superba (H. Druce), 1873; *Semanga* [TypeL - Siam.] [Refs - b1454]
- a **siassi** Sands, 1979; *Philiris* OD: *J. Aust. ent. Soc.* 18(2):131, f [b3922] [TypeL - Papua New Guinea.] [Refs - b3922 (2231-E11)]
- a **sibatani** Sands, 1979; *Philiris* OD: *J. Aust. ent. Soc.* 18(2):131, f [b3922] [TypeL - Papua New Guinea.] [Refs - b3922 (2231-E11); b0111]
- a **sibatani** Eliot & Kawazoé, 1983; *Udara* OD: *Butts Lycaenopsis group* :134, f 93,94, 304-305, 320-321, 498 [b1580] [Type: ANIC-ht] [TypeL - Mt Michael, Eastern Highlands Lufa, Papua New Guinea.] [Refs - b1580; b3550]
- e **sibatica** Anonymous, 1976, (ISS); *Arhopala* OD: *Zool. Rec.* 109(1972)(*Ins. D-Lep.*):173 [b0103] SS: sibatika Eliot, 1972; *Arhopala* f [Refs - b0103]
- a **sibatika** Eliot, 1969; *Simiskina* OD: *Entomologist* 102:272 [b1554] [Type: BMNH-ht] [TypeL - Sibatik Island, S.E. Sabah, Borneo.] [Refs - b0965; b1454; b1557; b1554; b4108]
- b **sibatika** Eliot, 1972; *Arhopala* OD: *J. nat. Hist.* 6:13, f [b1556] SS: phanda Corbet, 1941; *Arhopala* f [Type: BMNH-ht] [TypeL - Sibatik Islands, Sabah, Malaysia.] [Refs - b1556; b4108]
- a **sibella** (H. H. Druce), 1910; *Epamera* OD: *Proc. zool. Soc. Lond.* 1910(1):372, pl 35, f 2 [b1378] CG: *Iolaus* (*Epamera*) [TypeL - W. Africa.] [Refs - b1452; b0836; b4400]
- b **siberuta** Corbet, 1941; *Arhopala* OD: *Proc. R. ent. Soc. Lond.* (B)10(9):163 [b0956] SS: buddha Bethune-Baker, 1903; *Arhopala* a [Type: BMNH-ht] [TypeL - Siberut.] [Refs - b1644; b0956; b4104]
- b **siberutica** Riley, [1945]; *Eooxylides* OD: *Trans. R. ent. Soc. Lond.* 94(2):267 [b3782] SS: thanis (Geyer), [1837]; *Eooxylides* [Type: BMNH-ht] [TypeL - Siberut.] [Refs - b3782]
- b **sibirica** (Staudinger), 1892; *Lycaena* OD: *Deut. ent. Zeit.* [Iris] 5:317 [b4338] SS: optilete (Knoch), 1781; *Plebejus* (Vacciniina) [TypeL - Kentei-Gebirges.] [Note - *This name was originally published in the synonymy of cyparissus* Hb., and so may not be available as of this date and author.] [Refs - b4115; b0993; b2866; b0410; b4092]
- c **sibirica** (Heyne), 1895, 1893-1895; *Thecla* OD: *In Palae. Grossschmett.* 1:740 [b2363] SS: suaveola Staudinger, 1881; *Calophrys* [TypeL - Southern Siberia.] [Refs - b2866; b2585; b4169]
- d **sibirica** (Staudinger), 1899, (H); *Lycaena* OD: *Deut. ent. Zeit.* [Iris] 12(1):139 [b4345] SS: altaica (Elwes), 1899; *Polyommatus* (*Agrodiaetus*) [Note - *This name was rejected by Sheljuzhko as a primary homonym of sibirica* Staudinger, 1892. However that name was published in synonymy.] [Refs - b2827; b4169; b4092]
- d **sibirica** (Fuchs), 1901, (H); *Lycaena* OD: *Jb. nass. Ver. Nat.* 53:31 [b1897] OS: fuchsi (Sheljuzhko), 1928; *Polyommatus* [Refs - b0236; b0066; b4616; b4169; b4092]
- b **sibiricanus** Kozhanchikov, 1936; *Lycaena* OD: *Folia zool. hydrobiol.* 9:23 [b2837] SS: phlaeas (Linnaeus), 1761; *Lycaena* (*Lycaena*) [TypeL - Siberia.] [Refs - b0074; b2837]
- b **sibutuensis** Schröder & Treadaway, 1990; *Horaga* OD: *Ent. Zeit.* 100(21):405, f [b3992] SS: amethystus H. H. Druce, 1902; *Horaga* [TypeL - Philippines.] [Refs - b0124]
- b **sibutuensis** Treadaway & Nuyda, 1993; *Amblypodia* OD: *Fil-Kulisap* 1(2):13 [b4713] SS: narada (Horsfield), [1828]; *Amblypodia* [Type: pc-ht; collection of Treadaway] [TypeL - Cavan Cavan, Sibutu Island, Tawitawi Group, Philippines.] [Refs - b4713]
- a **sibylla** (Kirby), 1871; *Cupido* OD: *Syn. Cat. diurn. Lep.* :377 [b2747] CG: *Pseudolucia* [Type: biblio; replacement for *endymion* Blanchard, 1852] [TypeL - Coquimbo, Chile.] [Type of - *Facula*] [Refs - b0908; b2747; b3326; b3846; b3718]
- a **sibyllina** Staudinger, [1887], 1884-1888; *Mesosemia* OD: *In Exot. Schmett.* 1:244; 2:pl 88 [b4329] [TypeL - Colombia.] [Note - *D'Abrebra says this is not a Mesosemia.*] [Refs - b4474; b0688; b1456]
- e **sibyllina** (Verity), 1916, (RA); *Lycaena* OD: *Boll. Soc. ent. ital.* 46:133 [b4838] SS: apenninus (Zeller), 1847; *Polyommatus* (*Lysandra*) [Type: MZS-st] [Refs - b2375; b2856; b0236; b0471; b4146; b4038]
- b **sibyllina** Riley, [1945]; *Allotinus* OD: *Trans. R. ent. Soc. Lond.* 94(2):254, pl 2, f 27 [b3782] SS: substrigosa (Moore), 1884; *Allotinus* (*Paragerydus*) [Type: BMNH-ht] [TypeL - Sipora, Mentawai Islands.] [Refs - b1571]
- e **sicara** Kirby, 1877, (ISS); *Panara* OD: *Syn. Cat. diurn. Lep., Suppl.* :755 [b2753] SS: sicora Hewitson, [1875]; *Panara* [Refs - b2753]
- e **sicca** (Verity), 1929, (RA); *Agriades* OD: *Bull. Soc. ent. Fr.* 1929(9):159 [b4850] SS: escheri (Hübner), [1823]; *Polyommatus* (*Plebicula*) [Type: MZS-st] [TypeL - Auvergne, France.] [Refs - b2856; b4850; b0471]
- b **siccata** Stichel, 1919; *Semomesia* OD: *Deut. ent. Zeit.* 1919:127 [b4454] SS: croesus (Fabricius), 1777; *Semomesia* [TypeL - Bolivia.] [Refs - b4474]
- e **sichaeus** Kirby, 1871, (ISS); *Thecla* OD: *Syn. Cat. diurn. Lep.* :389 [b2747] SS: sicheus (Cramer), [1777]; *Thecla* (*New World Eumacini*) [Refs - b0908; b2747; b1975]

- a **sichela** (Wallengren), 1857; *Lycaena* OD: K. svenska VetenskAkad. Handl. (nf)2(4):37 [b4913] CG: Petrelaea [TypeL - Caffraria.] [Refs - b1943; b1259; b4400; b0938; b2747; b1452; b0836]
- c **sichela** (Hewitson), [1878], 1863-1878; *Lycaenesthes* OD: Ill. diurn. Lep. Lycaenidae 1:222 [b2326] SS: liodes (Hewitson), 1874; *Anthene* [Refs - b4400]
- c **sicheus** (Cramer), [1777], 1775-1790; *Papilio* OD: Uitl. Kapellen 2(12):76, pl 144, f C,D [b1069] SS: strephon (Fabricius), 1775; *Thecla* (New World Eumaeini) [TypeL - Surinam.] [Refs - b0908; b2747; b1975]
- b **sichuanica** (Sugiyama), 1993; *Gonerilia* OD: *Pallarge* 2:5, f [b4541] SS: *thespis* (Leech), 1890; *Cordelia* [TypeL - Sichuan, China.] [Refs - b0126]
- b **sichuanicus** Murayama, 1983; *Polyommatus* OD: *Entomotaxonomia* 5(4):283, pl 2, f 10-12 [b3301] SS: *eros* (Ochsenheimer), 1807; *Polyommatus* [Type: pc-ht; collection of Murayama.] [TypeL - Szechwan, China.] [Refs - b0119; b3301; b0206]
- c **sicara** Hewitson, [1875], 1852-1877; *Panara* OD: Ill. exot. Butts 5:pl [44], f 3,4 [b2323] SS: *epistatius* Pritzwitz, 1865; *Panara* [TypeL - Espirito Santo.] [Refs - b4474; b2753 (as *sicara*:755); b2323]
- a **sicrana** (Jones), 1912; *Thecla* OD: Proc. zool. Soc. Lond. 1912(4):897, pl 97, f 3 [b2663] CG: *Cyanophrys* [Type: BMNH-ht] [TypeL - Castor, Paraná, Brazil.] [Refs - b0908; b2221; b2721; x3192; b2585]
- b **sicyon** (Godman & Salvin), 1878; *Nymphidium* OD: Proc. zool. Soc. Lond. 1878(2):368 [b1973] SS: *ochra* (Bates), [1868]; *Synargis* [Type: BMNH-ht] [TypeL - San Geronimo, Guatemala.] [Refs - b4475; b1456]
- c **sidara** (Clench), 1944; *Lycaenopsis* OD: J. New York ent. Soc. 52(3):273 [b0822] SS: *ladon* (Cramer), [1780]; *Celastrina* [Type: MCZ-ht] [TypeL - Manitou, Colorado.] [Note - *May be a good ssp of argiolus.*] [Refs - b0528; b3192; b0856; b1321; b4690]
- e ♀ f. *side* Fruhstorfer, [1912]; *Deudorix* OD: Berl. ent. Z. 56(3/4):267 [b1850] SS: *cinnabarus* Fruhstorfer, [1912]; *Deudorix* [Refs - b4094]
- e *ab. sidemina* (Kardakoff), 1928; *Zephyrus* OD: Ent. Mitt. 17:271 [b2692] SS: *taxila* (Bremer), 1861; *Neozephyrus* [TypeL - Ussuri, Amur.] [Refs - b0471; b2463]
- b **sidicina** (Fruhstorfer), 1914; *Arhopala* OD: Deut. ent. Zeit. [Iris] 28(2):136 [b1859] SS: *morphina* (Distant), 1884; *Flos* [TypeL - Battak Mts., N.E. Sumatra.] [Refs - b1644; b4094; b1859; b1454]
- b **sidoma** Fruhstorfer, 1916; *Nacaduba* OD: Zoöl. Meded. 2(2):108 [b1873] SS: *hermus* (C. Felder), 1860; *Nacaduba* [Type: BMNH-ht] [TypeL - S. India.] [Refs - b4676; b1636; b1873; b1454; b0694]
- b **sidonia** Stichel, 1924; *Mesosemia* OD: Deut. ent. Zeit. 1924:140 [b4458] SS: *junta* Stichel, 1910; *Mesosemia* [TypeL - Colombia.] [Refs - b4474; b4458]
- a **sidus** Trimen, 1864; *Iolais* OD: Trans. ent. Soc. Lond. (3)2:176 [b4717] CG: *Iolais* (Epamera) [TypeL - Africa mer.] [Type of - Epamera] [Refs - b2280; b1259; b2747; b1452; b4400; b2560]
- e *siebersi* Toxopeus, 1927, 1927-1928, (IFS); *Megisba* OD: Tijdschr. Ent. 70:283, pl 2, f 5 [b4697] SS: *sikkima* Moore, 1884; *Megisba* [TypeL - Java.] [Refs - b1580; b4108]
- b **sierrae** (Dyar), 1916; *Thecla* OD: Proc. U. S. nat. Mus. 51:2 [b1447] SS: *bitias* (Cramer), [1777]; *Panthiades* [Type: USNM-ht; #19252] [TypeL - Sierra de Guerrero, Mexico.] [Refs - b0908; b3390]
- b **sierramariensis** (Munguira & Martin), 1988; *Aricia* OD: *Ecologia* (Madrid) 2:346, f [b3265] SS: *morroneis* (Ribbe), 1910; *Plebejus* (*Aricia*) [TypeL - Spain.] [Refs - b0123]
- a **sieversii** (Christoph), 1873; *Lycaena* OD: *Horae Soc. ent. ross.* 10:23, pl 1, f 1,2 [b0786] CG: *Polyommatus* (*Farsia*) [TypeL - Persia.] [Refs - b2988; b2753; b0993; b1762; b2827; b0410; b3910 (as *sieversii*); b4367; b2902 (as *sieversii*); b0786; b0694; b4092; b1455]
- c **sifanica** (Grun-Grshimaillo), 1891; *Lycaena* OD: *Horae Soc. ent. ross.* 25:450 [b2068] SS: *nausithous* (Bergsträsser), [1779]; *Maculinea* [TypeL - Jakar Mountains.] [Check-Classification?] [Refs - b2479 (as *argyrognomon* ssp); b0236; b4092 (as *argyrognomon* ssp); b0471 (as *argus* ssp)]
- a **sifia** (Boisduval), 1836; *Diophtarma* OD: *Spec. gén. Lépid.* 1:pl 6 [=2B], f 9, explic. 2 [b0462] CG: *Mesosemia* [TypeL - Brasilia.] [Refs - b2988; b2747; b4474; b1456]
- b **sigala** Fruhstorfer, [1914], 1909-1923; *Dicallaneura* OD: *In Seitz, Grossschmett. Erde* 9:788 [b1840] SS: *decorata* (Hewitson), [1862]; *Dicallaneura* [Type: BMNH-ht] [TypeL - Milne Bay, New Guinea.] [Refs - b1450; b1840; b4474]
- b **sigiana** (Toxopeus), 1944; *Sospita* OD: *Treubia* Hors Série:185 [b4709] SS: *heterisa* (Jordan), 1912; *Praetaxila* [TypeL - New Guinea.] [Refs - b4709]
- e *ab. sigiensis* Strand, 1910; *Pentila* OD: *Soc. ent.* 25(2):6 [b4496] SS: *mombasae* (Grose-Smith & Kirby), 1889; *Pentila* [TypeL - Usambara.] [Refs - b4496; b4420; b4528; b4400]
- c **sigillata** (Butler), 1876; *Lampides* OD: *Ann. Mag. nat. Hist.* (4)18:483 [b0605] SS: *jesous* (Guérin-Méneville), 1847; *Azanus* [TypeL - Abyssinia.] [Refs - b1943; b2753; b0995; b5055; b0836; b0116; b4400 (with *moriqua*)]
- a **signata** (Butler), [1882]; *Thecla* OD: Proc. zool. Soc. Lond. 1881(4):854 [b0620] CG: *Wagimo* [TypeL - Japan.] [Type of - *Wagimo*] [Refs - b4115; b2988; b2280; b1900; b2866; b4950; b4214; b3908; b4200; b4092; b1455]
- e **signata** (Stichel), 1910, (IFS); *Lymnas* OD: *Gen. Insectorum* 112(A):206 [b4446] SS: *crenataenia* (Stichel), 1910; *Melanis* [Type: pc-ht; collection of Stichel] [TypeL - San Carlos, Costa Rica.] [Refs - b4474; b4446]
- b **signata** (Stichel), 1910; *Hamearis* OD: Berl. ent. Z. 55(1/2):43 [b4445] SS: *epulus* (Cramer), [1775]; *Audre* [Type: pc-st; collection of Stichel] [TypeL - Rio Grande do Sul, Brazil.] [Refs - b4475; b2221; b0419; b0420; b4445]
- a **signata** Stichel, 1915; *Mesosemia* OD: *Deut. ent. Zeit.* 1915:637, pl 21, f 4 [b4451] [Type: BMNH-ht] [TypeL - Peru.] [Refs - b4474; b4451; b1456]
- b **sigrya** Fruhstorfer, [1914], 1909-1923; *Dicallaneura* OD: *In Seitz, Grossschmett. Erde* 9:787 [b1840] SS: *pulchra* (Guérin-Méneville), [1830]; *Dicallaneura* [TypeL - Mysol.] [Refs - b1450; b1840; b4474 (as *sigrya*)]
- a **siguniangshanicum** Murayama, 1992; *Satyrrium* OD: *Konchu to Shizen* (Nature & Insects) 27(5):39, f 6 [b3304] [TypeL - Si-Gu-Niang-Shan, China.] [Refs - b3304; b1455]
- b **sikkima** Moore, [1884]; *Horaga* OD: Proc. zool. Soc. Lond. 1883(4):525 [b3235] SS: *syninx* (C. Felder), 1860; *Horaga* [Type: BMNH-ht] [TypeL - Darjiling.] [Refs - b1012; b1636; b1153; b2078; b0995; b4094; b2479 (as *onyx* ssp); b3235; b1454; b0694]
- c **sikkima** (Moore), [1884]; *Cyaniris* OD: Proc. zool. Soc. Lond. 1883(4):524, pl 48, f 11 [b3235] SS: *iyntaana* (de Nicéville), [1884]; *Celastrina* [Type: BMNH-ht] [TypeL - Sikkim, India.] [Refs - b1636; b1840; b3762; b2479; b1580; b0400; b3235; b4209]
- b **sikkima** Moore, 1884; *Megisba* OD: *J. asiat. Soc. Bengal, Pt II* 53(1):21 [b3236] SS: *malaya* (Horsfield), [1828]; *Megisba* [Type: ZSI?] [TypeL - Sikkim, India.] [Refs - b1636; b1580; b2200; b1840; b0694; b4108]

- a **sikkima** (Bath), 1900; *Lycaena* OD: Entomologist 33:199 [b0268] CG: *Polyommatus* (*Albulina*) [Note - Classification according to *Bálint* (pers. comm.).]
- a **sikkimensis** (Howarth), 1957; *Neozephyrus* OD: Bull. Br. Mus. nat. Hist. (Ent.) 5(6):241, f 2, 48, 58 [b2463] CG: *Chrysozephyrus* [Type: BMNH-ht] [TypeL - Sikkim.] [Refs - b4200; b3610; b3296; b1454 (in *Neozephyrus*); b0694; b2463]
- a **sikongensis** (Murayama), 1955; *Neozephyrus* OD: Tyô to Ga 6(1):3, f 9,10 [b3280] CG: *Chrysozephyrus* [Type: BMNH-ht; ex. coll. Obernhür.] [TypeL - West China.] [Refs - b4214; b3280; b2463]
- a **silaceana** Stichel, 1924; *Eurybia* OD: Deut. ent. Zeit. 1924:141 [b4458] [TypeL - S. America.] [Refs - b4458; b4474; b1456]
- a **silanus** Grose-Smith, 1889; *Iolaus* OD: Ann. Mag. nat. Hist. (6)3:137 [b2030] CG: *Iolaus* (*Epamera*) [TypeL - Mombasa.] [Refs - b1452; b4400]
- a **silaris** Godman & Salvin, 1878; *Mesene* OD: Proc. zool. Soc. Lond. 1878(2):363 [b1973] [TypeL - Nicaragua.] [Refs - b2988; b4474; b2497; b1456]
- a **silarus** H. H. Druce, 1885; *Iolaus* OD: Ent. mon. Mag. 22:155 [b1349] CG: *Iolaus* (*Argiolaus*) [TypeL - Delagoa Bay.] [Refs - b4400; b1259; b1452; ns2291; b2224; b0117]
- c **silarius** Fruhstorfer, [1915], 1909-1923; *Allotinus* OD: In Seitz, Grossschmett. Erde 9:808 [b1840] SS: *subviolaceus* Felder & Felder, 1865; *Allotinus* [Type: BMNH-ht; designated by Eliot, 1986] [Bull. Br. Mus. nat. Hist. (Ent.) 53(1):14 [b1571]] [TypeL - Borneo.] [Refs - b1840; b1571; b4108]
- a **silas** (Westwood), [1851], 1846-1852; *Anops* OD: In Gen. dium. Lep. (2):pl 74, f 5, (:481) [b4981] CG: *Iolaus* (*Argiolaus*) [TypeL - Africa mer.] [Type of - *Argiolaus*] [Refs - b2280; b1943; b4400; b1259; b2747; b1452; ns2291; b2224; b4400; b3312; b3606; b2560]
- b **silas** Fruhstorfer, [1923], 1909-1923; *Castalius* OD: In Seitz, Grossschmett. Erde 9:886 [b1840] SS: *rosimon* (Fabricius), 1775; *Castalius* [TypeL - Sulawesi.] [Refs - b1840; b4108]
- c **silenissa** (Herbst), 1800, 1788-1804; *Papilio* OD: In Jablonsky, Naturyst. Ins., Schmett. 10:306, pl 292, f 7 [b2306] SS: *phaleros* (Linnaeus), 1767; *Cycnus* [Refs - b0908; b2221; b2747]
- a **silenus** (Fabricius), 1775; *Papilio* OD: Syst. Ent. :531 [b1653] CG: *Myrina* [Type: BMNH-ht; Banks collection.] [TypeL - Sierra Leon"] [Refs - b1014; b2747; b1452; b0836; b2898; b4950; b4400; b2887; b2560; b2886; b5076]
- d **silenus** (Cramer), [1780], 1775-1790, (H); *Papilio* OD: Uidl. Kapellen 3(24):159, pl 282, f E [b1069] SS: *phaleros* (Linnaeus), 1767; *Cycnus* [TypeL - Surinam.] [Refs - b0908; b2221; b2747; b2406; b1975]
- e **silenus** Doubleday, 1847, 1844-1848, (ISS); *Strymon* OD: List Spec. lep. Brit. Mus. (2):31 [b1327] SS: *melinus* Hübner, [1818]; *Strymon* [Note - Doubleday may have followed others here.] [Refs - b0908]
- b **silenus** (Hawker-Smith), 1928; *Epamera* OD: Revue zool. bot. afr. 16:214 [b2165] SS: *silanus* Grose-Smith, 1889; *Iolaus* (*Epamera*) [Type: MT-ht] [TypeL - Sandoa, Belgian Congo.] [Refs - b1452; b4400; b2165]
- c **ab. silesia** (Strand), 1927; *Lycaena* OD: Arch. Naturgesch. (A)91(11):282 [b4529] SS: *coridon* (Poda von Neuhaus), 1761; *Polyommatus* (*Lysandra*) [Note - Replacement name.] [Refs - b4529; b0236; b0471]
- a **silhetensis** (Hewitson), 1862; *Amblypodia* OD: Spec. Cat. Lyc. Brit. Mus. :7, pl 4, f 27-28 [b2325] CG: *Arhopala* f [Type: BMNH-ht] [TypeL - Sylhet.] [Refs - b1644; b2747; b4094; b2200; b1454]
- a **silicea** (Grose-Smith), 1894; *Holochila* OD: Novit. zool. 1:580 [b2037] CG: *Candalides* [Type: BMNH-ht] [TypeL - Biak, Schouten Islands, New Guinea.] [Refs - b4677; b1450; b2078]
- b **silo** Fruhstorfer, [1912]; *Hypolycaena* OD: Berl. ent. Z. 56(3/4):239 [b1850] SS: *phorbas* (Fabricius), 1793; *Hypolycaena* [TypeL - New Guinea.] [Refs - b1450; b4094; b1850]
- b **silo** Fruhstorfer, [1912]; *Deudorix* OD: Berl. ent. Z. 56(3/4):268 [b1850] SS: *smilis* Hewitson, [1863]; *Deudorix* (*Virachola*) [TypeL - Borneo.] [Refs - b4094; b2201; b1454; b1850; b4108]
- a **silumena** Hewitson, [1867], 1863-1878; *Thecla* OD: Ill. dium. Lep. *Lycaenidae* 1:90; 2-pl 45, f 196,197 [b2326] CG: *Thecla* (*New World Eumaeini*) [Type: BMNH] [Refs - b0908; b2988; b2747]
- e **silvanus** (Bethune-Baker), 1910; *Lycaenesthes* OD: Trans. ent. Soc. Lond. 58(1):43 [b0343] SS: *sylvanus* (Drury), [1773]; *Anthene* [Refs - b0343]
- b **silvestris** (Rose & Schurien & Eckweiler), 1992; *Polyommatus* OD: *Linneana Belgica* 13(6):342, f [b3864] SS: *hyacinthus* (Herrich-Schäffer), [1847]; *Plebejus* (*Pseudoaricia*) [TypeL - Turkey.] [Refs - b0126]
- a **silvicultrix** Stichel, 1909; *Ancyluris* OD: Berl. ent. Z. 54(1/2):37 [b4444] [TypeL - Peru.] [Refs - b4474; b1456]
- c **silvius** (Fabricius), 1787; *Papilio* OD: Mantissa Ins. 2:88 [b1656] SS: *protumnus* (Linnaeus), 1764; *Thestor* [Type: ZMC-ht] [TypeL - ad Cap. Bon. Spei] [Cape of Good Hope.] [Refs - b2747; b1640; b4400; b5076]
- a **simaeithis** (Drury), [1773], 1770-1782; *Papilio* OD: Ill. nat. Hist. 1:index+3, pl 1, f 3 [b1392] CG: *Chlorostyrymon* [TypeL - St. Christopher's", actually St. Kitts.] [Refs - b1530 :189, f 353; b1321 :56; b0908; b0540; b2988; b0907; b2747; b2221; b0113; b0540; b4049; b3192; b3512; b0833; b1975; b0420; b2631; b4066; b2598]
- c **simalurana** (Toxopeus), 1930; *Lampides* OD: De soorte als Functie :138 [b4702] SS: *kondulana* (C. Felder), 1862; *Jamides* [TypeL - Simalur.] [Refs - b4702; b1454 (with *alecto*); b3786]
- c **simalurensis** Toxopeus, 1928; *Miletus* OD: Tijdschr. Ent. 71:xxii [b4698] SS: *albotignula* (van Eecke), 1914; *Miletus* 3 [Refs - b1546]
- a **simasca** Draudt, [1920], 1917-1924; *Thecla* OD: In Seitz, Grossschmett. Erde 5:794, pl 157-k [b1348] CG: *Thecla* (*New World Eumaeini*) [TypeL - Río Negro, Colombia.] [Refs - b0908]
- b **simbangana** (Hagen), 1897; *Abisara* OD: Jb. nass. Ver. Nat. 50:96 [b2114] SS: *satraps* (Grose-Smith), 1894; *Praetaxila* [Refs - b1450; b4474; b1840]
- b **simbla** (Boisduval), 1870; *Mesene* OD: Consid. Lép. Guatemala :22 [b0469] SS: *zonata* R. Felder, 1869; *Baeotis* [TypeL - Guatemala.] [Refs - b2747; b4474]
- b **simblina** Stichel, 1929; *Baeotis* OD: Mit. zool. Mus. Berl. 15:18 [b4470] SS: *hisbon* (Cramer), [1775]; *Baeotis* [TypeL - Rio de Janeiro, Brazil.] [Refs - b4474; b4470; b1456]
- e **ab. sinekoa** Strand, 1913; *Larinopoda* OD: Arch. Naturgesch. (A)79(12):134 [b4513] SS: *lircaea* (Hewitson), [1866]; *Larinopoda* [TypeL - Kamerun.] [Note - Described as an aberration. Not available as of this date and author.] [Refs - b4513; b4528; b4400]
- c **similis** (Moore), 1878; *Polyommatus* OD: Proc. zool. Soc. Lond. 1878(3):702 [b3229] SS: *maha* (Kollar), [1844]; *Pseudozizeeria* [TypeL - Hainan.] [Refs - b0995; b2479; b0236]
- a **similis** (Kirby), 1887; *Teriomina* OD: Ann. Mag. nat. Hist. (5)19:366 [b2763] CG: *Citrinophila* [TypeL - W. Africa.] [Refs - b1452; b0836; b4400]

- c **similis** (Kirby), 1890; *Allotinus* **OD**: Ann. Mag. nat. Hist. (6)6:262 [b2766] **SS**: simplex Röber, [1886]; *Megalopalpus* [**Type**: ZMHU-st] [**TypeL** - Barombi, Cameroun.] [Refs - b0836; b2766; b4400; b1571]
- a **similis** (Kirby), 1890; *Pseuderesia* **OD**: Ann. Mag. nat. Hist. (6)6:264 [b2766] **CG**: *Liptena* [**TypeL** - Cameroons.] [Refs - b2907; b1452; b0836; b2766; b4400]
- a **similis** Aurivillius, 1891; *Hewitsonia* **OD**: Ent. Tidskr. 12:218, pl 3, f 3 [b0148] [**TypeL** - Africa.] [Refs - b1452; b4400; b1585]
- a **similis** H. H. Druce, 1895; *Arhopala* **OD**: Proc. zool. Soc. Lond. 1895(3):592 [b1362] **CG**: *Arhopala* b [**Type**: BMNH-ht] [**TypeL** - Sandakan, Borneo.] [Refs - b1644; b4094; b2200; b1362; b1454; b4108]
- c **similis** (H. H. Druce), 1895; *Biduanda* **OD**: Proc. zool. Soc. Lond. 1895(3):616 [b1362] **SS**: moorei (Distant), 1882; *Drupadia* [**Type**: BMNH-ht] [**TypeL** - Borneo.] [Refs - b4094; b0105; b1362; b4108]
- c **similis** Schaus, 1902; *Chamaelirias* **OD**: Proc. U. S. natn. Mus. 24(1262):402 [b3948] **SS**: joviana Schaus, 1902; *Chamaelirias* [**Type**: USNM-ht; #5906] [**TypeL** - Peru.] [Refs - b4474; b2221; b3948; b1456]
- e *ab. similis* (Schweizer & Kay), 1941; *Hamearis* **OD**: An. Mus. Hist. nat. Montevideo (2)5(2):11 [b4053] **SS**: precaria (Schweizer & Kay), 1941; *Audre* [**TypeL** - Uruguay.] [Refs - b0420]
- a **similis** Dufrane, 1945; *Hypolycaena* **OD**: Bull. Anns Soc. ent. Belg. 81:118 [b1409] [**TypeL** - Kivu.] [Refs - b1452; b4400]
- b **simillimus** Schröder & Treadaway, 1985; *Tarucus* **OD**: Ent. Zeit. 95(23):347, f 1 [b3982] **SS**: waterstradi H. H. Druce, 1895; *Tarucus* [**Type**: pc-ht; collection of Treadaway.] [**TypeL** - Surigao de Sur, Mindanao, Philippines.] [Refs - b3982]
- c **simonea** Corbet, 1941; *Arhopala* **OD**: Proc. R. ent. Soc. Lond. (B)10(9):151 [b0956] **SS**: ijanensis Bethune-Baker, 1897; *Arhopala* a [**Type**: biblio; replacement for subfasciata Moore, [1884].] [**TypeL** - Tavoy, Burma.] [Refs - b1644; b0956]
- a **simpla** (Kaye), [1914]; *Mesene* **OD**: Trans. ent. Soc. Lond. 61(3):561, pl 30, f 9-10 [b2709] **CG**: *Stichelia* [**TypeL** - Trinidad.] [Refs - b4474; b2709; b1456]
- b **simplaris** (Stichel), 1911; *Polystichtis* **OD**: Gen. Insectorum 112(B):325 [b4447] **SS**: laobotas (Hewitson), [1875]; *Calospila* [**Type**: ZMHU-ht] [**TypeL** - R. Maues, Amazonas, Brazil.] [Refs - b4475; b1456; b4446]
- c **simplex** (Walch), 1775; *Papilio* **OD**: Naturforscher 6:130, pl 6, f 3a,b [b4908] **SS**: aeolus (Fabricius), 1775; *Panthiades* [Refs - b0908; b3390; b2747]
- a **simplex** Bates, [1868]; *Mesene* **OD**: J. linn. Soc. Lond., Zool. 9:387 [b0267] [**TypeL** - Para.] [Refs - b2747; b4474; b1456]
- a **simplex** Röber, [1886]; *Megalopalpus* **OD**: CorrespBl. ent. Ver. Iris 1(3):51, pl 4, f 4 [b3820] [**Type**: SMT?-st] [**TypeL** - Borneo, but really Equatorial Africa.] [**Type** of *Megalopalpus*] [*Note - Placed on Official List (#1661) by Op 566.*] [Refs - b2280; b2531; b0836; b4400; b1571; b3151]
- c **simplex** (Staudinger), 1891; *Hypolycaena* **OD**: Deut. ent. Zeit. [Iris] 4(1):153 [b4334] **SS**: zela (Hewitson), [1869]; *Deudorix* (*Pilodeudorix*) [**TypeL** - W. Africa.] [Refs - b4400]
- a **simplex** (Trimen), 1893; *Zeritis* **OD**: Trans. ent. Soc. Lond. 41(2):136 [b4728] **CG**: *Alocides* [**Type**: BMNH-lt; designated by Tite & Dickson, 1968] [Bull. Br. Mus. nat. Hist. (Ent.) 21(7):377 [b4684]] [**TypeL** - S. Africa.] [Refs - b4684; b1259; b1452; b4400]
- a **simplex** Aurivillius, 1895; *Liptena* **OD**: Ent. Tidskr. 16:201 [b0151] **CG**: *Liptena* (*Tetranthis*) [Refs - b2907; b0151; b1452; b0836; b4400]
- c **simplex** (Grose-Smith & Kirby), 1896, 1887-1902; *Waigeum* **OD**: Rhop. exot. 2(35):37, pl 6, f 9,10 [b2049] **SS**: miraculum (H. H. Druce & Bethune-Baker), 1893; *Hypochrysops* [**TypeL** - Waigiou.] [Refs - b1450; b4094; b3926]
- e *ab. simplex* (Aigner-Abafi), 1900; *Lycaena* **OD**: Rovart. Lap. 7:144 [b0026] **SS**: minimus (Füssly), 1775; *Cupido* [Refs - b0995; b0236; b0400; b0471]
- b **simplex** (Schultze), 1916; *Deudorix* **OD**: Arch. Naturgesch. (A)82(3):39 [b4017] **SS**: aruma (Hewitson), 1873; *Hypokopelates* [Refs - b1452; b4400]
- b **simplex** (Clench), 1981; *Callophrys* **OD**: Bull. Allyn Mus. (64):2-5, f 1-6 [b0853] **SS**: miserabilis (Clench), 1946; *Cyanophrys* [**Type**: CM-ht] [**TypeL** - Mexico.] [Refs - b0853]
- e *simplex* Common & Waterhouse, 1981, (ISS); *Candalides* **OD**: Butts Aust. (Revised) :538 [b0870] **SS**: simplex (Tepper), 1882; *Candalides* [Refs - b0870]
- b **simplexa** (Tepper), 1882; *Cupido* **OD**: Trans. R. Soc. S. Aust. 4:29, pl 2, f 10 [b4633] **SS**: hyacinthina (Semper), [1879]; *Candalides* [**TypeL** - W. Australia.] [Refs - b4677; b1450; b0870 (as simplex); b4094; b4934; b0976; b1744]
- a **simplica** Johnson, 1993; *Gigantorubra* **OD**: Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (32):12, f [b2614] [**Type**: AMNH-ht] [**TypeL** - Santarém, Brazil.] [Refs - b2614]
- a **simplicia** Bates, [1868]; *Theope* **OD**: J. linn. Soc. Lond., Zool. 9:406 [b0267] [**TypeL** - Para.] [Refs - b2988; b2747; b4475; b1456]
- a **simplicia** Möschler, 1887; *Liptena* **OD**: Abh. Senckenb. naturf. Ges. 15(1):63, f 14 [b3251] [**TypeL** - W. Africa.] [Refs - b1452; b0836; b4400]
- e *ab. simplicior* (Verity), 1911; *Lampides* **OD**: Boll. Soc. ent. ital. 42:273, pl 1, f 14 [b4834] **SS**: pirthous (Linnaeus), 1767; *Leptotes* [**Type**: destroyed; by museum pests.] [Refs - b0995; b2856; b0236; b0400; b4319 (as simplicior); b0471]
- a **simplis** Johnson & Kroenlein, 1993; *Kisutam* **OD**: Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (34):33, f [b2628] [**Type**: AMNH-ht] [**TypeL** - Prov. Puntarenas, Costa Rica.] [Refs - b2628]
- b **simsoni** (Miskin), 1874; *Deudorix* **OD**: Ent. mon. Mag. 11:165 [b3208] **SS**: varuna (Horsfield), [1829]; *Rapala* [**TypeL** - Queensland, Australia.] [Refs - b1450; b2753; b4094; b0870; b4934; b1110; b2885; b0142; b4788]
- a **simulacris** Riley, 1932; *Abisara* **OD**: Novit. zool. 37:182 [b3775] [**TypeL** - Kamerun.] [Refs - b1452]
- b **simulans** (Rebillard), 1958; *Mesosemia* **OD**: Mém. Mus. natn. Hist. nat. (A)15:165 [b3717] **SS**: phelina (Felder & Felder), 1862; *Teratophthalma* [**Type**: MNHN-ht] [**TypeL** - Rio Napo, Ecuador.] [Refs - b3717; b0093]
- a **sinaicus** Nakamura, 1975; *Pseudophilotes* **OD**: J. Ent. (B)44(3):283-295 [b3336] [Refs - b1610 (7E662)]
- b **sinalcon** Murayama, 1992; *Maculinea* **OD**: Konchu to Shizen (Nature & Insects) 27(5):37 [b3304] **SS**: teleius (Bergsträsser), [1779]; *Maculinea* [**TypeL** - Huanzhou, Qinghai Province, China.] [Refs - b4225; b1455]
- a **sinaloensis** McAlpine, [1971]; *Calephelis* **OD**: J. Res. Lep. 10(1):58 f [b3127] [**Type**: CM-ht] [**TypeL** - Near Concordia, Sinaloa, Mexico.] [Refs - b4066 (as ssp of rawsoni); b3127]
- e *ab. sincera* (Schultz), 1905; *Chrysophanus* **OD**: Ent. Zeit. 18(33):131 [b4002] **SS**: virgaureae (Linnaeus), 1758; *Lycaena* (*Heodes*) [Refs - b0236; b0389; x0276; b4002; b4092]

- a **sinensis** (Alphéraky), 1881; *Lycaena* OD: *Horae Soc. ent. ross.* 16:383, pl 14, f 7 [b0043] CG: *Satyrinum* (*Neolycaena*) [Type of - *Neolycaena*] [Note - Placed on Official List by Op 899.] [Refs - b1636; b2280; b2988; b0851; b0996; b2827; b4092; b3151; ns3033; b1455]
- a **sinensis** (Elwes), 1887; *Chilades* OD: *Proc. zool. Soc. Lond.* 1887(3):446 [b1591] CG: *Orthomiella* [TypeL - Ningpo, China.] [Refs - b1840; b1762; b2479; b4092; b2388]
- b **sinensis** (Nordström), 1935; *Chrysophanus* OD: *Ark. Zool.* 27A(7):3 [b3411] SS: *standfussi* (Grum-Grshimailo), 1891; *Lycaena* (*Thersamolycaena*) [TypeL - China.]
- e **sinopuncta** McDunnough, 1938, (ISS); *Glaucopsyche* OD: *Mem. Sth. Calif. Acad. Sci.* 1:38 [b3134] SS: *australis* Grinnell, 1917; *Glaucopsyche* [Refs - b3192; b1321; b0908]
- e **ab. sinopunctata** Tutt, 1908; *Polyommatus* OD: *Ent. Rec.* 20(12):274 [b4762] SS: *orbitalus* (Prunner), 1798; *Polyommatus* (*Albulina*) [Refs - b0236; b0471; b4762]
- e **ab. sinopunctata** J. A. Comstock, 1926; *Glaucopsyche* OD: *Bull. S. Calif. Acad. Sci.* 25(1):48, f [b0874] SS: *australis* Grinnell, 1917; *Glaucopsyche* [Type: LACM-ht] [TypeL - California.] [Refs - b0908; b3192; b1321]
- a **singalensis** (R. Felder), 1868; *Lycaena* OD: *Verh. zool.-bot. Ges. Wien* 18:282 [b1693] CG: *Udara* (*Udara*) [TypeL - Sri Lanka.] [Refs - b0964; b1636; b1840; b2747; b0995; b1580; b0236]
- b **singama** Fruhstorfer, [1912]; *Yasoda* OD: *Berl. ent. Z.* 56(3/4):224 [b1850] SS: *pita* (Horsfield), [1829]; *Yasoda* [TypeL - Java.] [Refs - b4094; b1850; b1454 (as *singana*)]
- b **singapura** Corbet, 1938; *Nacaduba* OD: *Trans. R. ent. Soc. Lond.* 87(5):134, pl 1, f 24,30 [b0938] SS: *pavana* (Horsfield), [1828]; *Nacaduba* [Type: BMNH-ht] [TypeL - Malay Peninsula.] [Refs - b4676; b0964; b0965; b0938; b1568; b1454; b4823; b0694; b4108]
- b **singhapura** (Distant), 1885, 1882-1886; *Panchala* OD: *Rhop. malayana* :273 [b1285] SS: *fulgida* (Hewitson), [1863]; *Flos* [TypeL - Singapore.] [Refs - b1644; b0965; b4094; b3498; b2201; b1454; b4108]
- c **singkepe** d'Abreera, [1978]; *Hypochrysops* OD: *Butts Australian Region* (2nd ed) :334 [b1451] SS: *praeclarus* (Fruhstorfer), 1908; *Hypochrysops* [Type: BMNH-ht] [TypeL - Mt. Herzog, Papua New Guinea.] [Refs - b0111; b3926]
- a **singla** (de Nicéville), 1885; *Satadra* OD: *J. asiat. Soc. Bengal, Pt II* 54(2):119, pl 2, f 7,8 [b1147] CG: *Arhopala* g [TypeL - Sikkim.] [Refs - b1644; b4094; b1454]
- b **singlongensis** Murayama, 1991; *Favonius* OD: *Konchu to Shizen* (*Nature & Insects*) 26(3):20, f [b3303] SS: *cognata* (Staudinger), 1892; *Favonius* [Type: pc-ht; collection of Murayama.] [TypeL - Mt. Xinglongshan, Shaanxi, North China.] [Refs - b0124; b3303]
- c **singularis** Heydemann, 1932; *Plebejus* OD: *Ent. Rundsch.* 49:83, pl 50, f 9-10; pl 51, f 9a-10a [b2357] SS: *nevadensis* (Oberthür), 1896; *Plebejus* (*Lycacides*) [TypeL - Spain.] [Refs - b3059; b3328; b0070]
- a **singularis** Stempffer & Bennett, 1953; *Baliochila* OD: *Bull. Br. Mus. nat. Hist. (Ent.)* 3:100 [b4415] [TypeL - S. Africa; S. Rhodesia.] [Refs - b0298; b1259; b1452; b4400]
- a **sinhala** Ormiston, 1924; *Nacaduba* OD: *Butts Ceylon* :53 [b3516] [TypeL - Ceylon.] [Refs - b4676; b1636; b1454; b0694; b2387; b2388]
- a **sinhara** Fruhstorfer, 1914; *Dacalana* OD: *Deut. ent. Zeit.* [Iris] 27(4):174 [b1854] [TypeL - N. E. Sumatra.] [Refs - b0964; b1548; b0965; b4094; b2201; b1454; b0694; b1854; b4108]
- b **sinica** Moore, 1901, 1890-1913; *Dodona* OD: *Lep. Ind.* 5:73 [b3238] SS: *durga* (Kollar), [1844]; *Dodona* [Refs - b4473; b1840; b4092; b2958]
- b **sinica** (Forster), 1936; *Lycaena* OD: *Mitt. münchn. ent. Ges.* 26:77 [b1758] SS: *argyrognomon* (Bergsträsser), [1779]; *Plebejus* (*Lycacides*) [TypeL - Szetschwan, China.] [Refs - b0074; b3328 (with *ismenias*)]
- c **sinina** (Grum-Grshimailo), 1891; *Lycaena* OD: *Horae Soc. ent. ross.* 25:453 [b2068] SS: *venus* (Staudinger), 1886; *Polyommatus* [Refs - b2479; b4092; b0206]
- e **ab. sinistradiata** Saussure, 1914; *Lycaena* OD: *Bull. Soc. Léop. Genève* 3:79, pl 1, f 13 [b3941] SS: *alciphron* (Rottemburg), 1775; *Lycaena* (*Alciphronia*) [Check - Spelling?] [Refs - b0236; b0389 (as *sinistro-radiata*); b0471]
- e **sinistroposticoradiata** Derenne, 1931; *Palaeochrysophanus* OD: *Lambillionea* 31:pl 10, f 2 [b1200] SS: *hippotoe* (Linnaeus), 1761; *Palaeochrysophanus* [Refs - b0389]
- b **sinnaces** H. H. Druce, 1904; *Eurybia* OD: *Proc. zool. Soc. Lond.* 1904(I)(2):482, pl 33, f 4 [b1370] SS: *jemima* Hewitson, 1869; *Eurybia* [TypeL - Peru.] [Refs - b4094; b4474; b4135 (as *sinuaces*); b1370]
- a **sinnis** (Godart), [1824], 1819-1824; *Polyommatus* OD: *In Ency. méth.* 9(Ins.):2:625 [b1970] CG: *Thecla* (*New World Eumacini*) [TypeL - Brazil.] [Refs - b0908; b2747; b1375]
- a **sintanga** Corbet, 1948; *Arhopala* OD: *Proc. R. ent. Soc. Lond.* (B)17(7/8):95 [b0963] CG: *Arhopala* f [Type: BMNH-ht] [TypeL - Sintang, W. Borneo.] [Refs - b1644; b0965; b1454; b0963; b4108]
- e **sinuaces** Sharp, [1905], (ISS); *Eurybia* OD: *Zool. Rec.* 41(1904(Ins.):248 [b4135] SS: *sinnaces* H. H. Druce, 1904; *Eurybia* [Refs - b4135]
- a **sinuata** R. Felder, 1869; *Calydna* OD: *Verh. zool.-bot. Ges. Wien* 19:468 [b1694] [TypeL - Mexico.] [Refs - b2747; b1456]
- a **sinuata** Stichel, 1925; *Comphotis* OD: *Z. wiss. InsektBiol.* 20:53 [b4463] [TypeL - Brazil.] [Refs - b4474; b1456]
- a **sinuatus** Hewitson, 1877, 1869-1877; *Emesis* OD: *Equatorial Lep. Buckley* (5):95 [b2330] [TypeL - Ecuador.] [Refs - b2753; b4475; b1456]
- a **siphax** Lucas, 1849; *Ciganitis* OD: *Explor. Algér.* 3:362, pl 1, f 8,8a [b3020] [TypeL - Algeria.] [Refs - b2375; b2747; b0996; b0236; b2380; b4092]
- b **sipora** Riley, [1945]; *Zemeros* OD: *Trans. R. ent. Soc. Lond.* 94(2):250 [b3782] SS: *flegyas* (Cramer), [1780]; *Zemeros* [Type: BMNH-ht] [TypeL - Sipora.] [Refs - b1454; b3782]
- b **siporana** (Riley), [1945]; *Celastrina* OD: *Trans. R. ent. Soc. Lond.* 94(2):256, pl 1, f 5 [b3782] SS: *puspa* (Horsfield), [1828]; *Acytolepis* [Type: BMNH-ht] [TypeL - Sipora, Mentawai Islands.] [Refs - b1580; b3782]
- b **siporana** Riley, [1945]; *Eooxylides* OD: *Trans. R. ent. Soc. Lond.* 94(2):268 [b3782] SS: *tharis* (Geyer), [1837]; *Eooxylides* [Type: BMNH-ht] [TypeL - Sipora.] [Refs - b3782]
- b **siporana** Riley, [1945]; *Allotinus* OD: *Trans. R. ent. Soc. Lond.* 94(2):253, pl 1, f 4 [b3782] SS: *horsfieldi* (Moore), [1858]; *Allotinus* (*Paragerydus*) [Type: BMNH-ht] [TypeL - Sipora, Mentawai Island.] [Refs - b1571; b3782]
- a **sipylyus** (C. Felder), 1860; *Myrina* OD: *Sber. Akad. Wiss. Wien* 40(11):451 [b1676] CG: *Hypolycaena* [TypeL - Amboina; Celebes.] [Type of - *Hypolycaena*] [Refs - b1450; b2280; b4094; b2747; b2698; b1454]
- b **siraha** (Kheil), 1884; *Plebejus* OD: *Rhop. Nias* :30, pl 5, f 35 [b2725] SS: *bochus* (Stoll), [1782]; *Jamides* [TypeL - Nias.] [Refs - b4094; b1865; b1454; b3786]

- a **sirasporum** Schröder & Treadaway, 1979; *Cyaniriodes* OD: Ent. Zeit. 89(24):274, f 4 [b3978] [Type: pc-ht; collection of Treadaway.] [TypeL - Central Samar, Philippines.] [Note - Described as a subspecies of *libna*.] [Refs - b1610 (7015-E11); b2199; b2200; b3978; b1454; b4594; b3143]
- a **siren** Grose-Smith, 1894; *Hypochrysops* OD: Novit. zool. 1:551 [b2037] [Type: BMNH-ht] [TypeL - Halmahera, New Guinea.] [Refs - b1450; b2078; b3926]
- a **sirenia** Stichel, 1909; *Mesosemia* OD: Berl. ent. Z. 54(1/2):14 [b4444] [Refs - b4475; b1456]
- c **sirentina** (Dannehl), 1927; *Lycaena* OD: Mitt. münchn. ent. Ges. 17:6 [b1102] SS: *argus* (Linnaeus), 1758; *Plebejus* [Refs - b0236; b0471; b1102]
- c **sirin** Bálint, 1993; *Pseudolucia* OD: Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (29):20, f 45,112 [b0207] SS: *argentina* (Balletto), 1993; *Pseudolucia* [Type: BMNH-ht] [TypeL - Puente del Inca, Argentina.] [Refs - b0207]
- b **sirius** (Edwards), [1871]; *Chrysophanus* OD: Trans. amer. ent. Soc. 3(3/4):270 [b1502] SS: *rubidus* (Behr), 1866; *Chalceria* [Type: CM-ht; designated by Brown, 1969] [Trans. amer. ent. Soc. 95:168 [b0508]] [TypeL - Near Twin Lakes, Lake County, Colorado. Restricted by Brown, 1969] [Refs - b0908; b4688; b2621; b3191; b2753; b3192; b3189; b0493; b1502; b1321; b4690; b4066]
- b **siroes** Fruhstorfer, 1914; *Arhopala* OD: Deut. ent. Zeit. [Iris] 28(2):122 [b1859] SS: *hellenore* Doherty, 1889; *Arhopala* g [Type: BMNH-ht] [TypeL - Sumatra.] [Refs - b1644; b4094; b1859; b1454; b4108]
- a **sisemina** Seitz, [1917], 1910-1924; *Theope* OD: In Seitz, *Grossschmett. Erde* 5:726 [b4093] CG: *Theope* [TypeL - Rio Dagua, Colombia.] [Note - Described as a subspecies of *euryonina*.] [Refs - b4475; b1456; b4093]
- c **sissona** (Wright), 1905; *Lycaena* OD: Butts W. Coast U. S. 2:22, pl 30, f 400 [b5043] SS: *amyntula* (Boisduval), 1852; *Everes* [Type: CAS-ht] [TypeL - Sisson, California.] [Refs - b0908; b3192; b1321; b1722; b5043]
- a **sista** (Hewitson), [1867], 1863-1878; *Thecla* OD: Ill. diurn. Lep. Lycaenidae 1:92; 2:pl 37, f 98,99 [b2326] CG: *Janthecla* [Type: BMNH] [TypeL - Mexico.] [Refs - b0908; b2747; b1975; b0125]
- a **sitalces** (Mabille), 1899; *Lycaena* OD: Annl. Soc. ent. Fr. 68:723 [b3048] CG: *Azanus* [TypeL - Antongil, Madagascar.] [Refs - b1452; b4382; b4400]
- a **sito** (Boisduval), 1836; *Thecla* OD: Spec. gén. Lépid. 1:pl 22 [=6C], f 5, explic. 6 [b0462] CG: *Arawacus* [TypeL - Mexico.] [Refs - b0908; b4245; b2747; b2406; b1975]
- a **siva** (Edwards), 1874; *Thecla* OD: Trans. amer. ent. Soc. 5(1):110 [b1506] CG: *Mitoura* [Type: CM-nt; designated by Brown & Clench, 1970] [In Trans. amer. ent. Soc. 96:61 [b0536]] [TypeL - Fort Wingate, New Mexico.] [LifeH - Tietz lists b0875.] [Refs - b1530 :208, f 394; b1321 :53; b0908; b0042; b1711; b2622; b4688; b2583; b2753; b1601; b1343; b3192; b1743; b0493; b0512; b2419; b4690; b2585; b2584; b4652; b1722]
- a **siva** Evans, 1954; *Curetis* OD: Entomologist 87:242 [b1641] [TypeL - Southern India.] [Refs - b1454; b4594; b0694]
- b **sivoka** (Evans), 1910; *Nacaduba* OD: J. Bombay nat. Hist. Soc. 20(2):427 [b1625] SS: *lutea* (Martin), 1895; *Prosotas* [Type: BMNH-ht] [TypeL - Teesta Valley, Sikkim.] [Refs - b4676; b0964; b1636; b0965; b0938; b1454; b0694]
- c **siwani** (Trimen), 1862; *Lycaena* OD: Trans. ent. Soc. Lond. (3)1:402 [b4716] SS: *jobates* (Hopffer), 1855; *Cupidopsis* [Refs - b2747; b4400]
- b **siwiensis** (Tite), 1962; *Mambara* OD: Entomologist 95:130 [b4675] SS: *nigropunctata* (Bethune-Baker), 1908; *Pistoria* [TypeL - New Guinea.] [Refs - b1450]
- a **siwiensis** Tite, 1963; *Paraduba* OD: Bull. Br. Mus. nat. Hist. (Ent.) 13(4):100, tf 66,73; pl 2, f 19 [b4676] [Type: BMNH-ht] [TypeL - Mt. Siwi, Arfak Mts., Dutch New Guinea.] [Refs - b1450; b4676; b2388]
- a **sixola** McAlpine, [1971]; *Calephelis* OD: J. Res. Lep. 10(1):43, f [b3127] [Type: USNM-ht] [TypeL - Sixola River, Southern Costa Rica.] [Refs - b3127]
- e **f. sixtina** (Bryk), 1946; *Bergmania* OD: Ark. Zool. 38A(3):53 [b0568] SS: *flamen* (Leech), 1887; *Coreana* [TypeL - Korea.]
- b **sjoestedti** Aurivillius, 1895; *Euliphyra* OD: Ent. Tidskr. 16:204 [b0151] SS: *mirifica* Holland, 1890; *Euliphyra* [TypeL - Cameroons.] [Note - Often seen as *sjoestedti*.] [Refs - b0151 (as *sjoestedti*); b1452; b0836 (as *sjoestedti*); b4400]
- b **skapane** H. H. Druce, 1895; *Hypolycaena* OD: Proc. zool. Soc. Lond. 1895(3):604, pl 33, f 16,17 [b1362] SS: *merguia* (Doherty), 1889; *Hypolycaena* [Type: ZMHU-ht; designated by Takami, 1989] [Tyô to Ga 40(1):33 [b4602]] [TypeL - Mt. Kinabalu, N. E. Borneo.] [Refs - b0964; b0965; b4094; b1362; b1454; b1854; b4602; b4108]
- c **skinneri** (Wood-Mason & de Nicéville), [1887]; *Lehere* OD: J. asiat. Soc. Bengal, Pt II 55(4):369, pl 15, f 3 [b5032] SS: *eryx* (Linnaeus), 1771; *Aritepe* [TypeL - Cachar.] [Note - *Cantlie* makes this an aberration or damaged specimen.] [Refs - b1636; b4094; b0694]
- a **skoptoles** H. H. Druce, 1907; *Mimacraea* OD: Trans. ent. Soc. Lond. 55(1):78, pl 2, f 3 [b1373] [TypeL - Nigeria.] [Note - Not spelled *skoptolos*.] [Refs - b1452; b1373; b4400 (as *skoptolos*)]
- e **skoptolos** Stempffer, 1967, (ISS); *Mimacraea* OD: Bull. Br. Mus. nat. Hist. (Ent.) Suppl. 10:31 [b4400] SS: *skoptoles* H. H. Druce, 1907; *Mimacraea* [Refs - b4400]
- a **skotios** (H. H. Druce), 1905; *Catochrysops* OD: In Trans. ent. Soc. Lond. 53(2):259, pl 13, f 12 [b1372] CG: *Lepidochrysops* [Type: BMNH-ht] [TypeL - N. W. Rhodesia.] [Refs - b1452; b4400; b0359]
- a **smalli** Nicolay, 1971; *Symbiopsis* OD: J. Lep. Soc. 25(Suppl. 1):12, text-fig 5, pl 11, f 1-4 [b3388] [TypeL - Panama.] [Refs - b3388]
- c **smaragdifera** Westwood, [1851], 1846-1852; *Alesa* OD: In Gen. diurn. Lep. (2):418, n 2 (note) [b4981] SS: *prema* (Godart), [1824]; *Alesa* [Refs - b2747; b4474; b2221]
- a **smaragdina** (Bremer), 1861; *Thecla* OD: Bull. Acad. Sci. St. Pétersbourg 3:470 [b0482] CG: *Chrysozephyrus* [Type: -lt; designated by Dubatolov & Sergeev, 1987] [Nov Maloizvestiye Vidy Fauny Sib. (19):19 [b1397]] [TypeL - Amoorland.] [Type of *Chrysozephyrus*] [Refs - b4115; b2280; b4094; b2747; b0996; b2827; b2479; b1399; b1900; b2866; b2804; b4214; b4200; b3296; b4092; b2463]
- c **smaragdina** Semper, 1890, 1886-1892; *Nacaduba* OD: In Semper, *Reisen Philipp.* (2)(5):178, pl 33, f 4 [b4110] SS: *sericica* (Felder & Felder), 1865; *Nacaduba* [TypeL - Luzon, Philippines.] [Refs - b4676; b4094]
- a **smaragdina** Godman, 1903; *Caria* OD: Trans. ent. Soc. Lond. 51(4):538, pl 21, f 12 [b1972] [TypeL - Bolivia.] [Refs - b4474; b1456]
- c **smaragdinoidea** Staudinger; *Neozephyrus* OD: SS: *taxila* (Bremer), 1861; *Neozephyrus* [Check - Original description.] [Refs - b2463]
- b **smaragdus** (H. H. Druce & Bethune-Baker), 1893; *Thysanotis* OD: Proc. zool. Soc. Lond. 1893(3):550, pl 46, f 5 [b1382] SS: *cyanea* (Cramer), [1775]; *Nacaduba* [TypeL - Wetter Island.] [Refs - b1450; b2078; b1382]

- a **smaragdus** H. H. Druce, 1907; *Thecla* OD: Proc. zool. Soc. Lond. 1907(3):599, pl 35, f 13 [b1375] CG: *Thecla* (New World Eumacini) [Type: BMNH; Godman collection.] [TypeL - Chapada and Castro, Paraná, Brazil.] [Note - Druce says "allied to *biblia* and *ares*".] [Refs - b0908; b1375]
- b **smedleyi** Riley, [1945]; *Amblypodia* OD: Trans. R. ent. Soc. Lond. 94(2):260, pl 2, f 37 [b3782] SS: *narada* (Horsfield), [1828]; *Amblypodia* [Type: BMNH-ht] [TypeL - Siberul.] [Refs - b1454; b3782]
- b **smilacis** (Boisduval & Le Conte), [1835], 1829-1837; *Thecla* OD: Hist. Lépid. Amer. sept. (12):107, pl 33, f 5-8 [b0470] SS: *gryneus* (Hübner), [1819]; *Mitoura* [Type: biblio] [TypeL - Georgia.] [Type of - *Mitoura*] [Refs - b2280; b0908; b2747; b3192; b1743; b1321; b4066]
- a **smilis** Hewitson, [1863], 1863-1878; *Deudorix* OD: Ill. diurn. Lep. Lycaenidae 1:18; 2:pl 8, f 22-23 [b2326] CG: *Deudorix* (*Virachola*) [TypeL - India?] [Refs - b0964; b1636; b1450; b0965; b4094; b2747; b2201; b1454; b0694; b1475]
- b **smithi** (Mattoni), 1954; *Philotes* OD: Bull. S. Calif. Acad. Sci. 53(3):160, pl 43, f 8,9 [b3108] SS: *enoptes* (Boisduval), 1852; *Euphilotes* [Type: USNM-ht] [TypeL - Burns Creek, State Highway 1, Monterey County, California.] [Refs - b0908; b0135; b0136; b3192; b1321; b4066; b1722; b1604]
- a **smithiae** (Westwood), [1851], 1846-1852; *Lymnas* OD: In Gen. diurn. Lep. (2):460 [b4981] CG: *Melanis* [TypeL - Brasilia.] [Refs - b2221; b2747; b4474; b0419; b1456]
- b **smithii** (Mabille), 1877; *Lycaena* OD: Bull. Soc. ent. Fr. (5)7:1xxii [b3038] SS: *princeps* (Butler), 1876; *Anthene* [TypeL - Madagascar.] [Note - Not spelled *smithi*.] [Refs - b1452; b0343; b3038; b4400]
- a **snelleni** (Röber), [1886]; *Plebejus* OD: CorrespBl. ent. Ver. Iris 1(3):54, pl 4, f 9 [b3820] CG: *Jamides* [Type: SMT-It; designated by Takanami, 1989] [TypeL - S. W. Sulawesi.] [Refs - b4094; b1865; b4602; b2388]
- b **snelleni** (Toxopeus), 1926; *Lycaenopsis* OD: Tijdschr. Ent. 69(Verslag):xvi [b4694] SS: *placidula* (H. H. Druce), 1895; *Udara* (*Udara*) [TypeL - Java.] [Refs - b1580; b2200]
- e **f. snelleni** (Høegh-Guldberg), 1963, (IFS); *Aricia* OD: Ent. Med. Ned.-Indië 32:25 [b2398] SS: *vandalica* (Kaaber & Høegh-Guldberg), 1961; *Plebejus* (*Aricia*) [TypeL - Denmark.] [Refs - b2399; b2398]
- b **snowi** (Edwards), 1881; *Chrysophanes* OD: Trans. Kansas Acad. Sci. 7:69 [b1515] SS: *cupreus* (Edwards), 1870; *Lycaena* (*Alciphronia*) [Type: CM-It; designated by Brown, 1969] [Trans. amer. ent. Soc. 95:178 [b0508]] [TypeL - Gray's Peak, Summit and Clear Creek Cos., Colorado.] [LifeH - Tietz lists b0562.] [Refs - b0908; b0428; b1321; b4688; b3191; b3603; b3192; b3189; b0493; b4690; b4652]
- a **snyderi** Johnson, 1992; *Oreya* OD: J. New York ent. Soc. 100(4):615, f 1,2 [b2608] [Type: AMNH-ht] [TypeL - Maripasoula, French Guiana.] [Refs - b2608]
- a **soalalicus** (Karsch), 1900; *Cupido* OD: Ent. Nachr. 26(24):369 [b2695] CG: *Azanus* [TypeL - Madagascar.] [Refs - b1452; b4405; b4400]
- b **soamis** (Fruhstorfer), 1915; *Luthrodes* OD: Deut. ent. Zeit. [Iris] 29:49 [b1860] SS: *buruana* (Holland), 1900; *Chilades* [TypeL - Obi.] [Refs - b1450; b1860; b4094 (as *soemis*: 927)]
- b **soana** Hewitson, [1875], 1852-1877; *Panara* OD: Ill. exot. Buis 5:Ery, f 2 [b2323] SS: *thisbe* (Fabricius), 1781; *Panara* [TypeL - Brazil.] [Refs - b2753; b4474]
- b **soarchad** (Fruhstorfer), 1915; *Lampides* OD: Arch. Naturgesch. (A)81(6):37 [b1865] SS: *bochus* (Stoll), [1782]; *Jamides* [TypeL - Key.] [Refs - b1450; b4094; b1865]
- c **sobanas** (Fruhstorfer), 1914; *Chliaria* OD: Deut. ent. Zeit. [Iris] 27(4):177 [b1854] SS: *skapane* H. H. Druce, 1895; *Hypolycaena* [TypeL - W. Borneo.] [Refs - b4094 (also as *sobanes*); b1454; b1854; b4108]
- e **sobanes** (Seitz), [1927], 1912-1927, (ISS); *Chliaria* OD: In Seitz, Grossschmett. Erde 9:1024 [b4094] SS: *sobanas* (Fruhstorfer), 1914; *Hypolycaena* [Refs - b4094]
- a **sobrina** Bates, [1868]; *Theope* OD: J. lim. Soc. Lond., Zool. 9:405 [b0267] [Type: BMNH-ht] [TypeL - Tapajos] [Refs - b2747; b4475; b0267; b1456]
- a **sobrina** (Mell), 1923; *Sospita* OD: Deut. ent. Zeit. 1923:159 [b3149] CG: *Abisara* [TypeL - S. China.] [Refs - b4473; b0236]
- b **sobrina** Talbot, 1935; *Leptomyrina* OD: Ent. mon. Mag. 71:121 [b4623] SS: *lara* (Linnaeus), 1764; *Leptomyrina* (*Gonatomyrina*) [TypeL - Tropical Africa.] [Refs - b4400; b1452 (with *gorgias*); b4623]
- b **sobrina** (Talbot), 1935; *Lycaenesthes* OD: Ent. mon. Mag. 71:208, pl 4, f 12,13 [b4623] SS: *crawshayi* (Butler), 1899; *Anthene* [TypeL - Kenya.] [Refs - b4400; b0714; b4623]
- a **socia** (Hewitson), 1868; *Thecla* OD: Descr. new Spec. Lycaenidae :29 [b2327] CG: *Crimsinota* [Type: BMNH-It; designated by Johnson, 1993] [Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (32):42 [b2614]] [TypeL - Brazil.] [Type of - *Crimsinota*] [Refs - b0908; b2747; b2614; b0559]
- c **socigena** (Hewitson), [1877], 1863-1878; *Thecla* OD: Ill. diurn. Lep. Lycaenidae 1:205; 2:pl 82, f 681,682 [b2326] SS: *vibidia* (Hewitson), [1869]; *Michaelus* [Type: BMNH] [TypeL - Santa Martha, Colombia.] [Refs - b0908; b2753; b3392; b2406; b1375]
- c **socorrensis** (Draudt), [1919], 1917-1924; *Thecla* OD: In Seitz, Grossschmett. Erde 5:758 [b1348] SS: *fassli* (H. H. Druce), 1912; *Thecloxurina* [Refs - b0908]
- b **socorroica** (Vázquez), 1958; *Thecla* OD: An. Inst. Biol. Univ. Méx. 28(1/2):303 [b4826] SS: *columella* (Fabricius), 1793; *Strymon* [TypeL - Revillagigedo Island.]
- a **socotranus** (Ogilvie-Grant), 1899; *Tarucus* OD: Bull. Liverp. Mus. 2:10 [b3473] CG: *Leptotes* [TypeL - Sokotra.] [Refs - b4400]
- b **soda** (Evans), 1957; *Narathura* OD: Bull. Br. Mus. nat. Hist. (Ent.) 5(3):109 [b1644] SS: *wildei* Miskin, 1891; *Arhopala* g [Type: BMNH-ht] [TypeL - Sudest Island.] [Refs - b1644; b1450]
- a **sodalis** Grose-Smith & Kirby, 1888, 1887-1902; *Epimastidia* OD: Rhop. exot. 1(11):5 [b2049] [TypeL - New Britain.] [Refs - b2078]
- b **sodalis** Stichel, 1919; *Semomesia* OD: Deut. ent. Zeit. 1919:130 [b4454] SS: *capanea* (Cramer), [1779]; *Semomesia* [TypeL - Iquitos, Peru.] [Refs - b4474]
- a **sodalis** Austin, 1993; *Calephelis* OD: J. Res. Lep. 30(3/4):237, f 1,2,3,4,13 [b0184] [Type: AME-ht] [TypeL - Las Alturas, Puntarenas Province, Costa Rica] [Refs - b0184]
- a **soemias** H. H. Druce, 1891; *Jamides* OD: Proc. zool. Soc. Lond. 1891(3):367, pl 32, f 4,5 [b1358] [TypeL - Bismarcks, Solomons Islands.] [Refs - b1450; b4094; b1865; b1358; b2388]
- e **soemis** Seitz, [1924], 1912-1927, (ISS); *Chilades* OD: In Seitz, Grossschmett. Erde 9:927 [b4094] SS: *soamis* (Fruhstorfer), 1915; *Chilades* [Refs - b4094]
- e **soepium** dos Passos, 1970, (ISS); *Satyrium* OD: J. Lep. Soc. 24(1):28 [b1322] SS: *saepium* (Boisduval), 1852; *Satyrium* [Refs - x3192; b1722]
- b **soeriomataram** Kalis, 1938; *Zizina* OD: Ent. Rundsch. 55:197 [b2680] SS: *otis* (Fabricius), 1787; *Zizina* [TypeL - Kangean Islands.] [Refs - b1454; b4108]

- c **sogamuxi** Fassl, 1915; *Ancyluris* OD: Ent. Rundsch. 32:44, f [b1663] SS: pulchra (Hewitson), 1870; *Ancyluris* [Refs - b4474]
- a **sogdiana** Zhdanko, 1990; *Athamanthia* OD: Ent. Obozr. 69(1):138, f 8,9,11a [b5066] CG: *Athamanthia* [TypeL - Tadzhikistan.] [Refs - b0124; b5068; b3991]
- a **sohmai** Eliot & Kawazoé, 1983; *Sancterila* OD: Butts *Lycaenopsis* group :80, f 48-50, 432-433, 458-459, 473 [b1580] [Type: OMNH-ht] [TypeL - Nr Pulu Pulu, Toraja, Sulawesi.] [Refs - b1580]
- a **sohmai** Takanami, 1994; *Hypolycaena* OD: Tyô to Ga 45(1):5, f 1,2,9 [b4610] [Type: pc-ht; collection of Sohma.] [TypeL - Pulu Pulu, north of Rantepao, nr Palopo, Sulawesi Selatan.] [Refs - b4610]
- c **sokolowskii** (Wojtusiak & Niesiolowski), 1946; *Lycaena* OD: Pr. Muz. przyr. Kraków (6):59 [b5028] SS: caucasica (Lederer), 1869; *Polyommatus* (*Lysandra*) [TypeL - Central Caucasus.] [Refs - b2794; b0078]
- b **solatus** (Cook & Watson), 1909; *Incisalia* OD: Can. Ent. 41(6):181 [b0913] SS: henrici (Grote & Robinson), 1867; *Deciduphagus* [Type: USNM-pt; AMNH-pt] [TypeL - Blanco County, Texas.] [Note - The holotype has been destroyed.] [Refs - b0908; b3192; b1715; b0493; b1321; b4690; b0913; b4066]
- c **soldalis** Grose-Smith & Kirby, 1897, 1887-1902; *Epimastidia* OD: Rhop. exot. 2(40):5, pl 11, f 9 [b2049] SS: bomemami (Pagenstecher), 1893; *Epimastidia* [Refs - b1450; b2078]
- b **solimana** (Forster), 1938; *Lycaena* OD: Ent. Rundsch. 55:336 [b1761] SS: pylaon (Fischer von Waldheim), 1832; *Plebejus* (*Plebejides*) [TypeL - Elburz Mts., N. Persia.] [Refs - b0076; b0410]
- c **solimoensis** Le Mout, 1939, 1939-1940; *Helicopsis* OD: Novit. ent. (11):87, f 13 [b2943] SS: gnidus (Fabricius), 1787; *Helicopsis* [Type: AME-ht] [TypeL - Peru.] [Refs - b3199]
- b **solita** Butler, 1882; *Curetis* OD: Am. Mag. nat. Hist. (5)10:149 [b0621] SS: insularis (Horsfield), [1829]; *Curetis* [Type: BMNH] [TypeL - New Britain.] [Refs - b1450; b0936; b4094; b0621]
- b **solitaria** Okubo, 1983; *Miletus* OD: Tyô to Ga 33(3,4):176, f 27,28 [b3498] SS: symethus (Cramer), [1777]; *Miletus* 4 [Type: pc-ht; collection of Okubo.] [TypeL - Tioman Island, West Malaysia.] [Refs - b3498; b1568; b1571]
- b **solitaria** Schröder & Treadaway, 1989; *Poritia* OD: Ent. Zeit. 99(19):278, f 5 [b3989] SS: hewitsoni Moore, [1866]; *Poritia* [Type: pc-ht; collection of Treadaway.] [TypeL - Angat Dam, C. Luzon, Philippines.] [Refs - b3989]
- a **solitaria** Johnson, 1993; *Gigantorubra* OD: Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (32):26, f [b2614] [Type: BMNH-ht] [TypeL - Cuyabe, Matto Grosso, Brazil.] [Refs - b2614]
- b **soloni** Okano & Okano, 1990; *Paruparo* OD: *Rhopalocera Philippina* (2):3, pl 2, f 5-8 [b3487] SS: cebuensis (Jumalon), 1975; *Paruparo* [Type: pc-ht; collection of Masao Okano.] [TypeL - Bilar, Bohol Island, Visayan Islands, Philippines.] [Refs - b3487]
- e **solski** (Seitz), [1924], 1912-1927, (ISS); *Chrysophanus* OD: In Seitz, *Grossschmett. Erde* 9:932 [b4094] SS: solskyi (Erschoff), 1874; *Lycaena* (*Thersamonia*) [Refs - b4094]
- a **solskyi** (Erschoff), 1874; *Polyommatus* OD: Mém. Soc. amis Sci. nat. Moscou 11(2):8, pl 1, f 7 [b1612] CG: *Lycaena* (*Thersamonia*) [Type: ZMMU] [TypeL - Maracanda.] [Refs - b1636; b2988; b2753; b0996; b2827; b4220; b3363; b0127; b3910; b4094 (as solski); b0694; b4092]
- a **solta** Eliot, 1955; *Nacaduba* OD: Proc. R. ent. Soc. Lond. (B)24:157 [b1541] [Type: BMNH-ht] [TypeL - Sumatra.] [Refs - b4676; b0965; b1454; b2387; b2388; b4108]
- a **solwezii** (Bethune-Baker), 1923; *Neochrysops* OD: Trans. ent. Soc. Lond. 70(3/4):325, pl 14, f 2; pl 20, f 36; pl 29, f 36 [b0359] CG: *Lepidochrysops* [Type: BMNH-st] [TypeL - Solwezi Mwangwa, N. W. Rhodesia.] [Note - Not spelled solwezi.] [Refs - b1943; b1259; b1452; b0359; b4400 (as solwezi); b3609]
- e ♀ f. **solyma** de Nicéville, 1894; *Simiskina* OD: J. asiat. Soc. Bengal, Pt II 63(1):29, pl 4, f 10 [b1158] SS: phalena (Hewitson), 1874; *Simiskina* [Type: BMNH-ht] [TypeL - Perak.] [Refs - b0964; b1454; b0950; b4108]
- a **somalina** Butler, [1886]; *Spindasis* OD: Proc. zool. Soc. Lond. 1885(4):764, pl 47, f 5 [b0633] [TypeL - Somali.] [Note - Figured by d'Abbrera as scottii.] [Refs - b1452; b2898; b2901; b4400]
- b **somalina** Stempffer, 1936; *Anthene* OD: Revue fr. Ent. 3:140 [b4364] SS: pitmani Stempffer, 1936; *Anthene* [TypeL - Somalia.] [Refs - b1452; b4400; b2899]
- a **somalina** (Stempffer), 1946; *Stugeta* OD: Revue fr. Ent. 13(1):13, pl 1, f 3 [b4371] CG: *Iolaus* (*Stugeta*) [Type: UMO-ht] [TypeL - Mandera, Somalie anglaise.] [Refs - b1452; b4371; b4400]
- e **somereni** Talbot, 1937, (IFS); *Mimacraea* OD: Trans. R. ent. Soc. Lond. 86(4):63 [b4625] SS: dohertyi Rothschild, 1901; *Mimacraea* [Type: BMNH-ht] [TypeL - Ngong, Escarpment, Kenya.] [Note - Not available as of this date and author.] [Refs - b4625; b4400]
- b **sonchus** (H. H. Druce), 1896; *Cyaniris* OD: Proc. zool. Soc. Lond. 1896(3):655, pl 19, f 4 [b1365] SS: cossaea (de Nicéville), 1895; *Plautella* [TypeL - S. E. Borneo.] [Refs - b0965; b1840; b1580; b2200; b1557; b4108]
- e **ab. sonoralba** Watson & Comstock, 1920; *Philotes* OD: Bull. amer. Mus. nat. Hist. 42(10):456 [b4952] SS: sonorensis (Felder & Felder), 1865; *Philotes* [Type: AMNH-ht] [TypeL - San Diego, California.] [Refs - b0908; b4177; b3192; b1321; b4952]
- c **sonorensis** Felder & Felder, 1865, 1865-1875; *Apodemia* OD: Reise Novara (2):303 [b1692] SS: mejicanus (Behr), 1865; *Apodemia* [Refs - b2747; b4475; b3192; b1318; b1321]
- a **sonorensis** (Felder & Felder), 1865, 1865-1875; *Lycaena* OD: Reise Novara (2):281, pl 35, f 3,4 [b1692] CG: *Philotes* [TypeL - Sonora, Mexico.] [LifeH - Tietz lists b0889, b0875.] [Refs - b1530 :237, f 456; b1321 :67; b2747; b1762; ns0888; b0908; b4178; b4179; b4176; b4177; b3192; ns1606; b0400; b1318; b4950; b4066; b4652; b1105]
- b **sontella** (Schaus), 1902; *Stalactis* OD: Proc. U. S. nat. Mus. 24(1262):406 [b3948] SS: stalactioides Butler, [1867]; *Apodemia* [Type: USNM-ht; #5917] [TypeL - Castro, Parana, Brazil.] [Refs - b4475; b3948; b1456]
- c **sophax** (Mathew), 1887; *Amblypodia* OD: Trans. ent. Soc. Lond. 35(1):47 [b3079] SS: phryxus Boisduval, 1832; *Arhopala* n [Type: BMNH-ht] [TypeL - Ugi, Solomon Islands.] [Refs - b1644; b1450]
- b **sophia** d'Abbrera, 1993; *Spindasis* OD: Butts *Holarctic Region*, Pt 3 :426, f [b1455] SS: nipalicus (Moore), 1884; *Spindasis* [Type: BMNH-ht] [TypeL - Tsekou, western China.] [Refs - b1455]
- b **sophiae** Henning & Henning, 1991; *Iolaus* OD: Ent. Rec. 103(3/4):84, f [b2287] SS: alienus Trimen, 1898; *Iolaus* (*Epamera*) [TypeL - Namibia.] [Refs - b0125]
- e **sophiana** (Verity), 1931, (RA); *Lycaeides* OD: Deut. ent. Zeit. [Iris] 45:60 [b4852] SS: argus (Linnaeus), 1758; *Plebejus* [Type: MZS-st] [TypeL - Bulgaria.] [Refs - b1780; b2856; b0069]
- b **sophilus** Fruhstorfer, 1914; *Arhopala* OD: Deut. ent. Zeit. [Iris] 27(4):156 [b1853] SS: hercules (Hewitson), 1862; *Arhopala* e [Type: BMNH-st] [TypeL - Obi.] [Refs - b1644; b1450; b4094; b1853]

- a **sophistes** (Bates), [1868]; *Mesene* OD: J. linn. Soc. Lond., Zool. 9:386 [b0267] CG: *Phaenochitonina* [TypeL - Amazon.] [Refs - b2988; b2747; b4474; b1456]
- a **sophocles** (Fabricius), 1793, 1792-1799; *Hesperia* OD: Ent. syst. 3(1):267 [b1657] CG: *Thecla* (New World Eumaeini) [TypeL - Indiis.] [Refs - b0908; b2747; b5076; b2918]
- b **sophonias** (Fruhstorfer), [1912]; *Catapoecilma* OD: Berl. ent. Z. 56(3/4):235 [b1850] SS: *elegans* (H. Druce), 1873; *Catapoecilma* [Note - Described as a subspecies of major.] [Refs - b4094; b2201; b1454 (with major); b1850; b1861]
- b **sophonisbe** Fruhstorfer, [1912]; *Sinthusia* OD: Berl. ent. Z. 56(3/4):228 [b1850] SS: *chandrana* (Moore), 1882; *Sinthusia* [TypeL - Tonkin.] [Refs - b4094; b1850]
- b **sophon** (Fruhstorfer), 1915; *Thysonotis* OD: Soc. ent. 30:50 [b1866] SS: *danis* (Cramer), [1775]; *Danis* [TypeL - Buru.] [Refs - b1866]
- a **sophrosyne** (Grose-Smith), 1889; *Amblypodia* OD: Ent. mon. Mag. 25:300 [b2032] CG: *Arhopala* h [Type: BMNH-ht] [TypeL - Guadalcanal, Solomon Islands.] [Refs - b1450; b1644; b4094]
- c **sora** Fruhstorfer, [1915], 1909-1923; *Logania* OD: In Seitz, *Grossschmett. Erde* 9:807 [b1840] SS: *hilaiera* Fruhstorfer, 1914; *Logania* [Type: BMNH-ht; designated by Eliot, 1986] [Bull. Br. Mus. nat. Hist. (Ent.) 53(1):65 [b1571]] [TypeL - Borneo.] [Refs - b1840; b1571; b4108]
- a **sorana** (Stoll), [1781], 1780-1790; *Papilio* OD: In Cramer, *Uitl. Kapellen* 4(30):121, pl 353, f A,B [b4478] CG: *Synargis* [TypeL - Surinam.] [Refs - b2747 (as *soranus*); b4475; b1456]
- b **soranus** (Fruhstorfer), 1915; *Thysonotis* OD: Soc. ent. 30:52 [b1866] SS: *schaeffera* (Eschscholtz), 1821; *Nothodanis* [TypeL - Halmaheira.]
- b **sordida** (Butler), 1877; *Echenais* OD: Trans. ent. Soc. Lond. 25(2):133 [b0607] SS: *huebneri* (Butler), [1867]; *Adelotypa* [TypeL - Upper Amazon.] [Refs - b4475; b0607; b1456]
- c **sordidula** (Jachontov), [1909]; *Lycaena* OD: *Revue Russe Ent.* 8(3/4):292 [b2555] SS: *alcon* ((Denis & Schiffemüller), 1775; *Maculinea* [TypeL - Ciscaucasia.] [Refs - b0236; b0471]
- a **sorhageni** (Dewitz), 1879; *Plebeius* OD: *Nova Acta Acad. Caesar. Leop. Carol.* 41(2):204 (=32), pl 2, f 11 [b1218] CG: *Zentis* [TypeL - Guinea.] [Refs - b1259; b1452 (as *sorhagenii*); b4400]
- c **sorini** (Pionneau), 1926; *Nemeobius* OD: *Échange* 42:7 [b3613] SS: *lucina* (Linnaeus), 1758; *Hamearis* [TypeL - Pyrenees.] [Note - Original description not found.] [Refs - b0236; b2985; b0064]
- c **soronus** (Godart), [1824], 1819-1824; *Nymphalis* OD: In *Ency. méth.* 9(Ins.)(2):426, 576 [b1970] SS: *orestes* (Cramer), [1780]; *Synargis* [Refs - b4475]
- a **sorpresus** Johnson & Matusik, 1992; *Cyclargus* OD: *Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point)* (23):3, f [b2634] [Type: AMNH-ht] [TypeL - Dominican Republic.] [Refs - b0125; b2634]
- b **sorya** (Kollar), [1844]; *Thecla* OD: In Hügel, *Kaschmir* 4(2):416, pl 5, f 1,2 [b2821] SS: *iabus* (Fabricius), 1787; *Rapala* [Refs - b1636; b2747; b0995; b1454; b0694]
- c **sosias** Fruhstorfer, 1914; *Arhopala* OD: *Deut. ent. Zeit.* [Iris] 27(4):157 [b1853] SS: *canulia* (Hewitson), [1869]; *Arhopala* l [Type: BMNH-ht] [TypeL - Obi.] [Refs - b1644; b4094; b1853]
- e **sosinomos** (Anonymous), 1935, (ISS); *Lycaena* OD: *Zool. Rec.* 71(1934)(Ins.):311 [b0072] SS: *sosinomos* (Fruhstorfer), 1915; *Maculinea* [Refs - b0072]
- b **sosinomos** (Fruhstorfer), 1915; *Lycaena* OD: *Soc. ent.* 30:68 [b1868] SS: *arion* (Linnaeus), 1758; *Maculinea* [TypeL - Tianshan.] [Note - Not spelled *sosinomos*.] [Refs - b2479; b0236; b0072; b1868; b0471; b4225]
- b **sosiphanes** Fruhstorfer, 1912; *Zemeros* OD: *Ent. Rundsch.* 29(3):23 [b1849] SS: *flegyas* (Cramer), [1780]; *Zemeros* [TypeL - S. Celebes.] [Refs - b4473; b1454; b1840; b1849]
- a **sospes** Draudt, [1920], 1917-1924; *Thecla* OD: In Seitz, *Grossschmett. Erde* 5:788, pl 155-e (or 778) [b1348] CG: *Thecla* (New World Eumaeini) [Type: pc; Druadt collection.] [TypeL - Colombia.] [Refs - b0908]
- b **sostrata** Fruhstorfer, 1914; *Arhopala* OD: *Deut. ent. Zeit.* [Iris] 28(2):135 [b1859] SS: *cleander* (C. Felder), 1860; *Arhopala* f [Type: BMNH-ht] [TypeL - Celebes.] [Refs - b1644; b1859; b1454; b4094]
- b **sostrus** Fruhstorfer, [1923], 1909-1923; *Castalius* OD: In Seitz, *Grossschmett. Erde* 9:886 [b1840] SS: *rosimon* (Fabricius), 1775; *Castalius* [TypeL - Madura Island, Bali.] [Refs - b1840; b4108]
- b **sotades** Fruhstorfer, 1914; *Arhopala* OD: *Deut. ent. Zeit.* [Iris] 27(4):163 [b1853] SS: *anthelus* (Westwood), [1852]; *Arhopala* a [Type: BMNH-ht] [TypeL - Palawan.] [Refs - b1644; b4094; b2200; b1853; b1454; b3524]
- c **soter** Fruhstorfer, 1914; *Arhopala* OD: *Deut. ent. Zeit.* [Iris] 27(4):165 [b1853] SS: *agnis* Felder & Felder, 1865; *Arhopala* a [Type: BMNH-ht] [TypeL - Sumatra.] [Refs - b1644; b4094; b1853]
- a **souanke** Stempffer, 1962; *Liptena* OD: *Bull. Inst. franç. Afr. Noire* 24(A):1148, f 22-23 [b4395] CG: *Liptena* (*Tetrarhanis*) [Type: BMNH-ht] [TypeL - Sembé, Souanké, Congo.] [Refs - b1452; b4395; b4400]
- a **souanke** Stempffer & Bennett, 1965; *Micropentila* OD: *Bull. Br. Mus. nat. Hist. (Ent.)* 15(11):403 [b4422] [TypeL - Congo.] [Refs - b1452; b4400]
- c **souhegan** (Whitney), 1868; *Thecla* OD: *Proc. Boston Soc. nat. Hist.* 12:162 [b5000] SS: *acadia* (Edwards), 1862; *Satyrnum* [Type: MCZ?] [TypeL - Milford, New Hampshire.] [Refs - b0908; b2747; b3192; b1321]
- e **souhegon** (McDunnough), 1938, (ISS); *Strymon* OD: *Mem. Sth. Calif. Acad. Sci.* 1:24 [b3134] SS: *souhegan* (Whitney), 1868; *Satyrnum* [Refs - b3192; b1321]
- a **souleana** (Riley), 1939; *Thecla* OD: *Novit. zool.* 41:357 [b3778] CG: *Chrysozephyrus* [Type: BMNH-ht] [TypeL - Szechwan, China.] [Refs - b3778; b4214; b4200; b3296; b2463]
- a **southeyae** Pennington, 1967; *Lepidochrysops* OD: *Novos Taxa ent.* (51):3, f [b3571] [TypeL - Burghersdorp, S. W. Cape Province, S. Africa.] [Refs - b1259; b1452]
- b **southeyae** Tite & Dickson, 1973; *Aloeides* OD: *Bull. Br. Mus. nat. Hist. (Ent.)* 29(5):260 [b4685] SS: *trimeni* Tite & Dickson, 1973; *Aloeides* [Type: BMNH-ht; Rh. # 17239] [TypeL - Near Mossel Bay, Cape Province, South Africa.] [Refs - b1259; b0104; b4685]
- c **ab. souyoensis** (Doi), 1931; *Zephyrus* OD: *J. Chos. Nat. Hist.* (12):48, f [b1307] SS: *butleri* (Fenton), [1882]; *Antigius* [TypeL - Korea.] [Refs - b4115]
- c **soyauxii** (Dewitz), 1879; *Liptena* OD: *Nova Acta Acad. Caesar. Leop. Carol.* 41(2):201 (=29), pl 2, f 10 [b1218] SS: *tera* (Hewitson), 1873; *Laripoda* [TypeL - Guinea.] [Refs - b4400]
- c **sozanensis** (Kato), 1934; *Aphnaeus* OD: *Ent. World* 2:386, f [b2697] SS: *formosanus* (Moore), 1877; *Spindasis* [TypeL - Formosa.] [Refs - b4198; b3299; b5053; ns2304; b0126]
- e **spadae** Hellweger, 1896; *Polyommatus* OD: *Ent. Zeit.* 10:67 [b2230] SS: *semiargus* (Rottemburg), 1775; *Polyommatus* (*Cyaniris*) [Refs - b4092]

- a **spadectis** Johnson & Kroenlein, 1993; Kisutam OD: Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (34):34, f [b2628] [Type: AMNH-ht] [TypeL - Rio Blanco, Santiago-Zamora, Ecuador.] [Refs - b2628]
- b **spadix** (H. Edwards), 1881; Thecla OD: Papilio 1(4):53 [b1487] SS: auretteum (Boisduval), 1852; Satyrium [Type: AMNH-ht] [TypeL - Tehachepe Pass, (Southern California.) [Refs - b0908; b0551; b3192; b1321]
- e **ab. spadona** Krulikovskii, 1909; Palaeochrysophanus OD: Revue Russe Ent. 9:300 [b2851] SS: hippothoe (Linnaeus), 1761; Palaeochrysophanus [Refs - b0236; b0471]
- a **spaldingi** (Barnes & McDunnough), 1917; Philotes OD: Contr. nat. Hist. Lep. N. Amer. 3(4):216, pl 16, f 9-11; pl 17, f 6 [b0250] CG: Euphilotes [Type: USNM-ht] [TypeL - Provo, Utah.] [Note - Often treated as a subspecies of *rita*.] [Refs - b1530 :237, f 458; b0908; b1321 :67; b4179; b4688; b4176; b3192; b2417; b0493; b1743; b2419; b4690; b4066; b1722]
- b **spangelatus** (Burdick), 1942; Plebeius OD: Can. Ent. 74(10):195 [b0573] SS: acmon Westwood, [1852]; Plebejus (Icaricia) [Type: CNC-ht] [TypeL - Gray Wolf Range, Olympic Mountains, Clallum County, Washington.] [Refs - b0908; b1713; b3192; b1321; b4066]
- b **sparanisa** (Fruhstorfer), 1904; Thamala OD: Deut. ent. Zeit. [Iris] 17(1):133 [b1819] SS: marciana (Hewitson), [1863]; Thamala [Check - Original description not found.] [Refs - b4094; b1454; b4594; b0694]
- b **sparsa** Stichel, 1924; Lyropteryx OD: Deut. ent. Zeit. 1924:410 [b4459] SS: apollonia Westwood, [1851]; Lyropteryx [TypeL - Brazil.] [Refs - b4459; b4474]
- b **sparsa** (Hayward), 1949; Thecla OD: Acta zool. lilloana 8:574 [b2217] SS: vena (H. H. Druce), 1907; Ministrymon [Type: FMLT-ht] [TypeL - Villa Nogues, Tucuman, Argentina.] [Refs - b0908; b2218; b2636]
- b **sparsus** Fruhstorfer, 1898; Zemerus OD: Berl. ent. Z. 42:332 [b1808] SS: flegyas (Cramer), [1780]; Zemerus [Refs - b4473; b1454; b1840]
- a **speciosa** (H. Edwards), [1877]; Lycaena OD: Proc. Calif. Acad. Sci. 7(12):173 [b1483] CG: Philotiella [Type: AMNH] [TypeL - Havilah, Kern County, California.] [Type of - Philotiella] [LifeH - Tietz lists b0880, b0881, b0054.] [Refs - b1530 :237, f 457; b1321 67; b0908; b4179; b4177; b4178; b0552; b3192; b1483; b4066; b4652]
- c **speciosa** (Staudinger), 1894; Cupido OD: Deut. ent. Zeit. [Iris] 7:77, pl 2, f 8 [b4339] SS: titicaca (Weymer), 1890; Itylos [Type: ZMHU-ht; designated by Bálint, 1993] [Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (29):6 [b0207]] [TypeL - Malaga, Bolivia.] [Type of - Itylos] [Refs - b0908; b2280; b2988 (in Parachilades); b3846; b3326; b3325 (in Chilades); b4782; b4339; b0207; b0208; b0215]
- a **speciosa** Godman & Salvin, 1897; Theope OD: Trans. ent. Soc. Lond. 45(2):245 [b1981] [Type: BMNH-ht] [TypeL - Colombia.] [Refs - b4475; b1456]
- a **spectaculorum** Johnson & Adams, 1993; Arases OD: Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (25):6, pl 2, f 2I; f 2B [b2620] [Type: BMNH-ht] [TypeL - Venezuela.] [Refs - b2620]
- b **spectanda** Stichel, 1909; Siseme OD: Berl. ent. Z. 54(1/2):41 [b4444] SS: alectryio Westwood, [1851]; Siseme [TypeL - Ecuador.] [Refs - b4475; b0569]
- b **spectralis** Stichel, 1919; Euselasia OD: Deut. ent. Zeit. 1919:166 [b4454] SS: orba Stichel, 1919; Euselasia [Type: pc-st; collection of Stichel] [TypeL - Taperinha, Pará; Rio Jurúá; Pachitea Peru.] [Refs - b4474; b4454]
- c **speculum** Seitz, [1917], 1910-1924; Mesene OD: In Seitz, Grossschmett. Erde 5:676, pl 134m [b4093] SS: epaphus (Stoll), [1780]; Mesene [TypeL - Cayenne.] [Refs - b4475; b4093]
- b **speirion** H. H. Druce, 1897; Philiris OD: Ann. Mag. nat. Hist. (6)19:15 [b1366] SS: helena (Snellen), 1887; Philiris [Type: BMNH-ht] [TypeL - Fergusson Island.] [Refs - b4677; b1366; b2078]
- a **spenceri** Johnson, 1991; Distissima OD: Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (21):18, f [b2606] [Type: AME-ht] [TypeL - Para State, Brazil.] [Type of - Distissima] [Refs - b0125; b2606]
- b **sperchius** (Felder & Felder), 1860; Thysonotis OD: Wien. ent. Monats. 4(8):245, pl 3, f 4 [b1681] SS: cyanea (Cramer), [1775]; Nacaduba [TypeL - New Guinea.] [Refs - b1450; b2747; b2078; b1382]
- c **sperthias** (Felder & Felder), 1865, 1865-1875; Lemonias OD: Reise Novara (2):299, pl 37, f 9,10 [b1692] SS: abaris (Cramer), [1776]; Synargis [Refs - b2747; b4475]
- a **sperthis** (Felder & Felder), 1865, 1865-1875; Anops OD: Reise Novara (2):222 [b1692] CG: Curetis [Type: BMNH-ht] [TypeL - Malacca, Malay Peninsula.] [Refs - b1636; b0964; b0936; b0965; b2479; b2747; b4094; b1454; b0694; b4108]
- a **speusippa** Schaus, 1928; Chalodeta OD: Proc. ent. Soc. Wash. 30(3):48 [b3954] [TypeL - Guatemala.] [Refs - b4474; b1456]
- e **speveri** (Seitz), [1909], 1907-1921, (ISS); Lycaena OD: In Seitz, Grossschmett. Erde 1:310 [b4092] SS: eumedon (Esper), [1780]; Plebejus (Eumedonia) [Refs - b4092]
- e **ab. speyeri** (Husz), 1881; Lycaena OD: Ent. Nachr. 7:244 [b2498] SS: eumedon (Esper), [1780]; Plebejus (Eumedonia) [Refs - b2498; b4092 (as speveri)]
- c **sphendale** Fruhstorfer, 1914; Arhopala OD: Deut. ent. Zeit. [Iris] 27(4):162 [b1853] SS: fruhstorferi (Röber), 1897; Arhopala a [Type: lost] [TypeL - Annam.] [Refs - b1644; b4094; b1853]
- c **sphetyus** Fruhstorfer, 1914; Arhopala OD: Deut. ent. Zeit. [Iris] 27(4):165 [b1853] SS: agnis Felder & Felder, 1865; Arhopala a [Type: BMNH-ht] [TypeL - Nias.] [Refs - b1644; b4094; b1853]
- c **sphinx** (Fabricius), 1775; Papilio OD: Syst. Ent. :520 [b1653] SS: dindymus (Cramer), [1775]; Thecla (New World Eumaeini) [Type: ZMC-ht] [TypeL - India orientali, maybe Java.] [Note - According to Corbet, this is a nomen dubium and should not be used, but the type exists so this seems wrong.] [Refs - b1636; b2747; b4094; b1039; b0952; b5076]
- d **sphinx** (Fabricius), 1781, 1781-1782, (H); Papilio OD: Spec. Ins. 2:116 [b1655] SS: dindymus (Cramer), [1775]; Thecla (New World Eumaeini) [Refs - b0908]
- d **sphinx** (Godart), [1824], 1819-1824, (H); Polyommatus OD: In Ency. méth. 9(Ins.)(2):632 [b1970] SS: sophocles (Fabricius), 1793; Thecla (New World Eumaeini) [TypeL - Surinam; Brazil.] [Refs - b0908; b2747]
- b **spicata** (Staudinger), [1888], 1884-1888; Anteros OD: In Exot. Schmett. 1:252 [b4329] SS: acanthoides (Herrich-Schäffer), [1853]; Sarota
- b **spindasoides** (Aurivillius), 1916; Aphnaeus OD: Ark. Zool. 10(14):2 [b0168] SS: adema (Plötz), 1880; Lipaphnaeus [TypeL - E. Africa.] [Type of - Lipaphnaeus] [Refs - b2280; b1259; b1452; b0168; b4400]
- a **spinetorum** (Hewitson), [1867], 1863-1878; Thecla OD: Ill. dium. Lep. Lycaenidae 1:94; 2:pl 45, f 198,199 [b2326] CG: Loranthomitoura [Type: BMNH-ht] [TypeL - California.] [Type of - Loranthomitoura] [LifeH - Tietz lists b0899.] [Refs - b0908; b4688; b1711; b2583; b2747; b2717; b3192; b2417; b0493; b1743; b5015; b1321; b4690; b1975; b2586; b2585; b3811; b4066; b4652; b1722; b0126]

- a **spini** ([Denis & Schiffermüller]), 1775; *Papilio* OD: Ankündigung syst. Werkes Schmett. :186 [b1193] CG: *Satyrium* [Type of - Klugia, Tuttiola] [Note - *Koçak rejects this name as unavailable, and attributes it to Fabricius, 1787.*] [Refs - b2280; b4115; b4245; b3337; b2375; b3059; b0851; b1213; b2747; b1780; b2827; b2479; b2866; b0236; b0293 (*Strymonidia*); b1183; b2794; b2985; b1065; b4973; b2631 (*in Strymonidia*); b3366; b2797; b2859; b4092]
- a **spinifera** Edwards & Common, 1978; *Paralucia* OD: Aust. ent. Mag. 5(4):65-70 [b1478] [TypeL - Yetholme, New South Wales, Australia.] [Refs - b1610 (6242-E10); b0870; b1223]
- e **ab. spinimaculata** (Gunder), 1926; *Plebeius* OD: Ent. News 37(1):8, pl 1, f 12 [b2096] SS: *icarioides* (Boisduval), 1852; *Plebeius* (*Icaricia*) [Type: AMNH-ht] [TypeL - Delta, Trinity County, California.] [Refs - b0908; b3192; b1321]
- e **ab. spinoides** (Schultz), 1908; *Thecla* OD: Ent. Zeit. 21(37):222 [b4007] SS: *spini* ([Denis & Schiffermüller]), 1775; *Satyrium* [Refs - b4092]
- c **spinosa** Gerhard, 1853, 1850-1853; *Thecla* OD: Vers. monog. europ. Schmett. :pl 3, f 2 [b1928] SS: *betulae* (Linnaeus), 1758; *Thecla* [Refs - b2747; b2827; b4092]
- e **ab. spinosoida** (Seok), 1934; *Zephyrus* OD: Bull. Kagoshima Imp. Coll. Agr. For. 1:766 [b4111] SS: *betulae* (Linnaeus), 1758; *Thecla* [Refs - b4115]
- a **spitamenes** (Fruhstorfer), 1915; *Lampides* OD: Arch. Naturgesch. (A)81(6):7 [b1865] CG: *Jamides* [TypeL - Obi.] [Refs - b1450; b4094; b1865]
- c **splendens** (Swainson), [1833], 1829-1833; *Nais* OD: Zool. Illustr. (2)3(29):pl 136 et explic [b4551] SS: *thysbe* (Linnaeus), 1764; *Poecilmitis* [Type of - *Nais*] [Refs - b2280; b2747; b4400]
- a **splendens** Alphéraky, 1881; *Polyommatus* OD: Horae Soc. ent. ross. 16:376, pl 14, f 12 [b0043] CG: *Polyommatus* (?) [TypeL - Ala Tau, Kulja.] [Note - *Primary homonym.*]
- a **splendens** (Staudinger), 1881; *Polyommatus* OD: Stett. ent. Ztg 42:280 [b4328] CG: *Lycaena* (*Thersamolycaena*) [TypeL - *Lepsa*.] [Refs - b2988; b0996; b4220; b0105; b2866; b0236; b2827 (as *solendens*); b4092]
- b **splendens** (Butler), 1900; *Cyaniris* OD: Ann. Mag. nat. Hist. (7)5:444 [b0656] SS: *marginata* (de Nicéville), [1884]; *Celatoxia* [Type: BMNH-ht] [TypeL - Larut Hills, Perak, West Malaysia.] [Refs - b0964; b0965; b1840; b1580]
- a **splendens** Grose-Smith, 1902, 1887-1902; *Chamaelimonas* OD: Rhop. exot. 3(60):9, Ery pl 2, f 14 [b2029] [TypeL - Bolivia.] [Refs - b2988; b4474; b1456]
- e **ab. splendens** (Stefanelli), 1904; *Lycaena* OD: Boll. Soc. ent. ital. 36:11 [b4351] SS: *escheri* (Hübner), [1823]; *Polyommatus* (*Plebicula*) [Refs - b0236; b0471]
- e **ab. splendens** (Kozhanchikov), 1924; *Lycaena* OD: Ezheg. gosud. Muz. N. M. Mart'yanova 2(1):67 [b2836] SS: *euphemus* (Hübner), [1800]; *Maculinea* [TypeL - Siberia.] [Refs - b0236; b3796; b2866; b0471]
- e **ab. splendens** (Wize), 1936; *Chrysophanus* OD: Polsk. Pismo ent. 13:107 [b5024] SS: *dorilis* (Hüfnagel), 1766; *Lycaena* (*Heodes*) [TypeL - Poland.] [Refs - b1503]
- b ♀ **f. splenotham** Stoneham, 1937; *Uranotauma* OD: Bull. Stoneham Mus. (34):2 [b4480] SS: *antinatorii* (Oberthür), 1883; *Uranotauma* [TypeL - Kenya.] [Check - *May be an unavailable name.*] [Refs - b4400]
- e **ab. splendens** (Dufrane), 1953; *Hypolycaena* OD: Bull. Annl. Soc. ent. Belg. 89:52 [b1410] SS: *lebona* (Hewitson), [1865]; *Tatura* [TypeL - Kivu.] [Refs - b4400; b1410]
- b **splendens** (Forster), 1961; *Agrodiaetus* OD: Z. wien. ent. Ges. 46:46, pl 12,13, f 24 [b1774] SS: *hamadanensis* (de Lesse), 1959; *Polyommatus* (*Agrodiaetus*) [Type: pc-ht; collection of Pfeiffer.] [TypeL - Elbursgebirge, Keredji, Iran.] [Refs - b1610 (2612-E9); b3860; b1774]
- a **splendida** (Butler), [1867]; *Tharops* OD: J. linn. Soc. Lond., Zool. 9:224, pl 6, f 24,25 [b0586] CG: *Periplacis* [TypeL - Para.] [Refs - b2988; b2747; b4475; b1456]
- c **splendida** (Rostagno & Zapelloni), 1910; *Lycaena* OD: Boll. Soc. zool. ital. (2)11:341 [b3870] SS: *icarius* (Esper), [1789]; *Polyommatus* (*Plebicula*) [Refs - b0236; b0471]
- b **splendida** Moulton, [1912]; *Charana* OD: J. Straits Brch. R. asiat. Soc. 60:155, f 3 [b3259] SS: *mandarinus* (Hewitson), [1863]; *Charana* [TypeL - Sarawak, Borneo.] [Refs - b0965; b4094; b1454; b1854; b1553; b4108]
- c **splendida** (Seitz), [1917], 1910-1924; *Mesosemia* OD: In Seitz, Grossschmett. Erde 5:645, pl 125h [b4093] SS: *meana* (Hewitson), [1858]; *Semomesia* [TypeL - Not stated.] [Refs - b4474; b4093]
- e **splendida** (Verity), 1919, 1919-1922, (NN or ISS); *Agriades* OD: Ent. Rec. 31:31 [b4840] SS: *thetis* Klug, 1834; *Lycaena* (*Thersamonia*) [Refs - b2856]
- b **splendida** Tindale, 1923; *Ogyris* OD: Trans. R. Soc. S. Aust. 47:344 [b4662] SS: *genoveva* Hewitson, [1854]; *Ogyris* [TypeL - S. Australia.] [Refs - b1450; b0870]
- e **ab. splendida** (Dannehl), 1927; *Lycaena* OD: Mitt. münchn. ent. Ges. 17:7 [b1102] SS: *dolus* (Hübner), [1823]; *Polyommatus* (*Agrodiaetus*) [Refs - b0236; b0471]
- e **splendida** Thompson, [1937], (IFS); *Plebejus* OD: * :3 [b4649] SS: *caemensis* Thompson, [1937]; *Plebejus* [TypeL - Wales.] [Refs - b0075]
- a **splendida** Johnson, 1989; *Femniterga* OD: Insecta Mundi 3(3):205, f [b2599] [Type: BMNH-ht] [TypeL - Uruhuasi, Peru.] [Refs - b0123; b2606]
- a **splendida** Salazar Escobar & Constantino, 1993; *Calospila* OD: Revta Lep. 21(8):15, f [b3912] [TypeL - Colombia.] [Refs - b0126]
- b **splendidissima** Bryk, 1953; *Eumaeus* OD: Ark. Zool. (ns)5(1):132 [b0569] SS: *minijas* (Hübner), [1809]; *Eumaeus* [Type: UZTU-ht] [TypeL - Roque, SO Moyobamba, Peru.] [Refs - b0908; b0569]
- e **ab. splendidissima** (Lucas), 1955; *Lycaena* OD: Bull. mens. Soc. linn. Lyon 24:230 [b3018] SS: *bellargus* (Rottemburg), 1775; *Polyommatus* (*Lysandra*) [TypeL - France.]
- b **splendidulus** Shimonoya & Murayama, 1965; *Chrysozephyrus* OD: Tōhōku Konchu Kenkyu 2(2):27, f 15,17 [b4183] SS: *hisamatusanus* (Nagami & Ishiga), 1935; *Chrysozephyrus* [Type: pc-ht; collection of Shimonoya.] [TypeL - Formosa.] [Refs - b5053; b2706; b3296; b1454; b4183; b3289; b2812]
- b **splendidus** van Eecke, 1918; *Hypolycaena* OD: Zoöl. Meded. 4(2):96 [b4795] SS: *erylus* (Godart), [1824]; *Hypolycaena* [TypeL - Simalur.]
- a **splendor** (H. H. Druce), 1907; *Thecla* OD: Proc. zool. Soc. Lond. 1907(3):570, pl 31, f 4 [b1375] CG: *Arcas* [Type: BMNH-ht; examined by Nicolay, 1971] [TypeL - Colombia.] [Refs - b0908; b3389; b1375]
- a **splendor** Johnson, 1991; *Uzzia* OD: Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (21):45, f [b2606] [Type: MPM-ht] [TypeL - Not stated.] [Refs - b0125; b2606]
- a **spolia** Riley, 1922; *Pseudaletia* OD: Entomologist 55(11):250 [b3751] [TypeL - Cameroons.] [Note - *Maybe a subspecies of nigra Holland, 1892.*] [Refs - b1452; b4400 (epi)]
- e **ab. spoliata** (Schultz), 1903; *Chrysophanus* OD: Nyt Mag. naturvid. 41:25 [b3999] SS: *phlaeas* (Linnaeus), 1761; *Lycaena* (*Lycaena*) [Refs - b0389; b3999; b0236 (as *supraspoliata*)]
- a **spondiae** (Shaw & Nodder), 1808, 1789-1813; *Papilio* OD: Nat. Misc. 19:pl 806 [b4163] CG: *Thecla* (?) [Refs - b2753; b4174]

- c *sponsa* Möschler, 1876; *Thecla* OD: Verh. zool.-bot. Ges. Wien 26:298, pl 3, f 2 [b3247] SS: gabriela (Cramer), [1775]; *Thecla* (New World Eumaeini) [TypeL - (Inner) Surinam.] [Refs - b0908; b2753; b1375; b2918]
- a *sponsa* (Staudinger), [1888], 1884-1888; *Symmachia* OD: In Exot. Schmett. 1:254 [b4329] CG: Caria [TypeL - Upper Amazon.] [Refs - b2988; b1456]
- c *spormanni* (Pfau), 1928; *Lycaena* OD: Int. ent. Z. 22(20):193 [b3587] SS: alcon ((Denis & Schiffmüller), 1775; *Maculinea* [TypeL - Pomerania.] [Refs - b0236; b0066; b0400; b0471]
- a *spretta* Bates, [1868]; *Eresia* OD: J. linn. Soc. Lond., Zool. 9:385 [b0267] [TypeL - Upper Amazon.] [Refs - b2747; b4475; b1456]
- e *sprucci* Kirby, 1871, (ISS); *Siseme* OD: Syn. Cat. dium. Lep. 309 [b2747] SS: sprucei Bates, [1868]; *Siseme* [Refs - b2747]
- b *sprucei* Bates, [1868]; *Siseme* OD: J. linn. Soc. Lond., Zool. 9:384 [b0267] SS: aristoteles (Latreille), [1813]; *Siseme* [TypeL - Ecuador.] [Refs - b2747 (as sprucci); b4475; b0267]
- b *f. spuma* H. H. Druce, 1910; *Larinopoda* OD: Proc. zool. Soc. Lond. 1910(1):361, pl 33, f 12 [b1378] SS: lircaea (Hewitson), [1866]; *Larinopoda* [TypeL - Cameroons.] [Refs - b1452 (as full species); b4400]
- a *spureus* Talbot, 1929; *Hypolycaena* OD: Bull. Hill Mus. 3(2):141 [b4619] CG: Hypolycaena [Type: BMNH-ht] [TypeL - Abercom, West Tanganyika.] [Refs - b1452; b4619; b4400; ns2738]
- c *spurina* (Hewitson), [1867], 1863-1878; *Thecla* OD: Ill. dium. Lep. Lycaenidae 1:102; 2:pl 39, f 122,123 [b2326] SS: marius (Lucas), 1857; *Rekoa* [Type: BMNH-ht; designated by Robbins, 1991] [Smithsonian Contr. Zool. (498):46 [b3817]] [TypeL - Amazon.] [Refs - b0908; b2747; b1530 :198, f 374; b1321 :58; b3192; b1371; b2593; b0125; b3817]
- a *spurius* (Felder & Felder), 1865, 1865-1875; *Pseudolycaena* OD: Reise Novara (2):250, pl 31, f 23,24 [b1692] CG: Tigrinota [Type: BMNH-ht] [TypeL - Bogotá, Colombia.] [Refs - b0908; b2747; b2221; b1375; b3805; b0125; b2616; b2611]
- c *squalida* (Butler), 1879; *Lycaena* OD: Trans. ent. Soc. Lond. 27(1):4 [b0612] SS: maha (Kollar), [1844]; *Pseudozizeeria* [TypeL - Cachar.] [Refs - b1636; b0995; b0694]
- e *squalida* Verity, 1920, 1919-1922, (IFS); *Polyommatus* OD: Ent. Rec. 32:145 [b4840] SS: meleager (Hübner), [1804]; *Polyommatus* (Agriades) [Type: MZS-st] [Note - Not spelled *squalidea*.] [Refs - b2856; b0236 (as *squalidea*); b4840; b0471]
- b *squalliensis* d'Abbrera, 1971; *Hypochrysops* OD: Butts Australian Region 337, pl 337 [b1450] SS: scintillans (Butler), 1882; *Hypochrysops* [Type: BMNH-ht] [TypeL - Squally Island.] [Refs - b1450; b0104; b3926]
- a *srandrea* Johnson, 1991; *Distissima* OD: Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (21):19, f [b2606] [Type: AMNH-ht] [TypeL - Igarapi-Assü, Paraná State, Brazil.] [Refs - b0125; b2606]
- b *sriwa* Distant, 1886; *Logania* OD: Ann. Mag. nat. Hist. (5)17:531 [b1288] SS: regina (H. Druce), 1873; *Logania* [Type: ZMHU-ht; designated by Takahashi, 1989] [Tyô to Ga 40(1):25 [b4602]] [TypeL - West Malaysia.] [Type of - Malais] [Refs - b0964; b1636; b2280; b0965; b1840; b1564; b1454; b1571; b0694; b4602]
- c *s-signata* Holland, 1890; *Spalgis* OD: Psyche 5:426 [b2423] SS: lemolea H. H. Druce, 1890; *Spalgis* [TypeL - Upper Ogove River, Gaboon.] [Refs - b0836; b4400]
- b *stactalla* Karsch, 1895; *Phlyaria* OD: Ent. Nachr. 21:302 [b2694] SS: cyara (Hewitson), [1876]; *Phlyaria* [Refs - b1452; b0836; b2694; b4400; b0162]
- a *stacya* Johnson, 1991; *Gigantofalca* OD: Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (21):17, f [b2606] [Type: AMNH-ht] [TypeL - Trans-Amazonica Highway, 15 km S Itaituba, Pará State, Brazil.] [Type of - Gigantofalca] [Refs - b0125; b2606]
- a *stagira* (Hewitson), [1867], 1863-1878; *Thecla* OD: Ill. dium. Lep. Lycaenidae 1:113; 2:pl 39, f 120,121; pl 43, f 167 [b2326] CG: Rekoa [Type: BMNH-ht; designated by Robbins, 1991] [Smithsonian Contr. Zool. (498):52 [b3817]] [TypeL - Santarem, Amazon and Rio de Janeiro, Brazil.] [Note - Godman & Salvin accept only figure 120 as *stagira*.] [Refs - b0908; b2747; b1975; b1371; b0125; b3817]
- a *stalachtina* Bates, 1862; *Ithomeis* OD: Trans. linn. Soc. Lond. 23(3):541 [b0262] [Type: BMNH-ht] [TypeL - Ega.] [Refs - b2747; b4474; b1456]
- a *stalachtioides* Butler, [1867]; *Apodemia* OD: J. linn. Soc. Lond., Zool. 9:228, pl 7, f 18 [b0586] [TypeL - Brasilia.] [Refs - b2988; b2747; b4475; b1456]
- a *stallingsi* McAlpine, [1971]; *Calephelis* OD: J. Res. Lep. 10(1):63, f [b3127] [Type: USNM-ht] [TypeL - Valles, San Luis Potosi, Mexico.] [Refs - b3127]
- a *standfussi* (Grum-Grshimailo), 1891; *Polyommatus* OD: Horae Soc. ent. ross. 25:450 [b2068] CG: *Lycaena* (Thersamolycaena) [TypeL - Central Asia.] [Refs - b2988; b0996; b4220; b2479; b0236; b4092]
- c *staphyla* (Hulstaert), 1924; *Pseuderesia* OD: Revue zool. afr. 12(2):117 [b2496] SS: bichroma Strand, 1911; *Eresinopsides* [TypeL - Belgian Congo.] [Refs - b3796; b2496; b4400]
- c *staphylus* Fruhstorfer, [1919]; *Pithecopis* OD: Arch. Naturgesch. (A)83(1):81 [b1889] SS: dionisius (Boisduval), 1832; *Pithecopis* [Type: BMNH-ht] [TypeL - Trobriand Is.] [Refs - b1450; b1840; b1011]
- b *stasinus* Fruhstorfer, 1912; *Abisara* OD: Ent. Rundsch. 29(3):23 [b1849] SS: saturata (Moore), 1878; *Abisara* [Type: BMNH] [TypeL - Sumatra.] [Refs - b0294; b4473; b1454; b1840; b1849]
- a *statira* (Hewitson), [1862], 1852-1877; *Sospita* OD: Ill. exot. Butts 3:[--], pl [53], f 9-12 [b2323] CG: *Praetaxila* [TypeL - Mysol, Waigiou.] [Refs - b1450; b2988; b2747; b4474; b1840]
- b *stauderi* (Bollow), 1931, 1929-1931; *Lycaena* OD: In Seitz, Grossschmett. Erde 1(Suppl):271 [b0471] SS: eumedon (Esper), [1780]; *Plebejus* (*Eumedonia*) [Type: biblio; replacement for meridionalis Stauder, 1921] [Refs - b0069; b0471]
- a *staudingeri* (Christoph), 1873; *Lycaena* OD: Horae Soc. ent. ross. 10:26, pl 1, f 5,6 [b0786] CG: Cupido [TypeL - Persia.] [Refs - b2753; b0993; b1762; b2827; b4092]
- b *staudingeri* (Röber), [1886]; *Plebejus* OD: CorrespBl. ent. Ver. Iris 1(3):63, pl 4, f 22,23 [b3820] SS: arienis H. H. Druce, 1891; *Epimastidia* [TypeL - Ceram.] [Refs - b1450; b2078]
- a *staudingeri* Kirby, 1890; *Epitola* OD: Ann. Mag. nat. Hist. (6)6:271 [b2766] [TypeL - Tropical Africa.] [Refs - b3842; b1452; b0836; b2766; b4400]
- a *staudingeri* Semper, 1890, 1886-1892; *Arhopala* OD: In Semper, Reisen Philipp. (2)(5):195 [b4110] CG: *Arhopala* g [Type: ZMHU-ht] [TypeL - Mindanao, Philippines.] [Refs - b1644; b4094; b2193; b2188; b2200; b1454; b4602]
- a *staudingeri* (Grose-Smith & Kirby), 1894, 1887-1902; *Lycaenesthes* OD: Rhop. exot. 2(27):112, pl 24, f 9,10 [b2049] CG: *Neurellipes* [TypeL - Tropical Africa.] [Refs - b1452; b0836; b4400]

- b **staudingeri** (H. H. Druce), 1895; Binduana OD: Proc. zool. Soc. Lond. 1895(3):615, pl 34, f 6 [b1362] SS: acte (Moore), [1858]; Ticherra [Type: ZMHU-lt; designated by Takanami, 1989] [Tyô to Ga 40(1):30 [b4602]] [TypeL - Mt. Kinabalu, N. E. Borneo.] [Refs - b1016; b4094; b2201; b1362; b1454; b4602; b4108]
- b **staudingeri** H. H. Druce, 1895; Logania OD: Proc. zool. Soc. Lond. 1895(3):565, pl 31, f 13,14 [b1362] SS: distanti Semper, 1887; Logania [Type: ZMHU-lt; designated by Takanami, 1989] [Tyô to Ga 40(1):25 [b4602]] [TypeL - Mt. Kina Balu, Borneo.] [Refs - b1362; b1571; b1840; b1553; b4602; b4108]
- a **staudingeri** H. H. Druce, 1895; Deudorix OD: Proc. zool. Soc. Lond. 1895(3):621, pl 34, f 10 [b1362] [Type: ZMHU-h] [TypeL - Labuan, Borneo.] [Refs - b0965; b4094; b1362; b1454; b4602; b4108]
- c **staudingeri** (Godman), 1903; Lemonias OD: Trans. ent. Soc. Lond. 51(4):543 [b1972] SS: argenissa (Stoll), [1790]; Calospila [TypeL - Colombia.] [Refs - b4475]
- a **staudingeri** (Stichel), 1925; Orimba OD: Z. wiss. InsektBiol. 20:88 [b4463] CG: Setabis [TypeL - Amazonas.] [Refs - b4475; b1456]
- c **staudingeri** Hemming, 1960; Oboronia OD: Annot. Lep. (1):33 [b2270] SS: punctatus (Dewitz), 1879; Oboronia [TypeL - S. W. Africa.] [Type of - Oboronia] [Refs - b2280; b4400]
- a **staudingeri** d'Abrera, 1994; Baeotis OD: Butts Neotropical Region, Pt 4:974, f [Type: BMNH-h] [TypeL - Rio Colorado, Peru.] [Refs - b1456]
- c **stevenii** (Hübner), [1836], 1796-1838; Papilio OD: Samml. europ. Schmett. 1-pl 201, f 994,995 [b2480] SS: daphnis ((Denis & Schiffmüller), 1775; Polyommatus (Meleageria) [Note - Higgins & Riley attribute the name to Treitschke.] [Refs - b2747 (as stevenii); b1780; b3366; b4230; b2260; b4092; b2380 (as Treitschke name); b1455]
- e **stefanellii** (Verity), 1904, (IFS); Lycaena OD: Boll. Soc. ent. ital. 36:11 [b4832] SS: coridon (Poda von Neuhaus), 1761; Polyommatus (Lysandra) [Type: MZS-h] [Refs - b2856; b0236; b0471]
- b **steffi** Schröder & Treadaway, 1988; Tajuria OD: Ent. Zeit. 98(24):354, f 1 [b3987] SS: jalajala Felder & Felder, 1862; Tajuria [Type: pc-h; collection of Treadaway.] [TypeL - Eastem Samar Province, Philippinen.] [Refs - b3987]
- e **ab. steinbuehleri** (Hoffmann), 1914; Zephyrus OD: In Mitt. nat. Ver. Steierm. 50:287 [b2408] SS: betulae (Linnaeus), 1758; Thecla [TypeL - Styria.] [Refs - b0236 (as steinbühleri); b0471 (as steinbühleri)]
- c **steirema** H. H. Druce, 1890; Pithecopus OD: Ann. Mag. nat. Hist. (6):5:25 [b1353] SS: dionisius (Boisduval), 1832; Pithecopus [Type: BMNH-h] [TypeL - Gaudalcanal, Solomon Islands.] [Refs - b1450; b1840; b2381; b1011]
- a **steli** Hewitson, [1858], 1852-1877; Mesosemia OD: Ill. exot. Butts 2:[-], pl [51], f 13 [b2323] [TypeL - Amazon.] [Refs - b2747; b4474; b1456]
- c **stella** Corbet, 1938; Pratapa OD: Proc. R. ent. Soc. Lond. (B)7(4):171 [b0937] SS: relata (Distant), 1884; Pratapa [TypeL - Malaya.] [Refs - b0964]
- b **stellans** Seki, 1994; Poritia OD: Futao (15):20, pl 3, f 1-4 [b4102] SS: sumatrae (Felder & Felder), 1865; Poritia [Type: pc-h; collection of Seki.] [TypeL - Pulau Sipora, Mentawai.] [Refs - b4102]
- a **stellata** (Trimen), 1883; Lycaena OD: Trans. ent. Soc. Lond. 31(4):349 [b4724] CG: Actizera [TypeL - S. Africa.] [Refs - b1943; b1259; b1452; b0754; b4780; b4400; b3563]
- a **stellidia** Schaus, 1902; Stalachtis OD: Proc. U. S. natn. Mus. 24(1262):406 [b3948] [Type: USNM-h; #5918] [TypeL - Sao Paulo, Brazil.] [Refs - b3948; b1456]
- b **stellifera** Stichel, 1910; Eurybia OD: Gen. Insectorum 112(A):71 [b4446] SS: halimede (Hübner), [1807]; Eurybia [Type: pc-st; collection of Stichel] [TypeL - Peru; Bolivia.] [Refs - b4474; b4446]
- a **stempfferi** (Brandt), 1938; Lycaena OD: Ent. Rundsch. 55:671 [b0480] CG: Polyommatus [TypeL - Iran.] [Refs - b1762; b0076]
- a **stempfferi** Berger, 1954; Liptena OD: Annls Mus. r. Congo Belge (4to):1:307 [b0308] CG: Liptena (Tetrarhanis) [TypeL - Belgian Congo.] [Refs - b2907; b1452; b0836; b4400]
- b **stempfferi** Storace, 1954; Anthene OD: Annali Mus. civ. Stor. nat. Genova 66:321 [b4486] SS: butleri (Oberthür), 1880; Anthene [TypeL - Keyna.] [Refs - b1452; b4400]
- a **stempfferi** Clench, 1961; Thermoniphas OD: Ann. Cam. Mus. 36(6):53, pl 1, f 4,7 [b0827] [TypeL - Cameroons.] [Refs - b0528; b1452; b4400]
- a **stempfferi** Jackson, 1962; Epitola OD: Bull. Br. Mus. nat. Hist. (Ent.) 12(3):127 [b2562] [TypeL - Gabon.] [Refs - b4400]
- a **stempfferi** (Kielland), 1976; Castalius OD: Ent. Ber. 36(7):107, f [b2729] CG: Tuxentius [TypeL - Mikumi National Park, Kilosa District, Tanzania.] [Note - May be a subspecies of interruptus.] [Refs - b1610 (8E904); b2898; b2899]
- b **stempfferi** Berger, 1981; Oxyliodes OD: Papillons du Zaire :273, pl 199, f 31,31 pl 200, f 1,2 [b0309] SS: faunus (Drury), [1773]; Oxyliodes [Type: MRAC-h] [TypeL - Katak-Kombe, Sankuru, Zaire.] [Refs - b0309]
- b **stempfferi** Kielland, 1985; Spalgis OD: Lambillionea 85(11-12):109, f [b2734] SS: jacksoni Stempffer, 1967; Spalgis [TypeL - Tanzania.] [Refs - b0119]
- e **ab. stempfferschmidti** Beuret, 1934; Plebejus OD: Lambillionea 34:121 [b0371] SS: idas (Linnaeus), 1761; Plebejus (Lycacides) [Refs - b0072; b0410]
- c **stenogramma** Stichel, 1910; Amarynthis OD: Berl. ent. Z. 55(1/2):10 [b4445] SS: meneria (Cramer), [1776]; Amarynthis [Type: pc-st; collection of Stichel; pc-st; collection of Niepelt.] [TypeL - Macas & Santa Inez, Ecuador.] [Refs - b4474; b4445]
- a **stenogrammica** (Riley), 1928; Epamera OD: Novit. zool. 34:384 [b3767] CG: Iolaus (Epamera) [TypeL - N. W. Uganda.] [Refs - b1452; b4400]
- c **stenosa** Fruhstorfer, [1915], 1909-1923; Logania OD: In Seitz, Grossschmett. Erde 9:806 [b1840] SS: hilaeira Fruhstorfer, 1914; Logania [Type: BMNH-lt; designated by Eliot, 1986] [Bull. Br. Mus. nat. Hist. (Ent.) 53(1):65 [b1571]] [TypeL - Borneo.] [Refs - b1840; b1571; b4108]
- b **stenoetaenia** (Röber), 1904; Rusalkia OD: Soc. ent. 19(14):106 [b3830] SS: marathon (Felder & Felder), 1865; Melanis [Refs - b4474; b2221 (as spce)]
- b **stephani** (Grose-Smith & Kirby), 1894, 1887-1902; Thysonotis OD: Rhop. exot. 2(29):43, pl 8, f 1,2 [b2049] SS: cyanea (Cramer), [1775]; Nacaduba [Refs - b1450; b2078]
- b **stephaniae** Hayashi & Schröder & Treadaway, 1978; Sinthusa OD: Tyô to Ga 29(4):216, f 21-22 [b2209] SS: mindanensis Hayashi & Schröder & Treadaway, 1978; Sinthusa [Type: OMNH-h] [TypeL - Mt. Kitanglad.] [Note - Patronym - Treadaway's daughter, Stephanie.] [Refs - b2198; b2209; b2201; b1454; b4598]
- a **stepheni** Swanepoel, 1968; Thestor OD: Ent. Rec. 80(2):54, f [b4557] [TypeL - Boesmansloof Pass, Cape Province, S. Africa.] [Refs - b1259; b1452]
- a **stepheni** Dickson, 1978; Poecilmitis OD: Ent. Rec. 90(12):294, f [b1260] [TypeL - Cape Province, S. Africa.] [Refs - b0110]

- e *ab. sternitzkyi* (Gunder), 1927; *Lycaena* OD: Can. Ent. 59(12):285, pl A, f 15 [b2099] SS: thoe (Guérin-Ménéville), [1832]; *Hylolycaena* [Type: AMNH-ht] [TypeL - Petaluma, California.] [Refs - b0908; b3191; b0065; b3192; b1321; b1722]
- e *ab. sternitzkyi* Gunder, 1930; *Glaucopsyche* OD: Bull. Brooklyn ent. Soc. 24(5):325, pl 31, f 2 [b2101] SS: incognitus Tilden, [1974]; *Glaucopsyche* [Type: AMNH-ht] [TypeL - Fairfax, Marin County, California.] [Refs - b0908; b3192; b1321]
- e ♀ *f. sternitzkyi* (Field), 1936; *Lycaena* OD: J. Ent. Zool. 28(2):25 or 26 [b1732] SS: florus (Edwards), [1884]; *Epidemia* [Type: USNM-ht] [TypeL - Broadwater County, Montana.] [Refs - b0908; b3191; b3192; b1321]
- e *stevensii* (Kirby), 1871, (ISS); *Cupido* OD: Syn. Cat. diurn. Lep. 369 [b2747] SS: steevenii (Hübner), [1836]; *Polyommatus* (*Meleageria*) [Refs - b2747]
- b *stevensi* Wind & Clench, 1947; *Candalides* OD: Bull. Brooklyn ent. Soc. 42(1):1 [b5021] SS: erinus (Fabricius), 1775; *Candalides* [Type: MCZ-ht] [TypeL - Wau, Morobe District, Wau, New Guinea.] [Refs - b4677; b1450; b0528; b5021]
- a *stevensoni* Tite & Dickson, 1973; *Aloeides* OD: Bull. Br. Mus. nat. Hist. (Ent.) 29(5):250, pl 3, f 108, 125 [b4685] [Type: NMR-ht] [TypeL - Rusape, Rhodesia.] [Refs - b1259; b0104; b4685]
- a *stewarti* Heath, 1985; *Iolus* OD: *Amoldia* Zimbabwe 9(18):259, f [b2225] [TypeL - Zambia.] [Refs - b0119]
- c *sthenas* Fruhstorfer, [1912]; *Rapala* OD: Berl. ent. Z. 56(3/4):260 [b1850] SS: caerulea (Staudinger), 1889; *Rapala* [TypeL - Bazilan.] [Refs - b4094; b4602]
- b *stiberi* (Gerhard), 1853, 1850-1853; *Polyommatus* OD: Vers. monog. europ. Schmett. :pl 35, f 1a,b [b1928] SS: hippothoe (Linnaeus), 1761; *Palaeochrysophanus* [TypeL - Lapponia.] [Refs - b2747]
- b *stibopteris* Butler, 1877; *Nymphidium* OD: Trans. ent. Soc. Lond. 25(2):135 [b0607] SS: chione Bates, 1867; *Nymphidium* [TypeL - Fonteboa.] [Refs - b4476; b0607; b0680]
- a *sticheli* (Talbot), 1929; *Argyrogramma* OD: Bull. Hill Mus. 3(2):146, pl 4, f 1,2 [b4620] CG: *Argyrogrammana* [Type: BMNH-ht] [TypeL - St. Laurent, Maroni River, French Guiana.] [Refs - b4474; b1453; b4620; b1456]
- a *sticheli* Lathy, 1932; *Phaenochitonina* OD: Ann. Mag. nat. Hist. (10)9:70 [b2922] [Type: BMNH-ht] [TypeL - Ecuador.] [Refs - b2922; b1456]
- e *stictos* (Draudt), [1919], 1917-1924, (ISS); *Thecla* OD: In Seitz, Grossschmett. Erde 5:764, pl 151-a [b1348] SS: stiktos (H. H. Druce), 1890; *Olynthus* [Refs - b0908; b3394]
- b *stieberi* Gerhard, 1853, 1850-1853; *Palaeochrysophanus* OD: Vers. monog. europ. Schmett. :35 [b1928] SS: hippothoe (Linnaeus), 1761; *Palaeochrysophanus* [Refs - b2866; b0236; b0389; b4092]
- c *stieberioides* (Ebert), 1926; *Chrysophanus* OD: Deut. ent. Zeit. [Iris] 40:35 [b1463] SS: hippothoe (Linnaeus), 1761; *Palaeochrysophanus* [TypeL - Bavaria.] [Refs - b0236; b0389; b0471]
- e *ab. stigma* Seitz, [1926], 1912-1927; *Sinthus* OD: In Seitz, Grossschmett. Erde 9:979 [b4094] SS: chandrana (Moore), 1882; *Sinthus* [Refs - b4094]
- c *stigmata* (Moore), 1879; *Anops* OD: Proc. zool. Soc. Lond. 1879(1):136-8 [b3231] SS: bulis (Westwood), [1851]; *Curetis* [Type: BMNH] [TypeL - Moulmen; Burmah.] [Refs - b1636; b1153; b0996; b4094; b0694; b3231]
- a *stigmata* (H. H. Druce), 1904; *Tajuria* OD: Ann. Mag. nat. Hist. (7)13:141 [b1369] CG: *Bullis* [TypeL - Borneo.] [Refs - b0964; b0965; b1564; b1454; b4594; b4108]
- a *stigmata* Johnson, 1991; *Celmia* OD: Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (21):46, f [b2606] [Type: AMNH-ht] [TypeL - Hacienda Garcia, Cauca Valley, Colombia.] [Refs - b0125; b2606]
- e *ab. stigmatica* (Schultz), 1906; *Lycaena* OD: Ent. Zeit. 19(36):214-215 [b4005] SS: icarius (Esper), [1789]; *Polyommatus* (*Plebicula*) [Refs - b0993; b4092]
- e *ab. stigmatica* (Stetter-Stättermayer), 1937; *Lycaena* OD: Ent. Rundsch. 54:531 [b4432] SS: allardi (Oberthür), 1874; *Plebejus* (*Plebejides*) [Refs - b0075]
- a *stigmatos* (H. H. Druce), 1890; *Thecla* OD: Ent. mon. Mag. 26:152 [b1354] CG: *Olynthus* [Type: pc; Druce collection.] [TypeL - (Interior of) Colombia.] [Refs - b0908; b3394; b1375; b2631 (in *Panthiades*)]
- e *ab. stigmatosa* (Cabeau), 1925; *Lycaena* OD: Revue mens. Soc. ent. namur. 25:65 [b0668] SS: alexis (Poda von Neuhaus), 1761; *Glaucopsyche* [TypeL - Belgium.] [Refs - b0236]
- b *stigmosa* Stichel, 1910; *Mesene* OD: Gen. Insectorum 112(A):217 [b4446] SS: nepticula Möschler, 1876; *Mesene* [Type: BMNH-st; Ecuador; ZMHU-st] [TypeL - Tabajoz, Itaituba, Amazonas, Brazil.] [Refs - b4474; b4446]
- a *stigmatissima* Stichel, 1910; *Symmachia* OD: Berl. ent. Z. 55(1/2):80 [b4445] [Type: ZMHU-ht] [TypeL - Rio Songo, Bolivia.] [Refs - b4474; b1456; b4445]
- c *stiktos* (H. H. Druce), 1890; *Thecla* OD: Ent. mon. Mag. 26:151 [b1354] SS: hypsea (Godman & Salvin), [1887]; *Olynthus* [Type: pc; Druce collection.] [TypeL - (Interior of) Colombia.] [Refs - b0908; b3394; b1348 (as *suctos*); b1375]
- a *stilbe* (Godart), [1824], 1819-1824; *Erycina* OD: In Ency. méth. 9(Ins.) (2):574 [b1970] CG: *Argyrogrammana* [TypeL - Brasilia.] [Type of - *Argyrogramma*, *Argyrogrammana*] [Refs - b2280; b2988; b2747; b4474; b1456]
- a *stilbia* Hewitson, [1867], 1863-1878; *Thecla* OD: Ill. diurn. Lep. Lycaenidae 1:107; 2:pl 39, f 127 [b2326] CG: *Thecla* (New World *Eumaeini*) [Type: BMNH] [Refs - b0908; b2747; b2497; b1375]
- b *stilbos* (Stichel), 1910; *Charis* OD: Gen. Insectorum 112(A):217 [b4446] SS: theodora (Felder & Felder), 1862; *Chalodeta* [Type: pc-ht; collection of Stichel] [TypeL - Oberlauf des Rio Magdalena, Colombia.] [Refs - b4474; b4446]
- a *stillaticia* Dyar, 1912; *Caria* OD: Proc. U. S. natn. Mus. 42:41 [b1442] [TypeL - Mexico.] [Refs - b2988; b4474; b1456]
- c *stimula* de Nicéville, 1895; *Surendra* OD: J. Bombay nat. Hist. Soc. 9(3):279, pl O, f 23 [b1159] SS: florimel Doherty, 1889; *Surendra* [TypeL - Java.] [Refs - b1636; b4094; b0694]
- a *stinga* (Evans), 1957; *Aurea* OD: Bull. Br. Mus. nat. Hist. (Ent.) 5(3):126 [b1644] CG: *Arhopala* m [TypeL - Jahore, Malaya.] [Refs - b1644; b1564; b1454]
- e *stoliczana* Cantlie, 1963, (ISS); *Polyommatus* OD: Lyc. Butts Revised :61 [b0694] SS: *stoliczkana* (Felder & Felder), 1865; *Polyommatus* [Refs - b0694]
- a *stoliczkana* (Felder & Felder), 1865, 1865-1875; *Lycaena* OD: Reise Novara (2):283, pl 35, f 10,11 [b1692] CG: *Polyommatus* [TypeL - Ladak, Himalayas.] [Type of - *Bryna*] [Refs - b1153; b1636 (as *stoliczana*); b2280; b4180; b1762; b0993; b2479; b2747; b3910; b4367; b3055; b0694 (as subspecies of *eros*); b4092]
- e *stoliczkana* (Bálint), 1992, (ISS); *Lycaena* OD: *Linneana Belgica* 13(8):407 [b0205] SS: *stoliczkana* (Felder & Felder), 1865; *Polyommatus* [Refs - b0205]

- a **stolzmanni** d'Abrera, 1994; *Chamaelimum* OD: Buts Neotropical Region, Pt 4:965, f [Type: BMNH-ht] [TypeL - Huambo Dept. Amazonas, Peru.] [Refs - b1456]
- a **stormsi** (Robbe), 1892; *Lycaena* OD: Annl. Soc. ent. Belg. 36:132 [b3804] CG: *Lepidochrysops* [TypeL - Tanganyka.] [Refs - b1452; b4400; b0359]
- b **storthynga** Stichel, 1910; *Themone* OD: Gen. Insectorum 112(A):130, pl 25, f 26 [b4446] SS: pais (Hübner), [1820]; *Themone* [Type: ZMHU-ht] [TypeL - Iquitos, Peru.] [Refs - b4474; b4446]
- c **stotharti** (Rothschild), 1916; *Miletus* OD: Rep. B. O. U. Exped. New Guinea 2(15):34, f 17 [b3880] SS: plotinus Grose-Smith, 1894; *Hypochrysops* [Type: BMNH-ht] [TypeL - New Guinea.] [Refs - b3880; b3926]
- a **stotzneri** (Draeseke), 1925; *Ilerda* OD: In Deut. ent. Zeit. [Iris] 39:223 [b1345] CG: *Heliophorus* [TypeL - Szechuen.] [Refs - b0236 (as stötzneri); b1345 (as stötzneri); b0471; b1455]
- a **straatmanni** Nieuwenhuis, 1970; *Arhopala* OD: Ent. Ber. 29:216, f 11,12 [b3401] CG: *Arhopala* a [Type: NHMR-ht] [TypeL - Lambarese, Central Celebes.] [Refs - b0101; b3401]
- a **strabo** (Fabricius), 1793, 1792-1799; *Hesperia* OD: Ent. syst. 3(1):287 [b1657] CG: *Catochrysops* [Type: BMNH-nt; designated by Tite, 1959] [Entomologist 92:202 [b4669]] [TypeL - India orientali"] [Type of - *Catochrysops*] [Note - *There are supposedly syntypes in ZMC.*] [Refs - b1450; b0964; b1636; b2280; b0965; b4094; b4670; b4670; b2479; b4871; b1454; b0694; b5076; b4209; b2388]
- a **strabobinna** Swinhoe, 1916; *Catochrysops* OD: Ann. Mag. nat. Hist. (8)18:209 [b4577] [TypeL - Moluccas.] [Note - *Originally introduced as strabo-binna. Most authors have shortened this to binna, but I see no justification for this.*] [Refs - b1450; b4670; b4592; b4595; b2388; b4577]
- b **straboinsularis** Swinhoe, 1916; *Catochrysops* OD: Ann. Mag. nat. Hist. (8)18:209 [b4577] SS: panormus (C. Felder), 1860; *Catochrysops* [Type: BMNH-ht; designated by Tite, 1959] [Entomologist 92:210 [b4669]] [TypeL - Banda.] [Note - *Originally introduced as strabo-insularis. Tite shortened this to insularis, but I see no justification for this.*] [Refs - b4670 (as insularis); b4577]
- b **stramentarius** Stichel, 1909; *Anteros* OD: Berl. ent. Z. 54(1/2):46 [b4444] SS: formosus (Cramer), [1777]; *Anteros* [TypeL - Bolivia.] [Refs - b4474]
- e **ab. straminea** (Blachier), 1910; *Chrysophanus* OD: Bull. Soc. Léop. Genève 2(2):53, pl 1, f 10 [b0436] SS: tityrus (Poda von Neuhaus), 1761; *Lycaena* (Heodes) [Refs - b0236; b0389; b0471]
- b **straminea** Stempffer, 1974; *Liptena* OD: In Bull. Br. Mus. nat. Hist. (Ent.) 30:171, f [b4413] SS: homeyeri Dewitz, 1884; *Liptena* [TypeL - Bange Ngola, Angola.] [Refs - b0105; b1452]
- e **strandi** (Schultz), 1903; *Chrysophanus* OD: Nyt Mag. naturvid. 41:25 [b3999] SS: tityrus (Poda von Neuhaus), 1761; *Lycaena* (Heodes) [Refs - b0389; b3999; b4092; b0471]
- c **strandi** (Obraztsov), 1935; *Lycaena* OD: Folia zool. hydrobiol. 8:149 [b3467] SS: allous (Geyer), [1836]; *Plebejus* (Aricia) [TypeL - Sibirien; Amur-Gebiete.] [Refs - b2827; b0073; b3467]
- b **strati** Kaye, [1925]; *Nymphidium* OD: Trans. ent. Soc. Lond. 72(3/4):414 [b2713] SS: lisimon (Stoll), [1790]; *Nymphidium* [TypeL - Trinidad.] [Refs - b4476]
- c **stratola** (Holland), 1891; *Nacaduba* OD: Psyche 6(179):52 [b2424] SS: aethiops (Mabille), 1877; *Petrelaea* [TypeL - W. Africa.] [Refs - b4400]
- a **strenua** (Hewitson), [1877], 1863-1878; *Thecla* OD: Ill. diurn. Lep. Lycaenidae 1:207; 2-pl 82, f 689,690 [b2326] CG: *Symbiopsis* [Type: BMNH] [TypeL - Brazil.] [Type of - *Symbiopsis*] [Refs - b0908; b3388; b2753]
- b **strephanus** H. H. Druce, 1896; *Deudorix* OD: Proc. zool. Soc. Lond. 1896(3):681, pl 31, f 15 [b1365] SS: hypargyria (Elwes), [1893]; *Deudorix* [Type: ZMHU-ht; designated by Takanami, 1989] [Tyô to Ga 40(1):33 [b4602]] [TypeL - Mt. Kinabalu, N. E. Borneo.] [Refs - b4094; b2201; b1454 (as good sp); b4602; b4108]
- a **strephon** (Fabricius), 1775; *Papilio* OD: Syst. Ent. :522 [b1653] CG: *Thecla* (New World Eumaeini) [Type: BMNH; Banks collection.] [TypeL - India Orientali"] [Note - *Zimsen does not list the type as extant.*] [Refs - b0908; b2747; b1453; b5076]
- a **stresemanni** Rothschild, 1915; *Lampides* OD: Novit. zool. 22:137 [b3878] [TypeL - Ceram.] [Refs - b1450]
- b **striata** (Edwards), 1877; *Lycaena* OD: Field and Forest 3(5):88 [b1510] SS: cassius (Cramer), [1775]; *Leptotes* [Type: CM-ht; designated by Brown, 1970] [Trans. amer. ent. Soc. 96:358 [b0510]] [TypeL - San Antonio, Bexar County, Texas.] [Refs - b0908; b0540; b4688; b0907; b3192; b1321; b0493; b4690 (S)]
- e **ab. striata** (Tutt), 1896; *Lysandra* OD: Brit. Butts :171 [b4758] SS: bellargus (Rottemburg), 1775; *Polyommatus* (*Lysandra*) [Refs - b0236; b0471]
- e **striata** (Tutt), 1896; *Lysandra* OD: Brit. Butts :167 [b4758] SS: coridon (Poda von Neuhaus), 1761; *Polyommatus* (*Lysandra*) [Refs - b4092; b0471]
- e **striata** Wheeler, 1903; *Polyommatus* OD: Butts Switzerland :25 [b4991] SS: semiargus (Rottemburg), 1775; *Polyommatus* (*Cyaniris*) [Refs - b4092; b0471]
- e **striata** (Gillmer), 1904; *Chrysophanus* OD: Soc. ent. 18(23):179 [b1955] SS: teleius (Bergsträsser), [1779]; *Maculinea* [Refs - b0400]
- e **ab. striata** (Gillmer), 1904; *Chrysophanus* OD: Soc. ent. 18(23):179 [b1955] SS: tityrus (Poda von Neuhaus), 1761; *Lycaena* (Heodes) [Refs - b0236; b0389; b0471]
- e **striata** Gillmer, 1904; *Maculinea* OD: Soc. ent. 18:179 [b1955] SS: euphemus (Hübner), [1800]; *Maculinea* [Refs - b4092]
- b **striata** (H. H. Druce), 1904; *Aricoris* OD: Proc. zool. Soc. Lond. 1904(I)(2):488, pl 34, f 12 [b1370] SS: pythioides (Butler), [1867]; *Setabis* [TypeL - Ecuador.] [Refs - b4475]
- e **ab. striata** (Stefanelli), 1904; *Lycaena* OD: Boll. Soc. ent. ital. 36:5 [b4351] SS: coridon (Poda von Neuhaus), 1761; *Polyommatus* (*Lysandra*) [Refs - b4351]
- e **ab. striata** Schultz, 1906; *Scolitantides* OD: Jber. Wien. ent. Ver. 16:75 [b4006] SS: orion (Pallas), 1771; *Scolitantides* [Refs - b0236; b0400; b0471]
- c **striata** Bethune-Baker, 1908; *Upolampes* OD: Proc. zool. Soc. Lond. 1908(1):118, pl 9, f 15 [b0340] SS: evena (Hewitson), [1876]; *Upolampes* [TypeL - New Guinea.] [Type of - *Upolampes*] [Refs - b2280; b4094]
- e **striata** Tutt, 1908, 1905-1914; *Polyommatus* OD: Nat. Hist. Brit. Butts 2:175 or 178 [b4760] SS: icarus (Rottemburg), 1775; *Polyommatus* [Refs - b4092; b0471]
- e **ab. striata** (Reverdin), 1909; *Lycaena* OD: Bull. Soc. Léop. Genève 1:371, pl 10, f 2,3 [b3727] SS: orbitulus (Prunner), 1798; *Polyommatus* (*Albulina*) [Refs - b0236; b0471]
- e **ab. striata** Tutt, 1909, 1905-1914; *Cupido* OD: Nat. Hist. Brit. Butts 3:110, pl 4, f 8; pl 49, f 7 [b4760] SS: minimus (Esper), [1777]; *Cupido* [Refs - b0995; b4760; b0236; b0400; b0471]

- e *ab. striata* Tutt, 1909, 1905-1914; Everes OD: Nat. Hist. Brit. Butts 3:65 [b4760] SS: argiades (Pallas), 1771; Everes [Refs - b0236; b4094 (as Blachier name?); b0400; b0471]
- e *ab. striata* Ksienschopolski, 1911; Lycaena OD: Trudy obshch. Izsl. Volyni Zitomir 8:56, pl 1, f 9 [b2854] SS: tityrus (Podá von Neuhaus), 1761; Lycaena (Heodes) [Refs - b0236; b0389]
- e *striata* Tutt, 1914, 1905-1914; Maculinea OD: Nat. Hist. Brit. Butts 4:325 [b4760] SS: arion (Linnaeus), 1758; Maculinea [Refs - b0400]
- e *ab. striata* Seitz, [1924], 1912-1927; Everes OD: In Seitz, Grossschmett. Erde 9:924 [b4094] SS: argiades (Pallas), 1771; Everes [Refs - b4094 (as Blachier name)]
- b *striata* (Lathy), 1932; Echenais OD: Ann. Mag. nat. Hist. (10)9:72 [b2922] SS: trinitatis (Lathy), 1932; Adelotypa [Type: BMNH] [TypeL - Trinidad.] [Refs - b2922]
- e *ab. striata* (Curtis), 1933; Aricia OD: Trans. ent. Soc. S. Engl. 8:107 [b1082] SS: agestis ((Denis & Schiffmüller)), 1775; Plebejus (Aricia) [TypeL - Isle of Wight.] [Refs - b0071; b1082]
- e *ab. striata* (Hackray), 1938; Heodes OD: Lambillionea 38:201 [b2108] SS: amphidamas (Esper), [1781]; Helleia A [TypeL - Belgium.] [Refs - b0389]
- b *strigatus* Semper, 1887, 1886-1892; Spalgis OD: In Semper, Reisen Philipp. (2)(5):160, pl 31, f 1 [b4110] SS: epeus (Westwood), [1851]; Spalgis [TypeL - Philippines.] [Refs - b1840; b1454; b4108]
- b *strigatus* Pagenstecher, 1896; Zemerus OD: Jb. nass. Ver. Nat. 49:149 [b3541] SS: flegyas (Cramer), [1780]; Zemerus [TypeL - Sumba Island.] [Refs - b4473; b1454; b1840; b4068]
- a *strigatus* Moulton, [1912]; Allotinus OD: J. Straits Brch. R. asiat. Soc. 60:80 [b3259] CG: Allotinus (Fabitaras) [Type: BMNH-ht] [TypeL - Pulo Laut, Borneo.] [Refs - b0964; b0965; b1840; b1571; b4108]
- b *strigatus* (Aurivillius), [1925], 1908-1925; Cupido OD: In Seitz, Grossschmett. Erde 13:490 [b0162] SS: eleusis (Demaison), 1888; Chilades [TypeL - Nubia.] [Refs - b4400]
- e *ab. strigifera* (Schultz), 1905; Chrysophanus OD: Ent. Zeit. 18(33):131 [b4002] SS: ochimus (Herrich-Schäffer), [1851]; Lycaena (Thersamonia) [Refs - b4002; b4092]
- b *strigosa* (Harris), 1862; Thecla OD: In Syn. Lep. N. Amer. :101 [b2144] SS: liparops (Boisduval & Le Conte), [1833]; Satyrium [TypeL - Blue Hill, Massachusetts.] [Refs - b0908; b3078; b2747; b3192; b1321; b4066; b1722]
- a *strigosus* (Staudinger), 1876; Esthemopsis OD: Verh. zool.-bot. Ges. Wien 25:110 [b4326] CG: Lepicormis [TypeL - Chiriqui.] [Refs - b2988; b2753; b4474; b1456]
- c *strigulata* Schaus, 1902; Mesene OD: Proc. U. S. natn. Mus. 24(1262):402 [b3948] SS: florus (Fabricius), 1793; Mesene [Type: USNM-ht; #5907] [TypeL - Petropolis, Brazil.] [Refs - b4474; b3948]
- b *strix* (Fruhstorfer), [1904]; Sospita OD: Berl. ent. Z. 48(4):283 [b1817] SS: savitri Felder & Felder, 1860; Abisara [Refs - b4473; b1454; b1840; b3528]
- a *strobilata* Johnson, 1989; Femmiterga OD: Insecta Mundi 3(3):205, f [b2599] [Type: MNHN-ht] [TypeL - Maroni, French Guiana.] [Refs - b0123; b2606]
- a *strongyle* (C. Felder), 1860; Lycaena OD: Sber. Akad. Wiss. Wien 40(11):459 [b1676] CG: Megisba [Type: BMNH-ht] [TypeL - Amboina, South Moluccas.] [Refs - b1450; b2747; b1580; b2200; b1840]
- b *strongyloides* Fruhstorfer, [1922], 1909-1923; Megisba OD: In Seitz, Grossschmett. Erde 9:858 [b1840] SS: strongyle (C. Felder), 1860; Megisba [Type: ZSBS-ht] [TypeL - Halmahera, North Moluccas.] [Refs - b1450; b1580; b1840]
- c *strophe* Grose-Smith, 1897; Arhopala OD: Novit. zool. 4:366 [b2043] SS: axiothea (Hewison), [1863]; Arhopala n [Type: BMNH-ht] [TypeL - Kapaur.] [Refs - b1644; b1450; b4094]
- b *strophis* (H. H. Druce), 1895; Cyaniris OD: Proc. zool. Soc. Lond. 1895(3):573, pl 32, f 4 [b1362] SS: camenae (de Nicéville), 1895; Udara (Udara) [Type: ZMHU-ht] [TypeL - Mt Kinabalu, Borneo.] [Refs - b1580; b2200; b1362; b1840; b4108]
- a *strophius* (Godart), [1824], 1819-1824; Polyommatus OD: In Ency. méth. 9(Ins.)2:632 [b1970] CG: Allosmaitia [Type: MNHN-ht] [TypeL - Brazil.] [Refs - b0908; b2747; b1375; b1722; b2918; b2592]
- a *strutti* van Son, 1951; Thestor OD: Ann. Transv. Mus. 21:444 [b4807] [TypeL - S. Africa.] [Refs - b1259; b1452; b4400]
- a *strymonotis* Johnson & Kroenlein, 1993; Angulopsis OD: Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (33):20, f [b2627] [Type: BMNH-ht] [TypeL - Prov. Los Rios, Rio de las Junta, La Chima, Ecuador.] [Refs - b2627]
- a *stubbsi* Howarth, 1956; Niphanda OD: Entomologist 89:161, f [b2462] [Type: BMNH] [TypeL - Peninsular Malaya.] [Note - Known from only the type.] [Refs - b0965; b1454]
- e *stubbsi* Eliot, 1960, (IFS); Deudorix OD: Entomologist 93:243 [b1545] SS: sumatrensis Fruhstorfer, [1912]; Deudorix [Refs - b0965; b1564; b1570]
- a *stubbsi* Eliot, 1962; Arhopala OD: Entomologist 95:219 [b1547] CG: Arhopala b [TypeL - Malaya.] [Refs - b1564; b1454]
- c *stubbsi* (Eliot), 1962; Deudoryx OD: Entomologist 95:223 [b1547] SS: sumatrensis Fruhstorfer, [1912]; Deudorix [Refs - b0965; b1564; b1570; b1454]
- e *ab. stupenda* Seitz, [1917], 1910-1924; Helicopsis OD: In Seitz, Grossschmett. Erde 5:633, pl 124b [b4093] SS: cupido (Linnaeus), 1758; Helicopsis [Refs - b4474; b1456]
- a *sturnula* (Geyer), [1836], 1832-1837; Hamanumida OD: In Zutr. Samml. exot. Schmett. 5:45, pl [171], f 995,996 [b1934] CG: Calydna [TypeL - Brasilia.] [Refs - b2988; b2747; b2221; b4475; b1456]
- a *stygia* (Talbot), 1935; Teriomima OD: Ent. mon. Mag. 71:72, f [b4623] CG: Baliochila [TypeL - Kenya.] [Note - Described as a form. Available.] [Refs - b1452; b4400]
- b *stygialis* Stichel, 1910; Lepicormis OD: Gen. Insectorum 112(A):147 [b4446] SS: atricolor Butler, 1871; Lepicormis [Type: ZMHU-st] [TypeL - Tarapato, Hillapani, Peru.] [Refs - b4474; b4446]
- a *stygiانا* (Butler), 1881; Thecla OD: Ann. Mag. nat. Hist. (5)7:35, pl 4, f 6 [b0617] CG: Ussuriana [TypeL - Nikko, Japan.] [Refs - b0996 (=mera); b1900; b1652; b3285; b4200; b4092; b1455]
- c *stygianus* (Butler), 1880; Chrysophanus OD: Proc. zool. Soc. Lond. 1880(3):408, pl 39, f 5 [b0616] SS: phlaeas (Linnaeus), 1761; Lycaena (Lycaena) [TypeL - Candahar.] [Refs - b1636; b1153; b0996; b1759; b4094; b4180; b0236 (as ab.); b3910; b0694 (as a good ssp); b0471; b0205]
- c *stygianus* (Butler), 1884; Gerydus OD: Ann. Mag. nat. Hist. (5)13:194 [b0629] SS: boisduvali Moore, [1858]; Mileus 3 [TypeL - Ternate.] [Refs - b1450; b1546; b1840; b4108]
- b *stymphelus* Fruhstorfer, 1914; Arhopala OD: Deut. ent. Zeit. [Iris] 27(4):155 [b1853] SS: hercules (Hewison), 1862; Arhopala e [Type: BMNH-st] [TypeL - Barchian.] [Refs - b1644; b1450; b4094; b1853]
- a *styx* Rebel, 1908; Axiocerses OD: Verh. zool.-bot. Ges. Wien 58:(159) [b3705] CG: Axiocerses [TypeL - Zanzibar.] [Refs - b0831; b0113; b1452; b4400]

- e *styx* (Turati & Verity), [1911], (IFS); *Lycaena* OD: Boll. Soc. ent. ital. 42:258 [b4753] SS: *escheri* (Hübner), [1823]; *Polyommatus* (*Plebicula*) [Type: MZS-ht] [Refs - b2856; b0236; b0471]
- a *styx* (Evans), 1957; *Narathura* OD: Bull. Br. Mus. nat. Hist. (Ent.) 5(3):115 [b1644] CG: *Arhopala* h [Type: BMNH-ht] [TypeL - New Britain, Kinigunang.] [Refs - b1450; b1644]
- a *suada* (Hewitson), [1877], 1863-1878; *Thecla* OD: Ill. diurn. Lep. Lycaenidae 1:207; 2-pl 82, f 691,692 [b2326] CG: *Angulopsis* [Type: BMNH-lt; designated by Johnson & Kroenlein, 1993] [Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (33):4 [b2627]] [TypeL - Bolivia.] [Refs - b0908; b1375; b1375; b2627]
- a *suapure* (Weeks), 1906; *Charis* OD: Ent. News 17(6):199 [b4969] CG: *Stichelia* [TypeL - Venezuela.] [Refs - b4474; b1456]
- a *suarezensis* Johnson & Kroenlein, 1993; *Angulopsis* OD: Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (33):28, f [b2627] [Type: AMNH-ht] [TypeL - Rio Suarez, Santander, Colombia.] [Refs - b2627]
- c *suasa* (Boisduval), 1869, 1868-1869; *Lycaena* OD: Anns Soc. ent. Belg. 12:51 [b0468] SS: *fuliginosa* (Edwards), 1861; *Satyrnum* [Type: USNM-ht] [TypeL - (Mountains of Eastern California.) [Refs - b0908; b2747; b3192; b1321]
- a *suaveola* Staudinger, 1881; *Callophrys* OD: Stett. ent. Ztg 42:279 [b4328] CG: *Callophrys* [Type: AMNH-nt; designated by Johnson, 1981] [Revision of *Callophryina* :507 [b2585]] [TypeL - Alma Ata, Kazakistan, Soviet Union.] [Note - Kocak lists the type locality as Saisan, Central Asia.] [Refs - b0995; b2827; b3370; b2794; b2585; b2788; ns3032]
- e ♂ *ab. suavis* (Schultz), 1904; *Lycaena* OD: Ent. Zeit. 18(24):93 [b4001] SS: *coridon* (Poda von Neuhaus), 1761; *Polyommatus* (*Lysandra*) [Refs - b4001; b4092]
- b *suavis* (Stichel), 1911; *Phaenochitonina* OD: Gen. Insectorum 112(B):242 [b4447] SS: *bocchoris* (Hewitson), [1876]; *Stichelia* [Type: ZMHU-st] [TypeL - Nov. Friborgo & Rio Grande do Sul, S. Brazil.] [Refs - b4474; b2221; b5072; b4446]
- e *subardi* Le Moulton, 1940, 1939-1940, (IFS); *Helicopsis* OD: Novit. ent. (15):115 [b2943] SS: *cupido* (Linnaeus), 1758; *Helicopsis* [Type: AME-ht] [Refs - b3199]
- c *subalba* Bethune-Baker, 1915; *Epitola* OD: Ann. Mag. nat. Hist. (8)16:190 [b0353] SS: *zelica* Kirby, 1890; *Epitola* [TypeL - Cameroons.] [Refs - b4400]
- b *subalbata* (Seitz), [1917], 1910-1924; *Diophtalma* OD: In Seitz, Grossschmett. Erde 5:648, pl 126e [b4093] SS: *philemon* (Cramer), [1775]; *Leucochimona* [TypeL - Bolivia.] [Refs - b4093]
- e *subalbicincta* Le Moulton, 1939, 1939-1940, (IFS); *Helicopsis* OD: Novit. ent. (11):84 [b2943] SS: *gnidus* (Fabricius), 1787; *Helicopsis* [Type: AME-ht] [TypeL - Para.] [Refs - b3199]
- e *ab. subalbolunata* (Tutti), 1912, 1905-1914; *Agrinaes* OD: Nat. Hist. Brit. Butts 4:14 [b4760] SS: *coridon* (Poda von Neuhaus), 1761; *Polyommatus* (*Lysandra*) [Check - Spelling?] [Refs - b0236; b0471 (as *subalbolunulata*)]
- e *ab. subalexis* Obraztsov, 1936; *Glaucopsyche* OD: Z. öst. EntVer. 21:48 [b3469] SS: *aeruginosa* Staudinger, 1881; *Glaucopsyche* [TypeL - Cherson.] [Refs - b1503; b0400]
- e *ab. suballous* (Obraztsov), 1935; *Lycaena* OD: Folia zool. hydrobiol. 8:146 [b3467] SS: *inhonora* (Jachontov), 1909; *Plebejus* (*Anicia*) [Refs - b0073; b3467]
- b *subalpinus* Speyer, 1851; *Lycaena* OD: Stett. ent. Ztg 12:339 [b4290] SS: *tityrus* (Poda von Neuhaus), 1761; *Lycaena* (*Heodes*) [Refs - b2375; b3059; b2747; b0996; b1780; b0389; b2862; b2859; ns1208; b4092]
- e *subandroyne* Le Moulton, 1939, 1939-1940, (IFS); *Helicopsis* OD: Novit. ent. (11):84 [b2943] SS: *gnidus* (Fabricius), 1787; *Helicopsis* [Type: AME-ht] [TypeL - Para.] [Refs - b3199]
- b *subangulata* Talbot, 1935; *Pseudaletis* OD: Ent. mon. Mag. 71:115, pl 1, f 13; pl 3, f 7 [b4623] SS: *clymenus* (H. H. Druce), 1885; *Pseudaletis* [TypeL - Sierra Leone.] [Refs - b1452; b0836; b4623; b4400]
- c *subapennina* (Turati), 1903; *Lycaena* OD: Atti Soc. ital. Sci. nat. 42:43, pl 3, f 8-11 [b4742] SS: *escheri* (Hübner), [1823]; *Polyommatus* (*Plebicula*) [Refs - b4092]
- c *subarcticus* (Chemock), 1945; *Plebeius* OD: Can. Ent. 76(11):213 [b0779] SS: *scudderii* (Edwards), 1861; *Plebejus* (*Lycaeides*) [Type: MCZ-pt; The holotype is lost.] [TypeL - Fairchild Point, Great Slave Lake, Northwest Territory.] [Refs - b0908; b3192; b3328; b1321; b0779]
- b *subardates* (Piepers & Snellen), 1918; *Lycaena* OD: Rhop. Java - Ery., Lyc. :43 [b3601] SS: *dubiosa* (Semper), [1879]; *Prosotas* [TypeL - Java.] [Refs - b4676; ns4700 :238; b1454 (as *superdates*); b4592; b4595; b4604; b4108]
- c *subargentea* (Grose-Smith & Kirby), 1896, 1887-1902; *Holochila* OD: Rhop. exot. 2(38):3, pl 9, f 9,10 [b2049] SS: *helenita* (Semper), [1879]; *Candalides* [TypeL - Cape York, Australia.] [Refs - b4677; b2078; b4934; b1475]
- a *subargentea* (Lathy), 1904; *Eurygona* OD: Trans. ent. Soc. Lond. 52(3):463, pl 27, f 1 [b2914] CG: *Euselasia* [TypeL - Bogota, Colombia.] [Refs - b2988; b4474; b1456]
- a *subargentea* Jackson, 1965; *Epitola* OD: Ann. Mag. nat. Hist. (13)7:698, f 1 [b2564] [Refs - b1452; b2564; b4400]
- e *subawantiaca* Le Moulton, 1940, 1939-1940, (IFS); *Helicopsis* OD: Novit. ent. (14):109 [b2943] SS: *cupido* (Linnaeus), 1758; *Helicopsis* [Type: MNHN-pt] [Refs - b3199]
- e *subawantiaca* Le Moulton, 1940, 1939-1940, (IFS); *Helicopsis* OD: Novit. ent. (16):121 [b2943] SS: *cupido* (Linnaeus), 1758; *Helicopsis* [Type: AME-ht] [Refs - b3199]
- e *subauratus* (Le Moulton), 1942, (IFS); *Heodes* OD: Novit. ent. 11-12:141 [b2944] SS: *dispar* ((Haworth)), 1802; *Lycaena* (*Thersamolycaena*) [Refs - b2944]
- c *subaureus* (Grose-Smith), 1898; *Aphnaeus* OD: Novit. zool. 5:358 [b2046] SS: *nilus* (Hewitson), [1865]; *Aphanius* [TypeL - Niger.] [Refs - b0836; b4400]
- c *subbrunnea* (South), 1913; *Chrysophanus* OD: J. Bombay nat. Hist. Soc. 22(3):607 [b4285] SS: *standfussi* (Grum-Grshimailo), 1891; *Lycaena* (*Thersamolycaena*) [TypeL - S. E. Tibet.] [Refs - b0236]
- b *subcaeruleum* (Grose-Smith & Kirby), 1896, 1887-1902; *Waigeum* OD: Rhop. exot. 2(35):35, pl 6, f 4,5 [b2049] SS: *coruscans* (Grose-Smith), 1897; *Hypochrysops* [TypeL - Waigeo.] [Note - Not spelled *subcaeruleum*.] [Refs - b1450; b2078; b3926 (as *subcoeruleum*)]
- e *subcalida* (Verity), 1920, 1919-1922, (RA); *Aricia* OD: Ent. Rec. 32:150 [b4840] SS: *medon* (Hüfnagel), 1766; *Plebejus* (*Anicia*) [Type: MZS-st] [Refs - b2856; b0236; b0471]
- e *subcanariensis* (Verity), 1928, (RA); *Aricia* OD: Bull. Soc. ent. Fr. 1928(11):183 [b4848] SS: *cramera* (Eschscholtz), 1821; *Plebejus* (*Anicia*) [Type: MZS-st] [TypeL - Iberian Peninsula.] [Refs - b3059 (as *ssp*); b2856; b0236; b4848; b0471]
- b *subcoalita* (Rothschild), 1915; *Lycaenopsis* OD: Novit. zool. 22:136 [b3878] SS: *dilectus* (Moore), 1879; *Udara* (*Udara*) [Type: BMNH-lt; designated by Eliot & Kawazoé, 1983] [Butts *Lycaenopsis* group :88 [b1580]] [TypeL - Bali.] [Refs - b1580; ns3879 (:388); b2200; b1840]
- e *ab. subcoelestis* (Tutti), 1909, 1905-1914; *Agrinaes* OD: Nat. Hist. Brit. Butts 3:333 [b4760] SS: *bellargus* (Rottemburg), 1775; *Polyommatus* (*Lysandra*) [Refs - b0236; b0471]

- a **subcoerulea** (Holland), 1900; *Zizera* OD: Novit. zool. 7:69 [b2431] CG: Cupido [TypeL - Buru.] [Refs - b2431]
- a **subcoerulea** Roche, 1954; *Epitola* OD: Bull. Br. Mus. nat. Hist. (Ent.) 3:498, pl 21, f 25-26 [b3842] [Type: BMNH-ht] [TypeL - Sierra Leone.] [Refs - b3842; b4400]
- e **subcoria** Le Moulton, 1940, 1939-1940, (IFS); *Helicopsis* OD: Novit. ent. (16):125 [b2943] SS: cupido (Linnaeus), 1758; *Helicopsis* [Refs - b3199]
- e **subcramera** (Verity), 1928, (RA); *Aricia* OD: Bull. Soc. ent. Fr. 1928(11):182 [b4848] SS: subcramera (Manley & Allcard), 1970; *Plebejus* (*Aricia*) [Type: MZS-st] [TypeL - Iberian Peninsula.] [Refs - b3059 (as ssp); b2856; b0236; b0270; b4848; b0471]
- b **subcramera** (Manley & Allcard), 1970; *Aricia* OD: Buts Spain 94:153 [b3059] SS: agestis ((Denis & Schiffmüller)), 1775; *Plebejus* (*Aricia*) [TypeL - Sierra Nevada, Spain.] [Refs - b2856; b3059]
- e **subcupido** Le Moulton, 1940, 1939-1940, (IFS); *Helicopsis* OD: Novit. ent. (15):113 [b2943] SS: cupido (Linnaeus), 1758; *Helicopsis* [Type: AME-ht] [Refs - b3199]
- e **subcuprea** (Tun), 1906, 1905-1914; *Chrysophanus* OD: Nat. Hist. Brit. Buts 1:430 [b4760] SS: dispar ((Haworth)), 1802; *Lycaena* (*Thersamolycaena*) [Refs - b0389]
- a **subdita** (Grose-Smith), 1901, 1887-1902; *Scotlantiades* OD: Rhop. exot. 3(55):129, pl 27, f 7,8 [b2029] CG: *Euchrysops* [TypeL - Nandi.] [Refs - b0162; b4400]
- b **subditus** (Moore), 1886; *Lampides* OD: J. linn. Soc. Lond., Zool. 21(126):41 [b3237] SS: philatus (Snellen), 1878; *Jamides* [Type: BMNH-ht] [TypeL - Mergui.] [Refs - b1636; b1153; b0964; b0965; b4094; b1865; b2384; b1454; b0694; b3786]
- c **subdubiosa** (Rothschild), 1916; *Nacaduba* OD: Rep. B. O. U. Exped. New Guinea 2(15):29 [b3880] SS: dana (de Nicéville), [1884]; *Petrelaea* [Type: BMNH-ht] [TypeL - Utaqua River, New Guinea.] [Refs - b4676; b1450; b4094; b3880]
- e **subeburnea** Le Moulton, 1940, 1939-1940, (IFS); *Helicopsis* OD: Novit. ent. (15):120 [b2943] SS: cupido (Linnaeus), 1758; *Helicopsis* [Type: AME-ht] [Refs - b3199]
- e **suberotica** Le Moulton, 1940, 1939-1940, (IFS); *Helicopsis* OD: Novit. ent. (16):125 [b2943] SS: cupido (Linnaeus), 1758; *Helicopsis* [Type: AME-ht] [Refs - b3199]
- b **suberra** (Hewitson), 1877, 1869-1877; *Lucilla* OD: Equatorial Lep. Buckley (5):94 [b2330] SS: aterra (Grose-Smith), 1898; *Lucillella* [TypeL - Ecuador.] [Refs - b2753; b4474; b1456]
- c **subfasciata** (Moore), 1881; *Narathura* OD: Trans. ent. Soc. Lond. 29(3):312 [b3233] SS: andamanica (Wood-Mason & de Nicéville), 1881; *Arhopala* 1 [Type: BMNH-ht] [TypeL - Andaman Island.] [Refs - b3233; b1644]
- d **subfasciata** (Moore), [1884], (H); *Nilasera* OD: Proc. zool. Soc. Lond. 1883(4):532, pl 49, f 2 [b3235] OS: simonea Corbet, 1941; *Arhopala* a [Type: BMNH-ht] [TypeL - Tavoy, Burmah.] [Refs - b1644; b0956; b3235]
- e **ab. subfasciata** (Schultz), 1905; *Chrysophanus* OD: Ent. Zeit. 18(34):133, f [b4003] SS: gordius (Sulzer), 1776; *Lycaena* (*Alciphronia*) [Refs - b0389; b4003; b4092]
- c **subfasciata** Tyler, 1915; *Logania* OD: J. Bombay nat. Hist. Soc. 24(1):120 [b4772] SS: watsoniana de Nicéville, 1898; *Logania* [Type: BMNH-ht] [TypeL - Manipur, India.] [Refs - b1636; b0236; b1571; b0694]
- b **subfestivus** (Röber), [1886]; *Plebeius* OD: CorrespBl. ent. Ver. Iris 1(3):64, pl 4, f 33 [b3820] SS: ancyra (C. Felder), 1860; *Catopyrops* [TypeL - Aru, Ceram, Celebes.] [Refs - b4676; b1450; b1542; b4094; b1454]
- a **subflorens** Schaus, 1913; *Thecla* OD: Proc. zool. Soc. Lond. 1913(3):353, pl 52, f 9 [b3950] CG: *Thecla* (New World Eumacini) [TypeL - Poas, Costa Rica.] [Refs - b0908]
- c **subfulvida** (Holland), 1890; *Epitola* OD: Psyche 5:423 [b2423] SS: vininga (Hewitson), 1875; *Aslauga* [TypeL - Upper Ogove River, Gaboon.] [Refs - b4400]
- b **subfusca** Lathy, 1932; *Mesene* OD: Ann. Mag. nat. Hist. (10)9:68 [b2922] SS: phareus (Cramer), [1777]; *Mesene* [Type: BMNH-ht] [TypeL - Brasil; Mexico.] [Refs - b2922]
- a **subfusca** Hawker-Smith, 1933; *Deloneura* OD: Stylops 2:10 [b2168] [TypeL - Katanga, Belgian Congo.] [Refs - b1452; b2168; b4400]
- a **subfusca** Hawker-Smith, 1933; *Pentila* OD: Stylops 2:3 [b2168] [TypeL - Katanga, Belgian Congo.] [Note - Not spelled subfasciata.] [Refs - b1943; b1452 (as subfasciata); b2168; b4420; b4400]
- e **ab. subgrisea** (Wileman), 1911; *Zephyrus* OD: Entomologist 44:55 [b5008] SS: atilia (Bremer), 1861; *Antigius* [Refs - b1900 (=fujisana); b0236; b0070; b0471]
- a **subgriseata** Jackson, 1964; *Epitola* OD: Bull. Br. Mus. nat. Hist. (Ent.) 15(3):72 [b2563] [TypeL - Uganda.] [Refs - b1452; b4400]
- a **subguttata** (Elwes), [1893]; *Rapala* OD: Proc. zool. Soc. Lond. 1892(4):644, pl 44, f 1 [b1594] CG: *Deudorix* (*Virachola*) [TypeL - Karen Hills.] [Refs - b0964; b1636; b0965; b4094; b1454; b0694]
- a **subhyalina** (Joicey & Talbot), 1921; *Telipna* OD: Bull. Hill Mus. 1(1):78, pl 14, f 48 [b2655] CG: *Ptelina* [Type: BMNH-ht] [TypeL - N. Ituri Valley.] [Refs - b1452; b4400; b2655]
- a **subinfusca** Grünberg, 1910; *Iolaus* OD: Denkschr. med.-naturw. Ges. Jena 16:107 [b2074] CG: *Iolaus* (*Stugeta*) [TypeL - S. W. Africa.] [Refs - b1259; b1610 (9077-E11); b0113; b4400; b1452 (as ssp of bowkeri); b1235]
- e **ab. subintermedia** (Pionneau), 1937; *Chrysophanus* OD: Échange 53:11 [b3619] SS: gordius (Sulzer), 1776; *Lycaena* (*Alciphronia*) [TypeL - Not stated.] [Refs - b0075; b0389]
- a **subisobea** Strand, 1918, 1917-1918; *Thecla* OD: Soc. ent. 33(7):31 [b4518] CG: *Thecla* (New World Eumacini) [TypeL - Costa Rica] [Refs - x0276; x0908; b4518; b4528]
- e **sublatmicus** Le Moulton, 1940, 1939-1940, (IFS); *Helicopsis* OD: Novit. ent. (17):136, f 63,64 [b2943] SS: selene Felder & Felder, 1865; *Helicopsis* [Type: AME-ht] [Refs - b3199]
- e **sublegouaisi** Le Moulton, 1940, 1939-1940, (IFS); *Helicopsis* OD: Novit. ent. (16):28 [b2943] SS: cupido (Linnaeus), 1758; *Helicopsis* [Type: AME-ht] [Refs - b3199]
- a **sublimata** Stichel, 1925; *Themone* OD: Z. wiss. InsektBiol. 20:23 [b4463] [TypeL - Brazil.] [Refs - b4474]
- b **sublivens** (Nabokov), 1949; *Lycaeides* OD: Bull. Harvard Mus. Comp. Zool. 101(4):513, pl 1, f 27; pl 5, f 65 [b3328] SS: idas (Linnaeus), 1761; *Plebejus* (*Lycaeides*) [Type: MCZ-ht] [TypeL - Telluride, San Miguel Mountains, (S. W.) Colorado.] [Refs - b0908; b3192; b3328; b1743; b1321; b0493; b4690 (R)]
- e **sublivens** Brown & Eff & Rotger, 1955, (ISS); *Plebejus* OD: Proc. Denver Mus. nat. Hist. 5:161 [b0538] SS: sublivens (Nabokov), 1949; *Plebejus* (*Lycaeides*) [Refs - b3192; b1321]
- e **ab. sublugens** Strand, 1909; *Glaucoopsyche* OD: Int. ent. Z. 3(14):78 [b4493] SS: alexis (Poda von Neuhaus), 1761; *Glaucoopsyche* [Refs - b0236; b0400; b0471]

- a **sublustris** Bethune-Baker, 1904; Arhopala OD: Ann. Mag. nat. Hist. (7)14:234 [b0333] CG: Arhopala f [Type: BMNH-ht] [TypeL - Kina Balu, Borneo.] [Refs - b1644; b1556; b1454; b0333; b4108]
- a **sublustris** (Bethune-Baker), 1904; Epitolina OD: Ann. Mag. nat. Hist. (7)14:228 [b0332] CG: Epitola [TypeL - Sierra Leone.] [Refs - b3842; b1452; b0836; b4400]
- a **sublutea** (Bethune-Baker), 1906; Candalides OD: Ann. Mag. nat. Hist. (7)17:101 [b0337] CG: Titea [Type: BMNH-ht] [TypeL - Owgarra.] [Type of - Titea] [Refs - b1559; b4677; b1450; b2078]
- a **submacula** Lathy, 1903; Liptena OD: Trans. ent. Soc. Lond. 51(2):196, pl 8, f 6 [b2912] [TypeL - Nigeria.] [Refs - b2907; b1452; b4400]
- c **subnitens** (Bethune-Baker), 1903; Lycaenesthes OD: Ann. Mag. nat. Hist. (7)12:332 [b0328] SS: fasciatus (Aurivillius), 1895; Triclema [TypeL - W. Africa.] [Refs - b0836; b4400]
- a **subnivalis** Kawazoé & Wakabayashi, 1969; Chrysozephyrus OD: Tyô to Ga 20(1/2):1, f 1, 3a, 7-10 [b2706] [Type: pch; collection of Kawazoé.] [TypeL - Mt. Rara, Formosa.] [Refs - b2706]
- b **subobscura** (Lathy), 1904; Thecla OD: Proc. zool. Soc. Lond. 1904(I)(2):452 [b2913] SS: piplea (Godman & Salvin), 1896; Allosmaitia [Type: pc; H. J. Adams collection.] [TypeL - Dominica, B. W. I.] [Refs - b0908; b0907; b0833]
- e **subobsoleta** (Tutu), 1906, 1905-1914; Chrysophanus OD: Nat. Hist. Brit. Butts 1:430 [b4760] SS: dispar ((Haworth)), 1802; Lycaena (Thersamolycaena) [Refs - b0389]
- b **subochracea** Hawker-Smith, 1933; Pentila OD: Stylops 2:4 [b2168] SS: abraxas Westwood, [1852]; Pentila [TypeL - Upper Kasai District, Congo.] [Refs - b1784 :277, 279 (feels phidia may be good species); b1452; b2168; b4420; b4400]
- a **subochrea** Elwes, [1893]; Catapaecilma OD: Proc. zool. Soc. Lond. 1892(4):640, pl 44, f 10 [b1594] [Refs - b0964; b1636 (as subochracea); b4094; b1594; b1454; b0694 (as subochracea)]
- a **subornata** Lathy, 1903; Myrina OD: Trans. ent. Soc. Lond. 51(2):198, pl 8, f 8 [b2912] [TypeL - Nigeria.] [Refs - b1452; b0836; b4400; b2887; b2560]
- e **subornata** (Verity), 1920, 1919-1922, (IFS); Aricia OD: Ent. Rec. 32:148 [b4840] SS: astrarche (Bergsträsser), [1779]; Plebejus (Aricia) [Refs - b2856; b0236; b0410; b0471]
- e **subornata** Le Moul, 1940, 1939-1940, (IFS); Helicopsis OD: Novit. ent. (15):113 [b2943] SS: cupido (Linnaeus), 1758; Helicopsis [Type: AME-ht] [Refs - b3199]
- a **subota** (Hewitson), 1877, 1869-1877; Charis OD: Equatorial Lep. Buckley (5):95 [b2330] CG: Argyrogrammana [Type: BMNH-ht] [TypeL - Ecuador.] [Refs - b2753; b4474; b4445; b1456]
- a **subovata** (Grose-Smith), 1894; Holochila OD: Novit. zool. 1:579 [b2037] CG: Philiris [Type: BMNH-ht] [TypeL - Humboldt Bay, New Guinea.] [Refs - b4677; b1450; b2078]
- a **subpallida** Bethune-Baker, 1923; Euchrysops OD: Trans. ent. Soc. Lond. 70(3/4):350, pl 12, f 15; pl 24, f 53; pl 31, f 53 [b0359] [Type: BMNH-st] [TypeL - Africa.] [Refs - b1943; b1259; b1452; b0359; b4400; b2899]
- c **subpallidus** (Lucas), 1889; Polyommatus OD: Proc. R. Soc. Qd 6(2/3):117, pl 6, f 1,2 [b3023] SS: erinus (Fabricius), 1775; Candalides [Type: SAM-st] [TypeL - Queensland, Australia.] [Refs - b4677; b1450; b4934; b1479]
- e **subpauper** Verity, 1928, (RA); Glaucopsyche OD: Bull. Soc. ent. Fr. 1928(8):142 [b4847] SS: alexis (Poda von Neuhaus), 1761; Glaucopsyche [Type: MZS-st] [TypeL - France.] [Refs - b2856; b0236; b0400; b4847; b0471]
- a **subperusia** (Snellen), 1896; Lycaena OD: Tijdschr. Ent. 39:93 [b4266] CG: Nacaduba [TypeL - Java.] [Refs - b4676; b0964; b1450; b0965; b0938; b1454; b0694; b4604; b2388]
- a **subplagata** Bethune-Baker, 1915; Micropentila OD: Ann. Mag. nat. Hist. (8)16:189 [b0353] [TypeL - Cameroons.] [Refs - b1452; b4400]
- c **subproxima** Le Moul, 1940, 1939-1940, (IFS); Helicopsis OD: Novit. ent. (15):114 [b2943] SS: cupido (Linnaeus), 1758; Helicopsis [Type: AME-ht] [Refs - b3199]
- a **subpunctata** Kirby, 1887; Teriomima OD: Ann. Mag. nat. Hist. (5)19:364 [b2763] [TypeL - W. Africa.] [Type of - Teriomima] [Refs - b2280; b1452; b4400]
- d **subpunctata** Bethune-Baker, 1906, (H); Liptena OD: Ann. Mag. nat. Hist. (7)18:340 [b0339] OS: bassae Bethune-Baker, 1926; Liptena [TypeL - Nigeria.] [Refs - b4400]
- b **subpura** Eliot & Kawazoé, 1983; Udara OD: Butts Lycaenopsis group :147, f 442-443, 504 [b1580] SS: santotomasana Eliot & Kawazoé, 1983; Udara (Selmanix) [Type: NSMT-ht] [TypeL - Mt Apo, Mindanao, Philippines.] [Refs - b1580; b2200]
- c **subpurpurea** Leech, 1890; Rapala OD: Entomologist 23:42 [b2963] SS: rectivitta (Moore), 1879; Rapala [TypeL - China.] [Refs - b1636; b0995; b2479 (=nissa); b4092 (=nissa); b4094 (=nissa); b1455 (good species)]
- e **ab. subradiata** (Tutu), 1906, 1905-1914; Rumicia OD: Nat. Hist. Brit. Butts 1:368 [b4760] SS: phlaeas (Linnaeus), 1761; Lycaena (Lycaena) [Refs - b0389; b0471; b4760]
- e **ab. subradiata** Oberthür, 1910; Lycaena OD: Étud. Léop. comp. 4:108 [b3451] SS: tityrus (Poda von Neuhaus), 1761; Lycaena (Heodes) [Refs - b0236; b0471]
- e **subradiosa** (Verity), 1943, (IFS); Lysandra OD: Farfalle Diurne Ital. 2:306 [b4862] SS: rezniceki (Bartel), 1904; Polyommatus (Lysandra) [Type: MZS-ht] [TypeL - Italy.] [Refs - b2856]
- b **subrosea** (Grose-Smith), 1894; Holochila OD: Novit. zool. 1:580 [b2037] SS: coeruleus (Röber), [1886]; Candalides [Type: BMNH-ht] [TypeL - Humboldt Bay, New Guinea.] [Refs - b4677; b1450; b2078]
- a **subrubra** Bethune-Baker, 1915; Alaena OD: Ann. Mag. nat. Hist. (8)16:186 [b0353] [TypeL - Sudan.] [Refs - b1452; b4400]
- b **subrutila** Stichel, 1910; Cremna OD: Gen. Insectorum 112(A):89 [b4446] SS: thasus (Stoll), [1780]; Cremna [Type: ZMHU-st] [TypeL - Chiriqui, Panama; Tarapoto, Peru.] [Refs - b4474; b2406; b1456; b4446]
- e **subsaturior** (Verity), 1948, 1947-1957, (RA); Lycaeides OD: Var. Pap. diurn. France :110 [b4863] SS: idas (Linnaeus), 1761; Plebejus (Lycaeides) [Type: MZS-st] [Refs - b2856]
- c **subsolanus** (Eversmann), 1851; Lycaeides OD: Bull. Soc. imp. Nat. Moscou 24(2):620 [b1650] SS: cleobis (Bremer), 1861; Plebejus (Lycaeides) [TypeL - Irkutsk.] [Refs - b3901; b2747; b2827; b3328; b0410; b4193; b4092]
- b **substrigata** (Snellen), 1878; Lucia OD: In Tijdschr. Ent. 21:15, pl 1, f 2 [b4259] SS: epeus (Westwood), [1851]; Spalgis [TypeL - Celebes.] [Refs - b1840; b1454; b4259; b4108]
- a **substrigosa** (Moore), 1884; Logania OD: J. asiat. Soc. Bengal, Pt II 53(1):22 [b3236] CG: Allotinus (Paragerydus) [Type: ZSI?ht] [TypeL - Myanmar, Mergui Archipelago, Burma.] [Refs - b0964; b1636; b1153; b0965; b1840; b1571; b3075; b0694; b1552; b4108]
- a **subsuffusa** Hawker-Smith, 1933; Liptena OD: Stylops 2:7 [b2168] [TypeL - Lowa Valley, West Kivu, Belgian Congo.] [Refs - b1452; b2168; b4400]

- c *subsuleima* (Strand), 1916, 1914-1916; Thysonotis OD: Lep. Niepelt (2):18, pl 14, f 31 [b4516] SS: latifascia (Rothschild), 1915; Danis [TypeL - Îles de l'Amirauté, Admiralty Islands.] [Refs - b1450; b4528]
- a *subtSELLATA* (Schaus), 1913; Charis OD: Proc. zool. Soc. Lond. 1913(3):351, pl 53, f 11 [b3950] CG: Sarota [TypeL - Costa Rica.] [Refs - b4474; b3950]
- a *subtilis* Stüchel, 1909; Mesosemia OD: Berl. ent. Z. 54(1/2):9 [b4444] [TypeL - Bolivia.] [Refs - b4474; b1456]
- b *subtilis* (Pages & Charmeux), 1992; Lysandra OD: Alexanor 17(5):261, f [b3544] SS: candalus (Herrich-Schäffer), [1851]; Polyommatus (Sublysandra) [TypeL - Turkey.] [Refs - b0126]
- b *subtUSBRUNEA* Beuret, 1957; Maculinea OD: Lyc. Schweiz. II :257 [b0400] SS: arion (Linnaeus), 1758; Maculinea [Type: NMB-at,pt; see Steiniger, 1975] [Mitt. ent. Ges. Basel (nf)25:26 [b4355]] [TypeL - Switzerland.] [Refs - b0400; b4355]
- e *f. subtUSBRUNEA* Tutt, 1907, 1905-1914; Callophrys OD: Nat. Hist. Brit. Butts 2:94 [b4760] SS: rubi (Linnaeus), 1758; Callophrys [Refs - b0236]
- e *subtUSCAECA* Courvoisier, 1921; Lycaena OD: Deut. ent. Zeit. [Iris] 35:98 [b0996] SS: phlaeas (Linnaeus), 1761; Lycaena (Lycaena) [Refs - b0389; b0996]
- c *f. subtUSCONFLUENS* (Zopp), 1954; Thestor OD: Z. wien. ent. Ges. 39:128 [b5078] SS: mauritanicus (Lucas), 1849; Tomares [TypeL - Algeria.]
- e *subtUSDISCOELONGATA* (Beuret), 1953, (IFS); Heodes OD: Lyc. Schweiz. I :13 [b0389] SS: virgaureae (Linnaeus), 1758; Lycaena (Heodes) [Refs - b0389]
- e *ab. subtUSFERERADIATA* Oberthür, 1896; Lycaena OD: Étud. ent. 20:pl 5, f 78 [b3436] SS: alciphron (Rottemburg), 1775; Lycaena (Alciphronia) [Refs - b0236; b0389; b0471]
- e *ab. subtUSIMPUNCTATA* (Oberthür), 1896; Lycaena OD: Étud. ent. 20:pl 3, f 25 [b3436] SS: escheri (Hübner), [1823]; Polyommatus (Plebicula) [Refs - b0236; b0471]
- e *ab. subtUSIMPUNCTATA* Oberthür, 1896; Glaucopsyche OD: Étud. ent. 20:16, pl 3, f 21 or 31 [b3436] SS: alexis (Poda von Neuhaus), 1761; Glaucopsyche [Refs - b0236; b0993; b0400; b0471]
- e *ab. subtUSIMPUNCTATA* Oberthür, 1896; Polyommatus OD: Étud. ent. 20:pl 3 [b3436] SS: eros (Ochsenheimer), 1807; Polyommatus [Refs - b0471]
- e *f. subtUSIMPUNCTATA* Oberthür, 1896; Maculinea OD: Étud. ent. 20:15, pl 3, f 20 [b3436] SS: arion (Linnaeus), 1758; Maculinea [Refs - b0236; b0400; b0471]
- e *f. subtUSIMPUNCTATA* (Oberthür), 1896; Lysandra OD: Étud. ent. 20:18 [b3436] SS: bellargus (Rottemburg), 1775; Polyommatus (Lysandra) [Refs - b0236]
- e *ab. subtUSIMPUNCTATA* Oberthür, 1910; Palaeochrysophanus OD: Étud. Léop. comp. 4:129 [b3451] SS: hippothoe (Linnaeus), 1761; Palaeochrysophanus [Refs - b0236; b0389]
- e *ab. subtUSJUNCTA* Tutt, 1908, 1905-1914; Celastrina OD: Nat. Hist. Brit. Butts 2:414 [b4760] SS: lucia (Kirby), 1837; Celastrina [TypeL - Wollaston, Massachusetts.] [Refs - b0908; b3192; b1321; b0236]
- e *ab. subtUSMACULISEXENSIS* Oberthür, 1896; Maculinea OD: Étud. ent. 20:f 20 [b3436] SS: arion (Linnaeus), 1758; Maculinea [Refs - b0236]
- e *ab. subtUSMACULISEXTENSIS* Oberthür, 1896; Polyommatus OD: Étud. ent. 20:pl 4, f 42 [b3436] SS: icarus (Rottemburg), 1775; Polyommatus [Refs - b0236; b0471]
- e *ab. subtUSMACULISEXTENSIS* Oberthür, 1896; Maculinea OD: Étud. ent. 20:15, pl 3, f 20 [b3436] SS: arion (Linnaeus), 1758; Maculinea [Refs - b0400]
- e *ab. subtUSMINUSPUNCTATA* Oberthür, 1896; Polyommatus OD: Étud. ent. 20:pl 4? [b3436] SS: icarus (Rottemburg), 1775; Polyommatus [Refs - b0236; b0471]
- e *ab. subtUSMINUSPUNCTATA* Oberthür, 1896; Lycaena OD: Étud. ent. 20:pl 5, f 79 [b3436] SS: alciphron (Rottemburg), 1775; Lycaena (Alciphronia) [Refs - b0236; b0389; b0471]
- e *ab. subtUSMINUSPUNCTATA* Oberthür, 1896; Polyommatus OD: Étud. ent. 20:pl 3, f 40 [b3436] SS: eros (Ochsenheimer), 1807; Polyommatus [Refs - b0236; b0471]
- e *ab. subtUSOBOLETA* Graves, 1918; Chilades OD: Entomologist 51:97, pl 1, f 3 [b2008] SS: trochylus (Freyer), 1845; Chilades (Freyeria) [Refs - b0236; b0471]
- e *ab. subtUSPARTIUMCONFLUENS* Oberthür, 1922; Tomares OD: Étud. Léop. comp. 20:14, pl 5, f 82 [b3464] SS: ballus (Fabricius), 1787; Tomares [Refs - b0236; b0471]
- e *ab. subtUSPARTIUMPUNCTATA* Oberthür, 1896; Apelles OD: Étud. ent. 20:pl 3, f 34,35 [b3436] SS: melanops (Boisduval), [1828]; Apelles [Refs - b0236; b0471]
- e *ab. subtUSPARTIUMPUNCTATA* Oberthür, 1896; Glaucopsyche OD: Étud. ent. 20:13 or 22, pl 3, f 32 [b3436] SS: alexis (Poda von Neuhaus), 1761; Glaucopsyche [Refs - b0236; b0400; b0471]
- e *ab. subtUSPUNCTISFORTISSIMIS* (Favre), 1903; Lycaena OD: Suppl. Faune Valais :4 [b1669] SS: orbitulus (Prunner), 1798; Polyommatus (Albulina) [Check - Original genus] [Refs - b0236; b0471]
- e *subtUSRADIATA* (Oberthür), 1896; Cyaniris OD: Étud. ent. 20:16, pl 3, f 24 [b3436] SS: argiolus (Linnaeus), 1758; Celastrina [Note - Also seen a Blachier, 1909, Bull. Soc. Léop. Genève, 1(4):381.] [Refs - b0995; b0400]
- e *ab. subtUSRADIATA* Oberthür, 1896; Plebejus OD: Étud. ent. 20:pl 4, f 53 [b3436] SS: argyrognomon (Bergsträsser), [1779]; Plebejus (Lycaeides) [Refs - b0236; b0471]
- e *ab. subtUSRADIATA* Oberthür, 1896; Glaucopsyche OD: Étud. ent. 20:16, pl 3, f 23 or 33 [b3436] SS: alexis (Poda von Neuhaus), 1761; Glaucopsyche [Refs - b0236; b0993; b0400; b0471]
- e *ab. subtUSRADIATA* Oberthür, 1896; Polyommatus OD: Étud. ent. 20:pl 3, f 39 [b3436] SS: eros (Ochsenheimer), 1807; Polyommatus [Refs - b0236; b0471]
- e *ab. subtUSRADIATA* Oberthür, 1896; Apelles OD: Étud. ent. 20:pl 3, f 6 [b3436] SS: melanops (Boisduval), [1828]; Apelles [Refs - b0236; b0471]
- e *ab. subtUSRADIATA* Favre, 1903; Plebejus OD: Suppl. Faune Valais :4 [b1669] SS: optilete (Knoch), 1781; Plebejus (Vacciniina) [Refs - b3901; b2747; b0993; b1780; b0993; b0236; b4092]
- e *ab. subtUSRADIATA* Oberthür, 1910; Celastrina OD: Étud. Léop. comp. 4:340 [b3451] SS: argiolus (Linnaeus), 1758; Celastrina [Refs - b0236; b3451]
- e *ab. subtUSRADIATA* Oberthür, 1910; Polyommatus OD: Étud. Léop. comp. 4:239 [b3451] SS: icarus (Rottemburg), 1775; Polyommatus [Refs - b0236; b0471]
- c *subtUSRADIATA* Oberthür, 1910; Polyommatus OD: Étud. Léop. comp. 4:261 [b3451] SS: admetus (Esper), [1783]; Polyommatus (Agrodiaetus) [Refs - b0236]
- e *subtUSRADIATA* (Romieux), 1926; Lycaena OD: Bull. Soc. Léop. Genève 5:142 [b3851] SS: decolorata Staudinger, 1886; Everes [Refs - b0400]
- c *f. subtUSREDUCTUS* (Zopp), 1954; Thestor OD: Z. wien. ent. Ges. 39:128 [b5078] SS: mauritanicus (Lucas), 1849; Tomares [TypeL - Algeria.]
- e *ab. subtUSRUFOMARGINATA* Graves & Hemming, 1928; Lycaena OD: Entomologist 61:30 [b2013] SS: virgaureae (Linnaeus), 1758; Lycaena (Heodes) [Refs - b0236; b0066; b0389; b0471]

- e *subunca* Le Moul, 1940, 1939-1940, (IFS); *Helicopsis* OD: *Novit. ent.* (13):100 [b2943] SS: *cupido* (Linnaeus), 1758; *Helicopsis* [Type: AME-ht] [Refs - b3199]
- a *subundularis* (Staudinger), 1892; *Pentila* OD: *Deut. ent. Zeit.* [Iris] 4(2):215 [b4336] CG: *Liptena* [Type: -lt; designated by Stempffer, 1974] [In *Bull. Br. Mus. nat. Hist. (Ent.)* 30:156 [b4413]] [TypeL - W. Africa.] [Refs - b1452; b4400]
- e *ab. subunicolor* (Tutt), 1907, 1905-1914; *Ruralis* OD: *Nat. Hist. Brit. Butts* 2:278 [b4760] SS: *betulae* (Linnaeus), 1758; *Thecla* [Refs - b0236]
- e *ab. subunicolor* (Pionneau), 1928; *Lycaena* OD: *Misc. Ent.* 31(5):51 [b3616] SS: *euphemus* (Hübner), [1800]; *Maculinea* [TypeL - France.] [Refs - b0236; b0067; b0400; b0471]
- e *ab. subunicolor* (Pionneau), 1928; *Lycaena* OD: *Échange* 44(431):4 [b3615] SS: *arion* (Linnaeus), 1758; *Maculinea* [TypeL - Gironde.] [Refs - b0236; b0066; b0400; b0471]
- b *subura* Frühstorfer, 1914; *Logania* OD: *Z. wiss. Insektbiol.* 10(1):23 [b1855] SS: *malayica* Distant, 1884; *Logania* [Type: SMF-ht] [TypeL - Mindanao, Philippines.] [Refs - b1855; b1840; b1571]
- a *subvariegata* Grose-Smith & Kirby, 1890, 1887-1902; *Liptena* OD: *Rhop. exot.* 1(14):43, pl 11, f 3-4 [b2049] [Refs - b1452; b4400]
- c *subvariegata* (Rothschild), 1915; *Nacaduba* OD: *Novit. zool.* 22:392 [b3879] SS: *coelia* (Grose-Smith), 1894; *Erysichton* [TypeL - Vulcan Island.] [Refs - b4676]
- a *subvariegata* Talbot, 1935; *Lepidochrysops* OD: *Ent. mon. Mag.* 71:150, pl 2, f 16; pl 3, f 15 [b4623] [TypeL - Abyssinia.] [Refs - b1452; b4623; b4400]
- a *subviolaceus* Felder & Felder, 1865, 1865-1875; *Allotinus* OD: *Reise Novara* (2):286, pl 35, f 27,28 [b1692] [Type: BMNH-It; designated by Eliot, 1986] [Bull. Br. Mus. nat. Hist. (Ent.) 53(1):14 [b1571]] [TypeL - Java.] [Refs - b0964; b1636; b1153; b0965; b1840; b2747; b1454; b1571; b4108]
- c *f. succina* (Rebillard), 1958; *Aricoris* OD: *Mém. Mus. natn. Hist. nat.* (A)15:203, pl 4, f 11 [b3717] SS: *cruentata* (Butler), [1867]; *Setabis* [Type: MNHN-ht] [TypeL - Manicore, Amazonie, Brazil.] [Refs - b3717; b0093]
- a *suda* Draudt, [1920], 1917-1924; *Thecla* OD: *In Seitz, Grossschmett. Erde* 5:796, pl 158-b [b1348] CG: *Thecla* (New World *Eumaeini*) [TypeL - Río Songo, Bolivia.] [Refs - b0908]
- c *sudanica* Aurivillius, 1905; *Lachnocnema* OD: *Ark. Zool.* 2(12):11 [b0160] SS: *brimo* Karsch, 1893; *Lachnocnema* [Refs - b4400]
- b *sudanica* Aurivillius, 1905; *Iolaus* OD: *Ark. Zool.* 2(12):15 [b0160] SS: *umbrosa* (Butler), [1886]; *Iolaus* (*Epamera*) [Refs - b4400; b1452]
- a *sudanica* Stempffer, 1964; *Leptomyrina* OD: *Bull. Inst. franç. Afr. Noire* 26(A):1285 [b4397] [TypeL - Sudan.] [Refs - b4400; b1452]
- b *sudesta* (Evans), 1957; *Narathura* OD: *Bull. Br. Mus. nat. Hist. (Ent.)* 5(3):125 [b1644] SS: *admete* Hewitson, [1863]; *Arhopala* 1 [Type: BMNH-ht] [TypeL - Sudest Island.] [Refs - b1644; b1450]
- b *sudesta* (Tite), 1963; *Erina* OD: *Bull. Br. Mus. nat. Hist. (Ent.)* 14(5):219 [b4677] SS: *erinus* (Fabricius), 1775; *Candalides* [Type: BMNH-ht] [TypeL - Sudest Island, Louisiade Archipelago.] [Refs - b4677; b1450]
- a *sudias* (Hewitson), [1858], 1852-1877; *Lemonias* OD: *Ill. exot. Butts* 2:[---], pl [58], f 12-14 [b2323] CG: *Calospila* [TypeL - Central America.] [Refs - b4475; b1456]
- c *sudica* (Evans), 1926; *Pratapa* OD: *J. Bombay nat. Hist. Soc.* 31(3):717 [b1635] SS: *argentea* (Aurivillius), [1898]; *Ancema* [TypeL - S. India.] [Refs - b1636; b0694]
- b *sudsudana* d'Abbrera, 1980; *Dapidodigma* OD: *Butts Afrotropical Region* :475, f [b1452] SS: *demeter* Clench, 1961; *Dapidodigma* [Type: BMNH-ht] [TypeL - Sudan.] [Refs - b0113; b1452]
- b *suedas* Corbet, 1941; *Arhopala* OD: *Proc. R. ent. Soc. Lond. (Sb)* 10(9):166 [b0956] SS: *epimete* (Staudinger), 1889; *Arhopala* k [Type: BMNH-ht] [TypeL - Malaya.] [Refs - b1644; b0956; b1454]
- b *suessa* de Nicéville, 1893; *Suasa* OD: *J. Bombay nat. Hist. Soc.* 7(3):337, pl H, f 8,9 [b1156] SS: *lisides* (Hewitson), [1863]; *Suasa* [TypeL - Perak.] [Refs - b0964; b0965; b1156; b2201; b1454; b4094]
- c *suetonius* (Fabricius), 1793, 1792-1799; *Hesperia* OD: *Ent. syst.* 3(1):320 [b1657] SS: *pierus* (Cramer), [1779]; *Aloeides* [TypeL - Indiis"] [Refs - b2747; b4400; b5076]
- a *suevia* Hewitson, 1877, 1869-1877; *Symmachia* OD: *Equatorial Lep. Buckley* (5):95 [b2330] [Type: BMNH-ht] [TypeL - Ecuador.] [Refs - b2753; b4474; b1456]
- e *suffescens* (Verity), 1943, (IFS); *Lysandra* OD: *Farfalle Diume Ital.* 2:271 [b4862] SS: *thersites* (Cantener), 1834; *Polyommatus* (*Plebicula*) [TypeL - Italy.] [Refs - b2856; b0080]
- a *suffusa* (Moore), [1879]; *Deudorix* OD: *Proc. zool. Soc. Lond.* 1878(4):834, pl 52, f 8 [b3230] CG: *Rapala* [TypeL - Tenasserim.] [Refs - b1636; b1153; b0965; b4094; b0236; b1454; b1850; b0694; b1854]
- b *suffusa* Moore, 1882; *Abisara* OD: *Proc. zool. Soc. Lond.* 1882(1):244 [b3234] SS: *bifasciata* Moore, 1877; *Abisara* [Type: BMNH] [TypeL - Chumba.] [Refs - b1636; b1149; b0294; b4473; b1454; b1840]
- b *suffusa* (Leach), [1893], 1893-1894; *Zephyrus* OD: *Butts China Japan Corea* :377, pl 27, f 14 [b2966] SS: *orientalis* (Murray), 1874; *Favonius* [Type: BMNH-ht] [TypeL - Omei Shan, West China.] [Refs - b4115; b2988; b2479; b3778; b4214; b2966; b4200; b3296; b4092; b1455]
- e *suffusa* (Tutt), 1896; *Lysandra* OD: *Brit. Butts* :167 [b4758] SS: *coridon* (Poda von Neuhaus), 1761; *Polyommatus* (*Lysandra*) [Refs - b4092; b0471]
- c *suffusa* Tutt, 1896; *Lycaena* OD: *Brit. Butts* :153 [b4758] SS: *phlaeas* (Linnaeus), 1761; *Lycaena* (*Lycaena*) [Refs - b1780; b0389; b4092]
- e *suffusa* (Tutt), 1896; *Lysandra* OD: *Brit. Butts* :171 [b4758] SS: *bellargus* (Rottemburg), 1775; *Polyommatus* (*Lysandra*) [Refs - b4092]
- e *ab. suffusa* Tutt, 1907, 1905-1914; *Callophrys* OD: *Nat. Hist. Brit. Butts* 2:97 [b4760] SS: *rubi* (Linnaeus), 1758; *Callophrys* [Refs - b0236; b0471]
- b *suffusa* Tytler, 1915; *Arhopala* OD: *J. Bombay nat. Hist. Soc.* 24(1):133 [b4772] SS: *allata* (Staudinger), 1889; *Arhopala* a [Type: BMNH-ht] [TypeL - Manipur.] [Refs - b1644; b0236; b1454]
- c *f. suffusa* Stichel, 1916, (IFS); *Eurybia* OD: *Z. wiss. Insektbiol.* 12:243 [b4453] SS: *pergaea* (Geyer), [1832]; *Eurybia* [Note - *Zikán claims this is a good species, not a form.*] [Refs - b4474; b0086]
- e *ab. suffusa* Dean, 1918; *Feniseca* OD: *Lepidoptera* 2(8):60 [b1186] SS: *tarquinius* (Fabricius), 1793; *Feniseca* [TypeL - Meramac Highlands, Missouri.] [Refs - b0908; b3192; b1321]
- b *suffusa* Lathy, 1932; *Cariomothis* OD: *Ann. Mag. nat. Hist.* (10)9:67 [b2922] SS: *erythromelas* (Sepp), [1848]; *Cariomothis* [Type: BMNH-ht] [TypeL - Ecuador.] [Refs - b2922]

- c *Q ab. suffusa* (Lathy), 1932; Anatole OD: Ann. Mag. nat. Hist. (10)9:71 [b2922] SS: *zygia* Hübner, [1807]; *Lemonias* [Type: BMNH-ht] [TypeL - French Guiana.] [Refs - b2922]
- b *suffusa* Stempffer & Bennett, 1963; *Falcuna* OD: Bull. Br. Mus. nat. Hist. (Ent.) 13(6):184 [b4421] SS: *hollandii* (Aurivillius), 1895; *Falcuna* [Type: BMNH-ht] [TypeL - Camerouns.] [Refs - b1452; b4421; b4400]
- e *ab. suffusaargentea* (Stetter-Stättermayer), 1937; *Lycaena* OD: Ent. Rundsch. 54:532 [b4432] SS: *allardi* (Oberthür), 1874; *Plebejus* (Plebejides) [Refs - b0075]
- c *suffusus* Rothschild, 1915; *Euchrysops* OD: Novit. zool. 22:137 [b3878] SS: *cnejus* (Fabricius), 1798; *Euchrysops* [Type: BMNH-ht] [TypeL - Bali.] [Refs - b0359; b4108]
- a *suggestis* Johnson & Kroenlein, 1993; *Angulopsis* OD: Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (33):29, f [b2627] [Type: AMNH-ht] [TypeL - Puyo, Napo-Pastazza, Ecuador.] [Refs - b2627]
- b *sugimotoi* Hayashi, 1978; *Poritia* OD: Tyô to Ga 29(4):209, f 1-5 [b2194] SS: *philota* Hewitson, 1874; *Poritia* [Type: OMNH-ht] [TypeL - Mindanao, Philippines.] [Refs - b2194]
- b *sugimotoi* Hayashi, 1978; *Dacalana* OD: Tyô to Ga 29(3):169, f 1-6 [b2192] SS: *sannio* (H. H. Druce), 1895; *Dacalana* [Type: OMNH-ht] [TypeL - Mindanao, Philippines.] [Note - *Patronym - Mr. Shirô Sugimoto.*] [Refs - b2192]
- c *sugimotoi* (Hayashi), 1981; *Narathura* OD: Tyô to Ga 32(1,2):70, f 11,12 [b2198] SS: *malayica* Bethune-Baker, 1903; *Arhopala* f [Type: NSMT-ht] [TypeL - Philippines.] [Refs - b2198; b4104]
- a *sugitanii* (Matsumura), 1919; *Cyaniris* OD: Zool. Mag. 31(368):173 [b3088] CG: *Celastrina* [Type: EIHU-ht] [TypeL - Honshu, Japan.] [Refs - b2827; b2479; b1900; b1580; b0236; b2138; b4195; b3088]
- c *sugitanii* (Matsumura), 1927; *Lycaena* OD: Ins. matsumur. 2(2):118, pl 3, f 10 [b3095] SS: *arionides* (Staudinger), 1887; *Maculinea* [TypeL - Korea.] [Refs - b4115; b1561; b2479; b0236; b0065; b2866; b0471; b4225]
- a *sugiyamai* Matsui, 1989; *Araragi* OD: New Ent. 38(3/4):32 [b3081] [TypeL - Szechuan, western China.] [Refs - b1455]
- b *sugriva* (Horsfield), [1829], 1828-1829; *Amblypodia* OD: Descr. Cat. lepid. Ins. (2):105, pl 1, f 10 [b2457] SS: *phocides* (Fabricius), 1793; *Bindahara* [TypeL - Java.] [Note - *As Thecla on the plate.*] [Refs - b4094; b2747; b2201; b4934]
- b *sugurui* Eliot & Kawazoe, 1983; *Celastrina* OD: Butts *Lycaenopsis* group :215, f 159 [b1580] SS: *argiolus* (Linnaeus), 1758; *Celastrina* [Type: NSMT-ht] [TypeL - Luzon, Philippines.] [Refs - b1580]
- a *suidas* (Felder & Felder), 1865, 1865-1875; *Lycaena* OD: Reise Novara (2):273 (or 373), pl 34, f 18,19 [b1692] CG: *Jamides* [Type: BMNH-ht] [TypeL - Luzon, Philippines.] [Refs - b2747; b4094; b2195; b1865; b1454; b2388; b3786]
- a *suk* (Stempffer), 1948; *Virachola* OD: Revue fr. Ent. 15(3):186, f [b4376] CG: *Deudorix* (Virachola) [TypeL - Kenya.] [Refs - b1452; b4400]
- b *suk* van Someren, 1957; *Lepidochrysops* OD: J. ent. Soc. S. Afr. 20(1):61 [b4803] SS: *pterou* (Bethune-Baker), 1923; *Lepidochrysops* [TypeL - Kenya; Uganda.] [Refs - b1452; b4400]
- c *suka* Piepers & Snellen, 1918; *Allotinus* OD: Rhop. Java - Ery., Lyc. :13,19,12-, pl 27, f 181 [b3601] SS: *posidion* Fruhstorfer, 1913; *Allotinus* (Paragerydus) [Type: RNH?-lt; designated by Eliot, 1986] [Bull. Br. Mus. nat. Hist. (Ent.) 53(1):49 [b1571]] [TypeL - Sukabumi, West Java.] [Refs - b3601; b1571]
- b *sukabumi* (Toxopeus), 1930; *Horsfieldia* OD: De soorte als Functie :159 [b4702] SS: *narada* (Horsfield), [1828]; *Amblypodia* [TypeL - Dutch E. Indies.] [Refs - b4702]
- a *sula* Staudinger, [1888], 1884-1888; *Lasaia* OD: In Exot. Schmett. 1:257 [b4329] [Type: ZMHU-It; designated by Clench, [1972]] [J. Res. Lep. 10(2):176 [b0846]] [TypeL - Honduras.] [Refs - b4474; b0103; b3192; b4066; b1456]
- a *sulawesiana* Eliot & Kawazoe, 1983; *Sidima* OD: Butts *Lycaenopsis* group :165, f 122, 376-377, 392-393 [b1580] [Type: AME-ht] [TypeL - Lake Dano, Tondano area, northern Sulawesi.] [Refs - b1580]
- b *sulawesiensis* Takanami, 1986; *Loxura* OD: Gekkan Mushi (189):23, f 5-8 [b4593] SS: *atymnus* (Stoll), [1780]; *Loxura* [Type: pc-ht; collection of Takanami.] [TypeL - Bantimurung, Southwest Sulawesi.] [Refs - b4593]
- e *ab. suldensis* Tutt, 1909; *Lycaena* OD: Ent. Rec. 21(10):229 [b4765] SS: *montana* Meyer-Dür, 1851; *Lycaena* (Heodes) [Refs - b0236; b0389]
- b *suleima* (Grose-Smith), 1898; *Thysonotis* OD: Ann. Mag. nat. Hist. (7)2:405 [b2045] SS: *danis* (Cramer), [1775]; *Danis* [Type: BMNH-st] [TypeL - St. Aignan Island, Louisiade Archipelago.] [Refs - b1450; b2078; b2045]
- a *sulgeri* (Oberthür), 1908; *Thecla* OD: Annl. Soc. ent. Fr. 77:312, pl 5, f 4 [b3445] CG: *Wagimo* [TypeL - Western China.] [Refs - b4198; b0996; b2479; b0236; b4214; b4200; b1454; b0471; b1455]
- a *sulphurea* (R. Felder), 1869; *Charis* OD: Verh. zool.-bot. Ges. Wien 19:469 [b1694] CG: *Argyrogrammana* [TypeL - Mexico.] [Refs - b2988; b2747; b4475; b1453; b1456]
- e *sulphurea* Le Moul, 1939, 1939-1940, (IFS); *Helicopsis* OD: Novit. ent. (11):87 [b2943] SS: *gnidus* (Fabricius), 1787; *Helicopsis* [Type: AME-ht] [TypeL - Peru.] [Refs - b3199]
- e *sulphurea* Le Moul, 1940, 1939-1940, (IFS); *Helicopsis* OD: Novit. ent. (14):109 [b2943] SS: *cupido* (Linnaeus), 1758; *Helicopsis* [Type: MNHN-ht] [Refs - b3199]
- e *ab. sulphurea* Rebillard, 1958; *Helicopsis* OD: Mém. Mus. nat. Hist. nat. (A)15:163 [b3717] SS: *coria* Stichel, 1919; *Helicopsis* [Type: MNHN-ht] [TypeL - Para, Amazone.] [Refs - b3717]
- a *sulpitia* Hulstaert, 1924; *Telipna* OD: Revue zool. afr. 12(2):114 [b2496] [TypeL - Belgian Congo.] [Refs - b3796; b1452; b2496; b4400]
- a *sulpitius* (Miskin), 1890; *Lycaena* OD: Proc. linn. Soc. N. S. Wales (2)5(1):37 [b3212] CG: *Theclinesthes* [TypeL - Queensland, Australia.] [Refs - b1450; b4094; b0111; b0870; b4934; b2388]
- a *sultan* (Lang), 1884; *Polyommatus* OD: Lep. Europ. 1:368 [b2890] CG: *Hyracana* [TypeL - Samarcand.] [Note - *Staudinger is often shown as author.*] [Refs - b2988; b2827 (as *sultani*); b4330; b4220; b0105; b3360; b4092]
- d *sultan* (Staudinger), 1886, 1886-1889, (H); *Polyommatus* OD: Stett. ent. Ztg 47:202 [b4330] SS: *sultan* (Lang), 1884; *Hyracana* [TypeL - Central Asia.]
- b *sultana* (Forster), 1936; *Lycaena* OD: Mitt. münchn. ent. Ges. 26:128 [b1758] SS: *argus* (Linnaeus), 1758; *Plebejus* [TypeL - Asia Minor.] [Refs - b0074]
- b *sumadiensis* (Szabó), 1956; *Lycaena* OD: Folia ent. hung. (ns)9:304,340 [b4582] SS: *hippotoe* (Linnaeus), 1761; *Palaeochrysophanus* [Type: -lt; designated by Bálint, 1990] [Janus Pannonius Muz Evk 34:50 [b0201]] [TypeL - Hungary.] [Refs - b0111; b1675; b0091; b0125]
- a *sumatrae* (Felder & Felder), 1865, 1865-1875; *Pseudodipsas* OD: Reise Novara (2):259, pl 36, f 24-26 [b1692] CG: *Poritia* [Type: BMNH-ht] [TypeL - Sumatra.] [Refs - b0964; b1636; b0965; b2747; b4094; b2200; b1850; b3610; b1454; b3985; b0694]

- b **sumatrana** Corbet, 1937; Curetis OD: Proc. R. ent. Soc. Lond. (B)6(12):231 [b0936] SS: saronis Moore, 1877; Curetis [Type: BMNH-ht] [TypeL - Sumatra.] [Refs - b0964; b0965; b0936; b1454 (with thetis)]
- c **sumatranus** (Fruhstorfer), [1912]; Marmessus OD: Berl. ent. Z. 56(3/4):272 [b1850] SS: moorei (Distant), 1882; Drupadia [TypeL - N. E. Sumatra, Indonesia.] [Refs - b1030; b4094; b0105; b1850]
- b **sumatrensis** (Fruhstorfer), 1908; Ilerda OD: Ent. Zeit. 22(12):49 [b1829] SS: epicles (Godart), [1824]; Heliophorus [Type: BMNH-ht] [TypeL - West Sumatra.] [Refs - b4094; b1454; b1829; b1549]
- a **sumatrensis** Fruhstorfer, [1912]; Deudorix OD: Berl. ent. Z. 56(3/4):264 [b1850] [TypeL - West-Sumatra.] [Refs - b0965; b4094; b1564; b1850; b1454]
- b **sumatrensis** Eliot, 1964; Deramas OD: Entomologist 97:246 [b1550] SS: nelvis Eliot, 1964; Deramas [Type: BMNH-ht] [TypeL - Bila, East Coast, Sumatra.] [Refs - b1550]
- a **sumbanus** Eliot & Kawazoé, 1983; Neopithecos OD: Butts Lycaenopsis group :47 [b1580] [Type: BMNH-ht] [TypeL - Sumba.] [Refs - b1580]
- a **sumbawa** Tite, 1963; Nacaduba OD: Bull. Br. Mus. nat. Hist. (Ent.) 13(4):80, f 27 [b4676] [Type: BMNH-ht] [TypeL - Sumbawa.] [Refs - b4676; b1454; b2387; b2388]
- b **sumbensis** (Tite), 1963; Erina OD: Bull. Br. Mus. nat. Hist. (Ent.) 14(5):218 [b4677] SS: erinus (Fabricius), 1775; Candalides [Type: BMNH-ht] [TypeL - Sumba, Lesser Sunda Islands.] [Refs - b4677]
- a **sumikat** Schröder & Treadaway, 1986; Deramas OD: Ent. Zeit. 96(21):315, f 3.4 [b3983] [Type: pc-ht; collection of Treadaway.] [TypeL - Mt. Talinis, Negros, Philippinen.] [Refs - b3983]
- b **sumpantingi** (Bollow), 1931, 1929-1931; Lycaena OD: In Seitz, Grossschmett. Erde 1(Suppl):287 [b0471] SS: lycormas (Butler), 1866; Glaucopsyche [TypeL - Szechuan.] [Refs - b0069; b2866; b0471]
- a **sumptuosa** H. H. Druce, 1907; Thecla OD: Proc. zool. Soc. Lond. 1907(3):571, pl 31, f 3 [b1375] CG: Thecla (New World Eumaeini) [Type: pc; Druce Collection.] [TypeL - Espiritu Santo, Brazil.] [Refs - b0908; b2988; b1375]
- b **sumptuosa** (Toxopeus), 1931; Marmessus OD: Hand. ned.-indisch. natuurw. Congr. 6:421 [b4703] SS: ravindra (Horsfield), [1828]; Drupadia [Type: RNH-ht] [TypeL - Bengkulu, Sumatra or Java.] [Refs - b1030; b0105; b2201; b1454]
- b **sumptuosa** Beuret, 1938; Scolitantides OD: Lambillionea 38:47 [b0376] SS: orion (Pallas), 1771; Scolitantides [TypeL - Finland.] [Refs - b0400]
- c **sundalensis** (Opheim), 1943; Polyommatus OD: Norsk ent. Tidsskr. 6:190 [b3509] SS: eumedon (Esper), [1780]; Plebejus (Eumedonia) [TypeL - S. Norway.] [Refs - b0079]
- b **sundara** (Fruhstorfer), 1915; Lampides OD: Arch. Naturgesch. (A)81(6):6 [b1865] SS: celeno (Cramer), [1775]; Jamides [TypeL - Banda.] [Note - Not spelled sundana.] [Refs - b1450; b4094; b3916 (as sundana); b1865]
- a **sunia** Moulton, [1912]; Tajuria OD: J. Straits Brch. R. asiat. Soc. 60:148, f 7 [b3259] [TypeL - Gn. Penrissen, Borneo.] [Refs - b0964; b0965; b1564; b1454; b4108]
- e **suntillata** Anonymous, 1984, (ISS); Philiris OD: Zool. Rec. 118(1981)(Ins. D.-Lep.):299 [b0114] SS: scintillata Sands, 1981; Philiris [Refs - b0114]
- a **superans** (Oberthür), 1914; Drina OD: Étud. Lép. comp. 9(2):54-55, pl 255, f 2155,2156 [b3453] CG: Protantigius [TypeL - Tatsienlou, Yunnan, China.ata] [Type of - Protantigius] [Refs - b2280; b4115 (as superaus); b0236; b4214; b4200; b0731; b1455]
- **superapennina** (Verity), 1916, (RA); Lycaena OD: Boll. Soc. ent. ital. 46:131 [b4838] SS: apenninus (Zeller), 1847; Polyommatus (Lysandra) [Refs - b2856; b0236; b0471; b4146; b4838; b4038]
- a **superba** (Bates), [1868]; Tharops OD: J. linn. Soc. Lond., Zool. 9:397 [b0267] CG: Periplacis [Type: BMNH-ht] [TypeL - Amazon.] [Refs - b2747; b4475; b1456]
- a **superba** (H. Druce), 1873; Ilerda OD: Proc. zool. Soc. Lond. 1873(2):350, pl 32, f 11 [b1383] CG: Semanga [TypeL - N. Borneo.] [Type of - Semanga] [Refs - b1636; b0964; b2280; b0851; b1383; b2753; b4094; b1454; b0694; b4601; b4108]
- b **superba** (Röber), 1887; Amblypodia OD: CorrespBl. ent. Ver. Iris 1(4):199, pl 9, f 3 [b3821] SS: micale Boisduval, 1853; Arhopala h [TypeL - Insel Batjan.] [Refs - b1644; b1450; b4094; b3821]
- a **superba** (Staudinger), 1887, 1886-1889; Lycaena OD: Stett. ent. Ztg 48:51 [b4330] CG: Polyommatus (Paragrodiaetus) [TypeL - Pamir, Turkestan.] [Refs - b0993; b1762; b2827; b0113; b4092; b1455]
- b **superbus** Röber, 1926; Eumaeus OD: Ent. Mitt. 15:372 [b3835] SS: minijas (Hübner), [1809]; Eumaeus [TypeL - Bolivia.] [Refs - b0908; b3835]
- b **superdates** (Fruhstorfer), [1922], 1909-1923; Nacaduba OD: In Seitz, Grossschmett. Erde 9:858 [b1840] SS: nora (C. Felder), 1860; Prosotas [Type: BMNH-ht] [TypeL - Java.] [Refs - b4676; b0964; b0965; b0938; b1454; b4094; b4209; b4604; b4108]
- e **superdates** d'Abrebra, 1986, (ISS); Prosotas OD: Butts Oriental Region, Pt 3 :642 [b1454] SS: subardates (Piepers & Snellen), 1918; Prosotas [Refs - b1454]
- b **superior** Seitz, [1917], 1910-1924; Amarynthis OD: In Seitz, Grossschmett. Erde 5:691, pl 132g [b4093] SS: meneria (Cramer), [1776]; Amarynthis [TypeL - Humaya.] [Refs - b4474; b4093]
- e **superlunulata** (Verity), 1926, 1926-1933, (IFS); Lycaena OD: Ent. Rec. 38:121 [b4844] SS: daphnis ([Denis & Schiffmüller]), 1775; Polyommatus (Meleageria) [Refs - b2856; b0236; b0471; b0064]
- e **superocellata** Lempke, 1955; Polyommatus OD: Tijdschr. Ent. 98:316, f [b2982] SS: icarus (Rottemburg), 1775; Polyommatus [TypeL - Holland.]
- b **superornata** Agenjo, [1967]; Glaucopsyche OD: Eos 42:297 [b0019] SS: alexis (Poda von Neuhaus), 1761; Glaucopsyche [Refs - b3059]
- b **supoi** (Ribbe), 1889; Plebejus OD: Deut. ent. Zeit. [Iris] 2(2):249 [b3737] SS: danis (Cramer), [1775]; Danis [Refs - b1450; x0276; b3737]
- c **supous** (H. H. Druce & Bethune-Baker), 1893; Thysanotis OD: Proc. zool. Soc. Lond. 1893(3):542, pl 45, f 7 [b1382] SS: supoi (Ribbe), 1889; Danis [TypeL - Wammo Dobbo, Aru Is.] [Refs - b1450; b2078; b1382]
- a **supra** Johnson, 1990; Orcoya OD: J. New York ent. Soc. 98(1):76, f [b2602] [TypeL - Argentina.] [Refs - b0123]
- e **suprabasielongata** (Beuret), 1953, (IFS); Heodes OD: Lyc. Schweiz I :12 [b0389] SS: virgaureae (Linnaeus), 1758; Lycaena (Heodes) [Refs - b0389]
- e **f. supracaeaca** Lempke, 1955; Maculinea OD: Tijdschr. Ent. 98:293 [b2982] SS: alcon ([Denis & Schiffmüller]), 1775; Maculinea [Refs - b0089; b0400]
- e **ab. supracaeerulea** Oberthür, 1896; Polyommatus OD: Étud. ent. 20 pl 4, f 46 [b3436] SS: icarus (Rottemburg), 1775; Polyommatus [Refs - b0236; b0471]
- e **supracentroelongata** (Beuret), 1953, (IFS); Heodes OD: Lyc. Schweiz I :12 [b0389] SS: virgaureae (Linnaeus), 1758; Lycaena (Heodes) [Refs - b0389]

- e *supracrassipuncta* Derenne, 1937; Lycaena OD: Lambillionea 37:pl 2, f 4 [b1202] SS: dispar ((Haworth)), 1802; Lycaena (Thersamolycaena) [Refs - b0389]
- e f. *supracuneata* (Lempke), 1955; Aricia OD: Tijdschr. Ent. 98:303 [b2982] SS: agestis ((Denis & Schiffermüller)), 1775; Plebejus (Aricia) [TypeL - Holland.] [Refs - b0089]
- e *supraddenda* Verity, 1943, (IFS); Maculinea OD: Farfalle Diurne Ital. 2:152, pl 8, f 76 [b4862] SS: arion (Linnaeus), 1758; Maculinea [Type: MZS-ht] [TypeL - Italy.] [Refs - b2856; b0400]
- e ab. *supradiscoelongata* Courvoisier, 1912; Helleia OD: Deut. ent. Zeit. [Iris] 26:47 [b0987] SS: amphidamas (Esper), [1781]; Helleia A [Refs - b0236]
- e *supradiscoelongata* Courvoisier, 1921; Helleia OD: Deut. ent. Zeit. [Iris] 35:82 [b0996] SS: helle ((Denis & Schiffermüller)), 1775; Helleia A [Refs - b0389]
- e *supradiscoelongata* Derenne, 1937, (IFS); Lycaena OD: Lambillionea 37:pl 2, f 3 [b1202] SS: virgaureae (Linnaeus), 1758; Lycaena (Heodes) [Refs - b0389]
- c f. *supradiscoelongata* (Lempke), 1954; Thersamonia OD: Tijdschr. Ent. 97:336 [b2981] SS: dispar ((Haworth)), 1802; Lycaena (Thersamolycaena) [TypeL - Holland.]
- e f. *supraelongata* Lempke, 1955; Maculinea OD: Tijdschr. Ent. 98:287 [b2982] SS: nausithous (Bergsträsser), [1779]; Maculinea [Refs - b0089; b0400]
- e ab. *supraimpunctata* Oberthür, 1896; Cigaritis OD: Étud. ent. 20:pl 5, f 84 [b3436] SS: siphax Lucas, 1849; Cigaritis [Refs - b0236; b0471]
- e ab. *supraimpunctata* Oberthür, 1896; Maculinea OD: Étud. ent. 20:pl 3, f 19 [b3436] SS: arion (Linnaeus), 1758; Maculinea [Refs - b0236; b0400; b0471]
- e ab. *supraimpunctata* (Tutt), 1906, 1905-1914; Rumicia OD: Nat. Hist. Brit. Butts 1:361 [b4760] SS: phlaeas (Linnaeus), 1761; Lycaena (Lycaena) [Refs - b0236]
- e f. *supralunulata* Lempke, 1955; Maculinea OD: Tijdschr. Ent. 98:293 [b2982] SS: alcon ((Denis & Schiffermüller)), 1775; Maculinea [Refs - b0089; b0400]
- e ab. *supraminusimpunctata* Oberthür, 1896; Lycaena OD: Étud. ent. 20:20, f 72 [b3436] SS: phlaeas (Linnaeus), 1761; Lycaena (Lycaena) [Check - Spelling?] [Refs - b0236; b0389 (as supraminuspunctata)]
- e ab. *supranommaculata* Oberthür, 1910; Maculinea OD: Étud. Léop. comp. 4:325 [b3451] SS: arion (Linnaeus), 1758; Maculinea [Refs - b0236]
- e ab. *suprapuncta* (Obratzsov), 1936; Glaucopsyche OD: Z. öst. EntVer. 21:47 or 48 [b3469] SS: arion (Linnaeus), 1758; Maculinea [TypeL - Cherson.] [Refs - b1503; b0400]
- e ab. *suprardiata* Oberthür, 1896; Lycaena OD: Étud. ent. 20(5):13, pl 5, f 74 [b3436] SS: phlaeas (Linnaeus), 1761; Lycaena (Lycaena) [Refs - b0236; b0389; b0471]
- e ab. *suprardiata* Wagner, 1931; Chilades OD: Int. ent. Z. 24(45):472 [b4896] SS: trochylus (Freyer), 1845; Chilades (Freyer) [TypeL - Anatolia.]
- e ab. *supravioleaceogriescens* (Oberthür), 1896; Lysandra OD: Étud. ent. 20:18 [b3436] SS: bellargus (Rottemburg), 1775; Polyommatus (Lysandra) [Refs - b0471]
- e f. *supraviridis* Courvoisier, 1920; Callophrys OD: Deut. ent. Zeit. [Iris] 34:256 [b0995] SS: rubi (Linnaeus), 1758; Callophrys [Refs - b0236; b0471 (as viridis); b0995 (as (supra)-viridis)]
- a *suprema* Johnson & Miller & Herrera, 1992; Heoda OD: Acta ent. Chilena 17:131, f [b2638] [Type: AMNH-ht] [TypeL - Esquel, Chubut Prov., Argentina.] [Refs - b0126; b2638]
- e *supressa* (Tutt), 1906, 1905-1914; Chrysophanus OD: Nat. Hist. Brit. Butts 1:431 [b4760] SS: dispar ((Haworth)), 1802; Lycaena (Thersamolycaena) [Refs - b0389]
- a *suquala* (Pagenstecher), 1902; Lycaenesthes OD: Jb. nass. Ver. Nat. 55:155 [b3542] CG: Anthene [TypeL - Abyssinia.] [Refs - b1452; b0343; b4400]
- b *sura* Bennett, 1950; Abisara OD: Entomologist 83:34 [b0294] SS: geza Fruhstorfer, [1904]; Abisara [Type: BMNH] [TypeL - Sumatra.] [Refs - b0294; b1454]
- e *surindra* d'Abrera, 1986, (ISS); Drupadia OD: Butts Oriental Region, Pt 3 :598 [b1454] SS: surindra (H. H. Druce), 1895; Drupadia [Refs - b1454; b4594]
- b *surindra* (H. H. Druce), 1895; Marnessus OD: Proc. zool. Soc. Lond. 1895(3):617, pl 34, f 7 [b1362] SS: ravindra (Horsfield), [1828]; Drupadia [Type: BMNH-ht] [TypeL - Mt. Kinabalu, Sabah, Borneo.] [Refs - b1030; b4094; b2201; b1362; b1454 (as surindra); b4108]
- e *surioia* (Sharp), [1917], (ISS); Zephyrus OD: Zool. Rec. 52(1915)(Ins.):197.3 [b4145] SS: suroia (Tytler), 1915; Neozephyrus [Refs - b4145]
- a *suroia* (Tytler), 1915; Zephyrus OD: J. Bombay nat. Hist. Soc. 24(1):125, pl 4, f 30,31 [b4772] CG: Neozephyrus [Type: BMNH-ht] [TypeL - Mt. Suroifui, E. Manipur.] [Note - Not spelled surioia.] [Refs - b1636; b0236; b4214; b4200; b3296; b1454; b0694; b2463]
- b *surya* Moore, [1858]; Loxura OD: In Cat. Lep. Ins. E. India Co. (1):52, pl 1a, f 13 [b3219] SS: atymnus (Stoll), [1780]; Loxura [TypeL - India mer.] [Refs - b1636; b1153; b2747; b4094]
- c *susa* (Hewitson), [1861], 1852-1877; Sospita OD: Ill. exot. Butts 2:[---], pl [46], f 2 [b2323] SS: savitri Felder & Felder, 1860; Abisara [TypeL - Sumatra.] [Refs - b2747; b1454; b3782]
- b *susana* d'Abrera, 1971; Jamides OD: Butts Australian Region :353, pl 353 [b1450] SS: carissima (Butler), [1876]; Jamides [TypeL - Lifu, Loyalty Islands.] [Refs - b1450; b0104]
- a *susanae* (Orfila), 1953; Hamearis OD: Revta Soc. ent. argent. 16:80 [b3515] CG: Audre [TypeL - Argentina.] [Refs - b0089; b0419; b1456]
- a *susanae* Tite & Dickson, 1973; Aloeides OD: Bull. Br. Mus. nat. Hist. (Ent.) 29(5):253 [b4685] [Type: BMNH-ht; Rh. #17233] [TypeL - Mudén, Natal.] [Refs - b1259; b0104; b4685]
- a *susanna* (Fabricius), 1787; Papilio OD: Mantissa Ins. 2:16 [b1656] CG: Stalactis [Type: ZMC-st] [TypeL - Africa", but probably Brasil.] [Type of - Neriás] [Refs - b2988; b2280; b2747; b4476; b2221 (as sussana); b1140; b0682; b5076; b1456]
- a *susanna* Field, 1967; Calycopis OD: Proc. U. S. natn. Mus. 119(3552):21, f [b1737] [Type: USNM-ht; #34899] [TypeL - Territory of Guyane, Cayenne, French Guiana.] [Refs - b1737; b2606]
- b *susanus* (Swinhoe), 1890; Chrysophanus OD: In Butts India Burmah Ceylon 3:322 (nota) [b4567] SS: caspius (Lederer), 1869; Hyrcanana [TypeL - Beloochistan.] [Note - Also described in Proc. zool. Soc. Lond., 1889(4):397. Sometimes seen with de Nicéville as author.] [Refs - b1636; b0996; b1153; b3910; b4567; b4094; b0694]
- a *suspiciosa* Stichel, 1909; Mesosemia OD: Berl. ent. Z. 54(1/2):19 [b4444] [TypeL - Colombia.] [Refs - b4474; b1456]
- c *suttleja* (Moore), 1882; Lycaena OD: Proc. zool. Soc. Lond. 1882(1):246 [b3234] SS: ariana Moore, 1865; Polyommatus [TypeL - Kangra, Western Himalayas.] [Refs - b1636; b1153; b4094; b0993; b0694; b4092; b1455]
- b *sutrana* (Fruhstorfer), 1916; Lycaenesthes OD: Zoöl. Meded. 2(2):102 [b1872] SS: lycanoides (C. Felder), 1860; Anthene [Type: BMNH-ht] [TypeL - New Guinea.] [Refs - b4679; b1450; b1840]

- b **sutschani** (Tutt), 1907, 1905-1914; Ruralis OD: Nat. Hist. Brit. Butts 2:150 [b4760] SS: w-album (Knoch), 1782; Satyrium [Refs - b2866; x0276; b4760; b4092]
- c **suttoni** (Holland), 1931; Lycaena OD: Butt. Book (2nd ed.) :269, pl 68, f 7-9 [b2438] SS: aquilo (Boisduval), 1832; Polymnatus (Agnades) [Type: CM-st] [TypeL - Southampton Island, Hudson Bay.] [Refs - b0908; b0071; b3192; b1321]
- a **suwartinæ** Osada, 1987; Deramas OD: Mem. Tsukada Colln (5):54, tf 1; pl 3, f 2,3; pl 4, f 2,3 [b3520] [Type: pc-ht; collection of Tsukada.] [TypeL - Puncak Dingin, Palu, C. Sulawesi.] [Refs - b3520]
- a **suzannæ** Berger, 1981; Epitola OD: Papillons du Zaire :257 [b0309] [Type: MRAC-ht] [TypeL - Bamania, Equateur, Zaire.] [Refs - b0309]
- c **suzukii** Matsumura, 1929; Rapala OD: Ins. matsumur. 3(2/3):98 [b3098] SS: arata (Bremer), 1861; Rapala [TypeL - Korea.] [Refs - b4115; b1913; b2479 (as micasys spp); b0236; b0471; b1455 (with caerulea)]
- b **suzukii** (Sonan), 1940; Zephyrus OD: Trans. nat. Hist. Soc. Formosa 30:159, f [b4281] SS: orsedice (Butler), [1882]; Iratsume [TypeL - Rarasan, Taihoku Pref., North Formosa.] [Refs - b4198; b4547; b5053; b4192; b4281]
- a **svenhedini** (Nordström), 1935; Chrysophanus OD: Ark. Zool. 27A(7):30, pl 2, f 9,10 [b3411] CG: Lycaena (Lycaena) [TypeL - S. Kansu, China.] [Refs - b3411; ns0476]
- a **swanepoeli** (Pennington), 1948; Cupido OD: J. ent. Soc. S. Afr. 10(2):164, f [b3565] CG: Lepidochrysops [TypeL - Transvaal.] [Refs - b1259; b1452; b4400; b3566]
- a **swanepoeli** Dickson, 1965; Poecilimitis OD: J. ent. Soc. S. Afr. 27(2):160, f [b1234] [TypeL - Cape Province, S. Africa.] [Refs - b1259; b1452; b4400]
- a **swanepoeli** Pennington, 1971; Thestor OD: Novos Taxa ent. (95):3, f [b3575] [TypeL - S. Africa.] [Refs - b1259; b0102]
- a **swanepoeli** Tite & Dickson, 1973; Aloeides OD: Bull. Br. Mus. nat. Hist. (Ent.) 29(5):262 [b4685] [Type: BMNH-ht; Rh. #17241] [TypeL - Botha's Hill, Natal.] [Refs - b1259; b0104; b4685]
- a **swartbergensis** Swanepoel, 1970; Lepidochrysops OD: Novos Taxa ent. (64):3, f [b4558] [TypeL - Cape Province, S. Africa.] [Refs - b1259; b1452]
- b **swatipa** Corbet, 1938; Nacaduba OD: Trans. R. ent. Soc. Lond. 87(5):132, pl 1, f 27,35 [b0938] SS: hemus (C. Felder), 1860; Nacaduba [Type: BMNH-ht] [TypeL - Ampang Forest, Selangor, Malay Peninsula.] [Refs - b0964; b4676; b0965; b0938; b1454; b0938]
- c **swadneri** (Chermock), 1945; Plebeius OD: Can. Ent. 76(11):214 [b0779] SS: atrapraetextus Field, 1939; Plebejus (Lycæides) [Type: pc-ht; Chermock collection.] [TypeL - Uranus Peak, Shoshone County, Idaho.] [Refs - b0908; b2583; b3192; b3328; b1321; b0779]
- a **swadneri** Chermock, 1945; Mitoura OD: Can. Ent. 76(11):216 [b0779] [Type: USNM-ht] [TypeL - St. Augustine, Florida.] [Refs - b0908; b3192; b1321; b0779; b2585; b4066; b1602]
- e **ab. swetti** (Watson & Comstock), 1920; Strymon OD: Bull. amer. Mus. nat. Hist. 42(10):450 [b4952] SS: acadica (Edwards), 1862; Satyrium [Type: AMNH-ht] [TypeL - Stony Clove, Green County, New York.] [Refs - b0908; b3192; b1321; b4952]
- e **swinburnei** Stevenson, 1939, (IFS); Lepidochrysops OD: Proc. Trans. Rhod. Sci. Assoc. 37:42 [b4435] SS: glauca (Trimen), 1887; Lepidochrysops [Type: MNBZ-lt; designated by Hancock, 1985] [Amoldia Zimbabwe 9(16):246 [b2127]] [TypeL - S. Rhodesia.] [Note - Hancock notes that this may be a good species. Stempffer treated it as a good subspecies.] [Refs - b4400; b0119]
- a **swynnertoni** Stevenson, 1940; Pentila OD: J. ent. Soc. S. Afr. 3:101, pl 11, f 1,1a [b4436] [Type: MNBZ-lt; designated by Hancock, 1985] [Amoldia Zimbabwe 9(16):248 [b2127]] [TypeL - S. Rhodesia.] [Refs - b1259; b4420; b4400; b4436]
- a **syama** (Horsfield), [1829], 1828-1829; Amblypodia OD: Descr. Cat. lepid. Ins. (2):107 [b2457] CG: Spindasis [TypeL - Java; Philippines.] [Refs - b0964; b1636; b4198; b0965; b2747; b4094; b0996; b2479; b3299; b0236; b5053; b2201; b1850; b1454; b0694; b4092; b1455]
- a **sybaris** (Hopffer), 1855; Lycaena OD: Ber. Verh. Akad. Berl. 1855:642, n 19 [b2443] CG: Tarucus [TypeL - Africa mer. et or.] [Refs - b1943; b1259; b2747; b1452; b4400; b3312; b3606; b0801; b0162]
- e **sybilla** (Draudt), [1921], 1917-1924, (ISS); Scolitantides OD: In Seitz, Grossschmett. Erde 5:822 [b1348] SS: sibylla (Kirby), 1871; Pseudolucia [Refs - b0908]
- a **sycena** Hewitson, [1874], 1863-1878; Thecla OD: Ill. diurn. Lep. Lycaenidae 1:176; 2:pl 69, f 510-512 [b2326] CG: Thecla (New World Eumaeini) [Type: BMNH] [TypeL - Brazil.] [Refs - b0908; b2753; b2925]
- c **sydra** (Fruhstorfer), 1915; Lampides OD: Arch. Naturgesch. (A)81(6):10 [b1865] SS: kondulana (C. Felder), 1862; Jamides [Type: BMNH-ht] [TypeL - East Java.] [Refs - b4094; b1865; b1454 (as good ssp of elpis); b3786]
- a **syedra** Hewitson, [1867], 1863-1878; Thecla OD: Ill. diurn. Lep. Lycaenidae 1:108; 2:pl 39, f 128,129; pl 41, f 145 [b2326] CG: Thecla (New World Eumaeini) [Type: BMNH] [TypeL - Amazon.] [Note - Allied to strephon.] [Refs - b0908; b2747; b1975]
- a **syla** (Kollar), [1844]; Thecla OD: In Hügel, Kaschmir 4(2):414, pl 4, f 7,8 [b2821] CG: Chrysozephyrus [TypeL - India bor.] [Note - According to Seitz, Hewitson gave the name as sila.] [Refs - b1636; b1153; b2747; b0996; b4094; b2479; b4214; b4200; b3296; b0694; b4092; b2463]
- a **sylea** Hewitson, [1867], 1863-1878; Thecla OD: Ill. diurn. Lep. Lycaenidae 1:99; 2:pl 39, f 118,119 [b2326] CG: Thecla (New World Eumaeini) [Type: BMNH] [TypeL - Pará, Amazon.] [Refs - b0908; b2747]
- c **syllidus** (Hübner), [1819], 1816-1826; Tmolus OD: Verz. bekannt. Schmett. (5):76 [b2484] SS: sylvanus (Drury), [1773]; Anthene [Refs - b2747; b0343; b4400]
- a **syllis** (Godman & Salvin), [1887], 1879-1901; Thecla OD: Biol. centr.-amer., Lep. Rhop. 2:92; 3:pl 58, f 6,7 [b1975] CG: Kisutam [Type: BMNH-lt; designated by Johnson & Kroenlein, 1993] [Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (34):33 [b2628]] [TypeL - San Gerónimo, Verapaz, Guatemala.] [Type of - Kisutam] [Refs - b0908; b1375; b1975; b2628]
- e **syloes** Kirby, [1879], (ISS); Metacharis OD: Zool. Rec. 14(1877)(Ins.):135 [b2755] SS: sylves Hewitson, 1877; Metacharis [Refs - b0276; b2755]
- a **sylpha** (Kirby), 1890; Larinopoda OD: Ann. Mag. nat. Hist. (6):266 [b2766] CG: Omipholidotos [TypeL - Cameroons.] [Refs - b1452; b2766; b4400]
- c **sylphida** (Staudinger), 1892; Larinopoda OD: Deut. ent. Zeit. [Iris] 4(2):217 [b4336] SS: perfragilis (Holland), 1890; Omipholidotos [TypeL - W. Africa.] [Refs - b4400]
- a **sylphina** (Bates), [1868]; Zeonia OD: J. linn. Soc. Lond., Zool. 9:383 [b0267] CG: Chorinea [TypeL - Ecuador.] [Refs - b2988; b2747; b4474; b1453; b1456]
- a **sylphis** (Draudt), [1921], 1917-1924; Scolitantides OD: In Seitz, Grossschmett. Erde 5:823, pl 144-n [b1348] CG: Eldoradina [Type: SMF-ht] [TypeL - Cuzco, Peru.] [Note - Known only from the female type.] [Refs - b0908; b1348; b0214; b0207]

- a *sylva* (Möschler), 1876; *Cremna* OD: Verh. zool.-bot. Ges. Wien 26:304, pl 3, f 6 [b3247] CG: Napaea [TypeL - Surinam.] [Refs - b2988; b2753; b4474; b3247]
- b *sylvana* (Oberhür), 1914; *Deudorix* OD: Étud. Léop. comp. 9(2):54, pl 255, f 2154 [b3453] SS: repercussa Leech, 1890; *Rapala* [TypeL - Tatsienlou, Yunnan, China.] [Refs - b1913; b0236; b0471; b1455]
- b *sylvana* (Jørgensen), 1934; *Thecla* OD: Deut. ent. Zeit. [Iris] 48:60 [b2670] SS: cyda (Godman & Salvin), [1887]; *Macusia* (?) [TypeL - Argentina.] [Refs - b2221; b0072; b2670 (as form of aegides)]
- a *sylvanus* (Drury), [1773], 1770-1782; *Papilio* OD: Ill. nat. Hist. 2:index+5, pl 2, f 2,3 [b1392] CG: Anthene [Refs - b2747; b1452; b0343 (as silvanus); b0836; b4400; b2887; b2886]
- a *sylvarum* (Bates), 1867; *Nymphidium* OD: Trans. ent. Soc. Lond. (3)5(7):545 [b0266] CG: Synargis [TypeL - Amazon.] [Refs - b2747; b4476; b0266; b1456]
- a *sylves* Hewitson, 1877, 1869-1877; *Metacharis* OD: Equatorial Lep. Buckley (5):96 [b2330] [TypeL - Ecuador.] [Refs - b2753; b4474; b2755 (as sylves); b1456]
- c *sylvestra* (Ménétriés), 1855, 1855-1857; *Charis* OD: Enum. corp. anim. 1:91, pl 3, f 6 [b3152] SS: ptolomaeus (Fabricius), 1793; *Metacharis* [Refs - b2747]
- b *sylvia* H. Druce, 1878; *Mesosemia* OD: Ent. mon. Mag. 15:101 [b1389] SS: jeziela Butler, 1869; *Mesosemia* [TypeL - Bolivia.] [Refs - b4474]
- b *sylvia* (Nakahara), 1922; *Zizera* OD: Entomologist 55:124 [b3331] SS: maha (Kollar), [1844]; *Pseudozizeeria* [TypeL - Japan.] [Refs - b1762; b1900 (=emelina); b0236; b0471]
- e *sylvia* Le Mout, 1940, 1939-1940, (IFS); *Helicopsis* OD: Novit. ent. (16):127 [b2943] SS: cupido (Linnaeus), 1758; *Helicopsis* [Type: AME-ht] [Refs - b3199]
- b *sylvia* (d'Abbrera), 1971; *Virachola* OD: Butts Australian Region :304, pl 304 [b1450] SS: smilix Hewitson, [1863]; *Deudorix* (*Virachola*) [TypeL - Obi, Bachan.] [Refs - b1450; b0104]
- e *sylvicola* (Waterhouse), 1903, (PS); *Una* OD: Proc. linn. Soc. N. S. Wales 28(1):236 [b4934] SS: mathewi (Miskin), 1890; *Neolucia* [Refs - b4934]
- c *sylvicolens* (Butler), 1877; *Mesosemia* OD: Trans. ent. Soc. Lond. 25(2):127 [b0607] SS: croesus (Fabricius), 1777; *Semomesia* [TypeL - Rio Trombetas.] [Refs - b4474; b0607]
- a *sylvina* Bates, [1868]; *Mesosemia* OD: J. linn. Soc. Lond., Zool. 9:372 [b0267] [Type: BMNH-ht] [TypeL - Lower Amazon.] [Refs - b2747; b4474; b1456]
- a *sylvinus* (Boisduval), 1852; *Thecla* OD: Anns Soc. ent. Fr. (2)10:287 [b0467] CG: Satyrium [Type: USNM-ht] [TypeL - California.] [LifeH - Tietz lists 7123.] [Refs - b1530 :195, f 367; b1321 :57; b0908; b0851; b2747; b3192; b1743; b0493; b4690 (*); b0467; b3462; b2631; b4066; b4652]
- c *sylvius* (Poda von Neuhaus), 1761; *Papilio* OD: Ins. Mus. Graec. :77 [b3623] SS: argus (Linnaeus), 1758; *Plebejus* [Refs - b0410; b2859]
- c *sylvius* (Hulstaert), 1924; *Neochrysoptera* OD: Revue zool. afr. 12(2):189 [b2496] SS: *synchrematiza* (Bethune-Baker), 1923; *Lepidochrysoptera* [TypeL - Belgian Congo.] [Refs - b3796; b0836; b2496; b4400]
- a *symethus* (Cramer), [1777], 1775-1790; *Papilio* OD: Utl. Kapellen 2(13):84, pl 149, f B,C. [b1069] CG: *Miletus* 4 [Type of - Gerydus, *Miletus*] [Refs - b0964; b1636; b1153; b2280; b1546; b0965; b2747; b1564; b1571; b1840]
- c *symira* (Hewitson), 1876; *Myrina* OD: Ent. mon. Mag. 13:152 [b2348] SS: acte (Moore), [1858]; *Ticherra* [TypeL - Darjiling.] [Refs - b1016; b1636; b2753; b4094 (Ill. diurn. Lep. Suppl. 26, f)]
- c *symmacha* Hulstaert, 1924; *Hypolycaena* OD: Revue zool. afr. 12(2):175 [b2496] SS: liara H. H. Druce, 1890; *Hypolycaena* [TypeL - Belgian Congo.] [Refs - b2496; b4400]
- e *synna* Hemming, 1967, (ISS); *Megalopalpus* OD: Bull. Br. Mus. nat. Hist. (Ent.) Suppl. 9:282 [b2280] SS: *zymna* (Westwood), [1851]; *Megalopalpus* [Refs - b2280 :282; b1019]
- b *symplocus* (Clench), 1965; *Tetrarhanis* OD: In Butts Liberia :302, f 192-196 [b0836] SS: simplex Aurivillius, 1895; *Liptena* (*Tetrarhanis*) [Type: CM-ht] [TypeL - Liberia.] [Refs - b0528; b1452 (as good species); b0836; b4400]
- c *syncellus* (Stoll), [1780], 1780-1790; *Papilio* OD: In Cramer, Utl. Kapellen 4(28):86, pl 334, f A,B [b4478] SS: *bitias* (Cramer), [1777]; *Panthiades* [TypeL - Surinam.] [Refs - b0908; b3390; b2747; b2497; b1975; b0569]
- a *synchrematiza* (Bethune-Baker), 1923; *Neochrysoptera* OD: Trans. ent. Soc. Lond. 70(3/4):323, pl 14, f 1; pl 20, f 35; pl 29, f 35 [b0359] CG: *Lepidochrysoptera* [Type: BMNH-st] [TypeL - Sierra Leone.] [Refs - b1452; b0836; b0359; b4400]
- a *synesia* (Hulstaert), 1924; *Liptena* OD: Revue zool. afr. 12(2):118 [b2496] CG: *Falcuna* [Type: MAC] [TypeL - Belgian Congo.] [Refs - b3796; b1452; b2496; b4400]
- b *synesius* (Fruhstorfer), 1915; *Thysonotis* OD: Soc. ent. 30:42 [b1866] SS: *eudocia* (H. H. Druce & Bethune-Baker), 1893; *Psychonotis* [TypeL - Obi or Sula.] [Refs - b1866; b2388]
- b *synexophenus* Dujardin, 1968; *Polyommatus* OD: Riviera scient. 55:55 [b1416] SS: *hispana* (Herrich-Schäffer), [1851]; *Polyommatus* (*Lysandra*) [TypeL - France.]
- a *syngenes* Bates, [1868]; *Theope* OD: J. linn. Soc. Lond., Zool. 9:409 [b0267] [Type: BMNH-ht] [TypeL - Lower Amazon.] [Refs - b2988; b2747; b4475; b1456]
- c *syngrapha* (Keferstein), 1851; *Lycaena* OD: Stutt. ent. Ztg 12:308 [b2715] SS: *coridon* (Poda von Neuhaus), 1761; *Polyommatus* (*Lysandra*) [Refs - b2747; b0236; b4092; b3000]
- e *ab. syngraphoides* (de Sagarra y Castellamau), 1924; *Agriaides* OD: Bull. Inst. catal. Hist. nat. (2)4:202 [b1176] SS: *asturiensis* (de Sagarra y Castellamau), 1924; *Polyommatus* (*Lysandra*) [TypeL - Spain.] [Refs - b3059; b0236; b0471]
- a *synnephis* Stichel, 1909; *Mesosemia* OD: Berl. ent. Z. 54(1/2):4 [b4444] [TypeL - Matto Grosso.] [Refs - b4474; b1456]
- b *syntala* Cantlie, 1963; *Everes* OD: Lyc. Butts Revised :38 [b0694] SS: *lactumens* (Godart), [1824]; *Everes* [TypeL - Sri Lanka.] [Refs - b0694; b1636 (as *parrhasius*); b4108]
- e *syntrepha* Stichel, 1909, (IFS); *Mesosemia* OD: Berl. ent. Z. 54(1/2):24 [b4444] SS: *candara* H. H. Druce, 1904; *Mesosemia* [Refs - b4474]
- e *syphax* (Lucas), 1849, (IOS); *Zerythis* OD: Explor. Algér. 3:pl Lep. 1, f 8 [b3020] SS: *siphax* Lucas, 1849; *Cigariüs* [Type of - *Zerythis*] [Refs - b2988 (as *siphax*); b2280]
- b *syphax* Fruhstorfer, [1912]; *Hypolycaena* OD: Berl. ent. Z. 56(3/4):238 [b1850] SS: *erylus* (Godart), [1824]; *Hypolycaena* [TypeL - Nias.] [Refs - b4094; b1850; b1454]
- c *syra* (Pfeiffer), 1932; *Thecla* OD: In Mitt. münchn. ent. Ges. 22(1):31 [b3590] SS: *ilicis* (Esper), [1779]; *Satyrium* [TypeL - N. Syria.] [Refs - b0070; ns4798]
- a *syriaca* (Tutt), 1914, 1905-1914; *Agriaides* OD: Nat. Hist. Brit. Butts 4:58 [b4760] CG: *Polyommatus* (*Lysandra*) [Type: BMNH-it; designated by Schurian, 1988] [Ent. Zeit. 98(10):141 [b4038]] [TypeL - 40 km NE Beirut, Afska, Libanon.] [Refs - b2794; b4862; b2789; b4038; b0124]
- c *f. syriacasplendens* (Zopp), 1954; *Thestor* OD: Z. wien. ent. Ges. 39:129 [b5078] SS: *nogelii* (Herrich-Schäffer), [1851]; *Tomares* [TypeL - Syria.]

- c **syrius** Fruhstorfer, 1916; *Nacaduba* OD: Zoöl. Meded. 2(2):136 [b1873] SS: parma Waterhouse & Lyell, 1914; *Nacaduba* [TypeL - Cairns.] [Refs - b4676; b1450; b0938; b4094]
- a **syrinx** (C. Felder), 1860; *Myrina* OD: Sber. Akad. Wiss. Wien 40(11):452 [b1676] CG: Horaga [Type: BMNH-ht] [TypeL - Amboina.] [Refs - b1012; b0964; b0965; b2747; b2201; b1454; b0694]
- b **syrius** Miskin, 1890; *Danis* OD: Proc. linn. Soc. N. S. Wales 2(5)(1):34 [b3212] SS: danis (Cramer), [1775]; *Danis* [Type: QM-st] [TypeL - Cape York, Australia.] [Refs - b1450; b2078; b0870; b4934; b1382]
- c **syvix** (Dyar), 1916; *Thecla* OD: Proc. U. S. natn. Mus. 51:3 [b1447] SS: cambes (Godman & Salvin), [1887]; *Noreena* [Type: USNM-ht; #19254] [TypeL - Presidio, Mexico.] [Refs - b0908; b2597]
- b **szabokyi** Bálint, 1990; *Polyommatus* OD: Ber. Kr. nürnberg. Ent. galathea 6(1):7, pl 3 [b0200] SS: kashgharensis Moore, 1878; *Polyommatus* [Type: HNHM-ht] [TypeL - Bayan Chongor aimak, Ih Bogd, Orog Nuur, Mongolia.] [Refs - b0206]
- b **taamensis** (Tite), 1963; *Erina* OD: Bull. Br. Mus. nat. Hist. (Ent.) 14(5):218 [b4677] SS: erinus (Fabricius), 1775; *Candalides* [Type: BMNH-ht] [TypeL - Taam, Western Key Islands.] [Refs - b4677; b1450]
- a **tabena** Godman & Salvin, [1887], 1879-1901; *Thecla* OD: Biol. centr.-amer., Lep. Rhop. 2:68; 3:pl 56, f 14,15 [b1975] CG: *Thecla* (New World Eumaeini) [Type: BMNH] [TypeL - Córdova and Jalapa, Mexico.] [Refs - b0908; b2988; b1975]
- c **tablazonis** (Strand), 1916, 1914-1916; *Lemonias* OD: Lep. Niepelt. (2):20, pl 15, f 1,2 [b4516] SS: leucoplaga Schaus, 1913; *Corrachia* [TypeL - Costa Rica.] [Refs - b4474; b4528]
- b **tabrenthia** Schaus, 1902; *Caria* OD: Proc. U. S. natn. Mus. 24(1262):403 [b3948] SS: castalia (Ménétriés), 1855; *Caria* [Type: USNM-ht; #5911] [TypeL - Peru.] [Refs - b3948]
- a **tachyroides** Dewitz, 1879; *Pentila* OD: Nova Acta Acad. Caesar. Leop. Carol. 41(2):201 (=29), pl 2, f 5 [b1218] [TypeL - Guinea.] [Refs - b1452; b4392; b4420; b4400]
- c **tacita** (H. Edwards), 1881; *Thecla* OD: *Papilio* 1(4):54 [b1487] SS: aurette (Boisduval), 1852; *Satyrion* [Type: CM-ht] [TypeL - Mendocino County, California.] [Refs - b0908; b3192; b1321]
- c **tacitus** (Fabricius), 1793, 1792-1799; *Hesperia* OD: Ent. syst. 3(1):308 [b1657] SS: meneias (Drury), 1782; *Symmachia* [TypeL - Surinami-]. [Refs - b2747; b4474; b5076]
- b **tacola** Fruhstorfer, 1914; *Rapala* OD: Deut. ent. Zeit. [Iris] 27(4):178 [b1854] SS: nissa (Kollar), [1844]; *Rapala* [TypeL - Assam.] [Refs - b1636; b4094 (as an aberration); b1854]
- e **tadema** Stichel, 1910, (NN); *Ancyluris* OD: Gen. Insectorum 112(A):103 [b4446] SS: eudaemon Stichel, 1910; *Ancyluris* [Refs - b4474]
- e **ab. tadeshinensis** (Wakabayashi), 1940; *Lycaena* OD: Ent. World 8(73):154, f [b4901] SS: nausithous (Bergsträsser), [1779]; *Maculinea*
- a **tadita** (Hewitson), [1877], 1863-1878; *Thecla* OD: Ill. diurn. Lep. Lycaenidae 1:208; 2:pl 83, f 698,699 [b2326] CG: *Arawacus* [Type: BMNH] [TypeL - Brazil.] [Refs - b0908; b2988; b2753]
- a **taeniata** Jordan, 1908; *Hypochrysops* OD: Novit. zool. 15:394 [b2664] [Type: BMNH-ht; designated by Sands, 1986] [Entomograph 7:45 [b3926]] [TypeL - San Cristobal, Solomon Islands.] [Refs - b1450; b2078; b3926]
- a **tafiensis** Johnson, 1993; *Gigantorubra* OD: Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (32):35, f [b2614] [Type: AMNH-ht] [TypeL - Dept. Tafi, Tucumán Prov., Argentina.] [Refs - b2614]
- a **tagalica** (Felder & Felder), 1862; *Phaedra* OD: Wien. ent. Monats. 6(9):289 [b1688] CG: *Curetis* [Type: BMNH-ht] [TypeL - Luzon, Philippines.] [Refs - b0964; b0965; b0936; b2747; b4094; b1454; b4601]
- c **tagalina** Fruhstorfer, 1908; *Curetis* OD: Stutt. ent. Ztg 69:58 [b1835] SS: tagalica (Felder & Felder), 1862; *Curetis* [Type: BMNH-ht] [TypeL - North Borneo.] [Note - *Eliot* considers this a *nomen dubium*. It may belong with *insularis*.] [Refs - b4094; b0694; b0936; ns1579; b4108 (with *insularis*.)]
- c **tagore** Fruhstorfer, 1914; *Arhopala* OD: Deut. ent. Zeit. [Iris] 28(2):122 [b1859] SS: eumolpus (Stoll), [1780]; *Arhopala* g [Type: BMNH-ht] [TypeL - Assam.] [Refs - b1644; b4094; b1859]
- a **tagyra** (Hewitson), [1865], 1863-1878; *Thecla* OD: Ill. diurn. Lep. Lycaenidae 1:73; 2:pl 28, f 20,21 [b2326] CG: *Evenus* [Type: BMNH] [TypeL - Amazon.] [Refs - b0908; b4245; b2747; b3810]
- c **tagyroides** (Lathy), 1930; *Thecla* OD: Trans. ent. Soc. Lond. 78(1):134, pl 9, f 7 [b2921] SS: floralia (H. H. Druce), 1907; *Evenus* [Type: MNHN-ht; designated by Johnson, 1991] [J. Lep. Soc. 45(2):149 [b2605]] [TypeL - Maroni, French Guiana.] [Refs - b0908; b3810; b2591; b2592]
- a **tahitiensis** Hara & Hirowatari, 1989; *Nacaduba* OD: Tyô to Ga 40(2):133, f 1-3, pl 1 [b2137] [Type: KMNH-ht] [TypeL - Mt. Marau, Tahiti Island.] [Refs - b0123; b2137; b2387; b2388]
- c **taiheizana** (Nomura), 1931; *Zephyrus* OD: *Zephyrus* 3(1):59, f [b3406] SS: taiwanus (Wileman), 1908; *Neozephyrus* [TypeL - Formosa.] [Refs - b4198; b2463]
- a **taikosama** (Wallengren), 1857; *Cyganitis* OD: K. svenska VetenskAkad. Handl. (nf)2(4):43 [b4913] CG: *Aloeides* [Type: NRS-ht] [TypeL - Caffrania.] [Refs - b0965; b2747; b0104; b1452; b4400; b3313; b4685]
- b **taimana** Fruhstorfer, 1917; *Ponitia* OD: Soc. ent. 32(10):39 [b1878] SS: philota Hewitson, 1874; *Ponitia* [Type: BMNH-ht] [TypeL - Nias] [Refs - b1878; b0950; b3782]
- b **taimyrensis** Korshunov & Pupavkin & Chemenko, 1982; *Polyommatus* OD: In Zolotareno :84 [b2832] SS: eros (Ochsenheimer), 1807; *Polyommatus* [TypeL - Russian SFSR] [Refs - b0121]
- b **tainaron** (Fruhstorfer), 1915; *Lycaena* OD: Soc. ent. 30:68 [b1868] SS: anion (Linnaeus), 1758; *Maculinea* [TypeL - Wallis or Tschieboz.] [Refs - b0236; b0072; b0400; b1868; b2858]
- e **tainaronobscura** Beuret, 1957; *Maculinea* OD: Lyc. Schweiz. II :257 [b0400] SS: tainaron (Fruhstorfer), 1915; *Maculinea* [TypeL - Switzerland.] [Refs - b0400]
- b **tairea** Fruhstorfer, 1916; *Nacaduba* OD: Zoöl. Meded. 2(2):110 [b1873] SS: hermus (C. Felder), 1860; *Nacaduba* [Type: BMNH-ht] [TypeL - Philippines.] [Refs - b4676; b4094; b1454]
- a **taitensis** (Boisduval), 1832; *Lycaena* OD: In d'Urville, Voy. Astrolabe 1(Lép.):77 [b0457] CG: *Catochrysops* [TypeL - Tahiti.] [Refs - b1450; b4670; b2747; b4871; b4940; b2388]
- b **taiwana** Matsumura, 1919; *Shijimia* OD: Thous. Ins. Japan Addit. 3:655, f [b3089] SS: moorei (Leech), 1889; *Shijimia* [TypeL - Japan.] [Refs - b4198; b0236; b5053; b0694]
- c **taiwana** (Matsumura), 1919; *Lampides* OD: Thous. Ins. Japan Addit. 3:631, pl 49, f 7 [b3089] SS: celeno (Cramer), [1775]; *Jamides* [TypeL - Japan.] [Refs - b4198; b0236; b1454]

- **taiwana** Matsumura, 1919; *Nacaduba* OD: Thous. Ins. Japan Addit. 3:636, pl 49, f 16 [b3089] CG: *Nacaduba* [TypeL - Japan.] [Refs - b4198; b0236; b0126]
- b **taiwana** (Sonan), 1938; *Zizera* OD: *Zephyrus* 7(4):254, f [b4279] SS: *alsulus* (Herrich-Schäffer), 1869; *Famegana* [TypeL - Formosa.] [Refs - b4198; b1900; b5053]
- a **taiwanus** (Wileman), 1908; *Zephyrus* OD: Annot. zool. jap. 6(5):324 [b5005] CG: *Neozephyrus* [Type: BMNH-ht] [TypeL - Formosa.] [Refs - b4198; b5005; b5006; b0236; b4547; b5052; b5053; b4214; b5006; b4200; b3296; b1454; b2463; b2816]
- a **tajoraca** Walker, 1870; *Iolaus* OD: Entomologist 5:51 [b4911] CG: *Iolaus* (*Epamera*) [TypeL - Arabia.] [Refs - b2753; b1452; b4394; b4400; b2560]
- a **takamukuana** Matsumura, 1919; *Nacaduba* OD: Thous. Ins. Japan Addit. 3:637, pl 49, f 15 [b3089] CG: *Nacaduba* [TypeL - Japan.] [Refs - b4198; b0236; b0126]
- b **takamukui** (Matsumura), 1919; *Lycaena* OD: Thous. Ins. Japan Addit. 3:653, pl 49, f 32 [b3089] SS: *arionides* (Staudinger), 1887; *Maculinea* [TypeL - Nagano-ken, Japan.] [Refs - b2479; b1900; b0236; b0067; b4225]
- a **takanamii** Eliot, 1984; *Spalgis* OD: *Tyô to Ga* 35(2):75, 2 f [b1567] [Type: BMNH-ht] [TypeL - Mt. Apo, Mindanao, Philippines.] [Refs - b1567; b1454; b3550]
- b **takanamii** Hayashi, 1984; *Rapala* OD: *Iwase* (2):19; pl 1, f 16,17; pl 2, f 16,17 [b2199] SS: *tomokoae* Hayashi & Schröder & Treadaway, 1978; *Rapala* [TypeL - Negros Island, Philippines.] [Refs - b2199; b2201]
- a **takanamii** Eliot, 1986; *Miletus* OD: Bull. Br. Mus. nat. Hist. (Ent.) 53(1):83, f 54,102,103 [b1571] CG: *Miletus* 4 [Type: BMNH-ht] [TypeL - Mindanao, Philippines.] [Refs - b1571]
- b **takanamii** Schröder & Treadaway, 1989; *Curetis* OD: Ent. Zeit. 99(19):279, f 6 [b3989] SS: *tagalica* (Felder & Felder), 1862; *Curetis* [Type: pc-ht; collection of Treadaway.] [TypeL - Cavan Cavan, Sibutu Island, Tawitawi Group, Philippines.] [Refs - b3989]
- b **takanamii** Seki, 1993; *Arhopala* OD: *Fil-Kulisap* 1(2):4 [b4101] SS: *grandimuta* Seki, 1993; *Arhopala* i [Type: pc-ht; collection of Seki] [TypeL - Tandag Surigao, N. E. Mindanao, Philippines.] [Refs - b4101]
- a **takanonis** (Matsumura), 1906; *Aphnaeus* OD: Annot. zool. jap. 6(1):12, pl 1, f 7 [b3082] CG: *Spindasis* [TypeL - Hondo (Harima), Japan.] [Refs - b4115; b2988; b4094 (takaonis); b2479; b1850; b2212; b0731; b1455]
- e **takaonis** (Seitz), [1924], 1912-1927, (ISS); *Aphnaeus* OD: In Seitz, *Grossschmett. Erde* 9:938 [b4094] SS: *takanonis* (Matsumura), 1906; *Spindasis* [Refs - b4094]
- a **takarana** (Araki & Hirayama), 1941; *Coreana* OD: *Mushi no Sekai* 4(11/12):1-2, f 1,2 [b0129] CG: *Ussuriana* [TypeL - Formosa.] [Note - Described as a subspecies of *michaelis*.] [Refs - b4198; b5053; b3283; b4200; b1454; b0129; b2810]
- c **takasagoensis** (Nire), 1920; *Zephyrus* OD: Zool. Mag. 32:374-375 [b3404] SS: *taiwanus* (Wileman), 1908; *Neozephyrus* [Refs - b4198; b2479; b0070; b4214; b1615; b2463]
- a **takasagonis** Matsumura, 1929; *Rapala* OD: Ins. matsumur. 3(2/3):96 [b3098] [TypeL - Formosa.] [Refs - b4198; b0236; b5053; b4776; b1454]
- a **takashimai** Koiwaya, 1993; *Shaanxiana* OD: Stud. Chin. Butterflies 2:46, f [b2818] [TypeL - Shaanxi, China.] [Type of - *Shaanxiana*] [Refs - b0126]
- b **takioi** Hayashi, 1976; *Loxura* OD: *Tyô to Ga* 27(1):1, f [b2178] SS: *cassiopia* Distant, 1884; *Loxura* [TypeL - Philippines.] [Refs - b0109]
- b **takioi** Hayashi, 1984; *Drupadia* OD: *Iwase* (2):15; pl 1, f 10; pl 2, f 10 [b2199] SS: *niasica* (Röber), [1886]; *Drupadia* [TypeL - Indonesia.] [Refs - b2199; b2201; b1454; b0117]
- a **talama** Schaus, 1902; *Thecla* OD: Proc. U. S. nat. Mus. 24(1262):409 [b3948] CG: *Thecla* (New World *Eumaeini*) [Type: USNM-ht; #5926] [TypeL - Petropolis, Brazil.] [Refs - b0908; b2988; b3948]
- a **talantus** Aurivillius, 1891; *Abisara* OD: Ent. Tidskr. 12:217 [b0148] [TypeL - Cameroons.] [Refs - b2988; b4473; b0151]
- b **talauta** (Evans), 1957; *Narathura* OD: Bull. Br. Mus. nat. Hist. (Ent.) 5(3):114 [b1644] SS: *araxes* Felder & Felder, 1865; *Arhopala* h [Type: BMNH-ht] [TypeL - Talaut.] [Refs - b1644; b1454; b4595]
- c **talautensis** Chapman, 1915; *Curetis* OD: Novit. zool. 22:93 [b0770] SS: *tagalica* (Felder & Felder), 1862; *Curetis* [Type: BMNH-ht] [Refs - b1454; b0936; b4595]
- a **talayra** (Hewitson), 1868; *Thecla* OD: Descr. new Spec. Lycaenidae :1 [b2327] CG: *Iaspis* [Type: BMNH-ht; designated by Johnson, 1991] [Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (21):39 [b2606]] [TypeL - Rio de Janeiro, Brazil.] [Refs - b0908; b2747; b3818; b0125; b2606]
- a **talboti** Lathy, 1936; *Thecla* OD: Livre jubilaire de M. Eugene-Louis Bouvier :232, pl 8, f 18 [b2925] CG: *Thecla* (New World *Eumaeini*) [Type: MNHN-ht; collection of Fournier de Horrack.] [TypeL - S. Blas, Paraguay.] [Refs - b0908; b2925; b2591; b2592]
- a **talboti** Stempffer, [1937]; *Anthene* OD: Bull. Soc. ent. Fr. 41(18):283 [b4365] [Type: BMNH-ht] [TypeL - Unkomaas, Natal.] [Refs - b1259; b1452; b4365; b4400]
- b **talboti** Tite & Dickson, 1973; *Aloeides* OD: Bull. Br. Mus. nat. Hist. (Ent.) 29(5):248, f [b4685] SS: *conradi* (Aurivillius), 1907; *Aloeides* [Type: BMNH-ht] [TypeL - District of Great Crater, Tanzania.] [Refs - b0104; b4685]
- c **tale** (Hübner), [1819], 1816-1826; *Hesperia* OD: *Verz. bekannt. Schmett.* (2):25 [b2484] SS: *pygmaea* (Cramer), [1775]; *Stichelia* [Refs - b4476]
- a **talesea** Tite, 1963; *Prosotas* OD: Bull. Br. Mus. nat. Hist. (Ent.) 13(4):93, f 50; pl 1, f 12-13 [b4676] [Type: BMNH-ht] [TypeL - Talesea, New Britain.] [Refs - b1450; b4676; b2388]
- b **taletum** Waterhouse & Lyell, 1914; *Psychonotis* OD: *Butts Aust.* :93 [b4947] SS: *caeli* (Felder & Felder), 1860; *Psychonotis* [TypeL - Australia.] [Refs - b1450 (as *taletus*); b0870; b4094; b2388]
- b **taleva** Corbet, 1940; *Pontia* OD: Trans. R. ent. Soc. Lond. 90(11):342 [b0950] SS: *hewitsoni* Moore, [1866]; *Pontia* [Type: BMNH-ht] [TypeL - Selangor, Peninsular Malaya.] [Note - The holotype is a male of *hewitsoni*, while the allotype is a female of *phama*.] [Refs - b0964; b0965; b1572; b1454 (with *phama*); b1543; b0950; b4108]
- a **talidiman** Brévignon & Gallard, 1992; *Euselasia* OD: Bull. Soc. Sci. Nat. (73):3, f [b0490] [TypeL - French Guiana.] [Refs - b0125]
- a **talinga** (Kheil), 1884; *Plebeius* OD: *Rhop. Nias* :29, pl 5, f 32,33 [b2725] CG: *Jamides* [TypeL - Nias.] [Refs - b0964; b0965; b4094; b2384; b1454; b2388; b3786; b4108]
- e **talmora** H. Druce, 1873, (ISS); *Neopithecop*s OD: Proc. zool. Soc. Lond. 1873:348 [b1383] SS: *zalmora* (Butler), [1870]; *Neopithecop*s [Refs - b1011]
- a **talna** Godman & Salvin, 1897; *Theope* OD: Trans. ent. Soc. Lond. 45(2):245 [b1981] [Type: BMNH-ht] [TypeL - Ruatan I., Honduras.] [Refs - b2988; b4475; b1456]
- a **talophi** Hayashi & Schröder & Treadaway, 1984; *Pontia* OD: *Senckenbergiana* 65(1/2):29, f 1-3 [b2211] [Type: pc-ht; Colin G. Treadaway] [TypeL - Bagacay, W. Samar, Philippines.] [Refs - b2211; b1454 (in *Deramas*); b4594; b3487]

- c **talu** Eliot, 1967; *Allotinus* OD: Entomologist 100:68 [b1552] SS: melos (H. H. Druce), 1896; *Allotinus* (*Paragerydus*) [Type: BMNH-ht] [TypeL - Pulo Laut, Borneo.] [Refs - b1571; b1552; b4108]
- d **talus** (Fabricius), 1781, 1781-1782, (H); *Papilio* OD: Spec. Ins. 2:128 [b1655] SS: pygmaea (Cramer), [1775]; *Stichelia* [TypeL - Surinam"] [Refs - b2747; b4474; b5076]
- c **tama** (Fereday), [1878]; *Chrysophanus* OD: Trans. Proc. New Zealand Inst. 10:259 [b1698] SS: boldenarum White, 1862; *Lycaena* [TypeL - New Zealand.] [Refs - b1698]
- a **tamaniba** (Walker), 1870; *Aphnaeus* OD: Entomologist 5:51 [b4911] CG: Chloroselas [TypeL - Arabia.] [Refs - b2753; b4400]
- b **tamborana** Grose-Smith, 1900, 1887-1902; *Jamides* OD: Rhop. exot. 3(51):14, pl 1, f 15 [b2029] SS: bochus (Stoll), [1782]; *Jamides* [TypeL - Tambora.] [Refs - b4094; b1865; b1454; b4592]
- b **tambunanensis** Barlow & Banks & Holloway, 1971; *Prosotas* OD: Orient. Insects 5(3):289 [b0239] SS: bhutea (de Nicéville), [1884]; *Prosotas* [TypeL - Mt. Kinabalu, Sabah, Borneo.] [Refs - b0102; b4108]
- a **tameanga** Bethune-Baker, 1896; *Arhopala* OD: In Proc. zool. Soc. Lond. 1896(3):658, pl 29, f 7 [b0326] CG: *Arhopala* g [Type: BMNH-ht] [TypeL - Borneo.] [Refs - b1644; b1556; b0965; b4094 (also as taweanga); b1454; b4108]
- a **tamerlana** Staudinger, 1886, 1886-1889; *Polycaena* OD: Stett. ent. Ztg 47:227 [b4330] [TypeL - Monts Alaï, Central Asia.] [Type of - *Polycaena*] [Refs - b2988; b4245; b2280; b4473; b2827; b0236; b3438; b4092; b1455]
- a **taminella** Schaus, 1902; *Thecla* OD: Proc. U. S. natn. Mus. 24(1262):414 [b3948] CG: *Thecla* (New World Eumacini) [Type: USNM-ht; #5938] [TypeL - Castro, Parana, Brazil.] [Refs - b0908; b3948]
- a **tamos** (Godman & Salvin), [1887], 1879-1901; *Thecla* OD: Biol. centr.-amer., Lep. Rhop. 2:79; 3:pl 57, f 16,17 [b1975] CG: *Argentostriatus* [Type: BMNH-ht] [TypeL - Río Sucioo, Costa Rica.] [Type of - *Argentostriatus*] [Refs - b0908; b1975; b0125; b2615; b2606]
- a **tamu** (Kollar), [1844]; *Polyommatus* OD: In Hügel, Kaschmir 4(2):417, pl 5, f 7,8 [b2821] CG: *Heliophorus* (B) [TypeL - India bor.] [Refs - b1636; b1153; b2747; b0996; b4094; b4220; b2479; b4950; b1454; b0694; b4092.]
- e **tamyrys** (Bethune-Baker), 1903, (ISS); *Amblypodia* OD: Trans. zool. Soc. Lond. 17(1):58 [b0331] SS: thamyras (Linnaeus), 1758; *Arhopala* n [Refs - b1644]
- b **tana** Corbet, 1941; *Arhopala* OD: Proc. R. ent. Soc. Lond. (B)10(9):162 [b0956] SS: antimuta Felder & Felder, 1865; *Arhopala* k [Type: BMNH-ht] [TypeL - Ataran.] [Refs - b1644; b0956]
- c **tanagra** (C. Felder), 1860; *Lycaena* OD: Sber. Akad. Wiss. Wien 40(11):459 [b1676] SS: knysna (Trimen), 1862; *Zizeeria* [TypeL - Amboina.] [Refs - b2747]
- a **tanais** (Godman & Salvin), [1887], 1879-1901; *Thecla* OD: Biol. centr.-amer., Lep. Rhop. 2:62; 3:pl 55, f 27,28 [b1975] CG: *Symbiopsis* [Type: BMNH] [TypeL - Chiriquí, Panamá.] [Refs - b0908; b3388; b0102; b3818; b1975]
- b **tanais** Dantchenko & Lukhtanov, 1993; *Polyommatus* OD: *Atalanta* (Münnerstadt) 24(1/4):75-83 [b1104] SS: damone (Eversmann), 1841; *Polyommatus* (*Agrodiaetus*)
- b **tanais** Dantchenko & Lukhtanov, 1993; *Polyommatus* OD: *Atalanta* (Münnerstadt) 24(1/4):75-83 [b1104] SS: damocles (Herrich-Schäffer), [1844]; *Polyommatus* (*Agrodiaetus*)
- a **tanakai** (Shirôzu), 1941; *Strymon* OD: *Zephyrus* 9(2):73-75 [b4188] CG: *Satyrium* [TypeL - Taiwan.] [Refs - b4198; b5053; b1455]
- b **tanarata** (Corbet), 1937; *Celastrina* OD: Trans. R. ent. Soc. Lond. 86(2):27, f 2 [b0934] SS: selma (H. H. Druce), 1895; *Udara* (*Selmanix*) [Type: BMNH-ht] [TypeL - West Malaysia.] [Refs - b0964; b0965; b1580; b2200]
- a **tancrei** (Graeser), 1888, 1888-1893; *Lycaena* OD: Berl. ent. Z. 32:77 [b2004] CG: *Plebejus* (*Lycaeides*) [TypeL - Amurland.] [Refs - b0993; b1762; b2866; b4092]
- b **tanganikensis** Joicey & Talbot, 1921; *Epitola* OD: Bull. Hill Mus. 1(1):86, pl 14, f 63 [b2655] SS: urania Kirby, 1887; *Epitola* [Type: BMNH-st] [TypeL - Alberville, Tanganyika.] [Refs - b3842; b1452; b0836; b4400; b2655]
- a **tanganyikae** Kielland, 1983; *Omipholidotos* OD: Ent. Rec. 95(5/6):107, f 1,2 [b2732] [Type: BMNH-ht] [TypeL - Tanzania] [Refs - b2732]
- a **tanganyikae** Kielland, 1990; *Spindasis* OD: Butts Tanzania :182, f [b2738] [TypeL - Tanzania.] [Refs - b0125]
- c **tangutica** (Grum-Grshimailo), 1891; *Lycaena* OD: Horae Soc. ent. ross. 25:452 [b2068] SS: tengstroemi (Erschoff), 1874; *Satyrium* (*Rhymnaria*) [TypeL - Tibet.] [Check - Classification.] [Refs - b2479; b5064; b4092; ns3033 (with davidi, in *Neolycaena*); b1455]
- c **tanita** (Hewitson), [1861], 1852-1877; *Taxila* OD: Ill. exot. Butts 2:[---], pl [45] [b2323] SS: damajanti (Felder & Felder), 1860; *Paralaxia* [TypeL - India, Borneo.] [Refs - b1149; b2747; b1840]
- a **tankeri** (de Lesse), 1960; *Agrodiaetus* OD: Bull. Soc. ent. Mulhouse 1960:76 [b1125] CG: *Polyommatus* (*Agrodiaetus*) [TypeL - Turkey.] [Refs - b2794; ns1002; b1004]
- b **tanos** Stichel, 1910; *Napaea* OD: Gen. Insectorum 112(A):85 [b4446] SS: nepos (Fabricius), 1793; *Napaea* [Type: ZMHU-ht] [TypeL - Rio Suapi, Bolivia.] [Refs - b4474; b4446]
- a **tantalus** Hewitson, [1866], 1852-1877; *Abisara* OD: Ill. exot. Butts 3:[---], pl [52], f 14,15 [b2323] [TypeL - Africa.] [Refs - b2747; b4473; b1452]
- a **tantalus** (Trimen), 1887, 1887-1889; *Lycaena* OD: In Trimen & Bowker, S. Afr. Butts 2:38 [b4725] CG: *Lepidochrysops* [Type: BMNH-ht] [TypeL - S. Africa.] [Refs - b1259; b1452; b4400; b0359]
- c **tantilla** Thieme, 1907; *Siseme* OD: Berl. ent. Z. 52:10, pl 1, f 23 [b4640] SS: alectryo Westwood, [1851]; *Siseme* [TypeL - Colombia.]
- b **tantra** Fruhstorfer, [1914], 1909-1923; *Dicallaneura* OD: In Seitz, Grossschmett. Erde 9:788 [b1840] SS: decorata (Hewitson), [1862]; *Dicallaneura* [TypeL - S. W. Dutch New Guinea.] [Refs - b1450; b1840; b4474; b3880]
- b **tanzania** Kielland, 1986; *Abisara* OD: *Lambillionea* 86(11/12):150, f [b2735] SS: delicata Lathy, 1901; *Abisara* [TypeL - Tanzania] [Refs - b0120]
- b **taoana** Moore, [1879]; *Amblypodia* OD: Proc. zool. Soc. Lond. 1878(4):835 [b3230] SS: narada (Horsfield), [1828]; *Amblypodia* [TypeL - Tenasserim.] [Refs - b0964; b1636; b0965; b4094; b1454; b0694]
- b **taorana** Corbet, 1940; *Tajuria* OD: Trans. R. ent. Soc. Lond. 90(5):112 [b0948] SS: luculenta (Leech), 1890; *Tajuria* [TypeL - Malaysia.] [Refs - b0964; b0965; b1454; b1544]
- a **tapaja** (Saunders), [1859]; *Necyria* OD: Trans. ent. Soc. Lond. (2)5(9):108, pl 11, f 17 [nec 18] [b3939] CG: *Setabis* [TypeL - Amazonas.] [Type of - *Catagrammina*] [Refs - b2280; b2988; b2747; b4475; b3717; b3939; b1456]
- b **tapajona** (Bates), [1868]; *Orestia* OD: J. linn. Soc. Lond., Zool. 9:381, 432 [b0267] SS: vitula (Hewitson), [1853]; *Catea* [TypeL - Tapajos.] [Refs - b2747; b4474; b1453; b1456; b0267]

- c **tapajonus** Le Moul't, 1940, 1939-1940; *Helicopsis* OD: Novit. ent. (11):83 [b2943] SS: gnidus (Fabricius), 1787; *Helicopsis* [Type: AME-ht] [TypeL - Itaituba.] [Refs - b3199]
- c **tapajoz** Le Moul't, 1940, 1939-1940, (IFS); *Helicopsis* OD: Novit. ent. (16):128 [b2943] SS: cupido (Linnaeus), 1758; *Helicopsis* [Type: AME-ht] [TypeL - Itaituba, Rio Tapajáz, Pará, Brazil.] [Refs - b3199]
- e **tapinaegus** (Verity), 1948, 1947-1957, (RA); *Lycaeides* OD: Var. Pap. dium. France :117 [b4863] SS: argyrognomon (Bergsträsser), [1779]; *Plebejus* (*Lycaeides*) [Type: MZS-st] [Refs - b2856]
- a **tapini** Sands, 1979; *Philiris* OD: J. Aust. ent. Soc. 18(2):132, f [b3922] [TypeL - Papua New Guinea.] [Refs - b3922 (2231-E11); b0111]
- a **taposana** Riley, 1932; *Chloroselas* OD: Ann. Mag. nat. Hist. (10)10:146, pl 9, f 5,6 [b3773] [Type: BMNH-ht] [TypeL - Taposa, South Sudan.] [Refs - b1452; b3773; b4400]
- a **tapuyo** McAlpine, [1971]; *Calephelis* OD: J. Res. Lep. 10(1):91, f [b3127] [Type: AMNH-ht] [TypeL - Orosi, Brazil.] [Refs - b3127]
- a **tara** de Nicéville, [1889]; *Rapala* OD: J. asiat. Soc. Bengal, Pt II 57(4):284, pl 14, f 11 [b1151] [TypeL - N. India.] [Refs - b1636; b1153; b4094; b0236; b1454; b0694]
- c **taramis** Cleu, 1950; *Maculinea* OD: Revue fr. Léop. 12:257 [b0857] SS: alcon ([Denis & Schiffmüller]), 1775; *Maculinea* [Refs - b4865]
- a **tarania** (Hewitson), 1868; *Thecla* OD: Descr. new Spec. Lycaenidae :3 [b2327] CG: Arawacus [Type: BMNH] [TypeL - Minas Geraes.] [Refs - b0908; b2747; b2631; b2593; b2597; b3817; b0559]
- a **taras** (Doherty), 1889; *Paragerydus* OD: J. asiat. Soc. Bengal, Pt II 58(4):437 [b1301] CG: Allotinus (*Fabitaras*) [TypeL - Lower Tenasserim, Burma.] [Refs - b0964; b1636; b1153; b0965; b1840; b1571; b0694]
- b **taras** (Fruhstorfer), 1915; *Lycaena* OD: Soc. ent. 30:68 [b1868] SS: arion (Linnaeus), 1758; *Maculinea* [TypeL - Monti Aurunci: Petralla.] [Refs - b0236; b0072; b1868; b0471; b2858]
- e **ab. tarasina** (Cabeau), 1920, 1919-1922; *Lycaena* OD: Revue mens. Soc. ent. namur. 20:19 [b0665] SS: coridon (Poda von Neuhaus), 1761; *Polyommatus* (*Lysandra*) [Refs - b0236; b0471; b0665]
- b **tarbagata** (Suschkina), 1909; *Lycaena* OD: Ent. Rundsch. 26(10):59 [b4546] SS: cyane (Eversmann), 1837; *Polyommatus* (*Agrodiaetus*) [TypeL - Central Asia.] [Refs - b0236; b0471]
- b **tarbagataiensis** (Bálint & Kertes & Lukhtanov), 1992; *Plebeius* OD: Ent. Obozr. 71(4):863-886 [b0216] SS: zephyrinus (Christoph), 1884; *Plebejus* (*Plebejides*)
- a **tarena** Hewitson, [1874], 1863-1878; *Thecla* OD: Ill. dium. Lep. Lycaenidae 1:176; 2:pl 69, f 515,516 [b2326] CG: *Thecla* (New World Eumaeini) [Type: BMNH] [TypeL - Cayenne.] [Refs - b0908; b2753]
- a **tarinta** (Schaus), 1902; *Eurygona* OD: Proc. U. S. natn. Mus. 24(1262):398 [b3948] CG: Euselasia [Type: USNM-ht; #5896] [TypeL - Colombia.] [Refs - b3948; b1456]
- a **tarma** Johnson, 1992; *Rhamma* OD: Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (22):139, f [b2611] [Type: BMNH-ht] [TypeL - Tarma, Peru.] [Refs - b0125; b2611]
- a **tarpa** Godman & Salvin, [1887], 1879-1901; *Thecla* OD: Biol. centr.-amer., Lep. Rhop. 2:68; 3:pl 56, f 16,17 [b1975] CG: *Thecla* (New World Eumaeini) [Type: BMNH] [TypeL - Jalapa, Mexico.] [Refs - b0908; b1975]
- b **tarpina** (Hewitson), [1878], 1863-1878; *Myrina* OD: Ill. dium. Lep. Lycaenidae Suppl.:23, pl 3a, f 93-94 [b2326] SS: jalindra (Horsfield), [1829]; *Eliotia* [TypeL - Andamans.] [Refs - b1636; b1153; b4094; b1454; b0694; b4597]
- a **tarquinius** (Fabricius), 1793, 1792-1799; *Hesperia* OD: Ent. syst. 3(1):319 [b1657] CG: Feniseca [TypeL - Indiis", but really United States.] [Type of - Feniseca] [LifeH - Tietz lists b0415, b5004, b1526, b1994, b1753, b3244, b0470, b0902, b1968, b2429, b2438, b4088, b4089, b4090, b4814, b0049.] [Refs - b1530 :220, f 424; b1321 :59; b0908; b2280; b3078; b2747; b3192; b3512; b4950; b4066; b4652; b5076]
- c **tartarus** (Staudinger), 1895; *Lycaena* OD: Deut. ent. Zeit. [Iris] 8:300 [b4342] SS: orbitulus (Prunner), 1798; *Polyommatus* (*Albulina*) [TypeL - Tunis.] [Refs - b0993; b4342]
- b **tartarus** (Fruhstorfer), 1916; *Lycaena* OD: Ent. Rundsch. 33(5):19 [b1875] SS: erotides (Staudinger), 1892; *Polyommatus* [*Check - Homonym in need of a replacement.*] [Refs - b0236; b0471]
- b **tasmanicus** (Miskin), 1890; *Lycaenesthes* OD: Proc. linn. Soc. N. S. Wales (2)5(1):40 [b3212] SS: palmyra (C. Felder), 1860; *Erysichton* [TypeL - Tasmania", but really Tenimber or Queensland.] [Refs - b4676; b1450; b0870; b4094; b4940; b4934]
- a **tatabroensis** Salazar Escobar & Constantino, 1993; *Mesosemia* OD: Revta Lep. 21(8):13, f [b3912] [TypeL - Colombia.] [Refs - b0126]
- e **ab. tatakkana** (Matsumura), 1929; *Rapala* OD: Ins. matsumur. 3(2/3):98 [b3098] SS: liliacea Nire, 1920; *Tajuria* [Refs - b4198; b0236; b3098]
- b **tatiana** (d'Abrera), 1980; *Iolapilus* OD: Butts Afrotropical Region :507, f [b1452] SS: menas H. H. Druce, 1890; *Iolaus* (*Iolophilus*) [Type: BMNH-ht] [TypeL - Uganda.] [Refs - b0113; b1452]
- a **tatjana** Zhdanko, 1984; *Turanana* OD: Trudy zool. Inst., Leningr. 122:103, f [b5065] [TypeL - Kazakhstan.] [Type of - Otaria] [Refs - b0117; b5065; b3368; ns3032]
- a **tatsienluensis** (Murayama), 1955; *Neozephyrus* OD: Työ to Ga 6(1):2, f 7,8 [b3280] CG: *Chrysozephyrus* [Type: BMNH-ht; ex. coll. Oberthür.] [TypeL - Ta Tsien Lu, Szechwan, West China.] [Refs - b4214; b3280; b4200; b3296; b2463; b1455]
- a **tatsienluica** (Oberthür), 1910; *Lycaena* OD: Étud. Léop. comp. 4:298 [b3451] CG: *Polyommatus* (*Albulina*) [*Note - Classification according to Bálint (pers. comm.)*] [Refs - b0236; b3301; b0471]
- d **tatsienluica** (Oberthür), 1910, (H); *Lycaena* OD: Étud. Léop. comp. 4:328 [b3451] SS: arion (Linnaeus), 1758; *Maculinea* (*Lycaena* - Tibet.) [Refs - b0236; b0471; b4225]
- b **tatsienluica** Fruhstorfer, 1916; *Polyommatus* OD: SS: pseuderos Moore, 1879; *Polyommatus* [Refs - b0206]
- e **tatsienluica** (Riley), 1939, (IFS); *Thecla* OD: Novit. zool. 41:357 [b3778] SS: adusta (Riley), 1939; *Japonica* [TypeL - Szechuan, China.] [Refs - b3778]
- b **tattaka** (Araki), 1949; *Cophanta* OD: Trans. Kansai ent. Soc. 14(2):17-19, f 3,3a [b0128] SS: illurgis (Hewitson), [1869]; *Tajuria* [TypeL - Formosa.] [*Note - The type was destroyed by fire during WWII.*] [Refs - b4198; b5053; b3280; b1454]
- c **tattakana** (Matsumura), 1929; *Zephyrus* OD: Ins. matsumur. 3(2/3):101 [b3098] SS: taiwanus (Wileman), 1908; *Neozephyrus* [TypeL - Formosa.] [Refs - b4198; b0236; b0070; b0067; b1615; b3098]
- a **taunayi** Spitz, 1931; *Thecla* OD: Revta Ent. Rio de J. 1:50 [b4293] CG: *Thecla* (New World Eumaeini) [Type: MP-It; designated by Lamas, 1973] [Papéis avulsos Dept. Zool., São Paulo 26(13):182 [b2878]] [TypeL - Minas Geraces, Argentina.] [Refs - b0908; b0104; b3179]

- c **taurica** (Venzmer), 1920; *Lycaena* OD: Deut. ent. Zeit. [Iris] 34:49 [b4827] SS: icarus (Rotzemburg), 1775; *Polyommatus* [TypeL - Taurus.] [Refs - b0236; b2794; ns4311; b0471]
- c **tauricus** Heyne, 1895, 1893-1895; *Lycaena* OD: In Palae. Grossschmett. 1:744 [b2363] SS: asabinus (Herrich-Schäffer), [1851]; *Lycaena* (Thersamonia) [Refs - b4092]
- d **tauricus** Schurian, 1991, (H); *Polyommatus* OD: Nachr. ent. Ver. Apollo 12(3):155, f [b4040] OS: burak (Koçak), 1992; *Polyommatus* (*Lysandra*) [TypeL - Turkey.] [Refs - b0125]
- a **tavetensis** Lathy, 1906; *Spindasis* OD: Trans. ent. Soc. Lond. 54(1):6, pl 1, f 10 [b2915] [TypeL - E. Africa.] [Refs - b0162; b4400; b1452]
- b **tavoyana** Doherty, 1889; *Poritia* OD: J. asiat. Soc. Bengal, Pt II 58(4):429 [b1301] SS: hewitsoni Moore, [1866]; *Poritia* [TypeL - Tavoy.] [Refs - b1636; b0965; b4094; b1572; b3610; b1454; b0694; b1543]
- b **tavoyana** Evans, 1925; *Chilades* OD: J. Bombay nat. Hist. Soc. 30(2):344, f [b1632] SS: lajus (Stoll), [1780]; *Chilades* [TypeL - Tavoy.] [Refs - b0964; b1636; b1454; b0694; b1632]
- b **tavoyana** Evans, 1925; *Spindasis* OD: J. Bombay nat. Hist. Soc. 30(4):758 [b1634] SS: vulcanus (Fabricius), 1775; *Spindasis* [TypeL - Burma.] [Refs - b1636; b1454; b0694]
- c **tavoyana** (Evans), 1932; *Gerydus* OD: Ident. Indian Butts (2nd ed.) :210 [b1638] SS: croton (Doherty), 1889; *Miletus* 1 [TypeL - Tavoy.] [Refs - b1638]
- b **taweya** Cowan, 1966; *Horaga* OD: Bull. Br. Mus. nat. Hist. (Ent.) 18(4):129 [b1012] SS: chalcedonyx Fruhstorfer, 1914; *Horaga* [Type: BMNH-ht] [TypeL - Taweya, north of Palos Bay, Celebes.] [Refs - b1012; b1569; b1454]
- b **tawiensis** Schröder & Treadaway, 1989; *Drupadia* OD: Ent. Zeit. 99(19):276, f 3 [b3989] SS: theda (Felder & Felder), 1862; *Drupadia* [Type: pc-ht; collection of Treadaway.] [TypeL - Boloboc, Sanga Sanga Island, Tawitawi Group, Philippines.] [Refs - b3989]
- a **taxila** (Bremer), 1861; *Thecla* OD: Bull. Acad. Sci. St. Pétersbourg 3:470 [b0482] CG: Neozephyrus [Type: -lt; designated by Dubatolov & Sergeev, 1987] [Nov Maloizvestiye Vidy Fauny Sib. (19):18 [b1397]] [TypeL - Amoorland; Japan.] [Type of - Neozephyrus] [Refs - b2280; b4115; b2988; b2280; b3778; b2747; b0996; b2827; b2479; b1399; b2866; b0236; b4214; b4200; b3296 (as axila); b1454 (as taxilia); b4092; b2463]
- e **taxilia** d'Abreira, 1986, (ISS); *Neozephyrus* OD: Butts Oriental Region, Pt 3 :555 [b1454] SS: taxila (Bremer), 1861; *Neozephyrus* [Refs - b1454]
- a **tayal** (Esaki & Shirôzu), 1943; *Thecla* OD: *Zephyrus* 9(3):151-156, f [b1621] CG: *Euaspa* [TypeL - North Formosa.] [Refs - b5053 (as tayal); b4214; b4200; b3296; b1454]
- b **taygetica** (Rebel), 1902; *Lycaena* OD: Berl. ent. Z. 47:90 [b3702] SS: endymion (Gerhard), 1851; *Turanana* [Refs - b0993; b0236; ns1003; b0471]
- b **taygetus** (Felder & Felder), 1865, 1865-1875; *Lycaena* OD: *Reise Novara* (2):266, pl 33, f 19,21 [b1692] SS: caelius (Felder & Felder), 1860; *Psychonotis* [TypeL - Australia.] [Refs - b1450; b2078; b2747; b0870; b2753; b4940; b4934; b2388; b1382]
- c **taylori** Tite & Dickson, 1976; *Aloeides* OD: Ent. Rec. 88(7/8):180 [b4686] SS: rileyi Tite & Dickson, 1976; *Aloeides* [Type: UMO] [TypeL - Golden Gate, Orange Free State, South Africa.] [Refs - b1259; b0108; b2292]
- b **tearei** Dickson, 1966; *Pocilmittis* OD: Ent. Rec. 78(10):218, f [b1239] SS: brooksi Riley, 1938; *Pocilmittis* [TypeL - Riversdale, Cape Province, S. Africa.] [Refs - b1259; b1452]
- b **tearei** (Dickson), 1980, 1979-1980; *Stugeta* OD: Ent. Rec. 92(2):38, f [b1261] SS: bowkeri Trimen, 1864; *Iolaus* (*Stugeta*) [TypeL - Transvaal.] [Refs - b1610 (122-E12); b0113]
- a **tearei** Henning, 1981; *Hypolycaena* OD: Ent. Rec. 93(3/4):55, f [b2283] [TypeL - Zimbabwe.] [Refs - b1610 (7377-E12); b0114]
- a **tearei** Hemming, 1982; *Aloeides* OD: J. ent. Soc. S. Afr. 45(2):236, f [b2284] [TypeL - Namibia.] [Refs - b0115]
- a **teatea** Hewitson, 1868; *Thecla* OD: Descr. new Spec. *Lycaenidae* :4 [b2327] CG: *Thecla* (New World *Eumacini*) [Type: BMNH] [TypeL - Pará, Amazon.] [Refs - b0908; b2747]
- b **teatus** Fruhstorfer, [1912]; *Hypolycaena* OD: Berl. ent. Z. 56(3/4):238 [b1850] SS: erylus (Godart), [1824]; *Hypolycaena* [TypeL - N. Borneo.] [Refs - b0964; b0965; b4094; b1850; b1454; b4108]
- e **ab.tebaensis** Strand, 1912; *Arhopala* OD: Arch. Naturgesch. (A)78(11):79 [b4512] SS: novaeguineae Strand, 1912; *Arhopala* h [TypeL - Teba, New Guinea.] [Refs - b1644; b1450; b4528]
- a **teberdina** (Sheljuzhko), 1934; *Lycaena* OD: Z. öst. EntVer. 19:39 [b4172] CG: *Plebejus* (*Aricia*) [Refs - b1762; b2827; b0072; b2794; b4366]
- e **techloides** Sibatani, 1974, (ISS); *Melanolycaena* OD: J. Aust. ent. Soc. 13(2):97 [b4220] SS: thecloides Sibatani, 1974; *Melanolycaena* [Refs - b4221]
- a **technema** Stichel, 1910; *Symmachia* OD: Gen. Insectorum 112(A):231, pl 26, f 61a [b4446] [Type: BMNH-st] [TypeL - Trinidad; Surinam.] [Refs - b4474; b1456; b4446]
- c **tectona** (Toxopeus), 1932; *Horsfieldia* OD: Versl. Afd. Ned. Ost-Ind. ned. ent. Ver. 1(3):lxx [b4704] SS: narada (Horsfield), [1828]; *Amblypodia* [TypeL - Java.] [Refs - b0070]
- a **tedea** (Cramer), [1777], 1775-1790; *Papilio* OD: Uitd. Kapellen 2(-):---, pl 102, f A [b1069] CG: *Ancyluris* [TypeL - Surinam; Amazon.] [Refs - b2747; b4474; b1456]
- b **teesta** (de Nicéville), 1886; *Satadra* OD: J. asiat. Soc. Bengal, Pt II 55(3):253, pl 11, f 3 [b1148] SS: bazalus (Hewitson), 1862; *Arhopala* g [Type: BMNH-ht] [TypeL - Sikkim.] [Refs - b1644; b4121 (as tusta); b0996; b2200; b1454; b4094; b1148]
- c **teffensis** Le Moul, 1939, 1939-1940; *Helicopsis* OD: Novit. ent. (12):92 [b2943] SS: gnidus (Fabricius), 1787; *Helicopsis* [Type: AME-ht] [TypeL - Amazonas.] [Refs - b3199]
- a **tegaea** Hewitson, 1868; *Thecla* OD: Descr. new Spec. *Lycaenidae* :2 [b2327] CG: *Thecla* (New World *Eumacini*) *atrana* group [Type: BMNH] [TypeL - Not stated.] [Note - Johnson places this in the *Strymon* group.] [Refs - b0908; b2747; b1375; b2631; b2593; b2597]
- b **tegea** Fruhstorfer, [1912]; *Hypothecla* OD: Berl. ent. Z. 56(3/4):241 [b1850] SS: astyla (Felder & Felder), 1862; *Hypothecla* [Refs - b4094; b1454; b1850]
- a **tegula** (Hewitson), 1868; *Thecla* OD: Descr. new Spec. *Lycaenidae* :4 [b2327] CG: *Magnastigma* [Type: BMNH] [TypeL - Tapajos, Amazon.] [Type of - *Magnastigma*] [Refs - b0908; b3391; b2747; b1375]
- a **tegula** Godman & Salvin, [1886], 1879-1901; *Emesis* OD: Biol. centr.-amer., Lep. Rhop. 1:444 [b1975] [TypeL - Mexico to Panama.] [Refs - b2719; b4475; b1342; b1456]
- c **tehama** (Reakirt), 1866, 1866-1867; *Lycaena* OD: Proc. Acad. nat. Sci. Philad. 18:246 [b3697] SS: podarce (Felder & Felder), 1865; *Polyommatus* (*Agriades*) [Type: FMNH-ht] [TypeL - California.] [Refs - b0908; b2747; b0993; b0236; b3192; b1321]

- a **teiso** (Sonan), 1941; *Zephyrus* OD: Trans. nat. Hist. Soc. Formosa 31:481 [b4283] CG: *Chrysozephyrus* [Type: biblio; replacement for *esakii* Sonan, 1940.] [TypeL - Fomosa.] [Refs - b4198; b4214; b4283; b1454; b3289; b2463]
- b **teita** Stempffer, 1961; *Anthene* OD: Annl. Mus. r. Afr. cent. (8vo) (Zool.)94:63 [b4393] SS: *hobleyi* (Neave), 1904; *Anthene* [Type: pc-ht; collection of von Someren.] [TypeL - S. E. Kenya.] [Refs - b1452; b4400; b4393]
- c **teju** (Reakirt), 1866, 1866-1867; *Lycaena* OD: Proc. Acad. nat. Sci. Philad. 18:245 [b3697] SS: *strabo* (Fabricius), 1793; *Catochrysops* [Type: pc; Strecker collection.] [TypeL - California.] [Refs - b0908; b2747]
- b **tekessana** (Alphéraky), 1897; *Lycaena* OD: In Romanoff, Mém. Lép. 9:234, pl 12, f 3 [b0048] SS: *pheretiaides* (Eversmann), 1843; *Polyommatus* (*Agriades*) [Refs - b0993; b2827; b2479; b4092]
- b **tekkéana** (Christoph), 1887; *Lycaena* OD: In Romanoff, Mém. Lép. 3:52, pl 3, f 1 [b0790] SS: *erschoffi* (Lederer), 1869; *Polyommatus* (*Paragrodiaetus*) [Refs - b0993; b2827; b4092]
- e **telamon** Le Moul't, 1940, 1939-1940, (IFS); *Helicopsis* OD: Novit. ent. (16):125 [b2943] SS: *cupido* (Linnaeus), 1758; *Helicopsis* [Refs - b3199]
- c **telanjang** (Doherty), 1891; *Lampides* OD: J. asiat. Soc. Bengal, Pt II 60(1):28 [b1303] SS: *subditus* (Moore), 1886; *Jamides* [TypeL - Engano.] [Refs - b4094; b1865; b1454; b3786]
- a **telea** (Hewitson), 1868; *Thecla* OD: Descr. new Spec. Lycaenidae :4 [b2327] CG: *Chlorostyrmon* [Type: BMNH-ht] [TypeL - Amazon.] [Type of - Chlorostyrmon] [Refs - b1530 :190, f 354; b1321 :55; b0908; b0907; b2747; b2221; b0540; b3192; b1975; b0420; b2631; b4066 (as ssp of *maesites*); b2593; b2598]
- a **teleclus** (Stoll), [1790], 1780-1790; *Papilio* OD: In Cramer, Uitl. Kapellen Aanh.:---, pl 5, f 4,4E [b4478] CG: *Euselasia* [TypeL - Guiana; Amazon.] [Refs - b2747; b4474; b0680; b1456]
- c **telecta** Hübner, [1819], 1816-1826; *Euselasia* OD: Verz. bekannt. Schmett. (2):24 [b2484] SS: *teleclus* (Stoll), [1790]; *Euselasia* [Refs - b4474]
- c **telegone** (Bergsträsser), [1779], 1778-1780; *Papilio* OD: Nom. Ins. 3:8, pl 52, f 5,6 [b0310] SS: *arion* (Linnaeus), 1758; *Maculinea* [Refs - b0400]
- a **telegone** (Boisduval), 1836; *Diophtalma* OD: Spec. gén. Lépid. 1:pl 21, f 2, explic. 5 [b0462] CG: *Mesosemia* [TypeL - New Granada.] [Type of - *Diophtalma*] [Note - Often placed in *Diophtalma*.] [Refs - b2988; b2280; b2747; b4474; b2406; b2497; b1456]
- c **telegones** (Bergsträsser), [1779], 1778-1780; *Papilio* OD: Nom. Ins. 3:19, pl 61, f 7,8 [b0310] SS: *arion* (Linnaeus), 1758; *Maculinea* [Refs - b0400; b2794]
- c **telegonus** (Bergsträsser), [1779], 1778-1780; *Papilio* OD: Nom. Ins. 2:72, pl 44, f 1,2 [b0310] SS: *teleius* (Bergsträsser), [1779]; *Maculinea* [Refs - b3059; b0400; b2794]
- a **teleius** (Bergsträsser), [1779], 1778-1780; *Papilio* OD: Nom. Ins. 2:71, pl 43, f 5,6 [b0310] CG: *Maculinea* [Refs - b2375; b3059; b2747 (as *telejus*); b1780; b2827; b1039; ns4648; b0400; b2794; b4585; b2859; ns2569; ns3962; ns4037; b4225; b1455 (as *beleius*); b1407]
- a **telemus** (Cramer), [1775], 1775-1790; *Papilio* OD: Uitl. Kapellen 1(1):7, pl 4, f D,E [b1069] CG: *Paiwarria* (?) [TypeL - Berbece.] [Refs - b0908; b2747; b3818; b1975]
- b **teleontes** (H. H. Druce), 1890; *Thecla* OD: Ent. mon. Mag. 26:152 [b1354] SS: *orgia* (Hewitson), [1867]; *Parnhasius* [Type: BMNH-ht; Druce collection.] [TypeL - (Interior of) Colombia.] [Refs - b0908; b2747; b3392; b3818; b2631]
- a **telephae** Boisduval, 1836; *Alesa* OD: Spec. gén. Lépid. 1:pl 20 [=4C], f 2 (expl pl p 5) [b0462] [TypeL - Cayenne, Amazon.] [Refs - b4474; b3717; b2924; b0558; b1456]
- c **telephii** (Esper), [1778], 1776-1830; *Papilio* OD: Die Schmett. 1(1)(7):pl 41, f 2; 1(1)(9):364 [1779] [b1623] SS: *orion* (Pallas), 1771; *Scolitantides* [Refs - b2747; b0993; b0236; b0400; b4092; b2302]
- c **telephus** (Toxopeus), 1930; *Amblypodia* OD: De soorte als Functie :166 [b4702] SS: *leo* H. H. Druce, 1894; *Arhopala* e [TypeL - S.W. New Guinea.] [Refs - b1644; b4702]
- a **tesesia** (Hewitson), [1861], 1852-1877; *Taxila* OD: Ill. exot. Butts 2:[---], pl [45], f 1,2 [b2323] CG: *Paralaxita* [TypeL - Borneo; Sumatra.] [Refs - b0964; b1636; b1149; b2988; b0965; b4474; b2747; b1454; b1840]
- c **tesesippe** Grünberg, 1910; *Pentila* OD: Sber. Ges. naturf. Freunde Berl. 1910:473 [b2076] SS: *maculata* (Kirby), 1887; *Pentila* [TypeL - Cameroons.] [Refs - b2076; b4400]
- c **telicanus** (Lang), 1789; *Papilio* OD: Verz. Schmett. Gegend. Augsburg (2nd ed) :47 [b2889] SS: *pirithous* (Linnaeus), 1767; *Leptotes* [Type of - *Langia*, *Raywardia*, *Syntarucus*] [Refs - b2280; b1943; b3059; b1259; b2747; b0995; b1780; b1762; b2827; b3547; b0236; b0400; b0836; b2794; b3366; b4400; b1235; b4934; ns4651; b4092; b2364; b2920]
- c **telis** (Fruhstorfer), [1917]; *Lycaenopsis* OD: Arch. Naturgesch. (A)82(1):25 [b1880] SS: *gisca* (Fruhstorfer), 1910; *Acytoplepis* [Type: BMNH-ht; designated by Eliot & Kawazoe, 1983] [Butts *Lycaenopsis* group :174 [b1580]] [TypeL - Andaman Islands.] [Refs - b1636; b1840; b1580]
- a **tella** Schaus, 1902; *Thecla* OD: Proc. U. S. natn. Mus. 24(1262):413 [b3948] CG: *Thecla* (New World *Eumaeini*) [Type: USNM-ht; #5936] [TypeL - Nova Friburgo, Brazil.] [Refs - b0908; b3948]
- b **telloides** Schultze, 1923; *Mimacraea* OD: In Schubotz :165 [b4018] SS: *landbecki* H. H. Druce, 1910; *Mimacraea* [TypeL - C. Africa.] [Refs - b1784 :288; b1452; b4400]
- b **tellus** (Fruhstorfer), 1913; *Gerydus* OD: Z. wiss. Insek. Biol. 9(9):246 [b1851] SS: *leos* (Guérin-Méneville), [1831]; *Miletus* 4 [TypeL - Java.] [Refs - b1546; b1450; b1546; b1840]
- a **tema** Hewitson, [1867], 1863-1878; *Thecla* OD: Ill. diurn. Lep. Lycaenidae 1:82; 2:pl 35, f 75 [b2326] CG: *Thecla* (New World *Eumaeini*) [Type: BMNH] [TypeL - Amazon.] [Note - Allied to *paron*.] [Refs - b0908; b2747; b1975]
- a **temathea** (Hewitson), [1865], 1863-1878; *Thecla* OD: Ill. diurn. Lep. Lycaenidae 1:74; 2:pl 29, f 11 [b2326] CG: *Macusia* [Type: BMNH-ht] [TypeL - Amazon.] [Refs - b0908; b2747; b3818; b1975]
- c **tembaga** Moulton, [1912]; *Arhopala* OD: J. Straits Brch. R. asiat. Soc. 60:136 [b3259] SS: *aurea* (Hewitson), 1862; *Arhopala* m [Type: BMNH-ht] [TypeL - Sarawak, Borneo.] [Refs - b1644; b1556]
- a **temella** Strand, 1916, 1914-1916; *Thecla* OD: Lep. Niepelt. (2):16, pl 14, f 22,23 [b4516] CG: *Thecla* (New World *Eumaeini*) [Type: pc; Niepelt collection.] [TypeL - Colombia.] [Refs - b0908; b4528]
- a **temesa** (Hewitson), 1868; *Thecla* OD: Descr. new Spec. Lycaenidae :1 [b2327] CG: *Iaspis* [Type: BMNH-ht; designated by Johnson, 1991] [Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (21):39 [b2606]] [TypeL - Amazon.] [Type of - *Iaspis*] [Note - Placed on Official List (#2205) by Op 821.] [Refs - ns2326 (1:130, 2:pl 52, f 284,285); b0908; b2280; b3818; b0278; b1975; b2747; b2631; b2536; b2606]
- a **temesa** (Hewitson), 1877, 1869-1877; *Symmachia* OD: Equatorial Lep. Buckley (5):52 or 93 [b2330] CG: *Emesis* [TypeL - Ecuador.] [Refs - b2753; b4475; b1456]

- c **temir** Grun-Grshimailo, 1890; *Polycaena* OD: In Romanoff, *Mém. Léop.* 4:420, pl 10, f 6 [b2067] SS: tamerlana Staudinger, 1886; *Polycaena* [TypeL - Transalaï (Kisil-art.)] [Refs - b4473; b3438; b4092]
- a **tempe** Pennington, 1962; *Thestor* OD: *J. ent. Soc. S. Afr.* 25(2):282 [b3570] [TypeL - Cape Province, S. Africa.] [Refs - b1259; b1452; b4400]
- e **f. tempestatis** Dujardin, 1968, (IFS); *Polyommatus* OD: *Riviera scient.* 55:53 [b1416] SS: hispana (Herrich-Schäffer), [1851]; *Polyommatus* (*Lysandra*) [TypeL - St. Auban, France.]
- c **tenage** Hübner, [1819], 1816-1826; *Euselasia* OD: *Verz. bekannt. Schmett.* (2):24 [b2484] SS: gelon (Stoll), [1787]; *Euselasia* [Refs - b2747; b2260; b4474; x3192]
- c **tenea** (Fruhstorfer), 1914; *Arhopala* OD: *Deut. ent. Zeit.* [Iris] 28(2):129 [b1859] SS: singhapura (Distant), 1885; *Flos* [Type: BMNH-ht] [TypeL - E. Java.] [Refs - b1644; b4094; b1859]
- a **tenebricosa** Hewitson, 1877, 1869-1877; *Mesosemia* OD: *Equatorial Lep. Buckley* (5):93 [b2330] [TypeL - Ecuador.] [Refs - b2753]
- c **tenebrosa** Rothschild, 1915; *Hypochlorosis* OD: *Novit. zool.* 22:395 [b3879] SS: anüpha (Hewitson), [1869]; *Hypochlorosis* [Refs - b2078]
- a **tenedia** Felder & Felder, 1861; *Emesis* OD: *Wien. ent. Monats.* 5(4):99 [b1684] [Type: BMNH-ht] [TypeL - New Granada.] [Refs - b2988; b2747; b4475; b2221; b1342; x3192; b1722; b1456]
- a **tenella** (Miskin), 1891; *Lycaena* OD: *Ann. Qd Mus.* 1:63 [b3215] CG: Udara (Udara) [Type: QM-ht] [TypeL - Cairns, Australia.] [Refs - b1450; b4947; b1840; b0111; b1580; b0870; b4934]
- a **tenella** Stichel, 1910; *Semomesia* OD: *Gen. Insectorum* 112(A):34 [b4446] [Type: ZMHU-st] [TypeL - Chuchuras + Ucayali, Peru.] [Refs - b4474; b0420; b1456; b4446]
- a **tenellus** (Burmeister), 1878; *Lemonias* OD: *Descr. phys. Rép. Argentine* 5(Lép.)(1):225, pl 8, f 8 [b0574] CG: *Zabuella* [TypeL - Argentina.] [Type of - *Zabuella*] [Refs - b2988; b2280; b4475; b2221; b0419; b1456]
- c **tenera** (Westwood), [1851], 1846-1852; *Mesosemia* OD: *In Gen. diurn. Lep.* (2):455 [b4981] SS: tullius (Fabricius), 1787; *Perophthalma* [TypeL - Guiana, Amazon, Honduras, Venezuela.] [Type of - *Perophthalma*] [Refs - b2280; b2747; b2406; b2497; b1456]
- a **tenera** (Kirby), 1887; *Teriomina* OD: *Ann. Mag. nat. Hist.* (5)19:365 [b2763] CG: *Citrinophila* [TypeL - W. Africa.] [Refs - b1452; b0836; b4400]
- c **tenes** (Doubleday), 1847, 1844-1848; *Tanitis* OD: *List Spec. lep. Brit. Mus.* (2):19 [b1327] SS: abaris (Cramer), [1776]; *Synargis* [Refs - b4475]
- a **teneta** (Hewitson), [1861], 1852-1877; *Taxila* OD: *Ill. exot. Butts* 2:[89], pl [45], f 3,4 [b2323] CG: *Laxita* [TypeL - Sarawak.] [Type of - *Laxita*, Zarax] [Refs - b2988; b2280; b0965; b2747; b4474; b1454; b1840]
- a **tengstroemi** (Erschoff), 1874; *Lycaena* OD: *Mém. Soc. amis Sci. nat. Moscou* 11(2):11, pl 1, f 8 [b1612] CG: *Satyrium* (*Rhymnaria*) [Type: ZMMU] [TypeL - Jaxartes.] [*Check - Spelling.*] [Refs - b2988; b0851; b2753; b0996; b2827; b0127; b5064; b4092; ns3032 (*Neolycaena*); b2635 (as *tengstroemii* :311); ns3033 (*Neolycaena*); b1455]
- b **tenimberensis** (Tite), 1963; *Erina* OD: *Bull. Br. Mus. nat. Hist.* (Ent.) 14(5):219 [b4677] SS: erinus (Fabricius), 1775; *Candalides* [Type: BMNH-ht] [TypeL - Tenimber.] [Refs - b4677; b1450]
- e **tenthrona** (Seitz), [1926], 1912-1927, (ISS); *Amblypodia* OD: *In Seitz, Grossschmett. Erde* 9:1024 [b4094] SS: teuthrona Fruhstorfer, 1914; *Arhopala* n [Refs - b4094 (correct in text and index)]
- e **tenuga** (Sharp), [1890], (ISS); *Sithon* OD: *Zool. Rec.* 26(1889)(Ins.):225 [b4124] SS: teunga (Grose-Smith), 1889; *Mantoides* [Refs - b4124]
- c **f. tenuiconia** Beuret, 1949; *Maculinea* OD: *Bull. Soc. ent. Moulton* 1949:34 [b0379] SS:alcon ((Denis & Schiffemüller), 1775; *Maculinea* [Refs - b0400]
- b **f. tenuimarginata** (Grünberg), 1908; *Cupido* OD: *Sber. Ges. naturf. Freunde Berl.* 1908(3):50 [b2073] SS: cyara (Hewitson), [1876]; *Phlyaria* [Refs - b1452; b4400; b0162]
- e **tenuimarginata** Beuret, 1957; *Glaucopsyche* OD: *Lyc. Schweiz.* II :199 [b0400] SS: alexis (Poda von Neuhaus), 1761; *Glaucopsyche* [TypeL - Switzerland.] [Refs - b0400]
- b **tenuivittata** Stichel, 1910; *Mesosemia* OD: *Gen. Insectorum* 112(A):42 [b4446] SS: hesperina Butler, 1874; *Mesosemia* [Type: ZMHU-ht] [TypeL - Rio de Janeiro, Brazil.] [Refs - b4474; b1456; b4446]
- a **tenuivittata** (Stempffer), 1951; *Deudorix* OD: *Bull. Soc. ent. Fr.* 56(8):119 [b4381] CG: *Hypokopelates* [TypeL - Belgian Congo.] [Refs - b1452; b4400; b4381]
- b **tenus** (Fruhstorfer), 1915; *Lampides* OD: *Arch. Naturgesch.* (A)81(6):8 [b1865] SS: pura (Moore), 1886; *Jamides* [Type: BMNH-ht] [TypeL - N. Borneo.] [Refs - b4094; b1865; b1454; b3786; b4108]
- b **teos** (Doherty), 1891; *Gerydus* OD: *J. asiat. Soc. Bengal, Pt II* 60(2):185 [b1304] SS: leos (Guérin-Méneville), [1831]; *Mileus* 4 [TypeL - Sumba.] [Refs - b1546; b1840]
- a **tepahi** (Boisduval), 1833; *Emesis* OD: *Nouv. Ann. Mus. Hist. nat. (Paris)* 2(2):175, pl 3, f 4 [b0459] CG: *Saribia* [TypeL - Tamatave, Malagasy.] [Type of - *Saribia*] [Refs - b2988; b2280; b2753; b4473; b1452; b3775; b2085]
- a **tephlis** (Hewitson), [1869], 1863-1878; *Amblypodia* OD: *Ill. diurn. Lep. Lycaenidae* 1:14d, 2:pl 3c, f 57,58 [b2326] CG: *Arhopala* g [Type: BMNH-ht] [TypeL - Gilolo.] [Refs - b1450; b1644; b2747; b4094; b2200; b1454]
- a **tephraeus** (Geyer), [1837], 1832-1837; *Bithys* OD: *In Zutr. Samml. exot. Schmett.* 5:39, pl [165], f 959,960 [b1934] CG: *Thecla* (New World *Eumaeini*) [Refs - b0908; b2988; b2747; b2221; b3818; b2497; b1975]
- b **tephrias** Stichel, 1915; *Eurybia* OD: *Deut. ent. Zeit.* 1915:691 [b4451] SS: elvina Stichel, 1910; *Eurybia* [Type: pe-st; collection of Stichel] [TypeL - Cuyaba, Mato Grosso, Brazil.] [Refs - b4474; b1140]
- a **tera** (Hewitson), 1873; *Liptena* OD: *Ent. mon. Mag.* 10:125 [b2336] CG: *Larinopoda* [TypeL - Gaboon.] [Refs - b2753; b1452; b4400]
- a **tera** (Hewitson), [1878], 1863-1878; *Thecla* OD: *Ill. diurn. Lep. Lycaenidae* 1:211; 2:pl 84, f 714,715 [b2326] CG: *Terra* [Type: BMNH; Staudinger collection.] [TypeL - Chiriquí, Panamá.] [Type of - *Terra*] [Refs - b0908; b0833; b1975; b2632]
- b **tera** Fruhstorfer, [1904]; *Abisara* OD: *Berl. ent. Z.* 48(4):288,291 [b1817] SS: saturata (Moore), 1878; *Abisara* [Type: BMNH] [Refs - b0294; b4473; b1454; b1840; b3528]
- a **terambus** (Godart), [1824], 1819-1824; *Polyommatus* OD: *In Ency. méth.* 9(Ins.)(2):676 [b1970] CG: *Theope* [TypeL - Brasilia.] [Type of - *Theope*] [Refs - b2988; b2280; b2747; b4475; b1456]
- b **terana** (Fruhstorfer), [1912]; *Aphnaeus* OD: *Berl. ent. Z.* 56(3/4):217 [b1850] SS: syama (Horsfield), [1829]; *Spindasis* [TypeL - Sumatra.] [Refs - b0964; b0965; b4094; b2201; b1454; b1850]
- b **terana** (Seitz), [1926], 1912-1927; *Thrix* OD: *In Seitz, Grossschmett. Erde* 9:992, f 159h [b4094] SS: hypoleuca (Hewitson), [1865]; *Manto* [TypeL - Sumatra.] [Refs - b0964; b0965; b4094 (as Fruhstorfer name); b1454]

- a **teras** Stichel, 1910; *Lepricornis* OD: Gen. Insectorum 112(A):147, pl 26, f 34 [b4446] [Type: ZMHU-st] [TypeL - Santa Catharina + Rio Madeira, Brazil.] [Refs - b4474; b0419; b1456; b4446]
- c **terentia** Hewitson, 1868; *Thecla* OD: Descr. new Spec. Lycaenidae :2 [b2327] SS: lycabas (Cramer), [1777]; *Thecla* (New World Eumaeini) [Type: BMNH] [TypeL - Caicara, (Upper) Amazon.] [Note - Lathy doubts this is a synonym, and considers it a distinct species.] [Refs - b0908; b2747; b1453; b3818; b1975; b2918]
- b **terenzius** Fruhstorfer, [1912]; *Deudorix* OD: Berl. ent. Z. 56(3/4):267 [b1850] SS: epijarbas (Moore), [1858]; *Deudorix* [TypeL - Nias.] [Refs - b4094; b2201; b1454; b1850]
- c **teresa** (Hewitson), 1869; *Epitola* OD: Ent. mon. Mag. 6:86 [b2329] SS: honorius (Fabricius), 1793; *Aethiopana* [TypeL - Africa occ.] [Refs - b2747]
- a **teresina** (Hewitson), [1878], 1863-1878; *Thecla* OD: Ill. dium. Lep. Lycaenidae 1:209; 2:pl 84, f 707,708 [b2326] CG: Evenus (?) [Type: pc; Staudinger collection.] [TypeL - Chiriquí, Panamá.] [Refs - b0908; b2406; b1975]
- a **terias** (Godman), 1903; *Aricoris* OD: Trans. ent. Soc. Lond. 51(4):548, pl 23, f 11 [b1972] CG: Eiseleia [TypeL - Paraguay.] [Refs - b2988; b2221; b4475; b1456]
- a **terias** Joicey & Talbot, 1921; *Citrinophila* OD: Bull. Hill Mus. 1(1):82, pl 14, f 53 [b2655] [Type: BMNH-ht] [TypeL - Ituri Forest, N. W. Beni.] [Refs - b1452; b4400; b2655]
- b **termerion** Fruhstorfer, 1914; *Arhopala* OD: Deut. ent. Zeit. [Iris] 28(2):133 [b1859] SS: phaenops Felder & Felder, 1865; *Arhopala* f [Type: BMNH-ht] [TypeL - Bazilan.] [Refs - b1644; b2200; b1859; b4094; b4601]
- a **ternatensis** Eliot & Kawazoé, 1983; *Monodontides* OD: Butts Lycaenopsis group :275, f [b1580] [Type: BMNH-ht] [TypeL - Temate Islands, Moluccas.] [Refs - b1580]
- b **ternejana** (Kurentzov), 1970; *Lycaena* OD: Butts Far East USSR :132 [b2864] SS: argus (Linnaeus), 1758; *Plebejus* [Refs - b2866]
- b **teroana** Talbot, 1935; *Liptena* OD: Ent. mon. Mag. 71:72 [b4623] SS: o-rubrum (Holland), 1890; *Liptena* [TypeL - Uganda.] [Refs - b1452; b4623; b4400]
- a **teroensis** Stempffer, 1957; *Ornipholidotos* OD: Bull. Inst. franç. Afr. Noire 19(A):211, f [b4390] [TypeL - Uganda.] [Refs - b1452; b4400]
- c **terpna** Stichel, 1910; *Imelda* OD: Berl. ent. Z. 55(1/2):91 [b4445] SS: mycea (Hewitson), [1865]; *Imelda* [Type: biblio] [TypeL - Colombia.] [Refs - b4475; b0117; b0678; b1456; b4445]
- a **terpsichore** Westwood, [1851], 1846-1852; *Lyropteryx* OD: In Gen. dium. Lep. (2):433 [b4981] [TypeL - Brasilia.] [Refs - b2988; b2747; b4474; b1456]
- b **terpsichore** Stichel, 1910; *Chorinea* OD: Gen. Insectorum 112(A):117 [b4446] SS: sylphina (Bates), [1868]; *Chorinea* [Type: ZMHU-st] [TypeL - Bolivia.] [Refs - b4474; b1456; b4446]
- c **terpsichore** Seitz, [1917], 1910-1924; *Stalactis* OD: In Seitz, Grossschmett. Erde 5:719 [b4093] SS: calliope (Linnaeus), 1758; *Stalactis* [TypeL - French Guiana.] [Refs - b4476; b4093]
- b **terpsichore** Talbot, 1935; *Cooksonia* OD: Ent. mon. Mag. 71:204 [b4623] SS: trimeni H. H. Druce, 1905; *Cooksonia* [TypeL - Katanga.] [Refs - b1452; b4623; b4400]
- b **terrea** Stichel, 1924; *Euselasia* OD: Z. wiss. InsektBiol. 19:247 [b4462] SS: ella Seitz, [1917]; *Euselasia* [TypeL - Brazil.] [Refs - b4474]
- a **terrenus** (Joicey & Talbot), 1926; *Syntarucus* OD: Entomologist 59:224 [b2662] CG: *Leptotes* [TypeL - St. Thomas Island, Africa.] [Refs - b1452; b4400]
- c **terricola** (Horsfield), [1829], 1828-1829; *Phaedra* OD: Descr. Cat. lepid. Ins. (2):124 [b2457] SS: thetis (Drury), [1773]; *Curetis* [Type of - *Phaedra*] [Refs - b2280; b2747; b0694]
- b **tersa** Stichel, 1919; *Helicopsis* OD: Deut. ent. Zeit. 1919:322 [b4454] SS: cupido (Linnaeus), 1758; *Helicopsis* [Type: ZMHU-st] [TypeL - S. Venezuela.] [Refs - b4474; b3199; b4454]
- a **tertius** Rothschild, 1915; *Lampides* OD: Novit. zool. 22:138 [b3878] [TypeL - Ceram.]
- e **ab. teshionis** (Matsumura), 1926; *Lycaena* OD: Ins. matsumur. 1(1):28 [b3092] SS: euphemus (Hübner), [1800]; *Maculinea* [TypeL - Japan.] [Refs - b0471; b0064]
- c **tespis** (Herbst), 1804, 1788-1804; *Papilio* OD: In Jablonsky, Natursyst. Ins., Schmett. 11:270, pl 317, f 7,8 [b2306] SS: palemon (Stoll), [1782]; *Cacyreus* [Refs - b2753; b4400]
- e **tespis** (Kirby), 1871, (ISS); *Cupido* OD: Syn. Cat. dium. Lep. :361 [b2747] SS: thespis (Linnaeus), 1764; *Tarucus* [Note - Correctly shown as *thespis* in the index.] [Refs - b2747]
- b **tessei** (Joicey & Noakes & Talbot), [1916]; *Abisara* OD: Trans. ent. Soc. Lond. 63(3/4):368, pl 58, f 4; pl 59, f 2 [b2651] SS: heterisa (Jordan), 1912; *Praetaxila* [TypeL - New Guinea.] [Refs - b1450; b4474; b2651]
- e **tesselata** d'Abbrera, 1986, (ISS); *Niphanda* OD: Butts Oriental Region, Pt 3 :637 [b1454] SS: *tessellata* Moore, [1875]; *Niphanda* [Refs - b1454]
- a **tessellata** Moore, [1875]; *Niphanda* OD: Proc. zool. Soc. Lond. 1874(4):572, pl 66, f 6 [b3223] [TypeL - Penang.] [Type of - *Niphanda*] [Refs - b2280; b1636; b0964; b0965; b2753; b1568; b3223; b1454 (as *tesselata*); b1840; b0694]
- b **tessmanni** (Grünberg), 1910; *Pseuderesia* OD: Sber. Ges. naturf. Freunde Berl. 1910:475 [b2076] SS: *morelsii* (Aurivillius), 1901; *Mimeresia* [TypeL - Spanish Guinea.] [Refs - b1452; b2076; b4400]
- c **testa** Swinhoe, 1897; *Rapala* OD: Ann. Mag. nat. Hist. (6)19:410 [b4572] SS: *suffusa* (Moore), [1879]; *Rapala* [TypeL - India.] [Refs - b1636; b4094]
- e **ab. testacea** (Lagerberg), 1911; *Chrysophanus* OD: Ent. Tidskr. 32(1):23 [b2875] SS: *hippotoe* (Linnaeus), 1761; *Palaeochrysophanus* [TypeL - Schweden.] [Refs - b0236; b0471]
- b **testis** Stichel, 1909; *Mesosemia* OD: Berl. ent. Z. 54(1/2):12 [b4444] SS: *judicialis* Butler, 1874; *Mesosemia* [TypeL - Bolivia.] [Refs - b4474]
- a **tetra** (Edwards), 1870; *Thecla* OD: Trans. amer. ent. Soc. 3(1):19 [b1499] CG: *Satyrnum* [Type: CM-nt; designated by Brown & Clench, 1970] [In Trans. amer. ent. Soc. 96:36 [b0536]] [TypeL - Arroy Bayo, Santa clara County, California.] [Refs - b1943; b0908; b0851; b2747; b0551; b3192; b1321; b2631; b4066]
- e **ab. tetra** Seitz, [1917], 1910-1924; *Euselasia* OD: In Seitz, Grossschmett. Erde 5:632 [b4093] SS: *gyda* (Hewitson), [1860]; *Euselasia* [Refs - b4474]
- e **ab. tetrapunctata** Fritsch, [1910]; *Polyommatus* OD: Berl. ent. Z. 54(3/4):234 [b1796] SS: *icarus* (Rottemburg), 1775; *Polyommatus* [Refs - b0236]
- e **tetrasigma** d'Abbrera, 1994, (ISS); *Theope* OD: Butts Neotropical Region, Pt 4:998 SS: *tetrasigma* Bates, [1868]; *Theope* [Refs - b1456]
- a **tetrastigma** Bates, [1868]; *Theope* OD: J. linn. Soc. Lond., Zool. 9:408 [b0267] [TypeL - Tapajos.] [Refs - b4475; b0267; b2747; b1456 (as *tetrasigma*)]

- c **tetrica** Stichel, 1910; *Mesosemia* OD: Gen. Insectorum 112(A):57 [b4446] SS: lamachus Hewitson, [1857]; *Mesosemia* [Type: bibliol] [Refs - b4474; b2406]
- b **tetrica** (de Sagarra y Castellamau), 1925; *Raywardia* OD: Buttl. Inst. catal. Hist. nat. (2)5:45 [b1177] SS: piriuous (Linnaeus), 1767; *Leptotes* [TypeL - Spain.] [Refs - b1642; b0236; b0400; b0471]
- b **tetrophthalma** Stichel, 1915; *Mesosemia* OD: Deut. ent. Zeit. 1915:671, pl 21, f 8 [b4451] SS: minos Hewitson, [1859]; *Mesosemia* [TypeL - Penambucu & Quipapa, Brazil.] [Refs - b4451; b1456]
- a **tetsuzana** (Matsumura), 1938; *Rapala* OD: Ins. matsumur. 12:107 [b3103] CG: Deudorix [TypeL - Korea.] [Refs - b3103]
- a **teucra** Hewitson, 1868; *Thecla* OD: Descr. new Spec. Lycaenidae :3 [b2327] CG: *Thecla* (New World Eumaeini) [Type: BMNH] [TypeL - Amazon.] [Refs - b0908; b2747; b1975]
- b **teunga** (Grose-Smith), 1889; *Sithon* OD: Ann. Mag. nat. Hist. (6)3:317 [b2031] SS: gama (Distant), 1886; *Mantoides* [TypeL - Mt. Kinabalu, Borneo.] [Refs - b4094; b4104; b4108; b2031]
- c **teuthrone** Fruhstorfer, 1914; *Arhopala* OD: Deut. ent. Zeit. [Iris] 27(4):157 [b1853] SS: phryxus Boisduval, 1832; *Arhopala* n [Type: BMNH-ht] [TypeL - Eilanden R., New Guinea.] [Refs - b1644; b1450; b4094 (also as tenthron)]
- b **teutyra** Fruhstorfer, [1914], 1909-1923; *Abisara* OD: In Seitz, Grossschmett. Erde 9:785, pl 138b [b1840] SS: savitri Felder & Felder, 1860; *Abisara* [TypeL - Padang Pandjang, W. Sumatra.] [Refs - b4473; b1840]
- b **texami** (Clench), 1981; *Callophrys* OD: Bull. Allyn Mus. (64):6-7, f 7-10 [b0853] SS: xami (Reakirt), [1867]; *Sandia* [Type: CM-ht] [TypeL - Corpus Christi, Nueces County, Texas.] [Refs - b0853; x3192; b1722]
- b **texana** Chermock, 1945; *Everes* OD: Can. Ent. 76(11):215 [b0779] SS: comyntas (Godart), [1824]; *Everes* [Type: AME-ht] [TypeL - San Antonio, Texas.] [Note - May belong with *herrii*, with may be a good species.] [Refs - b0908; b1711; b3192; b1321; b0779; b1722]
- b **texanus** Goodpasture, 1973; *Plebejus* OD: Pan-Pac. Ent. 49(2):149, f [b1995] SS: acmon Westwood, [1852]; *Plebejus* (*Icaricia*) [Type: LACM-ht] [TypeL - Hillside, Yavapai Co., Arizona.] [Refs - b4688; b1995; b0104; b1343; b3192; b2417; b0493; b1743; b2419; b4690; b4066]
- a **teysmanni** (Weyenbergh), 1874; *Polyommatus* OD: Petites Nouv. ent. 1(102):408 [b4985] CG: *Heliophorus* (?) [TypeL - Banka.] [Refs - b2753]
- c **teza** Swinhoe, 1899; *Tajuria* OD: Ann. Mag. nat. Hist. (7)3:106 [b4573] SS: istroidea de Nicéville, 1887; *Tajuria* [TypeL - Jaintia Hills.] [Refs - b0694]
- a **thabena** (Hewitson), 1868; *Thecla* OD: Descr. new Spec. Lycaenidae :1 [b2327] CG: *Iaspis* [Type: BMNH-lt; designated by Johnson, 1991] [Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (21):39 [b2606]] [TypeL - Amazon.] [Refs - b0908; b2747; b0125; b2606]
- c **thadmor** (Fruhstorfer), 1916; *Nacaduba* OD: Zoöl. Meded. 2(2):138 [b1873] SS: meiranganus (Röber), [1886]; *Erysichton* [TypeL - Dampier, Vulcan, New Guinea.] [Refs - b4676; b1450; b4094]
- b **thaenia** (H. H. Druce), 1895; *Biduanda* OD: Proc. zool. Soc. Lond. 1895(3):614, pl 34, f 2 [b1362] SS: niasica (Röber), [1886]; *Drupadia* [Type: BMNH-ht] [TypeL - Sandakan, Sabah, N. Borneo, but probably Sulu Island.] [Refs - b1030; b4094; b0105; b2201; b1362; b1454; b4596]
- b **thalaba** Fruhstorfer, [1923], 1909-1923; *Taraka* OD: In Seitz, Grossschmett. Erde 9:884 [b1840] SS: hamada (H. Druce), 1875; *Taraka* [TypeL - Formosa.] [Refs - b4198; b0236; b5053; b1840]
- a **thalassicus** Brévignon & Gallard, 1992; *Menander* OD: Bull. Soc. Sci. Nat. (73):5, f [b0490] [TypeL - French Guiana.] [Refs - b0125]
- a **thalebanus** Kimura & Murayama, 1990; *Allotinus* OD: Konchu to Shizen (Nature & Insects) 25(2):24, f [b2742] [TypeL - Thailand] [Refs - b0123]
- a **thales** (Fabricius), 1793, 1792-1799; *Hesperia* OD: Ent. syst. 3(1):268 [b1657] CG: *Thecla* (New World Eumaeini) [TypeL - Indiiis"] [Refs - b0908; b2747; b1453; b1975; b5076]
- c **thalesa** Hewitson, [1867], 1863-1878; *Thecla* OD: Ill. diurn. Lep. Lycaenidae 1:98; 2-pl 45, f 200 [b2326] SS: thales (Fabricius), 1793; *Thecla* (New World Eumaeini) [Type: BMNH] [TypeL - Pará, Amazon.] [Refs - b0908; b2747; b1975]
- a **thalia** (Leech), [1893], 1893-1894; *Thecla* OD: Butts China Japan Corea :367, pl 30, f 15 [b2966] CG: *Fixsenia* [TypeL - Central China.] [Type of - *Leechia*, *Strymonidia*] [Note - Placed on Official List by Op 541.] [Refs - b2988; b2280; b4245; b0851; b0996; b2479; b2530 (Op 541, L 1603); b2631 (in *Strymonidia*); b4092; b3151; b1455]
- c **thalia** Corbet, 1938; *Nacaduba* OD: Trans. R. ent. Soc. Lond. 87(5):134 [b0938] SS: elioti Corbet, 1938; *Nacaduba* [Type: BMNH-ht] [TypeL - Gn. Dulit, Sarawak, Borneo.] [Refs - b4676; b0938; b4108]
- b **thaliarchus** (Staudinger), [1887], 1884-1888; *Sithon* OD: In Exot. Schmett. 1:277; 2-pl 95 [b4329] SS: theda (Felder & Felder), 1862; *Drupadia* [Type: ZMHU-lt; designated by Takanami, 1989] [Työ to Ga 40(1):31 [b4602]] [TypeL - Minahassa, N. Sulawesi, Indonesia.] [Refs - b1030; b4094; b0105; b2201; b1454; b4602]
- b **thalimar** (Fruhstorfer), [1923], 1909-1923; *Castalius* OD: In Seitz, Grossschmett. Erde 9:887 [b1840] SS: ethion (Westwood), [1851]; *Discolampa* [TypeL - Indoaustralia.] [Refs - b0964; b0965; b1840; b1454]
- c **thallus** (Cramer), [1780], 1775-1790; *Papilio* OD: Uil. Kapellen 3(22):117, pl 259, f C,D [b1069] SS: aeolus (Fabricius), 1775; *Panhiades* [TypeL - Surinam.] [Refs - b0908; b3390; b2747]
- b **thallus** (Stichel), 1910; *Tharops* OD: Gen. Insectorum 112(A):304 [b4446] SS: menander (Stoll), [1780]; *Menander* [Type: ZMHU-st] [TypeL - Rio Songo, Bolivia; Chanchamayo & Iquitos, Peru.] [Refs - b4475; b4446]
- a **thama** (Hewitson), [1877], 1863-1878; *Thecla* OD: Ill. diurn. Lep. Lycaenidae 1:189; 2-pl 75, f 591,592 [b2326] CG: *Morphissima* [Type: BMNH-lt; designated by Johnson, 1991] [Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (21):27 [b2606]] [TypeL - Santa Martha, (Northern) Colombia.] [Refs - b0908; b2753; b3818; b1375; b1975; b0125; b2606]
- b **thamar** (Toxopeus), 1935; *Ruralis* OD: Ent. Med. Ned.-Indië 1:35 [b4707] SS: absolon (Hewitson), [1865]; *Austrozephyrus* [TypeL - Mt. Tanggamoes, S. Sumatra.] [Refs - b2200; b1454; b2463]
- e **thamryas** d'Abrebra, 1971, (ISS); *Arhopala* OD: Butts Australian Region :315, pl 414 [b1450] OS: *thamyras* (Linnaeus), 1758; *Arhopala* n [Refs - b1450]

- a **thamyras** (Linnaeus), 1758; *Papilio* OD: Syst. nat. (ed. 10) 1:483 [b2993] CG: *Arhopala* n [TypeL - Indies" but really *Amboina*.] [Note - Kirby placed this name in *Thecla*? (:401), but also included the name in his section of undetermined species (:637). Comstock & Huntington included it in their catalogue, but doubted it was an *American Lycaenid*.] [Refs - b1644; b1450 (as *thamyras*); b2747; b4094; b0908; b1039; b1375; b3550]
- b **thanetus** (Fruhstorfer), 1915; *Lampides* OD: Arch. Naturgesch. (A)81(6):18 [b1865] SS: *elpis* (Godart), [1824]; *Jamides* [Type: BMNH-ht] [TypeL - Nias.] [Refs - b4094; b1865; b3786; b3782]
- a **thara** (Hewitson), [1858], 1852-1877; *Lemonias* OD: Ill. exot. Butts 2:[-], pl [58], f 17-18 [b2323] CG: *Calospila* [TypeL - Amazon.] [Refs - b2988; b2747; b4475; b2753; b1456]
- a **thara** Hewitson, [1867], 1863-1878; *Thecla* OD: Ill. diurn. Lep. Lycaenidae 1:83; 2:pl 32, f 45,46 [b2326] CG: *Thecla* (New World *Eumaeini*) *myrtea* group [Type: BMNH] [TypeL - Rio de Janeiro, Brazil.] [Refs - b0908; b2747; b1375; b3810]
- a **thargelia** Burmeister, 1878; *Thecla* OD: Descr. phys. Rép. Argentine 5(Lép.)(1):230, pl 8, f 9 [b0574] CG: *Thecla* (New World *Eumaeini*) [TypeL - (Northern) Argentina.] [Refs - b2221; b0420]
- a **tharis** (Geyer), [1837], 1832-1837; *Oxylydes* OD: In Zutr. Samml. exot. Schmett. 5:22, pl [152], f 883,884 [b1934] CG: *Eooxylydes* [TypeL - Java.] [Type of - *Eooxylydes*, *Indoxylydes*, *Marshallia*] [Refs - b0964; b1636; b2280; b0965; b2747; b4094; b1454; b0694]
- b **tharisides** Fruhstorfer, 1904; *Eooxylydes* OD: Deut. ent. Zeit. [Iris] 16(2):312 [b1818] SS: *tharis* (Geyer), [1837]; *Eooxylydes* [TypeL - N. Borneo.] [Refs - b4094; b1454; b4108]
- b **tharrytas** Felder & Felder, 1862; *Hypolycaena* OD: Wien. ent. Monats. 6(9):294 [b1688] SS: *sipylus* (C. Felder), 1860; *Hypolycaena* [TypeL - Luzon, Philippines.] [Refs - b2747; b4094; b1454; b4601]
- e **tharybas** Doubleday, 1847, 1844-1848, (NN); *Mesosemia* OD: List Spec. lep. Brit. Mus. (2):13 [b1327] SS: *coea* Hübner, [1819]; *Mesosemia* [Refs - b4474]
- a **thasus** (Stoll), [1780], 1780-1790; *Papilio* OD: In Cramer, Uitl. Kapellen 4(28): 86, pl 333, f I [b4478] CG: *Cremna* [TypeL - Surinam.] [Refs - b4474; b2406; b1456]
- c **thauma** (Staudinger), 1895; *Waigeum* OD: Deut. ent. Zeit. [Iris] 8:154 [b4341] SS: *miraculum* (H. H. Druce & Bethune-Baker), 1893; *Hypochrysops* [TypeL - Waigeo.] [Refs - b1450; b2078; b3926]
- a **thau maria** Stichel, 1911; *Pachythone* OD: Gen. Insectorum 112(B):282, pl 27, f 72 [b4447] [Type: BMNH-st] [TypeL - British Guyana.] [Refs - b4475; b1456; b4446]
- b **thau mas** Fruhstorfer, 1916; *Nacaduba* OD: Zoöl. Meded. 2(2):111 [b1873] SS: *sericina* (Felder & Felder), 1865; *Nacaduba* [TypeL - Bazilan and Mindanao, Philippines.] [Refs - b4676 (as *thau mus*); b1454 (as *thau mus*); b4594; b4094; b1873]
- a **thau masia** Stichel, 1910; *Ancyluris* OD: Gen. Insectorum 112(A):106 [b4446] [Type: BMNH-st] [TypeL - La Paz, Bolivia.hozona] [Refs - b4474; b4446]
- e **thau mus** Tite, 1963, (ISS); *Nacaduba* OD: Bull. Br. Mus. nat. Hist. (Ent.) 13(4):70 [b4676] SS: *thau mas* Fruhstorfer, 1916; *Nacaduba* [Type: BMNH-ht] [Refs - b1454; b4594]
- a **theages** (Godman & Salvin), 1878; *Lemonias* OD: Proc. zool. Soc. Lond. 1878(2):366 [b1973] CG: *Napaea* [TypeL - Veragua; Costa Rica.] [Refs - b2988; b4474; b2406; b1456]
- b **theages** (Fruhstorfer), 1917; *Chrysophanus* OD: Deut. ent. Zeit. [Iris] 31:40 [b1877] SS: *virgaureae* (Linnaeus), 1758; *Lycaena* (Heodes) [TypeL - Schweiz: Graubünden: Poschlovtal.] [Refs - b0236; b0389; b0471; b2858]
- c **theanus** (Cramer), [1777], 1775-1790; *Papilio* OD: Uitl. Kapellen 2(12):65, pl 139, f F [b1069] SS: *hyacinthus* (Cramer), [1775]; *Trichonis* [Type: ZMA-It; designated by Robbins, 1987] [J. Lep. Soc. 40(3):144 [b3810]] [TypeL - Surinam.] [Type of - *Trichonis*] [Refs - b2280; b2747; b3810]
- a **theata** (Stichel), 1910; *Volturnia* OD: Gen. Insectorum 112(A):73, pl 24, f 8b [b4446] CG: *Esthemopsis* (?) [Type: ZMHU-ht] [TypeL - Rio San Juan, Colombia.] [Note - Not generic with the type of *Volturnia* and deserving of a genus of its own.] [Refs - b2988; b4474; b1456; b4446]
- a **theba** Hewitson, [1863], 1863-1878; *Arhopala* OD: Ill. diurn. Lep. Lycaenidae 1:6; 2:pl 5, f 29-30 [b2326] CG: *Arhopala* d [Type: BMNH-ht] [TypeL - Mindanao.] [Refs - b1644; b2747; b4094; b2196; b2200; b1454]
- a **thebais** Hewitson, [1860], 1852-1877; *Theope* OD: Ill. exot. Butts 2:[-], pl [49], f 1,4 [b2323] [TypeL - Amazon.] [Refs - b2747; b4475; b1456]
- c **thebana** (Staudinger), 1894; *Lycaena* OD: Deut. ent. Zeit. [Iris] 7:243 or 244, pl 9, f 3 [b4340] SS: *ubaldus* (Stoll), [1782]; *Azanus* [TypeL - Egypt.] [Refs - b0995; b1762; b1840; b4400; b4092]
- a **thecloides** (Felder & Felder), 1860; *Myrina* OD: Wien. ent. Monats. 4(12):395 [b1683] CG: *Hypolycaena* [TypeL - Singapore.] [Refs - b0964; b1636; b4142 (as *theoloides*); b0965; b4094; b2201; b1454; b0694; b4108]
- a **thecloides** Sibatani, 1974; *Melanolycaena* OD: J. Aust. ent. Soc. 13(2):104, f 2,9-12,19,20,22 [b4220] [TypeL - Papua New Guinea.] [Refs - b4220; b0105]
- a **theda** (Felder & Felder), 1862; *Myrina* OD: Wien. ent. Monats. 6(9):291 [b1688] CG: *Drupadia* [Type: BMNH-st] [TypeL - Luzon, Philippines.] [Refs - b1030; b0964; b0965; b2747; b4094; b0105; b0105; b2197; b2199; b2201; b1454; b0694]
- a **theia** Hewitson, 1870, 1869-1877; *Thecla* OD: Equatorial Lep. Buckley (4):60 [b2330] CG: *Thecla* (New World *Eumaeini*) [Type: BMNH] [TypeL - Curaray, Ecuador.] [Refs - b0908; b2747; b0278; b2406; b1975]
- e ♀ **theleia** Stichel, 1910; *Anteros* OD: Berl. ent. Z. 55(1/2):9 [b4445] SS: *formosus* (Cramer), [1777]; *Anteros* [Type: ZMHU-ht] [TypeL - Not stated.] [Refs - b4474; b4445]
- c **theleos** H. H. Druce, 1897; *Philiris* OD: Ann. Mag. nat. Hist. (6)19:15 [b1366] SS: *philotas* (C. Felder), 1860; *Philiris* [TypeL - Amboyna.] [Refs - b4677; b1450; b2078]
- a **thelephus** (Cramer), [1775], 1775-1790; *Papilio* OD: Uitl. Kapellen 1(6):103 or 108, pl 66, f E.F. [b1069] CG: *Echenais* [TypeL - Guiana; Amazon.] [Type of - *Elaphrotis*] [Refs - b2280; b2747; b4475; b1456]
- c **thelpeusa** Hewitson, [1860], 1852-1877; *Theope* OD: Ill. exot. Butts 2:[-], pl [49], f 7,8 [b2323] SS: *pedias* Herrich-Schäffer, [1853]; *Theope* [Refs - b2747; b4475]
- a **thelydrias** Bates, [1868]; *Alesa* OD: J. lim. Soc. Lond., Zool. 9:371 [b0267] [Type: BMNH-ht] [TypeL - Cupari.] [Refs - b2747; b4474; b0558 (as *thelydryas*); b0267; b1456]
- e **thelydryas** Brown, 1993, (ISS); *Alesa* OD: Occ. Pap. IUCN Species Survival Comm. (8):151 [b0558] SS: *thelydrias* Bates, [1868]; *Alesa* [Refs - b0558]
- c **themis** (Grum-Grshimailo), 1891; *Lycaena* OD: Horae Soc. ent. ross. 25:451 [b2068] SS: *lucifera* (Staudinger), 1867; *Plebejus* [TypeL - Central Asia.] [Refs - b0995; b4092]

- c **f. themis** Rebillard, 1958; *Cyrenia* OD: Mém. Mus. nat. Hist. nat. (A)15:175 [b3717] SS: *maria* Westwood, [1851]; *Cyrenia* [Type: MNHN-ht] [TypeL - Muzo, Colombia.] [Refs - b3717; b0093]
- e **theanus** Robbins, 1987, (ISS); *Trichonis* OD: J. Lep. Soc. 40(3):138 [b3810] SS: *theanus* (Cramer), [1777]; *Trichonis* [Refs - b3810]
- a **thenca** Möschler, 1883; *Thecla* OD: Verh. zool.-bot. Ges. Wien 32:311, pl 17, f 8 [b3248] CG: *Thecla* (New World Eumaeini) [TypeL - (Interior of) Surinam.] [Refs - b0908; b3248]
- a **theocritus** (Fabricius), 1793, 1792-1799; *Hesperia* OD: Ent. syst. 3(1):289 [b1657] CG: *Thecla* (New World Eumaeini) [TypeL - Indii] [Note - Allied to *monica*.] [Refs - b0908; b2747; b1453; b3818; b2406; b5076; b3814]
- a **theodora** (Felder & Felder), 1862; *Charis* OD: Wien. ent. Monats. 6(3):72 [b1687] CG: *Chalodeta* [TypeL - Brasilia.] [Type of - *Chalodeta*] [Refs - b2988; b2280; b2747; b4474; b2221; b0419; b0420; b1456]
- b **theodora** (H. H. Druce), 1885; *Iolaus* OD: Ent. mon. Mag. 22:155 [b1349] SS: *amrita* (Felder & Felder), 1860; *Neochenita* [TypeL - N. Borneo.] [Refs - b4094; b2191; b1454; b4108]
- a **theodora** (Godman), 1903; *Riodina* OD: Trans. ent. Soc. Lond. 51(4):535, pl 21, f 2,3 [b1972] CG: *Audre* [TypeL - Brazil.] [Refs - b4475; b1456]
- a **theodori** Stempffer, 1956; *Eresina* OD: Anns Mus. r. Congo Belge (8vo)49:21, pl 1, f 21-24 [b4388] [Type: pc-ht; collection Th. Maessen.] [TypeL - Ho, Togo britannique.] [Refs - b1452; b0836; b4388; b4400]
- a **theodori** Stempffer, 1970; *Iolaus* OD: Bull. Inst. fond. Afr. Noire 32(A):769, f [b4406] CG: *Iolaus* (*Iolaphilus*) [TypeL - Anfoega, Ghana.] [Refs - b1452]
- b **theodosia** (Fruhstorfer), 1906; *Abisara* OD: Ent. Zeit. 19(36):215 [b1822] SS: *wallacei* (Hewitson), [1862]; *Praetaxila* [Type: BMNH-st] [TypeL - Dorey.] [Refs - b1450; b4474; b1840; b1822]
- b **theodosius** Fruhstorfer, [1912]; *Tajuria* OD: Berl. ent. Z. 56(3/4):211 [b1850] SS: *ciippus* (Fabricius), 1798; *Tajuria* [TypeL - Bawean.] [Refs - b4094; b1850; b1454]
- c **theodota** (Hulstaert), 1924; *Neochrysoptera* OD: Revue zool. afr. 12(2):193 [b2496] SS: *cinerea* (Bethune-Baker), 1923; *Lepidochrysoptera* [TypeL - Belgian Congo.] [Refs - b3796; b2496; b4400]
- e **theoloices** Sharp, [1913], (ISS); *Hypolycaena* OD: Zool. Rec. 49(1912)(Ins.):309 [b4142] SS: *theclodes* (Felder & Felder), 1860; *Hypolycaena* [Refs - b4142]
- e **theoloides** Sibatani, 1979, (ISS); *Melanolycaena* OD: Tyô to Ga 30(1,2):126 [b4221] SS: *theclodes* Sibatani, 1974; *Melanolycaena* [Refs - b0111; b4221]
- a **theon** Felder & Felder, 1865, 1865-1875; *Hypochrysoptera* OD: Reise Novara (2):252 [b1692] [Type: BMNH-ht] [TypeL - Halmahera.] [Refs - b1450; b2078; b2747; b4950; b3926]
- b **theonides** Grose-Smith, 1894; *Hypochrysoptera* OD: Novit. zool. 1:549 [b2037] SS: *theon* Felder & Felder, 1865; *Hypochrysoptera* [Type: BMNH-ht] [TypeL - Roon, Northern Irian Jaya.] [Refs - b1450; b2078; b3926]
- b **theonus** (Lucas), 1857; *Lycæna* OD: In Sagra, Hist. Cuba 7:611, pl 16, f 8,8a,8b [b3021] SS: *cassius* (Cramer), [1775]; *Leptotes* [TypeL - Cuba.] [Type of - *Leptotes*] [LifeH - Tietz lists b2159.] [Refs - b0908; b0540; b2280; b0132; b3192; b3512; b0400; b1743; b1581; b1321; b0833; b0817; b4361]
- b **theophanes** Grose-Smith, 1894; *Hypochrysoptera* OD: Novit. zool. 1:550 [b2037] SS: *theon* Felder & Felder, 1865; *Hypochrysoptera* [Type: BMNH-ht; designated by Sands, 1986] [Entomograph 7:93 [b3926]] [TypeL - Humblodt Bay, New Guinea.] [Refs - b1450; b2078; b3926]
- a **theophrastus** (Fabricius), 1793, 1792-1799; *Hesperia* OD: Ent. syst. 3(1):281 [b1657] CG: *Tarucus* [Type: ZMC-ht] [TypeL - Marocco"] [Type of - *Tarucus*] [Refs - b1636; b1153; b2280; b2375; b3059; b2747; b1840; b0995; b1762; b2905; b0236; b5055; b1452; b0400; b0293; b0836; b2898; b0625; b2794; b1638; b4400; b0162; b3055; b2859; b0565 (as *teophrastus*); b5076; b2920; ns0274]
- a **theopina** Giacomelli, 1917; *Thecla* OD: Physis 3:409 [b1937] CG: *Thecla* (New World Eumaeini) [Refs - b2221]
- a **thera** Godman, 1903; *Mesosemia* OD: Trans. ent. Soc. Lond. 51(4):530, pl 20, f 2 [b1972] [TypeL - Brazil.] [Refs - b4474; b1456]
- b **therasia** Fruhstorfer, 1916; *Nacaduba* OD: Zool. Meded. 2(2):133 [b1873] SS: *kurava* (Moore), [1858]; *Nacaduba* [Type: BMNH-ht] [TypeL - Formosa.] [Refs - b4676; b5053; b4198; b4094; b2479; b4676; b1454]
- a **theresia** Schurian & van Oorschot & van den Brink, 1992; *Polyommatus* OD: Nachr. ent. Ver. Apollo (nf)12(4):227, f [b4046] CG: *Polyommatus* (*Agrodiaetus*) [TypeL - Turkey.] [Refs - b0125]
- b **therikles** (Fruhstorfer), 1912; *Taxila* OD: Ent. Rundsch. 29(3):24 [b1849] SS: *thuisio* (Hewitson), [1861]; *Laxita* [TypeL - Sumatra.] [Refs - b1454; b1840; b1849]
- a **theritas** Hewitson, [1860], 1852-1877; *Theope* OD: Ill. exot. Butts 2:[—], pl [49], f 2-3 [b2323] [TypeL - Amazon.] [Refs - b2988; b2747; b4475; b1456]
- c **thermodoe** Geyer, [1832], 1832-1837; *Calospila* OD: In Zutr. Samml. exot. Schmett. 4:28, pl [123], f 715,716 [b1934] SS: *parhaon* (Dalman), 1823; *Calospila* [Type of - *Calospila*] [Refs - b2280; b2747; b4475; b1456]
- a **thero** (Linnaeus), 1764; *Papilio* OD: Mus. Lud. Utr. :328 [b2996] CG: *Phasis* [TypeL - Cape.] [Type of - *Pseudocapys*] [Refs - b2280; b1259; b3678; b2747; b1452; b4400; b0801; b3313; b0803; b4685]
- e **thersamen** Hemming, 1967, (ISS); *Lycæna* OD: Bull. Br. Mus. nat. Hist. (Ent.) Suppl. 9:440 [b2280] OS: *thersamon* (Esper), [1784]; *Lycæna* (*Thersamon*) [Refs - b2280; b1019; b2747; b0996; b1780; b1759; b2827]
- a **thersamon** (Esper), [1784], 1776-1830; *Papilio* OD: Die Schmett. 1(2)(9):176, pl 89, f 6 [b1623] CG: *Lycæna* (*Thersamon*) [Type of - *Thersamon*] [Check - *Koçak* used *hyllus* for *thersamon*, but that name is a *nomen oblitum* and should not be used. An ICZN ruling is needed to protect *thersamon*.] [Refs - b1019; b2280; b2375; b3547; b0236; b0389; b0293; b2798; b3910; b1189; b3366; b2753; b2859; b4092; b2302]
- a **thersander** (Stoll), [1780], 1780-1790; *Papilio* OD: In Cramer, Utl. Kapellen 4(28):87, pl 335, f A,B [b4478] CG: *Calydna* [TypeL - Surinam; Amazon.] [Type of - *Calydna*] [Refs - b2988 (as *thersanda*); b2280; b2747; b4475; b2221; b1456]
- c **thersandrus** (Fruhstorfer), 1917; *Lycæna* OD: Deut. ent. Zeit. [Iris] 31:26 [b1877] SS: *euphemus* (Hübner), [1800]; *Maculinea* [TypeL - Vaud; Eclepens.] [Refs - b0236; b0400; b2858]
- c **thersanon** (Bergsträsser), [1779], 1778-1780; *Papilio* OD: Nom. Ins. 3:4, pl 49, f 4,6 [b0310] SS: *argiolus* (Linnaeus), 1758; *Celastrina* [TypeL - Hanau, West Germany.] [Refs - b2747; b0995; b1580; b0400; b2794; b4092]

- a **thersites** (Cantener), 1834, 1834-1835; *Lycaena* OD: Hist. nat. Lép. Rhop. () :55, pl 11, f 1-2 [b0692] CG: *Polyommatus* (*Plebicula*) [Note - *Boisduval MS name.*] [Refs - b3059; b2375; b1780 (*Lysandra*); b1762; b2827; b2866; b0236; b2380; b1183; b2794 (*Plebicula*); b2859; ns0034; ns0762; ns0766; ns0767; b2374 (in *Plebicula*); ns2234]
- a **thesaurus** Grose-Smith, 1894; *Hypochrysops* OD: Novit. zool. 1:547 [b2037] [Type: BMNH-It; designated by Sands, 1986] [Entomograph 7:64 [b3926]] [TypeL - Humboldt Bay, New Guinea.] [Refs - b1450; b2078; b3926]
- c **theseus** (Swinhoe), 1885; *Catochrysops* OD: Proc. zool. Soc. Lond. 1885(1):131, pl 9, f 8 [b4565] SS: *cnejus* (Fabricius), 1798; *Euchrysops* [TypeL - Bombay, India.] [Refs - b1636; b4094; b0694; b4092; b4108]
- e **theseus** Le Moul, 1940, 1939-1940, (IFS); *Helicopsis* OD: Novit. ent. (17):130 [b2943] SS: *cupido* (Linnaeus), 1758; *Helicopsis* [Type: AME-ht] [Refs - b3199]
- b **thesmia** (Hewitson), [1863], 1863-1878; *Myrina* OD: Ill. dium. Lep. Lycaenidae 1:32; 2:pl 14, f 25-27 [b2326] SS: *theda* (Felder & Felder), 1862; *Drupadia* [Type: BMNH-It; designated by Cowan, 1974] [Bull. Br. Mus. nat. Hist. (Ent.) 29(6):325 [b1030]] [TypeL - Sumatra, Indonesia.] [Type of - *Biduanda*] [Refs - b1030; b0964; b1636; b1153; b0965; b2280; b1014; b4094; b2747; b0105; b2201; b1454; b0694]
- a **thespia** Hewitson, 1870, 1869-1877; *Thecla* OD: Equatorial Lep. Buckley (4):65 [b2330] CG: *Thecla* (New World *Eumaeini*) [Type: BMNH] [TypeL - Curaray, Ecuador.] [Refs - b0908; b2747; b1375]
- c **thespia** Fruhstorfer, 1916; *Nacaduba* OD: Zool. Meded. 2(2):112 [b1873] SS: *angusta* (H. Druce), 1873; *Nacaduba* [Type: BMNH-ht] [TypeL - Banguay (Banggi).] [Refs - b4676; b4094; b1454; b4108]
- a **thespis** (Linnaeus), 1764; *Papilio* OD: Mus. Lud. Ulr. :318 [b2996] CG: *Tarucus* [TypeL - Africa mer.] [Refs - b1259; b2747 (as *tespis*); b1452; b4400; b1225; b0162]
- a **thespis** (Leech), 1890; *Dipsas* OD: Entomologist 23:42 [b2963] CG: *Cordelia* [TypeL - China.] [Note - Also seen in *Chrysozephyrus*.] [Refs - b0996; b2479; b4214; b4200 (genus uncertain); b4092]
- c **thestia** Hewitson, [1869], 1863-1878; *Thecla* OD: Ill. dium. Lep. Lycaenidae 1:122; 2:pl 48, f 231,232 [b2326] SS: *endera* Hewitson, [1867]; *Thecla* (New World *Eumaeini*) [Type: BMNH] [TypeL - Amazon.] [Refs - b0908; b2747; b1375]
- a **thestias** Hewitson, [1860], 1852-1877; *Theope* OD: Ill. exot. Butts 2:[—], pl [49], f 5,6 [b2323] [TypeL - Brazil; Bolivia; C. America.] [Refs - b2988; b2747; b4475; b0419; b1456]
- c **thestylys** Jermyns, 1827; *Polyommatus* OD: *Vademecum* :58 [b2578] SS: *icarus* (Rottemburg), 1775; *Polyommatus* [Refs - b2747]
- a **thetis** (Drury), [1773], 1770-1782; *Papilio* OD: Ill. nat. Hist. 2:indx+16, pl 9, f 3,4 [b1392] CG: *Curetis* [TypeL - Bombay.] [Refs - b1636; b1450; b0964; b1019 :14; b0936; b2747; b4094; b4950; b1454; b0694]
- d **thetis** (Rottemburg), 1775, (H); *Papilio* OD: Naturforscher 6:24 [b3890] SS: *bellargus* (Rottemburg), 1775; *Polyommatus* (*Lysandra*) [TypeL - Europe; Asia Minor.] [Refs - b3059; b2747; b2794; b0471; b4038]
- d **thetis** (Esper), [1777], 1776-1830, (H); *Papilio* OD: Die Schmett. 1(1)(6):pl 32, f 2 [b1623] SS: *icarus* (Rottemburg), 1775; *Polyommatus* [Refs - b2747; b0236 (as ab.); b2794; b4092; b2302]
- a **thetis** Klug, 1834, 1829-1845; *Lycaena* OD: In Ehrenberg, Sym. Phys. Ins. 4:pl 40, f 17-18 [b2782] CG: *Lycaena* (*Thersamonia*) [TypeL - Syria.] [Refs - b2375; b2747; b0996; b2827; b4220; b0236; b4950; b2859; b4092]
- e **thetys** Horsfield, [1828], 1828-1829, (ISS); *Curetis* OD: Descr. Cat. lepid. Ins. (1):- [b2457] OS: *thetis* (Drury), [1773]; *Curetis* [Check - Original description.] [Refs - b2280; b1019; b2747]
- a **thetys** Godman & Salvin, [1885], 1879-1901; *Mesosemia* OD: Biol. centr.-amer., Lep. Rhop. 1:381 [b1975] [TypeL - Colombia.] [Refs - b4474; b1456]
- a **theutis** Godman & Salvin, [1886], 1879-1901; *Theope* OD: Biol. centr.-amer., Lep. Rhop. 1:483; 3:pl 46, f 16-17 [b1975] [TypeL - Guatemala.] [Refs - b2988 (as *thentis*); b4475; b1456]
- b **thia** (Morisse), [1838]; *Erycina* OD: Anals Soc. ent. Fr. [1]6(4):419, pl 14, f 3,4 [b3241] SS: *arcus* (Linnaeus), 1763; *Rhetus* [TypeL - Mexico.] [Refs - b2747; b4474; b2406; b1456]
- b **thibetanus** Lorkovic, 1943; *Everes* OD: Mitt. münchn. ent. Ges. 33:451 [b3009] SS: *argiades* (Pallas), 1771; *Everes* [Refs - b0694; b1636 (as *hellotia*)]
- c **thibetensis** (Poujade), 1885; *Lycaena* OD: Bull. Soc. ent. Fr. (64:cli [b3629] SS: *otis* (Fabricius), 1787; *Zizina* [TypeL - Mou-pin, Tibet.] [Refs - b0995; b2479; b3629; b4092]
- b **thiersi** Betti, 1977; *Laeosopsis* OD: *Alexanor* 10(2):94, f [b0364] SS: *roboris* (Esper), [1789]; *Laeosopsis* [TypeL - France.] [Refs - b2985]
- c **thinophilus** Toxopeus, 1930; *Danis* OD: De soorte als Functie :129 [b4702] SS: *apollonius* (Felder & Felder), 1865; *Danis* [Refs - b4702]
- a **thisbe** (Fabricius), 1781, 1781-1782; *Papilio* OD: Spec. Ins. 2:130 [b1655] CG: *Panara* [TypeL - Caiemae".] [Refs - b1019; b2280; b2988; b2747; b4474; b1140; b5076; b1456]
- c **thius** (Geyer), [1832], 1832-1837; *Thyreus* OD: In Zutr. Samml. exot. Schmett. 4:33, pl [128], f 743,744 [b1934] SS: *bazochii* (Godart), [1824]; *Strymon* [TypeL - Brazil.] [Refs - b0908; b0907; b2747; b2221; b0540; b3192; b1375; b0420; b2918]
- e **thiusto** (Butler), 1870, (ISS); *Abisara* OD: Ann. Mag. nat. Hist. (4):5:363 [b0592] SS: *thiusto* (Hewitson), [1861]; *Laxita* [Refs - b0592]
- c **thoana** (Hewitson), [1874], 1863-1878; *Thecla* OD: Ill. dium. Lep. Lycaenidae 1:172; 2:pl 67, f 490 [b2326] SS: *stagira* (Hewitson), [1867]; *Rekoa* [Type: BMNH-It; designated by Robbins, 1991] [Smithsonian Contr. Zool. (498):55 [b3817]] [TypeL - Nicaragua.] [Refs - b0908; b2753; b1975; b2597; b3817]
- a **thoe** (Guérin-Méneville), [1832], 1829-1844; *Polyommatus* OD: Icon. Règne Anim. Cuvier :pl Ins 81, f 4,4a,4b [b2086] CG: *Hyllolycaena* [TypeL - North America.] [Type of - *Hellolycaena*, *Hyllolycaena*] [LifeH - Tietz lists b0415, b5004, b3932, b3176, b0902, b1792, b2429, b4088, b4085, b4090.] [Note - Miller used *hyllus* for *thoe*, but that name is nomen oblitum, as pointed out by Brown & Field, and it should not be used.] [Refs - b1530 :226, f 435; b1321 :60; b0908; b3191; b3078; b0856; b2747; b4220; b0102; b1601; b3192; b1049; b0539; b0493; b4690 (R); b1134 (n=24); b4652]
- b **thomasi** Hemming, 1931; *Iolana* OD: Trans. ent. Soc. Lond. 79(2):326 [b2239] SS: *iolas* (Ochsenheimer), 1816; *Iolana* [Type: BMNH-ht] [TypeL - Albarracin, Spain.] [Refs - b3059; b0320; b2239]
- a **thomasi** (Clench), 1941; *Hemiargus* OD: Mem. Soc. Cubana Hist. Nat. 15:407 [b0814] CG: *Cyclargus* [Type: MCZ-ht] [TypeL - Russell's Creek, Cat Island, Bahamas.] [Refs - b1530 :235, f 450; b1784 :187; b0908; b0540; b4245; b0907; b3326; b3327; b3192; b1581; b0833; b0817; b4066]
- b **thomasi** Miller & Miller, 1993; *Jamides* OD: Occ. Pap. Bernice P. Bishop Mus. (34):1-24 [b3186] SS: *carissima* (Butler), [1876]; *Jamides*

- c **thompsoni** Carpenter & Lewis, 1943; *Brephidium* OD: Ann. Cam. Mus. 29(13):392 [b0716] SS: isophthalma (Herrich-Schäffer), 1862; *Brephidium* [TypeL - Cayman Islands.] [Refs - b0908; b0540; b0907; b0833; b1455]
- a **thootes** Hewitson, [1860], 1852-1877; *Theope* OD: Ill. exot. Butts 2:[---], pl [49], f 9-10 [b2323] [TypeL - Amazon.] [Refs - b2988; b2747; b4475; b1456]
- a **thordesa** (Hewitson), [1867], 1863-1878; *Thecla* OD: Ill. dium. Lep. Lycaenidae 1:89; 2-pl 35, f 80 [b2326] CG: Michaelus [Type: BMNH] [TypeL - Venezuela.] [Refs - b0908; b2747; b3392; b0111; b2631 (in Strymon)]
- c **thordesca** (Schaus), 1920, (ISS); *Thecla* OD: Ent. News 31(6):176 [b3951] SS: thordesa (Hewitson), [1867]; Michaelus [Refs - b0908]
- a **thoria** Hewitson, [1869], 1863-1878; *Thecla* OD: Ill. dium. Lep. Lycaenidae 1:121; 2-pl 49, f 239 or 240, 241 [b2326] CG: *Thecla* (New World Eumaeini) [Type: BMNH] [TypeL - Venezuela.] [Refs - b0908; b2221; b2747; b2593]
- b **thoria** (Fruhstorfer), 1910; *Cyaniris* OD: Stett. ent. Ztg 71(2):292 [b1843] SS: dilectus (Moore), 1879; Udara (Udara) [Type: BMNH-It; designated by Eliot & Kawazoé, 1983] [Butts Lycaenopsis group :88 [b1580]] [TypeL - Sulawesi.] [Refs - b1580; b2200; b1840]
- b **thorida** (Toxopeus), 1928, 1927-1928; *Celastrina* OD: Tijdschr. Ent. 71:230 [b4697] SS: rona (Grose-Smith), 1894; Udara (Udara) [TypeL - Celebes.] [Refs - b1580; b4697]
- a **thornei** Brown, 1983; *Mitoura* OD: J. Res. Lep. 21(4):246, f 1, (row b) [b0549] CG: *Mitoura* [Type: SDM-ht] [TypeL - Little Cedar Canyon, Otay Mtn, San Diego County, California.] [Note - May be a subspecies of *loki*.] [Refs - b0549; x3192; b4066; b4182; b1722; b0550]
- c **thrasyllus** (Geyer), [1837], 1832-1837; *Brangas* OD: In Zutr. Samml. exot. Schmett. 5:40, pl [166], f 965,966 [b1934] SS: thales (Fabricius), 1793; *Thecla* (New World Eumaeini) [TypeL - Surinam.] [Refs - b0908; b2747; b1975]
- a **threissa** Hewitson, 1870; *Symmachia* OD: Ent. mon. Mag. 6:227 [b2331] [TypeL - Nicaragua.] [Refs - b2988; b2747; b4474; b2753; b1456]
- c **thria** d'Abbrera, 1986, (ISS); *Tajuria* OD: Butts Oriental Region, Pt 3 :616 [b1454] SS: thya de Nicéville, 1893; *Tajuria* [Refs - b1454; b4094; b0694]
- b **throana** (Fruhstorfer), 1914; *Rapala* OD: Deut. ent. Zeit. [Iris] 27(4):178 [b1854] SS: kessuma (Horsfield), [1829]; *Deudorix* (Virachola) [TypeL - Sintang, S. Borneo.] [Refs - b4094; b2201; b1454; b1854; b4108]
- c **thryphica** d'Abbrera, 1994, (ISS); *Nymphidium* OD: Butts Neotropical Region, Pt 4:1014 SS: mantus (Cramer), [1775]; *Nymphidium* [Refs - b1456]
- c **thryptica** Stichel, 1910, (IFS); *Nymphidium* OD: Gen. Insectorum 112(A):384 [b4446] SS: mantus (Cramer), [1775]; *Nymphidium* [TypeL - Not stated.] [Refs - b4476; b1456 (as thryphica); b4446]
- a **thucydides** (Fabricius), 1793, 1792-1799; *Hesperia* OD: Ent. syst. 3(1):323 [b1657] CG: *Euselasia* [TypeL - Indiiis*, but really South America.] [Refs - b2988; b2747; b4474; b1453; b3192 (as thucydides); b5076; b1456]
- a **thuiso** (Hewitson), [1861], 1852-1877; *Taxila* OD: Ill. exot. Butts 2:[90], pl [45], f 5,6 [b2323] CG: *Laxita* [TypeL - Malaya.] [Type of - Neotaxila] [Refs - b1636; b0964; b1149; b2988; b2280; b0965; b2747; b4474; b1454; b1840]
- c **thulia** (Hewitson), 1868; *Thecla* OD: Descr. new Spec. Lycaenidae :28 [b2327] SS: basilides (Geyer), [1837]; *Strymon* [Type: BMNH] [TypeL - Amazon.] [Refs - b0908; b2747; b2221 (as tulia)]
- c **thuraui** Suffert, 1904; *Iolaus* OD: Deut. ent. Zeit. [Iris] 17:67 [b4535] SS: eurus (Cramer), [1779]; *Iolaus* [TypeL - Africa.] [Refs - b4400]
- c **turneri** (Dannehl), 1925; *Nemeobius* OD: Ent. Zeit. 39:664 [b1100] SS: lucina (Linnaeus), 1758; *Hamearis* [TypeL - C. Europe.] [Refs - b4473; b0236]
- b **thusnelda** Möschler, 1883; *Euselasia* OD: Verh. zool.-bot. Ges. Wien 32:313, pl 17, f 11 [b3248] SS: euryone (Hewitson), [1856]; *Euselasia* [TypeL - Surinam.] [Refs - b4474]
- e **thucydides** Miller & Brown, 1981, (ISS); *Euselasia* OD: Mem. Lep. Soc. (2):128 [b3192] SS: thucydides (Fabricius), 1793; *Euselasia* [Refs - b3192]
- b **thwaitesi** Moore, [1881], 1880-1881; *Megisba* OD: Lep. Ceylon 1(2):71, pl 34, f 3,3a,3b [b3232] SS: malaya (Horsfield), [1828]; *Megisba* [Type: BMNH-It; designated by Eliot & Kawazoé, 1983] [Butts Lycaenopsis group :56 [b1580]] [TypeL - Ceylon.] [Type of - Megisba] [Refs - b1636; b2280; b2221; b1580; b1840; b0694]
- a **thyas** Stichel, 1910; *Mesosemia* OD: Gen. Insectorum 112(A):53 [b4446] [Type: ZMHU-st] [TypeL - Itaituba Peru; Surinam.] [Refs - b4474; b4446]
- b **thyatira** (Hewitson), [1853], 1852-1877; *Limnas* OD: Ill. exot. Butts 1:[---], pl [59], f 6 [b2323] SS: inaria (Westwood), [1851]; *Esthemopsis* [TypeL - Amazon.] [Refs - b2988; b2747; b4474; b4950; b1456]
- c **thydia** Tytler, 1915; *Tajuria* OD: J. Bombay nat. Hist. Soc. 24(1):141, pl 4, f 47 [b4772] SS: diaeus (Hewitson), [1865]; *Tajuria* [TypeL - Manipur.] [Note - D'Abbrera's figure of *thydia* is *thyia* de Nicéville.] [Refs - b1636; b0236; b1454 (as good sp); b1573]
- c **thyene** Stichel, 1910; *Mesosemia* OD: Gen. Insectorum 112(A):47 [b4446] SS: sylvia H. Druce, 1878; *Mesosemia* [Type: ZMHU-st] [TypeL - Yungas, Rio Songo, Bolivia.] [Refs - b4474; b4446]
- a **thyesta** (Hewitson), [1869], 1863-1878; *Thecla* OD: Ill. dium. Lep. Lycaenidae 1:124; 2-pl 49, f 248,249 [b2326] CG: *Thereus* [Type: BMNH] [TypeL - Amazon.] [Refs - b0908; b2747; b3818; b2497; b1375; b2593; b2597]
- b **thyestes** H. Druce, 1878; *Mesosemia* OD: Ent. mon. Mag. 15:101 [b1389] SS: jeziela Butler, 1869; *Mesosemia* [TypeL - Chanchamayo, Peru.] [Refs - b4474]
- b **thyestes** (Seitz), [1923], 1912-1927; *Everes* OD: In Seitz, Grossschmett. Erde 9:924 [b4094] SS: kala (de Nicéville), 1890; *Tongcia* [TypeL - Not stated.] [Refs - b4094]
- b **thya** de Nicéville, 1893; *Tajuria* OD: J. Bombay nat. Hist. Soc. 7(3):336, pl H, f 11 [b1156] SS: megistia (Hewitson), [1869]; *Tajuria* [TypeL - Khasi Hills.] [Refs - b1636; b1557; b1636 (thria); b0965 (thria); b4094 (thria); b1156; b1454 (as thria); b0694; b0694]
- c **thymbraeus** (Hübner), [1832], 1808-1837; *Sithon* OD: Zutr. Samml. exot. Schmett. 4:20, pl [116], f 671,672 [b2483] SS: jalindra (Horsfield), [1829]; *Eliotia* [Refs - b2747; b4094; b2260]
- a **thymele** Stichel, [1909]; *Panara* OD: Berl. ent. Z. 53(3/4):268 [b4443] [TypeL - Sao Paulo.] [Refs - b4474]
- b **thymetina** Butler, 1869; *Mesosemia* OD: Cistula Entomologica 1(1):12 [b0587] SS: thymetus (Cramer), [1777]; *Mesosemia* [TypeL - Bogota, Colombia.] [Refs - b2747; b4474; b1456]
- a **thymetus** (Cramer), [1777], 1775-1790; *Papilio* OD: Util. Kapellen 2(-):134, pl 102, f A [b1069] CG: *Mesosemia* [TypeL - Surinam.] [Refs - b2747; b4474; b2753; b1456]
- a **thyra** (Linnaeus), 1764; *Papilio* OD: Mus. Lud. Ulr. :329 [b2996] CG: *Aloeides* [TypeL - Cape of Good Hope.] [Type of - Chrysorychia] [Refs - b4684; b4400; b2280; b1259; b2747; b0107; b1265; b1452; b4934]
- a **thyrea** Hewitson, [1867], 1863-1878; *Thecla* OD: Ill. dium. Lep. Lycaenidae 1:99; 2-pl 36, f 83,84 [b2326] CG: *Thecla* (New World Eumaeini) [Refs - b0908; b2747]

- b **thyrius** Fruhstorfer, [1912]; Hypolycaena .OD: Berl. ent. Z. 56(3/4):238 [b1850] SS: erylus (Godart), [1824]; Hypolycaena [TypeL - Halmahera] [Refs - b1450; b4094; b1850]
- a **thyrsis** (Kirby), 1878; Lycaenesthes OD: In Ill. diurn. Lep. Lycaenidae 1:224, pl 92, f 42-44 [b2754] CG: Cupidesthes [Type: BMNH] [TypeL - Gaboon; Fernando Po.] [Refs - b1452 (as Hewitson name); b0343; b4400]
- a **thysbe** (Linnaeus), 1764; Papilio OD: Mus. Lud. Ulr. :330 [b2996] CG: Poecilmitis [TypeL - Africa mer.] [Refs - b1259; b2747; b1452; b4950; b4400; b1235]
- a **tiassa** Hewitson, [1869], 1863-1878; Thecla OD: Ill. diurn. Lep. Lycaenidae 1:122; 2:pl 48, f 229,230 [b2326] CG: Thecla (New World Eumaeini) [Type: BMNH] [TypeL - Amazon.] [Note - Allied to praxis.] [Refs - b0908; b2747; b1375; b1975 (as tiassa)]
- a **tiassale** Stempffer, 1969; Ornipholidotos OD: Bull. Inst. fond. Afr. Noire 31(A):928, f [b4404] [Refs - b1452]
- a **tiassale** Stempffer, 1969; Liptena OD: Bull. Inst. fond. Afr. Noire 31(A):939, f [b4404] [TypeL - Tiassalé, Ivory Coast.] [Refs - b1452]
- b **tibetana** (d'Abrera), 1993; Albulina OD: Butts Holarctic Region, Pt 3 :497 [b1455] SS: arcaseia (Fruhstorfer), 1916; Polymmatius (Albulina) [Type: BMNH-ht] [TypeL - Sakithung, Tibet.] [Note - Classification according to Bálint (pers. comm.).] [Refs - b1455]
- a **tibetanus** (Forster), 1940; Polymmatius OD: Mitt. münchn. ent. Ges. 30(3):879 [b1764] CG: Plebejus (Lycacides) [TypeL - China.] [Refs - b0080]
- e **tibetanus** Anonymous, 1951, (ISS); Everes OD: Zool. Rec. 84(1947)(Ins.):299 [b0081] SS: thibetanus Lorkovic, 1943; Everes [Refs - b0081]
- c **tibullus** (Staudinger), [1887], 1884-1888; Sithon OD: In Exot. Schmett. 1:278; 2:pl 95 [b4329] SS: eos Hewitson, [1863]; Deudorix [TypeL - Halmahera.] [Refs - b1450 (as tibillus); b4094]
- a **tiemushanus** Shirôzu & Yamamoto, 1956; Chrysozephyrus OD: Sieboldia 1(4):387, f 11a,b; pl 69, f 49a-e [b4214] [Type: ELKU-ht] [TypeL - Chekiang, E. China.] [Refs - b4214; b4200; b3296; b2463]
- a **tifala** Parsons, 1986; Callictitia OD: Bull. Allyn Mus. (103):14, f 52, 53, 104-109 [b3549] [Type: ANIC-ht; #2382] [TypeL - Feramin, Telefomin, New Guinea.] [Refs - b3549; b2388]
- c **tifata** (Fruhstorfer), 1914; Arhopala OD: Deut. ent. Zeit. [Iris] 28(2):129 [b1859] SS: singhapura (Distant), 1885; Flos [Type: BMNH-ht] [TypeL - Sumatra.] [Refs - b1644; b4094; b1859]
- a **tifla** (Field), 1967; Calystryma OD: Proc. U. S. natn. Mus. 123(3611):21, f 12,19; pl 1, f 15,16; pl 2, f 15,16 [b1738] CG: Furcovalva [Type: AMNH-ht] [TypeL - Achinamiza, Dept. Loreto, Peru.] [Refs - b1738; b2631; b0125; b2606]
- b **tiglath** (Fruhstorfer), 1915; Lampides OD: Arch. Naturgesch. (A)81(6):37 [b1865] SS: seminiger Grose-Smith, 1895; Jamides [TypeL - Sula.] [Refs - b4094; b2479; b1865; b1454 (as good sp); b2388]
- a **tigonia** (Schaus), 1902; Thecla OD: Proc. U. S. natn. Mus. 24(1262):419 [b3948] CG: Strymon [Type: USNM-ht; #5948] [TypeL - Peru.] [Refs - b0908; b2988; b3948]
- a **tigrina** Hewitson, [1867], 1852-1877; Symmachia OD: Ill. exot. Buts 4:[-], pl [45], f 2 [b2323] [Type: BMNH-ht] [TypeL - Para.] [Refs - b2747; b4474; b1456]
- b **tigrinella** Stichel, 1909; Hyphilaria OD: Berl. ent. Z. 54(1/2):44 [b4444] SS: parthenis (Westwood), [1851]; Hyphilaria [TypeL - Amazonas, Brazil; Bolivia.] [Refs - b4474]
- c **tigrinus** (Moore), 1884; Aphnaeus OD: J. asiat. Soc. Bengal, Pt II 53(1):25 [b3236] SS: vulcanus (Fabricius), 1775; Spindasis [TypeL - Lower Bengal.] [Refs - b1636; b1153; b0996; b0694]
- c **tigua** (Reakirt), 1866, 1866-1867; Lycaena OD: Proc. Acad. nat. Sci. Philad. 18:245 [b3697] SS: alcetas (Hoffmansegg), 1804; Everes [Refs - b0236]
- a **tikal** Austin, 1993; Calephelis OD: J. Res. Lep. 30(3/4):245, f 1,2,3 [b0185] [Type: AME-ht] [TypeL - Parque Nacional Tikal, Petén, Guatemala.] [Refs - b0185]
- b **tildeni** (Langston), 1964; Philotes OD: J. Lep. Soc. 17(4):212 [b2893] SS: enoptes (Boisduval), 1852; Euphilotes [Type: CAS-ht] [TypeL - Del Puerto Canyon, 22 miles W. of Patterson, Stanislaus County, California.] [Refs - b3192; b4066; b1722]
- d **timaea** (Hewitson), [1869], 1863-1878, (H); Thecla OD: Ill. diurn. Lep. Lycaenidae 1:125; 2:pl 51, f 268,269 [b2326] SS: lydia (Kirby), 1871; Rekoa [Type: BMNH-ht; designated by Robbins, 1991] [Smithsonian Contr. Zool. (498):52 [b3817]] [TypeL - Pará, Amazon.] [Refs - b0908; b2747; b1371; b3817]
- a **timaeus** (Felder & Felder), 1865, 1865-1875; Pseudolycaena OD: Reise Novara (2):248, pl 31, f 8,9 [b1692] CG: Thecla (New World Eumaeini) [TypeL - Bogotá, Colombia.] [Note - Close relative of Micandra.] [Refs - b0908; b2747; b3805; b3810]
- b **timaeus** (Fruhstorfer), [1904]; Taxila OD: Berl. ent. Z. 48(4):278,280,295 [b1817] SS: burnii (de Nicéville), 1895; Abisara [Refs - b4473; b1454; b1840]
- b **timana** Corbet, 1941; Arhopala OD: Proc. R. ent. Soc. Lond. (B)10(9):162 [b0956] SS: antimuta Felder & Felder, 1865; Arhopala k [Type: BMNH-ht] [TypeL - Borneo.] [Refs - b1644; b0956; b1454; b4108]
- c **timandra** (Godart), [1824], 1819-1824; Erycina OD: In Ency. méth. 9(Ins.)(2):585 [b1970] SS: thelephus (Cramer), [1775]; Echenais
- a **timandra** (Saunders), [1850]; Erycina OD: Trans. ent. Soc. Lond. (1)5(9):228, pl 23, f 1,1a (nec 2,2a) [b3938] CG: Chorinea [TypeL - Brasilia; New Granada.] [Check - Primary homonym in need of a replacement.] [Refs - b2747; b4474; b3938; b1456]
- b **timeus** (Cramer), [1777], 1775-1790; Papilio OD: Uil. Kapellen 2(16):137, pl 186, f E,F [b1069] SS: phlaeas (Linnaeus), 1761; Lycaena (Lycaena) [TypeL - North Western Himalaya.] [Note - Cantlie makes this a synonym of stygianus.] [Refs - b2747; b4094 (timaeus); b2905; b3547; b0236; b0293; b1636; b0694]
- a **timida** (Grum-Grshimailo), 1885; Lycaena OD: In Romanoff, Mém. Léop. 2:217 [b2064] CG: Plebejus (Eumedonia) [TypeL - Alai, RSS du Tadzhikistan, URSS.] [Note - May be a subspecies of eumedon.] [Refs - b0993; b2827; b0236 (as Romanoff name); b0126]
- a **timoclea** Hewitson, 1870, 1869-1877; Thecla OD: Equatorial Lep. Buckley (4):59 [b2330] CG: Thecla (New World Eumaeini) [Type: BMNH] [TypeL - Ashpiyaco, Ecuador.] [Refs - b0908; b2747]
- a **timoleon** (Stoll), [1783], 1780-1790; Papilio OD: In Cramer, Uil. Kapellen Aanh.:146, pl 32, f 4 [b4478] CG: Iraota [TypeL - Malaya.] [Refs - b0964; b1636; b0965; b4094; b2747; b2479; ns4851; b1564; b2650; b1454; b0694; b4092]
- a **timon** (Fabricius), 1787; Papilio OD: Mantissa Ins. 2:65 [b1656] CG: Iolaus (Tanuethera) [TypeL - America meridionali, but really Old Calabar.] [Type of - Tanuethera] [Refs - b2280; b2747; b1452; b0836; b4400; b1661; b5076]
- b **timon** Grose-Smith, 1895; Jamides OD: Novit. zool. 2(4):510 [b2038] SS: soemias H. H. Druce, 1891; Jamides [TypeL - New Britain.] [Refs - b1450; b4094; b1865; b2388]

- b **timorensis** (Butler), 1900; *Cyaniris* OD: *Ann. Mag. nat. Hist.* (7):5:443 [b0656] SS: *puspa* (Horsfield), [1828]; *Acyrtolipsis* [Type: BMNH-ht] [TypeL - Timor.] [Refs - b1450; b1840; b1580]
- b **timorensis** Tite, 1959; *Catochrysops* OD: *Entomologist* 92:210 [b4670] SS: *panormus* (C. Felder), 1860; *Catochrysops* [Type: BMNH-ht] [TypeL - Dili, Timor.] [Refs - b1450; b4670]
- b **timorensis** (Tite), 1963; *Erina* OD: *Bull. Br. Mus. nat. Hist. (Ent.)* 14(5):218 [b4677] SS: *erinus* (Fabricius), 1775; *Candalides* [Type: BMNH-ht] [TypeL - Oinainisa, Timor.] [Refs - b4677; b1450]
- a **timur** Staudinger, 1886, 1886-1889; *Polycycaena* OD: *Stett. ent. Ztg* 47:230 [b4330] [TypeL - Tian-chan, Alai oriental.] [Refs - b4473; b3438; b4092; b1455]
- b **tina** Fruhstorfer, [1904]; *Abisara* OD: *Berl. ent. Z.* 48(4):287,291 [b1817] SS: *kausambi* Felder & Felder, 1860; *Abisara* [Type: BMNH] [Refs - b0294; b4473; b1454; b1840]
- b **tindali** Ribbe, 1899; *Arhopala* OD: *Deut. ent. Zeit. [Iris]* 12:251 or 252 [b3738] SS: *araxes* Felder & Felder, 1865; *Arhopala* h [TypeL - Shortland Island.] [Refs - b1644; b1450; b4094]
- a **tindongani** Nuyda & Takanami, 1990; *Arhopala* OD: *Futao* (5):8, f [b3414] CG: *Arhopala* g [Type: pc-ht; collection of Nuyda] [TypeL - Kalinga, Apayao-Ifugao Northern Luzon, Philippines.] [Refs - b0125; b3414]
- a **tinea** (Bates), [1868]; *Calydna* OD: *J. linn. Soc. Lond., Zool.* 9:394 [b0267] CG: *Adelotya* [TypeL - Para.] [Refs - b2988; b2747; b4475; b2221; b1456]
- a **tinting** (Boisduval), 1833; *Lycaena* OD: *Nouv. Ann. Mus. Hist. nat. (Paris)* 2(2):175 [b0459] CG: *Spalgis* [TypeL - Madagascar.] [Refs - b2747; b1452; b4400; b2920]
- b **tiomana** Eliot, 1978; *Rapala* OD: *Butts Malay Penin. (3rd ed.)* :417 [b1563] SS: *pheretima* (Hewitson), [1863]; *Rapala* [Type: BMNH-ht] [TypeL - Palau Tioman, Tioman Islands, Malaysia.] [Refs - b1563; b2201; b1454]
- c **tiphys** (Esper), [1780], 1776-1830; *Papilio* OD: *Die Schmett.* 1(2)(1):pl 51, f 4 [b1623] SS: *bellargus* (Rottemburg), 1775; *Polyommatus* (*Lysandra*) [Refs - b2747; b4092; b0471; b4038; b2302; b0236 (as *tiphis*)]
- a **tircis** Felder & Felder, 1865, 1865-1875; *Chamaelimonas* OD: *Reise Novara* (2):304, pl 38, f 17,18 [b1692] [TypeL - Bahia.] [Type of - *Chamaelimonas*] [Refs - b2988; b2280; b2747; b4474; b1456]
- c **tirosias** (Rottemburg), 1775; *Papilio* OD: *Naturforscher* 6:23 [b3890] SS: *argiades* (Pallas), 1771; *Everes* [Refs - b2747; b0995; b1780; b0400; b2794; b2859; b4092]
- c **tiressa** (Karsch), 1895; *Lycaena* OD: *Ent. Nachr.* 21:298 [b2694] SS: *barkeri* (Trimen), 1893; *Euchrysops* [Refs - b4400]
- c **ab. tiroliensis** (Heydemann), 1910; *Lycaena* OD: *Ent. Zeit.* 23(40):177 [b2354] SS: *dorylas* ([Denis & Schiffermüller]), 1775; *Polyommatus* (*Plebicula*) [TypeL - Tirol.] [Refs - b0236; b2354; b0471]
- c **tirrhaea** (Möschler), 1886; *Thecla* OD: *Abh. Senckenb. naturf. Ges.* 14(3):26 [b3250] SS: *pan* (Drury), [1773]; *Electrostrymon* [TypeL - Jamaica. B. W. I.] [Refs - b0908; b0540; b0907]
- a **tirza** (Hewitson), 1873; *Pentila* OD: *Ent. mon. Mag.* 10:125 [b2336] CG: *Omipholidotos* [TypeL - Gaboon.] [Refs - b2753; b1452; b4400]
- a **tisamenus** (Holland), 1891; *Lycaenesthes* OD: *Psyche* 6(179):52 [b2424] CG: *Triclema* [TypeL - W. Africa.] [Refs - b1452; b4400]
- c **tisiphone** Westwood, [1851], 1846-1852; *Aricoris* OD: *In Gen. dium. Lep.* (2):pl 72, f 7 (:450, nota) [b4981] SS: *tutana* (Godart), [1824]; *Aricoris* [TypeL - Brasilia.] [Type of - *Aricoris*] [Refs - b2280; b2747; b4475]
- c **tisis** (Godart), [1824], 1819-1824; *Erycina* OD: *In Ency. méth.* 9(Ins.)(2):583 [b1970] SS: *ulrica* (Cramer), [1777]; *Mesosemia* [TypeL - Surinam.] [Refs - b2747; b4474]
- b **tissama** (Fruhstorfer), 1915; *Lampides* OD: *Arch. Naturgesch.* (A)81(6):4 [b1865] SS: *celeno* (Cramer), [1775]; *Jamides* [TypeL - Ceylon.] [Refs - b1636; b4094; b1865; b1454; b0694]
- c **titania** (Strecker), 1885; *Therorema* OD: *Proc. Acad. nat. Sci. Philad.* 37:176 [b4533] SS: *eumenia* Hewitson, [1865]; *Theorema* [Type: pc; Strecker collection.] [TypeL - Costa Rica.] [Refs - b0908; b2406]
- b **titania** (Hemming), 1931; *Plebeius* OD: *Ann. Mag. nat. Hist.* (10)8:535 [b2241] SS: *eversmami* (Staudinger), 1886; *Plebeius* [Type: BMNH-ht] [TypeL - Samarkand.] [Refs - b0069; b2241]
- b **titea** (Stoll), [1787], 1780-1790; *Papilio* OD: *In Cramer, Utl. Kapellen Aanh.: 25, pl 5, f 6,6G* [b4478] SS: *ulrica* (Cramer), [1777]; *Mesosemia* [TypeL - Surinam.] [Refs - b2747; b4474]
- b **titei** Eliot, 1969; *Nacaduba* OD: *Entomologist* 102:274, f [b1554] SS: *normani* Eliot, 1969; *Nacaduba* [Type: BMNH-ht] [TypeL - South Celebes.] [Refs - b1450; b1554]
- a **titei** Stempffer, 1974; *Liptena* OD: *In Bull. Br. Mus. nat. Hist. (Ent.)* 30:124, f [b4413] [TypeL - Obubra, Abakaliki Province, Nigeria.] [Refs - b1452]
- a **titei** Dickson, 1976; *Lepidochrysops* OD: *Ent. Rec.* 88(11):273 [b1257] [TypeL - Porselein Berg, Cape Province, S. Africa.] [Refs - b1259; b0108]
- a **titei** Hemming, 1987; *Aloeides* OD: *J. ent. Soc. S. Afr.* 50(1):243, f [b2285] [TypeL - Transvaal, S. Africa.] [Refs - b0120]
- b **titeus** d'Abrera, 1971; *Phileris* OD: *Butts Australian Region* :373, pl 373 [b1450] SS: *ziska* (Grose-Smith), 1898; *Phileris* [TypeL - Cape York, Queensland, Australia.] [Refs - b1450; b0104; b0870]
- d **tithonus** (Hübner), [1804], 1796-1838, (H); *Papilio* OD: *Samml. europ. Schmett.* 1:pl 108, f 555,556 (:48) [b2480] SS: *eros* (Ochsenheimer), 1807; *Polyommatus* [Refs - b2747; b0993; b2794; b2260; b4092]
- c **titia** (Cramer), [1777], 1775-1790, (ISS); *Papilio* OD: *Utl. Kapellen* 2(16):151 [b1069] SS: *tytia* (Cramer), [1777]; *Synargis* [Refs - b4475]
- a **titiana** Hewitson, 1870, 1869-1877; *Symmachia* OD: *Equatorial Lep.* Buckley (4):51 [b2330] [Type: BMNH-ht] [TypeL - Ecuador.] [Refs - b2747; b4474; b2753; b1456]
- a **titicaca** (Weymer), 1890; *Lycaena* OD: *In Stübel, Reisen in Süd-Amer., Lep.* :122, pl 4, f 6 [b4988] CG: *Itylos* [Type: ZMHU-lt; designated by Bálint & Johnson, 1994] [Annls hist.-nat. Mus. natn. hung. 86:57 [b0215]] [TypeL - Lake Titicaca and Sojama, Bolivia.] [Refs - b2280; b0908; b3846; b0215]
- b **titius** Fruhstorfer, [1919]; *Spalgis* OD: *Arch. Naturgesch.* (A)83(1):75 [b1888] SS: *epaus* (Westwood), [1851]; *Spalgis* [TypeL - E. Java.] [Refs - b1450; b1454; b1840; b4592; b4108]
- b **tituria** (Fruhstorfer), [1919]; *Pithecopis* OD: *Arch. Naturgesch.* (A)83(1):84 [b1889] SS: *umbretta* Grose-Smith, 1895; *Neopithecopis* [Type: BMNH-lt; designated by Eliot & Kawazoe, 1983] [Butts *Lycaenopsis* group :53 [b1580]] [TypeL - Tanah Djampea Islands.] [Refs - b1580; b1840; b0471 (as *titurica*); b4592; b1011]

- b **tituria** Fruhstorfer, [1924], 1909-1923; *Niphanda* OD: In Seitz, *Grossschmett. Erde* 9:901 [b1840] SS: fusca (Bremer & Grey), 1853; *Niphanda* [TypeL - Chingan Mts., Mongolia.] [Note - Not spelled *titurica*.] [Refs - b1840; b0236 (as *titurica*)]
- a **titus** (Fabricius), 1793, 1792-1799; *Hesperia* OD: Ent. syst. 3(1):297 [b1657] CG: Harkenclenus [TypeL - Anglia", probably Newfoundland.] [LifeH - Tietz lists b0415, b5004, b1482, b3933, b3176, b3029, b1582, b1695, b3244, b0470, b0875, b0902, b1700, b1792, b2429, b3119, b3936, b4088, b4089, b3531.] [Note - Placed on Official List by Op 541.] [Refs - b1530 :191, f 357; b1321 :57; b0908; b2747; b2418; b3192; b2530 (Op 541, L 1605); b3512; b0389; b2417; b0493; b1743; b4237; b4690; b2631; b4066; b4652; b3151; b5076; b1455]
- a **tityrus** (Poda von Neuhaus), 1761; *Papilio* OD: Ins. Mus. Graec. :77 [b3623] CG: Lycaena (Heodes) [Refs - b2375; b3059; b1213; b2747; b0996; b1780; b2827; b4220; b0107; b3003; b2300; b0389; b2753; b2859; ns1208]
- a **tityrus** (Felder & Felder), 1865, 1865-1875; *Pseudolycaena* OD: Reise Novara (2):248, pl 31, f 1,2 [b1692] CG: Thecla (New World Eumacini) [TypeL - Bogotá, Colombia.] [Refs - b0908; b2747; b3805]
- c **tjoane** (Wallengren), 1857; *Chrysorychia* OD: K. svenska VetenskAkad. Handl. (nf)2(4):44 [b4913] SS: harpax (Fabricius), 1775; *Axiocerses* [Refs - b2747; b4400]
- b **tmolus** Felder & Felder, 1862; *Hypolycaena* OD: Wien. ent. Monats. 6(9):293 [b1688] SS: erylus (Godart), [1824]; *Hypolycaena* [TypeL - Philippines.] [Refs - b2747; b4094; b1454]
- b **toba** (Hayward), 1949; *Thecla* OD: Acta zool. lilloana 8:569 [b2217] SS: ellida (Hewitson), [1867]; *Tigrinota* [Type: FMLT-ht] [Refs - b1453; b2221; b2218; b2217]
- a **todara** (Moore), [1884]; *Surendra* OD: Proc. zool. Soc. Lond. 1883(4):530 [b3235] CG: Zinaspa [TypeL - Coonoor, Nilgiris.] [Type of - Zinaspa] [Refs - b0964; b1636; b1153; b1636 (as *tadara*); b0965; b2280; b3235; b1454; b4094; b0694]
- e **todara** de Nicéville, 1890, (PS); *Neopithecops* OD: Butts India Burmah Ceylon 3:53, pl 26, f 162 (partim) [b1153] SS: dharma (Moore), [1881]; *Neopithecops* [Refs - b1580; b0694]
- c **todara** (Fruhstorfer), [1923], 1909-1923; *Pithecops* OD: In Seitz, *Grossschmett. Erde* 9:880 [b1840] SS: dharma (Moore), [1881]; *Neopithecops* [Type: BMNH-ht; designated by Eliot & Kawazoé, 1983] [Butts *Lycaenopsis* group :41 [b1580]] [TypeL - S. India.] [Refs - b1580; b1840 (as Moore, i.l.)]
- b **togakusiensis** (Murayama), 1964; *Lycaeides* OD: Z. wien. ent. Ges. 49:36, f [b3293] SS: cleobis (Bremer), 1861; *Plebejus* (*Lycaeides*) [TypeL - C. Japan.] [Refs - b1900]
- a **togara** (Plötz), 1880; *Lycaena* OD: Stett. ent. Ztg 41:202 [b3622] CG: *Thermoniphys* [TypeL - W. Africa.] [Refs - b0827; b1452; b4388; b4400]
- a **togarna** (Hewitson), [1867], 1863-1878; *Thecla* OD: Ill. diurn. Lep. Lycaenidae 1:85; 2:pl 33, f 52,53 [b2326] CG: *Arawacus* [Type: BMNH] [TypeL - Venezuela.] [Refs - b0908; b4245; b2988; b2747; b2406; b2497; b1975]
- b **togata** (Fruhstorfer), 1916; *Lycaenesthes* OD: Zoöl. Meded. 2(2):101 [b1872] SS: lycaenina (R. Felder), 1868; *Anthene* [TypeL - Lombok, Sumbawa.] [Refs - b4679; b1454; b1840]
- c **toliensis** Ribbe, 1926; *Rapala* OD: Ent. Mitt. 15(1):82 [b3742] SS: enipeus (Staudinger), [1888]; *Rapala* [Type: SMT-ht; designated by Takanami, 1992] [Tyô to Ga 43(3):197 [b4609]] [TypeL - Celebes.] [Refs - b3742]
- a **tolimensis** Johnson, 1992; *Pontirama* OD: Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (22):45, f [b2610] [Type: MNHN-ht] [TypeL - Monte Tolima, Central Cordillera, Colombia.] [Refs - b0125; b2610]
- c **tolistus** (Fruhstorfer), 1917; *Lycaena* OD: Deut. ent. Zeit. [Iris] 31:24 [b1877] SS:alcon ((Denis & Schiffermüller)), 1775; *Maculinea* [TypeL - Bosnien: Korienca.] [Refs - b0236; b0471; b2858]
- a **tollus** Lucas, 1857; *Thecla* OD: In Sagra, Hist. Cuba 7:611, pl 16, f 8,8a,b [b3021] CG: *Thecla* (New World Eumacini) [TypeL - Cuba.] [Note - Figure citation may be incorrect.] [Refs - b0908; b0907; b2747]
- a **tolmides** (Felder & Felder), 1865, 1865-1875; *Pseudolycaena* OD: Reise Novara (2):247, pl 31, f 13,14 [b1692] CG: *Thecla* (New World Eumacini) [TypeL - Bogotá, Colombia.] [Refs - b0908; b2747; b2406; b3805]
- a **toltec** Reakirt, 1866, 1866-1867; *Emesis* OD: Proc. Acad. nat. Sci. Philad. 18:248 [b3697] [TypeL - Mexico.] [Refs - b2747; b4475; b1456]
- b **tomariana** (Matsumura), 1928; *Lycaena* OD: Ins. matsumur. 2(4):200 [b3096] SS: lycornas (Butler), 1866; *Glaucoptysche* [TypeL - Kurile Islands.] [Refs - b1900; b0236; b0066; b2866; b0471 (as *tomarina*)]
- a **tombara** Tite, 1963; *Philiris* OD: Bull. Br. Mus. nat. Hist. (Ent.) 14(5):244 [b4677] [Type: BMNH-ht] [TypeL - New Ireland, Bismarck Archipelago.] [Refs - b4677; b1450]
- a **tombugensis** (Röber), [1886]; *Plebejus* OD: CorrespBl. ent. Ver. Iris 1(3):63, pl 5, f 18 [b3820] CG: *Petrelaea* [TypeL - E. Celebes.] [Refs - b4676; b2388]
- b **tomlinsoni** H. H. Druce, 1909; *Thecla* OD: Trans. ent. Soc. Lond. 57(3):433, pl 11, f 3 [b1376] SS: gibberosa Hewitson, [1867]; *Thecla* (New World Eumacini) [Type: p-st; H. J. Adams collection.] [TypeL - Chanchamayo and Río Colorado, Peru.] [Refs - b0908]
- c **tomokoae** Hayashi & Iwanaga, 1974; *Sinthusia* OD: Kontyû 42(3):259, f [b2207] SS: privata Fruhstorfer, [1912]; *Sinthusia* [TypeL - Mt. Kinabalu, N. E. Borneo.] [Note - Patronym - Hayashi's wife.] [Refs - b1610 (5896-E9); b0109; b105; b1454]
- b **tomokoae** (Hayashi), 1976; *Panchala* OD: Tyô to Ga 27(2):51, f [b2183] SS: paraganesa (de Nicéville), 1882; *Arhopala* o [TypeL - Palawana, Philippines.] [Refs - b0109; b2200]
- a **tomokoae** Hayashi & Schröder & Treadaway, 1978; *Rapala* OD: Tyô to Ga 29(4):215, f 1-4,9-12 [b2209] [Type: OMNH-ht] [TypeL - Mindanao, Philippines.] [Refs - b2209; b2199; b2201; b3488]
- a **tomokoae** Hayashi, 1978; *Deramas* OD: Tyô to Ga 29(3):173, f 7-13 [b2193] [Type: OMNH-ht] [TypeL - Mt. Apo, Mindanao, Philippines.] [Note - Patronym - Author's wife.] [Refs - b2193; b2200; b1454; b4588]
- c **tomyris** (Grum-Grshimaillo), 1890; *Lycaena* OD: In Romanoff, Mém. Léop. 4:377, pl 7, f 5 [b2067] SS: argyrognomon (Bergsträsser), [1779]; *Plebejus* (*Lycaeides*) [Note - Near *eumedon*, *argus*, *eversmanni*.] [Refs - b2067; b4092]
- b **tongida** Clench, 1971; *Macusia* OD: Bull. Allyn Mus. (3):3, f 2 [b0845] SS: dignota (Draudt), [1919]; *Macusia* (?) [Type: AME-ht] [TypeL - Mexico.] [Refs - b0845; b0528; b0102]
- c **tongidensis** (Bethune-Baker), 1926; *Azanus* OD: Ann. Mag. nat. Hist. (9)17:401 [b0362] SS: otacilia (Trimen), 1868; *Anthene* [TypeL - E. Africa.] [Refs - b4400]
- e **tonguva** d'Abrera, 1986, (ISS); *Arhopala* OD: Butts Oriental Region, Pt 3 :577 [b1454] SS: *tonguva* (Grose-Smith), 1887; *Arhopala* i [Refs - b1454; b4594]
- a **tonkina** Evans, 1954; *Curetis* OD: Entomologist 87:242 [b1641] [TypeL - Tonkin.] [Refs - b1454; b4594; b0694]

- c **tonkinianus** Fruhstorfer, [1904]; Abisara OD: Berl. ent. Z. 48(4):285,290 [b1817] SS: echerius (Stoll), [1790]; Abisara [Refs - b0294; b4473; b1454; b1840]
- c **topa** (Evans), 1912; Lycanesthes OD: J. Bombay nat. Hist. Soc. 21(3):986 [b1626] SS: hamptonii (de Nicéville), 1885; Prosotas [Type: BMNH-hi] [TypeL - Palmi Hills.] [Refs - b4676; b1636; b0694]
- b **toparcha** Stichel, 1910; Mesosemia OD: Gen. Insectorum 112(A):56 [b4446] SS: zorea Hewitson, 1869; Mesosemia [Type: ZMHU-st] [TypeL - Chanchamayo, Peru.] [Refs - b4474; b1456 (as toparche); b4446]
- b **toppini** E. Sharpe, 1915; Euselasia OD: Ann. Mag. nat. Hist. (8)16:412 [b4162] SS: eucrusis (Hewitson), [1855]; Euselasia [TypeL - Peru.] [Refs - b4474; b0680; b1456]
- a **tora** Kheil, 1884; Hypolycaena OD: Rhop. Nias :31, pl 5, f 40 [b2725] CG: Hypolycaena (Chliaria) [TypeL - Nias.] [Refs - b0964; b4094 (also as toro); b1454 (in Hypolycaena); b1854]
- a **torfrida** Hewitson, [1867], 1863-1878; Thecla OD: Ill. diurn. Lep. Lycaenidae 1:78; 2:pl 31, f 34,35 [b2326] CG: Thecla (New World Eumacini) [Type: BMNH] [TypeL - Tapajos, Amazon.] [Refs - b0908; b4245; b2747; b1975]
- e **ab. torgniensis** (Haverkamp), 1906; Lycæna OD: Annl. Soc. ent. Belg. 50:157 [b2162] SS: coridon (Poda von Neuhaus), 1761; Polyommatus (Lysandra) [TypeL - Torgny.] [Refs - b0236; b0471; b4038]
- b **torgouta** (Alphéraky), 1881; Lycaena OD: Horae Soc. ent. ross. 16:380, pl 14, f 5,6 [b0043] SS: fergana (Staudinger), 1881; Polyommatus (Plebejidea) [TypeL - Kappak, Alexander Mts.] [Refs - b2479; b4092; b1455]
- e **f. tornensis** (Varga), 1960, (IFS); Aricia OD: Folia ent. hung. (ns)13:448, f [b4819] SS: issekutzi (Balogh), 1957; Plebejus (Aricia) [TypeL - Carpathians.] [Refs - b0094]
- e **toro** (Seitz), [1926], 1912-1927, (ISS); Chliaria OD: In Seitz, Grossschmett. Erde 9:981 [b4094] SS: tora Kheil, 1884; Hypolycaena (Chliaria) [Refs - b4094]
- a **toroensis** Joicey & Talbot, 1921; Eresina OD: Bull. Hill Mus. 1(1):83, pl 14, f 54,55 [b2655] [Type: BMNH-hi; ex. collection of Joicey.] [TypeL - Iuri Forest, N. W. Beni, Kibali-Iuri.] [Refs - b1452; b4388; b4400; b2655]
- c **toroensis** (Riley), 1929; Epamera OD: In Trans. ent. Soc. Lond. 77(2):495, pl 30, f 8 [b3772] SS: hemicyanus E. Sharpe, 1904; Iolaus (Epamera) [Type: UMO-hi] [TypeL - Toro, Mpanga Forest, Uganda.] [Refs - b4400; b3772]
- b **toroensis** Stempffer, 1947; Anthene OD: Bull. Soc. ent. Fr. 52:40 [b4372] SS: lachares (Hewitson), [1878]; Anthene [TypeL - Uganda; Congo.] [Refs - b1452; b4400]
- a **tororo** Stempffer, 1964; Iridana OD: Bull. Inst. franç. Afr. Noire 26(A):1253, f [b4397] [TypeL - Uganda.] [Refs - b1452; b4400]
- a **torquata** (Stichel), 1916; Echenais OD: Deut. ent. Zeit. 1916:21 [b4452] CG: Adolotypa [TypeL - Bolivia.] [Refs - b4452; b4475; b1456]
- b **torquata** Cowan, 1974; Drupadia OD: Bull. Br. Mus. nat. Hist. (Ent.) 29(6):318, pl 3, f 63-67 [b1030] SS: rufotaenia (Fruhstorfer), [1912]; Drupadia [Type: BMNH-hi] [TypeL - Palawan, Philippines.] [Refs - b1030; b0105; b1454]
- a **torqueor** (H. H. Druce), 1907; Thecla OD: Proc. zool. Soc. Lond. 1907(3):608 [b1375] CG: Calycopis [Type: BMNH-hi] [TypeL - Carimang River, British Guiana.] [Refs - b0908; b1737; b1375]
- a **torresi** Le Crom & Johnson, 1993; Radissima OD: Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (38):6, f [b2942] [Type: UMBC-hi] [TypeL - Cerro Aguacatal Quinchia Risaralda, Colombia.] [Refs - b2942]
- a **torrida** (Kirby), 1887; Tingra OD: Ann. Mag. nat. Hist. (5)19:364 [b2763] CG: Pentila [TypeL - Gaboon.] [Refs - b1452; b4420; b4400]
- a **torris** (H. H. Druce), 1907; Thecla OD: Proc. zool. Soc. Lond. 1907(3):587, pl 34, f 16 [b1375] CG: Crimsinota [Type: BMNH] [TypeL - Rio Grande, Brazil.] [Refs - b0908; b1375; b2619]
- a **torulensis** (Hesselbarth & Siepe), 1993; Polyommatus OD: Phegea 21(2):48, f [b2321] CG: Plebejus (Pseudoaricia) [TypeL - Turkey.] [Refs - b0126]
- c **tosca** Staudinger, [1887], 1884-1888; Mesosemia OD: In Exot. Schmett. 1:243; 2:pl 88 [b4329] SS: atrocilis Butler, 1874; Mesosemia [Type: ZMHU-it] [TypeL - Upper Amazon.] [Refs - b4474; b0846]
- b **toscius** (Fruhstorfer), 1915; Lampides OD: Arch. Naturgesch. (A)81(6):37 [b1865] SS: bochus (Stoll), [1782]; Jamides [TypeL - Halmaheira.] [Refs - b1450 (as tosius); b4094; b1865]
- c **toshikoe** (Hayashi), 1978; Jacoona OD: Tyô to Ga 29(3):166, f 7,8,16-19 [b2191] SS: gertrudes (Schröder & Treadaway), 1978; Neocheritra [Type: OMNH-hi] [TypeL - Mindanao, Philippines.] [Note - Patronym - Author's mother.] [Refs - b2191; b2199; b1454]
- a **toshikoe** Hayashi, 1981; Deramas OD: Tyô to Ga 32(1,2):67, f 7,8,48 [b2198] [Type: NSMT-hi] [TypeL - Leyte (Hinungan), Philippines.] [Refs - b2198; b2200; b1454; b4588]
- a **toshikoe** Hayashi, 1984; Hypolycaena OD: Iwase (2):19; pl 1, f 15; pl 2, f 15 [b2199] [TypeL - Luzon, Philippines] [Refs - b2199; b2201; b4105]
- b **tounguva** (Grose-Smith), 1887; Amblypodia OD: Ann. Mag. nat. Hist. (5)20:268 [b2028] SS: asinarus Felder & Felder, 1865; Arhopala i [Type: BMNH-hi] [TypeL - Toungoo, Burma.] [Refs - b1644; b4094 (also as toungura); b1454 (as tonguva); b2028; b0236]
- a **toussainti** (Comstock & Huntington), 1943; Thecla OD: Ann. New York Acad. Sci. 45:84, pl 1, f 17 [b0907] CG: Strymon [Type: AMNH] [TypeL - Fond Parisien, Haiti.] [Refs - b0908; b0540; b0907; b0833]
- b **tova** Higgins, 1948; Polyommatus OD: Entomologist 81(3):50 [b2367] SS: icarius (Esper), [1789]; Polyommatus (Plebicula) [Type: lost-hi] [TypeL - Sierra Nevada, Spain.] [Refs - b3059; b4247]
- b **toxana** (Boisduval), 1870; Eumenia OD: Consid. Lép. Guatemala :13 [b0469] SS: minijas (Hübner), [1809]; Eumaeus [TypeL - Costa Rica.] [Refs - b0908; b2747; b1975]
- b **toxea** (Godart), [1824], 1819-1824; Eumenia OD: In Ency. méth. 9(Ins.)(2):826 [b1970] SS: minijas (Hübner), [1809]; Eumaeus [Type: MNHN-hi] [TypeL - (Interior of) Central America.] [Type of - Eumenia] [Refs - b2280; b0908; b2747; b1039; b2721 (as good sp); b3192; b2406; b1321; b1722]
- b **toxeuma** Brown, 1971; Glaucopsyche OD: J. Lep. Soc. 25(4):245, f [b0511] SS: piasus (Boisduval), 1852; Glaucopsyche [Type: CNC-hi] [TypeL - Gamett Valley, Sumnerland, British Columbia.] [Refs - b0102; b3192; b1743]
- e **toxia** (Gray), 1832, (ISS); Eumenia OD: In Griffith, Cuvier's Anim. Kingdom 15(Cl. Ins. 2):787 [b2014] SS: toxea (Godart), [1824]; Eumaeus [Note - According to Comstock & Huntington, Gray not only misspelled this name, he misidentified it.] [Refs - b0908]
- a **toxoepesi** (Corbet), 1937; Celastrina OD: Trans. R. ent. Soc. Lond. 86(2):25 [b0934] CG: Udara (Udara) [Type: BMNH-hi] [TypeL - West Malaysia.] [Refs - b0964; b0965; b1580; b2200]

- b **toxopeusi** Corbet, 1938; *Nacaduba* OD: Trans. R. ent. Soc. Lond. 87(5):141 [b0938] SS: calauria (C. Felder), 1860; *Nacaduba* [Type: biblio; replacement for evansi *Toxopeus*, 1927] [TypeL - Ceylon.] [Refs - b4676; b0938; b0694 (as evansi)]
- b **toza** (Kerr), 1967; *Holochila* OD: J. Aust. ent. Soc. 6(1):49 [b2722] SS: consimilis Waterhouse, 1942; *Candalides* [TypeL - Iron Range, N. Queensland, Australia.] [Refs - b0870]
- a **trabalis** Stichel, 1916; *Panara* OD: Z. wiss. Insektbiol. 12:168 [b4453] [TypeL - Brasilien.] [Refs - b4474; b1456 (as trabalis); b4453]
- e **trabealis** d'Abrera, 1994, (ISS); *Panara* OD: Butts Neotropical Region, Pt 4 :954 [b1456] SS: trabalis Stichel, 1916; *Panara* [Refs - b1456]
- c **traga** Hewitson, [1859], 1852-1877; *Mesosemia* OD: Ill. exot. Butts 2:[-], pl [54], f 42-44 [b2323] SS: coea Hübner, [1819]; *Mesosemia* [TypeL - Amazon.] [Refs - b2747; b4474]
- c **trailii** Butler, 1877; *Stalactis* OD: Trans. ent. Soc. Lond. 25(2):137, pl 3, f 1 [b0607] SS: lineata (Guérin-Méneville), 1844; *Stalactis* [TypeL - Rio Maues.] [Refs - b4476; b0607; b1456]
- c **trailii** Butler, 1877; *Cartea* OD: Trans. ent. Soc. Lond. 25(2):129 [b0607] SS: vitula (Hewitson), [1853]; *Cartea* [TypeL - Upper Amazon.] [Refs - b4474; b0607; b1456]
- b **trangeri** Schaus, 1928; *Stalactis* OD: Proc. ent. Soc. Wash. 30(3):50 [b3954] SS: phaedusa Hübner, [1818]; *Stalactis* [TypeL - Colombia.] [Refs - b4476]
- c **transalaica** (Obraztsov), 1935; *Lycaena* OD: Folia zool. hydrobiol. 8:147 [b3467] SS: allous (Geyer), [1836]; *Plebejus* (*Aricia*) [TypeL - Trans-Alai.] [Refs - b2827; b0073; b3467]
- c **transalbicans** (Tutt), 1910, 1905-1914; *Agniades* OD: Nat. Hist. Brit. Butts 4:52 [b4760] SS: albicans (Gerhard), 1851; *Polyommatus* (*Lysandra*) [Refs - b3059; b0471; b4038]
- b **transbaicalensis** (Kurentzov), 1970; *Lycaena* OD: Butts Far East USSR :133 [b2864] SS: argus (Linnaeus), 1758; *Plebejus* [Refs - b2866]
- a **transcaspica** (Staudinger), 1899; *Lycaena* OD: Deut. ent. Zeit. [Iris] 12(1):141 [b4345] CG: *Polyommatus* (*Agrodiaetus*) [Refs - b0993; b2827; b2794 (as Heyne, 1895); b4092]
- b **transcaspica** (Staudinger), 1901; *Cigaritis* OD: Cat. Lep. Palae. Faun. (3rd ed) :76 [b4347] SS: acamas (Klug), 1834; *Apharitis* [Refs - b4092; b1455 (with epargyros)]
- c **transcaucasica** (Rebel), 1901; *Lycaena* OD: Annln naturh. Mus. Wien 16:166 [b3700] SS: christophi (Staudinger), 1874; *Plebejus* (*Lycaeides*) [Refs - b0236; b0471; ns1467 (with christophi)]
- c **transcausicus** (Miller), 1923; *Chrysophanus* OD: Bull. Soc. ent. Moscou 2(2):98 [b3184] SS: phoenicurus (Lederer), 1872; *Athamanthia* [Type: ZMMU-lost] [TypeL - Armenia.] [Refs - b3371; b3363; ns1468 (as a good subspecies)]
- b **transcausasiensis**; *Palaeochrysophanus* OD: SS: hippothoe (Linnaeus), 1761; *Palaeochrysophanus* [Check - Original description.]
- e **transferens** Verity & Querci, 1924, (NN); *Polyommatus* OD: Ent. Rec. 36(Sep.):45 [b4868] SS: icarus (Rottemburg), 1775; *Polyommatus* [Refs - b2856; b0236; b0471]
- e **transferens** Verity, 1943, (IFS); *Polyommatus* OD: Farfalle Diurne Ital. 2:257 [b4862] SS: icarus (Rottemburg), 1775; *Polyommatus* [Type: MZS-st] [Refs - b2856]
- b **transiens** (Staudinger), 1886, 1886-1889; *Polyommatus* OD: Stett. ent. Ztg 47:201 [b4330] SS: caspius (Lederer), 1869; *Hyrceanana* [Refs - b0996; b1759; b4094; b2827; b3360; b4092]
- c **transiens** Fuchs, 1899; *Lycaena* OD: Jb. nass. Ver. Nat. 52:120 [b1896] SS: phlaeas (Linnaeus), 1761; *Lycaena* (*Lycaena*) [Refs - b0236; b0389]
- b **transiens** (Melcon), 1910; *Lycaena* OD: Boln R. Soc. esp. Hist. nat. 10:229 [b3148] SS: semiargus (Rottemburg), 1775; *Polyommatus* (*Cyaniris*) [Refs - b3059; b0236; b0410; b0471]
- c **transiens** Seitz, [1917], 1910-1924; *Siseme* OD: In Seitz, Grossschmett. Erde 5:698, pl 132b,c [b4093] SS: lucilius Hopffer, 1874; *Siseme* [TypeL - Bolivia.] [Refs - b4475; b4093]
- b **transiens** (Stauder), 1925, (H); *Lycaena* OD: Ent. Anz. 5(10):74 [b4319] SS: semiargus (Rottemburg), 1775; *Polyommatus* (*Cyaniris*) [TypeL - Alps.] [Check - Homonym in need of a replacement.] [Refs - b0236; b0410; b4319; b0471]
- e **ab. transiens** (Kalis), 1933; *Marmessus* OD: Tijdschr. Ent. 76(1/2):86 [b2679] SS: ravindra (Horsfield), [1828]; *Drupadia* [TypeL - Java.] [Refs - b1030]
- b **transiliensis** (Lukhtanov), 1993; *Neolycaena* OD: Atalanta (Münnerstadt) 24(1/4):61-70 [b3033] SS: eckweileri (Lukhtanov), 1993; *Satyrium* (*Neolycaena*) [TypeL - Kasakhstan.]
- e **transila** Le Moul, 1940, 1939-1940, (IFS); *Helicopsis* OD: Novit. ent. (14):109, f 36 [b2943] SS: cupido (Linnaeus), 1758; *Helicopsis* [Type: MNHN-pt] [Refs - b3199]
- c **translucens** (Lucas), 1891; *Holochila* OD: Butts and Moths :- [b3026] SS: elpis (Godart), [1824]; *Jamides* [TypeL - Supposedly Australia.] [Note - Edwards has examined the type, and says it is very similar to *Jamides elpis*, but differs from *Timor specimens*. It is not Australian.] [Refs - b3256; b1473; b1475]
- e **ab. transparens** (Courvoisier), 1903; *Lycaena* OD: Mitt. schweiz. ent. Ges. 11:23 [b0981] SS: glandon (Prumer), 1798; *Polyommatus* (*Agniades*) [Refs - b0410]
- e **ab. transparens** (Courvoisier), 1903; *Lycaena* OD: Mitt. schweiz. ent. Ges. 11:23 [b0981] SS: coridon (Poda von Neuhaus), 1761; *Polyommatus* (*Lysandra*) [Refs - b0471]
- e **ab. transparens** (Courvoisier), 1903; *Lycaena* OD: Mitt. schweiz. ent. Ges. 11:23 [b0981] SS: orbiululus (Prumer), 1798; *Polyommatus* (*Albulina*) [Refs - b0471]
- e **ab. transparens** (Courvoisier), 1903; *Lycaena* OD: Mitt. schweiz. ent. Ges. 11:23 [b0981] SS: damon ((Denis & Schiffermüller)), 1775; *Polyommatus* (*Agrodiaetus*) [Refs - b0236; b0410; b0471]
- a **transpectus** (Moore), 1879; *Polyommatus* OD: Proc. zool. Soc. Lond. 1879(1):139 [b3231] CG: *Lestranicus* [Type: BMNH-It; designated by Eliot & Kawazoé, 1983] [Butts *Lycaenopsis* group :73 [b1580]] [TypeL - Assam, India.] [Type of - *Lestranicus*] [Refs - b1636; b1153; b1840; b1580; b2200; b3055; b3231]
- b **transvaalensis** Quickelberge, 1972; *Tarucus* OD: Ent. Rec. 84(10):234, f [b3674] SS: bowkeri (Trimen), 1883; *Tarucus* [TypeL - Transvaal, S. Africa.] [Refs - b1259]
- e **transvehens** Verity & Querci, 1924; *Polyommatus* OD: Ent. Rec. 36(Sep.):46 [b4868] SS: icarus (Rottemburg), 1775; *Polyommatus* [Refs - b0236; b0471]
- e **transversa** (Tutt), 1906, 1905-1914; *Chrysophanus* OD: Nat. Hist. Brit. Butts 1:430 [b4760] SS: dispar ((Haworth)), 1802; *Lycaena* (*Thersamolycaena*) [Refs - b0389]
- e **ab. transversa** Tutt, 1908, 1905-1914; *Celastrina* OD: Nat. Hist. Brit. Butts 2:398 [b4760] SS: argiolus (Linnaeus), 1758; *Celastrina* [Refs - b0236; b0471]
- e **ab. transversa** Courvoisier, 1911, 1910-1911; *Lycaena* OD: Ent. Zeit. 24:255 [b0985] SS: alciphron (Rottemburg), 1775; *Lycaena* (*Alciphronia*) [Refs - b0236]

- e *ab. transversa* Courvoisier, 1912; *Polyommatus* OD: Deut. ent. Zeit. [Iris] 26:57 [b0987] SS: eros (Ochsenheimer), 1807; *Polyommatus* [Refs - b0236 (as (confluens-)transversa)]
- a *transverstitigma* H. H. Druce, 1910; *Telipna* OD: Proc. zool. Soc. Lond. 1910(1):356, pl 33, f 2 [b1378] [TypeL - Cameroons.] [Refs - b1452; b4400]
- e *f. transvestitus* Scott, 1981; *Plebejus* OD: *Papilio* (New Series) (1):6 [b4062] SS: lupini (Boisduval), 1869; *Plebejus* (Icaricia) [Refs - b4062; x3192; b4066]
- b *trappi* (Verity), 1927; *Plebejus* OD: *Annls Soc. ent. Fr.* 96:16 [b4846] SS: pylaon (Fischer von Waldheim), 1832; *Plebejus* (*Plebejides*) [Note - Replacement name for *lycidas* Trapp, 1863.] [Refs - b2375; b2856; b1780; b0236; b0410; b2862; b2859; ns1402; b0471]
- b *travana* (Hewitson), [1865], 1863-1878; *Myrina* OD: *Ill. diurn. Lep. Lycaenidae* 1:38; 2:pl 17, f 59,60 [b2326] SS: jangala (Horsfield), [1829]; *Remelana* [TypeL - Sumatra; Borneo.] [Refs - b0964; b0965; b2747; b4094; b1564; b2201; b1454; b0694]
- b *treadawayi* (Jumalon), 1975; *Pratapa* OD: *Tyô to Ga* 26(2):65, f [b2673] SS: cebuensis (Jumalon), 1975; *Paruparo* [TypeL - Negros Island, Visayan Islands, Philippines.] [Refs - b0107; b2186; b2201; b4586; b1454; b3490]
- a *treadawayi* Hayashi, 1981; *Deramas* OD: *Tyô to Ga* 32(1,2):63, f 1,2,45 [b2198] [Type: NSMT-ht] [TypeL - Mt. Apo, Mindanao, Philippines.] [Refs - b2198; b2200; b1454; b4594; b4588]
- a *treadawayi* Hayashi, 1984; *Dacalana* OD: *Ent. Zeit.* 94(21):311, f [b2203] [Type: OMNH-ht] [TypeL - Mindanao, Philippines.] [Refs - b2203]
- b *treadawayi* Eliot, 1986; *Lontalius* OD: *Bull. Br. Mus. nat. Hist. (Ent.)* 53(1):75, f 49,108 [b1571] SS: eltus Eliot, 1986; *Lontalius* [Type: pc-ht; collection of Treadway.] [TypeL - Bagacay, Samar, Philippines.] [Refs - b1571]
- b *treadawayi* Hanafusa, 1989; *Dodona* OD: *Futao* (1):4, f 8,10 [b2122] SS: deodata Hewitson, 1876; *Dodona* [Type: pc-ht; collection of Hanafusa] [TypeL - Banaue, N. Luzon, Philippines.] [Refs - b2122]
- a *trebonia* Hewitson, 1870, 1869-1877; *Thecla* OD: *Equatorial Lep. Buckley* (4):63 [b2330] CG: *Thecla* (New World Eumaeini) [Type: BMNH] [TypeL - Curaray, Ecuador.] [Refs - b0908; b2747; b1375]
- a *trebula* (Hewitson), 1868; *Thecla* OD: *Descr. new Spec. Lycaenidae* :16 [b2327] CG: *Calystryma* [Type: BMNH-ht] [TypeL - Ega, Amazon.] [Refs - b0908; b2747; b1738; b3818; b1975; b2631; b2606]
- a *trembathi* Collins & Larsen, 1991; *Chloroselas* OD: *In Butts Kenya* :439, f [b0868] [TypeL - Kenya] [Refs - b0125]
- b *trevincae* (Wyatt), 1952; *Plebejus* OD: *Z. wien. ent. Ges.* 37:207 [b5047] SS: morronensis (Ribbe), 1910; *Plebejus* (*Aricia*) [TypeL - Spain.]
- a *triangulara* Johnson, 1992; *Candora* OD: *Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point)* (22):39, f [b2610] [Type: AME-ht] [TypeL - Milimbanco, Cotopaxi, Ecuador.] [Refs - b0125; b2942; b2610]
- a *triangularis* Aurivillius, 1895; *Micropentila* OD: *Ent. Tidskr.* 16:203 [b0151] [TypeL - Cameroons.] [Refs - b0151; b1452; b4400]
- e *triangularis* (Bethune-Baker), 1903, (PS); *Arhopala* OD: *Trans. zool. Soc. Lond.* 17(1):114 [b0331] SS: amniella (Hewitson), 1862; *Flos* [Refs - b1644; b0331]
- a *triangularis* (Thieme), 1907; *Panara* OD: *Berl. ent. Z.* 52:6, pl 1, f 19 [b4640] CG: *Symmachia* [TypeL - Colombia.] [Refs - b2988; b4474; b1456]
- c *var. trianthima* Matsumura, 1907; *Rapala* OD: *Thous. Ins. Japan* 4:- [b3083] SS: arata (Bremer), 1861; *Rapala* [Refs - b4115; ns4092 :260 (as tyrianthina)]
- e *ab. tribasijuncta* Courvoisier, 1912; *Tarucus* OD: Deut. ent. Zeit. [Iris] 26:52 [b0987] SS: theophrastus (Fabricius), 1793; *Tarucus* [Refs - b0236; b0471]
- e *ab. tribasipunctata* Tutt, 1912; *Plebejus* OD: Deut. ent. Zeit. [Iris] 26:52, pl 5, f 16 [b4769] SS: argus (Linnaeus), 1758; *Plebejus* [Refs - b0236; b0471]
- b *tricaudata* Johnson, 1992; *Ahlbergia* OD: *Neue Ent. Nachr.* 29:41, f [b2609] SS: frivaldszkyi (Lederer), 1855; *Ahlbergia* [TypeL - China.] [Refs - b0126]
- b *trichonis* (Fruhstorfer), 1915; *Lampides* OD: *Arch. Naturgesch. (A)* 81(6):7 [b1865] SS: cleodus (Felder & Felder), 1865; *Jamides* [TypeL - Palawan.] [Refs - b4094; b1865; b1454 (as trichomis)]
- e *trichornis* d'Abbrera, 1986, (ISS); *Jamides* OD: *Butts Oriental Region, Pt 3* :645 [b1454] SS: trichonis (Fruhstorfer), 1915; *Jamides* [Refs - b1454; b4594]
- a *trichroma* (Seitz), [1920], 1910-1924; *Tmetoglene* OD: *In Seitz, Grossschmett. Erde* 5:727, pl 110a [b4093] CG: *Brachyglenis* [TypeL - Colombia.] [Refs - b4474; b1456]
- a *tricolor* Hewitson, [1867], 1852-1877; *Symmachia* OD: *Ill. exot. Butts* 4:[-], pl [45], f 6 [b2323] [TypeL - Ega.] [Refs - b2988; b2747; b4474; b2497; b1456]
- c *tricolor* Staudinger, 1891; *Pseudaletis* OD: Deut. ent. Zeit. [Iris] 4(1):143, pl 1, f 5 [b4334] SS: agrippina H. H. Druce, 1888; *Pseudaletis* [TypeL - Cameroons.] [Refs - b4400]
- e *ab. tricolor* (Ureta), 1949; *Thecla* OD: *Boln Mus. nac. Hist. nat. Chile* 24:106 [b4782] SS: bicolor (Philippi), 1859; *Eiseliana* [Refs - x0276; b4782; b2638]
- a *tricolora* (Bethune-Baker), 1915; *Pentila* OD: *Ann. Mag. nat. Hist.* (8)16:188 [b0353] CG: *Liptena* [TypeL - Cameroons.] [Refs - b1452; b4400]
- c *trifasciata* E. Sharpe, 1890; *Pseudaletis* OD: *Ann. Mag. nat. Hist.* (6)6:103 [b4150] SS: leonis (Staudinger), [1888]; *Pseudaletis* [TypeL - Sierra Leone.] [Refs - b4400]
- c *trifurcata* (Butler), 1884; *Catochrysops* OD: *Ann. Mag. nat. Hist.* (5)13:194 [b0629] SS: cnejus (Fabricius), 1798; *Euchrysops* [TypeL - Rat Island, Straits of Malacca.] [Refs - b0629; b4108]
- c *trifurcata* (Moore), 1882; *Aphnaeus* OD: *Proc. zool. Soc. Lond.* 1882(1):251 [b3234] SS: elima (Moore), 1877; *Spindasis* [TypeL - NW Himalaya.] [Refs - b1636; b1153; b4094; b0996; b1454 (as good sp); b0694; b4092]
- a *trigrammatas* (Butler), 1881; *Lampides* OD: *Trans. ent. Soc. Lond.* 29(4):468 [b0619] CG: *Leptotes* [TypeL - Copiapo, (Northern) Chile.] [Refs - b0908; b3846; b4782]
- c *triglitis* Stichel, 1910; *Ancyluris* OD: *Gen. Insectorum* 112(A):106 [b4446] SS: mira (Hewitson), 1874; *Ancyluris* [Type: ZMHU-ht] [TypeL - Peru.] [Refs - b4474; b4446]
- e *trilinea* Tutt, 1908, 1905-1914; *Celastrina* OD: *Nat. Hist. Brit. Butts* 2:393 [b4760] SS: argiolus (Linnaeus), 1758; *Celastrina* [Refs - b0400]
- b *trilineata* (Butler), 1874; *Mesosemia* OD: *Trans. ent. Soc. Lond.* 22(4):429 [b0598] SS: croesus (Fabricius), 1777; *Semomesia* [TypeL - Amazon.] [Refs - b2753; b4474]
- e *trilocha* (Swinhoe), 1911, 1909-1913, (ISS); *Ruralis* OD: *In Moore, Lep. Ind.* 8:269 [b4575] SS: triloka (Hannington), 1910; *Chrysozephyrus* [Refs - b2463]
- a *triloka* (Hannington), 1910, 1910-1911; *Zephyrus* OD: *J. Bombay nat. Hist. Soc.* 20(2):367 [b2135] CG: *Chrysozephyrus* [Type: BMNH-ht] [TypeL - Kumaon District, U.P., India.] [Refs - b1636; b1643; b0236; b4200; b3296; b0694; b2463]

- b **trima** Corbet, 1941; *Arhopala* OD: Proc. R. ent. Soc. Lond. (B)10(9):155 [b0956] SS: *muta* (Hewitson), 1862; *Arhopala* b [Type: BMNH-ht] [TypeL - Sumatra.] [Refs - b1644; b0956]
- a **trimeni** Wallengren, 1875; *Iolaus* OD: Öfvers. K. VetenskAkad. Förh. 32(1):87 [b4917] CG: *Iolaus* (*Iolaphilus*) [TypeL - Transvaal.] [Refs - b1259; b2753; b1452; b2224; b4400]
- a **trimeni** H. H. Druce, 1905; *Cooksonia* OD: In Trans. ent. Soc. Lond. 53(2):257, pl 13, f 3 [b1372] [TypeL - Rhodesia.] [Type of - Cooksonia] [Refs - b2280; b1452; b4400]
- a **trimeni** Neave, 1910; *Spindasis* OD: Proc. zool. Soc. Lond. 1910(1):50, pl 2, f 7 [b3346] [TypeL - Rhodesia.] [Refs - b1452; b3346; b4400]
- a **trimeni** (Bethune-Baker), 1923; *Neochrysops* OD: Trans. ent. Soc. Lond. 70(3/4):295, pl 12, f 7; pl 16, f 13; pl 27, f 13 [b0359] CG: *Lepidochrysops* [Type: BMNH-st] [TypeL - Cape Colony, S. Africa.] [Refs - b1259; b1452; b0359; b4400; b0795; b0794]
- a **trimeni** Riley, 1938; *Poecilmitis* OD: Trans. R. ent. Soc. Lond. 87(10):240, pl 1, f 15,16; pl 2, f 40,41 [b3777] [Type: BMNH-ht] [TypeL - Pt. Nolloth, Namaqualand, S. Africa.ella] [Refs - b1259; b1452; b4400; b3777]
- a **trimeni** Tite & Dickson, 1973; *Aloeides* OD: Bull. Br. Mus. nat. Hist. (Ent.) 29(5):260 [b4685] [Type: BMNH-ht; Rh. #17237] [TypeL - Witpoortje, Transvaal.] [Refs - b1259; b0104; b3647; b1452; b4685]
- e **trinacrae** Verity, 1919, 1919-1922, (RA); *Cupido* OD: Ent. Rec. 31:47 [b4840] SS: *minimus* (Füssly), 1775; *Cupido* [Type: MZS-st] [Refs - b2856; b0236; b0400; b2859; b0471]
- a **tringa** (Grose-Smith), 1894; *Holochila* OD: Novit. zool. 1:581 [b2037] CG: *Candalides* [Type: BMNH-ht] [TypeL - Humboldt Bay, New Guinea.] [Refs - b4677; b1450; b2078]
- b **tringa** Stempffer & Bennett & May, 1974; *Liptena* OD: Bull. Br. Mus. nat. Hist. (Ent.) 30(1):130, f [b4423] SS: *submacula* Lathy, 1903; *Liptena* [TypeL - Abagourou, Ivory Coast.] [Refs - b0105; b1452]
- b **trinidadensis** McAlpine, [1971]; *Calephelis* OD: J. Res. Lep. 10(1):37, f [b3127] SS: *lavema* (Godman & Salvin), 1880; *Calephelis* [Type: AMNH-ht] [TypeL - St. Ann, Trinidad, British West Indies.] [Refs - b4474; b3127]
- b **trinitatis** Seitz, [1917], 1910-1924; *Helicopsis* OD: In Seitz, Grossschmett. Erde 5:633 [b4093] SS: *cupido* (Linnaeus), 1758; *Helicopsis* [TypeL - Trinidad.] [Refs - b4474; b4093]
- a **trinitatis** (Lathy), 1932; *Echenais* OD: Ann. Mag. nat. Hist. (10)9:71 [b2922] CG: *Adelotypa* [Type: BMNH-ht] [TypeL - Caparo, Trinidad.] [Refs - b2922; b1456]
- a **trinitatis** Lathy, 1936; *Thecla* OD: Livre jubilaire de M. Eugene-Louis Bouvier :232, pl 8, f 19 [b2925] CG: *Thecla* (New World *Eumacini*) [Type: MNHN-ht; collection of Fournier de Horrack.] [TypeL - Caparo, W. Central Trinidad.] [Refs - b0908; b2925; b2591; b2592]
- c **trinitensis** Le Moult, 1940, 1939-1940; *Helicopsis* OD: Novit. ent. (14):106, f 32,33 [b2943] SS: *cupido* (Linnaeus), 1758; *Helicopsis* [Type: AME-ht] [TypeL - Port of Spain, Trinidad.] [Refs - b3199]
- a **trionoae** Semper, 1890, 1886-1892; *Arhopala* OD: In Semper, Reisen Philipp. (2)(5):198 [b4110] CG: *Arhopala* a [Type: ZMHU-ht] [TypeL - S. E. Mindanao, Philippines.] [Refs - b1644; b1454; b4602]
- c **triopas** (Stoll), [1780], 1780-1790; *Papilio* OD: In Cramer, Uitl. Kapellen 4(27):64, pl 320, f G,H [b4478] SS: *amor* (Fabricius), 1775; *Rathinda* [TypeL - Coromandel.] [Refs - b1012; b2747; b4094; b0694 (as *triopis*)]
- b **triopus** (de Nicéville), 1898; *Thysonotis* OD: In J. asiat. Soc. Bengal, Pt II 67(2):265 [b1166] SS: *danis* (Cramer), [1775]; *Danis* [TypeL - Ké Island.] [Refs - b1450; b2078]
- a **triphysina** (Staudinger), 1892; *Lycaena* OD: Dent. ent. Zeit. [Iris] 4(2):235, pl 3, f 2 or 3 [b4336] CG: *Palaeophilotes* [TypeL - Kashgar.] [Type of - Palaeophilotes] [Refs - b2280; b2988 (+as *triphysima*); b0993; b1762; b4092]
- e **tripuncta** (Courvoisier), 1903; *Lycaena* OD: Mitt. schweiz. ent. Ges. 11(1):22 [b0981] SS: *arion* (Linnaeus), 1758; *Maculinea* [Refs - b0400]
- e **ab. tripuncta** (Courvoisier), 1903; *Lycaena* OD: Mitt. schweiz. ent. Ges. 11:25 [b0981] SS: *coridon* (Poda von Neuhaus), 1761; *Polyommatus* (*Lysandra*) [Refs - b0236; b0471]
- e **ab. tripuncta** (Courvoisier), 1903; *Lycaena* OD: Mitt. schweiz. ent. Ges. 11:22 [b0981] SS: *bellargus* (Rottemburg), 1775; *Polyommatus* (*Lysandra*) [Refs - b0236; b0471 (as *tripunctata*)]
- e **ab. tripuncta** Courvoisier, 1910, 1910-1911; *Maculinea* OD: Ent. Zeit. 24:203 [b0985] SS: *arion* (Linnaeus), 1758; *Maculinea* [Refs - b0471]
- e **ab. tripuncta** Courvoisier, 1910; *Pseudophilotes* OD: In Berge, Schmetterlingsbuch (ed. 9) :67 [b0983] SS: *hylactor* (Bergsträsser), [1779]; *Pseudophilotes* [Note - *Beuret gives an earlier reference, Courvoisier, 1903, Mitt. Schweiz. ent. Ges., 11:22, pl 2, f 7a*] [Refs - b0236; b0400; ns0981 (earlier); b0471]
- e **ab. tripuncta** Courvoisier, 1910, 1910-1911; *Polyommatus* OD: Ent. Zeit. 24:148 [b0985] SS: *eros* (Ochsenheimer), 1807; *Polyommatus* [Refs - b0471]
- e **f. tripuncta** Closs, 1920; *Lycaena* OD: Int. ent. Z. 14(16):122 [b0859] SS: *virgaureae* (Linnaeus), 1758; *Lycaena* (Heodes) [TypeL - Germany.] [Refs - b0236; b0389; b0471]
- a **tripunctata** (Hewitson), [1863], 1863-1878; *Loxura* OD: Ill. dium. Lep. Lycaenidae 1:26 [b2326] CG: *Yasoda* [TypeL - Mont. Kasiyae.] [Type of - Yasoda] [Note - *May be conspecific with pia.*] [Refs - b1636; b2280; b2747; b4094; b1454; b0694]
- c **tripunctata** (H. H. Druce), 1888; *Tingra* OD: Ent. mon. Mag. 25:109 [b1352] SS: *petreia* Hewitson, 1874; *Pentila* [TypeL - W. Africa.] [Refs - b1784 :275]
- b **tripunctata** (Grose-Smith & Kirby), 1894, 1887-1902; *Pseuderesia* OD: Rhop. exot. 2(29):116, pl 25, f 3,4 [b2049] SS: *o-rubrum* (Holland), 1890; *Liptena* [TypeL - Kulu.] [Refs - b1452; b4400]
- d **tripunctata** Aurivillius, 1895, (H); *Pentila* OD: Ent. Tidskr. 16:197 (nota) [b0151] SS: *abraxas* Westwood, [1852]; *Pentila* [Refs - b0151; b0836; b4400]
- e **ab. tripunctata** Fritsch, [1910]; *Polyommatus* OD: Berl. ent. Z. 54(3/4):234 [b1796] SS: *icarus* (Rottemburg), 1775; *Polyommatus* [Refs - b0236; b0471]
- a **triquetra** (Hewitson), [1865], 1863-1878; *Thecla* OD: Ill. dium. Lep. Lycaenidae 1:76; 2:pl 28, f 17-19 [b2326] CG: *Macusia* [Type: BMNH] [TypeL - Brazil.] [Refs - b0908; b2747; b2670; b0125; b2611]
- b **trishna** Fruhstorfer, 1919; *Poritia* OD: Arch. Naturgesch. (A)83(2):85 [b1890] SS: *erycinoides* (Felder & Felder), 1865; *Poritia* [Type: BMNH-ht] [TypeL - Sikkim, India.] [Note - *May be a good species. Originally described as a subspecies of hewisoni.*] [Refs - b1454; x0276; b0694; b1890; b0950]
- e **ab. trisignatus** (Strand), 1911; *Cupido* OD: Ent. Rundsch. 28:138 [b4501] SS: *mahallakoena* (Wallengren), 1857; *Eicochrysops* [TypeL - Abyssinia.] [Refs - b4528; b4400 (as a good ssp)]
- c **tristis** (Gerhard), 1853, 1850-1853; *Lycaena* OD: Vers. monog. europ. Schmett. pl 15, f 4 [b1928] SS: *alexis* (Poda von Neuhaus), 1761; *Glaucopsyche* [Refs - b2747; b0993; b4092]

- c *tristis* (Röber), 1887; *Amblypodia* OD: *CorrespBl. ent. Ver. Iris* 1(4):200, pl 9, f 9 [b3821] SS: *annulata* (C. Felder), 1860; *Arhopala* a [Type: SMT-It; designated by Takana, 1989] [Työ to Ga 40(1):51 [b4602]] [TypeL - Banggai [Bangkei] Island.] [Refs - b1644; b3821; b4094; b4602]
- b *tristis* Schaus, 1902; *Lepicormis* OD: *Proc. U. S. natn. Mus.* 24(1262):405 [b3948] SS: *strigosus* (Staudinger), 1876; *Lepicormis* [Type: USNM-ht; #5914] [TypeL - Peru.] [Refs - b4474; b3948]
- e *ab. tristis* Oberthür, 1914; *Tomares* OD: *Étud. Léop. comp.* 10:368, pl 292, f 2389 [b3454] SS: *mauritanicus* (Lucas), 1849; *Tomares* [Refs - b0236; b0471]
- a *tristis* Rothschild, 1916; *Nacaduba* OD: *Rep. B. O. U. Exped. New Guinea* 2(15):29 [b3880] [Type: BMNH-ht] [TypeL - Utakawa River, New Guinea.] [Refs - b4676; b1450; b4094; b2698; b3880; b2387; b2388]
- a *tristis* Lathy, 1926; *Thecla* OD: *Ann. Mag. nat. Hist.* (9)17:45 [b2918] CG: *Thecla* (New World *Eumacini*) [Type: MNHN-ht; Fournier collection.] [TypeL - Nivac, Matto Grosso, Brazil.] [Refs - b0908; b0064; b2591; b2918; b2592]
- a *tristis* Stichel, 1929; *Emesis* OD: *Mitt. zool. Mus. Berl.* 15:22 [b4470] [TypeL - Mexico.] [Refs - b4475; b4470; b1456]
- e *ab. tristis* (Stetter-Stättermayer), 1937; *Lycaena* OD: *Ent. Rundsch.* 54:531 [b4432] SS: *allardi* (Oberthür), 1874; *Plebejus* (*Plebejides*) [Refs - b0075]
- c *tristis* Beuret, 1953; *Helleia* OD: *Lyc. Schweiz. I* :58 [b0389] SS: *helle* ((Denis & Schiffermüller)), 1775; *Helleia* A [TypeL - Swizerland.] [Refs - b0389]
- c *trita* (Swinhoe), 1919; *Lycaenopsis* OD: *Ann. Mag. nat. Hist.* (9)3:314 [b4580] SS: *kollari* (Westwood), [1851]; *Celastrina* [Type: BMNH-ht] [TypeL - Murree, Pakistan.] [Refs - b1636; b1840; b1580; b0471]
- a *triton* (Fabricius), 1787; *Papilio* OD: *Mantissa Ins.* 2:74 [b1656] CG: *Cupido* (?) [TypeL - USSR.] [Refs - b2747]
- b *triumphalis* Murayama & Sibatani, 1943; *Horaga* OD: *Trans. Kansai ent. Soc.* 13(1):37-56, f [b3309] SS: *albimacula* (Wood-Mason & de Nicéville), 1881; *Horaga* [TypeL - Formosa.] [Refs - b1012; b4198; b2650; b5053; b1569; b1454]
- e *triumphans* (Fruhstorfer), 1915, (IFS); *Waigeum* OD: *Zoöl. Meded.* 1(2):147 [b1863] SS: *dinawa* (Bethune-Baker), 1908; *Hypochrysops* [Type: RNH-ht] [TypeL - Waigeu.] [Refs - b3926]
- e *trivaldszkyi* (Kirby), 1871, (ISS); *Thecla* OD: *Syn. Cat. dium. Lep.* :398 [b2747] SS: *frivaldszkyi* (Lederer), 1855; *Ahlbergia* [Refs - b2747]
- a *trivittata* Lathy, 1904; *Themone* OD: *Trans. ent. Soc. Lond.* 52(3):465, pl 27, f 4 [b2914] [Type: BMNH-ht] [TypeL - La Merced, Peru.] [Refs - b4474; b1456]
- b *troas* Stichel, 1909; *Anteros* OD: *Berl. ent. Z.* 54(1/2):47 [b4444] SS: *acheus* (Stoll), [1781]; *Anteros* [TypeL - Bolivia; S. Colombia.] [Refs - b4474]
- e *trochila* (d'Abbrera), 1984, (ISS); *Argyrogramma* OD: *Buts South America* :253 [b1453] SS: *trochilia* (Westwood), [1851]; *Argyrogrammana* [Refs - b1453]
- a *trochilia* (Westwood), [1851], 1846-1852; *Baeotis* OD: *In Gen. dium. Lep.* (2):451, note [b4981] CG: *Argyrogrammana* [TypeL - Amazon.] [Refs - b2988; b2747; b4474; b1453 (as *trochila*); b1456; b4446]
- a *trochilus* Erichson, 1848; *Caria* OD: *In Schomburgk, Reisen Brit-Guiana* 3:601 [b1611] [TypeL - Guiana.] [Refs - b2988; b2747; b4474; b1452; b0836; b1456]
- e *trochilus* (Kirby), 1871, (ISS); *Cupido* OD: *Syn. Cat. dium. Lep.* :357 [b2747] SS: *trochylus* (Freyer), 1845; *Chilades* (*Freyeria*) [Refs - b2747]
- e *trochilus* (Murray), 1874, (ISS); *Lycaena* OD: *Trans. ent. Soc. Lond.* 22(4):526 [b3318] SS: *trochylus* (Freyer), 1845; *Chilades* (*Freyeria*) [Refs - b5055; b0410; b3910; b3318; b4094; b4934; b0694]
- c *trochoides* Stichel, 1929; *Nahida* OD: *Mitt. zool. Mus. Berl.* 15:17 [b4470] SS: *coenoides* (Hewitson), 1870; *Nahida* [TypeL - Ecuador.] [Refs - b4474; b4470]
- a *trochois* (Hewitson), 1877, 1869-1877; *Threnodes* OD: *Equatorial Lep. Buckley* (5):96 [b2330] CG: *Nahida* [TypeL - Ecuador.] [Refs - b2988; b2753; b4474; b1456]
- a *trochus* H. H. Druce, 1907; *Thecla* OD: *Proc. zool. Soc. Lond.* 1907(3):573, pl 31, f 7 [b1375] CG: *Thecla* (New World *Eumacini*) [Type: pc; Godman collection.] [TypeL - Río Mínero, Muzo, Colombia.] [Note - *Near eronos.*] [Refs - b0908; b1375]
- a *trochylus* (Freyer), 1845, 1831-1858; *Lycaena* OD: *Neuere Beitr. Schmett.* 5(74):98, pl 440, f 1 [b1795] CG: *Chilades* (*Freyeria*) [TypeL - Turcia; Caffraria.] [Type of - *Freyeria*] [Note - *Attended by ants of the genus Pheidole.*] [Refs - b1636; b4198; b1450; b1943; b2280; b1259; b2375; b4178 (in *Zizeeria*); b4094; b3326; b0995; b4178; b2747; b1762; b2827; b1610 (6672-E12); b2650; b2905; b3547; b3621; b0236; b5055 (as *trochilus*); b1452 (as *trochilus*); b0293; b0410 (as *trochilus*); b2898; b4950; b2794; b3555; b4780; b1454; b4400; b3606; b0694; b2859; b4092; b4209]
- a *trogon* (Distant), 1884; *Panchala* OD: *Ann. Mag. nat. Hist.* (5)14:201 [b1286] CG: *Arhopala* m [TypeL - Perak, Malay Peninsula.] [Refs - b1644; b1556; b4094; b1454; b4108; b1286]
- b *tropaea* Corbet, 1941; *Arhopala* OD: *Proc. R. ent. Soc. Lond.* (B)10(9):155 [b0956] SS: *muta* (Hewitson), 1862; *Arhopala* b [Type: BMNH-ht] [TypeL - Johore.] [Refs - b1644; b0956; b1573]
- a *tropicalis* (Boisduval), 1847; *Tingra* OD: *In Delegorgue, Voy. Afrique Austr.* 2:589 [b0464] CG: *Pentila* [TypeL - Africa.] [Type of - *Pentila*, *Tingra*] [Note - *Placed on Official List (#1659) by Op 566.*] [Refs - b2280; b1943; b1259; b2747; b1452; b2531; b4400; b4950; b4420; b3151]
- d *tropicalis* Hewitson, [1866], 1852-1877, (H); *Pentila* OD: *Ill. exot. Buts* 3:[119], pl [60], f 1 or 1,2 [b2323] SS: *hewitsoni* Grose-Smith & Kirby, 1887; *Pentila* [Note - *Perhaps only a misidentification.*] [Refs - b0836]
- c *trotschi* (Godman & Salvin), [1901], 1879-1901; *Tharops* OD: *Biol. centr.-amer., Lep. Rhop.* 2:707; 3-pl 110, f 13,14 [b1975] SS: *laobotas* (Hewitson), [1875]; *Calospila* [Refs - b2988; b4475; b1456]
- a *trotschi* d'Abbrera, 1994; *Mesosemia* OD: *Buts Neotropical Region*, Pt 4:904, f [Type: BMNH-ht] [TypeL - Rio San Juan, S. Pablo, W. Colombia.] [Refs - b1456]
- c *trucidata* (Butler), 1877; *Mesene* OD: *Trans. ent. Soc. Lond.* 25(2):131 [b0607] SS: *cingulus* (Stoll), [1790]; *Phaenochitonina* [TypeL - Upper Amazon.] [Refs - b4474; b0607]
- e *f. truculenta* Stichel, 1924; *Euselasia* OD: *Z. wiss. InsektBiol.* 19:249 [b4462] SS: *eutyclus* (Hewitson), [1856]; *Euselasia* [TypeL - Brazil.] [Refs - b4474]
- c *truncata* Moore, 1877; *Curetis* OD: *Ann. Mag. nat. Hist.* (4)20:51 [b3224] SS: *acuta* Moore, 1877; *Curetis* [Refs - b0996; b2479; b4092]
- b *truncata* Stichel, 1910; *Baeotis* OD: *Gen. Insectorum* 112(A):181 [b4446] SS: *johannae* E. Sharpe, 1890; *Baeotis* [Type: BMNH-ht] [TypeL - Minas Geraës, Brazil.] [Refs - b4474; b1456 (as *atruncata*)]

- a **truncipennis** de Nicéville, 1887; *Cheritrella* OD: Proc. zool. Soc. Lond. 1887(3):456, pl 39, f 3,4 [b1150] [Type: BMNH-ht] [TypeL - Sikkim, India.] [Type of - Cheritrella] [Refs - b1016; b1636; b2280; b4094; b2201; b1454; b0694]
- a **truncta** Johnson, 1992; *Thecloxurina* OD: Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (22):12, f [b2610] [Type: MNHN-ht] [TypeL - Cordillera Blanca, Peru.] [Refs - b0125; b2610]
- a **trunctogen** Johnson & Salazar E., 1993; *Strymon* OD: Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (26):5, pl 2, f 3E; f 1E [b2641] [Type: BMNH-ht] [TypeL - Bogota, Colombia.] [Refs - b2641; b2629]
- a **trypherota** Bethune-Baker, 1909; *Oboronia* OD: Ann. Mag. nat. Hist. (8)3:422 [b0341] [TypeL - Congo.]
- b **tryphiodorus** (Fruhstorfer), 1915; *Lampides* OD: Arch. Naturgesch. (A)81(6):22 [b1865] SS: aratus (Stoll), [1781]; *Jamides* [Type: BMNH-ht] [TypeL - Java.] [Refs - b4094; b1865; b1454; b3786]
- a **tsangkie** (Oberthür), 1886; *Thecla* OD: Étud. ent. 11:20, pl 7, f 55,56 [b3429] CG: *Teratozephyrus* [TypeL - Thibet.] [Note - Sometimes seen as *tsangkai*.] [Refs - b2988; b0996; b2479; b4214; b4200; b3296; b1454; b0694; b4092; b2463]
- b **tsavoa** Jackson, 1966; *Alaena* OD: Ann. Mag. nat. Hist. (13)8:527 [b2565] SS: johanna E. Sharpe, 1890; *Alaena* [TypeL - Kenya.] [Refs - b4400]
- b **tscherkessica** (Forster), 1936; *Lycaena* OD: Mitt. Münchn. ent. Ges. 26:131 [b1758] SS: argus (Linnaeus), 1758; *Plebejus* [TypeL - Caucasia.] [Refs - b0074]
- a **tseng** (Oberthür), 1886; *Chrysophanus* OD: Bull. Soc. ent. Fr. (6)6:xiii [b3428] CG: *Helleia* B [TypeL - Thibet.] [Refs - b2988; b1636 (in Heodes); b2479; b4220 (*Helleia*); b0996 (Et XI :19, pl 5, f 32); b0389; b0694; b4092]
- b **tshtakalica** Shchetkin, 1984; *Turanana* OD: Dokl. Akad. Nauk Tadzhik. SSR 27(5):291 [b4441] SS: panaegides (Staudinger), 1886; *Turanana* [TypeL - Uzbekistan.] [Refs - b0117]
- b **tshtetverikovi** Nekrutenko, 1977; *Polyommatus* OD: Dopov. Akad. Nauk Ukr. RSR (B) 1977(2):180, 2 f [b3353] SS: forsteri (Pfeiffer), 1938; *Polyommatus* [TypeL - Georgia, SSR.] [Refs - b0109; b3361; b0206]
- a **tshimgana** (Forster), 1936; *Lycaena* OD: Mitt. Münchn. ent. Ges. 26:104 [b1758] CG: *Plebejus* (*Lycaeides*) [TypeL - Turkestan.] [Refs - b0074]
- c **tsiphana** (Boisduval), 1833; *Lycaena* OD: Nouv. Ann. Mus. Hist. nat. (Paris) 2(2):173 [b0459] SS: batikeli (Boisduval), 1833; *Deudorix* (*Virachola*) [TypeL - Madagascar.] [Refs - b2747; b4400 (as ab.); b2920]
- b **tsodiloensis** (Pinhey), 1969; *Iolau* OD: *Arnoldia* Rhodesia 4(8):1, 3 f [b3608] SS: caeculus (Hopffer), 1855; *Hemiolaus* [Type: MNBZ-ht] [Refs - b1259; b1452; b3608]
- a **tsomo** (Trimen), 1868; *Lycaena* OD: Trans. ent. Soc. Lond. 16(1):91 [b4718] CG: *Harpenderyus* [TypeL - Africa mer.] [Refs - b1259; b2747; b1452; b0162; b4400]
- c **tsugaruensis** (Watari), 1937; *Lycaena* OD: *Zephyrus* 7(1):26, f [b4930] SS: teleius (Bergsträsser), [1779]; *Maculinea* [Type: pc-ht; collection of Watari.] [TypeL - Tsugaru, Aomori Prefecture, Honshū, Japan.] [Refs - b1900; b0075; b4930]
- b **tsuiso** Takamami, 1987; *Deramas* OD: Mem. Tsukada Colln (5):30, tf 1A, pl 3, f 1; pl 4, f 1 [b4596] SS: kawazoei Hayashi, 1981; *Deramas* [Type: pc; collection of Takamami.] [TypeL - Pinamalyan, East Mindoro.] [Refs - b4596]
- a **tsukadai** Eliot & Kawazoe, 1983; *Uranobothria* OD: Butts *Lycaenopsis* group :267, f [b1580] [Type: NSMT-ht] [TypeL - Pulu Pulu, Toraja, Sulawesi.] [Refs - b1580]
- a **tsukadai** Takamami, 1994; *Jamides* OD: Tyō to Ga 45(1):7, f 3,4,10 [b4610] [Type: pc-ht; collection of Tsukada.] [TypeL - Kulawi, nr Palu, Sulawesi Tengah.] [Refs - b4610]
- b **tsushimana** Fruhstorfer, 1908; *Curetis* OD: Stett. ent. Ztg 69:49 or 50 [b1835] SS: acuta Moore, 1877; *Curetis* [Refs - b0996; b4094; b1900; b4092]
- b **tsushimana** Shirōzu & Urata, 1957; *Pithecopis* OD: *Sieboldia* 2(1):35, f [b4213] SS: fulgens Doherty, 1889; *Pithecopis* [TypeL - Tsushima Islands, Japan.] [Refs - b1900; b4212; b1011]
- b **tsvetajevi** (Kurentzov), 1970; *Lycaena* OD: Butts Far East USSR :120, 137 [b2864] SS: erotides (Staudinger), 1892; *Polyommatus* [Refs - b2827; b2866]
- b **tuala** Toxopeus, 1930; *Catopyrops* OD: De soorte als Functie :148 [b4702] SS: ancyra (C. Felder), 1860; *Catopyrops* [TypeL - Toeal, Key.] [Refs - b4676; b1450; b4702]
- b **tualensis** (Röber), [1886]; *Plebeius* OD: *CorrespBl. ent. Ver. Iris* 1(1):61, pl 5, f 26 [b3820] SS: erinus (Fabricius), 1775; *Candalides* [TypeL - Key Islands.] [Refs - b4677; b1450; b1840]
- c **tuarana** Riley, 1923; *Everes* OD: *Entomologist* 56:37 [b3755] SS: lacturus (Godart), [1824]; *Everes* [TypeL - Borneo.] [Refs - b4108]
- a **tuba** Johnson, 1992; *Cissatsuma* OD: *Neue Ent. Nachr.* 29:77, f [b2609] [TypeL - Yunnan.] [Refs - b0126]
- c **tucca** (Fruhstorfer), 1915; *Rapala* OD: *Zool. Meded.* 1(2):147 [b1863] SS: kessuma (Horsfield), [1829]; *Deudorix* (*Virachola*) [TypeL - Nias.]
- c **tucumana** (H. H. Druce), 1907; *Thecla* OD: Proc. zool. Soc. Lond. 1907(3):629, pl 36, f 36 [b1375] SS: eurytlus (Hübner), [1819]; *Strymon* [Type: BMNH-ht; Druce collection.] [TypeL - Tucuman, Argentina.] [Refs - b0908; b2221; b3846; b1375; b4782; b2631; b2593; b2624]
- b **tucumana** Thieme, 1907; *Barbicornis* OD: *Berl. ent. Z.* 52:7, pl 1, f 21 [b4640] SS: basilis Godart, [1824]; *Barbicornis* [TypeL - Argentina.] [Check - Classification] [Refs - b0111; b4474; b1456 (with *acroleuca*)]
- a **tucumanensis** Johnson & Kroenlein, 1993; *Angulopsis* OD: Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (33):5, f [b2627] [Type: BMNH-ht] [TypeL - Tucuman.] [Refs - b2627]
- a **tullia** (Staudinger), 1892; *Pseuderesia* OD: *Deut. ent. Zeit.* [Iris] 4(2):221 [b4336] CG: *Liptena* [TypeL - W. Africa.] [Refs - b1452; b4400]
- a **tulliana** Grose-Smith, 1901, 1887-1902; *Liptena* OD: *Rhop. exot.* 3(57):134, pl 28, f 6,7 [b2029] [TypeL - Tropical Africa.] [Refs - b1452; b4400]
- c **tulliola** (Godman & Salvin), [1887], 1879-1901; *Lycaena* OD: *Biol. centr.-amer., Lep. Rhop.* 2:108; 3:pl 58, f 28,29 [b1975] SS: cyna (Edwards), 1881; *Zizula* [Type: BMNH-ht] [TypeL - San Gerónimo, Guatemala.] [Refs - b0908; b2221; b4094 (*Zizula*?); b3192; b1321; b1975; b4361]
- a **tullius** (Fabricius), 1787; *Papilio* OD: *Mantissa Ins.* 2:34 [b1656] CG: *Perophthalma* [TypeL - Cajemae?]. [Refs - b2988; b2747; b4474; b2406; b0680; b5076; b1456]
- b **tumangensis** Im, 1988; *Polyommatus* OD: *Kwahak Wontongbo* 1988(3):49 [b2502] SS: icarus (Rottemburg), 1775; *Polyommatus* [TypeL - North Korea] [Refs - b0124]
- a **tumentia** H. H. Druce, 1910; *Epitola* OD: Proc. zool. Soc. Lond. 1910(1):366, pl 33, f 15 [b1378] [TypeL - W. Africa.] [Refs - b3842; b1452; b4400]
- a **tuneta** (Hewitson), [1865], 1863-1878; *Thecla* OD: *Ill. dium. Lep. Lycaenidae* 1:71; 2:pl 28, f 14,15 [b2326] CG: *Arcas* [Type: BMNH] [TypeL - South America.] [Refs - b0908; b2747; b3389; b1375; b1975]

- b **tuolumnensis** Opler & Powell, 1962; *Apodemia* OD: *J. Lep. Soc.* 15(3):159 [b3513] SS: mormo (Felder & Felder), 1859; *Apodemia* [Type: CAS-ht] [TypeL - Yosemite National Park, Tuolumne Co., California.] [Refs - b3192; b1321; b4066]
- b **tura** de Nicéville, 1895; *Tajuria* OD: *J. Bombay nat. Hist. Soc.* 9(3):301, pl P, f 39 [b1159] SS: albiplaga de Nicéville, 1887; *Tajuria* [TypeL - Sumatra.] [Refs - b4094]
- c **turanica** Heyne, 1893, 1893-1895; *Lycaena* OD: In *Palae. Grossschmett.* 1:447 [b2363] SS: phlaeas (Linnaeus), 1761; *Lycaena* (*Lycaena*) [Refs - b4092]
- a **turanica** (Heyne), 1895, 1893-1895; *Lycaena* OD: In *Palae. Grossschmett.* 1:761 [b2363] CG: *Polyommatus* [TypeL - Turkmenistan.] [Refs - b1963; b2363; b4854; b0205; b0206]
- b **turatiana** (Verity & Querci), 1923; *Lycaena* OD: *Ent. Rec.* 35(Sup.):7 [b4867] SS: alcon ((Denis & Schiffemüller), 1775; *Maculinea* [Note - Replacement name for *italica* Turati, 1919. Perhaps *italica* is valid.] [Refs - b2856; b4865; b0236; b0400; b0471]
- e **turatii** (Verity), 1919, 1919-1922, (RA); *Agriades* OD: *Ent. Rec.* 31:31 [b4840] SS: escheri (Hübner), [1823]; *Polyommatus* (*Plebicula*) [Type: MZS-st] [Refs - b2856; b0236; b0471]
- b **turbata** (Butler), [1882]; *Turbata* OD: *Proc. zool. Soc. Lond.* 1881(4):855 [b0620] SS: bazalus (Hewitson), 1862; *Arhopala* g [Type: BMNH-ht] [TypeL - Nikko, Japan.] [Refs - b1644; b4198; b4115; b0996; b2650; b1900; b5053; b1454; b4092]
- a **turbata** (Kirby), 1890; *Pseuderesia* OD: *Ann. Mag. nat. Hist.* (6):263 [b2766] CG: *Liptena* [TypeL - Camerouns.] [Refs - b1452; b2766; b4400]
- c **turbatus** (Grose-Smith & Kirby), 1893, 1887-1902; *Lycaenesthes* OD: *Rhop. exot.* 2(26):105, pl 23, f 11, 12 [b2049] SS: lyzanius (Hewitson), 1874; *Neurypexina* [TypeL - W. Africa.] [Refs - b4400]
- b **turbo** Fruhstorfer, [1912]; *Deudorix* OD: *Berl. ent. Z.* 56(3/4):266 [b1850] SS: epijarbas (Moore), [1858]; *Deudorix* [TypeL - Key Island.] [Refs - b1450; b4094; b1850]
- b **turcicola** (Koçak), 1977; *Agrodiaetus* OD: *Atalanta* (Münnerstadt) 8(1):55, f 17-20 [b2788] SS: transcaspica (Staudinger), 1899; *Polyommatus* (*Agrodiaetus*) [Type: DSZUA-ht] [TypeL - Vicinity of Van, Van Province, E Turkey.] [Refs - b0109; b2788]
- c **turcicus** (Gerhard), 1853, 1850-1853; *Polyommatus* OD: *Vers. monog. europ. Schmett.* 5, pl 5, f 5a-c [b1928] SS: phlaeas (Linnaeus), 1761; *Lycaena* (*Lycaena*) [Refs - b2747; b0996; b0236; b0389]
- a **turcicus** (Koçak), 1977; *Agrodiaetus* OD: *Atalanta* (Münnerstadt) 8(1):54, f 13-16, 23 [b2788] CG: *Polyommatus* (*Agrodiaetus*) [Type: DSZUA-ht] [TypeL - Kağızman-Cumacı, Kars Province, NE Turkey.] [Refs - b0109; b2794; b2788]
- b **turcmenica** (Forster), 1936; *Lycaena* OD: *Mitt. münchn. ent. Ges.* 26:55 [b1758] SS: pylaon (Fischer von Waldheim), 1832; *Plebejus* (*Plebejides*) [TypeL - Jablanowka, Transcaspia.] [Refs - b2827; b0074; b0410; b1758]
- c **turdeta** Fruhstorfer, [1915], 1909-1923; *Logania* OD: In *Seitz, Grossschmett. Erde* 9:807 [b1840] SS: distanti Semper, 1887; *Logania* [Type: SMF-ht] [TypeL - Cebu, Philippines.] [Refs - b1840; b1571]
- c **turensis** (Heyne), 1895, 1893-1895; *Lycaena* OD: In *Palae. Grossschmett.* 1:762 [b2363] SS: icarius (Esper), [1789]; *Polyommatus* (*Plebicula*) [Refs - b0993; b2363; b4092]
- c **turgaica** (Obraztsov), 1935; *Lycaena* OD: *Folia zool. hydrobiol.* 8:147 [b3467] SS: allous (Geyer), [1836]; *Plebejus* (*Aricia*) [TypeL - Ber-Tshogur, Turgai-Provinz.] [Refs - b2827; b0073; b3467]
- b **turgena** Zhdanko, 1990; *Athamanthia* OD: *Ent. Obozr.* 69(1):140 [b5066] SS: dimorphus (Staudinger), 1881; *Athamanthia* [TypeL - Kazakhstan.] [Refs - b0124; b5068; b3991]
- e **turgena** Zhdanko, 1990, (IOS); *Athamanthia* OD: *Ent. Obozr.* 69(1):141 [b5066] SS: darja Zhdanko, 1990; *Athamanthia* [Note - Described under the wrong heading, but correctly named in the English abstract.] [Refs - b5066]
- e **turgida** Stichel, 1919, (IFS); *Semomesia* OD: *Deut. ent. Zeit.* 1919:130 [b4454] SS: capanea (Cramer), [1779]; *Semomesia* [Refs - b4474]
- b **turkana** Stempffer, 1936; *Anthene* OD: *Revue fr. Ent.* 3:137 [b4364] SS: contrastata (Ungemach), 1932; *Anthene* [TypeL - Mt. Elgon, Kenya.] [Refs - b1452; b4400]
- a **turkingtoni** (Johnson), 1976; *Callophrys* OD: *Pan-Pac. Ent.* 52(1):60 [b2582] CG: *Mitoura* [Type: AMNH-ht] [TypeL - 10 miles east of Namiquipa, Chihuahua, Mexico.] [Refs - b2583; b0108; b2585; b2584]
- a **turlini** Stempffer, [1972]; *Lepidochrysops* OD: *Bull. Soc. ent. Fr.* 76(7/8):207, f 1-4 [b4408] [Type: MNHN-ht] [TypeL - Nr Tulear, Madagascar.] [Note - Patronym; B. Turlin.] [Refs - b0102; b1452; b4408]
- b **turna** Dognin, 1891; *Eurybia* OD: *Naturaliste* 13=(2):125 [b1294] SS: juturna Felder & Felder, 1865; *Eurybia* [TypeL - Loja.] [Refs - b4474]
- c **turneri** (Miskin), 1890; *Lycaenesthes* OD: *Proc. linn. Soc. N. S. Wales* (2):5(1):39 [b3212] SS: godeffroyi (Semper), [1879]; *Anthene* [TypeL - Cape York, Australia.] [Refs - b4679; b1450; b1840; b4934]
- b **turneri** (Waterhouse), 1903; *Pseudonotis* OD: *Proc. linn. Soc. N. S. Wales* 27(4):648 [b4933] SS: danis (Felder & Felder), 1865; *Hypolycaena* [TypeL - Queensland, Australia.] [Refs - b1450; b2078; b0870; b4934; b2646]
- a **turneri** Riley, 1938; *Poecilmitis* OD: *Trans. R. ent. Soc. Lond.* 87(10):241, pl 1, f 17, 18; pl 2, f 42, 43 [b3777] [Type: BMNH-ht] [TypeL - Matjesfontein, Cape Province, S. Africa.] [Refs - b1259; b1452; b4400; b3777]
- b **turneri** (Clench), 1943; *Incalisia* OD: *Can. Ent.* 75(10):182 [b0819] SS: henrici (Grote & Robinson), 1867; *Deciduphagus* [Type: MCZ-ht] [TypeL - Cowley County, Kansas.] [Refs - b0908; b3078; b0528; b3192; b1321]
- a **turrialbensis** (Schaus), 1913; *Charis* OD: *Proc. zool. Soc. Lond.* 1913(3):352, pl 53, f 13 [b3950] CG: *Sarota* [TypeL - Costa Rica.] [Refs - b4474; b3950]
- e **tuscanica** (Verity), 1919, 1919-1922, (RA); *Plebeius* OD: *Ent. Rec.* 31:45 [b4840] SS: argus (Linnaeus), 1758; *Plebejus* [Type: MZS-st] [Refs - b2856; b0236; b0471 (as tuscana)]
- b **tussis** H. H. Druce, 1895; *Tajuria* OD: *Proc. zool. Soc. Lond.* 1895(3):601, pl 33, f 8, 9 [b1362] SS: ister (Hewitson), [1865]; *Tajuria* [Type: ZMHU-ht; designated by Takanami, 1989] [Työ to Ga 40(1):32 [b4602]] [TypeL - Labuan, Borneo.] [Refs - b0964; b0965; b4094; b2201; b1362; b1454; b4602; b4108]
- c **tusta** (Sharp), [1887], (ISS); *Satadra* OD: *Zool. Rec.* 23(1886)(Ins.):243 [b4121] SS: teesta (de Nicéville), 1886; *Arhopala* g
- a **tutana** (Godart), [1824], 1819-1824; *Erycina* OD: In *Ency. méth.* 9(Ins.):577 [b1970] CG: *Aricoris* [TypeL - Brasilia.] [Refs - b2988; b2747; b4475; b4445; b1456]
- c **var. tullii** Oberhür, 1910; *Polyommatus* OD: *Étud. Léop. comp.* 4:238 [b3451] SS: icarus (Rotenburg), 1775; *Polyommatus* [Refs - b0236; b0471]
- b **tweediei** (Eliot), 1963; *Heliphorus* OD: *Entomologist* 96:173 [b1549] SS: epicles (Godart), [1824]; *Heliophorus* [Type: BMNH-ht] [TypeL - Cameron Highlands, Pahang, Malaya.] [Refs - b0965; b1454; b1549]

- c **tyana** Fruhstorfer, 1915; *Catapaecilma* OD: Z. wiss. InsektBiol. 11(7/8):221 [b1861] SS: emas (Fruhstorfer), [1912]; *Catapaecilma* [TypeL - Malayische Halbinsel.] [Refs - b0964; b0965; x0276; b1861]
- a **tyleri** Dyar, 1913; *Thecla* OD: Proc. U. S. natn. Mus. 45:636 [b1443] CG: *Thecla* (New World Eumaeini) [Type: USNM-ht; #15620] [TypeL - Coropuna, Peru.] [Refs - b0908]
- c **tymbria** (Fruhstorfer), [1922], 1909-1923; *Lycaenopsis* OD: In Seitz, Grossschmett. Erde 9:870 [b1840] SS: mygdonia (Fruhstorfer), [1917]; *Acytolepis* [Type: BMNH-ht; designated by Eliot & Kawazoé, 1983] [Butus *Lycaenopsis* group :177 [b1580]] [TypeL - Sintang, W. Kalimantan, Borneo.] [Refs - b1840; b1580; b4108]
- a **tympania** Hewitson, [1869], 1863-1878; *Thecla* OD: Ill. diurn. Lep. Lycaenidae 1:128; 2:pl 51, f 276,277 [b2326] CG: *Thecla* (New World Eumaeini) [Type: BMNH] [TypeL - Pará, Amazon.] [Refs - b0908; b2747; b2221; b1975 (=empusa)]
- b **tymphrestus** Fruhstorfer, [1915], 1909-1923; *Allotinus* OD: In Seitz, Grossschmett. Erde 9:809 [b1840] SS: fallax Felder & Felder, 1865; *Allotinus* [Type: SMF-ht; designated by Eliot, 1986] [Bull. Br. Mus. nat. Hist. (Ent.) 53(1):12 [b1571]] [TypeL - Sulu Island, Philippines.] [Refs - b1840; b1571]
- a **tyotaroi** Hayashi, 1981; *Pratapa* OD: Tyô to Ga 32(1,2):79, f 35,36,54 [b2198] [Type: NSMT-ht] [TypeL - Philippines.] [Note - *Patronym* - Mr. Yasusuke Nishiyama (nickname).] [Refs - b2210; b2198; b2201; b1454]
- a **tyotaroi** Eliot & Kawazoé, 1983; *Udara* OD: Butus *Lycaenopsis* group :156, f 112, 332-333, 348-349 [b1580] [Type: BMNH-ht] [TypeL - Mt Apo, Mindanao, Philippines.] [Refs - b1580; b2200]
- b **typhon** Waterhouse & Lyell, 1914; *Ogyris* OD: Butus Aust. :120, f 403,425 [b4947] SS: zosine Hewitson, [1854]; *Ogyris* [TypeL - Australia.] [Refs - b1450; b4094; b0870; b0355]
- e **ab. typicaudata** (Tutt), 1906, 1905-1914; *Rumicia* OD: Nat. Hist. Brit. Butus 1:359 [b4760] SS: phlaeas (Linnaeus), 1761; *Lycaena* (*Lycaena*) [Refs - b0389; b4760]
- e **typicafasciata** Tutt, 1907, 1905-1914; *Lampides* OD: Nat. Hist. Brit. Butus 2:337 [b4760] SS: boeticus (Linnaeus), 1767; *Lampides* [Refs - b0400]
- e **typicamarginata** Tutt, 1907, 1905-1914; *Lampides* OD: Nat. Hist. Brit. Butus 2:336 [b4760] SS: boeticus (Linnaeus), 1767; *Lampides* [Refs - b0400]
- e **typicamarginata** Tutt, 1908, 1905-1914; *Everes* OD: Nat. Hist. Brit. Butus 3:54 [b4760] SS: argiades (Pallas), 1771; *Everes* [Refs - b0400]
- b **tyrannus** Felder & Felder, 1865, 1865-1875; *Arhopala* OD: Reise Novara (2):225, pl 29, f 1,2 [b1692] SS: hercules (Hewitson), 1862; *Arhopala* e [Type: BMNH-ht] [TypeL - Halmageira.] [Refs - b1644; b1450; b2747; b4094]
- a **tyrannus** (Grose-Smith), 1897, 1887-1902; *Abisara* OD: Rhop. exot. 3(39):3, pl 1, f 7-9 [b2029] CG: *Praetaxila* [Refs - b1450; b4474; b1840]
- a **tyriam** H. H. Druce, 1907; *Thecla* OD: Proc. zool. Soc. Lond. 1907(3):595, pl 35, f 5 [b1375] CG: *Thecla* (New World Eumaeini) [Type: pc; Godman collection.] [TypeL - Pará, Brazil.] [Note - Druce says "allied to perola".] [Refs - b0908; b1375]
- c **tyrianthina** (Butler), 1881; *Thecla* OD: Ann. Mag. nat. Hist. (5):7:34, pl 4, f 5 [b0617] SS: arata (Bremer), 1861; *Rapala* [TypeL - China.] [Refs - b4115; b0995; b4092; b1455]
- a **tyriotes** (Godman & Salvin), 1878; *Mesene* OD: Proc. zool. Soc. Lond. 1878(2):363 [b1973] CG: *Stichelia* [TypeL - Veragua, Chiriqui and Calobre.] [Refs - b4474; b1456]
- b **tyro** de Nicéville, 1895; *Tajuria* OD: J. Bombay nat. Hist. Soc. 9(3):302, pl P, f 40 [b1159] SS: isaeus (Hewitson), [1865]; *Tajuria* [TypeL - Burma.] [Note - Resembles *cleoboides* & *buto*, but differs in structure.] [Refs - b4094; b1159; b2201; b1454; b0694]
- b **tyrone** (Seitz), [1923], 1912-1927; *Lycaena* OD: In Seitz, Grossschmett. Erde 9:929 [b4094] SS: jaloka Moore, [1875]; *Polyommatus* (*Agniades*) [TypeL - Himalaya.] [Refs - b4094]
- b **tyrone** Forster, 1940; *Polyommatus* OD: Mitt. münchn. ent. Ges. 30(3):881 [b1764] SS: tatsienluica (Oberthür), 1910; *Polyommatus* (*Albulina*) [TypeL - China.] [Note - Classification according to Bálini (pers. comm.).] [Refs - b0080]
- c **tyrrhenus** (Hübner), [1819], 1816-1826; *Bithys* OD: Verz. bekannt Schmett. (5):75, no. 748 [b2484] SS: eryssus (Herbst), 1800; *Thecla* (New World Eumaeini) [Refs - b0908; b2747]
- a **tyrrius** (H. H. Druce), 1907; *Thecla* OD: Proc. zool. Soc. Lond. 1907(3):578, pl 33, f 3 [b1375] CG: *Rhamma* [Type: BMNH-ht] [TypeL - Ecuador.] [Refs - b0908; b1375; b2631; b2593; b0125; b2610; b2611]
- a **tyrtaeus** (Fabricius), 1793, 1792-1799; *Hesperia* OD: Ent. syst. 3(1):271 [b1657] CG: *Thecla* (New World Eumaeini) [TypeL - India.] [Refs - b0908; b2747; b5076]
- c **tysoni** Weeks, 1906; *Euselasia* OD: Ent. News 17(6):199 [b4969] SS: euboea (Hewitson), [1855]; *Euselasia* [TypeL - Venezuela.] [Refs - b4474]
- a **tytia** (Cramer), [1777], 1775-1790; *Papilio* OD: Uidl. Kapellen 2(11):37, pl 121, f C,D [b1069] CG: *Synargis* [TypeL - Amazon; Guiana.] [Type of - *Synargis*] [Refs - b2988; b2280; b2747; b4475; b1039; b1456]
- b **tytleri** (Evans), 1924; *Lycaena* OD: J. Bombay nat. Hist. Soc. 29(3):973 [b1631] SS: orion (Pallas), 1771; *Scolitantides* [TypeL - Tibet.] [Refs - b0236; b3796]
- b **tytleri** Riley, 1929; *Heliophorus* OD: J. Bombay nat. Hist. Soc. 33(2):397 [b3769] SS: androcles (Westwood), [1852]; *Heliophorus* (B) [TypeL - India.] [Refs - b1454; b0694]
- b **tytleri** Riley, 1932; *Chloroselas* OD: Ann. Mag. nat. Hist. (10)10:147, pl 9, f 7,8 [b3773] SS: pseudozeritis (Trimen), 1873; *Chloroselas* [Type: BMNH-ht] [TypeL - Tonjido [Longido?], East Africa.] [Refs - b1452; b3773; b4400; b2560]
- a **tytleri** (Howarth), 1957; *Neozephyrus* OD: Bull. Br. Mus. nat. Hist. (Ent.) 5(6):249, f 12, 55-56, 65-66 [b2463] CG: *Chrysozephyrus* [Type: BMNH-ht] [TypeL - Mt. Kabru, Manipur, N. India.] [Refs - b4200; b3296; b1454; b0694; b2463]
- a **ubaldus** (Stoll), [1782], 1780-1790; *Papilio* OD: In Cramer, Uidl. Kapellen 4(33):209, pl 390, f L,M [b4478] CG: *Azanus* [TypeL - Coromandel.] [Type of - *Azanus*] [Note - According to Larsen, no subspecies are valid.] [Refs - b1943; b1636; b2280; b1259; b2375; b0907; b2747; b0995; b1762; b1840; b2905; b3621; b1452; b0293; b0836; b2898; b4412; b4400; b3312; b3055; b0694; b4092; ns3503]
- a **ubia** (Felder & Felder), 1865, 1865-1875; *Limnas* OD: Reise Novara (2):303 [b1692] CG: *Melanis* [TypeL - Guiana.] [Refs - b2988; b2747; b4474; b1456]
- b **ucayala** Thieme, 1907; *Cartea* OD: Berl. ent. Z. 52:6, pl 1, f 14 [b4640] SS: vitula (Hewitson), [1853]; *Cartea* [TypeL - Rio Ucayali, Peru.] [Refs - b4474; b1456]
- c **uchidae** Matsumura, 1926; *Arhopala* OD: Ins. matsumur. 1(1):26, pl 2, f 7 [b3092] SS: asakurae (Matsumura), 1910; *Arhopala* o [Type: EIHU-ht] [TypeL - Formosa.] [Refs - b4198; b1644; b0236; b4193]
- b **uctensis** (Melcon), 1910; *Lycaena* OD: Boln R. Soc. esp. Hist. nat. 10:228 [b3148] SS: nivescens (Keferstein), 1851; *Polyommatus* (*Plebicula*) [Refs - b3059; b0236; b0471]

- a **ucubis** Hewitson, [1870], 1852-1877; *Uraneis* OD: Ill. exot. Butts 4:[91], pl [49], f 4 [b2323] [TypeL - Para.] [Refs - b2988; b2747; b4475; b4950 (as ucubris); b2280; b1456]
- c **udapa** Corbet, 1941; *Arhopala* OD: Proc. R. ent. Soc. Lond. (B)10(9):153 [b0956] SS: malayana Bethune-Baker, 1903; *Arhopala a* [Type: BMNH-ht] [TypeL - Malaya.] [Refs - b1644; b0956]
- b **udiyana** Fruhstorfer, [1914], 1909-1923; *Dicallaneura* OD: In Seitz, Grossschmett. Erde 9:787 [b1840] SS: pulchra (Guérin-Méneville), [1830]; *Dicallaneura* [TypeL - Humboldt Bay, New Guinea.] [Refs - b1450; b1840; b4474]
- b **ueleensis** Stempffer & Bennett, 1961; *Pentila* OD: Bull. Inst. franç. Afr. Noire 23(A):1190, f 118-120 [b4420] SS: cloetensi Aurivillius, 1897; *Pentila* [TypeL - Congo.] [Note - Not spelled uelensis.] [Refs - b4400 (as uelensis); b1452; b4420]
- e **uelensis** Stempffer, 1967, (ISS); *Pentila* OD: Bull. Br. Mus. nat. Hist. (Ent.) Suppl. 10:18 [b4400] SS: ueleensis Stempffer & Bennett, 1961; *Pentila* [Refs - b4400]
- a **ufentina** Hewitson, 1868; *Thecla* OD: Descr. new Spec. Lycaenidae :17 [b2327] CG: *Thecla* (New World Eumaeini) [Type: BMNH] [TypeL - St. Paulo, Amazon.] [Refs - b0908; b2747]
- e **uffelni** (Vorbrodtt), 1930; *Chrysophanus* OD: Mitt. schweiz. ent. Ges. 14(6):244, pl 8, f 15 [b4887] SS: alciphron (Rottemburg), 1775; *Lycaena* (Alciphronia) [Refs - b0389; b4887]
- a **ufipa** (Kielland), 1978; *Virachola* OD: Tijdschr. Ent. 121(4):203, tf 34, pl 12, f 50,51; pl 13, f 52,53 [b2730] CG: *Deudorix* (Virachola) [Type: NMN-ht] [TypeL - Chala, Ufipa, Tanzania.] [Refs - b1610 (6236-E10); b2730]
- b **ufipa** Kielland, 1990; *Anthene* OD: Butts Tanzania :203, f [b2738] SS: hobleyi (Neave), 1904; *Anthene* [TypeL - Tanzania.] [Refs - b0125]
- b **uganda** (Bethune-Baker), 1910; *Lycaenesthes* OD: Trans. ent. Soc. Lond. 58(1):32 [b0343] SS: princeps (Butler), 1876; *Anthene* [Type: BMNH-ht] [TypeL - Entebbe, Uganda.] [Refs - b4400 (as ugandae); b0343]
- a **uganda** Kielland, 1980; *Uranotauma* OD: In Butts Afrotropical Region :543, f [b2731] [Type: BMNH-ht] [TypeL - Uganda.] [Refs - b0113; b2731; b2733; b0119]
- b **ugandae** E. Sharpe, 1904; *Hypolycaena* OD: Entomologist 37:203 [b4161] SS: hatita Hewitson, [1865]; *Hypolycaena* [TypeL - Uganda.] [Refs - b1943; b4400; b1452; b0836; b4161]
- b **ugandae** Bethune-Baker, 1926; *Telipna* OD: Ann. Mag. nat. Hist. (9)17:388 [b0362] SS: erica Suffert, 1904; *Telipna* [TypeL - Uganda.] [Refs - b4400; b1452]
- a **ugandae** Riley, 1928; *Pseudaletis* OD: Entomologist 61:187 [b3765] [TypeL - Uganda.] [Refs - b4400 (cpl); b1452]
- b **ugandae** Hawker-Smith, 1933; *Argyrocheila* OD: Stylops 2:10 [b2168] SS: undifera Staudinger, 1892; *Argyrocheila* [TypeL - Tero Forest, S. E. Buddu, Uganda.] [Refs - b4400; b1452; b0836; b2168]
- a **ugandae** Hawker-Smith, 1933; *Micropentila* OD: Stylops 2:10 [b2168] [TypeL - Mulange, Mabira Forest, Uganda.] [Refs - b4400; b1452; b2168]
- a **ugandae** Talbot, 1935; *Hypokopelates* OD: Ent. mon. Mag. 71:77 [b4623] [TypeL - Uganda.] [Refs - b4400; b4623]
- c **ugandae** Stempffer, 1946; *Deudorix* OD: Revue fr. Ent. 13(1):9, pl 1, f 5 [b4371] SS: ankoleensis Stempffer, 1953; *Deudorix* (Pilodeudorix) [Type: UMO-ht] [TypeL - Kalinzu Forest, Ankole.] [Refs - b4400; b4371]
- a **ugandae** Stempffer, 1947; *Omipholidotos* OD: Revue zool. bot. afr. 40:170, f [b4375] [TypeL - Uganda.] [Refs - b4400; b1452]
- b **ugandae** Stempffer, 1953; *Iolaus* OD: Annl. Mus. r. Congo Belge (8vo)27:29, f [b4384] SS: alienus Trimen, 1898; *Iolaus* (Epamera) [TypeL - Uganda.] [Refs - b4400; b1452]
- b **ugandae** (Stempffer), 1954; *Pseuderisia* OD: Bull. Soc. ent. Fr. 59(5/6):91, f 5,6 [b4385] SS: drucei (Stempffer), 1954; *Mimeresia* [TypeL - Uganda.] [Refs - b4400; b1452; b4385; b4400]
- b **ugandae** Stempffer, 1961; *Aphnaeus* OD: Annl. Mus. r. Afr. cent. (8vo) (Zool.)94:59 [b4393] SS: chapini (Holland), 1920; *Aphnaeus* [TypeL - Uganda.] [Refs - b4400; b1452]
- b **ugandae** Jackson, 1962; *Hewitsonia* OD: Bull. Br. Mus. nat. Hist. (Ent.) 12(3):160 [b2562] SS: similis Aurivillius, 1891; *Hewitsonia* [TypeL - Uganda.] [Refs - b4400; b1452]
- b **ugandae** Jackson, 1962; *Epitolina* OD: Bull. Br. Mus. nat. Hist. (Ent.) 12(3):159, f [b2562] SS: catori Bethune-Baker, 1904; *Epitolina* [TypeL - Uganda.] [Refs - b4400; b1452]
- b **ugandae** Jackson, 1964; *Phytala* OD: Bull. Br. Mus. nat. Hist. (Ent.) 15(3):60 [b2563] SS: elais Westwood, [1851]; *Phytala* [TypeL - Uganda.] [Refs - b4400; b1452]
- b **ugandae** Stempffer, 1964; *Liptena* OD: Bull. Inst. franç. Afr. Noire 26(A):1234 [b4397] SS: ilma Hewitson, [1873]; *Liptena* (Tetrarhanis) [TypeL - Uganda.] [Refs - b4400; b1452]
- e **ugandae** Stempffer, 1967, (ISS); *Anthene* OD: Bull. Br. Mus. nat. Hist. (Ent.) Suppl. 10:194 [b4400] SS: uganda (Bethune-Baker), 1910; *Anthene* [TypeL - Uganda.] [Refs - b4400]
- b **ugandana** Clench, 1963; *Axiocerses* OD: J. New York ent. Soc. 71(3):184, f [b0831] SS: harpax (Fabricius), 1775; *Axiocerses* [TypeL - Uganda.] [Refs - b4400; b0831; b0528; b1452; b4400]
- b **ugandana** Stempffer & Bennett & May, 1974; *Liptena* OD: Bull. Br. Mus. nat. Hist. (Ent.) 30(1):120, f [b4423] SS: opaca (Kirby), 1890; *Liptena* [TypeL - Mpigi, Mpanga Forest, Uganda.] [Refs - b0105; b1452]
- a **ugiensis** (H. H. Druce), 1891; *Nacaduba* OD: Proc. zool. Soc. Lond. 1891(3):360, pl 31, f 5 [b1358] CG: *Tartesa* [Type: BMNH-ht] [TypeL - Ugi, Solomon Islands.] [Refs - b1450; b4676; b1358; b2388; b2387; b2388]
- c **uhryki** (Rebel), 1911; *Lycaena* OD: Ent. Zeit. 25(34):191 [b3707] SS: sephyrus (Frivaldszky von Frivald), 1835; *Plebejus* (Plebejides) [TypeL - Ungam.] [Refs - b0236; ns1801; b3707; b0210]
- a **ukerewensis** (Strand), 1909; *Lycaenesthes* OD: Ent. Zeit. 23:125 [b4495] CG: *Anthene* [TypeL - D. O. Afrika.] [Refs - b4400; b1452; b4528]
- e **ab. ukrainica** (Obraztsov), 1935; *Lycaena* OD: Folia zool. hydrobiol. 8:146 [b3467] SS: inhonora (Jachontov), 1909; *Plebejus* (Aricia) [Refs - b0073; b3467]
- a **ula** Karsch, 1895; *Actis* OD: Ent. Nachr. 21:316 [b2694] [Refs - b4400; b1452; b2694]
- c **ulia** (Dyar), 1913; *Thecla* OD: Proc. U. S. nam. Mus. 45:637 [b1443] SS: palegon (Cramer), [1780]; *Rekoa* [Type: USNM-ht; #15623] [TypeL - Cantas, Peru.] [Refs - b0908; b0125; b3817]
- c **uliginosa** (Dannehl), 1921; *Lycaena* OD: Mitt. münchen. ent. Ges. 11:39 [b1099] SS: argus (Linnaeus), 1758; *Plebejus* [TypeL - Germany.] [Refs - b1780; b0236; b0410; b0471]
- a **ulrica** (Cramer), [1777], 1775-1790; *Papilio* OD: Utl. Kapellen 2(9):7, pl 100, f E,F [b1069] CG: *Mesosemia* [TypeL - Surinam; Amazon.] [Refs - b2988; b2747; b4474; b1456]
- c **ulricella** (Herbst), 1796, 1788-1804; *Papilio* OD: In Jablonsky, Natursyst. Ins., Schmett. 8-pl 231, f 6,7 [b2306] SS: ulrica (Cramer), [1777]; *Mesosemia* [Refs - b2747]

- c *ultima* (Verity), 1927, (IFS); Plebeius OD: Anals Soc. ent. Fr. 96:13 [b4846] SS: idas (Linnaeus), 1761; Plebejus (Lycaeides) [Type: MZS-st] [TypeL - Italy.] [Refs - b2856; b0236; b0471]
- c *ultio* Hübner, [1819], 1816-1826; Mesosemia OD: Verz. bekannt. Schmett. (2):21 [b2484] SS: ulrica (Cramer), [1777]; Mesosemia [TypeL - Surinam.] [Refs - b2747; b4474]
- b *ultra* Cowan, 1974; Drupadia OD: Bull. Br. Mus. nat. Hist. (Ent.) 29(6):337, pl 3, f 71,75 [b1030] SS: niasica (Röber), [1886]; Drupadia [Type: BMNH-ht] [TypeL - Pulo Laut, South Kalimantan, Indonesia.] [Refs - b1030; b0105; b2201; b1454; b4601; b4108]
- e *ultragordius* (Verity), 1926, 1926-1933, (RA); Loweia OD: Ent. Rec. 38:105 [b4844] SS: ultragordius Beuret, 1953; Lycaena (Alciphronia) [TypeL - Cottian Alps.] [Refs - b2856; b0236; b0389; b0471]
- b *ultragordius* Beuret, 1953; Lycaena OD: Lyc. Schweiz. I :52 [b0389] SS: alciphron (Rottemburg), 1775; Lycaena (Alciphronia) [Refs - b2856; b0389 (as Verity name)]
- a *ultramarina* (Fixsen), 1887; Thecla OD: In Romanoff, Mém. Lép. 3:278 [b1745] CG: Favonius [Note - Sometimes placed in Neozephyrus.] [Refs - b4115; b3778; b0996; b2827; b1399; b1900; b2866; b4214; b4200; b3296; b4092; b1455]
- b *ultramarina* (Schawerda), 1924; Lycaena OD: Mitt. münchn. ent. Ges. 14:24 [b3958] SS: damon (Denis & Schiffermüller), 1775; Polyommatus (Agrodiaetus) [TypeL - Alps.] [Refs - b1780; b0236; b3796; b0471]
- e f. *ultramarina* Beuret, 1957; Everes OD: Lyc. Schweiz. II :131 [b0400] SS: argiades (Pallas), 1771; Everes [TypeL - Switzerland.] [Refs - b0400]
- a *ultramarina* (Stempffer), 1964; Deudorix OD: Bull. Inst. franç. Afr. Noire 26(A):1272, f [b4397] CG: Hypokopelates [TypeL - Congo.] [Refs - b4400; b1452; b4409]
- e *ultraornata* Verity, 1937, 1937-1938, (RA); Scolitantides OD: Ent. Rec. 49:72 [b4859] SS: orion (Pallas), 1771; Scolitantides [Type: MZS-st] [TypeL - Finland.] [Refs - b2856; b0075; b0400]
- e *ultraseriata* (Beuret), 1953, (IFS); Heodes OD: Lyc. Schweiz. I :12 [b0389] SS: virgaureae (Linnaeus), 1758; Lycaena (Heodes) [Refs - b0389]
- b *uluensis* (Ribbe), 1899; Nacaduba OD: Deut. ent. Zeit. [Iris] 12:230, pl 6, f 6 [b3738] SS: lineata (Murray), 1874; Erysichton [TypeL - Neu Pommern.] [Refs - b4676; b1450; b4094]
- b *uluguru* (Kielland), 1985; Epamera OD: Lambilliona 84(9-10):70, f 4 [b2733] SS: congdoni (Kielland), 1985; Iolaus (Epamera) [Type: pc-ht; collection of Kielland.] [TypeL - Tanzania.] [Refs - b0119; b2733]
- b *ulysses* (Staudinger), 1889; Lycaena OD: Deut. ent. Zeit. [Iris] 2(1):95, pl 1 f 5 [b4332] SS: ethion (Westwood), [1851]; Discolampa [TypeL - Palawan.] [Refs - b1840; b1454]
- e *ulysses* Le Moul, 1940, 1939-1940, (IFS); Helicopsis OD: Novit. ent. (17):130, f 53 [b2943] SS: cupido (Linnaeus), 1758; Helicopsis [Type: AME-ht] [Refs - b3199]
- b *ulyssides* (Grose-Smith), 1895; Castalius OD: Novit. zool. 2(4):511 [b2038] SS: ethion (Westwood), [1851]; Discolampa [TypeL - Celebes.] [Refs - b1840; b1454]
- a *umangiana* Aurivillius, 1898; Pentila OD: Ent. Tidskr. 19:181 [b0155] [TypeL - Congo.] [Refs - b1452; b4420; b4400]
- b *umara* (Fruhstorfer), [1912]; Biduanda OD: Berl. ent. Z. 56(3/4):251 [b1850] SS: theda (Felder & Felder), 1862; Drupadia [Type: BMNH-ht] [TypeL - Sabah, East Malaysia.] [Refs - b1030; b4094; b0105; b2201; b1454; b1850; b4108]
- *umbra* (Boisduval), 1870; Hypophylla OD: Consid. Lép. Guatemala :23 [b0469] CG: Napaea [TypeL - Honduras.] [Refs - b2988; b2747; b4474; b2406; b1456]
- a *umbra* Holland, 1892; Pentila OD: Ann. Mag. nat. Hist. (6)10:285 [b2425] [TypeL - W. Africa.] [Refs - b1452; b4420; b4400]
- c *umbra* (Grose-Smith), 1901, 1887-1902; Arrugia OD: Rhop. exot. 3(55):128, pl 27, f 5,6 [b2029] SS: magna Aurivillius, 1895; Lachnocnema [TypeL - Cameroons.] [Refs - b4400]
- e Q f. *umbra* Talbot, 1935, (IFS); Uranothauma OD: Ent. mon. Mag. 71:148 [b4623] SS: falckensteini (Dewitz), 1879; Uranothauma [TypeL - Kenya.] [Note - Described as an infrasubspecific form, and thus unavailable. Later uses as a subspecies require different authorship.] [Refs - b4623; b4400]
- c *umbrata* (Giacomelli), 1928; Apodemia OD: Boln Inst. clín. quir. 4:689, f 5 [b1938] SS: cosquinia (Giacomelli), 1928; Audre [TypeL - Argentina.] [Refs - b4475; b2221]
- c *umbrata* Stichel, 1929; Metacharis OD: Deut. ent. Zeit. 1929:203 [b4471] SS: cuparina Bates, [1868]; Metacharis [TypeL - Panama.] [Refs - b4474]
- a *umbrata* Seki & Takanami, 1988; Hypolycaena OD: Tyô to Ga 39(3):183, f 1-3 [b4105] [Type: pc-ht; collection of Seki.] [TypeL - Palolo near Palu, Central Sulawesi.] [Refs - b4105]
- a *umbratica* Zikán, 1952; Napaea OD: Dusenja 3:28 [b5074] [TypeL - Brazil.]
- c *umbratilis* Holland, 1890; Epitola OD: Psyche 5:425 [b2423] SS: marginata Kirby, 1887; Epitola [TypeL - Upper Ogove River, Gaboon.] [Refs - b3842; b4400]
- a *umbratus* (Geyer), [1837], 1832-1837; Sithon OD: In Zutr. Samml. exot. Schmett. 5:38, pl [164], f 955,956 [b1934] CG: Radissima [TypeL - Yucatan, Mexico.] [Type of - Radissima] [Refs - b0908; b2747; b2406; b1375; b0125; b2611]
- a *umbretta* Grose-Smith, 1895; Neopithecos OD: Novit. zool. 2(4):505 [b2038] [Type: BMNH-ht; designated by Eliot & Kawazoé, 1983] [Butts Lycaenopsis group :52 [b1580]] [TypeL - Halmahera.] [Refs - b1450; b1580; b1840; b1011]
- e f. *umbria* Stichel, 1926, (IFS); Mesosemia OD: Deut. ent. Zeit. 1926:84 [b4464] SS: pacifica Stichel, 1926; Mesosemia [TypeL - Colombia.] [Refs - b4474]
- c *umbriel* (Doherty), 1889; Everes OD: J. asiat. Soc. Bengal, Pt II 58(4):433, pl 23, f 1 [b1301] SS: potanini (Alphéraky), 1889; Tongeia [TypeL - Lower Tenasserim.] [Refs - b1636; b1153; b2479; b4094; b0694; b4092]
- b *umbriel* (Fruhstorfer), 1915; Lampides OD: Zoöl. Meded. 1(2):141 [b1863] SS: aruensis (Pagenstecher), 1884; Jamides [TypeL - Waigev.] [Refs - b4671; b1450; b4094; b1865]
- e *umbriensis* Le Moul, 1940, 1939-1940, (IFS); Helicopsis OD: Novit. ent. (17):133 [b2943] SS: cupido (Linnaeus), 1758; Helicopsis [Type: MNHN-ht] [Refs - b3199]
- e f. *umbrina* Talbot, 1942; Mahathala OD: Proc. R. ent. Soc. Lond. (B)11(8):121 [b4626] SS: kiangana Talbot, 1942; Mahathala [TypeL - China.] [Refs - b0694]
- a *umbrosa* (Butler), [1886]; Hypolycaena OD: Proc. zool. Soc. Lond. 1885(4):766, pl 47, f 6 [b0633] CG: Iolaus (Epamera) [TypeL - Somali.] [Refs - b1452; b4400]
- b *umbrosa* Stichel, 1909; Mesosemia OD: Berl. ent. Z. 54(1/2):8 [b4444] SS: thymetus (Cramer), [1777]; Mesosemia [TypeL - Bolivia.] [Refs - b4474]
- e f. *umbrosa* Talbot, 1935, (IFS); Chloroselas OD: Ent. mon. Mag. 71:207, pl 4, f 4,5,7,8 [b4623] SS: pseudozeritis (Trümen), 1873; Chloroselas [TypeL - Kenya.] [Note - Unavailable as of this date and author.] [Refs - b1452; b4623; b4400]

- c **umenonis** (Matsumura), 1931; *Lycaenopsis* OD: *Ins. matsumur.* 6(1/2):44 [b3101] SS: *ishigakiana* (Matsumura), 1929; *Acytolepis* [Type: EIHU-ht] [TypeL - Japan.] [Refs - b1900; b1580; b4195; b2705]
- a **umuarama** Johnson, 1993; *Rindgea* OD: *Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point)* (40):2 [b2617] [Type: MPM-ht] [TypeL - Umuarama, Brazil.] [Type of - *Rindgea*] [Refs - b2617]
- a **una** (Hewitson), [1873], 1863-1878; *Thecla* OD: *Ill. diurn. Lep. Lycaenidae* 1:140; 2:pl 56, f 336,337 [b2326] CG: *Ministrymon* [Type: BMNH-st] [TypeL - Amazon; Venezuela; Riód de Janeiro, Brazil.] [Refs - b0908; b2753; b0278; b1375; b2589; b2593; b2593; b2636]
- b **una** d'Abrera, 1971; *Pseudodipsas* OD: *Butis Australian Region* :341, pl 341 [b1450] SS: *cone* (Felder & Felder), 1860; *Pseudodipsas* [Type: BMNH-ht] [TypeL - New Ireland.] [Refs - b1450; b0104]
- e **unca** Le Moul, 1940, 1939-1940, (IFS); *Helicopsis* OD: *Novit. ent.* (13):100, f 27 [b2943] SS: *cupido* (Linnaeus), 1758; *Helicopsis* [Type: AME-ht] [Refs - b3199]
- e **ab. unciinea** (Tutt), 1907, 1905-1914; *Ruralis* OD: *Nat. Hist. Brit. Butis* 2:280 [b4760] SS: *betulae* (Linnaeus), 1758; *Thecla* [Refs - b0236; b0471]
- b **unda** (Gaede), 1915, 1915-1916; *Deudorix* OD: *Int. ent. Z.* 9(13):72 [b1909] SS: *mimeta* Karsch, 1895; *Actis* [TypeL - Cameroons.] [Refs - b4400]
- b **unda** (Evans), 1957; *Narathura* OD: *Bull. Br. Mus. nat. Hist. (Ent.)* 5(3):113 [b1644] SS: *overdijkinki* Corbet, 1941; *Arhopala g* [Type: BMNH-ht] [TypeL - India", but probably Malay Peninsula.] [Refs - b1644; b1454; b4108]
- a **undifera** Staudinger, 1892; *Argyrocheila* OD: *Deut. ent. Zeit.* [Iris] 4(2):215 [b4336] [TypeL - W. Africa.] [Type of - *Argyrocheila*] [Refs - b2280; b1452; b0836; b4400]
- b **undimargo** Seitz, [1917], 1910-1924; *Nymphidium* OD: *In Seitz, Grossschmett. Erde* 5:714, pl 142i [b4093] SS: *chione* Bates, 1867; *Nymphidium* [TypeL - Cuyaba, Mato Grosso, Brazil.] [Refs - b4476; b4093]
- a **undina** (Grose-Smith & Kirby), 1894, 1887-1902; *Pentila* OD: *Rhop. exot.* 2(29):117, pl 25, f 6,7 [b2049] CG: *Liptena* [TypeL - Kuuilu.] [Refs - b1452; b4400]
- b **undosa** Stichel, 1919; *Semomesia* OD: *Deut. ent. Zeit.* 1919:128 [b4454] SS: *croesus* (Fabricius), 1777; *Semomesia* [TypeL - Amazonas.] [Refs - b4474; b1456]
- a **undularis** Hewitson, [1866], 1852-1877; *Liptena* OD: *Ill. exot. Butis* 3:[120], pl [60], f 7 [b2323] [TypeL - Congo.] [Type of - *Liptena*, Parapontia] [Note - Placed on Official List (#1656) by Op 566.] [Refs - b2280; b2747; b1452; b2531 (Op 566, L 1658); b4400; b2531]
- a **undulata** Hewitson, [1867], 1863-1878; *Thecla* OD: *Ill. diurn. Lep. Lycaenidae* 1:81; 2:pl 32, f 41,42 [b2326] CG: *Thecla* (New World Eumacini) [Type: BMNH] [TypeL - New Grenada.] [Note - Grouped with *busa* and *perpenna*.] [Refs - b0908; b2747; b0278; b1975]
- b **undulata** Bryk, 1953; *Nymphidium* OD: *Ark. Zool. (ns)* 5(1):129 [b0569] SS: *caricae* (Linnaeus), 1758; *Nymphidium* [Type: UZIU-ht] [TypeL - Rio Papurý.] [Refs - b0569]
- c **undulatus** (Gerhard), 1853, 1850-1853; *Polyommatus* OD: *Vers. monog. europ. Schmett.* :5, pl 5, f 2 [b1928] SS: *mauritanicus* (Lucas), 1849; *Tomares* [Refs - b2747; b0996; b4092; b0471]
- e **ab. undulatus** Oberthür, 1910; *Tomares* OD: *Étud. Léop. comp.* 4:97 [b3451] SS: *ballus* (Fabricius), 1787; *Tomares* [Refs - b0236]
- a **undulella** Strand, 1918, 1917-1918; *Thecla* OD: *Soc. ent.* 33(8):31 [b4518] CG: *Thecla* (New World Eumacini) [TypeL - Colombie.] [Refs - x0276; x0908; b4518; b4528]
- c **ungemachi** (Rothschild), 1925; *Lycaena* OD: *Bull. Soc. Sci. nat. Maroc* 5:333 [b3883] SS: *martini* (Allard), 1867; *Plebejus* (*Plebejides*) [Type: BMNH-lt; designated by De Prins & van der Poorten & Bálint, 1992] [*Phegea* 20(1):15 [b1173]] [TypeL - Morocco.] [Note - Described as a subspecies of *allardi*.] [Refs - b0236; b0254; b0471; b0064; b1173]
- a **ungemachi** Stempffer, 1942; *Tarucus* OD: *Annls Soc. ent. Fr.* 111:121, f [b4369] [TypeL - Abyssinia.] [Refs - b1452; b0836; b4400]
- b **ungulata** Stichel, 1915; *Mesosemia* OD: *Deut. ent. Zeit.* 1915:672, pl 21, f 14 [b4451] SS: *metope* Hewitson, [1859]; *Mesosemia* [Type: BMNH-st] [TypeL - Santarem, Amazonas, Brazil.] [Refs - b4451; b4474]
- a **unicolor** Felder & Felder, 1865, 1865-1875; *Allotinus* OD: *Reise Novara* (2):286 [b1692] CG: *Allotinus* (*Paragerydus*) [Type: BMNH-ht] [TypeL - Singapore.] [Refs - b0964; b1153; b1542; b0965; b2747; b1840; b1571; b3075; b4108]
- a **unicolor** (Godman & Salvin), [1886], 1879-1901; *Esthemopsis* OD: *Biol. centr.-amer., Lep. Rhop.* 1:487; 3:pl 47, f 6 [b1975] CG: *Lepricornis* [Type: BMNH-ht] [TypeL - Guatemala.] [Refs - b1456]
- c **unicolor** (Röber), [1886]; *Plebejus* OD: *CorrespBl. ent. Ver. Iris* 1(3):66, pl 5, f 4 [b3820] SS: *helicon* (C. Felder), 1860; *Ionolyce* [TypeL - Ceram, Key, and E. Celebes.] [Refs - b4094; b4676]
- b **unicolor** (Staudinger), 1889; *Biduanda* OD: *Deut. ent. Zeit.* [Iris] 2(1):111 [b4332] SS: *theda* (Felder & Felder), 1862; *Drupadia* [Type: ZMHU-lt; designated by Takanami, 1989] [*Tyô to Ga* 40(1):31 [b4602]] [TypeL - Palawan, Philippines.] [Refs - b1030; b4094; b0105; b2201; b4586; b1454; b4602]
- e **unicolor** Hornmuzaki, 1892; *Maculinea* OD: *Ent. Nachr.* 18:1 [b2451] SS: *arion* (Linnaeus), 1758; *Maculinea* [Refs - b0400; b4092]
- c **unicolor** (Rühl), 1893, 1892-1893; *Thecla* OD: *In Palae. Grossschmett.* 1:188 [b3901] SS: *taxila* (Bremer), 1861; *Neozephyrus* [Refs - b2463]
- b **unicolor** Aurivillius, [1899]; *Toxochitona* OD: *K. svenska VetenskAkad. Handl. (nf)* 31(5):283 [b0156] SS: *gerda* (Kirby), 1890; *Toxochitona* [Refs - b1452; b4400]
- c **unicolor** Favre, 1903; *Plebejus* OD: *Suppl. Faune Valais* :3 [b1669] SS: *argyrognomon* (Bergsträsser), [1779]; *Plebejus* (*Lycaeides*) [Refs - b1780; b0410 (as *unicolora*); b4092; b0471 (as *unicolora*)]
- e **ab. unicolor** (Tutt), 1907, 1905-1914; *Ruralis* OD: *Nat. Hist. Brit. Butis* 2:278 [b4760] SS: *betulae* (Linnaeus), 1758; *Thecla* [Refs - b4092]
- e **unicolor** Vobrodt, 1912; *Maculinea* OD: *Schmett. Schweiz* 1:155 [b4885] SS: *teleius* (Bergsträsser), [1779]; *Maculinea* [Refs - b0400]
- e **f. unicolor** d'Almeida, 1922; *Euselasia* OD: *Mélanges Léop.* 1:209 [b1457] SS: *hieronymi* (Salvin & Godman), 1868; *Euselasia* [Type: -nt; designated by Mielke & Casagrande, 1985] [*Revta bras. Ent.* 29(2):318 [b3177]] [TypeL - Brazil.] [Refs - b0119]
- e **ab. unicolor** (Aurivillius), [1924], 1908-1925; *Lycaenesthes* OD: *In Seitz, Grossschmett. Erde* 13:439 [b0162] SS: *thysis* (Kirby), 1878; *Cupidesthes* [Note - Described as an *ab.*, and thus unavailable as of this date and author.] [Refs - b3796; b0162; b4400]
- e **♀ f. unicolor** Kardakoff, 1928; *Neozephyrus* OD: *Ent. Mitt.* 17:271, pl 7, f 13 [b2692] SS: *taxila* (Bremer), 1861; *Neozephyrus* [Refs - b3778; b2866; b0236; b0471]

- e *ab. unicolor* (Obraztsov), 1935; *Lycaena*. OD: *Folia zool. hydrobiol.* 8:144 [b3467] SS: allous (Geyer), [1836]; *Plebejus* (*Aricia*) [Refs - b0073; b3467]
- e *f. unicolor* (Lempke), 1955; *Aricia* OD: *Tijdschr. Ent.* 98:302 [b2982] SS: *agestis* ([Denis & Schiffmüller]), 1775; *Plebejus* (*Aricia*) [TypeL - Holland.] [Refs - b0089; b0410]
- a *unicolora* Johnson, 1992; *Ahlbergia* OD: *Neue Ent. Nachr.* 29:34, f [b2609] [TypeL - Yunnan.] [Refs - b0126]
- e *ab. uniforma* (Vicol), 1977; *Meleageria* OD: *Bull. Soc. ent. Mulhouse* 1977:56 [b4870] SS: *daphnis* ([Denis & Schiffmüller]), 1775; *Polyommatus* (*Meleageria*) [Refs - b0109]
- e *f. unifornata* (Peerdeman), 1962; *Aricia* OD: *Ent. Ber.* 22:41,45, f [b3558] SS: *agestis* ([Denis & Schiffmüller]), 1775; *Plebejus* (*Aricia*) [TypeL - Netherlands.] [Refs - b0096]
- b *uniformis* (Moore), 1882; *Aphnaeus* OD: *Proc. zool. Soc. Lond.* 1882(1):251 [b3234] SS: *elima* (Moore), 1877; *Spindasis* [TypeL - NW Himalaya.] [Refs - b1636; b4094; b0694; b1455 (with *icatis*)]
- a *uniformis* Kirby, 1887; *Epitola* OD: *Ann. Mag. nat. Hist.* (5)19:445 [b2764] [TypeL - Cameroons.] [Refs - b3842; b1452; b0836; b4400]
- a *uniformis* Rothschild, 1915; *Jamides* OD: *Novit. zool.* 22:391 [b3879] [TypeL - Admiralty Island.]
- e *f. uniformis* Riley, 1932; *Abisara* OD: *Novit. zool.* 37:185 [b3775] SS: *tantalus* Hewitson, [1866]; *Abisara* [TypeL - Congo.] [Refs - b3775]
- a *unigemmata* (Butler), 1895; *Zizera* OD: *Proc. zool. Soc. Lond.* 1895(3):630 [b0642] CG: *Euchrysops* [TypeL - Lake Nyasa.] [Refs - b1452; b4400]
- c *unilinea* (Kaye), 1904; *Tmolus* OD: *Trans. ent. Soc. Lond.* 52(2):192 [b2708] SS: *philinna* Hewitson, 1868; *Thecla* (New World *Eumaeini*) *fabulla* group [Type: BMNH] [TypeL - Trinida, B. W. I.] [Refs - b0908; b1375]
- e *unilineata* (Tutt), 1906, 1905-1914; *Chrysophanus* OD: *Nat. Hist. Brit. Butts* 1:431 [b4760] SS: *dispar* (Haworth), 1802; *Lycaena* (*Thersamolycaena*) [Refs - b0389]
- b *unimaculata* Hawker-Smith, 1928; *Deudorix* OD: *Revue zool. bot. afr.* 16:215 [b2165] SS: *lorisona* (Hewitson), [1863]; *Deudorix* (*Virachola*) [Type: BMNH-ht] [TypeL - Bitey, Ja River, Cameroons.] [Note - Described as a female form, and thus not available as of this date and author.] [Refs - b2165]
- e *unimaculata* Stempffer, 1967, (ISS); *Alaena* OD: *Bull. Br. Mus. nat. Hist. (Ent.) Suppl.* 10:9 [b4400] SS: *unimaculosa* Hawker-Smith, 1926; *Alaena* [Refs - b4400]
- a *unimaculosa* Hawker-Smith, 1926; *Alaena* OD: *Revue zool. afr.* 14:237 [b2163] [Type: MT-ht] [TypeL - Sandoa, Belgian Congo.] [Note - Not spelled *unimaculata*.] [Refs - b1452; b2163; b4400 (as *unimaculata*)]
- e *ab. unipuncta* Mousley, 1902; *Plebejus* OD: *Ent. Rec.* 14(12):341 [b3261] SS: *argus* (Linnaeus), 1758; *Plebejus* [Refs - b0236; b4092; b0471]
- e *ab. unipuncta* (Courvoisier), 1903; *Lycaena* OD: *Mitt. schweiz. ent. Ges.* 11:20 [b0981] SS: *coridon* (Poda von Neuhaus), 1761; *Polyommatus* (*Lysandra*) [Refs - b0236; b0471]
- e *ab. unipuncta* (Courvoisier), 1903; *Lycaena* OD: *Mitt. schweiz. ent. Ges.* 11:24 [b0981] SS: *bellargus* (Rottemburg), 1775; *Polyommatus* (*Lysandra*) [Refs - b0236; b0471 (as *unipunctata*)]
- e *ab. unipuncta* (Rebel), 1909; *Plebejus* OD: In Berge, *Schmetterlingsbuch* (ed. 9) :74 [b3706] SS: *meleager* (Hübner), [1804]; *Polyommatus* (*Agrïades*) [Refs - b0236; b0471]
- e *ab. unipuncta* (Tutt), 1909, 1905-1914; *Plebejus* OD: *Nat. Hist. Brit. Butts* 3:177, 184 [b4760] SS: *argus* (Linnaeus), 1758; *Plebejus* [Refs - b0471; b4760]
- e *ab. unipuncta* Courvoisier, 1910, 1910-1911; *Maculinea* OD: *Ent. Zeit.* 24:203 [b0985] SS: *arion* (Linnaeus), 1758; *Maculinea* [Refs - b0471; b0985]
- e *ab. unipuncta* Courvoisier, 1910; *Pseudophilotes* OD: In Berge, *Schmetterlingsbuch* (ed. 9) :67 [b0983] SS: *hylactor* (Bergsträsser), [1779]; *Pseudophilotes* [Note - *Beuret gives an earlier reference, Courvoisier, 1903, Mitt. Schweiz. ent. Ges., 11:24*] [Refs - b0236; b0400; ns0981 (earlier); b0471]
- e *ab. unipuncta* (Courvoisier), 1910, 1910-1911; *Lycaena* OD: *Ent. Zeit.* 24:148 [b0985] SS: *eros* (Ochsenheimer), 1807; *Polyommatus* [Refs - b0471; b0985]
- e *ab. unipuncta* (Grund), 1913; *Lycaena* OD: *Int. ent. Z.* 7(19):127 [b2081] SS: *argyrognomon* (Bergsträsser), [1779]; *Plebejus* (*Lycaeides*) [Refs - b0236; b0471]
- e *unipuncta* Metschl & Sälzl, 1923; *Maculinea* OD: *Ber. naturw. Ver. Regensburg* 16:86 [b3160] SS: *arion* (Linnaeus), 1758; *Maculinea* [Refs - b0400]
- e *ab. unipunctata* (Tutt), 1906, 1905-1914; *Rumicia* OD: *Nat. Hist. Brit. Butts* 1:361 [b4760] SS: *phlaeas* (Linnaeus), 1761; *Lycaena* (*Lycaena*) [Refs - b0389; b0236 (as *unipuncta*); b0471; b4760]
- a *unipunctata* (Bethune-Baker), 1908; *Candalides* OD: *Proc. zool. Soc. Lond.* 1908(1):123, pl 8, f 14 [b0340] CG: *Philiris* [Type: BMNH-ht] [TypeL - Biagi, Mambare River, New Guinea.] [Refs - b4677; b1450; b2078]
- a *unipunctata* Bethune-Baker, 1908; *Citrinophila* OD: *Proc. zool. Soc. Lond.* 1908(1):111 [b0340] [TypeL - Congo.] [Refs - b4400; b1452]
- e *ab. unipunctata* (Tutt), 1908; *Lycaena* OD: *Ent. Rec.* 20(12):274 [b4762] SS: *orbitalus* (Prunner), 1798; *Polyommatus* (*Albulina*) [Check - Original genus] [Refs - b0236; b0471]
- e *ab. unipunctata* Rebel, 1909; *Apelles* OD: In Berge, *Schmetterlingsbuch* (ed. 9) :74 [b3706] SS: *melanops* (Boisduval), [1828]; *Apelles* [Check - Spelling?] [Refs - b0236; b0471 (as *unipunctata*)]
- e *ab. unipunctata* (Courvoisier), 1910, 1910-1911; *Lycaena* OD: *Ent. Zeit.* 24:142 [b0985] SS: *icarus* (Rottemburg), 1775; *Polyommatus* [Refs - b0471]
- b *unipunctata* *Toxopeus*, 1932; *Una* OD: *Versl. Afd. Ned. Ost-Ind. ned. ent. Ver.* 1(3):lxxvii [b4704] SS: *usta* (Distant), 1886; *Una* [TypeL - Java.]
- b *unnoi* (Hayashi), 1976; *Narathura* OD: *Tyô to Ga* 27(1):7, f [b2179] SS: *tephlis* (Hewitson), [1869]; *Arhopala* g [TypeL - Palawana, Philippines.] [Refs - b0109; b2200]
- a *unxia* (Hewitson), [1853], 1852-1877; *Limnas* OD: *Ill. exot. Butts* 1:[---], pl [59], f 3 [b2323] CG: *Melanis* [TypeL - Brasilia.] [Refs - b2988; b2747; b4474; b1456]
- b *unxia* Godman & Salvin, [1885], 1879-1901; *Eurybia* OD: *Biol. centr.-amer., Lep. Rhop.* 1:377 [b1975] SS: *dardus* (Fabricius), 1787; *Eurybia* [TypeL - Nicaragua to Panama.] [Refs - b4474; b1456]
- b *unyoro* Stempffer, 1961; *Mimeresia* OD: *Annls Mus. r. Afr. cent.* (8vo) (Zool.)94:39 [b4393] SS: *russulus* (H. H. Druce), 1910; *Mimeresia* [TypeL - Uganda.] [Refs - b1452; b4400]
- a *unyoro* Stempffer, 1964; *Iridana* OD: *Bull. Inst. franç. Afr. Noire* 26(A):1262, f [b4397] [TypeL - Uganda.] [Refs - b1452; b4400]
- c *upis* Hübner, [1820], 1806-1838; *Eurybia* OD: *Samml. exot. Schmett.* 2:pl [12] [b2482] SS: *dardus* (Fabricius), 1787; *Eurybia* [Refs - b2747; b4474; b2260]
- a *upola* Parsons & Hirowatari, 1988; *Callictita* OD: *Tyô to Ga* 39(4):259, f 1,2 [b3552] [Type: BMNH-ht] [TypeL - Dewaro Village, Weyland Mtns., West Irian Jaya, Indonesia.] [Refs - b0122; b3552; b2388]

- e *ab. upoleuca* (Verity), 1904; *Chrysophanus* OD: Entomologist 37:58 [b4833] SS: *tytus* (Poda von Neuhaus), 1761; *Lycaena* (Heodes) [Refs - b2856; b0389; b4092]
- a *upupa* H. H. Druce, 1907; *Thecla* OD: Proc. zool. Soc. Lond. 1907(3):605, pl 36, f 7 [b1375] CG: *Thecla* (New World Eumaeini) [Type: pc; Godman collection.] [TypeL - Río Susio", Costa Rica.] [Note - Druce says "much like *epopea*".] [Refs - b0908; b1375]
- b *urai* Bethune-Baker, 1913; *Pithecopis* OD: Ann. Mag. nat. Hist. (8)11:565 [b0347] SS: *fulgens* Doherty, 1889; *Pithecopis* [Type: BMNH-ht] [TypeL - Urai, North Formosa.] [Note - Also seen as a subspecies of *zalmora*.] [Refs - b4198; b0236; b5053; b1454 (with *corvus*); b4212; b0347; b1011]
- b *uralensis* (Elwes), 1899; *Lycaena* OD: Trans. ent. Soc. Lond. 47(3):329 [b1595] SS: *arion* (Linnaeus), 1758; *Maculinea* [Refs - b2252]
- d *uralensis* (Seitz), [1908], 1907-1921, (H); *Lycaena* OD: In Seitz, *Grossschmett. Erde* 1:304 [b4092] OS: *medea* (Hemming), 1934; *Plebejus* (*Vacciniina*) [Refs - b2252; b0072; b4092]
- c *uralensis* Tutt, 1909, 1905-1914; *Polyommatus* OD: Nat. Hist. Brit. Butts 3:270 [b4760] SS: *semiargus* (Rottemburg), 1775; *Polyommatus* (*Cyaniris*) [Refs - b0236; b0471]
- d f. *uralensis* (Courvoisier), 1910, 1910-1911, (H); *Lycaena* OD: Ent. Zeit. 24:100 [b0985] SS: *optilete* (Knoch), 1781; *Plebejus* (*Vacciniina*) [Refs - b4141]
- c *urania* (Gerhard), 1853, 1850-1853; *Lycaena* OD: Vers. monog. europ. Schmett. :17, pl 30, f 4 [b1928] SS: *bellarugus* (Rottemburg), 1775; *Polyommatus* (*Lysandra*) [Refs - b2747; b0236; b0471; b4038]
- a *urania* Kirby, 1887; *Epitola* OD: Ann. Mag. nat. Hist. (5)19:441 [b2764] [TypeL - Cameroons.] [Refs - b3842; b1452; b0836; b4400; b2561]
- b *uranicola* (Walker), 1870; *Lampides* OD: Entomologist 5:52 [b4911] SS: *loewii* (Zeller), 1847; *Polyommatus* (*Plebejidea*) [TypeL - Sinai.] [Refs - b2753; b0109; b2905 (in *Agrodiaetus*); b0293]
- c *uranis* (Hübner), [1819], 1816-1826; *Baeotis* OD: Verz. bekannt. Schmett. (2):21 [b2484] SS: *eumeus* (Fabricius), 1781; *Nothema* [Refs - b4474]
- c *uranites* (Meyrick), 1888; *Polyommatus* OD: Proc. linn. Soc. N. S. Wales (2)2(4):827 [b3168] SS: *halyaetus* Hewitson, 1874; *Hypochrysops* [Type: BMNH-ht; designated by Sands, 1986] [Entomograph 7:46 [b3926]] [TypeL - Geraldton, West Australia.] [Refs - b3168; b4934; b1474; b3926]
- b *uranochroa* Ungemach, 1932; *Cupidopsis* OD: Mém. Soc. Sci. nat. phy. Maroc (32):97, pl 1, f 17 [b4780] SS: *jobates* (Hopffer), 1855; *Cupidopsis* [Type: pc-ht; collection of Ungemach.] [TypeL - Abyssinia.] [Refs - b1452; b4780; b4400]
- a *uranothauma* Bethune-Baker, 1908; *Thaumaina* OD: Proc. zool. Soc. Lond. 1908(1):116, pl 9, f 8,9 [b0340] [TypeL - New Guinea.] [Type of - *Thaumaina*] [Refs - b1450; b2280; b4094; b2388]
- a *uranus* Butler, 1886; *Azonus* OD: Proc. zool. Soc. Lond. 1886(3):366, pl 35, f 1 [b0635] [TypeL - India.] [Refs - b1636; b1153; b1840; b0694]
- a *uranus* Pennington, 1962; *Poecilmitis* OD: J. ent. Soc. S. Afr. 25(2):277 [b3570] [TypeL - Cape Province, S. Africa.] [Refs - b1259; b1452; b4400; b1235]
- a *urbana* Stichel, 1916; *Chamaelimas* OD: Deut. ent. Zeit. 1916:10 [b4452] [TypeL - Peru.] [Refs - b4452; b4474; b1456]
- a *urla* (Hewitson), [1855], 1852-1877; *Eurygona* OD: Ill. exot. Butts 1:[-], pl [51], f 22 [b2323] CG: *Euselasia* [TypeL - Amazon.] [Refs - b2747; b4474; b1456]
- a *urichi* Kaye, [1925]; *Symmachia* OD: Trans. ent. Soc. Lond. 72(3/4):415 [b2713] [Type: BMNH-ht] [TypeL - Trinidad.] [Refs - b4474; b1456]
- a *urichi* (May), 1972; *Lemonias* OD: Entomologist 105:257, f [b3117] CG: *Calospila* [Type: BMNH-ht] [TypeL - Trinidad.] [Refs - b3944; b1456]
- a *urichi* Vane-Wright, 1994; *Theope* OD: In Butts Neotropical Region, Pt 4:1002, f [Type: pc-ht; collection of Ulrich.] [TypeL - San Souci, Sangre Grande, Trinidad.] [Refs - b1456]
- a *urios* Riley & Godfrey, 1921; *Azonus* OD: J. nat. Hist. Soc. Siam 4(3):182 [b3787] [TypeL - Siam.] [Refs - b1636; b0694]
- a *urites* (Hewitson), [1855], 1852-1877; *Eurygona* OD: Ill. exot. Butts 1:[-], pl [51], f 19 [b2323] CG: *Euselasia* [TypeL - Amazon.] [Refs - b2988; b2747; b4474; b1456]
- b *urius* (Eliot), 1963; *Heliphorus* OD: Entomologist 96:176 [b1549] SS: *ila* (de Nicéville), [1896]; *Heliphorus* [Type: BMNH-ht] [TypeL - Manhao, S. Yunnan.] [Refs - b1551; b1549]
- b *urraça* Nicolay, 1979; *Parrhasius* OD: Bull. Allyn Mus. (56):22, f 21A,B,C,D, 20c,d, 43 [b3392] SS: *m-album* (Boisduval & Le Conte), [1833]; *Parrhasius* [Type: AM-ht] [TypeL - Panama.] [Refs - b3392; b0111; b3818]
- a *urumelia* (Tindale), 1922; *Adaluma* OD: Trans. R. Soc. S. Aust. 46:537, pl 31, f 1,2 [b4661] CG: *Nesolycaena* [TypeL - N. Australia.] [Type of - *Adaluma*] [Refs - b1450; b4677; b2280; b1472; b0113; b0870; ns1459]
- e *urumella* (Riley & Tams), 1925, (ISS); *Adaluma* OD: Zool. Rec. 59(1922)(Ins.):303 [b3794] SS: *urumelia* (Tindale), 1922; *Nesolycaena* [Refs - b3794]
- c *uruwela* Fruhstorfer, [1912]; *Araotes* OD: Berl. ent. Z. 56(3/4):227 [b1850] SS: *arianus* Fruhstorfer, [1912]; *Araotes* [TypeL - S. E. Borneo.] [Refs - b0964; b0965; b4094 (also as *urvela*); b1850; b1454; b2201]
- b *usamba* Talbot, 1937; *Anthene* OD: Trans. R. ent. Soc. Lond. 86(4):68, pl 1, f 1,5 [b4625] SS: *hodsoni* (Talbot), 1935; *Anthene* [Type: BMNH-ht] [TypeL - Eastern Rift Valley, Ngong, Kenya.] [Refs - b1452; b4400; b4625]
- b *usambara* (Stempffer), 1961; *Iolophilus* OD: Bull. Inst. franç. Afr. Noire 23(A):91, f 8-12 [b4394] SS: *maritimus* Stempffer & Bennett, 1958; *Iolaus* (*Iolophilus*) [Type: BMNH-ht] [TypeL - Tanganyika.] [Refs - b1452; b4394; b4400]
- a *usambarae* Kielland, 1980; *Uranothauma* OD: In Butts Afrotropical Region :542, f [b2731] [Type: BMNH-ht] [TypeL - Tanzania.] [Refs - b0113; b2731]
- c *usbekus* (Forster), 1939; *Plebeius* OD: Danish scient. Invest. Iran :6 [b1763] SS: *zephyrinus* (Christoph), 1884; *Plebejus* (*Plebejides*) [Refs - b0126; b0209]
- b *usemia* (Neave), 1904; *Castalius* OD: Novit. zool. 11:340, pl 1, f 11 [b3345] SS: *cretosus* (Butler), 1876; *Tuxentius* [TypeL - Victoria, Nyanza.] [Note - Not spelled *eusemia*.] [Refs - b1452; b3345; b4400; b0162]
- b *usira* (Felder & Felder), 1865, 1865-1875; *Myrina* OD: Reise Novara (2):238, pl 30, f 5,6 [b1692] SS: *donina* (Hewitson), [1865]; *Drina* [Type: BMNH-ht] [TypeL - Interior Malacca.] [Refs - b0964; b0965; b4094; b2747; b2201; b1454; b0694]
- e *ab. ussurica* (Obratzov), 1935; *Lycaena* OD: Folia zool. hydrobiol. 8:148 [b3467] SS: *mandzhuriana* (Obratzov), 1935; *Plebejus* (*Aricia*) [TypeL - Ussuri-Gebiete.] [Refs - b0073; b3467]
- b *ussurica* (Forster), 1936; *Lycaena* OD: Mitt. münchn. ent. Ges. 26:79 [b1758] SS: *argyrognomon* (Bergsträsser), [1779]; *Plebejus* (*Lycacides*) [TypeL - Ussuri.] [Refs - b0074; b0410]

- b** *ussuriensis* (Sheljuzhko), 1928; *Lycaena* OD: *Lep. Rdsch.* 2:62, f 8,9 [b4168] SS: *arionides* (Staudinger), 1887; *Maculinea* [TypeL - S. Ussuri and China NE.] [Refs - b4115; b2479; b0236; b0066; b2866; b0471; b4225]
- c** *ussuriensis* Forster, 1941; *Celastrina* OD: *Mitt. münchn. ent. Ges.* 31:610 [b1766] SS: *ladonides* (de L'Orza), 1869; *Celastrina* [Type: ZSBS-ht; examined by Eliot & Kawazoé, 1983] [Butts *Lycaenopsis* group :215 [b1580]] [TypeL - Ussuri, USSR.] [Refs - b1580; b1766]
- b** *ussuriensis* (Murayama), 1960; *Neozephyrus* OD: *Tyô to Ga* 11(2):33 [b3290] SS: *latifasciatus* Shirôzu & Hayashi, 1959; *Favonius* [Refs - b1399; b3296; ns1397; b1455; ns3287]
- a** *usta* (Distant), 1886; *Zizera* OD: *Ann. Mag. nat. Hist.* (5)17:531 [b1288] CG: *Una* [TypeL - Malacca, Malay Peninsula.] [Type of - Una] [Refs - b1636; b0964; b2280; b0965; b0236; b1454; b3983; b1840; b0694; b4593; b4209; b2388; b4108]
- a** *uterkudante* H. H. Druce, 1907; *Thecla* OD: *Proc. zool. Soc. Lond.* 1907(3):596, pl 35, f 9 [b1375] CG: *Thecla* (New World *Eumaeini*) [Type: pc; Druce collection.] [TypeL - (Interior of) Colombia.] [Note - Druce says "allied to *trebonia*."] [Refs - b1375]
- a** *utica* (Hewitson), [1855], 1852-1877; *Eurygona* OD: *Ill. exot. Butts* 1:[-], pl [52], f 29-31 [b2323] CG: *Euselasia* [TypeL - Brasilia.] [Refs - b2221; b2747; b4474]
- c** *utumutis* (Distant), 1885, 1882-1886; *Deudorix* OD: *Rhop. malayana* :279, pl 23, f 22 [b1285] SS: *sequeira* (Distant), 1885; *Rapala* [TypeL - Malaya.] [Refs - b0964; b0965; b4094; b0694]
- c** *utyi* (Bethune-Baker), 1913; *Waigeum* OD: *Ann. Mag. nat. Hist.* (8)11:567 [b0347] SS: *coruscans* (Grose-Smith), 1897; *Hypochrysops* [Type: BMNH-ht] [TypeL - River Uty, North New Guinea.] [Refs - b1450; b3926; b0347]
- e** *ab. uyei* (Esaki & Nakahara), 1930; *Heodes* OD: *Zephyrus* 2(3):150 [b1620] SS: *daimio* Seitz, [1908]; *Lycaena* (*Lycaena*) [TypeL - Japan.]
- c** *uyeni* (Ter Haar), 1901; *Polyommatus* OD: *Tijdschr. Ent.* 43:237, pl 14, f 3 [b4635] SS: *tityrus* (Poda von Neuhaus), 1761; *Lycaena* (*Heodes*) [Refs - b0389; b4635; b4092 (as *nyeni*)]
- a** *uzita* (Hewitson), [1855], 1852-1877; *Eurygona* OD: *Ill. exot. Butts* 1:[-], pl [51], f 12,13 [b2323] CG: *Euselasia* [TypeL - Amazon.] [Refs - b2988; b2747; b4474; b1456]
- a** *uzungwae* Kielland, 1990; *Anthene* OD: *Butts Tanzania* :207, f [b2738] [TypeL - Tanzania.] [Refs - b0125]
- a** *uzza* (Hewitson), [1873], 1863-1878; *Thecla* OD: *Ill. diurn. Lep. Lycaenidae* 1:147; 2:pl 58, f 372,373 [b2326] CG: *Uzzia* [Type: BMNH-ht] [TypeL - Rio de Janeiro, Brazil.] [Type of - Uzzia] [Refs - b0908; b2753; b2593; b0125; b2606]
- b** *vacaresa* Ribbe, 1910, 1909-1912; *Plebejus* OD: *Deut. ent. Zeit.* [Iris] 23(1/2):184 [b3741] SS: *argus* (Linnaeus), 1758; *Plebejus* [Refs - b3059; b0236; b0471]
- e** *ab. vacua* Gillmer, 1910; *Polyommatus* OD: *Int. ent. Z.* 4(1):3 [b1963] SS: *coridon* (Poda von Neuhaus), 1761; *Polyommatus* (*Lysandra*) [Refs - b0236; b1963; b0471]
- e** *ab. vacua* Gillmer, 1910; *Polyommatus* OD: *Int. ent. Z.* 4(1):3 [b1963] SS: *icarus* (Rottemburg), 1775; *Polyommatus* [Refs - b1963; b0236]
- c** *vadosus* Corbet, 1939; *Allotinus* OD: *Trans. R. ent. Soc. Lond.* 89(5):72 [b0944] SS: *leogoron* Fruhstorfer, [1915]; *Allotinus* (*Paragerydus*) [Type: BMNH-ht] [TypeL - West Malaysia.] [Refs - b0964; b0965; b1571; b1552]
- e** *vagula* Szabó, 1956; *Maculinea* OD: *Folia ent. hung.* (ns)9:266,340 [b4582] SS: *arion* (Linnaeus), 1758; *Maculinea* [TypeL - Hungary.] [Refs - b0091]
- b** *vaja* (Eliot), 1962; *Pratapa* OD: *Entomologist* 95:250, f [b1548] SS: *penicilligera* (de Nicéville), 1890; *Dacalana* [TypeL - Java.] [Refs - b1548]
- b** *vajana* Corbet, 1940; *Rapala* OD: *Entomologist* 73:276 [b0952] SS: *rhoecus* de Nicéville, 1895; *Rapala* [TypeL - Java.] [Refs - b1454; b4602]
- b** *vajuva* Fruhstorfer, 1916; *Nacaduba* OD: *Zool. Meded.* 2(2):108 [b1873] SS: *pavana* (Horsfield), [1828]; *Nacaduba* [Type: BMNH-ht] [TypeL - Siam.] [Refs - b4676; b1636; b4094; b1568; b1454; b0694]
- a** *v-album* (Oberthür), 1886; *Thecla* OD: *Étud. ent.* 11:20, pl 4, f 23 [b3429] CG: *Satyrium* (?) [TypeL - Western China.] [Refs - b2988 (as Leech name); b0996; b2479; b2966; b4092; b1455]
- b** *valdarna* Seitz, [1927], 1912-1927; *Sinthusa* OD: *In Seitz, Grossschmett. Erde* 9:1116 [b4094] SS: *malika* (Horsfield), [1829]; *Sinthusa* [Refs - b4598; b4094]
- b** *valderiana* (Turati & Verity), [1911]; *Chrysophanus* OD: *Boll. Soc. ent. ital.* 42:243 [b4753] SS: *hippotoe* (Linnaeus), 1761; *Palaeochrysanus* [Type: MZS-st] [Refs - b2856; b0236; b0389; b0471]
- e** *ab. valdiertiensis* (Strand), 1927; *Lycaena* OD: *Arch. Naturgesch. (A)*91(11):281 [b4529] SS: *escheri* (Hübner), [1823]; *Polyommatus* (*Plebicula*) [Note - Name new for *ab. radiata* Turati & Verity.] [Refs - b4529 (=radiata); b0236; b0066; b0471 (as *valderiensis*)]
- c** *valens* (Fabricius), 1787; *Papilio* OD: *Mantissa Ins.* 2:67 [b1656] SS: *formosus* (Cramer), [1777]; *Anteros* [Type: biblio; replacement for *croesus* Fabricius, 1781.] [TypeL - Surinam.] [Type of - *Chrysilis*] [Refs - b2280; b2747; b4474; b5076]
- e** *valens* (Fruhstorfer), [1915], 1909-1923, (ISS); *Gerydus* OD: *In Seitz, Grossschmett. Erde* 9:820 [b1840] SS: *valeus* (Fruhstorfer), 1913; *Mileus* 2 [Refs - b1840]
- c** *valentia* (Swinhoe), 1896; *Tajuria* OD: *Ann. Mag. nat. Hist.* (6)17:358 [b4571] SS: *buto* (de Nicéville), 1895; *Bullis* [TypeL - Khasia Hills, E. India.] [Refs - b1636; b0694]
- c** ♀ *valentina* (Grose-Smith), 1895; *Nacaduba* OD: *Novit. zool.* 2(4):508 [b2038] SS: *cythora* (Fruhstorfer), 1916; *Erysichton* [Type: BMNH-at] [Note - A lectotype selection would be required to correctly place this name.] [Refs - b4676; b1450; b2038]
- c** ♂ *valentina* (Grose-Smith), 1895; *Nacaduba* OD: *Novit. zool.* 2(4):508 [b2038] SS: *palmyra* (C. Felder), 1860; *Erysichton* [Type: BMNH-ht] [TypeL - Amboina.] [Note - A lectotype selection would be required to correctly place this name.] [Refs - b4676; b1450; b2038]
- a** *valentina* (Berg), 1896; *Thecla* OD: *An. Mus. nac. Buenos Aires* (2)5:3, f 3a [b0303] CG: *Strymon* [Type: MNBA-ht] [TypeL - Sierra de Córdoba, Argentina.] [Refs - b0908; b0420; b0303; b2624]
- e** *ab. valentinae* (Foulquier), 1923; *Lycaena* OD: *Cat. Léop. Fr., Amat. Pap.* :94 [b1781] SS: *escheri* (Hübner), [1823]; *Polyommatus* (*Plebicula*) [Refs - b0236]
- c** *valeria* (Fruhstorfer), 1910; *Cyaniris* OD: *Stett. ent. Zig* 71(2):296 [b1843] SS: *euphon* (Fruhstorfer), 1910; *Udara* (*Udara*) [Type: BMNH-It; designated by Eliot & Kawazoé, 1983] [Butts *Lycaenopsis* group :100 [b1580]] [TypeL - Bua-Kraeng, South Celebes.] [Refs - b1840; b1580]
- c** *valeria* Fruhstorfer, [1912]; *Rapala* OD: *Berl. ent. Z.* 56(3/4):261 [b1850] SS: *caeruleus* (Staudinger), 1889; *Rapala* [TypeL - Bazilan.] [Refs - b4094; b1454; b1850; b4602]

- b **valeriae** Clench, 1944; Everes OD: J. New York ent. Soc. 52(1):59 [b0820] SS: amyntula (Boisduval), 1852; Everes [Type: MCZ-ht; #25934] [TypeL - Lead, South Dakota.] [Note - Previously assigned to *comyntas*.] [Refs - b0908; b0528; b3192; b3512; b1743; b1321; b4690; b0493]
- b **valesiaca** (Oberthür), 1904; Lycaeides OD: Étud. Léop. comp. 1:19, pl 2, f 15,16 [b3439] SS: idas (Linnaeus), 1761; Plebejus (Lycaeides) [Note - Not spelled *valesiaca*.] [Refs - b1780; b0236 (as *valesiaca*); b4425; b0410; b0471 (as *valesiaca*); b3439]
- c **valesiana** Meyer-Dür, 1851; Plebejus OD: Verz. Schmett. Schweiz 12:67 [b3162] SS: argus (Linnaeus), 1758; Plebejus [Refs - b0410; b4092; b0471]
- c **valestinax** (Fruhstorfer), 1915; Thysonotis OD: Soc. ent. 30:49 [b1866] SS: perpherus (H. H. Druce & Bethune-Baker), 1893; Perpherus [TypeL - New Guinea.] [Refs - b1450 (as *valestinax*); b1866]
- a **valeus** (Fruhstorfer), 1913; Gerydus OD: Z. wiss. InsektBiol. 9(10):307 [b1851] CG: Miletus 2 [TypeL - Sumatra.] [Refs - b1546; b0965; b1851; b1840 (as *valeus*)]
- a **valiabadi** (Rose & Schurian), 1977; Agrodiaetus OD: J. ent. Soc. Iran 4(1/2):63, f [b3863] CG: Polyommatus (Agrodiaetus) [TypeL - Iran.] [Refs - b0109; b0113; b2790]
- c **valida** H. Druce, 1873; Sithon OD: Proc. zool. Soc. Lond. 1873(2):352, pl 33, f 4 [b1383] SS: micea (Hewitson), [1869]; Sithon [TypeL - Borneo.] [Refs - b1383; b2753; b4094; b4108]
- b **valika** Corbet, 1941; Arhopala OD: Proc. R. ent. Soc. Lond. (B)10(9):158 [b0956] SS: alitaeus (Hewitson), 1862; Arhopala f [Type: BMNH-ht] [TypeL - Langkawi Island.] [Refs - b0956]
- c **vallona** (Godart), 1819, 1819-1824; Pieris OD: In Ency. méth. 9(Ins.)(1):138 [b1970] SS: vanessa (Fabricius), 1793; Leucochimona [Refs - b2747]
- a **vallonia** (Oberthür), 1914; Zephyrus OD: Étud. Léop. comp. 9(2):50, pl 254, f 2144,2145 [b3453] CG: Esakiozephyrus [Type: BMNH] [TypeL - Ta Tsien Lu, Yunnan, China.] [Refs - b0996; b0236; b4214; b4200 (genus uncertain); b3296 (in *Teratozephyrus*); b0471; b2463; b1455]
- c **valmasinii** Perlini, 1905; Plebejus OD: Lep. Ital. :19, pl 3, f 5 [b3578] SS: pyrenaica (Tutt), 1909; Plebejus [Refs - b0236]
- a **valparaiso** Johnson & Eisele & MacPherson, 1988; Calycopis OD: Bull. Allyn Mus. (123):18, f 6E,15A [b2623] [Type: MNHN-ht] [TypeL - Valparaiso, Chile.] [Refs - b2623; b2606]
- c **valuana** Seitz, [1924], 1912-1927, (ISS); Nacaduba OD: In Seitz, Grossschmett. Erde 9:915 [b4094] SS: valuana Ribbe, 1899; Nacaduba [Refs - b4094]
- b **valvidens** Toxopeus, 1929; Nacaduba OD: Tijdschr. Ent. 72(3/4):233 [b4700] SS: hermus (C. Felder), 1860; Nacaduba [TypeL - W. Java.] [Refs - b4676; b4700; b1454]
- b **vanavasa** (Fruhstorfer), 1909; Chliaria OD: Ent. Zeit. 23(25):116 [b1838] SS: kina Hewitson, [1869]; Hypolycaena (Chliaria) [TypeL - Fomosa.] [Refs - b4198; b4094; b0236; b5053 (=kina)]
- b **vandalica** (Kaaber & Høegh-Guldberg), 1961; Aricia OD: Flora og Fauna 67:122-128 [b2677] SS: artaxerxes (Fabricius), 1793; Plebejus (Aricia) [TypeL - Denmark.] [Refs - b2401; b2399]
- b **vandalusica** (Lederer), 1852; Thecla OD: Verh. zool.-bot. Ges. Wien 2:19,34 [b2951] SS: spini ((Denis & Schiffemüller), 1775; Stryrium [Refs - b2747]
- b **vandalusica** Oberthür, 1910; Zizeeria OD: Étud. Léop. comp. 4:301 [b3451] SS: knysna (Trimen), 1862; Zizeeria [Refs - b3059; b0236; b3850; b0471]
- a **vandarbani** (Pfeiffer), 1937; Lycaena OD: Mit. münchn. ent. Ges. 27(1):35 [b3591] CG: Plebejus (Ultraaricia) [TypeL - Persia.] [Note - Not spelled *vandarbani*. Described as a subspecies of *hyacinthus*.] [Refs - b0113; b0075; b3358; b2794; b3591; b0076 (as *vandarbani*); b3593; b2859]
- b **vandeldeni** (Toxopeus), 1926; Lycaenopsis OD: Tijdschr. Ent. 69(Verslag):lxvii [b4694] SS: puspā (Horsfield), [1828]; Acytolepis [TypeL - Pulu Weh, nr Sumatra.] [Refs - b1580; b3782]
- b **vandeldeni** Toxopeus, 1929; Tajuria OD: Tijdschr. Ent. 72(3/4):245 [b4701] SS: cippus (Fabricius), 1798; Tajuria [TypeL - Sumatra.] [Refs - b4701]
- d **vandeldeni** Toxopeus, 1929, (H); Acytolepis OD: Tijdschr. Ent. 72(3/4):207 [b4699] SS: vandeldeni (Toxopeus), 1926; Acytolepis [TypeL - Sumatra.] [Refs - b4699]
- b **vandeldeni** Kalis, 1933; Surendra OD: Tijdschr. Ent. 76(1/2):62 [b2679] SS: vivarna (Horsfield), [1829]; Surendra [TypeL - Kangean.] [Refs - b0071]
- e **vandenberghi** Corbet, 1941, (PS); Arhopala OD: Proc. R. ent. Soc. Lond. (B)10(9):159 [b0956] SS: zambra Swinhoe, 1911; Arhopala f [TypeL - Java.] [Note - Corbet attributed the name to *Toxopeus*.] [Refs - b1644; b0956; b0956]
- e **vanderbani** (Anonymous), 1939, (ISS); Lycaena OD: Zool. Rec. 75(1938)(Ins.):317 [b0076] SS: vandarbani (Pfeiffer), 1937; Plebejus (Ultraaricia) [Refs - b0076; b2859]
- e **ab.vanduzeei** (Gunder), 1927; Lycaena OD: Ent. News 38(5):133, pl 2, f 1 [b2097] SS: editha (Mead), 1878; Gaedies [Type: CAS-ht] [TypeL - Deer Park, Placer County, California.] [Refs - b0908; b3191; b0065; b3192]
- b **vaneeckei** (Fruhstorfer), 1915; Lampides OD: Zoöl. Meded. 1(2):144 [b1863] SS: zebra (H. H. Druce), 1895; Jamides [Type: BMNH-ht] [TypeL - Nias.] [Refs - b3786; b4094]
- c **vaneeckei** (Fruhstorfer), 1916; Nacaduba OD: Zoöl. Meded. 2(2):138 [b1873] SS: meiranganus (Röber), [1886]; Erysichton [Type: BMNH-ht] [TypeL - Snow Mts., Dutch New Guinea.] [Refs - b4676; b1450; b4094]
- b **vaneeckei** (Toxopeus), 1930; Gerydus OD: De soorte als Functie :112, f [b4702] SS: leos (Guérin-Méneville), [1831]; Miletus 4 [TypeL - Celebes.] [Refs - b4702; b4595]
- b **vanensis** (de Lesse), 1957; Agrodiaetus OD: Lambillionea 57:69 [b1120] SS: phyllis (Christoph), 1877; Polyommatus (Agrodiaetus) [TypeL - Turkey.] [Refs - b1772]
- a **vanessa** (Fabricius), 1793, 1792-1799; Papilio OD: Ent. syst. 3(1):192 [b1657] CG: Leucochimona [TypeL - America.] [Refs - b2747; b4474; b5076; b1456]
- a **vanessoides** Prittwitz, 1865; Lycaena OD: Stett. ent. Ztg 26:323 [b3651] [TypeL - Corcovado, Rio de Janeiro, Brazil.] [Refs - b0908; b2747]
- c **vanewrighti** Fujioka, 1992; Araragi OD: Butterflies (1):36-37 (Japanese), 39 (English), photos 1-4, f 2-5 [b1901] SS: sugiyamai Matsui, 1989; Araragi [Refs - b1455]
- a **vanewrighti** Johnson & Adams, 1993; Arases OD: Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (25):3, pl 2, f 2C; f 1D [b2620] [Type: BMNH-ht] [TypeL - Dept. de Cauca, Colombia.] [Refs - b2620]
- b **vangelensis** (Schurian & Haeuser), 1981; Meleageria OD: Atalanta (Münnerstadt) 12(2):101-111 [b4041] SS: daphnis ((Denis & Schiffemüller), 1775; Polyommatus (Meleageria) [TypeL - Turkey.] [Refs - b1610 (8267-E12)]
- c **vanheurni** (van Eecke), 1924; Nacaduba OD: Nova Guinea 15(Zool. 4):41 [b4796] SS: mysia (Waterhouse & Lyell), 1914; Catopyrops [TypeL - Dutch New Guinea.] [Refs - b4676; b1450]

- b *vanica* (Fruhstorfer), [1912]; Biduanda OD: Berl. ent. Z. 56(3/4):251 [b1850] SS: theda (Felder & Felder), 1862; Drupadia [Type: BMNH-ht] [TypeL - S. E. Borneo.] [Refs - b1030; b4094; b0105; b2201; b1454; b1850; b4108]
- b *vanicola* (Koçak), 1977; Pseudophilotes OD: Atalanta (Münnerstadt) 8(1):47, f [b2788] SS: bavius (Eversmann), 1832; Rubrapterus [Type: DSZUA-ht] [TypeL - Vicinity of Çatak, Van Province, E Turkey.] [Refs - b0109 (as varicola); b2788]
- b *vandleeuwenii* Roepke, 1921; Dodona OD: Treubia 2:84,87, pl 1, f 1-4 [b3844] SS: chrysapha Fruhstorfer, 1910; Dodona [TypeL - Java.] [Refs - b4473; b1454 (as a good species)]
- a *vansomereni* Stempffer, 1951; Uranothauma OD: Bull. Soc. ent. Fr. 56(8):128, f [b4381] [TypeL - Kenya.] [Refs - b1943; b4400; b1452; b4381]
- b *vansomereni* Stempffer, 1951; Lepidochrysops OD: Bull. Soc. ent. Fr. 56(5):69 [b4380] SS: victoriae (Karsch), 1895; Lepidochrysops [TypeL - Kenya.] [Refs - b4400; b4380]
- a *vansomereni* Stempffer, 1951; Deudorix OD: Bull. Soc. ent. Fr. 56(8):120 [b4381] CG: Deudorix (Virachola) [TypeL - Kenya.] [Refs - b4400; b1452; b4381]
- a *vansomereni* (Stempffer), 1953; Eresina OD: Anns Mus. r. Congo Belge (8vo)27:12 [b4384] CG: Toxochitona [TypeL - Uganda.] [Refs - b4400; b1452]
- a *vansomereni* Stempffer & Bennett, 1953; Cnodontes OD: Bull. Br. Mus. nat. Hist. (Ent.) 3:103, f [b4415] [TypeL - Kenya; Nyasaland; etc.] [Refs - b1943; b4400; b1452]
- e *f. vansomereni* Stempffer, 1954, (IFS); Aphnaeus OD: Trans. R. ent. Soc. Lond. 105(21):512, pls 1,2, f 13 [b4387] SS: coronae Talbot, 1935; Aphnaeus [TypeL - Uganda; S. Sudan.] [Refs - b4400; b4387]
- a *vansomereni* Stempffer & Bennett, 1958; Iolaus OD: Bull. Inst. franç. Afr. Noire 20(A):1319 [b4418] CG: Iolaus (Iolaphilus) [TypeL - Uganda.] [Refs - b4400; b1452]
- a *vansomereni* (Jackson), 1964; Phytala OD: Bull. Br. Mus. nat. Hist. (Ent.) 15(3):60 [b2563] CG: Hypophytala [TypeL - Uganda.] [Refs - b4400; b1452]
- a *vansomereni* Jackson, 1966; Chloroselas OD: Ann. Mag. nat. Hist. (13)8:525, f [b2565] [TypeL - Kenya.] [Refs - b4400; b1452]
- a *vansoni* Pennington, 1948; Deudorix OD: J. ent. Soc. S. Afr. 10(2):165, f [b3565] CG: Deudorix (Virachola) [TypeL - Zululand.] [Refs - b4400; b1259; b1452; b1235; b1942]
- a *vansoni* (Swanepoel), 1949; Cupido OD: J. ent. Soc. S. Afr. 12:123, f [b4553] CG: Lepidochrysops [TypeL - S. Africa.] [Refs - b4400; b1259; b1452; b4553]
- a *vansoni* Stempffer & Bennett, 1956; Cnodontes OD: Entomologist 89:115, f [b4416] [TypeL - Pretoria, S. Africa.] [Refs - b4400; b1259; b1452]
- a *vansoni* Pennington, 1962; Thestor OD: J. ent. Soc. S. Afr. 25(2):278 [b3570] [TypeL - Cape Province, S. Africa.] [Refs - b4400; b1259; b1452]
- a *vansoni* Tite & Dickson, 1968; Aloeides OD: Bull. Br. Mus. nat. Hist. (Ent.) 21(7):378, pl 3, f 49,50,60,61 [b4684] [Type: TM-ht] [TypeL - Matjesfontein, Cape Province, S. Africa.] [Refs - b4684; b1259; b1452]
- c *ab. vanwoerdeni* Toxopeus, 1932; Catochrysops OD: Versl. Afd. Ned. Ost-Ind. ned. ent. Ver. 1(3):lxxiii [b4704] SS: kandarpa (Horsfield), [1828]; Catochrysops [TypeL - Java.] [Refs - b0070]
- a *vapa* (Staudinger), 1894; Cupido OD: Deut. ent. Zeit. [Iris] 7:79, pl 2, f 4 [b4339] CG: Paralycaeides [Type: ZMHU-ht; designated by Bálint, 1993] [Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (29):23 [b0207]] [TypeL - Huallatani, Bolivia.] [Type of - Boliviella] [Refs - b0908; b3326; b0220; b0207]
- b *vapanda* (Semper), 1887, 1886-1892; Catochrysops OD: In Semper, Reisen Philipp. (2)(5):187, pl 33, f 13 [b4110] SS: pandava (Horsfield), [1829]; Chilades [TypeL - Philippines.]
- b *vaporosa* Stichel, 1910; Mesosemia OD: Gen. Insectorum 112(A):45 [b4446] SS: melpia Hewitson, [1859]; Mesosemia [Type: ZMHU-st] [TypeL - Pará, Brazil.] [Refs - b4474; b4446]
- b *vardara* Fruhstorfer, [1912]; Hypolycaena OD: Berl. ent. Z. 56(3/4):237 [b1850] SS: thecloides (Felder & Felder), 1860; Hypolycaena [TypeL - Siargao.] [Refs - b4094; b2201; b1454; b1850]
- a *vardhana* (Moore), [1875]; Polyommatus OD: Proc. zool. Soc. Lond. 1874(4):572, pl 66, f 5 [b3223] CG: Oreolyce (Arletta) [Type: BMNH-ht; designated by Eliot & Kawazoé, 1983] [Butts Lycaenopsis group :35 [b1580]] [TypeL - N. W. Himalayas, India.] [Type of - Arletta, Moorea] [Refs - b1636; b1153; b2280; b2753; b0995; b1762; b1840; b1610 (6672-E12); b1580; b3223; b3055 (as vardana); b4092]
- c *vardusia* (Fruhstorfer), 1915; Lampides OD: Arch. Naturgesch. (A)81(6):27 [b1865] SS: amphissa (Felder & Felder), 1860; Jamides [Type: BMNH-ht] [TypeL - Java.] [Refs - b4094; b1865; b1454 (as ssp of cyta); b3786]
- b *vareai* Agenjo, 1966; Plebejus OD: Eos 41:175 [b0016] SS: argus (Linnaeus), 1758; Plebejus [TypeL - Spain.] [Refs - b3059]
- b *vareai* Agenjo, 1971; Iolana OD: Graellsia 25:169, f [b0022] SS: iolana (Ochsenheimer), 1816; Iolana [Refs - b0102]
- e *ab. vargai* (Diószeghy), 1913; Lycaena OD: Rovart. Lap. 20:109 [b1280] SS: bavius (Eversmann), 1832; Rubrapterus [Refs - b0236; b0471]
- b *varia* Toxopeus, 1929; Petrelaea OD: Tijdschr. Ent. 72(3/4):242 [b4700] SS: dana (de Nicéville), [1884]; Petrelaea [TypeL - Java.] [Type of - Petrelaea] [Refs - b2280; b4676; b4700; b4108]
- c *varia* Evans, 1932; Nacaduba OD: Ident. Indian Butts (2nd ed.) :241 [b1638] SS: macrophthalma (C. Felder), 1862; Nacaduba [Type: BMNH-ht] [TypeL - S. Nicobars.] [Refs - b4676; b0938; b1638; b0694]
- a *variabilis* Cottrell, 1965; Lepidochrysops OD: Mem. ent. Soc. sth. Afr. (9):26 [b0969] [TypeL - Grahamstown, Cape Province, S. Africa.] [Refs - b1259; b1452; b3648]
- e *varicola* (Anonymous), 1980, (ISS); Pseudophilotes OD: Zool. Rec. 114(1977)(Ins. D-Lep.):240 [b0109] SS: vanicola (Koçak), 1977; Rubrapterus [Refs - b0109]
- a *varicolor* Johnson, 1991; Antrissima OD: Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (21):33, f [b2606] [Type: AMNH-ht] [TypeL - Georgetown, Guyana.] [Type of - Antrissima] [Refs - b0125; b2606]
- c *variegata* Grose-Smith & Kirby, 1890, 1887-1902; Pseuderesia OD: Rhop. exot. 1(14):45, pl 11, f 13-14 [b2049] SS: eleaza (Hewitson), [1873]; Pseuderesia [TypeL - Cameroons.] [Refs - b4400; b4625]
- c *variegata* (Bethune-Baker), 1923; Neochrysops OD: Trans. ent. Soc. Lond. 70(3/4):338, pl 12, f 8; pl 22, f 46; pl 30, f 46 [b0359] SS: neonegus (Bethune-Baker), 1923; Lepidochrysops [Type: BMNH-st] [TypeL - Nairobi District; Tongido.] [Refs - b0359; b4400]
- a *variegata* Lathy, 1936; Thecla OD: Livre jubilaire de M. Eugene-Louis Bouvier :231, pl 8, f 12 [b2925] CG: Thecla (New World Eumacini) [Type: MNHN-ht; collection of Fournier de Horrack.] [TypeL - Bogotá, Colombia.] [Refs - b0908; b2925; b2591; b2592]
- e *varieles* (Verity), 1920, 1919-1922, (NN); Rumicia OD: Ent. Rec. 32:5 [b4840] SS: phlaeas (Linnaeus), 1761; Lycaena (Lycaena) [Refs - b2856; b0236]

- e *varieus* Verity, 1943, (IFS); *Lycaena* OD: *Farfalle Diume Ital.* 2:57 [b4862] SS: phlaeas (Linnaeus), 1761; *Lycaena* (*Lycaena*) [Refs - b2856]
- c *varipes* Kirby, 1887; *Larinopoda* OD: *Ann. Mag. nat. Hist.* (5)19:363 [b2763] SS: *eurema* (Plötz), 1880; *Larinopoda* [TypeL - Ashanti.] [Refs - b4400]
- a *varnieri* (Stempffer), 1942; *Hypolycaena* OD: *Annls Soc. ent. Fr.* 111:118 [b4369] CG: *Hemiolaus* [TypeL - Madagascar.] [Refs - b1452; b4400]
- a *varro* Fruhstorfer, 1914; *Arhopala* OD: *Deut. ent. Zeit.* [Iris] 27(4):161 [b1853] CG: *Arhopala a* [TypeL - Karen Hills.] [Refs - b1644; b4094; b1853; b1454]
- a *varuna* (Horsfield), [1829], 1828-1829; *Thecla* OD: *Descr. Cat. lepid. Ins.* (2):91 [b2457] CG: *Rapala* [TypeL - Java.] [Type of - *Rapala*] [Refs - b0964; b1636; b4198; b1450; b2280; b0965; b2479; b2747; b4094; b1454; b0694; b4601]
- c *varunana* (Moore), [1866]; *Polyommatus* OD: *Proc. zool. Soc. Lond.* 1865(3):772, pl 41, f 6 [b3221] SS: *lajus* (Stoll), [1780]; *Chilades* [TypeL - Bengal.] [Refs - b1636; b1153; b2747; b4094; b2479; b0995; b0694; b4092]
- b *vasatha* Fruhstorfer, [1914], 1909-1923; *Dicallaneura* OD: In Seitz, *Grossschmett. Erde* 9:787 [b1840] SS: *pulchra* (Guérin-Méneville), [1830]; *Dicallaneura* [TypeL - Kapaur, New Guinea.] [Refs - b1450; b1840; b4474]
- b *vasoniae* (Gómez Bustillo & Fernández-Rubio), 1974; *Aricia* OD: *Mariposas Peninsula Iberica* 2:102 [b1991] SS: *morroneis* (Ribbe), 1910; *Plebejus* (*Aricia*) [Note - Described as a subspecies of *ramburi*.] [Refs - b0115; x0276; b2860]
- e *f. vastata* Stichel, 1909; *Ancyluris* OD: *Berl. ent. Z.* 54(1/2):39 [b4444] SS: *eryxo* (Saunders), [1859]; *Ancyluris* [Refs - b4474]
- c *vavasanus* (Fruhstorfer), [1923], 1909-1923; *Castalius* OD: In Seitz, *Grossschmett. Erde* 9:887 [b1840] SS: *ethion* (Westwood), [1851]; *Discolampa* [TypeL - Indoaustralia.] [Refs - b1636; b1840; b1454; b0694 (as *vavasana* Felder)]
- c *vaya* (Fruhstorfer), 1914; *Arhopala* OD: *Deut. ent. Zeit.* [Iris] 28(2):130 [b1859] SS: *asoka* (de Nicéville), [1884]; *Flos* [Type: BMNH-ht] [TypeL - Hong Kong.] [Refs - b1644; b4094; b2650; b1859]
- e *vesta* (Kirby), 1877, (ISS); *Lycaena* OD: *Syn. Cat. diurn. Lep., Suppl.* :772 [b2753] SS: *viaca* (Edwards), [1871]; *Glaucopsyche* [Refs - b2753 (as *vesta* in index); x3192]
- e *vectae* (Verity), 1919, 1919-1922, (NN or ISS); *Agriades* OD: *Ent. Rec.* 31:29 [b4840] SS: *bellargus* (Rottemburg), 1775; *Polyommatus* (*Lysandra*) [Refs - b2856; b0236; b4038]
- b *vedalla* Fruhstorfer, [1914], 1909-1923; *Praetaxila* OD: In Seitz, *Grossschmett. Erde* 9:795 [b1840] SS: *statira* (Hewitson), [1862]; *Praetaxila* [TypeL - Astrolabe Bay, New Guinea.] [Refs - b1450; b1840; b4474]
- e *vedrae* (Harrison), 1906; *Polyommatus* OD: *Ent. Rec.* 18:236 [b2146] SS: *agestis* (Denis & Schiffmüller), 1775; *Plebejus* (*Aricia*) [Refs - b4092]
- b *vegeta* Stichel, 1910; *Teratophthalma* OD: *Gen. Insectorum* 112(A):37 [b4446] SS: *axilla* (H. H. Druce), 1904; *Teratophthalma* [Type: pc-ht; collection of Stichel] [TypeL - Chanchamayo, Peru.] [Refs - b4474; b4446]
- b *vejento* Clench, 1967; *Caria* OD: *J. Lep. Soc.* 21(1):54, f [b0840] SS: *domitianus* (Fabricius), 1793; *Caria* [Type: CM-ht] [TypeL - Zacapa, Guatemala.] [Refs - b0528; b0840]
- a *velabrum* (Godman & Salvin), 1878; *Nymphidium* OD: *Proc. zool. Soc. Lond.* 1878(2):368 [b1973] CG: *Synargis* [TypeL - Veragua; Calobre.] [Refs - b4475; b1456]
- b *velada* Gómez Bustillo, 1973; *Glaucopsyche* OD: *Revta Lep.* 1(1-2):28, f [b1985] SS: *alexis* (Poda von Neuhaus), 1761; *Glaucopsyche* [TypeL - Toledo, Madrid, Spain.] [Refs - b0104]
- b *velatum* Stichel, 1914; *Nymphidium* OD: *Ent. Mitt.* 3(4):120 [b4449] SS: *lisimon* (Stoll), [1790]; *Nymphidium* [TypeL - Peru.] [Refs - b4476]
- a *velazquezii* (Beutelspacher), 1976; *Nymula* OD: *Revta Soc. mex. Lep.* 2(2):73, f [b0413] CG: *Lamphotes* [Type: UNAM-ht] [TypeL - Acahuizotla, Guerrero, Mexico.] [Type of - *Lamphotes*] [Refs - b0675; b0108; b0413; b1456]
- b *veleda* Stichel, 1910; *Mesosemia* OD: *Gen. Insectorum* 112(A):45 [b4446] SS: *ahava* Hewitson, 1869; *Mesosemia* [Type: ZMHU-ht] [TypeL - Yungas, Rio Songo, Bolivia.] [Refs - b4474; b4446]
- a *veleda* Stichel, 1923; *Mesene* OD: *Z. wiss. InsektBiol.* 18(10/11):282 [b4457] [TypeL - Brazil.] [Refs - b4474; b1456]
- a *velina* Hewitson, 1868; *Thecla* OD: *Descr. new Spec. Lycaenidae* :18 [b2327] CG: *Thecla* (*New World Eumaeini*) [Type: BMNH] [TypeL - Tapajos, Amazon.] [Note - Allied to *petilla*.] [Refs - b0908; b2747; b1975]
- c *velina* Fruhstorfer, 1918; *Megisba* OD: *Arch. Naturgesch.* (A)82(12):6 [b1883] SS: *sikkima* Moore, 1884; *Megisba* [Type: BMNH-ht; designated by Eliot & Kawazoé, 1983] [Butts *Lycaenopsis* group :57 [b1580]] [TypeL - Sumatra.] [Refs - b0964; b0965; b1580; b1840; b4108]
- c *vellanus* Fruhstorfer, 1914; *Arhopala* OD: *Deut. ent. Zeit.* [Iris] 28(2):126 [b1859] SS: *horsfieldi* (Pagenstecher), 1890; *Arhopala g* [TypeL - W. Java.] [Refs - b1644; b4094; b1859]
- a *velutina* (Butler), [1867]; *Aricoris* OD: *J. linn. Soc. Lond., Zool.* 9:202, pl 7, f 11 [b0586] CG: *Setabis* [TypeL - St. Paulo.] [Refs - b2988 (as G & S name); b2747; b4475; b0267 :403 (as new name?); b2497; b1456]
- a *velutina* (Godman & Salvin), 1878; *Charis* OD: *Proc. zool. Soc. Lond.* 1878(2):364 [b1973] CG: *Calephelis* [TypeL - Guatemala.] [Refs - b4474; b1456]
- a *vena* (H. H. Druce), 1907; *Thecla* OD: *Proc. zool. Soc. Lond.* 1907(3):620, pl 36, f 21 [b1375] CG: *Ministrymon* [Type: BMNH; Godman collection.] [TypeL - Vina, (Northwest) Peru.] [Note - Druce says "allied to *cruenta*".] [Refs - b0908; b1375; b2636]
- c *venanigra* Bethune-Baker, 1926; *Telipna* OD: *Ann. Mag. nat. Hist.* (9)17:387 [b0362] SS: *atrinervis* Hulstaert, 1924; *Telipna* [TypeL - Kameruns.] [Refs - b4400]
- b *venata* Fruhstorfer, 1908; *Curetis* OD: *Stett. ent. Ztg* 69:49 or 50 [b1835] SS: *insularis* (Horsfield), [1829]; *Curetis* [Refs - b4094; b1454 (with thesis)]
- b *venerabilis* (Stichel), 1916; *Ancylaris* OD: *Deut. ent. Zeit.* 1916:8 [b4452] SS: *formosissima* (Hewitson), 1870; *Ancyluris* [Type: pc-ht; collection of Stichel] [TypeL - Chanchamayo, Peru.] [Refs - b4452; b4474; b4452]
- a *veneris* Butler, [1871], 1869-1874; *Mesosemia* OD: *Lep. exot.* :83, pl 32, f 2 [b0588] [TypeL - Minas Gerais.] [Refs - b2753; b1456]
- b *venezolana* Seitz, [1917], 1910-1924; *Stalactis* OD: In Seitz, *Grossschmett. Erde* 5:719, 143c [b4093] SS: *phlegia* (Cramer), [1779]; *Stalactis* [TypeL - Venezuela.] [Refs - b4476; b1456; b4093]
- b *venezolana* Seitz, [1917], 1910-1924; *Euselasia* OD: In Seitz, *Grossschmett. Erde* 5:628, pl 121g [b4093] SS: *psammathe* Seitz, [1917]; *Euselasia* [TypeL - San Esteban, Venezuela.] [Refs - b4474; b3717; b4093]
- b *venezolana* Nicolay, 1977; *Magnastigma* OD: *Bull. Allyn Mus.* (44):20, f 15e,15f,19,20 [b3391] SS: *elsa* (Hewitson), [1877]; *Magnastigma* [TypeL - Venezuela.] [Refs - b3391]

- c **venezuelae** (Lathy), 1930; *Thecla* OD: Trans. ent. Soc. Lond. 78(1):135 [b2921] SS: *janthina* (Hewitson), [1867]; *Janthecia* [Type: pc; Fournier collection.] [TypeL - Venezuela.] [Refs - b0908; b2591 (type not found); b0125]
- c **venezuelensis** Le Moul, 1940, 1939-1940; *Helicopsis* OD: Novit. ent. (13):104 [b2943] SS: *cupido* (Linnaeus), 1758; *Helicopsis* [Type: AME-ht] [TypeL - Barrancas, Orinoco River, Venezuela.] [Refs - b3199]
- c **venilia** (Bergsträsser), [1779], 1778-1780; *Papilio* OD: Nom. Ins. 3:pl 50, f 3-4 [b0310] SS: *bellargus* (Rottemburg), 1775; *Polyommatus* (*Lysandra*) [Refs - b2747; b0236; b2794; b0471; b4038]
- a **venilia** (Bates), [1868]; *Charis* OD: J. linn. Soc. Lond., Zool. 9:393 [b0267] CG: *Argyrogrammana* [TypeL - Amazon.] [Refs - b2988; b2747; b4474; b1456]
- e *ab. venialunulata* (Tutt), 1909, 1905-1914; *Agriades* OD: Nat. Hist. Brit. Butts 3:332 [b4760] SS: *bellargus* (Rottemburg), 1775; *Polyommatus* (*Lysandra*) [Refs - b0236; b0471]
- a **venosus** Moore, 1882; *Tanucus* OD: Proc. zool. Soc. Lond. 1882(1):245, pl 12, f 6,6a [b3234] [TypeL - Dharmasala.] [Refs - b1636; b1153; b0995; b2794 (=theophrastus); b1454; b1840; b3055; b0694; b4092; b2388]
- c **venox** Fruhstorfer, 1912; *Dodona* OD: Ent. Rundsch. 29(3):24 [b1849] SS: *eugenes* Bates, [1868]; *Dodona* [TypeL - Assam, Sikkim.] [Refs - b1636; b4473; b1454; b1840; b1849]
- a **venulius** (Cramer), [1779], 1775-1790; *Papilio* OD: Utit. Kapellen 3(21):85, pl 243, f G. [b1069] CG: *Paiwarria* [TypeL - Surinam.] [Type of - *Paiwarria*] [Refs - b2280; b0908; b2747]
- c **venus** (Fabricius), 1781, 1781-1782; *Papilio* OD: Spec. Ins. 2:115 [b1655] SS: *imperialis* (Cramer), [1775]; *Arcas* [TypeL - Surinam.] [Refs - b0908; b2747; b2221; b2406; b3389; b1975; b5076]
- a **venus** (Staudinger), 1886, 1886-1889; *Lycaena* OD: Stett. ent. Ztg. 47:211 [b4330] CG: *Polyommatus* [TypeL - Central Asia.] [Refs - b0993; b1762; b2827; b2479; b0236; b4367; b4092; b0206; b0205]
- b **venusta** Godman & Salvin, [1886], 1879-1901; *Calydna* OD: Biol. centr.-amer., Lep. Rhop. 1:433; 3:pl 47, f 1,2 [b1975] SS: *lusca* (Geyer), [1835]; *Calydna* [TypeL - Mexico and Nicaragua.] [Refs - b4475; b2497; b1456]
- a **venustus** (H. H. Druce), 1907; *Thecla* OD: Proc. zool. Soc. Lond. 1907(3):602, pl 36, f 3,4 [b1375] CG: *Tmolus* [Type: pc; Godman collection.] [TypeL - Chapada Campo, Brazil.] [Refs - b0908; b1375; b2631; b2588; b2589]
- b **vera** Graves & Hemming, 1928; *Lycaena* OD: Entomologist 61:87, pl 2, f 5,6; pl 3, f 17,18 [b2013] SS: *virgaureae* (Linnaeus), 1758; *Lycaena* (*Heodes*) [TypeL - Haute Loire.] [Refs - b0236; b0066; b0471]
- a **vera** Tite, 1961; *Lepidochrysops* OD: Entomologist 94:25 [b4673] [TypeL - Nigeria.] [Refs - b1452; b4400]
- a **vera** Bálint & Johnson, 1993; *Pseudolucia* OD: Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (27):15, f [b0212] [Type: UMCE-ht] [TypeL - Malacahuello, Malleco, Reg. [La] Araucania, Chile.] [Refs - b0212; b0207]
- a **verania** Hewitson, 1868; *Thecla* OD: Descr. new Spec. Lycaenidae :19 [b2327] CG: *Thecla* (New World Eumaeini) [Type: BMNH-st] [TypeL - Amazon; Ecuador.] [Refs - b0908; b2747]
- a **verbenaca** H. H. Druce, 1907; *Thecla* OD: Proc. zool. Soc. Lond. 1907(3):622, pl 36, f 24 [b1375] CG: *Thecla* (New World Eumaeini) [Type: BMNH] [TypeL - Cartago, Costa Rica.] [Refs - b0908; b1375]
- b **verchojanicus** (Kurentzov), 1970; *Lycaena* OD: Butts Far East USSR :132 [b2864] SS: *argus* (Linnaeus), 1758; *Plebejus* [Refs - b2866]
- b **verecunda** Stichel, 1910; *Mesene* OD: Gen. Insectorum 112(A):215 [b4446] SS: *martha* Schaus, 1902; *Mesene* [Type: ZMHU-st] [TypeL - Amazonas, Brazil.] [Refs - b1456; b4446]
- b **verelius** Fruhstorfer, 1914; *Arhopala* OD: Deut. ent. Zeit. [Iris] 2(4):161 [b1853] SS: *araxes* Felder & Felder, 1865; *Arhopala* h [Type: BMNH-ht] [TypeL - Kalao.] [Refs - b1644; b1853; b1454]
- c **verena** Grose-Smith, 1895; *Sinthusa* OD: Novit. zool. 2(4):514 [b2038] SS: *verruculata* (Snellen), 1891; *Sinthusa* [TypeL - Celebes.] [Refs - b1454; b4598]
- b **vergara** Semper, 1887, 1886-1892; *Tajuria* OD: In Semper, Reisen Philipp. (2)(5):210 [b4110] SS: *mantra* (Felder & Felder), 1860; *Tajuria* [Type: ZMHU-ht; designated by Takanami, 1989] [Tyô to Ga 40(1):32 [b4602]] [TypeL - S. E. Mindanao, Philippines.] [Refs - b4094 (with *jalajala*); b2201; b1454 (=jalajala); b4602]
- e **vergulti** Anonymous, 1927, (ISS); *Apodemia* OD: J. Ent. Zool. 9:136 [b0063] SS: *virgulti* (Behr), 1865; *Apodemia* [Refs - b3192; b1321]
- e **veris** (Verity), 1924, (IFS); *Plebeius* OD: Ent. Rec. 36:110 [b4842] SS: *argus* (Linnaeus), 1758; *Plebejus* [Type: MZS-st] [TypeL - Italy.] [Refs - b2856; b0236; b3796; b0471]
- b **verityi** Le Moul, 1945; *Lycaena* OD: Misc. Ent. 42:57 [b2945] SS: *dispar* ((Haworth)), 1802; *Lycaena* (*Thersamolycaena*) [TypeL - Italy.] [Refs - b0080; b0082]
- e **verna** Riley, 1929, (IFS); *Heliophorus* OD: J. Bombay nat. Hist. Soc. 33(2):400 [b3769] SS: *eventa* Fruhstorfer, 1918; *Heliophorus* (B) [TypeL - N. India.]
- b **verna** Corbet, 1940; *Tajuria* OD: Trans. R. ent. Soc. Lond. 90(5):116 [b0948] SS: *isaeus* (Hewitson), [1865]; *Tajuria* [TypeL - Malaysia.] [Refs - b0964; b0965; b2201; b1454]
- c **vernalis** (Hormuzaki), 1893; *Polyommatus* OD: Soc. ent. 8(17):130 [b2453] SS: *rutilus* (Werneburg), 1864; *Lycaena* (*Thersamolycaena*) [Refs - b0996; b1780; b0389; b4092]
- d *f. vernalis* Oberthür, 1896, (H); *Lycaena* OD: Étud. ent. 20:pl 5, f 68 [b3436] SS: *ityrus* (Poda von Neuhaus), 1761; *Lycaena* (*Heodes*) [Refs - b3059; b1780 (as Rebel name)]
- c **vernalis** Oberthür, 1903; *Polycycaena* OD: Bull. Soc. ent. Fr. 1903(16):268 [b3438] SS: *lama* Leech, [1893]; *Polycycaena* [Note - This may not be the original description but no earlier one has been found.] [Refs - b3438; b4473; b4469]
- c **vernalis** Grund, 1907; *Everes* OD: Ent. Zeit. 21(20):126 [b2079] SS: *decolorata* Staudinger, 1886; *Everes* [Refs - b0995; b1780; b4092]
- d *vernalis* Rebel, 1909, (H); *Lycaena* OD: In Berge, Schmetterlingsbuch (ed. 9) :63 [b3706] SS: *ityrus* (Poda von Neuhaus), 1761; *Lycaena* (*Heodes*) [Refs - b0236]
- e *ab. vernalis* Oberthür, 1910; *Lycaena* OD: Étud. Léop. comp. 4:110 [b3451] SS: *bleusei* Oberthür, 1884; *Lycaena* (*Heodes*) [Refs - b0236]
- d *vernalis* Oberthür, 1910, (H); *Lycaena* OD: Étud. Léop. comp. 4:104 [b3451] SS: *phlaeas* (Linnaeus), 1761; *Lycaena* (*Lycaena*) [Refs - b0236; b0471]
- e **vernalis** (Riley), 1929, (IFS); *Heliophorus* OD: J. Bombay nat. Hist. Soc. 33(2):391 [b3769] SS: *bakeri* Riley, 1928; *Iolaus* (*Epamera*) [TypeL - India.] [Note - Described as a dry season form, and thus unavailable.] [Refs - b0694; b3769]
- e *ab. vernalis* (Bollow), 1930, 1929-1931; *Lycaena* OD: In Seitz, Grossschmett. Erde 1(Suppl.):275 [b0471] SS: *icarus* (Rottemburg), 1775; *Polyommatus* [Note - Bollow attributed the name to Tutt, but I have been unable to trace the reference.] [Refs - b0471]
- e *var. vernetensis* Oberthür, 1916; *Maculinea* OD: Étud. Léop. comp. 12:486 [b3456] SS: *arion* (Linnaeus), 1758; *Maculinea* [Refs - b0236; b0471]

- e *ab. verneti* (Loritz), 1947; *Lysandra* OD: Revue fr. Lép. 11:133 [b3005] SS: albicans (Gerhard), 1851; *Polyommatus* (*Lysandra*) [TypeL - France.] [Refs - b0082; b3005]
- c *vernus* Zeller, 1847; *Lycaena* OD: Isis von Oken 1847(1):158 [b5060] SS: philaeas (Linnaeus), 1761; *Lycaena* (*Lycaena*) [Refs - b0236; b0471]
- b *verona* Corbet, 1940; *Tajuria* OD: Trans. R. ent. Soc. Lond. 90(5):114 [b0948] SS: deudorix (Hewitson), [1869]; *Tajuria* [TypeL - Malaysia.]
- b *veronius* (Fruhstorfer), 1917; *Chrysophanus* OD: Ent. Rundsch. 34(4):17 [b1876] SS: alciphron (Rottemburg), 1775; *Lycaena* (*Alciphronia*) [TypeL - Pyrenees.] [Refs - b3059; b0236; b0471; b2858 (as veronicus)]
- a *verriculata* (Snellen), 1891; *Deudorix* OD: Tijdschr. Ent. 34:257, pl 15, f 3 [b4264] CG: Sinthusa [TypeL - Tonbugu & Amparang, Celebes.] [Refs - b2199; b1454; b4598]
- a *versatilis* (Bethune-Baker), 1910; *Lycaenesthes* OD: Trans. ent. Soc. Lond. 58(1):49, pl 2, f 10 [b0343] CG: Anthene [Type: BMNH-ht] [TypeL - Gaboon.] [Refs - b1452; b4400]
- c *versicolor* (Goeze), 1779, 1777-1783; *Papilio* OD: Ent. Beiträge 3(1):148 [b1982] SS: odites (Cramer), [1775]; *Synargis* [Refs - b4475]
- c ♂ *versicolor* Kirby, 1887; *Epitola* OD: Ann. Mag. nat. Hist. (5)19:441 [b2764] SS: uniformis Kirby, 1887; *Epitola* [TypeL - Cameroons.] [Refs - b0836; b4400; b2655]
- c ♀ *versicolor* Kirby, 1887; *Epitola* OD: Ann. Mag. nat. Hist. (5)19:441 [b2764] SS: cercene Hewitson, 1873; *Epitola* [Type: BMNH-ht] [Refs - b4400; b2655]
- e *versicolor* Heyne, 1895, 1893-1895; *Polyommatus* OD: In Palae. Grossschmett. 1(15):762 [b2363] SS: daphnis ([Denis & Schiffermüller]), 1775; *Polyommatus* (*Meleageria*) [Refs - b4092]
- b *vesontia* (Fruhstorfer), [1917]; *Lycaenopsis* OD: Arch. Naturgesch. (A)82(1):36, pl 1, f 10 [b1880] SS: hermarchus (Fruhstorfer), 1910; *Celarchus* (*Celarchus*) [Type: BMNH-lt; designated by Eliot & Kawazoé, 1983] [Butts *Lycaenopsis* group :195 [b1580]] [TypeL - Midoro, Philippines.] [Refs - b1840; b1580; b2200]
- c *vespasianus* (Butler & H. Druce), 1872; *Tmolus* OD: Cistula Entomologica 1(5):109 [b0662] SS: camissa Hewitson, 1870; *Thecla* (*New World Eumacini*) [Refs - b0908; b2753; b1975]
- b *vespasianus* (Fruhstorfer), 1913; *Gerydus* OD: Z. wiss. Insektbiol. 9(9):244 [b1851] SS: symethus (Cramer), [1777]; *Mileus* 4 [TypeL - Nias.] [Refs - b1546; b1840]
- a *vesper* (H. H. Druce), 1909; *Thecla* OD: Trans. ent. Soc. Lond. 57(3):436, pl 11, f 8 [b1376] CG: *Profieldia* [Type: BMNH-ht] [TypeL - Chanchamayo, Peru.] [Note - Johnson could not find the type.] [Refs - b0908; b2591; b1376; b2918; b2592; b0125; b2606]
- e *vesta* Le Moul, 1940, 1939-1940, (IFS); *Helicopsis* OD: Novit. ent. (16):127 [b2943] SS: cupido (Linnaeus), 1758; *Helicopsis* [Type: AME-ht] [Refs - b3199]
- e *vestae* (Verity), 1919, 1919-1922, (RA); *Agriades* OD: Ent. Rec. 31:30 [b4840] SS: bellargus (Rottemburg), 1775; *Polyommatus* (*Lysandra*) [Type: MZS-st] [Refs - b2856; b0471; b4038]
- a *vestalis* (Bates), 1864, 1864-1865; *Mesosemia* OD: Ent. mon. Mag. 1:203 [b0263] CG: *Leucochimona* [TypeL - Surinam.] [Refs - b2747; b4474; b0263; b2406; b1456]
- b *vestalis* (Aurivillius), 1895; *Cupido* OD: Ent. Tidskr. 16:219 [b0151] SS: ornata (Mabille), 1890; *Athysanota* [Refs - b0151; b1452; b0836; b4400]
- c *vesubia* Fruhstorfer, 1917; *Maculinea* OD: Deut. ent. Zeit. [Iris] 31:27 [b1877] SS: anion (Linnaeus), 1758; *Maculinea* [Refs - b0236; b0471]
- a *vesulus* (Stoll), [1781], 1780-1790; *Papilio* OD: In Cramer, Uil. Kapellen 4(29):98, pl 340, f I,K [b4478] CG: *Calystryma* [TypeL - Surinam.] [Refs - b0908; b2988; b2747; b0125; b2606]
- a *veterator* (H. H. Druce), 1907; *Thecla* OD: Proc. zool. Soc. Lond. 1907(3):627, pl 36, f 25 [b1375] CG: *Strymon* [Type: BMNH] [TypeL - Paraguay.] [Refs - b0908; b2988; b1375]
- a *vetulonia* Hewitson, [1872], 1852-1877; *Necyria* OD: Ill. exot. Butts 5:[-], pl [38], f 10,11 [b2323] [TypeL - Ecuador.] [Refs - b2753; b4474; b1456]
- b *veturia* (Fruhstorfer), [1912]; *Poritia* OD: Berl. ent. Z. 56(3/4):201 [b1850] SS: pavonica de Nicéville, 1895; *Simiskina* [Type: BMNH-ht; male genitalia only.] [TypeL - Hinlap, Siam.] [Refs - b4094; b1850; b0950]
- a *venenae* Dyar, 1918; *Thecla* OD: Proc. U. S. natn. Mus. 54:337 [b1448] CG: *Thecla* (*New World Eumacini*) [Type: USNM-ht; #21203] [TypeL - Misantla, Vera Cruz, Mexico.] [Note - Johnson places this in the *Erora* group.] [Refs - b0908; b2631]
- a *vexillarius* Clench, 1965; *Iolaus* OD: J. New York ent. Soc. 72(4):241 [b0835] [TypeL - Cameroon.] [Refs - b0528; b1452; b4400]
- c *viaca* (Edwards), [1871]; *Lycaena* OD: Trans. amer. ent. Soc. 3(3/4):209 [b1501] SS: piusius (Boisduval), 1852; *Glaucopsyche* [Type: AMNH-ht] [TypeL - Lake Tahoe, Placer County, California. Restricted by Brown, 1970.] [Note - Seen as *viata* in Zool. Rec.] [Refs - b0908; b3192; b1501; b1321; b2753 (as vesta)]
- e *viardi* (Staudinger), 1889, (ISS); *Amblypodia* OD: Deut. ent. Zeit. [Iris] 2(1):130 [b4332] SS: diardi (Hewitson), 1862; *Flos* [Refs - b1644; b4094]
- e *viata* (Kirby), [1873], (ISS); *Lycaena* OD: Zool. Rec. 8(1871)(Ins.):365 [b2749] SS: *viaca* (Edwards), [1871]; *Glaucopsyche* [Refs - b2749]
- a *vibidia* (Hewitson), [1869], 1863-1878; *Thecla* OD: Ill. dium. Lep. Lycaenidae 1:119; 2-pl 49, f 242,243 [b2326] CG: *Michaelus* [Type: BMNH] [TypeL - Amazons Valley.] [Type of - Michaelus] [Refs - b0908; b2747; b3392; b3818; b2406; b2497; b1375; b1975; b1975; b2631]
- a *vibulena* (Hewitson), [1877], 1863-1878; *Thecla* OD: Ill. dium. Lep. Lycaenidae 1:190; 2-pl 76, f 599-603 [b2326] CG: *Calycopis* [Type: BMNH-lt; designated by Field, 1967] [Proc. U. S. natn. Mus. 119(3552):24 [b1737]] [TypeL - Belem, Pará State, Brazil.] [Refs - b0908; b1737; b2753; b2221; b2497; b1375]
- b *vicania* Corbet, 1938; *Nacaduba* OD: Trans. R. ent. Soc. Lond. 87(5):133 [b0938] SS: hemmus (C. Felder), 1860; *Nacaduba* [Type: BMNH-ht] [TypeL - Nicobars.] [Refs - b4676; b1454; b0694]
- b *vicaria* Rebillard, 1958; *Emesis* OD: Mém. Mus. natn. Hist. nat. (A)15:192 [b3717] SS: adelpha Rebillard, 1958; *Emesis* [Type: MNHN-ht] [TypeL - Upper Amazon, Brazil.] [Refs - b3717; b0093]
- a *viceta* Hewitson, 1868; *Thecla* OD: Descr. new Spec. Lycaenidae :18 [b2327] CG: *Thecla* (*New World Eumacini*) [Type: BMNH] [TypeL - Santarem, Amazon.] [Refs - b0908; b2747; b3818]
- a *vicina* (Grose-Smith), 1898; *Holochila* OD: Novit. zool. 5(1):107 [b2047] CG: *Philaris* [Type: BMNH-ht] [TypeL - Mailu, British New Guinea.] [Refs - b4677; b1450; b2078]
- b *vicina* Stichel, 1926; *Teratophthalma* OD: Deut. ent. Zeit. 1926:92 [b4464] SS: phelina (Felder & Felder), 1862; *Teratophthalma* [TypeL - Peru.] [Refs - b4474]

- a *vicrama* (Moore), 1865; *Polyommatus* OD: Proc. zool. Soc. Lond. 1865(2):505, pl 31, f 6 [b3220] CG: *Pseudophilotes* [TypeL - Thibet.] [Note - Also seen in *Philotes* and *Scoliantides*.] [Refs - b1153; b4178; b4179; b2747; b1780 (in *Philotes*); b4094; b2827; b2479; b2905 (in *Pseudophilotes*); b1636; b1762; b0236; ns3354; b3361 (*Pseudophilotes*); b0293 (*Pseudophilotes*); b0400; b2242; b2794 (*Pseudophilotes*); b3910 (*Philotes*); b0694; b2859; b4092; b0471; ns2678]
- a *victori* Pringle, 1984; *Lepidochrysops* OD: Ent. Rec. 96(7/8):137, f 1-4 [b3648] [Type: BMNH-ht] [TypeL - Cape Province, S. Africa.] [Refs - b3648]
- c *victoria* (Swinhoe), 1893; *Cyaniris* OD: Trans. ent. Soc. Lond. 41(3):293 (partim) [b4569] SS: *iyntean* (de Nicéville), [1884]; *Celastrina* [Type: BMNH-ht; designated by Eliot & Kawazoé, 1983] [*Butis* *Lycaenopsis* group :217 [b1580]] [TypeL - Shillong, India.] [Refs - b1636; b1840 (as *victoriae*); b1580; b0236; b4569]
- a *victoria* (Johnson & Matusik), 1989; *Tmolus* OD: In Schwartz, *Butis Hispaniola* :525, f A-2 [b2633] CG: Ministryon [Type: AMNH-ht] [TypeL - La Romana, Dominican Republic, Hispaniola.] [Refs - b2633; b2636]
- a *victoriae* (Butler), 1884; *Aphaeus* OD: Ent. mon. Mag. 20:251 [b0632] CG: *Spindasis* [TypeL - Victoria Nyanza.] [Refs - b1943; b1259; b1452; b4400]
- a *victoriae* (Karsch), 1895; *Cupido* OD: Ent. Nachr. 21:300 [b2694] CG: *Lepidochrysops* [Type: ZMHU] [TypeL - Kitoto, British East Africa.] [Refs - b1452; b0836; b2694; b4400; b0359]
- e *victoriae* (Fruhstorfer), [1922], 1909-1923, (ISS); *Lycaenopsis* OD: In Seitz, *Grossschmett. Erde* 9:871 [b1840] SS: *victoria* (Swinhoe), 1893; *Celastrina* [Refs - b1840]
- a *victoriae* Stempffer & Bennett, 1965; *Micropentila* OD: Bull. Br. Mus. nat. Hist. (Ent.) 19(11):411 [b4422] [TypeL - Uganda.] [Refs - b1452; b4400]
- a *victrix* (Hewitson), 1870, 1869-1877; *Charis* OD: Equatorial Lep. Buckley (4):50 [b2330] CG: *Metacharis* [TypeL - Ecuador.] [Refs - b2988; ns1975 1:454; b2747; b4475; b2497; b1456]
- c *vicunha* (Balletto), 1993; *Pallidula* OD: Boll. Soc. ent. ital. 124(3):239 [b0220] SS: *chilensis* (Blanchard), 1852; *Pseudolucia* [Type: UMCE-ht] [TypeL - Vicuña, Pr. La Serena, Chile.] [Type of - *Pallidula*] [Refs - b0208; b0220]
- a *vidali* (Dognin), 1891; *Lymnas* OD: Naturaliste 13(2):5-125 [b1294] CG: *Melanis* [TypeL - Loja.] [Refs - b4474; b1456]
- e *ab. vidrasana* Vicol, 1977; *Polyommatus* OD: Bull. Soc. ent. Mulhouse 1977:56 [b4870] SS: *icarus* (Rottemburg), 1775; *Polyommatus* [Refs - b0109]
- c *vidua* (Grose-Smith & Kirby), 1895, 1887-1902; *Thysonotis* OD: Rhop. exot. 2(34):30, pl 4, f 9,10 [b2049] SS: *wallacei* (Felder & Felder), 1865; *Danis* [TypeL - Waigiou.] [Refs - b1450; b2078]
- e *vidua* Stichel, 1916; *Stalactis* OD: Deut. ent. Zeit. 1916:24 [b4452] SS: *duvalii* Perty, 1834; *Stalactis* [Refs - b4476]
- a *vidua* Talbot, 1929; *Cupidesthes* OD: Bull. Hill Mus. 3(2):140, f [b4619] [Type: BMNH-ht] [TypeL - Moxico District, S. E. Angola.] [Refs - b1452; b4619; b4400]
- b *vidua* Talbot, 1935; *Epitola* OD: Ent. mon. Mag. 71:75 [b4623] SS: *miranda* Staudinger, 1889; *Epitola* [TypeL - Uganda.] [Refs - b3842; b4400; b1452; b0836; b4623]
- a *vidua* Talbot, 1937; *Pseuderesia* OD: Trans. R. ent. Soc. Lond. 86(4):60, pl 1, f 19 [b4625] CG: *Pseuderesia* [Type: UMO-ht] [TypeL - Jinja, Uganda.] [Refs - b4400; b0113; b1452; b4395; b4625]
- e ♂ *ab. viduata* (Schultz), 1905; *Chrysophanus* OD: Ent. Zeit. 18(34):133 [b4003] SS: *alciphron* (Rottemburg), 1775; *Lycaena* (*Alciphronia*) [Refs - b0389; b4003; b4092]
- a *vidulus* (H. H. Druce), 1907; *Thecla* OD: Proc. zool. Soc. Lond. 1907(3):623 [b1375] CG: *Terminospinissima* [Type: BMNH-ht] [TypeL - Ecuador.] [Refs - b0908; b1375; b0125; b2606]
- a *vidura* (Horsfield), [1828], 1828-1829; *Thecla* OD: Descr. Cat. lepid. Ins. (2):explic. pl 1, f 6 [b2457] CG: *Dacalana* [TypeL - India.] [Type of - *Dacalana*] [*Check - Original genus.*] [Refs - b0964; b1636; b1153; b2280; b1548; b0965; b4094; b2747; b2201; b1850; b1454; b0694]
- a *vieca* Schaus, 1902; *Thecla* OD: Proc. U. S. natn. Mus. 24(1262):411 [b3948] CG: *Thecla* (*New World Eumaeini*) [Type: USNM-ht; #5930] [TypeL - Cucuta, Venezuela.] [Refs - b0908; b3948]
- e *vietnamica* Anonymous, 1992, (ISS); *Curetis* OD: Zool. Rec. 128(1991):(Ins. D-Lep.):314 [b0125] SS: *vietnamica* Inoué & Kawazoé, 1964; *Curetis* [Refs - b0125]
- c *vietnamica* Inoué & Kawazoé, 1964; *Curetis* OD: Nature Life Southeast Asia 4:339 [b2508] SS: *labuana* Evans, 1954; *Curetis* [TypeL - S. Vietnam.] [Refs - b0125 (as *vietnamica*)]
- a *vietrix* (Rebel), 1902; *Nymphidium* OD: In Berl. ent. Z. 46(2/3):300 [b3701] CG: *Synargis* [TypeL - Brazil.] [Refs - b3701; b1456]
- b *viga* (Corbet), 1940; *Tajuria* OD: Trans. R. ent. Soc. Lond. 90(5):119 [b0948] SS: *cleoboides* (Elwes), [1893]; *Britomartis* [TypeL - Malaysia.] [Refs - b0964; b0965; b2201; b1454]
- b *vigensis* (Tut), 1909, 1905-1914; *Plebeius* OD: Nat. Hist. Brit. Butts 3:198 [b4760] SS: *argus* (Linnaeus), 1758; *Plebejus* [Refs - b3059; b0236; b0471]
- a *viggia* Dyar, 1918; *Thecla* OD: Proc. U. S. natn. Mus. 54:336 [b1448] CG: *Thecla* (*New World Eumaeini*) [Type: USNM-ht; #21200] [TypeL - Santa Rosa, Vera Cruz, Mexico.] [Refs - b0908; b3818]
- a *vihara* (Felder & Felder), 1860; *Amblypodia* OD: Wien. ent. Monats. 4(12):395 [b1683] CG: *Arhopala* i [Type: BMNH-ht] [TypeL - Malacca, Malay Peninsula.] [Refs - b1644; b2747; b4094; b2200; b1454; b4108]
- e *f. vilarrubiai* Agenjo, 1966; *Plebejus* OD: Eos 41:173 [b0016] SS: *argus* (Linnaeus), 1758; *Plebejus* [TypeL - Spain.] [Refs - b3059 (as ssp)]
- b *vileja* (Fruhstorfer), 1918; *Castalius* OD: Tijdschr. Ent. 61:25 [b1884] SS: *waterstradi* H. H. Druce, 1895; *Tanucus* [TypeL - Sumatra.] [Refs - b0964; b0965; b1454; b1840]
- a *villagomes* Hewitson, 1870; *Chamaelinnas* OD: Trans. ent. Soc. Lond. 18(2):163 [b2333] [TypeL - Ecuador.] [Refs - b2988; b2753; b4474; b2497; b1456]
- b *villarrubiai* (Agenjo), 1972; *Plebejus* OD: Graellsia 26:26 [b0023] SS: *icarius* (Esper), [1789]; *Polyommatus* (*Plebicularia*) [TypeL - Avila Province, Spain.]
- a *villia* Hewitson, [1869], 1863-1878; *Thecla* OD: Ill. diurn. Lep. Lycaenidae 1:126; 2:pl 51, f 272,273 [b2326] CG: *Thecla* (*New World Eumaeini*) [Type: BMNH] [TypeL - Amazon.] [Refs - b0908; b2988; b2747; b3818]
- a *villiersi* Stempffer, 1965; *Telipna* OD: Bull. Inst. franc. Afr. Noire 27(A):1450, f [b4398] [TypeL - Congo.] [Refs - b1452; b4400]
- a *villiersi* Stempffer, 1970; *Micropentila* OD: Bull. Inst. fond. Afr. Noire 32(A):1063, f [b4407] [TypeL - Mvoum, Gabon.] [Refs - b1452]
- a *villosa* (Snellen), 1878; *Pseudodipsas* OD: In Tijdschr. Ent. 21:24, pl 1, f 6 [b4259] CG: *Anthene* [TypeL - Celebes.] [Refs - b4679; b1454; b4259; b4595]
- b *villosina* (Fruhstorfer), [1924], 1909-1923; *Lycaenesthes* OD: In Seitz, *Grossschmett. Erde* 9:898 [b1840] SS: *lycaenina* (R. Felder), 1868; *Anthene* [TypeL - Mindanao or Luzon, Philippines.] [Refs - b4679; b1840; b3796; b1454]

- e *ab. vilmae* (Komárek), 1948; *Chrysophanus* OD: Čas. čsl. Spol. ent. 46(3/4):149 [b2824] SS: donlis (Hüfnagel), 1766; *Lycaena* (Heodes) [TypeL - Czechoslovakia.] [Refs - b0083; b2824]
- a *vimena* Schaus, 1928; *Emesis* OD: Proc. ent. Soc. Wash. 30(3):49 [b3954] [TypeL - Guatemala.] [Refs - b4475; b1456]
- a *vinalli* Talbot, 1935; *Epitola* OD: Ent. mon. Mag. 71:75 [b4623] [TypeL - Belgian Congo.] [Refs - b3842; b1452; b0836; b4623; b4400]
- b *vincula* (H. H. Druce), 1891; *Nacaduba* OD: Proc. zool. Soc. Lond. 1891(3):363, pl 31, f 18 [b1358] SS: lineata (Murray), 1874; *Erysichon* [Type: BMNH-ht] [TypeL - Solomon Islands.] [Refs - b4676; b1450; b4094; b1358; b3550]
- c *vincula* (H. H. Druce), 1895; *Gerydus* OD: Proc. zool. Soc. Lond. 1895(3):561, pl 31, f 9,10 [b1362] SS: boisduvali Moore, [1858]; *Mileus* 3 [TypeL - Borneo.] [Refs - b1546; b1362; b1840; b4108]
- a *vingina* (Hewitson), 1875; *Liphya* OD: Ent. mon. Mag. 11:183 [b2345] CG: Aslauga [TypeL - Fernando Po.] [Type of - Aslauga] [Refs - b2280; b2753; b1452 (as vinninga); b0836; b2345; b4400]
- e *vingina* d'Aberra, 1980, (ISS); *Aslauga* OD: Butts Afrotropical Region :412 [b1452] SS: vininga (Hewitson), 1875; *Aslauga* [Refs - b1452]
- a *vioangulis* Johnson & Kroenlein, 1993; *Angulopsis* OD: Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (33):24, f [b2627] [Type: BMNH-ht] [TypeL - Sierra Nevada de Santa Marta, Colombia.] [Refs - b2627]
- b *viola* (Moore), 1877; *Lampides* OD: Am. Mag. nat. Hist. (4)20:340 [b3225] SS: helicon (C. Felder), 1860; *Ionolyce* [Type: BMNH-ht] [TypeL - Ceylon.] [Refs - b4676; b1636; b1153; b0938; b4094; b1454; b0694]
- b *viola* Moore, 1882; *Horaga* OD: Proc. zool. Soc. Lond. 1882(1):248 [b3234] SS: albimacula (Wood-Mason & de Nicéville), 1881; *Horaga* [Type: BMNH-ht; designated by Cowan, 1966] [Bull. Br. Mus. nat. Hist. (Ent.) 18(4):127 [b1012]] [TypeL - Dhamsala, Kangra, N. India.] [Refs - b1012; b1636; b1153; b2078; b0995; b4094; b4092; b1569; b1454; b0694]
- c *viola* (Röber), 1887; *Amblypodia* OD: CorrespBl. ent. Ver. Iris 1(4):199, pl 9, f 4 [b3821] SS: elfeta (Hewitson), [1869]; *Arhopala* a [Type: SMT-ht; designated by Takanami, 1989] [Tyô to Ga 40(1):51 [b4602]] [TypeL - Banggai [Bangkei] Island.] [Refs - b1644; b4094; b3821; b4602]
- a *viola* Draudt, [1920], 1917-1924; *Thecla* OD: In Seitz, Grossschmett. Erde 5:791, pl 157-c [b1348] CG: *Thecla* (New World Eumaeini) [TypeL - Amazon.] [Refs - b0908]
- c *violacea* (Edwards), 1866; *Lycaena* OD: Proc. ent. Soc. Philad. 6(2):201 [b1495] SS: ladon (Cramer), [1780]; *Celastrina* [Type: CM-ht; designated by Brown, 1970] [Trans. amer. ent. Soc. 96:423 [b0510]] [TypeL - Kanawha River, West Virginia.] [Refs - b0908; b0856; b3192; b2747; b1580; b3192; b1743; b1321]
- c *violacea* (Butler), [1867]; *Lemonias* OD: J. linn. Soc. Lond., Zool. 9:214, pl 6, f 2,3 [b0586] SS: alector (Butler), [1867]; *Adelotypa* [TypeL - Ega.] [Refs - b2747; b4475]
- c *violacea* (Röber), [1886]; *Amblypodia* OD: CorrespBl. ent. Ver. Iris 1(1):72 [b3820] SS: rama (Kollar), [1844]; *Arhopala* j [TypeL - E. Indies.] [Refs - b1644; b0996; b4094]
- b *violacea* (Butler), 1899; *Lycaenesthes* OD: Ann. Mag. nat. Hist. (7)4:343 [b0652] SS: seluttus (Röber), [1886]; *Anthene* [Type: BMNH-ht] [TypeL - St. Aignan, Louisiade Islands.] [Refs - b4679; b1450; b1840]
- e *ab. violacea* Oberthür, 1910; *Palaeochrysophanus* OD: Étud. Lép. comp. 4:130, pl 49, f 406 [b3451] SS: hippothoe (Linnaeus), 1761; *Palaeochrysophanus* [Refs - b0236; b0389; b0471]
- e *ab. violacea* Ksienschopolski, 1911; *Lycaena* OD: Trudy obshch. Izsl. Volyni Zitomir 8:55 [b2854] SS: alciphron (Rottemburg), 1775; *Lycaena* (Alciphronia) [Refs - b0236]
- e *violacea* (Verity), 1911, (IFS & H); *Lycaena* OD: Boll. Soc. ent. ital. 42:277 [b4834] SS: decolorata Staudinger, 1886; *Everes* [Type: MZS-ht] [Refs - b2856; b0236; b0400; b0471]
- c *violacea* (Niepelt), 1914; *Thecla* OD: Int. ent. Z. 8(26):144 [b3395] SS: quercus (Linnaeus), 1758; *Quercusia* [TypeL - Magdeburg.] [Refs - b0236; b0072; ns3396 (:18); b0471]
- a *violacea* Lathy, 1924; *Euselasia* OD: Am. Mag. nat. Hist. (9)14:284 [b2917] [Type: MNHN-ht] [TypeL - Colombia.] [Refs - b4474; b0680; b3717; b0688]
- e *Q ab. violacea* Gunder, 1925; *Leptotes* OD: Ent. News 36(1):3, pl 1, f U [b2094] SS: marina (Reakirt), 1868; *Leptotes* [Type: AMNH-ht] [TypeL - Oak Glenn, Riverside County, California.] [Refs - b0908; b3192; b1321; b2094]
- e *ab. violacea* (Pionneau), 1926; *Chrysophanus* OD: Échange 42:7 [b3613] SS: gordius (Sulzer), 1776; *Lycaena* (Alciphronia) [TypeL - France.] [Note - Original description not found.] [Refs - b0236; b0064]
- a *violacea* (Riley), 1928; *Epamera* OD: Novit. zool. 34:386 [b3767] CG: *Iolaus* (Epamera) [TypeL - Angola.] [Refs - b1943; b1259; b1452; b4400]
- d *violacea* Lathy, 1936, (H); *Thecla* OD: Livre jubilaire de M. Eugene-Louis Bouvier :230, pl 8, f 6 [b2925] OS: magnapurpurata Johnson, 1991; *Thecla* (New World Eumaeini) [Type: MNHN-ht; Fournier collection.] [TypeL - Aburia, Amazons.] [Refs - b0908; b2925; b2591; b2592]
- e *violacea* Beuret, 1957; *Glaucopsyche* OD: Lyc. Schweiz. II :199 [b0400] SS: alexis (Poda von Neuhaus), 1761; *Glaucopsyche* [TypeL - Switzerland.] [Refs - b0400]
- a *violacea* Howarth, 1976; *Praephilotes* OD: In Čas. morav. Mus. Brně 61:143, f [b2467] [TypeL - Musgrave River, Central District, Papua New Guinea.] [Refs - b0108; b3910]
- a *violacea* (Schröder & Treadaway), 1978; *Pratapa* OD: Ent. Zeit. 88(14):153, f 3 [b3975] CG: *Paruparo* [Type: pc-ht; collection of Treadaway.] [TypeL - Sunigao, Mindanao, Philippines.] [Refs - b2199; b2201; b3975; b4586; b1454]
- e *ab. violaceogrisescens* (Oberthür), 1896; *Lysandra* OD: Étud. ent. 20:18 [b3436] SS: bellargus (Rottemburg), 1775; *Polyommatus* (*Lysandra*) [Refs - b0236]
- b *violaceus* (Staudinger), 1892; *Polyommatus* OD: Deut. ent. Zeit. [Iris] 5:315 [b4338] SS: splendens (Staudinger), 1881; *Lycaena* (*Thersamolycaena*) [TypeL - Kentei-Gebirges.] [Refs - b2479; b2866; b2790; b4092]
- d *violaceus* (Rangnow), 1935, (H); *Lycaena* OD: Ent. Rundsch. 52:188 [b3691] OS: rangnowi (Koçak), 1980; *Plebejus* (*Lycæides*) [TypeL - Lapland.] [Refs - b0113; b0073; b2790]
- b *violae* (Stallings & Turner), 1947; *Strymon* OD: Pan-Pac. Ent. 23(3):119 [b4302] SS: ontario (Edwards), 1869; *Fixsenia* [Type: pc-ht; collection of Stallings & Turner.] [TypeL - Folsom, Union County, New Mexico.] [Refs - b4688; b3192; b1743; b0493; b4302; b1321; b4690]
- e *violaria* Stichel, 1915, (IFS); *Eurybia* OD: Deut. ent. Zeit. 1915:690, pl 23, f 7 [b4451] SS: halimede (Hübner), [1807]; *Eurybia* [Type: BMNH-ht] [TypeL - Pará, Brazil.] [Refs - b4451; b4474]
- e *ab. violascens* Tutt, 1909, 1905-1914; *Cupido* OD: Nat. Hist. Brit. Butts 3:105, pl 4, f 4 [b4760] SS: minimus (Esper), [1777]; *Cupido* [Refs - b0995; b4760; b0236; b0400; b0471]

- c *violescens* (Spitz), 1931; *Thecla* OD: *Revta Ent. Rio de J.* 1:48 [b4293] SS: *lenitas* (H. H. Druce), 1907; *Symbiopsis* [Type: MP-ht] [TypeL - Viannopolis, Est. de Goyaz, Brazil.] [Refs - b0908; b3388; b3179]
- e *Q. f. violescens* Howarth, 1957; *Neozephyrus* OD: *Bull. Br. Mus. nat. Hist. (Ent.)* 5(6):264 [b2463] SS: *helenae* Howarth, 1957; *Neozephyrus* [Type: BMNH-ht] [TypeL - Siao-lou, W. China.] [Refs - b2463]
- a *violescens* Dickson, 1971; *Poecilmitis* OD: *Ent. Rec.* 83:1 [b1250] [TypeL - Roggeveld, W. Cape Province, S. Africa.] [Refs - b1259; b0102; b1452]
- a *violetae* (Gómez Bustillo & Expósito Hermosa & Martínez Borrego), 1979; *Agrodiaetus* OD: *Revta Lep.* 7(1):51, f [b1990] CG: *Polyommatus* (*Agrodiaetus*) [TypeL - Spain.] [Refs - b1610 (7030-E11); b0111; b2859; b1455 (as *videatae*)]
- e *f. violetapunctata* (Gómez Bustillo & Expósito Hermosa & Martínez Borrego), 1979; *Agrodiaetus* OD: *Revta Lep.* 7(1):53 [b1990] SS: *violetae* (Gómez Bustillo & Expósito Hermosa & Martínez Borrego), 1979; *Polyommatus* (*Agrodiaetus*) [Refs - b0111]
- a *violetta* (Bates), [1868]; *Eurygona* OD: *J. linn. Soc. Lond., Zool.* 9:378 [b0267] CG: *Euselasia* [TypeL - Tapajos, Brazil.] [Refs - b2747; b4474; b1456]
- a *violetta* (Aurivillius), 1897; *Deudorix* OD: *Ent. Tidskr.* 18:216 [b0153] CG: *Diopetes* [TypeL - W. Africa.] [Refs - b1452; b0836; b4382; b4400]
- a *violetta* (Röber), 1926; *Candalides* OD: *Ent. Mitt.* 15:376 [b3835] CG: *Philiris* [TypeL - Southwest New Guinea.] [Refs - b4677; b1450; b3835]
- a *violetta* Hall, 1939; *Anteros* OD: *Agr. J. Br. Guiana* 10:153 [b2117] [Type: BMNH-ht] [TypeL - King Frederick William Falls, Upper Coretyne, British Guiana.] [Refs - b2117; b1456]
- a *violetta* (Pinhey), 1945; *Cupido* OD: *Proc. Trans. Rhod. Sci. Assoc.* 40:66, f [b3605] CG: *Lepidochrysops* [TypeL - Nyanga, S. Rhodesia.] [Refs - b1259; b1452; b4400]
- b *violetta* Cowan, 1966; *Horaga* OD: *Bull. Br. Mus. nat. Hist. (Ent.)* 18(4):128 [b1012] SS: *chalcedonyx* Fruhstorfer, 1914; *Horaga* [Type: BMNH-ht] [TypeL - Bali.] [Refs - b1012; b1569; b1454 (with *albimacula*)]
- b *viosa* (Fruhstorfer), 1915; *Lampides* OD: *Arch. Naturgesch. (A)* 81(6):27 [b1865] SS: *cyta* (Boisduval), 1832; *Jamides* [TypeL - Lombok.] [Refs - b4094; b1865; b4592; b4604]
- b *vipia* Cantlie & Norman, 1960; *Celastrina* OD: *J. Bombay nat. Hist. Soc.* 57(2):426, f 3, 4 [b0697] SS: *hersilia* (Leech), [1893]; *Celastrina* [Type: BMNH-ht] [TypeL - Jhakama, Haga Hills, Assam, India.] [Refs - b0697; b1580]
- e *virescens* (Verity), 1943, (IFS); *Lysandra* OD: *Farfalle Diurne Ital.* 2:281 [b4862] SS: *argester* (Bergsträsser), [1779]; *Polyommatus* (*Plebicula*) [TypeL - Italy.] [Refs - b2856; b0080]
- a *viresco* H. H. Druce, 1907; *Thecla* OD: *Proc. zool. Soc. Lond.* 1907(3):573 [b1375] CG: *Thecla* (New World *Eumaeini*) [Type: pc; Godman collection.] [TypeL - Maranham, (North) Brazil.] [Refs - b0908; b1375]
- a *virgata* H. H. Druce, Apr 1891; *Kopelates* OD: *Ann. Mag. nat. Hist.* (6):365 [b1355] [TypeL - Sierra Leone.] [Type of - *Kopelates*] [Refs - b2280; b1452; b0836; b4400; b1355]
- e *ab. virgata* (Tun), 1907, 1905-1914; *Ruralis* OD: *Nat. Hist. Brit. Butts* 2:280 [b4760] SS: *betulae* (Linnaeus), 1758; *Thecla* [Refs - b4092]
- b *virgatula* Stichel, 1909; *Hyphilaria* OD: *Berl. ent. Z.* 54(1/2):44 [b4444] SS: *parthenis* (Westwood), [1851]; *Hyphilaria* [TypeL - Guayana; Amazonas.] [Refs - b4474]
- b *virgatula* Stichel, 1910; *Symmachia* OD: *Berl. ent. Z.* 55(1/2):80 [b4445] SS: *tigrina* Hewitson, [1867]; *Symmachia* [Type: ZMHU-ht] [TypeL - Rio San Juan, Colombia.] [Refs - b4474; b3717; b1456; b4445]
- a *virgatus* Verity, 1913, (RA); *Callophrys* OD: *J. linn. Soc. Lond., Zool.* 32(215):187 [b4835] [Type: BMNH-ht] [TypeL - North Tuscan coast, Italy.] [Refs - b2856; b0236; b2985; b2585; b0315; b1455]
- a *virgaurea* Stichel, 1910; *Symmachia* OD: *Berl. ent. Z.* 55(1/2):80 [b4445] [Type: ZMHU-ht] [TypeL - Colombia.] [Refs - b4474; b1456; b4445]
- a *virgaureae* (Linnaeus), 1758; *Papilio* OD: *Syst. nat. (ed. 10)* 1:484 [b2993] CG: *Lycaena* (*Heodes*) [TypeL - Europe.] [Type of - *Heodes*, *Chysoptera*] [Refs - b2280; b4115; b2375; b3059; b2747; b0996; b1780; b2827; b4220; b0107 (as *virgaureal*); b2866; b1601; b0236; b0389; b2300; b1183; b3366; b2753; b2859; ns0040; ns0323; ns1338; ns1337; ns1336; ns1335; ns1334; ns1333; ns0994; b4092]
- b *virgaureola* (Staudinger), 1892; *Polyommatus* OD: *Deut. ent. Zeit. [Iris]* 5:314 [b4338] SS: *virgaureae* (Linnaeus), 1758; *Lycaena* (*Heodes*) [TypeL - Kentei-Gebirges.] [Refs - b2479; b2747; b2866]
- b *virgilia* Oberthür, 1910; *Polyommatus* OD: *Étud. Léop. comp.* 4:263 [b3451] SS: *dolus* (Hübner), [1823]; *Polyommatus* (*Agrodiaetus*) [TypeL - Italy.] [Refs - b0236; b2375; b2859 (as a good species); b0471; b0471 (as *virgilia*)]
- a *virgilius* (Fabricius), 1793, 1792-1799; *Hesperia* OD: *Ent. syst.* 3(1):323 [b1657] CG: *Theope* [TypeL - Indiis*, but probably *Nicaragua*.] [Refs - b2988; b2747; b4475; b2497; b5076; b1456]
- c *f. virginalis* Oberthür, 1905; *Lycaena* OD: *Bull. Soc. ent. Fr.* 1905(4):56 [b3440] SS: *virgaureae* (Linnaeus), 1758; *Lycaena* (*Heodes*) [Refs - b0236; b0389; b0471]
- a *virginea* (Bethune-Baker), 1904; *Epitolina* OD: *Ann. Mag. nat. Hist.* (7)14:230 [b0332] CG: *Epitola* [TypeL - Sierra Leone.] [Refs - b3842; b1452; b0836; b4400]
- c *virginea* Birket-Smith, 1960; *Powellana* OD: *Bull. Inst. franç. Afr. Noire* 22(A):970, f [b0430] SS: *cottoni* Bethune-Baker, 1908; *Powellana* [TypeL - French Cameroons.] [Refs - b4400]
- c *virginia* Draudt, [1920], 1917-1924; *Thecla* OD: *In Seitz, Grossschmett. Erde* 5:778 [b1348] SS: *sophocles* (Fabricius), 1793; *Thecla* (New World *Eumaeini*) [Refs - b0908]
- a *virginiensis* (Guérin-Méneville), [1832], 1829-1844; *Erycina* OD: *Icon. Règne Anim. Cuvier* :pl Ins 81, f 1; *ibid.*:text Ins 489 [1844] [b2086] CG: *Calephelis* [Type: USNM-ht] [Type of - *Calephelis*, *Lephelisca*] [Note - *Placed on Official List (#2104) by Op 755.*] [Refs - b1530 :248, f 491, 492; b1321 :51; b2280; b2988; b3078; b2719; b2747; b4474; b3192; b1049; b3512; b1743; b0493 (?); b4950; b2534; b4066; b3127; b3151; b1722]
- b *virginiensis* (Edwards), 1870; *Chrysophanus* OD: *Trans. amer. ent. Soc.* 3(1):21 [b1499] SS: *arota* (Boisduval), 1852; *Tharsalea* [Type: AMNH-ht; designated by Brown, 1969] [Trans. amer. ent. Soc. 95:164 [b0508]] [TypeL - Virginia City, Nevada.] [Refs - b0908; b3191; b2747; b3192; b3189; b5015; b0493; b1499; b1321; b2753; b4066]
- a *virgo* (Elwes), 1887; *Hypolycaena* OD: *Proc. zool. Soc. Lond.* 1887(3):446 [b1591] CG: *Pseudochliaria* [TypeL - Sikkim.] [Refs - b1636; b1153; b2280; b4094; b1454 (in *Sinthusa*); b0694; b4598 (in *Sinthusa*)]
- c *virgo* (Butler), 1896; *Hyreus* OD: *Proc. zool. Soc. Lond.* 1896(1):121, pl 6, f 1 [b0643] SS: *herisia* (Hewitson), [1876]; *Phlyaria* [TypeL - Nyasaland.] [Refs - b1943; b1452; b4400; b0643; b4667]

- c *virgo* (Stichel), 1914; Echenais OD: Ent. Mitt. 3(4):119 [b4449] SS: amasis (Hewitson), 1870; Adelotypa [TypeL - Peru.] [Refs - b4475]
- a *virgo* Joicey & Talbot, 1916; Dicallaneura OD: Ann. Mag. nat. Hist. (8)17:77, pl 8, f 2 [b2652] [Type: BMNH-st] [TypeL - Geelvink Bay, North Dutch New Guinea.] [Refs - b1450; b4474; b2652]
- b *virgoides* Tytler, 1915; Pseudochliaria OD: J. Bombay nat. Hist. Soc. 24(1):139, pl 3, f 26 [b4772] SS: virgo (Elwes), 1887; Pseudochliaria [TypeL - Naga Hills.] [Type of - Pseudochliaria] [Refs - b1636; b2280; b0236; b0694; b4604]
- c *virgularia* (Blom), 1947; Polyommatus OD: Tijdschr. Ent. 88:333 [b0452] SS: optilete (Knoch), 1781; Plebejus (Vacciniina) [TypeL - Holland.] [Refs - b0082; b0452]
- a *virgulatus* (H. H. Druce), 1895; Lampides OD: Proc. zool. Soc. Lond. 1895(3):581, pl 32, f 17 [b1362] CG: Jamides [Type: ZMHU-ht] [TypeL - Banjarmasin, S. E. Borneo.] [Refs - b4094; b1362; b1454 (with elpis); b0125; b2388; b3786; b4108]
- b *virgulti* (Behr), 1865; Nemeobius OD: Proc. Calif. Acad. Sci. 3(3):178 [b0281] SS: momo (Felder & Felder), 1859; Apodemia [Type: destroyed] [TypeL - Sonora, Mexico.] [Refs - b0065 (as vergulti); b2747; b4475; b3192; b1321; b4066]
- b *viriato* Agenjo, [1967]; Glaucopsyche OD: Eos 42:297 [b0019] SS: alexis (Poda von Neuhaus), 1761; Glaucopsyche [Refs - b3059]
- c *viribus* (Fruhstorfer), 1914; Arhopala OD: Deut. ent. Zeit. [Iris] 28(2):128 [b1859] SS: saturata (Snellen), 1890; Flos [Type: BMNH-ht] [TypeL - W. Borneo.] [Refs - b1644; b4094; b1859; b4108]
- a *viridana* Joicey & Talbot, 1921; Epitola OD: Bull. Hill Mus. 1(1):84, pl 14, f 58,59 [b2655] [Type: BMNH-ht] [TypeL - South side Ituri River, west of Irumu.] [Refs - b3842; b1452; b4400; b2655]
- b *viridens* H. H. Druce, 1891; Deudorix OD: Proc. zool. Soc. Lond. 1891(3):371, pl 32, f 15 [b1358] SS: epijarbas (Moore), [1858]; Deudorix [TypeL - Solomon Islands.] [Refs - b4094; b1358]
- e *ab. viridescens* (Tutt), 1909, 1905-1914; Agriades OD: Nat. Hist. Brit. Butts 3:331 [b4760] SS: bellargus (Rottemburg), 1775; Polyommatus (Lysandra) [Refs - b0471]
- e *ab. viridescens* Tutt, 1909, 1905-1914; Cupido OD: Nat. Hist. Brit. Butts 3:105 [b4760] SS: minimus (Esper), [1777]; Cupido [Refs - b0995; b4760; b0236; b0400; b0471]
- a *viridicans* (Felder & Felder), 1865, 1865-1875; Pseudolycaena OD: Reise Novara (2):249, pl 28, f 10,11 [b1692] CG: Thecla (New World Eumacini) [TypeL - Venezuela.] [Refs - b0908; b2747; b3805]
- c *viridipunctata* (de Nicéville), 1890; Ilerda OD: Butts India Burmah Ceylon 3:329, pl 28, f 207 [b1153] SS: androcles (Westwood), [1852]; Heliophorus (B) [TypeL - Sikkim.] [Refs - b1636; b4094; b0996; b2479; b0236; b1638; b4092; b1455]
- a *viridis* (Edwards), 1862; Thecla OD: Proc. Acad. nat. Sci. Philad. 14:223 [b1490] CG: Callophrys [Type: CM-It; designated by Brown & Clench, 1969] [Bull. Zool. Nomen. 25(4/5):189 [b0535]] [TypeL - San Francisco, California. Restricted by Clench, 1944] [Note - Placed on the Official List (#2439) by Op 953.] [Refs - b1530 :210; b1321 :59; b0908; b2747; b0995; b0103; b0236; b3192; b0535; b4066; b3151; b2538; b1722]
- c *viridis* (Evans), 1912; Ilerda OD: J. Bombay nat. Hist. Soc. 21(3):989 [b1626] SS: androcles (Westwood), [1852]; Heliophorus (B) [Refs - b1636; b0236; b0694]
- d *viridis* (Lathy), 1930, (H); Thecla OD: Trans. ent. Soc. Lond. 78(1):135 [b2921] OS: familiaris (Johnson), 1991; Paralustrus [Type: MNHN-ht; Fournier collection.] [TypeL - Not stated, but perhaps Bolivia.] [Refs - b0908; b2591; b2592; b2611]
- a *viridis* (Stempffer), 1964; Deudorix OD: Bull. Inst. franç. Afr. Noire 26(A):1269, f [b4397] CG: Hypokopelates [TypeL - Sierra Leone.] [Refs - b1452; b4400]
- c *viridissima* Swinhoe, 1890; Arhopala OD: Ann. Mag. nat. Hist. (6)5:449 [b4568] SS: hellenore Doherty, 1889; Arhopala g [Type: BMNH-ht] [TypeL - Mandalay, Burma.] [Refs - b1644]
- a *viriditincta* (Tite), 1963; Holochila OD: Bull. Br. Mus. nat. Hist. (Ent.) 14(5):209, pl 1, f 128-129; pl 2, f 139-140; tf 33 [b4677] CG: Candalides [Type: BMNH-ht] [TypeL - Dutch New Guinea.] [Refs - b1450; b4677]
- b *virido* (Rebillard), 1958; Charis OD: Mém. Mus. natn Hist. nat. (A)15:190, pl 3, f 11 [b3717] SS: chelonis (Hewitson), [1866]; Chalodeta [Type: MNHN-ht] [TypeL - Rio Songo, Bolivia.] [Refs - b3717; b0093]
- e *ab. virilis* Aurivillius, 1923; Hewitsonia OD: Lepidoptera, IV. In Schubotz 1:1210 [b0171] SS: boisduvalii (Hewitson), [1866]; Hewitsonia [TypeL - W. Africa.] [Refs - b1943; b4400; b0171]
- a *virilis* (Aurivillius), [1924], 1908-1925; Cupido OD: In Seitz, Grossschmett. Erde 13:463 [b0162] CG: Cacyreus [TypeL - Africa.] [Refs - b1259; b4400; b1452; b0836; b2898; b4365; b1235; b0162; b2899]
- b *virtus* (Fruhstorfer), 1913; Gerydus OD: Z. wiss. InsektBiol. 9(9):245 [b1851] SS: leos (Guérin-Méneville), [1831]; Mileus 4 [TypeL - Batjan.] [Refs - b1450; b1546; b1840]
- a *visalis* Fruhstorfer, [1912]; Tajuria OD: Berl. ent. Z. 56(3/4):213 [b1850] [Refs - b4094]
- b *visayana* Okano & Okano, 1991; Tajuria OD: Rhopalocera Philippina (5):6, f 21-24 [b3490] SS: mantra (Felder & Felder), 1860; Tajuria [Type: pc-ht; collection of Masao Okano.] [TypeL - Sta. Cruz Mts., Leyte Island, Philippines.] [Refs - b3490]
- a *visenda* Stichel, 1915; Mesosemia OD: Deut. ent. Zeit. 1915:669, pl 21, f 6,7 [b4451] [TypeL - Ecuador.] [Note - Not spelled risenda.] [Refs - b4474; b4451; b1456]
- c *visuna* Fruhstorfer, 1916; Lepidochrysops OD: Zoöl. Meded. 2(2):110 [b1873] SS: azureus (Butler), 1879; Lepidochrysops [Type: BMNH-ht] [TypeL - Celebes.] [Refs - b4676; b0938; b4094; b1454]
- c *vitalianus* (Fruhstorfer), 1913; Gerydus OD: Z. wiss. InsektBiol. 9(9):246 [b1851] SS: bazilianus (Fruhstorfer), 1913; Mileus 5 [Type: BMNH-It; designated by Eliot, 1986] [Bull. Br. Mus. nat. Hist. (Ent.) 53(1):82 [b1571]] [TypeL - Mindanao, Philippines.] [Refs - b1571; b1840]
- e *ab. viüellia* Seitz, [1917], 1910-1924; Methone OD: In Seitz, Grossschmett. Erde 5:633, pl 121i [b4093] SS: chrysomela (Butler), 1872; Methone [Refs - b4474]
- c *vitiensis* Butler, 1883; Nacaduba OD: Ann. Mag. nat. Hist. (5)12:389 [b0628] SS: dyopa (Herrich-Schäffer), 1869; Nacaduba [Type: BMNH-ht] [TypeL - Viti Island.] [Refs - b4676; b1450; b4094]
- b *vitiensis* (Butler), 1883; Catochrysops OD: Ann. Mag. nat. Hist. (5)12:389 [b0628] SS: cnejus (Fabricius), 1798; Euchrysops [TypeL - Fiji.] [Refs - b1450; b4094; b4108]
- b *vitjaz* (Dubatolov & Sergejev), 1982; Neozephyrus OD: Ent. Obozr. 61(2):375 [b1398] SS: latifasciatus Shirôzu & Hayashi, 1959; Favonius [TypeL - Russian SFSR.] [Note - Described as a subspecies of ussuriensis.] [Refs - b1399]

- a **vitruvia** (Hewitson), [1877], 1863-1878; *Thecla* OD: Ill. diurn. Lep. Lycaenidae 1:193; 2:pl 77, f 613,614 [b2326] CG: Calycopis [Type: BMNH-ht] [TypeL - Belem, Pará State, Brazil.] [Refs - b0908; b1737; b2753; b1375; b2631; b2606]
- e **vitata** Oberthür, 1892; *Polyommatus* OD: Bull. Soc. ent. Fr. 61:8 [b3433] SS: dolus (Hübner), [1823]; *Polyommatus* (*Agrodiaetus*) [Refs - b4092]
- e **ab. vitata** Oberthür, 1910; *Plebejus* OD: Étud. Léop. comp. 4:205 [b3451] SS: eumedon (Esper), [1780]; *Plebejus* (*Eumedonia*) [Refs - b0236; b0471; b3451]
- b **vittata** (Stichel), 1910; *Phaenochitonina* OD: Berl. ent. Z. 55(1/2):53 [b4445] SS: suapure (Weeks), 1906; *Stichelia* [Type: ZMHU-ht] [TypeL - Rio Tabajos, Itaituba, Brazil.] [Refs - b4445]
- a **vittata** (Tyler), 1915; *Zephyrus* OD: J. Bombay nat. Hist. Soc. 24(1):126, pl 4, f 42,43 [b4772] CG: *Chrysozephyrus* [Type: BMNH-ht] [TypeL - India.] [Refs - b1636; b0236; b4214; b4200; b3296; b1454; b0694; b2463]
- a **vittata** Johnson, 1992; *Pons* OD: Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (22):22, f [b2610] [Type: AME-ht] [TypeL - Volcan Pichincha, Niebli, Pichincha, Ecuador.] [Refs - b0125; b2610]
- e **ab. vittatus** (Burrau), 1953; *Polyommatus* OD: *Opuscula entomologica* 18(2/3):119, f 19 [b0578] SS: arenicola (Burrau), 1953; *Plebejus* (*Eumedonia*) [TypeL - Sweden.] [Note - A homonym of *vittata* Oberthür, 1910.] [Refs - b0087; b0578]
- c **vittigera** Mabile, 1879; *Hypolycaena* OD: *Petites Nouv. ent.* 2(211):289 [b3041] SS: philippus (Fabricius), 1793; *Hypolycaena* [TypeL - Madagascar.] [Refs - b4400; b2920]
- a **vitula** (Hewitson), [1853], 1852-1877; *Limnas* OD: Ill. exot. Butts 1:[118], pl [59], f 5 [b2323] CG: *Cartea* [TypeL - Upper Amazon.] [Type of - *Cartea*, *Orestias*] [Refs - b2988; b2280; b2747; b4474; b1456]
- a **vivarna** (Horsfield), [1829], 1828-1829; *Amblypodia* OD: *Descr. Cat. lepid. Ins.* (2):99 [b2457] CG: *Surendra* [TypeL - Singapore, Java.] [Refs - b0964; b1153; b0965; b2747; b4094; b1454; b0694]
- c **viviana** (Röber), 1887; *Amblypodia* OD: *CorrespBl. ent. Ver. Ins* 1(4):200, pl 9, f 11,13 [b3821] SS: alitaeus (Hewitson), 1862; *Arhopala* f [Type: SMT-It; designated by Takanami, 1989] [Tyô to Ga 40(1):50 [b4602]] [TypeL - Banggai Island.] [Refs - b1644; b4094; b3821; b4602]
- e **f. viviana** Talbot, 1935, (IFS); *Mimacraea* OD: *Ent. mon. Mag.* 71:71, pl 1, f 2; pl 3, f 3 [b4623] SS: krausei Dewitz, 1889; *Mimacraea* [TypeL - Uganda.] [Note - Unavailable as of this date and author.] [Refs - b4623; b4400]
- b **viduus** Pinhey, 1962; *Hemiolaus* OD: *Occ. Pap. natn Mus. Sth. Rhodesia* (B)3:887, f [b3607] SS: caeculus (Hopffer), 1855; *Hemiolaus* [TypeL - C. Africa.] [Refs - b1452]
- a **vixinga** (Hewitson), 1875; *Aphnaeus* OD: *Ent. mon. Mag.* 12:39 [b2346] CG: *Spindasis* [TypeL - Borneo.] [Refs - b0965; b2753; b4094; b1454; b4108]
- b **vocetius** Fruhstorfer, [1912]; *Deudorix* OD: *Berl. ent. Z.* 56(3/4):268 [b1850] SS: smilis Hewitson, [1863]; *Deudorix* (*Virachola*) [TypeL - Palawan.] [Refs - b2201; b1454; b1850; b4094]
- b **vocetius** (Fruhstorfer), 1918; *Castalius* OD: *Tijdschr. Ent.* 61:40 [b1884] SS: mindarus (Felder & Felder), 1865; *Caleta* [TypeL - Neu Pommern.] [Refs - b1450; b1840]
- c **voconia** (Hewitson), [1869], 1863-1878; *Thecla* OD: Ill. diurn. Lep. Lycaenidae 1:120; 2:pl 49, f 244,245 [b2326] SS: marius (Lucas), 1857; *Rekoa* [Type: BMNH-It; designated by Robbins, 1991] [Smithsonian Contr. Zool. (498):46 [b3817]] [Refs - b0908; b2747; b1371; b0125; b3817]
- e **voelschowi** Gillmer, 1903, (IFS); *Lycaena* OD: *Arch. Ver. Freunde Naturg. Mecklenb.* 57:122 [b1954] SS: virgaureae (Linnaeus), 1758; *Lycaena* (*Heodes*) [Refs - b0389; x0276; b4092]
- a **vogelli** (Oberthür), 1910; *Lycaena* OD: *Étud. Léop. comp.* 4:205 [b3451] CG: *Plebejus* (*Maurus*) [Type: BMNH-It; designated by De Prins & van der Poorten & Bálint, 1992] [*Phegea* 20(1):25 [b1173]] [TypeL - Taghzeft Pass, Middle Atlas, Morocco.] [Type of - *Maurus*] [Refs - b2375; b1762; b0236; b0410 (also as vogeli); b1138 (n=24); b0471; b1455]
- c **volana** (Hewitson), [1869], 1863-1878; *Thecla* OD: Ill. diurn. Lep. Lycaenidae 1:123; 2:pl 48, f 225,226 [b2326] SS: *stagira* (Hewitson), [1867]; *Rekoa* [Type: BMNH-It; designated by Robbins, 1991] [Smithsonian Contr. Zool. (498):52 [b3817]] [TypeL - Amazon.] [Refs - b0908; b2747; b1371; ns3817]
- c **volpii** (Romei), 1927; *Zizera* OD: *Boll. Lab. Zool. Portici* 20:275 [b3849] SS: knysna (Trimen), 1862; *Zizeeria* [TypeL - N. Africa.] [Refs - b0236; b3850; b0471]
- b **volsa** Fruhstorfer, [1912]; *Sinthusa* OD: *Berl. ent. Z.* 56(3/4):229 [b1850] SS: *malika* (Horsfield), [1829]; *Sinthusa* [TypeL - Java.] [Refs - b4094; b1850]
- b **volt** (Sugiyama), 1993; *Strymonidia* OD: *Pallarge* 2:7, f [b4541] SS: teiso (Sonan), 1941; *Chrysozephyrus* [TypeL - Sichuan, China.] [Refs - b0126]
- a **voltae** (E. Sharpe), 1890; *Lycaenesthes* OD: *Ann. Mag. nat. Hist.* (6)6:105 [b4150] CG: *Cupidesthes* [Type: BMNH] [TypeL - Africa.] [Refs - b1452; b0343; b0836; b4400]
- a **voltinia** Hewitson, [1869], 1863-1878; *Thecla* OD: Ill. diurn. Lep. Lycaenidae 1:123; 2:pl 48, f 227,228 [b2326] CG: *Thecla* (*New World Eumaeini*) [Type: BMNH] [TypeL - Amazon.] [Refs - b0908; b2747]
- b **volumna** Stichel, 1911; *Stalachtis* OD: *Gen. Insectorum* 112(B):389, pl 27, f 103 [b4447] SS: *caliope* (Linnaeus), 1758; *Stalachtis* [Type: pc-ht; collection of Niepelt] [TypeL - Oberes Pastazza-Tal, Ecuador.] [Refs - b4476; b4446]
- c **volubilis** Fruhstorfer, 1918; *Megisba* OD: *Arch. Naturgesch.* (A)82(12):6 [b1883] SS: *sikkima* Moore, 1884; *Megisba* [Type: BMNH-It; designated by Eliot & Kawazoe, 1983] [Butts *Lycaenopsis* group :57 [b1580]] [TypeL - Taiwan.] [Refs - b4198; b2479; b2650; b1580; b0236; b5053; b1840; b4108]
- a **volumen** (H. H. Druce), 1907; *Thecla* OD: *Proc. zool. Soc. Lond.* 1907(3):623 [b1375] CG: *Nicolaea* [Type: BMNH-ht] [TypeL - Rio de Janeiro, Brazil.] [Refs - b0908; b1375; b2614]
- b **volumnia** (Fruhstorfer), [1912]; *Cheritra* OD: *Berl. ent. Z.* 56(3/4):243 [b1850] SS: *aurea* (H. Druce), 1873; *Ritra* [TypeL - Perak.] [Refs - b1016; b0964; b0965; b4094; b2201; b1454; b1850]
- b **volumnia** (Fruhstorfer), [1922], 1909-1923; *Lycaenopsis* OD: *In Seitz, Grossschmett. Erde* 9:870 [b1840] SS: *pupa* (Horsfield), [1828]; *Acytolepis* [Type: BMNH-ht] [TypeL - Natuna Islands.] [Refs - b0965; b3793 (as *volumina*); b0964; b1840; b1580; b2200]
- a **volupia** (Hewitson), [1874], 1863-1878; *Thecla* OD: Ill. diurn. Lep. Lycaenidae 1:177; 2:pl 69, f 517,518 [b2326] CG: *Siderus* [Type: BMNH] [TypeL - Chontales, Nicaragua.] [Note - May be a synonym of *leucophaeus*.] [Refs - b0908; b2753; b1975]
- a **volusia** (Hewitson), [1853], 1852-1877; *Limnas* OD: Ill. exot. Butts 1:[-], pl [59], f 4 [b2323] CG: *Melanis* [TypeL - Rio de Janeiro.] [Refs - b2747; b4474; b1456]
- a **vomiba** Schaus, 1902; *Thecla* OD: *Proc. U. S. natn. Mus.* 24(1262):410 [b3948] CG: *Thecla* (*New World Eumaeini*) [Type: USNM-ht; #5929] [TypeL - Petropolis, Brazil.] [Refs - b0908; b3948]

- b *vosseleri* (Strand), 1911; Deudoryx OD: Arch. Naturgesch. (1)77(1):195 [b4500] SS: diocles Hewitson, [1869]; Deudorix (Virachola) [TypeL - Amani, Usambara.] [Refs - b4528; b4400]
- c *f. vreuricki* Dufrane, 1954; Tarucus OD: Bull. Anns Soc. ent. Belg. 90:286 [b1412] SS: sybaris (Hopffer), 1855; Tarucus [TypeL - Belgian Congo.]
- b *vulcana* Tiee, 1963; Nacaduba OD: Bull. Br. Mus. nat. Hist. (Ent.) 13(4):79, pl 1, f 4; tf 14,35 [b4676] SS: novaehebridensis H. H. Druce, 1892; Nacaduba [Type: BMNH-ht] [TypeL - Vulcan Island, North New Guinea.] [Refs - b4676; b1450]
- a *vulcanalis* Stichel, 1910; Xenandra OD: Gen. Insectorum 112(A):221 [b4446] [Type: ZMHU-st] [TypeL - Rio San Juan, Colombia.] [Refs - b4474; b4446; b4446]
- c *vulcanica* (Rothschild), 1915; Lycaenopsis OD: Novit. zool. 22:388 [b3879] SS: nedda (Grose-Smith), 1894; Celastrina [Type: BMNH-ht] [TypeL - Vulcan Islands, New Guinea.] [Refs - b1450; b1580; b1840 (as vulvanica); b3879]
- c *vulcanica* Schultze, 1916; Citrinophila OD: Arch. Naturgesch. (A)82(3):37 [b4017] SS: erastus (Hewitson), [1866]; Citrinophila [TypeL - Cameroons.] [Refs - b4400; b4017]
- b *vulcanica* (Joicey & Talbot), 1924; Cyclinrus OD: Bull. Hill Mus. 1(3):547 [b2661] SS: aequatorialis (E. Sharpe), [1892]; Harpendyreus [Type: BMNH-ht] [TypeL - Great Craters, Arusha district, Tanganyika Territory.] [Refs - b3796; b1452; b4400; b2661]
- b *vulcanicus* d'Abdera, 1971; Hypochrysops OD: Butts Australian Region :336, pl 336 [b1450] SS: narcissus (Fabricius), 1775; Hypochrysops [Type: BMNH-ht] [TypeL - Vulcan Island.] [Refs - b1450; b0104; b3926]
- a *vulcanus* (Fabricius), 1775; Papilio OD: Syst. Ent. :519 [b1653] CG: Spindasis [Type: Lost] [TypeL - India orientali"] [Refs - b1636; b1153; b2747; b0996; b4094; b1454; b0694; b5076]
- c *vulgaris* (Lamarck), 1835, 1835-1845; Argus OD: Anim. sans Vert. 4:244 [b2877] SS: argyrognomon (Bergsträsser), [1779]; Plebejus (Lycacides) [Refs - b2747]
- c *ab. vulgaris* Meyer-Dür, 1851; Plebejus OD: Verz. Schmett. Schweiz 12:67 [b3162] SS: argus (Linnaeus), 1758; Plebejus [Refs - b0236; b0410; b0471 (also as vulgarus)]
- b *vulnerata* (Staudinger), [1888], 1884-1888; Thecla OD: In Exot. Schmett. 1:285; 2-pl 97 [b4329] SS: bacis (Godman & Salvin), [1887]; Atlides (?) [Type: pc; Staudinger collection.] [TypeL - Río San Juan, Panamá.] [Refs - b0908; b4329]
- c *vulnerata* Röber, 1923; Rodinia OD: Stett. ent. Ztg 84:94 [b3833] SS: delphinia (Staudinger), [1887]; Rodinia [TypeL - Maués.] [Refs - b4475]
- a *vulpina* Godman & Salvin, [1886], 1879-1901; Emesix OD: Biol. centr.-amer., Lep. Rhop. 1:444 [b1975] [TypeL - Mexico.] [Refs - b4475; b1456]
- c *vulvanica* (Fruhstorfer), [1923], 1909-1923, (ISS); Lycaenopsis OD: In Seitz, Grossschmett. Erde 9:876 [b1840] SS: vulcanica (Rothschild), 1915; Celastrina [Refs - b1840]
- c *vuniya* (Riley & Tams), 1924; Lampides OD: Zool. Rec. 58(1921)(ins.):174 [b3793] SS: vuniya (Fruhstorfer), 1915; Jamides [Refs - b3793]
- b *vuniya* (Fruhstorfer), 1915; Lampides OD: Arch. Naturgesch. (A)81(6):23 [b1865] SS: aratus (Stoll), [1781]; Jamides [TypeL - Halmheira.] [Refs - b1450; b4094; b1865; b3793 (as vuniya)]
- b *vurall* Koçak, 1984; Gaedides OD: Priamus 3(3):95 [b2799] SS: edita (Mead), 1878; Gaedides [Type: biblio; replacement name for montana Field, 1936] [TypeL - Broadwater County, Montana.] [Refs - b2799; x3192; x1722]
- c *vyneri* (Moulton), [1912]; Lampides OD: J. Straits Brch. R. asiat. Soc. 60:111 [b3259] SS: lawasa (Moulton), [1912]; Jamides [Type: BMNH-ht] [TypeL - Borneo.] [Refs - b4250; b0965; b3259; b4108]
- b *wadaenis* (Hara), 1981; Strymonidia OD: Chô Chô 4(8):37, f [b2136] SS: iyonis (Ôta & Kusunoki), 1957; Fixsenia [TypeL - Japan.] [Refs - b0117]
- a *wagenknehti* (Ureta), 1947; Thecla OD: Boln Mus. nac. Hist. nat. Chile 23:55, pl 1 [b4781] CG: Heoda [Type: MNHN-ht] [TypeL - Río Los Charos, Elqui Prov., Chile.] [Refs - b0908; b3846; b4782; b0126; b2638]
- a *waggae* E. Sharpe, 1898; Spindasis OD: Proc. zool. Soc. Lond. 1898(3):372 [b4157] [TypeL - Somaliland.] [Refs - b1452; b4400]
- b *wagneri* (Forster), 1956; Agrodiaetus OD: Z. wien. ent. Ges. 41:55 [b1769] SS: damone (Eversmann), 1841; Polymmatas (Agrodiaetus) [TypeL - Anatolia.] [Refs - b2827]
- b *wahlgreni* Bryk, 1946; Scolitantides OD: Ark. Zool. 38A(3):59 [b0568] SS: orion (Pallas), 1771; Scolitantides [TypeL - Korea.] [Refs - b0080]
- c *waigeensis* Bethune-Baker, 1903; Arhopala OD: Trans. zool. Soc. Lond. 17(1):141, pl 3, f 15 [b0331] SS: eucolpis (Kirsch), 1877; Arhopala 1 [Type: BMNH-ht] [TypeL - Waigou.] [Refs - b1644; b1450; b4094]
- b *waigeuensis* (Joicey & Talbot), 1917; Lampides OD: Ann. Mag. nat. Hist. (8)20:221 [b2654] SS: pactolus (C. Felder), 1860; Nacaduba [Type: BMNH-ht] [TypeL - Waigou.] [Refs - b4676; b1450; b2654]
- c *waigeuensis* (Joicey & Talbot), 1917; Pepliphorus OD: Ann. Mag. nat. Hist. (8)20:220 [b2654] SS: umbriel (Fruhstorfer), 1915; Jamides [Type: BMNH-st] [TypeL - Waigou.] [Refs - b4671; b1450; b2654]
- e *ab. wakabayasii* Murayama, 1954; Spindasis OD: New Ent. 3(2/3):23, f [b3278] SS: takanonis (Matsumura), 1906; Spindasis [TypeL - Japan.]
- e *Q f. wala* Takanami, 1985; Iraota OD: Tokurana (Acta Rhopalocera) Special 1:1 [b4589] SS: ottonis Fruhstorfer, 1907; Iraota [Type: pc-ht; collection of Takanami.] [TypeL - Palawan.] [Refs - b4589]
- a *w-album* (Knoch), 1782, 1781-1783; Papilio OD: Beitr. Insekengesch. 2:85, pl 6, f 1,2 [b2784] CG: Satyrium [Type of - Chattendenia, Edwardsia] [Refs - b4115; b2280; b4245; b2375; b3059; b0851; b2747; b0996; b1780; b2827; b2479; b0113; b2866; b3556; b0236; b2300; ns1008; b1183; b4950; b2794; b2985; b3366; b2859; ns0133; ns0743; b4092]
- a *walkeri* Godman & Salvin, [1886], 1879-1901; Apodemia OD: Biol. centr.-amer., Lep. Rhop. 1:468; 3-pl 47, f 13,14 [b1975] [Type: BMNH-ht] [TypeL - Acapulco, Mexico.] [Refs - b1530 :244, f 481; b1321 :51; b2988; b4475; b3192; b1342; b1975; b4066; b1456]
- a *walkeri* H. H. Druce, 1892; Jamides OD: Proc. zool. Soc. Lond. 1892(3):443, pl 27, f 13,14 [b1359] [TypeL - Cook Islands.] [Refs - b4094; b1865; b2388]
- a *wallacei* (Hewitson), [1862], 1852-1877; Sospita OD: Ill. exot. Butts 3:[--], pl [53], f 7,8 [b2323] CG: Praetaxila [TypeL - Mysol.] [Refs - b1450; b2747; b4474; b1840]
- a *wallacei* (Felder & Felder), 1865, 1865-1875; Lycaena OD: Reise Novara (2):265, pl 33, f 8-10 [b1692] CG: Danis [TypeL - Waigeo.] [Refs - b1450; b2078; b2747; b1866; b2388; b1382]
- b *wallacei* Corbet, 1941; Arhopala OD: Proc. R. ent. Soc. Lond. (B)10(9):155 [b0956] SS: muta (Hewitson), 1862; Arhopala b [Type: BMNH-ht] [TypeL - Sumatra.] [Refs - b1644; b0956]

- a **wallengreni** (Trimen), 1887, 1887-1889; *Zeritis* OD: In Trimen & Bowker, S. Afr. Butts 2:192 [b4725] CG: *Trimenia* [Type: BMNH-ht] [TypeL - Stellenbosch, Cape Province, South Africa.] [Type of - *Trimenia*] [Refs - b1259; b1784 :173; b1452 (in *Phasis*); b4400; b4685]
- e **ab. wallentini** (Hirschke), 1910; *Chrysophanus* OD: Verh. zool.-bot. Ges. Wien 60:412 [b2397] SS: *eurybia* (Ochsenheimer), 1808; *Palaeochrysophanus* [Refs - b0236; b0471]
- b **walli** (Evans), 1912; *Lycaena* OD: J. Bombay nat. Hist. Soc. 21(3):558, 983 [b1626] SS: *pheretiades* (Eversmann), 1843; *Polyommatus* (*Agriades*) [Refs - b1636; b0236; b1638; b3910; b0694]
- b **walteri** Fruhstorfer, [1916]; *Hypolycaena* OD: Arch. Naturgesch. (A)81(11):69 [b1874] SS: *erylus* (Godart), [1824]; *Hypolycaena*
- b **walteri** Dantchenko & Lukhtanov, 1993; *Polyommatus* OD: *Atalanta* (Münnerstadt) 24(1/4):75-83 [b1104] SS: *damone* (Eversmann), 1841; *Polyommatus* (*Agrodiaetus*) [*Check - May not go with damone.*]
- a **waltraudae** Eliot, 1986; *Logania* OD: Bull. Br. Mus. nat. Hist. (Ent.) 53(1):61, f 41,107 [b1571] [Type: pc-ht; collection of Treadway.] [TypeL - Samar, Philippines.] [Refs - b1571]
- c **wanda** Stichel, 1926; *Mesosemia* OD: Deut. ent. Zeit. 1926:83 [b4464] SS: *sibyllina* Staudinger, [1887]; *Mesosemia* [TypeL - Colombia.] [Refs - b4474]
- a **wanda** (Evans), 1957; *Narathura* OD: Bull. Br. Mus. nat. Hist. (Ent.) 5(3):115 [b1644] CG: *Arhopala* h [Type: BMNH-ht] [TypeL - Wandesi, Geelvink Bay, New Guinea.] [Refs - b1450; b1644]
- b **wandamenensis** (Seitz), [1927], 1912-1927; *Lampides* OD: In Seitz, Grossschmett. Erde 9:1114, pl 147a [b4094] SS: *limes* (H. H. Druce), 1895; *Jamides* [TypeL - New Guinea.] [Refs - b4094]
- b **wandammenensis** Joicey & Talbot, 1916; *Praetaxila* OD: Ann. Mag. nat. Hist. (8)17:77, pl 5, f 6 [b2652] SS: *satraps* (Grose-Smith), 1894; *Praetaxila* [Type: BMNH-st] [TypeL - Wandammen Mtns., North Dutch New Guinea.] [Refs - b4474; b2652]
- c **wandammenensis** (Joicey & Talbot), 1916; *Lampides* OD: Ann. Mag. nat. Hist. (8)17:79, pl 8, f 6 [b2652] SS: *reverdini* (Fruhstorfer), 1915; *Jamides* [Type: BMNH-st] [TypeL - Wandammen Mtns., North Dutch New Guinea.] [Refs - b1450; b2652]
- c **wardi** Le Moul, 1940, 1939-1940; *Helicopis* OD: Novit. ent. (11):89 [b2943] SS: *gnidus* (Fabricius), 1787; *Helicopis* [Type: MNHN-ht] [TypeL - Not stated.] [Refs - b3199]
- a **wardii** (Mabille), 1878; *Hypolycaena* OD: Bull. Soc. zool. Fr. 3:82 [b3040] CG: *Deudorix* (*Virachola*) [TypeL - Madagascar.] [Refs - b1452; b4400; b2920; b3040]
- b **washingtonia** Clench, 1944; *Callophrys* OD: Bull. Harvard Mus. Comp. Zool. 94:225 [b0823] SS: *affinis* (Edwards), 1862; *Callophrys* [Type: MCZ-ht; #26259] [TypeL - Alta Lake, Washington.] [*Note - Scott makes this a subspecies of dumetorum.*] [Refs - b0908; b0528; b4069; b3192; b1743; b1321]
- a **watanabei** Koiwaya, 1993; *Howarthia* OD: Stud. Chin. Butterflies 2:56, f [b2818] [TypeL - Guangdong, China.] [Refs - b0126]
- a **watarii** (Matsumura), 1927; *Thecla* OD: Ins. matsumur. 2(2):117, pl 3, f 3 [b3095] CG: *Fixsenia* [TypeL - Formosa.] [Refs - b4198; b0236; b4547; b5052; b5053; b0065; b4776; b1454]
- b **watasei** (Matsumura), 1915; *Cyaniris* OD: Ent. Mag. (Kyoto) 1(2):67,68 [b3087] SS: *puspa* (Horsfield), [1828]; *Acytolepis* [TypeL - Saipan.] [*Note - Eliot feels the type may be a mislabelled Japanese example, in which case the name would replace ishigakiana Matsumura, 1929. The matter is under investigation.*] [Refs - b3087; b1575]
- b **waterhousei** Bethune-Baker, 1905; *Ogyris* OD: Trans. ent. Soc. Lond. 53(3):273 [b0335] SS: *idmo* Hewitson, 1862; *Ogyris* [TypeL - Victoria.] [*Note - Not spelled waterhousei.*] [Refs - b1450; b4094; b0870; b0335]
- e **ab. watermani** Nakahara, 1926; *Everes* OD: Bull. Brooklyn ent. Soc. 20(5):224 [b3332] SS: *comyntas* (Godart), [1824]; *Everes* [Type: USNM-ht] [TypeL - Ithaca, New York.] [Refs - b0908; b3192; b1321]
- a **waterstradti** H. H. Druce, 1895; *Tarucus* OD: Proc. zool. Soc. Lond. 1895(3):585, pl 32, f 21 [b1362] [TypeL - Kina Balu, Borneo.] [Refs - b0964; b0965; b1362; b1454; b1840; b0694; b2388; b4108]
- c **waterstradti** (H. H. Druce), 1895; *Paragerydus* OD: Proc. zool. Soc. Lond. 1895(3):562, pl 31, f 1,2 [b1362] SS: *pyxus* (de Nicéville), 1894; *Allotinus* (*Fabitaras*) [Type: BMNH-ht; designated by Eliot, 1986] [Bull. Br. Mus. nat. Hist. (Ent.) 53(1):30 [b1571]] [TypeL - Kinabalu, Borneo.] [Refs - b1840 (as *waterstrandti*); b1362; b1571; b4108]
- b **waterstradti** Bethune-Baker, 1896; *Arhopala* OD: In Proc. zool. Soc. Lond. 1896(3):668, pl 30, f 10,11 [b0326] SS: *muta* (Hewitson), 1862; *Arhopala* b [Type: ZMHU-ht; designated by Takanami, 1989] [Tyô to Ga 40(1):27 [b4602]] [TypeL - Mt. Kinabalu, N. E. Borneo.] [Refs - b1644; b4094; b4602; b4108]
- a **watkinsi** Lathy, 1926; *Thecla* OD: Ann. Mag. nat. Hist. (9)17:39 [b2918] CG: *Thecla* (New World *Eumaeini*) [Type: MNHN-ht; Fournier collection.] [TypeL - Pichis Road, Peru.] [*Note - Close to coronata.*] [Refs - b0908; b0064; b2591; b2918; b2592]
- a **watkinsi** d'Abbrera, 1994; *Ematurgina* OD: Butts Neotropical Region, Pt 4:1072, f [Type: BMNH-ht] [TypeL - Chaquimayo, S. E. Peru.] [Refs - b1456]
- b **watrini** (Dufrane), 1939; *Thecla* OD: Bull. Anns. Soc. ent. Belg. 79:289 [b1408] SS: *acadica* (Edwards), 1862; *Satyrion* [TypeL - Saskatchewan.] [Refs - b0908; b3192; b1321]
- e **watsoni** Sharp, [1899], (ISS); *Logania* OD: Zool. Rec. 35(1898)(Ins.):205 [b4131] SS: *watsoniana* de Nicéville, 1898; *Logania* [Refs - b4131]
- b **watsoni** (Swinhoe), 1911, 1909-1913; *Chliaria* OD: In Moore, Lep. Ind. 9:83, pl 721, f 5 [b4575] SS: *merguia* (Doherty), 1889; *Hypolycaena* [TypeL - India.] [Refs - b1636; b0694]
- b **watsoni** Evans, 1912; *Arhopala* OD: J. Bombay nat. Hist. Soc. 21(3):559 [b1626] SS: *ganesa* (Moore), [1858]; *Arhopala* o [Type: BMNH-ht] [TypeL - Chin Hills.] [Refs - b1644; b1636; b0236; b1454]
- b **watsoni** van Eecke, 1914; *Eooxylides* OD: Notes Leyden Mus. 36(3/4):253 [b4792] SS: *tharis* (Geyer), [1837]; *Eooxylides* [TypeL - Simalue (Simalur).] [Refs - b4094; b1454; b4594; b3782]
- b **watsoni** (Barnes & Benjamin), 1926; *Strymon* OD: Bull. S. Calif. Acad. Sci. 25(3):94 [b0243] SS: *titus* (Fabricius), 1793; *Harkenclenus* [Type: USNM-ht] [TypeL - Kerrville, Texas.] [Refs - b0908; b4688; b3192; b1743; b0493 (?); b0512; b1321; b4690]
- a **watsoni** Huntington, 1932; *Thecla* OD: Bull. amer. Mus. nat. Hist. 63(3):213, f 2 [b2497] CG: *Thecla* (New World *Eumaeini*) [Type: AMNH-ht] [TypeL - Barro Colorado Island, Panamá.] [*Note - Near camissa.*] [Refs - b0908; b0070; b2497]

- b **watsoni** Comstock & Huntington, 1943; *Hemiargus* OD: Ann. New York Acad. Sci. 45:106, pl 1, f 20 [b0907] SS: hanno (Stoll), [1790]; *Hemiargus* [Type: AMNH] [TypeL - San Juan, Puerto Rico.] [Refs - b0908; b0907; b3326; b4049; b0833]
- a **watsoni** (Howarth), 1957; *Neozephyrus* OD: Bull. Br. Mus. nat. Hist. (Ent.) 5(6):245 [b2463] CG: *Chrysozephyrus* [Type: BMNH-ht] [TypeL - Loinwe, Burma.] [Note - Originally used by Evans, 1927, but this was just a printers error which he corrected in the second edition.] [Refs - b4200; b3296; b1636 (42/5); b1454 (*Neozephyrus*); b0694; b2464; b2463]
- a **watsoniana** de Nicéville, 1898; *Logania* OD: J. Bombay nat. Hist. Soc. 12(1):143, pl Z, f 17, 18 [b1165] [Type: ZSI?-st] [TypeL - North Shan States, Burma.] [Refs - b1636; b4131 (as *watsoni*); b1840; b1571; b0694]
- b **f. wau** (Wichgraf), 1921; *Cupido* OD: Int. ent. Z. 14:172 [b5003] SS: negus (Felder & Felder), 1865; *Lepidochrysops* [TypeL - E. Sudan.] [Refs - b4400]
- e **wavortia** Seitz, [1926], 1912-1927, (ISS); *Drina* OD: In Seitz, Grossschmett. Erde 9:987 [b4094] SS: *mavortia* (Hewitson), [1869]; *Drina* [Refs - b4094]
- b **wayanai** Brévignon & Gallard, 1993; *Calospila* OD: Bull. Soc. Sci. Nat. (77):24, f [b0491] SS: *rhodope* (Hewitson), [1853]; *Calospila* [TypeL - French Guiana.] [Refs - b0126]
- b **wazira** Evans, 1932; *Polyommatus* OD: Ident. Indian Butts (2nd ed.) :232 [b1638] SS: *eros* (Ochsenheimer), 1807; *Polyommatus* [TypeL - Razmak, Waziristan.] [Refs - b0070; b1638; b0694]
- e **ab. webbi** (Tut), 1906, 1905-1914; *Rumicia* OD: Nat. Hist. Brit. Butts 1:355 [b4760] SS: *phlaea* (Linnaeus), 1761; *Lycaena* (Lycaena) [Refs - b0389; b4092; b4760]
- a **webbianus** (Brullé), 1840; *Polyommatus* OD: In Webb & Berthelot, Canaries (Ins.) :93, pl 4, f 1,1A [b0563] CG: *Leptotes* (*Cycliurus*) [TypeL - Canary Islands.] [Type of - *Cycliurus*] [Note - *Clench puts this in Leptotes which is a closely related genus.*] [Refs - b2280; b2375; b3059; b1752; b2747; b0995; b1762; b1840; b0108; b0400; b0836; b0833; b4400; b2859; ns0190; b4092; b1455]
- c **weberi** (Holl), 1909; *Thestor* OD: Bull. Soc. ent. Fr. 1909(13):229, f 2 [b2415] SS: *ballus* (Fabricius), 1787; *Tomares* [TypeL - Algeria.] [Refs - b0236; b2415; b0471]
- c **weberi** (Holland), 1913; *Satyrinima* OD: Ent. News 24(7):302, f 1,2 [b2433] SS: *cottoni* Bethune-Baker, 1908; *Powellana* [TypeL - Cameroons.] [Type of - *Satyrinima*] [Refs - b2280; b4400]
- a **weelii** Piepers & Snellen, 1918; *Arhopala* OD: Rhop. Java - Ery., Lyc. :77, pl 24, f 114 [b3601] CG: *Arhopala* o [Type: RNH-ht] [TypeL - Java.] [Refs - b1644; b4094; b1454; b3601]
- b **wehensis** (Toxopeus), 1929; *Castalius* OD: Tijdschr. Ent. 72(3/4):209 [b4699] SS: *ethion* (Westwood), [1851]; *Discolampa* [TypeL - Pulau Weh.] [Refs - b1840; b4699; b3782]
- c **welleri** (Stauder), 1924; *Lysandra* OD: Deut. ent. Zeit. 1924(1):28 [b4317] SS: *bellargus* (Rottemburg), 1775; *Polyommatus* (*Lysandra*) [Refs - b0236; b0471]
- a **weiskei** (Rothschild), 1901; *Abisara* OD: Novit. zool. 8:218, pl 10, f 2 [b3873] CG: *Praetaxila* [Refs - b1450; b2988; b4474; b1840]
- b **weissi** Dujardin, 1977; *Polyommatus* OD: Entomops 43:93-100 [b1420] SS: *atlantica* (Elwes), 1906; *Polyommatus* (*Plebicula*) [Type: pc-ht; collection of Dujardin] [TypeL - Moyen Atlas, Morocco.] [Refs - b0254; b0109]
- b **weissi** (Bozano), 1993; *Lycaena* OD: Bull. Soc. Sci. Nat. (77):25, f [b0477] SS: *pang* (Oberthür), 1886; *Helleia* B [TypeL - Yunnan.] [Refs - b0126]
- a **wellingi** McAlpine, [1971]; *Calephelis* OD: J. Res. Lep. 10(1):77, f [b3127] [Type: USNM-ht] [TypeL - Tepescuintle, Municipio Tenosque, Tabasco, Mexico.] [Refs - b4066 (as a ssp of *nilus*); b3127]
- b **wellingi** Ferris, 1985; *Apodemia* OD: Bull. Allyn Mus. (94):3, f 6-10 [b1720] SS: *hypoglauca* (Godman & Salvin), 1878; *Apodemia* [Type: AME-ht] [TypeL - Pisté, Yucatan, Mexico.] [Refs - b1720; b0119]
- b **wendisi** Bethune-Baker, 1909; *Hypochrysops* OD: Ann. Mag. nat. Hist. (84):184, pl 7, f 5 [b0342] SS: *apollo* Miskin, 1891; *Hypochrysops* [Type: BMNH-ht] [TypeL - Wendisi, Geelvink Bay, North New Guinea.] [Refs - b1450; b2078; b3926]
- b **weneri** (Fruhstorfer), 1908; *Miletus* OD: Int. ent. Z. 2(16):99 [b1830] SS: *pythias* Felder & Felder, 1865; *Hypochrysops* [Type: BMNH-ht; designated by Sands, 1986] [Entomograph 7:76 [b3926]] [TypeL - New Guinea.] [Refs - b3926]
- a **weneri** Hering & Hopp, 1925; *Thecla* OD: Deut. ent. Zeit. [Iris] 39:196 [b2309] CG: *Thecla* (New World *Eumaeini*) [TypeL - Rio Macay, Chocó, Colombia.] [Refs - b0908]
- a **wernickei** Röber, 1903; *Thecla* OD: Stett. ent. Ztg 64:343 [b3829] CG: *Thecla* (New World *Eumaeini*) [TypeL - Santa Catharina, Brazil.] [Refs - b0908]
- b **westermanni** (Felder & Felder), 1865, 1865-1875; *Dipsas* OD: Reise Novara (2):241, pl 20, f 21,22 [b1692] SS: *jangala* (Horsfield), [1829]; *Remelana* [TypeL - Philippines.] [Note - Also as *westermanni*.] [Refs - b2747; b4094; b2201; b1454; b4594; b4601]
- a **westwoodi** Hopffer, 1874; *Necyria* OD: Stett. ent. Ztg 35:362 [b2446] [TypeL - Peru.] [Refs - b2753; b4474; b1456]
- b **weylandia** (Tite), 1962; *Mambara* OD: Entomologist 95:130 [b4675] SS: *nigropunctata* (Bethune-Baker), 1908; *Pistoria* [TypeL - New Guinea.] [Refs - b1450]
- c **wheeleri** (Chapman), 1905; *Lycaena* OD: Trans. ent. Soc. Lond. 53(1)(Proc.):iii, cut [b0736] SS: *melanops* (Boisduval), [1828]; *Apelles* [TypeL - Not stated.] [Refs - b0236; b0471]
- b **whiteheadi** Corbet, 1946; *Arhopala* OD: Trans. R. ent. Soc. Lond. 96(5):83 [b0960] SS: *buddha* Bethune-Baker, 1903; *Arhopala* a [Type: BMNH-ht] [TypeL - Borneo.] [Refs - b1644; b1556; b4108]
- c **whitelyiana** H. Druce, 1874; *Necyria* OD: Trans. ent. Soc. Lond. 22(1):159 [b1384] SS: *westwoodi* Hopffer, 1874; *Necyria* [TypeL - Peru.] [Note - Not spelled *whyteliana*.] [Refs - b2753; b4474; b3717 (as *whyteliana*); b1384]
- b **whitmeri** Brown, 1951; *Plebejus* OD: Ann. ent. Soc. Amer. 44(2):286 [b0498] SS: *saepiolus* (Boisduval), 1852; *Plebejus* (*Icaricia*) [Type: AMNH-ht] [TypeL - Rampart Range Road, near Woodland Park, Teller County, Colorado.] [Refs - b0908; b3192; b1743; b0493; b1321; b2419; b4690; b4066]
- b **wia** Brévignon & Gallard, 1992; *Adelotypa* OD: Bull. Soc. Sci. Nat. (73):6, f [b0490] SS: *aminias* (Hewitson), [1863]; *Adelotypa* [TypeL - French Guiana.] [Refs - b0125]
- a **wickhami** Riley, 1919; *Thecla* OD: Entomologist 52:200 [b3744] CG: *Thecla* (New World *Eumaeini*) [TypeL - Hyutanahan, Labrea, Rio Purus, Brazil.] [Refs - b0908]
- c **wickhami** Riley, 1919; *Mesene* OD: Entomologist 52:200 [b3744] SS: *verecunda* Stichel, 1910; *Mesene* [TypeL - Brazil.] [Refs - b4474; b1456]
- b **wickii** Eliot, 1980; *Iraota* OD: Malay Nat. J. 33(3/4):149 [b1564] SS: *timoleon* (Stoll), [1783]; *Iraota* [Type: BMNH-ht] [TypeL - Malay Peninsula.] [Refs - b1564; b1454; b4108]
- b **wilcocksii** Eliot, 1973; *Arhopala* OD: Entomologist 106:3 [b1557] SS: *ariana* (Evans), 1925; *Arhopala* f [Type: BMNH-ht] [TypeL - Langkawi Island.] [Refs - b1557; b0104; b1568; b1454 (with *havalandi*)]

- a **wildei** Miskin, 1891; *Arhopala* OD: Ann. Qd Mus. 1:71 [b3215] CG: *Arhopala* g [TypeL - Cairns, Queensland, Australia.] [Refs - b1450; b1644; b4094; b0870; b4934]
- a **wildeyana** Corbet, 1941; *Arhopala* OD: Proc. R. ent. Soc. Lond. (B)10(9):165 [b0956] CG: *Arhopala* i [Type: BMNH-ht] [TypeL - Singapore.] [Refs - b1644; b0956; b1454; b4108]
- b **wilemani** (Evans), 1957; *Narathura* OD: Bull. Br. Mus. nat. Hist. (Ent.) 5(3):102 [b1644] SS: *athada* (Staudinger), 1889; *Arhopala* f [Type: BMNH-ht] [TypeL - Mindanao.] [Refs - b1644; b1454]
- a **wilemani** Eliot & Kawazoé, 1983; *Udara* OD: Butts *Lycaenopsis* group :147, f 104-105, 312-313, 328-329, 505 [b1580] [Type: BMNH-ht] [TypeL - Haight's Place, Panai, Subprovince Benguet, Luzon, Philippines.] [Refs - b1580; b2200]
- b **wilemaniella** (Matsumura), 1929; *Zephyrus* OD: Ins. matsumur. 3(2/3):99 [b3098] SS: *comes* (Leech), 1890; *Cordelia* [TypeL - Japan.] [Refs - b4198; b2479; b0236; b0067; b5053; b4214; b1454; b0471]
- c **wilhelmina** Kirby, 1871; *Thecla* OD: Syn. Cat. diurn. Lep. :391 [b2747] SS: *sophocles* (Fabricius), 1793; *Thecla* (New World *Eumacini*) [TypeL - America meridional".] [Refs - b0908; b2747]
- c **wilkinsi** (Riley), 1928; *Candalides* OD: Entomologist 61:187 [b3765] SS: *urumelia* (Tindale), 1922; *Nesolycaena* [Type: BMNH-ht] [TypeL - Groote Eylandt, Australia.] [Refs - b4677; b1450]
- e **ab. williamsi** (Gunder), 1927; *Lycaena* OD: Can. Ent. 59(12):285, pl A, f 14,14b [b2099] SS: *helloides* (Boisduval), 1852; *Epidemia* [Type: CM-ht] [TypeL - Hall's Valley, Park County, Colorado.] [Refs - b0908; b3191; b0065; b3192; b1321]
- b **williamsi** Hemming, 1931; *Apelles* OD: Trans. ent. Soc. Lond. 79(2):331, pl 9, f 8,9 [b2239] SS: *melanops* (Boisduval), [1828]; *Apelles* [Type: BMNH-ht] [TypeL - Oporto, Portugal.] [Refs - b3059; b2239]
- a **williamsi** Carcasson, 1961; *Uranotauma* OD: Occ. Pap. Coryndon Mem. Mus. (7):21, f [b0707] [Type: BMNH-ht] [TypeL - Mt. Rungwe, Mbeya, Tanzania.] [Refs - b1452; b4400; b0119; b2733]
- b **williamsi** Carcasson, 1964; *Aphnaeus* OD: J. E. Afr. nat. Hist. Soc. 24(4):70 [b0708] SS: *flavescens* Stempffer, 1954; *Aphnaeus* [TypeL - Kenya.] [Refs - b1452; b4400]
- a **wilsoni** (Talbot), 1935; *Lycaenesthes* OD: Ent. mon. Mag. 71:121, pl 2, f 10; pl 3, f 13 [b4623] CG: *Cupidesthes* [TypeL - Abyssinia.] [Refs - b0113; b1452; b4623; b4400; b2560]
- b **wimberleyi** (de Nicéville), 1887; *Nilasera* OD: Proc. zool. Soc. Lond. 1887(3):462 [b1150] SS: *alesia* Felder & Felder, 1865; *Arhopala* i [TypeL - Andamans.] [Refs - b1644; b1454]
- e **ab. windi** (Gunder), 1933; *Plebeius* OD: Can. Ent. 65(8):173 [b2103] SS: *pardalis* (Behr), 1867; *Plebejus* (Icaricia) [Type: AMNH-ht] [TypeL - Berkeley, California.] [Refs - b0908; b0071; b3192; b1321]
- b **windi** (Clench), 1943; *Incisalia* OD: Can. Ent. 75(10):185 [b0819] SS: *mossii* (H. Edwards), 1881; *Deciduphagus* [Type: AMNH-ht] [TypeL - Placer County, California.] [Refs - b0908; b0528; b3192; b1321; b1722]
- a **windu** Fruhstorfer, 1894, 1893-1894; *Dodona* OD: Ent. Nachr. 20:22 [b1803] [TypeL - Java.] [Refs - b2988; b4473; b1454 (as ssp of *adonira*); b1840]
- b **wiskotti** (Courvoisier), 1910, 1910-1911; *Lycaena* OD: Ent. Zeit. 24:141 [b0985] SS: *venus* (Staudinger), 1886; *Polyommatus* [TypeL - Kirghisia, Central Asia.] [Note - Also seen with *stoliczkana*.] [Refs - b3910; b0985; b0471; b1455; b0206]
- **wiskotti** (Courvoisier), 1913; *Lycaena* OD: Ent. Mitt. 2(10):291 [b0989] SS: *venus* (Staudinger), 1886; *Polyommatus* [Refs - b0236; b0989]
- c **witfeldii** (Edwards), 1883; *Thecla* OD: Can. Ent. 15(7):136 [b1522] SS: *calanus* (Hübner), [1809]; *Satyrium* [Type: CM-ht; designated by Brown, 1970] [Trans. amer. ent. Soc. 96(1):39 [b0509]] [TypeL - Georgiana, Brevard County, Florida. Restrictd by Brown, 1970] [Refs - b1530 :194, f 365, 350; b1321 :58; b0908; b3192 (as *witfeldii*); b1722]
- c **w-latinum** (Lang), 1789; *Papilio* OD: Verz. Schmett. Gegend. Augsburg (2nd ed) :46 [b2889] SS: *w-album* (Knoch), 1782; *Satyrium* [Refs - b2747]
- a **wolfii** Johnson, 1993; *Argentostritatus* OD: Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) (36):14, f [b2615] [Type: BMNH-ht] [TypeL - Pará, Brazil.] [Refs - b2615]
- b **wolgensis** (Forster), 1936; *Lycaena* OD: Mitt. münchn. ent. Ges. 26:13 [b1758] SS: *argus* (Linnaeus), 1758; *Plebejus* [TypeL - Volga valley.] [Refs - b0074]
- a **wollastoni** (Rothschild), 1916; *Thysonotis* OD: Rep. B. O. U. Exped. New Guinea 2(15):31 [b3880] CG: *Damis* [TypeL - New Guinea.] [Refs - b3880; b1882 (as ssp of *peri*)]
- b **wollastoni** (Bethune-Baker), 1926; *Cyclirius* OD: Ann. Mag. nat. Hist. (9)17:402 [b0362] SS: *marungensis* (Joicey & Talbot), 1924; *Harpencyreus* [TypeL - Uganda.] [Refs - b1452; b4400]
- e **wolletii** Anonymous, 1974, (ISS); *Deramas* OD: Zool. Rec. 107(1970)(Ins.):596 [b0101] SS: *woolletti* Eliot, 1970; *Deramas* [Refs - b0101]
- e **wombsbacheri** Miller & Brown, 1981, (ISS); *Hylolycaena* OD: Mem. Lep. Soc. (2):94 [b3192] SS: *thoe* (Guérin-Méneville), [1832]; *Hylolycaena* [Note - A lapsus for *wombsbacheri*.] [Refs - b3192; b1722]
- a **woodfordi** H. H. Druce, 1891; *Deudorix* OD: Proc. zool. Soc. Lond. 1891(3):371, pl 32, f 13,14 [b1358] [TypeL - Solomon Islands.] [Refs - b1450; b4094; b1358]
- c **woodfordii** Butler, 1884; *Jamides* OD: Ann. Mag. nat. Hist. (5)13:346 [b0630] SS: *candrena* (Herrich-Schäffer), 1869; *Jamides* [TypeL - Fiji.] [Refs - b1450; b4094 (as *woodfordi*); b1865]
- a **woodi** (Riley), 1943; *Teriomima* OD: Entomologist 76:255, f [b3780] CG: *Baliocila* [TypeL - Nyasaland.] [Refs - b1943; b1452; b4400]
- b **woodii** Ollenbach, 1921; *Arhopala* OD: J. Bombay nat. Hist. Soc. 28(1):129, f [b3504] SS: *barami* Bethune-Baker, 1903; *Arhopala* i [Type: BMNH-ht] [TypeL - Tavoy.] [Refs - b1644; b1454]
- b **woodruffi** (Comstock & Huntington), 1943; *Hemiargus* OD: Ann. New York Acad. Sci. 45:100, pl 1, f 24 [b0907] SS: *ammon* (Lucas), 1857; *Cyclargus* [Type: AMNH-ht] [TypeL - Anegada, British Virgin Islands.] [Refs - b0908; b0540; b0907; b3326; b3327; b0833]
- e **woodsfordi** Seitz, [1924], 1912-1927, (ISS); *Jamides* OD: In Seitz, Grossschmett. Erde 9:902 [b4094] SS: *woodfordii* Butler, 1884; *Jamides* [Refs - b4094]
- a **woolletti** Eliot, 1970; *Deramas* OD: Entomologist 103:32, f [b1555] [Type: BMNH-ht] [TypeL - Bole, Sabah, Borneo.] [Refs - b1555; b0965; b1454; b4108]
- e **ab. womsbacheri** (Gunder), 1927; *Lycaena* OD: Bull. S. Calif. Acad. Sci. 26(2):53 [b2098] SS: *thoe* (Guérin-Méneville), [1832]; *Hylolycaena* [Type: USNM-ht] [TypeL - Not stated.] [Refs - b0908; b3191; b0065; b3192 (as *wombsbacheri*); b1321; b2098; b1722]
- c **wosnesenskii** (Ménétriés), 1855, 1855-1857; *Lycaena* OD: Enum. corp. anim. 1:95, pl 4, f 6 [b3152] SS: *aquilo* (Boisduval), 1832; *Polyommatus* (*Agniades*) [TypeL - Kamtschatka.] [Refs - b2747; b0993; b2866; b4092]

- a **wrighti** Holland, 1930; *Calephelis* OD: Ann. Cam. Mus. 20(1):5 [b2437] [Type: CAS-ht] [TypeL - Not stated, but California.] [Refs - b1530 :247, f 489, 490; b1321 :51; b2988; b3192; b4066; b3127]
- c **wullschlegeli** Oberthür, 1914; *Iolana* OD: Étud. Léop. comp. 10:392, pl 288, f 2341 [b3454] SS: iolas (Ochsenheimer), 1816; *Iolana* [TypeL - Canton Valais, Switzerland.] [Refs - b0236; b0400; b0320; b0471; b2239]
- e **ab. wyatti** (Gunder), 1927; *Lycaena* OD: Can. Ent. 59(12):285, pl A, f 16,16b [b2099] SS: thoe (Guérin-Méneville), [1832]; *Hylolycaena* [Type: FMNH-ht] [TypeL - Colorado?] [Refs - b0908; b3191; b3192; b1321]
- a **wykehami** Tite, 1964; *Lepidochrysops* OD: Entomologist 97:6 [b4678] [Type: BMNH-ht] [TypeL - Summit of Nieuwveld Mts, Cape Province, South Africa.] [Refs - b1259; b1452; b4400; b4685; b4678]
- a **wykehami** (Dickson), 1969; *Phasis* OD: Ent. Rec. 81:285, f [b1247] CG: *Trimenia* [TypeL - Nieuwveld Mts, W. Cape Province, S. Africa.] [Refs - b1259; b1452 (in *Phasis*)]
- a **wykehami** Dickson, 1980, 1979-1980; *Poecilmitis* OD: Ent. Rec. 92(2):38-44 [b1261] [TypeL - Cape Province, S. Africa.] [Refs - b1610 (122-E12); b0113]
- a **wykehami** Dickson, 1983, 1982-1983; *Crudaria* OD: Ent. Rec. 95(1/2):1, f 2,3,8,9 [b1265] [Type: BMNH-ht] [TypeL - Cape Province, S. Africa.] [Refs - b1265]
- a **xami** (Reakirt), [1867], 1866-1867; *Thecla* OD: Proc. Acad. nat. Sci. Philad. 18:332 [b3697] CG: *Sandia* [Type: CM-ht; may be lost] [TypeL - Near Vera Cruz, Veracruz State, Mexico.] [Type of - *Xamia*] [Refs - b0908; b0853; b2747; b1343; b3192; b1321; b0493; b4690 (R?); b1975; b2585; b4066]
- e **xante** (de Selys-Longchamps), 1857, (ISS); *Polyommatus* OD: Annl. Soc. ent. Belg. 1:11 [b1183] SS: *xanthe* (Fabricius), 1787; *Lycaena* (Heodes) [Refs - b1183]
- b **xantha** (Grose-Smith), 1901, 1887-1902; *Teriomima* OD: Rhop. exot. 3(57):140, pl 24, f 13,14 [b2029] SS: *xanthostola* (Holland), 1890; *Liptena* [Refs - b0105; b1452; b0836; b4400]
- d **xanthe** ([Denis & Schiffermüller]), 1775, (JOS); *Papilio* OD: Ankündigung syst. Werkes Schmett. :181 [b1193] SS: *tityrus* (Poda von Neuhaus), 1761; *Lycaena* (Heodes) [Type: biblio; replacement for *tityrus* Poda von Neuhaus, 1761.] [Refs - b2797; b0996]
- d **xanthe** (Fabricius), 1787, (H); *Papilio* OD: Mantissa Ins. 2:81 [b1656] SS: *tityrus* (Poda von Neuhaus), 1761; *Lycaena* (Heodes) [Refs - b2747; b0236; b0389; b1183 (as *xante*); b4092]
- d **xanthe** (Lang), 1789, (H); *Papilio* OD: Verz. Schmett. Gegend. Augsb. (2nd ed) :52 [b2889] SS: *helle* ([Denis & Schiffermüller]), 1775; *Helleia* A [Refs - b0389; b4092]
- d **xanthe** (Hübner), [1800], 1796-1838, (H); *Papilio* OD: Samml. europ. Schmett. 1:pl 69, f 346-348 (:53) [b2480] SS: *thersamon* (Esper), [1784]; *Lycaena* (*Thersamonia*) [Refs - b2747; b0996; b0389; b2260; b4092]
- a **xanthe** Bates, [1868]; *Pachythone* OD: J. linn. Soc. Lond., Zool. 9:391 [b0267] [Type: BMNH-ht] [TypeL - Upper Amazon.] [Note - *D'Abrera* suggests this is the female of *mimula*.] [Refs - b2747; b4475; b1456]
- e **ab. xanthica** Lathy, 1926; *Thecla* OD: Ann. Mag. nat. Hist. (9)17:44 [b2918] SS: *cyllarus* (Cramer), [1775]; *Thecla* (New World *Eumaeini*) [Type: MNHN-ht; Fournier collection.] [TypeL - Lower Maroni, French Guiana.] [Refs - b0908; b0064; b2591; b2918; b2592]
- c **xanthippe** (Gray), 1832; *Erycina* OD: In Griffith, *Cuvier's Anim. Kingdom* 15(Cl. Ins. 2):pl 102 [b2014] SS: *licursis* (Fabricius), 1775; *Chorinea* [Type of - *Chorinea*] [Refs - b2280; b2747; b4474]
- b **xanthippe** (Corbet), 1937; *Celastrina* OD: Trans. R. ent. Soc. Lond. 86(2):29 [b0934] SS: *rona* (Grose-Smith), 1894; *Udara* (*Udara*) [Type: BMNH-ht] [TypeL - West Malaysia.] [Refs - b0964; b0965; b1580]
- b **xanthis** (Holland), 1890; *Teriomima* OD: Psyche 5:429 [b2423] SS: *evanescens* (Kirby), 1887; *Liptena* [TypeL - Upper Ogove River, Gaboon.] [Refs - b0105; b1452; b4400]
- c **xanthobrunnea** Warren, 1895; *Adelotypa* OD: Novit. zool. 2(2):82 [b4922] SS: *bolena* (Butler), [1867]; *Adelotypa* [Type of - *Adelotypa*] [Note - Originally described in the family *Geometridae*.] [Refs - b2280; b2221; b4475; b1456]
- a **xanthocraspedum** Stichel, 1910; *Metacharis* OD: Gen. Insectorum 112(A):142, pl 25, f 32 [b4446] [Type: ZMHU-ht] [TypeL - Rio San Juan, Colombia.] [Refs - b4474; b1456; b4446]
- a **xanthodesma** (Stichel), 1928; *Orimba* OD: Z. wiss. Insekt Biol. 23:44 [b4468] CG: *Setabis* [TypeL - Amazonas.] [Refs - b4475; b1456]
- b **xanthogramma** Bates, [1868]; *Siseme* OD: J. linn. Soc. Lond., Zool. 9:384 [b0267] SS: *pallas* (Latreille), [1813]; *Siseme* [TypeL - Peru or.] [Refs - b2747; b4475; b1456; b4446]
- a **xanthoides** (Boisduval), 1852; *Polyommatus* OD: Annl. Soc. ent. Fr. (2)10:292 [b0467] CG: *Gaeides* [Type: USNM?] [TypeL - Mountains of California.] [LifeH - Tietz lists b0885.] [Refs - b1530 :225, f 433; b1321 :60; b3191; b2747; b4220; b1601; b3192; b3189; b1134 (n=24); b4066; b4652]
- a **xanthopoeilus** (Holland), 1893; *Lycaenesthes* OD: Ent. News 4(1):27 [b2427] CG: *Anthene* [TypeL - W. Africa.] [Refs - b1452; b4400]
- a **xanthosa** (Stichel), 1910; *Charmona* OD: Berl. ent. Z. 55(1/2):20 [b4445] CG: *Charis* [Type: ZMHU-st] [TypeL - Fundortangabe.] [Refs - b4474; b4445; b1456; b4445]
- a **xanthopilos** (Hübner), [1817], 1806-1838; *Rusticus* OD: Samml. exot. Schmett. 1:pl [99] [b2482] CG: *Candalides* [TypeL - Australia.] [Type of - *Candalides*] [Refs - b4677; b1450; b2280; b2078; b2747; b0870; b4934; b2260]
- a **xanthostola** (Holland), 1890; *Teriomima* OD: Psyche 5:429 [b2423] CG: *Liptena* [TypeL - Upper Ogove River, Gaboon.] [Refs - b1452; b0836; b4400]
- b **xanthotaenia** Stichel, 1910; *Chamaelinnas* OD: Gen. Insectorum 112(A):156 [b4446] SS: *villagomes* Hewitson, 1870; *Chamaelinnas* [TypeL - C. America.] [Refs - b4474; b1456; b4446]
- b **xanthozona** Stichel, 1910; *Ancyluris* OD: Gen. Insectorum 112(A):108 [b4446] SS: *miranda* (Hewitson), 1874; *Ancyluris* [Type: ZMHU-ht] [TypeL - Callanga, Cuzco, Peru.] [Refs - b4474; b1453; b4446]
- a **xarifa** (Hewitson), [1853], 1852-1877; *Limnas* OD: Ill. exot. Butts 1:[---], pl [59], f 1 [b2323] CG: *Melanis* [TypeL - Venezuela.] [Refs - b2988; b2747; b4474; b4950; b1456]
- a **xeneta** (Hewitson), [1877], 1863-1878; *Thecla* OD: Ill. diurn. Lep. Lycaenidae 1:193; 2:pl 77, f 611,612 [b2326] CG: *Morphissima* [Type: BMNH-ht; designated by Field, 1967] [Proc. U. S. natn. Mus. 119(3552):- [b1737]] [TypeL - Brazil; Chontales, Nicaragua.] [Refs - b0908; b1737; b2753; b3818; b2497; b1975; b0125; b2606]
- a **xenia** (Hewitson), [1853], 1852-1877; *Limnas* OD: Ill. exot. Butts 1:[---], pl [60], f 11 [b2323] CG: *Melanis* [TypeL - Minas Geraes.] [Refs - b2747; b4474; b2221; b0419; b1456]
- a **xenia** (Grose-Smith), 1895; *Chliaria* OD: Novit. zool. 2(4):512 [b2038] CG: *Hypolycaena* [TypeL - Celebes.] [Refs - b1454; b1573]

- c **xeniades** (Stichel), 1910; *Lymnas* OD: Gen. Insectorum 112(A):205 [b4446] SS: *xenia* (Hewitson), [1853]; *Melanis* [Type: ZMHU-st] [TypeL - Brazil.] [Refs - b4474; b1456; b4446]
- c **xenodice** (Hübner), [1819], 1816-1826; *Lycaena* OD: Verz. bekannt. Schmett. (2):23 [b2484] SS: *echeirus* (Stoll), [1790]; *Abisara* [Type of - *Lycaena*] [Refs - b2280; b2747]
- c **xenon** Corbet, 1941; *Arhopala* OD: Proc. R. ent. Soc. Lond. (B)10(9):155 [b0956] SS: *neon* Corbet, 1941; *Arhopala* b [Type: BMNH-ht] [TypeL - Pulo Laut.] [Refs - b1644; b0956; b4108]
- a **xenophon** (Fabricius), 1793, 1792-1799; *Hesperia* OD: Ent. syst. 3(1):272 [b1657] CG: *Rapala* [TypeL - India", but Kirby says Java.] [Note - *May be a nomen dubium.*] [Refs - b2747 (as *xenophou*); b4094; b5076]
- d **xenophon** (Donovan), 1800, 1800-1804, (H); *Papilio* OD: Epitome Ins. India :[44], pl 41, f 3 [b1310] SS: *endymion* (Fabricius), 1775; *Electrostrymon* [TypeL - India"] [Refs - b0908; b2747; b3192]
- d **xenophon** (de Loche), 1801, (H); *Papilio* OD: Memorie Accad. Sci. Torino 6(2):149, pl 8, f [b1141] SS: *hippotoe* (Linnaeus), 1761; *Palaeochrysophanus* [Refs - b2747]
- e **xenophou** (Kirby), 1871, (ISS); *Deudorix* OD: Syn. Cat. diurn. Lep. :416 [b2747] SS: *xenophon* (Fabricius), 1793; *Rapala* [Refs - b2747]
- c **xeragis** (Fruhstorfer), [1915], 1909-1923; *Gerydus* OD: In Seitz, Grossschmett. Erde 9:818 [b1840] SS: *biggsii* (Distant), 1884; *Miletus* 3 [TypeL - Singapore.] [Refs - b1546; b0964; b0965; b1840; b4108]
- a **xerces** (Boisduval), 1852; *Lycaena* OD: Anns Soc. ent. Fr. (2)10:296 [b0467] CG: *Glaucoopsyche* [Type: USNM-ht] [TypeL - San Francisco, California.] [LifeH - Tietz lists b0875, b1624.] [Note - *Extinct.*] [Refs - b1530 :236, f 454; b0908; b1321 :68; b2747; b3192; b1743; b0493 (*); b0467; b4066; b4652; b1605]
- b **xerophila** Berger, 1946; *Maculinea* OD: *Lambillionea* 46:106 [b0305] SS: *alcon* ((Denis & Schiffermüller)), 1775; *Maculinea* [TypeL - Belgium.] [Refs - b1780; b0080; b0400; ns3997]
- e **xerxes** (Boisduval), 1868, 1868-1869, (ISS); *Lycaena* OD: Anns Soc. ent. Belg. 12:16 [b0468] SS: *xerces* (Boisduval), 1852; *Glaucoopsyche* [Refs - b0908; b3192]
- a **xerxes** (Staudinger), 1899; *Lycaena* OD: Deut. ent. Zeit. [Iris] 12(1):143 [b4345] CG: *Polyommatus* (*Agrodiaetus*) [TypeL - Iran.] [Refs - b2827; b2794; b4092; b1455]
- b **xiaheana** (Murayama), 1991; *Glaucoopsyche* OD: *Konchu to Shizen* (Nature & Insects) 26(3):20, f [b3303] SS: *arion* (Linnaeus), 1758; *Maculinea* [Type: pc-ht; collection of Murayama.] [TypeL - Xiahe, Gansu, N. W. China.] [Refs - b0124; b4225; b3303; b1455]
- e **f. xisana** (Fruhstorfer), 1918; *Castalius* OD: Tijdschr. Ent. 61:35 [b1884] SS: *roxus* (Godart), [1824]; *Caleta* [TypeL - Sumbawa.] [Refs - b1840; b1454]
- b **xisuthrus** (Fruhstorfer), 1914; *Arhopala* OD: Deut. ent. Zeit. [Iris] 28(2):126 [b1859] SS: *apidanus* (Cramer), [1777]; *Flos* [Type: BMNH-ht] [TypeL - Nias.] [Refs - b1644; b4094 (also as *xisuthous*); b2201; b1859; b1454]
- a **xorema** (Schaus), 1902; *Thecla* OD: Proc. U. S. natn. Mus. 24(1262):408 [b3948] CG: *Nicolaea* [Type: USNM-ht; #5922] [TypeL - Castro, Parana, Brazil.] [Refs - b0908; b3948; b1375; b2925; b2619]
- a **xoremoides** (Lathy), 1936; *Thecla* OD: Livre jubilaire de M. Eugene-Louis Bouvier :231, pl 8, f 15 [b2925] CG: *Nicolaea* [Type: MNHN-ht; Fournier collection.] [TypeL - Villarrica, Paraguay.] [Refs - b0908; b2925; b2591; b2592; b2619]
- b **xypete** (Hewitson), 1870; *Mesene* OD: Ent. mon. Mag. 6:227 [b2331] SS: *asclepia* Hewitson, 1870; *Symmachia* [TypeL - Nicaragua.] [Refs - b2747; b4474; b2753; b1456]
- b **xystus** Seitz, [1926], 1912-1927; *Loxura* OD: In Seitz, Grossschmett. Erde 9:996, pl 157e [b4094] SS: *atymnus* (Stoll), [1780]; *Loxura* [TypeL - Burma.] [Refs - b4094; b0694]
- e **yabala** Fruhstorfer, 1914, (IFS); *Rapala* OD: Deut. ent. Zeit. [Iris] 27(4):177 [b1854] SS: *dekaiaarchus* Fruhstorfer, [1912]; *Rapala* [TypeL - E. Java.] [Refs - b1854]
- b **yagiana** (Sugitani), 1938, 1933-1938; *Lycaeides* OD: *Zephyrus* 8:- [b4539] SS: *cleobis* (Bremer), 1861; *Plebejus* (*Lycaeides*) [Refs - b3328]
- b **yagina** (Strand), 1922; *Lycaeides* OD: Arch. Naturgesch. (A)88(4):142 [b4525] SS: *cleobis* (Bremer), 1861; *Plebejus* (*Lycaeides*) [Type: biblio; based on montanus Yagi, 1915.] [Refs - b1900; b3328; b2819; b4193; b3301]
- a **yagishitai** Takanami, 1994; *Sinthusa* OD: Tyô to Ga 45(1):17, f 1-5 [b4611] [Type: pc-ht; collection of Yagishita.] [TypeL - Gn. Dempo, Sumatra Selatan.] [Refs - b4611]
- a **yajna** (Doherty), 1886; *Remelana* OD: J. asiat. Soc. Bengal, Pt II 55(2):128 [b1298] CG: *Tajuria* [TypeL - Himalaya.] [Refs - b0964; b1636; b1153; b0965; b4094; b1454; b0694; b4602]
- b **yajuna** Corbet, 1941; *Arhopala* OD: Proc. R. ent. Soc. Lond. (B)10(9):156 [b0956] SS: *moolaiana* (Moore), [1879]; *Arhopala* b [Type: BMNH-ht] [TypeL - Malay Peninsula.] [Refs - b1644; b1556; b0956; b1454; b4108]
- b **yakushimaensis** (Yazaki), 1923; *Zephyrus* OD: Zool. Mag. 35:391,417, f [b5054] SS: *ataxus* (Westwood), [1851]; *Thermozephyrus* [TypeL - Yaku Island, Japan.] [Refs - b2479; b1900; b4905; b1898; b3485; b2463]
- b **yalae** (Riley), 1928; *Epamera* OD: Novit. zool. 34:385 [b3767] SS: *bansana* Bethune-Baker, 1926; *Iolaua* (*Epamera*) [TypeL - Yala River, Kenya.] [Refs - b1452; b4400]
- e **ab. yamamotoi** (Uchida), 1932; *Zephyrus* OD: *Zephyrus* 4(4):232 [b4777] SS: *fujisanus* (Matsumura), 1910; *Sibataniozephyrus* [TypeL - Japan.] [Refs - b4777]
- c **yamamotoi** (Murayama), 1953; *Celastrina* OD: Tyô to Ga 3(3):17, f 4,5,6 [b3276] SS: *albocaeruleus* (Moore), 1879; *Udara* (Penudara) [Type: pc-ht; collection of Murayama.] [TypeL - Isle of Yakushima.] [Refs - b1900; b4195; b3276]
- b **yamamotoi** Okano, 1953; *Coreana* OD: Bull. Tôhoku Ent. Soc. 2(4):47, pl 1, f 1,2 [b3483] SS: *raphaelis* (Oberthür), 1880; *Coreana* [TypeL - Rikuchu, Honshu, Japan.] [Refs - b1900; b4214; b1455]
- c **f. yamashinai** (Matsumura), 1939; *Chrysophanus* OD: Bull. Biogeogr. Soc. Japan 9(20):356, f [b3105] SS: *helle* ((Denis & Schiffermüller)), 1775; *Helleia* A [TypeL - Manchuria.] [Refs - b0083]
- b **yanagawensis** (Hori), 1923; *Polyommatus* OD: Ins. World 27:233, f [b2449] SS: *boeticus* (Linnaeus), 1767; *Lampides* [TypeL - Japan.]
- a **yangi** (Riley), 1939; *Thecla* OD: Novit. zool. 41:358 [b3778] CG: *Neozephyrus* [TypeL - Fukien, China.] [Refs - b3778; b4214; b4200 (genus uncertain)]
- b **yaniya** Fruhstorfer, [1914], 1909-1923; *Praetaxila* OD: In Seitz, Grossschmett. Erde 9:794 [b1840] SS: *segecia* (Hewitson), [1861]; *Praetaxila* [TypeL - Yule Island.] [Refs - b1450; b1840; b4474]
- c **yaporogosa** Mengel, 1899; *Mesosemia* OD: Ent. News 10(6):167 [b3153] SS: *macrina* (Felder & Felder), 1865; *Mesosemia* [TypeL - Tolima, Neiva, Colombia.] [Refs - b3153; b4474]

- b **yarigadakeana** (Matsumura), 1929; *Lycaena* OD: *Ins. matsumur.* 3(2/3):140 [b3099] SS: *cleobis* (Bremer), 1861; *Plebejus* (*Lycaeides*) [Refs - b1900; b3328; b0236; b0067; b4583; b0471 (as *yanigatakeana*)]
- b **yarkundensis** Moore, 1878; *Polyommatus* OD: *Ann. Mag. nat. Hist.* (5)1:229 [b3227] SS: *icarus* (Rottemburg), 1775; *Polyommatus* [**TypeL** - *Yarkand.*] [Refs - b1759; b4094; b4092 (as *yarkundensis*); b3227]
- b **yasa** (Fruhstorfer), [1912]; *Camena* OD: *Berl. ent. Z.* 56(3/4):205 [b1850] SS: *icetoides* (Elwes), [1893]; *Pratapa* [**TypeL** - *Nias.*] [Refs - b4094 (with *ister*); b2201; b1850; b1454]
- b **yateritas** Smith & Hernández, 1992; *Pseudochrysope* OD: *Caribb. J. Sci.* 28(3/4):139, f 1,2 [b4248] SS: *bornoi* (Comstock & Huntington), 1943; *Pseudochrysope* [**Type**: CNC-ht] [**TypeL** - *Yateritas*, Guantánamo Province, Cuba.] [Refs - b4248]
- b **yatsugabakensis** Murayama, 1954; *Artopoetes* OD: *New Ent.* 3(4):35 [b3279] SS: *pryeri* (Murray), 1873; *Artopoetes* [**Type**: pc-ht; collection of Murayama.] [**TypeL** - *Central Honshu, Japan.*] [*Check - Spelling.*] [Refs - b1900 (as *yatsugadakensis*); b0089; b3279; b0089 (as *yatsugatakensis*)]
- e **yatsugatakensis** Anonymous, 1959, (ISS); *Artopoetes* OD: *Zool. Rec.* 92(1955)(Ins.):399 [b0089] SS: *yatsugabakensis* Murayama, 1954; *Artopoetes* [Refs - b0089]
- a **yaunda** Karsch, 1895; *Pentila* OD: *Ent. Nachr.* 21:292 [b2694] [**TypeL** - *Yaundé Station, Cameroun.*] [*Note - Probably only a synonym of abraxas maculata Kirby.*] [Refs - b2694; b4420; b4400]
- a **yautepequensis** de la Maza E. & Turrent D., 1977; *Calephelis* OD: *Revta Soc. mex. Lep.* 3(2):85, f [b1118] [**Type**: MHNCM-ht] [**TypeL** - *Cañón de Lobos, Yautepec, Mexico.*] [Refs - b0109; b1118; b1456]
- a **yeda** (Zikán), 1952; *Lymnas* OD: *Dusenía* 3:44 [b5074] CG: *Melanis* [**TypeL** - *Brazil.*] [Refs - b1456]
- b **yendava** (Grose-Smith), 1887; *Amblypodia* OD: *Ann. Mag. nat. Hist.* (5)19:297 [b2027] SS: *aedias* (Hewitson), 1862; *Arhopala* a [**Type**: BMNH-ht] [**TypeL** - *Yendaw Valley, Burma.*] [Refs - b1644; b4094; b1454]
- b **yerta** Seitz, [1923], 1912-1927; *Everes* OD: *In Seitz, Grossschmett. Erde* 9:923, pl 153i [b4094] SS: *lacturnus* (Godart), [1824]; *Everes* [**TypeL** - *Not stated.*] [Refs - b4094; b4108]
- b **yezoensis** Nakahara, 1951; *Artopoetes* OD: *Tyô to Ga* 2(2):2 [b3334] SS: *pryeri* (Murray), 1873; *Artopoetes* [**Type**: pc-ht; collection of Hakahara.] [**TypeL** - *Maruyama, Hokkaido, Japan.*] [Refs - b1900; b4192 (as *jezoensis*); b3334]
- b **y-fasciata** (Sonan), 1929; *Zephyrus* OD: *Zephyrus* 1(4):136, f [b4275] SS: *avidiena* (Hewitson), 1877; *Amblopala* [**TypeL** - *Formosa.*] [Refs - b4198; b0236; b0067; b5053; b4776; b1454]
- b **yildizae** Koçak, 1977; *Polyommatus* OD: *Atalanta* (Münnerstadt) 8(1):50, f 5-8 [b2788] SS: *forsteri* (Pfeiffer), 1938; *Polyommatus* [**Type**: DSZUA-ht] [**TypeL** - *Gümüşhane Province, N. E. Turkey.*] [Refs - b0109; b2788; b0206]
- a **yildizae** Koçak, 1983, 1981-1983; *Thestor* OD: *Priamus* 3(1):39 [b2795] [**Type**: biblio; replacement name for *obscurus* van Son, 1941] [Refs - b2795]
- a **yiliensis** Huang & Murayama, 1992; *Satyrion* OD: *Tyô to Ga* 43(1):11, f 31 [b2478] CG: *Satyrion* (*Neolycaena*) [**Type**: BLXU-ht] [**TypeL** - *Yili, Tianshan, Xinjiang, China.*] [Refs - b2478; b1455]
- b **yiliguozigouanae** Huang & Murayama, 1992; *Thecla* OD: *Tyô to Ga* 43(1):9, f 25,26 [b2478] SS: *betulae* (Linnaeus), 1758; *Thecla* [**Type**: BLXU-ht] [**TypeL** - *Yiliguozigou, Tianshan, Xinjiang, China.*] [Refs - b2478]
- b **yilma** Seitz, [1926], 1912-1927; *Loxura* OD: *In Seitz, Grossschmett. Erde* 9:996, pl 157c [b4094] SS: *atymnus* (Stoll), [1780]; *Loxura* [**TypeL** - *Philippines.*] [Refs - b4094; b1454; b4594]
- b **yojana** Fruhstorfer, 1914; *Manto* OD: *Deut. ent. Zeit.* [Iris] 27(4):176 [b1854] SS: *hypoleuca* (Hewitson), [1865]; *Manto* [**TypeL** - *Pulo Tello, Bau Islands.*] [*Note - Classification?*] [Refs - b1454 (= *licinius* Druce); b1854]
- a **yojoa** (Reakirt), [1867], 1866-1867; *Thecla* OD: *Proc. Acad. nat. Sci. Philad.* 18:339 [b3697] CG: *Strymon* [**TypeL** - *Near Vera Cruz, Mexico.*] [Refs - b1530 :217, f 416; b1321 :57; b0908; b2718; b2747; b3818; b1343; b3192; b2497; b1975; b2631; b4066]
- c **yokoana** (Bethune-Baker), 1926; *Epamera* OD: *Ann. Mag. nat. Hist.* (9)17:396 [b0362] SS: *mildbraedi* Schultze, 1912; *Iolais* (*Epamera*) [**TypeL** - *Kameruns.*] [Refs - b4400]
- b **yoshiae** Hayashi, 1981; *Sinthusa* OD: *Tyô to Ga* 32(1,2):82, f 41-44 [b2198] SS: *mindanensis* Hayashi & Schröder & Treadaway, 1978; *Sinthusa* [**Type**: NSMT-ht] [**TypeL** - *Dumaguete, Philippines.*] [*Note - Patronym - Grandmother of the author.*] [Refs - b2198; b2201; b4598]
- a **yoshidai** Eliot & Kawazoe, 1983; *Lestranicus* OD: *Butts Lycaenopsis group* :74, f 41, 269,285,469 [b1580] [**Type**: BMNH-ht] [**TypeL** - *Mt Apo, Mindanao, Philippines.*] [Refs - b1580; b2200]
- a **yoshikoae** Koiwaya, 1993; *Chrysozephyrus* OD: *Stud. Chin. Butterflies* 2:64, f [b2818] [**TypeL** - *Shaanxi, China.*] [Refs - b0126]
- e *ab. yoshisakai* (Murayama), 1978; *Glaucoopsyche* OD: *Tyô to Ga* 14(2):48 [b3291] SS: *daisensis* (Matsumura), 1926; *Maculinea* [Refs - b0110]
- a **youngusbandi** (Elwes), 1906; *Lycaena* OD: *In Proc. zool. Soc. Lond.* 1906(3):484, pl 36, f 10 [b1598] CG: *Patricius* [**TypeL** - *Tibet.*] [Refs - b1636; b1762; b2479; b4094; b0236; b3055; b0694; b1765 (with *lucifera*); b0471; b1455]
- e *ab. youngi* Field, 1936; *Strymon* OD: *J. Ent. Zool.* 28(2):25 [b1732] SS: *melinus* Hübner, [1818]; *Strymon* [**Type**: USNM-ht] [**TypeL** - *Miami, Florida.*] [Refs - b0908; b3192; b1321; b1732]
- a **youngi** Johnson, 1993; *Crimsinota* OD: *Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point)* (32):47, f [b2614] [**Type**: MPM-ht] [**TypeL** - *Teatui, Rio de Janeiro, Brazil.*] [Refs - b2614]
- a **ysobelae** Jackson, 1966; *Cupidesthes* OD: *Ann. Mag. nat. Hist.* (13)8:530 [b2565] [**TypeL** - *Uganda.*] [Refs - b1452; b4400]
- a **yusai** Shirôzu, 1947; *Favonius* OD: *Zephyrus* 9(4):238-244, pl 20, f 1-4 [b4190] [**TypeL** - *Japan.*] [Refs - b4214; b2551; b4200; b3296]
- b **yucara** Murayama, 1953; *Araragi* OD: *Tyô to Ga* 4(2/3):11 [b3277] SS: *enthea* (Janson), 1877; *Araragi* [**TypeL** - *Hokkaido.*] [Refs - b1900; b3277; b2510]
- a **yucataca** McAlpine, [1971]; *Calephelis* OD: *J. Res. Lep.* 10(1):74, f [b3127] [**Type**: USNM-ht] [**TypeL** - *X-can, Quintana Roo, Yucatan Peninsula, Mexico.*] [Refs - b0102; b3127]
- b **yucatanensis** (Godman & Salvin), [1886], 1879-1901; *Symphachia* OD: *Biol. centr.-amer., Lep. Rhop.* 1:416 [b1975] SS: *emesia* (Hewitson), [1867]; *Emesia* [**TypeL** - *Yucatan, Mexico.*] [Refs - b4475; b1456]
- b **yucateca** Clench, 1970; *Brephidium* OD: *J. Lep. Soc.* 24(1):4, f 1 [b0842] SS: *exilis* (Boisduval), 1852; *Brephidium* [**Type**: CM-ht] [**TypeL** - *Yucatan, Mexico.*] [Refs - b0528; b0102; b0842]
- a **yuchingkinus** Murayama & Shimonoya, 1960; *Chrysozephyrus* OD: *In Tyô to Ga* 11(2):32, f 31 [b3306] [**TypeL** - *Poli, Central Formosa.*] [Refs - b4185; b5053; b3306; b4200; b3307; b3296]

- b **yugaii** (Kano), 1928; *Zephyrus* OD: *Taiwan Sangaku* 3:75 [b2690] SS: *hecale* (Leech), [1893]; *Teratozephyrus* [TypeL - Taiwan.] [Refs - b4198; b4547; b5053; b1454; b2690]
- b **yuhkichii** Hayashi, 1984; *Tajuria* OD: *Iwase* (2):18; pl 1, f 14; pl 2, f 14 [b2199] SS: *deudorix* (Hewitson), [1869]; *Tajuria* [TypeL - Philippines.] [Refs - b2199; b2201; b2205; b3521; b0119; b0122; b4104]
- a **yukadumae** Schultze, 1916; *Liptena* OD: *Arch. Naturgesch.* (A)82(3):38 [b4017] [TypeL - S. E. Cameroons.] [Refs - b4400]
- b **yukizawai** Eliot & Kawazoé, 1983; *Udara* OD: *Butts Lycaenopsis group* :131, f 440-441 [b1580] SS: *cybele* Eliot & Kawazoé, 1983; *Udara* (Perivaga) [Type: RIEB-ht] [TypeL - Wamena, Irian Jaya, New Guinea.] [Refs - b1580]
- b **yukona** (Holland), 1900; *Lycaena* OD: *Ent. News* 11(4):416 [b2430] SS: *optilete* (Knoch), 1781; *Plebejus* (Vacciniina) [Type: CM-st] [TypeL - Mountains between Mission and Forty-Mile Creeks, (Northeast) Alaska.] [Refs - b0908; b2866; b3192; b0410; b1724; b1321]
- a **yungas** (Johnson), 1991; *Fieldia* OD: *Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point)* (21):28, f [b2606] CG: *Profieldia* [Type: AMNH-ht] [TypeL - Hotel Tamampaya area, Province Sud Yungas, Dept. La Paz, Bolivia.] [Type of - *Fieldia* Johnson, *Profieldia*] [Refs - b0125; b2606]
- b **yunnana** Eliot & Kawazoé, 1983; *Celastrina* OD: *Butts Lycaenopsis group* :237, f [b1580] SS: *oreas* (Leech), [1893]; *Celastrina* [Type: BMNH-ht] [TypeL - Wei-Hsi_Ting, Mekong Valley, Yunnan, China.] [Refs - b1580]
- a **yunnanensis** Watkins, 1927; *Chilades* OD: *Ann. Mag. nat. Hist.* (9)19:330 [b4949] [TypeL - Yunnan.] [Refs - b2479; b0236]
- a **yunnanensis** (Howarth), 1957; *Neozephyrus* OD: *Bull. Br. Mus. nat. Hist. (Ent.)* 5(6):253, f 19, 68-69, 78-79 [b2463] CG: *Chrysozephyrus* [Type: BMNH-ht] [TypeL - Bahand, Yunnan, China.] [Refs - b4200; b3296; b2463]
- a **yunnani** d'Abdera, 1993; *Heliophorus* OD: *Butts Holarctic Region, Pt 3* :466, f [b1455] CG: *Heliophorus* (B) [Type: BMNH-ht] [TypeL - Yunnan, Chian.] [Refs - b1455]
- b **yurgama** Couchman, 1965; *Bindahara* OD: *Pap. Proc. R. Soc. Tasmania* 99:82 [b0973] SS: *phocides* (Fabricius), 1793; *Bindahara* [Refs - b0098; b0116; b0870; b4489]
- b **yusukei** Eliot, 1986; *Allotinus* OD: *Bull. Br. Mus. nat. Hist. (Ent.)* 53(1):55, f 35,77 [b1571] SS: *substrigosa* (Moore), 1884; *Allotinus* (*Paragerydus*) [TypeL - Surigao, Tandag, Mindanao, Philippines.] [Refs - b1571]
- b **zabni** van Oorschot & van den Brink, 1991; *Satyrium* OD: *Ent. Ber.* 51(3):40, f [b4798] SS: *ilicis* (Esper), [1779]; *Satyrium* [TypeL - Turkey.] [Refs - b0124]
- c **zabua** (Gosse), 1880; *Charis* OD: *Entomologist* 13:202, pl 2, f 5 [b2001] SS: *tenellus* (Burmeister), 1878; *Zabuella* [TypeL - Corrientes.] [Refs - b4475; b2221]
- e **zachacina** (Dyar), 1913, (ISS); *Lycaena* OD: *Proc. U. S. natn. Mus.* 45:638 [b1443] SS: *zachacina* (Butler & H. Druce), 1872; *Hemiargus* [Refs - b0908]
- b **zachacina** (Butler & H. Druce), 1872; *Lampides* OD: *Cistula Entomologica* 1(5):104 [b0662] SS: *ceraunus* (Fabricius), 1793; *Hemiargus* [Type: BMNH-ht] [TypeL - Cartago, Costa Rica.] [Refs - b0908; b3326; b2753; b3192; b1321; b4066]
- a **zachaeus** (Fabricius), 1798, 1792-1799; *Hesperia* OD: *Ent. syst. Suppl.*:431 [b1657] CG: *Audre* [Type: ZMC-ht] [TypeL - Cajennae".] [Refs - b2747; b4475; b5076; b1456]
- c **zachaeus** (Herbst), 1804, 1788-1804; *Papilio* OD: *In Jablonsky, Natursyst. Ins., Schmett.* 11:195, pl 311, f 9,10 [b2306] SS: *argiades* (Pallas), 1771; *Everes* [Refs - b2747]
- a **zadne** (Grose-Smith), 1898; *Holochila* OD: *Novit. zool.* 5(1):107 [b2047] CG: *Philiris* [Type: BMNH-ht] [TypeL - Mailu, British New Guinea.] [Refs - b4677; b1450; b2078]
- c **zaffra** (de Nicéville), 1890; *Aphnaeus* OD: *Butts India Burmah Ceylon* 3:366, pl 28, f 217 [b1153] SS: *nipalicus* (Moore), 1884; *Spindasis* [TypeL - Himalaya.] [Refs - b1636; b1153; b0996; b4094; b0694; b4092]
- c **zahaltensis** Graves, 1910; *Lycaena* OD: *Ent. Rec.* 22(11):273 [b2007] SS: *thetis* Klug, 1834; *Lycaena* (*Thersamonia*) [Refs - b0236; b0471]
- b **zainis** (Fruhstorfer), 1915; *Thysonotis* OD: *Soc. ent.* 30:49 [b1866] SS: *cyanea* (Cramer), [1775]; *Nacaduba* [TypeL - New Guinea.] [Refs - b1866]
- b **zairiensis** Berger, 1981; *Telipna* OD: *Papillons du Zaire* :223, pl 185, f 28 [b0309] SS: *acraea* (Westwood), [1851]; *Telipna* [Type: MRAC-ht] [TypeL - Luai (Mayumbe), Zaire.] [Refs - b0309]
- b **zalinda** Corbet, 1941; *Arhopala* OD: *Proc. R. ent. Soc. Lond.* (B)10(9):165 [b0956] SS: *bazalus* (Hewitson), 1862; *Arhopala* g [Type: BMNH-ht] [TypeL - Kedah.] [Refs - b1644; b0956; b2200; b1454]
- a **zalmora** (Butler), [1870]; *Pithecopis* OD: *Cat. dium. Lep. Fabricius Br. Mus.* :161 [b0590] CG: *Neopithecopis* [Type: BMNH-ht] [TypeL - Myanmar, S. Burma.] [Refs - b0964; b1450; b4198; b1636; b4947; b0965; b2747; b2479; b1580; b0236; b1454; b1840; b4934; b3055; b0694; b4209; b4108]
- b **zama** Bates, [1868]; *Charis* OD: *J. linn. Soc. Lond., Zool.* 9:392 [b0267] SS: *gynaea* (Godart), [1824]; *Charis* [TypeL - America mer.] [Refs - b2747; b4474; b0267; b1140]
- a **zambra** Swinhoe, 1911, 1909-1913; *Arhopala* OD: *In Moore, Lep. Ind.* 8:165, pl 677, f 4 [b4575] CG: *Arhopala* f [Type: BMNH-ht] [TypeL - Ataran, Burma.] [Refs - b1644; b1556; b1454; b4108]
- c **zamona** Fruhstorfer, [1912]; *Rapala* OD: *Berl. ent. Z.* 56(3/4):256 [b1850] SS: *melida* Fruhstorfer, [1912]; *Rapala* [TypeL - Luzon, Philippines.] [Refs - b4094; b1850]
- a **zamuro** (Thieme), 1907; *Esthemopsis* OD: *Berl. ent. Z.* 52:9, pl 1, f 11 [b4640] CG: *Uraneis* [TypeL - Ecuador.] [Refs - b2988; b4475; b1456]
- a **zana** de Nicéville, 1898; *Zinaspa* OD: *J. Bombay nat. Hist. Soc.* 12(1):149, pl AA, f 28 [b1165] [TypeL - W. China.] [Refs - b4094; b1455]
- c **zanella** (de Nicéville), 1890; *Zarona* OD: *Butts India Burmah Ceylon* 3:35 [b1153] SS: *jasoda* (de Nicéville), [1889] *Dermas* [TypeL - Upper Tenasserim, Burma.] [Refs - b1636; b1153; b4094; b1550; b1850; b0694; b0950]
- a **zaneta** Hewitson, [1875], 1852-1877; *Necyria* OD: *Ill. exot. Butts* 5:Ery, f 1 [b2323] [TypeL - Quito.] [Refs - b2988; b2753; b4474; b1456]
- a **zaoa** Hewitson, 1869, 1869-1877; *Mesosemia* OD: *Equatorial Lep. Buckley* (3):41 [b2330] [TypeL - Ecuador.] [Refs - b2988; b2753; b4474; b1456]
- c **zanzibarensis** Grose-Smith, 1889; *Aphnaeus* OD: *Ann. Mag. nat. Hist.* (6)3:136 [b2030] SS: *hutchinsonii* Trimen, 1887; *Aphnaeus* (*Paraphnaeus*) [TypeL - Mombasa.] [Refs - b4387; b4400]
- a **zanzibarica** Kielland, 1990; *Abisara* OD: *Butts Tanzania* :339, f [b2738] [TypeL - Tanzania.] [Check - Description may be due to Collins.] [Refs - b0125]
- a **zara** (Westwood), [1851], 1846-1852; *Eurygona* OD: *In Gen. dium. Lep.* (2):438, pl 71, f 7 [b4981] CG: *Euselasia* [TypeL - Brasilia.] [Refs - b2747; b4474; b1456]
- c **zaraces** (Hewitson), 1874; *Zeritis* OD: *Trans. ent. Soc. Lond.* 22(3):354 [b2341] SS: *basuta* (Wallengren), 1857; *Thestor* [TypeL - Africa mer.] [Refs - b2753; b4400]

- c **zaradrus** Fruhstorfer, [1915], 1909-1923; *Allotinus* OD: In Seitz, *Grossschmett. Erde* 9:809 [b1840] SS: fallax Felder & Felder, 1865; *Allotinus* [TypeL - Cebu, Philippines.] [Refs - b1840; b1571]
- c **zariaspa** (Moore), 1874; *Chrysophanus* OD: *Proc. zool. Soc. Lond.* 1874(1):271 [b3222] SS: kasyapa (Moore), 1865; *Lycæna* (Thersamolycaena) [TypeL - Kashmir.] [*Note - Canilie uses this names as a good variety.*] [Refs - b1636; b2753; b4094; b0996 (as zariarpa); b0694]
- a **zava** Hewitson, [1878], 1863-1878; *Thecla* OD: *Ill. diurn. Lep. Lycaenidae* 1:210; 2:pl 84, f 711,712 [b2326] CG: *Thecla* (New World Eumacini) [Type: pc; Staudinger collection.] [Refs - b0908]
- a **zea** Schaus, 1902; *Calydna* OD: *Proc. U. S. natn. Mus.* 24(1262):403 [b3948] [Type: USNM-ht; #5910] [TypeL - Peru.] [Refs - b4475; b3948; b1456]
- a **zeanger** (Stoll), [1790], 1780-1790; *Papilio* OD: In Cramer, *Uitl. Kapellen Aanh.*:165, pl 37, f 2,2b [b4478] CG: *Calospila* [TypeL - Surinam.] [Refs - b2988; b2747; b4475; b1456]
- c **zeangira** (Hübner), [1819], 1816-1826; *Polystichtis* OD: *Verz. bekannt. Schmett.* (2):18 [b2484] SS: zeanger (Stoll), [1790]; *Calospila* [Refs - b4475]
- a **zebina** (Hewitson), [1869], 1863-1878; *Thecla* OD: *Ill. diurn. Lep. Lycaenidae* 1:120; 2:pl 49, f 237,238 [b2326] CG: *Rekoa* [Type: BMNH-ht; designated by Robbins, 1991] [Smithsonian Contr. Zool. (498):42 [b3817]] [TypeL - Nicaragua.] [Refs - b1530 :198, f 374; b1321 :56; b0908; b2747; b1786; b3192; b4066; b3817]
- c **zebra** Holland, 1891; *Pseudaletis* OD: *Psyche* 6(179):50 [b2424] SS: clymenus (H. H. Druce), 1885; *Pseudaletis* [TypeL - W. Africa.] [Refs - b1452 (as good species); b0836; b4400]
- a **zebra** (H. H. Druce), 1895; *Lampides* OD: *Proc. zool. Soc. Lond.* 1895(3):583, pl 32, f 18 [b1362] CG: *Jamides* [Type: BMNH-ht] [TypeL - Kina Balu & Labuan & Sarawak, Borneo.] [Refs - b0964; b3786; b0965; b4094; b1865; b1362; b1454; b2388; b4108]
- a **zebra** H. H. Druce, 1910; *Batelusia* OD: *Proc. zool. Soc. Lond.* 1910(1):368, pl 34, f 6 [b1378] [TypeL - Cameroons.] [Type of - *Batelusia*] [Refs - b2280; b1452; b4400]
- e **f. zebрина** (Fruhstorfer), 1915, (IFS); *Lampides* OD: *Arch. Naturgesch.* (A)81(6):5 [b1865] SS: pura (Moore), 1886; *Jamides* [Type: BMNH-ht] [TypeL - Nias.] [Refs - b3786; b4094; b1865; b1454]
- c **zebrina** (Bryk), 1946; *Aphnaeus* OD: *Ark. Zool.* 38A(3):54 [b0568] SS: senama (Fruhstorfer), [1912]; *Spindasis* [TypeL - Korea.] [Refs - b0965]
- c **zebrinus** (Moore), 1884; *Aphnaeus* OD: *J. asiat. Soc. Bengal, Pt II* 53(1):28 [b3236] SS: lazularia (Moore), [1881]; *Spindasis* [TypeL - Ceylon.] [Refs - b2479 (as good species); b0694; b1553]
- e **zela** Brown & Eff & Rotger, 1955, (ISS); *Emesis* OD: *Proc. Denver Mus. nat. Hist.* 5:120 [b0538] SS: zela Butler, 1870; *Emesis* [Refs - b1530 :246, f 485; b1321 :51; x3192]
- b **zeituna** (Forster), 1960; *Agrodiaetus* OD: *Z. wien. ent. Ges.* 45(7-10):129, pl 10,11, f 23 [b1772] SS: phyllis (Christoph), 1877; *Polyommatus* (*Agrodiaetus*) [TypeL - Taurus.] [Refs - b1772]
- a **zela** (Hewitson), [1869], 1863-1878; *Hypolycaena* OD: *Ill. diurn. Lep. Lycaenidae Suppl.*:14, pl 5, f 41-43 [b2326] CG: *Deudorix* (*Pilodeudorix*) [TypeL - I. Sherborough.] [Refs - b2988; b2747; b1452; b0836; b4400]
- a **zela** Butler, 1870; *Emesis* OD: *Ann. Mag. nat. Hist.* (4)5:364 [b0592] [Type: BMNH-st] [TypeL - Venezuela; Mexico.] [Refs - b2747; b4475; b3192; b1321; b4690 (*); b0493; b4066]
- c **zelea** Fruhstorfer, 1914; *Arhopala* OD: *Deut. ent. Zeit.* [Iris] 27(4):157 [b1853] SS: phryxus Boisduval, 1832; *Arhopala* n [Type: BMNH-ht] [TypeL - Fergusson Island.] [Refs - b1644; b1450; b4094; b1853]
- c **zelea** (Fruhstorfer), 1915; *Lampides* OD: *Arch. Naturgesch.* (A)81(6):28 [b1865] SS: amphissa (Felder & Felder), 1860; *Jamides* [TypeL - Celebes.] [Refs - b4094 (+as zella); b1865]
- e **zeleukia** (Sharp), [1911], (ISS); *Lymnas* OD: *Zool. Rec.* 47(1910)(ins.):320 [b4140] SS: seleukia (Stüchel), 1910; *Melanis* [Refs - b4140]
- a **zelica** Kirby, 1890; *Epitola* OD: *Ann. Mag. nat. Hist.* (6)6:272 [b2766] [TypeL - Tropical Africa.] [*Note - Has been considered a synonym of gerina.*] [Refs - b3842; b2766; b4400]
- e **zella** (Seitz), [1924], 1912-1927, (ISS); *Lampides* OD: In Seitz, *Grossschmett. Erde* 9:911 [b4094] SS: zelea (Fruhstorfer), 1915; *Jamides* [Refs - b4094]
- e **zelleri** Verity, 1919, 1919-1922, (RA); *Polyommatus* OD: *Ent. Rec.* 31:44 [b4840] SS: icarus (Rottemburg), 1775; *Polyommatus* [Type: biblio; replacement for meridionalis Tuu.] [Refs - b3059; b2856; b2905 (as good ssp); b0236; b0236; b0293 (as ssp); b2794; b0471]
- b **zelleri** Larsen, 1974; *Polyommatus* OD: *Butts Lebanon* :179 [b2896] SS: icarus (Rottemburg), 1775; *Polyommatus* [*Note - A Verity name, used here as a subspecies.*] [Refs - b2856; b0113]
- e **zellerica** Verity & Querci, 1924, (NN); *Polyommatus* OD: *Ent. Rec.* 36(Sep.):45 [b4868] SS: icarus (Rottemburg), 1775; *Polyommatus* [Refs - b2856]
- c **zelmira** (Felder & Felder), 1865, 1865-1875; *Lycæna* OD: *Reise Novara* (2):282, pl 35, f 17-19 [b1692] SS: shasta (Edwards), 1862; *Plebejus* (*Icaricia*) [TypeL - California; Utah.] [Refs - b0908; b1713; b3192; b1318; b1321]
- a **zeloides** (Butler), 1901; *Virachola* OD: *Ann. Mag. nat. Hist.* (7)7:289 [b0660] CG: *Deudorix* (*Pilodeudorix*) [TypeL - Africa.] [Refs - b1943; b1259; b1452; b0836; b4400]
- a **zelomima** Rebel, 1914; *Deudorix* OD: *Annln naturh. Mus. Wien* 28:265, pl 22, f 43 [b3710] CG: *Deudorix* (*Pilodeudorix*) [TypeL - Tanganyika.] [*Check - Spelling.*] [Refs - b1452; b2224; b3710; b4400 (as zelomina)]
- e **zelomina** (Stempffer), 1967, (ISS); *Pilodeudorix* OD: *Bull. Br. Mus. nat. Hist. (Ent.) Suppl.* 10:106 [b4400] SS: zelomima Rebel, 1914; *Deudorix* (*Pilodeudorix*) [Refs - b4400]
- b **zelotes** Hewitson, [1872], 1852-1877; *Emesis* OD: *Ill. exot. Butts* 5:[-], pl [36], f 7 [b2323] SS: ocyptore (Geyer), [1837]; *Emesis* [TypeL - Brazil.] [Refs - b2753; b4475; b2221; b0419; b0420; b1456]
- a **zelza** Hewitson, 1873; *Epitola* OD: *Ent. mon. Mag.* 10:151 [b2337] [TypeL - Old Calabar.] [Refs - b3842; b2753; b1452; b4400]
- b **zemara** (Butler), 1870; *Abisara* OD: *Ann. Mag. nat. Hist.* (4)5:363 [b0592] SS: haquinus (Fabricius), 1793; *Taxila* [TypeL - Sarawak.] [Refs - b2747; b4474; b1454; b1840; b0592]
- c **zembla** Bálint & Johnson, 1993; *Pseudolucia* OD: *Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point)* (27):6, f [b0212] SS: lymessa (Hewitson), 1874; *Pseudolucia* [Type: UMCE-ht] [TypeL - Nuble, Reg. Bio Bio, Chile.] [Refs - b0212; b0207; b0208]
- a **zena** (Hewitson), [1860], 1852-1877; *Eurygona* OD: *Ill. exot. Butts* 2:[-], pl [48], f 74,76 [b2323] CG: *Euselasia* [TypeL - Amazon.] [Refs - b2988; b2747; b4474; b3717; b1456]
- c **zema** (Moore), 1865; *Lycæna* OD: *Proc. zool. Soc. Lond.* 1865(2):505, pl 31, f 9 [b3220] SS: ubaldus (Stoll), [1782]; *Azanas* [TypeL - India bor. et occ.] [Refs - b1636; b2747; b0995; b5055; b4400; b4092]

- b **zenaida** (Dyar), 1912; *Thecla* OD: Proc. U. S. natn. Mus. 42:42 [b1442] SS: thordesa (Hewitson), [1867]; Michaelus [Type: USNM-st; #14278] [TypeL - Santa Rosa, Vera Cruz, Mexico.] [Refs - b0908; b3392; b0111]
- a **zenkeri** (Karsch), 1895; *Lycaenesthes* OD: Ent. Nachr. 21:293 [b2694] CG: Anthebe [TypeL - Tropical Africa.] [Refs - b1452; b2694; b4400]
- c **zenobia** Waterhouse & Lyell, 1914; *Ogyris* OD: Butus Aust. :120 [b4947] SS: zosine Hewitson, [1854]; *Ogyris* [TypeL - Australia.] [Note - Originally used as an infrasubspecific name, but used as a subspecies by Bethune-Baker, 1916. This use made the name available with the original date and authorship.] [Refs - b4094; b1475; b0355; b1476]
- a **zephyretta** (Doherty), 1891; *Acisina* OD: J. asiat. Soc. Bengal, Pt II 60(1):33 [b1303] CG: Arhopala o [Type: BMNH-ht] [TypeL - Assam.] [Refs - b1644; b4094; b2200; b1454]
- b **zephyria** Fruhstorfer, 1915; *Catapaecilma* OD: Z. wiss. InsektBiol. 11(7/8):221 [b1861] SS: elegans (H. Druce), 1873; *Catapaecilma* [TypeL - Malayische Halbinsel.] [Refs - b0964; b0965; x0276; b2201; b1454; b1861]
- a **zephyrinus** (Christoph), 1884, 1884-1889; *Lycaena* OD: In Romanoff, Mém. Lép. 1:102, pl 6, f 3 [b0789] CG: Plebejus (Plebejides) [Refs - b2827; b4092; b0126; b0789]
- a **zephyritis** (Dalman), 1823; *Papilio* OD: Analecta ent. :47 [b1093] CG: Stalachus [TypeL - Guiana.] [Refs - b2988; b4476; b2747; b1453; b1456]
- e **zephyrus** (Kirby), 1871, (ISS); *Cupido* OD: Syn. Cat. dium. Lep. :359 [b2747] SS: sephyrus (Frivaldszky von Frivald), 1835; Plebejus (Plebejides) [Refs - b2747]
- c **zephyrus** Waterhouse & Lyell, 1914; *Pseudalmenus* OD: Butus Aust. :114 [b4947] SS: chlorinda (Blanchard), 1848; *Pseudalmenus* [TypeL - Australia.] [Refs - b1450; b4094; b0870; ns1430]
- c **zera** (Fawcett), 1904; *Lycaena* OD: Proc. zool. Soc. Lond. 1904(II):138, pl 9, f 6 [b1673] SS: maha (Kollar), [1844]; *Pseudozizeeria* [TypeL - Tounghoo, Burma.] [Note - Nearly allied to *Zizera marginata* of China.] [Refs - b1673]
- b **zerita** (Plötz), 1880; *Liptena* OD: Stett. ent. Ztg 41:199 [b3622] SS: libentina (Hewitson), [1866]; *Mimeresia* [Refs - b4400; b3622]
- c **zermattensis** (Fallou), 1865; *Polyommatus* OD: Anns Soc. ent. Fr. 4(5)[=34]:101, pl 2, f 3 [b1660] SS: virgaureae (Linnaeus), 1758; *Lycaena* (Heodes) [Refs - b2747; b0996; b1780; b0389; b1191; b4092; b2858 (as Fruhstorfer name)]
- a **zerna** (Hewitson), [1872], 1852-1877; *Lemonias* OD: Ill. exot. Butus 5:[-], pl [34], f 44,45 [b2323] CG: Adelotypa [TypeL - Brazil.] [Refs - b2988; b2753 (as zerna); b4475; b1456]
- c **zeroe** (Boisduval), 1869, 1868-1869; *Polyommatus* OD: Anns Soc. ent. Belg. 12:45 [b0468] SS: mariposa (Reakirt), 1866; *Epidemia* [Type: USNM-ht] [TypeL - Utah.] [Note - Brown feels the type actually came from the California-Nevada border.] [Refs - b0908; b3191; b2747; b3192; b1321; b3386]
- e **zerva** (Kirby), 1877, (ISS); *Lemonias* OD: Syn. Cat. dium. Lep., Suppl. :760 [b2753] SS: zerna (Hewitson), [1872]; *Adelotypa* [Refs - b2753]
- a **zeta** (Moore), 1877; *Amblypodia* OD: Proc. zool. Soc. Lond. 1877(3):590, pl 58, f 6 [b3226] CG: Arhopala i [Type: BMNH-ht] [TypeL - Andaman Island.] [Refs - b1644; b4094; b1454]
- c **zethus** (Hübner), [1819], 1816-1826; *Lampides* OD: Verz. bekannt. Schmett. (5):70 [b2484] SS: aelianus (Fabricius), 1793; *Jamides* [Refs - b2747; b0400; b2260]
- a **zeurippa** (Boisduval), 1836; *Hypophylla* OD: Spec. gén. Lépid. 1:pl 20 [=4C], f 5, explic. 5 [b0462] CG: Calospila [TypeL - Mexico.] [Type of - Hypophylla] [Refs - b2280; b2747 (as zeurippe); b1456]
- e **zeurippe** (Kirby), 1871, (ISS); *Lemonias* OD: Syn. Cat. dium. Lep. :323 [b2747] SS: zeurippa (Boisduval), 1836; *Calospila* [Refs - b2747]
- b **zeuxis** Staudinger, [1887], 1884-1888; *Hypochrysops* OD: In Exot. Schmett. 1:273, 2:pl 94 [b4329] SS: hypates Hewitson, 1874; *Hypochrysops* [Type: ZMHU-ht] [TypeL - Halmaheira.] [Refs - b1450; b2078; b3926]
- a **zeuxo** (Linnaeus), 1764; *Papilio* OD: Mus. Lud. Utr. :331 [b2996] CG: Chrysoritis [TypeL - Cape Town.] [Refs - b1259; b2747; b1452; b4400; b1232]
- b **zezuensis** (Seok), 1937; *Lycaena* OD: *Zephyrus* 7(2/3):150,151,170, f 1-4 [b4113] SS: argus (Linnaeus), 1758; *Plebejus* [TypeL - Quelpart Island.] [Refs - b4115; b3328; b0075]
- c **zhicharevi** (Sovinsky), 1915; *Lycaena* OD: Revue Russe Ent. 15:384 [b4288] SS: damon ((Denis & Schiffermüller)), 1775; *Polyommatus* (*Agrodiaetus*) [TypeL - Caucasus.] [Refs - b0236; b0471]
- b **zhicharevi** (Obraztsov), 1936, (H); *Lycaena* OD: *Lambillionea* 36:13 [b3468] SS: thersites (Cantener), 1834; *Polyommatus* (*Plebicula*) [TypeL - Kharkov.] [Check - Homonym in need of a replacement.] [Refs - b0074]
- c **ziba** (Hewitson), 1868; *Thecla* OD: Descr. new Spec. Lycaenidae :26 [b2327] SS: basilides (Geyer), [1837]; *Strymon* [Type: BMNH] [TypeL - Not stated.] [Refs - b0908; b2221; b2747; b1375; b2918]
- a **zigira** Hewitson, [1869], 1863-1878; *Thecla* OD: Ill. dium. Lep. Lycaenidae 1:125; 2:pl 49, f 250,251 [b2326] CG: *Thecla* (New World *Eumacini*) [Type: BMNH-st] [TypeL - Santarem, Amazon; Venezuela.] [Refs - b0908; b2747]
- a **ziha** (Hewitson), [1865], 1863-1878; *Dipsas* OD: Ill. dium. Lep. Lycaenidae 1:66; 2:pl 26, f 4,5 [b2326] CG: *Chrysozephyrus* [TypeL - Himalayas.] [Note - There seems to be disagreement on the generic placement of this species.] [Refs - b1636; b1153; b2747; b4094; b4214; b0694 (in *Euaspa*); b4200 (genus uncertain); b2463 (in *Teratozephyrus*); b1455]
- a **zikani** Stichel, 1923; *Napaea* OD: Neue Beitr. syst. Insektenk. 2(20):134 [b4455] [TypeL - Brazil.] [Refs - b4474; b1456]
- a **zikla** Hewitson, 1869, 1869-1877; *Mesosemia* OD: Equatorial Lep. Buckley (3):42 [b2330] [Type: BMNH-ht] [TypeL - Ecuador.] [Refs - b2988; b2747; b4474; b1456]
- b **zilana** Fruhstorfer, 1900; *Flos* OD: Berl. ent. Z. 45(1):30 [b1815] SS: fulgida (Hewitson), [1863]; *Flos* [Type: BMNH-ht] [TypeL - Bazilan.] [Refs - b1644; b4094; b1454]
- a **zilda** (Hewitson), [1873], 1863-1878; *Thecla* OD: Ill. dium. Lep. Lycaenidae 1:141; 2:pl 56, f 343,344 [b2326] CG: *Ministrymon* [Type: BMNH] [TypeL - Rio de Janeiro, Brazil.] [Refs - b0908; b2988; b2753; b2221; b3818; b1975; b2593; b2636]
- b **zilensis** Fruhstorfer, 1914; *Arhopala* OD: Deut. ent. Zeit. [Iris] 28(2):136 [b1859] SS: alitaeus (Hewitson), 1862; *Arhopala* f [Type: BMNH-ht] [TypeL - Bazilan.] [Refs - b1644; b1859; b1454; b4104]
- c f. **zilka** Grose-Smith, 1900, 1887-1902; *Aloeides* OD: Rhop. exot. 3(54):121, pl 26, f 1,2 [b2029] SS: aranda (Wallengren), 1857; *Aloeides* [Type: BMNH-ht] [TypeL - South Africa.] [Refs - b1259; b4400; b4685]

- a **zinckenii** Felder & Felder, 1865, 1865-1875; *Miletus* OD: Reise Novara (2):284, pl 35, f 34 [b1692] CG: *Miletus* 2 [TypeL - Java.] [Refs - b0964; b1546; b0965; b2747; b1454; b1840]
- b **zingis** (Fruhstorfer), [1923], 1909-1923; *Tarucus* OD: In Seitz, *Grossschmett. Erde* 9:893 [b1840] SS: *plinius* (Fabricius), 1793; *Leptotes* [TypeL - Buton.] [Refs - b1840; b4108]
- c **zinna** (Boisduval), 1870; *Erycina* OD: *Consid. Lép. Guatemala* :19 [b0469] SS: *cacica* (Felder & Felder), 1865; *Ancyluris* [TypeL - Nicaragua.] [Refs - b2747; b4474]
- a **ziska** (Grose-Smith), 1898, 1887-1902; *Holochila* OD: *Rhop. exot.* 3(43):11, pl 3, f 11-13 [b2029] CG: *Philinis* [Type: BMNH-ht] [TypeL - Kapaur, New Guinea.] [Refs - b4677; b1450; b3548; b2078]
- c **zistra** Fruhstorfer, 1908; *Mahathala* OD: *Ent. Zeit.* 22(12):49 [b1829] SS: *hainani* Bethune-Baker, 1903; *Mahathala* [TypeL - Siam.] [Refs - b4094; b1454]
- a **zita** (Grose-Smith), 1895; *Holochila* OD: *Novit. zool.* 2(4):511 [b2038] CG: *Udara* (Vaga) [Type: BMNH-ht] [TypeL - Tenimber.] [Note - Not mentioned by Eliot & Kawazoë.] [Refs - b4677; b2078]
- b **zitema** Fruhstorfer, [1915], 1909-1923; *Allotinus* OD: In Seitz, *Grossschmett. Erde* 9:810 [b1840] SS: *unicolor* Felder & Felder, 1865; *Allotinus* (Paragerydus) [Type: BMNH-ht; designated by Eliot, 1986] [Bull. Br. Mus. nat. Hist. (Ent.) 53(1):50 [b1571]] [TypeL - Sulawesi.] [Refs - b1840; b1571]
- a **zoa** (de Nicéville), 1889; *Zephyrus* OD: *J. Bombay nat. Hist. Soc.* 4(3):167, pl A, f 3 [b1152] CG: *Chrysozephyrus* [TypeL - Tiger's Hill, Darjeeling, Manipur, India.] [Refs - b1636; b1153; b4094; b0236; b4214; b3296; b1454; b0694; b1455]
- c **zoe** (Reakirt), [1867], 1866-1867; *Thecla* OD: *Proc. Acad. nat. Sci. Philad.* 18:333 [b3697] SS: *polibetes* (Stoll), [1781]; *Parnhasius* [TypeL - Near Vera Cruz, Mexico.] [Refs - b0908; b2221; b2747; b3392; b2406; b1975]
- c **zoega** (Hewitson), [1853], 1852-1877; *Limnas* OD: *Ill. exot. Butts* 1:[-], pl [59], f 2 [b2323] SS: *smithiae* (Westwood), [1851]; *Melanis* [TypeL - Brasilia.] [Refs - b2747; b4474; b2221]
- c **zohar** (Fruhstorfer), 1914; *Arhopala* OD: *Deut. ent. Zeit.* [Iris] 28(2):129 [b1859] SS: *singapura* (Distant), 1885; *Flos* [Type: BMNH-ht] [TypeL - Mt. Kinabalu, Borneo.] [Refs - b1644; b4094; b1859; b4108]
- a **zohra** Donzel, 1847; *Cigaritis* OD: *Annl. Soc. ent. Fr.* (2)5:528, pl 8, f 5,6 [b1312] [TypeL - Africa bor.] [Type of - *Cigaritis*] [Refs - b2988; b2280; b2375; b2747; b0996; b0236; b2380; b4092]
- b **zoilus** (Moore), 1877; *Aphnaeus* OD: *Proc. zool. Soc. Lond.* 1877(3):588 [b3226] SS: *lohita* (Horsfield), [1829]; *Spindasis* [TypeL - S. Andamans.] [Refs - b1636; b1153; b4094; b0996; b2479; b0694; b4092]
- b **zoletai** Osada, 1987; *Tajuria* OD: *Mem. Tsukada Colln* (5):65, pl 3, f 17,18; pl 4, f 17,18 [b3521] SS: *deudorix* (Hewitson), [1869]; *Tajuria* [Type: pc; collection of Tsukada.] [TypeL - Caceran, Cabugao, Ilocos Sur, N.W. Luzon.] [Refs - b3521]
- b **zolviva** Waterhouse, 1941; *Ogyris* OD: *Proc. Inn. Soc. N. S. Wales* 66(3/4):236 [b4943] SS: *zosine* Hewitson, [1854]; *Ogyris* [TypeL - Australia.] [Refs - b1450; b0870]
- a **zonalis** Godman & Salvin, [1885], 1879-1901; *Mesosemia* OD: *Biol. centr.-amer., Lep. Rhop.* 1:384; 3:pl 43, f 2, pl 38, f 15 [b1975] [TypeL - Nicaragua to Colombia.] [Refs - b2988; b2497; b1456]
- c **f. zonaria** Stichel, 1925, (IFS); *Euselasia* OD: *Z. wiss. InsektBiol.* 20:15 [b4463] SS: *mys* Herrich-Schäffer, [1853]; *Euselasia* [TypeL - Brazil.] [Refs - b4474]
- a **zonarius** (Riley), 1938; *Phasis* OD: *Trans. R. ent. Soc. Lond.* 87(10):239, pl 1, f 22; pl 2, f 47 [b3777] CG: *Chrysoiritis* [Type: BMNH-st] [TypeL - Nr Melkbosch Strand, Cape Province, S. Africa.] [Refs - b1259; b1452; b4400; b3777]
- a **zonata** R. Felder, 1869; *Baeotis* OD: *Verh. zool.-bot. Ges. Wien* 19:469 [b1694] [TypeL - Mexico.] [Refs - b2988; b2747; b4474; b1456]
- a **zora** (Hewitson), [1869], 1863-1878; *Thecla* OD: *Ill. diurn. Lep. Lycaenidae* 1:134; 2:pl 53, f 304,305 [b2326] CG: *Ocaria* [Type: BMNH-ht] [TypeL - Pará, Amazon, Brazil.] [Refs - b0908; b2747; b2221; b3192; b1975; b1138 (n=26); b2619]
- c **zoraida** (Grose-Smith & Kirby), 1890, 1887-1902; *Pseuderesia* OD: *Rhop. exot.* 1(11):36, pl 9, f 9-12 [b2049] SS: *zerita* (Plötz), 1880; *Mimeresia* [TypeL - W. Africa.] [Refs - b4400]
- a **zorea** Hewitson, 1869, 1869-1877; *Mesosemia* OD: *Equatorial Lep. Buckley* (3):40 [b2330] [TypeL - Ecuador.] [Refs - b2988; b4474; b2747; b1456]
- c **zoriapa** Moore, 1874; *Lycaena* OD: *Proc. zool. Soc. Lond.* 1874(1):271 [b3222] SS: *kasyapa* (Moore), 1865; *Lycaena* (*Thersamolycaena*) [Refs - b0236]
- c **zorites** (Hewitson), 1874; *Zeritis* OD: *Trans. ent. Soc. Lond.* 22(3):354 [b2341] SS: *leroma* (Wallengren), 1857; *Crudaria* [TypeL - Africa mer.] [Refs - b2753; b4400]
- a **zosine** Hewitson, [1854], 1852-1877; *Ogyris* OD: *Ill. exot. Butts* 1:[95], pl [48], f 3,4 [b2323] [TypeL - Australia.] [Refs - b1450; b2747; b4094 (as zozine); b0870; b4934; b0355]
- a **zostera** Bates, [1868]; *Theope* OD: *J. linn. Soc. Lond., Zool.* 9:405 [b0267] [Type: BMNH-ht] [TypeL - Sao Paulo de Olivença, Amazonas.] [Refs - b2747; b4475; b1456]
- a **zotelistes** (Oberthür), 1914; *Zephyrus* OD: *Étud. Lép. comp.* 9(2):51, pl 254, f 2146,2147 [b3453] CG: *Esakiozephyrus* [TypeL - Ta Tsien Lu, Yunnan, China.] [Refs - b0996; b0236; b4214; b4200 (genus uncertain); b3296 (in *Teratozephyrus*); b0471 (as *zotelistis*); b1455 (as *zotelistis*, = *neis*)
- e **zozine** Seitz, [1924], 1912-1927, (ISS); *Ogyris* OD: In Seitz, *Grossschmett. Erde* 9:940 [b4094] SS: *zosine* Hewitson, [1854]; *Ogyris* [Note - An earlier use of this spelling is *Waterhouse & Lyell, 1914.*] [Refs - b4094; b1475]
- b **zuleika** (Grose-Smith), 1898; *Thysonotis* OD: *Ann. Mag. nat. Hist.* (7)2:404 [b2045] SS: *danis* (Cramer), [1775]; *Danis* [Type: BMNH-st] [TypeL - Rossel Island, Louisiade Archipelago.] [Refs - b1450; b2078; b2045]
- c **zuleikae** (Pfeiffer), 1932; *Lycaena* OD: In *Mitt. münchn. ent. Ges.* 22(1):42 [b3590] SS: *barthae* (Pfeiffer), 1932; *Polyommatus* (*Agrodiaetus*) [TypeL - N. Syria.] [Note - Described as *ssp of candalus.*] [Refs - b1772; b0070]
- c **zulkarna** Seitz, [1927], 1912-1927; *Rapala* OD: In Seitz, *Grossschmett. Erde* 9:1004, pl 160f [b4094] SS: *varuna* (Horsfield), [1829]; *Rapala* [TypeL - Java.] [Refs - b4094]
- b **zulla** (Tytler), 1915; *Zephyrus* OD: *J. Bombay nat. Hist. Soc.* 24(1):125 [b4772] SS: *ataxus* (Westwood), [1851]; *Thermozephyrus* [Type: BMNH-ht] [TypeL - Naga Hills, Assam.] [Refs - b1636; b0236; b4214; b1454; b0694; b3485; b2463]
- a **zullich** (Hemming), 1933; *Agriades* OD: *Entomologist* 66:277 [b2250] CG: *Polyommatus* (*Agriades*) [TypeL - Sierra Nevada, S. Spain.] [Note - Not spelled *zuellich*. Often treated as a subspecies of *glandon*.] [Refs - b2375; b3059; b1762; b2250; b0410 (as *zullich*); b2859; b3266]
- a **zuluana** van Son, 1949; *Teniomima* OD: *Ann. Transv. Mus.* 21(2):211, f [b4805] [TypeL - S. Africa.] [Refs - b1259; b1452; b4400]

- b **zuniga** Fruhstorfer, [1912]; Horaga **OD**: Berl. ent. Z. 56(3/4):233 [b1850] **SS**: onyx (Moore), [1858]; Horaga [Type: BMNH-ht] [TypeL - Nias Is.] [Refs - b1012; b4094; b2078; b2201; b1454; b1850]
- a **zurkvitzi** (Schaus), 1902; Thecla **OD**: Proc. U. S. natn. Mus. 24(1262):412 [b3948] **CG**: Gigantorubra [Type: USNM-ht; #5932] [TypeL - São Paulo, (Southeast) Brazil.] [Refs - b0908; b3948; b2614]
- a **zuthus** (Leech), [1893], 1893-1894; Everes **OD**: Butts China Japan Corea :330, pl 31, f 7 [b2966] **CG**: Tongeia [TypeL - W. China.] [Refs - b0995; b4094; b2479; b4092]
- b **zwartbergae** Dickson, 1982, 1981-1982; Poecilmitis **OD**: Ent. Rec. 94(4):41-44 [b1264] **SS**: nigricans (Aurivillius), [1924]; Poecilmitis [TypeL - Cape Province, S. Africa.] [Refs - b1610 (8837-Z13)]
- b **zygaena** Stichel, 1910; Lyropteryx **OD**: Berl. ent. Z. 55(1/2):49 [b4445] **SS**: terpsichore Westwood, [1851]; Lyropteryx [Type: ZMHU-ht] [TypeL - Paraguay.] [Refs - b4474; b4445]
- a **zygia** Hübner, [1807], 1806-1838; Lemonias **OD**: Samml. exot. Schmett. 1:pl [35] [b2482] **CG**: Lemonias [TypeL - America mer.] [Type of - Anatole, Lemonias] [Refs - b2988; b2280; b2747; b4475; b2260; b0569; b1456]
- b **zygida** Fruhstorfer, 1916; Nacaduba **OD**: Zoöl. Meded. 2(2):128 [b1873] **SS**: berenice (Herrich-Schäffer), 1869; Nacaduba [Type: BMNH-ht] [TypeL - Philippines.] [Refs - b4676; b4094; b1454]
- c **zylda** Seitz, [1926], 1912-1927; Rapala **OD**: In Seitz, Grossschmett. Erde 9:pl 160, f i(6,7) [b4094] **SS**: dioetas Hewitson, [1863]; Rapala [Refs - ns4609]
- a **zylda** Corbet, 1941; Arhopala **OD**: Proc. R. ent. Soc. Lond. (B)10(9):156 [b0956] **CG**: Arhopala b [Type: BMNH-ht] [TypeL - Sumatra.] [Refs - b1644; b1556; b0956; b1454]
- a **zymna** (Westwood), [1851], 1846-1852; Pentila **OD**: In Gen. dium. Lep. (2):pl 76, f 6 [b4981] **CG**: Megalopalpus [Type: BMNH-st] [TypeL - Ashanti, Nigeria.] [Note - Placed on Official List (#1662) by Op 566.] [Refs - b2747; b1452; b2531; b0836; b4400; b2887; b1571; b1365; b3151]
- b **zynias** Fruhstorfer, [1914], 1909-1923; Zemerus **OD**: In Seitz, Grossschmett. Erde 9:774 [b1840] **SS**: emesoides Felder & Felder, 1860; Zemerus [TypeL - Sumatra.] [Refs - b4473; b1454; b1840]
- b **zyrthis** Fruhstorfer, 1916; Nacaduba **OD**: Zoöl. Meded. 2(2):128 [b1873] **SS**: berenice (Herrich-Schäffer), 1869; Nacaduba [TypeL - Flores, Sumba, and Tana Djampea.] [Refs - b4676; b4094; b1454; b4592]
- a **zyx** Parsons, 1986; Catopyrops **OD**: Tyô to Ga 37(3):138, f 46, 136-138 [b3550] [Type: ANIC-ht] [TypeL - Bougainville, Kieta, Solomon Islands.] [Refs - b3550; b2388]
- a **zyzyoxyx** d'Abbrera, 1994; Theope **OD**: Buus Neotropical Region, Pt 4:1002, f [Type: BMNH-ht] [TypeL - Colombia.] [Note - The author gives no clue as to the etymology of the name, which is odd, because for all the other new names he coined in this work he gives such an explanation.] [Refs - b1456]





PART IX
INDEX TO GENERA OF SPECIES-GROUP NAMES

INTRODUCTION

This section is straightforward and needs little introduction. The objectively valid names are shown in 'bold', the objectively invalid names in 'light' and the unavailable names in *italics*, and these differences are also reflected in the indentation level of the names. Generic names are shown without authorship, but this information is given in Part IV. A heading like '**Lycaena** (?)' means that the included species may belong to **Lycaena**, while headings like '**Lycaena** (??)' means that the included species probably don't belong to **Lycaena**. Keys to the higher classification are given for each genus. For example, **Abisara** is keyed as **Lyc:Rio:Nem:Nem:Abisariti**, which can be read as Superfamily Lycaenoidea, Family Riodinidae, Subfamily Nemeobiinae, Tribe Nemeobiini, Subtribe Abisariti. The keys for the fossil genera are given as "Fossil", but some addition information about their placement may be found in Part IV. Nominal species which are type-species are marked with a * if they are the type-species of the genus in which they are placed, or with a + if they are the type-species of a generic name which is in the synonymy of the genus in which they are placed.

ABBREVIATIONS

The following abbreviations are used in this section.

H	Homonym
IOS	Incorrect Original Spelling
ISS	Incorrect Subsequent Spelling
JOS	Junior Objective Synonym
MID	Misidentification
NN	Nomen Nudum
PD	Pending Decision (by the ICZN)
PS	Published in Synonymy

Abisara [Lyc:Rio:Nem:Abisarnini]

- abnormis** Moore, [1884]
 + **aita** de Nicéville, 1893
 - **ismailii** Hanafusa, 1993
barnsi Joicey & Talbot, 1921
bifasciata Moore, 1877
 - **angulata** Moore, [1879]
 - **jhana** Fruhstorfer, [1914], 1909-1923
 - **angustilineata** Inoué & Kawazoé, 1964
 - **lusi** Lee, 1962
 - **suffusa** Moore, 1882
 - **fraterna** Moore, [1884]
 + **burnii** (de Nicéville), 1895; Taxila
 - **assus** Fruhstorfer, [1914], 1909-1923
 - **etymander** (Fruhstorfer), 1908; Taxila
 - **formosana** Stichel, 1914
 - **timaeus** (Fruhstorfer), [1904]; Taxila
caerulea Carpenter & Jackson, 1950
 - - - - ♂ *f. caerulea* Riley, 1932
 - **liberiana** Clench, 1965
chela de Nicéville, 1886
 - **amplifascia** Tytler, 1940
 - **kalawna** Evans, 1925
delicata Lathy, 1901
 - **tanzania** Kielland, 1986
dewitzi Aurivillius, [1899]
echerius (Stoll), [1790], 1780-1790; Papilio
 - **coriolanus** (Fabricius), 1793, 1792-1799; Hesperia
 - **lydda** (Hewitson), [1866], 1852-1877; Sospita
 - **odin** (Fabricius), 1793, 1792-1799; Papilio
 - **tonkinianus** Fruhstorfer, [1904]
 + - **xenodice** (Hübner), [1819], 1816-1826; Lycaena
 - **bazilensis** Fruhstorfer, 1900
 - **boholensis** Okano & Okano, 1993
 - **bugiana** Fruhstorfer, [1904]
 - **celebica** Röber, [1886]
 - **satellitica** Nieuwenhuis, 1946
 - **clara** Bennett, 1950
 - **cudaca** Fruhstorfer, [1914], 1909-1923
 - **laura** Fruhstorfer, [1904]
 - **lisa** Bennett, 1950
 - **notha** Bennett, 1950
 - **oenobarus** Toxopeus, 1929
 - **paionea** Fruhstorfer, [1914], 1909-1923
 - **palawana** Staudinger, 1889
 - **pancha** Fruhstorfer, [1914], 1909-1923
 - **panayensis** Medicielo & Hanafusa, 1994
 - **porphyritica** Fruhstorfer, [1914], 1909-1923
 - **prunosa** Moore, 1879
 - **saleyra** Fruhstorfer, 1912
 - **schedeli** Fruhstorfer, [1904]
freda Bennett, 1957
 - **daliensis** Sugiyama, 1992
 + **fylla** (Westwood), [1851], 1846-1852; Taxila
 - **fyllaria** Fruhstorfer, [1914], 1909-1923
 - **magdala** Fruhstorfer, [1904]
fylloides (Moore), 1901, 1890-1913; Sospita
 - - - - *phylloides* (Sharp), [1903], (ISS); Sospita
gerontes (Fabricius), 1781, 1781-1782; Papilio
 - **baucis** (Drury), 1782, 1770-1782; Papilio
 - **gabunica** Riley, 1932
geza Fruhstorfer, [1904]
 - **erilda** Fruhstorfer, [1914], 1909-1923
 - **aja** Fruhstorfer, [1904]
 - **disparilis** Riley, [1945]
 - **latifasciata** Inoué & Kawazoé, 1964
 - **litavicus** Fruhstorfer, 1912
 - **sala** Fruhstorfer, [1914], 1909-1923
 - **niasana** Fruhstorfer, [1904]
 - **niya** Fruhstorfer, [1914], 1909-1923
 - **sura** Bennett, 1950

Abisara (continued)

- herwigii** Dewitz, 1886
 - - - - *ab. lunula* Dufrane, 1945
intermedia Aurivillius, 1895
 * **kausambi** Felder & Felder, 1860
 - - - - *oenobarus* Toxopeus, 1926, (NN)
 - **asoka** Bennett, 1950
 - **daphne** Bennett, 1950
 - **paha** Fruhstorfer, [1914], 1909-1923
 - **sabina** Stichel, 1924
 - **tina** Fruhstorfer, [1904]
mindanaensis Semper, 1892, 1886-1892
 - - - - *mindanensis* d'Abrebra, 1986, (ISS)
 - **juana** Fruhstorfer, [1904]
 - **canlaonensis** Medicielo & Hanafusa, 1994
 - **mudita** Fruhstorfer, [1914], 1909-1923
neavei Riley, 1932
 - **congdoni** Kielland, 1985
 - **kivuensis** Riley, 1932
 - **latifasciata** Riley, 1932
 - **mahale** Kielland, 1978
neophron (Hewitson), [1861], 1852-1877; Sospita
 - **chelina** (Fruhstorfer), [1904]; Sospita
 - **gratius** Fruhstorfer, 1912
 - **neophronides** Fruhstorfer, [1914], 1909-1923
rogersi H. Druce, 1878
 - **geryon** Staudinger, [1887], 1884-1888
 - **dolmani** Riley, 1932
rutherfordii Hewitson, 1874
 - - - - *f. caecata* Riley, 1932
 - **cyclops** Riley, 1932
saturata (Moore), 1878; Sospita
 - **amaga** Fruhstorfer, [1914], 1909-1923
 - **baraka** Bennett, 1950
 - **corbeti** Bennett, 1950
 - **iliaca** Fruhstorfer, 1912
 - **kausambioides** de Nicéville, [1896]
 - - - - *kausambooides* (d'Abrebra), 1986, (ISS); Abiasra
 - **maya** Bennett, 1950
 - **meta** Fruhstorfer, [1904]
 - **annamitica** Fruhstorfer, [1904]
 - **siamensis** Fruhstorfer, [1904]
 - **stasinus** Fruhstorfer, 1912
 - **tera** Fruhstorfer, [1904]
savitri Felder & Felder, 1860
 - **susa** (Hewitson), [1861], 1852-1877; Sospita
 - **atlas** de Nicéville, 1895
 - **attenuata** Tytler, 1915
 - **deniya** Fruhstorfer, [1914], 1909-1923
 - **obscura** Hanafusa, 1991
 - **periya** Fruhstorfer, [1914], 1909-1923
 - **sciurus** (Fruhstorfer), [1904]; Sospita
 - **strix** (Fruhstorfer), [1904]; Sospita
 - **teutyra** Fruhstorfer, [1914], 1909-1923
simulacris Riley, 1932
sobrina (Mell), 1923; Sospita
talantus Aurivillius, 1891
 - **caeca** Rebel, 1914
 - **muanensis** Dufrane, 1953
tantalus Hewitson, [1866], 1852-1877
 - - - - *f. formis* Riley, 1932
 - - - - ♂ *f. metallicus* Berger, 1981
 - - - - ♀ *f. uniformis* Riley, 1932
 - **semicaeca** Riley, 1932
zanzibarica Kielland, 1990

Abloxurina [Lyc:Lyc:The:Eum:Eumacius]

- * **amatista** (Dognin), 1895; Thecla
balzapamba Johnson, 1992
chiaspa Johnson, 1992
contracolora Johnson, 1992

Abloxurina (*continued*)

- muela* (Dyar), 1913; Thecla
- - *dissentanea* (Draudt), [1919], 1917-1924; Thecla
- *putrensensis* Johnson, 1992

Acrodipsas [Lyc:Lyc:The:Luc:Lucia]

- arcana* (Miller & Edwards), 1978; Pseudodipsas
- brisbanensis* (Miskin), 1884; Pseudodipsas
- - *cyrilus* (Anderson & Spry), 1897; Lycaena
- cuprea* (Sands), 1965; Pseudodipsas
- hirtipes* Sands, 1980
- illidgei* (Waterhouse & Lyell), 1914; Pseudodipsas
- melania* Sands, 1980
- * *myrmecophila* (Waterhouse & Lyell), 1913; Pseudodipsas

Actis [Lyc:Lyc:The:Deu:Deudorix]

- * *mimeta* Karsch, 1895
- *unda* (Gaede), 1915, 1915-1916; Deudorix
- perigrapha* (Karsch), 1895; Hypomyrina
- *baginei* Collins & Larsen, 1991
- ula* Karsch, 1895
- - - - *ab. nigrostriata* (Aurivillius), 1923; Deudorix

Actizera [Lyc:Lyc:Pol:Pol:Actizera]

- anisophthalma* (Kollar), [1849]; Lycaena
- - - - *anisophthalma* (Sakai), 1981, (ISS); Glaucopsyche
- - - - *anisophthalma* (Kirby), 1871, (ISS); Cupido
- - *arsacia* (Lederer), 1869; Lycaena
- * *atrigemmata* (Butler), 1878; Lycaena
- grumi* (Forster), 1937; Glaucopsyche
- lucida* (Trimen), 1883; Lycaena
- *drucei* (Bethune-Baker), 1906; Zizera
- stellata* (Trimen), 1883; Lycaena

Acupicta [Lyc:Lyc:The:Car:Acupicta]

- bubases* (Hewitson), 1875; Hypochrypsops
- * *delicatum* (de Nicéville), 1887; Catapeocilma
- flemingi* Eliot, 1974
- hainanicum* Sugiyama, 1992
- meeki* Eliot, 1974

Acytrolepis [Lyc:Lyc:Pol:Pol:Lycaenopsis]

- lilacea* (Hampson), [1889]; Cyaniris
- - *crissa* (de Nicéville), 1894; Cyaniris
- *indochinensis* Eliot & Kawazoé, 1983
- *moorei* (Toxopeus), 1926; Lycaenopsis
- najara* (Fruhstorfer), 1910; Cyaniris
- * *puspa* (Horsfield), [1828], 1828-1829; Polyommatus
- - *contilia* (Fruhstorfer), 1910; Cyaniris
- - *sanja* (Fruhstorfer), 1910; Cyaniris
- *bazilana* (Fruhstorfer), 1910; Cyaniris
- - *georgi* (Fruhstorfer), 1910; Cyaniris
- - *sabis* (Fruhstorfer), [1917]; Lycaenopsis
- *cgaya* (Felder & Felder), 1865, 1865-1875; Lycaena
- - *ottonis* (Fruhstorfer), 1910; Cyaniris
- *cyanescens* (de Nicéville), 1890; Cyaniris
- *dammae* (Heron), 1894; Cyaniris
- *darmis* (Fruhstorfer), [1922], 1909-1923; Lycaenopsis
- - *roeberi* (Fruhstorfer), [1922], 1909-1923; Lycaenopsis
- *deronda* (Fruhstorfer), [1922], 1909-1923; Lycaenopsis
- *felder* Toxopeus, 1927, 1927-1928
- *gisca* (Fruhstorfer), 1910; Cyaniris
- - - - *artena* (Fruhstorfer), [1917], (IFS); Lycaenopsis
- - *barneyi* (Corbet), 1941; Celestrina
- - *hermagoras* (Fruhstorfer), 1910; Cyaniris
- - *telis* (Fruhstorfer), [1917]; Lycaenopsis
- *hermione* (Fruhstorfer), 1905; Cyaniris
- - *haani* (Kalis), 1938; Lycaenopsis
- *ishigakiana* (Matsumura), 1929; Cyaniris
- - *umenonis* (Matsumura), 1931; Lycaenopsis
- *kuehni* (Röber), [1886]; Plebeius
- - *bangkaiensis* (Ribbe), 1926; Cyaniris

Acytrolepis (*continued*)

- - *hyllus* (Fruhstorfer), [1922], 1909-1923; Lycaenopsis
- - *kalawari* (Ribbe), 1926; Cyaniris
- - *martini* (Fruhstorfer), [1922], 1909-1923; Lycaenopsis
- *lambi* (Distant), 1882; Polyommatus
- - *imperatrix* (Butler), 1900; Cyaniris
- *mygdonia* (Fruhstorfer), [1917]; Lycaenopsis
- - *tymbria* (Fruhstorfer), [1922], 1909-1923; Lycaenopsis
- *myla* (Fruhstorfer), 1909; Cyaniris
- - *formosana* (Bethune-Baker), 1914; Celastrina
- - *postimacula* (Matsumura), 1929; Cyaniris
- *prominens* (de Nicéville), 1890; Lycaenopsis
- *puspinus* (Kheil), 1884; Plebeius
- *siporana* (Riley), [1945]; Celastrina
- *timorensis* (Butler), 1900; Cyaniris
- *vandeldeni* (Toxopeus), 1926; Lycaenopsis
- - - *vandeldeni* Toxopeus, 1929, (H)
- *volumnia* (Fruhstorfer), [1922], 1909-1923; Lycaenopsis
- *watasei* (Matsumura), 1915; Cyaniris
- ripte* (H. H. Druce), 1895; Cyaniris
- samanga* (Fruhstorfer), 1910; Cyaniris
- - *parakasa* (Fruhstorfer), [1922], 1909-1923; Lycaenopsis

Adelotypa [Lyc:Rio:Rio:Nymphidiini]

- alector* (Butler), [1867]; Lemonias
- - - - *glaucobithris* (Sharp), [1912], (ISS); Echenais
- - - - *glaucobrihis* (Stichel), 1910, (IFS); Echenais
- - *mollis* (Butler), 1877; Echenais
- *violacea* (Butler), [1867]; Lemonias
- *asemna* (Stichel), 1910; Echenais
- - - - *ansemna* Stichel, 1930, (ISS)
- - *micator* (Seitz), [1913], 1910-1924; Echenais
- amasis* (Hewitson), 1870, 1869-1877; Lemonias
- - *virgo* (Stichel), 1914; Echenais
- aminias* (Hewitson), [1863], 1852-1877; Lemonias
- *wia* Brévignon & Gallard, 1992
- annulifera* (Godman), 1903; Lemonias
- argiella* (Bates), [1868]; Calydna
- aristus* (Stoll), [1790], 1780-1790; Papilio
- *cretata* (Stichel), 1911; Echenais
- balista* (Hewitson), [1863], 1852-1877; Lemonias
- *augustalis* Brévignon & Gallard, 1993
- bolena* (Butler), [1867]; Lemonias
- * - - *xanthobrunnea* Warren, 1895
- borsippa* (Hewitson), [1863], 1852-1877; Lemonias
- borsippina* (Butler), [1867]; Lemonias
- charessa* (Stichel), 1910; Echenais
- curulis* (Hewitson), 1874; Lemonias
- densemaculata* (Hewitson), 1870, 1869-1877; Lemonias
- - *debilis* (Godman & Salvin), 1878; Lemonias
- elpinice* (Godman), 1903; Lemonias
- epixanthe* (Stichel), 1910; Echenais
- eudocia* (Godman & Salvin), 1897; Lemonias
- glauca* (Godman & Salvin), [1886], 1879-1901; Lemonias
- huebneri* (Butler), [1867]; Lemonias
- *pauvilla* (Stichel), 1910; Echenais
- *sordida* (Butler), 1877; Echenais
- lampros* (Bates), [1868]; Lemonias
- leucocyana* (Geyer), [1837], 1832-1837; Echenais
- *hemileuca* (Bates), [1868]; Lemonias
- leucophaea* (Hübner), [1821], 1806-1838; Echenais
- malca* (Schaus), 1902; Lemonias
- mellita* (Thieme), 1907; Lemonias
- penthea* (Cramer), [1777], 1775-1790; Papilio
- - *echion* (Stichel), 1910; Echenais
- *auselus* (Hewitson), [1863], 1852-1877; Lemonias
- - *nilius* (Stichel), 1910; Echenais
- - *penthides* (Stichel), 1910; Echenais
- *nitelina* (Stichel), 1910; Echenais
- petronia* (Schaus), 1913; Echenais
- quinquemaculata* (Mengel), 1913; Hermathena

Adelotypa (*continued*)

- - - *quinquemaculata* (Sharp), [1914], (ISS); *Hermathena*
- sejuncta* (Stichel), 1910; *Echenais*
- sentia* (Hewitson), [1853], 1852-1877; *Echenais*
- tinea* (Bates), [1868]; *Calydna*
- torquata* (Stichel), 1916; *Echenais*
- trinitatis* (Lathy), 1932; *Echenais*
- *ochracea* (Lathy), 1932; *Echenais*
- *striata* (Lathy), 1932; *Echenais*
- zerna* (Hewitson), [1872], 1852-1877; *Lemonias*
- - - *zerna* (Kirby), 1877, (ISS); *Lemonias*
- *luteonaevia* (Stichel), 1911; *Echenais*

Aethiopana [Lyc:Lyc:Lip:Lip:Epitola]

- * *honorius* (Fabricius), 1793, 1792-1799; *Papilio*
- - - ♂ *ab. coarctata* Hulstaer, 1924
- *teresa* (Hewitson), 1869; *Epitola*
- *divisa* (Butler), 1901; *Epitola*
- leda* (Boisduval), 1847; *Dryas*

Ahlbergia [Lyc:Lyc:The:Eum:Eumaeus]

- aleucopuncta* Johnson, 1992
- arquata* Johnson, 1992
- bimaculata* Johnson, 1992
- caerulea* Johnson, 1992
- caesius* Johnson, 1992
- chalybeia* (Leech), 1890; *Satsuma*
- circe* (Leech), [1893], 1893-1894; *Satsuma*
- *montivaga* Johnson, 1992
- * *ferrea* (Butler), 1866; *Lycaena*
- *caerulescens* (Motschulsky), 1866; *Thecla*
- frivaldszkyi* (Lederer), 1855; *Thecla*
- - - *frivaldszkyi* (Kirby), 1871, (ISS); *Thecla*
- - - *trivaldszkyi* (Kirby), 1871, (ISS); *Thecla*
- *aquilonaria* Johnson, 1992
- *tricaudata* Johnson, 1992
- haradai* Igarashi, 1973
- korea* Johnson, 1992
- leechii* (de Nicéville), 1893; *Thecla*
- leei* Johnson, 1992
- lynda* Johnson, 1992
- nicevillei* (Leech), [1893], 1893-1894; *Satsuma*
- pluto* (Leech), [1893], 1893-1894; *Satsuma*
- *clarofacia* Johnson, 1992
- *cyanus* Johnson, 1992
- prodiga* Johnson, 1992
- unicolora* Johnson, 1992

Alaena [Lyc:Lyc:Lip:Pen:Alaena]

- ackeryi* d'Abbrera, 1980
- * *amazoula* (Boisduval), 1847; *Acraea*
- - - *ab. orphnina* Vári, 1976
- *congoana* Aurivillius, [1914], 1908-1925
- *nyasana* Hawker-Smith, 1933
- *ochroma* Vári, 1976
- bicolora* Bethune-Baker, 1924
- bjornstadi* Kielland, 1993
- brainei* Vári, 1976
- caissa* Rebel & Rogenhofer, 1894
- *kagera* Talbot, 1935
- dodomaensis* Kielland, 1983
- ferrulineata* Hawker-Smith, 1933
- interposita* Butler, 1883
- *hauttecoeurii* Oberthür, 1888
- *aurantiaca* Butler, 1895
- johanna* E. Sharpe, 1890
- *tsavoia* Jackson, 1966
- kiellandi* Carcasson, 1965
- lamborni* Gifford, 1965
- maculata* Hawker-Smith, 1933
- *ochrea* Hawker-Smith, 1933
- madibirensis* Wichgraf, 1921

Alaena (*continued*)

- margaritacea* Eltringham, 1929
- ngonga* Jackson, 1966
- nyassa* Hewitson, 1877
- - - *nyassae* Gifford, 1965, (ISS)
- *major* Oberthür, 1894
- *marmorata* Hawker-Smith, 1933
- oberthuri* Aurivillius, [1899]
- ochracea* Butler, [1894]
- picata* E. Sharpe, 1896
- *mulsa* Thieme, 1904
- *rollei* Suffert, 1904
- *connectens* Talbot, 1935
- *interrupta* Hawker-Smith, 1933
- reticulata* Butler, 1896
- rosei* Vane-Wright, 1980
- subrubra* Bethune-Baker, 1915
- unimaculosa* Hawker-Smith, 1926
- - - *unimaculata* Stempffer, 1967, (ISS)

Alesa [Lyc:Rio:Rio:Eurybiini]

- amesis* (Cramer), [1777], 1775-1790; *Papilio*
- - - *amosis* Kirby, 1871, (ISS)
- *priolus* (Godart), [1824], 1819-1824; *Erycina*
- *lipara* Bates, [1868]
- *hemiurga* Bates, [1868]
- fournierae* Rebillard, 1958
- * *prema* (Godart), [1824], 1819-1824; *Erycina*
- - - *ab. nigra* Kaye, [1925]
- - - ♀ *f. sapphirina* Biedermann, 1936, (IFS)
- *smaragdifera* Westwood, [1851], 1846-1852
- telephae* Boisduval, 1836
- thelydrias* Bates, [1868]
- - - *thelydrias* Brown, 1993, (ISS)

Allosmaitia [Lyc:Lyc:The:Eum:Eumaeus]

- * *coelebs* (Herrich-Schäffer), 1862, 1862-1863; *Thecla*
- fidena* (Hewitson), [1867], 1863-1878; *Thecla*
- pion* (Godman & Salvin), [1887], 1879-1901; *Thecla*
- piplea* (Godman & Salvin), 1896; *Thecla*
- *subobscura* (Lathy), 1904; *Thecla*
- strophius* (Godart), [1824], 1819-1824; *Polyommatus*
- *panchaea* (Hewitson), [1869], 1863-1878; *Thecla*
- *scoteia* (Hewitson), [1877], 1863-1878; *Thecla*

Allotinus [Lyc:Lyc:Mil:Mil:Miletus]

- agnolia* Eliot, 1986
- albifasciatus* Eliot, 1980
- * *fallax* Felder & Felder, 1865, 1865-1875
- *sabazus* Fruhstorfer, 1913
- - - *sabazus* Sharp, [1914], (ISS)
- *zaradrus* Fruhstorfer, [1915], 1909-1923
- *aphacus* Fruhstorfer, 1913
- *ancius* Fruhstorfer, 1913
- *artinus* Fruhstorfer, [1915], 1909-1923
- *apus* de Nicéville, 1895
- *michaelis* Eliot, 1959
- *audax* H. H. Druce, 1895
- *dotion* Fruhstorfer, 1913
- *eryximachus* Fruhstorfer, 1913
- *tymphrestus* Fruhstorfer, [1915], 1909-1923
- kudaratus* Takanami, 1990
- major* Felder & Felder, 1865, 1865-1875
- *depictus* Fruhstorfer, 1913
- - - *depista* Fruhstorfer, [1915], 1909-1923, (ISS)
- *kalawarus* Ribbe, 1926
- maximus* Staudinger, [1888], 1884-1888
- - - *magnimus* Fruhstorfer, [1915], 1909-1923, (ISS)
- nicholsi* Moulton, [1912]
- *battakanus* Fruhstorfer, 1913
- otsukai* Takanami & Seki, 1990
- subviolaceus* Felder & Felder, 1865, 1865-1875

Allotinus (continued)

- - **alkamah** Distant, 1886, 1882-1886
- - **kallikrates** Fruhstorfer, 1913
- - - - **mallikrates** Sharp, [1914], (ISS)
- - **manychus** Fruhstorfer, 1913
- - **silarus** Fruhstorfer, [1915], 1909-1923
- **hitamus** Takanami, 1990
- **hitamus** Takanami, 1990
- **mirus** van Eecke, 1914
- **thalebanus** Kimura & Murayama, 1990

Allotinus (Fabitaras) [Lyc:Lyc:Mil:Mil:Miletus]

- **bidiensis** Eliot, 1986
- **borneensis** Moulton, [1912]
- - **elliott** Corbet, 1939
- **brooksi** Eliot, 1986
- * **fabius** (Distant & Pryer), 1887; Paragerydus
- - **caudatus** Grose-Smith, 1893
- - **pamismus** Fruhstorfer, 1914
- **arrius** Fruhstorfer, 1914
- **nigritus** (Semper), 1887, 1886-1892; Paragerydus
- - - - ♀ **f. eretria** Fruhstorfer, [1915], 1909-1923
- **portunus** (de Nicéville), 1894; Paragerydus
- - **narsares** Fruhstorfer, 1913
- **maitus** Fruhstorfer, 1914
- - **fruhstorferi** Corbet, 1939
- **pyxus** (de Nicéville), 1894; Paragerydus
- - - - **ab. absens** (H. H. Druce), 1895; Paragerydus
- - **waterstradti** (H. H. Druce), 1895; Paragerydus
- **punctatus** (Semper), 1887, 1886-1892; Paragerydus
- - **anaxandridas** Fruhstorfer, [1915], 1909-1923
- - **caesemius** Fruhstorfer, [1915], 1909-1923
- **sarrastes** Fruhstorfer, 1913
- - **mendava** Riley, [1945]
- - **porriginosus** Toxopeus, 1932
- **strigatus** Moulton, [1912]
- **malayanus** Corbet, 1939
- - **denalus** Corbet, 1939
- **taras** (Doherty), 1889; Paragerydus
- - **panormis** Elwes, [1893]

Allotinus (Paragerydus) [Lyc:Lyc:Mil:Mil:Miletus]

- **albatus** Felder & Felder, 1865, 1865-1875
- - - - **albadus** Fruhstorfer, [1915], 1909-1923, (ISS)
- **mendax** Eliot, 1986
- **apries** Fruhstorfer, 1913
- - **eupalion** Fruhstorfer, 1914
- **dositheus** Fruhstorfer, 1914
- **ristus** Eliot, 1986
- **corbeti** Eliot, 1956
- **dauidis** Eliot, 1959
- + **drumila** (Moore), [1866]; Miletus
- - **insignis** (Staudinger), [1887], 1884-1888; Miletus
- - **multistrigatus** de Nicéville, 1886
- **aphthonius** Fruhstorfer, 1914
- - **grisea** Riley & Godfrey, 1921
- * **horsfieldi** (Moore), [1858]; Miletus
- **permagnus** Fruhstorfer, 1913
- - **infumata** Fruhstorfer, 1913
- - **nessus** Corbet, 1939
- **satelliticus** Fruhstorfer, 1913
- **siporana** Riley, [1945]
- **leogoron** Fruhstorfer, [1915], 1909-1923
- - - - ♀ **f. intricata** Fruhstorfer, 1913
- - **lindus** Corbet, 1939
- - **vadosus** Corbet, 1939
- **batuensis** Eliot, 1967
- **normani** Eliot, 1967
- **plassis** Eliot, 1967
- **luzonensis** Eliot, 1967
- **macassarensis** (Holland), 1890; Paragerydus
- - - - **macassariensis** Fruhstorfer, [1915], 1909-1923, (ISS)

Allotinus (Paragerydus) (continued)

- - **damodar** Fruhstorfer, 1913
- **menadensis** Eliot, 1967
- **melos** (H. H. Druce), 1896; Paragerydus
- - - - **leos** Fruhstorfer, [1915], 1909-1923, (ISS)
- - **reverdini** Fruhstorfer, [1915], 1909-1923
- - **talus** Eliot, 1967
- **nivalis** (H. Druce), 1873; Miletus
- **felder** Semper, 1887, 1886-1892
- **paetus** (de Nicéville), 1895; Paragerydus
- **parapus** Fruhstorfer, 1913
- **samarensis** Eliot, 1986
- **russelli** Eliot, 1986
- **substrigosa** (Moore), 1884; Logania
- - **magaris** Fruhstorfer, 1913
- **ballantinei** Eliot, 1986
- **lenaia** Fruhstorfer, 1913
- **sibyllina** Riley, [1945]
- **yusukei** Eliot, 1986
- **unicolor** Felder & Felder, 1865, 1865-1875
- - **dilutus** Corbet, 1939
- - **eurytanus** Fruhstorfer, 1913
- - **moorei** (H. H. Druce), 1895; Paragerydus
- - **rebilus** Fruhstorfer, 1913
- **aphocha** Kheil, 1884
- - **myriandus** Fruhstorfer, 1913
- **continentalis** Fruhstorfer, 1913
- - **atacinus** Fruhstorfer, [1915], 1909-1923
- **georgius** Fruhstorfer, 1913
- - **leitus** Fruhstorfer, [1915], 1909-1923
- **posidion** Fruhstorfer, 1913
- - **bajanus** Fruhstorfer, 1913
- - **enatheus** Fruhstorfer, 1913
- - **enganicus** Fruhstorfer, 1913
- - **molionides** Fruhstorfer, 1913
- - **niceratus** Fruhstorfer, 1913
- - **suka** Piepers & Snellen, 1918
- **rekia** Riley & Godfrey, 1921
- **zitema** Fruhstorfer, [1915], 1909-1923

Aloeides [Lyc:Lyc:The:Aph:Aphmaeus]

- **almeida** C. Felder, 1862
- **angolensis** Tite & Dickson, 1973
- **apicalis** Tite & Dickson, 1968
- **aranda** (Wallengren), 1857; Cygarites
- - **f. mars** (Trimen), 1862; Zenites
- - **f. rougemonti** (Oberthür), 1909; Zenites
- - **f. zilka** Grose-Smith, 1900, 1887-1902
- **marshalli** (Aurivillius), [1924], 1908-1925; Phasis
- **arida** Tite & Dickson, 1968
- **bamptoni** Tite & Dickson, 1977
- **barklyi** (Trimen), 1874; Zenites
- **braueri** Tite & Dickson, 1968
- **cafrariae** Henning, 1987
- **caledoni** Tite & Dickson, 1973
- **carolynnae** Dickson, 1983, 1982-1983
- **clarki** Tite & Dickson, 1968
- **conradi** (Aurivillius), 1907; Phasis
- **angoniensis** Tite & Dickson, 1973
- **jacksoni** Tite & Dickson, 1973
- **talboti** Tite & Dickson, 1973
- - - - ♀ **f. ochraceous** (Joicey & Talbot), 1924; Phasis
- - - - **ochraceus** (Riley & Tams), 1925, (ISS); Phasis
- - - - **ochraceus** Stempffer, 1967, (ISS)
- **damarensis** (Trimen), 1891; Zenites
- - - - **ab. punctata** (Aurivillius), [1924], 1908-1925; Phasis
- **mashona** Tite & Dickson, 1973
- **dentatis** (Swiersta), 1909; Phasis
- - - - **dentatus** (Sharp), [1911], (ISS); Phasis
- **maseruna** (Riley), 1938; Phasis
- **depicta** Tite & Dickson, 1968

Aloeides (*continued*)

- dicksoni Henning, 1987
- dryas Tite & Dickson, 1968
- egerides (Riley), 1938; Phasis
- gowani Tite & Dickson, 1968
- griseus Riley, 1922
- henningi Tite & Dickson, 1973
- juana Tite & Dickson, 1968
- kaplani Tite & Dickson, 1977
- lenningi Tite & Dickson, 1973
- lutescens Tite & Dickson, 1968
- macmasteri Tite & Dickson, 1973
- maluti Pringle, 1983
- margaretae Tite & Dickson, 1968
- merces Henning & Henning, 1986
- molomo (Trimen), 1870; Zeritis
 - coalescens Tite & Dickson, 1973
 - handmani Tite & Dickson, 1973
 - kiellandi Carcasson, 1961
 - krooni Tite & Dickson, 1973
 - mumbuensis Riley, 1922
 - nollothi Tite & Dickson, 1977
 - nubilus Henning, 1982
 - oreas Tite & Dickson, 1968
 - pallida (Riley), 1938; Phasis
 - grandis Tite & Dickson, 1968
 - jonathani Pringle, 1987
 - littoralis Tite & Dickson, 1968
- penningtoni Tite & Dickson, 1968
 - natalensis Tite & Dickson, 1968
- * pierus (Cramer), [1779], 1775-1790; Papilio
 - evadrus (Fabricius), 1787; Papilio
 - - - - euadrus Stempffer, 1967, (ISS)
 - suetonius (Fabricius), 1793, 1792-1799; Hesperia
- plowesi Tite & Dickson, 1973
- pringlei Tite & Dickson, 1976
- quickelbergei Tite & Dickson, 1968
- rileyi Tite & Dickson, 1976
 - taylori Tite & Dickson, 1976
- rossouwi Henning, 1982
- simplex (Trimen), 1893; Zeritis
- stevensoni Tite & Dickson, 1973
- susanae Tite & Dickson, 1973
- swanepoeli Tite & Dickson, 1973
- taikosama (Wallengren), 1857; Cygaritis
 - orthrus (Trimen), 1874; Zeritis
- tearei Henning, 1982
- + thyra (Linnaeus), 1764; Papilio
 - nycetus (Stoll), [1782], 1780-1790; Papilio
- titei Henning, 1987
- trimeni Tite & Dickson, 1973
- southeyae Tite & Dickson, 1973
- vansonii Tite & Dickson, 1968

Amarynthia [Lyc:Rio:Rio:Rio:Riodinitii]

- * meneria (Cramer), [1776], 1775-1790; Papilio
 - - - - conflata Stichel, 1910, (IFS)
 - - coccitincta Seitz, [1917], 1910-1924
 - - dimas (Fabricius), 1796, 1792-1799; Hesperia
 - - - - maecenas (Fabricius), 1793, 1792-1799, (H); Hesperia
 - - micalia (Cramer), [1776], 1775-1790; Papilio
 - - stenogramma Stichel, 1910
 - peruana Bryk, 1953
 - superior Seitz, [1917], 1910-1924

Amblopala [Lyc:Lyc:The:The:Amblopala]

- * avidiena (Hewitson), 1877; Amblypodia
 - astrape Fruhstorfer, 1915
 - nepalica Eliot, 1987
 - pherenice Fruhstorfer, 1915
 - y-fasciata (Sonan), 1929; Zephyrus
 - - - - katakiril Sonan, 1932

Amblypodia [Lyc:Lyc:The:Amblypodiiini]

- anita Hewitson, 1862
 - andamanica (Riley), 1922, (H); Horsfieldia
 - arracana Grose-Smith, 1887
 - gigantea (Tyler), 1926; Horsfieldia
 - naradoides Moore, 1879
 - - - - darana Moore, 1879
 - parva Eliot, 1980
- annetta Staudinger, [1888], 1884-1888
 - anna Staudinger, [1888], 1884-1888
 - eberalda Fruhstorfer, 1907
 - elga Fruhstorfer, 1907
 - fabiana Fruhstorfer, 1907
 - faisina Ribbe, 1899
- * narada (Horsfield), [1828], 1828-1829; Thecla
 - - f. mohamad (Kalis), 1933; Horsfieldia
 - - tectona (Toxopeus), 1932; Horsfieldia
 - batjana (Riley), 1922; Horsfieldia
 - confusa (Riley), 1922; Horsfieldia
 - dina Fruhstorfer, 1907
 - erichsonii Felder & Felder, 1865, 1865-1875
 - fara Fruhstorfer, 1907
 - - - - fruhsstorferi (Toxopeus), 1930; Horsfieldia
 - - pycnoptera (Toxopeus), 1930; Horsfieldia
 - hainana Crowley, 1900
 - orla Fruhstorfer, 1907
 - plateni (Riley), 1922; Horsfieldia
 - salvia Fruhstorfer, 1907
 - sibuensis Treadaway & Nuyda, 1993
 - smedleyi Riley, [1945]
 - sukabumi (Toxopeus), 1930; Horsfieldia
 - - - - f. rileyi (Toxopeus), 1930, (IFS); Horsfieldia
 - taoana Moore, [1879]
 - - andersonii Moore, 1884

Amblypodia (??) [Lyc:Lyc:The:Amblypodiiini]

- cephalus (Weber), 1801; Hesperia
- obscura Miskin, 1891

Amphiselenis [Lyc:Rio:Rio:Rio:Riodinitii]

- * chama (Staudinger), [1887], 1884-1888; Lasia

Ancema [Lyc:Lyc:The:Remelanini]

- blanka (de Nicéville), 1894; Tajuria
 - - lucidus (H. H. Druce), 1895; Pratapa
 - argentea (Aurivillius), [1898]; Pratapa
 - - sudica (Evans), 1926; Pratapa
 - minturna (Fruhstorfer), [1912]; Camena
 - nacandra (Fruhstorfer), [1912]; Camena
- * ctesia (Hewitson), [1865], 1863-1878; Camena
 - agalla (Fruhstorfer), [1912]; Camena
 - cakravarti (Fruhstorfer), 1909; Camena
 - cakravasti (Fruhstorfer), 1909; Camena
 - - - - cakravastri d'Abdera, 1986, (ISS)
 - - parviocellata (Murayama & Sibatani), 1943, (fv.); Pratapa

Ancyluris [Lyc:Rio:Rio:Rio:Ancyluriti]

- aristodorus (Morisse), [1838]; Erycina
- aulestes (Cramer), [1777], 1775-1790; Papilio
 - - - - aulestis (Cramer), [1777], 1775-1790, (IOS); Papilio
 - - aulica Stichel, 1910
 - - glaphyra (Saunders), [1850]; Erycina
 - - lamprotaenia Stichel, 1909
 - - olivencia Seitz, [1917], 1910-1924
 - - pyretus Saunders, [1850]
 - eryxo (Saunders), [1859]; Erycina
 - - - - f. insolita Stichel, 1910
 - - - - f. vastata Stichel, 1909
 - jocularis Stichel, 1909
 - - - - ♀ ab. rubrolineata Lathy, 1932
 - micans Stichel, 1924
 - pirene Stichel, 1924

Ancyluris (*continued*)

- cacica* (Felder & Felder), 1865, 1865-1875; *Erycina*
 - - *zinna* (Boisduval), 1870; *Erycina*
 - *latifasciata* (Lathy), 1904; *Erycina*
colubra (Saunders), [1859]; *Erycina*
 - *furia* Stichel, 1925
etias (Saunders), [1859]; *Erycina*
 - - *mendita* (H. H. Druce), 1904; *Erycina*
 - *callias* (Felder & Felder), 1862; *Erycina*
 - *gracilis* Stichel, 1910
 - *melior* Stichel, 1910
eudaemon Stichel, 1910
 - - - - *endaemon* d'Abrebra, 1984, (ISS)
 - - - - *tadema* Stichel, 1910, (NN)
 - - *rubrofilum* Stichel, 1909
formosissima (Hewitson), 1870, 1869-1877; *Erycina*
 - *venerabilis* (Stichel), 1916; *Ancylaris*
gelisae Rebillard, 1958
huascar (Saunders), [1859]; *Erycina*
 - *molesta* Stichel, 1929
inca (Saunders), [1850]; *Erycina*
 - *mora* Dyar, 1914
 - *ocollo* (Saunders), [1859]; *Erycina*
 - - *pausias* (Felder & Felder), 1865, 1865-1875; *Erycina*
jurgensenii (Saunders), [1850]; *Erycina*
 - - *erigone* (Boisduval), 1870; *Erycina*
 - - *montezuma* (Saunders), [1850]; *Erycina*
 - *atahualpa* (Saunders), [1859]; *Erycina*
lais (Boisduval), 1870; *Erycina*
meliboëus (Fabricius), 1777; *Papilio*
 - - - - *melipoëus* Emmel, 1975, (ISS)
 * - - - *pyrete* Hübner, [1819], 1816-1826, (JOS)
 - - *phonia* Stichel, 1909
 - - *pyretus* (Cramer), [1777], 1775-1790; *Papilio*
 + - *julia* (Saunders), [1850]; *Erycina*
miniola (Bates), [1868]; *Erycina*
mira (Hewitson), 1874; *Erycina*
 - - *triglitis* Stichel, 1910
miranda (Hewitson), 1874; *Erycina*
 - *xanthozona* Stichel, 1910
paetula Stichel, 1916
pandama (Saunders), [1850]; *Erycina*
paramba d'Abrebra, 1994
pomposa Stichel, 1910
pulchra (Hewitson), 1870, 1869-1877; *Erycina*
 - - *formosa* (Hewitson), 1870, 1869-1877; *Erycina*
 - - *sogamuxi* Fassl, 1915
seitzi Lathy, 1932
 - - - - *ab. rubrofasciata* Lathy, 1932
silvicultrix Stichel, 1909
tedea (Cramer), [1777], 1775-1790; *Papilio*
 - - *auletes* (Godart), [1824], 1819-1824; *Erycina*
thaumasia Stichel, 1910

Androcona [Lyc:Lyc:The:Eum:Eumaeus]

- facuna* (Hewitson), [1877], 1863-1878; *Thecla*
lecromi Johnson & Eisele & MacPherson, 1993
 * *muridosca* (Dyar), 1918; *Thecla*

Angulopsis [Lyc:Lyc:The:Eum:Eumaeus]

- angusta* (Lathy), 1936; *Thecla*
 * *autoclea* (Hewitson), [1877], 1863-1878; *Thecla*
 - - *callides* (Dyar), 1914; *Thecla*
 - - *sangala* (Hewitson), 1868; *Thecla*
calycopinotis Johnson & Kroenlein, 1993
capeta (Hewitson), [1877], 1863-1878; *Thecla*
ceromia (Hewitson), [1877], 1863-1878; *Thecla*
constantinoi Johnson & Kroenlein, 1993
desjardinas Johnson & Kroenlein, 1993
duplicatis Johnson & Kroenlein, 1993
echinita (Schaus), 1902; *Thecla*
hernandezii Johnson & Kroenlein, 1993

Angulopsis (*continued*)

- llorentei* Johnson & Kroenlein, 1993
microterminatis Johnson & Kroenlein, 1993
mossi Johnson & Kroenlein, 1993
obscurus Johnson & Kroenlein, 1993
opacitas (H. H. Druce), 1907; *Thecla*
politus (H. H. Druce), 1907; *Thecla*
rubrobiculis Johnson & Kroenlein, 1993
rubrolimbacosta Johnson & Kroenlein, 1993
saphronotis Johnson & Kroenlein, 1993
strymonotis Johnson & Kroenlein, 1993
suada (Hewitson), [1877], 1863-1878; *Thecla*
suarezensis Johnson & Kroenlein, 1993
suggestis Johnson & Kroenlein, 1993
tucumanensis Johnson & Kroenlein, 1993
vioangulis Johnson & Kroenlein, 1993

Antephrys [Lyc:Lyc:The:Eum:Eumaeus]

- fusius* (Godman & Salvin), [1887], 1879-1901; *Thecla*
marialis (Clench), 1944; *Thecla*
 * *prestoni* Johnson & Eisele & MacPherson, 1993

Anteros [Lyc:Rio:Rio:Sarotini]

- acheus* (Stoll), [1781], 1780-1790; *Papilio*
 - - - *acheus* Kirby, 1871, (UE)
 - *ampyx* (Drury), 1782, 1770-1782; *Papilio*
 - *troas* Stichel, 1909
aerosus Stichel, 1924
allectus Westwood, [1851], 1846-1852
 - *cumulatus* Stichel, 1909
aurigans Gallard & Brevignon, 1989
bipunctus Zikán, 1928
bracteata Hewitson, [1867], 1852-1877
carausius Westwood, [1851], 1846-1852
 - - - - *f. chontal* de la Maza E., 1976
 - - *medusa* H. Druce, 1874
 - *principalis* Hopffer, 1874
 - - *carus* Godman, 1903
chrysoprastus Hewitson, [1867], 1852-1877
 - *roratus* Godman & Salvin, [1886], 1879-1901
cruentatus Stichel, 1911
 * *formosus* (Cramer), [1777], 1775-1790; *Papilio*
 - - - - ♀ *theleia* Stichel, 1910
 + - - *valens* (Fabricius), 1787; *Papilio*
 - - - *croesus* (Fabricius), 1781, 1781-1782, (H); *Papilio*
 - *lectabilis* Stichel, 1909
 - *micon* H. Druce, 1875
 - *stramentarius* Stichel, 1909
gentilis (Rebillard), 1958; *Antheros*
kupris Hewitson, [1875], 1852-1877
 - *aureocultus* Stichel, 1910
otho Westwood, [1851], 1846-1852
renaldus (Stoll), [1790], 1780-1790; *Papilio*
 - *indigator* Stichel, 1911
 - *notius* Stichel, 1911
violetta Hall, 1939

Anthene [Lyc:Lyc:Pol:Lycaenesthini]

- abruptus* (Gaede), 1915, 1915-1916; *Lycaenesthes*
afra (Bethune-Baker), 1910; *Lycaenesthes*
 - - *lysiyas* (Hulstaert), 1924; *Lycaenesthes*
alberta (Bethune-Baker), 1910; *Lycaenesthes*
amarah (Guérin-Méneville), 1847; *Polyommatus*
 - - *olympusa* (Walker), 1870; *Lampides*
 - *orphna* Clench, 1965
arnoldi (Neville-Jones), 1918; *Lycaenesthes*
arora Larsen, 1983
aurea (Bethune-Baker), 1910; *Lycaenesthes*
bakeri (H. H. Druce), 1910; *Lycaenesthes*
 - - - - *ja* Stempffer, 1967, (PS)
barnesi Stevenson, 1940
bipuncta (Joicey & Talbot), 1921; *Lycaenesthes*

Anthene (continued)

- bitje (H. H. Druce), 1910; Lycaenesthes
- bjoernstadi Collins & Larsen, 1991
- buchholzi (Plösz), 1880; Lycaenesthes
- butleri (Oberthür), 1880; Lycaena
- arabicus Gabriel, 1954
- aureobrunnea (Ungemach), 1932; Lycaenesthes
- - coelestina (Ungemach), 1932; Lycaenesthes
- galla Stempffer, 1947
- livida (Trimen), 1881; Lycaenesthes
- stempfferi Storace, 1954
- cethura (Felder & Felder), 1865, 1865-1875; Anthocharis
- chirinda (Bethune-Baker), 1910; Lycaenesthes
- collinsi Kielland, 1980
- contrastata (Ungemach), 1932; Lycaenesthes
- mashuna (Stevenson), 1937; Lycaenesthes
- turkana Stempffer, 1936
- crawshayi (Butler), 1899; Lycaenesthes
- - - ♀ f. *albilunulata* (Ungemach), 1932; Lycaenesthes
- - - - ab. *parallela* (Aurivillius), [1924], 1908-1925; Lycaenesthes
- marginata (Hulstaert), 1924; Lycaenesthes
- minuta (Bethune-Baker), 1916; Lycaenesthes
- sobrina (Talbot), 1935; Lycaenesthes
- definita (Butler), 1899; Lycaenesthes
- - nigrocaudata (Pagenstecher), 1902; Lycaenesthes
- fasciata (Ungemach), 1932; Lycaenesthes
- liguroides (Strand), 1911; Lycaenesthes
- discimacula (Joyce & Talbot), 1921; Lycaenesthes
- emolus (Godart), [1824], 1819-1824; Polyommatus
- - - balliston (Hübner), [1823], 1808-1837, (RC); Lampides
- + - - bengalensis (Moore), [1866]; Lycaenesthes
- andamanicus (Fruhstorfer), 1916; Lycaenesthes
- goberus (Fruhstorfer), 1916; Lycaenesthes
- - klanga (Corbet), 1938; Nacaduba
- javanus (Fruhstorfer), 1916; Lycaenesthes
- minor (van Eecke), 1918; Lycaenesthes
- modesta (Staudinger), 1889; Pseudodipsas
- erythropeocilus (Holland), 1893; Lycaenesthes
- - - - erythropeocilus Stempffer, 1967, (ISS)
- flavomaculatus (Grose-Smith & Kirby), 1893, 1887-1902; Lycaenesthes
- hobleyi (Neave), 1904; Lycaenesthes
- elgonensis (Aurivillius), 1925; Lycaenesthes
- kigezi Stempffer, 1961
- teita Stempffer, 1961
- ufipa Kielland, 1990
- hodsoni (Talbot), 1935; Lycaenesthes
- usamba Talbot, 1937
- indefinita (Bethune-Baker), 1910; Lycaenesthes
- - bigamica Strand, 1911
- f. oculata Stempffer, 1946
- ituria (Bethune-Baker), 1910; Lycaenesthes
- juba (Fabricius), 1787; Papilio
- - dewitzi (Staudinger), 1891; Lycaenesthes
- kampala (Bethune-Baker), 1910; Lycaenesthes
- katera Talbot, 1937
- lachares (Hewitson), [1878], 1863-1878; Lycaenesthes
- - - - lachares Stempffer, 1967, (ISS)
- + - - bitje (Stempffer), 1946; Pseudoliptena
- - liparis (Grose-Smith), 1898; Lycaenesthes
- - pulcher (Grose-Smith & Kirby), 1893, 1887-1902; Lycaenesthes
- obsolescens (Bethune-Baker), 1910; Lycaenesthes
- toroensis Stempffer, 1947
- * larydas (Cramer), [1780], 1775-1790; Papilio
- - pericles (Fabricius), 1793, 1792-1799; Hesperia
- kersteni (Gerstäcker), 1871; Lycaena
- - - - kersteini Stempffer, 1967, (ISS)
- lasti (Grose-Smith & Kirby), 1894, 1887-1902; Lycaenesthes
- lemnos (Hewitson), [1878], 1863-1878; Lycaenesthes

Anthene (continued)

- loa (Strand), 1911; Lycaenesthes
- leptala (Courvoisier), 1914; Lycaenesthes
- leptines (Hewitson), 1874; Lycaenesthes
- - - amoldi (Aurivillius), 1923, (H); Lycaenesthes
- levis (Hewitson), [1878], 1863-1878; Lycaenesthes
- - grisea (Talbot), 1935; Lycaenesthes
- licates (Hewitson), 1874; Lycaenesthes
- addenda (Fruhstorfer), 1916; Lycaenesthes
- dusuntua Corbet, 1940
- philetas (Fruhstorfer), 1916; Lycaenesthes
- ligures (Hewitson), 1874; Lycaenesthes
- - amanica (Strand), 1909; Lycaenesthes
- - ochreofascia (Talbot), 1935; Lycaenesthes
- liodes (Hewitson), 1874; Lycaenesthes
- - adherbal (Mabille), 1877; Lycaena
- - bihe (Bethune-Baker), 1910; Lycaenesthes
- - monteironis (Kirby), 1878; Lycaenesthes
- - sichela (Hewitson), [1878], 1863-1878; Lycaenesthes
- locuples (Grose-Smith), 1898; Lycaenesthes
- lunulata (Trimen), 1894; Lycaenesthes
- - grosel (Aurivillius), [1899]; Lycaenesthes
- - hewitsoni (Aurivillius), [1899]; Lycaenesthes
- - ♀ lithas Grose-Smith & Kirby, 1894, 1887-1902
- - otacilia (Hewitson), [1878], 1863-1878; Lycaenesthes
- - sanguinea (Bethune-Baker), 1910; Lycaenesthes
- - aquilonis (Hulstaert), 1924; Lycaenesthes
- ab. magna (Hulstaert), 1924; Lycaenesthes
- lycaenina (R. Felder), 1868; Lycaenesthes
- - orissica (Moore), 1884; Lycaenesthes
- lycambes (Hewitson), [1878], 1863-1878; Lycaenesthes
- miya (Fruhstorfer), 1916; Lycaenesthes
- togata (Fruhstorfer), 1916; Lycaenesthes
- villosina (Fruhstorfer), [1924], 1909-1923; Lycaenesthes
- lycaenoides (C. Felder), 1860; Dipsas
- godeffroyi (Semper), [1879]; Lycaenesthes
- - turneri (Miskin), 1890; Lycaenesthes
- pegobates (Holland), 1900; Lycaenesthes
- sutrana (Fruhstorfer), 1916; Lycaenesthes
- lycaenolus Tite, 1966
- lychnaptes (Holland), 1891; Lycaenesthes
- - lychnoptera Grose-Smith & Kirby, 1893, 1887-1902
- lychnides (Hewitson), [1878], 1863-1878; Lycaenesthes
- lysicles (Hewitson), 1874; Lycaenesthes
- madibirensis (Wichgraf), 1921; Lycaenesthes
- mahota (Grose-Smith), 1887; Lycaenesthes
- makala (Bethune-Baker), 1910; Lycaenesthes
- melambrotus (Holland), 1893; Lycaenesthes
- millari (Trimen), 1893; Lycaenesthes
- minima (Trimen), 1893; Lycaenesthes
- montana Kielland, 1990
- mpanda Kielland, 1990
- ngoko Stempffer, 1962
- nigropunctata (Bethune-Baker), 1910; Lycaenesthes
- onias (Hulstaert), 1924; Lycaenesthes
- opalina Stempffer, 1946
- janna Gabriel, 1949
- otacilia (Trimen), 1868; Lycaena
- - dulcis (Pagenstecher), 1902; Lycaenesthes
- - tongidensis (Bethune-Baker), 1926; Azanus
- benadirensis Stempffer, 1947
- kikuyu (Bethune-Baker), 1910; Lycaenesthes
- paraffinis (Fruhstorfer), 1916; Lycaenesthes
- emoloides Tite, 1966
- matthias Tite, 1966
- nereia Tite, 1966
- nissani Tite, 1966
- philo (Hopffer), 1874; Lycaena
- - leocrates (Hewitson), [1878], 1863-1878; Lycaenesthes
- - praeclara (Fruhstorfer), [1924], 1909-1923; Lycaenesthes
- scintillans Tite, 1966

Anthene (continued)

- pitmani* Stempffer, 1936
 - *somalina* Stempffer, 1936
princeps (Butler), 1876; Lycaenesthes
 - - *neglecta* (Trimen), 1891; Lycaenesthes
 - - *mabillei* (Lathy), 1921; Lycaenesthes
 - *smithii* (Mabille), 1877; Lycaena
 - - *lochias* (Hewitson), [1878], 1863-1878; Lycaenesthes
 - *uganda* (Bethune-Baker), 1910; Lycaenesthes
 - - - - *ugandae* Stempffer, 1967, (ISS)
pyroptera (Aurivillius), 1895; Lycaenesthes
pythagoras (Fabricius), 1793, 1792-1799; Hesperia
radiata (Bethune-Baker), 1910; Lycaenesthes
ramnika d'Abdera, 1980
rhodesiana Stempffer, 1962
rothschildi (Aurivillius), 1922; Lycaenesthes
rubricinctus (Holland), 1891; Lycaenesthes
 - - *musagetes* (Holland), 1893; Lycaenesthes
 - *anadema* (H. H. Druce), 1905; Lycaenesthes
 - *jeanneli* Stempffer, 1961
 - - - - *f. latefasciata* Stempffer, 1944
 - - - *elgonensis* Stempffer, 1936, (H)
rubrimaculata (Strand), 1909; Lycaenesthes
 - *montana* Kielland, 1990
rufomarginata (Bethune-Baker), 1910; Lycaenesthes
 - - - - *postrufomarginata* (Verity), 1943, (IFS); *Lysandra*
ruwenzoricus (Grünberg), 1912; Lycaenesthes
saddacus (Talbot), 1935; Lycaenesthes
schoutedeni (Hulstaert), 1924; Lycaenesthes
scintillula (Holland), 1891; Lycaenesthes
setuttus (Röber), [1886]; Plebeius
 - - *aruana* (Butler), 1899; Lycaenesthes
 - *affinis* (Waterhouse & Turner), [1905]; Lycaenesthes
 - - *modestus* (Waterhouse), 1903; Lycaenesthes
 - *amboinensis* (Butler), 1899; Lycaenesthes
 - *keyensis* Tite, 1966
 - *violacea* (Butler), 1899; Lycaenesthes
sheppardi Stevenson, 1940
suquala (Pagenstecher), 1902; Lycaenesthes
sylvanus (Drury), [1773], 1770-1782; Papilio
 - - - - *silvanus* (Bethune-Baker), 1910; Lycaenesthes
 - - *locra* (Plötz), 1880; Lycaena
 - - *moncus* (Fabricius), 1781, 1781-1782; Papilio
 - - *natalensis* (Staudinger), [1887], 1884-1888; Pseudodipsas
 - - *syllidus* (Hübner), [1819], 1816-1826; Tmolus
 - *albicans* (Grünberg), 1910; Lycaenesthes
 - *niveus* Stempffer, 1953
talboti Stempffer, [1937]
ukerewensis (Strand), 1909; Lycaenesthes
 - - - - *ab. pauperula* (Strand), 1909; Lycaenesthes
uzungwae Kielland, 1990
versatilis (Bethune-Baker), 1910; Lycaenesthes
villosa (Snellen), 1878; Pseudodipsas
xanthopoeilus (Holland), 1893; Lycaenesthes
 - - *lukokescha* (Karsch), 1895; Lycaenesthes
 - - - - *lukokescha* (Sharp), [1896], (ISS); Lycaenesthes
 - - - - *lukokeshia* Stempffer, 1967, (ISS)
 - - *lycotas* (Grose-Smith), 1898; Lycaenesthes
zenkeri (Karsch), 1895; Lycaenesthes
 - - - - *ab. connexa* (Aurivillius), 1923; Lycaenesthes

Antigius [Lyc:Lyc:The:The:Thecla]

- * *atilla* (Bremer), 1861; Thecla
 - - - - *atilla* d'Abdera, 1886, (ISS)
 - - - - *ab. neoatilla* (Sugitani), 1919; Zephyrus
 - - - - *ab. sagamiensis* (Kyuzaki), 1937; Zephyrus
 - - - - *ab. sagamii* Wakabayashi & Tanaka & Sugai, 1958
 - - - - *ab. sayamae* Wakabayashi & Tanaka & Sugai, 1958
 - - - - *ab. sayamaensis* (Watari), 1929; Zephyrus
 - - - - *ab. sayamensis* (Watari), 1936; Zephyrus
 - - - - *ab. subgrisea* (Wileman), 1911; Zephyrus

Antigius (continued)

- *atilla* (Oberthür), 1914; Zephyrus
 - - - - *atilla* d'Abdera, 1993, (ISS)
 - *obsoleta* (Takeuchi), 1929; Zephyrus
butleri (Fenton), [1882]; Thecla
 - - - - *ab. daisena* (Hirose), 1933; Zephyrus
 - - - - *daisensis* Fujioka, 1975, (ISS)
 - - *adachii* (Matsumura), 1919; Zephyrus
 - - *f. connexa* (Watari), 1932; Zephyrus
 - - *kurinodakensis* Fujioka, 1975
 - - *f. melanochoe* (Watari), 1932; Zephyrus
 - - *ab. souyoensis* (Doi), 1931; Zephyrus
 - *oberthuerei* (Staudinger), 1887; Thecla
 - *onomichiana* (Matsumura), 1919; Zephyrus

Antrissima [Lyc:Lyc:The:Eum:Eumaeus]

- misionensis* Johnson, 1991
 * *varicolor* Johnson, 1991

Apelles [Lyc:Lyc:Pol:Pol:Glaucopsyche]

- * *melanops* (Boisduval), [1828]; Polyommatus
 - - - - *ab. bowsini* (Mezger), 1927; Glaucopsyche
 - - - - *ab. caeca* Courvoisier, 1912
 - - - - *ab. caerulea* Wagner, 1919
 - - - - *ab. mediopunctata* Oberthür, 1914
 - - - - *ab. minor* (Heinrich), 1938; Lycaena
 - - - - *ab. minuscula* (Agenjo), 1967; Glaucopsyche
 - - - - *ab. ocellata* (Mezger), 1927; Glaucopsyche
 - - - - *ab. paucipuncta* Courvoisier, 1912
 - - - - *ab. semicaeca* (Heinrich), 1938; Lycaena
 - - - - *ab. subtyparimpunctata* Oberthür, 1896
 - - - - *ab. subtyparadiata* Oberthür, 1896
 - - - - *ab. unipunctata* Rebel, 1909
 - - *saportae* (Hübner), [1832], 1796-1838, (RC); Papilio
 - - *alluaudi* Oberthür, 1922
 - - *fascista* (Turati), 1927; Lycaena
 - - *wheeleri* (Chapman), 1905; Lycaena
 - *algerica* (Heyne), 1895, 1893-1895; Lycaena
 - *arcasi* (Agenjo), 1967; Glaucopsyche
 - *bamba* (Agenjo), 1967; Glaucopsyche
 - *cantabra* (Agenjo), 1967; Glaucopsyche
 - *loechensis* (Gómez Bustillo), 1973; Glaucopsyche
 - *marchandii* (Boisduval), 1834; Argus
 - - *diversa* (de Sagara y Castellamau), 1926; Scolitantides
 - - *justoi* (Agenjo), 1967; Glaucopsyche
 - *williamsi* Hemming, 1931

Apharitis [Lyc:Lyc:The:Aph:Aphnaeus]

- acamas* (Klug), 1834, 1829-1845; Lycaena
 - - *erythraea* (Staudinger), 1892; Cigaritis
 - *bellatrix* (Butler), 1886; Spindasis
 - *chitralensis* Riley, 1925
 - *cyprica* Riley, 1925
 - *divisa* (Rothschild), 1915; Spindasis
 - *dueldueli* (Pfeiffer), 1932; Cupidopsis
 - *egyptiaca* Riley, 1925
 - *hypargyros* (Butler), 1886; Spindasis
 - - - - *hypargyros* (Seitz), [1909], 1907-1921, (ISS); Cigaritis
 - *obscurata* (Staudinger), 1901; Cigaritis
 - *transcaspica* (Staudinger), 1901; Cigaritis
buchanani (Rothschild), 1921; Spindasis
cilissa (Lederer), 1861; Cigaritis
 - *maxima* Staudinger, 1901
 * *epargyros* (Eversmann), 1854; Polyommatus
 - *marginalis* (Riley), 1921; Aphnaeus
gilletti Riley, 1925
lilacinus (Moore), 1884; Aphnaeus
 - - *aestivus* (Swinhoe), [1887]; Aphnaeus
myrmecophila (Dumont), 1922; Cigaritis
 - *farsica* Rose & Schurian, 1977
nilus (Hewitson), [1865], 1863-1878; Aphnaeus
 - - *f. sabulosa* (Hawker-Smith), 1929; Spindasis

Apharitis (*continued*)

- *subaureus* (Grose-Smith), 1898; Aphnaeus
- *f. kaduglii* (Bethune-Baker), 1916; Spindasis

Aphnaeus [Lyc:Lyc:The:Aph:Aphnaeus]

- adamsi* Stempffer, 1954
- affinis* Riley, 1922
- *seydell* Berger, 1952
- argyrocyclus* Holland, 1890
- *propinquus* Holland, 1893
- asterius* Plötz, 1880
- *argenteola* Holland, 1890
- *chalybeatus* E. Sharpe, 1890
- *ilogo* Holland, 1890
- brahami* Lathy, 1903
- carcassoni* Larsen, 1983
- chapini* (Holland), 1920; Spindasis
- *occidentalis* Clench, 1963
- *ugandae* Stempffer, 1961
- coronae* Talbot, 1935
- - - *f. vansomereni* Stempffer, 1954, (IFS)
- *littoralis* Carcasson, 1964
- erikssoni* Trimen, 1891
- *bruneeli* Berger, 1951
- *barnesi* Stempffer, 1954
- *kiellandi* Stempffer, [1973]
- *mashunae* Stempffer, 1954
- *rex* Aurivillius, 1909
- flavescens* Stempffer, 1954
- *williamsi* Carcasson, 1964
- gilloni* Stempffer, 1966
- herbuloti* Stempffer, [1972]
- hiendlmayrii* de Nicéville, 1894
- jacksoni* Stempffer, 1954
- jefferyi* Hawker-Smith, 1928
- marshalli* Neave, 1910
- neavei* Bethune-Baker, 1926
- nyanzae* Stempffer, 1954
- * *orcas* (Drury), 1782, 1770-1782; Papilio
- - - *f. fontainei* Berger, 1952, (IFS)
- - - *Q. f. overlaeti* Berger, 1952, (IFS)
- - - *f. paupera* Stempffer, 1954, (IFS)
- *pindarus* (Fabricius), 1793, 1792-1799; Hesperia
- *hollandi* Butler, 1902
- *heliodorus* Schultze, 1916
- *ratrayi* E. Sharpe, 1904
- questiauxi* Aurivillius, 1903

Aphnaeus (??) [Lyc:Lyc:The:Aph:Aphnaeus]

- guttatus* Plötz, 1880

Aphnaeus (**Paraphnaeus**) [Lyc:Lyc:The:Aph:Aphnaeus]

- * *hutchinsonii* Trimen, 1887, 1887-1889
- *zanzibarensis* Grose-Smith, 1889
- *drucei* Neave, 1904

Apodemia [Lyc:Rio:Rio:Emesini]

- castanea* (Prittwitz), 1865; Calynda
- *notia* Hayward, 1949
- chisosensis* Freeman, 1964
- hepburni* Godman & Salvin, [1886], 1879-1901
- *remota* Austin, 1991
- hypoglaucia* (Godman & Salvin), 1878; Lemoniae
- *wellingi* Ferris, 1985
- * *mormo* (Felder & Felder), 1859; Lemoniae
- *cythera* (Edwards), 1873; Lemoniae
- *dumetii* (Behr), 1865; Nemeobius
- + *mormonia* (Boisduval), 1869, 1868-1869; Chrysobia
- *deserti* Barnes & McDunnough, 1918
- *dialeuca* Opler & Powell, 1962
- *duryi* (Edwards), 1882; Lemoniae
- - - *druryi* Stichel, 1911, (ISS)

Apodemia (*continued*)

- *langei* J. A. Comstock, 1939
- *mejicanus* (Behr), 1865; Nemeobius
- *sonorensis* Felder & Felder, 1865, 1865-1875
- *tuolumnensis* Opler & Powell, 1962
- *virgulti* (Behr), 1865; Nemeobius
- - - *vergulti* Anonymous, 1927, (ISS)
- *maxima* (Weeks), 1891; Lemoniae
- multiplaga* Schaus, 1902
- murphyi* Austin, 1988
- + *nais* (Edwards), 1877; Chrysophanus
- - - *nais* (Kirby), 1871, (NN); Lycaena
- palmerii* (Edwards), 1870; Lemoniae
- *f. marginalis* (Skinner), 1920; Lemoniae
- *arizona* Austin, 1988
- *australis* Austin, 1988
- paucipuncta* Spitz, 1930
- - - *paucipunctata* Anonymous, 1977, (ISS)
- *moedensis* Callaghan, 1979
- phyciodoides* Barnes & Benjamin, 1924
- stalactioides* Butler, [1867]
- *canidia* (H. H. Druce), 1904; Stalactis
- *sontella* (Schaus), 1902; Stalactis
- walkerii* Godman & Salvin, [1886], 1879-1901

Apporasa [Lyc:Lyc:The:Arh:Arhopala]

- * *atkinsoni* (Hewitson), [1869], 1863-1878; Amblypodia

Araotes [Lyc:Lyc:The:Deu:Deudorix]

- * *lapithis* (Moore), [1858]; Myrina
- *archytas* Fruhstorfer, [1912]
- *arianus* Fruhstorfer, [1912]
- *uruwela* Fruhstorfer, [1912]
- *decolor* Fruhstorfer, 1900
- perrhaebis* Semper, 1887, 1886-1892

Araragi [Lyc:Lyc:The:The:Thecla]

- * *enthea* (Janson), 1877; Thecla
- *entheoides* (Oberthür), 1914; Zephyrus
- *morisonensis* (Inoué), 1942; Thecla
- *yucara* Murayama, 1953
- sugiyamai* Matsui, 1989
- *vanewrighti* Fujioka, 1992

Arases [Lyc:Lyc:The:Eum:Eumaeus]

- aurantiaca* Johnson, 1992
- * *clenchi* Johnson, 1992
- - *sesara* (Godman & Salvin), [1901], 1879-1901, (H); Thecla
- colombiana* Johnson, 1992
- - - *columbiana* Johnson, 1992, (IOS)
- micandriana* Johnson, 1992
- spectaculorum* Johnson & Adams, 1993
- vanewrighti* Johnson & Adams, 1993

Arawacus [Lyc:Lyc:The:Eum:Thereus]

- aethesa* (Hewitson), [1867], 1863-1878; Thecla
- aetolus* (Sulzer), 1776; Papilio
- - - *aetolius* (d'Abreu), 1984, (ISS); ?Arawacus
- * - - - *linus* (Sulzer), 1776, (Myth); Papilio
- *amelia* (Herbst), 1804, 1788-1804; Papilio
- *lincus* (Fabricius), 1793, 1792-1799; Hesperia
- *linus* (Fabricius), 1777, (H); Papilio
- *paraguayensis* (Lathy), 1926; Thecla
- *separata* (Lathy), 1926; Thecla
- + *dumenitii* (Godart), [1824], 1819-1824; Polyommatus
- *argiva* (Hewitson), [1877], 1863-1878; Thecla
- *obscura* (Staudinger), [1888], 1884-1888; Thecla
- + *jada* (Hewitson), [1867], 1863-1878; Thecla
- leucogyna* (Felder & Felder), 1865, 1865-1875; Pseudolycaena
- meliboeya* (Fabricius), 1793, 1792-1799; Hesperia
- - - *melibaeyus* Butler, [1870], (ISS)
- *barrensis* (Rosa), 1936; Thecla

Arawacus (continued)

- - *eurisides* (Hübner), [1823], 1808-1837; Jolaus
- - - - *eurysides* (Kirby), 1871, (ISS); Thecla
- phaea* (Godman & Salvin), [1887], 1879-1901; Thecla
- sito* (Boisduval), 1836; Thecla
- - *phaenna* (Godman & Salvin), [1887], 1879-1901; Thecla
- tadita* (Hewitson), [1877], 1863-1878; Thecla
- tarania* (Hewitson), 1868; Thecla
- togarna* (Hewitson), [1867], 1863-1878; Thecla
- - *lincoides* (Draudt), [1919], 1917-1924; Thecla

Arcas [Lyc:Lyc:The:Eum:Eumaeus]

- cypria* (Geyer), [1837], 1832-1837; Theritas
- - *paphia* (Felder & Felder), 1865, 1865-1875; Pseudolycaena
- delphia* Nicolay, 1971
- ducalis* (Westwood), [1851], 1846-1852; Thecla
- * *imperialis* (Cramer), [1775], 1775-1790; Papilio
- - - *actaeon* (Fabricius), 1775, (RC); Papilio
- - *oakesii* (Butler), 1884; Theritas
- - *venus* (Fabricius), 1781, 1781-1782; Papilio
- jivaro* Nicolay, 1971
- splendor* (H. H. Druce), 1907; Thecla
- tuneta* (Hewitson), [1865], 1863-1878; Thecla

Argentostriatus [Lyc:Lyc:The:Eum:Eumaeus]

- calus* (Godart), [1824], 1819-1824; Polyommatus
- clarina* (Hewitson), [1874], 1863-1878; Thecla
- clarissa* (Draudt), [1920], 1917-1924; Thecla
- eitschbergeri* Johnson, 1993
- matho* (Godman & Salvin), [1887], 1879-1901; Thecla
- mysticus* Johnson, 1993
- roraimaevagus* Johnson, 1993
- * *tamos* (Godman & Salvin), [1887], 1879-1901; Thecla
- wolfii* Johnson, 1993

Argyraspedes [Lyc:Lyc:The:Aph:Aphnaeus]

- * *argyraspis* (Trimen), 1873; Zeritis
- - *f. labuschagnei* (van Son), 1959; Phasia

Argyrocheila [Lyc:Lyc:Lip:Lip:Mimacraea]

- bitje* Bethune-Baker, 1915
- inundifera* Hawker-Smith, 1933
- * *undifera* Staudinger, 1892
- *ugandae* Hawker-Smith, 1933

Argyrocupha [Lyc:Lyc:The:Aph:Aphnaeus]

- * *malagrida* (Wallengren), 1857; Cigaritis
- - *aglaspis* (Trimen), 1862; Zeritis
- *cedrusmontana* Dickson & Stephen, 1975
- *maryae* Dickson, 1980
- *paarlensis* (Dickson), 1967; Phasia

Argyrogrammana [Lyc:Rio:Rio:Emesini]

- alstonii* (Smart), 1979; Argyrogramma
- amalfreda* (Staudinger), [1887], 1884-1888; Charis
- barine* (Staudinger), [1887], 1884-1888; Charis
- boyi* (Röber), 1926; Argyrogramma
- - *amazonica* (Meier-Ramel), 1928; Argyrogramma
- caesarion* Rebillard, 1958
- glaucoptis* (Bates), [1863]; Charis
- holosticta* (Godman & Salvin), 1878; Charis
- nurtia* Stichel, 1911
- occidentalis* (Godman & Salvin), [1886], 1879-1901; Charis
- - *juanita* (Staudinger), [1887], 1884-1888; Lemonias
- *placibilis* Stichel, 1910
- physis* Stichel, 1911
- *phyton* Stichel, 1911
- praestigiosa* (Stichel), 1929; Argyrogramma
- pulchra* (Talbot), 1929; Argyrogramma
- saphirina* (Staudinger), [1887], 1884-1888; Charis
- sticheli* (Talbot), 1929; Argyrogramma
- * *stilbe* (Godart), [1824], 1819-1824; Erycina
- - *perone* (Westwood), [1851], 1846-1852; Charis

Argyrogrammana (continued)

- subota* (Hewitson), 1877, 1869-1877; Charis
- sulphurea* (R. Felder), 1869; Charis
- *macularia* (Boisduval), 1870; Mesene
- - *ochrias* (Godman & Salvin), 1878; Charis
- trochilia* (Westwood), [1851], 1846-1852; Baetis
- - - - *trochila* (d'Abbrera), 1984, (ISS); Argyrogramma
- - - *boyi* (Meier-Ramel), 1928, (H); Argyrogramma
- *leptographia* Stichel, 1911
- *rameli* (Stichel), 1930; Argyrogramma
- venilia* (Bates), [1863]; Charis
- *crocea* (Godman & Salvin), 1878; Charis

Arhopala (?) [Lyc:Lyc:The:Arh:Arhopala]

- crobyle* (Kirsch), 1877; Amblypodia

Arhopala a [Lyc:Lyc:The:Arh:Arhopala]

- achelous* (Hewitson), 1862; Amblypodia
- aedias* (Hewitson), 1862; Amblypodia
- - *pangeran* Fruhstorfer, 1914
- *agnis* Felder & Felder, 1865, 1865-1875
- - *hagius* Fruhstorfer, 1914
- - *soter* Fruhstorfer, 1914
- - *sphetys* Fruhstorfer, 1914
- *meritata* Corbet, 1941
- *oenotria* (Hewitson), [1869], 1863-1878; Amblypodia
- *yendava* (Grose-Smith), 1887; Amblypodia
- - *pallida* (Evans), 1932; Amblypodia
- alexandrae* (Schröder & Treadaway), 1978; Narathura
- - *nakamotoi* (Hayashi), 1978; Narathura
- allata* (Staudinger), 1889; Amblypodia
- *atarana* (Tyler), 1926; Amblypodia
- *evandra* Corbet, 1941
- *pambihira* (Takanami), 1982; Narathura
- *pandora* Corbet, 1941
- *suffusa* Tyler, 1915
- anarte* (Hewitson), 1862; Amblypodia
- - *morphicolor* Corbet, 1941
- *auzea* de Nicéville, [1896]
- annulata* (C. Felder), 1860; Amblypodia
- - *erebina* (Staudinger), 1889; Amblypodia
- - *schroederi* (Hayashi), 1981; Narathura
- - *tristis* (Röber), 1887; Amblypodia
- anthelus* (Westwood), [1852], 1846-1852; Amblypodia
- - *paradisii* Schröder & Treadaway, 1990
- *anthea* (Evans), 1925; Amblypodia
- *anunda* (Hewitson), [1869], 1863-1878; Amblypodia
- *expallida* Seki, 1994
- *fulgurita* Seki, 1994
- *grahami* Corbet, 1941
- *impar* (Evans), 1957; Narathura
- *jabardia* Fruhstorfer, 1914
- *majestatis* Fruhstorfer, 1914
- *marinduquensis* (Hayashi & Schröder & Treadaway), 1984; Narathura
- *mitis* Seki, 1994
- *reverie* Seki, 1994
- *sanmariana* Osada & Hashimoto, 1987
- *saturnator* (Staudinger), 1889; Amblypodia
- *sotades* Fruhstorfer, 1914
- atosis* (Hewitson), [1863], 1863-1878; Amblypodia
- *aria* (Evans), 1932; Amblypodia
- *aricia* (Staudinger), 1889; Amblypodia
- *malayana* Bethune-Baker, 1903
- - *jahara* Corbet, 1941
- - *udapa* Corbet, 1941
- auxesia* (Hewitson), [1863], 1863-1878; Amblypodia
- *salvia* (Evans), 1957; Narathura
- azata* de Nicéville, [1896]
- brooksiana* Corbet, 1941
- - *malu* Corbet, 1946
- buddha* Bethune-Baker, 1903

Arhopala a (*continued*)

- - *aleta* Piepers & Snellen, 1918
- - - *aleta* (Seitz), [1926], 1912-1927, (H); *Amblypodia*
- *cooperi* (Evans), 1925; *Amblypodia*
- - *gana* Corbet, 1941
- *siberuta* Corbet, 1941
- *whiteheadi* Corbet, 1946
- camdana* Corbet, 1941
- *arjuna* Nieuwenhuis, 1970
- *kangeana* Nieuwenhuis, 1970
- camdeo* Moore, [1858]
- *sebonga* (Tyler), 1926; *Amblypodia*
- delta* (Evans), 1957; *Narathura*
- dispar* Riley & Godfrey, 1921
- *chota* (Evans), 1957; *Narathura*
- *diluta* (Evans), 1932; *Amblypodia*
- *fracta* (Evans), 1957; *Narathura*
- *pendleburyi* Corbet, 1941
- dohertyi* Bethune-Baker, 1903
- eridanus* (C. Felder), 1860; *Amblypodia*
- - *polita* (Röber), 1887; *Amblypodia*
- *dilutior* (Staudinger), 1889; *Amblypodia*
- *elfeta* (Hewitson), [1869], 1863-1878; *Amblypodia*
- - *viola* (Röber), 1887; *Amblypodia*
- *lewara* Ribbe, 1926
- - *hayashii* (Detani), 1983; *Narathura*
- - *itama* Ribbe, 1926
- *padus* Felder & Felder, 1865, 1865-1875
- hellada* Fruhstorfer, 1914
- *murakamii* Seki & Takanami, 1990
- *ozana* Fruhstorfer, 1914
- ijanensis* Bethune-Baker, 1897
- - - *ijauensis* (Seitz), [1926], 1912-1927, (ISS); *Amblypodia*
- - *simonea* Corbet, 1941
- - - *subfasciata* (Moore), [1884], (H); *Nilasera*
- johoreana* Corbet, 1941
- *kalima* (Evans), 1957; *Narathura*
- lurida* Corbet, 1941
- myrzala* (Hewitson), [1869], 1863-1878; *Amblypodia*
- *cardinaali* Nieuwenhuis, 1970
- *conjuncta* Corbet, 1941
- *lammas* Corbet, 1941
- opalina* (Moore), [1884]; *Nilasera*
- *fruhstorferi* (Röber), 1897; *Amblypodia*
- - *sphendale* Fruhstorfer, 1914
- semperi* Bethune-Baker, 1896
- - *panthera* Corbet, 1946
- - - *phantera* Seki & Takanami & Otsuka, 1991, (ISS)
- *russelli* Eliot, 1962
- straatmanni* Nieuwenhuis, 1970
- trionoeca* Semper, 1890, 1886-1892
- - *hollowayi* (Hayashi), 1981; *Narathura*
- varro* Fruhstorfer, 1914
- - *karennia* (Evans), 1925; *Amblypodia*
- *selama* (Eliot), 1959; *Narathura*

Arhopala b [Lyc:Lyc:The:Arh:Arhopala]

- agesias* (Hewitson), 1862; *Amblypodia*
- - *ovomaculata* (Hewitson), [1878], 1863-1878; *Amblypodia*
- agesilaus* (Staudinger), 1889; *Amblypodia*
- *gesa* Corbet, 1941
- *philippa* (Evans), 1957; *Narathura*
- alica* (Evans), 1957; *Narathura*
- amphimuta* (Felder & Felder), 1860; *Amblypodia*
- - *asia* de Nicéville, 1893
- *quadra* (Evans), 1957; *Narathura*
- anamuta* Semper, 1890, 1886-1892
- avathina* Corbet, 1941
- *neon* Corbet, 1941
- - *xenon* Corbet, 1941
- baluensis* Bethune-Baker, 1904

Arhopala b (*continued*)

- belphoebe* Doherty, 1889
- - *cowani* Corbet, 1941
- dajagaka* Bethune-Baker, 1896
- epimuta* Moore, [1858]
- *elsiei* (Evans), 1925; *Amblypodia*
- *epiala* Corbet, 1941
- hesba* (Hewitson), [1869], 1863-1878; *Amblypodia*
- + *hypomuta* (Hewitson), 1862; *Amblypodia*
- *deva* Bethune-Baker, 1896
- - *shelfordi* Moulton, [1912]
- kinabala* H. H. Druce, 1895
- - *nabala* Corbet, 1941
- kurzi* (Distant), 1885, 1882-1886; *Narathura*
- major* Staudinger, 1889
- - *catori* Bethune-Baker, 1903
- *milleriana* Corbet, 1941
- *parvimaculata* Okubo, 1983
- metamuta* (Hewitson), [1863], 1863-1878; *Amblypodia*
- - *gunongensis* Bethune-Baker, 1897
- *hilda* (Evans), 1957; *Narathura*
- moolaiana* (Moore), [1879]; *Narathura*
- - *pagaiensis* Ollenbach, 1921
- - *pastorella* Doherty, 1889
- *javana* Nieuwenhuis, 1970
- *klossi* Corbet, 1941
- *maya* (Evans), 1932; *Amblypodia*
- *yajuna* Corbet, 1941
- moorei* Bethune-Baker, 1896
- - *daganda* Corbet, 1941
- *busa* Corbet, 1941
- - *santava* Corbet, 1941
- muta* (Hewitson), 1862; *Amblypodia*
- *gloria* (Evans), 1957; *Narathura*
- *maranda* Corbet, 1941
- *merguiana* Corbet, 1941
- *trima* Corbet, 1941
- *tropaea* Corbet, 1941
- *wallacei* Corbet, 1941
- *waterstradti* Bethune-Baker, 1896
- myrzalina* Corbet, 1941
- norda* (Evans), 1957; *Narathura*
- pseudovihara* (Hayashi), 1981; *Narathura*
- sakaguchii* (Hayashi), 1981; *Narathura*
- sceva* Bethune-Baker, 1903
- *indra* (Evans), 1957; *Narathura*
- *siabra* Corbet, 1941
- similis* H. H. Druce, 1895
- - *anila* de Nicéville, [1896]
- stubbsi* Eliot, 1962
- *serapina* Seki, 1991
- zylda* Corbet, 1941
- *elioti* Corbet, 1941

Arhopala c [Lyc:Lyc:The:Arh:Arhopala]

- abseus* (Hewitson), 1862; *Amblypodia*
- - - *absens* Kirby, [1870], (ISS)
- - *nava* Fruhstorfer, 1914
- *ampea* Felder & Felder, 1865, 1865-1875
- *indicus* Riley, 1923
- *mackwoodi* (Riley), 1923; *Amblypodia*
- *oghatinna* Fruhstorfer, 1914
- *ophiala* Corbet, 1941
- anella* de Nicéville, 1895
- irregularis* Bethune-Baker, 1903

Arhopala d [Lyc:Lyc:The:Arh:Arhopala]

- argentea* Staudinger, [1888], 1884-1888
- - *clarissa* Grose-Smith, 1897
- aronya* (Hewitson), [1869], 1863-1878; *Amblypodia*
- *natsumiae* (Hayashi), 1981; *Narathura*
- matsutaroi* (Hayashi), 1979; *Narathura*

Arhopala d (*continued*)

- sangira* Bethune-Baker, 1897
- theba* Hewitson, [1863], 1863-1878

Arhopala e [Lyc:Lyc:The:Arh:Arhopala]

- ate* Hewitson, [1863], 1863-1878
- hercules* (Hewitson), 1862; *Amblypodia*
- *droa* (Evans), 1957; *Narathura*
- *herculina* Staudinger, [1888], 1884-1888
- *leo* H. H. Druce, 1894
- - *leonidas* (Toxopeus), 1930; *Amblypodia*
- - *telephus* (Toxopeus), 1930; *Amblypodia*
- *leontodamas* (Toxopeus), 1930; *Amblypodia*
- - - *leotodamas* (Anonymous), 1931, (ISS); *Amblypodia*
- *louisa* (Evans), 1957; *Narathura*
- *phalaerus* Fruhstorfer, 1914
- *sophilus* Fruhstorfer, 1914
- - *obscurata* Ribbe, 1926
- *stymphelus* Fruhstorfer, 1914
- *tyrannus* Felder & Felder, 1865, 1865-1875
- - *afranius* Fruhstorfer, 1914
- - *gilolensis* Felder & Felder, 1865, 1865-1875

Arhopala f [Lyc:Lyc:The:Arh:Arhopala]

- ace* de Nicéville, 1893
- *arata* Tytler, 1915
- aenigma* Eliot, 1972
- agrata* de Nicéville, 1890
- *binghami* Corbet, 1946
- *brookei* Bethune-Baker, 1903
- *shirozui* (Hayashi), 1976; *Narathura*
- aida* de Nicéville, 1889
- *ophir* (Evans), 1957; *Narathura*
- alax* (Evans), 1932; *Amblypodia*
- alea* (Hewitson), 1862; *Amblypodia*
- - *canaraica* (Moore), 1884; *Satadra*
- alitaeus* (Hewitson), 1862; *Amblypodia*
- - *viviana* (Röber), 1887; *Amblypodia*
- *mindanensis* Bethune-Baker, 1903
- - *nishiyamai* (Hayashi), 1981; *Narathura*
- *mira* Corbet, 1941
- - *psama* Corbet, 1941
- *mirabella* Doherty, 1889
- *myrtale* (Staudinger), 1889; *Amblypodia*
- *panta* (Evans), 1957; *Narathura*
- *pardenas* Corbet, 1941
- *shigae* Murayama & Okamura, 1973
- - - *shigei* d'Abreu, 1986, (ISS)
- *valika* Corbet, 1941
- *zilensis* Fruhstorfer, 1914
- ariana* (Evans), 1925; *Amblypodia*
- *arianaga* Corbet, 1941
- *wilcocksii* Eliot, 1973
- aroa* (Hewitson), [1863], 1863-1878; *Amblypodia*
- - *pryeri* (Butler), 1892; *Narathura*
- *arops* Corbet, 1941
- *esava* Corbet, 1941
- athada* (Staudinger), 1889; *Amblypodia*
- - *agamemnon* Corbet, 1941
- - *drucei* Bethune-Baker, 1896
- *apha* de Nicéville, 1895
- *wilemani* (Evans), 1957; *Narathura*
- + *atrax* (Hewitson), 1862; *Amblypodia*
- - *alemon* de Nicéville, 1891
- - *hewitsoni* Bethune-Baker, 1903
- aurelia* (Evans), 1925; *Amblypodia*
- azinis* de Nicéville, [1896]
- *kounga* Bethune-Baker, 1896
- bazaloides* (Hewitson), [1878], 1863-1878; *Amblypodia*
- *lanka* Evans, 1957
- cleander* (C. Felder), 1860; *Amblypodia*
- - *adatha* (Hewitson), 1862; *Amblypodia*

Arhopala f (*continued*)

- *aphadantas* Corbet, 1941
- *apharida* Corbet, 1941
- *aruana* (Evans), 1957; *Narathura*
- *incerta* Moulton, [1912]
- *jobina* (Evans), 1957; *Narathura*
- *malayica* Bethune-Baker, 1903
- - *sugimotoi* (Hayashi), 1981; *Narathura*
- *minor* (Evans), 1957; *Narathura*
- *regia* (Evans), 1925; *Amblypodia*
- *sostrata* Fruhstorfer, 1914
- democritus* (Fabricius), 1793, 1792-1799; *Hesperia*
- - *albopunctata* (Hewitson), [1869], 1863-1878; *Amblypodia*
- *buxtoni* (Hewitson), [1878], 1863-1878; *Amblypodia*
- *lycaenaria* (Felder & Felder), 1860; *Amblypodia*
- *olinda* (H. Druce), 1873; *Amblypodia*
- denta* (Evans), 1957; *Narathura*
- elopura* H. H. Druce, 1894
- *dama* Swinhoe, 1910, 1909-1913
- evansi* Corbet, 1941
- havilandi* Bethune-Baker, 1896
- *kota* (Evans), 1957; *Narathura*
- milleri* Corbet, 1941
- myrtha* (Staudinger), 1889; *Amblypodia*
- nicevillei* Bethune-Baker, 1903
- normani* Eliot, 1972
- oena* (Hewitson), [1869], 1863-1878; *Amblypodia*
- *khamti* Doherty, 1891
- phaenops* Felder & Felder, 1865, 1865-1875
- *buruensis* Holland, 1900
- *detrita* (Staudinger), 1889; *Amblypodia*
- *pelenga* Seki, 1989
- *sandakani* Bethune-Baker, 1896
- *termerion* Fruhstorfer, 1914
- phanda* Corbet, 1941
- *sibatika* Eliot, 1972
- - - *sibatica* Anonymous, 1976, (ISS)
- pseudomuta* (Staudinger), 1889; *Amblypodia*
- - *epibata* Corbet, 1948
- - *rafflesii* de Nicéville, 1890
- *ariavana* Corbet, 1941
- *contra* (Evans), 1957; *Narathura*
- quercoides* (Röber), [1886]; *Amblypodia*
- ralanda* Corbet, 1941
- *karnyi* Corbet, 1941
- *molta* (Evans), 1957; *Narathura*
- *ridleyi* Corbet, 1941
- selta* (Hewitson), [1869], 1863-1878; *Amblypodia*
- *constanceae* de Nicéville, 1894
- *hislopi* Eliot, 1962
- silhetensis* (Hewitson), 1862; *Amblypodia*
- - *arama* de Nicéville, 1895
- *adorea* de Nicéville, 1890
- *fundania* Fruhstorfer, 1914
- *philippina* (Hayashi), 1981; *Narathura*
- sintanga* Corbet, 1948
- sublustris* Bethune-Baker, 1904
- zambra* Swinhoe, 1911, 1909-1913
- - - *vandenberghi* Corbet, 1941, (PS)
- - *antura* Swinhoe, 1910, 1909-1913
- - *georgias* Piepers & Snellen, 1918
- *plateni* (Evans), 1957; *Narathura*

Arhopala g [Lyc:Lyc:The:Arh:Arhopala]

- acetes* (Hewitson), 1862; *Amblypodia*
- - *kitjila* Ribbe, 1926
- acta* (Evans), 1957; *Narathura*
- amantes* (Hewitson), 1862; *Amblypodia*
- *amatrix* de Nicéville, 1891
- *apella* (Swinhoe), [1887]; *Nilasera*
- antharita* Grose-Smith, 1894

Arhopala g (continued)

- *hyacinthus* (Röber), 1931; *Amblypodia*
- asma* (Evans), 1957; *Narathura*
- bazalus* (Hewitson), 1862; *Amblypodia*
- *nebenius* Fruhstorfer, 1914
- *pratinas* Fruhstorfer, 1914
- *asagiae* (Hayashi), 1978; *Narathura*
- *teesta* (de Nicéville), 1886; *Satadra*
- *tusta* (Sharp), [1887], (ISS); *Satadra*
- *turbata* (Butler), [1882]; *Turbata*
- *zalinda* Corbet, 1941
- bella* Bethune-Baker, 1896
- chamaeleona* Bethune-Baker, 1903
- *elagabulus* Fruhstorfer, 1914
- *elegabulus* Evans, 1957, (ISS)
- *heliagabulus* Evans, 1957, (ISS)
- *heliogabalus* (Seitz), [1926], 1912-1927, (ISS); *Amblypodia*
- *restricta* Rothschild, 1916
- *maputi* (Takanami), 1984; *Narathura*
- *mizunumai* (Hayashi), 1978; *Narathura*
- *rileyi* Joicey & Talbot, 1922
- corinda* (Hewitson), [1869], 1863-1878; *Amblypodia*
- *aceses* de Nicéville, 1893
- *corestes* Corbet, 1941
- eumolphus* (Stoll), [1780], 1780-1790; *Papilio*
- *elis* (Fruhstorfer), 1914, (IFS); *Amblypodia*
- *bupola* (Hewitson), [1878], 1863-1878; *Amblypodia*
- *tagore* Fruhstorfer, 1914
- *adonias* (Hewitson), 1862; *Amblypodia*
- *aytonia* Fruhstorfer, 1914
- *grynea* (Hewitson), [1878], 1863-1878; *Amblypodia*
- *aristomachus* Fruhstorfer, 1914
- *maxwelli* (Distant), 1885, 1882-1886; *Narathura*
- *caesarion* Fruhstorfer, 1914
- *caesetius* Fruhstorfer, 1914
- *farquhari* (Distant), 1885, 1882-1886; *Narathura*
- halma* (Evans), 1957; *Narathura*
- halmaheira* Bethune-Baker, 1904
- hellenore* Doherty, 1889
- *sanherib* Fruhstorfer, 1914
- *viridissima* Swinhoe, 1890
- *siroes* Fruhstorfer, 1914
- horsfieldi* (Pagenstecher), 1890; *Amblypodia*
- *vellanus* Fruhstorfer, 1914
- *basiviridis* de Nicéville, 1891
- *herodianus* Fruhstorfer, 1914
- *leokrates* Fruhstorfer, 1914
- *eurysthenes* Fruhstorfer, 1914
- *palawanica* (Hayashi), 1976; *Narathura*
- *reimi* Seki, 1994
- *serpa* Fruhstorfer, 1900
- *biru* Fruhstorfer, 1914
- irma* Fruhstorfer, 1914
- *purpura* Evans, 1957
- nobilis* (C. Felder), 1860; *Amblypodia*
- *nobilior* Fruhstorfer, 1914
- *alce* (Hewitson), 1862; *Amblypodia*
- *ajusa* Fruhstorfer, 1914
- *alcestis* (Grose-Smith), 1902, 1887-1902; *Amblypodia*
- *athara* Grose-Smith, 1902, 1887-1902
- *caelestis* (Röber), 1931; *Amblypodia*
- *bosnikiana* Joicey & Talbot, 1916
- overdijkinki* Corbet, 1941
- *unda* (Evans), 1957; *Narathura*
- singla* (de Nicéville), 1885; *Satadra*
- staudingeri* Semper, 1890, 1886-1892
- *castagnedal* Osada & Hashimoto, 1987
- *negrosiana* (Hayashi), 1981; *Narathura*
- tameanga* Bethune-Baker, 1896
- tephlis* (Hewitson), [1869], 1863-1878; *Amblypodia*

Arhopala g (continued)

- *bicolora* (Röber), [1886]; *Amblypodia*
- *unnoi* (Hayashi), 1976; *Narathura*
- tindongani* Nuyda & Takanami, 1990
- wildei* Miskin, 1891
- *cupido* (Bethune-Baker), 1903, (PS); *Amblypodia*
- *neva* (Evans), 1957; *Narathura*
- *soda* (Evans), 1957; *Narathura*

Arhopala h [Lyc:Lyc:The:Arh:Arhopala]

- adherbal* Grose-Smith, 1897
- *appianus* (Grose-Smith), 1902, 1887-1902; *Amblypodia*
- axone* (Hewitson), [1863], 1863-1878; *Amblypodia*
- *herana* Fruhstorfer, 1914
- *natanda* Fruhstorfer, 1914
- *notanda* (Seitz), [1924], 1912-1927, (ISS); *Amblypodia*
- *chrysoana* Fruhstorfer, 1914
- alkisthenes* Fruhstorfer, 1914
- araxes* Felder & Felder, 1865, 1865-1875
- *grandiosa* Fruhstorfer, 1914
- *eurisus* H. H. Druce, 1891
- *oneter* Fruhstorfer, 1914
- *aphobus* Fruhstorfer, 1914
- *philtrion* Fruhstorfer, 1914
- *talauta* (Evans), 1957; *Narathura*
- *tindali* Ribbe, 1899
- *verelius* Fruhstorfer, 1914
- + *centaurus* (Fabricius), 1775; *Papilio*
- *asopus* Waterhouse & Lyell, 1914
- *eupolis* (Miskin), 1890; *Amblypodia*
- *centenitus* Fruhstorfer, 1914
- *coruscans* Wood-Mason & de Nicéville, 1880
- *pirama* (Moore), [1881], 1880-1881; *Nilasera*
- *pirithous* (Moore), [1884]; *Nilasera*
- *barbarus* (Gmelin), [1790], (JOS); *Papilio*
- hylander* Grose-Smith, 1894
- kiriwini* Bethune-Baker, 1903
- lata* (Evans), 1957; *Narathura*
- madytus* Fruhstorfer, 1914
- meander* Boisduval, 1832
- *anicus* Fruhstorfer, 1914
- *perianther* Grose-Smith, 1894
- micale* Boisduval, 1853, 1848-1853
- *androtion* Fruhstorfer, 1914
- *acerba* (Hewitson), [1863], 1863-1878; *Amblypodia*
- *amydon* Waterhouse, 1942
- *amytis* (Hewitson), 1862; *Amblypodia*
- *amphis* Waterhouse, 1942
- *cyronthe* (Miskin), 1890; *Amblypodia*
- *bosnika* (Evans), 1957; *Narathura*
- *centra* (Evans), 1957; *Narathura*
- *cidona* Fruhstorfer, 1914
- *jona* (Evans), 1957; *Narathura*
- *leptines* Fruhstorfer, 1914
- *novaeguineae* Strand, 1912
- *novaeguinae* Sharp, [1914], (ISS)
- *ab. tebaensis* Strand, 1912
- *obina* (Evans), 1957; *Narathura*
- *ribbei* (Röber), [1886]; *Amblypodia*
- *riuna* (Evans), 1957; *Narathura*
- *selymbria* Fruhstorfer, 1914
- *superba* (Röber), 1887; *Amblypodia*
- philander* Felder & Felder, 1865, 1865-1875
- *ander* (Evans), 1957; *Narathura*
- *eichhorni* (Evans), 1957; *Narathura*
- *gander* (Evans), 1957; *Narathura*
- *gazella* Fruhstorfer, 1914
- *leander* (Evans), 1957; *Narathura*
- *meeki* (Evans), 1957; *Narathura*
- *pratti* (Evans), 1957; *Narathura*
- pseudocentaurus* (Doubleday), 1847, 1844-1848; *Amblypodia*

Arhopala h (*continued*)

- - *amazona* (Pagenstecher), 1890; Amblypodia
- *aglais* Felder & Felder, 1865, 1865-1875
- - *setsuroid* (Hayashi), 1981; Flos
- *dixonii* Eliot, 1978
- *nakula* (Felder & Felder), 1860; Amblypodia
- - *cervidius* Fruhstorfer, 1914
- sophrosyne* (Grose-Smith), 1889; Amblypodia
- styx* (Evans), 1957; Narathura
- wanda* (Evans), 1957; Narathura

Arhopala i [Lyc:Lyc:The:Arh:Arhopala]

- aeta* de Nicéville, 1893
- - - *oeta* (Seitz), [1926], 1912-1927, (ISS); Amblypodia
- agaba* (Hewitson), 1862; Amblypodia
- agelastus* (Hewitson), 1862; Amblypodia
- *perissa* Doherty, 1889
- alaconia* (Hewitson), [1869], 1863-1878; Amblypodia
- - - *alazonia* (Kirby), 1871, (ISS); Amblypodia
- - - *f. kempii* (Eliot), 1959, (IFS); Narathura
- *aloana* Corbet, 1941
- *media* (Evans), 1957; Narathura
- *nocturna* Seki, 1994
- *oberthueri* (Staudinger), 1889; Amblypodia
- alesia* Felder & Felder, 1865, 1865-1875
- *mio* (Hayashi), 1981; Narathura
- *sacharja* Fruhstorfer, 1914
- *wimberleyi* (de Nicéville), 1887; Nilasera
- arsenius* Felder & Felder, 1865, 1865-1875
- *everetti* (Evans), 1957; Narathura
- arvina* (Hewitson), [1863], 1863-1878; Amblypodia
- *aboe* de Nicéville, 1895
- - *adala* de Nicéville, 1895
- - *adulans* de Nicéville, 1895
- *adalitas* Corbet, 1941
- *ardea* (Evans), 1932; Amblypodia
- asinarus* Felder & Felder, 1865, 1865-1875
- - *enoma* Corbet, 1946
- *tounguva* (Grose-Smith), 1887; Amblypodia
- - - *longuva* d'Abrebra, 1986, (ISS)
- asopia* (Hewitson), [1869], 1863-1878; Amblypodia
- barami* Bethune-Baker, 1903
- *penanga* Corbet, 1941
- *woodii* Ollenbach, 1921
- grandimuta* Seki, 1993
- *takanamii* Seki, 1993
- hinigugma* Takanami, 1985
- ilocana* Osada & Hashimoto, 1987
- - - *natsumiae* Hayashi, 1984, (H)
- labuana* Bethune-Baker, 1896
- - *etuna* Corbet, 1941
- luzonensis* Takanami & Ballantine, 1987
- ocrida* (Hewitson), [1869], 1863-1878; Amblypodia
- ormistoni* Riley, 1920
- paralea* (Evans), 1925; Amblypodia
- vihara* (Felder & Felder), 1860; Amblypodia
- *hirava* Corbet, 1941
- *pagia* Corbet, 1941
- wildeyana* Corbet, 1941
- - *havea* Corbet, 1941
- zeta* (Moore), 1877; Amblypodia
- - *roona* (Moore), 1884; Narathura

Arhopala j [Lyc:Lyc:The:Arh:Arhopala]

- comica* de Nicéville, 1900
- - *learmondi* (Tyler), 1940; Surendra
- curiosa* (Evans), 1957; Narathura
- dodonaea* (Moore), [1858]; Amblypodia
- japonica* (Murray), 1874; Amblypodia
- - *kotoshona* (Sonan), 1940; Amblypodia
- paramuta* (de Nicéville), [1884]; Panchala
- - *newara* (Moore), 1884; Darasana

Arhopala j (*continued*)

- *horishana* Matsumura, 1910
- rama* (Kollar), [1844]; Thecla
- - *querceti* (Moore), [1858]; Amblypodia
- - *violacea* (Röber), [1886]; Amblypodia
- *ramosa* (Evans), 1925; Amblypodia

Arhopala k [Lyc:Lyc:The:Arh:Arhopala]

- antimuta* Felder & Felder, 1865, 1865-1875
- - *davisonii* de Nicéville, 1890
- *amica* Seki, 1994
- *tana* Corbet, 1941
- *timana* Corbet, 1941
- - *aritari* (Hayashi), 1978; Narathura
- avatha* de Nicéville, [1896]
- *lana* (Evans), 1957; Narathura
- cardoni* Corbet, 1941
- davaona* Semper, 1890, 1886-1892
- epimete* (Staudinger), 1889; Amblypodia
- *duessa* Doherty, 1889
- *magindana* Osada, 1987
- *suedas* Corbet, 1941
- + *inornata* (Felder & Felder), 1860; Amblypodia
- - *brahma* Bethune-Baker, 1897
- *empesta* Corbet, 1941
- + *perimuta* (Moore), [1858]; Amblypodia
- *regina* Corbet, 1941
- - - *regia* (Evans), 1925, (H); Amblypodia
- - *linta* Corbet, 1941

Arhopala l [Lyc:Lyc:The:Arh:Arhopala]

- acron* (Hewitson), 1862; Amblypodia
- *azenia* (Hewitson), [1863], 1863-1878; Amblypodia
- admete* Hewitson, [1863], 1863-1878
- *eucolpis* (Kirsch), 1877; Amblypodia
- - *waigeoensis* Bethune-Baker, 1903
- *sudesta* (Evans), 1957; Narathura
- disparilis* (C. Felder), 1860; Amblypodia
- - - *disparalis* Seitz, [1926], 1912-1927, (ISS)
- - *courvoisieri* (Ribbe), 1900; Amblypodia
- fulla* (Hewitson), 1862; Amblypodia
- - *prasiae* Fruhstorfer, 1914
- *andamanica* (Wood-Mason & de Nicéville), 1881; Amblypodia
- - - *andamanica* (Wood-Mason & de Nicéville), 1881, (H & JOS); Narathura
- - *subfasciata* (Moore), 1881; Narathura
- *bahsi* Joicey & Talbot, 1917
- - - - *bahsi* (Seitz), [1926], 1912-1927, (ISS); Amblypodia
- *canulia* (Hewitson), [1869], 1863-1878; Amblypodia
- - *sosias* Fruhstorfer, 1914
- *ignara* Riley & Godfrey, 1921
- *intaca* Corbet, 1941
- - - - *intacta* d'Abrebra, 1986, (ISS)
- *santa* (Evans), 1957; Narathura

Arhopala m [Lyc:Lyc:The:Arh:Arhopala]

- + *aurea* (Hewitson), 1862; Amblypodia
- - *tembaga* Moulton, [1912]
- borneensis* Bethune-Baker, 1896
- caeca* (Hewitson), [1863], 1863-1878; Amblypodia
- stinga* (Evans), 1957; Aurea
- trogon* (Distant), 1884; Panchala
- - *rajah* Moulton, [1912]
- - - - *sajah* Sharp, [1913], (ISS)
- *perelegans* Seki, 1994

Arhopala n [Lyc:Lyc:The:Arh:Arhopala]

- arta* (Evans), 1957; Narathura
- axina* Evans, 1957
- axiothea* (Hewitson), [1863], 1863-1878; Amblypodia
- - *strophe* Grose-Smith, 1897

Arhopala n (*continued*)

- doreena Parsons, 1986
- helianthes (Grose-Smith), 1902, 1887-1902; Amblypodia
- thamyras (Linnaeus), 1758; Papilio
- - - - *tamyras* (Bethune-Baker), 1903, (ISS); Amblypodia
- - - - *thamyras* d'Abreu, 1971, (ISS)
- - - esra (Herbst), 1800, 1788-1804, (H); Papilio
- - carolina Holland, 1900
- - helus (Godart), [1824], 1819-1824; Polyommatus
- - - helius (Cramer), [1779], 1775-1790, (H); Papilio
- anthelius Staudinger, [1888], 1884-1888
- - calaureia Fruhstorfer, 1914
- anthore (Hewitson), 1862; Amblypodia
- - potidaea Fruhstorfer, 1914
- - minnetta (Butler), 1882; Amblypodia
- - - - *minnetta* Seitz, [1926], 1912-1927, (ISS)
- * - phryxus Boisduval, 1832
- - interniplaga Strand, 1912
- - latimarginata Strand, 1912
- - sophax (Mathew), 1887; Amblypodia
- - teuthrone Fruhstorfer, 1914
- - - - *teuthrone* (Seitz), [1926], 1912-1927, (ISS); Amblypodia
- - zelea Fruhstorfer, 1914

Arhopala o [Lyc:Lyc:The:Arh:Arhopala]

- aberrans (de Nicéville), [1889]; Acesina
- - ellisi Evans, 1914
- ammon (Hewitson), 1862; Amblypodia
- sarawaca Moulton, [1912]
- - - - *sarawaka* Seki & Takanami & Otsuka, 1991, (ISS)
- ammonides (Doherty), 1891; Acesina
- bowringi (Evans), 1957; Panchala
- chunshu Fruhstorfer, 1914
- - - - *chunshu* d'Abreu, 1986, (ISS)
- elira Corbet, 1941
- kalabakana Eliot, 1972
- monava Corbet, 1941
- apurpurosa Barlow & Banks & Holloway, 1971
- ariel (Doherty), 1891; Acesina
- antis Corbet, 1941
- birmana (Moore), [1884]; Panchala
- - arisba (de Nicéville), 1891; Acesina
- - corthatha Fruhstorfer, 1914
- - - - *corthatha* (Seitz), [1926], 1912-1927, (ISS); Amblypodia
- - dascia Swinhoe, 1917
- - maymyoia (Tyler), 1926; Amblypodia
- - - - *maymyoia* Evans, 1957, (ISS)
- asakurae (Matsumura), 1910; Acesina
- - - - *oryzana* Corbet, 1941, (PS)
- - uchidae Matsumura, 1926
- hiurai (Hayashi), 1976; Panchala
- dizabetae (Eliot), 1959; Panchala
- + ganesa (Moore), [1858]; Amblypodia
- formosana Kato, 1930
- loomisi (Pryer), 1886, 1886-1888; Amblypodia
- seminigra (Leech), 1890; Amblypodia
- watsoni Evans, 1912
- hammon Fruhstorfer, 1914
- mendava Corbet, 1941
- nankoshana (Shimonoya & Murayama), 1976; Panchala
- + paraganesa (de Nicéville), 1882; Amblypodia
- dusunensis Barlow & Banks & Holloway, 1971
- tomokoae (Hayashi), 1976; Panchala
- weelii Piepers & Snellen, 1918
- zephyretta (Doherty), 1891; Acesina

Arhopala p [Lyc:Lyc:The:Arh:Arhopala]

- bungo (Evans), 1957; Flos

Arhopala q [Lyc:Lyc:The:Arh:Arhopala]

- critala (C. Felder), 1860; Amblypodia
- florinda (Grose-Smith), 1896; Pseudonotis

Arhopala q (*continued*)

- pagenstecheri (Ribbe), 1899; Pseudonotis

Arhopala r [Lyc:Lyc:The:Arh:Arhopala]

- brillantina Seki & Takanami, 1990

Aricoris [Lyc:Rio:Rio:Lemoniini]

- ambigua d'Almeida, 1932
- monotona (Stichel), 1910; Melanope
- tutana (Godart), [1824], 1819-1824; Erycina
- + - - bahiana Felder & Felder, 1865, 1865-1875
- * - - tisiphone Westwood, [1851], 1846-1852

Armenia [Lyc:Lyc:The:Eum:Eumaeus]

- hyrcanica (Riley), 1939; Strymon
- - - - *hyrcanica* (d'Abreu), 1993, (ISS); Strymonidia
- badachshanica (Stchetchkin), 1984; Pseudothecia
- cyri (Nekrutenko), 1978; Pseudothecia
- seravshanica (Stchetchkin), 1984; Pseudothecia
- * ledereri (Boisduval), 1848; Lycaena
- christianae (Olivier), 1989; Satyrium
- nazeri (Larsen), 1974; Fixsenia

Artipe [Lyc:Lyc:The:Deu:Deudorix]

- anna (H. H. Druce), 1896; Lehera
- - fulva (Moulton), [1912]; Lehera
- dohertyi (Oberthür), 1894; Deudorix
- cholus (Jordan), 1930; Deudorix
- fortis (Jordan), 1930; Deudorix
- eryx (Linnaeus), 1771; Papilio
- * - - - amyntor (Herbst), 1804, 1788-1804, (H); Papilio
- - - okinawana (Matsumura), 1919; Lehera
- - skinneri (Wood-Mason & de Nicéville), [1887]; Lehera
- agis (Fruhstorfer), 1914; Lehera
- alax Eliot, 1956
- - - - *ajax* d'Abreu, 1986, (ISS)
- excellens (Eliot), 1959; Atripe
- horiella (Matsumura), 1929; Lehera
- grandis (Rothschild & Jordan), 1905; Deudorix
- jactantis (Jordan), 1930; Deudorix
- mesites (Jordan), 1930; Deudorix

Artipoetes [Lyc:Lyc:The:The:Thecia]

- * pryeri (Murray), 1873; Lycaena
- - - - *ab. nakamurai* (Kanda & Kato), 1931; Lycaena
- continentalis Shirôzu, 1952
- isurugiæ Okano, 1968
- shikokuana (Ôkubo), 1935; Lycaena
- yatsugabakensis Murayama, 1954
- - - - *yatsugatakensis* Anonymous, 1959, (ISS)
- yezoensis Nakahara, 1951
- - - - *jezoensis* Shirôzu, 1952, (ISS)

Aslauga [Lyc:Lyc:Lip:Aslauga]

- atrophifurca Cottrell, 1981
- aura H. H. Druce, 1913
- australis Cottrell, 1981
- bella Bethune-Baker, 1914
- bitjensis Bethune-Baker, [1925]
- camerunica Stempffer, 1969
- lamborni Bethune-Baker, 1914
- latifurca Cottrell, 1981
- marshalli Butler, [1899]
- - marginaria Talbot, 1937
- modesta Schultze, 1923
- orientalis Cottrell, 1981
- pandora H. H. Druce, 1913
- - - - *pandera* Sharp, [1914], (ISS)
- purpurascens (Holland), 1890; Epitola
- * vininga (Hewitson), 1875; Liphyra
- - - - *vininga* d'Abreu, 1980, (ISS)
- - leonae Aurivillius, [1920], 1908-1925
- - - - *leonae* Sharp, [1922], (ISS)

Aslauga (continued)

- - *marginalis* Kirby, 1890
- - *marginata* (Plötz), 1880; *Deloneura*
- - *subfulvida* (Holland), 1890; *Epitola*

Astraeodes [Lyc:Rio:Rio:Emesini]

- * *areuta* (Westwood), [1851], 1846-1852; *Pandemos*

Athamanthia [Lyc:Lyc:Lyc:Lycaena]

- alexandra* (Püngeler), 1901; *Chrysophanus*
- * *athamantis* (Eversmann), 1854; *Polyommatus*
- - - - *athamanthis* (Rühl), 1893, 1892-1893, (ISS); *Polyommatus*
- dilutior* (Staudinger), 1881; *Lycaena*
- dimorphus* (Staudinger), 1881; *Polyommatus*
- *bogutena* Zhanko, 1990
- *darja* Zhanko, 1990
- - - - *turgena* Zhanko, 1990, (IOS)
- *turgena* Zhanko, 1990
- eitschbergeri* Lukhtanov, 1993
- issykkuli* Zhanko, 1990
- japhetica* (Nekrutenko & Effendi), 1983; *Lycaena*
- *funeraria* (Nekrutenko), 1984; *Lycaena*
- *infera* (Nekrutenko), 1984; *Lycaena*
- *irghiza* (Nekrutenko), 1985; *Lycaena*
- - - - *irgiza* Zhanko, 1990, (ISS)
- - - - *irigza* Zhanko, 1990, (ISS)
- phoenicurus* (Lederer), 1872; *Polyommatus*
- - *scintillans* (Christoph), 1887; *Polyommatus*
- - *transcaucasicus* (Miller), 1923; *Chrysophanus*
- *balucha* (Howarth), 1976; *Lycaena*
- *iliensis* (Staudinger), 1886, 1886-1889; *Polyommatus*
- *povolnyi* (Howarth), 1976; *Lycaena*
- rushmanica* Zhanko, 1990
- - - - *ruschanica* Zhanko, 1990, (ISS)
- sogdiana* Zhanko, 1990

Athysanota [Lyc:Lyc:Pol:Pol:Euchrysops]

- * *ornata* (Mabille), 1890; *Lycaena*
- - *pseudosoyauxii* (Ehrmann), 1894; *Liptena*
- *flava* (Holland), 1920; *Oboronia*
- *vestalis* (Aurivillius), 1895; *Cupido*

Atlides [Lyc:Lyc:The:Eum:Eumaeus]

- atys* (Cramer), [1780], 1775-1790; *Papilio*
- browni* Constantino & Salazar E. & Johnson, 1993
- carpasia* (Hewitson), 1868; *Thecla*
- cynara* (Godman & Salvin), [1887], 1879-1901; *Thecla*
- gaumeri* (Godman & Salvin), [1901], 1879-1901; *Thecla*
- * *halesus* (Cramer), [1777], 1775-1790; *Papilio*
- - *dolichus* Hübner, [1823], 1808-1837
- - - - *dolichus* Hübner, [1819], 1816-1826, (ISS)
- - *juanita* (Scudder), 1868; *Thecla*
- *corcorani* Clench, 1942
- - - - *ab. corcorani* Gunder, 1934
- *estesi* Clench, 1942
- melidor* (H. H. Druce), 1909; *Thecla*
- polybe* (Linnaeus), 1763; *Papilio*
- scamander* Hübner, [1819], 1816-1826

Atlides (?) [Lyc:Lyc:The:Eum:Eumaeus]

- bacis* (Godman & Salvin), [1887], 1879-1901; *Thecla*
- *vulnerata* (Staudinger), [1888], 1884-1888; *Thecla*
- inachus* (Cramer), [1775], 1775-1790; *Papilio*
- - *baeton* (Sepp), [1848], 1828-1855; *Papilio*
- *carpophora* (Hewitson), 1868; *Thecla*

Aubergina [Lyc:Lyc:The:Eum:Eumaeus]

- * *alda* (Hewitson), 1868; *Thecla*
- hicetas* (Godman & Salvin), [1887], 1879-1901; *Thecla*
- paetus* (Godman & Salvin), [1887], 1879-1901; *Thecla*

Audre [Lyc:Rio:Rio:Lemoniini]

- albimaculata* (Lathy), 1932; *Hamearis*
- albinus* (Felder & Felder), 1861; *Lemonias*
- albofasciata* (Godman), 1903; *Riodina*
- almironensis* (Schweizer & Kay), 1941; *Hamearis*
- arenarum* (Schneider), 1937; *Hamearis*
- aurinia* (Hewitson), [1863], 1852-1877; *Lemonias*
- *gauchona* (Stichel), 1910; *Hamearis*
- *incana* (Stichel), 1910; *Hamearis*
- *campestris* (Bates), [1868]; *Lemonias*
- catamarquense* Hayward, 1968
- chilensis* (Felder & Felder), 1865, 1865-1875; *Lemonias*
- *cosquinia* (Giacomelli), 1928; *Apodemia*
- - *umbrata* (Giacomelli), 1928; *Apodemia*
- *dovina* (Schaus), 1902; *Hamearis*
- cinericia* (Stichel), 1910; *Hamearis*
- cisandina* (Seitz), [1917], 1910-1924; *Hamearis*
- colchis* (Felder & Felder), 1865, 1865-1875; *Lemonias*
- domina* (Bates), 1864, 1864-1865; *Lemonias*
- drucei* (Giacomelli), 1914; *Apodemia*
- * *epulus* (Cramer), [1775], 1775-1790; *Papilio*
- *indistincta* (Lathy), 1932; *Hamearis*
- *propitia* (Stichel), 1910; *Hamearis*
- *signata* (Stichel), 1910; *Hamearis*
- erostratus* (Westwood), [1851], 1846-1852; *Anatole*
- - *antaeus* (Seitz), [1917], 1910-1924; *Hamearis*
- *insularis* (Lathy), 1932; *Hamearis*
- erycina* (Schweizer & Kay), 1941; *Hamearis*
- - *affinis* (Schweizer & Kay), 1941; *Hamearis*
- guttata* (Stichel), 1910; *Hamearis*
- - - - *guayapensis* (Köhler), 1923, (IFS); *Hamearis*
- - *minuscula* (Giacomelli), 1911; *Apodemia*
- hippodice* (Godman), 1903; *Symmachia*
- hubrichi* (Stichel), 1926; *Hamearis*
- ina* (Schweizer & Kay), 1941; *Hamearis*
- mesopotamica* Hayward, 1968
- middletoni* (E. Sharpe), 1890; *Anatole*
- - *philene* (Stichel), 1916; *Hamearis*
- montana* (Schneider), 1937; *Hamearis*
- notialis* (Stichel), 1910; *Hamearis*
- ochracea* (Mengel), 1902; *Apodemia*
- - *phyciodes* (Hayward), 1949; *Hamearis*
- pasquita* (Stichel), 1916; *Hamearis*
- - - - *pasquila* (Sharp), [1918], (ISS); *Hamearis*
- precaria* (Schweizer & Kay), 1941; *Hamearis*
- - - - *ab. similis* (Schweizer & Kay), 1941; *Hamearis*
- susanae* (Orfila), 1953; *Hamearis*
- theodora* (Godman), 1903; *Riodina*
- zachaeus* (Fabricius), 1798, 1792-1799; *Hesperia*

Austrozephyrus [Lyc:Lyc:The:The:Thecla]

- * *absolon* (Hewitson), [1865], 1863-1878; *Dipsas*
- - - - *albifasiatus* Howarth, 1957, (IFS)
- - *acosmeta* (Toxopeus), 1935; *Ruralis*
- *malayica* (Pendlebury), 1939; *Thecla*
- *thamar* (Toxopeus), 1935; *Ruralis*
- borneana* (Pendlebury), 1939; *Thecla*
- *reginae* Schröder & Treadaway, 1982

Axiocerses [Lyc:Lyc:The:Aph:Aphnaeus]

- amanga* (Westwood), 1881; *Zeritis*
- *borealis* Aurivillius, 1915
- *mendeche* (Grose-Smith), 1889; *Chrysorychia*
- - - - *ab. bistrigata* Aurivillius, [1924], 1908-1925
- argenteomaculata* Pagenstecher, 1902
- bambana* Grose-Smith, 1900, 1887-1902
- - - - ♂ *ab. bistrigata* Aurivillius, [1924], 1908-1925
- - - - *f. pallida* Berger, 1981
- baumi* Weymer, 1901
- harpax* (Fabricius), 1775; *Papilio*
- - - - *joannis* Dufrene, 1954, (IFS)
- - *croesus* (Trimen), 1862; *Zeritis*

Axiocerses (*continued*)

- - *piscatoris* Clench, 1943
- - *tjoane* (Wallengren), 1857; *Chrysorychia*
- *efulena* Clench, 1963
- *kadugli* Talbot, 1935
- + *perion* (Stoll), [1782], 1780-1790; *Papilio*
- *ugandana* Clench, 1963
- jacksoni* Stempffer, 1948
- maureli* Dufrane, 1954
- nyika* Quickelberge, 1984
- punica* (Grose-Smith), 1889; *Chrysorychia*
- - *cruenta* (Trimen), 1894; *Chrysorychia*
- styx* Rebel, 1908

Azanius [Lyc:Lyc:Pol:Pol:Azanius]

- isis* (Drury), [1773], 1770-1782; *Papilio*
- - *caeruleoalbus* (Goeze), 1779, 1777-1783; *Papilio*
- - *camillus* (Stoll), [1780], 1780-1790; *Papilio*
- - *isarchus* (Fabricius), 1793, 1792-1799; *Hesperia*
- jesous* (Guérin-Ménéville), 1847; *Polyommatus*
- - *agave* (Walker), 1870; *Lampides*
- - *crameri* Moore, [1881], 1880-1881
- - *exameri* Moore, [1881], 1880-1881
- - *sigillata* (Butler), 1876; *Lampides*
- *gamra* (Lederer), 1855; *Lycaena*
- moriqua* (Wallengren), 1857; *Lycaena*
- - *benigna* (Möschler), 1884; *Lycaena*
- natalensis* (Trimen), 1887, 1887-1889; *Lycaena*
- occidentalis* Butler, [1888]
- *f. deficiens* Dufrane, 1953
- *mirza* (Plötz), 1880; *Lycaena*
- - - *mirzaellus* Koçak, 1980, (RC & JOS)
- *ornata* Dufrane, 1953
- sitalces* (Mabille), 1899; *Lycaena*
- - *rubropuncta* Lathy, 1921
- *mayotti* d'Abbrera, 1980
- soalalicus* (Karsch), 1900; *Cupido*
- * *ubaldus* (Stoll), [1782], 1780-1790; *Papilio*
- - *artemides* (Stoll), [1782], 1780-1790; *Papilio*
- - *itea* (Walker), 1870; *Lycaena*
- - *macalenga* Trimen, 1870
- - *thebana* (Staudinger), 1894; *Lycaena*
- - *zena* (Moore), 1865; *Lycaena*
- uranus* Butler, 1886
- urios* Riley & Godfrey, 1921

Baetis [Lyc:Rio:Rio:Rio:Riodinitia]

- bacaenis* Hewitson, [1874], 1852-1877
- *elegantula* Hopffer, 1874
- capreolus* Stichel, 1910
- choroniensis* Lichy, 1946
- creusis* Hewitson, 1874
- - *creusina* Stichel, 1910
- *medea* Stichel, 1923
- dryades* Dognin, 1891
- euprepes* Bates, [1868]
- *orthotaenia* Seitz, [1917], 1910-1924
- expleta* Stichel, 1910
- felix* Hewitson, 1874
- - - *ab. citrina* Seitz, [1917], 1910-1924
- *felicitissima* Thieme, 1907
- hisbon* (Cramer), [1775], 1775-1790; *Papilio*
- * - - *hisbaena* Hübner, [1819], 1816-1826
- *simblina* Stichel, 1929
- johannae* E. Sharpe, 1890
- *barce* Hewitson, [1875], 1852-1877
- *cearaica* Seitz, [1917], 1910-1924
- *truncata* Stichel, 1910
- - - - *atruncata* d'Abbrera, 1994, (ISS)
- melanis* Hübner, [1831], 1808-1837
- nesaea* Godman & Salvin, 1889
- *bacaenita* Schaus, 1902

Baetis (*continued*)

- prima* Bates, [1868]
- staudingeri* d'Abbrera, 1994
- zonata* R. Felder, 1869
- *simbla* (Boisduval), 1870; *Mesene*
- - *libna* (Butler), 1870; *Charis*

Bajluana [Lyc:Lyc:Pol:Pol:Glaucopsyche]

- * *argali* (Elwes), 1899; *Lycaena*
- *cerkhar* (Lukhtanov), 1990; *Glaucopsyche*

Baliochila [Lyc:Lyc:Lip:Lip:Mimacraea]

- amanica* Stempffer & Bennett, 1953
- * *aslauga* (Trimen), 1873; *Liptena*
- - - - *aslanga* (Kirby), 1877, (ISS); *Liptena*
- barnesi* Stempffer & Bennett, 1953
- congdoni* Kielland, 1990
- dubiosa* Stempffer & Bennett, 1953
- fragilis* Stempffer & Bennett, 1953
- hildegarda* (Kirby), 1887; *Teriomima*
- - *freyia* (Grose-Smith & Kirby), 1894, 1887-1902; *Teriomima*
- latimarginata* (Hawker-Smith), 1933; *Teriomima*
- lipara* Stempffer & Bennett, 1953
- minima* (Hawker-Smith), 1933; *Teriomima*
- neavei* Stempffer & Bennett, 1953
- nguru* Kielland, 1986
- nyasae* Stempffer & Bennett, 1953
- petersi* Stempffer & Bennett, 1956
- pringlei* Stempffer, 1967
- pseudofragilis* Kielland, 1976
- singularis* Stempffer & Bennett, 1953
- - - - *f. martyni* Bennett, 1969
- stygia* (Talbot), 1935; *Teriomima*
- woodi* (Riley), 1943; *Teriomima*

Barbicornis [Lyc:Rio:Rio:Rio:Riodinitia]

- * *basilis* Godart, [1824], 1819-1824
- - *conjuncta* Zikán, 1952
- - *magniplaga* Zikán, 1952
- - *melanops* Butler, 1873
- - - - *apotaeta* Stichel, 1909, (IFS)
- - - - *aterrima* Seitz, [1917], 1910-1924
- - - - *ab. cuneifera* Seitz, [1917], 1910-1924
- - - - *ab. fusus* Seitz, [1917], 1910-1924
- - *polyplaga* Seitz, [1917], 1910-1924
- *acroleuca* Berg, 1896
- *bahiana* Azzarà, 1978
- *ephippium* Thieme, 1907
- *marginata* Seitz, [1917], 1910-1924
- *mona* Westwood, [1851], 1846-1852
- - - - *f. monacha* Stichel, 1924, (IFS)
- - - - *f. moneta* Stichel, 1909, (IFS)
- - - - *f. perfectissima* Stichel, 1928, (IFS)
- - *albata* Stichel
- - *cinaropsis* Seitz, 1916
- *paraopeba* Azzarà, 1978
- *tucumana* Thieme, 1907
- - - - *aucumana* Sharp, [1909], (ISS)
- debiphina* Butler, 1873
- - - - *ab. alcyoneus* Seitz, [1917], 1910-1924

Batelus [Lyc:Lyc:Lip:Lip:Epitola]

- * *zebra* H. H. Druce, 1910

Bindahara [Lyc:Lyc:The:Deu:Deudorix]

- arfaki* Bethune-Baker, 1913
- + *meeki* (Rothschild & Jordan), 1905; *Stilbon*
- * *phocides* (Fabricius), 1793, 1792-1799; *Hesperia*
- - - - *f. phocidina* Fruhstorfer, [1912]
- - *collenettei* Corbet, 1940
- - *phocas* Staudinger, 1889
- *areca* C. Felder, 1862

Bindahara (*continued*)

- - *kamorta* (C. Felder), 1862; Myrina
- *chromis* (Mathew), 1887; Sithon
- *fumatus* (Röber), 1887; Sithon
- *isabella* (C. Felder), 1860; Myrina
- - *jolcus* (C. Felder), 1860; Myrina
- *moorei* Fruhstorfer, 1904
- - *ines* Swinhoe, 1911, 1909-1913
- *origenes* Fruhstorfer, [1912]
- *sugriva* (Horsfield), [1829], 1828-1829; Amblypodia
- *yurgama* Couchman, 1965

Bothrinia [Lyc:Lyc:Pol:Pol:Everes]

- celastroides* (Shirôzu & Saigusa), 1962; Everes
- * *chennellii* (de Nicéville), [1884]; Cyaniris
- - - - *chenelli* (Seitz), [1927], 1912-1927, (ISS); Lycaenopsis
- *nebulosa* (Leech), 1890; Lycaena
- *leechi* Forster, 1941

Bowkeria [Lyc:Lyc:The:Aph:Aphnaeus]

- * *phosphor* (Trimen), 1864; Zeritis
- *borealis* Quickelberge, 1972

Brachyglenis [Lyc:Rio:Rio:Rio:Ancyluriti]

- colaxes* (Hewitson), 1870, 1869-1877; Esthemopsis
- *guianensis* (Hall), 1939; Tmetoglene
- + *dinora* (Bates), 1866; Metapheles
- *dodone* (Godman & Salvin), [1886], 1879-1901; Tmetoglene
- - - - *dodona* Stichel, 1930, (ISS)
- *eulesca* (Dyar), 1909; Tmetoglene
- *drymo* (Godman & Salvin), [1886], 1879-1901; Tmetoglene
- * *esthema* Felder & Felder, 1862
- *ecuadorensis* Lathy, 1932
- *trichroma* (Seitz), [1920], 1910-1924; Tmetoglene

Brangas [Lyc:Lyc:The:Eum:Eumaeus]

- * *caranus* (Stoll), [1780], 1780-1790; Papilio
- - - - *ceranus* (Fabricius), 1793, 1792-1799, (ISS); Hesperia
- *neora* (Hewitson), [1867], 1863-1878; Thecla
- - - - *nerva* (Kirby), 1871, (ISS); Thecla

Brephidium [Lyc:Lyc:Pol:Pol:Brephidium]

- * *exilis* (Boisduval), 1852; Lycaena
- - - - ♀ *ab. coolidgei* Gunder, 1925
- - - - *exile* Scudder, 1876, (ISS)
- - *fea* (Edwards), [1871]; Lycaena
- *isophthalma* (Herrich-Schäffer), 1862, 1862-1863; Lycaena
- - - - *isophthalma* Scott, 1986, (ISS)
- - *barbouri* Clench, [1943]
- - *thompsoni* Carpenter & Lewis, 1943
- *yucateca* Clench, 1970
- *metophis* (Wallengren), 1860; Lycaena
- *pseudofea* (Morrison), 1873; Lycaena

Britomartis [Lyc:Lyc:The:Iol:Britomartis]

- bravurus* Seki & Takanami, 1991
- * *cleoboides* (Elwes), [1893]; Camena
- *epigenes* (Fruhstorfer), [1912]; Tajuria
- *igarashii* Hayashi, 1976
- *viga* (Corbet), 1940; Tajuria

Bullis [Lyc:Lyc:The:Iol:Iolaus]

- * *buto* (de Nicéville), 1895; Britomartis
- - *valentia* (Swinhoe), 1896; Tajuria
- *cowani* (Corbet), 1940; Tajuria
- *elioti* (Corbet), 1940; Tajuria
- *borneensis* (Corbet), 1940; Tajuria
- *stigmata* (H. H. Druce), 1904; Tajuria

Cacyreus [Lyc:Lyc:Pol:Pol:Cacyreus]

- audeoudi* Stempfper, [1937]
- darius* (Mabille), 1877; Lycaena
- dicksoni* Pennington, 1962

Cacyreus (*continued*)

- ethiopicus* Tite, 1961
- * *lingeus* (Stoll), [1782], 1780-1790; Papilio
- - *ericus* (Fabricius), 1793, 1792-1799; Hesperia
- *ciliaris* (Aurivillius), 1910; Cupido
- *marshalli* Butler, [1898]
- *niebuhri* Larsen, 1982
- *palemon* (Stoll), [1782], 1780-1790; Papilio
- - *f. ecaudata* Stempfper, 1950
- - *f. fracta* (Grünberg), 1912; Cupido
- - *tespis* (Herbst), 1804, 1788-1804; Papilio
- *ghimirra* Talbot, 1935
- *virillis* (Aurivillius), [1924], 1908-1925; Cupido

Caerofethra [Lyc:Lyc:The:Eum:Eumaeus]

- asa* (Hewitson), [1873], 1863-1878; Thecla
- carnica* (Hewitson), [1873], 1863-1878; Thecla
- * *emendatus* (H. H. Druce), 1907; Thecla
- *hesychia* (Godman & Salvin), [1887], 1879-1901; Thecla
- *lambe* (Godman & Salvin), [1887], 1879-1901; Thecla
- - - - *jambe* (Draudt), [1920], 1917-1924, (ISS); Thecla
- *seudiga* (Hewitson), [1874], 1863-1878; Thecla
- - - - *sendiga* (Kirby), 1877, (ISS); Thecla

Caerulea [Lyc:Lyc:Pol:Pol:Glaucopsyche]

- * *coelestis* (Alphéraky), 1897; Lycaena
- - *coeli* (Oberthür), 1908; Lycaena
- *dubernardi* (Hemming), 1931; Maculinea
- *coeligena* (Oberthür), 1876; Lycaena
- *pratti* (Hemming), 1931; Maculinea

Calephelis [Lyc:Rio:Rio:Rio:Riodiniti]

- acapulcoensis* McAlpine, [1971]
- argyrodes* (Bates), 1866; Charis
- arizonensis* McAlpine, [1971]
- aymaran* McAlpine, [1971]
- azteca* McAlpine, [1971]
- *borealis* (Grote & Robinson), 1866; Nymphidium
- - *geda* Scudder, 1876, (PS)
- *braziliensis* McAlpine, [1971]
- *browni* McAlpine, [1971]
- *burgeri* McAlpine, [1971]
- *clenchi* McAlpine, [1971]
- *costaricicola* Strand, 1916, 1914-1916
- *dreisbachi* McAlpine, [1971]
- *exiguus* Austin, 1993
- *freemani* McAlpine, [1971]
- *fulmen* Stichel, 1910
- *guatemala* McAlpine, [1971]
- *huasteca* McAlpine, [1971]
- *inca* McAlpine, [1971]
- *irina* Stichel, 1928
- *iris* (Staudinger), 1876; Charis
- *laverna* (Godman & Salvin), 1880; Charis
- *parva* Austin, 1993
- *trinidadensis* McAlpine, [1971]
- *matheri* McAlpine, [1971]
- *maya* McAlpine, [1971]
- *mexicana* McAlpine, [1971]
- *montezuma* McAlpine, [1971]
- *muticum* McAlpine, 1937
- *nemesis* (Edwards), [1871]; Charis
- - *australis* (Edwards), 1877; Charis
- - *guadeloupe* (Strecker), [1878], 1872-1900; Charis
- *bajaensis* McAlpine, [1971]
- *californica* McAlpine, [1971]
- *dammersi* McAlpine, [1971]
- *nilus* (Felder & Felder), 1861; Charis
- *perditalis* Bames & McDunnough, 1918
- *donahuei* McAlpine, [1971]
- *rabatta* (Dyar), 1916; Caria
- *rawsoni* McAlpine, 1939

Calephelis (*continued*)

- sacapulas* McAlpine, [1971]
- schausi* McAlpine, [1971]
- sinaloensis* McAlpine, [1971]
- *nuevoleon* McAlpine, [1971]
- sixola* McAlpine, [1971]
- sodalis* Austin, 1993
- stallingsi* McAlpine, [1971]
- tapuyo* McAlpine, [1971]
- tikal* Austin, 1993
- velutina* (Godman & Salvin), 1878; Charis
- *pyritis* Stichel, 1928
- * *virginiensis* (Guérin-Méneville), [1832], 1829-1844; Erycina
- - - *pumila* (Boisduval & Le Conte), [1835], 1829-1837, (JOS);
Polyommatus
- - *louisiana* Holland, 1929
- wellingi* McAlpine, [1971]
- *baleuensis* McAlpine, [1971]
- wrighti* Holland, 1930
- yauatepequensis* de la Maza E. & Turrent D., 1977
- yucatanana* McAlpine, [1971]

Caleta [Lyc:Lyc:Pol:Pol:Upolampes]

- argola* (Hewitson), [1876], 1852-1877; Lycaena
- * *caleta* (Hewitson), [1876], 1852-1877; Lycaena
- - *kalawara* (Ribbe), 1926; Castalius
- *gerasa* (Fruhstorfer), 1918; Castalius
- - - - *garasa* (Sharp), [1920], (ISS); Castalius
- *hamatus* (Moore), [1881], 1880-1881; Castalius
- *interruptus* (de Nicéville), [1884]; Castalius
- - - *interruptus* (Moore), [1884], (H); Castalius
- celebensis* (Staudinger), 1889; Castalius
- decidia* (Hewitson), [1876], 1852-1877; Lycaena
- elna* (Hewitson), [1876], 1852-1877; Lycaena
- - *hondai* (Hayashi), 1976; Castalius
- *caletoides* (Riley), [1945]; Castalius
- *elvira* (Fruhstorfer), 1918; Castalius
- *epeus* (Corbet), 1938; Castalius
- *hilina* (Fruhstorfer), 1918; Castalius
- *noliteia* (Fruhstorfer), 1918; Castalius
- - - - *elina* (Fruhstorfer), 1918, (IFS); Castalius
- *rhodana* (Fruhstorfer), 1918; Castalius
- manovus* (Fruhstorfer), 1918; Castalius
- mindarus* (Felder & Felder), 1865, 1865-1875; Lycaena
- *vocetius* (Fruhstorfer), 1918; Castalius
- rhode* (Hopffer), 1874; Lycaena
- - *afranius* (Fruhstorfer), [1923], 1909-1923; Castalius
- - *libora* (Ribbe), 1926; Castalius
- - *obscurata* (Ribbe), 1926; Castalius
- + *roxus* (Godart), [1824], 1819-1824; Polyommatus
- - - - *paranus* d'Abbrera, 1971, (PS)
- - - - *f. xisana* (Fruhstorfer), 1918; Castalius
- *angustior* Staudinger, 1889
- *astapus* (Fruhstorfer), 1918; Castalius
- *cohaerens* Staudinger, 1889
- *manluena* (C. Felder), 1862; Lycaena
- - - - *manuela* (Seitz), [1927], 1912-1927, (ISS); Castalius
- *odon* (Fruhstorfer), 1918; Castalius
- *permanggilensis* Eliot, 1978
- - - - *permanggilensis* d'Abbrera, 1986, (ISS)
- *pothus* (Fruhstorfer), 1918; Castalius
- *roxana* (de Nicéville), 1897; Castalius

Callenya [Lyc:Lyc:Pol:Pol:Lycaenopsis]

- kaguya* Eliot & Kawazoé, 1983
- lenya* (Evans), 1932; Lycaenopsis
- - *cowani* (Corbet), 1940; Celastrina
- *baluana* Eliot & Kawazoé, 1983
- * *melaena* (Doherty), 1889; Cyaniris
- - *melaenoides* (Tyler), 1915; Cyaniris
- - *minima* (Evans), 1932; Lycaenopsis
- *shonen* (Esaki), 1932; Lycaenopsis

Callenya (*continued*)

- - - *latimargo* (Matsumura), 1929, (H); Cyaniris

Callictitia [Lyc:Lyc:Pol:Pol:Callictitia]

- albiplaga* Joicey & Talbot, 1916
- arfakiana* Wind & Clench, 1947
- * *cyara* Bethune-Baker, 1908
- *cyabla* Parsons, 1986
- *cyelsa* Parsons, 1986
- felgara* Parsons, 1986
- jola* Parsons, 1986
- lara* Parsons, 1986
- *kina* Parsons, 1986
- *ronda* Parsons, 1986
- mala* Parsons, 1986
- tifala* Parsons, 1986
- upola* Parsons & Hirowatari, 1988

Callistium [Lyc:Rio:Rio:Emesini]

- * *cleadas* (Hewitson), [1866], 1852-1877; Charis
- - - - *cleades* (Kirby), 1871, (ISS); Lasaia

Callophrys [Lyc:Lyc:The:Eum:Eumaeus]

- affinis* (Edwards), 1862; Thecla
- *washingtonia* Clench, 1944
- apama* (Edwards), 1882; Thecla
- *homoperplexa* Barnes & Benjamin, 1923
- avis* Chapman, 1909
- - *f. semipallida* (Barragué), 1954; Callophrys
- *barraguei* Dujardin, 1972
- - - - *barregui* d'Abbrera, 1993, (ISS)
- ayis* Foljambe, 1913
- butlerovi* Migranov, 1992
- chalybeitincta* Sovinsky, 1905
- dumetorum* (Boisduval), 1852; Thecla
- *oregonensis* Gorelick, [1970]
- *perplexa* Barnes & Benjamin, 1923
- mystaphia* Miller, 1912
- * *rubi* (Linnaeus), 1758; Papilio
- - - - *f. aestivalis* Ksienchopolski, 1911
- - - - *ab. amphichloros* Cabeau, 1923
- - - - *f. androflavus* Cápuse, 1963
- - - - *f. bipunctata* Tutt, 1907, 1905-1914
- - - - *f. brunnea* Tutt, 1907, 1905-1914
- - - - *f. cinerascens* Rebel, 1909
- - - - *f. connexa* Tutt, 1907, 1905-1914
- - - - ♀ *foulquieri* Rivertigat, 1914
- - - - *ab. immaculata* Fuchs, 1891
- - - - *f. incompleta* Tutt, 1907, 1905-1914
- - - - *f. inferopunctata* Tutt, 1907, 1905-1914
- - - - *ab. olivacea* Blachier, 1909
- - - - *ab. pallida* Tutt, 1907, 1905-1914
- - - - *f. pigmentocarens* Verity, 1926, 1926-1933, (IFS)
- - - - *ab. punctata* Tutt, 1907, 1905-1914
- - - - *f. subfuscobrunnea* Tutt, 1907, 1905-1914
- - - - *ab. suffusa* Tutt, 1907, 1905-1914
- - - - *f. supraviridis* Courvoisier, 1920
- - *kolak* Higgins, 1965
- - *leucosticta* Stauder, 1923, 1920-1923
- - *paulae* Pfeiffer, 1932
- - *f. sachalinensis* Matsumura, 1929
- *borealis* Krulikovskii, 1890
- - - - *ab. nordlandica* (Strand), 1901; Thecla
- - - - *polaris* Krulikovskii, 1893, (IFS)
- - *polaris* Krulikovskii, 1890
- *caecus* (Geoffroy), 1785; Papilio
- - *intermedia* Tutt, 1907, 1905-1914
- *fervida* Staudinger, 1901
- *schamyi* Sheldon, 1914
- - *caerulescens* A. Bang-Haas, 1912
- - *herculeana* Pfeiffer, 1927
- *sheridanii* (Edwards), 1877; Thecla

Callophrys (*continued*)

- - - *sheridonii* (Edwards), 1877, (IOS); Thecla
- *comstocki* Henne, 1940
- *lemberti* Tilden, 1963
- *neoperplexa* Barnes & Benjamin, 1923
- *newcomeri* Clench, 1963
- *paradoxa* Scott, 1986
- suaveola* Staudinger, 1881
- - *sibirica* (Heyne), 1895, 1893-1895; Thecla
- virgatus* Verity, 1913, (RA)
- viridis* (Edwards), 1862; Thecla

Calociasma [Lyc:Rio:Rio:Nymphidiini]

- * *ictericum* (Godman & Salvin), 1878; Nymphidium
- lalus* (Godman & Salvin), [1886], 1879-1901; Nymphidium
- lilina* (Butler), 1870; Nymphidium
- pulcherrima* (Butler), [1867]; Anatole
- - - *pulcherrina* (Kirby), 1871, (ISS); Apodemia
- - *f. felicis* (Rebillard), 1958; Echenais
- *comparata* Stichel, 1911

Calospila [Lyc:Rio:Rio:Nymphidiini]

- andraemon* (Stichel), 1910; Polystichtis
- antanitis* (Hewitson), 1874; Lemonia
- apotheta* (Bates), [1868]; Lemonia
- arachne* (Stichel), 1911; Polystichtis
- argenissa* (Stoll), [1790], 1780-1790; Papilio
- - *petronius* (Fabricius), 1793, 1792-1799; Hesperia
- - *staudingeri* (Godman), 1903; Lemonia
- *enigma* (Bryk), 1953; Orimba
- asteria* (Stichel), 1911; Polystichtis
- byzeres* (Hewitson), [1872], 1852-1877; Lemonia
- caligata* (Stichel), 1911; Polystichtis
- candace* (H. H. Druce), 1904; Nymphidium
- cerealis* (Hewitson), [1863], 1852-1877; Lemonia
- - *caecina* (Felder & Felder), 1865, 1865-1875; Lemonia
- *cayapona* (Stichel), 1916; Polystichtis
- cilissa* (Hewitson), [1863], 1852-1877; Lemonia
- cuprea* (Butler), [1867]; Lemonia
- emylius* (Cramer), [1775], 1775-1790; Papilio
- - *crispus* (Cramer), [1777], 1775-1790; Papilio
- *crispinella* (Stichel), 1911; Polystichtis
- *emylia* (Stichel), 1911; Lemonia
- eupolemia* (Godart), [1824], 1819-1824; Erycina
- fannia* (Godman), 1903; Lemonia
- flegia* (Fabricius), 1787; Papilio
- florus* (Staudinger), [1887], 1884-1888; Lemonia
- idmon* (Godman & Salvin), 1889; Lemonia
- + *irene* (Westwood), [1851], 1846-1852; Lemonia
- - *romani* (Aurivillius), 1929; Callione
- laobotas* (Hewitson), [1875], 1852-1877; Lemonia
- - - - *laobatas* Stichel, 1930, (ISS)
- - *trotschi* (Godman & Salvin), [1901], 1879-1901; Tharops
- *simplaris* (Stichel), 1911; Polystichtis
- latona* (Hewitson), [1853], 1852-1877; Lemonia
- *delia* (Stichel), 1911; Polystichtis
- luceres* (Hewitson), 1870, 1869-1877; Lemonia
- lucianus* (Fabricius), 1793, 1792-1799; Hesperia
- - *nepia* (Westwood), [1851], 1846-1852; Lemonia
- *concinna* (Stichel), 1910; Polystichtis
- *pseudocrispus* (Westwood), [1851], 1846-1852; Lemonia
- - *lucetia* (Hübner), 1821; Echenais
- - *luciana* (Hübner), [1811], 1806-1838; Lemonia
- lyncestes* (Hewitson), [1874], 1852-1877; Lemonia
- maeon* (Godman), 1903; Lemonia
- maeonoides* (Godman), 1903; Lemonia
- - - - *maeonides* Stichel, 1930, (ISS)
- martia* (Godman), 1903; Lemonia
- martialis* (Felder & Felder), 1865, 1865-1875; Lemonia
- nepioides* (Butler), [1867]; Lemonia
- - *melanogyra* (Bates), [1868]; Lemonia
- parthaon* (Dalman), 1823; Papilio

Calospila (*continued*)

- - *ancile* (Hewitson), [1863], 1852-1877; Lemonia
- * - - *thermodoe* Geyer, [1832], 1832-1837
- pelarge* (Godman & Salvin), 1878; Lemonia
- pione* (Bates), [1868]; Lemonia
- rhodope* (Hewitson), [1853], 1852-1877; Lemonia
- *amphis* (Hewitson), 1870, 1869-1877; Lemonia
- - *fusius* (Staudinger), [1887], 1884-1888; Lemonia
- - *haemus* (Stichel), 1916; Polystichtis
- *bubo* (Butler), [1867]; Lemonia
- *wayanai* Brévignon & Gallard, 1993
- rubrica* (Stichel), 1929; Polystichtis
- siaka* (Hewitson), [1858], 1852-1877; Lemonia
- *separata* (Lathy), 1932; Callione
- - - *separata* (Rebillard), 1958, (H); Callione
- splendida* Salazar Escobar & Constantino, 1993
- sudias* (Hewitson), [1858], 1852-1877; Lemonia
- thara* (Hewitson), [1858], 1852-1877; Lemonia
- - *caelestis* (Röber), 1927; Lemonia
- - *kruegeri* (Bargmann), 1930; Lemonia
- - *mella* (Bates), [1868]; Lemonia
- *nomia* (Godman), 1903; Lemonia
- *pulchra* (Lathy), 1904; Lemonia
- urichi* (May), 1972; Lemonia
- zeanger* (Stoll), [1790], 1780-1790; Papilio
- - *rhesa* (Hewitson), [1858], 1852-1877; Lemonia
- - *zeangira* (Hübner), [1819], 1816-1826; Polystichtis
- *gyges* (Stichel), 1911; Polystichtis
- *pirene* (Godman), 1903; Lemonia
- + *zeurippa* (Boisduval), 1836; Hypophylla
- - - - *zeurippe* (Kirby), 1871, (ISS); Lemonia
- - *eumedes* (Doubleday), 1847, 1844-1848; Hypophylla
- *lasthenes* (Hewitson), 1870; Lemonia

Calycopis [Lyc:Lyc:The:Eum:Eumaeus]

- amplia* (Hewitson), [1877], 1863-1878; Thecla
- anastasia* Field, 1967
- anfracta* (H. H. Druce), 1907; Thecla
- argenopuncta* Johnson & Eisele & MacPherson, 1988
- bactra* (Hewitson), [1877], 1863-1878; Thecla
- bellera* (Hewitson), [1877], 1863-1878; Thecla
- - *origo* (Godman & Salvin), [1887], 1879-1901; Thecla
- beon* (Stoll), [1780], 1780-1790; Papilio
- caulonia* (Hewitson), [1877], 1863-1878; Thecla
- cecrops* (Fabricius), 1793, 1792-1799; Hesperia
- - - - *ab. gottschalki* (Clark & Clark), 1938; Strymon
- * - - *poetas* (Hübner), [1811], 1806-1838; Rusticus
- chacona* (Jørgensen), 1932; Thecla
- crena* Johnson & Eisele & MacPherson, 1988
- dragones* Johnson & Eisele & MacPherson, 1988
- drusilla* Field, 1967
- fractunda* Field, 1967
- - - - *fractuna* Johnson & MacPherson & Ingraham, 1986, (ISS)
- gigantea* Johnson & Eisele & MacPherson, 1988
- isobeon* (Butler & H. Druce), 1872; Tmolus
- jeneirica* (C. Felder), 1862; Thecla
- lerbela* Field, 1967
- nancea* Johnson & Eisele & MacPherson, 1988
- nicolayi* Field, 1967
- partunda* (Hewitson), [1877], 1863-1878; Thecla
- susanna* Field, 1967
- torqueor* (H. H. Druce), 1907; Thecla
- valparaiso* Johnson & Eisele & MacPherson, 1988
- viulena* (Hewitson), [1877], 1863-1878; Thecla
- vitruvia* (Hewitson), [1877], 1863-1878; Thecla
- *fortuna* (H. H. Druce), 1907; Thecla

Calycopis (?) [Lyc:Lyc:The:Eum:Eumaeus]

- gedrosia* (Hewitson), 1868; Thecla

Calydna [Lyc:Rio:Rio:Emesini]

- arius* (Cramer), [1775], 1775-1790; Papilio

Calydna (continued)

- cabira* Hewitson, [1854], 1852-1877
caieta Hewitson, [1854], 1852-1877
 - - - ♀ *f. amazonica* Krüger, 1928
calamisa Hewitson, [1854], 1852-1877
calyce Hewitson, [1859], 1852-1877
candace Hewitson, [1859], 1852-1877
caprina Hewitson, [1859], 1852-1877
carneia Hewitson, [1859], 1852-1877
catana Hewitson, [1859], 1852-1877
cea Hewitson, [1859], 1852-1877
cephissa Hewitson, [1875], 1852-1877
charila Hewitson, [1854], 1852-1877
chaseba Hewitson, [1854], 1852-1877
euthria Westwood, [1851], 1846-1852
hemis Schaus, 1927
hiria (Godart), [1824], 1819-1824; *Erycina*
 - - *calitas* Hewitson, [1854], 1852-1877
isala (Godart), [1824], 1819-1824; *Erycina*
lusca (Geyer), [1835], 1827-1838; *Hamanumida*
 - - - *f. fissilis* Stichel, 1929, (IFS)
 - - - *lusca* (Hübner), [1819], 1816-1826, (NN); *Aphacitis*
 - *morio* Stichel, 1929
 - *venusta* Godman & Salvin, [1886], 1879-1901
maculosa Bates, [1868]
micra Bates, [1868]
punctata Felder & Felder, 1861
sinuata R. Felder, 1869
sturnula (Geyer), [1836], 1832-1837; *Hamanumida*
 - *hegias* R. Felder, 1869
 - - - *heglas* d'Abreia, 1994, (ISS)
 * *thersander* (Stoll), [1780], 1780-1790; *Papilio*
zea Schaus, 1902

Calystryma [Lyc:Lyc:The:Eum:Eumaeus]

- barza* Field, 1967
 * *blora* Field, 1967
gentilla (Schaus), 1902; *Thecla*
keta Field, 1967
malta (Schaus), 1902; *Thecla*
nototrebula Johnson & Eisele & MacPherson, 1988
orcilla (Hewitson), [1874], 1863-1878; *Thecla*
 - - - *orsilla* (Kirby), 1877, (ISS); *Thecla*
phryne Johnson & Eisele & MacPherson, 1988
quintana Johnson, 1991
trebula (Hewitson), 1868; *Thecla*
vesulus (Stoll), [1781], 1780-1790; *Papilio*

Candalides [Lyc:Lyc:Pol:Candalidini]

- absimilis* (C. Felder), 1862; *Holochila*
 - - *persimilis* Waterhouse, 1942
acasta (Cox), 1873; *Lycaena*
 - - *anita* (Semper), [1879]; *Holochila*
 - - *canescens* (Miskin), 1890; *Lycaena*
 - - *moerens* (Rosenstock), 1885; *Lycaena*
afretta Parsons, 1986
ardosiacea (Tite), 1963; *Holochila*
biaka (Tite), 1963; *Holochila*
coeruleus (Röber), [1886]; *Plebeius*
 - *doreia* (Tite), 1963; *Holochila*
 - *subrosea* (Grose-Smith), 1894; *Holochila*
consimilis Waterhouse, 1942
 - *goodingi* (Tindale), 1965; *Holochila*
 - *toza* (Kerr), 1967; *Holochila*
cupreus (Röber), [1886]; *Plebeius*
 + *cyprotus* (Olliff), 1886; *Chrysophanus*
 - - *purpurea* (Grose-Smith & Kirby), 1897, 1887-1902;
 Holochila
 - *pallescens* (Tite), 1963; *Cyprotides*
 + *erinus* (Fabricius), 1775; *Papilio*
 - - *subpallidus* (Lucas), 1889; *Polyommatus*
 - *stevensi* Wind & Clench, 1947

Candalides (continued)

- *sudesta* (Tite), 1963; *Erina*
 - *sumbensis* (Tite), 1963; *Erina*
 - *taamensis* (Tite), 1963; *Erina*
 - *tenimberensis* (Tite), 1963; *Erina*
 - *timorensis* (Tite), 1963; *Erina*
 - *tualensis* (Röber), [1886]; *Plebeius*
geminus Edwards & Kerr, 1978
gilberti Waterhouse, 1903
grandissima Bethune-Baker, 1908
 - - - *grandis* Bethune-Baker, 1906, (H)
 - *morobea* Wind & Clench, 1947
 + *heathi* (Cox), 1873; *Lycaena*
 - - *alpina* Waterhouse, 1928
 - - *paradoxa* (Guest), 1882; *Lycaena*
 - *aerata* (Montague), 1914; *Holochila*
 - *doddi* Burns, 1948
helenita (Semper), [1879]; *Holochila*
 - - *androdus* (Miskin), 1890; *Holochila*
 - - *subargentea* (Grose-Smith & Kirby), 1896, 1887-1902;
 Holochila
 - *dimorpha* (Röber), [1886]; *Plebeius*
hyacinthina (Semper), [1879]; *Holochila*
 - - - *casythae* (Scott), 1892, 1890-1898, (PS); *Polycyma*
 - - *eugenia* Waterhouse & Lyell, 1914
 - *josephina* Harris, 1952
 - *simplexa* (Tepper), 1882; *Cupido*
 - - - *simplex* Common & Waterhouse, 1981, (ISS)
 - - *cyanites* (Meyrick), 1888; *Polyommatus*
lamia (Grose-Smith), 1897; *Holochila*
limbata (Tite), 1963; *Holochila*
margarita (Semper), [1879]; *Holochila*
 - *maria* Bethune-Baker, 1908
meforensis (Tite), 1963; *Holochila*
neurapacuna Bethune-Baker, 1908
pruina H. H. Druce, 1904
riuensis (Tite), 1963; *Holochila*
silicea (Grose-Smith), 1894; *Holochila*
tringa (Grose-Smith), 1894; *Holochila*
viriditincta (Tite), 1963; *Holochila*
 * *xanthospilos* (Hübner), [1817], 1806-1838; *Rusticus*
 - - *hubnerii* (Godart), [1824], 1819-1824; *Polyommatus*
 - - *pulchella* (Swainson), [1833], 1829-1833; *Polyommatus*

Candora [Lyc:Lyc:The:Eum:Eumaeus]

- albalineata* Johnson, 1992
contraloxurina Johnson, 1992
cyanomediana Johnson, 1992
 * *fallacandor* Johnson, 1992
 - - - *fellacandor* Anonymous, 1992, (ISS)
jonesi Johnson, 1992
 - - - *schausa* (Jones), 1912, (H); *Thecla*
kellya Johnson, 1992
triangulara Johnson, 1992

Capys [Lyc:Lyc:The:Deu:Capys]

- * *alpheus* (Cramer), [1777], 1775-1790; *Papilio*
 - - - *alpheus* Kirby, 1871, (UE)
 - *extentus* Quickelberge, 1979
bamptoni Henning & Henning, 1988
brunneus Aurivillius, 1916
 - *heathi* Henning & Henning, 1988
calpurnia Henning & Henning, 1988
catharus Riley, 1932
 - - - ♀ *f. rileyi* Stoneham, 1938
collinsi Henning & Henning, 1988
connexivus Butler, [1897]
 - *gardineri* Henning & Henning, 1988
cupreus Henning & Henning, 1988
disjunctus Trimen, 1895
 - *bamendanus* Schultze, 1909
hermes Henning & Henning, 1988

Capys (continued)

- juliae* Hemming & Henning, 1988
- meruensis* Henning & Henning, 1988
- penningtoni* Riley, 1932

Caria [Lyc:Rio:Rio:Rio:Riodinitii]

- castalia* (Ménétriés), 1855, 1855-1857; *Symmachia*
- *marsyas* Godman, 1903
- *tabrenthia* Schaus, 1902
- chrysame* (Hewitson), 1874; *Symmachia*
- *psittacus* (Hopffer), 1874; *Symmachia*
- - *scurra* (Staudinger), [1888], 1884-1888; *Symmachia*
- domitianus* (Fabricius), 1793, 1792-1799; *Hesperia*
- *galbula* (Felder & Felder), 1861; *Symmachia*
- *ino* Godman & Salvin, [1886], 1879-1901
- - *melicerta* Schaus, 1890
- *vejento* Clench, 1967
- lampeto* Godman & Salvin, [1886], 1879-1901
- mantinea* (Felder & Felder), 1861; *Symmachia*
- *amazonica* (Bates), [1868]; *Symmachia*
- - - - *philema* Stichel, 1910, (IFS)
- - *fulvimargo* Lathy, 1904
- *boliviana* Lathy, 1932
- melino* Dyar, 1912
- plutargus* (Fabricius), 1793, 1792-1799; *Hesperia*
- - *argiope* (Godart), [1824], 1819-1824; *Erycina*
- * - - *colubris* Hübner, [1823], 1808-1837
- - *paridion* (Dalman), 1823; *Papilio*
- rhacotis* (Godman & Salvin), 1878; *Symmachia*
- - *harmonia* Godman & Salvin, [1886], 1879-1901
- smaragdina* Godman, 1903
- sponsa* (Staudinger), [1888], 1884-1888; *Symmachia*
- stillaticia* Dyar, 1912
- trochilus* Erichson, 1848
- *arete* (Felder & Felder), 1861; *Symmachia*
- - - - *f. phayla* Stichel, 1916, (IFS)
- - *parva* Talbot, 1928

Cariomothis [Lyc:Rio:Rio:Rio:Riodinitii]

- erotylus* Stichel, 1910
- * *erythromelas* (Sepp), [1848], 1828-1855; *Papilio*
- *erythraea* Stichel, 1910
- *fulvus* Lathy, 1932
- *suffusa* Lathy, 1932
- poeciloptera* (Godman & Salvin), 1878; *Charis*

Cartea [Lyc:Rio:Rio:Rio:Riodinitii]

- * *vitula* (Hewitson), [1853], 1852-1877; *Limnas*
- - *trailii* Butler, 1877
- *tapajona* (Bates), [1868]; *Orestia*
- *ucayala* Thieme, 1907

Castalius [Lyc:Lyc:Pol:Pol:Castalius]

- austini* Heron, 1894
- fasciatus* (Röber), 1887; *Plebeius*
- *adorabilis* Fruhstorfer, 1918
- * *rosimon* (Fabricius), 1775; *Papilio*
- - - *coridon* (Stoll), [1781], 1780-1790, (H); *Papilio*
- - *approximatus* Butler, 1886
- - *chota* Swinhoe, 1885
- - *clyton* (Cramer), [1775], 1775-1790; *Papilio*
- - *maimon* (Fabricius), 1775; *Papilio*
- - *naxus* Hübner, [1819], 1816-1826
- *adoniram* Fruhstorfer, [1923], 1909-1923
- *alarbus* Fruhstorfer, [1923], 1909-1923
- *baghavus* Fruhstorfer, [1923], 1909-1923
- *catrionus* Fruhstorfer, [1923], 1909-1923
- *godarti* Fruhstorfer, 1918
- *monrosi* Semper, 1887, 1886-1892
- *silas* Fruhstorfer, [1923], 1909-1923
- - *nega* (Herrich-Schäffer), [1853], 1850-1869; *Thecla*
- *sostrus* Fruhstorfer, [1923], 1909-1923

Catapaecilma [Lyc:Lyc:The:Cat:Catapaecilma]

- * *elegans* (H. Druce), 1873; *Hypochrysops*
- *chaline* Fruhstorfer, 1915
- *gracilis* Semper, 1890, 1886-1892
- *mysotina* Fruhstorfer, [1912]
- - - - *mysotina* d'Abreu, 1986, (ISS)
- *niasana* (Fruhstorfer), 1899; *Catapoecilma*
- *sophonias* (Fruhstorfer), [1912]; *Catapoecilma*
- *zephyria* Fruhstorfer, 1915
- evansi* Pendlebury, 1933
- *parva* Schröder & Treadaway, 1988
- *rizali* Takanami, 1984
- *shizukoae* Hayashi, 1984
- harmani* Cassidy, 1982
- lila* Eliot, 1967
- major* H. H. Druce, 1895
- *albicans* Corbet, 1941
- *anais* Fruhstorfer, 1915
- *callone* Fruhstorfer, 1915
- *emas* (Fruhstorfer), [1912]; *Catapoecilma*
- - *tyana* Fruhstorfer, 1915
- *moltrechti* (Wileman), 1908; *Tajuria*
- *sedina* Fruhstorfer, 1915
- nakamotoi* Hayashi, 1979
- nuydai* Takanami, 1988
- subochrea* Elwes, [1893]

Catochrysops [Lyc:Lyc:Pol:Pol:Catochrysops]

- amasea* Waterhouse & Lyell, 1914
- *reducta* Howarth, 1962
- nubila* Tite, 1959
- panormus* (C. Felder), 1860; *Lycaena*
- *andamanica* Tite, 1959
- *argentata* Tite, 1959
- *batchiana* Tite, 1959
- *caerulea* Tite, 1959
- *caledonica* (C. Felder), 1862; *Lycaena*
- *exiguus* (Distant), 1886, 1882-1886; *Everes*
- - *perakana* Corbet, 1938
- *lithargyria* (Moore), 1877; *Lampides*
- *papuana* Tite, 1959
- *platissa* (Herrich-Schäffer), 1869; *Lycaena*
- *pura* Tite, 1959
- *rennellensis* Howarth, 1962
- *straboinsularis* Swinhoe, 1916
- - - - *insularis* Tite, 1959, (ISS)
- *timorensis* Tite, 1959
- * *strabo* (Fabricius), 1793, 1792-1799; *Hesperia*
- - *riama* Corbet, 1938
- - *tejua* (Reakirt), 1866, 1866-1867; *Lycaena*
- *asoka* (Kollar), [1844]; *Lycaena*
- - *didda* (Kollar), [1844]; *Lycaena*
- *celebensis* Tite, 1959
- *kandarpa* (Horsfield), [1828], 1828-1829; *Lycaena*
- - - - *ab. vanwoerdeni* Toxopeus, 1932
- *luzonensis* Tite, 1959
- *naerina* Riley, [1945]
- strabobinna* Swinhoe, 1916
- - - - *binna* Tite, 1959, (ISS)
- taitensis* (Boisduval), 1832; *Lycaena*
- *hopkinsi* Miller & Miller, 1993
- *pepe* Hopkins, 1927

Catocyclotus [Lyc:Rio:Rio:Lemoniini]

- * *aemulius* (Fabricius), 1793, 1792-1799; *Hesperia*
- - - - *geris* (Doubleday), 1847, 1844-1848, (NN); *Calospila*
- - *hemixanthe* (Felder & Felder), 1865, 1865-1875; *Desmozona*
- *adelina* (Butler), 1872; *Lemonias*

Catopyrops [Lyc:Lyc:Pol:Pol:Prosotas]

- * *ancyra* (C. Felder), 1860; *Lycaena*
- - - - *ancyra* Hemming, 1967, (ISS)

Catopyrops (continued)

- *aberrans* (Elwes), [1893]; Nacaduba
- *almora* (H. Druce), 1873; Cupido
- *pseustis* (Doherty), 1891; Nacaduba
- *amaura* (H. H. Druce), 1891; Nacaduba
- *austrorivana* Toxopeus, 1930
- *complicata* (Butler), 1882; Lampides
- *distincta* Tite, 1963
- *exponens* (Fruhstorfer), 1916; Nacaduba
- *hyperpseustis* (Toxopeus), 1929; Nacaduba
- *ligamenta* (H. H. Druce), 1891; Nacaduba
- *maniana* (H. H. Druce), 1891; Nacaduba
- *mysia* (Waterhouse & Lyell), 1914; Nacaduba
- *vanheurmi* (van Eecke), 1924; Nacaduba
- *nicevillei* Toxopeus, 1930
- *procella* Tite, 1963
- *subfestivus* (Röber), [1886]; Plebeius
- *duplicata* Toxopeus, 1930
- *tuala* Toxopeus, 1930
- florinda** (Butler), 1877; Lampides
- *estrella* (Waterhouse & Lyell), 1914; Nacaduba
- *halys* (Waterhouse), 1934; Nacaduba
- *parva* Tite, 1963
- holtra** Parsons, 1986
- keiria** (H. H. Druce), 1891; Nacaduba
- *reducta* Howarth, 1962
- kokoopona** (Ribbe), 1899; Nacaduba
- *kokoopana* (Seitz), [1924], 1912-1927, (ISS); Nacaduba
- nebulosa** (H. H. Druce), 1892; Nacaduba
- rita** (Grose-Smith), 1895; Nacaduba
- *altijavana* Toxopeus, 1930
- *bora* Eliot, 1956
- zyx** Parsons, 1986

Cebrella (Cebrella) [Lyc:Lyc:Pol:Pol:Lycaenopsis]

- * *pellecebra* (Fruhstorfer), 1910; Cyaniris
- *moultoni* (Chapman), 1911; Lycaenopsis
- *oskewa* (Moulton), [1912]; Lycaenopsis
- penelope** Eliot & Kawazoé, 1983
- *kashiwai* Eliot & Kawazoé, 1983

Cebrella (Chelakina) [Lyc:Lyc:Pol:Pol:Lycaenopsis]

- lingga** (Moulton), [1912]; Lycaenopsis
- *hollowayi* Eliot & Kawazoé, 1983
- * *matanga* (Chapman), 1911; Lycaenopsis
- *delapra* (Moulton), [1912]; Lycaenopsis
- nigerrimus** (Moulton), [1912]; Lycaenopsis
- *chelaka* (Moulton), 1913; Lycaenopsis

Celarchus (Armentulus) [Lyc:Lyc:Pol:Pol:Lycaenopsis]

- * *shelfordii* (de Nicéville), 1902; Cyaniris
- *armenta* (Fruhstorfer), 1910; Cyaniris
- *elizabethae* Eliot & Kawazoé, 1983
- *montanensis* (Barlow & Banks & Holloway), 1971; Celastrina

Celarchus (Celarchus) [Lyc:Lyc:Pol:Pol:Lycaenopsis]

- * *archagathos* (Fruhstorfer), 1910; Cyaniris
- *leytensis* Eliot & Kawazoé, 1983
- hermarchus** (Fruhstorfer), 1910; Cyaniris
- *hermarchus* (Seitz), [1927], 1912-1927, (ISS); Lycaena
- *vesontia* (Fruhstorfer), [1917]; Lycaenopsis

Celastrina [Lyc:Lyc:Pol:Pol:Lycaenopsis]

- acesina** (Bethune-Baker), 1906; Cyaniris
- algeronni** (Fruhstorfer), [1917]; Lycaenopsis
- *nuydal* Hayashi & Iwanaga, 1974
- *kadazanensis* Barlow & Banks & Holloway, 1971
- *kawazoel* Hayashi & Iwanaga, 1974
- * *argiolus* (Linnaeus), 1758; Papilio
- *ab. albocaeruleoides* Chapman, 1908
- *ab. albocincta* Tutt, 1908, 1905-1914
- *ab. albocinctacleobis* Tutt, 1908, 1905-1914

Celastrina (continued)

- *ab. anteatrata* (Mezger), 1934; Lycaenopsis
- *ab. aquilina* (Grund), 1908; Cyaniris
- *ab. argalaus* Borkhausen, 1788, (ISS)
- *ab. argioluslata* Tutt, 1907, 1905-1914
- *ab. argiolussuffusa* Tutt, 1907, 1905-1914
- *ab. britanna* (Verity), 1919, 1919-1922, (RA); Lycaenopsis
- *ab. britannica* (O. Bang-Haas), 1926, 1926-1930, (ISS); Cyaniris
- *ab. caeca* (Courvoisier), 1910, 1910-1911; Lycaena
- *ab. calidogenita* (Verity), 1919, 1919-1922, (IFS); Lycaenopsis
- *ab. canicularis* (Verity), 1919, 1919-1922, (IFS); Lycaenopsis
- *ab. clara* Tutt, 1896
- *ab. claralata* Tutt, 1908, 1905-1914
- *ab. clarasuffusa* Tutt, 1908, 1905-1914
- *ab. c-nigrum* Tutt, 1908, 1905-1914
- *ab. discoelongata* (Courvoisier), 1912; Lycaena
- *ab. elongata* (Courvoisier), 1903; Lycaena
- *ab. expansa* (Pionneau), 1937; Cyaniris
- *f. grisescens* (Eisner), 1964; Lycaenopsis
- *ab. lata* Tutt, 1908, 1905-1914
- *ab. latisquama* Ball, 1914
- *ab. lilacina* Tutt, 1908, 1905-1914
- *ab. lilacinalata* (Tutt), 1907, 1905-1914; Ruralis
- *ab. lilacinasuffusa* (Tutt), 1907, 1905-1914; Ruralis
- *f. lucimargina* Scott, 1981
- *ab. major* Tutt, 1908, 1905-1914
- *ab. majuspunctata* (Verity), 1934, 1934-1936, (IFS); Cupido
- *ab. microdes* (Cabeau), 1925; Cyaniris
- *ab. minor* Tutt, 1908, 1905-1914
- *ab. mixta* (Verity), 1919, 1919-1922, (IFS); Lycaenopsis
- *ab. obsoleta* Tutt, 1908, 1905-1914
- *ab. pallida* Tutt, 1908, 1905-1914
- *ab. pallidalata* Tutt, 1908, 1905-1914
- *ab. pallidasuffusa* Tutt, 1908, 1905-1914
- *ab. parvipuncta* Fuchs, 1880
- *ab. paucipuncta* (Courvoisier), 1910, 1910-1911; Lycaena
- *ab. pauper* Tutt, 1908, 1905-1914
- *ab. pauperlata* Tutt, 1908, 1905-1914
- *ab. paupersuffusa* Tutt, 1908, 1905-1914
- *ab. punctata* Tutt, 1908, 1905-1914
- *ab. subtusradiata* (Oberthür), 1896; Cyaniris
- *ab. subtusradiata* Oberthür, 1910
- *ab. transversa* Tutt, 1908, 1905-1914
- *ab. trilinea* Tutt, 1908, 1905-1914
- *ab. acis* (Fabricius), 1787, (H); Papilio
- *f. antidisconulla* Lempke, 1954
- *ab. argalus* (Bergsträsser), [1779], 1778-1780; Papilio
- *ab. argyphontes* (Bergsträsser), [1779], 1778-1780; Papilio
- *ab. argyrophontes* (Bergsträsser), [1779], 1778-1780; Papilio
- *ab. cleobis* (Sulzer), 1776; Papilio
- *f. heringi* (Kardakoff), 1928; Cyaniris
- *ab. kobei* Tutt, 1908, 1905-1914
- *f. maculispostcarens* Lempke, 1954
- *f. manchurica* (Matsumura), 1939; Lycaenopsis
- *ab. marginatus* (Retzius), 1783; Papilio
- *ab. oricolensis* Rostagno, 1912
- *ab. thersanon* (Bergsträsser), [1779], 1778-1780; Papilio
- bieneri** Forster, 1941
- *ab. calidogenita* Manley & Allcard, 1970
- *ab. caphis* (Fruhstorfer), [1922], 1909-1923; Lycaenopsis
- *ab. cinerea* (Edwards), 1883; Lycaena
- *f. arizonensis* (Edwards), 1884; Lycaena
- *ab. cinera* Fisher, 1981, (ISS)
- *ab. echo* (Edwards), 1864; Lycaena
- *ab. nunenmacheri* (Strand), 1915; Cyaniris
- *ab. bakeri* (Clench), 1944; Lycaenopsis
- *ab. gozora* (Boisduval), 1870; Lycaena
- *ab. gazora* Holland, 1931, (ISS)
- *ab. hofizi* (Bernardi), 1964; Lysandra

Celastrina (continued)

- *hypoleuca* (Kollar), [1849]; Lycaena
- - *paraleuca* (Röber), 1897; Plebeius
- *iranica* (Pfeiffer), 1938; Lycaena
- *lynteana* (de Nicéville), [1884]; Cyaniris
- - *albocaeruleoides* (Chapman), 1909; Lycaenopsis
- - *albocaeruleoides* Tutt, 1908, 1905-1914
- - - *albocaeruleoides* (Fruhstorfer), [1922], 1909-1923, (ISS); Lycaenopsis
- - *bothrioides* (Chapman), 1909; Lycaenopsis
- - - *bothriodes* (Fruhstorfer), [1922], 1909-1923, (ISS); Lycaenopsis
- - - - *bothrioides* (Seitz), [1926], 1912-1927, (ISS); Lycaenopsis
- - *citron* (Fruhstorfer), 1910; Cyaniris
- - *herophilus* (Fruhstorfer), 1910; Cyaniris
- - *lynteana* (Moore), [1884]; Cyaniris
- - *puspargiolus* (Chapman), 1909; Lycaenopsis
- - *sikkima* (Moore), [1884]; Cyaniris
- - *victoria* (Swinhoe), 1893; Cyaniris
- - - *victoriae* (Fruhstorfer), [1922], 1909-1923, (ISS); Lycaenopsis
- *kollari* (Westwood), [1851], 1846-1852; Lycaena
- - *coelestina* (Kollar), [1844], (H); Lycaena
- - *kasmira* (Moore), 1865; Polyommatus
- - *trita* (Swinhoe), 1919; Lycaenopsis
- *ladon* (Cramer), [1780], 1775-1790; Papilio
- - - *neglectamajor* Tutt, 1908, 1905-1914, (IFS)
- - - - *ab. obsoletalunulata* Tutt, 1908, 1905-1914
- - - *nigrescens* (Fletcher), [1904], (H); Lycaena
- - *deutargiolus* (Scudder), 1876; Cyaniris
- - *pseudargiolus* (Boisduval & Le Conte), [1835], 1829-1837; Argus
- - *quesnellii* (Cockle), 1910; Cyaniris
- - - *ab. maculatasuffusa* (Cockle), 1910; Cyaniris
- - - *quesnellii* dos Passos, 1964, (ISS)
- - *sidara* (Clench), 1944; Lycaenopsis
- - *violacea* (Edwards), 1866; Lycaena
- *ladonides* (de L'Orza), 1869; Lycaena
- - *sachalinensis* Matsumura, 1925, (H)
- - *levettii* (Butler), 1883; Lycaena
- - *sachalinensis* (Esaki), 1922; Cyaniris
- - *ussuriensis* Forster, 1941
- *lucia* (Kirby), 1837; Lycaena
- - - *ab. brunnea* Tutt, 1908, 1905-1914
- - - *ab. fumida* (Scudder), 1889, 1888-1889; Cyaniris
- - - *ab. inaequalis* Tutt, 1908, 1905-1914
- - - *ab. pseudora* (Scudder), 1889, 1888-1889; Cyaniris
- - - *ab. substjuncta* Tutt, 1908, 1905-1914
- - *argentata* (Fletcher), [1904]; Lycaena
- - *marginata* (Edwards), 1883; Lycaena
- - *neglecta* (Edwards), 1862; Lycaena
- *mauretania* (Rothschild), 1925; Lycaena
- - *algirica* (Oberthür), 1914, (H); Lycaena
- *sugurui* Eliot & Kawazoé, 1983
- fedoseevi** Korshunov & Ivonin, 1990
- + **filipjevi** (Riley), 1934; Lycaenopsis
- *admirabilis* (Sugitani), 1936, 1933-1938; Lycaenopsis
- *gigas* (Hemming), 1928; Lycaenopsis
- *hersilia* (Leech), [1893], 1893-1894; Cyaniris
- *evansi* Toxopeus, 1927, 1927-1928
- *vipia* Cantlie & Norman, 1960
- *huegelii* (Moore), 1882; Cyaniris
- *arisanus* (Matsumura), 1910; Cyaniris
- - *kankonis* (Matsumura), 1926; Lycaenopsis
- *biseulensis* Kim & Joo & Park, 1991
- *oreana* (Swinhoe), 1910, 1909-1913; Lycaenesthes
- *oreoides* (Evans), 1925; Lycaenopsis
- lavendularis** (Moore), 1877; Polyommatus
- - *amitra* (Fruhstorfer), [1923], 1909-1923; Lycaenopsis
- - *hegesander* (Fruhstorfer), 1910; Cyaniris
- *aroana* Eliot & Kawazoé, 1983

Celastrina (continued)

- *chloe* Eliot & Kawazoé, 1983
- *epicharma* (Fruhstorfer), 1910; Cyaniris
- *floresiana* (Courvoisier), 1912; Lycaenopsis
- *gadara* (Fruhstorfer), 1910; Cyaniris
- *hermesianax* (Fruhstorfer), 1910; Cyaniris
- *himilcon* (Fruhstorfer), 1909; Cyaniris
- - *crimissa* (Fruhstorfer), [1917]; Lycaenopsis
- *isabella* Corbet, 1937
- *limbatus* (Moore), 1879; Polyommatus
- *lyce* (Grose-Smith), 1895; Cyaniris
- - *pellonia* (Fruhstorfer), 1910; Cyaniris
- *placida* (de Nicéville), [1884]; Cyaniris
- *placidina* (Fruhstorfer), [1917]; Lycaenopsis
- - *alta* Barlow & Banks & Holloway, 1971
- morsheadi** (Evans), 1915; Cyaniris
- *astynome* (Oberthür), [1919]; Cyaniris
- *gregoryi* (Watkins), 1927; Lycaenopsis
- nigra** (Forbes), 1960; Plebeius
- - - ♀ *f. intermedia* (Strecker), 1878, (NN); Lycaena
- - - ♂ *f. nig* (Strecker), 1878, (IFS); Lycaena
- - - *nigra* (Edwards), 1884, 1868-1897, (IFS); Lycaena
- - *ebenina* Clench, 1972
- + **ogasawaraensis** (Pryer), 1886, 1886-1888; Lycaena
- oreas** (Leech), [1893], 1893-1894; Cyaniris
- *baileyi* Eliot & Kawazoé, 1983
- *hoenei* Forster, 1941
- *mirificus* (Sugitani), 1936, 1933-1938; Lycaenopsis
- *septentrionalis* Forster, 1941
- - - *septentrionis* Eliot & Kawazoé, 1983, (ISS)
- **yunnana** Eliot & Kawazoé, 1983
- perplexa** Eliot & Kawazoé, 1983
- phellodendroni** Omelko & Omelko, 1987
- philippina** (Semper), 1889, 1886-1892; Cyaniris
- *cinctuta* (Grose-Smith), 1895; Cyaniris
- - - *cinctula* (Seitz), [1927], 1912-1927, (ISS); Lycaenopsis
- *gradeniga* (Fruhstorfer), 1910; Cyaniris
- - - *gradeniga* (Toxopeus), 1926, (ISS); Lycaenopsis
- *proba* (Fruhstorfer), [1923], 1909-1923; Lycaenopsis
- *labranda* (Fruhstorfer), [1917]; Lycaenopsis
- *nedda* (Grose-Smith), 1894; Cyaniris
- - *artinia* (Fruhstorfer), [1917]; Lycaenopsis
- - *lychorida* (Fruhstorfer), [1923], 1909-1923; Lycaenopsis
- - *vulcanica* (Rothschild), 1915; Lycaenopsis
- - - *vulvanica* (Fruhstorfer), [1923], 1909-1923, (ISS); Lycaenopsis
- **phuste** (H. H. Druce), 1895; Cyaniris
- - - *f. cincta* (Toxopeus), 1926, (IFS); Lycaenopsis
- sugitanii** (Matsumura), 1919; Cyaniris
- *ainonica* Murayama, 1952
- *kyushuensis* Shirôzu, 1943
- *leei* Eliot & Kawazoé, 1983
- **lenzeni** Forster, 1941
- **shirozui** Hsu, 1987

Celatoxia [Lyc:Lyc:Pol:Pol:Lycaenopsis]

- * *albidisca* (Moore), [1884]; Cyaniris
- carna** (de Nicéville), 1895; Cyaniris
- *carnita* (Fruhstorfer), [1923], 1909-1923; Lycaenopsis
- marginata** (de Nicéville), [1884]; Cyaniris
- - *marata* (Corbet), 1936; Celastrina
- - - *marginata* (Moore), [1884], (H); Cyaniris
- **splendens** (Butler), 1900; Cyaniris

Celmia [Lyc:Lyc:The:Eum:Eumaeus]

- * **celmus** (Cramer), [1775], 1775-1790; Papilio
- - **pereza** (Butler), 1877; Tmolus
- stigmata** Johnson, 1991

Chaetoprocta [Lyc:Lyc:The:The:Thecla]

- baileyi** Forster, 1980
- * **odata** (Hewitson), [1865], 1863-1878; Dipsas

Chaetoprocta (*continued*)

- *kurumi* Fujioka, 1970
- *peilei* Forster, 1980

Chalceria [Lyc:Lyc:Lyc:Lycaena]

- heteronea* (Boisduval), 1852; Lycaena
- - - *ab. coloradensis* (Gunder), 1925; Heodes
- - *gravenotata* (Klots), 1930; Lycaena
- - *klotsi* (Field), 1936; Lycaena
- *clara* (H. Edwards), 1880; Lycaena
- * *rubidus* (Behr), 1866; Chrysophanus
- *duofacies* (Johnson & Balogh), 1977; Lycaena
- *ferrisi* (Johnson & Balogh), 1977; Lycaena
- *longi* (Johnson & Balogh), 1977; Lycaena
- *monachensis* (Johnson & Balogh), 1977; Lycaena
- *perkinsorum* (Johnson & Balogh), 1977; Lycaena
- *sirius* (Edwards), [1871]; Chrysophanus

Chalodeta [Lyc:Rio:Rio:Rio:Riodinitii]

- azora* (Godart), [1824], 1819-1824; Erycina
- chaonitis* (Hewitson), [1866], 1852-1877; Charis
- - - - *chaonites* (Kirby), 1871, (ISS); Charis
- chelonis* (Hewitson), [1866], 1852-1877; Charis
- *virido* (Rebillard), 1958; Charis
- epijessa* (Pritwitz), 1865; Charis
- - *charis* (Hewitson), [1874], 1852-1877; Lemonias
- *calicene* (Hewitson), [1866], 1852-1877; Charis
- lypera* (Bates), [1868]; Charis
- panurga* Stichel, 1910
- speusippa* Schaus, 1928
- * *theodora* (Felder & Felder), 1862; Charis
- - *f. calligramma* (Rebillard), 1958; Charis
- *stilbos* (Stichel), 1910; Charis

Chalybs [Lyc:Lyc:The:Eum:Eumaeus]

- esmeralda* (Jones), 1912; Thecla
- hassan* (Stoll), [1790], 1780-1790; Papilio
- * *janias* (Cramer), [1779], 1775-1790; Papilio
- - - - *janais* (Hewitson), [1877], 1863-1878, (ISS); Thecla
- - *cecina* (Hewitson), 1868; Thecla
- schmidtmummi* Johnson & Eisele & MacPherson, 1993

Chamaelimnas [Lyc:Rio:Rio:Rio:Riodinitii]

- ammon* (Cramer), [1777], 1775-1790; Papilio
- briola* Bates, [1868]
- - *histrio* (Goeze), 1779, 1777-1783; Papilio
- - *insignis* Stichel, 1929
- cercides* Hewitson, [1871], 1852-1877
- cydonia* Stichel, 1910
- doryphora* Stichel, 1910
- - - - *dorifera* Lathy, 1932, (ISS)
- - - - *dyrophora* Biezanko & Mielke & Wedderhoff, 1978, (ISS)
- *meridionalis* Lathy, 1932
- iaeris* Bates, [1868]
- joviana* Schaus, 1902
- - - - *ab. pallida* Hayward, 1949
- - *similis* Schaus, 1902
- pansa* Godman, 1903
- phoenias* Hewitson, 1870, 1869-1877
- splendens* Grose-Smith, 1902, 1887-1902
- *propinquus* Mengel, 1913
- stolzmanni* d'Aberra, 1994
- * *tircis* Felder & Felder, 1865, 1865-1875
- urbana* Stichel, 1916
- villagomes* Hewitson, 1870
- *xanthotaenia* Stichel, 1910

Charana [Lyc:Lyc:The:Iol:Iolaus]

- cephis* de Nicéville, 1894
- * *mandarinus* (Hewitson), [1863], 1863-1878; Myrina
- *dea* (Toxopeus), 1933; Manto

Charana (*continued*)

- *splendida* Moulton, [1912]

Charis [Lyc:Rio:Rio:Rio:Riodinitii]

- aerigera* (Stichel), 1910; Charmona
- aphanis* (Stichel), 1910; Charmona
- argyrea* Bates, [1868]
- + *aulius* (Cramer), [1776], 1775-1790; Papilio
- - - - *anius* Stichel, 1930, (ISS)
- - - - *avius* (Cramer), [1776], 1775-1790, (IOS); Papilio
- * - - - *ania* Hübner, [1819], 1816-1826, (JOS)
- - *cleodora* (Godart), [1824], 1819-1824; Erycina
- *major* (Lathy), 1932; Charmona
- cadytis* Hewitson, [1866], 1852-1877
- *acroxantha* (Stichel), 1910; Charmona
- calagutis* Hewitson, [1871], 1852-1877
- - - - *calagatis* Kirby, 1877, (ISS)
- caryatis* Hewitson, [1866], 1852-1877
- cleonus* (Stoll), [1782], 1780-1790; Papilio
- gynaea* (Godart), [1824], 1819-1824; Erycina
- *candiope* H. H. Druce, 1904
- *zama* Bates, [1868]
- hermodora* Felder & Felder, 1861
- jessa* (Boisduval), 1836; Nymphidium
- ocellata* (Hewitson), [1867], 1852-1877; Symmachia
- xanthosa* (Stichel), 1910; Charmona

Charis (?) [Lyc:Rio:Rio:Rio:Riodinitii]

- myrtis* H. H. Druce, 1904
- *mesembrina* (Hayward), 1949; Orimba

Cheritra [Lyc:Lyc:The:Che:Cheritra]

- aenea* Semper, 1890, 1886-1892
- aenigma* Cowan, 1967
- freja* (Fabricius), 1793, 1792-1799; Hesperia
- - *regia* Evans, 1925
- *butleri* Cowan, 1965
- *evansi* Cowan, 1965
- *fracta* Cowan, 1967
- *frigga* Fruhstorfer, [1912]
- * - *jafra* (Godart), [1824], 1819-1824; Myrina
- - - - *jaffra* (Horsfield), [1829], 1828-1829, (ISS); Myrina
- *pseudojafra* Moore, [1881], 1880-1881
- *sabanga* Toxopeus, 1929
- orpheus* (Felder & Felder), 1862; Myrina
- - *massiva* (Hewitson), [1863], 1863-1878; Myrina
- *eurydice* Fruhstorfer, [1912]
- *orphanine* Cowan, 1967
- pallida* (H. Druce), 1873; Sithon
- - *ochracea* H. H. Druce, 1895

Cheritrella [Lyc:Lyc:The:Che:Cheritra]

- * *truncipennis* de Nicéville, 1887
- - *nagana* Röber, 1926

Chilades [Lyc:Lyc:Pol:Pol:Polyommatus]

- alberta* Butler, 1901
- boopis* (Fruhstorfer), 1897; Lycaena
- buruana* (Holland), 1900; Talicada
- *boopis* (Fruhstorfer), 1915, (H); Luthrodes
- - *minor* (Ribbe), 1926; Luthrodes
- *soamis* (Fruhstorfer), 1915; Luthrodes
- - - - *soemis* Seitz, [1924], 1912-1927, (ISS)
- + *cleotas* (Guérin-Méneville), [1831], 1830-1838; Polyommatus
- - *poeta* (Boisduval), 1832; Argus
- *arruana* (Felder & Felder), 1865, 1865-1875; Lycaena
- *clitophon* (Grose-Smith), 1895; Talicada
- *excellens* (Butler), [1876]; Scolitantides
- *gades* (Fruhstorfer), 1915; Luthrodes
- *kalphas* (Fruhstorfer), 1915; Luthrodes
- eleusis* (Demaison), 1888; Lycaena
- - *pharaonis* (Staudinger), 1894; Lycaena

Chilades (*continued*)

- - *podorina* (Mabille), 1890; Lycaena
- *strigatus* (Aurivillius), [1925], 1908-1925; Cupido
- elicola* (Strand), 1911; Cupido
- kedonga* (Grose-Smith), 1898; Everes
- - *pulchriatrata* (Bethune-Baker), 1905; Lycaena
- * *lajus* (Stoll), [1780], 1780-1790; Papilio
- - - - *lajus* (Doubleday), 1847, 1844-1848, (ISS); Lycaena
- - *brahmina* (Felder & Felder), 1865, 1865-1875; Lycaena
- - *cajus* (Fabricius), 1793, 1792-1799; Hesperia
- - *kandura* (Moore), [1866]; Polyommatus
- - *varunana* (Moore), [1866]; Polyommatus
- *athena* (Felder & Felder), 1865, 1865-1875; Lycaena
- - *calyptra* Fruhstorfer, 1916
- *cromyon* Fruhstorfer, 1916
- *koshunensis* Matsumura, 1919
- *leucofasciatus* (Röber), [1886]; Plebeius
- *tavoyana* Evans, 1925
- mindora* (Felder & Felder), 1865, 1865-1875; Lycaena
- - *kiamurae* (Matsumura), 1910; Everes
- nigeriae* (E. Sharpe), 1902; Euchrysops
- + *pandava* (Horsfield), [1829], 1828-1829; Lycaena
- - *bengalia* (de Nicéville), 1885; Catochrysops
- - *nicola* (Swinhoe), 1885; Catochrysops
- *insularis* (Riley), [1945]; Euchrysops
- *lanka* (Evans), 1925; Euchrysops
- *vapanda* (Semper), 1887, 1886-1892; Catochrysops
- + *parrhasius* (Fabricius), 1793, 1792-1799; Hesperia
- *minuta* (Evans), 1932; Euchrysops
- *nila* (Evans), 1925; Euchrysops
- peripatria* Hsu, 1989
- roemli* Kalis, 1933
- - - - *roemii* Anonymous, 1934, (ISS)
- sanctithomae* (E. Sharpe), 1893; Catochrysops
- serrula* (Mabille), 1890; Lycaena
- yunnanensis* Watkins, 1927

Chilades (?) [Lyc:Lyc:Pol:Pol:Polyommatus]

saga Grose-Smith, 1895

Chilades (*Freyeria*) [Lyc:Lyc:Pol:Pol:Polyommatus]

- minuscula* (Aurivillius), 1909; Cupido
- putli* (Kollar), [1844]; Lycaena
- * *trochylus* (Freyer), 1845, 1831-1858; Lycaena
- - - - *ab. albolutulata* Hayward, 1926
- - - - *ab. caeca* (Courvoisier), 1912; Lycaena
- - - - *ab. mandersi* Graves, 1918
- - - - *obscura* (Heydemann), 1954; Freyeria
- - - - *ab. pauper* Bytinski-Salz, 1937
- - - - *ab. subtosoboleta* Graves, 1918
- - - - *ab. supraradiata* Wagner, 1931
- - - - *trochilus* (Kirby), 1871, (ISS); Cupido
- - - - *trochilus* (Murray), 1874, (ISS); Lycaena
- - *gnoma* (Snellen), 1876; Lycaena
- - *grisea* Aigner-Abafi, 1906
- - *parva* (Murray), 1874; Lycaena
- *formosana* Matsumura, 1919
- *orientalis* (Forster), 1980; Freyeria
- *persa* Bytinski-Salz, 1937

Chimastrum [Lyc:Rio:Rio:Symmachiini]

- * *argentea* (Bates), 1866; Mesene
- - *hewitsonii* (Boisduval), 1870; Mesene
- carnutus* (Hewitson), [1875], 1852-1877; Esthemopsis
- *flavibasis* Lathy, 1932

Chloroselas [Lyc:Lyc:The:Aph:Aphnaeus]

- argentea* Riley, 1932
- azurea* Butler, [1900]
- * *esmeralda* Butler, [1886]
- *bilqis* Larsen, 1983
- minima* Jackson, 1966

Chloroselas (*continued*)

- ogadenensis* Jackson, 1966
- overlaeti* Stempffer, 1956
- pseudozeritis* (Trimen), 1873; Aphnaeus
- - - - *f. umbrosa* Talbot, 1935, (IFS)
- *tyleri* Riley, 1932
- tamaniba* (Walker), 1870; Aphnaeus
- tauposana* Riley, 1932
- trembathi* Collins & Larsen, 1991
- vansomerani* Jackson, 1966

Chlorostrymon [Lyc:Lyc:The:Eum:Eumaeus]

- chileana* Johnson, 1989
- kuscheli* (Ureta), 1949; Thecla
- larancagua* Johnson, 1990
- maesites* (Herrich-Schäffer), 1864, 1864-1865; Thecla
- - - - *moesites* (Kirby), 1871, (ISS); Thecla
- - *clenchi* (Comstock & Huntington), 1943; Thecla
- orbis* Johnson & Smith, 1993
- patagonia* Johnson, 1989
- simaethis* (Drury), [1773], 1770-1782; Papilio
- - - - *lycus* (Skinner), 1898, (PS); Thecla
- - *jago* (Comstock & Huntington), 1943; Thecla
- - *sarita* (Skinner), 1895; Thecla
- *rosario* Nicolay, 1980
- * *telea* (Hewitson), 1868; Thecla

Chorinea [Lyc:Rio:Rio:Rio:Ancylurini]

- amazon* (Saunders), [1859]; *Zeonia*
- batesii* (Saunders), [1859]; *Zeonia*
- + *heliconides* (Swainson), [1833], 1829-1833; *Zeonia*
- licursis* (Fabricius), 1775; Papilio
- - *morissei* (Boisduval), 1835; *Zeonia*
- * - - *xanthippe* (Gray), 1832; *Erycina*
- octavius* (Fabricius), 1787; Papilio
- - - - *lamontii* (Kaye), [1925], (IFS); *Zeonia*
- - - *faunus* (Fabricius), 1775, (H); Papilio
- - *chorineus* (Cramer), [1775], 1775-1790; Papilio
- *bogota* (Saunders), [1859]; *Zeonia*
- *orchestris* (Stichel), 1910; *Zeonia*
- sylphina* (Bates), [1868]; *Zeonia*
- *gratiosa* Stichel, 1910
- *terpsichore* Stichel, 1910
- timandra* (Saunders), [1850]; *Erycina*

Chrysoiritis [Lyc:Lyc:The:Aph:Aphnaeus]

- chrysanthes* (Trimen), 1868; *Zeritis*
- cottrelli* (Dickson), 1975; *Poecilmitis*
- * *oreas* (Trimen), 1891; *Zeritis*
- zeuxo* (Linnaeus), 1764; Papilio
- zonarius* (Riley), 1938; *Phasis*

Chrysozephyrus [Lyc:Lyc:The:The:Thecla]

- abaensis* Sugiyama, 1994
- assamica* (Tyler), 1915; *Zephyrus*
- aurorina* (Obenthür), 1880; Thecla
- - - - *ab. evanidus* (Murayama), 1947; *Neozephyrus*
- - *aino* (Matsumura), 1915; *Zephyrus*
- - *brillantina* (Staudinger), 1887; Thecla
- - *jankowskii* Seitz, [1908], 1907-1921
- *alpinus* (Murayama), 1954; *Neozephyrus*
- *hecalina* (Bryk), 1946; *Ruralis*
- *kansaiensis* (Murayama), 1954; *Neozephyrus*
- bhutanensis* (Howarth), 1957; *Neozephyrus*
- birupa* (Moore), 1877; *Dipsas*
- chinensis* (Howarth), 1957; *Neozephyrus*
- desgodinsi* (Obenthür), 1886; Thecla
- *dumoides* (Tyler), 1915; *Zephyrus*
- disparatus* (Howarth), 1957; *Neozephyrus*
- *interpositus* (Howarth), 1957; *Neozephyrus*
- *pseudoletha* (Howarth), 1957; *Neozephyrus*
- *pseudotaiwanus* (Howarth), 1957; *Neozephyrus*

Chrysozephyrus (*continued*)

- duma* (Hewitson), [1878], 1863-1878; *Dipsas*
gaoi Koiwaya, 1993
hisamatsusanus (Nagami & Ishiga), 1935; *Zephyrus*
 - - - *hisamatsusuzanus* Shimonoya & Murayama, 1965, (ISS)
 - *splendidulus* Shimonoya & Murayama, 1965
intermedia (Tyler), 1915; *Zephyrus*
inthanonensis Kimura & Murayama, 1990
 - *hainanicus* Koiwaya, 1993
inthanonius Kimura & Murayama, 1990
jakamensis (Tyler), 1915; *Zephyrus*
kabrua (Tyler), 1915; *Zephyrus*
 - - - *kabruae* (Sharpe), [1917], (ISS); *Zephyrus*
 - *niitakanus* (Kano), 1928; *Zephyrus*
 - *kanonis* (Matsumura), 1929; *Zephyrus*
 - *neidhoferi* Shimonoya & Murayama, 1971
khasia (de Nicéville), 1890; *Zephyrus*
kirbariensis (Tyler), 1915; *Zephyrus*
 - - - *kirbariensis* Shirôzu & Yamamoto, 1956, (ISS)
 - *shakunage* Fujioka, 1970
letha (Watson), 1897; *Zephyrus*
linae Koiwaya, 1993
marginatus (Howarth), 1957; *Neozephyrus*
minicus Sugiyama, 1994
muhshengi Shimonoya & Murayama, 1971
mushaellus (Matsumura), 1938; *Zephyrus*
 - *hshuehsanus* Shimonoya & Murayama, 1969
 - *chungianus* Murayama, 1958
 - *rileyi* (Forster), 1940; *Zephyrus*
nigroapicalis (Howarth), 1957; *Neozephyrus*
 - *philipi* Eliot, 1987
nishikaze (Araki & Sibatani), 1941; *Thecla*
paona (Tyler), 1915; *Zephyrus*
rarasanus (Matsumura), 1939; *Zephyrus*
sakula Koiwaya, 1993
sandersi (Howarth), 1957; *Neozephyrus*
scintillans (Leech), [1893], 1893-1894; *Zephyrus*
sikkimensis (Howarth), 1957; *Neozephyrus*
sikongensis (Murayama), 1955; *Neozephyrus*
 * *smaragdina* (Bremer), 1861; *Thecla*
 - *diamantina* (Oberthür), 1880; *Thecla*
 - *esakii* (Umeno), 1937; *Zephyrus*
 - *amoenus* (Murayama), 1954; *Neozephyrus*
 - *odakae* (Watarai), 1929; *Zephyrus*
 - *luxurians* (Murayama), 1953; *Neozephyrus*
souleana (Riley), 1939; *Thecla*
 - *angustimargo* (Howarth), 1957; *Neozephyrus*
subnivalis Kawazoé & Wakabayashi, 1969
syla (Kollar), [1844]; *Thecla*
tatsienluensis (Murayama), 1955; *Neozephyrus*
teiso (Sonan), 1941; *Zephyrus*
 - - - *esakii* (Sonan), 1940, (H); *Zephyrus*
 - - - *formosanus* (Esaki), 1932, (H); *Zephyrus*
 - - - *sanctissima* (Araki & Sibatani), 1941, (H); *Thecla*
 - *raja* Sugiyama, 1993
 - *voit* (Sugiyama), 1993; *Strymonidia*
tienmushanus Shirôzu & Yamamoto, 1956
triloka (Hannington), 1910, 1910-1911; *Zephyrus*
 - - - *trilocha* (Swinhoe), 1911, 1909-1913, (ISS); *Ruralis*
tytleri (Howarth), 1957; *Neozephyrus*
vittata (Tyler), 1915; *Zephyrus*
watsoni (Howarth), 1957; *Neozephyrus*
yoshikoae Koiwaya, 1993
yuchingkinus Murayama & Shimonoya, 1960
 - *etsu* d'Abrebra, 1986
yunnanensis (Howarth), 1957; *Neozephyrus*
ziba (Hewitson), [1865], 1863-1878; *Dipsas*
zoa (de Nicéville), 1889; *Zephyrus*
 - *interruptus* Koiwaya, 1993

Cigaritis [Lyc:Lyc:The:Aph:Aphnaeus]

- allardi* Oberthür, 1909
 - *estherae* Brévignon, 1985
 - *meridionalis* Riley, 1925
 - *occidentalis* Le Cerf, 1923
siphax Lucas, 1849
 - - - *ab. immaculata* Oberthür, 1914
 - - - *ab. impunctata* Oberthür, 1914
 - - - *ab. pallidescens* Oberthür, 1914
 - - - *ab. pallida* Oberthür, 1914
 - - - *ab. paucimaculata* Oberthür, 1914
 - - - *ab. supraimpunctata* Oberthür, 1896
 + - - - *syphax* (Lucas), 1849, (IOS); *Zerythis*
 - *funebri* Oberthür, 1914
 * *zohra* Donzel, 1847
 - - - *f. confusa* Oberthür, 1914
 - - - *ab. confusa* Oberthür, 1914
 - - - *oberthueri* Riley, 1925, (IFS)
 - *jugurtha* Oberthür, 1876
 - *masinissa* Lucas, 1849
 - - - *massinissa* Seitz, [1909], 1907-1921, (ISS) *Cigariti*)
 - *littoralis* Riley, 1925
 - *monticola* Riley, 1925
 - *orientalis* Riley, 1925

Cisincisalia [Lyc:Lyc:The:Eum:Eumaeus]

- guatemalena* (Clench), 1981; *Callophrys*
 * *moecki* Johnson, 1992

Cissatsuma [Lyc:Lyc:The:Eum:Eumaeus]

- * *albilinea* (Riley), 1939; *Satsuma*
contexta Johnson, 1992
crenata Johnson, 1992
halosa Johnson, 1992
kansuensis Johnson, 1992
tuba Johnson, 1992

Citrinophila [Lyc:Lyc:Lip:Lip:Mimacraea]

- bennetti* Jackson, 1967
 - - - *benetti* d'Abrebra, 1980, (ISS)
erastus (Hewitson), [1866], 1852-1877; *Tachyris*
 - *erasmus* (Kirby), 1887; *Teriomina*
 - *flaveola* (Kirby), 1887; *Teriomina*
 - *vulcanica* Schultze, 1916
 - *pallida* Hawker-Smith, 1933
limbata Kirby, 1887
 * *marginalis* Kirby, 1887
pusio (Grose-Smith), 1898; *Teriomima*
serena (Kirby), 1890; *Teriomima*
similis (Kirby), 1887; *Teriomina*
tenera (Kirby), 1887; *Teriomina*
terias Joicey & Talbot, 1921
 - *regularis* Schultze, 1923
unipunctata Bethune-Baker, 1908

Cnodontes [Lyc:Lyc:Lip:Lip:Mimacraea]

- * *pallida* (Trimen), 1898; *Durbania*
penningtoni Bennett, 1954
vansomereni Stempffer & Bennett, 1953
swinhoni Stempffer & Bennett, 1956

Colaciticus [Lyc:Rio:Rio:Rio:Ancyluriti]

- banghaasi* Seitz, [1917], 1910-1924
 * *johnstoni* (Dannatt), 1904; *Monethe*
jordani Seitz, [1917], 1910-1924

Comphotis [Lyc:Rio:Rio:Rio:Riodimiti]

- delicia* Rebillard, 1958
 * *irroratum* (Godman), 1903; *Cricosoma*
sinuata Stichel, 1925

Contrafacia [Lyc:Lyc:The:Eum:Thereus]

- australis* Johnson, 1989

Contrafacia (*continued*)

- * *mexicana* Johnson, 1989
- minutaea* Johnson, 1989
- rindgei* Johnson, 1989

Cooksonia [Lyc:Lyc:Lip:Durbaniini]

- aliciae* Talbot, 1935
- * *trimeni* H. H. Druce, 1905
- *terpsichore* Talbot, 1935

Cordelia [Lyc:Lyc:The:The:Thacla]

- * *comes* (Leech), 1890; Dipsas
- *wilemaniella* (Matsumura), 1929; *Zephyrus*
- kitawakii* Koiwaya, 1993
- minerva* (Leech), 1890; Dipsas
- thespis* (Leech), 1890; Dipsas
- *sichuanica* (Sugiyama), 1993; *Gonerilia*

Coreana [Lyc:Lyc:The:The:Thacla]

- * *raphaelis* (Oberthür), 1880; *Thecla*
- + - - *flamen* (Leech), 1887; Dipsas
- - - - *f. sixtina* (Bryk), 1946; *Bergmania*
- *ohruui* Shirōzu, 1962
- *yamamotoi* Okano, 1953

Corrachia [Lyc:Rio:Corrachinae]

- * *leucoplaga* Schaus, 1913
- - *tablazonis* (Strand), 1916, 1914-1916; *Lemonias*

Cowania [Lyc:Lyc:The:Che:Cheritra]

- * *achaja* (Fruhstorfer), [1912]; *Horaga*

Cremna [Lyc:Rio:Rio:]

- * *actoris* (Cramer), [1776], 1775-1790; *Papilio*
- - - *ceneus* (Cramer), [1777], 1775-1790, (H); *Papilio*
- - *lusia* (Hübner), [1819], 1816-1826; *Hamanumida*
- *cuyabaensis* Talbot, 1928
- *heteroea* Bates, 1867
- - - - *heteraea* Kirby, 1871, (ISS)
- *meleagris* Hopffer, 1874
- alector* (Geyer), [1836], 1832-1837; *Hamanumida*
- - - - *dialis* (Doubleday), 1847, 1844-1848, (NN); *Mesosemia*
- *pupillata* Stichel, 1915
- - *bipuncta* Seitz, [1917], 1910-1924
- calitra* Hewitson, 1869, 1869-1877
- elisae* Zikán, 1952
- histica* (Boisduval), 1870; *Hypophylla*
- thasus* (Stoll), [1780], 1780-1790; *Papilio*
- *subrutila* Stichel, 1910

Creon [Lyc:Lyc:The:Iol:Iolais]

- * *cleobis* (Godart), [1824], 1819-1824; *Polyommatus*
- - *hypatada* (Moore), [1858]; *Amblypodia*
- *queda* (Corbet), 1938; *Pratapa*
- - *pendleburyi* (Corbet), 1940; *Pratapa*

Crimsinota [Lyc:Lyc:The:Eum:Eumaeus]

- argentina* Johnson, 1993
- bagrada* (Hewitson), 1868; *Thecla*
- besidia* (Hewitson), 1868; *Thecla*
- cyanoruba* Johnson, 1993
- giganta* Johnson, 1993
- perplexissima* Johnson, 1993
- rubifer* (H. H. Druce), 1907; *Thecla*
- * *socia* (Hewitson), 1868; *Thecla*
- torris* (H. H. Druce), 1907; *Thecla*
- youngi* Johnson, 1993

Crocozona [Lyc:Rio:Rio:Rio:Riodini]

- coecias* (Hewitson), [1866], 1852-1877; *Charis*
- - - - *caecias* (Kirby), 1871, (ISS); *Charis*
- *arcuata* (Godman), 1903; *Charis*
- croceifasciata* Zikán, 1952

Crocozona (*continued*)

- fasciata* (Hopffer), 1874; *Charis*
- - - - *f. holmgreni* Bryk, 1953, (IFS)
- - - - *f. ovalis* Bryk, 1953, (IFS)
- - *clusia* (Hewitson), [1875], 1852-1877; *Charis*
- insolens* Stichel, 1929
- * *pheretima* Felder & Felder, 1865, 1865-1875
- - *caciparis* (Hewitson), [1871], 1852-1877; *Charis*

Crudaria [Lyc:Lyc:The:Aph:Aphnaeus]

- capensis* van Son, 1956
- * *leroma* (Wallengren), 1857; *Amblypodia*
- - *albomaculata* Aurivillius, [1924], 1908-1925
- - - - *albomaculata* Stempffer, 1967, (ISS)
- - *delagoensis* (E. Sharpe), 1891; *Cigaritis*
- - *zoritis* (Hewitson), 1874; *Zeritis*
- wykehami* Dickson, 1983, 1982-1983

Cupidesthes [Lyc:Lyc:Pol:Lycaenesthini]

- albida* (Aurivillius), 1923; *Lycaenesthes*
- arescopia* Bethune-Baker, 1910
- - *hilarion* Hulstaet, 1924
- *orientalis* (Stempffer), 1962; *Anthene*
- caerulea* Jackson, 1966
- cuprifascia* Joicey & Talbot, 1921
- irumu* Stempffer, 1948
- jacksoni* Stempffer, 1969
- leonina* (Bethune-Baker), 1903; *Lycaenesthes*
- lithas* (H. H. Druce), 1890; *Lycaenesthes*
- mimetica* (H. H. Druce), 1910; *Lycaenesthes*
- minor* Joicey & Talbot, 1921
- paludicola* (Holland), 1891; *Lycaena*
- - *brunneus* (Grose-Smith & Kirby), 1893, 1887-1902;
- Lycaenesthes*
- paralithas* Bethune-Baker, 1926
- * *robusta* Aurivillius, 1895
- thyrasis* (Kirby), 1878; *Lycaenesthes*
- - - - *ab. unicolor* (Aurivillius), [1924], 1908-1925;
- Lycaenesthes*
- vidua* Talbot, 1929
- voltae* (E. Sharpe), 1890; *Lycaenesthes*
- *gabunica* Aurivillius, [1899]
- wilsoni* (Talbot), 1935; *Lycaenesthes*
- ysobelae* Jackson, 1966

Cupido [Lyc:Lyc:Pol:Pol:Everes]

- alaina* (Staudinger), 1887, 1886-1889; *Lycaena*
- - *muzaffar* (Grum-Grshimailo), 1887; *Lycaena*
- arica* (Grum-Grshimailo), 1902; *Lycaena*
- carswelli* Stempffer, 1927
- - *arcilacis* Riley, 1927
- draesekei* (Schawerda), 1926; *Zizera*
- lorquini* (Herrich-Schäffer), [1850], 1843-1856; *Lycaena*
- - - - *f. limpia* Pascual Linares, 1985
- - - - *f. obscura* Pascual Linares, 1985
- *martenensis* Pascual Linares, 1985
- * *minimus* (Füssly), 1775; *Papilio*
- - - - *ab. caeca* (Courvoisier), 1903; *Lycaena*
- - - - *ab. caeca* (Courvoisier), 1910, (NN); *Zizera*
- - - - *elongata* (Courvoisier), 1910, 1910-1911; *Lycaena*
- - - - *ab. elongata* (Kiefer), 1938; *Lycaena*
- - - - *jollans* Verity, 1948, 1947-1957
- - - - *lateacaerulea* Verity, 1943, (IFS)
- - - - *ab. minutissima* (Stephan), 1923; *Zizera*
- - - - *ab. multistriata* Howarth, 1971
- - - - *ab. nodibuja* (Ribbe), 1910, 1909-1912; *Lycaena*
- - - - *ab. obsoleta* Tutt, 1896
- - - - *pallida* Tutt, 1896
- - - - *paucipuncta* (Courvoisier), 1903; *Lycaena*
- - - - *ab. simplex* (Aigner-Abafi), 1900; *Lycaena*
- - - - *trinacrae* Verity, 1919, 1919-1922, (RA)
- - - *puer* Schrank, 1801, (RC)

Cupido (continued)

- + - - alsus ([Denis & Schiffermüller], 1775; Papilio
- - magnus Sugitani, 1938, 1933-1938
- - minimus (Esper), [1777], 1776-1830; Papilio
- - - - ab. *alcetoides* Tutt, 1909, 1905-1914
- - - - ab. *caerulescens* Tutt, 1909, 1905-1914
- - - - extrema Tutt, 1909, 1905-1914
- - - - ab. *howkowi* Tutt, 1909, 1905-1914
- - - - latecaerulea Verity, 1943
- - - - magnipuncta Tutt, 1909, 1905-1914
- - - - major Tutt, 1909, 1905-1914
- - - - minor Tutt, 1909, 1905-1914
- - - - ab. *moreana* Tutt, 1909, 1905-1914
- - - - parvipuncta Tutt, 1909, 1905-1914
- - - - pupillata Vorbrod & Müller-Rutz, 1917
- - - - semiobsoleta Tutt, 1909, 1905-1914
- - - - ab. *striata* Tutt, 1909, 1905-1914
- - - - ab. *violascens* Tutt, 1909, 1905-1914
- - - - ab. *viridescens* Tutt, 1909, 1905-1914
- - minutus (Esper), [1798], 1776-1830; Papilio
- - montana Favre & Wulfschlegel, 1899
- - noguerae Haig-Thomas, 1929
- - pseudolus (Bergsträsser), [1779], 1778-1780; Papilio
- albocilia van Oorschoot & van den Brink & van Oorschoot, 1984
- alsoides (Gerhard), 1851, 1850-1853; Lycaena
- magna (Heyne), 1895, 1893-1895; Lycaena
- qillanus Murayama, 1983
- osiris Meigen, 1829, 1827-1832
- - - - ab. *caeruleagrisea* (Sheldon), 1914; Lycaena
- prosecusa (Erschoff), 1874; Lycaena
- - duplex (Alphéraky), 1887; Lycaena
- - gisela (Püngeler), 1901; Lycaena
- - korlana (Staudinger), 1901; Lycaena
- - staudingeri (Christoph), 1873; Lycaena
- subcaerulea (Holland), 1900; Zizera

Cupido (?) [Lyc:Lyc:Pol:Pol:Everes]

- celinde (Boisduval), 1832; Lycaena
- damaeus (Godart), [1824], 1819-1824; Polyommatus
- donovani Kirby, 1871
- duponchelii (Godart), [1824], 1819-1824; Polyommatus
- elorea (Fabricius), 1793, 1792-1799; Papilio
- - elorina (Staudinger), [1888], 1884-1888; Lycaena
- idmon (Hübner), [1824], 1796-1838; Papilio
- improba Reed, 1877
- kalawarus (Ribbe), 1926; Zizera
- triton (Fabricius), 1787; Papilio

Cupido (??) [Lyc:Lyc:Pol:Pol:Everes]

- bohemanni (Wallengren), 1860; Lycaena
- - - - bohemani Kirby, 1871, (ISS)
- lunulatus (Gmelin), [1790]; Papilio
- oculatus (Gmelin), [1790]; Papilio

Cupidopsis [Lyc:Lyc:Pol:Pol:Cupidopsis]

- cissus (Godart), [1824], 1819-1824; Polyommatus
- - - - f. *albiradiatus* (Stoneham), 1938, (IFS); Cupido
- - - - f. *immaculatus* (Stoneham), 1938, (IFS); Cupido
- aberrans (Butler), 1878; Lampides
- catharina (Trimen), 1862; Lycaena
- * jobates (Hopffer), 1855; Lycaena
- - - - ab. *conjugens* Strand, 1912
- - - - conjugens Stempffer, 1967, (ISS)
- - - - iobates Stempffer, 1967, (ISS)
- - siwani (Trimen), 1862; Lycaena
- ochreopuncta (Aurivillius), [1925], 1908-1925, (IFS); Cupido
- uranochroa Ungemach, 1932
- mauritanica Riley, 1932
- - - - mauretanic Stempffer, 1967, (ISS)

Curetis [Lyc:Lyc:Curtinae]

- acuta Moore, 1877

Curetis (continued)

- - truncata Moore, 1877
- formosana Fruhstorfer, 1908
- - - - ab. *albida* Esaki & Nakahara, 1930
- japonica Fruhstorfer, 1908
- - - - ab. *classica* Murayama, 1943
- paracuta de Nicéville, 1902
- tsushimana Fruhstorfer, 1908
- barsine (C. Felder), 1860; Anops
- brunnea Wileman, 1909
- - lucifuga Fruhstorfer, 1909
- bulis (Westwood), [1851], 1846-1852; Anops
- - discalis Moore, 1879
- - nisias Fruhstorfer, 1908
- - - - stigmata (Moore), 1879; Anops
- argentata Toxopeus, 1935
- doxa Evans, 1954
- fortunata Fruhstorfer, 1908
- ge Fruhstorfer, 1900
- celebensis (Felder & Felder), 1865, 1865-1875; Anops
- - - - ab. *iamus* Ribbe, 1926
- - eos Röber, 1887
- - kalawara Ribbe, 1926
- brunnescens Ribbe, 1926
- - - - brunnescens d'Abrebra, 1986, (ISS)
- dentata Moore, 1879
- - angulata Moore, [1884]
- - denta Evans, 1954
- felderi Distant, 1884, 1882-1886
- - gabrieli Corbet, 1937
- freda Eliot, 1959
- hera Fruhstorfer, 1899
- insularis (Horsfield), [1829], 1828-1829; Phaedra
- - pseudoinsularis Seitz, [1924], 1912-1927
- - - - pseudoinsularis Fruhstorfer, 1908, (IFS)
- camotina Fruhstorfer, 1908
- - obsoleta (Felder & Felder), 1862; Phaedra
- egena (Felder & Felder), 1865, 1865-1875; Anops
- golona Fruhstorfer, 1908
- solita Butler, 1882
- - bougainvillei Chapman, 1915
- - georgiana Ribbe, 1899
- - shortlandica Ribbe, 1899
- venata Fruhstorfer, 1908
- limbatus Rothschild, 1916
- naga Evans, 1954
- nesophila (Felder & Felder), 1862; Phaedra
- bazilana Fruhstorfer, 1899
- regula Evans, 1954
- ribbei Röber, [1886]
- saleyerensis Chapman, 1915
- santana (Moore), [1858]; Anops
- - - - sanatana Seitz, [1924], 1912-1927, (ISS)
- malayica (Felder & Felder), 1865, 1865-1875; Anops
- - - - ♂ f. *honesta* Fruhstorfer, 1908, (IFS)
- saronis Moore, 1877
- gloriosa Moore, [1884]
- indosinica Fruhstorfer, 1908
- nicobarica Swinhoe, 1890
- obscura Evans, 1932
- sumatrana Corbet, 1937
- siva Evans, 1954
- sperthis (Felder & Felder), 1865, 1865-1875; Anops
- - latipicta Fruhstorfer, 1908
- - minima Distant & Pryer, 1887
- - f. *semilimbata* Fruhstorfer, 1908
- baweana Fruhstorfer, 1908
- kawazoei Okubo, 1983
- kiritana Doherty, 1891
- niasica Fruhstorfer, 1900
- tagalica (Felder & Felder), 1862; Phaedra

Curetis (continued)

- - malayica Fruhstorfer, 1908
- - tagalina Fruhstorfer, 1908
- - talautensis Chapman, 1915
- izabella Fruhstorfer, 1900
- jolona Fruhstorfer, 1908
- jopa Fruhstorfer, 1908
- - eda Fruhstorfer, 1908
- labuana Evans, 1954
- - vietnamitica Inoué & Kawazoé, 1964
- - - vietnamica Anonymous, 1992, (ISS)
- palawana Staudinger, 1889
- takanamii Schröder & Treadaway, 1989
- thetis (Drury), [1773], 1770-1782; Papilio
- - - - - thetys Horsfield, [1828], 1828-1829, (ISS)
- * - - aesopus (Fabricius), 1781, 1781-1782; Papilio
- - arcuata Moore, [1884]
- - cinyra (Cramer), [1779], 1775-1790; Papilio
- - fergussoni Chapman, 1915
- + - - phaedrus (Fabricius), 1781, 1781-1782; Papilio
- + - - terricola (Horsfield), [1829], 1828-1829; Phaedra
- aurantiaca Fruhstorfer, 1900
- dohertyi Seitz, [1924], 1912-1927
- eberalda Fruhstorfer, 1908
- galinthias Fruhstorfer, 1908
- kondula Evans, 1954
- menstratus Fruhstorfer, 1908
- nakamotoi Detani, 1983
- tonkina Evans, 1954
- metayei Inoué & Kawazoé, 1964

Cyaniriodes [Lyc:Lyc:Poritiinae]

- libna (Hewitson), [1869], 1863-1878; Hypolycaena
- - dorotheiana Pryer & Cator, 1894
- * - andersonii (Moore), 1884; Logania
- klossi Riley, [1945]
- miotsukushi Hayashi, 1976
- siraspiorum Schröder & Treadaway, 1979
- leyte Medicielo, 1993

Cyanodivida [Lyc:Lyc:The:Eum:Eumaeus]

- * fornoi Johnson, 1991
- neorcillata Johnson, 1991

Cyanophrys [Lyc:Lyc:The:Eum:Eumaeus]

- abnormis (Clench), 1946; Thecla
- acaste (Prittwitz), 1865; Thecla
- acastoides (Berg), 1882; Thecla
- - portoena (Clench), 1944; Thecla
- * agricolor (Butler & H. Druce), 1872; Strymon
- amyntor (Cramer), [1775], 1775-1790; Papilio
- - menalcas (Cramer), [1780], 1775-1790; Papilio
- banosensis (Clench), 1944; Thecla
- bertha (Jones), 1912; Thecla
- caramba (Clench), 1944; Thecla
- catharinensis (Clench), 1944; Thecla
- crethona (Hewitson), [1874], 1863-1878; Thecla
- detesta (Clench), 1946; Thecla
- distractus (Clench), 1946; Thecla
- hartii Turner & Miller, 1992
- herodotus (Fabricius), 1793, 1792-1799; Hesperia
- - leucania (Hewitson), 1868; Thecla
- - - - - lucania (Comstock & Huntington), 1961, 1958-1964, (ISS); Thecla
- legionis (Clench), 1944; Thecla
- longula (Hewitson), 1868; Thecla
- - pastor (Butler & H. Druce), 1872; Strymon
- longuloides (Clench), 1944; Thecla
- lycimna (Hewitson), 1868; Thecla
- miserabilis (Clench), 1946; Thecla
- simplex (Clench), 1981; Callophrys
- necopina Johnson & Llorente-Bousquets, 1992

Cyanophrys (continued)

- pseudolongula (Clench), 1944; Thecla
- remus (Hewitson), 1868; Thecla
- - deidamia (Burmeister), 1878; Thecla
- roraimiensis Johnson & Smith, 1993
- sicrana (Jones), 1912; Thecla

Cyclargus [Lyc:Lyc:Pol:Pol:Cyclargus]

- * ammon (Lucas), 1857; Lycaena
- noeli (Comstock & Huntington), 1943; Hemiargus
- woodruffi (Comstock & Huntington), 1943; Hemiargus
- bahamensis (Clench), [1943]; Hemiargus
- dominica (Möschler), 1886; Lycaena
- erembi Nabokov, 1948
- kathleena Johnson & Matusik, 1992
- sorpresus Johnson & Matusik, 1992
- thomasi (Clench), 1941; Hemiargus
- bethunebakeri (Comstock & Huntington), 1943; Hemiargus
- clenchi (Miller & Simon & Harvey), 1992; Hemiargus

Cycnus [Lyc:Lyc:The:Eum:Eumaeus]

- * phaleros (Linnaeus), 1767; Papilio
- - - silenus (Cramer), [1780], 1775-1790, (H); Papilio
- - agis (Drury), 1782, 1770-1782; Papilio
- - chiton (Fabricius), 1793, 1792-1799; Hesperia
- - silenissa (Herbst), 1800, 1788-1804; Papilio

Cyrenia [Lyc:Rio:Rio:Rio:Ancylurini]

- * martia Westwood, [1851], 1846-1852
- - f. themis Rebillard, 1958
- androgyne Stichel, 1910
- pyrippe Godman & Salvin, 1878

Dacalana [Lyc:Lyc:The:Iol:Iolaus]

- akayamai Hayashi & Schröder & Treadaway, 1983
- anysides (Röber), 1887; Iolaus
- - - - - anysides d'Abrera, 1986, (ISS)
- aristarchus (Fruhstorfer), [1912]; Camena
- birui (Ribbe), 1926; Camena
- anysis (Hewitson), [1865], 1863-1878; Iolaus
- - dua (Ribbe), 1926; Tajuria
- cervinus (Röber), 1887; Iolaus
- burmana Moore, 1884
- canachus (Fruhstorfer), [1912]; Camena
- cotys (Hewitson), [1865], 1863-1878; Iolaus
- - cotoides (Tyler), 1915; Camena
- cremera (de Nicéville), 1894; Camena
- capusa (Fruhstorfer), [1912]; Camena
- ricardi (Eliot), 1959; Pratapa
- irmae Hayashi & Schröder & Treadaway, 1983
- liaoi Hayashi & Schröder & Treadaway, 1983
- negrosensis Okano & Okano, 1990
- lowii (H. H. Druce), 1895; Arrhenothrix
- lucillae Hayashi & Schröder & Treadaway, 1983
- lyrica Seki, 1994
- mio Hayashi & Schröder & Treadaway, 1983
- monsapona Schröder & Treadaway, 1978
- - - - - monaspona d'Abrera, 1986, (ISS)
- marinduquensis Hayashi & Schröder & Treadaway, 1983
- natsumiae Hayashi & Schröder & Treadaway, 1983
- + penicilligera (de Nicéville), 1890; Arrhenothrix
- - - - - pencillegera d'Abrera, 1986, (ISS)
- vaja (Eliot), 1962; Pratapa
- polyorketes (Fruhstorfer), [1912]; Camena
- - - - - poliorketes d'Abrera, 1986, (ISS)
- kawamura Takamami, 1988
- laduanae Schröder & Treadaway, 1989
- sangirica Fruhstorfer, [1912]
- - - - - sangira d'Abrera, 1986, (ISS)
- sannio (H. H. Druce), 1895; Pratapa
- kurosawai Hayashi, 1976
- sugimotoi Hayashi, 1978

Dacalana (*continued*)

- sinhara* Fruhstorfer, 1914
- treadawayi* Hayashi, 1984
- * *vidura* (Horsfield), [1828], 1828-1829; Thecla
- - *baganda* (Fruhstorfer), 1914; Dalacana
- *azyada* (Fruhstorfer), 1914; Dalacana
- - - *azyada* Seitz, [1926], 1912-1927, (ISS)

Danis [Lyc:Lyc:Pol:Pol:Danis]

- beata* (Röber), 1926; Thysonotis
- concolor* (Rothschild), 1916; Thysonotis
- * *danis* (Cramer), [1775], 1775-1790; Papilio
- - - *sebae* (Boisduval), 1832, (JOS); Damis
- *anaximenes* (Fruhstorfer), 1915; Thysonotis
- *apollonius* (Felder & Felder), 1865, 1865-1875; Lycaena
- - *thinophilus* Toxopeus, 1930
- *dispar* (Grose-Smith & Kirby), 1895, 1887-1902; Thysonotis
- *hermes* (Grose-Smith), 1894; Thysonotis
- - *phoibides* (Fruhstorfer), 1915; Thysonotis
- *herophilus* (Fruhstorfer), 1915; Thysonotis
- *karpaia* (H. H. Druce & Bethune-Baker), 1893; Thysonotis
- *lampros* (H. H. Druce), 1897; Thysonotis
- - *lamprosides* (Grose-Smith), 1898; Thysonotis
- *latifascia* (Rothschild), 1915; Thysonotis
- - *subsuleima* (Strand), 1916, 1914-1916; Thysonotis
- *occidentalis* (Röber), 1926; Thysonotis
- *panatius* (Fruhstorfer), 1915; Thysonotis
- *philocrates* (Fruhstorfer), 1915; Thysonotis
- *philostratus* (Felder & Felder), 1865, 1865-1875; Lycaena
- *proedrus* (Fruhstorfer), 1915; Thysonotis
- *regina* (Kirby), 1889; Thysonotis
- *serapis* Miskin, 1891
- - - - *seraphis* Common, 1964, (ISS)
- *sophon* (Fruhstorfer), 1915; Thysonotis
- *suleima* (Grose-Smith), 1898; Thysonotis
- *supoi* (Ribbe), 1889; Plebejus
- - *supous* (H. H. Druce & Bethune-Baker), 1893; Thysonotis
- *syrius* Miskin, 1890
- - *reverdini* (Fruhstorfer), 1915; Thysonotis
- *triopus* (de Nicéville), 1898; Thysonotis
- *zuleika* (Grose-Smith), 1898; Thysonotis
- dissimilis* (Joicey & Talbot), 1916; Thysonotis
- drucei* (Grose-Smith & Kirby), 1895, 1887-1902; Thysonotis
- *horsa* (Grose-Smith), 1898; Thysonotis
- *ekeikei* (Bethune-Baker), 1908; Thysonotis
- *glaucopis* (Grose-Smith), 1894; Thysonotis
- *hengis* (Grose-Smith), 1897; Thysonotis
- *iona* (Röber), 1927; Thysonotis
- *mamberano* (Joicey & Talbot), 1916; Thysonotis
- - - - *mamberana* (Sharp), [1918], (ISS); Thysonotis
- *melimnos* (H. H. Druce & Bethune-Baker), 1893; Thysonotis
- *belga* (Grose-Smith), 1898; Thysonotis
- *phroso* (Grose-Smith), 1897; Thysonotis
- - *lygla* (Grose-Smith), 1897; Thysonotis
- *scarpheia* (Fruhstorfer), 1915; Thysonotis
- *regalis* (Grose-Smith & Kirby), 1895, 1887-1902; Thysonotis
- *wallacei* (Felder & Felder), 1865, 1865-1875; Lycaena
- - *albomarginata* (Rothschild), 1915; Thysonotis
- - *vidua* (Grose-Smith & Kirby), 1895, 1887-1902; Thysonotis
- *athanetus* (Fruhstorfer), 1915; Thysonotis
- *hermogenes* (Fruhstorfer), 1915; Thysonotis
- *wollastoni* (Rothschild), 1916; Thysonotis

Dapidodigma [Lyc:Lyc:The:Che:Dapidodigma]

- demeter* Clench, 1961
- *nuptus* Clench, 1961
- *sudsudana* d'Abrera, 1980
- hymen* (Fabricius), 1775; Papilio
- * - - *liger* (Cramer), [1780], 1775-1790; Papilio

Deciduphagus [Lyc:Lyc:The:Eum:Eumaeus]

- * *augustinus* (Westwood), [1852], 1846-1852; Thecla

Deciduphagus (*continued*)

- - - *augustus* (Kirby), 1837, (H); Thecla
- *annetteae* (dos Passos), 1943; Incisalia
- - - - *annetae* (Comstock & Huntington), 1959, 1958-1964, (ISS); Incisalia
- *croesioides* (Scudder), 1876; Incisalia
- - - - *croesoides* (Miller & Brown), 1981, (ISS); Incisalia
- *helenae* (dos Passos), 1943; Incisalia
- *iroides* (Boisduval), 1852; Thecla
- - - - *ab. immaculata* (Cockle), 1910; Thecla
- - - - *irioides* (Scudder), 1876, (ISS); Incisalia
- fotis* (Strecker), [1878], 1872-1900; Thecla
- henrici* (Grote & Robinson), 1867; Thecla
- *margaretae* (dos Passos), 1943; Incisalia
- *solatus* (Cook & Watson), 1909; Incisalia
- *turneri* (Clench), 1943; Incisalia
- irus* (Godart), [1824], 1819-1824; Polyommatus
- - - - *ab. balteata* (Scudder), 1889, 1888-1889; Incisalia
- - - - *iris* (Harris), 1862, (ISS); Thecla
- - - *arsace* (Boisduval & Le Conte), [1835], 1829-1837; Thecla
- *hadros* (Cook & Watson), 1909; Incisalia
- *mossii* (H. Edwards), 1881; Thecla
- *bayensis* (R. M. Brown), 1969; Callophrys
- *doudoroffi* (dos Passos), 1940; Incisalia
- *schryveri* (Cross), 1937; Incisalia
- - - - *schryneri* Anonymous, 1939, (ISS)
- *windi* (Clench), 1943; Incisalia
- polios* Cook & Watson, 1907
- - - - *ab. davisii* (Watson & Comstock), 1920; Incisalia
- *obscurus* (Ferris & Fisher), 1973; Callophrys

Deloneura [Lyc:Lyc:Lip:Lip:Eptola]

- barca* (Grose-Smith), 1901, 1887-1902; Durbania
- * *immaculata* Trimen, 1868
- millari* Trimen, 1906
- *dondoensis* Pennington, 1953
- + *ochrascens* (Neave), 1904; Poultonia
- *littoralis* Talbot, 1935
- sheppardi* Stevenson, 1934
- subfusca* Hawker-Smith, 1933
- - *innesi* van Son, 1949

Denivia [Lyc:Lyc:The:Eum:Eumaeus]

- * *deniva* (Hewitson), [1874], 1863-1878; Thecla
- hamila* (Jones), 1912; Thecla
- hemon* (Cramer), [1775], 1775-1790; Papilio
- - *acmon* (Cramer), [1775], 1775-1790; Papilio
- maggae* Johnson, 1992
- saphonota* Constantino & Salazar E. & Johnson, 1993

Deramas [Lyc:Lyc:Poritinae]

- akayamai* Hayashi & Schröder & Treadaway, 1984
- alixae* Eliot, 1978
- antynax* Eliot, 1970
- anyx* Eliot, 1964
- arshadorum* Eliot, 1986
- bidotata* (Fruhstorfer), 1914; Simiskina
- - - - *binotata* (Sharp), [1916], (ISS); Simiskina
- *philippinensis* Hayashi, 1981
- - - - *philippensis* d'Abrera, 1986, (ISS)
- evelynae* Schröder & Treadaway, 1978
- - - - *evelinae* Takanami, 1985, (ISS)
- ikedai* Hayashi, 1978
- + *jasoda* (de Nicéville), [1889]; Zaronia
- - - - *jacoda* Fruhstorfer, [1912], (ISS)
- - *zanella* (de Nicéville), 1890; Zaronia
- *bradamante* (de Nicéville), 1890; Zaronia
- *herdi* Cassidy, 1985
- kawazoel* Hayashi, 1981
- *nahomia* Takanami, 1985
- *tsuiso* Takanami, 1987
- * *livens* Distant, Mar 1886

Deramas (*continued*)

- **pharygoides** (de Nicéville), 1890; Zarona
- **evansi** Eliot, 1964
- **livescens** Fruhstorfer, 1897
- manobo** Schröder & Treadaway, 1978
- masae** Kawai, 1994
- montana** Schröder & Treadaway, 1978
- nanae** Osada, 1994
- nelvis** Eliot, 1964
- **osamui** Hayashi & Ohtsuka, 1985
- **sumatrensis** Eliot, 1964
- nigrescens** Eliot, 1964
- nolens** Eliot, 1964
- **mindanensis** Eliot, 1964
- **pasteuri** Eliot, 1978
- sumikat** Schröder & Treadaway, 1986
- suwartinae** Osada, 1987
- tomokoae** Hayashi, 1978
- toshikoae** Hayashi, 1981
- treadawayi** Hayashi, 1981
- woolletti** Eliot, 1970
- - - - **wolletti** Anonymous, 1974, (ISS)

Desmolycaena [Lyc:Lyc:The:Aph:Aphnaeus]

- arabica** Riley, 1932
- * **mazoensis** Trimen, 1898
- rogersi** Riley, 1932

Deudorix [Lyc:Lyc:The:Deu:Deudorix]

- apayao** Schröder & Treadaway, 1983
- calderon** Kheil, 1884
- caroli** Janson, 1886
- ceramensis** Ribbe, 1900
- **maudei** Joicey & Talbot, 1916
- - - - **mandei** Seitz, [1926], 1912-1927, (ISS)
- - - - **mandi** Seitz, [1926], 1912-1927, (ISS)
- cleora** Miller & Miller, 1986
- elioti** Corbet, 1940
- * **epijarbas** (Moore), [1858]; Dipsas
- **acetas** Seitz, [1927], 1912-1927
- **amatius** Fruhstorfer, [1912]
- **ancus** Fruhstorfer, [1912]
- **cinnabarus** Fruhstorfer, [1912]
- - - - ♀ **f. side** Fruhstorfer, [1912]
- **coriolanus** Fruhstorfer, [1912]
- - - - **corolianus** d'Abdera, 1986, (ISS)
- **diara** Swinhoe, 1896
- **koshunna** (Sonan), 1931; Rapala0
- - - - **koshuna** Shirôzu, 1960, (ISS)
- **megakles** Fruhstorfer, [1912]
- - - - **megakeles** Sharp, [1913], (ISS)
- **menesicles** Fruhstorfer, [1912]
- - - - **ab. nubilatus** Murayama & Shimonoya, 1968
- **mesarchus** Fruhstorfer, [1912]
- **perbella** Murayama, 1983
- **armstrongi** Hopkins, 1927
- **biaka** Joicey & Talbot, 1916
- **dido** Waterhouse, 1934
- **diovella** Waterhouse, 1920
- **diovis** Hewitson, [1863], 1863-1878
- **doris** Hopkins, 1927
- **enganicus** Fruhstorfer, [1912]
- **terenzius** Fruhstorfer, [1912]
- **turbo** Fruhstorfer, [1912]
- **concolor** Joicey & Talbot, 1917
- **viridens** H. H. Druce, 1891
- epirus** (C. Felder), 1860; Myrina
- **almar** Fruhstorfer, 1908
- **agimar** Fruhstorfer, 1908
- **despoena** Hewitson, [1863], 1863-1878
- **eos** Hewitson, [1863], 1863-1878
- **tibullus** (Staudinger), [1887], 1884-1888; Sithon

Deudorix (*continued*)

- **kallias** Fruhstorfer, 1908
- - - - **callias** Seitz, [1926], 1912-1927, (ISS)
- - - - **kallios** Seitz, [1926], 1912-1927, (ISS)
- hypargyria** (Elwes), [1893]; Rapala
- - - - **hypargyrea** d'Abdera, 1986, (ISS)
- **gaetulia** de Nicéville, 1893
- **philippinensis** Schröder & Treadaway & Hayashi, 1981
- **strephanus** H. H. Druce, 1896
- ignota** Piepers & Snellen, 1918
- - - - **ignita** Sharp, [1920], (ISS)
- littoralis** Joicey & Talbot, 1916
- loxias** Hewitson, [1863], 1863-1878
- - - - **loxius** d'Abdera, 1986, (ISS)
- mathewi** H. H. Druce, 1892
- niepelti** Joicey & Talbot, 1922
- rapaloides** (Naritomi), 1941; Thecla
- **ferrea** (Araki), 1949; Virachola
- sankakuhonis** (Matsumura), 1938; Rapala
- staudingeri** H. H. Druce, 1895
- sumatrensis** Fruhstorfer, [1912]
- - - - **stubbisi** Eliot, 1960, (IFS)
- **stubbisi** (Eliot), 1962; Deudoryx
- tetsuzana** (Matsumura), 1938; Rapala
- woodfordi** H. H. Druce, 1891
- **neopommerana** Ribbe, 1899

Deudorix (Pilodeudorix) [Lyc:Lyc:The:Deu:Deudorix]

- ankoleensis** Stempffer, 1953
- **ugandae** Stempffer, 1946
- bemba** Neave, 1910
- caerulea** H. H. Druce, 1890
- **hollandii** (Ehrmann), 1894; Argiolaus
- **obscurata** Trimen, 1891
- **batikelides** Holland, 1920
- camerona** (Plötz), 1880; Sithon
- * - **barbatus** (H. H. Druce), 1891; Pilodeudorix
- **nobilis** (Staudinger), 1891; Hypolycaena
- **katanga** Clench, 1965
- congoana** Aurivillius, 1923
- diyllus** Hewitson, [1878], 1863-1878
- **debilis** (Staudinger), 1891; Hypolycaena
- **orientalis** Stempffer, 1957
- kohli** Aurivillius, [1921], 1908-1925
- rogersi** (Kielland), 1985; Pilodeudorix
- zela** (Hewitson), [1869], 1863-1878; Hypolycaena
- **simplex** (Staudinger), 1891; Hypolycaena
- zeloides** (Butler), 1901; Virachola
- zelomima** Rebel, 1914
- - - - **zelomina** (Stempffer), 1967, (ISS); Pilodeudorix

Deudorix (Virachola) [Lyc:Lyc:The:Deu:Deudorix]

- affinis** (Rothschild), 1915; Virachola
- antalus** (Hopffer), 1855; Dipsas
- **anta** (Trimen), 1862; Lycaena
- **gambius** (Boisduval), 1847; Lycaena
- **kitobolensis** (Strand), 1912; Deudoryx
- badhami** Carcasson, 1961
- baronica** Ungemach, 1932
- batikeli** (Boisduval), 1833; Lycaena
- **derona** Grose-Smith, 1891
- **dieden** Karsch, 1900
- **licinia** (Mabille), 1878; Thecla
- **tsiphana** (Boisduval), 1833; Lycaena
- caliginosa** (Lathy), 1903; Virachola
- chalybeata** Joicey & Talbot, 1926
- dariaves** Hewitson, 1877
- democles** Miskin, 1884
- dinochares** Grose-Smith, 1887
- - - - **rhodesiensis** Stevenson, 1937, (IFS)
- dinomenes** Grose-Smith, 1887
- - - - **dinomedes** (Anonymous), 1983; Virachola

Deudorix (Virachola) (continued)

- - *diomedes* Jackson, 1966
- diocles* Hewitson, [1869], 1863-1878
- *vosseleri* (Strand), 1911; *Deudorix dohertyi* (Tyler), 1915; *Virachola ecaudata* Gifford, 1963
- - - *dohertyi* Bethune-Baker, 1905, (H)
- edwardsi* (Gabriel), 1939; *Virachola galathea* (Swainson), [1821], 1820-1823; *Thecla isocrates* (Fabricius), 1793, 1792-1799; *Hesperia*
- - *pann* (Fabricius), 1793, 1792-1799; *Hesperia jacksoni* (Talbot), 1935; *Virachola kayonza* Stempffer, 1956
- kessuma* (Horsfield), [1829], 1828-1829; *Thecla*
- - *clearchus* (Fruhstorfer), [1912]; *Rapala*
- - *tucca* (Fruhstorfer), 1915; *Rapala*
- *deliochus* Hewitson, 1874
- *throana* (Fruhstorfer), 1914; *Rapala livia* (Klug), 1834, 1829-1845; *Lycæna*
- - - - *ab. clara* Graves, 1918
- - - - *ab. fumata* Graves, 1918
- - - - *ab. pallida* Graves, 1918
- - *ethoda* (Walker), 1870; *Lampides*
- - - - *ethode* (Stempffer), 1967, (ISS); *Azanus*
- *pallescens* (Rothschild), 1921; *Virachola lorisona* (Hewitson), [1863], 1863-1878; *Myrina*
- - - - ♀ *f. obliterata* Hawker-Smith, 1928
- - *f. albifrons* (Stempffer), 1948; *Virachola*
- - *alticola* Aurivillius, 1923
- - *bimaculata* (Hewitson), 1874; *Myrina*
- - *f. immaculata* Hawker-Smith, 1928
- *coffea* Jackson, 1966
- *rutshuruensis* (Berger), 1981; *Virachola*
- *sesse* Stempffer & Jackson, 1962
- *unimaculata* Hawker-Smith, 1928
- magda* Gifford, 1963
- masamichii* (Okubo), 1983; *Virachola montana* (Kielland), 1985; *Virachola mpanda* (Kielland), 1990; *Virachola nicephora* Hulstaert, 1924
- odana* H. H. Druce, 1887
- penningtoni* van Son, 1949
- * *perse* Hewitson, [1863], 1863-1878
- *ghela* Fruhstorfer, [1912]
- renidens* (Mabille), 1884; *Hypolycaena*
- smilis* Hewitson, [1863], 1863-1878
- *dalyensis* (Le Souëf & Tindale), 1970; *Virachola*
- *maseas* Fruhstorfer, [1912]
- - *nicevillei* (Tyler), 1926; *Virachola*
- *silo* Fruhstorfer, [1912]
- *sylvia* (d'Abrebra), 1971; *Virachola*
- *vocetius* Fruhstorfer, [1912]
- subguttata* (Elwes), [1893]; *Rapala*
- *malaya* (Pendlebury & Corbet), 1933; *Virachola suk* (Stempffer), 1948; *Virachola ufipa* (Kielland), 1978; *Virachola vansomereni* Stempffer, 1951
- vansoni* Pennington, 1948
- wardii* (Mabille), 1878; *Hypolycaena*
- - *diopolis* Hewitson, [1878], 1863-1878
- - *rutila* (Mabille), 1878; *Thecla*
- - - - *rutilans* (Stempffer), 1967, (ISS); *Virachola*

Dianesia [Lyc:Rio:Rio:Emesini]

- * *carteri* (Holland), 1902; *Charis*
- *ramsdeni* (Skinner), 1912; *Mesosemia*

Dicallaneura [Lyc:Rio:Nem:Abisarini]

- albosignata* Joicey & Talbot, 1916
- amabilis* Rothschild, 1904
- *casis* Jordan, 1912
- *discifera* Toxopeus, 1944

Dicallaneura (continued)

- *mimica* Joicey & Talbot, 1916
- *praedilecta* Toxopeus, 1944
- angustifascia* Joicey & Noakes & Talbot, [1916]
- cyanea* Toxopeus, 1944
- decorata* (Hewitson), [1862], 1852-1877; *Taxila*
- *adulatrix* Fruhstorfer, 1904
- *conos* Fruhstorfer, 1904
- *kausambides* Toxopeus, 1944
- *parina* Fruhstorfer, [1914], 1909-1923
- *sangha* Fruhstorfer, [1914], 1909-1923
- *sariba* Fruhstorfer, [1914], 1909-1923
- *sfagia* Fruhstorfer, [1914], 1909-1923
- *sigala* Fruhstorfer, [1914], 1909-1923
- *tantra* Fruhstorfer, [1914], 1909-1923
- dilectissima* Toxopeus, 1944
- ekeikel* Bethune-Baker, 1904
- exiguus* Joicey & Noakes & Talbot, [1916]
- fulvofasciata* Joicey & Noakes & Talbot, [1916]
- hyacinthus* Toxopeus, 1944
- kirschi* Röber, [1886]
- *didica* Fruhstorfer, [1914], 1909-1923
- *fulgurata* Grose-Smith, 1901, 1887-1902
- *pelidna* Jordan, 1937
- leucomelas* Rothschild & Jordan, 1905
- longifascia* Joicey & Talbot, 1922
- ostrina* Grose-Smith, 1894
- *ansuna* Fruhstorfer, [1914], 1909-1923
- * *pulchra* (Guérin-Méneville), [1830], 1830-1838; *Argymnis*
- - *leosida* (Boisduval), 1832; *Emesis*
- *ansa* Toxopeus, 1944
- *princesa* Grose-Smith, 1894
- *sigrya* Fruhstorfer, [1914], 1909-1923
- *udiyana* Fruhstorfer, [1914], 1909-1923
- *vasatha* Fruhstorfer, [1914], 1909-1923
- ribbei* Röber, [1886]
- - *birana* Fruhstorfer, [1914], 1909-1923
- - *irregularis* (Ribbe), 1926; *Rapala*
- *arfakensis* Fruhstorfer, 1898
- *cyanandra* Toxopeus, 1944
- *diantha* Grose-Smith, 1901, 1887-1902
- - *milnei* Fruhstorfer, 1904
- *hageni* Toxopeus, 1944
- *ovada* Fruhstorfer, [1914], 1909-1923
- semirufa* Grose-Smith, 1894
- virgo* Joicey & Talbot, 1916

Dicya [Lyc:Lyc:The:Eum:Eumaeus]

- cyanoundulata* Johnson, 1991
- * *dicaea* (Hewitson), [1874], 1863-1878; *Thecla*
- - *farmina* (Schaus), 1902; *Thecla*
- dicina* (Draudt), [1920], 1917-1924; *Thecla*

Dinoplotis [Lyc:Rio:Rio:Emesini]

- * *orphana* Stichel, 1911

Diopetes [Lyc:Lyc:The:Deu:Deudorix]

- aucta* Karsch, 1895
- aurivilliusi* (Stempffer), 1954; *Deudorix*
- catalla* Karsch, 1895
- corruscans* (Aurivillius), 1897; *Deudorix*
- * *deritas* (Hewitson), 1874; *Deudorix*
- fumata* (Stempffer), 1954; *Deudorix*
- kedassa* H. H. Druce, 1910
- laticlavata* (Clench), 1965; *Deudorix*
- nirmo* (Clench), 1965; *Deudorix*
- pasteon* H. H. Druce, 1910
- - *bwamba* (Stempffer), 1962; *Deudorix*
- pseudoderitas* (Stempffer), 1964; *Deudorix*
- sadeska* (Clench), 1965; *Deudorix*
- violetta* (Aurivillius), 1897; *Deudorix*

Discolampa [Lyc:Lyc:Pol:Pol:Upolampes]

- albula* (Grose-Smith), 1897; Thysonotis
- - *olga* (Grose-Smith), 1898; Thysonotis
- * *ethion* (Westwood), [1851], 1846-1852; Lycaena
- - *colmus* (Fruhstorfer), [1923], 1909-1923; Castalius
- - *vavasanus* (Fruhstorfer), [1923], 1909-1923; Castalius
- *airavati* Doherty, 1886
- - - - *airavati* d'Abdera, 1986, (ISS)
- *babicola* (van Eecke), 1914; Castalius
- *ethionides* (Fruhstorfer), 1918; Castalius
- *gadames* (Fruhstorfer), 1918; Castalius
- *icenus* (Fruhstorfer), 1918; Castalius
- *mentawiensis* (Riley), [1945]; Castalius
- *niasanus* (Swinhoe), 1910, 1909-1913; Castalius
- *sangarius* (Fruhstorfer), 1918; Castalius
- *thalimar* (Fruhstorfer), [1923], 1909-1923; Castalius
- *ulysses* (Staudinger), 1889; Lycaena
- - *negrosiana* Murayama, 1983
- *ulyssides* (Grose-Smith), 1895; Castalius
- *wehensis* (Toxopeus), 1929; Castalius
- illissus* (Felder & Felder), 1859; Danis
- - - - *illissus* (Seitz), [1927], 1912-1927, (ISS); Castalius
- *cosimon* (Fruhstorfer), [1923], 1909-1923; Castalius
- *leoninus* (Fruhstorfer), [1923], 1909-1923; Castalius

Distissima [Lyc:Lyc:The:Eum:Eumaeus]

- instita* (H. H. Druce), 1907; Thecla
- * *spenceri* Johnson, 1991
- srandrea* Johnson, 1991

Dodona [Lyc:Rio:Nem:Zemerini]

- adonira* Hewitson, [1866], 1852-1877
- - - - *fatna* (Doubleday), 1847, 1844-1848, (NN); Taxila
- *argentea* Fruhstorfer, [1904]
- *kala* Tytler, 1940
- *learmondi* Tytler, 1940
- *naga* Tytler, 1940
- binghami* (Moore), [1901], 1890-1913; Balonca
- chrysapha* Fruhstorfer, 1910
- *vanleeuwenii* Roepke, 1921
- - - - *ab. pallidior* Roepke, 1921
- + *deodata* Hewitson, 1876
- - *angela* Grose-Smith, 1901, 1887-1902
- - - - *angele* d'Abdera, 1986, (ISS)
- *anu* Corbet, 1937
- *aponata* Semper, 1889, 1886-1892
- *lecerfi* Fruhstorfer, [1914], 1909-1923
- *longicaudata* de Nicéville, 1881
- *malindangensis* Schröder & Treadaway, 1988
- *ohtsukai* Hayashi, 1984
- *sakaii* (Hayashi), 1976; Dedona
- *treadawayi* Hanafusa, 1989
- dipoea* Hewitson, [1866], 1852-1877
- *nostia* Fruhstorfer, 1912
- dracon* de Nicéville, 1897
- *putaoa* Tytler, 1940
- - - - *putoa* d'Abdera, 1986, (ISS)
- * *durga* (Kollar), [1844]; Melitaea
- - - - *ab. albescens* Oberthür, 1896
- *rubula* Fruhstorfer, [1914], 1909-1923
- *sinica* Moore, 1901, 1890-1913
- egeon* (Westwood), [1851], 1846-1852; Taxila
- *confluens* Corbet, 1941
- elvira* Staudinger, 1896
- - - - *ab. pura* Fruhstorfer, [1904]
- eugenes* Bates, [1868]
- - *venox* Fruhstorfer, 1912
- *chasei* Corbet, 1941
- *esakii* Shirôzu, 1952
- *formosana* Matsumura, 1919
- - *matsumurana* Kano, 1930
- *maculosa* Leech, 1890

Dodona (continued)

- *robinsoni* Rothschild, 1920
- fruhstorferi* Röber, 1897
- *nicevillei* Dohm, 1899
- *pryeri* (Moore), 1901, 1890-1913; Balonca
- - - - *preyeri* Otsuka, 1988, (ISS)
- henrici* Holland, 1887
- - - - *henrici* Sharp, [1888], (ISS)
- hoenei* Forster, 1951
- mizunumai* Hanafusa, 1989
- oida* Moore, [1866]
- *palaya* Fruhstorfer, [1914], 1909-1923
- *phlegra* Fruhstorfer, [1914], 1909-1923
- windu* Fruhstorfer, 1894, 1893-1894
- - - - *ab. aurea* Toxopeus, 1932

Drina [Lyc:Lyc:The:Lox:Drina]

- borromeorum* Schröder & Treadaway, 1991
- cowani* Corbet, 1940
- discophora* (Felder & Felder), 1862; Myrina
- * *donina* (Hewitson), [1865], 1863-1878; Myrina
- *ninoda* H. H. Druce, 1895
- - - *ninoda* H. H. Druce, 1896, (H & JOS)
- *usira* (Felder & Felder), 1865, 1865-1875; Myrina
- maneia* (Hewitson), [1863], 1863-1878; Myrina
- mariae* Eliot, 1969
- mavortia* (Hewitson), [1869], 1863-1878; Myrina
- - - - *wavortia* Seitz, [1926], 1912-1927, (ISS)

Drupadia [Lyc:Lyc:The:Che:Chentra]

- araotina* (Evans), 1933; Horaga
- cinderella* Cowan, 1974
- cindi* Cowan, 1974
- *cindina* Seki & Takanami, 1990
- cineas* (Grose-Smith), 1889; Sithon
- - *hewitsonii* (H. H. Druce), 1895; Biduanda
- cinesia* (Hewitson), [1863], 1863-1878; Myrina
- cinesoides* (de Nicéville), 1889; Biduanda
- - - - *cinesoides* (Seitz), [1926], 1912-1927, (ISS); Hypolycaena
- estella* (Hewitson), [1863], 1863-1878; Myrina
- *nicevillei* (Doherty), 1889; Biduanda
- *semperna* (Corbet), 1944; Marmessus
- hayashii* Schröder & Treadaway, 1989
- johorensis* (Cowan), 1958; Marmessus
- niasica* (Röber), [1886]; Sithon
- *biranta* (Riley), 1942; Marmessus
- *cuboidea* Okubo, 1983
- *dohertyi* (Riley), [1945]; Marmessus
- *florens* Cowan, 1974
- *ianthina* Cowan, 1974
- *karnyi* (Riley), [1945]; Marmessus
- *natinis* Takanami, 1987
- *ohtai* Hayashi, 1984
- *perlisa* (Riley), 1942; Marmessus
- *scudderii* (Doherty), 1889; Biduanda
- *takioi* Hayashi, 1984
- *thoenia* (H. H. Druce), 1895; Biduanda
- *ultra* Cowan, 1974
- parva* (Moulton), [1912]; Biduanda
- porriginosus* (Toxopeus), 1932; Biduanda
- * *ravindra* (Horsfield), [1828], 1828-1829; Thecla
- - - - *ab. transiens* (Kalis), 1933; Marmessus
- - *javanica* (Toxopeus), 1932; Biduanda
- - *lisiades* (Fruhstorfer), [1912]; Marmessus
- - *medullia* (Fruhstorfer), [1912]; Marmessus
- *balabacola* Schröder & Treadaway, 1990
- *balina* (Fruhstorfer), 1914; Marmessus
- *banka* (Riley), [1945]; Marmessus
- *batuna* (Riley), [1945]; Marmessus
- *boisduvallii* Moore, 1884
- - *f. alcira* (Fruhstorfer), [1912]; Marmessus

Drupadia (*continued*)

- *caerulea* Okubo, 1983
- *caesarea* Weymer, 1887
- - *comla* (Swinhoe), 1912, 1909-1913; Marmessus
- - *niasicola* (Staudinger), 1889; Sithon
- - - *niastica* (Staudinger), 1889, (IOS); Sithon
- *connexa* (Riley), [1945]; Marmessus
- *corbeti* Cowan, 1974
- - - *lisias* (Fabricius), 1787, (H); Papilio
- *esia* (Swinhoe), 1912, 1909-1913; Biduanda
- - *iskander* (Fruhstorfer), [Apr 1912]; Marmessus
- *fulminans* (Staudinger), 1889; Sithon
- - *atra* (H. H. Druce), 1896; Marmessus
- *janus* (Riley), [1945]; Marmessus
- *joloana* (Staudinger), 1889; Sithon
- *moorei* (Distant), 1882; Sithon
- - - - *moorii* Kirby, [1883], (ISS)
- - *f. battakana* (Fruhstorfer), [1912]; Marmessus
- - *nola* (Fruhstorfer), [1912]; Marmessus
- - - - *mola* Barlow & Banks & Holloway, 1971, (ISS)
- - *similis* (H. H. Druce), 1895; Biduanda
- - *sumatranus* (Fruhstorfer), [1912]; Marmessus
- *ravindrana* (Staudinger), 1889; Sithon
- *resoluta* Cowan, 1974
- *serunica* (van Eecke), 1914; Marmessus
- *sumptuosa* (Toxopeus), 1931; Marmessus
- *surindra* (H. H. Druce), 1895; Marmessus
- - - - *surinandra* d'Abrebra, 1986, (ISS)
- rufotaenia** (Fruhstorfer), [1912]; Marmessus
- *alcyma* (Riley), [1945]; Marmessus
- *archbaldi* (Evans), 1932; Marmessus
- *caesia* Cowan, 1974
- *kina* Cowan, 1974
- *praecox* Cowan, 1974
- *torquata* Cowan, 1974
- scaeva** (Hewitson), [1863], 1863-1878; Myrina
- *cooperi* (Tyler), 1940; Biduanda
- *cyara* (Hewitson), [1878], 1863-1878; Myrina
- *melisa* (Hewitson), [1869], 1863-1878; Myrina
- theda** (Felder & Felder), 1862; Myrina
- - *nishiyamai* Hayashi, 1980
- - - - *nishiyami* Anonymous, 1983, (ISS)
- *albicans* (Riley), [1945]; Marmessus
- *bangkaiensis* (Ribbe), 1926; Biduanda
- *batunensis* (Fruhstorfer), [1912]; Biduanda
- *demiaiba* (Staudinger), 1889; Sithon
- *fabricii* Moore, 1884
- - *imitata* (H. H. Druce), 1895; Biduanda
- *fulgens* Cowan, 1974
- *miyo* Takamami, 1987
- *namusa* (Hewitson), [1863], 1863-1878; Myrina
- - *naenia* (Hewitson), [1863], 1863-1878; Myrina
- *nobumasai* Hayashi, 1984
- *osadal* Takamami, 1987
- *pagiensis* (Riley), [1945]; Marmessus
- *pekas* Takamami, 1982
- *renonga* (Corbet), 1938; Biduanda
- *tawiensis* Schröder & Treadaway, 1989
- *thaliarchus* (Staudinger), [1887], 1884-1888; Sithon
- - *inexpectata* (Ribbe), 1926; Biduanda
- + *thesmia* (Hewitson), [1863], 1863-1878; Myrina
- - *minara* (Fruhstorfer), [1912]; Biduanda
- *umara* (Fruhstorfer), [1912]; Biduanda
- - *depicta* (Fruhstorfer), [1912]; Biduanda
- *unicolor* (Staudinger), 1889; Biduanda
- *vanica* (Fruhstorfer), [1912]; Biduanda

Durbania [Lyc:Lyc:Lip:Durbaniini]

- * *amakosa* Trimen, 1862
- *albescens* Quickelberge, 1981
- *ayresi* van Son, 1941

Durbania (*continued*)

- *flavida* Quickelberge, 1981
- *natalensis* van Son, 1959
- *penningtoni* van Son, 1959
- limbata** Trimen, 1887, 1887-1889
- - *amabilis* Staudinger, [1888], 1884-1888

Durbaniella [Lyc:Lyc:Lip:Durbaniini]

- * *clarki* (van Son), 1941; Durbania

Durbaniopsis [Lyc:Lyc:Lip:Lip:Durbania]

- * *saga* (Trimen), 1883; Durbania

Dysmathia [Lyc:Rio:Rio:Nymphidiini]

- cindra* Staudinger, [1887], 1884-1888
- costalis* Bates, [1868]
- glaucina* Stichel, 1928
- glaucoconia* Stichel, 1911
- grosnyi* Rebillard, 1958
- juno* Rebillard, 1958
- * *portia* (Bates), [1868]; Dymathia

Echenais [Lyc:Rio:Rio:Nymphidiini]

- + *thelephus* (Cramer), [1775], 1775-1790; Papilio
- * - - *alphaea* (Hübner), [1808], 1806-1838; Lemonias
- - *timandra* (Godart), [1824], 1819-1824; Erycina
- *meridionalis* (Lathy), 1932; Elaphrotis
- *negra* (Röber), 1931; Alesa
- - - - *neagra* (Brown), 1993, (ISS); Alesa

Echinargus [Lyc:Lyc:Pol:Pol:Nabokovia]

- huntingtoni* Rindge & Comstock, 1953
- *continentalis* (Clench), 1965; Hemiargus
- *hannoides* (Clench), 1965; Hemiargus
- * *isola* (Reakirt), [1867], 1866-1867; Lycaena
- - *nyagora* (Boisduval), 1870; Lycaena
- *alce* (Edwards), [1871]; Lycaena
- martha* (Dognin), 1887; Lycaena

Egumbia [Lyc:Lyc:Lip:Aslauga]

- ernesti* (Karsch), 1895; Epitola
- * - - *catori* Bethune-Baker, 1924
- + - - *katangana* (Romieux), 1937; Euliphyrodes

Eicochrysops [Lyc:Lyc:Pol:Pol:Eicochrysops]

- antoto* (Strand), 1911; Cupido
- boei* Libert, 1993
- distractus* (Joannis & Verity), 1913; Catochrysops
- dudgeoni* Riley, 1929
- * *eicotrochilus* Bethune-Baker, 1924
- fontainei* Stempffer, 1961
- hippocrates* (Fabricius), 1793, 1792-1799; Hesperia
- - *delicatula* (Mabille), 1877; Lycaena
- masai* (Bethune-Baker), 1905; Everes
- meryamae* Rougeot, 1983
- messapus* (Godart), [1824], 1819-1824; Polyommatus
- - *acca* (Westwood), [1851], 1846-1852; Lycaena
- *mahallakoena* (Wallengren), 1857; Everes
- - - - *mahallakoena* Pinhey & Loc, 1977, (ISS)
- - - - *ab. trisignatus* (Strand), 1911; Cupido
- *f. sebadis* (Guérin-Méneville), 1847; Polyommatus
- nandiana* (Bethune-Baker), 1906; Catochrysops
- pauliani* Stempffer, 1950
- pinheyi* Heath, 1985
- pusillus* (Ungemach), 1932; Catochrysops
- rogersi* Bethune-Baker, 1924
- sanguigutta* (Mabille), 1879; Lycaena
- - *coerulearcuratus* (Saalmüller), 1884; Lycaena
- sapphirina* (Stoneham), 1938; Cupido

Eiseleia [Lyc:Rio:Rio:Lemoniini]

- terias* (Godman), 1903; Ancoiris
- * - *pichanalensis* Müller & Müller, 1972

Eiseleia (continued)

- - - - *hanalensis* d'Abbrera, 1994, (ISS)

Eiseliana [Lyc:Lyc:The:Eum:Eumaeus]

bicolor (Philippi), 1859; *Lycaena*
 - - - - *ab. tricolor* (Ureta), 1949; *Thecla*
 - - *leptocosma* (Hayward), 1949; *Thecla*
 - - *quadrimaculata* (Hewitson), 1874; *Thecla*
 - - - - *quadrimaculata* (Kirby), 1877, (ISS); *Thecla*
flavaria (Ureta), 1956; *Thecla*
ollantaitamba Johnson & Miller & Herrera, 1992
patagoniensis Johnson & Miller & Herrera, 1992
probabila Johnson & Miller & Herrera, 1992
punona (Clench), 1944; *Thecla*
 * - - *koehleri* Ajmat de Toledo, 1978
rojasi (Ureta), 1956; *Thecla*

Eldoradina [Lyc:Lyc:Pol:Pol:Nabokovia]

* *cyanea* (Balletto), 1993; *Nabokovia*
 + - - *cinnatus* (Bálint & Johnson), 1993; *Polytheclus*
 - - - *cinnatus* (Bálint & Johnson), 1994, (H & JOS);
Polytheclus
syphis (Draudt), [1921], 1917-1924; *Scolitantides*

Electrostrymon [Lyc:Lyc:The:Eum:Eumaeus]

angelia (Hewitson), [1874], 1863-1878; *Thecla*
 - - - - *endymion* (Holland), 1931, (MISID); *Thecla*
 - *boyeri* (Comstock & Huntington), 1943; *Thecla*
 - - - - *boveri* Johnson & MacPherson & Ingraham, 1986, (ISS)
 - *dowi* (Clench), 1941; *Strymon*
 - *pantoni* (Comstock & Huntington), 1943; *Thecla*
angerona (Godman & Salvin), 1896; *Thecla*
 - - *burdi* (Kaye), 1923; *Thecla*
canus (H. H. Druce), 1907; *Thecla*
 - - *bunnirae* (Dyar), 1918; *Thecla*
dominicana (Lathy), 1904; *Thecla*
 - - *otoheba* (Dyar), 1915; *Thecla*
 * *endymion* (Fabricius), 1775; *Papilio*
 - - - *xenophon* (Donovan), 1800, 1800-1804, (H); *Papilio*
 - - *hugon* (Godart), [1824], 1819-1824; *Polyommatus*
 - - - - *hugo* (Doubleday), 1847, 1844-1848, (ISS); *Thecla*
 - *cyphara* (Hewitson), 1874; *Thecla*
grumus Johnson & Kroenlein, 1993
joya (Dognin), 1895; *Thecla*
 - - *callao* (H. H. Druce), 1907; *Thecla*
minikyanos Johnson & Matusik, 1988
nubes (H. H. Druce), 1907; *Thecla*
pan (Drury), [1773], 1770-1782; *Papilio*
 - - - - *pau* (Kirby), [1870], (ISS); *Thecla*
 - - *tirrhaea* (Möschler), 1886; *Thecla*

Eliotia [Lyc:Lyc:The:Iol:Iolais]

circumdata (Schröder & Treadaway & Hayashi), 1981; *Rachana*
 - *negrosensis* Okano & Okano, 1990
 - *panayensis* (Schröder & Treadaway & Hayashi), 1981;
Rachana
 + *jalindra* (Horsfield), [1829], 1828-1829; *Amblypodia*
 - - *thymbraeus* (Hübner), [1832], 1808-1837; *Sithon*
 - *balabacensis* Schröder & Treadaway, 1986
 - *burbona* (Hewitson), [1878], 1863-1878; *Myrina*
 - *degenerata* (Fruhstorfer), 1898; *Tajuria*
 - *gamtara* (Fruhstorfer), [1912]; *Tajuria*
 - - - - *gambara* (Seitz), [1927], 1912-1927, (ISS); *Tajuria*
 - - *mingawa* (Fruhstorfer), 1914; *Tajuria*
 - *indra* (Moore), [1884]; *Sithon*
 - *macanita* (Fruhstorfer), [1912]; *Tajuria*
 - *maganda* (Takanami), 1982; *Rachana*
 - - *australis* Schröder & Treadaway, 1990
 - *mindorensis* (Schröder & Treadaway), 1985; *Rachana*
 - *palawandra* (Staudinger), 1889; *Tajuria*
 - - - - *palawandra* d'Abbrera, 1986, (ISS)
 - *shiraishii* (Takanami), 1984; *Rachana*

Eliotia (continued)

- *tarpina* (Hewitson), [1878], 1863-1878; *Myrina*
maribaba (Hewitson), [1869], 1863-1878; *Myrina*
 * *mioae* Hayashi, 1978
plateni (Semper), 1887, 1886-1892; *Pratapa*
 - - *kazuyai* Hayashi, 1979
 - - *navales* Schröder & Treadaway, 1986
 - *parvula* Schröder & Treadaway, 1989

Ematurgina [Lyc:Rio:Rio:Lemoniini]

albovata Stichel, 1929
 - - *f. candida* Rebillard, 1958
axena (Hewitson), [1876], 1852-1877; *Lemonias*
 - - - - *f. acervata* (Seitz), 1932; *Ematurgina*
 - - - - *f. perrupta* (Seitz), 1932; *Ematurgina*
 - - - - *ab. roberi* (Seitz), 1932; *Ematurgina*
bifasciata (Mengel), 1902; *Baeotis*
 * - - *mabildei* Röber, 1903
 - - - - *mabildei* Sharp, [1905], (ISS)
 - *ochrophlegma* Stichel, 1911
 - - - - *f. dissimilis* Hayward, 1949, (IFS)
 - - - - *f. distincta* Hayward, 1949, (IFS)
 - - - - *ab. leucomelaina* Breyer, 1930
leucotopus Stichel, 1910
 - *emphatica* Stichel, 1911
nivosa Stichel, 1929
watkinsi d'Abbrera, 1994

Emesis [Lyc:Rio:Rio:Emesini]

adelpha Rebillard, 1958
 - *vicaria* Rebillard, 1958
angularis Hewitson, 1870
arnacis Stichel, 1928
aurelia Bates, 1867
brimo Godman & Salvin, 1889
 + *cereus* (Linnaeus), 1767; *Papilio*
 - - - - *caeneus* (Linnaeus), 1767, (IOS); *Papilio*
 - - - - *caeni* (Grote & Robinson), 1869, (ISS); *Charis*
 - - - - *cenea* (Seitz), [1917], 1910-1924, (ISS); *Charis*
ciilix Hewitson, 1870, 1869-1877
cronina Schaus, 1928
cypria Felder & Felder, 1861
 - *capnodis* Stichel, 1911
 - - - - *capnodes* Stichel, 1910, (IOS)
 - *paphia* R. Felder, 1869
diogenia Pritwitz, 1865
 - - - - *diogenea* Kirby, [1880], (ISS)
elegia Stichel, 1929
emesia (Hewitson), [1867], 1852-1877; *Symmachia*
 - *yucatanensis* (Godman & Salvin), [1886], 1879-1901;
Symmachia
 + *fatima* (Cramer), [1780], 1775-1790; *Papilio*
 - - *fatimella* Westwood, [1851], 1846-1852
 - *nobilata* Stichel, 1910
guppyi Kaye, 1904
heterochroa Hopffer, 1874
heterodita Stichel, 1929
lacrines Hewitson, 1870
 + *lucinda* (Cramer), [1775], 1775-1790; *Papilio*
 + - - *dyndima* (Cramer), [1780], 1775-1790; *Papilio*
 - - *lassus* (Fabricius), 1787; *Papilio*
 - *aurimna* (Boisduval), 1870; *Nelone*
 - *castigata* Stichel, 1910
 - *condigna* Stichel, 1925
 - *eurydice* Godman, 1903
 - *fastidiosa* Ménétriés, 1855, 1855-1857
 - - - - *ab. albida* Seitz, [1917], 1910-1924
 - - *godartii* (Boisduval), 1870; *Nelone*
 - *glaucescens* Talbot, 1929
 - - *conformata* Stichel, 1929
 - *opaca* Stichel, 1910
 - *saturata* Godman & Salvin, [1886], 1879-1901

Emesis (*continued*)

- - *liodes* Godman & Salvin, [1886], 1879-1901
- mandana** (Cramer), [1780], 1775-1790; Papilio
- - *angulariformis* Strand, 1916, 1914-1916
- - *arminius* (Fabricius), 1793, 1792-1799; Papilio
- - *ops* (Latreille), [1813]; Erycina
- - *polymenus* (Fabricius), 1793, 1792-1799; Papilio
- **furor** Butler & H. Druce, 1872
- neemias** Hewitson, [1872], 1852-1877
- ocypore** (Geyer), [1837], 1832-1837; Polystichtis
- **aethalia** Bates, [1868]
- - *olivae* Butler & H. Druce, 1872
- **zelotes** Hewitson, [1872], 1852-1877
- orichalceus** Stichel, 1916
- * **ovidius** (Fabricius), 1793, 1792-1799; Hesperia
- - *cerea* (Hübner), [1819], 1816-1826; Polystichtis
- peruviana** (Lathy), 1904; Symmachia
- poetas** Godman & Salvin, [1901], 1879-1901
- progne** (Godman), 1903; Symmachia
- pseudomandana** Röber, 1927
- russula** Stichel, 1910
- satema** (Schaus), 1902; Symmachia
- sinuatus** Hewitson, 1877, 1869-1877
- spretia** Bates, [1868]
- tegula** Godman & Salvin, [1886], 1879-1901
- temesa** (Hewitson), 1877, 1869-1877; Symmachia
- **emesine** Staudinger, [1887], 1884-1888
- - - - *emesina* Sharp, [1889], (ISS)
- tenedia** Felder & Felder, 1861
- - - - *ab. fasciata* Strand, 1916, 1914-1916
- - *lupina* Godman & Salvin, [1886], 1879-1901
- **melancholica** Stichel, 1916
- **ravidula** Stichel, 1910
- tottec** Reakirt, 1866, 1866-1867
- tristis** Stichel, 1929
- vimena** Schaus, 1928
- vulpina** Godman & Salvin, [1886], 1879-1901
- zela** Butler, 1870
- - - - *zeia* Brown & Eff & Rotger, 1955, (ISS)
- **ares** (Edwards), 1882; Lemoniias
- - - - *area* Brown & Eff & Rotger, 1955, (ISS)
- **aureola** Stichel, 1926
- **cleis** (Edwards), 1882; Lemoniias

Eooxylides [Lyc:Lyc:The:Lox:Loxura]

- etias** (Distant & Pryer), 1887; Hypolycaena
- meduana** (Hewitson), [1869], 1863-1878; Myrina
- - - - *meduana* (Kirby), 1871, (ISS); Sithon
- * **tharis** (Geyer), [1837], 1832-1837; Oxyliodes
- **distanti** Riley, 1942
- **ecyla** Seitz, [1927], 1912-1927
- **enganicus** Fruhstorfer, 1904
- **javanicus** Fruhstorfer, 1904
- **latipictus** Fruhstorfer, 1904
- **ritsemae** van Eecke, 1914
- **siberutica** Riley, [1945]
- **siporana** Riley, [1945]
- **tharisides** Fruhstorfer, 1904
- **watsoni** van Eecke, 1914

Epidemia [Lyc:Lyc:Lyc:Lycaena]

- dorcas** (Kirby), 1837; Lycaena
- - - - *amicetus* (Doubleday), 1847, 1844-1848, (NN); Polyommatus
- **arcticus** Ferris, 1977
- **castro** (Reakin), 1866; Polyommatus
- **claytoni** (Brower), 1940; Lycaena
- **dospassosi** (McDunnough), 1940; Lycaena
- **florus** (Edwards), [1884]; Chrysophanus
- - - - ♀ *f. hulderti* (Field), 1936; Lycaena
- - - - ♀ *f. sternitzkyi* (Field), 1936; Lycaena
- **megaloceras** Ferris, 1977

Epidemia (*continued*)

- * **epixanthe** (Boisduval & Le Conte), [1835], 1829-1837; Polyommatus
- - - - *amicetus* Scudder, 1889, 1888-1889, (PS)
- - - - *hypoxanthe* (Doubleday), 1847, 1844-1848, (nn); Polyommatus
- **amicetus** Holland, 1931
- **michiganensis** (Rawson), 1948; Lycaena
- **phaedrus** (Hall), 1924; Heodes
- - - - *anthelle* (Doubleday), 1847, 1844-1848, (NN); Polyommatus
- heloides** (Boisduval), 1852; Polyommatus
- - - - *ab. gunderi* (Rudkin), 1933; Lycaena
- - - - *halloides* McDunnough, 1914, (ISS)
- - - - *ab. williamsi* (Gunder), 1927; Lycaena
- mariposa** (Reakirt), 1866; Polyommatus
- - **zeroe** (Boisduval), 1869, 1868-1869; Polyommatus
- **charlottensis** (Holland), 1930; Chrysophanus
- **penroseae** (Field), 1938; Lycaena
- - - - *penrosae* Brown & Eff & Rotger, 1955, (ISS)
- nivalis** (Boisduval), 1869, 1868-1869; Polyommatus
- **ianthe** (Edwards), [1871]; Chrysophanus
- **browni** (dos Passos), 1938; Lycaena

Epimastidia [Lyc:Lyc:Pol:Pol:Jamides]

- albocerulea** Grose-Smith, 1894
- ariensis** H. H. Druce, 1891
- **bornemanni** (Pagenstecher), 1893; Cupido
- - **soldalis** Grose-Smith & Kirby, 1897, 1887-1902
- **staudingeri** (Röber), [1886]; Plebeius
- dampierensis** Rothschild, 1915
- * **inops** (Felder & Felder), 1860; Lycaena
- **pilumna** H. H. Druce, 1894
- **sodalis** Grose-Smith & Kirby, 1888, 1887-1902

Epitola [Lyc:Lyc:Lip:Lip:Epitola]

- adolphifrederici** Schultze, 1911
- - - - *adolphifrederici* Stempffer, 1967, (ISS)
- alba** Jackson, 1962
- albomaculata** Bethune-Baker, 1903
- azurea** Jackson, 1962
- badura** Kirby, 1890
- bwamba** Jackson, 1964
- carcina** Hewitson, 1873
- - **kholifa** (Bethune-Baker), 1904; Epitolina
- carilla** Roche, 1954
- catuna** Kirby, 1890
- - **mus** Suffert, 1904
- - **carpenteri** Bethune-Baker, 1922
- cephena** Hewitson, 1873
- - **leonensis** Bethune-Baker, 1904
- - - **leonina** (Bethune-Baker), 1903, (H); Phytala
- **entebbeana** Bethune-Baker, 1926
- ceraunia** Hewitson, 1873
- - **dewitzi** Kirby, 1887
- cercene** Hewitson, 1873
- - ♀ **versicolor** Kirby, 1887
- cercenoides** Holland, 1890
- - **batesi** H. H. Druce, 1910
- cinerea** Berger, 1981
- coerulea** Jackson, 1962
- concepcion** Suffert, 1904
- congoana** Aurivillius, 1923
- conjuncta** Grose-Smith & Kirby, 1893, 1887-1902
- **budduana** Talbot, 1937
- convexa** Roche, 1954
- crowleyi** E. Sharpe, 1890
- - - **hewitsoni** Staudinger, 1889, (H)
- **holochroma** Berger, 1981
- cyanea** Jackson, 1964
- daveyi** Roche, 1954
- decellei** Stempffer, 1956

Epitola (continued)

- doleta* Kirby, 1890
dolorosa Roche, 1954
dorothea (Bethune-Baker), 1904; *Epitolina*
dubia Jackson, 1964
dunia Kirby, 1887
elissa Grose-Smith, 1898
 - - *oniensis* Bethune-Baker, 1914
flavoantennata Roche, 1954
gerina Hewitson, [1878], 1863-1878
 - - *goodi* Holland, 1890
ghesquierei Roche, 1954
 - - - *ghesquierei* Jackson, 1965, (ISS)
 - - *nigeriae* Jackson, 1962
hewitsoni (Mabille), 1877; *Amblypodia*
 - - *falkensteini* Dewitz, 1879
hewitsonioides Hawker-Smith, 1933
ikoya Roche, 1954
insulana Aurivillius, 1923
intermedia Roche, 1954
iturina Joicey & Talbot, 1921
 - - *bella* Aurivillius, 1923
ivoriensis Jackson, 1967
kamengensis Jackson, 1962
katerae Jackson, 1962
katharinae Poulton, 1929
 - - - *katherinae* d'Abbrera, 1980, (ISS)
lamborni Bethune-Baker, 1922
langi Holland, 1920
leonina Staudinger, [1888], 1884-1888
 - - *ciconia* Grose-Smith & Kirby, 1892, 1887-1902
liana Roche, 1954
maculata Hawker-Smith, 1926
 - - *pulchra* Jackson, 1964
magnifica Jackson, 1965
marginata Kirby, 1887
 - - *umbratilis* Holland, 1890
mengoensis Bethune-Baker, 1906
mercedes Suffert, 1904
miranda Staudinger, 1889
 - *vidua* Talbot, 1935
mirifica Jackson, 1964
mongiro Jackson, 1968
moyambina Bethune-Baker, 1903
mpangensis Jackson, 1962
nigra Bethune-Baker, 1903
nigrovenata Jackson, 1962
nitide H. H. Druce, 1910
obscura Hawker-Smith, 1933
orientalis Roche, 1954
ouesso Jackson, 1962
pinodes H. H. Druce, 1890
pinodoides Grose-Smith & Kirby, 1893, 1887-1902
posthumus (Fabricius), 1793, 1792-1799; *Papilio*
 - - *belli* Hewitson, 1874
 * - - *elion* Westwood, [1851], 1846-1852
pseudelissa Jackson, 1968
pseudoconjuncta Jackson, 1962
pulverulenta Dufrene, 1953
rileyi Audeoud, 1936
semibrunnea Bethune-Baker, 1916
 - - *ammon* Joicey & Talbot, 1921
staudingeri Kirby, 1890
 - - *gordoni* H. H. Druce, 1903
 - *aequatorialis* Jackson, 1962
 - *mara* Talbot, 1935
 - - *jacksoni* Roche, 1954
stempfferi Jackson, 1962
subargentea Jackson, 1965
subcoerulea Roche, 1954
subgriseata Jackson, 1964

Epitola (continued)

- sublustris* (Bethune-Baker), 1904; *Epitolina*
suzannae Berger, 1981
tumentia H. H. Druce, 1910
uniformis Kirby, 1887
 - - ♂ *versicolor* Kirby, 1887
urania Kirby, 1887
 - *tanganikensis* Joicey & Talbot, 1921
vinalli Talbot, 1935
virginea (Bethune-Baker), 1904; *Epitolina*
viridana Joicey & Talbot, 1921
 - *radiata* Bethune-Baker, 1926
zelica Kirby, 1890
 - - *subalba* Bethune-Baker, 1915
zelza Hewitson, 1873
 - - *badia* Kirby, 1887

Epitolina [Lyc:Lyc:Lip:Lip:Epitola]

- albomaculata* Bethune-Baker, 1904
catori Bethune-Baker, 1904
 - *ugandae* Jackson, 1962
 * *dispar* (Kirby), 1887; *Teriomima*
 - - - *centraliutaliae* (Verity), 1943, (RA); *Thersamonia*
 - - - *utaliae* (Verity), 1943, (IFS); *Thersamonia*
 - - *f. cordelia* (Kirby), 1890; *Teriomima*
 - - *f. dubia* (Kirby), 1890; *Teriomima*
 - - *f. melissa* (H. H. Druce), 1888; *Teriomima*
 - - *mnestra* (Möschler), 1887; *Liptena*

Eresina [Lyc:Lyc:Lip:Lip:Mimacraea]

- bergeri* Stempffer, 1956
bilinea Talbot, 1935
conradti Stempffer, 1956
 * *corynetes* (Grose-Smith & Kirby), 1890, 1887-1902; *Durbania*
crola Talbot, 1935
fontainei Stempffer, 1956
fusca (Cator), 1904; *Pseuderesia*
jacksoni Stempffer, 1961
katangana Stempffer, 1956
katera Stempffer, 1962
likouala Stempffer, 1962
maesseni Stempffer, 1956
masaka Stempffer, 1962
pseudofusca Stempffer, 1961
rougeoti Stempffer, 1956
saundersi Stempffer, 1956
theodori Stempffer, 1956
toroensis Joicey & Talbot, 1921

Eresinopsides [Lyc:Lyc:Lip:Lip:Mimacraea]

- * *bichroma* Strand, 1911
 - - *staphyla* (Hulstaert), 1924; *Pseuderesia*
 - *jefferyi* Stempffer, 1950

Eresiomera [Lyc:Lyc:Lip:Lip:Mimacraea]

- beni* (Stempffer), 1961; *Pseuderesia*
bicolor (Grose-Smith & Kirby), 1890, 1887-1902; *Pseuderesia*
clenchi (Stempffer), 1961; *Pseuderesia*
cornucopiae (Holland), 1892; *Durbania*
 * *isca* (Hewitson), [1873], 1852-1877; *Liptena*
 - - - *ab. demaculata* (Hulstaert), 1924; *Pseuderesia*
 - *magnimacula* (Rebel), 1914; *Pseuderesia*
 - - - *magnimaculata* (Stempffer), 1967, (ISS); *Pseuderesia*
mapongua (Holland), 1893; *Durbania*
nigeriana (Stempffer), 1962; *Pseuderesia*
osheba (Holland), 1890; *Durbania*
 - - - *oshera* (Sharp), [1891], (ISS); *Durbania*
 - - *mildbraedi* (Schultze), 1912; *Pseuderesia*
 - - *minium* (H. H. Druce), 1910; *Pseuderesia*
paradoxa (Schultze), 1916; *Pseuderesia*
 - *orientalis* (Stempffer), 1962; *Pseuderesia*
phaeochiton (Grünberg), 1910; *Pseuderesia*

Eresiomera (*continued*)

rougeoti (Stempffer), 1961; *Pseuderesia*
rutilo (H. H. Druce), 1910; *Pseuderesia*

Erikssonina [Lyc:Lyc:The:Aph:Aphmaeus]

* *acraeina* Trimen, 1891
cooksoni H. H. Druce, 1905

Erora [Lyc:Lyc:The:Eum:Eumaeus]

aura (Godman & Salvin), [1887], 1879-1901; *Thecla*
caudata Miller, 1980
gillottae Riley, 1924
* *laeta* (Edwards), 1862; *Thecla*
- - *clothilde* (Edwards), 1863; *Thecla*
quaderna (Hewitson), 1868; *Thecla*
- - *attalion* (Godman & Salvin), [1887], 1879-1901; *Thecla*
sanfordi dos Passos, 1940

Erysichton [Lyc:Lyc:Pol:Pol:Nacaduba]

albiplaga Tite, 1963
* *lineata* (Murray), 1874; *Lycaena*
- *cythara* (Fruhstorfer), 1916; *Nacaduba*
- - *eugenea* (Fruhstorfer), 1916; *Nacaduba*
- - ♀ *valentina* (Grose-Smith), 1895; *Nacaduba*
- *insularis* Tite, 1963
- *meiranganus* (Röber), [1886]; *Plebeius*
- - *fatureus* (Röber), [1886]; *Plebeius*
- - *thadmor* (Fruhstorfer), 1916; *Nacaduba*
- - *vaneckei* (Fruhstorfer), 1916; *Nacaduba*
- *uluensis* (Ribbe), 1899; *Nacaduba*
- *vincula* (H. H. Druce), 1891; *Nacaduba*
palmyra (C. Felder), 1860; *Lycaena*
- - *hyperesia* (Fruhstorfer), 1916; *Nacaduba*
- - *poecilata* (Holland), 1900; *Nacaduba*
- - ♂ *valentina* (Grose-Smith), 1895; *Nacaduba*
- *clara* Tite, 1963
- *coelia* (Grose-Smith), 1894; *Nacaduba*
- - *subvariegata* (Rothschild), 1915; *Nacaduba*
- *lateplaga* Tite, 1963
- *tasmanicus* (Miskin), 1890; *Lycaenesthes*
- - *elaborata* (Lucas), 1900; *Lycaena*

Esakiozephyrus [Lyc:Lyc:The:The:Thecla]

bielti (Oberthür), 1886; *Thecla*
- *dohertyi* (de Nicéville), [1889]; *Zephyrus*
- *irma* (Evans), 1925; *Thecla*
- *mandara* (Doherty), 1886; *Thecla*
* *icana* (Moore), [1875]; *Dipsas*
- *setschuanica* (Riley), 1939; *Thecla*
ouvrardi (Riley), 1939; *Thecla*
vallonia (Oberthür), 1914; *Zephyrus*
zotelistes (Oberthür), 1914; *Zephyrus*

Esthemopsis [Lyc:Rio:Rio:Symmachiini]

aeolia Bates, [1868]
alicia (Bates), 1864, 1864-1865; *Pheles*
- *saracena* Grose-Smith, 1902, 1887-1902
celina Bates, [1868]
* *donia* Felder & Felder, 1865, 1865-1875
crystallina (Grose-Smith), 1902, 1887-1902; *Xynias*
crystallina Brévignon & Gallard, 1992
+ *cynosema* (Hewitson), 1874; *Xynias*
- *hyalodis* (Stichel), 1910; *Xynias*
fenella (Grose-Smith), 1902, 1887-1902; *Pheles*
inaria (Westwood), [1851], 1846-1852; *Limnas*
- *isabellae* (E. Sharpe), 1890; *Lymnas*
- *phlegontis* Stichel, 1910
- *thytira* (Hewitson), [1853], 1852-1877; *Limnas*
- - - - *perfluxa* Stichel, 1924, (IFS)
- - - - *sarta* Stichel, 1924, (IFS)
jesse (Butler), 1870; *Lymnas*
- *oeniacus* Hewitson, [1876], 1852-1877

Esthemopsis (*continued*)

- - - - *oeniacus* Kirby, 1877, (ISS)
lilacina (Lathy), 1932; *Xynias*
linearis Godman & Salvin, 1880
lithosina Bates, [1868]
macara (Grose-Smith), 1902, 1887-1902; *Lepicomis*
pollitactis Stichel, 1910
potaronus (Kaye), 1919; *Xynias*
+ *radiata* Godman & Salvin, [1886], 1879-1901
- *dentata* (Stichel), 1910; *Volinia*
+ *sericina* (Bates), 1867; *Pseudopheles*

Esthemopsis (??) [Lyc:Rio:Rio:Symmachiini]

theata (Stichel), 1910; *Volinia*

Euaspa [Lyc:Lyc:The:The:Thecla]

forsteri (Esaki & Shirôzu), 1943; *Thecla*
* *millionia* (Hewitson), [1869], 1863-1878; *Myrina*
- *formosana* Nomura, 1931
pavo (de Nicéville), 1887; *Zephyrus*
tayal (Esaki & Shirôzu), 1943; *Thecla*

Euchrysops [Lyc:Lyc:Pol:Pol:Euchrysops]

abyssinica (Aurivillius), 1922; *Cupido*
albistriatus (Capronnier), 1889; *Lycaena*
- *greenwoodi* d'Abrebra, 1980
barkeri (Trimen), 1893; *Lycaena*
- - *asteris* Snellen, 1872
- - *tiresa* (Karsch), 1895; *Lycaena*
brunneus Bethune-Baker, 1923
* *cnejus* (Fabricius), 1798, 1792-1799; *Hesperia*
- - - - *canejus* Evans, 1927
- - - - *cnejus* (Kirby), 1871, (ISS); *Cupido*
- - *hapalina* (Butler), 1883; *Catochrysops*
- - *monica* (Reakirt), 1866, 1866-1867; *Lycaena*
- - - - *monila* (Edwards), 1872, (ISS); *Lycaena*
- - *pandia* (Kollar), [1844]; *Lycaena*
- - *patala* (Kollar), [1844]; *Lycaena*
- *suffusus* Rothschild, 1915
- - *theseus* (Swinhoe), 1885; *Catochrysops*
- - *trifracta* (Butler), 1884; *Catochrysops*
- *cnidus* Waterhouse & Lyell, 1914
- - *amazara* (Kirby), 1871; *Cupido*
- - - *hypoleuca* (Pruittwitz), 1867, (H); *Lycaena*
- *luzonicus* (Röber), [1886]; *Plebeius*
- *samoa* (Herrich-Schäffer), 1869; *Lycaena*
- *vitiensis* (Butler), 1883; *Catochrysops*
cylopteris (Butler), 1876; *Lampides*
decaryi Stempffer, 1947
dolorosa (Trimen), 1887, 1887-1889; *Lycaena*
horus (Stoneham), 1938; *Cupido*
jacksoni Stempffer, 1952
kabrosae (Bethune-Baker), 1906; *Catochrysops*
katangae Bethune-Baker, 1923
latrunculata (Grünberg), 1910; *Cupido*
- - - - *latruncula* Stempffer, 1967, (ISS)
lois (Butler), [1886]; *Catochrysops*
malathana (Boisduval), 1833; *Lycaena*
- - *asopus* Hopffer, 1855
- - *conguensis* (Mabille), 1877; *Lycaena*
- - *kama* (Trimen), 1862; *Lycaena*
mauensis Bethune-Baker, 1923
- *abyssiniae* Storace, 1950
migiurtiniensis Stempffer, 1946
- - - - *migiurtinensis* Stempffer, 1967, (ISS)
nandensis (Neave), 1904; *Catochrysops*
- *abyssiniae* (Storace), 1953, (H); *Catochrysops*
niotica (Aurivillius), 1904; *Cupido*
osiris (Hopffer), 1855; *Lycaena*
- - - - *cuprescens* Stempffer, 1967, (PS)
- - *anubis* (Snellen), 1872; *Lycaena*
- - *phoa* (Snellen), 1872; *Lycaena*

Euchrysops (*continued*)

- - *pyrrhops* (Mabille), 1877; *Lycaena*
- *australis* Hulstaert, 1924
- *orientalis* Hulstaert, 1924
- philbyi* Gabriel, 1954
- reducta* Hulstaert, 1924
- *niveocincta* Ungemach, 1932
- severini* Hulstaert, 1924
- subdita* (Grose-Smith), 1901, 1887-1902; *Scotlantiades*
- - *crawshayinus* (Aurivillius), [1925], 1908-1925; *Cupido*
- - - *crawshayi* (Butler), 1899, (H); *Scolitantides*
- *fontainei* Stempffer, 1967
- subpallida* Bethune-Baker, 1923
- - *fescennia* Hulstaert, 1924
- *major* Bethune-Baker, 1923
- unigemmata* (Butler), 1895; *Zizera*
- - *browni* Stempffer, 1954
- *sagba* Libert, 1993

Eucorna [*Lyc:Rio:Rio:*]

- * *sanarita* (Schaus), 1902; *Eucora*

Euliphyra [*Lyc:Lyc:Lip:Liphyra*]

- leucyana* (Hewitson), 1874; *Liphyra*
- - - - *leucyana* Stempffer, 1967, (ISS)
- * *mirifica* Holland, 1890
- - *hewitsoni* Aurivillius, [1899]
- *sjostedti* Aurivillius, 1895

Eumaeus [*Lyc:Lyc:The:Eum:Eumaeus*]

- atala* (Poey), 1832; *Eumenia*
- *florida* Röber, 1926
- - *grayi* Comstock & Huntington, 1943
- childrenae* (Gray), 1832; *Eumenia*
- + - - *deborae* Geyer, [1834], 1827-1838
- giganteus* Röber, 1927
- godartii* (Boisduval), 1870; *Eumenia*
- - *costaricensis* Draudt, [1919], 1917-1924
- * *minijas* (Hübner), [1809], 1806-1838; *Rusticus*
- - - *minyas* Hübner, [1819], 1816-1826, (UE)
- - *hagmanni* Röber, 1923
- *obsoleta* Lathy, 1926
- *peruviana* Lathy, 1926
- *splendidissima* Bryk, 1953
- *superbus* Röber, 1926
- *toxana* (Boisduval), 1870; *Eumenia*
- - *brasiliensis* Draudt, [1919], 1917-1924
- + - *toxea* (Godart), [1824], 1819-1824; *Eumenia*
- - - - *toxica* (Gray), 1832, (ISS); *Eumenia*

Eunogyra [*Lyc:Rio:Rio:*]

- curupira* Bates, [1868]
- * *satyrus* Westwood, [1851], 1846-1852
- - *picus* Seitz, [1917], 1910-1924

Euphilotes [*Lyc:Lyc:Pol:Pol:Glaucopsyche*]

- battoides* (Behr), 1867; *Lycaena*
- *baueri* (Shields), 1975; *Shijimiaeoides*
- *centralis* (Barnes & McDunnough), 1917; *Philotes*
- *comstocki* (Shields), 1975; *Shijimiaeoides*
- *ellisii* (Shields), 1975; *Shijimiaeoides*
- *glaucan* (Edwards), [1871]; *Lycaena*
- *intermedia* (Barnes & McDunnough), 1917; *Philotes*
- - - - *ab. malcolmi* (Gunder), 1927; *Philotes*
- *oregonensis* (Barnes & McDunnough), 1917; *Philotes*
- bernardino* (Barnes & McDunnough), 1916; *Philotes*
- - - - ♀ *ab. baldyensis* (Gunder), 1925; *Philotes*
- *allyni* (Shields), 1975; *Shijimiaeoides*
- *garthi* Mattoni, 1989
- *martini* (Mattoni), 1954; *Philotes*
- * *enoptes* (Boisduval), 1852; *Lycaena*
- *ancilla* Barnes & McDunnough, 1918

Euphilotes (*continued*)

- *bayensis* (Langston), 1964; *Philotes*
- *columbiae* (Mattoni), 1954; *Philotes*
- *dammersi* (Comstock & Henne), 1933; *Philotes*
- *langstoni* (Shields), 1975; *Shijimiaeoides*
- *smithi* (Mattoni), 1954; *Philotes*
- *tildeni* (Langston), 1964; *Philotes*
- mojave* (Watson & Comstock), 1920; *Philotes*
- - - - *mohave* (McDunnough), 1938, (ISS); *Philotes*
- pallescens* (Tilden & Downey), 1955; *Philotes*
- *elvira* (Mattoni), [1966]; *Philotes*
- *mattonii* (Shields), 1975; *Shijimiaeoides*
- rita* (Barnes & McDunnough), 1916; *Lycaena*
- *coloradensis* (Mattoni), [1966]; *Philotes*
- *emmeli* Shields, 1975
- spaldingi* (Barnes & McDunnough), 1917; *Philotes*
- *oroplata* Scott, 1981
- *pinjuna* Scott, 1981

Eurybia [*Lyc:Rio:Rio:Eurybiini*]

- carolina* Godart, [1824], 1819-1824
- constantius* (Fabricius), 1793, 1792-1799; *Papilio*
- cyclopa* Stichel, 1910
- dardus* (Fabricius), 1787; *Papilio*
- - - - *sannio* Stichel, 1916, (IFS)
- - *upis* Hübner, [1820], 1806-1838
- *annulata* Stichel, 1910
- *fassli* Seitz, [1917], 1910-1924
- *franciscana* Felder & Felder, 1862
- *misellivestis* Stichel, 1910
- *rubeolata* Stichel, 1910
- *unxia* Godman & Salvin, [1885], 1879-1901
- donna* Felder & Felder, 1862
- - *f. coronata* Stichel, 1926
- - *helias* Stichel, [1909]
- elvina* Stichel, 1910
- *emidiata* Stichel, 1915
- *granulata* Stichel, 1910
- *tephrias* Stichel, 1915
- * *halimede* (Hübner), [1807], 1806-1838; *Limnas*
- - - - *violaria* Stichel, 1915, (IFS)
- - *albiseriata* Weymer, 1890
- *passercula* Stichel, 1915
- *stellifera* Stichel, 1910
- hyacinthina* Stichel, 1910
- jemima* Hewitson, 1869, 1869-1877
- *leucolopha* Thieme, 1907
- *sinnaces* H. H. Druce, 1904
- - - - *sinuaces* Sharp, [1905], (ISS)
- juturna* Felder & Felder, 1865, 1865-1875
- *hari* Weeks, 1901
- *turna* Dognin, 1891
- lamia* (Cramer), [1777], 1775-1790, (H); *Papilio*
- - - - *lauta* Stichel, 1910
- *caerulescens* H. H. Druce, 1904
- *fulgens* Stichel, 1910
- latifasciata* (Hewitson), 1869, 1869-1877; *Mesosemia*
- lycisca* Westwood, [1851], 1846-1852
- molochina* Stichel, 1910
- - *diffusa* Stichel, 1910
- + *nicaeus* (Fabricius), 1775; *Papilio*
- - - - *f. paula* Stichel, 1926, (IFS)
- + - *salome* (Cramer), [1775], 1775-1790; *Papilio*
- *erythinosca* Stichel, 1910
- patrona* Weymer, 1874
- *persona* Staudinger, 1876
- + *pergaea* (Geyer), [1832], 1832-1837; *Gonopteris*
- - - - *ab. ferruginea* d'Almeida, 1922
- - - - *f. suffusa* Stichel, 1916, (IFS)
- promota* Stichel, 1910
- silaceana* Stichel, 1924

Euselasia [Lyc:Rio:Eurygoninae]

- abreas* (Edwards), 1881; *Eurygona*
 - - *sergia* (Godman & Salvin), [1885], 1879-1901; *Eurygona*
alburna Stichel, 1928
alcmena (H. Druce), 1878; *Eurygona*
amblypodia Lathy, 1926
amphidecta (Godman & Salvin), 1878; *Eurygona*
angulata (Bates), [1868]; *Eurygona*
 - *eurypus* (Hewitson), [1856], 1852-1877; *Eurygona*
anica Herrich-Schäffer, [1853], 1850-1869
apisaon (Dalman), 1823; *Papilio*
 - - *eucerus* (Hewitson), [1872], 1852-1877; *Eurygona*
arbas (Stoll), [1782], 1780-1790; *Papilio*
 - *attrita* Seitz, [1917], 1910-1924
 - *proavia* Seitz, [1917], 1910-1924
 - *serapis* Stichel, 1919
 - - - - *serafsis* Sharp, [1922], (ISS)
archelaus Seitz, [1917], 1910-1924
 - *ecuadorensis* Lathy, 1926
argentea (Hewitson), 1871; *Eurygona*
 - *faceta* Stichel, 1919
artos Herrich-Schäffer, [1853], 1850-1869
 - *ignitus* Stichel, 1924
 - *rubrocilia* Lathy, 1926
athena (Hewitson), 1869, 1869-1877; *Eurygona*
aurantia (Butler & H. Druce), 1872; *Eurygona*
 - - *placidus* Seitz, [1916], 1910-1924
aurantiaca (Salvin & Godman), 1868; *Eurygona*
 - - *cheles* (Godman & Salvin), 1889; *Eurygona*
 - - *elmira* (Hewitson), 1870; *Eurygona*
 - *marginata* Lathy, 1926
authe (Godman), 1903; *Eurygona*
 - - - - *anthe* (Sharp), [1905], (ISS); *Eurygona*
 - *copiosa* Stichel, 1919
 - *ocalea* (H. H. Druce), 1904; *Eurygona*
 - - - - *ab. flava* Seitz, [1917], 1910-1924
baucis Stichel, 1919
bettina (Hewitson), 1869, 1869-1877; *Eurygona*
cafusa Bates, [1868]
 - - *f. eunaoola* Stichel, 1925
 - *janigena* Stichel, 1919
calligramma (Bates), [1868]; *Eurygona*
candaria (H. H. Druce), 1904; *Eurygona*
cataleuca (R. Felder), 1869; *Eurygona*
catoleuce (Hübner), [1823], 1808-1837; *Erythia*
charillis (Bates), [1868]; *Eurygona*
chrysippe (Bates), 1866; *Eurygona*
 - - *labiena* (Hewitson), [1870], 1852-1877; *Eurygona*
clesa (Hewitson), [1856], 1852-1877; *Eurygona*
clithra (Bates), [1868]; *Eurygona*
 - *jugata* Stichel, 1919
corduena (Hewitson), 1874; *Eurygona*
 - *anadema* Stichel, 1926
crinon Stichel, 1919
 - *marica* Stichel, 1919
cucuta (Schaus), 1902; *Eurygona*
decussis Stichel, 1926
dione Rebillard, 1958
dolichos Staudinger, [1888], 1884-1888
dorina (Hewitson), [1860], 1852-1877; *Eurygona*
ella Seitz, [1917], 1910-1924
 - *terrea* Stichel, 1924
erythraea (Bates), [1868]; *Eurygona*
euboea (Hewitson), [1855], 1852-1877; *Eurygona*
 - - *tysoni* Weeks, 1906
 - *seitzii* Lathy, 1926
eubotes (Hewitson), [1856], 1852-1877; *Eurygona*
 - *matouryensis* Brévignon & Gallard, 1993
eubule (R. Felder), 1869; *Eurygona*
eucrates (Hewitson), [1872], 1852-1877; *Eurygona*
 - *eryphyla* Stichel, 1919

Euselasia (*continued*)

- *februlis* Stichel, 1919
 - *opimia* Stichel, 1919
 - - *boliviensis* Lathy, 1926
eucritus (Hewitson), [1855], 1852-1877; *Eurygona*
 - - *catapoecila* Seitz, [1917], 1910-1924
 - *hypocrita* Stichel, 1919
 - *pallantis* Brévignon & Gallard, 1993
 - *toppini* E. Sharpe, 1915
 - - *emblema* Stichel, 1919
eugeon (Hewitson), [1856], 1852-1877; *Eurygona*
euhemerus (Hewitson), [1856], 1852-1877; *Eurygona*
eulione (Hewitson), [1856], 1852-1877; *Eurygona*
eumedia (Hewitson), [1855], 1852-1877; *Eurygona*
 - - *ophias* (Herrich-Schäffer), [1853], 1850-1869; *Eurygona*
eumenes (Hewitson), [1855], 1852-1877; *Eurygona*
eunaeus (Hewitson), [1856], 1852-1877; *Eurygona*
euodias (Hewitson), [1856], 1852-1877; *Eurygona*
euoras (Hewitson), [1856], 1852-1877; *Eurygona*
eupatra Seitz, [1917], 1910-1924
euphaes (Hewitson), [1855], 1852-1877; *Eurygona*
 - - - - *eupiola* (Schaus), 1902, (ISS); *Eurygona*
euphyla Stichel, 1926
euploea (Hewitson), [1856], 1852-1877; *Eurygona*
euriteus (Cramer), [1777], 1775-1790; *Papilio*
 - - *cyanira* Hübner, [1819], 1816-1826
 - *gration* Seitz, [1917], 1910-1924
euromus (Hewitson), [1856], 1852-1877; *Eurygona*
eurymachus (Hewitson), [1872], 1852-1877; *Eurygona*
euryone (Hewitson), [1856], 1852-1877; *Eurygona*
 - - *f. apheliotes* Rebillard, 1958
 - *effima* (Hewitson), 1869, 1869-1877; *Eurygona*
 - *thusnelda* Möscher, 1883
eurysthenes (Hewitson), [1872], 1852-1877; *Eurygona*
eusepus (Hewitson), [1855], 1852-1877; *Eurygona*
 - *brevicauda* Lathy, 1926
eutaea (Hewitson), [1855], 1852-1877; *Eurygona*
 - *lindana* Möscher, 1883
extensa (Bates), [1868]; *Eurygona*
 - - *eumithres* Stichel, 1919
fabia (Godman), 1903; *Eurygona*
 - *marcida* Stichel, 1919
ferrugo (Bates), [1868]; *Eurygona*
fervida (Butler), 1874; *Eurygona*
 - *fervidina* Stichel, 1919
 - *hahneli* Staudinger, [1887], 1884-1888
fournierae Lathy, 1924
gelanor (Stoll), [1780], 1780-1790; *Papilio*
 - *bilineata* Lathy, 1926
 - *erilis* Stichel, 1919
gelisae Rebillard, 1958
gelon (Stoll), [1787], 1780-1790; *Papilio*
 * - - - *gelaena* Hübner, [1819], 1816-1826, (JOS)
 - - *sabinus* (Stoll), [1790], 1780-1790; *Papilio*
 - - *tenage* Hübner, [1819], 1816-1826
geon Seitz, [1917], 1910-1924
gordios Stichel, 1919
gradata Stichel, 1926
gyda (Hewitson), [1860], 1852-1877; *Eurygona*
 - - - - *ab. tetra* Seitz, [1917], 1910-1924
 - - *chionea* Seitz, [1917], 1910-1924
 - - *chirone* (Hewitson), 1874; *Eurygona*
 - *gydina* Stichel, 1919
hieronymi (Salvin & Godman), 1868; *Eurygona*
 - - - - *hieronymi* Downey & Allyn, 1980, (ISS)
 - - - - *f. unicolor* d'Almeida, 1922
hygenius (Stoll), [1790], 1780-1790; *Papilio*
 - - *eustachius* (Herbst), 1793, 1788-1804; *Papilio*
 - *eustola* Stichel, 1919
 - *occulta* Stichel, 1919
hypophaea Godman & Salvin, 1878

Euselasia (continued)

- *mexicana* Lathy, 1926
- inconspicua* Godman & Salvin, 1878
- issorica* (Hewitson), 1869, 1869-1877; *Eurygona*
- julia* H. Druce, 1878
- + *labdacus* (Stoll), [1780], 1780-1790; *Papilio*
- *howlandi* Weeks, 1906
- *reducta* Lathy, 1926
- leucon* (Schaus), 1913; *Eurygona*
- leucophryna* (Schaus), 1913; *Eurygona*
- leucorrhoea* Godman & Salvin, 1878
- - - - *leucorrhoea* d'Abrebra, 1994, (ISS)
- - *f. aethiops* Rebillard, 1958
- - - - *aethiops* Callaghan, 1985, (ISS)
- - *russata* Godman & Salvin, 1878
- licinia* (Godman), 1903; *Eurygona*
- + *lisias* (Cramer), [1777], 1775-1790; *Papilio*
- - *salimba* (Godart), [1824], 1819-1824; *Erycina*
- lycaeus* Staudinger, [1888], 1884-1888
- lysimumachus* Staudinger, [1888], 1884-1888
- mammeae* (Sepp), [1855], 1828-1855; *Papilio*
- matuta* (Schaus), 1913; *Eurygona*
- mazaca* (Hewitson), [1860], 1852-1877; *Eurygona*
- mazai* Beutelspacher, 1975
- melaphaea* (Hübner), [1823], 1808-1837; *Erythia*
- *condensa* Stichel, 1926
- micaela* (Schaus), 1902; *Eurygona*
- midas* (Fabricius), 1775; *Papilio*
- - - - *erosa* Stichel, 1919, (IFS)
- - *crotopus* (Stoll), [1780], 1780-1790; *Papilio*
- - *psamathes* (Hoffmansegg), 1818; *Emesis*
- *ater* Seitz, [1917], 1910-1924
- *crotopiades* Stichel, 1919
- *crotopina* Seitz, [1917], 1910-1924
- *kartopus* Stichel, 1919
- mirania* (Bates), [1868]; *Eurygona*
- modesta* (Bates), [1868]; *Eurygona*
- - *satyroides* Lathy, 1926
- murina* Stichel, 1925
- mutator* Seitz, [1917], 1910-1924
- mys* Herrich-Schäffer, [1853], 1850-1869
- - - - *f. crinina* Stichel, 1925, (IFS)
- - - - *f. imbona* Stichel, 1925, (IFS)
- - - - *f. zonaria* Stichel, 1925, (IFS)
- *cytis* Stichel, 1919
- *lara* Stichel, 1919
- mystica* (Schaus), 1913; *Eurygona*
- nannothis* Stichel, 1924
- odrysia* Stichel, 1926
- onorata* (Hewitson), 1869, 1869-1877; *Eurygona*
- - - - *ornata* d'Abrebra, 1994, (ISS)
- opalescens* (Hewitson), [1855], 1852-1877; *Eurygona*
- *interrupta* Lathy, 1924
- *joiceyi* Lathy, 1924
- *onyx* Stichel, 1936
- *opigena* Stichel, 1919
- opalina* (Westwood), [1851], 1846-1852; *Eurygona*
- orba* Stichel, 1919
- *spectralis* Stichel, 1919
- orfita* (Cramer), [1777], 1775-1790; *Papilio*
- *cuprea* Lathy, 1926
- *eutychnus* (Hewitson), [1856], 1852-1877; *Eurygona*
- - - - *lacteata* Stichel, 1919
- - - - ♀ *f. pallida* Lathy, 1926
- - - - *f. trunculenta* Stichel, 1924
- - *dyrrhachus* Seitz, [1917], 1910-1924
- orion* Rebillard, 1958
- parca* Stichel, 1919
- patella* Stichel, 1926
- pellonia* Stichel, 1919
- pellos* Stichel, 1919

Euselasia (continued)

- *lineata* Rebillard, 1958
 - pelor* (Hewitson), [1855], 1852-1877; *Eurygona*
 - pelusia* Stichel, 1919
 - + *phedica* (Boisduval), 1836; *Eurygona*
 - - - - *phoedica* Kirby, 1871, (ISS)
 - phelina* (H. Druce), 1878; *Eurygona*
 - phrygia* Stichel, 1925
 - - *fulviplaga* Lathy, 1926
 - portentosa* Stichel, 1926
 - praecipua* Stichel, 1924
 - praeciara* (Hewitson), 1869, 1869-1877; *Eurygona*
 - procula* (Godman & Salvin), [1885], 1879-1901; *Eurygona*
 - psammathe* Seitz, [1917], 1910-1924
 - *hypocala* Rebillard, 1958
 - *parmata* Stichel, 1919
 - *venezolana* Seitz, [1917], 1910-1924
 - pullata* Stichel, 1926
 - pusilla* (R. Felder), 1869; *Eurygona*
 - rasonea* (Schaus), 1902; *Eurygona*
 - rava* Stichel, 1928
 - regipennis* (Butler & H. Druce), 1872; *Eurygona*
 - *eupepia* (Godman & Salvin), [1885], 1879-1901; *Eurygona*
 - rhodogyne* (Godman), 1903; *Eurygona*
 - rhodon* Seitz, [1917], 1910-1924
 - scotinosa* Stichel, 1930
 - subargentea* (Lathy), 1904; *Eurygona*
 - talidiman* Brévignon & Gallard, 1992
 - tarinta* (Schaus), 1902; *Eurygona*
 - teleclus* (Stoll), [1790], 1780-1790; *Papilio*
 - - - - *ab. albida* Lathy, 1926
 - - *gemellus* (Fabricius), 1793, 1792-1799; *Hesperia*
 - - *telecta* Hübner, [1819], 1816-1826
 - thucydides* (Fabricius), 1793, 1792-1799; *Hesperia*
 - - - - *thucydides* Miller & Brown, 1981, (ISS)
 - - *arisbas* (Dalman), 1823; *Papilio*
 - + - - *nycha* (Hübner), [1823], 1808-1837; *Psalidopteris*
 - *mutica* Stichel, 1925
 - uria* (Hewitson), [1855], 1852-1877; *Eurygona*
 - *angustifascia* Lathy, 1926
 - *eubages* (Hewitson), [1856], 1852-1877; *Eurygona*
 - urites* (Hewitson), [1855], 1852-1877; *Eurygona*
 - *eglawahe* Brévignon & Gallard, 1993
 - utica* (Hewitson), [1855], 1852-1877; *Eurygona*
 - uzita* (Hewitson), [1855], 1852-1877; *Eurygona*
 - violacea* Lathy, 1924
 - violetta* (Bates), [1868]; *Eurygona*
 - zara* (Westwood), [1851], 1846-1852; *Eurygona*
 - zena* (Hewitson), [1860], 1852-1877; *Eurygona*
 - - *bellis* Stichel, 1919
 - - *f. conspicua* Rebillard, 1958
 - - *frivola* Stichel, 1919
 - - *f. ictina* Rebillard, 1958
 - - *f. libanochra* Rebillard, 1958
 - - *f. meconites* Rebillard, 1958
 - - *mira* Stichel, 1924
 - *coccinella* (Bates), [1868]; *Eurygona*
- Euselasia* (?) [*Lyc*:*Rio*:*Eurygoninae*]
- ethemon* (Cramer), [1775], 1775-1790; *Papilio*
- Euthecta* [*Lyc*:*Lyc*:*Lip*:*Lip*:*Mimacraea*]
- * *cooksoni* Bennett, 1954
- Evenus* [*Lyc*:*Lyc*:*The*:*Eum*:*Eumaeus*]
- + *regalis* (Cramer), [1775], 1775-1790; *Papilio*
 - * - - - *endymion* (Fabricius), 1781, 1781-1782, (H); *Papilio*
 - tagyra* (Hewitson), [1865], 1863-1878; *Thecla*
 - *floralia* (H. H. Druce), 1907; *Thecla*
 - - *tagyroides* (Lathy), 1930; *Thecla*

Evenus (?) [Lyc:Lyc:The:Eum:Eumaeus]

teresina (Hewitson), [1878], 1863-1878; Thecla

Everes [Lyc:Lyc:Pol:Pol:Everes]

- alcetas (Hoffmanssegg), 1804; Papilio
 ---- antalcetas Verity, 1934, 1934-1936, (IFS)
 ---- ab. depuncta (Hirschke), 1903; Lycaena
 ---- diluitor Verity, 1934, 1934-1936, (IFS)
 ---- diminuta Verity, 1919, 1919-1922, (IFS)
 ---- helvetica Beuret, 1955, (IFS)
 ---- luteumfera Verity, 1919, 1919-1922, (IFS)
 ---- metallica Courvoisier, 1920
 ---- ab. rufomaculata Courvoisier, 1920
 -- coretas Ochsenheimer, 1807, 1807-1835
 ---- ab. ornata Pionneau, 1927
 ---- ab. pallida (Pionneau), 1928; Lycaena
 -- tigua (Reakirt), 1866, 1866-1867; Lycaena
 - antalcetas Beuret, 1957
 - irenae Dujardin, 1974
 amyntula (Boisduval), 1852; Lycaena
 ---- ab. dodgei Gunder, 1927
 ---- f. immaculata Scott, 1981
 -- sissona (Wright), 1905; Lycaena
 - albrighti Clench, 1944
 - herrii (Grinnell), 1901; Lycaena
 ---- ab. arizonensis Gunder, 1927
 ---- herii (Sharp), [1903], (ISS); Lycaena
 ---- ab. jemezensis Gunder, 1927
 - valeriae Clench, 1944
 + argiades (Pallas), 1771; Papilio
 ---- ab. albina Courvoisier, 1910, 1910-1911
 ---- ab. ardescens Tutt, 1908, 1905-1914
 ---- ab. ardescenscompleta Tutt, 1908, 1905-1914
 ---- ab. ardescensfulva Tutt, 1908, 1905-1914
 ---- ardescensmarginata Tutt, 1908, 1905-1914
 ---- ab. ardescensrestricta Tutt, 1908, 1905-1914
 ---- ab. bergstrasseri Tutt, 1908, 1905-1914
 ---- ab. caeca Aigner-Abafi, 1906
 ---- ab. caerulescens Tutt, 1908, 1905-1914
 ---- ab. caerulescenscompleta Tutt, 1908, 1905-1914
 ---- ab. caerulescensfulva Tutt, 1908, 1905-1914
 ---- ab. caerulescensrestricta Tutt, 1908, 1905-1914
 ---- ab. decolor Staudinger, 1889
 ---- discoelongata (Courvoisier), 1912; Lycaena
 ---- ab. extrema (Courvoisier), 1910, 1910-1911; Lycaena
 ---- ab. extrema Tutt, 1908, 1905-1914
 ---- ab. extremacompleta Tutt, 1908, 1905-1914
 ---- extremafulva Tutt, 1908, 1905-1914
 ---- ab. extremarestricta Tutt, 1908, 1905-1914
 ---- ab. flavescens Tutt, 1908, 1905-1914
 ---- ab. fulva Tutt, 1908, 1905-1914
 ---- ab. fulvanigrescens Tutt, 1908, 1905-1914
 ---- ab. fusca Tutt, 1908, 1905-1914
 ---- ab. fuscafulva Tutt, 1908, 1905-1914
 ---- ab. intermedia Tutt, 1908, 1905-1914
 ---- ab. jodina Aigner-Abafi, 1906
 ---- ab. latimargo Courvoisier, 1910, 1910-1911
 ---- magnipuncta Tutt, 1908, 1905-1914
 ---- ab. major Tutt, 1908, 1905-1914
 ---- minor de Selys-Longchamps, 1857
 ---- minor Tutt, 1908, 1905-1914
 ---- modestus Lorkovic, 1943
 ---- ab. nigrescens Tutt, 1908, 1905-1914
 ---- pallescens Tutt, 1908, 1905-1914
 ---- ab. pallida (Pionneau), 1928; Lycaena
 ---- ab. pallida Tutt, 1908, 1905-1914
 ---- parvipuncta Tutt, 1908, 1905-1914
 ---- ab. purpurascens Tutt, 1908, 1905-1914
 ---- purpurascensmarginata Tutt, 1908, 1905-1914
 ---- rufescens Tutt, 1908, 1905-1914
 ---- ab. semicaeca (Krukivskii), 1909; Lycaena

Everes (continued)

- semiobsoleta Tutt, 1908, 1905-1914
 ---- ab. striata Seitz, [1924], 1912-1927
 ---- ab. striata Tutt, 1909, 1905-1914
 ---- ab. typicamarginata Tutt, 1908, 1905-1914
 ---- f. ultramarina Beuret, 1957
 * ---- amyntas ([Denis & Schiffermüller]), 1775, (H & RC);
 Papilio
 -- diporides Tutt, 1909, 1905-1914
 -- f. mureisana Matsumura, 1939
 -- myrmidon de Selys-Longchamps, 1844
 -- polysperchon (Bergsträsser), [1779], 1778-1780; Papilio
 -- tiresias (Rottemburg), 1775; Papilio
 -- zachaeus (Herbst), 1804, 1788-1804; Papilio
 - diporides Chapman, [1909]
 - hellotia (Ménétriés), 1857, 1855-1857; Lycaena
 ---- bellotia (Kirby), 1871, (ISS); Cupido
 -- praxiteles (C. Felder), 1862; Lycaena
 -- seidakkadaya Miyashita & Uemura, 1976
 - merisina Lorkovic, 1943
 - nuditurca Lorkovic, 1943
 - postnuditurca Lorkovic, 1943
 - praemerisina Lorkovic, 1943
 - ruhlianus Bryk, 1946
 - seitzii (Wnukowsky), 1928; Unumcula
 -- amurensis (Heyne), 1895, 1893-1895, (H); Lycaena
 - thibetanus Lorkovic, 1943
 ---- tibetanus Anonymous, 1951, (ISS)
 buddhista (Alphéraky), 1881; Lycaena
 - garmicus (Stschetkin), 1986; Cupido
 - shandura (Evans), 1912; Lycaena
 comyntas (Godart), [1824], 1819-1824; Polyommatus
 ---- meinersi Field, 1938, (IFS)
 ---- ab. watermani Nakahara, 1926
 - texana Chermock, 1945
 dandana Swinhoe, 1915
 decolorata Staudinger, 1886, 1886-1889
 ---- angulosa (Verity), 1919, 1919-1922, (RA); Cupido
 ---- ab. caerulescens Rebel, 1909
 ---- decorata Müller & Brown, 1981, (ISS)
 ---- discoelongata (Courvoisier), 1911, 1910-1911; Lycaena
 ---- elongata (Courvoisier), 1907; Lycaena
 ---- ab. limbosplendens (Heinrich), 1938; Lycaena
 ---- minor (Verity), 1943, (IFS); Cupido
 ---- ab. paucipuncta (Courvoisier), 1907; Lycaena
 ---- plumbea (Courvoisier), 1913, (IFS); Lycaena
 ---- ♂ ab. plumbeus (Courvoisier), 1913; Lycaena
 ---- pseudolorquini (Verity), 1925, (RA); Cupido
 ---- ab. radiata (Romieux), 1926; Lycaena
 ---- subiusradiata (Romieux), 1926; Lycaena
 ---- violacea (Verity), 1911, (IFS & H); Lycaena
 + ---- sebrus (Hübner), [1824], 1796-1838, (RC); Papilio
 -- saportae (Duponchel), 1832, 1832-1835; Polyommatus
 -- vernalis Grund, 1907
 - austriaca Beuret, 1955
 - bernardiana (Beuret), 1957; Cupido
 - pseudolorquini Manley & Allcard, 1970
 huegelii (Gistel), 1857; Lycaena
 - dipora (Moore), 1865; Lycaena
 indica Evans, 1932
 lacturnus (Godart), [1824], 1819-1824; Polyommatus
 -- tuarana Riley, 1923
 - assamica Tytler, 1915
 - australis Couchman, 1962
 - kawaii Matsumura, 1926
 - okinawanus Fujioka, 1975
 - ottobonus Seitz, [1923], 1912-1927
 - pila Evans, 1925
 - polysperchinus (Kheil), 1884; Plebejus
 - rileyi Godfrey, 1916
 - syntala Cantlie, 1963

Everes (continued)

- yerta Seitz, [1923], 1912-1927
- pulchra Rothschild, 1915

Exoplisia [Lyc:Rio:Rio:Riodinitii]

- cadmeis (Hewitson), [1866], 1852-1877; Charis
- * hypochalybe (Felder & Felder), 1861; Amarynthis
- - praxitheia (Boisduval), 1870; Nelone
- muscolor (Weeks), 1901; Amarynthis
- hypochloris (Bates), [1868]; Emesis
- incoides (Schaus), 1902; Charis
- - - - privata (Köhler), 1923, (IFS); Nelone

Falcuna [Lyc:Lyc:Lip:Lip:Liptena]

- campimus (Holland), 1890; Larinopoda
- dilatata Schultze, 1923
- dorotheae Stempffer & Bennett, 1963
- - - - dorothea Stempffer, 1967, (ISS)
- gitte Bennett, 1969
- hollandii (Aurivillius), 1895; Liptena
- nigricans Stempffer & Bennett, 1963
- suffusa Stempffer & Bennett, 1963
- iturina Stempffer & Bennett, 1963
- kasai Stempffer & Bennett, 1963
- lacteata Stempffer & Bennett, 1963
- leonensis Stempffer & Bennett, 1963
- * libyssa (Hewitson), [1866], 1852-1877; Liptena
- - - - libyssa (Robbins), 1988, (ISS); Liptena
- angolensis Stempffer & Bennett, 1963
- cameroonica Stempffer & Bennett, 1963
- lybia (Staudinger), 1892; Larinopoda
- margarita (Suffert), 1904; Liptena
- - latemarginata (Schultze), 1916; Liptena
- melandeta (Holland), 1893; Larinopoda
- orientalis (Bethune-Baker), 1906; Liptena
- - confluens (Grünberg), 1908; Liptena
- bwamba Stempffer & Bennett, 1963
- overlaeti Stempffer & Bennett, 1963
- reducta Stempffer & Bennett, 1963
- semliki Stempffer & Bennett, 1963
- synesia (Hulstaert), 1924; Liptena
- - f. landana Stempffer & Bennett, 1963
- fusca Stempffer & Bennett, 1963
- gabonensis Stempffer & Bennett, 1963

Famegana [Lyc:Lyc:Pol:Pol:Famegana]

- * alsulus (Herrich-Schäffer), 1869; Lycaena
- - exiloides (Lucas), 1891; Lycaena
- - - exilis (Lucas), 1889, (H); Lycaena
- - gracilis (Miskin), 1890; Lycaena
- eggletoni (Corbet), 1941; Zizeria
- lulu (Mathew), 1889; Lycaena
- taiwana (Sonan), 1938; Zizera

Favonius [Lyc:Lyc:The:The:Thecla]

- aquamarinus (Dubatolov & Sergeev), 1987; Neozephyrus
- cognata (Staudinger), 1892; Thecla
- - jozanus (Matsumura), 1915; Zephyrus
- singlongensis Murayama, 1991
- korshunovi (Dubatolov & Sergeev), 1982; Neozephyrus
- latifasciatus Shirôzu & Hayashi, 1959
- - - - ab. mizudorii Murayama, 1960
- ussuriensis (Murayama), 1960; Neozephyrus
- vitjaz (Dubatolov & Sergeev), 1982; Neozephyrus
- macrocerus Wakabayashi & Fukuda, 1985
- - - - macrocerus d'Abbrera, 1993, (ISS)
- * orientalis (Murray), 1874; Dipsas
- primoriensis Murayama, 1978
- shirozul Murayama, 1954
- suffusa (Leech), [1893], 1893-1894; Zephyrus
- - - leechi (Riley), 1939, (H); Thecla
- - - - f. coelestina (Riley), 1939, (IFS); Thecla

Favonius (continued)

- saphirina (Staudinger), 1887; Thecla
- - - - ab. immaculatus (Watari), 1935; Zephyrus
- - jezonicus Murayama, 1953
- - nipponicus Murayama, 1953
- - oseanus Murayama, 1954
- schischkini (Kurentzov), 1970; Zephyrus
- ultramarina (Fixsen), 1887; Thecla
- - - jozanus Matsumura, 1931, (H)
- - - - joranus O. Bang-Haas, 1930, 1926-1930, (ISS)
- - borealis Murayama, 1953
- - chosenicola (Bryk), 1946; Ruralis
- - hayashii Shirôzu, 1951
- jezoensis (Matsumura), 1915; Zephyrus
- - - - ab. daisenensis (Tanaka), 1941; Zephyrus
- - azumayamensis (Kanda), 1933; Zephyrus
- - magnificans Murayama, 1953
- yuasai Shirôzu, 1947
- coreensis Murayama, 1963

Femniterga [Lyc:Lyc:The:Eum:Eumaeus]

- aurea Johnson, 1989
- boliviensis Johnson, 1991
- cinniana (Hewitson), [1877], 1863-1878; Thecla
- cissusa (Hewitson), [1877], 1863-1878; Thecla
- - - - cissura (Kirby), 1877, (ISS); Thecla
- itaituba Johnson, 1989
- judae Johnson, 1988
- megana Johnson, 1989
- * notacastanea Johnson, 1988
- plumans (H. H. Druce), 1907; Thecla
- splendida Johnson, 1989
- strobilata Johnson, 1989

Feniseca [Lyc:Lyc:Mil:Spa:Feniseca]

- * tarquinius (Fabricius), 1793, 1792-1799; Hesperia
- - - - ab. suffusa Dean, 1918
- - crataegi (Boisduval & Le Conte), [1835], 1829-1837; Polyommatus
- - porsenna (Scudder), 1864; Polyommatus
- - novascotiae McDunnough, 1935

Fixsenia [Lyc:Lyc:The:Eum:Eumaeus]

- + favonius (Smith), 1797; Papilio
- * herzi (Fixsen), 1887; Thecla
- - - - phylloendri (Seitz), [1908], 1907-1921, (PS); Thecla
- iyonis (Ôta & Kusunoki), 1957; Strymonidia
- harutai Inomata, 1989
- kibiensis (Shirôzu & Nanba), 1973; Strymonidia
- koivayasi Inomata, 1989
- wadaenis (Hara), 1981; Strymonidia
- ontario (Edwards), 1869; Thecla
- autolytus (Edwards), [1871]; Thecla
- ilavia (Beutenmüller), 1899; Thecla
- - mirabelle (Barnes), 1900; Thecla
- violae (Stallings & Turner), 1947; Strymon
- phylloendri (Elwes), [1882]; Thecla
- pollingi (Barnes & Benjamin), 1926; Strymon
- organensis Ferris, 1980
- pruni (Linnaeus), 1758; Papilio
- - - - abobsoleta (Verity), 1943, (IFS); Strymon
- - - - ab. albofasciata (Tutu), 1907, 1905-1914; Strymon
- - - - ab. badiofasciata (Gillmer), 1908, 1907-1909; Thecla
- - - - f. excessa (Tutu), 1907, 1905-1914; Strymon
- - - - ab. fulva (Gillmer), 1908, 1907-1909; Thecla
- - - - ab. fulvior (Tutu), 1907, 1905-1914; Strymon
- - - - griseaspinosa (Tutu), 1907, 1905-1914; Ruralis
- - - - f. latifasciata Courvoisier, 1911, 1910-1911
- - - - ab. lutea (Tutu), 1907, 1905-1914; Strymon
- - - - luteaspinosa (Tutu), 1907, 1905-1914; Ruralis
- - - - ab. major (Tutu), 1907, 1905-1914; Strymon
- - - - ab. minor (Tutu), 1907, 1905-1914; Strymon

Fixsenia (*continued*)

- *f. obscura* (Tutt), 1907, 1905-1914; Strymon
- *ab. obsoleta* (Tutt), 1907, 1905-1914; Strymon
- *f. pallida* (Tutt), 1907, 1905-1914; Strymon
- *ab. pallidaspinosa* (Tutt), 1907, 1905-1914; Strymon
- *ab. paupera* (Tutt), 1908, 1905-1914; Strymon
- *progressa* (Tutt), 1907, 1905-1914; Strymon
- *f. semialbofasciata* (Tutt), 1907, 1905-1914; Strymon
- - *prorsa* (Hüfnagel), 1766; Papilio
- *ptorsas* (Seitz), [1908], 1907-1921, (ISS); Thecla
- *dujianensis* (Sugiyama), 1992; Strymondia
- *gansuensis* (Sugiyama), 1992; Strymondia
- *jezoensis* (Matsumura), 1919; Thecla
- + *thalia* (Leech), [1893], 1893-1894; Thecla
- watarii* (Matsumura), 1927; Thecla
- *kanonis* (Matsumura), 1929; Thecla

Flos [Lyc:Lyc:The:Arh:Arhopala]

- adriana* (de Nicéville), [1884]; Nilasera
- anniella* (Hewitson), 1862; Amblypodia
- *triangularis* (Bethune-Baker), 1903, (PS); Arhopala
- - *husaina* (Fruhstorfer), 1914; Arhopala
- *husarina* (Seitz), [1926], 1912-1927, (ISS); Amblypodia
- *artegal* Doherty, 1889
- *malangana* (Toxopeus), 1929; Amblypodia
- * *apidanus* (Cramer), [1777], 1775-1790; Papilio
- *alter* (Toxopeus), 1929, (PS); Amblypodia
- - *antipaxus* (Fruhstorfer), 1914; Arhopala
- - *comes* (Fruhstorfer), 1914; Arhopala
- - *dorimond* (Stoll), [1790], 1780-1790; Papilio
- *dorinond* (Seitz), [1926], 1912-1927, (ISS); Amblypodia
- *ahamus* Doherty, 1891
- *arahat* (Fruhstorfer), 1914; Arhopala
- *palawanus* (Staudinger), 1889; Amblypodia
- *phalakron* (Fruhstorfer), 1914; Arhopala
- *anabas* (Toxopeus), 1929, (PS); Amblypodia
- - *ambigua* (Toxopeus), 1929; Amblypodia
- - *anthracophila* (Toxopeus), 1929; Amblypodia
- - *astrophila* (Toxopeus), 1929; Amblypodia
- *saturata* (Snellen), 1890; Amblypodia
- - *berossus* (Fruhstorfer), 1914; Arhopala
- - *kartaphilus* (Fruhstorfer), 1914; Arhopala
- *kartophilus* (Seitz), [1926], 1912-1927, (ISS); Amblypodia
- - *viribus* (Fruhstorfer), 1914; Arhopala
- *xisuthrus* (Fruhstorfer), 1914; Arhopala
- arca* (de Nicéville), 1893; Arhopala
- arete* (Hewitson), 1862; Amblypodia
- - *arestina* (Evans), 1925; Amblypodia
- - *patuna* (Moore), 1884; Satadra
- *patana* (Kirby), [1885], (ISS); Satadra
- asoka* (de Nicéville), [1884]; Nilasera
- - *chola* (Moore), 1884; Satadra
- - *vaya* (Fruhstorfer), 1914; Arhopala
- chinensis* (Felder & Felder), 1865, 1865-1875; Arhopala
- - *lazula* (Moore), 1884; Satadra
- - *moelleri* (de Nicéville), [1884]; Nilasera
- diardi* (Hewitson), 1862; Amblypodia
- *viardi* (Staudinger), 1889, (ISS); Amblypodia
- *capeta* (Hewitson), [1878], 1863-1878; Amblypodia
- - *almansor* (Fruhstorfer), 1914; Arhopala
- - *amha* (Fruhstorfer), 1914; Arhopala
- - *asatha* (Fruhstorfer), 1914; Arhopala
- fulgida* (Hewitson), [1863], 1863-1878; Amblypodia
- *singhapura* (Distant), 1885, 1882-1886; Panchala
- ♀ *f. batis* (Fruhstorfer), 1914; Amblypodia
- - *tenea* (Fruhstorfer), 1914; Arhopala
- - *tifata* (Fruhstorfer), 1914; Arhopala
- - *zohar* (Fruhstorfer), 1914; Arhopala
- *zilana* Fruhstorfer, 1900
- himna* (Fruhstorfer), 1914; Arhopala
- iriya* (Fruhstorfer), 1914; Arhopala

Flos (*continued*)

- kuehni* (Röber), 1887; Amblypodia
- - *imperiosa* (Fruhstorfer), 1914; Arhopala
- - *lompana* (Ribbe), 1926; Arhopala
- morphina* (Distant), 1884; Panchala
- *sidicina* (Fruhstorfer), 1914; Arhopala

Furcovalva [Lyc:Lyc:The:Eum:Eumaeus]

- * *extensa* Johnson, 1991
- tifla* (Field), 1967; Calystryma

Gaeides [Lyc:Lyc:Lyc:Lycaena]

- editha* (Mead), 1878; Chrysophanus
- *ab. vanduzeei* (Gunder), 1927; Lycaena
- *obscuramaculata* (Austin), [1989]; Lycaena
- - *nevadensis* (Austin), 1984, (H); Lycaena
- *vurali* Kocak, 1984
- - *montana* (Field), 1936, (H); Lycaena
- ♀ *f. meadi* (Field), 1936; Lycaena
- gorgon* (Boisduval), 1852; Polyommatus
- xanthoides* (Boisduval), 1852; Polyommatus
- - *luctuosa* (Watson & Cornstock), 1920; Heodes
- * *dione* (Scudder), 1868; Chrysophanus
- *ab. gibboni* (Gunder), 1927; Lycaena

Galba [Lyc:Lyc:The:Eum:Eumaeus]

- * *elvira* Johnson, 1992
- fumosa* Johnson, 1992

Gigantofalca [Lyc:Lyc:The:Eum:Eumaeus]

- duida* Johnson, 1991
- * *stacya* Johnson, 1991

Gigantorubra [Lyc:Lyc:The:Eum:Eumaeus]

- adamsi* Johnson, 1993
- argenomontana* Johnson, 1993
- bahia* Johnson, 1993
- clintoni* Johnson, 1993
- * *collucia* (Hewitson), [1877], 1863-1878; Thecla
- exotissima* Johnson, 1993
- fernanda* (Jones), 1912; Thecla
- melanorubra* Johnson, 1993
- mininota* Johnson, 1993
- necbadaca* Johnson, 1993
- nubilum* (H. H. Druce), 1907; Thecla
- orcidia* (Hewitson), [1874], 1863-1878; Thecla
- ornamentata* Johnson, 1993
- picentia* (Hewitson), 1868; Thecla
- shueyi* Johnson, 1993
- simplicia* Johnson, 1993
- solitaria* Johnson, 1993
- tafiensis* Johnson, 1993
- zurkvitzii* (Schaus), 1902; Thecla

Glaucopyche [Lyc:Lyc:Pol:Pol:Glaucopyche]

- alexis* (Poda von Neuhaus), 1761; Papilio
- *albata* Verity, 1943, (IFS)
- *ab. ambigua* Reverdin, 1917
- *ab. azurea* (Silbernagel), 1940; Lycaena
- *ab. basibipuncta* Agenjo, [1967]
- *basinovopuncta* Courvoisier, 1912
- *ab. caeca* (Courvoisier), 1910, 1910-1911; Lycaena
- ♀ *ab. caerulea* (Courvoisier), 1913; Lycaena
- *caerulescens* Beuret, 1957
- *coeca* (Miller & Zubovschi & Ruscschi), 1929; Lycaena
- *completa* Verity, 1919, 1919-1922, (IFS)
- *ab. decolorata* Höfer, 1919
- *discoelongata* (Courvoisier), 1907; Lycaena
- *ab. elongata* (Courvoisier), 1907; Lycaena
- *elongata* (Courvoisier), 1907; Lycaena
- *ab. elongatus* (Courvoisier), 1910, (NN); Lycaena
- *eyllarus* (O. Bang-Haas), 1928, 1926-1930, (ISS); Lycaena

Glaucopsyche (continued)

- - - - *ab. latimargo* (Courvoisier), 1913; Lycaena
- - - - *f. latina* (Hartig), 1940; Lycaena
- - - - *luxurians* Courvoisier, 1910, 1910-1911
- - - - *maritimalpium* Verity, 1928
- - - - *mirabilis* Beuret, 1957
- - - - *f. müllerbergeri* Stauder, 1915
- - - - *ab. naevusnanus* Agenjo, [1967]
- - - - *ab. nigra* (Courvoisier), 1910; Lycaena
- - - - *parvandereggi* Verity, 1938, 1938-1939, (RA)
- - - - *paucipuncta* (Courvoisier), 1907; Lycaena
- - - - *pauper* Verity, 1919, 1919-1922, (RA)
- - - - *ab. plumbeus* Courvoisier, 1910
- - - - *pluripuncta* (Courvoisier), 1911, 1910-1911; Lycaena
- - - - *privata* de Sagarra y Castellamau, 1926
- - - - ♀ *f. pseudocharybdis* Stauder, 1923, 1920-1923
- - - - *ab. punctata* Muschamp, 1908
- - - - *ab. stigmatica* (Cabeau), 1925; Lycaena
- - - - *ab. sublugens* Strand, 1909
- - - - *subpauper* Verity, 1928, (RA)
- - - - *ab. subimpunctata* Oberthür, 1896
- - - - *ab. subpartimpunctata* Oberthür, 1896
- - - - *ab. subtradiata* Oberthür, 1896
- - - - *tenuimarginata* Beuret, 1957
- - - - *violacea* Beuret, 1957
- - - - *argus* ([Denis & Schiffmüller]), 1775, (H); Papilio
- - - - *cyllarus* (Rottemburg), 1775, (H); Papilio
- - - - *idas* (Lewin), 1795, (H); Papilio
- - - - *aeruginosa* Staudinger, 1881
- - - - *ab. subalexis* Obratsov, 1936
- - - - *agestoides* (de Selys-Longchamps), 1857; Polyommatus
- - - - *andereggi* (Rühl), 1891; Lycaena
- - - - *blachieri* (Millière), 1887; Lycaena
- - - - *bronte* (Bergsträsser), [1779], 1778-1780; Papilio
- - - - *damaetas* ([Denis & Schiffmüller]), 1775; Papilio
- - - - *damaetas* (Kirby), 1871, (ISS); Cupido
- - - - *dimus* (Bergsträsser), [1779], 1778-1780; Papilio
- - - - *dymus* (Herbst), 1804, 1788-1804; Papilio
- - - - *illustris* (Stauder), 1915; Lycaena
- - - - *f. insulicola* (Turati & Fiori), 1930; Lycaena
- - - - *laetifica* (Püngeler), 1898; Lycaena
- - - - *lugens* Caradja, 1893
- - - - *meeloni* de Sagarra y Castellamau, 1930
- - - - *melanoposmater* Verity, 1928, (RA)
- - - - *melanopostimater* Kudma, 1983, (ISS)
- - - - *pauperella* de Sagarra y Castellamau, 1926
- - - - *phobos* (Bergsträsser), [1779], 1778-1780; Papilio
- - - - *punctata* (Gouin), 1904; Lycaena
- - - - *schneideri* (Strand), 1903; Lycaena
- - - - *selene* Hemming, 1934
- - - - *tristis* (Gerhard), 1853, 1850-1853; Lycaena
- - - - *antolinezi* Agenjo, [1967]
- - - - *helena* Agenjo, [1967]
- - - - *lopedevega* Agenjo, [1967]
- - - - *melanoposmater* Higgins & Riley, 1970
- - - - *mironi* Coustis, 1976
- - - - *morena* Agenjo, [1967]
- - - - *safidensis* (Blom), 1979; Agrodiaetus
- - - - *superornata* Agenjo, [1967]
- - - - *velada* Gómez Bustillo, 1973
- - - - *viriato* Agenjo, [1967]
- - - - *astraea* (Freyer), 1852, 1831-1858; Lycaena
- - - - *astrea* Gerhard, 1853, 1850-1853, (ISS)
- - - - *eckweileri* Koçak, 1979
- - - - *charybdis* (Staudinger), 1886, 1886-1889; Lycaena
- - - - *ab. exuta* (Schultz), 1906; Lycaena
- - - - *happensis* (Matsumura), 1927; Lycaena
- - - - *lycormas* (Butler), 1866; Polyommatus
- - - - *ab. lada* (Kozhanchikov), 1936; Lycaena
- - - - *ab. paucimaculosa* (Kuwayama), 1926; Lycaena
- - - - *ab. paucimaculosus* (Kuwayama), 1926; Lycaena

Glaucopsyche (continued)

- - - - *lederi* (A. Bang-Haas), 1907; Lycaena
- - - - *scylla* (Oberthür), 1880; Lycaena
- - - - *scylla* (Lang), 1884, (H); Lycaena
- - - - *scylla* (Staudinger), 1887; Lycaena
- - - - *sumpantingi* (Bollow), 1931, 1929-1931; Lycaena
- - - - *tomariana* (Matsumura), 1928; Lycaena
- - - - * *lygdamus* (Doubleday), 1841; Polyommatus
- - - - *lygdamas* (Edwards), 1869, 1868-1897, (ISS); Lycaena
- - - - *lygdarnus* (Scudder), 1872, (ISS); Lycaena
- - - - *afra* (Edwards), [1884]; Lycaena
- - - - *arizonensis* McDunnough, 1936
- - - - *australis* Grimell, 1917
- - - - *sinepuncta* McDunnough, 1938, (ISS)
- - - - *ab. sinepunctata* J. A. Comstock, 1926
- - - - *orcus* (Edwards), [1869]; Lycaena
- - - - *columbia* (Skinner), 1917; Lycaena
- - - - *couperi* Grote, 1873
- - - - *macdunnoughi* dos Passos, 1964, (ISS)
- - - - *ab. macdunnoughi* Gunder, 1927
- - - - *couperii* (Draudt), [1920], 1917-1924; Lycaena
- - - - *incognitus* Tilden, [1974]
- - - - *ab. sternitzkyi* Gunder, 1930
- - - - *jacki* Stallings & Turner, 1947
- - - - *kurnakovi* (Kurentzov), 1970; Lycaena
- - - - *mildredae* Chermock, 1945
- - - - *mildredi* Anonymous, 1983, (ISS)
- - - - *nittanyensis* Chermock, 1945
- - - - *boydi* Clark, 1948
- - - - *oro* (Scudder), 1876; Nomiades
- - - - *ab. leussleri* Gunder, 1927
- - - - *palosverdesensis* Perkins & Emmel, 1977
- - - - *paphos* Chapman, 1920
- - - - *pius* (Boisduval), 1852; Lycaena
- - - - *lorquini* (Behr), 1867, (H); Lycaena
- - - - + *catalina* (Reakirt), 1866, 1866-1867; Lycaena
- - - - ♂ *ab. gorgonioi* (Gunder), 1925; Phaedrotes
- - - - *rahae* (Boisduval), 1869, 1868-1869; Lycaena
- - - - *rhea* Comstock & Huntington, 1963, 1958-1964, (ISS)
- - - - *sagittigera* (Felder & Felder), 1865, 1865-1875; Lycaena
- - - - *viaca* (Edwards), [1871]; Lycaena
- - - - *vcsta* (Kirby), 1877, (ISS); Lycaena
- - - - *viata* (Kirby), [1873], (ISS); Lycaena
- - - - *daunia* (Edwards), [1871]; Lycaena
- - - - *nevada* Brown, 1975
- - - - *nevadae* Fisher, 1981, (ISS)
- - - - *toxema* Brown, 1971
- - - - *seminigra* Howarth, 1976
- - - - *xerces* (Boisduval), 1852; Lycaena
- - - - *ab. barnesi* Gunder, 1927
- - - - ♂ *ab. huguenini* Gunder, 1925
- - - - *xerxes* (Boisduval), 1868, 1868-1869, (ISS); Lycaena
- - - - *antiacis* (Boisduval), 1852; Lycaena
- - - - *behrii* (Edwards), 1862; Lycaena
- - - - *intermedia* Chermock, 1929
- - - - *mertila* (Edwards), 1866; Lycaena
- - - - *polyphemus* (Boisduval), 1869, 1868-1869; Lycaena
- - - - *brandti* (Forster), 1956; Argodiaetus
- - - - *pseudocyanea* (Forster), 1956; Argodiaetus

Goldia [Lyc:Lyc:The:The:Theda]

- - - - * *pacifica* (Dubatolov & Korshunov), 1984; Ravenna

Gonerilia [Lyc:Lyc:The:The:Theda]

- - - - *buddha* Sugiyama, 1993
- - - - * *seraphim* (Oberthür), 1886; Theda

Habrodais [Lyc:Lyc:The:The:Theda]

- - - - * *grunus* (Boisduval), 1852; Theda
- - - - *herri* Field, 1938
- - - - *lorquini* Field, 1938
- - - - *chloris* (Field), 1938, (IFS); Habrodais

Helicopsis (continued)

- - - - *nigra* Riley, 1919, (IFS)
- - - - *nigrescens* Le Moul't, 1940, 1939-1940, (IFS)
- - - - *nigrofusca* Le Moul't, 1940, 1939-1940, (IFS)
- - - - *nigromarginata* Le Moul't, 1940, 1939-1940, (IFS)
- - - - *nigropunctata* Le Moul't, 1940, 1939-1940, (IFS)
- - - - *nigroradiata* Le Moul't, 1940, 1939-1940, (IFS)
- - - - *nigrorecta* Le Moul't, 1940, 1939-1940, (IFS)
- - - - *nigrotransversa* Le Moul't, 1940, 1939-1940, (IFS)
- - - - *nigroventralis* Le Moul't, 1940, 1939-1940, (IFS)
- - - - *olivencia* Le Moul't, 1940, 1939-1940, (IFS)
- - - - *ornata* Le Moul't, 1940, 1939-1940, (IFS)
- - - - *ornatissima* Le Moul't, 1940, 1939-1940, (IFS)
- - - - *oudini* Le Moul't, 1940, 1939-1940, (IFS)
- - - - *pallescens* Le Moul't, 1940, 1939-1940, (IFS)
- - - - *pelenope* Le Moul't, 1940, 1939-1940, (IFS)
- - - - *philemon* Le Moul't, 1940, 1939-1940, (IFS)
- - - - *picardi* Le Moul't, 1940, 1939-1940, (IFS)
- - - - *pollux* Le Moul't, 1940, 1939-1940, (IFS)
- - - - *priamus* Le Moul't, 1940, 1939-1940, (IFS)
- - - - *proserpina* Le Moul't, 1940, 1939-1940, (IFS)
- - - - *proxima* Le Moul't, 1940, 1939-1940, (IFS)
- - - - *pseuderotica* Le Moul't, 1940, 1939-1940, (IFS)
- - - - *pseudobergeri* Le Moul't, 1940, 1939-1940, (IFS)
- - - - *pseudocoria* Le Moul't, 1940, 1939-1940, (IFS)
- - - - *pseudopallida* Le Moul't, 1940, 1939-1940, (IFS)
- - - - *pseudotrinitatis* Le Moul't, 1940, 1939-1940, (IFS)
- - - - *pseudotrinitatis* Le Moul't, 1940, 1939-1940, (IFS)
- - - - *pseudunca* Le Moul't, 1940, 1939-1940, (IFS)
- - - - *radiata* Le Moul't, 1940, 1939-1940, (IFS)
- - - - *reducta* Le Moul't, 1939, 1939-1940, (IFS)
- - - - *riballieri* Le Moul't, 1940, 1939-1940, (IFS)
- - - - *rubigofusca* Le Moul't, 1940, 1939-1940, (IFS)
- - - - *semieburnea* Le Moul't, 1940, 1939-1940, (IFS)
- - - - *semiflava* Le Moul't, 1940, 1939-1940, (IFS)
- - - - *semiflavida* Le Moul't, 1940, 1939-1940, (IFS)
- - - - *seminigra* Le Moul't, 1940, 1939-1940, (IFS)
- - - - *sequerae* Le Moul't, 1940, 1939-1940, (IFS)
- - - - *ab. stupenda* Seitz, [1917], 1910-1924
- - - - *subagardi* Le Moul't, 1940, 1939-1940, (IFS)
- - - - *subaurantiaca* Le Moul't, 1940, 1939-1940, (IFS)
- - - - *subaurantiaca* Le Moul't, 1940, 1939-1940, (IFS)
- - - - *subcoria* Le Moul't, 1940, 1939-1940, (IFS)
- - - - *subcupido* Le Moul't, 1940, 1939-1940, (IFS)
- - - - *subeburnea* Le Moul't, 1940, 1939-1940, (IFS)
- - - - *suberotica* Le Moul't, 1940, 1939-1940, (IFS)
- - - - *sublegouaisi* Le Moul't, 1940, 1939-1940, (IFS)
- - - - *subornata* Le Moul't, 1940, 1939-1940, (IFS)
- - - - *subproxima* Le Moul't, 1940, 1939-1940, (IFS)
- - - - *subunca* Le Moul't, 1940, 1939-1940, (IFS)
- - - - *sulphurea* Le Moul't, 1940, 1939-1940, (IFS)
- - - - *sylvia* Le Moul't, 1940, 1939-1940, (IFS)
- - - - *telamon* Le Moul't, 1940, 1939-1940, (IFS)
- - - - *theseus* Le Moul't, 1940, 1939-1940, (IFS)
- - - - *transita* Le Moul't, 1940, 1939-1940, (IFS)
- - - - *ulysses* Le Moul't, 1940, 1939-1940, (IFS)
- - - - *umbriensis* Le Moul't, 1940, 1939-1940, (IFS)
- - - - *unca* Le Moul't, 1940, 1939-1940, (IFS)
- - - - *vesta* Le Moul't, 1940, 1939-1940, (IFS)
- - *agardi* Le Moul't, 1940, 1939-1940
- - *belemensis* Le Moul't, 1940, 1939-1940
- - *columbiana* Le Moul't, 1940, 1939-1940
- - *horrackae* Le Moul't, 1940, 1939-1940
- - *lecerfi* Le Moul't, 1940, 1939-1940
- - *legayi* Le Moul't, 1940, 1939-1940
- - *lehairei* Le Moul't, 1940, 1939-1940
- - *littoralis* Le Moul't, 1940, 1939-1940
- - *massarensis* Le Moul't, 1940, 1939-1940
- - *meieri* Le Moul't, 1940, 1939-1940
- - *pallida* Le Moul't, 1940, 1939-1940
- - *peruviana* Le Moul't, 1940, 1939-1940

Helicopsis (continued)

- - *pseudogradivus* Le Moul't, 1940, 1939-1940
- - *pseudolindeni* Le Moul't, 1940, 1939-1940
- - *tapajoz* Le Moul't, 1940, 1939-1940, (IFS)
- - *trinitensis* Le Moul't, 1940, 1939-1940
- - *venezuelensis* Le Moul't, 1940, 1939-1940
- *bergeri* Le Moul't, 1940, 1939-1940
- *coria* Stichel, 1919
- - - - *ab. sulphurea* Rebillard, 1958
- *erotica* Seitz, [1917], 1910-1924
- - - - *convulsa* Stichel, 1919, (IFS)
- - *divergens* Seitz, [1917], 1910-1924
- *gradiva* Stichel, 1919
- *lindeni* Grote, 1874
- *manaos* Bryk, 1953
- *tersa* Stichel, 1919
- *trinitatis* Seitz, [1917], 1910-1924
- + *endymiaena* (Hübner), [1819], 1816-1826; Hexuropterus
- - - *endymion* (Cramer), [1779], 1775-1790, (H); Papilio
- - *latmicus* Seitz, [1917], 1910-1924
- *elegans* Kaye, 1904
- + *gnidus* (Fabricius), 1787; Papilio
- - - - *albocincta* Le Moul't, 1940, 1939-1940, (IFS)
- - - - *androgynae* Le Moul't, 1940, 1939-1940, (IFS)
- - - - *galatea* Stichel, 1919, (IFS)
- - - - *galathea* Stichel, 1930, (ISS)
- - - - *nigromaculata* Le Moul't, 1939, 1939-1940, (IFS)
- - - - *pseudalbescens* Le Moul't, 1939, 1939-1940, (IFS)
- - - - *subalbocincta* Le Moul't, 1939, 1939-1940, (IFS)
- - - - *subandrogynae* Le Moul't, 1939, 1939-1940, (IFS)
- - - - *sulphurea* Le Moul't, 1939, 1939-1940, (IFS)
- - - *acis* (Fabricius), [1782], 1781-1782, (H); Papilio
- - *albescens* Le Moul't, 1939, 1939-1940
- - *amazonica* Le Moul't, 1939, 1939-1940
- - *beaulieu* Le Moul't, 1939, 1939-1940, (IFS)
- - *interrupta* Le Moul't, 1940, 1939-1940
- - *lesoudierae* Le Moul't, 1939, 1939-1940
- - *madeirensis* Le Moul't, 1939, 1939-1940
- - *manicorensis* Le Moul't, 1939, 1939-1940
- - *obidonus* Le Moul't, 1939, 1939-1940
- - *paraensis* Le Moul't, 1940, 1939-1940
- - *poleti* Le Moul't, 1939, 1939-1940
- - *pseudalbocincta* Le Moul't, 1939, 1939-1940
- - *putumayensis* Le Moul't, 1939, 1939-1940
- - *santaremensis* Le Moul't, 1940, 1939-1940
- - *solimoensis* Le Moul't, 1939, 1939-1940
- - *tapajonus* Le Moul't, 1940, 1939-1940
- - *teffeensis* Le Moul't, 1939, 1939-1940
- - *wardi* Le Moul't, 1940, 1939-1940
- *curusamba* Le Moul't, 1939, 1939-1940
- - - - *diluta* Le Moul't, 1939, 1939-1940, (IFS)
- *fleuryi* Le Moul't, 1940, 1939-1940
- *fournierae* Le Moul't, 1939, 1939-1940
- *nigrobasalis* Aurivillius, 1929
- - - - *f. conspecifica* Bryk, 1953
- medialis* Schaus & Cockerell, 1923
- selene* Felder & Felder, 1865, 1865-1875
- - - - *pluto* Le Moul't, 1940, 1939-1940, (IFS)
- - - - *pompeius* Le Moul't, 1940, 1939-1940, (IFS)
- - - - *satanas* Le Moul't, 1940, 1939-1940, (IFS)
- - - - *saturnus* Le Moul't, 1940, 1939-1940, (IFS)
- - - - *sublatmicus* Le Moul't, 1940, 1939-1940, (IFS)
- - *brasiliensis* Le Moul't, 1940, 1939-1940
- - *ininiensis* Le Moul't, 1940, 1939-1940
- - *marini* Le Moul't, 1939, 1939-1940

Heliophorus [Lyc:Lyc:Lyc:Heliophorus]

- cantliei* Eliot, 1965
- - - - *cantliei* d'Abreu, 1986, (ISS)
- + *epicles* (Godart), [1824], 1819-1824; Polyommatus
- * - - *belenus* Geyer, [1832], 1832-1837

Heliophorus (*continued*)

- - *hilima* (Fruhstorfer), [1912]; Ilerda
- *latilimbata* (Fruhstorfer), 1908; Ilerda
- - - - *rufonotata* (Fruhstorfer), 1908, (IFS); Ilerda
- *phoenicoparyphus* (Holland), 1887; Thecla
- *sumatrensis* (Fruhstorfer), 1908; Ilerda
- *tweediei* (Eliot), 1963; Heliophorus
- ila* (de Nicéville), [1896]; Ilerda
- *chinensis* (Fruhstorfer), 1908; Ilerda
- *malaya* Pendlebury, 1936
- *matsumurae* (Fruhstorfer), 1908; Ilerda
- - - - ♂ *ab. poliensis* Murayama, 1959
- - - - ♀ *ab. sakaii* (Matsumura), 1910; Ilerda
- *nolus* Eliot, 1963
- *pseudonexus* Eliot, 1963
- *urius* (Eliot), 1963; Heliophorus
- indicus* (Fruhstorfer), 1908; Ilerda
- kiana* (Grose-Smith), 1889; Sithon
- kohimensis* (Tyler), 1912; Ilerda
- - - - *kohymensis* (Seitz), [1927], 1912-1927, (ISS); Ilerda
- *delacouri* (Eliot), 1963; Heliophorus
- saphirioides* Murayama, 1992
- stotzneri* (Draeseke), 1925; Ilerda

Heliophorus (?) [Lyc:Lyc:Lyc:Heliophorus]

- teysmanni* (Weyenbergh), 1874; Polyommatus

Heliophorus (A) [Lyc:Lyc:Lyc:Heliophorus]

- senae* (Kollar), [1844]; Polyommatus

Heliophorus (B) [Lyc:Lyc:Lyc:Heliophorus]

- androcles* (Westwood), [1852], 1846-1852; Ilerda
- - *viridipunctata* (de Nicéville), 1890; Ilerda
- - *viridis* (Evans), 1912; Ilerda
- *coruscans* (Moore), 1882; Ilerda
- - *langii* (Moore), [1884]; Ilerda
- *rubida* Riley, 1929
- - - - *gemma* Riley, 1929, (IFS)
- *tyleri* Riley, 1929
- brahma* Moore, [1858]
- - - - *ab. hybrida* (Tyler), 1912; Ilerda
- - *major* Evans, 1932
- *mogoka* Evans, 1932
- - - - *mogorka* Anonymous, 1933, (ISS)
- moorei* (Hewitson), [1865], 1863-1878; Ilerda
- - - - *f. scintillans* Riley, 1929, (IFS)
- - *saphir* (Blanchard), 1871; Thecla
- *marica* (Leech), [1893], 1893-1894; Ilerda
- - *birmana* Fruhstorfer, 1918
- oda* (Hewitson), [1865], 1863-1878; Ilerda
- *bakeri* Evans, 1927; Heliophorus
- tamu* (Kollar), [1844]; Polyommatus
- *eventa* Fruhstorfer, 1918
- - - - *rufa* Riley, 1929, (IFS)
- - - - *verna* Riley, 1929, (IFS)
- *kala* (Tyler), 1912; Ilerda
- yunnani* d'Abreu, 1993

Helleia [Lyc:Lyc:Lyc:Lycaena]

- feredayi* (Bates), 1867; Chrysophanus
- - *ensyii* (Butler), 1876; Chrysophanus
- rauparaha* (Fereday), [1877]; Chrysophanus
- salustius* (Fabricius), 1793, 1792-1799; Hesperia
- - *edna* (Doubleday), 1843; Lycaena
- - *maui* (Fereday), [1877]; Chrysophanus
- - - - *mani* (Seitz), [1924], 1912-1927, (ISS); Chrysophanus

Helleia A [Lyc:Lyc:Lyc:Lycaena]

- * *helle* (Denis & Schiffemüller), 1775; Papilio
- - - - *ab. aestiva* (Wahlgren), 1924; Heodes
- - - - *ab. amethystina* Wagner, 1919
- - - - ♀ *f. antelutea* (Beuret), 1953, (IFS); Lycaena

Helleia A (*continued*)

- - - - *arvernica* (Bernardi & de Lesse), 1952; Lycaena
- - - - ♀ *f. bicolor* (Beuret), 1953, (IFS); Lycaena
- - - - ♀ *f. caeruleolumulata* (Beuret), 1953, (IFS); Lycaena
- - - - ♀ *f. crassipuncta* Hammemann, 1928
- - - - ♀ *ab. derennei* (Lambillion), 1913; Chrysophanus
- - - - *juragloria* Beuret, 1953
- - - - ♀ *f. parvipuncta* Hammemann, 1928
- - - - *reducta* Beuret, 1953
- - - - *supradiscoelongata* Courvoisier, 1921
- - - - *tristis* Beuret, 1953
- - - - *xanthe* (Lang), 1789, (H); Papilio
- - *amphidamas* (Esper), [1781], 1776-1830; Papilio
- - - - *ab. minor* (Derenne), 1925, 1923-1927; Chrysophanus
- - - - *f. radiata* (Nordmann), 1939; Chrysophanus
- - - - *ab. radiata* (Valle), 1935; Chrysophanus
- - - - *ab. striata* (Hackray), 1938; Heodes
- - - - *ab. supradiscoelongata* Courvoisier, 1912
- - *f. yamashinai* (Matsumura), 1939; Chrysophanus
- *arduinnae* (Meyer), 1980; Lycaena
- *deslandesi* (Hemming), 1932; Lycaena
- - *pyrenaica* (Deslandes), 1930, (H); Heodes
- *eneli* (Betti), 1977; Lycaena
- *hellesimilis* Beuret, 1952
- *lapponica* (Backhaus), 1876; Polyommatus
- *leonia* (Beuret), 1936; Lycaena
- *magdaleneae* (Guérin), 1959; Lycaena
- *marchica* (Hammemann), 1928; Chrysophanus
- - - - *ferephlaeas* (Hammemann), 1931, (IFS); Chrysophanus
- - - - *fulva* (Hammemann), 1931, (IFS); Chrysophanus
- - - - *radiata* (Hammemann), 1931, (IFS); Chrysophanus
- *obscura* (Rühl), 1893, 1892-1893; Polyommatus
- *perrettei* (Weiss), 1977; Lycaena
- *phintonis* (Fruhstorfer), 1910; Chrysophanus

Helleia B [Lyc:Lyc:Lyc:Lycaena]

- irmae* (Bailey), 1932; Lycaena
- li* (Oberthür), 1886; Chrysophanus
- - - - *ab. lilacina* (Oberthür), 1914; Chrysophanus
- ouang* (Oberthür), 1891; Chrysophanus
- pang* (Oberthür), 1886; Chrysophanus
- *weissi* (Bozano), 1993; Lycaena
- tseng* (Oberthür), 1886; Chrysophanus
- *mandersi* (Elwes), 1890; Chrysophanus

Hemiargus [Lyc:Lyc:Pol:Pol:Irylos]

- bogotana* Draudt, [1921], 1917-1924
- ceraunus* (Fabricius), 1793, 1792-1799; Hesperia
- * - *antibubastus* Hübner, [1818], 1808-1837
- *gyas* (Edwards), [1871]; Lycaena
- - *astragala* (Wright), 1905; Lycaena
- - *florenzia* (Clémence), 1914; Lycaena
- - - - *florenziae* (Nabokov), 1945, (ISS); Lycaena
- *zachaeina* (Butler & H. Druce), 1872; Lampides
- - - - *zachacina* (Dyar), 1913, (ISS); Lycaena
- hanno* (Stoll), [1790], 1780-1790; Papilio
- *filenus* (Poey), 1832; Polyommatus
- - *philenus* (Poey), [1852], 1851-1861, (UE); Polyommatus
- - *astenidas* (Lucas), 1857; Lycaena
- - - - *astendia* Draudt, [1921], 1917-1924, (ISS)
- - *pseudoptiletes* (Boisduval & Le Conte), [1835], 1829-1837; Argus
- *watsoni* Comstock & Huntington, 1943
- ramon* (Dognin), 1887; Lycaena

Hemiolaus [Lyc:Lyc:The:Iol:Hemiolaus]

- * *caeculus* (Hopffer), 1855; Iolaus
- - - - *coeculus* (Pinhey), 1969, (ISS); Iolaus
- - *f. dolores* (Suffert), 1904; Hypolycaena
- - *duponti* Dufrane, 1953
- - *f. obscurus* (Suffert), 1904; Hypolycaena
- *littoralis* Stempffer, 1953

Hemiolaus (*continued*)

- *tsodiloensis* (Pinhey), 1969; Iolau
- *viduus* Pinhey, 1962
- ceres* (Hewitson), [1865], 1863-1878; Myrina
- - *mabillei* (Aurivillius), [1923], 1908-1925; Hypolycaena
- cobaltina* (Aurivillius), [1899]; Hypolycaena
- margites* (Mabille), 1899; Hypolycaena
- maryra* (Mabille), 1885, 1885-1887; Hypolycaena
- varnieri* (Stempffer), 1942; Hypolycaena

Heoda [Lyc:Lyc:The:Eum:Eumaeus]

- atacama* Johnson & Miller, 1992
- colombiana* Johnson & Miller & Herrera, 1992
- * *heodes* (H. H. Druce), 1909; Thecla
- nivea* Johnson & Miller & Herrera, 1992
- shapiro* Johnson & Miller & Herrera, 1992
- suprema* Johnson & Miller & Herrera, 1992
- wagenknechti* (Ureta), 1947; Thecla

Hermathena [Lyc:Rio:Rio:]

- * *candidata* Hewitson, 1874
- *columba* Stichel, 1910
- oweni* Schaus, 1913
- - *dativa* Schaus, 1928

Hermelycaena [Lyc:Lyc:Lyc:Lycaena]

- * *hermes* (Edwards), 1870; Chrysophanus
- - *delsud* (Wright), 1905; Chrysophanus

Hewitsonia [Lyc:Lyc:Lip:Lip:Epitola]

- bitjeana* Bethune-Baker, 1915
- - *beryllina* Schultze, 1916
- * *boisduvalii* (Hewitson), [1869], 1863-1878; Corydon
- - - ♀ *ab. albifascia* Hulstaert, 1924
- - - ♀ *ab. virilis* Aurivillius, 1923
- *borealis* Schultze, 1916
- *congoensis* Joicey & Talbot, 1921
- *nigeriensis* Jackson, 1962
- crippsi* (Stoneham), 1933; Epitola
- danane* Stempffer, 1969
- dennisangwina* d'Abrera, 1980
- intermedia* Joicey & Talbot, 1921
- *gomensis* Dufrane, 1953
- kirbyi* Dewitz, 1879
- - *preussi* Staudinger, 1891
- *sankuru* Berger, 1981
- magdaleneae* Stempffer, 1951
- mittoni* Jackson, 1964
- similis* Aurivillius, 1891
- *ugandae* Jackson, 1962

Horaga [Lyc:Lyc:The:Horagini]

- albimacula* (Wood-Mason & de Nicéville), 1881; Sithon
- *albistigmata* Moulton, [1912]
- *anara* Fruhstorfer, 1898
- *anytus* (Staudinger), 1889; Sithon
- *bellula* Fruhstorfer, 1897
- *katoi* Hayashi, 1981
- *ohkubo* Hayashi, 1984
- *triumphalis* Murayama & Sibatani, 1943
- *viola* Moore, 1882
- amethystus* H. H. Druce, 1902
- *isna* Corbet, 1941
- *overdijkinki* Corbet, 1941
- *purpurescens* Corbet, 1941
- *sibutuensis* Schröder & Treadaway, 1990
- bilineata* Semper, 1890, 1886-1892
- chalconyx* Fruhstorfer, 1914
- - *onyxitis* Fruhstorfer, 1914
- *malaya* Corbet, 1941
- *taweya* Cowan, 1966
- *violetta* Cowan, 1966

Horaga (*continued*)

- ciniata* (Hewitson), [1863], 1863-1878; Myrina
- lefebvrei* (Felder & Felder), 1862; Myrina
- - *cuzneri* (Schultze), 1907; Rathinda
- *osma* Fruhstorfer, [1912]
- - - ♀ *f. melera* Seitz, [1926], 1912-1927, (IFS)
- *osmana* Cowan, 1966
- natsumiae* Hayashi, 1984
- * *onyx* (Moore), [1858]; Thecla
- - *arta* Fruhstorfer, 1914
- *akronyx* Cowan, 1966
- *cingalensis* Moore, [1884]
- *fruhstorferi* Corbet, 1941
- *moltrechti* Matsumura, 1919
- - *asakurai* Nire, 1920
- *rana* de Nicéville, [1889]
- *sardonix* Fruhstorfer, 1914
- *zuniga* Fruhstorfer, [1912]
- rarasana* Sonan, 1936
- selina* Grose-Smith, 1895
- syrinx* (C. Felder), 1860; Myrina
- *artontes* Fruhstorfer, [1912]
- *ashinica* Murayama & Okamura, 1973
- *camiguina* Semper, 1890, 1886-1892
- *decolor* (Staudinger), 1889; Sithon
- *funiga* Fruhstorfer, [1912]
- *joloana* Fruhstorfer, [1912]
- - *albula* (H. H. Druce), 1895; Marmessus
- *maenala* (Hewitson), [1869], 1863-1878; Myrina
- - *affinis* H. H. Druce, 1895
- - *corniculum* H. H. Druce, 1895
- - *halba* Distant, 1886, 1882-1886
- *moulmeina* Moore, [1884]
- *onychina* (Staudinger), 1889; Sithon
- - *holothura* Swinhoe, 1894
- - - *holothuria* Seitz, [1926], 1912-1927, (ISS)
- - - *holoturia* Seitz, [1927], 1912-1927, (ISS)
- *paulus* Fruhstorfer, [1912]
- *permagna* Fruhstorfer, [1912]
- *privigna* Fruhstorfer, 1897
- *samoena* Grose-Smith, 1895
- *schoutensis* Joicey & Talbot, 1916
- *sikkima* Moore, [1884]

Howarthia [Lyc:Lyc:The:The:Thecla]

- * *caelestis* (Leech), 1890; Thecla
- - - *coelistic* (Seitz), [1908], 1907-1921, (ISS); Zephyrus
- - *nigricans* (Leech), [1893], 1893-1894; Zephyrus
- courvoisieri* (Oberthür), 1908; Thecla
- - - *couvoisieri* d'Abrera, 1993, (ISS)
- melli* (Forster), 1940; Zephyrus
- watanabei* Koitaya, 1993

Hylolycaena [Lyc:Lyc:Lyc:Lycaena]

- * *thoe* (Guérin-Méneville), [1832], 1829-1844; Polyommatus
- - - *ab. sternitzkyi* (Gunder), 1927; Lycaena
- - - *wombsbacheri* Miller & Brown, 1981, (ISS)
- - - *ab. wormsbacheri* (Gunder), 1927; Lycaena
- - - *ab. wyatti* (Gunder), 1927; Lycaena

Hypaurotis [Lyc:Lyc:The:The:Thecla]

- * *crysalus* (Edwards), 1873; Thecla
- - - *chrysalus* Scudder, 1876, (ISS)
- - *citima* (H. Edwards), 1881; Thecla

Hyphalaria [Lyc:Rio:Rio:]

- anophthalma* (Felder & Felder), 1865, 1865-1875; Diophthalma
- anthias* (Hewitson), 1874; Nymphidium
- *orsedice* Godman, 1903
- barissus* (Hewitson), [1874], 1852-1877; Baetis
- boyi* Röber, 1927
- * *nicia* Hübner, [1819], 1816-1826

Hyphilaria (*continued*)

- - - *nicias* (Stoll), [1790], 1780-1790, (H); *Papilio*
- - *nicon* Godart, [1824], 1819-1824
- parthenis* (Westwood), [1851], 1846-1852; *Baeotis*
- - *cydias* (Westwood), [1851], 1846-1852; *Baeotis*
- *tigrinella* Stichel, 1909
- *virgatula* Stichel, 1909

Hypochlorosis [Lyc:Lyc:The:Hypotheclini]

- lorquini* (Felder & Felder), 1865, 1865-1875; *Myrina*
- * - *antipha* (Hewitson), [1869], 1863-1878; *Myrina*
- - *ancharia* (Hewitson), [1869], 1863-1878; *Myrina*
- - *tenebrosa* Rothschild, 1915
- *buruana* Holland, 1900
- *humboldtii* (H. H. Druce), 1894; *Pseudonotis*
- *metilla* (Fruhstorfer), 1908; *Pseudonotis*
- *obiana* (Fruhstorfer), 1908; *Pseudonotis*

Hypochrypsops [Lyc:Lyc:The:Luc:Hypochrypsops]

- alyattes* Godman & Salvin, 1891
- *aristocles* Grose-Smith, 1898
- anactetus* (C. Felder), 1860; *Thecla*
- antiphon* Grose-Smith, 1897
- apelles* (Fabricius), 1775; *Papilio*
- *praeclarus* (Fruhstorfer), 1908; *Miletus*
- - *major* (Rothschild), 1916; *Miletus*
- - *singkepe* d'Abbrera, [1978]
- apollo* Miskin, 1891
- *phoebus* (Waterhouse), 1928; *Miletus*
- *wendisi* Bethune-Baker, 1909
- architas* Salvin, 1891
- *cratevas* Salvin, 1891
- *seuthes* Salvin, 1891
- - - - *senthes* Grünberg, [1916], 1914-1923, (ISS)
- argyriorufa* van Eecke, 1924
- aristobul* (Fruhstorfer), 1908; *Miletus*
- - *emiliae* d'Abbrera, 1971
- arronica* (Felder & Felder), 1859; *Lycæna*
- *honora* Grose-Smith, 1898
- bakeri* (Joicey & Talbot), 1916; *Waigeum*
- byzos* (Boisduval), 1832; *Lycæna*
- - - - *bysas* (Tite), 1963, (ISS); *Candalides*
- *hecalius* Miskin, 1884
- calliphon* Grose-Smith, 1894
- castaneus* Sands, 1986
- chrysanthis* (C. Felder), 1860; *Thecla*
- chrysgyra* Grose-Smith & Kirby, 1895, 1887-1902
- - - - *chrysgyria* d'Abbrera, 1971, (ISS)
- - *aurigena* (Fruhstorfer), 1907; *Iraota*
- - *gemma* van Eecke, 1924
- - *meeki* (Rothschild), 1911; *Deudorix*
- cleon* Grose-Smith, 1900
- cleonides* Grose-Smith, 1900
- coelisparus* (Butler), 1883; *Miletus*
- *exoticus* Seki, 1994
- *kerri* Riley, 1932
- coruscans* (Grose-Smith), 1897; *Waigeum*
- - *utyl* (Bethune-Baker), 1913; *Waigeum*
- *subcaeruleum* (Grose-Smith & Kirby), 1896, 1887-1902; *Waigeum*
- cyane* (Waterhouse & Lyell), 1914; *Miletus*
- - - - *pyane* (Sharp), [1916], (ISS); *Miletus*
- delicia* Hewitson, 1875
- - *delos* (Waterhouse & Lyell), 1914; *Miletus*
- - *duaringae* (Waterhouse), 1903; *Miletus*
- - *regina* Grose-Smith & Kirby, 1895, 1887-1902
- dicomas* Hewitson, 1874
- *rufinus* Grose-Smith, 1898
- digglesil* (Hewitson), 1874; *Pseudodipsas*
- dinawa* (Bethune-Baker), 1908; *Waigeum*
- - - - *triumphans* (Fruhstorfer), 1915, (IFS); *Waigeum*
- - *anadyomenon* (Röber), 1926; *Waigeum*

Hypochrypsops (*continued*)

- dohertyi* Oberthür, 1894
- *lucilla* d'Abbrera, 1971
- doleschallii* (C. Felder), 1860; *Thecla*
- elgneri* (Waterhouse & Lyell), 1909; *Miletus*
- *barnardi* Waterhouse, 1934
- epicurus* Miskin, 1876
- felderi* Oberthür, 1894
- ferrugineus* Sands, 1986
- geminatus* Sands, 1986
- halyaetus* Hewitson, 1874
- - *uranites* (Meyrick), 1888; *Polyommatus*
- herdonius* Hewitson, 1874
- - *boisduvali* Oberthür, 1894
- - *modestus* (Röber), 1926; *Miletus*
- - *resplendens* (Bethune-Baker), 1908; *Waigeum*
- hermogenes* Grose-Smith, 1894
- heros* Grose-Smith, 1894
- - *echo* Sands, 1986
- - - *mioswara* (Bethune-Baker), 1913, (H); *Waigeum*
- *imogena* d'Abbrera, 1971
- *polemon* (Fruhstorfer), 1915; *Miletus*
- hippuris* Hewitson, 1874
- *nebulosis* Sands, 1986
- hypates* Hewitson, 1874
- *zeuxis* Staudinger, [1887], 1884-1888
- ignita* (Leach), 1814, 1814-1817; *Lycæna*
- - *chrysonotus* Grose-Smith, 1899, 1887-1902
- *chrysotoxus* Grose-Smith & Kirby, 1899, 1887-1902
- *erythrina* (Waterhouse & Lyell), 1909; *Miletus*
- *olliffi* Miskin, 1889
- luteus* Sands, 1986
- makrikii* (Ribbe), 1900; *Waigeum*
- - *ceramicum* H. H. Druce, 1902
- meeki* Rothschild & Jordan, 1905
- mioswara* Bethune-Baker, 1913
- + *miraculum* (H. H. Druce & Bethune-Baker), 1893; *Thysonotis*
- - *depicta* (Fruhstorfer), 1908; *Waigeum*
- - *rosia* (Fruhstorfer), 1908; *Waigeum*
- - *simplex* (Grose-Smith & Kirby), 1896, 1887-1902; *Waigeum*
- - *thauma* (Staudinger), 1895; *Waigeum*
- miskini* (Waterhouse), 1903; *Miletus*
- *parvulus* Sands, 1986
- narcissus* (Fabricius), 1775; *Papilio*
- *livius* (Fabricius), 1793, 1792-1799; *Hesperia*
- *dryope* Grose-Smith & Kirby, 1895, 1887-1902
- *eratosthenes* (Fruhstorfer), 1908; *Miletus*
- *euclitus* Felder & Felder, 1865, 1865-1875
- *menandrus* (Fruhstorfer), 1908; *Miletus*
- *sabirius* (Fruhstorfer), 1908; *Miletus*
- *vulcanicus* d'Abbrera, 1971
- piceata* Kerr & Macqueen & Sands, 1969
- plotinus* Grose-Smith, 1894
- - *stoharti* (Rothschild), 1916; *Miletus*
- * *polycletus* (Linnaeus), 1758; *Papilio*
- - *epopus* (Stoll), [1781], 1780-1790; *Papilio*
- *atromarginata* H. H. Druce, 1891
- *menyllus* (Fruhstorfer), 1908; *Miletus*
- *brunnea* H. H. Druce, 1902
- *epidetus* (Felder & Felder), 1859; *Lycæna*
- *kaystrus* (Fruhstorfer), 1908; *Miletus*
- *rex* (Boisduval), 1832; *Simoethus*
- - *hylaitus* (Fruhstorfer), 1908; *Miletus*
- - *hypocletus* Oberthür, 1880
- - *linos* Fruhstorfer, 1908
- - *oineus* (Fruhstorfer), 1908; *Miletus*
- *rovena* H. H. Druce, 1891
- protogenes* Felder & Felder, 1865, 1865-1875
- - - - *prologens* Seitz, [1927], 1912-1927, (ISS)
- *pretiosus* Grose-Smith, 1894
- pythias* Felder & Felder, 1865, 1865-1875

Hypochrysops (*continued*)

- - *chrysoedemus* Grose-Smith, 1899, 1887-1902
- *aurifer* Grose-Smith, 1898
- *drucei* Oberthür, 1894
- *euclides* Miskin, 1889
- - *meleagris* (Waterhouse), 1903; Miletus
- *wernerii* (Fruhstorfer), 1908; Miletus
- ribbei* (Röber), [1886]; Plebejus
- - *caroli* (Fruhstorfer), 1915; Waigeum
- *pratti* (Bethune-Baker), 1913; Waigeum
- rufimargo* (Rothschild), 1915; Lycaenesthes
- scintillans* (Butler), 1882; Miletus
- - *mirabilis* Pagenstecher, 1893
- - *pagenstecheri* Ribbe, 1899
- *carolina* d'Abdera, 1971
- *carveri* d'Abdera, 1971
- *constancea* d'Abdera, 1971
- *squalliensis* d'Abdera, 1971
- siren* Grose-Smith, 1894
- *eugippius* (Fruhstorfer), 1908; Miletus
- taeniata* Jordan, 1908
- theon* Felder & Felder, 1865, 1865-1875
- - *eunice* (Fruhstorfer), 1915; Miletus
- *alix* Grose-Smith, 1900
- *cretatus* Sands, 1986
- *medocus* (Fruhstorfer), 1908; Miletus
- - *panaetha* (Waterhouse & Lyell), 1909; Miletus
- *milesius* (Röber), 1926; Miletus
- *theonides* Grose-Smith, 1894
- - *carmen* Grose-Smith, 1899, 1887-1902
- *theophanes* Grose-Smith, 1894
- thesaurus* Grose-Smith, 1894

Hypokopelates [Lyc:Lyc:The:Deu:Deudorix]

- anetia* (Hulstaert), 1924; Deudorix
- anetta* Talbot, 1935
- angelita* (Suffert), 1904; Deudorix
- *makala* (Bethune-Baker), 1908; Deudorix
- *schultzei* (Aurivillius), 1907; Deudorix
- aruma* (Hewitson), 1873; Lycaena
- - - - *aruna* (Kirby), 1877, (ISS); Hypolycaena
- *simplex* (Schultze), 1916; Deudorix
- azurea* (Stempffer), 1964; Deudorix
- canescens* Joicey & Talbot, 1921
- catori* (Bethune-Baker), 1903; Deudorix
- cobaltina* (Stempffer), 1964; Deudorix
- dimitris* d'Abdera, 1980
- eleala* (Hewitson), [1865], 1863-1878; Hypolycaena
- elealodes* (Bethune-Baker), 1908; Deudorix
- - *mariana* (Hulstaert), 1924; Deudorix
- fusca* (Aurivillius), 1923; Deudorix
- infuscata* (Stempffer), 1964; Deudorix
- ituri* (Bethune-Baker), 1908; Deudorix
- - *f. lineosa* Joicey & Talbot, 1921
- kafuensis* (Neave), 1910; Deudorix
- - *feminina* (Hulstaert), 1924; Deudorix
- kallipygos* Birket-Smith, 1960
- leonina* (Bethune-Baker), 1904; Deudorix
- marginata* (Stempffer), 1962; Deudorix
- * *mera* (Hewitson), 1873; Hypolycaena
- - *f. kinumbensis* (Dufrane), 1945; Deudorix
- moyambina* (Bethune-Baker), 1904; Hypolycaena
- nyanzana* (Stempffer), 1957; Deudorix
- obscura* Bethune-Baker, 1914
- otraeda* (Hewitson), [1863], 1863-1878; Myrina
- - - - ♀ *f. modesta* Talbot, 1935
- - *genuba* (Hewitson), 1875; Myrina
- petersi* (Stempffer & Bennett), 1956; Deudorix
- rava* (Holland), 1892; Hypolycaena
- sevastopulo* d'Abdera, 1980
- tenuivittata* (Stempffer), 1951; Deudorix

Hypokopelates (*continued*)

- ugandae* Talbot, 1935
 - ultramarina* (Stempffer), 1964; Deudorix
 - viridis* (Stempffer), 1964; Deudorix
- Hypolycaena** [Lyc:Lyc:The:Hypolycaenini]
- alcestis* (Grose-Smith), 1889, (H); Thecla
 - amabilis* (de Nicéville), 1895; Chliaria
 - - - *amabilis* (Martin), 1895, (H); Zeltus
 - *lisba* (Corbet), 1948; Chliaria
 - *martini* (Corbet), 1948; Chliaria
 - *phemis* H. H. Druce, 1895
 - *platea* (Seitz), [1926], 1912-1927; Chliaria
 - amanica* Stempffer, 1951
 - antifaunus* Westwood, [1852], 1846-1852
 - - - - *ab. latefasciata* Dufrane, 1953
 - *latimaculata* (Joicey & Talbot), 1921; Zeltus
 - auricostalis* (Butler), [1897]; Iolais
 - - *sebasta* Hulstaert, 1924
 - *frommi* Strand, 1911
 - buxtoni* Hewitson, 1874
 - - - - ♀ *f. divisa* Talbot, 1935
 - - *seamani* Trimen, 1874
 - *puella* Joicey & Talbot, 1921
 - *rogersi* Bethune-Baker, 1924
 - condamini* Stempffer, 1956
 - danis* (Felder & Felder), 1865, 1865-1875; Myrina
 - - *batjana* (Fruhstorfer), [1916], 1909-1923; Pseudonotis
 - *danisoides* de Nicéville, 1897
 - *derpiha* (Hewitson), [1878], 1863-1878; Myrina
 - *milo* (Grose-Smith), 1896; Myrina
 - *turneri* (Waterhouse), 1903; Pseudonotis
 - erasmus* Grose-Smith, 1900, 1887-1902
 - erylus* (Godart), [1824], 1819-1824; Polyommatus
 - *aimnestus* Fruhstorfer, [1912]
 - *andamana* Moore, 1877
 - *erna* Kalis, 1933
 - *figulus* Fruhstorfer, [1912]
 - *fuiulus* Fruhstorfer, [1912]
 - *gamatius* Fruhstorfer, [1912]
 - *georgius* Fruhstorfer, [1912]
 - *himavantus* Fruhstorfer, [1912]
 - - - - *himavanthus* Shirōzu & Saigusa, 1962, (ISS)
 - *mindoranus* Fruhstorfer, [1912]
 - *orsiphantus* Fruhstorfer, [1912]
 - - - - *orsiphantes* d'Abdera, 1986, (ISS)
 - *pigres* Fruhstorfer, [1912]
 - *pupienus* Fruhstorfer, [1912]
 - *splendidus* van Eecke, 1918
 - *syphax* Fruhstorfer, [1912]
 - *teatus* Fruhstorfer, [1912]
 - *thyrius* Fruhstorfer, [1912]
 - *tmolus* Felder & Felder, 1862
 - *walteri* Fruhstorfer, [1916]
 - hatita* Hewitson, [1865], 1863-1878
 - *anara* Larsen, 1983
 - *japhusa* Riley, 1922
 - *ugandae* E. Sharpe, 1904
 - ithna* Hewitson, [1869], 1863-1878
 - jacksoni* Bethune-Baker, 1906
 - - - - *jacksoni* Paskewsky, 1937, (ISS)
 - kadiskos* H. H. Druce, 1890
 - liara* H. H. Druce, 1890
 - - *bitjeana* Bethune-Baker, 1926
 - - *naara* Hewitson, 1873
 - - *symmacha* Hulstaert, 1924
 - *obscura* Stempffer, 1947
 - *plana* Talbot, 1935
 - lochmophila* Tite, 1967
 - merguia* (Doherty), 1889; Chliaria
 - *histiaa* (Fruhstorfer), 1914; Chliaria

Hypolycaena (continued)

- - - - *histiaea* d'Abbrera, 1986, (ISS)
- *palpatoris* (Fruhstorfer), 1914; Chliaria
- *skapane* H. H. Druce, 1895
- - *sobanas* (Fruhstorfer), 1914; Chliaria
- - - - *sobanes* (Seitz), [1927], 1912-1927, (ISS); Chliaria
- *watsoni* (Swinhoe), 1911, 1909-1913; Chliaria
- nigra* Bethune-Baker, 1914
- nilgirica* Moore, [1884]
- ogadenensis* Stempffer, 1946
- pachalica* Butler, 1888
- - *aureolineata* Bethune-Baker, 1906
- philippus* (Fabricius), 1793, 1792-1799; Hesperia
- - - - *philippus* Kirby, 1871, (ISS)
- - *orejus* (Hopffer), 1855; Iolous
- - *vittigera* Mabille, 1879
- *ramonza* (Saalmüller), 1878; Cupido
- phorbanta* Rothschild, 1916
- phorbas* (Fabricius), 1793, 1792-1799; Hesperia
- - *dictaea* Felder & Felder, 1865, 1865-1875
- - *dictaella* Strand, 1912
- - *moutoni* Ribbe, 1899
- - - - *montoni* Seitz, [1926], 1912-1927, (ISS)
- - *noctula* Staudinger, [1888], 1884-1888
- *infumata* Fruhstorfer, 1910
- *ingura* Tindale, 1923
- *latostrigatus* van Eecke, 1915
- *periphorbas* Butler, 1882
- *pseudophorbas* Fruhstorfer, [1914], 1909-1923
- *silo* Fruhstorfer, [1912]
- schubotzi* Aurivillius, 1923
- shirozul* (Hayashi), 1981; Chliaria
- similis* Dufrane, 1945
- * *sipylus* (C. Felder), 1860; Myrina
- *bella* Kalis, 1933
- *capella* Fruhstorfer, [1912]
- *giscon* Fruhstorfer, [1912]
- - - - *giseon* Seitz, [1926], 1912-1927, (ISS)
- - *kalawara* Ribbe, 1926
- - *lewara* Ribbe, 1926
- - *minor* Ribbe, 1926
- *intermedius* Kalis, 1938
- *numa* Fruhstorfer, [1912]
- *pictor* Fruhstorfer, [1912]
- *rhodanus* Fruhstorfer, [1912]
- *tharrytas* Felder & Felder, 1862
- sohmai* Takanami, 1994
- spurcus* Talbot, 1929
- tearei* Henning, 1981
- thecloides* (Felder & Felder), 1860; Myrina
- - - - *theoloices* Sharp, [1913], (ISS)
- *camotana* Fruhstorfer, [1912]
- *extensa* Fruhstorfer, [1912]
- *nicobarica* Evans, 1925
- *philippina* Staudinger, 1889
- *vardara* Fruhstorfer, [1912]
- toshikoae* Hayashi, 1984
- umbrata* Seki & Takanami, 1988
- xenia* (Grose-Smith), 1895; Chliaria
- - *celebica* (Ribbe), 1926; Horaga

Hypolycaena (Chliaria) [Lyc:Lyc:The:Hypolycaenini]

- balua* (Moulton), [1912]; Chliaria
- *gabrielii* (Corbet), 1938; Chliaria
- - - - *gabrielii* (Anonymous), 1939, (ISS); Chliaria
- irawana* (Hayashi & Schröder & Treadaway), 1984; Chliaria
- kina* Hewitson, [1869], 1863-1878
- - *cachara* Moore, [1884]
- *celastroides* (Corbet), 1938; Chliaria
- *inari* (Wileman), 1908; Tajuria
- *vanavasa* (Fruhstorfer), 1909; Chliaria

Hypolycaena (Chliaria) (continued)

- * *othona* Hewitson, [1865], 1863-1878
- - *eltola* Hewitson, [1869], 1863-1878
- *dendrobii* (Roepke), 1919; Chliaria
- *jitwabarwana* (Eliot), 1980; Chliaria
- *maruyamai* Takanami, 1989
- *matiana* (Fruhstorfer), [1912]; Chliaria
- - - - *ab. albiplaga* (Dufrane), 1939; Chliaria
- *mimima* (H. H. Druce), 1895; Chliaria
- - - - *minima* d'Abbrera, 1986, (ISS)
- - - - *minima* (Fruhstorfer), 1914; Chliaria
- - - - *minima* (Sharp), [1896], (ISS); Chliaria
- *phataea* (Fruhstorfer), 1914; Chliaria
- *semanga* (Corbet), 1940; Chliaria
- pahanga* (Corbet), 1938; Chliaria
- schroederi* (Hayashi), 1984; Chliaria
- tora* Kheil, 1884
- - - - *toro* (Seitz), [1926], 1912-1927, (ISS); Chliaria
- *pumilina* (van Eecke), 1918; Chliaria

Hypolycaena (Zeltus) [Lyc:Lyc:The:Hypolycaenini]

- amasa* Hewitson, [1865], 1863-1878
- + - - - *etolus* (Fabricius), 1787, (H); Papilio
- *ensorinus* (Fruhstorfer), [1912]; Zeltus
- *gratidianus* (Fruhstorfer), [1912]; Zeltus
- *masaya* (Takanami), 1984; Zeltus
- *maximilianus* (Fruhstorfer), [1912]; Zeltus
- *miyatakei* (Hayashi), 1976; Zeltus
- *pompadius* (Fruhstorfer), [1912]; Zeltus
- - - - *pompadius* (Seitz), [1926], 1912-1927, (ISS); Zeltus

Hypomyrina [Lyc:Lyc:The:Deu:Deudorix]

- * *nomenia* (Hewitson), 1874; Myrina
- - *acares* (Karsch), 1893; Deudorix
- *fournierae* Gabriel, 1939
- *nomion* (Staudinger), 1891; Myrina

Hypophytala [Lyc:Lyc:Lip:Lip:Eptola]

- aequatorialis* (Jackson), 1964; Phytala
- benitensis* (Holland), 1890; Epitola
- henleyi* (Kirby), 1890; Epitola
- hyetta* (Hewitson), 1873; Epitola
- hyettina* (Aurivillius), 1897; Phytala
- * *hyettoides* (Aurivillius), 1895; Epitola
- intermixta* (Aurivillius), 1897; Phytala
- nigrescens* (Jackson), 1964; Phytala
- obscura* (Schultze), 1916; Phytala
- reducta* (Aurivillius), 1923; Phytala
- rezia* (Grose-Smith & Kirby), 1893, 1887-1902; Epitola
- schultzei* (Aurivillius), 1923; Phytala
- vansomerani* (Jackson), 1964; Phytala

Hypostrymon [Lyc:Lyc:The:Eum:Eumaeus]

- adeces* Clench, 1975
- critola* (Hewitson), [1874], 1863-1878; Thecla
- - - - *chritola* (Kirby), 1877, (ISS); Thecla
- - - - *ines* Scott, 1986, (IFS)
- * - - - *critola* (Hewitson), 1874, (H & JOS); Thecla
- *festata* (Weeks), 1891; Hypolycaena
- margaretae* Clench, 1975
- margarita* (Draudt), [1920], 1917-1924; Thecla

Hypothecia [Lyc:Lyc:The:Hypotheclini]

- * *astyla* (Felder & Felder), 1862; Hypolycaena
- *cebuensis* Okano & Okano, 1990
- *mindanaensis* (Fruhstorfer), [1912]; Hypolycaena
- *palawensis* Hayashi, 1976
- *tegea* Fruhstorfer, [1912]
- honos* de Nicéville, 1898

Hyrcanana [Lyc:Lyc:Lyc:Lycaena]

- * *caspius* (Lederer), 1869; Polyommatus
- *evansii* (de Nicéville), 1902; Chrysophanus

Hyrceanana (*continued*)

- *susanus* (Swinhoe), 1890; Chrysophanus
- *transiens* (Staudinger), 1886, 1886-1889; Polyommatus
- pamira** Nekrutenko, 1983
- + *sarthus* (Staudinger), 1886, 1886-1889; Polyommatus
- *ophion* (Hemming), 1933; Lycaena
- - - *caudatus* (Staudinger), 1901, (H); Chrysophanus
- - *afghana* (Howarth & Povolny), 1976; Lycaena
- - *meridionalis* (Stchetchkin), 1963; Chrysophanus
- sultan** (Lang), 1884; Polyommatus
- - - *sultan* (Staudinger), 1886, 1886-1889, (H); Polyommatus

Iaspis [Lyc:Lyc:The:Eum:Eumaeus]

- beera** (Hewitson), 1870, 1869-1877; Thecla
- castitas** (H. H. Druce), 1907; Thecla
- diffusus** Johnson, 1991
- exiguus** (H. H. Druce), 1907; Thecla
- talayra** (Hewitson), 1868; Thecla
- * **temesa** (Hewitson), 1868; Thecla
- thabena** (Hewitson), 1868; Thecla

Ignata [Lyc:Lyc:The:Eum:Eumaeus]

- * **ignobilis** Johnson, 1992
- illepida** Johnson, 1992
- levis** (H. H. Druce), 1907; Thecla

Imelda [Lyc:Rio:Rio:Emesini]

- aenetus** (Hewitson), 1874; Nymphidium
- - - *oenetus* (Kirby), 1877, (ISS); Nymphidium
- **leucophryne** Stichel, 1911
- demathani** d'Abrebra, 1994
- kadenii** (Felder & Felder), 1861; Lemonias
- mycea** (Hewitson), [1865], 1852-1877; Nymphidium
- - **terpna** Stichel, 1910
- * **glaucosmia** Hewitson, 1870, 1869-1877

Incisalia [Lyc:Lyc:The:Eum:Eumaeus]

- eryphon** (Boisduval), 1852; Thecla
- - - *eriphon* (Morris), 1862, (ISS); Thecla
- **sheltonensis** Chernock & Frechin, [1949]
- lanoraieensis** Sheppard, 1934
- * **niphon** (Hübner), [1819], 1816-1826; Lycus
- - - *nephon* (Westwood), [1852], 1846-1852, (ISS); Thecla
- - - *nipha* Morris, 1860, (ISS)
- - - *plautus* Scudder, 1876, (NN)
- **clarki** Freeman, 1938

Iolana [Lyc:Lyc:Pol:Pol:Glaucopsyche]

- alfierii** Wiltshire, 1948
- gigantea** (Grum-Grshimailo), 1885; Lycaena
- - **iphicles** (Staudinger), 1886, 1886-1889; Lycaena
- **gilgitica** (Tyler), 1926; Polyommatus
- * **iolas** (Ochsenheimer), 1816, 1807-1835; Lycaena
- - **eurysthenes** (Fruhstorfer), 1917; Lycaena
- - **farriolsi** (de Sagarra y Castellarnau), 1930; Iolana
- - **obscuriolas** Betti, 1977
- - **wulschlegeli** Oberthür, 1914
- **andreasi** (Sheljuzhko), 1919; Lycaena
- **arjanica** (Rose), 1979; Iolana
- **bureschi** Hemming, 1931
- **cappadocia** Betti, 1977
- **christinae** Betti, 1977
- **debilitata** Schultz, 1905
- - **powelli** (Oberthür), 1911; Lycaena
- **fidelis** (Fernández-Rubio & Gómez Bustillo), 1973; Maculinea
- **khayyami** Bernardi, 1964
- **lessei** Bernardi, 1964
- **magnaiolas** Beuret, 1957
- **ab. opulenta** Schultz, 1905
- **protogenes** (Fruhstorfer), 1917; Lycaena
- **saritae** (Fernández-Rubio & Gómez Bustillo), 1973; Maculinea
- **thomasi** Hemming, 1931

Iolana (*continued*)

- **vareai** Agenjo, 1971

Iolaus [Lyc:Lyc:The:Iol:Iolaus]

- bilineata** Bethune-Baker, 1908
- bolissus** Hewitson, 1873
- **aurora** Clench, 1965
- **azureus** Clench, 1965
- carina** Hewitson, 1873
- **gabonensis** Stempffer, 1951
- * **eurisus** (Cramer), [1779], 1775-1790; Papilio
- - - **helius** (Fabricius), 1781, 1781-1782, (H); Papilio
- - **thuraui** Suffert, 1904
- vexillarius** Clench, 1965

Iolaus (**Aphniolaus**) [Lyc:Lyc:The:Iol:Iolaus]

- * **pallene** (Wallengren), 1857; Myrina

Iolaus (**Argiolaus**) [Lyc:Lyc:The:Iol:Iolaus]

- boei** (Libert), 1993; Argiolaus
- crawshayi** (Butler), [1901]; Argiolaus
- **elgonae** Stempffer & Bennett, 1958
- **littoralis** Stempffer & Bennett, 1958
- **maureli** Dufrane, 1954
- **niloticus** Stempffer & Bennett, 1958
- **nyanzae** Stempffer & Bennett, 1958
- dianae** Heath, 1983
- lalos** (H. H. Druce), 1896; Argiolaus
- **kigezi** Stempffer & Bennett, 1958
- pamelae** Heath, 1983, (H)
- + **parasilanus** (Rebel), 1914; Iolaus
- **divaricatus** (Riley), 1928; Argiolaus
- **mabillei** (Riley), 1928; Argiolaus
- **maesseni** Stempffer & Bennett, 1958
- silarus** H. H. Druce, 1885
- - - *ab. lasius* Suffert, 1904
- **brainei** Henning & Henning, 1984
- * **silas** (Westwood), [1851], 1846-1852; Anops
- stewarti** Heath, 1985

Iolaus (**Epamera**) [Lyc:Lyc:The:Iol:Iolaus]

- aemulus** Trimen, 1895
- **apatosa** (Stempffer), 1952; Epamera
- - - *Q. f. apatosa* (Talbot), 1935, (IFS); Epamera
- aethria** Karsch, 1893
- - **mirabilis** (H. H. Druce), 1903; Epamera
- agnes** Aurivillius, 1897
- alienus** Trimen, 1898
- **bicaudatus** (Aurivillius), 1905; Iolaus
- **sophiae** Henning & Henning, 1991
- **ugandae** Stempffer, 1953
- aphnaeoides** Trimen, 1873
- - **canissus** Hewitson, 1873
- - **natalica** Vári, 1976
- **aethes** Clench, 1965
- **diametra** (Karsch), 1895; Epamera
- **mafugae** Stempffer & Bennett, 1959
- **nasirii** (Riley), 1928; Epamera
- - - *nasirisii* (Anonymous), 1929, (ISS); Epamera
- - - *nasirisii* Stempffer, 1967, (ISS)
- arborifera** (Butler), [1901]; Epamera
- australis** Stevenson, 1937
- bakeri** Riley, 1928
- - - *vernalis* (Riley), 1929, (IFS); Heliophorus
- banco** Stempffer, 1966
- bansana** Bethune-Baker, 1926
- **yalae** (Riley), 1928; Epamera
- belli** Hewitson, [1869], 1863-1878
- bellina** (Plötz), 1880; Hypolycaena
- - **iaspis** H. H. Druce, 1890
- **exquisita** (Riley), 1928; Epamera
- **maris** (Riley), 1928; Epamera

Iolus (Epamera) (continued)

- coelestis* Bethune-Baker, 1926
congdoni (Kielland), 1985; Epamera
uluguru (Kielland), 1985; Epamera
creta Hewitson, [1878], 1863-1878
 - - *alberici* Dufrene, 1945
 - - *fuscomarginata* (Joicey & Talbot), 1921; Epamera
cytaeis Hewitson, 1875
 - *caerulea* (Riley), 1928; Epamera
 - *leonis* (Riley), 1928; Epamera
dubiosa (Stempffer & Bennett), 1959; Epamera
farquharsoni (Bethune-Baker), 1922; Epamera
flavilinea (Riley), 1928; Epamera
fontainei (Stempffer), 1956; Epamera
frater (Joicey & Talbot), 1921; Epamera
 - *kamerunica* (Riley), 1928; Epamera
 - *kumboae* (Bethune-Baker), 1926; Epamera
gemmarius (H. H. Druce), 1910; Epamera
glaucus Butler, [1886]
 - - *jordanus* (Staudinger), 1897; Jolus
handmani (Gifford), 1965; Epamera
helenae Henning & Henning, 1989
hemicyanus E. Sharpe, 1904
 - - *bryki* Aurivillius, 1925
 - - *toroensis* (Riley), 1929; Epamera
 - *barbara* Suffert, 1904
 - *barnsi* (Joicey & Talbot), 1921; Epamera
 - *mildbraedi* Schultze, 1912
 - - *yokoana* (Bethune-Baker), 1926; Epamera
iasis Hewitson, [1865], 1863-1878
 - - *bertha* Suffert, 1904
 - *albomaculatus* E. Sharpe, 1904
jacksoni (Stempffer), 1950; Epamera
kelle Stempffer, 1967
laon Hewitson, [1878], 1863-1878
 - - *adamsi* Lathy, 1903
 - - *emma* Suffert, 1904
longicauda (Stempffer & Bennett), 1959; Epamera
maesa (Hewitson), [1863], 1863-1878; Epamera
mermis (H. H. Druce), 1896; Epamera
mimosae Trimen, 1874
 - *berbera* (Bethune-Baker), 1924; Epamera
 - - *septentrionalis* (Stempffer), 1948; Epamera
 - *haemus* (Talbot), 1935; Epamera
 - *pamelae* (Dickson), 1976; Epamera
 - *rhodosense* Stempffer & Bennett, 1959
mongiro Stempffer, 1969
moyambina (Stempffer & Bennett), 1959; Epamera
neavei (H. H. Druce), 1910; Epamera
 - *katera* (Talbot), 1937; Epamera
nolaensis (Stempffer), 1951; Epamera
 - *amanica* Stempffer, 1951
normani (Larsen), 1983; Epamera
nursei Butler, 1896
obscurus Aurivillius, [1924], 1908-1925
penningtoni (Stempffer & Bennett), 1959; Epamera
pollux (Aurivillius), 1895; Jolus
 - - - - *pullux* Sharp, [1896], (ISS)
 - - - *belli* Aurivillius, [1899], (H)
 - - *parva* Bethune-Baker, 1926
 - *albocaerulea* (Riley), 1929; Epamera
 - *oberthueri* (Riley), 1929; Epamera
pseudofrater Stempffer, 1962
pseudopollux Stempffer, 1962
sapphirinus Aurivillius, 1897
 - - *aurivillii* (Röber), 1900; Jolus
sappirus (H. H. Druce), 1902; Epamera
scintillans (Aurivillius), 1905; Jolus
sciophilus (Schultze), 1916; Jolus
sibella (H. H. Druce), 1910; Epamera
 * *sidus* Trimen, 1864

Iolus (Epamera) (continued)

- silanus* Grose-Smith, 1889
 - *alticola* (Stempffer), 1961; Epamera
 - *silenus* (Hawker-Smith), 1928; Epamera
stenogrammica (Riley), 1928; Epamera
tajoraca Walker, 1870
 - *ertli* Aurivillius, 1916
umbrosa (Butler), [1886]; Hypolycaena
 - *sudanica* Aurivillius, 1905
violacea (Riley), 1928; Epamera
 - - *katanganus* Romieux, 1934

Iolus (Etesiolus) [Lyc:Lyc:The:Iol:Iolus]

- * *catori* Bethune-Baker, 1904
 - *cottoni* Bethune-Baker, 1908
pinheyi (Kielland), 1986; Etesiolus

Iolus (Iolaphilus) [Lyc:Lyc:The:Iol:Iolus]

- aelianus* Staudinger, 1891
 - - *jamesoni* (H. H. Druce), 1891; Argiolum
 - *entebbeae* (Riley), 1928; Argiolum
 - - - - *entebbeae* Stempffer, 1967, (ISS)
aequatorialis Stempffer & Bennett, 1958
alcibiades Kirby, 1871
 - - *julianus* Staudinger, 1891
bergeri (Stempffer), 1953; Argiolum
caesareus (Aurivillius), 1895; Jolus
calisto (Westwood), [1852], 1846-1852; Anthene
cottrelli Stempffer & Bennett, 1958
fisheri Heath, 1983
gabunica (Riley), 1928; Argiolum
 - *mbami* (Libert), 1993; Iolaphilus
henryi (Stempffer), 1961; Iolaphilus
ismenias (Klug), 1834, 1829-1845; Lycaena
 - *norvegica* (Nordström), 1935; Lycaeides
 - *piaggiae* Obentür, 1883
itrensis (Joicey & Talbot), 1921; Argiolum
julus Hewitson, [1869], 1863-1878
 - - - - *iulus* Kirby, 1871, (ISS)
 - - *matilda* Suffert, 1904
kayonza Stempffer & Bennett, 1958
laonides Aurivillius, 1897
lukabas H. H. Druce, 1890
 - - *julius* Staudinger, 1891
 - - *lekanion* (H. H. Druce), 1891; Argiolum
maritimus Stempffer & Bennett, 1958
 - *usambara* (Stempffer), 1961; Iolaphilus
 * *menas* H. H. Druce, 1890
 - *tatiana* (d'Abrera), 1980; Iolaphilus
montana (Kielland), 1978; Iolaphilus
ndolae Stempffer & Bennett, 1958
paneperata H. H. Druce, 1890
 - - *elisa* Suffert, 1904
poecilaon (Riley), 1928; Argiolum
schultzei (Aurivillius), 1905; Jolus
theodori Stempffer, 1970
trimeni Wallengren, 1875
 - - *anesius* Hulstaert, 1924
vansomerani Stempffer & Bennett, 1958

Iolus (Pseudiolus) [Lyc:Lyc:The:Iol:Iolus]

- lulus* (Riley), 1944; Pseudiolus
 * *poultoni* (Riley), 1928; Pseudiolus

Iolus (Stugeta) [Lyc:Lyc:The:Iol:Iolus]

- * *bowkeri* Trimen, 1864
 - *f. caerulea* (Stempffer), 1947; Stugeta
 - *ethiopica* Stempffer & Bennett, 1958
 - *henningi* (Dickson), 1980, 1979-1980; Stugeta
 - *kedonga* (van Someren), 1939; Stugeta
 - *maria* (Suffert), 1904; Stugeta
 - *mombasae* (Butler), 1901; Stugeta

Iolus (Stugeta) (continued)

- - - *mombase* Stempffer, 1967, (ISS)
- *nyanzana* (Wichgraf), 1911; *Stugeta*
- *nyasana* (Talbot), 1935; *Stugeta*
- *occidentalis* Stempffer & Bennett, 1958
- *tearei* (Dickson), 1980, 1979-1980; *Stugeta*
- *carpenteri* (Stempffer), 1946; *Stugeta*
- *marmoreus* (Butler), 1866; *Aphnaeus*
- *olalae* (Stoneham), 1933; *Stugeta*
- *mimetica* (Aurivillius), 1916; *Stugeta*
- *somalina* (Stempffer), 1946; *Stugeta*
- *subinfusata* Grünberg, 1910
- *reynoldsi* (Dickson), 1980, 1979-1980; *Stugeta*

Iolus (Tanuethaira) [Lyc:Lyc:The:Iol:Iolus]

- * *timon* (Fabricius), 1787; *Papilio*
- - *prometheus* (H. H. Druce), 1891; *Tanuethaira*
- - - *promethus* Stempffer, 1967, (ISS)
- *congoensis* (Joicey & Talbot), 1921; *Tanuethaira*
- *orientius* Hulstaert, 1924

Iolus (Trichiolaus) [Lyc:Lyc:The:Iol:Iolaus]

- argentarius* Butler, 1879
- - *leucoceros* Oberthür, 1916
- * *mermeros* (Mabille), 1878; *Hypolycaena*

Ionolyce [Lyc:Lyc:Pol:Pol:Prosotas]

- brunnescens* Tite, 1963
- helicon* (C. Felder), 1860; *Lycaena*
- - *unicolor* (Röber), [1886]; *Plebeius*
- *brunnea* (Evans), 1932; *Nacaduba*
- *caracalla* (Waterhouse & Lyell), 1914; *Nacaduba*
- - - *paracalla* (Sharp), [1916], (ISS); *Nacaduba*
- *hyllus* (Waterhouse & Lyell), 1914; *Nacaduba*
- * - *javanica* Toxopeus, 1929
- *kondulana* (Evans), 1932; *Nacaduba*
- *merguiana* (Moore), 1884; *Lycaenesthes*
- *viola* (Moore), 1877; *Lampides*
- selkon* Parsons, 1986

Iophanus [Lyc:Lyc:Lyc:Heliophorus]

- * *pyrrhias* (Godman & Salvin), [1887], 1879-1901; *Chrysophanus*

Ipidecla [Lyc:Lyc:The:Eum:Eumaeus]

- euprepes* Hayward, 1949
- - - *euprepes* Comstock & Huntington, 1960, 1958-1964, (ISS)
- insignis* (Godman & Salvin), [1887], 1879-1901; *Thecla*
- * *miadora* Dyar, 1916
- miranda* (Godman & Salvin), [1887], 1879-1901; *Thecla*
- monenoptron* Dyar, 1918

Ipidecla (?) [Lyc:Lyc:The:Eum:Eumaeus]

- schausi* (Godman & Salvin), [1887], 1879-1901; *Thecla*

Iraota [Lyc:Lyc:The:Amblypodini]

- abnormis* (Moulton), [1912]; ?*Charana*
- distanti* (Staudinger), 1889; *Deudorix*
- - - *nila* (Distant), 1886, 1882-1886, (H); *Iraota*
- *nila* Fruhstorfer, 1904
- rochana* (Horsfield), [1829], 1828-1829; *Amblypodia*
- *accius* Seitz, [1926], 1912-1927
- *astrosuluensis* Schröder & Treadaway, 1989
- *austrosuluensis* Schröder & Treadaway, 1989
- *boswelliana* Distant, 1885, 1882-1886
- *boudanti* Treadaway & Nuyda, 1993
- *garzoni* Schröder & Treadaway, 1986
- *johnsoniana* Holland, 1890
- - - *erlam* Fruhstorfer, 1907, (IFS)
- *lazarena* (Felder & Felder), 1862; *Myrina*
- - *boholica* Fruhstorfer, 1907
- - *leytensis* Jumalon, 1975
- - *luzoniensis* Murayama & Okamura, 1973

Iraota (continued)

- *lysippus* Fruhstorfer, 1907
- *mangolina* Fruhstorfer, [1912]
- *ottonis* Fruhstorfer, 1907
- - - ♀ *f. wala* Takunami, 1985
- *pandara* Fruhstorfer, 1907
- timoleon* (Stoll), [1783], 1780-1790; *Papilio*
- - *nila* (Kollar), [1844]; *Thecla*
- *aenus* Fruhstorfer, 1907
- *arsaces* Fruhstorfer, 1907
- * - *maecenas* (Fabricius), 1793, 1792-1799; *Hesperia*
- *nicevillei* Butler, 1901
- *wickii* Eliot, 1980

Iratsume [Lyc:Lyc:The:The:Thecla]

- * *orsedice* (Butler), [1882]; *Thecla*
- - *kyushuensis* Fujioka, 1975
- *suzukii* (Sonan), 1940; *Zephyrus*

Iridana [Lyc:Lyc:Lip:Lip:Iridana]

- bwamba* Stempffer, 1964
- euprepes* (H. H. Druce), 1905; *Iridopsis*
- exquisita* (Grose-Smith), 1898; *Iris*
- gabunica* Stempffer, 1964
- ghanana* Stempffer, 1964
- hypocala* (Eltringham), 1929; *Liptena*
- - *magnifica* Hawker-Smith, 1933
- * - *incredibilis* (Staudinger), 1891; *Iris*
- - *ansorgei* (Grose-Smith), 1898; *Iris*
- jacksoni* Stempffer, 1964
- katera* Stempffer, 1964
- marina* Talbot, 1935
- nigeriana* Stempffer, 1964
- obscura* Stempffer, 1964
- perdita* (Kirby), 1890; *Epitola*
- rougeoti* Stempffer, 1964
- tororo* Stempffer, 1964
- unyoro* Stempffer, 1964

Isapis [Lyc:Rio:Rio:Rio:Ancyluriti]

- * *agyrtus* (Cramer), [1777], 1775-1790; *Papilio*
- *abydus* Stichel, 1929
- *falcis* Weymer, 1890
- *hera* Godman & Salvin, [1886], 1879-1901
- *praxinus* (Stichel), [1909]; *Melanis*
- *sestus* Stichel, [1909]
- - *mithrophorus* Seitz, [1913], 1910-1924

Ithomeis [Lyc:Rio:Rio:Rio:Ancyluriti]

- aerella* Grose-Smith, 1902, 1887-1902
- - *lauronia* Schaus, 1902
- astrea* (Felder & Felder), 1862; *Ithomiopsis*
- - - *astraea* Kirby, 1871, (ISS)
- *delecta* Stichel, 1910
- * *aurantiaca* Bates, 1862
- + *corena* (Felder & Felder), 1862; *Ithomiopsis*
- eulema* Hewitson, [1870], 1852-1877
- *imitatrix* Godman & Salvin, 1878
- heliconina* Bates, 1862
- - - *ab. cumbasina* Strand, 1911
- mimica* Bates, 1862
- - *corinna* Staudinger, [1887], 1884-1888
- satellites* Bates, 1862
- stalachtina* Bates, 1862

Ithomiola [Lyc:Rio:Rio:]

- callixena* (Hewitson), 1870; *Compsotera*
- - - *calixena* (Kirby), 1871, (ISS); *Compsotera*
- + *cascella* (Hewitson), 1870, 1869-1877; *Compsotera*
- - *f. florella* Stichel, 1915
- *servilia* Stichel, 1915
- * *floralis* Felder & Felder, 1865, 1865-1875

Ithomiola (*continued*)

- *celtilla* (Hewitson), 1870; Comptosia
- *cephalena* (Hewitson), [1872], 1852-1877; Comptosia
- - - *cehalena* (Hewitson), [1872], 1852-1877, (IOS); Comptosia
- - - - *cephalene* (Kirby), 1871, (ISS); Comptosia
- *rubrolineata* Lathy, 1904

Itylos [Lyc:Lyc:Pol:Pol:Itylos]

- + *fumosus* (Balletto), 1993; Ityloides
- - *luzhin* Bálint, 1993
- pasco* Bálint & Lamas, 1994
- pnin* Bálint, 1993
- titicaca* (Weymer), 1890; Lycaena
- * - - *speciosa* (Staudinger), 1894; Cupido

Jacoona [Lyc:Lyc:The:Iol:Iolaus]

- * *anasuja* (Felder & Felder), 1865, 1865-1875; Myrina
- *irmina* Fruhstorfer, 1904
- *jusana* H. H. Druce, 1895
- - *metasuja* H. H. Druce, 1895
- *nigerrima* Corbet, 1948

Jalmenus [Lyc:Lyc:The:Zes:Jalmenus]

- aridus* Graham & Moulds, 1988
- clementi* (H. H. Druce), 1902; Jalmenus
- daemeli* (Semper), [1879]; Jalmenus
- - - - *dameli* (Lower), 1897, (ISS); Jalmenus
- - *illidgei* (Lucas), 1889; Jalmenus
- eichhorni* (Staudinger), [1888], 1884-1888; Jalmenus
- - *itonus* (Miskin), 1890; Jalmenus
- + *evagoras* (Donovan), 1805; Papilio
- * - - - *evagoras* (Hübner), [1818], 1808-1837, (H); Jalmenus
- - *coelestis* (Drapier), 1819; Polyommatus
- *eubulus* (Miskin), 1876; Jalmenus
- icilius* (Hewitson), [1865], 1863-1878; Jalmenus
- - *aeneus* (Tepper), 1882; Cupido
- *mitchelli* (Edwards), 1951; Jalmenus
- *obscurus* (Edwards), 1951; Jalmenus
- *parvus* (Burns), 1951; Jalmenus
- + *ictinus* (Hewitson), [1865], 1863-1878; Jalmenus
- - *schraderi* (Felder & Felder), 1865, 1865-1875; Austromyrina
- *kooronya* (Edwards), [1956]; Jalmenus
- *penunga* (Edwards), [1956]; Jalmenus
- inous* (Hewitson), [1865], 1863-1878; Jalmenus
- lithochroa* (Waterhouse), 1903; Jalmenus
- - - - *leucochroa* (Sharp), [1905], (ISS); Jalmenus
- notocrucifer* Johnson & Hay & Bollan, 1992
- pseudictinus* Kerr & MacQueen, 1967

Jamides [Lyc:Lyc:Pol:Pol:Jamides]

- abdul* (Distant), 1886, 1882-1886; Lampides
- - *marakata* (de Nicéville), 1890; Lampides
- *daones* (H. H. Druce), 1896; Lampides
- *daonides* (Röber), 1897; Lampides
- *hamid* (Fruhstorfer), 1915; Lampides
- *mayangelae* Takanami, 1992
- *pemanggilensis* Eliot, 1978
- aetherialis* (Butler), 1884; Lampides
- - *ayrus* (Fruhstorfer), 1915; Lampides
- - - - *avrus* (Riley & Tams), 1924, (ISS); Lampides
- alecto* C. Felder, 1860
- - - *elpis* (Horsfield), [1828], 1828-1829, (H); Lycaena
- *ageladas* (Fruhstorfer), 1915; Lampides
- - - - *agelades* d'Abreva, 1986, (ISS)
- *alocina* Swinhoe, 1915
- *dromicus* (Fruhstorfer), 1910; Lampides
- - *batjana* (Toxopeus), 1930; Lampides
- - *manilana* (Toxopeus), 1930; Lampides
- *eurysaces* (Fruhstorfer), 1915; Lampides
- - - - *f. ozea* (Fruhstorfer), 1915, (IFS); Lampides
- - *chinee* (Tyler), 1912; Lampides
- *eurysthenes* (Fruhstorfer), 1915; Lampides
- *fusca* Evans, 1932
- *horsfieldi* (Toxopeus), 1929; Lampides
- *kawazoei* Hayashi, 1976
- *kondulana* (C. Felder), 1862; Lycaena
- - *baweana* (Fruhstorfer), 1915; Lampides
- - *comeda* (Fruhstorfer), 1915; Lampides
- - *espada* (Fruhstorfer), 1915; Lampides
- - *gerra* (Fruhstorfer), 1915; Lampides
- - *jambia* (Fruhstorfer), 1915; Lampides
- - *phaliga* (Fruhstorfer), 1915; Lampides
- - *piepersi* (Fruhstorfer), 1915; Lampides
- - *simalurana* (Toxopeus), 1930; Lampides
- - *sydra* (Fruhstorfer), 1915; Lampides
- *latimargus* (Snellen), 1878; Cupido
- *meilichius* (Fruhstorfer), 1915; Lampides
- aleuas* (Felder & Felder), 1865, 1865-1875; Lycaena
- - - - *alenas* (Kirby), 1871, (ISS); Cupido
- *alcas* (Felder & Felder), 1865, 1865-1875; Lycaena
- *allectus* (Grose-Smith), 1894; Lampides
- *coelestis* (Miskin), 1891; Danis
- *jobiensis* Tite, 1960
- *nitidus* Tite, 1960
- *pholes* (Fruhstorfer), 1915; Lampides
- *sarmice* (Fruhstorfer), 1915; Lampides
- *sarsina* (Fruhstorfer), 1915; Lampides
- alsietus* (Fruhstorfer), 1915; Lampides
- *camarines* Takanami, 1990
- *sabatus* (Fruhstorfer), 1915; Lampides
- amarauge* H. H. Druce, 1891
- anops* (Doherty), 1891; Lampides
- aratus* (Stoll), [1781], 1780-1790; Papilio
- *adana* (H. Druce), 1873; Cupido
- - - - *adona* (Seitz), [1924], 1912-1927, (ISS); Lampides
- *arius* (Fruhstorfer), 1915; Lampides
- *batjanensis* (Röber), [1886]; Plebeius
- - *lucianus* (Röber), [1886]; Plebeius
- *caerulina* (Mathew), 1887; Lampides
- *djampeana* (Snellen), 1890; Lycaena
- *duvana* (Fruhstorfer), 1915; Lampides
- *ezeon* (Fruhstorfer), 1915; Lampides
- *lunata* (de Nicéville), 1898; Lampides
- *makitai* Takanami, 1987
- *masu* (H. H. Druce), 1891; Lampides
- *minthe* (Fruhstorfer), 1915; Lampides
- *nausiphanes* (Fruhstorfer), 1915; Lampides
- *pseudaratus* (Fruhstorfer), 1915; Lampides
- *sestus* (Fruhstorfer), 1915; Lampides
- *tryphiodorus* (Fruhstorfer), 1915; Lampides
- *vuniya* (Fruhstorfer), 1915; Lampides
- - - - *vuniva* (Riley & Tams), 1924; Lampides
- areas* (H. H. Druce), 1891; Lampides
- - - - *areos* (Seitz), [1924], 1912-1927, (ISS); Lampides
- - *georgiana* (Ribbe), 1899; Lampides
- - - - *georgina* Takanami, 1989, (ISS)
- aruensis* (Pagenstecher), 1884; Cupido
- *ariel* (Fruhstorfer), 1915; Lampides
- *dinawus* Tite, 1960
- *gloriel* (Hulstaert), 1924; Lampides
- *minor* (Rothschild), 1916; Pepliphorus
- - *corana* (Fruhstorfer), 1915; Lampides
- *poliamus* (Fruhstorfer), 1915; Lampides
- - - - *poliaemus* (Seitz), [1927], 1912-1927, (ISS); Lampides
- - - - *polyaemus* (Seitz), [1924], 1912-1927, (ISS); Lampides
- - *umbriel* (Fruhstorfer), 1915; Lampides
- - *waigeuensis* (Joicey & Talbot), 1917; Pepliphorus
- astraptes* C. Felder, 1860
- *polassar* (Fruhstorfer), 1915; Lampides
- biru* (Ribbe), 1926; Lampides
- * *bochus* (Stoll), [1782], 1780-1790; Papilio

Jamides (*continued*)

Jamides (continued)

- - *nava* Seitz, [1924], 1912-1927
- - *plato* (Fabricius), 1793, 1792-1799; *Hesperia*
- *argentina* Prittwitz, 1867
- *enganicus* (Fruhstorfer), 1915; *Lampides*
- *formosanus* Fruhstorfer, 1909
- *formosanus* (Fruhstorfer), 1915; *Lampides*
- *georgi* (Fruhstorfer), 1915; *Lampides*
- *grata* Grose-Smith, 1895
- *herdonius* (Fruhstorfer), 1915; *Lampides*
- *herodicus* (Fruhstorfer), 1915; *Lampides*
- *ishigakianus* Shirôzu, 1953
- *nabonassar* (Fruhstorfer), 1915; *Lampides*
- *nicobaricus* de Nicéville, 1890
- *nila* Horsfield, [1828], 1828-1829
- *nilana* (Fruhstorfer), 1915; *Lampides*
- *palauensis* (Fruhstorfer), 1915; *Lampides*
- - - *paulanensis* Seitz, [1924], 1912-1927, (ISS)
- *phaidon* (Fruhstorfer), 1915; *Lampides*
- *phaneas* (Fruhstorfer), 1915; *Lampides*
- *pulchrior* Grose-Smith, 1895
- *ruruturi* Riley, 1928
- *siraha* (Kheil), 1884; *Plebejus*
- *soarchad* (Fruhstorfer), 1915; *Lampides*
- *tamborana* Grose-Smith, 1900, 1887-1902
- *toscius* (Fruhstorfer), 1915; *Lampides*
- *buruana* (Holland), 1900; *Lampides*
- *caerulea* (H. Druce), 1873; *Cupido*
- - *bochides* (de Nicéville), 1891; *Lampides*
- *callistus* (Röber), [1886]; *Plebeius*
- *amastris* (Fruhstorfer), 1915; *Lampides*
- *cleitus* (Fruhstorfer), 1915; *Lampides*
- *mioae* Hayashi, 1976
- *neathus* (Fruhstorfer), 1915; *Lampides*
- *candrena* (Herrich-Schäffer), 1869; *Lycaena*
- - *campanulata* Butler, 1884
- - *lobelia* Butler, 1884
- - *woodfordii* Butler, 1884
- - - *woodsfordi* Seitz, [1924], 1912-1927, (ISS)
- *carissima* (Butler), [1876]; *Lampides*
- *susana* d'Abbrera, 1971
- *thomasi* Miller & Miller, 1993
- *celebica* (Eliot), 1969; *Epimastidia*
- *celeno* (Cramer), [1775], 1775-1790; *Papilio*
- - - *f. elpinides* (Fruhstorfer), 1915, (IFS); *Lampides*
- - *alexis* (Stoll), [1790], 1780-1790, (H); *Papilio*
- - *astarche* (Bergsträsser), [1779], 1778-1780; *Papilio*
- - *celerio* (Fabricius), 1777; *Papilio*
- - *conferenda* (Butler), 1886; *Lampides*
- - *kalawarus* (Ribbe), 1926; *Lampides*
- - *taiwana* (Matsumura), 1919; *Lampides*
- *aelianus* (Fabricius), 1793, 1792-1799; *Hesperia*
- - *agnata* (H. Druce), 1874; *Cupido*
- - *zethus* (Hübner), [1819], 1816-1826; *Lampides*
- *arama* (Fruhstorfer), 1915; *Lampides*
- *blairana* Evans, 1925
- *butleri* (Rothschild), 1915; *Lampides*
- *caena* Riley, [1945]
- *carolina* (Toxopeus), 1929; *Lampides*
- *evanescens* (Butler), [1876]; *Lampides*
- *eyria* (Fruhstorfer), 1915; *Lampides*
- *grisea* (Röber), [1886]; *Lampides*
- *kinkurka* C. Felder, 1862
- - - *kinkura* Riley & Corbet, 1938, (ISS)
- *lawasa* (Moulton), [1912]; *Lampides*
- - - *levasa* (Seitz), [1924], 1912-1927, (ISS); *Lampides*
- - *vyneri* (Moulton), [1912]; *Lampides*
- *nicevillei* Evans, 1925
- *obscurus* (Röber), [1886]; *Plebeius*
- *optimus* (Röber), [1886]; *Plebeius*
- *punctatus* (Ribbe), 1926; *Lampides*

Jamides (continued)

- *ruvana* (Fruhstorfer), 1915; *Lampides*
- *sandya* (Fruhstorfer), 1915; *Lampides*
- - - *sandva* (Riley & Tams), 1924, (ISS); *Lampides*
- *sundara* (Fruhstorfer), 1915; *Lampides*
- *tissama* (Fruhstorfer), 1915; *Lampides*
- *cephion* H. H. Druce, 1891
- - *carola* Grose-Smith, 1900, 1887-1902
- *cleodus* (Felder & Felder), 1865, 1865-1875; *Lycaena*
- *lydanus* (Fruhstorfer), 1910; *Lampides*
- - - *lydanus* (Fruhstorfer), 1915, (H); *Lampides*
- *manias* (Fruhstorfer), 1915; *Lampides*
- *potidalon* (Fruhstorfer), 1915; *Lampides*
- - - *potidolon* (Seitz), [1924], 1912-1927, (ISS); *Lampides*
- *semperi* (Fruhstorfer), 1915; *Lampides*
- *trichonis* (Fruhstorfer), 1915; *Lampides*
- - - *trichornis* d'Abbrera, 1986, (ISS)
- *coritus* (Guérin-Méneville), [1831], 1830-1838; *Polyommatus*
- - *hyphasis* (Fruhstorfer), 1915; *Lampides*
- *pseudeuchylas* (Strand), 1911; *Cupido*
- *phasis* (Fruhstorfer), 1915; *Lampides*
- - - *phosis* (Seitz), [1924], 1912-1927, (ISS); *Lampides*
- *setekwaensis* Tite, 1960
- *coruscans* (Moore), 1877; *Lampides*
- - *hewitsoni* Elwes, 1888
- *cyta* (Boisduval), 1832; *Catochrysops*
- - *malaguna* (Ribbe), 1899; *Lampides*
- *amphissa* (Felder & Felder), 1860; *Catochrysops*
- - *courvoisieri* (Fruhstorfer), 1915; *Lampides*
- - *hellada* (Fruhstorfer), 1915; *Lampides*
- - *leiothrix* (Fruhstorfer), 1915; *Lampides*
- - *madara* (Fruhstorfer), 1915; *Lampides*
- - *megdora* (Fruhstorfer), 1915; *Lampides*
- - *vardusia* (Fruhstorfer), 1915; *Lampides*
- - *zelea* (Fruhstorfer), 1915; *Lampides*
- - - *zella* (Seitz), [1924], 1912-1927, (ISS); *Lampides*
- *amphissina* Grose-Smith, 1894
- *aruanus* (Röber), [1886]; *Plebeius*
- *claudia* (Waterhouse & Lyell), 1914; *Pepliophonus*
- *koenigswarteri* Schröder & Treadaway & Nuyda, 1993
- *lamax* Riley, [1945]
- *lividus* (H. H. Druce), 1895; *Lampides*
- *margarita* (Martin), 1895; *Lampides*
- - - *marginata* (Seitz), [1927], 1912-1927, (ISS); *Lampides*
- *minna* Riley & Corbet, 1938
- *natsumiae* Hayashi, 1976
- *raddatzi* Schröder & Treadaway, 1984
- *viosa* (Fruhstorfer), 1915; *Lampides*
- *elioti* Hirowatari & Cassidy, 1994
- *elpis* (Godart), [1824], 1819-1824; *Polyommatus*
- - *translucens* (Lucas), 1891; *Holochila*
- *alvenus* (Fruhstorfer), 1915; *Lampides*
- *argentiferus* (Fruhstorfer), 1915; *Lampides*
- *croculana* (Fruhstorfer), 1915; *Lampides*
- *cytinus* (Fruhstorfer), 1915; *Lampides*
- *demetrius* (Fruhstorfer), 1915; *Lampides*
- *elpidion* (Doherty), 1891; *Lampides*
- *jetavanus* (Seitz), [1927], 1912-1927; *Lampides*
- *luniger* (Toxopeus), 1930; *Lampides*
- *mentawica* (Hagen), 1893; *Lampides*
- *pseudelpis* (Butler), [1879]; *Lampides*
- - *atina* (Fruhstorfer), 1915; *Lampides*
- *paliassa* (Fruhstorfer), 1915; *Lampides*
- *saunda* (Fruhstorfer), 1915; *Lampides*
- *thanelus* (Fruhstorfer), 1915; *Lampides*
- *euchylas* (Hübner), [1819], 1816-1826; *Pepliophonus*
- - - *macromargarita* (Verity), 1926, 1926-1933, (RA);
Agniades
- - - *micromargarita* (Verity), 1926, 1926-1933, (RA);
Agniades
- - - *ab. plumbeus* (Rothschild), 1915; *Pepliophonus*

Jamides (*continued*)

- - - - *postmargarita* (Verity), 1943, (IFS); *Lysandra*
- - - - *praepanoptes* (Verity), 1928, (RA); *Turania*
- - - *hylas* (Stoll), [1781], 1780-1790, (H); *Papilio*
- - *gamblea* Swinhoe, 1916
- - *hylas* (Godart), [1824], 1819-1824; *Polyommatus*
- *mimetica* Tite, 1960
- ferrari** Evans, 1932
- *evansi* Riley & Corbet, 1938
- festivus** (Röber), [1886]; *Plebeius*
- - - - *festivus* d'Abbrera, 1986, (ISS)
- *bangkaia* (Ribbe), 1926; *Lampides*
- fractilinea** Tite, 1960
- goodenovii** (Butler), 1876; *Lampides*
- halus** Takanami, 1994
- kankena** (C. Felder), 1862; *Lycaena*
- *metallica* (Fruhstorfer), 1915; *Lampides*
- *rogersi* (Bingham), 1907; *Lampides*
- *lacteata* (de Nicéville), 1895; *Lampides*
- limes** (H. H. Druce), 1895; *Lampides*
- *wandamenensis* (Seitz), [1927], 1912-1927; *Lampides*
- lucide** (de Nicéville), 1894; *Lampides*
- lugine** (H. H. Druce), 1895; *Nacaduba*
- malaccanus** (Röber), [1886]; *Plebeius*
- *aurensis* Eliot, 1978
- *saturata* (Snellen), 1892; *Lycaena*
- nemea** (C. Felder), 1860; *Lycaena*
- *ccheilea* (Fruhstorfer), 1915; *Lampides*
- - - - *echeilea* (Seitz), [1924], 1912-1927, (ISS); *Lampides*
- nemophila** (Butler), 1876; *Danis*
- - *epilectus* (Grose-Smith), 1897; *Lampides*
- *albipatulus* Tite, 1960
- *eclectus* (Grose-Smith), 1894; *Lampides*
- *paralectus* (Grose-Smith), 1897, 1887-1902; *Lampides*
- - *elath* (Fruhstorfer), 1915; *Lampides*
- nitens** (Joicey & Talbot), 1916; *Lampides*
- - - *nitens* (Seitz), [1927], 1912-1927, (H); *Lampides*
- *parasaturata* (Fruhstorfer), 1915; *Lampides*
- *paramalaccanus* Riley & Corbet, 1938
- petunia** H. H. Druce, 1887
- phaseli** (Mathew), 1889; *Lampides*
- - *oranigra* (Lucas), 1889; *Lycaena*
- philatus** (Snellen), 1878; *Cupido*
- - *orestes* (Röber), [1886]; *Plebeius*
- *aegithus* (Fruhstorfer), 1915; *Lampides*
- *amphyssina* (Staudinger), 1889; *Lycaena*
- - *andrus* (Fruhstorfer), 1915; *Lampides*
- *arcaseus* (Fruhstorfer), 1915; *Lampides*
- *armatheus* (Fruhstorfer), 1915; *Lampides*
- *athanetus* (Fruhstorfer), 1915; *Lampides*
- *callinicus* (Röber), [1886]; *Plebeius*
- *emetallicus* (H. H. Druce), 1895; *Lampides*
- *fasciatus* (Ribbe), 1926; *Lampides*
- *osias* (Röber), [1886]; *Plebeius*
- *subditus* (Moore), 1886; *Lampides*
- - *telanjang* (Doherty), 1891; *Lampides*
- pseudosias** Rothschild, 1915
- *coeligena* (Joicey & Talbot), 1916; *Lampides*
- *sanaya* (Fruhstorfer), 1915; *Lampides*
- - - - *savana* (Riley & Tams), 1924, (ISS); *Lampides*
- pulcherrima** Butler, 1884
- *kava* H. H. Druce, 1892
- *morphoides* Butler, 1884
- puloensis** Tite, 1960
- pura** (Moore), 1886; *Lampides*
- - - - *f. zebrina* (Fruhstorfer), 1915, (IFS); *Lampides*
- *babinus* Takanami, 1990
- *howarthi* Hayashi, 1976
- *juliana* (van Eecke), 1914; *Lampides*
- *parazebra* (Fruhstorfer), 1915; *Lampides*
- - - - *f. gennadia* (Fruhstorfer), 1915, (IFS); *Lampides*

Jamides (*continued*)

- *tenus* (Fruhstorfer), 1915; *Lampides*
- purpurata** Grose-Smith, 1894
- reverdini** (Fruhstorfer), 1915; *Lampides*
- - - - *reverdina* (Seitz), [1924], 1912-1927, (ISS); *Lampides*
- - *wandammenensis* (Joicey & Talbot), 1916; *Lampides*
- rothschildi** Hayashi, 1976
- *aritali* Hayashi, 1976
- *mindanensis* Hayashi, 1977
- schatzi** (Röber), [1886]; *Plebeius*
- - *insularis* (Röber), [1886]; *Plebeius*
- *jumaloni* Hayashi, 1976
- *nakamotoi* Hayashi, 1977
- selvagia** (Fruhstorfer), 1915; *Lampides*
- seminiger** Grose-Smith, 1895
- *porphyris* Holland, 1900
- *tiglath* (Fruhstorfer), 1915; *Lampides*
- snelleni** (Röber), [1886]; *Plebeius*
- - *ohtai* Hayashi, 1976
- soemias** H. H. Druce, 1891
- *timon* Grose-Smith, 1895
- spitamenes** (Fruhstorfer), 1915; *Lampides*
- suidas** (Felder & Felder), 1865, 1865-1875; *Lycaena*
- *agnatinus* (Courvoisier), 1912; *Lampides*
- *celinus* (Fruhstorfer), 1915; *Lampides*
- *eordaa* (Fruhstorfer), 1915; *Lampides*
- - - - *cordaea* (Seitz), [1924], 1912-1927, (ISS); *Lampides*
- *puti* Riley, [1945]
- talinga** (Kheil), 1884; *Plebeius*
- tsukadai** Takanami, 1994
- uniformis** Rothschild, 1915
- virgulatus** (H. H. Druce), 1895; *Lampides*
- - *aditja* (Fruhstorfer), 1915; *Lampides*
- *cunilda* (Snellen), 1896; *Lycaena*
- *nisanca* (Fruhstorfer), 1915; *Lampides*
- *purpura* Evans, 1925
- *sekii* Takanami, 1988
- walkeri** H. H. Druce, 1892
- zebra** (H. H. Druce), 1895; *Lampides*
- *lakatti* Corbet, 1940
- *magana* Corbet, 1940
- *vaneckeai* (Fruhstorfer), 1915; *Lampides*

Jamides (?) [*Lyc:Lyc:Pol:Pol:Jamides*]

- hylassus** (Herbst), 1800, 1788-1804; *Papilio*

Janthecla [*Lyc:Lyc:The:Eum:Eumaeus*]

- armilla** (H. H. Druce), 1907; *Thecla*
- aurora** (H. H. Druce), 1907; *Thecla*
- cydonia** (H. H. Druce), 1890; *Thecla*
- flosculus** (H. H. Druce), 1907; *Thecla*
- * **janthina** (Hewitson), [1867], 1863-1878; *Thecla*
- - *venezuelae* (Lathy), 1930; *Thecla*
- janthodonia** (Dyar), 1918; *Thecla*
- leea** Robbins & Venables, 1991
- malvina** (Hewitson), [1867], 1863-1878; *Thecla*
- rocena** (Hewitson), [1867], 1863-1878; *Thecla*
- - **major** (Lathy), 1926; *Thecla*
- sista** (Hewitson), [1867], 1863-1878; *Thecla*

Japonica [*Lyc:Lyc:The:The:Thecla*]

- adusta** (Riley), 1939; *Thecla*
- - - - *tatsienluica* (Riley), 1939, (IFS); *Thecla*
- lutea** (Hewitson), [1865], 1863-1878; *Dipsas*
- **gansuensis** Murayama, 1991
- onoii** Murayama, 1953
- patungkoanui** Murayama, 1956
- * **saepestriata** (Hewitson), [1865], 1863-1878; *Dipsas*
- - - - *saepistriata* d'Abbrera, 1993, (ISS)

Joiceya [*Lyc:Rio:*]

- * **praedarus** Talbot, 1928

Juditha [Lyc:Rio:Rio:Lemoniini]

- dorilis* (Bates), 1866; Nymphidium
- - - *dorrilis* d'Abbrera, 1994, (ISS)
- *licinias* (Staudinger), [1887], 1884-1888; Nymphidium
- grande* (Godman), 1903; Nymphidium
- ipsea* (Godman & Salvin), [1886], 1879-1901; Nymphidium
- molpe* (Hübner), [1808], 1806-1838; Limnas
- * - - - *lamis* (Stoll), [1780], 1780-1790, (H); Papilio
- *azan* (Westwood), [1851], 1846-1852; Nymphidium
- - *australis* (C. Felder), 1862; Desmozona
- *bahiana* (Stichel), 1929; Peplia
- *caucana* (Stichel), 1910; Peplia
- *completa* (Lathy), 1904; Nymphidium
- rubigo* (Bates), [1868]; Nymphidium

Kisutam [Lyc:Lyc:The:Eum:Eumaeus]

- simplis* Johnson & Kroenlein, 1993
- spadectis* Johnson & Kroenlein, 1993
- * *syllis* (Godman & Salvin), [1887], 1879-1901; Thecla

Klaufera [Lyc:Lyc:The:Eum:Eumaeus]

- anapa* (Field), 1967; Calystryma
- anthora* (Hewitson), [1877], 1863-1878; Thecla
- atrox* (Butler), 1877; Tmolus
- meleager* (H. H. Druce), 1907; Thecla
- pisidula* (H. H. Druce), 1907; Thecla
- * *pisis* (Godman & Salvin), [1887], 1879-1901; Thecla

Kopelates [Lyc:Lyc:The:Deu:Deudorix]

- * *virgata* H. H. Druce, Apr 1891
- - *gracilis* (Staudinger), 1891; Hypolycaena

Kroenleina [Lyc:Lyc:The:Eum:Eumaeus]

- escuintla* Johnson, 1991
- * *panornata* Johnson, 1991

Lachides [Lyc:Lyc:Pol:Pol:Polyommatus]

- contracta* (Butler), 1880; Lampides
- - *elta* (Butler), 1881; Catochrysope
- - *lempkei* (Blom), 1979; Chilades
- * *galba* (Lederer), 1855; Lycaena
- *phiala* (Grum-Grshimailo), 1890; Lycaena

Lachnocnema [Lyc:Lyc:Mil:Lachnocnemini]

- * *bibulus* (Fabricius), 1793, 1792-1799; Hesperia
- - *caractacus* (Turton), 1802; Papilio
- - *delegorguei* (Boisduval), 1847; Lycaena
- - *emperamus* (Snellen), 1872; Lucia
- - - - *emperanus* (Kirby), 1877, (ISS); Lucia
- - *laches* (Fabricius), 1793, 1792-1799; Hesperia
- brimo* Karsch, 1893
- - *obliquisigna* Hulstaert, 1924
- - *rectifascia* Hulstaert, 1924
- - *sudanica* Aurivillius, 1905
- busoga* Bethune-Baker, 1906
- camerunica* d'Abbrera, 1980
- disrupta* Talbot, 1935
- divergens* Gaede, 1915, 1915-1916
- durbani* Trimen, 1887, 1887-1889
- exiguus* Holland, 1890
- jacksoni* Stempffer, 1967
- magna* Aurivillius, 1895
- - *niveus* H. H. Druce, 1910
- - *umbra* (Grose-Smith), 1901, 1887-1902; Arrugia
- makakensis* Birket-Smith, 1960
- reutlinger* Holland, 1892
- - *luna* H. H. Druce, 1910

Laeosopsis [Lyc:Lyc:The:The:Thecla]

- hoenel* d'Abbrera, 1993
- * *roboris* (Esper), [1789], 1776-1830; Papilio
- - *evippus* (Hübner), [1800], 1796-1838; Papilio
- *demissa* (Verity), 1943, (RA); Leosopsis

Laeosopsis (*continued*)

- *escorialensis* Oberthür, 1910
- *higgins* Agenjo, 1963
- *lusitanica* Staudinger, 1892
- *magis* Agenjo, 1963
- *mudarra* Agenjo, 1963
- *portaensis* Betti, 1977
- *thiersi* Betti, 1977

Laeosopsis (?) [Lyc:Lyc:The:The:Thecla]

- ledereri* (Herrich-Schäffer), [1850], 1843-1856; Thecla

Lamasa [Lyc:Lyc:The:Eum:Eumaeus]

- * *calesia* (Hewitson), 1870, 1869-1877; Thecla
- calisto* Johnson & Adams, 1993
- robbinsi* Johnson, 1992

Lamphiotas [Lyc:Rio:]

- * *velazquez* (Beutelspacher), 1976; Nympha

Lampides [Lyc:Lyc:Pol:Pol:Lampides]

- * *boeticus* (Linnaeus), 1767; Papilio
- - - - *ab. albovitata* Oberthür, 1910
- - - - *baetica* Meigen, 1830, 1827-1832, (ISS)
- - - - *baeticus* (Kirby), 1871, (ISS); Cupido
- - - - *boetica* (Fabricius), 1793, 1792-1799, (ISS); Hesperia
- - - - *caerulea* Tutt, 1907, 1905-1914
- - - - *caeruleafasciata* Tutt, 1907, 1905-1914
- - - - *caeruleamarginata* Tutt, 1907, 1905-1914
- - - - *clara* Tutt, 1907, 1905-1914
- - - - *clarafasciata* Tutt, 1907, 1905-1914
- - - - *claramarginata* Tutt, 1907, 1905-1914
- - - - *coerulea* Tutt, 1907, 1905-1914
- - - - *ab. ecaudata* Oberthür, 1910
- - - - *ab. fasciata* Tutt, 1907, 1905-1914
- - - - *fusca* Tutt, 1907, 1905-1914
- - - - *ab. fuscifasciata* Tutt, 1907, 1905-1914
- - - - *fuscamarginata* Tutt, 1907, 1905-1914
- - - - *grisescens* Tutt, 1907, 1905-1914
- - - - *infusata* de Sagarra y Castellamau, 1932
- - - - *ab. kawachensis* Hirose, 1933
- - - - *ab. major* Tutt, 1907, 1905-1914
- - - - *ab. minor* (Pionneau), 1928; Lycaena
- - - - *minor* Tutt, 1907, 1905-1914
- - - - *typicafasciata* Tutt, 1907, 1905-1914
- - - - *typicamarginata* Tutt, 1907, 1905-1914
- - *anamariae* Gómez Bustillo, 1973
- - *archias* (Cramer), [1777], 1775-1790; Papilio
- - *armeniensis* Gerhard, 1882
- - *bagus* (Distant), 1886; Polyommatus
- - *coluteae* (Füssly), 1775; Papilio
- - *damoetes* (Fabricius), 1775; Papilio
- - *fusca* de Sagarra y Castellamau, 1926
- - *obsoleta* Evans, 1925
- - *pisorum* (Fourcroy), 1785; Papilio
- *yanagawensis* (Hori), 1923; Polyommatus
- byneri* Moulton, [1912]
- rajatus* Fruhstorfer, 1915
- - - - *raiatius* (Riley & Corbet), 1938; Jamides
- stresemanni* Rothschild, 1915
- tertius* Rothschild, 1915

Lampides (??) [Lyc:Lyc:Pol:Pol:Lampides]

- bura* Walker, 1870
- ferrana* Walker, 1870
- lyce* Walker, 1870
- pandama* Walker, 1870

Lamprospilus [Lyc:Lyc:The:Eum:Eumaeus]

- azaria* (Hewitson), [1867], 1863-1878; Thecla
- - - - *Q. ab. decyanea* Lathy, 1932
- decorata* Lathy, 1926
- draudti* Lathy, 1932

Lamprospilus (*continued*)

- * *genius* Geyer, [1832], 1832-1837
- nicetus* (Felder & Felder), 1865, 1865-1875; Thecla
- *ochracea* Lathy, 1932

Larinopoda [Lyc:Lyc:Lip:Lip:Liptena]

- aspidos* H. H. Druce, 1890
- *f. brenda* H. H. Druce, 1903
- *f. latimarginata* Grose-Smith, 1898
- batesi* Bethune-Baker, 1926
- eurema* (Plötz), 1880; Phytala
- - *libussa* (Staudinger), [1888], 1884-1888; Liptena
- - *varipes* Kirby, 1887
- lagyra* (Hewitson), [1866], 1852-1877; Liptena
- - - - *ab. deficiens* Dufrane, 1953
- - *lara* Staudinger, 1892
- *f. emilia* Suffert, 1904
- *f. gyrala* Suffert, 1904
- *f. punctata* H. H. Druce, 1910
- *reducta* Berger, 1981
- lircaea* (Hewitson), [1866], 1852-1877; Liptena
- - - - *ab. alenica* Strand, 1913
- - - - *ab. alenicola* Strand, 1913
- - - - *ab. benitonis* Strand, 1913
- - - - *ab. bibundica* Strand, 1913
- - - - *ab. makomensis* Strand, 1913
- - - - *ab. makoniensis* Stempffer, 1967, (ISS)
- - - - *ab. simekoa* Strand, 1913
- * - *lycaenoides* Butler, 1871
- *f. hermansii* Aurivillius, 1896
- *f. innocentia* (Gaede), 1915, 1915-1916; Larynopoda
- *f. spuma* H. H. Druce, 1910
- tera* (Hewitson), 1873; Liptena
- - *soyauxii* (Dewitz), 1879; Liptena

Lasaia [Lyc:Rio:Rio:Rio:Riodinitii]

- aerugo* Clench, [1972]
- agesilas* (Latreille), [1813]; Erycina
- *callaina* Clench, [1972]
- *esmeralda* Clench, [1972]
- maria* Clench, [1972]
- *anna* Clench, [1972]
- * *meris* (Stoll), [1781], 1780-1790; Papilio
- *arsis* Staudinger, [1888], 1884-1888
- moeros* Staudinger, [1887], 1884-1888
- - *rosamonda* Weeks, 1905
- *kennethi* Weeks, 1901
- - *merita* Godman, 1903
- narses* Staudinger, [1888], 1884-1888
- oileus* Godman, 1903
- pseudomeris* Clench, [1972]
- scotina* Stichel, 1910
- sessilis* Schaus, 1890
- sula* Staudinger, [1888], 1884-1888
- *peninsularis* Clench, [1972]
- - - - *penninsularis* Downey & Allyn, 1980, (ISS)

Laxita [Lyc:Rio:Nem:Abisarinii]

- ischaris* (Godart), [1824], 1819-1824; Nymphalis
- * *teneta* (Hewitson), [1861], 1852-1877; Taxila
- + *thuiisto* (Hewitson), [1861], 1852-1877; Taxila
- - - - *esther* (Doubleday), 1847, 1844-1848, (NN); Taxila
- - - - *thuiisto* (Butler), 1870, (ISS); Abisara
- *ephorus* (Fruhstorfer), [1904]; Taxila
- *eutyches* (Fruhstorfer), 1912; Taxila
- - - - *eutyces* Otsuka, 1988, (ISS)
- *melanotica* (Riley), [1945]; Taxila
- *obscura* Hanafusa, 1991
- *sawaja* Fruhstorfer, [1914], 1909-1923
- *therikles* (Fruhstorfer), 1912; Taxila

Lemonias [Lyc:Rio:Rio:Lemoniini]

- agave* Godman & Salvin, [1886], 1879-1901
- caliginea* (Butler), [1867]; Anatole
- - *rossi* (Clench), 1964; Anatole
- glaphyra* Westwood, [1851], 1846-1852
- *modesta* (Mengel), 1902; Anatole
- - *campicola* (Seitz), [1917], 1910-1924; Anatole
- leucogonia* (Stichel), 1911; Anatole
- * *zygia* Hübner, [1807], 1806-1838
- - - - ♀ *ab. suffusa* (Lathy), 1932; Anatole
- - *caletor* (Dalman), 1823; Papilio
- - *chea* Hewitson, [1863], 1852-1877
- *baroptenosa* (Stichel), 1910; Anatole
- *egaensis* Butler, [1867]
- *epone* (Godart), [1824], 1819-1824; Erycina
- *peristera* (Stichel), 1910; Anatole
- *restricta* (Talbot), 1928; Anatole

Lepidochrysops [Lyc:Lyc:Pol:Pol:Euchrysops]

- aethiopia* (Bethune-Baker), 1923; Neochrysops
- - *nyasae* (Bethune-Baker), 1923; Neochrysops
- albilinea* Tite, 1959
- ansorgei* Tite, 1959
- arabicus* Gabriel, 1954
- asteris* (Godart), [1824], 1819-1824; Polyommatus
- - *caffrariae* (Trimen), 1887, 1887-1889; Lycaena
- auratus* Quickelberge, 1979
- australis* Tite, 1964
- azureus* (Butler), 1879; Castalius
- - *visuna* Fruhstorfer, 1916
- bacchus* Riley, 1938
- badhami* van Son, 1956
- balli* Dickson, 1985
- barnesi* Pemington, 1953
- braueri* Dickson, 1966
- budama* van Someren, 1957
- butha* (Strand), 1911; Cupido
- caerulea* Tite, 1961
- carsoni* (Butler), 1901; Catochrysops
- chala* Kielland, 1980
- chalceus* Quickelberge, 1979
- chloauges* (Bethune-Baker), 1923; Neochrysops
- cinerea* (Bethune-Baker), 1923; Neochrysops
- - - - ♀ *f. imperialis* (Stoneham), 1938; Cupido
- - - - *f. princeps* (Stoneham), 1938, (IFS); Cupido
- - *menna* (Hulstaert), 1924; Neochrysops
- - *theodota* (Hulstaert), 1924; Neochrysops
- *kitale* (Stempffer), [1937]; Neochrysops
- *lunulifer* (Ungemach), 1932; Euchrysops
- coxii* (Pinhey), 1945; Cupido
- cupreus* (Neave), 1910; Catochrysops
- delicata* (Bethune-Baker), 1923; Neochrysops
- desmondi* Stempffer, 1951
- dollmani* (Bethune-Baker), 1923; Neochrysops
- dukei* Cottrell, 1965
- elgonae* Stempffer, 1950
- *moyo* van Someren, 1957
- flavisquamosa* Tite, 1959
- - - - *flavisquamosa* Stempffer, 1967, (ISS)
- forsskali* Larsen, 1982
- fulvescens* Tite, 1961
- gigantea* (Trimen), 1898; Lycaena
- glauca* (Trimen), 1887, 1887-1889; Lycaena
- - - - *swinburnei* Stevenson, 1939, (IFS)
- grahami* (Trimen), 1893; Lycaena
- grandis* Talbot, 1937
- guichardi* Gabriel, 1949
- handmani* Quickelberge, 1980
- haveni* Larsen, 1983
- hawkeri* (Talbot), 1929; Euchrysops
- hypoteucus* (Butler), [1894]; Castalius

Lepidochrysops (continued)

- hypopolia* (Trimen), 1887, 1887-1889; Lycaena
ignota (Trimen), 1887, 1887-1889; Lycaena
intermedia (Bethune-Baker), 1923; Neochrysops
 - *cottrelli* Stempffer, 1954
inyangae (Pinhey), 1945; Cupido
irvingi (Swanepoel), 1948; Cupido
jacksoni van Someren, 1957
jamesi Swanepoel, 1971
 - *claassensi* Dickson, 1981, 1981-1982
jansei van Someren, 1957
jefferyi (Swiersta), 1909; Lycaena
kennethi Kielland, 1986
ketsi Cottrell, 1965
kiellandi Stempffer, [1973]
kilimandjarensis (Strand), 1909; Cupido
 - - - - *kilimanjarensis* d'Abrera, 1980, (ISS)
koaena (Strand), 1911; Cupido
 - - - - *coaena* d'Abrera, 1980, (ISS)
 - - - - *koena* Stempffer, 1967, (ISS)
labwor van Someren, 1957
lerothodi (Trimen), 1904; Lycaena
letsea (Trimen), 1870; Lycaena
 - - *fumosa* (Butler), [1886]; Catochrysops
leucon (Mabille), 1879; Lycaena
littoralis Swanepoel & Vári, 1983
loewensteini (Swanepoel), 1951; Cupido
longifalces Tite, 1961
lotana Swanepoel, 1963
lukenia van Someren, 1957
major Murray, 1956
mashuna (Trimen), 1894; Lycaena
mcgregori Pennington, 1970
methymna Trimen, 1862
 - *dicksoni* Tite, 1964
michellae Henning & Henning, 1983
mpanda Tite, 1961
nacrescens Tite, 1961
naidina (Butler), [1886]; Catochrysops
neavei (Bethune-Baker), 1923; Neochrysops
negus (Felder & Felder), 1865, 1865-1875; Lycaena
 - *f. wau* (Wichgraf), 1921; Cupido
neonegus (Bethune-Baker), 1923; Neochrysops
 - - *variegata* (Bethune-Baker), 1923; Neochrysops
 - *borealis* van Someren, 1957
nevillei (Bethune-Baker), 1923; Neochrysops
nigeriae Stempffer, 1957
nigritia Tite, 1959
nyika Tite, 1961
oosthuizeni Swanepoel & Vári, 1983
oreas Tite, 1964
 - *junae* Dickson, 1974
ortygia (Trimen), 1887, 1887-1889; Lycaena
 - - *asteris* (Trimen), 1870; Lycaena
outeniqua Swanepoel & Vári, 1983
pampolis (H. H. Druce), 1905; Catochrysops
 * *parsimon* (Fabricius), 1775; Papilio
 - - *celaeus* (Stoll), [1782], 1780-1790; Papilio
 - - *loveni* (Aurivillius), 1922; Cupido
 - *abyssiniensis* (Strand), 1911; Cupido
 - *kivuensis* (Joicey & Talbot), 1921; Catochrysops
 - *oculus* (Ungemach), 1932; Euchrysops
patricia (Trimen), 1887, 1887-1889; Lycaena
 - *ab. albicans* (Hulstaert), 1924; Neochrysops
 - *anierius* (Hulstaert), 1924; Neochrysops
peculiaris (Rogenhöfer), 1891; Chrysophanus
 - - *exclusa* (Trimen), 1894; Lycaena
 - - *perpulchra* (Holland), 1892; Lycaena
penningtoni Dickson, 1969
pephredo (Trimen), 1889, 1887-1889; Lycaena
pittawayi Larsen, 1983

Lepidochrysops (continued)

- plebeia* (Butler), 1898; Catochrysops
 - - - *plebeja* (Bethune-Baker), 1923, (UE); Neochrysops
 - *proclius* (Hulstaert), 1924; Neochrysops
polydialecta (Bethune-Baker), 1923; Neochrysops
poseidon Pringle, 1987
praeterita Swanepoel, 1963
 - - - - *praeteriue* Stempffer, 1967, (ISS)
pringlei Dickson, 1982, 1982-1983
procera (Trimen), 1893; Lycaena
pterou (Bethune-Baker), 1923; Neochrysops
 - *lilacina* (Ungemach), 1932; Euchrysops
 - *suk* van Someren, 1957
puncticilia (Trimen), 1883; Lycaena
quassi (Karsch), 1895; Polyommatus
 - - *phasma* (Butler), 1901; Catochrysops
quickelbergel Swanepoel, 1970
reichenowii (Dewitz), 1879; Plebeius
rhodesensae (Bethune-Baker), 1923; Neochrysops
 - - - - *rhodesendae* Stempffer, 1967, (ISS)
ringa Tite, 1959
robertsoni Cottrell, 1965
ruthica Pennington, 1953
skotios (H. H. Druce), 1905; Catochrysops
 - - *brabo* (Hulstaert), 1924; Neochrysops
 - *orontius* (Hulstaert), 1924; Neochrysops
solwezi (Bethune-Baker), 1923; Neochrysops
southeyae Pennington, 1967
stormsi (Robbe), 1892; Lycaena
subvariegata Talbot, 1935
swanepoeli (Pennington), 1948; Cupido
swartbergensis Swanepoel, 1970
synchrematiza (Bethune-Baker), 1923; Neochrysops
 - - *sylvius* (Hulstaert), 1924; Neochrysops
tantalus (Trimen), 1887, 1887-1889; Lycaena
titei Dickson, 1976
trimeni (Bethune-Baker), 1923; Neochrysops
turlini Stempffer, [1972]
vansonii (Swanepoel), 1949; Cupido
variabilis Cottrell, 1965
vera Tite, 1961
victori Pringle, 1984
 victoriae (Karsch), 1895; Cupido
 - - *acholi* (Bethune-Baker), 1906; Catochrysops
 - *vansomerani* Stempffer, 1951
violetta (Pinhey), 1945; Cupido
wykehami Tite, 1964
- Lepricornis** [Lyc:Rio:Rio:Riodinitii]
atricolor Butler, 1871
 - *flavifasciata* Lathy, 1932
 - *stygalis* Stichel, 1910
bicolor Godman & Salvin, [1886], 1879-1901
incerta Staudinger, [1887], 1884-1888
 - - - - *instrata* Stichel, 1929, (IFS)
 - - *cilnia* (Staudinger), [1887], 1884-1888; Esthemopsis
 * *melanchroia* Felder & Felder, 1865, 1865-1875
 - - *laridetta* (Dyar), 1909; Tmetoglene
ochracea Stichel, 1910
 + - - *pericopidis* (Dyar), 1914; Otacustesis
radiosa Zikán, 1952
strigosus (Staudinger), 1876; Esthemopsis
 - *meridae* (Dyar), 1909; Tmetoglene
 - *tristis* Schaus, 1902
teras Stichel, 1910
unicolor (Godman & Salvin), [1886], 1879-1901; Esthemopsis
- Leptomyrina** [Lyc:Lyc:The:Hypolycaenini]
boschi Strand, 1911
handmani Gifford, 1965
henningi Dickson, 1976
 - - - - *hennigi* Anonymous, 1980, (ISS)

Leptomyrina (*continued*)

- hirundo (Wallengren), 1857; Thecla
- makala Bethune-Baker, 1908
- * phidias (Fabricius), 1793, 1792-1799; Hesperia
- - rabe (Boisduval), 1833; Lycaena
- sudanica Stempffer, 1964

Leptomyrina (Gonatomyrina) [Lyc:Lyc:The:Hypolycaenini]

- gorgias (Stoll), [1790], 1780-1790; Papilio
- * lara (Linnaeus), 1764; Papilio
- - iolous (Cramer), [1780], 1775-1790; Papilio
- cana Talbot, 1935
- sobrina Talbot, 1935

Leptotes [Lyc:Lyc:Pol:Pol:Leptotes]

- adamsoni Collins & Larsen, 1991
- andicola (Godman & Salvin), 1891; Lycaena
- babaulti (Stempffer), 1935; Syntarucus
- - ornata (Dufrane), 1954; Syntarucus
- bathyllos Tessmann, 1928
- brevidentatus (Tite), 1958; Syntarucus
- callanga (Dyar), 1913; Lycaena
- casca (Tite), 1958; Syntarucus
- + cassius (Cramer), [1775], 1775-1790; Papilio
- - - - plinius (Butler), [1870], (MID); Lampides
- catilina (Fabricius), 1793, 1792-1799; Hesperia
- - - - catalina Brown & Heineman, 1972, (ISS)
- chadwicki Comstock & Huntington, 1943
- striata (Edwards), 1877; Lycaena
- * - theonus (Lucas), 1857; Lycaena
- - floridensis (Morrison), 1873; Lycaena
- cogina (Schaus), 1902; Lycaena
- hedgesi Schwartz & Johnson, 1992
- idealus Johnson & Mamsik, 1988
- jeanneli (Stempffer), 1935; Syntarucus
- marginalis (Aurivillius), [1924], 1908-1925; Cupido
- marina (Reakirt), 1868; Lycaena
- - - - ab. burdicki Heme, 1935
- - - - Q f. reakirti Field, 1936, (IFS)
- - - - Q ab. violacea Gunder, 1925
- - cassidula (Boisduval), 1870; Lycaena
- - cassioides (Boisduval), 1870; Lycaena
- mayottensis (Tite), 1958; Syntarucus
- numerus (Stoll), [1790], 1780-1790; Papilio
- ochsenheimeri (Godart), [1824], 1819-1824; Polyommatus
- parrhasioides (Wallengren), 1860; Lycaena
- perkinsae Kaye, 1931
- pirithous (Linnaeus), 1767; Papilio
- - - - atavica (Verity), 1943, (IFS); Syntarucus
- - - - ab. bellieri Ragusa, 1882
- - - - infrapallida Verity, 1943, (IFS)
- - - - Q f. nigrita (Stauder), 1925; Tarucus
- - - - posticelatenigra Kudma, 1983, (ISS)
- - - - posticelatenigra (Verity), 1938, 1938-1939, (IFS); Syntarucus
- - - - ab. simplicior (Verity), 1911; Lampides
- - cassioides (Capronnier), 1889, (H); Lycaena
- - f. boeticoides (Stauder), 1925; Tarucus
- - egyptiaca (Bethune-Baker), 1894; Lycaena
- - - - aegyptiacus (Turner), 1920; Syntarucus
- - hoffmannseggii (Zeller), 1850; Polyommatus
- - f. immarginata (Stauder), 1925; Syntarucus
- - philius (Linnaeus), 1767; Papilio
- - f. pygmaea (Stauder), 1925; Tarucus
- - rabefaner (Mabille), 1877; Lycaena
- - - - rabenafer d'Abreira, 1980, (ISS)
- + - - telicanus (Lang), 1789; Papilio
- insulanus Aurivillius, 1909
- tetrica (de Sagarra y Castellamau), 1925; Raywardia
- - semitetrica (de Sagarra y Castellamau), 1926; Raywardia
- plinius (Fabricius), 1793, 1792-1799; Hesperia
- celis (Fruhstorfer), [1923], 1909-1923; Tarucus

Leptotes (*continued*)

- hyrcanus (C. Felder), 1860; Lycaena
- - juvenal (Fruhstorfer), [1923], 1909-1923; Tarucus
- leopardus (Schultze), 1910; Tarucus
- lybas (Godart), [1824], 1819-1824; Polyommatus
- manusi (Rothschild), 1915; Syntarucus
- plutarchus (Fruhstorfer), [1923], 1909-1923; Tarucus
- pseudocassius (Murray), 1873; Lampides
- - - cassioides (Murray), 1873, (H); Lampides
- zingis (Fruhstorfer), [1923], 1909-1923; Tarucus
- pulchra (Murray), 1874; Lycaena
- - - - pulcher (Yerbury), 1892, (ISS); Tarucus
- socotranus (Ogilvie-Grant), 1899; Tarucus
- terrenus (Joicey & Talbot), 1926; Syntarucus
- trigemmatum (Butler), 1881; Lampides
- - endimion (Gigoux), 1927; Lycaena
- borealis Ureta, 1949

Leptotes (Cyclirius) [Lyc:Lyc:Pol:Pol:Leptotes]

- mandersi (H. H. Druce), 1907; Nacaduba
- * webbianus (Brullé), 1840; Polyommatus
- - brunnea (Nordmann & Rebel), 1935; Polyommatus
- - fortunata (Staudinger), 1870; Lycaena

Lestranicus [Lyc:Lyc:Pol:Pol:Lycenopsis]

- * transpectus (Moore), 1879; Polyommatus
- - latimargo (Moore), [1884]; Cyaniris
- yoshidai Eliot & Kawazoé, 1983

Leucantigius [Lyc:Lyc:The:The:Thecla]

- * atayalica (Shirôzu & Murayama), 1943; Thecla

Leucochimona [Lyc:Rio:Rio:Mesosemiini]

- aequatorialis (Seitz), [1924], 1910-1924; Diopthalma
- hyphea (Cramer), [1776], 1775-1790; Papilio
- - - - hyphaea (Cramer), [1776], 1775-1790, (IOS); Papilio
- - - - f. prosocca (Seitz), 1932; Diopthalma
- - hiphia (Hübner), [1819], 1816-1826; Mesosemia
- pallida (Lathy), 1932; Diopthalma
- iphias Stichel, [1909]
- lagora Herrich-Schäffer, [1853], 1850-1869
- - molina (Godman & Salvin), [1885], 1879-1901; Mesosemia
- lepida (Godman & Salvin), [1885], 1879-1901; Mesosemia
- nivalis (Godman & Salvin), [1885], 1879-1901; Mesosemia
- matisca (Hewitson), [1860], 1852-1877; Mesosemia
- * philemon (Cramer), [1775], 1775-1790; Papilio
- - icarus (Fabricius), 1777, (H); Papilio
- - - - ab. nana (Grund), 1908; Lycaena
- - chionea (Godman & Salvin), [1885], 1879-1901; Mesosemia
- matatha (Hewitson), [1873], 1852-1877; Mesosemia
- - - - mathata Stichel, 1930, (ISS)
- - - - matutha (Kirby), 1877, (ISS); Mesosemia
- - nivea (Godman & Salvin), [1885], 1879-1901; Mesosemia
- pollta Stichel, 1910
- subalbata (Seitz), [1917], 1910-1924; Diopthalma
- vanessa (Fabricius), 1793, 1792-1799; Papilio
- - vallonata (Godart), 1819, 1819-1824; Pieris
- vestalis (Bates), 1864, 1864-1865; Mesosemia
- leucogaea (Godman & Salvin), [1885], 1879-1901; Mesosemia

Lipaphnaeus [Lyc:Lyc:The:Aph:Aphnaeus]

- aderna (Plötz), 1880; Zeritis
- - fallax (E. Sharpe), 1890; Zeritis
- - latifimbriata (E. Sharpe), 1890; Zeritis
- - ruficaudis (Strand), 1918; Aphnaeus
- pan (Talbot), 1935; Spindasis
- * - spindasoides (Aurivillius), 1916; Aphnaeus
- eustorgia (Hulstaert), 1924; Axiocerses
- leonina (E. Sharpe), 1890; Zeritis
- - bicolor (E. Sharpe), 1891; Zeritis
- - bitje (H. H. Druce), 1910; Spindasis
- ivoirensis Stempffer, 1966

Lipaphnaeus (*continued*)

- *paradoxa* (Schultze), 1908; Spindasis
- *loxura* (Rebel), 1914; Spindasis

Liphyra [Lyc:Lyc:Lip:Liphyra]

- * *brassolis* Westwood, [1864]
- - - - *f. extensa* Gaede, 1917
- - - - *f. grandis* Gaede, 1917
- *abbreviata* Strand, 1911
- *bougainvilleanus* Samson & Smart, 1980
- *hermelnydai* Schröder & Treadaway, 1988
- - - - *hermelnydai* Anonymous, 1991, (ISS)
- *justini* Schröder & Treadaway, 1988
- *lugens* Niepelt, 1921
- *major* Rothschild, 1898
- *melania* Waterhouse & Lyell, 1914
- *niepelti* Strand, 1922
- *novabritannica* Willner, 1985
- + - *robusta* (Felder & Felder), 1865, 1865-1875; Sterosis
- *salomonis* Samson & Smart, 1980
- *castnia* Strand, 1911
- - - - *ab. partita* Strand, 1912

Liptena [Lyc:Lyc:Lip:Lip:Liptena]

- *albomaculata* Hawker-Smith, 1933
- *alluaudi* Mabille, 1890
- - *albicans* Cator, 1904
- *amabilis* Schultze, 1923
- *augusta* Suffert, 1904
- - - - *angusta* Sharp, [1905], (ISS)
- *bassae* Bethune-Baker, 1926
- - - *subpunctata* Bethune-Baker, 1906, (H)
- *batesana* Bethune-Baker, 1926
- *bergeri* Stempffer, 1974
- *boei* Libert, 1993
- *bolivari* Kheil, 1905
- *catalina* (Grose-Smith & Kirby), 1887, 1887-1902; Pseuderesia
- *confusa* Aurivillius, [1899]
- *congoana* Hawker-Smith, 1933
- + *decipiens* (Grose-Smith & Kirby), 1892, 1887-1902; Teriomima
- *decipiens* (Kirby), Sep 1890; Teriomima
- *etoumbi* Stempffer & Bennett & May, 1974
- *leucostola* (Holland), Dec 1890; Teriomima
- - *cameroona* Bethune-Baker, 1926
- - *citronensis* Bethune-Baker, 1926
- *despecta* (Holland), 1890; Pseuderesia
- - *modestissima* Rebel, 1914
- *durbania* (Bethune-Baker), 1915; Pentila
- - *rectifascia* Hawker-Smith, 1933
- *eketi* Bethune-Baker, 1926
- *eukrinaria* Bethune-Baker, 1926
- *eukrines* H. H. Druce, 1905
- *obsoleta* Dufrane, 1953
- *eukrinoides* Talbot, 1937
- *evanescens* (Kirby), 1887; Pentila
- *xanthis* (Holland), 1890; Teriomima
- *fatima* (Kirby), 1890; Tingra
- *ferruginea* Schultze, 1923
- *ferrymani* (Grose-Smith & Kirby), 1891, 1887-1902; Pentila
- *bigoti* Stempffer, 1964
- *flavicans* (Grose-Smith & Kirby), 1891, 1887-1902; Pentila
- *aequatorialis* Stempffer, 1956
- *katera* Stempffer, 1956
- *oniens* Talbot, 1935
- - - - *oniensis* d'Abrebra, 1980, (ISS)
- *praeusta* Schultze, 1916
- - - - *preusta* (d'Abrebra), 1980, (ISS); Telipna
- *fontainei* Stempffer, 1974
- *fulvicans* Hawker-Smith, 1933
- *gordoni* (H. H. Druce), 1903; Pseuderesia
- - *bakeriana* (Cator), 1904; Pseuderesia
- *griveaudi* Stempffer, 1969

Liptena (*continued*)

- *hapale* Talbot, 1935
- *helena* (H. H. Druce), 1888; Pseuderesia
- - *erycinoides* (Grose-Smith & Kirby), 1890, 1887-1902; Durbania
- *homeyeri* Dewitz, 1884
- *straminea* Stempffer, 1974
- *hulstaerti* Hawker-Smith, 1926
- *ideoides* Dewitz, 1886
- - *girthii* Dewitz, 1886
- *ilaro* Stempffer, 1974
- *infima* Grose-Smith & Kirby, 1890, 1887-1902
- *inframacula* Hawker-Smith, 1933
- *intermedia* Grünberg, 1910
- *lualaba* Berger, 1981
- *modesta* (Kirby), 1890; Teriomima
- - *latruncularia* (Holland), 1890; Pseuderesia
- *mwagensis* Dufrane, 1953
- *nigromarginata* Stempffer, 1961
- - - *jacksoni* Stempffer, 1953, (H)
- *occidentalis* Bethune-Baker, 1926
- *ochrea* Hawker-Smith, 1933
- *olombo* (Holland), 1890; Durbania
- *opaca* (Kirby), 1890; Larinopoda
- *centralis* Stempffer & Bennett & May, 1974
- *gabunica* Stempffer & Bennett & May, 1974
- *immaculata* Grünberg, 1910
- *sankuru* Stempffer & Bennett & May, 1974
- *ugandana* Stempffer & Bennett & May, 1974
- *o-rubrum* (Holland), 1890; Pseuderesia
- - *daemon* H. H. Druce, 1910
- *teroana* Talbot, 1935
- *tripunctata* (Grose-Smith & Kirby), 1894, 1887-1902; Pseuderesia
- *otlauga* Grose-Smith & Kirby, 1890, 1887-1902
- *ouesso* Stempffer, 1974
- *mayombe* Stempffer, 1974
- *overlaeti* Stempffer, 1974
- *pearmani* Stempffer, 1974
- *perobscura* H. H. Druce, 1910
- - *kelle* Stempffer, 1964
- *praestans* (Grose-Smith), 1901, 1887-1902; Pentila
- *congoensis* Schultze, 1923
- *kamitugensis* Dufrane, 1945
- *rochei* Stempffer, 1951
- *rubromaculata* Hawker-Smith, 1933
- *jacksoni* Carpenter, 1934
- *sauberi* Schultze, 1912
- *septistrigata* (Bethune-Baker), 1903; Pentila
- *similis* (Kirby), 1890; Pseuderesia
- *simplicia* Möscher, 1887
- - *albula* (H. H. Druce), 1888; Larinopoda
- - *semiliimbata* (Mabille), 1890; Lycaena
- *submaculata* Lathy, 1903
- *liberiana* Stempffer & Bennett & May, 1974
- *maesseni* Stempffer & Bennett & May, 1974
- *tringa* Stempffer & Bennett & May, 1974
- *subsuffusa* Hawker-Smith, 1933
- *subundularis* (Staudinger), 1892; Pentila
- *subvariegata* Grose-Smith & Kirby, 1890, 1887-1902
- *aliquantum* H. H. Druce, 1910
- *tiassale* Stempffer, 1969
- *titei* Stempffer, 1974
- *tricolora* (Bethune-Baker), 1915; Pentila
- *tullia* (Staudinger), 1892; Pseuderesia
- *tulliana* Grose-Smith, 1901, 1887-1902
- *turbata* (Kirby), 1890; Pseuderesia
- *undina* (Grose-Smith & Kirby), 1894, 1887-1902; Pentila
- * *undularis* Hewitson, [1866], 1852-1877
- *xanthostola* (Holland), 1890; Teriomima
- *coomassiensis* Hawker-Smith, 1933

Liptena (*continued*)

- *xantha* (Grose-Smith), 1901, 1887-1902; *Teriomima yukadumae* Schultzze, 1916

Liptena (?) [Lyc:Lyc:Lip:Lip:Liptena]

- lucanus* (Fabricius), 1793, 1792-1799; *Hesperia*

Liptena (*Tetrarhanis*) [Lyc:Lyc:Lip:Lip:Liptena]

- decempunctata* Schultzze, 1923
- - - *decempunctata* Stempffer, 1967, (ISS)
- diversa* Bethune-Baker, 1904
- *ilala* Riley, 1929
- etoumbi* Stempffer, 1964
- * *ilma* Hewitson, [1873], 1852-1877
- *daltoni* Poulton, 1929
- *lathyi* Joicey & Talbot, 1921
- *ugandae* Stempffer, 1964
- laminifer* (Clench), 1965; *Tetrarhanis*
- - - *laminifer* Stempffer, 1967, (ISS)
- nubifera* H. H. Druce, 1910, *Liptena ogojae* Stempffer, 1961
- onitshae* Stempffer, 1962
- rougeoti* Stempffer, 1954
- schoutedeni* Berger, 1954
- + - - *collitorum* (Birker-Smith), 1960; *Lectiles simplex* Aurivillius, 1895
- *symplocus* (Clench), 1965; *Tetrarhanis souanke* Stempffer, 1962
- stempfferi* Berger, 1954
- *klgezi* Stempffer, 1956

Liptenara [Lyc:Lyc:Lip:Pen:Pentila]

- * *batesi* Bethune-Baker, 1915
- hiendlmayri* (Dewitz), 1886; *Pentila*
- - - *hiendlmayeri* (Aurivillius), [1914], 1908-1925, (ISS); *Pentila*
- schoutedeni* (Hawker-Smith), 1926; *Pentila*

Logania [Lyc:Lyc:Mil:Mil:Miletus]

- distanti* Semper, 1887, 1886-1892
- - *apsines* Fruhstorfer, 1914
- - *turdeta* Fruhstorfer, [1915], 1909-1923
- *drucei* Moulton, [1912]
- *massalia* Doherty, 1891
- - *luca* de Nicéville, 1894
- *staudingeri* H. H. Druce, 1895
- hampsoni* Fruhstorfer, 1914
- - *masana* Fruhstorfer, [1915], 1909-1923
- - *meeki* (Rothschild), 1915; *Malais*
- - - *meeki* (Sharp), [1917], (ISS); *Malais*
- * *malayica* Distant, 1884, 1882-1886
- *subura* Fruhstorfer, 1914
- marmorata* Moore, 1884
- *damis* Fruhstorfer, 1914
- *diehli* Eliot, 1986
- *faustina* Fruhstorfer, 1914
- *hilaeira* Fruhstorfer, 1914
- - *cineraria* Fruhstorfer, [1915], 1909-1923
- - - *obscura* Distant & Pryer, 1887, (H)
- - *nada* Fruhstorfer, 1914
- - *sora* Fruhstorfer, [1915], 1909-1923
- - *stenosa* Fruhstorfer, [1915], 1909-1923
- *javanica* Fruhstorfer, 1914
- *glypha* Fruhstorfer, 1914
- *lahomius* (Kheil), 1884; *Miletus*
- *munchya* Fruhstorfer, 1914
- - - *munchya* Fruhstorfer, [1915], 1909-1923, (ISS)
- *palawana* Fruhstorfer, 1914
- - - *distanti* (Staudinger), 1889, (H); *Allotinus*
- *samosata* Fruhstorfer, 1914
- nehalemia* Fruhstorfer, 1914
- obscurus* (Röber), [1886]; *Allotinus*

Logania (*continued*)

- - *donussa* Fruhstorfer, 1914
- - *martinus* (Fruhstorfer), 1913; *Allotinus paluana* Eliot, 1986
- regina* (H. Druce), 1873; *Miletus*
- - *evora* Fruhstorfer, [1915], 1909-1923
- + - *sriwa* Distant, 1886
- waltraudae* Eliot, 1986
- watsoniana* de Nicéville, 1898
- - - *watsoni* Sharp, [1899], (ISS)
- - *subfasciata* Tytler, 1915

Lontalius [Lyc:Lyc:Mil:Mil:Miletus]

- * *eltus* Eliot, 1986
- *treadawayi* Eliot, 1986

Loranthomitoura [Lyc:Lyc:The:Eum:Eumaeus]

- estela* (Clench), 1981; *Callophrys johnsoni* (Skinner), 1904; *Thecla*
- * *spinetorum* (Hewitson), [1867], 1863-1878; *Thecla*
- - *cuyamaca* (Wright), 1922; *Mitoura*
- - *millierorum* (Clench), 1981; *Callophrys*
- *ninus* (Edwards), [1871]; *Thecla*

Loxura [Lyc:Lyc:The:Lox:Loxura]

- * *atymnus* (Stoll), [1780], 1780-1790; *Papilio*
- - *continentalis* Fruhstorfer, [1912]
- - *mahara* Fruhstorfer, [1912]
- *anglerius* Fruhstorfer, [1912]
- *arcuata* Moore, [1881], 1880-1881
- *deinostratus* Fruhstorfer, [1912]
- - - *emona* Fruhstorfer, [1912]
- *fuconius* Fruhstorfer, [1912]
- *intermedius* Toxopeus, 1929
- *kangeanus* Kalis, 1933
- *leminius* Fruhstorfer, [1912]
- *luzonica* Swinhoe, 1917
- *manilius* Fruhstorfer, [1912]
- *matienus* Fruhstorfer, [1912]
- *nicobarica* Evans, 1932
- *prabha* (Moore), 1877; *Myrina*
- - - *praeaha* d'Abbrera, 1986, (ISS)
- *sulawesiensis* Takanami, 1986
- *surya* Moore, [1858]
- *xystus* Seitz, [1926], 1912-1927
- *yilma* Seitz, [1926], 1912-1927
- cassiopeia* Distant, 1884
- *amatica* Fruhstorfer, [1912]
- *batunensis* Fruhstorfer, 1913
- *fuscicaudata* Fruhstorfer, [1912]
- *numana* Fruhstorfer, [1912]
- *owadai* Hayashi, 1976
- *ptesia* Riley, [1945]
- *takioi* Hayashi, 1976

Lucia [Lyc:Lyc:The:Luc:Lucia]

- * *limbaria* (Swainson), [1833], 1829-1833; *Polyommatus*
- - - *discoidea* Waterhouse, 1937, (PS)
- - *discifer* (Herrich-Schäffer), 1869; *Chrysophanus*

Lucillella [Lyc:Rio:Rio:Symmachiini]

- asterra* (Grose-Smith), 1898; *Lucilla*
- *pomposa* Stichel, 1910
- *suberra* (Hewitson), 1877, 1869-1877; *Lucilla*
- * *camissa* (Hewitson), 1870, 1869-1877; *Lucilla*

Lycaena [Lyc:Lyc:Lyc:Lycaena]

- + *boldenarum* White, 1862
- - - *boldenarum* (Smart), 1975, (ISS); *Antipodolycaena*
- - *tama* (Fereday), [1878]; *Chrysophanus*
- *caerulea* (Salmon), 1946; *Chrysophanus*
- *ianthina* (Salmon), 1946; *Chrysophanus*
- doibosatsuzuana* Kanda & Kato, 1931

Lycaena (continued)

- hamo Lucas, 1857
- karafutonis Matsumura, 1919
- nigrescens Dubois, 1868
- nisa Wallace & Moore, 1866
- orus (Stoll), [1780], 1780-1790; Papilio
- - - arcas (Fabricius), 1787, (H); Papilio
- - clarki Dickson, 1971
- serpentatoides Strand, 1924
- vanessoides Pritwitz, 1865

Lycaena (?) [Lyc:Lyc:Lyc:Lycaena]

- baschkiria Krulikovskii, 1897

Lycaena (??) [Lyc:Lyc:Lyc:Lycaena]

- astiocha Pritwitz, 1865
- bathinia Snellen, 1899
- maritima Weeks, 1902
- pallida Miskin, 1891
- samia Walker, 1870

Lycaena (Alciphronia) [Lyc:Lyc:Lyc:Lycaena]

- aeolus Wyatt, 1961
- * alciphron (Rottemburg), 1775; Papilio
- - - ab. basinovopuncta Courvoisier, 1912
- - - ab. bicentrojuncta Courvoisier, 1912
- - - ab. caeca (Courvoisier), 1907; Chrysophanus
- - - ab. caerulescens Rebel, 1909
- - - ab. calabrus Verity, 1914, (RA)
- - - ab. centrojuncta Courvoisier, 1912
- - - ab. citragordius (Verity), 1943, (RA); Heodes
- - - ab. citrina (Züllich), 1929; Chrysophanus
- - - ab. confluens (Schultz), 1905; Chrysophanus
- - - ab. confluens transversa Courvoisier, 1911, 1910-1911
- - - ab. confluentiamultiplex Courvoisier, 1911, 1910-1911
- - - ab. discoelongata (Courvoisier), 1912, (IFS); Chrysophanus
- - - ab. elongata Courvoisier, 1911, 1910-1911
- - - f. emarginata (Wamecke), 1942; Chrysophanus
- - - ab. evanescens (Gillmer), 1904; Chrysophanus
- - - ab. extincta Gillmer, 1904
- - - ab. fulvescens Tutt, 1909
- - - ab. gerhardii (Hirschke), 1910; Chrysophanus
- - - Q ab. infulvata (Schultz), 1905; Chrysophanus
- - - ab. intermedia Stefanelli, 1875
- - - ab. italica Turati, 1919
- - - ab. midas Lowe, 1903
- - - ab. minutepunctata (Verity), 1948, 1947-1957, (RA); Heodes
- - - ab. mirabilis (Verity), 1919, 1919-1922, (RA); Loweia
- - - ab. multiconfluens (Courvoisier), 1907; Chrysophanus
- - - ab. obscura Courvoisier, 1911, 1910-1911
- - - ab. pallida Fritsch, 1912
- - - ab. parallela (Verity), 1943, (IFS); Heodes
- - - ab. paucipuncta (Courvoisier), 1911, 1910-1911; Chrysophanus
- - - ab. paucipuncta (Courvoisier), 1912; Chrysophanus
- - - ab. privatissima (Courvoisier), 1903; Chrysophanus
- - - ab. radiata (Courvoisier), 1911, 1910-1911; Chrysophanus
- - - ab. sinistraradiata Saussure, 1914
- - - ab. subtusfereradiata Oberthür, 1896
- - - ab. subtusminuspunctata Oberthür, 1896
- - - ab. transversa Courvoisier, 1911, 1910-1911
- - - uffelni (Vorbrodts), 1930; Chrysophanus
- - - ♂ ab. viduata (Schultz), 1905; Chrysophanus
- - - ab. violacea Ksienschopolski, 1911
- - cumanicus Szabó, 1956
- - f. denisei (Vigneau), 1949; Heodes
- - heracleana (Blachier), 1908; Chrysophanus
- - herrichii (Oberthür), 1910; Polyommatus
- - hiere (Fabricius), 1787; Papilio
- - hipponoe (Esper), [1782], 1776-1830; Papilio
- - lampetie ([Denis & Schiffermüller]), 1775; Papilio
- - mediterranea Turati, 1911

Lycaena (Alciphronia) (continued)

- - meliboeus (Staudinger), 1878, 1878-1879; Polyommatus
- - naryna (Oberthür), 1910; Polyommatus
- - aetnea Turati, 1911
- bellieri (Oberthür), 1910; Lycaeides
- - - - bellieroides (Verity), 1927, (IFS); Plebeius
- boyarensis (Verdugo Paez), 1984; Heodes
- burgundiae Bellenger & Descimon, 1977
- chairemon (Fruhstorfer), 1917; Chrysophanus
- deinareton (Fruhstorfer), 1917; Chrysophanus
- diniensis (Oberthür), 1910; Polyommatus
- epidelion (Fruhstorfer), 1917; Chrysophanus
- fruginus (Fruhstorfer), 1917; Chrysophanus
- gaudeolus (Fruhstorfer), 1909; Chrysophanus
- gordius (Sulzer), 1776; Papilio
- - - - ab. albescens Oberthür, 1910
- - - - caeruleocuneata Courvoisier, 1921
- - - - calabrus (Verity), 1914, (IFS); Chrysophanus
- - - - ab. centripuncta Wehrli, 1920
- - - - constricta (Schultz), 1905; Chrysophanus
- - - - ab. diniensis (Oberthür), 1906; Polyommatus
- - - - ab. flavescens Tutt, 1909
- - - - ab. magnifica (Pionneau), 1936; Chrysophanus
- - - - ab. mutilata (Schultz), 1905; Chrysophanus
- - - - ab. subfasciata (Schultz), 1905; Chrysophanus
- - - - ab. subintermedia (Pionneau), 1937; Chrysophanus
- - - - ab. violacea (Pionneau), 1926; Chrysophanus
- - columbanus (Prunner), 1798; Papilio
- - - - radiata (Turati & Verity), [1911], (IFS); Chrysophanus
- - occidentalis (Lalanne), 1947; Heodes
- - phloeoides (Lalanne), 1947; Heodes
- - granadensis (Ribbe), 1905; Chrysophanus
- - insignis (de Sagarra y Castellarnau), 1924; Loweia
- - isokrates (Fruhstorfer), 1909; Chrysophanus
- - madytus (Fruhstorfer), 1917; Chrysophanus
- - morvandica Bellenger & Descimon, 1977
- - ochsenfeldinus (Betti), 1977; Heodes
- - paupercula (de Sagarra y Castellarnau), 1924; Loweia
- - - - ab. nevadensis (Oberthür), 1910; Polyommatus
- - - - ab. rondoui (Oberthür), 1910; Polyommatus
- - rhaetica (Beuret), 1952; Heodes
- - romanorum (Fruhstorfer), 1909; Chrysophanus
- - ruelii Turati, 1911
- - ultragordius Beuret, 1953
- - - - ultragordius (Verity), 1926, 1926-1933, (RA); Loweia
- - veronius (Fruhstorfer), 1917; Chrysophanus
- cupreus (Edwards), 1870; Chrysophanus
- - - - ab. maculinia (Gunder), 1926; Heodes
- - artemisia Scott, 1981
- - henryae (Cadbury), 1938; Chrysophanus
- - snowi (Edwards), 1881; Chrysophanus
- - - - macdunnoughi dos Passos, 1964, (UE)
- - - - macdunnoughi McDunnough, 1938, (ISS)
- - - - ab. mcdunnoughi Gunder, 1927

Lycaena (Heodes) [Lyc:Lyc:Lyc:Lycaena]

- ottomanus (Lefebvre), 1831; Polyommatus
- - legeri Freyer, 1839, 1831-1858
- tityrus (Poda von Neuhaus), 1761; Papilio
- - - - f. aestivalis Ksienschopolski, 1911
- - - - albicans Fuchs, 1889
- - - - argentea (Gussich), 1917; Chrysophanus
- - - - ab. aricia (Cabeau), 1920, 1919-1922; Chrysophanus
- - - - ab. basijuncta Courvoisier, 1912
- - - - ab. basipuncta Courvoisier, 1912
- - - - f. caeca (Courvoisier), 1907; Chrysophanus
- - - - catherinei (Verity), 1948, 1947-1957, (RA); Heodes
- - - - f. consonans Jachontov, 1906
- - - - crassipuncta Derenne, 1931
- - - - ab. cuneifera Oberthür, 1910
- - - - ab. cuneifera (Popesco-Gorj), 1948; Chrysophanus

Lycaena (Heodes) (continued)

- *discojuncta* Beuret, 1927
- *ab. elongata* Courvoisier, 1903
- *extrema* (Courvoisier), 1912; Chrysophanus
- *ab. flavescens* (Lempke), 1937; Heodes
- *ab. flavimarginata* Schulze, 1915
- *ab. fulva* Lambillon, 1903
- ♂ *ab. fulvomarginalis* (Schultz), 1905; Chrysophanus
- *fulvosignata* (Beuret), 1953, (IFS); Chrysophanus
- *ab. fusca* Gillmer, 1908
- *ab. intermedia* (Lempke), 1936; Heodes
- *italaveris* (Verity), 1924, (IFS); Loweia
- *mixtalpina* (Verity), 1948, 1947-1957, (RA); Heodes
- *nana* Wheeler, 1903
- *oceanus* (Verity), 1948, 1947-1957, (RA); Heodes
- *pallidepicta* (Verity), 1934, 1934-1936, (RA);
Palaeoloweia
- *ab. parallela* Courvoisier, 1907
- *ab. paucipuncta* (Courvoisier), 1907; Chrysophanus
- *paularadiata* Fernandez Vidal, 1984
- *pluripuncta* (Courvoisier), 1912; Chrysophanus
- *postlocarnensis* Beuret, 1953
- *postoceanus* (Verity), 1948, 1947-1957, (IFS); Heodes
- *praeblysei* (Verity), 1934, 1934-1936, (IFS);
Palaeoloweia
- *ab. radiata* (Courvoisier), 1907; Chrysophanus
- *ab. radiata* Oberthür, 1910
- *ab. radiata* Spuler, 1907, 1901-1908
- *ab. straminea* (Blachier), 1910; Chrysophanus
- *strandii* (Schultz), 1903; Chrysophanus
- *ab. striata* (Gillmer), 1904; Chrysophanus
- *ab. striata* Ksienschopolski, 1911
- *ab. subradiata* Oberthür, 1910
- *ab. upoleuca* (Verity), 1904; Chrysophanus
- *dorilas* (Rottemburg), 1775, (H); Papilio
- *f. vernalis* Oberthür, 1896, (H)
- *vernalis* Rebel, 1909, (H)
- *xanthe* ([Denis & Schiffmüller]), 1775, (JOS); Papilio
- *xanthe* (Fabricius), 1787, (H); Papilio
- *xante* (de Selys-Longchamps), 1857, (ISS); Polyommatus
- *acriion* (Pontoppidan), 1763, 1763-1767; Papilio
- *f. aestivalis* Oberthür, 1896
- *brantsi* (Ter Haar), 1901; Polyommatus
- *canidia* Gerhard, 1853, 1850-1853
- *circe* ([Denis & Schiffmüller]), 1775; Papilio
- + ---- *dorilis* (Hüfnagel), 1766; Papilio
- *italorum* (Verity), 1919, 1919-1922, (RA); Loweia
- *ab. semiobscurior* (Pionneau), 1931; Chrysophanus
- *ab. splendens* (Wize), 1936; Chrysophanus
- *ab. vilmae* (Kornárek), 1948; Chrysophanus
- *rubi* (Fourcroy), 1785; Papilio
- *fulvior* Stefanelli, 1900
- *garbas* (Fabricius), 1787; Papilio
- *hypoxanthe* (Kirby), 1862; Chrysophanus
- *intermedia* (Pionneau), 1931; Chrysophanus
- *locarnensis* (Tut), 1903; Chrysophanus
- *monterflensis* Oberthür, 1910
- *obscurior* (de Selys-Longchamps), 1857; Polyommatus
- *phocas* (Rottemburg), 1775; Papilio
- *purpureopunctata* Wheeler, 1903
- *uyeni* (Ter Haar), 1901; Polyommatus
- *nyeni* (Seitz), [1909], 1907-1921, (ISS); Chrysophanus
- *argentifex* Bálint, 1990
- *bleusei* Oberthür, 1884
- *ab. aestivalis* Oberthür, 1910
- *ab. vernalis* Oberthür, 1910
- *brunnea* Wheeler, 1903
- *opisthochros* (Verity), 1939, (RA); Palaeoloweia
- *orientalis* Staudinger, 1881
- *reverdini* (Stauder), 1921; Chrysophanus
- *subalpinus* Speyer, 1851

Lycaena (Heodes) (continued)

- * *virgaureae* (Linnaeus), 1758; Papilio
- *ab. alba* (Schoenfeld), 1924; Chrysophanus
- *albopunctata* Huene, 1901, (IFS)
- *ab. angustimargo* (Courvoisier), 1903; Chrysophanus
- *ab. apicepunctata* Huene, 1901
- *ab. bergeri* Schindler, 1922
- *ab. caeruleopunctata* Gillmer, 1905
- *ab. caeruleopunctata* Oberthür, 1910
- *caeruleopunctata* (Schultz), 1905, (IFS); Chrysophanus
- *ab. chryson* Oberthür, 1905
- *costipuncta* (Beuret), 1953, (IFS); Heodes
- *ab. cuneifera* Oberthür, 1910
- *discoelongata* (Courvoisier), 1912, (IFS); Chrysophanus
- *elongata* (Courvoisier), 1911, 1910-1911, (IFS);
Chrysophanus
- *f. emilianus* (Turati), 1923; Chrysophanus
- *gravesi* (Verity), 1929, (RA); Heodes
- *gravesica* (Verity), 1929, (RA); Heodes
- ♂ *ab. guttata* (Schultz), 1904; Chrysophanus
- *inalpinus* (Verity), 1913, (RA); Chrysophanus
- *ab. lateradiata* (Schultz), 1905; Chrysophanus
- *ab. lunulata* (Courvoisier), 1903; Chrysophanus
- *mediomontana* (Verity), 1929, (RA); Heodes
- *milena* (Schultz), 1905, (IFS); Chrysophanus
- *f. multipunctata* (Wamecke), 1942; Chrysophanus
- *onka* (Fruhstorfer), 1908, (IFS); Chrysophanus
- *ab. pallida* Rebel, 1909
- *parallela* Courvoisier, 1907, (IFS)
- *ab. paucipuncta* (Courvoisier), 1911, 1910-1911;
Chrysophanus
- *ab. pluripuncta* (Courvoisier), 1911, 1910-1911;
Chrysophanus
- *pseudomiei* (Beuret), 1953, (IFS); Heodes
- *ab. punctifera* Courvoisier, 1911, 1910-1911
- *pyrenemontana* (Verity), 1929, (RA); Heodes
- *quadrilunulata* (Beuret), 1953, (IFS); Heodes
- *f. quercii* (Turati), 1923; Chrysophanus
- *ab. sincera* (Schultz), 1905; Chrysophanus
- *subtusdiscoelongata* (Beuret), 1953, (IFS); Heodes
- *ab. subtusrufomarginata* Graves & Hemming, 1928
- *suprabasielongata* (Beuret), 1953, (IFS); Heodes
- *supracentroelongata* (Beuret), 1953, (IFS); Heodes
- *supradiscoelongata* Derenne, 1937, (IFS)
- *f. tripuncta* Closs, 1920
- *ultraseriata* (Beuret), 1953, (IFS); Heodes
- *voelschowi* Gillmer, 1903, (IFS)
- *apennina* Calberla, 1887
- *armeniaca* (A. Bang-Haas), 1906; Chrysophanus
- *aureomicans* (Heyne), 1897; Polyommatus
- *estonica* Huene, 1883
- *fredegunda* (Fruhstorfer), 1908; Chrysophanus
- *galsintha* (Fruhstorfer), 1908; Chrysophanus
- *midare* (Sugitani), 1936, 1933-1938; Lycaenopsis
- *oranula* Freyer, 1845, 1831-1858
- *seriata* (Fruhstorfer), 1908; Chrysophanus
- *f. virginialis* Oberthür, 1905
- *zermattensis* (Fallou), 1865; Polyommatus
- *alexandrae* (Fruhstorfer), 1909; Chrysophanus
- *athanagild* (Fruhstorfer), 1908; Chrysophanus
- *balcanicola* Graves & Hemming, 1928
- *pyronitens* Szabó, 1956
- *caucasica* (Jachontov), [1909]; Chrysophanus
- *chrysorhoas* (Fruhstorfer), 1917; Chrysophanus
- *cissites* (Fruhstorfer), 1917; Chrysophanus
- *delicata* (Higgins), 1930; Chrysophanus
- *juvara* (Fruhstorfer), 1908; Chrysophanus
- *lena* (Kurentzov), 1970; Chrysophanus
- *mediomontana* Beuret, 1953
- *miei* Vogel, 1857
- *mongolica* (Kurentzov), 1970, (H); Chrysophanus

Lycaena (Heodes) (continued)

- *montana* Meyer-Dür, 1851
- *ab. suldensis* Tutt, 1909
- *osthelderi* (Fruhstorfer), 1909; Chrysophanus
- *pelusiota* (Fruhstorfer), 1910; Chrysophanus
- *pyrenaecicola* Graves & Hemming, 1928
- *rhenana* (Heydemann), [1942]; Chrysophanus
- *theages* (Fruhstorfer), 1917; Chrysophanus
- *vera* Graves & Hemming, 1928
- *virgaureola* (Staudinger), 1892; Polyommatus

Lycaena (Lycaena) [Lyc:Lyc:Lyc:Lycaena]

- daimio** Seitz, [1908], 1907-1921
- *ab. distalba* (Kuwayama), 1926; Chrysophanus
- *ab. uyei* (Esaki & Nakahara), 1930; Heodes
- kiyokoae** Sakai, 1978
- * **phlaeas** (Linnaeus), 1761; Papilio
- *addenda* (Williams), 1911; Rumicia
- *aestiva* (Turati & Krüger), 1936; Rumicia
- *aestivaecaudata* Verity, 1943, (IFS)
- *aestivusecaudata* Verity, 1943, (IFS)
- *ab. alba* (Tutt), 1906, 1905-1914; Rumicia
- *ab. albicaudata* (Tutt), 1906, 1905-1914; Rumicia
- *ab. albicans* (Fuchs), 1884; Polyommatus
- *americana* d'Urban, 1860, (NN)
- *ab. anteroalba* (Tutt), 1906, 1905-1914; Rumicia
- *anticoradiata* Derenne, 1931
- *ab. auronitens* (Schultz), 1905; Chrysophanus
- *ab. basijuncta* Courvoisier, 1912
- *basilijuncta* Beuret, 1953
- *ab. basilipuncta* (Tutt), 1906, 1905-1914; Rumicia
- *ab. berviniensis* (Smith), 1932; Heodes
- *ab. bipunctata* (Tutt), 1906, 1905-1914; Rumicia
- *caeca* (Courvoisier), 1921; Chrysophanus
- *ab. centriconjuncta* (Tutt), 1906, 1905-1914; Rumicia
- *ab. coeruleopuncta* Strand, 1902
- *ab. confluens transversa* Courvoisier, 1912
- *conjuncta* (Tutt), 1906, 1905-1914; Rumicia
- *ab. couteaui* (Pionneau), 1938; Chrysophanus
- *ab. cuneifera* (Schultz), 1905; Chrysophanus
- *ab. cupreopunctata* (Tutt), 1906, 1905-1914; Rumicia
- *cuprinus* Peyer-Imhof, 1863
- *ab. dextroalba* (Tutt), 1906, 1905-1914; Rumicia
- *discoelongata* (Courvoisier), 1911, 1910-1911; Chrysophanus
- *ab. discojuncta* (Tutt), 1906, 1905-1914; Rumicia
- *f. eleoides* Spuler, 1907, 1901-1908
- *eleuscaeruleopunctata* (Tutt), 1906, 1905-1914; Rumicia
- *ab. elongata* (Courvoisier), 1903; Chrysophanus
- *ab. extensaconjuncta* (Tutt), 1906, 1905-1914; Rumicia
- *extincta* Fuchs, 1899
- *ab. fasciatacaeruleopunctata* (Tutt), 1906, 1905-1914; Rumicia
- *ab. fuscata* (Tutt), 1906, 1905-1914; Rumicia
- *ab. fuscatacaudata* (Tutt), 1906, 1905-1914; Rumicia
- *ab. huebneri* (Tutt), 1906, 1905-1914; Rumicia
- *ignita* (Tutt), 1906, 1905-1914; Rumicia
- *igniticaudata* (Tutt), 1906, 1905-1914; Rumicia
- *ab. impunctata* (Tutt), 1906, 1905-1914; Rumicia
- *ab. infraextensa* (Tutt), 1906, 1905-1914; Rumicia
- *infrapallida* Verity, 1943, (IFS)
- *ab. infraradiata* (Tutt), 1906, 1905-1914; Rumicia
- *ab. infuscata* Tutt, 1906, 1905-1914
- *ab. initia* (Tutt), 1906, 1905-1914; Rumicia
- *ab. initia caudata* (Tutt), 1906, 1905-1914; Rumicia
- *ab. intermedia* Tutt, 1896
- *ab. intermediicaudata* (Tutt), 1906, 1905-1914; Rumicia
- *ab. juncta* (Tutt), 1906, 1905-1914; Rumicia
- *ab. juncticaudata* (Tutt), 1906, 1905-1914; Rumicia
- *ab. kochi* Strand, 1902
- *latomarginata* (Tutt), 1906, 1905-1914; Rumicia

Lycaena (Lycaena) (continued)

- *magnipuncta* (Tutt), 1906, 1905-1914; Rumicia
- *ab. major* (Schnaider), 1950; Chrysophanus
- *major* (Tutt), 1906, 1905-1914; Rumicia
- *ab. minor* (Derenne), 1926; Chrysophanus
- *minor* (Tutt), 1906, 1905-1914; Rumicia
- *ab. miia* (Tutt), 1906, 1905-1914; Rumicia
- *ab. narvena* Courvoisier, 1911, 1910-1911
- *nigriroleus* (Verity), 1920, 1919-1922, (NN); Rumicia
- *ab. nigroapicata* (Tutt), 1906, 1905-1914; Rumicia
- *ab. oberthuri* (Blachier), 1908; Chrysophanus
- *ab. obscurata* (Courvoisier), 1911, 1910-1911; Chrysophanus
- *obsoleta* Tutt, 1896
- *ab. obsoleta* (Tutt), 1906, 1905-1914; Rumicia
- *obsoletacaeruleopunctata* (Tutt), 1906, 1905-1914; Rumicia
- *ab. parallela* Courvoisier, 1907
- *ab. parvipuncta* Strand, 1902
- *ab. paucimaculata* Vorbrodt, 1917
- *phlaeas* Morris, 1860, (ISS)
- *posteroalba* (Tutt), 1906, 1905-1914; Rumicia
- *punctisnigris remotis* Oberthür, 1896
- *ab. purpureotincta* (Tutt), 1906, 1905-1914; Rumicia
- *pusilla* Ksienichopolski, 1911
- *ab. radiata* Spuler, 1907, 1901-1908
- *radiata* Tutt, 1896
- *ab. remota* (Tutt), 1906, 1905-1914; Rumicia
- *f. rubrohausta* Stauder, 1923, 1920-1923
- *ab. schmidti* (Tutt), 1906, 1905-1914; Rumicia
- *ab. schmidtiicaudata* (Tutt), 1906, 1905-1914; Rumicia
- *ab. semialba* (Strand), 1912; Chrysophanus
- *ab. spoliata* (Schultz), 1903; Chrysophanus
- *ab. subradiata* (Tutt), 1906, 1905-1914; Rumicia
- *subtuscaeca* Courvoisier, 1921
- *ab. suprampunctata* (Tutt), 1906, 1905-1914; Rumicia
- *ab. supraminusimpunctata* Oberthür, 1896
- *ab. supraradiata* Oberthür, 1896
- *ab. typicacaudata* (Tutt), 1906, 1905-1914; Rumicia
- *ab. unipunctata* (Tutt), 1906, 1905-1914; Rumicia
- *varieus* (Verity), 1920, 1919-1922, (NN); Rumicia
- *varieus* Verity, 1943, (IFS)
- *ab. webbi* (Tutt), 1906, 1905-1914; Rumicia
- *vernalis* Oberthür, 1910, (H)
- **acrion** (Martini), 1777, 1774-1793; Papilio
- *aestiva* Zeller, 1847
- **caeruleopunctata** Krulikovskii, 1893
- *coeruleabasalis* (Andres), [1931]; Chrysophanus
- **comedarum** Grun-Grshimailo, 1890
- **cyrenaica** (Turati), 1921; Rumicia
- **f. infrarufolineata** Lempke, 1954
- **var. melanophlaeas** Villiers & Guéneé, 1835
- **oxiana** Grun-Grshimailo, 1890
- **f. rectaserie** Lempke, 1954
- **schmidti** (Gerhard), 1853, 1850-1853; Polyommatus
- **stygianus** (Butler), 1880; Chrysophanus
- **suffusa** Tutt, 1896
- **transiens** Fuchs, 1899
- **turanica** Heyne, 1893, 1893-1895
- **turcius** (Gerhard), 1853, 1850-1853; Polyommatus
- **vernus** Zeller, 1847
- **abbottii** (Holland), 1892; Chrysophanus
- *abottii* Stempffer, 1967, (ISS)
- **americana** Harris, 1862
- *ab. bacchus* Scudder, 1889, 1888-1889, (PS)
- *ab. banksi* (Watson & Comstock), 1920; Heodes
- *ab. bulvus* Anonymous, 1929, (ISS)
- *ab. fasciata* (Strecker), 1878; Chrysophanus
- *ab. fulliolus* (Hulst), 1886; Chrysophanus
- *ab. fulvus* (Rummel), 1929; Heodes
- *ab. neu* (Rummel), 1929; Heodes

Lycaena (Lycaena) (*continued*)

- - - - *ab. obliterata* (Scudder), 1889, 1888-1889; Heodes
- - - - *obsoleta* Barnes & McDunnough, 1917, (ISS)
- - - - *ab. octomaculata* (Dean), 1918; Chrysophanus
- - *adrienne* (Maynard), 1891; Chrysophanus
- - *caeca* (Reiff), 1913; Heodes
- *arctodon* Ferris, 1974
- *arethusa* (Walley-Dod), 1907; Chrysophanus
- *baralacha* (Moore), 1884; Chrysophanus
- - - - *indicus* Evans, 1927, (NN)
- *chinensis* (C. Felder), 1862; Chrysophanus
- *coccineus* (Ford), 1924; Heodes
- *feilden* (McLachlan), 1878; Chrysophanus
- - - - *feilden* Dyar, [1903], (ISS)
- *flavens* (Ford), 1924; Heodes
- *hibernica* Goodson, 1948
- *hypophlaeas* (Boisduval), 1852; Polyommatus
- *japonica* (Ford), 1924; Heodes
- *kurliiphlaeas* (Bryk), 1942; Heodes
- *lusitanicus* (Bryk), 1940; Heodes
- - - - *ab. caeruleopunctata* (Tutt), 1906, 1905-1914; Rumicia
- - *eleus* (Fabricius), 1798, 1792-1799, (H); Hesperia
- - *aestivus* Zeller, 1847
- - *caeruleopunctata* Rühl, 1893, 1892-1893
- *matsumuranus* (Bryk), 1946; Heodes
- *phlaeoides* (Staudinger), 1901; Chrysophanus
- *polaris* Courvoisier, 1911, 1910-1911
- - *hyperborea* (Ford), 1924; Heodes
- *pseudophlaeas* Lucas, [1866]
- - *ethiopica* (Poulton), 1922; Heodes
- - *menelicki* (Thierry-Mieg), 1911; Chrysophanus
- *shima* Gabriel, 1954
- *sibiricanus* Kozhanchikov, 1936
- *tímeus* (Cramer), [1777], 1775-1790; Papilio
- *svenhedini* (Nordström), 1935; Chrysophanus

Lycaena (Thersamolycaena) [Lyc:Lyc:Lyc:Lycaena]

- * *dispar* ([Haworth]), 1802; Papilio
- - - - *ab. albina* Leonhardt, 1904
- - - - *autumnalis* Krähe, 1912
- - - - *ab. basielongata* Courvoisier, 1921
- - - - *ab. basijuncta* Courvoisier, 1912
- - - - *ab. basinovopuncta* Courvoisier, 1912
- - - - *bilineata* (Tutt), 1906, 1905-1914; Chrysophanus
- - - - *brunescens* (Tutt), 1906, 1905-1914; Chrysophanus
- - - - *centripuncta* Grund, 1916
- - - - *cuneata* (Tutt), 1906, 1905-1914; Chrysophanus
- - - - *cuneigera* (Tutt), 1906, 1905-1914; Chrysophanus
- - - - *decolorata* (Beuret), 1953; Thersamonia
- - - - *depuncta* (Beuret), 1953; Thersamonia
- - - - *discoelongata* Derenne, 1936
- - - - *excessa* (Tutt), 1906, 1905-1914; Chrysophanus
- - - - *ab. lucarians* (Courvoisier), 1910, (NN); Chrysophanus
- - - - *minor* (Tutt), 1906, 1905-1914; Chrysophanus
- - - - *multipuncta* Rebel, 1909
- - - - *neurata* (Tutt), 1906, 1905-1914; Chrysophanus
- - - - *nigrescens* (Tutt), 1906, 1905-1914; Chrysophanus
- - - - *ab. nigrolineata* (Verity), 1904; Chrysophanus
- - - - *ab. obscurior* (Hoffmann & Klos), 1914; Chrysophanus
- - - - *obsoleta* (Tutt), 1906, 1905-1914; Chrysophanus
- - - - *parva* (Tutt), 1906, 1905-1914; Chrysophanus
- - - - *ab. paucipuncta* (Courvoisier), 1912; Chrysophanus
- - - - *pluripuncta* (Courvoisier), 1912; Chrysophanus
- - - - *primus* (Le Moulton), 1942, (IFS); Heodes
- - - - *punctijuncta* (Tutt), 1906, 1905-1914; Chrysophanus
- - - - *purpurascens* (Tutt), 1906, 1905-1914; Chrysophanus
- - - - *ab. quadripunctata* (Pionneau), 1925; Chrysophanus
- - - - *radiata* (Courvoisier), 1907; Chrysophanus
- - - - *radiata* Oberthür, 1896
- - - - *sagittifera* Hormuzaki, 1893
- - - - *seminigra* Grund, 1916

Lycaena (Thersamolycaena) (*continued*)

- - - - *subaratus* (Le Moulton), 1942, (IFS); Heodes
- - - - *subcuprea* (Tutt), 1906, 1905-1914; Chrysophanus
- - - - *subobsoleta* (Tutt), 1906, 1905-1914; Chrysophanus
- - - - *supracrassipuncta* Derenne, 1937
- - - - *supressa* (Tutt), 1906, 1905-1914; Chrysophanus
- - - - *transversa* (Tutt), 1906, 1905-1914; Chrysophanus
- - - - *unilineata* (Tutt), 1906, 1905-1914; Chrysophanus
- - - *hippotoe* (Esper), [1778], 1776-1830, (H); Papilio
- - *f. antinigrescens* (Lempke), 1954; Thersamonia
- - *borodowskyl* (Grum-Grshimailo), 1900; Polyommatus
- - *burdigalensis* Lucas, 1913
- - *f. centroelongata* (Lempke), 1954; Thersamonia
- - *dahurica* (Graeser), 1888, 1888-1893; Polyommatus
- - *f. ignita* (Lempke), 1954; Thersamonia
- - *f. infraparvipuncta* (Lempke), 1954; Thersamonia
- - *f. latefasciata* (Lempke), 1954; Thersamonia
- - *f. ornata* (Lempke), 1954; Thersamonia
- - *f. postdisconulla* (Lempke), 1954; Thersamonia
- - *f. postinigricosta* (Lempke), 1954; Thersamonia
- - *f. supradiscoelongata* (Lempke), 1954; Thersamonia
- *auratus* (Leech), 1887; Polyommatus
- *batavus* (Oberthür), 1923; Chrysophanus
- - - - ♀ *ab. posticeoatrata* (Mezger), 1931; Chrysophanus
- *carueli* Le Moulton, 1945
- - - - *f. postcarueli* Le Moulton, 1945
- - *gronieri* Bernardi, 1963
- *festivus* Krulikovskii, 1909
- - - - *ab. gabori* (Diószeghy), 1913; Chrysophanus
- - - - *ab. heyni* (Strand), 1913; Chrysophanus
- - - - *ab. minor* (Diószeghy), 1913; Chrysophanus
- *parvus* (Kurentzov), 1970; Chrysophanus
- *ramaini* (Le Moulton), 1942; Heodes
- *rutilus* (Werneburg), 1864; Papilio
- - - - *ab. albidoflava* (Bayer), 1924; Chrysophanus
- - - - *ab. aurata* Hirschke, 1910
- - - - *ab. bimaculatus* (Diószeghy), 1913; Chrysophanus
- - - - *ab. brunnea* (Mezger), 1934; Heodes
- - - - *exincta* (Hensel), 1920, (IFS); Chrysophanus
- - - - *ab. fulgurata* (Mezger), 1931; Chrysophanus
- - - - *ab. hyalina* (Mezger), 1931; Chrysophanus
- - - - *ab. peongsanus* Seok, 1934, (IFS)
- - - - *ab. pseudoradiata* Seok, 1934
- - - - *ab. punctata* (Mezger), 1934; Heodes
- - - - ♀ *f. semibrunnea* (Müller), 1920; Chrysophanus
- - *hungarica* Szabó, 1956, (H)
- - *vernalis* (Hormuzaki), 1893; Polyommatus
- *verityi* Le Moulton, 1945
- kasyapa* (Moore), 1865; Chrysophanus
- - *zariaspa* (Moore), 1874; Chrysophanus
- - *zoriapa* Moore, 1874
- panava* (Westwood), [1852], 1846-1852; Thecla
- - *pavana* (Kollar), [1844], (H); Polyommatus
- splendens* (Staudinger), 1881; Polyommatus
- - - - *f. paucipuncta* (Courvoisier), 1912; Chrysophanus
- - - - *ab. pseudobajuvaricus* Kozhanchikov, 1936
- *violaceus* (Staudinger), 1892; Polyommatus
- standfussi* (Grum-Grshimailo), 1891; Polyommatus
- - *subbrunnea* (South), 1913; Chrysophanus
- *sinensis* (Nordström), 1935; Chrysophanus

Lycaena (Thersamonia) [Lyc:Lyc:Lyc:Lycaena]

- alaica* (Grum-Grshimailo), 1888; Polyommatus
- asabinus* (Herrich-Schäffer), [1851], 1843-1856; Polyommatus
- - *asabinus* Gerhard, 1853, 1850-1853, (H)
- - *helius* (Herrich-Schäffer), [1851], 1843-1856; Polyommatus
- - *tauricus* Heyne, 1895, 1893-1895
- *satraps* (Staudinger), 1878, 1878-1879; Polyommatus
- attila* (Zhdanko), 1990; Thersamonia
- dushak* (Zhdanko), 1990; Thersamonia
- eberti* Forster, 1972

Lycaena (Thersamonia) (continued)

- lampon (Lederer), 1872; *Polyommatus*
 -- lamponides (Staudinger), 1901; *Chrysophanus*
 ochimus (Herrich-Schäffer), [1851], 1843-1856; *Polyommatus*
 - - - - *ab. strigifera* (Schultz), 1905; *Chrysophanus*
 - - kefersteinii (Gerhard), 1853, 1850-1853; *Pol.*
 - - phaeton (Freyer), 1852, 1831-1858; *Polyommatus*
 - alpherakii (Grum-Grshimailo), 1888; *Polyommatus*
 - hyrcana (Neuburger), 1903; *Chrysophanus*
 - ocliferius (Nekrutenko), 1977; *Heodes*
 - sahandensis (Schurian & Hofmann), 1982; *Thersamonia*
 peanus (Zhdanko), 1990; *Thersamonia*
 phoebus (Blachier), 1905; *Chrysophanus*
 - - - - *ab. aurata* (Lucas), 1937; *Chrysophanus*
 solskyi (Erschoff), 1874; *Polyommatus*
 - - - - *solski* (Seitz), [1924], 1912-1927, (ISS); *Chrysophanus*
 - - f. fulmineus (Turati), 1933; *Chrysophanus*
 - aditya (Moore), [1875]; *Chrysophanus*
 * thersamon (Esper), [1784], 1776-1830; *Papilio*
 - - - - *ab. argyrea* (Storace), 1956; *Thersamonia*
 - - - - *ab. costojuncta* Courvoisier, 1910, 1910-1911
 - - - - *ab. discoelongata* (Courvoisier), 1912; *Chrysophanus*
 - - - - *infracana* (Verity), 1943, (IFS); *Heodes*
 - - - - *infracanaomphale* (Verity), 1943, (NN); *Thersamonia*
 - - - - *infracana* (Verity), 1943, (IFS); *Heodes*
 - - - - *thersamen* Hemming, 1967, (ISS)
 - - - - *hyllus* (Cramer), [1775], 1775-1790, (PD); *Papilio*
 - - persica (Bienert), [1870], (H); *Polyommatus*
 - - xanthe (Hübner), [1800], 1796-1838, (H); *Papilio*
 - - f. *militaris* (Graves), 1925; *Heodes*
 - jiadengyuensis (Huang & Murayama), 1992; *Thersamonia*
 - kurdistanica (Riley), 1921; *Heodes*
 - omphale Klug, 1834, 1829-1845
 - sajanica (Huang & Murayama), 1992; *Thersamonia*
 thetis Klug, 1834, 1829-1845
 - - - - *antebritannorum* (Verity), 1934, 1934-1936, (IFS);
Lysandra
 - - - - *maja* (Verity), 1919, 1919-1922, (IFS); *Agriades*
 - - - - *october* (Verity), 1943, (IFS); *Lysandra*
 - - - - *postapenninigena* (Verity), 1943, (IFS); *Lysandra*
 - - - - *splendida* (Verity), 1919, 1919-1922, (NN or ISS);
Agriades
 - - *ignitus* (Herrich-Schäffer), [1846], 1843-1856; *Polyommatus*
 - - langhami (Romei), 1927; *Agriades*
 - - zahaltensis Graves, 1910
 - caudatus (Staudinger), 1901; *Chrysophanus*
 - elbursina (Pfeiffer), 1937; *Chrysophanus*
 - hephestos (Dils & van der Poorten), 1985; *Thersamonia*

Lycaenites [Fossil]

- * †gabbroensis Rebel, 1898

Lycaenopsis [Lyc:Lyc:Pol:Pol:Lycaenopsis]

- cupidoides Rothschild, 1915
 haraldus (Fabricius), 1787; *Papilio*
 * - - ananga Felder & Felder, 1865, 1865-1875
 - annamitica Eliot & Kawazoé, 1983
 - cornuta (H. Druce), 1873; *Cupido*
 - mayaangelae Takanami, 1990
 - renonga Riley, 1932

Lyropteryx [Lyc:Rio:Rio:Rio:Ancylurini]

- * apollonia Westwood, [1851], 1846-1852
 - - - - *canens* Stichel, 1910
 - diana Stichel, 1910
 - musageta Bryk, 1953
 - sparsa Stichel, 1924
 diadocis Stichel, 1910
 ingaretha (Hewitson), [1872], 1852-1877; *Necyria*
 lyra Saunders, [1859]
 - cleadas H. Druce, 1875

Lyropteryx (continued)

- olivia Butler, 1870
 terpsichore Westwood, [1851], 1846-1852
 - zygaena Stichel, 1910

Maculinea [Lyc:Lyc:Pol:Pol:Glaucopsyche]

- * alcon ([Denis & Schiffmüller]), 1775; *Papilio*
 - - - - *alconides* Dahlström, 1899, 1898-1899
 - - - - *alconoides* Keferstein, 1851
 - - - - *aparvipuncta* Lempke, 1955
 - - - - *ab. basinovopuncta* Courvoisier, 1912
 - - - - ♀ *f. caerulescens* (Lempke), 1942; *Lycaena*
 - - - - *ab. cecinae* Hormuzaki, 1897
 - - - - *ab. crassipuncta* (Lempke), 1936; *Lycaena*
 - - - - *ab. discoelongata* (Lempke), 1936; *Lycaena*
 - - - - *hypseus* (Martin), 1922, (NN); *Lycaena*
 - - - - *f. lunulata* (Warnecke), 1942; *Lycaena*
 - - - - *f. marginedistincta* Lempke, 1955
 - - - - *f. marginemaculata* Lempke, 1955
 - - - - *marginepunctata* Gillmer, 1904
 - - - - *ab. minor* (Gramann), 1911; *Lycaena*
 - - - - *monticola* (Staudinger), 1901; *Lycaena*
 - - - - *nigra* Wheeler, 1903, (IFS)
 - - - - *novopuncta* Wehrli, 1913
 - - - - *ab. pallidior* (Schultz), 1906; *Lycaena*
 - - - - *f. paucipuncta* (Lempke), 1942; *Lycaena*
 - - - - *ab. senilis* (Dannehl), 1933; *Lycaena*
 - - - - *f. supraeacea* Lempke, 1955
 - - - - *f. supralunulata* Lempke, 1955
 - - - - *italica* Verity, 1919, (H)
 - - *hospitali* Vilarrubia, 1948
 - - *mamers* (Bergsträsser), [1779], 1778-1780; *Papilio*
 - *sordidula* (Jachontov), [1909]; *Lycaena*
 - *spormanni* (Pfauf), 1928; *Lycaena*
 - *taramis* Cleu, 1950
 - *f. tenuiconia* Beuret, 1949
 - *tolistus* (Fruhstorfer), 1917; *Lycaena*
 - *arenaria* (Lempke), 1942; *Lycaena*
 - *airirang* Sibatani & Saigusa & Hirowatari, 1994
 - *ericae* Lempke, 1955
 - *haurii* (Fruhstorfer), 1917; *Lycaena*
 - - *haurii* (Fruhstorfer), 1917, (H); *Lycaena*
 - *jenissejensis* (Shel'juzhko), 1928; *Lycaena*
 - *kondakovi* (Kurentzov), 1970; *Lycaena*
 - *macroconia* Beuret, 1949
 - *nestae* (Higgins), 1930; *Lycaena*
 - *pseudoroboris* Beuret, 1949
 - *rebeli* (Hirschke), 1904; *Lycaena*
 - - - - *caerulea* Vorbrodt & Müller-Rutz, 1914, 1911-1914
 - - - - ♂ *ab. latimargo* (Courvoisier), 1913; *Lycaena*
 - - - - *nebeli* Verity, 1953, (ISS)
 - - *alpicola* Beuret, 1949
 - - *cruciata* Beuret, 1949
 - - *gadmensis* Beuret, 1949
 - - *magnalpicola* Beuret, 1949
 - *turatiana* (Verity & Querci), 1923; *Lycaena*
 - *xerophila* Berger, 1946
 - - - - *f. arcasoides* Berger, 1946
 - - - - *f. paucipuncta* Berger, 1946
 - *curious* Szabó, 1956
 arion (Linnaeus), 1758; *Papilio*
 - - - - *addenda* Tutt, 1914, 1905-1914
 - - - - *f. albofasciata* Vorbrodt, 1912
 - - - - *alpina* Favre, 1903
 - - - - *animula* Szabó, 1956
 - - - - *anticoobsoleta* Tutt, 1914, 1905-1914
 - - - - *ab. argentoazurea* (Silbernagel), 1940; *Lycaena*
 - - - - *ab. arionidula* (Kardakoff), 1928; *Lycaena*
 - - - - *atroguttata* Grund, 1916
 - - - - *australalpina* (O. Bang-Haas), 1927, 1926-1930, (ISS);
Lycaena

Maculinea (continued)

- *australpina* (Verity), 1924, (RA); Lycaena
- *basijuncta* Tutt, 1914, 1905-1914
- *basipuncta* Tutt, 1914, 1905-1914
- *bipuncta* Rebel, 1909
- *caeca* (Courvoisier), 1912; Lycaena
- *caeruleomarginata* Tutt, 1914, 1905-1914
- *caeruleomarginatafasciata* Tutt, 1914, 1905-1914
- *caerulescens* Oberthür, 1910
- *caucasica* Jachontov, 1914
- *coalescens* (Gillmer), 1904; Lycaena
- *ab. cotswoldensis* (Le Chamberlain), 1908; Lycaena
- *ab. crassipuncta* Derenne, 1937
- *ab. czernyi* Diószeghy, 1912
- *ab. discojuncta* Courvoisier, 1912
- *ab. elongata* (Courvoisier), 1910, 1910-1911; Lycaena
- *fasciata* (Gillmer), 1904; Lycaena
- *ab. fasciata* Skala, 1912, (H)
- ♂ *ab. grisea* (Courvoisier), 1913; Lycaena
- *ab. imperialis* (Le Chamberlain), 1908; Lycaena
- *impuncta* (Courvoisier), 1903; Lycaena
- *ab. lacrymosa* Oberthür, 1910
- *ab. magnifica* (Heydemann), 1910, (H); Lycaena
- *var. major* Oberthür, 1916
- *ab. marginata* (Le Chamberlain), 1908; Lycaena
- *microchroa* Verity, 1948, 1947-1957, (RA)
- *ab. multomaculata* (Le Chamberlain), 1908; Lycaena
- *ab. nana* (Courvoisier), 1910, (NN); Lycaena
- *obscuraimperialis* Tutt, 1914, 1905-1914
- *obscuramajor* Tutt, 1911, 1905-1914
- *ab. occidentalis* (Le Chamberlain), 1908; Lycaena
- *ab. oolitic* (Le Chamberlain), 1908; Lycaena
- *ab. oolitic* Le Chamberlain, 1908
- *ab. pallida* (Le Chamberlain), 1908; Lycaena
- *ab. parallela* Courvoisier, 1912
- *parvimacla* (Aigner-Abafi), 1907; Lycaena
- *paucipuncta* (Courvoisier), 1910, 1910-1911; Lycaena
- *posteroimmaculata* Tutt, 1914, 1905-1914
- *ab. pseudoalcon* (Le Chamberlain), 1908; Lycaena
- *punctatissima* Tutt, 1914, 1905-1914
- *ab. punctifera* (Grund), 1908; Lycaena
- *pyrenaefuscans* Verity, 1948, 1947-1957, (RA)
- *ab. retrojuncta* (Courvoisier), 1907; Lycaena
- *ab. schmidti* (Kardakoff), 1928; Lycaena
- *semicrassipuncta* Pionneau, 1937
- *striata* Tutt, 1914, 1905-1914
- *f. subtusimpunctata* Oberthür, 1896
- *ab. subtusmaculisextensis* Oberthür, 1896
- *ab. subtusmaculisextensis* Oberthür, 1896
- *ab. subunicolor* (Pionneau), 1928; Lycaena
- *supraddenda* Verity, 1943, (IFS)
- *ab. supraimpunctata* Oberthür, 1896
- *ab. supranommaculata* Oberthür, 1910
- *ab. suprapuncta* (Obraztsov), 1936; Glaucopsyche
- *tripuncta* (Courvoisier), 1903; Lycaena
- *ab. tripuncta* Courvoisier, 1910, 1910-1911
- *unicolor* Hormuzaki, 1892
- *ab. unipuncta* Courvoisier, 1910, 1910-1911
- *unipuncta* Metschl & Sälzl, 1923
- *vagula* Szabó, 1956
- *var. vernetensis* Oberthür, 1916
- *tatsienluica* (Oberthür), 1910, (H); Lycaena
- *alconides* Aurivillius, 1888, 1888-1891
- *aldrovandus* de Selys-Longchamps, 1844
- *arctophoni* (Bergsträsser), [1779], 1778-1780; Papilio
- *insubrica* (Vorbrod), 1912; Lycaena
- *insubrica* (Vorbrod), 1930, (H); Lycaena
- *jasilkowskii* (Hormuzaki), 1897; Lycaena
- *naruenta* (Courvoisier), 1910, 1910-1911; Lycaena
- *obscura* (Christ), 1877; Lycaena
- *ruhli* (Krulikovskii), 1892; Lycaena

Maculinea (continued)

- - *telegone* (Bergsträsser), [1779], 1778-1780; Papilio
- - *telegones* (Bergsträsser), [1779], 1778-1780; Papilio
- - *vesubia* Fruhstorfer, 1917
- *aglaophon* (Fruhstorfer), 1915; Lycaena
- *alpina* Fruhstorfer, 1917
- *annarion* Dietzel, 1990
- *antesion* (Fruhstorfer), 1917; Lycaena
- *arcina* (Fruhstorfer), 1910; Lycaena
- *argoviensis* Beuret, 1957
- *arthurus* (Melvill), 1873; Lycaena
- *buholzeri* Rézbányai, 1978
- *cyanecla* (Eversmann), 1848; Lycaena
- *philidor* (Fruhstorfer), 1915; Lycaena
- *delphinatus* (Fruhstorfer), 1910; Lycaena
- *eutyphron* (Fruhstorfer), 1915; Lycaena
- *gelriae* Lempke, 1955
- *inferna* Sibatani & Saigusa & Hirowatari, 1994
- *laranda* (Fruhstorfer), 1910; Lycaena
- *ligurica* (Wagner), 1904; Lycaena
- *lutshniki* (Krulikovskii), 1926; Lycaena
- *microarion* Beuret, 1957
- *naryoniensis* (Beuret), 1938; Lycaeides
- *nepete* (Fruhstorfer), 1915; Lycaena
- *ofenia* (Tutt), 1909; Lycaena
- *nigricans* (Kitt), 1912; Lycaena
- *sabinorum* (Dannehl), 1933; Lycaena
- *sergeji* (Obraztsov), 1936; Glaucopsyche
- *sosinomos* (Fruhstorfer), 1915; Lycaena
- - - *sosinomos* (Anonymous), 1935, (ISS); Lycaena
- *subtusbrunea* Beuret, 1957
- *tainaron* (Fruhstorfer), 1915; Lycaena
- - - *tainaronobscura* Beuret, 1957
- *taras* (Fruhstorfer), 1915; Lycaena
- *uralensis* (Elwes), 1899; Lycaena
- *xiaheana* (Murayama), 1991; Glaucopsyche
- arionides* (Staudinger), 1887; Lycaena
- - *selzeri* (Wamecke), 1924; Lycaena
- - *sugitanii* (Matsumura), 1927; Lycaena
- *takamukui* (Matsumura), 1919; Lycaena
- *shiranensis* (Scriba), 1921; Lycaena
- *ussuriensis* (Sheljuzhko), 1928; Lycaena
- - - *ab. hironobui* (Sugitani), 1933, 1933-1938; Lycaena
- kurentzovi* Sibatani & Saigusa & Hirowatari, 1994
- nausithous* (Bergsträsser), [1779], 1778-1780; Papilio
- - - *caeca* (Courvoisier), 1912; Lycaena
- - - *ab. caeca* Oberthür, 1910
- - - *f. clara* Lempke, 1955
- - - *emulata* (Marschner), 1909; Lycaena
- - - *ab. impunctata* Hauder, 1909
- - - *ab. inocellata* (Sohn), 1893; Lycaena
- - - ♂ *ab. lycaonius* (Schultz), 1904; Lycaena
- - - *maculata* Beuret, 1957
- - - *ab. marpurgica* (Strand), 1920; Lycaena
- - - *nausithoe* (Bergsträsser), [1779], 1778-1780, (ISS);
Papilio
- - - *obsoleta* Osthelder, 1926
- - - *parvipuncta* Osthelder, 1926
- - - *paucipuncta* (Courvoisier), 1912; Lycaena
- - - *f. supraelongata* Lempke, 1955
- - - *ab. tadeshinensis* (Wakabayashi), 1940; Lycaena
- - *arcas* (Rottemburg), 1775, (H); Papilio
- - *caerulescens* (Grum-Grshimailo), 1893; Lycaena
- - *calmuca* (Grum-Grshimailo), 1891; Lycaena
- - *erebus* (Knoch), 1782, 1781-1783; Papilio
- - *ganssuensis* (Grum-Grshimailo), 1891; Lycaena
- - *lucida* Geest, 1903
- - *minor* (Frey), 1882; Lycaena
- - *sifanica* (Grum-Grshimailo), 1891; Lycaena
- *agenjoi* Vilambrua, 1948
- - - *agenjoi* Anonymous, 1954, (ISS)

Maculinea (continued)

- *katunica* (Shtandel), 1960; Lycaena
- *kijevensis* (Sheljuzhko), 1928; Lycaena
- *korshunovi* (Shtandel), 1960; Lycaena
- *sevastos* (Rebel & Zemy), 1932; Lycaena
- *limitanea* Bálint, 1986
- teleius* (Bergsträsser), [1779], 1778-1780; Papilio
- - - *basinovopuncta* van Wisselingh, 1948
- - - *beleius* d'Abbrera, 1993, (ISS)
- - - *caeca* (Courvoisier), 1914; Lycaena
- - - *caerulea* Osthelder, 1926
- - - *elongata* Osthelder, 1926
- - - *f. infracrassipuncta* Lempke, 1955
- - - *f. infrapaucipuncta* Lempke, 1955
- - - *macromelanica* Verity, 1943, (RA)
- - - *f. marginereducta* Lempke, 1955
- - - *micromelanica* Verity, 1943, (IFS)
- - - *obsoleta* Gillmer, 1904
- - - *parvipuncta* (Courvoisier), 1907; Lycaena
- - - *paucipuncta* (Courvoisier), 1912; Lycaena
- - - *pulverulenta* Peyer-Imhof, 1910
- - - *striata* (Gillmer), 1904; Chrysophanus
- - - *unicolor* Vorbrodt, 1912
- - *arctophonus* (Bergsträsser), [1779], 1778-1780; Papilio
- *arctophylax* (Bergsträsser), [1779], 1778-1780; Papilio
- *doii* (Matsumura), 1928; Lycaena
- *matsumurai* Shirôzu, 1953
- - *jezoensis* (Matsumura), 1926, (H); Lycaena
- *naganumai* (Kanda), 1934; Lycaena
- *shiriyensis* (Matsumura), 1927; Lycaena
- *telegonus* (Bergsträsser), [1779], 1778-1780; Papilio
- *tsugaruensis* (Watari), 1937; Lycaena
- *albocuneata* Beuret, 1957
- - - *ab. albocuneata* (Spuler), 1907, 1901-1908; Lycaena
- *burdigalensis* (Stempffer), 1932, (H); Lycaena
- - - *ab. obscurior* (Pionneau), 1937; Chrysophanus
- *daisensis* (Matsumura), 1926; Lycaena
- - - *ab. yoshisakai* (Murayama), 1978; Glaucopsyche
- *discoobsoleta* Beuret, 1958
- *euphemia* (Staudinger), 1887; Lycaena
- - *coreana* (Matsumura), 1926, (H); Lycaena
- *hozanensis* (Matsumura), 1927; Lycaena
- *insignis* (Sheljuzhko), 1928; Lycaena
- *melancholica* Bryk, 1946
- *euphemus* (Hübner), [1800], 1796-1838; Papilio
- - - *ab. centroelongata* (Lempke), 1936; Lycaena
- - - *ab. grisescens* (Lempke), 1936; Lycaena
- - - *ab. muratae* (Matsumura), 1926; Lycaena
- - - *ab. obscura* (Kauchi), 1924; Lycaena
- - - *ab. paula* (Schultz), 1906; Lycaena
- - - *ab. peninsulae* (Verity & Querci), 1923, (RA); Lycaena
- - - *ab. sanguisorbae* Oberthür, 1910
- - - *ab. splendens* (Kozhanchikov), 1924; Lycaena
- - - *striata* Gillmer, 1904
- - - *ab. subunicolor* (Pionneau), 1928; Lycaena
- - - *ab. teshionis* (Matsumura), 1926; Lycaena
- - *diomedes* (Rottemburg), 1775, (H); Papilio
- *aihona* (Matsumura), 1939; Lycaena
- *bajuvanicus* (Fruhstorfer), 1917; Lycaena
- *choesensis* (Matsumura), 1927; Lycaena
- *thersandrus* (Fruhstorfer), 1917; Lycaena
- *hakusanensis* Fujioka, 1975
- *hosonoi* Takahashi, 1973
- *kazamoto* (H. Druce), 1875; Lycaena
- - - *kazamote* (Kirby), 1877, (ISS); Plebeius
- - - *ab. oiwakeana* (Matsumura), 1926; Lycaena
- *micromelanica* Beuret, 1957
- *obscurata* (Staudinger), 1892; Lycaena
- *ogumae* (Matsumura), 1910; Lycaena
- *sinalcon* Murayama, 1992

Macusia [Lyc:Lyc:The:Eum:Eumaeus]

- aegides* (Felder & Felder), 1865, 1865-1875; Pseudolycaena
- - *amplitudo* (H. H. Druce), 1907; Thecla
- *furina* (Godman & Salvin), [1887], 1879-1901; Thecla
- *comae* (H. H. Druce), 1907; Thecla
- * *satyroides* (Hewitson), [1865], 1863-1878; Thecla
- *temathea* (Hewitson), [1865], 1863-1878; Thecla
- *triquetra* (Hewitson), [1865], 1863-1878; Thecla

Macusia (?) [Lyc:Lyc:The:Eum:Eumaeus]

- cyda* (Godman & Salvin), [1887], 1879-1901; Thecla
- *sylvana* (Jørgensen), 1934; Thecla
- *dignota* (Draudt), [1919], 1917-1924; Thecla
- *tongida* Clench, 1971
- *ion* (H. H. Druce), 1890; Thecla
- - *extrema* (Draudt), [1919], 1917-1924; Thecla

Madeleinea [Lyc:Lyc:Pol:Pol:Polyommatus]

- cobaltana* Bálint & Lamas, 1994
- huascarana* Bálint & Lamas, 1994
- koa* (H. Druce), 1876; Lycaena
- lolita* Bálint, 1993
- ludicra* (Weymer), 1890; Lycaena
- mashenka* Bálint, 1993
- * *moza* (Staudinger), 1894; Cupido
- - *babhru* (Weeks), 1901; Lycaena
- *pacis* (Draudt), [1921], 1917-1924; Irylos
- *pelorias* (Weymer), 1890; Lycaena
- *ruberrothei* (Weeks), 1902; Lycaena
- - - *ruberrothei* (Balletto), 1993, (ISS); Nivalis

Magnastigma [Lyc:Lyc:The:Eum:Eumaeus]

- casmilla* (Hewitson), [1874], 1863-1878; Thecla
- elsa* (Hewitson), [1877], 1863-1878; Thecla
- - *primno* (Godman & Salvin), [1887], 1879-1901; Thecla
- *primnoza* (Dyar), 1912; Thecla
- *venezolana* Nicolay, 1977
- hirsuta* (Prittwitz), 1865; Thecla
- julia* Nicolay, 1977
- *milto* (Godman & Salvin), [1887], 1879-1901; Thecla
- * *tegula* (Hewitson), 1868; Thecla

Mahathala [Lyc:Lyc:The:Arh:Arhopala]

- * *ameria* (Hewitson), 1862; Amblypodia
- - *angulata* (Leech), 1890; Amblypodia
- *ariadeva* Fruhstorfer, 1908
- *burmana* Talbot, 1942
- *hainani* Bethune-Baker, 1903
- - *formosa* Fruhstorfer, 1908
- - *zistra* Fruhstorfer, 1908
- *javana* Fruhstorfer, 1908
- *kiangana* Talbot, 1942
- - - *f. umbrina* Talbot, 1942
- gone* H. H. Druce, 1895

Maneca [Lyc:Lyc:The:Iol:Iolaus]

- * *bhotea* (Moore), 1884; Pratapa

Manto [Lyc:Lyc:The:Iol:Iolaus]

- * *hypoleuca* (Hewitson), [1865], 1863-1878; Myrina
- *birminia* (Corbet), 1948; Jacoona
- *inopinata* (Butler), 1883; Myrina
- - *cloella* (Weymer), 1887; Hypolycaena
- + *martina* (Hewitson), [1869], 1863-1878; Myrina
- *paluana* (Staudinger), 1889; Sithon
- *terana* (Seitz), [1926], 1912-1927; Thrix
- *yojana* Fruhstorfer, 1914

Mantoides [Lyc:Lyc:The:Iol:Iolaus]

- gama* (Distant), 1886, 1882-1886; Neocheritra
- *gamelan* Seki, 1994
- *maga* (Corbet), 1948; Jacoona
- *teunga* (Grose-Smith), 1889; Sithon

Mantoides (continued)

- - - - *tenuga* (Sharp), [1890], (ISS); Sithon
- * - - *licinius* H. H. Druce, 1896
- - *myrmecus* (Seitz), [1926], 1912-1927; Thrix

Megalopalpus [Lyc:Lyc:Mil:Mil:Megalopalpus]

- angulosus* Grünberg, 1910
- metaleucus* Karsch, 1893
- * *simplex* Röber, [1886]
- - *bicoloria* (Capromier), 1889; Liptena
- - *gigas* Bethune-Baker, 1914
- - *similis* (Kirby), 1890; Allotinus
- zymna* (Westwood), [1851], 1846-1852; Pentila
- - - - *zymna* Hemming, 1967, (ISS)
- - *f. pallida* Aurivillius, [1923], 1908-1925

Megisba [Lyc:Lyc:Pol:Pol:Lycenopsis]

- malaya* (Horsfield), [1828], 1828-1829; Lycaena
- *anomala* Eliot & Kawazoé, 1983
- *clerica* Fruhstorfer, 1918
- *presbyter* Fruhstorfer, 1918
- *sikkima* Moore, 1884
- - - - *siebersi* Toxopeus, 1927, 1927-1928, (IFS)
- + - - *albidisca* (Moore), 1884; Pathalia
- - - - *albifusca* (Kirby), [1885], (ISS); Pathalia
- - *infumata* Fruhstorfer, 1918
- - *iwasakii* Matsumura, 1919
- - *rosanna* Fruhstorfer, 1918
- - *velina* Fruhstorfer, 1918
- - *volubilis* Fruhstorfer, 1918
- * - *thwaitesi* Moore, [1881], 1880-1881
- - - - *hampsoni* de Nicéville, 1890, (PS)
- - - - *hampsoni* Fruhstorfer, [1922], 1909-1923, (NN)
- - *gunga* Swinhoe, 1885
- strongyle* (C. Felder), 1860; Lycaena
- - *insulicola* (Rothschild), 1915; Lycenopsis
- *aenigma* Eliot & Kawazoé, 1983
- *caudata* Eliot & Kawazoé, 1983
- *monacha* Grose-Smith, 1894
- *nigra* (Miskin), 1890, (H); Lycaena
- *orientalis* Joicey & Talbot, 1916
- *strongyloides* Fruhstorfer, [1922], 1909-1923

Melanis [Lyc:Rio:Rio:Rio:Ancyluriti]

- aegates* (Hewitson), 1874; Limnas
- - - - *ab. ochrogutta* (Hayward), 1939; Lymnas
- *corinna* (Zikán), 1952; Lymnas
- *cratippa* (Seitz), [1917], 1910-1924; Lymnas
- *cretiplaga* (Stichel), 1910; Lymnas
- - *nigrapex* (Seitz), [1917], 1910-1924; Lymnas
- *lilybaeus* (Stichel), 1926; Lymnas
- albugo* (Stichel), 1910; Lymnas
- - *f. impura* Stichel, 1910
- *limbata* (Stichel), 1925; Lymnas
- alena* (Hewitson), [1870], 1852-1877; Lymnas
- ambryllis* (Hewitson), 1874; Limnas
- *dialeuca* (Stichel), 1910; Lymnas
- assimulata* (Stichel), 1910; Lymnas
- barca* (Hewitson), [1852], 1852-1877; Limnas
- + - *extranea* (Walker), 1854, 1854-1856; Erchia
- boyl* (Stichel), 1923; Lymnas
- cephise* (Ménétriés), 1855, 1855-1857; Lyropteryx
- - *acroleuca* (R. Felder), 1869; Limnas
- *huasteca* White L. & White L. & White O., 1989
- cercopes* (Hewitson), 1874; Limnas
- - *andania* (Hewitson), [1876], 1852-1877; Limnas
- - - - *andarnia* (Kirby), 1877, (ISS); Lymnas
- charon* (Butler), 1874; Rusalkia
- + *cinaron* (Felder & Felder), 1861; Limnas
- - *inca* (Röber), 1895; Aculhua
- cratia* (Hewitson), [1870], 1852-1877; Lymnas
- crenitaenia* (Stichel), 1910; Lymnas

Melanis (continued)

- - - - *signata* (Stichel), 1910, (IFS); Lymnas
- *corvina* (Stichel), 1910; Lymnas
- dilatata* (Lathy), 1932; Lymnas
- herminae* (Zikán), 1952; Lymnas
- hillapana* (Röber), 1904; Lymnas
- - *quadriplaga* (Thieme), 1907; Limnas
- hodia* (Butler), 1870; Limnas
- iarbas* (Fabricius), 1787; Papilio
- - - - *jarbas* (Fabricius), 1793, 1792-1799, (ISS); Hesperia
- - - - *jarbus* (Kirby), 1871, (ISS); Lymnas
- + - - *electron* (Fabricius), 1793, 1792-1799, (JOS); Hesperia
- - *f. bipuncta* (Stichel), 1929; Lymnas
- *auriferax* (Stichel), 1910; Lymnas
- *herellus* (Snellen), [1888]; Lymnas
- *melantho* (Ménétriés), 1855, 1855-1857; Limnas
- *rabuscula* (Stichel), 1910; Lymnas
- leucophlegma* (Stichel), 1910; Lymnas
- - *leucophlegmoides* (Seitz), [1917], 1910-1924; Lymnas
- lidwina* (Zikán), 1952; Lymnas
- lioba* (Zikán), 1952; Lymnas
- ludmila* (Zikán), 1952; Lymnas
- - - - *ludmilla* d'Abdera, 1994, (ISS)
- lycea* Hübner, [1823], 1808-1837
- - - - *lycaea* (Kirby), 1871, (ISS); Lymnas
- + *marathon* (Felder & Felder), 1865, 1865-1875; Oreas
- - *ctesiphon* (Felder & Felder), 1865, 1865-1875; Oreas
- *stenotaenia* (Röber), 1904; Rusalkia
- * *melander* (Stoll), [1780], 1780-1790; Papilio
- - *araguaya* (Seitz), [1917], 1910-1924; Lymnas
- melaniae* (Stichel), 1930; Lymnas
- melliplaga* (Stichel), 1910; Lymnas
- opites* (Hewitson), [1875], 1852-1877; Limnas
- passiena* (Hewitson), [1870], 1852-1877; Lymnas
- - *aulonia* (Hewitson), [1876], 1852-1877; Limnas
- + *pixe* (Boisduval), 1836; Limnas
- - *gynaecaeas* (Godman & Salvin), 1889; Lymnas
- *sanguinea* (Stichel), 1910; Lymnas
- pronostriga* (Stichel), 1910; Lymnas
- pulcherrima* (Herrich-Schäffer), [1853], 1850-1869; Eurygona
- seleukia* (Stichel), 1910; Lymnas
- - - - *zeleukia* (Sharp), [1911], (ISS); Lymnas
- - *phereclus* (Cramer), [1777], 1775-1790; Papilio
- semiota* (Bates), [1868]; Limnas
- smithiae* (Westwood), [1851], 1846-1852; Lymnas
- - *aurolimbata* (Thieme), 1907; Limnas
- - *flammula* (Bates), [1868]; Limnas
- - *nigretta* (Seitz), [1917], 1910-1924; Limnas
- - *sexpunctata* (Seitz), [1917], 1910-1924; Limnas
- - - - *aurolutea* (Hoffmann), 1940, (IFS); Lymnas
- - *zoega* (Hewitson), [1853], 1852-1877; Limnas
- ubia* (Felder & Felder), 1865, 1865-1875; Limnas
- *echidna* Seitz, [1917], 1910-1924
- *epijarbas* Staudinger, [1888], 1884-1888
- unxia* (Hewitson), [1853], 1852-1877; Limnas
- vidali* (Dognin), 1891; Lymnas
- *latiavlavia* (Stichel), 1910; Lymnas
- volusia* (Hewitson), [1853], 1852-1877; Limnas
- xarifa* (Hewitson), [1853], 1852-1877; Limnas
- *impunctata* (Stichel), 1910; Lymnas
- *quadripunctata* Stichel, 1910
- xenia* (Hewitson), [1853], 1852-1877; Limnas
- - - - *depompata* (Stichel), 1910, (IFS); Lymnas
- - *erythra* (Ménétriés), 1855, 1855-1857; Lymnas
- - *xeniades* (Stichel), 1910; Lymnas
- yeda* (Zikán), 1952; Lymnas

Melanolycena [Lyc:Lyc:Lyc:Heliophorus]

- * *altimontana* Sibatani, 1974
- *microgyris* Sibatani, 1974
- thecloides* Sibatani, 1974

Melanolycaena (continued)

- - - - *techloides* Sibatani, 1974, (ISS)
- - - - *theoloides* Sibatani, 1979, (ISS)

Menander [Lyc:Rio:Rio:Nymphidiini]

- cicuta* (Hewitson), [1863], 1852-1877; *Lemonias*
- *orientalis* d'Abbrera, 1994
- clotho* (Stichel), 1910; *Tharops*
- felsina* (Hewitson), [1863], 1852-1877; *Lemonias*
- hebrus* (Cramer), [1775], 1775-1790; *Papilio*
- - *gemma* (Seitz), [1917], 1910-1924; *Tharops*
- - *pelidua* (Hübner), [1819], 1816-1826; *Peplia*
- *ergines* (Seitz), [1917], 1910-1924; *Tharops*
- *ion* (Westwood), [1851], 1846-1852; *Tharops*
- * *menander* (Stoll), [1780], 1780-1790; *Papilio*
- - *petronius* (Godart), [1824], 1819-1824; *Erycina*
- *coruscans* (Butler), [1867]; *Tharops*
- *nitida* (Butler), [1867]; *Tharops*
- *thallus* (Stichel), 1910; *Tharops*
- + *pretus* (Cramer), [1777], 1775-1790; *Papilio*
- *picta* (Godman & Salvin), [1886], 1879-1901; *Tharops*
- purpurata* (Godman & Salvin), 1878; *Tharops*
- thalassicus* Brévignon & Gallard, 1992

Mercedes [Lyc:Lyc:The:Eum:Eumaeus]

- atrius* (Herrich-Schäffer), [1853], 1850-1869; *Thecla*
- - - - *atnius* (Kirby), 1871, (ISS); *Thecla*
- buphonia* (Hewitson), 1868; *Thecla*
- calor* (H. H. Druce), 1907; *Thecla*
- clitumnus* (Butler), 1877; *Tmolus*
- cos* (H. H. Druce), 1907; *Thecla*
- * *demonassa* (Hewitson), 1868; *Thecla*
- mimas* (Godman & Salvin), [1887], 1879-1901; *Thecla*
- petaurister* (H. H. Druce), 1907; *Thecla*

Mesene [Lyc:Rio:Rio:Symmachiini]

- bigemmis* Stichel, 1925
- bomilcar* (Stoll), [1790], 1780-1790; *Papilio*
- boyi* Stichel, 1925
- celetes* Bates, [1868]
- croceella* Bates, 1864, 1864-1865
- discolor* Stichel, 1929
- epalia* (Godart), [1824], 1819-1824; *Erycina*
- *philonis* Hewitson, [1874], 1852-1877
- epaphus* (Stoll), [1780], 1780-1790; *Papilio*
- - *albiplaga* Seitz, [1917], 1910-1924
- - *speculum* Seitz, [1917], 1910-1924
- *sertata* Stichel, 1910
- - - - *genialis* Stichel, 1923
- fissurata* Stichel, 1929
- florus* (Fabricius), 1793, 1792-1799; *Hesperia*
- - *capissene* Hewitson, [1874], 1852-1877
- - *strigulata* Schaus, 1902
- hya* Westwood, [1851], 1846-1852
- *fenestrella* Bates, [1868]
- *guttula* Stichel, 1916
- *paraena* Bates, [1868]
- hyale* Felder & Felder, 1865, 1865-1875
- icterias* Stichel, 1910
- ineptus* Stichel, 1916
- juanae* Orfila, 1951
- leucopus* Godman & Salvin, [1886], 1879-1901
- mahurya* Brévignon & Gallard, 1993
- + *margaretta* (White), 1843; *Agathina*
- *semiradiata* Felder & Felder, 1865, 1865-1875
- martha* Schaus, 1902
- *verecunda* Stichel, 1910
- - *wickhami* Riley, 1919
- monostigma* (Erichson), 1848; *Emesis*
- mulleola* Stichel, 1910
- nepticula* Möschler, 1876
- *stigmosa* Stichel, 1910

Mesene (continued)

- nola* Herrich-Schäffer, [1853], 1850-1869
 - *eromena* Stichel, 1910
 - *eupteryx* Bates, [1868]
 - - *nydia* Bates, [1868]
 - oriens* Butler, 1870
 - pactolus* Möschler, 1876
 - * *phareus* (Cramer), [1777], 1775-1790; *Papilio*
 - - *nigrocinctus* (Sepp), [1855], 1828-1855; *Papilio*
 - *deliciosa* Stichel, 1929
 - *eristalis* Stichel, 1923
 - - - - *blandula* Stichel, 1923
 - - - - *ostenia* Stichel, 1923
 - - - - *phareolus* Stichel, 1923
 - *leucophrys* Bates, [1868]
 - *peruviana* Lathy, 1932
 - *rochesteri* Weeks, 1906
 - *rubella* Bates, 1864, 1864-1865
 - - *colombica* Seitz, [1917], 1910-1924
 - - *mygdon* Schaus, 1913
 - *subfusca* Lathy, 1932
 - pullula* Stichel, 1910
 - pyrippe* Hewitson, [1874], 1852-1877
 - *sanguilenta* Stichel, 1910
 - pyrrha* Bates, [1868]
 - sardonyx* Stichel, 1910
 - silaris* Godman & Salvin, 1878
 - *maroni* Brévignon & Gallard, 1993
 - simplex* Bates, [1868]
 - veleda* Stichel, 1923
- Mesenopsis* [Lyc:Rio:Rio:Symmachiini]
- albivitta* (Lathy), 1904; *Chamaelinnas*
 - briseis* Godman & Salvin, [1886], 1879-1901
 - * *bryaxis* (Hewitson), 1870; *Limnas*
 - *melanochlora* Godman & Salvin, 1878
 - pulchella* Godman, 1903
- Mesophthalma* [Lyc:Rio:Rio:Mesosemiini]
- * *idotea* (Westwood), [1851], 1846-1852; *Mesosemia*
 - - *mirita* (Herrich-Schäffer), [1853], 1850-1869; *Diphthalma*
- Mesosemia* [Lyc:Rio:Rio:Mesosemiini]
- acuta* Hewitson, [1873], 1852-1877
 - adida* Hewitson, 1869, 1869-1877
 - ahava* Hewitson, 1869, 1869-1877
 - *veleda* Stichel, 1910
 - - *herteli* (Zikán), 1952; *Mesene*
 - albipuncta* Schaus, 1913
 - ama* Hewitson, 1869, 1869-1877
 - - *bifasciata* Hewitson, 1877, 1869-1877
 - *glaucoma* Stichel, 1909
 - *amarantus* Stichel, 1910
 - anceps* Stichel, 1915
 - antaerice* Hewitson, [1859], 1852-1877
 - + *araeostyla* Stichel, 1915
 - asa* Hewitson, 1869
 - - *asopis* Stichel, 1909
 - - *frequens* Butler & H. Druce, 1872
 - *iphigenia* Stichel, 1926
 - *mycene* Hewitson, 1870
 - balza* d'Abbrera, 1994
 - bari* d'Abbrera, 1994
 - bella* E. Sharpe, 1890
 - blandina* Stichel, 1910
 - calypso* Bates, [1868]
 - *amicula* Stichel, 1915
 - carderi* H. H. Druce, 1904
 - carissima* Bates, 1866
 - ceropia* H. Druce, 1874
 - - - - *cecropia* d'Abbrera, 1994, (ISS)
 - chionodes* Stichel, 1909

Mesosemia (continued)

- - - - *chionides* d'Abbrera, 1994
- cippus* Hewitson, [1859], 1852-1877
- coea* Hübner, [1819], 1816-1826
- - - - *tharybas* Doubleday, 1847, 1844-1848, (NN)
- - *fluminensis* Zikán, 1952
- - *nyctea* (Hoffmansegg), 1818; Emesis
- - *traga* Hewitson, [1859], 1852-1877
- *lato* Stichel, 1910
- coelestis* Godman & Salvin, [1885], 1879-1901
- *cachiana* Schaus, 1913
- cordillerensis* Salazar Escobar & Constantino, 1993
- cyanira* Stichel, 1909
- cymotaxis* Stichel, 1910
- destituta* Stichel, 1909
- - *fassli* Seitz, [1917], 1910-1924
- dulcis* Stichel, 1910
- ephyne* (Cramer), [1776], 1775-1790; Papilio
- - *misipsa* Hewitson, [1859], 1852-1877
- epidius* Hewitson, [1859], 1852-1877
- *evias* Stichel, 1923
- esmeralda* Gallard & Brevignon, 1989
- esperanza* Schaus, 1913
- eugenea* Stichel, 1910
- *pythonica* Stichel, 1923
- eumene* (Cramer), [1776], 1775-1790; Papilio
- - *attalus* Seitz, [1917], 1910-1924
- - *attavus* Zikán, 1952
- *decolorata* Lathy, 1932
- *erinya* Stichel, 1910
- *furia* Stichel, 1910
- *inconspicua* Lathy, 1932
- eurythmia* Stichel, 1915
- formosa* Hewitson, [1851], 1846-1852
- - - *nina* (Herbst), 1793, 1788-1804, (H); Papilio
- gaudiolum* Bates, 1864, 1864-1865
- - - - *gaudiolum* Anonymous, 1983, (ISS)
- - *lupita* Beutelspacher, 1975
- gemina* de la Maza E. & de la Maza E., 1980
- gertraudis* Stichel, 1910
- grandis* H. Druce, 1874
- hedwigis* Stichel, 1910
- - - - *hedwigia* Sharp, [1911], (ISS)
- - - - *lapillas* Sharp, [1911], (ISS)
- hesperina* Butler, 1874
- *lycorias* Stichel, 1915
- *tenuivittata* Stichel, 1910
- hypermegala* Stichel, 1909
- hypermegale* d'Abbrera, 1994, (ISS)
- ibycus* Hewitson, [1859], 1852-1877
- impedita* Stichel, 1909
- - - - *impedia* d'Abbrera, 1994, (ISS)
- jeziela* Butler, 1869
- *limbata* Stichel, 1915
- *sylvia* H. Druce, 1878
- - *thyene* Stichel, 1910
- *thystes* H. Druce, 1878
- - *elegans* Lathy, 1904
- jucunda* Stichel, 1923
- judicialis* Butler, 1874
- *latissima* Stichel, 1909
- *testis* Stichel, 1909
- junta* Stichel, 1910
- *sidonia* Stichel, 1924
- kwokli* d'Abbrera, 1994
- lacernata* Stichel, 1909
- lamachus* Hewitson, [1857], 1852-1877
- - - *methion* Godman & Salvin, [1885], 1879-1901
- - *tetrica* Stichel, 1910
- lapillus* Stichel, 1910
- latizonata* Butler, 1874

Mesosemia (continued)

- *dealbata* Stichel, 1910
- levis* Stichel, 1915
- loruhama* Hewitson, 1869, 1869-1877
- - - - *adelphina* Stichel, 1909, (IFS)
- *candara* H. H. Druce, 1904
- - - - *aesthetica* Stichel, 1909, (IFS)
- - - - ♀ *f. cinerea* Stichel, 1929, (IFS)
- - - - *isis* Stichel, 1915, (IFS)
- - - - *syntrepha* Stichel, 1909, (IFS)
- luperca* Stichel, 1910
- macella* Hewitson, [1859], 1852-1877
- machaera* Hewitson, [1860], 1852-1877
- - *melaena* Zikán, 1952
- - *salesiana* Zikán, 1952
- macrina* (Felder & Felder), 1865, 1865-1875; Diophtalma
- - *yaporogosa* Mengel, 1899
- *mustela* Hewitson, 1870
- maeotis* Hewitson, [1859], 1852-1877
- magete* Hewitson, [1860], 1852-1877
- *bersabana* Stichel, 1910
- mamilia* Hewitson, 1870
- mancia* Hewitson, 1870
- materna* Stichel, 1909
- mathania* Schaus, 1902
- mayi* Rebillard, 1958
- meeda* Hewitson, [1858], 1852-1877
- mehida* Hewitson, 1869, 1869-1877
- melaene* Hewitson, [1859], 1852-1877
- melese* Hewitson, [1860], 1852-1877
- melpia* Hewitson, [1859], 1852-1877
- *vaporosa* Stichel, 1910
- menippus* (Fabricius), 1777; Papilio
- menoetes* Hewitson, [1859], 1852-1877
- *mennonina* Stichel, 1909
- *paetula* Stichel, 1915
- mesoba* Hewitson, [1873], 1852-1877
- messeis* Hewitson, [1860], 1852-1877
- *amona* Hewitson, [1876], 1852-1877
- *atroculus* Butler, 1874
- - *tosca* Staudinger, [1887], 1884-1888
- *battis* Stichel, 1915
- methion* Hewitson, [1860], 1852-1877
- *maera* Hewitson, [1873], 1852-1877
- - *albata* Stichel, 1924
- metope* Hewitson, [1859], 1852-1877
- *pruinosa* Stichel, 1910
- *ungulata* Stichel, 1915
- metuana* (Felder & Felder), 1865, 1865-1875; Diophtalma
- - *chalybaea* Röber, 1903
- metura* Hewitson, [1873], 1852-1877
- *polyglauca* Stichel, 1910
- mevania* Hewitson, [1857], 1852-1877
- - - - *munda* Stichel, 1909, (IFS)
- - *meletia* (Felder & Felder), 1865, 1865-1875; Diophtalma
- *magnessa* Stichel, 1909
- *mimallonis* Stichel, 1909
- *pacifica* Stichel, 1926
- - - - *f. umbria* Stichel, 1926, (IFS)
- - *flavofasciata* Talbot, 1929
- minos* Hewitson, [1859], 1852-1877
- *modica* Stichel, 1910
- *tetrophthalma* Stichel, 1915
- modulata* Stichel, 1910
- mosera* Hewitson, [1860], 1852-1877
- myonia* Hewitson, [1859], 1852-1877
- myrmecias* Stichel, 1910
- naiadella* Stichel, 1909
- - - - *coenosa* Stichel, 1909
- *dryadella* Stichel, 1909
- *oreas* Stichel, 1915

Mesosemia (continued)

- - - - *moesta* Stichel, 1915
- nerine* Stichel, 1909
- nesti* Hewitson, [1858], 1852-1877
- nora* Stichel, 1925
- nympharena* Stichel, 1909
- odice* (Godart), [1824], 1819-1824; *Erycina*
- *cymatodis* Stichel, 1910
- olivencia* Bates, [1868]
- orbona* Godman, 1903
- ozora* Hewitson, 1869, 1869-1877
- palatua* Stichel, 1915
- parishi* H. H. Druce, 1904
- phace* Godman, 1903
- philocles* (Linnaeus), 1758; *Papilio*
- - - - *bettina* Stichel, 1909, (IFS)
- * - - - *philoclessa* Hübner, [1819], 1816-1826, (JOS)
- - *laetifica* Bates, [1868]
- - *osinia* (Cramer), [1777], 1775-1790; *Papilio*
- - *patruelis* Stichel, 1915
- *egabella* Bates, [1868]
- pinguienta* Stichel, 1915
- praeculta* Stichel, 1910
- putli* Seitz, [1917], 1910-1924
- reba* Hewitson, 1869, 1869-1877
- *agnilata* Dognin, 1893
- - - - *aguilata* Stichel, 1930, (ISS)
- rhodia* (Godart), [1824], 1819-1824; *Erycina*
- - *martha* Prützow, 1865
- *friburgensis* Schaus, 1902
- *maesia* Hewitson, [1857], 1852-1877
- scotina* Stichel, 1909
- sibyllina* Staudinger, [1887], 1884-1888
- - *wanda* Stichel, 1926
- sifia* (Boisduval), 1836; *Diophtatma*
- *issia* Butler, 1869
- signata* Stichel, 1915
- sirenia* Stichel, 1909
- *nitida* Stichel, 1923
- - - - *ancilla* Stichel, 1925
- steli* Hewitson, [1858], 1852-1877
- *gigantea* Stichel, 1915
- subtilis* Stichel, 1909
- suspiciosa* Stichel, 1909
- sylvina* Bates, [1868]
- synnephis* Stichel, 1909
- tatabroensis* Salazar Escobar & Constantino, 1993
- + *telegone* (Boisduval), 1836; *Diophtalma*
- *amiana* Felder & Felder, 1861
- - *amanda* Seitz, [1917], 1910-1924
- *caucana* Stichel, 1926
- *paramba* H. H. Druce, 1904
- tenebricosa* Hewitson, 1877, 1869-1877
- *anica* H. H. Druce, 1904
- *serenata* Stichel, 1923
- thera* Godman, 1903
- thetys* Godman & Salvin, [1885], 1879-1901
- thyas* Stichel, 1910
- thymetus* (Cramer), [1777], 1775-1790; *Papilio*
- *thymetina* Butler, 1869
- *umbrosa* Stichel, 1909
- trotschi* d'Abrera, 1994
- ulrica* (Cramer), [1777], 1775-1790; *Papilio*
- - - - ♀ *f. lamprosa* Stichel, 1910
- - *renatus* (Fabricius), 1787; *Papilio*
- - *rosina* (Stoll), [1780], 1780-1790; *Papilio*
- - *tisis* (Godart), [1824], 1819-1824; *Erycina*
- - *ulricella* (Herbst), 1796, 1788-1804; *Papilio*
- - *ultio* Hübner, [1819], 1816-1826
- *messala* Hewitson, 1870
- *titea* (Stoll), [1787], 1780-1790; *Papilio*

Mesosemia (continued)

- veneris* Butler, [1871], 1869-1874
- visenda* Stichel, 1915
- zaoa* Hewitson, 1869, 1869-1877
- *orthia* Stichel, 1915
- zikla* Hewitson, 1869, 1869-1877
- zonalis* Godman & Salvin, [1885], 1879-1901
- zorea* Hewitson, 1869, 1869-1877
- *toparcha* Stichel, 1910

Metacharis [Lyc:Rio:Rio:Riodinitii]

- chia* (Hübner), [1823], 1808-1837; *Echenais*
- cuparina* Bates, [1868]
- - *umbrata* Stichel, 1929
- exigua* Bates, [1868]
- lucius* (Fabricius), 1793, 1792-1799; *Hesperia*
- - *batesii* Butler, 1867
- - *nicaste* (Herrich-Schäffer), [1853], 1850-1869; *Nymphidium*
- melusina* Staudinger, [1887], 1884-1888
- *elinas* Rebillard, 1958
- nigrella* Bates, [1868]
- * *ptolomaeus* (Fabricius), 1793, 1792-1799; *Hesperia*
- - *agriana* (Dalman), 1823; *Papilio*
- - *sylvestra* (Ménétriés), 1855, 1855-1857; *Charis*
- regalis* Butler, 1867
- - - - ♀ *f. rabulana* Stichel, 1910
- - *auria* (H. H. Druce), 1904; *Lemonias*
- *indissimilis* Weeks, 1901
- sylves* Hewitson, 1877, 1869-1877
- - - - *syloes* Kirby, [1879], (ISS)
- victrix* (Hewitson), 1870, 1869-1877; *Charis*
- xanthocraspedum* Stichel, 1910

Methone [Lyc:Rio:Eurygoninae]

- * *cecilia* (Cramer), [1777], 1775-1790; *Papilio*
- - - - *f. metella* Stichel, 1919, (IFS)
- - - *amyntor* (Fabricius), 1781, 1781-1782, (H); *Papilio*
- - *amithrata* (Seitz), [1917], 1910-1924; *Methonella*
- - *dorine* (Stoll), [1782], 1780-1790; *Papilio*
- *caduca* Stichel, 1919
- chrysomela* (Butler), 1872; *Methonella*
- - - - *ab. vitellia* Seitz, [1917], 1910-1924
- - *eusebes* Stichel, 1919
- *columbana* Stichel, 1926
- *eurotias* Stichel, 1919
- magnarea* (Seitz), [1917], 1910-1924; *Methonella*

Micandra [Lyc:Lyc:The:Eum:Trichonis]

- * *platyptera* (Felder & Felder), 1865, 1865-1875; *Pseudolycaena*
- - - - *platyptera* Robbins, 1987, (ISS)
- - *cadmus* (Felder & Felder), 1865, 1865-1875; *Pseudolycaena*

Michaelus [Lyc:Lyc:The:Eum:Eumaeus]

- hecate* (Godman & Salvin), [1887], 1879-1901; *Thecla*
- - - - *hecale* (Godman & Salvin), [1887], 1879-1901, (IOS); *Thecla*
- ira* (Hewitson), [1867], 1863-1878; *Thecla*
- - - *hewitsoni* (Kirby), 1871, (JOS); *Thecla*
- jebus* (Godart), [1824], 1819-1824; *Polyommatus*
- thordesa* (Hewitson), [1867], 1863-1878; *Thecla*
- - - - *thordesca* (Schaus), 1920, (ISS); *Thecla*
- *zenaida* (Dyar), 1912; *Thecla*
- * *vidibia* (Hewitson), [1869], 1863-1878; *Thecla*
- - *socigena* (Hewitson), [1877], 1863-1878; *Thecla*

Micropentila [Lyc:Lyc:Lip:Lip:Liptena]

- * *adelgitha* (Hewitson), 1874; *Liptena*
- - *moneta* (Mabille), 1890; *Lycaena*
- adelgunda* (Staudinger), 1892; *Teriomima*
- albarta* (Staudinger), 1892; *Teriomima*
- bakotae* Stempffer & Bennett, 1965
- bitjeana* Stempffer & Bennett, 1965

Micropentila (*continued*)

- brunnea* (Kirby), 1887; Lucia
- *centralis* Bennett, 1966
- bunyoro* Stempffer & Bennett, 1965
- catocala* Strand, 1914
- - - - *catocala* Sharp, [1916], (ISS)
- cherereti* Stempffer & Bennett, 1965
- cingulum* H. H. Druce, 1910
- dorothea* Bethune-Baker, 1903
- flavopunctata* Stempffer & Bennett, 1965
- fontainel* Stempffer & Bennett, 1965
- fulvula* Hawker-Smith, 1933
- fuscata* (Grose-Smith), 1898; Teriomima
- gabonica* Stempffer & Bennett, 1965
- galenides* (Holland), 1895; Teriomima
- jacksoni* Talbot, 1937
- katangana* Stempffer & Bennett, 1965
- katerae* Stempffer & Bennett, 1965
- kelleana* Stempffer & Bennett, 1965
- mabangi* Bethune-Baker, 1904
- mamfe* Larsen, 1983
- mpigi* Stempffer & Bennett, 1965
- nigeriana* Stempffer & Bennett, 1965
- ogojae* Stempffer & Bennett, 1965
- sankuru* Stempffer & Bennett, 1965
- souanke* Stempffer & Bennett, 1965
- subplagata* Bethune-Baker, 1915
- triangularis* Aurivillius, 1895
- ugandae* Hawker-Smith, 1933
- victoriae* Stempffer & Bennett, 1965
- villiersi* Stempffer, 1970

Micropsyche [Lyc:Lyc:Pol:Pol:Glaucopsyche]

- * *ariana* Mattoni, 1981

Miletus 1 [Lyc:Lyc:Mil:Mil:Miletus]

- chinensis* C. Felder, 1862
- - - - *ab. kurilensis* (Matsumura), 1928; Chrysophanus
- *assamensis* (Doherty), 1891; Gerydus
- *milvius* (Fruhstorfer), 1913; Gerydus
- *learchus* Felder & Felder, 1865, 1865-1875
- *irroratus* H. Druce, 1874
- *kelantanus* Corbet, 1938
- *longeana* (de Nicéville), 1898; Gerydus
- + *croton* (Doherty), 1889; Gerydus
- *tavoyana* (Evans), 1932; Gerydus
- *corus* Eliot, 1961
- *karennia* (Evans), 1932; Gerydus
- gaesa* (de Nicéville), 1895; Gerydus
- *carrinas* (Fruhstorfer), [1915], 1909-1923; Gerydus
- mallus* (Fruhstorfer), 1913; Gerydus
- *gethusus* (Fruhstorfer), [1915], 1909-1923; Gerydus
- *shania* (Evans), 1932; Gerydus
- nymphis* (Fruhstorfer), 1913; Gerydus
- *eneus* Eliot, 1961
- *fictus* Corbet, 1939
- *porus* Eliot, 1961

Miletus 2 [Lyc:Lyc:Mil:Mil:Miletus]

- gaetulus* (de Nicéville), 1894; Gerydus
- *aphytis* (Fruhstorfer), 1913; Gerydus
- *innocens* (H. H. Druce), 1895; Gerydus
- gopara* (de Nicéville), 1890; Gerydus
- *artaxatus* (Fruhstorfer), 1913; Gerydus
- - - - *f. oichalia* (Fruhstorfer), 1913, (IFS); Gerydus
- *eustatius* (Fruhstorfer), 1913; Gerydus
- - - - *f. denticulata* (Fruhstorfer), 1913, (IFS); Gerydus
- *pardus* Eliot, 1961
- valeus* (Fruhstorfer), 1913; Gerydus
- - - - *valens* (Fruhstorfer), [1915], 1909-1923, (ISS); Gerydus
- *pallaxopas* (Fruhstorfer), 1913; Gerydus
- zinkenii* Felder & Felder, 1865, 1865-1875

Miletus 2 (*continued*)

- *improbus* (H. H. Druce), 1896; Gerydus

Miletus 3 [Lyc:Lyc:Mil:Mil:Miletus]

- biggsii* (Distant), 1884, 1882-1886; Gerydus
- - - - *f. atomaria* (Fruhstorfer), 1913, (IFS); Gerydus
- *extraneus* (Toxopeus), 1929; Gerydus
- *hyllus* (Fruhstorfer), [1915], 1909-1923; Gerydus
- *sebethus* (Fruhstorfer), [1915], 1909-1923; Gerydus
- *xeragis* (Fruhstorfer), [1915], 1909-1923; Gerydus
- *albotignula* (van Eecke), 1914; Gerydus
- *simalurensis* Toxopeus, 1928
- *natunensis* (Fruhstorfer), [1915], 1909-1923; Gerydus
- *niasicus* (Fruhstorfer), 1913; Gerydus
- *batunensis* (Fruhstorfer), 1913; Gerydus
- boisduvali* Moore, [1858]
- *acragas* (Doherty), 1891; Gerydus
- *adeus* (Fruhstorfer), 1913; Gerydus
- *buruensis* (Holland), 1900; Gerydus
- *ceramensis* Ribbe, 1889
- *courvoisieri* (Fruhstorfer), [1915], 1909-1923; Gerydus
- *dossemus* (Fruhstorfer), 1913; Gerydus
- - - - *dossenius* (Seitz), 1927, 1912-1927, (ISS); Gerydus
- *heraeon* (Fruhstorfer), [1915], 1909-1923; Gerydus
- *lombokianus* (Fruhstorfer), 1913; Gerydus
- *oxylus* (Fruhstorfer), [1915], 1909-1923; Gerydus
- *stygianus* (Butler), 1884; Gerydus
- *vincula* (H. H. Druce), 1895; Gerydus
- *avitus* (Fruhstorfer), [1915], 1909-1923; Gerydus
- *diotrophes* (Fruhstorfer), 1913; Gerydus
- cellarius* (Fruhstorfer), 1913; Gerydus
- drucei* (Semper), 1887, 1886-1892; Gerydus
- *epidurus* (Fruhstorfer), 1913; Gerydus
- *jacchus* (Fruhstorfer), 1913; Gerydus
- *paianius* (Fruhstorfer), 1913; Gerydus
- - - - *paianus* (Sharp), [1914], (ISS); Gerydus
- *philippus* Staudinger, 1889
- *metrovius* (Fruhstorfer), 1913; Gerydus
- *phradimon* (Fruhstorfer), 1915; Gerydus

Miletus 4 [Lyc:Lyc:Mil:Mil:Miletus]

- ancon* (Doherty), 1889; Gerydus
- *gigas* (H. H. Druce), 1895; Gerydus
- *anconides* (Fruhstorfer), 1913; Gerydus
- archilochus* (Fruhstorfer), 1913; Gerydus
- *siamensis* (Godfrey), 1916; Gerydus
- atimonicus* Murayama & Okamura, 1973
- celinus* Eliot, 1961
- gallus* (de Nicéville), 1894; Gerydus
- *leucocyon* (Toxopeus), 1940; Gerydus
- gigantes* (de Nicéville), 1894; Gerydus
- heracleion* (Doherty), 1891; Gerydus
- *arion* Eliot, 1961
- leos* (Guérin-Méneville), [1831], 1830-1838; Symethus
- - - boisduvali (Butler), 1884, (H); Gerydus
- *amphiarus* (Fruhstorfer), 1913; Gerydus
- *gardineri* (Fruhstorfer), 1914; Gerydus
- *meronus* (Fruhstorfer), 1913; Gerydus
- *aronicus* (Fruhstorfer), 1914; Gerydus
- *acrisius* (Fruhstorfer), 1914; Gerydus
- *nineyanus* (Fruhstorfer), 1914; Gerydus
- *rex* (Fruhstorfer), 1913; Gerydus
- *catoleucus* (Fruhstorfer), 1913; Gerydus
- *florensis* (Fruhstorfer), 1913; Gerydus
- *eulus* (Fruhstorfer), 1913; Gerydus
- *mangolicus* (Fruhstorfer), 1913; Gerydus
- *maximus* (Holland), 1890; Gerydus
- - - - *f. divisa* (Fruhstorfer), 1913, (IFS); Gerydus
- *sarus* (Fruhstorfer), 1913; Gerydus
- *tellus* (Fruhstorfer), 1913; Gerydus
- *teos* (Doherty), 1891; Gerydus
- *vaneckeai* (Toxopeus), 1930; Gerydus

Miletus 4 (*continued*)

- *virtus* (Fruhstorfer), 1913; Gerydus
- *pentheus* (Fruhstorfer), 1913; Gerydus
- * *symethus* (Cramer), [1777], 1775-1790; Papilio
- + - *pandu* (Horsfield), [1828], 1828-1829; Symetha
- *acampsis* (Fruhstorfer), 1913; Gerydus
- *batuensis* (Fruhstorfer), 1914; Gerydus
- *edonus* (Fruhstorfer), 1913; Gerydus
- *hierophantes* (Fruhstorfer), [1915], 1909-1923; Gerydus
- *nuctus* Eliot, 1961
- *perlucidus* (Fruhstorfer), 1913; Gerydus
- *megaris* (Fruhstorfer), 1913; Gerydus
- *petronius* (Distant & Pryer), 1887; Gerydus
- *bankanus* (Fruhstorfer), 1914; Gerydus
- *diopithes* (Fruhstorfer), 1913; Gerydus
- *hieropoeus* (Fruhstorfer), [1915], 1909-1923; Gerydus
- *phantus* Eliot, 1986
- *philopator* (Fruhstorfer), 1914; Gerydus
- *solitaria* Okubo, 1983
- *vespasianus* (Fruhstorfer), 1913; Gerydus
- takanamii** Eliot, 1986

Miletus 5 [Lyc:Lyc:Mil:Mil:Miletus]

- bazilanus** (Fruhstorfer), 1913; Gerydus
- *vitelianus* (Fruhstorfer), 1913; Gerydus
- melanion** Felder & Felder, 1865, 1865-1875
- - - - ♂ *f. albiguttatus* Eliot, 1986
- **euphranor** (Fruhstorfer), 1914; Gerydus

Mimacraea [Lyc:Lyc:Lip:Lip:Mimacraea]

- angustata** Schultze, 1923
- charmian** Grose-Smith & Kirby, 1890, 1887-1902
- **ertli** Joicey & Talbot, 1924
- costleyi** H. H. Druce, 1912
- * **darwinia** Butler, [1872], 1869-1874
- **apicalis** Grose-Smith & Kirby, 1890, 1887-1902
- eltringhami** H. H. Druce, 1912
- **burgeoni** Hawker-Smith, 1928
- flavofasciata** Schultze, 1912
- - - - *flavofasciata* Stempffer, 1967, (ISS)
- gelinia** (Oberthür), 1893; Liptena
- **nguru** Kielland, 1986
- krausei** Dewitz, 1889
- - - - *citrifascia* Talbot, 1935, (IFS)
- - - - *karusi* (Sharp), [1890], (ISS); Mimacraea
- - - - *ab. obsolescens* Hawker-Smith, 1926
- - - - *f. viviana* Talbot, 1935, (IFS)
- **elgonae** Talbot, 1935
- **karschioides** Carpenter & Jackson, 1950
- **masindae** Bethune-Baker, 1913
- **poultoni** Neave, 1904
- **luteomaculata** Grünberg, 1908
- laeta** Schultze, 1912
- - - - *lacta* Stempffer, 1967, (ISS)
- landbecki** H. H. Druce, 1910
- - - - *ab. flavescens* Rebel, 1914
- - - - *latifascia* Stempffer, 1967, (ISS)
- - - - *ab. latifasciata* Rebel, 1914
- **graeseri** Schultze, 1912
- **pseudepaea** Schultze, 1923
- **pulverulenta** Schultze, 1912
- **schubotzi** Schultze, 1912
- **telloides** Schultze, 1923
- mariae** Dufrane, 1945
- marshalli** Trimen, 1898
- **dohertyi** Rothschild, 1901
- - - - *somereni* Talbot, 1937, (IFS)
- **media** Talbot, 1937
- **nzoia** Talbot, 1937
- neavei** Eltringham, 1909
- neokoton** H. H. Druce, 1907
- neurata** Holland, 1895

Mimacraea (*continued*)

- - - - *incurvata* Talbot, 1935, (IFS)
- **alciopina** Joicey & Talbot, 1924
- **fulvaria** Aurivillius, 1895
- **lineata** Talbot, 1935, (IFS)
- paragora** Rebel, 1911
- schmidtii** Schultze, 1923
- skoptoles** H. H. Druce, 1907
- - - - *skoptolos* Stempffer, 1967, (ISS)

Mimeresia [Lyc:Lyc:Lip:Lip:Mimacraea]

- cellularis** (Kirby), Sep 1890; Pseuderesia
- **mondo** (Holland), 1890; Durbania
- dehora** (Kirby), Sep 1890; Pseuderesia
- **ashira** (Holland), 1890; Durbania
- **barnsi** (Hawker-Smith), 1933; Pseuderesia
- **catori** (Bethune-Baker), 1904; Pseuderesia
- **deborula** Aurivillius, [1899]
- dinora** (Kirby), 1890; Pseuderesia
- **carlota** (Suffert), 1904; Pseuderesia
- **discirubra** Talbot, 1937
- **meyerbeeri** d'Abreu, 1980
- drucei** (Stempffer), 1954; Pseuderesia
- **owerri** Stempffer, 1961
- **ugandae** (Stempffer), 1954; Pseuderesia
- favillacea** (Grünberg), 1910; Pseuderesia
- **griseata** Talbot, 1937
- issia** Stempffer, 1969
- * **libentina** (Hewitson), [1866], 1852-1877; Liptena
- **isabellae** (Schultze), 1916; Pseuderesia
- **zerita** (Plötz), 1880; Liptena
- **rubrica** (H. H. Druce), 1888; Liptena
- **zoraida** (Grose-Smith & Kirby), 1890, 1887-1902; Pseuderesia
- moreelsi** (Aurivillius), 1901; Pseuderesia
- **purpurea** (Hawker-Smith), 1933; Pseuderesia
- **tessmanni** (Grünberg), 1910; Pseuderesia
- - - - ♀ *f. decolorata* (Hulstaert), 1924; Pseuderesia
- moyambina** (Bethune-Baker), 1904; Pseuderesia
- neavei** (Joicey & Talbot), 1921; Pseuderesia
- **alberici** (Dufrane), 1945; Pseuderesia
- pseudocellularis** Stempffer, 1968
- russulus** (H. H. Druce), 1910; Pseuderesia
- **katangae** (Hawker-Smith), 1926; Pseuderesia
- **unyoro** Stempffer, 1961
- semirufa** (Grose-Smith), 1902, 1887-1902; Pseuderesia

Mimocastnia [Lyc:Rio:Rio:Eurybiini]

- egeria** Biedermann, 1936
- * **rothschildi** Seitz, [1917], 1910-1924

Ministrymon [Lyc:Lyc:The:Eum:Eumaeus]

- adria** (Hewitson), [1873], 1863-1878; Thecla
- albimimicus** (Johnson), 1986; Tmolus
- azia** (Hewitson), [1873], 1863-1878; Thecla
- **nipona** (Hewitson), [1877], 1863-1878; Thecla
- chacovaga** Johnson & Eisele & MacPherson, 1992
- clytie** (Edwards), 1877; Thecla
- coronta** (Hewitson), [1874], 1863-1878; Thecla
- cruenta** (Gosse), 1880; Thecla
- fidertia** (Hewitson), 1868; Thecla
- furcifer** (H. H. Druce), 1907; Thecla
- - - - *furcifer* (Comstock & Huntington), 1960, 1958-1964, (ISS); Thecla
- gamma** (H. H. Druce), 1909; Thecla
- hernandezii** Schwartz & Johnson, 1992
- ino** (Godman & Salvin), [1887], 1879-1901; Thecla
- * **leda** (Edwards), 1882; Thecla
- **ines** (Edwards), 1882; Thecla
- ligia** (Hewitson), [1877], 1863-1878; Thecla
- maevia** (Godman & Salvin), [1887], 1879-1901; Thecla
- phrutus** (Geyer), [1832], 1832-1837; Bythis

Ministrymon (*continued*)

- quebradivaga* Johnson & Miller, 1991
sanguinalis (Burmeister), 1878; *Thecla*
scopas (Godman & Salvin), [1887], 1879-1901; *Thecla*
una (Hewitson), [1873], 1863-1878; *Thecla*
 - - *lenis* (Capronnier), 1874; *Thecla*
vena (H. H. Druce), 1907; *Thecla*
 - *sparsa* (Hayward), 1949; *Thecla*
victoria (Johnson & Matusik), 1989; *Tmolus*
zilda (Hewitson), [1873], 1863-1878; *Thecla*

Mithras [Lyc:Lyc:The:Eum:Eumaeus]

- * *nautes* (Cramer), [1779], 1775-1790; *Papilio*
 - - - - *nautus* Hübner, [1819], 1816-1826, (ISS)

Mitoura [Lyc:Lyc:The:Eum:Eumaeus]

- barryi* (Johnson), 1976; *Callophrys*
 - *acuminata* Johnson, 1976
byrnei (Johnson), 1976; *Callophrys*
cedrosensis Brown & Faulkner, 1989
dospassosi (Clench), 1981; *Callophrys*
 - *searsi* (Clench), 1981; *Callophrys*
gryneus (Hübner), [1819], 1816-1826; *Lycus*
 - - - - *ab. octoscripta* Buchholz, 1951
 - - - *damon* (Stoll), [1782], 1780-1790, (H); *Papilio*
 - - - - *demon* dos Passos, 1970, (ISS)
 - - *auburniana* Harris, 1862
 - - - - *auburniana* (Harris), 1862, (ISS); *Thecla*
 - - *damastus* (Godart), [1824], 1819-1824; *Polyommatus*
 - - *patersonia* (Brehme), 1907; *Thecla*
 - - - - *patersoniana* Miller & Brown, 1981, (ISS)
 - *castalis* (Edwards), [1871]; *Thecla*
 - - - - *brehmei* Barnes & Benjamin, 1923, (IFS)
 - - *discoidalis* (Skimmer), 1897; *Thecla*
 * *smilacis* (Boisduval & Le Conte), [1835], 1829-1837; *Thecla*
hesseli Rawson & Ziegler, 1950
loki (Skimmer), 1907; *Thecla*
mui (H. Edwards), 1881; *Thecla*
nelsoni (Boisduval), 1869, 1868-1869; *Thecla*
 - - *ab. exoleta* (H. Edwards), 1881; *Thecla*
plicataria (Johnson), 1976; *Callophrys*
 - - *rosneri* (Johnson), 1976; *Callophrys*
rhodope (Godman & Salvin), [1887], 1879-1901; *Thecla*
siva (Edwards), 1874; *Thecla*
 - *chalcosiva* (Clench), 1981; *Callophrys*
 - *clenchi* Johnson, 1988
 - *juniperaria* J. A. Comstock, 1925
 - *mansfieldi* Tilden, 1951
swadneri Chemock, 1945
thornei Brown, 1983
turkingtoni (Johnson), 1976; *Callophrys*

Molus [Lyc:Lyc:The:Eum:Eumaeus]

- * *phalanthus* (Stoll), [1780], 1780-1790; *Papilio*
 - - - - *phalantus* Hübner, [1819], 1816-1826, (ISS)

Monethe [Lyc:Rio:Rio:Rio:Ancyluriti]

- albertus* Felder & Felder, 1862
 - - - - *ab. carens* Seitz, [1917], 1910-1924
 - - *leucobalia* Stichel, 1910
 - - *paulus* Staudinger, [1887], 1884-1888
 - *nesotopus* Stichel, 1910
 - - - - *ab. extensa* Lathy, 1932
 * *alphonus* (Fabricius), 1793, 1792-1799; *Hesperia*
rudolphus Godman & Salvin, [1885], 1879-1901
 - - *cajetanus* Staudinger, [1888], 1884-1888
 - *paraplesius* Stichel, 1910

Monodontides (Buakraengius) [Lyc:Lyc:Pol:Pol:Lycanopsis]

- * *cara* (de Nicéville), 1898; *Cyaniris*

Monodontides (Monodontides) [Lyc:Lyc:Pol:Pol:Lycanopsis]

- apona* (Fruhstorfer), 1910; *Cyaniris*

Monodontides (Monodontides) (*continued*)

- * *argioloides* (Rothschild), 1916; *Nacaduba*
hondai Eliot & Kawazoé, 1983
kolar (Ribbe), 1926; *Cyaniris*
luzonensis Eliot & Kawazoé, 1983
musina (Snellen), 1892; *Lycæna*
 - - *candaules* (de Nicéville), 1895; *Cyaniris*
 - - *lugra* (H. H. Druce), 1895; *Cyaniris*
 - *musinoides* (Swinhoe), 1910, 1909-1913; *Lycanopsis*
 - - *parishii* (Rhé Philipe), 1911; *Cyaniris*
 - *pelides* (Fruhstorfer), 1910; *Cyaniris*
ternatensis Eliot & Kawazoé, 1983

Morphissima [Lyc:Lyc:The:Eum:Eumaeus]

- centoripa* (Hewitson), 1868; *Thecla*
 - - *hahneli* (Staudinger), [1888], 1884-1888; *Thecla*
devia (Möschler), 1883; *Thecla*
indigo (H. H. Druce), 1907; *Thecla*
netesca (Draudt), [1920], 1917-1924; *Thecla*
 * *scalpera* Johnson, 1991
thama (Hewitson), [1877], 1863-1878; *Thecla*
xeneta (Hewitson), [1877], 1863-1878; *Thecla*

Mota [Lyc:Lyc:The:Arh:Semanga]

- * *massyla* (Hewitson), [1869], 1863-1878; *Myrina*

Mycastor [Lyc:Rio:]

- * *leucarpis* (Stichel), 1925; *Nymphidium*
 - - - - *leucaspis* (Zikán), 1928, (ISS); *Nymphidium*
nealces (Hewitson), [1871], 1852-1877; *Nymphidium*
 - *amoenum* (Stichel), 1929; *Nymphidium*
scurrilis (Stichel), 1929; *Nymphidium*

Myrina [Lyc:Lyc:The:Amblypodini]

- anettae* de Fleury, 1924
dermaptera (Wallengren), 1857; *Loxura*
 - *nyassae* Talbot, 1935
 - - - - *nyassae* Stempffer, 1967, (ISS)
sharpei Bethune-Baker, 1906
 - *fontainei* Stempffer, 1961
silenus (Fabricius), 1775; *Papilio*
 * - - *alcides* (Cramer), [1776], 1775-1790; *Papilio*
 - *corax* (Stoll), [1782], 1780-1790; *Papilio*
 - *deserticola* Stempffer, 1969
 - *ficedula* Trimen, 1879
 - - - - *ficedula* Stempffer, 1967, (ISS)
 - *nzoiae* Stoneham, 1937
 - *penningtoni* Dickson & Stephen, 1971
subornata Lathy, 1903
 - *kacheleba* d'Abrera, 1980
 - *nuba* Talbot, 1935

Nabokovia [Lyc:Lyc:Pol:Pol:Nabokovia]

- ada* Bálint & Johnson, 1994
 * *faga* (Dognin), 1895; *Thecla*
 - - *excisicosta* (Dyar), 1913; *Thecla*

Nacaduba [Lyc:Lyc:Pol:Pol:Nacaduba]

- angelae* Cassidy, 1990
angusta (H. Druce), 1873; *Cupido*
 - - *hondai* Hayashi, 1976
 - - *thespia* Fruhstorfer, 1916
 - *albida* Riley & Godfrey, 1925
 - *flumena* Fruhstorfer, 1916
 - - - - *flumen* Seitz, [1924], 1912-1927, (ISS)
 - *honorifice* Fruhstorfer, 1916
 - - - - *honorifica* Seitz, [1924], 1912-1927, (ISS)
 - *kerriana* Distant, 1886
 - *limbura* Fruhstorfer, 1916
 - *pamela* Grose-Smith, 1895
 - - *atromarginata* H. H. Druce, 1902
 - *sangira* Fruhstorfer, 1916
asaga Fruhstorfer, 1916

Nacaduba (continued)

- berenice (Herrich-Schäffer), 1869; Lycaena
- akaba (H. Druce), 1873; Cupido
- aphaa Fruhstorfer, 1916
- aphyia Fruhstorfer, 1916
- apira Fruhstorfer, 1916
- carnania Fruhstorfer, 1916
- dobbensis (Röber), [1886]; Plebeius
- eliana Fruhstorfer, 1916
- icena Fruhstorfer, 1916
- illuensis (Röber), [1886]; Plebeius
- korene H. H. Druce, 1891
- leei Hsu, 1990
- nicobaricus Wood-Mason & de Nicéville, 1881
- ormistoni Toxopeus, 1927
- plumbeomicans (Wood-Mason & de Nicéville), 1880; Lampides
- rapara Fruhstorfer, 1916
- zygida Fruhstorfer, 1916
- zyrthis Fruhstorfer, 1916
- beroe (Felder & Felder), 1865, 1865-1875; Lycaena
- asakusa Fruhstorfer, 1916
- bimaculosa Toxopeus, 1929
- gythion Fruhstorfer, 1916
- hayashii Takanami, 1990
- - - elioti Hayashi, 1976, (H)
- javana Toxopeus, 1927
- jedja Fruhstorfer, 1916
- minima Toxopeus, 1927
- neon Fruhstorfer, 1916
- biocellata (Felder & Felder), 1865, 1865-1875; Lycaena
- - adamapuncta (Tepper), 1882; Cupido
- armillata (Butler), [1876]; Lampides
- baliensis Tite, 1963
- cajetani Tite, 1963
- - - felderi Rothschild, 1915, (H)
- - - rothschildi (Toxopeus), 1930, (H); Prosotas
- calauria (C. Felder), 1860; Lycaena
- cypria Toxopeus, 1929
- malayica Corbet, 1938
- toxopeusi Corbet, 1938
- - - evansi Toxopeus, 1927, 1927-1928, (H)
- + catochloris (Boisduval), 1832; Lycaena
- cladara Holland, 1900
- + cyanea (Cramer), [1775], 1775-1790; Papilio
- arinia (Oberthür), 1878; Cupido
- - albastola (Lucas), 1889; Danis
- carissima (Grose-Smith & Kirby), 1895, 1887-1902; Thysonotis
- chromia (H. H. Druce), 1891; Thysonotis
- epicoritus (Boisduval), 1832; Lycaena
- - arinides (Fruhstorfer), 1915; Thysonotis
- hamilcar (Grose-Smith), 1894; Thysonotis
- - intermedius (Ribbe), 1899; Thysonotis
- - pseudochromia (Ribbe), 1899; Thysonotis
- illustris (Röber), [1886]; Plebeius
- manto (Grose-Smith & Kirby), 1896, 1887-1902; Thysonotis
- metrophanes (Fruhstorfer), 1915; Thysonotis
- obiana (Fruhstorfer), 1915; Thysonotis
- pindus (Felder & Felder), 1865, 1865-1875; Lycaena
- rosselana (Bethune-Baker), 1908; Thysonotis
- smaragdus (H. H. Druce & Bethune-Baker), 1893; Thysonotis
- sperchius (Felder & Felder), 1860; Thysonotis
- stephani (Grose-Smith & Kirby), 1894, 1887-1902; Thysonotis
- zainis (Fruhstorfer), 1915; Thysonotis
- deliana (Snellen), 1892; Lycaena
- deplorans (Butler), [1876]; Lampides
- dion (Godart), [1824], 1819-1824; Polyommatus
- dyopa (Herrich-Schäffer), 1869; Lycaena
- - gemmata H. H. Druce, 1887
- - vitiensis Butler, 1883

Nacaduba (continued)

- geleis Holland, 1900
- glauconia (Snellen), 1901; Lycaena
- - - glauca (Snellen), 1892, (H); Lycaena
- overdijkinki Toxopeus, 1929
- glenis Holland, 1900
- hermus (C. Felder), 1860; Lycaena
- minja Fruhstorfer, 1916
- nabo Fruhstorfer, 1916
- sidoma Fruhstorfer, 1916
- swatipa Corbet, 1938
- tairea Fruhstorfer, 1916
- valvidens Toxopeus, 1929
- vicania Corbet, 1938
- - major Evans, 1932, (H)
- kirtoni Eliot, 1984
- kurava (Moore), [1858]; Lycaena
- - agorda Fruhstorfer, 1916
- - astapa Fruhstorfer, 1916
- - bawana Fruhstorfer, 1916
- - isana Fruhstorfer, 1916
- - nemana Fruhstorfer, 1916
- albobfasciata (Röber), [1886]; Plebeius
- ariitea Fruhstorfer, 1916
- - - - ariitia Tite, 1963, (ISS)
- bandana (Swinhoe), 1916; Euaspa
- canaraica Toxopeus, 1927
- - - - belli Toxopeus, 1927, (IFS)
- cerbara Fruhstorfer, 1916
- cyaneira Fruhstorfer, 1916
- euplea Fruhstorfer, 1916
- - ataranica Toxopeus, 1927
- - evansi Toxopeus, 1927
- eures H. H. Druce, 1891
- felsina Waterhouse & Lyell, 1914
- fujiokai Hayashi, 1976
- laura Doherty, 1891
- laurina Fruhstorfer, 1916
- lydia Fruhstorfer, 1916
- mentawica Riley, [1945]
- menyangka Takanami, 1990
- niasica Toxopeus, 1927
- pacifica Toxopeus, 1927
- parma Waterhouse & Lyell, 1914
- - syrias Fruhstorfer, 1916
- perusia (C. Felder), 1860; Lycaena
- - niconia (C. Felder), 1860; Lycaena
- - prominens (Moore), 1877; Lampides
- rothschildi Toxopeus, 1927
- sambalanga Tite, 1963
- - - nicobarica Toxopeus, 1927, (H)
- septentrionalis Shirôzu, 1953
- therasia Fruhstorfer, 1916
- lucana Tite, 1963
- major Rothschild, 1915
- mallicollo H. H. Druce, 1892
- - - - mallicolo Viette, 1950, (ISS)
- biakana Tite, 1963
- markira Tite, 1963
- mioswara Tite, 1963
- nerine (Grose-Smith & Kirby), 1899, 1887-1902; Thysonotis
- - albostrigata (Bethune-Baker), 1908; Thysonotis
- courvoisieri (Fruhstorfer), 1917; Thysonotis
- normani Eliot, 1969
- titei Eliot, 1969
- novaehebridensis H. H. Druce, 1892
- guizoensis Tite, 1963
- vulcana Tite, 1963
- ollyetti Corbet, 1947
- pactolus (C. Felder), 1860; Lycaena
- andamanica Fruhstorfer, 1916

Nacaduba (*continued*)

- *antalcidas* Fruhstorfer, 1915
- *cabrorus* (Röber), [1886]; Plebeius
- *cela* Waterhouse & Lyell, 1914
- *ceylonica* Fruhstorfer, 1916
- *continentalis* Fruhstorfer, 1916
- *cyaniris* (Röber), 1891; Plebeius
- *hainani* Bethune-Baker, 1914
- *lycoreia* Fruhstorfer, 1916
- *macrophthalma* (C. Felder), 1862; Lycaena
- - *varia* Evans, 1932
- *neaira* Fruhstorfer, 1916
- *odon* Fruhstorfer, 1916
- *pactolides* Fruhstorfer, 1916
- *raluana* Ribbe, 1899
- - - - *valuana* Seitz, [1924], 1912-1927, (ISS)
- *waigeuensis* (Joicey & Talbot), 1917; Lampides
- pavana** (Horsfield), [1828], 1828-1829; Lycaena
- *azureus* (Röber), [1886]; Plebeius
- *georgi* Fruhstorfer, 1916
- *singapura* Corbet, 1938
- *vajuva* Fruhstorfer, 1916
- pendleburyi** Corbet, 1938
- *latemarginata* Tite, 1963
- *penangensis* Tite, 1963
- ruficirca** Tite, 1963
- russelli** Tite, 1963
- - - - *russeri* Hirowatari, 1992, (ISS)
- samoensis** H. H. Druce, 1892
- sanaya** Fruhstorfer, 1916
- *elioti* Corbet, 1938
- - *thalia* Corbet, 1938
- *metallica* Fruhstorfer, 1916
- *naevia* Toxopeus, 1929
- schneideri** (Ribbe), 1899; Pseudonotis
- sericina** (Felder & Felder), 1865, 1865-1875; Lycaena
- - *smaragdina* Semper, 1890, 1886-1892
- *palawana* Hayashi, 1976
- *thaurus* Fruhstorfer, 1916
- - - - *thaurus* Tite, 1963, (ISS)
- sinhala** Ormiston, 1924
- - - - *atratus* (Horsfield), [1828], 1828-1829, (NN); Lycaena
- - - *ceylonica* Fruhstorfer, 1916, (H)
- solta** Eliot, 1955
- subperusia** (Snellen), 1896; Lycaena
- *intricata* Corbet, 1938
- *lysa* Fruhstorfer, 1916
- *martha* Eliot, 1955
- *nadia* Eliot, 1955
- *paska* Eliot, 1955
- sumbawa** Tite, 1963
- tahitiensis** Hara & Hirowatari, 1989
- taiwana** Matsumura, 1919
- takamukuana** Matsumura, 1919
- tristis** Rothschild, 1916

Nahida [Lyc:Rio:Rio:Rio:Ancyluriti]

- * *coenoides* (Hewitson), 1870, 1869-1877; Threnodes
- - *trochoides* Stichel, 1929
- ecuadorica** (Strand), 1911; Ithomeis
- serena** Stichel, 1910
- trochois** (Hewitson), 1877, 1869-1877; Threnodes

Napaea [Lyc:Rio:Rio:]

- agroeca** Stichel, 1910
- beltiana** (Bates), 1867; Cremna
- *malis* (Godman), 1903; Cremna
- brunneipennis** Zikán, 1952
- * **eucharila** (Bates), 1867; Cremna
- - - - *frustatoria* Stichel, 1910, (IFS)
- *parvipuncta* Lathy, 1932
- - - - *parvipunctata* d'Abreu, 1994, (ISS)

Napaea (*continued*)

- *picina* Stichel, 1910
- - - - *rufolimbatia* Stichel, 1910, (IFS)
- lucilla** (Möschler), 1883; Cremna
- *aza* (H. H. Druce), 1904; Cremna
- melampia** (Bates), 1867; Cremna
- merula** (Thieme), 1907; Cremna
- nepos** (Fabricius), 1793, 1792-1799; Hesperia
- *orpheus* (Westwood), [1851], 1846-1852; Cremna
- *tanos* Stichel, 1910
- paupercula** Zikán, 1952
- phryxe** (Felder & Felder), 1865, 1865-1875; Cremna
- sylva** (Möschler), 1876; Cremna
- theages** (Godman & Salvin), 1878; Lemonias
- *asteria* Stichel, 1910
- *cribralis* Stichel, 1915
- umbra** (Boisduval), 1870; Hypophylla
- - *cebrenea* (Hewitson), [1873], 1852-1877; Cremna
- umbratica** Zikán, 1952
- zikani** Stichel, 1923

Neaveia [Lyc:Lyc:Lip:Lip:Epitola]

- * **lamborni** H. H. Druce, 1910
- *orientalis* Jackson, 1962

Necmitoura [Lyc:Lyc:The:Eum:Eumaeus]

- * **marcusa** Johnson & Eisele & MacPherson, 1993

Necyria [Lyc:Rio:Rio:Rio:Ancyluriti]

- * **bellona** Westwood, [1851], 1846-1852
- - *enyo* Seitz, [1917], 1910-1924
- beltiana** Hewitson, 1870
- duellona** Westwood, [1851], 1846-1852
- *diva* Staudinger, [1887], 1884-1888
- incendiaria** Thieme, 1907
- jurna** Hewitson, 1869, 1869-1877
- larunda** Godman & Salvin, [1885], 1879-1901
- manco** Saunders, [1859]
- - - - *aurantiaca* Seitz, [1917], 1910-1924, (NN)
- - *butleria* H. Druce, 1874
- - *fulminatrix* Felder & Felder, 1861
- - *lindigii* Felder & Felder, 1862
- saundersii** (Hewitson), 1854; Erycina
- - *hewitsonii* Saunders, [1859]
- *gerhardi* Mengel, 1902
- sepyra** (Hewitson), 1877, 1869-1877; Erycina
- vetulonia** Hewitson, [1872], 1852-1877
- westwoodi** Hopffer, 1874
- - *obliterata* Stichel, 1916
- - *whitelyana* H. Druce, 1874
- zaneta** Hewitson, [1875], 1852-1877

Neocheritra [Lyc:Lyc:The:Iol:Iolaus]

- * **amrita** (Felder & Felder), 1860; Myrina
- *paolina* Riley, 1932
- *theodora* (H. H. Druce), 1885; Iolaus
- - *megalesia* Fruhstorfer, [1912]
- fabronia** (Hewitson), [1878], 1863-1878; Myrina
- *lina* (Eliot), 1959; Jacoona
- gertrudes** (Schröder & Treadaway), 1978; Jacoona
- - *kurosawai* Hayashi, 1981
- - *toshikoe* (Hayashi), 1978; Jacoona
- namoa** de Nicéville, 1894

Neoeptola [Lyc:Lyc:Lip:Lip:Epitola]

- * **barombiensis** (Kirby), 1890; Epitola

Neolucia [Lyc:Lyc:Pol:Pol:Theclinesthes]

- * **agricola** (Westwood), [1851], 1846-1852; Lucia
- - *insutana* Waterhouse & Lyell, 1914
- *occidens* Waterhouse & Lyell, 1914
- hobartensis** (Miskin), 1890; Lycaena
- *monticola* Waterhouse & Lyell, 1914

Neolucia (continued)

- mathewi* (Miskin), 1890; *Lycaena*
 - - - - *sylvicola* (Waterhouse), 1903, (PS); *Una*

Neomyrina [Lyc:Lyc:The:Lox:Neomyrina]

- nivea* (Godman & Salvin), 1878; *Myrina*
 * - *hiemalis* (Godman & Salvin), 1878; *Myrina*
 - *periculosa* Fruhstorfer, 1913

Neopithecops [Lyc:Lyc:Pol:Pol:Lycaenopsis]

- iolanthe* Eliot & Kawazoé, 1983
 - *boholicus* Eliot & Kawazoé, 1983
 - *florensis* Takanami, 1986
 + *lucifer* (Röber), [1886]; *Plebeius*
 - - *bitonides* (Staudinger), 1871; *Lycaena*
 - *heria* (Fruhstorfer), [1919]; *Pithecops*
 - *parumbretta* Eliot & Kawazoé, 1983
sumbanus Eliot & Kawazoé, 1983
 - *orientalis* Eliot & Kawazoé, 1983
umbretta Grose-Smith, 1895
 - *dorothea* Eliot & Kawazoé, 1983
 - *obianus* Eliot & Kawazoé, 1983
 - *tituria* (Fruhstorfer), [1919]; *Pithecops*
zalmora (Butler), [1870]; *Pithecops*
 - - - - *talmora* H. Druce, 1873, (ISS)
 - - *batuana* Riley, [1945]
 - - *colutha* (Fruhstorfer), [1919]; *Pithecops*
 - - *dolona* (Fruhstorfer), [1919]; *Pithecops*
 - - *fedora* (Fruhstorfer), [1919]; *Pithecops*
 - - *nihana* (Moore), 1878; *Pithecops*
 - *andamanus* Eliot & Kawazoé, 1983
 * - *dharma* (Moore), [1881], 1880-1881; *Pithecops*
 - - - - *todara* de Nicéville, 1890, (PS)
 + - - *gaura* (Moore), 1884; *Parapithecops*
 - - *todara* (Fruhstorfer), [1923], 1909-1923; *Pithecops*
 - *horsfieldi* Distant, 1884, 1882-1886
 - *indigeta* (Fruhstorfer), [1919]; *Pithecops*
 - *pertimidus* Toxopeus, 1930

Neozephyrus [Lyc:Lyc:The:The:Thecla]

- coruscans* (Leech), [1893], 1893-1894; *Zephyrus*
 - - - - *coruscans* (Seitz), [1908], 1907-1921, (ISS); *Zephyrus*
dubernardi (Riley), 1939; *Thecla*
helenae Howarth, 1957
 - - - - ♀ *f. violescens* Howarth, 1957
suroia (Tytler), 1915; *Zephyrus*
 - - - - *suroia* (Sharp), [1917], (ISS); *Zephyrus*
taiwanus (Wileman), 1908; *Zephyrus*
 - - *taiheizana* (Nomura), 1931; *Zephyrus*
 - - *takasagoensis* (Nire), 1920; *Zephyrus*
 - - *tattakana* (Matsumura), 1929; *Zephyrus*
 * *taxila* (Bremer), 1861; *Thecla*
 - - - - *ab. kawamotoi* Murayama, 1956
 - - - - ♀ *f. leechi* (Esaki), 1938; *Zephyrus*
 - - - - ♀ *f. quercus* Kardakoff, 1928
 - - - - *ab. sidemina* (Kardakoff), 1928; *Zephyrus*
 - - - - *taxilia* d'Abrebra, 1986, (ISS)
 - - - - ♀ *f. unicolor* Kardakoff, 1928
 - - *bellus* (Rühl), 1893, 1892-1893; *Thecla*
 - - - - ♀ *f. bellus* Kardakoff, 1928
 - - *fasciata* (Janson), 1878; *Thecla*
 - - *harukii* Hori & Tamanuki, 1937
 - - *maculata* (Rühl), 1893, 1892-1893; *Thecla*
 - - *quercus* (Rühl), 1893, 1892-1893; *Thecla*
 - - *regina* (Butler), [1882]; *Thecla*
 - - *smaragdinoides* Staudinger
 - - *unicolor* (Rühl), 1893, 1892-1893; *Thecla*
 - *japonica* (Murray), 1874; *Dipsas*
 - - - - ♀ *f. pryeri* (Esaki), 1935; *Zephyrus*
 - - *koreana* (Riley), 1939; *Thecla*
 - - *monticola* Shirôzu, 1952
 - *sachalinensis* (Matsumura), 1928; *Zephyrus*

Neozephyrus (continued)

- yangi* (Riley), 1939; *Thecla*

Nesiostrymon [Lyc:Lyc:The:Eum:Eumaeus]

- australivaga* Johnson, 1991
celida (Lucas), 1857; *Thecla*
 - *aibonito* Comstock & Huntington, 1943
 - *baorucoensis* Johnson, 1991
celona (Hewitson), [1874], 1863-1878; *Thecla*
milleri Johnson, 1991
 * *shoumatoffi* (Comstock & Huntington), 1943; *Thecla*

Nesolycaena [Lyc:Lyc:Pol:Candalidini]

- * *albosericea* (Miskin), 1891; *Holochila*
 - - *caeruleolactea* (Lucas), 1891; *Holochila*
caesia d'Apice & Miller, 1992
 + *urumelia* (Tindale), 1922; *Adaluma*
 - - - - *urumella* (Riley & Tams), 1925, (ISS); *Adaluma*
 - - *wilkinsi* (Riley), 1928; *Candalides*

Neurellipes [Lyc:Lyc:Pol:Lycaenesthini]

- aequatorialis* (Stempffer), 1962; *Anthene*
chryseostictus Bethune-Baker, 1910
doubledaii (Westwood), 1848; *Acontia*
fulvus (Stempffer), 1962; *Anthene*
gemmifera (Neave), 1910; *Lycaenesthes*
 + - - *pluricauda* (Ungemach), 1932; *Monile*
likouala (Stempffer), 1962; *Anthene*
 * *lusones* (Hewitson), 1874; *Lycaenesthes*
 - - *fulvimacula* (Mabille), 1890; *Lycaena*
maeander (Plötz), 1880; *Lycaenesthes*
 - - - - *meander* Stempffer, 1967, (ISS)
staudingeri (Grose-Smith & Kirby), 1894, 1887-1902;
Lycaenesthes
 - *obsoleta* Stempffer, 1947

Neurypexina [Lyc:Lyc:Pol:Lycaenesthini]

- kalinzu* Stempffer, 1950
lamprodes (Hewitson), [1878], 1863-1878; *Lycaenesthes*
 * *lyzanius* (Hewitson), 1874; *Lycaenesthes*
 - - *regillus* (Holland), 1891; *Lycaenesthes*
 - - *turbatus* (Grose-Smith & Kirby), 1893, 1887-1902;
Lycaenesthes
quadricaudata (Bethune-Baker), 1926; *Triclema*

Nicolaea [Lyc:Lyc:The:Eum:Eumaeus]

- * *cauter* (H. H. Druce), 1907; *Thecla*
gagarini Johnson, 1993
honduriana Johnson, 1993
literatus (H. H. Druce), 1907; *Thecla*
macroma Johnson, 1993
micronota Johnson, 1993
nugar (Schaus), 1902; *Thecla*
obelus (H. H. Druce), 1907; *Thecla*
pertainea Johnson, 1993
volumen (H. H. Druce), 1907; *Thecla*
xorema (Schaus), 1902; *Thecla*
xoremoides (Lathy), 1936; *Thecla*

Niphanda [Lyc:Lyc:Pol:Niphandini]

- asialis* (de Nicéville), 1895; *Azanus*
 - - *marcia* (Fawcett), 1904; *Lycaena*
cymbia de Nicéville, [1884]
 - - *plinioides* Moore, [1884]
 - *reter* H. H. Druce, 1895
fusca (Bremer & Grey), 1853; *Thecla*
 - *aristarcha* Fruhstorfer, [1919]
 - - - - *aristarchia* d'Abrebra, 1986, (ISS)
 - *cyme* Fruhstorfer, [1919]
 - *dispar* (Bremer), 1864; *Amblypodia*
 - *formosensis* Matsumura, 1929
 - *lasurea* Graeser, 1888, 1888-1893
 - *niphonica* Matsumura, 1929

Niphanda (*continued*)

- *onoma* Fruhstorfer, [1919]
- *shijima* Fruhstorfer, [1919]
- *tituria* Fruhstorfer, [1924], 1909-1923
- *stubbisi* Howarth, 1956
- * *tessellata* Moore, [1875]
- - - - *tesselata* d'Abrera, 1986, (ISS)
- *aethlops* (Distant), 1886; *Lycaenesthes*

Nirodia [Lyc:Rio:Rio:Rio:Ancyluntii]

- * *belphegor* (Westwood), [1851], 1846-1852; *Erycina*

Noreena [Lyc:Lyc:The:Eum:Eumaeus]

- *cambes* (Godman & Salvin), [1887], 1879-1901; *Thecla*
- - *syvix* (Dyar), 1916; *Thecla*
- *comana* (Hewitson), [1867], 1863-1878; *Thecla*
- - *peralta* (Möschler), 1883; *Thecla*
- *fracta* Johnson, 1989
- *galactica* Johnson, 1989
- *guianivaga* Johnson, 1989
- *lemona* (Hewitson), [1874], 1863-1878; *Thecla*
- *luxuriosa* Johnson, 1989
- * *maria* Johnson & MacPherson & Ingraham, 1986
- *molena* (Jones), 1912; *Thecla*
- *pritzkeri* Johnson, 1989

Notarthrinus [Lyc:Lyc:Pol:Pol:Lycaenopsis]

- * *binghami* Chapman, 1908

Notheme [Lyc:Rio:Rio:Rio:Riodinitii]

- *erota* (Cramer), [1780], 1775-1790; *Papilio*
- *diadema* Stichel, 1910
- *eumeus* (Fabricius), 1781, 1781-1782; *Papilio*
- - *uranis* (Hübner), [1819], 1816-1826; *Baetis*
- * *ouranus* (Stoll), [1780], 1780-1790; *Papilio*
- *agathon* (Felder & Felder), 1865, 1865-1875; *Amblygonia*
- - *f. hemicosmeta* Stichel, 1910
- *angellus* Stichel, 1910

Nothodanis [Lyc:Lyc:Pol:Pol:Prosotas]

- * *schaeffera* (Eschscholtz), 1821; *Lycaena*
- - *absyrtus* (Felder & Felder), 1859; *Danis*
- *annamensis* (Fruhstorfer), 1903; *Thysonotis*
- *baladensis* (Holloway & Peters), 1976; *Psychonotis*
- - - *caledonica* (Felder & Felder), 1865, 1865-1875, (H);
Lycaena
- *caesius* (Grose-Smith), 1894; *Thysonotis*
- *cephais* (H. H. Druce), 1891; *Thysonotis*
- *esme* (Grose-Smith), 1894; *Thysonotis*
- *soranus* (Fruhstorfer), 1915; *Thysonotis*

Novosatsuma [Lyc:Lyc:The:Eum:Eumaeus]

- *cibdela* Johnson, 1992
- *collosa* Johnson, 1992
- *magnapurpurea* Johnson, 1992
- *magnasuffusa* Johnson, 1992
- *matusiki* Johnson, 1992
- * *monstrabilis* Johnson, 1992
- *oppocoenosa* Johnson, 1992
- *plumbagina* Johnson, 1992
- *pratti* (Leech), 1889; *Thecla*
- - - *pratti* (Leech), 1890; *Satsuma*

Nymphidium [Lyc:Rio:Rio:Nymphidiini]

- + *acherois* (Boisduval), 1836; *Desmozona*
- *erymanthus* Ménétriés, 1855, 1855-1857
- - - - *perixantha* Stichel, 1926, (ISS)
- *anapis* (Godart), [1824], 1819-1824; *Erycina*
- *ariari* Callaghan, 1988
- *aurum* Callaghan, 1985
- *azanoldes* Butler, 1867
- *amazonensis* Callaghan, 1986
- *occidentalis* Callaghan, 1986

Nymphidium (*continued*)

- *baeotia* Hewitson, [1853], 1852-1877
- *balbinus* Staudinger, [1887], 1884-1888
- *cachrus* (Fabricius), 1787; *Papilio*
- - - *damon* (Stoll), [1790], 1780-1790, (H); *Papilio*
- - *heliotis* Bates, [1868]
- - - - *kwokii* d'Abrera, 1994, (ISS)
- *ascolla* Hewitson, [1853], 1852-1877
- *ascolides* (Boisduval), 1870; *Desmozona*
- *augea* H. H. Druce, 1904
- * *caricae* (Linnaeus), 1758; *Papilio*
- - - - *badia* Stichel, 1929, (IFS)
- - *multochrea* Kaye, 1919
- *carissima* Stichel, 1910
- *carmentis* Stichel, 1910
- *erubescens* Stichel, 1929
- *major* Lathy, 1932
- *parthenium* Stichel, 1924
- *undulata* Bryk, 1953
- *chione* Bates, 1867
- *onaenum* Hewitson, 1869
- *stibopteris* Butler, 1877
- *undimargo* Seitz, [1917], 1910-1924
- *eutrapela* Bates, [1868]
- *fulminans* Bates, [1868]
- *gyuanensis* Gallard & Brevignon, 1989
- *sardinata* Callaghan, 1985
- *haematostictum* Godman & Salvin, 1878
- *latibrunis* Callaghan, 1985
- *lenocinium* Schaus, 1913
- - *albicatus* Stichel, 1929
- - - - *albicans* Stichel, 1931, (ISS)
- - *chiriquensis* Lathy, 1932
- - - - *chiriquiensis* d'Abrera, 1994, (ISS)
- + *leucosia* (Hübner), [1806], 1806-1838; *Limnas*
- *separata* Lathy, 1932
- *lisimon* (Stoll), [1790], 1780-1790; *Papilio*
- - - - *ab. derufata* Lathy, 1932
- - - - *lysimon* Kirby, 1871, (ISS)
- - *lisimaena* (Hübner), [1819], 1816-1826; *Peplia*
- - *platea* Westwood, [1851], 1846-1852
- *attenuatum* Stichel, 1929
- *chimborazium* Bates, [1868]
- *epiplatea* Butler, 1867
- *erythraicum* Stichel, 1910
- *hesperinum* Stichel, 1911
- *plinthobaphis* Stichel, 1910
- *strati* Kaye, [1925]
- *velatum* Stichel, 1914
- *manicorensis* Callaghan, 1985
- *mantus* (Cramer), [1775], 1775-1790; *Papilio*
- - - - *t* d'Abrera, 1994, (ISS)
- - - - *thryptica* Stichel, 1910, (IFS)
- *menalcus* (Stoll), [1782], 1780-1790; *Papilio*
- - *leucidiodes* Seitz, [1917], 1910-1924
- *blakei* Weeks, 1906
- *minuta* H. H. Druce, 1904
- - *robiginosum* Stichel, 1929
- - - - *rubiginosum* Stichel, 1931, (ISS)
- *ninias* Hewitson, [1865], 1852-1877
- - - - *galactina* Stichel, 1910, (IFS)
- *medusa* H. H. Druce, 1904
- *semiramis* Stichel, 1924
- *nivea* Talbot, 1928
- *olinda* Bates, 1864, 1864-1865
- *omois* Hewitson, [1865], 1852-1877
- *onoba* Hewitson, [1865], 1852-1877

Oboronla [Lyc:Lyc:Pol:Pol:Euchrysops]

- *albicosta* (Gaede), 1915, 1915-1916; *Cupido*
- *bueronica* Karsch, 1895

Oboronia (*continued*)

- gussfeldtii* (Dewitz), 1879; Plebeius
- liberiana* Stempffer, 1950
- pseudopunctatus* Strand, 1912
- punctatus* (Dewitz), 1879; Plebeius
- - - - *elorea* (Staudinger), [1888], 1884-1888, (MID); Lycaena
- * - - *staudingeri* Hemming, 1960
- *arctimargo* Hulstaert, 1924
- *jacksoni* Stempffer, 1942
- *trypherota* Bethune-Baker, 1909

Ocaria [Lyc:Lyc:The:Eum:Eumaeus]

- * *ocrisia* (Hewitson), 1868; Thecla
- - *peruviana* (Erschoff), 1877; Thecla
- *lita* (Hayward), 1949; Thecla
- *zora* (Hewitson), [1869], 1863-1878; Thecla

Oenomachus [Lyc:Lyc:The:Eum:Eumaeus]

- * *ortygnus* (Cramer), [1779], 1775-1790; Papilio
- - *lauta* (Draudt), [1919], 1917-1924; Thecla

Ogyris [Lyc:Lyc:The:Ogyrini]

- * *abrota* Westwood, [1851], 1846-1852
- aenone* Waterhouse, 1902
- amaryllis* Hewitson, 1862
- - *amata* Waterhouse, 1934
- *hewitsoni* Waterhouse, 1902
- *hopensis* Bums, 1948
- *meridionalis* Bethune-Baker, 1905
- - *parsonsi* Angel, 1951
- aurantiaca* Rebel, 1912
- barnardi* Miskin, 1890
- *delphis* Tindale, 1952
- faciepecta* Strand, 1911
- genoveva* Hewitson, [1854], 1852-1877
- - *araxes* Waterhouse & Lyell, 1914
- - *gela* Waterhouse, 1941
- - *genua* Waterhouse, 1941
- *duaringa* Bethune-Baker, 1905
- - - - *duaringae* Seitz, [1926], 1912-1927, (ISS)
- *splendida* Tindale, 1923
- ianthis* Waterhouse, 1900
- idmo* Hewitson, 1862
- - *orontas* Hewitson, 1862
- *halmaturia* Tepper, 1890
- *waterhousei* Bethune-Baker, 1905
- iphis* Waterhouse & Lyell, 1914
- *doddi* Waterhouse & Lyell, 1914
- meekei* Rothschild, 1900
- olane* Hewitson, 1862
- - *catharina* Felder & Felder, 1865, 1865-1875
- *ocela* Waterhouse, 1934
- oroetes* Hewitson, 1862
- *apiculata* Quick, 1972
- otanes* Felder & Felder, 1865, 1865-1875
- zosine* Hewitson, [1854], 1852-1877
- - - - *iberia* Waterhouse & Lyell, 1914, (IFS)
- - - - *zosine* Seitz, [1924], 1912-1927, (ISS)
- - *zenobia* Waterhouse & Lyell, 1914
- *magna* Bethune-Baker, 1905
- *typhon* Waterhouse & Lyell, 1914
- *zolviva* Waterhouse, 1941

Olyntus [Lyc:Lyc:The:Eum:Eumaeus]

- avoca* (Hewitson), [1867], 1863-1878; Thecla
- essus* (Herrich-Schäffer), [1853], 1850-1869; Thecla
- fancia* (Jones), 1912; Thecla
- hypsea* (Godman & Salvin), [1887], 1879-1901; Thecla
- - *stiktos* (H. H. Druce), 1890; Thecla
- - - - *stictos* (Draudt), [1919], 1917-1924, (ISS); Thecla
- * *narbal* (Stoll), [1790], 1780-1790; Papilio
- - *amplius* (H. H. Druce), 1907; Thecla

Olyntus (*continued*)

- - *fessa* (Möschler), 1883; Thecla
- nitor* (H. H. Druce), 1907; Thecla
- ophelia* (Hewitson), [1867], 1863-1878; Thecla
- ostia* (Hewitson), [1867], 1863-1878; Thecla
- porphyreticus* (H. H. Druce), 1907; Thecla
- punctum* (Herrich-Schäffer), [1853], 1850-1869; Thecla
- - *obsoleta* (Lathy), 1926; Thecla
- stigmatos* (H. H. Druce), 1890; Thecla

Orachrysops [Lyc:Lyc:Pol:Pol:Euchrysops]

- ariadne* (Butler), 1898; Catochrysops
- lacrimosa* (Bethune-Baker), 1923; Neochrysops
- major* (Bethune-Baker), 1923; Neochrysops
- mijburghi* (Vári), 1986; Lepidochrysops
- * *niobe* (Trimen), 1862; Lycaena

Oraidium [Lyc:Lyc:Pol:Pol:Brepidium]

- * *barberae* (Trimen), 1868; Lycaena

Orcya [Lyc:Lyc:The:Eum:Thereus]

- ahola* (Hewitson), [1867], 1863-1878; Thecla
- anthracia* (Hewitson), [1874], 1863-1878; Thecla
- ania* (Hewitson), [1874], 1863-1878; Thecla
- - - - *anina* (H. H. Druce), 1907, (ISS); Thecla
- bassania* (Hewitson), 1868; Thecla
- catharina* (Draudt), [1920], 1917-1924; Thecla
- cordelia* (Hewitson), 1870, 1869-1877; Thecla
- hewitsoni* Johnson, 1990
- larseni* (Lathy), 1936; Thecla
- marmoris* (H. H. Druce), 1907; Thecla
- - - - *marmoris* (Comstock & Huntington), 1961, 1958-1964, (ISS); Thecla
- obliqua* Johnson, 1990
- * *orcynia* (Hewitson), 1868; Thecla
- snyderi* Johnson, 1992
- supra* Johnson, 1990

Oreolyce (*Arietta*) [Lyc:Lyc:Pol:Pol:Lycaenopsis]

- * *vardhana* (Moore), [1875]; Polyommatus
- *nepalica* (Forster), 1980; *Arietta*

Oreolyce (*Oreolyce*) [Lyc:Lyc:Pol:Pol:Lycaenopsis]

- archena* (Corbet), 1940; *Celastrina*
- *boultoides* Eliot & Kawazoé, 1983
- bouliti* (Chapman), 1912; *Notarthinus*
- - - - *boelti* (Fruhstorfer), [1923], 1909-1923, (ISS); Lycaenopsis
- dohertyi* (Tyler), 1915; *Cyaniris*
- nearcha* (Fruhstorfer), [1917]; Lycaenopsis
- * *quadriplaga* (Snellen), 1892; Lycaena
- - *aphala* (Fruhstorfer), 1910; *Cyaniris*

Ornipholidotos [Lyc:Lyc:Lip:Pen:Telipna]

- aurivilliusi* Stempffer, 1967
- bakotae* Stempffer, 1962
- bitjeensis* Stempffer, 1957
- camerunensis* Stempffer, 1964
- congoensis* Stempffer, 1964
- emarginata* (Hawker-Smith), 1933; *Pentila*
- etoumbi* Stempffer, 1967
- gabonensis* Stempffer, 1947
- issia* Stempffer, 1969
- jacksoni* Stempffer, 1961
- katangae* Stempffer, 1947
- kelle* Stempffer, 1967
- * *kirbyi* (Aurivillius), 1895; *Pentila*
- - - - *ab. fumosa* (Schultze), 1923; *Pentila*
- - *f. fumata* Schultze, 1923
- larseni* Stempffer, 1969
- latimargo* (Hawker-Smith), 1933; *Pentila*
- likouala* Stempffer, 1969
- muhata* (Dewitz), 1886; *Pentila*

Ornipholidotos (*continued*)

- ngura Kielland, 1987
- ngura Kielland, 1987
- nigeriae Stempffer, 1964
- ntebi (Bethune-Baker), 1906; *Pentila*
- onitshae Stempffer, 1962
- overlaeti Stempffer, 1947
- paradoxa (H. H. Druce), 1910; *Pentila*
- perfragilis (Holland), 1890; *Larinopoda*
- - sylphida (Staudinger), 1892; *Larinopoda*
- peucetia (Hewitson), [1866], 1852-1877; *Pentila*
- - peucedata Grose-Smith & Kirby, 1889, 1887-1902
- chyluensis (van Someren), 1939; *Pentila*
- orientalis (Storace), 1947; *Pentila*
- penningtoni (Riley), 1944; *Pentila*
- sylpha (Kirby), 1890; *Larinopoda*
- tanganyikae Kielland, 1983
- teroensis Stempffer, 1957
- tiassale Stempffer, 1969
- tirza (Hewitson), 1873; *Pentila*
- ugandae Stempffer, 1947

Orthomiella [Lyc:Lyc:Pol:Pol:Una]

- lucida Forster, 1942
- * pontis (Elwes), 1887; *Chilades*
- - putaica Tytler, 1926
- fukienensis Forster, 1941
- - - - fukiensis Anonymous, 1951, (ISS)
- rovorea (Fruhstorfer), 1918; *Una*
- - - - rovorea d'Abrebra, 1986, (ISS)
- rantaizana Wileman, 1910
- sinensis (Elwes), 1887; *Chilades*

Ourocnemis [Lyc:Rio:Rio:Sarotini]

- + archytas (Stoll), [1787], 1780-1790; *Papilio*
- * - - axiochus (Hewitson), [1867], 1852-1877; *Anteros*
- boulleti Le Cerf, 1911

Oxychaeta [Lyc:Lyc:The:Aph:Aphnaeus]

- * dicksoni (Gabriel), 1947; *Phasis*

Oxylides [Lyc:Lyc:The:Oxylidini]

- bella Aurivillius, [1899]
 - * faunus (Drury), [1773], 1770-1782; *Papilio*
 - - - - caeruleus Stempffer, 1967, (ISS)
 - - - - ♀ *ab. caeruleus* Aurivillius, 1923
 - - hesiodus (Fabricius), 1793, 1792-1799; *Hesperia*
 - albata (Aurivillius), 1895; *Hypolycaena*
 - - feminina E. Sharpe, 1904
 - binza Berger, 1981
 - stempfferi Berger, 1981
 - gloveri Hawker-Smith, 1929
- Pachythone** [Lyc:Rio:Rio:Emesini]
- barcantii Tite, 1968
 - conspersa Stichel, 1926
 - distigma Bates, [1868]
 - * erebia Bates, [1868]
 - gigas Godman & Salvin, 1878
 - ignifer Stichel, 1911
 - nigriciliata Schaus, 1913
 - lateritia Bates, [1868]
 - - f. radiata (Rebillard), 1958; *Pachythone*
 - coccineata (Kaye), 1904; *Cricosoma*
 - mimula Bates, [1868]
 - palades Hewitson, [1873], 1852-1877
 - pasicles Hewitson, [1873], 1852-1877
 - philonis Hewitson, [1873], 1852-1877
 - robusta Lathy, 1932
 - thaumaria Stichel, 1911
 - xanthe Bates, [1868]
- Paiwarria** [Lyc:Lyc:The:Eum:Eumaeus]
- * venulius (Cramer), [1779], 1775-1790; *Papilio*
- Paiwarria** (?) [Lyc:Lyc:The:Eum:Eumaeus]
- telemus (Cramer), [1775], 1775-1790; *Papilio*
 - - antinous (Felder & Felder), 1865, 1865-1875; *Pseudolycaena*
- Palaeochrysophanus** [Lyc:Lyc:Lyc:Lycaena]
- * hippothoe (Linnaeus), 1761; *Papilio*
 - - - - *ab. alciphronides* Krulikovskii, 1897
 - - - - *ab. argenteola* (Schultz), 1903; *Chrysophanus*
 - - - - *ab. asymmetrica* (Schultz), 1903; *Lycaena*
 - - - - *ab. aurata* (Lucas), 1923; *Chrysophanus*
 - - - - f. aurora Abos Castel, 1984
 - - - - *ab. caeca* (Courvoisier), 1907; *Chrysophanus*
 - - - - *caeruleopunctata* Schawerda, 1913
 - - - - *ab. cecilia* (Pionneau), 1936; *Chrysophanus*
 - - - - *centripuncta* (Grund), 1916; *Lycaena*
 - - - - *ab. coeruleopunctata* (Steiner), 1903; *Chrysophanus*
 - - - - *ab. confluens* (Oberthür), 1910; *Lycaena*
 - - - - *ab. cyanographa* (Cabeau), 1920, 1919-1922; *Chrysophanus*
 - - - - *ab. decurtata* (Schultz), 1903; *Chrysophanus*
 - - - - *ab. delunata* (Pionneau), 1936; *Chrysophanus*
 - - - - *dextropaucipunctasinistroradiata* Derenne, 1931
 - - - - *discoelongata* (Courvoisier), 1912; *Chrysophanus*
 - - - - *ab. elongata* (Courvoisier), 1910, 1910-1911; *Chrysophanus*
 - - - - *ab. eurybina* (Ter Haar), 1905; *Chrysophanus*
 - - - - *ab. expallidata* (Dannehl), 1933; *Chrysophanus*
 - - - - *ab. extincta* (Gillmer), 1904; *Lycaena*
 - - - - *ab. fereconfluens* (Oberthür), 1896; *Lycaena*
 - - - - *ab. flavescens* (Fiedler), 1926; *Chrysophanus*
 - - - - *groningana* (Ter Haar), 1901; *Polyommatus*
 - - - - *ab. hermation* Oberthür, 1910
 - - - - *hippophaes* (Anonymous), 1934, (ISS); *Chrysophanus*
 - - - - *ab. limbojuncta* (Courvoisier), 1907; *Chrysophanus*
 - - - - *mirus* (Verity), 1913, (RA); *Chrysophanus*
 - - - - *ab. nigra* (Favre), 1897; *Polyommatus*
 - - - - *nigropunctata* (Steiner), 1916; *Lycaena*
 - - - - *ab. orba* (Schultz), 1904; *Lycaena*
 - - - - *ab. ornata* (Züllich), 1929; *Chrysophanus*
 - - - - *ab. ornatisima* (Nordström), 1933; *Heodes*
 - - - - *paraerydice* Verity, 1943, (RA)
 - - - - *ab. parvipuncta* (Lempke), 1936; *Heodes*
 - - - - *ab. paucipuncta* (Courvoisier), 1903; *Chrysophanus*
 - - - - *ab. paucipuncta* (Courvoisier), 1911, 1910-1911; *Chrysophanus*
 - - - - *ab. punctissubtusconfluentibus* Boisduval, 1836
 - - - - *ab. radiata* (Courvoisier), 1907; *Chrysophanus*
 - - - - *ab. radiata* (Courvoisier), 1910, 1910-1911; *Chrysophanus*
 - - - - *ab. semiobscurior* (Pionneau), 1936; *Chrysophanus*
 - - - - *sesquiviola* Verity, 1943, (IFS)
 - - - - *sinistroposticoradiata* Derenne, 1931
 - - - - *ab. spadona* Krulikovskii, 1909
 - - - - *ab. subtusimpunctata* Oberthür, 1910
 - - - - *ab. testacea* (Lagerberg), 1911; *Chrysophanus*
 - - - - *ab. violacea* Oberthür, 1910
 - - - chryseis (Denis & Schiffenmüller), 1775, (H); *Papilio*
 - - - - *ab. bourdouxhei* (Cabeau), 1924; *Chrysophanus*
 - - - euridice (Hübner), [1800], 1796-1838, (H); *Papilio*
 - - xenophon (de Loche), 1801, (H); *Papilio*
 - - confluens (Gerhard), 1853, 1850-1853; *Polyommatus*
 - - f. denigrata Lempke, 1954
 - - dido Gerhard, 1853, 1850-1853
 - - euridice (Rottemburg), 1775; *Papilio*
 - - f. infragrisea Lempke, 1954
 - - italica (Calberla), 1887; *Lycaena*
 - - mirusnigra (Agenjo), 1944; *Chrysophanus*
 - - parrai (Agenjo), 1944; *Chrysophanus*
 - - purpureopunctata Wheeler, 1903
 - - f. schirmeri (Schulze), 1918; *Chrysophanus*

Palaeochrysophanus (*continued*)

- - stieberioides (Ebert), 1926; Chrysophanus
- amurensis (Staudinger), 1892; Polyommatus
- bernardi Beuret, 1955
- candens (Herrich-Schäffer), [1844], 1843-1856; Polyommatus
- candissima (Pfeiffer), 1937; Chrysophanus
- cisalpina (Fruhstorfer), 1909; Chrysophanus
- engadiniana (Beuret), 1953; Palaeochrysophanus
- eurybia (Ochsenheimer), 1808, 1807-1835; Papilio
- - - - ♀ *ab. albidolunulata* (Reverdin), 1906; Chrysophanus
- - - - *eurybia* (Kirby), 1871, (ISS); Lycaena
- - - - *ab. wallenini* (Hirschke), 1910; Chrysophanus
- eurydame (Hoffmansegg), 1806; Chrysophanus
- leonhardi (Fruhstorfer), 1917; Chrysophanus
- memphis (Hemming), 1934; Lycaena
- - - - *obscura* (Courvoisier), 1911, 1910-1911, (H); Lycaena
- pfeifferi Beuret, 1952
- sajana (Kozhanchikov), 1923; Chrysophanus
- stiberi (Gerhard), 1853, 1850-1853; Polyommatus
- stieberi Gerhard, 1853, 1850-1853
- sumadiensis (Szabó), 1956; Lycaena
- transcaucasiensis
- valderiana (Turati & Verity), [1911]; Chrysophanus
- - - - *coeruleopunctata* (Turati & Verity), [1911], (IFS); Chrysophanus
- - - - *obliterata* (Turati & Verity), [1911], (IFS); Chrysophanus

Palaeophilotes [Lyc:Lyc:Pol:Pol:Glaucopsyche]

- * triphysina (Staudinger), 1892; Lycaena

Pamela [Lyc:Lyc:The:Deu:Capys]

- * dudgeonii (de Nicéville), 1894; Listeria

Panara [Lyc:Rio:Rio:Rio:Ancyluriti]

- aureizona Butler, 1874
- - ornata Stichel, [1909]
- brevilinea Schaus, 1928
- phereclus (Linnaeus), 1758; Papilio
- barsacus Westwood, [1851], 1846-1852
- elegans Schaus, 1920
- episatnius Pritzwitz, 1865
- - arctifascia Butler, 1874
- - sicora Hewitson, [1875], 1852-1877
- - - - *sicora* Kirby, 1877, (ISS)
- lemniscata Thieme, 1907
- - - - *comes* Stichel, [1909], (IFS)
- thisbe (Fabricius), 1781, 1781-1782; Papilio
- * - - - jarbas (Drury), 1782, 1770-1782, (H); Papilio
- - - - *jarbas* Hemming, 1967, (ISS)
- - perditus (Fabricius), 1793, 1792-1799, (JOS); Hesperia
- - ovifera Seitz, [1917], 1910-1924
- - - - *eclypsis* Seitz, [1917], 1910-1924
- soana Hewitson, [1875], 1852-1877
- thymele Stichel, [1909]
- trabalis Stichel, 1916
- - - - *trabealis* d'Abreira, 1994, (ISS)

Pandemos [Lyc:Rio:Rio:Nymphidiini]

- godmanii Dewitz, 1877
- palaeste Hewitson, [1870], 1852-1877
- salvator Stichel, 1911
- + pasiphae (Cramer), [1775], 1775-1790; Papilio
- * - - - arcassa Hübner, [1819], 1816-1826
- - - - *arcas* (Cramer), [1777], 1775-1790, (H); Papilio
- - ormenus (Hübner), [1819], 1816-1826; Curetis
- - perigone (Godart), [1824], 1819-1824; Pieris

Panthiades [Lyc:Lyc:The:Eum:Eumaeus]

- aeolus (Fabricius), 1775; Papilio
- - simplex (Walch), 1775; Papilio
- - thallus (Cramer), [1780], 1775-1790; Papilio
- * - - pelion (Cramer), [1775], 1775-1790; Papilio

Panthiades (*continued*)

- arindela (Hewitson), [1874], 1863-1878; Thecla
- rinde (Dyar), 1916; Thecla
- bathis (Fabricius), 1781, 1781-1782; Papilio
- - - - *batus* (Cramer), [1775], 1775-1790, (H); Papilio
- - bathildis (Felder & Felder), 1865, 1865-1875; Pseudolycaena
- - jala (Reakirt), [1867], 1866-1867; Thecla
- - - - *aufidena* (Hewitson), [1869], 1863-1878; Thecla
- bitias (Cramer), [1777], 1775-1790; Papilio
- - eribaea (Hewitson), [1867], 1863-1878; Thecla
- - syncellus (Stoll), [1780], 1780-1790; Papilio
- - sierrae (Dyar), 1916; Thecla
- - - - *deserta* (Draudt), [1920], 1917-1924; Thecla
- boreas (Felder & Felder), 1865, 1865-1875; Pseudolycaena
- epytus (Godman & Salvin), [1887], 1879-1901; Thecla
- hebraeus (Hewitson), [1867], 1863-1878; Thecla
- cimelium (Gosse), 1880; Thecla
- ochus (Godman & Salvin), [1887], 1879-1901; Thecla
- paphlagon (Felder & Felder), 1865, 1865-1875; Pseudolycaena
- phoenissa (Hewitson), [1867], 1863-1878; Thecla
- polama (Schaus), 1902; Thecla

Parachrysoops [Lyc:Lyc:The:Luc:Hypochrysoops]

- * bicolor Bethune-Baker, 1904

Paraduba [Lyc:Lyc:Pol:Pol:Prosotas]

- metriodes (Bethune-Baker), 1911; Nacaduba
- proxima (Rothschild), 1916; Nacaduba
- * owgarra Bethune-Baker, 1906
- siwiensis Tite, 1963

Paralaxita [Lyc:Rio:Nem:Abisarinii]

- * damajanti (Felder & Felder), 1860; Abisara
- - tanita (Hewitson), [1861], 1852-1877; Taxila
- - batuensis (Talbot), 1932; Laxita
- - - - *batunensis* d'Abreira, 1986, (ISS)
- - - - *cyme* (Fruhstorfer), [1914], 1909-1923; Laxita
- - lasica (Fruhstorfer), [1914], 1909-1923; Laxita
- hewitsoni (Röber), 1895; Taxila
- lola (de Nicéville), 1894; Laxita
- orphna (Boisduval), 1836; Emesis
- - nicevillei (Röber), 1895; Taxila
- - laocoon (de Nicéville), 1894; Laxita
- - - - *lyncestis* (de Nicéville), 1894; Laxita
- - panyasis (Fruhstorfer), [1914], 1909-1923; Laxita
- telesia (Hewitson), [1861], 1852-1877; Taxila
- - bouletti (Fruhstorfer), [1914], 1909-1923; Laxita
- - ines (Fruhstorfer), [1904]; Laxita
- - lychnitis (Fruhstorfer), [1904]; Laxita
- - lyclede (de Nicéville), 1894; Laxita
- - pistyrus (Fruhstorfer), [1914], 1909-1923; Laxita

Paralucia [Lyc:Lyc:The:Luc:Lucia]

- aurifer (Blanchard), 1848, 1848-1853; Thecla
- - - - *aurifera* Common & Waterhouse, 1981, (ISS)
- * pyrodiscus (Rosenstock), 1885; Lucia
- - aenea (Miskin), 1890; Chrysophanus
- - lucida Crosby, 1951
- spinifera Edwards & Common, 1978

Paralustrus [Lyc:Lyc:The:Eum:Eumaeus]

- * commodus (Felder & Felder), 1865, 1865-1875; Thecla
- familiaris (Johnson), 1991; Thecla
- - - - *viridis* (Lathy), 1930, (H); Thecla
- orosiensis Johnson, 1992
- paccius Johnson, 1992
- salazari Le Crom & Johnson, 1993

Paralycaeides [Lyc:Lyc:Pol:Pol:Polyommatus]

- * inconspicua (Draudt), [1921], 1917-1924; Itylos
- shade Bálint, 1993
- + vapa (Staudinger), 1894; Cupido
- - oreopola (Hayward), 1949; Itylos

Paraphthonia [Lyc:Rio:Rio:Rio:Ancylurii]

- ctatus* Seitz, [1917], 1910-1924
- *ctetatus* Stichel, 1930, (ISS)
- * *molione* (Godman), 1903; Monethe

Paraslauga [Lyc:Lyc:Lip:Aslauga]

- * *kallimoides* (Schultze), 1912; Aslauga
- *cephren* (H. H. Druce), 1913; Aslauga
- *cephren* Stempffer, 1967, (ISS)

Parcella [Lyc:Rio:Rio:Rio:Riodinitii]

- * *amarynthina* (Felder & Felder), 1865, 1865-1875; Amblygonia
- *monogramma* (Bates), [1868]; Charis
- *barzanes* (Hewitson), [1874], 1852-1877; Baetis
- *quadrinota* (Butler), 1870; Baetis

Parelodina [Lyc:Lyc:Pol:Pol:Lycaenopsis]

- * *aroa* Bethune-Baker, 1904

Parnes [Lyc:Rio:Rio:Nymphidiini]

- * *nycteis* Westwood, [1851], 1846-1852
- philotes* Westwood, [1851], 1846-1852

Parrhasius [Lyc:Lyc:The:Eum:Eumaeus]

- appula* (Hewitson), [1874], 1863-1878; Thecla
- + *m-album* (Boisduval & Le Conte), [1833], 1829-1837; Thecla
- *psyche* (Boisduval & Le Conte), [1833], 1829-1837; Thecla
- *moctezuma* (Clench), 1971; Panthiades
- *montezuma* (Anonymous), 1975, (ISS); Panthiades
- *urraga* Nicolay, 1979
- orgia* (Hewitson), [1867], 1863-1878; Thecla
- *amazonis* Nicolay, 1979
- *melissa* Nicolay, 1979
- *sedecia* (Hewitson), [1874], 1863-1878, (H); Thecla
- *orgiophantes* Clench, 1979
- *teleontes* (H. H. Druce), 1890; Thecla
- * *polibetes* (Stoll), [1781], 1780-1790; Papilio
- *polybetes* Hübner, [1819], 1816-1826, (ISS)
- *zoe* (Reakirt), [1867], 1866-1867; Thecla
- selika* (Hewitson), [1874], 1863-1878; Thecla
- *selica* (Draudt), [1919], 1917-1924, (ISS); Thecla

Paruparo [Lyc:Lyc:The:Iol:Iolaus]

- annie* Takanami, 1982
- arbaimuni* Takanami & Seki, 1990
- * *cebuensis* (Jumalon), 1975; Pratapa
- *amythystina* Schröder & Treadaway, 1988
- *chotaroi* (Hayashi), 1977; Charana
- *mediceloi* Okano & Okano, 1991
- *soloni* Okano & Okano, 1990
- *treadawayi* (Jumalon), 1975; Pratapa
- kuehni* (Röber), 1887; Jolaus
- *birumki* (Ribbe), 1926; Tajuria
- *regulus* (Staudinger), [1888], 1884-1888; Tajuria
- lumawigi* (Schröder), 1976; Charana
- *jumaloni* Treadaway & Nuyda, 1993
- *panayensis* Hayashi & Schröder & Treadaway, 1984
- mamertina* (Hewitson), [1869], 1863-1878; Myrina
- *jeanhooperae* Schröder & Treadaway, 1988
- *rahmanni* (Jumalon), 1975; Pratapa
- mio* Hayashi & Schröder & Treadaway, 1984
- rosemarie* Seki, 1993
- violacea* (Schröder & Treadaway), 1978; Pratapa

Patricius [Lyc:Lyc:Pol:Pol:Polyommatus]

- * *felicis* (Oberthür), 1886; Lycaena
- youngusbandi* (Elwes), 1906; Lycaena

Penaincisalia [Lyc:Lyc:The:Eum:Eumaeus]

- anosma* (Draudt), [1919], 1917-1924; Thecla
- aurulenta* Johnson, 1990
- bimediana* Johnson, 1990
- candor* (H. H. Druce), 1907; Thecla

Penaincisalia (*continued*)

- *candar* (Dyar), 1913, (ISS); Thecla
- caudata* Johnson, 1990
- * *culminicola* (Staudinger), 1894; Thecla
- *alatus* (H. H. Druce), 1907; Thecla
- descimoni* Johnson, 1990
- downeyi* Johnson, 1990
- eiselei* Johnson, 1992
- oribata* (Weymer), 1890; Thecla
- patagonaevaga* Johnson, 1990
- penal* Johnson, 1990
- pichincha* Johnson, 1990
- planuma* Johnson, 1992
- rawlini* Johnson, 1990

Pendantus [Lyc:Lyc:The:Eum:Eumaeus]

- argentiniensis* Johnson & Kroenlein, 1993
- denarius* (Butler & H. Druce), 1872; Tmolus
- *renarius* (Butler), [1873], 1869-1874, (ISS); Tmolus
- *calena* (Hewitson), [1877], 1863-1878; Thecla
- *guzanta* (Schaus), 1902; Thecla
- perisus* (H. H. Druce), 1907; Thecla
- *persius* (Johnson & MacPherson & Ingraham), 1986, (ISS); Electrostrymon
- * *plusios* (Godman & Salvin), [1887], 1879-1901; Thecla
- rugatus* (H. H. Druce), 1907; Thecla
- *regatus* (Johnson & MacPherson & Ingraham), 1986, (ISS); Electrostrymon
- sethon* (Godman & Salvin), [1887], 1879-1901; Thecla

Pentila [Lyc:Lyc:Lip:Pen:Pentila]

- abraxas* Westwood, [1852], 1846-1852
- *tripunctata* Aurivillius, 1895, (H)
- *maculata* (Kirby), 1887; Tingra
- *elphinice* Grünberg, 1910
- *hedwiga* Suffert, 1904
- *telesippe* Grünberg, 1910
- *pardalena* H. H. Druce, 1910
- *ab. affixa* Schultze, 1923
- *phidia* Hewitson, 1874
- *nunu* (Karsch), 1893; Tingra
- *subochracea* Hawker-Smith, 1933
- alba* Dewitz, 1886
- amena*id Hewitson, [1873], 1852-1877
- amena*idoides (Holland), 1893; Tingra
- auga* Karsch, 1895
- bitje* H. H. Druce, 1910
- camerunica* Stempffer & Bennett, 1961
- carcassoni* Stempffer & Bennett, 1961
- *carcassani* Anonymous, 1965, (ISS)
- christina* Suffert, 1904
- doetensi* Aurivillius, 1897
- *elfrieda* Suffert, 1904
- *albida* Hawker-Smith, 1933
- *aspasia* Grünberg, 1910
- *ab. elfriedana* Strand, 1918
- *elfriedana* Strand, 1926, (ISS)
- *f. latefascia* Dufrane, 1953
- *latefasciata* Stempffer & Bennett, 1961, (ISS)
- *catauga* Rebel, 1914
- *catanga* d'Abrera, 1980, (ISS)
- *congoensis* Joicey & Talbot, 1921
- *condamini* Stempffer, 1963
- *lucayensis* Schultze, 1923
- *ueleensis* Stempffer & Bennett, 1961
- *uelensis* Stempffer, 1967, (ISS)
- fallax* Bethune-Baker, 1915
- fidonioides* Schultze, 1923
- glagoessa* (Holland), 1893; Tingra
- hewitsoni* Grose-Smith & Kirby, 1887, 1887-1902
- *tropicalis* Hewitson, [1866], 1852-1877, (H)
- *laura* (Kirby), 1890; Tingra

Pentila (continued)

- - - - *leura* Stempffer, 1967, (ISS)
- *limbata* (Holland), 1893; Tingra
- inconspicua* H. H. Druce, 1910
- landbecki* Stempffer & Bennett, 1961
- mesia* Hulstaert, 1924
- nero* (Grose-Smith & Kirby), 1894, 1887-1902; Tingra
- - *bertha* (Grose-Smith & Kirby), 1894, 1887-1902; Tingra
- nigeriana* Stempffer & Bennett, 1961
- occidentale* Aurivillius, [1899]
- *gabunica* Stempffer & Bennett, 1961
- *immaculata* Suffert, 1904
- - - - *ab. congoana* Strand, 1918
- pauli* Staudinger, [1888], 1884-1888
- - *multipunctata* Lathy, 1903
- - *radiata* Lathy, 1903
- *alberta* Hulstaert, 1924
- *amenaidana* Strand, 1911
- - - - *amenaidana* Stempffer, 1967, (ISS)
- *benguellana* Stempffer & Bennett, 1961
- *clarensis* Neave, 1903
- *dama* Suffert, 1904
- *elisabetha* Hulstaert, 1924
- - *f. nigribasis* Hulstaert, 1924
- *leopardina* Schultze, 1923
- *multiplagata* Bethune-Baker, 1908
- *nyassana* Aurivillius, [1899]
- *obsoleta* Hawker-Smith, 1933
- - - - *cataractae* Stevenson, 1940, (IFS)
- *ras* Talbot, 1935
- petreia* Hewitson, 1874
- - *tripunctata* (H. H. Druce), 1888; Tingra
- petreoides* Bethune-Baker, 1915
- picena* Hewitson, 1874
- *catori* Bethune-Baker, 1906
- *cydaria* (Grose-Smith), 1898; Tingra
- preussi* Staudinger, [1888], 1884-1888
- - *lunaris* (Weymer), 1892; Tingra
- - *paucipunctata* (Kirby), 1890; Pseudoeresia
- - - - *paucipuncta* Stempffer, 1967, (ISS)
- - *punctata* (Kirby), 1890; Pseudoeresia
- *fayei* Stempffer, 1963
- pseudorotha* Stempffer & Bennett, 1961
- rogersi* (H. H. Druce), 1907; Telipna
- *parapetreia* Rebel, 1908
- - *ab. derema* Strand, 1911
- rondo* Kielland, 1990
- rotha* Hewitson, [1873], 1852-1877
- *marianna* Suffert, 1904
- subfuscata* Hawker-Smith, 1933
- swynnertoni* Stevenson, 1940
- tachyroides* Dewitz, 1879
- - *mylothrina* (Butler), 1888; Tingra
- - *f. roidesta* Suffert, 1904
- *isiro* Berger, 1981
- torrida* (Kirby), 1887; Tingra
- - *lavinia* (Kirby), 1890; Tingra
- * *tropicalis* (Boisduval), 1847; Tingra
- *chyulu* van Someren, 1939
- *mombasae* (Grose-Smith & Kirby), 1889, 1887-1902; Tingra
- - - - *ab. sigiensis* Strand, 1910
- - *lasti* (Grose-Smith & Kirby), 1889, 1887-1902; Tingra
- umangiana* Aurivillius, 1898
- *connectens* Hulstaert, 1924
- *fontainei* Stempffer & Bennett, 1961
- *meridionalis* Berger, 1981
- *proditia* Schultze, 1923
- umbra* Holland, 1892
- yaunda* Karsch, 1895

Periplacis [Lyc:Rio:Rio:Nymphidiini]

- * *glaucoma* Geyer, [1837], 1832-1837
- isthmica* (Godman & Salvin), 1878; *Tharops*
- splendida* (Butler), [1867]; *Tharops*
- superba* (Bates), [1868]; *Tharops*

Perophtalma [Lyc:Rio:Rio:Mesosemini]

- tullius* (Fabricius), 1787; *Papilio*
- * - - *tenera* (Westwood), [1851], 1846-1852; *Mesosemia*
- *lasciva* Stichel, 1929
- *lasus* (Westwood), [1851], 1846-1852; *Mesosemia*
- - - - *lasius* Stichel, [1909], (ISS)

Perpheres [Lyc:Lyc:Pol:Pol:Damis]

- * *perpheres* (H. H. Druce & Bethune-Baker), 1893; *Thysonotis*
- - *valestinax* (Fruhstorfer), 1915; *Thysonotis*
- *peri* (Grose-Smith), 1894; *Thysonotis*
- - *oribasius* (Fruhstorfer), 1915; *Thysonotis*

Petrelaea [Lyc:Lyc:Pol:Pol:Petrelaea]

- + *aethiops* (Mabille), 1877; *Lycaena*
- - *melania* (Capronnier), 1889; *Lycaena*
- - *stratola* (Holland), 1891; *Nacaduba*
- dana* (de Nicéville), [1884]; *Nacaduba*
- - *ardeola* (Staudinger), 1889; *Lycaena*
- - *dima* (Rhé Philipe), 1911; *Nacaduba*
- - *ios* (Waterhouse & Lyell), 1914; *Nacaduba*
- - - - *eos* d'Abbrera, 1971, (ISS)
- - *obscura* (Grose-Smith), 1894; *Nacaduba*
- - *subdubiosa* (Rothschild), 1916; *Nacaduba*
- * - *varia* Toxopeus, 1929
- sichela* (Wallengren), 1857; *Lycaena*
- - *dexamene* (H. H. Druce), 1887; *Nacaduba*
- - *docilis* (Butler), [1888]; *Lycaenesthes*
- *reticulum* (Mabille), 1877; *Lycaena*
- tombugensis* (Röber), [1886]; *Plebeius*

Petrocerus [Lyc:Rio:]

- * *catiena* (Hewitson), [1875], 1852-1877; *Calydna*

Phaenochitonina [Lyc:Rio:Rio:Symmachiini]

- almeidai* Zikán, 1946
- * *cingulus* (Stoll), [1790], 1780-1790; *Papilio*
- - *aerope* (Westwood), [1851], 1846-1852; *Baetis*
- - *trucidata* (Butler), 1877; *Mesene*
- clarissa* (E. Sharpe), 1890; *Mesene*
- cuneifascia* Zikán, 1946
- debilis* (Bates), [1868]; *Mesene*
- fuliginea* (Bates), [1868]; *Mesene*
- - - - *fuliginea* d'Abbrera, 1994, (ISS)
- ignicauda* (Godman & Salvin), 1878; *Mesene*
- ignipicta* Schaus, 1913
- pyrophlegia* Stichel, 1923
- pyrsodes* (Bates), [1868]; *Mesene*
- - *eanes* (Godman), 1903; *Mesene*
- *eanides* Stichel, 1929
- sophistes* (Bates), [1868]; *Mesene*
- sticheli* Lathy, 1932

Phaeostrymon [Lyc:Lyc:The:Eum:Eumaeus]

- * *alcestis* (Edwards), [1871]; *Thecla*
- *ostari* (Dyar), 1904; *Thecla*

Phasis [Lyc:Lyc:The:Aph:Aphnaeus]

- braueri* Dickson, 1968
- clavum* Murray, 1935
- *erythema* Quickelberge, 1980
- pringlei* Dickson, 1977
- + *thero* (Linnaeus), 1764; *Papilio*
- - - *erosine* (Fabricius), 1787, (H); *Papilio*
- - - *rumina* (Drury), [1773], 1770-1782, (H); *Papilio*
- - *pulsus* (Herbst), 1793, 1788-1804; *Papilio*
- * - - *salmonius* (Stoll), [1781], 1780-1790; *Papilio*

Phasis (*continued*)

- *cedarbergae* Dickson & Wykeham, 1974

Pheles [Lyc:Rio:Rio:Rio:Riodinitii]

- * *heliconides* Herrich-Schäffer, [1853], 1850-1869
- *rufotincta* Bates, [1868]
- - - - *rufocincta* Kirby, 1871, (ISS)
- - *rufula* Grose-Smith, 1902, 1887-1902

Phengaris [Lyc:Lyc:Pol:Pol:Glaucopsyche]

- * *atroguttata* (Oberthür), 1876; Lycaena
- - - - *dohertyi* d'Abreu, 1993, (NN)
- - *albida* (Leech), [1893], 1893-1894; Lycaena
- *formosana* (Matsumura), 1926; Lycaena
- - *matsumurai* Sonan, 1926
- *hiemalis* (Niepelt), 1934; Cupido
- *jeunana* (Forster), 1940; Glaucopsyche
- *lampra* (Röber), 1926; Cupido
- daitozana* Wileman, 1908
- - *marginata* Sonan, 1926
- - *moltrechti* Oberthür, 1909
- - - *moltrechti* H. H. Druce, 1909, (H)

Philiris [Lyc:Lyc:The:Luc:Hypochrypsis]

- agatha* (Grose-Smith), 1899, 1887-1902; Holochila
- - *aroa* (Bethune-Baker), 1908; Candalides
- - ♀ *gloriosa* (Bethune-Baker), 1908; Candalides
- albicostalis* Tite, 1963
- albihumerata* Tite, 1963
- albiplaga* (Joicey & Talbot), 1916; Candalides
- amethysta* Sands, 1981
- angabunga* (Bethune-Baker), 1908; Candalides
- apicalis* Tite, 1963
- aquamarina* Sands, 1981
- argenteus* (Rothschild), 1916; Candalides
- ariadne* Wind & Clench, 1947
- azula* Wind & Clench, 1947
- biplaga* Sands, 1981
- cadmica* Sands, 1981
- caelestis* Sands, 1979
- caerulea* Tite, 1963
- cyana* (Bethune-Baker), 1908; Candalides
- diana* Waterhouse & Lyell, 1914
- *papuanus* Wind & Clench, 1947
- dinawa* (Bethune-Baker), 1908; Candalides
- doreia* Tite, 1963
- elegans* Tite, 1963
- fulgens* (Grose-Smith & Kirby), 1897, 1887-1902; Holochila
- *bicolorata* Wind & Clench, 1947
- *kurandae* Waterhouse, 1903
- *septentrionalis* Joicey & Talbot, 1916
- ♂ *gloriosa* (Bethune-Baker), 1908; Candalides
- goliathensis* Tite, 1963
- harterti* (Grose-Smith), 1894; Holochila
- *leucoma* Tite, 1963
- *melanoma* Tite, 1963
- helena* (Snellen), 1887; Pseudodipsas
- - *amblypodina* (Röber), 1926; Candalides
- - *cineraceus* (Joicey & Talbot), 1917; Candalides
- - *griseldis* (Staudinger), [1887], 1884-1888; Lycaena
- - *parvifascia* (Rothschild), 1915; Candalides
- *aurelia* (Grose-Smith), 1899, 1887-1902; Holochila
- *aurelioides* Rothschild, 1916
- *dubitata* (Grose-Smith), 1899, 1887-1902; Holochila
- *gisella* (Staudinger), [1888], 1884-1888; Lycaena
- - *grandis* (Grose-Smith), 1899, 1887-1902; Holochila
- - *mneia* H. H. Druce, 1897
- *speirion* H. H. Druce, 1897
- hemileuca* (Jordan), 1930; Candalides
- hypoxantha* (Röber), 1926; Candalides
- ianthina* Tite, 1963
- ignobilis* (Joicey & Talbot), 1916; Candalides

Philiris (*continued*)

- * *illias* (C. Felder), 1860; Thecla
- innotatus* (Miskin), 1874; Pseudodipsas
- *evinculis* Wind & Clench, 1947
- intensa* (Butler), 1876; Holochila
- *birou* Wind & Clench, 1947
- *butleri* (Grose-Smith & Kirby), 1897, 1887-1902; Holochila
- kapaura* Tite, 1963
- kumusiensis* Tite, 1963
- lavendula* Tite, 1963
- lucescens* Tite, 1963
- maculata* Sands, 1981
- marginata* (Grose-Smith), 1894; Holochila
- mayri* Wind & Clench, 1947
- melanacra* Tite, 1963
- misimensis* Wind & Clench, 1947
- moira* (Grose-Smith), 1899, 1887-1902; Holochila
- *putih* Wind & Clench, 1947
- moluccana* Tite, 1963
- montigena* Tite, 1963
- nitens* (Grose-Smith), 1898; Holochila
- - *kamerungae* Waterhouse, 1903
- - *restricta* Tite, 1963
- *lucina* Waterhouse & Lyell, 1914
- *sappheira* Sands, 1980
- oreas* Tite, 1963
- pagwi* Sands, 1979
- phengotes* Tite, 1963
- philotas* (C. Felder), 1860; Thecla
- - - - *philota* (Seitz), [1927], 1912-1927, (ISS); Candalides
- - - - *philotus* (Kirby), 1871, (ISS); Cupido
- - *theleos* H. H. Druce, 1897
- *obiana* Tite, 1963
- philotoides* Tite, 1963
- praeclara* Tite, 1963
- refusa* (Grose-Smith), 1894; Holochila
- *aequalis* (Grose-Smith), 1897; Holochila
- regina* (Butler), 1882; Holochila
- remissa* Tite, 1963
- satis* Tite, 1963
- scintillata* Sands, 1981
- - - - *suntillata* Anonymous, 1984, (ISS)
- sepicana* (Strand), 1912; Holochila
- siassi* Sands, 1979
- sibatanii* Sands, 1979
- subovata* (Grose-Smith), 1894; Holochila
- tapini* Sands, 1979
- tombara* Tite, 1963
- unipunctata* (Bethune-Baker), 1908; Candalides
- vicina* (Grose-Smith), 1898; Holochila
- violetta* (Röber), 1926; Candalides
- zadne* (Grose-Smith), 1898; Holochila
- ziska* (Grose-Smith), 1898, 1887-1902; Holochila
- - *pratti* (Bethune-Baker), 1908; Candalides
- *titeus* d'Abreu, 1971

Philotes [Lyc:Lyc:Pol:Pol:Glaucopsyche]

- sonorensis* (Felder & Felder), 1865, 1865-1875; Lycaena
- - - - *ab. sonoralba* Watson & Comstock, 1920
- - *comstocki* Gunder, 1925
- * - - *regia* (Boisduval), 1869, 1868-1869; Lycaena
- *extinctis* Mattoni, 1991

Philotiella [Lyc:Lyc:Pol:Pol:Glaucopsyche]

- * *speciosa* (H. Edwards), [1877]; Lycaena
- - *bohartorum* (Tilden), [1969]; Philotes

Phlyaria [Lyc:Lyc:Pol:Pol:Phlyaria]

- * *cyara* (Hewitson), [1876], 1852-1877; Lycaena
- *stactalla* Karsch, 1895
- *f. tenuimarginata* (Grünberg), 1908; Cupido
- heritsia* (Hewitson), [1876], 1852-1877; Lycaena

Phlyaria (*continued*)

- *virgo* (Butler), 1896; Hyreus
- *chibonotana* (Aurivillius), 1910; Cupido
- *intermedia* Tite, 1958

Phoenicurusia [Lyc:Lyc:Lyc:Lycaena]

- euphratica* (Eckweiler), 1989; Lycaena
- * *margelanica* (Staudinger), 1881; Polyommatus
- melicertes* (Nekrutenko), 1985; Lycaena

Phytala [Lyc:Lyc:Lip:Lip:Epitola]

- * *elais* Westwood, [1851], 1846-1852
- *catori* Bethune-Baker, 1903
- - - *ab. elaidina* Strand, 1920
- *ugandae* Jackson, 1964

Pistoria [Lyc:Lyc:Pol:Pol:Upolampes]

- * *nigropunctata* (Bethune-Baker), 1908; Mambara
- *aroa* (Tite), 1962; Mambara
- *fracta* (Tite), 1962; Mambara
- *kratke* (Tite), 1962; Mambara
- *siwiensis* (Tite), 1962; Mambara
- *weylandia* (Tite), 1962; Mambara

Pithecops [Lyc:Lyc:Pol:Pol:Pithecops]

- corvus* Fruhstorfer, [1919]
- * - *corax* Fruhstorfer, [1919]
- *luzonica* Murayama & Okamura, 1973
- *cornix* Cowan, 1966
- *correctus* Cowan, 1966
- *ryukyuensis* Shirôzu, 1964
- + *dionisius* (Boisduval), 1832; Lycaena
- - *bassaris* de Nicéville, 1893
- - *euanthes* Fruhstorfer, [1919]
- - *oinopia* Fruhstorfer, [1919]
- - *peridesma* Oberthür, 1880
- - *staphylus* Fruhstorfer, [1919]
- - *steirema* H. H. Druce, 1890
- fulgens* Doherty, 1889
- *tsushimana* Shirôzu & Urata, 1957
- *urai* Bethune-Baker, 1913
- mariae* de Nicéville, 1894
- phoenix* Röber, [1886]
- *moeros* (Staudinger), [1888], 1884-1888; Lycaena

Pixus [Lyc:Rio:]

- * *corculum* (Stichel), 1929; Nymphidium

Plautella [Lyc:Lyc:Pol:Pol:Lycaenopsis]

- * *cossaea* (de Nicéville), 1895; Cyaniris
- *hegesias* (Fruhstorfer), 1910; Cyaniris
- *pambui* (Eliot), 1973; Celastrina
- *plauta* (H. H. Druce), 1895; Cyaniris
- *sabatina* (Fruhstorfer), 1910; Cyaniris
- *sonchus* (H. H. Druce), 1896; Cyaniris
- - *distanti* (Fruhstorfer), 1910; Cyaniris

Plebejus [Lyc:Lyc:Pol:Pol:Polyommatus]

- * *argus* (Linnaeus), 1758; Papilio
- - - *abetonica* (Verity), 1911, (RA); Lycaena
- - - *ab. abruzzensis* (Dannehl), 1927; Lycaena
- - - *ab. addenda* (Tutt), 1909, 1905-1914; Plebeius
- - - *ab. albomarginata* (Ebert), 1911; Lycaena
- - - *ab. albopunctata* Galvagni & Preißecker, 1912
- - - *f. alboradians* (Turati), 1923; Plebeius
- - - ♂ *ab. alcippe* (Bollow), 1930, 1929-1931; Lycaena
- - - *alpiumphilonome* (Verity), 1931, (IFS); Lycaeides
- - - *alpophila* (Verity), 1919, 1919-1922, (RA); Plebeius
- - - *altaegidion* (Verity), 1931; Lycaena
- - - *ab. angustamarginata* (Tutt), 1909, 1905-1914; Plebeius
- - - *ab. angustinargo* Vorbrod & Müller-Rutz, 1921
- - - *antetiscanica* Verity, 1943, (IFS)
- - - *ab. antioimpunctata* (Tutt), 1909, 1905-1914; Plebeius

Plebejus (*continued*)

- - - *ab. anticoradiata* (Tutt), 1909, 1905-1914; Plebeius
- - - *apennincola* (Verity), 1919, 1919-1922, (RA); Plebeius
- - - *ab. approximatajuncta* (Tutt), 1909, 1905-1914; Plebeius
- - - *argigas* (Verity), 1931, (IFS); Lycaeides
- - - *ab. argyra* (Bergsträsser), [1779], 1778-1780; Papilio
- - - *ab. argyrophalara* (Bergsträsser), [1779], 1778-1780; Papilio
- - - *ab. aster* Oberthür, 1917
- - - *f. aurofasciata* Vorbrod & Müller-Rutz, 1921
- - - *austera* (Verity), 1931, (RA); Lycaeides
- - - *ab. basijuncta* (Tutt), 1909, 1905-1914; Plebeius
- - - *ab. bina* Rostagno, 1906
- - - *ab. brunnea* (Courvoisier), 1910, 1910-1911; Lycaena
- - - *f. brunnea* (Courvoisier), 1910, 1910-1911; Lycaena
- - - *ab. caeca* (Grund), 1908; Lycaena
- - - *ab. caerulea* (Courvoisier), 1910, 1910-1911; Lycaena
- - - *ab. caerulea* (Tutt), 1909, 1905-1914; Plebeius
- - - ♀ *ab. caeruleocuneata* (Ebert), 1908; Lycaena
- - - *ab. caeruleomarginata* (Lange), 1924; Lycaena
- - - *ab. caerulescens* (Petersen), 1902; Lycaena
- - - *ab. caerulescens* (Tutt), 1909, 1905-1914; Plebeius
- - - *ab. caeruleus* (Tutt), 1909, 1905-1914; Plebeius
- - - *ab. calabrica* (Verity), 1919, 1919-1922, (RA); Plebeius
- - - *ab. centropuncta* (Glais), 1926; Lycaena
- - - *f. chrysophthalma* (Stauder), 1915; Lycaena
- - - *claralpina* (Verity), 1931, (RA); Lycaeides
- - - *claraobscura* (Verity), 1931, (RA); Lycaeides
- - - *clarasiatica* (Verity), 1931, (RA); Lycaeides
- - - *ab. confluens* Oudemans, 1905
- - - *ab. cordata* (Tutt), 1909, 1905-1914; Plebeius
- - - *ab. costajuncta* (Tutt), 1909, 1905-1914; Plebeius
- - - *ab. crassipuncta* (Courvoisier), 1903; Lycaena
- - - *cretaephilonome* (Verity), 1931, (RA); Lycaeides
- - - *ab. croceocaerulescens* (Tutt), 1909, 1905-1914; Plebeius
- - - *ab. croceolunulata* (Tutt), 1909, 1905-1914; Plebeius
- - - *ab. croceopostcaerulescens* (Tutt), 1909, 1905-1914; Plebeius
- - - *ab. croceosemivirgata* (Tutt), 1909, 1905-1914; Plebeius
- - - *ab. croceosemivirgatacaerulescens* (Tutt), 1909, 1905-1914; Plebeius
- - - *ab. croceovirgata* (Tutt), 1909, 1905-1914; Plebeius
- - - *ab. croceovirgatacaerulescens* (Tutt), 1909, 1905-1914; Plebeius
- - - *ab. cuneata* (Tutt), 1909, 1905-1914; Plebeius
- - - *ab. digitata* (Courvoisier), 1907; Lycaena
- - - *ab. discoanterior* (Tutt), 1909, 1905-1914; Plebeius
- - - *ab. discoelongata* (Courvoisier), 1912; Lycaena
- - - *ab. discolunulata* (Tutt), 1909, 1905-1914; Plebeius
- - - *ab. discoobsoleta* (Tutt), 1909, 1905-1914
- - - *ab. discoposteriora* (Tutt), 1909, 1905-1914; Plebeius
- - - *ab. duplex* (Cockerell), 1889; Lycaena
- - - *elongata* (Courvoisier), 1910, 1910-1911; Lycaena
- - - *ab. elongata* (Oudemans), 1905; Lycaena
- - - *ab. extrema* (Courvoisier), 1907; Lycaena
- - - *ab. extrema* (Courvoisier), 1907; Lycaena
- - - *ab. extrema* (Courvoisier), 1910, 1910-1911; Lycaena
- - - *ab. extrema* (Tutt), 1909, 1905-1914; Plebeius
- - - *ab. falloui* (Tutt), 1909, 1905-1914; Plebeius
- - - *ab. falvolunulata* (Tutt), 1909, 1905-1914; Plebeius
- - - *ab. flavescens* (Tutt), 1909, 1905-1914; Plebeius
- - - ♀ *ab. flavodeniata* (Stauder), 1914
- - - *ab. flavolunulata* (Tutt), 1909, 1905-1914; Plebeius
- - - *ab. flavopostcaerulescens* (Tutt), 1909, 1905-1914; Plebeius
- - - *ab. flavosemivirgata* (Tutt), 1909, 1905-1914; Plebeius
- - - *ab. flavovirgata* (Tutt), 1909, 1905-1914; Plebeius
- - - *ab. flavovirgatacaerulescens* (Tutt), 1909, 1905-1914; Plebeius
- - - *f. fuscescens* Lempke, 1955
- - - *ab. fuscus* (Tutt), 1909, 1905-1914; Plebeius

Plebejus (continued)

- *f. gracil* Agenjo, 1966
- *hispanafusca* (Verity), 1931, (RA); Lycaeides
- *ab. impunctata* (Tutt), 1909, 1905-1914; Plebeius
- *f. infraobscura* Lempke, 1955
- *ab. inornata* (Courvoisier), 1913; Lycaena
- *ab. inornata* Grund, 1913
- *ab. intermedimarginata* (Tutt), 1909, 1905-1914; Plebeius
- *ab. irregularis* (Tutt), 1909, 1905-1914; Plebeius
- *italaegiades* Verity, 1943, (IFS)
- *italanigrans* Verity, 1943, (IFS)
- *italorum* Verity, 1919, 1919-1922, (RA)
- *ab. juncta* (Tutt), 1909, 1905-1914; Plebeius
- *ab. klinzigii* Vicoli, 1977
- *ab. latamarginata* (Tutt), 1909, 1905-1914; Plebeius
- *ab. lilacina* (Tutt), 1909, 1905-1914; Plebeius
- *ab. lilacina* Tutt, 1909, 1905-1914
- *ab. lilacinaminor* (Tutt), 1909, 1905-1914; Plebeius
- *lunensis* (Verity), 1919, 1919-1922, (IFS); Plebeius
- *ab. magnipuncta* (Tutt), 1909, 1905-1914; Plebeius
- *ab. majellensis* (Dannehl), 1927; Lycaena
- *ab. major* (Tutt), 1909, 1905-1914; Plebeius
- *ab. marginipunctata* (Tutt), 1909, 1905-1914; Plebeius
- *ab. mariimus* Stephens, 1829
- *ab. mediojuncta* (Tutt), 1909, 1905-1914; Plebeius
- *var. melissa* Oberthür, 1917
- *microhypochiona* (Verity), 1931, (RA); Lycaeides
- *ab. minor* (Tutt), 1909, 1905-1914; Plebeius
- *ab. minutissimus* (Tutt), 1909, 1905-1914; Plebeius
- *ab. mirabilis* Mezger, 1935
- *f. naruena* (Courvoisier), 1913; Lycaena
- *ab. nigrescens* (Courvoisier), 1910, 1910-1911; Lycaena
- *var. nivea* Oberthür, 1917
- *ab. novopuncta* Courvoisier, 1912
- *ab. obscura* (Grund), 1908; Lycaena
- *ab. obsoletajuncta* (Tutt), 1909, 1905-1914; Plebeius
- *orientaloides* (Verity), 1931, (RA); Lycaeides
- *ab. pallida* (Tutt), 1909, 1905-1914; Plebeius
- *pallidula* (Verity), 1924, (RA); Plebeius
- *paraustera* Verity, 1943, (RA)
- *ab. parvipuncta* (Courvoisier), 1903; Lycaena
- *ab. parvipuncta* (Tutt), 1909, 1905-1914; Plebeius
- *ab. paucipuncta* (Courvoisier), 1910, 1910-1911; Lycaena
- *f. perclara* Agenjo, 1966
- *ab. plumbea* (Tutt), 1909, 1905-1914; Plebeius
- *ab. pluripuncta* (Courvoisier), 1910, 1910-1911; Lycaena
- *postauustera* Verity, 1943, (IFS)
- *ab. posteroaerulescens* (Tutt), 1909, 1905-1914; Plebeius
- *ab. posteroceus* (Tutt), 1909, 1905-1914; Plebeius
- *ab. posteroflava* (Tutt), 1909, 1905-1914; Plebeius
- *ab. posteroimpunctata* (Tutt), 1909, 1905-1914; Plebeius
- *pseudohypochiona* (Verity), 1931; Lycaena
- *pulchraphilonome* (Verity), 1931, (RA); Lycaeides
- *ab. punctifera* Courvoisier, 1910, 1910-1911
- *ab. quadripuncta* Courvoisier, 1910, 1910-1911
- *ab. radiata* (Courvoisier), 1910, 1910-1911; Lycaena
- *ab. radiata* (Courvoisier), 1910, 1910-1911; Lycaena
- *f. radiata* Oberthür, 1910
- *ab. rufescens* (Tutt), 1909, 1905-1914; Plebeius
- *ab. rufolunulata* (Reverdin), 1909; Lycaena
- *ab. rufolunulata* (Tutt), 1909, 1905-1914; Plebeius
- *var. sareptensis* Oberthür, 1917
- *sophiana* (Verity), 1931, (RA); Lycaeides
- *ab. tribasipunctata* Tutt, 1912
- *tuscanica* (Verity), 1919, 1919-1922, (RA); Plebeius
- *ab. unipuncta* Mousley, 1902
- *ab. unipuncta* (Tutt), 1909, 1905-1914; Plebeius
- *valesiana* Meyer-Dür, 1851
- *veris* (Verity), 1924, (IFS); Plebeius
- *f. vilarrubiai* Agenjo, 1966

Plebejus (continued)

- *ab. vulgaris* Meyer-Dür, 1851
- *argiades* (Esper), [1789], 1776-1830, (H); Papilio
- *nevadensis* (Oberthür), 1910, (H); Lycaena
- *aegiades* (Gerhard), 1853, 1850-1853; Lycaena
- *aegidion* (Gerhard), 1853, 1850-1853; Lycaena
- *aegon* ([Denis & Schiffemüller]), 1775; Papilio
- *alpina* (Courvoisier), 1910, 1910-1911; Lycaena
- *argyrotozus* (Bergsträsser), [1779], 1778-1780; Papilio
- *calabrica* (Turati), 1911; Lycaena
- *f. carinthiaca* (Courvoisier), 1913; Lycaena
- *cretaceus* (Tutt), 1909; Plebeius
- *graeca* (Tutt), 1909, 1905-1914; Plebeius
- *ismenias* (Hoffmansegg), 1804; Papilio
- *killiasii* Christ, 1883
- *leodorus* (Esper), [1782], 1776-1830; Papilio
- *leodorus* (Gerhard), 1853, 1850-1853; Lycaena
- *masseyi* (Tutt), 1909; Plebeius
- *nomancha* (Ribbe), 1910, 1909-1912; Lycaena
- *ongodai* (Tutt), 1909, 1905-1914; Plebeius
- *orientalis* (Tutt), 1909, 1905-1914; Plebeius
- *philonome* (Bergsträsser), [1779], 1778-1780; Papilio
- *philonomus* (Bergsträsser), [1779], 1778-1780, (IOS); Papilio
- *plouharnelensis* Oberthür, 1910
- *ab. crassipuncta* (Glais), 1926; Lycaena
- *ab. joannisi* (Glais), 1926; Lycaena
- *ab. lepontoisi* (Glais), 1926; Lycaena
- *sirentina* (Dannehl), 1927; Lycaena
- *sylvius* (Poda von Neuhaus), 1761; Papilio
- *uliginosa* (Dannehl), 1921; Lycaena
- *aegidion* (Meisner), 1818; Papilio
- *ab. radiata* (Blachier), 1909; Lycaena
- *asur* Agenjo, 1966
- *babieca* Agenjo, 1966
- *bejarensis* (Chapman), 1902; Lycaena
- *bella* (Herrich-Schäffer), [1844], 1843-1856; Lycaena
- *branaelasensis* (Tutt), 1909, 1905-1914; Plebeius
- *caernensis* Thompson, [1937]
- *pseudomasseyi* Thompson, [1937], (IFS)
- *pulchrina* Thompson, [1937], (IFS)
- *semisuffusa* Thompson, [1937], (IFS)
- *splendida* Thompson, [1937], (IFS)
- *casaiacus* Chapman, 1907
- *casaiacus* (Bollow), 1930, 1929-1931, (ISS); Lycaena
- *cleomenes* (Fruhstorfer), 1910; Lycaena
- *gaillardii* Beuret, 1950, Plebeius
- *hispanafusca* Manley & Allcard, 1970
- *hokiensis* (Kobayashi), 1931; Lycaena
- *hypochionalpina* (Verity), 1931, (RA); Lycaeides
- *hypochionus* Rambur, 1858, 1858-1866
- *hypochionous* d'Abrera, 1993, (ISS)
- *iberica* (Tutt), 1909, 1905-1914; Plebeius
- *kurentzovi* Koçak, 1980
- *orientalis* (Kurentzov), 1970, (H); Lycaena
- *lydiades* (Fruhstorfer), 1910; Lycaena
- *lydides* (Bollow), 1930, 1929-1931, (ISS); Lycaena
- *micrargus* (Butler), 1878; Lampides
- *ab. chiyodaensis* (Murayama), 1978; Lycaeides
- *coreana* (Tutt), 1909, 1905-1914; Plebeius
- *japonica* (Oberthür), 1910; Lycaena
- *microhypochiona* Manley & Allcard, 1970
- *minor* (Rangnow), 1935; Lycaena
- *montsiai* (de Sagarra y Castellamau), 1930; Plebeius
- *obensis* (Forster), 1936; Lycaena
- *pamira* (Forster), 1936; Lycaena
- *pseudaeagon* (Butler), [1882]; Lycaena
- *pseudagon* d'Abrera, 1993, (ISS)
- *pseudaeagon* Nakamura, 1971, (ISS)
- *insularis* (Leech), [1893], 1893-1894; Lycaena
- *calabricola* (Verity), 1921, 1919-1922, (RA); Plebeius

Plebejus (continued)

- - - - *ab. manoi* (Niimura), 1941; Lycaena
- *pyrenaica* (Tutt), 1909, 1905-1914; Plebeius
- - - - *ab. fusca* (Tutt), 1909, 1905-1914; Plebeius
- - - - *ab. hypochionoides* (Tutt), 1909, 1905-1914; Plebeius
- - *valmasinii* Perlini, 1905
- *sanchoi* Agenjo, 1966
- *seoki* Shirôzu & Sibatani, 1943
- *sultana* (Forster), 1936; Lycaena
- *ternejana* (Kurentzov), 1970; Lycaena
- *transbaicalensis* (Kurentzov), 1970; Lycaena
- *tscherkessica* (Forster), 1936; Lycaena
- - - - *georgica* (Forster), 1936; Lycaena
- *vacaresa* Ribbe, 1910, 1909-1912
- *vareai* Agenjo, 1966
- *verchojanicus* (Kurentzov), 1970; Lycaena
- *vigenis* (Tutt), 1909, 1905-1914; Plebeius
- *wolgensis* (Forster), 1936; Lycaena
- *zezuensis* (Seok), 1937; Lycaena
- baroghila* (Tyler), 1926; Lycaena
- chalcha* Korshunov, 1982
- corsicus* Bellier de la Chavignerie, 1862
- eversmanni* (Lang), 1884; Lycaena
- - - - *ab. amplificata* (Schultz), 1906; Lycaena
- eversmanni* (Staudinger), 1886, 1886-1889; Lycaena
- *badachshana* Forster, 1972
- - - - *badakushana* Sakai, 1981, (ISS)
- *firuskuhi* (Forster), 1941; Polyommatus
- *grumi* (Staudinger), 1901; Lycaena
- *titania* (Hemming), 1931; Plebeius
- lucifera* (Staudinger), 1867; Lycaena
- - - *biton* (Bremer), 1861, (H); Lycaena
- - *lornex* (Higgins), 1981; Vacciniina
- - *themis* (Grum-Grshimailo), 1891; Lycaena
- *lucifuga* (Fruhstorfer), 1915; Lycaena
- *lucina* (Grum-Grshimailo), 1902; Lycaena
- *selengensis* (Forster), 1941; Polyommatus
- morgiana* (Kirby), 1871; Cupido
- + - - - *hyrcana* (Lederer), 1869, (H); Lycaena
- *blomi* (Rose & Schurian), 1977; Vacciniina
- *kwaja* (Evans), 1932; Polyommatus
- phonix* Röber, [1886]

Plebejus (?) [Lyc:Lyc:Pol:Pol:Polyommatus]

- griseus* (Röber), [1886]; Plebeius

Plebejus (Aricia) [Lyc:Lyc:Pol:Pol:Polyommatus]

- * *agestis* (Denis & Schiffenmüller), 1775; Papilio
- - - - *aestiva* (Staudinger), 1901; Lycaena
- - - - *albinaculata* (Harrison), 1906; Polyommatus
- - - - *f. albolimbata* (Lempke), 1955; Aricia
- - - - *alpium magna* (Verity), 1943, (RA); Aricia
- - - - *brunnescens* (Harrison), 1906; Polyommatus
- - - - *ab. caeca* (Blachier), 1910; Lycaena
- - - - *ab. caeruleoannulata* (Carter & Harrison), 1923; Aricia
- - - - *caeruleosignata* (Verity), 1943, (IFS); Aricia
- - - - *ab. carteri* (Harrison), 1928; Aricia
- - - - *ab. cuneata* (Carter), 1921; Aricia
- - - - *f. discojuncta* (Lempke), 1955; Aricia
- - - - *ab. elongata* (Vorbrod), 1912; Lycaena
- - - - *ab. impunctata* (Oberthür), 1900; Aricia
- - - - *inclara* (Harrison), 1906; Polyommatus
- - - - *ab. marci* (Vicol), 1977; Aricia
- - - - *ab. microdes* (Cabeau), 1922, 1919-1922; Lycaena
- - - - *montium magna agestis* (Verity), 1949, 1947-1957, (IFS); Aricia
- - - - *ab. pallidior* (Oberthür), 1910; Aricia
- - - - *ab. pluripuncta* (Vorbrod), 1912; Lycaena
- - - - *postagestis* (Beuret), 1961; Aricia
- - - - *pseudocamera* (Vorbrod & Müller-Rutz), 1917; Aricia
- - - - *quadripunctata* (Harrison), 1906; Polyommatus
- - - - *ab. radiata* (Oberthür), 1910; Lycaena

Plebejus (Aricia) (continued)

- - - - *f. retrojuncta* (Lempke), 1955; Aricia
- - - - *ab. semiallous* (Hannemann), 1916, (H); Lycaena
- - - - *ab. semiallous* (Harrison), 1906; Polyommatus
- - - - *ab. semiallous* (Harrison), 1906; Polyommatus
- - - - *ab. striata* (Curtis), 1933; Aricia
- - - - *f. supracuneata* (Lempke), 1955; Aricia
- - - - *f. unicolor* (Lempke), 1955; Aricia
- - - - *f. uniformata* (Peerdeman), 1962; Aricia
- - - - *vedrae* (Harrison), 1906; Polyommatus
- - - *alexis* (Scopoli), 1763, (H); Papilio
- - - *medon* (Hüfnagel), 1766, (H); Papilio
- - - - *ab. caeruleopuncta* (Carter & Harrison), 1923; Aricia
- - - - *ab. cuneata* (Carter & Harrison), 1923; Aricia
- - - - *ab. eosteri* (Harrison), 1928; Aricia
- - - - *ab. garretti* (Harrison & Carter), 1929; Aricia
- - - - *ab. icaroides* (Carter & Harrison), 1928; Aricia
- - - - *infracacaotica* (Verity), 1920, 1919-1922, (IFS); Aricia
- - - - *infracandida* (Verity), 1920, 1919-1922, (RA); Aricia
- - - - *infralbans* (Verity), 1920, 1919-1922, (IFS); Aricia
- - - - *infraplumbea* (Verity), 1920, 1919-1922, (IFS); Aricia
- - - - *ab. minor* (Blackie), 1919; Aricia
- - - - *pallidefulva* (Verity), 1920, 1919-1922, (IFS); Aricia
- - - - *ab. recessa* (Carter & Harrison), 1923; Aricia
- - - - *subcalida* (Verity), 1920, 1919-1922, (RA); Aricia
- - - *albicans* (Aurivillius), 1888, 1888-1891; Aricia
- - - *astrarche* (Bergsträsser), [1779], 1778-1780; Papilio
- - - - *ab. czekelii* (Diószeghy), 1930; Lycaena
- - - - *ab. lilliputana* (Oberthür), 1914; Aricia
- - - - *ab. ornata* (Staudinger), 1892; Lycaena
- - - - *ab. sebdouica* (Strand), 1927; Lycaena
- - - - *subornata* (Verity), 1920, 1919-1922, (IFS); Aricia
- *eumedes* (Meisner), 1818; Lycaena
- *gallica* (Oberthür), 1910; Aricia
- - - - *ab. postgallica* (Le Moul), 1947; Aricia
- *graafii* (Snellen), 1867; Lycaena
- *nazira* (Moore), 1865; Polyommatus
- *f. precursoria* (Beuret), 1951; Aricia
- *sachalinensis* (Matsumura), 1919; Lycaena
- *sarmatis* (Grum-Grshimailo), 1890; Lycaena
- *cramera* (Eschscholtz), 1821; Lycaena
- - - - *ab. ardanazi* (Agenjo), 1934; Lycaena
- - - - *aridogenita* (Verity), 1928, (RA); Aricia
- - - - *minusornata* (Verity), 1928, (IFS); Aricia
- - - - *pallidecanariensis* (Verity), 1928, (IFS); Aricia
- - - - *pallidecramera* (Verity), 1928, (IFS); Aricia
- - - - *subcanariensis* (Verity), 1928, (RA); Aricia
- *heliomedon* (Bryk), 1940; Polyommatus
- *delphica* (Wnukowsky), 1929; Lycaena
- - *alpina* (Staudinger), [1871], (H); Lycaena
- *heynei* (Wnukowsky), 1929; Lycaena
- - *montana* (Heyne), 1895, 1893-1895, (H); Lycaena
- *pelorion* (Szabó), 1956; Aricia
- *subcramera* (Manley & Allcard), 1970; Aricia
- - - - *subcramera* (Verity), 1928, (RA); Aricia
- artaxerxes* (Fabricius), 1793, 1792-1799; Hesperia
- *allous* (Geyer), [1836], 1826-1838; Papilio
- - - - *ab. paucipuncta* (Obraztsov), 1935; Lycaena
- - - - *ab. pseudoallous* (Obraztsov), 1935; Lycaena
- - - - *ab. pseudomedon* (Obraztsov), 1935; Lycaena
- - - - *ab. unicolor* (Obraztsov), 1935; Lycaena
- *hakutozana* (Matsumura), 1927; Lycaena
- *mandzhuriana* (Obraztsov), 1935; Lycaena
- - - *ab. ussurica* (Obraztsov), 1935; Lycaena
- - - *sheljuzhkoi* (Obraztsov), 1935; Lycaena
- - - - *ab. azerbaijdzhana* (Obraztsov), 1935; Lycaena
- *strandii* (Obraztsov), 1935; Lycaena
- *transalaica* (Obraztsov), 1935; Lycaena
- *turgaica* (Obraztsov), 1935; Lycaena
- *hercynica* (Kames), 1969; Aricia
- *horkei* (Høegh-Guldberg), 1966; Aricia

Plebejus (Aricia) (continued)

- *inhonora* (Jachontov), 1909; Lycaena
- - - - *ab. lepsinskana* (Obraztsov), 1935; Lycaena
- - - - *ab. parvipuncta* (Obraztsov), 1935; Lycaena
- - - - *ab. suballous* (Obraztsov), 1935; Lycaena
- - - - *ab. ukrainica* (Obraztsov), 1935; Lycaena
- *lyngensis* (Høegh-Guldberg), 1966; Aricia
- *opheimi* (Høegh-Guldberg), 1966; Aricia
- - - - *albisiganta*
- *rambringi* (Høegh-Guldberg), 1966; Aricia
- *salmacis* (Stephens), 1829, 1828-1846; Polyommatus
- *vandalica* (Kaaber & Høegh-Guldberg), 1961; Aricia
- - - - *ab. albiannulata* (Harrison), 1906; Polyommatus
- - - - *brunneopuncta* (Høegh-Guldberg), 1963, (IFS); Aricia
- - - - *brunneopunctata* (Anonymous), 1967, (ISS); Aricia
- - - - *flavescens* (Høegh-Guldberg), 1963, (IFS); Aricia
- - - - *panalbolimbata* (Høegh-Guldberg), 1963, (IFS); Aricia
- - - - *Q panobsoleta* (Høegh-Guldberg), 1963, (IFS); Aricia
- - - - *f. snelleni* (Høegh-Guldberg), 1963, (IFS); Aricia
- *calida* (Bellier de la Chavignerie), 1862; Lycaena
- - - - *antecalida* (Verity), 1943, (IFS); Aricia
- - *aestiva* (Zeller), 1847; Lycaena
- *canariensis* (Blachier), 1889; Aricia
- *mandschurica* (Staudinger), 1892; Lycaena
- - *chinensis* (Murray), 1874, (H); Lycaena
- *montensis* (Verity), 1928; Aricia
- - - - *macedonica* (Verity), 1936, 1936-1937, (RA); Aricia
- - *nevadensis* (Oberthür), 1910, (H); Lycaena
- *debrosi* (Beuret), 1960; Aricia
- *issekutzi* (Balogh), 1956; Aricia
- - - *issekutzi* (Balogh), 1957, (H); Aricia
- - - - *issekutzi* (Anonymous), 1964, (ISS); Aricia
- - - - *f. tornensis* (Varga), 1960, (IFS); Aricia
- *montanabella* (Manley & Allcard), 1970; Aricia
- - - - *montanabella* (Verity), 1928, (RA); Aricia
- *semimontensis* (Manley & Allcard), 1970; Aricia
- - - - *semimontensis* (Verity), 1928, (RA); Aricia
- *morronensis* (Ribbe), 1910, 1909-1912; Lycaena
- - - - *ab. caeca* (Courvoisier), 1914; Lycaena
- - *idas* (Rambur), [1840], 1837-1840, (H); Lycaena
- *carmenensis* (Eitschberger & Steiniger), 1973; Aricia
- *chapmani* (Ribbe), 1910, 1909-1912; Lycaena
- *elsae* (Wyat), 1952; Plebeius
- *guadalaviarensis* (Munguira & Martin), 1988; Aricia
- *hesselbarthi* (Manley), 1970; Aricia
- *navarredondae* (Wyat), 1952; Plebeius
- *ordesae* (de Sagarra y Castellamau), 1930; Aricia
- *ordesana* (Blom), 1970; Aricia
- *peigleri* (Fernandez Vidal), 1991; Aricia
- *ramburi* (Verity), 1913; Aricia
- *sierramariensis* (Munguira & Martin), 1988; Aricia
- *trevincae* (Wyat), 1952; Plebeius
- *vasconiae* (Gómez Bustillo & Fernández-Rubio), 1974; Aricia
- *myrmecias* (Christoph), 1877, 1876-1877; Lycaena
- *scythissa* (Nekrutenko), 1985; Aricia
- - - - *scythissa* (Anonymous), 1987, (ISS); Aricia
- *teberdina* (Sheljuzhko), 1934; Lycaena
- *nahizerica* (Eckweiler), 1978; Aricia

Plebejus (Eumedonia) [Lyc:Lyc:Pol:Pol:Polyommatus]

- * *eumedon* (Esper), [1780], 1776-1830; Papilio
- - - - *alboinicta* (Schultz), 1903; Lycaena
- - - - *albolinearis* (Schultz), 1903; Lycaena
- - - - *ab. alpicola* (Kolar), 1926; Lycaena
- - - - *ab. alicola* (Nitsche), 1926; Aricia
- - - - *dealbata* (Schultz), 1903; Lycaena
- - - - *ab. grisea* (Opheim), 1943; Polyommatus
- - - - *var. maritima* (Oberthür), 1910; Lycaena
- - - - *ab. nigrostriata* Muschamp, 1908
- - - - *ab. perversa* Schultz, 1906
- - - - *speveri* (Seitz), [1909], 1907-1921, (ISS); Lycaena

Plebejus (Eumedonia) (continued)

- - - - *ab. speyeri* (Husz), 1881; Lycaena
- - - - *ab. vittata* Oberthür, 1910
- - - *chiron* (Rottemburg), 1775, (H); Papilio
- - - - *glaciata* (Verity), 1921, 1919-1922, (RA); Aricia
- - *arenicola* (Burrau), 1953; Polyommatus
- - - - *ab. confluentis* (Burrau), 1953; Polyommatus
- - - - *ab. exoculatus* (Burrau), 1953; Polyommatus
- - - - *ab. vittatus* (Burrau), 1953; Polyommatus
- - *belinus* (Prunner), 1798; Papilio
- - *borealis* (Wahlgren), 1930; Polyommatus
- - *fylgia* (Spangberg), 1876; Cupido
- - *f. praticola* (Burrau), 1953; Polyommatus
- - *privata* (Staudinger), 1895; Lycaena
- - *sundalensis* (Opheim), 1943; Polyommatus
- - *aladaghensis* (Koçak), 1979; Aricia
- - *antiqua* (Staudinger), 1899; Lycaena
- - *jermyni* (Swinhoe), 1910, 1909-1913; Plebeius
- *bolivariensis* (de Sagarra y Castellamau), 1930; Aricia
- *grassoides* (Eitschberger & Steiniger), 1975; Eumedonia
- *jeanensis* (Eitschberger & Steiniger), 1975; Eumedonia
- *kagizmanensis* (Koçak), 1980; Aricia
- - *osiris* (O. Bang-Haas), 1927, (H); Lycaena
- *mariensis* (Eitschberger & Steiniger), 1975; Eumedonia
- *mayencis* (Eitschberger & Steiniger), 1975; Eumedonia
- *modestus* (Nekrutenko), 1972; Eumedonia
- *moenus* (Eitschberger & Steiniger), 1975; Eumedonia
- *montriensis* (Nel), 1976; Eumedonia
- *mylitta* (Hemming), 1932; Aricia
- *nebrodensis* Ragusa, 1919
- *nitschei* (Hemming), 1933; Aricia
- *rumeliensis* (Eitschberger & Steiniger), 1975; Eumedonia
- *sarykola* (Sheljuzhko), 1914; Lycaena
- *stauderi* (Bollow), 1931, 1929-1931; Lycaena
- - - *meridionalis* (Stauder), 1921, (H); Lycaena
- - - - *meridionalis* (Riley & Tams), 1924, (ISS); Lycaena
- *kogistana* (Grum-Grshimailo), 1888; Lycaena
- *timida* (Grum-Grshimailo), 1885; Lycaena

Plebejus (Icaricia) [Lyc:Lyc:Pol:Pol:Polyommatus]

- acmon* Westwood, [1852], 1846-1852
- - - - *ab. kelseyi* Wright, 1930
- - *antaegon* (Boisduval), 1852; Lycaena
- - - - *actaegon* (Morris), 1860, (ISS); Lycaena
- - *cottlei* Grinnell, 1916
- - - - *ab. labecula* (Watson & Comstock), 1920; Plebeius
- *lutzi* (dos Passos), 1938; Plebeius
- - - - *f. pseudolupini* Ferris, [1970], (IFS)
- *spangelatus* (Burdick), 1942; Plebeius
- *texanus* Goodpasture, 1973
- *chlorina* (Skinner), 1902; Lycaena
- - - - ♂ *f. carolyna* (J. A. Comstock), 1922; Plebeius
- * *icarioides* (Boisduval), 1852; Lycaena
- - - - *ab. daedalus* (Behr), 1867; Lycaena
- - - - *ab. spinimaculata* (Gunder), 1926; Plebeius
- - *fulla* (Edwards), 1870; Lycaena
- - *maricopa* (Reakirt), 1866, 1866-1867; Lycaena
- - *mintha* (Edwards), 1870; Lycaena
- - - - *mincha* (Kirby), 1871, (ISS); Plebeius
- - *phileros* (Boisduval), 1869, 1868-1869; Lycaena
- *ardea* (Edwards), [1871]; Lycaena
- *blackmorei* Barnes & McDunnough, 1919
- *buchholzi* (dos Passos), 1938; Plebeius
- *evius* (Boisduval), 1869, 1868-1869; Lycaena
- *helios* (Edwards), [1871]; Lycaena
- - - - *helius* (Kirby), [1873], (ISS); Lycaena
- *lycea* (Edwards), 1864; Lycaena
- - *rapahoe* (Reakirt), 1866; Lycaena
- *missionensis* Hovanitz, 1937
- *montis* (Blackmore), 1923; Plebeius
- *moroensis* (Sternitzky), 1930; Plebeius

Plebejus (Icaricia) (continued)

- *pembina* (Edwards), 1862; Lycaena
- lupini** (Boisduval), 1869, 1868-1869; Lycaena
- *ab. immaculata* (Chermock), 1929; Plebeius
- *f. transvestitus* Scott, 1981
- monticola** (Clémence), 1909; Rusticus
- *ab. angelus* Gunder, 1930
- *ab. malcolmi* (Gunder), 1925; Plebeius
- *ab. montanus* Gunder, 1930
- ♀ *ab. pallida* (Gunder), 1925; Plebeius
- neurona** (Skinner), 1902; Lycaena
- pardalis** (Behr), 1867; Lycaena
- *ab. windi* (Gunder), 1933; Plebeius
- *fenderi* Macy, 1931
- *erymus* (Boisduval), 1869, 1868-1869; Lycaena
- pheres** (Boisduval), 1852; Lycaena
- saepiolus** (Boisduval), 1852; Lycaena
- ♀ *f. caeruleus* Ferris, [1970], (IFS)
- *ab. leussleri* (Gunder), 1927; Plebeius
- *aeahaja* (Behr), 1867; Lycaena
- *rufescens* (Boisduval), 1869, 1868-1869; Lycaena
- *amica* (Edwards), 1863; Lycaena
- *amico* Anonymous, 1980
- *kodiak* (Edwards), 1870; Lycaena
- *gertschi* (dos Passos), 1938; Plebeius
- *hilda* (Grinnell & Grinnell), 1907; Cupido
- *ab. boharti* Gunder, 1932
- *ab. garthi* Gunder, 1928
- *insulanus* (Blackmore), 1920; Plebeius
- *whitmeri* Brown, 1951
- shasta** (Edwards), 1862; Lycaena
- *calchas* (Behr), 1867; Lycaena
- *calcas* (McDunnough), 1938, (ISS); Plebeius
- *comstocki* Fox, 1924
- *nivium* (Boisduval), 1869, 1868-1869; Lycaena
- *zelmira* (Felder & Felder), 1865, 1865-1875; Lycaena
- *charlestonensis* Austin, 1980
- *minnehaha* (Scudder), 1875; Agriades
- *browni* Ferris, 1970
- *pitkinensis* Ferris, 1976

Plebejus (Lycaeides) [Lyc:Lyc:Pol:Pol:Polyommatus]

- * **argyrognomon** (Bergsträsser), [1779], 1778-1780; Papilio
- *aegina* (Leech), [1893], 1893-1894, (MID); Lycaena
- *aegusella* (Verity), 1921, 1919-1922, (RA); Plebeius
- *f. argellus* (Turati), 1911; Lycaena
- *ab. brunnea* Spuler, 1907, 1901-1908
- *ab. caeca* (Courvoisier), 1910, 1910-1911; Lycaena
- *f. caerulea* Strand, 1901
- *ab. costojuncta* Courvoisier, 1907
- *ab. delunata* (Nordström), 1933; Plebeius
- *f. demaculata* Strand, 1901
- *dubia* (Nordström), 1935; Lycaena
- *ab. elegans* (Metzner), 1926; Lycaena
- *elongata* (Courvoisier), 1910, 1910-1911; Lycaena
- *f. extenta* Strand, 1901
- *f. extincta* Strand, 1901
- *ab. inornata* (Grund), 1913; Lycaena
- *ab. limbojuncta* (Courvoisier), 1907; Lycaena
- *parvalaria* (Verity), 1943, (IFS); Lycaeides
- *ab. paucipuncta* (Courvoisier), 1910, 1910-1911; Lycaena
- *ab. pluripuncta* (Courvoisier), 1907; Lycaena
- *ab. proxargyrognomon* (Beuret), 1934; Lycaeides
- *ab. proxarmoricana* (Beuret), 1934; Lycaeides
- *ab. pseudarmoricana* (Beuret), 1934, (H); Lycaeides
- *ab. retropuncta* (Courvoisier), 1907; Lycaena
- *ab. rubrinaculata* (Courvoisier), 1913; Lycaena
- *saturior* (Verity), 1927, (RA); Plebeius
- *ab. subtusradiata* Oberthür, 1896
- *tapinaegus* (Verity), 1948, 1947-1957, (RA); Lycaeides
- *ab. unipuncta* (Grund), 1913; Lycaena

Plebejus (Lycaeides) (continued)

- *lycidas* (Borkhausen), 1788, (H); Papilio
- *aegina* (Grum-Grshimailo), 1891; Lycaena
- *aegus* (Chapman), 1917; Plebeius
- *albomarginata* (Ebert), 1926; Lycaena
- *argiva* (Staudinger), 1886, 1886-1889; Lycaena
- *argyrobios* (Bergsträsser), [1779], 1778-1780; Papilio
- *argyrocapelus* (Bergsträsser), [1779], 1778-1780; Papilio
- *argyrocopus* (Bergsträsser), [1779], 1778-1780; Papilio
- *argyroela* (Bergsträsser), [1779], 1778-1780; Papilio
- *argyrophylax* (Bergsträsser), [1779], 1778-1780; Papilio
- *bactriana* (Grum-Grshimailo), 1890; Lycaena
- *baldur* (Hemming), 1934; Lycaeides
- *bellofontanensis* (Stempffer), 1927; Plebeius
- *bergi* Kuznetzov, 1908
- *cuneata* (Rasmussen), 1944; Plebeius
- *ismenias* (Meigen), 1829, 1827-1832; Polyommatus
- *ismenius* (Gerhard), 1853, 1850-1853; Lycaena
- *latialis* Rostagno & Zapelloni, 1910
- *lutea* (Caradja), 1893; Lycaena
- *lycides* (Meigen), 1829, 1827-1832; Polyommatus
- *maracandica* (Erschoff), 1874; Lycaena
- *planorum* (Alphéraky), 1881; Lycaena
- *septentrionalis* (Beuret), 1928; Plebeius
- *tomyris* (Grum-Grshimailo), 1890; Lycaena
- *unicolor* Favre, 1903
- *vulgaris* (Lamarck), 1835, 1835-1845; Argus
- *abruzzorum* (Dannehl), 1933; Lycaena
- *altarmena* (Forster), 1936; Lycaena
- *buchara* (Forster), 1936; Lycaena
- *callarge* (Staudinger), 1901; Lycaena
- *callioides* (Beuret), 1961; Lycaeides
- *caspica* (Forster), 1936; Lycaena
- *croatia* (Grund), 1913; Lycaena
- *dalmaticola* (Koçak), 1980; Lycaeides
- *dalmatina* (von Neustetter), 1938, (H); Lycaena
- *danapriensis* (Stempffer & Schmidt), 1932; Lycaeides
- *degener* (de Sagara y Castellamau), 1930; Plebeius
- *euergetes* (Stauder), 1914; Lycaena
- *argyropeza* (Szabó), 1956; Lycaeides
- *gabrielii* (Bálint), 1989; Plebeius
- *kamtchatica* (Kurentzov), 1970; Lycaena
- *lapponicus* Gerhard, 1853, 1850-1853
- *laria* (Verity), 1937; Lycaeides
- *letitia* (Hemming), 1934; Lycaeides
- *ligurica* (Oberthür), 1910, (H); Lycaena
- *lombardiana* (Beuret), 1938; Lycaeides
- *magnagraeca* (Higgins), 1975; Lycaeides
- *maritimalpina* (Beuret), 1938, 1938-1939; Lycaeides
- *mongolica* (Rühl), 1893, 1892-1893; Lycaena
- *nabokovi* (Masters), 1972; Lycaeides
- *opulenta* (Beuret), 1961; Lycaeides
- *sesquiopulenta* (Verity), 1943, (IFS); Lycaeides
- *praeterinsularis* (Verity), 1921, 1919-1922, (RA); Plebeius
- *rangnowi* (Koçak), 1980; Lycaeides
- *violaceus* (Rangnow), 1935, (H); Lycaena
- *f. completa* (Rangnow), 1935; Lycaena
- *f. ismenides* (Rangnow), 1935; Lycaena
- *sabina* (Dannehl), 1933; Lycaena
- *saturior* Manley & Allcard, 1970
- *shirahatai* (Shirôzu), 1953; Lycaeides
- *shuroabatica* (Stchetkin), 1963; Lycaena
- *sinica* (Forster), 1936; Lycaena
- *ussurica* (Forster), 1936; Lycaena
- christophi** (Staudinger), 1874; Lycaena
- *agnata* (Staudinger), 1889, 1886-1889; Lycaena
- *rogneda* (Grum-Grshimailo), 1890; Lycaena
- *roxane* (Grum-Grshimailo), 1887; Lycaena
- *transcaucasica* (Rebel), 1901; Lycaena
- *lesliei* (Tyler), 1926; Lycaena
- *micropunctulatus* Degtyareva, 1978

Plebejus (Lycaeides) (*continued*)

- **nanshanica** (Forster), 1936; Lycaena
- cleobis** (Bremer), 1861; Lycaena
- - - **montanus** (Yagi), 1915, (H); Lycaena
- - **aeonides** (Bremer), 1864; Lycaena
- - **putealis** (Matsumura), 1927; Lycaena
- - **subsolanus** (Eversmann), 1851; Lycaeides
- **boreas** (Bálint), 1989; Plebeius
- **iburiensis** (Butler), [1882]; Lycaena
- - **ishidae** (Matsumura), 1929; Lycaena
- **ida** (Grum-Grshimailo), 1891; Lycaena
- **kenteana** (Staudinger), 1892; Lycaena
- - - - **ab. cleobella** (Kozhanchikov), 1936; Lycaena
- - - - **ab. limbata** (Kozhanchikov), 1936; Lycaena
- **myokoensis** (Murayama), 1969; Lycaeides
- **qilianshanus** (Murayama), 1983; Lycaeides
- **sareptensis** Chapman, 1917
- **togakusiensis** (Murayama), 1964; Lycaeides
- **yagiana** (Sugitani), 1938, 1933-1938; Lycaeides
- **yagina** (Strand), 1922; Lycaeides
- - **asamensis** (Matsumura), 1929; Lycaena
- - **shiroumana** (Matsumura), 1929; Lycaena
- **yarigadakeana** (Matsumura), 1929; Lycaena
- corsica** (Tut), 1909; Plebeius
- - - **bellieri** (Oberthür), 1910, (H); Lycaena
- idas** (Linnaeus), 1761; Papilio
- - - - **apenninophila** (Verity), 1919, 1919-1922, (RA); Plebeius
- - - - **arida** (Verity), 1927, (IFS); Plebeius
- - - - **australissima** (Verity), 1919, 1919-1922, (RA); Plebeius
- - - - **calliopes** (Verity), 1919, 1919-1922, (RA); Plebeius
- - - - **ab. carteri** (Harrison), 1929; Aricia
- - - - **ab. costajuncta** (Courvoisier), 1907; Lycaena
- - - - **ab. gazeli** Beuret, 1934
- - - - **italapulchra** (Verity), 1943, (RA); Lycaeides
- - - - **latolimbo** (Verity), 1927, (IFS); Plebeius
- - - - **magnagraeca** (Verity), 1936, 1936-1937, (RA); Plebeius
- - - - **magnalpina** (Verity), 1927, (RA); Plebeius
- - - - **mira** (Verity), 1914, (RA); Lycaena
- - - - **miseria** (Verity), 1919, 1919-1922, (IFS); Plebeius
- - - - **opulenta** (Verity), 1927, (RA); Plebeius
- - - - **ornata** (Lempke), 1955; Lycaeides
- - - - **postrauraca** Beuret, 1934
- - - - **pseudoarmoricana** Heydemann, 1930
- - - - **ab. stempferschmidti** Beuret, 1934
- - - - **subsaturior** (Verity), 1948, 1947-1957, (RA); Lycaeides
- - - - **ultima** (Verity), 1927, (IFS); Plebeius
- - - **balcanica** (Züllich), 1929, (H); Lycaena
- - **idasoides** (Beuret), 1934, (JOS); Lycaeides
- - **ligurica** Courvoisier, 1911, (H)
- **acreon** (Fabricius), 1787; Papilio
- **amphion** (Fabricius), 1793, 1792-1799; Hesperia
- **armoricana** Oberthür, 1910
- **difficilis** (Stauder), 1922; Lycaena
- **lapponica** (Gerhard), 1853, 1850-1853; Lycaena
- **f. nocensis** (Dannehl), 1925; Lycaena
- **pseudarmoricana** (Heydemann), 1933; Lycaeides
- - - - **pseudarmoricana** (Anonymous), 1934, (ISS); Lycaeides
- **alaskensis** (Chermock), 1945; Plebeius
- **anna** (Edwards), 1861; Lycaena
- - - **argyrotoxis** (Behr), 1867, (H); Lycaena
- **cajona** (Reakirt), 1866; Lycaena
- **philemon** (Boisduval), 1869, 1868-1869; Lycaena
- **argulus** (Frey), 1882; Lycaena
- **armoricanelia** (Beuret), 1934; Lycaeides
- **armoricanaoides** (Beuret), 1934; Lycaeides
- **aster** (Edwards), 1882; Lycaena
- **atrapraetextus** Field, 1939
- - - - **atrapraetextus** Miller & Brown, 1981, (ISS)
- **sweadneri** (Chermock), 1945; Plebeius
- **batavana** (Beuret), 1936; Lycaeides
- **bavarica** (Forster), 1936; Lycaena

Plebejus (Lycaeides) (*continued*)

- **calliopis** Boisduval, [1832], 1832-1834
- **dubia** (Schulz), 1881; Lycaena
- **empetri** (Freeman), 1938; Plebeius
- **ferniensis** (Chermock), 1945; Plebeius
- **haefelfingeri** (Beuret), 1935; Lycaeides
- - - - **haefelfingeri** Forster & Wohlfahrt, 1955, (ISS)
- **lacustris** (Beuret), 1938, 1938-1939; Lycaeides
- **ligurica** (Courvoisier), 1910, 1910-1911, (H); Lycaena
- **longinus** (Nabokov), 1949; Lycaeides
- **lotis** (Lintner), 1878; Lycaena
- **lycidasoides** Beuret, 1934
- **nevadensis** (Oberthür), 1896; Lycaena
- - **extremata** (de Sagarra y Castellamau), 1930; Plebeius
- - **singularis** Heydemann, 1932
- **nivea** (Courvoisier), 1910, 1910-1911; Lycaena
- - **astragaliphaga** (Vorbrot), 1912; Lycaeides
- - - - **astragaliphora** Bollow, 1930, 1929-1931, (ISS)
- **auraca** (Beuret), 1934; Lycaeides
- **ricei** (Cross), 1937; Plebeius
- - **fretchiani** (Chermock), 1945; Plebeius
- **scudderii** (Edwards), 1861; Lycaena
- - **subarcticus** (Chermock), 1945; Plebeius
- **selda** (Higgins), 1964; Lycaeides
- **sublivens** (Nabokov), 1949; Lycaeides
- - - - **sublivens** Brown & Eff & Rotger, 1955, (ISS)
- **valesiaca** (Oberthür), 1904; Lycaeides
- - **alpina** Berce, 1867
- lamesem** (Oberthür), 1910; Lycaena
- melissa** (Edwards), 1873; Lycaena
- - **fridayi** (Chermock), 1945; Plebeius
- - **pseudosamuels** (Nabokov), 1949; Lycaeides
- **annetta** (Edwards), 1882; Lycaena
- **mexicana** (Clench), 1965; Lycaeides
- **paradoxa** (Chermock), 1945; Plebeius
- - **inyoensis** (Nabokov), 1949; Lycaeides
- - - - **ab. inyoensis** (Gunder), 1927; Plebeius
- **samuels** (Nabokov), [1944]; Lycaeides
- qinghaiensis** (Murayama), 1992; Lycaeides
- samudra** (Moore), [1875]; Polyommatus
- - - - **samadra** (Kirby), 1877, (ISS); Plebeius
- - **bracteata** (Butler), 1880; Lycaena
- tancrei** (Graeser), 1888, 1888-1893; Lycaena
- - **jakutica** (Kurentzov), 1970; Lycaena
- tibetanus** (Forster), 1940; Polyommatus
- tshimgana** (Forster), 1936; Lycaena

Plebejus (Maurus) [Lyc:Lyc:Pol:Pol:Polyommatus]

- * **vogelii** (Oberthür), 1910; Lycaena

Plebejus (Plebejides) [Lyc:Lyc:Pol:Pol:Polyommatus]

- allardi** (Oberthür), 1874; Lycaena
- - - - **ab. brunnea** (Stetter-Stättermayer), 1937; Lycaena
- - - - **ab. communis** (Stetter-Stättermayer), 1937; Lycaena
- - - - **ab. depuncta** (Stetter-Stättermayer), 1937; Lycaena
- - - - **ab. elliptica** (Stetter-Stättermayer), 1937; Lycaena
- - - - **ab. fusca** (Stetter-Stättermayer), 1937; Lycaena
- - - - **ab. lunulata** (Stetter-Stättermayer), 1937; Lycaena
- - - - **ab. luxurians** (Stetter-Stättermayer), 1937; Lycaena
- - - - **ab. oberthuri** (Stetter-Stättermayer), 1937; Lycaena
- - - - **ab. parvipuncta** (Stetter-Stättermayer), 1937; Lycaena
- - - - **ab. pluripuncta** (Stetter-Stättermayer), 1937; Lycaena
- - - - **ab. polyphemus** (Stetter-Stättermayer), 1937; Lycaena
- - - - **ab. punctifera** (Stetter-Stättermayer), 1937; Lycaena
- - - - **ab. rufomarginata** (Stetter-Stättermayer), 1937; Lycaena
- - - - **ab. stigmatica** (Stetter-Stättermayer), 1937; Lycaena
- - - - **ab. suffusaargentea** (Stetter-Stättermayer), 1937; Lycaena
- - - - **ab. tristis** (Stetter-Stättermayer), 1937; Lycaena
- indica** (Evans), 1925; Lycaena
- **philbyi** (Graves), 1925; Plebeius
- martini** (Allard), 1867; Lycaena
- - - - **martinii** (Allard), 1867, (IOS); Lycaena

Plebejus (Plebejides) (*continued*)

- - *ungemachi* (Rothschild), 1925; Lycaena
- patriarcha** Bálint, 1992
- * **pylaon** (Fischer von Waldheim), 1832; Lycaena
- - - - *caerulea* (Courvoisier), 1910, 1910-1911; Lycaena
- - - - *ab. immaculata* (Sheldon), 1914; Scolitantides
- - - - *ab. ledereri* Thierry-Mieg, 1911
- - - - *ab. nigropuncta* (Sheldon), 1914; Scolitantides
- - - - *rubromaculata* (Courvoisier), 1913; Lycaena
- **abchasicus** Nekrutenko, 1975
- - - - *abschasicus* Anonymous, 1979, (ISS)
- **albertii** Nekrutenko, 1975
- **augustanus** von Mentzer, 1957
- **brethertoni** Brown, 1976
- - - - *pylaonbrethertoni* Anonymous, 1980, (ISS)
- **cleopatra** Hemming, 1934
- **delattini** (Junge), 1971; Plebejides
- **galani** Agenjo, 1967
- - **matildae** Gómez Bustillo & Fernández-Rubio, 1972
- - **pardoi** Gómez Bustillo & Fernández-Rubio, 1972
- **hesperica** (Rambur), 1839, 1837-1840; Lycaena
- **iranicola** (Koçak), 1980; Plebejides
- - - *iranica* (Forster), 1939, (H); Lycaena
- **katunensis** Bálint & Lukhtanov, 1990
- **nicholli** (Elwes), 1901; Lycaena
- **ordubadi** (Forster), 1938; Lycaena
- **semiturcmenicus** Bálint, 1991
- **sephyrus** (Frivaldszky von Frivald), 1835; Lycaena
- - - - *ab. analmaculata* Vasile, 1980
- - - - *microsephyrus* (Verity), 1935, (RA); Plebeius
- - - - *modica* (Verity), 1935, (RA); Plebeius
- - - - *ab. nigra* Vasile, 1980
- - - - *ab. obsoleta* Vasile, 1980
- - - - *ab. parallela* (Courvoisier), 1910, 1910-1911; Lycaena
- - - - *ab. radiata* (Courvoisier), 1910, 1910-1911; Lycaena
- - - - *ab. rubrimaculata* (Courvoisier), 1913; Lycaena
- - - - *sephirus* d'Abdera, 1993, (ISS)
- - - - *zephyrus* (Kirby), 1871, (ISS); Cupido
- - **akbesiana** (Oberthür), 1904; Lycaena
- - **albolimbata** (Vorbrodt & Müller-Rutz), 1921; Lycaena
- - **foticus** (Szabó), 1956; Plebeius
- - **kovacsi** (Szabó), 1954; Plebeius
- - **proximus** (Szabó), 1954; Plebeius
- - **uhryki** (Rebel), 1911; Lycaena
- **solimana** (Forster), 1938; Lycaena
- **trappi** (Verity), 1927; Plebeius
- - - *lycidas* (Trapp), 1863, (H); Lycaena
- **turcmenica** (Forster), 1936; Lycaena
- zephyrinus** (Christoph), 1884, 1884-1889; Lycaena
- - **usbekus** (Forster), 1939; Plebeius
- **klausrosei** (Bálint & Kertes & Lukhtanov), 1992; Plebeius
- **tarbagataiensis** (Bálint & Kertes & Lukhtanov), 1992; Plebeius

Plebejus (Plebulina) [Lyc:Lyc:Pol:Pol:Polyommatus]

- * **emigdionis** (Grimell), 1905; Lycaena
- - **melimona** Wright, 1905

Plebejus (Pseudoaricia) [Lyc:Lyc:Pol:Pol:Polyommatus]

- hyacinthus** (Herrich-Schäffer), [1847], 1843-1856; Lycaena
- - - - *ab. ornata* (Schwingenschuss), 1938; Lycaena
- **guelayae** (Schurian & Rose), 1991; Polyommatus
- **silvestris** (Rose & Schurian & Eckweiler), 1992; Polyommatus
- isaurica** (Staudinger), 1870; Lycaena
- - - - ♂ *ab. latimargo* (Courvoisier), 1913; Lycaena
- **dorsumstellae** (Graves), 1923; Polyommatus
- * **nicias** (Meigen), 1829, 1827-1832; Polyommatus
- - - - *agrachomena* (Verity), 1943, (IFS); Aricia
- - - - *ab. caerulea* (Courvoisier), 1910, 1910-1911; Lycaena
- - - - *ab. caerulea* (Dannehl), 1925; Lycaena
- - - - *ab. carteri* (Harrison), 1929; Aricia
- - - - *kenteana* (Bollow), 1931, 1929-1931; Lycaena

Plebejus (Pseudoaricia) (*continued*)

- - - - *ab. kenteana* Courvoisier, 1914, (NN)
- - - - *ab. obsoleta* Courvoisier, 1910, 1910-1911
- - - - *scandicus* (Wahlgren), 1930; Plebeius
- - **donzelli** (Boisduval), [1832], 1832-1834; Lycaena
- - - - *donzeli* Vorbrodt, 1912, (ISS)
- - - - *ab. obscura* (Courvoisier), 1910, 1910-1911; Lycaena
- - **dubia** Slevogt-Bathen, 1900
- - **septentrionalis** (Kulikovskii), 1908; Lycaena
- **bittis** (Fruhstorfer), 1915; Lycaena
- **borsippa** (Fruhstorfer), 1915; Lycaena
- **ferenigra** Beuret, 1961
- - - *ferenigra* (Verity), 1943, (IFS); Aricia
- **judithi** Gómez Bustillo, 1978
- **torulensis** (Hesselbarth & Siepe), 1993; Polyommatus

Plebejus (Ultraaricia) [Lyc:Lyc:Pol:Pol:Polyommatus]

- * **anteros** (Freyer), 1839, 1831-1858; Lycaena
- - - - *albata* (Courvoisier), 1914; Lycaena
- - - - *ab. asandjurae* (Silbernagel), 1940; Lycaena
- - - - *ab. basipuncta* (Silbernagel), 1940; Lycaena
- - - - *inanis* (Verity), 1938, 1938-1939, (RA); Aricia
- - - - *minorata* (Verity), 1938, 1938-1939, (IFS); Aricia
- - - - *minoratissima* (Verity), 1938, 1938-1939, (IFS); Aricia
- - - - *modicior* (Verity), 1938, 1938-1939, (IFS); Aricia
- - **eroides** (Gerhard), 1853, 1850-1853; Lycaena
- - **orpheus** (Nekrutenko), 1980; Aricia
- - **pupillaris** (Aigner-Abafi), 1902; Lycaena
- - - - *pupillata* (Seitz), [1909], 1907-1921, (ISS); Lycaena
- **altera** (Züllich), 1929; Lycaena
- **dombaiensis** (Alberti), 1969; Lycaena
- crassipuncta** (Christoph), 1893; Lycaena
- vandarbani** (Pfeiffer), 1937; Lycaena
- - - - *vanderbani* (Anonymous), 1939, (ISS); Lycaena
- - **bassoni** (Larsen), 1974; Aricia

Plebejus (Vacciniina) [Lyc:Lyc:Pol:Pol:Polyommatus]

- alcedo** (Christoph), 1877, 1876-1877; Lycaena
- - - *alcedo* (Lang), 1884, (H); Lycaena
- - **noah** (Herz), 1900; Lycaena
- **occidentissima** (Rose), 1977; Vacciniina
- balinti** d'Abdera, 1993
- iris** (Lang), 1884; Lycaena
- **ashretha** (Evans), 1925; Lycaena
- - - - *ashreta* (Sakai), 1981, (ISS); Vacciniina
- **hanna** (Evans), 1932; Polyommatus
- **rutilans** (Staudinger), 1886, 1886-1889; Lycaena
- omotoi** (Forster), 1972; Vacciniina
- * **optilete** (Knoch), 1781, 1781-1783; Papilio
- - - - *f. basireducta* (Lempke), 1955; Vacciniina
- - - - *cordata* (Blom), 1947; Polyommatus
- - - - *crassipuncta* (Blom), 1947; Polyommatus
- - - - *ab. cyanea* Wagner, 1919
- - - - *f. diluor* (Lempke), 1955; Vacciniina
- - - - *ab. illustris* (Dannehl), 1927; Lycaena
- - - - *inornata* (Blom), 1947; Polyommatus
- - - - *ab. inornata* (Nordström), 1933; Polyommatus
- - - - *media* (Verity), 1943, (RA); Vacciniina
- - - - *nigromaculata* (Blom), 1947; Polyommatus
- - - - *ab. nigromaculatus* (Dahl), 1931; Plebeius
- - - - *ab. nigrostriata* (Lingonblad), 1936; Lycaena
- - - - *ab. ochrostigma* (Dannehl), 1927; Lycaena
- - - - *parvipuncta* (Blom), 1947; Polyommatus
- - - - *ab. subtusradiata* Favre, 1903
- - - - *virgularia* (Blom), 1947; Polyommatus
- - - *f. uralensis* (Courvoisier), 1910, 1910-1911, (H); Lycaena
- **kingana** (Matsumura), 1939; Lycaena
- **nanus** (Herbst), 1804, 1788-1804; Papilio
- **amurica** (Kurentzov), 1970; Lycaena
- **clara** (Heydemann), [1942]; Lycaena
- **cosana** (Higgins), 1930; Polyommatus
- - - - *rubriviolaacea* Beuret, 1961

Plebejus (Vacciniina) (continued)

- *cyparissus* (Hübner), [1813], 1796-1838; Papilio
- - - *ab. obsoleta* (Zülich), 1924; Lycaena
- *daisetsuzana* (Matsumura), 1926; Lycaena
- *kamuikotana* (Matsumura), 1928; Lycaena
- *kurilensis* (Matsumura), 1927; Lycaena
- *medea* (Hemming), 1934; Vacciniina
- - - *uralensis* (Seitz), [1908], 1907-1921, (H); Lycaena
- *nemoptilite* (Bryk), 1942; Lycaena
- *sachalinensis* (Kurentzov), 1970; Lycaena
- *shonis* (Matsumura), 1927; Lycaena
- *sibirica* (Staudinger), 1892; Lycaena
- - *baicalica* (Kurentzov), 1970; Lycaena
- *yukona* (Holland), 1900; Lycaena
- rosel Eckweiler, 1989

Plesiocyanocephalus [Lyc:Lyc:The:Eum:Eumaeus]

- argentinensis* (Clench), 1946; Thecla
- * *goodsoni* (Clench), 1946; Thecla

Poecilmitis [Lyc:Lyc:The:Aph:Aphnaeus]

- adonis* Pennington, 1962
- aethon* Trimen, 1887, 1887-1889
- aridus* Pennington, 1953
- atlantica* Dickson, 1966
- aureus* van Son, 1966
- azurius* Swanepoel, 1975
- - - - *azureus* d'Abreu, 1980, (ISS)
- balli* Dickson, 1980
- bamptoni* Dickson, 1976
- beaufortia* Dickson, 1966
- *charlesi* Dickson, 1970
- beulah* Quickelberge, 1966
- braueri* Pennington, 1968
- brooksi* Riley, 1938
- *tearei* Dickson, 1966
- chrysaor* (Trimen), 1864; Zeritis
- daphne* Dickson, 1975
- dicksoni* Henning, 1977
- endymion* Pennington, 1962
- felthami* (Trimen), 1904; Zeritis
- *dukei* Dickson, 1967
- henningi* Bampton, 1981
- hyperion* Dickson, 1975
- irene* Pennington, 1968
- kaplani* Henning, 1979
- * *lycegenes* (Trimen), 1874; Zeritis
- lycia* Riley, 1938
- lyncurium* (Trimen), 1868; Zeritis
- lyndseyae* Henning, 1979
- lysander* Pennington, 1962
- *hantamsbergae* Dickson, 1978
- midas* Pennington, 1962
- natalensis* van Son, 1966
- nigricans* (Aurivillius), [1924], 1908-1925; Phasis
- *zwartbergae* Dickson, 1982, 1981-1982
- orientalis* Swanepoel, 1976
- palmas* (Stoll), [1781], 1780-1790; Papilio
- *margueritae* Dickson, 1982, 1981-1982
- pan* Pennington, 1962
- pelion* Pennington, 1953
- penningtoni* Riley, 1938
- perseus* Henning, 1977
- plutus* Pennington, 1967
- psyche* Pennington, 1968
- pyramus* Pennington, 1953
- pyrois* (Trimen), 1864; Zeritis
- *hersaleki* Dickson, 1970
- rileyi* Dickson, 1966
- stepheni* Dickson, 1978
- swanepoeli* Dickson, 1965
- thysbe* (Linnaeus), 1764; Papilio

Poecilmitis (continued)

- - - *nais* (Cramer), [1775], 1775-1790, (H); Papilio
- + - - *splendens* (Swainson), [1833], 1829-1833; Nais
- *osbecki* Aurivillius, 1882
- trimeni* Riley, 1938
- turneri* Riley, 1938
- *amatola* Dickson & McMaster, 1967
- uranus* Pennington, 1962
- violescens* Dickson, 1971
- wykehami* Dickson, 1980, 1979-1980

Polycaena [Lyc:Rio:Nem:Nemeobiini]

- carmelita* Oberthür, 1903
- chauchowensis* (Mell), 1923; Hipporion
- *pallidor* Forster, 1951
- lama* Leech, [1893], 1893-1894
- - *aestivalis* Oberthür, 1903
- - *vernalis* Oberthür, 1903
- *kansuensis* (Nordström), 1935; Hyporion
- lua* Grun-Grshimailo, 1891
- *minor* Forster, 1951
- matuta* Leech, [1893], 1893-1894
- - - - *matula* Sharp, [1894], (ISS)
- + *princeps* (Oberthür), 1886; Emesis
- * *tamerlana* Staudinger, 1886, 1886-1889
- - *f. attila* Gaede, 1930, 1930-1931
- - *f. helcha* Gaede, 1930, 1930-1931
- - *temir* Grun-Grshimailo, 1890
- timur* Staudinger, 1886, 1886-1889
- *banghaasi* Fruhstorfer, 1915

Polyommatus [Lyc:Lyc:Pol:Pol:Polyommatus]

- aloisi* Bálint, 1988
- annamaria* Bálint, 1992
- ariana* Moore, 1865
- - *sutleja* (Moore), 1882; Lycaena
- astorica* (Evans), 1925; Lycaena
- bellona* (Grun-Grshimailo), 1888; Lycaena
- bilucha* (Moore), 1884; Lycaena
- - - - *bilucka* Sakai, 1981, (ISS)
- bogra* Evans, 1932
- chitralensis* Swinhoe, 1910, 1909-1913
- ciloicus* de Freina & Wiu, 1983
- devanica* Moore, [1875]
- - *phryxis* (Lang), 1884; Lycaena
- *gracilis* (Evans), 1912, (H); Lycaena
- - - - *glacilis* Sakai, 1981, (ISS)
- *kohibabaensis* Sakai, 1978
- *rupala* Evans, 1925
- - - *rupala* Tytler, 1926, (H)
- drasula* Swinhoe, 1910, 1909-1913
- dux* Riley, 1926
- erigone* Grun-Grshimailo, 1890
- eroides* Frivaldszky von Frivald, 1835
- - - - *ab. blockeri* Ksienschopolski, 1911
- - - - *ab. impuncta* (Courvoisier), 1910, 1910-1911; Lycaena
- - *everos* (Gerhard), 1853, 1850-1853; Lycaena
- *amdoensis* (Wnukowsky), 1929; Lycaena
- - *helena* (Grun-Grshimailo), 1891, (H); Lycaena
- *boisduvalii* (Herrich-Schäffer), [1844], 1843-1856; Lycaena
- - *orientalis* Krzywicki, 1983
- eros* (Ochsenheimer), 1807, 1807-1835; Papilio
- - - - *ab. albopicta* (Schultz), 1906; Lycaena
- - - - *ab. arcuata* (Courvoisier), 1903; Lycaena
- - - - *ab. caeca* (Courvoisier), 1912; Lycaena
- - - - *ab. caerulea* (Courvoisier), 1910, 1910-1911; Lycaena
- - - - *ab. chrysophanoides* Carter & Harrison, 1928
- - - - *ab. costajuncta* (Courvoisier), 1907; Lycaena
- - - - *ab. digitata* (Courvoisier), 1910, 1910-1911; Lycaena
- - - - *ab. discojuncta* Courvoisier, 1912
- - - - *f. hermaphrodite* (Courvoisier), 1910, 1910-1911; Lycaena
- - - - *ab. lunulata* (Courvoisier), 1903; Lycaena

Polyommatus (continued)

- - - - *micreros* Verity, 1949, 1947-1957, (RA)
- - - - *ab. petrividenda* Favre & Wullschlegel, 1899
- - - - *ab. punctifera* Courvoisier, 1910, 1910-1911
- - - - *ab. radiata* (Courvoisier), 1910, 1910-1911; Lycaena
- - - - *ab. semiarciata* Courvoisier, 1910, 1910-1911
- - - - *ab. senilis* Rebel, 1909
- - - - *ab. subusimpunctata* Oberthür, 1896
- - - - *ab. subusminuspunctata* Oberthür, 1896
- - - - *ab. subusradiata* Oberthür, 1896
- - - - *ab. transversa* Courvoisier, 1912
- - - - *ab. tripuncta* Courvoisier, 1910, 1910-1911
- - - - *ab. unipuncta* (Courvoisier), 1910, 1910-1911; Lycaena
- - - - *tithonus* (Hübner), [1804], 1796-1838, (H); Papilio
- - *amor* (Lang), 1884; Lycaena
- - *amorata* (Alphéraky), 1897; Lycaena
- *caerulescens* Oberthür, 1884
- *droshana* Evans, 1925
- *gansuensis* Murayama, 1983
- *imanishii* (Takeuchi), 1936; Lycaena
- *shingara* Evans, 1932
- *sichuanicus* Murayama, 1983
- *taimyrensis* Korshunov & Pupavkin & Chemenko, 1982
- *wazira* Evans, 1932
- erotides* (Staudinger), 1892; Lycaena
- *epodes* (Fruhstorfer), 1916; Lycaena
- - - - *var. italica* Oberthür, 1910
- *extremiorientalis* (Kurentzov), 1970; Lycaena
- *ab. kamtschadalis* (Shel'juzhko), 1933; Lycaena
- - - - *kamtschadalis* Bálint, 1992, (ISS)
- *klaphecki* (Courvoisier), 1910, 1910-1911; Lycaena
- *tartarus* (Fruhstorfer), 1916; Lycaena
- *tsvetajevi* (Kurentzov), 1970; Lycaena
- everesti* Riley, 1923
- florenciae* (Tytler), 1926; Lycaena
- forresti* Bálint, 1992
- forsteri* (Pfeiffer), 1938; Lycaena
- *erotulus* Nekrutenko, 1985
- *tshetverikovi* Nekrutenko, 1977
- *yildizae* Koçak, 1977
- icadius* (Grum-Grshimailo), 1890; Lycaena
- * *icarus* (Rottensburg), 1775; Papilio
- - - - *ab. aestivalis* (Bollow), 1930, 1929-1931; Lycaena
- - - - *ab. albinos* (Verity), 1903, (IFS); Lycaena
- - - - *ab. albistria* Wright, 1941
- - - - *ab. albocuneata* (Derenne), 1926; Lycaena
- - - - *ab. albolimbata* (Fritsch), 1921; Lycaena
- - - - *ab. alboocellata* Gillmer, 1904
- - - - *ab. ambigua* Reverdin, 1917
- - - - ♀ *ab. amethystina* (Gillmer), 1908; Lycaena
- - - - ♀ *ab. amoena* (Schultz), 1904; Lycaena
- - - - *angulata* Tutt, 1907, 1905-1914
- - - - *anticoelunata* Verity, 1943, (IFS)
- - - - *arcuata* (Courvoisier), 1910, 1910-1911; Lycaena
- - - - *ab. arcuata* Vicol, 1977
- - - - *arcuatabasielongata* Beuret, 1927, (IFS)
- - - - *ab. barnumi* Dujardin, 1945
- - - - *ab. bion* Rebel, 1909
- - - - *ab. brunnea* (Fuchs), 1901; Lycaena
- - - - *ab. caeca* (Courvoisier), 1910, 1910-1911; Lycaena
- - - - *ab. caeca* Gillmer, 1910
- - - - *ab. caeca* Oberthür, 1910
- - - - *caeruleata* (Heyne), 1895, 1893-1895; Lycaena
- - - - *caerulescens* Wheeler, 1903
- - - - *ab. carteri* Harrison, 1928
- - - - *ab. centrifuga* (Silbernagel), 1940; Lycaena
- - - - *ab. clara* Tutt, 1908, 1905-1914
- - - - *ab. claracaelestis* Verity, 1949, 1947-1957, (RA)
- - - - *ab. cometa* Wize, 1917
- - - - *ab. courvoisieri* (Hirschke), 1910; Lycaena
- - - - *ab. crassipuncta* (Courvoisier), 1903; Lycaena

Polyommatus (continued)

- - - - *digitata* (Courvoisier), 1910, 1910-1911; Lycaena
- - - - *ab. duesseldorfensis* (Strand), 1927; Lycaena
- - - - *ab. excessa* Gillmer, 1908, 1907-1909
- - - - *ab. extrema* (Courvoisier), 1910, 1910-1911; Lycaena
- - - - *ab. flavastriata* Dujardin, 1945
- - - - *ab. flavocinctata* Rowland-Brown, 1909
- - - - *ab. icarocheri* (Wrtli), 1950; Lycaena
- - - - *ab. impunctata* Oberthür, 1910
- - - - *ab. isabellata* Rostagno, 1906
- - - - *ab. latimargo* (Courvoisier), 1913; Lycaena
- - - - *ab. liliputana* (Strand), 1920; Lycaena
- - - - *ab. livida* (Gillmer), 1909; Lycaena
- - - - *ab. marginelineata* Hackrath, 1946
- - - - *ab. melanostrata* (Crombrugge de Picquendaale), 1911; Lycaena
- - - - *var. menahensis* Stauder, 1913
- - - - *ab. meridionalis* Tutt, 1909
- - - - *ab. minima* Rostagno & Zapelloni, 1910
- - - - *ab. multipuncta* (Courvoisier), 1907; Lycaena
- - - - *ab. nigrocuneata* (Lacrezue), 1909; Lycaena
- - - - *ab. parvipuncta* (Courvoisier), 1903; Lycaena
- - - - *ab. pluripuncta* (Courvoisier), 1907; Lycaena
- - - - *ab. posticoinocellata* Gillmer, 1910
- - - - *postzelleri* Verity, 1943, (IFS)
- - - - *ab. privata* (Schoenfeld), 1924; Lycaena
- - - - *ab. pseudocyllarus* Verity, 1903, (IFS)
- - - - *ab. punctata* Vorbrodt, 1912
- - - - *ab. punctigera* Aigner-Abafi, 1906
- - - - *ab. pygmaea* (Stach), 1923; Lycaena
- - - - *ab. quatuoropunctata* (Courvoisier), 1903; Lycaena
- - - - *ab. quinquepunctata* (Courvoisier), 1903; Lycaena
- - - - *ab. radiata* Oberthür, 1910
- - - - *ab. rasa* Verity, 1920, (NN)
- - - - *ab. rasa* Verity, 1920, 1919-1922, (NN)
- - - - *ab. rasa* Verity, 1943, (RA)
- - - - *ab. regnieri* André, 1901
- - - - *ab. rosea* Verity, 1903
- - - - *ab. rosea* Verity, 1943, (IFS)
- - - - *var. rasina* (Holl), 1913; Lycaena
- - - - *ab. rufoprivata* (Verity), 1926, 1926-1933, (RA); Lycaena
- - - - *ab. rufopunctata* (Neuburger), 1907; Lycaena
- - - - *ab. rufotincta* (Obraztsov), 1936; Lycaena
- - - - *var. sardoa* (Wagner), 1909; Lycaena
- - - - *ab. semiarciata* (Courvoisier), 1903; Lycaena
- - - - *ab. semiclara* Tutt, 1907, 1905-1914
- - - - *ab. striata* Tutt, 1908, 1905-1914
- - - - *ab. subusmaculisextensis* Oberthür, 1896
- - - - *ab. subusminuspunctata* Oberthür, 1896
- - - - *ab. subusradiata* Oberthür, 1910
- - - - *ab. superocellata* Lempke, 1955
- - - - *ab. supraerulea* Oberthür, 1896
- - - - *ab. tetrapunctata* Fritsch, [1910]
- - - - *ab. transferens* Verity, 1943, (IFS)
- - - - *ab. transferens* Verity & Querci, 1924, (NN)
- - - - *ab. transvehens* Verity & Querci, 1924
- - - - *ab. tripunctata* Fritsch, [1910]
- - - - *var. tutti* Oberthür, 1910
- - - - *ab. unipunctata* (Courvoisier), 1910, 1910-1911; Lycaena
- - - - *ab. vacua* Gillmer, 1910
- - - - *ab. vernalis* (Bollow), 1930, 1929-1931; Lycaena
- - - - *ab. vidrasana* Vicol, 1977
- - - - *ab. zelleri* Verity, 1919, 1919-1922, (RA)
- - - - *ab. zellerica* Verity & Querci, 1924, (NN)
- - - - *thetis* (Esper), [1777], 1776-1830, (H); Papilio
- *alexis* (Herrich-Schäffer), [1844], 1843-1856; Lycaena
- - *alpina* (Turati & Verity), [1911]; Lycaena
- *analiuncta* (Beuret), 1926; Lycaena
- *andreas* (Darmehl), 1925; Lycaena
- *f. biarcuata* (Fritsch), [1910]; Lycaena
- *caerulea* Fuchs, 1877

Polyommatus (*continued*)

- - *candaon* (Bergsträsser), [1779], 1778-1780; Papilio
- - *candiope* (Bergsträsser), [1779], 1778-1780; Papilio
- - *candybus* (Bergsträsser), [1779], 1778-1780; Papilio
- - *casanensis* (Krulikovskii), 1890; Lycaena
- - *fusciolus* (Fourcroy), 1785; Papilio
- - *icarinus* (Scriba), 1791, 1790-1791; Papilio
- - *lphis* Meigen, 1830, 1827-1832
- - *labienus* Jermyns, 1827
- - *lacon* Jermyns, 1827
- - *melanotoxa* (Pincitore Marou), 1879; Lycaena
- - *pampholyge* (Bergsträsser), [1779], 1778-1780; Papilio
- - *polyphemus* (Esper), [1779], 1776-1830; Papilio
- - - *polyphemosovalisquamosa* Verity, 1943, (IFS)
- - *postclara* Graves, 1930
- - *pusillus* (Gerhard), 1853, 1850-1853; Lycaena
- - *rufina* (Oberthür), 1894; Lycaena
- - *semipersica* Tutt, 1907, 1905-1914
- - *septentrionalis* (Fuchs), 1901; Lycaena
- - *taurica* (Venzmer), 1920; Lycaena
- - *thestylis* Jermyns, 1827
- *amosovi* (Kurentzov), 1970; Lycaena
- *balearica* Rebel, 1926
- *bellicarus* Bryk, 1940
- - *celina* (Austaut), 1879; Lycaena
- - - *postpulcherrima* Verity, 1943, (IFS)
- - - *pulcherrima* Verity, 1919, 1919-1922, (IFS)
- *bieneri* Bálint, 1992
- - *persica* (Biener), [1870], (H); Lycaena
- *boalensis* Verhulst & Verhulst, 1985
- *fuchsi* (Sheljuzhko), 1928; Lycaena
- - *sibirica* (Fuchs), 1901, (H); Lycaena
- *fugitiva* (Büder), 1881; Lycaena
- *girschitschi* (Schneur), 1934; Lycaena
- *lucetta* (Culot), 1915; Lycaena
- - *lucia* (Culot), 1905, (H); Lycaena
- *mariscolore* (Kane), 1893, (H); Lycaena
- *napaea* (Grum-Grshimailo), 1891; Lycaena
- *tumangensis* Im, 1988
- *yarkundensis* Moore, 1878
- *zelleri* Larsen, 1974
- juno* Hemming, 1933
- kashgharensis* Moore, 1878
- - - *kashgharensis* Bálint, 1992, (ISS)
- - - *kashgharensis* Bálint, 1992, (ISS)
- *alaiicus* Balletto & Nekrutenko, 1986
- *szabokyl* Bálint, 1990
- menelaos* Brown, 1976
- pseuderos* Moore, 1879
- *nepalensis* Forster, 1961
- *tatsienluica* Fruhstorfer, 1916
- sarta* (Alphéraky), 1881; Lycaena
- - - ♀ *ab. pupillata* (Courvoisier), 1913; Lycaena
- *gooraisica* Tyler, 1926
- *sartoides* Swinhoe, 1910, 1909-1913
- serica* (Grum-Grshimailo), 1902; Lycaena
- stempfferi* (Brandt), 1938; Lycaena
- + *stoliczkana* (Felder & Felder), 1865, 1865-1875; Lycaena
- - - *stoliczkana* Cantlie, 1963, (ISS)
- - - *stoliczkana* (Bálint), 1992, (ISS); Lycaena
- *arene* (Fawcett), 1904; Lycaena
- *drunela* Swinhoe, 1910, 1909-1913
- *hunza* (Grum-Grshimailo), 1890; Lycaena
- *janetae* Evans, 1927
- turanica* (Heyne), 1895, 1893-1895; Lycaena
- venus* (Staudinger), 1886, 1886-1889; Lycaena
- - - *wiskotti* (Courvoisier), 1913; Lycaena
- - *amor* (Staudinger), 1886, 1886-1889, (H); Lycaena
- - *lama* (Grum-Grshimailo), 1891; Lycaena
- - *sinina* (Grum-Grshimailo), 1891; Lycaena
- *omotoi* Forster, 1972

Polyommatus (*continued*)

- *wiskotti* (Courvoisier), 1910, 1910-1911; Lycaena

Polyommatus (?) [Lyc:Lyc:Pol:Pol:Polyommatus]

- adulterinus* Heydemann, 1954
- gabinus* Godart, [1824], 1819-1824
- splendens* Alphéraky, 1881

Polyommatus (??) [Lyc:Lyc:Pol:Pol:Polyommatus]

- cupreus* Cosmovici, 1892
- diogenes* Blanchard, 1848, 1848-1853

Polyommatus (Agriades) [Lyc:Lyc:Pol:Pol:Polyommatus]

- aquilo* (Boisduval), 1832, 1832-1834; Argus
- - *aquila* (Gerhard), 1853, 1850-1853; Plebejus
- - *aquilonla* (Wheeler), 1903; Plebejus
- - *araraticus* (Gerhard), 1853, 1850-1853; Lycaena
- - *diodorus* (Bremer), 1861; Lycaena
- - *orbona* (Grum-Grshimailo), 1891; Lycaena
- - *suttoni* (Holland), 1931; Lycaena
- - *wosnesenskii* (Ménétriés), 1855, 1855-1857; Lycaena
- *aquillina* (Staudinger), 1901; Lycaena
- dis* (Grum-Grshimailo), 1891; Lycaena
- *elunata* (Nordström), 1935; Lycaena
- *errans* (Riley), 1927; Lycaena
- *luana* (Evans), 1915; Lycaena
- franklinii* (Curtis), 1835; Lycaena
- *bryanti* Leussler, 1935
- - - *ab. kohlsaati* Gunder, 1932
- *lacustris* (Freeman), 1939; Plebejus
- * *glandon* (Prunner), 1798; Papilio
- - - *alboocellata* (Seitz), [1908], 1907-1921; Plebejus
- - - *albopraemargine* (Verity), 1943, (IFS); Agriades
- - - *dealbata* (Verity), 1926, 1926-1933, (RA); Latorioria
- - - *flavolumulata* (Beuret), 1933; Plebejus
- - - *ab. latimargo* (Ebert), 1926; Lycaena
- - - *ab. pseudoborealis* (Ebert), 1926; Lycaena
- - - *ab. transparens* (Courvoisier), 1903; Lycaena
- - *meleager* (Hübner), [1804], 1796-1838, (H); Papilio
- - - *alpiumclara* Verity, 1926, 1926-1933, (RA)
- - - *macra* Verity, 1920, 1919-1922, (RA)
- - - *macraalpiumclara* Verity, 1936, 1936-1937, (NN)
- - - *ab. obsoleta* (Rebel), 1909; Plebejus
- - - *ab. punctata* (Skala), 1912; Lycaena
- - - *squalida* Verity, 1920, 1919-1922, (IFS)
- - - *ab. unipuncta* (Rebel), 1909; Plebejus
- - *orbitulus* (Esper), [1800], 1776-1830, (H); Papilio
- *bodenhelvetica* (Rézbányai), 1981; Agriades
- *centrohelvetica* (Rézbányai), 1981; Agriades
- *dealbata* (Beuret), 1961; Agriades
- *gigantalpina* (Beuret), 1961; Agriades
- *magnaglandon* (Verity), 1949, 1947-1957; Agriades
- - *oberthueri* (Staudinger), 1901, (H); Lycaena
- jaloka* Moore, [1875]
- - - *jaloka* (Kirby), 1877, (ISS); Plebejus
- - - *obsoleta* (Nordström), 1935, (IFS); Lycaena
- *ellisi* Marshall, 1882
- *armathoa* (Seitz), [1923], 1912-1927; Lycaena
- *leela* (de Nicéville), [1884]; Lycaena
- *marlene* (Hemming), 1934; Agriades
- - *astorica* (Tyler), 1926, (H); Lycaena
- *tyrone* (Seitz), [1923], 1912-1927; Lycaena
- pheretiades* (Eversmann), 1843; Lycaena
- - - *ab. caeca* (Courvoisier), 1910, 1910-1911; Lycaena
- - - *ab. caerulea* (Courvoisier), 1910, 1910-1911; Lycaena
- - *dschagataicus* (O. Bang-Haas), 1915; Lycaena
- - *micra* (Avinoff), 1910; Lycaena
- - *pheretulus* (Staudinger), 1886, 1886-1889; Lycaena
- *andarabi* (Forster), 1937; Lycaena
- *forsteri* (Sakai), 1978; Agriades
- *pheres* (Staudinger), 1886, 1886-1889; Lycaena
- *philebus* (Fruhstorfer), 1915; Lycaena

Polyommatus (Agriades) (continued)

- *tekessana* (Alphéraky), 1897; Lycaena
- *walli* (Evans), 1912; Lycaena
- *pyrenaicus* (Boisduval), 1840; Lycaena
- *asturiensis* Oberthür, 1910
- *dardanus* (Freyer), 1844, 1831-1858; Lycaena
- *aegagrus* (Christoph), 1873; Lycaena
- - - *aegrugus* (Higgins), 1981, (ISS); Agriades
- *ergane* (Higgins), 1981; Agriades
- *erzurumensis* (Eckweiler & Hesselbarth), 1978; Agriades
- *hesselbarthi* (Nekrutenko), 1974; Agriades
- *kudrnai* (Koçak), 1980; Agriades
- - - *rebeli* (Tuleschkow), 1932, (H); Lycaena
- *latisdisjuncta* (Alberti), 1973; Lycaena
- *rustica* (Edwards), 1865; Lycaena
- *megaló* (McDunnough), 1927; Plebeius
- *podarce* (Felder & Felder), 1865, 1865-1875; Lycaena
- - *cilla* Behr, 1867
- - *nestos* (Boisduval), 1869, 1868-1869; Lycaena
- *orbitulus* (Strecker), 1874, 1872-1900; Lycaena
- - *tehama* (Reakirt), 1866, 1866-1867; Lycaena
- *zulichii* (Hemming), 1933; Agriades
- - *nevadensis* (Züllich), 1928, (H); Lycaena
- - *montiummagna* (Verity), 1928, (RA); Aricia

Polyommatus (Agrodiaetus) [Lyc:Lyc:Pol:Pol:Polyommatus]

- *actinides* (Staudinger), 1886, 1886-1889; Lycaena
- *actis* (Herrich-Schäffer), [1851], 1843-1856; Lycaena
- - - - *f. lunulata* Schwingenschuss, 1935
- - *athys* (Freyer), 1852, 1831-1858; Agrodiaetus
- - *athys* (Gerhard), 1853, 1850-1853; Agrodiaetus
- *praeactinides* (Forster), 1960; Agrodiaetus
- - - - *preactinides* (Anonymous), 1964, (ISS); Agrodiaetus
- *pseudactis* (Forster), 1960; Agrodiaetus
- *admetus* (Esper), [1783], 1776-1830; Papilio
- - *subtusradiata* Oberthür, 1910
- *anatoliensis* (Forster), 1960; Agrodiaetus
- *exuberans* (Verity), 1926, 1926-1933, (RA); Hirsutina
- *afghanica* (Forster), 1973; Agrodiaetus
- *ainsae* (Forster), 1961; Agrodiaetus
- *alcestis* (Zemy), 1932, (H); Lycaena
- *arooniensis* (Brown), 1976; Agrodiaetus
- *altivagans* (Forster), 1956; Agrodiaetus
- *ectabanensis* (de Lesse), 1964; Agrodiaetus
- *anticarmon* (Koçak), 1983, 1981-1983; Agrodiaetus
- *antidotus* (Rebel), 1901; Lycaena
- *femininoides* (Eckweiler), 1987; Agrodiaetus
- *kurdistanica* (Forster), 1961; Agrodiaetus
- *morgani* (Le Cerf), 1909; Lycaena
- - - *morgani* (Le Cerf), 1914, (H); Lycaena
- *ardschira* (Brandt), 1938; Lycaena
- *atys* (Gerhard), 1851, 1850-1853; Lycaena
- *baltazardi* (de Lesse), 1963; Agrodiaetus
- - - - *beltazardi* (d'Abbrera), 1993, (ISS); Agrodiaetus
- *baytopi* (de Lesse), 1959; Agrodiaetus
- *caerulea* (Staudinger), 1871; Lycaena
- - - - *caeruldea* (Kirby), 1877, (ISS); Plebeius
- - *rickmersi* (Forster), 1956; Agrodiaetus
- *evansi* (Forster), 1956; Agrodiaetus
- *carmon* (Herrich-Schäffer), [1851], 1843-1856; Lycaena
- - *alpestris* (Freyer), 1852, 1831-1858; Lycaena
- - *eurypilus* (Gerhard), 1851, 1850-1853; Lycaena
- - *kindermanni* (Lederer), 1852; Lycaena
- *altaiensis* (Forster), 1956; Agrodiaetus
- *cyanea* (Staudinger), 1899; Lycaena
- *kendevani* (Forster), 1956; Agrodiaetus
- *kermansis* (de Lesse), 1963; Agrodiaetus
- *munzuricus* (Rose), 1978; Agrodiaetus
- *paracyanea* (de Lesse), 1963; Agrodiaetus
- *pseudoxerxes* (Forster), 1956; Agrodiaetus
- *schuriani* (Rose), 1978; Agrodiaetus

Polyommatus (Agrodiaetus) (continued)

- *charmeuxi* (Pages), 1993; Agrodiaetus
- *ciscaucasica* (Forster), 1956; Agrodiaetus
- *cyane* (Eversmann), 1837; Lycaena
- - - - *ab. radiata* (Kozhanchikov), 1923; Lycaena
- - *deserticola* (Elwes), 1899; Lycaena
- *ella* (Bollow), 1931, 1929-1931; Lycaena
- *kozhanthshikovi* (Sheljuzhko), 1928; Lycaena
- *maxima* (O. Bang-Haas), 1927; Lycaena
- *tarbagata* (Suschkín), 1909; Lycaena
- *dama* (Staudinger), 1892; Lycaena
- *damalis* (Riley), 1921; Lycaena
- *karinda* (Riley), 1921; Lycaena
- *damocles* (Herrich-Schäffer), [1844], 1843-1856; Lycaena
- *tanais* Dantchenko & Lukhtanov, 1993
- * *damon* ([Denis & Schiffemüller]), 1775; Papilio
- - - - *agrophomena* (Verity), 1904, (IFS); Lycaena
- - - - *ab. bivittata* (Dietrich), 1931; Lycaena
- - - - *ab. caeca* (Courvoisier), 1907; Lycaena
- - - - *caerulescens* Oberthür, 1910
- - - - *ab. caerulescens* Vorbrodt, 1912
- - - - *clarior* (Verity), 1943, (IFS); Agrodiaetus
- - - - *ab. costajuncta* (Vorbrodt), 1912; Lycaena
- - - - *ab. costojuncta* (Vorbrodt), 1912; Lycaena
- - - - *ab. crassipuncta* (Vorbrodt), 1912; Lycaena
- - - - *ab. decorata* (Courvoisier), 1910, 1910-1911; Lycaena
- - - - *ab. elongata* (Courvoisier), 1910, 1910-1911; Lycaena
- - - - *extensa* Krod., 1904
- - - - *ferreti* Favre, 1903
- - - - *gillmeri* Krod., 1904
- - - - *meridiocassus* (Verity), 1951, 1947-1957, (RA); Agrodiaetus
- - - - *f. merzbacheri* (Courvoisier), 1913; Lycaena
- - - - *ab. paucipuncta* (Vorbrodt), 1912; Lycaena
- - - - *resaria* (Vorbrodt), 1912; Lycaena
- - - - *rufosaturior* (Verity), 1943, (RA); Agrodiaetus
- - - - *ab. transparentis* (Courvoisier), 1903; Lycaena
- *biton* (Sulzer), 1776; Papilio
- *cabrerae* (de Sagarra y Castellamau), 1930; Hirsutina
- *kotshubeji* (Sovinsky), 1915; Lycaena
- *noguerae* (de Sagarra y Castellamau), 1924; Hirsutina
- *punctata* Lütkemeyer, 1920
- *zhicharevi* (Sovinsky), 1915; Lycaena
- *acuta* (Agenjo), 1972; Plebeius
- *ausonia* (Verity), 1914; Lycaena
- *centralitalica* (Dannehl), 1927; Lycaena
- *iris* (Agenjo), 1972; Plebeius
- *scheffeli* (Lütkemeyer), 1921; Lycaena
- - - - ♀ *ab. maculata* (Reverdin), 1909, (H); Lycaena
- *ultramarina* (Schawerda), 1924; Lycaena
- *damone* (Eversmann), 1841; Lycaena
- *afghanistana* (Forster), 1972; Agrodiaetus
- *altaica* (Elwes), 1899; Lycaena
- - *sibirica* (Staudinger), 1899, (H); Lycaena
- *maraschi* (Forster), 1956; Agrodiaetus
- *mongolensis* (Koçak), 1980; Agrodiaetus
- - - *mongolica* (Forster), 1972, (H); Agrodiaetus
- - - *mongolica* (Kurentzov), 1970, (H); Lycaena
- *tanais* Dantchenko & Lukhtanov, 1993
- *wagneri* (Forster), 1956; Agrodiaetus
- *walteri* Dantchenko & Lukhtanov, 1993
- *deebi* (Larsen), 1974; Agrodiaetus
- *demavendi* (Pfeiffer), 1938; Lycaena
- *amasyensis* (de Lesse), 1961; Agrodiaetus
- *erivanensis* (Forster), 1960; Agrodiaetus
- *dizinensis* (Schurian), 1982; Agrodiaetus
- *dolus* (Hübner), [1823], 1796-1838; Papilio
- - - - *ab. amasina* Neuburger, 1900
- - - - *anticodiscoelongata* (Verity), 1943, (IFS); Agrodiaetus
- - - - *ab. crasipuncta* (Stauder), 1924; Lycaena
- - - - *crassipuncta* (Stauder), 1921, (IFS); Lycaena

Polyommatus (Agrodiaetus) (continued)

- - - - *ab. discoelongata* (Courvoisier), 1912; Lycaena
- - - - *ab. elachista* (Dannehl), 1927; Lycaena
- - - - *ab. exoculata* (Stauder), 1924; Lycaena
- - - - *infralunulata* (Verity), 1943, (IFS); Agrodiaetus
- - - - *ab. obsoleta* (Stauder), 1924; Lycaena
- - - - *ab. paucipuncta* Le Charles, 1927
- - - - *ab. punctigera* (Dannehl), 1927; Lycaena
- - - - *ab. rufomaculata* (Dannehl), 1927; Lycaena
- - - - *ab. splendida* (Dannehl), 1927; Lycaena
- - - - *vitata* Oberthür, 1892
- *fulgens* (de Sagarra y Castellamau), 1926; Hirsutina
- *gorgano* (Wimmeas), 1931; Lycaena
- *lefebvrei* Godart, [1824], 1819-1824
- *menalcas* (Freyer), 1837, 1831-1858; Lycaena
- - - - *epidolus* (Boisduval), 1840, (NN); Lycaena
- *virgilia* Oberthür, 1910
- - - - *exoculata* (Stauder), 1921, (IFS); Lycaena
- - - - *obsoleta* (Stauder), 1921, (IFS); Lycaena
- - - - *paravirgilia* (Verity), 1943, (IFS); Agrodiaetus
- elvira* (Eversmann), 1854; Lycaena
- - *oberthuerei* (Grum-Grshimailo), 1887; Lycaena
- firdussii* (Forster), 1956; Agrodiaetus
- *ernesti* Eckweiler, 1989
- *sertavulensis* (Koçak), 1979; Agrodiaetus
- forsteri* (Blom), 1979; Agrodiaetus
- gallo* (Balletto & Toso), 1979; Agrodiaetus
- hamadanensis* (de Lesse), 1959; Agrodiaetus
- *splendens* (Forster), 1961; Agrodiaetus
- hopfferi* (Herrich-Schäffer), [1851], 1843-1856; Lycaena
- - - - *hopferi* (Pfeiffer), 1932, (ISS); Agrodiaetus
- - - *hopfferi* (Gerhard), 1851, 1850-1853, (H); Lycaena
- - *hadjina* (Heyne), 1895, 1893-1895; Lycaena
- *malatae* (Forster), 1961; Agrodiaetus
- humedasae* (Toso & Balletto), 1977; Agrodiaetus
- interjectus* (de Lesse), 1960; Agrodiaetus
- iphidamon* (Staudinger), 1899; Lycaena
- iphigenia* (Herrich-Schäffer), [1847], 1843-1856; Lycaena
- *araratensis* (de Lesse), 1957; Agrodiaetus
- - *korbi* Forster
- *barthae* (Pfeiffer), 1932; Lycaena
- - *eberti* (Koçak), 1979; Agrodiaetus
- - *zuleikae* (Pfeiffer), 1932; Lycaena
- *ishkashimicus* Stchetchkin, 1986
- *nonacriensis* (Brown), 1977; Agrodiaetus
- iphigenides* (Staudinger), 1886, 1886-1889; Lycaena
- - *melania* (Staudinger), 1886, 1886-1889; Agrodiaetus
- *karatavica* Lukhtanov, 1990
- juldusa* (Staudinger), 1886, 1886-1889; Lycaena
- - *duplicata* (A. Bang-Haas), 1910; Lycaena
- khosheilaqi* (Blom), 1979; Agrodiaetus
- - - - *khoshveilaqi* (d'Abbrera), 1993, (ISS); Agrodiaetus
- kotzschii* (Forster), 1956; Agrodiaetus
- merhaba* De Prins, 1991
- miris* (Staudinger), 1881; Lycaena
- - - - *ab. obliuescens* (Schultz), 1906; Lycaena
- mithridates* (Staudinger), 1878, 1878-1879; Lampides
- *saetosus* (Pfeiffer), 1932; Lycaena
- moftidii* (de Lesse), 1963; Agrodiaetus
- - - - *mafidi* (d'Abbrera), 1993, (ISS); Agrodiaetus
- muetingi* (Bálint), 1992; Agrodiaetus
- nephohiptamenes* (Brown & Coutsis), 1978; Agrodiaetus
- peilei* Bethune-Baker, 1921
- pfeifferi* (Brandt), 1938; Lycaena
- phyllis* (Christoph), 1877, 1876-1877; Lycaena
- - - - *ab. radiata* (Courvoisier), 1907; Lycaena
- - - - *ab. schultzi* (Krodell), 1904; Agrodiaetus
- - - *phyllis* (Lang), 1884, (H); Lycaena
- *askhabadica* (Forster), 1960; Agrodiaetus
- *dagestanica* (Forster), 1960; Agrodiaetus
- *kentauensis* Lukhtanov, 1990

Polyommatus (Agrodiaetus) (continued)

- *phyllides* (Staudinger), 1886, 1886-1889; Lycaena
- *sheljuzhkoi* (Forster), 1960; Agrodiaetus
- *vanensis* (de Lesse), 1957; Agrodiaetus
- *zeituna* (Forster), 1960; Agrodiaetus
- pliushtchi* Budashkin & Lukhtanov, 1993
- poseidon* (Herrich-Schäffer), [1851], 1843-1856; Lycaena
- - *mesopotamica* (Staudinger), 1892; Lycaena
- - *refulgens* (Grum-Grshimailo), 1890; Agrodiaetus
- *damonides* (Staudinger), 1899; Lycaena
- *krymaea* (Sheljuzhko), 1928; Lycaena
- - - - *krimaea* (Forster), 1961, (PS); Agrodiaetus
- poseidonides* Staudinger, 1886, 1886-1889
- posthumus* (Christoph), 1877, 1876-1877; Lycaena
- - - - *ab. caeca* (Schwingenschuss), 1939; Lycaena
- - - - *ab. marginemaculata* (Schwingenschuss), 1939; Lycaena
- pseudovirgilia* (de Lesse), 1962; Agrodiaetus
- - - - *pseudovirgilius* (d'Abbrera), 1993, (ISS); Agrodiaetus
- ripartii* (Freyer), 1830, 1828-1830; Agrodiaetus
- - - - *posticobasipunctata* (Verity), 1943, (IFS); Agrodiaetus
- - - - *rippertii* (Boisduval), [1832], 1832-1834, (ISS); Agrodiaetus
- - - - *rufolunulata* (Verity), 1943, (IFS); Agrodiaetus
- *agenjoi* (Forster), 1965; Agrodiaetus
- *fabressei* (Oberthür), 1910; Agrodiaetus
- *mozuelica* (Agenjo), 1972; Plebejus
- *paralcestis* (Forster), 1960; Agrodiaetus
- *pelopi* (Brown), 1976; Agrodiaetus
- *rueckbeili* (Forster), 1960; Agrodiaetus
- sennanensis* (de Lesse), 1959; Agrodiaetus
- tankeri* (de Lesse), 1960; Agrodiaetus
- theresia* Schurian & van Oorschot & van den Brink, 1992
- transcaspica* (Staudinger), 1899; Lycaena
- *aserbeidschana* (Forster), 1956; Agrodiaetus
- *avajica* (Blom), 1979; Agrodiaetus
- *difficillima* (Forster), 1956; Agrodiaetus
- *eibursica* (Forster), 1956; Agrodiaetus
- *ex* (Forster), 1956; Agrodiaetus
- *ninae* (Forster), 1956; Agrodiaetus
- *turcicola* (Koçak), 1977; Agrodiaetus
- turcicus* (Koçak), 1977; Agrodiaetus
- *valiabadi* (Rose & Schurian), 1977; Agrodiaetus
- *rjabovianus* (Koçak), 1980; Agrodiaetus
- - - *rjabovi* (Forster), 1960, (H); Agrodiaetus
- violetae* (Gómez Bustillo & Expósito Hermosa & Martínez Borrego), 1979; Agrodiaetus
- - - - *f. violetapunctata* (Gómez Bustillo & Expósito Hermosa & Martínez Borrego), 1979; Agrodiaetus
- xerxes* (Staudinger), 1899; Lycaena

Polyommatus (Albulina) [Lyc:Lyc:Pol:Pol:Polyommatus]

- amphirrhoe* (Oberthür), 1910; Albulina
- arcaseia* (Fruhstorfer), 1916; Lycaena
- *tibetana* (d'Abbrera), 1993; Albulina
- chrysopsis* (Grum-Grshimailo), 1888; Lycaena
- galathea* (Blanchard), [1844], 1841-1844; Lycaena
- *chitralica* (Evans), 1925; Lycaena
- *depreei* (Tylder), 1926; Lycaena
- *nycula* Moore, 1865
- janigena* (Riley), 1923; Lycaena
- lehanus* Moore, 1878
- *asiatica* (Elwes), 1882; Lycaena
- *pharis* (Fawcett), 1904; Lycaena
- lobbichleri* (Forster), 1961; Albulina
- metallica* (Felder & Felder), 1865, 1865-1875; Lycaena
- *chitralensis* (Tylder), 1926; Lycaena
- *gilgitica* (Tylder), 1926; Lycaena
- morsheadi* (Evans), 1923; Lycaena
- omphisa* Moore, [1875]
- - - - *omphira* (d'Abbrera), 1993, (ISS); Albulina
- - - - *omphissa* Kirby, 1877, (ISS)

Polyommatus (Albulina) (continued)

- orbitulus** (Prunner), 1798; Papilio
- *ab. albipuncta* Tutt, 1908
- *ab. alboocellata* (Wheeler), 1903; Lycaena
- *ab. azurica* (Rowland-Brown), 1914; Lycaena
- *ab. caeca* (Courvoisier), 1910, 1910-1911; Lycaena
- *ab. caeca* (Muschamp), 1908; Lycaena
- *ab. caerulea* (Courvoisier), 1897; Lycaena
- *ab. minor* (Muschamp), 1909; Lycaena
- *ab. obsoleta* Tutt, 1908
- *ab. pupillata* (Muschamp), 1909; Lycaena
- *ab. sinepunctata* Tutt, 1908
- *ab. striata* (Reverdin), 1909; Lycaena
- *ab. subtuspunctisfortissimis* (Favre), 1903; Lycaena
- *ab. transparentis* (Courvoisier), 1903; Lycaena
- *ab. unipunctata* (Tutt), 1908; Lycaena
- **atys** (Hübner), [1804], 1796-1838, (H); Papilio
- **pheretes** (Hübner), [1806], 1796-1838, (H); Papilio
- **caeruleopunctata** (Wheeler), 1903; Lycaena
- + --- **pheretes** (Hoffmensegg), 1804; Papilio
- **tartarus** (Staudinger), 1895; Lycaena
- **armathea** (Fruhstorfer), 1916; Lycaena
- **artemita** (Fruhstorfer), 1916; Lycaena
- *artenia* (Sharp), [1918], (ISS); Lycaena
- **berezowskii** (Grum-Grshimailo), 1902; Lycaena
- **dschagatal** (Grum-Grshimailo), 1887; Lycaena
- *dschagataica* (Seitz), [1924], 1912-1927, (ISS); Lycaena
- **major** (Evans), 1915; Lycaena
- **maloyensis** (Rühl), 1893; Lycaena
- **orbitulinus** (Staudinger), 1892; Lycaena
- **pheretimus** (Staudinger), 1892; Lycaena
- **philebus** (Seitz), [1923], 1912-1927; Lycaena
- **sajana** (Heyne), 1895, 1893-1895; Lycaena
- **sikkima** (Bath), 1900; Lycaena
- **tatsienluica** (Oberthür), 1910; Lycaena
- **luxurians** Forster, 1940
- **shanxiensis** (Murayama), 1983; Albulina
- **tyrone** Forster, 1940

Polyommatus (Cyaniris) [Lyc:Lyc:Pol:Pol:Polyommatus]

- antiochena** (Lederer), 1861; Lycaena
- **helena** (Staudinger), 1862; Lycaena
- atra** (Grum-Grshimailo), 1885; Lycaena
- persephatta** (Alphéraky), 1881; Lycaena
- **minuta** (Grum-Grshimailo), 1890; Lycaena
- **minshelkensis** Lukhtanov, 1990
- semiargus** (Rottemburg), 1775; Papilio
- *addenda* (Stauder), 1923, 1920-1923; Lycaena
- ♂ *ab. adnotata* (Cabeau), 1923; Lycaena
- *ab. albipunctata* Vorbrod, 1912
- *ab. alconides* Vorbrod, 1912
- *ab. altacona* Tutt, 1909, 1905-1914
- *ab. argopaeus* (Bergsträsser), [1779], 1778-1780; Papilio
- *ab. argopoei* (Bergsträsser), [1779], 1778-1780; Papilio
- *argopoeus* (Bergsträsser), [1779], 1778-1780; Papilio
- *ausonidarum* (Verity), 1919, 1919-1922, (RA); Cyaniris
- *ab. balcanica* Tutt, 1909, 1905-1914
- *f. basicaeca* (Stauder), 1923, 1920-1923; Lycaena
- *ab. bizas* (Bergsträsser), [1779], 1778-1780; Papilio
- *ab. bize* (Bergsträsser), [1779], 1778-1780; Papilio
- *ab. bizene* (Bergsträsser), [1779], 1778-1780; Papilio
- *ab. bizenus* (Bergsträsser), [1779], 1778-1780; Papilio
- *ab. brunnescens* Tutt, 1909, 1905-1914
- *byzas* (Bergsträsser), [1779], 1778-1780; Papilio
- *byze* (Bergsträsser), [1779], 1778-1780; Papilio
- *byzene* (Bergsträsser), [1779], 1778-1780; Papilio
- *byzenus* (Bergsträsser), [1779], 1778-1780; Papilio
- *ab. caeca* (Courvoisier), 1907; Lycaena
- *ab. caeca* Oberthür, 1910
- *caerulescens* Oberthür, 1910
- *ab. caerulescens* Reverdin, 1914

Polyommatus (Cyaniris) (continued)

- *ab. cala* (Strand), 1920; Lycaena
- *ab. claracaerulea* (Verity), 1943, (IFS); Cyaniris
- *ab. c-nigrum* Tutt, 1909, 1905-1914
- *ab. cyanea* Höfer, 1923
- *ab. damoetus* (Bergsträsser), [1779], 1778-1780; Papilio
- *f. decorata* (Courvoisier), 1910, 1910-1911; Lycaena
- *ab. dentata* Tutt, 1909, 1905-1914
- *f. dubiosa* (Stauder), 1923, 1920-1923; Lycaena
- *ab. excessa* Tutt, 1909, 1905-1914
- *ab. fergana* Tutt, 1909, 1905-1914
- *ab. flavescens* (Gillmer), 1909, 1907-1909; Lycaena
- *ab. impura* (Krulikovskii), 1906; Lycaena
- *f. infrapallida* (Lempke), 1955; Cyaniris
- *intermedia* Tutt, 1909, 1905-1914
- *ab. jura* (Strand), 1927; Lycaena
- *ab. lineata* Tutt, 1909, 1905-1914
- *ab. lutea* (Reverdin), 1918; Lycaena
- *ab. major* Tutt, 1909, 1905-1914
- *maroccana* Lucas, 1920
- *ab. mesopotamica* Tutt, 1909, 1905-1914
- *ab. minor* Tutt, 1909, 1905-1914
- *ab. montanaclara* (Verity), 1943, (IFS); Cyaniris
- *ab. montanagrandis* Tutt, 1909, 1905-1914
- *ab. paucipuncta* (Courvoisier), 1910, 1910-1911; Lycaena
- *ab. paucipuncta* (Gillmer), 1909, 1907-1909; Lycaena
- *ab. persica* Tutt, 1909, 1905-1914
- *ab. plumbea* Tutt, 1909, 1905-1914
- *porrechia* (Verity), 1919, 1919-1922, (RA); Cyaniris
- *ab. porrectausonidarum* (Verity), 1943, (IFS); Cyaniris
- *postacis* (Verity), 1943, (IFS); Cyaniris
- *pusilargus* (Strand), 1920, (IFS); Lycaena
- *pusillargus* (Riley & Tams), 1925, (ISS); Lycaena
- *quercii* (Verity), 1919, 1919-1922, (RA); Cyaniris
- *ab. semicaeca* (Tshugunov), 1914; Cyaniris
- *f. semisebrus* (Turati), 1919; Cyaniris
- *spadae* Hellweger, 1896
- *striata* Wheeler, 1930
- + --- *ab. acis* ((Denis & Schiffenmüller)), 1775, (H); Papilio
- *coelestina* (Millière), 1872, (H); Lycaena
- * --- *semiargus* (Herbst), 1804, 1788-1804, (H); Papilio
- *aetnaea* (Zeller), 1847; Lycaena
- *f. falcata* (Stauder), 1923; Lycaena
- **amurensis** (Tutt), 1909, 1905-1914; Cyaniris
- **argianus** (Dalman), 1816; Cyaniris
- **argiolus** (Füssly), 1775, (H); Papilio
- **asis** Wood, 1833, 1833-1839
- **bellis** (Freyer), 1843, 1831-1858; Lycaena
- **cimon** (Lewin), 1795; Papilio
- *angustimargo* (Gillmer), 1909, 1907-1909; Lycaena
- *antecimon* (Verity), 1943, (IFS); Cyaniris
- *microconia* (Ball), 1914; Cyaniris
- **frejus** (Prunner), 1798; Papilio
- **monarchus** (Higgins), 1981; Aricia
- **parnassia** (Staudinger), [1871]; Lycaena
- **salassorum** (Fruhstorfer), 1910; Lycaena
- **semimontana** Bollow, 1931, 1929-1931
- *nigrovelata* (Verity), 1943, (IFS); Cyaniris
- **uralensis** Tutt, 1909, 1905-1914
- **acisoides** Beuret, 1961
- **altaianus** Tutt, 1909, 1905-1914
- **pavlovi** (Kurentzov), 1970; Lycaena
- **annulata** Elwes, 1906
- **augusta** (Stauder), 1923, 1920-1923; Lycaena
- **jiadengyunus** (Huang & Murayama), 1992; Cyaniris
- **kojirei** (Murayama), 1957; Cyaniris
- **montana** (Meyer-Dür), 1851, (H); Lycaena
- **peiktusani** (Kurentzov), 1970; Lycaena
- **transiens** (Melcon), 1910; Lycaena
- **transiens** (Stauder), 1925, (H); Lycaena

Polyommatus (Farsia) [Lyc:Lyc:Pol:Pol:Polyommatus]

- sieversii (Christoph), 1873; Lycaena
- mirza (Staudinger), 1874, (RC); Lycaena
- felicia Evans, 1932
- haberhaueri (Staudinger), 1886, 1886-1889; Lycaena
- haberhaurei (Bálint), 1992, (ISS); Vacciniina

Polyommatus (Kretania) [Lyc:Lyc:Pol:Pol:Polyommatus]

- csomal Bálint, 1992
- eurypilus (Freyer), 1852, 1831-1858; Lycaena
- camon (Gerhard), 1851, 1850-1853, (H); Lycaena
- euaeon Hemming, 1931
- iranica (Forster), 1938, (H); Lycaena
- pelopides (van der Poorten), 1984; Kretania
- * psylorita (Freyer), 1845, 1831-1858; Lycaena
- ab. caeca (Courvoisier), 1914; Lycaena
- ab. obenbergeri (Troníček), 1938; Lycaena

Polyommatus (Lysandra) [Lyc:Lyc:Pol:Pol:Polyommatus]

- albicans (Gerhard), 1851, 1850-1853; Lycaena
- ab. albicans (Boisduval), 1840, (NN); Lycaena
- ab. albicans (Duponchel), 1844, 1844-1846, (NN); Lycaena
- ab. bolivari (Romei), 1927, (IFS); Agriades
- f. praecox (Reverdin), 1910; Lysandra
- var. roystonensis (Pickett), 1916; Lysandra
- var. semisyngropha (Cockayne), 1916; Lysandra
- ab. verneti (Loritz), 1947; Lysandra
- albicans (Herrich-Schäffer), [1851], 1843-1856, (H); Lycaena
- ab. cuencana (Verity), 1927, (RA); Agriades
- ab. anamariae (Agenjo), [1969]; Plebejus
- ab. arragonensis (Gerhard), 1851, 1850-1853; Lycaena
- ab. aragonensis (Kirby), 1871, (ISS); Cupido
- ab. arragonensis (Anonymous), 1978, (ISS); Lysandra
- ab. berber (Le Cerf), 1932; Lycaena
- ab. caeruleus (Tutt), 1909; Lysandra
- ab. camporealis (Gómez Bustillo), 1972; Plebejus
- ab. bolivarioides (Gómez Bustillo), 1980, (IFS); Lysandra
- ab. dujardini (Barragué), 1987; Lysandra
- ab. guadarramensis (Ribbe), 1910, 1909-1912; Lycaena
- ab. hiberna (Verity), 1939, (RA); Lysandra
- f. margarita (Ribbe), 1910, 1909-1912; Lycaena
- f. morena (Ribbe), 1910, 1909-1912; Lycaena
- f. negra Ribbe, 1910, 1909-1912
- ab. penulaensis (Ribbe), 1910, 1909-1912; Lycaena
- ab. rondensis (Lasso de la Vega Westendorp), 1982; Lysandra
- ab. transalbicans (Tutt), 1910, 1905-1914; Agriades
- ab. albinulus Bryk, 1940
- ab. esteparina (Agenjo), 1956; Plebejus
- ab. iriensis (Storace), 1962; Lysandra
- ab. postiriensis (Storace), 1962; Lysandra
- bellargus (Rottemburg), 1775; Papilio
- ab. addenda (Tutt), 1909, 1905-1914; Agriades
- ab. albicincta (Tutt), 1896; Lysandra
- ab. albinismorifescens (Oberthür), 1909; Lysandra
- ab. albofimbriata (Gillmer), 1905; Lysandra
- ab. albolineata (Tutt), 1909, 1905-1914; Agriades
- ab. albolunulata (Vorbodt & Müller-Rutz), 1921; Lysandra
- ab. alboocellata (Tutt), 1909, 1905-1914; Agriades
- ♀ ab. alfacariensis (Ribbe), 1905; Lysandra
- f. analoga (Stauder), 1923, 1920-1923; Lycaena
- ab. anteaerentior (Verity), 1937, 1937-1938, (IFS); Lysandra
- ab. antecaelestis (Verity), 1934, 1934-1936, (IFS); Lysandra
- ab. apenninicola (Verity), 1919, 1919-1922, (NN); Agriades
- ab. apenninigena (Verity), 1919, 1919-1922, (RA); Agriades
- ab. arcuata (Courvoisier), 1903; Lycaena
- ab. arens (Verity), 1937, 1937-1938, (IFS); Lysandra
- ab. arentior (Verity), 1937, 1937-1938, (IFS); Lysandra
- ab. arentissima (Verity), 1937, 1937-1938, (IFS); Lysandra
- ab. argentea (Oberthür), 1896; Lysandra
- ab. atrescens (Tutt), 1909, 1905-1914; Agriades

Polyommatus (Lysandra) (continued)

- ab. aurescens (Tutt), 1909, 1905-1914; Agriades
- ab. basijuncta (Courvoisier), 1912; Lysandra
- ab. bellargoides (Verity), 1904, (IFS); Lycaena
- f. bicolor (Gelin), 1914; Lysandra
- ab. britannorum (Verity), 1919, 1919-1922, (RA); Agriades
- ab. brunnea (Courvoisier), 1910, 1910-1911; Lysandra
- ab. brunnescens (Tutt), 1909, 1905-1914; Agriades
- ab. caeca (Courvoisier), 1907; Lycaena
- ab. caeruleocincta (Tutt), 1909, 1905-1914; Agriades
- ab. caeruleocuneata (Tutt), 1909, 1905-1914; Agriades
- ab. caeruleolineata (Verity), 1943, (IFS); Lysandra
- ab. caeruleopuncta (Tutt), 1909, 1905-1914; Agriades
- ab. caeruleus (Tutt), 1896; Lysandra
- ab. caeruleus (Tutt), 1909, 1905-1914; Agriades
- ab. caeruleuslunulata (Tutt), 1909, 1905-1914; Agriades
- ab. caeruleusmarginata (Tutt), 1909, 1905-1914; Agriades
- ab. carteri (Harrison), 1929; Agriades
- ab. ceronuslunulata (Tutt), 1909, 1905-1914; Agriades
- ab. cinnoides (Favre), 1903; Lycaena
- ab. cinnus (Staudinger), 1871; Lycaena
- ab. confluens (Aigner-Abafi), 1906; Lysandra
- ab. conjuncta (Tutt), 1909, 1905-1914; Agriades
- ab. coppelia (Thierry-Mieg), 1911; Lysandra
- ab. costajuncta (Courvoisier), 1907; Lycaena
- ab. crassipuncta (Courvoisier), 1903; Lycaena
- ab. cuneomarginata (Tutt), 1909, 1905-1914; Agriades
- ab. detersa (Verity), 1911, (IFS); Lycaena
- ab. digitata (Courvoisier), 1907; Lycaena
- ab. discoelongata (Vorbodt), 1912; Lycaena
- ab. discoidalisduplex (Tutt), 1909, 1905-1914; Agriades
- ab. discoidalisnulla (Tutt), 1909, 1905-1914; Agriades
- ab. escheri (Harrison), 1929; Lysandra
- ab. etrusca (Verity), 1919, 1919-1922, (IFS); Agriades
- ab. excelsia (Tutt), 1909, 1905-1914; Agriades
- ab. extrema (Courvoisier), 1907; Lycaena
- ab. flavescens (Tutt), 1909, 1905-1914; Agriades
- ♀ ab. flavomaculata (Lekic), 1924; Lycaena
- ab. fuliginosa (Vorbodt & Müller-Rutz), 1921; Lysandra
- ab. fuscenssthetis (Verity), 1943, (IFS); Lysandra
- ab. fuscenscens (Tutt), 1909, 1905-1914; Agriades
- ab. grisea (Courvoisier), 1910, 1910-1911; Lycaena
- ab. impuncta (Courvoisier), 1903; Lycaena
- ab. impunctata (Foulquier), 1923; Lysandra
- ab. inalpina (Verity), 1919, 1919-1922, (RA); Agriades
- ab. initia (Tutt), 1909, 1905-1914; Agriades
- ab. irregularis (Tutt), 1909, 1905-1914; Agriades
- ab. lallemandi (Pionneau), 1924; Lycaena
- ab. latefasciata (Schultz), 1906; Lycaena
- f. leucophthalma (Stauder), 1923, 1920-1923; Lycaena
- ab. lunulata (Tutt), 1909, 1905-1914; Agriades
- ab. magnalutea (Verity), 1943, (RA); Lysandra
- ab. magnaluteabellargus (Verity), 1943, (IFS); Lysandra
- ab. major (Tutt), 1896; Lysandra
- ab. marginata (Tutt), 1896; Lysandra
- ab. metallica (Tutt), 1909, 1905-1914; Agriades
- ab. minor (Muschamp), 1908; Lysandra
- ab. minor (Tutt), 1896; Lysandra
- ab. newmanni (A. Bang-Haas), 1912; Lysandra
- ab. niesiolowskii (Prüffer), 1922; Lycaena
- ab. niesiolowskii (Prüffer), 1923; Lycaena
- ab. nigra (Cockerell), 1889; Lycaena
- ab. nigrescens (Tutt), 1909, 1905-1914; Agriades
- ab. nigroocellata (Tutt), 1909, 1905-1914; Agriades
- ab. obsoleta (Tutt), 1896; Lysandra
- ab. pallescens (Tutt), 1909, 1905-1914; Agriades
- ab. pallida (Austin), 1890; Lysandra
- ab. pallida (Tutt), 1896; Lysandra
- ab. parabellargus (Verity), 1939, (IFS); Lysandra

Polyommatus (Lysandra) (continued)

- *ab. particolor* (Tutt), 1909, 1905-1914; Agriades
- *ab. partimradiata* (Oberthür), 1896; Lysandra
- *ab. parvipuncta* (Aigner-Abafi), 1906; Lycaena
- *ab. parvipuncta* (Tutt), 1909, 1905-1914; Agriades
- *ab. paucipuncta* (Courvoisier), 1903; Lycaena
- *ab. paucipunctaalbosagittata* (Caruel), 1939; Lysandra
- *persaemagna* (Verity), 1937, 1937-1938, (RA); Lysandra
- *ab. petri* (Verity), 1920, 1919-1922, (IFS); Agriades
- *ab. plumbeus* (Courvoisier), 1910; Lycaena
- *ab. pluripuncta* (Courvoisier), 1907; Lycaena
- *ab. posticolunulata* (Tutt), 1909, 1905-1914; Agriades
- *ab. posticostrata* (Tutt), 1909, 1905-1914; Agriades
- *postmagnalutea* (Verity), 1943, (IFS); Lysandra
- *ab. punctulata* (Vorbrodtt), 1912; Lysandra
- *ab. purpurascens* (Tutt), 1909, 1905-1914; Agriades
- *ab. quadripuncta* (Courvoisier), 1903; Lycaena
- *ab. radiata* (Courvoisier), 1907; Lycaena
- *ab. radiata* (Gaschet & Mabilie), 1877; Lycaena
- *ab. radiata* (Gelin), 1914; Lysandra
- *ab. radiata* (Oberthür), 1910; Lysandra
- *ab. rubricornis* (Caradja), 1932; Lycaena
- *var. rubromaculata* (Oberthür), 1909; Lysandra
- *ab. rufescens* (Tutt), 1909, 1905-1914; Agriades
- *ab. rufolunulata* (Tutt), 1909, 1905-1914; Agriades
- *ab. rufomarginata* (Wagner), 1909; Lycaena
- *ab. salacia* (Bergsträsser), [1779], 1778-1780; Papilio
- *ab. semiarcuata* (Courvoisier), 1903; Lycaena
- *ab. semiceronus* (Tutt), 1909, 1905-1914; Agriades
- *ab. semicoelestis* (Tutt), 1909, 1905-1914; Agriades
- *ab. splendidissima* (Lucas), 1955; Lycaena
- *ab. striata* (Tutt), 1896; Lysandra
- *ab. subcoelestis* (Tutt), 1909, 1905-1914; Agriades
- *f. subtusimpunctata* (Oberthür), 1896; Lysandra
- *suffusa* (Tutt), 1896; Lysandra
- *ab. supravioleceogriescens* (Oberthür), 1896; Lysandra
- *ab. tripuncta* (Courvoisier), 1903; Lycaena
- *ab. unipuncta* (Courvoisier), 1903; Lycaena
- *vectae* (Verity), 1919, 1919-1922, (NN or ISS); Agriades
- *ab. venilialunulata* (Tutt), 1909, 1905-1914; Agriades
- *vestae* (Verity), 1919, 1919-1922, (RA); Agriades
- *ab. violaceogriescens* (Oberthür), 1896; Lysandra
- *ab. viridescens* (Tutt), 1909, 1905-1914; Agriades
- *hyacinthus* (Lewin), 1795, (H); Papilio
- *thetis* (Rottemburg), 1775, (H); Papilio
- *adonis* ([Denis & Schiffermüller]), 1775; Papilio
- *aidae* (Gómez Bustillo), 1973; Lysandra
- *bell* (Bergsträsser), [1779], 1778-1780; Papilio
- *ceronus* (Esper), [1784], 1776-1830; Papilio
- *cinnus* (Hübner), [1824], 1796-1838; Papilio
- *f. courvoisieri* (Stauder), 1922; Lycaena
- *krodeli* (Gillmer), 1900; Lycaena
- *f. luteopunctata* (Perrier), 1957; Lysandra
- *oceanus* (Bergsträsser), [1779], 1778-1780; Papilio
- *pictonensis* (Hemming), 1931; Uranops
- *coelestis* (Oberthür), 1908, (H); Lycaena
- *puncta* (Tutt), 1896; Lysandra
- *punctigera* (Oberthür), 1909; Lycaena
- *salacia* (Bergsträsser), [1779], 1778-1780; Papilio
- *shakia* (Higgins), 1958; Lysandra
- *tiphys* (Esper), [1780], 1776-1830; Papilio
- *urania* (Gerhard), 1853, 1850-1853; Lycaena
- *venilia* (Bergsträsser), [1779], 1778-1780; Papilio
- *weileri* (Stauder), 1924; Lysandra
- caucasica** (Jachontov), 1914; Lycaena
- * **coridon** (Poda von Neuhaus), 1761; Papilio
- *albescens* (Cockerell), 1887; Lycaena
- *ab. albipuncta* (Tutt), 1896; Lysandra
- *ab. albocuneata* (Wagner), 1926; Lycaena
- *ab. albomarginata* (Ebert), 1926; Lycaena
- *alpiumfusca* (Verity), 1926, 1926-1933, (RA); Agriades

Polyommatus (Lysandra) (continued)

- *alpiumpallida* (Verity), 1926, 1926-1933, (RA); Agriades
- *ab. anglica* (Oberthür), 1910; Lysandra
- *ab. arcuata* (Verity), 1911, (IFS); Lycaena
- *ab. arcuata* (Vorbrodtt), 1912; Lycaena
- *ab. arcuata* (Wheeler), 1903; Lysandra
- *ab. arcuataelongata* (Saussure), 1914; Lycaena
- *atrescens* (Verity), 1926, 1926-1933, (IFS); Agriades
- *aurantia* (Grundt), 1908; Lysandra
- *aurantia* (Tutt), 1896; Lysandra
- *ab. basielongata* (Courvoisier), 1912; Lycaena
- *ab. biarcuata* (Courvoisier), 1912; Lycaena
- *f. blanca* (Ribbe), 1910, 1909-1912; Lycaena
- *ab. boisduvali* (Oberthür), 1910; Lysandra
- *ab. caerulea* (von Neustetter), 1910; Lysandra
- *ab. calydonius* (Wheeler), 1903; Lysandra
- *f. centriuncta* (Beuret), 1927; Lysandra
- *ab. cincta* (Tutt), 1912, 1905-1914; Agriades
- *ab. clio* (Thierry-Mieg), 1911; Lycaena
- *ab. coeruleamarginata* (Tutt), 1896; Lysandra
- *ab. coeruleascens* (Lange), 1919; Lysandra
- *ab. confluens* (Courvoisier), 1903; Lycaena
- *ab. crassipuncta* (Courvoisier), 1903; Lycaena
- *ab. cuneata* (Tutt), 1912, 1905-1914; Agriades
- *ab. cyanogyna* (Schawerda), 1938; Lycaena
- *ab. digitata* (Courvoisier), 1907; Lycaena
- *diniai* (Verity), 1926, 1926-1933, (RA); Agriades
- *ab. divisa* (Tutt), 1912, 1905-1914; Agriades
- *ab. elongata* (Courvoisier), 1903; Lycaena
- *ab. erythiana* (Dietzel), 1991; Lysandra
- *ab. extrema* (Courvoisier), 1907; Lycaena
- *fumosa* (Verity), 1926, 1926-1933, (RA); Agriades
- *ab. fuscociliata* (Metschl & Sälzl), 1923; Lycaena
- *galliae* (Verity), 1926, 1926-1933, (RA); Agriades
- *germanella* (Verity), 1926, 1926-1933, (RA); Agriades
- *ab. guedati* (Reverdin), 1924; Lycaena
- *ab. hafneri* (Preissecker), 1908; Lycaena
- *ab. hispanagallica* (Verity), 1926, 1926-1933, (RA); Agriades
- *ab. impar* (Cockayne), 1916; Agriades
- *inaequalis* (Tutt), 1896; Lysandra
- *ab. infusca* (Metschl & Sälzl), 1923; Lycaena
- *insulana* (Verity), 1926, 1926-1933, (RA); Agriades
- *italagallica* (Verity), 1926, 1926-1933, (RA); Agriades
- *jurae* (Verity), 1926, 1926-1933, (RA); Agriades
- *ab. latimargo* (Tutt), 1912, 1905-1914; Agriades
- *ab. limbomaculata* (Schultz), 1906; Lycaena
- *ab. lucretia* (Gaschet & Mabilie), 1877; Lycaena
- *ab. lunulata* (Lange), 1919; Lysandra
- *marginata* (Tutt), 1896; Lysandra
- *ab. minor* (Tutt), 1896; Lysandra
- *minutepunctata* (Verity), 1926, 1926-1933, (RA); Agriades
- *narbonensis* (Verity), 1926, 1926-1933, (RA); Agriades
- *nigrescens* (Verity), 1943, (IFS); Lysandra
- *ab. nigrocostalis* (Schultz), 1906; Lysandra
- *ab. obscurata* (Courvoisier), 1907; Lycaena
- *ab. obscurata* (Courvoisier), 1910, 1910-1911; Lycaena
- *ab. obsoleta* (Tutt), 1896; Lysandra
- *pallida* (Tutt), 1896; Lysandra
- *ab. parallela* (Courvoisier), 1911, 1910-1911; Lycaena
- *ab. parallela* (Courvoisier), 1912; Lycaena
- *ab. parvipuncta* (Courvoisier), 1903; Lycaena
- *ab. paucipuncta* (Courvoisier), 1907; Lycaena
- *ab. petri* (Verity), 1920, 1919-1922, (IFS); Agriades
- *ab. privata* (Courvoisier), 1903; Lycaena
- *ab. puncta* (Tutt), 1896; Lysandra
- *punctata* (Tutt), 1896; Lysandra
- *ab. quadripuncta* (Courvoisier), 1903; Lycaena
- *ab. radiata* (Courvoisier), 1912; Lycaena
- *ab. radiata* (Oberthür), 1910; Lycaena
- *ab. radiosa* (Gaschet & Mabilie), 1877; Lycaena

Polyommatus (Lysandra) (continued)

- *rufosplendens* (Verity), 1926, 1926-1933, (RA); Agriades
- *ruscinonis* (Verity), 1951, 1947-1957, (RA); Lysandra
- *samsoni* (Verity), 1920, 1919-1922, (IFS); Agriades
- *ab. semiarctuata* (Courvoisier), 1903; Lycaena
- *ab. semiaurantia* (Tutt), 1896; Lysandra
- *ab. semicinnus* (Cabeau), 1923; Lycaena
- *ab. seminigra* (Preissecker), 1906; Lycaena
- *ab. silesia* (Strand), 1927; Lycaena
- *stefanellii* (Verity), 1904, (IFS); Lycaena
- *ab. striata* (Stefanelli), 1904; Lycaena
- *striata* (Tutt), 1896; Lysandra
- ♂ *ab. suavis* (Schultz), 1904; Lycaena
- *ab. subalbolunata* (Tutt), 1912, 1905-1914; Agriades
- *suffusa* (Tutt), 1896; Lysandra
- *ab. tarasina* (Cabeau), 1920, 1919-1922; Lycaena
- *ab. torgniensis* (Haverkamp), 1906; Lycaena
- *ab. transparens* (Courvoisier), 1903; Lycaena
- *ab. tripuncta* (Courvoisier), 1903; Lycaena
- *ab. unipuncta* (Courvoisier), 1903; Lycaena
- *ab. vacua* Gillmer, 1910
- *borussia* (Lange), 1919, (H); Lycaena
- *corydon* (Scopoli), 1763, (H); Papilio
- *altica* von Neustetter, 1910
- *ab. pseudoasturiensis* (Schawerda), 1942; Lycaena
- *bieneri* (Stauder), 1924; Lysandra
- *bramafana* (Prunner), 1798; Papilio
- *calaehtys* Jermyns, 1827
- *cataluniae* (de Bast), 1985; Lysandra
- *cinnus* (Gerhard), 1853, 1850-1853; Lycaena
- *constanti* (Blachier), 1910; Lycaena
- *cormion* (Nabokov), 1941; Lysandra
- *corydonis* (Bergsträsser), [1779], 1778-1780; Papilio
- *fowleri* (South), 1900; Lycaena
- *graeca* (Rühl), 1893, 1892-1893; Lysandra
- *mariscolore* (Gerhard), 1853, 1850-1853; Lycaena
- *mariscolove* (Kirby), 1877, (ISS); Plebeius
- *meridionalis* (Tutt), 1910, 1905-1914; Agriades
- *nicaeensis* Dujardin, 1945
- *parisienis* (Gerhard), 1853, 1850-1853; Lycaena
- *philippi* (Brown & Coutsis), 1978; Lysandra
- *phillipi* (d'Abbrera), 1993, (ISS); Lysandra
- *polonus* Zeller, 1845
- *scheffell* (Lütkemeyer), 1920; Lysandra
- *semibrunnea* (Millière), 1859, 1858-1863; Lycaena
- *syngrapha* (Keferstein), 1851; Lycaena
- *ab. oberthueri* (Gelin), 1914; Lysandra
- *apenninus* (Zeller), 1847; Lycaena
- *apuana* (Verity), 1916, (RA); Lycaena
- *apuanica* (Verity), 1916, (NN); Lycaena
- *maritimarium* (Verity), 1943, (RA); Lysandra
- *rufoclarens* (Verity), 1926, 1926-1933, (RA); Agriades
- *sibyllina* (Verity), 1916, (RA); Lycaena
- *superapennina* (Verity), 1916, (RA); Lycaena
- *asturiensis* (de Sagarra y Castellamau), 1924; Agriades
- *cartujana* (Agenjo), 1956; Plebejus
- *ab. syngraphoides* (de Sagarra y Castellamau), 1924; Agriades
- *manleyi* (de Lesse), 1962; Lysandra
- *mattonensis* (Gómez Bustillo), 1980; Lysandra
- *menendezpelayoi* (Agenjo), 1956; Plebejus
- *borussia* (Dadd), [1909]; Lycaena
- *saxonica* (Verity), 1919, 1919-1922, (RA); Agriades
- *burgalesa* (Agenjo), 1956; Plebejus
- *caelestissima* (Verity), 1921, 1919-1922, (RA); Agriades
- *coelestissima* (Verity), 1921, 1919-1922, (IOS); Agriades
- *ab. deliciosa* (de Sagarra y Castellamau), 1924; Agriades
- *gennargentii* (Leigheb), 1987; Lysandra
- *jachontovi* (Wnukowsky), 1934; Lycaena
- *nufrelensis* (Schurian), 1977; Lysandra
- *nuffrelensis* (Leraut), 1980, (ISS); Lysandra

Polyommatus (Lysandra) (continued)

- corydonis* (Herrich-Schäffer), [1852], 1843-1856; Lycaena
- *caeruleosmar* (Verity), 1939; Lysandra
- *caucasica* (Lederer), 1869, 1869-1870; Lycaena
- *sokolowskii* (Wojusiak & Niesiolowski), 1946; Lycaena
- *dezinia* (de Freina & Witt), 1983; Lysandra
- hispana* (Herrich-Schäffer), [1851], 1843-1856; Lycaena
- *constanti* (Reverdin), 1910; Agriades
- *galliaealbicans* (Verity), 1939, (RA); Lysandra
- *ab. meridionalis* (Tutt), 1909, (NN); Agriades
- *ab. parisiensis* (Piombeau), 1937; Lycaena
- *prior* (Verity), 1921, 1919-1922, (IFS); Agriades
- *septembris* (Verity & Querci), 1923, (IFS); Agriades
- *f. tempestatis* Dujardin, 1968, (IFS)
- *hispana* (Staudinger), 1871, (H); Lycaena
- *betica* (Betti), 1970; Lysandra
- *gonzalezi* (Agenjo), [1969]; Plebejus
- *javieri* (Gomez de Aizpurva & Fernández-Rubio), 1974; Plebejus
- *pseudoalbicans* (de Lesse), 1962; Lysandra
- *rezniceki* (Battel), 1904; Lycaena
- *ab. alba* (Fernandez), 1928; Lysandra
- *altera* (Verity), 1916, (IFS); Lycaena
- *florentina* (Verity), 1916, (IFS); Lycaena
- *minor* (Verity), 1943, (IFS); Lysandra
- *reverdini* (Verity), 1916, (IFS); Lycaena
- *rezneciki* (Leraut), 1980, (ISS); Lysandra
- *subradiosa* (Verity), 1943, (IFS); Lysandra
- *segustericus* Dujardin, 1968
- *coridonopsis* Dujardin, 1968
- *gudarensis* (Aistleitner), 1989; Lysandra
- *semperi* (Agenjo), [1969]; Plebejus
- *lucentina* (de Lesse), 1969; Lysandra
- *synexophenus* Dujardin, 1968
- ossmar* (Gerhard), 1851, 1850-1853; Lycaena
- *osmar* (Heydenreich), 1851, (NN); Lycaena
- *ankara* (Schurian & Hofmann), [1983]; Lysandra
- *olympica* (Lederer), 1852; Lycaena
- *pulchella* (Bernardi), 1951; Lysandra
- *pulchra* (Sheljuzhko), 1928, (H); Lycaena
- *chaburobata* Tschikolowez, 1992
- punctifera* (Oberthür), 1876; Lycaena
- *magnapunctifera* (Verity), 1937, 1937-1938, (IFS); Lysandra
- *postpunctifera* (Verity), 1937, 1937-1938, (IFS); Lysandra
- syriaca* (Tutt), 1914, 1905-1914; Agriades
- *ialaglauca* (Verity), 1939, (RA); Lysandra
- *burak* (Koçak), 1992; Lysandra
- *tauricus* Schurian, 1991, (H)

Polyommatus (Meleageria) [Lyc:Lyc:Pol:Pol:Polyommatus]

- buzulmavi* Carbonell, 1991
- *narlica* Carbonell, 1991
- daphnis* ([Denis & Schiffermüller]), 1775; Papilio
- *alpium* (Verity), 1926, 1926-1933, (RA); Lycaena
- *hemialpium* (Verity), 1943, (IFS); Meleageria
- *ignorata* Staudinger, 1901
- *major* (Verity), 1943, (IFS); Meleageria
- *minor* (Verity), 1943, (IFS); Meleageria
- *pallidecolor* (Verity), 1943, (RA); Meleageria
- *ab. radiata* (Courvoisier), 1903; Lycaena
- *superlunulata* (Verity), 1926, 1926-1933, (IFS); Lycaena
- *ab. uniforma* (Vicol), 1977; Meleageria
- *versicolor* Heyne, 1895, 1893-1895
- *argentata* (Hartig), 1924, (H); Lycaena
- *endymion* ([Denis & Schiffermüller]), 1775, (H); Papilio
- *marteniana* (de Sagarra y Castellamau), 1926; Meleageria
- *steevenii* (Hübner), [1836], 1796-1838; Papilio
- *stevanii* (Kirby), 1871, (ISS); Cupido
- *brandti* (Pfeiffer), 1938; Lycaena
- *dalmatina* (Wagner), 1909; Lycaena

Polyommatus (Meleageria) (continued)

- *dugijani* (Schurian & Haeuser), 1981; Meleageria
- *erciyasi* (Schurian & Haeuser), 1981; Meleageria
- *hayesi* (Larsen), 1974; Meleageria
- *marcida* (Lederer), 1872; Lycaena
- * - *meleager* (Esper), [1778], 1776-1830; Papilio
- - - - *f. aucta* (Stauder), 1923; Lycaena
- - - - *ab. cana* (Storace), 1943; Meleageria
- - - - *ab. cyanogyne* (Hörhammed), 1934; Lycaena
- - - - *f. falcata* (Stauder), 1923; Lycaena
- - - - *ab. limbopunctata* (Schulz), 1906; Lycaena
- - - - *ab. meledamon* (Rebel), 1920; Lycaena
- - - - *f. semiargus* (Stauder), 1923; Lycaena
- - - - *ab. seminigra* (Rebel), 1914; Lycaena
- - *elamita* (Le Cerf), 1914; Lycaena
- *narsana* (Alberti), 1973; Lycaena
- *oricus* (Fruhstorfer), 1910; Lycaena
- *palandokis* (Schurian & Haeuser), 1981; Meleageria
- *parameleager* Verity, 1936
- *vangolensis* (Schurian & Haeuser), 1981; Meleageria

Polyommatus (Neolysandra) [Lyc:Lyc:Pol:Pol:Polyommatus]

- alticola* (Christoph), 1893; Lycaena
- - *alexander* (Higgins), 1981; Albulina
- coelestina* (Eversmann), 1843; Lycaena
- *hera* (Eckweiler & Schurian), 1980; Neolysandra
- *pontica* (Courvoisier), 1911; Lycaena
- *saadii* (Eckweiler & Schurian), 1980; Neolysandra
- corona* (Verity), 1936; Lysandra
- * *diana* (Miller), 1912; Lycaena
- ellisoni* (Pfeiffer), 1931; Lycaena
- fatima* (Eckweiler & Schurian), 1980; Neolysandra

Polyommatus (Paragrodiaetus)

[Lyc:Lyc:Pol:Pol:Polyommatus]

- avinovi* Stchetkin, 1980
- dagmara* (Grum-Grshimailo), 1888; Lycaena
- erschoffi* (Lederer), 1869; Lycaena
- *tekkeana* (Christoph), 1887; Lycaena
- * *glaucias* (Lederer), 1872; Lycaena
- nadira* (Moore), 1884; Lycaena
- superba* (Staudinger), 1887, 1886-1889; Lycaena
- - - - *ab. rubrimaculata* (Courvoisier), 1907; Lycaena
- - *magnifica* (Grum-Grshimailo), 1887; Lycaena

Polyommatus (Plebejidea) [Lyc:Lyc:Pol:Pol:Polyommatus]

- fergana* (Staudinger), 1881; Lycaena
- *torgouta* (Alphéraky), 1881; Lycaena
- * *loewii* (Zeller), 1847; Lycaena
- - - - *ab. dingleri* (Andres & Seitz), 1923; Lycaena
- - - - *loewei* (O. Bang-Haas), 1927, 1926-1930, (ISS); Lycaena
- - - - *lowei* (Lang), 1884, (ISS); Lycaena
- - *empyrea* (Freyer), 1852, 1831-1858; Lycaena
- - *gigas* (Staudinger), 1871; Lycaena
- - *robusta* (Turati & Fiori), 1930; Lycaena
- *afghana* Howarth, 1976
- *antilibanotica* Hemming, 1929
- *battenfeldi* (Rose & Schurian), 1977; Plebejus
- *chamanica* (Moore), 1884; Lycaena
- *dzhemagate* (Sheljuzhko), 1934; Lycaena
- *germanicae* (Pfeiffer), 1932; Lycaena
- *grossi* (Rose), 1975; Plebejus
- *hissarica* (Stchetkin), 1963; Lycaena
- *hofmanni* (Rose & Schurian), 1977; Plebejus
- *laura* Evans, 1932
- *minimus* (Junge & Rose), 1978; Plebejus
- *sanoga* (Evans), 1925; Lycaena
- *schwingenschussi* (Pfeiffer), 1937; Lycaena
- *uranicola* (Walker), 1870; Lampides
- - - - *ab. johannae* (Andres), 1914; Lycaena
- - *lockharti* Hemming, 1929
- - - - ♀ *f. margaritae* Hemming, 1929

Polyommatus (Plebicula) [Lyc:Lyc:Pol:Pol:Polyommatus]

- atlantica* (Elwes), 1906; Lycaena
- *barraguei* Dujardin, 1977
- *weissi* Dujardin, 1977
- dorylas* ([Denis & Schiffermüller]), 1775; Papilio
- - - - *f. brunnea* (Vorbrodt & Müller-Rutz), 1917; Lycaena
- - - - *caeruleovivescens* (Verity), 1927, (IFS); Agriades
- - - - *ab. clara* (Ribbe), 1910, 1909-1912; Lycaena
- - - - *f. depauperata* (Stauder), 1915; Lycaena
- - - - *f. fuliginosa* (Vorbrodt & Müller-Rutz), 1917; Lycaena
- - - - *ab. gabrielis* (Oberthür), 1910; Lycaena
- - - - *icaroides* (Sauruck), 1927, 1927-1928; Lycaena
- - - - *ab. tirolensis* (Heydemann), 1910; Lycaena
- - - *hylas* (Esper), [1778], 1776-1830, (H); Papilio
- - - - *ab. albimargo* (Rebel), 1909; Lycaena
- - - - *basipunctata* (Turati & Verity), [1911], (IFS); Lycaena
- - - - *correpta* (Verity), 1920, 1919-1922, (IFS); Agriades
- - - - *enervis* (Verity), 1926, 1926-1933, (RA); Agriades
- - - - *postenervis* (Verity), 1934, 1934-1936, (IFS); Lysandra
- * - - - *argester* (Bergsträsser), [1779], 1778-1780; Papilio
- - - - *anteparvaplumbea* (Verity), 1934, 1934-1936, (IFS); Lysandra
- - - - *glaucaargester* (Verity), 1939, (RA); Lysandra
- - - - *parvaplumbea* (Verity), 1934, 1934-1936, (RA); Lysandra
- - - - *postargester* (Verity), 1934, 1934-1936, (IFS); Lysandra
- - - - *virescens* (Verity), 1943, (IFS); Lysandra
- - *armena* (Staudinger), 1871; Lycaena
- - *dedalus* (Gioma), 1793; Papilio
- *castilla* (Fruhstorfer), 1910; Lycaena
- *magna* (Bálint), 1985; Plebicula
- escheri* (Hübner), [1823], 1796-1838; Papilio
- - - - *f. agenjo* Higgins, 1948
- - - - *f. albata* (Vorbrodt & Müller-Rutz), 1917; Lycaena
- - - - *altivolans* (Verity), 1920, 1919-1922, (RA); Agriades
- - - - *anticoalboincincta* (Verity), 1943, (IFS); Lysandra
- - - - *chryseis* (Turati & Verity), [1911], (IFS); Lycaena
- - - - *ab. escherinus* Rowland-Brown, 1909
- - - - *var. foulquieri* (Oberthür), 1910; Lycaena
- - - - *var. helenae* (Oberthür), 1910; Lycaena
- - - - *microsticta* (Verity), 1929, (RA); Agriades
- - - - *olympena* (Verity), 1936, 1936-1937, (RA); Lysandra
- - - - *punctulata* (Wheeler), 1903; Lycaena
- - - - *ab. radiata* (Oberthür), 1906; Lycaena
- - - - *ab. radiata* (Siepi & Verity), 1911; Lycaena
- - - - *f. rhaetica* (Vorbrodt & Müller-Rutz), 1917; Lycaena
- - - - *rondoudimidia* (Verity), 1929, (RA); Agriades
- - - - *rondoudimidata* (Manley & Allcard), 1970, (ISS); Plebicula
- - - - *ab. rostragni* (Stefanelli), 1904; Lycaena
- - - - *rostragni* O. Bang-Haas, 1929, 1926-1930, (ISS)
- - - - *sicca* (Verity), 1929, (RA); Agriades
- - - - *ab. splendens* (Stefanelli), 1904; Lycaena
- - - - *styx* (Turati & Verity), [1911], (IFS); Lycaena
- - - - *ab. subtiempunctata* (Oberthür), 1896; Lycaena
- - - - *turatii* (Verity), 1919, 1919-1922, (RA); Agriades
- - - - *ab. valdieriensis* (Strand), 1927; Lycaena
- - - - *ab. valentinae* (Foulquier), 1923; Lycaena
- - *agestor* Godart, [1824], 1819-1824
- - *f. atrata* Loritz, 1948
- - *balestri* (Fruhstorfer), 1910; Lycaena
- - *caerulescens* (Vorbrodt & Müller-Rutz), 1921; Lycaena
- - *sapphirus* Meigen, 1829, 1827-1832
- - *subapennina* (Turati), 1903; Lycaena
- *ahmar* (Le Cerf), 1928; Lycaena
- *dalmatica* (Speyer), 1882; Lycaena
- *parnassica* (Brown), 1977; Plebicula
- *rondoui* (Oberthür), 1906; Lycaena
- *roseonitens* (Oberthür), 1910; Lycaena
- golus* (Hübner), [1813], 1796-1838; Papilio
- icarius* (Esper), [1789], 1776-1830; Papilio
- - - - *ab. amandina* (Krulikovskii), 1908; Lycaena

Polyommatus (Plebicula) (*continued*)

- - - - *apenninogenita* (Verity), 1921, 1919-1922, (RA); Agriades
- - - - *ab. argentea* (Lampa), 1885; Lycaena
- - - - *ab. aviator* (Oberthür), 1910; Lycaena
- - - - *azurea* (Blachier), 1908; Lycaena
- - - - *ab. brunnea* (Vorbrodt & Müller-Rutz), 1914, 1911-1914; Lycaena
- - - - *bruttia* (Verity), 1921, 1919-1922, (RA); Agriades
- - - - *ab. caeca* (Gillmer), 1904; Lycaena
- - - - *ab. caerulea* (Rebel), 1909; Lycaena
- - - - *ab. confluens* (Slevogt-Bathen), 1910; Lycaena
- - - - *ab. cyanea* (Signer-Abafi), 1906; Lycaena
- - - - *ab. huebneri* (Oberthür), 1910; Lycaena
- - - - *metallica* (Favre), 1903; Lycaena
- - - - *nigropunctata* (Wheeler), 1903; Lycaena
- - - - *ab. punctifera* (Schawerda), 1907; Lycaena
- - - - *ab. stigmatica* (Schultz), 1906; Lycaena
- - - - *amurensis* (Mori), 1925, (H); Lycaena
- - - - *abdelaziz* (Blachier), 1908; Lycaena
- - - - *agathon* Godart, [1824], 1819-1824
- - - - *amatus* (Grum-Grshimailo), 1890; Lycaena
- - - - *amurensis* (Staudinger), 1892; Lycaena
- - - - *hispeilis* (Fruhstorfer), 1910; Lycaena
- - - - *lsias* (Fruhstorfer), 1910; Lycaena
- - - - *libisonis* (Fruhstorfer), 1911; Lycaena
- - - - *praelibisonis* (Verity), 1943, (IFS); Lysandra
- - - - *lydia* (Krulikovskii), 1892; Lycaena
- - - - *orientalis* (Staudinger), 1901; Lycaena
- - - - *splendida* (Rostagno & Zapelloni), 1910; Lycaena
- - - - *turensis* (Heyne), 1895, 1893-1895; Lycaena
- - - - *achaiana* (Brown), 1977; Plebicula
- - - - *altaishanica* (Huang & Murayama), 1992; Lysandra
- - - - *amandus* (Schneider), 1792, 1791-1794; Papilio
- - - - *anthea* Hemming, 1932
- - - - *bettii* (Barragué), 1987; Plebicula
- - - - *brenda* Hemming, 1932
- - - - *brunhilda* Hemming, 1932
- - - - *gina* Higgins, 1958
- - - - *lhasana* (Murayama), 1983; Lysandra
- - - - *ludovicana* (Betti), 1977; Plebicula
- - - - *pyrenaeorum* (Manley & Allcard), 1970; Plebicula
- - - - *pyrenaeorum* (Verity), 1951, 1947-1957, (RA); Lysandra
- - - - *tova* Higgins, 1948
- - - - *villarrubial* (Agenjo), 1972; Plebejus
- - - - *nivescens* (Keferstein), 1851; Lycaena
- - - - *estebita* (Agenjo), 1972; Plebejus
- - - - *pascuali* (Agenjo), 1972; Plebejus
- - - - *uclensis* (Melcon), 1910; Lycaena
- - - - *thersites* (Cantener), 1834, 1834-1835; Lycaena
- - - - *ab. amethystina* (Cabeau), 1924; Lycaena
- - - - *autumna* (Verity), 1943, (IFS); Lysandra
- - - - *ab. caerulea* (Cabeau), 1924; Lycaena
- - - - *ab. caerulescens* (Cabeau), 1924; Lycaena
- - - - *ab. casildae* (Agenjo), 1934; Lycaena
- - - - *hibernata* (Verity), 1919, 1919-1922, (IFS); Agriades
- - - - *interjecta* (Verity), 1919, 1919-1922, (IFS); Agriades
- - - - *meridiana* (Verity), 1919, 1919-1922, (IFS); Agriades
- - - - *microrientalis* (Verity), 1935, (IFS); Lysandra
- - - - *ab. minor* (Pionneau), 1928; Lycaena
- - - - *ab. paucipuncta* (Pionneau), 1928; Lycaena
- - - - *postmicrorientalis* (Verity), 1935, (IFS); Lysandra
- - - - *posthersyia* (Verity), 1934, 1934-1936, (IFS); Lysandra
- - - - *pseudomicrorientalis* (Anonymous), 1936, (ISS); Lysandra
- - - - *suffescens* (Verity), 1943, (IFS); Lysandra
- - - - *alexius* (Freyer), 1858, 1831-1858; Lycaena
- - - - *anticoglomerata* (Cabeau), 1931; Lycaena
- - - - *ardavdana* (Obraztsov), 1936; Lycaena
- - - - *azagra* (Sheldon), 1913; Lycaena
- - - - *centro* (Chapman), [1913]; Agriades
- - - - *ferdinandi* (de Sagarra y Castellamau), 1926; Agriades

Polyommatus (Plebicula) (*continued*)

- - - - *gravesi* (Chapman), 1912; Agriades
- - - - *josephina* (de Sagarra y Castellamau), 1924; Agriades
- - - - *pergrata* (Szabó), 1956; Lysandra
- - - - *gandzhana* (Obraztsov), 1936; Lycaena
- - - - *ab. nigrovenata* (Obraztsov), 1936; Lycaena
- - - - *hypanica* (Obraztsov), 1936; Lycaena
- - - - *ab. caeruleocellata* (Obraztsov), 1936; Lycaena
- - - - *ab. punctifera* (Obraztsov), 1936; Lycaena
- - - - *karatshaica* (Obraztsov), 1936; Lycaena
- - - - *ketshevana* (Obraztsov), 1936; Lycaena
- - - - *narzana* (Obraztsov), 1936; Lycaena
- - - - *orientis* (Sheljuzhko), 1928; Lycaena
- - - - *orientalis* (Chapman), [1913], (H); Agriades
- - - - *ab. hybridata* (Chapman), [1913], (NN); Agriades
- - - - *rjabovi* (Obraztsov), 1936; Lycaena
- - - - *sheljuzhkoiana* (Obraztsov), 1936; Lycaena
- - - - *zhicharevi* (Obraztsov), 1936, (H); Lycaena

Polyommatus (Sublysandra) [Lyc:Lyc:Pol:Pol:Polyommatus]

- - - - *aedon* (Christoph), 1877, 1876-1877; Lycaena
- - - - *anatolica* (Koçak), 1975; Lysandra
- * - - - - *candalus* (Herrich-Schäffer), [1851], 1843-1856; Lycaena
- - - - *delerei* Heydemann, 1954
- - - - *postcandalus* Verity, 1937, 1937-1938, (IFS)
- - - - *cornelia* (Freyer), 1852, 1831-1858; Lycaena
- - - - *subtilis* (Pages & Charneux), 1992; Lysandra
- - - - *cithonius* Godart, [1824], 1819-1824
- - - - *isauricoides* Graves, 1923
- - - - *myrrha* (Herrich-Schäffer), [1852], 1843-1856; Lycaena
- - - - *araxiana* (Koçak), 1980; Agrodiaetus
- - - - *cinyraea* (Nekrutenko & Effendi), 1979; Lysandra
- - - - *hakkariensis* Koçak, 1977
- - - - *noacki* (Koçak), 1980; Agrodiaetus
- - - - *myrrhinus* (Staudinger), 1901; Lycaena
- - - - *nuksani* (Forster), 1937; Lycaena

Pons [Lyc:Lyc:The:Eum:Eumaeus]

- - - - *arcula* (H. H. Druce), 1907; Thecla
- * - - - - *magnifica* Johnson, 1992
- - - - *purpurea* Johnson, 1992
- - - - *saraha* Johnson, 1992
- - - - *vittata* Johnson, 1992

Pontirama [Lyc:Lyc:The:Eum:Eumaeus]

- - - - *adriana* Johnson, 1992
- * - - - - *brunea* Johnson, 1992
- - - - *coquimbiensis* Johnson, 1992
- - - - *eiselei* Johnson, 1992
- - - - *lapazensis* Johnson, 1992
- - - - *lorena* Johnson, 1992
- - - - *nortea* Le Crom & Johnson, 1993
- - - - *tolimensis* Johnson, 1992

Poriskina [Lyc:Lyc:Poritinae]

- * - - - - *phakos* H. H. Druce, 1895
- - - - *phakes* d'Abbrera, 1986, (ISS)

Poritia [Lyc:Lyc:Poritinae]

- - - - *erycinoides* (Felder & Felder), 1865, 1865-1875; Pseudodipsas
- - - - *coronata* Fruhstorfer, [1912], (IFS)
- - - - *demaculata* Fruhstorfer, [1912], (IFS)
- - - - *naukydes* Fruhstorfer, [1912], (IFS)
- - - - *nigra* Fruhstorfer, [1912]
- - - - *elsiei* Evans, 1925
- - - - *kinoshitai* Hayashi, 1976
- - - - *pellonia* Distant & Pryer, 1887
- - - - *phaluke* H. H. Druce, 1895
- - - - *phalike* Fruhstorfer, [1912], (ISS)
- - - - *phraatica* Hewitson, [1878], 1863-1878
- - - - *psophis* Fruhstorfer, 1917
- - - - *trishna* Fruhstorfer, 1919

Poritia (*continued*)

- - - - *krishna* Riley & Tams, 1925, (ISS)
- fruhstorferi** Corbet, 1940
- *nila* Eliot, 1957
- * **hewitsoni** Moore, [1866]
- - - - *interjecta* Fruhstorfer, [1912], (IFS)
- - - - *palilia* Fruhstorfer, [1912], (IFS)
- - - - *principalis* Fruhstorfer, [1912], (IFS)
- - **marakata** Corbet, 1940
- **solitaria** Schröder & Treadaway, 1989
- **taleva** Corbet, 1940
- **tavoyana** Doherty, 1889
- - - - *nigritia* Fruhstorfer, [1912], (IFS)
- - **ampsaga** Fruhstorfer, [1912]
- karennia** Evans, 1921
- - - - *karenina* d'Abrera, 1986, (ISS)
- languana** Schröder & Treadaway, 1986
- manilia** Fruhstorfer, [1912]
- **dawna** Evans, 1921
- **evansi** Corbet, 1940
- palos** Osada, 1987
- personata** Osada, 1994
- phama** H. H. Druce, 1895
- - **rajata** Corbet, 1940
- **courvoisieri** Fruhstorfer, 1917
- - - - *courvoisieri* Eliot, 1957, (ISS)
- - **pheda** Corbet, 1940
- **geta** Fawcett, 1897
- **palawana** Osada, 1994
- **regia** Evans, 1921
- philota** Hewitson, 1874
- - - - ♀ *f. lugubris* Eliot, 1957
- - - - ♀ *f. ornata* Eliot, 1957
- - - - ♀ *f. penumbra* Morrell, 1957
- - **nicias** Fruhstorfer, 1917
- **glennuydai** Schröder & Treadaway, 1989
- **mindora** Osada, 1994
- **phare** H. H. Druce, 1895
- **sugimotoi** Hayashi, 1978
- **taimana** Fruhstorfer, 1917
- phormedon** H. H. Druce, 1895
- plateni** Staudinger, 1889
- pleurata** Hewitson, 1874
- promula** Hewitson, 1874
- **elegans** Fruhstorfer, 1919
- sumatrae** (Felder & Felder), 1865, 1865-1875; Pseudodipsas
- **milia** Fruhstorfer, 1917
- **stellans** Seki, 1994
- talophi** Hayashi & Schröder & Treadaway, 1984

Powellana [Lyc:Lyc:Lip:Lip:Epitola]

- * **cottoni** Bethune-Baker, 1908
- - **virginea** Birket-Smith, 1960
- + - - **weberi** (Holland), 1913; Satyrimima

Praephilotes [Lyc:Lyc:Pol:Pol:Glaucopsyche]

- * **anthracias** (Christoph), 1877, 1876-1877; Lycaena
- - - **anthracias** (Lang), 1884, (H); Lycaena
- violacea** Howarth, 1976

Praetaxila [Lyc:Rio:Nem:Abisarinii]

- albiplaga** (Röber), [1886]; Abisara
- **avera** (Rothschild), 1904; Abisara
- **keiana** (Rothschild), 1904; Abisara
- eromena** (Jordan), 1912; Abisara
- **poultoni** Joicey & Talbot, 1922
- heterisa** (Jordan), 1912; Abisara
- **auspex** (Toxopeus), 1944; Sospita
- **sigiana** (Toxopeus), 1944; Sospita
- **tessei** (Joicey & Noakes & Talbot), [1916]; Abisara
- huntei** (E. Sharpe), 1903; Abisara
- - **postalba** (Rothschild & Jordan), 1907; Abisara

Praetaxila (*continued*)

- **artaxerxes** (Toxopeus), 1944; Sospita
- satraps** (Grose-Smith), 1894; Abisara
- **bahadur** Fruhstorfer, [1914], 1909-1923
- **cyrus** (Toxopeus), 1944; Sospita
- **mambarensis** (Rothschild & Jordan), 1907; Abisara
- **simbangana** (Hagen), 1897; Abisara
- - **abbuna** (Heller), 1902; Abisara
- **wandammenensis** Joicey & Talbot, 1916
- * **segecia** (Hewitson), [1861], 1852-1877; Sospita
- **carliya** Fruhstorfer, [1914], 1909-1923
- **punctaria** (Fruhstorfer), 1904; Abisara
- **yaniya** Fruhstorfer, [1914], 1909-1923
- statira** (Hewitson), [1862], 1852-1877; Sospita
- **dhyana** Fruhstorfer, [1914], 1909-1923
- **gudula** (Fruhstorfer), 1904; Abisara
- **naram** Fruhstorfer, [1914], 1909-1923
- **vedalla** Fruhstorfer, [1914], 1909-1923
- tyrannus** (Grose-Smith), 1897, 1887-1902; Abisara
- **polyphemus** (Toxopeus), 1944; Sospita
- **segestes** (Rothschild), 1904; Abisara
- wallacei** (Hewitson), [1862], 1852-1877; Sospita
- **arfakensis** Joicey & Talbot, 1917
- **theodosia** (Fruhstorfer), 1906; Abisara
- weiskei** (Rothschild), 1901; Abisara
- **huonis** Jordan, 1930

Pratapa [Lyc:Lyc:The:Iol:Iolaus]

- cameria** (de Nicéville), 1898; Camena
- * **deva** (Moore), [1858]; Amblypodia
- **cartena** (Fruhstorfer), [1912]; Camena
- **devana** H. H. Druce, 1895
- - **devadatta** (Fruhstorfer), [1912]; Camena
- **devula** Corbet, 1941
- **lila** Moore, [1884]
- - **angada** (Fruhstorfer), [1912]; Camena
- - - - **angeda** (Sharp), [1913], (ISS); Camena
- **methara** (Fruhstorfer), [1912]; Camena
- **relata** (Distant), 1884, 1882-1886; Tajuria
- - **stella** Corbet, 1938
- icetas** (Hewitson), [1865], 1863-1878; Iolaus
- - **contractus** (Leech), 1890; Iolaus
- **extensa** Evans, 1925
- **mishmia** Evans, 1925
- **sakaia** Corbet, 1940
- icetoides** (Elwes), [1893]; Carmena
- **calculis** H. H. Druce, 1895
- **carmentalis** (de Nicéville), 1893; Carmena
- **cretheus** (de Nicéville), 1895; Camena
- - - - **creutheus** d'Abrera, 1986, (ISS)
- **ecphantus** (Fruhstorfer), [1912]; Camena
- - - - **ecphantus** d'Abrera, 1986, (ISS)
- **marikit** Schröder & Treadaway, 1986
- **yasa** (Fruhstorfer), [1912]; Camena
- ismaeli** Hayashi & Schröder & Treadaway, 1983
- manata** Semper, 1887, 1886-1892
- tyotaroi** Hayashi, 1981

Profieldia [Lyc:Lyc:The:Eum:Eumaeus]

- nisaeae** (Godman & Salvin), [1887], 1879-1901; Thecla
- vesper** (H. H. Druce), 1909; Thecla
- * **yungas** (Johnson), 1991; Fieldia

Prosotas [Lyc:Lyc:Pol:Pol:Prosotas]

- aluta** (H. Druce), 1873; Cupido
- - - - **acuta** (Kirby), 1877, (ISS); Plebeius
- **alutina** (Fruhstorfer), 1916; Nacaduba
- **coelestis** (Wood-Mason & de Nicéville), [1887]; Nacaduba
- - - - **coelistis** d'Abrera, 1986, (ISS)
- **lessina** (Fruhstorfer), 1916; Nacaduba
- **nanda** (de Nicéville), 1895; Nacaduba
- **philiata** (Fruhstorfer), 1916; Nacaduba

Prosotas (continued)

- atra Tite, 1963
- bhutea (de Nicéville), [1884]; Nacaduba
- tambunanensis Barlow & Banks & Holloway, 1971
- datarica (Snellen), 1892; Lycaena
- dubiosa (Semper), [1879]; Plebeius
- - - - nana Omoto, 1959, (NN)
- - conjungens (Lucas), 1889; Lycaena
- - mackayensis (Miskin), 1890; Lycaena
- eborata Tite, 1963
- indica (Evans), 1925; Nacaduba
- lumpura (Corbet), 1938; Nacaduba
- subardates (Piepers & Snellen), 1918; Lycaena
- - - - superdates d'Abbrera, 1986, (ISS)
- - hybrida Toxopeus, 1929
- - roepkei Toxopeus, 1929
- elia Toxopeus, 1930
- elsa (Grose-Smith), 1895; Nacaduba
- felderi (Murray), 1874; Lycaena
- gracilis (Röber), [1886]; Plebeius
- - gerydomaculata (Rothschild), 1915; Nacaduba
- donina (Snellen), 1901; Lycaena
- ni (de Nicéville), 1902; Nacaduba
- - basiatrata (Strand), 1910; ?Nacaduba
- saturator (Rothschild), 1915; Nacaduba
- lutea (Martin), 1895; Nacaduba
- sivoka (Evans), 1910; Nacaduba
- maputi (Semper), 1889, 1886-1892; Chilades
- nelides (de Nicéville), 1895; Nacaduba
- nora (C. Felder), 1860; Lycaena
- ardates (Moore), [1875]; Lycaena
- - kodi (Evans), 1910; Nacaduba
- auletes (Waterhouse & Lyell), 1914; Nacaduba
- * - caliginosa H. H. Druce, 1891
- dilata (Evans), 1932; Nacaduba
- formosana (Fruhstorfer), 1916; Nacaduba
- - genji (Naritomi), 1942; Nacaduba
- fulva (Evans), 1925; Nacaduba
- kanoi Omoto, 1959
- kupu (Kheil), 1884; Plebeius
- meraha (Fruhstorfer), 1916; Nacaduba
- semperi (Fruhstorfer), 1916; Nacaduba
- superdates (Fruhstorfer), [1922], 1909-1923; Nacaduba
- noreia (R. Felder), 1868; Lycaena
- cyclops Toxopeus, 1929
- hamptonii (de Nicéville), 1885; Nacaduba
- - topa (Evans), 1912; Lycaenesthes
- norina Toxopeus, 1929
- papuana Tite, 1963
- pia Toxopeus, 1929
- ceramensis Tite, 1963
- elioti Tite, 1963
- marginata Tite, 1963
- talesea Tite, 1963

Protantigijs [Lyc:Lyc:The:The:Thecla]

- * superans (Oberthür), 1914; Drina
- ginzii (Seok), 1936; Zephyrus
- - pugatshuki (Kurentzov), 1970; Zephyrus

Pseudaletis [Lyc:Lyc:The:Aph:Pseudaletis]

- * agrippina H. H. Druce, 1888
- - tricolor Staudinger, 1891
- angustimargo Hawker-Smith, 1926
- antimachus (Staudinger), [1887], 1884-1888; Sithon
- arrhon H. H. Druce, 1913
- batesi H. H. Druce, 1910
- busoga van Someren, 1939
- catori Bethune-Baker, 1926
- clymenus (H. H. Druce), 1885; Spindasis
- - zebra Holland, 1891
- subangulata Talbot, 1935

Pseudaletis (continued)

- dardanella Riley, 1922
- leonis (Staudinger), [1888], 1884-1888; Sithon
- - trifasciata E. Sharpe, 1890
- lusambo Stempffer, 1961
- mazanguli Neave, 1910
- - - - mazangouli d'Abbrera, 1980, (ISS)
- nigra Holland, 1892
- - occidentalis Bethune-Baker, 1926
- fontainei Stempffer, 1961
- richardi Stempffer, 1952
- spolia Riley, 1922
- ugandae Riley, 1928

Pseudalmenus [Lyc:Lyc:The:Zes:Jalmenus]

- chlorinda (Blanchard), 1848, 1848-1853; Thecla
- * - - myrsilus (Westwood), [1851], 1846-1852; Jalmenus
- - zephyrus Waterhouse & Lyell, 1914
- barringtonensis Waterhouse, 1928
- chloris Waterhouse & Lyell, 1914
- conara Couchman, 1965
- fisheri Tindale, 1953

Pseuderesia [Lyc:Lyc:Lip:Lip:Mimacraea]

- cornesi Stempffer, 1969
- eleaza (Hewitson), [1873], 1852-1877; Pentila
- - picta (Grose-Smith), 1898; Lycaenesthes
- - variegata Grose-Smith & Kirby, 1890, 1887-1902
- * - catharina Butler, 1874
- katera Stempffer, 1961
- nigra Cator, 1904
- issia Stempffer, 1969
- jacksoni Stempffer, 1969
- ouesso Stempffer, 1962
- - - - onesso Stempffer, 1967, (ISS)
- vidua Talbot, 1937

Pseudochliaria [Lyc:Lyc:The:Deu:Deudorix]

- virgo (Elwes), 1887; Hypolycaena
- - confusa (Evans), 1925; Sinthusa
- - - confusa Tytler, 1926, (H)
- * - virgoides Tytler, 1915

Pseudochrysops [Lyc:Lyc:Pol:Pol:Cyclargus]

- * bornoi (Comstock & Huntington), 1943; Hemiargus
- escobioi Schwartz, 1987
- yateritas Smith & Hernández, 1992

Pseudodipsas [Lyc:Lyc:The:Luc:Lucia]

- aurea Sands, 1976
- cephenes Hewitson, 1874
- - fumidus Miskin, 1890
- * eone (Felder & Felder), 1860; Thecla
- iole Waterhouse & Lyell, 1914
- iovis Fruhstorfer, [1924], 1909-1923
- una d'Abbrera, 1971

Pseudolucia [Lyc:Lyc:Pol:Pol:Polyommatus]

- andina (Bartlett-Calvert), 1894; Scolitantides
- - - horsti (Ureta), 1949, (IFS); Scolitantides
- annamaria Bálint & Johnson, 1993
- argentina (Balletto), 1993; Cherchiella
- - aconagua Bálint & Johnson, 1993
- - sirin Bálint, 1993
- aureliana Bálint & Johnson, 1993
- charlotte Bálint & Johnson, 1993
- * chilensis (Blanchard), 1852; Lycaena
- - atahualpa (Wallengren), 1860; Polyommatus
- + - - vicunha (Balletto), 1993; Pallidula
- clarea Bálint & Johnson, 1993
- collina (Philippi), 1859; Lycaena
- + grata (Köhler), 1934; Itylos
- hazeorum Bálint & Johnson, 1993

Pseudolucia (*continued*)

- lanin Bálint & Johnson, 1993
 lyrnessa (Hewitson), 1874; Lycaena
 - - zembra Bálint & Johnson, 1993
 - patago (Mabille), 1889; Lycaena
 oligocyanea (Ureta), 1956; Irylos
 parana Bálint, 1993
 - - - griqua (Schaus), 1902, (H); Lycaena
 penai Bálint & Johnson, 1993
 plumbea (Butler), 1881; Scolitantides
 scintilla (Balletto), 1993; Cherchiella
 - - kinbote Bálint & Johnson, 1993
 + sibylla (Kirby), 1871; Cupido
 - - - sybilla (Draudt), [1921], 1917-1924, (ISS); Scolitantides
 - - - endymion (Blanchard), 1852, (H); Lycaena
 vera Bálint & Johnson, 1993

Pseudolycaena [Lyc:Lyc:The:Eum:Eumaeus]

- * marsyas (Linnaeus), 1758; Papilio
 - cybele (Godman & Salvin), 1896; Thecla
 - damo (H. Druce), 1875; Thecla
 - - dorcas (H. H. Druce), 1907; Thecla
 - nellyae Lamas, 1981

Pseudoneaveia [Lyc:Lyc:Lip:Lip:Epitola]

- * jacksoni Stempffer, 1964

Pseudonymphidia [Lyc:Rio:Rio:]

- * clearista (Butler), 1871; Eresis

Pseudophilotes [Lyc:Lyc:Pol:Pol:Glaucopsyche]

- abencerragus (Pierret), 1837; Argus
 - - - ab. elongata (Turati), 1927; Lycaena
 - - cavazzae (Romei), 1927; Scolitantides
 - - coloniarum (Turati), 1927; Lycaena
 - - - colonarium (Anonymus), 1929, (ISS); Lycaena
 - amelia (Hemming), 1927; Turania
 - famelica (Seitz), [1908], 1907-1921; Lycaena
 - mattonica Gómez Bustillo, 1982
 - nabataeus (Graves), 1925; Turania
 barbaggiae Prins & Poorten, 1982
 hylactor (Bergsträsser), [1779], 1778-1780; Papilio
 - - - anteschiffmulleri (Verity), 1936, 1936-1937; Turana
 - - - basitripuncta Courvoisier, 1912
 - - - basiunipuncta Courvoisier, 1912
 - - - costojuncta Courvoisier, 1912
 - - - ab. griseoviolaceus (Oberthür), 1896; Lycaena
 - - - ab. impunctata Skala, 1912
 - - - madrii (Verity), 1928, (RA); Turania
 - - - ab. minor Wheeler, 1903
 - - - ab. multipuncta (Courvoisier), 1910; Lycaena
 - - - ab. nana (Pionneau), 1931; Lycaena
 - - - ♀ f. nigra (Hannemann), 1929; Lycaena
 - - - retrojuncta (Courvoisier), 1912; Lycaena
 - - - ab. tripuncta Courvoisier, 1910
 - - - ab. unipuncta Courvoisier, 1910
 - - hylas ((Denis & Schiffmüller)), 1775, (H); Papilio
 - - - ab. argentea (Wahlgren), 1930; Polyommatus
 - - - hylus (Fabricius), 1787, (ISS); Papilio
 - - albonotata (de Sagarra y Castellamau), 1926; Scolitantides
 - - apicipunctata (Hannemann), 1931; Lycaena
 * - - baton (Bergsträsser), [1779], 1778-1780; Papilio
 - - - ♀ f. caerulea (Hannemann), 1929; Lycaena
 - - - claraesimilis (Verity), 1943, (IFS); Philotes
 - - - ab. costajuncta (Courvoisier), 1907; Lycaena
 - - - obscurata (Verity), 1919, 1919-1922, (IFS); Scolitantides
 - - - praecocior (Verity), 1919, 1919-1922, (IFS); Scolitantides
 - - - ♀ ab. rubripuncta (Courvoisier), 1913; Lycaena
 - - f. oicles (Darmehl), 1925; Lycaena
 - fuscomarginata (Beuret), 1957; Philotes
 - madrii Manley & Allcard, 1970
 - occidentalis (Hemming), 1929; Turanana

Pseudophilotes (*continued*)

- - - ab. orlaria (Ribbe), 1910, 1909-1912; Lycaena
 jacuticus Korshunov & Viidaleep, 1980
 panoptes (Hübner), [1813], 1796-1838; Papilio
 - - - ab. andalusica (Ribbe), 1910, 1909-1912; Lycaena
 sinaicus Nakamura, 1975
 vicrama (Moore), 1865; Polyommatus
 - astabene (Hemming), 1932; Scolitantides
 - - - clara (Staudinger), 1901, (H); Lycaena
 - - - clara (Christoph), 1887, (NN); Lycaena
 - cashmirensis (Moore), 1874; Scolitantides
 - panope (Eversmann), 1851; Lycaena
 - schiffmuelleri (Hemming), 1929; Turanana
 - - - ab. dahlstroemi Dietzel, 1991
 - - - postschiffmulleri (Verity), 1943, (IFS); Philotes

Pseudotajuria [Lyc:Lyc:The:Remelanini]

- * donatana (de Nicéville), [1889]; Tajuria
 - banguyana (Fruhstorfer), [1912]; Tajuria
 - bilara Okano & Okano, 1990
 - elaja (Fruhstorfer), [1912]; Tajuria
 - masara Osada, 1987
 - - - mansaka Okano & Okano, 1990, (ISS)

Pseudozizeeria [Lyc:Lyc:Pol:Pol:Zizeeria]

- * maha (Kollar), [1844]; Lycaena
 - - - kashikurai (Nakamura), 1931; Zizeeria
 - - - ab. kononis (Matsumura), 1926; Lycaena
 - - - ab. radiata (Courvoisier), 1920; Zizera
 - - marginata (Poujade), 1885, (H); Lycaena
 - - alboceruleus (Röber), [1886]; Plebeius
 - - alope (Fenton), [1882]; Lycaena
 - - chandala (Moore), 1865; Polyommatus
 - - dituta (Felder & Felder), 1865, 1865-1875; Lycaena
 - - japonica (Murray), 1874; Lycaena
 - - opalina (Poujade), 1885; Lycaena
 - - saishutonis (Matsumura), 1927; Zizera
 - - similis (Moore), 1878; Polyommatus
 - - squalida (Butler), 1879; Lycaena
 - - zera (Fawcett), 1904; Lycaena
 - - argia (Ménétriés), 1857, 1855-1857; Lycaena
 - - - ab. insolita (Wileman), 1911; Zephyrus
 - - harae (Matsumura), 1906; Lycaena
 - - okinawana (Matsumura), 1929; Zizera
 - - ossa (Swinhoe), 1885; Zizera
 - - sylvia (Nakahara), 1922; Zizera
 - - f. luculenta (Kurihara), 1943; Zizeeria
 - - f. oblongata (Kurihara), 1943; Zizeeria

Psychonotis [Lyc:Lyc:Pol:Pol:Danis]

- brownii (H. H. Druce & Bethune-Baker), 1893; Thysonotis
 * caelius (Felder & Felder), 1860; Lycaena
 - coelinus (Grose-Smith), 1898; Thysonotis
 - hanno (Grose-Smith), 1894; Thysonotis
 - - irregularis (Ribbe), 1899; Thysonotis
 - - moutoni (Ribbe), 1899; Thysonotis
 - korion (H. H. Druce & Bethune-Baker), 1893; Thysonotis
 - manusi (Rothschild), 1915; Thysonotis
 - mayae (d'Aberra), 1971; Danis
 - plateni (Grose-Smith & Kirby), 1896, 1887-1902; Thysonotis
 - plotinus (Grose-Smith & Kirby), 1894, 1887-1902; Thysonotis
 - - aetius (Fruhstorfer), 1915; Thysonotis
 - - salamandri MacLeay, 1866
 - - - macleayi (Semper), [1879]; Plebeius
 - - taletum Waterhouse & Lyell, 1914
 - - taygetus (Felder & Felder), 1865, 1865-1875; Lycaena
 - eudocia (H. H. Druce & Bethune-Baker), 1893; Thysonotis
 - - synesius (Fruhstorfer), 1915; Thysonotis
 - hebes (H. H. Druce), 1904; Thysonotis
 - hymetus (C. Felder), 1860; Thysonotis
 - - aryanus (Grose-Smith), 1895; Thysonotis
 - - kruera (H. H. Druce), 1891; Thysonotis

Psychonotis (*continued*)

- melane** (Joicey & Talbot), 1916; Thysonotis
- piepersii** (Snellen), 1878; Cupido
- - **sakitatus** (Ribbe), 1926; Thysonotis
- purpurea** (H. H. Druce), 1902; Una

Ptelina [Lyc:Lyc:Lip:Pen:Alaena]

- * **carnuta** (Hewitson), 1873; Pentila
- **parva** (Kirby), 1887; Liptena
- subhyalina** (Joicey & Talbot), 1921; Telipna

Pterographium [Lyc:Rio:Rio:Symmachiini]

- * **aphaniodes** Stichel, 1910
- - - - **aphanoides** d'Abrera, 1994, (ISS)

Ptox [Lyc:Lyc:Pol:Pol:Lycaenopsis]

- * **catreus** (de Nicéville), 1895; Cyaniris
- - **semoni** (Pagenstecher), 1895; Eupsychellus
- **galius** (Fruhstorfer), 1910; Cyaniris
- **hermelas** (Fruhstorfer), 1910; Cyaniris
- corythus** (de Nicéville), 1895; Cyaniris

Purlisa [Lyc:Lyc:The:Iol:Iolaus]

- * **giganteus** (Distant), 1881; Iolaus
- **borneana** Fruhstorfer, 1904

Quercusia [Lyc:Lyc:The:The:Thecla]

- * **quercus** (Linnaeus), 1758; Papilio
- - - - **ab. albivirgata** Oberthür, 1910
- - - - **ab. bellusimpunctus** (Tutt), 1907, 1905-1914; Bithys
- - - - **ab. bipunctatus** (Tutt), 1907, 1905-1914; Bithys
- - - - **ab. caeruleus** (Lempke), 1936; Zephyrus
- - - - **f. depuncta** (Lempke), 1955; Thecla
- - - - **ab. excessus** (Tutt), 1907, 1905-1914; Strymon
- - - - **f. infraflavomaculata** (Lempke), 1955; Thecla
- - - - **f. inframaculata** (Lempke), 1955; Thecla
- - - - **f. latefasciata** (Courvoisier), 1903; Zephyrus
- - - - **ab. nana** (Piomeau), 1931; Zephyrus
- - - - **ab. obsoleta** (Tutt), 1907, 1905-1914; Bithys
- - - - **ab. pallescens** (Tutt), 1907, 1905-1914; Bithys
- - **bellus** (Gerhard), 1853, 1850-1853; Thecla
- - **f. caerulea** (Schwingenschuss), 1953; Zephyrus
- - **epeus** (Sulzer), 1776; Papilio
- - **violacea** (Niepelt), 1914; Thecla
- **iberica** (Staudinger), 1901; Zephyrus
- **interjecta** (Verity), 1919, 1919-1922, (RA); Bithys
- **longicauda** (Riley), 1921; Zephyrus

Radissima [Lyc:Lyc:The:Eum:Eumaeus]

- catadupa** (Hewitson), [1869], 1863-1878; Thecla
- chaluma** (Schaus), 1902; Thecla
- curitabaensis** Johnson, 1992
- dinus** (Hewitson), [1867], 1863-1878; Thecla
- esolana** Johnson, 1992
- torresi** Le Crom & Johnson, 1993
- * **umbratus** (Geyer), [1837], 1832-1837; Sithon
- **colombiensis** Johnson, 1992
- **parthenia** (Hewitson), [1874], 1863-1878; Thecla
- - - - **parthenia** (Johnson & MacPherson & Ingraham), 1986, (ISS); Thecla

Rapala [Lyc:Lyc:The:Deu:Deudorix]

- abnormis** Elwes, [1893]
- **abusina** Fruhstorfer, [1912]
- arata** (Bremer), 1861; Thecla
- - - - **ab. luniger** (Seitz), [1908], 1907-1921; Deudorix
- - **coreacola** Matsumura, 1929
- - **ichnographia** (Butler), 1866; Thecla
- - **ogasawarae** Matsumura, 1919
- - **shakojiana** Matsumura, 1929
- - **suzukii** Matsumura, 1929
- - **var. trianthima** Matsumura, 1907
- - **tyriantima** (Butler), 1881; Thecla

Rapala (*continued*)

- **juliae** (Kardakoff), 1928; Deudorix
- arbaimuni** Takanami, 1992
- bomiensis** Lee, 1979
- caerulea** (Bremer & Grey), 1853; Thecla
- caerulescens** (Staudinger), 1889; Deudorix
- - **sthenas** Fruhstorfer, [1912]
- - **valeria** Fruhstorfer, [1912]
- cassidy** Takanami, 1992
- catena** South, 1913
- cowani** Corbet, 1939
- cyrhestica** Fruhstorfer, 1914
- damona** Swinhoe, 1890
- dienece** (Hewitson), [1878], 1863-1878; Deudorix
- - **drasmos** H. H. Druce, 1895
- **aurella** Fruhstorfer, [1912]
- **dazata** Fruhstorfer, [1912]
- **intermedius** (Staudinger), [1888], 1884-1888; Deudorix
- **mezetus** Fruhstorfer, [1912]
- **paradoxa** Riley, [1945]
- dioetas** Hewitson, [1863], 1863-1878
- - **affinis** (Röber), [1886]; Deudorix
- - **bangkaiensis** Ribbe, 1926
- - **noachis** Seitz, [1927], 1912-1927
- - **zylda** Seitz, [1926], 1912-1927
- diopites** (Hewitson), [1869], 1863-1878; Deudorix
- - - - **diopetes** d'Abrera, 1986, (ISS)
- **alcetas** (Staudinger), 1889; Deudorix
- **alcetina** Semper, 1887, 1886-1892
- - **ashinensis** Murayama & Okamura, 1973
- - **bandatara** Fruhstorfer, [1912]
- domitia** (Hewitson), [1863], 1863-1878; Deudorix
- **albapex** de Nicéville, 1897
- - - - **albaplex** d'Abrera, 1986, (ISS)
- **flemingi** Eliot, 1969
- elcia** (Hewitson), [1863], 1863-1878; Deudorix
- **intermedia** Ollenbach, 1921, (H)
- **nicevillei** Swinhoe, 1911, 1909-1913
- enipeus** (Staudinger), [1888], 1884-1888; Deudorix
- - **bonthainensis** Ribbe, 1926
- - **cindy** d'Abrera, 1986
- - **toliensis** Ribbe, 1926
- extensa** Evans, 1926
- hades** (de Nicéville), 1895; Hysudra
- hinomaru** Fujioka, 1970
- + **iabus** (Fabricius), 1787; Papilio
- - - - **ab. chondong** Cowan, 1956
- - - - **iabus** Hemming, 1967, (ISS)
- + - - - **melampus** (Stoll), [1783], 1780-1790, (H); Papilio
- - **ocerta** Fruhstorfer, [1912]
- **dekaiarachus** Fruhstorfer, [1912]
- - - - **yabala** Fruhstorfer, 1914, (IFS)
- **menaichus** Fruhstorfer, [1912]
- **sorya** (Kollar), [1844]; Thecla
- lankana** (Moore), 1879; Deudorix
- manea** (Hewitson), [1863], 1863-1878; Deudorix
- **asikana** Fruhstorfer, [1912]
- **baweanica** Fruhstorfer, [1912]
- **chozeba** (Hewitson), [1863], 1863-1878; Deudorix
- **enganica** Fruhstorfer, [1912]
- **ingana** Fruhstorfer, [1912]
- **lombokiana** Fruhstorfer, [1912]
- **nemana** Semper, 1887, 1886-1892
- **philippensis** Fruhstorfer, [1912]
- **satelliticus** Kalis, 1933
- **schistacea** (Moore), 1879; Deudorix
- masara** Osada, 1987
- nemorensis** Oberthür, 1914
- + **nissa** (Kollar), [1844]; Thecla
- - - - **ab. maculata** Seitz, [1908], 1907-1921
- - **f. formosanelia** Matsumura, 1929

Rapala (continued)

- - - formosana Matsumura, 1919, (H)
- hirayamana Matsumura, 1926
- - - mushana Matsumura, 1935
- micans (Bremer & Grey), 1853; Thecla
- - - - ab. *cismona* Fruhstorfer, [1912]
- - - betuloides (Blanchard), 1871; Thecla
- - - nissoides Swinhoe, 1915
- - - odosia Fruhstorfer, [1912]
- pahangana Pendlebury & Corbet, 1933
- palamera Fruhstorfer, [1912]
- - - ranta Swinhoe, 1897
- - - - bifida Cantlie, 1959, (IFS)
- - - tacola Fruhstorfer, 1914
- pheretima (Hewitson), [1863], 1863-1878; Deudorix
- + - petosiris (Hewitson), [1863], 1863-1878; Deudorix
- - - sakaia Fruhstorfer, [1912]
- - - sequiera (Distant), 1885, 1882-1886; Deudorix
- - - - sequaira Seitz, [1926], 1912-1927, (ISS)
- - - guevara Fruhstorfer, [1912]
- - - utimutis (Distant), 1885, 1882-1886; Deudorix
- - - tiomana Eliot, 1978
- - - quevara Fruhstorfer, [1912]
- - - rectivitta (Moore), 1879; Deudorix
- - - buxaria de Nicéville, [1889]
- - - subpurpurea Leech, 1890
- - - refulgens de Nicéville, 1891
- - - repercussa Leech, 1890
- - - - ab. *nebulifer* Seitz, [1908], 1907-1921
- - - sylvana (Oberthür), 1914; Deudorix
- - - rhoda de Nicéville, [1896]
- - - sarata Fruhstorfer, 1914
- - - rhodopis de Nicéville, [1896]
- - - rhoecus de Nicéville, 1895
- - - melida Fruhstorfer, [1912]
- - - - zamona Fruhstorfer, [1912]
- - - vajana Corbet, 1940
- - - ribbei (Röber), [1886]; Deudorix
- - - colossus Ribbe, 1926
- - - rosacea de Nicéville, [1889]
- - - rubida Tyler, 1926
- - - - rosacea (Tyler), 1915, (H); Virachola
- - - scintilla de Nicéville, 1890
- - - renata Fruhstorfer, [1912]
- - - beluta Fruhstorfer, [1912]
- + - selira (Moore), 1874; Deudorix
- - - roana Fruhstorfer, 1916
- - - suffusa (Moore), [1879]; Deudorix
- - - rubicunda Evans, 1925
- - - - testa Swinhoe, 1897
- - - - pengata Fruhstorfer, [1912], (PS)
- - - anabasis (Staudinger), 1889; Deudorix
- - - barthema (Distant), 1885, 1882-1886; Deudorix
- - - litunia Fruhstorfer, [1912]
- - - catulus Fruhstorfer, [1912]
- - - laima H. H. Druce, 1895
- - - praxeas Fruhstorfer, 1914
- - - takasagonis Matsumura, 1929
- - - tara de Nicéville, [1889]
- - - francesca Swinhoe, 1911, 1909-1913
- - - tomokoae Hayashi & Schröder & Treadaway, 1978
- - - bilara Okano & Okano, 1990
- - - takanamii Hayashi, 1984
- * - - varuna (Horsfield), [1829], 1828-1829; Thecla
- - - - zulkarna Seitz, [1927], 1912-1927
- - - - ambasa Fruhstorfer, [1912]
- - - - arima Fruhstorfer, [1912]
- - - - batilma Fruhstorfer, [1912]
- - - - elathea Seitz, [1927], 1912-1927
- - - - formosana Fruhstorfer, [1912]
- - - - - ab. *kuraruna* Umeno, 1936

Rapala (continued)

- - - horishana Matsumura, 1919
- - - grisea (Moore), 1879; Deudorix
- - - guineensis Staudinger, 1889
- - - lazulina (Moore), 1879; Deudorix
- - - nada Fruhstorfer, [1912]
- - - olivia H. H. Druce, 1895
- - - orseis (Hewitson), [1863], 1863-1878; Deudorix
- - - gebenia Fruhstorfer, 1914
- - - - gabenia Cantlie, 1963, (ISS)
- - - phranga (Hewitson), [1863], 1863-1878; Deudorix
- - - phrangida Fruhstorfer, [1912]
- - - rogersi Swinhoe, 1911, 1909-1913
- - - sagata Fruhstorfer, [1912]
- - - saha Fruhstorfer, [1912]
- - - simsoni (Miskin), 1874; Deudorix
- - - xenophon (Fabricius), 1793, 1792-1799; Hesperia
- - - - xenophou (Kirby), 1871, (ISS); Deudorix

Rathinda [Lyc:Lyc:The:Horagini]

- * - - amor (Fabricius), 1775; Papilio
- - - triopas (Stoll), [1780], 1780-1790; Papilio

Ravenna [Lyc:Lyc:The:The:Thecla]

- - - kwangtungensis (Forster), 1942; Zephyrus
- - - - kwantungensis Shirözu & Yamamoto, 1956, (ISS)
- - - hainana Koiwaya, 1993
- * - - niveus (Nire), 1920; Zephyrus

Rekoa [Lyc:Lyc:The:Eum:Thereus]

- + - - bourkei (Kaye), [1925]; Thecla
- - - abeja (Johnson & Manusik), 1988; Heterosmaitia
- - - cupentus (Stoll), [1781], 1780-1790; Papilio
- - - annulatus (Gmelin), [1790]; Papilio
- - - lyde (Godman & Salvin), [1887], 1879-1901; Thecla
- - - malina (Hewitson), [1867], 1863-1878; Thecla
- - - phrynisca (Burmeister), 1878; Thecla
- - - marius (Lucas), 1857; Thecla
- - - brescia (Hewitson), 1868; Thecla
- - - ericusa (Hewitson), [1867], 1863-1878; Thecla
- - - spurina (Hewitson), [1867], 1863-1878; Thecla
- - - voconia (Hewitson), [1869], 1863-1878; Thecla
- * - - meton (Cramer), [1779], 1775-1790; Papilio
- - - augustus (Fabricius), 1793, 1792-1799; Hesperia
- - - metus (Hübner), [1819], 1816-1826; Mithras
- - - palegon (Cramer), [1780], 1775-1790; Papilio
- - - cyrriana (Hewitson), 1874; Thecla
- - - juicha (Reakit), [1867], 1866-1867; Thecla
- - - - juica Dallas, 1868, (ISS)
- - - myrtilus (Stoll), [1782], 1780-1790; Papilio
- - - - mytilus (Godman & Salvin), [1887], 1879-1901, (ISS); Thecla
- - - ulia (Dyar), 1913; Thecla
- - - stagira (Hewitson), [1867], 1863-1878; Thecla
- - - carioca (Ebert), 1965; Thecla
- - - erenea (Hewitson), [1867], 1863-1878; Thecla
- - - lydia (Kirby), 1871; Thecla
- - - timaea (Hewitson), [1869], 1863-1878, (H); Thecla
- - - thoana (Hewitson), [1874], 1863-1878; Thecla
- - - volana (Hewitson), [1869], 1863-1878; Thecla
- - - zebina (Hewitson), [1869], 1863-1878; Thecla
- - - guadala (Schaus), 1902; Thecla
- - - orses (Godman & Salvin), [1887], 1879-1901; Thecla

Remelana [Lyc:Lyc:The:Remelanini]

- - - davisii Jumalon, 1975
- - - fulminans Schröder & Treadaway, 1978
- - - negrosensis Okano & Okano, 1990
- - - noeli Treadaway & Nuyda, 1993
- * - - jangala (Horsfield), [1829], 1828-1829; Amblypodia
- - - andamanica (Wood-Mason & de Nicéville), 1881; Sithon
- - - baweana (Fruhstorfer), 1907; Sithon

Remelana (*continued*)

- *bella* (Fruhstorfer), 1907, (IFS); Sithon
- *centa* (Fruhstorfer), 1907; Sithon
- *erna* (Fruhstorfer), 1907; Sithon
- *esra* (Fruhstorfer), 1907; Sithon
- *huberta* (Fruhstorfer), 1907; Sithon
- *mudra* (Fruhstorfer), 1907; Sithon
- *orsolina* (Hewitson), [1865], 1863-1878; Myrina
- - *minima* (Ribbe), 1926; Tajuria
- *ravata* (Moore), [1866]; Myrina
- - - *phaedra* (Fruhstorfer), 1907, (IFS); Sithon
- *travana* (Hewitson), [1865], 1863-1878; Myrina
- - *hainanensis* (Joicey & Talbot), 1922; Tajuria
- *westermanni* (Felder & Felder), 1865, 1865-1875; Dipsas

Reversustus [Lyc:Lyc:The:Eum:Eumaeus]

- assuensis* Johnson, 1991
- * *puppius* (Godman & Salvin), [1887], 1879-1901; Thecla

Rhamma [Lyc:Lyc:The:Eum:Eumaeus]

- adunca* (Draudt), [1919], 1917-1924; Thecla
- amethystina* (Hayward), 1949; Thecla
- argenta* Johnson, 1992
- arria* (Hewitson), 1870, 1869-1877; Thecla
- aurugo* (Draudt), [1919], 1917-1924; Thecla
- austoxida* Johnson, 1992
- - - *ausloxida* Anonymous, 1992, (ISS)
- bilix* (Draudt), [1919], 1917-1924; Thecla
- cassidy* Johnson & Adams, 1993
- catamarca* Johnson, 1992
- chilensis* Johnson, 1992
- comstocki* Johnson, 1992
- creara* Johnson, 1992
- cuchoensis* Johnson, 1992
- disjuncta* Johnson, 1992
- duplicata* Johnson, 1992
- hybla* (H. H. Druce), 1907; Thecla
- inexpectata* Johnson, 1992
- magenta* Johnson, 1992
- mirma* (Hewitson), [1878], 1863-1878; Thecla
- mishma* (Hewitson), [1878], 1863-1878; Thecla
- nigrasarotina* Johnson, 1992
- * *oxida* (Hewitson), 1870, 1869-1877; Thecla
- roberti* Johnson, 1992
- sabula* Johnson, 1992
- sarotiana* Johnson, 1992
- tarma* Johnson, 1992
- tyrrius* (H. H. Druce), 1907; Thecla

Rhetus [Lyc:Rio:Rio:Rio:Ancyluriti]

- arcus* (Linnaeus), 1763; Papilio
- - *butes* (Linnaeus), 1767; Papilio
- - *crameri* Swainson, [1833], 1829-1833
- - *licarsis* (Fabricius), 1777; Papilio
- * - - *rhetus* (Cramer), [1775], 1775-1790; Papilio
- *amycus* Stichel, 1909
- *angustifascia* Lathy, 1932
- *beutelspacheri* (Llorente-Bousquets), 1988; Rethus
- *castigatus* Stichel, 1909
- *huana* (Saunders), [1859]; Erycina
- *pacificus* Stichel, 1924
- *thia* (Morisse), [1838]; Erycina
- arthurianus* (E. Sharpe), 1890; Diorina
- coerulans* Zikán, 1952
- dysonii* (Saunders), [1850]; Erycina
- *caligosus* Stichel, 1929
- *psecas* (Saunders), [1850]; Erycina
- - *laodamia* (Felder & Felder), 1862; Erycina
- - - *laodamia* (Felder & Felder), 1864, (ISS); Erycina
- - *oluros* (Fruhstorfer), 1907; Diorhina
- periander* (Cramer), [1777], 1775-1790; Papilio
- - *iphinoe* (Godart), [1824], 1819-1824; Erycina

Rhetus (*continued*)

- *eleusinus* Stichel, 1910
- + - *laonome* (Morisse), [1838]; Diorhina
- *naevianus* Stichel, 1910

Rhinelephas [Lyc:Lyc:Pol:Pol:Lycenopsis]

- arrhina* Toxopeus, 1928, 1927-1928
- * *cyanicornis* (Snellen), 1892; Lycaena
- - *pellax* (Fruhstorfer), 1910; Cyaniris
- *denkeri* Toxopeus, 1928, 1927-1928

Rindgea [Lyc:Lyc:The:Eum:Eumaeus]

- pyxix* Johnson, 1993
- * *umuarama* Johnson, 1993

Riodina [Lyc:Rio:Rio:Rio:Riodinita]

- lycisca* (Hewitson), [1852], 1852-1877; Limnas
- - *f. infirmata* Stichel, 1910
- - *f. refracta* Stichel, 1910
- lysismachus* Stichel, 1910
- lysippoides* Berg, 1882
- - *crioeus* Seitz, [1917], 1910-1924
- * *lysippus* (Linnaeus), 1758; Papilio
- - *erratica* Seitz, [1917], 1910-1924
- - *lysippe* (Hübner), [1831], 1808-1837; Erycina
- *lysias* Stichel, 1910
- *negrita* Seitz, [1917], 1910-1924
- lystratus* Burmeister, 1878
- - *pelta* (Schaus), 1902; Lymnas
- *luctus* Berg, 1896

Riodina (?) [Lyc:Rio:Rio:Rio:Riodinita]

- columbinia* (Strand), 1916, 1914-1916; Thecla

Riodinella [Fossil]

- * †*nympha* Durden & Rose, 1978

Ritira [Lyc:Lyc:The:Che:Cheritra]

- * *aurea* (H. Druce), 1873; Sithon
- - *panowa* (Fruhstorfer), 1914; Cheritra
- *cuprea* (Fruhstorfer), 1914; Cheritra
- *volumnia* (Fruhstorfer), [1912]; Cheritra

Rodinia [Lyc:Rio:Rio:Rio:Nymphidiini]

- barbouri* Bates, 1935
- * *calpharnia* (Saunders), [1850]; Erycina
- - - *calphurnia* (Kirby), 1871, (ISS); Eurycina
- delphinia* (Staudinger), [1887], 1884-1888; Eurycina
- - *vulnerata* Röber, 1923

Roerberella [Lyc:Rio:Rio:Emesini]

- * *calvus* (Staudinger), [1887], 1884-1888; Lemnias
- flocculus* Brévignon & Gallard, 1993
- gerres* (Thieme), 1907; Drepanula
- lencates* (Hewitson), [1875], 1852-1877; Lemnias

Rubrapterus [Lyc:Lyc:Pol:Pol:Glaucopsyche]

- * *bavius* (Eversmann), 1832; Scolitantides
- - - *ab. rothschildi* (Diószeghy), 1913; Lycaena
- - - *ab. vargai* (Diószeghy), 1913; Lycaena
- *egea* (Herrich-Schäffer), [1852], 1843-1856; Lycaena
- - *casimiri* (Hemming), 1932; Scolitantides
- - *macedonica* (Schulte), 1958; Philotes
- *eitschbergeri* (Koçak), 1975; Pseudophilotes
- *fatma* (Oberthür), 1890; Scolitantides
- *hungarica* (Diószeghy), 1913; Lycaena
- *onalpae* (Koçak), 1977; Pseudophilotes
- *vanicola* (Koçak), 1977; Pseudophilotes
- - - *varicola* (Anonymous), 1980, (ISS); Pseudophilotes

Rubroserrata [Lyc:Lyc:The:Eum:Eumaeus]

- arima* Johnson & Kroenlein, 1993
- cleon* (Fabricius), 1775; Papilio

Rubroserrata (*continued*)

- *ecbatana* (Hewitson), 1868; Thecla
- *gloriosa* Johnson & Kroenlein, 1993
- * *mathewi* (Hewitson), 1874; Thecla
- *punta* Johnson & Kroenlein, 1993
- *rubiferata* Johnson & Kroenlein, 1993
- *sesara* (Godman & Salvin), [1887], 1879-1901; Thecla

Rysops [Lyc:Lyc:Pol:Pol:Catochrysops]

- * *scintilla* (Mabille), 1877; Lycaena
- - *quadriocularis* (Saalmüller), 1884; Lycaena

Sahulana [Lyc:Lyc:Pol:Pol:Theclinesthes]

- * *scintillata* (Lucas), 1889; Lycaena

Saugusozephyrus [Lyc:Lyc:The:The:Thecla]

- * *atabyrius* (Oberthür), 1914; Zephyrus

Sancterila [Lyc:Lyc:Pol:Pol:Lycaenopsis]

- * *deliciosa* (Pagenstecher), 1896; Cupido
- *prattorum* Eliot & Kawazoé, 1983
- *russelli* Eliot & Kawazoé, 1983
- *sohmai* Eliot & Kawazoé, 1983

Sandia [Lyc:Lyc:The:Eum:Eumaeus]

- * *mcfarlandi* (Ehrlich & Clench), 1960; Callophrys
- - - *macfarlandi* dos Passos, 1964, (UE)
- *madreoriente* Johnson, 1988
- *scaphia* (Clench), 1981; Callophrys
- + *xami* (Reakirt), [1867], 1866-1867; Thecla
- *blenina* (Hewitson), 1868; Thecla
- *texami* (Clench), 1981; Callophrys

Saribia [Lyc:Rio:Nem:Abisarini]

- *decaryi* (Le Cerf), 1922; Abisara
- *perroti* Riley, 1932
- *fiana* Riley, 1932
- *ochracea* Riley, 1932
- * *tepahi* (Boisduval), 1833; Emesis

Sarota [Lyc:Rio:Rio:Sarotini]

- *acanthoides* (Herrich-Schäffer), [1853], 1850-1869; Nymphidium
- *myrtea* Godman & Salvin, [1886], 1879-1901
- *spicata* (Staudinger), [1888], 1884-1888; Anteros
- *acantus* (Stoll), [1782], 1780-1790; Papilio
- *flavincta* (Lathy), 1932; Charis
- * *chrysus* (Stoll), [1782], 1780-1790; Papilio
- - - - *polypoecila* (Stichel), 1910, (IFS); Charis
- - *dematria* (Westwood), [1851], 1846-1852; Helicopsis
- - *neglecta* (Stichel), 1910; Charis
- - - - *f. alacer* (Stichel), 1929; Charis
- - *polypoecila* (Stichel), 1910; Charis
- *craspediodonta* (Dyar), 1918; Charis
- *estrada* Schaus, 1928
- *gamella* Godman & Salvin, [1886], 1879-1901
- *gyas* (Cramer), [1775], 1775-1790; Papilio
- - - - *lasciva* (Stichel), 1910; Charis
- *psaros* Godman & Salvin, [1886], 1879-1901
- *albidisca* (Lathy), 1932; Charis
- *psaronius* (Stichel), 1911; Saribia
- *subtessellata* (Schaus), 1913; Charis
- *turrialbensis* (Schaus), 1913; Charis

Sarracenota [Lyc:Lyc:The:Eum:Eumaeus]

- *gabina* (Godman & Salvin), [1887], 1879-1901; Thecla
- *myron* (Godman & Salvin), [1887], 1879-1901; Thecla
- *oleris* (H. H. Druce), 1907; Thecla
- * *opisena* (H. H. Druce), 1912; Thecla
- - - - *opisina* (Johnson & MacPherson & Ingraham), 1986, (ISS); Thecla

Satyrium [Lyc:Lyc:The:Eum:Eumaeus]

- *abdominalis* (Gerhard), 1850, 1850-1853; Thecla
- *alboabdominalis* (Pfeiffer), 1938; Thecla
- + *acaciae* (Fabricius), 1787; Papilio
- - - - *beccarii* (Verity), 1904, (IFS); Thecla
- - - - *ialica* (Verity), 1919, 1919-1922, (RA); Thecla
- - *fumosa* (de Sagarra y Castellamau), 1926; Strymon
- - *gerhardi* (Staudinger), 1894; Thecla
- - *guichardi* (Higgins), 1965; Nordmannia
- *elta* (Higgins), 1964; Nordmannia
- *frigidior* (Verity), 1926, 1926-1933, (RA); Strymon
- *nostras* Courvoisier, 1913
- *persica* (Riley), 1939; Strymon
- *acadica* (Edwards), 1862; Thecla
- - - - *acadia* Brown & Eff & Rotger, 1955, (ISS)
- - - - *ab. muskoka* (Watson & Comstock), 1920; Strymon
- - - - *ab. swetti* (Watson & Comstock), 1920; Strymon
- - *souhegan* (Whitney), 1868; Thecla
- - - - *souhegon* (McDunnough), 1938, (ISS); Strymon
- *coolinensis* (Watson & Comstock), 1920; Strymon
- *montanensis* (Watson & Comstock), 1920; Strymon
- *watrini* (Dufrane), 1939; Thecla
- *auretorum* (Boisduval), 1852; Thecla
- - *tacita* (H. Edwards), 1881; Thecla
- *fumosum* Emmel & Mattoni, 1990
- *spadix* (H. Edwards), 1881; Thecla
- *austrinus* (Murayama), 1943; Strymon
- + *behrii* (Edwards), 1870; Thecla
- - - - *ab. nigroinua* (Gunder), 1924; Callipsyche
- - *kali* (Strecker), [1878], 1872-1900; Thecla
- *columbia* (McDunnough), 1944; Callipsyche
- *crossi* (Field), 1938; Callipsyche
- *calanus* (Hübner), [1809], 1806-1838; Rusticus
- - *wittfeldii* (Edwards), 1883; Thecla
- *albidus* Scott, 1981
- - - - *heathi* Scott, 1986, (IFS)
- *falacer* (Godart), [1824], 1819-1824; Polyommatus
- - *borealis* (Lafontaine), 1969; Strymon
- - - - *boreale* (Lafontaine), 1970, (ISS); Strymon
- - *heathii* (Fletcher), [1904]; Thecla
- - *inorata* (Grote & Robinson), 1868; Thecla
- - - - *inornata* Miller & Brown, 1981, (ISS)
- - *lorata* (Grote & Robinson), 1867; Thecla
- *godarti* (Field), 1938; Strymon
- *californica* (Edwards), 1862; Thecla
- - *borus* (Boisduval), 1869, 1868-1869; Thecla
- - *cygnus* (Edwards), [1871]; Thecla
- - - - *cygnus* (Scudder), 1876, (ISS); Thecla
- *caryaeorus* (McDunnough), 1942; Strymon
- *dejeani* (Riley), 1939; Strymon
- *dryope* (Edwards), 1870; Thecla
- *edwardsii* (Grote & Robinson), 1867; Thecla
- - - - *fabricii* (Kirby), 1871, (NN & PS); Thecla
- *esakii* (Shirôzu), 1941; Strymon
- *esculi* (Hübner), [1819], 1816-1826; Strymon
- - - - *alborecessa* (Verity), 1943, (IFS); Strymon
- - - - *ab. auronius* (Seitz), [1908], 1907-1921; Thecla
- - - - *ab. graslini* Oberthür, 1910
- - - - *privata* (Courvoisier), 1911, 1910-1911; Thecla
- - *aesculi* Ochseneimer, 1807, 1807-1835
- - *fulvomaculata* (Beuret), 1950; Strymon
- - *neglecta* (de Sagarra y Castellamau), 1926; Strymon
- - *powellii* Oberthür, 1910
- - *pseudoaesculi* (Bryk), 1940; Strymon
- *camboi* (de Sagarra y Castellamau), 1926; Strymon
- *ilicioides* (Gerhard), 1853, 1850-1853; Thecla
- *mauretana* (Staudinger), 1892; Thecla
- + *eximia* (Fixsen), 1887; Thecla
- - - *affinis* (Staudinger), 1892, (H); Thecla
- - *fixseni* (Leech), [1893], 1893-1894; Thecla
- *mushana* (Matsumura), 1929; Thecla

Satyrium (continued)

- formosana* (Matsumura), 1910; Thecla
 * *fuliginosa* (Edwards), 1861; Lycaena
 - - - *ab. immaculata* Gunder, 1927
 - - *suasa* (Boisduval), 1869, 1868-1869; Lycaena
 - *semiluna* Klots, 1930
grandis (Felder & Felder), 1862; Thecla
 - - *eretria* (Hewitson), [1867], 1863-1878; Thecla
ilicis (Esper), [1779], 1776-1830; Papilio
 - - - - *acaciaeformis* (Verity), 1914, (IFS); Thecla
 - - - - *ab. albosparsa* Oberthür, 1910
 - - - - *ab. alineata* (Rostagno), 1905; Thecla
 - - - - *alineata* (Verity), 1919, 1919-1922, (IFS & H); Thecla
 - - - - *ab. bialbolineata* Oberthür, 1910
 - - - - *ab. delineata* (Klomensiewicz), 1902; Thecla
 - - - - *incruentus* (Martin), 1922, (NN); Thecla
 - - - - *f. infrabrunnea* (Lempke), 1955; Strymonidia
 - - - - *f. infraflavomaculata* (Lempke), 1955; Strymonidia
 - - - - *f. infrapallida* (Lempke), 1955; Strymonidia
 - - - - *latefasciata* (Costantini), 1916, (IFS); Thecla
 - - - - *ab. latifasciata* Rebel, 1909
 - - - - *ab. minor* Lambillion, 1902
 - - - - *f. nigrosignata* (Lempke), 1955; Strymonidia
 - - - - *f. ornata* (Lempke), 1955; Strymonidia
 - - - - *f. pallidamaculata* (Lempke), 1955; Strymonidia
 - - - - *ab. pseudomas* (Lempke), 1936; Strymon
 - - - *lynceus* (Fabricius), 1787, (H); Papilio
 - - *burdigalensis* (Pionneau), 1937; Thecla
 - - *caudatula* (Zeller), 1847; Thecla
 - - *f. cerroides* (Latin & Jöst & Roessler), 1957, 1957-1964; Strymonidia
 - - *cilicica* Holtz, 1897
 - - *florii* (Verity), 1943, (RA); Strymon
 - - *fountainae* (Aigner-Abafi), 1906; Thecla
 - - *inornata* (Verity), 1911, (RA); Thecla
 - - *maculatus* (Gerhard), 1853, 1850-1853; Thecla
 - - *prinoptas* (Zemy), 1932; Thecla
 - - *syra* (Pfeiffer), 1932; Thecla
 - *bischoffii* (Gerhard), 1853, 1850-1853; Thecla
 - *cerri* (Hübner), [1824], 1796-1838; Papilio
 - - - - *ab. aurea* (Stauder), 1915; Thecla
 - *inalpina* (Verity), 1911, (RA); Thecla
 - *zabni* van Oorschot & van den Brink, 1991
inflammata (Alphéraky), 1889; Thecla
inouei (Shirôzu), 1959; Strymonidia
jebelia (Nakamura), 1975; Strymonidia
kingi (Klots & Clench), 1952; Strymon
kongmingi Murayama, 1992
lais (Leech), [1893], 1893-1894; Thecla
liparops (Boisduval & Le Conte), [1833], 1829-1837; Thecla
 - *aliparops* (Michener & dos Passos), 1942; Strymon
 - *fletcheri* (Michener & dos Passos), 1942; Strymon
 - - - *liparops* Fletcher, [1904], (H)
 - *strigosa* (Harris), 1862; Thecla
 - - - - *ab. pruina* (Scudder), 1889, 1888-1889; Thecla
 + *lunulata* (Erschoff), 1874; Thecla
 - *acaudata* (Staudinger), 1901; Thecla
mackwoodi (Evans), 1914; Thecla
 - - *saitua* (Tytler), 1915; Thecla
marcidus (Riley), 1921; Strymon
 - *maradinus* van Oorschot & van den Brink & van Oorschot, 1985
mera (Janson), 1877; Thecla
 - *ibukiensis* (Fuzo & Murayama), 1990; Strymonidea
minshanicum Murayama, 1992
 + *myrtale* (Klug), 1834, 1829-1845; Lycaena
 - *armena* (Rebel), 1901; Thecla
neoximia Murayama, 1992
oenone (Leech), [1893], 1893-1894; Thecla
ornata (Leech), 1890; Thecla
patrius (Leech), 1891; Thecla

Satyrium (continued)

- percomis* (Leech), [1893], 1893-1894; Thecla
persimilis (Riley), 1939; Strymon
prunoides (Staudinger), 1887; Thecla
 - - - - *f. fulva* (Fixsen), 1887; Thecla
 - - - - *f. fulvofenestrata* (Fixsen), 1887; Thecla
pseudopruni Murayama, 1992
rubicundula (Leech), 1890; Thecla
runides (Zhdanko), 1990; Nordmannia
saepium (Boisduval), 1852; Thecla
 - - - - *fulvescens* (H. Edwards), [1877], (IFS); Thecla
 - - - - *sepium* (Kirby), [1880], (ISS); Thecla
 - - - - *soepium* dos Passos, 1970, (ISS)
 - - *chaicis* (Edwards), [1869]; Thecla
 - - *chlorophora* (Watson & Comstock), 1920; Strymon
 - - *provo* (Watson & Comstock), 1920; Strymon
 + *okanagana* (McDumough), 1944; Strymon
 + *sassanides* (Kollar), [1849]; Thecla
 - - *deria* (Moore), 1865; Thecla
 - - *mirabilis* (Erschoff), 1874; Thecla
sigunliangshanicum Murayama, 1992
 + *spini* (Idem & Schiffermüller), 1775; Papilio
 - - - - *ab. alboextensa* (Pether), 1927; Strymon
 - - - - *ab. albosparsa* Oberthür, 1910
 - - - - *anticofulvomaculata* (Verity), 1943, (IFS); Strymon
 - - - - *ab. argenteopunctata* (Pether), 1927; Strymon
 - - - - *ab. deleta* Rebel, 1909
 - - - - *f. elongata* Vorbrodt, 1912
 - - - - *ab. erythrophoba* Bubáček, 1924
 - - - - *ab. excessa* (Pether), 1927; Strymon
 - - - - *fuscaextensa* (Pether), 1927; Strymon
 - - - - *f. latefasciata* (Courvoisier), 1903; Thecla
 - - - - *f. latifasciata* Rebel, 1909
 - - - - *ab. lutescens* (Pether), 1927; Strymon
 - - - - *ab. major* (Oberthür), 1910; Thecla
 - - - - *major* (Rühl), 1893, 1892-1893; Thecla
 - - - - *ab. minor* Lambillion, 1902
 - - - - *minuta* (Verity), 1919, 1919-1922, (RA); Thecla
 - - - - *ab. modesta* (Schultz), 1908; Thecla
 - - - - *f. multiconfluens* Vorbrodt, 1912
 - - - - *f. radiata* Vorbrodt, 1912
 - - - - *ab. spinoides* (Schultz), 1908; Thecla
 - - *cerasi* (Herbst), 1804, 1788-1804, (H); Papilio
 - - *lynceus* (Esper), [1778], 1776-1830, (H); Papilio
 - - *lynceus* (Hübner), [1813], 1796-1838, (H); Papilio
 - - *brevicaudis* Vorbrodt, 1912
 - *anatolicus* (Latin), 1950; Strymon
 - *bofilli* (de Sagarra y Castellamau), 1924; Strymon
 - *latior* (Fixsen), 1887; Thecla
 - *leonensis* Manley, 1970
 - - - - *f. extrema* Manley, 1970
 - *melantho* (Klug), 1834, 1829-1845; Lycaena
 - *vandalusica* (Lederer), 1852; Thecla
sylvinus (Boisduval), 1852; Thecla
 - *desertorum* (Grinnell), 1917; Strymon
 - *itys* (Edwards), 1882; Thecla
 - *putnami* (H. Edwards), 1877; Thecla
 - - - - *putnami* (Brown & Eff & Rotger), 1955, (ISS); Strymon
 - - - - *putnami* (Scudder), 1876, (NN); Thecla
tanakai (Shirôzu), 1941; Strymon
tetra (Edwards), 1870; Thecla
 - - *adenostomatis* (H. Edwards), 1877; Thecla
 - - - - *adenostoma* Scudder, 1876, (ISS)
 + *w-album* (Knoch), 1782, 1781-1783; Papilio
 - - - - *ab. albinoclia* (Goodson), 1959; Strymonidia
 - - - - *ab. albovirgata* Tutt, 1896
 - - - - *f. latefasciata* Courvoisier, 1911, 1910-1911
 - - - - *var. meridionalis* Rebel, 1909
 - - - - *ab. minor* (Pionneau), 1927; Thecla
 - - - - *ab. rufextensa* (Goodson), 1959; Strymonidia
 - - - - *ab. semialbovirgata* Tutt, 1896

Satyrium (*continued*)

- - *butlerowi* (Krulikovskii), 1890; Lycaena
- - *cerasi* (Fabricius), 1787; Papilio
- - *majuscula* Jachontov, 1911
- - *w-latinum* (Lang), 1789; Papilio
- *fentoni* (Butler), [1882]; Strymon
- *sutschani* (Tutt), 1907, 1905-1914; Ruralis

Satyrium (?) [Lyc:Lyc:The:Eum:Eumaeus]

- aenone* (Leech), [1893], 1893-1894; Thecla
- v-album* (Oberthür), 1886; Thecla

Satyrium (**Neolycaena**) [Lyc:Lyc:The:Eum:Eumaeus]

- connae* (Evans), 1932; Neolycaena
- eckweileri* (Lukhtanov), 1993; Neolycaena
- *transiliensis* (Lukhtanov), 1993; Neolycaena
- falkovitskii* (Zhdanko & Korshunov), 1985; Neolycaena
- * *sinensis* (Alphéraky), 1881; Lycaena
- *pretiosa* (Lang), 1884; Lycaena
- - - *pretiosa* (Staudinger), 1886, 1886-1889, (H); Lycaena
- yiliensis* Huang & Murayama, 1992

Satyrium (**Rhymnaria**) [Lyc:Lyc:The:Eum:Eumaeus]

- dauidi* Oberthür, 1881
- * *rhymnus* (Eversmann), 1832; Lycaena
- tengstroemi* (Erschoff), 1874; Lycaena
- - *tangutica* (Grum-Grshimailo), 1891; Lycaena
- *carbonaria* (Grum-Grshimailo), 1890; Lycaena
- *iliensis* (Grum-Grshimailo), 1891; Lycaena
- *kasahkstana* (Lukhtanov), 1990; Neolycaena

Scolitantides [Lyc:Lyc:Pol:Pol:Glaucopsyche]

- * *orion* (Pallas), 1771; Papilio
- - - - *ab. arcuata* (Courvoisier), 1903; Lycaena
- - - - *arcuata* (Courvoisier), 1910, 1910-1911; Lycaena
- - - - *ab. caeca* (Zülllich), 1929; Lycaena
- - - - *confluentiasimplex* Courvoisier, 1912
- - - - *ab. costajuncta* (Courvoisier), 1907; Lycaena
- - - - *ab. costajuncta* (Courvoisier), 1911, 1910-1911; Lycaena
- - - - *ab. czernyi* Diószeghy, 1912
- - - - *discoelongata* (Courvoisier), 1911, 1910-1911; Lycaena
- - - - *elongata* (Courvoisier), 1910, 1910-1911; Lycaena
- - - - *multiconfluens* Metschl & Sälzl, 1923
- - - - ♀ *ab. rubrifasciata* (Courvoisier), 1913; Lycaena
- - - - *ab. semiarctuata* (Courvoisier), 1903; Lycaena
- - - - *ab. semiarctuata* Courvoisier, 1912
- - - - *ab. striata* Schultz, 1906
- - - - *ultraornata* Verity, 1937, 1937-1938, (RA)
- - *athene* (Hemming), 1934; Scolitantides
- - *ornata* (Staudinger), 1892, (H); Lycaena
- *battus* (IDenis & Schiffermüller), 1775; Papilio
- - *f. dageletensis* (Seok), 1938; Lycaena
- *hecateus* (Drapier), 1819; Polyommatus
- - *jeholana* (Matsumura), 1939; Lycaena
- *jezoensis* (Matsumura), 1919; Lycaena
- - *nigra* (Gerhard), 1882; Lycaena
- - *orithya* (Grum-Grshimailo), 1891; Lycaena
- - *parvula* de Sagarra y Castellamau, 1926
- - *sedi* (Fabricius), 1781, 1781-1782; Papilio
- - *telephii* (Esper), [1778], 1776-1830; Papilio
- *johanseni* (Wnukowsky), 1934; Lycaena
- *matsumuranus* Bryk, 1946
- - - *coreana* (Matsumura), 1926, (H); Lycaena
- *nigricans* Trautmann, 1909
- - - - ♀ *f. menippe* (Fruhstorfer), 1910; Lycaena
- - - - *micrometioche* Verity, 1943, (RA)
- - *lariana* (Fruhstorfer), 1910; Lycaena
- - *metioche* (Fruhstorfer), 1910; Lycaena
- - - - *micrometioche* Verity, 1943, (IFS)
- *rosarioi* Motta & Lozares, 1976
- *sumptuosa* Beuret, 1938
- *tytleri* (Evans), 1924; Lycaena

Scolitantides (*continued*)

- *wahlgreni* Bryk, 1946

Semanga [Lyc:Lyc:The:Arh:Semanga]

- + *helena* (Röber), 1887; Keraunogramma
- * *superba* (H. Druce), 1873; Ilerda
- *deliciosa* Seitz, [1926], 1912-1927
- *gloriosa* Fruhstorfer, [1912]
- *siamensis* Talbot, 1936

Semomesia [Lyc:Rio:Rio:Mesoemiini]

- aetherea* Stichel, 1910
- alyattes* Zikán, 1952
- capanea* (Cramer), [1779], 1775-1790; Papilio
- - - - *capanaea* d'Abbrera, 1984, (ISS)
- - - - *iurgida* Stichel, 1919, (IFS)
- - *gneris* (Westwood), [1851], 1846-1852; Mesosemia
- *ionima* Stichel, 1910
- *maria* (Butler), 1877; Mesosemia
- *sodalis* Stichel, 1919
- * *croesus* (Fabricius), 1777; Papilio
- - *sylvicolens* (Butler), 1877; Mesosemia
- *lacrimosa* Stichel, 1915
- *meana* (Hewitson), [1858], 1852-1877; Mesosemia
- - *splendida* (Seitz), [1917], 1910-1924; Mesosemia
- *siccata* Stichel, 1919
- *trilineata* (Butler), 1874; Mesosemia
- *undosa* Stichel, 1919
- geminus* (Fabricius), 1793, 1792-1799; Hesperia
- - *coelestina* (Ménétriés), 1855, 1855-1857; Mesosemia
- macaris* (Hewitson), [1859], 1852-1877; Mesosemia
- marisa* (Hewitson), [1858], 1852-1877; Mesosemia
- - *gentilis* Stichel, 1915
- - *geometrica* Stichel, 1915
- - *semiatra* (Seitz), [1917], 1910-1924; Mesosemia
- *hewitsoni* Stichel, 1915
- tenella* Stichel, 1910
- *lucana* Stichel, 1924
- *optima* (Stichel), 1915; Mesosemia

Serratofalca [Lyc:Lyc:The:Eum:Eumaeus]

- callilegua* Johnson & Sourakov, 1993
- * *cerata* (Hewitson), [1877], 1863-1878; Thecla
- gorgoniensis* Johnson & Sourakov, 1993
- iguapensis* Johnson & Sourakov, 1993
- palumbes* (H. H. Druce), 1907; Thecla
- sasha* Johnson & Sourakov, 1993

Serratoterga [Lyc:Lyc:The:Eum:Eumaeus]

- * *larsoni* Johnson, 1991
- naka* (Field), 1967; Calystryma
- saopauloensis* Johnson, 1991

Setabis [Lyc:Rio:Rio:Nymphidiini]

- alcmæon* (Hewitson), [1876], 1852-1877; Aricoris
- *maia* (Godman), 1903; Aricoris
- amethystina* (Butler), [1867]; Aricoris
- buckleyi* (Grose-Smith), 1898; Aricoris
- cleomedes* (Hewitson), 1870; Aricoris
- - *inariella* (Strand), 1916, 1914-1916; Esthemopsis
- cruentata* (Butler), [1867]; Aricoris
- - *f. succina* (Rebillard), 1958; Aricoris
- *heliodora* (Staudinger), [1887], 1884-1888; Aricoris
- - - - *f. amania* (Rebillard), 1958, (IFS); Aricoris
- disparilis* (Bates), [1868]; Aricoris
- epilecta* (Stichel), 1910; Orimba
- epitus* (Cramer), [1780], 1775-1790; Papilio
- - - - ♀ *f. cephus* (Stichel), 1910, (IFS); Aricoris
- + - *arcas* (Herrich-Schäffer), [1853], 1850-1869; Orimba
- - *bias* (Fabricius), 1787; Papilio
- - *cataleuca* (Herrich-Schäffer), [1853], 1850-1869; Orimba
- - *cepha* (Fabricius), 1781, 1781-1782; Papilio

Setabis (*continued*)

- - *epigea* (Godart), [1824], 1819-1824; *Nymphalis*
- - *iaera* (Hübner), [1819], 1816-1826; *Hesperia*
- *epiphania* (Stichel), 1910; *Orimba*
- *paroemia* (Stichel), 1910; *Orimba*
- extensa* (Lathy), 1932; *Orimba*
- fassli* (Seitz), [1917], 1910-1924; *Aricoris*
- flammula* (Bates), [1868]; *Aricoris*
- helice* (Godman), 1903; *Aricoris*
- hippocrate* (Godman), 1903; *Aricoris*
- lagus* (Cramer), [1777], 1775-1790; *Papilio*
- - *inquinata* (Bates), [1868]; *Aricoris*
- - *petavia* (Felder & Felder), 1865, 1865-1875; *Aricoris*
- - *pherephatte* (Godart), [1824], 1819-1824; *Erycina*
- *cyanea* (Butler), [1867]; *Aricoris*
- - *butleri* (Bates), [1868]; *Aricoris*
- *jansoni* (Butler), 1870; *Aricoris*
- megalina* (Stichel), 1911; *Orimba*
- * *myrtis* (Westwood), [1851], 1846-1852; *Aricoris*
- - *pythia* (Hewitson), [1853], 1852-1877; *Lemonias*
- *gelasine* (Bates), [1868]; *Aricoris*
- phaedon* (Godman), 1903; *Aricoris*
- plagiaria* (Grose-Smith), 1901, 1887-1902; *Aricoris*
- preciosa* (Stichel), 1929; *Orimba*
- pythioides* (Butler), [1867]; *Aricoris*
- - - *f. amazona* (Stichel), 1929, (IFS); *Orimba*
- *striata* (H. H. Druce), 1904; *Aricoris*
- rhodinosa* (Stichel), 1911; *Orimba*
- salvini* (Staudinger), [1887], 1884-1888; *Aricoris*
- serica* (Westwood), [1851], 1846-1852; *Aricoris*
- staudingeri* (Stichel), 1925; *Orimba*
- + *tapaja* (Saunders), [1859]; *Necyria*
- - *f. atavus* (Rebillard), 1958; *Orimba*
- - *f. batesi* (Rebillard), 1958; *Orimba*
- - *f. heteropyga* (Rebillard), 1958; *Orimba*
- - *hewitsoni* (Kirby), 1896, 1894-1897; *Catagrammina*
- velutina* (Butler), [1867]; *Aricoris*
- - *hamatus* (Talbot), 1928; *Orimba*
- xanthodesma* (Stichel), 1928; *Orimba*

Shaanxiana [Lyc:Lyc:The:The:Thecla]

- pauper* Sugiyama, 1994
- * *takashimai* Koiwaya, 1993

Shapiroana [Lyc:Lyc:The:Eum:Eumaeus]

- aurifera* Johnson, 1992
- circe* Johnson, 1992
- herrerae* Johnson, 1992
- macphersoni* Johnson, 1992
- matusikorum* Johnson, 1992
- minissima* Johnson, 1992
- * *shapiroei* Johnson, 1992

Sheffieldia [Lyc:Lyc:Lip:Durbaniini]

- * *neavei* H. H. Druce, 1912
- *rhodesiae* (Pinhey), 1962; *Cooksonia*

Shijimia [Lyc:Lyc:Pol:Pol:Everes]

- lanty* (Oberthür), 1886; *Lycaena*
- *honei* (Forster), 1940; *Glaucopteryx*
- *patrocles* (Hemming), 1931; *Scolitantides*
- * *moorei* (Leech), 1889; *Lycaena*
- *insperatus* Kawazoé & Wakabayashi, 1976
- *taiwana* Matsumura, 1919

Shijimiaeoides [Lyc:Lyc:Pol:Pol:Glaucopteryx]

- divina* (Fixsen), 1887; *Lycaena*
- - *heijonis* (Matsumura), 1929; *Lycaena*
- * *barine* (Leech), [1893], 1893-1894; *Lycaena*
- - - *ab. punctialbae* (Yagi), 1922; *Lycaena*
- - *asonis* (Matsumura), 1929; *Lycaena*

Shirozua [Lyc:Lyc:The:The:Thecla]

- * *jonasi* (Janson), 1877; *Thecla*
- melpomene* (Leech), 1890; *Dipsas*

Sibataniozephyrus [Lyc:Lyc:The:The:Thecla]

- * *fujisanus* (Matsumura), 1910; *Zephyrus*
- - - *ab. yamamotoi* (Uchida), 1932; *Zephyrus*
- - *nohirae* (Matsumura), 1915; *Zephyrus*
- *latimarginata* (Murayama), 1963; *Quercusia*
- kuafui* Hsu & Lin, 1994

Siderus [Lyc:Lyc:The:Eum:Eumaeus]

- + *leucophaeus* (Hübner), [1818], 1808-1837; *Bithys*
- - *halala* (Hewitson), 1868; *Thecla*
- * - - *parvinotus* Kaye, 1904
- volupia* (Hewitson), [1874], 1863-1878; *Thecla*

Sidima [Lyc:Lyc:Pol:Pol:Lycaenopsis]

- amarylde* Eliot & Kawazoé, 1983
- * *idamis* (Fruhstorfer), [1917]; *Lycaenopsis*
- murayamai* Eliot & Kawazoé, 1983
- sulawesiana* Eliot & Kawazoé, 1983

Simiskina [Lyc:Lyc:Portiinae]

- pasira* (Moulton), [1912]; *Portia*
- pavonica* de Nicéville, 1895
- *veturia* (Fruhstorfer), [1912]; *Portia*
- + *pediada* (Hewitson), 1877; *Portia*
- *semperi* (Fruhstorfer), 1919; *Portia*
- phalena* (Hewitson), 1874; *Portia*
- - - *Q f. abisarina* (Fruhstorfer), [1912]; *Portia*
- - - *f. nox* Seki & Takanami & Otsuka, 1991
- - - *Q f. solyma* de Nicéville, 1894
- *graecia* (Fruhstorfer), 1919; *Portia*
- *harterti* (Doherty), 1889; *Massaga*
- *hayashii* Schröder & Treadaway, 1979
- *howarthi* Hayashi, 1976
- *ilagana* Osada & Hashimoto, 1987
- *javanica* (Fruhstorfer), [1912]; *Portia*
- *niasina* Fruhstorfer, [1899]
- phalia* (Hewitson), 1874; *Portia*
- - *binghami* (Fruhstorfer), [1912]; *Portia*
- - *chimara* (Fruhstorfer), 1919; *Portia*
- *morishitai* Hayashi, 1976
- *potina* (Hewitson), 1874; *Portia*
- * - - *fulgens* Distant, 1886
- *procotes* de Nicéville, 1895
- pharyge* (Hewitson), 1874; *Portia*
- *deolina* (Fruhstorfer), 1917; *Portia*
- pheretia* (Hewitson), 1874; *Portia*
- *bilitis* (Fruhstorfer), 1919; *Portia*
- *maina* (Fruhstorfer), 1917; *Portia*
- philura* (H. H. Druce), 1895; *Portia*
- *elioti* Corbet, 1940
- proxima* de Nicéville, 1895
- *dohertyi* Evans, 1925
- *moultoni* Corbet, 1940
- sibatika* Eliot, 1969

Sinia [Lyc:Lyc:Pol:Pol:Glaucopteryx]

- * *leechi* (Forster), 1940; *Glaucopteryx*

Sinthusia [Lyc:Lyc:The:Deu:Deudorix]

- aspra* Doherty, 1891
- chandrana* (Moore), 1882; *Hypolycaena*
- - - *ab. dichroa* Seitz, [1926], 1912-1927
- - - *ab. discolor* Seitz, [1926], 1912-1927
- - - *ab. stigma* Seitz, [1926], 1912-1927
- *cholonensis* (Murayama), 1967; *Deudorix*
- *grotei* (Moore), [1884]; *Hypolycaena*
- - - *Q f. albidus* Evans, 1925
- - - *Q f. rubidus* Evans, 1925
- *kuyaniana* (Matsumura), 1919; *Virachola*

Sinthusa (*continued*)

- - - - *kuyoniana* (d'Abrebra), 1986, (ISS); Deudorix
- *margala* Fruhstorfer, [1912]
- *sophonisbe* Fruhstorfer, [1912]
- indrasari** (Snellen), 1878; Deudoryx
- - - - *indrasiri* (d'Abrebra), 1986, (ISS); Hypothecla
- makikoae** Hayashi & Ohtsuka, 1985
- malika** (Horsfield), [1829], 1828-1829; Thecla
- *amata* Distant, 1886, 1882-1886
- *niasicola* Fruhstorfer, [1912]
- *valdarna* Seitz, [1927], 1912-1927
- *volva* Fruhstorfer, [1912]
- mindanensis** Hayashi & Schröder & Treadaway, 1978
- - - - *mindanaensis* d'Abrebra, 1986, (ISS)
- *stephaniae* Hayashi & Schröder & Treadaway, 1978
- *yoshiae* Hayashi, 1981
- * **nasaka** (Horsfield), [1829], 1828-1829; Thecla
- *amba* Kirby, 1878
- - *amboides* Elwes, [1893]
- - *obscurata* Fruhstorfer, [1912]
- *fulva* Riley, [1945]
- *ogatai* Hayashi, 1976
- *pallidior* Fruhstorfer, [1912]
- natsumiae** Hayashi, 1979
- *ondai* Takanami, 1982
- peregrinus** (Staudinger), 1889; Sithon
- privata** Fruhstorfer, [1912]
- - *tomokoae* Hayashi & Iwanaga, 1974
- *kawazoei* Hayashi, 1976
- rayata** Riley, 1939
- verriculata** (Snellen), 1891; Deudorix
- - *hayashii* (Detani), 1983; Virachola
- - *verena* Grose-Smith, 1895
- yagishitai** Takanami, 1994

Sipaea [Lyc:Lyc:The:Eum:Eumaeus]

- * **hyccara** (Hewitson), 1868; Thecla
- - - - *hyccara* (Johnson & Matusik), 1988, (ISS); Terra
- sepeina** Johnson, 1991

Siseme [Lyc:Rio:Rio:Rio:Riodinitii]

- * **alectryo** Westwood, [1851], 1846-1852
- - *megala* Seitz, [1917], 1910-1924
- - *tantilla* Thieme, 1907
- *lucilius* Hopffer, 1874
- - *transiens* Seitz, [1917], 1910-1924
- *spectanda* Stichel, 1909
- aristoteles** (Latreille), [1813]; Erycina
- **leucodesma** Seitz, [1917], 1910-1924
- **minerva** Felder & Felder, 1865, 1865-1875
- **ochrotaenia** Seitz, [1917], 1910-1924
- **saturata** Thieme, 1907
- **sprucei** Bates, [1868]
- - - - *sprucci* Kirby, 1871, (ISS)
- hellotis** Thieme, 1907
- hothurus** Berg, 1882
- luculenta** Erschoff, 1874
- + - - **militaris** (Hopffer), 1874; Lasia
- neurodes** Felder & Felder, 1861
- **caudalis** Bates, [1868]
- nigrescens** Mengel, 1899
- pallas** (Latreille), [1813]; Erycina
- - **angustior** Seitz, [1917], 1910-1924
- - **pomona** Godman & Salvin, 1880
- **atrytone** Thieme, 1907
- **defasciata** Lathy, 1932
- **xanthogramma** Bates, [1868]
- - - - *albescens* Stichel, 1911, (IFS)
- peculiaris** H. H. Druce, 1904
- pedias** Godman, 1903
- pseudopallas** Weymer, 1890
- - **hyperion** Seitz, [1917], 1910-1924

Sithon [Lyc:Lyc:The:Deu:Deudorix]

- * **nedymond** (Stoll), [1780], 1780-1790; Papilio
- **anaximander** Fruhstorfer, [1912]
- **ismarus** Fruhstorfer, [1912]
- - **chitra** (Horsfield), [1828], 1828-1829; Thecla
- **klossi** Riley, [1945]
- **mastanabal** Fruhstorfer, [1912]
- **megabates** Fruhstorfer, [1912]
- - - - *megabates* d'Abrebra, 1986, (ISS)
- **micea** (Hewitson), [1869], 1863-1878; Myrina
- - **valida** H. Druce, 1873

Solanorum [Lyc:Lyc:The:Eum:Eumaeus]

- * **gentilii** Johnson, 1992
- goleta** (Hewitson), [1877], 1863-1878; Thecla
- rusticum** Le Crom & Johnson, 1993

Spalgis [Lyc:Lyc:Mil:Spa:Spalgis]

- asmus** Parsons, 1986
- baionus** Cantlie & Norman, 1960
- * **epeus** (Westwood), [1851], 1846-1852; Geridus
- - - - *epius* (Kirby), 1871, (ISS); Lucia
- **dilama** (Moore), 1878; Lucia
- **fangola** (Kheil), 1884; Lucia
- **georgi** Fruhstorfer, [1919]
- **nubilus** Moore, [1884]
- **pharnus** C. Felder, 1860
- **semperi** Fruhstorfer, [1919]
- **strigatus** Semper, 1887, 1886-1892
- **substrigata** (Snellen), 1878; Lucia
- **titius** Fruhstorfer, [1919]
- jacksoni** Stempffer, 1967
- **stempfferi** Kielland, 1985
- lemolea** H. H. Druce, 1890
- - **latimarginata** E. Sharpe, 1890
- - **s-signata** Holland, 1890
- pilos** H. H. Druce, 1890
- takanamii** Eliot, 1984
- tintinga** (Boisduval), 1833; Lycaena
- - **docus** (H. Druce), 1875; Miletus

Spindasis [Lyc:Lyc:The:Aph:Aphnaeus]

- abnormis** (Moore), [1884]; Aphnaeus
- apelles** (Oberthür), 1878; Aphnaeus
- - - - *appeles* d'Abrebra, 1980, (ISS)
- **nairobiensis** E. Sharpe, 1904
- apuleia** Hulstaert, 1924
- arooni** Kimura & Murayama, 1990
- avriko** (Karsch), 1893; Aphnaeus
- - **banyoana** Bethune-Baker, 1926
- baghirmii** Stempffer, 1946
- brunnea** Jackson, 1966
- collinsi** Kielland, 1980
- crustaria** (Holland), 1890; Aphnaeus
- **mysteriosa** Clench, 1965
- cynica** Riley, 1922
- dufranei** Bouyer, 1991
- elima** (Moore), 1877; Aphnaeus
- - **khurdanus** (Moore), 1884; Aphnaeus
- - **lunulifera** (Moore), 1879; Aphnaeus
- - **trifurcata** (Moore), 1882; Aphnaeus
- **fairliei** Ormiston, 1924
- - - - *fairlei* d'Abrebra, 1986, (ISS)
- **ictina** (Seitz), [1924], 1912-1927; Aphnaeus
- **uniformis** (Moore), 1882; Aphnaeus
- ella** (Hewitson), [1865], 1863-1878; Aphnaeus
- - **chaka** (Wallengren), 1875; Aphnaeus
- **f. barnesi** Stempffer, 1953
- elwesi** Evans, 1925
- evansii** (Tytler), 1915; Aphnaeus
- **ayuthia** Kimura & Murayama, 1990
- hirayamae** (Matsumura), 1919; Aphnaeus

Spindasis (continued)

- homeyeri (Dewitz), 1886; Aphnaeus
- *f. fracta* Stempffer, 1948
- *kallimon* H. H. Druce, 1905
- ictis (Hewitson), [1865], 1863-1878; Aphnaeus
- *ceylanica* R. Felder, 1868
- - - - *ceylonica* d'Abrera, 1986, (ISS)
- - *greeni* Heron, 1896
- iza (Hewitson), [1865], 1863-1878; Aphnaeus
- - - - *iza* (Kirby), 1871, (ISS); Aphnaeus
- junodi d'Abrera, 1980
- kutu Corbet, 1940
- kuyaniana (Matsumura), 1919; Aphnaeus
- learmondi Tytler, 1940
- leechi (Swinhoe), 1912, 1909-1913; Aphnaeus
- lohita (Horsfield), [1829], 1828-1829; Amblypodia
- *batina* (Fruhstorfer), [1912]; Aphnaeus
- *formosanus* (Moore), 1877; Aphnaeus
- - - - *ab. nakaharai* (Naritomi), 1941; Aphnaeus
- - *sozanensis* (Kato), 1934; Aphnaeus
- *himalayanus* (Moore), 1884; Aphnaeus
- *lazularia* (Moore), [1881], 1880-1881; Aphnaeus
- - *concanus* (Moore), 1884; Aphnaeus
- - *zebrinus* (Moore), 1884; Aphnaeus
- *panasa* (Fruhstorfer), [1912]; Aphnaeus
- *rokana* (Fruhstorfer), [1912]; Aphnaeus
- *seliga* (Fruhstorfer), [1912]; Aphnaeus
- *senama* (Fruhstorfer), [1912]; Aphnaeus
- - *milleri* Corbet, 1940
- - *zebrina* (Bryk), 1946; Aphnaeus
- *zoilus* (Moore), 1877; Aphnaeus
- lutosus (Plötz), 1880; Aphnaeus
- maximus (Elwes), [1893]; Aphnaeus
- menelas H. H. Druce, 1907
- mishmisensis (South), 1913; Aphnaeus
- modestus (Trimen), 1891; Aphnaeus
- *heathi* d'Abrera, 1980
- montana Joicey & Talbot, 1924
- mozambica Bertoloni, 1851
- - *caffer* (Trimen), 1868; Aphnaeus
- namaqua (Trimen), 1874; Aphnaeus
- natalensis (Westwood), [1851], 1846-1852; Amblypodia
- - - - *ab. obscura* Aurivillius, [1924], 1908-1925
- - - - *f. pseudonyassae* Vissian, 1976
- * - *masilikazi* Wallengren, 1857
- nipalicus (Moore), 1884; Aphnaeus
- - *zaffra* (de Nicéville), 1890; Aphnaeus
- *rukma* (de Nicéville), [1889]; Aphnaeus
- - - - *rukma* (Sharp), [1890], (ISS); Aphnaeus
- - *sani* (de Nicéville), [1889]; Aphnaeus
- *sophia* d'Abrera, 1993
- nubilus (Moore), [1887], 1880-1881; Aphnaeus
- nyassae (Butler), 1884; Aphnaeus
- - - - *f. chinde* d'Abrera, 1980
- phanes (Trimen), 1873; Aphnaeus
- - *erna* (Staudinger), [1888], 1884-1888; Aphnaeus
- pinheyi Heath, 1983
- rectilineata (Fruhstorfer), [1912]; Aphnaeus
- rukmini (de Nicéville), [1889]; Aphnaeus
- schistacea (Moore), [1881], 1880-1881; Aphnaeus
- *gabriel* (Swinhoe), 1912, 1909-1913; Aphnaeus
- scottii Gabriel, 1954
- shaba Bouyer, 1991
- somalina Butler, [1886]
- syama (Horsfield), [1829], 1828-1829; Amblypodia
- - - - *ab. nakaharai* Naritomi, 1941
- - - - *ab. paroeica* (Strand), 1922; Aphnaeus
- *frigidus* (H. Druce), 1873; Aphnaeus
- - - - *frigidus* d'Abrera, 1986, (ISS)
- - *rubicundus* (Fruhstorfer), [1912]; Aphnaeus
- *hainana* Eliot, 1953

Spindasis (continued)

- *latipicta* (Fruhstorfer), [1912]; Aphnaeus
- *negrita* (C. Felder), 1862; Aphnaeus
- *peguanus* (Moore), 1884; Aphnaeus
- - *orissanus* (Moore), 1884; Aphnaeus
- *pongulina* (Fruhstorfer), [1912]; Aphnaeus
- *sepulveda* (Fruhstorfer), [1912]; Aphnaeus
- *terana* (Fruhstorfer), [1912]; Aphnaeus
- takanonis* (Matsumura), 1906; Aphnaeus
- - - - *ab. morii* Murayama, 1954
- - - - *takanonis* (Seitz), [1924], 1912-1927, (ISS); Aphnaeus
- - - - *ab. wakabayasii* Murayama, 1954
- - *ohkuranis* Murayama, 1967
- - - - *ohkurai* d'Abrera, 1993, (ISS)
- *septentrionalis* K. Hayashi, 1955
- *ducalis* (Fruhstorfer), [1912]; Aphnaeus
- *morinis* Murayama, 1967
- *prospera* Okada, 1946
- tanganyikae Kielland, 1990
- tavetensis Lathy, 1906
- trimeni Neave, 1910
- *congolanus* Dufrane, 1954
- victoriae (Butler), 1884; Aphnaeus
- vixinga (Hewitson), 1875; Aphnaeus
- *davidsoni* Talbot, 1936
- vulcanus (Fabricius), 1775; Papilio
- - *bracteatus* (Butler), 1883; Aphnaeus
- - *etolus* (Cramer), [1779], 1775-1790; Papilio
- - *tigrinus* (Moore), 1884; Aphnaeus
- *fusca* (Moore), [1881], 1880-1881; Aphnaeus
- - *minima* Butler, 1901
- *javanus* (Fruhstorfer), [1912]; Aphnaeus
- *tavoyana* Evans, 1925
- waggae E. Sharpe, 1898

Stalachtis [Lyc:Rio:Rio:Stalachtini]

- albus Rebillard, 1958
- - - - *funereus* Rebillard, 1958, (NN)
- calliope (Linnaeus), 1758; Papilio
- - - - *crocota* Stichel, 1910, (IFS)
- - - - *f. melini* Bryk, 1953, (IFS)
- - *eugenia* (Cramer), [1777], 1775-1790; Papilio
- - *pictarata* Strand, 1914, 1914-1916
- - *terpsichore* Seitz, [1917], 1910-1924
- *bicolor* Staudinger, [1888], 1884-1888
- *voltumna* Stichel, 1911
- - - - *picturata* Stichel, 1914
- euterpe (Linnaeus), 1758; Papilio
- *adelphe* Staudinger, [1888], 1884-1888
- *latefasciata* Staudinger, [1888], 1884-1888
- lineata (Guérin-Ménéville), 1844, 1829-1844; Nerias
- - - - *f. boyi* Stichel, 1925
- - *trillii* Butler, 1877
- magdalenae Westwood, [1851], 1846-1852
- *cleove* Staudinger, [1888], 1884-1888
- * *phaedusa* Hübner, [1818], 1808-1837
- *duvalii* Perty, 1834, 1830-1834
- - - - *vidua* Stichel, 1916
- - *phaloe* Staudinger, [1888], 1884-1888
- *exul* Seitz, [1917], 1910-1924
- *trangeri* Schaus, 1928
- phlegia (Cramer), [1779], 1775-1790; Papilio
- - *irion* Seitz, [1917], 1910-1924
- - *nocticoelum* Seitz, [1917], 1910-1924
- - *phlegonia* (Perty), 1834, 1830-1834; Acraea
- *coronis* Stichel, 1929
- *venezolana* Seitz, [1917], 1910-1924
- stellidia Schaus, 1902
- + *susanna* (Fabricius), 1787; Papilio
- - - - *pyamaea* Anonymous, 1987, (ISS)
- - - - *ab. pygmaea* d'Almeida, 1922

Stalachtis (continued)

- - *meriana* (Eschscholtz), 1821; Mechanitis
- zephyritis* (Dalman), 1823; Papilio
- - *margarita* (Felder & Felder), 1865, 1865-1875; *Nerias*
- *evelina* Butler, 1870

Stempfferia [Lyc:Lyc:Lip:Lip:Epitola]

- * *carcassoni* Jackson, 1962

Stiboges [Lyc:Rio:Nem:Abisarini]

- * *nymphidia* Butler, 1876
- *calycoides* Fruhstorfer, 1897
- *elodinia* Fruhstorfer, [1914], 1909-1923
- *mara* Fruhstorfer, [1904]
- - - - *nara* d'Abrebra, 1986, (ISS)

Stichelia [Lyc:Rio:Rio:Symmachium]

- aplecta* (Bates), [1868]; *Mesene*
- arbuscula* (Möschler), 1883; *Symmachia*
- *mandosa* (H. H. Druce), 1904; *Charis*
- basilissa* (Bates), [1868]; *Mesene*
- * *bocchoris* (Hewitson), [1876], 1852-1877; *Amarynthia*
- - - - *bochoris* (Zikán), 1946, (ISS); *Phaenochitonina*
- *suavis* (Stichel), 1911; *Phaenochitonina*
- crocostigma* (Bates), [1868]; *Mesene*
- dukinfieldia* (Schaus), 1902; *Charis*
- - - - *dukinfieldia* (Zikán), 1946, (ISS); *Phaenochitonina*
- iasis* (Godman), 1903; *Mesene*
- pelotensis* Biezanko & Mielke & Wedderhoff, 1978
- phoenicura* (Godman & Salvin), [1886], 1879-1901; *Mesene*
- - *noctis* (Staudinger), [1887], 1884-1888; *Mesene*
- pluto* (Stichel), 1910; *Phaenochitonina*
- pygmaea* (Cramer), [1775], 1775-1790; *Papilio*
- - - *talus* (Fabricius), 1781, 1781-1782, (H); *Papilio*
- - *tale* (Hübner), [1819], 1816-1826; *Hesperia*
- sagaris* (Cramer), [1775], 1775-1790; *Papilio*
- *amazonica* (Stichel), 1925; *Phaenochitonina*
- *interrupta* (Lathy), 1932; *Phaenochitonina*
- *phrygiana* (Stichel), 1916; *Phaenochitonina*
- *reducta* (Lathy), 1932; *Phaenochitonina*
- *satnius* (Dalman), 1823; *Papilio*
- - - - *f. matronalis* (Stichel), 1910; *Phaenochitonina*
- - *majorina* (Stichel), 1910; *Phaenochitonina*
- simplicata* (Kaye), [1914]; *Mesene*
- suapure* (Weeks), 1906; *Charis*
- *vittata* (Stichel), 1910; *Phaenochitonina*
- tyriotes* (Godman & Salvin), 1878; *Mesene*

Strymon [Lyc:Lyc:The:Eum:Eumaeus]

- acis* (Drury), [1773], 1770-1782; *Papilio*
- - *mars* (Fabricius), 1777; *Papilio*
- *armouri* Clench, [1943]
- *bartrami* Comstock & Huntington, 1943
- *casasi* (Comstock & Huntington), 1943; *Thecla*
- *gossel* (Comstock & Huntington), 1943; *Thecla*
- *leucosticha* Clench, 1992
- *petioni* (Comstock & Huntington), 1943; *Thecla*
- albata* (Felder & Felder), 1865, 1865-1875; *Thecla*
- *sedecia* (Hewitson), 1874; *Thecla*
- alea* (Godman & Salvin), [1887], 1879-1901; *Thecla*
- - *laceyi* (Barnes & McDunnough), 1910; *Callicista*
- - - - *laceyi* (Sharp), [1911], (ISS); *Callicista*
- alexandra* Johnson & Kroenlein, 1993
- altamiraensis* Johnson & Kroenlein, 1993
- amonensis* Smith & Johnson & Miller & McKenzie, 1991
- amphyporphyra* Johnson & Eisele & MacPherson, 1990
- andrewi* Johnson & Matusik, 1988
- antigua* (Comstock & Huntington), 1943; *Thecla*
- avalona* (Wright), 1905; *Thecla*
- azuba* (Hewitson), [1874], 1863-1878; *Thecla*
- baptistorum* Johnson & Eisele & MacPherson, 1990
- barbara* Johnson & Eisele & MacPherson, 1990

Strymon (continued)

- basilides* (Geyer), [1837], 1832-1837; *Tmolus*
- - - - *basalides* (Westwood), [1852], 1846-1852, (ISS); *Thecla*
- - *thulia* (Hewitson), 1868; *Thecla*
- - *ziba* (Hewitson), 1868; *Thecla*
- bazochii* (Godart), [1824], 1819-1824; *Polyommatus*
- - *agra* (Hewitson), 1868; *Thecla*
- - *infrequens* (Weeks), 1901; *Thecla*
- - *thius* (Geyer), [1832], 1832-1837; *Thyreus*
- *gundlachianus* Bates, 1935
- bebrycia* (Hewitson), 1868; *Thecla*
- - *buchholzi* Freeman, 1950
- beroea* (Hewitson), 1868; *Thecla*
- bubastus* (Stoll), [1780], 1780-1790; *Papilio*
- - *salona* (Hewitson), 1868; *Thecla*
- *ponce* (Comstock & Huntington), 1943; *Thecla*
- campbelli* Johnson & Salazar E., 1993
- canitus* (H. H. Druce), 1907; *Thecla*
- cestris* (Reakirt), [1867], 1866-1867; *Thecla*
- - *perusensis* (Dufrane), 1939; *Thecla*
- - - - *persensis* (Comstock & Huntington), 1962, 1958-1964, (ISS); *Thecla*
- christopheii* (Comstock & Huntington), 1943; *Thecla*
- - - - *crispoei* Clench, [1964], (ISS)
- columella* (Fabricius), 1793, 1792-1799; *Hesperia*
- - *erytalus* (Butler), [1870]; *Tmolus*
- + - - *ocellifera* (Grote), 1873; *Callicista*
- *arecibo* (Comstock & Huntington), 1943; *Thecla*
- *clarionica* (Vázquez), 1958; *Thecla*
- *istapa* (Reakirt), [1867], 1866-1867; *Thecla*
- *modesta* (Maynard), 1873; *Lycaena*
- *socorroica* (Vázquez), 1958; *Thecla*
- coronos* Johnson & Eisele & MacPherson, 1990
- crambus* (Hewitson), 1874; *Thecla*
- crossoea* (Hewitson), [1874], 1863-1878; *Thecla*
- - - - *crossaea* (Draudt), [1920], 1917-1924, (ISS); *Thecla*
- cryptogramus* Johnson & Eisele & MacPherson, 1992
- cyanofovea* Johnson & Eisele & MacPherson, 1990
- cybira* (Hewitson), [1874], 1863-1878; *Thecla*
- cydia* (Hewitson), [1874], 1863-1878; *Thecla*
- daplissus* Johnson & Salazar E., 1993
- daraba* (Hewitson), [1867], 1863-1878; *Thecla*
- davara* (Hewitson), 1868; *Thecla*
- *joannisi* (Dufrane), 1939; *Thecla*
- - - - *ab. pallida* (Dufrane), 1939; *Thecla*
- diaguita* (Hayward), 1949; *Thecla*
- eremica* (Hayward), 1949; *Thecla*
- eurytulus* (Hübner), [1819], 1806-1838; *Tmolus*
- - *americensis* (Blanchard), 1852; *Thecla*
- - *argona* (Hewitson), [1874], 1863-1878; *Thecla*
- - *rana* (Schaus), 1902; *Thecla*
- - *tucumana* (H. H. Druce), 1907; *Thecla*
- *nigra* (Lathy), 1926; *Thecla*
- faunalia* (Hewitson), 1868; *Thecla*
- - *deborrei* (Capronnier), 1874; *Thecla*
- glorissima* Johnson & Salazar E., 1993
- golbachi* Johnson & Eisele & MacPherson, 1990
- hygela* (Hewitson), 1868; *Thecla*
- lariyojoa* Johnson & Eisele & MacPherson, 1990
- legota* (Hewitson), [1877], 1863-1878; *Thecla*
- lemnus* (H. H. Druce), 1890; *Thecla*
- limenia* (Hewitson), 1868; *Thecla*
- lorrainea* Johnson & Eisele & MacPherson, 1990
- lucena* (Hewitson), 1868; *Thecla*
- martialis* (Herrich-Schäffer), 1864, 1864-1865; *Thecla*
- megarus* (Godart), [1824], 1819-1824; *Polyommatus*
- * *melinus* Hübner, [1818], 1808-1837
- - - - *melinus* (Dufrane), 1939, (ISS); *Thecla*
- - - - *mellinus* (Grote & Robinson), 1867, (ISS); *Thecla*
- - - - *ab. nigriplaga* (Dufrane), 1939; *Thecla*
- - - - *silenus* Doubleday, 1847, 1844-1848, (ISS)

Strymon (*continued*)

- - - *ab. youngi* Field, 1936
- - *hyperici* (Boisduval & Le Conte), [1833], 1829-1837; Thecla
- *atrofasciata* McDunnough, 1921
- *clarionensis* (Heid), 1933; Thecla
- *franki* Field, 1938
- *grisea* (Dufrane), 1939; Thecla
- *humuli* (Harris), 1841; Thecla
- - - *ab. meinersi* Gunder, 1927, (IFS)
- *pan* (Harris), 1833; Thecla
- *pudica* (H. Edwards), [1877]; Thecla
- *sabinus* (Felder & Felder), 1865, 1865-1875; Thecla
- - *promissa* (Möschler), 1883; Thecla
- *setonia* McDunnough, 1927
- monopeteinus** Schwartz & Miller, 1985
- montevagus** Johnson & Eisele & MacPherson, 1990
- mulucha** (Hewitson), [1867], 1863-1878; Thecla
- - *invisus* (Butler & H. Druce), 1872; Tmolus
- nicolayi** Johnson & Eisele & MacPherson, 1990
- nivnix** Johnson & Eisele & MacPherson, 1990
- ochraceus** Johnson & Salazar E., 1993
- oreala** (Hewitson), 1868; Thecla
- peristictos** Johnson & Eisele & MacPherson, 1990
- rhapsos** Johnson & Eisele & MacPherson, 1990
- rojos** Johnson & Kroenlein, 1993
- rufofusca** (Hewitson), [1877], 1863-1878; Thecla
- *lucaris* (Weeks), 1901; Thecla
- sapota** (Hewitson), [1877], 1863-1878; Thecla
- serapio** (Godman & Salvin), [1887], 1879-1901; Thecla
- - *mesca* (Dyar), 1914; Thecla
- tigonia** (Schaus), 1902; Thecla
- toussainti** (Comstock & Huntington), 1943; Thecla
- trunctogen** Johnson & Salazar E., 1993
- valentina** (Berg), 1896; Thecla
- veterator** (H. H. Druce), 1907; Thecla
- yojoa** (Reakirt), [1867], 1866-1867; Thecla

Strymon (?) [Lyc:Lyc:The:Eum:Eumaeus]

- chonida** (Hewitson), 1874; Thecla

Styx [Lyc:Rio:Styginae]

- * **infernalis** Staudinger, 1876

Suasa [Lyc:Lyc:The:Iol:Iolaus]

- * **lisides** (Hewitson), [1863], 1863-1878; Myrina
- *liris* (Staudinger), 1889; Sithon
- *madaura* Fruhstorfer, [1912]
- *suessa* de Nicéville, 1893

Subsolanoïdes [Lyc:Lyc:Pol:Pol:Glaucopsyche]

- * **nagata** Koiwaya, 1989

Sukidion [Lyc:Lyc:The:Iol:Iolaus]

- * **inores** (Hewitson), 1872; Iolaus

Surendra [Lyc:Lyc:The:Arh:Surendra]

- florimel** Doherty, 1889
- - **stimula** de Nicéville, 1895
- vivarna** (Horsfield), [1829], 1828-1829; Amblypodia
- **agdistis** (Fruhstorfer), 1907; Amblypodia
- **amisena** (Hewitson), 1862; Amblypodia
- **biplagiata** Butler, 1883
- **discaïis** Moore, 1879
- **latimargo** Moore, 1879
- **manilana** (Felder & Felder), 1862; Myrina
- **neritos** (Fruhstorfer), 1907; Amblypodia
- **palowna** (Staudinger), 1889; Amblypodia
- - - *polowna* Seitz, [1926], 1912-1927, (ISS)
- - **oligosema** Röber, 1927
- * **quercetorum** (Moore), [1858]; Amblypodia
- **samina** Fruhstorfer, 1904
- - **kalawara** Ribbe, 1926
- **vandeldeni** Kalis, 1933

Symbiopsis [Lyc:Lyc:The:Eum:Eumaeus]

- lenitas** (H. H. Druce), 1907; Thecla
- - **violascens** (Spitz), 1931; Thecla
- morpho** Nicolay, 1971
- nippia** (Dyar), 1918; Thecla
- panamensis** (Draudt), [1920], 1917-1924; Thecla
- pennatus** (H. H. Druce), 1907; Thecla
- pentas** Nicolay, 1971
- - - *peruviana* (Lathy), 1936, (H); Thecla
- pupilla** (Draudt), [1920], 1917-1924; Thecla
- smalli** Nicolay, 1971
- * **strenua** (Hewitson), [1877], 1863-1878; Thecla
- tanais** (Godman & Salvin), [1887], 1879-1901; Thecla

Symmachia [Lyc:Rio:Rio:Symmachiini]

- accusatrix** Westwood, [1851], 1846-1852
- aconia** Hewitson, [1876], 1852-1877
- arcuata** Hewitson, [1867], 1852-1877
- + **arion** (Felder & Felder), 1865, 1865-1875; Synapta
- **balluca** Stichel, 1924
- - **margaretha** Krüger, 1928
- asclepia** Hewitson, 1870, 1869-1877
- **xypete** (Hewitson), 1870; Mesene
- batesi** (Staudinger), [1887], 1884-1888; Cricosoma
- calligrapha** Hewitson, [1867], 1852-1877
- calliste** Hewitson, [1867], 1852-1877
- chocoana** Salazar Escobar & Constantino, 1993
- cleonyma** Hewitson, 1870
- cribrellum** Stichel, 1914
- eraste** (Bates), [1868]; Cricosoma
- falcistriga** Stichel, 1910
- fulvicauda** Stichel, 1924
- hetaerina** Hewitson, [1867], 1852-1877
- **hesione** Stichel, 1910
- hippea** Herrich-Schäffer, [1853], 1850-1869
- historica** Stichel, 1910
- jugurtha** Staudinger, [1887], 1884-1888
- juratrix** Westwood, [1851], 1846-1852
- leena** Hewitson, 1870
- **harmodius** Godman & Salvin, [1886], 1879-1901
- + **leopardinum** (Felder & Felder), 1865, 1865-1875; Cricosoma
- **hilaria** (Hewitson), [1867], 1852-1877
- maeonius** Staudinger, [1888], 1884-1888
- menetas** (Drury), 1782, 1770-1782; Papilio
- - *eurina* Schaus, 1902
- - *tacitus* (Fabricius), 1793, 1792-1799; Hesperia
- **pilarius** Stichel, 1910
- miron** Grose-Smith, 1898
- **puchellita** Brévignon & Gallard, 1992
- multesima** Stichel, 1910
- nemesis** Rebillard, 1958
- norina** Hewitson, [1867], 1852-1877
- pardalia** Stichel, 1924
- pardalis** Hewitson, [1867], 1852-1877
- phaedra** (Bates), [1868]; Cricosoma
- probetor** (Stoll), [1782], 1780-1790; Papilio
- - *praxilla* Westwood, [1851], 1846-1852
- * - - *probetrix* Hübner, [1819], 1816-1826
- **belti** Godman & Salvin, [1886], 1879-1901
- - *astiana* Seitz, [1917], 1910-1924
- **championi** Godman & Salvin, [1886], 1879-1901
- punctata** Butler, 1877
- rita** Staudinger, [1887], 1884-1888
- rubina** Bates, 1866
- - *irata* (Butler), 1869; Emesis
- **separata** Lathy, 1932
- seducta** Brévignon & Gallard, 1993
- stigmaosissima** Stichel, 1910
- suevia** Hewitson, 1877, 1869-1877
- technema** Stichel, 1910
- **sagitta** Kaye, [1914]

Symmachia (continued)

- threissa* Hewitson, 1870
- tigrina* Hewitson, [1867], 1852-1877
- *virgatula* Stichel, 1910
- titiana* Hewitson, 1870, 1869-1877
- triangularis* (Thieme), 1907; Panara
- tricolor* Hewitson, [1867], 1852-1877
- - *f. pulchra* Rebillard, 1958
- *hedemanni* (R. Felder), 1869; Mesene
- - *nicjades* (Boisduval), 1870; Baeotis
- urichi* Kaye, [1925]
- virgaurea* Stichel, 1910

Synargis [Lyc:Rio:Rio:Lemoniini]

- abaris* (Cramer), [1776], 1775-1790; Papilio
- - *spertias* (Felder & Felder), 1865, 1865-1875; Lemonias
- - *tenes* (Doubleday), 1847, 1844-1848; Tamitis
- agle* (Hewitson), [1853], 1852-1877; Nymphidium
- - - *furva* (Stichel), 1911, (IFS); Nymula
- - *cavifascia* (Butler), 1877; Nymphidium
- - *menalcidas* (Seitz), [1917], 1910-1924; Nymphidium
- - - *menalcus* (Seitz), [1917], 1910-1924, (IOS); Nymphidium
- *dirca* (Stichel), 1911; Nymula
- *quinoni* (Weeks), 1906; Nymphidium
- brennus* (Stichel), 1910; Nymula
- calyce* (Felder & Felder), 1861; Nymphidium
- - *mesoleucum* (Bates), [1868]; Nymphidium
- *manius* (Stichel), 1910; Nymula
- *mycone* (Hewitson), [1865], 1852-1877; Nymphidium
- chaonia* (Hewitson), [1853], 1852-1877; Nymphidium
- cynaeus* (Hewitson), 1874; Nymphidium
- ethelinda* (Hewitson), 1870; Nymphidium
- + - *nymphidioides* (Butler), 1872; Pandemos
- - *labdacus* (Godman & Salvin), [1886], 1879-1901; Nymphidium
- gela* (Hewitson), [1853], 1852-1877; Nymphidium
- *ferruginea* (Lathy), 1932; Nymula
- maravalica* (Seitz), [1917], 1910-1924; Nymphidium
- nycteus* (Godman & Salvin), [1886], 1879-1901; Nymphidium
- ochra* (Bates), [1868]; Nymphidium
- *sicyon* (Godman & Salvin), 1878; Nymphidium
- odites* (Cramer), [1775], 1775-1790; Papilio
- - *versicolor* (Goeze), 1779, 1777-1783; Papilio
- orestes* (Cramer), [1780], 1775-1790; Papilio
- - - *cinerea* (Stichel), 1925; Nymula
- - *arche* (Hewitson), [1865], 1852-1877; Nymphidium
- - *sonorus* (Godart), [1824], 1819-1824; Nymphalis
- pelope* (Hübner), [1819], 1816-1826; Peplia
- - *pelops* (Cramer), [1777], 1775-1790, (H); Papilio
- - *pittheus* (Hoffmansegg), 1818; Lemonias
- phillone* (Godart), [1824], 1819-1824; Erycina
- - - *pedronia* (Stichel), 1910; Nymula
- *enimanga* (Seitz), [1917], 1910-1924; Nymphidium
- *paulistina* (Stichel), 1910; Nymula
- phliasus* (Cramer), [1777], 1775-1790; Papilio
- - *hewitsoni* (Rebel), 1902; Nymphidium
- phylleus* (Cramer), [1775], 1775-1790; Papilio
- - - *phyleus* (Kirby), 1871, (ISS); Nymphidium
- - *phylacis* (Godart), [1824], 1819-1824; Nymphalis
- *apame* (Hewitson), [1865], 1852-1877; Nymphidium
- *laodamia* (Stichel), 1923; Nymula
- *magnifica* (Stichel), 1911; Nymula
- *orontes* (Stichel), 1923; Nymula
- *praeclara* (Bates), 1866; Nymphidium
- regulus* (Fabricius), 1793, 1792-1799; Hesperia
- - - *f. ingens* (Stichel), 1925; Nymula
- *atilius* (Stichel), 1925; Nymula
- satyroides* (Lathy), 1932; Nymula
- sorana* (Stoll), [1781], 1780-1790; Papilio
- sylvarum* (Bates), 1867; Nymphidium
- * *tytia* (Cramer), [1777], 1775-1790; Papilio

Synargis (continued)

- - - *titia* (Cramer), [1777], 1775-1790, (ISS); Papilio
- - *eroe* (Hewitson), [1865], 1852-1877; Nymphidium
- + - *gnosis* (Boisduval), 1836; Nymula
- *arctos* (Hewitson), [1853], 1852-1877; Nymphidium
- *ariadne* (Stichel), 1911; Nymula
- velabrum* (Godman & Salvin), 1878; Nymphidium
- vietrix* (Rebel), 1902; Nymphidium

Syrmatia [Lyc:Rio:Rio:Rio:Riodiniini]

- aethiops* Staudinger, [1888], 1884-1888
- astraea* Staudinger, [1888], 1884-1888
- dorilas* (Cramer), [1775], 1775-1790; Papilio
- + - - *asteris* (Gray), 1832; Erycina
- * - - *nyx* (Hübner), [1817], 1806-1838; Limnas
- lamia* Bates, [1868]

Syrmoptera [Lyc:Lyc:The:Oxyliidini]

- amasa* (Hewitson), [1869], 1863-1878; Myrina
- bonifacei* Stempffer, 1961
- homeyeri* (Dewitz), 1879; Plebeius
- - *mixtura* (Hulstaert), 1924; Oxyliides
- * *melanomitra* Karsch, 1895
- nivea* Joicey & Talbot, 1924
- - - *♀ f. androgyna* Joicey & Talbot, 1924, (IFS)

Tajuria [Lyc:Lyc:The:Iol:Iolaus]

- alangani* Schröder & Treadaway & Nuyda, 1993
- albiplaga* de Nicéville, 1887
- - *drucei* Swinhoe, 1910, 1909-1913
- - *pallascens* H. H. Druce, 1902
- *alixae* Eliot, 1973
- *sebonga* Tytler, 1915
- *tura* de Nicéville, 1895
- berenis* H. H. Druce, 1896
- - - *berensis* d'Abreira, 1986, (ISS)
- *larutensis* Pendlebury, 1933
- caerulea* Nire, 1920
- - - *coelurea* d'Abreira, 1986, (ISS)
- - *rengchiana* Matsumura, 1926
- *liliacea* Nire, 1920
- - - *ab. tatakana* (Matsumura), 1929; Rapala
- - *formosicola* (Matsumura), 1929; Rapala
- cippus* (Fabricius), 1798, 1792-1799; Hesperia
- - - *pseudolonginus* (Doubleday), 1847, 1844-1848, (NN); Amblypodia
- *bagus* (Kheil), 1884; Iolaus
- - - *bagas* d'Abreira, 1986, (ISS)
- *frontinus* Fruhstorfer, [1912]
- * *longinus* (Fabricius), 1798, 1792-1799; Hesperia
- *malcolmi* Riley & Godfrey, 1925
- - - *malcomi* Johnston & Johnston, 1980, (ISS)
- *maxentius* Fruhstorfer, [1912]
- *moultoni* Toxopeus, 1929
- *theodosius* Fruhstorfer, [1912]
- *vandeldeni* Toxopeus, 1929
- cyrillus* (Hewitson), [1865], 1863-1878; Iolaus
- *herculus* Fruhstorfer, [1912]
- *lewaranus* Ribbe, 1926
- *obscuratus* Ribbe, 1926
- deudorix* (Hewitson), [1869], 1863-1878; Myrina
- *cyrus* H. H. Druce, 1895
- *ingeni* (Corbet), 1948; Pratapa
- *lucrosa* Fruhstorfer, [1912]
- *oeta* (de Nicéville), 1895; Ops
- *primitivoi* Osada, 1987
- *verona* Corbet, 1940
- *yuhkichi* Hayashi, 1984
- *zoletai* Osada, 1987
- diaeus* (Hewitson), [1865], 1863-1878; Iolaus
- - *thydia* Tytler, 1915
- *dacia* H. H. Druce, 1896

Tajuria (*continued*)

- *karenkonis* Matsumura, 1929
- *discalis* Fruhstorfer, 1897
- *floresica* Murayama, 1983
- *dominus* H. H. Druce, 1895
- + - *culta* de Nicéville, [1896]
- *mizunumai* Hayashi, 1978
- *pisatis* Fruhstorfer, [1912]
- *iapyx* Hewitson, [1865], 1863-1878
- - *libori* Ribbe, 1926
- - - *Q f. metani* Ribbe, 1926
- *bangkaianus* Ribbe, 1926
- *massicus* Fruhstorfer, [1912]
- *igolotiana* (Murayama & Okamura), 1973; Pratapa
- *fumiae* Hayashi, 1984
- *illurgioides* de Nicéville, 1890
- + *illurgis* (Hewitson), [1869], 1863-1878; Iolaus
- *tattaka* (Araki), 1949; Cophanta
- *inexpectata* Eliot, 1973
- *isaeus* (Hewitson), [1865], 1863-1878; Iolaus
- *amardus* Fruhstorfer, [1912]
- *tyro* de Nicéville, 1895
- *verna* Corbet, 1940
- *ister* (Hewitson), [1865], 1863-1878; Iolaus
- *tussis* H. H. Druce, 1895
- *jalajala* Felder & Felder, 1862
- - *pinamalaya* Takanami, 1987
- *bilara* Okano & Okano, 1991
- *mediciei* Okano & Okano, 1991
- *steffi* Schröder & Treadaway, 1988
- *jehana* Moore, [1884]
- - *arida* Riley, 1923
- - *ceylanica* Riley, 1921
- *luculenta* (Leech), 1890; Iolaus
- *nela* Swinhoe, 1896
- *taorana* Corbet, 1940
- *lucullus* H. H. Druce, 1904
- *maculata* (Hewitson), [1865], 1863-1878; Iolaus
- - - - *albipicta* Fruhstorfer, [1912], (IFS)
- - - - *nigella* Fruhstorfer, [1912], (NN)
- *mantra* (Felder & Felder), 1860; Pseudolycaena
- *jalysus* (Felder & Felder), 1865, 1865-1875; Myrina
- - *sapphirinus* (Röber), 1887; Iolaus
- - - - *sapphirinus* (Sharp), [1880], (ISS); Iolaus
- *maroneia* Fruhstorfer, [1912]
- *mesambria* Fruhstorfer, [1912]
- *plateia* Fruhstorfer, [1912]
- *vergara* Semper, 1887, 1886-1892
- *visayana* Okano & Okano, 1991
- *matsutaroi* Hayashi, 1984
- *megistia* (Hewitson), [1869], 1863-1878; Myrina
- *thya* de Nicéville, 1893
- - - - *thria* d'Abbrera, 1986, (ISS)
- *melastigma* de Nicéville, 1887
- + *ogyges* (de Nicéville), 1895; Ops
- *prenoza* Seki & Takanami, 1990
- *sunia* Moulton, [1912]
- *visalis* Fruhstorfer, [1912]
- *yajna* (Doherty), 1886; Remelana
- *cato* H. H. Druce, 1895
- *ellisi* Evans, 1925
- *istroidea* de Nicéville, 1887
- - *teza* Swinhoe, 1899
- *selangorana* Pendlebury & Corbet, 1933

Tajuria (Matsutaroa) [Lyc:Lyc:The:Iol:Iolaus]

- * *iljai* (Hayashi & Schröder & Treadaway), 1984; Matsutaroa

Takashia [Lyc:Rio:Nem:Nemeobiini]

- * *nana* (Leech), [1893], 1893-1894; Timelaea

Talicada [Lyc:Lyc:Pol:Pol:Everes]

- *macbethi* Riley, 1932
- *metana* Riley & Godfrey, 1921
- * *nyseus* (Guérin-Méneville), [1843]; Polyommatus
- - - - *delapolei* Riley, 1927
- - *ecaudata* Butler, 1900
- *annamitica* Seitz, [1923], 1912-1927
- *assamica* Seitz, [1923], 1912-1927
- *burmana* Evans, 1925
- *khasiana* Swinhoe, 1893
- - *khasia* H. H. Druce, 1902

Taraka [Lyc:Lyc:Mii:Tarakini]

- * *hamada* (H. Druce), 1875; Miletus
- - - - *ab. ishibashii* Naritomi, 1941
- - *jezoensis* Matsumura, 1919
- *interposita* Fruhstorfer, [1923], 1909-1923
- *isona* Fruhstorfer, [1923], 1909-1923
- *mendesia* Fruhstorfer, 1918
- *nivata* Fruhstorfer, 1918
- *thalaba* Fruhstorfer, [1923], 1909-1923
- - *formosana* Matsumura, 1927
- *mahanetra* Doherty, 1890
- - *hantu* Corbet, 1938
- *martini* Corbet, 1941

Tartesa [Lyc:Lyc:Pol:Pol:Nacaduba]

- * *astarte* (Butler), 1882; Lampides
- *albescens* (Tite), 1963; Nacaduba
- *narovona* (Grose-Smith), 1897; Nacaduba
- *nissani* (Tite), 1963; Nacaduba
- *plumbata* (H. H. Druce), 1891; Nacaduba
- *ugiensis* (H. H. Druce), 1891; Nacaduba

Tarucus [Lyc:Lyc:Pol:Pol:Castalius]

- *ananda* (de Nicéville), [1884]; Castalius
- *balkanicus* (Freyer), 1844, 1831-1858; Lycaena
- - - - *clorinda* Verity, 1938, 1938-1939, (IFS)
- - *areshana* Bethune-Baker, 1918
- - *frivaldskyi* Aigner-Abafi, 1906
- - *nigra* Bethune-Baker, 1918
- *bowkeri* (Trimen), 1883; Lycaena
- *transvaalensis* Quickeberge, 1972
- *callinara* Butler, 1886
- *grammicus* (Grose-Smith & Kirby), 1893, 1887-1902; Lycaenesthes
- - *louisae* E. Sharpe, 1898
- *hazara* Evans, 1932
- *indica* Evans, 1932
- *kiki* Larsen, 1975
- *kulala* Evans, 1955
- *legrasi* Stempffer, 1948
- *nara* (Kollar), [1844]; Lycaena
- - *alteratus* Moore, 1882
- - *bengalensis* Bethune-Baker, 1918
- - *extricatus* Butler, 1886
- *quadratus* Ogilvie-Grant, 1899
- *rosaceus* (Austaut), 1885; Lycaena
- - *mediterraneae* Bethune-Baker, 1918
- *sybaris* (Hopffer), 1855; Lycaena
- - *f. vreuricki* Dufrane, 1954
- *linearis* (Aurivillius), [1924], 1908-1925; Cupido
- * *theophrastus* (Fabricius), 1793, 1792-1799; Hesperia
- - - - *ab. discoelongata* Courvoisier, 1912
- - - - *ab. micaerulescens* (Oberthür), 1910; Lycaena
- - - - *ab. micaerulescens* Evans, 1955, (ISS)
- - - - *ab. radiata* (Oberthür), 1910; Lycaena
- - - - *ab. tribasijuncta* Courvoisier, 1912
- - *psittacus* (Herrich-Schäffer), [1844], 1843-1856; Lycaena
- - *rosea* (Heyne), 1895, 1893-1895; Lycaena
- *thespis* (Linnaeus), 1764; Papilio
- - - - *tespis* (Kirby), 1871, (ISS); Cupido

Tarucus (*continued*)

- - *pitho* (Linnaeus), 1764; *Papilio ungemachi* Stempffer, 1942
- venosus* Moore, 1882
- waterstradti* H. H. Druce, 1895
- *dharta* Bethune-Baker, 1918
- *simillimus* Schröder & Treadaway, 1985
- *vileja* (Fruhstorfer), 1918; *Castalius*

Tarucus (??) [*Lyc:Pol:Pol:Castalius*]

- clathratus* Holland, 1890
- fluvialis* Grose-Smith, 1895

Tatura [*Lyc:Lyc:The:Hypolycaenini*]

- * *lebona* (Hewitson), [1865], 1863-1878; *Hypolycaena*
- - - - *ab. anomala* (Dufrane), 1953; *Hypolycaena*
- - - - *anomala* Stempffer, 1967, (ISS)
- - - - *ab. splendens* (Dufrane), 1953; *Hypolycaena*
- - *dubia* (Aurivillius), 1895; *Hypolycaena*
- *coerulea* (Aurivillius), 1895; *Hypolycaena*
- *ab. scintillans* (Aurivillius), 1895; *Hypolycaena*
- - *gazei* (H. H. Druce), 1912; *Epamera*

Taxila [*Lyc:Rio:Nem:Abisarinini*]

- cesennia* Stichel, 1928
- dora* Fruhstorfer, [1904]
- *hainana* Riley & Godfrey, 1925
- haquinus* (Fabricius), 1793, 1792-1799; *Papilio*
- - *othrys* Fruhstorfer, [1914], 1909-1923
- - *palawanicus* Staudinger, 1889
- *agias* Fruhstorfer, 1912
- *berthae* Fruhstorfer, [1904]
- * *drupadi* (Horsfield), [1828], 1828-1829; *Erebia*
- *ducas* Fruhstorfer, 1912
- *fasciata* Moore, [1879]
- - *moulmainus* Staudinger, 1889
- - - - *moulmeinensis* Evans, 1927, (ISS)
- *gythion* Fruhstorfer, [1914], 1909-1923
- *pagiensis* Riley, [1945]
- *zemara* (Butler), 1870; *Abisara*

Telipna [*Lyc:Lyc:Lip:Pen:Telipna*]

- * *acraea* (Westwood), [1851], 1846-1852; *Liptena*
- - *echo* (Grose-Smith & Kirby), 1890, 1887-1902; *Liptena*
- *albofasciata* Aurivillius, 1910
- - - - *Q. f. nigrita* Talbot, 1935
- *bimacula* Plötz, 1880
- - *fervida* (Grose-Smith & Kirby), 1890, 1887-1902; *Liptena*
- *conjuncta* Jackson, 1969
- *nigra* Suffert, 1904
- *nigrita* Jackson, 1969
- *semirufa* (Grose-Smith & Kirby), 1889, 1887-1902; *Liptena*
- *zairiensis* Berger, 1981
- acraeoides* (Grose-Smith & Kirby), 1890, 1887-1902; *Liptena*
- *laplumei* Devos, 1919
- actinotina* Lathy, 1903
- angustifascia* Joicey & Talbot, 1921
- atrinervis* Hulstaert, 1924
- - *venanigra* Bethune-Baker, 1926
- *ja* Bethune-Baker, 1926
- aurivillii* Rebel, 1914
- - *rothioides* Holland, 1920
- *jefferyi* Jackson, 1969
- cameroonensis* Jackson, 1969
- citrimaculata* Schultze, 1916
- *neavei* Bethune-Baker, 1926
- erica* Suffert, 1904
- - *consanguinea* Rebel, 1914
- - - - *extincta* Riley & Tams, 1925, (ISS)
- - - - *ab. extincta* Schultze, 1923
- *ugandae* Bethune-Baker, 1926
- hollandi* Joicey & Talbot, 1921

Telipna (*continued*)

- - *exsuperia* Hulstaert, 1924
- kamitugensis* Dufrane, 1945
- katangae* Stempffer, 1961
- kayonza* Jackson, 1969
- kelle* Jackson, 1969
- lotti* Jackson, 1969
- maesseni* Stempffer, 1970
- medjensis* Holland, 1920
- nyanza* Neave, 1904
- plagiata* Joicey & Talbot, 1921
- rothi* (Grose-Smith), 1898; *Liptena*
- rufilla* (Grose-Smith), 1901, 1887-1902; *Liptena*
- - - - *rufula* (Sharp), [1903], (ISS); *Liptena*
- ruspinoides* Schultze, 1923
- sanguinea* Plötz, 1880
- - *anneckeii* (Dewitz), 1886; *Liptena*
- - *mariae* Dufrane, 1945
- *bistrigatus* Aurivillius, 1925
- *depuncta* Talbot, 1937
- *kigoma* Kielland, 1978
- sheffieldi* Bethune-Baker, 1926
- sulpitia* Hulstaert, 1924
- transverstigma* H. H. Druce, 1910
- villiersi* Stempffer, 1965

Teratoneura [*Lyc:Lyc:Lip:Lip:Iridana*]

- * *isabellae* Dudgeon, 1909
- *congoensis* Stempffer, 1953

Teratophthalma [*Lyc:Rio:Rio:*]

- axilla* (H. H. Druce), 1904; *Mesosemia*
- *lactifusa* Stichel, 1910
- *vegeta* Stichel, 1910
- bacche* (Seitz), [1917], 1910-1924; *Mesosemia*
- *adulter* Stichel, 1929
- coronata* Stichel, 1915
- maenades* (Hewitson), [1858], 1852-1877; *Mesosemia*
- *marsena* (Hewitson), 1869, 1869-1877; *Mesosemia*
- *polyplusia* Stichel, 1910
- - *semivitreata* (Seitz), [1917], 1910-1924; *Mesosemia*
- marsidia* (Hewitson), 1869, 1869-1877; *Mesosemia*
- - *f. marigemina* Stichel, 1915
- monochroma* Stichel, 1910
- nigrita* Salazar Escobar, 1993
- * *phelina* (Felder & Felder), 1862; *Mesosemia*
- - *minima* (Seitz), [1917], 1910-1924; *Mesosemia*
- *analoga* (Seitz), [1917], 1910-1924; *Mesosemia*
- *calliops* (Rebillard), 1958; *Mesosemia*
- *rubeola* Stichel, 1916
- *simulans* (Rebillard), 1958; *Mesosemia*
- *vicina* Stichel, 1926

Teratozephyrus [*Lyc:Lyc:The:The:Thecla*]

- * *arisanus* (Wileman), 1909; *Zephyrus*
- camurius* Murayama, 1986
- hecale* (Leech), [1893], 1893-1894; *Zephyrus*
- *yugaii* (Kano), 1928; *Zephyrus*
- - - *niitakana* (Matsumura), 1929, (H); *Zephyrus*
- - *shirakiana* (Matsumura), 1929; *Zephyrus*
- kuromon* Sugiyama, 1994
- neis* (Oberthür), 1914; *Zephyrus*
- pedius* (Leech), [1893], 1893-1894; *Zephyrus*
- picquenardi* (Oberthür), 1914; *Zephyrus*
- tsangkie* (Oberthür), 1886; *Thecla*
- - *doni* (Tytler), 1915; *Zephyrus*

Tergissima [*Lyc:Lyc:The:Eum:Eumaeus*]

- macphersoni* Johnson, 1988
- montanensis* Johnson, 1989
- * *mosconiensis* Johnson, 1988
- shargeli* Johnson, 1989

Teriomima [Lyc:Lyc:Lip:Lip:Mimacraea]

- micra* (Grose-Smith), 1898; Durbania
- parva* Hawker-Smith, 1933
- puella* Kirby, 1887
- puellaris* (Trimen), 1894; Durbania
- * *subpunctata* Kirby, 1887
- - *delicatula* Kirby, 1890
- zuluana* van Son, 1949

Terminospinissima [Lyc:Lyc:The:Eum:Eumaeus]

- gizela* (Hewitson), [1877], 1863-1878; Thecla
- orcillula* (Strand), 1916, 1914-1916; Thecla
- * *serratissima* Johnson, 1991
- vidulus* (H. H. Druce), 1907; Thecla

Terra [Lyc:Lyc:The:Eum:Eumaeus]

- atilineata* Johnson, 1992
- andevaga* Johnson, 1991
- calchinia* (Hewitson), 1868; Thecla
- cana* (Hayward), 1949; Thecla
- chilica* (Schaus), 1902; Thecla
- hispaniola* Johnson & Mansik, 1988
- * *tera* (Hewitson), [1878], 1863-1878; Thecla

Thaduka [Lyc:Lyc:The:Arh:Arhopala]

- * *multicaudata* Moore, [1879]
- *kanara* Evans, 1925

Thamala [Lyc:Lyc:The:Lox:Loxura]

- marciana* (Hewitson), [1863], 1863-1878; Myrina
- - *natuna* (Fruhstorfer), 1904; Thamola
- *maia* Corbet, 1944
- * - *miniata* Moore, [1879]
- *petrella* (Seitz), [1926], 1912-1927; Thamola
- *sarupa* Corbet, 1944
- *sparanisa* (Fruhstorfer), 1904; Thamola
- moultoni* Corbet, 1942

Tharsalea [Lyc:Lyc:Lyc:Lycaena]

- * *arota* (Boisduval), 1852; Polyommatus
- *nubila* J. A. Comstock, 1926
- *schellbachi* (Tilden), 1955; Lycaena
- *virginiensis* (Edwards), 1870; Chrysophanus

Thaumaina [Lyc:Lyc:Pol:Pol:Thaumaina]

- * *uranothauma* Bethune-Baker, 1908
- *deliciosa* Wind & Clench, 1945

Thecla [Lyc:Lyc:The:The:Thecla]

- * *betulae* (Linnaeus), 1758; Papilio
- - - - *ab. albofasciata* Spuler, 1907, 1901-1908
- - - - *ab. aquilonia* Wheeler, 1903
- - - - *ab. cuneata* (Tutt), 1907, 1905-1914; Rurialis
- - - - *ab. grisea* (Tutt), 1907, 1905-1914; Rurialis
- - - - *ab. lata* (Tutt), 1907, 1905-1914; Rurialis
- - - - *ab. latalineata* (Tutt), 1907, 1905-1914; Rurialis
- - - - *ab. lineata* (Tutt), 1907, 1905-1914; Rurialis
- - - - *ab. lutea* (Tutt), 1908, 1905-1914; Rurialis
- - - - *ab. major* (Tutt), 1907, 1905-1914; Rurialis
- - - - *ab. melanthea* (Cabeau), 1922, 1919-1922; Zephyrus
- - - - *ab. minor* (Tutt), 1907, 1905-1914; Rurialis
- - - - *ab. ongodai* (Tutt), 1907, 1905-1914; Rurialis
- - - - *ab. pallida* (Tutt), 1908, 1905-1914; Rurialis
- - - - *ab. restricta* (Tutt), 1907, 1905-1914; Rurialis
- - - - *ab. restrictalineaata* (Tutt), 1907, 1905-1914; Rurialis
- - - - *ab. spinosoida* (Seok), 1934; Zephyrus
- - - - *ab. steinbuehleri* (Hoffmann), 1914; Zephyrus
- - - - *ab. subunicolor* (Tutt), 1907, 1905-1914; Rurialis
- - - - *ab. unciilinea* (Tutt), 1907, 1905-1914; Rurialis
- - - - *ab. unicolor* (Tutt), 1907, 1905-1914; Rurialis
- - - - *ab. virgata* (Tutt), 1907, 1905-1914; Rurialis
- - - *apelles* (de Villers), 1789, (H); Papilio
- - *spinosa* Gerhard, 1853, 1850-1853

Thecla (*continued*)

- *coreana* (Nire), 1919; Zephyrus
- *crassa* (Leech), [1893], 1893-1894; Zephyrus
- *elwesi* Leech, 1890
- *yiliguozigounae* Huang & Murayama, 1992
- betulina* Staudinger, 1887
- - *gaimana* (Doi & Cho), 1931; Zephyrus
- dolosa* Staudinger, [1888], 1884-1888

Thecla (?) [Lyc:Lyc:The:The:Thecla]

- spondiae* (Shaw & Nodder), 1808, 1789-1813; Papilio

Thecla (??) [Lyc:Lyc:The:The:Thecla]

- rumaniae* Cosmovici, 1892

Thecla (New World Eumaeini) [Lyc:Lyc:The:The:Thecla]

- acameda* Hewitson, [1867], 1863-1878
- - *paulina* Draudt, [1920], 1917-1924
- acontius* Goodson, 1945
- adamsi* H. H. Druce, 1909
- adela* Staudinger, [1888], 1884-1888
- aepea* Hewitson, [1874], 1863-1878
- - - - *oepea* Kirby, 1877, (ISS)
- aepeona* Draudt, [1920], 1917-1924
- aganippe* Goodson, 1945
- agrippa* (Fabricius), 1793, 1792-1799; Hesperia
- aguaca* Draudt, [1920], 1917-1924
- aholiba* Hewitson, [1867], 1863-1878
- - - - *aratus* Schaus, 1902, (PS)
- - *aritides* Schaus, 1902
- albolineata* Lathy, 1936
- alihoba* Staudinger, 1894
- ambrax* Westwood, [1852], 1846-1852
- *septentrionalis* Lathy, 1926
- amphrade* Schaus, 1913
- - *posetta* Dyar, 1914
- anacreon* (Fabricius), 1793, 1792-1799; Hesperia
- anna* H. H. Druce, 1907
- aon* Lucas, 1857
- aphaca* Hewitson, [1867], 1863-1878
- aprica* Möscher, 1883
- arachne* Goodson, 1945
- arene* Goodson, 1945
- arenicola* Jörgensen, 1934
- ares* Godman & Salvin, [1887], 1879-1901
- argerona* Hewitson, [1877], 1863-1878
- arogeus* (Stoll), [1780], 1780-1790; Papilio
- arola* Hewitson, 1868
- arpoxis* Godman & Salvin, [1887], 1879-1901
- arpoxada* Draudt, [1920], 1917-1924
- aruma* Hewitson, [1877], 1863-1878
- arza* Hewitson, [1874], 1863-1878
- assula* Draudt, [1919], 1917-1924
- atena* Hewitson, [1867], 1863-1878
- atesa* Hewitson, [1867], 1863-1878
- athymbra* Hewitson, [1867], 1863-1878
- auda* Hewitson, [1867], 1863-1878
- augustinula* Strand, 1916, 1914-1916
- aunus* (Cramer), [1775], 1775-1790; Papilio
- aurorina* Draudt, [1919], 1917-1924
- azurinus* (Butler & H. Druce), 1872; Bithys
- bactriana* Hewitson, 1868
- badaca* Hewitson, 1868
- badeta* Hewitson, [1873], 1863-1878
- - *melba* Hewitson, [1877], 1863-1878
- balzabamba* Goodson, 1945
- barajo* Reakirt, [1867], 1866-1867
- - *desdemona* Hewitson, [1867], 1863-1878
- barba* H. H. Druce, 1907
- batesii* Hewitson, [1865], 1863-1878
- bennetti* Dyar, 1913
- bianca* Möscher, 1883

Thecla (New World Eumaeini) (continued)

- biblia* Hewitson, 1868
biston Möschler, 1876
bosora Hewitson, 1870, 1869-1877
bouvieri Lathy, 1936
boyi Röber, 1931
brocela Dyar, 1913
buccina H. H. Druce, 1907
burica Dyar, 1914
buris H. H. Druce, 1907
busa Godman & Salvin, [1887], 1879-1901
caesaries H. H. Druce, 1907
caespes H. H. Druce, 1907
calatia Hewitson, [1873], 1863-1878
callirrhoe Goodson, 1945
camissa Hewitson, 1870, 1869-1877
 - - *charichlorus* (Butler & H. Druce), 1872; *Tmolus*
 - - *vespasianus* (Butler & H. Druce), 1872; *Tmolus*
campa Jones, 1912
canacha Hewitson, [1877], 1863-1878
candidus H. H. Druce, 1907
caninius H. H. Druce, 1907
cardus Hewitson, [1874], 1863-1878
carla Schaus, 1902
carteia Hewitson, 1870, 1869-1877
carteri Weeks, 1906
carthaea Hewitson, 1868
castimonia H. H. Druce, 1907
catamasquensis Hayward, 1967
catrea Hewitson, [1874], 1863-1878
ceglusa Hewitson, 1868
celelata Hewitson, [1874], 1863-1878
centuncula Draudt, [1920], 1917-1924
cethegus (Stoll), [1790], 1780-1790; *Papilio*
etra Draudt, [1920], 1917-1924
chione Goodson, 1945
chlamydem H. H. Druce, 1907
chlamys H. H. Druce, 1907
chloris Hewitson, [1877], 1863-1878
cinerea Lathy, 1936
cleocha Hewitson, 1870, 1869-1877
clepsydra H. H. Druce, 1907
coccineifrons Godman & Salvin, [1887], 1879-1901
cockaynei Goodson, 1945
coelicolor (Butler & H. Druce), 1872; *Strymon*
 - - *hena* Hewitson, [1874], 1863-1878
collustra H. H. Druce, 1907
color H. H. Druce, 1907
columbicola Strand, 1916, 1914-1916
conchylum H. H. Druce, 1907
confusa Jörgensen, 1934
confusa Lathy, 1936, (H)
conoveria Schaus, 1902
corolena Hewitson, [1874], 1863-1878
coronata Hewitson, [1865], 1863-1878
correntina Hayward, 1967
cosa Hewitson, [1867], 1863-1878
crepundia H. H. Druce, 1909
crinella Strand, 1918, 1917-1918
crines H. H. Druce, 1907
crispisulcans Draudt, [1920], 1917-1924
cupa H. H. Druce, 1907
cuprea Lathy, 1930
cyaneus Draudt, [1920], 1917-1924
cyllarus (Cramer), [1775], 1775-1790; *Papilio*
 - - - - *ab. xanthica* Lathy, 1926
 - - *cyllarissus* (Herbst), 1800, 1788-1804; *Papilio*
 - - *deliciae* H. H. Druce, 1907
 - - *reducta* Lathy, 1926
danaus (Felder & Felder), 1865, 1865-1875; *Pseudolycaena*
 - - *margaritacea* Draudt, [1919], 1917-1924

Thecla (New World Eumaeini) (continued)

- daütia* Jones, 1912
demilineata Lathy, 1936
dicaeoides Lathy, 1936
dickiei Weeks, 1901
dindus (Fabricius), 1793, 1792-1799; *Hesperia*
dindymus (Cramer), [1775], 1775-1790; *Papilio*
 - - - *sphinx* (Fabricius), 1781, 1781-1782, (H); *Papilio*
 - - *sphinx* (Fabricius), 1775; *Papilio*
dion (Schaller), 1788; *Papilio*
dodava Hewitson, [1877], 1863-1878
dotium H. H. Druce, 1907
doryasa Hewitson, [1874], 1863-1878
 - - *epidius* Godman & Salvin, [1887], 1879-1901
draudti Lathy, 1926
drucei Lathy, 1926
dubiosa Lathy, 1936
duma Hewitson, [1878], 1863-1878
dydimoon (Cramer), [1777], 1775-1790; *Papilio*
echelta Hewitson, [1867], 1863-1878
elana Hewitson, [1874], 1863-1878
electryon Goodson, 1945
elegans Lathy, 1936
eliatha Hewitson, [1867], 1863-1878
elika Hewitson, [1867], 1863-1878
elis (Cramer), [1779], 1775-1790; *Papilio*
ella Draudt, [1919], 1917-1924
ematheon (Cramer), [1777], 1775-1790; *Papilio*
emessa Hewitson, [1867], 1863-1878
 - - *legythia* Hewitson, [1874], 1863-1878
empusa Hewitson, [1867], 1863-1878
 - - *bethulia* Hewitson, [1869], 1863-1878
 - - *halciones* (Butler & H. Druce), 1872; *Tmolus*
endela Hewitson, [1874], 1863-1878
endera Hewitson, [1867], 1863-1878
 - - *thestia* Hewitson, [1869], 1863-1878
enenia Hewitson, [1867], 1863-1878
episcopalis Fassl, 1912
epopea Hewitson, 1870, 1869-1877
epopeoides Schaus, 1902
erema Hewitson, [1867], 1863-1878
ergeus (Godart), [1824], 1819-1824; *Polyommatus*
ergina Hewitson, [1867], 1863-1878
 - - *ela* Hewitson, [1874], 1863-1878
ericeta Hewitson, [1867], 1863-1878
 - - *munatia* Hewitson, [1878], 1863-1878
eronos H. H. Druce, 1890
erybathis Hewitson, [1867], 1863-1878
eryssus (Herbst), 1800, 1788-1804; *Papilio*
 - - - - *erissus* Draudt, [1920], 1917-1924, (ISS)
 - - *erix* (Cramer), [1775], 1775-1790; *Papilio*
 - - *tyrrhenus* (Hübner), [1819], 1816-1826; *Bithys*
erythrozona Röber, 1927
eumorpha Hayward, 1949
euptychia Draudt, [1920], 1917-1924
felderi Goodson, 1945
feretria Hewitson, [1878], 1863-1878
fidelia Hewitson, [1874], 1863-1878
floreus H. H. Druce, 1907
fostera Schaus, 1902
foyi Schaus, 1902
gabatha Hewitson, 1870, 1869-1877
 - - *balius* Godman & Salvin, [1887], 1879-1901
 - - *gabathana* Strand, 1918, 1917-1918
gabelus (Godart), [1824], 1819-1824; *Polyommatus*
gabriela (Cramer), [1775], 1775-1790; *Papilio*
 - - *gabriel* (Godart), [1824], 1819-1824; *Polyommatus*
 - - *gabrielis* (Fabricius), 1787; *Papilio*
 - - *sponsa* Möschler, 1876
gadira Hewitson, [1867], 1863-1878
gaina Hewitson, 1870, 1869-1877

Thecla (New World Eumaeini) (continued)

- galliena* Hewitson, [1877], 1863-1878
 + *ganymedes* (Cramer), [1775], 1775-1790; Papilio
 - - - *ganymedes* Boisduval, 1870, (ISS)
 - - *bimaculata* Möschler, 1876
 - - *nobilis* Herrich-Schäffer, [1853], 1850-1869
gargara Hewitson, 1868
gargophia Hewitson, [1877], 1863-1878
gauna Boisduval, 1870
geba Hewitson, [1877], 1863-1878
geminata Draudt, [1920], 1917-1924
gemma H. H. Druce, 1907
genena Hewitson, [1867], 1863-1878
gentiana H. H. Druce, 1907
getus (Fabricius), 1787; Papilio
 - - - *petus* (Fabricius), 1793, 1792-1799, (ISS); Hesperia
 - - *pelops* (Stoll), [1781], 1780-1790, (H); Papilio
giapor Schaus, 1902
gibberosa Hewitson, [1867], 1863-1878
 - *tomlinsoni* H. H. Druce, 1909
gigantea Hewitson, [1867], 1863-1878
gispa Hewitson, [1865], 1863-1878
gloriosa Lathy, 1930
gnosia Hewitson, 1868
godmani Goodson, 1945
greppa Dyar, 1912
guacanagari Wallengren, 1860
guapila Schaus, 1913
guayra Jörgensen, 1935
havila Hewitson, [1865], 1863-1878
heloisa Möschler, 1883
heracides Godman & Salvin, [1887], 1879-1901
heraldica Dyar, 1914
hosmeri Weeks, 1906
hostis Schaus, 1902
humber Schaus, 1902
hypoliodes Hayward, 1967
 - - - *hypoliedes* Anonymous, 1971, (ISS)
illex Schaus, 1902
imma Prittwitz, 1865
 - - - *innua* Dallas, 1867, (ISS)
inconspicua Lathy, 1930
iodinus (Kaye), [1914]; Tmolus
iopas Godman & Salvin, [1887], 1879-1901
ismarus (Cramer), [1777], 1775-1790; Papilio
ixion (Fabricius), 1775; Papilio
 - - *euripides* (Fabricius), 1793, 1792-1799; Hesperia
 - - - *euripedes* Kirby, 1871, (ISS)
jactator H. H. Druce, 1907
japota Jones, 1912
kalikimaka Clench, 1944
keila Hewitson, [1869], 1863-1878
 - - *parasia* Hewitson, [1874], 1863-1878
laconia Hewitson, 1868
lampetia Godman & Salvin, [1887], 1879-1901
lanckena Schaus, 1902
laothoe Godman & Salvin, [1887], 1879-1901
latagus Godman & Salvin, [1887], 1879-1901
lathyl Johnson, 1991
 - - - *inornata* Lathy, 1936, (H)
 - - - *inornata* Comstock & Huntington, 1960, 1958-1964, (ISS)
laudonia Hewitson, [1867], 1863-1878
ledaea Hewitson, 1868
lemuria Hewitson, 1868
leos Schaus, 1913
ligurina Hewitson, [1874], 1863-1878
lilacina Lathy, 1930
lineata Lathy, 1936
lisus (Stoll), [1790], 1780-1790; Papilio
 - - *hisbon* Godman & Salvin, [1887], 1879-1901
lollia Godman & Salvin, [1887], 1879-1901

Thecla (New World Eumaeini) (continued)

- lophis* H. H. Druce, 1912
lorea Möschler, 1883
lorina Hewitson, [1874], 1863-1878
lotis Goodson, 1945
lucagus Godman & Salvin, [1887], 1879-1901
lutzi Huntington, 1932
lycabas (Cramer), [1777], 1775-1790; Papilio
 - - *terentia* Hewitson, 1868
maculata Lathy, 1936
madie Weeks, 1906
 - - - *maidie* Weeks, 1911, (ISS)
maeonis Godman & Salvin, [1887], 1879-1901
magnapurpurata Johnson, 1991
 - - - *violacea* Lathy, 1936, (H)
malvania Hewitson, [1867], 1863-1878
mantica H. H. Druce, 1907
marches H. H. Druce, 1912
mazurka Hewitson, [1867], 1863-1878
meccrida Hewitson, [1867], 1863-1878
 - - *anastomosis* Draudt, [1919], 1917-1924
megacles (Stoll), [1780], 1780-1790; Papilio
megamede Prittwitz, 1865
melleus H. H. Druce, 1907
melma Schaus, 1913
melzeri Spitz, 1931
metanira Hewitson, [1867], 1863-1878
mimula Draudt, [1920], 1917-1924
minereus (Fabricius), 1787; Papilio
minniles Dyar, 1916
minthe Godman & Salvin, [1887], 1879-1901
minyia Hewitson, [1867], 1863-1878
misenes (Cramer), [1777], 1775-1790; Papilio
monica Hewitson, [1867], 1863-1878
 - - *augustula* Kirby, 1877
 - - - *augustinus* (Butler & H. Druce), 1872, (H); Mithras
muatta Hewitson, [1877], 1863-1878
muattina Schaus, 1902
mulsus H. H. Druce, 1907
munditia H. H. Druce, 1907
mycon Godman & Salvin, [1887], 1879-1901
myrsina Hewitson, [1874], 1863-1878
myrtusa Hewitson, [1867], 1863-1878
nana (Felder & Felder), 1865, 1865-1875; Pseudolycaena
nannidion Burmeister, 1878
nebis (Godart), [1824], 1819-1824; Polyommatus
nigroflavus (Goeze), 1779, 1777-1783; Papilio
nitetis Godman & Salvin, [1887], 1879-1901
nivepunctata H. H. Druce, 1907
nora Jones, 1912
norax Godman & Salvin, [1887], 1879-1901
normahal Schaus, 1902
nortia Godman & Salvin, [1887], 1879-1901
nota H. H. Druce, 1907
numen H. H. Druce, 1907
obliterata Lathy, 1936
oceia Godman & Salvin, [1887], 1879-1901
ocrida Hewitson, 1868
odinus Godman & Salvin, [1887], 1879-1901
ohausi Spitz, 1933
olbia Hewitson, [1867], 1863-1878
 - - *phallica* Hewitson, [1867], 1863-1878
opalina Hewitson, 1868
opaliana Hayward, 1967
ophia Hewitson, 1868
 - - *ornea* Hewitson, 1868
oratus Godman & Salvin, [1887], 1879-1901
orios Godman & Salvin, [1887], 1879-1901
ornatrix H. H. Druce, 1907
orobia Hewitson, [1867], 1863-1878
orobiana Hewitson, [1867], 1863-1878

Thecla (New World Eumaeini) (continued).

- - *cosmophila* Tessmann, 1928
- orocana* H. H. Druce, 1912
- orsina* Hewitson, [1877], 1863-1878
- ortaloides* Lathy, 1930
- ostrinus* H. H. Druce, 1907
- pactya* Hewitson, [1874], 1863-1878
- paralus* Godman & Salvin, [1887], 1879-1901
- paron* Godman & Salvin, [1887], 1879-1901
- paseo* Lucas, 1857
- paupera* (Felder & Felder), 1865, 1865-1875; *Pseudolycaena*
- *harrietta* Weeks, 1901
- - - - *harietta* Draudt, [1919], 1917-1924, (ISS)
- peculiaris* Lathy, 1930
- pedusa* Hewitson, [1867], 1863-1878
- peona* Hewitson, [1874], 1863-1878
- peonida* Draudt, [1919], 1917-1924
- perola* Hewitson, [1867], 1863-1878
- perpenna* Godman & Salvin, [1887], 1879-1901
- petelina* Hewitson, [1877], 1863-1878
- petilla* Hewitson, 1868
- phacana* Draudt, [1920], 1917-1924
- phegeus* Hewitson, [1865], 1863-1878
- phobe* Godman & Salvin, [1887], 1879-1901
- phoster* H. H. Druce, 1907
- *parvipuncta* Lathy, 1926
- photismos* H. H. Druce, 1907
- phrosine* H. H. Druce, 1909
- phydela* Hewitson, [1867], 1863-1878
- - *dealbata* Draudt, [1919], 1917-1924
- picus* H. H. Druce, 1907
- porphyritis* H. H. Druce, 1907
- porthura* H. H. Druce, 1907
- praxis* Godman & Salvin, [1887], 1879-1901
- proba* Godman & Salvin, [1887], 1879-1901
- - *climicles* Dyar, 1914
- publica* Röber, 1923
- pulchritudo* H. H. Druce, 1907
- pura* Draudt, [1919], 1917-1924
- purissima* Draudt, [1920], 1917-1924
- purpura* H. H. Druce, 1907
- purpurantes* H. H. Druce, 1907
- purpuriticus* H. H. Druce, 1907
- quassa* Draudt, [1920], 1917-1924
- ravus* H. H. Druce, 1907
- renidens* Draudt, [1920], 1917-1924
- restricta* Lathy, 1936
- rhapsissima* Johnson, 1991
- - - *mirabilis* Lathy, 1930, (H)
- rickmani* Schaus, 1902
- rita* Goodson, 1945
- romulus* (Fabricius), 1793, 1792-1799; *Hesperia*
- rustan* (Stoll), [1790], 1780-1790; *Papilio*
- - *macaria* Swainson, [1822], 1820-1823
- sadiei* Weeks, 1901
- sala* Hewitson, [1867], 1863-1878
- salaeides* Draudt, [1919], 1917-1924
- sanctissima* Jørgensen, 1935
- santans* Dyar, 1926
- scintillans* Hayward, 1967
- seitzii* Spitz, 1931
- semones* Godman & Salvin, [1887], 1879-1901
- senta* Draudt, [1920], 1917-1924
- sergius* Godman & Salvin, [1887], 1879-1901
- silumena* Hewitson, [1867], 1863-1878
- simasca* Draudt, [1920], 1917-1924
- sinnis* (Godart), [1824], 1819-1824; *Polyommatus*
- smaragdus* H. H. Druce, 1907
- sophocles* (Fabricius), 1793, 1792-1799; *Hesperia*
- - - *sphinx* (Godart), [1824], 1819-1824, (H); *Polyommatus*
- - *virginia* Draudt, [1920], 1917-1924

Thecla (New World Eumaeini) (continued)

- - *wilhelmina* Kirby, 1871
- sospes* Draudt, [1920], 1917-1924
- stilbia* Hewitson, [1867], 1863-1878
- strephon* (Fabricius), 1775; *Papilio*
- - *sicheus* (Cramer), [1777], 1775-1790; *Papilio*
- - - - *sichaeus* Kirby, 1871, (ISS)
- *occidentalis* Lathy, 1926
- subflorens* Schaus, 1913
- subisobea* Strand, 1918, 1917-1918
- suda* Draudt, [1920], 1917-1924
- sumptuosa* H. H. Druce, 1907
- sycena* Hewitson, [1874], 1863-1878
- syedra* Hewitson, [1867], 1863-1878
- sylea* Hewitson, [1867], 1863-1878
- tabena* Godman & Salvin, [1887], 1879-1901
- talama* Schaus, 1902
- talboti* Lathy, 1936
- taminella* Schaus, 1902
- tarena* Hewitson, [1874], 1863-1878
- tarpa* Godman & Salvin, [1887], 1879-1901
- taunayi* Spitz, 1931
- teatea* Hewitson, 1868
- tella* Schaus, 1902
- - *castrena* Jones, 1912
- tema* Hewitson, [1867], 1863-1878
- temella* Strand, 1916, 1914-1916
- tephraeus* (Geyer), [1837], 1832-1837; *Bithys*
- - *faventia* Hewitson, [1869], 1863-1878
- teucra* Hewitson, 1868
- thales* (Fabricius), 1793, 1792-1799; *Hesperia*
- - *thalesa* Hewitson, [1867], 1863-1878
- - *thrasyllus* (Geyer), [1837], 1832-1837; *Brangas*
- thargelia* Burneister, 1878
- theia* Hewitson, 1870, 1869-1877
- - - *aethesa* Hewitson, [1874], 1863-1878, (H)
- thenca* Möschler, 1883
- theocritus* (Fabricius), 1793, 1792-1799; *Hesperia*
- - *nepia* Godman & Salvin, [1887], 1879-1901
- theopina* Giacomelli, 1917
- thespia* Hewitson, 1870, 1869-1877
- thoria* Hewitson, [1869], 1863-1878
- thyrea* Hewitson, [1867], 1863-1878
- tiasa* Hewitson, [1869], 1863-1878
- timaeus* (Felder & Felder), 1865, 1865-1875; *Pseudolycaena*
- - *circinata* Hewitson, 1874
- timodea* Hewitson, 1870, 1869-1877
- tityrus* (Felder & Felder), 1865, 1865-1875; *Pseudolycaena*
- tollus* Lucas, 1857
- tolmides* (Felder & Felder), 1865, 1865-1875; *Pseudolycaena*
- - *hyas* Godman & Salvin, [1887], 1879-1901
- torfrida* Hewitson, [1867], 1863-1878
- trebonia* Hewitson, 1870, 1869-1877
- trinitatis* Lathy, 1936
- tristis* Lathy, 1926
- trochus* H. H. Druce, 1907
- tyleri* Dyar, 1913
- tympania* Hewitson, [1869], 1863-1878
- tyriam* H. H. Druce, 1907
- tyrtaeus* (Fabricius), 1793, 1792-1799; *Hesperia*
- ufentina* Hewitson, 1868
- undulata* Hewitson, [1867], 1863-1878
- undulella* Strand, 1918, 1917-1918
- upupa* H. H. Druce, 1907
- uterkudante* H. H. Druce, 1907
- - *elimes* Dyar, 1914
- variegata* Lathy, 1936
- velina* Hewitson, 1868
- verania* Hewitson, 1868
- verbenaca* H. H. Druce, 1907
- vevenae* Dyar, 1918

Thecla (New World Eumaeini) (*continued*)

- viceta* Hewitson, 1868
- vieca* Schaus, 1902
- viggia* Dyar, 1918
- villia* Hewitson, [1869], 1863-1878
- viola* Draudt, [1920], 1917-1924
- viresco* H. H. Druce, 1907
- *photeinos* H. H. Druce, 1907
- viridicans* (Felder & Felder), 1865, 1865-1875; *Pseudolycaena*
- voltinia* Hewitson, [1869], 1863-1878
- vomiba* Schaus, 1902
- watkinsi* Lathy, 1926
- watsoni* Huntington, 1932
- werneri* Hering & Hopp, 1925
- wernickei* Röber, 1903
- wickhami* Riley, 1919
- zava* Hewitson, [1878], 1863-1878
- zigira* Hewitson, [1869], 1863-1878

Thecla (New World Eumaeini) *atrana* group

[Lyc:Lyc:The:The:Tha:Tha]

- atrana* Schaus, 1902
- tegaea* Hewitson, 1868

Thecla (New World Eumaeini) *fabulla* group

[Lyc:Lyc:The:The:Tha:Tha]

- fabulla* Hewitson, 1868
- phillina* Hewitson, 1868
- - *unilinea* (Kaye), 1904; *Tmolus*

Thecla (New World Eumaeini) *francis* group

[Lyc:Lyc:The:The:Tha:Tha]

- brasilienis* Talbot, 1928
- francis* Weeks, 1901
- pseudarcula* Giacomelli, 1914
- - - *pseudarenia* Anonymous, 1929, (ISS)

Thecla (New World Eumaeini) *myrtea* group

[Lyc:Lyc:The:The:Tha:Tha]

- eunus* Godman & Salvin, [1887], 1879-1901
- falerina* Hewitson, [1867], 1863-1878
- myrtea* Hewitson, [1867], 1863-1878
- thara* Hewitson, [1867], 1863-1878
- - *ivellia* Gosse, 1880

Theclinesthes [Lyc:Lyc:Pol:Pol:Theclinesthes]

- albocincta* (Waterhouse), 1903; *Utica*
- hesperia* Sibatani & Grund, 1978
- *littoralis* Sibatani & Grund, 1978
- miskini* (Lucas), 1889; *Lycaena*
- - *atrosuffusa* (Waterhouse), 1903; *Utica*
- - - *atrofusa* (Seitz), [1924], 1912-1927, (ISS); *Nacaduba*
- *arnoldi* (Fruhstorfer), 1916; *Nacaduba*
- *brandti* Sibatani & Grund, 1978
- *eucalypti* Sibatani & Grund, 1978
- *feminalba* Sibatani & Grund, 1978
- *gaura* (Doherty), 1891; *Nacaduba*
- * - - *eremicola* (Röber), 1891; *Plebeius*
- + *onycha* (Hewitson), [1865], 1863-1878; *Utica*
- *capricornia* Sibatani & Grund, 1978
- serpentata* (Herrich-Schäffer), 1869; *Lycaena*
- - *fasciola* (Tepper), 1882; *Cupido*
- - *molybdena* (Guest), 1882; *Cupido*
- *lavara* Couchman, 1954
- sulplittus* (Miskin), 1890; *Lycaena*
- *obscura* (Waterhouse & Lyell), 1914; *Neolucia*

Theclopsis [Lyc:Lyc:The:Eum:Eumaeus]

- caeus* Godman & Salvin, [1887], 1879-1901
- curtira* (Schaus), 1902; *Thecla*
- demea* (Hewitson), [1874], 1863-1878; *Thecla*
- lydus* (Hübner), [1819], 1816-1826; *Bihys*
- - - *eryx* (Cramer), [1777], 1775-1790, (H); *Papilio*

Theclopsis (*continued*)

- - *ingae* (Sepp), [1848], 1828-1855; *Papilio*
- * - *lebena* (Hewitson), 1868; *Thecla*
- *occidentalis* Lathy, 1926
- murex* (H. H. Druce), 1907; *Thecla*

Thecloxurina [Lyc:Lyc:The:Eum:Eumaeus]

- atymna* (Hewitson), 1870, 1869-1877; *Thecla*
- atymnides* (Draudt), [1919], 1917-1924; *Thecla*
- bolivatymna* Johnson, 1992
- browni* Johnson, 1992
- cillutincarae* (Draudt), [1919], 1917-1924; *Thecla*
- - *quadrufus* (Hayward), 1935; *Thecla*
- - *rufanalis* (Hayward), 1935; *Thecla*
- costarica* Johnson, 1992
- eiseleorum* Johnson, 1992
- - - *ciselorum* Anonymous, 1992, (ISS)
- fassii* (H. H. Druce), 1912; *Thecla*
- - *socorrensis* (Draudt), [1919], 1917-1924; *Thecla*
- feminina* Johnson, 1992
- * *loxurina* (Felder & Felder), 1865, 1865-1875; *Thecla*
- *astillero* Johnson, 1992
- *lustra* Johnson, 1992
- pantansa* Johnson & Adams, 1993
- quindiensis* (Draudt), [1919], 1917-1924; *Thecla*
- truncta* Johnson, 1992

Themone [Lyc:Rio:Rio:Rio:Ancyluriti]

- carveri* (Weeks), 1906; *Methonella*
- inornata* Rebillard, 1958
- * *pais* (Hübner), [1820], 1806-1838; *Helicopsis*
- - *bambino* Bryk, 1953
- - *halius* (Dalman), 1823; *Papilio*
- - *phormis* (Doubleday), 1847, 1844-1848; *Limna*
- *eutacta* Stichel, 1910
- *paidion* Stichel, 1910
- *storthynga* Stichel, 1910
- poecila* Bates, [1868]
- sublimata* Stichel, 1925
- trivittata* Lathy, 1904

Theope [Lyc:Rio:Rio:Nymphidiini]

- apheles* Bates, [1868]
- archimedes* (Fabricius), 1793, 1792-1799; *Hesperia*
- atima* Bates, [1868]
- aureonitens* Bates, [1868]
- azurea* Bates, [1868]
- bacenis* Schaus, 1890
- bahlmanni* Fassl, 1922
- barea* Godman & Salvin, 1878
- basilea* Bates, 1866
- caenina* Godman & Salvin, 1878
- - - *caecina* Stichel, 1930, (ISS)
- comosa* Stichel, 1911
- cratylus* Godman & Salvin, [1886], 1879-1901
- diores* Godman & Salvin, 1897
- drepana* Bates, [1868]
- eleutho* Godman & Salvin, 1897
- eudocia* Westwood, [1851], 1846-1852
- *acosma* Stichel, 1910
- *pulchralis* Stichel, 1910
- eupolis* Schaus, 1890
- eurygonina* Bates, [1868]
- *columbiana* Staudinger, [1888], 1884-1888
- excelsa* Bates, [1868]
- foliorum* Bates, [1868]
- - *punctipennis* Bates, [1868]
- galionicus* Gallard & Brevignon, 1989
- herta* Godman & Salvin, [1886], 1879-1901
- hypoleuca* Bates, [1868]
- janus* Bates, 1867
- lampropteryx* Bates, [1868]

Theope (*continued*)

- leucanthe Bates, [1868]
- lycaenina Bates, [1868]
- mania Godman & Salvin, 1897
- methemona Bates, [1868]
- mundula Stichel, 1926
- pedias Herrich-Schäffer, [1853], 1850-1869
- - hypoxanthe Bates, [1868]
- - thelpusa Hewitson, [1860], 1852-1877
- isla Godman & Salvin, 1878
- phaeo Pritzwitz, 1865
- folia Godman & Salvin, [1886], 1879-1901
- phineus Schaus, 1913
- pieridoides Felder & Felder, 1865, 1865-1875
- publius Felder & Felder, 1861
- sanjuani d'Abrera, 1994
- sericea Bates, [1868]
- simplicia Bates, [1868]
- sisemina Seitz, [1917], 1910-1924
- sobrina Bates, [1868]
- speciosa Godman & Salvin, 1897
- - fasciata Lathy, 1904
- syngenes Bates, [1868]
- talna Godman & Salvin, 1897
- * terambus (Godart), [1824], 1819-1824; Polyommatus
- - lytaea (Hübner), [1837], 1808-1837; Psalidopterus
- tetrastigma Bates, [1868]
- - - - tetrasigma d'Abrera, 1994, (ISS)
- thebais Hewitson, [1860], 1852-1877
- matuta Godman & Salvin, 1897
- theritas Hewitson, [1860], 1852-1877
- thestias Hewitson, [1860], 1852-1877
- - discus Bates, [1868]
- decorata Godman & Salvin, 1878
- theutis Godman & Salvin, [1886], 1879-1901
- thootes Hewitson, [1860], 1852-1877
- urichi Vane-Wright, 1994
- virgilius (Fabricius), 1793, 1792-1799; Hesperia
- caerulea Bates, [1868]
- nobilis Bates, [1868]
- polimela Godman & Salvin, 1897
- zostera Bates, [1868]
- zyzyxoxyx d'Abrera, 1994

Theorema [Lyc:Lyc:The:Eum:Eumaeus]

- chiriquensis Niepelt, 1927
- dysmenia Draudt, [1919], 1917-1924
- * eumenia Hewitson, [1865], 1863-1878
- - - - eumeonia Johnson & MacPherson & Ingraham, 1986, (ISS)
- - - - eunomia Strecker, 1900, 1872-1900, (ISS)
- - titania (Strecker), 1885; Therorema
- sapho (Staudinger), [1888], 1884-1888; Micandra

Thereus [Lyc:Lyc:The:Eum:Thereus]

- * lausus (Cramer), [1779], 1775-1790; Papilio
- - libanius (Stoll), [1782], 1780-1790; Papilio
- oppia (Godman & Salvin), [1887], 1879-1901; Thecla
- ortalus (Godman & Salvin), [1887], 1879-1901; Thecla
- pharus (H. H. Druce), 1907; Thecla
- radiatio (H. H. Druce), 1907; Thecla
- - - - radialio (Comstock & Huntington), 1963, 1958-1964, (ISS); Thecla
- thyesta (Hewitson), [1869], 1863-1878; Thecla

Thereus (?) [Lyc:Lyc:The:Eum:Thereus]

- caltha (H. H. Druce), 1907; Thecla

Theritas [Lyc:Lyc:The:Eum:Eumaeus]

- + latreilli (Hewitson), [1865], 1863-1878; Thecla
- * mavors Hübner, [1818], 1808-1837

Thermoniphias [Lyc:Lyc:Pol:Pol:Euchrysops]

- alberici (Dufrane), 1945; Everes
- albocaerulea Stempffer, 1956
- - - - albocaerulea Stempffer, 1967, (ISS)
- bibundana (Grünberg), 1910; Cupido
- caerulea Stempffer, 1956
- distincta (Talbot), 1935; Everes
- fontainei Stempffer, 1956
- fumosa Stempffer, 1952
- kamitugensis (Dufrane), 1945; Everes
- kigezi Stempffer, 1956
- leucocyanea Clench, 1961
- - - - leucocyanea (Anonymous), 1969, (ISS); Termoniphias
- micylus (Cramer), [1780], 1775-1790; Papilio
- - - - micyclus (Godart), [1824], 1819-1824, (ISS); Polyommatus
- colorata (Ungemach), 1932; Everes
- - - - colorata Stempffer, 1967, (ISS)
- + plurilimbata Karsch, 1895
- rutshurensis (Joicey & Talbot), 1921; Oboronina
- stempfferi Clench, 1961
- togara (Plötz), 1880; Lycaena
- - bugalla (Stempffer & Jackson), 1962; Anthene

Thermozephyrus [Lyc:Lyc:The:Eum:Eumaeus]

- * ataxus (Westwood), [1851], 1846-1852; Dipsas
- - katura (Hewitson), [1865], 1863-1878; Dipsas
- kirishimaensis (Okajima), 1922; Zephyrus
- lingi Okano & Ohkura, 1969
- yakushimaensis (Yazaki), 1923; Zephyrus
- zulla (Tytler), 1915; Zephyrus

Thestius [Lyc:Lyc:The:Eum:Eumaeus]

- * pholeus (Cramer), [1777], 1775-1790; Papilio
- - - - ♂ f. feminalis (Draudt), [1920], 1917-1924; Thecla
- - - - photeus Johnson & MacPherson & Ingraham, 1986, (ISS)
- - meridionalis (Draudt), [1920], 1917-1924; Thecla
- - philanthus (Stoll), [1787], 1780-1790; Papilio
- - - - phalanthus (Scudder), 1875, (ISS); Molus
- selina (Hewitson), [1869], 1863-1878; Thecla

Thestor [Lyc:Lyc:Mil:Lachnocnemini]

- basuta (Wallengren), 1857; Zerythis
- - zaraces (Hewitson), 1874; Zerythis
- capeneri Dickson, 1972
- brachycera (Trimen), 1883; Arrugia
- braunsi van Son, 1941
- compassbergae Quickelberge & McMaster, 1970
- dicksoni Riley, 1954
- calviniae Riley, 1954
- dryburghi van Son, 1966
- dukei van Son, 1951
- holmesi van Son, 1951
- kaplani Dickson & Stephen, 1971
- montanus van Son, 1941
- pictus van Son, 1941
- murrayi Swanepoel, 1953
- penningtoni van Son, 1949
- petra Pennington, 1962
- pringlei Dickson, 1976
- + protummus (Linnaeus), 1764; Papilio
- * - - petalus (Cramer), [1779], 1775-1790; Papilio
- - silvius (Fabricius), 1787; Papilio
- aridus van Son, 1941
- rileyi Pennington, 1956
- rossouwi Dickson, 1971
- - - - rossouwi d'Abrera, 1980, (ISS)
- stepheni Swanepoel, 1968
- strutti van Son, 1951
- swanepoeli Pennington, 1971
- tempe Pennington, 1962
- vansonii Pennington, 1962

Thestor (*continued*)

- yildizae* Koçak, 1983, 1981-1983
- - - *obscurus* van Son, 1941, (H)

Thisbe [Lyc:Rio:Rio:Lemoniini]

- fenestrella* Lathy, 1932
- *cayennensis* Brévignon & Gallard, 1992
- irenea* (Stoll), [1780], 1780-1790; Papilio
- - - *irenaea* Kirby, 1871, (ISS)
- * - *belise* (Stoll), [1782], 1780-1790; Papilio
- *atlantis* Stichel, 1910
- *belides* Stichel, 1910
- *interjecta* Talbot, 1928
- *prodiga* Stichel, 1929
- lycorias* (Hewitson), [1853], 1852-1877; Nymphidium
- *adelphinum* (Godman & Salvin), 1878; Nymphidium
- *germanus* (Godman & Salvin), [1886], 1879-1901; Nymphidium
- *incarum* Seitz, [1917], 1910-1924
- molela* (Hewitson), [1865], 1852-1877; Nymphidium
- *pallilis* Stichel, 1910

Thrix [Lyc:Lyc:The:Iol:Iolaus]

- + *scopula* (H. Druce), 1873; Sithon
- - *sankilia* (Fruhstorfer), 1914; Virgaurea
- - - *seankilia* (Sharp), [1916], (ISS); Virgaurea
- *elioti* Takanami, 1989
- * - *nisibis* (de Nicéville), 1895; Neocheritra

Thyranota [Lyc:Rio:Rio:Lemoniini]

- * *galena* (Bates), [1868]; Lemonias

Ticherra [Lyc:Lyc:The:Che:Cheritra]

- * *acte* (Moore), [1858]; Myrina
- - - *f. idina* Fruhstorfer, [1912], (IFS)
- *symira* (Hewitson), 1876; Myrina
- *liviana* Fruhstorfer, [1912]
- *retracta* Cowan, 1967
- *staudingeri* (H. H. Druce), 1895; Binduana
- - - *satudingeri* Takanami, 1989, (ISS)

Tigrinota [Lyc:Lyc:The:Eum:Eumaeus]

- binangula* (Schaus), 1902; Thecla
- *bolima* (Schaus), 1902; Thecla
- catamarciana* Johnson, 1993
- chaosa* Johnson, 1993
- * *ellida* (Hewitson), [1867], 1863-1878; Thecla
- *toba* (Hayward), 1949; Thecla
- hypocrita* (Schaus), 1913; Thecla
- - - *hyprocria* (Comstock & Huntington), 1960, 1958-1964, (ISS); Thecla
- jennifera* Johnson, 1992
- pallida* (Lathy), 1930; Thecla
- perinota* Johnson, 1992
- spurius* (Felder & Felder), 1865, 1865-1875; Pseudolycaena

Tigrinota (?) [Lyc:Lyc:The:Eum:Eumaeus]

- dolytas* (Cramer), [1777], 1775-1790; Papilio

Titea [Lyc:Lyc:The:Luc:Hypochrysops]

- * *sublutea* (Bethune-Baker), 1906; Candalides
- *extensa* (Tite), 1963; Philiris

Tmolus [Lyc:Lyc:The:Eum:Eumaeus]

- crolinus* Butler & H. Druce, 1872
- cydrara* (Hewitson), 1868; Thecla
- * *echion* (Linnaeus), 1767; Papilio
- - *croilus* (Stoll), [1780], 1780-1790; Papilio
- *echiolus* (Draudt), [1920], 1917-1924; Thecla
- mutina* (Hewitson), [1867], 1863-1878; Thecla
- venustus* (H. H. Druce), 1907; Thecla

Tmolus (?) [Lyc:Lyc:The:Eum:Eumaeus]

- labes* (H. H. Druce), 1907; Thecla

Tomares [Lyc:Lyc:The:Tomarini]

- * *ballus* (Fabricius), 1787; Papilio
- - - *f. festoneata* Lasso de la Vega Westendorp, [1980]
- - - *ab. subiuspartimconfluens* Oberthür, 1922
- - - *ab. undulatus* Oberthür, 1910
- *bisaurantia* (Turati), 1927; Thestor
- *cyrenaica* (Turati), 1924; Thestor
- *f. flavosticta* (de Sagarra y Castellamau), 1924; Thestor
- *illuminata* (Turati), 1924; Thestor
- *f. mauretanicoides* Barragué, 1954
- *oberthueri* (Holl), 1909; Thestor
- *phychrokollios* (Forbes), 1929; Thestor
- *weberi* (Holl), 1909; Thestor
- *catalonica* (de Sagarra y Castellamau), 1930; Thestor
- - - *ab. concolor* (Agenjo), 1934; Thestor
- - - *ab. flavescens* (de Sagarra y Castellamau), 1924; Thestor
- - - *ab. masoi* (Pujol y Fiol), 1943; Thestor
- *croisi* (Dupont), [1909]; Thestor
- *mareoticus* Graves, 1918
- - - *mareoticus* Sharp, [1920], (ISS)
- callimachus* (Eversmann), 1848; Lycaena
- *dentata* (Staudinger), 1892; Thestor
- *epiphania* (Boisduval), 1848; Polyommatus
- *hafis* (Kollar), [1849]; Polyommatus
- *obscura* (Rühl), 1893, 1892-1893; Thestor
- desinens* Nekrutenko & Effendi, 1980
- fedtschenkoi* (Erschoff), 1874; Thestor
- *alpina* (Grum-Grshimailo), 1890; Thestor
- mauritanicus* (Lucas), 1849; Polyommatus
- - - *mauretanicus* O. Bang-Haas, 1926, 1926-1930, (ISS)
- - - *ab. sabulosus* Oberthür, 1910
- - - *ab. tristis* Oberthür, 1914
- *boisduvali* Oberthür, 1910
- *f. maroccanus* (Zopp), 1954; Thestor
- *f. subiusconfluens* (Zopp), 1954; Thestor
- *f. subiusreductus* (Zopp), 1954; Thestor
- *undulatus* (Gerhard), 1853, 1850-1853; Polyommatus
- *antonius* Brévignon, 1985
- nesimachus* (Oberthür), 1894; Thestor
- nogelii* (Herrich-Schäffer), [1851], 1843-1856; Thecla
- *f. syriacasplendens* (Zopp), 1954; Thestor
- *aurantiaca* (Staudinger), 1901; Thestor
- *dobrogensis* Caradja, 1895
- *monotona* (Schwingenschuss), 1939; Thestor
- romanovi* (Christoph), 1882; Thestor
- *cachetinus* Nekrutenko, 1978
- *cyprius* (Stichel), 1911; Thestor
- *maculifera* (Staudinger), 1892; Thestor

Tongeia [Lyc:Lyc:Pol:Pol:Everes]

- arcana* (Leech), 1890; Lycaena
- davidi* (Poujade), 1885; Lycoena
- filicaudis* (Pryer), 1877; Lampides
- *mushana* (Tanikawa), 1940; Everes
- * *fischeri* (Eversmann), 1843; Lycaena
- *japonica* Fujioka, 1975
- *caudalis* (Bryk), 1946; Polyommatus
- *sachalinensis* (Matsumura), 1925; Everes
- hainani* (Bethune-Baker), 1914; Everes
- ion* (Leech), 1891; Lycaena
- *cellariusi* (Bollow), 1930, 1929-1931; Everes
- *cratylus* (Fruhstorfer), 1915; Everes
- kala* (de Nicéville), 1890; Everes
- *thystes* (Seitz), [1923], 1912-1927; Everes
- potanini* (Alphéraky), 1889; Lycaena
- *umbriel* (Doherty), 1889; Everes
- *glycon* (Corbet), 1940; Everes
- zuthus* (Leech), [1893], 1893-1894; Everes

Toxochitona [Lyc:Lyc:Lip:Lip:Mimacraea]

- ankole Stempffer, 1967
 * gerda (Kirby), 1890; Durbania
 - - bitjensis (Bethune-Baker), 1926; Eresina
 - unicolor Aurivillius, [1899]
 iacchus (Fabricius), 1775; Papilio
 sankuru Stempffer, 1961
 vansomereni (Stempffer), 1953; Eresina

Trichonis [Lyc:Lyc:The:Eum:Trichonis]

- hyacinthus (Cramer), [1775], 1775-1790; Papilio
 * - - theanus (Cramer), [1777], 1775-1790; Papilio
 - - - - thenaus Robbins, 1987, (ISS)
 immaculata Lathy, 1930

Triclema [Lyc:Lyc:Pol:Lycaenesthina]

- africana Bethune-Baker, 1926
 coerulea (Aurivillius), 1895; Lycaenesthes
 fasciatus (Aurivillius), 1895; Lycaenesthes
 - - subnitens (Bethune-Baker), 1903; Lycaenesthes
 hades Bethune-Baker, 1910
 inconspicua H. H. Druce, 1910
 - - - - inconspicua Stempffer, 1967, (ISS)
 inferna Bethune-Baker, 1926
 ituriensis Joicey & Talbot, 1921
 kamilla Bethune-Baker, 1910
 kimboza Kielland, 1990
 lacides (Hewitson), 1874; Lycaenesthes
 lamias (Hewitson), [1878], 1863-1878; Lycaenesthes
 - katerae d'Abbrera, 1980
 * lucretilis (Hewitson), 1874; Lycaenesthes
 - - lucretia (Grose-Smith & Kirby), 1894, 1887-1902;
 Lycaenesthes
 - albipicta Talbot, 1935
 lutzii Holland, 1920
 marshalli (Bethune-Baker), 1903; Lycaenesthes
 - - maesseni (Stempffer), 1957; Anthena
 nigeriae (Aurivillius), 1905; Lycaenesthes
 - - lydia Hulstaert, 1924
 obscura H. H. Druce, 1910
 oculatus (Grose-Smith & Kirby), 1893, 1887-1902;
 Lycaenesthes
 phoenicis Karsch, 1893
 rufoplagata Bethune-Baker, 1910
 tisamenus (Holland), 1891; Lycaenesthes

Trimenia [Lyc:Lyc:The:Aph:Aphnaeus]

- argyroplaga (Dickson), 1967; Phasis
 macmasteri (Dickson), 1968; Phasis
 - mijiburghi Dickson, 1980, 1979-1980
 * wallengreni (Trimen), 1887, 1887-1889; Zeritis
 wykehami (Dickson), 1969; Phasis

Tumerepedes [Lyc:Lyc:Lip:Lip:Epitola]

- * flava Bethune-Baker, 1913

Turanana [Lyc:Lyc:Pol:Pol:Glaucopsyche]

- * cytis (Christoph), 1877, 1876-1877; Lycaena
 - - - cytis (Lang), 1884; Lycaena
 - kurdistana Eckweiler, 1984
 - laspura (Evans), 1932; Polyommatus
 dushak Dubatolov, 1989
 endymion (Gerhard), 1851, 1850-1853; Lycaena
 - - - endymion (Freyer), 1852, 1831-1858, (H); Lycaena
 - - panagaea (Herrich-Schäffer), [1851], 1843-1856; Lycaena
 - ahasveros (Bytinski-Salz), 1937; Lycaena
 - taygetica (Rebel), 1902; Lycaena
 jurileontyl Schjotkin, 1986
 kugitangi Zhdanko, 1984
 panaegides (Staudinger), 1886, 1886-1889; Lycaena
 - - alaica Staudinger, 1886, 1886-1889
 - tshatkalica Stchetkin, 1984

Turanana (Otaria) [Lyc:Lyc:Pol:Pol:Glaucopsyche]

- * tatjana Zhdanko, 1984

Tuxentius [Lyc:Lyc:Pol:Pol:Castalius]

- calice (Hopffer), 1855; Lycaena
 caraena (Hewitson), [1876], 1852-1877; Lycaena
 - - - - carana Larsen, 1982, (ISS)
 - kontu (Karsch), 1893; Cupido
 cretosus (Butler), 1876; Castalius
 - lactinatus (Butler), [1886]; Castalius
 - nodieri (Oberthür), 1883; Lycaena
 - - anomalogramma (Bethune-Baker), 1911; Castalius
 - - - - analogramma (Stempffer), 1967, (ISS); Castalius
 - usemia (Neave), 1904; Castalius
 - - - - eusemia (Sharp), [1905], (ISS); Castalius
 ertli (Aurivillius), 1907; Cupido
 gregorii (Butler), [1895]; Castalius
 hesperis (Vári), 1976; Castalius
 interruptus (Gabriel), 1954; Castalius
 kaffana (Talbot), 1935; Castalius
 margaritaceus (E. Sharpe), [1892]; Castalius
 - f. phasma (Talbot), 1935; Castalius
 * melaena (Trimen), 1887, 1887-1889; Lycaena
 - - - - melama (Aurivillius), [1924], 1908-1925, (ISS); Castalius
 - - - - melas (Aurivillius), [1924], 1908-1925, (ISS); Castalius
 - griqua (Trimen), 1887, 1887-1889; Lycaena
 stempfferi (Kielland), 1976; Castalius

Tylopaedia [Lyc:Lyc:The:Aph:Aphnaeus]

- * sardonix (Trimen), 1868; Zeritis
 - - - - ab. peringueyi (Aurivillius), [1924], 1908-1925; Phasis
 - knobeli (van Son), 1959; Phasia

Udara (Penudara) [Lyc:Lyc:Pol:Pol:Lycaenopsis]

- * alboceruleus (Moore), 1879; Polyommatus
 - - - - aboceruleus (Fruhstorfer), [1922], 1909-1923, (ISS);
 Lycaenopsis
 - - amadis (Fruhstorfer), 1910; Cyaniris
 - - sauteri (Fruhstorfer), [1917]; Lycaenopsis
 - - yamamotoi (Murayama), 1953; Celastrina
 - scharffi (Corbet), 1937; Celastrina
 ovianus (Fruhstorfer), [1917]; Lycaenopsis
 tyotaroi Eliot & Kawazoé, 1983

Udara (Perivaga) [Lyc:Lyc:Pol:Pol:Lycaenopsis]

- antonia Eliot & Kawazoé, 1983
 cybele Eliot & Kawazoé, 1983
 - yukizawai Eliot & Kawazoé, 1983
 davenporti Parsons, 1986
 kodama Eliot & Kawazoé, 1983
 laetitia Eliot & Kawazoé, 1983
 manokwariensis (Joicey & Noakes & Talbot), [1916]; Cyaniris
 - albescens Eliot & Kawazoé, 1983
 - leucothelia (Jordan), 1930; Celastrina
 * meeki (Bethune-Baker), 1906; Candalides
 - arfaki (Bethune-Baker), 1909; Candalides
 - kunupiensis (Wind & Clench), 1947; Candalides
 owgarra (Bethune-Baker), 1906; Candalides
 - mima (Joicey & Talbot), 1916; Parelodina
 pullus (Joicey & Talbot), 1916; Cyaniris
 sibatani Eliot & Kawazoé, 1983
 - pallescens Eliot & Kawazoé, 1983

Udara (Selmanix) [Lyc:Lyc:Pol:Pol:Lycaenopsis]

- aemulus Eliot & Kawazoé, 1983
 * ceyx (de Nicéville), 1893; Cyaniris
 - nix (Toxopeus), 1928, 1927-1928; Celastrina
 nishiyamai Eliot & Kawazoé, 1983
 santotomasana Eliot & Kawazoé, 1983
 - subpura Eliot & Kawazoé, 1983
 selma (H. H. Druce), 1895; Cyaniris
 - arsina (Fruhstorfer), [1922], 1909-1923; Lycaenopsis

Udara (Selmanix) (continued)

- *cerima* (Corbet), 1937; *Celastrina*
- *elothales* (Fruhstorfer), 1910; *Cyaniris*
- - *jugurtha* (Fruhstorfer), 1910; *Cyaniris*
- *mindanensis* Eliot & Kawazoé, 1983
- *tanarata* (Corbet), 1937; *Celastrina*
- *parvula* (Corbet), 1938; *Celastrina*
- *wilemani* Eliot & Kawazoé, 1983

Udara (Udara) [Lyc:Lyc:Pol:Pol:Lycaenopsis]

- + *akasa* (Horsfield), [1828], 1828-1829; *Polyommatus*
- - *calon* (Fruhstorfer), 1910; *Cyaniris*
- *catullus* (Fruhstorfer), 1910; *Cyaniris*
- *mavisa* (Fruhstorfer), [1917]; *Lycaenopsis*
- *sadanobui* Eliot & Kawazoé, 1983
- *aristinus* (Fruhstorfer), [1917]; *Lycaenopsis*
- *klossi* (Corbet), 1937; *Celastrina*
- *aristius* (Fruhstorfer), 1910; *Cyaniris*
- *lewari* (Ribbe), 1926; *Cyaniris*
- *camenae* (de Nicéville), 1895; *Cyaniris*
- *euphon* (Fruhstorfer), 1910; *Cyaniris*
- - *valeria* (Fruhstorfer), 1910; *Cyaniris*
- *filipina* (Murayama & Okamura), 1973; *Celastrina*
- *mansuela* Eliot & Kawazoé, 1983
- *pendleburyi* (Corbet), 1937; *Celastrina*
- *strophis* (H. H. Druce), 1895; *Cyaniris*
- *cardia* (C. Felder), 1860; *Lycaena*
- - - *owgarra* (Bethune-Baker), 1908, (H); *Cyaniris*
- - - *owagarra* (Sharp), [1908], (ISS); *Candalides*
- *miyashitai* Eliot & Kawazoé, 1983
- *coalita* (de Nicéville), 1891; *Cyaniris*
- - *polemonia* (Toxopeus), 1928, 1927-1928; *Celastrina*
- *briga* (Fruhstorfer), [1917]; *Lycaenopsis*
- - *margarelon* (Fruhstorfer), [1922], 1909-1923; *Lycaenopsis*
- *cyma* (Toxopeus), 1927, 1927-1928; *Celastrina*
- *elioti* Hayashi, 1976
- *dilectissima* (H. H. Druce), 1895; *Cyaniris*
- *luzona* Eliot & Kawazoé, 1983
- * *dilectus* (Moore), 1879; *Polyommatus*
- - *dilectina* (Fruhstorfer), [1917]; *Lycaenopsis*
- - *hainana* (Fruhstorfer), 1910; *Cyaniris*
- - *hermonthis* (Fruhstorfer), 1909; *Cyaniris*
- *coalitoides* (Rothschild), 1915; *Lycaenopsis*
- *neodilecta* (Corbet), 1937; *Celastrina*
- - - - *neodilecta* (Fruhstorfer), [1917]; *Lycaenopsis*
- *paracatius* (Fruhstorfer), [1917]; *Lycaenopsis*
- *parva* Eliot & Kawazoé, 1983
- *subcoalita* (Rothschild), 1915; *Lycaenopsis*
- - - - *ab. dammermani* (Toxopeus), 1928, 1927-1928; *Celastrina*
- - - - *paradilecta* (Fruhstorfer), [1917], (IFS); *Lycaenopsis*
- - - - *phoenix* (Toxopeus), 1928, 1927-1928, (IFS); *Celastrina*
- - *cynanae* (Fruhstorfer), [1917]; *Lycaenopsis*
- - *lombokensis* (Fruhstorfer), [1917]; *Lycaenopsis*
- - *paradilecta* (Toxopeus), 1928, 1927-1928; *Celastrina*
- *thoria* (Fruhstorfer), 1910; *Cyaniris*
- *drucei* (Bethune-Baker), 1906; *Cyaniris*
- - *parvipuncta* (Rothschild), 1916; *Cyaniris*
- *etsuzoi* Eliot & Kawazoé, 1983
- *lanka* (Moore), 1877; *Polyommatus*
- *masinissa* (Fruhstorfer), 1910; *Cyaniris*
- *placidula* (H. H. Druce), 1895; *Cyaniris*
- *calata* (Fruhstorfer), 1910; *Cyaniris*
- *confusa* Eliot & Kawazoé, 1983
- *howarthi* (Cantlie & Norman), 1960; *Celastrina*
- *intensa* (Toxopeus), 1928, 1927-1928; *Celastrina*
- *irenae* (Corbet), 1937; *Celastrina*
- *kawazoei* Hayashi, 1976
- *lyseas* (Grose-Smith), 1895; *Cyaniris*
- *snelleni* (Toxopeus), 1926; *Lycaenopsis*
- *rona* (Grose-Smith), 1894; *Cyaniris*
- - *beretava* (Ribbe), 1899; *Cyaniris*

Udara (Udara) (continued)

- - *biagi* Bethune-Baker, 1908
- *astarga* (Fruhstorfer), 1910; *Cyaniris*
- - - - *ab. bruggemani* (Toxopeus), 1928, 1927-1928; *Celastrina*
- *catius* (Fruhstorfer), 1910; *Cyaniris*
- *thorida* (Toxopeus), 1928, 1927-1928; *Celastrina*
- *xanthippe* (Corbet), 1937; *Celastrina*
- *serangana* Eliot & Kawazoé, 1983
- *singalensis* (R. Felder), 1868; *Lycaena*
- *tenella* (Miskin), 1891; *Lycaena*
- *toxopeusi* (Corbet), 1937; *Celastrina*
- *nieuwenhuisi* Eliot & Kawazoé, 1983

Udara (Vaga) [Lyc:Lyc:Pol:Pol:Lycaenopsis]

- * *blackburni* (Tuely), 1878; *Holochila*
- *zita* (Grose-Smith), 1895; *Holochila*

Una [Lyc:Lyc:Pol:Pol:Una]

- * *usta* (Distant), 1886; *Zizera*
- *philippensis* Schröder & Treadaway, 1986
- *unipunctata* Toxopeus, 1932

Upolampes [Lyc:Lyc:Pol:Pol:Upolampes]

- *evena* (Hewitson), [1876], 1852-1877; *Lycaena*
- * - - *striata* Bethune-Baker, 1908

Uraneis [Lyc:Rio:Rio:Lemoniini]

- * *hyalina* (Butler), [1867]; *Tharops*
- *ucubis* Hewitson, [1870], 1852-1877
- + - - *lamprolenis* (Röber), 1903; *Esthemopheles*
- - - - *lamprolenis* (Hemming), 1967, (ISS); *Esthemopheles*
- *zamuro* (Thieme), 1907; *Esthemopsis*

Uranobothria [Lyc:Lyc:Pol:Pol:Lycaenopsis]

- * *celebica* (Fruhstorfer), [1917]; *Lycaenopsis*
- *tsukadai* Eliot & Kawazoé, 1983

Uranothauma [Lyc:Lyc:Pol:Pol:Uranothauma]

- *antinorii* (Oberthür), 1883; *Lycaena*
- *Q f. albicans* Talbot, 1935, (IFS)
- *bomendanus* Libert, 1993
- *felthami* (Stevenson), 1934; *Cupido*
- *f. magnificans* Stoneham, 1937
- *Q f. splendens* Stoneham, 1937
- *artemenes* (Mabille), 1880; *Lycaena*
- - *auratus* (Butler), 1880; *Castalius*
- *confusa* Kielland, 1989
- *cordatus* (E. Sharpe), [1892]; *Hyreus*
- * *crawshayi* Butler, 1895
- *cuneatum* Tite, 1958
- *delatorum* Heron, 1909
- *falkensteini* (Dewitz), 1879; *Plebeius*
- - - - *Q f. umbra* Talbot, 1935, (IFS)
- *f. albescens* Stoneham, 1937
- *frederikkae* Libert, 1993
- *manengoubensis* Libert, 1993
- *kiilimensis* Kielland, 1985
- *lukwangule* Kielland, 1987
- *nguru* Kielland, 1985
- *nubifer* (Trimen), 1895; *Lycaena*
- - *pelotus* (Karsch), 1895; *Lampides*
- *f. distinctesignatus* (Strand), 1911; *Cupido*
- *poggei* (Dewitz), 1879; *Plebeius*
- *lunifer* (Rebel), 1914; *Cupido*
- *pseudocrawshayi* Kielland, 1980
- *uganda* Kielland, 1980
- *usambarae* Kielland, 1980
- *vansomereni* Stempffer, 1951
- *williamsi* Carcasson, 1961

Ussuriana [Lyc:Lyc:The:The:Thecla]

- *fani* Koiwaya, 1993
- *huashana* Koiwaya, 1993

Ussuriana (continued)

- ibara (Butler), [1882]; Thecla
- - - - *ab. akio* (Esaki), 1934, 1934-1938; Zephyrus
- * *michaelis* (Oberthür), 1880; Thecla
- - *michaelis* Okamoto, 1926
- *gabrielis* (Leech), [1893], 1893-1894; Zephyrus
- stygiana* (Butler), 1881; Thecla
- - - - *f. hikosana* (Murayama), 1964; Coreana
- - - - *f. odai* (Murayama), 1964; Coreana
- - - - *f. semiakio* (Murayama), 1964; Coreana
- takarana* (Araki & Hirayama), 1941; Coreana
- - - - ♂ *ab. pseudibara* Mizoguchi & Hiura & Mizoguchi, 1958, (IFS)

Uzzia [Lyc:Lyc:The:Eum:Eumaeus]

- cotera* Johnson, 1991
- splendor* Johnson, 1991
- * *uzza* (Hewitson), [1873], 1863-1878; Thecla

Variegatta [Lyc:Lyc:The:Eum:Eumaeus]

- * *elongata* (Hewitson), 1870, 1869-1877; Thecla
- reducta* Johnson, 1992

Wagimo [Lyc:Lyc:The:The:Tha:]

- * *signata* (Butler), [1882]; Thecla
- - - - *ab. iwateanus* Murayama, 1964
- *quercivora* (Staudinger), 1887; Thecla
- sulgeri* (Oberthür), 1908; Thecla
- *insularis* Shirôzu, 1957

Xenandra [Lyc:Rio:Rio:Symmachiini]

- agria* (Hewitson), [1853], 1852-1877; Limnas
- - - - *f. petilius* d'Almeida, 1922
- - *f. agrestis* Stichel, 1929
- caeruleata* (Godman & Salvin), 1878; Limnas
- *pallida* (Lathy), 1932; Esthemopsis
- desora* Schaus, 1928
- * *heliodes* Felder & Felder, 1865, 1865-1875
- - - - *miniacea* Stichel, [1909]
- *dibapha* Stichel, [1909]
- + *helius* (Cramer), [1779], 1775-1790; Papilio
- - - - *limnatis* Stichel, [1909]
- - *ochima* (Hübner), [1819], 1816-1826; Symmachiea
- *cruentata* Stichel, [1909]
- nigrivenata* Schaus, 1913
- + *pelopia* (H. Druce), 1890; Castnia
- prasinata* (Thieme), 1907; Limnas
- vulcanalis* Stichel, 1910

Xinjiangia [Lyc:Lyc:Pol:]

- * *kumukuleensis* Huang & Murayama, 1988

Yasoda [Lyc:Lyc:The:Lox:Loxura]

- androconifera* Fruhstorfer, [1912]
- pita* (Horsfield), [1829], 1828-1829; Loxura
- *dohertyi* Fruhstorfer, [1912]
- - *carteja* Seitz, [1926], 1912-1927
- *singama* Fruhstorfer, [1912]
- - - - *sangana* d'Abbrera, 1986, (ISS)
- pitane* de Nicéville, 1893
- *laruta* Eliot, 1962
- robinsoni* Holloway, 1986
- * *tripunctata* (Hewitson), [1863], 1863-1878; Loxura
- *atrinotata* Fruhstorfer, [1912]

Zabuella [Lyc:Rio:Rio:Emesini]

- * *tenellus* (Burmester), 1878; Lemonias
- - *zabua* (Gosse), 1880; Charis

Zelotaea [Lyc:Rio:Rio:Nymphidiini]

- alba* Gallard & Brevignon, 1989
- flocculus* Brevignon & Gallard, 1993
- lya* Rebillard, 1958

Zelotaea (continued)

- * *phasma* Bates, [1868]
- - *achroa* Bates, [1868]
- - *pellex* Staudinger, [1887], 1884-1888
- *dubia* Bates, [1868]
- *eidothea* Butler, 1873
- - - - *idothea* Kirby, 1877, (ISS)

Zemerus [Lyc:Rio:Nem:Zemerini]

- + *emesoides* Felder & Felder, 1860
- - - - *emesioides* Kirby, 1871, (ISS)
- *banguyanus* Fruhstorfer, 1912
- *eso* Fruhstorfer, [1904]
- *zynias* Fruhstorfer, [1914], 1909-1923
- flegyas* (Cramer), [1780], 1775-1790; Papilio
- - *esla* Fruhstorfer, 1912
- *albipunctata* Butler, 1874
- * - *allica* (Fabricius), 1787; Papilio
- - - - *f. pullus* Talbot, 1936, (IFS)
- *annamensis* Fruhstorfer, 1912
- *arimazes* Fruhstorfer, 1912
- *balinus* Fruhstorfer, 1912
- *celebensis* Fruhstorfer, 1899
- *florensis* Hanafusa, 1993
- *hondai* Hayashi, 1976
- *hostius* Fruhstorfer, 1912
- *indicus* Fruhstorfer, [1904]
- - *confucius* Moore, 1878
- *javanus* Moore, 1902, 1890-1913
- *jokoi* Hanafusa, 1993
- *phyliscus* Fruhstorfer, 1912
- *retiarus* Grose-Smith, 1895
- - - - *retiarus* d'Abbrera, 1986, (ISS)
- *sipora* Riley, [1945]
- *sosiphanes* Fruhstorfer, 1912
- *sparsus* Fruhstorfer, 1898
- *strigatus* Pagenstecher, 1896

Zeritis [Lyc:Lyc:The:Aph:Aphnaeus]

- aurivillii* Schultze, 1908
- fontainei* Stempffer, 1956
- krystyna* d'Abbrera, 1980
- * *neriene* Boisduval, 1836
- *amine* (Butler), 1874; Cigaritis
- *f. muzizii* Bethune-Baker, 1924
- pulcherrima* Aurivillius, [1924], 1908-1925
- - - *pulcherrima* Aurivillius, 1916, (H & JOS)
- sorhageni* (Dewitz), 1879; Plebeius

Zesius [Lyc:Lyc:The:Zes:Zesius]

- * *chrysomallus* Hübner, [1823], 1808-1837
- phaeomallus* Hübner, [1823], 1808-1837

Zetona [Lyc:Lyc:Pol:Candalidini]

- * *delospita* (Waterhouse), 1903; Zizera

Ziegleria [Lyc:Lyc:The:Eum:Eumaeus]

- * *bernardi* Johnson, 1993
- cabiria* (Hewitson), [1877], 1863-1878; Thecla
- compendina* Johnson, 1993
- cyanissima* Johnson, 1993
- hesperitis* (Butler & H. Druce), 1872; Bithys
- - *lugubris* (Möschler), 1876; Thecla
- - *perdistincta* (Kaye), 1904; Tmolus
- hoffmani* Johnson, 1993
- mexicana* Johnson, 1993

Zinaspa [Lyc:Lyc:The:Arh:Zinaspa]

- ishhiki* Koiwaya, 1989
- * *todara* (Moore), [1884]; Surendra
- *distorta* (de Nicéville), 1887; Rapala
- *karennia* (Evans), 1925; Surendra
- - - - *karennina* d'Abbrera, 1986, (ISS)

Zinaspa (*continued*)

- *neglecta* South, 1913
- *zana* de Nicéville, 1898

Zintha [Lyc:Lyc:Pol:Pol:Zintha]

- * *hintza* (Trimen), 1864; Lycaena
- *krooni* (Dickson), 1973; Castalius
- *resplendens* (Butler), 1876; Castalius

Zizeeria [Lyc:Lyc:Pol:Pol:Zizeeria]

- * *karsandra* (Moore), 1865; Polyommatus
- - *conformis* (Butler), 1877; Lycaena
- - *ishigakiana* (Matsumura), 1929; Zizera
- - *neis* (Walker), 1870; Lampides
- knysna* (Trimen), 1862; Lycaena
- - - - *plato* (Blanchard), 1848, 1848-1853, (MID); Lycaena
- - - *lysimon* (Hübner), [1804], 1796-1838, (H); Papilio
- - *angustemarginata* Heydemann, 1954
- - *mora* (Swinhoe), [1885]; Zizera
- - *serica* (C. Felder), 1862; Lycaena
- - *tanagra* (C. Felder), 1860; Lycaena
- - *volpii* (Romei), 1927; Zizera
- *cornelliae* (van Regteren Altena), 1949; Cupido
- *vandalusica* Oberthür, 1910

Zizina [Lyc:Lyc:Pol:Pol:Zizina]

- antanossa* (Mabille), 1877; Lycaena
- - *publia* (Hulstaert), 1924; Zizera
- * *labradus* (Godart), [1824], 1819-1824; Polyommatus
- - *communis* (Herrich-Schäffer), 1869; Lycaena
- - *delicata* (Tepper), 1882; Cupido
- - *labdalon* Waterhouse & Lyell, 1914
- - *novaehollandiae* (C. Felder), 1862; Lycaena
- - *pervulgatus* (Guest), 1882; Lycaena
- - *phoebe* (Murray), 1873; Lycaena
- otis* (Fabricius), 1787; Papilio
- - *aruensis* (Swinhoe), 1916, (H); Zizera
- - *dryina* (Chapman), [1909]; Zizera
- - *indica* (Murray), 1874; Lycaena
- - *lysizone* (Snellen), 1876; Lycaena
- - *sangra* (Moore), [1866]; Polyommatus
- - *thibetensis* (Poujade), 1885; Lycaena
- *annetta* Toxopeus, 1929
- *caduca* (Butler), [1876]; Lycaena
- *cheesmanae* (Riley), 1928; Zizera
- *decreta* Butler, 1883
- *emelina* (de L'Orza), 1869; Lycaena
- *kuli* Toxopeus, 1929
- *lampa* (Corbet), 1940; Zizeeria
- *lampra* Tite, 1969
- *mangoensis* (Butler), 1884; Lycaena
- *oriens* (Butler), 1883; Zizera
- *parasangra* Toxopeus, 1929
- *riukuensis* (Matsumura), 1929; Zizera
- *soeriomataram* Kalis, 1938
- oxleyi* (Felder & Felder), 1865, 1865-1875; Lycaena

Zizula [Lyc:Lyc:Pol:Pol:Zizula]

- cyna* (Edwards), 1881; Lycaena
- - *mela* (Strecker), 1900, 1872-1900; Lycaena
- - *tulliola* (Godman & Salvin), [1887], 1879-1901; Lycaena
- hylax* (Fabricius), 1775; Papilio
- - *cleodora* (Walker), 1870; Lycaena
- * - - *gaika* (Trimen), 1862; Lycaena
- - *mylica* (Guénée), 1863; Lycaena
- - *perparva* (Saalmüller), 1884; Lycaena
- *attenuata* (Lucas), 1890; Lycaena
- *dampierensis* (Rothschild), 1915; Zizera
- *hortii* (Matsumura), 1915; Zizera
- *pygmaea* (Snellen), 1876; Lycaena
- - - *pygmoea* Stempffer, 1967, (ISS)

[Unknown] []

- - - - *acessor* Doubleday, 1847, 1844-1848, (NN)
- - - - *acte* Doubleday, 1847, 1844-1848, (NN)
- - - - *admata* Doubleday, 1847, 1844-1848, (NN)
- - - - *agdestis* Doubleday, 1847, 1844-1848, (NN)
- - - - *alticola* Dyar, 1913, (NN)
- - - - *amastus* Doubleday, 1847, 1844-1848, (NN)
- - - - *amphissa* Doubleday, 1847, 1844-1848, (NN)
- - - - *boeonides* Capronnier, 1874, (PWI)
- - - - *catharinae* Capronnier, 1874, (NN)
- - - - *celsus* Doubleday, 1847, 1844-1848, (NN)
- - - - *clara* Kirby, 1871, (NN)
- - - - *clinias* Doubleday, 1847, 1844-1848, (NN)
- - - - *cratida* Doubleday, 1847, 1844-1848, (NN)
- - - - *crenice* Doubleday, 1847, 1844-1848, (NN)
- - - - *critheis* Doubleday, 1847, 1844-1848, (NN)
- - - - *cydon* Doubleday, 1847, 1844-1848, (NN)
- - - - *cymo* Doubleday, 1847, 1844-1848, (NN)
- - - - *cymon* Capronnier, 1874, (NN)
- - - - *delus* Capronnier, 1874, (NN)
- - - - *derus* Capronnier, 1874, (NN)
- - - - *ega* Ménétriés, 1857, 1855-1857, (NN)
- - - - *embla* Kirby, 1871, (NN)
- - - - *epigelon* Doubleday, 1847, 1844-1848, (NN)
- - - - *eunomia* Kirby, 1871, (NN)
- - - - *eurycida* Doubleday, 1847, 1844-1848, (NN)
- - - - *euryphe* Doubleday, 1847, 1844-1848, (NN)
- - - - *gedeon* Capronnier, 1874, (NN)
- - - - *glisa* Doubleday, 1847, 1844-1848, (NN)
- - - - *hessiona* Doubleday, 1847, 1844-1848, (NN)
- - - - *iabda* Doubleday, 1847, 1844-1848, (NN)
- - - - *ipsia* Doubleday, 1847, 1844-1848, (NN)
- - - - *ismena* Doubleday, 1847, 1844-1848, (NN)
- - - - *lamaeus* Doubleday, 1847, 1844-1848, (NN)
- - - - *lampedo* Doubleday, 1847, 1844-1848, (NN)
- - - - *latois* Doubleday, 1847, 1844-1848, (NN)
- - - - *lycortas* Doubleday, 1847, 1844-1848, (NN)
- - - - *lycoris* Doubleday, 1847, 1844-1848, (NN)
- - - - *maeonis* Doubleday, 1847, 1844-1848, (NN)
- - - - *maeonis* Doubleday, 1847, 1844-1848, (NN)
- - - - *makines* Seitz, [1927], 1912-1927, (ISS)
- - - - *melpe* Doubleday, 1847, 1844-1848, (NN)
- - - - *meno* Doubleday, 1847, 1844-1848, (NN)
- - - - *mesomedes* Doubleday, 1847, 1844-1848, (NN)
- - - - *mütha* Fauvel, 1862
- - - - *monina* Doubleday, 1847, 1844-1848, (NN)
- - - - *navia* Doubleday, 1847, 1844-1848, (NN)
- - - - *neomeris* Doubleday, 1847, 1844-1848, (NN)
- - - - *neon* Capronnier, 1874, (NN)
- - - - *nomaea* Doubleday, 1847, 1844-1848, (NN)
- - - - *oceia* Doubleday, 1847, 1844-1848, (NN)
- - - - *perimela* Doubleday, 1847, 1844-1848, (NN)
- - - - *phedyma* Doubleday, 1847, 1844-1848, (NN)
- - - - *phoronis* Doubleday, 1847, 1844-1848, (NN)
- - - - *phya* Doubleday, 1847, 1844-1848, (NN)
- - - - *phyllodoce* Doubleday, 1847, 1844-1848, (NN)
- - - - *planina* Doubleday, 1847, 1844-1848, (NN)
- - - - *priene* Doubleday, 1847, 1844-1848, (NN)
- - - - *pseudaon* Capronnier, 1874, (NN)
- - - - *reda* Doubleday, 1847, 1844-1848, (NN)
- - - - *scaea* Doubleday, 1847, 1844-1848, (NN)
- - - - *selinus* Doubleday, 1847, 1844-1848, (NN)
- - *aurigera* Weeks, 1902
- - *plautus* Fabricius, 1793, 1792-1799

PART X
INDEX TO BIBLIOGRAPHIC CITATIONS
FOR
SPECIES-GROUP NAMES

INTRODUCTION

This section is straightforward and needs little introduction. It consists of an index to all those publications which contain either original descriptions or selection of type specimens. For original descriptions the data is arranged into four columns, information on the type, status code, name and original genus and page citation. For type designations the first column is always blank and the status code is replaced by "T". The genus-group names used are those used in the original descriptions, not those in which the name is presently placed.

ABBREVIATIONS

The following abbreviations are used in this section.

H	Homonym
IOS	Incorrect Original Spelling
ISS	Incorrect Subsequent Spelling
JOS	Junior Objective Synonym
MID	Misidentification
NN	Nomen Nudum
PD	Pending Decision (by the ICZN)
PS	Published in Synonymy

- Abos Castel 1984 Revta Lep. [b0004]
 -- e *f. aurora* *Palaeochrysophanus* 11(4):335
- Agento 1934 Eos [b0010]
 -- e *ab. ardanazi* *Lycæna* 9:315, pl 18
 -- e *ab. casildae* *Lycæna* 9:316, pl 18
 -- e *ab. concolor* *Thestor* 9:314, pl 18
- Agento 1944 Eos [b0011]
 - c *mirusnigra* *Chrysophanus* 20:76
 - c *parrai* *Chrysophanus* 20:78
- Agento 1956 Graellsia [b0013]
 - b *burgalesa* *Plebejus* 14:81
 -- e *cartujana* *Plebejus* 14:85
 - b *esteparina* *Plebejus* 14:82
 - c *menendezpelayoi* *Plebejus* 14:80
- Agento 1963 Boln Serv. Plag. Forest. [b0014]
 - b *higginsii* *Laeosopis* 6(12):138, pl 1
 - b *magis* *Laeosopis* 6(12):136
 - b *mudarra* *Laeosopis* 6(12):137, pl 1
- Agento 1966 Eos [b0016]
 - b *asur* *Plebejus* 41:174
 - b *babieca* *Plebejus* 41:174
 -- e *f. gracil* *Plebejus* 41:176
 -- e *f. perclara* *Plebejus* 41:173
 - b *sancoi* *Plebejus* 41:174
 - b *vareai* *Plebejus* 41:175
 -- e *f. vilarrubiai* *Plebejus* 41:173
- Agento 1967 Eos [b0018]
 - b *galani* *Plebejus* 43:21
- Agento [1967] Eos [b0019]
 - b *antolinezi* *Glaucopsyche* 42:297
 -- e *ab. basibipuncta* *Glaucopsyche* 42:297
 - b *helena* *Glaucopsyche* 42:297
 - b *lopedevega* *Glaucopsyche* 42:297
 - b *morena* *Glaucopsyche* 42:296
 -- e *ab. naevusnanus* *Glaucopsyche* 42:297
 - b *superornata* *Glaucopsyche* 42:297
 - b *viriato* *Glaucopsyche* 42:297
- Agento 1967 Eos [b0020]
 - b *arcasi* *Glaucopsyche* 43:19
 - b *bamba* *Glaucopsyche* 43:18
 - b *cantabra* *Glaucopsyche* 43:18
 - c *justoi* *Glaucopsyche* 43:19
 -- e *ab. minuscula* *Glaucopsyche* 43:20
- Agento [1969] Graellsia [b0021]
 - c *anamariae* *Plebejus* 24:45
 - c *gonzalezi* *Plebejus* 24:47
 pe-ht b *semperi* *Plebejus* 24:47
- Agento 1971 Graellsia [b0022]
 - b *vareai* *Iolana* 25:169, f
- Agento 1972 Graellsia [b0023]
 - b *acuta* *Plebejus* 26:29
 - b *estebita* *Plebejus* 26:27
 - b *iris* *Plebejus* 26:30
 - b *mozuelica* *Plebejus* 26:31
 - b *pascuali* *Plebejus* 26:28
 - b *villarrubiai* *Plebejus* 26:26
- Aigner-Abafi 1900 Rovart. Lap. [b0026]
 -- ■ *ab. simplex* *Lycæna* 7:144
- Aigner-Abafi 1902 Rovart. Lap. [b0027]
 - c *pupillaris* *Lycæna* 9:193
- Aigner-Abafi 1906 Ent. Zeit. [b0028]
 - e *ab. caeca* *Everes* 19(35):209
 - e *ab. confluens* *Lysandra* 19(35):209
 - c *fountainæe* *Thecla* 19(35):209
 - c *grisea* *Chilades* 19(35):209
 - e *ab. parvipuncta* *Lycæna* 19(35):209
- Aigner-Abafi 1906 Annlis hist.-nat. Mus. natn. hung. [b0029]
 - e *ab. cyanea* *Lycæna* 4:516
 - c *frivaldskyl* *Tarucus* 4:515, pl 14
 - e *ab. jodina* *Everes* 4:515
 - e *ab. obscura* *Nemeobius* 4:514, f 23
 - e *ab. punctigera* *Polyommatus* 4:516
- Aigner-Abafi 1907 Rovart. Lap. [b0030]
 - e *parvimacula* *Lycæna* 14:214
- Aistleitner 1989 Atalanta (Münnerstadt) [b0031]
 - b *gudarensis* *Lysandra* 19(1/4):75, f
- Ajmat de Toledo 1978 Acta zool. lilloana [b0033]
 FMLT-ht c *koehleri* *Eiseliana* 33(1):80, f 1-6
- Alberti 1969 Deut. ent. Zeit. [b0035]
 - b *dombaiensis* *Lycæna* (nf)16:197
- Alberti 1973 Ent. Zeit. [b0036]
 pe-ht b *latisdisjuncta* *Lycæna* 83(19):221
- Alberti 1973 Atalanta (Münnerstadt) [b0037]
 - b *narsana* *Lycæna* 4(6)(B):383, f
- Allard 1867 Annlis Soc. ent. Fr. [b0041]
 BMNH-nt a *martini* *Lycæna* (4)7:319, pl 6
 - e *martinii* *Lycæna* (IOS) (4)7:314
- Alphéraky 1881 Horae Soc. ent. ross. [b0043]
 - a *buddhista* *Lycæna* 16:393, pl 14
 - a *persephatta* *Lycæna* 16:395, pl 14
 - c *planorum* *Lycæna* 16:379
 - a *sarta* *Lycæna* 16:387, pl 14
 - a *sinensis* *Lycæna* 16:383, pl 14
 - a *splendens* *Polyommatus* 16:376, pl 14
 - b *torgouta* *Lycæna* 16:380, pl 14
- Alphéraky 1887 In Romanoff, Mém. Lép. [b0044]
 - c *duplex* *Lycæna* 3:405
- Alphéraky 1889 In Romanoff, Mém. Lép. [b0045]
 - a *inflammata* *Thecla* 5:102, pl 5
 - a *potanini* *Lycæna* 5:104, pl 5
- Alphéraky 1897 In Romanoff, Mém. Lép. [b0046]
 - c *amorata* *Lycæna* 9:113
 - a *coelestis* *Lycæna* 9:113
- Alphéraky 1897 In Romanoff, Mém. Lép. [b0048]
 - b *tekessana* *Lycæna* 9:234, pl 12
- Anderson & Spry 1897 Victorian Nat. [b0057]
 AM-ht c *cyrilus* *Lycæna* 14(1):5, f
- André 1901 J. Naturalistes [b0058]
 - e *ab. regneri* *Polyommatus* :52, f 1,2
- Andres 1914 Bull. Soc. ent. Egypte [b0059]
 - e *ab. johanna* *Lycæna* 1914:86
- Andres [1931] Bull. Soc. ent. Egypte [b0060]
 Cairo c *coeruleabasilis* *Chrysophanus* 1930:212, f
- Andres & Seitz 1923 Senckenbergiana [b0061]
 - e *ab. dingleri* *Lycæna* 5:50, pl 1
- Angel 1951 Trans. R. Soc. S. Aust. [b0062]
 - c *parsonsi* *Ogyris* 74(1):9, f

- Anonymous 1927 J. Ent. Zool. [b0063]
 -- e *vergulti* Apodemia (ISS) 9:136
- Anonymous 1929 Zool. Rec. [b0066]
 -- e *bulvius* Lycaena (ISS) 65(1928)(Ins.):240
 -- e *colonarium* Lycaena (ISS) 65(1928)(Ins.):241
 -- e *naisirii* Epamera (ISS) 65(1928)(Ins.):240
 -- e *pseudarenia* Thecla (ISS) 65(1928)(Ins.):241
- Anonymous 1931 Zool. Rec. [b0068]
 -- e *leotodamas* Amblypodia (ISS) 67(1930)(Ins.):242
- Anonymous 1933 Zool. Rec. [b0070]
 -- e *mogorka* Heliophorus (ISS) 69(1932)(Ins.):295
- Anonymous 1934 Zool. Rec. [b0071]
 -- e *hippophaes* Chrysophamus (ISS) 70(1933)(Ins.):295
 -- e *pseudamericana* Lycaeides (ISS) 70(1933)(Ins.):296
 -- e *roemii* Chilades (ISS) 70(1933)(Ins.):295
- Anonymous 1935 Zool. Rec. [b0072]
 -- e *sosinomos* Lycaena (ISS) 71(1934)(Ins.):311
- Anonymous 1936 Zool. Rec. [b0073]
 -- e *pseudomicroorientalis* Lysandra (ISS) 72(1935)(Ins.):318
- Anonymous 1939 Zool. Rec. [b0076]
 -- e *gabrielii* Chliaria (ISS) 75(1938)(Ins.):316
 -- e *schryneri* Deciduphagus (ISS) 75(1938)(Ins.):316
 -- e *vanderbani* Lycaena (ISS) 75(1938)(Ins.):317
- Anonymous 1951 Zool. Rec. [b0081]
 -- e *fukiensis* Orthomiella (ISS) 84(1947)(Ins.):300
 -- e *ubetanus* Everes (ISS) 84(1947)(Ins.):299
- Anonymous 1954 Zool. Rec. [b0084]
 -- e *ajenjo* Maculinea (ISS) 87(1950)(Ins.):348
- Anonymous 1959 Zool. Rec. [b0089]
 -- e *yatsugatakensis* Artopoetes (ISS) 92(1955)(Ins.):399
- Anonymous 1964 Zool. Rec. [b0094]
 -- e *issekaasi* Aricia (ISS) 97(1960)(Ins.):275.6
 -- e *preactinides* Agrodiaetus (ISS) 97(1960)(Ins.):275
- Anonymous 1965 Zool. Rec. [b0095]
 -- e *carrossani* Pentila (ISS) 98(1961)(Ins.):306
- Anonymous 1967 Zool. Rec. [b0097]
 -- e *brunneopunctata* Aricia (ISS) 100(1963)(Ins.):328
- Anonymous 1969 Zool. Rec. [b0098]
 -- e *leucocyanae* Temnoniphias (ISS) 102(1965)(Ins.):338
- Anonymous 1971 Zool. Rec. [b0099]
 -- e *hypoliedes* Thecla (ISS) 104(1967)(Ins.):586
- Anonymous 1974 Zool. Rec. [b0101]
 -- e *wolletii* Deramas (ISS) 107(1970)(Ins.):596
- Anonymous 1975 Zool. Rec. [b0102]
 -- e *montezuma* Panthiades (ISS) 108(1971)(Ins.):599
- Anonymous 1976 Zool. Rec. [b0103]
 -- e *sibatica* Athopala (ISS) 109(1972)(Ins. D-Lep.):173
- Anonymous 1977 Zool. Rec. [b0104]
 -- e *paucipunctata* Apodemia (ISS) 110(1973)(Ins. D-Lep.):168
- Anonymous 1978 Zool. Rec. [b0105]
 -- e *arrogonensis* Lysandra (ISS) 111(1974)(Ins. D-Lep.):155
- Anonymous 1979 Zool. Rec. [b0107]
 -- e *abschasicus* Plebejus (ISS) 112(1975)(Ins. D-Lep.):206
- Anonymous 1980 Zool. Rec. [b0108]
 -- e *hennigi* Leptomyrina (ISS) 113(1976)(Ins. D-Lep.):221
 -- e *pylaonbrethertoni* Plebejus (ISS) 113(1976)(Ins. D-Lep.):222
- Anonymous 1980 Zool. Rec. [b0109]
 -- e *amico* Plebejus 114(1977)(Ins. D-Lep.):239
 -- e *varicola* Pseudophilotes (ISS) 114(1977)(Ins. D-Lep.):240
- Anonymous 1983 In Hodges, List Lep. Amer. N. Mexico [b0112]
 -- e *mildredi* Glaucopsyche (ISS) :56
- Anonymous 1983 Zool. Rec. [b0113]
 -- e *dinomedes* Virachola 117(1980)(Ins. D-Lep.):293
 -- e *guadiolum* Mesosemia (ISS) 117(1980)(Ins. D-Lep.):288
 -- e *nishiyami* Drupadia (ISS) 117(1980)(Ins. D-Lep.):290
- Anonymous 1984 Zool. Rec. [b0114]
 -- e *suntillata* Philiris (ISS) 118(1981)(Ins. D-Lep.):299
- Anonymous 1987 Zool. Rec. [b0119]
 -- e *pyamaea* Stalactis (ISS) 122(1985)(Ins. D-Lep.):372
 -- e *seythissa* Aricia (ISS) 122(1985)(Ins. D-Lep.):373
- Anonymous 1991 Zool. Rec. [b0124]
 -- e *hermelmuysdai* Liphyra (ISS) 127(1990)(Ins. D-Lep.):310
- Anonymous 1992 Zool. Rec. [b0125]
 -- e *auslozida* Rhamma (ISS) 128(1991)(Ins. D-Lep.):320
 -- e *ciselorum* Thecloxurina (ISS) 128(1991)(Ins. D-Lep.):324
 -- e *fellacandor* Candora (ISS) 128(1991)(Ins. D-Lep.):313
 -- e *vietnamica* Curetis (ISS) 128(1991):(Ins.
- Araki 1949 Trans. Kansai ent. Soc. [b0128]
 - c *ferrea* Virachola 14(2):17, f
 - b *tattaka* Cophanta 14(2):17-19
- Araki & Hirayama 1941 Mushi no Sekai [b0129]
 - a *takarana* Coreana 4(11/12):1-2
- Araki & Sibatani 1941 Zephyrus [b0130]
 pc-ht a *nishikaze* Thecla 9(2):91-92
 - d *sanctissima* Thecla (H) 9(2):94, f
- Audeoud 1936 Mitt. schweiz. ent. Ges. [b0145]
 - a *rileyi* Epitola 16(11):704
- Aurivillius 1882 K. svenska VetenskAkad. Handl. [b0146]
 - b *osbecki* Poecilimitis (mf)19(5):117
- Aurivillius 1888-1891 Nord. Fj rnl. [b0147]
 - c 1888 *albicans* Aricia :13
 - c 1888 *alconides* Maculinea :15
- Aurivillius 1891 Ent. Tidskr. [b0148]
 - a *similis* Hewitsonia 12:218, pl 3
 - a *talantus* Abisara 12:217

- Aurivillius 1895 Ent. Nachr. [b0149]
 - b *albata* Hypolycaena 21:382
 - b *fulvaria* Mimacraea 21:381
 - a *intermedia* Abisara 21:381
 - a *pyroptera* Lycaenesthes 21:382
- Aurivillius 1895 Ent. Tidskr. [b0151]
 - a *caesareus* Iolaus 16:213
 - b *coerulea* Hypolycaena 16:210
 - a *coerulea* Lycaenesthes 16:217
 - c *dubia* Hypolycaena 16:211
 - a *fasciatus* Lycaenesthes 16:218
 - a *hollandii* Liptena 16:200
 - a *hyettoides* Epitola 16:206
 - a *kirbyi* Pentila 16:198
 - a *magna* Lachnocnema 16:209
 - a *pollux* Iolaus 16:213
 NRS
 - a *robusta* Cupidesthes 16:215
 - b *ab. scintillans* Hypolycaena 16:210
 - a *simplex* Liptena 16:201
 - b *sjoestedti* Euliphyra 16:204
 - a *triangularis* Micropentila 16:203
 - d *tripunctata* Pentila (H) 16:197 (nota)
 - b *vestalis* Cupido 16:219
- Aurivillius 1896 Öfvers. K. VetenskAkad. Förh. [b0152]
 - b *f. hermansi* Larinopoda 53(1896):435
- Aurivillius 1897 Ent. Tidskr. [b0153]
 - a *agnes* Iolaus 18:219
 - a *cloetensi* Pentila 18:214
 - a *coruscans* Deudorix 18:216
 - a *hyettina* Phytala 18:214
 - a *intermixta* Phytala 18:215
 - a *laonides* Iolaus 18:218
 - a *sapphirinus* Iolaus 18:218
 - a *violetta* Deudorix 18:216
- Aurivillius [1898] Ent. Tidskr. [b0154]
 biblio b *argentea* Pratapa 18:146
- Aurivillius 1898 Ent. Tidskr. [b0155]
 - a *umangiana* Pentila 19:181
- Aurivillius [1899] K. svenska VetenskAkad. Handl. [b0156]
 - a *bella* Oxyliides (nf)31(5):313
 - d *belli* Iolaus (H) (nf)31(5):-
 - a *cobaltina* Hypolycaena (nf)31(5):317
 - a *confusa* Liptena (nf)31(5):276
 - b *deborula* Mimeresia (nf)31(5):268
 - a *dewitzi* Abisara (nf)31(5):250
 - b *gabunica* Cupidesthes (nf)31(5):349
 - c *grosei* Lycaenesthes (nf)31(5):348
 - c *hewitsoni* Euliphyra (nf)31(5):286
 - c *hewitsoni* Lycaenesthes (nf)31(5):347
 - b *nyassana* Pentila (nf)31(5):261
 - a *oberthuri* Alaena (nf)31(5):256
 - a *occidentarium* Pentila (nf)31(5):262
 - b *unicolor* Toxochitona (nf)31(5):283
- Aurivillius 1901 Ent. Tidskr. [b0157]
 - a *moreelsi* Pseuderestia 22:118
- Aurivillius 1903 Ark. Zool. [b0158]
 - a *questiauxi* Aphnaeus 1:252, f 6
- Aurivillius 1904 Jägerskiöld Exped. [b0159]
 - a *nilotica* Cupido 8:3
- Aurivillius 1905 Ark. Zool. [b0160]
 - b *bicaudatus* Iolaus 2(12):14, pl 3
 - a *nigeriae* Lycaenesthes 2(12):16, pl 3
 - a *schultzei* Iolaus 2(12):12, pl 3
 - a *scintillans* Iolaus 2(12):13, pl 3
- Aurivillius 1905 Ark. Zool. [b0160] (continued)
 - c *sudanica* Lachnocnema 2(12):11
 - b *sudanica* Iolaus 2(12):15
- Aurivillius 1907 Ark. Zool. [b0161]
 lost a *conradi* Phasis 3(19):3
 - a *ertli* Cupido 3(19):3
 - b *schultzei* Deudorix 3(19):2
- Aurivillius 1908-1925 In Seitz, Grossschmett. Erde [b0162]
 - b [1914] *congoana* Alaena 13:299
 - e [1914] *hiendlmayeri* Pentila (ISS) 13:304
 - c [1920] *leona* Aslaga 13:343
 - a [1921] *kohli* Deudorix 13:370
 - c [1923] *mabillei* Hypolycaena 13:387
 - c [1923] *f. pallida* Megalopalpus 13:362
 - c [1924] *albomaculata* Crudaria 13:432
 - e [1924] (-) *ab. bistrigata* Axiocerses 13:421
 - e [1924] *ab. bistrigata* Axiocerses 13:421
 - b [1924] *linearis* Cupido 13:465
 - a [1924] *marginalis* Cupido 13:470
 lost b [1924] *marshalli* Phasis 13:427
 - e [1924] *melana* Castalius (ISS) 13:467
 - e [1924] *melas* Castalius (ISS) 13:467
 - a [1924] *nigricans* Phasis 13:430
 - e [1924] *ab. obscura* Spindasis 13:413
 - a [1924] *obscurus* Iolaus 13:406
 - e [1924] *ab. parallela* Lycaenesthes 13:450
 - e [1924] *ab. peringueyi* Phasis 13:430
 - a [1924] *pulcherrima* Zeritis 13:418
 - e [1924] *ab. punctata* Phasis 13:427
 - e [1924] *ab. unicolor* Lycaenesthes 13:439
 - a [1924] *virillis* Cupido 13:463
 biblio c [1925] *crawshayinus* Cupido 13:473
 - b [1925] *ochreopuncta* Cupido (IFS) 13:490
 - b [1925] *strigatus* Cupido 13:490
- Aurivillius 1909 In Voeltzkow, Reise Ost.-Afr. [b0163]
 - b *insulanus* Leptotes 2:324
 - a *minuscule* Cupido 2:325
- Aurivillius 1909 Ark. Zool. [b0164]
 - b *rex* Aphnaeus 5(5):5, f 41
- Aurivillius 1910 Wiss. Erge. Kilimandjaro [b0165]
 - b *chibonotana* Cupido 2(9):9
 - b *ciliaris* Cupido 2(9):9
 - a *meruanus* Harpendyreus 2(9):10
- Aurivillius 1910 Annali Mus. civ. Stor. nat. Genova [b0166]
 - b *albofasciata* Telipna (3)4:520
- Aurivillius 1915 Ark. Zool. [b0167]
 - b *borealis* Axiocerses 2(12):16
- Aurivillius 1916 Ark. Zool. [b0168]
 - a *brunneus* Capys 10(14):5
 - b *ertli* Iolaus 10(14):2
 - a *mimeticus* Stugeta 10(14):1
 - d *pulcherima* Zeritis (H & JOS) 10(14):4
 - b *spindasoides* Aphnaeus 10(14):2
- Aurivillius 1922 Voy. Maur. Rothsch., Lep. [b0169]
 - a *abyssinica* Cupido :367, f
 - a *rothschildi* Lycaenesthes :364, f
- Aurivillius 1922 Ark. Zool. [b0170]
 - c *loveni* Cupido 14(5):13
- Aurivillius 1923 Lepidoptera, IV. In Schubotz [b0171]
 - a *albida* Lycaenesthes 1:1232
 - c *alticola* Deudorix 1:1217, pl L
 - d *amoldi* Lycaenesthes (H) 1:1236
 - c *bella* Epitola 1:1200, f
 - e (+) *ab. coenulescens* Oxyliides 1:1221

- Aurivillius 1923 *Lepidoptera*, IV. In Schubotz [b0171] (*continued*)
- a *congoana* Deudorix 1:1218, pl L
 - a *congoana* Epitola 1:1202, f
 - e *ab. connexa* Lycaenesthes 1:1237
 - a *fusca* Deudorix 1:1216, pl L
 - a *insulana* Epitola 1:1203, pl L
 - e *ab. nigrostriata* Deudorix 1:1215
 - a *reducta* Phytala 1:1197
 - a *schubotzi* Hypolycaena 1:1223, pl L
 - a *schultzei* Phytala 1:1196, f
 - e *ab. virilis* Hewitsonia 1:1210
- Aurivillius 1925 *Ark. Zool.* [b0172]
- b *bistrigatus* Telipna 17A(32):7
- Aurivillius 1925 *Ent. Tidskr.* [b0173]
- c *bryki* Iolaus 46:210
 - b *elgonensis* Lycaenesthes 46:210
- Aurivillius 1929 *Ent. Tidskr.* [b0174]
- b *nigrobasalis* Helicopsis 50(3/4):165
 - c *romani* Callione 50(3/4):165
- Austaut 1879 *Petites Nouv. ent.* [b0175]
- c *celina* Lycaena 2(212):293
- Austaut 1885 *Naturaliste* [b0176]
- a *rosaceus* Lycaena 7(18):141
- Austin 1890 *Ent. Rec.* [b0186]
- e *ab. pallida* Lysandra 1:12
- Austin 1980 *J. Lep. Soc.* [b0177]
- LACM-ht b *charlestonensis* Plebejus 34(1):20, f 1
- Austin 1984 *J. Res. Lep.* [b0178]
- NSM-ht d *nevadensis* Lycaena (H) 23(1):83, f
- Austin 1988 *J. Res. Lep.* [b0181]
- b *arizona* Apodemia 26(1/4):130, f
 - b *australis* Apodemia 26(1/4):132, f
 - a *murphyi* Apodemia 26(1/4):133, f
- Austin [1989] *J. Res. Lep.* [b0182]
- biblio b *obscuramaculata* Lycaena 27(3/4):266
- Austin 1991 *J. Lep. Soc.* [b0183]
- b *remota* Apodemia 45(2):137, f
- Austin 1993 *J. Res. Lep.* [b0184]
- AME-ht a *exiguus* Calephelis 30(3/4):241
- AME-ht b *parva* Calephelis 30(3/4):243
- AME-ht a *sodalis* Calephelis 30(3/4):237
- Austin 1993 *J. Res. Lep.* [b0185]
- AME-ht a *tikal* Calephelis 30(3/4):245
- Avinoff 1910 *Horae Soc. ent. ross.* [b0187]
- c *micra* Lycaena 39:244, pl 14
- Azzará 1978 *Acta biol. parana.* [b0189]
- b *bahiana* Barbicomis 7(1/4):61, f
 - T *conjuncta* Barbicomis 7(1/4):41
 - T *dibaphina* Barbicomis 7(1/4):40
 - T *melanops* Barbicomis 7(1/4):40
 - b *paraopeba* Barbicomis 7(1/4):59, f
- Backhaus 1876 *Ent. Monats.* [b0192]
- b *lapponica* Polyommatus 1:40
- Bailey 1932 *J. Bombay nat. Hist. Soc.* [b0193]
- a *irmae* Lycaena 35(3):697
- Bailowitz 1983 *J. Lep. Soc.* [b0194]
- T *herrii* Lycaena 36(4):308-309
- Bálint 1985 *Neue Ent. Nachr.* [b0197]
- b *magna* Plebicula (14):14-20
- Bálint 1986 *Galathea* [b0196]
- b *limitanea* Maculinea 1(3):62-74
- Bálint 1988 *Atalanta (Münnerstadt)* [b0198]
- a *aloisi* Polyommatus 18(3/4):385, f
- Bálint 1989 *Atalanta (Münnerstadt)* [b0199]
- b *boreas* Plebeius 19(1/4):89, f
 - b *gabrielis* Plebeius 19(1/4):88, f
- Bálint 1990 *Janus Pannonius Muz Evk* [b0201]
- b *argentifex* Lycaena 34:54, f
 - T *hungarica* Lycaena 34:50
 - T *hungarica* Lycaena (H) 34:49
 - T *kovacsii* Plebeius 34:52
 - T *pergrata* Lysandra 34:53
 - T *proximus* Plebeius 34:52
 - T *pyronitens* Lycaena 34:49
 - T *sumadiensis* Lycaena 34:50
- Bálint 1990 *Ber. Kr. nürnberg. Ent. galathea* [b0200]
- HNHM-ht b *szabokyi* Polyommatus 6(1):7, pl 3
- Bálint 1991 *Janus Pannonius Múz. Évk.* [b0202]
- b *semiturcmenicus* Plebejus 35:51, f 51,52
- Bálint 1992 *Atalanta (Münnerstadt)* [b0204]
- BMNH-ht a *patriarcha* Plebejus 23(1/2):134, f
- Bálint 1992 *Linneana Belgica* [b0205]
- biblio b *bienerti* Polyommatus 13(8):410
- e *haberhaurei* Vacciniina (ISS) 13(8):405
- e *kasgharensis* Polyommatus (ISS) 13(8):415
- HNHM-ht a *muetingi* Agrodiaetus 13(8):405, f 8
- e *stoliskana* Lycaena (ISS) 13(8):407
- Bálint 1992 *Linneana Belgica* [b0206]
- BMNH-ht a *annamaria* Polyommatus 13(8):424, f 1-3
- BMNH-ht a *csomai* Polyommatus 13(8):434, f 6
- BMNH-ht a *forresti* Polyommatus 13(8):428, f 4-5
- e *kamschadalis* Polyommatus (ISS) 13(8):434
- e *kashgarensis* Polyommatus (ISS) 13(8):433
- Bálint 1993 *Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point)* [b0207]
- T *atahualpa* Polyommatus (29):17
- T *chilensis* Lycaena (29):17
- T *koa* Lycaena (29):26
- BMNH-ht a *lolita* Madeleinea (29):24, f 67
- BMNH-ht c *luzhin* Itylos (29):13, f 3
- T *lyrnessa* Lycaena (29):18
- T *martha* Lycaena (29):16
- BMNH-ht a *mashenka* Madeleinea (29):27, f 68
- T *moza* Cupido (29):25
- biblio a *parana* Pseudolucia (29):17
- T *plumbea* Scolitantides (29):19
- BMNH-ht a *pnin* Itylos (29):13, f 5
- T *ramon* Lycaena (29):14
- MNHN-ht a *shade* Paralycaeides (29):23, f 57
- BMNH-ht c *sirin* Pseudolucia (29):20, f 45
- T *speciosa* Cupido (29):6
- T *vapa* Cupido (29):23
- Bálint & Johnson 1993 *Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point)* [b0212]
- AMNH-ht c *aconcagua* Pseudolucia (27):22, f
- UMCE-ht a *annamaria* Pseudolucia (27):7, f
- AMNH-ht a *aureliana* Pseudolucia (27):21, f
- AMNH-ht a *charlotte* Pseudolucia (27):17, f
- UMCE-ht a *clarea* Pseudolucia (27):9, f
- UMCE-ht a *hazeorum* Pseudolucia (27):8, f
- FMNH-ht c *kinbote* Pseudolucia (27):18, f

- Bálint & Johnson 1993 Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) [b0212] (*continued*)
 FMLT-ht a *lanin* Pseudolucia (27):17, f
 UMCE-ht a *penal* Pseudolucia (27):21, f
 UMCE-ht a *vera* Pseudolucia (27):15, f
 UMCE-ht c *zembla* Pseudolucia (27):6, f
- Bálint & Johnson 1993 Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) [b0213]
 BMNH-ht c *cinnatus* Polytheclus (28):2, f
- Bálint & Johnson 1994 Acta zool. hung. [b0214]
 FMNH-ht a *ada* Nabokovia 40(2):114, f 10-12
 BMNH-ht d *cinnatus* Polytheclus (H & JOS) 40(2):116, f 19
 T *excisicosta* Thecla 40(2):112
- Bálint & Johnson 1994 Armls hist.-nat. Mus. natn. hung. [b0215]
 T *titicaca* Lycaena 86:57
- Bálint & Kertes & Lukhtanov 1992 Ent. Obozr. [b0216]
 - b *klausrosel* Plebeius 71(4):863-886
 - b *tarbagataiensis* Plebeius 71(4):863-886
- Bálint & Lamas 1994 Acta zool. hung. [b0217]
 MUSM-ht a *cobaltana* Madeleinea 40(3):235, f 5
 MUSM-ht a *huascarana* Madeleinea 40(3):234, f 3
 MUSM-ht a *pasco* Itylos 40(3):232, f 1
- Bálint & Lukhtanov 1990 Linneana Belgica [b0218]
 - b *katonensis* Plebejus 12(7):281, f
 T *pylaon* Lycaena 12(7):277
- Ball 1914 Annls Soc. ent. Belg. [b0219]
 -- e *latisquama* Celastrina 57:180
 -- e *microconia* Cyaniris 57:180
- Balletto 1993 Boll. Soc. ent. ital. [b0220]
 BMNH-ht a *argentina* Cherchiella 124(3):237
 BMNH-ht a *cyanea* Nabokovia 124(3):242
 BMNH-ht a *fumosus* Ityloides 124(3):234
 - e *ruberrotei* Nivalis (ISS) 124(3):243
 UMCE-ht a *scintilla* Cherchiella 124(3):238
 UMCE-ht c *vicunha* Pallidula 124(3):239
- Balletto & Nekrutenko 1986 Vestnik Zoologii [b0224]
 ZMKU-ht b *alaicus* Polymmatius 1986(1):76
- Balletto & Toso 1979 Note divulg. Ist. Ent. agrar. Univ. Napoli Portici [b0225]
 - a *gallo* Agrodiaenus 2(1/2):14, f
- Balogh 1956 Folia ent. hung. [b0228]
 - b *issekutzi* Aricia (ns)9:71,76
- Balogh 1957 Acta zool. hung. [b0229]
 - d *issekutzi* Aricia (H) 3:2
- Bampton 1981 Ent. Rec. [b0230]
 TM-ht a *heningi* Poecilmitis 93(9/10):189
- A. Bang-Haas 1906 Deut. ent. Zeit. [Iris] [b0231]
 - c *armeniaca* Chrysophanus 19:128
- A. Bang-Haas 1907 Deut. ent. Zeit. [Iris] [b0232]
 - c *lederi* Lycaena 20:69
- A. Bang-Haas 1910 Deut. ent. Zeit. [Iris] [b0233]
 - c *duplicata* Lycaena 24:30
- A. Bang-Haas 1912 Deut. ent. Zeit. [Iris] [b0234]
 - c *caerulescens* Callophrys 26:106
 - e *newmanni* Lysandra 26:105
- O. Bang-Haas 1915 Deut. ent. Zeit. [Iris] [b0235]
 - c *dschagataicus* Lycaena 29:100
- O. Bang-Haas 1926-1930 Novit. Macrolep. [b0236]
 - e 1926 *britannica* Cyaniris (ISS) :93
 - e 1926 *mauretanicus* Tomares (ISS) :-
 - e 1927 *australalpina* Lycaena (ISS) (2):-
 - e 1927 *loewei* Lycaena (ISS) (2):93
 - e 1928 *eyllarus* Lycaena (ISS) (3):37
 - e 1929 *rostagnoi* Polymmatius (ISS) :-
 - e 1930 *joranus* Favonius (ISS) (1):75
- O. Bang-Haas 1927 Horae Macrolep. [b0237]
 - b *maxima* Lycaena 1:52, pl 7
 - d *osiris* Lycaena (H) 1:52, pl 7
- Bargmann 1930 Int. ent. Z. [b0238]
 - c *kruegeri* Lemonia 24(31):331
- Barlow & Banks & Holloway 1971 Orient. Insects [b0239]
 BMNH-ht c *alta* Celastrina 5(3):286
 - a *apurpurosa* Arhopala 5(3):291
 - b *dusunensis* Arhopala 5(3):291
 BMNH-ht b *kadazanensis* Celastrina 5(3):287
 - e *mola* Drupadia (ISS) 5(3):
 BMNH-ht b *montanensis* Celastrina 5(3):287
 - b *tambunanensis* Prosotas 5(3):289
- Barnes 1900 Can. Ent. [b0240]
 USNM-ht c *mirabelle* Thecla 32(2):43
- Barnes & Benjamin 1923 Contr. nat. Hist. Lep. N. Amer. [b0241]
 USNM-ht e *brehmei* Mitoura (IFS) 5(2):64
 USNM-ht b *homoperplexa* Callophrys 5(2):68
 USNM-ht b *neoperplexa* Callophrys 5(2):67
 USNM-ht b *perplexa* Callophrys 5(2):65
- Barnes & Benjamin 1924 Contr. nat. Hist. Lep. N. Amer. [b0242]
 USNM-ht a *phycioides* Apodemia 5(3):99
- Barnes & Benjamin 1926 Bull. S. Calif. Acad. Sci. [b0243]
 USNM-ht a *polingi* Strymon 25(3):94
 USNM-ht b *watsoni* Strymon 25(3):94
- Barnes & McDunnough 1910 Can. Ent. [b0245]
 USNM-ht c *laceyi* Callicista 42(11):365
- Barnes & McDunnough 1916 Can. Ent. [b0247]
 USNM-ht a *rita* Lycaena 48(7):223
- Barnes & McDunnough 1916 Contr. nat. Hist. Lep. N. Amer. [b0248]
 USNM-ht a *bernardino* Philotes 3(2):116, pl 11
- Barnes & McDunnough 1917 Checklist Lep. Boreal Amer. [b0249]
 - e *obsoleta* Lycaena (ISS) :15
- Barnes & McDunnough 1917 Contr. nat. Hist. Lep. N. Amer. [b0250]
 USNM-ht b *centralis* Philotes 3(4):215, pl 16
 USNM-ht b *intermedia* Philotes 3(4):214, pl 16
 USNM-ht b *oregonensis* Philotes 3(4):214, pl 16
 USNM-ht a *spaldingi* Philotes 3(4):216, pl 16
- Barnes & McDunnough 1918 Contr. nat. Hist. Lep. N. Amer. [b0251]
 USNM-ht b *ancilla* Euphilotes 4(2):79
 USNM-ht b *deserti* Apodemia 4(2):75, pl 12
 USNM-ht a *perditalis* Calophris 4(2):75, pl 12
- Barnes & McDunnough 1919 Can. Ent. [b0252]
 USNM-ht b *blackmorei* Plebejus 51(4):92
- Barragué 1954 Bull. Soc. Hist. nat. Afr. N. [b0253]
 - c *f. mauretanicoides* Tomares 45(3/4):185
 - c *f. semipallida* Calophris 45(3/4):185

Barragué 1987	Linneana Belgica	[b0254]		Bates [1868]	J. linn. Soc. Lond., Zool.	[b0267] (continued)	
pc-ht	b	<i>bettii</i> Plebicula	11(1):6, f	-	a	<i>celetes</i> Mesene	9:387
pc-ht	c	<i>dujardini</i> Lysandra	11(1):4	-	a	<i>celina</i> Esthemopsis	9:379
Bartel 1904	Ent. Zeit.	[b0255]		-	a	<i>charilis</i> Eurygona	9:375
-	c	<i>rezniceki</i> Lycaena	18(30):117	-	b	<i>chimborazium</i> Nymphidium	9:400
Bartlett-Calvert 1894	An. Univ. Chile	[b0256]		-	a	<i>clithra</i> Eurygona	9:377
BMNH-st	a	<i>andina</i> Scolitantides	84:832	-	b	<i>coccinella</i> Eurygona	9:374
Bates 1862	Trans. linn. Soc. Lond.	[b0262]		BMNH-ht	a	<i>costalis</i> Dysmathia	9:383
BMNH-ht	■	<i>aurantiaca</i> Ithomeis	23(3):541 nota	-	a	<i>crocostigma</i> Mesene	9:388
-	a	<i>heliconia</i> Ithomeis	23(3):503, 542	-	a	<i>cuparina</i> Metacharis	9:396
-	a	<i>mimica</i> Ithomeis	23(3):542	-	a	<i>curupira</i> Eunogyra	9:416
-	■	<i>satellites</i> Ithomeis	23(3):503	BMNH-ht	a	<i>debilis</i> Mesene	9:388
BMNH-ht	■	<i>stalactina</i> Ithomeis	23(3):541	-	c	<i>discus</i> Theope	9:409
Bates 1864-1865	Ent. mon. Mag.	[b0263]		BMNH-ht	a	<i>disparilis</i> Aricoris	9:403
BMNH-ht	a	1864 <i>alicia</i> Pheles	1:203	BMNH-ht	a	<i>distigma</i> Pachythone	9:390
-	a	1864 <i>croceella</i> Mesene	1:204	-	b	<i>dubia</i> Zelotaea	9:382
-	a	1864 <i>domina</i> Lemonias	1:204	-	b	<i>egabella</i> Mesosemia	9:374
-	a	1864 <i>gaudiolum</i> Mesosemia	1:202	BMNH-ht	a	<i>eraste</i> Cricosoma	9:385
-	a	1864 <i>olinda</i> Nymphidium	1:204	-	a	<i>erebia</i> Pachythone	9:390
-	b	1864 <i>rubella</i> Mesene	1:204	-	a	<i>erythraea</i> Eurygona	9:375
-	a	1864 <i>vestalis</i> Mesosemia	1:203	-	a	<i>eugenes</i> Dodona	9:371
Bates 1866	Ent. mon. Mag.	[b0264]		-	a	<i>euprepes</i> Baeotis	9:396
-	a	<i>argentea</i> Mesene	3:154	-	b	<i>eupteryx</i> Mesene	9:389
BMNH-ht	a	<i>argyrodines</i> Charis	3:154	-	a	<i>eurygonina</i> Theope	9:410
-	a	<i>basilea</i> Theope	3:155	-	a	<i>eutrapela</i> Nymphidium	9:401
-	a	<i>carissima</i> Mesosemia	3:153	-	a	<i>excelsa</i> Theope	9:406
-	a	<i>chryssippe</i> Eurygona	3:154	-	a	<i>exigua</i> Metacharis	9:396
-	a	<i>dinora</i> Metapheles	3:155	BMNH-ht	a	<i>extensa</i> Eurygona	9:377
BMNH-ht	a	<i>dorilis</i> Nymphidium	3:156	-	b	<i>fenestrella</i> Mesene	9:387
-	b	<i>praeclara</i> Nymphidium	3:156	-	a	<i>ferrugo</i> Eurygona	9:376
-	a	<i>rubina</i> Symmachiea	3:155	-	a	<i>flammula</i> Aricoris	9:404
Bates 1867	Ent. mon. Mag.	[b0265]		-	c	<i>flammula</i> Limnas	9:380
-	a	<i>feredayi</i> Chrysophanus	4(3):53	BMNH-ht	a	<i>foliorum</i> Theope	9:470
Bates 1867	Trans. ent. Soc. Lond.	[b0266]		-	a	<i>fuliginea</i> Mesene	9:386
-	a	<i>aurelia</i> Emesis	(3)5(7):544	-	a	<i>fulminans</i> Nymphidium	9:400
-	a	<i>beltiana</i> Cremna	(3)5(7):541	-	a	<i>galena</i> Lemonias	9:398
-	a	<i>chione</i> Nymphidium	(3)5(7):545	-	b	<i>gelasine</i> Aricoris	9:402
biblio-lt	a	<i>eucharila</i> Cremna	(3)5(7):543	-	a	<i>glaucopsis</i> Charis	9:393
-	b	<i>heteroea</i> Cremna	(3)5(7):542	-	c	<i>heliotis</i> Nymphidium	9:402
-	a	<i>janus</i> Theope	(3)5(7):546	-	b	<i>hemileuca</i> Lemonias	9:399
-	a	<i>melampia</i> Cremna	(3)5(7):543	-	c	<i>hemiurga</i> Alesa	9:372
-	a	<i>sericina</i> Pseudopheles	(3)5(7):544	BMNH-ht	a	<i>hypochloris</i> Emesis	9:385
-	a	<i>sylvarum</i> Nymphidium	(3)5(7):545	BMNH-ht	a	<i>hypoleuca</i> Theope	9:406
Bates [1868]	J. linn. Soc. Lond., Zool.	[b0267]		-	c	<i>hypoxanthe</i> Theope	9:405
-	c	<i>achroa</i> Zelotaea	9:382	-	a	<i>iaeris</i> Chamaelimnas	9:378
-	a	<i>aeolia</i> Esthemopsis	9:380	-	c	<i>inquinata</i> Aricoris	9:pl. 7, f 1
-	b	<i>aethalia</i> Emesis	9:385	-	c	<i>laetifica</i> Mesosemia	9:373
-	b	<i>amazonica</i> Symmachiea	9:393	BMNH-ht	a	<i>lamia</i> Symmatia	9:379
-	a	<i>angulata</i> Eurygona	9:376	BMNH-ht	a	<i>lampropteryx</i> Theope	9:404
-	a	<i>apheles</i> Theope	9:405	-	a	<i>lampros</i> Lemonias	9:399
BMNH-ht	a	<i>apolecta</i> Mesene	9:388	-	a	<i>lateritia</i> Pachythone	9:390
-	a	<i>apotheta</i> Lemonias	9:399	-	a	<i>leucanthe</i> Theope	9:408
-	a	<i>argiella</i> Calydna	9:394	-	b	<i>leucophrys</i> Mesene	9:387
-	a	<i>argyrea</i> Charis	9:392	-	b	<i>lipara</i> Alesa	9:371
BMNH-ht	a	<i>atima</i> Theope	9:407	-	a	<i>lithosina</i> Esthemopsis	9:380
-	a	<i>aureonitens</i> Theope	9:405	-	a	<i>lycaenina</i> Theope	9:406
BMNH-ht	a	<i>azurea</i> Theope	9:406	BMNH-ht	a	<i>lypera</i> Charis	9:392
BMNH-ht	a	<i>basilissa</i> Mesene	9:388	BMNH-ht	a	<i>maculosa</i> Calydna	9:394
-	a	<i>briola</i> Chamaelimnas	9:379	-	c	<i>melanogyra</i> Lemonias	9:447
-	c	<i>butleri</i> Aricoris	9:459	-	c	<i>melia</i> Lemonias	9:397
BMNH-ht	b	<i>caerulea</i> Theope	9:408	-	c	<i>mesoleucum</i> Nymphidium	9:401
-	a	<i>cafusa</i> Euselasia	9:422	BMNH-ht	a	<i>methemona</i> Theope	9:408
-	a	<i>calligramma</i> Eurygona	9:375	-	a	<i>micra</i> Calydna	9:395
-	a	<i>calypso</i> Mesosemia	9:374	BMNH-ht	a	<i>mimula</i> Pachythone	9:391
-	a	<i>campestris</i> Lemonias	9:397	BMNH-ht	a	<i>miniola</i> Erycina	9:384
-	b	<i>caudalis</i> Siseme	9:384	-	a	<i>mirania</i> Eurygona	9:376
				-	b	<i>modesta</i> Eurygona	9:376
				-	b	<i>monogramma</i> Charis	9:391
				-	a	<i>nigrella</i> Metacharis	9:396
				-	b	<i>nobilis</i> Theope	9:410
				-	c	<i>nydia</i> Mesene	9:389

- Bates [1868] J. linn. Soc. Lond., Zool. [b0267] (continued)
- a *ochra* Nymphidium 9:399
 - a *olivencia* Mesosemia 9:373
 - b *paraena* Mesene 9:387
 - a *phaedra* Cricosoma 9:386
 - a *phasma* Zelotaea 9:382
 - a *plone* Lemonias 9:398
 - a *poecila* Themone 9:378
 - a *portia* Dymathia 9:383
 - a *prima* Baeotis 9:396
 - c *punctipennis* Theope 9:407
 - a *pyrrha* Mesene 9:389
 - BMNH-ht a *pyrsodes* Mesene 9:386
 - BMNH-ht a *rubigo* Nymphidium 9:401
 - b *rufotincta* Pheles 9:379
 - BMNH-ht a *semlota* Linnaeus 9:380
 - a *sericea* Theope 9:404
 - a *simplex* Mesene 9:387
 - a *simplicia* Theope 9:406
 - BMNH-ht a *sobrina* Theope 9:405
 - a *sophistes* Mesene 9:386
 - a *spreti* Emesis 9:385
 - b *sprucei* Siseme 9:384
 - BMNH-ht a *superba* Tharops 9:397
 - a *sylyphina* Zeonia 9:383
 - BMNH-ht a *sylyna* Mesosemia 9:372
 - BMNH-ht a *syngenes* Theope 9:409
 - b *tapajona* Orestia 9:381, 432
 - a *tetrastigma* Theope 9:408
 - BMNH-ht a *thelydrias* Alesa 9:371
 - a *tinea* Calyda 9:394
 - a *venilia* Charis 9:393
 - a *violetta* Eurygona 9:378
 - BMNH-ht a *xanthe* Pachythone 9:391
 - b *xanthogramma* Siseme 9:384
 - b *zama* Charis 9:392
 - BMNH-ht a *zostera* Theope 9:405
- Bates 1935 Psyche [b0258]
- a *barbouri* Rodinia 42(3):149
- Bates 1935 Bull. Harvard Mus. Comp. Zool. [b0259]
- MCZ b *gundlachianus* Strymon 78(2):195-196
- Bath 1900 Entomologist [b0268]
- a *sikkima* Lycaena 33:199
- Bayer 1924 Verh. zool.-bot. Ges. Wien [b0272]
- c *ab. albidoflava* Chrysophanus 73:(21)
- Behr 1865 Proc. Calif. Acad. Sci. [b0281]
- destroyed c *dumeti* Nemeobius 3(3):178
 - destroyed b *mejicanus* Nemeobius 3(3):179
 - destroyed b *virgulti* Nemeobius 3(3):178
- Behr 1866 Proc. ent. Soc. Philad. [b0282]
- CM-nt a *rubidus* Chrysophanus 6(2):208
- Behr 1867 Proc. Calif. Acad. Sci. [b0283]
- lost c *aehaja* Lycaena 3(4):280
 - lost d *argyrotoxis* Lycaena (H) 3(4):281
 - destroyed a *baitoides* Lycaena 3(4):282
 - destroyed c *calchas* Lycaena 3(4):281
 - destroyed c *cilla* Polyommatus 3(4):281
 - destroyed e *ab. daedalus* Lycaena 3(4):280
 - destroyed d *lorquini* Lycaena (H) 3(4):280
 - destroyed a *pardalis* Lycaena 3(4):279
- Bellenger & Descimon 1977 Alexonor [b0289]
- b *burgundiae* Lycaena 10(4):165, f
 - b *morvandica* Lycaena 10(4):166, f
- Bellier de la Chavignerie 1862 Anns Soc. ent. Fr. [b0290]
- a *calida* Lycaena (4)2:615, pl 14
- Bellier de la Chavignerie 1862 Anns Soc. ent. Fr. [b0290] (continued)
- a *corsicus* Plebejus (4)2:615, pl 14
- Bennett 1950 Entomologist [b0294]
- BMNH b *asoka* Abisara 83:38
 - BMNH b *baraka* Abisara 83:39
 - BMNH b *clara* Abisara 83:8
 - BMNH b *corbeti* Abisara 83:41
 - BMNH b *daphne* Abisara 83:38
 - BMNH b *lisa* Abisara 83:4
 - BMNH b *maya* Abisara 83:39
 - BMNH b *notha* Abisara 83:6
 - BMNH b *sura* Abisara 83:34
- Bennett 1954 Entomologist [b0295]
- a *cooksoni* Euthecta 87:171, 182
 - ■ *penningtoni* Cnodontes 87:171, f
- Bennett 1957 Entomologist [b0296]
- BMNH-ht a *freda* Abisara 90:27, f
- Bennett 1966 Entomologist [b0297]
- b *centralis* Micropentila 99:186
- Bennett 1969 Entomologist [b0298]
- BMNH-ht e *f. martyni* Baliochila 102:73, f
- Bennett 1969 Entomologist [b0299]
- BMNH-ht a *gitte* Falcuna 102:143, tf 5
- Berce 1867 Faune ent. France Lepid. [b0301]
- c *alpina* Plebejus 1:134
- Berg 1882 An. Soc. cient. argent. [b0302]
- a *acastoides* Thecla 13(4):169
 - a *hothurus* Siseme 13(4):168
 - a *lysippoides* Riodyna 13(4):167
- Berg 1896 An. Mus. nac. Buenos Aires [b0303]
- b *acroleuca* Barbicomis (2)5:1
 - b *luctus* Riodyna (2)5:2, f 2
 - MNBA-ht a *valentina* Thecla (2)5:3, f 3a
- Berger 1946 Lambillionea [b0305]
- e *f. arcasoides* Maculinea 46:106
 - e *f. paucipuncta* Maculinea 46:106
 - b *xerophila* Maculinea 46:106
- Berger 1951 Revue zool. bot. afr. [b0306]
- e *bruneeli* Aphnaeus 45:55
- Berger 1952 Lambillionea [b0307]
- e *f. fontainei* Aphnaeus (IFS) 52:70
 - e (+) *f. overlaeti* Aphnaeus (IFS) 52:70
 - e *seydelli* Aphnaeus 52:68
- Berger 1954 Anns Mus. r. Congo Belge [b0308]
- a *schoutedeni* Liptena (4to)1:308
 - a *stempfferi* Liptena (4to)1:307
- Berger 1981 Papillons du Zaire [b0309]
- MRAC-ht b *binza* Oxyliodes :274
 - MRAC-ht a *clnerea* Epitola :258
 - MRAC-ht b *holochroma* Epitola :255, pl 194
 - MRAC-ht b *isiro* Pentila :229, pl 187
 - MRAC-ht a *lualaba* Liptena :243, pl 192
 - MRAC-ht b *meridionalis* Pentila :229, pl 187
 - MRAC-ht e (-) *f. metallicus* Abisara :215, pl 184
 - MRAC-ht e *f. pallida* Axiocerses :293, pl 205
 - MRAC-ht b *reducta* Laninopoda :239, pl 191
 - MRAC-ht b *rutshuruensis* Virachola :273
 - MRAC-ht b *sankuru* Hewitsonia :263, pl 196
 - MRAC-ht b *stempfferi* Oxyliodes :273, pl 199
 - MRAC-ht a *suzannae* Epitola :257

- Berger 1981 Papillons du Zaire [b0309] (continued)
MRAC-ht b *zairiensis* Telipna :223, pl 185
- Bergsträsser 1778-1780 Nom. Ins. [b0310]
- □ [1779] *arctophoni* Papilio 3:19, pl 59
- □ [1779] *arctophonus* Papilio 3:10, pl 53
- c [1779] *arctophylax* Papilio 3:6, pl 51
- c [1779] *argalus* Papilio 2:18, pl 60
- □ [1779] *argester* Papilio 3: , pl 58
- □ [1779] *ab. argopaeus* Papilio 3:8, pl 52
- □ [1779] *ab. argopoei* Papilio 3:19, pl 61
- □ [1779] *argopoeus* Papilio 3:8, pl 52
- c [1779] *argyphontes* Papilio 1:15, 2:pl 58
- □ [1779] *ab. argyra* Papilio 2:78, pl 47
- □ [1779] *argyrobis* Papilio 3:16, pl 58
- c [1779] *argyrocapelus* Papilio 2:76, pl 46
- c [1779] *argyrocopus* Papilio 3:76, pl 46
- c [1779] *argyroela* Papilio 3:56, f 3,4
pc □ [1779] *argyrognomon* Papilio 2:76, pl 46
- □ [1779] *ab. argyrophalara* Papilio 2:10, pl 54
- c [1779] *argyrophontes* Papilio 3:15, pl 58
- c [1779] *argyrophylax* Papilio 4:pl 21, f 1-3
- c [1779] *argyrotoxus* Papilio 2:77, pl 47
- c [1779] *astarche* Papilio 3:pl 49, f 7,8
- c [1779] *astarche* Papilio 3:4, pl 49
- c [1779] *baton* Papilio 3: 18, pl 60
- c [1779] *bell* Papilio 3:pl 53, f 5-6
- e [1779] *ab. bizas* Papilio 2:79, pl 48
- e [1779] *ab. bize* Papilio 2:79, pl 48
- e [1779] *ab. bizene* Papilio 3:14, pl 57
- e [1779] *ab. bizenus* Papilio 3:14, pl 57
- c [1779] *bronte* Papilio 3:13, pl 56
- e [1779] *byzas* Papilio 2:79, pl 48
- □ [1779] *byze* Papilio 2:79, pl 48
- e [1779] *byzene* Papilio 3:14, pl 10
- □ [1779] *byzenus* Papilio 3:14, pl 10
- □ [1779] *candaon* Papilio 3:pl 49, f 3,4
- c [1779] *candiope* Papilio 2:pl 48, f 3,4
- c [1779] *candybus* Papilio 2:pl 48, f 1,2
- □ [1779] *corydonis* Papilio 3:17
- □ [1779] *ab. damoetus* Papilio 3:14, pl 57
- c [1779] *dimus* Papilio 2:71, pl 43
- □ [1779] *hylactor* Papilio 2:78, pl 47
- c [1779] *mamers* Papilio 2:pl 43, f 6
- e [1779] *nausithoe* Papilio (ISS) 2:71, pl 43
- a [1779] *nausithous* Papilio 2:70, pl 43
- e [1779] *oceanus* Papilio 3:pl 53, f 3-4
- c [1779] *pampholyge* Papilio 2:pl 47, f 1,2
- □ [1779] *philonome* Papilio 2:72, pl 44
- □ [1779] *philonomus* Papilio (IOS) 2:73, pl 44
- c [1779] *phobos* Papilio 3:11, pl 54
- c [1779] *polysperchon* Papilio 2:72, pl 44
- c [1779] *pseudolus* Papilio 3:pl 50, f 5,6
- c [1779] *salacia* Papilio 3:4, pl 50
- e [1779] *ab. salacia* Papilio 3:4, pl 50
- c [1779] *telegone* Papilio 3:8, pl 52
- c [1779] *telegones* Papilio 3:19, pl 61
- c [1779] *telegonus* Papilio 2:72, pl 44
- a [1779] *teleius* Papilio 2:71, pl 43
- c [1779] *thersanon* Papilio 3:4, pl 49
- c [1779] *venilia* Papilio 3:pl 50, f 3-4
- Bernardi 1951 Bull. Soc. ent. Fr. [b0315]
biblio a *pulchella* Lysandra 56:30
- Bernardi 1963 Alexanor [b0318]
- c *gronieri* Lycaena 3(2):53
- Bernardi 1964 Alexanor [b0319]
biblio b *hoffzi* Lysandra 3:274
- b *khayyami* Iolana 3:212
- b *lessei* Iolana 3:276
- Bernardi & de Lesse 1952 Revue fr. Lép. [b0321]
- e *arvernica* Lycaena 13:209
- Bertoloni 1851 Memorie Accad. Sci. Ist. Bologna [b0322]
- a *mozambica* Spindasis 2:177
- Bethune-Baker 1894 Trans. ent. Soc. Lond. [b0325]
- c *egyptiaca* Lycaena 42(1):33, pl 1
- Bethune-Baker 1896 In Proc. zool. Soc. Lond. [b0326]
ZMHU-lt a *bella* Arhopala 1896(3):664
ZMHU-lt a *borneensis* Arhopala 1896(3):666
BMNH-ht a *dajagaka* Arhopala 1896(3):660
BMNH-ht b *deva* Arhopala 1896(3):669
ZMHU-lt c *drucei* Arhopala 1896(3):661
- a *havilandi* Arhopala 1896(3):665
- b *kounga* Arhopala 1896(3):662
- a *labuana* Arhopala 1896(3):667
BMNH-ht a *moorei* Arhopala 1896(3):669
BMNH-ht b *sandakani* Arhopala 1896(3):670
BMNH-lt a *semperi* Arhopala 1896(3):659
BMNH-ht a *tameanga* Arhopala 1896(3):658
ZMHU-lt b *waterstradti* Arhopala 1896(3):668
- Bethune-Baker 1897 Ent. mon. Mag. [b0327]
BMNH-ht c *brahma* Arhopala 33:203
BMNH-ht c *gunongensis* Arhopala 33:205
BMNH-ht a *ijanensis* Arhopala 33:203
BMNH-ht a *sangira* Arhopala 33:202
- Bethune-Baker 1903 Ann. Mag. nat. Hist. [b0328]
- a *albomaculata* Epitola (7)12:329
- b *catori* Phytala (7)12:328
- a *catori* Deudorix (7)12:331
- a *dorothea* Micropentila (7)12:327
- a *leonina* Lycaenesthes (7)12:333
- d *leonina* Phytala (H) (7)12:328
- a *marshalli* Lycaenesthes (7)12:332
- a *moyambina* Epitola (7)12:330
- a *nigra* Epitola (7)12:331
- a *septistrigata* Pentila (7)12:325
- c *subnitens* Lycaenesthes (7)12:332
- Bethune-Baker 1903 Ent. mon. Mag. [b0329]
BMNH-ht a *chamaeleona* Arhopala 39:218
- Bethune-Baker 1903 Ent. mon. Mag. [b0330]
BMNH-ht b *malayana* Arhopala 39:218
- Bethune-Baker 1903 Trans. zool. Soc. Lond. [b0331]
BMNH-ht a *barami* Arhopala 17(1):126, pl 3
BMNH-ht b *brookei* Arhopala 17(1):84, pl 1
- a *buddha* Arhopala 17(1):148, pl 3
BMNH-lt c *catori* Arhopala 17(1):93, pl 2
- e *cupido* Amblypodia (PS) 17(1):151
BMNH-ht a *dohertyi* Arhopala 17(1):64, pl 1
- b *hainani* Mahathala 17(1):23, pl 1
BMNH-ht c *hewitsoni* Arhopala 17(1):132, pl 3
BMNH-ht a *irregularis* Arhopala 17(1):111, pl 2
BMNH-ht a *kiriwinii* Arhopala 17(1):38, pl 1
BMNH-ht b *malayica* Arhopala 17(1):71, pl 2
BMNH-ht b *mindanensis* Arhopala 17(1):62, pl 1
BMNH-ht a *nicevillei* Arhopala 17(1):73, pl 2
- a *sceva* Arhopala 17(1):85
- e *tamyra* Amblypodia (ISS) 17(1):58
- e *triangularis* Arhopala (PS) 17(1):114
BMNH-ht c *waigeoensis* Arhopala 17(1):141, pl 3
- Bethune-Baker 1904 Ann. Mag. nat. Hist. [b0332]
- a *albomaculata* Epitolina (7)14:230
- b *catori* Pseuderesia (7)14:225
- a *catori* Iolana (7)14:233
- a *catori* Epitolina (7)14:227
- a *diversa* Liptena (7)14:225

- Bethune-Baker 1904 Ann. Mag. nat. Hist. [b0332] (*continued*)
- a *dorothea* Epitolina (7)14:227
 - c *kholfia* Epitolina (7)14:229
 - biblio c *leonensis* Epitola (7)14:227
 - a *leonina* Deudorix (7)14:231
 - a *mabangi* Micropentila (7)14:226
 - a *moyambina* Hypolycaena (7)14:232
 - a *moyambina* Pseuderesia (7)14:224
 - a *sublustris* Epitolina (7)14:228
 - a *virginea* Epitolina (7)14:230
- Bethune-Baker 1904 Ann. Mag. nat. Hist. [b0333]
- BMNH-st a *baluensis* Arhopala (7)14:235
 - BMNH-ht a *haimaheira* Arhopala (7)14:233
 - BMNH-ht a *sublustris* Arhopala (7)14:234
- Bethune-Baker 1904 Novit. zool. [b0334]
- BMNH-ht a *aroa* Parelodina 11:368
 - a *bicolor* Parachrysops 11:369
 - a *ekeikei* Dicallaneura 11:370
- Bethune-Baker 1905 Trans. ent. Soc. Lond. [b0335]
- b *duaringa* Ogyris 53(3):280
 - b *magna* Ogyris 53(3):280
 - b *meridionalis* Ogyris 53(3):286
 - b *waterhouserii* Ogyris 53(3):273
- Bethune-Baker 1905 Novit. zool. [b0336]
- d *dohertyi* Deudorix (H) 12:492
 - a *masai* Everes 12:494
 - c *pulchristriata* Lycaena 12:495
- Bethune-Baker 1906 Ann. Mag. nat. Hist. [b0337]
- BMNH-ht a *acesina* Cyaniris (7)17:103
 - BMNH-ht a *drucei* Cyaniris (7)17:102
 - BMNH-ht d *grandis* Candalides (H) (7)17:102
 - BMNH-ht a *meekei* Candalides (7)17:101
 - BMNH-ht a *owgarra* Paraduba (7)17:104
 - BMNH-ht a *owgarra* Candalides (7)17:100
 - BMNH-ht a *sublutea* Candalides (7)17:101
- Bethune-Baker 1906 Ann. Mag. nat. Hist. [b0338]
- BMNH-st c *acholi* Catochrysops (7)17:108
 - a *busoga* Lachnocnema (7)17:105
 - b *drucei* Zizera (7)17:109
 - a *jacksoni* Hypolycaena (7)17:106
 - BMNH-st a *kabrosae* Catochrysops (7)17:107
 - a *mengoensis* Epitola (7)17:105
 - a *nandiana* Catochrysops (7)17:108
 - a *ntebi* Pentila (7)17:105
 - a *sharpei* Myrina (7)17:106
- Bethune-Baker 1906 Ann. Mag. nat. Hist. [b0339]
- c *aureolineata* Hypolycaena (7)18:340
 - b *catori* Pentila (7)18:339
 - BMNH-ht a *orientalis* Liptena (7)18:339
 - d *subpunctata* Liptena (H) (7)18:340
- Bethune-Baker 1908 Proc. zool. Soc. Lond. [b0340]
- c *albostrigata* Thysonotis 1908(1):124
 - BMNH-ht a *angabunga* Candalides 1908(1):123
 - BMNH-ht c *aroa* Candalides 1908(1):122
 - BMNH-ht c *biagi* Udara 1908(1):117
 - a *bilineata* Iolais 1908(1):113
 - a *cottoni* Powellana 1908(1):114
 - b *cottoni* Iolais 1908(1):113
 - BMNH-ht a *cyna* Candalides 1908(1):122
 - BMNH-ht a *cyara* Callictita 1908(1):119
 - BMNH-ht a *dinawa* Candalides 1908(1):122
 - BMNH-ht a *dinawa* Waigeum 1908(1):125
 - a *ekeikei* Thysonotis 1908(1):124
 - a *elealodes* Deudorix 1908(1):112
 - a (-) *gloriosa* Candalides 1908(1):121 only
 - BMNH-ht c (+) *gloriosa* Candalides 1908(1):121
- Bethune-Baker 1908 Proc. zool. Soc. Lond. [b0340] (*continued*)
- BMNH-ht a *grandissima* Candalides 1908(1):121
 - a *ituri* Deudorix 1908(1):111
 - a *makala* Leptomyrina 1908(1):115
 - b *makala* Deudorix 1908(1):111
 - BMNH-ht b *maria* Candalides 1908(1):120
 - b *multiplagata* Pentila 1908(1):111
 - BMNH-ht a *neurapacuna* Candalides 1908(1):121
 - a *nigropunctata* Mambara 1908(1):120
 - BMNH-ht d *owgarra* Cyaniris (H) 1908(1):116
 - BMNH-ht c *pratti* Candalides 1908(1):122
 - BMNH-ht c *resplendens* Waigeum 1908(1):125
 - b *rosselana* Thysonotis 1908(1):123
 - c *striata* Upolampes 1908(1):118
 - a *unipunctata* Citinophila 1908(1):111
 - BMNH-ht a *unipunctata* Candalides 1908(1):123
 - a *uranotauma* Thaumaina 1908(1):116
- Bethune-Baker 1909 Ann. Mag. nat. Hist. [b0341]
- a *trypherota* Oboronia (8)3:422
- Bethune-Baker 1909 Ann. Mag. nat. Hist. [b0342]
- BMNH-ht b *arfaki* Candalides (8)4:184, pl 7
 - BMNH-ht b *wendisi* Hypochrysops (8)4:184, pl 7
- Bethune-Baker 1910 Trans. ent. Soc. Lond. [b0343]
- BMNH-ht a *afra* Lycaenesthes 58(1):27, pl 1
 - BMNH-ht a *alberta* Lycaenesthes 58(1):28, pl 1
 - BMNH a *arescopa* Cupidesthes 58(1):9, pl 1
 - BMNH-ht a *aurea* Lycaenesthes 58(1):59, pl 3
 - BMNH-ht c *bihe* Lycaenesthes 58(1):34, pl 1
 - BMNH-st a *chirinda* Lycaenesthes 58(1):27, pl 1
 - a *chryseostictus* Neurellipes 58(1):67, pl 3
 - BMNH-ht a *hades* Triclema 58(1):74, pl 3
 - BMNH-st a *indefinita* Lycaenesthes 58(1):25, pl 1
 - BMNH-ht a *itura* Lycaenesthes 58(1):22, pl 1
 - BMNH-ht a *kamilila* Triclema 58(1):76, pl 3
 - BMNH-ht a *kampala* Lycaenesthes 58(1):52, pl 2
 - BMNH-st b *kikuyu* Lycaenesthes 58(1):37, pl 2
 - BMNH-ht a *makala* Lycaenesthes 58(1):58, pl 2
 - BMNH-ht a *nigropunctata* Lycaenesthes 58(1):36, pl 1
 - b *obsolescens* Lycaenesthes 58(1):48, pl 2
 - BMNH-ht a *radiata* Lycaenesthes 58(1):55, pl 2
 - BMNH-st a *rufomarginata* Lycaenesthes 58(1):54, pl 2
 - BMNH-st a *rufoplagata* Triclema 58(1):72, pl 3
 - BMNH-st c *sanguinea* Lycaenesthes 58(1):41, pl 2
 - c *silvanus* Lycaenesthes 58(1):43
 - BMNH-ht b *uganda* Lycaenesthes 58(1):32
 - BMNH-ht a *versatilis* Lycaenesthes 58(1):49, pl 2
- Bethune-Baker 1911 Ann. Mag. nat. Hist. [b0344]
- c *anomogramma* Castalius (8)8:506
 - BMNH-ht a *metriodes* Nacaduba (8)8:542
- Bethune-Baker 1913 Ann. Mag. nat. Hist. [b0347]
- a *arfaki* Bindahara (8)11:569
 - a *flava* Tumerepedes (8)11:564
 - b *masindae* Mimacraea (8)11:565
 - BMNH-ht d *mioswara* Waigeum (H) (8)11:566
 - BMNH-ht a *mioswara* Hypochrysops (8)11:568
 - BMNH-ht b *pratti* Waigeum (8)11:567
 - BMNH-ht b *urai* Pithecops (8)11:565
 - BMNH-ht c *utyi* Waigeum (8)11:567
- Bethune-Baker 1914 In Trans. ent. Soc. Lond. [b0349]
- a *bella* Aslauga 61(3):500
 - a *lamborni* Aslauga 61(3):499
 - a *nigra* Hypolycaena 61(3):502
 - a *obscura* Hypokopelates 61(3):501
 - c *oniensis* Epitola 61(3):501
- Bethune-Baker 1914 Ent. Mitt. [b0350]
- c *formosana* Celastrina 3(4):127

- Bethune-Baker 1914 Ent. Mitt. [b0350] (*continued*)
 - a *hainani* Everes 3(4):126
 - b *hainani* Nacaduba 3(4):125
- Bethune-Baker 1914 Trans. ent. Soc. Lond. [b0351]
 BMNH-st c *gigas* Megalopalpus 62(2):335, pl 58
- Bethune-Baker 1915 Ann. Mag. nat. Hist. [b0353]
 - a *batesi* Liptena (8)16:186
 - a *bitje* Argyrocheila (8)16:187
 - a *bitjeana* Hewitsonia (8)16:190
 - a *durbania* Pentila (8)16:189
 - a *fallax* Pentila (8)16:187
 - a *petreoides* Pentila (8)16:187
 - c *subalba* Epitola (8)16:190
 - a *subplagata* Micropentila (8)16:189
 - a *subrubra* Alaena (8)16:186
 - a *tricolora* Pentila (8)16:188
- Bethune-Baker 1916 Ann. Mag. nat. Hist. [b0354]
 - b *f. kaduglii* Spindasis (8)17:379
 - b *minuta* Lycaenesthes (8)17:379
 - a *semibrunnea* Epitola (8)17:378
- Bethune-Baker 1918 Trans. ent. Soc. Lond. [b0356]
 - c *arehana* Tarucus 65(2/4):277
 - c *bengalensis* Tarucus 65(2/4):281
 - b *dharta* Tarucus 65(2/4):291
 - c *mediterraneae* Tarucus 65(2/4):281
 - c *nigra* Tarucus 65(2/4):278
- Bethune-Baker 1921 Ent. Rec. [b0357]
 BMNH-st a *peilei* Polyommatus 33:63
- Bethune-Baker 1922 Trans. ent. Soc. Lond. [b0358]
 - b *carpenteri* Epitola 69(3/4):462
 - a *farquharsoni* Epamera 69(3/4):462
 - a *lamborni* Epitola 69(3/4):461
- Bethune-Baker 1923 Trans. ent. Soc. Lond. [b0359]
 BMNH-ht a *aethiopia* Neochrysops 70(3/4):331
 BMNH-st a *brunneus* Euchrysops 70(3/4):361
 BMNH-ht a *chloauges* Neochrysops 70(3/4):328
 BMNH-ht a *cinerea* Neochrysops 70(3/4):314
 BMNH-st a *delicata* Neochrysops 70(3/4):303
 BMNH-ht a *dollmani* Neochrysops 70(3/4):309
 BMNH-st a *intermedia* Neochrysops 70(3/4):310
 BMNH-st a *katangae* Euchrysops 70(3/4):354
 BMNH a *lacrimosa* Neochrysops 70(3/4):281
 BMNH-ht b *major* Euchrysops 70(3/4):351
 - a *major* Neochrysops 70(3/4):282
 BMNH-ht a *mauensis* Euchrysops 70(3/4):352
 BMNH-st a *neavei* Neochrysops 70(3/4):307
 BMNH-st a *neonegus* Neochrysops 70(3/4):337
 BMNH-st a *nevillei* Neochrysops 70(3/4):340
 BMNH-st c *nyasae* Neochrysops 70(3/4):332
 - d *plebeja* Neochrysops (UE) 70(3/4):316
 UMO-st a *polydialecta* Neochrysops 70(3/4):329
 BMNH-ht a *ptero* Neochrysops 70(3/4):312
 BMNH-ht a *rhodesensae* Neochrysops 70(3/4):302
 BMNH-st a *solwezi* Neochrysops 70(3/4):325
 BMNH-st a *subpallida* Euchrysops 70(3/4):350
 BMNH-st a *synchrematiza* Neochrysops 70(3/4):323
 BMNH-st a *trimeni* Neochrysops 70(3/4):295
 BMNH-st c *variegata* Neochrysops 70(3/4):338
- Bethune-Baker 1924 Ann. Mag. nat. Hist. [b0360]
 BMNH-ht b *berbera* Epamera (9)14:131
 BMNH-ht a *bicolora* Alaena (9)14:130
 - c *catori* Egumbia (9)14:135
 - a *eicotrochilus* Eicochrysops (9)14:132
 - b *f. muzizii* Zeritis (9)14:134
 - b *rogersi* Hypolycaena (9)14:131
 - a *rogersi* Eicochrysops (9)14:133
- Bethune-Baker [1925] Trans. ent. Soc. Lond. [b0361]
 - a *bitjensis* Aslauga 72(3/4):211
- Bethune-Baker 1926 Ann. Mag. nat. Hist. [b0362]
 - a *africana* Triclema (9)17:400
 - a *bansana* Iolau (9)17:395
 - c *banyoana* Spindasis (9)17:398
 biblio a *bassae* Liptena (9)17:390
 - a *batesana* Liptena (9)17:390
 - a *batesi* Laninopoda (9)17:389
 - c *bitjeana* Hypolycaena (9)17:394
 - c *bitjensis* Eresina (9)17:392
 - b *boma* Cyclyrius (9)17:402
 - c *cameroona* Liptena (9)17:389
 - a *catori* Pseudaletis (9)17:393
 - c *citronensis* Liptena (9)17:389
 - a *coelestis* Iolau (9)17:394
 - a *eketi* Liptena (9)17:391
 - b *entebbeana* Epitola (9)17:392 (male)
 - a *eukrinaria* Liptena (9)17:391
 - a *inferna* Triclema (9)17:399
 - b *ja* Telipna (9)17:388
 - b *kumboae* Epamera (9)17:397
 - b *neavei* Telipna (9)17:386
 - a *neavei* Aphnaeus (9)17:397
 - c *occidentalis* Pseudaletis (9)17:393
 - a *occidentalis* Liptena (9)17:390
 - a *paralithas* Cupidesthes (9)17:399
 - c *parva* Iolau (9)17:395
 - a *quadricaudata* Triclema (9)17:400
 - b *radiata* Epitola (9)17:393
 - a *sheffieldi* Telipna (9)17:387
 - c *tongidensis* Azamus (9)17:401
 - b *ugandae* Telipna (9)17:388
 - c *venanigra* Telipna (9)17:387
 - b *wollastoni* Cyclyrius (9)17:402
 - c *yokoana* Epamera (9)17:396
- Betti 1970 Bull. Soc. ent. Mulhouse [b0363]
 - c *betica* Lysandra 1970:31-32
- Betti 1977 Alexanor [b0364]
 - b *cappadoeia* Iolana 10(2):88, f
 - b *christinae* Iolana 10(2):87, f
 - b *enell* Lycaena 10(2):92, f
 - b *ludovicana* Plebecula 10(2):90, f
 - c *obscuriolas* Iolana 10(2):89, f
 - b *ochsenfeldinus* Heodes 10(2):91, f
 - b *portaensis* Laeosopsis 10(2):93, f
 - b *thiersi* Laeosopsis 10(2):94, f
- Beuret 1926 Schweiz. ent. Anz. [b0367]
 - c *analijuncta* Lycaena 5(3):4
- Beuret 1927 Lambillionea [b0368]
 - e *arcuatobasielongata* Polyommatus (IFS) 27:31
 - e *f. centrijuncta* Lysandra 27:32
 - e *discojuncta* Lycaena 27:24
- Beuret 1928 Soc. ent. [b0369]
 - c *septentrionalis* Plebeius 43:41, f
- Beuret 1933 Lambillionea [b0370]
 - b *bodenmanni* Agriades 33:139
 - e *flavolunulata* Plebejus 33:143-144
- Beuret 1934 Lambillionea [b0371]
 - b *armoricanelle* Lycaeides 34:113
 - e *ab. gazeli* Plebejus 34:108
 - d *idasoides* Lycaeides (JOS) 34:114
 - b *lycidasoides* Plebejus 34:118
 - e *postauraca* Plebejus 34:120
 - e *ab. proxargyrognomon* Lycaeides 34:109
 - e *ab. proxarmoricana* Lycaeides 34:109

- Beuret 1934 *Lambillionea* [b0371] (*continued*)
 - c *ab. pseudarmoricana* Lycaeides (H) 34:111
 - b *rauraca* Lycaeides 34:119
 - c *ab. stempferschmidti* Plebejus 34:121
- Beuret 1934 *Lambillionea* [b0372]
 - b *armoricanoideis* Lycaeides 34:127
- Beuret 1935 *Mitt. schweiz. ent. Ges.* [b0373]
 - b *haefelfingeri* Lycaeides 16(8):609
- Beuret 1936 *Ent. Ber.* [b0374]
 - b *batavana* Lycaeides 9:268
- Beuret 1936 *Lambillionea* [b0375]
 NMB-lt b *leonila* Lycaena 36:272
- Beuret 1938 *Lambillionea* [b0376]
 - b *lombardiana* Lycaeides 38:50
 - b *naryoniensis* Lycaeides 38:50
 - b *sumptuosa* Scolitantides 38:47
- Beuret 1938-1939 *Ent. Rundsch.* [b0377]
 - b 1938 *lacustris* Lycaeides 55:683
 - b 1938 *maritimalpina* Lycaeides 55:638
- Beuret 1949 *Bull. Soc. ent. Mulhouse* [b0379]
 - c *alpicola* Maculinea 1949:41
 - c *cruciata* Maculinea 1949:50
 - c *gadmensis* Maculinea 1949:43, pl 6
 NMB-at b *macroconia* Maculinea 1949:34, pl 6
 NMB-at c *magnalpicola* Maculinea 1949:42
 NMB-at b *pseudoroboris* Maculinea 1949:34
 - c *f. tenuiconia* Maculinea 1949:34
- Beuret 1950 *Revue fr. Lép.* [b0380]
 NMB-lt b *gaillardi* Plebejus Plebejus 12:232
- Beuret 1950 *VerNachr. EntVer. Basel* [b0381]
 - c *fulvomaculata* Strymon 7:15, f
- Beuret 1951 *Mitt. ent. Ges. Basel* [b0382]
 - c *f. precursoria* Aricia (nf)1:55, f
- Beuret 1952 *Mitt. ent. Ges. Basel* [b0385]
 - b *pfeifferi* Palaeochrysothamus (nf)2:59, f
- Beuret 1952 *Mitt. ent. Ges. Basel* [b0387]
 - b *rhaetica* Heodes (nf)2:86
- Beuret 1952 *Mitt. ent. Ges. Basel* [b0388]
 - b *hellesimilis* Helleia (nf)2:101
- Beuret 1953 *Lyc. Schweiz I* [b0389]
 - e (+) *f. antelutea* Lycaena (IFS) :57
 - e *basilijuncta* Lycaena :69
 - e (+) *f. bicolor* Lycaena (IFS) :57
 - e (+) *f. caeruleolunulata* Lycaena (IFS) :57
 - e *costipuncta* Heodes (IFS) :11
 - e *decolorata* Thersamonia :79
 - e *depuncta* Thersamonia :77
 - e *fulvosignata* Chrysothamus (IFS) :36
 - e *juragloria* Helleia :58
 - b *mediomontana* Lycaena :30
 - e *postlocarnensis* Lycaena :41
 - e *pseudomiei* Heodes (IFS) :11
 - e *quadrilunulata* Heodes (IFS) :11
 - e *reducta* Helleia :58
 - e *subtusdiscoelongata* Heodes (IFS) :13
 - e *suprabasielongata* Heodes (IFS) :12
 - e *supracentrolongata* Heodes (IFS) :12
 - e *tristis* Helleia :58
 - b *ultragordius* Lycaena :52
 - e *ultraseriata* Heodes (IFS) :12
- Beuret 1953 *Mitt. ent. Ges. Basel* [b0390]
 NMB-lt b *engadiniana* Palaeochrysothamus (nf)3:6
- Beuret 1955 *Mitt. ent. Ges. Basel* [b0394]
 - b *austriaca* Everes (nf)5:101, f
 - b *bernardi* Palaeochrysothamus (nf)5:114, f
 - e *helvetica* Everes (IFS) (nf)5:102
- Beuret 1957 *Lyc. Schweiz. II* [b0400]
 NMB-lt b *albocuneata* Maculinea :230
 - b *antealcetas* Everes :138
 NMB-pt b *argoviensis* Maculinea :238
 - e *caerulelescens* Glaucoptysche :199
 - b *fuscomarginata* Philotes :184
 - e *maculata* Maculinea :237
 - b *magnaliolas* Iolana :192
 NMB-at,lt b *microarion* Maculinea :207
 - b *micromelanica* Maculinea :233
 - e *mirabilis* Glaucoptysche :199
 NMB-at,pt b *subtusbrunea* Maculinea :257
 - e *tainaronobscura* Maculinea :257
 - e *tenuimarginata* Glaucoptysche :199
 - e *f. ultramarina* Everes :131
 - e *violacea* Glaucoptysche :199
- Beuret 1957 *Mitt. ent. Ges. Basel* [b0401]
 - b *bernardiana* Cupido (nf)7:1-8, pl 1
- Beuret 1958 *Mitt. ent. Ges. Basel* [b0404]
 - b *discoobsoleta* Maculinea (nf)8:4, f
- Beuret 1960 *Mitt. ent. Ges. Basel* [b0409]
 - b *debrosi* Aricia (nf)10:91; pl 12
- Beuret 1961 *Lyc. Schweiz. III* [b0410]
 - b *acisoides* Polyommatus :401, f 1875
 - b *callioides* Lycaeides :303-304
 - b *dealbata* Agriades :387
 - b *ferenigra* Plebejus :374
 - b *gigantipina* Agriades :389, f
 - b *opulenta* Lycaeides :304
 - e *postagestis* Aricia :353
 - e *rubriviola* Plebejus :416
- Beutelspacher 1975 *Revta Biol. trop.* [b0412]
 - c *lupita* Mesosemia 23(1):55, f
 - a *mazai* Euselasia 23(1):53, f
- Beutelspacher 1976 *Revta Soc. mex. Lep.* [b0413]
 UNAM-ht a *velazquezi* Nymula 2(2):73, f
- Beutenmüller 1899 *J. New York ent. Soc.* [b0416]
 AMNH-st b *ilavia* Thecla 7(4):254
- Biedermann 1936 *Bull. Soc. ent. Fr.* [b0417]
 MNHN-ht a *egeria* Mimocastria 41(15):258
 - e (+) *f. sapphirina* Alesa (IFS) 41(15):258
- Bienert [1870] *Lepid. Reise Persien* [b0418]
 - d *persica* Lycaena (H) :29
 - d *persica* Polyommatus (H) :28
- Biezanko & Mielke & Wedderhoff 1978 *Acta biol. parana.* [b0419]
 - e *dyrophora* Chamaelimnas (ISS) 7(1-4):12
 UFP-ht a *pelotensis* Stichelia 7(1-4):15, f
- Bingham 1907 *Fauna Brit. Ind., Butts* [b0423]
 - b *rogersi* Lampides 2:409
- Bird & Ferris 1979 *Can. Ent.* [b0429]
 T *florus* Chrysothamus 111(5):638
- Birket-Smith 1960 *Bull. Inst. franç. Afr. Noire* [b0430]
 - c *collitorum* Lectiles 22(A):966
 - a *kallipygos* Hypokopelates 22(A):974, f

- Birket-Smith 1960 Bull. Inst. franç. Afr. Noire [b0430]
(continued)
- a *makakensis* Lachnocnema 22(A):972, f
- c *virginea* Powellana 22(A):970, f
- Blachier 1889 Anns. Soc. ent. Fr. [b0432]
- a *canariensis* Aricia (6)9=58:258
- Blachier 1905 Bull. Soc. ent. Fr. [b0433]
- a *phoebus* Chrysophanus 1905(15):212
- Blachier 1908 Anns. Soc. ent. Fr. [b0434]
- c *abdellaziz* Lycaena 77(2):218
- e *azurea* Lycaena 77(2):218
- c *heracleana* Chrysophanus 77(2):217
- e *ab. oberthuri* Chrysophanus 77(2):217, pl 4
- Blachier 1909 Bull. Soc. Lép. Genève [b0435]
-- e *ab. albomaculata* Nemeobius 1(4):379, pl 9
-- e *ab. olivacea* Callophrys 1(4):379
-- e *ab. radiata* Lycaena 1(4):380, pl 9
- Blachier 1910 Bull. Soc. Lép. Genève [b0436]
-- e *ab. caeca* Lycaena 2(1):54, pl 1
- c *constanti* Lycaena 2(2):51
-- e *ab. straminea* Chrysophanus 2(2):53, pl 1
- Blackie 1919 Entomologist [b0438]
-- e *ab. minor* Aricia 52:234
- Blackmore 1920 Proc. ent. Soc. Brit. Columbia [b0442]
CNC-ht b *insulanus* Plebeius 14:8, pl 1
- Blackmore 1923 Can. Ent. [b0443]
CNC-ht b *montis* Plebeius 55(4):99
- Blanchard 1841-1844 In Jacquemont, Voy. Inde [b0446]
- a [1844] *galathea* Lycaena 4(Zool.):21
- Blanchard 1848-1853 Voy. Pôle Sud [b0448]
- a 1848 *aurifer* Thecla :pl 3, f 13,14
- a 1848 *chlorinda* Thecla :401, pl 3
- a 1848 *diogenes* Polyommatus :397, pl 3
-- e 1848 *plato* Lycaena (MID) :398, pl 3
- Blanchard 1852 In Gay, Hist. fis. pol. Chile [b0449]
MNHM-lt c *americensis* Thecla 7:38, pl 3
MNHN-lt a *chilensis* Lycaena 7:37, pl 3
- d *endymion* Lycaena (H) 7:37, pl 3
- Blanchard 1871 C. r. hebd. Séanc. Acad. Sci. [b0450]
- c *betuloides* Thecla 72:810, note 6
- c *saphir* Thecla 72:811, note 1
- Blom 1947 Tijdschr. Ent. [b0452]
-- e *cordata* Polyommatus 88:333
-- e *crassipuncta* Polyommatus 88:333
-- e *inornata* Polyommatus 88:333
-- e *nigromaculata* Polyommatus 88:332
-- e *parvipuncta* Polyommatus 88:333
-- e *virgularia* Polyommatus 88:333
- Blom 1970 Ent. Ber. [b0453]
- b *ordesana* Aricia 29:133, f
- Blom 1979 Ent. Ber. [b0454]
pc-ht a *avajica* Agrodiaetus 39(1):11, f 3-6
pc-ht b *khoshyelraqi* Agrodiaetus 39(1):12, f 10-14
pc-ht c *lempkei* Chilades 39(1):10-14
- Blom 1979 Ent. Ber. [b0455]
pc-ht a *forsteri* Agrodiaetus 39(12):185, f
pc-ht b *safidensis* Agrodiaetus 39(12):186, f
- Boisduval [1828] Europ. Lepid. Ind. Meth. [b0456]
- a *melanops* Polyommatus :13
- Boisduval 1832 In d'Urville, Voy. Astrolabe [b0457]
- a *byzons* Lycaena 1(Lép.):81
- a *catochloris* Lycaena 1(Lép.):78
- a *celinde* Lycaena 1(Lép.):78
- a *cyta* Catochrysops 1(Lép.):87
- a *dionisia* Lycaena 1(Lép.):82
- b *epicoritus* Lycaena 1(Lép.):67
- c *leosida* Emesis 1(Lép.):65
BMNH-ht a *meander* Arhopala 1(Lép.):76
- b *phryxus* Arhopala 1(Lép.):75
- c *poeta* Argus 1(Lép.):90
- b *rex* Simoethus 1(Lép.):72
biblio-lt d *sebae* Damis (JOS) 1(Lép.):68
- a *taitensis* Lycaena 1(Lép.):77
- Boisduval 1832-1834 Icon. Hist. Lépid. Europe [b0458]
- a 1832 *aquilo* Argus 1:62, pl 12
- b [1832] *calliopsis* Plebejus 1:58, pl 15
- c [1832] *donzelii* Lycaena 1:64, pl 15
- e [1832] *rippertii* Agrodiaetus (ISS) 1:68, pl 16
- Boisduval 1833 Nouv. Ann. Mus. Hist. nat. (Paris) [b0459]
- a *batikeli* Lycaena 2(2):172, pl 3
- a *malathana* Lycaena 2(2):173
- c *rabe* Lycaena 2(2):173
- a *tepani* Emesis 2(2):175, pl 3
- a *tintingia* Lycaena 2(2):175
- c *tsiphana* Lycaena 2(2):173
- Boisduval 1834 Revue ent. Silbermann [b0460]
BMNH-ht b *marchandii* Argus 2:121, pl 27
- Boisduval 1835 In Isabelle, Voy. Buénos-Ayres [b0461]
- c *morissei* Zeonia :325
- Boisduval 1836 Spec. gén. Lépid. [b0462]
- a *acherois* Desmozona 1:pl 21 [=2C]
- c *gnosis* Nympha 1:pl 21 [=4C]
- a *jessa* Nymphidium 1:pl 6 [=2B]
- a *neriene* Zenitis 1:pl 22 [=6C]
- a *orphna* Emesis 1:pl 21 [=5C]
- a *phedica* Eurygona 1:pl 21 [=5C]
- a *pixe* Limnas 1:pl 20 [=4C]
- e *ab. punctissubtusconfluentibus* Palaeochrysophanus 1:9
- a *siffia* Diophtatma 1:pl 6 [=2B]
- a *sito* Thecla 1:pl 22 [=6C]
- a *telegone* Diophtalma 1:pl 21, f 2
- a *telephae* Alesa 1:pl 20 [=4C]
- a *zeurippa* Hypophylla 1:pl 20 [=4C]
- Boisduval 1840 Gen. Index meth. europ. Lep. [b0463]
- e *albicans* Lycaena (NN) :12
- e *epidolus* Lycaena (NN) :13 (NN)
- a *pyrenaicus* Lycaena :11
- Boisduval 1847 In Delegorgue, Voy. Afrique Austr. [b0464]
- a *amazoula* Acraea 2:591
- c *delegorguei* Lycaena 2:588
- c *gambius* Lycaena 2:588
- a *leda* Dryas 2:588
- a *tropicalis* Tingra 2:589
- Boisduval 1848 Bull. Soc. ent. Fr. [b0465]
- c *epiphania* Polyommatus (2)6:xxviii
- a *ledereri* Lycaena (2)6:xxix
- Boisduval 1848-1853 In Voy. Pôle Sud [b0466]
- a 1853 *micale* Arhopala :399, pl 3
- Boisduval 1852 Anns. Soc. ent. Fr. [b0467]
USNM-ht a *amyntula* Lycaena (2)10:294
USNM-ht c *antaegon* Lycaena (2)10:295
USNM-ht c *antiacis* Lycaena (2)10:300
USNM?-ht a *arota* Polyommatus (2)10:293

- Boisduval 1852 *Annl. Soc. ent. Fr.* [b0467] (continued)
- USNM-ht a *auretorum* Thecla (2)10:287
- USNM-ht a *dumetorum* Thecla (2)10:291
- USNM-ht a *enoptes* Lycaena (2)10:298
- USNM-ht a *eryphon* Thecla (2)10:289
- USNM-ht a *exilis* Lycaena (2)10:294
- USNM a *gorgon* Polyommatus (2)10:292
- USNM-ht a *grunus* Thecla (2)10:289
- USNM-ht a *helooides* Polyommatus (2)10:291
- USNM-ht a *heteronea* Lycaena (2)10:298
- USNM?-ht b *hypophlaeas* Polyommatus (2)10:291
- USNM-ht a *icarioides* Lycaena (2)10:297
- USNM-ht b *iroides* Thecla (2)10:289
- USNM-ht a *pheres* Lycaena (2)10:297
- USNM-ht a *piasus* Lycaena (2)10:299
- USNM-ht a *saepiolus* Lycaena (2)10:296
- USNM-ht a *saepium* Thecla (2)10:287
- USNM-ht a *sylvinus* Thecla (2)10:287
- USNM a *xanthoides* Polyommatus (2)10:292
- USNM-ht a *xerces* Lycaena (2)10:296
- Boisduval 1868-1869 *Annl. Soc. ent. Belg.* [b0468]
- e 1868 *xerxes* Lycaena (ISS) 12:16
- USNM-ht c 1869 *borus* Thecla 12:43
- USNM-ht c 1869 *erymus* Lycaena 12:48
- USNM-ht b 1869 *evius* Lycaena 12:49
- USNM-ht a 1869 *lupini* Lycaena 12:46
- USNM-ht c 1869 *mormonia* Chrysoibia 12:52
- USNM-ht a 1869 *nelsoni* Thecla 12:43
- USNM-ht c 1869 *nestos* Lycaena 12:50
- USNM-ht a 1869 *nivalis* Polyommatus 12:44
- USNM-ht c 1869 *nivium* Lycaena 12:47
- USNM-ht c 1869 *philemon* Lycaena 12:47
- USNM-ht c 1869 *phileros* Lycaena 12:50
- USNM-ht c 1869 *polyphemus* Lycaena 12:49
- USNM-ht c 1869 *regia* Lycaena 12:46
- USNM-ht c 1869 *rhaea* Lycaena 12:51
- USNM-ht c 1869 *rufescens* Lycaena 12:48
- USNM-ht c 1869 *suasa* Lycaena 12:51
- USNM-ht c 1869 *zeroe* Polyommatus 12:45
- Boisduval 1870 *Consid. Léop. Guatemala* [b0469]
- b *ascalides* Desmozona :21
- b *aurimna* Nelone :24
- c *cassidula* Lycaena :16
- c *cassioides* Lycaena :16
- c *erigone* Erycina :20
- e *ganimedes* Thecla (ISS) :14
- a *gauna* Thecla :16
- a *godartii* Eumenia :13
- c *godartii* Nelone :24
- b *gozora* Lycaena :17
- c *hewitsonii* Mesene :22
- a *hística* Hypophylla :23
- a *lais* Erycina :19
- b *macularia* Mesene :22
- c *niciades* Baetis :22
- c *nyagora* Lycaena :17
- c *praxitheia* Nelone :24
- b *simbla* Mesene :22
- b *toxana* Eumenia :13
- a *umbra* Hypophylla :23
- c *zinna* Erycina :19
- Boisduval & Le Conte 1829-1837 *Hist. Lépid. Amer. sept.* [b0470]
- c [1833] *hyperic* Thecla (9-10):90, pl 28
- biblio ■ [1833] *liparops* Thecla (9-10):99, pl 31
- biblio ■ [1833] *m-album* Thecla (9-10):86, pl 26
- biblio c [1833] *psyche* Thecla (9-10):88, pl 27
- USNM-st ■ [1835] *arsace* Thecla (11):103, pl 32
- biblio c [1835] *crataegi* Polyommatus (14):128, pl 37
- Boisduval & Le Conte 1829-1837 *Hist. Lépid. Amer. sept.* [b0470] (continued)
- USNM-ht a [1835] *epixanthe* Polyommatus (15):127, pl 38
- c [1835] *pseudargiolus* Argus (13):118, pl 36
- USNM-st c [1835] *pseudoptiletes* Argus (13):114, pl 35
- USNM-ht d [1835] *pumila* Polyommatus (JOS) (14):131, pl 37
- biblio b [1835] *smilacis* Thecla (12):107, pl 33
- Bollow 1929-1931 *In Seitz, Grossschmett. Erde* [b0471]
- e 1930 *ab. aestivalis* Lycaena 1(Suppl.):275
- e 1930 (-) *ab. alcippe* Lycaena 1(Suppl.):255
- e 1930 *astragaliphora* Plebejus (ISS) 1(Suppl.):260
- e 1930 *casaiicus* Lycaena (ISS) 1(Suppl.):257
- b 1930 *cellarius* Everes 1(Suppl.):255
- e 1930 *tydides* Lycaena (ISS) 1(Suppl.):258
- e 1930 *ab. vernalis* Lycaena 1(Suppl.):275
- b 1931 *ella* Lycaena 1(Suppl.):267
- e 1931 *kenteana* Lycaena 1(Suppl.):272
- c 1931 *semimontana* Polyommatus 1(Suppl.):289
- biblio b 1931 *stauderi* Lycaena 1(Suppl.):271
- b 1931 *sumpantingi* Lycaena 1(Suppl.):287
- Borkhausen 1788 *Nat. Eur. Schmett.* [b0472]
- e *argalaus* Celastrina (ISS) 1:174
- d *lycidas* Papilio (H) 1:319, pl 73
- Bouyer 1991 *Lambillionea* [b0474]
- a *dufranel* Spindasis 91(3):222, f
- a *shaba* Spindasis 91(3):221, f
- Bozano 1993 *Bull. Soc. Sci. Nat.* [b0477]
- b *weissi* Lycaena (77):25, f
- Brandt 1938 *Ent. Rundsch.* [b0480]
- a *ardschira* Lycaena 55:672
- a *pfeifferi* Lycaena 55:671, pl 4
- a *stempfferi* Lycaena 55:671
- Brehme 1907 *Ent. News* [b0481]
- USNM-ht c *pateronia* Thecla 18(3):82
- Bremer 1861 *Bull. Acad. Sci. St. Pétersbourg* [b0482]
- a *arata* Thecla 3:470
- a *attilia* Thecla 3:469
- d *biton* Lycaena (H) 3:472
- a *cleobis* Lycaena 3:472
- c *diodorus* Lycaena 3:471
- lt a *smaragdina* Thecla 3:470
- lt a *taxila* Thecla 3:470
- Bremer 1864 *Mém. Acad. Sci. St.-Pétersbourg* [b0483]
- c *aegonides* Lycaena 8:28, pl 3
- b *dispar* Amblypodia 8:24, pl 3
- Bremer & Grey 1853 *Schmett. N. China's* [b0484]
- a *caerulea* Thecla :8, n 29
- a *fusca* Thecla :9, n 33
- b *micans* Thecla :9, n 30
- Brévignon 1985 *Alexanor* [b0488]
- b *estherae* Cigaritis 13(7):307
- Brévignon 1985 *Alexanor* [b0489]
- b *antonius* Tomares 13(8):342, f
- Brévignon & Gallard 1992 *Bull. Soc. Sci. Nat.* [b0490]
- b *cayennensis* Thisbe (73):5, f
- a *crystallina* Esthemopsis (73):4, f
- b *pulchellita* Symmachia (73):5, f
- a *talidiman* Euselasia (73):3, f
- a *thalassicus* Menander (73):5, f
- b *wia* Adolotopa (73):6, f
- Brévignon & Gallard 1993 *Bull. Soc. Sci. Nat.* [b0491]
- b *augustalis* Adolotopa (77):24, f

- Brévignon & Gallard 1993 Bull. Soc. Sci. Nat. [b0491]
(continued)
- b *egjawahe* Euselasia (77):20, f
 - a *floculus* Zelotaea (77):23, f
 - a *floculus* Roerberella (77):22, f
 - a *mahurya* Mesene (77):20, f
 - b *maroni* Mesene (77):21, f
 - b *matouryensis* Euselasia (77):20, f
 - b *pallantis* Euselasia (77):20, f
 - a *seducta* Symmachia (77):21, f
 - b *wayanai* Calospila (77):24, f
- Breyer 1930 Revta Soc. ent. argent. [b0492]
-- e *ab. leucomelaina* Ematurgina 3:171, pl 7
- Brower 1940 Bull. Brooklyn ent. Soc. [b0497]
USNM-ht b *claytoni* Lycaena 35(4):138
- R. M. Brown 1969 J. Lep. Soc. [b0561]
CAS-ht b *bayensis* Callophrys 23(2):95
- Brown 1951 Ann. ent. Soc. Amer. [b0498]
AMNH-ht b *whitmeri* Plebejus 44(2):286
- Brown 1968 Trans. amer. ent. Soc. [b0507]
T *duryi* Lemonias 94(4):121
T *nais* Chrysophanus 94(4):125
- Brown 1969 Trans. amer. ent. Soc. [b0508]
T *cupreus* Chrysophanus 95:176
T *hermes* Chrysophanus 95:166
T *ianthe* Chrysophanus 95:171
T *sirius* Chrysophanus 95:168
T *snowi* Chrysophanes 95:178
T *virginiensis* Chrysophanus 95:164
- Brown 1970 Trans. amer. ent. Soc. [b0509]
T *affinis* Thecla 96(1):65
T *apama* Thecla 96(1):69
T *autolytus* Thecla 96(1):73
T *chalcis* Thecla 96(1):33
T *ines* Thecla 96(1):53
T *ityx* Thecla 96(1):40
T *leda* Thecla 96(1):51
T *ninus* Thecla 96(1):59
T *wittfeldii* Thecla 96(1):39
- Brown 1970 Trans. amer. ent. Soc. [b0510]
T *afra* Lycaena 96:415
T *alce* Lycaena 96:365
T *amica* Lycaena 96:379
T *anna* Lycaena 96:368
T *annetta* Lycaena 96:376-377
T *aster* Lycaena 96:371
T *behrii* Lycaena 96:417
T *cinerea* Lycaena 96:428
T *echo* Lycaena 96:430
T *fea* Lycaena 96:357
T *glaucon* Lycaena 96:409
T *kodiak* Lycaena 96:382
T *melissa* Lycaena 96:374-375
T *mintha* Lycaena 96:389
T *neglecta* Lycaena 96:427
T *shasta* Lycaena 96:404
T *striata* Lycaena 96:358
T *violacea* Lycaena 96:423
- Brown 1971 J. Lep. Soc. [b0511]
CNC-ht b *toxema* Glaucopsyche 25(4):245, f
- Brown 1975 Proc. ent. Soc. Wash. [b0517]
USNM-ht b *nevada* Glaucopsyche 77(4):501, f
- Brown 1976 Ent. Gaz. [b0542]
- b *aroaniensis* Agrodiaetus 27(2):78, f
- Brown 1976 Ent. Gaz. [b0542] (continued)
- a *menelaos* Polyommatus 27(2):82, f
- Brown 1976 Ent. Ber. [b0543]
- b *brethertoni* Plebejus 36(3):46
- b *pelopi* Agrodiaetus 36(3):47
- Brown 1977 Ent. Gaz. [b0544]
- b *nonacriensis* Agrodiaetus 28(1):3, f
- Brown 1977 Ent. Gaz. [b0545]
- b *achaiana* Plebicula 28(3):141-174
- b *parnassica* Plebicula 28(3):141-174
- Brown 1983 J. Res. Lep. [b0549]
SDM-ht a *thornei* Mitoura 21(4):246, f 1
- Brown 1993 Occ. Pap. IUCN Species Survival Comm. [b0558]
- e *neagra* Alesa (ISS) (8):151
- e *thydryas* Alesa (ISS) (8):151
- Brown & Clench 1968 In Trans. amer. ent. Soc. [b0534]
T *ares* Lemonias 94(4):131
T *cleis* Lemonias 94(4):134
- Brown & Clench 1969 Bull. Zool. Nomen. [b0535]
T *viridis* Thecla 25(4/5):189
- Brown & Clench 1970 In Trans. amer. ent. Soc. [b0536]
T *siva* Thecla 96:61
T *tetra* Thecla 96:36
- Brown & Clench 1970 In Trans. amer. ent. Soc. [b0537]
T *gyas* Lycaena 96:362
- Brown & Coutsis 1978 Ent. Gaz. [b0547]
- a *nephoiptametos* Agrodiaetus 29(4):201-213
- c *philippi* Lysandra 29(4):201-213
- Brown & Eff & Rotger 1955 Proc. Denver Mus. nat. Hist. [b0538]
- e *acadia* Satyrium (ISS) 5:129
- e *area* Emesis (ISS) 5:120
- e *penrosae* Epidemia (ISS) 5:158
- e *putmani* Strymon (ISS) 5:131
- e *sublivens* Plebejus (ISS) 5:161
- e *zeia* Emesis (ISS) 5:120
- Brown & Faulkner 1982 Bull. Allyn Mus. [b0551]
SDM-ht a *poodiae* Habrodais (67):4, f 1-6
- Brown & Faulkner 1989 J. Res. Lep. [b0553]
- a *cedrosensis* Mitoura 27(3/4):244, f
- Brown & Heineman 1972 Jamaica Butterflies [b0540]
- e *catalina* Leptotes (ISS) :245
- Brullé 1840 In Webb & Berthelot, Canaries (Ins.) [b0563]
- a *webbianus* Polyommatus :93, pl 4, f 1
- Bryk 1940 Ark. Zool. [b0566]
biblio b *albinulus* Polyommatus 32A(22):22
b *bellicarus* Polyommatus 32A(22):24
- c *heliomedon* Polyommatus 32A(22):23
b *lusitanicus* Heodes 32A(22):20
- c *pseudoaesculi* Strymon 32A(22):19
- Bryk 1942 Deut. ent. Zeit. [Iris] [b0567]
- b *kuriliphlaeas* Heodes 56:19
- b *nemoptiliete* Lycaena 56:19, f
- Bryk 1946 Ark. Zool. [b0568]
- b *caudalis* Polyommatus 38A(3):56
- c *chosenicola* Ruralis 38A(3):50
- b *hecalina* Ruralis 38A(3):51
biblio b *matsumuranus* Scolitantides 38A(3):59
- b *matsumuranus* Heodes 38A(3):55

- Bryk 1946 Ark. Zool. [b0568] (continued)
 - c *melancholica* Maculinea 38A(3):58
 - b *ruhlianus* Everes 38A(3):57
 - f. *sixtina* Bergmania 38A(3):53
 - b *wahlgreni* Scolitantides 38A(3):59
 - c *zebrina* Apinaeus 38A(3):54
- Bryk 1953 Ark. Zool. [b0569]
 UZIU-ht c *bambino* Themone (ns)5(1):124
 -- e *f. conspecifica* Helicopis (ns)5(1):123
 UZIU-ht b *enigma* Oömiba (ns)5(1):132
 UZIU-ht e *f. holmgreni* Crocozona (IFS) (ns)5(1):123
 UZIU-ht b *manaos* Helicopis (ns)5(1):123
 UZIU-ht e *f. melini* Stalachtis (IFS) (ns)5(1):130
 UZIU-ht b *musageta* Lyropteryx (ns)5(1):124
 UZIU-ht e *f. ovalis* Crocozona (IFS) (ns)5(1):122
 UZIU-ht b *peruana* Amarynthis (ns)5(1):127
 UZIU-ht b *splendidissima* Eumaeus (ns)5(1):132
 UZIU-ht b *undulata* Nymphidium (ns)5(1):129
- Bubaček 1924 Verh. zool.-bot. Ges. Wien [b0570]
 - e *ab. erythrophoba* Satyrium 73:(24)
- Buchholz 1951 Bull. Brooklyn ent. Soc. [b0571]
 AMNH-ht e *ab. octoscripta* Mitoura 46(3):78
- Budashkin & Lukhtanov 1993 Atalanta (Münnerstadt) [b0572]
 - a *pliushtchi* Polyommatus 24(14):85-87
- Burdick 1942 Can. Ent. [b0573]
 CNC-ht b *spangelatus* Plebeius 74(10):195
- Burmeister 1878 Descr. phys. Rép. Argentine [b0574]
 - c *deidamia* Thecla 5(Lép.)(1):224
 - a *lystratus* Riodina 5(Lép.)(1):221
 - a *nannidion* Thecla 5(Lép.)(1):231
 - c *phrynisca* Thecla 5(Lép.)(1):232
 - a *sanguinalis* Thecla 5(Lép.)(1):239
 - a *tenellus* Lemonias 5(Lép.)(1):225
 - a *thargelia* Thecla 5(Lép.)(1):230
- Burns 1948 Mem. natn Mus. Vict. [b0575]
 - b *doddi* Candalides 15:95, f
 - b *hopensis* Ogyris 15:93, f
- Burns 1951 Mem. natn Mus. Vict. [b0576]
 - b *parvus* Ialmenus 17:98
- Burrau 1953 Opuscula entomologica [b0578]
 - c *arenicola* Polyommatus 18(2/3):116
 - e *ab. confluens* Polyommatus 18(2/3):119
 - e *ab. exoculatus* Polyommatus 18(2/3):119
 - c *f. praticola* Polyommatus 18(2/3):116
 - e *ab. vittatus* Polyommatus 18(2/3):119
- Butler 1866 Ent. mon. Mag. [b0581]
 - a *marmoreus* Apinaeus 2:169, f
- Butler 1866 J. linn. Soc. Lond., Zool. [b0582]
 BMNH-ht a *ferrea* Lycaena 9:57
 - c *ichnographia* Thecla 9:57
 - a *lycormas* Polyommatus 9:57
- Butler 1867 Ent. mon. Mag. [b0583]
 - c *batesii* Metacharis 3:175
 - a *regalis* Metacharis 3:175
- Butler 1867 Ent. mon. Mag. [b0584]
 BMNH-st a *azanoides* Nymphidium 3:221
 - b *epiplatea* Nymphidium 3:222
- Butler [1867] J. linn. Soc. Lond., Zool. [b0586]
 - a *alector* Lemonias 9:214, pl 6
 - a *amethystina* Aricoris 9:220, pl 7
 - a *bolena* Lemonias 9:215, pl 6
- Butler [1867] J. linn. Soc. Lond., Zool. [b0586] (continued)
 - a *borsippina* Lemonias 9:216 or 219
 - b *bubo* Lemonias 9:217, pl 6
 BMNH-ht a *caliginea* Anatole 9:226, pl 7
 - b *coruscans* Tharops 9:222, pl 6
 - a *cruentata* Aricoris 9:221, pl 7
 - a *cuprea* Lemonias 9:218, pl 6
 - b *cyanea* Aricoris 9:221, pl 7
 - b *egaensis* Lemonias 9:225, pl 6
 - a *huebneri* Lemonias 9:214, pl 6
 - a *hyalina* Tharops 9:225, pl 6
 - a *nepioides* Lemonias 9:217, pl 6
 - b *nitida* Tharops 9:223, pl 6
 - a *pulcherrima* Anatole 9:226, pl 6
 BMNH-ht a *pythioides* Aricoris 9:220, pl 7
 - a *splendida* Tharops 9:224, pl 6
 - a *stalactioides* Apodemia 9:228, pl 7
 - a *velutina* Aricoris 9:202, pl 7
 - c *violacea* Lemonias 9:214, pl 6
- Butler 1869 Cistula Entomologica [b0587]
 - c *irata* Emesis 1(1):12
 - b *issia* Mesosemia 1(1):11
 - a *jeziela* Mesosemia 1(1):11
 - b *thymetina* Mesosemia 1(1):12
- Butler 1869-1874 Lep. exot. [b0588]
 - a [1871] *veneris* Mesosemia :83, pl 32
 - a [1872] *darwinia* Mimacraea :104, pl 38
 - e [1873] *renarius* Tmolus (ISS) :162
- Butler 1870 Cistula Entomologica [b0589]
 - a *hodia* Limnas 1(2):32
 - b *jansoni* Aricoris 1(2):31
 - a *oriens* Mesene 1(2):31
 - c *quadrinota* Baeotus 1(2):32
- Butler [1870] Cat. diurn. Lep. Fabricius Br. Mus. [b0590]
 - c *erytalus* Tmolus :189
 - e *melibaeus* Arawacus (ISS) :198
 - e *pinus* Lampides (MID) :164
 BMNH-ht a *zalmora* Pithecopis :161
- Butler 1870 Ent. mon. Mag. [b0591]
 BMNH-ht a *lilina* Nymphidium 6:252, pl 1
- Butler 1870 Ann. Mag. nat. Hist. [b0592]
 - b *evelina* Stalachtis (4)5:365
 - a *jesse* Lymnas (4)5:363
 - c *libna* Charis (4)5:364
 - b *olivia* Lyropteryx (4)5:364
 - e *thiusto* Abisara (ISS) (4)5:363
 BMNH-st a *zela* Emesis (4)5:364
 - b *zemara* Abisara (4)5:363
- Butler 1871 Trans. ent. Soc. Lond. [b0593]
 - c *lycaenoides* Laninopoda 19(2):173, pl 7
- Butler 1871 Ann. Mag. nat. Hist. [b0594]
 - a *atricolor* Lepicomis (4)8:284
 - a *clearista* Emesis (4)8:283
- Butler 1872 Cistula Entomologica [b0595]
 - b *adelina* Lemonias 1(4):79
 - a *chrysomela* Methonella 1(4):78
 - b *nymphidioides* Pandemos 1(4):79
- Butler 1873 Cistula Entomologica [b0596]
 -lt a *dibaphina* Barbicomis 1(7):170
 - b *eidothea* Zelotaea 1(7):171
 -lt c *melanops* Barbicomis 1(7):171
- Butler 1874 Cistula Entomologica [b0597]
 - b *albipunctata* Zemerus 1(9):236

- Butler 1874 Trans. ent. Soc. Lond. [b0598]
 - c *artifascia* Panara 22(4):432
 - b *atroculis* Mesosemia 22(4):429
 - a *aureizona* Panara 22(4):431
 BMNH-ht a *charon* Rusalkia 22(4):432
 - a *fervida* Eurygona 22(4):431
 - a *hesperia* Mesosemia 22(4):430
 - a *judicialis* Mesosemia 22(4):430
 BMNH-ht a *latzonata* Mesosemia 22(4):430
 - b *trilineata* Mesosemia 22(4):429
- Butler 1874 Trans. ent. Soc. Lond. [b0599]
 - b *amine* Cigaritis 22(4):533, pl 11
 - b *catharina* Pseuderesia 22(4):532, pl 11
- Butler [1876] Proc. zool. Soc. Lond. [b0601]
 BMNH-ht b *armillata* Lampides 1875(4):614
 - b *caduca* Lycaena 1875(4):616
 - a *carissima* Lampides 1875(4):614
 BMNH-ht a *deplorans* Lampides 1875(4):614
 - b *evanescens* Lampides 1875(4):615
 - b *excellens* Scolitantides 1875(4):616
- Butler 1876 Proc. zool. Soc. Lond. [b0602]
 - a *goodenovii* Lampides 1876(1):252
- Butler 1876 Proc. zool. Soc. Lond. [b0603]
 - a *nymphidia* Suboges 1876(2):309
- Butler 1876 Ann. Mag. nat. Hist. [b0604]
 - a *intensa* Holochila (4)18:245
 - a *nemophila* Danis (4)18:245
- Butler 1876 Ann. Mag. nat. Hist. [b0605]
 - a *cretosus* Castalius (4)18:485
 BMNH-ht a *cyclopterus* Lampides (4)18:483
 BMNH a *princeps* Lycaenesthes (4)18:484
 - b *resplendens* Castalius (4)18:484
 - c *sigillata* Lampides (4)18:483
- Butler 1876 Ent. mon. Mag. [b0606]
 - c *ensilis* Chrysophanus 13:153
- Butler 1877 Trans. ent. Soc. Lond. [b0607]
 BMNH-ht a *atrox* Tmolus 25(2):140
 - c *cavifascia* Nymphidium 25(2):135
 BMNH-ht a *clitumnus* Tmolus 25(2):140, pl 3
 - b *maria* Mesosemia 25(2):128
 - c *mollis* Echenais 25(2):133, pl 3
 BMNH c *pereza* Tmolus 25(2):140
 - a *punctata* Symmachia 25(2):130
 - b *sordida* Echenais 25(2):133
 - b *stibopteris* Nymphidium 25(2):135
 - c *sylvicolens* Mesosemia 25(2):127
 - c *traillii* Cartea 25(2):129
 - c *traillii* Stalactis 25(2):137, pl 3
 - c *trucidata* Mesene 25(2):131
- Butler 1877 Ann. Mag. nat. Hist. [b0608]
 BMNH-ht a *florinda* Lampides (4)20:354
- Butler 1877 Proc. zool. Soc. Lond. [b0609]
 BMNH-ht c *conformis* Lycaena 1877(3):469
- Butler 1878 Cistula Entomologica [b0610]
 - b *micrargus* Lampides 2(19):283
- Butler 1878 Ann. Mag. nat. Hist. [b0611]
 - b *aberrans* Lampides (5)2:289
 - a *atrigenmata* Lycaena (5)2:290
- Butler 1879 Trans. ent. Soc. Lond. [b0612]
 - c *squalida* Lycaena 27(1):4
- Butler [1879] Trans. linn. Soc. Lond., (2) Zool. [b0613]
 BMNH-ht b *pseudelpis* Lampides 1(8):547, pl 68
- Butler 1879 Ann. Mag. nat. Hist. [b0614]
 - a *argentarius* Iolus (5)4:231
 BMNH-ht a *azureus* Castalius (5)4:230
- Butler 1880 Ann. Mag. nat. Hist. [b0615]
 - c *auratus* Castalius (5)5:336
- Butler 1880 Proc. zool. Soc. Lond. [b0616]
 - c *bracteata* Lycaena 1880(3):407
 BMNH-ht a *contracta* Lampides 1880(3):406
 - c *stygianus* Chrysophanus 1880(3):408
- Butler 1881 Ann. Mag. nat. Hist. [b0617]
 - a *stygiata* Thecla (5)7:35, pl 4
 - c *tyrianthina* Thecla (5)7:34, pl 4
- Butler 1881 Proc. zool. Soc. Lond. [b0618]
 - c *ella* Catochrysops 1881(3):606
 - b *fugitiva* Lycaena 1881(3):606
- Butler 1881 Trans. ent. Soc. Lond. [b0619]
 BMNH-ht a *plumbea* Scolitantides 29(4):486
 - a *trigemmatius* Lampides 29(4):468
- Butler [1882] Proc. zool. Soc. Lond. [b0620]
 - b *fontoni* Strymon 1881(4):854
 - a *ibara* Thecla 1881(4):852
 - b *iburiensis* Lycaena 1881(4):852
 - a *orsedice* Thecla 1881(4):852
 - b *pseudaegon* Lycaena 1881(4):851
 - c *regina* Thecla 1881(4):853
 - a *signata* Thecla 1881(4):854
 BMNH-ht b *turbata* Turbata 1881(4):855
- Butler 1882 Ann. Mag. nat. Hist. [b0621]
 BMNH-ht a *astarte* Lampides (5)10:150
 BMNH-ht b *complicata* Lampides (5)10:151
 BMNH-ht b *minnetta* Amblypodia (5)10:152
 BMNH b *periphorbis* Hypolycaena (5)10:152
 BMNH ■ *regina* Holochila (5)10:150
 BMNH-ht ■ *scintillans* Mileus (5)10:150
 BMNH b *solita* Curetis (5)10:149
- Butler 1883 Ann. Mag. nat. Hist. [b0622]
 BMNH-ht c *levettii* Lycaena (5)11:111
- Butler 1883 Ann. Mag. nat. Hist. [b0623]
 - b *oriens* Zizera (5)11:417
- Butler 1883 Ann. Mag. nat. Hist. [b0624]
 - a *interposita* Alaena (5)12:103
- Butler 1883 Proc. zool. Soc. Lond. [b0625]
 BMNH b *biplagiata* Surendra 1883(2):147
 BMNH c *bracteatus* Aphnaeus 1883(2):147
 - b *decreta* Zizina 1883(2):150
 BMNH c *hupalina* Catochrysops 1883(2):148
- Butler 1883 Ann. Mag. nat. Hist. [b0627]
 BMNH-ht a *coelisparus* Mileus (5)12:159
 BMNH-ht b *inopinata* Myrina (5)12:159
- Butler 1883 Ann. Mag. nat. Hist. [b0628]
 BMNH-ht c *vitiensis* Nacaduba (5)12:389
 - b *vitiensis* Catochrysops (5)12:389
- Butler 1884 Ann. Mag. nat. Hist. [b0629]
 - a *aetherialis* Lampides (5)13:195
 - d *boisduvali* Gerydus (H) (5)13:194
 - c *stygianus* Gerydus (5)13:194
 - c *trifracta* Catochrysops (5)13:194

- Butler 1884 Ann. Mag. nat. Hist. [b0630]
 - c *campanulata* Jamides (5)13:346
 - c *lobelia* Jamides (5)13:347
 - b *mangoensis* Lycaena (5)13:347
 - b *morphoides* Jamides (5)13:347
 - a *pulcherrima* Jamides (5)13:347
 - c *woodfordii* Jamides (5)13:346
- Butler 1884 Ann. Mag. nat. Hist. [b0631]
 - c *oakesii* Theutias (5)14:267
- Butler 1884 Ent. mon. Mag. [b0632]
 - a *nyassae* Aphnaeus 20:250
 - a *victoriae* Aphnaeus 20:251
- Butler [1886] Proc. zool. Soc. Lond. [b0633]
 - a *esmeralda* Chloroselas 1885(4):765
 BMNH-st c *fumosa* Catochrysops 1885(4):762
 - a *glaucus* Iolus 1885(4):766
 - b *lactinatus* Castalius 1885(4):764
 - a *lois* Catochrysops 1885(4):762
 BMNH-ht a *naidina* Catochrysops 1885(4):762
 - a *somalina* Spindasis 1885(4):764
 - a *umbrosa* Hypolycaena 1885(4):766
- Butler 1886 Ann. Mag. nat. Hist. [b0634]
 - c *approximatus* Castalius (5)18:186
 - a *callinara* Tarucus (5)18:185
 - c *conferenda* Lampides (5)18:185
- Butler 1886 Proc. zool. Soc. Lond. [b0635]
 - b *bellatrix* Spindasis 1886(3):369
 - c *extricatus* Tarucus 1886(3):366
 - b *hypargyros* Spindasis 1886(3):369
 - a *uranus* Azanus 1886(3):366
- Butler [1888] Proc. zool. Soc. Lond. [b0636]
 - c *docilis* Lycaenesthes 1887(4):571
 - a *occidentalis* Azanus 1887(4):571
- Butler 1888 Proc. zool. Soc. Lond. [b0637]
 - c *mylothrina* Tingra 1888(1):67
 - a *pachalica* Hypolycaena 1888(1):69
- Butler 1892 Proc. zool. Soc. Lond. [b0638]
 BMNH-ht c *pryeri* Narathura 1892(1):121
- Butler [1894] Proc. zool. Soc. Lond. [b0639]
 - a *hypoleucus* Castalius 1893(4):660
 - a *ochracea* Alaena 1893(4):659
- Butler [1895] Proc. zool. Soc. Lond. [b0640]
 - a *gregorii* Castalius 1894(4):598
- Butler 1895 Proc. zool. Soc. Lond. [b0641]
 - c *aurantiaca* Alaena 1895(2):262
- Butler 1895 Proc. zool. Soc. Lond. [b0642]
 - a *crawshayi* Uranothauma 1895(3):631
 - a *unigemmata* Zizera 1895(3):630
- Butler 1896 Proc. zool. Soc. Lond. [b0643]
 - c *virgo* Hyreus 1896(1):121
- Butler 1896 Proc. zool. Soc. Lond. [b0644]
 - a *nursel* Iolus 1896(1):251
- Butler 1896 Ann. Mag. nat. Hist. [b0645]
 - a *reticulata* Alaena (6)18:160
- Butler [1897] Proc. zool. Soc. Lond. [b0646]
 - a *auricostalis* Iolus 1896(4):832
 - a *connexivus* Capys 1896(4):831
 - a *juno* Cyclirius 1896(4):830
- Butler [1898] Proc. zool. Soc. Lond. [b0647]
 - a *marshalli* Cacyreus 1897(4):845
- Butler 1898 Proc. zool. Soc. Lond. [b0648]
 BMNH-st a *ariadne* Catochrysops 1898(2):193
 BMNH-ht a *plebeia* Catochrysops 1898(2):192
- Butler [1899] Proc. zool. Soc. Lond. [b0650]
 BMNH-ht a *marshalli* Aslauga 1898(4):908
- Butler 1899 Proc. zool. Soc. Lond. [b0651]
 - d *crawshayi* Scolitantides (H) 1899(2):422
- Butler 1899 Ann. Mag. nat. Hist. [b0652]
 BMNH-ht b *ambolnensis* Lycaenesthes (7)4:343
 - c *aruana* Lycaenesthes (7)4:344
 - a *crawshayi* Lycaenesthes (7)4:342
 BMNH a *definita* Lycaenesthes (7)4:342
 BMNH-ht b *violacea* Lycaenesthes (7)4:343
- Butler 1900 Ann. Mag. nat. Hist. [b0654]
 biblio c *ecaudata* Talicada (7)5:61
- Butler [1900] Proc. zool. Soc. Lond. [b0655]
 - a *azurea* Chloroselas 1899(4):967
- Butler 1900 Ann. Mag. nat. Hist. [b0656]
 BMNH-ht c *imperialis* Cyaniris (7)5:444
 BMNH-ht b *splendens* Cyaniris (7)5:444
 BMNH-ht b *timorensis* Cyaniris (7)5:443
- Butler 1901 Ann. Mag. nat. Hist. [b0658]
 - b *mombasae* Stugeta (7)7:29
- Butler [1901] Proc. zool. Soc. Lond. [b0659]
 - a *arborifera* Epamera 1900(4):927
 - a *crawshayi* Argiolaus 1900(4):926
 - b *sharpiac* Cyclyrius 1900(4):929
- Butler 1901 Ann. Mag. nat. Hist. [b0660]
 - a *alberta* Chilades (7)7:291
 BMNH-ht a *carsoni* Catochrysops (7)7:290
 - b *divisa* Epitola (7)7:289
 - c *minima* Spindasis (7)7:289
 - b *nicevillei* Iraota (7)7:291
 - c *phasma* Catochrysops (7)7:290
 - a *zeloides* Virachola (7)7:289
- Butler 1902 Proc. zool. Soc. Lond. [b0661]
 - b *hollandi* Aphnaeus 1902(I)(1):49
- Butler & H. Druce 1872 Cistula Entomologica [b0662]
 BMNH-ht a *agricolor* Strymon 1(5):105
 BMNH d *augustinus* Mithras (H) 1(5):106
 - a *aurantia* Eurygona 1(5):103
 BMNH a *azurinus* Bithys 1(5):107
 BMNH c *charichlorus* Tmolus 1(5):109
 BMNH-ht a *coelicolor* Strymon 1(5):106
 BMNH a *crolinus* Tmolus 1(5):107
 BMNH-ht a *denarius* Tmolus 1(5):109
 - c *frequens* Mesosemia 1(5):104
 - b *furor* Emesis 1(5):104
 BMNH c *halciones* Tmolus 1(5):108
 BMNH-ht a *hesperitis* Bithys 1(5):107
 BMNH c *invisus* Tmolus 1(5):108
 BMNH-ht a *isobea* Tmolus 1(5):108
 - c *olivae* Emesis 1(5):103
 BMNH-ht c *pastor* Strymon 1(5):105
 BMNH-ht a *regipennis* Eurygona 1(5):103
 - c *vespasianus* Tmolus 1(5):109
 BMNH-ht b *zachaeina* Lampides 1(5):104
- Bytynski-Salz 1937 Ent. Rec. [b0663]
 - b *ahasveros* Lycaena 49(Sup.):2
 - e *ab. pauper* Chilades 49(Sup.):2

- Bytinski-Salz 1937 Ent. Rec. [b0663] (continued)
 - b *persa* Chilades 49(Sup.):2
- Cabeau 1913 Revue mens. Soc. ent. namur. [b0664]
 - e *ab. constellata* Nemeobius 13(7):101
 - e *ab. leucodes* Nemeobius 13(7):100
- Cabeau 1919-1922 Revue mens. Soc. ent. namur. [b0665]
 - e 1920 *ab. aricia* Chrysophanus 20:3
 - e 1920 *ab. cyanographa* Chrysophanus 20:3
 - e 1920 *ab. tarasina* Lycaena 20:19
 - e 1922 *ab. melanthea* Zephyrus 22:26
 - e 1922 *ab. microdes* Lycaena 22:54
- Cabeau 1923 Revue mens. Soc. ent. namur. [b0666]
 - e (-) *ab. adnotata* Lycaena 23:57
 - e *ab. amphichloros* Callophrys 23:25
 - e *ab. semicinnus* Lycaena 23:49
- Cabeau 1924 Revue mens. Soc. ent. namur. [b0667]
 - e *ab. amethystina* Lycaena 24:67
 - e *ab. bourdouchai* Chrysophanus 24:18
 - e *ab. caerulea* Lycaena 24:67
 - e *ab. caeruleascens* Lycaena 24:67
- Cabeau 1925 Revue mens. Soc. ent. namur. [b0668]
 - e *ab. microdes* Cyanitis 25:7
 - e *ab. stigmata* Lycaena 25:65
- Cabeau 1931 Lambillionea [b0669]
 - c *antiglomerata* Lycaena 31:2
- Cadbury 1938 Proc. Acad. nat. Sci. Philad. [b0670]
 CM-ht b *henryae* Chrysophanus 89:409, pl 16
- Calberla 1887 CorrespBl. ent. Ver. Iris [b0671]
 - c *apennina* Lycaena 1:125
 - c *italica* Lycaena 1:126
- Callaghan 1979 Bull. Allyn Mus. [b0673]
 - b *moedensis* Apodernia (53):4, f
- Callaghan 1985 Bull. Allyn Mus. [b0679]
 MNRJ-ht a *aurum* Nymphidium (98):12, f
 T *baeotia* Nymphidium (98):10
 AME-ht a *latibrunis* Nymphidium (98):14, f
 MNRJ-ht a *manicorensis* Nymphidium (98):15, f
 AME-ht b *sardinata* Nymphidium (98):10, f
- Callaghan 1985 J. Res. Lep. [b0680]
 - e *aethops* Euselasia (ISS) Suppl. 1:50-69
- Callaghan 1986 Bull. Allyn Mus. [b0681]
 MNRJ-ht b *amazonensis* Nymphidium (100):3, f 5-8
 AME-ht b *occidentalis* Nymphidium (100):3, f 9-12
- Callaghan 1988 Bull. Allyn Mus. [b0685]
 AME-ht a *ariari* Nymphidium (119):3, f 4-6
- Cantener 1834-1835 Hist. nat. Léop. Rhop. [b0692]
 - a 1834 *thersites* Lycaena ():55, pl 11
- Cantlie 1959 J. Bombay nat. Hist. Soc. [b0693]
 - e *bifida* Rapala (IFS) 56(3):652
- Cantlie 1963 Lyc. Butts Revised [b0694]
 - e *gabenia* Rapala (ISS) :149
 - e *stoliczana* Polyommatus (ISS) :61
 - b *syntala* Everes :38
- Cantlie & Norman 1960 J. Bombay nat. Hist. Soc. [b0697]
 BMNH-st a *baiongus* Spalgis 57(2):424, f 1
 BMNH-ht b *howarthi* Celastrina 57(2):427, f
 BMNH-ht b *vipia* Celastrina 57(2):426, f 3
- Capronnier 1874 Anns Soc. ent. Belg. [b0699]
 - e *boeonides* Thecla (PWI) 17:15
- Capronnier 1874 Anns Soc. ent. Belg. [b0699] (continued)
 - e *catharinae* Thecla (NN) 17:15
 - e *cymon* Thecla (NN) 17:14
 - c *deborrei* Thecla 17:17, pl 1
 - e *delus* Thecla (NN) 17:17
 - e *derus* Thecla (NN) 17:18
 - e *gedeon* Thecla (NN) 17:15
 - c *lenis* Thecla 17:16, pl 1
 - e *neon* Thecla (NN) 17:15
 - e *pseudaon* Thecla (NN) 17:15
- Capronnier 1889 C. r. Soc. ent. Belg. [b0700]
 IRSN a *albiatriatus* Lycaena 33:cxxi
 - c *bicoloria* Liptena 33:cxxi
 - d *cassioides* Lycaena (H) 33:cxxi
 - c *melania* Lycaena 33:cxx
- Cápuse 1963 Comunle zool. [b0701]
 - e *f. androflavus* Callophrys 2:189, f
- Caradja 1893 Deut. ent. Zeit. [Iris] [b0702]
 - c *lugens* Glauropsyche 6:177
 - c *lutea* Lycaena 6:174
- Caradja 1895 Deut. ent. Zeit. [Iris] [b0703]
 - b *dobrogensis* Tomares 8:34
- Caradja 1932 Bull. Acad. Roumaine [b0704]
 - e *ab. rubricornis* Lycaena 15:37
- Carbonell 1991 Linneana Belgica [b0706]
 - a *buzulmavi* Polyommatus 13(4):223, f
 - b *narlica* Polyommatus 13(4):224, f
- Carcasson 1961 Occ. Pap. Coryndon Mem. Mus. [b0707]
 - a *badhami* Deudorix (7):20, f
 BMNH-ht b *kiellandi* Aloecides (7):19, f
 BMNH-ht a *williamsi* Uranothauma (7):21, f
- Carcasson 1964 J. E. Afr. nat. Hist. Soc. [b0708]
 - b *littoralis* Aphnaeus 24(4):71
 - b *williamsi* Aphnaeus 24(4):70
- Carcasson 1965 J. E. Afr. nat. Hist. Soc. [b0709]
 - a *kiellandi* Alaena 25:132, f
- Carpenter 1934 Proc. R. ent. Soc. Lond. [b0712]
 - b *jacksoni* Liptena (A)9(1):12
- Carpenter & Jackson 1950 Proc. R. ent. Soc. Lond. [b0715]
 biblio a *caerulea* Abisara (B)19(7/8):106
 - b *karschioides* Mimacraea (B)19(7/8):106
- Carpenter & Lewis 1943 Ann. Cam. Mus. [b0716]
 - c *thompsoni* Brepheidium 29(13):392
- Carter 1921 Entomologist [b0720]
 - e *ab. cuneata* Aricia 54:249-250, f
- Carter & Harrison 1923 Entomologist [b0721]
 - e *ab. caeruleoannulata* Aricia 56:107
 - e *ab. caeruleopuncta* Aricia 56:107
 - e *ab. cuneata* Aricia 56:107
 - e *ab. recessa* Aricia 56:107
- Carter & Harrison 1928 Vasculum [b0722]
 - e *ab. chrysophanoides* Polyommatus 15:147
 - e *ab. icaroides* Aricia 15:148
- Caruel 1939 Lambillionea [b0723]
 - e *ab. paucipunctaalbosagittata* Lysandra 39:142, pl 8
- Cassidy 1982 Brunei Museum Journal [b0726]
 - a *harmani* Catapaecilma 5(2):248, f
- Cassidy 1985 Brunei Museum Journal [b0727]
 BMNH-ht b *herdi* Deramas 6(1):150

- Cassidy 1990 Tyô to Ga [b0728]
- a *angelae* Nacaduba 41(4):231, f
- Cator 1904 Ann. Mag. nat. Hist. [b0729]
- c *albicans* Liptena (7)13:76
- c *bakeriana* Pseuderesia (7)13:73
- BMNH-ht a *fusca* Pseuderesia (7)13:75
- b *nigra* Pseuderesia (7)13:74
- Chapman 1902 Trans. ent. Soc. Lond. [b0732]
- b *bejarensis* Lycaena 50(4)(Proc.):xxxv
- Chapman 1905 Trans. ent. Soc. Lond. [b0736]
- c *wheeler* Lycaena 53(1)(Proc.):iii
- Chapman 1907 In Trans. ent. Soc. Lond. [b0745]
- b *casaliacus* Plebejus 55(1):151,158
- Chapman 1908 Proc. zool. Soc. Lond. [b0747]
BMNH-ht a *bighami* Notarthnius 1908(3):678
- Chapman 1908 In Nat. Hist. Brit. Butts [b0748]
- e *ab. albicaeruleoides* Celastrina 2:404
- Chapman [1909] Trans. ent. Soc. Lond. [b0749]
- b *diporides* Everes 56(3/4)(Proc.):lxxxii
- c *dryina* Zizera 56(3/4)(Proc.):lxxxii
- Chapman 1909 Proc. zool. Soc. Lond. [b0751]
- c *albicaeruleoides* Lycaenopsis 1909(2):446
- c *bothrinoides* Lycaenopsis 1909(2):446
- c *puspargiolus* Lycaenopsis 1909(2):446
- Chapman 1909 Trans. ent. Soc. Lond. [b0752]
BMNH-ht a *avis* Callophrys 57(3)(Proc.):xxix
- Chapman 1911 Trans. ent. Soc. Lond. [b0756]
BMNH-ht a *matanga* Lycaenopsis 59(1):185, pl 28
BMNH-ht b *moultoni* Lycaenopsis 59(1):184, pl 28
- Chapman 1912 Ent. mon. Mag. [b0757]
BMNH-ht a *boulti* Notarthnius 48:103, pl 6
- Chapman 1912 Ent. mon. Mag. [b0758]
- c *gravesi* Agriades 48:159, f 1
- Chapman [1913] Trans. ent. Soc. Lond. [b0762]
- c *centro* Agriades 60(4):675
- e *ab. hybridata* Agriades (NN) 60(4):675
- d *orientalis* Agriades (H) 60(4):675
- Chapman 1915 Novit. zool. [b0770]
- c *bougainvillei* Curetis 22:87
- c *fergussoni* Curetis 22:87
- a *saleyerensis* Curetis 22:94
BMNH-ht c *talautensis* Curetis 22:93
- Chapman 1917 Étud. Lép. comp. [b0772]
BMNH c *aegus* Plebejus 14:41, pl 7
- b *sareptensis* Plebejus 14:52
- Chapman 1920 Trans. ent. Soc. Lond. [b0774]
- a *paphos* Glaucopsyche 68(1/2):166
- Chermock 1929 Bull. Brooklyn ent. Soc. [b0777]
AME-ht e *ab. immaculata* Plebejus 24(1):20
AME-ht c *intermedia* Glaucopsyche 24(1):20
- Chermock 1945 Can. Ent. [b0779]
AME-ht b *alaskensis* Plebejus 76(11):213
AME-ht b *ferniensis* Plebejus 76(11):215
AME-ht c *fretchini* Plebejus 76(11):214
CNC c *fridayi* Plebejus 76(11):215
lost b *mildredae* Glaucopsyche 76(11):216
AME-ht b *nittanyensis* Glaucopsyche 76(11):216
- b *paradoxa* Plebejus 76(11):214
MCZ-pt c *subarcticus* Plebejus 76(11):213
- Chermock 1945 Can. Ent. [b0779] (continued)
USNM-ht a *sweadneri* Mitoura 76(11):216
pc-ht c *sweadneri* Plebejus 76(11):214
AME-ht b *texana* Everes 76(11):215
- Chermock & Fretchin [1949] Pan-Pac. Ent. [b0778]
CM-ht b *sheltonensis* Incisalia 24(4):212
- Christ 1877 Verh. naturf. Ges. Basel [b0784]
- c *obscura* Lycaena 6(3):374
- Christ 1883 Jber. naturf. Ges. Graubündens [b0785]
- c *killiasi* Plebejus (nf)26:10
- Christoph 1873 Horae Soc. ent. ross. [b0786]
- c *aegagrus* Lycaena 10:24, pl 1
- a *sleversli* Lycaena 10:23, pl 1
- a *staudingeri* Lycaena 10:26, pl 1
- Christoph 1876-1877 Horae Soc. ent. ross. [b0787]
- a 1877 *aedon* Lycaena 12:326, pl 5
- a 1877 *alcedo* Lycaena 12:233, pl 5
- a 1877 *anthracias* Lycaena 12:239-240
- a 1877 *cytis* Lycaena 12:234, pl 5
- a 1877 *myrmecias* Lycaena 12:235, pl 5
- a 1877 *phyllis* Lycaena 12:237
- a 1877 *posthumus* Lycaena 12:238, pl 5 or
- Christoph 1882 Horae Soc. ent. ross. [b0788]
- a *romanovi* Thestor 17:106
- Christoph 1884-1889 In Romanoff, Mém. Lép. [b0789]
- a 1884 *zephyrinus* Lycaena 1:102, pl 6
- Christoph 1887 In Romanoff, Mém. Lép. [b0790]
- e *clara* Lycaena (NN) 3:51
- b *tekkeana* Lycaena 3:52, pl 3
- Christoph 1887 Stett. ent. Ztg [b0791]
- c *scintillans* Polyommatus 48:162
- Christoph 1893 Deut. ent. Zeit. [Iris] [b0792]
- a *alticola* Lycaena 6:86
ZIL-ht a *crassipuncta* Lycaena 6:86
- Clark 1948 Proc. ent. Soc. Wash. [b0798]
USNM-ht c *boydi* Glaucopsyche 50(7):177
- Clark & Clark 1938 Proc. Biol. Soc. Wash. [b0799]
USNM-ht e *ab. gotschalki* Strymon 51:3
- Clémence 1909 Can. Ent. [b0812]
LACM-ht a *monticola* Rusticus 41(1):38
- Clémence 1914 Ent. News [b0813]
pc c *florencia* Lycaena 25(1):28
- Clench 1941 Mem. Soc. Cubana Hist. Nat. [b0814]
MCZ-ht a *thomasi* Hemiargus 15:407
- Clench 1941 Torreia [b0815]
MCZ b *dowi* Strymon (7):4
- Clench 1942 Ent. News [b0816]
AMNH-ht b *corcorani* Atides 53(8):219-221
MCZ-ht b *estesi* Atides 53(8):219
- Clench [1943] Psyche [b0817]
MCZ-ht b *armouri* Strymon 49(3/4):53
MCZ-ht a *bahamensis* Hemiargus 49(3/4):57
MCZ-ht c *barbouri* Brepheidium 49(3/4):58
- Clench 1943 J. New York ent. Soc. [b0818]
- c *piscatoris* Axiocerses 51(3):219
- Clench 1943 Can. Ent. [b0819]
MCZ-ht b *turneri* Incisalia 75(10):182

- Clench 1943 Can. Ent. [b0819] (*continued*)
AMNH-ht b *windi* Incisalia 75(10):185
- Clench 1944 J. New York ent. Soc. [b0820]
MCZ-ht b *albrighti* Everes 52(1):60
MCZ-ht b *valeriae* Everes 52(1):59
- Clench 1944 J. New York ent. Soc. [b0821]
AMNH-ht a *caramba* Thecla 52:255
- a *kalikimaka* Thecla 52:258
MCZ-ht a *punona* Thecla 52:256
- Clench 1944 J. New York ent. Soc. [b0822]
MCZ-ht c *bakeri* Lycaenopsis 52(3):274
MCZ-ht c *sidara* Lycaenopsis 52(3):273
- Clench 1944 Bull. Harvard Mus. Comp. Zool. [b0823]
AMNH-ht a *banosensis* Thecla 94:233
MCZ a *catharinensis* Thecla 94:242
MCZ-ht a *legionis* Thecla 94:240
MCZ-ht a *longuloides* Thecla 94:237
MCZ-ht a *marialis* Thecla 94:244
MCZ-ht c *portoena* Thecla 94:242
MCZ-ht a *pseudolongula* Thecla 94:235
MCZ-ht b *washingtonia* Callophrys 94:225
- Clench 1946 Entomologist [b0824]
BMNH-ht a *abnormis* Thecla 79:189
BMNH-ht a *argentinensis* Thecla 79:185
BMNH-ht a *detesta* Thecla 79:155
BMNH-ht a *distractus* Thecla 79:153
BMNH-ht a *goodsoni* Thecla 79:186
BMNH-ht a *miserabilis* Thecla 79:156
- Clench 1961 Ann. Carn. Mus. [b0827]
- a *leucocyanea* Theroniphys 36(6):56, pl 1
- a *stempfferi* Theroniphys 36(6):53, pl 1
- Clench 1961 Ann. Carn. Mus. [b0828]
CM-ht a *demeter* Dapidodigma 36(6):64, pl 1
- b *nuptus* Dapidodigma 36(6):65, pl 1
- Clench 1963 Ent. News [b0830]
- b *occidentalis* Aphmaeus 74(2):46
- Clench 1963 J. New York ent. Soc. [b0831]
- b *efulena* Axiocerses 71(3):183
- b *ugandana* Axiocerses 71(3):184, f
- Clench 1963 J. Res. Lep. [b0832]
CM-ht b *newcomeri* Callophrys 2(2):154
- Clench [1964] J. Res. Lep. [b0833]
-- c *crisophei* Strymon (ISS) 2(4):249
- Clench 1964 J. Res. Lep. [b0834]
CM-ht c *rossi* Anatole 3(2):75, 6 f
- Clench 1965 J. New York ent. Soc. [b0835]
- b *aethes* Iolais 72(4):243
- b *aurora* Iolais 72(4):243
- b *azureus* Iolais 72(4):243, f
- a *vexillarius* Iolais 72(4):241
- Clench 1965 In Butts Liberia [b0836]
CM-ht a *laminifer* Tetrarhanis :300, f 185-189
CM-ht b *liberiana* Abisara :401, f 230
CM-ht b *mysteriosa* Spindasis :360, f 216
CM-ht b *orphna* Anthene :369, f 220-223
CM-ht b *symplocus* Tetrarhanis :302, f 192-196
- Clench 1965 J. New York ent. Soc. [b0837]
- b *continentalis* Hemiargus 73(1):44
- b *hannoides* Hemiargus 73(1):44
- Clench 1965 Ent. News [b0838]
- b *mexicana* Lycaeides 76(6):160
- Clench 1965 J. New York ent. Soc. [b0839]
- b *katanga* Deudorix 73(3):178
- a *latiellavia* Deudorix 73(3):180
- a *nirmo* Deudorix 73(3):179
- a *sadeska* Deudorix 73(3):179
- Clench 1967 J. Lep. Soc. [b0840]
CM-ht b *vejento* Caria 21(1):54, f
- Clench 1970 In Trans. amer. ent. Soc. [b0841]
T *castalis* Thecla 96:57
- Clench 1970 J. Lep. Soc. [b0842]
CM-ht b *yucateca* Brephidium 24(1):4, f 1
- Clench 1970 In Trans. amer. ent. Soc. [b0844]
T *f. arizonensis* Lycaena 96:429
T *marginata* Lycaena 96:423
T *nigra* Lycaena (IFS) 96:425
- Clench 1971 Bull. Allyn Mus. [b0845]
CM-ht b *moctezuma* Panthiades (3):4
AME-ht b *tongida* Macusia (3):-3, f 2
- Clench [1972] J. Res. Lep. [b0846]
CM-ht a *aerugo* Lasaia 10(2):173, f 26
CM-ht b *anna* Lasaia 10(2):166
T *arsis* Lasaia 10(2):168
CM-ht b *callaina* Lasaia 10(2):173, f 6
CM-ht b *esmeralda* Lasaia 10(2):174, f 32
CM-ht a *maria* Lasaia 10(2):164, f 3
T *narses* Lasaia 10(2):172
CM-ht b *peninsularis* Lasaia 10(2):172, f 7
CM-ht a *pseudomeris* Lasaia 10(2):170, f 5
T *sula* Lasaia 10(2):176
- Clench 1972 Ann. Carn. Mus. [b0848]
CM-ht c *ebenina* Celastrina 44(4):34, f
- Clench 1975 Bull. Allyn Mus. [b0849]
AME-ht a *adereces* Hypostrymon (25):5
CM-ht a *margaretae* Hypostrymon (25):6
- Clench 1979 In Bull. Allyn Mus. [b0852]
CM-ht b *orgiophantes* Parthasius (56):17, f 12E
- Clench 1981 Bull. Allyn Mus. [b0853]
AME-ht b *chalcosiva* Callophrys (64):11-14
CM-ht a *dospassosi* Callophrys (64):15-20
CM-ht a *estela* Callophrys (64):24-27
CM-ht a *guatemalena* Callophrys (64):27-30
AME-ht c *millerorum* Callophrys (64):21-23
AME-ht a *scaphia* Callophrys (64):7-11, f 11-16
CM-ht b *searsi* Callophrys (64):20-21
CM-ht b *simplex* Callophrys (64):2-5, f 1-6
CM-ht b *texami* Callophrys (64):6-7, f 7-10
- Clench 1992 In Ann. Carn. Mus. [b0854]
- b *leucosticha* Strymon 61(1):30, f
- Clench & Miller 1980 J. Lep. Soc. [b0856]
T *ladon* Papilio 34(2):117
- Cleu 1950 Revue fr. Lép. [b0857]
- c *taramis* Maculinea 12:257
- Closs 1920 Int. ent. Z. [b0859]
- e *f. tripuncta* Lycaena 14(16):122
- Cockayne 1916 Trans. ent. Soc. Lond. [b0860]
- e *ab. impar* Agniades 64(2):243, pl 73

- Cockayne 1916 Trans. Herts. nat. Hist. Soc. Fld. Club [b0861]
 - e *var. semisyngnapha* *Lysandra* 16:81
- Cockrell 1887 Proc. S. Lond. ent. nat. Hist. Soc. [b0863]
 - e *albescens* *Lycæna* 1887:99
- Cockrell 1889 Entomologist [b0864]
 - e *ab. duplex* *Lycæna* 22:6
 - e *ab. nigra* *Lycæna* 22:5
- Cockle 1910 Can. Ent. [b0867]
 CNC-ht e *ab. immaculata* *Thecla* 42(6):204
 - e *ab. maculatasuffusa* *Cyaniris* 42(6):204
 CNC-ht c *quesnelli* *Cyaniris* 42(6):204
- Collins & Larsen 1991 In Butts Kenya [b0868]
 - a *adamsoni* *Leptotes* :440, f
 - b *baginei* *Actis* :439, f
 - a *bjornstadi* *Anthene* :440, f
 - a *trembathi* *Chloroseclas* :439, f
- Common 1964 Aust. Butts [b0869]
 - e *seraphis* *Danis* (ISS) :-
- Common & Waterhouse 1981 Butts Aust. (Revised) [b0870]
 - e *aurifera* *Paralucia* (ISS) :434
 - e *simplex* *Candalides* (ISS) :538
- J. A. Comstock 1922 Bull. S. Calif. Acad. Sci. [b0871]
 LACM-ht e (-) *f. carolyana* *Plebeius* 21(2):46, pl 3
- J. A. Comstock 1925 Bull. S. Calif. Acad. Sci. [b0872]
 LACM-ht b *juniperaria* *Mitoura* 24(2):37, f
- J. A. Comstock 1926 Bull. S. Calif. Acad. Sci. [b0873]
 LACM-ht b *nubila* *Tharsalea* 25(1):34
- J. A. Comstock 1926 Bull. S. Calif. Acad. Sci. [b0874]
 LACM-ht e *ab. sinepunctata* *Glaucopsyche* 25(1):48, f
- J. A. Comstock 1939 Bull. S. Calif. Acad. Sci. [b0887]
 LACM-ht b *langei* *Apodemia* 37(3):129, f
- Comstock 1913 Bull. Brooklyn ent. Soc. [b0905]
 AMNH-ht b *immaculosus* *Strymon* 8(3):33-36
- Comstock & Henne 1933 Bull. S. Calif. Acad. Sci. [b0901]
 USNM-ht b *dammersi* *Philotes* 32(1):24
- Comstock & Huntington 1943 Ann. New York Acad. Sci. [b0907]
 AMNH b *albonito* *Nesiostrymon* 45:76
 AMNH a *antigua* *Thecla* 45:83, pl 1
 AMNH b *arecibo* *Thecla* 45:81, pl 1
 AMNH-ht b *bartrami* *Strymon* 45:65, pl 1
 AMNH-ht b *bethunebakeri* *Hemiargus* 45:97, pl 1
 - a *bornoi* *Hemiargus* 45:102, pl 1
 AMNH-ht b *boyeri* *Thecla* 45:70
 AMNH b *casati* *Thecla* 45:66, pl 1
 - b *chadwicki* *Leptotes* 45:93, pl 1
 AMNH a *christophei* *Thecla* 45:85, pl 1
 AMNH c *clenchi* *Thecla* 45:72, pl 1
 AMNH b *gosseli* *Thecla* 45:67, pl 1
 AMNH-ht c *grayi* *Eumæus* 45:60
 AMNH-ht c *jago* *Thecla* 45:74, pl 1
 AMNH b *noeli* *Hemiargus* 45:99, pl 1
 AMNH-ht b *pantoni* *Thecla* 45:69
 AMNH b *petioni* *Thecla* 45:64, pl 1
 AMNH b *ponce* *Thecla* 45:79
 AMNH-ht a *shoumatoffi* *Thecla* 45:75
 AMNH a *toussainti* *Thecla* 45:84, pl 1
 AMNH b *watsoni* *Hemiargus* 45:106, pl 1
 AMNH-ht b *woodruffi* *Hemiargus* 45:100, pl 1
- Comstock & Huntington 1958-1964 J. New York ent. Soc. [b0908]
 - e 1959 *annettae* *Incisalia* (ISS) 67:72
- Comstock & Huntington 1958-1964 J. New York ent. Soc. [b0908] (continued)
 - e 1960 *euripes* *Ipidecla* (ISS) 68:60
 - e 1960 *furcifur* *Thecla* (ISS) 68:113
 - e 1960 *hyprocrita* *Thecla* (ISS) 68:185
 - e 1960 *inorata* *Thecla* (ISS) 68:236
 - e 1961 *lucania* *Thecla* (ISS) 69:115
 - e 1961 *mamoris* *Thecla* (ISS) 69:162
 - e 1962 *persensis* *Thecla* (ISS) 70:108
 - e 1963 *radialio* *Thecla* (ISS) 71(1):49
 - e 1963 *rhea* *Glaucopsyche* (ISS) 71(1):51
- Constantino & Salazar E. & Johnson 1993 Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) [b0909]
 MHNC-ht a *browni* *Atides* (41):3, f
 MHNC-ht a *saphonota* *Denivia* (41):1, f
- Cook & Watson 1907 Can. Ent. [b0912]
 USNM-ht a *polios* *Deciduphagus* 39(6):202-204
- Cook & Watson 1909 Can. Ent. [b0913]
 USNM-pt b *hadros* *Incisalia* 41(6):181
 USNM-pt b *solatus* *Incisalia* 41(6):181
- Corbet 1936 Proc. R. ent. Soc. Lond. [b0933]
 biblio c *marata* *Celastrina* (B)5:186
- Corbet 1937 Trans. R. ent. Soc. Lond. [b0934]
 BMNH-ht b *cerima* *Celastrina* 86(2):27
 BMNH-ht b *irenae* *Celastrina* 86(2):32, f 5
 BMNH-ht b *isabella* *Celastrina* 86(2):31
 BMNH-ht b *klossi* *Celastrina* 86(2):26
 BMNH-ht b *neodilecta* *Celastrina* 86(2):30
 BMNH-ht b *pendleburyi* *Celastrina* 86(2):27
 BMNH-ht b *scharffi* *Celastrina* 86(2):26
 BMNH-ht b *tanarata* *Celastrina* 86(2):27, f 2
 BMNH-ht a *toxopeusi* *Celastrina* 86(2):25
 BMNH-ht b *xanthippe* *Celastrina* 86(2):29
- Corbet 1937 Proc. R. ent. Soc. Lond. [b0935]
 - b *anu* *Dodona* (B)6(5):104
- Corbet 1937 Proc. R. ent. Soc. Lond. [b0936]
 BMNH-ht c *gabrieli* *Curetis* (B)6(12):229
 BMNH-ht b *sumatrana* *Curetis* (B)6(12):231
- Corbet 1938 Proc. R. ent. Soc. Lond. [b0937]
 - b *queda* *Pratapa* (B)7(4):172
 - c *stella* *Pratapa* (B)7(4):171
- Corbet 1938 Trans. R. ent. Soc. Lond. [b0938]
 BMNH-ht b *elioti* *Nacaduba* 87(5):133, pl 1
 BMNH-ht b *intricata* *Nacaduba* 87(5):131, pl 1
 - c *klanga* *Nacaduba* 87(5):142
 BMNH-ht b *lumpura* *Nacaduba* 87(5):141
 BMNH-ht b *malayica* *Nacaduba* 87(5):137
 BMNH-ht a *pendleburyi* *Nacaduba* 87(5):129, pl 1
 BMNH-ht b *singapura* *Nacaduba* 87(5):134, pl 1
 BMNH-ht b *swatipa* *Nacaduba* 87(5):132, pl 1
 BMNH-ht c *thalia* *Nacaduba* 87(5):134
 biblio b *toxopeusi* *Nacaduba* 87(5):141
 BMNH-ht b *vicania* *Nacaduba* 87(5):133
- Corbet 1938 Trans. R. ent. Soc. Lond. [b0939]
 - c *hantu* *Taraka* 87(5):162
 BMNH-ht c *parvula* *Celastrina* 87(5):161, pl 1
- Corbet 1938 J. Fed. Malay St. Mus. [b0940]
 - b *celestroides* *Chliana* 18(2):254
 - b *epeus* *Castalius* 18(2):249
 - b *gabrieli* *Chliana* 18(2):255
 - b *kelantanus* *Miletus* 18(2):248
 - a *pahanga* *Chliaria* 18(2):254
 - c *perakana* *Catochrysops* 18(2):251
 BMNH-ht b *renonga* *Biduanda* 18(2):256

- Corbet 1938 J. Fed. Malay St. Mus. [b0940] (*continued*)
 - c *riama* Catochrypsos 18(2):250
- Corbet 1939 Proc. R. ent. Soc. Lond. [b0942]
 - b *fictus* Mileus (B)8(2):26, f
- Corbet 1939 Proc. R. ent. Soc. Lond. [b0943]
 - a *cowani* Rapala (B)8(6):109, f
- Corbet 1939 Trans. R. ent. Soc. Lond. [b0944]
 T *continentalis* Allotinus 89(5):63-77
 BMNH-ht c *denalus* Allotinus 89(5):75
 BMNH-ht c *difutus* Allotinus 89(5):70
 BMNH-ht c *elioti* Allotinus 89(5):76
 T *enganicus* Allotinus 89(5):70, pl 1
 BMNH-ht c *fruhstorferi* Allotinus 89(5):74
 BMNH-ht c *lindus* Allotinus 89(5):73
 BMNH-ht b *malayanus* Allotinus 89(5):75
 T *molionides* Allotinus 89(5):68
 T *myriandus* Allotinus 89(5):68
 BMNH-ht c *nessus* Allotinus 89(5):72
 T *posidion* Allotinus 89(5):68
 BMNH-ht c *vadosus* Allotinus 89(5):72
- Corbet 1940 Proc. R. ent. Soc. Lond. [b0945]
 - a *cowani* Drina (B)9(1):5
 BMNH-ht c *cowani* Celastrina (B)9(1):1
 - b *lakatti* Jamides (B)9(1):2
 - b *magana* Jamides (B)9(1):3
 - b *sakaia* Pratapa (B)9(1):5
- Corbet 1940 Proc. R. ent. Soc. Lond. [b0946]
 - b *semanga* Chiaria (B)9(5):91, f
- Corbet 1940 Trans. R. ent. Soc. Lond. [b0948]
 - b *borneensis* Tajuria 90(5):118
 - b *cowani* Tajuria 90(5):117
 - a *elioti* Tajuria 90(5):118
 - b *taorana* Tajuria 90(5):112
 - b *verna* Tajuria 90(5):116
 - b *verona* Tajuria 90(5):114
 - b *viga* Tajuria 90(5):119
- Corbet 1940 Proc. R. ent. Soc. Lond. [b0949]
 BMNH-ht a *archena* Celastrina (B)9(8):143
- Corbet 1940 Trans. R. ent. Soc. Lond. [b0950]
 BMNH-ht b *elioti* Simiskina 90(11):349, f
 BMNH-ht b *evansi* Poritia 90(11):341
 BMNH-ht a *fruhstorferi* Poritia 90(11):342
 BMNH-ht c *marakata* Poritia 90(11):341
 BMNH-ht b *moultoni* Simiskina 90(11):349
 BMNH-ht c *pheda* Poritia 90(11):343
 BMNH-ht c *rajata* Poritia 90(11):343
 BMNH-ht b *taleva* Poritia 90(11):342
- Corbet 1940 Entomologist [b0951]
 - c *collenettei* Bindahara 73:43
 BMNH-ht b *dusuntua* Anthene 73:40
 - a *elioti* Deudorix 73:42
 - b *glycon* Everes 73:41
 - a *kutu* Spindasis 73:42
 - b *lampa* Zizeeria 73:41
 - c *milleri* Spindasis 73:42
 - c *pendleburyi* Pratapa 73:41
- Corbet 1940 Entomologist [b0952]
 - b *vajana* Rapala 73:276
- Corbet 1941 Proc. R. ent. Soc. Lond. [b0953]
 BMNH-ht b *fruhstorferi* Horaga (B)10(3):50
 BMNH-ht b *isna* Horaga (B)10(3):48
 BMNH-ht b *malaya* Horaga (B)10(3):48
 BMNH-ht b *overdijkinki* Horaga (B)10(3):48
 destroyed b *purpurescens* Horaga (B)10(3):47
- Corbet 1941 J. Fed. Malay St. Mus. [b0954]
 - b *chaseni* Dodona 18(5):811
 - b *confluens* Dodona 18(5):811
 - b *martini* Taraka 18(5):812
- Corbet 1941 Proc. R. ent. Soc. Lond. [b0955]
 - b *albicans* Catepaecilma (B)10(5):83, f
- Corbet 1941 Proc. R. ent. Soc. Lond. [b0956]
 BMNH-ht b *adalitas* Arhopala (B)10(9):166
 BMNH-ht c *agamemnon* Arhopala (B)10(9):160
 BMNH-ht b *aloana* Arhopala (B)10(9):165
 BMNH-ht b *antis* Arhopala (B)10(9):168
 BMNH-ht b *aphadantas* Arhopala (B)10(9):159
 BMNH-ht b *apharida* Arhopala (B)10(9):159
 BMNH-ht b *arianaga* Arhopala (B)10(9):158
 BMNH-ht b *ariavana* Arhopala (B)10(9):158
 BMNH-ht b *arops* Arhopala (B)10(9):160
 BMNH-ht a *avathina* Arhopala (B)10(9):155
 BMNH-ht a *brooksiana* Arhopala (B)10(9):151
 BMNH b *busa* Arhopala (B)10(9):155
 BMNH-ht a *camdana* Arhopala (B)10(9):152
 BMNH-ht a *cardoni* Arhopala (B)10(9):165
 BMNH-ht b *conjuncta* Arhopala (B)10(9):152
 BMNH-ht b *corestes* Arhopala (B)10(9):163
 BMNH-ht c *cowani* Arhopala (B)10(9):156
 BMNH c *daganda* Arhopala (B)10(9):155
 BMNH-ht b *elioti* Arhopala (B)10(9):156
 BMNH-ht b *elira* Arhopala (B)10(9):168
 BMNH-ht b *empesta* Arhopala (B)10(9):162
 BMNH-ht b *epiala* Arhopala (B)10(9):154
 BMNH-ht b *esava* Arhopala (B)10(9):160
 BMNH-ht c *etuna* Arhopala (B)10(9):166
 BMNH-ht b *evandra* Arhopala (B)10(9):154
 BMNH-ht a *evansi* Arhopala (B)10(9):151
 BMNH-ht c *gana* Arhopala (B)10(9):163
 BMNH-ht b *gesa* Arhopala (B)10(9):157
 BMNH-ht b *grahami* Arhopala (B)10(9):151
 BMNH-ht c *havea* Arhopala (B)10(9):166
 BMNH-ht b *hirava* Arhopala (B)10(9):168
 BMNH-ht b *intaca* Arhopala (B)10(9):170
 BMNH-ht c *jahara* Arhopala (B)10(9):153
 BMNH-ht a *johoreana* Arhopala (B)10(9):153
 BMNH-ht b *karnyi* Arhopala (B)10(9):160
 BMNH-ht b *klossi* Arhopala (B)10(9):156
 BMNH-ht b *lammas* Arhopala (B)10(9):152
 BMNH-ht c *linta* Arhopala (B)10(9):162
 BMNH-ht a *lurida* Arhopala (B)10(9):153
 BMNH-ht b *maranda* Arhopala (B)10(9):155
 BMNH-ht a *mendava* Arhopala (B)10(9):167
 BMNH-ht b *merguiana* Arhopala (B)10(9):155
 BMNH-ht b *meritatas* Arhopala (B)10(9):153
 BMNH-ht a *milleri* Arhopala (B)10(9):160
 BMNH b *milleriana* Arhopala (B)10(9):156
 BMNH-ht b *mira* Arhopala (B)10(9):157
 BMNH-ht b *monava* Arhopala (B)10(9):168
 BMNH-ht c *morphicolor* Arhopala (B)10(9):152
 BMNH-ht a *myrzalina* Arhopala (B)10(9):157
 BMNH-ht c *nabala* Arhopala (B)10(9):157
 BMNH-ht b *neon* Arhopala (B)10(9):155
 BMNH-ht b *ophiala* Arhopala (B)10(9):168
 - e *oryzana* Arhopala (PS) (B)10(9):168
 BMNH-ht a *overdijkinki* Arhopala (B)10(9):164
 BMNH-ht b *pagia* Arhopala (B)10(9):164
 BMNH-ht b *pandora* Arhopala (B)10(9):154
 BMNH-ht b *pardenas* Arhopala (B)10(9):158
 BMNH-ht b *penanga* Arhopala (B)10(9):163
 BMNH-ht b *pendleburyi* Arhopala (B)10(9):152
 BMNH-ht a *phanda* Arhopala (B)10(9):161
 BMNH-ht c *psama* Arhopala (B)10(9):158
 BMNH-ht a *ralanda* Arhopala (B)10(9):160
 biblio b *regina* Arhopala (B)10(9):162

- Corbet 1941 Proc. R. ent. Soc. Lond. [b0956] (*continued*)
 BMNH-ht b *ridleyi* Athopala (B)10(9):160
 BMNH c *santava* Athopala (B)10(9):155
 BMNH-ht b *siabra* Athopala (B)10(9):156
 BMNH-ht b *siberuta* Athopala (B)10(9):163
 biblio c *simonea* Athopala (B)10(9):151
 BMNH-ht b *suedas* Athopala (B)10(9):166
 BMNH-ht b *tana* Athopala (B)10(9):162
 BMNH-ht b *timana* Athopala (B)10(9):162
 BMNH-ht b *trima* Athopala (B)10(9):155
 BMNH-ht b *tropaea* Athopala (B)10(9):155
 BMNH-ht c *udapa* Athopala (B)10(9):153
 BMNH-ht b *valika* Athopala (B)10(9):158
 - e *vandenberghi* Athopala (PS) (B)10(9):159
 BMNH-ht b *wallacei* Athopala (B)10(9):155
 BMNH-ht a *wildeyana* Athopala (B)10(9):165
 BMNH-ht c *xenon* Athopala (B)10(9):155
 BMNH-ht b *yajuna* Athopala (B)10(9):156
 BMNH-ht b *zalinda* Athopala (B)10(9):165
 BMNH-ht a *zyida* Athopala (B)10(9):156
- Corbet 1941 Hongkong Nat. [b0957]
 BMNH-ht c *barneyi* Celestrina 10(3/4):149
 - b *devula* Pratapa 10(3/4):154
 - b *eggletoni* Zizeria 10(3/4):150
- Corbet 1942 Entomologist [b0958]
 - a *moultoni* Thamala 75:173-174
- Corbet 1944 Entomologist [b0959]
 - b *maia* Thamala 77:40
 - b *sarupa* Thamala 77:40
 BMNH-ht b *semperna* Marmessus 77:40
- Corbet 1946 Trans. R. ent. Soc. Lond. [b0960]
 BMNH-ht b *binghami* Athopala 96(5):83
 BMNH-ht c *enoma* Athopala 96(5):85
 BMNH-ht c *malu* Athopala 96(5):78
 - c *panthera* Athopala 96(5):79
 BMNH-ht b *whiteheadi* Athopala 96(5):83
- Corbet 1947 Proc. R. ent. Soc. Lond. [b0961]
 BMNH-ht a *olyetti* Nacaduba (B)16:1, f
- Corbet 1948 Entomologist [b0962]
 - b *ingeni* Pratapa 81(1):12, f
- Corbet 1948 Proc. R. ent. Soc. Lond. [b0963]
 - b *birminia* Jacoona (B)17(7/8):97
 BMNH-ht c *epibata* Athopala (B)17(7/8):95
 BMNH-ht b *lisba* Chliaria (B)17(7/8):97
 BMNH-ht b *maga* Jacoona (B)17(7/8):96
 BMNH-ht b *martini* Chliaria (B)17(7/8):97
 BMNH-ht b *nigerrima* Jacoona (B)17(7/8):96
 BMNH-ht a *sintanga* Athopala (B)17(7/8):95
- Cosmovici 1892 Naturaliste [b0967]
 - a *cupreus* Polyommatus 14=(2)6(136):255
 - a *rumaniae* Thecla 14=(2)6(136):255
- Costantini 1916 Ati Soc. Nat. Mat. Modena [b0968]
 - e *latefasciata* Thecla (IFS) (5)3:15
 - c *primipara* Nemeobius (5)3:15
- Cottrell 1965 Mem. ent. Soc. sth. Afr. [b0969]
 - a *dukei* Lepidochrysops (9):65
 - a *ketsi* Lepidochrysops (9):50
 - a *robertsoni* Lepidochrysops (9):58
 - a *variabilis* Lepidochrysops (9):26
- Cottrell 1967 Mem. ent. Soc. sth. Afr. [b0969]
 T *methymna* Lepidochrysops (9):8
- Cottrell 1981 Syst. Ent. [b0970]
 BMNH-ht a *atrophifurca* Aslauga 6(1):36, ff 1F
- Cottrell 1981 Syst. Ent. [b0970] (*continued*)
 NMSA-ht a *australis* Aslauga 6(1):5-45
 BMNH-ht a *latifurca* Aslauga 6(1):27, f
 UMO-ht a *orientalis* Aslauga 6(1):32, ff 8
- Couchman 1954 Pap. Proc. R. Soc. Tasmania [b0971]
 - b *lavara* Theclinesthes 88:75
- Couchman 1962 Pap. Proc. R. Soc. Tasmania [b0972]
 - b *australis* Everes 96:75, f
- Couchman 1965 Pap. Proc. R. Soc. Tasmania [b0973]
 - b *conara* Pseudalmenus 99:83, f
 - b *yurgama* Bindahara 99:82
- Courvoisier 1897 Soc. ent. [b0980]
 - e *caerulea* Lycaena 12(4):25 or 26
- Courvoisier 1903 Mitt. schweiz. ent. Ges. [b0981]
 - e *ab. angustimargo* Chrysophanus 11:25 or 23
 - e *ab. arcuata* Lycaena 11:20
 - e *ab. arcuata* Lycaena 11:20
 - e *ab. arcuata* Lycaena 11:20
 - e *ab. caeca* Lycaena 11(1):25
 - e *ab. confluens* Lycaena 11:18-35
 - e *ab. crassipuncta* Lycaena 11(1):19
 - e *ab. crassipuncta* Lycaena 11(1):19
 - e *ab. crassipuncta* Lycaena 11(1):19
 - e *ab. crassipuncta* Lycaena 11(1):20, pl 2
 - e *ab. elongata* Chrysophanus 11:19
 - e *ab. elongata* Lycaena 11:19
 - e *ab. elongata* Lycaena 11(1):19
 - e *ab. elongata* Lycaena 11:19
 - e *ab. impuncta* Lycaena 11:22
 - e *impuncta* Lycaena 11:24
 - e *f. latefasciata* Thecla 11(1):24
 - e *f. latefasciata* Zephyrus 11(1):24
 - e *ab. lunulata* Chrysophanus 11:23
 - e *ab. lunulata* Lycaena 11:23
 - e *ab. parvipuncta* Lycaena 11(1):24
 - e *ab. parvipuncta* Lycaena 11(1):24
 - e *ab. parvipuncta* Lycaena 11(1):20
 - e *paucipuncta* Lycaena 11(1):25
 - e *ab. paucipuncta* Chrysophanus 11:24
 - e *ab. paucipuncta* Lycaena 11(1):19
 - e *ab. privata* Lycaena 11:18-25
 - e *ab. privatissima* Chrysophanus 11:25
 - e *ab. quadripuncta* Lycaena 11:22
 - e *ab. quadripuncta* Lycaena 11:22
 - e *ab. quatuorpunktata* Lycaena 11:22
 - e *ab. quinquepunktata* Lycaena 11:22
 - e *ab. radiata* Lycaena 11:22
 - e *ab. semiarcuata* Lycaena 11:20
 - e *ab. semiarcuata* Lycaena 11:20
 - e *ab. semiarcuata* Lycaena 11:20
 - e *ab. semiarcuata* Lycaena 11:20
 - e *ab. semiarcuata* Lycaena 11:20
 - e *ab. transparent* Lycaena 11:23
 - e *ab. transparent* Lycaena 11:23
 - e *ab. transparent* Lycaena 11:23
 - e *ab. transparent* Lycaena 11:23
 - e *ab. transparent* Lycaena 11:23
 - e *ab. tripuncta* Lycaena 11(1):22
 - e *ab. tripuncta* Lycaena 11:22
 - e *ab. tripuncta* Lycaena 11:25
 - e *ab. unipuncta* Lycaena 11:24
 - e *ab. unipuncta* Lycaena 11:20
- Courvoisier 1907 Z. wiss. InsektBiol. [b0982]
 - e *ab. caeca* Chrysophanus 3:75
 - e *ab. caeca* Chrysophanus 3:75
 - e *f. caeca* Chrysophanus 3:75
 - e *ab. caeca* Lycaena 3:75
 - e *ab. caeca* Lycaena 3:75
 - e *ab. caeca* Lycaena 3:75

Courvoisier 1907 Z. wiss. InsektBiol. [b0982] (continued)

--	e	<i>ab. costajuncta</i> Lycaena	3:pl 1, f 6
--	e	<i>ab. costajuncta</i> Lycaena	3:50
--	e	<i>ab. costajuncta</i> Lycaena	3:50
--	e	<i>ab. costajuncta</i> Lycaena	3:50
--	e	<i>ab. costajuncta</i> Lycaena	3:50
--	e	<i>ab. costajuncta</i> Plebejus	3:50
--	e	<i>ab. digitata</i> Lycaena	3:37
--	e	<i>ab. digitata</i> Lycaena	3:36
--	e	<i>ab. digitata</i> Lycaena	3:36
--	e	<i>ab. discolongata</i> Lycaena	3:34
--	e	<i>ab. elongata</i> Lycaena	3:34
--	e	<i>ab. elongata</i> Lycaena	3:34
--	e	<i>ab. elongata</i> Lycaena	3:34
--	e	<i>ab. extrema</i> Lycaena	3:37, pl 1
--	e	<i>ab. extrema</i> Lycaena	3:37
--	e	<i>ab. extrema</i> Lycaena	3:36
--	e	<i>ab. extrema</i> Lycaena	3:36
--	e	<i>ab. limbojuncta</i> Chrysophanus	3:36
--	e	<i>ab. limbojuncta</i> Lycaena	3:51
--	e	<i>ab. multiconfluens</i> Chrysophanus	3:36, pl 1
--	e	<i>ab. multipuncta</i> Lycaena	3:74
--	e	<i>ab. obscurata</i> Lycaena	3:74
--	e	<i>ab. parallela</i> Lycaena	3(2):36
--	e	<i>parallela</i> Lycaena (IFS)	3(2):36
--	e	<i>ab. parallela</i> Lycaena	3(2):36
--	e	<i>ab. parvipuncta</i> Lycaena	3:74
--	e	<i>ab. paucipuncta</i> Lycaena	3:74
--	e	<i>ab. paucipuncta</i> Lycaena	3:34
--	e	<i>ab. paucipuncta</i> Chrysophanus	3:75
--	e	<i>ab. paucipuncta</i> Lycaena	3:74
--	e	<i>ab. pluripuncta</i> Lycaena	3:24 or 74
--	e	<i>ab. pluripuncta</i> Lycaena	3:36
--	e	<i>ab. pluripuncta</i> Lycaena	3:74
--	e	<i>ab. radiata</i> Chrysophanus	3:37
--	e	<i>ab. radiata</i> Chrysophanus	3(2):37
--	e	<i>ab. radiata</i> Chrysophanus	3:35 or 37
--	e	<i>ab. radiata</i> Lycaena	3:37
--	e	<i>ab. radiata</i> Lycaena	3:37
--	e	<i>ab. retrojuncta</i> Lycaena	3:1, f 7
--	e	<i>ab. retrojuncta</i> Lycaena	3:50
--	e	<i>ab. rubrimaculata</i> Lycaena	3:37

Courvoisier 1910 In Berge, Schmetterlingsbuch (ed. 9) [b0983]

--	e	<i>ab. multipuncta</i> Lycaena	:67
--	e	<i>ab. tripuncta</i> Pseudophilotes	:67
--	e	<i>ab. unipuncta</i> Pseudophilotes	:67

Courvoisier 1910 Verh. naturf. Ges. Basel [b0984]

--	e	<i>ab. caeca</i> Zizera (NN)	21:164
--	e	<i>ab. elongatus</i> Lycaena (NN)	21:163
--	e	<i>ab. luxurians</i> Chrysophanus (NN)	21:156
--	e	<i>ab. nana</i> Lycaena (NN)	21:163
--	e	<i>ab. nigra</i> Lycaena	21:163
--	e	<i>ab. plumbeus</i> Lycaena	21:161
--	e	<i>ab. plumbeus</i> Glaucopsyche	21:163

Courvoisier 1910-1911 Ent. Zeit. [b0985]

--	e	1910	<i>ab. albina</i> Everes	24:157
--	c	1910	<i>alpina</i> Lycaena	24:92
--	e	1910	<i>arcuata</i> Lycaena	24:100
--	e	1910	<i>arcuata</i> Lycaena	24:141
--	e	1910	<i>ab. brunnea</i> Lysandra	24:169
--	e	1910	<i>f. brunnea</i> Lycaena	24:82
--	e	1910	<i>ab. brunnea</i> Lycaena	24:93
--	e	1910	<i>ab. caeca</i> Lycaena	24:206
--	e	1910	<i>ab. caeca</i> Lycaena	24:107
--	e	1910	<i>ab. caeca</i> Lycaena	24:199
--	e	1910	<i>ab. caeca</i> Lycaena	24:89
--	e	1910	<i>caeca</i> Lycaena	24:142
--	e	1910	<i>ab. caerulea</i> Lycaena	24:93
--	e	1910	<i>ab. caerulea</i> Lycaena	24:108

Courvoisier 1910-1911 Ent. Zeit. [b0985] (continued)

--	e	1910	<i>ab. caerulea</i> Lycaena	24:148
--	e	1910	<i>caerulea</i> Lycaena	24:99
--	e	1910	<i>ab. caerulea</i> Lycaena	24:127
--	e	1910	<i>ab. costajuncta</i> Lycaena	24:83
--	e	1910	<i>f. decorata</i> Lycaena	24:197
--	e	1910	<i>ab. decorata</i> Lycaena	24:188
--	e	1910	<i>ab. digitata</i> Lycaena	24:148
--	e	1910	<i>digitata</i> Lycaena	24:142
--	e	1910	<i>ab. elongata</i> Lycaena	24:100
--	e	1910	<i>ab. elongata</i> Lycaena	24:210
--	e	1910	<i>ab. elongata</i> Chrysophanus	24:155
--	e	1910	<i>ab. elongata</i> Lycaena	24:203
--	e	1910	<i>ab. elongata</i> Lycaena	24:99
--	e	1910	<i>ab. elongata</i> Lycaena	24:191
--	e	1910	<i>ab. elongata</i> Lycaena	24:94
--	e	1910	<i>ab. extrema</i> Lycaena	24:157
--	e	1910	<i>ab. extrema</i> Lycaena	24:142
--	e	1910	<i>ab. extrema</i> Lycaena	24:94
--	e	1910	<i>ab. grisea</i> Lycaena	24:160
--	e	1910	<i>f. hermaphrodite</i> Lycaena	24:148
--	e	1910	<i>ab. impuncta</i> Lycaena	24:148
--	b	1910	<i>klaphecki</i> Lycaena	24:148
--	e	1910	<i>ab. laimargo</i> Everes	24:157
--	b	1910	<i>ligurica</i> Lycaena (H)	24:81
--	e	1910	<i>luxurians</i> Glaucopsyche	24:199
--	c	1910	<i>naruena</i> Lycaena	24:202
--	e	1910	<i>ab. nigrescens</i> Lycaena	24:94
--	b	1910	<i>nivea</i> Lycaena	24:88
--	e	1910	<i>ab. obscura</i> Lycaena	24:126
--	e	1910	<i>ab. obscurata</i> Lycaena	24:182
--	e	1910	<i>ab. obsoleta</i> Plebejus	24:126
--	e	1910	<i>ab. parallela</i> Lycaena	24:99
--	e	1910	<i>paucipuncta</i> Lycaena	24:206
--	e	1910	<i>ab. paucipuncta</i> Lycaena	24:197
--	e	1910	<i>paucipuncta</i> Lycaena	24:203
--	e	1910	<i>ab. paucipuncta</i> Lycaena	24:82
--	e	1910	<i>ab. paucipuncta</i> Lycaena	24:82
--	e	1910	<i>ab. pluripuncta</i> Lycaena	24:82
--	e	1910	<i>ab. punctifera</i> Polyommatus	24:148
--	e	1910	<i>ab. punctifera</i> Plebejus	24:81
--	e	1910	<i>ab. quadripuncta</i> Plebejus	24:203
--	e	1910	<i>ab. radiata</i> Chrysophanus	24:155
--	e	1910	<i>ab. radiata</i> Lycaena	24:99
--	e	1910	<i>ab. radiata</i> Lycaena	24:203
--	e	1910	<i>ab. radiata</i> Lycaena	24:148
--	e	1910	<i>ab. radiata</i> Lycaena	24:89
--	e	1910	<i>ab. semiarctuata</i> Polyommatus	24:148
--	e	1910	<i>ab. tripuncta</i> Maculinea	24:203
--	e	1910	<i>ab. tripuncta</i> Polyommatus	24:148
--	e	1910	<i>ab. unipuncta</i> Maculinea	24:203
--	e	1910	<i>ab. unipuncta</i> Lycaena	24:148
--	e	1910	<i>ab. unipunctata</i> Lycaena	24:142
--	d	1910	<i>f. uralensis</i> Lycaena (H)	24:100
--	b	1910	<i>wiskotti</i> Lycaena	24:141
--	e	1911	<i>ab. confluenstraversa</i> Lycaena	24:255
--	e	1911	<i>ab. confluentiamultiplex</i> Lycaena	24:255
--	e	1911	<i>ab. costajuncta</i> Lycaena	25:83
--	e	1911	<i>discoelongata</i> Lycaena	25:83
--	e	1911	<i>discoelongata</i> Lycaena	25:83
--	e	1911	<i>discoelongata</i> Chrysophanus	25:83
--	e	1911	<i>ab. elongata</i> Lycaena	24:255
--	e	1911	<i>ab. elongata</i> Chrysophanus (IFS)	24:236
--	e	1911	<i>f. latefasciata</i> Satyrium	25:63
--	e	1911	<i>f. latefasciata</i> Fixsenia	25:23
--	e	1911	<i>ab. naruenta</i> Lycaena	24:262
--	d	1911	<i>obscura</i> Lycaena (H)	24:245
--	e	1911	<i>ab. obscura</i> Lycaena	24:245
--	e	1911	<i>ab. obscurata</i> Chrysophanus	24:258
--	e	1911	<i>ab. parallela</i> Lycaena	24:236
--	e	1911	<i>ab. paucipuncta</i> Chrysophanus	24:236
--	e	1911	<i>ab. paucipuncta</i> Chrysophanus	24:249

- Courvoisier 1910-1911 Ent. Zeit. [b0985] (continued)
- e 1911 *ab. paucipuncta* Chrysophanus 24:255
 - e 1911 *pluripuncta* Lycaena 24:236
 - e 1911 *ab. pluripuncta* Chrysophanus 24:236
 - b 1911 *polaris* Lycaena 24:262
 - e 1911 *privata* Thecla 25:37
 - e 1911 *ab. punctifera* Lycaena 24:233
 - e 1911 *ab. radiata* Chrysophanus 24:255
 - e 1911 *ab. transversa* Lycaena 24:255
- Courvoisier 1911 Deut. ent. Zeit. [Iris] [b0986]
- d *ligurica* Plebejus (H) 25:104, pl 2
 - b *pontica* Lycaena 25:107, pl 2
- Courvoisier 1912 Deut. ent. Zeit. [Iris] [b0987]
- e *ab. basielongata* Lycaena 26:46
 - e *ab. basijuncta* Lycaena 26:50
 - e *ab. basijuncta* Lysandra 26:57
 - e *ab. basijuncta* Lycaena 26:48
 - e *ab. basijuncta* Lycaena 26:48
 - e *basinovopuncta* Glaucopsyche 26:58
 - e *ab. basinovopuncta* Lycaena 26:58
 - e *ab. basinovopuncta* Lycaena 26:58
 - e *ab. basinovopuncta* Maculinea 26:58
 - e *ab. basipuncta* Lycaena 26:48
 - e *basitripuncta* Pseudophilotes 26:45
 - e *basinipuncta* Pseudophilotes 26:46,61
 - e *ab. biarcuata* Lycaena 26:49
 - e *ab. bicentrojuncta* Lycaena 26:51, pl 4
 - e *ab. caeca* Lycaena 26:63
 - e *ab. caeca* Apelles 26:62-63
 - e *ab. caeca* Lycaena 26:63
 - e *caeca* Lycaena 26:63
 - e *ab. caeca* Lycaena 26:64
 - e *caeca* Lycaena 26:63
 - e *ab. centrojuncta* Lycaena 26:48
 - e *ab. confluentransversa* Lycaena 26:57
 - e *confluentiasimplex* Scolitantides 26:pl 4, f 5
 - e *costojuncta* Pseudophilotes 26:45,50
 - e *ab. discoelongata* Tarucus 26:46
 - e *discoelongata* Lycaena 26:46
 - e *discoelongata* Chrysophanus 26:46-47
 - e *discoelongata* Lycaena 26:46
 - e *ab. discoelongata* Lycaena 26:46
 - e *discoelongata* Chrysophanus (IFS) 26:46
 - e *ab. discoelongata* Lycaena 26:47
 - e *ab. discoelongata* Chrysophanus 26:47
 - e *discoelongata* Chrysophanus (IFS) 26:46
 - e *ab. discojuncta* Polyommatus 26:50
 - e *ab. discojuncta* Maculinea 26:50
 - e *extrema* Chrysophanus 26:55
 - e *ab. novopuncta* Plebejus 26:58
 - e *ab. parallela* Maculinea 26:51 or 52-53
 - e *ab. parallela* Lycaena 26:51
 - e *ab. paucipuncta* Apelles 26:63
 - e *paucipuncta* Lycaena 26:63
 - e *ab. paucipuncta* Chrysophanus 26:63
 - e *paucipuncta* Lycaena 26:63
 - e *ab. paucipuncta* Chrysophanus 26:53 or 63
 - e *f. paucipuncta* Chrysophanus 26:63
 - e *pluripuncta* Chrysophanus 26:58
 - e *pluripuncta* Chrysophanus 26:59 or 63
 - e *ab. radiata* Lycaena 26:53
 - e *retrojuncta* Lycaena 26:45,50, pl 4
 - e *ab. semiarctuata* Scolitantides 26:49
 - e *ab. supradiscoelongata* Helleia 26:47
 - e *ab. transversa* Polyommatus 26:57
 - e *ab. tribasijuncta* Tarucus 26:52
- Courvoisier 1912 Tijdschr. Ent. [b0988]
- b *agnatinus* Lampides 55:17
- NMB-ht b *floresiana* Lycaenopsis 55:16, f 13
- Courvoisier 1913 Ent. Mit. [b0989]
- e (+) *ab. caerulea* Lycaena 2(10):293
 - c *f. carinthiaca* Lycaena 2(10):289
 - e (-) *ab. grisea* Lycaena 2(10):294
 - e *ab. inornata* Lycaena 2(10):289
 - e *ab. latimargo* Lycaena 2(10):294
 - e (-) *ab. latimargo* Lycaena 2(10):291
 - e (-) *ab. latimargo* Lycaena 2(10):294
 - e *ab. latimargo* Lycaena 2(10):291
 - e *f. merzbacheri* Lycaena 2(10):293
 - e *f. narvena* Lycaena 2(10):289
 - e *plumbea* Lycaena (IFS) 2(10):294
 - e (-) *ab. plumbeus* Lycaena 2(10):294
 - e (+) *ab. pupillata* Lycaena 2(10):292
 - e (+) *ab. rubrifasciata* Lycaena 2(10):291
 - e *ab. rubrimaculata* Lycaena 2(10):291
 - e *ab. rubrimaculata* Lycaena 2(10):291
 - e (+) *ab. rubripuncta* Lycaena 2(10):291
 - e *rubromaculata* Lycaena 2(10):291
 - e *wiskoti* Lycaena 2(10):291
- Courvoisier 1913 Int. ent. Z. [b0990]
- b *nostras* Satyrium 7(38):252
- Courvoisier 1914 In Strand, Lep. Niepelt. [b0992]
- a *leptala* Lycaenesthes :43, pl 11
- Courvoisier 1914 Deut. ent. Zeit. [Iris] [b0993]
- e *albata* Lycaena 28:159
 - e *caeca* Lycaena 28:189
 - e *ab. caeca* Lycaena 28:217
 - e *ab. caeca* Lycaena 28:217
 - e *ab. kentiana* Plebejus (NN) 28:211
- Courvoisier 1920 Deut. ent. Zeit. [Iris] [b0995]
- e *metallica* Everes 34:244
 - e *ab. radiata* Zizara 34:236
 - e *ab. rufomaculata* Everes 34:244
 - e *f. supraviridis* Callophrys 34:256
- Courvoisier 1921 Deut. ent. Zeit. [Iris] [b0996]
- e *ab. basielongata* Lycaena 35:85
 - e *caeca* Chrysophanus 35:98
 - e *caeruleocuneata* Lycaena 35:80
 - e *subtuscaeca* Lycaena 35:98
 - e *supradiscoelongata* Helleia 35:82
- Coutsis 1976 Ent. Rec. [b0997]
- b *mironi* Glaucopsyche 88(2):34
- Cowan 1956 Bull. Raffles Mus. [b1005]
- e *ab. chondong* Rapala 27:39, f
- Cowan 1958 Malay Nat. J. [b1006]
- BMNH-ht a *Johorensis* Mamestus 13(2):85-89, f
- Cowan 1965 Entomologist [b1007]
- BMNH-ht b *butleri* Cheritra 98:71
 - BMNH-ht b *evansi* Cheritra 98:71
- Cowan 1966 Ann. Mag. nat. Hist. [b1011]
- BMNH-ht b *cornix* Pithecopus (13)8:421
 - BMNH-ht b *correctus* Pithecopus (13)8:421
- Cowan 1966 Bull. Br. Mus. nat. Hist. (Ent.) [b1012]
- b *akronyx* Horaga 18(4):118
 - T *cinia* Myrina 18(4):133
 - BMNH-ht b *osmana* Horaga 18(4):136
 - T *samoena* Horaga 18(4):124
 - BMNH-ht b *taweya* Horaga 18(4):129
 - T *viola* Horaga 18(4):127
 - BMNH-ht b *violetta* Horaga 18(4):128
- Cowan 1967 Bull. Br. Mus. nat. Hist. (Ent.) [b1016]
- BMNH-ht a *aenigma* Cheritra 20(3):94, pl 1-12

- | | | | | | | |
|------------------|----------------------------------|-----------------------------------|------------------|----------------|--|---------------------|
| Cowan 1967 | Bull. Br. Mus. nat. Hist. (Ent.) | [b1016] (continued) | Cramer 1775-1790 | Uitl. Kapellen | [b1069] (continued) | |
| BMNH-ht | b | <i>fracta</i> Cheritra | 20(3):93, pl 1-6 | - | a [1775] <i>pygmaea</i> Papilio | 1(-):pl 7, f C |
| | T | <i>frigga</i> Cheritra | 20(3):93 | - | a [1775] <i>regalis</i> Papilio | 1(6):114, pl 72 |
| BMNH-ht | b | <i>orphine</i> Cheritra | 20(3):97, pl 1-9 | - | c [1775] <i>rhetus</i> Papilio | 1(6):98, pl 63 |
| BMNH-ht | b | <i>retracta</i> Ticherra | 20(3):86, pl 1-3 | - | a [1775] <i>sagaris</i> Papilio | 1(7):130, pl 83 |
| | | | | - | c [1775] <i>salome</i> Papilio | 1(1):18, pl 12 |
| Cowan 1974 | Bull. Br. Mus. nat. Hist. (Ent.) | [b1030] | | - | a [1775] <i>telemus</i> Papilio | 1(1):7, pl 4 |
| | T | <i>albula</i> Marmessus | 29(6):312 | - | a [1775] <i>thelephus</i> Papilio | 1(6):103 or 108 |
| | T | <i>balina</i> Marmessus | 29(6):309 | - | a [1776] <i>abaris</i> Papilio | 1(8):146, pl 93 |
| | T | <i>boisduvalii</i> Drupadia | 29(6):300 | - | a [1776] <i>actoris</i> Papilio | 1(8):146, pl 93 |
| BMNH-ht | b | <i>caesia</i> Drupadia | 29(6):317, pl 3 | - | c [1776] <i>alcides</i> Papilio | 1(8):150, pl 96 |
| BMNH-ht | a | <i>cinderella</i> Drupadia | 29(6):319, pl 2 | biblio-lt | a [1776] <i>aulis</i> Papilio | 1(8):144, pl 92 |
| UMO-ht | a | <i>cindi</i> Drupadia | 29(6):320, pl 2 | - | e [1776] <i>avius</i> Papilio (IOS) | 1(8):pl 92 |
| | T | <i>cineas</i> Sithon | 29(6):345 | - | a [1776] <i>ephyne</i> Papilio | 1(8):146, pl 93 |
| | T | <i>cinesia</i> Myrina | 29(6):348 | - | a [1776] <i>eumene</i> Papilio | 1(8):145, pl 92 |
| BMNH-st | b | <i>corbeti</i> Drupadia | 29(6):299 | - | e [1776] <i>hyphaea</i> Papilio (IOS) | 1(8):pl 92 |
| | T | <i>estella</i> Myrina | 29(6):340 | - | a [1776] <i>hyphea</i> Papilio | 1(8):145, pl 92 |
| BMNH-ht | b | <i>florens</i> Drupadia | 29(6):338, pl 3 | - | a [1776] <i>meneria</i> Papilio | 1(8):147, pl 94 |
| BMNH-ht | b | <i>fulgens</i> Drupadia | 29(6):327, pl 2 | - | c [1776] <i>micalia</i> Papilio | 1(8):147, pl 94 |
| BMNH-ht | b | <i>lanthina</i> Drupadia | 29(6):336, pl 3 | - | a [1777] <i>agrytus</i> Papilio | 2(11):40, pl 123 |
| | T | <i>johorensis</i> Marmessus | 29(6):348 | - | a [1777] <i>alpheus</i> Papilio | 2(16):131, pl 182 |
| BMNH-ht | b | <i>kina</i> Drupadia | 29(6):318, pl 3 | - | a [1777] <i>amesis</i> Papilio | 2(9):13, pl 104 |
| | T | <i>medullia</i> Marmessus | 29(6):307 | - | a [1777] <i>ammon</i> Papilio | 2(13):79, pl 146 |
| | T | <i>melisa</i> Myrina | 29(6):343 | - | a [1777] <i>apidanus</i> Papilio | 2(12):63, pl 137 |
| BMNH-ht | b | <i>praecox</i> Drupadia | 29(6):319, pl 3 | - | d [1777] <i>arcas</i> Papilio (H) | 2(15):127, pl 179 |
| BMNH-ht | b | <i>resoluta</i> Drupadia | 29(6):313, pl 2 | - | c [1777] <i>archias</i> Papilio | 2(16):129, pl 181 |
| | T | <i>thesmia</i> Myrina | 29(6):325 | - | a [1777] <i>aulestes</i> Papilio | 2(11):47 (aulestis) |
| BMNH-ht | b | <i>torquata</i> Drupadia | 29(6):318, pl 3 | - | e [1777] <i>aulestis</i> Papilio (IOS) | 2(11):47 |
| BMNH-ht | b | <i>ultra</i> Drupadia | 29(6):337, pl 3 | - | a [1777] <i>bitias</i> Papilio | 2(9):12, pl 104 |
| | | | | - | a [1777] <i>cecilia</i> Papilio | 2(14):98, pl 159 |
| Cox 1873 | Entomologist | [b1068] | | - | d [1777] <i>ceneus</i> Papilio (H) | 2(-):94, pl 156 |
| BMNH-ht | a | <i>acasta</i> Lycaena | 6:402 | - | c [1777] <i>crispus</i> Papilio | 2(10):33, pl 118 |
| BMNH-ht | a | <i>heathi</i> Lycaena | 6:402 | - | a [1777] <i>dolytas</i> Papilio | 2(10):22, pl 111 |
| | | | | - | a [1777] <i>dydimaon</i> Papilio | 2(12):59, pl 134 |
| Cramer 1775-1790 | Uitl. Kapellen | [b1069] | | - | a [1777] <i>ematheon</i> Papilio | 2(14):104, pl 163 |
| - | c | [1775] <i>acmon</i> Papilio | 1(5):81, pl 51 | - | d [1777] <i>eryx</i> Papilio (H) | 2(12):75, pl 143 |
| BMNH-nt | a | [1775] <i>amyntor</i> Papilio | 1(4):76, pl 48 | - | c [1777] <i>eugenia</i> Papilio | 2(12):58, pl 133 |
| - | a | [1775] <i>arius</i> Papilio | 1(3):51, pl 31 | - | a [1777] <i>euriteus</i> Papilio | 2(13):89, pl 152 |
| - | a | [1775] <i>aunus</i> Papilio | 1(2):36, pl 23 | - | a [1777] <i>formosus</i> Papilio | 2(10):33, pl 118 |
| - | d | [1775] <i>batus</i> Papilio (H) | 1(5):81, pl 51 | - | a [1777] <i>halesus</i> Papilio | 2(9):3, pl 98 |
| - | a | [1775] <i>cassius</i> Papilio | 1(2):36, pl 23 | - | a [1777] <i>ismarus</i> Papilio | 2(15):123, pl 176 |
| - | a | [1775] <i>celeno</i> Papilio | 1(3):51, pl 31 | - | a [1777] <i>lagus</i> Papilio | 2(10):31, pl 117 |
| - | a | [1775] <i>celmus</i> Papilio | 1(5):87, pl 55 | - | a [1777] <i>lamia</i> Papilio (H) | 2(13):85, pl 150 |
| - | c | [1775] <i>chorineus</i> Papilio | 1(-):91, pl 59 | BMNH-st | a [1777] <i>lisias</i> Papilio | 2(13):89, pl 152 |
| - | c | [1775] <i>clyton</i> Papilio | 1(-):-, pl 67 | - | a [1777] <i>lycabas</i> Papilio | 2(10):31, pl 117 |
| - | a | [1775] <i>cyanea</i> Papilio | 1(7):120, pl 76 | - | a [1777] <i>misenes</i> Papilio | 2(10):31, pl 117 |
| - | a | [1775] <i>cyllarus</i> Papilio | 1(2):43, pl 27 | - | a [1777] <i>orfitia</i> Papilio | 2(10):24, pl 112 |
| biblio-lt | a | [1775] <i>danis</i> Papilio | 1(6):111, pl 70 | - | c [1777] <i>osinia</i> Papilio | 2(10):29, pl 115 |
| - | a | [1775] <i>dindyms</i> Papilio | 1(4):73, pl 46 | - | d [1777] <i>pelops</i> Papilio (H) | 2(15):114, pl 170 |
| - | a | [1775] <i>dorilas</i> Papilio | 1(4):75, pl 48 | - | a [1777] <i>penthea</i> Papilio | 2(12):75, pl 143 |
| - | a | [1775] <i>emylus</i> Papilio | 1(6):104, pl 66 | - | a [1777] <i>periander</i> Papilio | 2(16):139, pl 188 |
| - | a | [1775] <i>epulus</i> Papilio | 1(5):79, pl 50 | - | a [1777] <i>phareus</i> Papilio | 2(15):113, pl 170 |
| - | c | [1775] <i>erix</i> Papilio | 1(7):129, pl 82 | - | d [1777] <i>phereclus</i> Papilio | 2(-):-, pl 178 |
| - | a | [1775] <i>ethemon</i> Papilio | 1(4):75, pl 48 | - | a [1777] <i>phliasus</i> Papilio | 2(16):145, pl 192 |
| - | a | [1775] <i>gabriela</i> Papilio | 1(1):9, pl 6 | - | a [1777] <i>pholeus</i> Papilio | 2(14):104, pl 163 |
| - | a | [1775] <i>ganymedes</i> Papilio | 1(4):64, pl 40 | - | a [1777] <i>pretus</i> Papilio | 2(16):131, pl 182 |
| - | a | [1775] <i>gyas</i> Papilio | 1(3):45, pl 28 | - | c [1777] <i>pyretus</i> Papilio | 2(12):76, pl 144 |
| - | a | [1775] <i>hebrus</i> Papilio | 1(5):79, pl 50 | - | c [1777] <i>sicheus</i> Papilio | 2(12):76, pl 144 |
| - | a | [1775] <i>hemon</i> Papilio | 1(2):30, pl 20 | - | a [1777] <i>symethus</i> Papilio | 2(13):84, pl 149 |
| - | a | [1775] <i>hisbon</i> Papilio | 1(7):130, pl 83 | - | a [1777] <i>tedea</i> Papilio | 2(-):-, pl 102 |
| - | a | [1775] <i>hyacinthus</i> Papilio | 1(3):59, pl 36 | - | c [1777] <i>theanus</i> Papilio | 2(12):65, pl 139 |
| - | d | [1775] <i>hyllus</i> Papilio (FD) | 1(4):67, pl 43 | ZMA-lt | a [1777] <i>thymetus</i> Papilio | 2(-):134, pl 102 |
| - | a | [1775] <i>imperialis</i> Papilio | 1(7):120, pl 76 | - | b [1777] <i>timeus</i> Papilio | 2(16):137, pl 186 |
| - | a | [1775] <i>inachus</i> Papilio | 1(3):58, pl 36 | - | e [1777] <i>tiua</i> Papilio (ISS) | 2(16):151 |
| - | a | [1775] <i>lucinda</i> Papilio | 1(1):3, pl 1 | - | a [1777] <i>tytia</i> Papilio | 2(11):37, pl 121 |
| - | a | [1775] <i>mantus</i> Papilio | 1(4):74, pl 47 | - | a [1777] <i>ultrica</i> Papilio | 2(9):7, pl 100 |
| - | d | [1775] <i>nais</i> Papilio (H) | 1(4):74, pl 47 | - | a [1779] <i>capanea</i> Papilio | 3(-):74, pl 236 |
| - | a | [1775] <i>odites</i> Papilio | 1(-):pl 11 | - | c [1779] <i>cinyra</i> Papilio | 3(-):76, pl 238 |
| - | a | [1775] <i>pasiphae</i> Papilio | 1(7):127, pl 80 | - | a [1779] <i>elis</i> Papilio | 3(20):70, pl 233 |
| - | b | [1775] <i>pellon</i> Papilio | 1(1):10, pl 6 | biblio-lt | d [1779] <i>endymion</i> Papilio (H) | 3(21):86, pl 244 |
| - | a | [1775] <i>philemon</i> Papilio | 1(2):35, pl 22 | ZMC-ht | c [1779] <i>etolus</i> Papilio | 3(18):28, pl 208 |
| - | a | [1775] <i>phylleus</i> Papilio | 1(6):98, pl 63 | - | a [1779] <i>eurisus</i> Papilio | 3(19):47, pl 221 |

- Cramer 1775-1790 *Uitl. Kapellen* [b1069] (*continued*)
- a [1779] *helius* Papilio 3(17):10, pl 198
 - d [1779] *helius* Papilio (H) 3(-):—, pl 201
 - a [1779] *janias* Papilio 3(18):36, pl 213
 - BMNH-lt a [1779] *lausus* Papilio 3(20):70, pl 233
 - BMNH a [1779] *meton* Papilio 3(17):15, pl 201
 - a [1779] *nautes* Papilio 3(20):70, pl 233
 - a [1779] *ortygnus* Papilio 3(21):84, pl 243
 - c [1779] *petalus* Papilio 3(21):84, pl 243
 - a [1779] *phlegia* Papilio 3(17):9, pl 197
 - lost a [1779] *pierus* Papilio 3(21):84, pl 243
 - a [1779] *venullus* Papilio 3(21):85, pl 243
 - a [1780] *atys* Papilio 3(22):117, pl 259
 - c [1780] *dyndima* Papilio 3(23):142, pl 271
 - a [1780] *epitus* Papilio 3(23):140, pl 270
 - a [1780] *erota* Papilio 3(2-):152, pl 276
 - a [1780] *fatima* Papilio 3(23):141, pl 271
 - a [1780] *flegyas* Papilio 3(24):158, pl 280
 - c [1780] *iolaus* Papilio 3(23):140, pl 270
 - AME-nt b [1780] *ladon* Papilio 3(23):141, pl 270
 - a [1780] *larydas* Papilio 3(24):160, pl 282
 - c [1780] *liger* Papilio 3(22):109, pl 254
 - a [1780] *mandana* Papilio 3(23):142, pl 271
 - c [1780] *menalcas* Papilio 3(22):117, pl 259
 - a [1780] *micylus* Papilio 3(24):160, pl 282
 - a [1780] *orestes* Papilio 3(24):159, pl 282
 - a [1780] *palegon* Papilio 3(24):159, pl 282
 - d [1780] *silemus* Papilio (H) 3(24):159, pl 282
 - c [1780] *thallus* Papilio 3(22):117, pl 259
- Crombrugge de Picquendaale 1911 *Revue mens. Soc. ent. namur.* [b1071]
- e *ab. melanostrata* Lycaena 11:82-83
- Crosby 1951 *Victorian Nat.* [b1073]
- b *lucida* Paralucia 67(11):225, f
- Cross 1937 *Pan-Pac. Ent.* [b1074]
- DMNH-ht b *ricei* Plebeius 13(1-2):88
- Cross 1937 *Proc. Colorado Mus. nat. Hist.* [b1075]
- b *schryveri* Incisalia 16(1):20
- Crowley 1900 *Proc. zool. Soc. Lond.* [b1077]
- b *hainana* Amblypodia 1900(3):508
- Culot 1905 *Bull. Soc. Léop. Genève* [b1078]
- d *lucia* Lycaena (H) 1:68-69
- Culot 1915 *Bull. Soc. ent. Fr.* [b1079]
- biblio b *lucetta* Lycaena 1915(15):243
- Curtis 1835 *In Ross, Voy. Search Northwest Pass.* [b1081]
- a *franklinii* Lycaena ixix, pl A
- Curtis 1933 *Trans. ent. Soc. S. Engl.* [b1082]
- e *ab. striata* Aricia 8:107
- Dadd [1909] *Trans. ent. Soc. Lond.* [b1085]
- nt b *borussia* Lycaena 56(3/4)(Proc.):lxiii
- Dahl 1931 *Ent. Tidskr.* [b1087]
- e *ab. nigromaculatus* Plebeius 51:251, f
- Dahlström 1898-1899 *Ins. Börse* [b1088]
- e 1899 *alconides* Maculinea 16:213
- Dallas 1867 *Zool. Rec.* [b1089]
- e *innua* Thecla (ISS) 2(1865)(Ins.):599
- Dallas 1868 *Zool. Rec.* [b1090]
- e *juica* Rekoa (ISS) 3(1866)(Ins.):470
- Dalman 1816 *K. svenska VetenskAkad. Handl.* [b1092]
- c *argianus* Cyaniris 37:95
- Dalman 1823 *Analecta ent.* [b1093]
- c *agria* Papilio :46
 - a *apisaon* Papilio :43
 - c *arisbas* Papilio :43
 - c *caletor* Papilio :44
 - c *halius* Papilio :45
 - c *paridion* Papilio :44
 - a *parthaon* Papilio :46
 - b *satnius* Papilio :45
 - a *zephyritis* Papilio :47
- Dannatt 1904 *Entomologist* [b1098]
- a *johnstoni* Monetha 37:174, pl 7
- Dannehl 1921 *Mitt. münchn. ent. Ges.* [b1099]
- c *uliginosa* Lycaena 11:39
- Dannehl 1925 *Ent. Zeit.* [b1100]
- c *thurneri* Nemeobius 39:6,64
- Dannehl 1925 *Ent. Zeit.* [b1101]
- c *andreas* Lycaena 39:76
 - e *ab. caerulea* Lycaena 39:76
 - c *f. nocensis* Lycaena 39:72 or 76
 - c *f. oicles* Lycaena 39:72
- Dannehl 1927 *Mitt. münchn. ent. Ges.* [b1102]
- e *ab. abruzzensis* Lycaena 17:6
 - b *centralitalica* Lycaena 17:8
 - e *ab. elachista* Lycaena 17:7
 - e *ab. illustris* Lycaena 17:7
 - e *ab. majellensis* Lycaena 17:6
 - e *ab. ochrostigma* Lycaena 17:7
 - e *ab. punctigera* Lycaena 17:7
 - e *ab. rufomaculata* Lycaena 17:7
 - c *sirentina* Lycaena 17:6
 - e *ab. splendida* Lycaena 17:7
- Dannehl 1933 *Ent. Zeit.* [b1103]
- b *abruzzorum* Lycaena 46:245
 - e *ab. expallidata* Chrysophanus 46:246
 - b *sabina* Lycaena 46:245
 - b *sabinorum* Lycaena 46:246
 - e *ab. senilis* Lycaena 46:246
- Dantchenko & Lukhtanov 1993 *Atalanta (Münnerstadt)* [b1104]
- T *damocles* Lycaena 24(1/4):75-83
 - T *damone* Lycaena 24(1/4):75-83
 - b *tanais* Polyommatus 24(1/4):75-83
 - b *tanais* Polyommatus 24(1/4):75-83
 - b *walteri* Polyommatus 24(1/4):75-83
- de Bast 1985 *Linneana Belgica* [b1111]
- c *cataluniae* Lysandra 10(4):182, f
- de Fleury 1924 *Bull. Soc. ent. Fr.* [b1112]
- a *anettae* Myrina 1924(15):161
- de Freina & Witt 1983 *Entomofauna* [b1113]
- pc-ht a *ciloicus* Polyommatus 4(14):187
 - pc-ht a *dezina* Lysandra 4(14):182
- de la Maza E. 1976 *Revta Soc. mex. Lep.* [b1117]
- e *f. chontal* Anteros 2(2):71, f
- de la Maza E. & de la Maza E. 1980 *Revta Soc. mex. Lep.* [b1116]
- MHNCM-ht a *gemina* Mesosemia 6(1):12, f
- de la Maza E. & Turrent D. 1977 *Revta Soc. mex. Lep.* [b1118]
- MHNCM-ht a *yautepequensis* Calcephelis 3(2):85, f
- de Lesse 1957 *Lambillionea* [b1120]
- b *araratensis* Agrodiaenus 57:66
 - b *vanensis* Agrodiaenus 57:69

- de Lesse 1959 Bull. mens. Soc. linn. Lyon [b1121]
- a *sennanensis* *Agrodiaetus* 28:150
- de Lesse 1959 Bull. Soc. ent. Mulhouse [b1122]
MNHN-ht a *hamadanensis* *Agrodiaetus* 1959:14
- de Lesse 1959 Bull. Soc. ent. Mulhouse [b1123]
- a *baytopi* *Agrodiaetus* 1959:45, f
- de Lesse 1960 Revue fr. Ent. [b1124]
- a *interjectus* *Agrodiaetus* 27(3):253, f
- de Lesse 1960 Bull. Soc. ent. Mulhouse [b1125]
- a *tankerl* *Agrodiaetus* 1960:76
- de Lesse 1961 Revue fr. Ent. [b1126]
- b *amasyensis* *Agrodiaetus* 28:96
- de Lesse 1962 Alexanor [b1127]
MNHN-ht a *pseudovirgilia* *Agrodiaetus* 2(7):285
- de Lesse 1962 Revue fr. Ent. [b1128]
- c *manleyi* *Lysandra* 29(4):313
- c *pseudoalbicans* *Lysandra* 29(4):313
- de Lesse 1963 Alexanor [b1129]
MNHN-ht a *baltazardi* *Agrodiaetus* 2(8):310
MNHN-ht b *kermansis* *Agrodiaetus* 2(8):311
- de Lesse 1963 Alexanor [b1130]
MNHN-ht a *mofidii* *Agrodiaetus* 3:34
- de Lesse 1963 Revue fr. Ent. [b1131]
- b *paracyanea* *Agrodiaetus* 30:178, f
- de Lesse 1964 Alexanor [b1132]
- b *ectabanensis* *Agrodiaetus* 3:167
- de Lesse 1969 Alexanor [b1135]
- c *luentina* *Lysandra* 6(3):132, f
- de Loche 1801 Memorie Accad. Sci. Torino [b1141]
- d *xenophon* *Papilio* (H) 6(2):149, pl 8
- de L'Orza 1869 Lépidoptères Japonais [b1142]
- b *emelina* *Lycaena* :21
-st b *ladonides* *Lycaena* :20
- de Nicéville 1881 Proc. asiat. Soc. Bengal [b1143]
- b *longicaudata* *Dodona* 1881:121
- de Nicéville 1882 J. asiat. Soc. Bengal, Pt II [b1144]
- a *paraganesa* *Amblypodia* 51(2/3):63
- de Nicéville [1884] J. asiat. Soc. Bengal, Pt II [b1145]
- a *adriana* *Nilasera* 52(2/4):79
- a *ananda* *Castalius* 52(2/4):75
- a *asoka* *Nilasera* 52(2/4):78
- a *bhutea* *Nacaduba* 52(2/4):72
- a *chennellii* *Cyaniris* 52(2/4):72
- a *cymbia* *Niphanda* 52(2/4):76
- a *dana* *Nacaduba* 52(2/4):73
- b *interruptus* *Castalius* 52(2/4):74
ZSI?-lt b *iyntean* *Cyaniris* 52(2/4):69
- b *leela* *Lycaena* 52(2/4):66
ZSI-ht a *marginata* *Cyaniris* 52(2/4):70
- c *moelleri* *Nilasera* 52(2/4):80
- a *paramuta* *Panchala* 52(2/4):81
ZSI-ht b *placida* *Cyaniris* 52(2/4):68
- de Nicéville 1885 J. asiat. Soc. Bengal, Pt II [b1146]
- c *bengalia* *Catochrysops* 54(1):47
- de Nicéville 1885 J. asiat. Soc. Bengal, Pt II [b1147]
- b *hampsonii* *Nacaduba* 54(2):118, pl 2
- a *singla* *Satadra* 54(2):119, pl 2
- de Nicéville 1886 J. asiat. Soc. Bengal, Pt II [b1148]
- a *chela* *Abisara* 55(3):252, pl 11
BMNH-lt c *multistrigatus* *Allotinus* 55(3):253, pl 11
BMNH-ht b *teesta* *Satadra* 55(3):253, pl 11
- de Nicéville 1887 Proc. zool. Soc. Lond. [b1150]
- a *albiplaga* *Tajuria* 1887(3):459
- a *delicatum* *Catopocilma* 1887(3):455
- b *distorta* *Rapala* 1887(3):461
- b *istroidea* *Tajuria* 1887(3):458
- a *melastigma* *Tajuria* 1887(3):460
- a *pavo* *Zephyrus* 1887(3):460
BMNH-ht a *truncipennis* *Cheritrella* 1887(3):456
- b *wimberleyi* *Nilasera* 1887(3):462
- de Nicéville [1889] J. asiat. Soc. Bengal, Pt II [b1151]
- a *aberrans* *Acesina* 57(4):279, pl 14
- c *buxaria* *Rapala* 57(4):285, pl 14
- b *dohertyi* *Zephyrus* 57(4):278, pl 14
- a *donatana* *Tajuria* 57(4):287, pl 14
- a *jasoda* *Zarona* 57(4):280, pl 14
- b *rana* *Horaga* 57(4):283, pl 14
- a *rosacea* *Rapala* 57(4):285, pl 14
- a *rukma* *Aphnaeus* 57(4):281, pl 14
- a *rukmini* *Aphnaeus* 57(4):282, pl 14
- c *sani* *Aphnaeus* 57(4):282, pl 14
- a *tara* *Rapala* 57(4):284, pl 14
- de Nicéville 1889 J. Bombay nat. Hist. Soc. [b1152]
- a *aida* *Arhopala* 4(3):168, pl A
- a *cinesoides* *Biduanda* 4(3):166, pl
- a *zoa* *Zephyrus* 4(3):167, pl A
- de Nicéville 1890 Buts India Burmah Ceylon [b1153]
BMNH-ht b *adorea* *Arhopala* 3:238, frontispiece
- a *agrata* *Arhopala* 3:251, f 137
- b *bradamante* *Zarona* 3:36
ZSI-ht b *cyanescens* *Cyaniris* 3:103, frontispiece
- c *davisonii* *Arhopala* 3:280, f 135
- a *gopara* *Gerydus* 3:25
- e *hampsoni* *Megisba* (PS) 3:61
- a *illurgioides* *Tajuria* 3:375, pl 28
- a *kala* *Everes* 3:139, pl 26
BMNH-ht a *khasia* *Zephyrus* 3:301
- c *marakata* *Lampides* 3:174
- b *nicobaricus* *Jamides* 3:158
- a *penicilligera* *Arhenothrix* 3:337, pl 28
ZSI-ht b *prominens* *Lycaenopsis* 3:103
BMNH-ht a *rafflesii* *Arhopala* 3:248
- a *scintilla* *Rapala* 3:461
- e *todara* *Neopitheops* (PS) 3:53, pl 26
- c *viridipunctata* *Ilerda* 3:329, pl 28
- c *zaffra* *Aphnaeus* 3:366, pl 28
- c *zanella* *Zarona* 3:35
- de Nicéville 1890 J. Bombay nat. Hist. Soc. [b1154]
- c *pharygoides* *Zarona* 5(3):208, pl E
- de Nicéville 1891 J. Bombay nat. Hist. Soc. [b1155]
- c *alemon* *Arhopala* 6(3):371, pl F
- b *amatrix* *Arhopala* 6(3):370, pl G
- c *arisba* *Acesina* 6(3):369, pl F
- b *basiviridis* *Arhopala* 6(3):373, pl G
- c *bochides* *Lampides* 6(3):367, pl F
ZSI-ht a *coalita* *Cyaniris* 6(3):363, pl F
- a *refulgens* *Rapala* 6(3):376, pl F
- de Nicéville 1893 J. Bombay nat. Hist. Soc. [b1156]
- a *ace* *Arhopala* 7(3):329, pl H
- b *aceses* *Arhopala* 7(3):330, pl H
- a *aeeta* *Arhopala* 7(3):333, pl H
- a *arca* *Arhopala* 7(3):331, pl H
- c *asia* *Arhopala* 7(3):333, pl H

- de Nicéville 1893 J. Bombay nat. Hist. Soc. [b1156] (*continued*)
- c *bassaris* Pithecopis 7(3):327, pl H
 - b *carmentalis* Camena 7(3):335, pl H
 - ZSI-ht a *ceyx* Cyaniris 7(3):328, pl H
 - b *gaetulia* Deudorix 7(3):338, pl H
 - BMNH-ht a *leechii* Thecla 7(3):335
 - b *suessa* Suasa 7(3):337, pl H
 - b *thya* Tajuria 7(3):336, pl H
- de Nicéville 1893 J. Bombay nat. Hist. Soc. [b1157]
- a *alta* Abisara 8(1):49, pl L
 - a *pitane* Yasoda 8(1):50, pl L
- de Nicéville 1894 J. asiat. Soc. Bengal, Pt II [b1158]
- a *blanka* Tajuria 63(1):39, pl 4
 - a *cephels* Charana 63(1):40, pl 5
 - b *constanceae* Arhopala 63(1):34, pl 4
 - ZSI?-st a *cremera* Camena 63(1):37, pl 5
 - c *crissa* Cyaniris 63(1):31, pl 2
 - BMNH-ht a *dudgeonii* Listeria 63(1):36, pl 4
 - a *gaetulus* Gerydus 63(1):24
 - a *gallus* Gerydus 63(1):25, pl 5
 - a *gigantes* Gerydus 63(1):23, pl 5
 - a *hiendlmayrii* Aphnaeus 63(1):38, pl 5
 - b *laocoon* Laxita 63(1):20, pl 2
 - a *lola* Laxita 63(1):20, pl 2
 - ZSI?-st c *luca* Logania 63(1):28, pl 2
 - a *lucide* Lampides 63(1):33, pl 5
 - b *lycene* Laxita 63(1):21, pl 2
 - c *lyncestis* Laxita 63(1):22, pl 2
 - BMNH-ht a *mariae* Pithecopis 63(1):30, pl 4
 - a *namoa* Neocheritra 63(1):41, pl 5
 - ZSI?-st a *portunus* Paragerydus 63(1):27, pl 5
 - ZSI?-ht b *pyxus* Paragerydus 63(1):27, pl 5
 - BMNH-ht e (+) *f. solyma* Simiskina 63(1):29, pl 4
- de Nicéville 1895 J. Bombay nat. Hist. Soc. [b1159]
- b *aboe* Arhopala 9(3):281, pl O
 - c *adala* Arhopala 9(3):282, pl O
 - c *adulans* Arhopala 9(3):284, pl O
 - lost a *amabilis* Chilaria 9(3):309, pl P
 - a *anela* Arhopala 9(3):289, pl P
 - b *apha* Arhopala 9(3):287, pl O
 - c *arama* Arhopala 9(3):285, pl O
 - b *atlas* Abisara 9(3):268, pl N
 - a *burnii* Taxila 9(3):266, pl N
 - a *buto* Britomartis 9(3):308, pl P
 - ZSI-ht a *camenae* Cyaniris 9(3):278, pl O
 - ZSI-ht c *candaules* Cyaniris 9(3):276, pl O
 - ZSI-ht a *carina* Cyaniris 9(3):274, pl O
 - ZSI-ht a *catreus* Cyaniris 9(3):276, pl O
 - ZSI-ht a *corythus* Cyaniris 9(3):273, pl O
 - ZSI-ht a *cosaea* Cyaniris 9(3):271, pl O
 - b *cretheus* Camena 9(3):294, pl P
 - a *hades* Hysudra 9(3):318, pl P
 - BMNH-ht a *nelides* Nacaduba 9(3):280, pl O
 - b *nisibis* Neocheritra 9(3):316, pl P
 - b *oeta* Ops 9(3):299, pl P
 - a *ogyges* Ops 9(3):298, pl P
 - ZSI?-st a *paetus* Paragerydus 9(3):269, pl O
 - a *rhoecus* Rapala 9(3):319, pl P
 - c *stimula* Surendra 9(3):279, pl O
 - b *tura* Tajuria 9(3):301, pl P
 - b *tyro* Tajuria 9(3):302, pl P
- de Nicéville 1895 J. Bombay nat. Hist. Soc. [b1160]
- b *apus* Alotinus 10(1):27, pl S
 - BMNH-ht a *asialis* Azanus 10(1):33, pl S
 - a *gaesa* Gerydus 10(1):26, pl S
 - a *lacteata* Lampides 10(1):36
 - b *nanda* Nacaduba 10(1):34, f
 - a *pavonica* Simiskina 10(1):28, pl S
 - BMNH-ht b *procotes* Simiskina 10(1):32, pl S
- de Nicéville 1895 J. Bombay nat. Hist. Soc. [b1160] (*continued*)
- BMNH-ht a *proxima* Simiskina 10(1):29, pl S
- de Nicéville [1896] In J. asiat. Soc. Bengal, Pt II [b1161]
- a *lla* Ilerda 64(3):472
 - b *kausambioides* Abisara 64(3):442
- de Nicéville [1896] J. Bombay nat. Hist. Soc. [b1162]
- c *anila* Arhopala 10(2):174
 - b *auzea* Arhopala 10(2):169, pl S
 - a *avatha* Arhopala 10(2):174, pl T
 - a *azata* Arhopala 10(2):172, pl T
 - BMNH-ht a *azinis* Arhopala 10(2):171, pl T
 - b *culta* Tajuria 10(2):177, pl T
 - a *rhoda* Rapala 10(2):184 or 188
 - a *rhodopsis* Rapala 10(2):183, pl T
- de Nicéville 1897 J. Bombay nat. Hist. Soc. [b1163]
- b *roxana* Castalius 10(4):633
- de Nicéville 1897 J. asiat. Soc. Bengal, Pt II [b1164]
- b *albacapex* Rapala 66(3):560, pl 3
 - a *danisoides* Hypolycaena 66(3):558, pl 3
 - a *dracon* Dodona 66(3):555, pl 2
- de Nicéville 1898 J. Bombay nat. Hist. Soc. [b1165]
- a *cameria* Camena 12(1):148, pl Z
 - ZSI-ht a *cara* Cyaniris 12(1):143, pl Z
 - a *honos* Hypothecla 12(1):150, pl Z
 - b *longeana* Gerydus 12(1):141, pl Z
 - b *lunata* Lampides 12(1):145, pl Z
 - ZSI?-st a *watsoniana* Logania 12(1):143, pl Z
 - a *zana* Zinaspa 12(1):149, pl AA
- de Nicéville 1898 In J. asiat. Soc. Bengal, Pt II [b1166]
- b *triopus* Thysonotis 67(2):265
- de Nicéville 1900 J. Bombay nat. Hist. Soc. [b1167]
- a *comica* Arhopala 13(1):170, pl EE
- de Nicéville 1902 J. Bombay nat. Hist. Soc. [b1168]
- b *evansii* Chrysophanus 14(2):249, pl FF
 - b *ni* Nacaduba 14(2):247, pl FF
 - b *paracuta* Curetis 14(2):248
 - ZSI-ht a *shelfordii* Cyaniris 14(2):245, pl FF
- De Prins 1991 Phegea [b1174]
- a *merhaba* Polyommatus 19(4):142, f
- De Prins & van der Poorten & Bálint 1992 Phegea [b1173]
- T *allardi* Lycaena 20(1):20
 - T *martini* Lycaena 20(1):14
 - T *ungemachi* Lycaena 20(1):15
 - T *vogelii* Lycaena 20(1):25
- de Sagarra y Castellamau 1924 Trab. Mus. Cienc. nat. Barcelona [b1175]
- e *ab. flavescens* Thestor 11(1):17, pl 4
 - c *f. flavosticta* Thestor 11(1):17
- de Sagarra y Castellamau 1924 Butll. Inst. catal. Hist. nat. [b1176]
- MCNB-ht b *asturiensis* Agriades (2)4:202
 - b *bofilli* Strymon (2)4:200
 - e *ab. deliciosa* Agriades (2)4:203
 - b *insignis* Loweia (2)4:201
 - c *josephina* Agriades (2)4:202
 - c *noguerae* Hirsutina (2)4:203
 - b *paupercula* Loweia (2)4:201
 - e *ab. syngraphoides* Agriades (2)4:202
- de Sagarra y Castellamau 1925 Butll. Inst. catal. Hist. nat. [b1177]
- b *tetrica* Raywardia (2)5:45
- de Sagarra y Castellamau 1926 Butll. Inst. catal. Hist. nat. [b1178]
- b *fulgens* Hirsutina (2)5:271

- de Sagarra y Castellamau 1926 Butll. Inst. catal. Hist. nat. [b1178]
(continued)
- c *marteniana* Meleageria (2)5:271
 - c *parvula* Scolitantides (2)5:272
- de Sagarra y Castellamau 1926 Butll. Inst. catal. Hist. nat. [b1179]
- c *albionota* Scolitantides (2)6:138
 - b *camboi* Strymon (2)6:135
 - c *diversa* Scolitantides (2)6:137
 - c *ferdinandi* Agriades (2)6:138
 - c *fumosa* Strymon (2)6:135
 - c *fusca* Lampides (2)6:136
 - c *neglecta* Strymon (2)6:136
 - c *pauperella* Glaucopsyche (2)6:138
 - e *privata* Glaucopsyche (2)6:138
 - c *semitetrica* Raywardia (2)6:137
- de Sagarra y Castellamau 1930 Butll. Inst. catal. Hist. nat. [b1180]
- MC-st b *boliviariensis* Aricia (2)10:117
 - MC-st c *cabreræ* Hirsutiina (2)10:118
 - MC-st b *catalonica* Thestor (2)10:116
 - MC-st b *degener* Plebeius (2)10:117
 - MC-st c *extremata* Plebeius (2)10:117
 - MC-st c *farrionis* Jolana (2)10:118
 - c *meeloni* Glaucopsyche (2)10:118
 - MC-st b *montsial* Plebeius (2)10:116
 - MC-st b *ordesa* Aricia (2)10:117
- de Sagarra y Castellamau 1932 In Trab. Mus. Cienc. nat. Barcelona [b1181]
- e *infusata* Lampides 14:166
- de Selys-Longchamps 1844 Mém. Soc. roy. Sci. Liège [b1182]
- c *aldrovandus* Maculinea 2(1845):35
 - c *myrmidon* Everes 2(1845):31
- de Selys-Longchamps 1857 Annl. Soc. ent. Belg. [b1183]
- c *agestoides* Polyommatus 1:15
 - e *minor* Everes 1:16
 - c *obscurior* Polyommatus 1:16
 - e *xante* Polyommatus (ISS) 1:11
- de Villers 1789 Ent. Linn. [b1184]
- d *apelles* Papilio (H) 2:536, pl 4
- Dean 1918 Lepidoptera [b1186]
- e *ab. octomaculata* Chrysophanus 2(8):60
 - e *ab. suffusa* Feniseca 2(8):60
- Degtyareva 1978 Entomology of Tadzhikistan [b1187]
- b *micropunctulatus* Plebeius :120-125
- Demaison 1888 Bull. Soc. ent. Fr. [b1188]
- a *eleusis* Lycaena (6)8:lxvi
- [Denis & Schiffermüller] 1775 Ankündigung syst. Werkes Schmett. [b1193]
- d *acis* Papilio (H) :182
 - c *adonis* Papilio :184
 - c *aegon* Papilio :185
 - a *agestis* Papilio :184
 - a *alcon* Papilio :182
 - c *alsus* Papilio :184
 - d *amyntas* Papilio (H & RC) :185
 - d *argus* Papilio (H) :184
 - c *battus* Papilio :185
 - d *chryseis* Papilio (H) :181
 - c *circe* Papilio :181
 - c *damaetas* Papilio :183
 - a *damon* Papilio :182
 - a *daphnis* Papilio :128
 - a *dorylas* Papilio :322
 - d *endymion* Papilio (H) :182
 - a *helle* Papilio :181
- [Denis & Schiffermüller] 1775 Ankündigung syst. Werkes Schmett. [b1193] (continued)
- d *hylas* Papilio (H) :185
 - c *lampette* Papilio :322
 - a *spini* Papilio :186
 - biblio d *xanthe* Papilio (JOS) :181
- Derenne 1923-1927 Revue mens. Soc. ent. namur. [b1196]
- e 1925 *ab. minor* Chrysophanus 25:92
- Derenne 1926 Lambillionea [b1197]
- e *ab. minor* Chrysophanus 26:4
- Derenne 1926 Lambillionea [b1198]
- e *ab. albocuneata* Lycaena 26(12):90
- Derenne 1927 Lambillionea [b1199]
- e *ab. gracilens* Nemeobius 27:11
- Derenne 1931 Lambillionea [b1200]
- e *anticoradiata* Lycaena 31:pl 10, f 6
 - e *crassipuncta* Lycaena 31:pl 10, f 7
 - e *dextropaucipunctasinistro radiata* Palaeochrysophanus 31:pl 10, f 3
 - e *sinistroposticoradiata* Palaeochrysophanus 31:pl 10, f 2
- Derenne 1936 Lambillionea [b1201]
- e *discoelongata* Lycaena 36:pl 12, f 1
- Derenne 1937 Lambillionea [b1202]
- e *ab. crassipuncta* Maculinea 37:pl 1, f 1,2
 - e *supracrassipuncta* Lycaena 37:pl 2, f 4
 - e *supradiscoelongata* Lycaena (IFS) 37:pl 2, f 3
- Deslandes 1930 Bull. Soc. ent. Fr. [b1210]
- pc-st d *pyrenaica* Heodes (H) 1930(15):243
- Detani 1983 Iwase [b1211]
- c *hayashii* Virachola (1):56-57
 - c *hayashii* Narathura (1):55-56
 - b *nakamotoi* Curetis (1):26
- Devos 1919 Revue zool. afr. [b1214]
- b *lapumei* Telipna 6:62
- Dewitz 1877 Mitt. münchn. ent. Verh. [b1217]
- a *godmanii* Pandemos 1:89 or 90
- Dewitz 1879 Nova Acta Acad. Caesar. Leop. Carol. [b1218]
- a *falkensteini* Plebeius 41(2):204 (=32)
 - c *falkensteini* Epitola 41(2):181 (=9)
 - a *gussfeldtii* Plebeius 41(2):206 (=34)
 - a *homeyeri* Plebeius 41(2):206 (=34)
 - a *kirbyi* Hewitsonia 41(2):207 (=35)
 - a *poggei* Plebeius 41(2):205 (=33)
 - a *punctatus* Plebeius 41(2):205 (=33)
 - a *reichenowii* Plebeius 41(2):203 (=31)
 - a *sorhageni* Plebeius 41(2):204 (=32)
 - c *soyauxii* Liptena 41(2):201 (=29)
 - a *tachyroides* Pentila 41(2):201 (=29)
- Dewitz 1884 Berl. ent. Z. [b1220]
- a *homeyeri* Liptena 28:188, pl 1
- Dewitz 1886 Deut. ent. Zeit. [b1221]
- a *alba* Pentila 30(2):428, pl 2
 - c *annecke* Liptena 30(2):427, pl 2
 - c *girthii* Liptena 30(2):428, pl 2
 - a *herwigii* Abisara 30(2):429, pl 2
 - a *hiendlmayri* Pentila 30(2):429, pl 2
 - a *homeyeri* Aphnaeus 30(2):429, pl 2
 - a *ideoides* Liptena 30(2):428, pl 2
 - a *muhata* Pentila 30(2):428, pl 2
- Dewitz 1889 Ent. Nachr. [b1222]
- a *krausei* Mimacraea 15:106, pl 1

- Dickson 1965 J. ent. Soc. S. Afr. [b1234]
- a *swanepoeli* Poecilmitis 27(2):160, f
- Dickson 1966 Ent. Rec. [b1236]
- a *beaufortia* Poecilmitis 78:109
- Dickson 1966 Ent. Rec. [b1237]
- a *atlantica* Poecilmitis 78(7/8):181
- Dickson 1966 Ent. Rec. [b1238]
- a *braueri* Lepidochrysops 78:189, f
- Dickson 1966 Ent. Rec. [b1239]
- b *tearei* Poecilmitis 78(10):218, f
- Dickson 1966 Ent. Rec. [b1240]
- a *rileyi* Poecilmitis 78(10):241
- Dickson 1967 Ent. Rec. [b1241]
- b *dukei* Poecilmitis 79:65
- Dickson 1967 Ent. Rec. [b1242]
BMNH-ht b *paarlensis* Phasis 79:123, f
- Dickson 1967 Ent. Rec. [b1243]
BMNH-ht a *argyroplaga* Phasis 79:267
- Dickson 1968 Ent. Rec. [b1244]
BMNH-ht a *macmasteri* Phasis 80:89, f
- Dickson 1968 Ent. Rec. [b1245]
BMNH-ht a *braueri* Phasis 80:267, pl 15
- Dickson 1969 Ent. Rec. [b1246]
- a *penningtoni* Lepidochrysops 81:97, f
- Dickson 1969 Ent. Rec. [b1247]
- a *wykehami* Phasis 81:285, f
- Dickson 1970 Ent. Rec. [b1248]
- b *charlesi* Poecilmitis 82:93, f
- Dickson 1970 Ent. Rec. [b1249]
- b *hersaleki* Poecilmitis 82:154, f
- Dickson 1971 Ent. Rec. [b1250]
- a *violascens* Poecilmitis 83:1
- Dickson 1971 Ent. Rec. [b1251]
TM-ht a *rossouwi* Thestor 83:155, f
- Dickson 1971 In Life Hist. S. Afr. Lyc. Butts [b1252]
- c *clarki* Lycæna :7-10
- Dickson 1972 Ent. Rec. [b1253]
- b *capeneri* Thestor 84:253, f
- Dickson 1973 Ent. Rec. [b1254]
- b *krooni* Castalius 85(6):137, f
- Dickson 1974 Ent. Rec. [b1255]
- b *junæ* Lepidochrysops 86:65
- Dickson 1975 Ent. Rec. [b1256]
- a *cottrelli* Poecilmitis 87:225
- a *daphne* Poecilmitis 87:227, f
- a *hyperion* Poecilmitis 87:229, f
- Dickson 1976 Ent. Rec. [b1257]
- a *bamptoni* Poecilmitis 88(11):280, f
- a *henningi* Leptomyrina 88(11):275, f
- b *pamelæ* Epamera 88(11):278
- a *pringlei* Thestor 88(12):309, f
- a *titel* Lepidochrysops 88(11):273
- Dickson 1977 Ent. Rec. [b1258]
- a *pringlei* Phasis 89(12):317
- Dickson 1978 Ent. Rec. [b1260]
- b *hantamsbergæ* Poecilmitis 90(12):293, f
- a *stepheni* Poecilmitis 90(12):294, f
- Dickson 1979-1980 Ent. Rec. [b1261]
- b 1980 *henningi* Stuzeta 92(1):5, f
- b 1980 *mijiburghi* Trimenia 92(2):43, f
- b 1980 *reynoldsi* Stuzeta 92(1):3, f
- b 1980 *tearei* Stuzeta 92(2):38, f
- a 1980 *wykehami* Poecilmitis 92(2):38-44
- Dickson 1980 Ent. Rec. [b1262]
- a *balli* Poecilmitis 92(11/12):294-297
- Dickson 1980 Ent. Rec. [b1263]
- b *maryæ* Argyrocupha 92(11/12):297-300
- Dickson 1981-1982 Ent. Rec. [b1264]
- b 1981 *claassensi* Lepidochrysops 93(1/2):32-34
- b 1982 *margueritæ* Poecilmitis 94(4):41-44
- b 1982 *zwartbergæ* Poecilmitis 94(4):41-44
- Dickson 1982-1983 Ent. Rec. [b1265]
BMNH-ht a 1982 *pringlei* Lepidochrysops 94(11/12):222
TM-ht a 1983 *carolynnae* Aloecides 95(1/2):4, f 4
BMNH-ht a 1983 *wykehami* Crudaria 95(1/2):1, f 2
- Dickson 1985 Ent. Rec. [b1266]
TM-ht a *balli* Lepidochrysops 97(1/2):1, f 3
- Dickson & McMaster 1967 Ent. Rec. [b1267]
- b *amatola* Poecilmitis 79:209
- Dickson & Stephen 1971 Ent. Rec. [b1268]
- a *kaplani* Thestor 83:131
- Dickson & Stephen 1971 Ent. Rec. [b1269]
- b *penningtoni* Myrina 83:255, f
- Dickson & Stephen 1975 Ent. Rec. [b1270]
- b *cedrusmontana* Argyrocupha 87:129, f
- Dickson & Wykeham 1974 Ent. Rec. [b1271]
- b *cedarbergæ* Phasis 86:177, f
- Dietrich 1931 Ent. Rundsch. [b1273]
- e *ab. bivittata* Lycæna 48(13):133, f
- Dietzel 1990 Folia Mus. Hist.-Nat. Bakonyiensis [b1275]
- b *annarion* Maculinea 9:75
- Dietzel 1991 Folia Mus. Hist.-Nat. Bakonyiensis [b1276]
- e *ab. dahlstroemi* Pseudophilotes 10:82
- e *ab. erythiana* Lysandra 10:82
- Dils & van der Poorten 1985 Phegea [b1277]
- b *hephestos* Thersamonia 13(4):109, f
- Diószeghy 1912 Rovart. Lap. [b1278]
- e *ab. czernyi* Scolitantides 19:128
- Diószeghy 1912 Rovart. Lap. [b1279]
- e *ab. czernyi* Maculinea 19:144
- Diószeghy 1913 Rovart. Lap. [b1280]
-lt b *hungarica* Lycæna 20:108
- e *ab. rothschildi* Lycæna 20:109
- e *ab. vargai* Lycæna 20:109
- Diószeghy 1913 Rovart. Lap. [b1281]
- e *ab. bimaculatus* Chrysophanus 20:194
- e *ab. gabori* Chrysophanus 20:193
- e *ab. minor* Chrysophanus 20:194
- Diószeghy 1930 Verh. Mitt. siebenb. Ver. Naturw. [b1282]
- e *ab. czekeli* Lycæna 79-80:216

- Distant 1881 Ent. mon. Mag. [b1283]
- a *giganteus* Iolaus 17:245
- Distant 1882 Ann. Mag. nat. Hist. [b1284]
- b *lambi* Polymnatus (5)10:245
- b *moorei* Sithon (5)10:246
- Distant 1882-1886 Rhop. malayana [b1285]
- a 1884 *biggsii* Gerydus :206, pl 22
BMNH-ht a 1884 *felderi* Curetis :203, pl 22
- b 1884 *horsfieldi* Neopithecopus :210, pl 22
- a 1884 *malayica* Logania :208, pl 22
- b 1884 *relata* Tajuria :246, pl 21
- b 1885 *barthema* Deudorix :280
- b 1885 *boswelliana* Iroata :258, pl 22
BMNH-ht c 1885 *farquhari* Narathura :264, pl 23
- a 1885 *kurzi* Narathura :268, pl 21
- b 1885 *maxwelli* Narathura :263, pl 23
- b 1885 *sequeira* Deudorix :278, pl 23
- b 1885 *singapura* Panchala :273
- c 1885 *utimutis* Deudorix :279, pl 23
ZMHU-ht a 1886 *abdul* Lampides :456, pl 44
ZMHU-lt c 1886 *alkamah* Allotinus :452, pl 44
- b 1886 *amata* Sinthusa :461, pl 44
- b 1886 *exiguus* Everes :455, pl 44
ZMHU-ht a 1886 *gama* Neocheritra :462, text-fig
BMNH-ht c 1886 *halba* Horaga :460, pl 44
ZMHU-lt d 1886 *mila* Iroata (H) :462, pl 44
- Distant 1884 Ann. Mag. nat. Hist. [b1286]
- a *cassiopeia* Loxura (5)14:200
- a *morphina* Panchala (5)14:201
- a *trogon* Panchala (5)14:201
- Distant 1886 Ann. Mag. nat. Hist. [b1287]
- c *aethiops* Lycaenesthes (5)17:253
- b *kerriana* Nacaduba (5)17:253
- a *livens* Deramas (5)17:252
- Distant 1886 Ann. Mag. nat. Hist. [b1288]
- c *bagus* Polymnatus (5)17:532
ZMHU-lt b *sriwa* Logania (5)17:531
- a *usta* Zizera (5)17:531
- Distant 1886 Entomologist [b1289]
- c *fulgens* Simiskina 19:12
- Distant & Pryer 1887 Ann. Mag. nat. Hist. [b1290]
- a *etias* Hypolycaena (5)19:268
BMNH-ht a *fabius* Paragerydus (5)19:266
- c *minima* Curetis (5)19:265
- d *obscura* Logania (H) (5)19:266
- b *pellonia* Poritia (5)19:265
- b *petronius* Gerydus (5)19:266
- Dognin 1887 Naturaliste [b1293]
BMNH-lt a *martha* Lycaena 9=(2)1(16):190
BMNH-lt a *ramon* Lycaena 9=(2)1(16):189
- Dognin 1891 Naturaliste [b1294]
- a *dryades* Baecotis 13=(2)5:125
- b *turna* Eurybia 13=(2)5:125
- a *vidali* Lymnas 13=(2)5:125
- Dognin 1893 Anns Soc. ent. Belg. [b1296]
- b *agnilata* Mesosemia 37:156
- Dognin 1895 Anns Soc. ent. Belg. [b1297]
BMNH-ht a *amatista* Thecla 39:106
BMNH-ht a *faga* Thecla 39:105
BMNH-ht a *joya* Thecla 39:106
- Doherty 1886 J. asiat. Soc. Bengal, Pt II [b1298]
- b *mandara* Thecla 55(2):130
- a *yajna* Remelana 55(2):128
- Doherty 1886 J. asiat. Soc. Bengal, Pt II [b1299]
- b *airavati* Discolampa 55(3):261
- Doherty 1889 J. asiat. Soc. Bengal, Pt II [b1300]
USNM a *fulgens* Pithecopus 58(1):127, pl 10
- b *harterti* Massaga 58(1):128, pl 10
- Doherty 1889 J. asiat. Soc. Bengal, Pt II [b1301]
- a *ancon* Gerydus 58(4):438, pl 23
BMNH-ht b *artegal* Flos 58(4):423, pl 23
BMNH-ht a *belpheobe* Arhopala 58(4):421, pl 23
- a *croton* Gerydus 58(4):439, pl 23
BMNH-ht b *duessa* Arhopala 58(4):419, pl 23
- a *florimel* Surendra 58(4):424, pl 23
- a *hellenore* Arhopala 58(4):422, pl 23
- a *meleena* Cyaniris 58(4):434, pl 23
- a *mergula* Chliaria 58(4):427, pl 23
BMNH-ht b *mirabella* Arhopala 58(4):420, pl 23
- b *nicevillei* Biduanda 58(4):425, pl 23
BMNH-ht c *pastorella* Arhopala 58(4):418, pl 23
- b *perissa* Arhopala 58(4):419, pl 23
- b *scudderii* Biduanda 58(4):425, pl 23
- a *taras* Paragerydus 58(4):437
- b *tavoyana* Poritia 58(4):429
- c *umbriel* Everes 58(4):433, pl 23
- Doherty 1890 In Butts India Burma Ceylon [b1302]
- a *mahanetra* Taraka 3:59
- Doherty 1891 J. asiat. Soc. Bengal, Pt II [b1303]
BMNH-ht b *ahamus* Flos 60(1):33, pl 1
BMNH-ht a *ammonides* Acesina 60(1):34
BMNH-ht a *ariel* Acesina 60(1):33
- b *assamensis* Gerydus 60(1):37, pl 1
- b *elpidion* Lampides 60(1):28
- a *heracleion* Gerydus 60(1):36
BMNH-ht b *khamti* Arhopala 60(1):32, pl 1
BMNH-ht b *massalia* Logania 60(1):37
- c *telanjang* Lampides 60(1):28
BMNH-ht a *zephyretta* Acesina 60(1):33
- Doherty 1891 J. asiat. Soc. Bengal, Pt II [b1304]
- c *acragas* Gerydus 60(2):186
- a *anops* Lampides 60(2):183, pl 2
- a *aspra* Sinthusa 60(2):180
BMNH-ht b *gaura* Nacaduba 60(2):181, pl 2
- b *kiritana* Curetis 60(2):179
- b *laura* Nacaduba 60(2):181 or 182
- c *pseustis* Nacaduba 60(2):182
- b *teos* Gerydus 60(2):185
- Dohm 1899 Stett. ent. Ztg [b1305]
- b *nicevillei* Dodona 60:245, pl 1
- Doi 1931 J. Chos. Nat. Hist. [b1307]
- c *ab. souyoensis* Zephyrus (12):48, f
- Doi & Cho 1931 J. Chos. Nat. Hist. [b1308]
- c *gaimana* Zephyrus (12):50, f
- Donovan 1800-1804 Epitome Ins. India [b1310]
- d 1800 *xenophon* Papilio (H) :[44], pl 41
- Donovan 1805 Epitome Ins. New Holland [b1311]
- a *evagoras* Papilio sig.F:[1], pl 30
- Donzel 1847 Anns Soc. ent. Fr. [b1312]
- a *zohra* Cigaritis (2)5:528, pl 8
- dos Passos 1938 Can. Ent. [b1314]
AMNH-ht b *browni* Lycaena 70(3):45, pl 2
AMNH-ht b *buchholzi* Plebeius 70(3):46, pl 2
AMNH-ht b *gertschi* Plebeius 70(3):46, pl 2
AMNH-ht b *lutzi* Plebeius 70(3):48, pl 2

- dos Passos 1940 Amer. Mus. Novit. [b1315]
AMNH-ht a *sanfordi* *Erora* (1052):1
- dos Passos 1940 Can. Ent. [b1316]
AMNH-ht b *doudoroffi* *Incisalia* 72(8):168
- dos Passos 1943 Amer. Mus. Novit. [b1317]
AMNH-ht b *annetteae* *Incisalia* (1230):3
AMNH-ht b *helenae* *Incisalia* (1230):2
AMNH-ht b *margaretae* *Incisalia* (1230):4
- dos Passos 1964 Mem. Lep. Soc. [b1321]
- e *macdunnoughi* *Lycæna* (UE) (1):61
- e *macdunnoughi* *Glaucoopsyche* (ISS) (1):68
- d *macfarlandi* *Sandia* (UE) (1):59
- e *quesnelii* *Celastrina* (ISS) (1):69
- dos Passos 1970 J. Lep. Soc. [b1322]
- e *demon* *Mitoura* (ISS) 24(1):32
- e *soepium* *Satyrion* (ISS) 24(1):28
- Doubleday 1841 Entomologist [b1325]
BMNH-ht a *lygdamus* *Polyommatus* 1:209
- Doubleday 1843 In Dieffenbach [b1326]
- c *edna* *Lycæna* 2(appx):283
- Doubleday 1844-1848 List Spec. lep. Brit. Mus. [b1327]
- e 1847 *acessor* *Eurygona* (NN) (2):6
- e 1847 *acte* *Nymphidium* (NN) (2):10
- e 1847 *admeta* *Nymphidium* (NN) (2):10
- e 1847 *agdestis* *Nymphidium* (NN) (2):11
- e 1847 *amastus* *Charis* (NN) (2):17
BMNH e 1847 *amicetus* *Polyommatus* (NN) (2):55
- e 1847 *amphissa* *Charis* (NN) (2):17
- e 1847 *anthele* *Polyommatus* (NN) (2):55
- e 1847 *celsus* *Eurygona* (NN) (2):5
- e 1847 *clinias* *Cremna* (NN) (2):14
- e 1847 *cratida* *Emesis* (NN) (2):9
- e 1847 *crenice* *Stalactis* (NN) (2):19
- e 1847 *critheis* *Bacotis* (NN) (2):12
- e 1847 *cydon* *Eurygona* (NN) (2):6
- e 1847 *cymo* *Nymphidium* (NN) (2):10
- e 1847 *dialis* *Mesosemia* (NN) (2):14
- e 1847 *epigelon* *Eurygona* (NN) (2):5
- e 1847 *esther* *Taxila* (NN) (2):2
- c 1847 *eumedes* *Hypophylla* (2):9
- e 1847 *ewrycida* *Pandemos* (NN) (2):7
- e 1847 *eurypo* *Eurygona* (NN) (2):5
- e 1847 *fatna* *Taxila* (NN) (2):2
- e 1847 *geris* *Calospila* (NN) (2):15
- e 1847 *glisa* *Mesene* (NN) (2):7
- e 1847 *hesiona* *Charis* (NN) (2):17
- e 1847 *hugo* *Thecla* (ISS) (2):32
- e 1847 *hypoxanthe* *Polyommatus* (nn) (2):55
- e 1847 *iabda* *Mesene* (NN) (2):7
- e 1847 *ipsia* *Theope* (NN) (2):7
- e 1847 *ismena* *Charis* (NN) (2):16
- e 1847 *laius* *Lycæna* (ISS) (2):44
- e 1847 *lamaeus* *Bacotis* (NN) (2):12
- e 1847 *lampedo* *Mesene* (NN) (2):7
- e 1847 *latois* *Nymphidium* (NN) (2):10
- e 1847 *lycortas* *Emesis* (NN) (2):9
- e 1847 *lycoris* *Mesene* (NN) (2):7
- e 1847 *maeonis* *Emesis* (NN) (2):9
- e 1847 *maeonis* *Setabis* (NN) (2):19
- e 1847 *melpe* *Limnas* (NN) (2):17
- e 1847 *meno* *Bacotis* (NN) (2):11
- e 1847 *mesomedes* *Bacotis* (NN) (2):12
- e 1847 *monina* *Calospila* (NN) (2):15
- e 1847 *navia* *Limnas* (NN) (2):18
- e 1847 *neomeris* *Stalactis* (NN) (2):19
- e 1847 *nomaea* *Emesis* (NN) (2):9
- Doubleday 1844-1848 List Spec. lep. Brit. Mus. [b1327]
(continued)
- e 1847 *oceia* *Theope* (NN) (2):6
- e 1847 *perimela* *Charis* (NN) (2):16
- e 1847 *phedyma* *Calydna* (NN) (2):5
- e 1847 *phormis* *Limnas* (2):17
- e 1847 *phoronis* *Lemonias* (NN) (2):16
- e 1847 *phya* *Limnas* (NN) (2):18
- e 1847 *phyllodoce* *Stalactis* (NN) (2):19
- e 1847 *planina* *Bacotis* (NN) (2):12
- e 1847 *priene* *Symmachia* (NN) (2):9
BMNH-ht a 1847 *pseudocentaurus* *Amblypodia* (2):24
- e 1847 *pseudolonginus* *Amblypodia* (NN)(2):23 or 24
- e 1847 *reda* *Mesene* (NN) (2):7
- e 1847 *scaea* *Nymphidium* (NN) (2):11
- e 1847 *selinus* *Cremna* (NN) (2):14
- e 1847 *silenus* *Strymon* (ISS) (2):31
- e 1847 *tenes* *Tanitis* (2):19
- e 1847 *tharybas* *Mesosemia* (NN) (2):13
- Downey 1970 In Trans. amer. ent. Soc. [b1341]
T *fulla* *Lycæna* 96:386
T *helios* *Lycæna* 96:392
T *lycea* *Lycæna* 96:396
T *pembina* *Lycæna* 96:401
- Downey & Allyn 1980 J. Lep. Soc. [b1342]
- e *hieronymni* *Euselasia* (ISS) 34(2):142
- e *penninsularis* *Lasia* (ISS) 34(2):136
- Draeseke 1925 In Deut. ent. Zeit. [Iris] [b1345]
- a *stotzneri* *Ilerda* 39:223
- Drapier 1819 Ann. Sc. Phys. Brux. [b1347]
- c *coelestis* *Polyommatus* 2:354, pl 30
- c *hecateus* *Polyommatus* 2:335, pl 30
- Draudt 1917-1924 In Seitz, Grossschmett. Erde [b1348]
NMB-ht a [1919] *adunca* *Thecla* 5:759, pl 153
- c [1919] *anastomosis* *Thecla* 5:766, pl 151-b
NMB-ht a [1919] *anosma* *Thecla* 5:760, pl 153-h
NMB a [1919] *assula* *Thecla* 5:748, pl 149-g
- a [1919] *atymnides* *Thecla* 5:758, pl 153-e
NMB a [1919] *aurorina* *Thecla* 5:755, pl 159-a
NMB a [1919] *aurugo* *Thecla* 5:759, pl 153-g
NMB-ht a [1919] *bilix* *Thecla* 5:759, pl 153-g
- c [1919] *brasiliensis* *Euræus* 5:745
- a [1919] *cillutincarae* *Thecla* 5:758, pl 153-e
- c [1919] *costaricensis* *Euræus* 5:745, pl 146-b
- c [1919] *dealbata* *Thecla* 5:752, pl 149-g
NMB-ht a [1919] *dignota* *Thecla* 5:754, pl 153-b
NMB c [1919] *dissentanea* *Thecla* 5:758, pl 153-e
BMNH a [1919] *dysmenia* *Theorema* 5:745, pl 153-a
- a [1919] *ella* *Thecla* 5:750, pl 148-b
NMB c [1919] *extrema* *Thecla* 5:754, pl 153-d
- e [1919] *harietta* *Thecla* (ISS) 5:750
- c [1919] *lauta* *Thecla* 5:768, pl 152-a
- c [1919] *lincoides* *Thecla* 5:757, pl 150-c
NMB c [1919] *margaritacea* *Thecla* 5:755, pl 153-b
NMB a [1919] *peonia* *Thecla* 5:754, pl 159-a
MZSP-ht a [1919] *pura* *Thecla* 5:764, pl 154-e
- a [1919] *quindiensis* *Thecla* 5:758, pl 153-e
NMB a [1919] *salaeides* *Thecla* 5:754, pl 159-a
- e [1919] *selica* *Thecla* (ISS) 5:768, pl 152-c
- c [1919] *socorrensis* *Thecla* 5:758
- e [1919] *stictos* *Thecla* (ISS) 5:764, pl 151-a
- a [1920] *aepeona* *Thecla* 5:793, pl 157-h
- a [1920] *aguaca* *Thecla* 5:799, pl 158-f
NMB a [1920] *arpoidea* *Thecla* 5:775, pl 155-a
MNHN-ht a [1920] *catharina* *Thecla* 5:788, pl 156-k
- a [1920] *centuncula* *Thecla* 5:805, pl 159-f
NMB a [1920] *cetra* *Thecla* 5:776, pl 155-e
MZSP-ht a [1920] *clarissa* *Thecla* 5:797, pl 158-d

Draudt 1917-1924 In Seitz, Grossschmetz. Erde. [b1348]

(continued)

-	c	[1920]	<i>couperii</i> Lycaena	5:816, pl 144-d
MNHN-lt	a	[1920]	<i>crispisulcans</i> Thecla	5:799, pl 158-g
--	e	[1920]	<i>crossaia</i> Thecla (ISS)	5:809
-	a	[1920]	<i>cyanus</i> Thecla	5:796, pl 158-c
-	c	[1920]	<i>deserta</i> Thecla	5:779, pl 151-k
-	a	[1920]	<i>dicina</i> Thecla	5:803, pl 159-b
-	b	[1920]	<i>echiolus</i> Thecla	5:786, pl 156-f
--	e	[1920]	<i>erissus</i> Thecla (ISS)	5:776
MP	a	[1920]	<i>euphychia</i> Thecla	5:811, pl 145-1
-	e	[1920]	(-) <i>f. feminalis</i> Thecla	5:785
-	a	[1920]	<i>geminata</i> Thecla	5:796, pl 158-b
--	e	[1920]	<i>jambe</i> Thecla (ISS)	5:802, pl 158-1
-	a	[1920]	<i>margarita</i> Thecla	5:793, pl 157-i
-	c	[1920]	<i>meridionalis</i> Thecla	5:785, pl 156-b
-	a	[1920]	<i>mimula</i> Thecla	5:793, pl 157-g
-	a	[1920]	<i>netesca</i> Thecla	5:795, pl 158-a
-	a	[1920]	<i>panamensis</i> Thecla	5:801, pl 158-i
-	c	[1920]	<i>paulina</i> Thecla	5:781
-	a	[1920]	<i>phacana</i> Thecla	5:790, pl 157-d
-	a	[1920]	<i>pupilla</i> Thecla	5:801, pl 158-i
NMB	■	[1920]	<i>purissima</i> Thecla	5:788, pl 156-k
MNHN-lt	a	[1920]	<i>quassa</i> Thecla	5:784, pl 156-a
-	■	[1920]	<i>renidens</i> Thecla	5:793, pl 157-h
NMB	a	[1920]	<i>senta</i> Thecla	5:783, pl 156-a
-	a	[1920]	<i>simasca</i> Thecla	5:794, pl 157-k
pc	a	[1920]	<i>sospes</i> Thecla	5:788, pl 155-e
-	a	[1920]	<i>suda</i> Thecla	5:796, pl 158-b
-	a	[1920]	<i>viola</i> Thecla	5:791, pl 157-e
-	c	[1920]	<i>virginia</i> Thecla	5:778
--	e	[1921]	<i>astenidia</i> Hemiargus (ISS)	5:819
-	a	[1921]	<i>bogotana</i> Hemiargus	5:819, pl 144k
SMF-ht	a	[1921]	<i>inconspicua</i> Itylos	5:822, pl 144-m
-	a	[1921]	<i>paeis</i> Itylos	5:821, pl 144-1
--	e	[1921]	<i>sybilla</i> Scolitantides (ISS)	5:822
SMF-ht	a	[1921]	<i>syphipis</i> Scolitantides	5:823, pl 144-n

H. H. Druce 1885 Ent. mon. Mag. [b1349]

-	a	<i>clymenus</i> Spindasis	22:155
-	a	<i>silarus</i> Iolaus	22:155
-	b	<i>theodora</i> Iolaus	22:155

H. H. Druce 1887 Ent. mon. Mag. [b1350]

-	c	<i>dexamene</i> Nacaduba	23:203
BMNH-ht	c	<i>gemma</i> Nacaduba	23:204
-	a	<i>odana</i> Deudorix	23:204
-	a	<i>petunia</i> Jamides	23:203

H. H. Druce 1888 Ent. mon. Mag. [b1351]

-	a	<i>agrippina</i> Pseudaletis	24:259
---	---	------------------------------	--------

H. H. Druce 1888 Ent. mon. Mag. [b1352]

-	c	<i>albula</i> Larinopoda	25:108
-	a	<i>helena</i> Pseuderesia	25:108
-	c	<i>f. melissa</i> Teriomima	25:109
-	c	<i>rubrica</i> Liptena	25:108
-	c	<i>tripunctata</i> Tingra	25:109

H. H. Druce 1890 Ann. Mag. nat. Hist. [b1353]

-	■	<i>aspidos</i> Larinopoda	(6)5:25
-	■	<i>caerulea</i> Deudorix	(6)5:28
-	■	<i>iaspis</i> Iolaus	(6)5:30
-	■	<i>kadiskos</i> Hypolycaena	(6)5:27
-	a	<i>lemolea</i> Spalgis	(6)5:26
-	a	<i>liara</i> Hypolycaena	(6)5:27
BMNH	a	<i>lithas</i> Lycaenesthes	(6)5:24
-	a	<i>lukabas</i> Iolaus	(6)5:30
-	■	<i>menas</i> Iolaus	(6)5:29
-	■	<i>paneperata</i> Iolaus	(6)5:30
-	■	<i>pilos</i> Spalgis	(6)5:27
-	■	<i>pinodes</i> Epiola	(6)5:24
BMNH-ht	■	<i>steirema</i> Pithecopis	(6)5:25

H. H. Druce 1890 Ent. mon. Mag. [b1354]

pc	a	<i>cydonia</i> Thecla	26:152
pc	a	<i>erons</i> Thecla	26:151
pc-ht	a	<i>ion</i> Thecla	26:151
BMNH-ht	a	<i>lemnos</i> Thecla	26:152
pc	a	<i>stigmatos</i> Thecla	26:152
pc	c	<i>stiktos</i> Thecla	26:151
BMNH-ht	b	<i>teleontes</i> Thecla	26:152

H. H. Druce 1891 Ann. Mag. nat. Hist. [b1355]

-	c	<i>barbatus</i> Ploedeudorix	(6)7:366
-	a	<i>virgata</i> Kopelates	(6)7:365

H. H. Druce 1891 Ann. Mag. nat. Hist. [b1356]

-	c	<i>jamesoni</i> Argiolaus	(6)8:145
-	c	<i>lekanion</i> Argiolaus	(6)8:144
-	c	<i>prometheus</i> Tanneheira	(6)8:149

H. H. Druce 1891 Trans. ent. Soc. Lond. [b1357]

BMNH-ht	b	<i>atromarginata</i> Hypochrysops	39(2):182
-	b	<i>masu</i> Lampides	39(2):184, pl 2
BMNH-lt	b	<i>rovena</i> Hypochrysops	39(2):184

H. H. Druce 1891 Proc. zool. Soc. Lond. [b1358]

-	a	<i>amarauge</i> Jamides	1891(3):366
BMNH-ht	b	<i>amara</i> Nacaduba	1891(3):361
-	a	<i>areas</i> Lampides	1891(3):368
-	a	<i>arienis</i> Epimastidia	1891(3):365
BMNH-ht	b	<i>caliginosa</i> Prosotas	1891(3):366
-	b	<i>cephis</i> Thysonotis	1891(3):364
-	a	<i>cephion</i> Jamides	1891(3):367
-	b	<i>chromia</i> Thysonotis	1891(3):365
BMNH-ht	b	<i>euretes</i> Nacaduba	1891(3):360
BMNH-ht	b	<i>eurisus</i> Arhopala	1891(3):370
BMNH-ht	a	<i>keiria</i> Nacaduba	1891(3):362
BMNH-ht	b	<i>korene</i> Nacaduba	1891(3):361
-	a	<i>kruera</i> Thysonotis	1891(3):364
BMNH-ht	b	<i>ligamenta</i> Nacaduba	1891(3):361
BMNH-ht	b	<i>maniana</i> Nacaduba	1891(3):361
-	b	<i>plumbata</i> Nacaduba	1891(3):359
-	a	<i>soemias</i> Jamides	1891(3):367
BMNH-ht	a	<i>ugiensis</i> Nacaduba	1891(3):360
BMNH-ht	b	<i>vincula</i> Nacaduba	1891(3):363
-	b	<i>viridens</i> Deudorix	1891(3):371
-	a	<i>woodfordi</i> Deudorix	1891(3):371

H. H. Druce 1892 Proc. zool. Soc. Lond. [b1359]

-	b	<i>kava</i> Jamides	1892(3):443
BMNH-ht	a	<i>mallicollo</i> Nacaduba	1892(3):439
-	a	<i>mathewi</i> Deudorix	1892(3):446
BMNH-ht	a	<i>nebulosa</i> Nacaduba	1892(3):440
BMNH-ht	a	<i>novaehebridensis</i> Nacaduba	1892(3):438
BMNH-ht	a	<i>samoensis</i> Nacaduba	1892(3):437
-	a	<i>walkeri</i> Jamides	1892(3):443

H. H. Druce 1894 Ent. mon. Mag. [b1360]

BMNH-ht	a	<i>elopura</i> Arhopala	30:10
---------	---	-------------------------	-------

H. H. Druce 1894 Ann. Mag. nat. Hist. [b1361]

ZMHU-ht	b	<i>humboldti</i> Pseudonotis	(6)13:252
BMNH-st	b	<i>leo</i> Arhopala	(6)13:254
-	b	<i>pilumna</i> Epimastidia	(6)13:253

H. H. Druce 1895 Proc. zool. Soc. Lond. [b1362]

-	e	<i>ab. absens</i> Paragyrydus	1895(3):562
ZMHU-ht	c	<i>affinis</i> Horaga	1895(3):611
BMNH-lt	c	<i>albula</i> Mamessus	1895(3):617
BMNH-lt	b	<i>audax</i> Allostinus	1895(3):565
ZMHU-lt	b	<i>calculus</i> Pratapa	1895(3):598
ZMHU-lt	b	<i>cato</i> Tajuria	1895(3):601
ZMHU-lt	c	<i>corniculum</i> Horaga	1895(3):611
ZMHU-lt	b	<i>cyrus</i> Tajuria	1895(3):600
ZMHU-lt	b	<i>devana</i> Pratapa	1895(3):597
-	a	<i>dilectissima</i> Cyaniris	1895(3):571

- H. H. Druce 1895 Proc. zool. Soc. Lond. [b1362] (continued)
- ZMHU-st a *dominus* Tajuria 1895(3):600
- ZMHU-ht c *drasmos* Rapala 1895(3):624
- b *metallicus* Lampides 1895(3):582
- b *gigas* Gerydus 1895(3):559
- BMNH-ht a *gone* Mahathala 1895(3):593
- BMNH-ht c *hewitsonii* Biduanda 1895(3):615
- BMNH-ht c *imitata* Biduanda 1895(3):617
- b *innocens* Gerydus 1895(3):560
- b *jusana* Jacoona 1895(3):609
- a *kinabala* Arhopala 1895(3):592
- ZMHU-lt b *laima* Rapala 1895(3):624
- ZMHU-lt a *limes* Lampides 1895(3):581
- b *lividus* Lampides 1895(3):584
- a *lowii* Arzenothrix 1895(3):596
- c *lucidus* Pratapa 1895(3):596
- a *lucine* Nacaduba 1895(3):577
- ZMHU-ht c *lugra* Cyaniris 1895(3):573
- a *major* Catapaecilma 1895(3):612
- c *metasuja* Jacoona 1895(3):609
- ZMHU-lt b *mimima* Chliaria 1895(3):605
- ZMHU7-st c *moorei* Paragerydus 1895(3):562
- BMNH-ht b *ninoda* Drina 1895(3):619
- ZMHU-lt c *ochracea* Cheritra 1895(3):610
- b *olivia* Rapala 1895(3):622
- ZMHU-lt a *phakos* Poniskina 1895(3):570
- ZMHU-lt c *phaluke* Poritia 1895(3):567
- ZMHU-lt a *phama* Poritia 1895(3):568
- ZMHU-ht b *phare* Poritia 1895(3):567
- ZMHU-lt b *phemis* Hypolycaena 1895(3):604
- ZMHU-ht a *philura* Poritia 1895(3):569
- ZMHU-lt a *phormedon* Poritia 1895(3):566
- BMNH-ht b *phuste* Cyaniris 1895(3):573
- ZMHU-ht a *placidula* Cyaniris 1895(3):572
- ZMHU-ht b *planta* Cyaniris 1895(3):574
- b *reter* Niphanda 1895(3):576
- BMNH-ht a *ripte* Cyaniris 1895(3):574
- a *sannio* Pratapa 1895(3):596
- ZMHU-ht a *selma* Cyaniris 1895(3):573
- BMNH-ht a *similis* Athopala 1895(3):592
- BMNH-ht c *similis* Biduanda 1895(3):616
- ZMHU-lt b *skapane* Hypolycaena 1895(3):604
- ZMHU-lt b *staudingeri* Binduana 1895(3):615
- ZMHU-ht a *staudingeri* Deudorix 1895(3):621
- ZMHU-lt b *staudingeri* Logania 1895(3):565
- ZMHU-ht b *strophis* Cyaniris 1895(3):573
- BMNH-ht b *surindra* Marmessus 1895(3):617
- BMNH-ht b *thaenia* Biduanda 1895(3):614
- ZMHU-lt b *tussis* Tajuria 1895(3):601
- c *vincula* Gerydus 1895(3):561
- ZMHU-ht a *virgulatus* Lampides 1895(3):581
- a *waterstradti* Tarucus 1895(3):585
- BMNH-lt c *waterstradti* Paragerydus 1895(3):562
- BMNH-ht a *zebra* Lampides 1895(3):583
- H. H. Druce 1896 Ann. Mag. nat. Hist. [b1363]
- a *lalos* Argiolaus (6)17:286
- a *mermis* Epamera (6)17:285
- H. H. Druce 1896 Ent. mon. Mag. [b1364]
- ZMHU-ht a *anna* Lehera 32:78
- H. H. Druce 1896 Proc. zool. Soc. Lond. [b1365]
- c *atra* Marmessus 1896(3):679
- ZMHU-st a *berenis* Tajuria 1896(3):674
- ZMHU-lt b *dacia* Tajuria 1896(3):674
- b *daones* Lampides 1896(3):656
- ZMHU-lt b *improbis* Gerydus 1896(3):651
- ZMHU-lt c *licinius* Mantoides 1896(3):677
- BMNH-lt a *melos* Paragerydus 1896(3):652
- d *ninoda* Drina (H & JOS) 1896(3):680, f
- b *sonchus* Cyaniris 1896(3):655
- H. H. Druce 1896 Proc. zool. Soc. Lond. [b1365] (continued)
- ZMHU-lt b *strephanus* Deudorix 1896(3):681
- H. H. Druce 1897 Ann. Mag. nat. Hist. [b1366]
- b *lampros* Thysonotis (6)19:16
- BMNH-ht c *mneia* Philiris (6)19:15
- BMNH-ht b *speirion* Philiris (6)19:15
- c *theleos* Philiris (6)19:15
- H. H. Druce 1902 Proc. zool. Soc. Lond. [b1367]
- a *amethystus* Horaga 1902(II)(1):118
- BMNH-ht c *atromarginata* Nacaduba 1902(II)(1):113
- BMNH-lt b *brunnea* Hypochrysops 1902(II)(1):113
- c *ceramicum* Hypochrysops 1902(II)(1):115
- a *clementi* Ialmenus 1902(II)(1):120
- c *khasia* Talicada 1902(II)(1):113
- c *pallescens* Tajuria 1902(II)(1):116
- a *purpurea* Una 1902(II)(1):114
- a *sappirus* Epamera 1902(II)(1):117
- H. H. Druce 1903 Ann. Mag. nat. Hist. [b1368]
- b *f. brenda* Larinopoda (7)11:69 (as 9)
- c *gordoni* Epitola (7)11:70
- a *gordoni* Pseuderisia (7)11:69
- c *mirabilis* Epamera (7)11:71 (male)
- H. H. Druce 1904 Ann. Mag. nat. Hist. [b1369]
- a *hebes* Thysonotis (7)13:140
- a *lucullus* Tajuria (7)13:141
- BMNH-ht a *pruina* Candalides (7)13:140
- a *stigmata* Tajuria (7)13:141
- H. H. Druce 1904 Proc. zool. Soc. Lond. [b1370]
- b *anica* Mesosemia 1904(I)(2):483
- b *augea* Nymphidium 1904(I)(2):488
- c *auria* Lemonias 1904(I)(2):487
- a *axilla* Mesosemia 1904(I)(2):483
- b *aza* Chemna 1904(I)(2):485
- b *caerulescens* Eurybia 1904(I)(2):482
- a *candace* Nymphidium 1904(I)(2):487
- b *candara* Mesosemia 1904(I)(2):484
- a *candaria* Eurygona 1904(I)(2):481
- b *candiope* Charis 1904(I)(2):406
- b *canidia* Stalactis 1904(I)(2):488
- a *carderi* Mesosemia 1904(I)(2):485
- b *mandosa* Charis 1904(I)(2):486
- b *medusa* Nymphidium 1904(I)(2):487
- c *mendita* Erycina 1904(I)(2):485
- a *minuta* Nymphidium 1904(I)(2):487
- a *myrtis* Charis 1904(I)(2):486
- b *ocalea* Eurygona 1904(I)(2):481
- b *paramba* Mesosemia 1904(I)(2):483
- a *parishi* Mesosemia 1904(I)(2):485
- a *peculiaris* Siseme 1904(I)(2):486
- b *sinnaces* Eurybia 1904(I)(2):482
- b *striata* Aricoris 1904(I)(2):488
- H. H. Druce 1905 In Trans. ent. Soc. Lond. [b1372]
- b *anadema* Lycaenesthes 53(2):258, pl 13
- a *cooksoni* Erikssonina 53(2):255
- a *eukrines* Liptena 53(2):253, pl 13
- a *euprepes* Iridopsis 53(2):254, pl 13
- b *kallimon* Spindasis 53(2):254, pl 13
- BMNH-ht a *pampolis* Catochrysops 53(2):258, pl 13
- BMNH-ht a *skotlos* Catochrysops 53(2):259, pl 13
- a *trimeni* Cooksonia 53(2):257, pl 13
- H. H. Druce 1907 Trans. ent. Soc. Lond. [b1373]
- a *menelas* Spindasis 55(1):80, pl 2
- a *neokoton* Mimacraea 55(1):79, pl 2
- a *rogersi* Telipna 55(1):78, pl 2
- a *skoptoles* Mimacraea 55(1):78, pl 2

H. H. Druce 1907 Ann. Mag. nat. Hist. [b1374]
 - a *mandersi* Nacaduba (7)20:219, pl 39

H. H. Druce 1907 Proc. zool. Soc. Lond. [b1375]
 BMNH-ht c *alatus* Thecla 1907(3):579
 BMNH c *amplitudo* Thecla 1907(3):575
 - c *amplus* Thecla 1907(3):582
 BMNH-ht a *anfracta* Thecla 1907(3):609
 -- e *anina* Thecla (ISS) 1907(3):603
 BMNH a *anna* Thecla 1907(3):577
 BMNH-ht a *arcula* Thecla 1907(3):629
 BMNH a *armilla* Thecla 1907(3):583
 BMNH a *aurora* Thecla 1907(3):583
 BMNH a *barba* Thecla 1907(3):575
 BMNH a *buccina* Thecla 1907(3):585
 BMNH a *buris* Thecla 1907(3):590
 pc a *caesaries* Thecla 1907(3):617
 pc a *caespes* Thecla 1907(3):614
 BMNH c *callao* Thecla 1907(3):611
 BMNH-ht a *calor* Thecla 1907(3):163
 pc a *caltha* Thecla 1907(3):591
 pc a *candidus* Thecla 1907(3):571
 BMNH-ht a *candor* Thecla 1907(3):578
 BMNH a *caninius* Thecla 1907(3):585
 BMNH-ht a *canitus* Thecla 1907(3):604
 BMNH-ht a *canus* Thecla 1907(3):624
 pc a *castimonia* Thecla 1907(3):580
 BMNH-ht a *castitas* Thecla 1907(3):579
 pc a *cauter* Thecla 1907(3):589
 pc a *chlamydem* Thecla 1907(3):577
 pc a *chlamys* Thecla 1907(3):584
 BMNH a *clepsydra* Thecla 1907(3):607
 pc a *collustra* Thecla 1907(3):600
 pc a *color* Thecla 1907(3):582
 BMNH a *comae* Thecla 1907(3):576
 pc a *conchylum* Thecla 1907(3):598
 BMNH-ht a *cos* Thecla 1907(3):613
 pc a *crines* Thecla 1907(3):573
 pc a *cupa* Thecla 1907(3):612
 pc c *deliciae* Thecla 1907(3):595
 BMNH a *dolium* Thecla 1907(3):619
 pc c *dorcas* Thecla 1907(3):572
 BMNH-ht a *emendatus* Thecla 1907(3):619
 BMNH a *exiguus* Thecla 1907(3):580
 pc b *floralia* Thecla 1907(3):572
 pc a *floreus* Thecla 1907(3):581
 pc a *flosculus* Thecla 1907(3):583
 BMNH-ht b *fortuna* Thecla 1907(3):608
 pc a *furcifer* Thecla 1907(3):621
 pc a *gemma* Thecla 1907(3):581
 pc a *gentiana* Thecla 1907(3):601
 BMNH-ht a *hybia* Thecla 1907(3):578
 BMNH-ht a *indigo* Thecla 1907(3):609
 BMNH-ht a *instita* Thecla 1907(3):618
 pc a *jactator* Thecla 1907(3):587
 pc a *labes* Thecla 1907(3):602
 pc-st a *lenitas* Thecla 1907(3):603
 BMNH a *levis* Thecla 1907(3):598
 BMNH a *litteratus* Thecla 1907(3):588
 pc a *mantica* Thecla 1907(3):616
 BMNH-ht a *marmoris* Thecla 1907(3):604
 BMNH-ht a *meleager* Thecla 1907(3):618
 pc a *melleus* Thecla 1907(3):580
 pc a *mulsus* Thecla 1907(3):598
 pc a *munditia* Thecla 1907(3):586
 pc a *murex* Thecla 1907(3):585
 pc a *nitor* Thecla 1907(3):585
 pc-st a *nivepunctata* Thecla 1907(3):592
 pc a *nota* Thecla 1907(3):592
 BMNH-ht a *nubes* Thecla 1907(3):625
 BMNH-ht a *nubilum* Thecla 1907(3):612
 pc a *numen* Thecla 1907(3):574

H. H. Druce 1907 Proc. zool. Soc. Lond. [b1375] (continued)
 - a *obelus* Thecla 1907(3):588
 BMNH-ht a *oleris* Thecla 1907(3):614
 BMNH-ht a *opacitas* Thecla 1907(3):624
 pc a *ornatrix* Thecla 1907(3):572
 pc a *ostrinus* Thecla 1907(3):596
 BMNH-ht a *palumbes* Thecla 1907(3):617
 BMNH a *pennatus* Thecla 1907(3):617
 BMNH-ht a *perisus* Thecla 1907(3):610
 BMNH-ht a *petaurister* Thecla 1907(3):613
 BMNH-ht a *pharus* Thecla 1907(3):586
 pc a *phoster* Thecla 1907(3):597
 - b *photelmos* Thecla 1907(3):573
 BMNH a *photismos* Thecla 1907(3):615
 BMNH a *picus* Thecla 1907(3):606
 BMNH-ht a *pisidula* Thecla 1907(3):618
 BMNH-ht a *plumans* Thecla 1907(3):622
 BMNH-ht a *politus* Thecla 1907(3):625
 BMNH a *porphyreticus* Thecla 1907(3):593
 - a *porphyritis* Thecla 1907(3):595
 BMNH a *porthura* Thecla 1907(3):581
 pc a *pulchritudo* Thecla 1907(3):597
 pc a *purpura* Thecla 1907(3):592
 pc a *purpurantes* Thecla 1907(3):597
 pc a *purpuriticus* Thecla 1907(3):601
 BMNH a *radiatio* Thecla 1907(3):586
 BMNH a *ravus* Thecla 1907(3):582
 BMNH-ht a *rubifer* Thecla 1907(3):621
 BMNH-ht a *rugatus* Thecla 1907(3):611
 BMNH a *smaragdus* Thecla 1907(3):599
 BMNH-ht a *splendor* Thecla 1907(3):570
 pc a *sumptuosa* Thecla 1907(3):571
 BMNH-ht a *torqueus* Thecla 1907(3):608
 BMNH a *torris* Thecla 1907(3):587
 pc a *trochus* Thecla 1907(3):573
 BMNH-ht c *tucumana* Thecla 1907(3):629
 pc a *tyriam* Thecla 1907(3):595
 BMNH-ht a *tyrrius* Thecla 1907(3):578
 pc a *upupa* Thecla 1907(3):605
 pc a *uterkudante* Thecla 1907(3):596
 BMNH a *vena* Thecla 1907(3):620
 pc a *venustus* Thecla 1907(3):602
 BMNH a *verbenaca* Thecla 1907(3):622
 BMNH a *veterator* Thecla 1907(3):627
 BMNH-ht a *vidulus* Thecla 1907(3):623
 pc a *viresco* Thecla 1907(3):573
 BMNH-ht a *volumen* Thecla 1907(3):623

H. H. Druce 1909 Trans. ent. Soc. Lond. [b1376]

BMNH-ht collection of H. J. Adams. a *adamsi* Thecla 57(3):432, pl 11
 BMNH-ht H. J. Adams collection. a *crepundia* Thecla 57(3):435, pl 11
 BMNH a *gamma* Thecla 57(3):437, pl 11
 BMNH-ht a *heodes* Thecla 57(3):437, pl 11
 BMNH-ht J. J. Adams collection. a *melidor* Thecla 57(3):431, pl 11
 BMNH-ht J. J. Adams collection. a *phrosine* Thecla 57(3):435, pl 11
 pc-st b *tomlinsoni* Thecla 57(3):433, pl 11
 BMNH-ht a *vesper* Thecla 57(3):436, pl 11

H. H. Druce 1909 Ann. Mag. nat. Hist. [b1377]

- d *moltrechti* Phengaris (H) (8)4:416

H. H. Druce 1910 Proc. zool. Soc. Lond. [b1378]

- b *aliquantum* Liptena 1910(1):369
 BMNH-ht a *bakeri* Lycaenesthes 1910(1):374
 - a *batesi* Pseudalethis 1910(1):370
 - c *batesi* Epitola 1910(1):366
 - a *bitje* Pentila 1910(1):358
 - a *bitje* Lycaenesthes 1910(1):374

- H. H. Druce 1910 Proc. zool. Soc. Lond. [b1378] (*continued*)
- b *bitje* Spindasis 1910(1):372
 - c *cingulum* Micropentila 1910(1):364
 - c *daemon* Liptena 1910(1):363
 - a *gemmarius* Epamera 1910(1):372
 - a *inconspicua* Triclema 1910(1):374
 - a *inconspicua* Pentila 1910(1):357
 - a *kedassa* Diopetes 1910(1):369
 - a *lamborni* Neaveia 1910(1):365
 - a *landbecki* Mimacraea 1910(1):358
 - c *luna* Lachnocnema 1910(1):368
 - a *mimetica* Lycanesthes 1910(1):373
 - c *minium* Pseuderesia 1910(1):359
 - BMNH-ht a *neavei* Epamera 1910(1):371
 - a *nitide* Epitola 1910(1):366
 - c *niveus* Lachnocnema 1910(1):368
 - a *nubifera* Liptena Liptena 1910(1):362
 - a *obscura* Triclema 1910(1):375
 - a *paradoxa* Pentila 1910(1):357
 - b *pardalena* Pentila 1910(1):357
 - a *pasteon* Diopetes 1910(1):370
 - a *perobscura* Liptena 1910(1):362
 - b *f. punctata* Larinopoda 1910(1):361
 - a *russulus* Pseuderesia 1910(1):360
 - a *rutilo* Pseuderesia 1910(1):360
 - a *sibella* Epamera 1910(1):372
 - b *f. spuma* Larinopoda 1910(1):361
 - a *transverstigma* Telipna 1910(1):356
 - a *tumentia* Epitola 1910(1):366
 - a *zebra* Batelusia 1910(1):368
- H. H. Druce 1912 Ann. Mag. nat. Hist. [b1379]
- a *costleyi* Mimacraea (8)9:636
 - a *eltringhami* Mimacraea (8)9:635
- H. H. Druce 1912 Ent. mon. Mag. [b1380]
- BMNH-ht a *fassli* Thecla 48:130, pl 9
 - c *gazel* Epamera 48:128, pl 9
 - pc a *lophis* Thecla 48:131, pl 10
 - pc a *maraches* Thecla 48:130, pl 10
 - a *neavei* Sheffieldia 48:128, pl 9
 - BMNH-ht a *opsena* Thecla 48:131, pl 10
 - pc a *orocana* Thecla 48:130, pl 9
- H. H. Druce 1913 Ann. Mag. nat. Hist. [b1381]
- BMNH-ht a *arrhon* Pseudaletis (8)11:360
 - BMNH-ht a *aura* Aslauga (8)11:358
 - BMNH-ht c *cephren* Aslauga (8)11:358
 - BMNH-ht a *pandora* Aslauga (8)11:359
- H. Druce 1873 Proc. zool. Soc. Lond. [b1383]
- BMNH-ht b *adana* Cupido 1873(2):349
 - BMNH-ht b *akaba* Cupido 1873(2):350
 - BMNH-ht b *almora* Cupido 1873(2):349
 - BMNH-ht a *aluta* Cupido 1873(2):349
 - BMNH-ht a *angusta* Cupido 1873(2):349
 - BMNH-ht a *aurea* Sithon 1873(2):352
 - BMNH-ht a *caerulea* Cupido 1873(2):349
 - BMNH-ht b *cornuta* Cupido 1873(2):349
 - a *elegans* Hypochrysops 1873(2):350
 - b *frigidus* Aphnaeus 1873(2):350
 - BMNH-ht a *nivalis* Miletus 1873(2):348
 - BMNH-ht b *olinda* Amblypodia 1873(2):354
 - BMNH-ht a *pallida* Sithon 1873(2):350
 - BMNH-ht a *regina* Miletus 1873(2):348
 - a *scopula* Sithon 1873(2):350 or
 - a *superba* Ilcerda 1873(2):350
 - e *talora* Neopithecops (ISS) 1873:348
 - c *valida* Sithon 1873(2):352
- H. Druce 1874 Trans. ent. Soc. Lond. [b1384]
- BMNH-ht c *butleria* Necyria 22(1):159
 - a *grandis* Mesosemia 22(1):159
- H. Druce 1874 Trans. ent. Soc. Lond. [b1384] (*continued*)
- c *medusa* Anteros 22(1):160
 - c *whiteiyana* Necyria 22(1):159
- H. Druce 1874 Proc. zool. Soc. Lond. [b1385]
- BMNH-ht c *agnata* Cupido 1874(1):106
 - c *irroratus* Miletus 1874(1):106
- H. Druce 1874 Ent. mon. Mag. [b1386]
- a *ceropia* Mesosemia 11:37
- H. Druce 1875 Cistula Entomologica [b1387]
- b *cleadas* Lyropteryx 1(12):359
 - BMNH b *damo* Thecla 1(12):362
 - c *docus* Miletus 1(12):361
 - a *hamada* Miletus 1(12):361
 - b *kazamoto* Lycæna 1(12):361
 - b *micon* Anteros 1(12):360
- H. Druce 1876 Proc. zool. Soc. Lond. [b1388]
- BMNH-ht a *koa* Lycæna 1876(1):239
- H. Druce 1878 Ent. mon. Mag. [b1389]
- BMNH-ht a *alcmena* Eurygona 15:101
 - a *julia* Euselasia 15:102
 - a *phelina* Eurygona 15:101
 - a *rogersi* Abisara 15:101
 - b *sylvia* Mesosemia 15:101
 - b *thyestes* Mesosemia 15:101
- H. Druce 1890 Ent. mon. Mag. [b1390]
- a *pelopia* Castnia 26:69
- H. H. Druce & Bethune-Baker 1893 Proc. zool. Soc. Lond. [b1382]
- BMNH-ht a *brownii* Thysonotis 1893(3):547
 - a *eudocia* Thysonotis 1893(3):548
 - BMNH-st b *karpaia* Thysonotis 1893(3):540
 - b *korion* Thysonotis 1893(3):547
 - a *melimnos* Thysonotis 1893(3):544
 - a *miraculum* Thysonotis 1893(3):552
 - BMNH-ht a *perpheres* Thysonotis 1893(3):544
 - b *smaragdus* Thysonotis 1893(3):550
 - c *supous* Thysonotis 1893(3):542
- Drury 1770-1782 Ill. nat. Hist. [b1392]
- a [1773] *acis* Papilio 1index+2, pl 1
 - a [1773] *faunus* Papilio 2index+2, pl 1
 - a [1773] *isis* Papilio 2index+6, pl 3
 - a [1773] *pan* Papilio 2index+40
 - d [1773] *rumina* Papilio (H) 1index+ , pl 2
 - a [1773] *simaethis* Papilio 1index+3, pl 1
 - a [1773] *sylvanus* Papilio 2index+5, pl 2
 - a [1773] *thetis* Papilio 2index+16
 - c 1782 *agis* Papilio 3index+34
 - b 1782 *ampyx* Papilio 3index+11
 - c 1782 *baucis* Papilio 3index+15
 - d 1782 *jarbas* Papilio (H) 3index+10
 - a 1782 *menetas* Papilio 3index+10
 - a 1782 *orcas* Papilio 3index+46
- Dubatolov 1989 Trudy zool. Inst., Leningr. [b1393]
- ht a *dushak* Turanana 200:136-140
- Dubatolov & Korshunov 1984 Chlenistonogiye i Gelminty [b1394]
- IBASN-ht a *pacifica* Ravenna (17):54, f
- Dubatolov & Sergeev 1987 Nov Maloizvestiye Vidy Fauny Sib. [b1397]
- a *aquamarinus* Neozephyrus (19):22, f
 - T *schischkini* Zephyrus (19):20
 - T *smaragdina* Thecla (19):19
 - T *taxila* Thecla (19):18

- Dubatolov & Sergejev 1982 Ent. Obozr. [b1398]
 - a *korshunovi* Neozephyrus 61(2):375, f 1
 - b *vitjaz* Neozephyrus 61(2):375
- Dubois 1868 Archs Cosmol. [b1400]
 - a *nigrescens* Lycaena 1868:259, pl 12
- Dudgeon 1909 Trans. ent. Soc. Lond. [b1401]
 - a *isabellae* Teratoneura 57(4)(Proc.):ii
- Dufrane 1939 Bull. Anns Soc. ent. Belg. [b1408]
 -- e *ab. albiplaga* Chliaria 79:291
 - b *grisea* Thecla 79:290
 - b *joannis* Thecla 79:290
 -- e *melinus* Thecla (ISS) 79:290
 -- e *ab. nigriplaga* Thecla 79:290
 - e *ab. pallida* Thecla 79:291
 MT c *perusensis* Thecla 79:290
 - b *watrini* Thecla 79:289
- Dufrane 1945 Bull. Anns Soc. ent. Belg. [b1409]
 pc-ht a *alberici* Everes 81:122 or 123
 - c *alberici* Iolaus 81:120
 - c *alberici* Pseuderesia 81:116
 - a *kamitugensis* Telipna 81:114
 - b *kamitugensis* Liptena 81:118
 - a *kamitugensis* Everes 81:122
 - c *f. kinumbensis* Deudorix 81:120
 -- e *ab. lunula* Abisara 81:112
 - c *mariae* Telipna 81:112
 - a *mariae* Mimacraea 81:115
 - a *similis* Hypolycaena 81:118
- Dufrane 1953 Bull. Anns Soc. ent. Belg. [b1410]
 -- e *ab. anomala* Hypolycaena 89:52
 - b *f. deficiens* Azanus 89:55
 -- e *ab. deficiens* Larinopoda 89:48
 - c *duponti* Hemiolaus 89:53
 - b *gomensis* Hewitsonia 89:52
 - c *f. latefascia* Pentila 89:47
 -- e *ab. latefasciata* Hypolycaena 89:52
 - b *muanensis* Abisara 89:47
 - a *mwagensis* Liptena 89:49
 - b *obsoleta* Liptena 89:49
 - b *ornata* Azanus 89:55
 - a *pulverulenta* Epitola 89:51
 -- e *ab. splendens* Hypolycaena 89:52
- Dufrane 1954 Bull. Anns Soc. ent. Belg. [b1411]
 - c *ornata* Syntarucus 90(3/4):68
- Dufrane 1954 Bull. Anns Soc. ent. Belg. [b1412]
 - b *congolanus* Spindasis 90:284
 -- e *joannis* Axiocerses (IFS) 90:284
 - b *maureli* Iolaus 90:283
 - a *maureli* Axiocerses 90:284
 - c *f. vreuricki* Tarucus 90:286
- Dujardin 1945 Revue fr. Léop. [b1413]
 - c *nicaeensis* Polyommatus 10:123
- Dujardin 1945 Revue fr. Léop. [b1414]
 -- e *ab. barnuni* Polyommatus 10:172
 -- e *ab. flavastriata* Polyommatus 10:172
- Dujardin 1968 Riviera scient. [b1416]
 - b *coridonopsis* Polyommatus 55:53
 - c *segustericus* Polyommatus 55:53
 - b *synexophenus* Polyommatus 55:55
 -- e *f. tempestatis* Polyommatus (IFS) 55:53
- Dujardin 1972 Entomops [b1418]
 pc-ht b *barragueti* Callophrys 4(25):7, f
- Dujardin 1974 Entomops [b1419]
 - b *irenae* Everes (35):83, f
- Dujardin 1977 Entomops [b1420]
 pc-ht b *barragueti* Polyommatus 43:93, f
 pc-ht b *weissi* Polyommatus 43:93-100
- Dumont 1922 Bull. Soc. ent. Fr. [b1421]
 - a *myrmecophila* Cigantis 1922(15):217
- Duponchel 1832-1835 In Godart, Hist. nat. Lépid. [b1431]
 - c 1832 *saportae* Polyommatus 1(Diumes):pl 9
- Duponchel 1844-1846 Cat. Méth. Léop. d'Europe [b1432]
 - e 1844 *albicans* Lycaena (NN) :33
- Dupont [1909] Bull. Soc. ent. Fr. [b1433]
 - c *croisi* Thestor 1908(19):320
- Durden & Rose 1978 Pearce-Sellards ser. Tex. mem. Mus. [b1435]
 - a **nympha* Riodinella (29):17, f
- Dyar [1903] Bull. U. S. natn. Mus. [b1439]
 - e *fieldeni* Lycaena (ISS) 52:41, n 399a
- Dyar 1904 J. New York ent. Soc. [b1440]
 USNM-ht b *ostari* Thecla 12(1):40
- Dyar 1909 Proc. ent. Soc. Wash. [b1441]
 USNM-ht b *eulesca* Tmetoglene 11:19
 USNM-ht c *laridetta* Tmetoglene 11:19
 USNM-ht b *meridae* Tmetoglene 11:19
- Dyar 1912 Proc. U. S. natn. Mus. [b1442]
 USNM-ht a *greppa* Thecla 42:42
 - a *melino* Caria 42:41
 USNM-ht b *primoza* Thecla 42:41
 - a *stillaticia* Caria 42:41
 USNM-st b *zenaida* Thecla 42:42
- Dyar 1913 Proc. U. S. natn. Mus. [b1443]
 USNM e *aticola* Lycaena (NN) 45:638
 USNM-ht a *bennetti* Thecla 45:636
 USNM-ht a *brocela* Thecla 45:637
 USNM-ht a *callanga* Lycaena 45:638
 - e *candar* Thecla (ISS) 45:636
 USNM-lt c *excisicosta* Thecla 45:637
 USNM a *muela* Thecla 45:637
 USNM-ht a *tyleri* Thecla 45:636
 USNM-ht c *ulia* Thecla 45:637
 - e *zachacina* Lycaena (ISS) 45:638
- Dyar 1914 Proc. U. S. natn. Mus. [b1444]
 USNM-ht a *burica* Thecla 47:150
 USNM-ht c *callides* Thecla 47:151
 USNM-ht c *climicles* Thecla 47:150
 USNM-ht c *elimes* Thecla 47:149
 - a *heraldica* Thecla 47:151
 USNM c *mesca* Thecla 47:151
 - c *pericopidis* Otacustesis 47:147
 USNM-ht c *posetta* Thecla 47:150
- Dyar 1914 Proc. U. S. natn. Mus. [b1445]
 - b *mora* Ancylyrus 47:366
- Dyar 1915 Proc. U. S. natn. Mus. [b1446]
 USNM c *otoheba* Thecla 47:423
- Dyar 1916 Proc. U. S. natn. Mus. [b1447]
 USNM a *miadora* Ipidecla 51:2
 USNM a *minniles* Thecla 51:3
 USNM-ht a *rabatta* Caria 51:1
 USNM-ht b *rinde* Thecla 51:2
 USNM-ht b *sierrae* Thecla 51:2
 USNM-ht c *syvix* Thecla 51:3

- Dyar 1918 Proc. U. S. natn. Mus. [b1448]
 USNM-ht c *bunnirae* Thecla :54:336
 - a *craspediodonta* Charis :54:335
 USNM a *janthodonla* Thecla :54:337
 USNM a *monenoptron* Ipidecla :54:336
 USNM a *muridosca* Thecla :54:337
 USNM a *nippia* Thecla :54:337
 USNM-ht a *vevenae* Thecla :54:337
 USNM-ht a *viggia* Thecla :54:336
- Dyar 1926 Insecutor Inscitiae Menstruus [b1449]
 USNM-ht a *santans* Thecla :14:140
- d'Abbrera 1971 Butts Australian Region [b1450]
 BMNH-ht b *carolina* Hypochrysopters :337, pl 337
 BMNH-ht b *carveri* Hypochrysopters :337, pl 337
 - e *chrysargyria* Hypochrysopters (ISS) :339, pl 406
 BMNH-ht b *constancea* Hypochrysopters :338, pl 338
 BMNH-ht c *emiliae* Hypochrysopters :334, pl 335
 - e *eas* Petrelaea (ISS) :343
 BMNH-ht b *imogena* Hypochrysopters :331, pl 331
 BMNH-ht b *lucilla* Hypochrysopters :334, pl 334
 - b *mayae* Danis :327, pl 327
 - e *paranus* Caleta (PS) :378
 BMNH-ht b *squalliensis* Hypochrysopters :337, pl 337
 - b *susana* Jamides :353, pl 353
 - b *sylvia* Virachola :304, pl 304
 - e *thamryas* Arhopala (ISS) :315, pl 414
 - b *titeus* Philiris :373, pl 373
 BMNH-ht b *una* Pseudodipsas :341, pl 341
 BMNH-ht b *vulcanicus* Hypochrysopters :336, pl 336
- d'Abbrera [1978] Butts Australian Region (2nd ed) [b1451]
 BMNH-ht c *singkepe* Hypochrysopters :334
- d'Abbrera 1980 Butts Afrotropical Region [b1452]
 - a *ackeryi* Alaena :415, 3 f
 - e *appeles* Spindasis (ISS) :479
 - e *argentiostriata* Harpendytreus :546
 - e *azureus* Poecilmitis (ISS) :494
 - e *benetti* Ciminophila (ISS) :436
 BMNH-ht a *camerunica* Lachnocnema :471, f
 - e *caitanga* Pentila (ISS) :420
 - e *f. chinde* Spindasis :479, f
 - e *coaena* Lepidochrysopters (ISS) :564
 BMNH-ht a *dennisangwina* Hewisonia :468, f
 BMNH-ht a *dimitris* Hypokopelates :520, f
 BMNH-ht b *greenwoodi* Euchrysopters :554, f
 - b *heathi* Spindasis :479, f
 - b *junodi* Spindasis :480, f
 - b *kacheleba* Myrina :474, f
 BMNH-ht b *katerae* Triclema :539, f
 - e *katherinae* Epitola (ISS) :460,461
 - e *kilimanjarensis* Lepidochrysopters (ISS) :564
 - a *krystyna* Zenitis :484, f
 BMNH-ht b *mayotti* Azanus :552, f
 - e *mazangouli* Pseudaletis (ISS) :496,497
 BMNH-ht b *meyerbeeri* Mimeresia :432, f
 - e *oniensis* Liptena (ISS) :444
 - e *preusta* Telipna (ISS) :444
 - e *rabenafer* Leptotes (ISS) :547
 BMNH-ht a *ramnika* Anthene :532, f
 - e *rousouwi* Thestor (ISS) :473
 BMNH-ht a *sevastopulo* Hypokopelates :520, f
 BMNH-ht b *sudsudana* Dapidodigma :475, f
 BMNH-ht b *tatiana* Iolapilus :507, f
 - e *vianninga* Aslauga (ISS) :412
- d'Abbrera 1984 Butts South America [b1453]
 - e *aetolius* ?Arawacus (ISS) :233
 - e *capanaea* Semomesia (ISS) :244
 - e *endaemon* Ancylyrus (ISS) :246
 - e *trochila* Argyrogramma (ISS) :253
- d'Abbrera 1986 Butts Oriental Region, Pt 3 [b1454]
 - e *agelades* Jamides (ISS) :646
 - e *airavaki* Discolampa (ISS) :647
 - e *ajax* Artipe (ISS) :632
 - e *albaplex* Rapala (ISS) :629
 - e *angele* Dodona (ISS) :655
 - e *anyasiades* Dacalana (ISS) :609
 - e *aristarchia* Niphanda (ISS) :637
 - e *attilla* Antigius (ISS) :550
 - e *bagas* Tajuria (ISS) :612
 - e *batunensis* Paralaxia (ISS) :659
 - e *berensis* Tajuria (ISS) :615
 - e *brunnescens* Curetis (ISS) :546
 - e *cakravastri* Ancema (ISS) :611
 - e *canlei* Heliophorus (ISS) :635
 - e *ceylonica* Spindasis (ISS) :603
 - e *chansa* Arhopala (ISS) :581
 BMNH-ht c *cindy* Rapala :625, f
 - e *coelisticus* Prosotas (ISS) :641
 - e *coelurea* Tajuria (ISS) :614
 - e *corolianus* Deudorix (ISS) :630
 - e *creatheus* Pratapa (ISS) :611
 - e *diopetes* Rapala (ISS) :629
 - e *ecphanthus* Pratapa (ISS) :611
 - c *etsu* Chrysozephyrus :554
 - e *fairlei* Spindasis (ISS) :603
 - e *festivus* Jamides (ISS) :644
 - e *frigidius* Spindasis (ISS) :602
 - e *hisiataea* Hypolycaena (ISS) :622
 - e *hypargyrea* Deudorix (ISS) :631
 - e *indrasiri* Hypothecla (ISS) :589
 - e *intacta* Arhopala (ISS) :579
 - e *karenina* Poritia (ISS) :538
 - e *karennina* Zinaspa (ISS) :583
 - e *kausamboides* Abiasra (ISS) :658
 - e *kayoniana* Deudorix (ISS) :631
 - e *loxius* Deudorix (ISS) :631
 - e *megabates* Sithon (ISS) :632
 - e *mindanaensis* Sinthusa (ISS) :634
 - e *mindanensis* Abisara (ISS) :656
 - e *minima* Hypolycaena (ISS) :620
 - e *monaspona* Dacalana (ISS) :610
 - e *mysotina* Catapaecilma (ISS) :588
 - e *nara* Stiboges (ISS) :660
 - e *orsiphantes* Hypolycaena (ISS) :620
 - e *palavandra* Eliotia (ISS) :617
 - e *pencillegera* Dacalana (ISS) :608
 - e *pernanggilensis* Caleta (ISS) :648
 - e *phakes* Poriskina (ISS) :538
 - e *philippensis* Deramas (ISS) :544
 - e *poliorketes* Dacalana (ISS) :609
 - e *praeha* Loxura (ISS) :538
 - e *puloa* Dodona (ISS) :654
 - e *retiarus* Zemerus (ISS) :654
 - e *roverea* Orthomiella (ISS) :637
 - e *sangana* Yasoda (ISS) :590
 - e *sangira* Dacalana (ISS) :609
 - e *shigei* Arhopala (ISS) :574
 - e *superdates* Prosotas (ISS) :642
 - e *surindra* Drupadia (ISS) :598
 - e *taxilia* Neozephyrus (ISS) :555
 - e *tesselata* Niphanda (ISS) :637
 - e *thria* Tajuria (ISS) :616
 - e *tongva* Arhopala (ISS) :577
 - e *trichornis* Jamides (ISS) :645
- d'Abbrera 1993 Butts Holarctic Region, Pt 3 [b1455]
 - e *attilla* Antigius (ISS) :406
 BMNH-ht a *balinti* Plebejus :491, f
 - e *barrigui* Callophrys (ISS) :434
 - e *beleius* Maculinea (ISS) :484
 - e *beltazardi* Agrodiaetus (ISS) :516

- d'Abrera 1993 Butts Holarctic Region, Pt 3 [b1455] (continued)
- e *couvoisieri* Howarthia (ISS) :407
 - e *dohertyi* Phengaris (NN) :486
 - ZMHU-ht a *hoenei* Laeosopis :405, f
 - e *hypochionous* Plebejus (ISS) :487
 - e *hyrcania* Strymonidia (ISS) :442
 - e *khoshveilaqui* Agrodiaetus (ISS) :516
 - e *macrocerus* Favonius (ISS) :420
 - e *mafidi* Agrodiaetus (ISS) :516
 - e *ohkurai* Spindasis (ISS) :427
 - e *omphira* Albulina (ISS) :498
 - e *phillipi* Lysandra (ISS) :508
 - e *pseudagon* Plebejus (ISS) :487
 - e *pseudovigilius* Agrodiaetus (ISS) :516
 - e *saepistriata* Japonica (ISS) :407 (plate)
 - e *sephirus* Plebejus (ISS) :487
 - BMNH-ht b *sophia* Spindasis :426, f
 - BMNH-ht b *tibetana* Albulina :497
 - BMNH-ht a *yunnani* Heliophorus :466, f
- d'Abrera 1994 Butts Neotropical Region, Pt 4 [b1456]
- e *aphanoides* Pterographium (ISS) :1046
 - e *atruncata* Baetis (ISS) :975
 - BMNH-ht a *balza* Mesosemia :924, f
 - BMNH-ht a *bari* Mesosemia :916, f
 - e *cecropia* Mesosemia (ISS) :917
 - e *chionides* Mesosemia :925
 - e *chiriquiensis* Nymphidium (ISS) :1014
 - BMNH-ht a *demathani* Imelda :1078, f
 - e *dorrius* Juditha (ISS) :1004
 - e *fulginea* Phaenochitonina (ISS) :1046
 - e *hanalensis* Eiseleia (ISS) :911, f
 - e *heglas* Calydna (ISS) :1060
 - e *heliotus* Nymphidium (ISS) :1012
 - a *hypermegale* Mesosemia (ISS) :925
 - BMNH-ht a *kwokii* Mesosemia :911, f
 - e *leucorrhea* Euselasia (ISS) :1090
 - e *ludmilla* Melanis (ISS) :1025
 - BMNH-ht b *orientalis* Menander :1083, f
 - e *ornata* Euselasia (ISS) :893
 - BMNH-ht a *paramba* Ancylyrus :948, f
 - e *parvipunctata* Napaea (ISS) :934
 - BMNH-ht a *sanjuanii* Theope :999, f
 - BMNH-ht a *staudingeri* Baetis :974, f
 - BMNH-ht a *stolzmanni* Chamaelinnas :965, f
 - e *tetrasigma* Theope (ISS) :998
 - e *thryphica* Nymphidium (ISS) :1014
 - e *trabealis* Panara (ISS) :954
 - BMNH-ht a *trotschi* Mesosemia :904, f
 - BMNH-ht a *watkinsi* Ematurgina :1072, f
 - BMNH-ht a *zyzyxoxyx* Theope :1002, f
- d'Almeida 1922 Mélanges Léop. [b1457]
- e *ab. ferruginea* Eurybia :1:209
 - lt e *f. petilius* Xenandra :1:208
 - lt e *ab. pygmaea* Stalachtis :1:208
 - nt e *f. unicolor* Euselasia :1:209
- d'Almeida 1932 Lambillionea [b1458]
- a *ambigua* Aticoris :32:13
- d'Apice & Miller 1992 Aust. ent. Mag. [b1459]
- a *caesia* Nesolycaena :19(3):75, f
- d'Urban 1860 Can. Nat. Geol. [b1460]
- e *americana* Lycaena (NN) :5(2):91
- Ebert 1908 Soc. ent. [b1461]
- e (+) *ab. caeruleocuneata* Lycaena :22(22):169
- Ebert 1911 Festschr. Ver. Naturk. Kassel [b1462]
- e *ab. albomarginata* Lycaena :315
- Ebert 1926 Deut. ent. Zeit. [Iris] [b1463]
- e *ab. albomarginata* Lycaena :40:36
 - e *albomarginata* Lycaena :40:36
 - e *ab. latinargo* Lycaena :40:35
 - e *ab. pseudoborealis* Lycaena :40:35
 - e *stieberioides* Chrysophanus :40:35
- Ebert 1965 Papéis avulsos Dept. Zool., São Paulo [b1464]
- c *carioca* Thecla :18:77
- Eckweiler 1978 Note divulg. Ist. Ent. agrar. Univ. Napoli Portici [b1465]
- b *nahizerica* Aricia :1(3):115, f
- Eckweiler 1984 Nachr. ent. Ver. Apollo [b1466]
- b *kurdistan* Turanana : (nf)5(2/3):66
- Eckweiler 1987 Acta Ent. Mus. Nat. Pragae [b1467]
- b *femininoides* Agrodiaetus :42:49-56
- Eckweiler 1989 Nachr. ent. Ver. Apollo [b1468]
- b *ernesti* Polyommatus : (nf)10(2):97
 - a *euphratica* Lycaena : (nf)10(2):83
 - a *rosei* Plebejus : (nf)10(2):90
- Eckweiler & Hesselbarth 1978 NachrBl. bayer. Ent. [b1469]
- b *erzurumensis* Agriades :27(4):65, f
- Eckweiler & Schurian 1980 Atalanta (Münnerstadt) [b1470]
- a *fatima* Neolysandra :11(1):72, f
 - b *hera* Neolysandra :11(1):71, f
 - b *saadii* Neolysandra :11(1):77, f
- H. Edwards [1877] Proc. Calif. Acad. Sci. [b1483]
- AMNH-st e *fulvescens* Thecla (IFS) :7(12):172
 - AMNH-ht b *pubica* Thecla :7(12):172
 - AMNH a *speciosa* Lycaena :7(12):173
- H. Edwards 1877 Proc. Calif. Acad. Sci. [b1485]
- AMNH-ht c *adenostomatis* Thecla :7(10):144
 - AMNH-ht b *putnami* Thecla :7(10):143
- H. Edwards 1880 Pacific coast Lep. [b1486]
- AMNH-st b *clara* Lycaena : (26):1
- H. Edwards 1881 Papilio [b1487]
- AMNH-ht c *citima* Thecla :1(4):53
 - AMNH-ht c *ab. exoleta* Thecla :1(4):53
 - AMNH-ht a *mossii* Thecla :1(4):54
 - AMNH-ht a *muiroi* Thecla :1(4):53
 - AMNH-ht b *spadix* Thecla :1(4):53
 - CM-ht c *tacita* Thecla :1(4):54
- Edwards 1861 Proc. Acad. nat. Sci. Philad. [b1488]
- CM-nt b *anna* Lycaena :13:163
 - CM-nt a *fuliginosa* Lycaena :13:164
 - MCZ-nt b *scudderii* Lycaena :13:164
- Edwards 1862 Proc. Acad. nat. Sci. Philad. [b1489]
- CM-ht a *acadica* Thecla :14(1/2):55
 - CM-ht a *laeta* Thecla :14(1/2):55 or 56
 - CM-lt c *neglecta* Lycaena :14(1/2):56
- Edwards 1862 Proc. Acad. nat. Sci. Philad. [b1490]
- CM-lt a *affinis* Thecla :14:223
 - CM-lt c *behrii* Lycaena :14:224
 - CM-nt a *californica* Thecla :14:223
 - CM-nt b *pembina* Lycaena :14:224
 - CM-nt a *shasta* Lycaena :14:224
 - CM-lt a *viridis* Thecla :14:223
- Edwards 1863 Proc. ent. Soc. Philad. [b1491]
- lost c *clothilde* Thecla :2(1):15
- Edwards 1863 Proc. ent. Soc. Philad. [b1492]
- CNC-nt b *amica* Lycaena :2(2):80

- Edwards 1864 Proc. ent. Soc. Philad. [b1493]
 CM-nt b *echo* Lycaena 2(4):506
 CM-nt b *lycea* Lycaena 2(4):507
- Edwards 1865 Proc. ent. Soc. Philad. [b1494]
 CM-lt a *rustica* Lycaena 4(1):203
- Edwards 1866 Proc. ent. Soc. Philad. [b1495]
 CM-ht c *mentila* Lycaena 6(2):206
 CM-lt c *violacea* Lycaena 6(2):201
- Edwards 1868-1897 Butts N. Amer. [b1496]
 - e 1869 *tydamas* Lycaena (ISS) 1, Lycaena, 1:2
 CM-lt e 1884 *nigra* Lycaena (IFS) 2:315, pl. 50
- Edwards 1869 Trans. amer. ent. Soc. [b1497]
 CNC-ht a *ontario* Thecla 2(2):209
- Edwards [1869] Trans. amer. ent. Soc. [b1498]
 CM-nt c *chalcis* Thecla 2(4):376
 CM-ht c *orcus* Lycaena 2(4):376
- Edwards 1870 Trans. amer. ent. Soc. [b1499]
 CM-nt a *behrii* Thecla 3(1):18
 CM-lt a *cupreus* Chrysophanus 3(1):20
 AMNH-ht a *dryope* Thecla 3(1):19
 CM-nt a *hermes* Chrysophanus 3(1):21
 FMNH-lt c *kodiak* Lycaena 3(1):20
 CM-nt a *tetra* Thecla 3(1):19
 AMNH-ht b *virginiensis* Chrysophanus 3(1):21
- Edwards 1870 Trans. amer. ent. Soc. [b1500]
 CM-nt c *fulla* Lycaena 3(2):194
 CM-lt c *mintha* Lycaena 3(2):194
 CM-ht a *palmerii* Lemonias 3(2):195
- Edwards [1871] Trans. amer. ent. Soc. [b1501]
 AMNH-ht b *ardea* Lycaena 3(3/4):209
 CM-lt b *castalis* Thecla 3(3/4):208
 CM-nt c *cygnus* Thecla 3(3/4):207
 CM-lt c *fea* Lycaena 3(3/4):211
 AMNH-lt b *glaucon* Lycaena 3(3/4):210
 CM-nt b *gyas* Lycaena 3(3/4):210
 CM-nt b *helios* Lycaena 3(3/4):208
 CM-lt c *lanthe* Chrysophanus 3(3/4):211
 CM-ht? a *nemesis* Charis 3(3/4):212
 AMNH-ht c *viaca* Lycaena 3(3/4):209
- Edwards [1871] Trans. amer. ent. Soc. [b1502]
 CM-lt b *alce* Lycaena 3(3/4):272
 CM-ht a *alcestis* Thecla 3(3/4):271
 CM-lt b *autolytus* Thecla 3(3/4):271
 CM-ht b *daunia* Lycaena 3(3/4):272
 CM-lt b *ninus* Thecla 3(3/4):270
 CM-lt b *sirius* Chrysophanus 3(3/4):270
- Edwards 1872 Synopsis N. Amer. Butts [b1503]
 - c *monila* Lycaena (ISS) :34, no. 18
- Edwards 1873 Trans. amer. ent. Soc. [b1504]
 MCZ-lt a *crysalis* Thecla 4(4):344
 CIS-nt c *cythera* Lemonias 4(4):345
 CM-lt a *melissa* Lycaena 4(4):346
- Edwards 1874 Trans. amer. ent. Soc. [b1506]
 CM-nt a *siva* Thecla 5(1):110
- Edwards 1877 Trans. amer. ent. Soc. [b1508]
 CM-lt a *nais* Chrysophanus 5(3/4):291
- Edwards 1877 In Field and Forest [b1509]
 CM-lt a *sheridanii* Thecla 3(3):48
 - e *sheridonii* Thecla (IOS) 3(3):48
- Edwards 1877 Field and Forest [b1510]
 CM-lt c *australis* Charis 3(5):87
- Edwards 1877 Field and Forest [b1510] (continued)
 CM-ht a *clytie* Thecla 3(5):88
 CM-lt b *striata* Lycaena 3(5):88
- Edwards 1881 Trans. amer. ent. Soc. [b1513]
 - a *abreas* Eurygona 9(1):3
 CM-ht a *cyna* Lycaena 9(1):3
- Edwards 1881 Trans. Kansas Acad. Sci. [b1515]
 CM-lt b *snowi* Chrysophanes 7:69
- Edwards 1882 Papilio [b1516]
 CM-lt c *ines* Thecla 2(2):25
 CM-lt b *itys* Thecla 2(2):23
 CM-lt a *leda* Thecla 2(2):23
- Edwards 1882 Papilio [b1517]
 CM-lt b *annetta* Lycaena 2(3):48
 CM-lt b *duryi* Lemonias 2(3):47
- Edwards 1882 Papilio [b1518]
 CM-lt a *apama* Thecla 2(8):137
 CM-lt b *ares* Lemonias 2(8):136
 CM-lt b *cleis* Lemonias 2(8):137
- Edwards 1882 Can. Ent. [b1519]
 CM-lt b *aster* Lycaena 14(10):194
- Edwards 1883 Papilio [b1520]
 CM-lt b *cinerea* Lycaena 3(1):8-9
- Edwards 1883 Papilio [b1521]
 CM-lt c *marginata* Lycaena 3(5/6):87
- Edwards 1883 Can. Ent. [b1522]
 CM-lt c *wittfeldii* Thecla 15(7):136
- Edwards [1884] Can. Ent. [b1523]
 CM-nt b *afra* Lycaena 15(11):211
 CNC-lt b *florus* Chrysophanus 15(11):210
- Edwards 1884 Trans. amer. ent. Soc. [b1524]
 CM-lt e *f. arizonensis* Lycaena 11:306
- Edwards 1951 Proc. R. zool. Soc. N. S. Wales [b1480]
 - b *mittelli* Ialmenus 1949-50:59
 - b *obscurus* Ialmenus 1949-50:59
- Edwards [1956] Proc. R. zool. Soc. N. S. Wales [b1481]
 - b *kooronya* Ialmenus 1954-55:61
 - b *penunga* Ialmenus 1954-55:61
- Edwards 1991 Aust. ent. Mag. [b1477]
 T *pyrodiscus* Lucia 18(1):29
- Edwards & Common 1978 Aust. ent. Mag. [b1478]
 - a *spinifera* Paralucia 5(4):65-70
- Edwards & Kerr 1978 Aust. ent. Mag. [b1479]
 ANIC-ht a *geminus* Candalides 4(5):81-90
 T *hyacinthina* Holochila 4(5):88
- Ehrlich & Clench 1960 Ent. News [b1529]
 AMNH-ht a *mcFarlandi* Callophrys 71(6):139, f
- Ehrmann 1894 J. New York ent. Soc. [b1533]
 - c *hollandii* Argiolaus 2(2):77
 - c *pseudosoyauxii* Liptena 2(2):78
- Eisner 1964 Ent. Ber. [b1534]
 - e *f. griseascens* Lycaenopsis 24:115
- Eitschberger & Steiniger 1973 Atalanta (Münnerstadt) [b1536]
 - b *carmenensis* Aricia 4(6)(B):395, f
- Eitschberger & Steiniger 1975 Atalanta (Münnerstadt) [b1537]
 - b *grassoides* Eumedonia 6(2):113, f

- Eitschberger & Steiniger 1975 *Atalanta* (Münnerstadt) [b1537] (continued)
- b *jeanensis* Eumedonia 6(2):94, f
 - b *mariensis* Eumedonia 6(2):116, f
 - b *mayencis* Eumedonia 6(2):106, f
 - b *moenus* Eumedonia 6(2):99, f
 - b *rumeliensis* Eumedonia 6(2):97, f
- Eliot 1953 Mem. Hong Kong biol. Circle [b1540]
- b *hainana* Spindasis (2):-, f
- Eliot 1955 Proc. R. ent. Soc. Lond. [b1541]
- BMNH-ht b *martha* Nacaduba (B)24:156
 - BMNH-ht b *nadia* Nacaduba (B)24:155
 - BMNH-ht b *paska* Nacaduba (B)24:156
 - BMNH-ht a *solta* Nacaduba (B)24:157
- Eliot 1956 Bull. Raffles Mus. [b1542]
- b *alax* Artipe 27:37
 - BMNH-ht b *bora* Catopyrops 27:37
 - BMNH-ht a *corbeti* Allotinus 27:34
- Eliot 1957 Entomologist [b1543]
- e *courvoisieri* Pontia (ISS) 90:74
 - BMNH-ht e (+) *f. lugubris* Pontia 90:73
 - BMNH-ht b *nila* Pontia 90:74
 - BMNH-ht e (+) *f. ornata* Pontia 90:73
- Eliot 1959 Bull. Br. Mus. nat. Hist. (Ent.) [b1544]
- BMNH-ht a *dauidis* Allotinus 7(8):377, pl 10
 - BMNH-ht a *elizabethae* Panchala 7(8):380, f
 - BMNH-ht b *excellens* Atripe 7(8):382
 - BMNH-ht a *freda* Curetis 7(8):377, pl 10
 - BMNH-ht e *f. kempii* Narathura (IFS) 7(8):380
 - BMNH-ht b *lina* Jacoona 7(8):381
 - BMNH-ht c *michaelis* Allotinus 7(8):376, pl 10
 - BMNH-ht b *ricardi* Pratapa 7(8):381
 - BMNH-ht b *selama* Narathura 7(8):378
- Eliot 1960 Entomologist [b1545]
- e *subbsi* Deudorix (IFS) 93:243
- Eliot 1961 Bull. Raffles Mus. [b1546]
- b *arion* Miletus 26:171
 - a *celinus* Miletus 26:175
 - b *corus* Miletus 26:162
 - b *eneus* Miletus 26:164
 - b *nuctus* Miletus 26:169
 - b *pardus* Miletus 26:165
 - b *porus* Miletus 26:164
- Eliot 1962 Entomologist [b1547]
- b *hislopi* Arhopala 95:220
 - b *laruta* Yasoda 95:222, f
 - b *russelli* Arhopala 95:218
 - c *subbsi* Deudoryx 95:223
 - a *subbsi* Arhopala 95:219
- Eliot 1962 Entomologist [b1548]
- b *vaja* Pratapa 95:250, f
- Eliot 1963 Entomologist [b1549]
- BMNH-ht b *delacouri* Heliophorus 96:180
 - BMNH-ht b *nolus* Heliophorus 96:175
 - BMNH-ht b *pseudonexus* Heliophorus 96:176
 - BMNH-ht b *tweediel* Heliophorus 96:173
 - BMNH-ht b *urius* Heliophorus 96:176
- Eliot 1964 Entomologist [b1550]
- BMNH-ht a *anyx* Deramas 97:246
 - BMNH-ht b *evansi* Deramas 97:244
 - b *mindanensis* Deramas 97:245
 - BMNH-ht a *nelvis* Deramas 97:245
 - BMNH-ht a *nigrescens* Deramas 97:246
 - BMNH-ht a *nolens* Deramas 97:247
- Eliot 1964 Entomologist [b1550] (continued)
- BMNH-ht b *sumatrensis* Deramas 97:246
- Eliot 1965 Entomologist [b1551]
- a *cantliei* Heliophorus 98:66, f
- Eliot 1967 Entomologist [b1552]
- BMNH-ht b *batuensis* Allotinus 100:69
 - BMNH-ht a *luzonensis* Allotinus 100:68
 - BMNH-ht b *menadensis* Allotinus 100:68
 - BMNH-ht b *normani* Allotinus 100:69
 - BMNH-ht b *plassis* Allotinus 100:69
 - BMNH-ht c *talui* Allotinus 100:68
- Eliot 1967 Entomologist [b1553]
- pc-ht a *lila* Catapaecilma 100:140, f
- Eliot 1969 Entomologist [b1554]
- BMNH-ht a *celebica* Epimastidia 102:274, f
 - T *dienees* Deudorix 102:277
 - BMNH-ht b *flemingi* Rapala 102:277
 - BMNH-ht a *mariae* Drina 102:276, f
 - BMNH-ht a *normani* Nacaduba 102:273
 - BMNH-ht a *sibatika* Simiskina 102:272
 - BMNH-ht b *titei* Nacaduba 102:274, f
- Eliot 1970 Entomologist [b1555]
- BMNH-ht a *antynax* Deramas 103:30, f
 - BMNH-ht a *woolletti* Deramas 103:32, f
- Eliot 1972 J. nat. Hist. [b1556]
- BMNH-ht a *aenigma* Arhopala 6:14
 - BMNH-ht b *kalabakana* Arhopala 6:2
 - BMNH-ht a *normani* Arhopala 6:11, f
 - BMNH-ht b *sibatika* Arhopala 6:13, f
- Eliot 1973 Entomologist [b1557]
- BMNH-ht b *alixae* Tajuria 106:5, f
 - BMNH-ht a *inexpectata* Tajuria 106:7
 - BMNH-ht b *pambul* Celastrina 106:2
 - BMNH-ht b *wilcocksii* Arhopala 106:3
- Eliot 1974 Malay Nat. J. [b1560]
- a *flemingi* Acupicta 28(2):110
 - a *meeki* Acupicta 28(2):112
- Eliot 1978 Butts Malay Penin. (3rd ed.) [b1563]
- BMNH-ht a *alixae* Deramas :418
 - BMNH-ht b *aurensis* Jamides :416
 - BMNH-ht b *dixoni* Arhopala :417
 - BMNH-ht b *pasteuri* Deramas :419
 - BMNH-ht b *pemanggilensis* Jamides :417
 - BMNH-ht b *pemanggilensis* Caleta :416
 - BMNH-ht b *tiomana* Rapala :417
- Eliot 1980 Malay Nat. J. [b1564]
- BMNH-ht a *albifasciatus* Allotinus 33(3/4):143
 - b *parva* Amblypodia 33(3/4):148
 - BMNH-ht b *wickii* Iraota 33(3/4):149
- Eliot 1980 Työ to Ga [b1565]
- BMNH-ht b *jivabaruana* Chliaria 31(1,2):56
- Eliot 1984 Työ to Ga [b1567]
- BMNH-ht a *takanamii* Spalgis 35(2):75, 2 f
- Eliot 1984 Malay Nat. J. [b1568]
- BMNH-ht a *kirtoni* Nacaduba 38(2):100, f 1
- Eliot 1986 Bull. Br. Mus. nat. Hist. (Ent.) [b1571]
- BMNH-ht a *agnolia* Allotinus 53(1):15, f 6
 - BMNH-ht e (-) *f. albiguttatus* Miletus 53(1):80, f 98
 - T *ancius* Allotinus 53(1):11
 - T *aphacus* Allotinus 53(1):11
 - T *aphthonius* Allotinus 53(1):57

- Eliot 1986 Bull. Br. Mus. nat. Hist. (Ent.) [b1571] (continued)
- T *apries* Allostinus 53(1):43
- T *apsines* Logania 53(1):70
- T *arrius* Allostinus 53(1):21
- T *artinus* Allostinus 53(1):11
- T *audax* Allostinus 53(1):12
- T *bajanus* Allostinus 53(1):49
- b *ballantini* Allostinus 53(1):55, f 76
- T *bazilanus* Gerydus 53(1):82
- BMNH-ht a *bidiensis* Allostinus 53(1):26, f 16
- BMNH-ht a *brooksi* Allostinus 53(1):26, f 15
- T *caesemius* Allostinus 53(1):23
- T *damis* Logania 53(1):65
- T *damodar* Allostinus 53(1):40
- T *depletus* Allostinus 53(1):18
- BMNH-ht b *diehli* Logania 53(1):66
- BMNH-ht a *donussa* Logania 53(1):68
- T *dotion* Allostinus 53(1):12
- BMNH-ht a *eltus* Lontalius 53(1):75, f 82
- T *enatheus* Allostinus 53(1):49
- T *eryximachus* Allostinus 53(1):11
- T *eupalion* Allostinus 53(1):43
- T *euphranor* Gerydus 53(1):82
- T *eurytanus* Allostinus 53(1):47
- T *fallax* Allostinus 53(1):10
- T *felderi* Allostinus 53(1):52
- T *glypha* Logania 53(1):67
- T *hampsoni* Logania 53(1):72
- T *hilaieira* Logania 53(1):65
- T *horsfieldi* Miletus 53(1):33
- T *infumata* Allostinus 53(1):34
- T (+) *f. intricata* Allostinus 53(1):35
- T *javanica* Logania 53(1):67
- T *kallikrates* Allostinus 53(1):14
- T *lenaia* Allostinus 53(1):54
- T *leogoron* Allostinus 53(1):35
- T *magaris* Allostinus 53(1):53
- T *maitus* Allostinus 53(1):29
- T *major* Allostinus 53(1):17
- T *manyclus* Allostinus 53(1):14
- T *meeki* Malais 53(1):72
- T *melanion* Miletus 53(1):81
- T *melos* Paragerydus 53(1):36
- BMNH-ht b *mendax* Allostinus 53(1):41, f 26
- T *mirus* Allostinus 53(1):15
- T *multistrigatus* Allostinus 53(1):57
- T *munichya* Logania 53(1):66
- T *nada* Logania 53(1):65
- T *narsares* Allostinus 53(1):29
- T *niceratus* Allostinus 53(1):49
- T *nigrilus* Paragerydus 53(1):24
- BMNH-ht a *paluana* Logania 53(1):63, f 79
- T *parapus* Allostinus 53(1):51
- T *permagnus* Allostinus 53(1):34
- pc-ht b *phantus* Miletus 53(1):78, f 88
- T *punctatus* Paragerydus 53(1):23
- T *rebilius* Allostinus 53(1):48
- T *reverdini* Allostinus 53(1):36
- pc-ht b *ristus* Allostinus 53(1):44, f 106
- BMNH-ht b *russelli* Allostinus 53(1):38, f 66
- T *sabazus* Allostinus 53(1):10
- pc-ht a *samarensis* Allostinus 53(1):37, f 23
- T *sarrastes* Allostinus 53(1):28
- T *satelliticus* Allostinus 53(1):34
- T *silurus* Allostinus 53(1):14
- T *sora* Logania 53(1):65
- T *stenosa* Logania 53(1):65
- T *subviolaceus* Allostinus 53(1):14
- T *suka* Allostinus 53(1):49
- BMNH-ht a *takanami* Miletus 53(1):83, f 54
- pc-ht b *treadawayi* Lontalius 53(1):75, f 49
- T *tymphrestus* Allostinus 53(1):12
- Eliot 1986 Bull. Br. Mus. nat. Hist. (Ent.) [b1571] (continued)
- pc-ht T *vitellianus* Gerydus 53(1):82
- a *waltraudae* Logania 53(1):61, f 41
- T *waterstradti* Paragerydus 53(1):30
- b *yusukei* Allostinus 53(1):55, f 35
- T *zitema* Allostinus 53(1):50
- Eliot 1986 Malay Nat. J. [b1572]
- BMNH-ht a *arshadorum* Deramas 39:221
- Eliot 1987 Tyô to Ga [b1574]
- BMNH-ht b *nepalica* Amblopala 38(1):26, f 6
- BMNH-ht b *phillipi* Chrysozephyrus 38(1):24, f 10-12
- Eliot & Kawazoé 1983 Butts Lycaenopsis group [b1580]
- BMNH-ht a *aemulus* Udara :147, f 103
- BMNH-ht b *aenigma* Megisba :63, f 233,257
- T *akasa* Polyommatus :110
- SMF-ht b *albescens* Udara :132
- T *albidisca* Palthia :57
- T *alboceruleus* Polyommatus :153
- T *amadis* Cyaniris :153
- BMNH-ht a *amarylde* Sidima :166, f 123
- T *amitra* Lycaenopsis :254
- T *ananga* Lycaenopsis :38
- BMNH-ht b *andamanus* Neopithecop :45
- BMNH-ht b *annamitica* Lycaenopsis :39, f 13, 426-427
- BMNH-ht b *anomala* Megisba :60
- BMNH-ht a *antonia* Udara :136, f 95
- T *archagathos* Cyaniris :192
- T *archena* Celastrina :31
- T *argioloides* Nacaduba :271
- T *aristinus* Lycaenopsis :122
- T *aristius* Cyaniris :118
- T *armenta* Cyaniris :197
- BMNH-ht b *aroana* Celastrina :258, f
- T *artena* Lycaenopsis (IFS) :174
- T *artinia* Lycaenopsis :248
- T *astarga* Cyaniris :91
- T *astynome* Cyaniris :241
- BMNH-ht b *baileyi* Celastrina :236
- BMNH-ht b *baluana* Callenya :263, f
- T *bazilana* Cyaniris :183
- BMNH-ht b *boholicus* Neopithecop :54, f 26, 430-431
- BMNH-ht b *boultoides* Oreolyce :32, f 8-9
- T *briga* Lycaenopsis :104
- T *calata* Cyaniris :96
- T *calon* Cyaniris :110
- T *carnita* Lycaenopsis :204
- T *catius* Cyaniris :91
- T *catullus* Cyaniris :109
- ANIC-ht b *caudata* Megisba :63, f 232,256
- BMNH-ht b *chloe* Celastrina :257, f
- T *cinctuta* Cyaniris :248
- T *cition* Cyaniris :217
- T *coalitoides* Lycaenopsis :88
- T *colutha* Pithecop :43
- BMNH-ht b *confusa* Udara :97, f 276-277
- T *contilia* Cyaniris :179
- T *cornuta* Cupido :38
- T *crimissa* Lycaenopsis :255
- T *cyanicornis* Lycaena :159
- RNH-ht a *cybele* Udara :130, f 89
- T *cynanae* Lycaenopsis :88
- T *darmis* Lycaenopsis :182
- T *deronda* Lycaenopsis :181
- T *dilectina* Lycaenopsis :85
- T *dilectus* Polyommatus :85
- T *dohertyi* Cyaniris :33
- T *dolona* Pithecop :43
- BMNH-ht b *dorothea* Neopithecop :53, f 229,253
- BMNH-ht b *elizabethae* Celarchus :198, f

Eliot & Kawazoe 1983 Butts Lycaenopsis group [b1580]

(continued)

	T <i>epicharma</i> Cyaniris	:256
NSMT-ht	a <i>etsuzoi</i> Udara	:119, f 79
	T <i>euphon</i> Cyaniris	:113
	T <i>fedora</i> Pithecoops	:43
	T <i>gadara</i> Cyaniris	:257
	T <i>gisca</i> Cyaniris	:174
	T <i>gradeniga</i> Cyaniris	:247
	T <i>hainana</i> Cyaniris	:85
	T <i>hegesander</i> Cyaniris	:254
	T <i>hegesias</i> Cyaniris	:171
	T <i>hermagoras</i> Cyaniris	:174
	T <i>hermeias</i> Cyaniris	:207
	T <i>hermesianax</i> Cyaniris	:256
	T <i>hermione</i> Cyaniris	:180
	T <i>hermonthis</i> Cyaniris	:85
	T <i>herophilus</i> Cyaniris	:217
	T <i>hersilia</i> Cyaniris	:227
	T <i>himilcon</i> Cyaniris	:255
BMNH-ht	b <i>hollowayi</i> Cebrella	:71, f 38, 234-235
BMNH-ht	a <i>hondai</i> Monodontides	:280, f
	T <i>huegelli</i> Cyaniris	:233
	T <i>hyllus</i> Lycaenopsis	:181
	T <i>idamis</i> Lycaenopsis	:162
	T <i>indigeta</i> Pithecoops	:45
RIEB-ht	b <i>indochinensis</i> Acytoplepis	:187, f
	T <i>infumata</i> Megisba	:57
BMNH-ht	a <i>iolanthe</i> Neopithecoops	:53, f 25,26
	T <i>lynteana</i> Cyaniris	:217
	T <i>jugurtha</i> Cyaniris	:144
BMNH-ht	a <i>kaguya</i> Callenya	:263, f
NSMT-ht	b <i>kashiwajii</i> Cebrella	:68
ANIC-ht	a <i>kodama</i> Udara	:136, f 94
	T <i>labranda</i> Lycaenopsis	:248
ANIC-ht	a <i>laetitia</i> Udara	:133, f 91
	T <i>lanka</i> Polyommatus	:114
	T <i>lavendularis</i> Polyommatus	:254
OMNH-ht	b <i>leel</i> Celastrina	:229, f
	T <i>lenya</i> Lycaenopsis	:261
	T <i>levettii</i> Lycaena	:214
BMNH-ht	b <i>leytensis</i> Celarchus	:193, f
	T <i>lilacea</i> Cyaniris	:187
	T <i>lombokensis</i> Lycaenopsis	:88
BMNH-ht	a <i>luzona</i> Udara	:115, f 76
BMNH-ht	a <i>luzonensis</i> Monodontides	:275, f
	T <i>lyce</i> Cyaniris	:257
BMNH-ht	b <i>mansuela</i> Udara	:113
	T <i>margarelon</i> Lycaenopsis	:104
	T <i>martini</i> Lycaenopsis	:181
	T <i>masinissa</i> Cyaniris	:97
	T <i>mavisa</i> Lycaenopsis	:109
	T <i>melaenoides</i> Cyaniris	:259
BMNH-ht	b <i>mindanensis</i> Udara	:144, f 99
	T <i>minima</i> Lycaenopsis	:259
NSMT-ht	b <i>miyashitai</i> Udara	:100
	T <i>monacha</i> Megisba	:61
	T <i>morsheadi</i> Cyaniris	:240
BMNH-ht	a <i>murayamai</i> Sidima	:164, f 120-121
	T <i>musina</i> Lycaena	:278
	T <i>musinoides</i> Lycaenopsis	:278
	T <i>mygdonia</i> Lycaenopsis	:177
	T <i>myla</i> Cyaniris	:175
	T <i>nearcha</i> Lycaenopsis	:29
	T <i>nedda</i> Cyaniris	:248
	T <i>neodilecta</i> Celastrina	:86
	T <i>neodilecta</i> Lycaenopsis	:86
BMNH-ht	b <i>nieuwenhuisi</i> Udara	:125, f 298-299
	T <i>nihana</i> Pithecoops	:43
BMNH-ht	a <i>nishiyamai</i> Udara	:141, f
BMNH-ht	b <i>obianus</i> Neopithecoops	:53
	T <i>oreana</i> Lycaenesthes	:235

Eliot & Kawazoe 1983 Butts Lycaenopsis group [b1580]

(continued)

	T <i>oreas</i> Cyaniris	:237
	T <i>oreoides</i> Lycaenopsis	:233
BMNH-ht	b <i>orientalis</i> Neopithecoops	:48, f 16X
	T <i>oskewa</i> Lycaenopsis	:65
	T <i>ottonis</i> Cyaniris	:183
RNH-ht	b <i>pallescens</i> Udara	:136
	T <i>paradilecta</i> Lycaenopsis (IFS)	:88
BMNH-ht	b <i>parumbretta</i> Neopithecoops	:49, f 226
BMNH-ht	b <i>parva</i> Udara	:89, f 53, 270
	T <i>pellides</i> Cyaniris	:278
	T <i>pellax</i> Cyaniris	:159
	T <i>pellonia</i> Cyaniris	:257
BMNH-ht	a <i>penelope</i> Cebrella	:67, f 34, 237
BMNH-ht	■ <i>perplexa</i> Celastrina	:242, f
	T <i>placidina</i> Lycaenopsis	:255
BMNH-ht	■ <i>prattorum</i> Sancterila	:77, f 44, 280-281
	T <i>presbyter</i> Megisba	:58
	T <i>proba</i> Lycaenopsis	:247
	T <i>puspa</i> Polyommatus	:179
	T <i>quadriplaga</i> Lycaena	:28
	T <i>roeberi</i> Lycaenopsis	:182
	T <i>rosanna</i> Megisba	:57
BMNH-ht	a <i>russelli</i> Sancterila	:79, f 46-47
	T <i>sabatina</i> Cyaniris	:171
	T <i>sabis</i> Lycaenopsis	:184
OMNH-ht	b <i>sadanobui</i> Udara	:109
	T <i>samanga</i> Cyaniris	:188
	T <i>sania</i> Cyaniris	:179
BMNH-ht	a <i>santotomasana</i> Udara	:145, f
-	■ <i>septentrionis</i> Celastrina (ISS)	:240
BMNH-ht	■ <i>serangana</i> Udara	:121, f 81
ANIC-ht	a <i>sibatani</i> Udara	:134, f 93
OMNH-ht	a <i>sohmai</i> Sancterila	:80, f 48-50
	T <i>subcoalita</i> Lycaenopsis	:88
NSMT-ht	b <i>subpura</i> Udara	:147, f 442-443
NSMT-ht	b <i>sugurui</i> Celastrina	:215, f 159
AME-ht	a <i>sulawesiana</i> Sidima	:165, f 122
BMNH-ht	■ <i>sumbanus</i> Neopithecoops	:47
	T <i>telis</i> Lycaenopsis	:174
BMNH-ht	■ <i>ternatensis</i> Monodontides	:275, f
	T <i>thoria</i> Cyaniris	:88
	T <i>thwaitesi</i> Megisba	:56
	T <i>tituria</i> Pithecoops	:53
	T <i>todara</i> Pithecoops	:41
	T <i>transpectus</i> Polyommatus	:73
NSMT-ht	■ <i>tsukadai</i> Uranobothria	:267, f
	T <i>tymbria</i> Lycaenopsis	:177
BMNH-ht	a <i>tyotaro</i> Udara	:156, f 112
	T <i>umbretta</i> Neopithecoops	:52
	T <i>ussuriensis</i> Celastrina	:215
	T <i>valeria</i> Cyaniris	:100
	T <i>vardhana</i> Polyommatus	:35
	T <i>velina</i> Megisba	:57
	T <i>vesontia</i> Lycaenopsis	:195
	T <i>victoria</i> Cyaniris	:217
	T <i>volubilis</i> Megisba	:57
BMNH-ht	■ <i>wilemani</i> Udara	:147, f 104-105
BMNH-ht	a <i>yoshidai</i> Lestranicus	:74, f 41, 269
RIEB-ht	b <i>yukizawai</i> Udara	:131, f 440-441
BMNH-ht	b <i>yunnana</i> Celastrina	:237, f
Eltringham 1909 Ent. mon. Mag. [b1583]	-	
-	■ <i>neavei</i> Mimacraea	45:172
Eltringham 1929 In Trans. ent. Soc. Lond. [b1587]		
UMO-ht	a <i>hypocala</i> Liptena	77(2):494, pl 30
-	a <i>margaritacea</i> Alacna	77(2):492
Elwes [1882] Proc. zool. Soc. Lond. [b1589]		
-	a <i>phyllodendri</i> Thecla	1881(4):886

- Elwes 1882 Proc. zool. Soc. Lond. [b1590]
- b *asiatica* Lycaena 1882(3):404
- Elwes 1887 Proc. zool. Soc. Lond. [b1591]
- a *pontis* Chilades 1887(3):446
- a *sinensis* Chilades 1887(3):446
- a *virgo* Hypolycaena 1887(3):446
- Elwes 1888 Trans. ent. Soc. Lond. [b1592]
- c *hewitsoni* Jamides 36(3):400
- Elwes 1890 In Trans. ent. Soc. Lond. [b1593]
- b *mandersi* Chrysophanus 38(3):531
- Elwes [1893] Proc. zool. Soc. Lond. [b1594]
BMNH-ht b *aberrans* Nacaduba 1892(4):626
- a *abnormis* Rapala 1892(4):642
- c *amboides* Sinthusa 1892(4):645
- a *cleoboides* Camena 1892(4):637
- a *hypargyria* Rapala 1892(4):643
- a *icetoides* Camena 1892(4):636
- a *maximus* Aphnaeus 1892(4):637
BMNH-ht c *panormis* Alouinus 1892(4):619
- a *subguttata* Rapala 1892(4):644
- a *subochrea* Catapaecilma 1892(4):640
- Elwes 1899 Trans. ent. Soc. Lond. [b1595]
- b *altaica* Lycaena 47(3):327
- a *argali* Lycaena 47(3):328
- c *deserticola* Lycaena 47(3):325
- b *uralensis* Lycaena 47(3):329
- Elwes 1901 In Trans. ent. Soc. Lond. [b1596]
BMNH-ht b *nicholli* Lycaena 49(1):96
- Elwes 1906 In Trans. ent. Soc. Lond. [b1597]
- a *atlantica* Lycaena 53(4):380, pl 19
- Elwes 1906 In Proc. zool. Soc. Lond. [b1598]
- b *annulata* Polyommatus 1906(3):484
- a *youngusbandi* Lycaena 1906(3):484
- Emmel 1975 Butterflies [b1601]
- e *melipoeus* Ancylyrus (ISS) :[105]
- Emmel & Mattoni 1990 J. Res. Lep. [b1600]
- b *fumosum* Satyrium 28(1/2):102, f
- Erichson 1848 In Schomburgk, Reisen Brit.-Guiana [b1611]
- a *monostigma* Emesis 3:601
- a *trochilus* Caria 3:601
- Erschoff 1874 Mém. Soc. amis Sci. nat. Moscou [b1612]
ZMMU a *fedtschenkoi* Thestor 11(2):3, pl 1
- a *luculenta* Siseme 11(2):3, pl 3
- a *lunulata* Thecla 11(2):7, pl 1
ZMMU c *maracandica* Lycaena 11(2):10
ZMMU c *mirabilis* Thecla 11(2):7, pl 1
- a *prosecusa* Lycaena 11(2):13, pl 1
ZMMU a *solskyi* Polyommatus 11(2):8, pl 1
ZMMU a *tengstroemi* Lycaena 11(2):11, pl 1
- Erschoff 1877 Trudy Russ. ent. Obschs. [b1613]
- c *peruviana* Thecla 10:57, pl 1
- Esaki 1922 Zool. Mag. [b1614]
EIHU-ht c *sachalinensis* Cyaniris 34:912
- Esaki 1932 Zephyrus [b1615]
biblio b *shonen* Lycaenopsis 4:14
- Esaki 1932 Icon. Ins. Japan [b1616]
- d *formosanus* Zephyrus (H) :969, f 1910
- Esaki 1934-1938 Zephyrus [b1617]
- e 1934 *ab. alio* Zephyrus 5(4):201, f
- Esaki 1935 Suppl. Rhop. Nihon. [b1618]
- c (+) *f. pryeri* Zephyrus :10
- Esaki 1938 Zephyrus [b1617]
- c (+) *f. leechi* Zephyrus 7:229, pl 16
- Esaki & Nakahara 1930 Zephyrus [b1620]
- e *ab. albida* Curetis 2(3):149, f
- e *ab. uyei* Heodes 2(3):150
- Esaki & Shirôzu 1943 Zephyrus [b1621]
- a *forsteri* Thecla 9(3):151-156
- a *layal* Thecla 9(3):151-156
- Eschscholtz 1821 In Kotzebue, Eendeck. Reise Süd-See [b1622]
- b *cramera* Lycaena 3:217, pl 5 or
- c *meriana* Mechanitis 3:213, pl 8
- a *schaeffera* Lycaena 3:216, pl 5
- Esper 1776-1830 Die Schmett. [b1623]
- c [1777] *minimus* Papilio 1(1)(6):pl 34
- d [1777] *theis* Papilio (H) 1(1)(6):pl 32
- d [1778] *hippotoe* Papilio (H) 1(1)(7):pl 38
- d [1778] *hylas* Papilio (H) 1(1)(8):pl 45
- d [1778] *lynceus* Papilio (H) 1(1)(7):pl 39
- b [1778] *meleager* Papilio 1(1)(8):pl 45
- c [1778] *telephili* Papilio 1(1)(7):pl 41
- a [1779] *ilicis* Papilio 1(1)(9):353
- c [1779] *polyphemus* Papilio 1(1)(9):pl 50
- a [1780] *eumedon* Papilio 1(2)(1):16
- c [1780] *tiphys* Papilio 1(2)(1):pl 51
- c [1781] *amphidamas* Papilio 1(2)(2):46
- c [1782] *hipponoe* Papilio 1(2)(5):pl 78
- c [1782] *leodorus* Papilio 1(2)(5):pl 80
- a [1783] *admetus* Papilio 1(2)(7):148
- c [1784] *ceronus* Papilio 1(2)(9):178
- a [1784] *thersamon* Papilio 1(2)(9):176
- d [1789] *argiades* Papilio (H) Suppl. Theil 1:49
- a [1789] *icarius* Papilio Suppl. Theil 1:35
- a [1789] *roboris* Papilio Suppl. Theil 1:59
- c [1798] *minutus* Papilio Suppl. Theil 1:71
- d [1800] *orbitulus* Papilio (H) Suppl. Theil 1:pl
- Evans 1910 J. Bombay nat. Hist. Soc. [b1625]
BMNH-ht c *kodi* Nacaduba 20(2):387
BMNH-ht b *sivoka* Nacaduba 20(2):427
- Evans 1912 J. Bombay nat. Hist. Soc. [b1626]
BMNH-st b *gracilis* Lycaena (H) 21(3):559,984
- b *shandura* Lycaena 21(3):984
BMNH-ht c *topa* Lycaenesthes 21(3):986
- c *viridis* Ilerda 21(3):989
- b *walli* Lycaena 21(3):558, 983
BMNH-ht b *watsoni* Arhopala 21(3):559
- Evans 1914 J. Bombay nat. Hist. Soc. [b1627]
- c *ellisi* Arhopala 23(2):303
BMNH-ht a *mackwoodi* Thecla 23(2):302
- Evans 1915 J. Bombay nat. Hist. Soc. [b1628]
- b *luana* Lycaena 23(3):544, f
- b *major* Lycaena 23(3):544
BMNH-ht a *morsheadi* Cyaniris 23(3):543, f
- Evans 1921 J. Bombay nat. Hist. Soc. [b1629]
BMNH-ht b *dawna* Pontia 28(1):37
BMNH-ht a *karennia* Pontia 28(1):35,36
BMNH-ht b *regia* Pontia 28(1):37
- Evans 1923 Trans. ent. Soc. Lond. [b1630]
- a *morsheadi* Lycaena 70(3/4):478
- Evans 1924 J. Bombay nat. Hist. Soc. [b1631]
- b *tyleri* Lycaena 29(3):973

- Evans 1925 J. Bombay nat. Hist. Soc. [b1632]
- b *ashretha* Lycaena 30(2):346
 - a *astorica* Lycaena 30(2):346
 - b *burmana* Talicaeda 30(2):338, f
 - b *chitralica* Lycaena 30(2):347
 - b *dohertyi* Simiskina 30(2):335, f
 - b *droshana* Polyommatus 30(2):349
 - b *elsiei* Poritia 30(2):334
 - a *indica* Lycaena 30(2):346
 - b *kalawna* Abisara 30(2):324, pl 26
 - b *lanka* Euchrysops 30(2):339
 - b *nila* Euchrysops 30(2):339
 - c *obsoleta* Lampides 30(2):351, f
 - BMNH-ht b *oreoides* Lycaenopsis 30(2):344, f
 - b *pila* Everes 30(2):340, f
 - BMNH-ht b *rupala* Polyommatus 30(2):350, f
 - b *sanoga* Lycaena 30(2):346, pl 27
 - b *tavoyana* Chilades 30(2):344, f
- Evans 1925 J. Bombay nat. Hist. Soc. [b1633]
- BMNH-ht b *anthea* Amblypodia 30(3):625
 - BMNH-ht c *arestina* Amblypodia 30(3):638
 - BMNH-ht a *ariana* Amblypodia 30(3):628
 - BMNH-ht a *aurelia* Amblypodia 30(3):630
 - b *blairana* Jamides 30(3):614
 - BMNH-ht b *cooperi* Amblypodia 30(3):631
 - BMNH-ht b *elsiei* Amblypodia 30(3):627
 - BMNH-ht b *fulva* Nacaduba 30(3):613, f
 - BMNH-ht b *indica* Nacaduba 30(3):613
 - b *irma* Thecla 30(3):620, f
 - b *kanara* Thaduka 30(3):624, f
 - BMNH-ht c *karennia* Amblypodia 30(3):626
 - b *nicevillei* Jamides 30(3):614
 - BMNH-ht a *paralea* Amblypodia 30(3):631
 - b *purpura* Jamides 30(3):615, f
 - BMNH-ht b *ramosa* Amblypodia 30(3):634
 - BMNH-ht b *regia* Amblypodia 30(3):629
 - BMNH-ht d *regia* Amblypodia (H) 30(3):635
- Evans 1925 J. Bombay nat. Hist. Soc. [b1634]
- e (+) *f. albidus* Sinthusa 30(4):774
 - c *confusa* Sinthusa 30(4):774
 - b *ellisi* Tajuria 30(4):762
 - a *etwesi* Spindasis 30(4):759
 - b *extensa* Pratapa 30(4):761
 - b *karennia* Surendra 30(4):756
 - b *mishmia* Pratapa 30(4):761
 - b *nicobarica* Hypolycaena 30(4):769
 - BMNH-ht c *regia* Cheritra 30(3):766
 - c *rubicunda* Rapala 30(4):771
 - e (+) *f. rubidus* Sinthusa 30(4):774
 - b *tavoyana* Spindasis 30(4):758
- Evans 1926 J. Bombay nat. Hist. Soc. [b1635]
- a *extensa* Rapala 31(3):718
 - c *sudica* Pratapa 31(3):717
- Evans 1927 Ident. Indian Butts (1st ed) [b1636]
- b *bakeri* Heliophorus Heliophorus :158
 - e *canejus* Euchrysops :142
 - e *indicus* Lycaena (NN) :-
 - e *moulmeinus* Taxila (ISS) :129
- Evans 1927 Tijdschr. Ent. [b1637]
- b *janetae* Polyommatus 70:161
- Evans 1932 Ident. Indian Butts (2nd ed.) [b1638]
- BMNH-ht a *alax* Amblypodia :263
 - BMNH-ht b *archbaldi* Marmessus :290
 - BMNH-ht b *ardea* Amblypodia :268
 - BMNH-ht b *aria* Amblypodia :258
 - a *bogra* Polyommatus :231
 - BMNH-ht b *brunnea* Nacaduba :241
- Evans 1932 Ident. Indian Butts (2nd ed.) [b1638] (continued)
- a *connae* Neolycaena :247
 - BMNH-ht b *dilata* Nacaduba :243
 - BMNH-ht b *diluta* Amblypodia :257
 - b *felicia* Polyommatus :227
 - BMNH-ht a *ferrari* Jamides :238
 - b *fusca* Jamides :238
 - b *hanna* Polyommatus :227
 - a *hazara* Tarucus :215
 - a *indica* Everes :219
 - a *indica* Tarucus :216
 - b *karennia* Gerydus :210
 - BMNH-ht b *kondulana* Nacaduba :241
 - b *kwaja* Polyommatus :227
 - b *laspura* Polyommatus :227
 - b *laura* Polyommatus :227
 - BMNH-ht a *lenya* Lycaenopsis :222
 - BMNH-ht c *major* Nacaduba (H) :240
 - c *major* Heliophorus :246
 - BMNH-ht b *maya* Amblypodia :259
 - BMNH-ht c *minima* Lycaenopsis :222
 - b *minuta* Euchrysops :235
 - b *mogoka* Heliophorus :247
 - b *nicobarica* Loxura :274
 - b *obscura* Curetis :253
 - c *pallida* Amblypodia :258
 - b *shania* Gerydus :211
 - b *shingara* Polyommatus :231
 - c *tavoyana* Gerydus :210
 - BMNH-ht c *varia* Nacaduba :241
 - b *wazira* Polyommatus :232
- Evans 1933 J. Fed. Malay St. Mus. [b1639]
- BMNH-ht a *araotina* Horaga 17(2):413
- Evans 1954 Entomologist [b1641]
- c *denta* Curetis 87:243
 - b *doxa* Curetis 87:242
 - b *kondula* Curetis 87:194
 - b *labuana* Curetis 87:214
 - a *naga* Curetis 87:243
 - a *regula* Curetis 87:215
 - a *siva* Curetis 87:242
 - a *tonkina* Curetis 87:242
- Evans 1955 Entomologist [b1642]
- a *kulala* Tarucus 88:185
 - e *micoeruleus* Tarucus (ISS) 88:179-187
- Evans 1957 Bull. Br. Mus. nat. Hist. (Ent.) [b1644]
- BMNH-ht a *acta* Narathura 5(3):113
 - BMNH-ht a *alica* Narathura 5(3):96
 - BMNH-ht b *ander* Narathura 5(3):116
 - BMNH-ht a *arta* Narathura 5(3):128
 - BMNH-ht b *aruana* Narathura 5(3):101
 - BMNH-ht a *asma* Narathura 5(3):109
 - T *athada* Amblypodia 5(3):102
 - BMNH-ht a *axina* Arhopala 5(3):128
 - BMNH-ht b *bosnika* Narathura 5(3):117
 - BMNH-ht b *bowringi* Panchala 5(3):130
 - BMNH-ht a *bungo* Flos 5(3):131
 - T *catori* Arhopala 5(3):97
 - BMNH-ht b *centra* Narathura 5(3):117
 - BMNH-ht b *chota* Narathura 5(3):91
 - BMNH-ht b *contra* Narathura 5(3):106
 - BMNH-ht a *curiosa* Narathura 5(3):123
 - BMNH-ht a *delta* Narathura 5(3):96
 - BMNH-ht a *denta* Narathura 5(3):107
 - BMNH-ht b *droa* Narathura 5(3):100
 - BMNH-ht b *eichhorni* Narathura 5(3):116
 - e *elegabulus* Arhopala (ISS) 5(3):112
 - BMNH-ht b *everetti* Narathura 5(3):121
 - BMNH-ht b *fracta* Narathura 5(3):91

- Evans 1957 Bull. Br. Mus. nat. Hist. (Ent.) [b1644] (continued)
- BMNH-ht b *gander* Narathura 5(3):116
 BMNH-ht b *gloria* Narathura 5(3):95
 BMNH-ht a *halima* Narathura 5(3):109
 - e *heliagabulus* Arhopala (ISS) 5(3):112
 BMNH-ht b *hilda* Narathura 5(3):95
 BMNH-ht b *impar* Narathura 5(3):89
 BMNH-ht b *indra* Narathura 5(3):96
 BMNH-ht b *jobina* Narathura 5(3):101
 BMNH-ht b *jona* Narathura 5(3):117
 BMNH-ht b *kalima* Narathura 5(3):90
 BMNH-ht b *kota* Narathura 5(3):113
 BMNH-ht b *lana* Narathura 5(3):124
 BMNH-ht b *lanka* Arhopala 5(3):110
 BMNH-ht a *lata* Narathura 5(3):115
 BMNH-ht b *leander* Narathura 5(3):116
 BMNH-ht b *louisa* Narathura 5(3):100
 - e *maymoica* Arhopala (ISS) 5(3):129
 BMNH-ht b *media* Narathura 5(3):121
 BMNH-ht b *meeki* Narathura 5(3):116
 BMNH-ht b *minor* Narathura 5(3):101
 BMNH-st b *molta* Narathura 5(3):104
 BMNH-ht b *neva* Narathura 5(3):109
 BMNH-ht a *norda* Narathura 5(3):97
 BMNH-ht b *obina* Narathura 5(3):117
 BMNH-ht b *ophir* Narathura 5(3):107
 BMNH-ht b *panta* Narathura 5(3):106
 BMNH-ht b *philippa* Narathura 5(3):96
 BMNH-ht b *plateni* Narathura 5(3):102
 BMNH-ht b *pratti* Narathura 5(3):116
 BMNH-ht b *purpura* Arhopala 5(3):109
 BMNH-ht b *quadra* Narathura 5(3):92
 BMNH-ht b *riuna* Narathura 5(3):117
 BMNH-ht b *salvia* Narathura 5(3):89
 BMNH-ht b *santa* Narathura 5(3):126
 T *semperi* Arhopala 5(3):91
 BMNH-ht b *soda* Narathura 5(3):109
 - a *stinga* Aurea 5(3):126
 BMNH-ht a *styx* Narathura 5(3):115
 BMNH-ht b *sudesta* Narathura 5(3):125
 BMNH-ht b *talauta* Narathura 5(3):114
 BMNH-ht b *unda* Narathura 5(3):113
 BMNH-ht a *wanda* Narathura 5(3):115
 BMNH-ht b *wilemani* Narathura 5(3):102
- Eversmann 1832 Nouv. Mém. Soc. imp. nat. Moscou [b1645]
 - a *bavius* Scolitantides (ns)2:349, pl 19
 ZIL-ht a *rhythmus* Lycaena (ns)2:350, pl 19
- Eversmann 1837 Bull. Soc. imp. Nat. Moscou [b1646]
 - a *cyane* Lycaena 10(1):22; 1843:23
- Eversmann 1841 Bull. Soc. imp. Nat. Moscou [b1647]
 -ht a *damone* Lycaena 14(1):18
- Eversmann 1843 Bull. Soc. imp. Nat. Moscou [b1648]
 - a *coelestina* Lycaena 16(3):535
 - a *fischeri* Lycaena 16(3):537
 - a *pheretia* Lycaena 16(3):536, pl 7
- Eversmann 1848 Bull. Soc. imp. Nat. Moscou [b1649]
 - a *callimachus* Lycaena 21(2):208
 - b *cyaneula* Lycaena 21(2):207
- Eversmann 1851 Bull. Soc. imp. Nat. Moscou [b1650]
 - b *panope* Lycaena 24(2):619
 - c *subsolanus* Lycaeides 24(2):620
- Eversmann 1854 Bull. Soc. imp. Nat. Moscou [b1651]
 ZIL-ht a *athamantis* Polyommatus 27(2):180, pl 1
 - a *elvira* Lycaena 27(2):177
 - a *epargyros* Polyommatus 27(2):178, pl 1
- Fabricius 1775 Syst. Ent. [b1653]
 - d *actaeon* Papilio (RC) :appx 829
 ZMC-ht a *aeolus* Papilio :52
 lost a *amor* Papilio :518
 BMNH-ht a *apelles* Papilio :524, n 342
 BMNH-st a *centaurus* Papilio :520
 BMNH-ht a *cleon* Papilio :522
 BMNH-ht c *damoetes* Papilio :526
 BMNH-ht a *endymion* Papilio :519
 BMNH-ht a *erinus* Papilio :525
 - d *faunus* Papilio (H) :532
 - a *harpax* Papilio :appx 829
 - a *hylax* Papilio :526
 BMNH-ht a *hymen* Papilio :519
 BMNH-ht a *lacchus* Papilio :533
 - a *ixion* Papilio :523
 - a *licursis* Papilio :532
 ZMC-ht c *maimon* Papilio :534
 - a *midas* Papilio :527
 BMNH-ht a *narcissus* Papilio :524
 - a *nicaeus* Papilio :482
 BMNH-ht a *parsimon* Papilio :526
 lost a *rosimon* Papilio :523
 BMNH-ht a *silenus* Papilio :531
 ZMC-ht c *sphinx* Papilio :520
 BMNH a *strephon* Papilio :522
 Lost a *vulcanus* Papilio :519
- Fabricius 1777 Gen. Ins. [b1654]
 - c *celerio* Papilio :268
 - a *croesus* Papilio :259
 - d *icarus* Papilio (H) :269
 - c *licarsis* Papilio :271
 ZMC-st d *linus* Papilio (H) :269
 - c *mars* Papilio :268
 - a *meliboeus* Papilio :271
 - a *menippus* Papilio :272
- Fabricius 1781-1782 Spec. Ins. [b1655]
 BMNH-st c 1781 *aesopus* Papilio 2:125
 - d 1781 *amyntor* Papilio (H) 2:121
 - a 1781 *bathis* Papilio 2:116
 - c 1781 *cepha* Papilio 2:15
 - d 1781 *croesus* Papilio (H) 2:117 (nec 64)
 - d 1781 *endymion* Papilio (H) 2:115
 - b 1781 *eumeus* Papilio 2:63
 BMNH-ht a 1781 *gerontes* Papilio 2:117
 BMNH-ht d 1781 *helius* Papilio (H) 2:112
 BMNH-ht c 1781 *moncus* Papilio 2:113
 BMNH-st c 1781 *phaedrus* Papilio 2:125
 - c 1781 *sedl* Papilio 2:121
 - d 1781 *sphinx* Papilio (H) 2:116
 - d 1781 *talus* Papilio (H) 2:128
 - a 1781 *thisbe* Papilio 2:130
 - c 1781 *venus* Papilio 2:115
 - d [1782] *acis* Papilio (H) 2:Appx 504
- Fabricius 1787 Mantissa Ins. [b1656]
 - a *acaciae* Papilio 2:69
 - d *acis* Papilio (H) 2:73
 ZMC-st c *acreon* Papilio 2:76
 BMNH-ht b *allica* Papilio 2:52
 ZMC-st d *arcas* Papilio (H) 2:80
 ZMC-st a *ballus* Papilio 2:80
 ZMC-ht c *bias* Papilio 2:79
 - a *cachrus* Papilio 2:78
 ZMC-ht c *cerasi* Papilio 2:69
 - a *dardus* Papilio 2:30
 - d *erosine* Papilio (H) 2:51
 - d *ctolus* Papilio (H) 2:66
 ZMC-st c *evadrus* Papilio 2:89
 ZMC-ht a *flegia* Papilio 2:51

Fabricius 1787 Mantissa Ins. [b1656] (continued)

-	c	<i>gabrielis</i> Papilio	2:65
-	c	<i>garbas</i> Papilio	2:82
-	a	<i>getus</i> Papilio	2:66
biblio	■	<i>gnidus</i> Papilio	2:64
ZMC-ht	■	<i>haraldus</i> Papilio	2:82
ZMC-ht	c	<i>hiere</i> Papilio	2:80
-	e	<i>hylus</i> Papilio (ISS)	2:-
-	■	<i>larbas</i> Papilio	2:83
BMNH-ht	■	<i>larbus</i> Papilio	2:68
ZMC-ht	a	<i>juba</i> Papilio	2:82
ZMC-ht	c	<i>lassus</i> Papilio	2:26
BMNH-st	d	<i>lisias</i> Papilio (H)	2:65
-	d	<i>lynceus</i> Papilio (H)	2:69
ZMC-st	a	<i>minereus</i> Papilio	2:77
biblio	■	<i>octavius</i> Papilio	2:9
lost	■	<i>otus</i> Papilio	2:73
-	■	<i>renatus</i> Papilio	2:31
ZMC-ht	c	<i>silvius</i> Papilio	2:88
ZMC-st	■	<i>susanna</i> Papilio	2:16
-	■	<i>timon</i> Papilio	2:65
-	■	<i>triton</i> Papilio	2:74
-	a	<i>tullius</i> Papilio	2:34
biblio	c	<i>valens</i> Papilio	2:67
-	d	<i>xanthe</i> Papilio (H)	2:81

Fabricius 1792-1799 Ent. syst. [b1657]

ZMC-st	b	1793 <i>aelianus</i> Hesperia	3(1):280
ZMC-st	a	1793 <i>aemulius</i> Hesperia	3(1):322
biblio	a	1793 <i>agrippa</i> Hesperia	3(1):259
-	a	1793 <i>alphonsus</i> Hesperia	3(1):308
ZMC-ht	c	1793 <i>amphion</i> Hesperia	3(1):301
-	a	1793 <i>anacreon</i> Hesperia	3(1):268
-	a	1793 <i>archimedes</i> Hesperia	3(1):320
-	c	1793 <i>arminius</i> Papilio	3(1):155
-	a	1793 <i>artaxerxes</i> Hesperia	3(1):297
-	c	1793 <i>augustus</i> Hesperia	3(1):275
-	a	1793 <i>bibulus</i> Hesperia	3(1):307
-	e	1793 <i>boetica</i> Hesperia (ISS)	3(1):280
ZMC-ht	c	1793 <i>cajus</i> Hesperia	3(1):296
ZMC-st	b	1793 <i>catilina</i> Hesperia	3(1):304
-	a	1793 <i>cecrops</i> Hesperia	3(1):270
-	e	1793 <i>ceranus</i> Hesperia (ISS)	3(1):276
ZMC-st	a	1793 <i>ceraunus</i> Hesperia	3(1):303
-	c	1793 <i>chiton</i> Hesperia	3(1):262
ZMC-ht	a	1793 <i>columella</i> Hesperia	3(1):282
-	a	1793 <i>constantius</i> Papilio	3(1):152
-	c	1793 <i>coriolanus</i> Hesperia	2(1):284
ZMC-ht	a	1793 <i>democritus</i> Hesperia	3(1):285
-	a	1793 <i>dindus</i> Hesperia	3(1):269
-	a	1793 <i>domitianus</i> Hesperia	3(1):315
biblio	d	1793 <i>electron</i> Hesperia (JOS)	3(1):321
-	a	1793 <i>elorea</i> Papilio	3(1):194
-	c	1793 <i>ericus</i> Hesperia	3(1):281
-	c	1793 <i>euripides</i> Hesperia	3(1):267
-	a	1793 <i>florus</i> Hesperia	3(1):310
ZMC-ht	a	1793 <i>freja</i> Hesperia	3(1):263
-	c	1793 <i>gemellus</i> Hesperia	3(1):319
-	a	1793 <i>geminus</i> Hesperia	3(1):322
-	a	1793 <i>haquinus</i> Papilio	3(1):55
-	a	1793 <i>herodotus</i> Hesperia	3(1):286
-	c	1793 <i>hesiodus</i> Hesperia	3(1):260
-	a	1793 <i>hippocrates</i> Hesperia	3(1):288
-	a	1793 <i>honorius</i> Papilio	3(1):151
-	c	1793 <i>isarchus</i> Hesperia	3(1):316
ZMC-st	a	1793 <i>isocrates</i> Hesperia	3(1):266
-	e	1793 <i>jarbas</i> Hesperia (ISS)	3(1):276
-	c	1793 <i>laches</i> Hesperia	3(1):317
biblio	c	1793 <i>lincus</i> Hesperia	3(1):289
-	c	1793 <i>livius</i> Hesperia	3(1):315
-	a	1793 <i>lucanus</i> Hesperia	3(1):322
-	a	1793 <i>lucianus</i> Hesperia	3(1):313

Fabricius 1792-1799 Ent. syst. [b1657] (continued)

-	a	1793 <i>lucius</i> Hesperia	3(1):320
-	b	1793 <i>maecenas</i> Hesperia	3(1):271
-	d	1793 <i>maecenas</i> Hesperia (H)	3(1):306
-	a	1793 <i>meliboeus</i> Hesperia	3(1):271
-	a	1793 <i>nepos</i> Hesperia	3(1):340
-	c	1793 <i>odin</i> Papilio	3(1):56
-	a	1793 <i>ovidius</i> Hesperia	3(1):320
-	c	1793 <i>pann</i> Hesperia	3(1):276
-	a	1793 <i>parrhasius</i> Hesperia	3(1):289
biblio	d	1793 <i>perditus</i> Hesperia (JOS)	3(1):323
-	c	1793 <i>pericles</i> Hesperia	3(1):273
-	c	1793 <i>petronius</i> Hesperia	3(1):324
-	e	1793 <i>peus</i> Hesperia (ISS)	3(1):264
-	a	1793 <i>phidias</i> Hesperia	3(1):286
-	a	1793 <i>philippus</i> Hesperia	3(1):283
BMNH-ht	a	1793 <i>phocides</i> Hesperia	3(1):282
-	a	1793 <i>phorbas</i> Hesperia	3(1):277
-	c	1793 <i>pindarus</i> Hesperia	3(1):262
ZMC-ht	c	1793 <i>plato</i> Hesperia	3(1):288
-	c	1793 <i>plautus</i> Hesperia	3(1):291
ZMC-ht	a	1793 <i>plinius</i> Hesperia	3(1):284
-	a	1793 <i>plutargus</i> Hesperia	3(1):329
-	c	1793 <i>polymenus</i> Papilio	3(1):54
-	a	1793 <i>posthumus</i> Papilio	3(1):149
-	a	1793 <i>ptolomaeus</i> Hesperia	3(1):319
-	a	1793 <i>pythagoras</i> Hesperia	3(1):259
-	a	1793 <i>regulus</i> Hesperia	3(1):318
-	a	1793 <i>romulus</i> Hesperia	3(1):316
-	a	1793 <i>salustius</i> Hesperia	3(1):310
-	a	1793 <i>sophocles</i> Hesperia	3(1):267
BMNH-nt	a	1793 <i>strabo</i> Hesperia	3(1):287
-	c	1793 <i>suetonius</i> Hesperia	3(1):320
-	c	1793 <i>tacitus</i> Hesperia	3(1):308
-	a	1793 <i>tarquinius</i> Hesperia	3(1):319
-	a	1793 <i>thales</i> Hesperia	3(1):268
-	a	1793 <i>theocritus</i> Hesperia	3(1):289
ZMC-ht	a	1793 <i>theophrastus</i> Hesperia	3(1):281
-	a	1793 <i>thucydides</i> Hesperia	3(1):323
-	a	1793 <i>titus</i> Hesperia	3(1):297
-	a	1793 <i>tyrtaeus</i> Hesperia	3(1):271
-	a	1793 <i>vanessa</i> Papilio	3(1):192
-	a	1793 <i>virgilius</i> Hesperia	3(1):323
-	a	1793 <i>xenophon</i> Hesperia	3(1):272
biblio	c	1796 <i>dimas</i> Hesperia	Index:76,77
ZMC-st	a	1798 <i>cippus</i> Hesperia	Suppl.:429
ZMC-ht	a	1798 <i>cnejus</i> Hesperia	Suppl.:430
ZMC-ht	d	1798 <i>eleus</i> Hesperia (H)	Suppl.:430
ZMC-ht	b	1798 <i>longinus</i> Hesperia	Suppl.:430
ZMC-ht	a	1798 <i>zachaeus</i> Hesperia	Suppl.:431

Fallou 1865 Anns. Soc. ent. Fr. [b1660]

-	c	<i>zermattensis</i> Polyommatus	4(5)[=34]:101
---	---	---------------------------------	---------------

Fassl 1912 Revue mens. Soc. ent. namur. [b1662]

NMB	a	<i>episcopalis</i> Thecla	12(4):42
-----	---	---------------------------	----------

Fassl 1915 Ent. Rundsch. [b1663]

-	c	<i>sogamuxi</i> Ancyliuris	32:44, f
---	---	----------------------------	----------

Fassl 1922 Ent. Zeit. [b1665]

-	a	<i>bahmanni</i> Theope	36(12):46
---	---	------------------------	-----------

Fauvel 1862 Bull. Soc. linn. Normandie [b1667]

-	e	<i>nitha</i> Desmozona	6:141
---	---	------------------------	-------

Favre 1897 In Mitt. schweiz. ent. Ges. [b1668]

-	e	<i>ab. nigra</i> Polyommatus	10(1):36
---	---	------------------------------	----------

Favre 1903 Suppl. Faune Valais [b1669]

-	e	<i>alpina</i> Maculinea	:-
-	e	<i>ab. cinnoidea</i> Lycaena	:4
-	e	<i>ferreti</i> Polyommatus	:4

- Favre 1903 Suppl. Faune Valais [b1669] (continued)
 - c *metallica* Lycaena :4
 - e *ab. subaspunctisfortissimis* Lycaena :4
 - e *ab. subradiata* Plebejus :4
 - c *unicolor* Plebejus :3
- Favre & Wulschlegel 1899 Faune Macro-Lép. Valais [b1671]
 - c *montana* Cupido :23
 - e *ab. petrividenda* Polyommatus :19
- Fawcett 1897 Ann. Mag. nat. Hist. [b1672]
 - b *geta* Pontia (6)20:112
- Fawcett 1904 Proc. zool. Soc. Lond. [b1673]
 - b *arene* Lycaena 1904(II)(1):137
 - c *marcia* Lycaena 1904(II)(1):139
 - b *pharis* Lycaena 1904(II)(1):138
 - c *zera* Lycaena 1904(II)(1):138
- C. Felder 1860 Sber. Akad. Wiss. Wien [b1676]
 BMNH-ht a *alecto* Jamides 40(11):456
 BMNH-ht a *anactetus* Thecla 40(11):454
 BMNH-ht a *ancyra* Lycaena 40(11):457
 BMNH-ht a *annulata* Amblypodia 40(11):452
 - a *astrartes* Jamides 40(11):456
 - a *barsine* Anops 40(11):451
 BMNH-ht a *calauria* Lycaena 40(11):457
 BMNH-ht a *cardia* Lycaena 40(11):459
 BMNH-ht a *chrysanthis* Thecla 40(11):455
 BMNH-ht a *cleander* Amblypodia 40(11):453
 - a *critala* Amblypodia 40(11):453
 BMNH-ht a *disparilis* Amblypodia 40(11):453
 BMNH-ht a *doleschallii* Thecla 40(11):454
 - a *epirus* Myrina 40(11):452
 BMNH-ht a *eridanus* Amblypodia 40(11):452
 BMNH-ht a *helicon* Lycaena 40(11):457
 BMNH-ht a *hermus* Lycaena 40(11):457
 - a *hymetus* Thysonotis 40(11):459
 - b *hyrcanus* Lycaena 40(11):455
 BMNH-ht a *lilas* Thecla 40(11):454
 - b *isabella* Myrina 40(11):451
 - c *jocius* Myrina 40(11):451
 BMNH-ht a *lycaenoides* Dipsas 40(11):454
 - a *nemea* Lycaena 40(11):455 or 456
 BMNH-ht c *niconia* Lycaena 40(11):458
 BMNH-ht a *nobilis* Amblypodia 40(11):453
 BMNH-ht a *nora* Lycaena 40(11):458
 BMNH-ht a *paetolus* Lycaena 40(11):456
 BMNH-ht a *palmyra* Lycaena 40(11):458
 - a *panormus* Lycaena 40(11):455
 BMNH-ht b *perusia* Lycaena 40(11):458
 - b *pharnus* Spalgis 40(11):460
 BMNH-ht a *philotas* Thecla 40(11):454
 - a *sipylus* Myrina 40(11):451
 BMNH-ht a *strongyle* Lycaena 40(11):459
 BMNH-ht a *syrinx* Myrina 40(11):452
 - c *tanagra* Lycaena 40(11):459
- C. Felder 1862 Verh. zool.-bot. Ges. Wien [b1677]
 BMNH-ht a *absimilis* Holochila 12:490
 BMNH-ht a *almeida* Aloecides 12:478
 - b *areca* Bindahara 12:481
 - c *australis* Desmozona 12:474
 - b *caledonica* Lycaena 12:495
 - a *chinensis* Miletus 12:488, n 146
 - b *chinensis* Chrysophanus 12:488, n 150
 - a *jenebrica* Thecla 12:474
 - c *kamorta* Myrina 12:485
 - a *kankena* Lycaena 12:481
 - b *kinkurka* Jamides 12:481
 - b *kondulana* Lycaena 12:484
 - b *macrophthalma* Lycaena 12:483
 - b *manluena* Lycaena 12:484
- C. Felder 1862 Verh. zool.-bot. Ges. Wien [b1677] (continued)
 - b *negrita* Aphaeus 12:487
 - c *novaeollandiae* Lycaena 12:490
 - c *praxiteles* Lycaena 12:489
 - c *serica* Lycaena 12:487
- R. Felder 1868 Verh. zool.-bot. Ges. Wien [b1693]
 - b *ceylanica* Spindasis 18:281
 - a *lycaenina* Lycaenesthes 18:281
 - a *norea* Lycaena 18:282
 - a *singalensis* Lycaena 18:282
- R. Felder 1869 Verh. zool.-bot. Ges. Wien [b1694]
 - c *acroleuca* Limnas 19:467
 - a *cataleuca* Eurygona 19:467
 - a *eubule* Eurygona 19:467
 - b *hedemanni* Mesene 19:468
 - b *hegias* Calyda 19:468
 - b *paphia* Emesis 19:467
 - a *pusilla* Eurygona 19:467
 - a *sinuata* Calyda 19:468
 - a *sulphurea* Charis 19:469
 - a *zonata* Bacotis 19:469
- Felder & Felder 1859 Wien. ent. Monats. [b1678]
 - a *ilissus* Danis 3(6):186
- Felder & Felder 1859 Wien. ent. Monats. [b1679]
 - c *absyrus* Danis 3(9):270
 - a *mormo* Lemonias 3(9):271
- Felder & Felder 1859 Wien. ent. Monats. [b1680]
 BMNH-ht a *arronica* Lycaena 3(11):323, pl 6
 BMNH-ht b *epicletus* Lycaena 3(11):324, pl 6
- Felder & Felder 1860 Wien. ent. Monats. [b1681]
 BMNH-ht b *amphissa* Catochrysops 4(8):244
 - a *caelius* Lycaena 4(8):245
 - a *eone* Thecla 4(8):243
 - a *inops* Lycaena 4(8):244
 - b *sperchius* Thysonotis 4(8):245, pl 3
- Felder & Felder 1860 Wien. ent. Monats. [b1683]
 - a *amphimuta* Amblypodia 4(12):396
 - a *amrita* Myrina 4(12):395
 - a *damajanti* Abisara 4(12):397
 - a *emesoides* Zemerus 4(12):396
 BMNH-ht a *inornata* Amblypodia 4(12):396
 BMNH a *kausambi* Abisara 4(12):397
 BMNH-ht b *lycaenaria* Amblypodia 4(12):396
 - a *mantra* Pseudolycaena 4(12):396
 BMNH-ht b *nakula* Amblypodia 4(12):395
 - a *savitri* Abisara 4(12):397
 - a *thecloides* Myrina 4(12):395
 BMNH-ht a *vihara* Amblypodia 4(12):395
- Felder & Felder 1861 Wien. ent. Monats. [b1684]
 - a *albinus* Lemonias 5(4):101
 - b *amiana* Mesosemia 5(4):100
 - b *arete* Symmachia 5(4):98
 - a *calyce* Nymphidium 5(3):72
 - a *cinaron* Limnas 5(4):101
 - a *cypris* Emesis 5(4):99
 - c *fulminatrix* Necyria 5(4):101
 - b *gaibula* Symmachia 5(4):99
 - a *hermodora* Charis 5(4):99
 - a *hypochalybe* Amarynthus 5(4):98
 - a *kadenii* Lemonias 5(4):101
 - a *mantinea* Symmachia 5(4):99
 - a *neurodes* Siseme 5(4):98
 BMNH-ht a *nllus* Charis 5(4):100
 - c *paradoxa* Monizia 5(4):100
 - a *publius* Theope 5(4):98
 - a *punctata* Calyda 5(4):98

- Felder & Felder 1861 Wien. ent. Monats. [b1684] (continued)
 BMNH-ht a *tenedia* Ernesia 5(4):99
- Felder & Felder 1862 Wien. ent. Monats. [b1686]
 - a *grandis* Thecla 6(1):24
- Felder & Felder 1862 Wien. ent. Monats. [b1687]
 - a *albertus* Monethe 6(3):73
 - b *callias* Erycina 6(3):71
 - a *esthema* Brachyglens 6(3):73
 - b *franciscana* Eurybia 6(3):70
 - c *laodamia* Erycina 6(3):71
 - a *theodora* Charis 6(3):72
- Felder & Felder 1862 Wien. ent. Monats. [b1688]
 - a *astyla* Hypolycaena 6(9):294
 - a *discophora* Myrina 6(9):290
 BMNH-ht a *jajajala* Tajuzia 6(9):292
 BMNH-ht? b *lazarena* Myrina 6(9):293
 BMNH-ht a *lefebvrei* Myrina 6(9):291
 - b *manilana* Myrina 6(9):290
 SMF-ht a *nesophila* Phaedra 6(9):289
 - c *obsoleta* Phaedra 6(9):289
 BMNH-ht a *orpheus* Myrina 6(9):292
 BMNH-ht a *tagalica* Phaedra 6(9):289
 - b *tharrytas* Hypolycaena 6(9):294
 BMNH-st a *theda* Myrina 6(9):291
 - b *tmolus* Hypolycaena 6(9):293
- Felder & Felder 1862 Wien. ent. Monats. [b1689]
 - a *astrea* Ithomiopsis 6(12):412
 - a *corena* Ithomiopsis 6(12):412
 - a *donna* Eurybia 6(12):410
 - c *lindigii* Necyria 6(12):411
 - a *phelina* Mesosemia 6(12):411
- Felder & Felder 1864 Diag. Lep. [b1691]
 - e *laodamia* Erycina (ISS) 6:7
- Felder & Felder 1865-1875 Reise Novara [b1692]
 - a 1865 *aegides* Pseudolycaena (2):246, pl 31
 - b 1865 *agathon* Amblygonia (2):308
 BMNH-ht b 1865 *aglais* Arhopala (2):223, pl 29
 BMNH-ht b 1865 *agnis* Arhopala (2):228
 BMNH-st a 1865 *albata* Thecla (2):261, pl 32
 BMNH-ht a 1865 *albatas* Allotinus (2):287
 - b 1865 *alcas* Lycaena (2):268, pl 33
 - a 1865 *alesia* Arhopala (2):235, pl 29
 - a 1865 *aleuas* Lycaena (2):268, pl 33
 - a 1865 *amarynthina* Amblygonia (2):309
 BMNH-ht b 1865 *amphaea* Arhopala (2):234, pl 29
 BMNH-ht c 1865 *ananga* Lycaenopsis (2):257, pl 32
 - a 1865 *anasuja* Myrina (2):237, pl 30
 - a 1865 *anophthalma* Diopthalma (2):298, pl 38
 BMNH-ht a 1865 *antimuta* Arhopala (2):233
 - c 1865 *antinous* Pseudolycaena (2):244, pl 28
 - b 1865 *apollonius* Lycaena (2):265, pl 33
 BMNH-ht a 1865 *araxes* Arhopala (2):222, pl 29
 BMNH-ht a 1865 *arion* Synapta (2):294
 - b 1865 *arruana* Lycaena (2):277, pl 34
 - a 1865 *arsenius* Arhopala (2):236, pl 29
 BMNH-ht a 1865 *asinarus* Arhopala (2):235
 - b 1865 *athena* Lycaena (2):279, pl 34
 - c 1865 *bahiana* Aricoris (2):295, pl 38
 - c 1865 *bathildis* Pseudolycaena (2):245, pl 31
 BMNH-ht a 1865 *beroe* Lycaena (2):275, pl 34
 BMNH-ht a 1865 *biocellata* Lycaena (2):280, pl 35
 - a 1865 *boreas* Pseudolycaena (2):244, pl 31
 - c 1865 *brahmina* Lycaena (2):279, pl 35
 - a 1865 *caecia* Erycina (2):290
 - c 1865 *cadmus* Pseudolycaena (2):247, pl 31
 - c 1865 *caecina* Lemonias (2):310, pl 37
 BMNH-ht b 1865 *cagaya* Lycaena (2):278, pl 34
- Felder & Felder 1865-1875 Reise Novara [b1692] (continued)
 - d 1865 *caledonica* Lycaena (H) (2):267, pl 33
 - c 1865 *catharina* Ogyris (2):218
 - a 1865 *celebensis* Anops (2):220, pl 28
 - a 1865 *cethura* Amphocharis (2):182, pl 25
 BMNH-ht a 1865 *chilensis* Lemonias (2):301, pl 37
 BMNH-ht a 1865 *chinensis* Arhopala (2):231, pl 29
 BMNH-ht a 1865 *cleodus* Lycaena (2):272, pl 34
 - a 1865 *clonia* Eshemopsis (2):306, pl 38
 - a 1865 *coichis* Lemonias (2):300, pl 37
 BMNH-ht a 1865 *commodus* Thecla (2):262, pl 32
 - c 1865 *ctesiphon* Oreas (2):305
 - a 1865 *danaus* Pseudolycaena (2):248, pl 31
 - a 1865 *danis* Myrina (2):240, pl 30
 - c 1865 *dictaea* Hypolycaena (2):242, pl 30
 - c 1865 *diluta* Lycaena (2):280, pl 35
 - b 1865 *egena* Anops (2):222
 - b 1865 *erichsonii* Amblypodia (2):218
 BMNH-ht a 1865 *erycinoides* Pseudodipsas (2):259, pl 30
 BMNH-ht b 1865 *euclerus* Hypochrypsops (2):253
 BMNH-ht a 1865 *fallax* Allotinus (2):285, pl 35
 - a 1865 *floralis* Ithomiola (2):311
 BMNH-ht c 1865 *gilolensis* Arhopala (2):225
 - a 1865 *heliodes* Xenandra (2):304, pl 38
 - c 1865 *hemixanthe* Desmozona (2):294, pl 37
 - a 1865 *hyale* Mesene (2):292
 - b 1865 *jalyus* Myrina (2):239
 - a 1865 *juturna* Eurybia (2):228
 - b 1865 *learchus* Miletus (2):284 or 285
 - a 1865 *leopardinum* Cricosoma (2):293, pl 37
 - a 1865 *leucogyna* Pseudolycaena (2):245, pl 31
 - a 1865 *lorquini* Myrina (2):239, pl 30
 BMNH-ht a 1865 *loxurina* Thecla (2):262, pl 32
 - a 1865 *macrina* Diopthalma (2):296
 BMNH-ht a 1865 *major* Allotinus (2):286, pl 35
 BMNH-ht b 1865 *malayica* Anops (2):221, pl 28
 - a 1865 *marathon* Oreas (2):305, pl 38
 - c 1865 *margarita* Neries (2):310
 - a 1865 *martialis* Lemonias (2):301
 - a 1865 *melanchroia* Lepicomis (2):307, pl 38
 BMNH-ht a 1865 *melanion* Miletus (2):284, pl 35
 - c 1865 *meletia* Diopthalma (2):297
 - a 1865 *metallica* Lycaena (2):283, pl 35
 - a 1865 *metuana* Diopthalma (2):297
 - a 1865 *mindarus* Lycaena (2):268, pl 33
 - a 1865 *mindora* Lycaena (2):277, pl 34
 - b 1865 *minerva* Siseme (2):308, pl 36
 - a 1865 *nana* Pseudolycaena (2):250, pl 31
 BMNH-ht a 1865 *negus* Lycaena (2):279, pl 35
 BMNH-ht a 1865 *nicetus* Thecla (2):263, pl 32
 - a 1865 *otanes* Ogyris (2):217, pl 28
 - a 1865 *oxleyi* Lycaena (2):280, pl 35
 BMNH-ht b 1865 *padus* Arhopala (2):230
 - c 1865 *paphia* Pseudolycaena (2):pl 243
 - a 1865 *paphlagon* Pseudolycaena (2):249, pl 31
 - a 1865 *paupera* Pseudolycaena (2):246, pl 31
 BMNH-ht c 1865 *pausias* Erycina (2):290, pl 36
 - c 1865 *petavia* Aricoris (2):295, pl 38
 BMNH-ht a 1865 *phaenops* Arhopala (2):227
 - a 1865 *pheretima* Crocozona (2):296, pl 36
 BMNH-ht a 1865 *philander* Arhopala (2):226, pl 29
 b 1865 *philostratus* Lycaena (2):264, pl 33
 - a 1865 *phryxe* Crenna (2):299, pl 37
 - a 1865 *pierridoides* Theope (2):292, pl 37
 - b 1865 *pindus* Lycaena (2):267, pl 33
 - a 1865 *platyptera* Pseudolycaena (2):246, pl 28
 - b 1865 *podarce* Lycaena (2):282, pl 35
 BMNH-ht a 1865 *protogenes* Hypochrypsops (2):255
 BMNH-ht a 1865 *pythias* Hypochrypsops (2):254
 - b 1865 *robusta* Sterosis (2):219, pl 27
 - b 1865 *sabinus* Thecla (2):263, pl 32
 - c 1865 *sagittigera* Lycaena (2):281, pl 35

- Felder & Felder 1865-1875 Reise Novara [b1692] (continued)
- c 1865 *schraderi* Austromyrina (2):260, pl 32
 - a 1865 *selene* Helicopis (2):289
 - b 1865 *semiradiata* Mesene (2):292, pl 37
 - BMNH-ht a 1865 *sericina* Lycaena (2):277, pl 34
 - c 1865 *sonorensis* Apodemia (2):303
 - a 1865 *sonorensis* Lycaena (2):281, pl 35
 - c 1865 *spertthias* Lemonias (2):299, pl 37
 - BMNH-ht a 1865 *spertthias* Anops (2):222
 - BMNH-ht a 1865 *spurius* Pseudolycaena (2):250, pl 31
 - a 1865 *stoliczka* Lycaena (2):283, pl 35
 - BMNH-ht a 1865 *subviolaceus* Allocinus (2):286, pl 35
 - BMNH-ht a 1865 *suidas* Lycaena (2):273 (or 373)
 - BMNH-ht a 1865 *sumatrae* Pseudodipsas (2):259, pl 36
 - b 1865 *taygetus* Lycaena (2):266, pl 33
 - BMNH-ht a 1865 *theon* Hypochrypsops (2):252
 - a 1865 *timaeus* Pseudolycaena (2):248, pl 31
 - a 1865 *tircis* Chamaelimas (2):304, pl 38
 - a 1865 *tityrus* Pseudolycaena (2):248, pl 31
 - a 1865 *tolmides* Pseudolycaena (2):247, pl 31
 - BMNH-ht b 1865 *tyrannus* Athopala (2):225, pl 29
 - a 1865 *ubia* Limnas (2):303
 - BMNH-ht a 1865 *unicolor* Allotinus (2):286
 - BMNH-ht b 1865 *usira* Myrina (2):238, pl 30
 - a 1865 *viridicans* Pseudolycaena (2):249, pl 28
 - a 1865 *wallacei* Lycaena (2):265, pl 33
 - b 1865 *westermanni* Dipsas (2):241, pl 20
 - c 1865 *zelmira* Lycaena (2):282, pl 35
 - a 1865 *zinckenii* Mileus (2):284, pl 35
- Fenton [1882] In Proc. zool. Soc. Lond. [b1696]
- c *alope* Lycaena 1881(4):851
 - a *butleri* Thecla 1881(4):853
- Fereday [1877] Trans. Proc. New Zealand Inst. [b1697]
- c *maui* Chrysophanus 9:462
 - a *rauparaha* Chrysophamus 9:462
- Fereday [1878] Trans. Proc. New Zealand Inst. [b1698]
- c *tama* Chrysophanus 10:259
- Fernandez 1928 Religión y Cultura [b1706]
- e *ab. alba* Lysandra 3:209, f 8
- Fernandez Vidal 1984 Revta Lep. [b1702]
- e *paularadiata* Lycaena 12(3):251
- Fernandez Vidal 1991 Revta Lep. [b1703]
- b *peigleri* Aricia 19(75):199, f
- Fernández-Rubio & Gómez Bustillo 1973 Cuadernos Cienc. Biol. [b1704]
- b *fidelis* Maculinea 2(2):79, f
 - b *saritae* Maculinea 2(2):78, f
- Ferris 1970 Ent. News [b1707]
- c *browni* Plebejus 81(8):203-207
- Ferris [1970] J. Res. Lep. [b1708]
- po-ht e (+) *f. caeruleascens* Plebejus (IFS) 8(3):91, f
 - po-ht e *f. pseudolupini* Plebejus (IFS) 8(3):91, f
- Ferris 1974 Bull. Allyn Mus. [b1710]
- AME-ht b *arctodon* Lycaena (18):4, f 17-18
- Ferris 1976 Bull. Allyn Mus. [b1713]
- AME-ht b *pitkinensis* Plebejus (36):2, f 19
- Ferris 1977 Bull. Allyn Mus. [b1714]
- AME-ht b *arcticus* Epidemia (45):33, f 86-87
 - T *castro* Polyommatus (45):25
 - T *dorcas* Lycaena (45):22
 - AME-ht b *megaloceras* Epidemia (45):31, f 84-85
- Ferris 1980 J. Lep. Soc. [b1715]
- AME-ht b *organensis* Fixsenia 34(2):221
- Ferris 1985 Bull. Allyn Mus. [b1720]
- AME-ht b *wellingi* Apodemia (94):3, f 6-10
- Ferris & Fisher 1973 J. Lep. Soc. [b1726]
- LACM-ht b *obscurus* Callophrys 27(2):115, f
- Fiedler 1926 Int. ent. Z. [b1727]
- e *ab. flavescens* Chrysophamus 20(7):59
- Field 1936 Ent. News [b1731]
- USNM-ht c *klotsi* Lycaena 47(5):123
 - USNM-ht d *montana* Lycaena (H) 47(5):122
- Field 1936 J. Ent. Zool. [b1732]
- USNM-ht e (+) *f. hulbirtii* Lycaena 28(2):25
 - USNM-ht e (+) *f. meadi* Lycaena 28(2):25
 - USNM-ht e (+) *f. reaktiri* Leptotes (IFS) 28(2):26
 - USNM-ht e (+) *f. sternitzkyi* Lycaena 28(2):25 or 26
 - USNM-ht e *ab. youngi* Strymon 28(2):25
- Field 1938 Bull. S. Calif. Acad. Sci. [b1733]
- AME-ht e *chloris* Habrodias (IFS) 37(1):28
 - USNM-st b *herri* Habrodais 37(1):29
 - AME-ht b *lorquini* Habrodais 37(1):27
- Field 1938 Pan-Pac. Ent. [b1734]
- AME-ht b *penroseae* Lycaena 14(3):142
- Field 1938 J. Kansas ent. Soc. [b1735]
- USNM-ht b *crossi* Callipsyche 11(4):130
 - USNM-ht b *franki* Strymon 11(4):127
 - USNM-ht b *godarti* Strymon 11(4):129
 - USNM-ht e *meinersi* Everes (IFS) 11(4):132
- Field 1939 J. Kansas ent. Soc. [b1736]
- USNM-ht b *atrpraetextus* Plebejus 12(4):135
- Field 1967 Proc. U. S. natn. Mus. [b1737]
- USNM-ht a *anastasia* Calycopis 119(3552):32
 - T *belleria* Thecla 119(3552):28
 - USNM-ht a *drusilla* Calycopis 119(3552):23
 - T *fortuna* Thecla 119(3552):-
 - AMNH-ht a *fractunda* Calycopis 119(3552):33
 - T *isobea* Tmolus 119(3552):-
 - USNM-ht a *lerbela* Calycopis 119(3552):12
 - USNM-ht a *nicolayi* Calycopis 119(3552):8
 - T *origo* Thecla 119(3552):-
 - T *partunda* Thecla 119(3552):29
 - USNM-ht a *susanna* Calycopis 119(3552):21
 - T *vibulena* Thecla 119(3552):24
 - T *xeneta* Thecla 119(3552):-
- Field 1967 Proc. U. S. natn. Mus. [b1738]
- USNM-ht a *anapa* Calystryma 123(3611):15
 - AMNH-ht a *barza* Calystryma 123(3611):19
 - USNM-ht a *blora* Calystryma 123(3611):9
 - USNM-ht a *keta* Calystryma 123(3611):5
 - AMNH-ht a *naka* Calystryma 123(3611):10
 - AMNH-ht a *tifla* Calystryma 123(3611):21
- Fischer von Waldheim 1832 Mém. Soc. imp. nat. Moscou [b1742]
- lt a *pylaon* Lycaena 8:357, pl 19
- Fisher 1981 In Ferris & Brown, Butts Rockies [b1743]
- e *cinera* Celastrina (ISS) :222
 - e *nevadae* Glaucopsyche (ISS) :213
- Fixsen 1887 In Romanoff, Mém. Léop. [b1745]
- a *divina* Lycaena 3:286, pl 13
 - a *eximia* Thecla 3:271, pl 13
 - e *f. fulva* Thecla 3:279
 - e *f. fulvofenestrata* Thecla 3:279

- Fixsen 1887 In Romanoff, Mém. Lép. [b1745] (continued)
 - a *herzi* Thecla 3:279, pl 13
 - b *laïor* Thecla 3:271
 - a *ultramarina* Thecla 3:278
- Fletcher [1904] Trans. R. Soc. Can. [b1749]
 USNM c *argentata* Lycaena 9(4):213, f
 USNM-ht c *heathii* Thecla 9(4):211, f
 USNM d *liparops* Satyrium (H) 9(4):210
 USNM-ht d *nigrescens* Lycaena (H) 9(4):213
- Foljambe 1913 Entomologist [b1751]
 - a *ayis* Callophrys 46:89
- Forbes 1929 Ent. Rec. [b1755]
 - c *phydrokoiilos* Thestor 41(1):10
- Forbes 1960 Lep. New York Part IV [b1754]
 - a *nigra* Plebeius :127
- Ford 1924 Trans. ent. Soc. Lond. [b1757]
 - b *coccineus* Heodes 71(3/4):726
 - b *flavens* Heodes 71(3/4):725
 - c *hyperborea* Heodes 71(3/4):739
 - b *japonica* Heodes 71(3/4):729
- Forster 1936 Mitt. münchn. ent. Ges. [b1758]
 - b *altarmena* Lycaena 26:103
 - b *bavarica* Lycaena 26:90
 - b *buchara* Lycaena 26:75
 - b *caspica* Lycaena 26:74
 - e *georgica* Lycaena 26:132
 - b *nanshanica* Lycaena 26:84
 - b *obensis* Lycaena 26:135
 - b *pamira* Lycaena 26:138
 - b *sinica* Lycaena 26:77
 - b *sultana* Lycaena 26:128
 - b *tscherkessica* Lycaena 26:131
 - a *tshimgana* Lycaena 26:104
 - b *turcmenica* Lycaena 26:55
 - b *ussurica* Lycaena 26:79
 - b *wolgensis* Lycaena 26:13
- Forster 1937 Mitt. münchn. ent. Ges. [b1759]
 - b *andarabi* Lycaena 27:61
 - a *grumi* Glaucopsyche 27:58
 - a *nuksani* Lycaena 27:62, pl 4
- Forster 1938 Ent. Rundsch. [b1761]
 - b *iranica* Lycaena (H) 55:216, pl 1
 - b *ordubadi* Lycaena 55:216, 238
 - b *solimana* Lycaena 55:336
- Forster 1939 Danish scient. Invest. Iran [b1763]
 - d *iranica* Lycaena (H) 1:5
 - c *usbekus* Plebeius :6
- Forster 1940 Mitt. münchn. ent. Ges. [b1764]
 - b *honei* Glaucopsyche 30(3):877
 - b *jeunana* Glaucopsyche 30(3):877
 - a *leechi* Glaucopsyche 30(3):875, pl 22
 - b *luxurians* Polyommatus 30(3):880
 - a *melli* Zephyrus 30(3):871, pl 22
 ZMHU-ht b *rileyi* Zephyrus 30(3):871, pls
 - b *tibetanus* Polyommatus 30(3):879
 - b *tyrone* Polyommatus 30(3):881
- Forster 1941 Deut. ent. Zeit. [Iris] [b1765]
 - b *firuskuhi* Polyommatus 54:73
 - b *selengensis* Polyommatus 54:77
- Forster 1941 Mitt. münchn. ent. Ges. [b1766]
 ZSBS-ht b *bieneri* Celastrina 31:614, pl 21
 - b *fukienensis* Orthomiella 31:625
 MAK-ht b *hoenei* Celastrina 31:602
- Forster 1941 Mitt. münchn. ent. Ges. [b1766] (continued)
 - b *leechi* Bothriina 31:593, pl 19
 MAK-ht b *lenzeni* Celastrina 31:608 (partim)
 MAK-ht b *septentrionalis* Celastrina 31:600, pl 19
 ZSBS-ht c *ussuriensis* Celastrina 31:610
- Forster 1942 Mitt. münchn. ent. Ges. [b1767]
 - a *kwangtungensis* Zephyrus 32:579, pl 16
 - a *lucida* Orthomiella 32:580
- Forster 1951 Z. wien. ent. Ges. [b1768]
 - a *hoenei* Dodona 36:64, f
 - b *minor* Polycaena 36:63
 - b *pallidor* Polycaena 36:62, pl 4
- Forster 1956 Z. wien. ent. Ges. [b1769]
 - b *altalensis* Agrodiaetus 41:119
 - a *altivagensis* Agrodiaetus 41:60
 - b *aserbeidschana* Agrodiaetus 41:72
 - b *brandti* Agrodiaetus 41:123
 - a *ciscaucasica* Agrodiaetus 41:86
 T *cyanea* Lycaena 41:85
 - b *difficillima* Agrodiaetus 41:76
 - b *elbursica* Agrodiaetus 41:74
 - b *evansi* Agrodiaetus 41:50
 - b *ex* Agrodiaetus 41:74
 - a *firdussii* Agrodiaetus 41:58, pl 8
 - b *kendevani* Agrodiaetus 41:88
 - a *kotzschii* Agrodiaetus 41:78
 - b *maraschi* Agrodiaetus 41:57
 - b *ninae* Agrodiaetus 41:70
 - b *pseudocyanea* Agrodiaetus 41:120
 - b *pseudoxerxes* Agrodiaetus 41:118
 - c *rickmersi* Agrodiaetus 41:48
 - b *wagneri* Agrodiaetus 41:55
- Forster 1960 Ent. Zeit. [b1770]
 - b *anatoliensis* Agrodiaetus 70(3):20
 - b *eriwanensis* Agrodiaetus 70(3):17
 - b *paralcestis* Agrodiaetus 70(3):17
- Forster 1960 Ent. Zeit. [b1771]
 - d *rjabovi* Agrodiaetus (H) 70(14):157-158
- Forster 1960 Z. wien. ent. Ges. [b1772]
 - b *askhabadica* Agrodiaetus 45(7-10):135
 - b *dagestanica* Agrodiaetus 45(7-10):134
 - b *praeactinides* Agrodiaetus 45(7-10):107
 - b *pseudactis* Agrodiaetus 45(7-10):107
 - a *rueckbeili* Agrodiaetus 45(7-10):126
 - b *sheljuzhkoi* Agrodiaetus 45(7-10):132
 - b *zeituna* Agrodiaetus 45(7-10):129
- Forster 1961 Veröff. zool. StSamml., Münch. [b1773]
 - a *lobbichleri* Albulina 6:148, f
 - b *nepalensis* Polyommatus 6:149, f
- Forster 1961 Z. wien. ent. Ges. [b1774]
 - a *ainsae* Agrodiaetus 46:76, pl 14
 - e *krinaea* Agrodiaetus (PS) 46:8
 - b *kurdistanica* Agrodiaetus 46:111
 NMW-ht b *malatae* Agrodiaetus 46:41, pl 12
 pc-ht b *splendens* Agrodiaetus 46:46, pl 12
- Forster 1965 Ent. Zeit. [b1775]
 Madrid-ht b *agenjoi* Agrodiaetus 75(18):198
- Forster 1972 Ent. Zeit. [b1777]
 CM-ht b *afghanistana* Agrodiaetus 82(20):232
 ZSBS-ht b *badachshana* Plebejus 82(20):226
 ZSBS-ht a *eberti* Lycaena 82(20):225, f
 - d *mongolica* Agrodiaetus (H) 82(20):215, f
 - a *omotoi* Vacciniina 82(20):231, f
 - b *omotoi* Polyommatus 82(20):228, f

- Forster 1973 Ent. Zeit. [b1778]
ZSBS-ht a *afghanica* Agrodiaetus 83(18):209, f
- Forster 1980 Spixiana [b1779]
- a *baileyi* Chaetoprocta 3(1):5, f
ZSBS-ht b *nepalica* Arletta 3(1):6, f 17
- b *orientalis* Freyeria 3(1):7, f
- b *pelei* Chaetoprocta 3(1):3, f
- Forster **** [b0000]
- c *korbi* Polyommatus *
- Forster & Wohlfarth 1955 Schmett. Mitteleuropas [b1780]
- e *hafelfingeri* Plebejus (ISS) 2:-
- Foulquier 1923 Cat. Lép. Fr., Amat. Pap. [b1781]
- e *ab. impunctata* Lysandra :95
- e *ab. valentinae* Lycaena :94
- Fourcroy 1785 Ent. paris. [b1782]
- c *fuscioleus* Papilio 2:245
- c *pisorum* Papilio 2:242
- d *rubi* Papilio 2:245
- Fox 1924 Ent. News [b1783]
AMNH-ht c *comstocki* Plebejus 35(4):140
- Freeman 1938 Can. Ent. [b1789]
CNC-ht b *empetri* Plebejus 70(3):62, f 1
- Freeman 1938 Can. Ent. [b1790]
CNC-ht b *clarki* Incisalia 70(12):247
- Freeman 1939 Can. Ent. [b1791]
CNC-ht b *lacustris* Plebejus 71(8):180
- Freeman 1950 Field & Lab. [b1786]
AMNH-ht c *buchholzi* Strymon 18(1):12
- Freeman 1964 J. Lep. Soc. [b1787]
AMNH-ht a *chisosensis* Apodemia 18(2):75, f
- Frey 1882 Mitt. schweiz. ent. Ges. [b1793]
- b *argulus* Lycaena 6(7):350
- c *minor* Lycaena 6(7):352
- Freyer 1828-1830 Beitr. Gesh. Eur. Schmett. [b1794]
- a 1830 *ripartii* Agrodiaetus 3:128, pl 133
- Freyer 1831-1858 Neuere Beitr. Schmett. [b1795]
- b 1837 *menalcas* Lycaena 3:pl 223, f 2
- a 1839 *anteros* Lycaena 3(45):101, pl 265
- c 1839 *legeri* Lycaena 3:pl 133, f 1
- c 1843 *bellis* Lycaena 5:26, pl 398
- a 1844 *balkanicus* Lycaena 5(71):63, pl 421
- b 1844 *dardanus* Lycaena 5(-):-, pl 419
- c 1845 *oranula* Lycaena 5:pl 455, f 1
- a 1845 *psylorita* Lycaena 5(79):146, pl 469
- a 1845 *trochylus* Lycaena 5(74):98, pl 440
- c 1852 *alpestris* Lycaena 6:pl 583, f 3
- a 1852 *astraea* Lycaena 6:161, pl 583
- c 1852 *athis* Agrodiaetus 6:147, pl 573
- c 1852 *cornelia* Lycaena 6:145, pl 572
- c 1852 *empyrea* Lycaena 6:147, pl 573
- d 1852 *endymion* Lycaena (H) 6:145, pl 572
- a 1852 *eurypilus* Lycaena 6:148, pl 573
- c 1852 *phaeton* Polyommatus 6:pl 571, f 2
- c 1858 *alexius* Lycaena 7:pl 676, f 1
- Fritsch [1910] Berl. ent. Z. [b1796]
- c *f. biarcuata* Lycaena 54(3/4):233
- e *ab. tetrapunctata* Polyommatus 54(3/4):234
- e *ab. tripunctata* Polyommatus 54(3/4):234
- Fritsch 1912 Ent. Rundsch. [b1797]
- e *ab. pallida* Lycaena 29(21):135
- Fritsch 1921 Mitt. münchn. ent. Ges. [b1798]
- c *ab. albolimbata* Lycaena 11(8):44, f
- Frivaldszky von Frivald 1835 Cat. Lep. Balkan [b1799]
- a *eroides* Polyommatus 2:270, pl 7
- b *sephyrus* Lycaena 2:269, pl 7
- Fruhstorfer 1893-1894 Ent. Nachr. [b1803]
- a 1894 *windu* Dodona 20:22
- Fruhstorfer 1897 Soc. ent. [b1804]
- a *discalis* Tajuria 12(7):49
- Fruhstorfer 1897 Berl. ent. Z. [b1806]
- b *bellula* Horaga 42:114
- a *boopis* Lycaena 42:115
BMNH-ht b *privigna* Horaga 42:113
- Fruhstorfer 1897 Ent. Nachr. [b1807]
- b *calycoides* Stiboges 23(4):62
BMNH-st b *livescens* Deramas 23(4):62
- Fruhstorfer 1898 Berl. ent. Z. [b1808]
- b *degenerata* Tajuria 42:336
- b *sparsus* Zemerros 42:332
- Fruhstorfer 1898 Berl. ent. Z. [b1809]
BMNH-ht b *anara* Horaga 43:180
- b *arfakensis* Dicallaneura 43:195
- Fruhstorfer [1899] Stett. ent. Ztg [b1810]
- b *niasina* Simiskina 59(9/10):266
- Fruhstorfer 1899 Berl. ent. Z. [b1811]
- b *niasana* Catapoecilma 44(1-2):157
- Fruhstorfer 1899 Berl. ent. Z. [b1812]
BMNH-ht b *bazilana* Curetis 44:pl 2, f 5
BMNH-ht a *hera* Curetis 44:pl 2, f 4
- Fruhstorfer 1899 Berl. ent. Z. [b1813]
- b *celebensis* Zemerros 44(3/4):285
- Fruhstorfer 1900 Stett. ent. Ztg [b1814]
- b *decolor* Aratoes 60(4):349
- b *serpa* Arhopala 60(4):349
- Fruhstorfer 1900 Berl. ent. Z. [b1815]
- b *aurantiaca* Curetis 45(1):27
BMNH b *bazilensis* Abisara 45(1):27
BMNH-ht b *ge* Curetis 45(1):28
BMNH-ht b *izabella* Curetis 45(1):28
BMNH-ht b *niasica* Curetis 45(1):28
BMNH-ht b *zilana* Flos 45(1):30
- Fruhstorfer 1903 Berl. ent. Z. [b1816]
- b *annamensis* Thysonotis 48(1/2):110
- Fruhstorfer [1904] Berl. ent. Z. [b1817]
BMNH b *aja* Abisara 48(4):287,290
- c *annamitica* Abisara 48(4):286
- b *argentea* Dodona 48(4):293
- b *berthae* Taxila 48(4):276
BMNH b *bugiana* Abisara 48(4):287,290
- b *chelina* Sospita 48(4):283
- a *dora* Taxila 48(4):277
- b *ephorus* Taxila 48(4):278
- b *iso* Zemerros 48(4):276
BMNH a *geza* Abisara 48(4):287
- b *indicus* Zemerros 48(4):282
- b *ines* Laxita 48(4):282
- c *juana* Abisara 48(4):289
BMNH b *laura* Abisara 48(4):290
- b *lychnitis* Laxita 48(4):281
- b *magdala* Abisara 48(4):284
- b *mara* Stiboges 48(4):292

- Fruhstorfer [1904] Berl. ent. Z. [b1817] (continued)
- BMNH b *meta* Abisara 48(4):285,290
 BMNH b *niasana* Abisara 48(4):288
 - c *ab. pura* Dodona 48(4):293
 BMNH b *schedeli* Abisara 48(4):286,290
 - b *sciurus* Sospita 48(4):283
 - c *siamensis* Abisara 48(4):286,295
 - b *strix* Sospita 48(4):283
 BMNH b *tera* Abisara 48(4):288,291
 - b *timaeus* Taxila 48(4):278,280
 BMNH b *tina* Abisara 48(4):287,291
 - c *tonkinianus* Abisara 48(4):285,290
- Fruhstorfer 1904 Deut. ent. Zeit. [Iris] [b1818]
 - b *borneana* Purilisa 16(2):310
 - b *irmina* Jacoona 16(2):310
 - b *javanicus* Eooxylides 16(2):312
 - b *latipictus* Eooxylides 16(2):311
 - b *tharisodes* Eooxylides 16(2):312
- Fruhstorfer 1904 Deut. ent. Zeit. [Iris] [b1819]
 - b *adulatrix* Dicallaneura 17(1):145
 biblio b *conos* Dicallaneura 17(1):147
 - b *gudula* Abisara 17(1):145
 - c *milnei* Dicallaneura 17(1):147
 - b *moorei* Bindahara 17(1):151
 - ■ *natuna* Thamola 17(1):148
 - b *nileia* Iraota 17(1):149
 - b *punctaria* Abisara 17(1):147
 - b *samina* Surendra 17(1):150
 - b *sparanisa* Thamola 17(1):133
- Fruhstorfer 1904 Berl. ent. Z. [b1820]
 - b *enganicus* Eooxylides 49:204
- Fruhstorfer 1905 Soc. ent. [b1821]
 BMNH-lt b *hermione* Cyaniris 20(1):2
- Fruhstorfer 1906 Ent. Zeit. [b1822]
 BMNH-st b *theodosia* Abisara 19(36):215
- Fruhstorfer 1907 Stett. ent. Ztg [b1823]
 - c *oluros* Diorthina 68(2):258
- Fruhstorfer 1907 Ent. Zeit. [b1824]
 - b *baweana* Sithon 21(23):144
 - b *bella* Sithon (IFS) 21(23):144
 - b *centa* Sithon 21(23):144
 - b *erna* Sithon 21(23):144
 - b *esra* Sithon 21(23):144
 - b *huberta* Sithon 21(23):144
 - b *mudra* Sithon 21(23):144
 - e *phaedra* Sithon (IFS) 21(23):144
- Fruhstorfer 1907 Ent. Zeit. [b1825]
 - b *agdistis* Amblypodia 21(24):150
 - b *dina* Amblypodia 21(24):150
 - b *eberalda* Amblypodia 21(24):150
 - b *elga* Amblypodia 21(24):150
 - b *fabiana* Amblypodia 21(24):150
 - b *fara* Amblypodia 21(24):150
 - b *neritos* Amblypodia 21(24):151
 - b *oria* Amblypodia 21(24):150
 - b *salvia* Amblypodia 21(24):150
- Fruhstorfer 1907 Ent. Zeit. [b1826]
 - b *aenus* Iraota 21(25):156
 - b *arsaces* Iraota 21(25):156
 biblio-lt c *boholica* Iraota 21(25):156
 - e *erlam* Iraota (IFS) 21(25):156
 - b *lysiptus* Iraota 21(25):156
 - b *ottonis* Iraota 21(25):156
 - b *pandara* Iraota 21(25):156
- Fruhstorfer 1907 Ent. Zeit. [b1827]
 - c *aurigena* Iraota 21(26):162
- Fruhstorfer 1908 Soc. ent. [b1828]
 - b *agimar* Deudorix 23(5):38
 - c *almar* Deudorix 23(5):38
 - b *kallias* Deudorix 23(5):38
- Fruhstorfer 1908 Ent. Zeit. [b1829]
 - b *ariadeva* Mahathala 22(12):49
 - b *chinensis* Ilerda 22(12):49
 - b *etymander* Taxila 22(12):48
 - c *formosa* Mahathala 22(12):49
 - b *formosana* Curetis 22(12):49
 BMNH-lt a *indicus* Ilerda 22(12):49
 - b *javana* Mahathala 22(12):49
 BMNH-lt b *latilimbata* Ilerda 22(12):49
 - b *matsumurae* Ilerda 22(12):49
 BMNH-lt e *rufonotata* Ilerda (IFS) 22(12):49
 BMNH-lt b *sumatrensis* Ilerda 22(12):49
 - c *zistra* Mahathala 22(12):49
- Fruhstorfer 1908 Int. ent. Z. [b1830]
 BMNH-lt a *aristobul* Miletus 2(14):85
 BMNH-lt b *erastosthenes* Miletus 2(14):85,86
 ZSBS-lt b *eugippius* Miletus 2(14):85
 BMNH-lt c *hylaithus* Miletus 2(15):92
 BMNH-lt b *kaystrus* Miletus 2(15):92
 BMNH-lt b *medocus* Miletus 2(14):85
 BMNH-lt b *menandrus* Miletus 2(14):85
 BMNH-lt c *menyllus* Miletus 2(15):91
 BMNH-lt c *oineus* Miletus 2(15):91
 - b *praeclarus* Miletus 2(15):91
 BMNH-lt b *sabirius* Miletus 2(15):91
 BMNH-lt b *wernerii* Miletus 2(16):99
- Fruhstorfer 1908 Int. ent. Z. [b1831]
 BMNH-lt c *linos* Hypochrysope 2(15):92
- Fruhstorfer 1908 Int. ent. Z. [b1832]
 - c *depicta* Waigeum 2(18):113
 BMNH-lt c *roschia* Waigeum 2(18):113
- Fruhstorfer 1908 Int. ent. Z. [b1833]
 - b *metilia* Pseudonotis 2(18):114
 - b *obiana* Pseudonotis 2(18):114
- Fruhstorfer 1908 Int. ent. Z. [b1834]
 - b *athanagild* Chrysophanus 2(29):194
 - c *fredegunda* Chrysophanus 2(29):194
 - c *galsintha* Chrysophanus 2(29):195
 - b *juvara* Chrysophanus 2(29):195
 - e *onka* Chrysophanus (IFS) 2(29):195
 - c *seriata* Chrysophanus 2(29):195
- Fruhstorfer 1908 Stett. ent. Ztg [b1835]
 BMNH-lt b *baweana* Curetis 69:53
 - b *camotina* Curetis 69:52
 - b *eberalda* Curetis 69:51
 BMNH-lt c *eda* Curetis 69:54
 - b *fortunata* Curetis 69:56
 - b *galinthias* Curetis 69:49 or 50
 - b *golona* Curetis 69:50
 BMNH-lt e (-) *f. honesta* Curetis (IFS) 69:58
 BMNH-lt b *indosinica* Curetis 69:54
 - b *japonica* Curetis 69:56
 BMNH-lt b *jolona* Curetis 69:52
 BMNH-lt b *jopa* Curetis 69:53
 BMNH-lt c *latipicta* Curetis 69:58 or 49
 - c *malayica* Curetis 69:58
 - b *menestratus* Curetis 69:49 or 50
 - c *nisia* Curetis 69:49 or 50
 BMNH-lt e *pseudoinsularis* Curetis (IFS) 69:53
 BMNH-lt c *f. semilimbata* Curetis 69:49 or 58

- Fruhstorfer 1908 *Stett. ent. Ztg* [b1835] (continued)
- BMNH-ht c *tagalina* Curetis 69:58
 - b *tsushimana* Curetis 69:49 or 50
 - b *venata* Curetis 69:49 or 50
- Fruhstorfer 1909 *Ent. Zeit.* [b1836]
 - b *cakravasti* Camena 23(8):40
- Fruhstorfer 1909 *Int. ent. Z.* [b1837]
 - b *alexandrae* Chrysophanus 3(21):120
 - b *cisalpina* Chrysophanus 3(21):120
 - b *gaudeolus* Chrysophanus 3(21):120
 - b *isokrates* Chrysophanus 3(21):120
 - b *osthelderi* Chrysophanus 3(20):113
 - b *romanorum* Chrysophanus 3(21):120
- Fruhstorfer 1909 *Ent. Zeit.* [b1838]
 - b *cakravarti* Camena 23(25):116
 - b *formosanus* Jamides 23(25):116
 BMNH-lt c *hermonthis* Cyaniris 23(25):116
 BMNH-lt b *himilcon* Cyaniris 23(25):116
 BMNH-lt b *myla* Cyaniris 23(25):116
 - b *vanayasa* Chliaria 23(25):116
- Fruhstorfer 1909 *Soc. ent.* [b1839]
 - c *lucifuga* Curetis 24(16):121
- Fruhstorfer 1909-1923 *In Seitz, Grossschmett. Erde* [b1840]
- BMNH b [1914] *amaga* Abisara 9:784
 - b [1914] *ansuna* Dicallaneura 9:788, pl 140d
 - b [1914] *assus* Abisara 9:780
 - b [1914] *bahadur* Praetaxila 9:795, pl 138g
 BMNH-ht c [1914] *birana* Dicallaneura 9:786
 MNHN-ht b [1914] *boulleti* Laxita 9:790, pl 141a
 BMNH-ht b [1914] *cariya* Praetaxila 9:794
 - b [1914] *cuda* Abisara 9:784
 - b [1914] *cyme* Laxita 9:789
 BMNH-ht b [1914] *deniya* Abisara 9:785
 - b [1914] *dhyana* Praetaxila 9:795, pl 140f
 - b [1914] *didica* Dicallaneura 9:787, pl 140d
 - b [1914] *elodinia* Stiboges 9:796, pl 189c
 - c [1914] *erilda* Abisara 9:783, pl 138d
 - c [1914] *fyllaria* Abisara 9:780, pl 139c
 - b [1914] *gythion* Taxila 9:793
 BMNH-ht c [1914] *jhana* Abisara 9:782, pl 140c
 - b [1914] *lasica* Laxita 9:789, pl 138e
 - b [1914] *lecerfi* Dodona 9:779, pl 141b
 ZMHU-ht b [1914] *mudita* Abisara 9:784
 - b [1914] *naram* Praetaxila 9:795
 - b [1914] *neophronides* Abisara 9:785
 BMNH b [1914] *niya* Abisara 9:782
 - c [1914] *othrys* Taxila 9:pl 138g
 - b [1914] *ovada* Dicallaneura 9:787
 BMNH b [1914] *paha* Abisara 9:784
 BMNH b [1914] *palonea* Abisara 9:782
 - b [1914] *palaya* Dodona 9:777
 - c [1914] *pancha* Abisara 9:783, pl 140b
 - b [1914] *panyasis* Laxita 9:791, pl 140c
 BMNH-ht b [1914] *parina* Dicallaneura 9:788
 BMNH-ht b [1914] *periya* Abisara 9:786
 - b [1914] *phlegra* Dodona 9:777
 - b [1914] *pistyrus* Laxita 9:790, pl 138e
 BMNH b [1914] *porphyritica* Abisara 9:783
 - b [1914] *pseudophorbas* Hypolycaena 9:985, pl 158d
 - b [1914] *rubula* Dodona 9:775
 - c [1914] *sala* Abisara 9:783, pl 140b
 - b [1914] *sangha* Dicallaneura 9:787
 - b [1914] *sariba* Dicallaneura 9:788
 - b [1914] *sawaja* Laxita 9:791, pl 138f
 - b [1914] *sfagia* Dicallaneura 9:788, pl 140c
 BMNH-ht b [1914] *sigala* Dicallaneura 9:788
 - b [1914] *sigrya* Dicallaneura 9:787
 - b [1914] *tantra* Dicallaneura 9:788
- Fruhstorfer 1909-1923 *In Seitz, Grossschmett. Erde* [b1840] (continued)
- b [1914] *teutyra* Abisara 9:785, pl 138b
 - b [1914] *udiyana* Dicallaneura 9:787
 - b [1914] *vasatha* Dicallaneura 9:787
 - b [1914] *vedalla* Praetaxila 9:795
 - b [1914] *yaniya* Praetaxila 9:794
 - b [1914] *zynias* Zemerus 9:774
 - e [1915] *albadus* Allostinus (ISS) 9:809
 SMF-ht c [1915] *anaxandridas* Allostinus 9:814
 SMF-lt c [1915] *artinus* Allostinus 9:809
 BMNH-ht c [1915] *atacinus* Allostinus 9:811
 - b [1915] *avitus* Gerydus 9:818
 SMF-lt c [1915] *caesemius* Allostinus 9:814
 - b [1915] *carrinus* Gerydus 9:816
 biblio c [1915] *cineraria* Logania 9:806
 - c [1915] *courvoisieri* Gerydus 9:818
 - e [1915] *depista* Allostinus (ISS) 9:809
 - c [1915] *(+) f. eretria* Allostinus 9:814
 SMF-ht c [1915] *evora* Logania 9:806
 - b [1915] *gethusus* Gerydus 9:816
 - c [1915] *heraeon* Gerydus 9:818
 - b [1915] *hierophantes* Gerydus 9:822
 - c [1915] *hieropoeus* Gerydus 9:822
 - c [1915] *hyllus* Gerydus 9:818
 ZMHU?-ht c [1915] *leitus* Allostinus 9:811
 BMNH-lt a [1915] *leogoron* Allostinus 9:811
 - e [1915] *leos* Allostinus (ISS) 9:812
 - e [1915] *macassarientis* Allostinus (ISS) 9:812
 - e [1915] *magnimus* Allostinus (ISS) 9:809
 ZMHU?-st c [1915] *masana* Logania 9:808
 - e [1915] *munychia* Logania (ISS) 9:807
 RNH-ht b [1915] *natunensis* Gerydus 9:819
 - c [1915] *oxylus* Gerydus 9:818
 SMF-lt c [1915] *reverdini* Allostinus 9:812
 - c [1915] *sebethus* Gerydus 9:819
 BMNH-lt c [1915] *silarus* Allostinus 9:808
 BMNH-lt c [1915] *sora* Logania 9:807
 BMNH-lt c [1915] *stenosa* Logania 9:806
 SMF-ht c [1915] *turdefa* Logania 9:807
 SMF-lt b [1915] *tymphrestus* Allostinus 9:809
 - e [1915] *valens* Gerydus (ISS) 9:820
 - c [1915] *xeragis* Gerydus 9:818
 - c [1915] *zaradrus* Allostinus 9:809
 BMNH-lt b [1915] *zitema* Allostinus 9:810
 - c [1916] *batjana* Pseudonotis 9:836
 - e [1922] *albocoeruleus* Lycacnopsis (ISS) 9:864
 - e [1922] *albocoeruleoides* Lycacnopsis (ISS) 9:871
 BMNH-ht b [1922] *arsina* Lycacnopsis 9:862
 - e [1922] *bothriodes* Lycacnopsiis (ISS) 9:872
 - b [1922] *caphis* Lycacnopsis 9:871
 BMNH-lt b [1922] *darmis* Lycacnopsis 9:871
 BMNH-lt b [1922] *deronda* Lycacnopsis 9:871
 - e [1922] *hampsoni* Megisba (NN) 9:857
 ZSBS-lt c [1922] *hyllus* Lycacnopsis 9:870
 ZSBS-lt c [1922] *margarelon* Lycacnopsis 9:866
 ZSBS-lt c [1922] *martini* Lycacnopsis 9:870
 SMF-st c [1922] *parakasa* Lycacnopsis 9:862
 BMNH-lt c [1922] *roeberi* Lycacnopsis 9:871
 ZSBS-ht b [1922] *strongyloides* Megisba 9:858
 BMNH-ht b [1922] *superdates* Nacaduba 9:858
 BMNH-lt c [1922] *tymbria* Lycacnopsis 9:870
 - e [1922] *victoriae* Lycacnopsis (ISS) 9:871
 BMNH-ht b [1922] *volumnia* Lycacnopsis 9:870
 - b [1923] *adoniram* Castalius 9:886
 BMNH?-st c [1923] *afranlius* Castalius 9:889
 - b [1923] *alarbus* Castalius 9:886
 BMNH-lt c [1923] *amitra* Lycacnopsis 9:873
 - b [1923] *baghavus* Castalius 9:886
 - e [1923] *boelta* Lycacnopsis (ISS) 9:877
 BMNH-lt b [1923] *carnita* Lycacnopsis 9:874
 - b [1923] *catrionus* Castalius 9:886

Fruhstorfer 1909-1923 In Seitz, Grossschmett. Erde [b1840]

(continued)			
-	b [1923]	<i>celis</i> Tarucus	9:893
-	c [1923]	<i>colmus</i> Castalius	9:887
-	b [1923]	<i>cosimon</i> Castalius	9:888
-	b [1923]	<i>interposita</i> Taraka	9:884
-	b [1923]	<i>isona</i> Taraka	9:884
-	c [1923]	<i>juvenal</i> Tarucus	9:893
-	b [1923]	<i>leoninus</i> Castalius	9:888
ZSBS-ht	c [1923]	<i>lychorida</i> Lycaenopsis	9:875
-	b [1923]	<i>plutarchus</i> Tarucus	9:893
BMNH-lt	c [1923]	<i>proba</i> Lycaenopsis	9:875
-	b [1923]	<i>silas</i> Castalius	9:886
-	b [1923]	<i>sostrus</i> Castalius	9:886
-	b [1923]	<i>thalaba</i> Taraka	9:884
-	b [1923]	<i>thalimar</i> Castalius	9:887
BMNH-lt	c [1923]	<i>todara</i> Pithecopis	9:880
-	c [1923]	<i>vavasanus</i> Castalius	9:887
--	e [1923]	<i>vulvanica</i> Lycaenopsis (ISS)	9:876
-	b [1923]	<i>zingis</i> Tarucus	9:893
-	b [1924]	<i>iovis</i> Pseudodipsas	9:899
-	c [1924]	<i>praeclara</i> Lycaenesthes	9:897
-	b [1924]	<i>tituria</i> Niphanda	9:901
-	b [1924]	<i>villosina</i> Lycaenesthes	9:898

Fruhstorfer 1910 Deut. ent. Zeit. [Iris] [b1841]

-	b	<i>infumata</i> Hypolycaena	24:56
---	---	-----------------------------	-------

Fruhstorfer 1910 Ent. Zeit. [b1842]

-	b	<i>dromicus</i> Lampides	23(49):219
-	b	<i>lydanus</i> Lampides	23(49):219

Fruhstorfer 1910 Stett. ent. Ztg [b1843]

-lt	c	<i>amadis</i> Cyaniris	71(2):295
ZSI	c	<i>aphala</i> Cyaniris	71(2):299
SMF-ht	a	<i>apona</i> Cyaniris	71(2):289
SMF?-lt	a	<i>archagathos</i> Cyaniris	71(2):284
BMNH-lt	a	<i>aristius</i> Cyaniris	71(2):294
BMNH-lt	c	<i>armenta</i> Cyaniris	71(2):287
BMNH-lt	b	<i>astarga</i> Cyaniris	71(2):290
BMNH-lt	b	<i>bazilana</i> Cyaniris	71(2):286
BMNH-lt	b	<i>calata</i> Cyaniris	71(2):286
BMNH-lt	c	<i>calon</i> Cyaniris	71(2):283
BMNH-lt	b	<i>catius</i> Cyaniris	71(2):290
BMNH-lt	b	<i>catullus</i> Cyaniris	71(2):283
BMNH-lt	c	<i>cition</i> Cyaniris	71(2):294
BMNH-lt	c	<i>contilia</i> Cyaniris	71(2):285
-	c	<i>distanti</i> Cyaniris	71(2):288
-	b	<i>elothales</i> Cyaniris	71(2):297
BMNH-lt	b	<i>epicharma</i> Cyaniris	71(2):293
BMNH-lt	b	<i>euphon</i> Cyaniris	71(2):291
BMNH-lt	b	<i>gadara</i> Cyaniris	71(2):301
-	b	<i>gaius</i> Cyaniris	71(2):298
-	c	<i>georgi</i> Cyaniris	71(2):286
BMNH-lt	b	<i>gisca</i> Cyaniris	71(2):285
BMNH-lt	b	<i>gradeniga</i> Cyaniris	71(2):301
BMNH-lt	c	<i>hainana</i> Cyaniris	71(2):289
BMNH-lt	c	<i>hegesander</i> Cyaniris	71(2):292
BMNH-lt	b	<i>hegesias</i> Cyaniris	71(2):289
BMNH-lt	c	<i>hermagoras</i> Cyaniris	71(2):284+
SMF?-ht	a	<i>hermarchus</i> Cyaniris	71(2):284
BMNH-lt	b	<i>hermeias</i> Cyaniris	71(2):298
BMNH-lt	b	<i>hermesianax</i> Cyaniris	71(2):300
BMNH-lt	c	<i>herophilus</i> Cyaniris	71(2):293
BMNH-ht	c	<i>Jugurtha</i> Cyaniris	71(2):298
BMNH-lt	a	<i>masinissa</i> Cyaniris	71(2):299
BMNH-ht	a	<i>najara</i> Cyaniris	71(2):287 (partim)
BMNH-lt	c	<i>otonis</i> Cyaniris	71(2):287
BMNH-lt	b	<i>pelides</i> Cyaniris	71(2):300
BMNH-lt	c	<i>pellax</i> Cyaniris	71(2):292 (partim)
BMNH-ht	a	<i>pellecebra</i> Cyaniris	71(2):296
BMNH-lt	c	<i>pellonia</i> Cyaniris	71(2):301

Fruhstorfer 1910 Stett. ent. Ztg [b1843] (continued)

BMNH-lt	b	<i>sabatina</i> Cyaniris	71(2):288+
-lt	a	<i>samanga</i> Cyaniris	71(2):286
BMNH-lt	c	<i>sanja</i> Cyaniris	71(2):285
BMNH-lt	b	<i>thoria</i> Cyaniris	71(2):292
BMNH-lt	c	<i>valeria</i> Cyaniris	71(2):296

Fruhstorfer 1910 Int. ent. Z. [b1844]

-	b	<i>arcina</i> Lycaena	4(10):55
-	b	<i>cleomenes</i> Lycaena	4(12):62
-	b	<i>laranda</i> Lycaena	4(10):55
-	c	<i>lariana</i> Lycaena	4(12):63
-	b	<i>lydiades</i> Lycaena	4(12):62
-	e (+) f.	<i>menippe</i> Lycaena	4(12):63
-	c	<i>metioche</i> Lycaena	4(12):63
-	b	<i>oricus</i> Lycaena	4(12):62

Fruhstorfer 1910 Soc. ent. [b1845]

-	c	<i>balestrei</i> Lycaena	25(12):48
-	b	<i>castilla</i> Lycaena	25(12):48
-	c	<i>hispelis</i> Lycaena	25(12):48
-	c	<i>isias</i> Lycaena	25(12):47
-	c	<i>salassorum</i> Lycaena	25(12):48

Fruhstorfer 1910 Ent. Zeit. [b1846]

-	b	<i>delphinatus</i> Lycaena	24(26):144
-	b	<i>pelusiota</i> Chrysophanus	24(26):144
-	b	<i>phintonis</i> Chrysophanus	24(26):144

Fruhstorfer 1910 Ent. Zeit. [b1847]

-	a	<i>chrysapha</i> Dodona	24(35):194
---	---	-------------------------	------------

Fruhstorfer 1911 Soc. ent. [b1848]

-	c	<i>libisonis</i> Lycaena	25(24):96
---	---	--------------------------	-----------

Fruhstorfer 1912 Ent. Rundsch. [b1849]

-	b	<i>agias</i> Taxila	29(3):23
-	b	<i>annamensis</i> Zemeris	29(3):23
-	b	<i>arimazes</i> Zemeris	29(3):23
-	b	<i>balinus</i> Zemeris	29(3):23
-	b	<i>banguyanus</i> Zemeris	29(3):22
-	b	<i>ducas</i> Taxila	29(3):23
-	c	<i>esla</i> Zemeris	29(3):23
-	b	<i>eutyches</i> Taxila	29(3):24
-	b	<i>gratius</i> Abisara	29(3):23
-	b	<i>hostius</i> Zemeris	29(3):23
BMNH	b	<i>iliaca</i> Abisara	29(3):23
BMNH	b	<i>litavicus</i> Abisara	29(3):23
-	b	<i>nostia</i> Dodona	29(3):24
-	b	<i>phyliscus</i> Zemeris	29(3):23
-	b	<i>saleyra</i> Abisara	29(3):22
-	b	<i>sosiphanes</i> Zemeris	29(3):23
BMNH	b	<i>stasinus</i> Abisara	29(3):23
-	b	<i>therikles</i> Taxila	29(3):24
-	c	<i>venox</i> Dodona	29(3):24

Fruhstorfer [1912] Berl. ent. Z. [b1850]

-	e (+) f.	<i>abisarina</i> Portia	56(3/4):203
-	b	<i>abusina</i> Rapala	56(3/4):255
-	a	<i>achaja</i> Horaga	56(3/4):233
-	b	<i>agalla</i> Camena	56(3/4):207
-	b	<i>aimnestus</i> Hypolycaena	56(3/4):239
-	e	<i>albipicta</i> Tajuria (IFS)	56(3/4):211
-	c	<i>f. alcira</i> Marmessus	56(3/4):248
-	b	<i>amardus</i> Tajuria	56(3/4):213
-	b	<i>amatica</i> Loxura	56(3/4):223
-	c	<i>amatius</i> Deudorix	56(3/4):265
-	b	<i>ambasa</i> Rapala	56(3/4):258
BMNH-ht	c	<i>amspaga</i> Pontia	56(3/4):199
-	b	<i>anaximander</i> Sithon	56(3/4):226
-	c	<i>ancus</i> Deudorix	56(3/4):265
-	a	<i>androconifera</i> Yasoda	56(3/4):225
-	c	<i>angada</i> Camena	56(3/4):206

Fruhstorfer [1912] Berl. ent. Z. [b1850] (continued)

-	b	<i>angierius</i> Loxura	56(3/4):223
-	b	<i>archytas</i> Araotes	56(3/4):227
-	b	<i>arianus</i> Araotes	56(3/4):227
-	b	<i>arima</i> Rapala	56(3/4):258
-	b	<i>aristarchus</i> Camena	56(3/4):208
BMNH-ht	b	<i>artontes</i> Horaga	56(3/4):233
-	b	<i>asikana</i> Rapala	56(3/4):254
-	b	<i>atrinotata</i> Yasoda	56(3/4):224
-	b	<i>aurelia</i> Rapala	56(3/4):262
BMNH-lt	c	<i>bandatara</i> Rapala	56(3/4):255
-	b	<i>bangueyana</i> Tajuria	56(3/4):214
-	b	<i>batilma</i> Rapala	56(3/4):259
-	b	<i>batina</i> Aphnaeus	56(3/4):218
BMNH-ht	c	<i>f. battakana</i> Marmessus	56(3/4):272
-	b	<i>batunensis</i> Biduanda	56(3/4):272
-	b	<i>baweanica</i> Rapala	56(3/4):254
-	c	<i>beluta</i> Rapala	56(3/4):255
-	c	<i>binghami</i> Pontia	56(3/4):203
pc	b	<i>camotana</i> Hypolycaena	56(3/4):271
SMF-lt	a	<i>canachus</i> Camena	56(3/4):271
-	b	<i>capella</i> Hypolycaena	56(3/4):240
-	b	<i>capusa</i> Camena	56(3/4):208
-	b	<i>cartena</i> Camena	56(3/4):206
-	b	<i>catulus</i> Rapala	56(3/4):260
-	b	<i>centorinus</i> Zelus	56(3/4):242
-	c	<i>cinnabarus</i> Deudorix	56(3/4):266
-	e	<i>ab. cismona</i> Rapala	56(3/4):257
-	c	<i>clarchus</i> Rapala	56(3/4):257
-	c	<i>continentalis</i> Loxura	56(3/4):221
-	c	<i>coriolanus</i> Deudorix	56(3/4):266
BMNH-ht	e	<i>coronata</i> Pontia (IFS)	56(3/4):200
-	b	<i>dazata</i> Rapala	56(3/4):261
-	b	<i>deinostratus</i> Loxura	56(3/4):222
-	b	<i>dekalarachus</i> Rapala	56(3/4):263
-	e	<i>demaculata</i> Pontia (IFS)	56(3/4):199
-	c	<i>depicta</i> Biduanda	56(3/4):272
-	c	<i>devadatta</i> Camena	56(3/4):206
-	b	<i>doherthyi</i> Yasoda	56(3/4):225
-	b	<i>ducalis</i> Aphnaeus	56(3/4):218
-	b	<i>ecphantus</i> Camena	56(3/4):206
-	b	<i>elaja</i> Tajuria	56(3/4):214
-	b	<i>emas</i> Catapoecilma	56(3/4):235
-	e	<i>emona</i> Loxura	56(3/4):222
-	b	<i>enganica</i> Rapala	56(3/4):254
-	b	<i>enganicus</i> Deudorix	56(3/4):267
-	b	<i>epigenes</i> Tajuria	56(3/4):214
-	b	<i>eurydice</i> Cheritra	56(3/4):243
-	b	<i>extensa</i> Hypolycaena	56(3/4):237
-	b	<i>figulus</i> Hypolycaena	56(3/4):238
-	b	<i>formosana</i> Rapala	56(3/4):259
BMNH-lt	b	<i>frigga</i> Cheritra	56(3/4):243
-	b	<i>frontinus</i> Tajuria	56(3/4):211
-	b	<i>fuconius</i> Loxura	56(3/4):222
-	b	<i>fuiulus</i> Hypolycaena	56(3/4):238
-	b	<i>funiga</i> Horaga	56(3/4):233
-	b	<i>fuscicaudata</i> Loxura	56(3/4):223
-	b	<i>gamatius</i> Hypolycaena	56(3/4):238
-	b	<i>gamtara</i> Tajuria	56(3/4):210
-	b	<i>georgius</i> Hypolycaena	56(3/4):239
-	b	<i>ghela</i> Deudorix	56(3/4):267
-	b	<i>giscon</i> Hypolycaena	56(3/4):239
-	b	<i>gloriosa</i> Semanga	56(3/4):235
-	b	<i>gratidianus</i> Zelus	56(3/4):242
-	c	<i>guevara</i> Rapala	56(3/4):263
-	b	<i>herculius</i> Tajuria	56(3/4):215
BMNH-st	c	<i>hilima</i> Ilerda	56(3/4):253
-	b	<i>himavantus</i> Hypolycaena	56(3/4):237
-	e	<i>f. idina</i> Ticherra (IFS)	56(3/4):245
-	b	<i>ingana</i> Rapala	56(3/4):255
BMNH-ht	e	<i>interjecta</i> Pontia (IFS)	56(3/4):198
-	c	<i>iskander</i> Marmessus	56(3/4):249

Fruhstorfer [1912] Berl. ent. Z. [b1850] (continued)

-	b	<i>ismarus</i> Sithon	56(3/4):226
-	e	<i>jacoda</i> Deramas (ISS)	56(3/4):204
BMNH-ht	b	<i>javanica</i> Pontia	56(3/4):202
-	b	<i>javanus</i> Aphnaeus	56(3/4):220
-	b	<i>joloana</i> Horaga	56(3/4):232
-	b	<i>latipicta</i> Aphnaeus	56(3/4):217
-	b	<i>leminius</i> Loxura	56(3/4):222
-	c	<i>lislades</i> Marmessus	56(3/4):248
-	c	<i>litunia</i> Rapala	56(3/4):256
pc-ht	b	<i>liviana</i> Ticherra	56(3/4):245
-	b	<i>lombokiana</i> Rapala	56(3/4):254
pc	b	<i>lucrosa</i> Tajuria	56(3/4):271
-	b	<i>macanita</i> Tajuria	56(3/4):210
-	b	<i>madura</i> Suasa	56(3/4):230
-	c	<i>mahara</i> Loxura	56(3/4):221
-	b	<i>mangolina</i> Iraota	56(3/4):272
-	a	<i>manilia</i> Pontia	56(3/4):200
-	b	<i>manilius</i> Loxura	56(3/4):223
-	b	<i>margala</i> Sinthusia	56(3/4):228
-	b	<i>maroneia</i> Tajuria	56(3/4):212
-	b	<i>maseas</i> Deudorix	56(3/4):267
-	b	<i>massicus</i> Tajuria	56(3/4):214
-	b	<i>mastanabal</i> Sithon	56(3/4):226
-	b	<i>matiana</i> Chliaria	56(3/4):231
-	b	<i>matienus</i> Loxura	56(3/4):222
-	b	<i>maxentius</i> Tajuria	56(3/4):211
-	b	<i>maximianus</i> Zelus	56(3/4):242
BMNH-lt	c	<i>medullia</i> Marmessus	56(3/4):250
-	b	<i>megabates</i> Sithon	56(3/4):226
-	c	<i>megakles</i> Deudorix	56(3/4):266
-	c	<i>megalesia</i> Neochenitra	56(3/4):246
ZMHU-lt	b	<i>melida</i> Rapala	56(3/4):257
-	b	<i>menaichus</i> Rapala	56(3/4):263
-	c	<i>menesicles</i> Deudorix	56(3/4):265
-	b	<i>mesambria</i> Tajuria	56(3/4):212
-	c	<i>mesarchus</i> Deudorix	56(3/4):266
-	b	<i>methara</i> Camena	56(3/4):206
-	b	<i>mezetulus</i> Rapala	56(3/4):261
BMNH-ht	c	<i>minara</i> Biduanda	56(3/4):251
SMF	b	<i>mindanaensis</i> Hypolycaena	56(3/4):271
-	b	<i>mindoranus</i> Hypolycaena	56(3/4):238
-	b	<i>minturna</i> Camena	56(3/4):207
-	b	<i>myosotina</i> Catapoecilma	56(3/4):234
-	b	<i>nacandra</i> Camena	56(3/4):207
-	b	<i>nada</i> Rapala	56(3/4):259
BMNH-ht	e	<i>naukydes</i> Pontia (IFS)	56(3/4):199
-	b	<i>niasicola</i> Sinthusia	56(3/4):229
-	e	<i>nigella</i> Tajuria (NN)	56(3/4):211
BMNH-ht	c	<i>nigra</i> Pontia	56(3/4):199
BMNH-ht	e	<i>nigritia</i> Pontia (IFS)	56(3/4):198
BMNH-ht	c	<i>nola</i> Marmessus	56(3/4):250
-	b	<i>numa</i> Hypolycaena	56(3/4):240
-	b	<i>numana</i> Loxura	56(3/4):223
-	c	<i>obscurata</i> Sinthusia	56(3/4):228
-	c	<i>ocerta</i> Rapala	56(3/4):254
-	b	<i>odosia</i> Rapala	56(3/4):257
-	b	<i>origenes</i> Bindahara	56(3/4):245
-	b	<i>orsiphantus</i> Hypolycaena	56(3/4):239
BMNH-ht	b	<i>osma</i> Horaga	56(3/4):233
-	b	<i>palamera</i> Rapala	56(3/4):257
BMNH-ht	e	<i>palilia</i> Pontia (IFS)	56(3/4):199
-	b	<i>pallidior</i> Sinthusia	56(3/4):228
-	b	<i>panasa</i> Aphnaeus	56(3/4):219
BMNH-ht	b	<i>paullus</i> Horaga	56(3/4):232
-	e	<i>pengata</i> Rapala (PS)	56(3/4):256
-	b	<i>permagna</i> Horaga	56(3/4):233
-	e	<i>phalike</i> Pontia (ISS)	56(3/4):200
-	b	<i>philippensis</i> Rapala	56(3/4):254
-	e	<i>f. phocidina</i> Bindahara	56(3/4):244
-	b	<i>phrangida</i> Rapala	56(3/4):259
-	b	<i>pictor</i> Hypolycaena	56(3/4):240

Fruhstorfer [1912] Berl. ent. Z. [b1850] (continued)		
-	b	<i>pigres</i> Hypolycaena 56(3/4):238
-	b	<i>pisatis</i> Tajuria 56(3/4):213
-	b	<i>plateia</i> Tajuria 56(3/4):212
SMF-lt	a	<i>polyorketes</i> Camena 56(3/4):270
-	b	<i>pompadytes</i> Zelus 56(3/4):242
-	b	<i>pongulina</i> Aphnaeus 56(3/4):217
--	c	<i>principalis</i> Poritia (IFS) 56(3/4):199
-	a	<i>privata</i> Sinthusa 56(3/4):229
-	b	<i>pupienus</i> Hypolycaena 56(3/4):238
-	a	<i>quevara</i> Rapala 56(3/4):262
-	a	<i>rectilineata</i> Aphnaeus 56(3/4):219
-	b	<i>renata</i> Rapala 56(3/4):255
-	b	<i>rhodanus</i> Hypolycaena 56(3/4):240
-	b	<i>rokana</i> Aphnaeus 56(3/4):219
-	c	<i>rubicundus</i> Aphaenus 56(3/4):220
ZMHU-ht	a	<i>rufotaenia</i> Marmessus 56(3/4):249
-	b	<i>sagata</i> Rapala 56(3/4):258
-	b	<i>saha</i> Rapala 56(3/4):258
-	b	<i>sakaia</i> Rapala 56(3/4):263
-	a	<i>sangirica</i> Dacalana 56(3/4):270
-	b	<i>seliga</i> Aphnaeus 56(3/4):218
-	b	<i>senama</i> Aphnaeus 56(3/4):219
-	b	<i>sepulveda</i> Aphnaeus 56(3/4):217
--	e	(+) <i>f. side</i> Deudorix 56(3/4):267
-	b	<i>silo</i> Hypolycaena 56(3/4):239
-	b	<i>silo</i> Deudorix 56(3/4):268
-	b	<i>singama</i> Yasoda 56(3/4):224
-	b	<i>sophonias</i> Catapoecilma 56(3/4):235
-	b	<i>sophonisbe</i> Sinthusa 56(3/4):228
-	c	<i>sthenas</i> Rapala 56(3/4):260
-	c	<i>sumatranus</i> Marmessus 56(3/4):272
-	a	<i>sumatrensis</i> Deudorix 56(3/4):264
-	b	<i>syphax</i> Hypolycaena 56(3/4):238
-	b	<i>teatus</i> Hypolycaena 56(3/4):238
-	b	<i>tegea</i> Hypothecla 56(3/4):241
-	b	<i>terana</i> Aphnaeus 56(3/4):217
-	b	<i>terenzius</i> Deudorix 56(3/4):267
-	b	<i>theodosius</i> Tajuria 56(3/4):211
-	b	<i>thyrius</i> Hypolycaena 56(3/4):238
-	b	<i>turbo</i> Deudorix 56(3/4):266
BMNH-ht	b	<i>umara</i> Biduanda 56(3/4):251
-	c	<i>uruwela</i> Araotes 56(3/4):227
-	c	<i>valeria</i> Rapala 56(3/4):261
BMNH-ht	b	<i>vanica</i> Biduanda 56(3/4):251
-	b	<i>vardara</i> Hypolycaena 56(3/4):237
BMNH-ht	b	<i>veturia</i> Poritia 56(3/4):201
-	a	<i>visalis</i> Tajuria 56(3/4):213
-	b	<i>vocetius</i> Deudorix 56(3/4):268
-	b	<i>volsa</i> Sinthusa 56(3/4):229
-	b	<i>volumnia</i> Cheritra 56(3/4):243
-	b	<i>yasa</i> Camena 56(3/4):205
-	c	<i>zamona</i> Rapala 56(3/4):256
BMNH-ht	b	<i>zuniga</i> Horaga 56(3/4):233

Fruhstorfer 1913 Z. wiss. InsektBiol. [b1851]

-	b	<i>acampsis</i> Gerydus 9(9):243
-	c	<i>adeus</i> Gerydus 9(10):310
-	c	<i>amphiarus</i> Gerydus 9(9):245
BMNH-lt	c	<i>ancius</i> Allotinus 9(11):343
-	c	<i>anconides</i> Gerydus 9(9):246
BMNH-lt	b	<i>aphacus</i> Allotinus 9(11):343
-	b	<i>aphytis</i> Gerydus 9(11):342
BMNH-lt	a	<i>apries</i> Allotinus 9(11):344
-	a	<i>archilochus</i> Gerydus 9(9):247
-	b	<i>artaxatus</i> Gerydus 9(10):308
--	e	<i>f. atomaria</i> Gerydus (IFS) 9(10):307
BMNH-lt	c	<i>banjanus</i> Allotinus 9(12):369
BMNH-lt	b	<i>batalkanus</i> Allotinus 9(12):370
-	c	<i>batunensis</i> Gerydus 9(10):307
BMNH-lt	a	<i>bazilanus</i> Gerydus 9(9):246
-	b	<i>catoleucus</i> Gerydus 9(9):246

Fruhstorfer 1913 Z. wiss. InsektBiol. [b1851] (continued)

-	a	<i>cellarius</i> Gerydus 9(10):308
ZSI?-lt	b	<i>continentalis</i> Allotinus 9(11):344
BMNH-lt	c	<i>damodar</i> Allotinus 9(12):369
-	e	<i>f. denticulata</i> Gerydus (IFS) 9(10):307
BMNH-lt	c	<i>depictus</i> Allotinus 9(11):343
-	e	<i>diopelthes</i> Gerydus 9(10):244
-	b	<i>diotrophes</i> Gerydus 9(9):309
-	e	<i>f. divisa</i> Gerydus (IFS) 9(9):245
-	e	<i>dossemus</i> Gerydus 9(10):310
BMNH-lt	b	<i>dotion</i> Allotinus 9(11):343
-	b	<i>edonus</i> Gerydus 9(9):244
BMNH-lt	c	<i>enatheus</i> Allotinus 9(12):370
BMNH-lt	c	<i>enganleus</i> Allotinus 9(12):369
-	e	<i>epidurus</i> Gerydus 9(10):309
BMNH-lt	b	<i>eryximachus</i> Allotinus 9(11):343
-	c	<i>eulus</i> Gerydus 9(9):244
BMNH-lt	c	<i>eurytanus</i> Allotinus 9(12):368
-	b	<i>eustatius</i> Gerydus 9(10):308
-	b	<i>florensis</i> Gerydus 9(9):244
SMF-ht	b	<i>georgius</i> Allotinus 9(12):368
BMNH-lt	c	<i>infumata</i> Allotinus 9(11):344
BMNH-lt	e	(+) <i>f. intricata</i> Allotinus 9(11):344, 366
-	c	<i>jacchus</i> Gerydus 9(10):309
BMNH-lt	c	<i>kallikrates</i> Allotinus 9(11):342
BMNH-lt	b	<i>lenaia</i> Allotinus 9(12):370
-	c	<i>lombokianus</i> Gerydus 9(10):309
BMNH-lt	c	<i>magaris</i> Allotinus 9(12):370
-	a	<i>mallus</i> Gerydus 9(10):310
-	b	<i>mangolicus</i> Gerydus 9(9):245
BMNH-lt	c	<i>manyehus</i> Allotinus 9(11):342
BMNH-ht	c	<i>martinus</i> Allotinus 9(12):371
-	c	<i>megaris</i> Gerydus 9(9):244
-	c	<i>meronus</i> Gerydus 9(9):245
-	b	<i>metrovius</i> Gerydus 9(10):308
-	c	<i>milvius</i> Gerydus 9(10):309
BMNH-lt	c	<i>molionides</i> Allotinus 9(12):368
BMNH-lt	c	<i>myriandus</i> Allotinus 9(12):368
BMNH-lt	c	<i>narsares</i> Allotinus 9(12):370
-	b	<i>niasicus</i> Gerydus 9(10):307
BMNH-lt	c	<i>niceratus</i> Allotinus 9(12):368
-	a	<i>nymphis</i> Gerydus 9(10):307
-	e	<i>f. oichalia</i> Gerydus (IFS) 9(10):308
-	c	<i>paianius</i> Gerydus 9(10):309
-	e	<i>pallaxopas</i> Gerydus 9(10):307
BMNH-lt	a	<i>parapus</i> Allotinus 9(11):343
-	e	<i>pentheus</i> Gerydus 9(9):245
-	b	<i>perlucidus</i> Gerydus 9(9):243
BMNH-lt	b	<i>permagnus</i> Allotinus 9(11):344
BMNH-lt	b	<i>posidion</i> Allotinus 9(12):368
BMNH-lt	c	<i>rebilus</i> Allotinus 9(12):370
-	c	<i>rex</i> Gerydus 9(9):245
-lt	e	<i>sabazus</i> Allotinus 9(11):343
BMNH-lt	a	<i>sarrastes</i> Allotinus 9(12):370
-	e	<i>sarus</i> Gerydus 9(9):244 or 245
BMNH-lt	b	<i>satelliticus</i> Allotinus 9(11):344
-	b	<i>tellus</i> Gerydus 9(9):246
-	e	<i>valeus</i> Gerydus 9(10):307
-	b	<i>vespasianus</i> Gerydus 9(9):244
-	b	<i>virtus</i> Gerydus 9(9):245
BMNH-lt	e	<i>vitelianus</i> Gerydus 9(9):246

Fruhstorfer 1913 Deut. ent. Zeit. [Iris] [b1852]

-	b	<i>batunensis</i> Loxura 27(3):137
-	b	<i>periculosa</i> Neomyrina 27(3):136

Fruhstorfer 1914 Deut. ent. Zeit. [Iris] [b1853]

BMNH-ht	c	<i>afranias</i> Arhopala 27(4):156
BMNH-ht	c	<i>ajusa</i> Arhopala 27(4):164
BMNH-ht	a	<i>alkisthenes</i> Arhopala 27(4):159
BMNH-ht	c	<i>androtion</i> Arhopala 27(4):158
BMNH-ht	c	<i>anicus</i> Arhopala 27(4):159

- Fruhstorfer 1914 Deut. ent. Zeit. [Iris] [b1853] (continued)
- BMNH-ht c *aphobus* Arhopala 27(4):160
 - c *calaurea* Arhopala 27(4):157
 BMNH-ht b *centenius* Arhopala 27(4):157
 BMNH-ht c *cervidius* Arhopala 27(4):158
 - b *chrysoana* Arhopala 27(4):160
 BMNH-ht b *cidona* Arhopala 27(4):159
 BMNH-ht b *gazella* Arhopala 27(4):159
 - c *grandiosa* Arhopala 27(4):161
 BMNH-ht c *hagius* Arhopala 27(4):165
 BMNH-ht a *hellada* Arhopala 27(4):165
 BMNH-ht c *herana* Arhopala 27(4):160
 BMNH-ht b *jabadia* Arhopala 27(4):163
 BMNH-ht b *leptines* Arhopala 27(4):158
 BMNH-ht a *madytus* Arhopala 27(4):159
 BMNH-ht b *majestatis* Arhopala 27(4):163
 BMNH-ht c *natanda* Arhopala 27(4):160
 BMNH-ht c *nobilior* Arhopala 27(4):165
 BMNH-ht b *onotor* Arhopala 27(4):161
 BMNH-ht b *ozana* Arhopala 27(4):166
 BMNH-st b *phalaerus* Arhopala 27(4):156
 BMNH-ht c *potidae* Arhopala 27(4):156
 - c *prasiae* Arhopala 27(4):157
 BMNH-ht b *selymbria* Arhopala 27(4):158
 BMNH-st b *sophilus* Arhopala 27(4):156
 BMNH-ht c *sosias* Arhopala 27(4):157
 BMNH-ht b *sothades* Arhopala 27(4):163
 BMNH-ht c *soter* Arhopala 27(4):165
 lost c *sphendale* Arhopala 27(4):162
 BMNH-ht c *sphety*s Arhopala 27(4):165
 BMNH-st b *stymphelus* Arhopala 27(4):155
 BMNH-ht c *teuthrone* Arhopala 27(4):157
 - a *varro* Arhopala 27(4):161
 BMNH-ht b *verelius* Arhopala 27(4):161
 BMNH-ht c *zelea* Arhopala 27(4):157
- Fruhstorfer 1914 Deut. ent. Zeit. [Iris] [b1854]
- b *agis* Lehera 27(4):173
 - b *azyada* Dalacana 27(4):174
 - c *baganda* Dalacana 27(4):174
 BMNH-lt b *balina* Mammessus 27(4):175
 BMNH-ht b *cuprea* Chenira 27(4):175
 - a *cyrestica* Rapala 27(4):172
 - c *gebenia* Rapala 27(4):173
 - b *histia* Chliaria 27(4):176
 - c *mingawa* Tajuria 27(4):174
 - e *minima* Chliaria 27(4):176
 - b *palpatoris* Chliaria 27(4):176
 - c *panowa* Chenira 27(4):175
 - b *phataea* Chliaria 27(4):176
 - b *praxeas* Rapala 27(4):177
 - c *sankilla* Virgaurina 27(4):175
 - b *sarata* Rapala 27(4):178
 - a *sinhara* Dalacana 27(4):174
 - c *sobanas* Chliaria 27(4):177
 - b *tacola* Rapala 27(4):178
 - b *throana* Rapala 27(4):178
 - e *yabala* Rapala (IFS) 27(4):177
 - b *yojana* Manto 27(4):176
- Fruhstorfer 1914 Z. wiss. Insekt.Biol. [b1855]
- BMNH-lt b *aphthonius* Allotinus 10(1):20
 SMF-lt c *apsines* Logania 10(1):24
 BMNH-lt b *arrius* Allotinus 10(1):22
 BMNH-lt b *damis* Logania 10(1):24
 BMNH-lt c *donussa* Logania 10(1):24
 - b *doeithus* Allotinus 10(1):22
 BMNH-lt c *eupallion* Allotinus 10(1):22
 SMF-ht b *faustina* Logania 10(1):23
 BMNH-lt c *glypha* Logania 10(1):24
 BMNH-lt a *hampsoni* Logania 10(1):24
 BMNH-lt b *hilaera* Logania 10(1):23
- Fruhstorfer 1914 Z. wiss. Insekt.Biol. [b1855] (continued)
- BMNH-lt b *javanica* Logania 10(1):23
 BMNH-lt b *maltus* Allotinus 10(1):21
 BMNH-lt b *munichya* Logania 10(1):24
 BMNH-lt c *nada* Logania 10(1):24
 BMNH-ht a *nehalemia* Logania 10(1):25
 b *palawana* Logania 10(1):23
 BMNH-ht c *pamisus* Allotinus 10(1):22
 SMF-ht b *samosata* Logania 10(1):23
 SMF-ht b *subura* Logania 10(1):23
- Fruhstorfer 1914 Ent. Rundsch. [b1856]
- a *bidotata* Simiskina 31(3):18
- Fruhstorfer 1914 Z. wiss. Insekt.Biol. [b1857]
- c *acrisius* Gerydus 10(2):60
 - b *aronicus* Gerydus 10(2):60
 - c *bangkanus* Gerydus 10(2):59
 BMNH-ht b *batuensis* Gerydus 10(2):59
 BMNH-lt b *euphranor* Gerydus 10(2):60
 - c *gardineri* Gerydus 10(2):59
 - c *nineyanus* Gerydus 10(2):60
 - b *philopator* Gerydus 10(2):59
- Fruhstorfer 1914 Deut. ent. Zeit. [Iris] [b1858]
- c *arta* Horaga 28(1):34
 BMNH-ht a *chalcedonyx* Horaga 28(1):33
 ZSBS c *onyxitis* Horaga 28(1):34
 BMNH-ht b *sardonix* Horaga 28(1):33
- Fruhstorfer 1914 Deut. ent. Zeit. [Iris] [b1859]
- BMNH-ht c *almansor* Arhopala 28(2):132
 BMNH-ht c *amha* Arhopala 28(2):132
 BMNH-ht c *antipaxus* Arhopala 28(2):127
 BMNH-ht b *arahat* Arhopala 28(2):127
 - b *aristomachus* Arhopala 28(2):124
 BMNH-ht c *asatha* Arhopala 28(2):131
 BMNH-ht c *aytonia* Arhopala 28(2):137
 BMNH-ht e (+) *f. batús* Amblypodia 28(2):130
 BMNH-ht c *berossus* Arhopala 28(2):128
 BMNH-ht c *biru* Arhopala 28(2):126
 BMNH-ht c *caesarion* Arhopala 28(2):122
 - c *caesetius* Arhopala 28(2):124
 BMNH-ht c *comes* Arhopala 28(2):127
 BMNH-ht b *chunsu* Arhopala 28(2):137
 - c *corthatha* Arhopala 28(2):137
 BMNH-ht c *elagabulus* Arhopala 28(2):124
 BMNH-ht e *elis* Amblypodia (IFS) 28(2):122
 - b *eurysthenes* Arhopala 28(2):126
 BMNH-ht b *fundania* Arhopala 28(2):134
 BMNH-ht a *hammon* Arhopala 28(2):137
 BMNH-ht c *herodianus* Arhopala 28(2):126
 - a *himna* Arhopala 28(2):128
 BMNH-ht c *husaina* Arhopala 28(2):130
 - c *imperiosa* Arhopala 28(2):132
 BMNH-ht a *iriya* Arhopala 28(2):128
 BMNH-ht a *irma* Arhopala 28(2):134
 BMNH-ht c *kartaphilus* Arhopala 28(2):127
 BMNH-ht c *leokrates* Arhopala 28(2):126
 - c *nava* Arhopala 28(2):131
 BMNH-ht c *nebenius* Arhopala 28(2):131
 BMNH-ht b *oghatinna* Arhopala 28(2):130
 - c *pangeran* Arhopala 28(2):135
 BMNH-ht b *phalakron* Arhopala 28(2):128
 BMNH-ht b *philtron* Arhopala 28(2):136
 BMNH-ht c *pratinas* Arhopala 28(2):131
 BMNH-ht b *sacharja* Arhopala 28(2):133
 BMNH-ht c *sanherib* Arhopala 28(2):123
 - b *sidicina* Arhopala 28(2):136
 BMNH-ht b *siroes* Arhopala 28(2):122
 BMNH-ht b *sostrata* Arhopala 28(2):135
 BMNH-ht c *tagore* Arhopala 28(2):122
 BMNH-ht c *tenea* Arhopala 28(2):129

- Fruhstorfer 1914 Deut. ent. Zeit. [Iris] [b1859] (continued)
- BMNH-ht b *termerion* Arhopala 28(2):133
 BMNH-ht c *tifata* Arhopala 28(2):129
 BMNH-ht c *vaya* Arhopala 28(2):130
 - c *vellanus* Arhopala 28(2):126
 BMNH-ht c *viribus* Arhopala 28(2):128
 BMNH-ht b *xisuthrus* Arhopala 28(2):126
 BMNH-ht b *ziliensis* Arhopala 28(2):136
 BMNH-ht c *zohar* Arhopala 28(2):129
- Fruhstorfer 1915 Deut. ent. Zeit. [Iris] [b1860]
- b *boopis* Luthrodes (H) 29:49
 - b *gades* Luthrodes 29:48
 - b *kaiphos* Luthrodes 29:47 or 48
 - b *soamis* Luthrodes 29:49
- Fruhstorfer 1915 Z. wiss. InsektBiol. [b1861]
- b *anals* Catapaecilma 11(7/8):221
 - b *callone* Catapaecilma 11(7/8):221
 - b *chaline* Catapaecilma 11(7/8):221
 - b *sedina* Catapaecilma 11(7/8):221
 - c *tyana* Catapaecilma 11(7/8):221
 - b *zephyria* Catapaecilma 11(7/8):221
- Fruhstorfer 1915 Soc. ent. [b1862]
- b *astrape* Amblopala 30(11):63
 - b *pherenice* Amblopala 30(11):63
- Fruhstorfer 1915 Zoöl. Meded. [b1863]
- b *antalcidas* Nacaduba 1(2):146
 - b *ariel* Lampides 1(2):141
 - c *caroli* Waigeum 1(2):147
 - c *corana* Lampides 1(2):142
 - c *eunice* Mileus 1(2):146
 - c *hyphasis* Lampides 1(2):142
 RNH-ht b *polemon* Mileus 1(2):146
 - b *pollamus* Lampides 1(2):141
 - a *reverdini* Lampides 1(2):143
 BMNH-ht a *selvagia* Lampides 1(2):145
 RNH-ht e *triumphans* Waigeum (IFS) 1(2):147
 - c *tucca* Rapala 1(2):147
 - b *umbriel* Lampides 1(2):141
 BMNH-ht b *vaneekel* Lampides 1(2):144
- Fruhstorfer 1915 Z. wiss. InsektBiol. [b1864]
- c *phradimon* Gerydus 11(9/10):269
- Fruhstorfer 1915 Arch. Naturgesch. [b1865]
- BMNH-ht c *aditja* Lampides (A)81(6):13
 - b *aegithus* Lampides (A)81(6):26
 BMNH-ht b *ageladas* Lampides (A)81(6):19
 - a *alsietus* Lampides (A)81(6):15
 - b *alvenus* Lampides (A)81(6):19
 - b *amastris* Lampides (A)81(6):15
 - c *andrus* Lampides (A)81(6):25
 BMNH-ht b *arama* Lampides (A)81(6):5
 BMNH-ht b *arcaseius* Lampides (A)81(6):26
 - b *argentiferus* Lampides (A)81(6):20
 BMNH-ht b *arius* Lampides (A)81(6):24
 BMNH-ht b *armatheus* Lampides (A)81(6):26
 BMNH-ht b *athanetus* Lampides (A)81(6):25
 - c *atina* Lampides (A)81(6):9
 - c *ayrus* Lampides (A)81(6):23
 BMNH-ht c *baweana* Lampides (A)81(6):11
 - b *cchellea* Lampides (A)81(6):29
 BMNH-ht b *celinus* Lampides (A)81(6):9
 - b *cleitus* Lampides (A)81(6):15
 - c *comeda* Lampides (A)81(6):12
 BMNH-ht c *courvoisieri* Lampides (A)81(6):26
 - b *croculana* Lampides (A)81(6):10
 - b *cytinus* Lampides (A)81(6):20
 - b *demetrius* Lampides (A)81(6):20
 - b *duvana* Lampides (A)81(6):24
- Fruhstorfer 1915 Arch. Naturgesch. [b1865] (continued)
- c *elath* Lampides (A)81(6):33
 - e *f. elpinides* Lampides (IFS) (A)81(6):4
 - b *enganicus* Lampides (A)81(6):36
 - b *eordaa* Lampides (A)81(6):8
 - c *espada* Lampides (A)81(6):11
 BMNH-ht b *eurysaces* Lampides (A)81(6):17
 - b *eurysthenes* Lampides (A)81(6):19
 BMNH-ht b *eyria* Lampides (A)81(6):5
 - b *ezeon* Lampides (A)81(6):22
 - b *formosanus* Lampides (A)81(6):38
 BMNH-ht e *f. gennadia* Lampides (IFS) (A)81(6):5
 - b *georgi* Lampides (A)81(6):38
 BMNH-st c *gera* Lampides (A)81(6):11
 BMNH-ht b *hamid* Lampides (A)81(6):16
 - c *hellada* Lampides (A)81(6):28
 - b *herdonius* Lampides (A)81(6):37
 - b *herodicus* Lampides (A)81(6):38
 - c *jambia* Lampides (A)81(6):10
 - c *leiothrix* Lampides (A)81(6):27
 - d *lydanus* Lampides (H) (A)81(6):7
 - c *madara* Lampides (A)81(6):28
 - b *manias* Lampides (A)81(6):7
 - c *megdora* Lampides (A)81(6):28
 - b *melichius* Lampides (A)81(6):18
 - b *metallica* Lampides (A)81(6):13
 - b *minthe* Lampides (A)81(6):22
 - b *nabonassar* Lampides (A)81(6):36
 BMNH-ht b *nausiphanes* Lampides (A)81(6):22
 - b *neaethus* Lampides (A)81(6):15
 BMNH-ht b *nilana* Lampides (A)81(6):36
 - b *nisanca* Lampides (A)81(6):14
 BMNH-ht e *f. ozea* Lampides (IFS) (A)81(6):18
 - b *palauensis* Lampides (A)81(6):38
 - c *paliassa* Lampides (A)81(6):9
 BMNH-ht a *parasaturata* Lampides (A)81(6):8
 BMNH-ht b *parazebra* Lampides (A)81(6):5
 - b *phaidon* Lampides (A)81(6):37
 - c *phaliga* Lampides (A)81(6):11
 - b *phaneas* Lampides (A)81(6):36
 - c *phasis* Lampides (A)81(6):34
 - b *photes* Lampides (A)81(6):32
 BMNH-ht c *piepersi* Lampides (A)81(6):12 or
 - b *polassar* Lampides (A)81(6):37
 - b *potidalon* Lampides (A)81(6):7
 - b *pseudaratus* Lampides (A)81(6):22
 BMNH-ht a *rajatus* Lampides (A)81(6):19
 BMNH-ht b *ruvana* Lampides (A)81(6):5
 - b *sabatus* Lampides (A)81(6):16
 - b *sanaya* Lampides (A)81(6):29
 - b *sandya* Lampides (A)81(6):6
 - b *sarmice* Lampides (A)81(6):32
 - b *sarsina* Lampides (A)81(6):31
 - b *saunda* Lampides (A)81(6):11
 - b *semperi* Lampides (A)81(6):7
 - b *sestus* Lampides (A)81(6):23
 - b *soarchad* Lampides (A)81(6):37
 - a *spitamenus* Lampides (A)81(6):7
 - b *sundara* Lampides (A)81(6):6
 BMNH-ht c *sydra* Lampides (A)81(6):10
 BMNH-ht b *tenus* Lampides (A)81(6):8
 BMNH-ht b *thanetus* Lampides (A)81(6):18
 - b *tiqlath* Lampides (A)81(6):37
 - b *tissama* Lampides (A)81(6):4
 - b *toscius* Lampides (A)81(6):37
 - b *trichonis* Lampides (A)81(6):7
 BMNH-ht b *tryphiodorus* Lampides (A)81(6):22
 BMNH-ht c *vardusia* Lampides (A)81(6):27
 - b *viosa* Lampides (A)81(6):27
 - b *vuniya* Lampides (A)81(6):23
 BMNH-ht e *f. zebrina* Lampides (IFS) (A)81(6):5
 - c *zelea* Lampides (A)81(6):28

- Fruhstorfer 1915 Soc. ent. [b1866]
- c *aetius* Thysonotis 30:43
 - b *anaximenes* Thysonotis 30:51
 - c *arinides* Thysonotis 30:44
 - b *athanetus* Thysonotis 30:50
 - b *hermogenes* Thysonotis 30:49
 - b *herophilus* Thysonotis 30:50
 - b *metrophanes* Thysonotis 30:49
 - b *obiana* Thysonotis 30:44, f 2
 - c *oribasius* Thysonotis 30:50
 - b *panatius* Thysonotis 30:50
 - b *philocrates* Thysonotis 30:50
 - c *phoibides* Thysonotis 30:51
 - b *proedrus* Thysonotis 30:51
 - c *reverdini* Thysonotis 30:51
 - b *scarpheia* Thysonotis 30:50
 - b *sophron* Thysonotis 30:50
 - b *soranus* Thysonotis 30:52
 - b *synesius* Thysonotis 30:42
 - c *valestinax* Thysonotis 30:49
 - b *zainis* Thysonotis 30:49
- Fruhstorfer 1915 Soc. ent. [b1867]
- b *banghaasi* Polycæna 30:61
- Fruhstorfer 1915 Soc. ent. [b1868]
- b *aglaophon* Lycaena 30:68
 - b *eutyphron* Lycaena 30:67
 - b *nepete* Lycaena 30:68
 - c *philidor* Lycaena 30:68
 - b *sosinomos* Lycaena 30:68
 - b *tainaron* Lycaena 30:68
 - b *taras* Lycaena 30:68
- Fruhstorfer 1915 Soc. ent. [b1869]
- b *bittis* Lycaena 30:73
 - b *borsippa* Lycaena 30:73
 - b *cratylus* Everes 30:73
 - b *lucifuga* Lycaena 30:73
 - b *philebus* Lycaena 30:73
- Fruhstorfer 1916 Ent. Rundsch. [b1870]
- c *roana* Rapala 33(5):25
- Fruhstorfer 1916 Zoöl. Meded. [b1871]
- c *calyptra* Chilades 2(2):91
 - b *cromyon* Chilades 2(2):92
- Fruhstorfer 1916 Zoöl. Meded. [b1872]
- b *addenda* Lycaenesthes 2(2):101
 - b *andamanicus* Lycaenesthes 2(2):97
 - b *goberus* Lycaenesthes 2(2):97
 - b *javanus* Lycaenesthes 2(2):97
 - b *miya* Lycaenesthes 2(2):101
 - ■ *paraffinis* Lycaenesthes 2(2):98
 - b *philetas* Lycaenesthes 2(2):102
 - BMNH-ht b *sufrana* Lycaenesthes 2(2):102
 - b *togata* Lycaenesthes 2(2):101
- Fruhstorfer 1916 Zoöl. Meded. [b1873]
- BMNH-ht c *agorda* Nacaduba 2(2):134
 - BMNH-ht b *alutina* Nacaduba 2(2):120
 - BMNH-ht b *andamanica* Nacaduba 2(2):114
 - b *aphana* Nacaduba 2(2):127
 - BMNH-ht b *aphya* Nacaduba 2(2):127
 - b *apira* Nacaduba 2(2):129
 - b *ariltea* Nacaduba 2(2):137
 - BMNH-ht b *arnoldi* Nacaduba 2(2):125
 - BMNH-ht a *asaga* Nacaduba 2(2):109
 - BMNH-ht b *asakusa* Nacaduba 2(2):132
 - BMNH-ht c *astapa* Nacaduba 2(2):134
 - BMNH-ht c *baweana* Nacaduba 2(2):134
 - BMNH-ht b *carmania* Nacaduba 2(2):129
- Fruhstorfer 1916 Zoöl. Meded. [b1873] (continued)
- b *cerbara* Nacaduba 2(2):135
 - b *ceylonica* Nacaduba 2(2):114
 - d *ceylonica* Nacaduba (H) 2(2):127
 - b *continentalis* Nacaduba 2(2):114
 - b *cyaneira* Nacaduba 2(2):135 or 136
 - BMNH-ht b *cythora* Nacaduba 2(2):137
 - BMNH-ht b *eilana* Nacaduba 2(2):128
 - BMNH-ht c *eugenea* Nacaduba 2(2):137
 - BMNH-ht b *euplea* Nacaduba 2(2):132 or 133
 - b *exponens* Nacaduba 2(2):124
 - b *flumena* Nacaduba 2(2):112
 - BMNH-ht b *formosana* Nacaduba 2(2):116
 - b *georgi* Nacaduba 2(2):110 or 111
 - BMNH-ht b *gythion* Nacaduba 2(2):131
 - b *honorifice* Nacaduba 2(2):112
 - c *hyperesia* Nacaduba 2(2):139
 - BMNH-ht b *icena* Nacaduba 2(2):127
 - BMNH-ht c *isana* Nacaduba 2(2):128
 - BMNH-ht b *jedja* Nacaduba 2(2):131
 - BMNH-ht b *laurina* Nacaduba 2(2):135
 - BMNH-ht b *lessina* Nacaduba 2(2):119
 - b *limbura* Nacaduba 2(2):112
 - BMNH-ht b *lycoreia* Nacaduba 2(2):115
 - b *lydia* Nacaduba 2(2):136
 - BMNH-ht b *lysa* Nacaduba 2(2):109
 - BMNH-ht b *meraha* Nacaduba 2(2):117
 - BMNH-ht b *metallica* Nacaduba 2(2):110
 - BMNH-ht b *minja* Nacaduba 2(2):109
 - BMNH-ht b *nabo* Nacaduba 2(2):108
 - b *neaira* Nacaduba 2(2):114
 - BMNH-ht c *nemana* Nacaduba 2(2):134
 - BMNH-ht b *neon* Nacaduba 2(2):131
 - BMNH-ht b *odon* Nacaduba 2(2):114
 - b *pactolides* Nacaduba 2(2):115
 - BMNH-ht b *philiata* Nacaduba 2(2):119
 - b *rapara* Nacaduba 2(2):128
 - BMNH-ht a *sanaya* Nacaduba 2(2):109
 - b *sangira* Nacaduba 2(2):112
 - BMNH-ht b *semperi* Nacaduba 2(2):116
 - BMNH-ht b *sidoma* Nacaduba 2(2):108
 - c *syrias* Nacaduba 2(2):136
 - BMNH-ht b *tairea* Nacaduba 2(2):110
 - c *thadmor* Nacaduba 2(2):138
 - b *thamas* Nacaduba 2(2):111
 - BMNH-ht b *therasia* Nacaduba 2(2):133
 - BMNH-ht c *thespia* Nacaduba 2(2):112
 - BMNH-ht b *vajuva* Nacaduba 2(2):108
 - BMNH-ht c *vaneckel* Nacaduba 2(2):138
 - BMNH-ht c *visuna* Lepidochrysops 2(2):110
 - BMNH-ht b *zygida* Nacaduba 2(2):128
 - b *zyrthis* Nacaduba 2(2):128
- Fruhstorfer [1916] Arch. Naturgesch. [b1874]
- b *walteri* Hypolycaena (A)81(11):69
- Fruhstorfer 1916 Ent. Rundsch. [b1875]
- a *arcaseia* Lycaena 33(5):18
 - b *armathea* Lycaena 33(5):18
 - b *artemita* Lycaena 33(5):18
 - b *epodes* Lycaena 33(5):19
 - b *tartarus* Lycaena 33(5):19
- Fruhstorfer 1916 [b0000]
- b *tatsienluica* Polyommatus *
- Fruhstorfer 1917 Ent. Rundsch. [b1876]
- b *chairemon* Chrysophanus 34(4):16
 - b *deinareton* Chrysophanus 34(4):18
 - b *epidellion* Chrysophanus 34(4):18
 - b *fruginus* Chrysophanus 34(4):17
 - b *leonhardi* Chrysophanus 34(4):17
 - b *madytus* Chrysophanus 34(4):17

- Fruhstorfer 1917 Ent. Rundsch. [b1876] (continued)
 - b *veronius* Chrysophanus 34(4):17
- Fruhstorfer 1917 Deut. ent. Zeit. [Iris] [b1877]
 - b *alpina* Maculinea 31:26
 - b *antesion* Lycaena 31:27
 - c *bajuvaricus* Lycaena 31:25
 - b *chrysothoas* Chrysophanus 31:33
 - b *cissites* Chrysophanus 31:34
 - c *eurysthenes* Lycaena 31:31
 - d *haurii* Lycaena (H) 31:24
 - b *protogenes* Lycaena 31:31
 - b *theages* Chrysophanus 31:40
 - c *thersandrus* Lycaena 31:26
 - c *tolistus* Lycaena 31:24
 - c *vesubia* Maculinea 31:27
- Fruhstorfer 1917 Soc. ent. [b1878]
 - b *courvoisieri* Poritia 32(10):40
 BMNH-ht c *niclas* Poritia 32(10):39
 BMNH-ht b *psophis* Poritia 32(10):39
 BMNH-ht b *taimana* Poritia 32(10):39
- Fruhstorfer 1917 Soc. ent. [b1879]
 - b *deolina* Poritia 32(12):49
 - b *milvia* Poritia 32(12):49
- Fruhstorfer [1917] Arch. Naturgesch. [b1880]
 BMNH-ht a *algeroni* Lycaenopsis (A)82(1):30
 BMNH-lt a *aristinus* Lycaenopsis (A)82(1):12
 BMNH-lt e *artena* Lycaenopsis (IFS) (A)82(1):25
 BMNH-lt c *artinia* Lycaenopsis (A)82(1):37
 BMNH-nt b *briga* Lycaenopsis (A)82(1):15
 ZSBS-ht a *celebica* Lycaenopsis (A)82(1):40
 BMNH-lt c *crimissa* Lycaenopsis (A)82(1):28
 BMNH-lt c *cymanae* Lycaenopsis (A)82(1):10
 BMNH-lt c *dilectina* Lycaenopsis (A)82(1):15
 BMNH-lt a *idamis* Lycaenopsis (A)82(1):23
 BMNH-lt b *labranda* Lycaenopsis (A)82(1):37
 BMNH-lt c *lombokensis* Lycaenopsis (A)82(1):16
 BMNH-lt b *mavisa* Lycaenopsis (A)82(1):8
 BMNH-lt b *mygdonia* Lycaenopsis (A)82(1):26
 BMNH-lt a *nearcha* Lycaenopsis (A)82(1):38
 BMNH-lt e *neodilecta* Lycaenopsis (A)82(1):15
 BMNH-ht a *ovianus* Lycaenopsis (A)82(1):13
 BMNH-ht b *paracatus* Lycaenopsis (A)82(1):15
 BMNH-lt e *paradilecta* Lycaenopsis (IFS) (A)82(1):16
 BMNH-lt b *placidina* Lycaenopsis (A)82(1):31
 BMNH-lt c *sabis* Lycaenopsis (A)82(1):25
 DEUU-ht c *sauteri* Lycaenopsis (A)82(1):13
 BMNH-lt c *telis* Lycaenopsis (A)82(1):25
 BMNH-lt b *vesontia* Lycaenopsis (A)82(1):36
- Fruhstorfer 1917 Soc. ent. [b1881]
 - b *haurii* Lycaena 32:26
- Fruhstorfer 1917 Soc. ent. [b1882]
 - b *courvoisieri* Thysonotis 32:37
- Fruhstorfer 1918 Arch. Naturgesch. [b1883]
 - b *clerica* Megisba (A)82(12):8
 BMNH-lt c *infumata* Megisba (A)82(12):7
 BMNH-ht b *presbyter* Megisba (A)82(12):6
 BMNH-lt c *rosanna* Megisba (A)82(12):6
 BMNH-lt c *velina* Megisba (A)82(12):6
 BMNH-lt c *volubilis* Megisba (A)82(12):6
- Fruhstorfer 1918 Tijdschr. Ent. [b1884]
 - b *adorabilis* Castalius 61:32
 - b *astapus* Castalius 61:35
 - c *elina* Castalius (IFS) 61:37
 - b *elvira* Castalius 61:37 or 38
 - b *ethionides* Castalius 61:29
 - b *gadames* Castalius 61:29
- Fruhstorfer 1918 Tijdschr. Ent. [b1884] (continued)
 - b *gerasa* Castalius 61:42
 - b *godarti* Castalius 61:27
 - b *hilina* Castalius 61:38
 - b *icenus* Castalius 61:30
 - a *manovus* Castalius 61:34
 - b *mendesia* Taraka 61:23
 - b *nivata* Taraka 61:24
 - b *nollitea* Castalius 61:37
 - b *odon* Castalius 61:35
 - b *pothus* Castalius 61:34
 - b *rhodana* Castalius 61:39
 - b *sangarius* Castalius 61:29
 - b *vileja* Castalius 61:25
 - b *vocetius* Castalius 61:40
 - c *f. xisana* Castalius 61:35
- Fruhstorfer 1918 Tijdschr. Ent. [b1885]
 - c *birmana* Heliophorus 61:50, pl 6
 - b *eventa* Heliophorus 61:52, pl 6
- Fruhstorfer 1918 Tijdschr. Ent. [b1886]
 - b *rovorea* Una 61:55, pl 6
- Fruhstorfer [1919] Arch. Naturgesch. [b1887]
 - b *aristarcha* Niphanda (A)83(1):73, f
 - b *cyme* Niphanda (A)83(1):73, f
 - b *onoma* Niphanda (A)83(1):72
 - b *shijima* Niphanda (A)83(1):72
- Fruhstorfer [1919] Arch. Naturgesch. [b1888]
 - b *georgi* Spalgis (A)83(1):76
 - b *semperi* Spalgis (A)83(1):76
 - b *titius* Spalgis (A)83(1):75
- Fruhstorfer [1919] Arch. Naturgesch. [b1889]
 BMNH-ht c *colutha* Pithecopis (A)83(1):84, f
 - b *corax* Pithecopis (A)83(1):79
 - a *corvus* Pithecopis (A)83(1):79
 -lt c *dolona* Pithecopis (A)83(1):83
 BMNH-ht c *euanthes* Pithecopis (A)83(1):80
 BMNH-lt c *fedora* Pithecopis (A)83(1):83
 BMNH-ht b *heria* Pithecopis (A)83(1):84
 BMNH-lt b *indigeta* Pithecopis (A)83(1):83
 BMNH-ht c *oinopion* Pithecopis (A)83(1):81
 BMNH-ht c *staphylus* Pithecopis (A)83(1):81
 BMNH-lt b *tituria* Pithecopis (A)83(1):84
- Fruhstorfer 1919 Arch. Naturgesch. [b1890]
 BMNH-ht b *bilitis* Poritia (A)83(2):97
 BMNH-ht c *chimara* Poritia (A)83(2):94
 - b *elegans* Poritia (A)83(2):87, f
 - b *graecia* Poritia (A)83(2):93
 - b *semperi* Poritia (A)83(2):100
 BMNH-ht b *trishna* Poritia (A)83(2):85
- Fruhstorfer 1917 Soc. ent. [b1879]
 pc-ht b *maina* Poritia 32(12):49
- Fuchs 1877 Stett. ent. Ztg [b1891]
 - c *caerulea* Polyommatus 38(4-6):133
- Fuchs 1880 Stett. ent. Ztg [b1892]
 - c *ab. parvipuncta* Celastrina 41(1-3):116
- Fuchs 1884 Stett. ent. Ztg [b1893]
 - e *ab. albicans* Polyommatus 45(7-9):249
- Fuchs 1889 Jb. Nass. Ver. Nat. [b1894]
 - c *albicans* Lycaena 42:193
- Fuchs 1891 Jb. Nass. Ver. Nat. [b1895]
 - c *ab. immaculata* Callophrys 44:211

- Fuchs 1899 Jb. nass. Ver. Nat. [b1896]
 - e *eximta* Lycaena 52:120-121
 - c *transiens* Lycaena 52:120
- Fuchs 1901 Jb. nass. Ver. Nat. [b1897]
 - e *ab. brunnea* Lycaena 53:31
 - c *septentrionalis* Lycaena 53:31
 - d *sibirica* Lycaena (H) 53:31
- Fujioka 1970 Spec. Bull. Lep. Soc. Japan [b1899]
 - a *hinomaru* Rapala 4:29, f
 - b *kurumi* Chaetoprocta 4:25, f
 - b *shakunage* Chrysozephyrus 4:24, f
- Fujioka 1975 Butts Japan [b1900]
 - e *daisensis* Antigius (ISS) 1:290
 - b *hakusanensis* Maculinea 1:281
 - c *japonica* Tongeia 1:282
 - c *kurinodakensis* Antigius 1:281
 - c *kyushuensis* Iratsume 1:281
 - b *okinawanus* Everes 1:282
- Fujioka 1992 Butterflies [b1901]
 - c *vanewrighti* Araragi (1):36-37 (Japanese)
- Füssly 1775 Verz. bekannt. Schweiz. Ins. [b1903]
 - c *argiolus* Papilio (H) :31
 - c *coluteae* Papilio :31, f 2,2
 - a *minimus* Papilio :31
- Futo & Murayama 1990 Konchu to Shizen (Nature & Insects) [b1904]
 - b *ibukiensis* Strymonidea 25(3):33, f
- Gabriel 1939 Ruwenzori Exp. [b1905]
 - a *edwardsi* Virachola 3(3):74, f
 - b *fournierae* Hypomyzina 3(3):74, f
- Gabriel 1947 Entomologist [b1906]
 BMNH-ht a *dicksoni* Phasis 80:60
- Gabriel 1949 Proc. R. ent. Soc. Lond. [b1907]
 - a *guichardi* Lepidochrysops (B)18(11/12):213
 - b *janna* Anthene (B)18(11/12):214
- Gabriel 1954 Exped. S. W. Arabia 1937-1938 [b1908]
 - a *arabicus* Lepidochrysops 1:384
 - b *arabicus* Anthene 1:379
 - a *interruptus* Castalius 1:381
 - a *philbyi* Euchrysops 1:386, f
 BMNH-ht a *scottii* Spindasis 1:378, f
 - b *shima* Lycaena 1:388
- Gaede 1915-1916 Int. ent. Z. [b1909]
 - a 1915 *abruptus* Lycaenesthes 9(13):72
 - a 1915 *albicosta* Cupido 9(21):112
 - a 1915 *divergens* Lachnocnema 9(13):72
 - b 1915 *f. innocentia* Larynopa 9(21):111
 - b 1915 *unda* Deudorix 9(13):72
- Gaede 1917 Mitt. zool. Mus. Berl. [b1910]
 - e *f. extensa* Liphya 8:404
 - e *f. grandis* Liphya 8:404
- Gaede 1930-1931 In Seitz, Grossschmett. Erde [b1911]
 - c 1930 *f. attila* Polycycaena 1(Suppl):237
 - c 1930 *f. helcha* Polycycaena 1(Suppl):237
- Gallard & Brevignon 1989 Bull. Soc. Sci. Nat. [b1917]
 - a *esmeralda* Mesosemia (61):12, f
- Gallard & Brevignon 1989 Bull. Soc. Sci. Nat. [b1918]
 - a *alba* Zelotaea (63):4, f
 - a *aurigans* Anteros (63):5, f
 - a *galionicus* Theope (63):5, f
 - b *guyanensis* Nymphidium (63):4, f
- Galvagni & Preißbecker 1912 Jber. Wien. ent. Ver. [b1919]
 - e *ab. albopunctata* Plebejus 22:136
- Gaschet & Mabilie 1877 Bull. Soc. ent. Fr. [b1921]
 - e *ab. lucretia* Lycaena (5)7:lxiv
 - e *ab. radiata* Lycaena (5)7:lxiii
 - e *ab. radiosa* Lycaena (5)7:lxiv
- Geest 1903 Allg. Z. Ent. [b1925]
 - c *lucida* Maculinea 8:314
- Gelin 1914 Bull. Soc. ent. Fr. [b1926]
 - e *f. bicolor* Lysandra 1914(6):184
 - e *ab. oberthueri* Lysandra 1914(6):184
 - e *ab. radiata* Lysandra 1914(6):183
- Geoffroy 1785 In Fourcroy, Ent. paris. [b1927]
 - b *caecus* Papilio 2:245
- Gerhard 1850-1853 Vers. monog. europ. Schmett. [b1928]
 - a 1850 *abdominalis* Thecla :pl 4, f 3a-b
 ZMHU-nt a 1851 *albicans* Lycaena :17, pl 31
 - b 1851 *alsoides* Lycaena :9, pl 13, f 3a-c
 - c 1851 *arragonensis* Lycaena :17, pl 32
 - a 1851 *atys* Lycaena :pl 19, f 3a-d
 - d 1851 *carmon* Lycaena (H) :pl 20, f 1
 - a 1851 *endymion* Lycaena :-
 - c 1851 *eurypius* Lycaena :11, pl 20
 - d 1851 *hopfferi* Lycaena (H) :-
 ZMHU-nt a 1851 *ossmar* Lycaena :17, pl 31
 - c 1853 *aegiades* Lycaena :19, pl 23 (or
 - c 1853 *aegidion* Lycaena :pl 23, f 4
 - c 1853 *aquila* Plebejus :11, pl 18
 - c 1853 *araraticus* Lycaena :pl 18, f 3a-c
 - d 1853 *asabinus* Lycaena (H) :-
 - e 1853 *astrea* Glaucopsyche (ISS) ():-
 - c 1853 *athys* Agrodiaetus :11, pl 19
 - c 1853 *bellus* Thecla :pl 4, f 2
 - b 1853 *bischoffii* Thecla :pl 2, f 4a-c
 - c 1853 *canidia* Lycaena :7, pl 10, f 2
 - c 1853 *cinnus* Lycaena :pl 32, f 2
 - c 1853 *confluens* Polyommatus :5, pl 8, f 1 (a-d)
 - c 1853 *dido* Palaeochrysophanus :5, pl 8, f 2a-2b
 - c 1853 *eroides* Lycaena :pl 37, f 3
 - c 1853 *everos* Lycaena :pl 27, f 1
 - b 1853 *ilicioides* Thecla :3, pl 4, f 5a-c
 - c 1853 *ismenius* Lycaena :pl 24, f 3
 - c 1853 *kefersteinii* Pol. :pl 9, f 4a-c
 - c 1853 *lapponica* Lycaena :pl 34, f 3
 - b 1853 *lapponicus* Plebejus :pl 34, f 4
 - c 1853 *leodorus* Lycaena :pl 23, f 3
 - c 1853 *maculatus* Thecla :3, pl 4, f 4
 - c 1853 *mariscolore* Lycaena :pl 32, f 3a,b
 - c 1853 *parisienis* Lycaena :pl 32, f 4
 - c 1853 *pusillus* Lycaena :pl 28, f 3
 - c 1853 *schmidtii* Polyommatus :7, pl 10, f 3a
 - c 1853 *spinosae* Thecla :pl 3, f 2
 - b 1853 *stiberi* Polyommatus :pl 35, f 1a,b
 - b 1853 *stieberi* Palaeochrysophanus :35
 - c 1853 *tristis* Lycaena :pl 15, f 4
 - c 1853 *turcius* Polyommatus :5, pl 5, f 5a-c
 - c 1853 *undulatus* Polyommatus :5, pl 5, f 2
 - c 1853 *urania* Lycaena :17, pl 30
- Gerhard 1882 Berl. ent. Z. [b1929]
 - c *armeniensis* Lampides 26:125-126
 - c *nigra* Lycaena 26:126
- Gerstäcker 1871 Arch. Naturgesch. [b1931]
 - b *kersteni* Lycaena (1)37(1):359
- Geyer 1826-1838 In Samml. europ. Schmett. [b1932]
 - b [1836] *allous* Papilio 1:pl 200, f 988-992

- Geyer 1827-1838 In Samml. exot. Schmett. [b1933]
 - c [1834] *deborae* Eumaeus 3:pl [18]
 - a [1835] *lusca* Hamanumida 3:[31], pl 3
- Geyer 1832-1837 In Zutr. Samml. exot. Schmett. [b1934]
 - c [1832] *belenus* Heliophorus 4:40, pl [135]
 - a [1832] *genius* Lamprospilus 4:30, pl [125]
 - a [1832] *pergaea* Gonopteris 4:34, pl [129]
 - a [1832] *phrutus* Bythis 4:26, pl [121]
 - c [1832] *thermodoe* Calospila 4:28, pl [123]
 - c [1832] *thius* Thyreus 4:33, pl [128]
 - a [1836] *alector* Hamanumida 5:43, pl [196]
 - a [1836] *sturnula* Hamanumida 5:45, pl [171]
 - a [1837] *basilides* Tmolus 5:42, pl [168]
 - a [1837] *cypria* Theritas 5:36, pl [162]
 - a [1837] *glaucoma* Periplacis 5:32, pl [159]
 - a [1837] *leucocyna* Echenais 5:29, pl [157]
 - a [1837] *ocypore* Polystichtis 5:44, pl [170]
 - a [1837] *tephraeus* Bithys 5:39, pl [165]
 - a [1837] *tharis* Oxylides 5:22, pl [152]
 - c [1837] *thrasyllus* Brangas 5:40, pl [166]
 - a [1837] *umbratus* Sithon 5:38, pl [164]
- Giacomelli 1911 An. Soc. cient. argent. [b1935]
 - c *minuscule* Apodemia 72:23
- Giacomelli 1914 An. Soc. cient. argent. [b1936]
 - a *drucei* Apodemia 78:165
 pc a *pseudarcula* Thecla 78:164
- Giacomelli 1917 Physis [b1937]
 - a *theopina* Thecla 3:409
- Giacomelli 1928 Boln Inst. clin. quir. [b1938]
 - b *cosquinia* Apodemia 4:689, f 4
 - c *umbrata* Apodemia 4:689, f 5
- Gifford 1963 Entomologist [b1942]
 biblio a *ecadata* Deudorix 96:43
 RSM-ht a *magda* Deudorix 96:46
- Gifford 1965 Butterflies of Malawi [b1943]
 - a *handmani* Epamera :52
 - a *handmani* Leptomyzina :53
 - a *lamborni* Alaena :41
 - e *nyassae* Alaena (ISS) :-
- Gigoux 1927 Revta univ. cat. [b1945]
 - c *endimion* Lycaena 12(10):1433
- Gillmer 1900 Ilte Z. Ent. [b1952]
 - c *krodeli* Lycaena 5:50-52, pl
- Gillmer 1903 Arch. Ver. Freunde Naturg. Mecklenb. [b1954]
 -- e *voelschowi* Lycaena (IFS) 57:122
- Gillmer 1904 Soc. ent. [b1955]
 -- e *ab. alboocellata* Polyommatus 18(23):186
 -- e *ab. caeca* Lycaena 18(23):180
 -- e *coalescens* Lycaena 18(23):180
 -- e *evanescens* Chrysophanus 18(23):178
 -- e *fasciata* Lycaena 18(23):180
 -- e *marginipunctata* Maculinea 18(23):179
 -- e *striata* Chrysophanus 18(23):179
 -- e *ab. striata* Chrysophanus 18(23):179
 -- e *striata* Maculinea 18:179
- Gillmer 1904 Ent. Zeit. [b1956]
 -- e *ab. extincta* Lycaena 18(1):6
 -- e *ab. extincta* Lycaena 18(1):6
 -- e *obsoleta* Maculinea 18(2):6
- Gillmer 1905 Ent. Zeit. [b1957]
 -- e *ab. albofimbriata* Lysandra 19(26):151
- Gillmer 1905 Arch. Ver. Freunde Naturg. Mecklenb. [b1958]
 - e *ab. caeruleopunctata* Lycaena 59:88
- Gillmer 1907-1909 Int. ent. Z. [b1959]
 - e 1908 *ab. badiofasciata* Thecla 2(9):54
 - e 1908 *ab. excessa* Polyommatus 2:178
 - e 1908 *ab. fulva* Thecla 2(9):54
 - e 1909 *angustimargo* Lycaena 2(50):313
 - e 1909 *ab. flavescens* Lycaena 2(50):313
 - e 1909 *ab. paucipuncta* Lycaena 2(50):313
- Gillmer 1908 Int. ent. Z. [b1960]
 - e (+) *ab. amethystina* Lycaena 2(2):10
 - e *ab. fusca* Lycaena 2(2):11
- Gillmer 1909 Int. ent. Z. [b1962]
 - e *ab. livida* Lycaena 3(12):64
- Gillmer 1910 Int. ent. Z. [b1963]
 - e *ab. caeca* Polyommatus 4(1):3
 - e *ab. posticoinecellata* Polyommatus 4(1):4
 - e *ab. vacua* Polyommatus 4(1):3
 - e *ab. vacua* Polyommatus 4(1):3
- Gioma 1793 Calend. ent. [b1964]
 - c *dedalus* Papilio -
- Gistel 1857 Vacuna [b1965]
 - a *huegelii* Lycaena 2(2):605
- Glais 1926 Encyc. ent. Ser. B. III. Lep. [b1966]
 - e *ab. centropuncta* Lycaena 1(3):118, pl 6
 - e *ab. crassipuncta* Lycaena 1(3):119, pl 4
 - e *ab. joannisi* Lycaena 1(3):119, pl 4
 - e *ab. leptotoisi* Lycaena 1(3):116, pl 4
- Gmelin [1790] C. A. Linné, Sys. Nat. ed. 13 [b1969]
 NMI-ht c *annulatus* Papilio 1(5)(Insecta 2):2359
 biblio d *barbarus* Papilio (JOS) 1(5)(Insecta 2):2352
 destroyed a *lunulatus* Papilio 1(5)(Insecta 2):2359
 destroyed a *oculatus* Papilio 1(5)(Insecta 2):2359
- Godart 1819-1824 In Ency. méth. [b1970]
 - c 1819 *vallona* Pieris 9(Ins.)(1):138
 - c [1824] *agathon* Polyommatus 9(Ins.)(2):695
 - c [1824] *agestor* Polyommatus 9(Ins.)(2):690
 - a [1824] *anapis* Erycina 9(Ins.)(2):576
 - c [1824] *argiope* Erycina 9(Ins.)(2):573
 - a [1824] *asteris* Polyommatus 9(Ins.)(2):657
 - c [1824] *auletes* Erycina 9(Ins.)(2):565
 - a [1824] *azora* Erycina 9(Ins.)(2):572
 - a [1824] *basilis* Barbicornis 9(Ins.)(2):706
 MNHN-ht a [1824] *bazochii* Polyommatus 9(Ins.)(2):681
 lost a [1824] *calus* Polyommatus 9(Ins.)(2):640
 - a [1824] *carolina* Eurybia 9(Ins.)(2):459
 - a [1824] *cissus* Polyommatus 9(Ins.)(2):683
 - a [1824] *cithonius* Polyommatus 9(Ins.)(2):633
 - a [1824] *cleobis* Polyommatus 9(Ins.)(2):634
 - c [1824] *cleodora* Erycina 9(Ins.)(2):573
 MNHN-ht a [1824] *comyntas* Polyommatus 9(Ins.)(2):660
 - a [1824] *damaeus* Polyommatus 9(Ins.)(2):681
 MNHN-ht c [1824] *damastus* Polyommatus 9(Ins.)(2):640
 - a [1824] *dion* Polyommatus 9(Ins.)(2):679
 - a [1824] *dumenillii* Polyommatus 9(Ins.)(2):677
 - a [1824] *duponchelii* Polyommatus 9(Ins.)(2):677
 - a [1824] *elpis* Polyommatus 9(Ins.)(2):654
 - a [1824] *emolus* Polyommatus 9(Ins.)(2):656
 - a [1824] *epalia* Erycina 9(Ins.)(2):588
 - a [1824] *epicles* Polyommatus 9(Ins.)(2):646
 - c [1824] *epigea* Nymphalis 9(Ins.)(2):426
 - b [1824] *epone* Erycina 9(Ins.)(2):580
 - a [1824] *ergeus* Polyommatus 9(Ins.)(2):635
 - a [1824] *erylus* Polyommatus 9(Ins.)(2):633
 - a [1824] *eupolemia* Erycina 9(Ins.)(2):572

Godart 1819-1824 In Ency. méth. [b1970] (continued)

MNHN-ht	b	[1824]	falacer Polyommatus	9(Ins.)(2):633
-	a	[1824]	gabelus Polyommatus	9(Ins.)(2):639
-	a	[1824]	gabinius Polyommatus	9(Ins.)(2):659
-	c	[1824]	gabriel Polyommatus	9(Ins.)(2):622
-	a	[1824]	gynaea Erycina	9(Ins.)(2):573
biblio	c	[1824]	helus Polyommatus	9(Ins.)(2):652
-	a	[1824]	hiria Erycina	9(Ins.)(2):584
-	c	[1824]	hubnerii Polyommatus	9(Ins.)(2):677
MNHN-ht	c	[1824]	hugon Polyommatus	9(Ins.)(2):640
-	c	[1824]	hylais Polyommatus	9(Ins.)(2):654
-	c	[1824]	iphinoe Erycina	9(Ins.)(2):565
MNHN-ht	a	[1824]	irus Polyommatus	9(Ins.)(2):674
-	a	[1824]	isala Erycina	9(Ins.)(2):579
-	a	[1824]	ischaris Nymphalis	9(Ins.)(2):Suppl.:826
-	b	[1824]	jafra Myrina	9(Ins.)(2):593
-	a	[1824]	jebus Polyommatus	9(Ins.)(2):639
-	a	[1824]	labradus Polyommatus	9(Ins.)(2):680
-	a	[1824]	lacturnus Polyommatus	9(Ins.)(2):660
-	b	[1824]	lefebvrei Polyommatus	9(Ins.)(2):696
-	b	[1824]	lybas Polyommatus	9(Ins.)(2):655
MNHN-ht	a	[1824]	megarus Polyommatus	9(Ins.)(2):638
-	a	[1824]	messapus Polyommatus	9(Ins.)(2):682
-	c	[1824]	micycylus Polyommatus (ISS)	9(Ins.)(2):659
-	a	[1824]	necis Polyommatus	9(Ins.)(2):636
-	c	[1824]	nicon Hyphalaria	9(Ins.)(2):588
-	a	[1824]	ochsenheimeri Polyommatus	9(Ins.)(2):683
-	a	[1824]	odice Erycina	9(Ins.)(2):583
-	c	[1824]	perigone Picris	9(Ins.)(2):139
-	c	[1824]	petronius Erycina	9(Ins.)(2):570
-	c	[1824]	pherephatte Erycina	9(Ins.)(2):590
-	a	[1824]	phillone Erycina	9(Ins.)(2):574
-	c	[1824]	phylacis Nymphalis	9(Ins.)(2):426
-	a	[1824]	prema Erycina	9(Ins.)(2):569
-	c	[1824]	priolus Erycina	9(Ins.)(2):569
-	a	[1824]	rhodia Erycina	9(Ins.)(2):583
-	a	[1824]	roxus Polyommatus	9(Ins.)(2):659
-	c	[1824]	salimba Erycina	9(Ins.)(2):568
-	a	[1824]	sinnis Polyommatus	9(Ins.)(2):625
-	c	[1824]	sonorus Nymphalis	9(Ins.)(2):426
-	d	[1824]	sphinx Polyommatus (H)	9(Ins.)(2):632
-	a	[1824]	stilbe Erycina	9(Ins.)(2):574
MNHN-ht	a	[1824]	strophius Polyommatus	9(Ins.)(2):632
-	a	[1824]	terambus Polyommatus	9(Ins.)(2):676
-	c	[1824]	timandra Erycina	9(Ins.)(2):585
-	c	[1824]	tisis Erycina	9(Ins.)(2):583
MNHN-ht	b	[1824]	toxea Eumenia	9(Ins.)(2):826
-	a	[1824]	tutana Erycina	9(Ins.)(2):577

Godfrey 1916 J. nat. Hist. Soc. Siam [b1971]

-	b	rileyi	Everes	2(2):135
-	b	siamensis	Gerydus	2(2):134

Godman 1903 Trans. ent. Soc. Lond. [b1972]

-	a	albofasciata	Riodina	51(4):535, pl 21
-	a	annulifera	Lemonias	51(4):542, pl 22
BMNH-ht	b	arcuata	Charis	51(4):539, pl 22
-	a	authe	Eurygona	51(4):532, pl 20
-	c	carus	Anteros	51(4):535, pl 21
-	c	eanes	Mesene	51(4):540, pl 22
-	a	elpinice	Lemonias	51(4):542, pl 23
BMNH-ht	b	eurydice	Emesis	51(4):536, pl 21
-	a	fabia	Eurygona	51(4):533, pl 20
BMNH-ht	a	fannia	Lemonias	51(4):545, pl 22
BMNH-ht	a	grande	Nymphidium	51(4):546, pl 23
BMNH-ht	a	helice	Aricoris	51(4):548
-	a	hippocrate	Aricoris	51(4):547, pl 23
BMNH-ht	a	hippodice	Symmachia	51(4):537, pl 21
-	a	lasis	Mesene	51(4):540, pl 22
-	a	irroratum	Cricosoma	51(4):540, pl 22
BMNH-ht	a	licinia	Eurygona	51(4):531, pl 20
BMNH-ht	a	maeon	Lemonias	51(4):542, pl 22

Godman 1903 Trans. ent. Soc. Lond. [b1972] (continued)

BMNH-ht	a	maeonoides	Lemonias	51(4):542, pl 22
-	b	maia	Aricoris	51(4):547, pl 23
BMNH-ht	b	malis	Cremna	51(4):530, pl 20
-	b	marsyas	Caia	51(4):538, pl 21
BMNH-ht	a	martia	Lemonias	51(4):543, pl 22
-	c	merita	Lasaia	51(4):541, pl 22
BMNH-ht	a	molione	Monethe	51(4):539, pl 22
-	b	nomia	Lemonias	51(4):544
BMNH-ht	a	oileus	Lasaia	51(4):541, pl 22
-	a	orbona	Mesosemia	51(4):530, pl 20
-	b	orsedice	Hyphalaria	51(4):531, pl 20
-	a	pansa	Chamaclimnas	51(4):534, pl 20
-	a	pedias	Siseme	51(4):534, pl 21
BMNH-ht	a	phaece	Mesosemia	51(4):529, pl 20
-	a	phaedon	Aricoris	51(4):547
-	b	pirene	Lemonias	51(4):544, pl 22
-	a	progne	Symmachia	51(4):537, pl 21
-	a	pulchella	Mesenopsis	51(4):533, pl 20
-	a	rhodogyne	Eurygona	51(4):532, pl 20
-	a	smaragdina	Caia	51(4):538, pl 21
-	c	staudingeri	Lemonias	51(4):543
-	a	terias	Aricoris	51(4):548, pl 23
-	a	theodora	Riodina	51(4):535, pl 21
-	a	thera	Mesosemia	51(4):530, pl 20

Godman & Salvin 1878 Proc. zool. Soc. Lond. [b1973]

-	■	adelphinum	Nymphidium	1878(2):368
-	a	amphidecta	Eurygona	1878(2):360
-	a	barea	Theope	1878(2):369
-	a	caenina	Theope	1878(2):369
-	a	caeruleata	Limnas	1878(2):361
-	b	crocea	Charis	1878(2):364
-	c	debilis	Lemonias	1878(2):366
-	b	decorata	Theope	1878(2):369
-	a	gigas	Pachythone	1878(2):364
-	a	haematostictum	Nymphidium	1878(2):367
-	a	holosticta	Charis	1878(2):364
BMNH-ht	a	hypoglauca	Lemonias	1878(2):367
-	a	hypophaea	Euselasia	1878(2):360
-	a	ictericum	Nymphidium	1878(2):367
-	a	ignicauda	Mesene	1878(2):363
-	b	imitatrix	Ithomeis	1878(2):362
-	a	inconspicua	Euselasia	1878(2):360
BMNH-ht	b	isia	Theope	1878(2):368
BMNH-ht	a	isthmica	Tharops	1878(2):366
-	a	leucorrhoea	Euselasia	1878(2):360
-	b	melanochlora	Mesenopsis	1878(2):362
-	c	ochrias	Charis	1878(2):365
-	a	pelarge	Lemonias	1878(2):366
-	a	poeciloptera	Charis	1878(2):365
-	a	purpurata	Tharops	1878(2):356
-	b	pyrippe	Cyrenia	1878(2):362
-	a	rhaeotis	Symmachia	1878(2):363
-	c	russata	Euselasia	1878(2):361
BMNH-ht	b	sicyon	Nymphidium	1878(2):368
-	a	silaris	Mesene	1878(2):363
-	a	theages	Lemonias	1878(2):366
-	a	tyriotes	Mesene	1878(2):363
-	a	velabrum	Nymphidium	1878(2):368
-	a	velutina	Charis	1878(2):364

Godman & Salvin 1878 Proc. zool. Soc. Lond. [b1974]

-	b	hiemalis	Myrina	1878(3):640
-	■	nivea	Myrina	1878(3):640

Godman & Salvin 1879-1901 Biol. centr.-amer., Lep. Rhop. [b1975]

-	c	[1885]	chionea	Mesosemia	1:387
-	a	[1885]	coelestis	Mesosemia	1:382; 3:pl 38
-	b	[1885]	eupepia	Eurygona	1:369; 3:pl 43
-	a	[1885]	larunda	Necyria	1:397; 3:pl 43

Godman & Salvin 1879-1901 Biol. centr.-amer., Lep. Rhop.

[b1975] (continued)

-	a	[1885]	<i>lepida</i> Mesosemia	1:386; 3:pl 43
-	b	[1885]	<i>leucogaea</i> Mesosemia	1:385
-	d	[1885]	<i>methion</i> Mesosemia	1:380
-	c	[1885]	<i>molina</i> Mesosemia	1:386
-	b	[1885]	<i>nivalis</i> Mesosemia	1:386; 3:pl 43
-	c	[1885]	<i>nivea</i> Mesosemia	1:386
BMNH-ht	a	[1885]	<i>procula</i> Eurygona	1:365; 3:pl 39
-	a	[1885]	<i>rudolphus</i> Monethe	1:398
BMNH-st	c	[1885]	<i>sergia</i> Eurygona	1:367; 3:pl 39
-	a	[1885]	<i>thetys</i> Mesosemia	1:381
-	b	[1885]	<i>unxia</i> Eurybia	1:377
-	a	[1885]	<i>zonalis</i> Mesosemia	1:384; 3:pl 43
-	a	[1886]	<i>agave</i> Lemonias	1:462; 3:pl 47
-	b	[1886]	<i>belti</i> Symmachia	1:417
BMNH-ht	a	[1886]	<i>bicolor</i> Lepricomis	1:405; 3:pl 43
-	a	[1886]	<i>briseis</i> Meseonopsis	1:414
-	b	[1886]	<i>championi</i> Symmachia	1:417
-	a	[1886]	<i>cratylus</i> Theope	1:484; 3:pl 46
-	a	[1886]	<i>dodone</i> Tmetoglene	1:404; 3:pl 42
-	a	[1886]	<i>drymo</i> Tmetoglene	1:404
-	b	[1886]	<i>folia</i> Theope	1:483; 3:pl 47
BMNH-ht	a	[1886]	<i>gamelia</i> Sarota	1:436
-	b	[1886]	<i>germanus</i> Nymphidium	1:478
-	a	[1886]	<i>glauca</i> Lemonias	1:460; 3:pl 44
-	b	[1886]	<i>harmodius</i> Symmachia	1:418
-	c	[1886]	<i>harmonia</i> Caria	1:449; 3:pl 43
BMNH-ht	a	[1886]	<i>hepburni</i> Apodemia	1:468; 3:pl 47
-	b	[1886]	<i>hera</i> Isapis	1:486
BMNH-ht	a	[1886]	<i>herta</i> Theope	1:483; 3:pl 47
BMNH-ht	b	[1886]	<i>ino</i> Caria	1:449; 3:pl 43
BMNH-ht	a	[1886]	<i>ipsea</i> Nymphidium	1:476; 3:pl 45
-	c	[1886]	<i>labdacus</i> Nymphidium	1:471; 3:pl 47
BMNH-ht	a	[1886]	<i>ladius</i> Nymphidium	1:472; 3:pl 47
-	a	[1886]	<i>lampeto</i> Caria	1:448; pl 42 or
-	a	[1886]	<i>leucopus</i> Mesene	1:423
BMNH-ht	c	[1886]	<i>liodes</i> Emesis	1:447; 3:pl 43
-	c	[1886]	<i>lupina</i> Emesis	1:444; 3:pl 42
-	b	[1886]	<i>myrtea</i> Sarota	1:436
-	a	[1886]	<i>nycteus</i> Nymphidium	1:476; 3:pl 47
BMNH-ht	a	[1886]	<i>occidentalis</i> Charis	1:431
-	a	[1886]	<i>phoenicura</i> Mesene	1:421
-	b	[1886]	<i>picta</i> Tharops	1:457
-	a	[1886]	<i>psaros</i> Sarota	1:437; 3:pl 43
-	a	[1886]	<i>radiata</i> Esthemopsis	1:486; 3:pl 42
-	b	[1886]	<i>roratus</i> Anteros	1:439
-	b	[1886]	<i>saturata</i> Emesis	1:447
-	a	[1886]	<i>tegula</i> Emesis	1:444
-	a	[1886]	<i>theutis</i> Theope	1:483; 3:pl 46
BMNH-ht	a	[1886]	<i>unicolor</i> Esthemopsis	1:487; 3:pl 47
-	b	[1886]	<i>venusta</i> Calydna	1:433; 3:pl 47
-	a	[1886]	<i>vulpina</i> Emesis	1:444
BMNH-ht	a	[1886]	<i>walkeri</i> Apodemia	1:468; 3:pl 47
-	b	[1886]	<i>yucatanensis</i> Symmachia	1:416
BMNH-ht	a	[1887]	<i>alea</i> Thecla	2:95; 3:pl 58
BMNH	a	[1887]	<i>ares</i> Thecla	2:61; 3:pl 55
BMNH	a	[1887]	<i>arproxais</i> Thecla	2:49; 3:pl 55
BMNH	c	[1887]	<i>attalion</i> Thecla	2:60; 3:pl 55
BMNH	a	[1887]	<i>aura</i> Thecla	2:60; 3:pl 55
-	a	[1887]	<i>bacis</i> Thecla	2:21; 3:pl 49
BMNH	c	[1887]	<i>balius</i> Thecla	2:65; 3:pl 56
BMNH	a	[1887]	<i>busa</i> Thecla	2:26; 3:pl 51
BMNH-ht	a	[1887]	<i>caeus</i> Theclopsis	2:101; 3:pl 58
BMNH-ht	a	[1887]	<i>cambes</i> Thecla	2:53; 3:pl 54
BMNH-st	a	[1887]	<i>coccineifrons</i> Thecla	2:23; 3:pl 50
BMNH	a	[1887]	<i>cyda</i> Thecla	2:28; 3:pl 51
BMNH	a	[1887]	<i>cynara</i> Thecla	2:19; 3:pl 49
BMNH	c	[1887]	<i>epidius</i> Thecla	2:54; 3:pl 54
BMNH	a	[1887]	<i>epytus</i> Thecla	2:40; 3:pl 52
BMNH	a	[1887]	<i>eunus</i> Thecla	2:30; 3:pl 51
BMNH	b	[1887]	<i>furina</i> Thecla	2:28; 3:pl 51

Godman & Salvin 1879-1901 Biol. centr.-amer., Lep. Rhop.

[b1975] (continued)

BMNH-lt	a	[1887]	<i>fusius</i> Thecla	2:34; 3:pl 52
BMNH	a	[1887]	<i>gabina</i> Thecla	2:82; 3:pl 57
-	c	[1887]	<i>hecale</i> Thecla (IOS)	3:pl 58, f 15-17
-	a	[1887]	<i>hecate</i> Thecla	2:98; 3:pl 58
BMNH	a	[1887]	<i>heraclides</i> Thecla	2:71; 3:pl 56
BMNH	a	[1887]	<i>hesychia</i> Thecla	2:87; 3:pl 57
BMNH	a	[1887]	<i>hycetas</i> Thecla	2:87; 3:pl 57
BMNH-st	c	[1887]	<i>hisbon</i> Thecla	2:17; 3:pl 49
BMNH-st	c	[1887]	<i>hyas</i> Thecla	2:27; 3:pl 51
pc	a	[1887]	<i>hypsea</i> Thecla	2:38; 3:pl 52
BMNH	a	[1887]	<i>iambe</i> Thecla	2:86; 3:pl 57
BMNH	a	[1887]	<i>inoe</i> Thecla	2:88; 3:pl 58
pc	a	[1887]	<i>insignis</i> Thecla	2:99
BMNH	a	[1887]	<i>iopas</i> Thecla	2:65; 3:pl 56
BMNH	a	[1887]	<i>lampetia</i> Thecla	2:83
BMNH	a	[1887]	<i>laothoe</i> Thecla	2:25; 3:pl 50
pc	a	[1887]	<i>latagus</i> Thecla	2:58; 3:pl 55
BMNH	a	[1887]	<i>lollia</i> Thecla	2:85; 3:pl 57
BMNH	a	[1887]	<i>lucagus</i> Thecla	2:86; 3:pl 57
BMNH	a	[1887]	<i>lyde</i> Thecla	2:44; 3:pl 53
BMNH	a	[1887]	<i>maeonis</i> Thecla	2:70; 3:pl 56
BMNH-st	a	[1887]	<i>maevia</i> Thecla	2:89; 3:pl 58
BMNH-ht	a	[1887]	<i>matho</i> Thecla	2:80
BMNH	a	[1887]	<i>milto</i> Thecla	2:83; 3:pl 57
BMNH	a	[1887]	<i>mimas</i> Thecla	2:81; 3:pl 57
BMNH	a	[1887]	<i>minthe</i> Thecla	2:60; 3:pl 55
BMNH	a	[1887]	<i>miranda</i> Thecla	2:99
BMNH	a	[1887]	<i>mycon</i> Thecla	2:46; 3:pl 53
BMNH	a	[1887]	<i>myron</i> Thecla	2:82
-	e	[1887]	<i>mytilus</i> Thecla (ISS)	2:37
BMNH	c	[1887]	<i>nepia</i> Thecla	2:16; 3:pl 50
BMNH-ht	a	[1887]	<i>nisaee</i> Thecla	2:67; 3:pl 56
BMNH	a	[1887]	<i>nitetis</i> Thecla	2:74; 3:pl 57
BMNH	a	[1887]	<i>norax</i> Thecla	2:59; 3:pl 55
BMNH	a	[1887]	<i>nortia</i> Thecla	2:76; 3:pl 57
-	a	[1887]	<i>oceia</i> Thecla	2:25; 3:pl 50
-	a	[1887]	<i>ochus</i> Thecla	2:55; 3:pl 54
BMNH	a	[1887]	<i>odinus</i> Thecla	2:70; 3:pl 56
BMNH	a	[1887]	<i>oppia</i> Thecla	2:56; 3:pl 55
BMNH	a	[1887]	<i>oraxus</i> Thecla	2:59; 3:pl 55
BMNH-lt	c	[1887]	<i>origo</i> Thecla	2:73; 3:pl 56
BMNH	a	[1887]	<i>orios</i> Thecla	2:51; 3:pl 54
BMNH	c	[1887]	<i>orses</i> Thecla	2:43; 3:pl 53
BMNH	a	[1887]	<i>ortalus</i> Thecla	2:52; 3:pl 54
BMNH-ht	a	[1887]	<i>paetus</i> Thecla	2:87; 3:pl 58
BMNH	a	[1887]	<i>paralus</i> Thecla	2:69; 3:pl 56
BMNH	a	[1887]	<i>paron</i> Thecla	2:70; 3:pl 56
BMNH	a	[1887]	<i>perpenna</i> Thecla	2:27; 3:pl 51
BMNH	a	[1887]	<i>phaea</i> Thecla	2:32; 3:pl 51
BMNH-st	c	[1887]	<i>phaenna</i> Thecla	2:31
BMNH	a	[1887]	<i>phobe</i> Thecla	2:47; 3:pl 53
BMNH	a	[1887]	<i>pion</i> Thecla	2:56; 3:pl 54
BMNH-lt	a	[1887]	<i>pisipis</i> Thecla	2:84; 3:pl 57
BMNH-lt	a	[1887]	<i>plusios</i> Thecla	2:77
BMNH-st	a	[1887]	<i>praxis</i> Thecla	2:52; 3:pl 54
pc	c	[1887]	<i>primno</i> Thecla	2:47; 3:pl 53
BMNH	a	[1887]	<i>proba</i> Thecla	2:64; 3:pl 56
BMNH-ht	a	[1887]	<i>puppis</i> Thecla	2:84
BMNH	a	[1887]	<i>pyrrhias</i> ?Chrysophanus	2:101; 3:pl 58
BMNH-ht	a	[1887]	<i>rhodope</i> Thecla	2:48; 3:pl 54
BMNH-ht	a	[1887]	<i>schausi</i> Thecla	2:98; 3:pl 58
BMNH	a	[1887]	<i>scopas</i> Thecla	2:89; 3:pl 58
BMNH	a	[1887]	<i>semones</i> Thecla	2:98; 3:pl 58
BMNH	a	[1887]	<i>serapio</i> Thecla	2:93; 3:pl 58
BMNH	a	[1887]	<i>sergius</i> Thecla	2:71
BMNH-ht	a	[1887]	<i>sesara</i> Thecla	2:90
BMNH-lt	a	[1887]	<i>sethon</i> Thecla	2:77; 3:pl 57
BMNH-lt	a	[1887]	<i>syllis</i> Thecla	2:92; 3:pl 58
BMNH	a	[1887]	<i>tabena</i> Thecla	2:68; 3:pl 56
BMNH-ht	a	[1887]	<i>tamos</i> Thecla	2:79; 3:pl 57

- Godman & Salvin 1879-1901 Biol. centr.-amer., Lep. Rhop. [b1975] (continued)
- BMNH a [1887] *tanais* Thecla 2:62; 3:pl 55
- BMNH a [1887] *tarpa* Thecla 2:68; 3:pl 56
- BMNH-ht c [1887] *tullioli* Lycaena 2:108; 3:pl 58
- BMNH-st a [1901] *gaumeri* Thecla 2:714; 3:pl 111
- BMNH-ht a [1901] *poeas* Emesís 2:704; 3:pl 110
- BMNH-ht d [1901] *sesara* Thecla (H) 2:722; 3:pl 111
- c [1901] *trotschi* Tharops 2:707; 3:pl 110
- Godman & Salvin 1880 Trans. ent. Soc. Lond. [b1976]
- BMNH-ht a *laverna* Charis 28(3):125
- a *linearis* Esthemopsis 28(3):132, pl 4
- c *pomona* Siseme 28(3):132, pl 4
- Godman & Salvin 1889 Ann. Mag. nat. Hist. [b1977]
- a *brimo* Emesís (6)3:357
- c *cheles* Eurygona (6)3:356
- BMNH-ht c *gynaecias* Lymnas (6)3:356
- a *idmon* Lemonias (6)3:357
- a *nesaea* Baecotis (6)3:356
- Godman & Salvin 1891 In Trans. ent. Soc. Lond. [b1978]
- a *alyattes* Hypochrysops 39(2):193, f 6
- Godman & Salvin 1891 Suppl. Append. Trav. Among. Great Andes [b1979]
- BMNH?st a *andicola* Lycaena :104
- Godman & Salvin 1896 Proc. zool. Soc. Lond. [b1980]
- BMNH a *angerona* Thecla 1896(2):516
- BMNH b *cybele* Thecla 1896(2):516
- BMNH a *piplea* Thecla 1896(2):516
- Godman & Salvin 1897 Trans. ent. Soc. Lond. [b1981]
- a *diores* Theope 45(2):246
- a *eleutho* Theope 45(2):247
- a *eudocia* Lemonias 45(2):244
- a *mania* Theope 45(2):247
- b *matuta* Theope 45(2):246
- b *polimela* Theope 45(2):247
- BMNH-ht a *speciosa* Theope 45(2):245
- BMNH-ht a *talna* Theope 45(2):245
- Goeze 1777-1783 Ent. Beyträge [b1982]
- c 1779 *caeruleoalbus* Papilio 3(1):212, n 35
- c 1779 *histrio* Papilio 3(1):119
- a 1779 *nigroflavus* Papilio 3(1):119, no. 49
- c 1779 *versicolor* Papilio 3(1):148
- Gómez Bustillo 1972 Boln R. Soc. esp. Hist. nat. [b1984]
- c *camporrealis* Plebejus 70(1-2):80, f
- Gómez Bustillo 1973 Revta Lep. [b1985]
- c *aidae* Lysandra 1(1-2):28, f
- c *anamariae* Lampides 1(1-2):30, f
- b *loechensis* Glaucopsyche 1(1-2):33, f
- b *velada* Glaucopsyche 1(1-2):28, f
- Gómez Bustillo 1978 Treb. Soc. catal. Lep. [b1986]
- b *judithi* Plebejus 1:21
- Gómez Bustillo 1980 Revta Lep. [b1987]
- e *bolivaroides* Lysandra (IFS) 8(3):172
- c *mattonensis* Lysandra 8(3):170
- Gómez Bustillo 1982 Revta Lep. [b1988]
- b *mattonica* Pseudophilotes 10(38):93-100
- Gómez Bustillo & Expósito Hemosa & Martínez Borrego 1979 Revta Lep. [b1990]
- a *violetae* Agrodiaetus 7(1):51, f
- e *f.violetapunctata* Agrodiaetus 7(1):53
- Gómez Bustillo & Fernández-Rubio 1972 Archos Inst. Aclim. [b1992]
- c *matildae* Plebejus 17:23, f
- c *pardoí* Plebejus 17:24, f
- Gómez Bustillo & Fernández-Rubio 1974 Mariposas Peninsula Iberica [b1991]
- b *vasconiae* Aricia 2:102
- Gomez de Aizpurva & Fernández-Rubio 1974 Munibe [b1993]
- c *javieri* Plebejus 25(1):48, f
- Goodpasture 1973 Pan-Pac. Ent. [b1995]
- LACM-ht b *texanus* Plebejus 49(2):149, f
- Goodson 1945 Entomologist [b1998]
- BMNH-st a *aconitius* Thecla 78:184
- BMNH a *aganippe* Thecla 78:170
- BMNH a *arachne* Thecla 78:170
- BMNH a *arene* Thecla 78:171
- BMNH a *balzabamba* Thecla 78:187
- BMNH a *callirrhoe* Thecla 78:185
- BMNH-st a *chione* Thecla 78:185
- BMNH-st a *cockaynei* Thecla 78:187
- BMNH-st a *electryon* Thecla 78:184
- BMNH-st a *felderi* Thecla 78:186
- BMNH a *godmani* Thecla 78:169
- BMNH-st a *lotis* Thecla 78:184 or 185
- BMNH a *rita* Thecla 78:187
- Goodson 1948 Entomologist [b1996]
- BMNH b *hibernica* Lycaena 81(8):177
- Goodson 1959 Entomologist [b1997]
- e *ab. albinocia* Strymonidia 92:149
- e *ab. rufextensa* Strymonidia 92:149
- Gorelick [1970] J. Res. Lep. [b1999]
- CAS-ht b *oregonensis* Callophrys 7(2):101
- Gosse 1880 Entomologist [b2001]
- b *cimelium* Thecla 13:203, pl 2
- BMNH a *cruenta* Thecla 13:204, pl 2
- BMNH c *ivelia* Thecla 13:205, pl 2
- c *zabua* Charis 13:202, pl 2
- Gouin 1904 P.-v. Soc. linn. Bordeaux [b2002]
- c *punctata* Lycaena 59:lxviii, lxxvi
- Graeser 1888-1893 Berl. ent. Z. [b2004]
- c 1888 *dahurica* Polyommatus 32:75
- b 1888 *lasurea* Niphanda 32:74
- a 1888 *tancrei* Lycaena 32:77
- Graham & Moulds 1988 Gen. Appl. Ent. [b2005]
- ANIC-ht a *aridus* Jalmenus 20:57, f 1-10
- Gramann 1911 Ent. Zeit. [b2006]
- e *ab. minor* Lycaena 25(40):217
- Graves 1910 Ent. Rec. [b2007]
- c *zahaltensis* Lycaena 22(11):273
- Graves 1918 Entomologist [b2008]
- e *ab. clara* Deudorix 51:97
- e *ab. fumata* Deudorix 51:97
- e *ab. mandersi* Chilades 51:97
- b *mareoticus* Tomares 51:97, pl 1
- e *ab. pallida* Deudorix 51:97, pl 1
- e *ab. subsubsoleta* Chilades 51:97, pl 1
- Graves 1923 Entomologist [b2009]
- b *dorsumstellae* Polyommatus 56:156
- a *isauricoides* Polyommatus 56:155

- Graves 1925 Trans. ent. Soc. Lond. [b2010]
 - c *f. militaris* Heodes 73(1/2):66
 - b *nabataeus* Turania 73(1/2):62, f
 - b *philbyi* Plebeius 73(1/2):55, f
- Graves 1930 Ent. Rec. [b2012]
 - c *postclara* Polymmatius 42(6):99
- Graves & Hemming 1928 Entomologist [b2013]
 - b *balcanicola* Lycaena 61:106, pl 2
 - b *pyrenaicola* Lycaena 61:104, pl 2
 - e *ab. subtusufomarginata* Lycaena 61:30
 - b *vera* Lycaena 61:87, pl 2
- Gray 1832 In Griffith, Cuvier's Anim. Kingdom [b2014]
 - c *asteris* Erycina 15(Cl. Ins. 2):677
 - a *childrenae* Eumeria 15(Cl. Ins. 2):677
 - e *tozia* Eumeria (ISS) 15(Cl. Ins. 2):787
 - c *xanthippe* Erycina 15(Cl. Ins. 2):pl
- Grinnell 1901 Can. Ent. [b2021]
 LACM-lt b *herrii* Lycaena 33(7):192
- Grinnell 1905 Ent. News [b2022]
 AMNH-ht a *emigdionis* Lycaena 16(4):115
- Grinnell 1916 J. Ent. Zool. [b2023]
 AMNH-ht c *cottlei* Plebejus 8:83, 6 f
- Grinnell 1917 Can. Ent. [b2024]
 AMNH-ht b *australis* Glaucopsyche 49(10):350
 AMNH-ht b *desertorum* Strymon 49(10):349
- Grinnell & Grinnell 1907 J. New York ent. Soc. [b2025]
 AMNH-ht b *hilda* Cupido 15(1):46
- Grose-Smith 1887 Ann. Mag. nat. Hist. [b2026]
 - a *dinochaeres* Deudorix (5)19:64
 - a *dinomenes* Deudorix (5)19:65
 - a *mahota* Lycaenesthes (5)19:65
- Grose-Smith 1887 Ann. Mag. nat. Hist. [b2027]
 BMNH-ht b *yendava* Amblypodia (5)19:297
- Grose-Smith 1887 Ann. Mag. nat. Hist. [b2028]
 - b *arracana* Amblypodia (5)20:268
 BMNH-ht b *tounguva* Amblypodia (5)20:268
- Grose-Smith 1887-1902 Rhop. exot. [b2029]
 - b 1897 *paralectus* Lampides 3(--):7, pl 11
 - a 1897 *tyrannus* Abisara 3(39):3, pl 1
 BMNH-ht a 1898 *ziska* Holochila 3(43):11, pl 3
 - a 1899 *agatha* Holochila 3(47):14, pl 4
 BMNH-ht b 1899 *aurelia* Holochila 3(47):13, pl 4
 BMNH-ht c 1899 *carmen* Hypochrysops 3(48):27, pl 5
 BMNH-ht c 1899 *chrysoesmus* Hypochrysops 3(48):29, pl 5
 - c 1899 *chrysonotus* Hypochrysops 3(47):27 or 28
 BMNH-ht b 1899 *dubitata* Holochila 3(47):13, pl 4
 - c 1899 *grandis* Holochila 3(47):14, pl 4
 BMNH-ht a 1899 *moira* Holochila 3(47):14, pl 4
 - a 1900 *bambana* Axiocereses 3(54):123, pl 26
 - c 1900 *carola* Jamides 3(51):13, pl 1
 - a 1900 *erasmus* Hypolycaena 3(52):2, pl 23
 - b 1900 *tamborana* Jamides 3(51):14, pl 1
 BMNH-ht c 1900 *f. zilka* Aloicides 3(54):121, pl 26
 - c 1901 *angela* Dodona 3(55):9, pl Dicall.
 - a 1901 *barca* Durbania 3(55):128, pl 27
 - b 1901 *diantha* Dicallaneura 3(55):7, pl 2
 - b 1901 *fulgurata* Dicallaneura 3(55):7, pl 2
 - a 1901 *plagiaria* Aricoris 3(59):4, pl 1
 - a 1901 *praestans* Pentila 3(57):141, pl 7
 - ■ 1901 *ruffilla* Liptena 3(57):133, pl 28
 - ■ 1901 *subdita* Scotantiades 3(55):129, pl 27
 - a 1901 *tulliana* Liptena 3(57):134, pl 28
 - c 1901 *umbra* Arrugia 3(55):128, pl 27
- Grose-Smith 1887-1902 Rhop. exot. [b2029] (continued)
 - b 1901 *xantha* Teriomima 3(57):140, pl 24
 - a 1902 *aerella* Ithomeis 3(60):8, pl Ery
 BMNH-ht b 1902 *alcestis* Amblypodia 3(60):9, pl 25
 - c 1902 *appianus* Amblypodia 3(60):11, pl 25
 BMNH-ht c 1902 *athara* Arhopala 3(60):9, pl 25
 BMNH-ht a 1902 *crystalla* Xynias 3(60):6, pl Ery
 - a 1902 *fenella* Pheles 3(60):6, pl 2
 BMNH-ht a 1902 *helianthes* Amblypodia 3(60):11, pl 25
 BMNH-ht a 1902 *macara* Lepicormis 3(60):9, pl 2
 - c 1902 *rufula* Pheles 3(60):5, pl 2
 BMNH-ht b 1902 *saracena* Esthernopsis 3(60):8, pl Ery
 - a 1902 *semirufa* Pseuderesia 3(59):146, pl 30
 - a 1902 *splendens* Chamaelimas 3(60):9, Ery pl
- Grose-Smith 1889 Ann. Mag. nat. Hist. [b2030]
 - b *mendeche* Chrysorychia (6)3:135
 - a *punica* Chrysorychia (6)3:134
 - a *silanus* Iolus (6)3:137
 - c *zanzibarensis* Aphnaeus (6)3:136
- Grose-Smith 1889 Ann. Mag. nat. Hist. [b2031]
 BMNH-lt a *cineas* Sithon (6)3:318
 - a *kiana* Sithon (6)3:317
 - b *teunga* Sithon (6)3:317
- Grose-Smith 1889 Ent. mon. Mag. [b2032]
 - a *alcestis* Thecla (H) 25:300
 BMNH-ht a *sophrosyne* Amblypodia 25:300
- Grose-Smith 1891 Ann. Mag. nat. Hist. [b2033]
 - c *derona* Deudorix (6)7:126
- Grose-Smith 1893 Ann. Mag. nat. Hist. [b2034]
 BMNH-ht c *caudatus* Alotinus (6)12:34
- Grose-Smith 1894 Ann. Mag. nat. Hist. [b2035]
 - a *albocaerulea* Epimastidia (6)13:501
 - b *esme* Thysonotis (6)13:501
- Grose-Smith 1894 Ann. Mag. nat. Hist. [b2036]
 - b *hamilcar* Thysonotis (6)14:25
 - b *hanno* Thysonotis (6)14:25
- Grose-Smith 1894 Novit. zool. [b2037]
 - b *allectus* Lampides 1:576
 - b *amphissina* Jamides 1:577
 BMNH-ht a *antharita* Arhopala 1:583
 - b *caesius* Thysonotis 1:576
 BMNH-ht a *calliphon* Hypochrysops 1:548
 BMNH-ht b *coelia* Nacaduba 1:573
 - b *eclectus* Lampides 1:589
 - a *glaucopsis* Thysonotis 1:575
 BMNH-ht a *harterti* Holochila 1:579
 - b *hermes* Thysonotis 1:575
 BMNH-ht a *hermogenes* Hypochrysops 1:548
 BMNH-ht a *heros* Hypochrysops 1:550
 BMNH-ht a *hylander* Arhopala 1:582
 BMNH-ht a *marginata* Holochila 1:579
 BMNH-lt b *monacha* Megisba 1:571
 BMNH-lt b *nedda* Cyaniris 1:572
 BMNH-ht c *obscura* Nacaduba 1:574
 - a *ostrina* Dicallaneura 1:543
 - b *peri* Thysonotis 1:590
 BMNH-ht c *periander* Arhopala 1:582
 BMNH-lt a *plotinus* Hypochrysops 1:546
 BMNH-lt b *pretiosus* Hypochrysops 1:548
 - b *princessa* Dicallaneura 1:544
 - a *purpurata* Jamides 1:574
 - a *refusa* Holochila 1:580
 BMNH-ht a *rona* Cyaniris 1:572
 - a *satraps* Abisara 1:545
 - ■ *semirufa* Dicallaneura 1:544
 BMNH-ht a *silicea* Holochila 1:580

- Grose-Smith 1894 Novit. zool. [b2037] (continued)
- BMNH-ht a *siren* Hypochrysops 1:551
 BMNH-ht a *subovata* Holochila 1:579
 BMNH-ht b *subrosea* Holochila 1:580
 BMNH-ht b *theonides* Hypochrysops 1:549
 BMNH-ht b *theophanes* Hypochrysops 1:550
 BMNH-ht a *thesaurus* Hypochrysops 1:547
 BMNH-ht a *tringa* Holochila 1:581
- Grose-Smith 1895 Novit. zool. [b2038]
- b *aryanus* Thysonotis 2(4):512
 BMNH-ht b *cinctata* Cyaniris 2(4):506
 - b *clitophon* Talicada 2(4):507
 BMNH-ht a *elsa* Nacaduba 2(4):509
 - a *fluvialis* Tarucus 2(4):511
 - b *grata* Jamides 2(4):510
 BMNH-ht b *lyce* Cyaniris 2(4):506
 BMNH-ht b *lyseas* Cyaniris 2(4):506
 BMNH-ht b *pamela* Nacaduba 2(4):508
 - b *pulchrior* Jamides 2(4):510
 - b *retliarius* Zemerus 2(4):505
 BMNH-ht a *rita* Nacaduba 2(4):508
 - a *saga* Chilades 2(4):505
 BMNH-ht b *samoena* Horaga 2(4):513
 BMNH-ht a *selina* Horaga 2(4):513
 - a *seminiger* Jamides 2(4):509
 - b *timon* Jamides 2(4):510
 - b *ulyssides* Castalius 2(4):511
 BMNH-ht a *umbretta* Neopithecosps 2(4):505
 BMNH-ht c (-) *valentina* Nacaduba 2(4):508
 BMNH-ht c (+) *valentina* Nacaduba 2(4):508
 - c *verena* Sinthusa 2(4):514
 - a *xenia* Chliaria 2(4):512
 BMNH-ht a *zita* Holochila 2(4):511
- Grose-Smith 1896 Ann. Mag. nat. Hist. [b2039]
- a *florinda* Pseudonotis (6)18:155
 - b *milo* Myzina (6)18:155
- Grose-Smith 1897 Ann. Mag. nat. Hist. [b2040]
- c *epilectus* Lampides (6)19:179
 BMNH-ht a *lamia* Holochila (6)19:179
- Grose-Smith 1897 Ann. Mag. nat. Hist. [b2041]
- b *aequalis* Holochila (6)20:517
 - a *hengis* Thysonotis (6)20:517
 - c *lygia* Thysonotis (6)20:516
 BMNH-ht b *narovona* Nacaduba (6)20:518
- Grose-Smith 1897 Novit. zool. [b2042]
- a *phroso* Thysonotis 4:313
- Grose-Smith 1897 Novit. zool. [b2043]
- BMNH-ht a *adherbal* Arhopala 4:366
 - a *albula* Thysonotis 4:368
 BMNH-ht a *antiphon* Hypochrysops 4:367
 - c *clarissa* Arhopala 4:366
 BMNH-ht a *coruscans* Waigeum 4:367
 BMNH-ht c *strophe* Arhopala 4:366
- Grose-Smith 1898 Ann. Mag. nat. Hist. [b2044]
- BMNH-ht a *asterra* Lucilla (7)2:72
 BMNH-ht a *buckleyi* Aricosis (7)2:72
 - a *miron* Symmachia (7)2:71
- Grose-Smith 1898 Ann. Mag. nat. Hist. [b2045]
- BMNH-st b *suleima* Thysonotis (7)2:405
 BMNH-st b *zuleika* Thysonotis (7)2:404
- Grose-Smith 1898 Novit. zool. [b2046]
- c *ansorgel* Iris 5:354
 - b *cydaria* Tingra 5:355
 - a *elissa* Epitola 5:354
 BMNH-ht a *exquisita* Iris 5:353
- Grose-Smith 1898 Novit. zool. [b2046] (continued)
- a *fuscata* Teiomima 5:355
 - a *kedonga* Everes 5:357
 - b *f. latimarginata* Latinopoda 5:354
 BMNH-ht c *liparis* Lycaenesthes 5:357
 - a *locuples* Lycaenesthes 5:357
 - c *lycotas* Lycaenesthes 5:356
 - a *micra* Durbania 5:356
 - c *picta* Lycaenesthes 5:356
 - a *pusio* Teiomima 5:355
 - a *rothi* Liptena 5:353
 - c *subaureus* Aptmaeus 5:358
- Grose-Smith 1898 Novit. zool. [b2047]
- BMNH-ht b *aristocles* Hypochrysops 5(1):103
 BMNH-ht b *aurifer* Hypochrysops 5(1):103
 - b *coelinus* Thysonotis 5(1):106
 - b *helga* Thysonotis 5(1):105
 BMNH-ht b *honora* Hypochrysops 5(1):103
 - b *horsa* Thysonotis 5(1):104
 - c *lamprosidus* Thysonotis 5(1):105
 BMNH-ht a *nitens* Holochila 5(1):107
 - c *olga* Thysonotis 5(1):106
 BMNH-ht b *rufinus* Hypochrysops 5(1):104
 BMNH-ht a *vicina* Holochila 5(1):107
 BMNH-ht a *zadne* Holochila 5(1):107
- Grose-Smith 1900 Novit. zool. [b2048]
- BMNH-ht b *alix* Hypochrysops 7:88
 BMNH-ht a *cleon* Hypochrysops 7:88
 BMNH-ht a *cleonides* Hypochrysops 7:89
- Grose-Smith & Kirby 1887-1902 Rhop. exot. [b2049]
- a 1887 *catalina* Pseuderesia 1(1):4, pl 1
 - a 1887 *hewitsoni* Pentila 1(10):3
 - a 1888 *sodalis* Epimastidia 1(11):5
 - c 1889 *lasti* Tingra 1(10):31, pl 8
 - b 1889 *mombasae* Tingra 1(10):31, pl 8
 - c 1889 *peucedana* Ornipholidotos 1(11):37, pl 9
 - b 1889 *semirufa* Liptena 1(10):33, pl 8
 - a 1890 *acraeoides* Liptena 1(13):39, pl 10
 - b 1890 *apicalis* Mimacraea 1(13):41, pl 10
 - a 1890 *bicolor* Pseuderesia 1(14):44, pl 11
 - a 1890 *charmian* Mimacraea 1(13):42, pl 10
 ZMHU-ht a 1890 *corynetes* Durbania 1(14):47, pl 11
 - c 1890 *echo* Liptena 1(13):40, pl 10
 - c 1890 *erycinoides* Durbania 1(15):47, pl 11
 - c 1890 *fervida* Liptena 1(13):39, pl 10
 - a 1890 *infima* Liptena 1(14):46, pl 11
 - a 1890 *otlauga* Liptena 1(14):46, pl 11
 - a 1890 *subvariegata* Liptena 1(14):43, pl 11
 - c 1890 *variegata* Pseuderesia 1(14):45, pl 11
 - c 1890 *zoraida* Pseuderesia 1(11):36, pl 9
 - a 1891 *ferrymani* Pentila 1(15):50, pl 12
 - a 1891 *flavicans* Pentila 1(15):50, pl 12
 - c 1892 *ciconia* Epitola 1(19):58, pl 17
 - a 1892 *decipiens* Teiomima 1(19):67, pl 16
 - c 1893 *brunneus* Lycaenesthes 2(26):106, pl 23
 - a 1893 *conjuncta* Epitola 2(23):86, pl 20
 - a 1893 *flavomaculatus* Lycaenesthes 2(26):104, pl 23
 - a 1893 *grammicus* Lycaenesthes 2(26):102, pl 23
 - c 1893 *lychnoptera* Anthene 2(25):97, pl 22
 - a 1893 *oculatus* Lycaenesthes 2(26):101, pl 23
 - a 1893 *pinodoides* Epitola 2(23):85, pl 20
 - c 1893 *pulcher* Lycaenesthes 2(26):105, pl 23
 - a 1893 *rezla* Epitola 2(23):86, pl 20
 - c 1893 *turbatus* Lycaenesthes 2(26):105, pl 23
 - c 1894 *bertha* Tingra 2(29):120, pl 25
 - c 1894 *freya* Teiomima 2(29):115, pl 25
 - a 1894 *lasti* Lycaenesthes 2(27):109, pl 24
 - c 1894 (+) *lithas* Anthene 2(27):110, pl 24
 - c 1894 *lucretia* Lycaenesthes 2(27):111, pl 24

- Grose-Smith & Kirby 1887-1902 Rhop. exot. [b2049] (continued)
- a 1894 *nero* Tingra 2(29):119, pl 25
 - b 1894 *plotinus* Thysonotis 2(29):44, pl 8
 - a 1894 *staudingeri* Lycaenesthes 2(27):112, pl 24
 - b 1894 *stephani* Thysonotis 2(29):43, pl 8
 - b 1894 *tripunctata* Pseuderessia 2(29):116, pl 25
 - a 1894 *undina* Pentila 2(29):117, pl 25
 - b 1895 *carissima* Thysonotis 2(34):29, pl 4
 - ZMHU-lt a 1895 *chrysargyra* Hypochrypsos 2(32):16, pl 3
 - b 1895 *dispar* Thysonotis 2(33):23, pl 4
 - a 1895 *drucei* Thysonotis 2(34):31, pl 4
 - ZMHU-lt b 1895 *dryope* Hypochrypsos 2(32):15, pl 3
 - a 1895 *regalis* Thysonotis 2(34):28, pl 4
 - BMNH-ht c 1895 *regina* Hypochrypsos 2(32):21, pl 3
 - c 1895 *vidua* Thysonotis 2(34):30, pl 4
 - b 1896 *manto* Thysonotis 2(36):42, pl 8
 - b 1896 *plateni* Thysonotis 2(36):40, pl 7
 - c 1896 *simplex* Waigeum 2(35):37, pl 6
 - c 1896 *subargentea* Holochila 2(38):3, pl 9
 - b 1896 *subcaeruleum* Waigeum 2(35):35, pl 6
 - b 1897 *butleri* Holochila 2(39):8, pl 10
 - BMNH-ht a 1897 *fulgens* Holochila 2(39):8, pl 10
 - BMNH-ht c 1897 *purpurea* Holochila 2(39):7, pl 10
 - c 1897 *soldalis* Epimastidia 2(40):5, pl 11
 - b 1899 *chrysotoxus* Hypochrypsos 3(48):27 or 28
 - a 1899 *nerine* Thysonotis 3(50):54, pl 21
- Grote 1873 Bull. Buffalo Soc. nat. Sci. [b2053]
- AMNH-ht c *ocellifera* Callicista 1(3):178
- Grote 1873 Bull. Buffalo Soc. nat. Sci. [b2054]
- b *couperi* Glaucopsyche 1(4):185
- Grote 1874 Bull. Buffalo Soc. nat. Sci. [b2055]
- b *lindeni* Helicopsis 2:108, pl 2
- Grote & Robinson 1866 Ann. Lyc. Nat. Hist. New York [b2059]
- a *borealis* Nymphidium 8:351
- Grote & Robinson 1867 Trans. amer. ent. Soc. [b2060]
- AMNH-nt a *edwardsii* Thecla 1(2):172
- AMNH-lt a *henrici* Thecla 1(2):174
- AMNH-ht c *lorata* Thecla 1(2):171
- e *mellinus* Thecla (ISS) 1(2):173
- Grote & Robinson 1868 Trans. amer. ent. Soc. [b2061]
- AMNH-ht c *inorata* Thecla 1(4):323
- Grote & Robinson 1869 Trans. amer. ent. Soc. [b2062]
- e *caeniis* Charis (ISS) 2(3):310-311
- Grum-Grshimailo 1885 In Romanoff, Mém. Lép. [b2064]
- a *atra* Lycaena 2:217
- BMNH-ht a *gigantea* Lycaena 2:215
- a *timida* Lycaena 2:217
- Grum-Grshimailo 1887 In Romanoff, Mém. Lép. [b2065]
- b *dschagatai* Lycaena 3:400
 - c *magnifica* Lycaena 3:399
 - c *muzaffar* Lycaena 3:399
 - c *oberthueri* Lycaena 3:399
 - c *roxane* Lycaena 3:400
- Grum-Grshimailo 1888 Horae Soc. ent. ross. [b2066]
- a *alaica* Polyommatus 22:305
 - b *alpherakii* Polyommatus 22:305
 - a *bellona* Lycaena 22:306
- BMNH-lt a *chrysois* Lycaena 22:306
- a *dagmara* Lycaena 22:306
 - b *fulminans* Polyommatus 22:305
 - a *kogistana* Lycaena 22:306
- Grum-Grshimailo 1890 In Romanoff, Mém. Lép. [b2067]
- c *alpina* Thestor 4:357
 - c *amatus* Lycaena 4:403
- Grum-Grshimailo 1890 In Romanoff, Mém. Lép. [b2067] (continued)
- c *bactriana* Lycaena 4:374
 - b *carbonaria* Lycaena 4:388, pl 8
 - c *comedarum* Lycaena 4:365
 - a *erigone* Polyommatus 4:397
 - b *hunza* Lycaena 4:397, pl 15
 - a *icadius* Lycaena 4:402
 - c *minuta* Lycaena 4:415
 - c *oxiana* Lycaena 4:365
 - ZIL-lt b *phiala* Lycaena 4:366, pl 21
 - c *refulgens* Agrodiaetus 4:408
 - c *rogneda* Lycaena 4:376
 - c *sarmatis* Lycaena 4:393
 - c *temir* Polycaena 4:420, pl 10
 - c *tomyris* Lycaena 4:377, pl 7
- Grum-Grshimailo 1891 Horae Soc. ent. ross. [b2068]
- c *aegina* Lycaena 25:451
 - c *calmuca* Lycaena 25:450
 - a *dis* Lycaena 25:453
 - c *ganssuensis* Lycaena 25:450
 - d *helena* Lycaena (H) 25:453
 - b *ida* Lycaena 25:451
 - b *iliensis* Lycaena 25:452
 - c *lama* Lycaena 25:453
 - a *lua* Polycaena 25:454
 - b *napaea* Lycaena 25:453 or 458
 - c *orbona* Lycaena 25:452 or 453
 - c *orithyia* Lycaena 25:452
 - c *sifanica* Lycaena 25:450
 - c *sinina* Lycaena 25:453
 - a *standfussi* Polyommatus 25:450
 - c *tangutica* Lycaena 25:452
 - c *themis* Lycaena 25:451
- Grum-Grshimailo 1893 Horae Soc. ent. ross. [b2069]
- c *caerulescens* Lycaena 27:127
- Grum-Grshimailo 1900 Annu. Mus. zool. St. Pétersbourg [b2070]
- c *borodowskii* Polyommatus 4:459
- Grum-Grshimailo 1902 Annu. Mus. zool. St. Pétersbourg [b2071]
- a *aricia* Lycaena 7:195
 - st b *berezowskii* Lycaena 7:194
 - b *lucina* Lycaena 7:193
 - a *serica* Lycaena 7:195
- Grünberg 1908 Sber. Ges. naturf. Freunde Berl. [b2073]
- c *confluens* Liptena 1908(3):50-62
 - c *luteomaculata* Mimacraea 1908(3):57
 - b *f. tenuimarginata* Cupido 1908(3):50
- Grünberg 1910 Denkschr. med.-naturw. Ges. Jena [b2074]
- a *subinfusata* Iolus 16:107
- Grünberg 1910 Sber. Ges. naturf. Freunde Berl. [b2075]
- b *albicans* Lycaenesthes 1910:153
- Grünberg 1910 Sber. Ges. naturf. Freunde Berl. [b2076]
- a *angulosus* Megalopalpus 1910:478
 - b *aspasia* Pentila 1910:473
 - a *bibundana* Cupido 1910:479
 - c *elpinice* Pentila 1910:474
 - a *favillacea* Pseuderessia 1910:475
 - b *immaculata* Liptena 1910:477
 - a *intermedia* Liptena 1910:477
 - a *latrunculata* Cupido 1910:478
 - a *phaeochiton* Pseuderessia 1910:476
 - c *telesippe* Pentila 1910:473
 - b *tessmanni* Pseuderessia 1910:475
- Grünberg 1912 Ergebn. D. Zentr.-Afrik. Exp. [b2077]
- c *f. fracta* Cupido 3:545

- Grünberg 1912 *Ergebn. D. Zentr.-Afrik. Exp.* [b2077] (*continued*)
 - a *ruwenzoricus* *Lycanesthes* 3:543
- Grünberg 1914-1923 *In Seitz, Grossschmett. Erde* [b2078]
 - e [1916] *senhes* *Hypochrysops* (ISS) 9:838
- Grund 1907 *Ent. Zeit.* [b2079]
 - c *vernalis* *Everes* 21(20):126
- Grund 1908 *Int. ent. Z.* [b2080]
 -- e *ab. aqualina* *Cyaniris* 2(11):66 or 88
 -- e *aurantia* *Lysandra* 2(14):87
 -- e *ab. caeca* *Lycæna* 2(12):71
 -- e *ab. nana* *Lycæna* 2(13):79
 -- e *ab. obscura* *Lycæna* 2(12):71
 -- e *ab. punctifera* *Lycæna* 2(14):88
- Grund 1913 *Int. ent. Z.* [b2081]
 - b *croatica* *Lycæna* 7(19):127
 -- e *ab. inornata* *Plebejus* 7(19):127
 -- e *ab. inornata* *Lycæna* 7(19):127
 -- e *ab. unipuncta* *Lycæna* 7(19):127
- Grund 1916 *Glasn. hrv. prirodosl. Društ.* [b2082]
 -- e *atroguttata* *Maculinea* 28:131
 -- e *centripuncta* *Lycæna* 28:121
 -- e *centripuncta* *Lycæna* 28:121
 -- e *seminigra* *Lycæna* 28:120
- Guénée 1863 *In Maillard, Notes Ile Réunion* [b2084]
 - c *mylica* *Lycæna* 2(Lép.):18
- Guérin 1959 *Alexanor* [b2090]
 - b *magdaleneae* *Lycæna* 1(3):87
- Guérin-Ménéville 1829-1844 *Icon. Règne Anim. Cuvier* [b2086]
 - a [1832] *thoe* *Polyommatus* :pl Ins 81
 USNM-ht a [1832] *virginensis* *Erycina* :pl Ins 81
 - a 1844 *lineata* *Nerias* 7:473
- Guérin-Ménéville 1830-1838 *In Duperrey, Voy. Coquille, Zool.* [b2087]
 - a [1830] *pulchra* *Argynnis* 2(2):pl Ins. 16
 - a [1831] *cleotas* *Polyommatus* 2(2):pl Ins. 18
 - a [1831] *coritus* *Polyommatus* 2(2):pl Ins. 18
 - a [1831] *leos* *Symethus* 2(2):pl Ins. 18
- Guérin-Ménéville [1843] *In Delessert, Souvenirs Voy. Inde* [b2088]
 - a *nyseus* *Polyommatus* (2):78, pl 22
- Guérin-Ménéville 1847 *In Lefebvre, Voyage Abyss.* [b2089]
 - a *amarah* *Polyommatus* 6:384, pl 11
 - a *jesous* *Polyommatus* 6:383, pl 11
 - b *f. sebadadis* *Polyommatus* 6:385, pl 7
- Guest 1882 *Trans. R. Soc. S. Aust.* [b2091]
 - c *molybdena* *Cupido* 5:36
 - c *paradoxa* *Lycæna* 5:36
 - c *pervulgatus* *Lycæna* 5:36
- Gunder 1924 *Ent. News* [b2093]
 AMNH-ht e *ab. nigroinita* *Callipsyche* 35(3):154, pl 2
- Gunder 1925 *Ent. News* [b2094]
 AMNH e (+) *ab. baldyensis* *Philotes* 36(1):pl 1
 AMNH-ht c *comstocki* *Philotes* 36(1):6, pl 1
 AMNH-ht e (+) *ab. coolidgei* *Brephidium* 36(1):2, pl 1
 AMNH-ht e (-) *ab. gorgonioi* *Phaedrotus* 36(1):4, pl 1
 LACM-ht e (-) *ab. huguenini* *Glaucopsyche* 36(1):3, pl 1
 AMNH-ht e (+) *ab. pallida* *Plebeius* 36(1):3, pl 1
 AMNH-ht e (+) *ab. violacea* *Leptotes* 36(1):3, pl 1
- Gunder 1925 *Ent. News* [b2095]
 AMNH-ht e *ab. coloradensis* *Heodes* 36(7):194, f
 AMNH-ht e *ab. malcolmi* *Plebeius* 36(7):195, pl 5
- Gunder 1926 *Ent. News* [b2096]
 AMNH-ht e *ab. maculinata* *Heodes* 37(1):8, pl 1
 AMNH-ht e *ab. spinimaculata* *Plebeius* 37(1):8, pl 1
- Gunder 1927 *Ent. News* [b2097]
 CAS-ht e *ab. vanduzeei* *Lycæna* 38(5):133, pl 2
- Gunder 1927 *Bull. S. Calif. Acad. Sci.* [b2098]
 USNM-ht e *ab. wormsbacheri* *Lycæna* 26(2):53
- Gunder 1927 *Can. Ent.* [b2099]
 LACM-ht e *ab. arizonensis* *Everes* 59(12):284
 USNM-ht e *ab. barnesi* *Glaucopsyche* 59(12):282
 AMNH-ht e *ab. dodgei* *Everes* 59(12):283
 CNC-ht e *ab. gibboni* *Lycæna* 59(12):284
 AMNH-ht e *ab. immaculata* *Satyrrium* 59(12):283
 AMNH-ht e *ab. inyoensis* *Plebeius* 59(12):281
 AMNH-ht e *ab. jemezensis* *Everes* 59(12):284
 OSU-ht e *ab. leussleri* *Plebeius* 59(12):282, f
 OSU-ht e *ab. leussleri* *Glaucopsyche* 59(12):283, f
 AMNH-ht e *ab. malcolmi* *Philotes* 59(12):282
 CNC-ht e *ab. mcdunnoughi* *Lycæna* 59(12):284
 CNC-ht e *ab. mcdunnoughi* *Glaucopsyche* 59(12):282
 AMNH-ht e *ab. meinersi* *Strymon* (IFS) 59(12):283
 AMNH-ht e *ab. sternitzkyi* *Lycæna* 59(12):285
 CM-ht e *ab. williamsi* *Lycæna* 59(12):285
 FMNH-ht e *ab. wyatti* *Lycæna* 59(12):285
- Gunder 1928 *Can. Ent.* [b2100]
 AMNH-ht e *ab. garthi* *Plebeius* 60(7):168, pl B
- Gunder 1930 *Bull. Brooklyn ent. Soc.* [b2101]
 AMNH?-ht e *ab. angelus* *Plebejus* 24(5):326, pl 31
 AMNH-ht e *ab. montanus* *Plebejus* 24(5):326, pl 31
 AMNH-ht e *ab. sternitzkyi* *Glaucopsyche* 24(5):325, pl 31
- Gunder 1932 *Pan-Pac. Ent.* [b2102]
 AMNH-ht e *ab. boharti* *Plebejus* 8(3):127
 AMNH-ht e *ab. kohlsaati* *Polyommatus* 8(3):127
- Gunder 1933 *Can. Ent.* [b2103]
 AMNH-ht e *ab. windi* *Plebeius* 65(8):173
- Gunder 1934 *Can. Ent.* [b2104]
 AMNH-ht e *ab. corcorani* *Atides* 66(6):131
- Gussich 1917 *Glasn. hrv. prirodosl. Društ.* [b2106]
 - e *ab. alba* *Nemeobius* 29:221
 - e *argentea* *Chrysophanus* 29:222
 - e *ab. pallida* *Nemeobius* 29:221
- Hackray 1938 *Lambillionea* [b2108]
 - e *ab. striata* *Heodes* 38:201
- Hackray 1946 *Lambillionea* [b2109]
 - e *ab. marginelineata* *Polyommatus* 46(2/3):18
- Hagen 1893 *Abh. Senckenb. naturf. Ges.* [b2113]
 - b *mentawica* *Lampides* 20:337
- Hagen 1897 *Jb. nass. Ver. Nat.* [b2114]
 - b *simbangana* *Abisara* 50:96
- Haig-Thomas 1929 *Ent. Rec.* [b2116]
 - c *noguerae* *Cupido* 41:46
- Hall 1924 *J. New York ent. Soc.* [b2118]
 AMNH-ht b *phaedrus* *Heodes* 32(2):111
- Hall 1939 *Agr. J. Br. Guiana* [b2117]
 - b *guianensis* *Tmetoglene* 10:238
 BMNH-ht a *violetta* *Anteros* 10:153
- Hampson [1889] *J. asiat. Soc. Bengal, Pt II* [b2120]
 BMNH-ht a *lilacea* *Cyaniris* 57(4):356

- Hanafusa 1989 Futao [b2122]
 pc-ht a *mizunumai* Dodona (1):3, f 7,9
 pc-ht b *treadawayi* Dodona (1):4, f 8,10
- Hanafusa 1991 Futao [b2123]
 - b *obscura* Laxita (7):9, f
- Hanafusa 1991 Futao [b2124]
 - b *obscura* Abisara (8):19, f
- Hanafusa 1993 Futao [b2125]
 pc-ht b *florensis* Zemerros (11):15, pl 5
 pc-ht b *ismailli* Abisara (11):15, pl 4
 pc-ht b *jokoi* Zemerros (11):15, pl 5
- Hancock 1985 *Arnoldia* Zimbabwe [b2127]
 T *australis* Iolaus 9(16):246
 T *barnesi* Anthene 9(16):243
 T *mashuna* Lycaenesthes 9(16):247
 T *rhodesiensis* Deudorix (IFS) 9(16):245
 T *sheppardi* Anthene 9(16):244
 T *swinburnei* Lepidochrysops (IFS) 9(16):246
 T *swynnertoni* Pentila 9(16):248
- Hannemann 1916 Int. ent. Z. [b2131]
 - e *ab. semiallous* Lycaena (H) 10(1):8
- Hannemann 1928 Int. ent. Z. [b2132]
 - e (+) *f. crassipuncta* Helleia 22(22):210
 - b *marchica* Chrysophanus 22(22):210
 - e (+) *f. parvipuncta* Helleia 22(22):210
- Hannemann 1929 Int. ent. Z. [b2133]
 - e (+) *f. caerulea* Lycaena 23(11):153
 - e (+) *f. nigra* Lycaena 23(11):153
- Hannemann 1931 Int. ent. Z. [b2134]
 - c *apicipunctata* Lycaena 24(37/38):401
 - e *ferephlaeas* Chrysophanus (IFS) 24(37/38):401
 - e *fulva* Chrysophanus (IFS) 24(37/38):401
 - e *radiata* Chrysophanus (IFS) 24(37/38):401
- Hannington 1910-1911 J. Bombay nat. Hist. Soc. [b2135]
 BMNH-ht a 1910 *triloka* Zephyrus 20(2):367
- Hara 1981 Chô Chô [b2136]
 - b *wadaenis* Strymonidia 4(8):37, f
- Hara & Hirowatari 1989 Tyô to Ga [b2137]
 KMNH-ht a *tahitiensis* Nacaduba 40(2):133, f 1-3
- Harris 1833 Rep. Geol. Min. Bot. Zool. Mass. [b2140]
 - b *pan* Thecla :590
- Harris 1841 Rep. Ins. Inj. Veg. [b2141]
 - b *humuli* Thecla :215
- Harris 1862 Ins. injur. Veget. (3rd ed.) [b2143]
 - b *americana* Lycaena :273, f 104
 - c *auburniana* Mitoura :277
 - e *iris* Thecla (ISS) :97
- Harris 1862 In Syn. Lep. N. Amer. [b2144]
 MCZ?-ht e *auburniana* Thecla (ISS) :101
 - b *strigosa* Thecla :101
- Harris 1952 N. Qd Nat. [b2139]
 - b *josephina* Candalides 20:33, f
- Harrison 1906 Ent. Rec. [b2146] (continued)
 - e *ab. semiallous* Polyommatus 18:236
 - e *vedrae* Polyommatus 18:236
- Harrison 1928 Vasculum [b2148]
 - e *ab. carteri* Polyommatus 14:139
 - e *ab. carteri* Aricia 14:139
 - e *ab. eosteri* Aricia 14:147
- Harrison 1929 Vasculum [b2149]
 - e *ab. carteri* Agriades 15:40
 - e *ab. carteri* Aricia 15:40
 - e *ab. carteri* Aricia 15:40
 - e *ab. escheri* Lysandra 15:40
- Harrison & Carter 1929 Vasculum [b2151]
 - e *ab. garretti* Aricia 15:17
- Hartig 1924 Ent. Rundsch. [b2153]
 - d *argentata* Lycaena (H) 41:45
- Hartig 1940 Memorie Soc. ent. ital. [b2152]
 - e *f. latina* Lycaena 18:187, f
- Hauder 1909 Jber. Ver. Naturk. Öst. Linz [b2161]
 - e *ab. impunctata* Maculinea 38(30)
- Haverkamp 1906 Annis Soc. ent. Belg. [b2162]
 - e *ab. torgniensis* Lycaena 50:157
- Hawker-Smith 1926 Revue zool. afr. [b2163]
 MT-ht a *angustimargo* Pseudaletis 14:240
 MT-ht a *hulstaerti* Liptena 14:239
 MT-ht b *katangae* Pseuderessia 14:239
 MT-ht a *maculata* Epitola 14:240
 MT-ht e *ab. obsolescens* Mimacraea 14:238
 MT-ht a *schoutedeni* Pentila 14:238
 MT-ht a *unimaculosa* Alaena 14:237
- Hawker-Smith 1928 Bull. Hill Mus. [b2164]
 BMNH a *jefferyi* Aphnaeus 2(1):30
- Hawker-Smith 1928 Revue zool. bot. afr. [b2165]
 MT-ht b *burgeoni* Mimacraea 16:214
 - c *f. immaculata* Deudorix 16:215
 BMNH-ht e (+) *f. oblitterata* Deudorix 16:215
 MT-ht b *silenus* Epamera 16:214
 BMNH-ht b *unimaculata* Deudorix 16:215
- Hawker-Smith 1929 Bull. Hill Mus. [b2166]
 BMNH-ht c *f. sabulosa* Spindasis 3(3):231
- Hawker-Smith 1929 Bull. Hill Mus. [b2167]
 BMNH-ht a *gloveri* Oxyliades 3(3):234
- Hawker-Smith 1933 Stylops [b2168]
 - b *albida* Pentila 2:4
 - a *albomaculata* Liptena 2:7
 - b *barnsi* Pseuderessia 2:5
 - a *congoana* Liptena 2:9
 - b *coomassiensis* Liptena 2:8
 - a *emarginata* Pentila 2:4
 - a *ferrulinea* Alaena 2:2
 - a *fulvicans* Liptena 2:8
 - a *fulvula* Micropentila 2:9
 - a *hewitsonioides* Epitola 2:11
 - a *inframaculata* Liptena 2:7
 - b *interrupta* Alaena 2:2
 - a *inundifera* Argyrocheila 2:10
 - a *latimarginata* Teziomima 2:6
 - a *latimargo* Pentila 2:3
 - a *maculata* Alaena 2:2
 - c *magnifica* Iridana 2:11
 - b *marmorata* Alaena 2:1
 - a *minima* Teziomima 2:6

- Hawker-Smith 1933 *Stylops* [b2168] (*continued*)
- b *nyasana* Alaena 2:1
 - a *obscura* Epitola 2:11
 - b *obsoleta* Pentila 2:3
 - b *ochrea* Alaena 2:3
 - a *ochrea* Liptena 2:8
 - b *pallida* Citrinophila 2:6
 - a *parva* Teriomima 2:6
 - b *purpurea* Pseuderesia 2:5
 - c *rectifascia* Liptena 2:8
 - a *rubromacula* Liptena 2:9
 - a *subfusca* Deloneura 2:10
 - a *subfuscata* Pentila 2:3
 - b *subochracea* Pentila 2:4
 - a *subsuffusa* Liptena 2:7
 - a *ugandae* Micropentila 2:10
 - b *ugandae* Argyrocheila 2:10
- [Haworth] 1802 *Prodr. Lep. Brit.* [b2172]
- a *dispar* Papilio :3 et nota (or
- K. Hayashi 1955 *Tyô to Ga* [b2212]
- c *septentrionalis* Spindasis 6(4):30, f 7-10
- Hayashi 1976 *Tyô to Ga* [b2176]
- OMNH-ht b *mioae* Jamides 26(3/4):98
 - OMNH-ht c *ohtai* Jamides 26(3/4):97
- Hayashi 1976 *Tyô to Ga* [b2177]
- OMNH-ht b *hiurai* Panchala 26(3/4):112
 - OMNH-ht c *hondai* Castalius 26(3/4):112
- Hayashi 1976 *Tyô to Ga* [b2178]
- b *owadai* Loxura 27(1):1, f
 - b *takioi* Loxura 27(1):1, f
- Hayashi 1976 *Tyô to Ga* [b2179]
- b *morishitai* Simiskina 27(1):5, f
 - b *palawana* Nacaduba 27(1):5, f
 - b *shirozui* Narathura 27(1):7, f
 - b *unnoi* Narathura 27(1):7, f
- Hayashi 1976 *Tyô to Ga* [b2180]
- b *hondai* Zemeris 27(1):9, f
 - b *sakalii* Dedona 27(1):12, f
- Hayashi 1976 *Tyô to Ga* [b2181]
- OMNH-ht b *elioti* Udara 27(1):13, f
 - c *hondai* Nacaduba 27(1):13, f
 - b *miyatakei* Zeltus 27(1):14, f
 - b *palawanica* Narathura 27(1):14, f
- Hayashi 1976 *Tyô to Ga* [b2182]
- b *howarthi* Simiskina 27(1):19, f
 - b *kawazoei* Sinthusa 27(1):20, f
 - b *kurosawai* Dacalana 27(1):19, f
 - b *ogatai* Sinthusa 27(1):20, f
 - b *palawensis* Hypocheila 27(1):20, f
- Hayashi 1976 *Tyô to Ga* [b2183]
- b *kinoshitai* Poritia 27(2):49, f
 - b *mitsukushi* Cyanitoides 27(2):49, f
 - b *tomokoae* Panchala 27(2):51, f
- Hayashi 1976 *Tyô to Ga* [b2184]
- d *elioti* Nacaduba (H) 27(3):97, f
 - b *fujikoi* Nacaduba 27(3):97, f
 - b *igarashii* Britomartis 27(3):99, f
- Hayashi 1976 *Tyô to Ga* [b2185]
- b *arital* Jamides 27(4):151, f
 - b *howarthi* Jamides 27(4):151, f
 - b *jumaloni* Jamides 27(4):152, f
 - OMNH-ht b *kawazoei* Udara 27(4):152, f
 - b *kawazoei* Jamides 27(4):151, f
- Hayashi 1976 *Tyô to Ga* [b2185] (*continued*)
- b *natsumiae* Jamides 27(4):152, f
 - a *rothschildi* Jamides 27(4):151
- Hayashi 1977 *Tyô to Ga* [b2186]
- OMNH-ht b *chotaro* Charana 28(4):167, f
 - OMNH-ht b *mindanensis* Jamides 28(4):167, f
 - OMNH-ht b *nakamotoi* Jamides 28(4):167, f 3
- Hayashi 1978 *Tyô to Ga* [b2187]
- OMNH-ht c *arital* Narathura 29(2):67, f 1-6
- Hayashi 1978 *Tyô to Ga* [b2190]
- OMNH-ht b *asagiae* Narathura 29(2):114, f 1-4
 - OMNH-ht b *mizunumai* Tajuria 29(2):114, f 5
- Hayashi 1978 *Tyô to Ga* [b2191]
- OMNH-ht a *ikedai* Deramas 29(3):164, f 1
 - OMNH-ht a *mioae* Eliotia 29(3):166, f 5
 - OMNH-ht c *nakamotoi* Narathura 29(3):164, f 3
 - OMNH-ht c *toshikoae* Jacoona 29(3):166, f 7
- Hayashi 1978 *Tyô to Ga* [b2192]
- OMNH-ht b *sugimotoi* Dacalana 29(3):169, f 1-6
- Hayashi 1978 *Tyô to Ga* [b2193]
- OMNH-ht b *mizunumai* Narathura 29(3):171, f 1-6
 - OMNH-ht a *tomokoae* Deramas 29(3):173, f 7-13
- Hayashi 1978 *Tyô to Ga* [b2194]
- OMNH-ht b *sugimotoi* Poritia 29(4):209, f 1-5
- Hayashi 1979 *Tyô to Ga* [b2196]
- OMNH-ht c *kazuyai* Eliotia 30(1,2):85
 - OMNH-ht a *matsutaroi* Narathura 30(1,2):83
 - OMNH-ht a *nakamotoi* Catapaecilma 30(1,2):87
 - OMNH-ht a *natsumiae* Sinthusa 30(1,2):88
- Hayashi 1980 *Tyô to Ga* [b2197]
- OMNH-ht c *nishiyamai* Drupadia 30(3,4):176
- Hayashi 1981 *Tyô to Ga* [b2198]
- NSMT-ht c *hollowayi* Narathura 32(1,2):72
 - NSMT-ht b *katoi* Horaga 32(1,2):78
 - NSMT-ht a *kawazoei* Deramas 32(1,2):66
 - NSMT-ht c *kurosawai* Neocheritra 32(1,2):80
 - NSMT-ht b *mio* Narathura 32(1,2):77
 - NSMT-ht b *natsumiae* Narathura 32(1,2):76
 - NSMT-ht b *negrosiana* Narathura 32(1,2):76
 - NSMT-ht c *nishiyamai* Narathura 32(1,2):71
 - NSMT-ht b *philippina* Narathura 32(1,2):71
 - NSMT-ht b *philippinensis* Deramas 32(1,2):67
 - NSMT-ht a *pseudovihara* Narathura 32(1,2):74
 - NSMT-ht a *sakaguchii* Narathura 32(1,2):75
 - NSMT-ht c *schroederi* Narathura 32(1,2):68
 - NSMT-ht c *seturoi* Flos 32(1,2):77
 - NSMT-ht a *shirozui* Chliaria 32(1,2):81
 - NSMT-ht c *sugimotoi* Narathura 32(1,2):70
 - NSMT-ht a *toshikoae* Deramas 32(1,2):67
 - NSMT-ht a *treadawayi* Deramas 32(1,2):63
 - NSMT-ht a *tyotaroi* Pratapa 32(1,2):79
 - NSMT-ht b *yoshiae* Sinthusa 32(1,2):82
- Hayashi 1984 *Iwase* [b2199]
- b *fumiae* Tajuria (2):17; pl 1
 - a *natsumiae* Horaga (2):16; pl 1
 - d *natsumiae* Arhopala (H) (2):13; pl 1
 - b *nobumasai* Drupadia (2):14; pl 1
 - b *ohkuboi* Horaga (2):16; pl 1
 - b *ohtai* Drupadia (2):14; pl 1
 - b *ohsukai* Dodona (2):13; pl 1
 - b *shizukoae* Catapaecilma (2):14; pl 1
 - b *takanamii* Rapala (2):19; pl 1
 - b *takioi* Drupadia (2):15; pl 1
 - a *toshikoae* Hypolycaena (2):19; pl 1

- Hayashi 1984 Iwase [b2199] (*continued*)
 - b *yuhkichi* Tajuria (2):18; pl 1
- Hayashi 1984 Tyô to Ga [b2202]
 OMNH-ht a *matsutaroi* Tajuria 34(3):127-129
- Hayashi 1984 Ent. Zeit. [b2203]
 OMNH-ht a *schroederi* Chliaria 94(21):313, f
 OMNH-ht a *treadawayi* Dacalana 94(21):311, f
- Hayashi & Iwanaga 1974 Kontyû [b2206]
 OMNH-ht c *kawazoei* Celastrina 42(1):17, f 6-8
 OMNH-ht c *nuydai* Celastrina 42(1):22, f
- Hayashi & Iwanaga 1974 Kontyû [b2207]
 - c *tomokoae* Sinthusa 42(3):259, f
- Hayashi & Ohtsuka 1985 Iwase [b2208]
 pc-ht a *makikoae* Sinthusa (3):4, pl 1
 pc-ht c *osamui* Deramas (3):3, tf 3
- Hayashi & Schröder & Treadaway 1978 Tyô to Ga [b2209]
 OMNH-ht a *mindanensis* Sinthusa 29(4):215, f 5-8
 OMNH-ht b *stephaniae* Sinthusa 29(4):216, f 21-22
 OMNH-ht a *tomokoae* Rapala 29(4):215, f 1-4
- Hayashi & Schröder & Treadaway 1983 Senckenbergiana [b2210]
 OMNH-ht a *akayamai* Dacalana 63(1/2):51
 pc-ht a *irmae* Dacalana 63(1/2):55
 pc-ht a *ismaeli* Pratapa 63(1/2):58
 pc-ht a *liaoi* Dacalana 63(1/2):53
 pc-ht a *lucillae* Dacalana 63(1/2):47
 OMNH-ht b *marinduquensis* Dacalana 63(1/2):57
 OMNH-ht a *mio* Dacalana 63(1/2):50
 OMNH-ht a *natsumiae* Dacalana 63(1/2):47
- Hayashi & Schröder & Treadaway 1984 Senckenbergiana [b2211]
 pc-ht a *akayamai* Deramas 65(1/2):31
 pc-ht a *iljai* Matsutaroa 65(1/2):36
 pc-ht a *irawana* Chliaria 65(1/2):38
 pc-ht b *marinduquensis* Narathura 65(1/2):32
 pc-ht a *mio* Paruparo 65(1/2):33
 pc-ht b *panayensis* Paruparo 65(1/2):35
 pc-ht a *talophi* Poritia 65(1/2):29
- Hayward 1926 Ent. Rec. [b2213]
 - e *ab. albolunulata* Chilades 37(Sup.):13
- Hayward 1935 Revta Soc. ent. argent. [b2214]
 pc c *quadrufus* Thecla 7:191
 pc c *rufanalis* Thecla 7:191
- Hayward 1939 Physis [b2215]
 - e *ab. ochrogutta* Lymnas 17:336
- Hayward 1949 Acta zool. lilloana [b2216]
 - e *f. dissimilis* Ematurgina (IFS) 8:199
 - e *f. distincta* Ematurgina (IFS) 8:198
 - b *mesembrina* Orimba 8:197
 - b *notia* Apodemia 8:198
 - e *ab. pallida* Chamaelimnas 8:197
 - c *phyciodes* Hamearis 8:199, f
- Hayward 1949 Acta zool. lilloana [b2217]
 FMLT-ht a *amethystina* Thecla 8:567, pl, f 3
 FMLT-ht a *cana* Thecla 8:571, pl, f 7
 FMLT-ht a *diaguita* Thecla 8:576, pl, f 4
 FMLT-ht a *eremica* Thecla 8:574
 MACN a *eumorpha* Thecla 8:572, pl, f 6
 pc a *euprepes* Ipidecla 8:579, pl, f 5
 FMLT-ht c *leptocosma* Thecla 8:578
 FMLT-ht b *lita* Thecla 8:570
 FMLT-ht c *oreopola* Itylos 8:580, pl, f 2
 FMLT-ht b *sparsa* Thecla 8:574
 FMLT-ht b *toba* Thecla 8:569
- Hayward 1967 Acta zool. lilloana [b2219]
 - a *catamasquensis* Thecla 21:11
 - a *correntina* Thecla 21:6, f 2
 - a *hypoliodes* Thecla 21:7
 - a *opaliana* Thecla 21:9, f 3
 - a *scintillans* Thecla 21:10
- Hayward 1968 Acta zool. lilloana [b2220]
 - a *catamarquense* Audre 22:140, f 1b
 - a *mesopotamica* Audre 22:137
- Heath 1983 Arnoldia Zimbabwe [b2224]
 BMNH-ht a *dianae* Iolous 9(10):152, f 2c-d
 BMNH-ht a *fisheri* Iolous 9(10):149, f 3a
 BMNH-ht a *pamelae* Iolous (H) 9(10):160, f 2a-b
 BMNH-ht a *pinheyi* Spindasis 9(10):146, f 1a-b
- Heath 1985 Arnoldia Zimbabwe [b2225]
 - a *pinheyi* Eicochrysope 9(18):264, f
 - a *stewarti* Iolous 9(18):259, f
- Heid 1933 In Proc. Calif. Acad. Sci. [b2227]
 CAS-ht b *clarionensis* Thecla (4)21:143
- Heinrich 1938 Deut. ent. Zeit. [b2228]
 - e *ab. limbosplendens* Lycaena 1938:10
 - e *ab. minor* Lycaena 1938:11
 - e *ab. semicaeca* Lycaena 1938:11
- Heller 1902 Deut. ent. Zeit. [Iris] [b2229]
 - c *abbuna* Abisara 15:131, pl 3
- Hellweger 1896 Ent. Zeit. [b2230]
 - e *spadae* Polyommatus 10:67
- Hemming 1927 Entomologist [b2231]
 - b *amelia* Turania 60(5/6):277
- Hemming 1928 Proc. ent. Soc. Lond. [b2233]
 BMNH-ht a *gigas* Lycaenopsis 3(1):29, pl 2
- Hemming 1929 Entomologist [b2235]
 - b *occidentalis* Turanana 62:29, pl 1
 - b *schiffermuelleri* Turanana 62:61, pl 1
- Hemming 1929 Proc. ent. Soc. Lond. [b2237]
 - c *lockharti* Polyommatus 4(1):3
- Hemming 1929 Proc. ent. Soc. Lond. [b2238]
 - b *antilibanotica* Polyommatus 4(1):4
 - e (+) *f. margaritae* Polyommatus 4(1):4
- Hemming 1931 Trans. ent. Soc. Lond. [b2239]
 BMNH-ht b *buerschii* Iolana 79(2):327, f
 BMNH-st b *dubernardi* Maculinea 79(2):330
 biblio c *pictonensis* Uranops 79(2):330
 BMNH-ht b *pratti* Maculinea 79(2):329
 BMNH-ht b *thomasi* Iolana 79(2):326
 BMNH-ht b *williamsi* Apelles 79(2):331, pl 9
- Hemming 1931 Ann. Mag. nat. Hist. [b2241]
 BMNH-ht b *euaemon* Polyommatus (10)8:536
 BMNH-ht b *titania* Plebeius (10)8:535
- Hemming 1931 Ann. Mag. nat. Hist. [b2242]
 BMNH-ht b *patrocles* Scolitantides (10)8:579
- Hemming 1932 Entomologist [b2243]
 - b *astabene* Scolitantides 65:181
 - c *casimiri* Scolitantides 65:180
- Hemming 1932 Entomologist [b2244]
 - b *anthea* Polyommatus 65:268
 - b *brenda* Polyommatus 65:269
 - b *brunhilda* Polyommatus 65:267

- Hemming 1932 Proc. ent. Soc. Lond. [b2245]
biblio b *deslandesi* Lycaena 7(2):29
- Hemming 1932 Stylops [b2246]
BMNH-ht b *mylitta* Aricia 1:12, pl 1
- Hemming 1933 Entomologist [b2248]
- a *juno* Polyommatus 66:7
- Hemming 1933 Entomologist [b2250]
- b *nitschel* Aricia 66:277
- b *ophion* Lycaena 66:278
- a *zulichii* Agriades 66:277
- Hemming 1934 Entomologist [b2251]
- b *cleopatra* Plebejus 67:30
- Hemming 1934 Stylops [b2252]
biblio c *athene* Scolitantides 3:98
biblio b *letitia* Lycaeides 3:98
biblio b *medea* Vacciniina 3:98
biblio b *memphis* Lycaena 3:98
biblio c *selene* Glaucopsyche 3:98
- Hemming 1934 Stylops [b2255]
- c *baldur* Lycaeides 3:193
biblio b *marlene* Agriades 3:193
- Hemming 1956 Bull. Zool. Nomen. [b2268]
T *puer* Cupido (RC) 12(10):268
- Hemming 1960 Annot. Lep. [b2270]
- c *staudingeri* Oboronia (1):33
- Hemming 1964 Annot. Lep. [b2273]
T *ania* Charis (JOS) (3):101
T *auisus* Papilio (3):101
T *endymiaena* Hexuropteris (3):103
T *endymion* Papilio (H) (3):103
T *eucharila* Cremona (3):102
T *julia* Erycina (3):103
T *pyrete* Ancylois (JOS) (3):101
- Hemming 1964 Annot. Lep. [b2274]
T *danis* Papilio (3):105
T *sebae* Damis (JOS) (3):105
- Hemming 1967 Bull. Br. Mus. nat. Hist. (Ent.) [b2280]
- e *anrya* Catopyrops (ISS) Suppl. 9:102
- e *iarbas* Rapala (ISS) Suppl. 9:303
- e *iarbas* Panara (ISS) Suppl. 9:333
- e *lamprolensis* Esthemopheles (ISS) Suppl. 9:170
- e *symna* Megalopalpus (ISS) Suppl. 9:282
- e *thersamen* Lycaena (ISS) Suppl. 9:440
- Henne 1935 Ent. News [b2281]
pc e *ab. burdicki* Leptotes 46(4):100, f 1
- Henne 1940 Bull. S. Calif. Acad. Sci. [b2282]
LACM-ht b *comstocki* Callophrys 39(1):71
- Henning 1977 Ent. Rec. [b2298]
- a *dicksoni* Poecilmitis 89:25
- a *perseus* Poecilmitis 89:27
- Henning 1979 J. ent. Soc. S. Afr. [b2288]
- a *kaplani* Poecilmitis 42(2):153, f
- a *lyndseyae* Poecilmitis 42(2):155, f
- Henning 1981 Ent. Rec. [b2283]
- a *tearei* Hypolycaena 93(3/4):55, f
- Henning 1982 J. ent. Soc. S. Afr. [b2284]
- a *nubilus* Aloeides 45(2):234, f
- a *rossouwi* Aloeides 45(2):231, f
- a *tearei* Aloeides 45(2):236, f
- Henning 1987 J. ent. Soc. S. Afr. [b2285]
- a *caffrariae* Aloeides 50(1):246, f
- a *dicksoni* Aloeides 50(1):245, f
- a *titel* Aloeides 50(1):243, f
- Henning & Henning 1983 J. ent. Soc. S. Afr. [b2290]
TM a *michellae* Lepidochrysops 46(1):59, f 3-4
- Henning & Henning 1984 J. ent. Soc. S. Afr. [b2291]
- b *brainei* Iolaus 47(1):35-44
- Henning & Henning 1986 J. ent. Soc. S. Afr. [b2292]
TM-ht a *merces* Aloeides 49(2):339, f 3
- Henning & Henning 1988 Durban Mus. Novit. [b2286]
DM-ht a *bamptoni* Capys 14(6):115, f
DM-ht a *calpurnia* Capys 14(6):116, f
DM-ht a *collinsi* Capys 14(6):114, f
DM-ht a *cupreus* Capys 14(6):118, f
DM-ht b *gardineri* Capys 14(6):113, f 53
DM-ht b *heathi* Capys 14(6):102-139
DM-ht a *hermes* Capys 14(6):109, f
DM-ht a *juliae* Capys 14(6):117, f
DM-ht a *meruensis* Capys 14(6):102-139
- Henning & Henning 1989 J. ent. Soc. S. Afr. [b2293]
- a *helenae* Iolaus 52(2):187, f
- Henning & Henning 1991 Ent. Rec. [b2287]
- b *sophiae* Iolaus 103(3/4):84, f
- Henriksen 1977 Lepidoptera (Copenhagen) [b2299]
T *clara* Lycaena 3(4):120
- Hensel 1920 Int. ent. Z. [b2301]
- e *extincta* Chrysophanus (IFS) 14(16):122
- Herbst 1788-1804 In Jablonsky, Natursyst. Ins., Schmett. [b2306]
- c 1793 *eustachius* Papilio 8:77, pl 193
- d 1793 *nina* Papilio (H) 9:30, pl 233
- c 1793 *pulsus* Papilio 6:pl 156, f 6
- c 1796 *uiricella* Papilio 8:pl 231, f 6
- c 1800 *cyllarissus* Papilio 10:297, pl 291
- a 1800 *eryssus* Papilio 10:316, pl 294
- d 1800 *esra* Papilio (H) 10: , pl 285
- a 1800 *hylassus* Papilio 10:266, pl 286
- c 1800 *silenissa* Papilio 10:306, pl 292
- c 1804 *amelia* Papilio 11:pl 300, f 3
- d 1804 *amyntor* Papilio (H) 11:27, pl 300
- d 1804 *cerasi* Papilio (H) 11:pl 307, f 8
- c 1804 *dymus* Papilio 11:pl 309, f 10
- c 1804 *nanus* Papilio 11:pl 312, f 1
- d 1804 *semiargus* Papilio (H) 11:177 (as *semiargus*)
- c 1804 *tespis* Papilio 11:270, pl 317
- c 1804 *zachaeus* Papilio 11:195, pl 311
- Hering & Hopp 1925 Deut. ent. Zeit. [Iris] [b2309]
- a *wernerii* Thecla 39:196
- Heron 1894 Ann. Mag. nat. Hist. [b2310]
- a *austini* Castalius (6)14:103
- b *dammae* Cyaniris (6)14:104
- Heron 1896 Ann. Mag. nat. Hist. [b2311]
- c *greenii* Spindasis (6)18:190
- Heron 1909 Trans. zool. Soc. Lond. [b2312]
- a *delatorum* Uranothauma 19(2):161, pl 5
- a *reginaldi* Harpendyreus 19(2):159, pl 5
- Herrich-Schäffer 1843-1856 Syst. Bearb. Schmett. Europ. [b2313]
- c [1844] *alexis* Lycaena 1:pl 52, f 246
- b [1844] *bella* Lycaena 1:pl 49, f 227-228
- b [1844] *boisduvalii* Lycaena 1:pl 2, f 7-9

Herrich-Schäffer 1843-1856 Syst. Bearb. Schmett. Europ. [b2313]
(continued)

-	b [1844]	candens Polyommatus	1:pl 49, f 229-231
-nt	a [1844]	damocles Lycaena	1:pl 47, f 214-215
-	c [1844]	psittacus Lycaena	1:pl 48, f 220-223
-	c [1846]	ignitus Polyommatus	1:pl 69, f 332
-	a [1847]	hyacinthus Lycaena	1:pl 72, f 345-348
-	a [1847]	iphigenia Lycaena	1:pl 73, f 354
-	a [1850]	ledererii Thecla	1:pl 93, f 445-448
-	a [1850]	lorquini Lycaena	1:pl 92, f 442-444
-	a [1851]	actis Lycaena	1:pl 104, f 496-499
-	d [1851]	albicans Lycaena (H)	1:pl 103, f 494-495
-	■ [1851]	asabinus Polyommatus	1:pl 109, f 527
-	a [1851]	candalus Lycaena	1:pl 105, f 502-505
-	■ [1851]	carmon Lycaena	1:pl 105, f 506-507
-	c [1851]	helius Polyommatus	6:32
ZMHU-It	a [1851]	hispana Lycaena	1:pl 104, f 500
-	a [1851]	hopfferi Lycaena	1:pl 107, f 512-514
-	a [1851]	nogelii Thecla	1:pl 110, f 529-532
-	a [1851]	ochimus Polyommatus	1:pl 109, f 523-526
-	c [1851]	panagea Lycaena	1:pl 103, f 490-493
-	a [1851]	poseidon Lycaena	6:24
ZMHU-nt	a [1852]	corydonius Lycaena	1:pl 123, f 595-596
-	b [1852]	egea Lycaena	6:25
-	■ [1852]	myrrha Lycaena	1:pl 106, f 508-511

Herrich-Schäffer 1850-1869 Samml. neuer. aussereurop. Schmett.
[b2314]

-	a [1853]	acanthoides Nymphidium	1:[55], pl [-]
-	a [1853]	anica Euselasia	1:[55], pl [-]
-	c [1853]	arcas Orimba	1:[55], pl [11]
-	a [1853]	artos Euselasia	1:[55], pl [-]
-	a [1853]	atrius Thecla	1:[55], pl [14]
-	c [1853]	cataleuca Orimba	1:[55]
-	a [1853]	essus Thecla	1:[55], pl [14]
-	a [1853]	heliconides Pheles	1:[55], pl [11]
-	a [1853]	hippea Symmachia	1:[55], pl [-]
-	a [1853]	lagora Leucochimona	1:[55], pl [13]
-	c [1853]	mirita Diophthalma	1:[55], pl [-]
-	a [1853]	mys Euselasia	1:[55], pl [-]
-	c [1853]	nega Thecla	1:[55], pl [-]
-	c [1853]	nicaste Nymphidium	1:[55], pl [-]
-	c [1853]	nobilis Thecla	1:[55], pl [14]
-	a [1853]	nola Mesene	1:[55], pl [2]
-	c [1853]	ophias Eurygona	1:[55], pl [12]
-	a [1853]	pedias Theope	1:[55], pl [-]
-	a [1853]	pulcherrima Eurygona	1:[55], pl [12]
-	a [1853]	punctum Thecla	1:[55], pl [-]

Herrich-Schäffer 1862-1863 CorrespBl. zool.-min. Ver. Regensb.
[b2315]

-	a 1862	coelebs Thecla	16:142
-	b 1862	isopthalma Lycaena	16:141

Herrich-Schäffer 1864-1865 CorrespBl. zool.-min. Ver. Regensb.
[b2316]

-	a 1864	maesites Thecla	18(11/12):165
-	a 1864	martialis Thecla	18(11/12):164

Herrich-Schäffer 1869 Stett. ent. Ztg [b2317]

-	a	alsulus Lycaena	30(1-3):75
-	a	berenice Lycaena	30(1-3):74
-	a	candrena Lycaena	30(1-3):74
-	c	communis Lycaena	30(1-3):72
-	c	discifer Chrysophanus	30(1-3):72
-	a	dyopa Lycaena	30(1-3):75
-	b	platissa Lycaena	30(1-3):74
-	b	samoa Lycaena	30(1-3):73
-	a	serpentata Lycaena	30(1-3):74

Herz 1900 Annu. Mus. zool. St. Pétersbourg [b2318]

-	c	noah Lycaena	5:442
---	---	---------------------	-------

Hesselbarth & Siepe 1993 Phegea [b2321]
- a **torulensis** Polyommatus 21(2):48, f

Hewitson 1846-1852 In Gen. diurn. Lep. [b2322]
- a [1851] **formosa** Mesosemia :453, pl 17

Hewitson 1852-1877 Ill. exot. Butts [b2323]

-	■ [1852]	barca Limnas	1:[--], pl [60]
-	a [1852]	lycisca Limnas	1:[--], pl [60]
-	a [1853]	agle Nymphidium	1:[--], pl [57]
-	a [1853]	agria Limnas	1:[--], pl [60]
-	b [1853]	arctos Nymphidium	1:[--], pl [57]
-	b [1853]	ascolia Nymphidium	1:[--], pl [57]
MNRJ-nt	a [1853]	baeotia Nymphidium	1:[12], pl [57]
-	a [1853]	chaonia Nymphidium	1:[--], pl [57]
-	a [1853]	gela Nymphidium	1:[--], pl [57]
-	a [1853]	latona Lemonias	1:[--], pl [58]
-	a [1853]	lycorias Nymphidium	1:[--], pl [57]
-	c [1853]	pythia Lemonias	1:[--], pl [58]
-	a [1853]	rhodope Lemonias	1:[--], pl [58]
-	a [1853]	senta Echenais	1:[--], pl [58]
-	b [1853]	thyatira Limnas	1:[--], pl [59]
-	a [1853]	unxia Limnas	1:[--], pl [59]
-	a [1853]	vitula Limnas	1:[118], pl [59]
-	a [1853]	volusia Limnas	1:[--], pl [59]
-	a [1853]	xarifa Limnas	1:[--], pl [59]
-	a [1853]	xenia Limnas	1:[--], pl [60]
-	c [1853]	zoega Limnas	1:[--], pl [59]
-	a [1854]	cabira Calydna	1:[--], pl [49]
-	a [1854]	caieta Calydna	1:[--], pl [49]
-	a [1854]	calamisa Calydna	1:[--], pl [49]
-	c [1854]	calitas Calydna	1:[--], pl [49]
-	a [1854]	charila Calydna	1:[--], pl [49]
-	a [1854]	chaseba Calydna	1:[--], pl [49]
-	a [1854]	genoveva Ogyris	1:[96], pl [48]
-	a [1854]	zosine Ogyris	1:[95], pl [48]
-	a [1855]	uboea Eurygona	1:[--], pl [54]
-	a [1855]	euclitus Eurygona	1:[--], pl [51]
-	a [1855]	eumedia Eurygona	1:[--], pl [50]
-	a [1855]	eumenes Eurygona	1:[--], pl [51]
-	a [1855]	euphaes Eurygona	1:[--], pl [52]
-	a [1855]	eusepus Eurygona	1:[--], pl [51]
-	a [1855]	eutaea Eurygona	1:[--], pl [50]
-	a [1855]	opalescens Eurygona	1:[--], pl [52]
-	a [1855]	pelor Eurygona	1:[--], pl [50]
-	a [1855]	uria Eurygona	1:[--], pl [51]
-	a [1855]	urites Eurygona	1:[--], pl [51]
-	a [1855]	utica Eurygona	1:[--], pl [52]
-	a [1855]	uzita Eurygona	1:[--], pl [51]
-	a [1856]	clesa Eurygona	1:[--], pl [56]
-	b [1856]	eubages Eurygona	1:[--], pl [56]
-	a [1856]	eubotes Eurygona	1:[--], pl [56]
-	a [1856]	eugeon Eurygona	1:[--], pl [56]
-	a [1856]	euhemerus Eurygona	1:[--], pl [56]
-	a [1856]	eulione Eurygona	1:[--], pl [55]
-	a [1856]	eunaeus Eurygona	1:[--], pl [53]
-	a [1856]	euodias Eurygona	1:[--], pl [54]
-	a [1856]	euoras Eurygona	1:[--], pl [53]
-	a [1856]	euploea Eurygona	1:[--], pl [53]
-	a [1856]	euromus Eurygona	1:[--], pl [56]
-	a [1856]	euryone Eurygona	1:[--], pl [55]
-	b [1856]	eurypus Eurygona	1:[--], pl [56]
-	b [1856]	eutyclus Eurygona	1:[--], pl [54]
-	a [1857]	lamachus Mesosemia	2:[--], pl [50]
-	b [1857]	maesia Mesosemia	2:[--], pl [50]
-	a [1857]	mevania Mesosemia	2:[--], pl [50]
-	a [1858]	maenades Mesosemia	2:[--], pl [51]
-	a [1858]	marisa Mesosemia	2:[--], pl [52]
-	b [1858]	meana Mesosemia	2:[--], pl [52]
-	a [1858]	meeda Mesosemia	2:[--], pl [51]
-	a [1858]	nesti Mesosemia	2:[--], pl [51]
-	c [1858]	rhesa Lemonias	2:[--], pl [58]

Hewitson 1852-1877	Ill. exot. Butts [b2323] (continued)
-	a [1858] <i>siaka</i> Lemonias 2:[-], pl [58]
-	a [1858] <i>steli</i> Mesosemia 2:[-], pl [51]
-	a [1858] <i>sudias</i> Lemonias 2:[-], pl [58]
-	a [1858] <i>thara</i> Lemonias 2:[-], pl [58]
-	a [1859] <i>antaerice</i> Mesosemia 2:[-], pl [55]
-	a [1859] <i>calyce</i> Calydna 2:[-], pl [47]
-	a [1859] <i>candace</i> Calydna 1:[-], pl [47]
-	a [1859] <i>caprina</i> Calydna 2:[-], pl [47]
-	a [1859] <i>carneia</i> Calydna 2:[-], pl [47]
-	a [1859] <i>catana</i> Calydna 2:[-], pl [47]
-	a [1859] <i>cea</i> Calydna 2:[-], pl [47]
-	a [1859] <i>cippus</i> Mesosemia 2:[-], pl [55]
-	a [1859] <i>epidius</i> Mesosemia 2:[-], pl [54]
-	a [1859] <i>ibycus</i> Mesosemia 2:[-], pl [56]
-	a [1859] <i>macaris</i> Mesosemia 2:[-], pl [53]
-	a [1859] <i>macella</i> Mesosemia 2:[-], pl [53]
-	a [1859] <i>maeotis</i> Mesosemia 2:[-], pl [55]
-	a [1859] <i>melaene</i> Mesosemia 2:[-], pl [54]
-	a [1859] <i>melpia</i> Mesosemia 2:[-], pl [56]
-	a [1859] <i>menoetes</i> Mesosemia 2:[110], pl [55]
-	a [1859] <i>metope</i> Mesosemia 2:[-], pl [56]
-	a [1859] <i>minos</i> Mesosemia 2:[-], pl [54]
-	c [1859] <i>misipsa</i> Mesosemia 2:[-], pl [53]
-	a [1859] <i>myonia</i> Mesosemia 2:[-], pl [56]
-	c [1859] <i>traga</i> Mesosemia 2:[-], pl [54]
-	a [1860] <i>dorina</i> Eurygona 2:[-], pl [48]
-	a [1860] <i>gyda</i> Eurygona 2:[-], pl [48]
-	a [1860] <i>machaera</i> Mesosemia 2:[-], pl [57]
-	a [1860] <i>magete</i> Mesosemia 2:[-], pl [57]
-	a [1860] <i>maticsa</i> Mesosemia 2:[-], pl [57]
-	a [1860] <i>mazaca</i> Eurygona 2:[-], pl [48]
-	a [1860] <i>melese</i> Mesosemia 2:[-], pl [57]
-	a [1860] <i>messeis</i> Mesosemia 2:[-], pl [57]
-	a [1860] <i>methion</i> Mesosemia 2:[-], pl [57]
-	a [1860] <i>mosera</i> Mesosemia 2:[-], pl [57]
-	a [1860] <i>thebais</i> Theope 2:[-], pl [49]
-	c [1860] <i>thelpusa</i> Theope 2:[-], pl [49]
-	a [1860] <i>theritas</i> Theope 2:[-], pl [49]
-	a [1860] <i>thestias</i> Theope 2:[-], pl [49]
-	a [1860] <i>thootes</i> Theope 2:[-], pl [49]
-	a [1860] <i>zena</i> Eurygona 2:[-], pl [48]
-	a [1861] <i>neophron</i> Sospita 2:[-], pl [46]
-	a [1861] <i>segecia</i> Sospita 2:[92], pl [46]
-	c [1861] <i>susa</i> Sospita 2:[-], pl [46]
-	c [1861] <i>tanita</i> Taxila 2:[-], pl [45]
-	a [1861] <i>telesia</i> Taxila 2:[-], pl [45]
-	a [1861] <i>teneta</i> Taxila 2:[89], pl [45]
-	a [1861] <i>thulisto</i> Taxila 2:[90], pl [45]
-	a [1862] <i>decorata</i> Taxila 3:[-], pl [54]
-	a [1862] <i>statira</i> Sospita 3:[-], pl [53]
-	a [1862] <i>wallacei</i> Sospita 3:[-], pl [53]
-	a [1863] <i>aminias</i> Lemonias 3:[-], pl [59]
-	c [1863] <i>ancile</i> Lemonias 3:[-], pl [59]
-	a [1863] <i>aurinia</i> Lemonias 3:[-], pl [58]
-	b [1863] <i>auselus</i> Lemonias 3:[-], pl [58]
-	a [1863] <i>balista</i> Lemonias 3:[-], pl [58]
-	a [1863] <i>borsippa</i> Lemonias 3:[-], pl [59]
-	a [1863] <i>cerealis</i> Lemonias 3:[-], pl [59]
-	c [1863] <i>chea</i> Lemonias 3:[-], pl [59]
-	a [1863] <i>cicuta</i> Lemonias 3:[-], pl [58]
-	a [1863] <i>cilissa</i> Lemonias 3:[-], pl [59]
-	a [1863] <i>felsina</i> Lemonias 3:[-], pl [58]
-	b [1865] <i>apame</i> Nymphidium 3:[-], pl [55]
-	c [1865] <i>arche</i> Nymphidium 3:[-], pl [55]
-	c [1865] <i>eroe</i> Nymphidium 3:[-], pl [55]
-	a [1865] <i>molela</i> Nymphidium 3:[-], pl [56]
-	a [1865] <i>mycea</i> Nymphidium 3:[-], pl [56]
-	b [1865] <i>mycone</i> Nymphidium 3:[-], pl [56]
-	a [1865] <i>ninias</i> Nymphidium 3:[-], pl [56]
BMNH	a [1865] <i>omois</i> Nymphidium 3:[-], pl [56]
-	a [1865] <i>onoba</i> Nymphidium 3:[-], pl [56]

Hewitson 1852-1877	Ill. exot. Butts [b2323] (continued)
-	a [1866] <i>adonira</i> Dodona 3:[-], pl [52]
-	a [1866] <i>cadmeis</i> Charis 3:[-], pl [57]
-	a [1866] <i>cadytis</i> Charis 3:[-], pl [57]
-	b [1866] <i>calicene</i> Charis 3:[-], pl [57]
-	a [1866] <i>caryatis</i> Charis 3:[-], pl [57]
-	a [1866] <i>chaonitis</i> Charis 3:[-], pl [57]
-	a [1866] <i>chelonis</i> Charis 3:[-], pl [57]
-	a [1866] <i>cleadas</i> Charis 3:[114], pl [57]
-	a [1866] <i>coecias</i> Charis 3:[-], pl [57]
-	a [1866] <i>dipoea</i> Dodona 3:[-], pl [52]
-	a [1866] <i>erastus</i> Tachyris 3:[-], pl [5]
-	a [1866] <i>lagyra</i> Liptena 3:[-], pl [60]
-	a [1866] <i>libentina</i> Liptena 3:[120], pl [60]
-	a [1866] <i>libyssa</i> Liptena 3:[120], pl [60]
-	a [1866] <i>lliraea</i> Liptena 3:[-], pl [60]
-	c [1866] <i>lydda</i> Sospita 3:[-], pl [57]
-	a [1866] <i>peucetia</i> Pentila 3:[-], pl [60]
-	a [1866] <i>tantalus</i> Abisara 3:[-], pl [52]
-	d [1866] <i>tropicalis</i> Pentila (H) 3:[119], pl [60]
-	a [1866] <i>undularis</i> Liptena 3:[120], pl [60]
BMNH-ht	a [1867] <i>arcuata</i> Symmachia 4:[-], pl [45]
-	c [1867] <i>axiochus</i> Anteros 4:[77], pl [42]
-	a [1867] <i>bracteata</i> Anteros 4:[-], pl [42]
BMNH-ht	a [1867] <i>calligrapha</i> Symmachia 4:[-], pl [45]
BMNH-ht	a [1867] <i>calliste</i> Symmachia 4:[-], pl [45]
-	a [1867] <i>chrysoprastus</i> Anteros 4:[77], pl [42]
BMNH-ht	a [1867] <i>emesia</i> Symmachia 4:[-], pl [45]
BMNH-ht	a [1867] <i>hetaerina</i> Symmachia 4:[-], pl [45]
-	b [1867] <i>hilaria</i> Symmachia 4:[-], pl [45]
BMNH-ht	a [1867] <i>norina</i> Symmachia 4:[-], pl [45]
-	a [1867] <i>ocellata</i> Symmachia 4:[-], pl [45]
-	a [1867] <i>pardalis</i> Symmachia 4:[-], pl [45]
BMNH-ht	a [1867] <i>tigrina</i> Symmachia 4:[-], pl [45]
-	a [1867] <i>tricolor</i> Symmachia 4:[-], pl [45]
-	a [1870] <i>alena</i> Lymnas 4:[-], pl [50]
-	a [1870] <i>cratia</i> Lymnas 4:[-], pl [50]
-	a [1870] <i>eulema</i> Ithomeis 4:[75], pl [50]
-	a [1870] <i>hecamede</i> Hades 4:[75], pl [49]
-	c [1870] <i>labiena</i> Eurygona 5:[76], pl [44]
-	a [1870] <i>palaeste</i> Pandemos 4:[75], pl [49]
-	a [1870] <i>passiena</i> Lymnas 4:[-], pl [50]
-	a [1870] <i>ucubis</i> Uraneis 4:[91], pl [49]
-	c [1871] <i>caciparis</i> Charis 4:[79], pl [46]
BMNH-ht	a [1871] <i>calagutis</i> Charis 4:[79], pl [46]
-	a [1871] <i>cercides</i> Chamaelimnas 5:[80], pl [48]
-	a [1871] <i>nealces</i> Nymphidium 4:[79], pl [47]
BMNH-ht	a [1872] <i>byzeres</i> Lemonias 5:[-], pl [34]
-	c [1872] <i>cehalena</i> Comptosia (IOS) 4:pl [50], r 2
-	b [1872] <i>cephalena</i> Comptosia 4:[94], pl [50]
-	c [1872] <i>eucerus</i> Eurygona 5:[-], pl [35]
-	a [1872] <i>eucretes</i> Eurygona 5:[-], pl [35]
BMNH-ht	a [1872] <i>eurymachus</i> Eurygona 5:[-], pl [35]
-	a [1872] <i>eurysthenes</i> Eurygona 5:[-], pl [35]
BMNH-ht	a [1872] <i>ingaretha</i> Necyria 5:[-], pl [38]
-	a [1872] <i>neemias</i> Emesis 5:[-], pl [36]
-	a [1872] <i>vetulonia</i> Necyria 5:[-], pl [38]
-	b [1872] <i>zelotes</i> Emesis 5:[-], pl [36]
-	a [1872] <i>zerna</i> Lemonias 5:[-], pl [34]
-	a [1873] <i>acuta</i> Mesosemia 5:[-], pl [34]
BMNH-ht	a [1873] <i>amenaïda</i> Pentila 5:[-], pl [45]
-	c [1873] <i>cebrenia</i> Cretnna 5:[-], pl [37]
-	a [1873] <i>eleaza</i> Pentila 5:[-], pl [45]
-	a [1873] <i>ilma</i> Liptena 5:[86], pl [45]
-	a [1873] <i>isca</i> Liptena 5:[86], pl [45]
-	b [1873] <i>maera</i> Mesosemia 5:[-], pl [33]
-	b [1873] <i>matatha</i> Mesosemia 5:[-], pl [33]
-	a [1873] <i>mesoba</i> Mesosemia 5:[-], pl [33]
-	a [1873] <i>metura</i> Mesosemia 5:[-], pl [33]
-	a [1873] <i>palades</i> Pachythone 5:[-], pl [37]
BMNH-ht	a [1873] <i>pasicles</i> Pachythone 5:[-], pl [37]
-	a [1873] <i>philonis</i> Pachythone 5:[-], pl [37]

Hewitson 1852-1877 Ill. exot. Butts [b2323] (<i>continued</i>)			
-	a	[1873]	<i>rotha</i> Pentila 5:[-], pl [45]
-	a	[1874]	<i>bacaenis</i> Baeotis 5:Ery 1, f 1
-	a	[1874]	<i>barissus</i> Baeotis 5:Ery, f 7
-	c	[1874]	<i>barzanes</i> Baeotis 5:Ery, f 2
-	c	[1874]	<i>capissene</i> Mesene 5:Ery, f 6,7
-	c	[1874]	<i>charis</i> Lemonias 5:[-], pl [41]
-	a	[1874]	<i>lyncestes</i> Lemonias 5:[-], pl [41]
-	b	[1874]	<i>philonis</i> Mesene 5:Ery, f 5
-	a	[1874]	<i>pyrippe</i> Mesene 5:Ery, f 3,4
BMNH-ht	b	[1875]	<i>barce</i> Baeotis 5:Lem, f 7
-	a	[1875]	<i>carnutes</i> Esthemopsis 5:Ery, f 6
BMNH-ht	a	[1875]	<i>catiena</i> Calydna 5:Ery, f 9
BMNH-ht	a	[1875]	<i>cephissa</i> Calydna 5:Ery, f 7,8
-	c	[1875]	<i>clusia</i> Charis 5:Ery, f 10
-	a	[1875]	<i>kupris</i> Anteros 5:Ery, f 4,5
-	a	[1875]	<i>laobotas</i> Lemonias 5:[75], pl 40
-	a	[1875]	<i>lencates</i> Lemonias 5:Lem, f 11
-	a	[1875]	<i>limnas</i> 5:[-], pl [44]
-	c	[1875]	<i>sicora</i> Panara 5:pl [44], f 3
-	b	[1875]	<i>soana</i> Panara 5:Ery, f 2
-	a	[1875]	<i>zaneta</i> Necyria 5:Ery, f 1
BMNH-ht	a	[1876]	<i>aconia</i> Symmachia 5:[-], pl [43]
-	b	[1876]	<i>aeniacus</i> Esthemopsis 5:[-], pl [43]
-	a	[1876]	<i>alcaemion</i> Anicoris 5:Ery f 4
-	b	[1876]	<i>amona</i> Mesosemia 5:[-], pl [43]
-	c	[1876]	<i>andania</i> Limnas 5:[-], pl [43]
-	a	[1876]	<i>argola</i> Lycaena 5:[88], pl [46]
-	c	[1876]	<i>aulonia</i> Limnas 5:[-], pl [43]
-	a	[1876]	<i>axena</i> Lemonias 5:[-], pl [43]
-	a	[1876]	<i>bocchoris</i> Amarynthia 5:[81], pl [43]=Ery
-	a	[1876]	<i>caleta</i> Lycaena 5:[87], pl [46]
-	a	[1876]	<i>caraena</i> Lycaena 5:[88], pl [46]
-	a	[1876]	<i>cyara</i> Lycaena 5:[88], pl [46]
-	a	[1876]	<i>decidia</i> Lycaena 5:[88], pl [46]
-	a	[1876]	<i>elna</i> Lycaena 5:[-], pl [46]
-	a	[1876]	<i>evena</i> Lycaena 5:[87], pl [46]
-	a	[1876]	<i>heritsia</i> Lycaena 5:[88], pl [46]

Hewitson 1854 Trans. ent. Soc. Lond. [b2324]
 - a *saundersii* Erycina (2):2:245, pl 22

Hewitson 1862 Spec. Cat. Lyc. Brit. Mus. [b2325]			
BMNH-ht	a	<i>abseus</i> Amblypodia :9, pl 5, f 51	
BMNH-ht	a	<i>acetes</i> Amblypodia :5, pl 3, f 14	
BMNH-ht	a	<i>achelous</i> Amblypodia :7, pl 5, f 47	
BMNH-ht	a	<i>acron</i> Amblypodia :9, pl 5, f 53	
-	c	<i>adatha</i> Amblypodia :pl 4, f 29-31	
BMNH-ht	b	<i>adonias</i> Amblypodia :8, pl 4, f 32	
BMNH-ht	a	<i>aedias</i> Amblypodia :6, pl 4, f 36	
BMNH-ht	a	<i>agaba</i> Amblypodia :8, pl 4, f 39	
BMNH-ht	a	<i>agelastus</i> Amblypodia :12, pl 6, f 65	
BMNH-ht	a	<i>agesias</i> Amblypodia :11, pl 6, f 55	
BMNH-ht	b	<i>alce</i> Amblypodia :5, pl 3, f 18-20	
-	a	<i>alea</i> Amblypodia :12, pl 7, f 79	
BMNH-ht	a	<i>aliteaus</i> Amblypodia :7, pl 5, f 45	
BMNH-ht	a	<i>amantes</i> Amblypodia :4, pl 2, f 1-3	
-	a	<i>amaryllis</i> Ogyris :3, pl 1, f 5	
-	a	<i>ameria</i> Amblypodia :14, pl 8, f 85	
-	b	<i>amisena</i> Amblypodia :13, pl 7, f 74	
BMNH-ht	a	<i>ammon</i> Amblypodia :9, pl 5, f 49-50	
BMNH-ht	b	<i>amytis</i> Amblypodia :4, pl 2, f 7-9	
BMNH-ht	a	<i>anarte</i> Amblypodia :5, pl 3, f 16	
-	a	<i>anita</i> Amblypodia :14, pl 8, f 90	
BMNH-ht	a	<i>anniella</i> Amblypodia :10, pl 8, f 83	
BMNH-ht	b	<i>anthore</i> Amblypodia :6, pl 3, f 21	
-	a	<i>areste</i> Amblypodia :10, pl 5, f 43	
BMNH-ht	a	<i>atrax</i> Amblypodia :13, pl 7, f 80	
BMNH-ht	a	<i>aurea</i> Amblypodia :8, pl 8, f 87	
BMNH-ht	a	<i>bazalus</i> Amblypodia :8, pl 4, f 37	
BMNH-ht	a	<i>diardi</i> Amblypodia :19, pl 5, f 41	
BMNH-ht	a	<i>fulla</i> Amblypodia :10, pl 6, f 67	

Hewitson 1862 Spec. Cat. Lyc. Brit. Mus. [b2325] (<i>continued</i>)			
-	a	<i>hercules</i> Amblypodia :3, pl 8, f 92	
BMNH-ht	a	<i>hypomuta</i> Amblypodia :11, pl 6, f 63	
-	a	<i>idmo</i> Ogyris :2, pl 1, f 3	
-	a	<i>muta</i> Amblypodia :11, pl 6, f 57	
-	a	<i>olane</i> Ogyris :2, pl 1, f 10,11	
-	a	<i>oroetes</i> Ogyris :3, pl 1, f 12	
-	c	<i>orontas</i> Ogyris :2, pl 1, f 8	
BMNH-ht	a	<i>silhetensis</i> Amblypodia :7, pl 4, f 27-28	

Hewitson 1863-1878 Ill. diurn. Lep. Lycaenidae [b2326]			
BMNH-ht	b	[1863]	<i>acerba</i> Amblypodia 1:3; 2:pl 1
BMNH-ht	a	[1863]	<i>admete</i> Arhopala 1:7; 2:pl 3
BMNH-ht	a	[1863]	<i>aexone</i> Amblypodia 1:5; 2:pl 3
BMNH-ht	a	[1863]	<i>arora</i> Amblypodia 1:13; 2:pl 2
BMNH-ht	a	[1863]	<i>arvina</i> Amblypodia 1:12; 2:pl 6
BMNH-ht	a	[1863]	<i>ate</i> Arhopala 1:8; 2:pl 1
BMNH-ht	a	[1863]	<i>atosis</i> Amblypodia 1:9; 2:pl 2, f
BMNH-ht	a	[1863]	<i>auxesia</i> Amblypodia 1:5; 2:pl 1
BMNH-ht	a	[1863]	<i>axiothea</i> Amblypodia 1:7; 2:pl 2
BMNH-ht	b	[1863]	<i>azenia</i> Amblypodia 1:7; 2:pl 3
BMNH-ht	a	[1863]	<i>caeca</i> Amblypodia 1:14; 2:pl 4
-	b	[1863]	<i>chozeba</i> Deudorix 1:24; 2:pl 5
BMNH-ht	a	[1863]	<i>cinesia</i> Myrina 1:29; 2:pl 13
BMNH-ht	a	[1863]	<i>ciniata</i> Myrina 1:35; 2:pl 14
-	b	[1863]	<i>despoena</i> Deudorix 1:18; 2:pl 6
BMNH-ht	a	[1863]	<i>dioetas</i> Rapala 1:21; 2:pl 7
-	b	[1863]	<i>diovis</i> Deudorix 1:20; 2:pl 7
-	a	[1863]	<i>domitia</i> Deudorix 1:18; 2:pl 6
-	a	[1863]	<i>eida</i> Deudorix 1:23; 2:pl 10
-	b	[1863]	<i>eos</i> Deudorix 1:19; 2:pl 6
BMNH-ht	a	[1863]	<i>estella</i> Myrina 1:31; 2:pl 16
BMNH-ht	a	[1863]	<i>fulgida</i> Amblypodia 1:11; 2:pl 5
-	a	[1863]	<i>lisides</i> Myrina 1:33; 2:pl 14
-	a	[1863]	<i>lorisona</i> Myrina 1:37; 2:pl 16
-	a	[1863]	<i>loxias</i> Deudorix 1:19; 2:pl 6
-	a	[1863]	<i>maesa</i> Epamera 1:27, pl 11
-	a	[1863]	<i>mandarinus</i> Myrina 1:28; 2:pl 28
-	a	[1863]	<i>manea</i> Deudorix 1:23; 2:pl 10
-	a	[1863]	<i>maneia</i> Myrina 1:29; 2:pl 12
-	a	[1863]	<i>marciana</i> Myrina 1:34; 2:pl 12
-	c	[1863]	<i>massiva</i> Myrina 1:29; 2:pl 12
BMNH-ht	a	[1863]	<i>metamuta</i> Amblypodia 1:13; 2:pl 2
BMNH-ht	c	[1863]	<i>naenia</i> Myrina 2:33; 2:pl 13
-	b	[1863]	<i>namusa</i> Myrina 1:33; 2:pl 13
-	b	[1863]	<i>orseis</i> Deudorix 1:23
-	a	[1863]	<i>otraeda</i> Myrina 1:29; 2:pl 15
-	a	[1863]	<i>perse</i> Deudorix 1:18; 2:pl 8
-	b	[1863]	<i>petosiris</i> Deudorix 1:22; 2:pl 9
-	a	[1863]	<i>pheretima</i> Deudorix 1:21; 2:pl 9
-	b	[1863]	<i>phranga</i> Deudorix 1:22; 2:pl 9
BMNH-ht	a	[1863]	<i>scaeva</i> Myrina 1:30; 2:pl 15
-	a	[1863]	<i>smilis</i> Deudorix 1:18; 2:pl 8
BMNH-ht	a	[1863]	<i>theba</i> Arhopala 1:6; 2:pl 5
BMNH-ht	b	[1863]	<i>thesmia</i> Myrina 1:32; 2:pl 14
-	a	[1863]	<i>tripunctata</i> Loxura 1:26
BMNH-ht	a	[1865]	<i>absolon</i> Dipsas 1:65; 2:pl 30
-	a	[1865]	<i>amasa</i> Hypolycaena 1:51; 2:pl 22
-	a	[1865]	<i>ansysis</i> Iolais 1:42; 2:pl 19
BMNH	a	[1865]	<i>batesii</i> Thecla 1:72; 2:pl 27
-	a	[1865]	<i>ceres</i> Myrina 1:39; 2:pl 17
BMNH	a	[1865]	<i>coronata</i> Thecla 1:70; 2:pl 27
-	a	[1865]	<i>cotys</i> Iolais 1:43; 2:pl 19
-	a	[1865]	<i>ctesia</i> Camena 1:48; 2:pl 20
-	a	[1865]	<i>cyrillus</i> Iolais 1:46; 2:pl 20
-	a	[1865]	<i>diaeus</i> Iolais 1:45; 2:pl 20
-	a	[1865]	<i>donina</i> Myrina 1:39; 2:pl 17
-	a	[1865]	<i>eleala</i> Hypolycaena 1:52; 2:pl 23
-	a	[1865]	<i>ella</i> Aphaeus 1:63; 2:pl 25
BMNH	a	[1865]	<i>eumenia</i> Theorema 1:69; 2:pl 27
BMNH	a	[1865]	<i>gispa</i> Thecla 1:75; 2:pl 30
-	a	[1865]	<i>hatita</i> Hypolycaena 1:51; 2:pl 23

Hewitson 1863-1878 Ill. diurn. Lep. Lycaenidae [b2326]

(continued)

BMNH	a	[1865]	havila Thecla	1:76; 2-pl 30
-	a	[1865]	hypoleuca Myzina	1:38; 2-pl 17
-	a	[1865]	lapyx Tajuria	1:45; 2-pl 18
-	a	[1865]	lasis Iolaus	1:42; 2-pl 19
-	a	[1865]	lctetas Iolaus	1:44; 2-pl 18
-	a	[1865]	lclilius Ialmenus	1:54; 2-pl 24
-	a	[1865]	lctinus Ialmenus	1:54; 2-pl 24
-	a	[1865]	lctis Aphnaeus	1:61; 2-pl 25
-	a	[1865]	inous Ialmenus	1:54; 2-pl 24
-	a	[1865]	isaeus Iolaus	1:44; 2-pl 19
-	a	[1865]	ister Iolaus	1:43; 2-pl 19
-	a	[1865]	iza Aphnaeus	1:62; 2-pl 25
-	c	[1865]	katura Dipsas	1:65; 2-pl 26
BMNH-ht	a	[1865]	latreillii Thecla	1:74; 2-pl 29
-	a	[1865]	lebona Hypolycaena	1:51; 2-pl 23
BMNH-st	a	[1865]	lutea Dipsas	1:67; 2-pl 26
-	a	[1865]	maculata Iolaus	1:47; 2-pl 21
-	a	[1865]	moorei Ierda	1:58
-	a	[1865]	niilus Aphnaeus	1:62
-	a	[1865]	oda Ierda	1:58; 2-pl 24
-	a	[1865]	odata Dipsas	1:66; 2-pl 30
BMNH-lt	a	[1865]	onycha Utica	1:56; 2-pl 24
-	b	[1865]	orsolina Myzina	1:38; 2-pl 17
-	a	[1865]	othona Hypolycaena	1:50; 2-pl 22
BMNH-st	a	[1865]	phegeus Thecla	1:75; 2-pl 30
-	a	[1865]	saepstriata Dipsas	1:67; 2-pl 26
BMNH	a	[1865]	satyroides Thecla	1:74; 2-pl 29
BMNH	a	[1865]	tagyra Thecla	1:73; 2-pl 28
BMNH-ht	a	[1865]	temathea Thecla	1:74; 2-pl 29
-	b	[1865]	travana Myzina	1:38; 2-pl 17
BMNH	a	[1865]	triquetra Thecla	1:76; 2-pl 28
BMNH	a	[1865]	tuneta Thecla	1:71; 2-pl 28
-	a	[1865]	ziha Dipsas	1:66; 2-pl 26
BMNH	a	[1867]	acameda Thecla	1:101; 2-pl 41
BMNH	a	[1867]	aethesa Thecla	1:86; 2-pl 33
BMNH-lt	a	[1867]	ahola Thecla	1:82; 2-pl 35
BMNH	a	[1867]	aholiba Thecla	1:82; 2-pl 35
BMNH	a	[1867]	aphaca Thecla	1:105; 2-pl 36
BMNH	a	[1867]	atena Thecla	1:92; 2-pl 36
BMNH	a	[1867]	atasa Thecla	1:79; 2-pl 31
BMNH	a	[1867]	athymbra Thecla	1:92; 2-pl 36
BMNH	a	[1867]	auda Thecla	1:81; 2-pl 35
BMNH	a	[1867]	avoca Thecla	1:96; 2-pl 37
BMNH-st	a	[1867]	azaria Thecla	1:87; 2-pl 34
BMNH-ht	a	[1867]	comana Thecla	1:97; 2-pl 36
BMNH	a	[1867]	cosa Thecla	1:78; 2-pl 31
BMNH-ht	a	[1867]	daraba Thecla	1:105; 2-pl 36
BMNH	c	[1867]	desdemona Thecla	1:79; 2-pl 45
BMNH-lt	a	[1867]	dinus Thecla	1:114; 2-pl 43
BMNH	a	[1867]	echelta Thecla	1:109; 2-pl 44
BMNH	a	[1867]	eliatha Thecla	1:112; 2-pl 41
BMNH	a	[1867]	elika Thecla	1:101; 2-pl 41
BMNH-lt	a	[1867]	ellida Thecla	1:88; 2-pl 34
BMNH	a	[1867]	emessa Thecla	1:111; 2-pl 42
BMNH	a	[1867]	empusa Thecla	1:106; 2:42
BMNH	a	[1867]	endera Thecla	1:111; 2-pl 42
BMNH	a	[1867]	enena Thecla	1:108; 2-pl 41
BMNH	a	[1867]	erema Thecla	1:104; 2-pl 44
BMNH-lt	c	[1867]	erenea Thecla	1:113; 2-pl 42
-	c	[1867]	eretria Thecla	1:114; 2-pl 42
BMNH	a	[1867]	ergina Thecla	1:105; 2-pl 43
BMNH	c	[1867]	eribaea Thecla	1:108; 2-pl 42
BMNH	a	[1867]	ericeta Thecla	1:104; 2-pl 44
BMNH-lt	c	[1867]	ericusa Thecla	1:113; 2-pl 42
BMNH	a	[1867]	erybathis Thecla	1:84; 2-pl 34
BMNH	a	[1867]	falerina Thecla	1:96; 2-pl 43
BMNH	a	[1867]	fidera Thecla	1:112; 2-pl 44
BMNH	a	[1867]	gadira Thecla	1:113; 2-pl 44
BMNH	a	[1867]	geneta Thecla	1:111; 2-pl 44
BMNH	a	[1867]	gibberosa Thecla	1:85; 2-pl 33

Hewitson 1863-1878 Ill. diurn. Lep. Lycaenidae [b2326]

(continued)

BMNH	a	[1867]	gigantea Thecla	1:83; 2-pl 32
BMNH	a	[1867]	hebraeus Thecla	1:104; 2-pl 43
BMNH	a	[1867]	ira Thecla	1:89; 2-pl 35
BMNH	a	[1867]	jada Thecla	1:87; 2-pl 34
BMNH	a	[1867]	janthina Thecla	1:93; 2-pl 37
BMNH	a	[1867]	laudonia Thecla	1:77; 2-pl 45
BMNH	a	[1867]	malina Thecla	1:88; 2-pl 34
BMNH	a	[1867]	malvania Thecla	1:95; 2-pl 38
BMNH	a	[1867]	malvina Thecla	1:93; 2-pl 37
BMNH	a	[1867]	mazurka Thecla	1:79; 2-pl 31
BMNH	a	[1867]	mecrida Thecla	1:94; 2-pl 38
BMNH	a	[1867]	metanira Thecla	1:95; 2-pl 46
BMNH	a	[1867]	minyia Thecla	1:91; 2-pl 38
BMNH	a	[1867]	monica Thecla	1:80; 2-pl 32
BMNH-lt	a	[1867]	mulucha Thecla	1:89; 2-pl 38
BMNH	a	[1867]	mutina Thecla	1:94; 2-pl 38
BMNH	a	[1867]	myrtea Thecla	1:93; 2-pl 38
BMNH	a	[1867]	myrtusa Thecla	1:95; 2-pl 38
BMNH	a	[1867]	neora Thecla	1:90; 2-pl 38
BMNH	a	[1867]	olbia Thecla	1:97; 2-pl 36
-	a	[1867]	ophelia Thecla	1:110; 2-pl 46
BMNH-st	a	[1867]	orgia Thecla	1:102; 2-pl 41
BMNH	a	[1867]	orobia Thecla	1:103; 2-pl 40
BMNH	a	[1867]	orobiana Thecla	1:103; 2-pl 46
BMNH	a	[1867]	ostia Thecla	1:110; 2-pl 40
BMNH	a	[1867]	pedusa Thecla	1:87; 2-pl 34
BMNH	a	[1867]	perola Thecla	1:112; 2-pl 40
BMNH	c	[1867]	phallica Thecla	1:97; 2-pl 40
BMNH	a	[1867]	phoenissa Thecla	1:100; 2-pl 40
BMNH	a	[1867]	phydela Thecla	1:84; 2-pl 33
BMNH	a	[1867]	rocena Thecla	1:91; 2-pl 37
BMNH	a	[1867]	sala Thecla	1:81; 2-pl 35
BMNH	a	[1867]	silumena Thecla	1:90; 2-pl 45
BMNH	a	[1867]	sista Thecla	1:92; 2-pl 37
BMNH-ht	a	[1867]	spinetorum Thecla	1:94; 2-pl 45
BMNH-lt	c	[1867]	spurina Thecla	1:102; 2-pl 39
BMNH-lt	a	[1867]	stagira Thecla	1:113; 2-pl 39
BMNH	a	[1867]	stilbia Thecla	1:107; 2-pl 39
BMNH	a	[1867]	syedra Thecla	1:108; 2-pl 39
BMNH	a	[1867]	sylea Thecla	1:99; 2-pl 39
BMNH	a	[1867]	tema Thecla	1:82; 2-pl 35
BMNH	c	[1867]	thalesa Thecla	1:98; 2-pl 45
BMNH	a	[1867]	thara Thecla	1:83; 2-pl 32
BMNH	a	[1867]	thordesa Thecla	1:89; 2-pl 35
-	a	[1867]	thyrea Thecla	1:99; 2-pl 36
BMNH	a	[1867]	togarna Thecla	1:85; 2-pl 33
BMNH	a	[1867]	torfrida Thecla	1:78; 2-pl 31
BMNH	a	[1867]	undulata Thecla	1:81; 2-pl 32
BMNH-ht	a	[1869]	alaconia Amblypodia	1:14f, pl 3c
BMNH-ht	c	[1869]	aibopunctata Amblypodia	1:14e, pl 3b
-	a	[1869]	amasa Myzina	Suppl.:4, pl 6
-	c	[1869]	ancharia Myzina	Suppl.:8, pl 6
-	b	[1869]	antipha Myzina	Suppl.:7, pl 6
BMNH-ht	b	[1869]	anunda Amblypodia	1:14a; 2-pl 3a
-	a	[1869]	aronya Amblypodia	1:14e; 2-pl 3b
BMNH-ht	a	[1869]	asopia Amblypodia	1:14f; 2-pl 3c
-	a	[1869]	atkinsoni Amblypodia	1:14g; 2-pl 3b
BMNH	c	[1869]	aufidena Thecla	1:117; 2-pl 47
-	a	[1869]	belli Iolaus	Suppl.:9, pl 4
BMNH	c	[1869]	bethulia Thecla	1:128; 2-pl 51
-	a	[1869]	boisduvalii Corydon	Suppl.:1, pl 1
BMNH-ht	b	[1869]	canulia Amblypodia	1:14f; 2-pl 3c
BMNH-lt	a	[1869]	catadupa Thecla	1:117; 2-pl 47
BMNH-ht	a	[1869]	corinda Amblypodia	1:14c; 2-pl 3a
-	a	[1869]	deudorix Myzina	Suppl.:2, pl 2
-	a	[1869]	diocles Deudorix	Suppl.:12, pl 5
SMF-lt	a	[1869]	diopites Deudorix	1:11; 2-pl 5
BMNH-ht	b	[1869]	eiffeta Amblypodia	1:14b, pl 3a
-	c	[1869]	eltola Hypolycaena	Suppl.:4 or 14
BMNH	c	[1869]	faventia Thecla	1:106; 2-pl 43

Hewitson 1863-1878		Ill. diurn. Lep. Lycaenidae [b2326]	
	(continued)		
-	a [1869]	hesba Amblypodia	1:14d, pl 3b
-	a [1869]	illurgis Iolaus	Suppl.:10, pl 4
-	a [1869]	ithna Hypolycaena	Suppl.:13, pl 5
-	a [1869]	julus Iolaus	Suppl.:9, pl 4
BMNH	a [1869]	keila Thecla	1:121; 2-pl 52
-	a [1869]	kina Hypolycaena	1:13, pl 5
BMNH-ht	a [1869]	libna Hypolycaena	1:15, pl 5
BMNH-ht	b [1869]	maenala Myrina	1:7; 2-pl 3
-	a [1869]	mamertina Myrina	Suppl.:2, pl 2
-	a [1869]	mariaba Myrina	Suppl.:2, pl 2
-	b [1869]	martina Myrina	Suppl.3, pl 2, f 70,71
-	a [1869]	massyla Myrina	Suppl.:7, pl 3
-	a [1869]	mavortia Myrina	Suppl.:3, pl 2
-	a [1869]	meduana Myrina	Suppl.:4, pl 3
-	a [1869]	megistia Myrina	Suppl.:5, pl 3
BMNH-lt	b [1869]	melisa Myrina	Suppl.:6, pl 3
-	b [1869]	micea Myrina	Suppl.:6, pl 3
-	a [1869]	millionia Myrina	Suppl.:5, pl 3
-	a [1869]	myrzala Amblypodia	1:14c, 2-pl 3b
BMNH-ht	a [1869]	ocrida Amblypodia	1:14b, 2-pl 3a
BMNH-ht	a [1869]	oenea Amblypodia	1:14e, 2-pl 3c
-	b [1869]	oenotria Amblypodia	1:14d, 2-pl 3c
BMNH	c [1869]	panchaea Thecla	1:126; 2-pl 51
BMNH	a [1869]	selina Thecla	1:118; 2-pl 50
BMNH-ht	a [1869]	setla Amblypodia	1:14f, 2-pl 3a
BMNH-ht	a [1869]	tephlis Amblypodia	1:14d, 2-pl 3c
BMNH	c [1869]	thestia Thecla	1:122; 2-pl 48
BMNH	a [1869]	thoria Thecla	1:121; 2-pl 49
BMNH	a [1869]	thyesta Thecla	1:124; 2-pl 49
BMNH	a [1869]	tiasa Thecla	1:122; 2-pl 48
BMNH-lt	d [1869]	timaea Thecla (H)	1:125; 2-pl 51
BMNH	a [1869]	tympania Thecla	1:128; 2-pl 51
BMNH	a [1869]	vibidia Thecla	1:119; 2-pl 49
BMNH	a [1869]	villia Thecla	1:126; 2-pl 51
BMNH-lt	c [1869]	voconia Thecla	1:120; 2-pl 49
BMNH-lt	c [1869]	volana Thecla	1:123; 2-pl 48
BMNH	a [1869]	voltinia Thecla	1:123; 2-pl 48
BMNH-lt	a [1869]	zebina Thecla	1:120; 2-pl 49
-	a [1869]	zela Hypolycaena	Suppl.:14, pl 5
BMNH-st	a [1869]	zigira Thecla	1:125; 2-pl 49
BMNH-ht	a [1869]	zora Thecla	1:134; 2-pl 53
BMNH	a [1873]	adria Thecla	1:142; 2-pl 56
BMNH	a [1873]	asa Thecla	1:143; 2-pl 57
BMNH-ht	a [1873]	azia Thecla	1:144; 2-pl 57
BMNH	a [1873]	badeta Thecla	1:146; 2-pl 58
BMNH	a [1873]	calatia Thecla	1:148; 2-pl 58
BMNH	a [1873]	carnica Thecla	1:143; 2-pl 57
BMNH-st	a [1873]	una Thecla	1:140; 2-pl 56
BMNH-ht	a [1873]	uzza Thecla	1:147; 2-pl 58
BMNH	a [1873]	zilda Thecla	1:141; 2-pl 56
BMNH	a [1874]	aepea Thecla	1:165; 2-pl 65
BMNH	d [1874]	aethesa Thecla (H)	1:172; 2-pl 68
BMNH-st	a [1874]	angelia Thecla	1:162; 2-pl 63
BMNH-lt	a [1874]	anthracia Thecla	1:166; 2-pl 65
BMNH	a [1874]	appula Thecla	1:163; 2-pl 64
BMNH-ht	c [1874]	argona Thecla	1:162; 2-pl 63
BMNH	a [1874]	arindela Thecla	1:172; 2-pl 67
BMNH	a [1874]	arza Thecla	1:178; 2-pl 70
BMNH-ht	a [1874]	aunia Thecla	1:167; 2-pl 65
BMNH	a [1874]	azuba Thecla	1:154; 2-pl 61
BMNH	a [1874]	cardus Thecla	1:151; 2-pl 60
BMNH	a [1874]	casmillia Thecla	1:177; 2-pl 70
BMNH	a [1874]	catrea Thecla	1:181; 2-pl 71
BMNH	a [1874]	celelata Thecla	1:181; 2-pl 71
BMNH-ht	a [1874]	celona Thecla	1:179; 2-pl 70
BMNH-lt	a [1874]	clarina Thecla	1:173; 2-pl 68
BMNH	a [1874]	corolena Thecla	1:175; 2-pl 69
BMNH-ht	a [1874]	coronta Thecla	1:157; 2-pl 61
BMNH-ht	a [1874]	crethona Thecla	1:157; 2-pl 62

Hewitson 1863-1878		Ill. diurn. Lep. Lycaenidae [b2326]	
	(continued)		
BMNH-ht	a [1874]	critola Thecla	1:197; 2-pl 78
BMNH-ht	a [1874]	crossoea Thecla	1:158; 2-pl 62
BMNH-st	a [1874]	cybira Thecla	1:161; 2-pl 63
BMNH	a [1874]	cydia Thecla	1:160; 2-pl 63
BMNH	a [1874]	demea Thecla	1:180; 2-pl 70
BMNH-ht	a [1874]	deniva Thecla	1:180; 2-pl 71
BMNH-ht	a [1874]	dicaea Thecla	1:179; 2-pl 70
BMNH	a [1874]	doryasa Thecla	1:179; 2-pl 70
BMNH	c [1874]	ela Thecla	1:171; 2-pl 67
-	a [1874]	elana Thecla	1:170; 2-pl 67
BMNH	a [1874]	endela Thecla	1:168; 2-pl 66
BMNH	a [1874]	fideia Thecla	1:167; 2-pl 66
BMNH	c [1874]	hena Thecla	1:171; 2-pl 67
BMNH	c [1874]	legytha Thecla	1:180; 2-pl 71
BMNH-lt	a [1874]	lemona Thecla	1:177; 2-pl 69
BMNH	a [1874]	ligurina Thecla	1:181; 2-pl 71
BMNH	a [1874]	lorina Thecla	1:181; 2-pl 71
BMNH	a [1874]	myrsina Thecla	1:184; 2-pl 73
BMNH	a [1874]	orcidia Thecla	1:183; 2-pl 73
BMNH-lt	a [1874]	orcilla Thecla	1:184; 2-pl 73
BMNH-st	a [1874]	pactya Thecla	1:167; 2-pl 66
BMNH	c [1874]	parasia Thecla	1:170; 2-pl 67
BMNH-lt	b [1874]	parthenia Thecla	1:174; 2-pl 68
BMNH	a [1874]	peona Thecla	1:169; 2-pl 66
BMNH	d [1874]	sedecia Thecla (H)	1:182; 2-pl 72
BMNH	a [1874]	selika Thecla	1:170; 2-pl 67
BMNH	a [1874]	seudiga Thecla	1:152; 2-pl 60
BMNH	a [1874]	sycena Thecla	1:176; 2-pl 69
BMNH	a [1874]	tarena Thecla	1:176; 2-pl 69
BMNH-lt	c [1874]	thoana Thecla	1:172; 2-pl 67
BMNH	a [1874]	volupia Thecla	1:177; 2-pl 69
BMNH-ht	a [1877]	amplia Thecla	1:195; 2-pl 77
BMNH-lt	a [1877]	anthora Thecla	1:191; 2-pl 76
BMNH	a [1877]	argerona Thecla	1:209; 2-pl 83
BMNH	c [1877]	argiva Thecla	1:208; 2-pl 83
BMNH	a [1877]	aruma Thecla	1:192; 2-pl 76
BMNH-lt	a [1877]	autodea Thecla	1:194; 2-pl 77
BMNH-ht	a [1877]	bactra Thecla	1:194; 2-pl 77
BMNH-lt	a [1877]	bellera Thecla	1:194; 2-pl 77
BMNH	a [1877]	cabiria Thecla	1:195; 2-pl 77
BMNH	c [1877]	calena Thecla	1:187; 2-pl 74
BMNH	a [1877]	canacha Thecla	1:187; 2-pl 74
BMNH-ht	a [1877]	capeta Thecla	1:193; 2-pl 77
BMNH-ht	a [1877]	caulonia Thecla	1:188; 2-pl 75
BMNH-lt	a [1877]	cerata Thecla	1:191; 2-pl 76
BMNH-lt	a [1877]	ceromia Thecla	1:185; 2-pl 74
BMNH	a [1877]	chloris Thecla	1:202; 2-pl 80
BMNH-ht	a [1877]	cinniana Thecla	1:189; 2-pl 75
BMNH-lt	a [1877]	cissusa Thecla	1:188; 2-pl 75
BMNH-lt	a [1877]	collucia Thecla	1:186; 2-pl 74
pc	a [1877]	dodava Thecla	1:200; 2-pl 79
BMNH	a [1877]	eisa Thecla	1:198; 2-pl 79
BMNH-ht	a [1877]	facuna Thecla	1:202; 2-pl 80
BMNH-st	a [1877]	galliena Thecla	1:185; 2-pl 74
BMNH	a [1877]	gargophia Thecla	1:190; 2-pl 75
BMNH	a [1877]	geba Thecla	1:198; 2-pl 79
BMNH-lt	a [1877]	gizela Thecla	1:197; 2-pl 78
BMNH-ht	a [1877]	goleta Thecla	1:203; 2-pl 81
-	e [1877]	janais Thecla (ISS)	1:202
BMNH-ht	a [1877]	legota Thecla	1:205; 2-pl 81
BMNH	a [1877]	ligia Thecla	1:204; 2-pl 81
BMNH	c [1877]	melba Thecla	1:202; 2-pl 80
BMNH	a [1877]	muatta Thecla	1:206; 2-pl 82
BMNH-ht	c [1877]	nipona Thecla	1:204; 2-pl 81
BMNH-ht	a [1877]	orsina Thecla	1:200; 3-pl 79
BMNH-lt	a [1877]	partunda Thecla	1:206; 2-pl 82
BMNH	a [1877]	petelina Thecla	1:199; 2-pl 79
BMNH-ht	a [1877]	rufofusca Thecla	1:196; 2-pl 78
BMNH-ht	a [1877]	sapota Thecla	1:203; 2-pl 81
BMNH	c [1877]	scoteia Thecla	1:206; 2-pl 82

- Hewitson 1863-1878 Ill. diurn. Lep. Lycaenidae [b2326] (continued)
- | | | | | |
|---------|---|--------|-------------------------|------------------|
| BMNH | c | [1877] | socigena Thecla | 1:205; 2:pl 82 |
| BMNH | a | [1877] | strenua Thecla | 1:207; 2:pl 82 |
| BMNH-lt | a | [1877] | suada Thecla | 1:207; 2:pl 82 |
| BMNH | a | [1877] | tadita Thecla | 1:208; 2:pl 83 |
| BMNH-lt | a | [1877] | thama Thecla | 1:189; 2:pl 75 |
| BMNH-lt | a | [1877] | vibulena Thecla | 1:190; 2:pl 76 |
| BMNH-lt | a | [1877] | vitruvia Thecla | 1:193; 2:pl 77 |
| BMNH-lt | a | [1877] | xeneta Thecla | 1:193; 2:pl 77 |
| BMNH-lt | a | [1878] | bazaloides Amblypodia | Suppl.:21, pl 7 |
| BMNH-lt | c | [1878] | bupola Amblypodia | Suppl.:21, pl 7 |
| - | b | [1878] | burbona Myrina | Suppl.:24, pl 3a |
| BMNH-lt | b | [1878] | burxi Amblypodia | Suppl.:22, pl 8 |
| BMNH-lt | b | [1878] | capeta Amblypodia | Suppl.:22, pl 8 |
| - | a | [1878] | creta Iolous | Suppl.:24, pl 3b |
| BMNH-lt | b | [1878] | cyara Myrina | Suppl.:26, pl 3b |
| - | b | [1878] | derpina Myrina | Suppl.:25, pl 3b |
| BMNH-lt | a | [1878] | dienece Deudorix | Suppl.:31, pl 5a |
| - | c | [1878] | diopolis Deudorix | Suppl.:30, pl 5a |
| - | a | [1878] | diyllus Deudorix | Suppl.:32, pl 5a |
| pc | a | [1878] | duma Thecla | 1:211; 2:pl 84 |
| BMNH-lt | a | [1878] | duma Dipsas | Suppl.:15, pl 6 |
| - | a | [1878] | fabronia Myrina | Suppl.:23, pl 3a |
| pc | a | [1878] | feretria Thecla | 1:210; 2:pl 84 |
| - | a | [1878] | gerina Epitola | Suppl.:19 |
| BMNH-lt | c | [1878] | grynea Amblypodia | Suppl.:20, pl 7 |
| - | a | [1878] | lachares Lycaenesthes | 1:225, 2:pl - |
| - | a | [1878] | lamias Lycaenesthes | 1:227, 2:pl 91 |
| - | a | [1878] | lamprocles Lycaenesthes | 1:225, 2:pl 91 |
| - | a | [1878] | laon Iolous | Suppl.:28, pl 4a |
| BMNH | a | [1878] | lemnos Lycaenesthes | 1:221, 2:pl 90 |
| BMNH-lt | c | [1878] | leocrates Lycaenesthes | 1:220; 2:pl 90 |
| - | a | [1878] | levis Lycaenesthes | 1:221, 2:pl 91 |
| - | c | [1878] | lochias Lycaenesthes | 1:220; 2:pl 90 |
| BMNH-lt | b | [1878] | lycambes Lycaenesthes | 1:220; 2:pl 90 |
| - | a | [1878] | lychnides Lycaenesthes | :224, pl 92 |
| BMNH-lt | a | [1878] | mirma Thecla | 1:212; 2:pl 85 |
| ZMHU-lt | a | [1878] | mishma Thecla | 1:213; 2:pl 85 |
| pc | c | [1878] | munatia Thecla | 1:211; 2:pl 84 |
| - | c | [1878] | otacilia Lycaenesthes | 1:pl 92, f 35-37 |
| BMNH-lt | c | [1878] | ovomaculata Amblypodia | Sup.:22, pl 8 |
| BMNH-lt | b | [1878] | phraatica Pontia | 1:214; 2:pl 88 |
| - | c | [1878] | sichela Lycaenesthes | 1:222 |
| - | b | [1878] | tarpina Myrina | Suppl.:23, pl 3a |
| BMNH | a | [1878] | tera Thecla | 1:211; 2:pl 84 |
| pc | a | [1878] | teresina Thecla | 1:209; 2:pl 84 |
| pc | a | [1878] | zava Thecla | 1:210; 2:pl 84 |
- Hewitson 1868 Descr. new Spec. Lycaenidae [b2327] (continued)
- | | | | |
|---------|---|------------------|-----|
| BMNH | a | davara Thecla | :31 |
| BMNH-lt | a | demonassa Thecla | :25 |
| BMNH-lt | b | ecbatana Thecla | :24 |
| BMNH | a | fabulla Thecla | :20 |
| BMNH-lt | a | faunalia Thecla | :31 |
| BMNH | a | fidentia Thecla | :32 |
| BMNH | a | gargara Thecla | :8 |
| BMNH | a | gedrosia Thecla | :10 |
| BMNH | a | gnosia Thecla | :9 |
| BMNH | c | halala Thecla | :7 |
| BMNH-lt | a | hyccara Thecla | :7 |
| BMNH | a | hygela Thecla | :30 |
| BMNH | a | laconia Thecla | :10 |
| BMNH | b | lebena Thecla | :9 |
| BMNH | a | ledaea Thecla | :8 |
| BMNH | a | lemuria Thecla | :10 |
| BMNH-lt | c | leucania Thecla | :33 |
| BMNH-lt | a | limenia Thecla | :32 |
| BMNH-lt | a | longula Thecla | :34 |
| BMNH-lt | a | lucena Thecla | :26 |
| BMNH-lt | a | lycimna Thecla | :33 |
| - | a | ocrida Thecla | :5 |
| BMNH-lt | a | ocrisia Thecla | :5 |
| BMNH | a | opalina Thecla | :6 |
| BMNH | a | ophia Thecla | :6 |
| BMNH-lt | a | orecynia Thecla | :11 |
| BMNH-lt | a | oreala Thecla | :27 |
| BMNH | c | ornea Thecla | :7 |
| BMNH | a | petilla Thecla | :20 |
| BMNH | a | philinna Thecla | :19 |
| BMNH-lt | a | picientia Thecla | :23 |
| BMNH-lt | a | quaderna Thecla | :35 |
| BMNH-lt | a | remus Thecla | :34 |
| BMNH | c | salona Thecla | :31 |
| BMNH-lt | c | sangala Thecla | :35 |
| BMNH-lt | a | socia Thecla | :29 |
| BMNH-lt | a | talayra Thecla | :1 |
| BMNH | a | tarania Thecla | :3 |
| BMNH | a | teatea Thecla | :4 |
| BMNH | a | tegaea Thecla | :2 |
| BMNH | a | tegula Thecla | :4 |
| BMNH-lt | a | telea Thecla | :4 |
| BMNH-lt | a | temesa Thecla | :1 |
| BMNH | c | terentia Thecla | :2 |
| BMNH | a | teucra Thecla | :3 |
| BMNH-lt | a | thabena Thecla | :1 |
| BMNH | c | thulia Thecla | :28 |
| BMNH-lt | a | trebula Thecla | :16 |
| BMNH | a | ufentina Thecla | :17 |
| BMNH | a | velina Thecla | :18 |
| BMNH-st | a | verania Thecla | :19 |
| BMNH | a | viceta Thecla | :18 |
| BMNH | c | ziba Thecla | :26 |
- Hewitson 1869 Trans. ent. Soc. Lond. [b2328]
- | | | | |
|---|---|------------------|---------------|
| - | a | asa Mesosemia | 17(1):35 |
| - | b | onaum Nymphidium | 17(1):35, f 6 |
- Hewitson 1869 Ent. mon. Mag. [b2329]
- | | | | |
|---|---|----------------|------|
| - | c | teresa Epitola | 6:86 |
|---|---|----------------|------|
- Hewitson 1869-1877 Equatorial Lep. Buckley [b2330]
- | | | | |
|---------|---|-----------------------|--------|
| - | a | 1869 adida Mesosemia | (3):39 |
| - | a | 1869 ahava Mesosemia | (3):41 |
| - | a | 1869 ama Mesosemia | (3):39 |
| BMNH-lt | a | 1869 athena Eurygona | (3):46 |
| - | a | 1869 bettina Eurygona | (3):46 |
| - | a | 1869 calitra Cremna | (3):45 |
| - | b | 1869 effima Eurygona | (3):46 |
| - | a | 1869 issoria Eurygona | (3):47 |
| - | a | 1869 jemima Eurybia | (3):45 |
- Hewitson 1868 Descr. new Spec. Lycaenidae [b2327]
- | | | | |
|---------|---|--------------------|-----|
| BMNH-lt | c | agra Thecla | :30 |
| BMNH-lt | a | aida Thecla | :25 |
| BMNH | a | arola Thecla | :28 |
| BMNH | a | bactriana Thecla | :11 |
| BMNH-lt | a | badaca Thecla | :12 |
| BMNH | a | bagrada Thecla | :22 |
| BMNH-lt | a | bassania Thecla | :14 |
| BMNH-lt | a | bebrycia Thecla | :13 |
| BMNH-lt | a | beroea Thecla | :14 |
| BMNH | a | besidia Thecla | :24 |
| BMNH | a | biblia Thecla | :12 |
| BMNH-lt | b | blenina Thecla | :12 |
| BMNH-lt | c | brescia Thecla | :13 |
| BMNH-lt | a | buphonia Thecla | :25 |
| BMNH-st | a | calchinia Thecla | :21 |
| BMNH | a | carpasia Thecla | :15 |
| BMNH | b | carphophora Thecla | :16 |
| BMNH | a | carthaea Thecla | :15 |
| BMNH | c | cecina Thecla | :34 |
| BMNH | a | ceglusa Thecla | :22 |
| BMNH-lt | a | centoripa Thecla | :23 |
| BMNH | a | cydrara Thecla | :17 |

- Hewitson 1869-1877 Equatorial Lep. Buckley [b2330] (*continued*)
- a 1869 *juturna* Nocyria (3):48
 - a 1869 *latifasciata* Mesosemia (3):40
 - a 1869 *loruhama* Mesosemia (3):43
 - b 1869 *marsena* Mesosemia (3):38
 - a 1869 *marsidia* Mesosemia (3):38
 - a 1869 *mehida* Mesosemia (3):42
 - a 1869 *onorata* Eurygona (3):47
 - BMNH-ht a 1869 *ozora* Mesosemia (3):43
 - a 1869 *praeclara* Eurygona (3):48
 - a 1869 *reba* Mesosemia (3):44
 - a 1869 *zanoa* Mesosemia (3):41
 - BMNH-ht a 1869 *zikla* Mesosemia (3):42
 - a 1869 *zorea* Mesosemia (3):40
 - a 1870 *amasis* Lemonias (4):52 or 53 of
 - b 1870 *amphis* Lemonias (4):52
 - BMNH-ht a 1870 *arria* Thecla (4):68
 - a 1870 *asclepia* Symmachia (4):51
 - BMNH-lt a 1870 *atymna* Thecla (4):59
 - BMNH-ht a 1870 *beera* Thecla (4):65
 - a 1870 *bosora* Thecla (4):66
 - BMNH-lt a 1870 *calesia* Thecla (4):67
 - BMNH a 1870 *camissa* Thecla (4):66
 - a 1870 *camissa* Lucilla (4):55
 - BMNH a 1870 *carteia* Thecla (4):64
 - a 1870 *cascella* Comptosia (4):57
 - a 1870 *cilix* Emesis (4):50
 - BMNH a 1870 *cleocha* Thecla (4):62
 - a 1870 *coenoides* Threnodes (4):58
 - a 1870 *colaxes* Esthemopsis (4):54
 - BMNH-ht a 1870 *cordelia* Thecla (4):64
 - a 1870 *densemaculata* Lemonias (4):53
 - BMNH-lt a 1870 *elongata* Thecla (4):60
 - BMNH a 1870 *epopea* Thecla (4):61
 - c 1870 *formosa* Erycina (4):49
 - a 1870 *formosissima* Erycina (4):49
 - BMNH a 1870 *gabatha* Thecla (4):62
 - BMNH a 1870 *gaina* Thecla (4):61
 - b 1870 *glaucoomia* Imelda (4):56
 - a 1870 *luceres* Lemonias (4):53
 - BMNH-lt a 1870 *oxida* Thecla (4):68
 - a 1870 *phoenias* Chamaelimnas (4):54
 - BMNH-ht a 1870 *pulchra* Erycina (4):49
 - BMNH a 1870 *theia* Thecla (4):60
 - BMNH a 1870 *thespia* Thecla (4):65
 - BMNH a 1870 *timoclea* Thecla (4):59
 - BMNH-ht a 1870 *titiana* Symmachia (4):51
 - BMNH a 1870 *trebonia* Thecla (4):63
 - a 1870 *victrix* Charis (4):50
 - c 1877 *bifasciata* Mesosemia (5):94
 - BMNH-ht a 1877 *sepyra* Erycina (5):94
 - a 1877 *sinuatus* Emesis (5):95
 - b 1877 *suberra* Lucilla (5):94
 - BMNH-ht a 1877 *subota* Charis (5):95
 - BMNH-ht a 1877 *suevia* Symmachia (5):95
 - a 1877 *sylves* Metacharis (5):96
 - a 1877 *temesa* Symmachia (5):52 or 93
 - a 1877 *tenebricosa* Mesosemia (5):93
 - a 1877 *trochois* Threnodes (5):96
- Hewitson 1870 Ent. mon. Mag. [b2331]
- a *bryaxis* Limnas 6:227
 - c *elmira* Eurygona 6:226
 - a *leena* Symmachia 6:226
 - a *threissa* Symmachia 6:227
 - b *xypete* Mesene 6:227
- Hewitson 1870 Ent. mon. Mag. [b2332]
- a *beltiana* Nocyria 7:3
 - BMNH-ht a *cleomedes* Azicoris 7:4
 - a *cleonyma* Symmachia 7:4
 - ■ *ethelinda* Nymphidium 7:6
- Hewitson 1870 Ent. mon. Mag. [b2332] (*continued*)
- a *lacrines* Emesis 7:5
 - b *lasthenes* Lemonias 7:5
- Hewitson 1870 Trans. ent. Soc. Lond. [b2333]
- a *angularis* Emesis 18(2):162
 - a *callixena* Comptosia 18(2):162
 - b *cellilla* Comptosia 18(2):162
 - a *mamilia* Mesosemia 18(2):160
 - a *mancia* Mesosemia 18(2):159
 - b *messala* Mesosemia 18(2):16
 - b *mustela* Mesosemia 18(2):161
 - b *mycene* Mesosemia 18(2):160
 - a *villagomes* Chamaelimnas 18(2):163
- Hewitson 1871 Trans. ent. Soc. Lond. [b2334]
- a *argentea* Eurygona 19(2):166
- Hewitson 1872 Ent. mon. Mag. [b2335]
- BMNH-ht a *inores* Iolau 9:85
- Hewitson 1873 Ent. mon. Mag. [b2336]
- a *aruma* Lycaena 10:124
 - a *bolissus* Iolau 10:123
 - c *canissus* Iolau 10:123
 - a *carina* Iolau 10:122
 - a *carnuta* Pentila 10:125
 - a *mera* Hypolycaena 10:124
 - c *naara* Hypolycaena 10:124
 - a *tera* Liptena 10:125
 - a *tirza* Pentila 10:125
- Hewitson 1873 Ent. mon. Mag. [b2337]
- a *carcina* Epitola 10:150
 - a *cephena* Epitola 10:151
 - a *ceraunia* Epitola 10:149
 - a *cercene* Epitola 10:150
 - a *hyetta* Epitola 10:150
 - ■ *zelza* Epitola 10:151
- Hewitson 1874 Ent. mon. Mag. [b2338]
- a *buxtoni* Hypolycaena 10:206
- Hewitson 1874 Ann. Mag. nat. Hist. [b2339]
- BMNH c *belli* Epitola (4)13:382
 - a *petreia* Pentila (4)13:382
 - b *phidia* Pentila (4)13:383
 - a *picena* Pentila (4)13:382
- Hewitson 1874 Ent. mon. Mag. [b2340]
- a *adelgitha* Liptena 11:36
 - a *lyzanius* Lycaenesthes 11:36
- Hewitson 1874 Trans. ent. Soc. Lond. [b2341]
- c *bimaculata* Myrina 22(3):353
 - a *cephenes* Pseudodipsas 22(3):344
 - b *deliochus* Deudorix 22(3):352
 - a *deritas* Deudorix 22(3):352
 - BMNH-ht a *dicomas* Hypochrysops 22(3):350
 - BMNH-ht a *digglesii* Pseudodipsas 22(3):344
 - BMNH-lt a *halyaetus* Hypochrysops 22(3):350
 - BMNH-ht a *herdonius* Hypochrysops 22(3):352
 - BMNH-ht a *hippuris* Hypochrysops 22(3):351
 - BMNH-ht a *hypates* Hypochrysops 22(3):351
 - a *lacides* Lycaenesthes 22(3):348
 - a *leptines* Lycaenesthes 22(3):348
 - a *leucyana* Liphya 22(3):355
 - BMNH-ht a *licates* Lycaenesthes 22(3):350
 - BMNH a *ligures* Lycaenesthes 22(3):349
 - BMNH a *liodes* Lycaenesthes 22(3):349
 - a *lucretilis* Lycaenesthes 22(3):349
 - a *lusones* Lycaenesthes 22(3):347
 - a *lysicles* Lycaenesthes 22(3):348
 - a *nomenia* Myrina 22(3):353

- Hewitson 1874 Trans. ent. Soc. Lond. [b2341] (continued)
 - a *phalena* Portia 22(3):344
 - a *phalia* Portia 22(3):345
 - a *pharyge* Portia 22(3):345
 - a *pheretia* Portia 22(3):346
 - a *philota* Portia 22(3):346
 BMNH-ht a *pleurata* Portia 22(3):346
 BMNH-ht b *potina* Portia 22(3):347
 BMNH-ht a *promula* Portia 22(3):347
 - c *zaraces* Zentis 22(3):354
 - c *zorites* Zentis 22(3):354
- Hewitson 1874 Ent. mon. Mag. [b2342]
 - a *rutherfordii* Abisara 11:56
- Hewitson 1874 Ent. mon. Mag. [b2343]
 BMNH a *chonida* Thecla 11:105
 BMNH d *critola* Thecla (H & JOS) 11:105
 BMNH-ht b *cyphara* Thecla 11:106
 BMNH-ht c *cyriana* Thecla 11:105
 BMNH-ht a *lyrnessa* Lycaena 11:107
 BMNH-ht a *mathewi* Thecla 11:106
 BMNH c *quadrimaculata* Thecla 11:106
 BMNH-ht b *sedecia* Thecla 11:105
- Hewitson 1874 Descr. new Spec. Butts Buckley Bolivia [b2344]
 - a *aegates* Limnas :19
 - a *aenetus* Nymphidium :14
 - a *ambryllis* Limnas :19
 BMNH-ht a *antanitis* Lemonias :15
 - a *anthias* Nymphidium :14
 - a *candidata* Hermathena :16
 - a *cercepes* Limnas :18
 - c *chirone* Eurygona :13
 - a *chrysame* Symmachia :16
 BMNH c *circinata* Thecla :19
 - a *corduena* Eurygona :13
 BMNH-ht a *crambusa* Thecla :20
 - a *creusis* Baeotis :17
 - a *curulis* Lemonias :14
 - a *cyneas* Nymphidium :14
 BMNH-ht a *cynosema* Xymias :18
 - a *felix* Baeotis :17
 - a *mira* Erycina :12
 - a *miranda* Erycina :13
- Hewitson 1875 Ent. mon. Mag. [b2345]
 - a *cytaeis* Iolais 11:182
 - a *vinging* Liphya 11:183
- Hewitson 1875 Ent. mon. Mag. [b2346]
 - a *bubases* Hypochrysops 12:38
 - a *delicia* Hypochrysops 12:38
 - a *vixinga* Aphnaeus 12:39
- Hewitson 1875 Ent. mon. Mag. [b2347]
 - c *genuba* Myrina 12:106
- Hewitson 1876 Ent. mon. Mag. [b2348]
 - a *deodata* Dodona 13:151
 - c *symira* Myrina 13:152
- Hewitson 1877 Ent. mon. Mag. [b2349]
 - a *dariaves* Deudorix 13:205
- Hewitson 1877 Ent. mon. Mag. [b2350]
 - a *pediada* Poritia 13:223
- Hewitson 1877 Ent. mon. Mag. [b2351]
 - a *nyassa* Alaena 14:6
- Hewitson 1877 Ent. mon. Mag. [b2352]
 - a *avidiena* Amblypodia 14:108
- Heydemann 1910 Ent. Zeit. [b2354]
 - e *ab. magnifica* Lycaena (H) 23(40):177
 - e *ab. uroliensis* Lycaena 23(40):177
- Heydemann 1930 Int. ent. Z. [b2355]
 - e *pseudoarmoricana* Plebejus 24(25):269+
- Heydemann 1932 Ent. Rundsch. [b2357]
 - c *singularis* Plebejus 49:83, pl 50
- Heydemann 1933 Int. ent. Z. [b2358]
 - c *pseudarmoricana* Lycaeides 27:190
- Heydemann [1942] Deut. ent. Zeit. [Iris] [b2359]
 -lt b *clara* Lycaena 55:106
 - b *rhenana* Chrysophanus 55:99, f
- Heydemann 1954 Z. wien. ent. Ges. [b2360]
 - a *adulterinus* Polyommatus 39:425
 - c *angustemarginata* Zizecchia 39:424
 - e *delerei* Polyommatus 39:424
 - e *obscura* Freyeria 39:424, f
- Heydenreich 1851 Verz. europaischer Schmett. [b2361]
 - e *osmar* Lycaena (NN) :14
- Heyne 1893-1895 In Palae. Grossschmett. [b2363]
 - c 1893 *turanica* Lycaena 1:447
 - b 1895 *algerica* Lycaena 1:768
 - d 1895 *amurensis* Lycaena (H) 1(15):751
 - e 1895 *caeruleata* Lycaena 1:712
 - c 1895 *hadjina* Lycaena 1(15):764
 - b 1895 *magna* Lycaena 1:766
 - d 1895 *montana* Lycaena (H) 1:759
 - c 1895 *rosea* Lycaena 1:749
 - b 1895 *sajana* Lycaena 1:757
 - c 1895 *sibirica* Thecla 1:740
 - c 1895 *tauricus* Lycaena 1:744
 - a 1895 *turanica* Lycaena 1:761
 - c 1895 *turensis* Lycaena 1:762
 - e 1895 *versicolor* Polyommatus 1(15):762
- Heyne 1897 Soc. ent. [b2362]
 - c *aureomicans* Polyommatus 12(2):9
- Higgins 1930 Entomologist [b2365]
 lost-st b *cosana* Polyommatus 63:126
 BMNH-st b *delicata* Chrysophanus 63:99
 BMNH-st b *nestae* Lycaena 63:100, pl 2
- Higgins 1948 Entomologist [b2367]
 lost-ht e *f. agenjo* Polyommatus 81(3):52
 lost-ht b *tova* Polyommatus 81(3):50
- Higgins 1958 Entomologist [b2369]
 BMNH-ht b *gina* Polyommatus 91:43
 BMNH-ht c *shakla* Lysandra 91:44
- Higgins 1964 Entomologist [b2372]
 BMNH-ht b *elta* Nordmannia 97:197
 BMNH-ht b *selda* Lycaeides 97:199
- Higgins 1965 Entomologist [b2373]
 BMNH-ht c *guichardi* Nordmannia 98:10
 BMNH-ht c *kolak* Callophrys 98:10
- Higgins 1975 Class. Europ. Butts [b2375]
 - b *magnagraeca* Lycaeides :143
- Higgins 1981 Ent. Gaz. [b2377]
 - e *aegrus* Agriades (ISS) 32(4):232
 BMNH-ht c *alexander* Albulina 32(4):230, f
 lost-ht b *ergane* Agriades 32(4):231, f
 BMNH-ht c *lornex* Vacciniina 32(4):232, f
 BMNH-ht c *monarchus* Aricia 32(4):230, f

- Higgins & Riley 1970 Field Guide Butts Brit. Europ. [b2380]
 - b *melanoposmater* Glaucopsyche :262
- Hirose 1933 Trans. Kansai ent. Soc. [b2383]
 -- e *ab. daisena* Zephyrus 4:35, f 5
 -- e *ab. kawachensis* Lampides 4:36, f 4
- Hirowatari 1992 Bull. Univ. Osaka Pref. [b2388]
 -- e *russeri* *Nacaduba* (ISS) (B)44(Suppl.):19
- Hirowatari & Cassidy 1994 Tyô to Ga [b2394]
 BMNH-ht a *ellioti* *Jamides* 45(1):1, f 1-5
- Hirschke 1903 Verh. zool.-bot. Ges. Wien [b2395]
 -- e *ab. depuncta* *Lycaena* 53:270, pl 2
- Hirschke 1904 Jber. Wien. ent. Ver. [b2396]
 - b *rebeli* *Lycaena* 11:109, pl 2
- Hirschke 1910 Verh. zool.-bot. Ges. Wien [b2397]
 -- e *ab. aurata* *Lycaena* 60:412
 -- e *ab. courvoisieri* *Lycaena* 60:412
 -- e *ab. gerhardi* *Chrysophanus* 60:412
 -- e *ab. wallentini* *Chrysophanus* 60:412
- Høegh-Guldberg 1963 Ent. Med. Ned.-Indië [b2398]
 -- e *brunneopuncta* *Aricia* (IFS) 32:25
 -- e *flavescens* *Aricia* (IFS) 32:25
 -- e *panalbolimbata* *Aricia* (IFS) 32:25
 -- e (+) *panobsoleta* *Aricia* (IFS) 32:25
 -- e *f. snelleni* *Aricia* (IFS) 32:25
- Høegh-Guldberg 1966 *Natura* jutl. [b2399]
 - b *horkai* *Aricia* 13:80
 - b *lyngensis* *Aricia* 13:81
 - b *opheimi* *Aricia* 13:80
 - b *rambringi* *Aricia* 13:79
- Höfer 1919 Verh. zool.-bot. Ges. Wien [b2403]
 -- e *ab. decolorata* *Glaucopsyche* 69:(138)
- Höfer 1923 Verh. zool.-bot. Ges. Wien [b2404]
 -- e *ab. cyanea* *Polyommatus* 72:(78)
- Hoffmann 1914 In Mitt. nat. Ver. Steierm. [b2408]
 -- e *ab. steinbuehleri* *Zephyrus* 50:287
- Hoffmann 1940 An. Inst. Biol. Univ. Méx. [b2405]
 -- e *aurolutea* *Lymnas* (IFS) 11(2):638
- Hoffmann & Klos 1914 Mitt. nat. Ver. Steierm. [b2409]
 -- e *ab. obscurior* *Chrysophanus* 50:288
- Hoffmansegg 1804 Mag. f. Insektenk. (Illiger) [b2410]
 - a *alcetas* *Papilio* 3:205
 - c *ismenias* *Papilio* 3:184
 - c *pheretes* *Papilio* 3:187
- Hoffmansegg 1806 Mag. f. Insektenk. (Illiger) [b2411]
 - b *eurydame* *Chrysophanus* 5:178
- Hoffmansegg 1818 In Wiedemann, Zool. Mag. [b2412]
 - c *nyctea* *Emesis* 1(2):99
 - c *pittheus* *Lemonias* 1(2):100
 - c *psamathes* *Emesis* 1(2):99
- Holl 1909 Bull. Soc. ent. Fr. [b2415]
 - c *oberthueri* *Thestor* 1909(13):228
 - c *weberi* *Thestor* 1909(13):229
- Holl 1913 Bull. Soc. Hist. nat. Afr. N. [b2416]
 -- e *var. rosina* *Lycaena* 4:99
- Holland 1887 Trans. amer. ent. Soc. [b2421]
 - a *henrici* *Dodona* 14:119, pl 2
 - b *phoenicoparyphus* *Thecla* 14:120, pl 2
- Holland 1890 Proc. Boston Soc. nat. Hist. [b2422]
 - ■ *clathratus* *Tarucus* 25:71
 - b *johnsoniana* *Iraca* 25:73
 CM?-ht a *macassarensis* *Paragerydus* 25:70, pl 4
 - b *maximus* *Gerydus* 25:68, pl 5
- Holland 1890 Psyche [b2423]
 - c *argenteola* *Aphnaeus* 5:430
 - a *argyrocyclus* *Aphnaeus* 5:431
 - c *ashira* *Durbania* 5:428
 - a *benitensis* *Epitola* 5:425
 - ■ *campimus* *Larinopoda* 5:427
 - a *cercenoides* *Epitola* 5:424
 - a *crustaria* *Aphnaeus* 5:430
 - a *despecta* *Pseuderesia* 5:426
 - a *exiguus* *Lachnocnema* 5:427 or 426
 - c *goodi* *Epitola* 5:424
 - c *ilogo* *Aphnaeus* 5:429
 - c *latruncularia* *Pseuderesia* 5:426
 - b *leucostola* *Teriomima* 5:429
 - a *mirifica* *Euliphya* 5:423
 - c *mondo* *Durbania* 5:428
 - ■ *o-rubrum* *Pseuderesia* 5:425
 - a *olombo* *Durbania* 5:429
 - a *osheba* *Durbania* 5:428
 - a *perfragilis* *Larinopoda* 5:427
 CM-ht a *purpurascens* *Epitola* 5:424
 - c *s-signata* *Spalgis* 5:426
 - c *subfulvida* *Epitola* 5:423
 - c *umbratilis* *Epitola* 5:425
 - b *xanthis* *Teriomima* 5:429
 - a *xanthostola* *Teriomima* 5:429
- Holland 1891 Psyche [b2424]
 - a *lychnaptes* *Lycaenesthes* 6(179):51
 - a *paludicola* *Lycaena* 6(179):52
 - c *regillus* *Lycaenesthes* 6(179):51
 CM a *rubricinctus* *Lycaenesthes* 6(179):51
 - a *scintillula* *Lycaenesthes* 6(179):50
 - c *stratola* *Nacaduba* 6(179):52
 - a *tisamenus* *Lycaenesthes* 6(179):52
 - c *zebra* *Pseudaletis* 6(179):50
- Holland 1892 Ann. Mag. nat. Hist. [b2425]
 - a *cornucopiae* *Durbania* (6)10:285
 - a *nigra* *Pseudaletis* (6)10:286
 - a *rava* *Hypolycaena* (6)10:286
 - a *reutlingerii* *Lachnocnema* (6)10:286
 - a *umbra* *Pentila* (6)10:285
- Holland 1892 Entomologist [b2426]
 USNM-ht b *abbottii* *Chrysophanus* 25(Suppl.):90
 - c *perpulchra* *Lycaena* 25(Suppl.):90
- Holland 1893 Ent. News [b2427]
 - a *amenaidoides* *Tingra* 4(1):23
 - a *erythropeocilus* *Lycaenesthes* 4(1):26
 - a *glagoessa* *Tingra* 4(1):22, pl 1
 - b *limbata* *Tingra* 4(1):23, pl 1
 - ■ *mapongua* *Durbania* 4(1):25
 - a *melambrotus* *Lycaenesthes* 4(1):27
 - a *melandeta* *Larinopoda* 4(1):25, pl 1
 CM c *musagetes* *Lycaenesthes* 4(1):25
 - c *propinquus* *Aphnaeus* 4(1):25, pl 1
 - a *xanthopeocilus* *Lycaenesthes* 4(1):27
- Holland 1895 Ent. News [b2428]
 - a *galenides* *Teriomima* 6(5):167
 - ■ *neurata* *Mimacraea* 6(5):166
- Holland 1900 Ent. News [b2430]
 CM-st b *yukona* *Lycaena* 11(4):416

- Holland 1900 Novit. zool. [b2431]
 - a *buruana* Lampides 7:76
 - a *buruana* Talicada 7:72
 - b *buruana* Hypochlorosis 7:79
 - c *buruensis* Gerydus 7:67
 - b *buruensis* Athopala 7:78
 BMNH-ht c *carolina* Athopala 7:78
 - a *cladara* Nacaduba 7:73
 - a *geleis* Nacaduba 7:75
 - a *glenis* Nacaduba 7:75
 - b *pegobates* Lycacnesthes 7:71
 - c *poecilta* Nacaduba 7:74
 - b *porphyris* Jamides 7:75
 - a *subcoerulea* Zizera 7:69
- Holland 1902 Ann. Carn. Mus. [b2432]
 - a *carteri* Charis 1(3):486
- Holland 1913 Ent. News [b2433]
 - c *weberi* Satyrimima 24(7):302, f 1
- Holland 1920 Bull. amer. Mus. nat. Hist. [b2434]
 - c *batikelides* Deudorix 43(6):221, pl
 AMNH-ht a *chapini* Spindasis 43(6):225, pl 12
 - b *flava* Oboronia 43(6):235
 - a *langi* Epitola 43(6):217, pl 12
 - a *lutzi* Triclema 43(6):229, pl 12
 - a *medjensis* Telipna 43(6):214, pl 12
 - c *rothioides* Telipna 43(6):214, pl 12
- Holland 1929 Ent. News [b2436]
 CM-ht c *louisiana* Calephelis 40(1):20
- Holland 1930 Ann. Carn. Mus. [b2437]
 CM-ht b *charlottensis* Chrysophanus 20(1):6
 CAS-ht a *wrightii* Calephelis 20(1):5
- Holland 1931 Butt. Book (2nd ed.) [b2438]
 - b *amicetus* Epidemia :250, pl 28
 - e *endymion* Thecla (MISID) :242, pl 64
 - e *gazora* Celastrina (ISS) :256
 CM-st c *suttoni* Lycaena :269, pl 68
- Holloway 1986 In Butts Oriental Region, Pt 3 [b2439]
 BMNH-ht a *robinsoni* Yasoda :590, f
- Holloway & Peters 1976 J. nat. Hist. [b2440]
 biblio b *baladensis* Psychonotis 10(3):308
- Holtz 1897 Ilte Z. Ent. [b2442]
 - c *cliticea* Satyrium 2:46
- Hopffer 1855 Ber. Verh. Akad. Berl. [b2443]
 - a *antalus* Dipsas 1855:641
 - c *asopus* Euchrysops 1855:642, n 22
 - a *caeculus* Iolus 1855:642
 - a *calice* Lycaena 1855:642
 - a *jobates* Lycaena 1855:642
 - c *orejus* Iolus 1855:641, n 16
 BMNH-ht a *ostris* Lycaena 1855:642
 - a *sybaris* Lycaena 1855:642, n 19
- Hopffer 1874 Stett. ent. Ztg [b2445]
 ZMHU-ht a *philo* Lycaena 35:27
 ZMHU-ht a *rhode* Lycaena 35:27
- Hopffer 1874 Stett. ent. Ztg [b2446] (*continued*)
 - a *westwoodi* Necyria 35:362
- Hopkins 1927 Insects of Samoa [b2447]
 - b *armstrongi* Deudorix (3)Lep.(1):49
 - b *doris* Deudorix (3)Lep.(1):49
 - b *pepe* Catochrysops (3)Lep.(1):55
- Hörhammed 1934 Int. ent. Z. [b2448]
 - e *ab. cyanogyne* Lycaena 28:85, f
- Hori 1923 Ins. World [b2449]
 - b *yanagawensis* Polyommatus 27:233, f
- Hori & Tamanuki 1937 Bull. Central Exp. Stat, Saghalien [b2450]
 - c *harukii* Neozephyrus (19):177
- Hormuzaki 1892 Ent. Nachr. [b2451]
 - e *unicolor* Maculinea 18:1
- Hormuzaki 1893 Soc. ent. [b2452]
 - e *sagitifera* Lycaena 8(8):58
- Hormuzaki 1893 Soc. ent. [b2453]
 - c *vernalis* Polyommatus 8(17):130
- Hormuzaki 1897 Verh. zool.-bot. Ges. Wien [b2454]
 - e *ab. cecinae* Maculinea 47:137
 - c *jasilkowskii* Lycaena 47:138
- Horsfield 1828-1829 Descr. Cat. lepid. Ins. [b2457]
 BMNH-ht a [1828] *akasa* Polyommatus (1):67, explic.
 - e [1828] *aratus* Lycaena (NN) (1):78
 - c [1828] *chitra* Thecla (1):explic. pl
 - b [1828] *drupadi* Emesis (1):explic. pl
 - d [1828] *elpis* Lycaena (H) (1):76 or 96
 - b [1828] *kandarpa* Lycaena (1):82
 BMNH-ht a [1828] *malaya* Lycaena (1):70
 - a [1828] *narada* Thecla (1):98, explic.
 BMNH-ht b [1828] *nila* Jamides (1):78, n 14
 - c [1828] *pandu* Symetha (1):explic. pl
 BMNH-ht a [1828] *pavana* Lycaena (1):77
 BMNH-ht a [1828] *puspa* Polyommatus (1):67
 BMNH-ht a [1828] *ravindra* Thecla (1):explic. pl
 - e [1828] *thetys* Curetis (ISS) (1):-
 - a [1828] *vidura* Thecla (2):explic. pl
 BMNH-ht a [1829] *insularis* Phaedra (2):125
 - e [1829] *jaffra* Myrina (ISS) (2):118, explic.
 - a [1829] *jalindra* Amblypodia (2):109 or 110
 - a [1829] *jangala* Amblypodia (2):113
 - a [1829] *kessuma* Thecla (2):89
 - a [1829] *lohita* Amblypodia (2):106
 - a [1829] *malika* Thecla (2):90
 - a [1829] *nasaka* Thecla (2):91
 - a [1829] *pandava* Lycaena (2):84
 - a [1829] *pita* Loxura (2):122
 - a [1829] *rochana* Amblypodia (2):108
 - b [1829] *sugriva* Amblypodia (2):105, pl 1
 - a [1829] *syama* Amblypodia (2):107
 - c [1829] *terricola* Phaedra (2):124
 - a [1829] *varuna* Thecla (2):91
 - a [1829] *vivarna* Amblypodia (2):99
- Hovanitz 1937 Pan-Pac. Ent. [b2461]
 CAS-ht b *missionensis* Plebejus 13(4):187
- Howarth 1956 Entomologist [b2462]
 BMNH a *stubbsi* Niphanda 89:161, f
- Howarth 1957 Bull. Br. Mus. nat. Hist. (Ent.) [b2463]
 BMNH-ht e *albifasiatus* Austrozephyrus (IFS) 5(6):271, f
 BMNH-ht b *angustimargo* Neozephyrus 5(6):258, f 75
 BMNH-ht a *bhutanensis* Neozephyrus 5(6):266, f 37
 BMNH-ht a *chinensis* Neozephyrus 5(6):256, f 23
 BMNH-ht a *disparatus* Neozephyrus 5(6):259, f 26

- Howarth 1957 Bull. Br. Mus. nat. Hist. (Ent.) [b2463] (continued)
- BMNH-ht a *helenae* Neozephyrus 5(6):264, f 33
 BMNH-ht b *interpositus* Neozephyrus 5(6):260, f 77
 BMNH-ht a *marginatus* Neozephyrus 5(6):248, f 10
 BMNH-ht a *nigroapicalis* Neozephyrus 5(6):242, 3
 BMNH-ht b *pseudoletha* Neozephyrus 5(6):260
 BMNH-ht b *pseudotaiwanus* Neozephyrus 5(6):259
 BMNH-ht a *sandersi* Neozephyrus 5(6):250, f 13
 BMNH-ht a *sikkimensis* Neozephyrus 5(6):241, f 2
 BMNH-ht a *tytleri* Neozephyrus 5(6):249, f 12
 BMNH-ht c (+) *f. violescens* Neozephyrus 5(6):264
 BMNH-ht a *watsoni* Neozephyrus 5(6):245
 BMNH-ht a *yunnanensis* Neozephyrus 5(6):253, f 19
- Howarth 1962 Nat. Hist. Rennell I., Brit. Solomon Is. [b2465]
 - b *reducta* Catochrysops 4:77, f
 - b *reducta* Catochrysops 4:76
 - b *rennellensis* Catochrysops 4:76
- Howarth 1971 Ent. Gaz. [b2466]
 BMNH c *ab. multistriata* Cupido 22(2):118
- Howarth 1976 In Čas. morav. Mus. Brně [b2467]
 - b *afghana* Polyommatus 61:142, f
 - b *balucha* Lycaena 61:150, f
 - b *povolnyi* Lycaena 61:149, f
 - a *seminigra* Glaucopsyche 61:144, f
 - a *violacea* Praephilotes 61:143, f
- Howarth & Povolny 1976 Čas. morav. Mus. Brně [b2469]
 - c *afghana* Lycaena 61:150, f
- Hsu 1987 Tyō to Ga [b2471]
 - b *shirozui* Celastrina 38(1):5-8, 3 f
- Hsu 1989 Bull. Inst. Zool. Acad. Sin. (Taipei) [b2473]
 - a *peripatria* Chilades 28(1):56, f
- Hsu 1990 J. Taiwan Mus. [b2474]
 - b *leel* Nacaduba 43(1):13, f
- Hsu & Lin 1994 J. Lep. Soc. [b2476]
 NTUM-ht a *kuafui* Sibataniozephyrus 48(2):143, f
- Huang & Murayama 1988 Konchu to Shizen (Nature & Insects) [b2477]
 - a *kumukuleensis* Xinjiangia 23(12):28, f
- Huang & Murayama 1992 Tyō to Ga [b2478]
 BLXU-ht b *altaishanica* Lysandra 43(1):11, f 29
 BLXU-ht b *jiadengyuensis* Thersamonia 43(1):9, f 27
 BLXU-ht b *jiadengyunus* Cyaniris 43(1):11, f 32
 pc-ht b *sajanica* Thersamonia 43(1):10
 BLXU-ht a *yiliensis* Satyrium 43(1):11, f 31
 BLXU-ht b *yiliugozigounae* Thecla 43(1):9, f 25
- Hübner 1796-1838 Samml. europ. Schmett. [b2480]
 - b [1800] *euphemus* Papilio 1-pl 54, f 257-259
 - d [1800] *eundice* Papilio (H) 1-pl 68, f 339-342
 - c [1800] *evippus* Papilio 1-pl 73, f 366
 - d [1800] *xanthe* Papilio (H) 1-pl 69, f 346-348
 - d [1804] *atys* Papilio (H) 1-pl 97, f 495
 - d [1804] *lysion* Papilio (H) 1-pl 105, f 534
 - d [1804] *meleager* Papilio (H) 1-pl 103, f 522-525
 - d [1804] *tithonus* Papilio (H) 1-pl 108, f 555
 - d [1806] *pheretes* Papilio (H) 1:45
 - b [1813] *cyparissus* Papilio 1-pl 129, f 654-657
 - a [1813] *golgus* Papilio 1-pl 136, f 688-689
 - d [1813] *lynceus* Papilio (H) 1-pl 132, f 674
 - a [1813] *panoptes* Papilio 1-pl 132, f 670-673
 - a [1823] *dolus* Papilio 1-pl 159, f 793-796
 - a [1823] *escheri* Papilio 1-pl 160, f 799
 - b [1824] *cerri* Papilio 1-pl 175, f 863
 - c [1824] *cinnus* Papilio 1-pl 167, f 830
 - a [1824] *idmon* Papilio 1-pl 165, f 820
- Hübner 1796-1838 Samml. europ. Schmett. [b2480] (continued)
 - d [1824] *sebrus* Papilio (RC) 1-pl 172, f 851-854
 - d [1832] *saportae* Papilio (RC) 1-pl 188, f 922-925
 - c [1836] *steevenii* Papilio 1-pl 201, f 994
- Hübner 1806-1838 Samml. exot. Schmett. [b2482]
 - a [1806] *leucosia* Limnas 1-pl [29]
 - a [1807] *halimede* Limnas 1-pl [27]
 - a [1807] *zygia* Lemonias 1-pl [35]
 - c [1808] *alphaea* Lemonias 1-pl [37]
 - a [1808] *molpe* Limnas 1-pl [31]
 - a [1809] *calanus* Rusticus 1-pl [100]
 - a [1809] *minijas* Rusticus 1-pl [97]
 - c [1811] *luciana* Lemonias 1-pl [36]
 - c [1811] *poeus* Rusticus 1-pl [101]
 - c [1817] *nyx* Limnas 1-pl [33], f 1
 - a [1817] *xanthopilus* Rusticus 1-pl [99]
 - a [1819] *eurytulus* Tmolus 2-pl [90]
 - a [1820] *pais* Helicopsis 2-pl [16], f 1-4
 - c [1820] *upis* Eurybia 2-pl [12]
 - a [1821] *leucophaea* Echenais 2-pl [13]
- Hübner 1808-1837 Zutr. Samml. exot. Schmett. [b2483]
 - b [1818] *antibubastus* Hemiargus 1:19, pl [18]
 - d [1818] *evagoras* Ialmenus (H) 1:29, pl [31]
 - a [1818] *leucophaeus* Bithys 1:18, pl [16]
 - a [1818] *mavors* Theritas 1:31, pl [33]
 - a [1818] *melinus* Strymon 1:22, pl [21]
 - b [1818] *mopsus* Chrysothamus 1:24, pl [24]
 - a [1818] *phaedusa* Stalactis 1:9, pl [3]
 - d [1823] *balliston* Lampides (RC) 2:11, pl [40]
 - a [1823] *catoleuce* Erythia 2:8, pl [37]
 - a [1823] *chia* Echenais 2:28, pl [62]
 - a [1823] *chrysomallus* Zesius 2:20, pl [53]
 - c [1823] *colubris* Caria 2:14, pl [44]
 - c [1823] *dolichos* Atides 2:9, pl [39]
 - c [1823] *eurisides* Jolais 2:20, pl [52]
 - a [1823] *lycea* Melanis 2:18, pl [50]
 - a [1823] *melaphaea* Erythia 2:8, pl [37]
 - c [1823] *nycha* Psalidopterus 2:17, pl [49]
 - a [1823] *phaeomallus* Zesius 2:15, pl [46]
 - c [1831] *lysippe* Erycina 3:31, pl [91]
 - a [1831] *melanis* Baecotis 3:12, pl [74]
 - c [1832] *thymbraeus* Sithon 4:20, pl [116]
 - c [1837] *lytaea* Psalidopterus 5:f 901,902
- Hübner 1816-1826 Verz. bekannt. Schmett. [b2484]
 biblio-ht d [1819] *ania* Charis (JOS) (2):21, no. 155
 biblio c [1819] *arcas* Pandemos (2):25, no. 192
 - c [1819] *cerea* Polystichis (2):18
 - a [1819] *coea* Mesosemia (2):21
 - c [1819] *cyanira* Euselasia (2):24
 - e [1819] *dolichus* Atides (ISS) (5):80, no. 815
 biblio-ht a [1819] *endymiaena* Hexuropteris (2):22, no. 165
 - a [1819] *esculi* Strymon (5):74, no. 737
 - a [1819] *euchylas* Pepliphorus (5):71, no. 698
 - d [1819] *gelaena* Euselasia (JOS) (2):24, no. 181
 - a [1819] *gryneus* Lycus (5):74, no. 732
 - c [1819] *hiphia* Mesosemia (2):21
 - c [1819] *hisbaena* Baecotis (2):21, no. 156
 - c [1819] *laera* Hesperia (2):25
 - c [1819] *lisimaena* Peplia (2):20
 - e [1819] *lusca* Aphaciüs (NN) (2):19, no. 129
 - c [1819] *lusia* Hamanumida (2):18, no. 108
 biblio a [1819] *lydus* Bithys (5):75, no. 753
 - c [1819] *metus* Mithras (5):79, no. 804
 - d [1819] *minyas* Eurmaeus (UE) (5):67, no. 643
 - e [1819] *naucus* Mithras (ISS) (5):79, no. 802
 - c [1819] *naxus* Castalius (5):70
 biblio a [1819] *nicia* Hyphilaria (2):26, no. 203
 - a [1819] *niphon* Lycus (5):74, no. 730
 - c [1819] *ochima* Symmachia (2):26

- Hübner 1816-1826 Verz. bekannt Schmett. [b2484] (continued)
- c [1819] *ormenus* Curetis (7):102
 - c [1819] *pelidua* Peplia (2):20
 - a [1819] *pelope* Peplia (2):20
 - e [1819] *phalantus* Molus (ISS) (5):78, no. 791
 - d [1819] *philoclessa* Mesosemia (JOS) (2):21, no. 145
 - e [1819] *polybetes* Parrhasius (ISS) (5):79, no. 799
 - c [1819] *probetrix* Symmachia (2):26, no. 202
 - biblio-lt d [1819] *pyretæ* Ancylytis (JOS) (2):23, no. 168
 - a [1819] *scamander* Atides (5):80, no. 817
 - c [1819] *syllidus* Tmolus (5):76
 - c [1819] *tale* Hesperia (2):25
 - c [1819] *telecta* Euselasia (2):24
 - c [1819] *tenage* Euselasia (2):24
 - c [1819] *tyrrhenus* Bithys (5):75, no. 748
 - c [1819] *ultio* Mesosemia (2):21
 - c [1819] *uranis* Baeotis (2):21
 - c [1819] *xenodice* Lycaena (2):23
 - c [1819] *zeangira* Polystichis (2):18
 - c [1819] *zethus* Lampides (5):70
- Hübner 1821 Index exot. Lep. [b2485]
- c *lucetia* Echenais :4
- Huene 1883 Ent. Nachr. [b2491]
- c *estonica* Lycaena 9:49
- Huene 1901 Stett. ent. Zig [b2490]
- e *albopunctata* Lycaena (IFS) 62:154
 - e *ab. apicepunctata* Lycaena 62:154
- Hüfnagel 1766 Berlin Mag. [b2492]
- c *dorilis* Papilio 2:68
 - d *medon* Papilio (H) 2:78
 - c *prorsa* Papilio 2:68
- Hulst 1886 Ent. Amer. [b2494]
- USNM-ht e *ab. fulliolus* Chrysophanus 2(9):182
- Hulstaert 1924 Annl's Soc. ent. Belg. [b2495]
- b *gloriel* Lampides 64:80
- Hulstaert 1924 Revue zool. afr. [b2496]
- b *albata* Pentila 12(2):116
 - b *ab. albicans* Neochrysoptera 12(2):194
 - e (+) *ab. albifascia* Hewitsonia 12(2):118
 - b *aneri* Neochrysoptera 12(2):190
 - c *anesius* Iolus 12(2):177
 - a *anetia* Deudonix 12(2):120
 - a *apuleia* Spindasis 12(2):178
 - b *aquilonis* Lycaenesthes 12(2):181
 - b *arctimargo* Oboronia 12(2):194
 - a *atrinervis* Telipna 12(2):113
 - b *australis* Neochrysoptera 12(2):187
 - c *brabo* Neochrysoptera 12(2):193
 - e (-) *ab. coarctata* Aethiopia 12(2):118
 - b *connectens* Pentila 12(2):118
 - e (+) *f. decolorata* Pseuderesia 12(2):117
 - e *ab. demaculata* Pseuderesia 12(2):117
 - b *elisabetha* Pentila 12(2):116, f 16
 - a *eustorgia* Axioceres 12(2):179
 - c *exsuperia* Telipna 12(2):112
 - c *feminina* Deudonix 12(2):121
 - c *fescennia* Neochrysoptera 12(2):186
 - c *hilarion* Cupidesthes 12(2):180
 - c *lydia* Triclema 12(2):184
 - c *lysias* Lycaenesthes 12(2):181
 - b *ab. magna* Lycaenesthes 12(2):182
 - b *marginata* Lycaenesthes 12(2):182
 - c *mariana* Deudonix 12(2):120
 - c *menna* Neochrysoptera 12(2):192
 - a *mesia* Pentila 12(2):115
 - c *mixtura* Oxyliodes 12(2):174
- Hulstaert 1924 Revue zool. afr. [b2496] (continued)
- a *nicephora* Deudonix 12(2):173
 - c *f. nigribasis* Pentila 12(2):116
 - c *obliquisigna* Lachnocnema 12(2):119
 - a *onias* Lycaenesthes 12(2):183
 - b *orientalis* Neochrysoptera 12(2):187
 - b *orientius* Iolus 12(2):177
 - b *orontius* Neochrysoptera 12(2):191
 - b *proclus* Neochrysoptera 12(2):188
 - c *publia* Zizera 12(2):184
 - c *rectifascia* Lachnocnema 12(2):119
 - a *reducta* Neochrysoptera 12(2):185
 - a *schoutedeni* Lycaenesthes 12(2):181
 - c *sebasta* Hypolycaena 12(2):176
 - a *severini* Neochrysoptera 12(2):185
 - c *staphyla* Pseuderesia 12(2):117
 - a *sulpitia* Telipna 12(2):114
 - c *syllivus* Neochrysoptera 12(2):189
 - c *symmachia* Hypolycaena 12(2):175
 - MAC a *synesia* Liptena 12(2):118
 - c *theodota* Neochrysoptera 12(2):193
- Huntington 1932 Bull. amer. Mus. nat. Hist. [b2497]
- AMNH-ht a *lutzi* Thecla 63(3):212, f 1
 - AMNH-ht a *watsoni* Thecla 63(3):213, f 2
- Husz 1881 Ent. Nachr. [b2498]
- e *ab. speyeri* Lycaena 7:244
- Igarashi 1973 Tyô to Ga [b2500]
- a *haradai* Ahlbergia 23(3/4):68, f
- Im 1988 Kwahak Wontongbo [b2502]
- b *tumangensis* Poliommatas 1988(3):49
- Inomata 1989 Stud. Chin. Butterflies [b2504]
- b *harutai* Fixsenia 1:236, f
 - b *koivayasi* Fixsenia 1:237, f
- Inoué 1942 Ent. World [b2507]
- b *morisonensis* Thecla 10(104):644-646
- Inoué & Kawazoe 1964 Nature Life Southeast Asia [b2508]
- b *angustilineata* Abisara 4:322
 - b *latifasciata* Abisara 4:325
 - b *metayel* Curetis 4:343
 - c *vietnamitica* Curetis 4:339
- Jachontov 1906 Mater. Pozn. Fauny Flory SSSR [b2554]
- e *f. consonans* Lycaena 7:135
- Jachontov [1909] Revue Russe Ent. [b2555]
- b *caucasica* Chrysophanus 8(3/4):291
 - c *sordidula* Lycaena 8(3/4):292
- Jachontov 1909 Revue Russe Ent. [b2556]
- b *inhonora* Lycaena 9:253
- Jachontov 1911 Izv. kavkaz. Muz. [b2558]
- c *majuseula* Satyrium 5:313
- Jachontov 1914 Revue Russe Ent. [b2559]
- e *caucasica* Maculinea 14:301
 - a *ciscaucasica* Lycaena 14:300
- Jackson 1962 Bull. Br. Mus. nat. Hist. (Ent.) [b2562]
- b *aequatorialis* Epitola 12(3):135
 - a *alba* Epitola 12(3):155
 - a *azurea* Epitola 12(3):148
 - BMNH-ht a *carcassoni* Stempfferia 12(3):157, f
 - a *coerulea* Epitola 12(3):140
 - a *kamengensis* Epitola 12(3):150
 - a *katerae* Epitola 12(3):149
 - a *mpangensis* Epitola 12(3):149
 - c *nigeriae* Epitola 12(3):145

- Jackson 1962 Bull. Br. Mus. nat. Hist. (Ent.) [b2562] (*continued*)
- b *nigeriensis* Hewitsonia 12(3):160
 - a *nigrovenata* Epitola 12(3):136
 - b *orientalis* Neaveia 12(3):158, f
 - a *ouesso* Epitola 12(3):147
 - a *pseudoconjuncta* Epitola 12(3):153
 - a *stempfferi* Epitola 12(3):127
 - b *ugandae* Hewitsonia 12(3):160
 - b *ugandae* Epitolina 12(3):159, f
- Jackson 1964 Bull. Br. Mus. nat. Hist. (Ent.) [b2563]
- a *aequatorialis* Phytala 15(3):62
 - a *bwamba* Epitola 15(3):73
 - BMNH-ht a *cyanea* Epitola 15(3):71
 - BMNH-ht a *dubia* Epitola 15(3):70
 - BMNH-ht a *mirifica* Epitola 15(3):72
 - a *mittoni* Hewitsonia 15(3):77
 - a *nigrescens* Phytala 15(3):67
 - c *pulchra* Epitola 15(3):65, pl 3
 - a *subgriseata* Epitola 15(3):72
 - b *ugandae* Phytala 15(3):60
 - a *vansomerani* Phytala 15(3):60
- Jackson 1965 Ann. Mag. nat. Hist. [b2564]
- c *ghesquieri* Epitola (ISS) (13)7:697
 - BMNH-ht a *magnifica* Epitola (13)7:699, f
 - a *subargentea* Epitola (13)7:698, f 1
- Jackson 1966 Ann. Mag. nat. Hist. [b2565]
- a *brunnea* Spindasis (13)8:529, f
 - a *caerulea* Cupidesthes (13)8:531
 - b *coffea* Deudorix (13)8:529
 - BMNH-ht c *diomedes* Deudorix (13)8:528, f
 - a *minima* Chloroselas (13)8:524, f
 - a *ngonga* Alaena (13)8:527, f
 - a *ogadenensis* Chloroselas (13)8:526
 - b *tsavoia* Alaena (13)8:527
 - a *vansomerani* Chloroselas (13)8:525, f
 - a *ysobelae* Cupidesthes (13)8:530
- Jackson 1967 J. nat. Hist. [b2566]
- a *bennetti* Ciminophila 1:331
 - a *ivorienis* Epitola 1:333
- Jackson 1968 Bull. Inst. fond. Afr. Noire [b2567]
- a *mongiro* Epitola 30(A):1474
 - a *pseudelissa* Epitola 30(A):1473
- Jackson 1969 Bull. Br. Mus. nat. Hist. (Ent.) [b2568]
- a *cameroonensis* Telipna 23(1):11
 - b *conjuncta* Telipna 23(1):5
 - b *jefferyi* Telipna 23(1):9
 - a *kayonza* Telipna 23(1):14
 - a *kelle* Telipna 23(1):13
 - a *lotti* Telipna 23(1):12
 - b *nigrita* Telipna 23(1):5
- Janson 1877 Cistula Entomologica [b2572]
- a *enthea* Thecla 2(16):157
 - a *jonasi* Thecla 2(16):157
 - a *mera* Thecla 2(16):156
- Janson 1878 Cistula Entomologica [b2573]
- c *fasciata* Thecla 2(19):272, pl 5
- Janson 1886 In Cruise Marchesa [b2574]
- a *caroli* Deudorix 2(Appendix III):375
- Jarvis 1968 Entomologist [b2575]
- T *salmacis* Polyommatus 101:21
- Jermyns 1827 Vademecum [b2578]
- c *calaethys* Polyommatus :169
 - c *labienus* Polyommatus :58
 - c *lacon* Polyommatus :58
- Jermyns 1827 Vademecum [b2578] (*continued*)
- c *thestyli* Polyommatus :58
- Joannis & Verity 1913 Boll. Soc. ent. ital. [b2581]
- a *distractus* Catochrysops 44:118, f
- Johnson 1976 Pan-Pac. Ent. [b2582]
- AMNH-ht a *turkingtoni* Callophrys 52(1):60
- Johnson 1976 Bull. Allyn Mus. [b2583]
- AME-ht b *acuminata* Mitoura (38):20-21
 - AME-ht a *barryi* Callophrys (38):17-19
 - AMNH-ht a *byrnei* Callophrys (38):21-24
 - AME-ht a *plicataria* Callophrys (38):15-17
 - AME-ht c *rosneri* Callophrys (38):13-15
- Johnson 1981 Revision of Callophryina [b2585]
- T *amyntor* Papilio :415
 - T *borealis* Callophrys :510
 - T *chalybela* Satsuma :191
 - T *leucania* Thecla :446
 - T *schamyl* Callophrys :507
 - T *suaveola* Callophrys :507
- Johnson 1986 Bull. Allyn Mus. [b2589]
- AME-ht a *albimimicus* Tmolus (106):3, f 2
- Johnson 1988 Insecta Mundi [b2594]
- CM-ht b *madreoriente* Sandia 2(1):17, f 1A-B
- Johnson 1988 Insecta Mundi [b2595]
- AMNH-ht a *judae* Femniterga 2(1):39, f 2E-H
 - AMNH-ht a *macphersoni* Tergissima 2(1):34, f 1E-H
 - AMNH-ht a *mosconiensis* Tergissima 2(1):34, f 1A-D
 - AMNH-ht a *notacastanea* Femniterga 2(1):38, f 2A-D
- Johnson 1988 Insecta Mundi [b2596]
- CM-ht b *clenchi* Mitoura 2(1):77, f 1A
- Johnson 1989 J. New York ent. Soc. [b2597]
- AMNH-ht a *australis* Contrafacia 97(1):42, f 5D
 - MPM-ht a *galactica* Noreena 97(1):35, f 1I
 - AMNH-ht a *guianivaga* Noreena 97(1):31, f 1F
 - T *lemona* Thecla 97(1):38
 - AMNH-ht a *luxuriosa* Noreena 97(1):32, f 1G
 - AMNH-ht a *mexicana* Contrafacia 97(1):41, f 5B
 - MPM-ht a *minutaea* Contrafacia 97(1):43, f 5F
 - T *molena* Thecla 97(1):36
 - MPM-ht a *pritzkeri* Noreena 97(1):33, f 1H
 - AMNH-ht a *rindgei* Contrafacia 97(1):40, f 5A
- Johnson 1989 J. Lep. Soc. [b2598]
- MNHN-ht a *chileana* Chlorostrymon 43(2):141, f 3C
 - MNHN-ht a *patagonia* Chlorostrymon 43(2):139, f 3A
- Johnson 1989 Insecta Mundi [b2599]
- AMNH-ht a *aurea* Femniterga 3(3):195+
 - T *cissusa* Thecla 3(3):203
 - AMNH-ht a *itaituba* Femniterga 3(3):207, f
 - MNHN-ht a *megana* Femniterga 3(3):204, f
 - AMNH-ht a *montanensis* Tergissima 3(3):202, f
 - MNHN-ht a *shargeli* Tergissima 3(3):201, f
 - BMNH-ht a *splendida* Femniterga 3(3):205, f
 - MNHN-ht a *strobilata* Femniterga 3(3):205, f
- Johnson 1989 Insecta Mundi [b2600]
- a *fracta* Noreena 3(3):247, f
- Johnson 1990 J. Lep. Soc. [b2601]
- a *larancagua* Chlorostrymon 44(3):190, f
- Johnson 1990 J. New York ent. Soc. [b2602]
- T *ahola* Thecla 98(1):79
 - T *anthracia* Thecla 98(1):74
 - a *hewitsoni* Oreya 98(1):69, f

- Johnson 1990 J. New York ent. Soc. [b2602] (*continued*)
 - a *obliqua* Orcya 98(1):78, f
 - a *supra* Orcya 98(1):76, f
- Johnson 1990 Pan-Pac. Ent. [b2603]
 AMNH-ht a *aurantia* Penaincisalia 66(2):111, f
 AMNH-ht a *bimediana* Penaincisalia 66(2):121
 BMNH-ht a *caudata* Penaincisalia 66(2):112, f
 T *culminicola* Thecla 66(2):110
 AMNH-ht a *descimoni* Penaincisalia 66(2):117, f
 MNHN-ht a *downeyi* Penaincisalia 66(2):114, f
 AMNH-ht a *patagonaevaga* Penaincisalia 66(2):117, f
 AMNH-ht a *penal* Penaincisalia 66(2):118, f
 CM-ht a *pichincha* Penaincisalia 66(2):116, f
 BMNH-ht a *rawlini* Penaincisalia 66(2):115, f
- Johnson 1991 Amer. Mus. Novit. [b2604]
 - a *andevaga* Terra (3011):24, f
 - a *australivaga* Nesiostrymon (3011):16, f
 - b *baorucoensis* Nesiostrymon (3011):9, f
 - a *milleri* Nesiostrymon (3011):15, f
- Johnson 1991 J. Lep. Soc. [b2605]
 T *catharina* Thecla 45(2):151
 T *crispisulcans* Thecla 45(2):152
 T *draudti* Thecla 45(2):145
 biblio a *familiaris* Thecla 45(2):151
 T *inconspicua* Thecla 45(2):146
 biblio a *lathyi* Thecla 45(2):150
 T *lilacina* Thecla 45(2):146
 biblio a *magnapurpurata* Thecla 45(2):150
 T *major* Thecla 45(2):147
 T *obsoleta* Eumaeus 45(2):148
 T *occidentalis* Theclopsis 45(2):148
 T *occidentalis* Thecla 45(2):148
 T *paraguayensis* Thecla 45(2):148
 T *parvipuncta* Thecla 45(2):148
 T *peruviana* Eumaeus 45(2):148
 T *quassa* Thecla 45(2):152
 T *reducta* Thecla 45(2):148
 biblio a *rhapsissima* Thecla 45(2):150
 T *separata* Thecla 45(2):148
 T *septentrionalis* Thecla 45(2):148
 T *tagyroides* Thecla 45(2):149
- Johnson 1991 Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) [b2606]
 T *anthora* Thecla (21):15
 AMNH-ht a *assuensis* Reversustus (21):35, f
 T *autoclea* Thecla (21):42
 BMNH-ht a *boliviensis* Femmiterga (21):30, f
 T *calor* Thecla (21):36
 T *centoripa* Thecla (21):27
 T *cerata* Thecla (21):14
 T *clarina* Thecla (21):38
 T *cos* Thecla (21):36
 MNHN-ht a *cotera* Uzzia (21):45, f
 MPM-ht a *cyanoundulata* Dicya (21):46, f
 T *demonassa* Thecla (21):36
 AMNH-ht a *diffusus* Iaspis (21):39, f
 AMNH-ht a *duida* Gigantofalca (21):17, f
 CM-ht a *escuintla* Kroenleina (21):32, f
 AMNH-ht a *extensa* Furcivalva (21):23, f
 AMNH-ht a *formoi* Cyanodivida (21):25, f
 T *gizela* Thecla (21):21
 AMNH-ht a *larsoni* Serratoterga (21):20, f
 T *meleager* Thecla (21):15
 AMNH-ht a *misionensis* Antrissima (21):34, f
 MNHN-ht a *neorecillata* Cyanodivida (21):26, f
 T *orcilla* Thecla (21):12
 CM-ht a *panornata* Kroenleina (21):32, f
 T *pisidula* Thecla (21):15
 T *pisis* Thecla (21):15
- Johnson 1991 Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) [b2606] (*continued*)
 T *pollus* Thecla (21):42
 AMNH-ht a *quintana* Calystryma (21):13, f
 T *sangala* Thecla (21):42
 BMNH-ht a *saopauloensis* Serratoterga (21):20, f
 AMNH-ht a *scaipera* Morphissima (21):27, f
 MNHN-ht a *sepeina* Sipaea (21):47, f
 AMNH-ht a *serraticissima* Terminospinissima (21):22, f
 AME-ht a *spenceri* Distissima (21):18, f
 MPM-ht a *splendor* Uzzia (21):45, f
 AMNH-ht a *srandrea* Distissima (21):19, f
 AME-ht a *stacya* Gigantofalca (21):17, f
 AMNH-ht a *stigmata* Celmia (21):46, f
 T *talayra* Thecla (21):39
 T *temesa* Thecla (21):39
 T *thabena* Thecla (21):39
 T *thama* Thecla (21):27
 AMNH-ht a *varicolor* Antrissima (21):33, f
 AMNH-ht a *yungas* Fieldia (21):28, f
- Johnson 1992 J. New York ent. Soc. [b2607]
 - a *aitilineata* Terra 100(3):522, f
- Johnson 1992 J. New York ent. Soc. [b2608]
 AMNH-ht a *snyderi* Orcya 100(4):615
- Johnson 1992 Neue Ent. Nachr. [b2609]
 - a *aleucopuncta* Ahlbergia 29:33, f
 - b *aquilonaria* Ahlbergia 29:43, f
 - a *arquata* Ahlbergia 29:27, f
 - a *bimaculata* Ahlbergia 29:18, f
 - a *caerulea* Ahlbergia 29:36, f
 - a *caesius* Ahlbergia 29:49, f
 - a *cibdela* Novosatsuma 29:67, f
 T *circe* Satsuma 29:45
 - b *clarofacia* Ahlbergia 29:32, f
 - a *collosa* Novosatsuma 29:58, f
 - a *contexta* Cissatsuma 29:79, f
 - a *crenata* Cissatsuma 29:78, f
 - b *cyanus* Ahlbergia 29:31, f
 - a *halosa* Cissatsuma 29:75, f
 - a *kansuensis* Cissatsuma 29:74, f
 - a *korea* Ahlbergia 29:23, f
 T *leechii* Thecla 29:52
 - a *leei* Ahlbergia 29:25, f
 - a *lynda* Ahlbergia 29:50, f
 - a *magnapurpurea* Novosatsuma 29:66, f
 - a *magnasuffusa* Novosatsuma 29:60, f
 - a *matusiki* Novosatsuma 29:59, f
 - a *monstrabilia* Novosatsuma 29:58, f
 - b *montivaga* Ahlbergia 29:46, f
 T *nicevillei* Satsuma 29:54
 - a *oppocoenosa* Novosatsuma 29:65, f
 - a *plumbagina* Novosatsuma 29:61, f
 T *pluto* Satsuma 29:30
 T *pratli* Thecla 29:63
 - a *prodiga* Ahlbergia 29:48, f
 - b *tricaudata* Ahlbergia 29:41, f
 - a *tuba* Cissatsuma 29:77, f
 - a *unicolora* Ahlbergia 29:34, f
- Johnson 1992 Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) [b2610]
 AMNH-ht a *adriana* Pontirama (22):43, f
 AMNH-ht a *albalineata* Candora (22):37, f
 AMNH-ht b *astillero* Thecloxurina (22):11, f
 AMNH-ht a *austoxida* Rhamma (22):56, f
 AMNH-ht a *balzapamba* Abloxurina (22):29, f
 FMLT-ht a *bolivatymna* Thecloxurina (22):20, f
 AMNH-ht a *browni* Thecloxurina (22):6, f
 AMNH-ht a *brunea* Pontirama (22):41, f
 MNHN-ht a *chiaspa* Abloxurina (22):28, f

Johnson 1992 Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point)

[b2610] (continued)

BMNH-ht	a	<i>contracolora</i> Abloxurina	(22):28, f
AMNH-ht	a	<i>contraloxurina</i> Candora	(22):38, f
UMCE-ht	a	<i>coquimbensis</i> Pontirama	(22):45, f
MNHN-ht	a	<i>costarica</i> Thecloxurina	(22):13, f
AMNH-ht	a	<i>cuchoensis</i> Rhamma	(22):49, f
AMNH-ht	a	<i>cyanomediana</i> Candora	(22):35, f
AMNH-ht	a	<i>eiselei</i> Pontirama	(22):44, f
AMNH-ht	a	<i>eiseleurum</i> Thecloxurina	(22):7, f 5
AMNH-ht	a	<i>fallacandor</i> Candora	(22):33, f
AMNH-ht	a	<i>feminina</i> Thecloxurina	(22):12, f
biblio	a	<i>jonesi</i> Candora	(22):36
UMCE-ht	a	<i>kellya</i> Candora	(22):36, f
AMNH-ht	a	<i>lapazensis</i> Pontirama	(22):42, f
BMNH-ht	a	<i>lorena</i> Pontirama	(22):43, f
AMNH-ht	b	<i>lustra</i> Thecloxurina	(22):10, f
AMNH-ht	a	<i>magnifica</i> Pons	(22):22, f
	T	<i>mirma</i> Thecla	(22):50
	T	<i>oxida</i> Thecla	(22):55
BMNH-ht	a	<i>purpurea</i> Pons	(22):24, f
AMNH-ht	b	<i>putreensis</i> Abloxurina	(22):31, f
BMNH-ht	a	<i>sabula</i> Rhamma	(22):54, f
AME-ht	a	<i>saraha</i> Pons	(22):25, f
	T	<i>schausa</i> Thecla (H)	(22):36
MNHN-ht	a	<i>tolimensis</i> Pontirama	(22):45, f
AME-ht	a	<i>triangulara</i> Candora	(22):39, f
MNHN-ht	a	<i>trunca</i> Thecloxurina	(22):12, f
AME-ht	a	<i>vittata</i> Pons	(22):22, f

Johnson 1992 Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point)

[b2611]

BMNH-ht	a	<i>argenta</i> Rhamma	(22):146, f
AME-ht	a	<i>aurantiaca</i> Arases	(22):198, f
CM-ht	a	<i>aurifera</i> Shapiroana	(22):151, f
	T	<i>calesia</i> Thecla	(22):184
	T	<i>catadupa</i> Thecla	(22):174
FMLT-ht	a	<i>catamarca</i> Rhamma	(22):142, f
AMNH-ht	a	<i>chiliensis</i> Rhamma	(22):144, f
BMNH-ht	a	<i>circe</i> Shapiroana	(22):150, f
biblio	a	<i>clenchi</i> Arases	(22):197
AMNH-ht	a	<i>colombiana</i> Arases	(22):199 (as columbiana)
AMNH-ht	b	<i>colombiensis</i> Radissima	(22):173, f
--	e	<i>columbiana</i> Arases (IOS)	(22):198+
	T	<i>commodus</i> Thecla	(22):155
AMNH-ht	a	<i>comstocki</i> Rhamma	(22):137, f
MNHN-ht	a	<i>creara</i> Rhamma	(22):145, f
MNHN-ht	a	<i>curitabaensis</i> Radissima	(22):175, f
	T	<i>dinus</i> Thecla	(22):176
MNHN-ht	a	<i>disjuncta</i> Rhamma	(22):147, f
MNHN-ht	a	<i>duplicata</i> Rhamma	(22):145, f
FMLT-ht	a	<i>eiselei</i> Penaincisalia	(22):165, f
	T	<i>ellida</i> Thecla	(22):186
	T	<i>elongata</i> Thecla	(22):182
BMNH-ht	a	<i>elvira</i> Galba	(22):168, f
MPM-ht	a	<i>esolana</i> Radissima	(22):176, f
UMCE-ht	a	<i>fumosa</i> Galba	(22):169, f
AMNH-ht	a	<i>gentilii</i> Solanorum	(22):200, f
-	a	<i>herrera</i> Shapiroana	(22):275, f
AMNH-ht	a	<i>ignobilis</i> Ignata	(22):194
BMNH-ht	a	<i>illepida</i> Ignata	(22):195, f
BMNH-ht	a	<i>inexpectata</i> Rhamma	(22):140, f
AMNH-ht	a	<i>jennifera</i> Tigrinota	(22):187, f
AMNH-ht	a	<i>macphersoni</i> Shapiroana	(22):152, f
BMNH-ht	a	<i>magenta</i> Rhamma	(22):146, f
MNHN-ht	a	<i>maggae</i> Denivia	(22):204, f
AMNH-ht	a	<i>matusikorum</i> Shapiroana	(22):151, f
AMNH-ht	a	<i>micandriana</i> Arases	(22):198, f
AMNH-ht	a	<i>minissima</i> Shapiroana	(22):153, f
MPM-ht	a	<i>moecki</i> Cisincisalia	(22):179, f
BMNH-ht	a	<i>nigrasarotina</i> Rhamma	(22):138, f

Johnson 1992 Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point)

[b2611] (continued)

MNHN-ht	a	<i>orosiensis</i> Paralustrus	(22):156, f
MNHN-ht	a	<i>paccius</i> Paralustrus	(22):158, f
	T	<i>parthenia</i> Thecla	(22):172
AMNH-ht	a	<i>perinota</i> Tigrinota	(22):188, f
FMLT-ht	a	<i>pianuma</i> Penaincisalia	(22):165, f
MPM-ht	a	<i>reducta</i> Variegata	(22):182, f
AMNH-ht	a	<i>robbinsi</i> Lamasa	(22):185, f
AMNH-ht	a	<i>roberti</i> Rhamma	(22):141, f
BMNH-ht	a	<i>saroticana</i> Rhamma	(22):139, f
AMNH-ht	a	<i>shapiro</i> Shapiroana	(22):149, f
BMNH-ht	a	<i>tarma</i> Rhamma	(22):139, f

Johnson 1993 Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point)

[b2614]

BMNH-ht	a	<i>adamsi</i> Gigantorubra	(32):30, f
AMNH-ht	a	<i>argenomontana</i> Gigantorubra	(32):32, f
FMLT-ht	a	<i>argentina</i> Crimsinota	(32):51, f
BMNH-ht	a	<i>bahia</i> Gigantorubra	(32):26, f
BMNH-ht	a	<i>bernardi</i> Ziegleria	(32):60, f
CM-ht	a	<i>clintoni</i> Gigantorubra	(32):25, f
	T	<i>collucia</i> Thecla	(32):22
AMNH-ht	a	<i>compendina</i> Ziegleria	(32):65, f
AMNH-ht	a	<i>cyanissima</i> Ziegleria	(32):63, f
AMNH-ht	a	<i>cyanoruba</i> Crimsinota	(32):50, f
BMNH-ht	a	<i>exotissima</i> Gigantorubra	(32):28, f
AMNH-ht	a	<i>gagarini</i> Nicolaea	(32):68, f
MPM-ht	a	<i>giganta</i> Crimsinota	(32):42, f
AMNH-ht	a	<i>hoffmani</i> Ziegleria	(32):64, f
AMNH-ht	a	<i>honduriana</i> Nicolaea	(32):73, f
AMNH-ht	a	<i>macroma</i> Nicolaea	(32):69, f
MNHN-ht	a	<i>melanorubra</i> Gigantorubra	(32):29, f
AMNH-ht	a	<i>mexicana</i> Ziegleria	(32):62, f
BMNH-ht	a	<i>micronota</i> Nicolaea	(32):70, f
-ht	a	<i>mininota</i> Gigantorubra	(32):13, f
AMNH-ht	a	<i>necbadaca</i> Gigantorubra	(32):31, f
BMNH-ht	a	<i>ornamentata</i> Gigantorubra	(32):28, f
BMNH-ht	a	<i>perplexissima</i> Crimsinota	(32):46, f
AMNH-ht	a	<i>pertaineda</i> Nicolaea	(32):71, f
AMNH-ht	a	<i>shueyl</i> Gigantorubra	(32):34, f
AMNH-ht	a	<i>simplicia</i> Gigantorubra	(32):12, f
	T	<i>socia</i> Thecla	(32):42
BMNH-ht	a	<i>solitaria</i> Gigantorubra	(32):26, f
AMNH-ht	a	<i>tafiensis</i> Gigantorubra	(32):35, f
MPM-ht	a	<i>youngi</i> Crimsinota	(32):47, f

Johnson 1993 Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point)

[b2615]

BMNH-ht	a	<i>eitschbergeri</i> Argentostriatus	(36):15, f
MPM-ht	a	<i>mysticus</i> Argentostriatus	(36):15, f
AMNH-ht	a	<i>roraimae</i> Argentostriatus	(36):4, f
BMNH-ht	a	<i>wolffii</i> Argentostriatus	(36):14, f

Johnson 1993 Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point)

[b2616]

FMLT-ht	a	<i>catamarciana</i> Tigrinota	(37):11, f
MPM-ht	a	<i>chaosa</i> Tigrinota	(37):12, f
	T	<i>dolosa</i> Thecla	(37):14

Johnson 1993 Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point)

[b2617]

AMNH-ht	a	<i>pyxis</i> Rindgea	(40):6, f
MPM-ht	a	<i>umuarama</i> Rindgea	(40):2

Johnson & Adams 1993 Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) [b2620]

BMNH-ht	a	<i>calisto</i> Lamasa	(25):2, pl 2
AMNH-ht	a	<i>cassidy</i> Rhamma	(25):5, pl 2
BMNH-ht	a	<i>pantanosa</i> Thecloxurina	(25):1, pl 2
BMNH-ht	a	<i>spectaculorum</i> Arases	(25):6, pl 2
BMNH-ht	a	<i>vanewrighti</i> Arases	(25):3, pl 2

- Johnson & Balogh 1977 Bull. Allyn Mus. [b2621]
 AME-ht b *duofacies* Lycaena (43):21, f 13a
 AME-ht b *ferrisi* Lycaena (43):40, f 31
 AME-ht b *longi* Lycaena (43):28, f 23
 AMNH-ht b *monachensis* Lycaena (43):38, f 29
 AME-ht b *perkinsorum* Lycaena (43):25, f 21
 T *rubidus* Chrysophanus (43):20
- Johnson & Eisele & MacPherson 1988 Bull. Allyn Mus. [b2623]
 AME-ht a *argenopuncta* Calycopis (123):12, f 5C
 AMNH-ht a *crena* Calycopis (123):15, f 6A
 AME-ht a *dragones* Calycopis (123):17, f 6C
 IML-ht a *gigantea* Calycopis (123):11, f 5A
 AMNH-ht a *nancea* Calycopis (123):13, f 5E
 AMNH-ht a *nototrebula* Calystryma (123):5, f 3CD
 AMNH-ht a *phryne* Calystryma (123):4, f 3B
 MNHN-ht a *valparaiso* Calycopis (123):18, f 6E
- Johnson & Eisele & MacPherson 1990 Bull. Allyn Mus. [b2624]
 T *americensis* Thecla (130):30
 AMNH-ht a *amphyorphyra* Strymon (130):7, f
 AME-ht a *bapistorum* Strymon (130):34, f
 AME-ht a *barbara* Strymon (130):35, f
 BMNH-ht a *coronos* Strymon (130):27, f
 FMLT-ht a *cyanofusca* Strymon (130):20, f
 MNHN-ht a *golbachi* Strymon (130):8, f
 AMNH-ht a *lariyojoa* Strymon (130):24, f
 FMLT-ht a *lorrainea* Strymon (130):26, f
 BMNH-ht a *montevagus* Strymon (130):22, f
 AME-ht a *nicolayi* Strymon (130):23, f
 MNHN-ht a *nivnix* Strymon (130):28, f
 AMNH-ht a *peristictos* Strymon (130):16, f
 AME-ht a *rhapto* Strymon (130):15, f
- Johnson & Eisele & MacPherson 1992 Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) [b2625]
 AMNH-ht a *chacovaga* Ministrymon (23):2, f
 AMNH-ht a *cryptogramus* Strymon (23):1, f
- Johnson & Eisele & MacPherson 1993 Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) [b2626]
 UMBC-ht a *lecroni* Androcona (39):8, f
 AMNH-ht a *marcusa* Necmitoura (39):10, f
 AMNH-ht a *prestoni* Antephyrys (39):4, f
 AMNH-ht a *schmidtmummi* Chalybs (39):14, f
- Johnson & Hay & Bollam 1992 Aust. ent. Mag. [b2644]
 - a *notocrucifer* Jalnemus 19(3):69, f
- Johnson & Kroenlein 1993 Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) [b2627]
 T *badaca* Thecla (33):17
 BMNH-ht a *calycopinotis* Angulopsis (33):27, f
 T *ceromia* Thecla (33):16
 UNBC-ht a *constantinoi* Angulopsis (33):28, f
 AMNH-ht a *desjardinas* Angulopsis (33):5, f
 AMNH-ht a *hernandezii* Angulopsis (33):14, f
 AMNH-ht a *llorentei* Angulopsis (33):36, f
 AMNH-ht a *microterminatis* Angulopsis (33):18, f
 BMNH-ht a *mossi* Angulopsis (33):33, f
 BMNH-ht a *obscurus* Angulopsis (33):14, f
 BMNH-ht a *ruborbiculis* Angulopsis (33):25, f
 AMNH-ht a *rubrolimbacosta* Angulopsis (33):24, f
 BMNH-ht a *saphronotis* Angulopsis (33):19, f
 BMNH-ht a *strymonotis* Angulopsis (33):20, f
 T *suada* Thecla (33):4
 AMNH-ht a *suarezensis* Angulopsis (33):28, f
 AMNH-ht a *suggestis* Angulopsis (33):29, f
 BMNH-ht a *tucumanensis* Angulopsis (33):5, f
 BMNH-ht a *vioangulis* Angulopsis (33):24, f
- Johnson & Kroenlein 1993 Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) [b2628]
 AMNH-ht a *argentiniensis* Pendantsus (34):18
 BMNH-ht a *arima* Rubroserrata (34):25, f
 AMNH-ht a *duplicatis* Angulopsis (34):38, f
 T *ecbatana* Thecla (34):22
 BMNH-ht a *gloriosa* Rubroserrata (34):24, f
 AMNH-ht a *grumus* Electrostrymon (34):39, f
 T *plusios* Thecla (34):8
 BMNH-ht a *punta* Rubroserrata (34):29, f
 BMNH-ht a *rubliferata* Rubroserrata (34):29, f
 T *sethon* Thecla (34):16
 AMNH-ht a *simplicis* Kisutam (34):33, f
 AMNH-ht a *spadectis* Kisutam (34):34, f
 T *syllis* Thecla (34):33
- Johnson & Kroenlein 1993 Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) [b2629]
 AMNH-ht a *alexandra* Strymon (35):1, f
 AMNH-ht a *altamiraensis* Strymon (35):3, f
 MPM-ht a *rojos* Strymon (35):6, f
- Johnson & Llorente-Bousquets 1992 Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) [b2630]
 AMNH-ht a *necopina* Cyanophrys (23):12, f
- Johnson & MacPherson & Ingraham 1986 Bull. Allyn Mus. [b2631]
 - e *boveri* Electrostrymon (ISS) (102):6
 - e *eumeonia* Theorema (ISS) (102):6
 - e *fractura* Calycopis (ISS) (102):6
 AME-ht a *maria* Noreena (102):2, f 1,2
 - e *opisina* Thecla (ISS) (102):6
 - e *pathenia* Thecla (ISS) (102):6
 - e *persius* Electrostrymon (ISS) (102):5
 - e *photus* Thestius (ISS) (102):7
 - e *regatus* Electrostrymon (ISS) (102):5
- Johnson & Matusik 1988 Ann. Carn. Mus. [b2632]
 CM-ht c *abeja* Heterosmaitia 57(10):232
 AMNH-ht a *andrewi* Strymon 57(10):228
 CM-ht a *hispaniola* Terra 57(10):241
 - e *hycarra* Terra (ISS) 57(10):235
 CM-ht a *idealus* Leptotes 57(10):243
 AMNH-ht a *minikyanos* Electrostrymon 57(10):223
- Johnson & Matusik 1989 In Schwartz, Butts Hispaniola [b2633]
 AMNH-ht a *victoria* Tmolus :525, f A-2
- Johnson & Matusik 1992 Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) [b2634]
 AME-ht a *kathleena* Cyclargus (23):3, f
 AMNH-ht a *sorpresus* Cyclargus (23):3, f
- Johnson & Miller 1991 Acta ent. Chilena [b2636]
 AMNH-ht a *quebradivaga* Ministrymon 16:186, f 1-5
- Johnson & Miller 1992 Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) [b2637]
 UMCE-ht a *atacama* Heoda (23):7, f
- Johnson & Miller & Herrera 1992 Acta ent. Chilena [b2638]
 BMNH-ht a *colombiana* Heoda 17:133, f
 T *heodes* Thecla 17:129
 AMNH-ht a *nivea* Heoda 17:132, f
 AMNH-ht a *oillantaitamba* Eiseliana 17:114, f
 AMNH-ht a *patagoniensis* Eiseliana 17:113, f
 MNHN-ht a *probabilia* Eiseliana 17:120, f
 - a *shapiroii* Heoda 17:144, f
 AMNH-ht a *suprema* Heoda 17:131, f
- Johnson & Salazar E. 1993 Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) [b2641]
 T *bebrycia* Thecla (26):11

Johnson & Salazar E. 1993 Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) [b2641] (continued)

BMNH-ht	a	<i>campbelli</i> Strymon	(26):3, pl 2
	T	<i>canthus</i> Thecla	(26):11
BMNH-ht	a	<i>dapissus</i> Strymon	(26):4, pl 2
BMNH-ht	a	<i>glorissima</i> Strymon	(26):2, pl 2
BMNH-ht	a	<i>ochraceus</i> Strymon	(26):9, pl 2
	T	<i>oreala</i> Thecla	(26):10
BMNH-ht	a	<i>trunctogon</i> Strymon	(26):5, pl 2

Johnson & Smith 1993 Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) [b2642]

BMNH-ht	a	<i>orbis</i> Chlorostymon	(24):1, f 1,3
AMNH-ht	a	<i>roraimiensis</i> Cyanophrys	(24):7, f 2,3

Johnson & Sourakov 1993 Tropical Lepidoptera [b2643]

AMNH-ht	a	<i>callilegua</i> Serratofalca	4(2):111, f 4
BMNH-ht	a	<i>gorgoniensis</i> Serratofalca	4(2):111, f 3
AMNH-ht	a	<i>iguapensis</i> Serratofalca	4(2):113, f 6
AMNH-ht	a	<i>sasha</i> Serratofalca	4(2):110, f 2

Johnston & Johnston 1980 Hong Kong Butterflies [b2650]

-	c	<i>malcomi</i> Tajuria (ISS)	:188
---	---	------------------------------	------

Joicey & Noakes & Talbot [1916] Trans. ent. Soc. Lond. [b2651]

-	a	<i>angustifascia</i> Dicalleanura	63(3/4):369
-	a	<i>exiguus</i> Dicalleanura	63(3/4):371
-	a	<i>fulvofasciata</i> Dicalleanura	63(3/4):370
BMNH-ht	a	<i>manokwariensis</i> Cyaniris	63(3/4):372
-	b	<i>tessei</i> Abisara	63(3/4):368

Joicey & Talbot 1916 Ann. Mag. nat. Hist. [b2652]

-	a	<i>albipilaga</i> Callictita	(8)17:80, pl 7
BMNH-ht	a	<i>albosignata</i> Dicalleanura	(8)17:78, pl 8
BMNH-ht	a	<i>bakeri</i> Waigeum	(8)17:82, pl 7
BMNH-ht	a	<i>ignobilis</i> Candalides	(8)17:81
BMNH-st	a	<i>littoralis</i> Deudorix	(8)17:83
BMNH-ht	a	<i>mamberano</i> Thysonotis	(8)17:82
BMNH-st	a	<i>melane</i> Thysonotis	(8)17:82, pl 7
BMNH-ht	b	<i>mima</i> Parelodina	(8)17:81, pl 7
BMNH-ht	b	<i>mimica</i> Dicalleanura	(8)17:78, pl 8
BMNH-ht	a	<i>nitens</i> Lampides	(8)17:80, pl 8
BMNH-ht	a	<i>pullus</i> Cyaniris	(8)17:79, pl 7
BMNH-st	a	<i>virgo</i> Dicalleanura	(8)17:77, pl 8
BMNH-st	b	<i>wandammenensis</i> Praetaxila	(8)17:77, pl 5
BMNH-st	c	<i>wandammenensis</i> Lampides	(8)17:79, pl 8

Joicey & Talbot 1916 Trans. ent. Soc. Lond. [b2653]

BMNH-ht	a	<i>albipilaga</i> Candalides	64(1):75, pl 3
-	b	<i>biaka</i> Deudorix	64(1):78
-	b	<i>bosnikiana</i> Athopala	64(1):79
-	b	<i>coeligena</i> Lampides	64(1):76, pl 6
-	a	<i>dissimilis</i> Thysonotis	64(1):76, pl 3
-	b	<i>maudei</i> Deudorix	64(1):77, pl 5
BMNH-ht	b	<i>orientalis</i> Megisba	64(1):75, pl 5
BMNH-ht	b	<i>schantzensis</i> Horaga	64(1):76
BMNH-ht	b	<i>septentrionalis</i> Philiris	64(1):76

Joicey & Talbot 1917 Ann. Mag. nat. Hist. [b2654]

BMNH-ht	b	<i>arfakensis</i> Praetaxila	(8)20:219
BMNH-ht	b	<i>babsi</i> Athopala	(8)20:219
BMNH-st	c	<i>cineraceus</i> Candalides	(8)20:220
BMNH-ht	c	<i>concolor</i> Deudorix	(8)20:220
BMNH-ht	b	<i>waigeuensis</i> Lampides	(8)20:221
BMNH-st	c	<i>waigeuensis</i> Pepliphorus	(8)20:220

Joicey & Talbot 1921 Bull. Hill Mus. [b2655]

BMNH-ht	c	<i>ammon</i> Epitola	1(1):83, pl 14
BMNH-ht	a	<i>angustifascia</i> Telipna	1(1):77, pl 14
BMNH-ht	a	<i>barnsi</i> Abisara	1(1):77, pl 13
BMNH-ht	b	<i>barnsi</i> Epamera	1(1):92, pl 15
BMNH-ht	a	<i>bipuncta</i> Lycaenesthes	1(1):96, pl 15
BMNH-ht	a	<i>canescens</i> Hypokopelates	1(1):90, pl 15
BMNH-ht	c	<i>congoensis</i> Pentila	1(1):81, pl 14

Joicey & Talbot 1921 Bull. Hill Mus. [b2655] (continued)

BMNH-ht	b	<i>congoensis</i> Hewitsonia	1(1):87, pl 14
BMNH-ht	b	<i>congoensis</i> Taneutheira	1(1):90, pl 15
BMNH-ht	a	<i>cuprifascia</i> Cupidesthes	1(1):95, pl 15
BMNH-ht	a	<i>discimacula</i> Lycaenesthes	1(1):96, pl 16
BMNH-st	a	<i>frater</i> Epamera	1(1):92, pl 15
BMNH-ht	c	<i>fuscmarginata</i> Epamera	1(1):91, pl 15
-	a	<i>hollandi</i> Telipna	1(1):80, pl 14
-	a	<i>intermedia</i> Hewitsonia	1(1):86, pl 15
BMNH-ht	a	<i>iturensis</i> Argiolaus	1(1):91
BMNH-st	a	<i>ituriensis</i> Triclema	1(1):98, pl 15
BMNH-ht	a	<i>iturina</i> Epitola	1(1):85, pl 14
BMNH-st	b	<i>kisaba</i> Catochrysops	1(1):100, pl 16
BMNH-ht	b	<i>kivuensis</i> Catochrysops	1(1):99, pl 16
BMNH-st	b	<i>lathyi</i> Liptena	1(1):82, pl 14
BMNH-ht	b	<i>latimaculata</i> Zelus	1(1):94, pl 15
BMNH-st	c	<i>f. lineosa</i> Hypokopelates	1(1):89
BMNH-ht	a	<i>minor</i> Cupidesthes	1(1):95, pl 15
BMNH-ht	a	<i>neavei</i> Pseuderesia	1(1):80, pl 14
BMNH-ht	a	<i>piagiata</i> Telipna	1(1):79, pl 14
BMNH-ht	b	<i>puella</i> Hypolycaena	1(1):93, pl 15
BMNH-st	b	<i>rutshurensis</i> Oboronia	1(1):99, pl 16
BMNH-ht	a	<i>subhyalina</i> Telipna	1(1):78, pl 14
BMNH-st	b	<i>tanganikensis</i> Epitola	1(1):86, pl 14
BMNH-ht	a	<i>terias</i> Citrinophila	1(1):82, pl 14
BMNH-ht	a	<i>toroensis</i> Eresina	1(1):83, pl 14
BMNH-ht	a	<i>viridana</i> Epitola	1(1):84, pl 14

Joicey & Talbot 1922 Bull. Hill Mus. [b2656]

BMNH-ht	a	<i>longifascia</i> Dicalleanura	1(2):331
BMNH-st	b	<i>poultoni</i> Praetaxila	1(2):332

Joicey & Talbot 1922 Bull. Hill Mus. [b2657]

BMNH-st	c	<i>hainanensis</i> Tajuria	1(2):353
---------	---	----------------------------	----------

Joicey & Talbot 1922 Bull. Hill Mus. [b2658]

BMNH-ht	a	<i>niepelti</i> Deudorix	1(2):354
BMNH-ht	b	<i>rileyi</i> Athopala	1(2):355

Joicey & Talbot 1924 Entomologist [b2660]

-	c	<i>alciopina</i> Mimacraea	57:38
-	b	<i>ertli</i> Mimacraea	57:38

Joicey & Talbot 1924 Bull. Hill Mus. [b2661]

BMNH-ht	e	(+) <i>f. androgyna</i> Symoptera (IFS)	1(3):545
BMNH-st	a	<i>major</i> Cyclirius	1(3):548
BMNH-st	a	<i>marungensis</i> Cyclirius	1(3):547
BMNH-ht	a	<i>montana</i> Spindasis	1(3):545
BMNH-ht	a	<i>nivea</i> Symoptera	1(3):544
BMNH-ht	e	(+) <i>f. ochraceous</i> Phasis	1(3):546
BMNH-st	c	<i>ruandensis</i> Cyclirius	1(3):547
BMNH-ht	b	<i>vulcanica</i> Cyclirius	1(3):547

Joicey & Talbot 1926 Entomologist [b2662]

-	a	<i>chalybeata</i> Deudorix	59:225
-	a	<i>terrenus</i> Syntarucus	59:224

Jones 1912 Proc. zool. Soc. Lond. [b2663]

BMNH-ht	a	<i>bertha</i> Thecla	1912(4):897
BMNH	a	<i>campa</i> Thecla	1912(4):901
BMNH	c	<i>castrena</i> Thecla	1912(4):900
BMNH	a	<i>datitia</i> Thecla	1912(4):901
BMNH	a	<i>esmeralda</i> Thecla	1912(4):900
BMNH	a	<i>fancia</i> Thecla	1912(4):897
BMNH-ht	a	<i>fernanda</i> Thecla	1912(4):899
BMNH	a	<i>hamila</i> Thecla	1912(4):896
BMNH	a	<i>japola</i> Thecla	1912(4):898
BMNH-ht	a	<i>molena</i> Thecla	1912(4):899
BMNH	a	<i>nora</i> Thecla	1912(4):899
BMNH-ht	d	<i>schausa</i> Thecla (H)	1912(4):898
BMNH-ht	a	<i>sicrana</i> Thecla	1912(4):897

Jordan 1908 Novit. zool. [b2664]

BMNH-ht	a	<i>taeniata</i> Hypochrysops	15:394
---------	---	------------------------------	--------

- Jordan 1912 Novit. zool. [b2665]
 - b *casis* Dicallaneura 18:596
 - a *eromena* Abisara 18:594
 - a *heterisa* Abisara 18:595
- Jordan 1930 Novit. zool. [b2666]
 BMNH-ht a *hemileuca* Candalides 35:282, f
 - b *huonis* Praxetaxila 35:282
 BMNH-ht b *leucothella* Celastrina 35:283, f
- Jordan 1930 Novit. zool. [b2667]
 - b *cholas* Deudorix 36:149
 - b *fortis* Deudorix 36:149
 - b *jactantis* Deudorix 36:148
 - b *mesites* Deudorix 36:147
- Jordan 1937 Novit. zool. [b2668]
 - b *peldina* Dicallaneura 40:324
- Jørgensen 1932 Deut. ent. Zeit. [Iris] [b2669]
 pc a *chacona* Thecla 46:45
- Jørgensen 1934 Deut. ent. Zeit. [Iris] [b2670]
 - a *arenicola* Thecla 48:61
 - a *confusa* Thecla 48:61
 - b *sylvana* Thecla 48:60
- Jørgensen 1935 An. Mus. argent. Cienc. nat. [b2671]
 MACN a *guayra* Thecla 38:93, pl 2
 MACN a *sanctissima* Thecla 38:93, pl 2
- Jumalon 1975 Tyô to Ga [b2673]
 - a *cebuensis* Pratapa 26(2):62, f
 - a *davisi* Remelana 26(2):65, f
 pc-ht c *leytensis* Irota 26(2):61, f
 - b *rahmanni* Pratapa 26(2):63, f
 - b *rahmanni* Pratapa 26(2):63, f
 - b *treadawayi* Pratapa 26(2):65, f
- Junge 1971 NachrBl. bayer. Ent. [b2674]
 - b *delattini* Plebejides 20:35, f
- Junge & Rose 1978 Atalanta (Münnerstadt) [b2675]
 - b *minus* Plebejus 9(3):237, f
- Kaaber & Høegh-Guldberg 1961 Flora og Fauna [b2677]
 - b *vandalica* Aricia 67:122-128
- Kalis 1933 Tijdschr. Ent. [b2679]
 - b *bella* Hypolycaena 76(1/2):72
 - b *erna* Hypolycaena 76(1/2):63
 - b *kangeanus* Loxura 76(1/2):63
 - c *f. mohamad* Horsfieldia 76(1/2):63
 pc-ht a *roemli* Chilades 76(1/2):84
 - b *satelliticus* Rapala 76(1/2):64
 - e *ab. transiens* Marmessus 76(1/2):86
 - b *vandeleni* Surendra 76(1/2):62
- Kalis 1938 Ent. Rundsch. [b2680]
 - c *haani* Lycaenopsis 55:198
 - b *intermedius* Hypolycaena 55:198
 - b *soerikomatarum* Zizina 55:197
- Kames 1969 In Hoegh-Guldberg & Jarvis [b2681]
 - b *hercynica* Aricia :112, f
- Kanda 1933 Ageha [b2686]
 - c *azumayamensis* Zephyrus 2(1):7-10
- Kanda 1934 Ageha [b2687]
 - c *naganumai* Lycaena 3(1):8-9, pl 1
- Kanda & Kato 1931 Ins. World [b2688]
 - a *doibosatsuzuana* Lycaena 35:373
 - e *ab. nakamurai* Lycaena 35:375
- Kane 1893 Entomologist [b2689]
 - b *mariscolore* Lycaena (H) 26:243
- Kano 1928 Taiwan Sangaku [b2690]
 - b *nilitakanus* Zephyrus 3:75
 - b *yugaii* Zephyrus 3:75
- Kano 1930 Zephyrus [b2691]
 - c *matsumurana* Dodona 2(3):159
- Kardakoff 1928 Ent. Mitt. [b2692]
 - e *ab. arionidula* Lycaena 17:272, pl 7
 - e (+) *f. bellus* Neozephyrus 17:271, pl 7
 - c *f. heringi* Cyaniris 17:272, pl 7
 - b *juliae* Deudorix 17:271, pl 7
 - e (+) *f. quercus* Neozephyrus 17:271, pl 7
 - e *ab. schmidti* Lycaena 17:272, pl 7
 - e *ab. sidemina* Zephyrus 17:271
 - e (+) *f. unicolor* Neozephyrus 17:271, pl 7
- Karsch 1893 Berl. ent. Z. [b2693]
 - c *acares* Deudorix 38(1/2):219
 - a *aethria* Iolais 38(1/2):220
 - a *avriko* Aphaeus 38(1/2):223
 - a *brimo* Lachnocnema 38(1/2):217
 - b *kontu* Cupido 38(1/2):227
 ZMHU? -st a *metaleucus* Megalopalpus 38(1/2):217
 - c *nunu* Tingra 38(1/2):215
 - a *phoenicis* Triclema 38(1/2):228
- Karsch 1895 Ent. Nachr. [b2694]
 - a *aucta* Diopetes 21:318
 - a *auga* Pentila 21:293
 - a *bueronica* Oboronia 21:304
 - a *catalla* Diopetes 21:318
 - b *diametra* Epamera 21:306
 - a *ernesti* Epitola 21:290
 - c *lukokescha* Lycaenesthes 21:295
 - a *melanomitra* Symptera 21:308
 - a *mimeta* Actis 21:315
 - c *pelotus* Lampides 21:300
 - a *perigrapha* Hypomyrina 21:313
 - a *plurilimbata* Theroniphys 21:303
 ZMHU a *quassi* Polyommatus 21:305
 - b *stactalla* Phylaria 21:302
 - c *tiressa* Lycaena 21:298
 - a *ula* Actis 21:316
 ZMHU a *victoriae* Cupido 21:300
 - a *yaunda* Pentila 21:292
 - a *zenkeri* Lycaenesthes 21:293
- Karsch 1900 Ent. Nachr. [b2695]
 - c *dieden* Deudorix 26(24):369
 - a *soalalicus* Cupido 26(24):369
- Kato 1930 Zephyrus [b2696]
 - b *formosana* Athopala 2(4):206, f
- Kato 1934 Ent. World [b2697]
 - c *sozanensis* Aphaeus 2:386, f
- Kauchi 1922 Polsk. Pismo ent. [b2700]
 - e *ab. albofasciata* Nemeobius 1:38
- Kauchi 1924 Polsk. Pismo ent. [b2701]
 - e *ab. obscura* Lycaena 3:91
- Kawai 1994 In Futao [b2702]
 pc-ht a *masae* Deramas (15):9, t3
- Kawazoé & Wakabayashi 1969 Tyô to Ga [b2706]
 pc-ht a *subnivalis* Chrysozephyrus 20(1/2):1, f 1
- Kawazoé & Wakabayashi 1976 Ill. Butts Japan [b2707]
 - b *insperatus* Shijimia :-

- Kaye 1904 Trans. ent. Soc. Lond. [b2708]
 - b *coccineata* Cricosoma 52(2):185, pl 18
 - b *elegans* Helicopsis 52(2):182, pl 18
 - a *guppyi* Emesis 52(2):187, pl 18
 pc c *parvinotus* Siderus 52(2):195
 pc c *perdistincta* Tmolus 52(2):194, pl 18
 BMNH c *unilinea* Tmolus 52(2):192
- Kaye [1914] Trans. ent. Soc. Lond. [b2709]
 BMNH a *iodinus* Tmolus 61(3):569, pl 30
 - b *sagitta* Symmachia 61(3):560, pl 30
 - a *simpla* Mesene 61(3):561, pl 30
- Kaye 1919 Ann. Mag. nat. Hist. [b2710]
 - c *multochrea* Nymphidium (9)3:215
 - a *polaronus* Xynias (9)3:215
- Kaye 1923 Entomologist [b2712]
 - c *burdi* Thecla 56:277
- Kaye [1925] Trans. ent. Soc. Lond. [b2713]
 lost-ht a *bourkei* Thecla 72(3/4):416
 -- e *lamoni* Zeonia (IFS) 72(3/4):415
 -- ab. *nigra* Alesa 72(3/4):415
 - b *strati* Nymphidium 72(3/4):414
 BMNH-ht a *urichi* Symmachia 72(3/4):415
- Kaye 1931 Trans. ent. Soc. Lond. [b2714]
 AME a *perkinsae* Leptotes 79(3):534, pl 30
- Keferstein 1851 Stett. ent. Ztg [b2715]
 -- e *alconoides* Maculinea 12:307
 - a *nivescens* Lycaena 12:309
 - c *syngrapha* Lycaena 12:308
- Kerr 1967 J. Aust. ent. Soc. [b2722]
 - b *toza* Holochila 6(1):49
- Kerr & MacQueen 1967 J. Aust. ent. Soc. [b2723]
 - a *pseudictinus* Jalmerus 6(1):45, f
- Kerr & MacQueen & Sands 1969 J. Aust. ent. Soc. [b2724]
 ANIC-ht a *piceata* Hypochrysops 8(2):117, f
- Kheil 1884 Rhop. Nias [b2725]
 ZMHU?-ht b *apocha* Allotinus :28, pl 5, f 30
 - b *bagus* Iolus :31, pl 5, f 41
 - a *calderon* Deudorix :33, pl 4, f 25
 - b *fangola* Lucia :28, pl 5, f 31
 BMNH-ht b *kupu* Plebeius :28 or 29, pl 5
 - b *lahomius* Miletus :27, pl 5, f 28
 - b *polysperchius* Plebeius :29, pl 5, f 36
 - b *puspinus* Plebeius :30, pl 5, f 37-39
 - b *siraha* Plebeius :30, pl 5, f 35
 - a *talinga* Plebeius :29, pl 5, f 32
 - a *tora* Hypolycaena :31, pl 5, f 40
- Kheil 1905 Mems Soc. ent. Esp. [b2726]
 - a *bolivari* Liptena 1:173
- Kiefer 1938 Z. öst. EntVer. [b2727]
 -- e *ab. elongata* Lycaena 23:67
- Kielland 1976 Ent. Ber. [b2729]
 - a *pseudofragilis* Baliochila 36(7):105, f
 - a *stempfferi* Castalius 36(7):107, f
- Kielland 1978 Tijdschr. Ent. [b2730]
 NMN-ht b *kigoma* Telipna 121(4):193
 NMN-ht b *mahale* Abisara 121(4):192
 NMN-ht a *montana* Iolophilus 121(4):199
 NMN-ht a *ufipa* Virachola 121(4):203
- Kielland 1980 In Butts Afrotropical Region [b2731]
 BMNH-ht a *chala* Lepidochrysops :567, f
 - a *collinsi* Spindasis :482
- Kielland 1980 In Butts Afrotropical Region [b2731] (*continued*)
 BMNH-ht a *collinsi* Anthene :530, f
 BMNH-ht a *pseudocrawshayi* Uranothauma :542, f
 BMNH-ht a *uganda* Uranothauma :543, f
 BMNH-ht a *usambarae* Uranothauma :542, f
- Kielland 1983 Ent. Rec. [b2732]
 BMNH-ht a *dodomaensis* Alaena 95(5/6):110
 BMNH-ht a *tanganyikae* Omipholidotos 95(5/6):107
- Kielland 1985 Lambillionea [b2733]
 BMNH-ht a *congdoni* Epamera 84(9-10):67
 pc-ht a *kilimensis* Uranothauma 84(9-10):86, f
 BMNH-ht a *nguru* Uranothauma 84(9-10):77
 pc-ht a *rogersi* Pilodeudorix 84(9-10):71
 pc-ht b *uluguru* Epamera 84(9-10):70
- Kielland 1985 Lambillionea [b2734]
 - b *congdoni* Abisara 85(11-12):97
 - a *montana* Virachola 85(11-12):110
 - b *stempfferi* Spalgis 85(11-12):109
- Kielland 1986 Lambillionea [b2735]
 - a *kennethi* Lepidochrysops 86(11/12):144
 - b *mangalisae* Harpendyreus 86(11/12):147
 - b *nguru* Mimacraea 86(11/12):148
 - a *nguru* Baliochila 86(11/12):141
 - a *pinheyi* Etesiolaus 86(11/12):137
 - b *tanzania* Abisara 86(11/12):150
- Kielland 1987 Lambillionea [b2736]
 - c *collinsi* Harpendyreus 87(3/4):42, f
 - a *lukwangule* Uranothauma 87(3/4):39, f
 - a *ngura* Omipholidotos 87(3/4):43, f
 - a *ngura* Omipholidotos 87(3/4):43, f
- Kielland 1989 Lambillionea [b2737]
 - a *confusa* Uranothauma 89(5/6):54
- Kielland 1990 Butts Tanzania [b2738]
 - a *congdoni* Baliochila :174, f
 - a *kimboza* Triclema :209, f
 - a *montana* Anthene :205, f
 - b *montana* Anthene :207, f
 - a *mpanda* Virachola :197, f
 - a *mpanda* Anthene :205, f
 - a *rondo* Pentila :170, f
 - a *tanganyikae* Spindasis :182, f
 - b *ufipa* Anthene :203, f
 - a *uzungwae* Anthene :207, f
 - a *zanzibarica* Abisara :339, f
- Kielland 1993 Lambillionea [b2739]
 - a *bjornstadi* Alaena 93(1)(ii):115
- Kim & Joo & Park 1991 In Hist. Korean Butts [b2741]
 - b *biseulensis* Celastrina :372, f
- Kimura & Murayama 1990 Konchu to Shizen (Nature & Insects) [b2742]
 - a *arooni* Spindasis 25(2):24, f
 - b *ayuthia* Spindasis 25(2):24, f
 - a *inthanonensis* Chrysozephyrus 25(2):20, f
 - a *inthanonius* Chrysozephyrus 25(2):20, f
 - a *thalebanus* Allotinus 25(2):24, f
- Kirby 1837 In Richardson, Fauna Bor.-Amer. [b2743]
 - d *augustus* Thecla (H) (4):298, pl 3
 CNC-nt a *dorcas* Lycaena (4):299, pl 4
 - b *lucia* Lycaena (4):299, pl 3
- Kirby 1862 Manual Europ. Butts [b2744]
 BMNH-ht c *hypoxanthe* Chrysophanus :91, f 11

- Kirby [1870] Zool. Rec. [b2746]
 -- e *absens* Arhopala (ISS) 6(1869)(Ins.):372
 -- e *pau* Thecla (ISS) 6(1869)(Ins.):371
- Kirby 1871 Syn. Cat. diurn. Lep. [b2747]
 -- d *achaeus* Anteros (UE) :311
 -- e *alazonia* Amblypodia (ISS) :423
 -- a *alciabiades* Iolais :409
 -- e *alenas* Cupido (ISS) :347
 -- d *alphaeus* Capys (UE) :405
 biblio c *amazara* Cupido :376
 -- e *amosis* Alesa (ISS) :287
 -- e *anisophthalma* Cupido (ISS) :362
 -- e *aragonensis* Cupido (ISS) :368
 -- e *astraea* Ithomeis (ISS) :306
 -- e *atnius* Thecla (ISS) :399
 -- e *baeticus* Cupido (ISS) :354
 -- e *bellotia* Cupido (ISS) :358
 -- e *bohemani* Cupido (ISS) :366
 -- e *caecias* Charis (ISS) :318
 -- e *calixena* Comptoseria (ISS) :306
 -- e *calphurnia* Euerycina (ISS) :330
 -- e *cephalene* Comptoseria (ISS) :651
 -- e *chaonites* Charis (ISS) :318
 -- e *clara* Cupido (NN) :376
 -- e *cleades* Lasaia (ISS) :321
 -- e *croejns* Cupido (ISS) :353
 -- e *damoetas* Cupido (ISS) :372,373
 biblio a *donovani* Cupido :346
 -- e *embla* Plebeius (NN) :653
 -- e *emesioides* Zemerus (ISS) :285
 -- e *epius* Lucia (ISS) :337
 -- e *eunomia* Plebeius (NN) :653
 -- e *euripedes* Thecla (ISS) :398
 -- e *eurymia* Lycaena (ISS) :341
 -- e *eurysides* Thecla (ISS) :384
 -- e *fabricii* Thecla (NN & PS) :654
 -- e *frivaldskyi* Thecla (ISS) :671 (index)
 -- e *heteraea* Crenna (ISS) :293
 biblio d *hewitsoni* Thecla (JOS) :386
 -- e *irenaea* Thisbe (ISS) :326
 -- e *iulus* Iolais (ISS) :410
 -- e *jarbus* Lymnas (ISS) :300
 -- e *lycaea* Lymnas (ISS) :300
 -- c *lydia* Thecla :393
 -- e *lysimon* Nymphidium (ISS) :328
 -- e *lza* Aphnaeus (ISS) :404
 -- e *meduaana* Sithon (ISS) :415
 -- e *mincha* Plebeius (ISS) :653
 -- e *moesites* Thecla (ISS) :398
 biblio a *morgiana* Cupido :369
 -- e *nais* Lycaena (NN) :653
 -- e *nerva* Thecla (ISS) :387
 -- e *philipps* Hypolycaena (ISS) :407
 -- e *philoas* Cupido (ISS) :376
 -- e *phoedica* Euselasia (ISS) :295
 -- e *phyleus* Nymphidium (ISS) :327
 -- e *pulcherrina* Apodemia (ISS) :324
 -- e *rafocincta* Pheles (ISS) :306
 biblio a *sibylla* Cupido :377
 -- e *sichaeus* Thecla (ISS) :389
 -- e *sprucci* Siseme (ISS) :309
 -- e *stevensii* Cupido (ISS) :369
 -- e *uspis* Cupido (ISS) :361
 -- e *trivaldskyi* Thecla (ISS) :398
 -- e *trochilus* Cupido (ISS) :357
 -- c *wilhelmina* Thecla :391
 -- e *zenophou* Deudorix (ISS) :416
 -- e *zephyrus* Cupido (ISS) :359
 -- e *zeurippe* Lemonias (ISS) :323
- Kirby [1873] Zool. Rec. [b2749]
 -- ■ *helius* Lycaena (ISS) 8(1871)(Ins.):365
 -- e *viata* Lycaena (ISS) 8(1871)(Ins.):365
- Kirby 1877 Syn. Cat. diurn. Lep., Suppl. [b2753]
 -- e *acuta* Plebeius (ISS) :753
 -- e *andarnia* Lymnas (ISS) :755
 -- e *aruna* Hypolycaena (ISS) :782
 -- e *aslanga* Liptena (ISS) :762
 biblio c *augustula* Thecla :777
 -- e *caerulea* Plebeius (ISS) :767
 -- e *calagatis* Charis (ISS) :759
 -- e *chriola* Thecla (ISS) :779
 -- e *cissura* Thecla (ISS) :856
 -- e *emperanus* Lucia (ISS) :763
 -- e *idothea* Zelotaea (ISS) :757
 -- e *jalaka* Plebeius (ISS) :771
 -- e *kazanote* Plebeius (ISS) :771
 -- e *mariscalove* Plebeius (ISS) :767
 -- e *matutha* Mesosemia (ISS) :753
 -- e *oenetus* Nymphidium (ISS) :761
 -- e *oeniacus* Esthemopsis (ISS) :757
 -- e *oepea* Thecla (ISS) :780
 -- e *omphissa* Polyommatus (ISS) :771
 -- e *orsilla* Thecla (ISS) :780
 -- e *quadrimaculata* Thecla (ISS) :780
 -- e *samadra* Plebeius (ISS) :772
 -- e *sendiga* Thecla (ISS) :781
 -- e *sicara* Panara (ISS) :755
 -- e *vcsta* Lycaena (ISS) :772
 -- e *zerva* Lemonias (ISS) :760
- Kirby 1878 In Ill. diurn. Lep. Lycaenidae [b2754]
 ZMHU-It b *amba* Sinthusa Sup.:32, pl 5B
 -- c *monteironis* Lycaenesthes 1:223
 BMNH ■ *thyrsis* Lycaenesthes 1:224, pl 92
- Kirby [1879] Zool. Rec. [b2755]
 -- e *syloes* Metacharis (ISS) 14(1877)(Ins.):135
- Kirby [1880] Zool. Rec. [b2756]
 -- e *diogenea* Emesis (ISS) 15(1878)(Ins.):182
 -- e *sepium* Thecla (ISS) 15(1878)(Ins.):185
- Kirby [1883] Zool. Rec. [b2760]
 -- ■ *moorii* Drupadia (ISS) 19(1882)(Ins.):177
- Kirby [1885] Zool. Rec. [b2762]
 -- e *albifusca* Pathalia (ISS) 21(1884)(Ins.):192
 -- e *patana* Satadra (ISS) 21(1884)(Ins.):192
- Kirby 1887 Ann. Mag. nat. Hist. [b2763]
 -- a *brunnea* Lucia (5)19:368
 -- a *dispar* Teriomima (5)19:367
 -- c *erasmus* Teriomima (5)19:366
 -- a *evanescens* Pentila (5)19:364
 -- c *flaveola* Teriomima (5)19:366
 -- a *hildegarda* Teriomima (5)19:367
 -- a *limbata* Citrinophila (5)19:368
 -- b *maculata* Tingra (5)19:363
 -- a *marginalis* Citrinophila (5)19:368
 -- b *parva* Liptena (5)19:362
 -- a *puella* Teriomima (5)19:365
 -- a *similis* Teriomima (5)19:366
 -- a *subpunctata* Teriomima (5)19:364
 -- a *tenera* Teriomima (5)19:365
 -- a *torrida* Tingra (5)19:364
 -- c *varipes* Larinopoda (5)19:363
- Kirby 1887 Ann. Mag. nat. Hist. [b2764]
 -- c *badia* Epitola (5)19:444
 -- c *dewitzi* Epitola (5)19:442
 -- ■ *dunia* Epitola (5)19:443
 BMNH-ht a *marginata* Epitola (5)19:443

- Kirby 1887 *Ann. Mag. nat. Hist.* [b2764] (*continued*)
 - a *uniformis* Epitola (5)19:445
 - a *urania* Epitola (5)19:441
 BMNH-ht c (+) *versicolor* Epitola (5)19:441
 - c (-) *versicolor* Epitola (5)19:441
- Kirby 1889 *Ann. Mag. nat. Hist.* [b2765]
 - b *regina* Thysonotis (6)4:163
- Kirby 1890 *Ann. Mag. nat. Hist.* [b2766]
 - a *badura* Epitola (6)6:271
 - a *barombiensis* Epitola (6)6:274
 - a *catuna* Epitola (6)6:273
 - a *cellularis* Pseuderessia (6)6:262
 - c *f. cordelia* Teriomima (6)6:270
 - a *dehora* Pseuderessia (6)6:264
 -lt a *decipiens* Teriomima (6)6:268
 - c *delicatula* Teriomima (6)6:267
 - a *dinora* Pseuderessia (6)6:265
 - a *doleta* Epitola (6)6:273 (male)
 - c *f. dubia* Teriomima (6)6:271
 - a *fatima* Tingra (6)6:268
 - a *gerda* Durbania (6)6:265
 - a *henleyi* Epitola (6)6:272
 - c *laura* Tingra (6)6:267
 - c *lavinia* Tingra (6)6:267
 - c *marginalis* Aslauga (6)6:261
 - a *modesta* Teriomima (6)6:270
 -lt a *opaca* Larinopoda (6)6:266
 - c *paucipunctata* Pseudoeressia (6)6:263
 - a *perdita* Epitola (6)6:274
 - c *punctata* Pseuderessia (6)6:263
 - a *serena* Teriomima (6)6:269
 ZMHU-st c *similis* Allotinus (6)6:262
 - a *similis* Pseuderessia (6)6:264
 - a *staudingeri* Epitola (6)6:271
 - a *sylypha* Larinopoda (6)6:266
 - a *turbata* Pseuderessia (6)6:263
 - a *zelica* Epitola (6)6:272
- Kirby 1894-1897 *In Allen, Nat. Libr., Lepid.* [b2768]
 - c 1896 *hewitsoni* Catagrammina 2:42
- Kirsch 1877 *Mitt. zool. Mus. Dresd.* [b2769]
 - a *crobyle* Amblypodia 1:128, pl 6
 - b *eucoipis* Amblypodia 1:128, pl 6
- Kit 1912 *Verh. zool.-bot. Ges. Wien* [b2776]
 - b *nigricans* Lycaena 62:360-361
- Klemensiewicz 1902 *Spraw. Kom. fizyogr.* [b2777]
 - e *ab. delineata* Thecla 36:45
- Klots 1930 *Bull. Brooklyn ent. Soc.* [b2778]
 AMNH-ht c *gravenotata* Lycaena 25(3):163, f 1-4
 AMNH-ht b *semiluna* Satyrium 25(3):161, f 5
- Klots & Clench 1952 *Amer. Mus. Novit.* [b2779]
 AMNH-ht a *kingi* Strymon (1600):2, f
- Klug 1829-1845 *In Ehrenberg, Sym. Phys. Ins.* [b2782]
 -lt a 1834 *acamas* Lycaena 4-pl 40, f 7-9
 - a 1834 *ismenias* Lycaena 4-pl 40, f 1, 2
 - a 1834 *livia* Lycaena 4-pl 40, f 3-6
 - b 1834 *melantho* Lycaena 4-pl 40, f 10
 - a 1834 *myrtale* Lycaena 4-pl 40, f 15
 - b 1834 *omphale* Lycaena 4-pl 40, f 12-14
 - a 1834 *thetis* Lycaena 4-pl 40, f 17-18
- Knoch 1781-1783 *Beitr. Insekengesch.* [b2784]
 - a 1781 *optilete* Papilio 1:76, pl 5
 - c 1782 *erebus* Papilio 2:93, pl 6
 - a 1782 *w-album* Papilio 2:85, pl 6
- Kobayashi 1931 *Zephyrus* [b2785]
 - b *hokiensis* Lycaena 3(3/4):170, f
- Koçak 1975 *Atalanta (Münnerstadt)* [b2786]
 - a *anatolica* Lysandra 6(1):31, f
- Koçak 1975 *Atalanta (Münnerstadt)* [b2787]
 - b *eitschbergeri* Pseudophilotes 6(1):51, f
- Koçak 1977 *Atalanta (Münnerstadt)* [b2788]
 DSZUA-ht b *hakkariensis* Polymmaus 8(1):53, f 11
 - b *onalpae* Pseudophilotes 8(1):51, f
 DSZUA-ht b *turcicola* Agrodiaetus 8(1):55, f 17-20
 DSZUA-ht a *turcicus* Agrodiaetus 8(1):54, f 13-16
 DSZUA-ht b *vanicola* Pseudophilotes 8(1):47, f
 DSZUA-ht b *yildizae* Polymmaus 8(1):50, f 5-8
- Koçak 1979 *Atalanta (Münnerstadt)* [b2789]
 DSZUA-ht b *aladaghensis* Aricia 10(4a):314, f
 DSZUA-ht c *eberti* Agrodiaetus 10(4a):318, f
 DSZUA-ht b *eckweileri* Glaucopsyche 10(4a):310, f
 DSZUA-ht b *sertavulensis* Agrodiaetus 10(4a):313, f
- Koçak 1980 *Nota lepid.* [b2790]
 biblio b *dalmaticola* Lycaeides 2(4):141
 biblio b *iranicola* Plebejides 2(4):141
 biblio b *kagizmanensis* Aricia 2(4):142
 biblio b *kudrmai* Agriades 2(4):142
 biblio b *kurentzovi* Plebejus 2(4):142
 biblio d *mirzaellus* Azanus (RC & JOS) 2(4):141
 biblio b *mongolensis* Agrodiaetus 2(4):142
 biblio b *rangnowi* Lycaeides 2(4):141
 biblio b *rjabovianus* Agrodiaetus 2(4):142
- Koçak 1980 *Atalanta (Münnerstadt)* [b2791]
 pc-ht b *araxiana* Agrodiaetus 11(4):266, f 6-9
 LNK-ht b *noacki* Agrodiaetus 11(4):270, f 10-13
- Koçak 1981-1983 *Priamus* [b2794]
 pc-ht a 1983 *anticarmon* Agrodiaetus 3(1):33,34
- Koçak 1981-1983 *Priamus* [b2795]
 biblio a 1983 *yildizae* Thestor 3(1):39
- Koçak 1984 *Priamus* [b2799]
 biblio b *vurali* Gaeides 3(3):95
- Koçak 1992 *Cent. Ent. Stud. Misc. Pap.* [b2803]
 biblio b *burak* Lysandra (16):7
- Köhler 1923 *Z. wiss. Insektbiol.* [b2805]
 - e *guayapensis* Hamearis (IFS) 18(12)
 (Sonderheft):29
 - e *privata* Nelone (IFS) 18(12)
 (Sonderheft):28
- Köhler 1934 *Revta Soc. ent. argent.* [b2806]
 pc a *grata* Itylos 6:39, f 1, 2
- Koiwaya 1989 *Stud. Chin. Butterflies* [b2817]
 - a *isshiki* Zinaspia 1:210, f
 - a *nagata* Subsolanoidea 1:210, f
- Koiwaya 1993 *Stud. Chin. Butterflies* [b2818]
 - a *fani* Ussuriana 2:47, f
 - a *gaoli* Chrysozephyrus 2:68, f
 - b *hainana* Ravenna 2:60, f
 - b *hainanicus* Chrysozephyrus 2:70, f
 - b *huashana* Ussuriana 2:51, f
 - b *interruptus* Chrysozephyrus 2:4, f
 - a *kitawakii* Cordelia 2:51, f
 - a *linae* Chrysozephyrus 2:66, f
 - a *sakula* Chrysozephyrus 2:2, f
 - a *takashimai* Shaanxiana 2:46, f
 - a *watanabei* Howarthia 2:56, f

- Koiwaya 1993 Stud. Chin. Butterflies [b2818] (continued)
 - a *yoshikoae* Chrysozephyrus 2:64, f
- Kolar 1926 Verh. zool.-bot. Ges. Wien [b2820]
 - e *ab. alpicola* Lycaena 74/75:(4)
- Kollar [1844] In Hügél, Kaschmir [b2821]
 - b *asoka* Lycaena 4(2):419
 - d *coelestina* Lycaena (H) 4(2):423
 - c *didda* Lycaena 4(2):420
 - a *durga* Melitaea 4(2):441, pl 13
 - a *maha* Lycaena 4(2):422
 - a *nara* Lycaena 4(2):421
 - c *nila* Thecla 4(2):413, pl 4
 - a *nissa* Thecla 4(2):412, pl 4
 - c *pandia* Lycaena 4(2):418
 - c *patala* Lycaena 4(2):419
 - d *pavana* Polyommatus (H) 4(2):416, pl 5
 - a *putli* Lycaena 4(2):422
 - a *rama* Thecla 4(2):412, pl 4
 - a *sena* Polyommatus 4(2):415, pl 5
 - b *sorya* Thecla 4(2):416, pl 5
 - a *syla* Thecla 4(2):414, pl 4
 - a *tamu* Polyommatus 4(2):417, pl 5
- Kollar [1849] Denkschr. K. Akad. Wiss. Wien [b2822]
 - a *anisopthalma* Lycaena 1:51
 - c *haffis* Polyommatus 1:51
 NMW-st b *hypoleuca* Lycaena 1:52
 - a *sassanides* Thecla 1:51
- Komárek 1948 Čas. čsl. Spol. ent. [b2824]
 - e *ab. vilmae* Chrysophanus 46(3/4):149
- Korshunov 1982 Nov Maloizvestiye Vidy Fauny Sib. [b2828]
 - a *chalcha* Plebejus (16):89, f
- Korshunov & Ivonin 1990 Nov Maloizvestiye Vidy Fauny Sib. [b2831]
 - a *fedoseevi* Celastrina (22):72, f
- Korshunov & Pupavkin & Chemenko 1982 In Zolotarenko [b2832]
 - b *taimyrensis* Polyommatus :84
- Korshunov & Viidaleep 1980 Nov Maloizvestiye Vidy Fauny Sib. [b2833]
 - a *jacuticus* Pseudophilotes (14):154, f
- Kozhanchikov 1923 Ezheg. gosud. Muz. N. M. Mart'yanova [b2835]
 - e *ab. radiata* Lycaena 1:12
 - b *sajana* Chrysophanus 1:10 or 11
- Kozhanchikov 1924 Ezheg. gosud. Muz. N. M. Mart'yanova [b2836]
 - e *ab. splendens* Lycaena 2(1):67
- Kozhanchikov 1936 Folia zool. hydrobiol. [b2837]
 - e *ab. cleobella* Lycaena 9:23
 - e *ab. lada* Lycaena 9:24
 - e *ab. limbata* Lycaena 9:23
 - e *ab. pseudobajavaricus* Lycaena 9:25
 - b *sibiricanus* Lycaena 9:23
- Krāhe 1912 Ent. Zeit. [b2838]
 - e *autumnalis* Lycaena 26(27):106
- Krod. 1904 Ent. Zeit. [b2840]
 - e *extensa* Polyommatus 18(14):54
 - e *gillmeri* Polyommatus 18(14):54
- Krodel 1904 Ent. Zeit. [b2841]
 - e *ab. schultzi* Agrodiaetus 18(6):21
- Krüger 1928 Ent. Zeit. [b2842]
 BMNH-ht c *margaretha* Symmachia 41(22):442
- Krüger 1928 Int. ent. Z. [b2843]
 - e (+) *f. amazonica* Calydna 22(9):101
- Krulikovskii 1890 Bull. Soc. imp. Nat. Moscou [b2844]
 AMNH-nt b *borealis* Callophrys (ns)4(1890):217
 - c *butlerowi* Lycaena (ns)4(1890):216
 - c *casanensis* Lycaena (ns)4(1890):223
 - c *polaris* Callophrys (ns)4(1890):217
- Krulikovskii 1892 Soc. ent. [b2845]
 - c *ruhli* Lycaena 7(1):1
- Krulikovskii 1892 Ent. Nachr. [b2846]
 - c *lydia* Lycaena 18:97
- Krulikovskii 1893 Soc. ent. [b2847]
 - c *caeruleopunctata* Lycaena 7:164
 - e *polaris* Callophrys (IFS) 7:164
- Krulikovskii 1897 Mater. Pozn. Fauny Flory SSSR [b2848]
 - e *ab. alciphronides* Palaeochrysophanus 3:318
 - a *baschkiria* Lycaena 3:317
- Krulikovskii 1906 Soc. ent. [b2849]
 - e *ab. impura* Lycaena 21(7):50
- Krulikovskii 1908 Soc. ent. [b2850]
 - e *ab. amandina* Lycaena 23(2):11
 - c *septentrionalis* Lycaena 23(2):11
- Krulikovskii 1909 Revue Russe Ent. [b2851]
 - b *festivus* Lycaena 9:300
 - e *ab. semicaeca* Lycaena 9:301
 - e *ab. spadona* Palaeochrysophanus 9:300
- Krulikovskii 1926 Zbirn. Prats zool. Mus. [b2852]
 - b *lutshniki* Lycaena 1:69
- Krzywicki 1983 Polsk. Pismo ent. [b2853]
 - c *orientalis* Polyommatus 53(3):401
- Ksienschopolski 1911 Trudy obsheh. Izsl. Volyni Zitomir [b2854]
 - e *f. aestivalis* Callophrys 8:53
 - e *f. aestivalis* Lycaena 8:56
 - e *ab. blockeri* Polyommatus 8:60
 - e *pusilla* Lycaena 8:56, pl 1
 - e *ab. striata* Lycaena 8:56, pl 1
 - e *ab. violacea* Lycaena 8:55
- Kudma 1983 J. Res. Lep. [b2856]
 - e *melanopostmater* Glaucoopsyche (ISS) 21(1):31
 - e *posticelantennigra* Leptotes (ISS) 21(1):35
- Kurentzov 1970 Butts Far East USSR [b2864]
 - b *amosovi* Lycaena :139
 - b *amurica* Lycaena :134
 - c *baicalica* Lycaena :134
 - b *extremiorientalis* Lycaena :138
 - c *jakutica* Lycaena :132
 - b *kamtchatica* Lycaena :132
 IBP-It b *kondakovi* Lycaena :120, 142
 - b *kurnakovi* Lycaena :140
 - b *lena* Chrysophanus :128
 - d *mongolica* Lycaena (H) :139
 - b *mongolica* Chrysophanus (H) :128
 - d *orientalis* Lycaena (H) :131
 - b *parvus* Chrysophanus :128
 - c *pavlovi* Lycaena :140
 - b *peiktusani* Lycaena :141
 - c *pugatshuki* Zephyrus :117, 128, f 97
 - b *sachalinensis* Lycaena :135
 -It a *schischkini* Zephyrus :124

- Kurentzov 1970 Butts Far East USSR [b2864] (continued)
 - b *ternejana* Lycaena :132
 - b *transbaltcalensis* Lycaena :133
 - b *tsvetajevi* Lycaena :120, 137
 - b *verchojanicus* Lycaena :132
- Kurihara 1943 Trans. Kansai ent. Soc. [b2867]
 - c *f. luculenta* Zizeeria 13(1):57-62
 - c *f. oblongata* Zizeeria 13(1):57-62
- Kuwayama 1926 Entomologist [b2868]
 pc-ht e *ab. distalba* Chrysophanus 59:181, f 3, 6
 - e *ab. paucimaculosa* Lycaena 59:180, f
 pc-ht e *ab. paucimaculosus* Lycaena 59:180, f 1, 4
- Kuznetsov 1908 Izv. turkest. Otd. imp. russ. geogr. Obshch. [b2869]
 - c *bergi* Plebejus 4(8):107
- Kyuzaki 1937 Ageha [b2870]
 -- e *ab. sagamiensis* Zephyrus 3:6
- Lacrezue 1909 Bull. Soc. Léop. Genève [b2872]
 -- e *ab. nigrocuneata* Lycaena 1:382, pl 9
- Lafontaine 1969 Trail and Landscape [b2873]
 CNC-lt c *borealis* Strymon 3:151
- Lafontaine 1970 J. Lep. Soc. [b2874]
 -- e *boreale* Strymon (ISS) 24(2):83-86
 T *borealis* Strymon 24(2):83
- Lagerberg 1911 Ent. Tidskr. [b2875]
 - e *ab. testacea* Chrysophanus 32(1):23
- Lalanne 1947 Revue fr. Léop. [b2876]
 - c *occidentalis* Heodes 10(1):24
 - c *phloeoides* Heodes 10(1):27
- Lamarck 1835-1845 Anim. sans Vert. [b2877]
 - c 1835 *vulgaris* Argus 4:244
- Lamas 1973 Papéis avulsos Dept. Zool., São Paulo [b2878]
 T *melzeri* Thecla 26(13):182
 T *ohausi* Thecla 26(13):182
 T *paucipuncta* Apodemia 26(13):181
 T *seitzi* Thecla 26(13):181
 T *taunayi* Thecla 26(13):182
- Lamas 1981 Revta peruana Ent. [b2880]
 - b *nellyae* Pseudolycaena 23(1):143
- Lambillion 1902 Revue mens. Soc. ent. namur. [b2882]
 -- e *ab. minor* Satyrium 2:15
 -- e *ab. minor* Satyrium 2:15
- Lambillion 1903 Cat. Léop. Belg. (2me éd) [b2883]
 -- e *ab. fulva* Lycaena :424
- Lambillion 1913 Revue mens. Soc. ent. namur. [b2884]
 -- e (+) *ab. derennei* Chrysophanus 13:127
- Lampa 1885 Ent. Tidskr. [b2888]
 -- e *ab. argentea* Lycaena 6:14
- Lang 1789 Verz. Schmett. Gegend. Augsburg (2nd ed) [b2889]
 - c *telicanus* Papilio :47
 - c *w-latinum* Papilio :46
 - d *xanthe* Papilio (H) :52
- Lang 1884 Lep. Europ. [b2890]
 - d *alcedo* Lycaena (H) 1:369
 - c *amor* Lycaena 1:371
 - d *anthracias* Lycaena (H) 1:370
 - d *cytis* Lycaena 1:369
 - a *eversmanni* Lycaena 1:370
 - a *iris* Lycaena 1:369
- Lang 1884 Lep. Europ. [b2890] (continued)
 - e *lowei* Lycaena (ISS) 1:371
 - c *phryxis* Lycaena 1:372
 - d *phyllis* Lycaena (H) 1:372
 - b *pretiosa* Lycaena 1:370
 - d *scylla* Lycaena (H) 1:371
 - a *sultan* Polyommatus 1:368
- Lange 1919 Deut. ent. Zeit. [Iris] [b2891]
 - d *borussia* Lycaena (H) 33:23
 - e *ab. coerulescens* Lysandra 33:23
 - e *ab. lunulata* Lysandra 33:22
- Lange 1924 Deut. ent. Zeit. [Iris] [b2892]
 - e *ab. caeruleomarginata* Lycaena 38:134
- Langston 1964 J. Lep. Soc. [b2893]
 CAS-ht b *bayensis* Philotes 17(4):208
 CAS-ht b *tildeni* Philotes 17(4):212
- Larsen 1974 Alexanor [b2895]
 - a *deebi* Agrodiaetus 8(7):305, f
 - b *hayesi* Meleageria 8(7):304, f
 - b *nazeri* Fixsenia 8(7):301, f
- Larsen 1974 Butts Lebanon [b2896]
 - c *bassoni* Aricia :172, f
 - b *zelleri* Polyommatus :179
- Larsen 1975 Bull. Inst. fond. Afr. Noire [b2897]
 - a *kiki* Tarucus 37(A)(3):684-686
- Larsen 1982 Biologiske Skrifter [b2898]
 - e *carana* Tuxentius (ISS) 23(3):3
 BMNH-ht a *forsskali* Lepidochrysops 23(3):50, pl 2
 BMNH-ht a *niebuhri* Cacyreus 23(3):43, pl 1
- Larsen 1983 Bull. Inst. fond. Afr. Noire [b2899]
 BMNH-ht b *anara* Hypolycaena 45(A):160, f 8
 BMNH-ht a *carcassoni* Aphnaeus 45(A):157
 BMNH-ht a *mamfe* Micropentila 45(A):155, f 3
 BMNH-ht a *normani* Epamera 45(A):158, f 5-7
- Larsen 1983 Fauna Saudi Arabia [b2900]
 T *acamas* Lycaena 5:377
 - a *arora* Anthene 5:389, f
 - b *bilqis* Chloroseias 5:381, f
 - a *haveni* Lepidochrysops 5:407, f
 - a *pittawayi* Lepidochrysops 5:408, f
- Lasso de la Vega Westendorp [1980] Revta Lep. [b2909]
 - e *f. festoneata* Tomares 7(4):278
- Lasso de la Vega Westendorp 1982 Revta Lep. [b2910]
 - c *rondensis* Lysandra 10(2):142
- Lathy 1901 Trans. ent. Soc. Lond. [b2911]
 - a *delicata* Abisara 49(1):28, pl 3
- Lathy 1903 Trans. ent. Soc. Lond. [b2912]
 - a *actinotina* Telipna 51(2):194, pl 8
 - c *adamsi* Iolaua 51(2):199, pl 8
 - a *brahami* Aphnaeus 51(2):199, pl 8
 BMNH-ht a *caliginosa* Virachola 51(2):197, pl 8
 - c *multipunctata* Pentila 51(2):195, pl 8
 - c *radiata* Pentila 51(2):195, pl 8
 - a *submacula* Liptena 51(2):196, pl 8
 - a *subornata* Myrina 51(2):198, pl 8
- Lathy 1904 Proc. zool. Soc. Lond. [b2913]
 BMNH-ht a *dominicana* Thecla 1904(T)(2):452
 pc b *subobscura* Thecla 1904(T)(2):452
- Lathy 1904 Trans. ent. Soc. Lond. [b2914]
 - a *albivitta* Chamaelimumas 52(3):465, pl 27
 - b *completa* Nymphidium 52(3):467, pl 27

- Lathy 1904 Trans. ent. Soc. Lond. [b2914] (*continued*)
- c *elegans* Mesosemia 52(3):463, pl 27
 - c *fasciata* Theope 52(3):467, pl 27
 - c *fulvifargo* Caria 52(3):466, pl 27
 - b *latifasciata* Erycina 52(3):464, pl 27
 - a *peruviana* Symmachia 52(3):466, pl 27
 - b *pulchra* Lemonias 52(3):467, pl 27
 - b *rubrolineata* Ithomiola 52(3):465
 - a *subargentea* Eurycyona 52(3):463, pl 27
 - BMNH-ht a *trivittata* Themone 52(3):465, pl 27
- Lathy 1906 Trans. ent. Soc. Lond. [b2915]
- a *tavetensis* Spindasis 54(1):6, pl 1
- Lathy 1921 Ann. Mag. nat. Hist. [b2916]
- b *maibillei* Lycacnesthes (9)8:208
 - c *rubropuncta* Azamus (9)8:208
- Lathy 1924 Ann. Mag. nat. Hist. [b2917]
- MNHN-ht a *fournierae* Euselasia (9)14:285
 - b *interrupta* Euselasia (9)14:284
 - b *jokeyi* Euselasia (9)14:285
 - MNHN-ht a *violacea* Euselasia (9)14:284
- Lathy 1926 Ann. Mag. nat. Hist. [b2918]
- MNHN-ht a *decorata* Lamprospilus (9)17:47
 - MNHN-ht a *draudti* Thecla (9)17:40
 - MNHN-ht a *drucei* Thecla (9)17:41
 - MNHN-ht c *major* Thecla (9)17:42
 - MNHN-ht b *nigra* Thecla (9)17:46
 - biblio c *obsoleta* Thecla (9)17:43
 - MNHN-ht b *obsoleta* Eumaeus (9)17:39
 - MNHN-ht b *occidentalis* Thecla (9)17:44
 - MNHN-ht b *occidentalis* Theclopsis (9)17:47
 - MNHN-ht b *paraguayensis* Thecla (9)17:42
 - MNHN-ht b *parvipuncta* Thecla (9)17:44
 - MNHN-ht b *peruviana* Eumaeus (9)17:39
 - MNHN-ht c *reducta* Thecla (9)17:44
 - MNHN-ht b *separata* Thecla (9)17:42
 - BMNH-ht b *septentrionalis* Thecla (9)17:44
 - MNHN-ht a *tristis* Thecla (9)17:45
 - MNHN-ht a *watkinsi* Thecla (9)17:39
 - MNHN-ht e *ab. xanthica* Thecla (9)17:44
- Lathy 1926 Entomologist [b2919]
- e *ab. albida* Euselasia 59:146
 - MNHN-ht a *amblypodia* Euselasia 59:146
 - b *angustifascia* Euselasia 59:144
 - b *bilineata* Euselasia 59:143
 - c *boliviensis* Euselasia 59:145
 - b *brevicauda* Euselasia 59:144
 - b *cuprea* Euselasia 59:143
 - b *ecuadorensis* Euselasia 59:146
 - c *fulviplaga* Euselasia 59:146
 - b *marginata* Euselasia 59:144
 - b *mexicana* Euselasia 59:145
 - e (+) *f. pallida* Euselasia 59:143
 - b *reducta* Euselasia 59:145
 - b *rubroclilla* Euselasia 59:145
 - c *satyroides* Euselasia 59:144
 - BMNH-ht b *seitzii* Euselasia 59:145
- Lathy 1930 Trans. ent. Soc. Lond. [b2921]
- MNHN-ht a *cuprea* Thecla 78(1):134, pl 9
 - MNHN-ht a *gloriosa* Thecla 78(1):134, pl 9
 - MNHN a *immaculata* Trichonis 78(1):133
 - MNHN-ht a *inconspicua* Thecla 78(1):136, pl 9
 - MNHN-ht a *lilacina* Thecla 78(1):136, pl 9
 - MNHN d *mirabilis* Thecla (H) 78(1):135, pl 9
 - MNHN-ht a *ortaloides* Thecla 78(1):135, pl 9
 - MNHN-ht a *pallida* Thecla 78(1):135
 - MNHN-ht a *peculiaris* Thecla 78(1):136, pl 9
 - MNHN-ht c *tagyroides* Thecla 78(1):134, pl 9
- Lathy 1930 Trans. ent. Soc. Lond. [b2921] (*continued*)
- pc c *venezuelae* Thecla 78(1):135
 - MNHN-ht d *viridis* Thecla (H) 78(1):135
- Lathy 1932 Ann. Mag. nat. Hist. [b2922]
- b *albidisca* Charis (10)9:70
 - BMNH-st a *albimaculata* Hamearis (10)9:71
 - BMNH-ht b *angustifascia* Rhetus (10)9:66
 - BMNH-ht b *boliviana* Caria (10)9:68
 - BMNH-ht c *chiriquensis* Nymphidium (10)9:74
 - BMNH-ht b *decolorata* Mesosemia (10)9:65
 - BMNH-ht b *defasciata* Siseme (10)9:70
 - BMNH-st e *ab. denigata* Nymphidium (10)9:73
 - BMNH-st a *dilata* Lymnas (10)9:68
 - e *donifera* Chamaelinnas (ISS) (10)9:67
 - BMNH-st b *ecuadorensis* Brachyglenis (10)9:66
 - BMNH-ht a *extensa* Orimba (10)9:72
 - BMNH-ht e *ab. extensa* Monethe (10)9:67
 - MNHN-ht a *fenestrella* Thisbe (10)9:71
 - BMNH b *ferruginea* Nymula (10)9:73
 - b *flavibasis* Chimastrum (10)9:69
 - BMNH-ht b *flavincta* Charis (10)9:70
 - BMNH-st b *flavifasciata* Lepriormis (10)9:67
 - BMNH-st b *fulvus* Cariomothis (10)9:67
 - BMNH-st b *inconspicua* Mesosemia (10)9:65
 - BMNH b *indistincta* Hamearis (10)9:71
 - BMNH-st b *insularis* Hamearis (10)9:73
 - BMNH-ht b *interrupta* Phaenochitona (10)9:69
 - BMNH-ht a *lilacina* Xynias (10)9:69
 - BMNH-ht b *major* Nymphidium (10)9:73
 - BMNH-ht b *major* Charmona (10)9:67
 - BMNH-st b *meridionalis* Elaphrotis (10)9:71
 - BMNH-ht b *meridionalis* Chamaelinnas (10)9:67
 - MNHN-ht b *ochracea* Echenais (10)9:72
 - BMNH-ht b *pallida* Esthemopsis (10)9:69
 - BMNH-st b *pallida* Diophthalma (10)9:65
 - BMNH-st b *parvipuncta* Napaea (10)9:65
 - BMNH-ht b *peruviana* Mesene (10)9:68
 - BMNH-st b *reducta* Phaenochitona (10)9:69
 - BMNH-ht a *robusta* Pachythone (10)9:70
 - BMNH e *ab. rubrofasciata* Ancylyrus (10)9:66
 - BMNH-ht e (+) *ab. rubrolineata* Ancylyrus (10)9:65
 - BMNH-ht a *satyroides* Nymula (10)9:73
 - BMNH-st a *seitzii* Ancylyrus (10)9:66
 - BMNH-st b *separata* Symmachia (10)9:69
 - BMNH b *separata* Nymphidium (10)9:74
 - BMNH-ht b *separata* Calliona (10)9:71
 - BMNH-ht a *sticheli* Phaenochitona (10)9:70
 - BMNH b *striata* Echenais (10)9:72
 - BMNH-ht b *subfusca* Mesene (10)9:68
 - BMNH-ht b *suffusa* Cariomothis (10)9:67
 - BMNH-ht e (+) *ab. suffusa* Anatole (10)9:71
 - BMNH-ht a *trinitatis* Echenais (10)9:71
- Lathy 1932 Ann. Mag. nat. Hist. [b2923]
- MNHN-ht e (+) *ab. decyanea* Lamprospilus (10)9:182
 - MNHN-ht a *draudti* Lamprospilus (10)9:181
 - MNHN-ht b *ochracea* Lamprospilus (10)9:182
- Lathy 1932 Ann. Mag. nat. Hist. [b2924]
- T *negra* Alesa (10)9:484
- Lathy 1936 Livre jubilaire de M. Eugene-Louis Bouvier [b2925]
- MNHN-ht a *albolineata* Thecla :230, pl 8
 - MNHN-ht a *angusta* Thecla :232, pl 8
 - MNHN-ht a *bouvieri* Thecla :231, pl 8
 - MNHN-ht a *cinerea* Thecla :231, pl 8
 - biblio a *confusa* Thecla (H) :231
 - MNHN-ht a *demilineata* Thecla :231, pl 8
 - pc-ht a *dicaeoides* Thecla :229, pl 8
 - MNHN-ht a *dubiosa* Thecla :232, pl 8
 - MNHN-ht a *elegans* Thecla :230, pl 8
 - MNHN-ht d *inornata* Thecla (H) :229, pl 8

Lathy 1936 Livre jubilaire de M. Eugene-Louis Bouvier [b2925]

(continued)

MNHN-ht	a	<i>larseni</i> Thecla	:230, pl 8
MNHN-ht	a	<i>lineata</i> Thecla	:231, pl 8
MNHN	a	<i>maculata</i> Thecla	:230, pl 8
MNHN-ht	a	<i>obliterata</i> Thecla	:230
MNHN-ht	d	<i>peruviana</i> Thecla (H)	:229, pl 8
MNHN-ht	a	<i>restricta</i> Thecla	:230, pl 8
MNHN-ht	a	<i>talboti</i> Thecla	:232, pl 8
MNHN-ht	a	<i>trinitatis</i> Thecla	:232, pl 8
MNHN-ht	a	<i>variegata</i> Thecla	:231, pl 8
MNHN-ht	d	<i>violacea</i> Thecla (H)	:230, pl 8
MNHN-ht	a	<i>xoremoides</i> Thecla	:231, pl 8

Latreille [1813] In Humboldt & Bonpland, Voy. Rég. [b2928]

-	a	<i>agesilas</i> Erycina	1:396, pl 25
-	a	<i>aristoteles</i> Erycina	1:387, pl 24
-	c	<i>ops</i> Erycina	2:84, pl 37
-	a	<i>arycia</i> Erycina	1:389 or 244

Lattin 1950 Revue Fac. Sci. Univ. Istanbul [b2930]

-	b	<i>anatolicus</i> Strymon	(B)15(4):322
---	---	---------------------------	--------------

Lattin & Jöst & Roesler 1957-1964 Mitt. Pollichia [b2931]

-	c	1957 <i>f. cerroides</i> Strymonia	(3)4:129
---	---	------------------------------------	----------

Le Cerf 1909 Bull. Mus. natn. Hist. nat., Paris [b2932]

-	b	<i>morgani</i> Lycaena	1909:535
---	---	------------------------	----------

Le Cerf 1911 Bull. Mus. natn. Hist. nat., Paris [b2933]

-	a	<i>boulleti</i> Ourocnemis	17(6):412
---	---	----------------------------	-----------

Le Cerf 1914 Anns Hist. nat. Délég. Perse [b2934]

-	c	<i>elamita</i> Lycaena	2(2):69, pl 2
-	d	<i>morgani</i> Lycaena (H)	2(2):66, pl 1

Le Cerf 1922 Bull. Mus. natn. Hist. nat., Paris [b2935]

-	a	<i>decaryi</i> Abisara	28:59
---	---	------------------------	-------

Le Cerf 1923 Bull. Soc. ent. Fr. [b2936]

-	b	<i>occidentalis</i> Cigaritis	1923(15):197
---	---	-------------------------------	--------------

Le Cerf 1928 Encyc. ent. Ser. B. III. Lep. [b2938]

-	b	<i>ahmar</i> Lycaena	3(3):117
---	---	----------------------	----------

Le Cerf 1932 Bull. Soc. ent. Fr. [b2939]

-	c	<i>berber</i> Lycaena	37(11):163
---	---	-----------------------	------------

Le Chamberlain 1908 Entomologist [b2940]

--	e	<i>ab. cotswoldensis</i> Lycaena	41:202
--	e	<i>ab. imperialis</i> Lycaena	41:202
--	e	<i>ab. marginata</i> Lycaena	41:202
--	e	<i>ab. mutomaculata</i> Lycaena	41:202
--	e	<i>ab. occidentalis</i> Lycaena	41:202
--	e	<i>ab. oolitica</i> Lycaena	41:202
--	e	<i>ab. oolitica</i> Maculinea	41:202
--	e	<i>ab. pallida</i> Lycaena	41:202
--	e	<i>ab. pseudoalcon</i> Lycaena	41:202

Le Charles 1927 Amat. Papil. [b2941]

--	e	<i>ab. paucipuncta</i> Polyommatus	3:191, pl 8
----	---	------------------------------------	-------------

Le Crom & Johnson 1993 Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) [b2942]

AMNH-ht	a	<i>nortea</i> Pontirama	(38):2, f
UNBC-ht	a	<i>rusticum</i> Solanorum	(38):1, f
AMNH-ht	a	<i>salazari</i> Paralustrus	(38):3, f
UMBC-ht	a	<i>torresi</i> Radissima	(38):6, f

Le Moult 1939-1940 Novit. ent. [b2943]

AME-ht	c	1939 <i>albescens</i> Helicopsis	(11):85, f 10
AME-ht	c	1939 <i>amazonica</i> Helicopsis	(11):89
MNHN-ht	c	1939 <i>beaulieui</i> Helicopsis (IFS)	(9):89, f 18
AME-ht	b	1939 <i>curusamba</i> Helicopsis	(11):84, f 5
MNHN-ht	e	1939 <i>diluta</i> Helicopsis (IFS)	(11):85

Le Moult 1939-1940 Novit. ent. [b2943] (continued)

MNHN-ht	b	1939 <i>fournierae</i> Helicopsis	(11):85
AME-ht	c	1939 <i>lesoudlerae</i> Helicopsis	(12):90, f 19
AME-ht	c	1939 <i>madelrensis</i> Helicopsis	(12):91, f 20
AME-ht	c	1939 <i>manicorensis</i> Helicopsis	(11):87, f 14
AME-ht	c	1939 <i>marini</i> Helicopsis	(18):138
AME-ht	e	1939 <i>mars</i> Helicopsis (IFS)	(16):126
AME-ht	e	1939 <i>nigromaculata</i> Helicopsis (IFS)	(11):85
AME-at	c	1939 <i>obidonus</i> Helicopsis	(11):82
-	c	1939 <i>poletti</i> Helicopsis	(12):91, f 21
AME-ht	e	1939 <i>pseudalbescens</i> Helicopsis (IFS)	(11):84, f 8
AME-ht	c	1939 <i>pseudalbocincta</i> Helicopsis	(11):88, f 15
AME-ht	e	1939 <i>pseudotransita</i> Helicopsis (IFS)	(15):112
MNHN-ht	e	1939 <i>putumayensis</i> Helicopsis	(11):88
AME-pt	e	1939 <i>reducta</i> Helicopsis (IFS)	(13):99
AME-ht	c	1939 <i>solimoensis</i> Helicopsis	(11):87, f 13
AME-ht	e	1939 <i>subalbocincta</i> Helicopsis (IFS)	(11):84
AME-ht	e	1939 <i>subandrogynae</i> Helicopsis (IFS)	(11):84
AME-ht	e	1939 <i>sulphurea</i> Helicopsis (IFS)	(11):87
AME-ht	c	1939 <i>teffeensis</i> Helicopsis	(12):92
-	e	1940 <i>aboti</i> Helicopsis (IFS)	(16):125
AME-ht	e	1940 <i>achilles</i> Helicopsis (IFS)	(17):130
AME-ht	e	1940 <i>aderotica</i> Helicopsis (IFS)	(16):124
-	e	1940 <i>aeacus</i> Helicopsis (IFS)	(16):125
AME-ht	c	1940 <i>agardi</i> Helicopsis	(16):122
AME-ht	e	1940 <i>ajax</i> Helicopsis (IFS)	(17):131
MNHN-ht	e	1940 <i>albobasalis</i> Helicopsis (IFS)	(17):133
AME-ht	e	1940 <i>albocincta</i> Helicopsis (IFS)	(11):84
AME-ht	e	1940 <i>alboflava</i> Helicopsis (IFS)	(13):101
AME-ht	e	1940 <i>alboflavoradiata</i> Helicopsis (IFS)	(13):101
AME-ht	e	1940 <i>alboflavornata</i> Helicopsis (IFS)	(13):102
-	e	1940 <i>albo marginata</i> Helicopsis (IFS)	(13):100
AME-ht	e	1940 <i>alboradiata</i> Helicopsis (IFS)	(13):101
AME-ht	e	1940 <i>albotransversa</i> Helicopsis (IFS)	(13):100
AME-ht	e	1940 <i>androgynae</i> Helicopsis (IFS)	(9):83
AME-ht	e	1940 <i>asaraniaca</i> Helicopsis (IFS)	(16):121
AME-ht	e	1940 <i>baucis</i> Helicopsis (IFS)	(16):132
AME-ht	e	1940 <i>belemensis</i> Helicopsis	(16):108, f 34
AME-ht	b	1940 <i>bergeri</i> Helicopsis	(10):111
AME-ht	e	1940 <i>bilineata</i> Helicopsis (IFS)	(14):105
AME-ht	e	1940 <i>bimarginata</i> Helicopsis (IFS)	(13):99
-	e	1940 <i>brabantii</i> Helicopsis (IFS)	(16):126
AME-ht	c	1940 <i>brasiliensis</i> Helicopsis	(18):137, f 65
AME-ht	e	1940 <i>brisi</i> Helicopsis (IFS)	(13):100, f 28
AME-ht	e	1940 <i>calliopea</i> Helicopsis (IFS)	(17):130
AME-ht	e	1940 <i>calypso</i> Helicopsis (IFS)	(17):130
AME-ht	e	1940 <i>castor</i> Helicopsis (IFS)	(16):127
AME-ht	e	1940 <i>cinereoflava</i> Helicopsis (IFS)	(13):102
AME-ht	e	1940 <i>cinereoradiata</i> Helicopsis (IFS)	(15):117
-	e	1940 <i>clerci</i> Helicopsis (IFS)	(16):125
MNHN-ht	e	1940 <i>columbiana</i> Helicopsis	(17):132
AME-ht	e	1940 <i>delormei</i> Helicopsis (IFS)	(15):118
AME-ht	e	1940 <i>disjuncta</i> Helicopsis (IFS)	(17):132
AME-ht	e	1940 <i>duhameli</i> Helicopsis (IFS)	(13):101
MNHN-pt	e	1940 <i>dyeri</i> Helicopsis (IFS)	(14):108
AME-ht	e	1940 <i>eburnea</i> Helicopsis (IFS)	(15):120
AME-ht	e	1940 <i>eburneobasalis</i> Helicopsis (IFS)	(15):119
AME-ht	e	1940 <i>eburneomarginata</i> Helicopsis	(15):117
AME-ht	e	1940 <i>eburneoradiata</i> Helicopsis	(15):117
AME-ht	e	1940 <i>favreli</i> Helicopsis	(15):113
AME-ht	e	1940 <i>flavescens</i> Helicopsis	(13):102
AME-ht	e	1940 <i>flavissima</i> Helicopsis (IFS)	(16):124
AME-ht	e	1940 <i>flavoalba</i> Helicopsis (IFS)	(16):121
AME-ht	e	1940 <i>flavobasalis</i> Helicopsis (IFS)	(15):117
-	e	1940 <i>flavocinerea</i> Helicopsis (IFS)	(17):132
AME-ht	e	1940 <i>flavofusca</i> Helicopsis (IFS)	(15):120
AME-ht	e	1940 <i>flavomarginata</i> Helicopsis (IFS)	(16):126
AME-ht	e	1940 <i>flavotransversa</i> Helicopsis (IFS)	(15):119
AME-at	b	1940 <i>fleuryi</i> Helicopsis	(12):91
AME-ht	e	1940 <i>fulvomarginata</i> Helicopsis (IFS)	(16):124
AME-ht	e	1940 <i>fulvonigra</i> Helicopsis (IFS)	(16):121
AME-ht	e	1940 <i>fumosa</i> Helicopsis (IFS)	(15):116

Le Moult 1939-1940 Novit. ent. [b2943] (continued)

AME-ht	e 1940	<i>fusca</i> Helicopsis (IFS)	(15):114
AME-ht	e 1940	<i>fuscobasalis</i> Helicopsis (IFS)	(15):119
AME-ht	e 1940	<i>fuscocastanea</i> Helicopsis (IFS)	(17):132
AME-ht	e 1940	<i>fuscoflava</i> Helicopsis (IFS)	(15):115
AME-ht	e 1940	<i>fuscomarginata</i> Helicopsis (IFS)	(15):114
AME-ht	e 1940	<i>fusconigra</i> Helicopsis (IFS)	(13):103
AME-ht	e 1940	<i>fuscoradiata</i> Helicopsis (IFS)	(15):117
AME-ht	e 1940	<i>fuscopecta</i> Helicopsis (IFS)	(16):121
-	e 1940	<i>gelisi</i> Helicopsis (IFS)	(16):124
AME-pt	e 1940	<i>grisoli</i> Helicopsis (IFS)	(14):105
AME-ht	c 1940	<i>horrackae</i> Helicopsis	(15):115
AME-ht	c 1940	<i>ininiensis</i> Helicopsis	(17):136
-	c 1940	<i>interrupta</i> Helicopsis	(11):86, f 12
AME-ht	e 1940	<i>iris</i> Helicopsis (IFS)	(16):127
AME-ht	e 1940	<i>juno</i> Helicopsis (IFS)	(16):127
AME-ht	e 1940	<i>lactea</i> Helicopsis (IFS)	(16):122
AME-ht	e 1940	<i>lacteoradiata</i> Helicopsis (IFS)	(16):122
-	e 1940	<i>lanieli</i> Helicopsis (IFS)	(16):125
AME-ht	c 1940	<i>lecerfi</i> Helicopsis	(17):131
AME-ht	e 1940	<i>lega</i> Helicopsis (IFS)	(17):129
AME-ht	c 1940	<i>ledayi</i> Helicopsis	(16):126
MNHN-pt	e 1940	<i>legouaisi</i> Helicopsis (IFS)	(16):125, f 50
AME-ht	c 1940	<i>lehairei</i> Helicopsis	(15):113, f 40
AME-ht	e 1940	<i>lemaii</i> Helicopsis (IFS)	(15):113
AME-ht	c 1940	<i>littoralis</i> Helicopsis	(13):103
AME-ht	e 1940	<i>livida</i> Helicopsis (IFS)	(15):119
-	e 1940	<i>lucasi</i> Helicopsis (IFS)	(13):101
AME-ht	e 1940	<i>maculata</i> Helicopsis (IFS)	(13):101
MNHN-ht	c 1940	<i>massarensis</i> Helicopsis	(17):133
AME-ht	e 1940	<i>mayeuli</i> Helicopsis (IFS)	(14):105
AME-ht	c 1940	<i>meieri</i> Helicopsis	(15):118
AME-ht	e 1940	<i>minerva</i> Helicopsis (IFS)	(16):126
AME-ht	e 1940	<i>mixta</i> Helicopsis (IFS)	(15):115
AME-ht	c 1940	<i>murae</i> Helicopsis (IFS)	(14):105
AME-ht	e 1940	<i>nigrescens</i> Helicopsis (IFS)	(15):113
AME-ht	e 1940	<i>nigrofusca</i> Helicopsis (IFS)	(14):105
AME-ht	e 1940	<i>nigromarginata</i> Helicopsis (IFS)	(16):124
AME-ht	e 1940	<i>nigropunctata</i> Helicopsis (IFS)	(14):113
-	e 1940	<i>nigroradiata</i> Helicopsis (IFS)	(13):100
AME-ht	e 1940	<i>nigrorecta</i> Helicopsis (IFS)	(15):115
AME-ht	e 1940	<i>nigrotransversa</i> Helicopsis (IFS)	(13):103
AME-ht	e 1940	<i>nigroventralis</i> Helicopsis (IFS)	(16):128
AME-ht	e 1940	<i>olivencia</i> Helicopsis (IFS)	(15):116
AME-ht	e 1940	<i>ornata</i> Helicopsis (IFS)	(13):102
AME-ht	e 1940	<i>ornatissima</i> Helicopsis (IFS)	(13):103
AME-ht	e 1940	<i>oudini</i> Helicopsis (IFS)	(13):101
AME-ht	e 1940	<i>pallescens</i> Helicopsis (IFS)	(13):101
AME-ht	c 1940	<i>pallida</i> Helicopsis	(13):104
AME-ht	c 1940	<i>paraensis</i> Helicopsis	(11):86, f 11
AME-ht	e 1940	<i>pelenope</i> Helicopsis (IFS)	(17):130
MNHN-ht	c 1940	<i>peruviana</i> Helicopsis	(17):133
AME-ht	e 1940	<i>philemon</i> Helicopsis (IFS)	(17):132
AME-ht	e 1940	<i>picardi</i> Helicopsis (IFS)	(13):102
AME-ht	e 1940	<i>pluto</i> Helicopsis (IFS)	(17):135, 101
AME-ht	e 1940	<i>pollux</i> Helicopsis (IFS)	(16):127
AME-ht	e 1940	<i>pompeius</i> Helicopsis (IFS)	(18):138
AME-ht	e 1940	<i>priamus</i> Helicopsis (IFS)	(17):130
AME-ht	e 1940	<i>proserpina</i> Helicopsis (IFS)	(16):127
AME-ht	e 1940	<i>proxima</i> Helicopsis (IFS)	(14):112
AME-ht	e 1940	<i>pseuderotica</i> Helicopsis (IFS)	(16):126
-	e 1940	<i>pseudobergeri</i> Helicopsis (IFS)	(16):125
MNHN-pt	e 1940	<i>pseudocoria</i> Helicopsis (IFS)	(16):124
AME-ht	c 1940	<i>pseudogradivus</i> Helicopsis	(13):102
MNHN-ht	c 1940	<i>pseudolindeni</i> Helicopsis	(16):122, f 44
AME-ht	e 1940	<i>pseudopallida</i> Helicopsis (IFS)	(14):105
AME-ht	e 1940	<i>pseudotrinitensis</i> Helicopsis (IFS)	(16):121
AME-ht	e 1940	<i>pseudunca</i> Helicopsis (IFS)	(15):116
AME-ht	e 1940	<i>radiata</i> Helicopsis (IFS)	(16):127
AME-ht	e 1940	<i>riballieri</i> Helicopsis (IFS)	(13):103
AME-ht	e 1940	<i>rubigofusca</i> Helicopsis (IFS)	(15):120
AME-ht	c 1940	<i>santaremensis</i> Helicopsis	(11):83, f 3

Le Moult 1939-1940 Novit. ent. [b2943] (continued)

AME-ht	e 1940	<i>satanas</i> Helicopsis (IFS)	(18), 138, f 67
AME-ht	e 1940	<i>saturnus</i> Helicopsis (IFS)	(18):138
AME-ht	e 1940	<i>semieburnea</i> Helicopsis (IFS)	(15):120
-	e 1940	<i>semiflava</i> Helicopsis (IFS)	(13):100
AME-ht	e 1940	<i>semiflavida</i> Helicopsis (IFS)	(14):105
AME-ht	e 1940	<i>seminigra</i> Helicopsis (IFS)	(17):132
AME-ht	e 1940	<i>sequerae</i> Helicopsis (IFS)	(15):116
AME-ht	e 1940	<i>subagardi</i> Helicopsis (IFS)	(15):115
AME-ht	e 1940	<i>subawantiaca</i> Helicopsis (IFS)	(16):121
MNHN-pt	e 1940	<i>subawantiaca</i> Helicopsis (IFS)	(14):109
-	e 1940	<i>subcoria</i> Helicopsis (IFS)	(16):125
AME-ht	e 1940	<i>subcupido</i> Helicopsis (IFS)	(15):113
AME-ht	e 1940	<i>subeburnea</i> Helicopsis (IFS)	(15):120
AME-ht	e 1940	<i>suberotica</i> Helicopsis (IFS)	(16):125
AME-ht	e 1940	<i>sublatmicus</i> Helicopsis (IFS)	(17):136, f 63
AME-ht	e 1940	<i>sublegouaisi</i> Helicopsis (IFS)	(16):28
AME-ht	e 1940	<i>subornata</i> Helicopsis (IFS)	(15):113
AME-ht	e 1940	<i>subproxima</i> Helicopsis (IFS)	(15):114
AME-ht	e 1940	<i>subunca</i> Helicopsis (IFS)	(13):100
MNHN-ht	e 1940	<i>sulphurea</i> Helicopsis (IFS)	(14):109
AME-ht	e 1940	<i>sylvia</i> Helicopsis (IFS)	(16):127
AME-ht	c 1940	<i>tapajonus</i> Helicopsis	(11):83
AME-ht	c 1940	<i>tapajoz</i> Helicopsis (IFS)	(16):128
-	e 1940	<i>telamon</i> Helicopsis (IFS)	(16):125
AME-ht	e 1940	<i>theseus</i> Helicopsis (IFS)	(17):130
MNHN-pt	e 1940	<i>transita</i> Helicopsis (IFS)	(14):109, f 36
AME-ht	c 1940	<i>trinitensis</i> Helicopsis	(14):106, f 32
AME-ht	e 1940	<i>ulysses</i> Helicopsis (IFS)	(17):130, f 53
MNHN-ht	e 1940	<i>umbriensis</i> Helicopsis (IFS)	(17):133
AME-ht	e 1940	<i>unca</i> Helicopsis (IFS)	(13):100, f 27
AME-ht	c 1940	<i>venezuelensis</i> Helicopsis	(13):104
AME-ht	e 1940	<i>vesta</i> Helicopsis (IFS)	(16):127
MNHN-ht	c 1940	<i>wardi</i> Helicopsis	(11):89

Le Moult 1942 Novit. ent. [b2944]

-	e	<i>primus</i> Heodes (IFS)	11-12:141
-	b	<i>ramalni</i> Heodes	11-12:141
-	e	<i>subawatus</i> Heodes (IFS)	11-12:141

Le Moult 1945 Misc. Ent. [b2945]

-	b	<i>carueli</i> Lycæna	42:55
-	e	<i>f. postcarueli</i> Lycæna	42:56
-	b	<i>verityi</i> Lycæna	42:57

Le Moult 1947 Misc. Ent. [b2946]

-	e	<i>ab. postgallica</i> Aricia	44:105
---	---	-------------------------------	--------

Le Souëf & Tindale 1970 J. Aust. ent. Soc. [b2948]

-	b	<i>dalyensis</i> Virachola	9(3):219, f
---	---	----------------------------	-------------

Leach 1814-1817 Zool. Miscell. [b2949]

-	a	1814 <i>ignita</i> Lycæna	1:136, pl 60
---	---	---------------------------	--------------

Lederer 1852 Verh. zool.-bot. Ges. Wien [b2951]

-	c	<i>kindermanni</i> Lycæna	2:37
ZMHU-lt	b	<i>olympica</i> Lycæna	2:36
-	b	<i>vandalusica</i> Thecla	2:19, 34

Lederer 1855 Verh. zool.-bot. Ges. Wien [b2952]

NMHW-st	a	<i>frivaldszkyi</i> Thecla	5:100, pl 1
---------	---	----------------------------	-------------

Lederer 1855 Verh. zool.-bot. Ges. Wien [b2953]

ZMHU-lt	a	<i>galba</i> Lycæna	5:190, pl 1
-	b	<i>gamra</i> Lycæna	5:189, pl 1

Lederer 1861 Wien. ent. Monats. [b2954]

-	a	<i>antiochena</i> Lycæna	5:148, pl 1
-	a	<i>clissia</i> Cigaretis	5:147, pl 1

Lederer 1869 Horae Soc. ent. ross. [b2955]

-	c	<i>arsacia</i> Lycæna	6:78, pl 4
-	a	<i>caspius</i> Polyommatus	6:76, pl 4
-	a	<i>erschoffi</i> Lycæna	6:80, pl 4

- Lederer 1869 Horae Soc. ent. ross. [b2955] (continued)
- d *hyrcana* Lycaena (H) 6:78, pl 4
- Lederer 1869-1870 Annls Soc. ent. Belg. [b2956]
ZMHU-lt b 1869 *caucasica* Lycaena 13:23
- Lederer 1872 Horae Soc. ent. ross. [b2957]
- a *glauca* Lycaena 8:10, pl 1
- a *lampon* Polyommatus 8:8, pl 1, f 2
- b *marcida* Lycaena 8:10, pl 1
- a *phoenicurus* Polyommatus 8:8, pl 1, f 4
- Lee 1962 Acta ent. sinica [b2959]
- b *lusi* Abisara 11:141,146, f
- Lee 1979 Acta zootaxon. sinica [b2960]
IZAS-ht a *bomiensis* Rapala 4(1):35,37
- Leech 1887 Proc. zool. Soc. Lond. [b2961]
- b *auratus* Polyommatus 1887(3):414
- c *flamen* Dipsas 1887(3):410
- Leech 1889 Trans. ent. Soc. Lond. [b2962]
- a *moorei* Lycaena 37(1):109, pl 7
BMNH-lt a *pratti* Thecla 37(1):110, pl 7
- Leech 1890 Entomologist [b2963]
- c *angulata* Amblypodia 23:44
- a *arcana* Lycaena 23:43
BMNH-lt a *chalybeia* Satsuma 23:43
- a *comes* Dipsas 23:41
- c *contractus* Iolaus 23:39
- b *elwesi* Thecla 23:39
- a *luculenta* Iolaus 23:38
- b *maculosa* Dodona 23:44
- a *melpomene* Dipsas 23:41
- a *minerva* Dipsas 23:40
- a *nebulosa* Lycaena 23:43
- a *ornata* Thecla 23:40
- d *pratti* Satsuma 23:44
- a *repercuta* Rapala 23:42
- a *rubicundula* Thecla 23:40
BMNH-ht b *seminigra* Amblypodia 23:44
- c *subpurpurea* Rapala 23:42
- a *thespis* Dipsas 23:42
- Leech 1890 Entomologist [b2964]
- a *caelestis* Thecla 23:191
- Leech 1891 Entomologist [b2965]
- a *ion* Lycaena 24(Suppl.):58
- a *patrius* Thecla 24(Suppl.):58
- Leech 1893-1894 Butts China Japan Korea [b2966]
- e [1893] *aegina* Lycaena (MID) :303, pl 31
- a [1893] *aenone* Thecla :366, pl 29
- c [1893] *albida* Lycaena :314 or 317
BMNH-ht b [1893] *barine* Lycaena :304, pl
BMNH-lt a [1893] *circe* Satsuma :354, pl 30
BMNH-ht a [1893] *coruscans* Zephyrus :373, pl 27
- b [1893] *crassa* Zephyrus :384, pl 28
- c [1893] *fixseni* Thecla :360, pl 29
- b [1893] *gabrielis* Zephyrus :389, pl 28
- a [1893] *hecaele* Zephyrus :379, pl 27
BMNH-lt a [1893] *hersilia* Cyathis :319, pl 31
BMNH-ht c [1893] *insularis* Lycaena :302, pl 31
- a [1893] *lais* Thecla :363, pl 29 or
- a [1893] *lama* Polycycaena :294, pl 28
- b [1893] *marica* Ilerda :407, pl 30
- a [1893] *matuta* Polycycaena :294, pl 28
- a [1893] *nana* Timelaea :246, pl 23
BMNH-lt a [1893] *nicevillei* Satsuma :355, pl 30
- c [1893] *nigricans* Zephyrus :383
- a [1893] *oenone* Thecla :366, pl 29
- Leech 1893-1894 Butts China Japan Korea [b2966] (continued)
BMNH-lt a [1893] *oreas* Cyaniris :321, pl 31
- a [1893] *pedius* Zephyrus :378, pl 27
BMNH-ht a [1893] *perconis* Thecla :366, pl 29
BMNH-lt a [1893] *pluto* Satsuma :355, pl 30
BMNH-ht a [1893] *scintillans* Zephyrus :367, pl 27
BMNH-ht b [1893] *suffusa* Zephyrus :377, pl 27
- a [1893] *thalia* Thecla :367, pl 30
- a [1893] *zuthus* Everes :330, pl 31
- Lefebvre 1831 Mag. Zool. [b2969]
- a *ottomanus* Polyommatus 1(1831):19
- Leigheb 1887 Boll. Mus. Reg. Sci. nat. Torino [b2972]
- b *gennargentii* Lysandra 5(2):447-454
- Lekic 1924 Z. öst. EntVer. [b2973]
- e (+) *ab. flavomaculata* Lycaena 9(5):42
- Lempke 1936 Tijdschr. Ent. [b2975]
- e *ab. caeruleascens* Zephyrus 79:289
- e *ab. centroelongata* Lycaena 79:308
- e *ab. crassipuncta* Lycaena 79:307
- e *ab. discoelongata* Lycaena 79:307
- e *ab. griseascens* Lycaena 79:308
- e *ab. intermedia* Heodes 79:295
- e *ab. parvipuncta* Heodes 79:292 or 296
- Lempke 1936 Lambillionea [b2976]
- e *ab. pseudomas* Strymon 36:36
- Lempke 1937 Tijdschr. Ent. [b2977]
- e *ab. flavescens* Heodes 80(3/4):303
- Lempke 1942 Natuurh. Maandbl. [b2979]
- b *arenaria* Lycaena 31:107, f 5-8
- e (+) *f. caeruleascens* Lycaena 31:107, f 7
- e *f. paucipuncta* Lycaena 31:107
- Lempke 1954 Tijdschr. Ent. [b2981]
- c *f. antidisconulla* Celastrina 97:344
- c *f. antinigrescens* Thersamonia 97:336
- c *f. centroelongata* Thersamonia 97:337
- c *f. denigrata* Palaeochrysotham 97:340
- c *f. ignita* Thersamonia 97:336
- c *f. infragrisea* Palaeochrysotham 97:340
- c *f. infraparvipuncta* Thersamonia 97:338
- c *f. infrarufolineata* Lycaena 97:331
- c *f. latefasciata* Thersamonia 97:336
- c *f. maculispostcarens* Celastrina 97:345
- c *f. ornata* Thersamonia 97:337
- c *f. postidisconulla* Thersamonia 97:337
- c *f. postinigricosta* Thersamonia 97:336
- c *f. rectaserie* Lycaena 97:331
- c *f. supradiscoelongata* Thersamonia 97:336
- Lempke 1955 Tijdschr. Ent. [b2982]
- e *f. albolimbata* Aricia 98:304
- e *f. aparvipuncta* Maculinea 98:294
- e *f. basireducta* Vacciniina 98:307
- e *f. clara* Maculinea 98:287
- e *f. depuncta* Thecla 98:323
- e *f. dilutor* Vacciniina 98:306
- e *f. discojuncta* Aricia 98:304
- b *ericae* Maculinea 98:pl 3
- e *f. fuscascens* Plebejus 98:298, f
- b *gelrae* Maculinea 98:284
- e *f. infrabrunnea* Strymonidia 98:323
- e *f. infracrassipuncta* Maculinea 98:289
- e *f. infraflavomaculata* Thecla 98:323
- e *f. infraflavomaculata* Strymonidia 98:323
- e *f. inframaculata* Thecla 98:323
- e *f. infraobscura* Plebejus 98:298, f
- e *f. infrapallida* Strymonidia 98:323

- Lempke 1955 Tijdschr. Ent. [b2982] (continued)
 -- e *f. infrapallida* Cyaniris 98:309
 -- e *f. infrapaucipuncta* Maculinea 98:290
 -- e *f. marginedistincta* Maculinea 98:294
 -- e *f. marginemaculata* Maculinea 98:293
 -- e *f. marginereducta* Maculinea 98:290
 -- e *f. nigrosignata* Strymonidia 98:323
 -- e *ornata* Lycaeides 98:296, f
 -- e *f. ornata* Strymonidia 98:323
 -- e *f. pallidamaculata* Strymonidia 98:325
 -- e *f. retrojuncta* Aricia 98:304
 -- e *superocellata* Polyommatus 98:316, f
 -- e *f. supracaeae* Maculinea 98:293
 -- e *f. supracuneata* Aricia 98:303
 -- e *f. supraelongata* Maculinea 98:287
 -- e *f. supraunulata* Maculinea 98:293
 -- e *f. unicolor* Aricia 98:302
- Leonhardt 1904 Ent. Zeit. [b2983]
 -- e *ab. albina* Lycaena 18(14):53
- Leraut 1980 Liste Léop. France Belg. Corse [b2985]
 -- e *nuffreleensis* Lysandra (ISS) :129
 -- e *reznecki* Lysandra (ISS) :130
- Leussler 1935 Bull. Brooklyn ent. Soc. [b2986]
 AMNH-ht b *bryanti* Polyommatus 30(2):58
- Lewin 1795 Ins. Brit. [b2987]
 - c *cimon* Papilio :80, pl 38
 - d *hyacinthus* Papilio (H) :78, pl 37
 - d *idas* Papilio (H) :pl 39, f 1.2
- Lhomme 1923 Cat. Léop. France [b2989]
 - c *browni* Nemeobius :72
- Libert 1993 Bull. Soc. ent. Fr. [b2990]
 - a *boei* Eicochrysops 97(4):321-332
 - a *boei* Liptena 97(4):321-332
 - a *boei* Argiolaus 97(4):321-332
 - b *bomendanus* Uranothauma 97(4):321-332
 - a *frederikkae* Uranothauma 97(4):321-332
 - b *manengoubensis* Uranothauma 97(4):321-332
 - b *mbami* Iolaphilus 97(4):321-332
 - b *sagba* Euchrysops 97(4):321-332
- Lichy 1946 Boln ent. Venezolana [b2991]
 - a *choroniensis* Baetis 5:5, f
- Lingonblad 1936 Notulae ent. [b2992]
 -- e *ab. nigrostriata* Lycaena 16:7, f
- Linnaeus 1758 Syst. nat. (ed. 10) [b2993]
 LC-ht a *argiolus* Papilio 1:483
 LC-st a *argus* Papilio 1:483
 - a *arion* Papilio 1:483
 - a *betulae* Papilio 1:482
 - a *callope* Papilio 1:466
 - a *caricae* Papilio 1:484
 - a *cupido* Papilio 1:482
 - a *euterpe* Papilio 1:466
 - a *lucina* Papilio 1:480
 - a *lysippus* Papilio 1:484
 - a *marsyas* Papilio 1:482
 - a *phereclus* Papilio 1:484
 - a *philocles* Papilio 1:483
 - a *polycletus* Papilio 1:485
 - a *pruni* Papilio 1:482
 - a *quercus* Papilio 1:482
 - a *rubi* Papilio 1:483
 - a *thamyras* Papilio 1:483
 - a *virgaureae* Papilio 1:484
- Linnaeus 1761 Faun. svec. (ed. 2) [b2994]
 - a *hippotoe* Papilio :274
 LC-st a *idas* Papilio :284
 - a *phlaeas* Papilio :285
- Linnaeus 1763 Amoen. acad. [b2995]
 - a *arclus* Papilio 6:409
 - a *polybe* Papilio 6:404
- Linnaeus 1764 Mus. Lud. Ulr. [b2996]
 - a *lara* Papilio :320
 - c *piho* Papilio :337
 - a *protumnus* Papilio :340
 - a *thero* Papilio :328
 - a *thespis* Papilio :318
 - a *thyra* Papilio :329
 - a *thysbe* Papilio :330
 - a *zeuxo* Papilio :331
- Linnaeus 1767 Syst. nat. (ed. 12) [b2997]
 - a *boeticus* Papilio 1(2):789
 - c *butes* Papilio 1(2):794
 - e *caeneus* Papilio (IOS) 1(2):796
 - a *cereus* Papilio 1(2):cerata (P.
 - a *echion* Papilio 1(2):788
 - a *phaleros* Papilio 1(2):796
 lost *philius* Papilio 1(2):790, n 233
 lost a *pirithous* Papilio 1(2):790, n 235
- Linnaeus 1771 Mant. Plant. (2nd ed.) [b2998]
 - a *eryx* Papilio :537
- Lintner 1878 Rep. N. Y. State Mus. nat. Hist. [b2999]
 NYSM-ht b *lotis* Lycaena 30:169
- Llorente-Bousquets 1988 An. Inst. Biol. Univ. Méx. [b3002]
 - b *beutelspacheri* Rethus 58(1):241-258
- Loritz 1947 Revue fr. Léop. [b3005]
 -- e *ab. vermeti* Lysandra 11:133
- Loritz 1948 Revue fr. Léop. [b3006]
 - c *f. atrata* Polyommatus 11(18/19):364
- Lorkovic 1943 Mitt. münchn. ent. Ges. [b3009]
 - b *merisina* Everes 33:450
 -- e *modestus* Everes 33:442
 - b *nuditurca* Everes 33:443
 - b *postnuditurca* Everes 33:443
 - b *praemerisina* Everes 33:451
 - b *thibetanus* Everes 33:451
- Lowe 1903 In Wheeler, Butterfl. Switz. [b3010]
 - e *ab. midas* Lycaena :16
- Lower 1897 Proc. lim. Soc. N. S. Wales [b3013]
 - e *daneli* Ialmenus (ISS) 22(1):25
- Lucas 1849 Explor. Algér. [b3020]
 - c *masinissa* Cigaritis 3:364
 - a *mauritanicus* Polyommatus 3:360, pl Lep.
 - a *siphax* Cigaritis 3:362, pl 1
 -- e *syphax* Zerythis (IOS) 3:pl Lep. 1
- Lucas 1857 In Sagra, Hist. Cuba [b3021]
 - a *ammon* Lycaena 7:612, pl [Ins.]
 - a *aon* Thecla 7:610, pl 16
 - c *astenidas* Lycaena 7:613
 BMNH a *cellida* Thecla 7:610
 - a *hamo* Lycaena 7:612
 BMNH-It a *marius* Thecla 7:599
 - a *paseo* Thecla 7:609
 - b *theonus* Lycaena 7:611, pl 16
 - a *tolius* Thecla 7:611, pl 16

- Lucas [1866] *Annls Soc. ent. Fr.* [b3022]
 - b *pseudophaeas* Lycaena (4)5:499
- Lucas 1889 *Proc. R. Soc. Qd* [b3023]
 - c *oranigra* Lycaena 6(2/3):118
 SAM-st c *subpallidus* *Polyommatus* 6(2/3):117
- Lucas 1889 *Proc. R. Soc. Qd* [b3024]
 - c *albastola* Danis 6(4):156, f 3
 - c *conjungens* Lycaena 6(4):160, f 11
 - d *exilis* Lycaena (H) 6(4):159, f 13
 - c *illidgei* *Ialmenus* 6(4):156, f 1
 SAM-lt a *miskini* Lycaena 6(4):158, f 5-7
 - a *scintillata* Lycaena 6(4):157, f 8
- Lucas 1890 *Proc. linn. Soc. N. S. Wales* [b3025]
 - b *attenuata* Lycaena (2)4(4):1066
- Lucas 1891 *Butts and Moths* [b3026]
 - c *caeruleolactea* *Holochila* :-
 - c *translucens* *Holochila* :-
- Lucas 1891 *Proc. R. Soc. Qd* [b3027]
 biblio c *exiloides* Lycaena 7(1):47
- Lucas 1900 *Proc. R. Soc. Qd* [b3028]
 - c *elaborata* Lycaena 15:137
- Lucas 1913 *Int. ent. Z.* [b3014]
 - c *burdigalensis* Lycaena 6(40):282
- Lucas 1920 *Bull. Soc. ent. Fr.* [b3015]
 - e *maroccana* *Polyommatus* 1920(17):298
- Lucas 1923 *Amat. Papil.* [b3016]
 - e *ab. aurata* *Chrysophanus* 1:171
- Lucas 1937 *Bull. Soc. ent. Fr.* [b3017]
 - e *ab. aurata* *Chrysophanus* 42(16):233
- Lucas 1955 *Bull. mens. Soc. linn. Lyon* [b3018]
 - e *ab. splendidissima* Lycaena 24:230
- Lukhtanov 1990 *Vestnik Zoologii* [b3031]
 - b *cerkhar* *Glaucopsyche* 1990(6):21, f
 - b *karatavica* *Polyommatus* 1990(6):21, f
 - b *kasakhstana* *Neolycaena* 1990(6):19, f
 - b *kentaupensis* *Polyommatus* 1990(6):22, f
 - b *minshelkensis* *Polyommatus* 1990(6):21, f
- Lukhtanov 1993 *Atalanta (Münnerstadt)* [b3033]
 - a *eckweileri* *Neolycaena* 24(1/4):61-70
 - b *transiliensis* *Neolycaena* 24(1/4):61-70
- Lukhtanov 1993 *Atalanta (Münnerstadt)* [b3034]
 - a *eitschbergeri* *Athamanthia* 24(1/4):71-74
- Lütkemeyer 1920 *Ent. Zeit.* [b3036]
 - c *punctata* *Polyommatus* 34(13):51
 - c *scheffeli* *Lysandra* 34(13):51
- Lütkemeyer 1921 *Ent. Zeit.* [b3037]
 biblio b *scheffeli* Lycaena 34(24):95
- Mabille 1877 *Bull. Soc. ent. Fr.* [b3038]
 - a *antanossa* Lycaena (5)7:1xxii
 - c *delicatula* Lycaena (5)7:1xxi
 - c *rabefaner* Lycaena (5)7:1xxi
 - b *reticulum* Lycaena (5)7:1xxii
 - a *scintilla* Lycaena (5)7:1xxii
 - b *smithii* Lycaena (5)7:1xxii
- Mabille 1877 *Bull. Soc. zool. Fr.* [b3039]
 - c *adherbal* Lycaena 2:217
 - a *aethiops* Lycaena 2:219
 - c *conguensis* Lycaena 2:218
 - a *darius* Lycaena 2:216
- Mabille 1877 *Bull. Soc. zool. Fr.* [b3039] (*continued*)
 - a *hewitsoni* *Amblypodia* 2:221
 - c *pyrrhops* Lycaena 2:217
- Mabille 1878 *Bull. Soc. zool. Fr.* [b3040]
 - c *licinia* *Thecla* 3:83
 - a *mermeros* *Hypolycaena* 3:82
 - c *rutila* *Thecla* 3:83
 - a *wardii* *Hypolycaena* 3:82
- Mabille 1879 *Petites Nouv. ent.* [b3041]
 - a *leucon* Lycaena 2(211):289
 - c *vittigera* *Hypolycaena* 2(211):289
- Mabille 1879 *Bull. Soc. Philomathique* [b3042]
 - a *sanguigutta* Lycaena (7)3:132
- Mabille 1880 *C. r. Soc. ent. Belg.* [b3043]
 - a *artemenes* Lycaena 23:xxvi
- Mabille 1884 *C. r. Soc. ent. Belg.* [b3044]
 - a *renidens* *Hypolycaena* 28:clxxxvi
- Mabille 1885-1887 *In Grandidier, Hist. Madagascar* [b3045]
 - a 1885 *maryra* *Hypolycaena* 1:230, pl 30a
- Mabille 1889 *Nouv. Archs Mus. Hist. nat.* [b3046]
 MNHN b *patago* Lycaena (3)1:143, pl 10
- Mabille 1890 *Annls Soc. ent. Fr.* [b3047]
 - a *alluaudi* *Liptena* (6)10:23, pl 2
 - c *fulvimacla* Lycaena (6)10:24, pl 2
 - c *moneta* Lycaena (6)10:23, pl 2
 - a *ornata* Lycaena (6)10:24, pl 2
 - c *podorina* Lycaena (6)10:25
 - c *semilimbata* Lycaena (6)10:24, pl 2
 - a *serrula* Lycaena (6)10:25
- Mabille 1899 *Annls Soc. ent. Fr.* [b3048]
 - a *sitalces* Lycaena 68:723
- Mabille 1899 *Bull. Mus. Hist. nat. Paris* [b3049]
 BMNH-ht a *margites* *Hypolycaena* 5:375
- MacLeay 1866 *Proc. ent. Soc. N. S. Wales* [b3050]
 - b *salamandri* *Psychonotis* 1(5):liv
- Macy 1931 *Ent. News* [b3051]
 pc-ht b *fenderi* *Plebejus* 42(1):1, pl 1
- Manley 1970 *In Butts Spain* [b3057]
 - e *f. extrema* *Satyrinum* :114, pl 35
 - b *hesselbarthi* *Aricia* :95, pl 31
 - b *leonensis* *Satyrinum* :114, pl 35
- Manley & Allcard 1970 *Butts Spain* [b3059]
 - b *calidogenita* *Celastrina* :83,151
 - b *hispanafusca* *Plebejus* :91,152
 - b *madrili* *Pseudophilotes* :84,151
 - b *microhypochiona* *Plebejus* :91,152
 - b *montanabella* *Aricia* :94,153
 - b *pseudolorquinii* *Everes* :83,151
 - b *pyrenaeorum* *Plebicula* :99,154
 - e *rondoidimidata* *Plebicula* (ISS) :99,154
 - b *saturior* *Plebejus* :89,152
 - b *semimontensis* *Aricia* :94,153
 - b *subcramera* *Aricia* :94,153
- Marschner 1909 *Berl. ent. Z.* [b3065]
 - e *emulata* Lycaena 54:73
- Marshall 1882 *J. asiat. Soc. Bengal, Pt II* [b3067]
 - c *ellisi* *Polyommatus* 51(2/3):41
- Martin 1895 *Tagsschmett. Nord-Sumatra* [b3072]
 - d *amabilis* *Zelus* (H) :11

- Martin 1895 Tagsschmett. Nord.-Sumatra [b3072] (continued)
 BMNH-ht a *lutea* Nacaduba :1
 - b *margarita* Lampides :9
- Martin 1922 Fruh. coll. types [b3073]
 - e *hypeus* Lycaena (NN) :88
 - e *incruentus* Thecla (NN) :88
- Martini 1774-1793 Gesch. Natur [b3074]
 - c 1777 *acriion* Papilio 3:207
- Masters 1972 J. Lep. Soc. [b3077]
 CM-ht b *nabokovi* Lycaeides 26(3):151, f
- Mathew 1887 Trans. ent. Soc. Lond. [b3079]
 - b *caerulina* Lampides 35(1):46
 - b *chromis* Sithon 35(1):47
 BMNH-ht c *sophax* Amblypodia 35(1):47
- Mathew 1889 Trans. ent. Soc. Lond. [b3080]
 BMNH b *lulu* Lycaena 37(2):312
 - a *phasell* Lampides 37(2):312
- Matsui 1989 New Ent. [b3081]
 - a *sugiyamai* Araragi 38(3/4):32
- Matsumura 1906 Annot. zool. jap. [b3082]
 - b *harae* Lycaena 6(1):13, pl 1
 - a *takanonis* Aphaeus 6(1):12, pl 1
- Matsumura 1907 Thous. Ins. Japan [b3083]
 - c var. *trianthima* Rapala 4:-
- Matsumura 1910 Ent. Zeit. [b3084]
 EIHU-ht b *arisanus* Cyaniris 23(50):221
 EIHU-ht b *asakurae* Aecesina 23(50):221
 - a *formosana* Thecla 23(50):221
 - a *fujisanus* Zephyrus 23(50):221
 - b *horishana* Arhopala 23(50):221
 - c *kiamurae* Everes 23(50):222
 - b *ogumae* Lycaena 23(50):221
 - e (+) *ab. sakaii* Ikeda 23(50):221
- Matsumura 1915 Ent. Mag. (Kyoto) [b3085]
 - c *nohirae* Zephyrus 1(1):1-3, pl 1
- Matsumura 1915 Ent. Mag. (Kyoto) [b3086]
 - c *aino* Zephyrus 1(2):57, pl 2
 - b *jezoensis* Zephyrus 1(2):57,60
 - c *jozanus* Zephyrus 1(2):58,61
- Matsumura 1915 Ent. Mag. (Kyoto) [b3087]
 - b *horii* Zizera 1(2):67,68
 - b *watasei* Cyaniris 1(2):67,68
- Matsumura 1919 Zool. Mag. [b3088]
 EIHU-ht a *sugitanii* Cyaniris 31(368):173
- Matsumura 1919 Thous. Ins. Japan Addit. [b3089]
 - c *adachi* Zephyrus 3:714, pl 53
 - d *formosana* Rapala (H) 3:599, pl 47
 - b *formosana* Dodona 3:591, pl 46
 - b *formosana* Chilades 3:663, pl 50
 - a *hirayamae* Aphaeus 3:613, pl 48
 - c *horishana* Rapala 3:601, pl 47
 EIHU-ht c *iwasaki* Megisba 3:643, pl 49
 - c *jezoensis* Taraka 3:735
 - c *jezoensis* Lycaena 3:651, pl 49
 b *jezoensis* Thecla 3:616
 - a *karafutonis* Lycaena 3:648, pl 49
 - b *koshunensis* Chilades 3:662, pl 53
 - a *kuyaniana* Aphaeus 3:611, pl 48
 - b *kuyaniana* Virachola 3:626, pl 48
 - b *moltrechti* Horaga 3:604
 - c *ogawarae* Rapala 3:733
- Matsumura 1919 Thous. Ins. Japan Addit. [b3089] (continued)
 - c *okinawana* Lehera 3:734, f
 - b *onomichiana* Zephyrus 3:735
 - c *sachalinensis* Lycaena 3:647, pl 49
 - c *taiwana* Lampides 3:631, pl 49
 - b *taiwana* Shijimia 3:655, f
 - a *taiwana* Nacaduba 3:636, pl 49
 - a *takamukuana* Nacaduba 3:637, pl 49
 - b *takamukui* Lycaena 3:653, pl 49
- Matsumura 1925 J. Coll. Agric. Hokkaido imp. Univ. [b3090]
 - b *sachalinensis* Everes 15(3):105, pl 8
 EIHU-st d *sachalinensis* Celastrina (H) 15(3):105, pl 8
- Matsumura 1926 Ins. matsumur. [b3092]
 - d *coreana* Lycaena (H) 1(1):30, pl 2
 - d *coreana* Lycaena (H) 1(1):28-29
 - b *daisensis* Lycaena 1(1):27, pl 2
 - b *formosana* Lycaena 1(1):26, pl 2
 - b *hirayamana* Rapala 1(1):23, pl 2
 - d *jezoensis* Lycaena (H) 1(1):28, pl 2
 EIHU-ht c *kankonis* Lycacnopsis 1(1):30, pl 2
 - b *kawaii* Everes 1(1):29, pl 2
 - e *ab. kononis* Lycaena 1(1):29, pl 2
 - e *ab. muratae* Lycaena 1(1):28, pl 2
 - e *ab. oiwakeana* Lycaena 1(1):27, pl 2
 - c *rengechiana* Tajuria 1(1):24, pl 2
 - e *ab. teshionis* Lycaena 1(1):28
 EIHU-ht c *uchidae* Arhopala 1(1):26, pl 2
- Matsumura 1926 Ins. matsumur. [b3093]
 - b *daisetsuzana* Lycaena 1(2):105, f
- Matsumura 1927 Ins. matsumur. [b3094]
 - c *choesensis* Lycaena 1(4):161
 - c *hakutozana* Lycaena 1(4):166, pl 5
 - a *happensis* Lycaena 1(4):168, pl 5
 - c *hozanensis* Lycaena 1(4):168, pl 5
 - b *kurilensis* Lycaena 1(4):166
 - c *putealis* Lycaena 1(4):167, pl 5
 - c *saishutonis* Zizera 1(4):169, pl 5
 - b *shonis* Lycaena 1(4):159,162
- Matsumura 1927 Ins. matsumur. [b3095]
 - c *formosana* Taraka 2(2):117, pl 3
 - c *shiryensis* Lycaena 2(2):118, pl 3
 - c *sugitanii* Lycaena 2(2):118, pl 3
 - a *watarii* Thecla 2(2):117, pl 3
- Matsumura 1928 Ins. matsumur. [b3096]
 - c *doi* Lycaena 2(4):199
 - b *kamulkotana* Lycaena 2(4):200
 - e *ab. karilensis* Chrysophanus 2(4):200
 - b *sachalinensis* Zephyrus 2(4):199
 - b *tomariana* Lycaena 2(4):200
- Matsumura 1929 Ill. comm. Ins. Japan [b3097]
 biblio c *f. formosanelle* Rapala 1:25
- Matsumura 1929 Ins. matsumur. [b3098]
 - c *coreacola* Rapala 3(2/3):97
 - b *formosensis* Niphanda 3(2/3):103
 - c *formosicola* Rapala 3(2/3):98
 - b *horiella* Lehera 3(2/3):99
 EIHU-ht c *ishigakiana* Zizera 3(2/3):109
 EIHU-ht b *ishigakiana* Cyaniris 3(2/3):104
 - b *kanonis* Thecla 3(2/3):102
 - c *kanonis* Zephyrus 3(2/3):101
 - b *karenkonis* Tajuria 3(2/3):99
 EIHU-ht d *latimargo* Cyaniris (H) 3(2/3):105
 - b *mushana* Thecla 3(2/3):102
 - d *niitakana* Zephyrus (H) 3(2/3):100
 - b *niphonica* Niphanda 3(2/3):103
 - b *okinawana* Zizera 3(2/3):105

- Matsumura 1929 *Ins. matsumur.* [b3098] (*continued*)
 EIHU-ht c *postimacula* *Cyaniris* 3(2/3):104
 - b *riukuensis* *Zizera* 3(2/3):106
 - c *f. sachalinensis* *Callophrys* 3(2/3):103
 - c *shakojiana* *Rapala* 3(2/3):97
 - c *shirakiana* *Zephyrus* 3(2/3):100
 - c *suzukii* *Rapala* 3(2/3):98
 - a *takasagonis* *Rapala* 3(2/3):96
 - ab. *tatakana* *Rapala* 3(2/3):98
 - c *tatakana* *Zephyrus* 3(2/3):101
 - b *wilemaniella* *Zephyrus* 3(2/3):99
- Matsumura 1929 *Ins. matsumur.* [b3099]
 - c *asamensis* *Lycaena* 3(2/3):139
 - c *asonis* *Lycaena* 3(2/3):141
 - c *heijonis* *Lycaena* 3(2/3):141
 - c *ishidae* *Lycaena* 3(2/3):139
 EIHU-ht c *shiroumana* *Lycaena* 3(2/3):140
 - b *yarigadakeana* *Lycaena* 3(2/3):140
- Matsumura 1931 6000 *Ill. Ins. Jap.* [b3100]
 - d *jozanus* *Favonius* (H) :573, f 401
- Matsumura 1931 *Ins. matsumur.* [b3101]
 EIHU-ht c *umenonis* *Lycaenopsis* 6(1/2):44
- Matsumura 1935 *Ins. matsumur.* [b3102]
 - c *mushana* *Rapala* 9:173, f
- Matsumura 1938 *Ins. matsumur.* [b3103]
 - a *sankakuhonis* *Rapala* 12:107
 - a *tetsuzana* *Rapala* 12:107
- Matsumura 1938 *Ins. matsumur.* [b3104]
 - a *mushaellus* *Zephyrus* 13:44, f
- Matsumura 1939 *Bull. Biogeogr. Soc. Japan* [b3105]
 - c *aihona* *Lycaena* 9(20):357, f
 - c *jeholana* *Lycaena* 9(20):357, f
 - c *kingana* *Lycaena* 9(20):357, f
 - c *f. mancharica* *Lycaenopsis* 9(20):358, f
 - c *f. mureisana* *Everes* 9(20):357, f
 - c *f. yamashinai* *Chrysophanus* 9(20):356, f
- Matsumura 1939 *Ins. matsumur.* [b3106]
 pc-ht a *rarasanus* *Zephyrus* 13:110, f
- Mattoni 1954 *Bull. S. Calif. Acad. Sci.* [b3108]
 USNM-ht b *columbiae* *Philotes* 53(3):162, pl 43
 USNM-ht b *martini* *Philotes* 53(3):157, pl 43
 USNM-ht b *smithi* *Philotes* 53(3):160, pl 43
- Mattoni [1966] *J. Res. Lep.* [b3109]
 LACM-ht b *coloradensis* *Philotes* 4(2):88-92
 LACM-ht b *elvirae* *Philotes* 4(2):94
- Mattoni 1981 *J. Res. Lep.* [b3112]
 - a *ariana* *Micropsyche* 18(4):257
- Mattoni 1989 *J. Res. Lep.* [b3113]
 - b *garthi* *Euphilotes* 27(3/4):180, f
- Mattoni 1991 *J. Res. Lep.* [b3107]
 USNM-ht b *extinetis* *Philotes* 28(4):300, f 2
- May 1972 *Entomologist* [b3117]
 BMNH-ht a *urichi* *Lemonias* 105:257, f
- Maynard 1873 *Amer. Nat.* [b3118]
 MCZ-ht b *modesta* *Lycaena* 7(3):177
- Maynard 1891 *Manual N. Amer. Butts* [b3120]
 - c *adrienne* *Chrysophanus* :153
- McAlpine 1937 *Bull. Brooklyn ent. Soc.* [b3123]
 USNM-ht a *muticum* *Calephelis* 32(2):43, pl 1
- McAlpine 1939 *Bull. Brooklyn ent. Soc.* [b3125]
 USNM-ht a *rawsoni* *Calephelis* 34(2):75
- McAlpine 1968 *In Trans. amer. ent. Soc.* [b3126]
 T *australis* *Charis* 94(4):130
- McAlpine [1971] *J. Res. Lep.* [b3127]
 USNM-ht a *acapulcoensis* *Calephelis* 10(1):71, f
 USNM-ht a *arizonensis* *Calephelis* 10(1):55, f
 CM-ht a *aymaran* *Calephelis* 10(1):93, f
 USNM-ht a *azteca* *Calephelis* 10(1):72, f
 CM-ht b *bajaensis* *Calephelis* 10(1):36, f
 USNM-ht b *baleuensis* *Calephelis* 10(1):79, f
 BMNH-ht a *braziliensis* *Calephelis* 10(1):94, f
 AMNH-ht a *browni* *Calephelis* 10(1):84, f
 BMNH-ht a *burgeri* *Calephelis* 10(1):96, f
 LACM-ht b *californica* *Calephelis* 10(1):34, f
 USNM-ht a *clenchi* *Calephelis* 10(1):83, f
 T *costaricensis* *Calephelis* 10(1):45
 LACM-ht b *dammersi* *Calephelis* 10(1):31, f
 USNM-ht b *donahuei* *Calephelis* 10(1):49, f
 USNM-ht a *dreisbachi* *Calephelis* 10(1):61, f
 USNM-ht a *freemani* *Calephelis* 10(1):53, f
 BMNH-ht a *guatemala* *Calephelis* 10(1):88, f
 USNM-ht a *huasteca* *Calephelis* 10(1):68, f
 CM-ht a *inca* *Calephelis* 10(1):90, f
 CM-ht a *matheri* *Calephelis* 10(1):66, f
 USNM-ht a *maya* *Calephelis* 10(1):76, f
 AMNH-ht a *mexicana* *Calephelis* 10(1):41, f
 USNM-ht a *montezuma* *Calephelis* 10(1):59, f
 USNM-ht b *nuevoleon* *Calephelis* 10(1):59, f
 AMNH-ht a *sacapulas* *Calephelis* 10(1):82, f
 USNM-ht a *schausi* *Calephelis* 10(1):86, f
 CM-ht a *sinaloensis* *Calephelis* 10(1):58, f
 USNM-ht a *sixola* *Calephelis* 10(1):43, f
 USNM-ht a *stallingsi* *Calephelis* 10(1):63, f
 AMNH-ht a *tapuyo* *Calephelis* 10(1):91, f
 AMNH-ht b *trinidatensis* *Calephelis* 10(1):37, f
 USNM-ht a *wellingi* *Calephelis* 10(1):77, f
 USNM-ht a *yucatan* *Calephelis* 10(1):74, f
- McDunnough 1914 *Ent. Rec.* [b3128]
 - e *halloides* *Epidemia* (ISS) 26:201
- McDunnough 1921 *Can. Ent.* [b3130]
 CNC-ht b *atrofasciata* *Strymon* 53(2):47
- McDunnough 1927 *Can. Ent.* [b3131]
 CNC-ht b *megalo* *Plebeius* 59(7):161
 CNC-ht b *setonia* *Strymon* 59(7):160
- McDunnough 1935 *Can. Ent.* [b3132]
 CNC-ht b *novascotiae* *Feniseca* 67(10):211
- McDunnough 1936 *Can. Ent.* [b3133]
 CNC-ht b *arizonensis* *Glaucopsyche* 68(5):113
- McDunnough 1938 *Mem. Sth. Calif. Acad. Sci.* [b3134]
 - e *calcas* *Plebeius* (ISS) 1:27
 - e *macdunnoughi* *Lycaena* (ISS) 1:26
 - e *mohave* *Philotes* (ISS) 1:28
 - e *sinepuncta* *Glaucopsyche* (ISS) 1:38
 - e *souhegon* *Strymon* (ISS) 1:24
- McDunnough 1940 *Can. Ent.* [b3135]
 CNC-ht b *dospassosi* *Lycaena* 72(7):130
- McDunnough 1942 *Can. Ent.* [b3136]
 CNC-ht a *caryaevorus* *Strymon* 74(1):1
- McDunnough 1944 *Can. Ent.* [b3137]
 CNC-ht b *columbia* *Callipsyche* 76(9):190
 CNC-ht b *okanagana* *Strymon* 76(9):190

- McLachlan 1878 J. linn. Soc. Lond., Zool. [b3139]
- b *felldeni* Chrysophanus 14(74):111
- Mead 1878 Can. Ent. [b3141]
FMNH-st a *editha* Chrysophanus 10(10):198
- Medicielo 1993 Futao [b3143]
- b *leyte* Cyamiroides (12):18, pl 1
- Medicielo & Hanafusa 1994 Futao [b3144]
pc-ht b *canlaonensis* Abisara (15):17, pl 2
pc-ht b *panayensis* Abisara (15):16, pl 2
- Meier-Ramel 1928 Encyc. ent. Ser. B. III. Lep. [b3145]
- c *amazonica* Argyrogramma 3(2):63
- d *boyi* Argyrogramma (H) 3(2):64
pc-ht e *ab. incerta* Helicopsis (IFS) 3(2):64
- Meigen 1827-1832 Syst. Besch. Europ. Schmett. [b3146]
- c 1829 *ismenias* Polyommatus 2(1):33, pl 49
- c 1829 *lycides* Polyommatus 2(1):32, pl 49
- a 1829 *nicias* Polyommatus 2(1):10, pl 45
- a 1829 *osiris* Cupido 2(1):7, pl 46
- c 1829 *sapphirus* Polyommatus 2(1):22, pl 47
- e 1830 *baetica* Lampides (ISS) 2(1):48
- c 1830 *iphis* Polyommatus 2(1):25, pl 47
- Meisner 1818 Natur. Anz. Allg. Schw. Ges. [b3147]
- b *aeglidion* Papilio 1818:88+
- c *eumedes* Lycaena 1818:87
- Melcon 1910 Boln R. Soc. esp. Hist. nat. [b3148]
- b *transiens* Lycaena 10:229
- b *ucensis* Lycaena 10:228
- Mell 1923 Deut. ent. Zeit. [b3149]
- a *chauchowensis* Hippotion 1923:159
- a *sobrina* Sospita 1923:159
- Melville 1873 Ent. mon. Mag. [b3150]
- b *arthurus* Lycaena 9:263
- Ménéziés 1855-1857 Enum. corp. anim. [b3152]
- a 1855 *castalia* Symmachia 1:89, pl 3
- a 1855 *cephise* Lyropteryx 1:89, pl 3
- c 1855 *coelestina* Mesosemia 1:91, pl 6
- b 1855 *erymanthus* Nymphidium 1:90, pl 6
- c 1855 *erythra* Lymnas 1:93, pl 3
- b 1855 *fastidiosa* Emesis 1:90, pl 3
- b 1855 *melantho* Lymnas 1:93, pl 3
- c 1855 *sylvestra* Charis 1:91, pl 3
- c 1855 *wosnesenskii* Lycaena 1:95, pl 4
- b 1857 *argia* Lycaena 2:125, pl 10
- c 1857 *ega* Symmachia (NN) 2:80
- b 1857 *hellotia* Lycaena 2:124, pl 10
- Mengel 1899 Ent. News [b3153]
- a *nigrescens* Siseme 10(6):168
- c *yaporogosa* Mesosemia 10(6):167
- Mengel 1902 Ent. News [b3154]
- a *bifasciata* Bacotis 13(6):117, pl 8
- b *gerhardi* Necyria 13(6):177, pl 8
- b *modesta* Anatole 13(6):176, pl 8
- a *ochracea* Apodemia 13(6):176, pl 8
- Mengel 1913 Ent. News [b3156]
- a *quinquemaculata* Hermathena 24(3):112, f
- Mengel 1913 Ent. News [b3157]
- b *propinquus* Chamaelimonas 24(7):316, 3 f
- Metschl & Sälzl 1923 Ber. naturw. Ver. Regensburg [b3160]
- e *ab. fuscociliata* Lycaena 16:82
- e *ab. infuscata* Lycaena 16:81
- e *multiconfluens* Scolitantides 16:73
- Metschl & Sälzl 1923 Ber. naturw. Ver. Regensburg [b3160]
(continued)
- e *unipuncta* Maculinea 16:86
- Metzner 1926 Ent. Anz. [b3161]
- e *ab. elegans* Lycaena 6:19
- Meyer 1980 Linneana Belgica [b3164]
- b *arduinnae* Lycaena 8(3):133
- Meyer-Dür 1851 Verz. Schmett. Schweiz [b3162]
- b *montana* Lycaena (H) 12:90, pl 2
- b *montana* Lycaena 12:53
- e *valesiana* Plebejus 12:67
- e *ab. vulgaris* Plebejus 12:67
- Meyrick 1888 Proc. linn. Soc. N. S. Wales [b3168]
BMNH-ht c *cyanites* Polyommatus (2)2(4):828
BMNH-lt c *uranites* Polyommatus (2)2(4):827
- Mezger 1927 Bull. Soc. ent. Fr. [b3169]
- e *ab. boursini* Glaucopsyche 1927(14):213
- e *ab. ocellata* Glaucopsyche 1927(14):213
- Mezger 1931 Lambillionea [b3170]
- e *ab. fulgurata* Chrysophanus 31:23
- e *ab. hyalina* Chrysophanus 31:23
- e (+) *ab. posticeoatrata* Chrysophanus 31:22
- Mezger 1934 Lambillionea [b3171]
- e *ab. brunnea* Heodes 34:98
- e *ab. punctata* Heodes 34:98
- Mezger 1934 Lambillionea [b3172]
- e *ab. anteatrata* Lycaenopsis 34:151
- Mezger 1935 Lambillionea [b3173]
- e *ab. mirabilis* Plebejus 35:188
- Michener & dos Passos 1942 Amer. Mus. Novit. [b3175]
AMNH-ht b *aliparops* Strymon (1210):3
T *edwardsii* Thecla (1210):4
USNM-ht b *fletcheri* Strymon (1210):3
- Mielke & Casagrande 1985 Revta bras. Ent. [b3177]
T *f. petilius* Xenandra 29(2):318
T *ab. pygmaea* Stalactis 29(2):318
T *f. unicolor* Euselasia 29(2):318
- Mielke & Casagrande 1987 Revta bras. Ent. [b3178]
T *attavus* Mesosemia 31(3):417
T *brunneipennis* Napaea 31(3):415
T *coeruleans* Rhetus 31(3):417
T *croceifasciata* Crocozona 31(3):417
T *elisae* Crenna 31(3):417
T *lioba* Lymnas 31(3):418
T *ludmila* Lymnas 31(3):417
- Migranov 1992 Zool. Zh. [b3180]
- a *butterovi* Callophrys 71(5):136, f
- Miller 1912 Deut. ent. Zeit. [Iris] [b3183]
ZMMU a *diana* Lycaena 26:220
ZMMU a *mystaphia* Callophrys 26:222
- Miller 1923 Bull. Soc. ent. Moscou [b3184]
ZMMU-lost c *transcaucasicus* Chrysophanus 2(2):98
- Miller 1980 J. Lep. Soc. [b3188]
AME-ht a *caudata* Erora 34(2):209-216
- Miller & Brown 1981 Mem. Lep. Soc. [b3192]
- e *atropraetextus* Plebejus (ISS) (2):248 (index)
- e *croesoides* Incisalia (ISS) (2):108
- e *decorata* Everes (ISS) (2):115
- e *inornata* Satyrium (ISS) (2):101

- Miller & Brown 1981 Mem. Lep. Soc. [b3192] (continued)
 -- e *patersoniana* Mitoura (ISS) (2):107
 -- e *thycidides* Enselasia (ISS) (2):128
 -- e *wombsbacheri* Hylolycaena (ISS) (2):94
- Miller & Edwards 1978 Aust. ent. Mag. [b3181]
 ANIC-ht a *arcana* Pseudodipsas 5(3):45-50
- Miller & Miller 1972 Bull. Allyn Mus. [b3194]
 - b *pichanalensis* Eiseleia (4):1-4, f 1-11
- Miller & Miller 1986 Insecta Mundi [b3197]
 AME-ht a *cleora* Deudorix 1(3):143-145
- Miller & Miller 1993 Occ. Pap. Bernice P. Bishop Mus. [b3186]
 - b *hopkinsi* Catochrysops (34):1-24
 - b *thomasi* Jamides (34):1-24
- Miller & Simon & Harvey 1992 Ann. Cam. Mus. [b3198]
 - b *clenchi* Hemiarigus 61(1):14, f
- Miller & Zubovschii & Rušcinski 1929 Bul. Muz. natn. Ist. nat. Chişinău [b3185]
 -- e *coeca* Lycaena 1929(2/3):126
- Millière 1858-1863 Annl. Soc. linn. Lyon [b3205]
 - c 1859 *semibrunnea* Lycaena 2-pl 4, f 2
- Millière 1872 Petites Nouv. ent. [b3206]
 - d *coelestina* Lycaena (H) 1(64):256
- Millière 1887 Annl. Soc. ent. Fr. [b3207]
 - c *blanchieri* Lycaena (6)7:215, pl 5
- Miskin 1874 Ent. mon. Mag. [b3208]
 - a *innotatus* Pseudodipsas 11:165
 - b *simsoni* Deudorix 11:165
- Miskin 1876 Trans. ent. Soc. Lond. [b3209]
 QM-lt a *epicurus* Hypochrysops 24(3):455
 - b *eubulus* Ialmenus 24(3):457
- Miskin 1884 Trans. ent. Soc. Lond. [b3210]
 QM-ht a *brisbanensis* Pseudodipsas 32(1):95
 - a *democles* Deudorix 32(1):95
 QM-lt b *hecalius* Hypochrysops 32(1):94
- Miskin 1889 Proc. linn. Soc. N. S. Wales [b3211]
 lost b *euclides* Hypochrysops (2)3(4):1517
 AM-ht b *oliffi* Hypochrysops (2)3(4):1518
- Miskin 1890 Proc. linn. Soc. N. S. Wales [b3212]
 - c *aenea* Chrysophanus (2)5(1):33
 - c *androdus* Holochila (2)5(1):41
 - a *barnardi* Ogyris (2)5(1):27
 - c *canescens* Lycaena (2)5(1):35
 - c *cyronthe* Amblypodia (2)5(1):43
 - c *eupolis* Amblypodia (2)5(1):42
 - c *gracilis* Lycaena (2)5(1):37
 - a *hobartensis* Lycaena (2)5(1):38
 - c *itonus* Ialmenus (2)5(1):41
 QM-ht c *mackayensis* Lycaena (2)5(1):35
 - a *mathewi* Lycaena (2)5(1):38
 QM-ht b *nigra* Lycaena (H) (2)5(1):36
 - a *sulpitiis* Lycaena (2)5(1):37
 QM-st b *syrius* Danis (2)5(1):34
 - b *tasmanicus* Lycaenesthes (2)5(1):40
 - c *turneri* Lycaenesthes (2)5(1):39
- Miskin 1890 Proc. R. Soc. Qd [b3213]
 - c *fumidus* Pseudodipsas 6(5):264
- Miskin 1891 Blue Book Papua New Guinea [b3214]
 - a *obscura* Amblypodia :122
 - a *pallida* Lycaena :122
- Miskin 1891 Ann. Qd Mus. [b3215]
 - a *albosericea* Holochila 1:65
 QM-ht a *apollo* Hypochrysops 1:85
 - b *coelestis* Danis 1:50
 - b *serapis* Danis 1:49
 QM-ht a *tenella* Lycaena 1:63
 - a *wildei* Arhopala 1:71
- Miyashita & Uemura 1976 Tyō to Ga [b3216]
 - c *seidakadaya* Everes 27(1):33, f
- Mizoguchi & Hiura & Mizoguchi 1958 Ent. Rev. Jap. [b3217]
 - c (-) *ab. pseudibara* Ussuriana (IFS) 9:22, 26, f
- Montague 1914 Proc. zool. Soc. Lond. [b3218]
 - b *aerata* Holochila 1914(3):645
- Moore [1858] In Cat. Lep. Ins. E. India Co. [b3219]
 BMNH-ht a *acte* Myrina (1):47
 - a *boisduvali* Miletus (1):19, pl 1a
 - a *brahma* Heliophorus (1):29, pl 1a
 BMNH-ht a *camdeo* Arhopala (1):41, pl 1a
 - a *deva* Amblypodia (1):46
 BMNH-ht a *dodonaea* Amblypodia (1):43, pl 1a
 - a *epijarbas* Dipsas (1):32
 BMNH-ht a *epimuta* Arhopala (1):42, n 62
 - a *ganesa* Amblypodia (1):44, pl 1a
 BMNH-lt a *horsfieldi* Miletus (1):19, pl 1a
 - c *hypatada* Amblypodia (1):45
 BMNH-ht a *kurava* Lycaena (1):22
 - a *lapithis* Myrina (1):48
 BMNH-ht a *onyx* Thecla (1):30
 BMNH-ht a *perimuta* Amblypodia (1):42
 BMNH-ht c *querceti* Amblypodia (1):43, n 64
 - b *quercetorum* Amblypodia (1):42, pl 1a
 BMNH-ht a *santana* Anops (1):54
 - b *surya* Loxura (1):52, pl 1a
- Moore 1865 Proc. zool. Soc. Lond. [b3220]
 - a *ariana* Polyommatus 1865(2):504
 - c *chandala* Polyommatus 1865(2):504
 - c *deria* Thecla 1865(2):507
 - b *dipora* Lycaena 1865(2):506
 BMNH a *karsandra* Polyommatus 1865(2):505
 - c *kasmira* Polyommatus 1865(2):503
 - a *kasyapa* Chrysophanus 1865(2):506
 - c *nazira* Polyommatus 1865(2):504
 - b *nycula* Polyommatus 1865(2):503
 - a *vicrama* Polyommatus 1865(2):505
 - c *zena* Lycaena 1865(2):505
- Moore [1866] Proc. zool. Soc. Lond. [b3221]
 - c *bengalensis* Lycaenesthes 1865(3):773
 - a *drumila* Miletus 1865(3):777
 BMNH-ht a *hewitsoni* Poritia 1865(3):775
 - c *kandura* Polyommatus 1865(3):772
 - a *oida* Dodona 1865(3):771
 - b *ravata* Myrina 1865(3):776
 - c *sangra* Polyommatus 1865(3):772
 - c *varunana* Polyommatus 1865(3):772
- Moore 1874 Proc. zool. Soc. Lond. [b3222]
 - b *cashmirensis* Scolitantides 1874(1):272
 - a *selira* Deudorix 1874(1):272
 - c *zariaspa* Chrysophanus 1874(1):271
 - c *zoriapa* Lycaena 1874(1):271
- Moore [1875] Proc. zool. Soc. Lond. [b3223]
 - b *aditya* Chrysophanus 1874(4):571
 - b *ardates* Lycaena 1874(4):574
 BMNH-ht a *devanica* Polyommatus 1874(4):573
 - a *icana* Dipsas 1874(4):575
 - a *jaloka* Polyommatus 1874(4):573
 - a *omphisa* Polyommatus 1874(4):573

- Moore [1875] Proc. zool. Soc. Lond. [b3223] (continued)
 - a *samudra* Polyommatus 1874(4):574
 - a *tessellata* Niphanda 1874(4):572
 BMNH-lt a *vardhana* Polyommatus 1874(4):572
- Moore 1877 Ann. Mag. nat. Hist. [b3224]
 - a *acuta* Curetis (4)20:50
 BMNH-ht a *birupa* Dipsas (4)20:51
 - a *elima* Aphnaeus (4)20:51
 - b *formosanus* Aphnaeus (4)20:51
 - c *truncata* Curetis (4)20:51
- Moore 1877 Ann. Mag. nat. Hist. [b3225]
 BMNH-ht a *coruscans* Lampides (4)20:340 or 341
 BMNH-lt a *lanka* Polyommatus (4)20:341 or 342
 BMNH-nt a *lavendularis* Polyommatus (4)20:341 (partim)
 - b *lithargyria* Lampides (4)20:340
 BMNH-ht b *prominens* Lampides (4)20:341
 BMNH-ht b *viola* Lampides (4)20:340
- Moore 1877 Proc. zool. Soc. Lond. [b3226]
 - b *andamana* Hypolycaena 1877(3):589
 BMNH a *bifasciata* Abisara 1877(3):587
 - b *prabha* Myrina 1877(3):589
 BMNH-ht a *saronis* Curetis 1877(3):587
 BMNH-ht a *zeta* Amblypodia 1877(3):590
 - b *zollus* Aphnaeus 1877(3):588
- Moore 1878 Ann. Mag. nat. Hist. [b3227]
 - a *kashgharensis* Polyommatus (5)1:230
 - a *lehanus* Polyommatus (5)1:230
 - b *yarkundensis* Polyommatus (5)1:229
- Moore 1878 Proc. zool. Soc. Lond. [b3229]
 - c *confucius* Zemerus 1878(3):701
 - b *dilama* Lucia 1878(3):701
 BMNH-lt c *nihana* Pithecopis 1878(3):702
 BMNH a *saturata* Sospita 1878(3):701
 - c *similis* Polyommatus 1878(3):702
- Moore [1879] Proc. zool. Soc. Lond. [b3230]
 BMNH b *angulata* Abisara 1878(4):833
 - b *fasciata* Taxila 1878(4):832
 - b *miniata* Thamala 1878(4):834
 - a *moolalana* Narathura 1878(4):835
 - a *multicaudata* Thaduka 1878(4):836
 - a *suffusa* Deudorix 1878(4):834
 - b *taoana* Amblypodia 1878(4):835
- Moore 1879 Proc. zool. Soc. Lond. [b3231]
 BMNH-ht a *albocaeruleus* Polyommatus 1879(1):139
 - c *darana* Amblypodia 1879(1):141
 BMNH a *dentata* Curetis 1879:137
 BMNH-lt a *dilectus* Polyommatus 1879(1):139
 - c *discalis* Curetis 1879(1):138
 - b *discalis* Surendra 1879(1):142
 BMNH b *grisea* Deudorix 1879(1):140
 - a *lankana* Deudorix 1879(1):141
 BMNH b *latimargo* Surendra 1879(1):142
 - b *lazulina* Deudorix 1879(1):140
 BMNH-ht b *limbatus* Polyommatus 1879(1):139
 - c *lunulifera* Aphnaeus 1879(1):140
 - b *naradoides* Amblypodia 1879(1):141
 BMNH-ht b *prunosa* Abisara 1879(1):137
 - a *pseuderos* Polyommatus 1879(1):138
 BMNH a *rectivitta* Deudorix 1879(1):141
 - b *schistacea* Deudorix 1879(1):140
 BMNH c *stigmata* Anops 1879(1):136-8
 BMNH-lt a *transpectus* Polyommatus 1879(1):139
- Moore 1880-1881 Lep. Ceylon [b3232]
 - b [1881] *arcuata* Loxura 1(3):111, pl 42
 - c [1881] *cramerii* Azanus 1(2):80, pl 35
 BMNH-ht b [1881] *dharma* Pithecopis 1(2):72, pl 34
- Moore 1880-1881 Lep. Ceylon [b3232] (continued)
 - c [1881] *exameri* Azanus 1(2):80, pl 36
 - b [1881] *fusca* Aphnaeus 1(3):106, pl 41
 - b [1881] *hamatus* Castalius 1(2):84, pl 36
 - b [1881] *lazularia* Aphnaeus 1(3):107, pl 41
 BMNH-ht b [1881] *pirama* Nilasera 1(3):116, pl 43
 - b [1881] *pseudojafra* Chenitra 1(3):110
 - a [1881] *schistacea* Aphnaeus 1(3):106, pl 41
 BMNH-lt b [1881] *thwaitesi* Megisba 1(2):71, pl 34
 - a [1887] *nubilus* Aphnaeus 3:530, pl 210
- Moore 1881 Trans. ent. Soc. Lond. [b3233]
 BMNH-ht c *subfasciata* Narathura 29(3):312
- Moore 1882 Proc. zool. Soc. Lond. [b3234]
 - c *alteratus* Tarucus 1882(1):245
 - a *chandrana* Hypolycaena 1882(1):249
 - b *coruscans* Ilerda 1882(1):248
 BMNH-lt a *huegelii* Cyaniris 1882(1):244
 BMNH c *suffusa* Abisara 1882(1):244
 - c *sutleja* Lycaena 1882(1):246
 - c *trifurcata* Aphnaeus 1882(1):251
 - b *uniformis* Aphnaeus 1882(1):251
 - a *venosus* Tarucus 1882(1):245
 BMNH-lt b *viola* Horaga 1882(1):248
- Moore [1884] Proc. zool. Soc. Lond. [b3235]
 - a *abnormis* Aphnaeus 1883(4):526
 BMNH a *abnormis* Abisara 1883(4):532
 BMNH-ht a *albidisca* Cyaniris 1883(4):524
 - c *angulata* Curetis 1883(4):522
 BMNH-ht c *arcuata* Curetis 1883(4):523
 BMNH-ht a *birmana* Panchala 1883(4):531
 - c *cachara* Hypolycaena 1883(4):527
 BMNH-ht b *cingalensis* Horaga 1883(4):525
 - c *fraterna* Abisara 1883(4):532
 BMNH-ht b *gloriosa* Curetis 1883(4):523
 - b *grotei* Hypolycaena 1883(4):527
 - b *indra* Sithon 1883(4):527
 - d *interruptus* Castalius (H) 1883(4):523
 - a *jehana* Tajuria 1883(4):529
 BMNH-lt c *jynteana* Cyaniris 1883(4):524
 - c *langii* Ilerda 1883(4):526
 BMNH-ht c *latimargo* Cyaniris 1883(4):523
 - b *lila* Pratapa 1883(4):529
 BMNH-lt d *marginata* Cyaniris (H) 1883(4):523
 BMNH-ht b *moulmeina* Horaga 1883(4):525
 - a *nilgirica* Hypolycaena 1883(4):527
 - b *nubilus* Spalgis 1883(4):522
 BMNH-ht a *opalina* Nilasera 1883(4):531
 BMNH-ht b *pirithous* Nilasera 1883(4):532
 - c *plinioides* Niphanda 1883(4):524
 BMNH-ht b *sikkima* Horaga 1883(4):525
 BMNH-ht c *sikkima* Cyaniris 1883(4):524
 BMNH-ht d *subfasciata* Nilasera (H) 1883(4):532
 - a *todara* Surendra 1883(4):530
- Moore 1884 J. asiat. Soc. Bengal, Pt II [b3236]
 BMNH-lt c *albidisca* Pathalia 53(1):21
 BMNH-ht b *andersonii* Logania 53(1):22
 - c *andersonii* Amblypodia 53(1):43
 - b *baralacha* Chrysophanus 53(1):25
 - a *bhotea* Pratapa 53(1):37
 - a *bilucha* Lycaena 53(1):24
 BMNH-lt b *boisduvalii* Drupadia 53(1):31
 - a *burmana* Dacalana 53(1):36
 BMNH-ht c *canarica* Satadra 53(1):39
 - b *chamanica* Lycaena 53(1):23
 BMNH-ht c *chola* Satadra 53(1):39
 - c *concanus* Aphnaeus 53(1):27
 - b *fabricii* Drupadia 53(1):32
 - c *gaura* Parapithecopis 53(1):20 (partim)
 - b *himalayanus* Aphnaeus 53(1):26

- Moore 1884 J. asiat. Soc. Bengal, Pt II [b3236] (*continued*)
 - c *khurdanus* Aphnaeus 53(1):26
 BMNH-ht c *lazula* Satadra 53(1):40
 - a *lilacinus* Aphnaeus 53(1):28
 ZSI-ht a *marmorata* Logania 53(1):22
 BMNH-ht b *merguiana* Lycaenesthes 53(1):23
 - a *nadira* Lycaena 53(1):24
 BMNH-ht c *newara* Darasana 53(1):42
 - a *nipalicus* Aphnaeus 53(1):27
 - c *orissanus* Aphnaeus 53(1):27
 - c *orissica* Lycaenesthes 53(1):23
 BMNH-ht c *patuna* Satadra 53(1):40
 - b *peguanus* Aphnaeus 53(1):26
 - c *roona* Narathura 53(1):42
 ZSI b *sikkima* Megisba 53(1):21
 ZSI?-ht a *substrigosa* Logania 53(1):22
 - c *tigrinus* Aphnaeus 53(1):25
 - c *zebrinus* Aphnaeus 53(1):28
- Moore 1886 J. lim. Soc. Lond., Zool. [b3237]
 BMNH-ht a *pura* Lampides 21(126):41
 BMNH-ht b *subditus* Lampides 21(126):41
- Moore 1890-1913 Lep. Ind. [b3238]
 - a [1901] *binghami* Balonca 4:75, pl 398
 - a 1901 *fylloides* Sospita 5:81
 - b 1901 *pryeri* Balonca 5:77
 - b 1901 *sinica* Dodona 5:73
 - b 1902 *javanus* Zemeror 5:99
- Mori 1925 J. Chos. Nat. Hist. [b3240]
 - d *amurensis* Lycaena (H) (3):54-59
- Morisse [1838] Anns Soc. ent. Fr. [b3241]
 - a *aristodorus* Erycina [1](6(4):420
 - b *laonome* Diorhina [1](6(4):422
 - b *thia* Erycina [1](6(4):419
- Morrell 1957 Malay Nat. J. [b3242]
 - e (+) *f. penumbra* Poritia 11(4):95-100
- Morris 1860 Smithsonian Misc. Coll. [b3243]
 - e *actaeon* Lycaena (ISS) [3]:12
 - e *nipha* Incisalia (ISS) [3]:12
 - e *phleas* Lycaena (ISS) [3]:12
- Morris 1862 Smithsonian Misc. Coll. [b3244]
 - e *eriphon* Thecla (ISS) [4]:100
- Morrison 1873 Bull. Buffalo Soc. nat. Sci. [b3246]
 USNM c *floridensis* Lycaena 1(4):187
 - a *pseudofea* Lycaena 1(4):186
- Möschler 1876 Verh. zool.-bot. Ges. Wien [b3247]
 - c *bimaculata* Thecla 26:299, pl 3
 - a *biston* Thecla 26:302, pl 3
 - c *lugubris* Thecla 26:301, pl 3
 - a *nepticula* Mesene 26:307, pl 3
 - a *pactolus* Mesene 26:307, pl 4
 - c *sponsa* Thecla 26:298, pl 3
 - a *sylva* Crenna 26:304, pl 3
- Möschler 1883 Verh. zool.-bot. Ges. Wien [b3248]
 - a *aprica* Thecla 32:310, pl 17
 - a *arbuscula* Symmachia 32:314
 - a *bianca* Thecla 32:310, pl 17
 SMNF-ht a *devia* Thecla 32:311, pl 17
 - c *fessa* Thecla 32:310, pl 17
 - a *heloisa* Thecla 32:309, pl 17
 - b *lindana* Euselasia 32:313, pl 17
 - a *lorea* Thecla 32:309, pl 17
 - a *lucilia* Crenna 32:302 or 312
 - c *peralta* Thecla 32:308, pl 17
 - c *promissa* Thecla 32:311, pl 17
- Möschler 1883 Verh. zool.-bot. Ges. Wien [b3248] (*continued*)
 - a *thenca* Thecla 32:311, pl 17
 - b *thusnelda* Euselasia 32:313, pl 17
- Möschler 1884 Verh. zool.-bot. Ges. Wien [b3249]
 - c *benigna* Lycaena 33:285, pl 16
- Möschler 1886 Abh. Senckenb. naturf. Ges. [b3250]
 - a *dominica* Lycaena 14(3):26, f 10
 - e *tirrhaea* Thecla 14(3):26
- Möschler 1887 Abh. Senckenb. naturf. Ges. [b3251]
 - c *mnestra* Liptena 15(1):63, f 21
 - a *simplicia* Liptena 15(1):63, f 14
- Motschulsky 1866 Bull. Soc. imp. Nat. Moscou [b3252]
 - c *caeruleus* Thecla 39(1):191
- Motta & Lozares 1976 Revta Lep. [b3253]
 - b *rosarioi* Scolitantides 4(1):63, f
- Moulton [1912] J. Straits Brch. R. asiat. Soc. [b3259]
 BMNH-ht a *abnormis* ?Charana 60:156, pl [8]
 BMNH-ht b *albigigmata* Horaga 60:159
 - a *balua* Chliaria 60:151, f 6
 BMNH-ht a *borneensis* Allostimus 60:81
 - a *byneri* Lampides 60:111
 - c *delapra* Lycaenopsis 60:98
 BMNH-ht b *drucei* Logania 60:85, f 9
 - c *fulva* Lehera 60:168
 BMNH-ht b *incerta* Arhopala 60:128
 - b *lawasa* Lampides 60:110
 BMNH-ht a *lingga* Lycaenopsis 60:96, f 5
 BMNH-ht a *nicholsi* Allostimus 60:83
 BMNH-ht a *nigerrimus* Lycaenopsis 60:96
 BMNH-ht c *oskewa* Lycaenopsis 60:90
 BMNH-ht a *parva* Biduanda 60:164
 BMNH-ht a *pasira* Poritia 60:122, f 2
 BMNH-ht c *rajah* Arhopala 60:142
 BMNH-ht b *sarawaca* Arhopala 60:134
 BMNH-ht c *shellfordi* Arhopala 60:142
 - b *splendida* Charana 60:155, f 3
 BMNH-ht a *strigatus* Allostimus 60:80
 - a *sunia* Tajuria 60:148, f 7
 BMNH-ht c *tembaga* Arhopala 60:136
 BMNH-ht c *vyneri* Lampides 60:111
- Moulton 1913 Trans. ent. Soc. Lond. [b3260]
 BMNH-ht c *chelaka* Lycaenopsis 61(2):275, pl 10
- Mousley 1902 Ent. Rec. [b3261]
 - e *ab. unipuncta* Plebejus 14(12):341
- Müller 1920 Int. ent. Z. [b3262]
 - e (+) *f. semibrunnea* Chrysophanus 14(14):108
- Munguira & Martin 1988 Ecologia (Madrid) [b3265]
 - b *guadalaviarensis* Aricia 2:346, f
 - b *sierramariensis* Aricia 2:346, f
- Murayama 1943 Zephyrus [b3272]
 - a *austrinus* Strymon 9(3):171, f 2
- Murayama 1943 Zephyrus [b3273]
 - e *ab. classica* Curetis 9:180-181, f
- Murayama 1947 Zephyrus [b3274]
 - e *ab. evanidus* Neozephyrus 9(4):279, f
- Murayama 1952 Tyô to Ga [b3275]
 pc-ht b *ainonica* Celastrina 3(1):1
- Murayama 1953 Tyô to Ga [b3276]
 pc-ht c *borealis* Favonius 3(3):20, f 16
 pc-ht c *jezonicus* Favonius 3(3):19, f 13
 pc-ht c *nipponicus* Favonius 3(3):18, f 10

- Murayama 1953 Tyô to Ga [b3276] (continued)
 pc-ht a *onoï* Japonica 3(3):18, f 7,8
 pc-ht c *yamamotoi* Celastrina 3(3):17, f 4
- Murayama 1953 Tyô to Ga [b3277]
 - c *luxurians* Neozephyrus 4(2/3):10, f 9-11
 - c *magnificans* Favonius 4(2/3):10, f 1-3
 - b *yucara* Araragi 4(2/3):11
- Murayama 1954 New Ent. [b3278]
 - e *ab. morii* Spindasis 3(2/3):23, f
 - e *ab. wakabayasii* Spindasis 3(2/3):23, f
- Murayama 1954 New Ent. [b3279]
 pc-ht b *alpinus* Neozephyrus 3(4):34
 pc-ht b *amoenus* Neozephyrus 3(4):34
 pc-ht b *kansaiensis* Neozephyrus 3(4):34
 pc-ht b *oceanus* Favonius 3(4):33
 pc-ht b *shirozui* Favonius 3(4):33
 pc-ht b *yatsugabakensis* Artopoetes 3(4):35
- Murayama 1955 Tyô to Ga [b3280]
 BMNH-ht a *sikongensis* Neozephyrus 6(1):3, f 9,10
 BMNH-ht a *tatsienluensis* Neozephyrus 6(1):2, f 7,8
- Murayama 1956 New Ent. [b3281]
 - e *ab. kawamotoi* Neozephyrus 5(1-2):28, f
- Murayama 1956 Tyô to Ga [b3282]
 - a *patungkoanui* Japonica 7(2):12-13
- Murayama 1957 New Ent. [b3284]
 - b *kojirei* Cyaniris 6(2/3):39, f
- Murayama 1958 Tyô to Ga [b3286]
 pc-ht b *chungianus* Chrysozephyrus 9(3):43, f 1,3
- Murayama 1959 Tyô to Ga [b3288]
 - e (-) *ab. poliensis* Heliophorus 10(4):66-68
- Murayama 1960 Tyô to Ga [b3290]
 - e *ab. mizudorii* Favonius 11(2):33
 - b *ussuriensis* Neozephyrus 11(2):33
- Murayama 1963 Tyô to Ga [b3291]
 - b *coreensis* Favonius 14(2):48, f
 - b *latimarginata* Quercusia 14(2):48
- Murayama 1964 Tyô to Ga [b3292]
 - e *f. hikosana* Coreana 15(1):17
 - e *ab. iwateanus* Wagimo 15(1):16
 - e *f. odai* Coreana 15(1):17
 - e *f. semiakio* Coreana 15(1):17
- Murayama 1964 Z. wien. ent. Ges. [b3293]
 - b *togakusiensis* Lycaeides 49:36, f
- Murayama 1967 Tyô to Ga [b3294]
 - b *cholonensis* Deudorix 18(1):20, f
 - b *morinis* Spindasis 18(1/2):21
 - c *ohkuranis* Spindasis 18(1/2):21
- Murayama 1969 Tyô to Ga [b3295]
 - b *myokoensis* Lycaeides 20(3/4):69, f
- Murayama 1978 Tyô to Ga [b3291]
 - e *ab. chiyodaensis* Lycaeides 14(2):49
 - e *ab. yoshisakai* GlaucoPsyche 14(2):48
- Murayama 1978 Tyô to Ga [b3298]
 - b *primoriensis* Favonius 29(3):161, f 17-20
- Murayama 1983 New Ent. [b3300]
 - b *floresica* Tajuria 32(2):40, f 7
 - c *negrosiana* Discolampa 32(2):40, f 9
 - c *perbella* Deudorix 32(2):40, f 8
- Murayama 1983 Entomotaxonomia [b3301]
 pc-ht b *gansuensis* Polyommatus 5(4):283, pl 3
 pc-ht b *lhasana* Lysandra 5(4):283, pl 3
 pc-ht b *qilianshanus* Lycaeides 5(4):283, pl 3
 pc-ht b *qilianus* Cupido 5(4):284, pl 3
 pc-ht b *shanziensis* Albulina 5(4):283, pl 3
 pc-ht b *sichuanicus* Polyommatus 5(4):283, pl 2
- Murayama 1986 Entomotaxonomia [b3302]
 pc-ht a *camurius* Teratozephyrus 8(1/2):61
- Murayama 1991 Konchu to Shizen (Nature & Insects) [b3303]
 pc-ht b *gansuensis* Japonica 26(3):20, f
 pc-ht b *singlongensis* Favonius 26(3):20, f
 pc-ht b *xiaheana* GlaucoPsyche 26(3):20, f
- Murayama 1992 Konchu to Shizen (Nature & Insects) [b3304]
 - a *kongmingi* Satyrium 27(5):41, f 11
 - a *minshanicum* Satyrium 27(5):40, f 8
 - a *neoeximia* Satyrium 27(5):40, f 9
 - a *pseudopruni* Satyrium 27(5):41, f 12
 - a *qinghalensis* Lycaeides 27(5):37, f 1
 - a *saphiriodes* Heliophorus 27(5):39, f 4
 - a *siguniangshanicum* Satyrium 27(5):39, f 6
 - b *sinalcon* Maculinea 27(5):37
- Murayama & Okamura 1973 Tyô to Ga [b3305]
 pc-ht c *ashinensis* Rapala 24(1):16, f 20-23
 pc-ht b *ashinica* Horaga 24(1):17, f 28-32
 pc-ht a *atimonicus* Miletus 24(1):23, f 45
 pc-ht b *filipina* Celastrina 24(1):23, f 43
 pc-ht a *lgolotiana* Pratapa 24(1):17, f 24
 pc-ht c *luzonica* PithecoPs 24(1):22, f 39
 pc-ht c *luzoniensis* Iraota 24(1):21, f 37-38
 pc-ht b *shigae* Azhopala 24(1):20, f 33-36
- Murayama & Shimonoya 1960 In Tyô to Ga [b3306]
 - a *yuchingkinus* Chrysozephyrus 11(2):32, f 31
- Murayama & Shimonoya 1968 New Ent. [b3308]
 - e *ab. nubilans* Deudorix 17(1):8, f 22
- Murayama & Sibataru 1943 Trans. Kansai ent. Soc. [b3309]
 - c *parviocellata* Pratapa (fv.) 13(1):37-56, f
 - b *triumphalis* Horaga 13(1):37-56, f
- Murray 1873 Ent. mon. Mag. [b3315]
 - d *cassioides* Lampides (H) 10:108
 - c *phoebe* Lycaena 10:107
- Murray 1873 Ent. mon. Mag. [b3316]
 - a *pryeri* Lycaena 10:126
 - b *pseudocassius* Lampides 10:126
- Murray 1874 Ent. mon. Mag. [b3317]
 - c *japonica* Lycaena 11:167
 - a *japonica* Amblypodia 11:170
 BMNH-ht b *japonica* Dipsas 11:169
 - a *orientalis* Dipsas 11:169, [nec male].
- Murray 1874 Trans. ent. Soc. Lond. [b3318]
 - d *chinensis* Lycaena (H) 22(4):523, pl 10
 - a *felderi* Lycaena 22(4):527, pl 10
 - c *indica* Lycaena 22(4):525, pl 10
 - a *lineata* Lycaena 22(4):524, pl 10
 - c *parva* Lycaena 22(4):526, pl 10
 - a *pulchra* Lycaena 22(4):524, pl 10
 - e *trochilus* Lycaena (ISS) 22(4):526
- Murray 1935 S. Afr. Butts Lyc. [b3312]
 TM-ht a *clavum* Phasis :104
- Murray 1956 Ann. S. Afr. Mus. [b3314]
 - a *major* LepidochrysoPs 43:114

- Muschamp 1908 Bull. Soc. Léop. Genève [b3319]
 -- e *ab. caeca* Lycaena 1(3):264
 -- e *ab. minor* Lysandra 1(3):264
 -- e *ab. nigrostriata* Plebejus 1(3):264
 -- e *ab. punctata* Glaucopsyche 1(3):264
- Muschamp 1909 Bull. Soc. Léop. Genève [b3320]
 -- e *ab. minor* Lycaena 1:369
 -- e *ab. pupillata* Lycaena 1:369
- Nabokov 1941 J. New York ent. Soc. [b3323]
 AMNH-ht c *cormion* Lysandra 49(3):265
- Nabokov [1944] Psyche [b3324]
 MCZ-ht b *samuelsi* Lycaeides 50(3-4):97
- Nabokov 1944 Psyche [b3325]
 T *scudderii* Lycaena 51(3/4):109-111
- Nabokov 1945 Psyche [b3326]
 -- e *florencae* Lycaena (ISS) 52(1/2):20
- Nabokov 1948 Entomologist [b3327]
 BMNH-ht a *eremis* Cyclargus 81(12):273, f
- Nabokov 1949 Bull. Harvard Mus. Comp. Zool. [b3328]
 AMNH-ht c *inoensis* Lycaeides 101(4):530-532
 MCZ-ht b *longinus* Lycaeides 101(4):516
 MCZ-ht c *pseudosamuelsi* Lycaeides 101(4):529
 MCZ-ht b *sublivens* Lycaeides 101(4):513
- Nagami & Ishiga 1935 Fukuoka hakub. zasshi [b3329]
 - a *hisamatsusanus* Zephyrus 1(4):303
- Nakahara 1922 Entomologist [b3331]
 - b *sylvia* Zizera 55:124
- Nakahara 1926 Bull. Brooklyn ent. Soc. [b3332]
 USNM-ht e *ab. watermani* Everes 20(5):224
- Nakahara 1951 Tyô to Ga [b3334]
 pc-ht b *yezoensis* Artipoetes 2(2):2
- Nakamura 1931 Lansania [b3339]
 -- e *kashikurai* Zizeeria 2:113
- Nakamura 1971 Tyô to Ga [b3338]
 -- e *pseudoaegon* Plebejus (ISS) 22(3,4):100
- Nakamura 1975 J. Ent. [b3336]
 BMNH-ht a *jebelia* Strymonidia (B)44(3):283-295
 - a *sinaiecus* Pseudophilotes (B)44(3):283-295
- Naritomi 1941 Ent. World [b3340]
 -- e *ab. ishibashii* Taraka 9(91):617, pl 4
 -- e *ab. nakaharai* Aphnaeus 9(91):618, pl 4
 - a *rapaloides* Thecla 9(91):619, pl 4
- Naritomi 1941 Zephyrus [b3341]
 -- e *ab. nakaharai* Spindasis 9(2):112-116
- Naritomi 1942 Ent. World [b3342]
 - c *genji* Nacaduba 10(104):640-642
- Neave 1903 Ent. mon. Mag. [b3344]
 - b *clarensis* Pentila 39:136
- Neave 1904 Novit. zool. [b3345]
 - b *drucei* Aphnaeus 11:338, pl 1
 - a *hobleyi* Lycaenesthes 11:339
 UMO-ht a *nandensis* Catochrysoptera 11:339, pl 1
 - a *nyanza* Telipna 11:335, pl 1
 - a *ochrascens* Poultonia 11:336, pl 1
 - b *poultoni* Mimacraea 11:337
 - b *usemia* Castalius 11:340, pl 1
- Neave 1910 Proc. zool. Soc. Lond. [b3346]
 - a *bemba* Deudorix 1910(1):44
 BMNH-st a *cupreus* Catochrysoptera 1910(1):58
 - a *gemmifera* Lycaenesthes 1910(1):54
 - a *kafuensis* Deudorix 1910(1):44
 - a *marshalli* Aphnaeus 1910(1):48
 - a *mazanguli* Pseudaletis 1910(1):46
 - a *trimeni* Spindasis 1910(1):50
- Nekrutenko 1972 J. Lep. Soc. [b3348]
 - b *modestus* Eumedonia 26(4):215, f
- Nekrutenko 1974 J. Lep. Soc. [b3350]
 ZMKU b *hesselbarthi* Agriades 28(3):281, f
- Nekrutenko 1975 J. Lep. Soc. [b3351]
 - b *abchasicus* Plebejus 29(3):151, f 1
 ZMKU b *albertii* Plebejus 29(3):153, f
- Nekrutenko 1977 Dopov. Akad. Nauk Ukr. RSR (B) [b3353]
 - b *tshetverikovi* Polyommatus 1977(2):180
- Nekrutenko 1977 Dopov. Akad. Nauk Ukr. RSR (B) [b3355]
 - b *ociferus* Heodes 1977(5):457, f
- Nekrutenko 1978 Dopov. Akad. Nauk Ukr. RSR (B) [b3357]
 - b *cachetinus* Tomares 1978(1):87
 - b *cyri* Pseudothecla 1978(1):85, f
- Nekrutenko 1980 Nota lepid. [b3358]
 T *crassipuncta* Lycaena 3(1/2):60
 ZMKU-ht c *orpheus* Aricia 3(1/2):63, f
- Nekrutenko 1983 Vestnik Zoologii [b3360]
 ZMKU a *pamira* Hyrcanana 1983(3):12, f
- Nekrutenko 1984 Vestnik Zoologii [b3364]
 T *contracta* Lampides 1984(3):37
 T *galba* Lycaena 1984(3):31
 T *phiala* Lycaena 1984(3):33
- Nekrutenko 1984 Vestnik Zoologii [b3365]
 T *alexandra* Chrysophanus 1984(6):44
 T *dilutior* Lycaena 1984(6):45
 T *dimorphus* Polyommatus 1984(6):45
 ZMMU-ht b *funeraria* Lycaena 1984(6):47, f
 T *iliensis* Polyommatus 1984(6):45
 ZMMU-ht b *infera* Lycaena 1984(6):47, f
 T *margelanica* Polyommatus 1984(6):44
- Nekrutenko 1985 Vestnik Zoologii [b3367]
 - b *erotulus* Polyommatus 1985(4):29-35
 - b *irghiza* Lycaena 1985(4):31, f
 - a *melicertes* Lycaena 1985(4):29-35
 - a *scythissa* Aricia 1985(4):29-35
- Nekrutenko & Effendi 1979 Dopov. Akad. Nauk Ukr. RSR (B) [b3369]
 - b *cinyraea* Lysandra 1979(7):584
- Nekrutenko & Effendi 1980 Nota lepid. [b3370]
 - a *desinens* Tomares 3(1/2):69, f 1-8
- Nekrutenko & Effendi 1983 Vestnik Zoologii [b3371]
 T *athamantis* Polyommatus 1983(4):8-15
 a *japhetica* Lycaena 1983(4):12, f
- Nel 1976 Alexanor [b3374]
 - b *montriensis* Eumedonia 9(6):251-254
- Neuburger 1900 Ilte Z. Ent. [b3377]
 -- e *ab. amasina* Polyommatus 5:370
- Neuburger 1903 Soc. ent. [b3378]
 - b *hyrcana* Chrysophanus 18(8):59

- Neuburger 1907 Soc. ent. [b3379]
 - e *ab. rufopunctata* Lycaena 21(23):180
- Neville-Jones 1918 Proc. Trans. Rhod. Sci. Assoc. [b3380]
 BMNH-ht a *arnoldi* Lycaenesthes 16(2):19
- Nicolay 1971 J. Lep. Soc. [b3388]
 - a *morpho* Symbiopsis 25(Suppl. 1):17
 - a *pentas* Symbiopsis 25(Suppl. 1):14
 - a *smalli* Symbiopsis 25(Suppl. 1):12
- Nicolay 1971 J. Lep. Soc. [b3389]
 USNM-ht a *delphia* Arcas 25(2):101, f 2a
 USNM-ht a *jitvaro* Arcas 25(2):105, f 1a
- Nicolay 1977 Bull. Allyn Mus. [b3391]
 - a *julla* Magnastigma (44):14, f 10e
 - b *venezolana* Magnastigma (44):20, f 15e
- Nicolay 1979 Bull. Allyn Mus. [b3392]
 BMNH b *amazonis* Parrhasius (56):15, f 12A
 - b *melissa* Parrhasius (56):11, f 7E
 AM-ht b *urraga* Parrhasius (56):22, f 21A
- Nicolay 1980 J. Lep. Soc. [b3393]
 AME-ht b *rosario* Chlorostymon 34(2):254, f 1A
- Niepelt 1914 Int. ent. Z. [b3395]
 - c *violacea* Thecla 8(26):144
- Niepelt 1921 Int. ent. Z. [b3397]
 - b *lugens* Liphya 15(12):92
- Niepelt 1927 Int. ent. Z. [b3398]
 pc a *chiriquensis* Theorema 21(7):51, pl opp.
- Niepelt 1934 Int. ent. Z. [b3399]
 - b *hiemalis* Cupido 28(6):54
- Nieuwenhuis 1946 Tijdschr. Ent. [b3400]
 - c *satellitica* Abisara 87:56
- Nieuwenhuis 1970 Ent. Ber. [b3401]
 NHMR-ht b *arjuna* Arhopala 29:213, f 1-3
 NHMR-ht b *cardinali* Arhopala 29:215, f 7-9
 NHMR-ht b *javana* Arhopala 29:217, f 13
 NHMR-ht b *kangeana* Arhopala 29:215, f 4-6
 NHMR-ht a *straatmanni* Arhopala 29:216, f 11
- Niimura 1941 Zephyrus [b3402]
 - e *ab. manoi* Lycaena 9(1):6-13
- Nire 1919 In Zool. Mag. [b3403]
 - b *coreana* Zephyrus 31:369, pl 4
- Nire 1920 Zool. Mag. [b3404]
 - c *asakurai* Horaga 32:373-377
 - a *caerulea* Tajuria 32:373-377
 - b *illiaea* Tajuria 32:373-377
 - a *niveus* Zephyrus 32:375
 - c *takasagoensis* Zephyrus 32:374-375
- Nitsche 1926 Verh. zool.-bot. Ges. Wien [b3405]
 - e *ab. alticola* Aricia 74/75:(18)
- Nomura 1931 Zephyrus [b3406]
 - b *formosana* Evaspa 3(1):58, f
 - c *taiheizana* Zephyrus 3(1):59, f
- Nordmann 1939 Notulae ent. [b3407]
 - e *f. radiata* Chrysophanus 19:37, f 7
- Nordmann & Rebel 1935 Commentat. biol. [b3408]
 - c *brunnea* Polyommatus 6(4):7
- Nordström 1933 Ent. Tidskr. [b3409]
 - e *ab. delunata* Plebeius 54:198
- Nordström 1933 Ent. Tidskr. [b3409] (continued)
 - e *ab. inornata* Polyommatus 54:201
 - e *ab. ornaissima* Heodes 54:196, pl 8
- Nordström 1935 Int. ent. Z. [b3410]
 - e *dubia* Lycaena 29(9):98, f 1
- Nordström 1935 Ark. Zool. [b3411]
 - b *elunata* Lycaena 27A(7):33
 - b *kansuensis* Hyporion 27A(7):29
 - e *obsoleta* Lycaena (IFS) 27A(7):33
 - b *sinensis* Chrysophanus 27A(7):3
 - a *svenhedini* Chrysophanus 27A(7):30, pl 2
- Nordström 1935 Norsk ent. Tidskr. [b3412]
 - b *norvegica* Lycacides 4:87, f
- Nuyda & Takanami 1990 Futao [b3414]
 pc-ht a *tindonganii* Arhopala (5):8, f
- Oberthür 1874 Petites Nouv. ent. [b3415]
 BMNH-ht a *allardi* Lycaena 1(103):412
- Oberthür 1876 Étud. ent. [b3416]
 - c *jugurtha* Cigantus 1:20-21
- Oberthür 1876 Étud. ent. [b3417]
 - a *atroguttata* Lycaena 2:21, pl 1
 BMNH-ht a *coeligena* Lycaena 2:21, pl 1
 - a *punctifera* Lycaena 2:23
- Oberthür 1878 Annali Mus. civ. Stor. nat. Genova [b3418]
 - b *arinia* Cupido 13:465
- Oberthür 1878 Étud. ent. [b3419]
 - a *apelles* Aphaeus 3:22
- Oberthür 1880 Annali Mus. civ. Stor. nat. Genova [b3420]
 - a *butleri* Lycaena 15:170, pl 1
- Oberthür 1880 Annali Mus. civ. Stor. nat. Genova [b3421]
 MHNG-ht c *hypocletus* Hypochrysops 15:521
 - c *peridesma* Pithecopis 15:525
- Oberthür 1880 Étud. ent. [b3422]
 - a *aurorina* Thecla 5:18
 BMNH-ht c *diamantina* Thecla 5:18, pl 1
 - a *michaelis* Thecla 5:19, pl 5
 - a *raphaelis* Thecla 5:20, pl 5
 - c *scylla* Lycaena 5:22
- Oberthür 1881 Étud. ent. [b3423]
 - a *dauidi* Satyrium 6(3):13, pl 8
- Oberthür 1883 Annali Mus. civ. Stor. nat. Genova [b3424]
 - a *antinorii* Lycaena 18:731, pl 9
 - b *piaggiae* Iolus 18:730, pl 9
- Oberthür 1883 Bull. Soc. ent. Fr. [b3425]
 - b *nodieri* Lycaena (6)3:xii
- Oberthür 1884 Étud. ent. [b3426]
 - b *bleusei* Lycaena 8:15
 - b *caerulescens* Polyommatus 8:17
- Oberthür 1886 Bull. Soc. ent. Fr. [b3428]
 - a *li* Chrysophanus (6)6:xxii
 - a *pang* Chrysophanus (6)6:xxii
 - a *seraphim* Thecla (6)6:xxii
 - a *tseng* Chrysophanus (6)6:xxii
- Oberthür 1886 Étud. ent. [b3429]
 - a *bieli* Thecla 11:19, pl 4 or
 BMNH-ht a *desgodinsi* Thecla 11:21, pl 7
 - a *felicis* Lycaena 11:21, pl 7
 - a *lanty* Lycaena 11:21, pl 7
 - a *princeps* Emesis 11:22, pl 7

- Oberthür 1886 Étud. ent. [b3429] (continued)
 - a *tsangkie* Thecla 11:20, pl 7
 - a *v-album* Thecla 11:20, pl 4
- Oberthür 1888 Étud. ent. [b3430]
 - b *hauttecoeuri* Alaena 12:7
- Oberthür 1890 Étud. ent. [b3431]
 - b *fatma* Scolitantides 13:19, pl 7
- Oberthür 1891 Étud. ent. [b3432]
 - a *ouang* Chrysophanus 15:17, pl 2
- Oberthür 1892 Bull. Soc. ent. Fr. [b3433]
 - e *vitata* Polyommatus 61:8
- Oberthür 1893 Étud. ent. [b3434]
 - a *gelinia* Liptena 17:31, pl 2
- Oberthür 1894 Étud. ent. [b3435]
 BMNH-ht c *boisduvali* Hypochrysops 19:11, pl 10
 - a *dohertyi* Deudorix 19:13, pl 3
 BMNH-lt a *dohertyi* Hypochrysops 19:12, pl 10
 BMNH-lt b *drucel* Hypochrysops 19:9, pl 6
 BMNH-ht a *felderi* Hypochrysops 19:11, pl 10
 - c *major* Alaena 19:—
 - a *nesimachus* Thestor 19:14, pl 2
 - c *rufina* Lycaena 19:14, pl 6
- Oberthür 1896 Étud. ent. [b3436]
 - c *f. aestivalis* Lycaena 20:pl 5, f 66
 - e *ab. albescens* Dodona 20:expl pl 9
 - e *ab. argentea* Lysandra 20:19
 - e *ab. fereconfluens* Lycaena 20:9, pl 5
 - e *ab. griseoviolaceus* Lycaena 20:17, f
 - b *nevadensis* Lycaena 20:pl 4, f 54
 - e *ab. parimiradiata* Lysandra 20:18, pl 3
 - e *punctisnigrisremotis* Lycaena 20:13, f 75
 - e *radiata* Lycaena 20:9, pl 5
 - e *ab. subtsuferadiata* Lycaena 20:pl 5, f 78
 - e *ab. subtsimpunctata* Polyommatus 20:pl 3
 - e *ab. subtsimpunctata* Glaucopteryx 20:16, pl 3
 - e *ab. subtsimpunctata* Lycaena 20:pl 3, f 25
 - e *f. subtsimpunctata* Maculinea 20:15, pl 3
 - e *f. subtsimpunctata* Lysandra 20:18
 - e *ab. subtsmaculisextensis* Maculinea 20:f 20
 - e *ab. subtsmaculisextensis* Polyommatus 20:pl 4, f 42
 - e *ab. subtsmaculisextensis* Maculinea 20:15, pl 3
 - e *ab. subtsminuspunctata* Polyommatus 20:pl 4?
 - e *ab. subtsminuspunctata* Lycaena 20:pl 5, f 79
 - e *ab. subtsminuspunctata* Polyommatus 20:pl 3, f 40
 - e *ab. subtspartimpunctata* Apelles 20:pl 3, f 34
 - e *ab. subtspartimpunctata* Glaucopteryx 20:13 or 22
 - e *ab. subtsradiata* Plebejus 20:pl 4, f 53
 - e *subtsradiata* Cyaniris 20:16, pl 3
 - e *ab. subtsradiata* Polyommatus 20:pl 3, f 39
 - e *ab. subtsradiata* Glaucopteryx 20:16, pl 3
 - e *ab. subtsradiata* Apelles 20:pl 3, f 6
 - e *ab. supracaerulea* Polyommatus 20:pl 4, f 46
 - e *ab. supraimpunctata* Maculinea 20:pl 3, f 19
 - e *ab. supraimpunctata* Cigaritis 20:pl 5, f 84
 - e *ab. supraminusimpunctata* Lycaena 20:20, f 72
 - e *ab. supradiata* Lycaena 20(5):13, pl 5
 - e *ab. supravioleceogriescens* Lysandra 20:18
 - d *f. vemalis* Lycaena (H) 20:pl 5, f 68
 - e *ab. violaceogriescens* Lysandra 20:18
- Oberthür 1900 Feuille jeun. Nat. [b3437]
 - e *ab. impunctata* Aricia 1900:18, f
- Oberthür 1903 Bull. Soc. ent. Fr. [b3438]
 - c *aestivalis* Polycena 1903(16):270
 - a *carmelita* Polycena 1903(16):268
 - c *vernalis* Polycena 1903(16):268
- Oberthür 1904 Étud. Léop. comp. [b3439]
 - c *akbesiana* Lycaena 1:16, pl 2
 - b *valesiaca* Lycaenides 1:19, pl 2
- Oberthür 1905 Bull. Soc. ent. Fr. [b3440]
 - e *ab. chryson* Lycaena 1905(4):56
 - c *f. virginalis* Lycaena 1905(4):56
- Oberthür 1906 Bull. Soc. ent. Fr. [b3441]
 - e *ab. diniensis* Polyommatus 1906(2):26
- Oberthür 1906 Bull. Soc. ent. Fr. [b3442]
 - e *ab. radiata* Lycaena 1906(5):57,58
 - b *rondoul* Lycaena 1906(5):57
- Oberthür 1908 Bull. Soc. ent. Fr. [b3444]
 - d *coelestis* Lycaena (H) 1908(1):25
- Oberthür 1908 Anns Soc. ent. Fr. [b3445]
 - c *coeli* Lycaena 77:312, pl 5
 - a *courvoisieri* Thecla 77:312, pl 5
 - a *sulgeri* Thecla 77:312, pl 5
- Oberthür 1909 Bull. Soc. ent. Fr. [b3446]
 - c *moltrechti* Phengaris 1909(2):48
- Oberthür 1909 Étud. Léop. comp. [b3447]
 - c *punctigera* Lycaena 3:pl 19, f 57
- Oberthür 1909 Étud. Léop. comp. [b3448]
 - e *ab. albinismorifescens* Lysandra 3:pl 19, f 63
 - e *var. rubromaculata* Lysandra 3:407, pl 29 (or)
- Oberthür 1909 Étud. Léop. comp. [b3449]
 BMNH-ht c *f. rougemonti* Zeritis 3:93 or 98
- Oberthür 1909 Étud. Léop. comp. [b3450]
 - a *allardi* Cigaritis 3:401-403
- Oberthür 1910 Étud. Léop. comp. [b3451]
 - e *ab. aestivalis* Lycaena 4:110
 - e *ab. albescens* Lycaena 4:114, pl 38
 - e *ab. albosparsa* Satyrium 4:69, pl 49
 - e *ab. albosparsa* Satyrium 4:74, pl 49
 - e *ab. albovirgata* Quercusia 4:60
 - e *ab. albovittata* Lampides 4:156
 - a *amphirrhoe* Albulina 4:298, pl 41
 - e *ab. anglica* Lysandra 4:277
 - c *armoricana* Plebejus 4:189, pl 40
 - b *asturiensis* Polyommatus 4:293
 - e *ab. aviator* Lycaena 4:220, pl 41
 - b *bellieri* Lycaenides 4:114, pl 38
 - d *bellieri* Lycaena (H) 4:191, pl 40
 - e *ab. bialbolineata* Satyrium 4:74
 - c *boisduvali* Tomares 4:96
 - e *ab. boisduvali* Lysandra 4:279,284
 - e *ab. caeca* Maculinea 4:335
 - e *ab. caeca* Polyommatus 4:307
 - e *ab. caeca* Polyommatus 4:240, pl 53
 - e *ab. caeruleopunctata* Lycaena 4:135
 - e *caerulescens* Polyommatus 4:308
 - e *caerulescens* Maculinea 4:214
 - e *caerulescens* Polyommatus 4:264
 - e *ab. confluens* Lycaena 4:129
 - e *ab. cuneifera* Lycaena 4:135
 - e *ab. cuneifera* Lycaena 4:109, pl 42
 - c *diniensis* Polyommatus 4:114, pl 38
 - e *ab. ecaudata* Lampides 4:157
 - b *escorialensis* Laeosopsis 4:57
 - b *fabressi* Agrodiaenus 4:260
 - e *var. foulquieri* Lycaena 4:214
 - e *ab. gabrielis* Lycaena 4:228
 - c *gallica* Aricia 4:252
 - e *ab. graslini* Satyrium 4:77, pl 49
 - e *var. helenae* Lycaena 4:218

- Oberthür 1910 Étud. Léop. comp. [b3451] (continued)
- e *ab. hermation* Palaeochrysophanus 4:130, pl 55
 - c *herrichii* Polyommatus 4:115, f 356
 - e *ab. huebneri* Lycaena 4:219
 - e *ab. impunctata* Polyommatus 4:239, pl 43
 - e *var. italica* Polyommatus 4:232, pl 50
 - c *japonica* Lycaena 4:pl 41, f 313
 - ■ *ab. lacrymosa* Maculinea 4:328
 - a *lamasem* Lycaena 4:299, pl 41
 - d *ligurica* Lycaena (H) 4:201, pl 51
 - e *ab. major* Thecla 4:69
 - e *var. maritima* Lycaena 4:pl 42, f 310
 - ■ *ab. micaeruleus* Lycaena 4:159, pl 49
 - c *monterflensis* Lycaena 4:109, pl 43
 - c *naryna* Polyommatus 4:115, pl 49
 - d *nevadensis* Lycaena (H) 4:191, f 259
 - e *ab. nevadensis* Polyommatus 4:114, pl 38
 - d *nevadensis* Lycaena (H) 4:250; 10:pl cxcxi
 - e *ab. pallidior* Aricia 4:253
 - ■ *plouharnelensis* Plebejus 4:186, pl 38
 - c *powelli* Satyrium 4:78, pl 49
 - e *ab. radiata* Lycaena 4:159, pl 49
 - e *ab. radiata* Lycaena 4:108, f 332
 - e *ab. radiata* Lysandra 4:269, pl 19
 - e *ab. radiata* Polyommatus 4:239, pl 41
 - ■ *ab. radiata* Lycaena 4:281
 - e *f. radiata* Plebejus 4:185, pl 38
 - e *ab. radiata* Lycaena 4:253
 - e *ab. rondoui* Polyommatus 4:114, pl 38
 - b *roseonitens* Lycaena 4:215
 - e *ab. sabulosus* Tomares 4:96
 - e *ab. sanguisorbae* Maculinea 4:333, pl 55
 - e *ab. subradiata* Lycaena 4:108
 - ■ *ab. subimpunctata* Palaeochrysophanus 4:129
 - e *ab. subradiata* Celastrina 4:340
 - ■ *ab. subradiata* Polyommatus 4:239
 - c *subtusradiata* Polyommatus 4:261
 - e *ab. supranomaculata* Maculinea 4:325
 - ■ *tatsienluica* Lycaena 4:298
 - d *tatsienluica* Lycaena (H) 4:328
 - e *var. tutti* Polyommatus 4:238
 - e *ab. undulatus* Tomares 4:97
 - b *vandalusica* Zizeeria 4:301
 - d *vernalis* Lycaena (H) 4:104
 - e *ab. vernalis* Lycaena 4:110
 - e *ab. violacea* Palaeochrysophanus 4:130, pl 49
 - b *virgilia* Polyommatus 4:263
 - e *ab. vittata* Plebejus 4:205
 - BMNH-It a *vogelii* Lycaena 4:205
- Oberthür 1911 Bull. Soc. ent. Fr. [b3452]
- BMNH-st c *powelli* Lycaena 1911(13):268
- Oberthür 1914 Étud. Léop. comp. [b3453]
- BMNH-It a *atabyrius* Zephyrus 9(2):48, pl 254
- b *atilla* Zephyrus 9(2):52, pl 255
 - c *entheoides* Zephyrus 9(2):53
 - e *ab. lilacina* Chrysophamus 9(2):55, pl 255
 - BMNH-It a *neis* Zephyrus 9(2):49, pl 254
 - a *nemorensis* Rapala 9(2):53, pl 255
 - a *picquenardi* Zephyrus 9(2):53, pl 256
 - a *superans* Drina 9(2):54-55
 - b *sylvana* Deudorix 9(2):54, pl 255
 - BMNH a *vallonis* Zephyrus 9(2):50, pl 254
 - a *zotelistes* Zephyrus 9(2):51, pl 254
- Oberthür 1914 Étud. Léop. comp. [b3454]
- d *alginea* Lycaena (H) 10:401, pl 288
 - e *f. confusa* Cigaritis 10:pl 293, f 2407
 - e *ab. confusa* Cigaritis 10:pl 293, f 2412
 - c *funebri* Cigaritis 10:pl 293, f 2401
 - ■ *ab. immaculata* Cigaritis 10:pl 292, f 2397
- Oberthür 1914 Étud. Léop. comp. [b3454] (continued)
- e *ab. impunctata* Cigaritis 10:401
 - e *ab. lilliputana* Aricia 10:386, pl 291
 - e *ab. mediopunctata* Apelles 10:391, pl 209
 - e *ab. pallidior* Cigaritis 10:401
 - e *ab. pallida* Cigaritis 10:369
 - e *ab. paucimaculata* Cigaritis 10:369
 - e *ab. tristis* Tomares 10:368, pl 292
 - c *wulschlegeli* Iolana 10:392, pl 288
- Oberthür 1916 Étud. Léop. comp. [b3455]
- c *leucoceros* Iolana 11:173
- Oberthür 1916 Étud. Léop. comp. [b3456]
- e *var. major* Maculinea 12:486
 - e *var. vernetensis* Maculinea 12:486
- Oberthür 1917 Étud. Léop. comp. [b3457]
- e *ab. aster* Plebejus 14:pl 15, f 45
 - e *var. melissa* Plebejus 14:pl 11, f 31-33
 - e *var. nivea* Plebejus 14:pl 13, f 38
 - e *var. sareptensis* Plebejus 14:pl 12, f 34-36
- Oberthür [1919] Bull. Soc. ent. Fr. [b3461]
- BMNH-It b *astynome* Cyanitis 1918(17):238 (partim)
- Oberthür 1922 Étud. Léop. comp. [b3463]
- c *alluaudi* Apelles 19:113
- Oberthür 1922 Étud. Léop. comp. [b3464]
- e *ab. subspartimconfusus* Tomares 20:14, pl 5
- Oberthür 1923 Étud. Léop. comp. [b3465]
- b *batavus* Chrysophanus 21:73
- Obraztsov 1935 Folia zool. hydrobiol. [b3467]
- e *ab. azerbaijdzhana* Lycaena 8:148
 - e *ab. lepsinskana* Lycaena 8:146
 - c *mandzhuriana* Lycaena 8:148
 - e *ab. parvipuncta* Lycaena 8:146
 - e *ab. paucipuncta* Lycaena 8:144
 - biblio e *ab. pseudoallous* Lycaena 8:141
 - e *ab. pseudomedon* Lycaena 8:144
 - c *sheljuzhkol* Lycaena 8:148
 - c *strandii* Lycaena 8:149
 - e *ab. suballous* Lycaena 8:146
 - c *transalaica* Lycaena 8:147
 - c *turgaica* Lycaena 8:147
 - e *ab. ukrainica* Lycaena 8:146
 - e *ab. unicolor* Lycaena 8:144
 - e *ab. ussarica* Lycaena 8:148
- Obraztsov 1936 Lambillionea [b3468]
- c *ardavdana* Lycaena 36:15
 - e *ab. caeruleocellata* Lycaena 36:15
 - b *gandzhana* Lycaena 36:15
 - b *hypanica* Lycaena 36:15
 - b *karatshaica* Lycaena 36:15
 - b *ketshevana* Lycaena 36:17
 - b *narzana* Lycaena 36:15
 - e *ab. nigrovenata* Lycaena 36:17
 - e *ab. punctifera* Lycaena 36:15
 - b *rjabovi* Lycaena 36:15
 - b *sheljuzhkoiana* Lycaena 36:12
 - b *zhicharevi* Lycaena (H) 36:13
- Obraztsov 1936 Z. öst. EntVer. [b3469]
- e *ab. rufotincta* Lycaena 21:48
 - b *sergeji* Glaucopsyche 21:47
 - e *ab. subalexis* Glaucopsyche 21:48
 - e *ab. suprapuncta* Glaucopsyche 21:47 or 48
- Ochsenheimer 1807-1835 Schmett. Europa [b3470]
- c 1807 *aesculi* Satyrium 1(2):107

- Ochsenheimer 1807-1835 Schmetz. Europa [b3470] (*continued*)
 - c 1807 *coretas* Everes 1(2):60
 - a 1807 *eros* Papilio 1(2):42
 - b 1808 *eurybia* Papilio 1(2):81
 - a 1816 *iotas* Lycaena 4:144
- Ogilvie-Grant 1899 Bull. Liverp. Mus. [b3473]
 - a *quadratus* Tarucus 2:10
 - a *socotranus* Tarucus 2:10
- Ohnson 1992 Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) [b2610]
 T *atymna* Thecla (22):18
- Okada 1946 Bull. Lep. Soc. Japan [b3476]
 - b *prospera* Spindasis 1(4):94
- Okajima 1922 Zool. Mag. [b3477]
 - b *kirishimaensis* Zephyrus 34:585-588, f
- Okamoto 1926 Zool. Mag. [b3478]
 - c *micalis* Ussuriana 38:173-181
- Okano 1953 Bull. Tôhoku Ent. Soc. [b3483]
 - b *yamamotoi* Coreana 2(4):47, pl 1
- Okano 1968 Rep. Gakugei Fac. Iwate Univ. [b3484]
 - b *isurugiae* Artopoulos 6(2):39, f
- Okano & Ohkura 1969 Tôhoku Konchu Kenkyu [b3485]
 pc-ht b *lingi* Themozephyrus 2(2):7-8, pl 1
- Okano & Okano 1990 Rhopalocera Philippina [b3487]
 pc-ht b *bilara* Pseudotajuria (2):4, Pl 2
 - e *mansaka* Pseudotajuria (ISS) (2):4
 pc-ht b *soloni* Panuparo (2):3, pl 2
- Okano & Okano 1990 Rhopalocera Philippina [b3488]
 pc-ht b *bilara* Rapala (3):6, pl 3
 pc-ht b *negrosensis* Eliotia (3):5, pl 4
 pc-ht b *negrosensis* Remelana (3):5, pl 4
- Okano & Okano 1990 Rhopalocera Philippina [b3489]
 pc-ht b *cebuensis* Hypothecla (4):4, f 5-8
 pc-ht b *negrosensis* Dacalana (4):4, f 9-12
- Okano & Okano 1991 Rhopalocera Philippina [b3490]
 pc-ht b *mediciei* Panuparo (5):5, f 17-20
 pc-ht b *visayana* Tajuria (5):6, f 21-24
- Okano & Okano 1991 Rhopalocera Philippina [b3491]
 pc-ht b *bilara* Tajuria (6):7, pl 4
 pc-ht b *mediciei* Tajuria (6):7, pl 4
- Okano & Okano 1993 Rhopalocera Philippina [b3492]
 pc-ht b *boholensis* Abisara (8):4, f 1-4
- Ôkubo 1935 Zephyrus [b3497]
 - b *shikokuana* Lycaena 6(1/2):45, f
- Okubo 1983 Tyô to Ga [b3498]
 pc-ht b *caerulea* Drupadia 33(3,4):180
 pc-ht b *cuboldea* Drupadia 33(3,4):180
 pc-ht b *kawazoei* Curetis 33(3,4):180
 pc-ht b *parvimaclata* Arhopala 33(3,4):178
 pc-ht b *solitaria* Miletus 33(3,4):176
- Okubo 1983 New Ent. [b3499]
 pc-ht a *masamichii* Virachola 32(4):79-81, f
- Olivier 1989 Phegea [b3502]
 - b *christianae* Satyrium 17(1):8, f
- Ollenbach 1921 J. Bombay nat. Hist. Soc. [b3504]
 - b *intermedia* Rapala (H) 28(1):131, f
 BMNH-ht c *pagaiensis* Arhopala 28(1):128, f
 BMNH-ht b *woodii* Arhopala 28(1):129, f
- Olliff 1886 Proc. Linn. Soc. N. S. Wales [b3505]
 - a *cyprotus* Chrysophamus (1)10(4):716
- Omelko & Omelko 1987 In Lepid. Soviet Far East [b3507]
 - a *phellodendroni* Celastrina :116, f
- Omoto 1959 Tyô to Ga [b3508]
 - b *kanoi* Prosotas 10(4):62, f G
 - c *nana* Prosotas (NN) 10:-
- Opheim 1943 Norsk ent. Tidsskr. [b3509]
 - e *ab. grisea* Polyommatus 6:190
 - c *sundalensis* Polyommatus 6:190
- Opler 1968 In Trans. amer. ent. Soc. [b3510]
 T *cythera* Lemonias 94(4):119
- Opler 1970 In Trans. amer. ent. Soc. [b3511]
 T *behrii* Thecla 96(1):30
 T *californica* Thecla 96(1):43
 T *cygnus* Thecla 96(1):45
 T *fuliginosa* Lycaena 96(1):28
- Opler & Powell 1962 J. Lep. Soc. [b3513]
 CAS-ht b *dialeuca* Apodemia 15(3):167
 CAS-ht b *tuolumnensis* Apodemia 15(3):159
- Orfila 1951 Folia univ. [b3514]
 - a *juanae* Mesene 5:54
- Orfila 1953 Revta Soc. ent. argent. [b3515]
 - a *susanae* Hamearis 16:80
- Ormiston 1924 Butts Ceylon [b3516]
 - b *fairliei* Spindasis :73
 - a *sinhala* Nacaduba :53
- Osada 1987 Mem. Tsukada Colln [b3519]
 pc b *magindana* Arhopala (5):47, pl 3
 pc a *masara* Rapala (5):44, f 1
 pc-ht b *masara* Pseudotajuria (5):45, pl 3
- Osada 1987 Mem. Tsukada Colln [b3520]
 pc-ht a *palos* Poritia (5):56, f 2
 pc-ht a *suwartinae* Deramas (5):54, f 1
- Osada 1987 Mem. Tsukada Colln [b3521]
 pc b *primitivoi* Tajuria (5):64, pl 3
 pc b *zoletai* Tajuria (5):65, pl 3
- Osada 1994 Futao [b3522]
 pc-ht a *nanae* Deramas (15):6, f 2
 pc-ht a *personata* Poritia (15):5, f 1
- Osada 1994 Futao [b3523]
 pc-ht b *mindora* Poritia (15):14, pl 2
 pc-ht b *palawana* Poritia (15):14, pl 2
- Osada & Hashimoto 1987 Mem. Tsukada Colln [b3524]
 pc b *castagnedai* Arhopala (5):75, pl 3
 pc b *ilagana* Simiskina (5):77, pl 3
 biblio a *ilocana* Arhopala (5):73, f 1
 pc b *sanmariana* Arhopala (5):76, pl 3
- Osthelder 1926 Mitt. münchn. ent. Ges. [b3525]
 - e *caerulea* Maculinea 15(Sup.):157
 - e *elongata* Maculinea 15(Sup.):157
 - b *fulva* Nemeobius 15(Sup.):134
 - e *obsoleta* Maculinea 15(Sup.):158
 - e *parvipuncta* Maculinea 15(Sup.):158
 - c *semibrunnea* Nemeobius 15(Sup.):134
- Ôta & Kusunoki 1957 Trans. Shikoku ent. Soc. [b3527]
 - a *iyonis* Strymonidia 5:101
- Otsuka 1988 Butts Borneo I [b3528]
 - e *eutyces* Laxita (ISS) :61

- Otsuka 1988 Butts Borneo I [b3528] (*continued*)
 - e *preyeri* Dodona (ISS) :59
- Oudemans 1905 Tijdschr. Ent. [b3529]
 - e *ab. confluentis* Plebejus 48:pl 5, f 8
 - e *ab. elongata* Lycaena 48:pl 5, f 7
- Pagenstecher 1884 Jb. nass. Ver. Nat. [b3536]
 - a *aruensis* Cupido 37:190
- Pagenstecher 1890 Jb. nass. Ver. Nat. [b3537]
 - c *amazona* Amblypodia 43:107
 - a *horsfieldi* Amblypodia 43:99,106
- Pagenstecher 1893 Jb. nass. Ver. Nat. [b3538]
 - b *bornemanni* Cupido 47:77
 - c *mirabilis* Hypochrysoptera 47:78
- Pagenstecher 1895 Beitrage. In Fürbringer [b3539]
 - c *semoni* Eupsychellus 5:244
- Pagenstecher 1896 Ent. Nachr. [b3540]
 SMF-ht a *delicosa* Cupido 22:50
- Pagenstecher 1896 Jb. nass. Ver. Nat. [b3541]
 - b *strigatus* Zemerus 49:149
- Pagenstecher 1902 Jb. nass. Ver. Nat. [b3542]
 - a *argenteomaculata* Axiocerses 55:154
 - c *dulcis* Lycaenesthes 55:156
 - c *nigrocaudata* Lycaenesthes 55:156
 - a *suquala* Lycaenesthes 55:155
- Pages 1993 Alexanor [b3545]
 - a *charmeuxi* Agrodiaetus 18(4):194-196
- Pages & Charmeux 1992 Alexanor [b3544]
 - b *subtilis* Lysandra 17(5):261, f
- Pallas 1771 Reise verschied. Prov. Russisch. Reichs [b3546]
 - a *argiades* Papilio 1:472
 - a *orion* Papilio 1:471
- Parsons 1986 Bull. Allyn Mus. [b3549]
 ANIC-ht b *cybia* Callictita (103):6, f 14-19
 BBMH-ht b *cyelsa* Callictita (103):7, f 3
 BMNH-ht a *felgara* Callictita (103):13, f 8
 ANIC-ht a *jola* Callictita (103):13, f46-49
 ANIC-ht b *kina* Callictita (103):10, f 5
 ANIC-ht a *lara* Callictita (103):9, f 4
 BMNH-ht a *mala* Callictita (103):12, f 7
 RNH-ht b *ronda* Callictita (103):11, f 40-43
 ANIC-ht a *tifala* Callictita (103):14, f 52
- Parsons 1986 Tyô to Ga [b3550]
 ANIC-ht a *afretta* Candalides 37(3):134, f 44
 CAS-ht a *asmus* Spalgis 37(3):130, f 42
 BMNH-ht a *davenporti* Udara 37(3):140, f 48
 ANIC-ht a *doreena* Arhopala 37(3):132, f 43
 ANIC-ht a *holtra* Catopyrops 37(3):139, f 47
 ANIC-ht a *selkon* Ionolyce 37(3):136, f 45
 ANIC-ht a *zyx* Catopyrops 37(3):138, f 46
- Parsons & Hirowatari 1988 Tyô to Ga [b3552]
 BMNH-ht a *upola* Callictita 39(4):259, f 1
- Pascual Linares 1985 Revta Lep. [b3553]
 - e *f. limpia* Cupido 13(2):154
 - b *martenensis* Cupido 13(2):154
 - e *f. obscura* Cupido 13(2):154
- Paskewsky 1937 Bull. Soc. ent. Fr. [b3554]
 - e *jacksoni* Hypolycaena (ISS) 42(7):106
- Peerdeman 1962 Ent. Ber. [b3558]
 - e *f. uniformata* Aricia 22:41,45, f
- Pendlebury 1933 J. Fed. Malay St. Mus. [b3559]
 - a *evansi* Catapaecilma 17(2):401
 - b *larutensis* Tajuria 17(2):400
- Pendlebury 1936 J. Fed. Malay St. Mus. [b3560]
 - b *malaya* Heliophorus 18(1):183
- Pendlebury 1939 J. Fed. Malay St. Mus. [b3561]
 BMNH-ht a *borneana* Thecla 18(3):392
 BMNH-ht b *malayica* Thecla 18(3):391
- Pendlebury & Corbet 1933 J. Fed. Malay St. Mus. [b3562]
 - b *malaya* Virachola 17(2):404
 - b *pahangana* Rapala 17(2):404
 - b *selangorana* Tajuria 17(2):403
- Pennington 1948 J. ent. Soc. S. Afr. [b3565]
 - a *swanepoeli* Cupido 10(2):164, f
 - a *vansoni* Deudorix 10(2):165, f
- Pennington 1953 J. ent. Soc. S. Afr. [b3568]
 - a *aridus* Poecilmitis 16:104
 - a *barnesi* Lepidochrysoptera 16:108
 - b *dondoensis* Deloneura 16:102, f
 - a *pelion* Poecilmitis 16:106
 - a *pyramus* Poecilmitis 16:105
 - a *ruthica* Lepidochrysoptera 16:107
- Pennington 1956 J. ent. Soc. S. Afr. [b3569]
 - a *rileyi* Thestor 19:33
- Pennington 1962 J. ent. Soc. S. Afr. [b3570]
 - a *adonis* Poecilmitis 25(2):277
 - a *dicksoni* Cacyreus 25(2):283, f
 - a *endymion* Poecilmitis 25(2):274
 - a *lysander* Poecilmitis 25(2):275
 - a *midas* Poecilmitis 25(2):272
 - a *pan* Poecilmitis 25(2):273
 - a *petra* Thestor 25(2):280
 - a *tempe* Thestor 25(2):282
 - a *uranus* Poecilmitis 25(2):277
 - a *vansoni* Thestor 25(2):278
- Pennington 1967 Novos Taxa ent. [b3571]
 - a *plutus* Poecilmitis (51):4
 - a *southeyae* Lepidochrysoptera (51):3, f
- Pennington 1968 J. ent. Soc. S. Afr. [b3572]
 - a *braueri* Poecilmitis 29:122
 - a *psyche* Poecilmitis 29:121
- Pennington 1968 Novos Taxa ent. [b3573]
 - a *irene* Poecilmitis (56):7
- Pennington 1970 Ann. Natal Mus. [b3574]
 - a *mcgregori* Lepidochrysoptera 20(2):377, f
- Pennington 1971 Novos Taxa ent. [b3575]
 - a *swanepoeli* Thestor (95):3, f
- Perkins & Emmel 1977 Proc. ent. Soc. Wash. [b3577]
 USNM-ht b *palosverdesensis* Glaucopsyche 79(3):468-471
- Perlini 1905 Lep. Ital. [b3578]
 - c *valmasinii* Plebejus :19, pl 3, f 5
- Perrier 1957 Revue fr. Léop. [b3579]
 - c *f. luteopunctata* Lysandra 16:40
- Perty 1830-1834 Delect. Anim. art. Bras. [b3580]
 - b 1834 *duvallii* Stalactis :153, pl 30
 - c 1834 *phlegetonla* Acraea :153, pl 30
- Petersen 1902 Lep.-Fauna Estland [b3583]
 - e *ab. caeruleascens* Lycaena :36

- Pether 1927 Ent. Rec. [b3584]
 - e *ab. alboextensa* Strymon 39:136
 - e *ab. argenteopunctata* Strymon 39:136
 - e *ab. excessa* Strymon 39:136
 - e *ab. fuscaextensa* Strymon 39:136
 - e *ab. lutescens* Strymon 39:136
- Peyer-Imhof 1863 Cat. Léop. d'Alsace (1st ed) [b3585]
 - e *cuprinus* Lycaena :8
- Peyer-Imhof 1910 Cat. Léop. d'Alsace (3rd ed) [b3586]
 - e *pulverulenta* Maculinea :28
- Pfau 1928 Int. ent. Z. [b3587]
 - c *spormanni* Lycaena 22(20):193
- Pfeiffer 1927 Mitt. Münchn. ent. Ges. [b3588]
 - c *herculeana* Callophrys 17:40
- Pfeiffer 1931 Mitt. Münchn. ent. Ges. [b3589]
 - a *ellisoni* Lycaena 21:65
- Pfeiffer 1932 In Mitt. Münchn. ent. Ges. [b3590]
 - b *barthae* Lycaena 22(1):47, pl 4
 - b *duelduell* Cupidopsis 22(1):38
 - b *germanicae* Lycaena 22(1):41
 - e *hopferi* Agrodiaetus (ISS) 22(1):47
 ZSBS c *paulae* Callophrys 22(1):30
 - b *saetosus* Lycaena 22(1):44
 - c *syra* Thecla 22(1):31
 - c *zuleikae* Lycaena 22(1):42
- Pfeiffer 1937 Mitt. Münchn. ent. Ges. [b3591]
 - b *candissima* Chrysophanus 27(1):36
 - b *elbursina* Chrysophanus 27(1):36
 - b *schwingenschussi* Lycaena 27(1):34
 - a *vandarbani* Lycaena 27(1):35
- Pfeiffer 1938 Mitt. Münchn. ent. Ges. [b3592]
 - b *alboabdominalis* Thecla 28(2):195, f
 - b *brandti* Lycaena 28(2):191, pl 4
 - ■ *demavendi* Lycaena 28(2):194
 - a *forsteri* Lycaena 28(2):193
 - b *iranica* Lycaena 28(2):195
- Philippi 1859 An. Univ. Chile [b3595]
 lost a *bicolor* Lycaena 16(12):1092
 lost a *collina* Lycaena 16(12):1093
- Pickett 1916 Ent. Rec. [b3597]
 - e *var. roystonensis* Lysandra 28(1):7,59
- Piepers & Snellen 1918 Rhop. Java - Ery., Lyc. [b3601]
 - c *aleta* Arhopala :78
 - c *georgias* Arhopala :70
 - a *ignota* Deudorix :90, pl 26
 - b *subardates* Lycaena :43
 RNH?-It c *suka* Allotinus :13,19,12-
 RNH-ht a *weelii* Arhopala :77, pl 24
- Pierret 1837 Annl. Soc. ent. Fr. [b3602]
 - a *abencerragus* Argus [1]6(1):21
- Pincitore Marott 1879 G. Sci. nat. econ. Palermo [b3604]
 - c *melanotoxa* Lycaena 14:54, pl 3
- Pinhey 1945 Proc. Trans. Rhod. Sci. Assoc. [b3605]
 - a *coxii* Cupido 40:61, f
 - a *inyangae* Cupido 40:64, f
 - a *violetta* Cupido 40:66, f
- Pinhey 1962 Occ. Pap. natn Mus. Sth. Rhodesia [b3607]
 - b *rhodesiae* Cooksonia (B)3:886, f
 - b *vididus* Hemiolus (B)3:887, f
- Pinhey 1969 Arnoldia Rhodesia [b3608]
 - e *coeculus* Iolus (ISS) 4(8):1
 MNBZ-ht b *tsodiloensis* Iolus 4(8):1, 3 f
- Pinhey & Loe 1977 Butts of Zambia [b3609]
 - e *mahallakoena* Eicochrysops (ISS) :71
- Pionneau 1924 Échange [b3611]
 - e *ab. lallemandi* Lycaena 37:23
- Pionneau 1925 Misc. Ent. [b3612]
 - e *ab. quadripunctata* Chrysophanus 28(8/9):57
- Pionneau 1926 Échange [b3613]
 - c *sorini* Nemeobius 42:7
 - e *ab. violacea* Chrysophanus 42:7
- Pionneau 1927 Échange [b3614]
 - e *ab. minor* Thecla 43:12
 - e *ab. ornata* Everes 43:12
- Pionneau 1928 Échange [b3615]
 - e *ab. subunicolor* Lycaena 44(431):4
- Pionneau 1928 Misc. Ent. [b3616]
 - e *ab. minor* Lycaena 31(5):51
 - e *ab. minor* Lycaena 31(5):50
 - e *ab. pallida* Lycaena 31(5):50
 - e *ab. pallida* Lycaena 31(5):50
 - e *ab. paucipuncta* Lycaena 31(5):51
 - e *ab. subunicolor* Lycaena 31(5):51
- Pionneau 1931 Échange [b3617]
 - c *intermedia* Chrysophanus 47:7
 - e *ab. nana* Zephyrus 47:8
 - e *ab. nana* Lycaena 47:8
 - e *ab. semiobscurior* Chrysophanus 47:7
- Pionneau 1936 Échange [b3618]
 - e *ab. cecilia* Chrysophanus 52:24
 - e *ab. delunata* Chrysophanus 52:24
 - e *ab. magnifica* Chrysophanus 52:24
 - e *ab. semiobscurior* Chrysophanus 52:24
- Pionneau 1937 Échange [b3619]
 - c *burdigalensis* Thecla 53:11
 - e *ab. expansa* Cyaniris 53:3
 - e *ab. obscurior* Chrysophanus 53:3
 - e *ab. parisiensis* Lycaena 53:3
 - e *ab. semicrassipuncta* Maculinea 53:11-12
 - e *ab. subintermedia* Chrysophanus 53:11
- Pionneau 1938 Misc. Ent. [b3620]
 - e *ab. couteau* Chrysophanus 39:46
- Plötz 1880 Stett. ent. Ztg [b3622]
 - a *aderna* Zentis 41:230
 - a *asterius* Aphnaeus 41:201
 - a *bellina* Hypolycaena 41:200
 - b *bimacula* Telipna 41:199
 - a *buchholzi* Lycaenesthes 41:202
 - a *camerona* Sithon 41:201
 - a *eurema* Phytala 41:199
 - a *guttatus* Aphnaeus 41:201
 - c *locra* Lycaena 41:203
 - a *lutosus* Aphnaeus 41:200
 - a *maeander* Lycaenesthes 41:202
 - c *marginata* Deloneura 41:204
 - b *mirza* Lycaena 41:203
 - a *sanguinea* Telipna 41:198
 - a *togara* Lycaena 41:202
 - b *zerita* Liptena 41:199
- Poda von Neuhaus 1761 Ins. Mus. Graec. [b3623]
 - a *alexis* Papilio :77

- Poda von Neuhaus 1761 Ins. Mus. Graec. [b3623] (*continued*)
 - a *coridon* Papilio :77
 - c *sylius* Papilio :77
 - a *tityrus* Papilio :77
- Poey 1832 Cent. Lépid. Cuba [b3624]
 - a *atala* Eumenia :[17], pl [3]
 - b *filenus* Polyommatus :pl [13], 3 f &
- Poey 1851-1861 Mem. hist. nat. Cuba [b3625]
 - d [1852] *philenus* Polyommatus (UE) :197
- Pontoppidan 1763-1767 Katalog Danske Insekter [b3627]
 - c 1763 *acriion* Papilio 1:685, pl 30
- Popesco-Gorj 1948 Notat. biol., Bucharest [b3628]
 - e *ab. cuneifera* Chrysophamus 6:142, f
- Poujade 1885 Bull. Soc. ent. Fr. [b3629]
 - a *davidi* Lycaena (6)4:exxxv
 - d *marginata* Lycaena (H) (6)4:cli
 - c *thibetensis* Lycaena (6)4:cli
- Poujade 1885 Bull. Soc. ent. Fr. [b3630]
 - c *opalina* Lycaena (6)5:cxliii
- Poulton 1922 Trans. ent. Soc. Lond. [b3631]
 - c *ethiopia* Heodes 69(5)(Proc.):lxxxvi
- Poulton 1929 In Trans. ent. Soc. Lond. [b3632]
 UMO-ht b *daltoni* Liptena 77(2):493, pl 30
 UMO-ht a *katharinae* Epitola 77(2):494, f
- Preissecker 1906 Verh. zool.-bot. Ges. Wien [b3643]
 - e *ab. seminigra* Lycaena 56:87
- Preissecker 1908 Verh. zool.-bot. Ges. Wien [b3644]
 - e *ab. hafneri* Lycaena 58:(68)
- Pringle 1983 Ent. Rec. [b3647]
 pc-ht a *maluti* Aloecides 95(9/10):173
- Pringle 1984 Ent. Rec. [b3648]
 BMNH-ht a *victori* Lepidochrysops 96(7/8):137
- Pringle 1987 Ent. Rec. [b3649]
 - b *jonathani* Aloecides 99(1/2):4, f
 - a *poseidon* Lepidochrysops 99(1/2):1, f
- Prins & Poorten 1982 Phegea [b3650]
 - a *barbagiae* Pseudophilotes 10:61-76
- Prittwitz 1865 Stett. ent. Ztg [b3651]
 - a *acaste* Thecla 26:318
 - a *astiocha* Lycaena 26:324
 - a *castanea* Calydna 26:312
 - a *diogenia* Emesis 26:314
 - a *epijessa* Charis 26:315
 - b *episatnius* Panara 26:313
 - a *hirsuta* Thecla 26:321
 - a *imma* Thecla 26:322
 - c *martha* Mesosemia 26:315
 - a *megamede* Thecla 26:322
 - a *phaeo* Theope 26:312
 - a *vanessoides* Lycaena 26:323
- Prittwitz 1867 Stett. ent. Ztg [b3652]
 - b *argentina* Jamides 28(7-9):274
 - d *hypoleuca* Lycaena (H) 28(7-9):273
- Prüffer 1922 Anns. zool. Mus. polonici Hist. nat. [b3655]
 - e *ab. niesiolowskii* Lycaena 1:139, pl 11
- Prüffer 1923 Spraw. Kom. fizyogr. [b3656]
 - e *niesiolowskii* Lycaena 57:78
- Prunner 1798 Lep. Pedemont. [b3657]
 - c *belinus* Papilio :77
 - c *bramafana* Papilio :76
 - c *columbanus* Papilio :76
 - c *frejus* Papilio :76
 - a *glandon* Papilio :76
 - a *orbitulus* Papilio :75
- Pryer 1877 Cistula Entomologica [b3659]
 - a *filicaudis* Lampides 2(18):231
- Pryer 1886-1888 Rhop. nihon. [b3658]
 - b 1886 *loomisi* Amblypodia (1):11, pl 2
 - a 1886 *ogawaraensis* Lycaena (1):10, pl 2
- Pryer & Cator 1894 Br. N. Borneo Herald [b3660]
 - c *dorothiana* Cyaninodes 12:-
- Pujol y Fiol 1943 Graellsia [b3661]
 - e *ab. masoi* Thestor 1(2):14, f
- Püngeler 1898 Soc. ent. [b3662]
 - c *laetifica* Lycaena 13(8):57
- Püngeler 1901 Deut. ent. Zeit. [Iris] [b3663]
 ZMHU-lt a *alexandra* Chrysophanus 14:179, pl 2
 - c *gisela* Lycaena 14:180, pl 2
- Quick 1972 Victorian Nat. [b3671]
 - b *apiculata* Ogyris 89(4):107, f
- Quickelberge 1966 Novos Taxa ent. [b3672]
 DM-ht a *beulah* Poecimitis (47):4, f
- Quickelberge 1972 Ent. Rec. [b3673]
 - b *borealis* Bowkeria 84(4):90
- Quickelberge 1972 Ent. Rec. [b3674]
 - b *transvaalensis* Tarucus 84(10):234, f
- Quickelberge 1979 Durban Mus. Novit. [b3675]
 DM-ht b *extentus* Capys 12(2):25, f
- Quickelberge 1979 Durban Mus. Novit. [b3676]
 DM-ht a *auratus* Lepidochrysops 12(6):69, f
 DM-ht a *chalcus* Lepidochrysops 12(6):64, f
- Quickelberge 1980 Durban Mus. Novit. [b3677]
 - a *handmani* Lepidochrysops 12(11):139
- Quickelberge 1980 Durban Mus. Novit. [b3678]
 DM-ht b *erythema* Phasis 12(16):185
- Quickelberge 1981 Durban Mus. Novit. [b3679]
 DM-ht b *albescens* Durbania 12(19):218
 DM-ht b *flavida* Durbania 12(19):219
- Quickelberge 1984 Durban Mus. Novit. [b3680]
 - a *nyika* Axiocerses 13(19):239-243
- Quickelberge & McMaster 1970 Ent. Rec. [b3681]
 - a *compassbergae* Thestor 82(12):319, f
- Ragusa 1882 Naturalista sicil. [b3686]
 - e *ab. bellieri* Leptotes 1:37, pl 3
- Ragusa 1919 Naturalista sicil. [b3687]
 - b *nebrodensis* Plebejus 23(7/12):-
- Rambur 1837-1840 Faune ent. Andal. [b3688]
 - b 1839 *hesperica* Lycaena 2:270, pl 10
 - d [1840] *idas* Lycaena (H) 2:266, pl 10
- Rambur 1858-1866 Cat. syst. Lépid. Andal. [b3689]
 - b 1858 *hypochlonus* Plebejus 1:35
- Rangnow 1935 Ent. Rundsch. [b3691]
 - e *f. completa* Lycaena 52:188

- Rangnow 1935 Ent. Rundsch. [b3691] (*continued*)
 -- e *f. ismenides* Lycaena 52:188
 - b *minor* Lycaena 52:188
 - d *violaceus* Lycaena (H) 52:188
- Rasmussen 1944 Flora og Fauna [b3692]
 - c *cuneata* Plebeius 50:134, f 1
- Rawson 1948 J. New York ent. Soc. [b3693]
 T *epixanthe* Polymmatas 56(1):58
 AMNH-ht b *michiganensis* Lycaena 56(1):59
- Rawson & Ziegler 1950 J. New York ent. Soc. [b3694]
 USNM-ht a *hesseli* Mitoura 58(2):74, pl 10
- Reakirt 1866 Proc. ent. Soc. Philad. [b3696]
 FMNH-st c *cajona* Lycaena 6(1):147
 FMNH-ht b *castro* Polymmatas 6(1):148
 FMNH-st a *mariposa* Polymmatas 6(1):149
 FMNH-st c *rapahoe* Lycaena 6(1):146
- Reakirt 1866-1867 Proc. Acad. nat. Sci. Philad. [b3697]
 FMNH-st c 1866 *catalina* Lycaena 18:244
 FMNH-st c 1866 *maricopa* Lycaena 18:245
 pc c 1866 *monica* Lycaena 18:244
 FMNH-ht c 1866 *tehama* Lycaena 18:246
 pc c 1866 *tejua* Lycaena 18:245
 - c 1866 *tigua* Lycaena 18:245
 - a 1866 *toltec* Emesis 18:248
 - a [1867] *barajo* Thecla 18:333
 - a [1867] *cestri* Thecla 18:338
 pc a [1867] *isola* Lycaena 18:332
 - b [1867] *istapa* Thecla 18:339
 - b [1867] *jalan* Thecla 18:337
 - c [1867] *juicha* Thecla 18:338
 CM-ht a [1867] *xami* Thecla 18:332
 - a [1867] *yojoa* Thecla 18:339
 - c [1867] *zoe* Thecla 18:333
- Reakirt 1868 Proc. Acad. nat. Sci. Philad. [b3698]
 FMNH-st? a *marina* Lycaena 20:87
- Rebel 1898 Sber. Akad. Wiss. Wien [b3699]
 - a **gabbroensis* Lycaenites 107:742-745
- Rebel 1901 Arnl. naturh. Mus. Wien [b3700]
 - a *antidius* Lycaena 16:167
 - b *armena* Thecla 16:165
 - c *transcaucasica* Lycaena 16:166
- Rebel 1902 In Berl. ent. Z. [b3701]
 - c *hewitsoni* Nymphidium 46(2/3):301
 - a *vietrix* Nymphidium 46(2/3):300
- Rebel 1902 Berl. ent. Z. [b3702]
 - b *laygetica* Lycaena 47:90
- Rebel 1906 Jber. Wien. ent. Ver. [b3703]
 -- e *ab. schwingenschussi* Nemeobius 16:59
- Rebel 1908 Verh. zool.-bot. Ges. Wien [b3705]
 - b *parapetreia* Pentila 58:(159)
 - a *styx* Axiocerses 58:(159)
- Rebel 1909 In Berge, Schmetterlingsbuch (ed. 9) [b3706]
 -- e *ab. albimargo* Lycaena :70
 -- e *ab. bion* Polymmatas :70
 -- e *ab. bipuncta* Maculinea :75
 -- e *ab. caerulea* Lycaena :70
 -- e *ab. caerulescens* Everes :73
 -- e *ab. caerulescens* Lycaena :62
 -- e *f. cinerascens* Callophrys :59
 -- e *ab. deleta* Satyrium :58
 -- e *ab. latifasciata* Satyrium :58
 -- e *f. latifasciata* Satyrium :58
- Rebel 1909 In Berge, Schmetterlingsbuch (ed. 9) [b3706] (*continued*)
 -- e *var. meridionalis* Satyrium :58
 -- e *ab. multipuncta* Lycaena :62
 -- e *ab. obsoleta* Plebeius :70
 -- e *ab. pallida* Lycaena :61
 -- e *ab. senilis* Polymmatas :69
 -- e *ab. unipuncta* Plebeius :74
 -- e *ab. unipunctata* Apelles :74
 - d *vemalis* Lycaena (H) :63
- Rebel 1911 Ent. Zeit. [b3707]
 - c *uhryki* Lycaena 25(34):191
- Rebel 1911 Annln naturh. Mus. Wien [b3708]
 - a *paragora* Mimacraea 24:409
- Rebel 1912 Verh. zool.-bot. Ges. Wien [b3709]
 - ■ *aurantiaca* Ogyris 62:(218)
- Rebel 1914 Annln naturh. Mus. Wien [b3710]
 - a *aurivillii* Telipna 28:262, pl 22
 - b *caeca* Abisara 28:261
 - b *catauga* Pentila 28:263, pl 22
 - c *consanguinea* Telipna 28:262, pl 22
 - e *ab. flavescens* Mimacraea 28:263, pl 18
 - e *ab. latifasciata* Mimacraea 28:263, pl 18
 - a *loxura* Spindasis 28:266
 - b *lunifer* Cupido 28:268, pl 22
 - b *magnimacula* Pseuderisia 28:264
 - c *modestissima* Liptena 28:264
 - a *parasitanus* Jolaus 28:266
 - a *zelomima* Deudorix 28:265, pl 22
- Rebel 1914 Verh. zool.-bot. Ges. Wien [b3711]
 -- e *ab. seminigra* Lycaena 64:(151), f
- Rebel 1920 Verh. zool.-bot. Ges. Wien [b3712]
 -- e *ab. meledamon* Lycaena 70:(75)
- Rebel 1926 Deut. ent. Zeit. [Iris] [b3713]
 - b *balearica* Polymmatas 40:140
- Rebel & Rogenhofer 1894 In Baumann, Massai-Land [b3714]
 - a *caissa* Alaena :336
- Rebel & Zemy 1932 Denkschr. K. Akad. Wiss. Wien [b3716]
 - a *sevastos* Lycaena 103:82, f
- Rebillard 1958 Mém. Mus. natn Hist. nat. [b3717]
 MNHN-ht ■ *adelpha* Emesis (A)15:190, pl 4
 MNHN-ht c *f. aethiops* Euselasia (A)15:147, pl 1
 MNHN-ht a *albulus* Stalactis (A)15:203, pl 3
 MNHN-ht e *f. amanita* Aricoris (IFS) (A)15:204, pl 4
 MNHN-st c *f. aphelotes* Euselasia (A)15:147, pl 1
 MNHN-ht c *f. atavus* Orimba (A)15:208, pl 1
 MNHN-ht c *f. batesi* Orimba (A)15:208, pl 1
 MNHN-ht a *caesarion* Argyrogrammana (A)15:187, pl 3
 MNHN-ht c *f. calligramma* Charis (A)15:189, pl 4
 MNHN-ht b *calliops* Mesosemia (A)15:164
 MNHN-ht c *f. candida* Ematurgina (A)15:195, pl 2
 MNHN-ht c *f. conspicua* Euselasia (A)15:162
 MNHN-ht a *delicia* Comphotis (A)15:184
 MNHN-ht a *dione* Euselasia (A)15:147, pl 2
 MNHN-ht b *elinas* Metacharis (A)15:197, pl 4
 MNHN-ht c *f. felicis* Echenais (A)15:197
 MNHN-ht a *fournierae* Alesa (A)15:169, f
 -- e *funereus* Stalactis (NN) (A)15:203
 MNHN-ht a *gelisae* Euselasia (A)15:148, pl 2
 MNHN-ht a *gelisae* Ancyluris (A)15:173, pl 3
 MNHN-ht a *gentilis* Antheros (A)15:168, f
 MNHN-ht a *grosnyi* Dysmathia (A)15:202, pl 2
 MNHN-ht c *f. heteropyga* Orimba (A)15:208, pl 1
 MNHN-ht b *hypocala* Euselasia (A)15:144, pl 1

- Rebillard 1958 *Mém. Mus. natn. Hist. nat.* [b3717] (*continued*)
 MNHN-ht c *f. letina* Euselasia (A)15:157
 MNHN-ht a *inornata* Themone (A)15:170
 MNHN-ht a *juno* Dysmathia (A)15:201, pl 2
 MNHN-ht c *f. libanochra* Euselasia (A)15:158
 MNHN-st b *lineata* Euselasia (A)15:149, pl 3
 MNHN-ht a *lya* Zelotaea (A)15:183
 MNHN-ht a *mayi* Mesosemia (A)15:165
 MNHN-ht c *f. meconites* Euselasia (A)15:158
 MNHN-ht a *nemesis* Symmachia (A)15:186, pl 4
 MNHN-ht a *orion* Euselasia (A)15:149, pl 3
 MNHN-ht c *f. pulchra* Symmachia (A)15:187
 MNHN-ht c *f. radiata* Pachytone (A)15:186
 MNHN-ht d *separata* Calliona (H) (A)15:199, pl 1
 MNHN-ht b *simulans* Mesosemia (A)15:165
 MNHN-ht c *f. succina* Aricoris (A)15:203, pl 4
 MNHN-ht e *ab. sulphurea* Helicopsis (A)15:163
 MNHN-ht c *f. themis* Cyrenia (A)15:175
 MNHN-ht b *vicaria* Emesis (A)15:192
 MNHN-ht b *virido* Charis (A)15:190, pl 3
- Reed 1877 *An. Univ. Chile* [b3718]
 MNHNC a *improba* Cupido 49:711
- Reiff 1913 *Ent. News* [b3720]
 pc c *caeca* Heodes 24(7):306, pl 10
- Retzius 1783 *Gen. Spec. Ins.* [b3724]
 - c *marginatus* Papilio :30
- Reverdin 1906 *Bull. Soc. Lép. Genève* [b3726]
 - e (+) *ab. albidolunulata* Chrysophanus 1:170
- Reverdin 1909 *Bull. Soc. Lép. Genève* [b3727]
 - e (+) *ab. maculata* Lycaena (H) 1:372, pl 10
 - e *ab. rifolunulata* Lycaena 1:373, pl 10
 - e *ab. striata* Lycaena 1:371, pl 10
- Reverdin 1910 *Ent. Rec.* [b3728]
 - e *constans* Agriades 22(3):60
 - e *f. praecox* Lysandra 22(3):60
- Reverdin 1914 *Bull. Soc. Lép. Genève* [b3729]
 - e *ab. caerulea* Polyommatus 3(1):35, pl 3
- Reverdin 1917 *Bull. Soc. Lép. Genève* [b3730]
 - e *ab. ambigua* Glaucopsyche 3:189, pl 9
 - e *ab. ambigua* Polyommatus 3:190, pl 9
- Reverdin 1918 *Bull. Soc. Lép. Genève* [b3732]
 - e *ab. lutea* Lycaena 4(1):39, pl 1
- Reverdin 1924 *Bull. Soc. Lép. Genève* [b3733]
 - e *ab. guedati* Lycaena 5:63
- Rézbányai 1978 *Mitt. schweiz. ent. Ges.* [b3735]
 - b *buholzeri* Maculinea 51(4):399-406
- Rézbányai 1981 *Ent. Ber. Luzern* [b3734]
 - b *centrohelvetica* Agriades (6):99, f
- Rhé Philipe 1911 *J. Bombay nat. Hist. Soc.* [b3736]
 BMNH-ht c *dima* Nacaduba 20(3):764
 BMNH-ht c *parishii* Cyaniris 20(3):763
- Ribbe 1889 *Deut. ent. Zeit. [Iris]* [b3737]
 SMT-lt c *ceramensis* Mileus 2(2):202, 247
 - b *supoi* Plebejus 2(2):249
- Ribbe 1899 *Deut. ent. Zeit. [Iris]* [b3738] (*continued*)
 SMT-ht c *beretava* Cyaniris 12:243, pl 4
 - b *falsina* Amblypodia 12:252, pl 4
 SMT-lt c *georgiana* Lampides 12:227
 - c *georgiana* Curetis 12:248
 - c *intermedius* Thysonotis 12:239
 - c *irregularis* Thysonotis 12:238, pl 4
- Ribbe 1899 *Deut. ent. Zeit. [Iris]* [b3738] (*continued*)
 - a *kokopona* Nacaduba 12:232
 SMT-lt c *malaguna* Lampides 12:228
 - c *moutoni* Thysonotis 12:237, pl 4
 - c *moutoni* Hypolycaena 12:220
 SMT-lt c *neopommerana* Deudorix 12:249, pl 4
 - c *pagenstecheri* Hypochrysope 12:223
 SMT-lt b *pagenstecheri* Pseudonotis 12:242, pl 4
 - c *pseudochromia* Thysonotis 12:239, pl 4
 - b *raluana* Nacaduba 12:231
 - a *schneideri* Pseudonotis 12:240, pl 4
 - c *shortlandica* Curetis 12:248
 - b *tindall* Athopala 12:251 or 252
 - b *uluensis* Nacaduba 12:230, pl 6
- Ribbe 1900 *Deut. ent. Zeit. [Iris]* [b3739]
 SMT-ht a *ceramensis* Deudorix 13:336, pl 6
 SMT-lt c *courvoisieri* Amblypodia 13:335, pl 6
 - a *makrikil* Waigeum 13:336, f
- Ribbe 1905 *Soc. ent.* [b3740]
 - e (+) *ab. alfacariensis* Lysandra 20(18):138
 - b *granadensis* Chrysophanus 20(18):138
- Ribbe 1909-1912 *Deut. ent. Zeit. [Iris]* [b3741]
 - e 1910 *ab. andalusica* Lycaena 23(1/2):188
 - e 1910 *f. blanca* Lycaena 23(1/2):201
 - b 1910 *chapmani* Lycaena 23(1/2):192
 - e 1910 *ab. clara* Lycaena 23(1/2):196
 - c 1910 *guadarramensis* Lycaena 23(1/2):200
 - c 1910 *f. margarita* Lycaena 23(1/2):201
 - c 1910 *f. morena* Lycaena 23(1/2):201
 - a 1910 *morronensis* Lycaena 23(1/2):189
 - c 1910 *f. negra* Polyommatus 23(1/2):201
 - e 1910 *ab. nodibuja* Lycaena 23(1/2):203
 - c 1910 *nomancha* Lycaena 23(1/2):185
 - e 1910 *ab. orlaria* Lycaena 23(1/2):188
 - c 1910 *penulaensis* Lycaena 23(1/2):201
 - b 1910 *vacaresa* Plebejus 23(1/2):184
- Ribbe 1926 *Ent. Mit.* [b3742]
 - b *bangkaia* Lampides 15(1):90
 SMT-ht b *bangkaianus* Tajuria 15(1):80
 SMT-lt c *bangkaiensis* Rapala 15(1):82
 SMT-st c *bangkaiensis* Cyaniris 15(1):89
 SMT-lt b *bangkaiensis* Biduanda 15(1):80
 - a *biru* Lampides 15(1):90
 - b *birui* Camena 15(1):81
 - c *birumki* Tajuria 15(1):81
 SMT-lt c *bonthainensis* Rapala 15(1):82
 - b *brunnescens* Curetis 15(1):83
 ZMHU-st c *celebica* Horaga 15(1):83
 - c *colossus* Rapala 15(1):82
 SMT-ht c *dua* Tajuria 15(1):80
 - b *fasciatus* Lampides 15(1):90
 - c *inexpectata* Biduanda 15(1):78
 SMT-ht c *irregularis* Rapala 15(1):81
 SMT-lt c *itama* Athopala 15(1):88
 SMT-lt e *ab. itamus* Curetis 15(1):82
 SMT-lt c *kalawara* Surendra 15(1):86
 SMT-lt c *kalawara* Hypolycaena 15(1):85
 SMT-lt c *kalawara* Castalius 15(1):85
 SMT-lt c *kalawara* Curetis 15(1):83
 SMT-st c *kalawari* Cyaniris 15(1):89
 SMT-lt c *kalawarus* Lampides 15(1):90
 - a *kalawarus* Zizera 15(1):91
 SMT-lt c *kalawarus* Allotinus 15(1):91
 SMT-lt c *kitjila* Athopala 15(1):87
 SMT-ht a *kolari* Cyaniris 15(1):88
 T *kuehni* Plebejus 15(1):89
 SMT-lt c *lewara* Hypolycaena 15(1):86
 - b *lewara* Athopala 15(1):87
 - b *lewaranus* Tajuria 15(1):81

- Ribbe 1926 Ent. Mitt. [b3742] (continued)
- SMT-ht b *lewari* Cyanitis 15(1):89
 SMT-lt c *libora* Castalius 15(1):84
 SMT-lt c *libori* Tajuria 15(1):80
 - c *lompana* Athopala 15(1):88
 SMT-lt e (+) *f. metani* Tajuria 15(1):80
 SMT-lt c *minima* Tajuria 15(1):81
 - c *minor* Luthrodes 15(1):91
 SMT-lt c *minor* Hypolycaena 15(1):86
 - c *obscurata* Athopala 15(1):87
 SMT-lt c *obscurata* Castalius 15(1):84
 - b *obscuratus* Tajuria 15(1):81
 ZSBS-lt b *punctatus* Lampides 15(1):90
 SMT-lt c *saklatus* Thysonotis 15(1):91
 SMT-lt c *toliensis* Rapala 15(1):82
- Riley 1919 Entomologist [b3744]
 - e *nigra* Helicopsis (IFS) 52:186
 - a *wickhami* Thecla 52:200
 - c *wickhami* Mesene 52:200
- Riley 1920 Entomologist [b3746]
 BMNH-ht a *ormistoni* Athopala 53:97
- Riley 1921 Ann. Mag. nat. Hist. [b3747]
 BMNH-st b *damalis* Lycaena (9)8:597
 BMNH-st b *karinda* Lycaena (9)8:597
 BMNH-st b *kurdistanica* Heodes (9)8:598
 BMNH-st b *longicauda* Zephyrus (9)8:599
 BMNH-ht a *marcidus* Strymon (9)8:600
 BMNH-st b *marginalis* Aphaeus (9)8:598
- Riley 1921 Entomologist [b3748]
 - c *ceylanica* Tajuria 54:206
- Riley 1922 Trans. ent. Soc. Lond. [b3749]
 - a *affinis* Aphaeus 69(3/4):249
 - a *cynica* Spindasis 69(3/4):247
 BMNH-ht a *griseus* Aloicides 69(3/4):251
 - b *japhusa* Hypolycaena 69(3/4):246
 BMNH-ht b *mumbuensis* Aloicides 69(3/4):250
- Riley 1922 Entomologist [b3751]
 - a *dardanelia* Pseudaletis 55(11):251
 - a *spolia* Pseudaletis 55(11):250
- Riley 1922 Entomologist [b3752]
 - b *andamanica* Horsfieldia (H) 55:28
 - b *batjana* Horsfieldia 55:51
 - b *confusa* Horsfieldia 55:51
 - b *plateni* Horsfieldia 55:29
- Riley 1923 Trans. ent. Soc. Lond. [b3754]
 BMNH-st a *everesti* Polygonmatas 70(3/4):473
 BMNH-ht a *janigena* Lycaena 70(3/4):475
- Riley 1923 Entomologist [b3755]
 - c *tuarana* Everes 56:37
- Riley 1923 Spolia Zeylanica [b3756]
 BMNH-st c *arida* Tajuria 12:323
 BMNH-ht b *indicus* Athopala 12:326
 BMNH-ht b *mackwoodi* Amblypodia 12:325
- Riley 1924 Entomologist [b3757]
 - a *gillottae* Erora 57:88
- Riley 1925 Entomologist [b3758]
 - b *monticola* Cigaritis 58:270
- Riley 1925 Novit. zool. [b3759]
 - b *chitralensis* Aphantis 32:90
 BMNH-ht b *cyprica* Aphantis 32:89
 - b *egyptiaca* Aphantis 32:88
 - a *giletti* Aphantis 32:85, f
- Riley 1925 Novit. zool. [b3759] (continued)
 - b *littoralis* Cigaritis 32:75
 - b *meridionalis* Cigaritis 32:72
 - e *oberthueri* Cigaritis (IFS) 32:75
 - b *orientalis* Cigaritis 32:76
- Riley 1926 Ent. mon. Mag. [b3760]
 BMNH-ht a *dux* Polygonmatas 62:278, pl 3
- Riley 1927 Entomologist [b3761]
 - e *delapolei* Talicada 60:59
- Riley 1927 Trans. ent. Soc. Lond. [b3762]
 BMNH-ht b *errans* Lycaena 75(1):128
- Riley 1927 Entomologist [b3764]
 - c *arcilacis* Cupido 60:270, f
- Riley 1928 Entomologist [b3765]
 - a *ugandae* Pseudaletis 61:187
 BMNH-ht c *wilkinsi* Candalides 61:187
- Riley 1928 Novit. zool. [b3767]
 BMNH-ht a *bakeri* Iolus 34:388
 - b *caerulea* Epamera 34:390
 - b *divaricatus* Argiolaus 34:377
 - b *entebbeae* Argiolaus 34:376
 - b *exquisita* Epamera 34:388, pl 10
 BMNH-ht a *flavilinea* Epamera 34:389, pl 10
 - a *gabunica* Argiolaus 34:375, pl 10
 - b *kamerunica* Epamera 34:385
 - b *leonis* Epamera 34:390
 - b *mabiliei* Argiolaus 34:378
 - b *maris* Epamera 34:388
 - b *nasisii* Epamera 34:391, pls 10
 - a *poecilaeon* Argiolaus 34:379
 - a *poultoni* Pseudiolus 34:392, pl 10
 - a *stenogrammica* Epamera 34:384
 - a *violacea* Epamera 34:386
 - b *yalae* Epamera 34:385
- Riley 1928 In Trans. ent. Soc. Lond. [b3768]
 BMNH-ht b *cheesmanae* Zizera 76(2):464
 BMNH-st b *ruruturi* Jamides 76(2):464
- Riley 1929 J. Bombay nat. Hist. Soc. [b3769]
 - e *gemma* Heliophorus (IFS) 33(2):397
 - b *rubida* Heliophorus 33(2):396
 - e *rufa* Heliophorus (IFS) 33(2):400
 - e *f. scintillans* Heliophorus (IFS) 33(2):396
 - b *tyleri* Heliophorus 33(2):397
 - e *verna* Heliophorus (IFS) 33(2):400
 - e *vernalis* Heliophorus (IFS) 33(2):391
- Riley 1929 In Trans. ent. Soc. Lond. [b3772]
 BMNH-ht b *albocaerulea* Epamera 77(2):497, pl 30
 BMNH-ht a *dudgeoni* Eicochrysops 77(2):497, pl 30
 UMO-ht b *ilala* Liptena 77(2):493
 BMNH-ht b *oberthueri* Epamera 77(2):496
 UMO-ht c *toroensis* Epamera 77(2):495, pl 30
- Riley 1932 Ann. Mag. nat. Hist. [b3773]
 BMNH-ht a *arabica* Desmolycaena (10)10:148
 BMNH-ht a *argentea* Chloroselas (10)10:145
 BMNH-ht a *catharus* Capys (10)10:144
 BMNH-ht a *mauritanica* Cupidopsis (10)10:141
 - a *penningtoni* Capys (10)10:142
 UMO-ht a *rogersi* Desmolycaena (10)10:149
 BMNH-ht a *taposana* Chloroselas (10)10:146
 BMNH-ht b *tyleri* Chloroselas (10)10:147
- Riley 1932 J. nat. Hist. Soc. Siam [b3774]
 BMNH-ht b *kerri* Hypochrysops Suppl. 8:252
 BMNH-ht a *macbethi* Talicada Suppl. 8:251
 BMNH-ht b *paulina* Neochentra Suppl. 8:252

- Riley 1932 J. nat. Hist. Soc. Siam [b3774] (continued)
BMNH-ht b *renonga* Lycænoopsis Suppl. 8:251
- Riley 1932 Novit. zool. [b3775]
-- e *f. caecata* Abisara 37:186
-- e (-) *f. caerulea* Abisara 37:185
-- b *cyclops* Abisara 37:185
-- b *dollmani* Abisara 37:183
-- b *fiava* Sanbia 37:187
-- e *f. formis* Abisara 37:185
-- b *gabunica* Abisara 37:181
-- b *kivuensis* Abisara 37:184
-- b *latifasciata* Abisara 37:184
-- a *neavei* Abisara 37:183
-- b *ochracea* Sanbia 37:187
-- a *perroti* Sanbia 37:187
-- b *semicaeca* Abisara 37:185
-- a *simulacris* Abisara 37:182
-- e (+) *f. uniformis* Abisara 37:185
- Riley 1934 Entomologist [b3776]
ZIL-ht a *filipjevi* Lycænoopsis 67:85, pl 1
- Riley 1938 Trans. R. ent. Soc. Lond. [b3777]
BMNH-ht a *bacchus* Lepidochrysops 87(10):243
BMNH-ht a *brooksii* Poecilmitis 87(10):241
BMNH-ht a *egerides* Phasis 87(10):238
BMNH-ht a *lycia* Poecilmitis 87(10):242
BMNH-ht b *maseruna* Phasis 87(10):239
BMNH a *pallida* Phasis 87(10):238
BMNH-ht a *penningtoni* Poecilmitis 87(10):239
BMNH-ht a *trimeni* Poecilmitis 87(10):240
BMNH-ht a *turneri* Poecilmitis 87(10):241
BMNH-st a *zonarius* Phasis 87(10):239
- Riley 1939 Novit. zool. [b3778]
BMNH-ht a *adusta* Thecla 41:357
BMNH-ht a *albilinea* Satsuma 41:359
-- e *f. coelestina* Thecla (IFS) 41:358
-- a *dejeani* Strymon 41:360
BMNH-ht a *dubernardi* Thecla 41:356
BMNH a *hyrcanica* Strymon 41:360
BMNH-ht c *koreana* Thecla 41:356
-- d *leechi* Thecla (H) 41:355
-- a *ouvrardi* Thecla 41:358
-- b *persica* Strymon 41:359
BMNH-ht a *persimilis* Strymon 41:360
BMNH-ht a *rayata* Sinthusa 41:360
-- b *setschuanica* Thecla 41:358
BMNH-ht a *souleana* Thecla 41:357
-- e *tatsienluica* Thecla (IFS) 41:357
-- a *yangi* Thecla 41:358
- Riley 1942 Entomologist [b3779]
BMNH-ht b *biranta* Marmessus 75:88
BMNH-ht b *distanti* Eooxylides 75:88
BMNH-ht b *perlis* Marmessus 75:88
- Riley 1943 Entomologist [b3780]
-- a *woodi* Tenomima 76:255, f
- Riley 1944 Entomologist [b3781]
BMNH-ht a *lulia* Pseudolaus 77:28, f
-- b *penningtoni* Pentila 77:29
- Riley [1945] Trans. R. ent. Soc. Lond. [b3782]
BMNH-ht b *albicans* Marmessus 94(2):263, pl 1
BMNH-ht b *alcyma* Marmessus 94(2):267
BMNH-ht b *banka* Marmessus 94(2):267
BMNH-ht c *batuna* Neopithecopis 94(2):256
BMNH-ht b *batuna* Marmessus 94(2):266
BMNH-ht b *caena* Jamides 94(2):258
BMNH-ht b *caletoides* Castalius 94(2):255
BMNH-ht b *connexa* Marmessus 94(2):265, pl 1
- Riley [1945] Trans. R. ent. Soc. Lond. [b3782] (continued)
BMNH-ht b *disparilis* Abisara 94(2):251
BMNH-ht b *dohertyi* Marmessus 94(2):264, pl 1
BMNH-ht b *fulva* Sinthusa 94(2):269
BMNH-ht b *insularis* Eochrysops 94(2):257
BMNH-ht b *janus* Marmessus 94(2):266
BMNH-ht b *karnyi* Marmessus 94(2):264, pl 1
BMNH-ht b *klossi* Sithon 94(2):269
BMNH-ht b *klossi* Cyaniriodes 94(2):252
BMNH-ht b *lamax* Jamides 94(2):259
BMNH-ht b *melanotica* Taxila 94(2):251
BMNH-ht c *mendava* Allotinus 94(2):253, pl 2
BMNH-ht b *mentawica* Nacaduba 94(2):259, pl 1
BMNH-ht b *mentawiensis* Castalius 94(2):257
BMNH-ht b *naerina* Catochrysops 94(2):257
BMNH-ht b *paglensis* Taxila 94(2):251
BMNH-ht b *paglensis* Marmessus 94(2):263, pl 1
BMNH-ht b *paradoxa* Rapala 94(2):268
BMNH-ht b *ptesia* Loxura 94(2):262
BMNH-ht b *puti* Jamides 94(2):258
BMNH-ht b *siberutica* Eooxylides 94(2):267
BMNH-ht b *sibyllina* Allotinus 94(2):254, pl 2
BMNH-ht b *sipora* Zemeris 94(2):250
BMNH-ht b *siporana* Eooxylides 94(2):268
BMNH-ht b *siporana* Celastrina 94(2):256, pl 1
BMNH-ht b *siporana* Allotinus 94(2):253, pl 1
BMNH-ht b *smedleyi* Amblypodia 94(2):260, pl 2
- Riley 1954 Entomologist [b3783]
-- b *calviniae* Thestor 87:101
-- a *dicksoni* Thestor 87:97, f
- Riley & Corbet 1938 Trans. R. ent. Soc. Lond. [b3786]
BMNH-ht b *evansi* Jamides 87(5):154
-- e *kinkara* Jamides (ISS) 87(5):151
BMNH-ht b *minna* Jamides 87(5):157
BMNH-ht b *paramalaccanus* Jamides 87(5):152
-- e *raianus* Jamides 87(5):174
- Riley & Godfrey 1921 J. nat. Hist. Soc. Siam [b3787]
BMNH-ht a *dispar* Arhopala 4(3):183
BMNH-ht c *grisea* Allotinus 4(3):180
BMNH-ht b *ignara* Arhopala 4(3):185
-- a *metana* Talicada 4(3):181
BMNH-ht b *rekkia* Allotinus 4(3):180
-- a *urios* Azanus 4(3):182
- Riley & Godfrey 1925 Entomologist [b3788]
BMNH-ht b *albida* Nacaduba 58:141, f
-- b *hainana* Taxila 58:140, pl 3
-- b *malcolmi* Tajuria 58:142, f
- Riley & Tams 1924 Zool. Rec. [b3793]
-- e *avrus* Lampides (ISS) 58(1921)(Ins.):174
-- e *meridionalis* Lycæna (ISS) 58(1921)(Ins.):175
-- e *sandva* Lampides (ISS) 58(1921)(Ins.):174
-- e *savana* Lampides (ISS) 58(1921)(Ins.):175
-- e *vuniva* Lampides 58(1921)(Ins.):174
- Riley & Tams 1925 Zool. Rec. [b3794]
-- e *urumella* Adaluma (ISS) 59(1922)(Ins.):303
- Riley & Tams 1925 Zool. Rec. [b3795]
-- e *extincta* Telipna (ISS) 60(1923)(Ins.):226
-- e *krishna* Poritia (ISS) 60(1923)(Ins.):226
-- e *pavifulvior* Nemeobius (ISS) 60(1923)(Ins.):225
-- e *pusillargus* Lycæna (ISS) 60(1923)(Ins.):226
- Riley & Tams 1925 Zool. Rec. [b3796]
-- e *ochraceus* Phasis (ISS) 61(1924)(Ins.):188
- Rindge & Cornstock 1953 J. New York ent. Soc. [b3800]
AMNH a *huntingtoni* Echinargus 61(2):99

- Rivertigat 1914 Bull. Soc. Hist. nat. Afr. N. [b3803]
 - e (+) *foulquieri* Callophrys 5(6):154, f 2
- Robbe 1892 Anns. Soc. ent. Belg. [b3804]
 - a *stormsi* Lycaena 36:132
- Robbins 1987 J. Lep. Soc. [b3810]
 -- e *playptera* Micandra (ISS) 40(3):150
 T *theanus* Papilio 40(3):144
 -- e *theanus* Trichonis (ISS) 40(3):138
- Robbins 1988 Proc. ent. Soc. Wash. [b3814]
 -- e *libyassa* Liptena (ISS) 90(3):362
- Robbins 1991 Smithsonian Contr. Zool. [b3817]
 T *brescia* Thecla (498):46
 T *cyriana* Thecla (498):39
 T *erenea* Thecla (498):52
 T *ericusa* Thecla (498):46
 T *mariusa* Thecla (498):46
 T *spurina* Thecla (498):46
 T *stagira* Thecla (498):52
 T *thoana* Thecla (498):55
 T *timaea* Thecla (H) (498):52
 T *voconia* Thecla (498):46
 T *volana* Thecla (498):52
 T *zebina* Thecla (498):42
- Robbins & Venables 1991 J. Lep. Soc. [b3819]
 - a *leea* Janthecla 45(1):17, f
- Röber [1886] CorrespBl. ent. Ver. Iris [b3820]
 SMT-lt c *affinis* Deudorix 1(3):69, pl 5
 - a *albiplaga* Abisara 1(3):49, pl 5
 - c *alboceruleus* Plebeius 1(3):59, pl 4
 - b *albofasciata* Plebeius 1(3):65, pl 4
 SMT-lt b *aruanus* Plebeius 1(3):57, pl 4
 SMT-lt b *azureus* Plebeius 1(3):63, pl 4
 SMT-lt b *batjanensis* Plebeius 1(3):54, pl 4
 - b *bicolora* Amblypodia 1(3):71, pl 5
 SMT-lt b *cabrorus* Plebeius 1(3):61, pl 4
 - b *callinicus* Plebeius 1(3):58, pl 4
 SMT-lt a *callistus* Plebeius 1(3):55, pl 4
 BMNH b *celebica* Abisara 1(3):48, pl 3
 BMNH-ht a *coeruleus* Plebeius 1(3):62
 - a *cupreus* Plebeius 1(3):62, f
 - b *dimorpha* Plebeius 1(3):62, pl 4
 SMT-lt b *dobbenis* Plebeius 1(3):65, pl 5
 - c *fatireus* Plebeius 1(3):66, pl 5
 SMT-lt a *festivus* Plebeius 1(3):58, pl 4
 SMT-lt a *gracilis* Plebeius 1(3):67, pl 5
 - b *grisea* Lampides 1(1):60
 - a *griseus* Plebeius 1(3):60, pl 4
 - b *illuensis* Plebeius 1(3):64, pl 4
 - b *illustris* Plebeius 1(3):53, pl 4
 SMT-lt c *insularis* Plebeius 1(3):55, pl 4
 - a *kirschi* Dicallaneura 1(3):50, pl 5
 -lt b *kuehni* Plebeius 1(1):60, pl 4
 - b *leucofasciatus* Plebeius 1(3):59, pl 4
 SMT-lt c *lucianus* Plebeius 1(3):54, pl 4
 SMT-st a *lucifer* Plebeius 1(3):61, pl 4
 - b *luzonicus* Plebeius 1(3):60, pl 5
 SMT-lt a *malaccanus* Plebeius 1(3):57, pl 4
 - b *meiranganus* Plebeius 1(3):65, pl 5
 SMT-lt a *niasica* Sithon 1(3):68, pl 5
 SMT-lt a *obscurus* Allotinus 1(3):52, pl 4
 - b *obscurus* Plebeius 1(3):56
 SMT-lt b *optimus* Plebeius 1(3):56, pl 4
 SMT-lt c *orestes* Plebeius 1(3):58, pl 4
 SMT-lt b *osias* Plebeius 1(3):56, pl 5
 - a *phoenix* Pithecopis 1(1):61
 - a *phoenix* Plebeius 1(3):61, pl 4
 SMT-lt a *quercoides* Amblypodia 1(3):72, pl 5
- Röber [1886] CorrespBl. ent. Ver. Iris [b3820] (*continued*)
 SMT-lt a *ribbei* Deudorix 1(3):68, pl 5
 - a *ribbei* Plebeius 1(3):52, pl 4
 - a *ribbei* Curetis 1(3):70, pl 5
 - b *ribbei* Amblypodia 1(3):70, pl 5
 - a *ribbei* Dicallaneura 1(3):49, pl 5
 SMT-lt a *schatzi* Plebeius 1(3):53, pl 4
 - a *selitutus* Plebeius 1(3):66 or 67
 SMT?-st a *simplex* Megalopalpus 1(3):51, pl 4
 SMT-lt a *snelleni* Plebeius 1(3):54, pl 4
 - b *staudingeri* Plebeius 1(3):63, pl 4
 - b *subfestivus* Plebeius 1(3):64, pl 4
 - a *tombugensis* Plebeius 1(3):63, pl 5
 - b *tualensis* Plebeius 1(1):61, pl 5
 - c *unicolor* Plebeius 1(3):66, pl 5
 - c *violacea* Amblypodia 1(1):72
- Röber 1887 CorrespBl. ent. Ver. Iris [b3821]
 - a *ansides* Jolaus 1(4):194
 - b *cervinus* Jolaus 1(4):195, pl 9
 SMT-lt c *eos* Curetis 1(4):198, pl 7
 SMT-ht a *fasciatus* Plebeius 1(4):194, pl 9
 - b *fumatus* Sithon 1(4):196, pl 9
 SMT-lt a *helena* Keraunogramma 1(4):198, pl 9
 BMNH-ht a *kuehni* Amblypodia 1(4):200, pl 9
 SMT-lt a *kuehni* Jolaus 1(4):195, pl 9
 SMT-ht c *polita* Amblypodia 1(4):199, pl 9
 SMT-lt c *sapphirinus* Jolaus 1(4):196, pl 7
 - b *superba* Amblypodia 1(4):199, pl 9
 SMT-lt c *tristis* Amblypodia 1(4):200, pl 9
 SMT-lt c *viola* Amblypodia 1(4):199, pl 9
 SMT-lt c *civiana* Amblypodia 1(4):200, pl 9
- Röber 1891 Tijdschr. Ent. [b3823]
 - b *cyaniris* Plebeius 34(3/4):315
 BMNH-nt c *eremicola* Plebeius 34(3/4):316
- Röber 1895 Ent. Nachr. [b3824]
 - a *hewitsoni* Taxila 21:150
 - c *inca* Aculhua 21:150
 - c *nicevillei* Taxila 21:149
- Röber 1897 Ent. Nachr. [b3825]
 - a *fruhstorferi* Dodona 23:6
 BMNH-ht b *fruhstorferi* Amblypodia 23:5 or 6
- Röber 1897 Ent. Nachr. [b3826]
 - b *daonides* Lampides 23:100
- Röber 1897 Ent. Nachr. [b3827]
 - c *paraleuca* Plebeius 23:270
- Röber 1900 Ent. Nachr. [b3828]
 - c *aurivillii* Jolaus 26:204
- Röber 1903 Stett. ent. Ztg [b3829]
 - c *chalybaea* Mesosemia 64:356
 - c *lamprolenis* Esthemopheles 64:344
 - c *mabildei* Ematurgina 64:346
 - a *wernickei* Thecla 64:343
- Röber 1904 Soc. ent. [b3830]
 - a *hillapana* Lyrnas 19(14):106
 - b *stenotaenia* Rusalkia 19(14):106
- Röber 1923 Ent. Mitt. [b3832]
 - a *publica* Thecla 12:58
- Röber 1923 Stett. ent. Ztg [b3833]
 - c *hagmanni* Eumaeus 84:95
 - c *vulnerata* Rodinia 84:94
- Röber 1926 Ent. Mitt. [b3835]
 - c *amblypodina* Candalides 15:375
 - a *beata* Thysonotis 15:377

- Röber 1926 Ent. Mitt. [b3835] (continued)
- a *boyl* Argyrogramma 15:229
 - b *florida* Eumaeus 15:375
 - a *hypoxantha* Candalides 15:375
 - b *lampra* Cupido 15:373
 - b *milesius* Miletus 15:374
 - c *modestus* Miletus 15:374
 - c *nagana* Cheritrella 15:376
 - b *occidentalis* Thysonotis 15:376
 - b *superbus* Eumaeus 15:372
 - a *violetta* Candalides 15:376
- Röber 1926 Ent. Rundsch. [b3836]
- c *anadyomenon* Waigeum 43:26
- Röber 1927 Int. ent. Z. [b3837]
- a *boyl* Hyphilaria 21:99
 - c *caelestis* Lemonias 21:105
 - a *erythrozona* Thecla 20:428, f
 - pc a *giganteus* Eumaeus 21:105, pl opp.
 - a *iona* Thysonotis 21:105
 - c *oligoema* Surendra 21:106
 - a *pseudomandana* Erenis 21:142
- Röber 1931 Int. ent. Z. [b3838]
- a *boyl* Thecla 24(37/38):391
 - c *caelestis* Amblypodia 24(37/38):390
 - b *hyacinthus* Amblypodia 24(37/38):390
 - MNHN-lt b *negra* Alesa 24(37/38):390
- Rocci 1923 Memorie Soc. ent. ital. [b3841]
- e *ab. fulvior* Nemeobius 2:6
- Roche 1954 Bull. Br. Mus. nat. Hist. (Ent.) [b3842]
- BMNH-ht a *carilla* Epitola 3:495, pl 20
 - BMNH-ht a *convexa* Epitola 3:496, pl 20
 - BMNH-ht a *daveyi* Epitola 3:499, pl 20
 - BMNH-ht a *dolorosa* Epitola 3:498, pl 21
 - BMNH-ht a *flavoantennata* Epitola 3:495, pl 19
 - BMNH-ht a *ghesquieri* Epitola 3:498, pl 22
 - BMNH-ht a *ikoya* Epitola 3:497, pl 19
 - BMNH-ht a *intermedia* Epitola 3:497, pl 19
 - BMNH-ht c *jacksoni* Epitola 3:496, pl 20
 - BMNH-ht a *iliana* Epitola 3:500, pl 21
 - BMNH-ht a *orientalis* Epitola 3:499, pl 22
 - BMNH-ht a *subcoerulea* Epitola 3:498, pl 21
- Roepke 1919 Teysmannia [b3843]
- b *dendrobii* Chliaria 30:115-121
- Roepke 1921 Treubia [b3844]
- e *ab. pallidior* Dodona 2:87
 - b *vanleeuwenii* Dodona 2:84, 87, pl 1
- Rogenhöfer 1891 In Baumann, Usambara [b3845]
- a *peculiaris* Chrysophanus :131
- Romei 1927 Ent. Rec. [b3848]
- e *bolivari* Agriades (IFS) 39:129
 - c *langhami* Agriades 39:128
- Romei 1927 Boll. Lab. Zool. Portici [b3849]
- c *cavazzae* Scolitamidus 20:277
 - c *volpili* Zizera 20:275
- Romieux 1926 Bull. Soc. Léop. Genève [b3851]
- e *ab. radiata* Lycaena 5:142
 - e *subtusradiata* Lycaena 5:142
- Romieux 1934 Mitt. schweiz. ent. Ges. [b3852]
- c *katanganus* Iolus 16(3):141, pl 4
- Romieux 1937 Mitt. schweiz. ent. Ges. [b3854]
- c *katangana* Euliphyrodes 17(3):123
- Rosa 1936 Bolm Mus. nac. Rio de J. [b3855]
- pc c *barrensis* Thecla 12(2):82
- Rose 1975 J. ent. Soc. Iran [b3856]
- b *grossi* Plebejus 1(Suppl.):45
- Rose 1977 Ent. Zeit. [b3857]
- pc-ht b *occidentissima* Vacciniina 87(6):62, f
- Rose 1978 Ent. Zeit. [b3858]
- pc-ht b *munzuricus* Agrodiaetus 88(22):246
 - pc-ht b *schuriani* Agrodiaetus 88(22):248
- Rose 1979 Atalanta (Münnerstadt) [b3859]
- b *arjanica* Jolana 10(2):155, f
- Rose & Schurian 1977 Ent. Zeit. [b3860]
- pc-ht b *blomi* Vacciniina 87(14):148
 - pc-ht b *farsica* Aphanis 87(14):146
- Rose & Schurian 1977 J. ent. Soc. Iran [b3863]
- b *battenfeldi* Plebejus 4(1/2):74, f
 - b *hofmanni* Plebejus 4(1/2):74, f
 - a *valiabadl* Agrodiaetus 4(1/2):63, f
- Rose & Schurian & Eckweiler 1992 Linneana Belgica [b3864]
- b *silvestris* Polymmatius 13(6):342, f
- Rosenstock 1885 Ann. Mag. nat. Hist. [b3865]
- BMNH-ht c *moerens* Lycaena (5)16:377
 - lt a *pyrodiscus* Lucia (5)16:377
- Rostagno 1905 Boll. Soc. zool. ital. [b3867]
- e *ab. alineata* Thecla 14:92
- Rostagno 1906 Boll. Soc. zool. ital. [b3868]
- e *ab. bina* Plebejus (2)7(7/9):273
 - e *ab. isabellata* Polymmatius (2)7(7/9):272
- Rostagno 1912 Boll. Soc. zool. ital. [b3869]
- c *oricolensis* Celastrina (3)1:146
- Rostagno & Zapelloni 1910 Boll. Soc. zool. ital. [b3870]
- c *latialis* Plebejus (2)11:338
 - e *ab. minima* Polymmatius (2)11:340
 - c *splendida* Lycaena (2)11:341
- Rothschild 1898 Novit. zool. [b3871]
- b *major* Liphya 5(1):97
- Rothschild 1900 Novit. zool. [b3872]
- a *meeki* Ogyris 7:274, pl 5
- Rothschild 1901 Novit. zool. [b3873]
- b *dohertyi* Mimacraea 8:219, pl 10
 - a *weiskei* Abisara 8:218, pl 10
- Rothschild 1904 Novit. zool. [b3874]
- a *amabilis* Dicallaneura 11:318, pl 2
 - b *avera* Abisara 11:317, pl 2
 - b *keiana* Abisara 11:317, pl 2
- Rothschild 1904 Novit. zool. [b3875]
- BMNH b *segestes* Abisara 11:455
- Rothschild 1911 Ann. Mag. nat. Hist. [b3876]
- BMNH-lt c *meeki* Deudorix (8)8:233
- Rothschild 1915 Ann. Mag. nat. Hist. [b3877]
- b *divisa* Spindasis (8)16:248
- Rothschild 1915 Novit. zool. [b3878]
- c *albomarginata* Thysonotis 22:140
 - b *butleri* Lampides 22:138
 - BMNH-ht d *felderi* Nacaduba (II) 22:139
 - BMNH-ht c *gerydomaculata* Nacaduba 22:139
 - BMNH-ht a *major* Nacaduba 22:139

- Rothschild 1915 Novit. zool. [b3878] (*continued*)
- e *ab. plumbeus* Pepliphorus 22:138
 - a *pseudosias* Jamides 22:138
 - a *stresemanni* Lampides 22:137
 - BMNH-lt b *subcoallita* Lycaenopsis 22:136
 - BMNH-ht c *suffusus* Euchrysops 22:137
 - a *tertius* Lampides 22:138
- Rothschild 1915 Novit. zool. [b3879]
- a *affinis* Virachola 22:395
 - BMNH-lt b *coalitoides* Lycaenopsis 22:388
 - a *cupidoides* Lycaenopsis 22:388
 - b *dampierensis* Zizera 22:389
 - a *dampierensis* Epimastidia 22:394
 - BMNH-ht c *insulicola* Lycaenopsis 22:388
 - b *latifascia* Thysonotis 22:394
 - b *manusi* Thysonotis 22:394
 - b *manusi* Syntarucus 22:390
 - BMNH-lt c *meeki* Malais 22:387
 - BMNH-ht c *parvifascia* Candalides 22:393
 - a *pulchra* Everes 22:388
 - BMNH-ht a *rufimargo* Lycaenesthes 22:390
 - BMNH-ht b *saturator* Nacaduba 22:393
 - c *subvariegata* Nacaduba 22:392
 - c *tenebrosa* Hypochlorosis 22:395
 - a *uniformis* Jamides 22:391
 - BMNH-ht c *vulcanica* Lycaenopsis 22:388
- Rothschild 1916 Rep. B. O. U. Exped. New Guinea [b3880]
- BMNH-ht a *argenteus* Candalides 2(15):30
 - BMNH-lt a *argioloides* Nacaduba 2(15):29
 - BMNH-ht b *aurelioides* Philiris 2(15):30
 - a *concolor* Thysonotis 2(15):32
 - a *limbatus* Curetis 2(15):35
 - BMNH-ht c *major* Mileus 2(15):34
 - b *minor* Pepliphorus 2(15):28
 - BMNH-ht c *parvipuncta* Cyaniris 2(15):27
 - a *phorbanta* Hypolycaena 2(15):33
 - BMNH-ht b *proxima* Nacaduba 2(15):29
 - BMNH-ht c *restricta* Arhopala 2(15):36, f
 - BMNH-ht c *stoharti* Mileus 2(15):34, f 17
 - BMNH-ht c *subdubiosa* Nacaduba 2(15):29
 - BMNH-ht a *tristis* Nacaduba 2(15):29
 - a *wollastoni* Thysonotis 2(15):31
- Rothschild 1920 J. Fed. Malay St. Mus. [b3881]
- b *robinsoni* Dodona 8:160
- Rothschild 1921 Novit. zool. [b3882]
- a *buchanani* Spindasis 28:155
 - b *pallescens* Virachola 28:154
- Rothschild 1925 Bull. Soc. Sci. nat. Maroc [b3883]
- BMNH-lt c *ungemachi* Lycaena 5:333
- Rothschild 1925 Novit. zool. [b3884]
- biblio b *mauretanica* Lycaena 32:214
- Rothschild & Jordan 1905 Novit. zool. [b3885]
- a *grandis* Deudorix 12:465
 - a *leucomelas* Dicallaneura 12:464
 - BMNH-lt a *meeki* Hypochrysops 12:464
 - a *meeki* Stilbon 12:465
- Rothschild & Jordan 1907 Deut. ent. Zeit. [b3887]
- b *mambarensis* Abisara 1907:192
 - c *postalba* Abisara 1907:192
- Rottemburg 1775 Naturforscher [b3890]
- a *alciphron* Papilio 6:11
 - d *arcas* Papilio (H) 6:25, n 13
 - a *bellargus* Papilio 6:25
 - d *chiron* Papilio (H) 6:27, n 15
 - d *cyllarus* Papilio (H) 6:20
- Rottemburg 1775 Naturforscher [b3890] (*continued*)
- d *diomedes* Papilio (H) 6:26
 - d *dorilas* Papilio (H) 6:6
 - c *euridice* Papilio 6:28
 - a *icarus* Papilio 6:21, n 8
 - c *phocas* Papilio 6:29
 - a *semiargus* Papilio 6:20, n 6
 - d *theis* Papilio (H) 6:24
 - c *tirestas* Papilio 6:23
- Rougeot 1983 Bull. mens. Soc. linn. Lyon [b3891]
- a *meryamae* Eicochrysops 52(7):231, f
- Rowland-Brown 1909 Entomologist [b3892]
- e *ab. escherinus* Polyommatus 42:297, nota
 - e *ab. flavocinctata* Polyommatus 42:300
- Rowland-Brown 1914 Entomologist [b3893]
- e *ab. azurica* Lycaena 47:127
- Rudkin 1933 Ent. News [b3899]
- CAS-ht e *ab. gunderi* Lycaena 44(4):97
- Rühl 1891 Soc. ent. [b3900]
- c *andereggi* Lycaena 6(7):51
- Rühl 1892-1893 In Palae. Grossschmett. [b3901]
- e 1893 *athamantis* Polyommatus (ISS) 1:220
 - c 1893 *bellus* Thecla 1:188
 - c 1893 *caeruleopunctata* Lycaena 1:218
 - c 1893 *graeca* Lysandra 1:70
 - c 1893 *maculata* Thecla 1:188
 - e 1893 *major* Thecla 1:180
 - b 1893 *mongolica* Lycaena 1:235
 - b 1893 *obscura* Thestor 1:199
 - b 1893 *obscura* Polyommatus 1:220
 - c 1893 *quercus* Thecla 1:188
 - c 1893 *unicolor* Thecla 1:188
- Rühl 1893 Soc. ent. [b3902]
- b *maloyensis* Lycaena 7(23):181
- Rummel 1929 Bull. Brooklyn ent. Soc. [b3904]
- AMNH-ht e *ab. fulvus* Heodes 23(5):268
 - AMNH-ht e *ab. newi* Heodes 23(5):268
- Saalmüller 1878 Ber. Senckenb. naturf. Ges. [b3905]
- b *ramonza* Cupido 1877-78:84
- Saalmüller 1884 Lepid. Madagascar [b3906]
- c *coeruleoarcuatus* Lycaena 1:102, pl 1
 - c *perparva* Lycaena 1:93
 - c *quadriocularis* Lycaena 1:100, pl 1
- Sakai 1978 Atalanta (Münnerstadt) [b3909]
- b *forsteri* Agriades 9(1):111-112
 - a *kiyokoae* Lycaena 9(1):115
 - b *kohibabaensis* Polyommatus 9(1):116
- Sakai 1981 Butts Afghanistan [b3910]
- e *anisophthalma* Glaucopteryx (ISS) :261
 - e *ashreta* Vacciniina (ISS) :261
 - e *badakshana* Plebejus (ISS) :226,260
 - e *bilucka* Polyommatus (ISS) :261
 - e *glacilis* Polyommatus (ISS) :261
- Salazar Escobar 1993 Revta Lep. [b3911]
- a *nigrita* Teratophthalma 21(81):49, f
- Salazar Escobar & Constantino 1993 Revta Lep. [b3912]
- a *chocoana* Symmachia 21(8):15, f
 - a *cordillerensis* Mesosemia 21(8):14, f
 - a *splendida* Calospila 21(8):15, f
 - a *tatabroensis* Mesosemia 21(8):13, f

- Salmon 1946 Dom. Mus. Rec. Ent. [b3913]
 - b *caerulea* Chrysophanus 1:10, f
 - b *lanthina* Chrysophanus 1:10, f
- Salvin 1891 In Trans. ent. Soc. Lond. [b3914]
 - a *architas* Hypochrysops 39(2):191, pl 11
 - b *cratevas* Hypochrysops 39(2):191, pl 10
 - b *seuthes* Hypochrysops 39(2):192, pl
- Salvin & Godman 1868 Ann. Mag. nat. Hist. [b3915]
 - a *aurantiaca* Eurygona (4)2:149
 - a *hieronymi* Eurygona (4)2:149
- Samson & Smart 1980 Aurelian [b3917]
 - b *bougainvilleanus* Liphya 1(4):13, f
 - b *salomonis* Liphya 1(4):11, f
- Sands 1965 J. ent. Soc. Qd [b3920]
 AM-ht a *cuprea* Pseudodipsas 4:69, f
- Sands 1976 J. Aust. ent. Soc. [b3921]
 - a *aurea* Pseudodipsas 15(2):229, f
- Sands 1979 J. Aust. ent. Soc. [b3922]
 - a *caelestis* Philiris 18(2):127-132
 - a *pagwi* Philiris 18(2):130, f
 - a *siassi* Philiris 18(2):131, f
 - a *sibatani* Philiris 18(2):131, f
 - a *tapini* Philiris 18(2):132, f
- Sands 1980 J. Aust. ent. Soc. [b3923]
 T *cyrillus* Lycaena 18(3):261
 ANIC-ht a *hirtipes* Acrodipsas 18(3):251-265
 T *illidgei* Pseudodipsas 18(3):256
 ANIC-ht a *melania* Acrodipsas 18(3):251-265
 T *myrmecophila* Pseudodipsas 18(3):260
- Sands 1980 Aust. ent. Mag. [b3924]
 T *kamerungae* Philiris 6(5):82
 T *lucina* Philiris 6(5):82
 - b *sappheira* Philiris 6(5):82, f
- Sands 1981 J. Aust. ent. Soc. [b3925]
 - a *amethysta* Philiris 20(1):93, f
 - a *aquamarina* Philiris 20(1):89-96
 - a *biplaga* Philiris 20(1):89-96
 - a *cadmica* Philiris 20(1):89-96
 - a *maculata* Philiris 20(1):89-96
 - a *scintillata* Philiris 20(1):91, f
- Sands 1986 Entomograph [b3926]
 T *anacletus* Thecla 7:40
 T *argyriorufa* Hypochrysops 7:53
 T *bakeri* Waigeum 7:85
 T *brunnea* Hypochrysops 7:78-79
 ANIC-ht a *castaneus* Hypochrysops 7:54, f 36
 T *chrysgarya* Hypochrysops 7:30
 ANIC-ht b *cretatus* Hypochrysops 7:92, f 75
 T *cyane* Mileus 7:46
 T *delos* Mileus 7:48
 T *drucei* Hypochrysops 7:76
 T *dryope* Hypochrysops 7:38
 biblio c *echo* Hypochrysops 7:90
 T *eigneri* Mileus 7:29
 T *epicurus* Hypochrysops 7:49-50
 T *eratosthenes* Mileus 7:38
 T *erythrina* Mileus 7:52
 BMNH-ht a *ferrugineus* Hypochrysops 7:70
 ANIC-ht a *geminatus* Hypochrysops 7:73, f 57
 T *halyaetus* Hypochrysops 7:45-46
 T *hecalius* Hypochrysops 7:73
 T *honora* Hypochrysops 7:32
 T *hypocletus* Hypochrysops 7:80
 T *kaystrus* Mileus 7:79
- Sands 1986 Entomograph [b3926] (continued)
 ANIC-ht a *luteus* Hypochrysops 7:35, f 93,94
 T *meeki* Hypochrysops 7:71
 T *meeki* Deudonix 7:30
 T *menandrus* Mileus 7:39
 ANIC-ht b *nebulosus* Hypochrysops 7:85
 T *oineus* Mileus 7:80
 ANIC-ht b *parvulus* Hypochrysops 7:61, f 44
 T *phoebus* Mileus 7:26
 T *plotinus* Hypochrysops 7:36
 T *polemon* Mileus 7:90
 T *pretiosus* Hypochrysops 7:63
 T *roscia* Waigeum 7:99
 T *rovena* Hypochrysops 7:80
 T *sabirius* Mileus 7:39
 T *taeniata* Hypochrysops 7:45
 T *theophanes* Hypochrysops 7:93
 T *thesaurus* Hypochrysops 7:64
 T *uranites* Polychromatus 7:46
 T *wernerii* Mileus 7:76
- Saunders [1850] Trans. ent. Soc. Lond. [b3938]
 - a *calpharnia* Erycina (1)5(9):221
 BMNH a *dysonii* Erycina (1)5(9):218
 - c *glaphyra* Erycina (1)5(9):222
 - a *inca* Erycina (1)5(9):227
 biblio-lt b *julia* Erycina (1)5(9):pi 21
 - a *jurgensenii* Erycina (1)5(9):220
 - c *montezuma* Erycina (1)5(9):226
 - a *pandama* Erycina (1)5(9):222
 - b *psecas* Erycina (1)5(9):216 or
 - c *pyretus* Ancylinus (1)5(9):224
 - a *timandra* Erycina (1)5(9):228
- Saunders [1859] Trans. ent. Soc. Lond. [b3939]
 - a *amazon* Zeonia (2)5(9):97
 - b *atahualpa* Erycina (2)5(9):101
 - a *batesii* Zeonia (2)5(9):99
 - b *bogota* Zeonia (2)5(9):98
 - a *colubra* Erycina (2)5(9):103
 - b *eryxo* Erycina (2)5(9):104
 - a *etias* Erycina (2)5(9):102
 - c *hewitsonii* Necyria (2)5(9):106
 - b *huana* Erycina (2)5(9):100
 - a *huascar* Erycina (2)5(9):101
 - a *lyra* Lyropteryx (2)5(9):97
 - a *manco* Necyria (2)5(9):107
 - b *ocollo* Erycina (2)5(9):105
 - a *tapaja* Necyria (2)5(9):108
- Sauruck 1927-1928 Z. öst. EntVer. [b3940]
 - e 1927 *icaroides* Lycaena 12:99
- Saussure 1914 Bull. Soc. Léop. Genève [b3941]
 - e *ab. arcuataelongata* Lycaena 3:79, pl 1
 - e *ab. sinistraradiata* Lycaena 3:79, pl 1
- Schaller 1788 Naturforscher [b3945]
 - a *dion* Papilio 23:49, pl 1
- Schaus 1890 Ent. Amer. [b3947]
 - a *bacenis* Theope 6(1):19
 - a *eupolis* Theope 6(1):19
 USNM-st c *melicerta* Caria 6(1):18
 - a *sessilis* Lasaia 6(1):19
- Schaus 1902 Proc. U. S. natn. Mus. [b3948]
 - e *aratus* Thecla (PS) 24(1262):417
 USNM-ht c *aritides* Thecla 24(1262):417
 USNM-ht a *atrana* Thecla 24(1262):409
 USNM-ht b *bacaenita* Baeotis 24(1262):402
 USNM-ht a *binangula* Thecla 24(1262):415
 USNM-ht c *bolima* Thecla 24(1262):416

- Schaus 1902 Proc. U. S. natn. Mus. [b3948] (*continued*)
- USNM-ht a *carla* Thecla 24(1262):408
- USNM-ht a *chaluma* Thecla 24(1262):414
- USNM-ht a *chilica* Thecla 24(1262):422
- USNM-ht a *cogina* Lycaena 24(1262):407
- USNM-ht a *conoveria* Thecla 24(1262):413
- USNM-ht a *cucuta* Eurygona 24(1262):397
- USNM-ht a *curtira* Thecla 24(1262):413
- USNM-ht b *dovina* Hamearis 24(1262):404
- USNM-ht a *dukinfeldia* Charis 24(1262):401
- USNM-ht a *echinita* Thecla 24(1262):418
- USNM-ht a *epopeoides* Thecla 24(1262):412
- c *espiola* Eurygona (ISS) 24(1262):398
- USNM-ht c *eurina* Symmachia 24(1262):400
- USNM-ht c *farmina* Thecla 24(1262):421
- USNM-ht a *fostera* Thecla 24(1262):421
- USNM-ht a *foyi* Thecla 24(1262):417
- USNM-ht b *friburgensis* Mesosemia 24(1262):399
- USNM-ht a *gentilia* Thecla 24(1262):420
- USNM-ht a *giapor* Thecla 24(1262):407
- USNM-st d *griqua* Lycaena (H) 24(1262):407
- USNM-ht c *guadala* Thecla 24(1262):418
- USNM-ht c *guzanta* Thecla 24(1262):420
- USNM-ht a *hostis* Thecla 24(1262):420
- USNM-ht a *humber* Thecla 24(1262):422
- USNM-ht a *illex* Thecla 24(1262):419
- USNM-ht a *incoides* Charis 24(1262):401
- USNM-ht a *joviana* Chamaelinnas 24(1262):401
- USNM-ht a *lanckena* Thecla 24(1262):422
- USNM-ht c *lauronia* Ithomeis 24(1262):406
- USNM-ht a *malca* Lemonias 24(1262):405
- USNM-ht a *malta* Thecla 24(1262):410
- USNM-ht a *martha* Mesene 24(1262):402
- USNM-ht a *mathania* Mesosemia 24(1262):398
- USNM-ht a *micaela* Eurygona 24(1262):397
- USNM-ht a *muattina* Thecla 24(1262):415
- USNM-ht a *multiplaga* Apodemia 24(1262):404
- USNM-ht a *normahal* Thecla 24(1262):410
- USNM-ht a *nugar* Thecla 24(1262):408
- USNM-ht c *pelta* Lymnas 24(1262):399
- USNM-ht a *polama* Thecla 24(1262):416
- USNM-ht c *rana* Thecla 24(1262):414
- USNM-ht a *rasonea* Eurygona 24(1262):398
- USNM-ht a *rickmani* Thecla 24(1262):411
- USNM-ht a *samarita* Eucora 24(1262):400
- USNM-ht a *satena* Symmachia 24(1262):400
- USNM-ht c *similis* Chamaelinnas 24(1262):402
- USNM-ht b *sontella* Stalactis 24(1262):406
- USNM-ht a *stellidia* Stalactis 24(1262):406
- USNM-ht c *stringata* Mesene 24(1262):402
- USNM-ht b *tabrenthia* Caria 24(1262):403
- USNM-ht a *talama* Thecla 24(1262):409
- USNM-ht a *taminella* Thecla 24(1262):414
- USNM-ht a *tarinta* Eurygona 24(1262):398
- USNM-ht a *tella* Thecla 24(1262):413
- USNM-ht a *tigonia* Thecla 24(1262):419
- USNM-ht b *tristis* Lepicormis 24(1262):405
- USNM-ht a *vieca* Thecla 24(1262):411
- USNM-ht a *vomiba* Thecla 24(1262):410
- USNM-ht a *xorema* Thecla 24(1262):408
- USNM-ht a *zea* Calydna 24(1262):403
- USNM-ht a *zurkvitzl* Thecla 24(1262):412
- Schaus 1913 Ann. Mag. nat. Hist. [b3949]
- b *cachiana* Mesosemia (8)11:298
- a *esperanza* Mesosemia (8)11:299
- a *ignipicta* Phaenochitonina (8)11:300
- USNM-ht a *lenocinium* Nymphidium (8)11:302
- c *mygdon* Mesene (8)11:300
- b *nigriciliata* Pachythone (8)11:301
- a *nigrivenata* Xenandra (8)11:300
- a *petronia* Echenais (8)11:301
- Schaus 1913 Ann. Mag. nat. Hist. [b3949] (*continued*)
- a *phineus* Theope (8)11:302
- Schaus 1913 Proc. zool. Soc. Lond. [b3950]
- a *albipuncta* Mesosemia 1913(3):350
- BMNH a *amphrade* Thecla 1913(3):355
- BMNH a *guapila* Thecla 1913(3):354
- BMNH a *hypocrita* Thecla 1913(3):352
- a *leos* Thecla 1913(3):353
- a *leucon* Eurygona 1913(3):349
- a *leucophryna* Eurygona 1913(3):349
- a *leucoplaga* Corrachia 1913(3):351
- a *matuta* Eurygona 1913(3):349
- a *melma* Thecla 1913(3):354
- a *mystica* Eurygona 1913(3):348
- a *oweni* Hermathena 1913(3):350
- a *subflorens* Thecla 1913(3):353
- a *subtessellata* Charis 1913(3):351
- a *turrialbensis* Charis 1913(3):352
- Schaus 1920 Ent. News [b3951]
- e *thordesca* Thecla (ISS) 31(6):176
- Schaus 1920 Proc. U. S. natn. Mus. [b3952]
- b *elegans* Panara 57(2307):108
- Schaus 1927 Proc. ent. Soc. Wash. [b3953]
- a *hemis* Calydna 29(4):73
- Schaus 1928 Proc. ent. Soc. Wash. [b3954]
- a *brevilinea* Panara 30(3):48
- a *cronina* Emesis 30(3):49
- c *dativa* Hemathena 30(3):47
- a *desora* Xenandra 30(3):49
- a *estrada* Sarota 30(3):48
- a *speusippa* Chalodeta 30(3):48
- b *trangeri* Stalactis 30(3):50
- a *vimena* Emesis 30(3):49
- Schaus & Cockerall 1923 Proc. ent. Soc. Wash. [b3955]
- a *medialis* Helicopis 25(7/8):163
- Schawerda 1907 Verh. zool.-bot. Ges. Wien [b3956]
- e *ab. punctifera* Lycaena 58:(157)
- Schawerda 1913 Verh. zool.-bot. Ges. Wien [b3957]
- e *caeruleopunctata* Palaeochrysophanus 63:(152)
- Schawerda 1924 Mitt. münchn. ent. Ges. [b3958]
- b *ultramarina* Lycaena 14:24
- Schawerda 1926 Deut. ent. Zeit. [Iris] [b3959]
- a *draesekei* Zizera 40:204
- Schawerda 1938 Ent. Rundsch. [b3960]
- e *ab. cyanogyna* Lycaena 55:469
- Schawerda 1942 Deut. ent. Zeit. [Iris] [b3961]
- e *ab. pseudoasturiensis* Lycaena 55:12
- Schindler 1922 Ent. Anz. [b3965]
- e *ab. bergeri* Lycaena 2(5):57
- Schjotkin 1986 Senckenbergiana [b3966]
- ZIL-ht a *jurileontyi* Turanana 66(4-6):251-254
- Schnaider 1950 Polsk. Pismo ent. [b3968]
- e *ab. major* Chrysophanus 19:252
- Schneeur 1934 Ent. Zeit. [b3969]
- b *girschitschi* Lycaena 48(6):45
- Schneider 1791-1794 Neu. Mag. Liebhaber Ent. [b3970]
- b 1792 *amandus* Papilio 1(4):428
- Schneider 1937 Ent. Rundsch. [b3971]
- a *arenarum* Hamearis 55:137

- Schneider 1937 Ent. Rundsch. [b3971] (continued)
- a *montana* Hamearis 55:137
- Schoenfeld 1924 Int. ent. Z. [b3972]
-- e *ab. alba* Chrysophanus 18(6):40
-- e *ab. privata* Lycaena 18(6):40
- Schrank 1801 Fauna bioc. [b3973]
-lt d *puer Cupido* (RC) 2(1):215
- Schröder 1976 Ent. Zeit. [b3974]
pc-ht a *lumawigi* Charana 86(24):266, f
- Schröder & Treadaway 1978 Ent. Zeit. [b3975]
pc-ht a *alexandrae* Narathura 88(14):150
pc-ht a *gertrudes* Jacoona 88(14):154
pc-ht a *monsapona* Dacalana 88(14):151
pc-ht a *violacea* Pratapa 88(14):153
- Schröder & Treadaway 1978 Ent. Zeit. [b3976]
pc-ht a *evelynae* Deramas 88(16):177
pc-ht a *manobo* Deramas 88(16):174
pc-ht a *montana* Deramas 88(16):175
- Schröder & Treadaway 1978 Ent. Zeit. [b3977]
pc-ht b *fulminans* Remelana 88(24):275
- Schröder & Treadaway 1979 Ent. Zeit. [b3978]
pc-ht b *hayashii* Simiskina 89(24):272
pc-ht a *sirasplorum* Cyanitriodes 89(24):274
- Schröder & Treadaway 1982 Ent. Zeit. [b3979]
pc-ht b *reginae* Austrozephyrus 92(21):311
- Schröder & Treadaway 1983 Ent. Zeit. [b3980]
pc-ht a *apayao* Deudorix 93(11):157
- Schröder & Treadaway 1984 Ent. Zeit. [b3981]
pc-ht b *raddatzi* Jamides 94(12):170
- Schröder & Treadaway 1985 Ent. Zeit. [b3982]
pc-ht b *mindorensis* Rachana 95(23):349
T *monrosi* Castalius 95(23):348
pc-ht b *simillimus* Tarucus 95(23):347
- Schröder & Treadaway 1986 Ent. Zeit. [b3983]
pc-ht c *navales* Eliotia 96(21):312
pc-ht b *philippensis* Una 96(21):317
pc-ht a *sumikat* Deramas 96(21):315
- Schröder & Treadaway 1986 Ent. Zeit. [b3984]
pc-ht b *balabacensis* Eliotia 96(22):332
pc-ht b *garzoni* Iraota 96(22):335
- Schröder & Treadaway 1986 Ent. Zeit. [b3985]
pc-ht a *languana* Pontia 96(24):355
pc-ht b *marikti* Pratapa 96(24):353
- Schröder & Treadaway 1988 Ent. Zeit. [b3986]
pc-ht b *hermelnuydai* Liphya 98(21):317
- b *justini* Liphya 98(21):320
- Schröder & Treadaway 1988 Ent. Zeit. [b3987]
pc-ht b *amythystina* Paruparo 98(24):357
pc-ht b *jeanhooperae* Paruparo 98(24):355
pc-ht b *mallindangensis* Dodona 98(24):360
pc-ht b *parva* Catapaecilma 98(24):358
pc-ht b *steffi* Tajuria 98(24):354
- Schröder & Treadaway 1989 Ent. Zeit. [b3988]
T *canachus* Camena 99(15):217
pc-ht b *laduanae* Dacalana 99(15):219
T *polyorketes* Camena 99(15):218
- Schröder & Treadaway 1989 Ent. Zeit. [b3989]
pc-ht b *glennuydai* Pontia 99(19):277
pc-ht a *hayashii* Drupadia 99(19):273
- Schröder & Treadaway 1989 Ent. Zeit. [b3989] (continued)
pc-ht b *solitaria* Pontia 99(19):278
pc-ht b *takanamii* Curetis 99(19):279
pc-ht b *tawiensis* Drupadia 99(19):276
- Schröder & Treadaway 1989 Ent. Zeit. [b3990]
- b *astrosuluensis* Iraota 99(24):362-363
pc-ht b *austrosuluensis* Iraota 99(24):361, f
pc-ht b *parvula* Eliotia 99(24):363, f
- Schröder & Treadaway 1990 Ent. Zeit. [b3991]
- b *balabacola* Drupadia 100(9):170, f
- c *paradisii* Arhopala 100(9):168, f
- Schröder & Treadaway 1990 Ent. Zeit. [b3992]
- c *australis* Eliotia 100(21):406, f
- b *sibutuensis* Horaga 100(21):405, f
- Schröder & Treadaway 1991 Ent. Zeit. [b3993]
- a *borromeorum* Drina 101(22):429, f
- Schröder & Treadaway & Hayashi 1981 Ent. Zeit. [b3994]
pc-ht a *circumdata* Rachana 91(24):266, f
pc-ht b *panayensis* Rachana 91(24):265-272
pc-ht b *philippinensis* Deudorix 91(24):270, f
- Schröder & Treadaway & Nuyda 1993 Fil-Kulisap [b3995]
pc-ht a *alangani* Tajuria 1(2):5
pc-ht b *koenigswarteri* Jamides 1(2):6
- Schulte 1958 Biol. Glasn. [b3996]
- c *macedonica* Philotes 11:73
- Schultz 1903 Berl. ent. Z. [b3998]
- e *albocincta* Lycaena 48:265
- e *albolinearis* Lycaena 48:267
- e *dealbata* Lycaena 48:266
- Schultz 1903 Nyt Mag. naturvid. [b3999]
- e *ab. argenteola* Chrysophanus 41:23
- e *ab. asymmetrica* Lycaena 41:24
- e *ab. decurtata* Chrysophanus 41:24
- e *ab. spoliata* Chrysophanus 41:25
- e *strandii* Chrysophanus 41:25
- Schultz 1904 Soc. ent. [b4000]
- e *ab. orba* Lycaena 19(2):9
- Schultz 1904 Ent. Zeit. [b4001]
- e (+) *ab. amoena* Lycaena 18(24):93
- e (-) *ab. guttata* Chrysophanus 18(24):93
- e (-) *ab. tycaonius* Lycaena 18(24):94
- e (-) *ab. suavis* Lycaena 18(24):93
- Schultz 1905 Ent. Zeit. [b4002]
- e *caeruleopunctata* Chrysophanus (IFS) 18(33):131
- e *constricta* Chrysophanus 18(33):131
- e *ab. lateradiata* Chrysophanus 18(33):131, f
- e *milena* Chrysophanus (IFS) 18(33):132
- e *ab. mutilata* Chrysophanus 18(33):131
- e *ab. sincera* Chrysophanus 18(33):131
- e *ab. strigifera* Chrysophanus 18(33):131
- Schultz 1905 Ent. Zeit. [b4003]
- e *ab. auronitens* Chrysophanus 18(34):134
- e *ab. confluens* Chrysophanus 18(34):133
- e *ab. cuneifera* Chrysophanus 18(34):134
- e (-) *ab. fulvomarginalis* Chrysophanus 18(34):134
- e (+) *ab. infulvata* Chrysophanus 18(34):133
- e *ab. subfasciata* Chrysophanus 18(34):133, f
- e (-) *ab. viduata* Chrysophanus 18(34):133
- Schultz 1905 Ent. Zeit. [b4004]
- b *debilitata* Iolana 19(4):18
- b *ab. opulenta* Iolana 19(4):18

- Schultz 1906 Ent. Zeit. [b4005]
 -- e *ab. albopicta* Lycaena 19(36):214-215
 -- e *ab. amplificata* Lycaena 19(36):214-215
 -- e *ab. exuta* Lycaena 19(36):214-215
 -- e *ab. latefasciata* Lycaena 19(36):214-215
 -- e *ab. limbopunctata* Lycaena 19(36):214-215
 -- e *ab. oblitescens* Lycaena 19(36):214-215
 -- e *ab. pallidior* Lycaena 19(36):214-215
 -- e *ab. paula* Lycaena 19(36):214-215
 -- e *ab. stigmatica* Lycaena 19(36):214-215
- Schultz 1906 Jber. Wien. ent. Ver. [b4006]
 -- e *ab. limbomaculata* Lycaena 16:77
 -- e *ab. nigrocostalis* Lysandra 16:77
 -- e *ab. perversa* Plebejus 16:75
 -- e *ab. striata* Scolitantides 16:75
- Schultz 1908 Ent. Zeit. [b4007]
 -- e *ab. modesta* Thecla 21(37):222
 -- e *ab. spinoides* Thecla 21(37):222
- Schultze 1907 Philippine J. Sci. [b4019]
 - c *cuzneri* Rathinda 2:361, pl 1
- Schultze 1908 Soc. ent. [b4008]
 - a *aurivillii* Zenitis 23(17):131
 - b *paradoxa* Spindasis 23(17):130
- Schultze 1909 Soc. ent. [b4009]
 - b *bamendanus* Capys 24(3):19
- Schultze 1910 Philippine J. Sci. [b4020]
 - b *leopardus* Tarucus 5:161, pl 1
- Schultze 1911 Deut. ent. Zeit. [Iris] [b4010]
 - a *adolphfriderici* Epitola 25:95
- Schultze 1912 Ent. Rundsch. [b4011]
 - a *kallimoides* Aslauga 29(6):43
 - c *mildbraedi* Pseuderesia 29(6):43
- Schultze 1912 Ent. Rundsch. [b4012]
 - a *flavofasciata* Mimacraea 29(7):50
 - b *graeseri* Mimacraea 29(7):50
 - a *laeta* Mimacraea 29(7):49
 - b *pulverulenta* Mimacraea 29(7):50
 - b *schubotzi* Mimacraea 29(7):50
- Schultze 1912 Ent. Rundsch. [b4013]
 - b *mildbraedi* Iolais 29:93
 - a *sauberi* Liptena 29:92
- Schultze 1916 Arch. Naturgesch. [b4014]
 - c *beryllina* Hewitsonia (A)81(7):163
 - a *sciophilus* Iolais (A)81(7):165
- Schultze 1916 Arch. Naturgesch. [b4015]
 - b *borealis* Hewitsonia (A)81(11):111
 - c *hellodorus* Aphaeus (A)81(11):112
- Schultze 1916 Arch. Naturgesch. [b4016]
 - a *citrinaculata* Telipna (A)81(12):141
 - a *obscura* Phytala (A)81(12):142
- Schultze 1916 Arch. Naturgesch. [b4017]
 - b *isabellae* Pseuderesia (A)82(3):36
 - c *latemarginata* Liptena (A)82(3):38
 - a *paradoxa* Pseuderesia (A)82(3):37
 -lt b *praeusta* Liptena (A)82(3):38
 b *simplex* Deudorix (A)82(3):39
 - c *vulcanica* Citrinophila (A)82(3):37
 - a *yukadumae* Liptena (A)82(3):38
- Schultze 1923 In Schubotz [b4018]
 -- e *ab. affixa* Pentila :1157
 - a *amabilis* Liptena :1181
- Schultze 1923 In Schubotz [b4018] (continued)
 - a *angustata* Mimacraea :1163
 - b *congoensis* Liptena :1181, f
 - a *decempunctata* Liptena :1187, f
 b *dilatata* Falcuna :1177
 -- c *ab. extincta* Telipna :1150, f
 - a *ferruginea* Liptena :1184, f
 - a *fidonioides* Pentila :1155
 - c *f. fumata* Omipholidotos :1160
 -- c *ab. fumosa* Pentila :1160
 - b *leopardina* Pentila :1154, f 51
 - b *lucayensis* Pentila :1158
 - a *modesta* Aslauga :1192
 - b *proditia* Pentila :1156
 - b *pseudepaea* Mimacraea :1165
 - c *regularis* Citrinophila :1173, f
 - a *ruspinoides* Telipna :1151, f
 - a *schmidlii* Mimacraea :1163
 - b *telloides* Mimacraea :1165
- Schulz 1881 In Stett. ent. Ztg [b4021]
 - b *dubia* Lycaena 42:135
- Schulze 1915 Deut. ent. Zeit. [b4022]
 - e *ab. flavimarginata* Lycaena 1915:326 or 327
- Schulze 1918 Deut. ent. Zeit. [b4023]
 - c *f. schirmeri* Chrysophanus 1918:170
- Schurian 1977 Ent. Zeit. [b4029]
 pc-ht b *nufrellensis* Lysandra 87(3):13-18
- Schurian 1982 Ent. Zeit. [b4033]
 pc-ht a *dizinensis* Agrodiaetus 92(7):92, f 1-3
- Schurian 1988 Ent. Zeit. [b4038]
 T *albicans* Lycaena 98(10):134
 T *apenninus* Lycaena 98(10):130
 T *caucasica* Lycaena 98(10):139
 T *corydonius* Lycaena 98(10):137
 T *hispana* Lycaena 98(10):132
 T *olympica* Lycaena 98(10):136
 T *ossmar* Lycaena 98(10):135
 T *syriaca* Agriades 98(10):141
- Schurian 1989 Ent. Zeit. [b4039]
 T *borussia* Lycaena 99(21):305
 T *caelestissima* Agriades (RA) 99(21):307
- Schurian 1991 Nachr. ent. Ver. Apollo [b4040]
 - d *tauricus* Polyommatus (H) 12(3):155, f
- Schurian & Haeuser 1981 Atalanta (Münnerstadt) [b4041]
 - b *dugijani* Meleageria 12(2):101-111
 - b *erciyasi* Meleageria 12(2):104, f
 - b *palandokis* Meleageria 12(2):101-111
 - b *vangolensis* Meleageria 12(2):101-111
- Schurian & Hofmann 1982 Nachr. ent. Ver. Apollo [b4042]
 - b *sahandensis* Thersamonina Suppl. 2:22, f
- Schurian & Hofmann [1983] Nachr. ent. Ver. Apollo [b4043]
 - b *ankara* Lysandra (nf)3(4):121
- Schurian & Rose 1991 Linneana Belgica [b4044]
 - b *guelayae* Polyommatus 13(2):84, f
- Schurian & van Oorschot & van den Brink 1992 Nachr. ent. Ver. Apollo [b4046]
 - a *theresia* Polyommatus (nf)12(4):227
- Schwartz 1987 Bull. Allyn Mus. [b4047]
 AME-ht b *escobioi* Pseudochrysops (110):2, f 1
- Schwartz & Johnson 1992 Caribb. J. Sci. [b4050]
 CNCH-ht a *hedgesi* Leptotes 28(3/4):149

- Schwartz & Johnson 1992 Caribb. J. Sci. [b4050] (continued)
CNCH-ht a *hernandezi* Ministrymon 28(3/4):153
- Schwartz & Miller 1985 Bull. Allyn Mus. [b4051]
- a *monopeteinus* Strymon (99):2, f
- Schweizer & Kay 1941 An. Mus. Hist. nat. Montevideo [b4053]
- c *affinis* Hamearis (2)5(2):8
- a *almironensis* Hamearis (2)5(2):9
- a *erycina* Hamearis (2)5(2):7
- a *ina* Hamearis (2)5(2):10
- a *precaria* Hamearis (2)5(2):10
- e *ab. similis* Hamearis (2)5(2):11
- Schwingenschuss 1935 Verh. zool.-bot. Ges. Wien [b4054]
- e *f. lunulata* Polyommatus 85:132
- Schwingenschuss 1938 Ent. Rundsch. [b4055]
- e *ab. ornata* Lycaena 55:146
- Schwingenschuss 1939 Ent. Zeit. [b4056]
- e *ab. caeca* Lycaena 53(11):87
- e *ab. marginemaculata* Lycaena 53(11):87
- Schwingenschuss 1939 Ent. Rundsch. [b4057]
- b *monotona* Thestor 56:328
- Schwingenschuss 1953 Z. wien. ent. Ges. [b4058]
- c *f. caerulea* Zephyrus 38:102
- Scopoli 1763 Ent. Cam. [b4060]
- d *alexis* Papilio (H) :179
- d *corydon* Papilio (H) :179
- Scott 1890-1898 Aust. Lep. Transform. [b4061]
- e 1892 *cassythae* Polycyma (PS) 2pl 12
- Scott 1981 Papilio (New Series) [b4062]
LACM-ht b *albidus* Satyrium (1):5
LACM-ht b *artemisla* Lycaena (1):6
- e *f. immaculata* Everes (1):6
- e *f. lucimargina* Celastrina (1):6
pc-ht b *oroplatea* Euphilotes (1):8
LACM-ht b *pinjuna* Euphilotes (1):6
- e *f. transvestitus* Plebejus (1):6
- Scott 1986 Butts N. America [b4066]
- e *heathi* Satyrium (IFS) :363
- e *ines* Hypostrymon (IFS) :381
- e *isoptalma* Brephidium (ISS) :395
- b *paradoxa* Callophrys :379
- Scriba 1790-1791 Journ. Ent. [b4072]
- c 1791 *icarinus* Papilio 3:216
- Scriba 1921 Ent. Rundsch. [b4073]
- c *shiranensis* Lycaena 38:25, f 1,2
- Scudder 1864 Proc. Essex Inst. [b4073]
MCZ c *porsonna* Polyommatus 3:163
- Scudder 1868 Proc. Boston Soc. nat. Hist. [b4074]
- c *Juanita* Thecla 11:435
- Scudder 1868 Proc. Boston Soc. nat. Hist. [b4075]
MCZ?-st b *dione* Chrysophanus 11:401
- Scudder 1872 4th Ann. Rep. Peabody Acad. Sci. [b4078]
- e *lygdarnus* Lycaena (ISS) 1871:33
- Scudder 1875 Proc. Boston Soc. nat. Hist. [b4079]
MCZ-ht b *minnehaha* Agriades 17(1):88
- Scudder 1875 Proc. amer. Acad. Arts Sci. [b4080]
- e *phalanthus* Molus (ISS) 10:220
- Scudder 1876 Can. Ent. [b4082]
MCZ b *oro* Nomias 8(2):23
- Scudder 1876 Bull. Buffalo Soc. nat. Sci. [b4083]
- e *adenostoma* Satyrium (ISS) 3:111
- e *chrysalis* Hypaurotis (ISS) 3:113
- b *croesoides* Incisalia 3:104
- e *cygnus* Thecla (ISS) 3:109
- c *deutargiolus* Cyaniris 3:115
- e *exile* Brephidium (ISS) 3:124
- c *geda* Calephelis (PS) 3:102
- e *irioides* Incisalia (ISS) 3:104
- e *plautus* Incisalia (NN) 3:104
- e *puanami* Thecla (NN) 3:109
- Scudder 1888-1889 Butts E. United States & Canada [b4088]
- e 1889 *amicetus* Epidemia (PS) 2:985
- e 1889 *bacchus* Lycaena (PS) 2:998
- e 1889 *ab. balteata* Incisalia 2:837
- e 1889 *ab. fumida* Cyaniris 2:933
biblio e 1889 *ab. oblitterata* Heodes 2:1001
- e 1889 *ab. pruina* Thecla 2:879
- e 1889 *ab. pseudora* Cyaniris 2:933
- Seitz 1907-1921 In Seitz, Grossschmett. Erde [b4092]
- e [1908] *alboocellata* Plebejus 1:307
- e [1908] *ab. auronitens* Thecla 1:266
- e [1908] *coelisticus* Zephyrus (ISS) 1:271
- e [1908] *corruscans* Zephyrus (ISS) 1:270
- a [1908] *daimio* Lycaena 1:286, pl 77b
- b [1908] *famelica* Lycaena 1:305, pl 79
- c [1908] *jankowskii* Chrysozephyrus 1:270, pl 73g
- e [1908] *ab. luniger* Deudorix 1:260
- e [1908] *ab. maculata* Rapala 1:259
- e [1908] *ab. nebulifer* Rapala 1:259
- e [1908] *phellodendri* Thecla (PS) 1:268
- e [1908] *ptorsas* Thecla (ISS) 1:267
- d [1908] *uralensis* Lycaena (H) 1:304
- e [1909] *hypargyrus* Cigaritis (ISS) 1:279
- e [1909] *massinissa* Cigaritis (ISS) Cigariti)1:279
- e [1909] *nyeni* Chrysophanus (ISS) 1:287
- e [1909] *pupillata* Lycaena (ISS) 1:310
- e [1909] *speveri* Lycaena (ISS) 1:310
- Seitz 1910-1924 In Seitz, Grossschmett. Erde [b4093]
- c [1913] *micator* Echenais 5:708, pl 138 h
- c [1913] *mithrophorus* Isapis 5:657, pl 132c
- c [1916] *placidus* Euselasia 5:626, (-1141 (1924))
- e [1917] *ab. albida* Emesis 5:695, pl 136c
- c [1917] *albiplaga* Mesene 5:676, pl 134m
- e [1917] *ab. alcyoneus* Barbicomis 5:664, pl 132b
- c [1917] *amanda* Mesosemia 5:640
- c [1917] *amithrata* Methonella 5:633, pl 122i
- b [1917] *analoga* Mesosemia 5:640
- c [1917] *angustior* Siseme 5:698, pl 133c
BMNH-ht c [1917] *antaeus* Hamearis 5:701
- c [1917] *araguaya* Lymnas 5:660, pl 131d
BMNH-ht a [1917] *archelaus* Euselasia 5:632, pl 110Af
- c [1917] *astiana* Symmachia 5:682
- b [1917] *ater* Euselasia 5:628, pl 121g
- e [1917] *aterrima* Barbicomis 5:663
- c [1917] *attalus* Mesosemia 5:638, pl 124e
- b [1917] *atrita* Euselasia 5:627
- e [1917] *aurantiaca* Necyria (NN) 5:670
- a [1917] *bacche* Mesosemia 5:639
BMNH-ht a [1917] *banghaasi* Colaciticus 5:672, pl 142e
- c [1917] *bipuncta* Crema 5:651
- c [1917] *campicola* Anatole 5:716, pl 140e
- e [1917] *ab. carens* Monethe 5:671, pl 133a
- c [1917] *catapoecia* Euselasia 5:624
- b [1917] *cearaica* Bacotis 5:685, pl 134g
- e [1917] *cenea* Charis (ISS) 5:698

Seitz 1910-1924 In		Seitz, Grossschmett. Erde [b4093] (continued)		Seitz 1910-1924 In		Seitz, Grossschmett. Erde [b4093] (continued)	
-	c [1917]	<i>chionea</i> Euselasia	5:631,1141	-	e [1917]	<i>ab. tetra</i> Euselasia	5:632
-	a [1917]	<i>cisandina</i> Hamearis	5:701, pl 141d	-	c [1917]	<i>transiens</i> Siseme	5:698, pl 132b
--	e [1917]	<i>ab. citrina</i> Baetis	5:684	-	b [1917]	<i>trinitatis</i> Helicopsis	5:633
-	c [1917]	<i>coecincta</i> Amarynthus	5:691, pl 132g	-	b [1917]	<i>undimargo</i> Nymphidium	5:714, pl 142i
-	c [1917]	<i>colombica</i> Mesene	5:675	-	b [1917]	<i>venezolana</i> Stalactis	5:719, 143c
-	b [1917]	<i>cratippa</i> Lymanas	5:661, pl 131e	-	b [1917]	<i>venezolana</i> Euselasia	5:628, pl 121g
-	c [1917]	<i>crioeus</i> Riodina	5:658	-	e [1917]	<i>ab. vitellia</i> Methone	5:633, pl 121i
-	b [1917]	<i>crotopina</i> Euselasia	5:628	-	a [1920]	<i>trichroma</i> Tmetoglene	5:727, pl 110a
BMNH-ht	a [1917]	<i>cteatus</i> Paraphthonia	5:672, pl 142e	-	a [1924]	<i>aequatorialis</i> Diophthalma	5:1066, pl 126e
--	e [1917]	<i>ab. cuneifera</i> Barbicomis	5:663, pl 132a	Seitz 1912-1927 In Seitz, Grossschmett. Erde [b4094]			
-	c [1917]	<i>divergens</i> Helicopsis	5:633, pl 124b	-	b [1923]	<i>annamitica</i> Talicada	9:925
-	c [1917]	<i>dyrrhachius</i> Euselasia	5:624	-	b [1923]	<i>armathoe</i> Lycaena	9:929
-	b [1917]	<i>echidna</i> Melanis	5:661	-	b [1923]	<i>assamica</i> Talicada	9:925
-	b [1917]	<i>eclipsis</i> Panara	5:657, pl 132d	-	b [1923]	<i>ottobonus</i> Everes	9:924
-	a [1917]	<i>ella</i> Euselasia	5:625, pl 142b	-	b [1923]	<i>philebus</i> Lycaena	9:929, pl 153m
-	b [1917]	<i>enimanga</i> Nymphidium	5:711	-	b [1923]	<i>thyestes</i> Everes	9:924
-	c [1917]	<i>enyo</i> Necyria	5:669, pl 129b	-	b [1923]	<i>tyrone</i> Lycaena	9:929
-	b [1917]	<i>ergines</i> Tharops	5:716	-	b [1923]	<i>yerta</i> Everes	9:923, pl 153i
-	b [1917]	<i>erotica</i> Helicopsis	5:633, pl 124a	-	e [1924]	<i>adona</i> Lampides (ISS)	9:909
-	c [1917]	<i>erratica</i> Riodina	5:658, pl 132e	-	e [1924]	<i>areos</i> Lampides (ISS)	9:911
-	a [1917]	<i>eupatra</i> Euselasia	5:630	-	e [1924]	<i>atrofusa</i> Nacaduba (ISS)	9:918
-	b [1917]	<i>exul</i> Stalactis	5:718, pl 143d	-	e [1924]	<i>cordaea</i> Lampides (ISS)	9:906
pc-ht	a [1917]	<i>fassli</i> Aricoris	5:721, pl 143a	-	b [1924]	<i>dohertyi</i> Curetis	9:934, pl 162d
-	c [1917]	<i>fassli</i> Mesosemia	5:642, pl 125c	-	e [1924]	<i>dschagataica</i> Lycaena (ISS)	9:929
pc-ht	b [1917]	<i>fassli</i> Eurybia	5:721	-	e [1924]	<i>echeilea</i> Lampides (ISS)	9:911
--	e [1917]	<i>ab. flava</i> Euselasia	5:631	-	e [1924]	<i>flumen</i> Nacaduba (ISS)	9:914
--	e [1917]	<i>ab. fusus</i> Barbicomis	5:663	-	e [1924]	<i>honorifica</i> Nacaduba (ISS)	9:914
BMNH-ht	c [1917]	<i>gemma</i> Tharops	5:716, pl 138d	-	b [1924]	<i>ictina</i> Aphaeus	9:939
-	a [1917]	<i>geon</i> Euselasia	5:pl 122f	-	e [1924]	<i>kokopana</i> Nacaduba (ISS)	9:918
-	b [1917]	<i>gration</i> Euselasia	5:624, pl 121c	-	e [1924]	<i>levasa</i> Lampides (ISS)	9:904
-	c [1917]	<i>hyperion</i> Siseme	5:698	-	e [1924]	<i>mani</i> Chrysophanus (ISS)	9:932
-	b [1917]	<i>incarum</i> Thisbe	5:715, pl 140f	-	c [1924]	<i>nava</i> Jamides	9:902
-	c [1917]	<i>irion</i> Stalactis	5:718, pl 143c	-	e [1924]	<i>notanda</i> Amblypodia (ISS)	9:949
-	a [1917]	<i>jordani</i> Colaciticus	5:672, pl 142e	-	e [1924]	<i>paulanensis</i> Jamides (ISS)	9:902
-	c [1917]	<i>latmicus</i> Helicopsis	5:634, pl 124c	-	e [1924]	<i>phosis</i> Lampides (ISS)	9:912
-	c [1917]	<i>leucidiodes</i> Nymphidium	5:714, pl 142i	-	e [1924]	<i>polyaemus</i> Lampides (ISS)	9:912
BMNH-ht	b [1917]	<i>leucodesma</i> Siseme	5:698, pl 133e	-	e [1924]	<i>potidolon</i> Lampides (ISS)	9:905
BMNH-ht	c [1917]	<i>leucoplegmoides</i> Lymanas	5:661, pl 131e	-	c [1924]	<i>pseudoinsularis</i> Curetis	9:935, pl 162
-	a [1917]	<i>magnarea</i> Methonella	5:633, pl 122i	-	e [1924]	<i>reverdina</i> Lampides (ISS)	9:909
BMNH-st	a [1917]	<i>maravelica</i> Nymphidium	5:711, pl 139h	-	e [1924]	<i>sanatana</i> Curetis (ISS)	9:935
-	b [1917]	<i>marginata</i> Barbicomis	5:664, pl 132b	-	e [1924]	<i>soemis</i> Chilades (ISS)	9:927
-	c [1917]	<i>megala</i> Siseme	5:698, pl 133b	-	e [1924]	<i>solski</i> Chrysophanus (ISS)	9:932
-	c [1917]	<i>menalcidas</i> Nymphidium	5:712, pl 139f	-	e [1924]	<i>ab. striata</i> Everes	9:924
--	e [1917]	<i>menalcus</i> Nymphidium (IOS)	5:pl 139f	-	e [1924]	<i>takaonis</i> Aphaeus (ISS)	9:938
-	c [1917]	<i>minima</i> Mesosemia	5:640	-	e [1924]	<i>valuana</i> Nacaduba (ISS)	9:915
-	a [1917]	<i>mutator</i> Euselasia	5:628	-	e [1924]	<i>woodsfordi</i> Jamides (ISS)	9:902
-	b [1917]	<i>negrita</i> Riodina	5:658, pl 132e	-	e [1924]	<i>zella</i> Lampides (ISS)	9:911
-	c [1917]	<i>nigrapex</i> Lymanas	5:660, pl 131d	-	e [1924]	<i>zozine</i> Ogyris (ISS)	9:940
-	c [1917]	<i>nigretta</i> Limnas	5:660, pl 131d	-	b [1926]	<i>accius</i> Iraota	9:944, pl 161e
-	c [1917]	<i>nocticoelum</i> Stalactis	5:718, pl 143c	-	d [1926]	<i>aleta</i> Amblypodia (H)	9:966
-	b [1917]	<i>ochrotaenia</i> Siseme	5:698, pl 133d	-	e [1926]	<i>azyada</i> Dacalana (ISS)	9:970
-	c [1917]	<i>olivencia</i> Ancylyrus	5:667	-	e [1926]	<i>babbsi</i> Amblypodia (ISS)	9:967
-	b [1917]	<i>orthotaenia</i> Baetis	5:684	-	e [1926]	<i>bothrioides</i> Lycaenopsis (ISS)	9:872
-	c [1917]	<i>ovifera</i> Panara	5:657, pl 132d	-	e [1926]	<i>callias</i> Deudorix (ISS)	9:pl 161d
-	c [1917]	<i>picus</i> Eunogyra	5:650, pl 124d	-	c [1926]	<i>carteia</i> Yasoda	9:995, pl 157c
-	c [1917]	<i>polyplaga</i> Barbicomis	5:664	-	e [1926]	<i>cinesioides</i> Hypolycaena (ISS)	9:986
-	b [1917]	<i>proavia</i> Euselasia	5:627	-	e [1926]	<i>corhata</i> Amblypodia (ISS)	9:966,1014
MNHN-ht	a [1917]	<i>psammathe</i> Euselasia	5:628	-	b [1926]	<i>deliciosa</i> Semanga	9:983, f 158b
-	a [1917]	<i>putli</i> Mesosemia	5:638, pl 124d	-	e [1926]	<i>ab. dichroa</i> Sinthusa	9:979
-	a [1917]	<i>rhodon</i> Euselasia	5:626, pl 121f	-	e [1926]	<i>ab. discolor</i> Sinthusa	9:979
BMNH-ht	a [1917]	<i>rothschildi</i> Mimocastnia	5:652, pl 127a	-	e [1926]	<i>disparalis</i> Arhopala (ISS)	9:967
-	c [1917]	<i>semiatra</i> Mesosemia	5:645, pl 125h	-	e [1926]	<i>dorinond</i> Amblypodia (ISS)	9:960
-	c [1917]	<i>semivitreata</i> Mesosemia	5:640, pl 125a	-	e [1926]	<i>duaringae</i> Ogyris (ISS)	9:941
-	c [1917]	<i>sexpunctata</i> Limnas	5:659	-	e [1926]	<i>giseon</i> Hypolycaena (ISS)	9:985
-	a [1917]	<i>sisemina</i> Theope	5:726	-	e [1926]	<i>heliogabalus</i> Amblypodia (ISS)	9:959
-	c [1917]	<i>speculum</i> Mesene	5:676, pl 134m	-	e [1926]	<i>holothuria</i> Horaga (ISS)	9:982
-	c [1917]	<i>splendida</i> Mesosemia	5:645, pl 125h	-	e [1926]	<i>husarina</i> Amblypodia (ISS)	9:961
--	e [1917]	<i>ab. supenda</i> Helicopsis	5:633, pl 124b	BMNH-ht	e [1926]	<i>ijauensis</i> Amblypodia (ISS)	9:956
-	b [1917]	<i>subalbata</i> Diophthalma	5:648, pl 126e	-	e [1926]	<i>kallios</i> Deudorix (ISS)	9:1000
-	b [1917]	<i>superior</i> Amarynthus	5:691, pl 132g	-	e [1926]	<i>kartophilus</i> Amblypodia (ISS)	9:960
-	c [1917]	<i>terpsichore</i> Stalactis	5:719				

- Seitz 1912-1927 In Seitz, Grossschmett. Erde [b4094] (continued)
- e [1926] *mandei* Deudorix (ISS) 9:1019
 - e [1926] *mandli* Deudorix (ISS) 9:1000
 - e [1926] (+) *f. melera* Horaga (IFS) 9:983, f 158a
 - e [1926] *minetta* Arhopala (ISS) 9:953
 - e [1926] *montoni* Hypolycaena (ISS) 9:985
 - c [1926] *myrmecus* Thrix 9:992, pl 159g
 - e [1926] *oeeta* Amblypodia (ISS) 9:965
 - b [1926] *petrella* Thamola 9:986, pl 156g
 - b [1926] *plataea* Chliaria 9:981, pl 157h
 - e [1926] *polowna* Surendra (ISS) 9:943
 - e [1926] *pompaeidius* Zelus (ISS) 9:990
 - e [1926] *sequaira* Rapala (ISS) 9:1003
 - e [1926] *ab. sigma* Sinthusia 9:979
 - e [1926] *tenthrona* Amblypodia (ISS) 9:1024
 - b [1926] *terana* Thrix 9:992, f 159h
 - e [1926] *toro* Chliaria (ISS) 9:981
 - e [1926] *wavortia* Drina (ISS) 9:987
 - b [1926] *xystus* Loxura 9:996, pl 157e
 - b [1926] *yilma* Loxura 9:996, pl 157c
 - c [1926] *zylta* Rapala 9:pl 160, f i(6)
 - c [1927] *acetas* Deudorix 9:1117, pl 161c
 - e [1927] *chenelli* Lycanopsis (ISS) 9:1014
 - e [1927] *cinctula* Lycanopsis (ISS) 9:1014
 - e 1927 *dossenius* Gerydus (ISS) 9:1015
 - b [1927] *ecyla* Eoxytilides 9:1117
 - b [1927] *elatheia* Rapala 9:117
 - e [1927] *gambara* Tajuria (ISS) 9:1016
 - e [1927] *hermachus* Lycaena (ISS) 9:1017
 - e [1927] *holoturia* Horaga (ISS) 9:1017
 - e [1927] *illissus* Castalius (ISS) 9:1017
 - b [1927] *jetavanus* Lampides 9:1114, pl 151g
 - e [1927] *kohymensis* Ilerda (ISS) 9:1018
 - e [1927] *makines* Tajuria (ISS) 9:1019
 - e [1927] *manuela* Castalius (ISS) 9:1019
 - e [1927] *marginata* Lampides (ISS) 9:1019
 - d [1927] *nitens* Lampides (H) 9:1114, pl 147a
 - c [1927] *noachis* Rapala 9:1002, pl 160i
 - e [1927] *philota* Candalides (ISS) 9:1022
 - e [1927] *poliaemus* Lampides (ISS) 9:1022
 - e [1927] *prologens* Hypochrysopteryx (ISS) 9:1022
 - e [1927] *sobanes* Chliaria (ISS) 9:1024
 - b [1927] *valdarna* Sinthusia 9:1116
 - b [1927] *wandamenensis* Lampides 9:1114, pl 147a
 - c [1927] *zulkarna* Rapala 9:1004, pl 160f
- Seitz 1916 Ent. Rundsch. [b4096]
- c *clinaropsis* Barbicomis 33:53
- Seitz 1932 Ent. Rundsch. [b4097]
- e *f. acervata* Emartugina 49:242
 - e *f. perrupta* Emartugina 49:241
 - e *f. prosocca* Diophthalmia 49:210, f
 - e *ab. roberi* Emartugina 49:241
- Seki 1989 Konchu to Shizen (Nature & Insects) [b4099]
- b *pelenga* Arhopala 24(6):11, f
- Seki 1991 In Butts Borneo [b4100]
- b *serapina* Arhopala 2(1):70, f
- Seki 1993 Fil-Kulisap [b4101]
- pc-ht a *grandimuta* Arhopala 1(2):4
 - pc-ht a *rosemarie* Paruparo 1(2):3
 - pc-ht b *takanamii* Arhopala 1(2):4
- Seki 1994 Futao [b4102]
- pc-ht b *amica* Arhopala (15):21, pl 3
 - pc-ht b *exoticus* Hypochrysopteryx (15):20, pl 3
 - pc-ht b *gamelan* Mantoides (15):23, pl 3
 - pc-ht a *lyrica* Dacalana (15):22, f 1
 - pc-ht b *nocturna* Arhopala (15):21, pl 3
 - pc-ht b *perelegans* Arhopala (15):22, pl 3
- Seki 1994 Futao [b4102] (continued)
- pc-ht b *reimi* Arhopala (15):21, pl 3
 - pc-ht b *stellans* Poritia (15):20, pl 3
- Seki 1994 Futao [b4103]
- pc-ht b *expallida* Arhopala (15):26, pl 4
 - pc-ht b *fulgurita* Arhopala (15):26, pl 4
 - pc-ht b *mitis* Arhopala (15):26, pl 4
 - pc-ht b *reverie* Arhopala (15):26, pl 4
- Seki & Takanami 1988 Tyô to Ga [b4105]
- pc-ht a *umbrata* Hypolycaena 39(3):183, f 1-3
- Seki & Takanami 1990 Gekkan Mushi [b4106]
- a *brillantina* Arhopala (231):5, f
 - b *cindina* Drupadia (231):6, f
 - b *murakamii* Arhopala (231):6
 - a *prenoza* Tajuria (231):5, f
- Seki & Takanami 1991 In Butts Borneo [b4107]
- pc-ht a *bravurus* Britomartis 2(1):116, f
- Seki & Takanami & Otsuka 1991 Butts Borneo [b4108]
- e *f. nox* Simiskina 2(1):6
 - T *ochracea* Cheritra :102 (Japanese)
 - T *parva* Biduanda 2(1):107
 - e *phantera* Arhopala (ISS) 2(1):56 (English)
 - e *sarawaka* Arhopala (ISS) 2(1):67 (English)
- Semper [1879] J. Mus. Godeffroy [b4109]
- BMNH-ht c *anita* Holochila 5(2)(14):163
 - a *daemeli* Ialmenus 5(2)(14):166
 - BMNH-ht a *dubiosa* Plebeius 5(2)(14):159
 - b *godeffroyi* Lycanesthes 5(2)(14):165
 - BMNH-ht a *helenita* Holochila 5(2)(14):162
 - BMNH-ht a *hyacinthina* Holochila 5(2)(14):162
 - c *macleayi* Plebeius 5(2)(14):155
 - BMNH-ht a *margarita* Holochila 5(2)(14):161
- Semper 1886-1892 In Semper, Reisen Philipp. [b4110]
- SMF-st b 1887 *alcetina* Rapala (2)(5):225
 - SMF-ht a 1887 *distanti* Logania (2)(5):161
 - a 1887 *drucei* Gerydus (2)(5):162
 - SMF-ht b 1887 *felderi* Allotimus (2)(5):163
 - a 1887 *manata* Pratapa (2)(5):208
 - SMF-ht b 1887 *monrosi* Castalius (2)(5):187
 - b 1887 *nemana* Rapala (2)(5):223
 - SMF-ht a 1887 *nigritus* Paragerydus (2)(5):164
 - ZMHU-st a 1887 *perrhaebis* Araotes (2)(5):220
 - ZMHU-ht a 1887 *plateni* Pratapa (2)(5):206
 - SMF-ht a 1887 *punctatus* Paragerydus (2)(5):165
 - b 1887 *strigatus* Spalgis (2)(5):160
 - b 1887 *vapanda* Catochrysopteryx (2)(5):187
 - ZMHU-ht b 1887 *vergara* Tajuria (2)(5):210
 - b 1889 *aponata* Dodona (2)(5):156, f
 - a 1889 *maputi* Chilades (2)(5):170
 - SMF-ht a 1889 *philippina* Cyaniris (2)(5):168
 - a 1890 *aenea* Cheritra (2)(5):215
 - ZMHU-ht a 1890 *anamuta* Arhopala (2)(5):203
 - ZMHU-st a 1890 *billineata* Horaga (2)(5):216
 - b 1890 *camiguina* Horaga (2)(5):216
 - a 1890 *davaona* Arhopala (2)(5):204
 - b 1890 *gracilis* Catapacilima (2)(5):217
 - c 1890 *smaragdina* Nacaduba (2)(5):178
 - ZMHU-ht a 1890 *staudingeri* Arhopala (2)(5):195
 - ZMHU-ht a 1890 *trionoza* Arhopala (2)(5):198
 - a 1892 *mindanaensis* Abisara (2)(5):348
- Seok 1934 Bull. Kagoshima Imp. Coll. Agr. For. [b4111]
- e *ab. peongsanus* Lycaena (IFS) 1:748, pl 9
 - e *ab. pseudoradiata* Lycaena 1:—
 - e *ab. spinosoida* Zephyrus 1:766

- Seok 1936 Zool. Mag. [b4112]
- b *ginzli* Zephyrus 48:60, pl 2
- Seok 1937 Zephyrus [b4113]
- b *zezuensis* Lycaena 7(2/3):150
- Seok 1938 Zephyrus [b4114]
- c *f. dageletensis* Lycaena 8(1/2):28
- Sepp 1828-1855 Surinaam. Vlinders [b4116]
- c [1848] *baeton* Papilio 1:23, pl 8
- a [1848] *erythromelas* Papilio 1:65, pl 29
- c [1848] *ingae* Papilio 1:41, pl 17
- a [1855] *mammeae* Papilio 3:248, pl 113
- c [1855] *nigrocinctus* Papilio 3:pl 106
- Sharp [1880] Zool. Rec. [b4122]
- e *sapphirinus* Iolais (ISS) 24(1887)(Ins.):224
- Sharp [1887] Zool. Rec. [b4121]
- e *tusta* Satadra (ISS) 23(1886)(Ins.):243
- Sharp [1888] Zool. Rec. [b4122]
- e *henorici* Dodona (ISS) 24(1887)(Ins.):222
- Sharp [1889] Zool. Rec. [b4123]
- e *emesina* Emesis (ISS) 25(1888)(Ins.):220
- Sharp [1890] Zool. Rec. [b4124]
- e *karusi* Mimacraeae (ISS) 26(1889)(Ins.):221
- e *rakma* Aphmaeus (ISS) 26(1889)(Ins.):224
- e *tenua* Sithon (ISS) 26(1889)(Ins.):225
- Sharp [1891] Zool. Rec. [b4125]
- e *oshera* Durbania (ISS) 27(1890)(Ins.):217
- Sharp [1894] Zool. Rec. [b4128]
- e *matula* Polycena (ISS) 30(1893)(Ins.):233
- Sharp [1896] Zool. Rec. [b4130]
- e *luhokescha* Lycaenesthes (ISS) 32(1895)(Ins.):280
- e *minima* Chliaria (ISS) 32(1895)(Ins.):278
- e *pullux* Iolais (ISS) 32(1895)(Ins.):280
- Sharp [1899] Zool. Rec. [b4131]
- e *watsoni* Logania (ISS) 35(1898)(Ins.):205
- Sharp [1903] Zool. Rec. [b4132]
- e *herii* Lycaena (ISS) 38(1901)(Ins.):207
- e *phyllodes* Sospita (ISS) 38(1901)(Ins.):207
- e *rufula* Liptena (ISS) 38(1901)(Ins.):207
- Sharp [1905] Zool. Rec. [b4134]
- e *anthe* Eurygona (ISS) 40(1903)(Ins.):255
- e *leucochroa* Ialmeus (ISS) 40(1903)(Ins.):257
- e *mabillei* Ematurgina (ISS) 40(1903)(Ins.):255
- Sharp [1905] Zool. Rec. [b4135]
- e *angusta* Liptena (ISS) 41(1904)(Ins.):249
- e *eusemia* Castalius (ISS) 41(1904)(Ins.):249
- e *sinuaces* Eurybia (ISS) 41(1904)(Ins.):248
- Sharp [1908] Zool. Rec. [b4136]
- e *owagarra* Candalides (ISS) 43(1906)(Ins.):319
- Sharp [1909] Zool. Rec. [b4137]
- e *aucumana* Barbicomis (ISS) 44(1907)(Ins.):299
- Sharp [1911] Zool. Rec. [b4139]
- e *dentatus* Phasis (ISS) 46(1909)(Ins.):316
- Sharp [1911] Zool. Rec. [b4140]
- e *hedwigia* Mesosemia (ISS) 47(1910)(Ins.):320
- e *lacyi* Callicista (ISS) 47(1910)(Ins.):321
- e *lapillas* Mesosemia (ISS) 47(1910)(Ins.):320
- e *zeleukia* Lymnas (ISS) 47(1910)(Ins.):320
- Sharp [1912] Zool. Rec. [b4141]
- e *glaucoithris* Echenais (ISS) 48(1911)(Ins.):202
- Sharp [1913] Zool. Rec. [b4142]
- e *angeda* Camena (ISS) 49(1912)(Ins.):308
- e *megakeles* Deudorix (ISS) 49(1912)(Ins.):309
- e *sajah* Arhopala (ISS) 49(1912)(Ins.):308
- e *theolices* Hypolycaena (ISS) 49(1912)(Ins.):309
- Sharp [1914] Zool. Rec. [b4143]
- e *mallikraies* Alotinus (ISS) 50(1913)(Ins.):336
- e *novaeguianae* Arhopala (ISS) 50(1913)(Ins.):336
- e *paianus* Gerydus (ISS) 50(1913)(Ins.):337
- e *pandera* Aslauga (ISS) 50(1913)(Ins.):336
- e *quinquemaculata* Hemathena (ISS) 50(1913)(Ins.):335
- e *sabazas* Alotinus (ISS) 50(1913)(Ins.):336.4
- Sharp [1916] Zool. Rec. [b4144]
- e *binotata* Simiskina (ISS) 51(1914)(Ins.):214
- e *catacata* Micropentila (ISS) 51(1914)(Ins.):214
- e *paracalla* Nacaduba (ISS) 51(1914)(Ins.):214
- e *pyane* Miletus (ISS) 51(1914)(Ins.):214
- e *seankilia* Virgaurea (ISS) 51(1914)(Ins.):214
- Sharp [1917] Zool. Rec. [b4145]
- e *mecki* Malais (ISS) 52(1915)(Ins.):196
- e *surioia* Zephyrus (ISS) 52(1915)(Ins.):197.3
- Sharp [1918] Zool. Rec. [b4146]
- e *artenita* Lycaena (ISS) 53(1916)(Ins.):170
- e *mamberana* Thysonotis (ISS) 53(1916)(Ins.):171
- e *pasquila* Hamearis (ISS) 53(1916)(Ins.):169
- Sharp [1920] Zool. Rec. [b4147]
- e *garasa* Castalius (ISS) 55(1918)(Ins.):155
- e *ignita* Deudorix (ISS) 55(1918)(Ins.):155
- e *maresticus* Tomares (ISS) 55(1918)(Ins.):156
- Sharp [1922] Zool. Rec. [b4148]
- e *leaonae* Aslauga (ISS) 57(1920)(Ins.):195
- e *serafsis* Euselasia (ISS) 57(1920)(Ins.):195
- E. Sharpe 1890 Ann. Mag. nat. Hist. [b4149]
- a *Johanna* Alaena (6)5:442
- E. Sharpe 1890 Ann. Mag. nat. Hist. [b4150]
- c *chalybeatus* Aphmaeus (6)6:105
- a *crowleyi* Epitola (6)6:106
- c *fallax* Zeritis (6)6:104
- c *latifimbriata* Zeritis (6)6:105
- a *leonina* Zeritis (6)6:104
- c *trifasciata* Pseudaletis (6)6:103
BMNH a *voltae* Lycaenesthes (6)6:105
- E. Sharpe 1890 Ann. Mag. nat. Hist. [b4151]
- c *latimarginata* Spalgis (6)6:347
- E. Sharpe 1890 Proc. zool. Soc. Lond. [b4152]
- a *arthurianus* Diorina 1890(3):572
- a *bella* Mesosemia 1890(3):569
BMNH-ht a *clarissa* Mesene 1890(3):578
- b *isabellae* Lymnas 1890(3):571
- a *johannae* Baecotis 1890(3):573
- a *middletoni* Anatole 1890(3):574
- E. Sharpe 1891 Ann. Mag. nat. Hist. [b4153]
- c *bicolor* Zeritis (6)8:241
- c *delagoensis* Cigaritis (6)8:240
- E. Sharpe [1892] Proc. zool. Soc. Lond. [b4154]
- a *aequatorialis* Lycaena 1891(4):637
- a *cordatus* Hyteus 1891(4):636
- a *margaritaceus* Castalius 1891(4):636

- E. Sharpe 1893 Proc. zool. Soc. Lond. [b4155]
- a *sancithomae* Catochrysops 1893(3):556
- E. Sharpe 1896 Ann. Mag. nat. Hist. [b4156]
- a *picata* Alaena (6)17:125
- E. Sharpe 1898 Proc. zool. Soc. Lond. [b4157]
- c *lousiae* Tarucus 1898(3):371
- a *waggae* Spindasis 1898(3):372
- E. Sharpe 1902 Entomologist [b4158]
- a *nigeriae* Euchrysops 35:102
- E. Sharpe 1903 Entomologist [b4159]
- a *huntlei* Abisara 36:310
- E. Sharpe 1904 Entomologist [b4160]
- b *nairobiensis* Spindasis 37:133
- E. Sharpe 1904 Entomologist [b4161]
- b *albomaculatus* Iolaus 37:204
- c *feminina* Oxyliides 37:202
- a *hemicyanus* Iolaus 37:203
- c *ratrayi* Aphnaeus 37:203
- b *ugandae* Hypolycaena 37:203
- E. Sharpe 1915 Ann. Mag. nat. Hist. [b4162]
- b *toppini* Euselasia (8)16:412
- Sharpe [1917] Zool. Rec. [b4145]
- c *kabrie* Zephyrus (ISS) 52(1915)(Ins.):197
- Shaw & Nodder 1789-1813 Nat. Misc. [b4163]
- a 1808 *spondiae* Papilio 19:pl 806
- Sheldon 1913 Entomologist [b4164]
- c *azagra* Lycaena 46:312
- Sheldon 1914 Entomologist [b4165]
- e *ab. caeruleagrisea* Lycaena 47(10):274
- e *ab. immaculata* Scolitantides 47(10):273
- e *ab. nigropuncta* Scolitantides 47(10):273
BMNH-lt b *schamyi* Callophrys 47(10):272
- Sheljuzhko 1914 Deut. ent. Zeit. [Iris] [b4166]
- b *sarykola* Lycaena 28(1):21
- Sheljuzhko 1919 Neue Beitr. syst. Insektenk. [b4167]
- b *andreasii* Lycaena 1:129
- Sheljuzhko 1928 Lep. Rdsch. [b4168]
- c *insignis* Lycaena 2:51
- b *jenissejensis* Lycaena 2:46, f 5
- b *kijevensis* Lycaena 2:64
- b *krymaea* Lycaena 2:45
- d *pulchra* Lycaena (H) 2:44, f 1-4
- b *ussuriensis* Lycaena 2:62, f 8,9
- Sheljuzhko 1928 Lep. Rdsch. [b4169]
biblio b *fuchsi* Lycaena 2:119
- b *kozhanthikovii* Lycaena 2:116
biblio b *orientis* Lycaena 2:128
- Sheljuzhko 1933 Z. öst. EntVer. [b4171]
- b *ab. kamtshadalis* Lycaena 18:85
- Sheljuzhko 1934 Z. öst. EntVer. [b4172]
- b *dzhemagate* Lycaena 19:31
- a *teberdina* Lycaena 19:39
- Sheppard 1934 Can. Ent. [b4173]
CNC-ht a *lanoraicensis* Incisalia 66(6):141
- Shields 1975 Bull. Allyn Mus. [b4179]
AME-ht b *allyni* Shijimiaeoides (28):10, f 1-4
AME-ht b *baueri* Shijimiaeoides (28):15, f 13-16
LACM-ht b *comstocki* Shijimiaeoides (28):12, f 5-8
- Shields 1975 Bull. Allyn Mus. [b4179] (continued)
AME-ht b *ellisii* Shijimiaeoides (28):12, f 9-12
AME-ht b *emmeli* Euphilotes (28):16, f 17-20
AME-ht b *langstoni* Shijimiaeoides (28):23, f 25-28
AME-ht b *mattonii* Shijimiaeoides (28):20, f 21-24
- Shimonoya & Murayama 1965 Tōhoku Konchu Kenkyu [b4183]
- e *hisamatsuzanus* Chrysozephyrus (ISS) 2(2):27
pc-ht b *splendidulus* Chrysozephyrus 2(2):27, f 15
- Shimonoya & Murayama 1969 Tōhoku Konchu Kenkyu [b4184]
- c *hsuehshanus* Chrysozephyrus 4(2):22-23
- Shimonoya & Murayama 1971 Tyō to Ga [b4185]
pc-ht a *muhshengi* Chrysozephyrus 22(1,2):19, f
pc-ht c *neidhoferi* Chrysozephyrus 22(1,2):18, f
- Shimonoya & Murayama 1976 Tyō to Ga [b4186]
- a *nankoshana* Panchala 27(2):43, f
- Shirōzu 1941 Zephyrus [b4188]
KIUH-ht a *esakii* Strymon 9(2):73, f 1,2
- a *tanakai* Strymon 9(2):73-75
- Shirōzu 1943 Zephyrus [b4189]
FAKU-ht b *kyushuensis* Celastrina 9(3):193, f 6
- Shirōzu 1947 Zephyrus [b4190]
- a *yusai* Favonius 9(4):238-244
- Shirōzu 1951 Kontyū [b4191]
- c *hayashii* Favonius 19:61
- Shirōzu 1952 Sieboldia [b4192]
ELKU-ht b *continentalis* Artopoetes 1(1):20, pl 6
ELKU-ht b *esakii* Dodona 1(1):23, f
- e *jezoensis* Artopoetes (ISS) 1(1):11-37
ELKU-ht c *monticola* Neozephyrus 1(1):22, pl 7
- Shirōzu 1953 Sieboldia [b4193]
ELKU-ht b *ishigakianus* Jamides 1(2):155, f
biblio c *matsumurai* Maculinea 1(2):155, f
ELKU-ht b *septentrionalis* Nacaduba 1(2):156 or 22
ELKU-ht b *shirahatai* Lycaeides 1(2):156
- Shirōzu 1957 Sieboldia [b4196]
- b *insularis* Wagimo 2:41, f
- Shirōzu 1959 Kontyū [b4197]
- a *inouei* Strymonidia 27(1):91, pl 7
- Shirōzu 1960 Butts Formosa [b4198]
- e *koshuna* Deudorix (ISS) :308, 454
- Shirōzu 1962 Tyō to Ga [b4199]
- b *ohruii* Coreana 12(3):48, f 5-10
- Shirōzu 1964 Kontyū [b4201]
- b *ryukyuensis* Pithecopis 32(1):171
- Shirōzu & Hayashi 1959 In Icon. Ins. Jap. [b4205]
- a *latifasciatus* Favonius 1:36, pl 20
- Shirōzu & Murayama 1943 Ent. World [b4206]
- a *atayalica* Thecla 11(107):2-4
- Shirōzu & Nanba 1973 Tyō to Ga [b4208]
- b *kibiensis* Strymonidia 23(3/4):65, f
- Shirōzu & Saigusa 1962 Nature Life Southeast Asia [b4209]
- a *celastroides* Everes 2:74, tf 37
- c *himavanthus* Hypolycaena (ISS) 2:58
- Shirōzu & Sibatani 1943 Trans. Kansai ent. Soc. [b4211]
- b *seoki* Plebejus 13(1):25-35, f

- Shirôzu & Urata 1957 Sieboldia [b4213]
 - b *tsushimana* Pithecopis 2(1):35, f
- Shirôzu & Yamamoto 1956 Sieboldia [b4214]
 - e *karubariensis* Chrysozephyrus (ISS) 1(4):385
 - e *kwantungensis* Ravenna (ISS) 1(4):340, 408
 ELKU-ht a *tienmushanus* Chrysozephyrus 1(4):387, f 11a
- Shtandel 1960 Ent. Obozr. [b4215]
 - b *katunica* Lycaena 39:695
 - b *korshunovi* Lycaena 39:695
- Sibatani 1974 J. Aust. ent. Soc. [b4220]
 - a *altimontana* Melanolycaena 13(2):95, f 1
 - b *microgyris* Melanolycaena 13(2):103, f 15
 - e *tecloides* Melanolycaena (ISS) 13(2):97
 - a *thecloides* Melanolycaena 13(2):104, f 2
- Sibatani 1979 Tyô to Ga [b4221]
 - e *theoloides* Melanolycaena (ISS) 30(1,2):126
- Sibatani & Grund 1978 Tyô to Ga [b4223]
 T *arnoldi* Nacaduba 29(1):24
 T *atrosuffusa* Utica 29(1):15
 ANIC-ht b *brandti* Theclinesthes 29(1):25, f 21
 AM-ht b *capricornia* Theclinesthes 29(1):9, f 4
 T *eremicola* Plebeius 29(1):5,6
 ANIC-ht b *eucalypti* Theclinesthes 29(1):21, f 16-18
 BMNH-ht b *feminalba* Theclinesthes 29(1):26, f 46
 ANIC-ht a *hesperia* Theclinesthes 29(1):30, f 31
 ANIC-ht b *littoralis* Theclinesthes 29(1):31, f 53
 T *miskini* Lycaena 29(1):15
 T *onycha* Utica 29(1):5,6
- Sibatani & Saigusa & Hirowatari 1994 Tyô to Ga [b4225]
 KUCGE-ht b *arirang* Maculinea 44(4):175, f
 biblio b *inferna* Maculinea 44(4):188
 T *kondakovi* Lycaena 44(4):173
 KUCGE-ht a *kurentzovi* Maculinea 44(4):196, f
- Siepi & Verity 1911 Boll. Soc. ent. ital. [b4226]
 - e *ab. radiata* Lycaena 42:275, pl 1
- Silbermangel 1940 Acta Soc. ent. bohém. [b4227]
 - e *ab. argentoazurea* Lycaena 37:119
 - e *ab. asandjurae* Lycaena 37:118
 - e *ab. azurea* Lycaena 37:118
 - e *ab. basipuncta* Lycaena 37:118
 - e *ab. centrirufa* Lycaena 37:118
- Skala 1912 Verh. naturf. Ver. Brünn [b4231]
 - e *ab. fasciata* Maculinea (H) 50:63
 - e *ab. impunctata* Pseudophilotes 50:67
 - e *ab. punctata* Lycaena 50:63
- Skinner 1895 Ent. News [b4233]
 CM-ht c *sarita* Thecla 6(4):112
- Skinner 1897 Can. Ent. [b4234]
 CM-ht c *discoidalis* Thecla 29(6):156
- Skinner 1898 Syn. Cat. N. Amer. Rhop. [b4235]
 - e *lycus* Thecla (PS) :48
- Skinner 1902 Ent. News [b4236]
 CM-ht a *chlorina* Lycaena 13(1):15
 CM-ht a *neurona* Lycaena 13(1):15
- Skinner 1904 Ent. News [b4238]
 CM-st a *johnsoni* Thecla 15(9):298
- Skinner 1907 Ent. News [b4239]
 CM-ht a *loki* Thecla 18(9):378
- Skinner 1912 Ent. News [b4240]
 - b *ramsdeni* Mesosemia 23(3):126
- Skinner 1917 Ent. News [b4241]
 CM-ht b *columbia* Lycaena 28(5):213
- Skinner 1920 Ent. News [b4242]
 CM-st c *f. marginalis* Lemonia 31(6):175
- Slevogt-Bathen 1900 Horae Soc. ent. ross. [b4243]
 - c *dubia* Plebeius 34:528
- Slevogt-Bathen 1910 Arb. NatForschVer. Riga [b4244]
 - e *ab. confluens* Lycaena (nf)12:49
- Smart 1975 Int. Butterfly Book [b4245]
 - e *boldernianum* Antipodolycaena (ISS) :175, 263, 270
- Smart 1979 Aurelian [b4246]
 - a *alstonii* Argyrogramma 1(3):9, f
- Smith 1797 In Abbot & Smith, Ins. Georgia [b4254]
 biblio a *favonius* Papilio 1:27, pl 14
- Smith 1932 Entomologist [b4252]
 - e *ab. berviniensis* Heodes 65(11):241, f
- Smith & Hernández 1992 Caribb. J. Sci. [b4248]
 CNC-ht b *yateritas* Pseudochrysops 28(3/4):139
- Smith & Johnson & Miller & McKenzie 1991 Bull. Allyn Mus. [b4249]
 - a *amonensis* Strymon (134):2, f
- Snellen 1867 Vlind. Nederl. Macrolep. [b4256]
 - c *graafii* Lycaena :59
- Snellen 1872 Tijdschr. Ent. [b4257]
 - c *anubis* Lycaena 15:21, pl 1
 - c *asteris* Euchrysops 15:18, pl 1
 - c *emperamus* Lucia 15:25, pl 2
 - c *phoa* Lycaena 15:24
- Snellen 1876 Tijdschr. Ent. [b4258]
 - c *gnoma* Lycaena 19:159, pl 7
 - c *lyszone* Lycaena 19:152 or 161
 - b *pygmaea* Lycaena 19:163, pl 7
- Snellen 1878 In Tijdschr. Ent. [b4259]
 - a *indrasari* Deudorix 21:26, pl 1
 - b *latimargus* Cupido 21:19, pl 1
 RNH?-st a *philatus* Cupido 21:21, pl 1
 - a *piepersii* Cupido 21:16, pl 1
 - b *substrigata* Lucia 21:15, pl 1
 - a *villosa* Pseudodipsas 21:24, pl 1
- Snellen 1887 Notes Leyden Mus. [b4260]
 - a *helena* Pseudodipsas 9:217
- Snellen [1888] Tijdschr. Ent. [b4261]
 - b *herellus* Lymanas 30:22
- Snellen 1890 Tijdschr. Ent. [b4262]
 - b *djampeana* Lycaena 33:271, pl 11
- Snellen 1890 Tijdschr. Ent. [b4263]
 - b *saturata* Amblypodia 33:301
- Snellen 1891 Tijdschr. Ent. [b4264]
 - a *verriculata* Deudorix 34:257, pl 15
- Snellen 1892 Tijdschr. Ent. [b4265]
 RNH-lt a *cyanicornis* Lycaena 35:146
 - a *datarica* Lycaena 35:140
 - a *deliana* Lycaena 35:139
 - d *glauca* Lycaena (H) 35:142
 RNH-lt a *musina* Lycaena 35:145
 RNH-lt a *quadriplaga* Lycaena 35:143
 - b *saturata* Lycaena 35:137

- Snellen 1896 Tijdschr. Ent. [b4266]
 - b *cunilda* Lycaena 39:91, pl 1
 - a *subperusia* Lycaena 39:93
- Snellen 1899 Tijdschr. Ent. [b4267]
 - a *bathinia* Lycaena 42:212
- Snellen 1901 Tijdschr. Ent. [b4268]
 - b *donina* Lycaena 43:262
 biblio a *glauconia* Lycaena 43:264
- Sohn 1893 Soc. ent. [b4273]
 - e *ab. inoellata* Lycaena 8(10):77
- Sonan 1926 Trans. nat. Hist. Soc. Formosa [b4274]
 - c *marginata* Phengaris 16:182
 - c *matsumurai* Phengaris 16:181 or 178
- Sonan 1929 Zephyrus [b4275]
 - b *y-fasciata* Zephyrus 1(4):136, f
- Sonan 1931 Zephyrus [b4276]
 - c *koshunna* Rapala 3(3/4):205, f
- Sonan 1932 Zephyrus [b4277]
 - c *katakiriri* Amblopala 4(2/3):128
- Sonan 1936 Zephyrus [b4278]
 - a *rarasana* Horaga 6(3/4):207
- Sonan 1938 Zephyrus [b4279]
 - b *taiwana* Zizera 7(4):254, f
- Sonan 1940 Trans. nat. Hist. Soc. Formosa [b4280]
 biblio d *esakii* Zephyrus (H) 30:81
- Sonan 1940 Trans. nat. Hist. Soc. Formosa [b4281]
 - b *suzukii* Zephyrus 30:159, f
- Sonan 1940 Trans. nat. Hist. Soc. Formosa [b4282]
 - c *kotoshona* Amblypodia 30:368, f
- Sonan 1941 Trans. nat. Hist. Soc. Formosa [b4283]
 biblio a *teiso* Zephyrus 31:481
- South 1900 Entomologist [b4284]
 - c *fowleri* Lycaena 33:104, pl 3
- South 1913 J. Bombay nat. Hist. Soc. [b4285]
 - a *catena* Rapala 22(3):609
 - a *mishmisensis* Aphnaeus 22(3):608
 - b *neglecta* Zinaspa 22(3):609
 - c *subbrunnea* Chrysophanus 22(3):607
- Sovinsky 1905 Revue Russe Ent. [b4287]
 - a *chalybitincta* Callophrys 5(3/4):109
- Sovinsky 1915 Revue Russe Ent. [b4288]
 - c *kotshubeji* Lycaena 15:388
 - c *zhicharevi* Lycaena 15:384
- Spangberg 1876 Stett. ent. Ztg [b4289]
 - c *fygia* Cupido 37:91
- Speyer 1851 Stett. ent. Ztg [b4290]
 - b *subalpinus* Lycaena 12:339
- Speyer 1882 Stett. ent. Ztg [b4291]
 - b *dalmatica* Lycaena 43(7-9):381
- Spitz 1930 Ent. Rundsch. [b4292]
 MP-lt a *paucipuncta* Apodemia 47:39, f
- Spitz 1931 Revta Ent. Rio de J. [b4293]
 MP-lt a *melzeri* Thecla 1:51
 MP-lt a *seitzl* Thecla 1:48
 MP-lt a *taunayi* Thecla 1:50
 MP-ht c *violascens* Thecla 1:48
- Spitz 1933 Revta Ent. Rio de J. [b4294]
 MP-lt a *ohausi* Thecla 3:224, f 1
- Spuler 1901-1908 Schmett. Europ. [b4296]
 - e 1907 *ab. albocuneata* Lycaena 1:68
 - e 1907 *ab. albofasciata* Thecla 1:54
 - e 1907 *ab. brunnea* Plebejus 1:61
 - e 1907 *f. eleoides* Lycaena 1:345
 - e 1907 *ab. radiata* Lycaena 1:58
 - e 1907 *ab. radiata* Lycaena 1:58
- Stach 1923 Spraw. Kom. fizyogr. [b4299]
 - e *ab. pygmaea* Lycaena 57:82
- Stallings & Turner 1947 J. Kansas ent. Soc. [b4301]
 pe-ht b *jacki* Glaucopsyche 20(3):93
- Stallings & Turner 1947 Pan-Pac. Ent. [b4302]
 pe-ht b *violae* Strymon 23(3):119
- Stauder 1913 Ent. Zeit. [b4304]
 - e *var. menahensis* Polyommatus 27(12):65
- Stauder 1914 Deut. ent. Zeit. [Iris] [b4305]
 - b *euergetes* Lycaena 28:14 or 15
- Stauder 1914 Deut. ent. Zeit. [Iris] [b4306]
 - c (+) *ab. flavodentata* Plebejus 28:119
- Stauder 1915 Int. ent. Z. [b4307]
 - e *ab. aurea* Thecla 8(32):178
- Stauder 1915 Deut. ent. Zeit. [Iris] [b4308]
 - e *f. chrysothralma* Lycaena 29:28
 - c *illustris* Lycaena 29:28
- Stauder 1915 Z. wiss. InsektBiol. [b4309]
 - e *f. depauperata* Lycaena 11:3
 - e *f. mitterbergeri* Glaucopsyche 11:4
- Stauder 1920-1923 Z. wiss. InsektBiol. [b4310]
 - e 1923 *addenda* Lycaena 18:192
 - e 1923 *f. analoga* Lycaena 18:188
 - b 1923 *augusta* Lycaena 18:192
 - e 1923 *f. basicaeca* Lycaena 18:192
 - e 1923 *f. dubiosa* Lycaena 18:192
 - e 1923 *f. leucophthalma* Lycaena 18:188
 - c 1923 *leucosticta* Callophrys 18:66
 - e 1923 (+) *f. pseudocharybdis* Glaucopsyche 18:194
 - e 1923 *f. rubrohastata* Lycaena 18:68
- Stauder 1921 Deut. ent. Zeit. [Iris] [b4312]
 - e *crassipuncta* Lycaena (IFS) 35:31
 - e *exoculata* Lycaena (IFS) 35:31
 - d *meridionalis* Lycaena (H) 35:30
 - e *obsoleta* Lycaena (IFS) 35:31
 - b *reverdini* Chrysophanus 35:30
- Stauder 1922 Ent. Anz. [b4313]
 - c *f. courvoisieri* Lycaena 2:69
- Stauder 1922 Ent. Anz. [b4314]
 - c *difficilis* Lycaena 2(10/11):109
- Stauder 1923 Ent. Anz. [b4315]
 - e *f. aucta* Lycaena 3:7
 - e *f. falcata* Lycaena 3:7
 - e *f. falcata* Lycaena 3:7
 - e *f. semiargus* Lycaena 3:7
- Stauder 1924 Deut. ent. Zeit. [b4317]
 - c *bieneri* Lysandra 1924(1):27
 - c *weileri* Lysandra 1924(1):28
- Stauder 1924 Soc. ent. [b4318]
 - e *ab. crassipuncta* Lycaena 39:27

Stauder 1924	Soc. ent. [b4318] (<i>continued</i>)		Staudinger 1884-1888	In Exot. Schmett. [b4329] (<i>continued</i>)	
--	e <i>ab. exoculata</i> Lycaena	39:27	-	c [1887] <i>geryon</i> Abisara	1:239; 2:pl 88
--	e <i>ab. obsoleta</i> Lycaena	39:27	-	e [1887] <i>griseldis</i> Lycaena	1:272; 2:pl 94
Stauder 1925	Ent. Anz. [b4319]		-	b [1887] <i>hahneli</i> Euselasia	1:240; 2:pl 87
-	c <i>f. boeticoides</i> Tarucus	5(9):68	-	b [1887] <i>heliodora</i> Aricoris	1:264; 2:pl 93
-	c <i>f. immarginata</i> Tarucus	5(9):68	-	a [1887] <i>incerta</i> Lepicormis	1:249; 2:pl 90
--	e (+) <i>f. nigrita</i> Tarucus	5(9):68	ZMHU?-ht	c [1887] <i>insignis</i> Miletus	1:269; 2:pl 94
-	c <i>f. pygmaea</i> Tarucus	5(9):68	-	c [1887] <i>juanita</i> Lemonias	1:258; 2:pl 92
-	b <i>transiens</i> Lycaena (H)	5(10):74	-	e [1887] <i>jugurtha</i> Symmachia	1:254; 2:pl 91
Staudinger 1862	Stett. ent. Ztg [b4320]		-	b [1887] <i>licinius</i> Nymphidium	1:261; 2:pl 92
-	b <i>helena</i> Lycaena	23(4-6):265	-	a [1887] <i>melusina</i> Metacharis	1:256; 2:pl 91
Staudinger 1867	Stett. ent. Ztg [b4321]		-	a [1887] <i>moeros</i> Lasaia	1:257; 2:pl 91
-	a <i>lucifera</i> Lycaena	28:100	-	c [1887] <i>natalensis</i> Pseudodipsas	1:273; 2:pl 94
Staudinger 1870	Berl. ent. Z. [b4322]		-	e [1887] <i>noctis</i> Mesene	1:254; 2:pl 91
-	c <i>fortunata</i> Lycaena	14:99	-	c [1887] <i>paulus</i> Monethe	2:pl 89
-	a <i>isaurica</i> Lycaena	14:327	-	c [1887] <i>pellex</i> Zelotaea	1:251; 2:pl 90
Staudinger 1871	In Staud. & Wocke, Cat. Lep. Eur. [b4323]		-	e [1887] <i>rita</i> Symmachia	1:254; 2:pl 91
-	c <i>armena</i> Lycaena	:12	-	e [1887] <i>salvini</i> Aricoris	1:264; 2:pl 93
-	c <i>bitonides</i> Lycaena	:13	-	e [1887] <i>saphirina</i> Charis	1:256; 2:pl 91
-	a <i>caerulea</i> Lycaena	:13	-	e [1887] <i>sibyllina</i> Mesosemia	1:244; 2:pl 88
--	e <i>ab. cinnus</i> Lycaena	:12	ZMHU-lt	b [1887] <i>thaliarchus</i> Sithon	1:277; 2:pl 95
-	c <i>gigas</i> Lycaena	:10	-	c [1887] <i>tibullus</i> Sithon	1:278; 2:pl 95
-	d <i>hispana</i> Lycaena (H)	:6	ZMHU-lt	c [1887] <i>tosca</i> Mesosemia	1:243; 2:pl 88
Staudinger [1871]	Horae Soc. ent. ross. [b4324]		ZMHU-ht	b [1887] <i>zeuxis</i> Hypochrysops	1:273; 2:pl 94
-	d <i>alpina</i> Lycaena (H)	7:52	pc	e [1888] <i>adela</i> Thecla	1:287; 2:pl 97
-	c <i>parnassia</i> Lycaena	7:55	-	b [1888] <i>adelpha</i> Stalactis	1:265; 2:pl 93
Staudinger 1874	Stett. ent. Ztg [b4325]		-	a [1888] <i>aethiops</i> Symmatia	1:250
-	a <i>christophi</i> Lycaena	35:87	-	e [1888] <i>amabilis</i> Durbania	1:268
-	d <i>mirza</i> Lycaena (RC)	35:90	-	b [1888] <i>anna</i> Amblypodia	1:282
Staudinger 1876	Verh. zool.-bot. Ges. Wien [b4326]		-	e [1888] <i>annetta</i> Amblypodia	1:281; 2:pl 96
-	a <i>infernalis</i> Styx	25:93	ZMHU-lt	b [1888] <i>anthelius</i> Arhopala	1:280
-	a <i>iris</i> Charis	25:110	-	e [1888] <i>argentea</i> Arhopala	1:281; 2:pl 96
-	b <i>persona</i> Eurybia	25:109	ZMHU-lt	b [1888] <i>arsis</i> Lasaia	1:257; 2:pl 91
-	a <i>strigosus</i> Esthemopsis	25:110	-	e [1888] <i>astraea</i> Symmatia	1:250
Staudinger 1878-1879	Horae Soc. ent. ross. [b4327]		-	b [1888] <i>bicolor</i> Stalactis	1:265; 2:pl 93
-	c 1878 <i>meliboeus</i> Polyommatus	14:231	-	e [1888] <i>cajetanus</i> Monethe	1:245
-	a 1878 <i>mithridates</i> Lampides	14:247	-	b [1888] <i>cleove</i> Stalactis	1:265; 2:pl 93
-	b 1878 <i>satraps</i> Polyommatus	14:230	-	b [1888] <i>columbiana</i> Theope	1:263
Staudinger 1881	Stett. ent. Ztg [b4328]		-	e [1888] <i>dolichos</i> Euselasia	1:240
-	c <i>aeruginosa</i> Glaucopsyche	42:225	ZMHU-lt	e [1888] <i>dolosa</i> Thecla	1:286; 2:pl 97
ZMHU-lt	a <i>dilutor</i> Lycaena	42:283	-	e [1888] <i>eichhorni</i> Ialmenus	1:275
-lt	a <i>dimorphus</i> Polyommatus	42:282	-	e [1888] <i>elorea</i> Lycaena (MID)	2:pl 94
-	a <i>fergana</i> Lycaena	42:262	-	e [1888] <i>elorina</i> Lycaena	1:271
ZMHU-lt	a <i>margelanica</i> Polyommatus	42:282	ZMHU-lt	e [1888] <i>enipeus</i> Deudorix	1:279
-	a <i>miris</i> Lycaena	42:263	-	b [1888] <i>epijarbas</i> Melanis	1:245
-	b <i>orientalis</i> Lycaena	42:281	-	c [1888] <i>erna</i> Aphaeus	1:274
-	a <i>splendens</i> Polyommatus	42:280	pc	b [1888] <i>gisella</i> Lycaena	1:272
AMNH-nt	a <i>suaevola</i> Callophrys	42:279	-	c [1888] <i>hahneli</i> Thecla	1:286; 2:pl 97
Staudinger 1884-1888	In Exot. Schmett. [b4329]		-	b [1888] <i>herculina</i> Arhopala	1:280
-	a [1887] <i>amalfreda</i> Charis	1:256; 2:pl 91	ZMHU-lt	b [1888] <i>intermedius</i> Deudorix	1:279
-	a [1887] <i>antimachus</i> Sithon	1:279; 2:pl 95	-	b [1888] <i>latefasciata</i> Stalactis	1:265
-	a [1887] <i>balbinus</i> Nymphidium	1:261; 2:pl 92	-	a [1888] <i>leonina</i> Epitola	1:268
-	a [1887] <i>barine</i> Charis	1:256; 2:pl 91	-	e [1888] <i>leonis</i> Sithon	1:276
-	a [1887] <i>batesi</i> Cricosoma	1:254; 2:pl 91	-	e [1888] <i>libussa</i> Liptena	1:268
-	a [1887] <i>calvus</i> Lemonias	1:259; 2:pl 92	-	e [1888] <i>lycaeus</i> Euselasia	1:241
-	a [1887] <i>chama</i> Lasaia	1:257; 2:pl 91	-	a [1888] <i>lysimachus</i> Euselasia	1:241
-	c [1887] <i>cinia</i> Esthemopsis	1:250; 2:pl 90	-	e [1888] <i>maeonius</i> Symmachia	1:253
-	a [1887] <i>cindra</i> Dysmathia	1:251; 2:pl 90	ZMHU-lt	a [1888] <i>maximus</i> Allotinus	1:269; pl 94
-	c [1887] <i>corinna</i> Ithomeis	1:249; 2:pl 90	ZMHU-lt	b [1888] <i>moeros</i> Lycaena	1:271; 2:pl 94
-	a [1887] <i>delphinia</i> Euecyria	1:248; 2:pl 89	-	a [1888] <i>narses</i> Lasaia	1:257
-	b [1887] <i>diva</i> Nocyria	1:247; 2:pl 89	-	c [1888] <i>noctula</i> Hypolycaena	1:283; 2:pl 96
-	b [1887] <i>emesine</i> Emesis	1:253; 2:pl 90	-	b [1888] <i>obscura</i> Thecla	1:286
-	a [1887] <i>florus</i> Lemonias	1:258; 2:pl 92	-	a [1888] <i>pauli</i> Pentila	1:267
-	c [1887] <i>fusius</i> Lemonias	1:258; 2:pl 92	-	c [1888] <i>phaloe</i> Stalactis	1:265
			-	a [1888] <i>preussi</i> Pentila	1:267
			ZMHU-lt	b [1888] <i>regulus</i> Tajuria	1:276; pl 95
			ZMHU-ht	a [1888] <i>sapho</i> Micandra	1:289; 2:pl 97
			-	c [1888] <i>scurra</i> Symmachia	1:253
			-	b [1888] <i>spicata</i> Anteros	1:252
			-	e [1888] <i>sponsa</i> Symmachia	1:254
			ZMHU-lt	e [1888] <i>sula</i> Lasaia	1:257
			pc	b [1888] <i>vulnerata</i> Thecla	1:285; 2:pl 97

- Staudinger 1886-1889 *Stett. ent. Zig* [b4330]
- a 1886 *actinides* Lycaena 47:214
 - c 1886 *alalca* Turanana 47:207
 - d 1886 *amor* Lycaena (H) 47:211
 - c 1886 *argiva* Lycaena 47:204
 - a 1886 *charybdis* Lycaena 47:226
 - a 1886 *decolorata* Everes 47:204
 - a 1886 *eversmanni* Lycaena 47:205
 - b 1886 *habershaueri* Lycaena 47:206
 - ZMHU-lt b 1886 *iliensis* Polyommatus 47:203
 - c 1886 *iphicles* Lycaena 47:227
 - a 1886 *iphigenides* Lycaena 47:213 or 214
 - a 1886 *juldusa* Lycaena 47:213
 - c 1886 *melania* Agrodiaetus 47:214
 - a 1886 *panaegides* Lycaena 47:206
 - b 1886 *pheres* Lycaena 47:209
 - c 1886 *pheretulus* Lycaena 47:209
 - b 1886 *phylides* Lycaena 47:225
 - a 1886 *poseidonides* Polyommatus 47:225
 - d 1886 *pretiosa* Lycaena (H) 47:209
 - b 1886 *rutilans* Lycaena 47:208
 - a 1886 *sarthus* Polyommatus 47:202
 - d 1886 *sultan* Polyommatus (H) 47:202
 - a 1886 *tamerlana* Polycaena 47:227
 - a 1886 *timur* Polycaena 47:230
 - b 1886 *transiens* Polyommatus 47:201
 - a 1886 *venus* Lycaena 47:211
 - a 1887 *alaina* Lycaena 48:50
 - a 1887 *superba* Lycaena 48:51
 - c 1889 *agnata* Lycaena 50:19
- Staudinger 1887 *In Romanoff, Mém. Lép.* [b4331]
- a *arionides* Lycaena 3:141, pl 7
 - a *betulina* Thecla 3:127, pl 16
 - c *brillantina* Thecla 3:130, pl 6
 - b *euphemia* Lycaena 3:142, pl 13
 - b *obertueri* Thecla 3:138, pl 6
 - a *prunoides* Thecla 3:129, pl 6
 - b *quercivora* Thecla 3:132, pl 6
 - a *saphirina* Thecla 3:135, pl 16,
 - d *scylla* Lycaena 3:139, pl 16
- Staudinger 1889 *Deut. ent. Zeit. [Iris]* [b4332]
- ZMHU-lt a *agesilaus* Amblypodia 2(1):127, pl 2
 - ZMHU-lt b *alcetas* Deudorix 2(1):119
 - ZMHU-lt a *allata* Amblypodia 2(1):125, pl 2
 - ZMHU-lt b *amphysina* Lycaena 2(1):100
 - ZMHU-lt b *anabasis* Deudorix 2(1):117, pl 1
 - b *angustior* Caleta 2(1):95
 - ZMHU-ht b *anytus* Sithon 2(1):113, pl 1
 - ZMHU-lt c *ardeola* Lycaena 2(1):97
 - ZMHU-lt b *aricia* Amblypodia 2(1):124, pl
 - BMNH-lt a *athada* Amblypodia 2(1):125
 - ZMHU-lt a *caerulescens* Deudorix 2(1):116
 - ZMHU-st a *celebensis* Castalius 2(1):96
 - b *cohaerens* Caleta 2(1):96
 - c *ab. decolor* Everes 2(1):112
 - ZMHU-lt b *decolor* Sithon 2(1):112
 - ZMHU-lt b *demialba* Sithon 2(1):111
 - ZMHU-ht b *detrita* Amblypodia 2(1):129
 - b *dilatator* Amblypodia 2(1):123
 - ZMHU-lt d *distanti* Allotinus (H) 2(1):93, pl 1
 - biblio a *distanti* Deudorix 2(1):121
 - ZMHU-lt a *epimete* Amblypodia 2(1):128, pl 2
 - ZMHU-lt c *erebina* Amblypodia 2(1):123, pl 1
 - ZMHU-lt b *fulminans* Sithon 2(1):109
 - b *guineensis* Rapala 2(1):117
 - ZMHU-lt b *joloana* Sithon 2:109
 - ZMHU-lt b *liris* Sithon 2(1):110, pl 1
 - ZMHU-lt a *major* Arhopala 2(1):128
 - b *modesta* Pseudodipsas 2(1):104, pl 1
 - c *moulmainus* Taxila 2(1):92
- Staudinger 1889 *Deut. ent. Zeit. [Iris]* [b4332] (*continued*)
- b *myrtale* Amblypodia 2(1):126, pl 1
 - ZMHU-st a *myrtha* Amblypodia 2(1):127
 - e *niasica* Sithon (IOS) 2(1):109,164
 - ZMHU-lt c *niasicola* Sithon 2(1):109,164
 - ZMHU-lt b *obertueri* Amblypodia 2(1):132, pl
 - ZMHU-lt b *onychina* Sithon 2(1):113
 - b *palawana* Abisara 2(1):90
 - ZMHU-lt b *palawandra* Tajuria 2(1):106
 - ZMHU-lt b *palawanica* Curetis 2(1):121
 - c *palawanicus* Taxila 2(1):91
 - ZMHU-lt b *palawanus* Amblypodia 2(1):130
 - ZMHU-lt b *palowna* Amblypodia 2(1):131, pl 2
 - ZMHU-ht b *paluana* Sithon 2(1):107, pl 1
 - ZMHU-lt a *peregrinus* Sithon 2(1):111, pl 1
 - b *philippina* Hypolycaena 2(1):103
 - ZMHU-lt c *philippus* Mileus 2(1):92
 - ZMHU-lt c *phocas* Bindahara 2(1):114
 - ZMHU-lt a *plateni* Poritia 2(1):104, pl 1
 - Lost a *pseudomuta* Amblypodia 2(1):125
 - BMNH-ht b *ravindrina* Sithon 2(1):108
 - ZMHU-lt b *saturation* Amblypodia 2(1):122
 - b *ulysses* Lycaena 2(1):95, pl 1 f
 - ZMHU-lt b *unicolor* Bichuanda 2(1):111
 - e *viardi* Amblypodia (ISS) 2(1):130
- Staudinger 1889 *Ent. Nachr.* [b4333]
- d *hewitsoni* Epitola (H) 15:178
 - a *miranda* Epitola 15:176
- Staudinger 1891 *Deut. ent. Zeit. [Iris]* [b4334]
- a *aelianus* Iolaus 4(1):148
 - c *debilis* Hypolycaena 4(1):150
 - c *dewitzi* Lycaenesthes 4(1):155, pl 1
 - c *gracilis* Hypolycaena 4(1):152, pl 1
 - a *incredibilis* Iris 4(1):141, pl 1
 - c *julianus* Iolaus 4(1):144, pl 1
 - c *julius* Iolaus 4(1):146
 - c *nobilis* Hypolycaena 4(1):149, pl 1
 - b *nomion* Myrina 4(1):156
 - c *preussi* Hewitsonia 4(1):139
 - c *simplex* Hypolycaena 4(1):153
 - c *tricolor* Pseudaletis 4(1):143, pl 1
- Staudinger 1892 *In Romanoff, Mém. Lép.* [b4335]
- d *affinis* Thecla (H) 6:148
 - b *amurensis* Polyommatus 6:155
 - c *amurensis* Lycaena 6:162
 - a *cognata* Thecla 6:152
 - a *mandschurica* Lycaena 6:190
 - d *ornata* Lycaena (H) 6:159
- Staudinger 1892 *Deut. ent. Zeit. [Iris]* [b4336]
- a *adelgunda* Teriomima 4(2):219
 - a *alberta* Teriomima 4(2):220
 - a *dama* Lycaena 4(2):234
 - c *dentata* Thestor 4(2):233
 - c *lara* Larinopoda 4(2):218
 - b *lusitanica* Laeosopis 4(2):232
 - a *lybia* Larinopoda 4(2):217
 - b *maculifera* Thestor 4(2):233
 - c *mesopotamica* Lycaena 4(2):233
 - lt a *subundularis* Pentila 4(2):215
 - c *syphida* Larinopoda 4(2):217
 - a *triphysina* Lycaena 4(2):235, pl 3
 - a *tullia* Pseuderessia 4(2):221
 - a *undifera* Argyrocheila 4(2):215
- Staudinger 1892 *Deut. ent. Zeit. [Iris]* [b4337]
- c *erythraea* Ciganitis 5:280
 - b *maurelanica* Thecla 5:279
 - e *ab. ornata* Lycaena 5:280

- Staudinger 1892 Deut. ent. Zeit. [Iris] [b4338].
 - a *erotides* Lycaena 5:319
 - b *kenteana* Lycaena 5:316
 - b *obscurata* Lycaena 5:320
 - b *orbitalinus* Lycaena 5:318
 - b *pheretimus* Lycaena 5:318
 - b *sibirica* Lycaena 5:317
 - b *violaceus* Polyommatus 5:315
 - b *virgaureola* Polyommatus 5:314
- Staudinger 1894 Deut. ent. Zeit. [Iris] [b4339]
 - a *alihoba* Thecla 7:81
 ZMHU-lt a *culminicola* Thecla 7:80, pl 2
 ZMHU-lt a *moza* Cupido 7:79, pl 2
 ZMHU-lt e *speciosa* Cupido 7:77, pl 2
 ZMHU-lt a *vapa* Cupido 7:79, pl 2
- Staudinger 1894 Deut. ent. Zeit. [Iris] [b4340]
 - c *gerhardi* Thecla 7:241
 - c *pharaonis* Lycaena 7:243, pl 9
 - c *thebana* Lycaena 7:243 or 244
- Staudinger 1895 Deut. ent. Zeit. [Iris] [b4341]
 - c *thauma* Waigeum 8:154
- Staudinger 1895 Deut. ent. Zeit. [Iris] [b4342]
 - c *privata* Lycaena 8:300
 - c *tartarua* Lycaena 8:300
- Staudinger 1896 Deut. ent. Zeit. [Iris] [b4343]
 - a *elvira* Dodona 9:239, pl 5
- Staudinger 1897 Deut. ent. Zeit. [Iris] [b4344]
 - c *jordanus* Jolaus 10:153, pl 5
- Staudinger 1899 Deut. ent. Zeit. [Iris] [b4345]
 -lt b *cyanea* Lycaena 12(1):142
 - b *damonides* Lycaena 12(1):138
 - a *lphidamon* Lycaena 12(1):144
 - d *sibirica* Lycaena (H) 12(1):139
 - a *transcaspica* Lycaena 12(1):141
 - a *xerxes* Lycaena 12(1):143
- Staudinger 1899 Deut. ent. Zeit. [Iris] [b4346]
 - b *antiqua* Lycaena 12:334
- Staudinger 1901 Cat. Lep. Palae. Faun. (3rd ed) [b4347]
 - b *acaudata* Thecla :70
 - e *aestiva* Lycaena :11
 - b *aquilina* Lycaena :81
 - b *aurantiaca* Thestor :72
 - b *callarge* Lycaena :78
 - b *caudatus* Chrysophanus :73
 - d *caudatus* Chrysophanus (H) :75
 - d *clara* Lycaena (H) :81
 - b *fervida* Callophrys :70
 - b *grumi* Lycaena :79
 - b *iberica* Zephyrus :71
 - e *ignorata* Polyommatus :86
 - c *korlana* Lycaena :90
 - c *lamponides* Chrysophanus :73
 - b *maxima* Aphantis :76
 - e *monticola* Lycaena :90
 - a *myrrhinus* Lycaena :81 or 85
 - d *oberthueri* Lycaena (H) :81
 - b *obscurata* Cigantis :76
 - c *orientalis* Lycaena :85
 - b *phlaeoides* Chrysophanus :74
 - b *transcaspica* Cigantis :76
- Staudinger **** [b0000]
 - c *smaragdinoideus* Neozephyrus *
- Stefanelli 1875 Boll. Soc. ent. ital. [b4349]
 - e *ab. intermedia* Lycaena 6:83, f
- Stefanelli 1900 Boll. Soc. ent. ital. [b4350]
 - c *fulvior* Lycaena 32:331
- Stefanelli 1904 Boll. Soc. ent. ital. [b4351]
 - e *ab. rostragni* Lycaena 36:5
 - e *ab. splendens* Lycaena 36:11
 - e *ab. striata* Lycaena 36:5
- Steiner 1916 Glasn. hrv. prirodosl. Društ. [b4352]
 - e *ab. coeruleopunctata* Chrysophanus 28:88, f 5
 - e *nigropunctata* Lycaena 28:88, f 2,4
- Steiniger 1975 Mitt. ent. Ges. Basel [b4355]
 T *albocuneata* Maculinea (nf)25:24
 T *argoviensis* Maculinea (nf)25:25
 T *engadiniana* Palaeochrysops (nf)25:22
 T *gallardi* Plebejus Plebejus (nf)25:26
 T *leonia* Lycaena (nf)25:21
 T *macroconia* Maculinea (nf)25:23
 T *magnalpicola* Maculinea (nf)25:23
 T *microarion* Maculinea (nf)25:25
 T *pseudoroboris* Maculinea (nf)25:23
 T *subtusbrunea* Maculinea (nf)25:26
- Stempffer 1927 Bull. Soc. ent. Fr. [b4356]
 - a *carswelli* Cupido 1927(16):244
- Stempffer 1927 Amat. Papil. [b4357]
 - c *bellofontanensis* Plebejus 4(5):71
- Stempffer 1932 Amat. Papil. [b4359]
 - b *burdigalensis* Lycaena (H) 6:108
- Stempffer 1935 Mém. Mus. natn Hist. nat. [b4362]
 - a *babaulti* Syntarucus (ns)2(12):235
 - a *jeanneli* Syntarucus (ns)2(12):232
- Stempffer 1936 Revue fr. Ent. [b4364]
 - d *elgonensis* Anthene (H) 3:135
 - a *pitmani* Anthene 3:139
 - b *somalina* Anthene 3:140
 - b *turkana* Anthene 3:137
- Stempffer [1937] Bull. Soc. ent. Fr. [b4365]
 MNHN-ht a *audeoudi* Cacyreus 41(18):284
 MNHN-ht b *kitale* Neochrysops 41(18):284
 BMNH-ht a *talboti* Anthene 41(18):283
- Stempffer 1942 Anns Soc. ent. Fr. [b4369]
 - b *jacksoni* Oboronia 111:132
 - a *ungemachi* Tarucus 111:121, f
 - a *varnieri* Hypolycaena 111:118
- Stempffer 1944 Revue fr. Ent. [b4370]
 - e *f. latefasciata* Anthene 10:50
- Stempffer 1946 Revue fr. Ent. [b4371]
 UMO-ht a *baghirmii* Spindasis 13(1):14, pl 1
 BMNH-ht c *bitje* Pseudoliptena 13(1):9, pl 1
 UMO-ht a *carpenteri* Stugeta 13(1):11, pl 1
 UMO-ht a *migiurtiniensis* Euchrysops 13(1):17, pl 1
 UMO-ht b *f. oculata* Anthene 13(1):15, pl 1
 UMO-ht a *ogadenensis* Hypolycaena 13(1):10, pl 1
 UMO-ht a *opalina* Anthene 13(1):16, pl 1
 UMO-ht a *somalina* Stugeta 13(1):13, pl 1
 UMO-ht c *ugandae* Deudonix 13(1):9, pl 1
- Stempffer 1947 Bull. Soc. ent. Fr. [b4372]
 - b *benadirensis* Anthene 52:39
 - b *f. caerulea* Stugeta 52:37
 - b *galla* Anthene 52:38
 - b *obscura* Hypolycaena 52:37
 - b *obsoleta* Neurellipes 52:41
 - b *toroensis* Anthene 52:40

- Stempffer 1947 *Revue fr. Ent.* [b4373]
- a *decaryi* *Euchrysops* 14(2):139, f
- Stempffer 1947 *Revue zool. bot. afr.* [b4375]
- a *gabonensis* *Omipholidotos* 40:169
- a *katangae* *Omipholidotos* 40:170
- a *overlaeti* *Omipholidotos* 40:171
- a *ugandae* *Omipholidotos* 40:170, f
- Stempffer 1948 *Revue fr. Ent.* [b4376]
- c *f. albifrons* *Virachola* 15(3):185
- b *f. fracta* *Spindasis* 15(3):190
- a *irumu* *Cupidesthes* 15(3):192, f
- a *Jacksoni* *Axiocerses* 15(3):191, f
- a *legراسي* *Tanicus* 15(3):194, f
- c *septentrionalis* *Epamera* 15(3):188
- a *suk* *Virachola* 15(3):186, f
- Stempffer 1950 *Revue fr. Ent.* [b4377]
- c *f. ecaudata* *Cacyreus* 17(2):144, f
- a *elgonae* *Lepidochrysops* 17(2):147
- a *Jacksoni* *Epamera* 17(2):139
- b *jefferyi* *Eresinopsides* 17(2):135
- a *kalinzu* *Neurypexina* 17(2):143
- Stempffer 1950 *Bull. Inst. franç. Afr. Noire* [b4378]
- a *liberiana* *Obozonia* 12(A):405, f
- Stempffer 1950 *Naturaliste Malgache* [b4379]
- a *pauliani* *Eicochrysops* 2:131, f
- Stempffer 1951 *Bull. Soc. ent. Fr.* [b4380]
- a *desmondi* *Lepidochrysops* 56(5):70, f
- a *magdaleneae* *Hewitsonia* 56(5):67
- a *rochel* *Liptena* 56(5):66, f
- b *vansomereni* *Lepidochrysops* 56(5):69
- Stempffer 1951 *Bull. Soc. ent. Fr.* [b4381]
- a *amanica* *Hypolycaena* 56(8):123, f
BMNH-ht b *amanica* *Iolaus* 56(8):126
- b *gabonensis* *Iolaus* 56(8):125
- a *nolaensis* *Epamera* 56(8):125, f
- a *tenuivittata* *Deudorix* 56(8):119
- a *vansomereni* *Uranotauma* 56(8):128, f
- a *vansomereni* *Deudorix* 56(8):120
- Stempffer 1952 *Bull. Soc. ent. Fr.* [b4382]
biblio b *apatosa* *Epamera* 57(8):116
- a *fumosa* *Thermoniphias* 57(8):119, f 2
- a *Jacksoni* *Euchrysops* 57(8):117, f 1
- Stempffer 1952 *Mém. Inst. Franç. Afr. Noire* [b4383]
- a *richardi* *Pseudaletis* 19:146, f
- Stempffer 1953 *Annls Mus. r. Congo Belge* [b4384]
- a *ankoleensis* *Deudorix* (8vo)27:21
- b *f. barnesi* *Spindasis* (8vo)27:30
- a *bergeri* *Argiolaus* (8vo)27:27, f
- b *congoensis* *Teratoneura* (8vo)27:16
- d *Jacksoni* *Liptena* (H) (8vo)27:9, f
- b *littoralis* *Hemiolaus* (8vo)27:25
- b *niveus* *Anthene* (8vo)27:36
- b *ugandae* *Iolaus* (8vo)27:29, f
- a *vansomereni* *Eresina* (8vo)27:12
- Stempffer 1954 *Bull. Soc. ent. Fr.* [b4385]
- a *aurivilliusi* *Deudorix* 59(5/6):106
- c *browni* *Euchrysops* 59(5/6):111
- b *Cottrelli* *Lepidochrysops* 59(5/6):110
- a *drucei* *Pseuderessia* 59(5/6):89
- a *fumata* *Deudorix* 59(5/6):106
- a *rougeoti* *Liptena* 59(5/6):92
- b *ugandae* *Pseuderessia* 59(5/6):91
- Stempffer 1954 *Trans. R. ent. Soc. Lond.* [b4387]
- a *adamsi* *Aphnaeus* 105(21):513
- b *barnesi* *Aphnaeus* 105(21):507
- ■ *flavescens* *Aphnaeus* 105(21):514
- ■ *Jacksoni* *Aphnaeus* 105(21):512
- b *mashunae* *Aphnaeus* 105(21):105
- a *nyanzae* *Aphnaeus* 105(21):499
- c *f. paupera* *Aphnaeus* (IFS) 105(21):498
- ■ *f. vansomereni* *Aphnaeus* (IFS) 105(21):512
- Stempffer 1956 *Annls Mus. r. Congo Belge* [b4388]
MRCB-ht b *aequatorialis* *Liptena* (8vo)49:8, pl 3
BMNH-ht ■ *albocaerulea* *Thermoniphias* (8vo)49:50
MRCB-ht ■ *bergeri* *Eresina* (8vo)49:12
BMNH-ht ■ *caerulea* *Thermoniphias* (8vo)49:49
BMNH-ht ■ *conradti* *Eresina* (8vo)49:27
MRCB-ht a *decellei* *Epitola* (8vo)49:30
MRCB-ht ■ *fontainei* *Zeritis* (8vo)49:35
MRCB-ht ■ *fontainei* *Epamera* (8vo)49:33
MRCB-ht ■ *fontainei* *Thermoniphias* (8vo)49:47
MRCB-ht a *fontainei* *Eresina* (8vo)49:18
MRCB-ht ■ *katangana* *Eresina* (8vo)49:15
BMNH-ht b *katera* *Liptena* (8vo)49:8, pl 2
BMNH-ht a *kayonza* *Deudorix* (8vo)49:31
BMNH-ht ■ *kigezi* *Thermoniphias* (8vo)49:48
BMNH-ht b *kigezi* *Liptena* (8vo)49:8, pl 2
pc-ht ■ *maesseni* *Eresina* (8vo)49:14
MRCB-ht ■ *overlaeti* *Chloroselas* (8vo)49:36
pc-ht a *rougeoti* *Eresina* (8vo)49:19
BMNH-ht ■ *saundersi* *Eresina* (8vo)49:17
pc-ht a *theodori* *Eresina* (8vo)49:21
- Stempffer 1956 *Mém. Inst. Franç. Afr. Noire* [b4389]
- a *condamini* *Hypolycaena* 48(1)(11):207
- Stempffer 1957 *Bull. Inst. franç. Afr. Noire* [b4390]
- a *bitjeensis* *Omipholidotos* 19(A):209, f
- c *maesseni* *Anthene* 19(A):223, f 7
- a *nigeriae* *Lepidochrysops* 19(A):222, f
BMNH-ht a *nyanzana* *Deudorix* 19(A):214
- b *orientalis* *Deudorix* 19(A):217
- a *teroensis* *Omipholidotos* 19(A):211, f
- Stempffer 1961 *Annls Mus. r. Afr. cent.* (8vo) [b4393]
MRAC-ht a *argenteostriatus* *Harpentryreus* (Zool)94:65
- a *beni* *Pseuderessia* (Zool)94:19
- a *bonifacel* *Symptoptera* (Zool)94:57
- a *clenchi* *Pseuderessia* (Zool)94:22
- b *fontainei* *Pseudaletis* (Zool)94:60
- a *fontainei* *Eicochrysops* (Zool)94:68
- b *fontainei* *Myrina* (Zool)94:54
- a *Jacksoni* *Eresina* (Zool)94:48
- a *Jacksoni* *Omipholidotos* (Zool)94:11
biblio b *jeanneli* *Anthene* (Zool)94:64
- a *katangae* *Telipna* (Zool)94:9
- b *katera* *Pseuderessia* (Zool)94:14
MRAC-ht b *kigezi* *Anthene* (Zool)94:63
- a *lusambo* *Pseudaletis* (Zool)94:61
MRAC-ht a *marlieri* *Harpentryreus* (Zool)94:64
biblio a *nigromarginata* *Liptena* (Zool)94:43
- a *ogojae* *Liptena* (Zool)94:44
- b *owerrri* *Mimeressia* (Zool)94:33
- a *pseudofusca* *Eresina* (Zool)94:47
- a *rougeoti* *Pseuderessia* (Zool)94:21
- a *sankuru* *Toxochitona* (Zool)94:51
pc-ht b *telta* *Anthene* (Zool)94:63
- b *ugandae* *Aphnaeus* (Zool)94:59
- b *unyoro* *Mimeressia* (Zool)94:39
- Stempffer 1961 *Bull. Inst. franç. Afr. Noire* [b4394]
BMNH-ht b *alticola* *Epamera* 23(A):96, f 15-19
BMNH-ht a *henryi* *Iolaphilus* 23(A):88, f 1-4
BMNH-ht b *usambara* *Iolaphilus* 23(A):91, f 8-12

Stempffer 1962 Bull. Inst. franç. Afr. Noire [b4395]

BMNH-ht	a	<i>aequatorialis</i> Anthene	24(A):1178
BMNH-ht	a	<i>bakotae</i> Omipholidotos	24(A):1137
BMNH-ht	c	<i>bwamba</i> Deudorix	24(A):1161
BMNH-ht	a	<i>fulvus</i> Anthene	24(A):1180
MNHN-ht	a	<i>katera</i> Eresina	24(A):1155
BMNH-ht	a	<i>likouala</i> Anthene	24(A):1176
BMNH-ht	a	<i>likouala</i> Eresina	24(A):1149
BMNH-ht	a	<i>marginata</i> Deudorix	24(A):1157
MNHN-ht	a	<i>masaka</i> Eresina	24(A):1152
BMNH-ht	a	<i>ngoko</i> Anthene	24(A):1174
BMNH-ht	a	<i>nigeriana</i> Pseuderesia	24(A):1139
MNHN-ht	a	<i>onitshae</i> Omipholidotos	24(A):1135
MNHN-ht	a	<i>onitshae</i> Liptena	24(A):1146
BMNH-ht	b	<i>orientalis</i> Anthene	24(A):1169
BMNH-ht	b	<i>orientalis</i> Pseuderesia	24(A):1145
BMNH-ht	a	<i>ouesso</i> Pseuderesia	24(A):1143
BMNH-ht	a	<i>pseudofrater</i> Iolaus	24(A):1167
BMNH-ht	a	<i>pseudopolux</i> Iolaus	24(A):1164
MNHN-ht	a	<i>rhodesiana</i> Anthene	24(A):1171
BMNH-ht	a	<i>souanke</i> Liptena	24(A):1148

Stempffer 1963 Bull. Inst. franç. Afr. Noire [b4396]

-	b	<i>condamini</i> Pentila	25(A):954, f 1-5
-	b	<i>faÿel</i> Pentila	25(A):957

Stempffer 1964 Bull. Inst. franç. Afr. Noire [b4397]

-	a	<i>azurea</i> Deudorix	26(A):1280
-	b	<i>bigoti</i> Liptena	26(A):1233
-	a	<i>bwamba</i> Iridana	26(A):1258
-	a	<i>camerunensis</i> Omipholidotos	26(A):1227
-	a	<i>cobaltina</i> Deudorix	26(A):1271
-	a	<i>congoensis</i> Omipholidotos	26(A):1228
-	a	<i>etoumbi</i> Liptena	26(A):1236
-	a	<i>gabunica</i> Iridana	26(A):1246
-	a	<i>ghanana</i> Iridana	26(A):1249
-	a	<i>infusata</i> Deudorix	26(A):1275
-	a	<i>jacksoni</i> Pseudoneaveia	26(A):1265, f
-	a	<i>jacksoni</i> Iridana	26(A):1252
-	a	<i>katera</i> Iridana	26(A):1255
-	c	<i>kelle</i> Liptena	26(A):1231
-	a	<i>nigeriae</i> Omipholidotos	26(A):1230
-	a	<i>nigeriana</i> Iridana	26(A):1247
-	a	<i>obscura</i> Iridana	26(A):1259
-	a	<i>pseudoderitas</i> Deudorix	26(A):1283
-	a	<i>rougeoti</i> Iridana	26(A):1244
-	a	<i>sudanica</i> Leptomyzina	26(A):1285
-	a	<i>tororo</i> Iridana	26(A):1253, f
-	b	<i>ugandae</i> Liptena	26(A):1234
-	a	<i>ultramarina</i> Deudorix	26(A):1272, f
-	a	<i>unyoro</i> Iridana	26(A):1262, f
-	a	<i>viridis</i> Deudorix	26(A):1269, f

Stempffer 1965 Bull. Inst. franç. Afr. Noire [b4398]

-	a	<i>villiersi</i> Telipna	27(A):1450, f
---	---	--------------------------	---------------

Stempffer 1966 Bull. Inst. fond. Afr. Noire [b4399]

-	a	<i>banco</i> Iolaus	28(A):1573
-	a	<i>gillonl</i> Aphnaeus	28(A):1575
-	b	<i>ivoirensis</i> Lipaphnaeus	28(A):1577

Stempffer 1967 Bull. Br. Mus. nat. Hist. (Ent.) [b4400]

--	e	<i>abotii</i> Lycaena (ISS)	Suppl. 10:264
--	e	<i>adolphifrederici</i> Epitola (ISS)	Suppl. 10:87
--	e	<i>albocerulea</i> Theroniphias (ISS)	Suppl. 10:243
--	e	<i>albomaculate</i> Crudana (ISS)	Suppl. 10:180
--	e	<i>amenaidena</i> Pentila (ISS)	Suppl. 10:18
--	e	<i>analogramma</i> Castalius (ISS)	Suppl. 10:211
--	e	<i>anomale</i> Tatura (ISS)	Suppl. 10:120
--	e	<i>caeruleus</i> Oxyliides (ISS)	Suppl. 10:115
--	e	<i>cephien</i> Paraslaua (ISS)	Suppl. 10:70
--	e	<i>colarata</i> Theroniphias (ISS)	Suppl. 10:243
--	e	<i>conjugens</i> Cupidopsis (ISS)	Suppl. 10:240

Stempffer 1967 Bull. Br. Mus. nat. Hist. (Ent.) [b4400]

(continued)

-	e	<i>cuprescens</i> Euchrysops (FS)	Suppl. 10:235
-	e	<i>decempunctata</i> Liptena (ISS)	Suppl. 10:54
-	e	<i>dorothea</i> Falena (ISS)	Suppl. 10:47
-	e	<i>entebbae</i> Iolaus (ISS)	Suppl. 10:133
-	e	<i>erythropeocilus</i> Anthene (ISS)	Suppl. 10:191
-	e	<i>ethode</i> Azanus (ISS)	Suppl. 10:252
-	e	<i>euadrus</i> Aloicides (ISS)	Suppl. 10:176
-	e	<i>fidacula</i> Myrina (ISS)	Suppl. 10:112
-	e	<i>flavefasciata</i> Mimacraea (ISS)	Suppl. 10:30
-	e	<i>flavisquamata</i> Lepidochrysops (ISS)	Suppl. 10:230
-	e	<i>inconspicua</i> Triclema (ISS)	Suppl. 10:199
-	e	<i>iobates</i> Cupidopsis (ISS)	Suppl. 10:240
-	e	<i>ja</i> Anthene (FS)	Suppl. 10:190
-	e	<i>kersteini</i> Anthene (ISS)	Suppl. 10:192
-	e	<i>koena</i> Lepidochrysops (ISS)	Suppl. 10:231
-	e	<i>lacheres</i> Anthene (ISS)	Suppl. 10:189
-	e	<i>lacta</i> Mimacraea (ISS)	Suppl. 10:31
-	e	<i>laminiter</i> Liptena (ISS)	Suppl. 10:57
-	e	<i>latifascia</i> Mimacraea (ISS)	Suppl. 10:31
-	e	<i>latruncula</i> Euchrysops (ISS)	Suppl. 10:235
-	e	<i>leucyana</i> Euliphya (ISS)	Suppl. 10:71
-	e	<i>leura</i> Pentila (ISS)	Suppl. 10:18
-	e	<i>lukoksha</i> Anthene (ISS)	Suppl. 10:192
-	e	<i>magnimaculata</i> Pseuderesia (ISS)	Suppl. 10:35
-	e	<i>makoniensis</i> Larinopoda (ISS)	Suppl. 10:45
-	e	<i>mauretana</i> Cupidopsis (ISS)	Suppl. 10:240
-	e	<i>meander</i> Neurellipes (ISS)	Suppl. 10:197
-	e	<i>migiurtinensis</i> Euchrysops (ISS)	Suppl. 10:236
-	e	<i>mombase</i> Iolaus (ISS)	Suppl. 10:126
-	e	<i>nasissii</i> Iolaus (ISS)	Suppl. 10:145
-	e	<i>notobia</i> Harpendyreus (ISS)	Suppl. 10:224
-	e	<i>nyasae</i> Myrina (ISS)	Suppl. 10:112
-	e	<i>ochraceus</i> Aloicides (ISS)	Suppl. 10:176
-	e	<i>onesso</i> Pseuderesia (ISS)	Suppl. 10:36
-	e	<i>paucipuncta</i> Pentila (ISS)	Suppl. 10:19
-	e	<i>praeterite</i> Lepidochrysops (ISS)	Suppl. 10:232
-	e	<i>prometheus</i> Iolaus (ISS)	Suppl. 10:129
-	e	<i>pygmoea</i> Zizula (ISS)	Suppl. 10:261
-	e	<i>rhodesendae</i> Lepidochrysops (ISS)	Suppl. 10:232
-	e	<i>ruilans</i> Virachola (ISS)	Suppl. 10:110
-	e	<i>skoptolos</i> Mimacraea (ISS)	Suppl. 10:31
-	e	<i>uelensis</i> Pentila (ISS)	Suppl. 10:18
-	e	<i>ugandae</i> Anthene (ISS)	Suppl. 10:194
-	e	<i>urimaculata</i> Alaena (ISS)	Suppl. 10:9
-	e	<i>zelomina</i> Pilodeudorix (ISS)	Suppl. 10:106

Stempffer 1967 Bull. Inst. fond. Afr. Noire [b4401]

-	a	<i>ankole</i> Toxochitona	29(A):989
-	a	<i>aurivilliusi</i> Omipholidotos	29(A):983
-	a	<i>etoumbi</i> Omipholidotos	29(A):986
-	b	<i>fontainei</i> Euchrysops	29(A):988
-	a	<i>jacksoni</i> Spalgis	29(A):998
-	a	<i>jacksoni</i> Lachnocnema	29(A):980
-	a	<i>kelle</i> Omipholidotos	29(A):985
-	a	<i>kelle</i> Iolaus	29(A):991
-	a	<i>pringlei</i> Baliochila	29(A):987

Stempffer 1968 Bull. Inst. fond. Afr. Noire [b4402]

-	a	<i>pseudocellularis</i> Mimeresia	30(A):200
---	---	-----------------------------------	-----------

Stempffer 1969 Bull. Inst. fond. Afr. Noire [b4403]

-	a	<i>camerunica</i> Aslauga	31(A):88, f
-	a	<i>cornesi</i> Pseuderesia	31(A):93, f
-	b	<i>deserticola</i> Myrina	31(A):96, f
-	a	<i>larseni</i> Omipholidotos	31(A):90, f
-	a	<i>likouala</i> Omipholidotos	31(A):92, f
-	a	<i>mongiro</i> Iolaus	31(A):99, f

Stempffer 1969 Bull. Inst. fond. Afr. Noire [b4404]

-	a	<i>danane</i> Hewitsonia	31(A):942, f
-	a	<i>griveaudi</i> Liptena	31(A):937, f

- Stempffer 1969 Bull. Inst. fond. Afr. Noire [b4404] (continued)
- a *issia* Pseuderesia 31(A):935, f
 - a *issia* Mimeresia 31(A):930, f
 - a *issia* Omipholidotos 31(A):929, f
 - a *jacksoni* Cupidesthes 31(A):947, f
 - a *jacksoni* Pseuderesia 31(A):932, f
 - a *tiassale* Liptena 31(A):939, f
 - a *tiassale* Omipholidotos 31(A):928, f
- Stempffer 1970 Bull. Inst. fond. Afr. Noire [b4406]
- a *maesseni* Telipna 32(A):767, f
 - a *theodori* Iolaus 32(A):769, f
- Stempffer 1970 Bull. Inst. fond. Afr. Noire [b4407]
- a *villiersi* Micropentila 32(A):1063, f
- Stempffer [1972] Bull. Soc. ent. Fr. [b4408]
- MNHN-ht a *turlini* Lepidochrysops 76(7/8):207
- Stempffer [1972] Bull. Soc. ent. Fr. [b4409]
- MNHN-ht a *herbuloti* Aphnaeus 76(9/10):267
- Stempffer [1973] Bull. Soc. ent. Fr. [b4410]
- MNHN-ht a *kiellandi* Lepidochrysops 77(7-8):250
- MNHN-ht b *kiellandi* Aphnaeus 77(7-8):250
- Stempffer 1973 Bull. Soc. ent. Fr. [b4411]
- MNHN-ht a *hazela* Harpendyreus 78(5/6):223
- Stempffer 1974 In Bull. Br. Mus. nat. Hist. (Ent.) [b4413]
- T *augusta* Liptena 30(2):138
 - a *bergeri* Liptena 30:177, f
 - T *decipiens* Teriomima 30:145
 - a *fontainei* Liptena 30:169, f
 - a *llaro* Liptena 30:139, f
 - b *mayombe* Liptena 30:128, f
 - T *opaca* Larinopoda 30:118
 - a *ouesso* Liptena 30:126
 - a *overlaeti* Liptena 30:169, f
 - a *pearmani* Liptena 30:148, f
 - T *praeusta* Liptena 30:175
 - b *straminea* Liptena 30:171, f
 - T *subundularis* Pentila 30:156
 - a *titte* Liptena 30:124, f
- Stempffer 1976 Revue zool. afr. [b4414]
- a *berger* Harpendyreus 90(2):347, f
- Stempffer & Bennett 1953 Bull. Br. Mus. nat. Hist. (Ent.) [b4415]
- a *amanica* Baliochila 3:97
 - a *barnesi* Baliochila 3:86
 - a *dubiosa* Baliochila 3:90
 - a *fragilis* Baliochila 3:95
 - a *lpara* Baliochila 3:99
 - a *neavei* Baliochila 3:88
 - a *nyasae* Baliochila 3:92
 - a *singularis* Baliochila 3:100
 - a *vansomereni* Cnodontes 3:103, f
- Stempffer & Bennett 1956 Entomologist [b4416]
- a *vansonii* Cnodontes 89:115, f
- Stempffer & Bennett 1956 Bull. Inst. franç. Afr. Noire [b4417]
- a *petersi* Deudorix 18(A):507, f
 - a *petersi* Baliochila 18(A):503, f 1
- Stempffer & Bennett 1958 Bull. Inst. franç. Afr. Noire [b4418]
- a *aequatorialis* Iolaus 20(A):1322
 - a *cottrelli* Iolaus 20(A):1330
 - b *elgonae* Iolaus 20(A):1291
 - b *ethiopica* Iolaus 20(A):1266
 - a *kayonza* Iolaus 20(A):1333
 - b *kigezi* Iolaus 20(A):1287
 - b *littoralis* Iolaus 20(A):1295
 - b *maesseni* Iolaus 20(A):1340
- Stempffer & Bennett 1958 Bull. Inst. franç. Afr. Noire [b4418] (continued)
- a *maritimus* Iolaus 20(A):1308
 - a *ndolae* Iolaus 20(A):1313
 - b *niloticus* Iolaus 20(A):1293
 - b *nyanzae* Iolaus 20(A):1291
 - b *occidentalis* Iolaus 20(A):1268
 - a *vansomereni* Iolaus 20(A):1319
- Stempffer & Bennett 1959 Bull. Inst. franç. Afr. Noire [b4419]
- a *dubiosa* Epamera 21(A):310, f 188-189
 - a *longicauda* Epamera 21(A):264
 - b *mafugae* Iolaus 21(A):249
 - a *moyambina* Epamera 21(A):254
 - a *penningtoni* Epamera 21(A):312
 - b *rhodosense* Iolaus 21(A):237
- Stempffer & Bennett 1961 Bull. Inst. franç. Afr. Noire [b4420]
- BMNH-ht b *benguellana* Pentila 23(A):1116
- BMNH-ht a *camerunica* Pentila 23(A):1196
- CMNH-ht a *carcassoni* Pentila 23(A):1197
- MNHN-ht b *fontainei* Pentila 23(A):1153
- BMNH-ht b *gabunica* Pentila 23(A):1157
- BMNH-ht a *landbecki* Pentila 23(A):1165 f 85-89
- c *latefasciata* Pentila (ISS) 23(A)(4):1098-1211
- BMNH-ht a *nigeriana* Pentila 23(A):1158
- MNHN-ht a *pseudorotha* Pentila 23(A):1142
- b *ueieensis* Pentila 23(A):1190
- Stempffer & Bennett 1963 Bull. Br. Mus. nat. Hist. (Ent.) [b4421]
- BMNH-ht b *angolensis* Falcuna 13(6):177, f
- BMNH-ht b *bwamba* Falcuna 13(6):183, f
- BMNH-ht b *cameroonica* Falcuna 13(6):176, f
- BMNH-ht a *dorothaeae* Falcuna 13(6):190
- BMNH-ht b *fusca* Falcuna 13(6):179
- BMNH-ht b *gabonensis* Falcuna 13(6):178
- BMNH-ht a *iturina* Falcuna 13(6):187, f
- BMNH-ht a *kasai* Falcuna 13(6):182, f
- BMNH-ht a *lacteata* Falcuna 13(6):180, f
- c f. *landana* Falcuna 13(6):178
- BMNH-ht a *leonensis* Falcuna 13(6):174, f
- MRAC-ht b *nigricans* Falcuna 13(6):186
- MRAC-ht a *overlaeti* Falcuna 13(6):190, f
- BMNH-ht a *reducta* Falcuna 13(6):189, f
- BMNH-ht a *semiliki* Falcuna 13(6):188, f
- BMNH-ht b *suffusa* Falcuna 13(6):184
- Stempffer & Bennett 1965 Bull. Br. Mus. nat. Hist. (Ent.) [b4422]
- a *bakotae* Micropentila 15(11):416
 - a *bitjeana* Micropentila 15(11):407
 - a *bunyoro* Micropentila 15(11):432
 - a *cherereti* Micropentila 15(11):431
 - a *flavopunctata* Micropentila 15(11):414
 - a *fontainei* Micropentila 15(11):419
 - a *gabunica* Micropentila 15(11):409
 - a *katangana* Micropentila 15(11):430
 - a *katerae* Micropentila 15(11):412
 - a *kelleana* Micropentila 15(11):422
 - a *mpigi* Micropentila 15(11):418
 - a *nigeriana* Micropentila 15(11):417
 - a *ogojae* Micropentila 15(11):421
 - a *sankuru* Micropentila 15(11):428
 - a *souanke* Micropentila 15(11):403
 - a *victoriae* Micropentila 15(11):411
- Stempffer & Bennett & May 1974 Bull. Br. Mus. nat. Hist. (Ent.) [b4423]
- b *centralis* Liptena 30(1):120, f
 - b *etoumbi* Liptena 30(1):148, f
 - b *gabunica* Liptena 30(1):119
 - b *liberiana* Liptena 30(1):132, f
 - b *maesseni* Liptena 30(1):131, f
 - b *sankuru* Liptena 30(1):121, f

- Stempffer & Bennett & May 1974 Bull. Br. Mus. nat. Hist. (Ent.) [b4423] (continued)
 - b *tringa* Liptena 30(1):130, f
 - b *ugandana* Liptena 30(1):120, f
- Stempffer & Jackson 1962 Proc. R. ent. Soc. Lond. [b4424]
 - c *bugalia* Anthene (B)31:35
 - b *sesse* Deudorix (B)31:34
- Stempffer & Schmidt 1932 Int. ent. Z. [b4425]
 - b *danapiensis* Lycaeides 25(45):450, f
- Stephan 1923 Deut. ent. Zeit. [Iris] [b4426]
 -- e *ab. minutissima* Zizera 37:45
- Stephan 1924 Z. wiss. InsektBiol. [b4427]
 -- e *ab. erica* Nemeobius 19(1):49
 -- e *ab. nana* Nemeobius 19(1):49
- Stephens 1828-1846 Ill. Brit. Ent. [b4428]
 BMNH-It b 1829 *salmacis* Polyommatus 1:235
- Stephens 1829 Syst. Cat. Br. Ins. [b4429]
 -- e *ab. marius* Plebejus 2:25
- Sternitzky 1930 Pan-Pac. Ent. [b4431]
 CAS-ht b *moroensis* Plebeius 7(2):93
- Stetter-Stättermayer 1937 Ent. Rundsch. [b4432]
 -- e *ab. brunnea* Lycaena 54:531
 -- e *ab. communis* Lycaena 54:531
 -- e *ab. depuncta* Lycaena 54:531
 -- e *ab. elliptica* Lycaena 54:532
 -- e *ab. fusca* Lycaena 54:531
 -- e *ab. lunulata* Lycaena 54:531
 -- e *ab. lucariensis* Lycaena 54:532
 -- e *ab. oberthuri* Lycaena 54:531
 -- e *ab. parvipuncta* Lycaena 54:532
 -- e *ab. pluripuncta* Lycaena 54:532
 -- e *ab. polyphemus* Lycaena 54:532
 -- e *ab. punctifera* Lycaena 54:531
 -- e *ab. rufomarginata* Lycaena 54:532
 -- e *ab. stigmatica* Lycaena 54:531
 -- e *ab. suffusaargentea* Lycaena 54:532
 -- e *ab. tristis* Lycaena 54:531
- Stevenson 1934 Occ. Pap. natn Mus. Sth. Rhodesia [b4433]
 MNBZ-ht b *felthami* Cupido 1(3):16
 MNBZ-ht a *sheppardi* Deloneura 1(3):15, f
- Stevenson 1937 Occ. Pap. natn Mus. Sth. Rhodesia [b4434]
 MNBZ-It a *australis* Iolais 1(6):24
 MNBZ-It b *mashuna* Lycaenesthes 1(6):31
 MNBZ-It e *rhodesiensis* Deudorix (IFS) 1(6):21
- Stevenson 1939 Proc. Trans. Rhod. Sci. Assoc. [b4435]
 MNBZ-It e *swinburnei* Lepidochrysops (IFS) 37:42
- Stevenson 1940 J. ent. Soc. S. Afr. [b4436]
 MNBZ-It a *barnesi* Anthene 3:106
 MNBZ-ht e *cataractae* Pentila (IFS) 3:101, pl 11 f
 MNBZ-It a *sheppardi* Anthene 3:103, pl 12
 MNBZ-It a *swynnertoni* Pentila 3:101, pl 11
- Sthchetkin 1963 Trudy Inst. Zool. Parazit. [b4437]
 - b *hissarica* Lycaena 24:59
 - c *meridionalis* Chrysophanus 24:52
 - b *shurobatica* Lycaena 24:57
- Sthchetkin 1980 Zool. Zh. [b4438]
 - a *avinovi* Polyommatus 59(2):303, f
- Sthchetkin 1984 Zool. Zh. [b4440]
 - b *badachshanica* Pseudothecla 63(9):1430
 - b *seravshanica* Pseudothecla 63(9):1431
- Sthchetkin 1984 Dokl. Akad. Nauk Tadzhik. SSR [b4441]
 - b *tshatkalia* Turanana 27(5):291
- Sthchetkin 1986 Zool. Zh. [b4442]
 - b *garmicus* Cupido 65(7):1092, f
 - b *ishkashimicus* Polyommatus 65(7):1093, f
- Stichel [1909] Berl. ent. Z. [b4443]
 - e *comes* Panara (IFS) 53(3/4):266
 - b *cruentata* Xenandra 53(3/4):264
 - b *dibapha* Xenandra 53(3/4):263
 ZMHU-st c *helias* Eurybia 53(3/4):258
 - a *iphias* Leucochimona 53(3/4):274
 - e *lasius* Perophtalma (ISS) 53(3/4):271
 - e *limnatis* Xenandra 53(3/4):263
 - e *miniacea* Xenandra 53(3/4):263
 - c *ornata* Panara 53(3/4):267
 - b *praxinus* Melanis 53(3/4):270
 - b *sestus* Isapis 53(3/4):271
 - a *thymele* Panara 53(3/4):268
- Stichel 1909 Berl. ent. Z. [b4444]
 - e *adelphina* Mesosemia (IFS) 54(1/2):24
 - e *aesthetica* Mesosemia (IFS) 54(1/2):24
 - b *amycus* Rhetus 54(1/2):35
 - e *apotacta* Barbicomis (IFS) 54(1/2):43
 - c *asopis* Mesosemia 54(1/2):25
 - b *avicula* Hades 54(1/2):54
 - e *betina* Mesosemia (IFS) 54(1/2):8
 - b *castigatus* Rhetus 54(1/2):35
 - a *chionodes* Mesosemia 54(1/2):15
 - e *coenosa* Mesosemia 54(1/2):13
 - b *cumulatus* Anteros 54(1/2):48
 - a *cyanira* Mesosemia 54(1/2):4
 - a *destituta* Mesosemia 54(1/2):20
 - b *dryadella* Mesosemia 54(1/2):13
 - b *glaucoma* Mesosemia 54(1/2):18
 - b *haematites* Hades 54(1/2):54
 ZMHU-st a *hypermegala* Mesosemia 54(1/2):15
 - a *impedita* Mesosemia 54(1/2):10
 - b *jocularis* Ancylyrus 54(1/2):39
 - a *lacernata* Mesosemia 54(1/2):6
 - c *lamprotaenia* Ancylyrus 54(1/2):39
 - b *latissima* Mesosemia 54(1/2):12
 - b *lectabilis* Anteros 54(1/2):46
 - b *magnessa* Mesosemia 54(1/2):23
 - a *materna* Mesosemia 54(1/2):9
 - b *mennonnia* Mesosemia 54(1/2):17
 - b *mimallonis* Mesosemia 54(1/2):23
 - e *f. moneta* Barbicomis (IFS) 54(1/2):43
 - e *munda* Mesosemia (IFS) 54(1/2):23
 - a *naidella* Mesosemia 54(1/2):13
 - a *nerine* Mesosemia 54(1/2):14
 - a *nympharena* Mesosemia 54(1/2):12
 - c *phonia* Ancylyrus 54(1/2):37
 - c *rubroflum* Ancylyrus 54(1/2):37
 - a *scotina* Mesosemia 54(1/2):5
 - a *siliculatrix* Ancylyrus 54(1/2):37
 - a *sirenia* Mesosemia 54(1/2):14
 - b *spectanda* Siseme 54(1/2):41
 - b *stramentarius* Anteros 54(1/2):46
 - a *subtilis* Mesosemia 54(1/2):9
 - a *suspiciosa* Mesosemia 54(1/2):19
 - a *synnephis* Mesosemia 54(1/2):4
 - e *synrepha* Mesosemia (IFS) 54(1/2):24
 - b *testis* Mesosemia 54(1/2):12
 - b *tigrinella* Hyphilana 54(1/2):44
 - b *troas* Anteros 54(1/2):47
 - b *umbrosa* Mesosemia 54(1/2):8
 - e *f. vastata* Ancylyrus 54(1/2):39
 - b *virgatula* Hyphilana 54(1/2):44

- Stichel 1910 Berl. ent. Z. [b4445]
- biblio b *acosma* Theope 55(1/2):86
- pc-st b *acroxantha* Chamona 55(1/2):20
- pc-ht ■ *agroeca* Napaea 55(1/2):93
- a *andraemon* Polystichtis 55(1/2):77
- pc-st b *angelus* Nothene 55(1/2):58
- ZMHU-ht ■ *anthis* Chamona 55(1/2):19
- b *asemna* Echenais 55(1/2):31
- pc-ht b *atlantis* Thisbe 55(1/2):87
- c *aulica* Ancylyrus 55(1/2):98
- b *aureocultus* Anteros 55(1/2):9
- ZMHU-st b *baroptenosa* Anatole 55(1/2):89
- b *belides* Thisbe 55(1/2):87
- pc-ht ■ *brennus* Nymula 55(1/2):66
- pc-st b *carissima* Nymphidium 55(1/2):62
- b *carmentis* Nymphidium 55(1/2):62
- pc-st b *castigata* Emesis 55(1/2):37
- c (+) *f. cephisia* Aricoris (IFS) 55(1/2):68
- ZMHU-ht a *charessa* Echenais 55(1/2):34
- ZMHU-ht ■ *cinericia* Hamearis 55(1/2):46
- ZMHU-st b *concinna* Polystichtis 55(1/2):75
- c *conflata* Amarynthis (IFS) 55(1/2):10
- pc-st b *diadema* Nothene 55(1/2):58
- pc-ht ■ *doryphora* Chamaelinnas 55(1/2):24
- c *echion* Echenais 55(1/2):36
- ZMHU-st ■ *epilecta* Orimba 55(1/2):71
- biblio b *epiphanis* Orimba 55(1/2):68
- ZMHU-st ■ *epixanthe* Echenais 55(1/2):30
- ZMHU-st a *erolytus* Cariomothis 55(1/2):55
- ZMHU-ht b *erythraea* Cariomothis 55(1/2):54
- pc-st b *erythraicum* Nymphidium 55(1/2):63
- pc-st a *eudaemon* Ancylyrus 55(1/2):97
- ZMHU-ht ■ *falcistriga* Symmachia 55(1/2):81
- ZMHU-ht ■ *fulmen* Calephelis 55(1/2):103
- ZMHU-st b *gauchoana* Hamearis 55(1/2):45 or 46
- c *glaucothritus* Echenais (IFS) 55(1/2):31
- ZMHU-ht b *gracilis* Ancylyrus 55(1/2):97
- pc-ht ■ *guttata* Hamearis 55(1/2):46
- ZMHU-ht c *f. hemicosmeta* Nothene 55(1/2):58
- b *hesione* Symmachia 55(1/2):79
- pc-ht ■ *histrica* Symmachia 55(1/2):81
- ZMHU-st b *incana* Hamearis 55(1/2):45
- c *f. insolita* Ancylyrus 55(1/2):98
- ZMHU-ht c *majorina* Phaenochitonina 55(1/2):52
- pc-st b *manius* Nymula 55(1/2):66
- e *f. matronalis* Phaenochitonina 55(1/2):52
- b *melior* Ancylyrus 55(1/2):97
- ZMHU-st ■ *monotona* Melanope 55(1/2):13
- ZMHU-ht ■ *multesina* Symmachia 55(1/2):79
- ZMHU-st c *neglecta* Charis 55(1/2):27
- ZMHU-st c *nilius* Echenais 55(1/2):36
- ZMHU-ht b *nitelina* Echenais 55(1/2):35
- pc-ht b *nobilata* Emesis 55(1/2):39
- ZMHU-ht ■ *notialis* Hamearis 55(1/2):45
- pc-ht b *opaca* Emesis 55(1/2):37
- pc-ht b *palilis* Thisbe 55(1/2):87
- ZMHU-ht ■ *panurga* Chalodeta 55(1/2):15
- pc-ht b *paroemia* Orimba 55(1/2):68
- b *paulistina* Nymula 55(1/2):66
- c *pedronia* Nymula 55(1/2):66
- ZMHU-ht c *penithides* Echenais 55(1/2):35
- ZMHU-ht b *peristera* Anatole 55(1/2):89
- BMNH-ht ■ *philema* Caria (IFS) 55(1/2):26
- ZMHU-st b *placibillis* Argyrogrammana 55(1/2):12
- ZMHU-ht b *plinthobaphis* Nymphidium 55(1/2):63
- pc-ht c *polypoecila* Charis (IFS) 55(1/2):27
- c *polypoecila* Charis 55(1/2):27
- ZMHU-st ■ *poposa* Ancylyrus 55(1/2):100
- pc-ht b *propitia* Hamearis 55(1/2):43
- biblio b *pulchralis* Theope 55(1/2):86
- pc-st b *ravidula* Emesis 55(1/2):41
- pc-st ■ *russula* Emesis 55(1/2):40
- Stichel 1910 Berl. ent. Z. [b4445] (continued)
- ZMHU-st a *sejuncta* Echenais 55(1/2):32
- pc-st b *signata* Hamearis 55(1/2):43
- pc-st c *stenogramma* Amarynthis 55(1/2):10
- ZMHU-ht a *stigmossissima* Symmachia 55(1/2):80
- biblio c *terpna* Imelda 55(1/2):91
- ZMHU-ht e (+) *theleia* Anteros 55(1/2):9
- ZMHU-ht b *virgatula* Symmachia 55(1/2):80
- ZMHU-ht a *virgaurea* Symmachia 55(1/2):80
- ZMHU-ht b *vittata* Phaenochitonina 55(1/2):53
- ZMHU-st a *xanthosa* Chamona 55(1/2):20
- ZMHU-ht b *zygaena* Lyropteryx 55(1/2):49
- Stichel 1910 Gen. Insectorum [b4446]
- ZMHU-ht a *aerigera* Chamona 112(A):168
- ZMHU-st a *aetherea* Semomesia 112(A):34
- pc-st a *albugo* Lymnas 112(A):203
- ZMHU-st a *amarantus* Mesosemia 112(A):50
- pc-ht b *androgynae* Cyrenia 112(A):99, pl 25
- pc-st b *annulata* Eurybia 112(A):68
- ZMHU-st a *aphaniodes* Pterographium 112(A):237
- pc-ht a *assimulata* Lymnas 112(A):207
- BMNH-st b *asteria* Napaea 112(A):85
- pc-ht b *auriferax* Lymnas 112(A):202
- pc-st b *bersabana* Mesosemia 112(A):48
- pc-st a *blandina* Mesosemia 112(A):41
- pc-st c *canens* Lyropteryx 112(A):93
- c *capnodes* Emesis (IOS) 112(A):273
- BMNH-ht a *capreolus* Baeotis 112(A):181
- pc-ht b *caucana* Peplia 112(A):367
- ZMHU-ht a *clotho* Tharops 112(A):306
- ZMHU-ht b *columba* Hermathena 112(A):74, pl 24
- pc-st b *corvina* Lymnas 112(A):206
- pc-ht a *crenitaenia* Lymnas 112(A):206
- pc-st b *cretiplaga* Lymnas 112(A):204
- pc-st c *creusina* Baeotis 112(A):182
- pc-st e *crocola* Stalactis (IFS) 112(A):389
- pc-ht a *cyclopa* Eurybia 112(A):67
- pc-ht a *cydonia* Chamaelinnas 112(A):157
- pc-st b *cymatodis* Mesosemia 112(A):51
- ZMHU-ht a *cymotaxis* Mesosemia 112(A):52
- pc-st b *dealbata* Mesosemia 112(A):49
- ZMHU-st b *delecta* Ithomeis 112(A):122
- ZMHU-ht b *dentata* Voltinia 112(A):73
- ZMHU-st e *depompata* Lymnas (IFS) 112(A):205
- ZMHU-ht a *diadocis* Lyropteryx 112(A):94, pl 25
- pc-st b *dialeuca* Lymnas 112(A):205
- pc-st b *diana* Lyropteryx 112(A):93
- pc-ht c *diffusa* Eurybia 112(A):67
- pc-st a *dulcis* Mesosemia 112(A):41, pl 24
- ZMHU-st b *eleusinus* Rhemus 112(A):113
- pc-st a *elvina* Eurybia 112(A):71, pl 24
- pc-st b *erinnys* Mesosemia 112(A):62
- BMNH-st b *eromena* Mesene 112(A):216
- pc-st b *erythinosae* Eurybia 112(A):67
- pc-st a *eugenea* Mesosemia 112(A):41, pl 24
- biblio b *eutacta* Themone 112(A):130
- BMNH-st a *expleta* Baeotis 112(A):181
- ZMHU-st e *frustatoria* Napaea (IFS) 112(A):84
- pc-ht b *fulgens* Eurybia 112(A):68
- pc-st b *furia* Mesosemia 112(A):62
- pc-st e *galactina* Nymphidium (IFS) 112(A):383
- pc-ht a *gertraudis* Mesosemia 112(A):49, pl 24
- pc-st b *granulata* Eurybia 112(A):71
- BMNH-ht b *gratiosa* Chorinea 112(A):117
- pc-st a *hedwigis* Mesosemia 112(A):50
- pc-st a *hyacinthina* Eurybia 112(A):67
- pc-ht b *hyalodis* Xymias 112(A):223
- ZMHU-st a *icterias* Mesene 112(A):214
- pc-st b *impunctata* Lymnas 112(A):200
- pc-st c *f. impura* Melanis 112(A):203
- c *f. infirmata* Riodyna 112(A):195

Stichel 1910	Gen. Insectorum [b4446] (continued)	
ZMHU-st	b <i>lonima</i> Semomesia	112(A):34
ZMHU-ht	■ <i>junta</i> Mesosemia	112(A):60
pc-ht	b <i>lactifusa</i> Teratophthalma	112(A):78
pc-ht	e (+) <i>f. lamprosa</i> Mesosemia	112(A):61, pl 24
ZMHU-ht	a <i>lapillus</i> Mesosemia	112(A):60
ZMHU-ht	e <i>lasciva</i> Charis	112(A):250
ZMHU-st	b <i>latiellavia</i> Lymnas	112(A):201
ZMHU-st	b <i>lato</i> Mesosemia	112(A):44
pc-st	e <i>laua</i> Eurybia	112(A):68
pc-st	c <i>leucobalia</i> Monethe	112(A):136
MNHN-ht	■ <i>leucoplegma</i> Lymnas	112(A):204
ZMHU-st	a <i>leucotopus</i> Ematurgina	112(A):283
pc-ht	■ <i>luperca</i> Mesosemia	112(A):44
pc-st	b <i>lysiata</i> Riodina	112(A):195
ZMHU-st	■ <i>lysimaachus</i> Riodina	112(A):196
pc-st	a <i>melliplaga</i> Lymnas	112(A):203
pc-st	b <i>misellivestis</i> Eurybia	112(A):68
pc-st	b <i>modica</i> Mesosemia	112(A):43
pc-ht	■ <i>modulata</i> Mesosemia	112(A):47
pc-ht	■ <i>molochina</i> Eurybia	112(A):78, pl 24
pc-ht	a <i>monochroma</i> Teratophthalma	112(A):78, pl 24
ZMHU-st	■ <i>multeola</i> Mesene	112(A):216
ZMHU-st	■ <i>myrmecias</i> Mesosemia	112(A):49
pc-ht	b <i>naevianus</i> Rhetus	112(A):113
pc-ht	b <i>nesotopus</i> Monethe	112(A):136
biblio	a <i>ochracea</i> Lepicomis	112(A):147
ZMHU-st	b <i>orchestris</i> Zeonia	112(A):116
ZMHU-ht	b <i>paidion</i> Themone	112(A):130
pc-ht	b <i>paraplesius</i> Monethe	112(A):137
ZMHU-st	b <i>pauilla</i> Echenais	112(A):335
ZMHU-ht	b <i>phlegontis</i> Esthemopsis	112(A):205
pc-ht	b <i>picina</i> Napaea	112(A):84
pc-st	b <i>piliarius</i> Symmachia	112(A):230
BMNH-st	a <i>pluto</i> Phaenochitonina	112(A):241
ZMHU-ht	■ <i>polioactis</i> Esthemopsis	112(A):225
pc-st	b <i>polita</i> Leucochimona	112(A):29
ZMHU-st	b <i>polyglauca</i> Mesosemia	112(A):40
pc-ht	b <i>polyplusia</i> Teratophthalma	112(A):78, pl 24
ZMHU-ht	b <i>pomposa</i> Lucillella	112(A):209
ZMHU-ht	■ <i>praeculta</i> Mesosemia	112(A):56
pc-st	■ <i>promota</i> Eurybia	112(A):70
pc-st	■ <i>pronostrega</i> Lymnas	112(A):202
ZMHU-st	b <i>pruinosa</i> Mesosemia	112(A):45
ZMHU-st	■ <i>pullula</i> Mesene	112(A):212
ZMHU-st	b <i>quadripunctata</i> Melanis	112(A):200
pc-st	e (+) <i>f. rabulana</i> Metacharis	112(A):142
ZMHU-st	b <i>rabuscula</i> Lymnas	112(A):202
-	c <i>f. refracta</i> Riodina	112(A):195
pc-st	b <i>rubeolata</i> Eurybia	112(A):69
-	e <i>rufolimbata</i> Napaea (IFS)	112(A):84
-	b <i>sanguilenta</i> Mesene	112(A):215
pc-st	b <i>sanguinea</i> Lymnas	112(A):201
ZMHU-ht	a <i>sardonys</i> Mesene	112(A):217
ZMHU-ht	■ <i>scotina</i> Lasaia	112(A):188
BMNH-ht	■ <i>seleukia</i> Lymnas	112(A):207
BMNH-ht	■ <i>serena</i> Nahida	112(A):119
ZMHU-st	b <i>seriata</i> Mesene	112(A):213
pc-ht	e <i>signata</i> Lymnas (IFS)	112(A):206
pc-st	b <i>stellifera</i> Eurybia	112(A):71
BMNH-st	b <i>stigmosa</i> Mesene	112(A):217
pc-ht	b <i>stilbos</i> Charis	112(A):217
ZMHU-ht	b <i>storthynga</i> Themone	112(A):130
ZMHU-st	b <i>stygalis</i> Lepicomis	112(A):147
ZMHU-st	e <i>subrutilla</i> Crema	112(A):89
-	e <i>tadema</i> Ancylyx (NN)	112(A):103
ZMHU-ht	b <i>tanos</i> Napaea	112(A):85
BMNH-st	a <i>technema</i> Symmachia	112(A):231
ZMHU-st	■ <i>tenella</i> Semomesia	112(A):34
ZMHU-ht	b <i>tenulvittata</i> Mesosemia	112(A):42
ZMHU-st	■ <i>teras</i> Lepicomis	112(A):147
ZMHU-st	b <i>tersichore</i> Chorinea	112(A):117

Stichel 1910	Gen. Insectorum [b4446] (continued)	
biblio	c <i>tetrica</i> Mesosemia	112(A):57
ZMHU-st	b <i>thallus</i> Tharops	112(A):304
BMNH-st	a <i>thaumasia</i> Ancylyx	112(A):106
ZMHU-ht	a <i>theata</i> Voltinia	112(A):73, pl 24
-	e <i>thrypica</i> Nymphidium (IFS)	112(A):384
ZMHU-st	a <i>thyas</i> Mesosemia	112(A):53
ZMHU-st	c <i>thyene</i> Mesosemia	112(A):47
ZMHU-st	b <i>toparcha</i> Mesosemia	112(A):56
ZMHU-ht	c <i>triglitis</i> Ancylyx	112(A):106
BMNH-ht	b <i>truncata</i> Bacotis	112(A):181
ZMHU-st	b <i>vaporosa</i> Mesosemia	112(A):45
pc-ht	b <i>vegeta</i> Teratophthalma	112(A):384
ZMHU-ht	b <i>veleda</i> Mesosemia	112(A):45
ZMHU-st	b <i>verecunda</i> Mesene	112(A):215
ZMHU-st	a <i>vulcanalis</i> Xenandra	112(A):221
ZMHU-ht	a <i>xanthocraspedum</i> Metacharis	112(A):142
-	b <i>xanthotaenia</i> Chamaelimnas	112(A):156
ZMHU-ht	b <i>xanthozona</i> Ancylyx	112(A):108
ZMHU-st	c <i>xeniades</i> Lymnas	112(A):205

Stichel 1911	Gen. Insectorum [b4447]	
pc-ht	e <i>albescens</i> Siseme (IFS)	112(B):278
ZMHU-ht	a <i>arachne</i> Polystichtis	112(B):324
pc-st	b <i>ariadne</i> Nymula	112(B):370
ZMHU-st	a <i>asteria</i> Polystichtis	112(B):321
ZMHU-ht	a <i>caligata</i> Polystichtis	112(B):325
pc-ht	b <i>capnodis</i> Emesis	112(B):273
ZMHU-ht	a <i>comosa</i> Theope	112(B):356
pc-st	b <i>comparata</i> Calociasma	112(B):377
ZMHU-st	b <i>cretata</i> Echenais	112(B):335
pc-st	b <i>crispinella</i> Polystichtis	112(B):321
BMNH-ht	a <i>cruentatus</i> Anteros	112(B):254
ZMHU-ht	b <i>delia</i> Polystichtis	112(B):327
pc-ht	b <i>dirca</i> Nymula	112(B):373
-	e <i>druryi</i> Apodemia (ISS)	112(B):288
ZMHU-ht	b <i>emphatica</i> Ematurgina	112(B):283
ZMHU-st	b <i>emyliana</i> Lemonias	112(B):321
pc-ht	e <i>fiava</i> Nymula (IFS)	112(B):373
BMNH-ht	a <i>glaucoconia</i> Dysmathia	112(B):312
ZMHU-ht	b <i>gyges</i> Polystichtis	112(B):323
pc-st	b <i>hesperinum</i> Nymphidium	112(B):381
ZMHU-ht	a <i>ignifer</i> Pachythone	112(B):281
pc-ht	b <i>indicator</i> Anteros	112(B):256
BMNH-st	b <i>leptographia</i> Argyrogrammana	112(B):247
ZMHU-ht	a <i>leucogonia</i> Anatole	112(B):332
ZMHU-ht	b <i>leucophryne</i> Imelda	112(B):297
ZMHU-ht	c <i>luteonaevia</i> Echenais	112(B):338
pc-ht	b <i>magnifica</i> Nymula	112(B):371
ZMHU-ht	a <i>megalia</i> Orimba	112(B):348
ZMHU-st	b <i>notius</i> Anteros	112(B):256
ZMHU-st	a <i>nurtia</i> Argyrogrammana	112(B):246
ZMHU-st	b <i>ochrophlegma</i> Ematurgina	112(B):283
ZMHU-ht	a <i>orphana</i> Dinoplotis	112(B):293
ZMHU-ht	a <i>physis</i> Argyrogrammana	112(B):246
ZMHU-ht	b <i>phyton</i> Argyrogrammana	112(B):246
ZMHU-st	b <i>psaronius</i> Saribia	112(B):250
pc-ht	a <i>rhodinosa</i> Orimba	112(B):348
ZMHU-ht	b <i>salvator</i> Pandemos	112(B):310
ZMHU-st	b <i>simplaris</i> Polystichtis	112(B):325
ZMHU-st	b <i>suavis</i> Phaenochitonina	112(B):242
BMNH-st	a <i>thaumaria</i> Pachythone	112(B):282
pc-ht	b <i>volutumna</i> Stalactis	112(B):389

Stichel 1911	Z. wiss. InsektBiol. [b4448]	
-	b <i>cyprius</i> Thestor	7:76

Stichel 1914	Ent. Mitt. [b4449]	
-	a <i>cribrellum</i> Symmachia	3(4):119
-	c <i>formosana</i> Abisara	3(4):121
-	b <i>velatum</i> Nymphidium	3(4):120
-	c <i>virgo</i> Echenais	3(4):119

- Stichel 1914 In Strand, Lep. Niepeltiana [b4450]
 - e *picurata* Stalacthis 1:49, pl 10
- Stichel 1915 Deut. ent. Zeit. [b4451]
 BMNH-ht b *amicula* Mesosemia 1915:666, pl 21
 BMNH-ht a *anceps* Mesosemia 1915:687, pl 22
 - a *aracostyla* Mesosemia 1915:682, pl 21
 BMNH-st b *battis* Mesosemia 1915:687, pl 22
 - a *coronata* Teratophthalma 1915:694, pl 23
 BMNH-st b *cribralis* Napaea 1915:697
 BMNH-st b *emidiata* Eurybia 1915:691, pl 23
 BMNH-ht a *eurythmia* Mesosemia 1915:689, pl 23
 - c *f. florella* Ithomiola 1915:693, pl 23
 - c *gentilis* Semomesia 1915:663, pl 20
 - c *geometrica* Semomesia 1915:663, pl 20
 pc-st b *gigantea* Mesosemia 1915:689
 biblio b *hewitsoni* Semomesia 1915:663,664
 - e *isis* Mesosemia (IFS) 1915:686, pl 22
 BMNH-ht b *lacrimosa* Semomesia 1915:660
 BMNH-st a *levis* Mesosemia 1915:673, pl 21
 BMNH-ht b *limbata* Mesosemia 1915:676, pl 21
 BMNH-st b *lycorias* Mesosemia 1915:666
 BMNH-ht c *f. marigemina* Teratophthalma 1915:694, pl 23
 - e *moesta* Mesosemia 1915:678, pl 21
 BMNH-ht b *optima* Mesosemia 1915:664, pl 21
 BMNH-st b *oreas* Mesosemia 1915:678, pl 21
 BMNH-ht b *orthia* Mesosemia 1915:674, pl 21
 ZMHU-st b *paetula* Mesosemia 1915:683
 - a *palatua* Mesosemia 1915:684, pl 22
 BMNH-st b *passercula* Eurybia 1915:691, pl 23
 BMNH-ht c *patruelis* Mesosemia 1915:675, pl 21
 - a *pinguenta* Mesosemia 1915:671, pl 21
 BMNH-st b *pupillata* Crema 1915:698
 biblio b *servilia* Ithomiola 1915:693
 BMNH-ht a *signata* Mesosemia 1915:637, pl 21
 pc-st b *tephria* Eurybia 1915:691
 - b *tetraphthalma* Mesosemia 1915:671, pl 21
 BMNH-st b *ungulata* Mesosemia 1915:672, pl 21
 BMNH-ht c *violaria* Eurybia (IFS) 1915:690, pl 23
 - a *visenda* Mesosemia 1915:669, pl 21
- Stichel 1916 Deut. ent. Zeit. [b4452]
 pc-ht b *cayapona* Polystichtis 1916:19
 - c *haemus* Polystichtis 1916:19
 - a *ineptus* Mesene 1916:15
 - c *obliterata* Necyria 1916:6
 - a *orichalceus* Emesis 1916:18
 - a *paetula* Ancylnis 1916:7
 - a *pasquita* Hamearis 1916:22
 -- e *f. phayla* Caia (IFS) 1916:11
 - c *philene* Hamearis 1916:22
 - b *rubeola* Teratophthalma 1916:6
 -- e *sannio* Eurybia (IFS) 1916:5
 - a *torquata* Echenais 1916:21
 - a *urbana* Chamaelinnas 1916:10
 pc-ht b *venerabilis* Ancylnis 1916:8
 -- e *vidua* Stalacthis 1916:24
- Stichel 1916 Z. wiss. InsektBiol. [b4453]
 - b *guttula* Mesene 12:166
 - b *melancholica* Emesis 12:244
 - b *phrygiana* Phaenochitonina 12:239
 -- e *f. suffusa* Eurybia (IFS) 12:243
 - a *trabalis* Panara 12:168
- Stichel 1919 Deut. ent. Zeit. [b4454]
 ZMHU-ht a *baucis* Euselasia 1919:310
 - c *bellis* Euselasia 1919:164
 biblio b *caduca* Methone 1919:319
 ZSBS-st e *convulsa* Helicopsis (IFS) 1919:322
 ZSBS-st b *copiosa* Euselasia 1919:312
 ZSBS-st b *coria* Helicopsis 1919:321
 pc-st a *crinon* Euselasia 1919:291
- Stichel 1919 Deut. ent. Zeit. [b4454] (continued)
 pc-st b *crotopiades* Euselasia 1919:302
 pc-st b *cytis* Euselasia 1919:290
 - c *emblemata* Euselasia 1919:163
 pc-st b *erilis* Euselasia 1919:305
 - e *erosa* Euselasia (IFS) 1919:301
 pc-st b *eryphyla* Euselasia 1919:314
 ZMHU-ht c *eumithres* Euselasia 1919:317
 ZSBS-st b *eurotilas* Methone 1919:320
 biblio c *eusebes* Methone 1919:320
 b *eustola* Euselasia 1919:169
 ZMHU-ht b *faceta* Euselasia 1919:307
 ZSBS-ht b *februlis* Euselasia 1919:313
 - b *fervidina* Euselasia 1919:308
 - c *frivola* Euselasia 1919:164
 ZSBS-st e *galatea* Helicopsis (IFS) 1919:324
 ZMHU-st a *gordios* Euselasia 1919:299
 pc-ht b *gradiva* Helicopsis 1919:322
 ZMHU-st b *gydina* Euselasia 1919:315
 ZMHU-st b *hecate* Hades 1919:324
 - b *hypocrita* Euselasia 1919:164
 pc-ht b *janigena* Euselasia 1919:171
 pc-ht b *jugata* Euselasia 1919:168
 pc-ht b *kartopus* Euselasia 1919:302
 - e *lacteata* Euselasia 1919:167
 ZMHU-st b *lara* Euselasia 1919:290
 pc-ht b *marcida* Euselasia 1919:296
 pc-ht b *marica* Euselasia 1919:291
 - e *f. metella* Methone (IFS) 1919:319
 ZSBS-st b *occulta* Euselasia 1919:170
 ZMHU-st b *opigena* Euselasia 1919:317
 pc-st b *opimia* Euselasia 1919:314
 biblio a *orba* Euselasia 1919:166
 ZMHU-st a *parca* Euselasia 1919:302
 ZMHU-st b *parmata* Euselasia 1919:304
 ZMHU-st a *pellonia* Euselasia 1919:311
 ZMHU-st a *pellos* Euselasia 1919:162
 ZMHU-ht a *pelusia* Euselasia 1919:303
 pc-ht b *serapis* Euselasia 1919:299
 - b *siccata* Semomesia 1919:127
 - b *sodalis* Semomesia 1919:130
 pc-st b *spectralis* Euselasia 1919:166
 ZMHU-st b *tersa* Helicopsis 1919:322
 - e *turgida* Semomesia (IFS) 1919:130
 b *undosa* Semomesia 1919:128
- Stichel 1923 Neue Beitr. syst. Insektenk. [b4455]
 - a *zikani* Napaea 2(20):134
- Stichel 1923 Z. wiss. InsektBiol. [b4456]
 - b *medea* Bacotus 18(1/2):6
- Stichel 1923 Z. wiss. InsektBiol. [b4457]
 - e *blandula* Mesene 18(10/11):281
 - a *boyi* Lymnas 18(10/11):278
 - b *eristalis* Mesene 18(10/11):280
 - b *evias* Mesosemia 18(10/11):274
 - e *genialis* Mesene 18(10/11):280
 - a *jucunda* Mesosemia 18(10/11):271
 - b *laodamia* Nymula 18(12):311
 - b *nitida* Mesosemia 18(10/11):273
 - b *orontes* Nymula 18(12):311
 - e *ostenta* Mesene 18(10/11):281
 - e *phareolus* Mesene 18(10/11):281
 - a *pyrophlegia* Phaenochitonina 18(10/11):283
 - b *pythonica* Mesosemia 18(10/11):271
 - b *serenata* Mesosemia 18(10/11):273
 - a *veleda* Mesene 18(10/11):282
- Stichel 1924 Deut. ent. Zeit. [b4458]
 - b *pacificus* Rhetus 1924:145
 - b *parthenium* Nymphidium 1924:150
 - b *pirene* Ancylnis 1924:145

- Stichel 1924 Deut. ent. Zeit. [b4458] (continued)
- b *semiramis* Nymphidium 1924:150
 - b *sidonia* Mesosemia 1924:140
 - a *silaceana* Eurybia 1924:141
- Stichel 1924 Deut. ent. Zeit. [b4459]
- a *aerosus* Anteros 1924:419
 - c *albata* Mesosemia 1924:409
 - b *balluca* Symmachia 1924:414
 - a *fulvicauda* Symmachia 1924:418
 - b *lucana* Semomesia 1924:409
 - b *micans* Ancylyrus 1924:411
 - e f. *monacha* Barbicomis (IFS) 1924:411
 - a *pardalia* Symmachia 1924:418
 - b *sparsa* Lyropteryx 1924:410
- Stichel 1924 Neue Beitr. syst. Insektenk. [b4460]
- e *perflua* Esthemopsis (IFS) 3:2
 - e *sarta* Esthemopsis (IFS) 3:2
- Stichel 1924 Neue Beitr. syst. Insektenk. [b4461]
- b *sabina* Abisara 3:40
- Stichel 1924 Z. wiss. InsektBiol. [b4462]
- b *ignitus* Euselasia 19:246
 - c *mira* Euselasia 19:249
 - a *nannothis* Euselasia 19:247
 - a *praecipua* Euselasia 19:248
 - b *terrea* Euselasia 19:247
 - e f. *triculenta* Euselasia 19:249
- Stichel 1925 Z. wiss. InsektBiol. [b4463]
- b *amazonica* Phaenochitonia 20:55
 - e *ancilla* Mesosemia 20:20
 - b *atilius* Nymula 20:263
 - a *bigemmis* Mesene 20:54
 - e f. *boyi* Stalachtis 20:92
 - a *boyi* Mesene 20:54
 - e *cinerea* Nymula 20:90
 - b *condigna* Emesis 20:84
 - e f. *crinina* Euselasia (IFS) 20:15
 - c f. *eunaeola* Euselasia 20:14
 - b *furia* Ancylyrus 20:22
 - e f. *imbona* Euselasia (IFS) 20:15
 - e f. *ingens* Nymula 20:263
 - a *leucarpis* Nymphidium 20:263
 - b *limbata* Lymnas 20:259
 - a *murina* Euselasia 20:16
 - b *mutica* Euselasia 20:260
 - a *nora* Mesosemia 20:20
 - a *phrygia* Euselasia 20:17
 - a *sinuata* Comphotis 20:53
 - a *staudingeri* Orimba 20:88
 - a *sublimata* Themone 20:23
 - e f. *zonaria* Euselasia (IFS) 20:15
- Stichel 1926 Deut. ent. Zeit. [b4464]
- b *aureola* Emesis 1926:99
 - b *caucana* Mesosemia 1926:82
 - b *columbana* Methone 1926:90
 - a *conspersa* Pachythone 1926:94
 - c f. *coronata* Eurybia 1926:86
 - b *iphigenia* Mesosemia 1926:84
 - a *mundula* Theope 1926:96
 - b *pacifica* Mesosemia 1926:84
 - e f. *paulla* Eurybia (IFS) 1926:91
 - e f. *umbria* Mesosemia (IFS) 1926:84
 - b *vicina* Teratophthalma 1926:92
 - c *wanda* Mesosemia 1926:83
- Stichel 1926 Deut. ent. Zeit. [b4465]
- b *anadema* Euselasia 1926:393
 - b *condensa* Euselasia 1926:393
- Stichel 1926 Deut. ent. Zeit. [b4465] (continued)
- ■ *decussis* Euselasia 1926:395
 - a *euphyla* Euselasia 1926:392,393
 - a *gradata* Euselasia 1926:394
 - a *odrysia* Euselasia 1926:396
 - a *patella* Euselasia 1926:395
 - ■ *portentosa* Euselasia 1926:395
 - a *puffata* Euselasia 1926:394
- Stichel 1926 Revta Soc. ent. argent. [b4466]
- a *hubrichi* Hamearis 1:12
- Stichel 1926 Z. wiss. InsektBiol. [b4467]
- b *lilybaeus* Lymnas 21:103
 - pc-ht c *perixantha* Nymphidium (ISS) 21:104
- Stichel 1928 Z. wiss. InsektBiol. [b4468]
- MNHN-ht ■ *alburna* Euselasia 23:45
 - a *arnacis* Emesis 23:40
 - a *glauca* Dysmathia 23:41
 - a *irina* Calcephelis 23:39
 - e f. *perfectissima* Barbicomis (IFS) 23:37
 - b *pyritis* Calcephelis 23:40
 - a *rava* Euselasia 23:46
 - a *xanthodesma* Orimba 23:44
- Stichel 1928 Tierreich [b4469]
- ■ *cesennia* Taxila 51:146
- Stichel 1929 Mitt. zool. Mus. Berl. [b4470]
- b *abydus* Isapis 15:17
 - b *adulter* Teratophthalma 15:16
 - c f. *agrestis* Xenandra 15:19
 - c *albicaus* Nymphidium 15:25
 - a *albovata* Ematurgina 15:22
 - e f. *amazona* Orimba (IFS) 15:23
 - b *amoenum* Nymphidium 15:25
 - b *attenuatum* Nymphidium 15:24
 - e *badia* Nymphidium (IFS) 15:23
 - b *bahiana* Peplia 15:23
 - c f. *bipuncta* Lymnas 15:18
 - b *caligosus* Rhems 15:17
 - e (+) f. *cinerea* Mesosemia (IFS) 15:15
 - ZMHU-ht a *corculum* Nymphidium 15:24
 - b *coronis* Stalachtis 15:26
 - b *deliciosa* Mesene 15:18
 - a *discolor* Mesene 15:19
 - b *eanides* Phaenochitonia 15:19
 - a *elegia* Emesis 15:21
 - b *erubescens* Nymphidium 15:24
 - e f. *fissilis* Calydna (IFS) 15:20
 - a *fissurata* Mesene 15:18
 - a *heteroclita* Emesis 15:21
 - c *insignis* Chamaelimnas 15:17
 - a *insolens* Crocozona 15:17
 - b *molesta* Ancylyrus 15:16
 - b *morio* Calydna 15:20
 - a *nivosa* Ematurgina 15:22
 - a *praestigiosa* Argyrogramma 15:19
 - a *preciosa* Orimba 15:23
 - b *prodiga* Thisbe 15:22
 - c *robiginosum* Nymphidium 15:25
 - ZMHU-st a *scurrilis* Nymphidium 15:25
 - b *simbliina* Baetis 15:18
 - a *tristis* Emesis 15:22
 - c *trochoides* Nahida 15:17
- Stichel 1929 Deut. ent. Zeit. [b4471]
- ■ f. *alacer* Charis 1929:205
 - c *conformata* Emesis 1929:205
 - ■ *instrata* Lepicomis (IFS) 1929:203
 - b *lasciva* Perophthalma 1929:199
 - ■ *rubrica* Polystichtis 1929:205

- Stichel 1929 Deut. ent. Zeit. [b4471] (continued)
- c *umbrosa* Metacharis 1929:203
- Stichel 1930 Int. ent. Z. [b4472]
- a *scotinosa* Euselasia 24(25):257,276
- Stichel 1930 Lep. Cat. [b4474]
- e *aguilata* Mesosemia (ISS) Pars 40:257
- e *anius* Charis (ISS) Pars 40:409
- e *cetatus* Paraphthonia (ISS) Pars 40:373
- e *dodona* Brachyglenis (ISS) Pars 40:281
- e *galathea* Helicopsis (ISS) Pars 40:204
- e *mathata* Leucochimona (ISS) Pars 40:212
- a *melaniae* Lymnas Pars 40:461
biblio b *rameli* Argyrogramma Pars 40:525
- Stichel 1930 Lep. Cat. [b4475]
- e *ansema* Adelotypa (ISS) Pars 41:650
- e *caecina* Theope (ISS) Pars 41:680
- e *laobatas* Calospila (ISS) Pars 41:634
- e *maeonides* Calospila (ISS) Pars 41:633
- Stichel 1931 Lep. Cat. [b4476]
- e *albicans* Nymphidium (ISS) Pars 44:738
- e *rubiginosum* Nymphidium (ISS) Pars 44:738
- Stichel 1936 Mitt. dtsh. ent. Ges. [b4477]
- b *onyx* Euselasia 6:65
- Stichel **** [b0000]
- c *albata* Barbicomis *
- Stoll 1780-1790 In Cramer, Uid. Kapellen [b4478]
- a [1780] *arogeus* Papilio 4(28):85, pl 333
- a [1780] *atymnus* Papilio 4(28):82, pl 331
- a [1780] *beon* Papilio 4(27):61, pl 319
- a [1780] *bubastus* Papilio 4(28):84, pl 332
- c [1780] *camillus* Papilio 4(25):20, pl 300
- a [1780] *caranus* Papilio 4(28):84, pl 332
- c [1780] *croilus* Papilio 4(28):85, pl 333
- c [1780] *crotopus* Papilio 4(28):90, pl 336
- a [1780] *epaphus* Papilio 4(28):88, pl 335
- a [1780] *eumolphus* Papilio 4(25):19, pl 299
- a [1780] *gelanor* Papilio 4(28):89, pl 336
- a [1780] *irenea* Papilio 4(28):77, pl 328
- a [1780] *labdacus* Papilio 4(28):90, pl 336
- a [1780] *lajus* Papilio 4(27):62, pl 319
- d [1780] *lamis* Papilio (H) 4(28):88, pl 335
BMNH a [1780] *megacles* Papilio 4(28):85, pl 333
- a [1780] *melander* Papilio 4(28):89 (pro parte)
- a [1780] *menander* Papilio 4(28):86, pl 334
- a [1780] *nedymond* Papilio 4(25):19, pl 299
- a [1780] *orus* Papilio 4(28):84, pl 332
- a [1780] *ouranus* Papilio 4(28):88, pl 335
- a [1780] *phalanthus* Papilio 4(28):85, pl 333
- c [1780] *rosina* Papilio 4(28):75, pl 326
- c [1780] *syncellus* Papilio 4(28):86, pl 334
- a [1780] *thasus* Papilio 4(28):86, pl 333
- a [1780] *thersander* Papilio 4(28):87, pl 335
- c [1780] *triopas* Papilio 4(27):64, pl 320
- a [1781] *acheus* Papilio 4(30):121, pl 352
- a [1781] *aratus* Papilio 4(31):144, pl 365
- d [1781] *condon* Papilio (H) 4(-):—, pl 340
BMNH-It a [1781] *cupentus* Papilio 4(29):93, pl 337
- c [1781] *epopus* Papilio 4(31):—, pl 363
- d [1781] *hylas* Papilio (H) 4(31):142, pl 363
- a [1781] *meris* Papilio 4(31):146, pl 366
- a [1781] *palmus* Papilio 4(29):100, pl 341
- d [1781] *pelops* Papilio (H) 4(29):98, pl 341
- a [1781] *polibetes* Papilio 4(29):98, pl 341
- c [1781] *salmoneus* Papilio 4(29):99, pl 341
- a [1781] *sorana* Papilio 4(30):121, pl 353
- a [1781] *vesulus* Papilio 4(29):98, pl 340
- Stoll 1780-1790 In Cramer, Uid. Kapellen [b4478] (continued)
- a [1782] *acantus* Papilio 4(29):179, pl 380
- a [1782] *arbas* Papilio 4(32):177, pl 379
- c [1782] *artemides* Papilio 4(33):211, pl 391
- c [1782] *belise* Papilio 4(32):171, pl 376
- a [1782] *bochus* Papilio 4(33):210, pl 391
- c [1782] *celaeus* Papilio 4(32):177, pl 379
- a [1782] *chrysus* Papilio 4(32):178, pl 380
- a [1782] *cleonus* Papilio 4(32):179, pl 380
- b [1782] *corax* Papilio 4(32):176, pl 379
- d [1782] *damon* Papilio (H) 4(33):208, pl 390
- c [1782] *dorine* Papilio 4(-):249, pl 376
- c [1782] *libanius* Papilio 4(32):177, pl 379
- a [1782] *lingeus* Papilio 4(32):176, pl 379
- a [1782] *menalcus* Papilio 4(33):209
- c [1782] *myrtillus* Papilio 4(32):178, pl 380
- c [1782] *nyctetus* Papilio 4(32):178, pl 380
- a [1782] *palemon* Papilio 4(33):209, pl 390
- b [1782] *perion* Papilio 4(32):176, pl 379
- a [1782] *probetor* Papilio 4(33):209, pl 390
- a [1782] *ubaldus* Papilio 4(33):209, pl 390
- d [1783] *melampus* Papilio (H) 4(31):142, pl 362
- a [1783] *timoleon* Papilio Aanh.:146, pl 32
- a [1787] *archytas* Papilio Aanh.:25, pl 5
- a [1787] *gelon* Papilio Aanh.:23, pl 5
- c [1787] *philanthus* Papilio Aanh.:23, pl 5
- b [1787] *titea* Papilio Aanh.: 25, pl 5
- d [1790] *alexis* Papilio (H) Aanh.:—, pl 38
- a [1790] *argenissa* Papilio Aanh.:130, pl 27
- a [1790] *aristus* Papilio Aanh.:170, pl 39
- a [1790] *bomilcar* Papilio Aanh.:170, pl 39
- a [1790] *cethegus* Papilio Aanh.:168, pl 38
- a [1790] *cingulus* Papilio Aanh.: 61, pl 13
- d [1790] *damon* Papilio (H) Aanh.:—, pl 39
- c [1790] *dorimond* Papilio Aanh.: , pl 31
- a [1790] *echerius* Papilio Aanh.:140, 383
- a [1790] *gorgias* Papilio Aanh.:150, pl 33
- a [1790] *hanno* Papilio Aanh.:170, pl 39
- a [1790] *hassan* Papilio Aanh.:168, pl 38
- a [1790] *hygenius* Papilio Aanh.:43, pl 9
- a [1790] *lisimon* Papilio Aanh.:169, pl 39
- a [1790] *lisus* Papilio Aanh.:167, pl 38
- a [1790] *narbal* Papilio Aanh.:168, pl 38
- d [1790] *nicias* Papilio (H) Aanh.:60, pl 13
- a [1790] *numerus* Papilio Aanh.:169, pl 38
- a [1790] *renaldus* Papilio Aanh.: 59, pl 13
- a [1790] *rustan* Papilio Aanh.:166, pl 38
- c [1790] *sabinus* Papilio Aanh.:—, pl 9
- a [1790] *teleclus* Papilio Aanh.:—, pl 5
- a [1790] *zeanger* Papilio Aanh.:165, pl 37
- Stoneham 1933 Bull. Stoneham Mus. [b4479]
- a *crippsi* Epitola (17):1, f
- b *olalae* Stuzeta (17):2
- Stoneham 1937 Bull. Stoneham Mus. [b4480]
- b *f. albescens* Uranothauma (34):3
- b *f. magnificans* Uranothauma (34):3
- b *nzoiae* Myrina (34):2
- b (+) *f. splendens* Uranothauma (34):2
- Stoneham 1938 Bull. Stoneham Mus. [b4481]
pe-ht e *f. albiradiatus* Cupido (IFS) (36):3
pe-ht a *horus* Cupido (36):2
pe-ht e *f. immaculatus* Cupido (IFS) (36):3
pe-ht c (+) *f. imperialis* Cupido (36):2
pe-ht e *f. princeps* Cupido (IFS) (36):2
pe-ht c (+) *f. rileyi* Capys (36):1
pe-ht a *sapphirina* Cupido (36):2
- Storage 1943 Memorie Soc. ent. ital. [b4482]
- e *ab. cana* Melesgeria 22:85

- Storce 1947 *Annali Mus. civ. Stor. nat. Genova* [b4483]
 - b *orientalis* Pentila 63:77, f
- Storce 1950 *Doriana* [b4484]
 - b *abyssiniae* Euchrysops 1(7):1
- Storce 1953 *Doriana* [b4485]
 - b *abyssiniae* Catochrysops (H) 1(35):3
- Storce 1954 *Annali Mus. civ. Stor. nat. Genova* [b4486]
 - b *stempferi* Anthene 66:321
- Storce 1956 *Boll. Soc. ent. ital.* [b4487]
 -- e *ab. argyrea* Thersamonia 86:100
- Storce 1962 *Boll. Soc. ent. ital.* [b4488]
 - b *iriensis* Lysandra 92:127
 - b *postiriensis* Lysandra 92:127
- Strand 1901 *Nyt Mag. naturvid.* [b4490]
 -- e *f. caerulea* Plebejus 39(1):47
 -- e *f. demaculata* Plebejus 39(1):47
 -- e *f. extenta* Plebejus 39(1):47
 -- e *f. extincta* Plebejus 39(1):47
 -- e *ab. nordlandica* Thecla 39(1):45
- Strand 1902 *Nyt Mag. naturvid.* [b4491]
 -- e *ab. coeruleopuncta* Lycaena 40:162
 -- e *ab. kochi* Lycaena 40:162
 -- e *ab. parvipuncta* Lycaena 40:162 or 163
- Strand 1903 *Arch. Math. Naturv.* [b4492]
 - c *schneideri* Lycaena 25(9):4
- Strand 1909 *Int. ent. Z.* [b4493]
 -- e *ab. sublugens* Glaucopsyche 3(14):78
- Strand 1909 *Int. ent. Z.* [b4494]
 - a *kilimandjarensis* Cupido 3(23):129
- Strand 1909 *Ent. Zeit.* [b4495]
 - c *amanica* Lycaenesthes 23(27):125
 -- e *ab. pauperula* Lycaenesthes 23(27):126
 - a *rubrimaculata* Lycaenesthes 23(27):126
 - a *ukerewensis* Lycaenesthes 23:125
- Strand 1910 *Soc. ent.* [b4496]
 -- e *ab. sigiensis* Pentila 25(2):6
- Strand 1910 *Deut. ent. Zeit. [Iris]* [b4497]
 - c *basiatrata* ?Nacaduba 24:203
- Strand 1911 *Annls Soc. ent. Belg.* [b4499]
 - a *koena* Cupido 55:145
- Strand 1911 *Arch. Naturgesch.* [b4500]
 - b *amenaidana* Pentila (1)77(1):193
 - a *bichroma* Eresinopsides (1)77(1):193
 - c *bigamica* Anthene (1)77(1):197
 - c *ab. derema* Pentila (1)77(1):193
 - b *loa* Lycaenesthes (1)77(1):196
 - b *vosseleri* Deudoryx (1)77(1):195
- Strand 1911 *Ent. Rundsch.* [b4501]
 - b *abyssiniensis* Cupido 28:138
 - a *antoto* Cupido 28:138
 - a *boschi* Leptomyrina 28:137
 - b *f. distinctesignatus* Cupido 28:138
 - a *elicola* Cupido 28:138
 - b *liguroides* Lycaenesthes 28:138
 -- e *ab. trisignatus* Cupido 28:138
- Strand 1911 *Ent. Rundsch.* [b4502]
 -- e *ab. cumbasina* Ithomeis 28:150
 - a *ecuadorica* Ithomeis 28:150
- Strand 1911 *Mitt. zool. Mus. Berl.* [b4503]
 - a *faciepicta* Ogyris 5:472, f
 - b *pseudeuchylas* Cupido 5:471
- Strand 1911 *Mitt. zool. Mus. Berl.* [b4504]
 - b *frommi* Hypolycaena 5(2):288, f
- Strand 1911 *Mitt. zool. Mus. Berl.* [b4505]
 - b *abbreviata* Liphya 5(2):308
 - a *castnia* Liphya 5(2):307
- Strand 1911 *Stett. ent. Ztg* [b4506]
 - a *butha* Cupido 72:369
- Strand 1912 *Ent. Zeit.* [b4507]
 - e *ab. semialba* Chrysophanus 25(50):257
- Strand 1912 *Arch. Naturgesch.* [b4508]
 - e *ab. conjugens* Cupidopsis (A)78(1):81
- Strand 1912 *Arch. Naturgesch.* [b4509]
 - a *pseudopunctatus* Oboronia (A)78(2):137
- Strand 1912 *Arch. Naturgesch.* [b4510]
 - b *kitobolensis* Deudoryx (A)78(9):145
 - e *ab. partita* Liphya (A)78(9):145
- Strand 1912 *Arch. Naturgesch.* [b4511]
 - a *sepicana* Holochila (A)78(11):66
- Strand 1912 *Arch. Naturgesch.* [b4512]
 - c *dictaeella* Hypolycaena (A)78(11):79
 - c *interniplaga* Arhopala (A)78(11):79
 - c *latimarginata* Arhopala (A)78(11):78
 - b *novaequinae* Arhopala (A)78(11):78
 - e *ab. tebaensis* Arhopala (A)78(11):79
- Strand 1913 *Arch. Naturgesch.* [b4513]
 - e *ab. alenica* Larinopoda (A)79(12):133
 - e *ab. alenicola* Larinopoda (A)79(12):133
 - e *ab. benitonis* Larinopoda (A)79(12):134
 - e *ab. bibundica* Larinopoda (A)79(12):134
 - e *ab. makomensis* Larinopoda (A)79(12):134
 - e *ab. simekoa* Larinopoda (A)79(12):134
- Strand 1913 *Ent. Rundsch.* [b4514]
 - e *ab. heyni* Chrysophanus 30:98, f
- Strand 1914 *Arch. Naturgesch.* [b4515]
 - a *catocala* Micropentila (A)80(2):155
- Strand 1914-1916 *Lep. Niepelt.* [b4516]
 - c 1914 *pictarata* Stalactis (1):49
 - c 1916 *angulariformis* Emesis (2):18, pl 14
 - pc a 1916 *augustinula* Thecla (2):18, pl 16
 - a 1916 *columbicola* Thecla (2):16, pl 14
 - pc a 1916 *columbinia* Thecla (2):17, pl 14
 - CM-nt a 1916 *costaricicola* Calephelis (2):19, pl 14
 - e 1916 *ab. fasciata* Emesis (2):19, pl 14
 - c 1916 *inariella* Esthemopsis (2):20, pl 14
 - BMNH-ht a 1916 *ordillula* Thecla (2):17, pl 15
 - c 1916 *subsuleima* Thysonotis (2):18, pl 14
 - c 1916 *tablazonis* Lemonias (2):20, pl 15
 - pc a 1916 *temella* Thecla (2):16, pl 14
- Strand 1915 *Arch. Naturgesch.* [b4517]
 - e *ab. nunenmacheri* Cyaniris (A)80(11):159
- Strand 1917-1918 *Soc. ent.* [b4518]
 - a 1918 *crinella* Thecla 33(7):28
 - c 1918 *gabathana* Thecla 33(8):30
 - a 1918 *subisobeon* Thecla 33(7):31
 - a 1918 *undulella* Thecla 33(8):31
- Strand 1918 *Int. ent. Z.* [b4519]
 - e *ab. congoana* Pentila 12(13):102

- Strand 1918 Int. ent. Z. [b4519] (continued)
 - e *ab. elfriedana* Pentila 12(13):101
- Strand 1918 Nacht. Lep. Niepelt. [b4520]
 BMNH-ht c *ruficaudis* Aphnaeus :2, pl 18, f 9
- Strand 1920 Int. ent. Z. [b4521]
 - e *ab. elaidina* Phytala 14(17):133
- Strand 1920 Arch. Naturgesch. [b4523]
 - e *ab. cala* Lycaena (A)85(4):18
 - e *ab. lilipwana* Lycaena (A)85(4):18
 - e *ab. marpurgica* Lycaena (A)85(4):18
 - e *pusilargus* Lycaena (IFS) (A)85(4):18
- Strand 1922 Ent. Zeit. [b4524]
 - e *ab. parvica* Aphnaeus 36(1):19
- Strand 1922 Arch. Naturgesch. [b4525]
 biblio b *yagina* Lycaeides (A)88(4):142
- Strand 1922 Arch. Naturgesch. [b4526]
 - b *niepelti* Liphya (A)88(12):170
- Strand 1924 Deut. ent. Zeit. [Iris] [b4527]
 - a *serpentatoides* Lycaena 38:146
- Strand 1926 Bull. Soc. zool. Fr. [b4528]
 - e *elfriedana* Pentila (ISS) 51:401
- Strand 1927 Arch. Naturgesch. [b4529]
 - e *ab. duesseldorfensis* Lycaena (A)91(11):282
 - e *ab. jura* Lycaena (A)91(11):282
 - e *ab. sebdouica* Lycaena (A)91(11):281
 - e *ab. silesia* Lycaena (A)91(11):282
 - e *ab. valdieriensis* Lycaena (A)91(11):281
- Strecker 1872-1900 Lep. Rhop. Het. [b4531]
 - c 1874 *orbitulus* Lycaena :86, pl 10
 FMNH-st a [1878] *fortis* Thecla :129
 FMNH-ht c [1878] *guadeloupe* Charis :131
 FMNH-ht c [1878] *kali* Thecla :129
 - e 1900 *eunomia* Theorema (ISS) 3:20
 FMNH-st c 1900 *mela* Lycaena 3:20
- Strecker 1878 Butts Moths N. Amer., Comp. Syn. Cat. [b4532]
 FMNH-ht e *ab. fasciata* Chrysophanus :101
 - e (+) *f. intermedia* Lycaena (NN) :95
 - e (-) *f. nig* Lycaena (IFS) :95
- Strecker 1885 Proc. Acad. nat. Sci. Philad. [b4533]
 pc c *titania* Theorema 37:176
- Suffert 1904 Deut. ent. Zeit. [Iris] [b4535]
 - a *angelita* Deudonix 17:54
 -nt a *augusta* Liptena 17:50
 - b *barbara* Iolaus 17:62
 - c *bertha* Iolaus 17:66
 - c *carlota* Pseuderesia 17:47
 - a *christina* Pentila 17:45
 - a *concepcion* Epitola 17:54
 - b *dama* Pentila 17:46
 - c *f. dolores* Hypolycaena 17:57
 - c *elfrieda* Pentila 17:46
 - c *elisa* Iolaus 17:65
 - b *f. emilia* Larinopoda 17:48
 - c *emma* Iolaus 17:69
 - a *erica* Telipna 17:41
 - b *f. gyrata* Larinopoda 17:49
 - c *hedwiga* Pentila 17:43
 - b *immaculata* Pentila 17:46
 - e *ab. lasius* Iolaus 17:70
 ZMHU-ht a *margarita* Liptena 17:51
 - b *maria* Stugeta 17:60
 - b *marrianna* Pentila 17:43
- Suffert 1904 Deut. ent. Zeit. [Iris] [b4535] (continued)
 - c *matilda* Iolaus 17:64
 - a *mercedes* Epitola 17:53
 - c *mus* Epitola 17:53
 - b *nigra* Telipna 17:42
 - c *f. obscurus* Hypolycaena 17:60
 - c *f. roidesta* Pentila 17:47
 - c *thurai* Iolaus 17:67
- Suffert 1904 Ins. Börse [b4536]
 - c *rollei* Alaena 21:134
- Sugitani 1919 Ent. Mag. (Kyoto) [b4537]
 - e *ab. neoatilia* Zephyrus 3(3/4):150
- Sugitani 1933-1938 Zephyrus [b4539]
 - e 1933 *ab. hironobui* Lycaena 5:167-168
 FAKU-ht b 1936 *admirabilis* Lycaenopsis 6:164, pl 9
 - c 1936 *midare* Lycaenopsis 6:166
 FAKU-ht b 1936 *mirificus* Lycaenopsis 6:167, pl 9
 - c 1938 *magnus* Cupido 8:15-16
 - b 1938 *yagiana* Lycaeides 8:-
- Sugiyama 1992 Pallarge [b4540]
 pc-ht b *daliensis* Abisara (1):10, f
 - b *dujianensis* Strymonidia (1):7, f
 - b *gansuensis* Strymonidia (1):8, f
 - a *hainanicum* Acupicta (1):8, f
- Sugiyama 1993 Pallarge [b4541]
 pc-ht a *buddha* Gonerilia (2):5, f
 - b *raja* Chrysozephyrus (2):9, f
 - b *sichuanica* Gonerilia (2):5, f
 - b *volt* Strymonidia (2):7, f
- Sugiyama 1994 Pallarge [b4542]
 pc-ht a *abaensis* Chrysozephyrus (3):7, f 21-24
 pc-ht a *minicus* Chrysozephyrus (3):9, f 25-28
 pc-ht a *pauper* Shaanxiana (3):11, f 29-30
- Sugiyama 1994 Pallarge [b4542a]
 pc-ht a *kuromon* Teratozephyrus (4):2, f 5-8, 19-20
- Sulzer 1776 Abgekürzte Gesch. Ins. [b4544]
 - a *aetolus* Papilio 1:147; 2-pl 19
 - c *biton* Papilio 1:146; 2-pl 18
 - c *cleobis* Papilio 1:146; 2-pl 18
 - c *epeus* Papilio 1:146; 2-pl 18
 - b *gordius* Papilio 1:146; 2-pl 18
 - e *linus* Papilio (Myth) 2-pl 19, f 10
- Suschkina 1909 Ent. Rundsch. [b4546]
 - b *tarbagata* Lycaena 26(10):59
- Swainson 1820-1823 Zool. Illustr. [b4549]
 - a [1821] *galathea* Thecla 2:69
 - c [1822] *macaria* Thecla 3:133
- Swainson 1829-1833 Zool. Illustr. [b4551]
 - c [1833] *crameri* Rheus (2)3(-):pl 33
 - a [1833] *heliconides* Zeonia (2)3(24):pl 111
 - a [1833] *limbaria* Polyommatus (2)3(29):pl 135
 - c [1833] *pulchella* Polyommatus (2)3(29):pl 134
 - c [1833] *splendens* Nais (2)3(29):pl 136
- Swanepoel 1948 J. ent. Soc. S. Afr. [b4552]
 - a *irvingi* Cupido 10(2):193, f
- Swanepoel 1949 J. ent. Soc. S. Afr. [b4553]
 - a *vansoni* Cupido 12:123, f
- Swanepoel 1951 J. ent. Soc. S. Afr. [b4554]
 pc-ht a *loewensteini* Cupido 14(1):57, f 1-4
- Swanepoel 1953 J. ent. Soc. S. Afr. [b4555]
 - a *murrayi* Thestor 16:191, f

- Swanepoel 1963 J. ent. Soc. S. Afr. [b4556]
 - a *lotana* Lepidochrysops 25(2):291
 - a *praeferta* Lepidochrysops 25(2):293
- Swanepoel 1968 Ent. Rec. [b4557]
 - a *stephensi* Thestor 80(2):54, f
- Swanepoel 1970 Novos Taxa ent. [b4558]
 - a *quickeibergei* Lepidochrysops (64):9, f
 - a *swartbergensis* Lepidochrysops (64):3, f
- Swanepoel 1971 Ent. Rec. [b4559]
 - a *jamesi* Lepidochrysops 83(3):97, f
- Swanepoel 1975 Ent. Rec. [b4560]
 - a *azurius* Poecilmitis 87(4):123, f
- Swanepoel 1976 Ann. Transv. Mus. [b4561]
 - a *orientalis* Poecilmitis 30(12):119
- Swanepoel & Vári 1983 Ann. Transv. Mus. [b4562]
 - a *littoralis* Lepidochrysops 33(21):328, f
 - a *oosthuizeni* Lepidochrysops 33(21):325, f
 - a *outeniqua* Lepidochrysops 33(21):330, f
- Swiersta 1909 Ann. Transv. Mus. [b4563]
 - a *dentatis* Phasis 1:177
 - a *jefferyi* Lycaena 1:176
- Swinhoe [1885] Proc. zool. Soc. Lond. [b4564]
 - c *mora* Zizera 1884(4):506
- Swinhoe 1885 Proc. zool. Soc. Lond. [b4565]
 - c *chota* Castalius 1885(1):133
 BMNH-ht c *gunga* Megisba 1885(1):133
 - c *nicola* Catochrysops 1885(1):132
 - b *ossa* Zizera 1885(1):132
 - c *theseus* Catochrysops 1885(1):131
- Swinhoe [1887] Proc. zool. Soc. Lond. [b4566]
 - c *aestivus* Aphnaeus 1886(4):429
 BMNH-ht b *apella* Nilasera 1886(4):429
- Swinhoe 1890 In Butts India Burmah Ceylon [b4567]
 - b *susanus* Chrysophanus 3:322 (nota)
- Swinhoe 1890 Ann. Mag. nat. Hist. [b4568]
 - a *damona* Rapala (6)5:450
 - b *nicobarica* Curetis (6)5:451
 BMNH-ht c *viridissima* Arhopala (6)5:449
- Swinhoe 1893 Trans. ent. Soc. Lond. [b4569]
 - b *khasiana* Talicada 41(3):296
 BMNH-ht c *victoria* Cyaniris 41(3):293 (partim)
- Swinhoe 1894 Ann. Mag. nat. Hist. [b4570]
 BMNH-ht c *holothura* Horaga (6)14:430
- Swinhoe 1896 Ann. Mag. nat. Hist. [b4571]
 - c *diara* Deudorix (6)17:357
 - b *nela* Tajuria (6)17:359
 - c *valentia* Tajuria (6)17:358
- Swinhoe 1897 Ann. Mag. nat. Hist. [b4572]
 - b *ranta* Rapala (6)19:409
 - c *testa* Rapala (6)19:410
- Swinhoe 1899 Ann. Mag. nat. Hist. [b4573]
 - c *teza* Tajuria (7)3:106
- Swinhoe 1909-1913 In Moore, Lep. Ind. [b4575]
 BMNH-ht c 1910 *antura* Arhopala 8:168, pl 678
 - a 1910 *chitralensis* Polyommatus 8:30, pl 647
 BMNH-ht b 1910 *dama* Arhopala 8:186, pl 683
 - a 1910 *drasula* Polyommatus 8:23, pl 645
 - c 1910 *drucei* Tajuria 9:107, pl 728
 - b 1910 *drunela* Polyommatus 8:27, pl 646
- Swinhoe 1909-1913 In Moore, Lep. Ind. [b4575] (continued)
 - c 1910 *jermyni* Plebeius 8:89, pl 660
 BMNH-ht b 1910 *musinoides* Lycaenopsis 7:205, pl 619
 - b 1910 *niasanus* Castalius 7:249
 BMNH-ht b 1910 *oreana* Lycaenesthes 7:206, pl 619
 - b 1910 *sartoides* Polyommatus 8:21, pl 645
 - c 1911 *francesca* Rapala 9:51, pl 716
 - c 1911 *ines* Bindahara 9:27, pl 710
 - b 1911 *nicevillei* Rapala 9:49, pl 716
 - b 1911 *rogersi* Rapala 9:47, pl 715
 - e 1911 *trilocha* Rurialis (ISS) 8:269
 - b 1911 *watsoni* Chliaria 9:83, pl 721
 BMNH-ht a 1911 *zambra* Arhopala 8:165, pl 677
 BMNH-st c 1912 *comia* Mamessus 9:194
 BMNH-ht b 1912 *esla* Biduanda 9:190
 - b 1912 *gabriel* Aphnaeus 9:162, pl 733
 BMNH-st a 1912 *leechi* Aphnaeus 9:184
- Swinhoe 1915 Ann. Mag. nat. Hist. [b4576]
 - b *alocina* Jamides (8)16:175
 - a *dandana* Everes (8)16:174
 - b *nissoides* Rapala (8)16:176
- Swinhoe 1916 Ann. Mag. nat. Hist. [b4577]
 - d *aruensis* Zizera (H) (8)18:211
 BMNH-ht b *bandana* Euaspa (8)18:210
 - c *gamblea* Jamides (8)18:209
 - a *strabobinna* Catochrysops (8)18:209
 BMNH-ht b *straboinsularis* Catochrysops (8)18:209
- Swinhoe 1917 Ann. Mag. nat. Hist. [b4578]
 BMNH-ht c *dascia* Arhopala (8)19:409
- Swinhoe 1917 Ann. Mag. nat. Hist. [b4579]
 - b *luzonica* Loxura (8)20:158
- Swinhoe 1919 Ann. Mag. nat. Hist. [b4580]
 BMNH-ht c *trita* Lycaenopsis (9)3:314
- Szabó 1954 Folia ent. hung. [b4581]
 -lt c *kovacsi* Plebeius (ns)7:39
 -lt c *proximus* Plebeius (ns)7:39
- Szabó 1956 Folia ent. hung. [b4582]
 - e *animula* Maculinea (ns)9:266,340
 - c *argyropeza* Lycaeides (ns)9:272,339
 - c *cumanicus* Lycaena (ns)9:305,340
 - c *curious* Maculinea (ns)9:264,339
 - c *foticus* Plebeius (ns)9:276,339
 -lt d *hungarica* Lycaena (H) (ns)9:302,340
 - b *pelorion* Aricia (ns)9:280,339
 -lt c *pergrata* Lysandra (ns)9:286,340
 -lt c *pyronitens* Lycaena (ns)9:299,340
 -lt b *sumadiensis* Lycaena (ns)9:304,340
 - e *vagula* Maculinea (ns)9:266,340
- Takahashi 1973 Tyô to Ga [b4584]
 - b *hosonoi* Maculinea 23(3/4):80, f
- Takanami 1982 Mem. Tsukada Colln [b4586]
 pc-ht a *annie* Paraparo 4:53, pl 7
 pc-ht b *maganda* Rachana 4:57, pl 7
 pc-ht b *ondal* Sinthusa 4:57, pl 7
 pc-ht b *pambihira* Narathura 4:56, pl 7
 pc-ht b *pekas* Drupadia 4:54, pl 7
- Takanami 1984 Tokurana (Acta Rhopalocera) [b4587]
 pc-ht b *maputi* Narathura (6/7):51, pl 2
 pc-ht b *masaya* Zelus (6/7):53, pl 3
 pc-ht b *rizali* Catapaecilma (6/7):52, pl 2
 pc-ht b *shiraishii* Rachana (6/7):52, pl 1
- Takanami 1985 Tokurana (Acta Rhopalocera) [b4588]
 - e *evelinae* Deramas (ISS) 8(2):2
 pc-ht b *nahomia* Deramas 8(2):1, f

- Takanami 1985 Tokurana (Acta Rhopalocera) [b4589]
 T *boholica* Iraota Special 1:4
 pc-ht e (+) *f. wala* Iraota Special 1:1
- Takanami 1985 Chô Chô [b4590]
 NSMT-ht a *hinigugma* Arhopala 8(8):14, f 1
- Takanami 1986 Tyô to Ga [b4591]
 T *bandatara* Rapala 36(4):187
 T *diopites* Deudorix 36(4):186
- Takanami 1986 Gekkan Mushi [b4592]
 pc-ht b *florensis* Neopithecopis (187):9, f 11
- Takanami 1986 Gekkan Mushi [b4593]
 pc-ht b *sulawesiensis* Loxura (189):23, f 5-8
- Takanami 1987 Gekkan Mushi [b4595]
 pc-ht b *makital* Jamides (191):28, f 13
- Takanami 1987 Mem. Tsukada Colln [b4596]
 pc b *miyo* Drupadia (5):31, pl 3
 pc b *natinis* Drupadia (5):32, tf 2
 pc b *osadai* Drupadia (5):32, pl 3
 pc b *pinamalaya* Tajuria (5):33, pl 3
 pc b *tsuiso* Deramas (5):30, tf 1A
- Takanami 1988 Konchu to Shizen (Nature & Insects) [b4599]
 pc-ht a *nuydai* Catapaecilma 23(4):38
 pc-ht b *sekil* Jamides 23(4):38, f 3-5
- Takanami 1988 Gekkan Mushi [b4601]
 pc-ht b *kawamurai* Dacalana (208):19, f 11
- Takanami 1989 Tyô to Ga [b4602]
 T *affinis* Deudorix 40(1):54
 T *agesilaus* Amblypodia 40(1):27
 T *alcetas* Deudorix 40(1):35
 T *alkamah* Allotinus 40(1):25
 T *allata* Amblypodia 40(1):26
 T *amba* Sinthusa 40(1):34
 T *amphyssina* Lycaena 40(1):25
 T *anabasis* Deudorix 40(1):35
 T *anamuta* Arhopala 40(1):27
 T *ardeola* Lycaena 40(1):26
 T *argentea* Arhopala 40(1):28
 T *aricia* Amblypodia 40(1):26
 T *aruanus* Plebeius 40(1):49
 T *bangkaiensis* Biduanda 40(1):52
 T *batjanensis* Plebeius 40(1):48
 T *bella* Arhopala 40(1):27
 T *borneensis* Arhopala 40(1):28
 T *caerulescens* Deudorix 40(1):35
 T *calculus* Pratapa 40(1):31
 T *callistus* Plebeius 40(1):49
 T *cato* Tajuria 40(1):31
 T *ceramensis* Milenus 40(1):47
 T *cloella* Hypolycaena 40(1):32
 T *corniculum* Horaga 40(1):29
 T *courvoisieri* Amblypodia 40(1):51
 T *cyrus* Tajuria 40(1):31
 T *dacia* Tajuria 40(1):31
 T *decolor* Sithon 40(1):29
 T *demialba* Sithon 40(1):30
 T *devana* Pratapa 40(1):31
 T *dioetas* Rapala 40(1):72
 T *distanti* Allotinus (H) 40(1):25
 T *drucei* Arhopala 40(1):27
 T *elliotti* Thrix 40(1):69
 T *enipeus* Deudorix 40(1):35
 T *eos* Curetis 40(1):54
 T *epimete* Amblypodia 40(1):28
 T *erebina* Amblypodia 40(1):26
 T *festivus* Plebeius 40(1):49
- Takanami 1989 Tyô to Ga [b4602] (continued)
 T *fulminans* Sithon 40(1):30
 T *georgiana* Lampides 40(1):50
 e *georgina* Jamides (ISS) 40(1):50
 T *helena* Keraunogramma 40(1):50
 T *improbis* Gerydus 40(1):24
 T *insularis* Plebeius 40(1):49
 T *intermedius* Deudorix 40(1):35
 T *itama* Arhopala 40(1):51
 T *ab. itamus* Curetis 40(1):54
 T *joloana* Sithon 40(1):30
 T *kalawara* Surendra 40(1):50
 T *kalawara* Hypolycaena 40(1):53
 T *kalawara* Castalius 40(1):47
 T *kalawara* Curetis 40(1):54
 T *kalawarus* Lampides 40(1):50
 T *kalawarus* Allotinus 40(1):47
 T *kitijila* Arhopala 40(1):51
 T *kuehni* Jolau 40(1):52
 T *laima* Rapala 40(1):35
 T *lewara* Hypolycaena 40(1):53
 T *libora* Castalius 40(1):47
 T *libori* Tajuria 40(1):52
 T *licinius* Mantoides 40(1):32
 T *limes* Lampides 40(1):25
 T *liris* Sithon 40(1):33
 T *lucianus* Plebeius 40(1):48
 T *major* Arhopala 40(1):27
 T *malaccanus* Plebeius 40(1):49
 T *malaguna* Lampides 40(1):50
 T *maximus* Allotinus 40(1):24
 T *meida* Rapala 40(1):35
 T (+) *f. melani* Tajuria 40(1):52
 T *mimima* Chliaria 40(1):33
 T *minima* Tajuria 40(1):53
 T *minor* Hypolycaena 40(1):53
 T *moeros* Lycaena 40(1):25
 T *neopommerana* Deudorix 40(1):54
 T *niasica* Sithon 40(1):52
 T *niasicola* Sithon 40(1):30
 T *nila* Iroata (H) 40(1):28
 T *oberthueri* Amblypodia 40(1):28
 T *obscurata* Castalius 40(1):47
 T *obscurus* Allotinus 40(1):47
 T *onychina* Sithon 40(1):29
 T *optimus* Plebeius 40(1):48
 T *orestes* Plebeius 40(1):49
 T *osias* Plebeius 40(1):49
 T *pagenstecheri* Pseudonotis 40(1):52
 T *palawandra* Tajuria 40(1):33
 T *palawanica* Curetis 40(1):36
 T *palawanus* Amblypodia 40(1):28
 T *palowna* Amblypodia 40(1):29
 T *peregrinus* Sithon 40(1):34
 T *phakos* Poriskina 40(1):24
 T *phaluke* Poritia 40(1):24
 T *phama* Poritia 40(1):23
 T *phemis* Hypolycaena 40(1):33
 T *philippus* Milenus 40(1):23
 T *philo* Lycaena 40(1):26
 T *phocas* Bindahara 40(1):34
 T *phormedon* Poritia 40(1):24
 T *plateni* Pratapa 40(1):33
 T *plateni* Poritia 40(1):23
 T *punctatus* Lampides 40(1):65
 T *quercoides* Amblypodia 40(1):51
 T *regulus* Tajuria 40(1):32
 T *rhode* Lycaena 40(1):25
 T *ribbel* Deudorix 40(1):54
 T *sakitatus* Thysonotis 40(1):48
 T *sapphirinus* Jolau 40(1):53
 e *saudingeri* Ticherra (ISS) 40(1):30

- Takanami 1989 Tyô to Ga [b4602] (continued)
- T *saturnator* Amblypodia 40(1):26
T *schatzi* Plebeius 40(1):49
T *skapane* Hypolycaena 40(1):33
T *snelleni* Plebejus 40(1):48
T *sriwa* Logania 40(1):25
T *staudingeri* Binduana 40(1):30
T *staudingeri* Logania 40(1):25
T *strephanus* Deudorix 40(1):33
T *thaliarchus* Sithon 40(1):31
T *tristis* Amblypodia 40(1):51
T *tussis* Tajuria 40(1):32
T *unicolor* Biduanda 40(1):31
T *vergara* Tajuria 40(1):32
T *viola* Amblypodia 40(1):51
T *viviana* Amblypodia 40(1):50
T *waterstradti* Arhopala 40(1):27
- Takanami 1989 Konchu to Shizen (Nature & Insects) [b4604]
pc-ht b *maruyamai* Hypolycaena 24(3):40, f 16
- Takanami 1990 Tyô to Ga [b4605]
pc-ht b *babinus* Jamides 41(2):70, f
pc-ht b *camarines* Jamides 41(2):70, f
biblio b *hayashii* Nacaduba 41(2):74
- b *hitamus* Allotinus 41(2):70
- b *hitamus* Allotinus 41(2):67, f
pc-ht a *kudaratus* Allotinus 41(2):67, f
pc-ht b *mayaangelae* Lycaenopsis 41(2):68, f
pc-ht b *menyanga* Nacaduba 41(2):74, f
- Takanami 1992 Tyô to Ga [b4606]
T *azureus* Plebeius 43(1):47
T *cabrorus* Plebeius 43(1):49
T *dobbensis* Plebeius 43(1):49
T *gracilis* Plebeius 43(1):49
- Takanami 1992 Tyô to Ga [b4607]
pc-ht b *mayaangelae* Jamides 43(1):83, f
- Takanami 1992 Tyô to Ga [b4608]
- a *arbaimuni* Rapala 43(2):147, f
- Takanami 1992 Tyô to Ga [b4609]
T *bangkaiensis* Rapala 43(3):194
T *bonthainensis* Rapala 43(3):197
BMNH-ht a *cassidy* Rapala 43(3):200, f
T *tolienis* Rapala 43(3):197
- Takanami 1994 Tyô to Ga [b4610]
pc-ht a *halus* Jamides 45(1):8, f 5-8
pc-ht a *sohmai* Hypolycaena 45(1):5, f 1
pc-ht a *tsukadai* Jamides 45(1):7, f 3
- Takanami 1994 Tyô to Ga [b4611]
pc-ht a *yagishitai* Sinthusa 45(1):17, f 1-5
- Takanami & Ballantine 1987 Tyô to Ga [b4612]
pc-ht a *luzonensis* Arhopala 38(1):1-3, 5 f
- Takanami & Seki 1990 In Gekkan Mushi [b4106]
pc-ht a *arbaimuni* Paruparo (231):4, f
- Takanami & Seki 1990 Futao [b4613]
pc-ht a *otsukai* Allotinus (5):1, f
- Takeuchi 1929 Zephyrus [b4615]
- b *obsoleta* Zephyrus 1(3):86, f
- Takeuchi 1936 Zephyrus [b4616]
- b *imanishii* Lycaena 6(3/4):355-356
- Talbot 1928 Bull. Hill Mus. [b4617]
- a *brasiliensis* Thecla 2(3):218
- b *cuyabaensis* Cremna 2(3):210
- Talbot 1928 Bull. Hill Mus. [b4617] (continued)
BMNH-ht c *hamatus* Orimba 2(3):215
- b *interjecta* Thisbe 2(3):213
- a *nivea* Nymphidium 2(3):217
- c *parva* Cania 2(3):211
BMNH-ht a *praeclarus* Joiceya 2(3):214
- b *restricta* Anatole 2(3):213, pl 8
- Talbot 1929 Bull. Hill Mus. [b4618]
BMNH-ht c *flavofasciata* Mesosemia 3(1):83
BMNH-ht b *glaucescens* Eresia 3(1):83, pl 3
- Talbot 1929 Bull. Hill Mus. [b4619]
BMNH-st a *hawkeri* Eucharisops 3(2):140, f
BMNH-ht a *spurcus* Hypolycaena 3(2):141
BMNH-ht a *vidua* Cupidesthes 3(2):140, f
- Talbot 1929 Bull. Hill Mus. [b4620]
BMNH a *pulchra* Argyrogramma 3(2):145, pl 4
BMNH-ht a *sticheli* Argyrogramma 3(2):146, pl 4
- Talbot 1932 Bull. Hill Mus. [b4622]
- b *batuensis* Laxia 4(3):168
- Talbot 1935 Ent. mon. Mag. [b4623]
- b (+) f. *albicans* Uranothauma (IFS) 71:147, pl 2
- b *albipicta* Triclema 71:127
- a *aliciae* Cooksonia 71:203
- a *anetta* Hypokopelates 71:76, pl 1
- e (+) f. *apausa* Epamera (IFS) 71:117, pl 2
- b *bilinea* Eresina 71:73, pl 1
- b *cana* Leptomyrina 71:121
- e *citrifascia* Mimacraea (IFS) 71:71
- b *connectens* Alaena 71:69
- a *coronae* Aphmaeus 71:119, pl 2
- a *crola* Eresina 71:73, pl 1
- a *disrupta* Lachnocnema 71:76, pl 1
- a *distincta* Everes 71:149, pl 2
- e (+) f. *divisa* Hypolycaena 71:116, pl 1
- b *elgonae* Mimacraea 71:71, pl 1
- b *ghimirra* Cacyreus 71:148, pl 2
- c *grisea* Lycaenesthes 71:208, pl 4
- b *haemus* Epamera 71:118
- a *hapale* Liptena 71:72
- a *hodsoni* Lycaenesthes 71:125, pl 2
- e *incurvata* Mimacraea (IFS) 71:205
- a *jacksoni* Virachola 71:206, pl 4
- b *kadugli* Axiocerses 71:120, pl 2
- a *kaffana* Castalius 71:149, pl 2
- b *kagera* Alaena 71:69, pl 1
- b *lineata* Mimacraea (IFS) 71:205
- b *littoralis* Deloneura 71:74
- b *mara* Epitola 71:75
- a *marina* Iridana 71:74
- e (+) f. *modesta* Hypokopelates 71:77
- e (+) f. *nigrita* Telipna 71:70
- b *nuba* Myrina 71:78
- b *nyasana* Stugeta 71:116, pl 1
- b *nyassae* Myrina 71:78
- c *ochreofascia* Lycaenesthes 71:123, pl 2
- b *oniens* Liptena 71:72, pl 1
- b *pan* Spindasis 71:120, pl 2
- b f. *phasma* Castalius 71:148, pl 2
- b *plana* Hypolycaena 71:116, pl 1
- b *ras* Pentila 71:70
- a *saddacus* Lycaenesthes 71:123, pl 2
- b *sobrina* Leptomyrina 71:121
- b *sobrina* Lycaenesthes 71:208, pl 4
- a *stygia* Teiomima 71:72, f
- b *subangulata* Pseudaletis 71:115, pl 1
- a *subvariegata* Lepidochrysops 71:150, pl 2
- b *teroana* Liptena 71:72
- b *tersichore* Cooksonia 71:204

- Talbot 1935 Ent. mon. Mag. [b4623] (continued)
 - a *ugandae* Hypokopelates 71:77
 - e (+) *f. umbra* Uranothauma (IFS) 71:148
 - e *f. umbrosa* Chloroselas (IFS) 71:207, pl 4
 - b *vidua* Epitola 71:75
 - a *vinalli* Epitola 71:75
 - e *f. viviana* Mimacraea (IFS) 71:71, pl 1
 - a *wilsoni* Lycaenesthes 71:121, pl 2
- Talbot 1936 Entomologist [b4624]
 - b *davidsoni* Spindasis 69:59
 - e *f. pullus* Zemerus (IFS) 69:58
 - b *siamensis* Semanga 69:58
- Talbot 1937 Trans. R. ent. Soc. Lond. [b4625]
 BMNH-st b *budduana* Epitola 86(4):62, pl
 BMNH-ht b *depuncta* Telipna 86(4):59
 BMNH-ht b *discirubra* Mimeresia 86(4):60
 BMNH-ht a *eukrinoides* Liptena 86(4):64, f
 BMNH-ht a *grandis* Lepidochrysops 86(4):65, pl 1
 BMNH-ht b *griseata* Mimeresia 86(4):61
 BMNH-st a *jacksoni* Micropentila 86(4):61
 BMNH-ht a *katera* Anthene 86(4):68, pl 1
 BMNH-ht b *katera* Epamera 86(4):65, pl 1
 UMO-ht c *marginaria* Aslauga 86(4):61, f
 BMNH-ht b *media* Mimacraea 86(4):63
 BMNH-ht b *nzoia* Mimacraea 86(4):64
 BMNH-ht e *somerani* Mimacraea (IFS) 86(4):63
 BMNH-ht b *usamba* Anthene 86(4):68, pl 1
 UMO-ht a *vidua* Pseuderesia 86(4):60, pl 1
- Talbot 1942 Proc. R. ent. Soc. Lond. [b4626]
 - b *burmana* Mahathala (B)11(8):123
 - b *kiangana* Mahathala (B)11(8):121
 - e *f. umbrina* Mahathala (B)11(8):121
- Tanaka 1941 Zephyrus [b4627]
 - e *ab. daisenensis* Zephyrus 9(1):4-5, f
- Tanikawa 1940 Taiko, Taihoku High School, Formosa [b4628]
 - b *mushana* Everes (16):48
- Tepper 1882 Trans. R. Soc. S. Aust. [b4633]
 - c *adamapuncta* Cupido 4:31, pl 2
 - c *aeneus* Cupido 4:29, pl 2
 - c *delicata* Cupido 4:30, pl 2
 - c *fasciola* Cupido 4:30, pl 2
 - b *simplexa* Cupido 4:29, pl 2
- Tepper 1890 Common Ins. S. Aust. [b4634]
 - b *halmaturia* Ogyris :12
- Ter Haar 1901 Tijdschr. Ent. [b4635]
 - c *brantsi* Polyommatus 43:237, pl 14
 - c *uyenl* Polyommatus 43:237, pl 14
- Ter Haar 1901 Tijdschr. Ent. [b4636]
 - e *groningana* Polyommatus 43:242
- Ter Haar 1905 Tijdschr. Ent. [b4637]
 - e *ab. eurybina* Chrysophanus 48:204 or 242
- Tessmann 1928 Mitt. zool. Mus. Berl. [b4638]
 - a *bathylos* Leptotes 14(1):126
 - c *cosmophila* Thecla 14(1):125, pl 5
- Thieme 1904 Berl. ent. Z. [b4639]
 - c *mulsa* Alaena 49:164
- Thieme 1907 Berl. ent. Z. [b4640]
 - b *atrytone* Siseme 52:10, pl 1
 - c *aurolimbata* Limnas 52:5, pl 1
 - b *ephippium* Barbicormis 52:7
 - b *fellicissima* Baecotis 52:14, pl 1
 - a *gerres* Drepanula 52:10, pl 1
- Thieme 1907 Berl. ent. Z. [b4640] (continued)
 - a *hellotis* Siseme 52:10, pl 1
 ZMHU-st a *incendiaria* Necyria 52:3, pl 1
 - b *lemniscata* Panara 52:6
 - b *leucolopha* Eurybia 52:2
 - a *mellita* Lemnias 52:15, pl 1
 - a *merula* Crema 52:3, pl 1
 - a *prasinata* Limnas 52:8, pl 1
 - c *quadriplaga* Limnas 52:8, pl 1
 - b *saturata* Siseme 52:11
 - c *tantilla* Siseme 52:10, pl 1
 - a *triangularis* Panara 52:6, pl 1
 - b *tucumana* Barbicormis 52:7, pl 1
 - b *ucayala* Carca 52:6, pl 1
 - a *zamuro* Esthemopsis 52:9, pl 1
- Thierry-Mieg 1911 Naturaliste [b4642]
 - e *ab. clio* Lycaena 32:117
 - e *coppelia* Lysandra 32:117
 - e *ab. ledereri* Plebejus 32:235
 - c *menelicki* Chrysophanus 32:167
- Thompson [1937] * [b4649]
 - b *caernensis* Plebejus :3
 - e *pseudomasseyi* Plebejus (IFS) :3
 - e *pulchrina* Plebejus (IFS) :3
 - e *semisuffusa* Plebejus (IFS) :3
 - e *splendida* Plebejus (IFS) :3
- Tilden 1951 Bull. S. Calif. Acad. Sci. [b4654]
 LACM-ht b *mansfieldi* Mitoura 50(2):96, pl 33
- Tilden 1955 Bull. S. Calif. Acad. Sci. [b4655]
 USNM-ht b *schellbachi* Lycaena 54(2):72, pl 24
- Tilden 1963 J. Res. Lep. [b4656]
 CAS-ht b *lemberti* Callophrys 1(4):292
- Tilden [1969] J. Res. Lep. [b4657]
 LACM-ht c *bohartorum* Philotes 6(4):281
- Tilden [1974] J. Res. Lep. [b4658]
 CAS-ht b *incognitus* Glaucopsyche 12(4):213
- Tilden 1975 Occ. Pap. Calif. Acad. Sci. [b4659]
 T *avalona* Thecla (118):32
 T *meimona* Plebejus (118):36
- Tilden & Downey 1955 Bull. S. Calif. Acad. Sci. [b4660]
 CAS-ht a *palescens* Philotes 54(1):25, pl 11
- Tindale 1922 Trans. R. Soc. S. Aust. [b4661]
 - a *urumelia* Adaluma 46:537, pl 31
- Tindale 1923 Trans. R. Soc. S. Aust. [b4662]
 - b *ingura* Hypolycaena 47:349, f
 - b *splendida* Ogyris 47:344
- Tindale 1952 S. Aust. Nat. [b4663]
 - b *delphis* Ogyris 27(2):31, f
- Tindale 1953 Rec. S. Aust. Mus. [b4664]
 - b *fisheri* Pseudalmenus 11(1):52
- Tindale 1965 Rec. S. Aust. Mus. [b4665]
 - b *goodingi* Holochila 15(1):166
- Tite 1958 Entomologist [b4667]
 BMNH-ht a *cuneatum* Uranothauma 91:117, f
 BMNH-ht b *intermedia* Phlyaria 91:115
- Tite 1958 Entomologist [b4668]
 BMNH-ht a *brevidentatus* Syntarucus 91:189, cf A
 BMNH-ht a *casca* Syntarucus 91:190, cf C
 - a *mayottensis* Syntarucus 91:191, cf D

- Tite 1959 Entomologist [b4669]
 - a *albilinea* Lepidochrysops 92:159
 - a *ansorgei* Lepidochrysops 92:160
 - a *flavisquamosa* Lepidochrysops 92:161
 - a *nigritia* Lepidochrysops 92:162
 - a *ringa* Lepidochrysops 92:163
 T *strabo* Hesperia 92:202
 T *straboinsularis* Catochrysops 92:210
- Tite 1959 Entomologist [b4670]
 BMNH-ht b *andamanica* Catochrysops 92:206
 BMNH-ht b *argentata* Catochrysops 92:207, pl 10
 BMNH-ht b *batchiana* Catochrysops 92:207
 - e *binna* Catochrysops (ISS) 92:205
 BMNH-ht b *caerulea* Catochrysops 92:210
 BMNH-ht b *celebensis* Catochrysops 92:205
 - e *insularis* Catochrysops (ISS) 92:201+
 BMNH-ht b *luzonensis* Catochrysops 92:204
 BMNH-ht a *nubila* Catochrysops 92:212, pl 10
 BMNH-ht b *papua* Catochrysops 92:208
 BMNH-ht b *pura* Catochrysops 92:208, pl 10
 BMNH-ht b *timorensis* Catochrysops 92:210
- Tite 1960 Bull. Br. Mus. nat. Hist. (Ent.) [b4671]
 - b *albipatulus* Jamides 9(5):326
 - b *dinawus* Jamides 9(5):325
 - b *jobiensis* Jamides 9(5):332
 - b *mimetica* Jamides 9(5):322
 - b *nitidus* Jamides 9(5):330
 - a *puloensis* Jamides 9(5):333
 - b *setekwaensis* Jamides 9(5):329
- Tite 1960 Bull. Br. Mus. nat. Hist. (Ent.) [b4672]
 - a *fractilinea* Jamides 9(5):335
- Tite 1961 Entomologist [b4673]
 - a *caerulea* Lepidochrysops 94:21
 - a *fulvescens* Lepidochrysops 94:24
 - a *longifalces* Lepidochrysops 94:22
 - a *mpanda* Lepidochrysops 94:23
 - a *nacrescens* Lepidochrysops 94:24
 - a *nyika* Lepidochrysops 94:23
 - a *vera* Lepidochrysops 94:25
- Tite 1961 Entomologist [b4674]
 - a *ethiopicus* Cacyreus 94:112, f
- Tite 1962 Entomologist [b4675]
 - b *arua* Mambara 95:129
 - b *fracta* Mambara 95:130
 - b *kratke* Mambara 95:129
 - b *siwiensis* Mambara 95:130
 - b *weylandia* Mambara 95:130
- Tite 1963 Bull. Br. Mus. nat. Hist. (Ent.) [b4676]
 BMNH-ht b *albescens* Nacaduba 13(4):77
 BMNH-ht a *albiplaga* Erysichton 13(4):104, pl 2
 - e *arilia* Nacaduba (ISS) 13(4):82
 BMNH-ht a *atra* Prosotas 13(4):92, tf 49
 BMNH-ht b *baliensis* Nacaduba 13(4):88
 BMNH-ht b *biakana* Nacaduba 13(4):83
 BMNH-ht a *brunnescens* Ionolyce 13(4):101, tf 69
 biblio a *cajetani* Nacaduba 13(4):79
 BMNH-ht b *ceramensis* Prosotas 13(4):95
 BMNH-ht b *clara* Erysichton 13(4):104, pl 2
 BMNH-ht b *distincta* Catopyrops 13(4):106, pl 1
 BMNH-ht b *eborata* Prosotas 13(4):96, pl 2
 BMNH-ht b *elioti* Prosotas 13(4):94
 BMNH-ht b *guizoensis* Nacaduba 13(4):80, pl 1
 BMNH-ht b *insularis* Erysichton 13(4):102
 T *intricata* Nacaduba 13(4):73
 BMNH-ht b *latemarginata* Nacaduba 13(4):74
 BMNH-ht b *lateplaga* Erysichton 13(4):104, pl 2
- Tite 1963 Bull. Br. Mus. nat. Hist. (Ent.) [b4676] (continued)
 BMNH-ht a *lucana* Nacaduba 13(4):83, tf 20
 BMNH-ht b *marginata* Prosotas 13(4):94, pl 1
 BMNH-ht b *markira* Nacaduba 13(4):82, pl 1
 BMNH-ht a *mioswara* Nacaduba 13(4):83, tf 11
 BMNH-ht b *nissani* Nacaduba 13(4):77
 BMNH-ht a *papua* Prosotas 13(4):93, tf 51
 BMNH-ht b *parva* Catopyrops 13(4):107
 BMNH-ht b *penangensis* Nacaduba 13(4):74
 BMNH-ht b *procella* Catopyrops 13(4):106, pl 1
 BMNH-ht a *rufficirca* Nacaduba 13(4):85
 BMNH-ht a *russelli* Nacaduba 13(4):72
 biblio b *sambalanga* Nacaduba 13(4):81
 BMNH-ht a *siwiensis* Paraduba 13(4):100, tf 66
 BMNH-ht a *sumbawa* Nacaduba 13(4):80, tf 27
 BMNH-ht a *talesea* Prosotas 13(4):93, tf 50
 BMNH-ht e *thamus* Nacaduba (ISS) 13(4):70
 BMNH-ht b *vulcana* Nacaduba 13(4):79, pl 1
- Tite 1963 Bull. Br. Mus. nat. Hist. (Ent.) [b4677]
 BMNH-ht a *albicostalis* Philiris 14(5):249
 BMNH-ht a *albihumerata* Philiris 14(5):252
 BMNH-ht a *apicalis* Philiris 14(5):227
 BMNH-ht a *ardosiacea* Holochila 14(5):206; pl 1
 BMNH-ht a *biaka* Holochila 14(5):205, pl 1
 - e *bysos* Candalides (ISS) 14(5):215
 BMNH-ht a *caerulea* Philiris 14(5):226
 BMNH-ht b *doreia* Holochila 14(5):210
 BMNH-ht a *doreia* Philiris 14(5):249
 BMNH-ht a *elegans* Philiris 14(5):234
 BMNH-ht b *extensa* Philiris 14(5):226
 BMNH-ht a *goliathensis* Philiris 14(5):250
 BMNH-ht a *ianthina* Philiris 14(5):229
 BMNH-ht a *kapaura* Philiris 14(5):253
 BMNH-ht a *kumusiensis* Philiris 14(5):239
 BMNH-ht a *lavendula* Philiris 14(5):234
 BMNH-ht b *leucoma* Philiris 14(5):231
 BMNH-ht a *limbata* Holochila 14(5):207; pl 1
 BMNH-ht a *lucescens* Philiris 14(5):247
 BMNH-ht a *meforensis* Holochila 14(5):207
 BMNH-ht a *melanacra* Philiris 14(5):245
 BMNH-ht b *melanoma* Philiris 14(5):231
 BMNH-ht a *moluccana* Philiris 14(5):242
 BMNH-ht a *montigena* Philiris 14(5):230
 BMNH-ht b *obiana* Philiris 14(5):229
 BMNH-ht a *oreas* Philiris 14(5):253
 BMNH-ht b *pallescens* Cyprotides 14(5):215, f
 BMNH-ht a *phengotes* Philiris 14(5):244
 BMNH-ht a *philotoides* Philiris 14(5):229
 BMNH-ht a *praeclara* Philiris 14(5):232
 BMNH-ht a *remissa* Philiris 14(5):242
 BMNH-ht c *restricta* Philiris 14(5):241
 BMNH-ht a *riuensis* Holochila 14(5):208; pl 1
 BMNH-ht a *satis* Philiris 14(5):252
 BMNH-ht b *sudesta* Erina 14(5):219
 BMNH-ht b *sumbensis* Erina 14(5):218
 BMNH-ht b *taamensis* Erina 14(5):218
 BMNH-ht b *tenimberensis* Erina 14(5):219
 BMNH-ht b *timorensis* Erina 14(5):218
 BMNH-ht a *tombara* Philiris 14(5):244
 BMNH-ht a *viriditincta* Holochila 14(5):209; pl 1
- Tite 1964 Entomologist [b4678]
 BMNH-ht a *australis* Lepidochrysops 97:6
 BMNH-ht b *dicksoni* Lepidochrysops 97:7
 BMNH-ht a *oreas* Lepidochrysops 97:4
 BMNH-ht a *wykehami* Lepidochrysops 97:6
- Tite 1966 Bull. Br. Mus. nat. Hist. (Ent.) [b4679]
 BMNH-ht b *emoloides* Anthene 18(8):263
 BMNH-ht b *keyensis* Anthene 18(8):291
 BMNH-ht a *lycaenolus* Anthene 18(8):267

- Tite 1966 Bull. Br. Mus. nat. Hist. (Ent.) [b4679] (continued)
- BMNH-ht b *matthias* Anthene 18(8):264
 BMNH-ht b *nerela* Anthene 18(8):266
 BMNH-ht b *nissani* Anthene 18(8):264
 BMNH-ht b *scintillans* Anthene 18(8):267
- Tite 1967 Entomologist [b4680]
 BMNH-ht a *lochmophila* Hypolycaena 100:166, f 1
- Tite 1968 Entomologist [b4681]
 - a *barcantii* Pachythone 101:224, f
- Tite 1969 Ent. Med. Ned.-Indië [b4682]
 - b *lampra* Zizina 37:64
- Tite & Dickson 1968 Bull. Br. Mus. nat. Hist. (Ent.) [b4684]
 BMNH-ht a *apicalis* Aloicides 21(7):384, pl 5
 BMNH-ht a *arida* Aloicides 21(7):384, pl 4
 BMNH-ht a *braueri* Aloicides 21(7):376, pl 2
 BMNH-ht a *clarki* Aloicides 21(7):382, pls
 BMNH-ht a *depicta* Aloicides 21(7):383, pls
 BMNH-ht a *dryas* Aloicides 21(7):379, pl 5
 BMNH-ht a *gowani* Aloicides 21(7):387, pl 4
 BMNH-ht b *grandis* Aloicides 21(7):375, pl 1
 BMNH-ht a *juana* Aloicides 21(7):374, pl 3
 BMNH-ht b *littoralis* Aloicides 21(7):375, pl 2
 BMNH-ht a *lutescens* Aloicides 21(7):385, pl 4
 BMNH-ht a *margaretae* Aloicides 21(7):386, pl 4
 BMNH-ht c *natalensis* Aloicides 21(7):380, pl 5
 BMNH-ht a *oreas* Aloicides 21(7):382, pl 5
 BMNH-ht a *penningtoni* Aloicides 21(7):380, pl 5
 BMNH-ht a *quickelbergel* Aloicides 21(7):381, pl 3
 T *simplex* Zeritis 21(7):377
 TM-ht a *vansoni* Aloicides 21(7):378, pl 3
- Tite & Dickson 1973 Bull. Br. Mus. nat. Hist. (Ent.) [b4685]
 BMNH-ht a *angolensis* Aloicides 29(5):249, f
 BMNH-ht b *angoniensis* Aloicides 29(5):248, pl 2
 T *aranda* Cyganites 29(5):264
 BMNH-ht a *caledoni* Aloicides 29(5):271
 BMNH-ht b *coalescens* Aloicides 29(5):241
 BMNH-ht b *handmani* Aloicides 29(5):242, f
 BMNH-ht a *henningi* Aloicides 29(5):267
 BMNH-ht b *jacksoni* Aloicides 29(5):247, f
 BMNH-ht b *krooni* Aloicides 29(5):240
 - a *lenningi* Aloicides 29(5):267, f
 BMNH-ht a *macmasteri* Aloicides 29(5):269
 BMNH-ht b *mashona* Aloicides 29(5):258
 BMNH-ht a *plowesi* Aloicides 29(5):252
 BMNH-ht b *southeyae* Aloicides 29(5):260
 NMR-ht a *stevensoni* Aloicides 29(5):250, pl 3
 BMNH-ht a *susanae* Aloicides 29(5):253
 BMNH-ht a *swanepoelli* Aloicides 29(5):262
 BMNH-ht b *talboti* Aloicides 29(5):248, f
 BMNH-ht a *trimeni* Aloicides 29(5):260
- Tite & Dickson 1976 Ent. Rec. [b4686]
 - a *pringlei* Aloicides 88(7/8):177
 UMO a *rileyi* Aloicides 88(7/8):179, f
 UMO c *taylori* Aloicides 88(7/8):180
- Tite & Dickson 1977 Ent. Rec. [b4687]
 - a *hamptoni* Aloicides 89(7):209
 - a *kaplani* Aloicides 89(7):211
 - a *nollothi* Aloicides 89(7):210
- Toso & Balletto 1977 Annali Mus. civ. Stor. nat. Genova [b4691]
 - a *humedasaе* Agrodiaetus 81:124-130
- Toxopeus 1926 Tijdschr. Ent. [b4694]
 - e *oenobarus* Abisara (NN) 69(Verslag):lxx
 - b *snelleni* Lycaenopsis 69(Verslag):xvi
 - b *vandeldeni* Lycaenopsis 69(Verslag):lxvii
- Toxopeus 1926 Treubia [b4695]
 - e *f. cincta* Lycaenopsis (IFS) 8:375
 - e *gradenigra* Lycaenopsis (ISS) 8:369
 BMNH-ht b *moorei* Lycaenopsis 8:365, 374
 T *philippina* Cyaniris 8:369
- Toxopeus 1927 Treubia [b4696]
 BMNH-ht c *ataranica* Nacaduba 9(4):425
 - = *belli* Nacaduba (IFS) 9(4):424
 b *canaraica* Nacaduba 9(4):424
 BMNH-ht c *evansi* Nacaduba 9(4):424
 - b *javana* Nacaduba 9(4):433
 - b *minima* Nacaduba 9(4):433
 - b *niasica* Nacaduba 9(4):426
 - d *nicobarica* Nacaduba (H) 9(4):425
 - b *ormistoni* Nacaduba 9(4):434
 BMNH-ht b *pacifica* Nacaduba 9(4):431
 BMNH-ht b *rothschildi* Nacaduba 9(4):430
- Toxopeus 1927-1928 Tijdschr. Ent. [b4697]
 BMNH-ht a 1927 *cyma* Celastrina 70:272
 - b 1927 *evansi* Celastrina 70:247
 - d 1927 *evansi* Nacaduba (H) 70:247
 - b 1927 *felderi* Acytolepis 70:294
 - e 1927 *siebersi* Megisba (IFS) 70:283, pl 2
 - a 1928 *arrhina* Rhinelephas 71:261, f
 - e 1928 *ab. bruggemani* Celastrina 71:255
 - e 1928 *ab. dammermani* Celastrina 71:256
 RNH-ht b 1928 *denkeri* Rhinelephas 71:263, pl 5
 - b 1928 *intensa* Celastrina 71:241
 RNH-ht b 1928 *nix* Celastrina 71:213, pl 5
 - c 1928 *paradilecta* Celastrina 71:248, pl 5
 - e 1928 *phoenix* Celastrina (IFS) 71:254, pl 5
 - c 1928 *polemonia* Celastrina 71:190, tf 31
 - b 1928 *thorida* Celastrina 71:230
- Toxopeus 1928 Tijdschr. Ent. [b4698]
 - c *simalurensis* Miletus 71:xxii
- Toxopeus 1929 Tijdschr. Ent. [b4699]
 - = *alter* Amblypodia (PS) 72(3/4):213
 - c *ambigua* Amblypodia 72(3/4):212
 - e *anabas* Amblypodia (PS) 72(3/4):213
 - b *annetta* Zizina 72(3/4):207
 - c *anthracophila* Amblypodia 72(3/4):212
 - c *astrophila* Amblypodia 72(3/4):212
 - b *carolina* Lampides 72(3/4):210
 - c *extraneus* Gerydus 72(3/4):211
 - b *hyperperseustis* Nacaduba 72(3/4):210
 - b *intermedius* Loxura 72(3/4):214
 - b *kuli* Zizina 72(3/4):207
 - b *oenobarus* Abisara 72(3/4):205
 - b *parasangra* Zizina 72(3/4):206
 - b *sabanga* Cheritra 72(3/4):213
 - d *vandeldeni* Acytolepis (H) 72(3/4):207
 - b *wehensis* Castalius 72(3/4):209
- Toxopeus 1929 Tijdschr. Ent. [b4700]
 - b *bimaculosa* Nacaduba 72(3/4):234
 - b *cyclops* Prosotas 72(3/4):239
 - b *cyprina* Nacaduba 72(3/4):234
 - b *horsfieldi* Lampides 72(3/4):231
 - c *hybrida* Prosotas 72(3/4):239
 - b *javanica* Ionolyce 72(3/4):236
 - b *malangana* Amblypodia 72(3/4):220
 - b *naevia* Nacaduba 72(3/4):232
 - a *norina* Prosotas 72(3/4):239
 - b *overdijkinki* Nacaduba 72(3/4):236
 BMNH-pt a *pia* Prosotas 72(3/4):239
 - c *roepkei* Prosotas 72(3/4):239
 - b *valvidens* Nacaduba 72(3/4):233
 - b *varia* Petrelaea 72(3/4):242

- Toxopeus 1929 Tijdschr. Ent. [b4701]
 - b *moultoni* Tajuria 72(3/4):256
 - b *vandelden* Tajuria 72(3/4):245
- Toxopeus 1930 De soorte als Functie [b4702]
 - b *altijavana* Catopyrops :148
 - b *austrojavana* Catopyrops :147
 - c *batjana* Lampides :140
 - c *duplicata* Catopyrops :149
 - a *ella* Prosotas :188
 - c *fruhstorferi* Horsfieldia :158
 - c *leonidas* Amblypodia :167
 - b *leontodamas* Amblypodia :167
 - b *luniger* Lampides :139
 - c *manilana* Lampides :140
 - b *nicevillei* Catopyrops :147
 - b *pertimidus* Neopithecos :106
 - c *pycnoptera* Horsfieldia :158
 - c *f. rileyi* Horsfieldia (IFS) :159
 biblio d *rothschildi* Prosotas (H) :100
 - c *simalurana* Lampides :138
 - b *sukabumi* Horsfieldia :159
 - c *telephus* Amblypodia :166
 - c *thinophilus* Danis :129
 - b *tuala* Catopyrops :148
 - b *vaneeckei* Gerydus :112, f
- Toxopeus 1931 Hand. ned.-indisch. natuurw. Congr. [b4703]
 RNH-ht b *sumptuosa* Mameessus 6:421
- Toxopeus 1932 Versl. Afd. Ned. Ost.-Ind. ned. ent. Ver. [b4704]
 -- e *ab. aurea* Dodona 1(3):lxix
 - c *javanica* Biduanda 1(3):lxx
 - c *porriginosus* Allotinus 1(3):lxxvii
 - a *porriginosus* Biduanda 1(3):lxxvii
 - c *lectona* Horsfieldia 1(3):lxx
 - b *unipunctata* Una 1(3):lxxvii
 -- e *ab. vanwoerdeni* Catochrysops 1(3):lxxiii
- Toxopeus 1933 Versl. Afd. Ned. Ost.-Ind. ned. ent. Ver. [b4705]
 - b *dea* Manto 1(3):cix
- Toxopeus 1935 Ent. Med. Ned.-Indië [b4706]
 - b *argentata* Curetis 1:11
- Toxopeus 1935 Ent. Med. Ned.-Indië [b4707]
 - c *acosmeta* Ruralis 1:35
 - b *thamar* Ruralis 1:35
- Toxopeus 1940 Ent. Med. Ned.-Indië [b4708]
 - b *leucoeyon* Gerydus 6:15, f
- Toxopeus 1944 Treubia [b4709]
 - b *ansa* Dicallaneura Hors Série:167
 - b *artaxerxes* Sospita Hors Série:190
 - b *auspex* Sospita Hors Série:186
 - b *cyanandra* Dicallaneura Hors Série:170
 - a *cyanea* Dicallaneura Hors Série:173
 - b *cyrus* Sospita Hors Série:189
 - a *dilectissima* Dicallaneura Hors Série:178
 - b *discifera* Dicallaneura Hors Série:176
 - b *hageni* Dicallaneura Hors Série:171
 - a *hyacinthus* Dicallaneura Hors Série:172
 - b *kausambides* Dicallaneura Hors Série:160
 - b *polyphemus* Sospita Hors Série:183
 - b *praedilecta* Dicallaneura Hors Série:177
 - b *sigiana* Sospita Hors Série:185
- Trapp 1863 Mitt. schweiz. ent. Ges. [b4711]
 - d *lycidas* Lycaena (H) 1(4):103
- Treadaway & Nuyda 1993 Fil-Kulisap [b4713]
 pc-ht b *boudanti* Iraota 1(2):13
 pc-ht b *jumaloni* Paruparo 1(2):7
 pc-ht b *noeli* Remelana 1(2):8
 pc-ht b *sibutuensis* Amblypodia 1(2):13
- Trimen 1862 Trans. ent. Soc. Lond. [b4715]
 - a *amakosa* Durbania (3):1:401
 - c *anta* Lycaena (3):1:402
 - c *gaika* Lycaena (3):1:403
 - c *kama* Lycaena (3):1:403
- Trimen 1862 Trans. ent. Soc. Lond. [b4716]
 - c *aglaspis* Zentis (3):1:286
 - b *catharina* Lycaena (3):1:281
 - c *croesus* Zentis (3):1:283
 - a *knysna* Lycaena (3):1:282
 lost c *f. mars* Zentis (3):1:285
 BMNH-lt a *methymna* Lepidochrysops (3):1:280
 BMNH a *niobe* Lycaena (3):1:282
 - c *siwani* Lycaena (3):1:402
- Trimen 1864 Trans. ent. Soc. Lond. [b4717]
 - a *bowkeri* Iolaus (3):2:176
 - a *chrysaor* Zentis (3):2:177
 - a *hintza* Lycaena (3):2:177
 - a *phosphor* Zentis (3):2:178
 - a *pyroeis* Zentis (3):2:178
 - a *sidus* Iolaus (3):2:176
- Trimen 1868 Trans. ent. Soc. Lond. [b4718]
 - a *barberae* Lycaena 16(1):89, pl 5
 - c *caffer* Aphnaeus 16(1):88
 - a *chrystantas* Zentis 16(1):85, pl 5
 - a *immaculata* Deloneura 16(1):83, pl 5
 - a *lyncurium* Zentis 16(1):86
 - a *notoba* Lycaena 16(1):91
 - a *otacilia* Lycaena 16(1):90
 BMNH-ht a *sardonyx* Zentis 16(1):83, pl 5
 - a *tsomo* Lycaena 16(1):91
- Trimen 1870 Trans. ent. Soc. Lond. [b4719]
 - c *asteris* Lycaena 18(4):360
 BMNH-st a *letsea* Lycaena 18(4):362, pl 6
 - c *macalenga* Azanus 18(4):364, pl 6
 lost a *molomo* Zentis 18(4):373, pl 6
- Trimen 1873 Trans. ent. Soc. Lond. [b4720]
 - a *aphnaeoides* Iolaus 21(2):110
 BMNH-st a *argyraspis* Zentis 21(2):114, pl 1
 - a *aslauga* Liptena 21(2):117
 - a *phanes* Aphnaeus 21(2):111, pl 1
 - a *pseudozeritis* Aphnaeus 21(2):113, pl 1
- Trimen 1874 Trans. ent. Soc. Lond. [b4721]
 lost-st a *barklyi* Zentis 22(3):338, pl 2
 - a *lycegenes* Zentis 22(3):337, pl 2
 - a *mimosae* Iolaus 22(3):330, pl 2
 - a *namaqua* Aphnaeus 22(3):334, pl 2
 lost c *orthrus* Zentis 22(3):340, pl 2
 - c *seamani* Hypolycaena 22(3):332, pl 2
- Trimen 1879 Trans. ent. Soc. Lond. [b4722]
 - b *ficedula* Myrina 27(4):340
- Trimen 1881 Trans. ent. Soc. Lond. [b4723]
 - b *livida* Lycaenesthes 29(3):443
- Trimen 1883 Trans. ent. Soc. Lond. [b4724]
 - a *bowkeri* Lycaena 31(4):351
 - a *brachycera* Arrugia 31(4):353
 - a *lucida* Lycaena 31(4):348
 BMNH a *puncticilia* Lycaena 31(4):350
 - a *saga* Durbania 31(4):354
- Trautmann 1909 Int. ent. Z. [b4712]
 - b *nigricans* Scolitantides 3(12):66

- Trimen 1883 Trans. ent. Soc. Lond. [b4724] (*continued*)
 - a *stellata* Lycaena 31(4):349
- Trimen 1887-1889 In Trimen & Bowker, S. Afr. Butts [b4725]
 - a 1887 *aethon* Poecilimitis 2:176, pl 9
 - c 1887 *caffraiae* Lycaena 2:23
 BMNH-st a 1887 *dolorosa* Lycaena 2:41
 - a 1887 *durhani* Lachnocnema 2:236
 BMNH-st a 1887 *glauca* Lycaena 2:21
 - b 1887 *griqua* Lycaena 2:84
 - a 1887 *hutchinsonii* Aphnaeus 2:148
 BMNH-st a 1887 *hypopolia* Lycaena 2:30
 BMNH a 1887 *ignota* Lycaena 2:39
 - a 1887 *limbata* Durbania 2:217
 - a 1887 *melaena* Lycaena 2:82
 - a 1887 *natalensis* Lycaena 2:77
 - a 1887 *noquasa* Lycaena 2:64
 BMNH-ht a 1887 *ortygia* Lycaena 2:26
 BMNH-st a 1887 *patricia* Lycaena 2:20
 BMNH-ht a 1887 *tantalus* Lycaena 2:38
 BMNH-ht a 1887 *wallengreni* Zenitis 2:192
 BMNH a 1889 *pephredo* Lycaena 3:389
- Trimen 1891 Trans. ent. Soc. Lond. [b4726]
 - c *neglecta* Lycaenesthes 39(1):175
 - a *oreas* Zenitis 39(1):176
- Trimen 1891 Proc. zool. Soc. Lond. [b4727]
 - a *acraeina* Erikssonia 1891(1):92
 lost a *damarensis* Zenites 1891(1):90
 - a *erikssoni* Aphnaeus 1891(1):86
 SAMCT-ht a *modestus* Aphnaeus 1891(1):87
 - b *obscurata* Deudorix 1891(1):84
- Trimen 1893 Trans. ent. Soc. Lond. [b4728]
 BMNH-ht a *barkeri* Lycaena 41(2):129, pl 8
 BMNH-st a *grahami* Lycaena 41(2):123, pl 8
 - a *millari* Lycaenesthes 41(2):133, pl 8
 - a *minima* Lycaenesthes 41(2):135, pl 8
 BMNH-ht a *procera* Lycaena 41(2):125, pl 8
 BMNH-ht a *simplex* Zenitis 41(2):136
- Trimen 1894 Proc. zool. Soc. Lond. [b4729]
 - c *cruenta* Chrysorychia 1894(1):55
 - c *exclusa* Lycaena 1894(1):47
 - a *lunulata* Lycaenesthes 1894(1):51
 BMNH-ht a *mashuna* Lycaena 1894(1):48
 - a *puellaris* Durbania 1894(1):59
- Trimen 1895 Trans. ent. Soc. Lond. [b4730]
 - a *aemulus* Iolaus 43(2):192, pl 5
 - a *disjunctus* Capys 43(2):190, pl 5
 - a *nubifer* Lycaena 43(2):187, pl 5
- Trimen 1898 Trans. ent. Soc. Lond. [b4731]
 - a *alienus* Iolaus 46(1):10, pl 1
 - a *gigantea* Lycaena 46(1):4, pl 1
 - a *marshalli* Mimacraea 46(1):13, pl 1
 - a *mazoensis* Desmolycaena 46(1):8, pl 1
 - a *pallida* Durbania 46(1):12, pl 1
- Trimen 1904 Trans. ent. Soc. Lond. [b4732]
 TM a *felthami* Zenitis 52(2):233, pl 19
 BMNH-ht a *lerothodi* Lycaena 52(2):242, pl 19
- Trimen 1906 Trans. ent. Soc. Lond. [b4733]
 - a *millari* Deloneura 54(1):69, pl 4
- Tromiček 1938 Čas. ěsl. Spol. ent. [b4736]
 - e *ab. obenbergeri* Lycaena 35:116, f
- Tschikolowez 1992 Atalanta (Münnerstadt) [b4737]
 - b *chaburobata* Polyommatus 23(1/2):162, f
- Tshugunov 1914 Revue Russe Ent. [b4739]
 - e *ab. semicaeca* Cyaniris 14:313
- Tuely 1878 Ent. mon. Mag. [b4740]
 BMNH-ht a *blackburni* Holochila 15:9
- Tuleschkow 1932 Mitt. bulgar. ent. Ges. Sofia [b4741]
 - d *rebeli* Lycaena (H) 7:101
- Turati 1903 Atti Soc. ital. Sci. nat. [b4742]
 - c *subapennina* Lycaena 42:43, pl 3
- Turati 1911 Soc. ent. [b4743]
 - b *aetnea* Lycaena 25(21):82
 - c *calabrica* Lycaena 25(21):84
 - c *mediterranea* Lycaena 25(21):84, (23):89
 - b *ruehli* Lycaena 25(21):83
- Turati 1911 Soc. ent. [b4744]
 - e *f. argellus* Lycaena 26(18):67
- Turati 1919 Atti Soc. ital. Sci. nat. [b4745]
 - e *ab. italica* Lycaena 58:149
 - e *f. semisebrus* Cyaniris 58:149 or 167
- Turati 1921 Atti Soc. ital. Sci. nat. [b4746]
 - c *cyrenaica* Rumicia 60:219
- Turati 1923 Atti Soc. ital. Sci. nat. [b4747]
 - e *f. alboradians* Plebeius 62:42
 - e *f. emilianus* Chrysophanus 62:42
 - e *f. quercii* Chrysophanus 62:42
- Turati 1924 Atti Soc. ital. Sci. nat. [b4748]
 - c *cyrenaica* Thestor 63:35
 - c *illuminata* Thestor 63:36, pl 1
- Turati 1927 Atti Soc. ital. Sci. nat. [b4749]
 - c *bisaurantia* Thestor 66:313, f
 - c *coloniarum* Lycaena 66:318, f
 - e *ab. elongata* Lycaena 66:318
 - c *fascista* Lycaena 66:317
- Turati 1933 Boll. Soc. ent. ital. [b4750]
 - c *f. fulmineus* Chrysophanus 65:13
- Turati & Fiori 1930 Memorie Soc. ent. ital. [b4751]
 - c *f. insulicola* Lycaena 9:204
 - c *robusta* Lycaena 9:204
- Turati & Krüger 1936 Memorie Soc. ent. ital. [b4752]
 - e *aestiva* Rumicia 15:57
- Turati & Verity [1911] Boll. Soc. ent. ital. [b4753]
 MZS-st e *alpina* Lycaena 42:260
 MZS-ht e *basipunctata* Lycaena (IFS) 42:257
 MZS-ht e *chryseis* Lycaena (IFS) 42:258
 - e *coeruleopunctata* Chrysophanus (IFS) 42:244
 MZS-ht? e *obliterata* Chrysophanus (IFS) 42:244
 MZS-ht e *radiata* Chrysophanus (IFS) 42:247
 MZS-ht e *styx* Lycaena (IFS) 42:258
 MZS-st b *valderiana* Chrysophanus 42:243
- Turner 1920 Trans. ent. Soc. Lond. [b4754]
 - e *aegyptiacus* Syntarucus 68(1/2):199
- Turner & Miller 1992 Bull. Allyn Mus. [b4756]
 AME-ht a *hartii* Cyanophrys (137):2, f
- Turton 1802 Gen. Syst. Nat. [b4757]
 - c *caractacus* Papilio 3(2):149
- Tutt 1896 Brit. Butts [b4758]
 - e *ab. albicincta* Lysandra :166
 - e *ab. albiguncta* Lysandra :166
 - e *ab. albivirgata* Satyrium :200
 - e *awantia* Lysandra :167

Tutt 1896 Brit. Butts [b4758] (continued)

--	e	<i>ab. caeruleascens</i> Lysandra	:166
--	e	<i>ab. clara</i> Celastrina	:188
--	e	<i>ab. coeruleamarginata</i> Lysandra	:167
--	e	<i>inaequalis</i> Lysandra	:167
--	e	<i>ab. intermedia</i> Lycaena	:153
--	e	<i>ab. major</i> Lysandra	:171
--	e	<i>marginata</i> Lysandra	:167
--	e	<i>ab. marginata</i> Lysandra	:170
--	e	<i>ab. minor</i> Lysandra	:166
--	e	<i>ab. minor</i> Lysandra	:171
--	e	<i>ab. obsoleta</i> Cupido	:161
--	e	<i>ab. obsoleta</i> Lysandra	:167
--	e	<i>ab. obsoleta</i> Nemeobius	:211
--	e	<i>ab. obsoleta</i> Lysandra	:171
--	e	<i>obsoleta</i> Lycaena	:153
--	e	<i>pallida</i> Lysandra	:167
--	e	<i>pallida</i> Cupido	:161
--	e	<i>pallida</i> Lysandra	:170
--	e	<i>ab. puncta</i> Lysandra	:166
--	c	<i>puncta</i> Lysandra	:170
--	e	<i>punctata</i> Lysandra	:167
--	e	<i>radiata</i> Lycaena	:153
--	e	<i>ab. semialbovirgata</i> Satyrium	:200
--	e	<i>ab. semiaurantia</i> Lysandra	:166
--	e	<i>ab. striata</i> Lysandra	:171
--	e	<i>striata</i> Lysandra	:167
--	c	<i>suffusa</i> Lycaena	:153
--	e	<i>suffusa</i> Lysandra	:171
--	e	<i>suffusa</i> Lysandra	:167

Tutt 1903 Ent. Rec. [b4759]

-	c	<i>locarnensis</i> Chrysophanus	15(9):224
---	---	---------------------------------	-----------

Tutt 1905-1914 Nat. Hist. Brit. Butts [b4760]

--	e	1906 <i>ab. alba</i> Rumicia	1:355
--	e	1906 <i>ab. albicaudata</i> Rumicia	1:357
--	e	1906 <i>ab. anteroalba</i> Rumicia	1:357
--	e	1906 <i>ab. basilipuncta</i> Rumicia	1:366
--	e	1906 <i>bilineata</i> Chrysophanus	1:431
--	e	1906 <i>ab. bipunctata</i> Rumicia	1:360
--	e	1906 <i>brunescens</i> Chrysophanus	1:432
--	e	1906 <i>ab. caeruleopunctata</i> Rumicia	1:368
--	e	1906 <i>ab. centriconjuncta</i> Rumicia	1:364
--	e	1906 <i>conjuncta</i> Rumicia	1:363
--	e	1906 <i>cuneata</i> Chrysophanus	1:431
--	e	1906 <i>cuneigera</i> Chrysophanus	1:428
--	e	1906 <i>ab. cupreopunctata</i> Rumicia	1:368
--	e	1906 <i>ab. dextroalba</i> Rumicia	1:357
--	e	1906 <i>ab. discojuncta</i> Rumicia	1:380, pl 13
--	e	1906 <i>eleuscaeruleopunctat</i> Rumicia	1:368
--	e	1906 <i>excessa</i> Chrysophanus	1:430
--	e	1906 <i>ab. extensaconjuncta</i> Rumicia	1:363, pl 13
--	e	1906 <i>ab. fasciatocaeruleopunctata</i> Rumicia	1:368
--	e	1906 <i>ab. fuscata</i> Rumicia	1:378
--	e	1906 <i>ab. fuscatacaudata</i> Rumicia	1:378
--	e	1906 <i>ab. huebneri</i> Rumicia	1:355
--	e	1906 <i>ignita</i> Rumicia	1:353
--	e	1906 <i>ignitacaudata</i> Rumicia	1:360
--	e	1906 <i>ab. impunctata</i> Rumicia	1:361
--	e	1906 <i>ab. infraextensa</i> Rumicia	1:379
--	e	1906 <i>ab. infradiata</i> Rumicia	1:380
--	e	1906 <i>ab. infuscata</i> Lycaena	1:355
--	e	1906 <i>ab. initia</i> Rumicia	1:374
--	e	1906 <i>ab. initiacaudata</i> Rumicia	1:374
--	e	1906 <i>ab. intermediacaudata</i> Rumicia	1:359
--	e	1906 <i>ab. juncta</i> Rumicia	1:362
--	e	1906 <i>ab. junctacaudata</i> Rumicia	1:362 or 363
--	e	1906 <i>latomarginata</i> Rumicia	1:366 or 363
--	e	1906 <i>magnipuncta</i> Rumicia	1:362
--	e	1906 <i>major</i> Rumicia	1:353
--	e	1906 <i>minor</i> Chrysophanus	1:431

Tutt 1905-1914 Nat. Hist. Brit. Butts [b4760] (continued)

--	e	1906 <i>minor</i> Rumicia	1:353
--	e	1906 <i>ab. mitia</i> Rumicia	1:374
--	e	1906 <i>nearata</i> Chrysophanus	1:431
--	e	1906 <i>nigrescens</i> Chrysophanus	1:431
--	e	1906 <i>ab. nigroapicata</i> Rumicia	1:366
--	e	1906 <i>ab. obsoleta</i> Rumicia	1:369
--	e	1906 <i>obsoleta</i> Chrysophanus	1:430
--	e	1906 <i>obsoletocaeruleopunctata</i> Rumicia	1:368
--	e	1906 <i>parva</i> Chrysophanus	1:430
--	e	1906 <i>posteroalba</i> Rumicia	1:357
--	e	1906 <i>punctijuncta</i> Chrysophanus	1:432
--	e	1906 <i>purpurascens</i> Chrysophanus	1:432
--	e	1906 <i>ab. purpureoincta</i> Rumicia	1:360
--	e	1906 <i>ab. remota</i> Rumicia	1:361
--	e	1906 <i>ab. schmidii</i> Rumicia	1:357
--	e	1906 <i>ab. schmidtiicaudata</i> Rumicia	1:358
--	e	1906 <i>subcuprea</i> Chrysophanus	1:430
--	e	1906 <i>subobsoleta</i> Chrysophanus	1:430
--	e	1906 <i>ab. subradiata</i> Rumicia	1:368
--	e	1906 <i>ab. supraimpunctata</i> Rumicia	1:361
--	e	1906 <i>suppressa</i> Chrysophanus	1:431
--	e	1906 <i>transversa</i> Chrysophanus	1:430
--	e	1906 <i>ab. typicaudata</i> Rumicia	1:359
--	e	1906 <i>unilineata</i> Chrysophanus	1:431
--	e	1906 <i>ab. unipunctata</i> Rumicia	1:361
--	e	1906 <i>ab. webbi</i> Rumicia	1:355
--	e	1907 <i>ab. albofasciata</i> Strymon	2:200
--	e	1907 <i>angulata</i> Polyommatus	2:175
--	e	1907 <i>ab. argioluslata</i> Celastrina	2:394
--	e	1907 <i>ab. argiolussuffusa</i> Celastrina	2:394
--	e	1907 <i>ab. bellusunipunctus</i> Bithys	2:237
--	e	1907 <i>f. bipunctata</i> Callophrys	2:92
--	e	1907 <i>ab. bipunctatus</i> Bithys	2:237
--	e	1907 <i>f. brunnea</i> Callophrys	2:92
--	e	1907 <i>caerulea</i> Lampides	2:336
--	e	1907 <i>caeruleafasciata</i> Lampides	2:336
--	e	1907 <i>caeruleamarginata</i> Lampides	2:336
--	e	1907 <i>clara</i> Lampides	2:336
--	e	1907 <i>clarafasciata</i> Lampides	2:336
--	e	1907 <i>claramarginata</i> Lampides	2:336
--	e	1907 <i>coerulea</i> Lampides	2:336
--	e	1907 <i>f. connexa</i> Callophrys	2:92
--	e	1907 <i>ab. cuneata</i> Rurialis	2:279
--	e	1907 <i>f. excessa</i> Strymon	2:197
--	e	1907 <i>ab. excessus</i> Strymon	2:198
--	e	1907 <i>ab. fasciata</i> Lampides	2:336
--	e	1907 <i>ab. fulvior</i> Satyrium	2:197
--	e	1907 <i>fusca</i> Lampides	2:336
--	e	1907 <i>ab. fuscifasciata</i> Lampides	2:336
--	e	1907 <i>fuscamarginata</i> Lampides	2:336
--	e	1907 <i>f. grisea</i> Rurialis	2:278
--	e	1907 <i>griseaspinosa</i> Rurialis	2:278
--	e	1907 <i>grisescens</i> Lampides	2:335
--	e	1907 <i>f. incompleta</i> Callophrys	2:92
--	e	1907 <i>f. inferopunctata</i> Callophrys	2:92
--	c	1907 <i>intermedia</i> Callophrys	2:91
--	e	1907 <i>ab. lata</i> Rurialis	2:279
--	e	1907 <i>ab. latalineata</i> Rurialis	2:279
--	e	1907 <i>ab. lilacinalata</i> Rurialis	2:294
--	e	1907 <i>ab. lilacinasuffusa</i> Rurialis	2:294
--	e	1907 <i>ab. lineata</i> Rurialis	2:198 or 298
--	e	1907 <i>ab. lutea</i> Strymon	2:197
--	e	1907 <i>luteaspinosa</i> Rurialis	2:278
--	e	1907 <i>ab. major</i> Rurialis	2:280
--	e	1907 <i>ab. major</i> Lampides	2:337
--	e	1907 <i>ab. major</i> Strymon	2:199
--	e	1907 <i>ab. minor</i> Rurialis	2:280
--	e	1907 <i>minor</i> Lampides	2:337
--	e	1907 <i>ab. minor</i> Strymon	2:197
--	e	1907 <i>f. obscura</i> Strymon	2:199
--	e	1907 <i>ab. obsoleta</i> Bithys	2:236

Tutt 1905-1914 Nat. Hist. Brit. Butts [b4760] (continued)

--	e 1907	<i>ab. obsoleta</i> Strymon	2:200
--	e 1907	<i>ab. ongodai</i> Ruralis	2:282
--	e 1907	<i>ab. pallescens</i> Bithys	2:236
--	e 1907	<i>ab. pallida</i> Callophrys	2:94
--	e 1907	<i>f. pallida</i> Strymon	2:198
--	e 1907	<i>ab. pallidaspinosa</i> Strymon	2:197
--	e 1907	<i>progressa</i> Strymon	2:197
--	e 1907	<i>ab. punctata</i> Callophrys	2:92
--	e 1907	<i>ab. restricta</i> Ruralis	2:278
--	e 1907	<i>ab. restrictalineata</i> Ruralis	2:279
--	e 1907	<i>f. semialbofasciata</i> Strymon	2:200
--	e 1907	<i>semiclara</i> Polyommatus	2:175
--	c 1907	<i>semipersica</i> Polyommatus	2:175
--	e 1907	<i>f. subustbrunnea</i> Callophrys	2:94
--	e 1907	<i>ab. subunicolor</i> Ruralis	2:278
--	e 1907	<i>ab. suffusa</i> Callophrys	2:97
--	b 1907	<i>sutschani</i> Ruralis	2:150
--	e 1907	<i>typicafasciata</i> Lampides	2:337
--	e 1907	<i>typicamarginata</i> Lampides	2:336
--	e 1907	<i>ab. uncinella</i> Ruralis	2:280
--	e 1907	<i>ab. unicolor</i> Ruralis	2:278
--	e 1907	<i>ab. virgata</i> Ruralis	2:280
--	c 1908	<i>albocaeruleoides</i> Celastrina	2:404
--	e 1908	<i>ab. albocincta</i> Celastrina	2:398
--	e 1908	<i>ab. albocinctaolebis</i> Celastrina	2:398
--	e 1908	<i>ab. ardescens</i> Everes	3:54
--	e 1908	<i>ab. ardescenscompleta</i> Everes	3:54
--	e 1908	<i>ab. ardescensfulva</i> Everes	3:54
--	e 1908	<i>ardescensmarginata</i> Everes	3:54
--	e 1908	<i>ab. ardescensrestricta</i> Everes	3:54
--	e 1908	<i>ab. bergstrasseri</i> Everes	3:54
--	e 1908	<i>ab. brunnea</i> Celastrina	2:413
--	e 1908	<i>ab. c-nigrum</i> Celastrina	2:398
--	e 1908	<i>ab. caeruleascens</i> Everes	3:54
--	e 1908	<i>ab. caeruleascenscompleta</i> Everes	3:55
--	e 1908	<i>ab. caeruleascensfulva</i> Everes	3:54
--	e 1908	<i>ab. caeruleascensrestricta</i> Everes	3:54
--	e 1908	<i>clara</i> Polyommatus	2:175
--	e 1908	<i>ab. claralata</i> Celastrina	2:394
--	e 1908	<i>ab. clarasuffusa</i> Celastrina	2:395
--	e 1908	<i>ab. extrema</i> Everes	3:55
--	e 1908	<i>ab. extremacompleta</i> Everes	3:55
--	e 1908	<i>extremafulva</i> Everes	3:55
--	e 1908	<i>ab. extremarestricta</i> Everes	3:55
--	e 1908	<i>ab. flavescens</i> Everes	3:56
--	e 1908	<i>ab. fulva</i> Everes	3:54
--	e 1908	<i>ab. fulvanigrescens</i> Everes	3:54
--	e 1908	<i>ab. fusca</i> Everes	3:55
--	e 1908	<i>ab. fuscafulva</i> Everes	3:55
--	e 1908	<i>ab. inaequalis</i> Celastrina	2:416
--	e 1908	<i>intermedia</i> Everes	3:56
--	c 1908	<i>kobel</i> Celastrina	2:401
--	e 1908	<i>ab. lata</i> Celastrina	2:394
--	e 1908	<i>ab. lilacina</i> Celastrina	2:394
--	e 1908	<i>ab. lutea</i> Ruralis	2:278
--	e 1908	<i>magnipuncta</i> Everes	3:59
--	e 1908	<i>ab. major</i> Celastrina	2:394
--	e 1908	<i>ab. major</i> Everes	3:56
--	e 1908	<i>ab. minor</i> Celastrina	2:394
--	e 1908	<i>minor</i> Everes	3:56
--	e 1908	<i>neglectamajor</i> Celastrina (IFS)	2:407
--	e 1908	<i>ab. nigrescens</i> Everes	3:55
--	e 1908	<i>ab. obsoleta</i> Celastrina	2:398
--	e 1908	<i>ab. obsoletalunulata</i> Celastrina	2:408
--	e 1908	<i>pallescens</i> Everes	3:54
--	e 1908	<i>ab. pallida</i> Ruralis	2:281
--	e 1908	<i>ab. pallida</i> Celastrina	2:395
--	e 1908	<i>ab. pallida</i> Everes	3:54
--	e 1908	<i>ab. pallidalata</i> Celastrina	2:395
--	e 1908	<i>ab. pallidasuffusa</i> Celastrina	2:395
--	e 1908	<i>parvipuncta</i> Everes	3:59

Tutt 1905-1914 Nat. Hist. Brit. Butts [b4760] (continued)

--	e 1908	<i>ab. pauper</i> Celastrina	2:394
--	e 1908	<i>ab. paupera</i> Strymon	2:197
--	e 1908	<i>ab. pauperlata</i> Celastrina	2:394
--	e 1908	<i>ab. paupersuffusa</i> Celastrina	2:394
--	e 1908	<i>punctata</i> Celastrina	2:394
--	e 1908	<i>ab. purpurascens</i> Everes	3:55
--	e 1908	<i>purpurascensmarginata</i> Everes	3:54
--	e 1908	<i>rufescens</i> Everes	3:56
--	e 1908	<i>semiobsoleta</i> Everes	3:59
--	e 1908	<i>striata</i> Polyommatus	2:175 or 178
--	e 1908	<i>ab. subusjuncta</i> Celastrina	2:414
--	e 1908	<i>ab. transversa</i> Celastrina	2:398
--	e 1908	<i>ab. trilinea</i> Celastrina	2:393
--	e 1908	<i>typicamarginata</i> Everes	3:54
--	e 1909	<i>ab. addenda</i> Plebeius	3:179
--	e 1909	<i>ab. addenda</i> Agriades	3:356, pl 42
--	e 1909	<i>ab. albolineata</i> Agriades	3:332
--	e 1909	<i>ab. alboocellata</i> Agriades	3:337
--	e 1909	<i>ab. alceoides</i> Cupido	3:110+
--	e 1909	<i>ab. altacona</i> Polyommatus	3:270
--	b 1909	<i>altaianus</i> Polyommatus	3:270
--	c 1909	<i>amurensis</i> Cyaniris	3:271
--	e 1909	<i>ab. angustamarginata</i> Plebeius	3:174
--	e 1909	<i>ab. anticompunctata</i> Plebeius	3:179
--	e 1909	<i>ab. anticoradiata</i> Plebeius	3:177
--	e 1909	<i>ab. approximatajuncta</i> Plebeius	3:186
--	e 1909	<i>ab. atrescens</i> Agriades	3:337
--	e 1909	<i>ab. aurescens</i> Agriades	3:336
--	e 1909	<i>ab. balcanica</i> Polyommatus	3:272
--	e 1909	<i>ab. basijuncta</i> Plebeius	3:178
--	b 1909	<i>branelasensis</i> Plebeius	3:198
--	e 1909	<i>ab. brunnescens</i> Agriades	3:332
--	e 1909	<i>ab. brunnescens</i> Polyommatus	3:263
--	e 1909	<i>ab. c-nigrum</i> Polyommatus	3:261
--	e 1909	<i>ab. caerulea</i> Plebeius	3:188
--	e 1909	<i>ab. caeruleocincta</i> Agriades	3:333
--	e 1909	<i>ab. caeruleocuneata</i> Agriades	3:333
--	e 1909	<i>ab. caeruleopuncta</i> Agriades	3:333
--	e 1909	<i>ab. caeruleascens</i> Cupido	3:105, pl 4
--	e 1909	<i>ab. caeruleascens</i> Plebeius	3:180
--	e 1909	<i>ab. caeruleascens</i> Agriades	3:333
--	e 1909	<i>ab. caeruleascenslunulata</i> Agriades	3:333
--	e 1909	<i>ab. caeruleascensmarginata</i> Agriades	3:333
--	e 1909	<i>ab. caeruleus</i> Plebeius	3:180
--	e 1909	<i>ab. cernuslunulata</i> Agriades	3:332
--	e 1909	<i>ab. conjuncta</i> Agriades	3:352
--	e 1909	<i>ab. cordata</i> Plebeius	3:179
--	c 1909	<i>coreana</i> Plebeius	3:201
--	e 1909	<i>ab. costajuncta</i> Plebeius	3:178
--	e 1909	<i>ab. croceocaeruleascens</i> Plebeius	3:181
--	e 1909	<i>ab. croceolunulata</i> Plebeius	3:181 or 199
--	e 1909	<i>ab. croceopostcaeruleascens</i> Plebeius	3:181
--	e 1909	<i>ab. croceosemivirgata</i> Plebeius	3:181
--	e 1909	<i>ab. croceosemivirgatacaeruleascens</i> Plebeius	3:181
--	e 1909	<i>ab. croceovirgata</i> Plebeius	3:181
--	e 1909	<i>ab. croceovirgatacaeruleascens</i> Plebeius	3:181
--	e 1909	<i>ab. cuneata</i> Plebeius	3:178
--	e 1909	<i>ab. cuneomarginata</i> Agriades	3:332
--	e 1909	<i>ab. dentata</i> Polyommatus	3:257
--	c 1909	<i>diporides</i> Everes	3:69
--	e 1909	<i>ab. discoanterior</i> Plebeius	3:176
--	e 1909	<i>ab. discoidalisduplex</i> Agriades	3:338
--	e 1909	<i>ab. discoidalisnulla</i> Agriades	3:338
--	e 1909	<i>ab. discolunulata</i> Plebeius	3:176
--	e 1909	<i>ab. discoobsoleta</i> Plebeius	3:176
--	e 1909	<i>ab. discoposteriora</i> Plebeius	3:176
--	e 1909	<i>ab. excelsia</i> Agriades	3:331
--	e 1909	<i>ab. excessa</i> Polyommatus	3:261
--	e 1909	<i>extrema</i> Cupido	3:108
--	e 1909	<i>ab. extrema</i> Plebeius	3:179
--	e 1909	<i>ab. fallouii</i> Plebeius	3:188

Tutt 1905-1914 Nat. Hist. Brit. Butts [b4760] (continued)

--	e 1909	<i>ab. faivolunulata</i> Plebeius	3:181
--	e 1909	<i>ab. fergana</i> Polyommatus	3:271
--	e 1909	<i>ab. flavescens</i> Plebeius	3:179
--	e 1909	<i>ab. flavescens</i> Agriades	3:332
--	e 1909	<i>ab. flavolunulata</i> Plebeius	3:181
--	e 1909	<i>ab. flavopostcaeruleus</i> Plebeius	3:181
--	e 1909	<i>ab. flavosemivirgata</i> Plebeius	3:181
--	e 1909	<i>ab. flavovirgata</i> Plebeius	3:181
--	e 1909	<i>ab. flavovirgatacaeruleus</i> Plebeius	3:181
--	e 1909	<i>ab. fusca</i> Plebeius	3:199
--	e 1909	<i>ab. fuscescens</i> Agriades	3:333 or 337
--	e 1909	<i>ab. fuscus</i> Plebeius	3:180
--	c 1909	<i>graeca</i> Plebeius	3:196
--	e 1909	<i>ab. howkowi</i> Cupido	3:112
--	e 1909	<i>ab. hypochionoides</i> Plebeius	3:199
--	b 1909	<i>iberica</i> Plebeius	3:194
--	e 1909	<i>ab. impunctata</i> Plebeius	3:179
--	e 1909	<i>ab. initia</i> Agriades	3:337
--	e 1909	<i>intermedia</i> Polyommatus	3:275
--	e 1909	<i>ab. intermedianarginata</i> Plebeius	3:174
--	e 1909	<i>ab. irregularis</i> Agriades	3:348
--	e 1909	<i>ab. irregularis</i> Plebeius	3:177
--	e 1909	<i>ab. juncta</i> Plebeius	3:185
--	e 1909	<i>ab. latamarginata</i> Plebeius	3:174
--	e 1909	<i>ab. lilacina</i> Plebeius	3:173
--	e 1909	<i>ab. lilacina</i> Plebeius	3:173
--	e 1909	<i>ab. lilacinaminor</i> Plebeius	3:172
--	e 1909	<i>ab. lineata</i> Polyommatus	3:261
--	e 1909	<i>ab. lunulata</i> Agriades	3:332
--	e 1909	<i>magnipuncta</i> Cupido	3:108
--	e 1909	<i>ab. magnipuncta</i> Plebeius	3:177
--	e 1909	<i>major</i> Cupido	3:107
--	e 1909	<i>ab. major</i> Polyommatus	3:258
--	e 1909	<i>ab. major</i> Plebeius	3:172
--	e 1909	<i>ab. marginipunctata</i> Plebeius	3:174
--	e 1909	<i>ab. mediojuncta</i> Plebeius	3:185
--	e 1909	<i>ab. mesopotamica</i> Polyommatus	3:256
--	e 1909	<i>ab. metallica</i> Agriades	3:332
--	e 1909	<i>minor</i> Cupido	3:107
--	e 1909	<i>ab. minor</i> Plebeius	3:172
--	e 1909	<i>ab. minor</i> Polyommatus	3:257
--	e 1909	<i>ab. minutissimus</i> Plebeius	3:173
--	e 1909	<i>ab. montanagrandis</i> Polyommatus	3:257
--	e 1909	<i>ab. moreana</i> Cupido	3:114
--	e 1909	<i>ab. nigrescens</i> Agriades	3:332
--	e 1909	<i>ab. nigroocellata</i> Agriades	3:333
--	e 1909	<i>ab. obsoletajuncta</i> Plebeius	3:178
--	c 1909	<i>ongodai</i> Plebeius	3:199
--	c 1909	<i>orientalis</i> Plebeius	3:192
--	e 1909	<i>ab. pallascens</i> Agriades	3:336
--	e 1909	<i>ab. pallida</i> Plebeius	3:173
--	e 1909	<i>ab. particolor</i> Agriades	3:340
--	e 1909	<i>parvipuncta</i> Cupido	3:108
--	e 1909	<i>ab. parvipuncta</i> Plebeius	3:177
--	e 1909	<i>ab. parvipuncta</i> Agriades	3:337
--	e 1909	<i>ab. persica</i> Polyommatus	3:277
--	e 1909	<i>ab. plumbea</i> Plebeius	3:174
--	e 1909	<i>ab. plumbea</i> Polyommatus	3:256
--	e 1909	<i>ab. posterocaeulescens</i> Plebeius	3:180
--	e 1909	<i>ab. posterocroceus</i> Plebeius	3:181
--	e 1909	<i>ab. posteroflava</i> Plebeius	3:181
--	e 1909	<i>ab. posteroimpunctata</i> Plebeius	3:179
--	e 1909	<i>ab. posticolunulata</i> Agriades	3:332
--	e 1909	<i>ab. posticostrata</i> Agriades	3:352
--	e 1909	<i>ab. purpurascens</i> Agriades	3:331
--	b 1909	<i>pyrenaica</i> Plebeius	3:198
--	e 1909	<i>ab. rufescens</i> Plebeius	3:179
--	e 1909	<i>ab. rufescens</i> Agriades	3:336
--	e 1909	<i>ab. rufolunulata</i> Plebeius	3:198
--	e 1909	<i>ab. rufolunulata</i> Agriades	3:343 or 350
--	e 1909	<i>ab. semiceronus</i> Agriades	3:333

Tutt 1905-1914 Nat. Hist. Brit. Butts [b4760] (continued)

--	e 1909	<i>ab. semicoelestis</i> Agriades	3:332
--	e 1909	<i>semiobsoleta</i> Cupido	3:108, 110
--	e 1909	<i>ab. striata</i> Everes	3:65
--	e 1909	<i>ab. striata</i> Cupido	3:110, pl 4
--	e 1909	<i>ab. subcoelestis</i> Agriades	3:333
--	e 1909	<i>ab. unipuncta</i> Plebeius	3:177, 184
--	c 1909	<i>uralensis</i> Polyommatus	3:270
--	e 1909	<i>ab. venialunulata</i> Agriades	3:332
--	b 1909	<i>vigensis</i> Plebeius	3:198
--	e 1909	<i>ab. violascens</i> Cupido	3:105, pl 4
--	e 1909	<i>ab. viridescens</i> Agriades	3:331
--	e 1909	<i>ab. viridescens</i> Cupido	3:105
--	c 1910	<i>meridionalis</i> Agriades	4:46-47
--	c 1910	<i>transalbicans</i> Agriades	4:52
--	e 1911	<i>obscuramajor</i> Maculinea	4:317
--	e 1912	<i>ab. cincta</i> Agriades	4:10
--	e 1912	<i>ab. cuneata</i> Agriades	4:10
--	e 1912	<i>ab. divisa</i> Agriades	4:10
--	e 1912	<i>ab. latimargo</i> Agriades	4:10
--	e 1912	<i>ab. subalbolunata</i> Agriades	4:14
--	e 1914	<i>addenda</i> Maculinea	4:325
--	e 1914	<i>anicoobsoleta</i> Maculinea	4:326
--	e 1914	<i>basijuncta</i> Maculinea	4:322
--	e 1914	<i>basipuncta</i> Maculinea	4:322
--	e 1914	<i>caeruleomarginata</i> Maculinea	4:324
--	e 1914	<i>caeruleomarginatafasciata</i> Maculinea	4:324
--	e 1914	<i>obscurimperialis</i> Maculinea	4:323
--	e 1914	<i>posterioimmaculata</i> Maculinea	4:324
--	e 1914	<i>punctatissima</i> Maculinea	4:324
--	e 1914	<i>striata</i> Maculinea	4:325
BMNH-lt	a 1914	<i>syriaca</i> Agriades	4:58

Tutt 1908 Ent. Rec. [b4762]

--	e	<i>ab. albipuncta</i> Polyommatus	20(12):274
--	e	<i>ab. obsoleta</i> Polyommatus	20(12):274
--	e	<i>ab. sinepunctata</i> Polyommatus	20(12):274
--	e	<i>ab. unipunctata</i> Lycaena	20(12):274

Tutt 1909 Ent. Rec. [b4763]

-	a	<i>corsica</i> Plebeius	21(2):59
-	c	<i>cretaceus</i> Plebeius	21(2):59
-	c	<i>masseyi</i> Plebeius	21(2):59

Tutt 1909 Ent. Rec. [b4764]

-	c	<i>ofenia</i> Lycaena	21(9):198
---	---	-----------------------	-----------

Tutt 1909 Ent. Rec. [b4765]

--	e	<i>ab. flavescens</i> Lycaena	21(10):228
--	e	<i>fulvescens</i> Lycaena	21(10):228
--	e	<i>ab. suldensis</i> Lycaena	21(10):229

Tutt 1909 Ent. Rec. [b4766]

-	c	<i>caeruleus</i> Lysandra	21(12):300
-	e	<i>ab. meridionalis</i> Agriades (NN)	21(12):299
--	e	<i>ab. meridionalis</i> Polyommatus	21(12):299

Tutt 1912 Deut. ent. Zeit. [Iris] [b4769]

--	e	<i>ab. tribasipunctata</i> Plebeius	26:52, pl 5
----	---	-------------------------------------	-------------

Tyler 1912 J. Bombay nat. Hist. Soc. [b4770]

-	c	<i>chinee</i> Lampides	21(2):596, pl B
--	e	<i>ab. hybrida</i> Ilerda	21(2):599
-	b	<i>kala</i> Ilerda	21(2):599, pl B
-	a	<i>kohimensis</i> Ilerda	21(2):598, pl B

Tyler 1915 J. Bombay nat. Hist. Soc. [b4771]

-	b	<i>attenuata</i> Abisara	23(3):512, pl 2
---	---	--------------------------	-----------------

Tyler 1915 J. Bombay nat. Hist. Soc. [b4772]

BMNH-lt	b	<i>arata</i> Athopala	24(1):135, pl 3
-	b	<i>assamica</i> Everes	24(1):122
BMNH-lt	a	<i>assamica</i> Zephyrus	24(1):130
-	c	<i>cotoides</i> Camena	24(1):140, pl 4

- Tyler 1915 J. Bombay nat. Hist. Soc. [b4772] (continued)
- BMNH-lt a *dohertyi* Cyaniris 24(1):121, pl 4
 - a *dohertyi* Virachola 24(1):138
 - c *doni* Zephyrus 24(1):129
 BMNH-ht b *dumoides* Zephyrus 24(1):127, pl 4
 - a *evansii* Aphnaeus 24(1):132
 - a *intermedia* Zephyrus 24(1):127
 BMNH-ht a *jakemensis* Zephyrus 24(1):130, pl 4
 - a *kabrura* Zephyrus 24(1):128, pl 4
 BMNH-ht a *kirbariensis* Zephyrus 24(1):130, pl 4
 BMNH-lt c *melaenoides* Cyaniris 24(1):121, pl 3
 BMNH-ht a *paona* Zephyrus 24(1):131, pl 4
 - d *rosacea* Virachola (H) 24(1):138, pl 3
 - c *saitua* Thecla 24(1):132, pl 3
 - b *sebonga* Tajuria 24(1):141, pl 4
 BMNH-ht c *subfasciata* Logania 24(1):120
 BMNH-ht b *suffusa* Arhopala 24(1):133
 BMNH-ht a *suroia* Zephyrus 24(1):125, pl 4
 - c *thydia* Tajuria 24(1):141, pl 4
 - b *virgoides* Pseudochliaria 24(1):139, pl 3
 BMNH-ht a *vittata* Zephyrus 24(1):126, pl 4
 BMNH-ht b *zulla* Zephyrus 24(1):125
- Tyler 1926 J. Bombay nat. Hist. Soc. [b4773]
- d *astorica* Lycaena (H) 31(3):585, pl 1
 BMNH-ht b *atarana* Amblypodia 31(3):588
 - a *baroghila* Lycaena 31(3):583, pl 1
 - b *chitralensis* Lycaena 31(3):584, pl 1
 - d *confusa* Pseudochliaria (H) 31(3):586
 - b *depreei* Lycaena 31(3):584
 - a *florencae* Lycaena 31(3):583, pl 1
 - b *gigantea* Horsfieldia 31(3):587
 - b *gilgitica* Lycaena 31(3):584, pl 1
 - b *gilgitica* Polyommatus 31(3):586, pl 1
 - b *gooraisica* Polyommatus 31(3):586
 - b *lesliei* Lycaena 31(3):584, pl 1
 BMNH-ht c *maymyola* Amblypodia 31(3):588
 - c *nicevillei* Virachola 31(3):589
 - c *putaica* Orthomiella 31(3):587, pl 1
 - a *rubida* Rapala 31(3):590
 - d *rupala* Polyommatus (H) 31(3):586
 BMNH-ht b *sebonga* Amblypodia 31(3):588
- Tyler 1940 J. Bombay nat. Hist. Soc. [b4774]
- b *amplifascia* Abisara 42(1):122
 BMNH-ht b *cooperi* Biduanda 42(1):123
 - b *kala* Dodona 42(1):122
 - a *learmondi* Spindasis 42(1):122
 - c *learmondi* Surendra 42(1):122
 - b *learmondi* Dodona 42(1):122
 - b *naga* Dodona 42(1):121
 - b *putaica* Dodona 42(1):121
- Uchida 1932 Zephyrus [b4777]
 - e *ab. yamamotoi* Zephyrus 4(4):232
- Umeno 1936 Zephyrus [b4778]
 - e *ab. kararuna* Rapala 6(3/4):231
- Umeno 1937 Bull. Umeno ent. Lab. [b4779]
 - c *esakii* Zephyrus (4):23
- Ungemach 1932 Mém. Soc. Sci. nat. phy. Maroc [b4780]
 - e (+) *f. albivittata* Lycaenesthes (32):88
 - b *aureobrunnea* Lycaenesthes (32):85
 - a *baronica* Deudonix (32):82, f
 - c *coelestina* Lycaenesthes (32):85
 pc-ht b *colorata* Everes (32):97, pl 2
 - a *contrastata* Lycaenesthes (32):86
 - b *fasciata* Lycaenesthes (32):87
 - b *lilacina* Euchrysops (32):92
 - b *lunullifer* Euchrysops (32):92
 - b *niveocincta* Euchrysops (32):93
- Ungemach 1932 Mém. Soc. Sci. nat. phy. Maroc [b4780] (continued)
- b *oculus* Euchrysops (32):92
 - c *pluricauda* Monile (32):90
 - a *pusillus* Catochrysops (32):94,96, f
 pc-ht b *uranochroa* Cupidopsis (32):97, pl 1
- Ureta 1947 Boln Mus. nac. Hist. nat. Chile [b4781]
 MNHN-ht a *wagenknechti* Thecla 23:55, pl 1
- Ureta 1949 Boln Mus. nac. Hist. nat. Chile [b4782]
 MNHNC b *borealis* Leptotes 24:112, pl 2
 - e *horsii* Scolitantides (IFS) 24:122, pl 6
 MNHNC-ht a *kuscheli* Thecla 24:98, pl 1
 - e *ab. tricolor* Thecla 24:106
- Ureta 1956 Boln Mus. nac. Hist. nat. Chile [b4783]
 MNHN-ht a *flavaria* Thecla 26(6):258
 lost a *oligocyanea* Itylus 26(6):159, f
 - a *rojasi* Thecla 26(6):258
- Valle 1935 Anim. fenn. 2 I. Diurna [b4789]
 - e *ab. radiata* Chrysophanus :134
- van der Poorten 1984 Nota lepid. [b4790]
 pc-ht b *pelopides* Kretania 7(2):164-170
- van Eecke 1914 Notes Leyden Mus. [b4792]
- b *albotignia* Gerydus 36(3/4):245
 - b *babicola* Castalius 36(3/4):248
 - b *juliana* Lampides 36(3/4):250
 RNH-lt b *mirus* Allotinus 36(3/4):247
 - b *ritsemæ* Eooxylides 36(3/4):254
 - b *serunica* Marmessus 36(3/4):255
 - b *watsoni* Eooxylides 36(3/4):253
- van Eecke 1915 Nova Guinea [b4794]
 - b *latostriatus* Hypolycaena 13(Zool. 3):75
- van Eecke 1918 Zoöl. Meded. [b4795]
- b *minor* Lycaenesthes 4(2):94
 - b *pumilina* Chliaria 4(2):96
 - b *splendidus* Hypolycaena 4(2):96
- van Eecke 1924 Nova Guinea [b4796]
- RNH-lt a *argyriorufa* Hypochrysops 15(Zool. 4):41
 RNH-ht c *gemma* Hypochrysops 15(Zool. 4):41
 - c *vanheurni* Nacaduba 15(Zool. 4):41
- van Oorschot & van den Brink 1991 Ent. Ber. [b4798]
 - b *zabni* Satyrium 51(3):40, f
- van Oorschot & van den Brink & van Oorschot 1984 Ent. Ber. [b4799]
 - b *albocilia* Cupido 44(9):142, f
- van Oorschot & van den Brink & van Oorschot 1985 Ent. Ber. [b4800]
 - b *mardinus* Satyrium 45(10):146, f
- van Regteren Altena 1949 Tijdschr. Ent. [b4801]
 - b *corneliae* Cupido 91:17
- van Someren 1939 J. E. Afr. Ug. nat. Hist. Soc. [b4802]
- a *busoga* Pseudaletis 14:174, f
 - b *chyluensis* Pentila 14:146
 - b *chylulu* Pentila 14:145
 - b *kedonga* Stugeta 14:175, f
- van Someren 1957 J. ent. Soc. S. Afr. [b4803]
- b *borealis* Lepidochrysops 20(1):64
 - a *budama* Lepidochrysops 20(1):65
 - a *jacksoni* Lepidochrysops 20(1):67
 - a *jansel* Lepidochrysops 20(1):75
 - a *labwor* Lepidochrysops 20(1):68
 - a *lukenia* Lepidochrysops 20(1):69

- van Someren 1957 J. ent. Soc. S. Afr. [b4803] (*continued*)
 - b *moyo* *Lepidochrysops* 20(1):73
 - b *suk* *Lepidochrysops* 20(1):61
- van Son 1941 J. ent. Soc. S. Afr. [b4804]
 - b *aridus* *Thestor* 4:188
 - b *ayresi* *Durbania* 4:182
 - a *braunsi* *Thestor* 4:186
 - a *clarki* *Durbania* 4:183
 - a *montanus* *Thestor* 4:191
 - d *obscurus* *Thestor* (H) 4:192
 - b *pictus* *Thestor* 4:192
- van Son 1949 Ann. Transv. Mus. [b4805]
 - a *penningtoni* *Deudorix* 21(2):213, f 3
 - a *penningtoni* *Thestor* 21(2):214, f
 - a *zuluana* *Teriomima* 21(2):211, f
- van Son 1949 Occ. Pap. natn Mus. Sth. Rhodesia [b4806]
 - c *innesi* *Deloneura* 2(15):259, f
- van Son 1951 Ann. Transv. Mus. [b4807]
 - a *dukel* *Thestor* 21:439
 - a *holmesi* *Thestor* 21:441
 - a *struttii* *Thestor* 21:444
- van Son 1956 Ann. Transv. Mus. [b4808]
 - a *badhami* *Lepidochrysops* 22:508, f
 - a *capensis* *Crudaria* 22:505, f
- van Son 1959 Koedoe [b4809]
 - b *knobeli* *Phasia* (2):56
 TM-ht c *f. labuschagnei* *Phasia* (2):57
- van Son 1959 Novos Taxa ent. [b4810]
 - b *natalensis* *Durbania* (16):8, f
 - b *penningtoni* *Durbania* (16):7
- van Son 1966 Ann. Transv. Mus. [b4812]
 - a *aureus* *Pocilmitis* 25(4):82
 - a *dryburghi* *Thestor* 25(4):86
 - a *natalensis* *Pocilmitis* 25(4):84
- van Wisselingh 1948 Tijdschr. Ent. [b4813]
 - c *basinovopuncta* *Maculinea* 89:xxvii
- Vane-Wright 1975 Bull. Br. Mus. nat. Hist. (Ent.) [b4815]
 T *annulatus* *Papilio* 32(2):47
- Vane-Wright 1980 In Butts Afrotropical Region [b4816]
 BMNH-ht a *rosei* *Alaena* :416, f
- Vane-Wright 1994 In Butts Neotropical Region, Pt 4:1002, f [b4817]
 pc-ht a *urichi* *Theope* *
- Varga 1960 Folia ent. hung. [b4819]
 - c *f. tornensis* *Aricia* (IFS) (ns)13:448, f
- Vári 1976 Ann. Transv. Mus. [b4821]
 - a *brainei* *Alaena* 30(13):128, f
 - a *hesperis* *Castalius* 30(13):133, f
 - c *natalica* *Iolaus* 30(13):132, f
 - b *ochroma* *Alaena* 30(13):128, f
 - e *ab. orphnina* *Alaena* 30(13):127
- Vári 1986 [b0000]
 - a *mijburghi* *Lepidochrysops* *
- Vasile 1980 Bull. Soc. ent. Mulhouse [b4825]
 - e *ab. analmaculata* *Plebejus* 1980:52
 - e *ab. nigra* *Plebejus* 1980:52
 - e *ab. obsoleta* *Plebejus* 1980:52
- Vázquez 1958 An. Inst. Biol. Univ. Méx. [b4826]
 - b *clarionica* *Thecla* 28(1/2):302
- Vázquez 1958 An. Inst. Biol. Univ. Méx. [b4826] (*continued*)
 - b *socorroica* *Thecla* 28(1/2):303
- Venzmer 1920 Deut. ent. Zeit. [Iris] [b4827]
 - c *taurica* *Lycaena* 34:49
- Verdugo Paez 1984 Revta Lep. [b4828]
 - b *boyarensis* *Heodes* 12(1):56, f
- Verhulst & Verhulst 1985 Bull. Cercle Lepid. Belg. [b4830]
 - b *boalensis* *Polyommatus* 14(1):18, f
- Verity 1903 Bull. Soc. ent. Fr. [b4831]
 MZS-ht e *albinos* *Lycaena* (IFS) 1903(17):288
 MZS-ht e *pseudocyllarus* *Polyommatus* (IFS) 1903(17):288
 - e *ab. rosea* *Polyommatus* 1903(17):288
- Verity 1904 Boll. Soc. ent. ital. [b4832]
 - e *bellargoides* *Lycaena* (IFS) 36:11
 MZS-ht e *stefanellii* *Lycaena* (IFS) 36:11
- Verity 1904 Entomologist [b4833]
 MZS-ht e *agrphomena* *Lycaena* (IFS) 37:59
 MZS-ht e *beccarii* *Thecla* (IFS) 37:56, pl 4
 - e *ab. nigrolineata* *Chrysophanus* 37:57
 - e *ab. upoleuca* *Chrysophanus* 37:58
- Verity 1911 Boll. Soc. ent. ital. [b4834]
 MZS-st e *abertonica* *Lycaena* (RA) 42:273
 MZS-st e *arcuata* *Lycaena* (IFS) 42:276, f
 - e *detersa* *Lycaena* (IFS) 42:276
 MZS-st b *inalpina* *Thecla* (RA) 42:272, pl 1
 MZS-st c *inornata* *Thecla* (RA) 42:273
 destroyed e *ab. simplicior* *Lampides* 42:273, pl 1
 MZS-ht e *violacea* *Lycaena* (IFS & H) 42:277
- Verity 1913 J. linn. Soc. Lond., Zool. [b4835]
 MZS-st e *inalpinus* *Chrysophanus* (RA) 32(215):187
 MZS-st e *mirus* *Chrysophanus* (RA) 32(215):188
 - b *ramburi* *Aricia* 32(215):189
 BMNH-ht a *virgatus* *Callophrys* (RA) 32(215):187
- Verity 1914 Boll. Soc. ent. ital. [b4836]
 - e *acaciaeformis* *Thecla* (IFS) 45:229
 - b *ausonia* *Lycaena* 45:232, pl 1
 - e *calabricus* *Lycaena* (RA) 45:229, pl 1
 MZS-st e *calabrus* *Chrysophanus* (IFS) 45:229
 MZS-st e *mira* *Lycaena* (RA) 45:230, pl 1
- Verity 1916 Anns Soc. ent. Fr. [b4837]
 - e *altera* *Lycaena* (IFS) 84:517
 - e *apuana* *Lycaena* (NN) 84:515
 - e *florentina* *Lycaena* (IFS) 84:517
 - e *reverdini* *Lycaena* (IFS) 84:516
- Verity 1916 Boll. Soc. ent. ital. [b4838]
 - e *apuana* *Lycaena* (RA) 46:133
 MZS-st e *sibyllina* *Lycaena* (RA) 46:133
 - e *superapennina* *Lycaena* (RA) 46:131
- Verity 1919 Atti Soc. ital. Sci. nat. [b4839]
 - d *italica* *Maculinea* (H) 58:19
- Verity 1919-1922 Ent. Rec. [b4840]
 - e 1919 *alineata* *Thecla* (IFS & H) 31:47
 - e 1919 *alpophila* *Plebeius* (RA) 31:46
 - e 1919 *angulosa* *Cupido* (RA) 31:47
 - e 1919 *apennincola* *Agrades* (NN) 31:29
 MZS-st e 1919 *apennincola* *Plebeius* (RA) 31:45
 MZS-st e 1919 *apenninigena* *Agrades* (RA) 31:30
 MZS-st e 1919 *apenninophila* *Plebeius* (RA) 31:46
 MZS-st e 1919 *ausonidarum* *Cyaniris* (RA) 31:5 or 46
 MZS-st e 1919 *australissima* *Plebeius* (RA) 31:46
 MZS-st e 1919 *britannia* *Lycaenopsis* (RA) 31:46
 MZS-st e 1919 *britannorum* *Agrades* (RA) 31:29

- Verity 1919-1922 Ent. Rec. [b4840] (continued)
- MZS-st e 1919 *calabrica* Plebeius (RA) 31:45
 MZS-st e 1919 *calidogenita* Lycaenopsis (IFS) 31:46
 - e 1919 *calliopes* Plebeius (RA) 31:46
 MZS-st e 1919 *canicularis* Lycaenopsis (IFS) 31:47
 MZS-st e 1919 *completa* Glaucopsyche (IFS) 31:29
 MZS-st? e 1919 *diminuta* Everes (IFS) 31:47
 MZS-st e 1919 *etrusca* Agriades (IFS) 31:29
 - e 1919 *hibernata* Agriades (IFS) 31:44
 MZS-st e 1919 *inalpina* Agriades (RA) 31:29
 MZS-st b 1919 *interjecta* Bithys (RA) 31:48
 MZS-st e 1919 *interjecta* Agriades (IFS) 31:44
 MZS-st e 1919 *italica* Thecla (RA) 31:48
 MZS-st e 1919 *italorum* Lowcia (RA) 31:29
 MZS-st e 1919 *italorum* Plebeius (RA) 31:45
 MZS-st e 1919 *lonensis* Plebeius (IFS) 31:45
 MZS-st e 1919 *laeumfera* Everes (IFS) 31:47
 MZS-st e 1919 *maja* Agriades (IFS) 31:29
 MZS-st e 1919 *meridiana* Agriades (IFS) 31:43
 MZS-st e 1919 *minuta* Thecla (RA) 31:48
 MZS-st e 1919 *mirabilis* Lowcia (RA) 31:28
 MZS-ht e 1919 *miseria* Plebeius (IFS) 31:46
 MZS-ht e 1919 *mixta* Lycaenopsis (IFS) 31:45 or 47
 lost e 1919 *obscurata* Scolitantides (IFS) 31:29
 - e 1919 *pauper* Glaucopsyche (RA) 31:29
 MZS-st e 1919 *perfecta* Cyaniris (RA) 31:45
 MZS-st e 1919 *praecocior* Scolitantides (IFS) 31:29
 MZS-st e 1919 *pulcherrima* Polyommatus (IFS) 31:44
 MZS-st e 1919 *quercii* Cyaniris (RA) 31:45
 - e 1919 *saxonica* Agriades (RA) 31:29
 - e 1919 *splendida* Agriades (NN or ISS) 31:31
 MZS-st e 1919 *trinacriae* Cupido (RA) 31:47
 MZS-st e 1919 *aratii* Agriades (RA) 31:31
 MZS-st e 1919 *tuscanica* Plebeius (RA) 31:45
 - e 1919 *vectae* Agriades (NN or ISS) 31:29
 MZS-st e 1919 *vestae* Agriades (RA) 31:30
 biblio e 1919 *zelleri* Polyommatus (RA) 31:44
 MZS-st e 1920 *altivolans* Agriades (RA) 32:144
 MZS-st e 1920 *correpta* Agriades (IFS) 32:144
 - e 1920 *infracacaotica* Aricia (IFS) 32:149
 MZS-ht e 1920 *infracandida* Aricia (RA) 32:148 or 150
 - e 1920 *infralbans* Aricia (IFS) 32:148
 - e 1920 *infraplumbea* Aricia (IFS) 32:149
 MZS-st e 1920 *macra* Polyommatus (RA) 32:144
 - e 1920 *nigrioreleus* Rumicia (NN) 32:5
 - e 1920 *pallidefulva* Aricia (IFS) 32:149
 - e 1920 *ab. petri* Agriades (IFS) 32:129
 - e 1920 *ab. petri* Agriades (IFS) 32:140
 - e 1920 *rasa* Polyommatus (NN) 32:145
 - e 1920 *sansoni* Agriades (IFS) 32:140
 MZS-st e 1920 *squalida* Polyommatus (IFS) 32:145
 MZS-st e 1920 *subcalida* Aricia (RA) 32:150
 - e 1920 *subornata* Aricia (IFS) 32:148
 - e 1920 *varieleus* Rumicia (NN) 32:5
 MZS-st e 1921 *aegusella* Plebeius (RA) 33:175
 MZS-st e 1921 *apenninogenita* Agriades (RA) 33:190
 MZS-st e 1921 *bristia* Agriades (RA) 33:190
 -nt b 1921 *caelestissima* Agriades (RA) 33:191
 MZS-st e 1921 *calabricola* Plebeius (RA) 33:175
 - e 1921 *coelestissima* Agriades (IOS) 33:192
 - e 1921 *glaciata* Aricia (RA) 33:174
 MZS-st? b 1921 *praeterinsularis* Plebeius (RA) 33:175
 - e 1921 *prior* Agriades (IFS) 33:191
- Verity 1920 Boll. Lab. Zool. Portici [b4841]
 - e *rasa* Polyommatus (NN) 14:48
- Verity 1924 Ent. Rec. [b4842]
 MZS-st e *australpina* Lycaena (RA) 36:109
 MZS-st e *italaveris* Lowcia (IFS) 36:108
 MZS-st e *pallidula* Plebeius (RA) 36:110
 MZS-st e *veris* Plebeius (IFS) 36:110
- Verity 1925 Ent. Rec. [b4843]
 MZS-st e *pseudolorquini* Cupido (RA) 37(5):76
- Verity 1926-1933 Ent. Rec. [b4844]
 MZS-st e 1926 *alpium* Lycaena (RA) 38:120
 MZS-st e 1926 *alpiumclara* Polyommatus (RA) 38:121
 MZS-st e 1926 *alpiumfusca* Agriades (RA) 38:125
 MZS-st e 1926 *alpiumpallida* Agriades (RA) 38:123
 MZS-ht e 1926 *atrescens* Agriades (IFS) 38:124
 MZS-st e 1926 *dealbata* Latorina (RA) 38:105
 MZS-st e 1926 *dinae* Agriades (RA) 38:124
 - e 1926 *enervis* Agriades (RA) 38:122
 MZS-st b 1926 *exuberans* Hirsutina (RA) 38:121
 MZS-st b 1926 *frigidiol* Strymon (RA) 38:125
 MZS-st e 1926 *fumosa* Agriades (RA) 38:123
 MZS-st e 1926 *galliae* Agriades (RA) 38:123
 MZS-st e 1926 *germanella* Agriades (RA) 38:125
 MZS-st e 1926 *hispanagallica* Agriades (RA) 38:124
 MZS-st e 1926 *insulana* Agriades (RA) 38:123
 MZS-st e 1926 *italagallica* Agriades (RA) 38:124
 MZS-st e 1926 *jurae* Agriades (RA) 38:123
 MZS-st e 1926 *macromargarita* Agriades (RA) 38:121
 MZS-st e 1926 *micromargarita* Agriades (RA) 38:121
 MZS-st e 1926 *minutepunctata* Agriades (RA) 38:124
 MZS-st e 1926 *narbonensis* Agriades (RA) 38:123
 MZS-ht e 1926 *f. pigmentocarens* Callophrys (IFS) 38:125
 - e 1926 *rufoclares* Agriades (RA) 38:122
 MZS-st e 1926 *rufoprivata* Lycaena (RA) 38:106
 MZS-st e 1926 *rufospilens* Agriades (RA) 38:122
 - e 1926 *superlunulata* Lycaena (IFS) 38:121
 - e 1926 *ultragordius* Lowcia (RA) 38:105
- Verity 1927 Bull. Soc. ent. Fr. [b4845]
 - e *caeruleonivescens* Agriades (IFS) 1927(13):206
 MZS-st e *cuencana* Agriades (RA) 1927(13):208
- Verity 1927 Anns Soc. ent. Fr. [b4846]
 MZS-st e *arida* Plebeius (IFS) 96:9
 - e *bellieroides* Plebeius (IFS) 96:7
 MZS-st e *latolimbo* Plebeius (IFS) 96:7
 MZS-st e *magnalpina* Plebeius (RA) 96:10
 MZS-st e *opulenta* Plebeius (RA) 96:7
 - e *saturior* Plebeius (RA) 96:11
 - b *trappi* Plebeius 96:16
 MZS-st e *ultima* Plebeius (IFS) 96:13
- Verity 1928 Bull. Soc. ent. Fr. [b4847]
 MZS-st e *madrii* Turania (RA) 1928(8):143
 biblio e *maritimalpium* Glaucopsyche 1928(8):141
 MZS-st c *melanoposmater* Glaucopsyche (RA) 1928(8):141
 MZS-st e *praepanopes* Turania (RA) 1928(8):143
 MZS-st e *subpauper* Glaucopsyche (RA) 1928(8):142
- Verity 1928 Bull. Soc. ent. Fr. [b4848]
 MZS-st e *aridogenita* Aricia (RA) 1928(11):183
 MZS-st e *minusornata* Aricia (IFS) 1928(11):182
 MZS-st e *montanabella* Aricia (RA) 1928(11):180
 biblio a *montensis* Aricia 1928(11):180
 MZS-st c *montiummagna* Aricia (RA) 1928(11):181
 - e *pallidecanariensis* Aricia (IFS) 1928(11):182
 - e *pallidecramera* Aricia (IFS) 1928(11):182
 MZS-st e *semimontensis* Aricia (RA) 1928(11):180
 MZS-st e *subcanariensis* Aricia (RA) 1928(11):183
 MZS-st e *subcramera* Aricia (RA) 1928(11):182
- Verity 1929 Bull. Soc. ent. Fr. [b4849]
 MZS-st e *gravesi* Heodes (RA) 1929(7):129
 MZS-st e *gravesica* Heodes (RA) 1929(7):129
 MZS-st e *mediomontana* Heodes (RA) 1929(7):131
 MZS-st e *pyrenemontana* Heodes (RA) 1929(7):131
- Verity 1929 Bull. Soc. ent. Fr. [b4850]
 MZS-st e *microsticta* Agriades (RA) 1929(9):158

Verity 1929 Bull. Soc. ent. Fr. [b4850] (continued)
 MZS-st e *rondoidimidia* Agriades (RA) 1929(9):158
 MZS-st e *sicca* Agriades (RA) 1929(9):159

Verity 1931 Deut. ent. Zeit. [Iris] [b4852]
 -- e *alpiumphilonome* Lycaeides (IFS) 45:58
 -- e *altaegidion* Lycaena 45:59
 destroyed e *argigas* Lycaeides (IFS) 45:47
 MZS-st e *austera* Lycaeides (RA) 45:69
 MZS-st e *claralpina* Lycaeides (RA) 45:53
 pc-st e *claraobscura* Lycaeides (RA) 45:54
 MZS-st e *clarasiatica* Lycaeides (RA) 45:62
 pc-st e *cretaephilonome* Lycaeides (RA) 45:66
 MZS-st e *hispanafusca* Lycaeides (RA) 45:43
 pc-st b *hypochlonaalpina* Lycaeides (RA) 45:52
 MZS-st e *microhypochlona* Lycaeides (RA) 45:38
 -- e *orientaloides* Lycaeides (RA) 45:48
 MZS-st e *pseudohypochlona* Lycaena 45:42
 MZS-st e *pulchraphilonome* Lycaeides (RA) 45:67
 MZS-st e *sophiana* Lycaeides (RA) 45:60

Verity 1934-1936 Ent. Rec. [b4853]
 destroyed e 1934 *antealcetas* Everes (IFS) 46(Sup.):34
 MZS-st e 1934 *antebritannorum* Lysandra (IFS) 46(Sup.):30
 MZS-st e 1934 *antecaelestis* Lysandra (IFS) 46(Sup.):30
 MZS-st e 1934 *anteparaplumbea* Lysandra (IFS) 46(Sup.):28
 -- e 1934 *diluvior* Everes (IFS) 46(Sup.):34
 pc-st e 1934 *majuspunctata* Cupido (IFS) 46(Sup.):34
 MZS-st e 1934 *pallidipicta* Palaeoloweia (RA) 46(Sup.):16
 MZS-st e 1934 *parvaplumbea* Lysandra (RA) 46(Sup.):28
 MZS-st e 1934 *postargester* Lysandra (IFS) 46(Sup.):28
 -- e 1934 *postnervis* Lysandra (IFS) 46(Sup.):29
 -- e 1934 *postthersites* Lysandra (IFS) 46(Sup.):27
 MZS-st e 1934 *praebleasei* Palaeoloweia (IFS) 46(Sup.):17

Verity 1935 Bull. Soc. ent. Fr. [b4854]
 -- e *microrientalis* Lysandra (IFS) 40(17):244
 MZS-st e *microsephyrus* Plebeius (RA) 40(17):245
 pc-st e *modica* Plebeius (RA) 40(17):245
 -- e *postmicrorientalis* Lysandra (IFS) 40(17):244

Verity 1936 Ent. Rec. [b4855]
 MZS-st a *corona* Lysandra 48:106-107

Verity 1936 Ent. Rec. [b4856]
 MZS-st b *parameleager* Polyommatus 48:130

Verity 1936-1937 Ent. Rec. [b4857]
 MZS-st e 1936 *anteschiffmulleri* Turana 48(Sup.):5
 MZS-st e 1936 *macedonica* Aricia (RA) 48(Sup.):7
 -- e 1936 *macraalpiumclara* Polyommatus (NN)48(Sup.):7
 -- e 1936 *magnagraeca* Plebeius (RA) 48(Sup.):6
 MZS-st e 1936 *olympena* Lysandra (RA) 48(Sup.):8

Verity 1937 Memorie Soc. ent. ital. [b4858]
 - b *larja* Lycaeides 16:38

Verity 1937-1938 Ent. Rec. [b4859]
 MZS-st e 1937 *antearentior* Lysandra (IFS) 49:5
 MZS-st e 1937 *arens* Lysandra (IFS) 49:4
 MZS-st e 1937 *arentior* Lysandra (IFS) 49:5
 MZS-st e 1937 *arentissima* Lysandra (IFS) 49:4
 MZS-st e 1937 *magnapunctifera* Lysandra (IFS) 49:5
 MZS-st e 1937 *persaemagna* Lysandra (RA) 49:3
 pc-st e 1937 *postcandalus* Polyommatus (IFS) 49:7
 MZS-st e 1937 *postpunctifera* Lysandra (IFS) 49:5
 MZS-st e 1937 *ultraornata* Scolitantides (RA) 49:72

Verity 1938-1939 Ent. Rec. [b4860]
 MZS-st e 1938 *clorinda* Tarucus (IFS) 50(Sup.):8
 MZS-st e 1938 *inanis* Aricia (RA) 50(Sup.):5
 MZS-st e 1938 *minorata* Aricia (IFS) 50(Sup.):5
 MZS-st e 1938 *minoratissima* Aricia (IFS) 50(Sup.):6
 MZS-st e 1938 *modicior* Aricia (IFS) 50(Sup.):5

Verity 1938-1939 Ent. Rec. [b4860] (continued)
 MZS-st e 1938 *parvandereggi* Glaucopsyche (RA)50(Sup.):4
 MZS-st e 1938 *posticelatenigra* Syntarucus (IFS)50(Sup.):9

Verity 1939 Lambillionea [b4861]
 MZS-st c *caeruleosmar* Lysandra 39:217
 MZS-st e *galliaealbicans* Lysandra (RA) 39:213
 MZS-st e *glaucargester* Lysandra (RA) 39:222
 MZS-st c *hibera* Lysandra (RA) 39:215
 -- e *italagliauca* Lysandra (RA) 39:220
 MZS-st b *opisthochros* Palaeoloweia (RA) 39:186
 MZS-st e *parabellargus* Lysandra (IFS) 39:214

Verity 1943 Farfalle Diurne Ital. [b4862]
 -- e *aestivaecaudata* Lycaena (IFS) 2:55
 -- e *aestivusecaudata* Lycaena (IFS) 2:55
 -- e *agrachomena* Aricia (IFS) 2:215
 MZS-st e *albata* Glaucopsyche (IFS) 2:131
 -- e *albosoleta* Strymon (IFS) 2:373
 -- e *albopraemargine* Agriades (IFS) 2:224, f
 -- e *albobrecessa* Strymon (IFS) 2:354
 MZS-st e *alpiummagna* Aricia (RA) 2:213
 MZS-st e *antecalida* Aricia (IFS) 2:209
 MZS-st e *antecimon* Cyaniris (IFS) 2:236
 MZS-st e *anietuscanica* Plebejus (IFS) 2:189
 -- e *anticoalbobocincta* Lysandra (IFS) 2:270
 -- e *anticodiscoelongata* Agrodiaetus (IFS) 2:323
 -- e *anticoelunata* Polyommatus (IFS) 2:247
 -- e *anticofulvomaculata* Strymon (IFS) 2:364
 MZS-st e *atavica* Syntarucus (IFS) 2:80, pl 7
 MZS-st e *autumna* Lysandra (IFS) 2:266
 -- e *caeruleolineata* Lysandra (IFS) 2:289
 -- e *caeruleosignata* Aricia (IFS) 2:106
 MZS-st e *centralitaliae* Thersamonia (RA) 2:61
 MZS-st e *citragordius* Heodes (RA) 2:45
 MZS-st e *claracaerulea* Cyaniris (IFS) 2:237
 MZS-st e *claraesimilis* Philotes (IFS) 2:119
 MZS-st e *clarior* Agrodiaetus (IFS) 2:326
 pc-st b *demissa* Leosopsis (RA) 2:342, pl 19
 -- e *ferenigra* Aricia (IFS) 2:216
 MZS-st e *fiorii* Strymon (RA) 2:358
 -- e *fuscensithetis* Lysandra (IFS) 2:297
 MZS-st e *hemialpium* Meleageria (IFS) 2:332
 MZS-st e *infracana* Heodes (IFS) 2:34
 -- e *infracanaomphale* Thersamonia (NN) 2:64
 -- e *infraclava* Heodes (IFS) 2:34
 -- e *infracululata* Agrodiaetus (IFS) 2:323
 MZS-st e *infracpallida* Leptotes (IFS) 2:80, pl 7
 -- e *infracpallida* Lycaena (IFS) 2:52, pl 6
 MZS-st e *italaegiades* Plebejus (IFS) 2:197
 MZS-st e *italanigrans* Plebejus (IFS) 2:191
 MZS-st e *italapulchra* Lycaeides (RA) 2:169
 -- e *italiae* Thersamonia (IFS) 2:61
 MZS-st e *lateacaerulea* Cupido (IFS) 2:97
 -- e *lateacaerulea* Cupido 2:97, plf 7
 -- e *latevistata* Hameanis (IFS) 2:388
 MZS-st e *macromelanica* Maculinea (RA) 2:147
 MZS-st e *magnalutea* Lysandra (RA) 2:296
 -- e *magnaluteabellargus* Lysandra (IFS) 2:297
 -- e *major* Meleageria (IFS) 2:332
 MZS-st e *mariumarum* Lysandra (RA) 2:312
 MZS-st e *media* Vacciniina (RA) 2:242
 MZS-st e *micromelanica* Maculinea (IFS) 2:147
 MZS-st e *micrometioche* Scolitantides (RA) 2:112
 MZS-st e *micrometioche* Scolitantides (IFS) 2:112
 -- e *minor* Cupido (IFS) 2:99
 -- e *minor* Meleageria (IFS) 2:332
 MZS-st e *minor* Lysandra (IFS) 2:306
 MZS-st e *montanaclara* Cyaniris (IFS) 2:239
 -- e *nigrescens* Lysandra (IFS) 2:309
 MZS-st e *nigrovelata* Cyaniris (IFS) 2:238
 -- e *october* Lysandra (IFS) 2:294

- Verity 1943 Farfalle Diurne Ital. [b4862] (*continued*)
- MZS-st e *pallidecolor* Meleageria (RA) 2:333
- MZS-st e *paraerydice* Palaeochrysophanus (RA) 2:69
- e *parallela* Heodes (IFS) 2:42
- MZS-st e *paraustera* Plebejus (RA) 2:199
- MZS-st e *paravirgilia* Agrodiaetus (IFS) 2:325
- MZS-st e *parvalaria* Lycaeides (IFS) 2:181
- e *polyphemosovalisquamosa* Polyommatus (IFS) 2:258
- MZS-st e *porrectaustoidarum* Cyaniris (IFS) 2:237
- MZS-st e *postacis* Cyaniris (IFS) 2:235
- MZS-st e *postapenninigena* Lysandra (IFS) 2:295
- MZS-st e *postastera* Plebejus (IFS) 2:199
- MZS-st e *posticobasipunctata* Agrodiaetus (IFS) 2:321
- MZS-st e *postmagnalutea* Lysandra (IFS) 2:296
- MZS-st e *postmargarita* Lysandra (IFS) 2:283
- MZS-st e *postpulkerrima* Polyommatus (IFS) 2:254
- MZS-st e *poststrifomarginata* Lysandra (IFS) 2:296
- MZS-st e *postschiffermulleri* Philotes (IFS) 2:117
- MZS-st e *postzelleri* Polyommatus (IFS) 2:256
- e *praelibisonis* Lysandra (IFS) 2:278
- MZS-ht? e *rasa* Polyommatus (RA) 2:249
- MZS-ht? e *rosea* Polyommatus (IFS) 2:249
- e *rufolunulata* Agrodiaetus (IFS) 2:321
- MZS-st e *rufosaturior* Agrodiaetus (RA) 2:328
- MZS-st e *sesquifulgentia* Lycaeides (IFS) 2:175
- MZS-st e *sesquiviola* Palaeochrysophanus (IFS) 2:70
- MZS-ht e *subradiosa* Lysandra (IFS) 2:306
- e *suffescens* Lysandra (IFS) 2:271
- MZS-ht e *supradenda* Maculinea (IFS) 2:152, pl 8
- MZS-st e *transferens* Polyommatus (IFS) 2:257
- e *varieletus* Lycaena (IFS) 2:57
- e *virescens* Lysandra (IFS) 2:281
- Verity 1947-1957 Var. Pap. diurn. France [b4863]
- MZS-st e 1948 *catherinei* Heodes (RA) :58
- e 1948 *jollans* Cupido :84
- MZS-st e 1948 *microchroa* Maculinea (RA) :106
- e 1948 *minutepunctata* Heodes (RA) :62
- MZS-st e 1948 *mixtalpina* Heodes (RA) :39 or 60
- MZS-st e 1948 *oceanitis* Heodes (RA) :58
- MZS-st e 1948 *postoceanitis* Heodes (IFS) :58
- MZS-st e 1948 *pyrenaefuscans* Maculinea (RA) :106
- MZS-st e 1948 *subsaturior* Lycaeides (RA) :110
- MZS-st e 1948 *tapinaegus* Lycaeides (RA) :117
- MZS-st e 1949 *claracaelestis* Polyommatus (RA) :146
- b 1949 *magnaglandon* Agriades :134
- e 1949 *micreros* Polyommatus (RA) :148
- MZS-st e 1949 *montiummagnaegesis* Aricia (IFS) :130
- MZS-st e 1951 *meridiocassus* Agrodiaetus (RA) :176
- MZS-ht e 1951 *pyrenaeorum* Lysandra (RA) :156
- MZS-st e 1951 *ruscinioides* Lysandra (RA) :169
- Verity 1953 Entomologist [b4865]
- e *nebeli* Maculinea (ISS) 86(7):174
- Verity & Querci 1923 Ent. Rec. [b4867]
- MZS-st e *parvifulvior* Nemeobius (RA) 35(Sup.):14
- MZS-st e *peninsulae* Lycaena (RA) 35(Sup.):7
- MZS-st e *praestans* Nemeobius (RA) 35(Sup.):13
- MZS-st e *septembris* Agriades (IFS) 35(Sup.):11
- b *turatiana* Lycaena 35(Sup.):7
- Verity & Querci 1924 Ent. Rec. [b4868]
- e *transferens* Polyommatus (NN) 36(Sep.):45
- e *transvehens* Polyommatus 36(Sep.):46
- e *zellerica* Polyommatus (NN) 36(Sep.):45
- Vicol 1977 Bull. Soc. ent. Mulhouse [b4870]
- e *ab. arcuata* Polyommatus 1977:56
- e *ab. klinzigii* Plebejus 1977:55
- e *ab. marci* Aricia 1977(Oct/Dec):55
- e *ab. uniforma* Meleageria 1977:56
- e *ab. vidrasana* Polyommatus 1977:56
- Viette 1950 Léop. Rhop. Océanie Fr. [b4871]
- e *mallicolo* Nacaduba (ISS) :54
- Vigneau 1949 Revue fr. Léop. [b4874]
- c *f. denisei* Heodes 12:149
- Villarrubia 1948 Trab. Mus. Cienc. nat. Barcelona [b4875]
- b *agenjoi* Maculinea (ns)1(2):8
- c *hospitalli* Maculinea (ns)1(2):6
- Villiers & Guénéé 1835 Table Synopt. Léop. [b4877]
- c *var. melanophlaeas* Lycaena :36
- Vissian 1976 Occ. Pap. nat. Mus. Monum. Rhod. (Nat. Sci.) [b4879]
- e *f. pseudonyassae* Spindasis 5(9):514
- Vogel 1857 Allg. dt. naturh. Ztg [b4880]
- b *mlegi* Lycaena (nf)3:201, pl 6
- von Mentzer 1957 Ent. Tidskr. [b4882]
- b *augustanus* Plebejus 77:126, f
- von Neustetter 1910 Jber. Wien. ent. Ver. [b4883]
- c *altica* Polyommatus 20:8
- e *ab. caerulea* Lysandra 20:8
- von Neustetter 1938 Ent. Rundsch. [b4884]
- d *dalmatina* Lycaena (H) 55(27):315
- Vorbrodt 1912 Schmett. Schweiz [b4885]
- e *ab. albipunctata* Polyommatus 1:152
- e *f. albofasciata* Maculinea 1:157
- e *ab. alconides* Polyommatus 1:152
- e *arcuata* Lycaena 1:145
- c *astragaliphaga* Lycaeides 1:125
- c *brevicaudis* Satyrium 1:106
- e *ab. caeruleascens* Polyommatus 1:149
- e *ab. costajuncta* Lycaena 1:150
- e *ab. costojuncta* Lycaena 1:150
- e *ab. crassipuncta* Lycaena 1:150
- e *ab. discoelongata* Lycaena 1:145
- e *donzeli* Plebejus (ISS) 1:134
- e *f. elongata* Satyrium 1:106
- e *ab. elongata* Lycaena 1:134
- c *insubrica* Lycaena 1:156
- e *f. multiconfluens* Satyrium 1:106
- e *ab. paucipuncta* Lycaena 1:150
- e *ab. pluripuncta* Lycaena 1:134
- e *ab. punctata* Polyommatus 1:154
- e *ab. punctulata* Lysandra 1:143
- e *f. radiata* Satyrium 1:106
- e *resarta* Lycaena 1:150
- e *f. semibrunnea* Hamearis 1:105
- e *unicolor* Maculinea 1:155
- Vorbrodt 1917 Schm. Schweiz 2 (or 3), (Nachtrag) [b4886]
- e *ab. paucimaculata* Lycaena :13
- Vorbrodt 1930 Mitt. schweiz. ent. Ges. [b4887]
- d *insubrica* Lycaena (H) 14(6):251, pl 8
- e *uffelni* Chrysophanus 14(6):244, pl 8
- Vorbrodt & Müller-Rutz 1911-1914 Schmett. Schweiz [b4888]
- e 1914 *ab. brunnea* Lycaena 2:616
- e 1914 *caerulea* Maculinea 2:216 or 616
- Vorbrodt & Müller-Rutz 1917 Mitt. schweiz. ent. Ges. [b4889]
- e *f. albata* Lycaena 12(9/10):448
- e *f. brunnea* Lycaena 12(9/10):447
- e *f. fuliginosa* Lycaena 12(9/10):447
- e *pseudocamera* Aricia 12(9/10):-
- e *pupillata* Cupido 12(9/10):445
- e *f. rhaetica* Lycaena 12(9/10):447

- Vorbrodt & Müller-Rutz 1921 Mitt. schweiz. ent. Ges. [b4890]
 - c *albolimbata* Lycaena 13(3/4):180
 - e *ab. albolunulata* Lysandra 13(3/4):181
 - e *ab. angustimargo* Plebejus 13(3/4):180
 - e *f. aurofasciata* Plebejus 13(3/4):180
 - c *caerulescens* Lycaena 13(3/4):181
 - e *ab. fuliginosa* Lysandra 13(3/4):181
- Wagner 1904 Soc. ent. [b4892]
 - b *ligurica* Lycaena 19(1):1
- Wagner 1909 Ent. Zeit. [b4893]
 - b *dalmatina* Lycaena 23(4):17
 - e *ab. rufomarginata* Lycaena 23(4):17
 - e *var. sardoa* Lycaena 23(4):17
- Wagner 1919 Int. ent. Z. [b4894]
 - e *ab. amethystina* Helleia 13(20):157 or 158
 - e *ab. caerulea* Apelles 13(20):157
 - e *ab. cyanea* Plebejus 13(20):157
- Wagner 1926 Z. öst. EntVer. [b4895]
 - e *ab. albocuneata* Lycaena 11(1):4, f
- Wagner 1931 Int. ent. Z. [b4896]
 - e *ab. supraductata* Chilades 24(45):472
- Wahlgren 1924 Ent. Tidskr. [b4899]
 - e *ab. aestiva* Heodes 45:97
- Wahlgren 1930 Svensk Insektfauna [b4900]
 - e *ab. argentea* Polyommatus 10:69
 - c *borealis* Polyommatus 10:71
 - e *scandicus* Plebejus 10:67
- Wakabayashi 1940 Ent. World [b4901]
 - e *ab. tadshinensis* Lycaena 8(73):154, f
- Wakabayashi & Fukuda 1985 Nature Life Southeast Asia [b4904]
 - a *macrocerus* Favonius 15(2):34, f
- Wakabayashi & Tanaka & Sugai 1958 Tyô to Ga [b4907]
 - e *ab. sagamii* Antigius 9(2):27-29
 - e *ab. sayamae* Antigius 9(2):27-29
- Walch 1775 Naturforscher [b4908]
 - c *simplex* Papilio 6:130, pl 6
- Walker 1854-1856 List Spec. Lep. Ins. Brit. Mus. [b4910]
 - b 1854 *extranea* Erchia 2:357
- Walker 1870 Entomologist [b4911]
 - c *agave* Lampides 5:53
 - a *bura* Lampides 5:54
 - c *cleodora* Lycaena 5:54
 - c *ethoda* Lampides 5:53
 - a *ferrana* Lampides 5:52
 - c *itea* Lycaena 5:55
 - a *lyce* Lampides 5:54
 - c *neis* Lampides 5:54
 - c *olympusa* Lampides 5:53
 - a *pandama* Lampides 5:54
 - a *samia* Lycaena 5:55
 - a *tajoraca* Iolais 5:51
 - a *tamaniba* Aphnaeus 5:51
 - b *uranicola* Lampides 5:52
- Wallace & Moore 1866 Proc. zool. Soc. Lond. [b4912]
 - a *nisa* Lycaena 1866(2):360
- Wallengren 1857 K. svenska VetenskAkad. Handl. [b4913]
 NRH-lt a *aranda* Cyarites (nf)2(4):43
 - a *basuta* Zerythis (nf)2(4):46
 - a *dermaptera* Loxura (nf)2(4):34
 - a *hirundo* Thecla (nf)2(4):35
 - a *leroma* Amblypodia (nf)2(4):42
- Wallengren 1857 K. svenska VetenskAkad. Handl. [b4913]
 (continued)
 - b *mahallakoena* Everes (nf)2(4):41
 NR-ht a *malagrida* Cigaritis (nf)2(4):43
 - c *masilikazi* Spindasis (nf)2(4):45
 - a *moriqwa* Lycaena (nf)2(4):39
 - a *pallene* Myrina (nf)2(4):36
 - a *sichela* Lycaena (nf)2(4):37
 NRS-ht a *taikosama* Cyarites (nf)2(4):43
 - c *tjoane* Chrysorychia (nf)2(4):44
- Wallengren 1860 Wien. ent. Monats. [b4915]
 NRS-lt c *atahualpa* Polyommatus 4(2):37
 - a *bohemani* Lycaena 4(2):37
 NRS a *guacanagari* Thecla 4(2):37
 - a *metophis* Lycaena 4(2):37
 NRS a *parrhasioides* Lycaena 4(2):37
- Wallengren 1875 Öfvers. K. VetenskAkad. Förh. [b4917]
 - c *chaka* Aphnaeus 32(1):89
 - a *trimeni* Iolais 32(1):87
- Walley-Dod 1907 Can. Ent. [b4918]
 USNM-ht b *arethusia* Chrysophanus 39:169
- Warnecke 1924 Deut. ent. Zeit. [Iris] [b4919]
 - c *selzeri* Lycaena 38:149, pl 2
- Warnecke 1942 Deut. ent. Zeit. [Iris] [b4921]
 - e *f. emarginata* Chrysophanus 56:103
 - e *f. lunulata* Lycaena 56:103
 - e *f. multipunctata* Chrysophanus 56:103
- Warren 1895 Novit. zool. [b4922]
 - c *xanthobrunnea* Adelotypa 2(2):82
- Watari 1929 Zool. Mag. [b4926]
 - b *odakae* Zephyrus 41:187, f 10
 - e *ab. sayamaensis* Zephyrus 41:187
- Watari 1932 Zephyrus [b4927]
 - c *f. connexa* Zephyrus 4(4):237
 - c *f. melanochloe* Zephyrus 4(4):236, f
- Watari 1935 Zephyrus [b4928]
 - e *ab. immaculatus* Zephyrus 6(1/2):42, f
- Watari 1936 Zephyrus [b4929]
 - e *ab. sayamensis* Zephyrus 6:189
- Watari 1937 Zephyrus [b4930]
 pc-ht c *tsugaruensis* Lycaena 7(1):26, f
- Waterhouse 1900 Proc. linn. Soc. N. S. Wales [b4931]
 - a *ianthis* Ogyris 25(1):52, pl 1
- Waterhouse 1902 Proc. linn. Soc. N. S. Wales [b4932]
 - a *aenone* Ogyris 27(3):339, pl 14
 - b *hewitsoni* Ogyris 27(3):338, pl 14
- Waterhouse 1903 Proc. linn. Soc. N. S. Wales [b4933]
 -lt c *kamerungae* Philiris 27(4):650
 - b *kurandae* Philiris 27(4):651
 - b *turneri* Pseudonotis 27(4):648
- Waterhouse 1903 Proc. linn. Soc. N. S. Wales [b4934]
 AM-lt a *albicincta* Utica 28(1):242
 AM-lt c *atrosuffusa* Utica 28(1):241
 - a *delospila* Zizera 28(1):211, pl 2
 AM-ht c *duaringae* Miletus 28(1):167
 - a *gilberti* Candalides 28(1):181
 - a *lithochroa* Ialmenus 28(1):258, pl 2
 - c *meleagris* Miletus 28(1):270
 AM-ht a *miskini* Miletus 28(1):164, pl 3
 - c *modestus* Lycaenesthes 28(1):198, pl 3
 - e *syvicola* Una (PS) 28(1):236

- Waterhouse 1920 Proc. linn. Soc. N. S. Wales [b4936]
- b *diovella* Deudorix 45(3):470
- Waterhouse 1928 Proc. linn. Soc. N. S. Wales [b4937]
- c *alpina* Candalides 53(4):402
- b *barringtonensis* Pseudalmenus 53(4):412, f
AM-It b *phoebus* Miletus 53(4):405, f
- Waterhouse 1934 Proc. linn. Soc. N. S. Wales [b4938]
- c *amata* Ogyris 59(5-6):417
AM-ht b *barnardi* Hypochrysops 59(5-6):416
- b *dido* Deudorix 59(5-6):419
- c *halys* Nacaduba 59(5-6):419
- b *ocela* Ogyris 59(5-6):419
- Waterhouse 1937 Rep. Aust. N.Z. Assoc. Advmt Sci. [b4940]
- e *discoidea* Lucia (PS) 23:119
- Waterhouse 1941 Proc. linn. Soc. N. S. Wales [b4943]
- c *gela* Ogyris 66(3/4):237
- c *genua* Ogyris 66(3/4):237
- b *zolvina* Ogyris 66(3/4):236
- Waterhouse 1942 Rec. Aust. Mus. [b4944]
- c *amphis* Arhopala 21(2):124
- b *amydon* Arhopala 21(2):125
- a *consimilis* Candalides 21(2):125
- c *persimilis* Candalides 21(2):123
- Waterhouse & Lyell 1909 Victorian Nat. [b4945]
AM-It a *elgneri* Miletus 26(8):114
AM-It b *erythrina* Miletus 26(8):115
- c *panaetha* Miletus 26(8):112
- Waterhouse & Lyell 1913 Victorian Nat. [b4946]
AM-It a *myrmecophila* Pseudodipsas 29(10):156
- Waterhouse & Lyell 1914 Butts Aust. [b4947]
- a *amasea* Catochrysops :103
- c *araxes* Ogyris :121, f
- c *asopus* Arhopala :125
- b *auletes* Nacaduba :98
- b *caracalla* Nacaduba :95, f 854
- b *cela* Nacaduba :94
- b *chloris* Pseudalmenus :114
- b *claudia* Pepliophorus :102
- b *cnidus* Euchrysops :100
AM-It a *cyane* Miletus :90, f 216
AM-It c *delos* Miletus :85
- a *diana* Philiris :76, 183,270
- b *doddi* Ogyris :118
- b *estrella* Nacaduba :96
AM-ht b *eugenia* Candalides :80
- c *felsina* Nacaduba :96
- b *hyllus* Nacaduba :97
- e *iberia* Ogyris (IFS) :120, f
SAM-It a *lillidgel* Pseudodipsas :83
- c *insulana* Neolucia :107
- b *iole* Pseudodipsas :81
- c *ios* Nacaduba :99, f 856,857
- a *iphis* Ogyris :117, f 394
- c *labdalon* Zizina :105
-It b *lucina* Philiris :77
- b *melania* Liphyra :135
- b *monticola* Neolucia :108
- b *mysia* Nacaduba :96
- b *obscura* Neolucia :109
- b *occidens* Neolucia :107
- b *parma* Nacaduba :95
- b *taletum* Psychonotis :93
- b *typhon* Ogyris :120, f 403
- c *zenobia* Ogyris :120
- c *zephyrus* Pseudalmenus :114
- Waterhouse & Turner [1905] Proc. linn. Soc. N. S. Wales [b4948]
- b *affinis* Lycænesthes 29(4):801
- Watkins 1927 Ann. Mag. nat. Hist. [b4949]
BMNH-ht c *gregoryi* Lycænopis (9)19:329
- a *yunnanensis* Chilades (9)19:330
- Watson 1897 J. Bombay nat. Hist. Soc. [b4951]
- a *letha* Zephyrus 10(4):664, pl A
- Watson & Comstock 1920 Bull. amer. Mus. nat. Hist. [b4952]
MCZ-ht e *ab. banksi* Heodes 42(10):454
AMNH-ht c *chlorophora* Strymon 42(10):452
AMNH-ht b *coolinensis* Strymon 42(10):451
AMNH-ht e *ab. davisii* Incisalia 42(10):453
AMNH-ht e *ab. labecula* Plebeius 42(10):457
AMNH-ht c *luctuosa* Heodes 42(10):453
AMNH-ht a *mojave* Philotes 42(10):455
AMNH-ht b *montanensis* Strymon 42(10):451
AMNH-ht e *ab. muskoka* Strymon 42(10):450
AMNH-ht c *provo* Strymon 42(10):452
AMNH-ht e *ab. sonoralba* Philotes 42(10):456
AMNH-ht e *ab. swetti* Strymon 42(10):450
- Weber 1801 Obs. ent. [b4955]
- a *cephalus* Hesperia :109
- Weeks 1891 Ent. News [b4957]
MCZ b *festata* Hypolycaena 2(6):102
- c *maxima* Lemonias 2(6):104
- Weeks 1901 Can. Ent. [b4958]
- b *hari* Eurybia 33(10):268
- b *muscolor* Amarynthis 33(10):267
- Weeks 1901 Can. Ent. [b4959]
MCZ b *harrietta* Thecla 33(11):294
- Weeks 1901 Ent. News [b4960]
MCZ a *dickiei* Thecla 12(9):266
MCZ c *infrequens* Thecla 12(9):265
- Weeks 1901 Can. Ent. [b4961]
MCZ a *francis* Thecla 33(12):322
- Weeks 1901 Proc. New Engl. zool. Club [b4962]
- b *kennethi* Lasaia 2:71
- Weeks 1901 Proc. New Engl. zool. Club [b4963]
MCZ b *lucaris* Thecla 2:102
MCZ-ht a *sadieii* Thecla 2:101
- Weeks 1901 Trans. amer. ent. Soc. [b4964]
MCZ c *babhru* Lycæna 27:357
- b *indissimilis* Metacharis 27:358
- Weeks 1902 Ent. News [b4965]
MCZ a *ruberrothel* Lycæna 13(4):104
- Weeks 1902 Proc. New Engl. zool. Club [b4966]
- c *aurigera* Aricoris 3:11
MCZ a *maritima* Lycæna 3:12
- Weeks 1905 Ill. diurn. Lep. [b4967]
- c *rosamonda* Lasaia 1:9, pl 5
- Weeks 1906 Can. Ent. [b4968]
- b *blakel* Nymphidium 38(3):78
- b *howlandi* Euselasia 38(3):79
- b *rochesteri* Mesene 38(3):77
- Weeks 1906 Ent. News [b4969]
MCZ a *carteri* Thecla 17(6):197
- a *carveri* Methonella 17(6):200
MCZ a *hosmeri* Thecla 17(6):198
MCZ a *madie* Thecla 17(6):197

- Weeks 1906 Ent. News [b4969] (continued)
 - b *quinoni* Nymphidium 17(6):201
 - a *suapure* Charis 17(6):199
 - c *tysoni* Euselasia 17(6):199
- Weeks 1911 Ill. diurn. Lep. [b4970]
 -- e *maidie* Thecla (ISS) 2:3
- Wehrli 1913 Mitt. thurgau. naturf. Ges. [b4971]
 -- e *novopuncta* Maculinea 20:15
- Wehrli 1920 Mitt. ent. Ver. Basel [b4972]
 -- e *ab. centripuncta* Lycaena (12):1 or 2
- Weiss 1977 Linneana Belgica [b4977]
 - b *perrettei* Lycaena 6:255, f
- Werneburg 1864 Beitr. Schmett. [b4979]
 - b *rutilus* Papilio 1:391
- Westwood 1846-1852 In Gen. diurn. Lep. [b4981]
 - a [1851] *abrota* Ogyris (2):pl 75, f 8
 - c [1851] *acca* Lycaena (2):pl 76, f 1
 - a [1851] *accusatrix* Symmachia (2):445, nota
 - a [1851] *acraea* Liptena (2):pl 77, f 6
 - c [1851] *aerope* Baeotis (2):pl 71, f 2
 - a [1851] *agricola* Lucia (2):pl 76, f 4
 - a [1851] *alectryo* Siseme (2):pl 72, f 10
 - a [1851] *allectus* Anteros (2):428, nota
 - a [1851] *apollonia* Lyropteryx (2):pl 72, f 1
 - a [1851] *areuta* Pandemos (2):pl 70, f 5
 BMNH-ht a [1851] *ataxus* Dipsas (2):pl 74, f 7
 - b [1851] *azan* Nymphidium (2):448, pl 73
 - b [1851] *barsacus* Panara (2):443, pl 72
 - a [1851] *bellona* Necyria (2):pl 73, f 9
 - a [1851] *belphegor* Erycina (2):pl 70, f 1
 BMNH-ht a [1851] *bulis* Anops (2):pl 75, f 5
 - a [1851] *carausius* Anteros (2):428, nota
 - c [1851] *cydias* Baeotis (2):451
 - c [1851] *dematria* Helicopsis (2):424, pl 71
 BMNH a [1851] *ducalis* Thecla (2):pl 77, f 1
 - a [1851] *duellona* Necyria (2):432
 - a [1851] *egeon* Taxila (2):pl 69, f 2
 - a [1851] *elais* Phytala (2):pl 77, f 2
 - c [1851] *elion* Epitola (2):pl 68, f 5
 - a [1851] *epeus* Geridus (2):pl 76, f 5
 - a [1851] *erostratus* Anatole (2):458, pl 71
 - a [1851] *ethion* Lycaena (2):pl 76, f 3
 - a [1851] *eudocia* Theope (2):439, pl 70
 - a [1851] *euthria* Calydna (2):436, pl 70
 - c [1851] *fatimella* Emesis (2):447
 - a [1851] *fylla* Taxila (2):pl 69, f 3
 - a [1851] *glaphyra* Lemonias (2):pl 71, f 3
 - c [1851] *gneris* Mesosemia (2):454, pl 71
 - a [1851] *hya* Mesene (2):442, pl 70
 - a [1851] *idotea* Mesosemia (2):455, nota
 - a [1851] *inaria* Limnas (2):460, pl 73
 - b [1851] *ion* Tharops (2):458
 - a [1851] *irene* Lemonias (2):459, nota
 - a [1851] *juratrix* Symmachia (2):445, nota
 - b [1851] *kollari* Lycaena (2):491
 - b [1851] *lasus* Mesosemia (2):455
 - a [1851] *lycisca* Eurybia (2):417, pl 69
 - a [1851] *magdalenae* Stalachtis (2):467, pl 73
 - a [1851] *martia* Cyrenia (2):pl 72, f 2
 - b [1851] *mona* Barbicomis (2):425, pl 70
 - c [1851] *mysrilus* Ialmenus (2):pl 75, f 3
 - a [1851] *myrtis* Aricoris (2):450, nota
 - a [1851] *natalensis* Amblypodia (2):pl 75, f 4
 - c [1851] *nepia* Lemonias (2):pl 73, f 2
 - a [1851] *noctula* Hades (2):pl 72, f 3
 - a [1851] *nycteis* Parnes (2):pl 73, f 3
 - a [1851] *opalina* Eurygona (2):439
- Westwood 1846-1852 In Gen. diurn. Lep. [b4981] (continued)
 - b [1851] *orpheus* Cremna (2):456, pl 71
 BMNH-ht a [1851] *otho* Anteros (2):428, nota
 - ■ [1851] *parthenis* Baeotis (2):451, pl 71
 BMNH-ht c [1851] *perone* Charis (2):pl 71, f 9
 - ■ [1851] *philotes* Parnes (2):464
 - c [1851] *platea* Nymphidium (2):448, pl 73
 - c [1851] *praxilla* Symmachia (2):445, pl 73
 - b [1851] *pseudocrispus* Lemonias (2):459
 - a [1851] *satyrus* Eunygyra (2):pl 72, f 11
 - a [1851] *serica* Aricoris (2):450, nota
 - a [1851] *silas* Anops (2):pl 74, f 5
 - c [1851] *smaragdifer* Alesia (2):418, n 2 (note)
 - a [1851] *smithiae* Lymnas (2):460
 - c [1851] *tenera* Mesosemia (2):455
 - ■ [1851] *terpsichore* Lyropteryx (2):433
 - c [1851] *tisiphone* Aricoris (2):pl 72, f 7
 - ■ [1851] *trochilia* Baeotis (2):451, note
 - ■ [1851] *zara* Eurygona (2):438, pl 71
 BMNH-st ■ [1851] *zymna* Pentila (2):pl 76, f 6
 - a [1852] *abraxas* Pentila (2):pl 77, f 5
 BMNH-ht a [1852] *acmon* Plebejus (2):pl 76, f 2
 BMNH ■ [1852] *ambrax* Thecla (2):pl 75, f 7
 - a [1852] *androcles* Ilerda (2):pl 75, f 2
 BMNH-ht ■ [1852] *antheus* Amblypodia (2):pl 74, f 6
 - a [1852] *antifaunus* Hypolycaena (2):pl 75, f 1
 biblio a [1852] *augustinus* Thecla (2):486
 - e [1852] *basalides* Thecla (ISS) (2):485
 - ■ [1852] *calisto* Anthene (2):487, pl 75
 - e [1852] *nepion* Thecla (ISS) (2):486
 biblio a [1852] *panava* Thecla (2):487
- Westwood 1848 Cabinet orient. Ent. [b4982]
 - a *doubledaii* Acontia :76, pl 37
- Westwood [1864] Trans. ent. Soc. Lond. [b4983]
 - a *brassolis* Liphyra (3)(2)(Proc.):31
- Westwood 1881 In Oates, Matabele Land [b4984]
 - a *amanga* Zeritis :351
- Weyenbergh 1874 Petites Nouv. ent. [b4985]
 - a *teysmanni* Polyommatus 1(102):408
- Weymer 1874 Stett. ent. Ztg [b4986]
 - a *patrona* Eurybia 36:368, pl 1
- Weymer 1887 Stett. ent. Ztg [b4987]
 ZMHU-ht b *caesarea* Drupadia 48(1-3):9, pl 2
 ZMHU-lt c *cloella* Hypolycaena 48(1-3):10
- Weymer 1890 In Stübel, Reisen in Süd-Amer., Lep. [b4988]
 - c *albiseriata* Eurybia :88
 - b *falcis* Isapis :121, pl 4
 ZMHU ■ *ludicra* Lycaena :122, pl 4
 ZMHU-ht a *oribata* Thecla :123, pl 4
 ZMHU a *pelorias* Lycaena :121, pl 4
 - a *pseudopallas* Siseme :121, pl 4
 ZMHU-lt ■ *titicaca* Lycaena :122, pl 4
- Weymer 1892 Stett. ent. Ztg [b4989]
 - c *lunaris* Tingra 53:95
- Weymer 1901 Ent. Zeit. [b4990]
 - a *baumi* Axiocerses 15(16):63
- Wheeler 1903 Butts Switzerland [b4991]
 - e *alboocellata* Lycaena :100
 - e *ab. aquilonia* Thecla :17
 - c *aquilonia* Plebejus :37
 - e *ab. arcuata* Lysandra :32
 - b *brunnea* Lycaena :18
 - c *caeruleopunctata* Lycaena :39
 - e *caerulescens* Polyommatus :35

- Wheeler 1903 Butts Switzerland [b4991] (continued)
 - e *calydonius* Lysandra :31
 - e *ab. minor* Pseudophilotes :34
 - e *nana* Lycaena :17
 - e *nigra* Maculinea (IFS) :21
 - e *nigropunctata* Lycaena :34
 - e *punctulata* Lycaena :35
 - c *purpureopunctata* Lycaena :17
 - c *purpureopunctata* Palaeochrysophanus :14
 - e *striata* Polyommatus :25
- White 1843 Zoologist [b4996]
 - a *margaretta* Agathina 1:28, f
- White 1862 Trans. ent. Soc. Lond. [b4997]
 - a *boldenarum* Lycaena (3)1(Proc.):26
- White L. & White L. & White O. 1989 Revta Soc. mex. Lep. [b4995]
 - b *huasteca* Melanis C13(1):14, f
- Whitney 1868 Proc. Boston Soc. nat. Hist. [b5000]
 MCZ c *souhegan* Thecla 12:162
- Wichgraf 1911 Int. ent. Z. [b5002]
 - b *nyanzana* Stugeta 5(25):173
- Wichgraf 1921 Int. ent. Z. [b5003]
 - a *madibirensis* Lycaenesthes 14(22):179
 - a *madibirensis* Alaena 14:195
 - b *f. wau* Cupido 14:172
- Wileman 1908 Annot. zool. jap. [b5005]
 - a *daitozana* Phengaris 6(5):323
 - b *inari* Tajuria 6(5):325
 - b *moltrechtii* Tajuria 6(5):326
 BMNH-ht a *taiwanus* Zephyrus 6(5):324
- Wileman 1909 Annot. zool. jap. [b5006]
 - a *arisanus* Zephyrus 7(2):91
 - a *brunnea* Curetis 7(2):88
- Wileman 1910 Entomologist [b5007]
 - a *rantaizana* Orthomiella 43:93
- Wileman 1911 Entomologist [b5008]
 - e *ab. insolita* Zephyrus 44:55
 - e *ab. subgrisea* Zephyrus 44:55
- Williams 1911 Ent. Rec. [b5014]
 - e *addenda* Rumicia 23:275
- Willner 1985 Mitt. münchn. ent. Ges. [b5017]
 - b *novabritannica* Liphya 75:79, f
- Wiltshire 1948 Bull. Soc. Fouad I. Ent. [b5018]
 - a *alfierii* Iolana 32:219, f
- Wimmeas 1931 Ent. Zeit. [b5019]
 - b *gorgano* Lycaena 45(7):96
- Wind & Clench 1945 Pan-Pac. Ent. [b5020]
 - b *deliciosa* Thaumaina 21(1):14
- Wind & Clench 1947 Bull. Brooklyn ent. Soc. [b5021]
 MCZ-ht a *ariadne* Philiris 42(1):7
 MCZ-ht a *azula* Philiris 42(1):8
 pc-ht b *bicolorata* Philiris 42(1):9
 MCZ-ht b *birou* Philiris 42(1):10
 CU-ht b *evinculis* Philiris 42(1):11
 AMNH-ht b *kunupiensis* Candalides 42(1):3
 AMNH-ht a *mayri* Philiris 42(1):14
 MCZ-ht a *misimensis* Philiris 42(1):15
 CM-ht b *morobea* Candalides 42(1):4
 MCZ-ht b *papuanus* Philiris 42(1):6
 CU-ht b *putih* Philiris 42(1):12
- Wind & Clench 1947 Bull. Brooklyn ent. Soc. [b5021]
 (continued)
 MCZ-ht b *stevensi* Candalides 42(1):1
- Wind & Clench 1947 Psyche [b5022]
 AMNH-ht a *arfakiana* Callicetia 54(1/2):60
- Wize 1917 Rocz. poznań. Tow. przyj. Nauk [b5023]
 - e *ab. cometa* Polyommatus 44:7
- Wize 1936 Polsk. Pismo ent. [b5024]
 - e *ab. splendens* Chrysophanus 13:107
- Wnukowsky 1928 Deut. ent. Zeit. [Iris] [b5025]
 - b *seitzii* Ununcula 42:2
- Wnukowsky 1929 Zool. Anz. [b5026]
 - b *amdoensis* Lycaena 83:221
 - b *delphica* Lycaena 83:221
 - b *heynei* Lycaena 83:221
- Wnukowsky 1934 Ent. Anz. [b5027]
 - b *jachontovi* Lycaena 14:111
 - b *johanseni* Lycaena 14:111
- Wojtusiak & Niesiolowski 1946 Pr. Muz. przyr. Kraków [b5028]
 - c *sokolowskii* Lycaena (6):59
- Wood 1833-1839 Index entomologicus [b5036]
 - c 1833 *asis* Polyommatus 8(63):pl 2
- Wood-Mason & de Nicéville 1880 J. asiat. Soc. Bengal, Pt II [b5029]
 - b *coruscans* Arhopala 49:234
 - b *plumbeomicans* Lampides 49:231
- Wood-Mason & de Nicéville 1881 Proc. asiat. Soc. Bengal [b5030]
 - b *andamanica* Amblypodia 1881:143
- Wood-Mason & de Nicéville 1881 J. asiat. Soc. Bengal, Pt II [b5031]
 - a *albimacula* Sithon 50(4):249
 - b *andamanica* Sithon 50(4):249
 - d *andamanica* Narathura (H & JOS) 50(4):251
 - b *nicobaricus* Nacaduba 50(4):234
- Wood-Mason & de Nicéville [1887] J. asiat. Soc. Bengal, Pt II [b5032]
 - b *coelestis* Nacaduba 55(4):366
 - c *skinneri* Lehere 55(4):369, pl 15
- Wright 1905 Butts W. Coast U. S. [b5043]
 CAS-ht c *astragala* Lycaena :232, pl 30
 CAS-ht a *avalona* Thecla :209, pl 28
 CAS-ht c *delsud* Chrysophanus :215, pl 28
 CAS-ht c *melimona* Plebejus :226, pl 29
 CAS-ht c *sissona* Lycaena :232, pl 30
- Wright 1922 Bull. S. Calif. Acad. Sci. [b5045]
 CAS-ht c *cuyamaca* Mitoura 21(1):19-20
- Wright 1930 Trans. San Diego Soc. Nat. Hist. [b5046]
 SDM-ht e *ab. kelseyi* Plebejus 6(1):29
- Wright 1941 Entomologist [b5039]
 - e *ab. albistria* Polyommatus 74:150
- Wrii 1950 [b0000]
 - e *icarescheri* Lycaena *
- Wyatt 1952 Z. wien. ent. Ges. [b5047]
 - b *elsae* Plebejus 37:206, pl 26
 - b *navarredondae* Plebejus 37:206, pl 26
 - b *trevincae* Plebejus 37:207

- Wyatt 1961 J. Lep. Soc. [b5048]
- a *aeolus* Lycaena 15(1):17, f
- Yagi 1915 Ent. Mag. (Kyoto) [b5050]
- d *montanus* Lycaena (H) 1(4):139, f 1
- Yagi 1922 Ber. Ôhara Inst. landw. Forsch. [b5051]
- e *ab. punctialbae* Lycaena 2:234
- Yazaki 1923 Zool. Mag. [b5054]
- b *yakushimaensis* Zephyrus 35:391,417, f
- Yerbury 1892 J. Bombay nat. Hist. Soc. [b5055]
- e *pulcher* Turucus (ISS) 7(2):211
- Zeller 1845 Stett. ent. Ztg [b5059]
- c *polonus* Polyommatus 1845:351
- Zeller 1847 Isis von Oken [b5060]
- c *aestivus* Lycaena 1847(1):39
- c *caudatula* Thecla 1847(1):6
- a *loewii* Lycaena 1847(1):9, n 35
- c *vernus* Lycaena 1847(1):158
- Zeller 1847 Isis von Oken [b5061]
- c *aestiva* Lycaena 1847(2):155
- c *aestiva* Lycaena 1847(2):158
- c *aetnaea* Lycaena 1847(2):148
BMNH-it b *apenninus* Lycaena 1847(2):148
- Zeller 1850 Stett. ent. Ztg [b5062]
- c *hoffmannseggii* Polyommatus 11:312
- Zerny 1932 Deut. ent. Zeit. [Iris] [b5063]
- a *alcestis* Lycaena (H) 46:186
- c *prinoptas* Thecla 46:176
- Zhdanko 1983 Ent. Rev. [b5064]
T *rhythmus* Lycaena 62(1):139
- Zhdanko 1984 Trudy zool. Inst., Leningr. [b5065]
- a *kugitangi* Turanana 122:104, f
- a *tatjana* Turanana 122:103, f
- Zhdanko 1990 Ent. Obozr. [b5066]
- a *atilla* Thersamonia 69(1):140, f 10
- b *bogutena* Athamanthia 69(1):141
- b *darja* Athamanthia 69(1):141
- a *dushak* Thersamonia 69(1):136, f
- a *issykkuli* Athamanthia 69(1):135, f 4
- a *peanus* Thersamonia 69(1):143, f 12
- a *runides* Nordmannia 69(1):135, f 2
- a *rushanica* Athamanthia 69(1):138, f 6
- a *sogdiana* Athamanthia 69(1):138, f 8
- e *turgena* Athamanthia (IOS) 69(1):141
- b *turgena* Athamanthia 69(1):140
- Zhdanko 1990 Ent. Obozr. [b5068]
- e *irgiza* Athamanthia (ISS) 72(3):670
- e *irgiza* Athamanthia (ISS) 72(3):670
- e *ruschanica* Athamanthia (ISS) 72(3):668
- Zhdanko & Korshunov 1985 [b0000]
- a *falkovitshi* Neolycaena *
- Zikán 1928 Ent. Rundsch. [b5070]
- a *bipunctus* Anteros 45:19
- e *leucaspis* Nymphidium (ISS) 45:20
- Zikán 1946 Livro hom. R. Ferreira d'Almeida [b5072]
- a *almeidai* Phaenochitonia (43):347
- e *bochoris* Phaenochitonia (ISS) (43):347
- a *cuneifascia* Phaenochitonia (43):348
- e *duckinfieldia* Phaenochitonia (ISS) (43):347
- Zikán 1952 Dusenien [b5074]
- a *alyattes* Semomesia 3:18, f
- c *attavus* Mesosemia 3:24
- a *brunneipennis* Napaea 3:27
- a *coerulans* Rhetus 3:33, f
- c *conjuncta* Barbicormis 3:39, f
- b *corinna* Lymnas 3:45
- a *crocefasciata* Crocozona 3:41, f
- a *elisae* Crenna 3:29, f
- c *fluminensis* Mesosemia 3:20
- a *herminae* Lymnas 3:45
- c *herteli* Mesene 3:48, f
- a *lidwina* Lymnas 3:45
- a *lioba* Lymnas 3:46
- a *ludmila* Lymnas 3:44
- c *magniplaga* Barbicormis 3:39, f
- c *meleena* Mesosemia 3:21
- a *paupercula* Napaea 3:28
- a *radiosa* Lepicormis 3:37, f
- c *salesiana* Mesosemia 3:20
- a *umbratica* Napaea 3:28
- a *yeda* Lymnas 3:44
- Zopp 1954 Z. wien. ent. Ges. [b5078]
- c *f. maroccanus* Thestor 39:129
- c *f. subtusconfluens* Thestor 39:128
- c *f. subtusreductus* Thestor 39:128
- c *f. syriacasplendens* Thestor 39:129
- Züllich 1924 Z. öst. EntVer. [b5079]
- e *ab. obsoleta* Lycaena 9(4):25
- Züllich 1928 Z. öst. EntVer. [b5080]
- d *nevadensis* Lycaena (H) 13(8):73, pl 5
- Züllich 1929 Z. öst. EntVer. [b5081]
- b *altera* Lycaena 14(5):52
- d *balcanica* Lycaena (H) 14(5):52
- e *ab. caeca* Lycaena 14(5):52
- e *ab. citrina* Chrysophanus 14(5):52
- e *ab. ornata* Chrysophanus 14(5):51
- [Unknown] **** [b0000]
- e *albisiganta* Plebejus *
- b *transcaucasiensis* Palaeochrysothamus *



PART XI
BIBLIOGRAPHY

INTRODUCTION

This section is straightforward and needs little introduction. Abbreviations used in journal titles have been taken from the *World List of Scientific Periodicals* [b5340]. I have tried to provide the full names of the authors, and to give some information about where and when they were born and died, and what happened to their collections. This information has been taken from various sources, but the works of Gilbert, 1978 (*A Compendium of the Biographical Literature on Deceased Entomologists*) [b2411], Carpenter, 1945 & 1953 (*Bibliography of Biographies of Entomologists*) [b1209, b1210], Horn & Schenkling, 1928 (*Index Litteraturae Entomologicae, Serie I*) [b2725] and Derksen and Scheiding-Göllner, 1965 (*Index Litteraturae Entomologicae, Serie II*) [b1589] have been most helpful. In general papers with multiple authors are only listed under the senior author, but in cases where junior authors have published material which has nomenclatural implications (i.e. type-species selections), the paper is given a second entry.

Abbot, John;

b. 1751; d. 1840. [Ref: b0717 (as Abbot); b1022; b2894]

Abbot, John; Smith, James Edward;

b0001 1797 The Natural History of the Rarer Lepidopterous Insects of Georgia, Including Their Systematic Characters, the Particulars of Their Several Metamorphoses and the Plants on Which They Feed. Collected from the Observations of John Abbot, Many Years Resident in That Country London, J. Edwards; Cadell and Davies; J. White 1:xv+102 pp, pls 1-51; 2:103-214, pls 52-104. Rothschild & Jordan, 1906, call it 'perhaps the best Lepidopterological work of the eighteenth century'. Abbot did the plates and wrote short descriptive bits. Smith gave the names and published it. [Ref: b3886; b4254]

Abbott, Charles Harlan;

b0002 1950 Twenty-five Years of Migration of the Painted Lady Butterfly, *Vanessa cardui*, in Southern California. Pan-Pac. Ent. 26(4):161-172. [29 Dec] 1950

Abercrombie, R. G.;

b0003 1950 The Brown Argus (*Aricia agestis*) in the Peak District. Entomologist 83(6):128. [8 Jun 1950]

Abos Castel, F.;

b0004 1984 Descripción de algunas formas individuales en lepidópteros. Revta Lep. 11(4):335-336.

Ackery, Phillip Ronald;

b0005 1975 A guide to the Genera and Species of Pamassiinae (Lepidoptera: Papilionidae). Bull. Br. Mus. nat. Hist. (Ent.) 31(4):71-105, 16 pls, 32 text-figs.

b0006 1986 Lionel George Higgins (1891-1985). J. Lep. Soc. 40(1):77-78, f. [9 Oct 1986]

Adamson, C. H. E.;

b0007 1897 Catalogue of Butterflies collected in Burmah. Part I. Trans. nat. Hist. Soc. N. D. NT. I:155-189. [Ref: b0975]

Agarwala, B. K.; Saha, J. L.;

b0008 1984 Aphidophagous habit of the larvae of *Chilades lajus lajus* (Cramer). Tyô to Ga 34(4):171-172. [20 May 1984]

Agassiz, Jean Louis Rodolphe;

b. 28 May 1807 (Môtier, Switzerland); d. 14 Dec 1873 (Cambridge, Massachusetts). [Ref: b0717; b0718; b1053]

b0009 1842-1847 Nomenclatoris Zoologici. Index universalis continens nomina systematica generum Animalium tam viventium quam fossilium, secundum ordinem alphabeticum disposita, adjectis auctoribus, libris in quibus reperiuntur, anno editionis, etymologia, et familis, ad quas pertinent, in variis classibus. Soloduri, Jent et Gassmann 12 fascicles (4to). Each of the 12 fasciculus has a distinctive title and is separately paged. The Lepidoptera came in (9)-(10) [1846], Index universal in (12) [1847]. [Ref: b2303; b1053] [1842-[1847]]

Agenjo, Ramón;

b. 21 Jan 1908 (Santander, Spain).

b0010 1934 Nuevas formas de Ropalóceros y Gripóceros de España (Lep.). Eos 9:311-320, 1 pl, 11 f.

b0011 1944 Sobre la morfología y distribución geográfica del *Chrysophanus hippothoe* (Linneo) en la Península ibérica (Lep. Lycaenidae). Eos 20:71-82, pl 2, 1 map. [10 Jul 1944]

b0012 1954 R. P. Ambrosio Fernandez. O.S.A. Graellsia 12:1-19.

b0013 1956 Consideraciones sobre el estudio de las fórmulas cromosómicas en los Lepidópteros y sobre todo en el complejo de formas del grupo *Plebejus (Lysandra) coridon* (Poda), con la descripción de tres nuevas subespecies. Graellsia 14:73-87.

b0014 1963 Estudio de la 'Moradilla del Fresno' *Laeosopsis roboris* (Esp.) (Lep. Lycaen.). Boln Serv. Plag. Forest. 6(12):129-139.

b0015 1964 Los Nombres vulgares de las mariposas españolas. Graellsia 20:163-190.

Agenjo, Ramón; (continued)

b0016 1966 Morfología y distribución geográfica en España de la "Niña hocecillas" *Plebejus (Plebejus) argus* (L., 1758) (Lep. Lycaenidae). Eos 41:163-179. [31 Jan 1966]

b0017 1966 Morfología y distribución geográfica en España de la "falsa inerte" *Plebejus (Lycaenidae) idas* (L., 1761). Eos 41:515-528.

b0018 1967 Morfología y distribución geográfica en España de la "Niña del Astrágalo" - *Plebejus (Plebejus) pylaon* (F.D.W., 1824). Eos 43:21-25. [28 Feb 1967]

b0019 1967 Morfología y distribución geográfica en España de la 'manchas verdas' *Glaucopsyche alexis* (Poda, 1761). Eos 42:291-298, 1 f, 1 pl, 1 map. [1967]

b0020 1967 Morfología y distribución geográfica en España de la "escamas azules" *Glaucopsyche melanops* (B., 1828). Eos 43:13-20.

b0021 1969 Tres nuevas razas de la 'superspecies' *Plebejus (Lysandra) coridon* (Poda, 1761) (Lep. Lycaenidae). Graellsia 24:45-48, 1 pl. [1969]

b0022 1971 Contribución al conocimiento de la fauna lepidopterológica Ibérica. Sección de capturas. 7. Graellsia 25:153-170, 9 pls.

b0023 1972 Nuevas subespecies de Ropalóceros Ibéricos. Graellsia 26:25-36.

b0024 1984 Paso a Sinonimia de *Pseudophilotes abencerragus mattonica* Gómez-Bustillo, 1982, y comentarios adicionales. Graellsia 40:159-162.

Aichele, F.;

b0025 1915 *Laeosopsis roboris* (Lepid. Lyc.). Soc. ent. 30:17-18, 1 f.

Aigner-Abafi, Ludwig von;

b. 11 Feb 1849 (Nagy-Jéscá); d. 19 Jun 1909 (Budapest). Last name also seen as Abafi-Aigner. First name also seen as Ludovicus and Lajos. Collection to Ungar. Nat. Mus., Budapest. [Ref: b2455; b0717]

b0026 1900 [Description of *Lycaena minimus* ab. *simplex*]. In Dahlström Gyula, Eperjes Könyvkének nappali lepkéi. Rovart. Lap. 7:141-144.

b0027 1902 A magyar lepke-fauna gyarapodása 1903-ben. Rovart. Lap. 9:193-194.

b0028 1906 Neue Falterformen aus Ungarn. Ent. Zeit. 19(35):207-210. [1 Mar 1906]

b0029 1906 Schmetterlings-Aberrationen aus der Sammlung des Ungarischen National Museums. Anns hist.-nat. Mus. nat. hung. 4:484-531, 23 f, pl xiii-xiv.

b0030 1907 A magyar lepke-fauna gyarapodása 1906-ban. Rovart. Lap. 14:212-214.

Aistleitner, E.;

b0031 1989 *Lysandra hispana* Herrich-Schäffer, 1852 *gudarensis* subsp. n. aus dem NE der Provinz Teruel/Hispania centr. (Lep. Lycaenidae). Atalanta (Münnerstadt) 19(1/4):75-86, ill.

Ajac, J.; Ajac, A.;

b0032 1969 *Callophrys avis* Chapman dans l'Aude [Lycaenidae]. Alexanor 6(3):97. [31 Oct 1969]

Ajmat de Toledo, Zine D.;

b0033 1978 Fauna del Noa. Contribucion al conocimiento de los Lepidopteros Argentinos VI. *Eiseliana* nuevo genero de Lycaenidae (Theclinae, Strimonini). [Fauna of northwestern Argentina: Contribution to the knowledge of Argentine Lepidoptera: VI. *Eiseliana*, a new genus of Lycaenidae (Theclinae, Strimonini). Acta zool. lilloana 33(1):79-84, ill.

Alberti, Burchard;

b. 21 Jan 1898 (Berlin, Germany).

b0034 1928 Ueber *Lycaena thersites* Cant. Deut. ent. Zeit. 1928:211-217.

Alberti, Burchard; (continued)

- b0035 1969 Neue oder bemerkenswerte Lepidopteren-Formen aus dem Grossen Kalkkasus Deut. ent. Zeit. (nf)16:189-203, 1 map, 3 pls.
 b0036 1973 Ergänzende Bemerkungen zu Higgins & Riley: 'A field guide to the butterflies of Britain & Europe', nebst Beschreibung der *Lycaena pyrenaica latedisjuncta* n. subsp. Ent. Zeit. 83(19):217-223. {1 Oct 1973}
 b0037 1973 Zweite Mitteilung Über einige neue bemerkenswerte Lepidopteren - Formen aus dem Grossen Kaukasus und Transkaukasien (Lepidoptera). Atalanta (Münnerstadt) 4(6)(B):380-393, 3 pl. [Ref: b0104 (#48)]

Aldin, A.;

- b0038 1930 Matériaux pour servir à un catalogue des Macrolépidoptères du Département de l'Oise. Encyc. ent. Ser. B. III. Lep. 3(4):153-185. {15 Jan 1930}

Allan, P. B. M.;

- b0039 1949 Dispersal of *Lysandra coridon* Poda. Entomologist 82:90-91. {Jan 1949}
 b0040 1956 The Middle Copper, *Heodes virgaureae* L. Ent. Rec. 68(3):68-73. {Mar 1956}

Allard, Geston;

- b. 1838, d. 5 Jan 1918 (*La Maule vrie bei Angers*); Collection said to be in Inst. Pasteur, Paris, but really lost. [Ref: b2455; b0718; b1173]
 b0041 1867 Notes sur les Insectes de l'Algérie. Anns Soc. ent. Fr. (4)7:311-322, pl 6.

Allyn, Arthur Cecil, Jr.;

- b. 24 Dec 1913 (*Evanston, Illinois*); d. 22 Mar 1985. [Ref: b3195; b3196]

Allyn, Arthur Cecil, Jr.; Downey, John Charles;

- b0042 1976 Diffraction structures in the wing scales of *Callophrys (Miuoura) siva siva* (Lycaenidae). Bull. Allyn Mus. No. 40:1-6, 9 f. {10 Nov 1976}

Alphéraký, Serghyl Nikolaevich;

- b. 1850 (*Charkow*), d. 1902; Also as *Alferaki*; Collection to Zool. Mus., Leningrad. [Ref: b2455; b0717 (as Serghyeyi)]
 b0043 1881 Lépidoptères du district de Kouldjà et des montagnes environnantes. Horae Soc. ent. ross. 16:334-435, pls 14,15. Continued in 17:15-103, pls 1-3 (1882); 17:156-227, pls 8-9 (1883). {Nov 1881}
 b0044 1887 Diagnoses de quelques lépidoptères inédits du Tibet. In Romanoff, Mém. Lép. 3:403-406.
 b0045 1889 Lépidoptères rapportés de la Chine et de la Mongolie par G. N. Potanine. In Romanoff, Mém. Lép. 5:90-123, cpl V.
 b0046 1897 Lépidoptères des provinces chinoises Sé-Tchouen et Kham recueillies, en 1893, par M-r. G. N. Potanine. In Romanoff, Mém. Lép. 9:83-149, 5 cpl. {Jun 1897}
 b0047 1897 [Nicolas Grigorevic Erschoff]. Horae Soc. ent. ross. 31:xi-xix.
 b0048 1897 Sur quelques lépidoptères rapportés de l'Ase, en 1893-1895, par l'expédition de M-rs Roborowsky et Kozlov. In Romanoff, Mém. Lép. 9:229-237, pl 12.

American Association of Economic Entomology;

- b0049 1917 Index to the Literature of American Economic Entomology. Volume 1. 1 Jan 1905 - 31 Dec 1914. Compiled by Nathan Banks.
 b0050 1921 Index to the Literature of American Economic Entomology. Volume 2. 1 Jan 1915 - 31 Dec 1919. Compiled by M. Colcord and E. P. Felt.
 b0051 1925 Index to the Literature of American Economic Entomology. Volume 3. 1 Jan 1920 - 31 Dec 1924. Compiled by M. Colcord and E. P. Felt.

American Association of Economic Entomology; (continued)

- b0052 1930 Index to the Literature of American Economic Entomology. Volume 4. 1 Jan 1925 - 31 Dec 1929. Compiled by M. Colcord and E. P. Felt.
 b0053 1938 Index to the Literature of American Economic Entomology. Volume 5. 1 Jan 1930 - 31 Dec 1934. Compiled by M. Colcord and E. P. Felt.
 b0054 1942 Index to the Literature of American Economic Entomology. Volume 6. 1 Jan 1935 - 31 Dec 1939. Compiled by E. P. Felt and Stanley W. Bromley.
 b0055 1948 Index to the Literature of American Economic Entomology. Volume 7. 1 Jan 1940 - 31 Dec 1944. Compiled by Ina L. Hawes, Wm. H. Muehll, Ethel L. Coon, and Stanley W. Bromley.

Andersen, William A.;

- b0056 1984 *Satyrrium kingi* (Lycaenidae) taken in Maryland. J. Lep. Soc. 38(1):63-64, 1 f. {27 Jul 1984}

Anderson, Ernest; Spry, Frank Palmer;

- b0057 1897 A new butterfly, *Lycaena cyrilus* n. sp. Victorian Nat. 14(1):5-7, 2 f.

André, E.;

- b0058 1901 [Title unknown] J. Naturalistes :52, f 1,2. [[Description of *Polyommatus regnierii*.]]

Andres, Adolf;

- b. 1894; d. 1921. [Ref: b0717; b0718; b1946]
 b0059 1914 Eine neue Form des Weibchens von *Lycaena loewii* Z. Bull. Soc. ent. Egypte 1914:86-88.
 b0060 1931 A new form of *Chrysophanus phlaeus* L. from Egypt (Lepidoptera - Rhopalocera). Bull. Soc. ent. Egypte 1930:212-213. {1931}

Andres, Adolf; Seitz, Adalbert;

- b0061 1923 Die Lepidopteren-fauna Aegyptens. Senckenbergiana 5:1-54, 229-238, 1 pl.

Angel, Frank M.;

- b0062 1951 Notes on the Lepidoptera of the Northern Territory of Australia, with description of new species. Trans. R. Soc. S. Aust. 74(1):6-15, pl 1. [Ref: b0974]

Anonymous;

- b0063 1917 Preliminary List of Butterflies From the Claremont-Laguna Region. J. Ent. Zool. 9:135-137, 70 f. This list contains quite a few misspellings.
 b0064 1927 Rhopalocera. Zool. Rec. 63(1926)(Ins.):243-257.
 b0065 1928 Rhopalocera. Zool. Rec. 64(1927)(Ins.):226-238.
 b0066 1929 Rhopalocera. Zool. Rec. 65(1928)(Ins.):232-246.
 b0067 1930 Rhopalocera. Zool. Rec. 66(1929)(Ins.):238-253.
 b0068 1931 Rhopalocera. Zool. Rec. 67(1930)(Ins.):236-247.
 b0069 1932 Rhopalocera. Zool. Rec. 68(1931)(Ins.):277-288.
 b0070 1933 Rhopalocera. Zool. Rec. 69(1932)(Ins.):286-305.
 b0071 1934 Rhopalocera. Zool. Rec. 70(1933)(Ins.):289-303.
 b0072 1935 Rhopalocera. Zool. Rec. 71(1934)(Ins.):304-318.
 b0073 1936 Rhopalocera. Zool. Rec. 72(1935)(Ins.):311-323.
 b0074 1937 Rhopalocera. Zool. Rec. 73(1936)(Ins.):323-332.
 b0075 1938 Rhopalocera. Zool. Rec. 74(1937)(Ins.):304-313.
 b0076 1939 Rhopalocera. Zool. Rec. 75(1938)(Ins.):313-321.
 b0077 1940 Rhopalocera. Zool. Rec. 76(1939)(Ins.):313-322.
 b0078 1947 Rhopalocera. Zool. Rec. 80(1943)(Ins.):161-169.
 b0079 1949 Rhopalocera. Zool. Rec. 82(1945)(Ins.):251-259.
 b0080 1950 Rhopalocera. Zool. Rec. 83(1946)(Ins.):292-300.
 b0081 1951 Rhopalocera. Zool. Rec. 84(1947)(Ins.):295-304.
 b0082 1952 Rhopalocera. Zool. Rec. 85(1948)(Ins.):254-264.
 b0083 1953 Rhopalocera. Zool. Rec. 86(1949)(Ins.):281-291.
 b0084 1954 Rhopalocera. Zool. Rec. 87(1950)(Ins.):343-351.
 b0085 1955 Rhopalocera. Zool. Rec. 88(1951)(Ins.):330-340.

Anonymous; (continued)

- b0086 1956 Rhopalocera. Zool. Rec. 89(1952)(Ins.):344-350.
 b0087 1957 Rhopalocera. Zool. Rec. 90(1953)(Ins.):386-399.
 b0088 1958 Rhopalocera. Zool. Rec. 91(1954)(Ins.):384-392.
 b0089 1959 Rhopalocera. Zool. Rec. 92(1955)(Ins.):396-408.
 b0090 1960 Postage Stamp, Rumania, 1960 40 bari
 b0091 1960 Rhopalocera. Zool. Rec. 93(1956)(Ins.):378-386.
 b0092 1961 Rhopalocera. Zool. Rec. 94(1957)(Ins.):432-439.
 b0093 1962 Rhopalocera. Zool. Rec. 95(1958)(Ins.):500-509.
 b0094 1964 Rhopalocera. Zool. Rec. 97(1960)(Ins.):273-277.
 b0095 1965 Rhopalocera. Zool. Rec. 98(1961)(Ins.):304-308.
 b0096 1966 Rhopalocera. Zool. Rec. 99(1962)(Ins.):337-340.
 b0097 1967 Rhopalocera. Zool. Rec. 100(1963)(Ins.):325-330.
 b0098 1969 Rhopalocera. Zool. Rec. 102(1965)(Ins.):332-339.
 b0099 1971 Rhopalocera. Zool. Rec. 104(1967)(Ins.):582-587.
 b0100 1973 Rhopalocera. Zool. Rec. 106(1969)(Ins.):472-481.
 b0101 1974 Rhopalocera. Zool. Rec. 107(1970)(Ins.):594-598.
 b0102 1975 Rhopalocera. Zool. Rec. 108(1971)(Ins.):592-602.
 b0103 1976 Rhopalocera. Zool. Rec. 109(1972)(Ins. D-Lep.):170-176.
 b0104 1977 Rhopalocera. Zool. Rec. 110(1973)(Ins. D-Lep.):164-176.
 b0105 1978 Rhopalocera. Zool. Rec. 111(1974)(Ins. D-Lep.):148-159.
 b0106 1979 Index to volume 32. J. Lep. Soc. 32(4):312-320. {28 Feb 1979}
 b0107 1979 Rhopalocera. Zool. Rec. 112(1975)(Ins. D-Lep.):197-214.
 b0108 1980 Rhopalocera. Zool. Rec. 113(1976)(Ins. D-Lep.):215-226.
 b0109 1980 Rhopalocera. Zool. Rec. 114(1977)(Ins. D-Lep.):232-252.
 b0110 1981 Rhopalocera. Zool. Rec. 115(1978)(Ins. D-Lep.):280-298. {Dec 1981}
 b0111 1982 Lepidoptera: Hesperioidea and Papilionoidea. Zool. Rec. 116(1979)(Ins. D-Lep.):264-285. {[Dec] 1982}
 b0112 1983 Emended or Incorrect Subsequent Spellings. In *Aparuridae, Danaidae, Hesperidae, Lybtheidae, Lycaenidae, Nymphalidae, Papilionidae, Pieridae, Riodinidae, Satyridae*. In Hodges, Check List of the Lepidoptera of America North of Mexico, (q.v.). London, Claxsey :42-65. *This part of the checklist was originally prepared Miller & Brown (b3193), but some anonymous editor changed a number of spellings. While these were probably deliberate, lack of a specific statement to that effect allows them to be treated as mere Incorrect Subsequent Spellings.*
 b0113 1983 Lepidoptera: Hesperioidea and Papilionoidea. Zool. Rec. 117(1980)(Ins. D-Lep.):282-298. {[Dec] 1983}
 b0114 1984 Lepidoptera: Hesperioidea and Papilionoidea. Zool. Rec. 118(1981)(Ins. D-Lep.):290-314. {Sep 1984}
 b0115 1985 Lepidoptera: Hesperioidea and Papilionoidea. Zool. Rec. 119(1982)(Ins. D-Lep.):346-364. {Mar 1985}
 b0116 1985 Lepidoptera: Hesperioidea and Papilionoidea. Zool. Rec. 120(1983)(Ins. D-Lep.):361-383. {Nov 1985}
 b0117 1986 Lepidoptera: Hesperioidea and Papilionoidea. Zool. Rec. 121(1984)(Ins. D-Lep.):409-428. {Aug 1986}
 b0118 1986 Obituary: Miguel Bustillo. J. Res. Lep. 24(4):396. {[Oct] 1986}
 b0119 1987 Lepidoptera: Hesperioidea and Papilionoidea. Zool. Rec. 122(1985)(Ins. D-Lep.):363-382. {Mar 1987}
 b0120 1987 Lepidoptera: Hesperioidea and Papilionoidea. Zool. Rec. 123(1986)(Ins. D-Lep.):389-416. {Dec 1987}
 b0121 1988 Lepidoptera: Hesperioidea and Papilionoidea. Zool. Rec. 124(1987)(Ins. D-Lep.):396-409. {Dec 1988}

Anonymous; (continued)

- b0122 1989 Lepidoptera: Hesperioidea and Papilionoidea. Zool. Rec. 125(1988)(Ins. D-Lep.):307-320. {Dec 1989}
 b0123 1990 Lepidoptera: Hesperioidea and Papilionoidea. Zool. Rec. 126(1989)(Ins. D-Lep.):302-320. {Dec 1990}
 b0124 1991 Lepidoptera: Hesperioidea and Papilionoidea. Zool. Rec. 127(1990)(Ins. D-Lep.):303-322. {Dec 1991}
 b0125 1992 Lepidoptera: Hesperioidea and Papilionoidea. Zool. Rec. 128(1991)(Ins. D-Lep.):306-336. {Dec 1992}
 b0126 1993 Lepidoptera: Hesperioidea and Papilionoidea. Zool. Rec. 129(1990)(Ins. D-Lep.):290-315. {Dec 1993}
 Antonova, E. M.;
 b0127 1981 The type-specimens of the Lepidoptera deposited in the collections of the Moscow State University Zoological Museum. [In Russian]. Sb. Trud. zool. Mus. 19:208-227.
 Araki, S.;
 b0128 1949 [On two new forms of Lycaenidae from Formosa (Lep.)]. Trans. Kansai ent. Soc. 14(2):17-19, 3 f.
 Araki, Yasumori; Hirayama, Shujiro;
 b0129 1941 [Description d'une sous-espèce nouvelle de la *Coreana michaelis* (Oberthür)]. [In Japanese]. Mushi no Sekai 4(11/12):1-2.
 Araki, Yasumori; Sibatani, Atuhiko;
 b0130 1941 On the Formosan species of the *Thecla taxila* group. Zephyrus 9(2):83-99, ill. {Dec 1941}
 Arbogast, Richard T.;
 b0131 1966 Migration of *Agraulis vanillae* (Lepidoptera, Nymphalidae) in Florida. Florida Entomologist 49(3):141-145. {Sep 1966}
 b0132 1976 Occurrence of *Leptotes cassius theonus* (Lycaenidae) in Georgia. J. Lep. Soc. 30(1):61. {22 Apr 1976}
 Archer-Loch, A.;
 b0133 1980-1981 The White-letter Hairstreak: *Strymonidia w-album* Knoch. Ent. Rec. 92(10):254-255; 93(1):16-17. {Oct 1980, Jan 1981}
 Arnett, Ross H., Jr.; Samuelson, G. Allan; Nishida, Gordon M.;
 b0134 1993 The Insect and Spider Collections of the World. Second Edition. Gainesville, Florida :vi + 310 pp.
 Arnold, Richard Arthur;
 b0135 1983 Ecological Studies of Six Endangered Butterflies (Lepidoptera, Lycaenidae): Island Biogeography, Patch Dynamics, and the Design of Habitat Preserves. Univ. Calif. Publ. Ent. 99:161 pp, 52 f, 50 tbl. [Ref: b3310] {Jun 1983}
 b0136 1983 Conservation and Management of the Endangered Smith's Blue Butterfly, *Euphilotes enoptes smithi* (Lepidoptera: Lycaenidae). J. Res. Lep. 22(2):135-153. {20 Dec 1983}
 b0137 1993 The Lotis Blue, *Lycaeides idas lotis* (Lintner). In: T. R. New (editor), Conservation Biology of Lycaenidae (Butterflies). Occ. Pap. IUCN Species Survival Comm. No. 8:143-144.
 Arnscheid, Wilfried;
 b0138 1975 *Aricia agestis* in Ruhrgebiet (Lep., Lycaenidae). Ent. Zeit. 85(4):38-39. {15 Feb 1975}
 Aspinall, R. J.;
 b0139 1988 The changing geography of the common blue butterfly (*Polyommatus icarus*) in Northumberland. Ent. Rec. 100(1/2):1-6, 1 f. {Feb 1988}
 Aston, C. E.; Dunn, K. L.;
 b0140 1985 Ants attendant on *Ogyris amaryllis amata* Waterhouse (Lepidoptera: Lycaenidae). Aust. ent. Mag. 12(2):36. {Apr 1985}

Atkins, Andrew;

b0141 1985 New butterfly records from Mount Kaputar, N.S.W. including a new western record for *Hypocysta euphemia* Westwood (Lepidoptera: Nymphalidae). Aust. ent. Mag. 12(5):106. {Aug 1985}

Atkins, Andrew Francis;

b0142 1976 New records for butterflies in southern, central and northern Queensland. Aust. ent. Mag. 3(1):1-4.

Atkins, Andrew; Heinrich, Anne;

b0143 1987 Notes on the biology of *Candalides cyprotus cyprotus* (Lepidoptera: Lycaenidae). Aust. ent. Mag. 14(3):45-48, 5 f. {Aug 1987}

Atsatt, P.;

b0144 1981 Ant-dependant food plant selection by the Mistletoe Butterfly *Ogyris amaryllis* (Lycaenidae). Oecologia 48:60-63, 3 tbl, 1 f.

Audeoud, Georges E.;

b. 1874; d. 1943. [Ref: b0718 (as Audéoud)]

b0145 1936 Description de six espèces ou sous-espèces nouvelles de rhopalocères africains. Mitt. schweiz. ent. Ges. 16(11):702-705, 1 pl, 6 f. The paper contains descriptions by Evans and Riley. It can also be cited as Bull. Soc. lépid. Genève, 7:184-188. {15 Sep 1936}

Aurivillius, Per Olof Christopher;

b. 15 Jan 1853 (Torsa); d. 20 Jul 1928. Collection to Naturhist. Riksmus., Stockholm. [Ref: b2455; b0717; b3321]

b0146 1882 Recensio critica Lepidopterorum Musei Ludovicae Ulrica quae descripsit Carolus A. Linné. K. svenska VetenskAkad. Handl. (nf)19(5):[2], 3-188, 1 cpl. Often as Mus. Ulric. Lepid. [Ref: b3886 :417; b0527]

b0147 1888-1891 Nordens Fjärilar. Handbok i Sveriges, Norges, Danmarks och Finlands Macrolepidoptera. Stockholm, Author :[3]+iii+277+[1] pp, 35 f, 50 pls. {1888-1891}

b0148 1891 Verzeichniss einer vom Herrn Fritz Theorin aus Gabun und dem gebiete des Camerunflusses heimgebrachten Schmetterlinges-Sammlung. 1. Rhopalocera. Ent. Tidskr. 12:193-228, ill.

b0149 1895 Diagnosen neuer Tagfalter aus Africa. Ent. Nachr. 21:379-382.

b0150 1895 Hans Daniel Johan Wallengren. Ent. Tidskr. 16:97-110, bibliography, portrait. [Ref: b0150]

b0151 1895 Beiträge zur Kenntniss der Insektenfauna von Kamerun. 2. Tagfalter (3). Ent. Tidskr. 16:195-220, f 13. [Ref: b0151]

b0152 1896 Diagnosen neuer Lepidopteren aus dem Congo Gebiete. Öfvers. K. VetenskAkad. Förh. 53(1896):431-436.

b0153 1897 Diagnosen neuer Lepidopteren aus Afrika. (3). Ent. Tidskr. 18:213-222, 3 f.

b0154 1898 Bemerkungen zu den von J. Chr. Fabricius aus dänischen sammlungen beschriebenen lepidopteren. [Notes, critical and synonymical, on the species described by Fabricius from Danish collections.] Ent. Tidskr. 18:139-174. {[1898]}

b0155 1898 Diagnosen neuer Lepidopteren aus Afrika. [4]. Ent. Tidskr. 19:177-186, f 6-8,8 [8 twice].

b0156 1899 Rhopalocera Aethiopia. K. svenska VetenskAkad. Handl. (nf)31(5):3-561, pls 1-6. The title page date is 1898, but the true date was given on page 561. [Ref: b1023; b1047] {[Apr 1899]}

b0157 1901 Diagnosen neuer Lepidopteren aus Afrika. [6]. Ent. Tidskr. 22:113-128, f 19-31.

b0158 1903 Verzeichniss einer Schmetterlingssammlung aus dem Katanga-Gebiete im südwestlichen Theile des Congostaates. Ark. Zool. 1:245-254, 6 tf.

Aurivillius, Per Olof Christopher; (continued)

b0159 1904 Lepidoptera. Part 1:9 pp. In Jägerskiöld, Axel Leonard Krister Edvard, Results of the Swedish Zoological Expedition to Egypt and the White Nile (Dec. 1900-July 1901), under the direction of L. A. Jägerskiöld. Uppsala 4 parts (8vo) (1904-1911).

b0160 1905 Lieutenant A. Schultze's Sammlung von Lepidopteren aus West-Afrika. Ark. Zool. 2(12):47 pp, ill.

b0161 1907 Diagnosen neuer Lepidopteren aus Africa. Ark. Zool. 3(19):1-7.

b0162 1908-1925 Die afrikanischen Tagfalter. In Seitz, Grossschmett. Erde 13:11-613, 80 pls. [See also: b4091] {1908-1925}

b0163 1909 In A. Voeltzkow, Reise in Ostafrika in den Jahren 1903-1905. Wissensch. Ergebn. 2, System. Arb., Heft 4, Lepidoptera, Rhopalocera und Heteroceren (pars 1):309-348, ill.

b0164 1909 Diagnosen neuer Lepidopteren aus Afrika, 9. Ark. Zool. 5(5):5.

b0165 1910 Lepidoptera, In: Wissenschaftliche Ergebnisse der Schwedischen Zoologischen Expedition nach dem Kilimandjaro, dem Meru und den umgebenden Massaisteppen Deutsch-Ostafrikas, 1905-1906, unter Leitung von Prof. Y. Sjöstedt. Herausgegeben mit Unterstützung von der Königl. Schwedischen Akademie der Wissenschaften. Stockholm (4vo) Bd 2(9):56 pp, 1 pl, text illust.

b0166 1910 Schmetterlinge gesammelt in Westafrika von L. Fea in dem Jahren, 1897-1902. Annali Mus. civ. Stor. nat. Genova (3)4:494-530.

b0167 1915 Lieutenant A. Schultzes Sammlung von Lepidopteren aus West-Afrika. Ark. Zool. 2(12):1-47, 5 cpl.

b0168 1916 Diagnosen neuer Lepidopteren aus Afrika. Ark. Zool. 10(14):1-6.

b0169 1922 Lépidoptères. Rhopalocères. Pp. 1:333-386 in Voyage de M. le Baron Maurice de Rothschild en Éthiopie et en Afrique orientale anglaise (1904-05). Résultats scientifiques. Annaux articulés. Paris, Muséum d'Histoire Naturelle 2 parts & Atlas of 100 clps (4to).

b0170 1922 Sammlungen der schwedischen Elgon-Expedition im Jahre 1920. I. Lepidopteren. Ark. Zool. 14(5):27 pp, 4 f.

b0171 1923 Fortsetzung. In Schubotz, A., Ergebnisse der zweiten Deutschen Zentral-Af zentral-Afrika Expedition, 1910-1911. Klinkhardt and Biermann, Leipzig 1:1195-1241.

b0172 1925 Zoological results of the Swedish expedition to Central Africa 1921. Ark. Zool. 17A(32):1-20, 5 f.

b0173 1925 Om F. Bryks Samlingar i Ost-Afrika. Ent. Tidskr. 46:206-212.

b0174 1929 Wissenschaftliche Ergebnisse der schwedischen Entomologischen Reisen des Herrn Dr. A. Roman in Amazonas 1914-1915 und 1923-1924. 13. Rhopalocera. Ent. Tidskr. 50(3/4):153-168.

Austaut, Jules Léon;

b0175 1879 Lépidoptères nouveaux d'Algérie. Petites Nouv. ent. 2(212):293. Continued in Le Naturaliste. {15 Jan 1879}

b0176 1885 Lépidoptères nouveaux d'Algérie. Naturaliste 7(18):141-142. {15 Sep 1885}

Austin, George T.;

b0177 1980 A new *Plebejus (Icaricia) shasta* (Edwards) from southern Nevada (Lycaenidae). J. Lep. Soc. 34(1):20-24. [Ref: b1610 (123-E12)] {23 Sep 1980}

b0178 1984 A New Subspecies of *Lycaena edüha* (Mead) (Lycaenidae) from Nevada. J. Res. Lep. 23(1):83-88, 2 f, 1 tbl. {15 Jun 1984}

b0179 1986 *Satyrium auretteum auretteum* (Boisduval): A New Species for Oregon (Lycaenidae). J. Lep. Soc. 39(4):342. {25 Jun 1986}

Austin, George T.; (continued)

- b0180 1987* [Letter to Bridges. Notes on *Lycaena editha nevadensis*, a junior homonym]. Las Vegas, Nevada :2 pp. [24 Aug 1987] [*Unpublished]
- b0181 1988 *Apodemia plamerii* (Lycaenidae: Riodininae): misapplication of names, two new subspecies and a new allied species. *J. Res. Lep.* 26(1/4):125-140, ill.
- b0182 1989 A replacement name for *Lycaena editha nevadensis* Austin (Lycaenidae). *J. Res. Lep.* 27(3/4):266. [1989]
- b0183 1991 A review of *Apodemia hepburni* (Lycaenidae: Riodininae) with a description of a new subspecies. *J. Lep. Soc.* 45(2):135-141, ill.
- b0184 1993 Three New Taxa of *Calephelis* from Costa Rica (Lycaenidae: Riodininae). *J. Res. Lep.* 30(3/4):237-244, ill. [1 Dec 1993]
- b0185 1993 A New Species of *Calephelis* from Guatemala (Lycaenidae: Riodininae). *J. Res. Lep.* 30(3/4):245-247, ill. [1 Dec 1993]

Austin, W.;

- b0186 1890 [*Lycaena bellargus* (adonis) var. *pallida*]. *Ent. Rec.* 1:12.

Avinoff, Andre;

- b. 1884; d. 16 Jul 1949. *Collection to Zool. Mus. Leningrad.* [Ref: b2455; b0718]
- b0187 1910 Contribution á la faune des Rhopalocères du Pamir oriental. [In Russian]. *Horae Soc. ent. ross.* 39:225-246, pl 14, f 1,6,7,10,12-19.

Avinoff, Andre; Shoumatoff, Nicholas;

- b0188 1941 Some new and undescribed Jamaican butterflies. *Ann. Cam. Mus.* 28(15):309-322, pl 36. [22 May 1941]

Azzarà, M. L.;

- b0189 1978 Revisão do genero *Barbicornis* Godart, 1824 (Lepidoptera, Lycaenidae, Riodininae). *Acta biol. parana.* 7(1/4):23-69, ill. [Ref: b0111 (#122)]

Bacallado Aranega, J. J.;

- b0190 1976 Biología de *Cyclirius webbianus* (Brullé) (Lep. Lycaenidae) especie endémica de la Islas Canarias. *Vieraea* 6(1):139-150, 14 f. [Ref: b0108 (#123)]

Baccetti, B.;

- b0191 1963 Roger Verity. *Atti Accad. naz. ital. Ent.* 11:17-33.

Backhaus, H.;

- b0192 1876 *Polyommatus amphi-damas* Esp. (*helle* Hüb.) var. nov. *lapponica*. *Ent. Monats.* 1:40.

Bailey, Frederick Marshman;

- b. 1882; d. 1967. [Ref: b1067]
- b0193 1932 Description of a new Lycaenid Butterfly. *J. Bombay nat. Hist. Soc.* 35(3):697-698. [15 Feb 1932]

Ballowitz, Richard A.;

- b0194 1983 The correct placement of *Everes 'herrii'*. *J. Lep. Soc.* 36(4):308-309. [18 Mar 1983]

Bálint, Zsolt;

- b0195 1981 *Lycaena helle* Den. & Schiff. from Roumanian part of the Szatmar lowland. *Folia ent. hung.* 34:235-236.
- b0196 1985 *Maculinea alcon limitanea* nov. ssp. (Lepidoptera: Lycaenidae) from Transylvania, Rumania. *Galathea* 1(3):62-74.
- b0197 1985 *Plebicula dorylas magna*, new subspecies (Lepidoptera: Lycaenidae) from the Eastern Carpathians, Romania. *Neue Ent. Nachr.* (14):14-20.
- b0198 1988 A new *Polyommatus* species from Southern Mongolia: *Polyommatus aloisi*, new species (Lepidoptera: Lycaenidae). *Atalanta* (Münnerstadt) 18(3/4):385-394.
- b0199 1989 Hairstreaks, coppers and blues from Mongolia (Lep., Lycaenidae). *Atalanta* (Münnerstadt) 19(1/4):87-100, ill.

Bálint, Zsolt; (continued)

- b0200 1990 Neue Untersuchungen an mongolischen Bläulingen (Lep., Lycaenidae). *Ber. Kr. nürnberg. Ent. galathea* 6:1-16, 14 f.
- b0201 1990 Revision of the lycaenid butterflies of the Carpathian Basin (Lepidoptera, Lycaenidae) [In Hungarian]. *Janus Pannonius Múz. Évk.* 34:47-62, ill.
- b0202 1991 A xeromontane lycaenid butterfly species: *Plebejus pylaon* (Fiascher von Waldheim, 1832) and its relatives. Part I. [In Hungarian]. *Janus Pannonius Múz. Évk.* 35:33-69.
- b0203 1991 Contribution a la connaissance des plantes-hotes des *Plebejides* Sauter, 1968 (Lepidoptera: Lycaenidae). *Limnea Belgica* 13(2):62-79, ill.
- b0204 1992 A new species of *Plebejides* Sauter, 1968 from Central Asia. (Lepidoptera, Lycaenidae). *Atalanta* (Münnerstadt) 23(1/2):133-138, 304-305, ill.
- b0205 1992 Faunistic data of Lycaenid butterflies from the Himalayan Region I (Lepidoptera, Lycaenidae). *Linnea Belgica* 13(8):395-421. [Dec 1992]
- b0206 1992 New taxa of the *Polyommatus* section (sensu Eliot, 1973) from Central Asia. *Studies on Central Palaearctic Lycaenids II* (Lepidoptera, Lycaenidae). *Linnea Belgica* 13(8):423-445. [Dec 1992]
- b0207 1993 A Catalogue of Polyommata Lycaenidae (Lepidoptera) of the Xeromontane Oreol Biome in the Neotropics as Represented in European Collections. *Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) No. 29:1-42.* [29 Mar 1993]
- b0208 1993 Comments and Additions Concerning the Recent "Catalogue" of Neotropical Polyommata Lycaenidae. *Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) No. 42:1-4.* [13 Dec 1993]
- b0209 1993 A xeromontane lycaenid butterfly species: *Plebejus pylaon* (Fiascher von Waldheim, 1832) and its relatives. Part III. The phylogeny and biogeography of the group. [In Hungarian]. *Janus Pannonius Múz. Évk.* 37:45-64.
- b0210 1993 The Pannonian Zephyr Blue, *Plebejus sephirus kovacsi* Szabó. In: T. R. New (editor), *Conservation Biology of Lycaenidae* (Butterflies). *Occ. Pap. IUCN Species Survival Comm. No. 8:103-104.*
- b0211 1993 The threatened lycaenids of the Carpathian Basin, east-central Europe. In: T. R. New (editor), *Conservation Biology of Lycaenidae* (Butterflies). *Occ. Pap. IUCN Species Survival Comm. No. 8:105-111.*
- Bálint, Zsolt; Johnson, Kurt;
- b0212 1993 New Species of *Pseudolucia* Nabokov from Chile and Patagonia (Lepidoptera, Lycaenidae, Polyommata). *Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) No. 27:1-25, ill.* [29 Mar 1993]
- b0213 1993 A New Genus of Thecline-like Polyommata in the Andean Region of South America (Lepidoptera: Lycaenidae, Polyommata). *Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) No. 28:1-4, ill.* [29 Mar 1993]
- b0214 1994 Polyommata lycaenids of the Oreol biome in the Neotropics, Part I: The thecline-like taxa (Lepidoptera: Lycaenidae). *Acta zool. hung.* 40(2):109-123, 36 f.
- b0215 1994 Polyommata lycaenids of the Oreol biome in the Neotropics, Part II: The *Itylos* section (Lepidoptera: Lycaenidae, Polyommata). *Annl. hist.-nat. Mus. nat. hung.* 86:53-77.
- Bálint, Zsolt; Kertész, Annamária; Lukhtanov, Vladimir Alexandrovich;
- b0216 1992 A survey of the subgenus *Plebejides* Sauter, 1968 (Lepidoptera, Lycaenidae). *Ent. Obozr.* 71(4):863-886.
- Bálint, Zsolt; Lamas, Gerardo;
- b0217 1994 Polyommata lycaenids of the Oreol biome in the Neotropics, Part III: Descriptions of three new species (Lepidoptera: Lycaenidae). *Acta zool. hung.* 40(3):231-240.

Bálint, Zsolt; Lukhtanov, Vladimir Alexandrovich;
b0218 1990 Plebejus (Plebejides) pylaon (Fischer von Waldheim, 1832) s. str. et ses sous-espèces (Lepidoptera: Lycaenidae). *Linnaea Belgica* 12(7):274-292, ill.

Ball, F. J.;
b0219 1914 Le dimorphisme saisonnier des androconia chez certains Rhopalocères. *Annls Soc. ent. Belg.* 58:170-182, pl 3,4.

Balletto, Emilio;
b0220 1993 On som new genus-group and species-group names of Andean Polyommataini. *Boll. Soc. ent. ital.* 124(3):231-243. {28 Feb 1993 }

b0221 1993 Polyommatus humedasa (Toso & Balletto). In: T. R. New (editor), Conservation Biology of Lycaenidae (Butterflies). *Occ. Pap. IUCN Species Survival Comm. No. 8:88-89.*

b0222 1993 Polyommatus galloi (Balletto & Toso). In: T. R. New (editor), Conservation Biology of Lycaenidae (Butterflies). *Occ. Pap. IUCN Species Survival Comm. No. 8:90-91.*

Balletto, Emilio; Kudrna, Otakar;
b0223 1989 On a samll collection of butterflies from NW Afghanistan (Province of Herat), with additions to the Afghan fauna and a checklist of the species known from this country. *Ent. Gaz.* 40:245-265.

Balletto, Emilio; Nekrutenko, Yuri Pavlovich;
b0224 1986 A New Blue Butterfly Species (Lepidoptera, Lycaenidae) from the Middle Asia. [In Russian]. *Vestnik Zoologii* 1986(1):76-78, 3 f.

Balletto, Emilio; Toso, Giovanni Guido;
b0225 1979 On a new species of *Agrodiaetus* (Lycaenidae) from southern Italy. Note divulg. *Ist. Ent. agrar. Univ. Napoli Portici* 2(1/2):13-22, ill. [Ref: *b0111* (#147)]

Balletto, Emilio; Toso, Giovanni Guido; Troiano, G.;
b0226 1981 Aricia cramera (Erschscholtz, 1821) in Sardinia. *Nota lepid.* 4:81-92.

Ballmer, Gregory R.; Pratt, Gordon F.;
b0227 1992 Loranthomitora a new genus of Eumaeini (Lepidoptera: Theclinae). *Tropical Lepidoptera* 3(1):37-46, ill.

Balogh, I.;
b0228 1956 Eine neue Lycaenide aus Ungarn (Lepidoptera). *Folia ent. hung.* (ns)9:65-77.
b0229 1957 A new subspecies of *Aricia allous* Hb. in Hungary. *Acta zool. hung.* 3:1-3.

Bampton, Ivan;
b0230 1981 Description of a New Species of *Poecilmitis* Butler (Lep., Lycaenidae) from the S. Western Cape Province of South Africa. *Ent. Rec.* 93(9/10):189-191. {Oct 1981 }

Bang-Haas, Andreas;
b. 1846; d. 1925. [Ref: *b0717; b0718*]
b0231 1906 Neue oder wenig bekannte palaearktische Macrolepidopteren. *Deut. ent. Zeit.* [Iris] 19:127-144.
b0232 1907 Neue oder wenig bekannte palaearktische Makrolepidopteren. II. *Deut. ent. Zeit.* [Iris] 20:69-88.
b0233 1910 Neue oder wenig bekannte palaearktische Makrolepidopteren. III. *Deut. ent. Zeit.* [Iris] 24:27-51. {1 Mar 1910 }
b0234 1912 Neue oder wenig bekannte palaearktische Makrolepidopteren. IV. *Deut. ent. Zeit.* [Iris] 26:103-110.

Bang-Haas, Otto;
b. 1882; d. 1948. [Ref: *b0718; ns02414*]
b0235 1915 Rhopalocera der Chotan-Ausbeute 1914. I. *Deut. ent. Zeit.* [Iris] 29:92-100. {1 Oct 1915 }
b0236 1926-1930 Novitates Macrolepidopterologicae. Katalog der Neubeschreibungen von Palaearktischen Macrolepidopteren. Dresden-Blasewitz 5 Bands (1):xx+238 pp; (2):xxiii+301 pp; (3):xvi+104 pp; (4):xvi+80 pp; (5):xvi+207 pp. {1926-1930 }

Bang-Haas, Otto; (continued)
b0237 1927 Horae Macrolepidopterologicae, regionis Palaearcticae. Dresden 1:xxvii + 128 pp, 11 pls.

Bargmann, Rudolf;
b0238 1930 Lemonias thara Hew., forma *krueger* Bgm. *Int. ent. Z.* 24(31):331. {15 Nov 1930 }

Barlow, Henry Sackville; Banks, Henry Jonathan; Holloway, Jeremy Daniel;
b0239 1971 A collection of Rhopalocera (Lepidoptera) from Mount Kinabalu, Sabah, Malaysia. *Orient. Insects* 5(3):269-296, 1 f.

Barnes, William;
b. 3 Sep 1869 (Decatur, Illinois); d. 1 May 1930 (same). *Collection to USNM.* [Ref: *b0717; b0718; b3202*]
b0240 1900 New species and varieties of North American Lepidoptera. *Can. Ent.* 32(2):42-48. {9 Feb 1900 }

Barnes, William; Benjamin, Foster Hendrickson;
b0241 1923 Notes and new Species. *Contr. nat. Hist. Lep. N. Amer.* 5(2):62-69. [Ref: *b0524*] {17 Mar 1923 }
b0242 1924 Notes and New Species. *Contr. nat. Hist. Lep. N. Amer.* 5(3):99-199. {12 Apr 1924 }
b0243 1926 Notes on diurnal Lepidoptera, with additions and corrections to the recent "List of diurnal Lepidoptera". *Bull. S. Calif. Acad. Sci.* 25(3):88-98. {Dec 1926 }

Barnes, William; Lindsey, Arthur Ward;
b0244 1922 A review of some generic names in the Order Lepidoptera. *Ann. ent. Soc. Amer.* 15(1):89-99. {Mar 1922 }

Barnes, William; McDunnough, James Halliday;
b0245 1910 A New *Thelca* from Texas. *Can. Ent.* 42(11):365-366. {11 Nov 1910 }
b0246 1912 On the generic types of North American diurnal Lepidoptera. *Contr. nat. Hist. Lep. N. Amer.* 1(6):1-13. {25 Jul 1912 }
b0247 1916 Some new races and species of North American Lepidoptera. *Can. Ent.* 48(7):221-226. {12 Jul 1916 }
b0248 1916 Notes on North American diurnal Lepidoptera. *Contr. nat. Hist. Lep. N. Amer.* 3(2):49-156, pls 4-11. {15 Dec 1916 }
b0249 1917 Check list of the Lepidoptera of Boreal America. Decatur, Illinois, Herald Press v-viii + 392 pp. {Feb 1917 }
b0250 1917 Further notes on *Philotas battooides* and its allies. *Contr. nat. Hist. Lep. N. Amer.* 3(4):213-216, pls 16,17. [Ref: *b0524*] {10 Mar 1917 }
b0251 1918 Notes and New Species. *Contr. nat. Hist. Lep. N. Amer.* 4(2):61-[212], pls 11-25. [Ref: *b0524*]
b0252 1919 A New Race of *Plebeius icarioides* from Vancouver Island. *Can. Ent.* 51(4):92-93. {28 Apr 1919 }

Barragué, Guy;
b0253 1954 Contribution à une faune des Lépidoptères Rhopalocères des environs d'Alger. *Bull. Soc. Hist. nat. Afr. N.* 45(3/4):179-188, 1 f. {Apr 1954 }
b0254 1987 Voyage entomologique dans le Maghreb. Deuxième partie. Remarques sur quelques Rhopalocères rares ou peu connus et description de sous-espèces nouvelles. *Linnaea Belgica* 11(1):2-18. {Mar 1987 }

Bartel, Max;
b0255 1904 Ueber die Variabilität von *Lycaena coridon* Poda und Beschreibung einer neuen Lokalform dieser Art. *Ent. Zeit.* 18(30):117-118. {15 Dec 1904 }

Bartlett-Calvert, William;
Perhaps Wilhelm.
b0256 1894 Nuevos Lepidópteros de Chile An. Univ. Chile 84:813-833, pls 1,2. {Sep 1894 }

Batchelder, C. F.;

b0257 1951 A bibliography of the published writings of Charles Johnson Maynard [1845-1929]. J. Soc. Bibl. nat. Hist. 2(7):227-260. {Jan 1951 }

Bates, D. Marston;

b0258 1935 A new Riordinid from Panama (Lepidoptera). Psyche 42(3):149-150. {Sep 1935 }

b0259 1935 The butterflies of Cuba. Bull. Harvard Mus. Comp. Zool. 78(2):63-256, 24 f.

Bates, Henry Walter;

b. 8 Feb 1825 (Leicester); d. 16 Feb 1892 (London). [Ref: b0717; b0718; b3321]

b0260 1859 Notes on South American Butterflies. Trans. ent. Soc. Lond. (2)5(1):1-11. {Feb 1859 }

b0261 1861 Contributions to an insect fauna of the Amazon Valley - Lepidoptera - Papilionidae. J. Entomology 1(4):218-245.

b0262 1862 Contribution(s) to an insect fauna of the Amazon valley. Lepidoptera: Heliconidae. Trans. linn. Soc. Lond. 23(3):495-566, pl 55, 56. {[Sep] 1862 }

b0263 1864-1865 New species of butterflies from Guatemala and Panamá collected by Osbert Salvin and F. du Cane Godman, Esqs. Ent. mon. Mag. 1(1):1-6, (2):31-35, (3):55-59, (4):81-85, (5):113-116, (6):126-131, (7):161-164, (8):178-180, (9):202-205. Title varies slightly. {Jun 1864-Feb 1865 }

b0264 1866 New species of butterflies from Guatemala and Panama, Supplement. Ent. mon. Mag. 3:49-52, 85-88, 133-136, 152-157. {Aug 1866 }

b0265 1867 New Species of Insects from the Province of Canterbury, New Zealand, collected by R. W. Fereday, Esq. Ent. mon. Mag. 4(3):52-56, (4):78-80. {Aug 1867 }

b0266 1867 On a Collection of Butterflies formed by Thomas Belt, Esq., in the interior of the Province of Maranham, Brazil. Trans. ent. Soc. Lond. (3)5(7):535-546. {Nov 1867 }

b0267 1868 A Catalogue of Erycinidae, a Family of Diurnal Lepidoptera. J. linn. Soc. Lond., Zool. 9:367-459. {[1868]}

Bath, Wolfgang Harcourt;

b. 1882, d. 1932. Also as Harcourt-Bath. [Ref: b0718]

b0268 1900 *Lycaena phereides* and its allies in the Skihma Himalayas. Entomologist 33:199-200.

Baumann, Oscar;

b0269 1894 Durch Massailand zur Nilquelle. Reisen und Forschungen der Massai-Expedition des deutschen Antisklaverei-Komitee inden Jahren 1891-1893. Berlin, Deitrich Reimer (Hoefer & Vohsen) 8vo :xiii+[2]+385+[1] pp, 27 pl, 1 map. Anhang: IV. Insekten aus Deutsch-Ostafrika :323-350. Lepidoptera, :323-341, by Rebel & Rogenhofer. [Ref: b3714]

Bayard, André;

b. *; d. 1967; [Ref: b1946]

b0270 1936 Caractères spécifiques de l'amure génitale des *Aricia* du groupe *Medon* (avec la planche II). In: Livre jubilaire de M. Eugene-Louis Bouvier. Paris, Firmin-Didot :111-116.

b0271 1946 *Heodes dispar* en Charente-Maritime. Revue fr. Léop. 10:345-349.

Bayer, Karl;

b0272 1924 *Chrysophanus dispar rutilis* (gen. vern.) ab. nov. albidoflava (female). Verh. zool.-bot. Ges. Wien 73:(21).

Baynes, E. S. A.;

b0273 1958 *Aricia agestis* Denis and Schiff. in Ireland? Ent. Rec. 70(7/8):183-184. {Aug 1958 }

Baz, A.;

b0274 1988 On the distribution of *Tarucus theophrastus* (Fabricius, 1793) (Papilionoiden, Lycaenidae) in Morocco. Nota lepid. 11(3):177-181, ill.

Bean, A. E.;

b0275 1988 Observation on the occurrence and habits of the *Nacaduba* complex of the Lycaenidae (Lepidoptera), mainly from the Pune district, Western Ghats. J. Bombay nat. Hist. Soc. 85(2):332-363, ill.

Beattie, John R.;

b0276 1976 Rhopalocera Directory Berkeley, California, JB Indexes :xiv+365 pp. A very useful index to the Butterfly names in the Zoological Record. It has been consulted hundreds of times. [Ref: b0523]

Beck, Andrew F.; Garnett, William J.;

b0277 1984 Distribution and Notes on the Great Dismal Swamp Population of *Mitoura hesseli* Rawson and Ziegler (Lycaenidae). J. Lep. Soc. 37(4):289-300, 5 f. {8 May 1984 }

Beebe, William;

b0278 1951 Migration of Nymphalidae (Nymphalinae), Brassolidae, Morphidae, Libytheidae, Satyridae, Riordinidae, Lycaenidae and Hesperidae (Butterflies) Through Portachuelo Pass, Rancho Grande, North-central Venezuela. Zoologica 36:1-15, 2 pls.

Beer, S.;

b0279 1959 Ruggero Verity. Natura, Milano 50:129-132.

b0280 1960 Ruggero Verity. Memorie Soc. ent. ital. 38(1959):137-148.

Behr, Hans Herman;

b. 18 Aug 1818 (Köthen); d. 6 Mar 1904 (San Francisco). [Ref: b0717; b0718 (Hermann)]

b0281 1865 On Californian Lepidoptera. Proc. Calif. Acad. Sci. 3(3):178-179. {Jan 1865 }

b0282 1866 Description of a new species of *Chrysophanus*. Proc. ent. Soc. Philad. 6(2):208. {Mar 1866 }

b0283 1867 Enumeration of the Californian species of *Lycaena*. Proc. Calif. Acad. Sci. 3(4):279-283. {Jan 1867 }

Bell, Ernest Layton;

b. 21 Nov 1876 (Flushing, Long Island, New York); d. 12 Dec 1964 (same). [Ref: b3898; b3897]

b0284 1933 On the Hesperidae described by A. G. Weeks, Jr. Ent. News 44(10):264-270. {[27] Dec 1933 }

b0285 1934 New Hesperidae from Trinidad and Peru (Lepidoptera: Rhopalocera). Amer. Mus. Novit. No. 745:1-6, 5 f. {28 Aug 1934 }

Bell, Ernest Layton; Comstock, William Phillips;

b0286 1941 The synonymy of *Papilio coridon* Poda, *Papilio phocion* Fabricius and others. J. New York ent. Soc. 49(4):371-374. {Dec 1941 }

Bellavista Admetlla, J.;

b0287 1987 Sobre la variabilidad de *Aricia nicias* (Meigen, 1830) en el sur de Europa y actualizacion de su distribucion en los Pirineos (Lepidoptera: Lycaenidae). Revta Lep. 15(57):7-16.

Bellenger, J.;

b0288 1972 Elevage facile de *Lycaena dispar* Haw. Remarques sur l'éthologie de la chenille. Alexanor 7(5):213-218. {18 Mar 1972 }

Bellenger, J.; Descimon, Henri;

b0289 1977 *Lycaena alciphron* (Rott.) en Bourgogne occidentale et dans le Morvan: une étude zoogéographique [Lep. Lycaenidae]. Alexanor 10(4):147-167. {1 Dec 1977 }

Bellier de la Chavignerie, Jean Baptiste Eugène;

b. 1819; d. 1888. [Ref: b1946]

b0290 1862 Variétés nouvelles de Lépidoptères observées en Corse et decrites. Annls Soc. ent. Fr. (4)2=31:615-616.

Belling, Herman;

d. 1851; d 1939. [Ref: b1946]

Belling, Herman; (continued)

- b0291 1908 Einiges vom Fruehligsscheckenfalter, *Nemeobius lucina* L. Int. ent. Z. 22:105-109. {Jun 1908}
 b0292 1929 Noch einmal *Nemeobius lucina* L. Int. ent. Z. 22:437-439.

Benjamin, Foster Hendrickson;

b. 1895, d. 1936. [Ref: b0717]

Benjamini, Dubi;

- b0293 1984 Distribution list of the Butterflies of Israel West of the Jordan River (Lepidoptera). Israel J. Ent. 17:23-36. {15 Apr 1984}

Bennett, Neville H.;

- b0294 1950 A Revision of the *echerius* group of the Genus *Abisara* Felder (Rhop. Riodinidae). Entomologist 83(1):1-9, (2):34-42 (16 Feb). {23 Jan 1950}
 b0295 1954 Two New Species of Lycaenidae for South East Africa. Entomologist 87:170-173. {[29 Sep] 1954}
 b0296 1957 A new species of *Abisara* from Burma (Lepidoptera; Riodinidae). Entomologist 90:27, pl 2. {Feb 1957}
 b0297 1966 A New Subspecies of *Micropentila* (Lepidoptera: Lycaenidae) from Middle Congo. Entomologist 99:186, pl 4 (photo by Cowan). [Ref: b1037] {Aug 1966}
 b0298 1969 A Seasonal Form of *Baliochila singularis* Stempffer and Bennett from Southern Rhodesia. Entomologist 102:73-74. {Apr 1969}
 b0299 1969 A New *Falcuna* Species from Western Nigeria (Lepidoptera: Lycaenidae). Entomologist 102:143-144. {Jun 1969}

Bennett, Robert; Knudson, Edward C.;

- b0300 1976 Additional new butterfly records from Florida. J. Lep. Soc. 30(3):234-235. {22 Sep 1976}

Berce, Jean Étienne;

- b. 1802 or 3; d. 1879. [Ref: b1946]
 b0301 1867 Faune Entomologique Française Lépidoptères, Descriptions de Tous Les Papillons que se Trovent en France. Volume 1, Rhopaloceres. Paris, Deyrolle, Fils :vi + 251 pp, pls A, 1-18.

Berg, Frederico Guillermo Carlos;

- 21 Mar 1843 (*Sillen (Kurland)*); d. 19 Jan 1902 (*Buenos Aires*). (Also as *Friedrich Wilhelm Karl*). Succeeded *Burmeister* as Director of the Museo Nacional in 1892. [Ref: b1042; b0717; b0718]
 b0302 1882 Farrago Leppidopterologica. Contribuciones al estudio de la fauna Argentina y Paisés Limitrofes. An. Soc. cient. argent. 13(4):164-184. Volume also seen as 14. {Apr 1882}
 b0303 1896 Descripción de tres nuevos Lepidópteros de la colección de Museo Nacional de Buenos Aires. An. Mus. nac. Buenos Aires (2)5:1-4, 3 f. {8 May 1896}

Berge, Karl Frederik;

- b. 11 Dec 1811 (*Stuttgart*); d. 19 Sep 1883 (*same*). [Ref: b1042; b0718]
 b0304 1842 Die Schmetterlingsbuch, oder allgemeine und besondere Naturgeschichte der Schmetterlinge, mit besonderer Rücksicht auf die europäischen Gattungen. Nebst einer vollständigen Anweisung sie zu fangen, zu erziehen, zuzubereiten und auf zubewahren. Stuttgart, Hoffmann 4to :vi+232 pp, 52 pls. Size and collation for 1851 edition, published by Scheitzin & Kraus. 2nd ed (1851); 3rd (1863); 4th (1870); 5th (before 1882); 9th (1909, revised by Rebel). [Ref: b3706]

Berger, Lucien A.;

- b0305 1946 *Maculinea rebeli* Hirschke, bona species. Lambillionea 46:95-110, 1 pl, 10 f.
 b0306 1951 Un nouvel *Aphnaeus* du Congo belge (Lepidoptera - Lycaenidae). Revue zool. bot. afr. 45:55-56.

Berger, Lucien A.; (continued)

- b0307 1952 *Aphnaeus* nouveaux du Congo belge (Lepidoptera - Lycaenidae). Lambillionea 52:68-70.
 b0308 1954 *Liptena (Tetrarhanis)* nouveaux du Congo Belge. Anns Mus. r. Congo Belge (4to):306-309, ill.
 b0309 1981 Les Papillons du Zaire. Bruxelles, Weissenbruch :543 pp, ill.

Bergsträsser, Johann Andreas Benignus;

- b. 1732, d. 1812.
 b0310 1778-1780 Nomenclatur und Beschreibung der Insecten in der Grafschaft Hanau-Münzenberg, wie auch der Wetteru und der angrenzenden Nachbarschaft dies - und jenseits des Mains, mit erleuchteten Kupfertafeln herausgegeben. 1, 1778:88 pp, pls 1-14 (Coleoptera); 2, 1779:79 pp, pls 15-48 (Lepidoptera); 3, 1779:48 pp, pls 49-72 (Lepidoptera); 4, 1780:47 pp, pls 73-96? 5, not issued. Volumes 2-4 were also issued separately as: *Naturgeschichte der Europäischen Schmetterling*. {[1778]-[1780]}

Bernardi, Georges;

- b0311 1947 Notes sur l'article de L. Berger - '*Maculinea rebeli* Hirschke, bonne espèce'. Bull. Soc. ent. Mulhouse 1947:61-67.
 b0312 1947 A propos de la race *gazeli* Beuret de *Lycaeides idas* L. Misc. Ent. 44:119-120.
 b0313 1948 Notes sur les *Cupido sebrus* Hb. francais. Bull. Soc. ent. Mulhouse 1948:81-86.
 b0314 1948 A propos du *Polyommatus agathon* de Godart. Misc. Ent. 45:94-96.
 b0315 1951 Notes sur la nomenclature des Lycaenidae (Lep. Rhopalocera). Bull. Soc. ent. Fr. 56(2):30. {11 Apr 1951}
 b0316 1960 La répartition insulaire de deux espèces jumelles d'*Aricia* R. C. Bull. Soc. ent. Fr. 65(1/2):49-52, 5 f. {13 Jun 1960}
 b0317 1962 Note sur la position systematique correcte du *Lycaena pontica* Courvoisier. Revue fr. Léop. 29:238-240.
 b0318 1963 La réhabilitation du *Lycaena dispar* dit de Saint-Quentin (Lep. Lycaenidae). Alexanor 3(1):9-16, (2):51-60 (Oct), pl 2, 2 f. {25 Mar 1963}
 b0319 1964 Lépidoptères Lycaenidae (sauf *Agrodiaetus*) récoltés en Iran par H. de Lesse en 1955 et 1958. Alexanor 3(5):209-216, 273-278. {9 Apr 1964}
 b0320 1972 Note sur la variation géographique de l'armure génitale mâle des *Iolana* (Lep. Lycaenidae). Bull. Soc. ent. Fr. 77(5/6):160-167, 24 f. {[21 Dec] 1972}

Bernardi, Georges; de Lesse, Hubert;

- b0321 1952 La variabilité géographique de *Lycaena helle* Denis & Schiff. Revue fr. Léop. 13:203-213.

Bertoloni, Guiseppe;

- b. 1804; d. 19 Dec 1878 (*Piemontorio*). [Ref: b0717]
 b0322 1851 Illustrazione Dei Prodotti Naturali Del Mozambico. Dissertazione I. Insetti Lepidotteri Diurni. Memorie Accad. Sci. Ist. Bologna 2:167-187, 1 pl. There is also a 23 page separate of this (4to). [FMB, pc]. [Ref: b0527]

Bessemmer, H. D.;

- b0323 1962 *Lycaena virgaureae* L. Entomologist 95:239-240.

Bethune-Baker, George Thomas;

- b. 20 Jul 1857 (*Birmingham*); d. 1 Dec 1944 (*Eastbourne*). Collection to Cambridge University, but some types are in the BMNH. [Ref: b0718]
 b0324 1887 Description of a new genus of Rhopalocera allied to *Anteros*, Hew. Trans. ent. Soc. Lond. 35(2):175-176, pl 9. {Jun 1887}
 b0325 1894 Notes on some Lepidoptera received from the neighborhood of Alexandria. Trans. ent. Soc. Lond. 42(1):33-51, pl 1. {Mar 1894}
 b0326 1896 In Druce, (q.v.). Proc. zool. Soc. Lond. 1896(3):650-683. [See also: b1365] {[Oct] 1896}

Bethune-Baker, George Thomas; (continued)

- b0327 1897 Four new species of *Arhopala*. Ent. mon. Mag. 33:202-205. {Sep 1897}
- b0328 1903 On new species of Lycaenidae from West Africa. Ann. Mag. nat. Hist. (7)12:324-334. {Sep 1903}
- b0329 1903 A new species of *Arhopala* from British New Guinea. Ent. mon. Mag. 39:217-218. {Sep 1903}
- b0330 1903 A new species of *Arhopala* from Singapore. Ent. mon. Mag. 39:218. {Sep 1903}
- b0331 1903 A Revision of the *Amblypodia* Group of Butterflies of the Family Lycaenidae. Trans. zool. Soc. Lond. 17(1):3-164, 5 pls.
- b0332 1904 On new species of Rhopalocera from Sierra Leone. Ann. Mag. nat. Hist. (7)14:222-233. {Sep 1904}
- b0333 1904 On Three new Species of *Arhopala*. Ann. Mag. nat. Hist. (7)14:233-236. {Sep 1904}
- b0334 1904 New Lepidoptera from British New Guinea. Novit. zool. 11:367-429, 3 pls.
- b0335 1905 A monograph of the genus *Ogyris*. Trans. ent. Soc. Lond. 53(3):269-292, pl 15. {[4] Oct 1905}
- b0336 1905 Notes on some of the Lycaenidae collected by the late William Doherty on the Kikuyu escarpment. Novit. zool. 12:492-496.
- b0337 1906 New Species of Lycaenidae from British New Guinea. Ann. Mag. nat. Hist. (7)17:100-104. {Jan 1906}
- b0338 1906 Descriptions of some new Africa butterflies. Ann. Mag. nat. Hist. (7)17:104-110. {Jan 1906}
- b0339 1906 Descriptions of African Lepidoptera. Ann. Mag. nat. Hist. (7)18:339-346. {Nov 1906}
- b0340 1908 Descriptions of new species of butterflies of the division Rhopalocera from Africa and from New Guinea. Proc. zool. Soc. Lond. 1908(1):110-126, 2 pls. {[3 Jul] 1908}
- b0341 1909 Descriptions of new African Lepidoptera. Ann. Mag. nat. Hist. (8)3:422-437. {May 1909}
- b0342 1909 Descriptions of three new Species of Rhopalocera from North New Guinea. Ann. Mag. nat. Hist. (8)4:183-185, 1 pl, 2 f. {Sep 1909}
- b0343 1910 A revision of the African species of the *Lycaenesthes* group of the Lycaenidae. Trans. ent. Soc. Lond. 58(1):1-84, pls 1-13. {[19 Jul] 1910}
- b0344 1911 Descriptions of new species of Lepidoptera from Tropical Africa. Ann. Mag. nat. Hist. (8)8:506-542. {Oct 1911}
- b0345 1913 *Everes comyntas* and *anyntula* (Lepidoptera). Ent. News 24(3):97-103, 149-156, pl 5. {Feb 1913}
- b0346 1913 Notes on the specific distinction of certain species in the *orbivulus* and *pheretiades* section of the genus *Plebeius*. Trans. ent. Soc. Lond. 61(1):205-212, pls 6-8. {[13 Jun] 1913}
- b0347 1913 Descriptions of new species of Lepidoptera from Africa and the East. Ann. Mag. nat. Hist. (8)11:562-575. {Jun 1913}
- b0348 1913 Description of the pupa of *Heodes dorilis*. Ent. Rec. 25:133-134.
- b0349 1914 Notes on the Lycaenidae collected by W. A. Lamborn in the Lagos district of West Africa . . . New species. Appendix I in Lamborn (q.v.). Trans. ent. Soc. Lond. 61(3):499-503. [See also: b2887] {21 Jan 1914}
- b0350 1914 H. Sauter's Formosa-Ausbeute: Ruralidae (Lep.). Ent. Mitt. 3(4):123-128. {Apr 1914}
- b0351 1914 Notes on the taxonomic value of the genital armature in Lepidoptera. Trans. ent. Soc. Lond. 62(2):314-338, ill. {[8] Oct 1914}
- b0352 1914 On the correlation of Pattern and Structure in Rhopalocera . . . Ent. Rec. 26:177-184.

Bethune-Baker, George Thomas; (continued)

- b0353 1915 Descriptions of new species of Lepidoptera from Africa and the East. Ann. Mag. nat. Hist. (8)16:186-203. {Sep 1915}
- b0354 1916 Descriptions of new species of Lepidoptera. Ann. Mag. nat. Hist. (8)17:378-385. {May 1916}
- b0355 1916 Notes on the Synonymy of the Genus *Ogyris*. Ann. Mag. nat. Hist. (8)17:386-390. {May 1916}
- b0356 1918 A revision of the genus *Tarucus*. Trans. ent. Soc. Lond. 65(2/4):269-296, 7 pls. {[16] May 1918}
- b0357 1921 A new palearctic species of Lycaenidae. Ent. Rec. 33:63.
- b0358 1922 Description of new species of Lepidoptera chiefly Lycaenidae from Southern Nigeria and on from Damba Island, Victoria Nyanza. Trans. ent. Soc. Lond. 69(3/4):461-464. {[28] Jan 1922}
- b0359 1923 A monograph of the genus *Catochrysops* Boisduval, (Auctorum). Trans. ent. Soc. Lond. 70(3/4):275-366, pls 12-32. {[17] Feb 1923}
- b0360 1924 Descriptions of new African Rhopalocera. Ann. Mag. nat. Hist. (9)14:130-135. {Jul 1924}
- b0361 1925 A revision of the Liphyrinae together with a description of the structure of the puparium of *Liphyras brassolis* and pupae of *Aslauga vinica* and *A. lamborni* (Lepidoptera). Trans. ent. Soc. Lond. 72(3/4):199-238, 5 tf, pls 13-37. {[20 Feb] 1925}
- b0362 1926 Descriptions of new species of Rhopalocera from the Ethiopian Region. Ann. Mag. nat. Hist. (9)17:384-402. {Apr 1926}
- Betti, Georges;
- b0363 1970 Description d'une nouvelle sous-espèce de *Lysandra hispana* H.-S. d'Espagne (Lep. Lycaenidae). Bull. Soc. ent. Mulhouse 1970:31-32, 2 pls.
- b0364 1977 Nouvelles sous-espèces de Lycaenidae Paléarctiques. Alexanor 10(2):87-96, 5 pls. {4 Aug 1977}
- Bettmann, Helmut;
- b0365 1982 Zum Flugverhalten von *Quercusia quercus* (Lep.: Lycaenidae). Ent. Zeit. 92(11):158. {1 Jun 1982}
- Betz, J. T.;
- b0366 1956 *Lycaena arcas* Rott. et *Lycaena euphemus* Huebner en Alsace. Bull. Soc. ent. Mulhouse 1956:45-46.
- Beuret, Henry;
- b. 19 Mar 1901; d. 1 May 1961. [Ref: b1946 (as *Beuret-Stademann*)]
- b0367 1926 Neue und interessante Lepidopteren formen der Schweizer Fauna. Schweiz. ent. Anz. 5(3):3-4.
- b0368 1927 Remarques sur la variation des ocelles du revers chez les Lycènes. (Suite). Lambillionea 27(3):23-24; (4):29-32 (25 Apr).
- b0369 1928 Biologische und systematische Beiträge zur Geschichte der Lycaeniden. I. Eine verkannte Art der Basler Fauna. (Gen. *Plebeius* [L.] Klug). Soc. ent. 43:41-42, 1 pl.
- b0370 1933 *Albulina orbivulus* 1798 et *Agriades glandon* 1798. Lambillionea 33:134-146.
- b0371 1934 Contribution à l'étude de la variation géographique de *Lycaeides argyrognomon* Bergstr. (Lycaenidae). Lambillionea 34:99-123, 126, 1 pl.
- b0372 1934 *Lycaeides argyrognomon armoricanoides* nom. nov. pro *argyrognomon pseudarmoricana* Beuret. Lambillionea 34:127.
- b0373 1935 Was ist *Lycaena argus* L. Var. *argus* Frey. Mit. schweiz. ent. Ges. 16(8):607-611. {15 Dec 1935}
- b0374 1936 *Lycaeides argyrognomon* auctorum nec Bergstr. in den Niederlanden (Lepidoptera, Lycaenidae). Ent. Ber. 9:267-270.

Beuret, Henry; (continued)

- b0375 1936 Une race inédite de *Lycaena (Heodes) amphidamas* Esper. *Lambillionea* 36:272-276.
- b0376 1938 Changements de noms dans le genre *Lycaeides* Hb. (*Lycaenidae*). *Lambillionea* 38:50-51.
- b0377 1938-1939 Beitrag zur Kenntnis der alpinen Formen von *Lycaeides idas* L. (= *argyrognomon* auct. nec Bergstr.) (*Lepidoptera, Lycaenidae*). *Ent. Rundsch.* 55:503-512, 575-577, 638-644, 680-683; 56:21-23, 52-54, 83-86, 143-144, 205-207, 261-264. {1938-1939}
- b0378 1939 Fragments sur *Plebejus argus* L., *Lycaeides idas* L. et *Lycaeides argyrognomon* Bergstr. *Lambillionea* 39:136-140, 149-154.
- b0379 1949 Contribution à l'étude du groupe *Maculineaalcon* Schiff. - *rebeli* Hirschke (*Lep. Lycaenidae*). *Bull. Soc. ent. Mulhouse* 1949:1-51 (nc), 6 pls.
- b0380 1950 A propos des *Plebejus argus* L.; (*Lép. Lycaenidae*) de la région de Nîmes (Gard). *Revue fr. Lép.* 12:225-232.
- b0381 1950 [Description of *Strymon fulvomaculata*]. *VerNachr. EntVer. Basel* 7:15, f.
- b0382 1951 Eine interessante Form von *Aricia agestis* Schiff. (= *astrarche* Bergstr.). *Mitt. ent. Ges. Basel* (nf)1:53-55, ill.
- b0383 1952 Einiges ueber den Genitalapparat von *Palaeochrysophanus hippothoe* L. *Mitt. ent. Ges. Basel* (nf)2:15.
- b0384 1952 Ist *Chrysophanus alciphron* ssp. *alciphron* Rott. ein Bestandteil schweizerischen Lepidopterenfauna? *Mitt. ent. Ges. Basel* (nf)2:47-48.
- b0385 1952 *Palaeochrysophanus candens* Herrich-Schäffer eine bisher verkannte Art (*Lepidoptera, Lycaenidae*). *Mitt. ent. Ges. Basel* (nf)2:57-64, 20 f.
- b0386 1952 *Thersamonia (Disparia) dispar* Haworth, eine fuer die Schweiz neue *Lycaenide*. *Mitt. ent. Ges. Basel* (nf)2:65-70.
- b0387 1952 Was ist *Papilio gordius* Sulzer 1776? *Mitt. ent. Ges. Basel* (nf)2:85-86.
- b0388 1952 Eine neue Rasse von *Lycaena (Helleia) helle* Denis & Schiff. *Mitt. ent. Ges. Basel* (nf)2:101-102.
- b0389 1953 Die *Lycaeniden* der Schweiz. I. Teil *Lycaeninae* (Feuerfalter). *Mitt. ent. Ges. Basel* xiii+166 pp, 8 pls.
- b0390 1953 *Palaeochrysophanus hippothoe* L. ssp. *engadiniana* m. ssp. nova (*Lep. Lycaenidae*). *Mitt. ent. Ges. Basel* (nf)3:6-7.
- b0391 1953 Intersexualitaet bei *Plebejus argus* L. *Mitt. ent. Ges. Basel* (nf)3:20-24, 31, 48.
- b0392 1953 Was ist *Lycaena icarescheri* Wrlt? *Mitt. ent. Ges. Basel* (nf)3:69-74, 85-89, ill.
- b0393 1954 Dritter Beitrag zur Kenntnis von *Palaeochrysophanus candens* Herrich-Schäffer. *Mitt. ent. Ges. Basel* (nf)4:33-40.
- b0394 1955 Zum Problem von *Everes alcetas* Hoffmannsegg in der Schweiz (*Lepidoptera, Lyc.*). I. Teil. *Mitt. ent. Ges. Basel* (nf)5:77-106, 7 pls, 3 f.
- b0395 1955 *Palaeochrysophanus hippothoe* L. in den Cevenen. *Mitt. ent. Ges. Basel* (nf)5:113-114.
- b0396 1955 *Zizeeria karsandra* Moore in Europa und die systematische Stellung der *Zizeerinae* (*Lepidoptera, Lycaenidae*). *Mitt. ent. Ges. Basel* (nf)5:123-130, 3 pls.
- b0397 1955 *Zizeeria karsandra* Moore im oestlichen Mittelmeer. Berichtigung und Ergaenzung. *Mitt. ent. Ges. Basel* (nf)5:146.
- b0398 1956 Zur Diskrepanz im Entwicklungstempo der Raupen verschiedener Rassen von *Chrysophaanus alciphron* Rott. *Mitt. ent. Ges. Basel* (nf)6:4-6.
- b0399 1956 Studien ueber den Formenkreis *Lysandra coridon-hispana-albicans*. Ein Beitrag zum Problem der Artbildung. (1. Studie). *Mitt. ent. Ges. Basel* (nf)6:17-32, 49-64, 65-71, 73-76.
- b0400 1957 Die *Lycaeniden* der Schweiz. II. Teil *Plebejinae* (Bläulinge): *Tarucidi, Lampididi, Everidi, Lycaenopsidi, Glaucopsychi*. *Mitt. ent. Ges. Basel* :107-271, pls 9-14.

Beuret, Henry; (continued)

- b0401 1957 Einiges ueber die schweizerische *Cupido sebrus* Hübner (*Lep. Lycaenidae*). *Mitt. ent. Ges. Basel* (nf)7:1-8, 2 pls.
- b0402 1957 Studien ueber den Formenkreis *Lysandra coridon-hispana-albicans*. Ein Beitrag zum Problem der Artbildung. (2. Studie). *Mitt. ent. Ges. Basel* (nf)7:17-36, 37-59.
- b0403 1957 Eine partielle zweite Generation von *Palaeochrysophanus hippothoe* L. *Mitt. ent. Ges. Basel* (nf)7:83-85.
- b0404 1958 *Maculinea teleius* Bergstrasser *discoobsoleta* m. ssp. nov. *Mitt. ent. Ges. Basel* (nf)8:4-5, ill.
- b0405 1958 *Cosmolyce boeticus* L. als Gast in der Umgebung von Basel. *Mitt. ent. Ges. Basel* (nf)8:58-60.
- b0406 1958 Zur systematischen Stellung einiger wenig bekannter *Glaucopsychi* (*Lepidoptera, Lycaenidae*). *Mitt. ent. Ges. Basel* (nf)8(6):61-79, 1 pl, 12 f; 81-100, 13 pls.
- b0407 1959 Studien ueber den Formenkreis *Lysandra coridon-hispana-albicans*. Ein Beitrag zum Problem der Artbildung. (3. Studie). *Mitt. ent. Ges. Basel* (nf)9:25-40, 41-59.
- b0408 1959 Zur Taxonomie einiger palaearktischen Bläulinge (*Lep., Lycaenidae*). *Mitt. ent. Ges. Basel* (nf)9:80-84, 1 pl.
- b0409 1960 Versuch einer taxonomischen Deutung der schweizerischen *agestis*-Formen. (*Lep. Lycaenidae*). *Mitt. ent. Ges. Basel* (nf)10:1-96 (nc), 13 pls, 11 f, 2 maps.
- b0410 1961 Die *Lycaeniden* der Schweiz. III. Teil *Plebejinae* (Bläulinge): *Plebejidi*. *Mitt. ent. Ges. Basel* :272-420, pls 15-22.

Beutelspacher, Carlos Rommel;

Often seen as C. R. Beutelspacher Baigts.

- b0411 1975 Notas sobre el Suborden Rhopalocera (*Lepidoptera*) de Las Minas, Veracruz. *Revta Soc. mex. Lep.* 1(1):11-20, 7 f. {Jun 1975}
- b0412 1975 Two new species of the family Riodinidae (*Lepidoptera*) of Mexico *Revta Biol. trop.* 23(1):53-65, ill.
- b0413 1976 Una nueva Riodinida Mexicana del género *Nymula* Bdv. (*Lepidoptera: Riodinidae*). *Revta Soc. mex. Lep.* 2(2):73-75. [Ref: b0108 (#196)] {1 Nov 1976}

Beutenmüller, William;

b. 31 Mar 1864 (Hoboken, N.J.); d. 24 Apr 1934 (Tenafly, N.J.). [Ref: b0717; b3321]

- b0414 1892 List of types of some species of *Lepidoptera*, described by Grote and Robinson, in the American Museum of Natural History. *Bull. amer. Mus. nat. Hist.* 4:59-64.
- b0415 1893 Descriptive catalogue of the butterflies found within fifty miles of New York City, together with a brief account of their life histories and habits. *Bull. amer. Mus. nat. Hist.* 5:241-310, pls. 2-6. {Oct 1893}
- b0416 1899 Descriptions of and Notes on Some North American *Lepidoptera*. *J. New York ent. Soc.* 7(4):254-256. {Dec 1899}

Biedermann, Robert;

b. *, d. 1956.

- b0417 1936 Note sur trois *Erycinides* d'Amérique du Sud (*Lep. Erycinidae*). *Bull. Soc. ent. Fr.* 41(15):252-260, 1 pl. {[9 Nov 1936]}

Bienert, Theophilus;

- b0418 1870 *Lepidopterologische Ergebnisse einer Reise in Persien* in den Jahren 1858 und 1859. Leipzig, Druck C. W. Vollrath 8vo :56 pp. {[1870]}

Biezanko, Cezlau Mário de;

b. 22 Sep 1895 (Kielce, Poland); d. Apr 1986 (Rio Grade do Sul, Brasil).

- Biezanko, Cestau Mário de; Mielke, Olaf Hermann Hendrik; Wedderhoff, Alberto;**
b0419 1978 Contribuição ao estudo faunístico dos Riodinidae do Rio Grande do Sul, Brasil. *Acta biol. parana.* 7(1-4):7-22, 10 f.
- Biezanko, Cestau Mário de; Ruffinelli, Agustín; Carbonell, Carlos S.;**
b0420 1957 Lepidoptera del Uruguay: lista anotada del especies. *Revta. Fac. Agron. Univ. Repub. Urug.* 46:1-152.
- Bigot, L.; Stempffer, Henri;**
b0421 1954 Un lycène nouveau pour la faune européenne: *Zizeeria karsandra* Moore. *Revue fr. Lép.* 14:189-191.
- Billberg, Gustave Johann;**
b. 1772.
b0422 1820 Enumeratio Insectorum in Museo Gust. Joh. Billberg. Stockholm, Private Publication :iii+138 pp.
- Bingham, Charles Thomas;**
b. 16 Apr 1848 (India); d. 18 Oct 1908 (Kensington). [Ref: *b0717; b3321*]
b0423 1907 The Fauna of British India, including Ceylon and Burma. Butterflies 2. [Papilionidae, Pieridae & Lycaenidae]. London :viii+480 pp, 104 tf, pls 11-20.
- Bink, F. A.;**
b0424 1962 De Grote Vuurvlinder van het Fries-Overijsselse moerasgebied *Thersamonia dispar* (Haworth) ssp. *batavus* (Oberthür). *Linneana Belgica* 2:2-13.
- Binns, D.;**
b0425 1976 Interesting butterfly records from southern Queensland and central New South Wales. *Aust. ent. Mag.* 3(4):73-74. (Nov 1976)
- BioSciences Information Service;**
b0426 1981-1989 Invertebrata, General and Systematic Zoology. Arthropoda, Insecta - Lepidoptera. [Abstracts]. *Biol. Abstr.* 72(7)-88(7). {1 Oct 1981 - 1 Oct 1989}
b0427 1983 Serial Sources for the BIOSYS Data Base (TM) [1982]. Philadelphia :343 pp. *A good source of information on current journals.*
- Bird, Charles D.;**
b0428 1976 Rhopalocera in the N. B. Sanson collection. *J. Lep. Soc.* 30(3):201-206. [22 Sep 1976]
- Bird, Charles D.; Ferris, Clifford D.;**
b0429 1979 Type locality of *Epidema dorcas florus* (Lepidoptera: Lycaenidae). *Can. Ent.* 111(5):637-639, ill. {6 Jul 1979}
- Birket-Smith, J.;**
b0430 1960 Results from the Danish expedition to the French Cameroons (1949-1950) 27. Lepidoptera (Pt. 2). *Bull. Inst. franç. Afr. Noire* 22(A):925-1284, ill.
- Birkett, N. L.;**
b0431 1954 A scale defect in *Lysandra bellargus* Rott. *Ent. Rec.* 66:236.
- Blachier, Charles;**
b0432 1889 Une Boarmia Nouvelle variétés inédites de Lépidoptères et chenille d'une Hémérophile. *Annls Soc. ent. Fr.* (6)9:58:255-260, pl 4.
b0433 1905 Descriptions de Lépidoptères nouveaux du Maroc. *Bull. Soc. ent. Fr.* 1905(15):212-215. {[7 Nov] 1905}
b0434 1908 Lépidoptères du Maroc. Remarques sur diverses espèces et descriptions de variétés nouvelles. *Annls Soc. ent. Fr.* 77(2):209-222, pl 4.
b0435 1909 Variétés et aberrations nouvelles de Lépidoptères paléarctiques. *Bull. Soc. Lép. Genève* 1(4):376-381. {Apr 1909}
b0436 1910 Variétés et aberrations nouvelles de Lépidoptères paléarctiques. *Bull. Soc. Lép. Genève* 2(1):51-58, 1 pl. {Jun 1910}
- Blachier, Charles; (continued)**
b0437 1910 Notes complémentaires sur quelques papillons d'Algérie et du Maroc, récemment décrits. *Bull. Soc. Lép. Genève* 2(4):251-256, pl 20.
- Blackie, John E. H.;**
b0438 1919 Variation in *Chrysophanus phlaeas*, *Aricia medon*, and *Nisoniades tages*. *Entomologist* 52:234.
b0439 1950 The Range and Distribution of *Strymonidia pruni* (L.) (Lep. Lycaenidae). *Entomologist* 83(11):246-248. {16 Nov 1950}
b0440 1952 Further Notes on *Strymonidia pruni* (L.). *Entomologist* 85(4):93-94. {[16] Apr 1952}
b0441 1954 Scarcity of *Polyommatus icarus* Rott. *Entomologist* 87:220.
- Blackmore, Ernest Henry;**
b. 1878 (Ludlow, Shropshire); d. 2 Mar 1929 (Victoria). [Ref: *b0718*]
b0442 1920 The Lycaeninae of British Columbia. *Proc. ent. Soc. Brit. Columbia* 14:5-10, f. Dated 1919 by dos Passos and Müller & Brown. The title page carries two dates, March 1919 and 1920. The first was the date of the meeting. A note on page 10 is dated October 1920.
b0443 1923 Two new races of the genus *Plebeius* Linn. from British Columbia. *Can. Ent.* 55(4):98-100. {10 May 1923}
- Blanchard, André;**
b. 11 Jun 1896 (Marennes, France); d. 17 Oct 1986 (Houston, Texas). Collection to the USNM. [Ref: *b2720; b1107*]
b0444 1938 Capture en Auvergne d'*Heodes amphidamas* Esp. *Revue fr. Lép.* 9:147-148.
- Blanchard, Charles Emile;**
b. 6 Mar 1819 (Paris); d. 11 Feb 1900 (Paris). Collection to MNHN, Paris. [Ref: *b2455; b0717 (as Émile); b0718; b3321*]
b0445 1840 In Castelnau, F. L., Histoire Naturelle des Insectes Orthoptères, Neuroptères, Hemiptères, Hyménoptères, Lépidoptères et Diptères, Avec . . . Introduction . . . par M. Brullé. Paris, P. Duménil 3:1-672, 71 pl. Volumes 1 (with the introduction by Brullé) and 2 were *Hist. Nat. Ins., Coléoptères 1, 2*, by F. L. Laporte (de Castelnau). The whole series was reissued at intervals up to 1850. The French habit of using multiple titles affects this series, so Blanchard's volume may be seen as "Volume 4". The series of *Hist. Nat. Ins.* 1-3 was also titled *Hist. Nat. Anim. Articulés*, with the *Articulés* as Volume 1 and the *Ins.* as 2-4. [CFC, pc]. [Ref: *b1051; b1053*]
b0446 1841-1844 Les Insectes dans le Voyage dans l'Inde par Victor Jacquemont. Paris 4to :31 pp, pls. [Ref: *b0978* {1841-[1844]}]
b0447 1845 Histoire des Insectes, traitant de leurs mœurs et de leurs métamorphoses en général, et comprenant une nouvelle classification fondée sur leurs rapports naturels. In Comte, A., 1844-1849, *Traité compl. Hist. nat.* (13 volumes) Paris, Didot 8vo 2 volumes. [Ref: *b1023; b1051*]
b0448 1848-1853 Voyage au Pôle Sud et dans l'Océanie sur les corvettes l'Astrolabe et la Zélée; exécuté par ordre du Roi pendant les années 1837-1838-1839-1840, sous le commandement de M. J. Dumont-d'Urville, Capitaine de vaisseau; publié par ordre du Gouvernement, sous la direction supérieure de M. Jacquinet, capitaine de vaisseau, commandant de la Zélée. Zoologie. Description des Insectes. Paris, E. Thunot 8vo 4:1-422; Atlas (Folio) 25 pls (3 butterflies). [Ref: *b0978* {1848-1853}]
b0449 1852 Lepidoptera. In Gay, Claudio, *Historia física y política de Chile* . . . Volume 7. Paris & Santiago, Private Publication. 7:1-468.
b0450 1871 Remarques sur la faune de la principauté thibétaine du Mou-pin. *C. r. hebd. Séanc. Acad. Sci.* 72:807-813. Listed in Derksen et al. as 1871, but it could be 1872. [Ref: *b1203*]

- Blat Beltran, F.;
- b0451 1976 La captura mas reciente de *Tomaras ballus* (F.) en Albarracin (Teruel). *Revta Lep.* 4:172-175.
- Blom, Willem L.;
- b0452 1947 Ein nieuwe vindplaats van *Polyommatus optilete* Knoch. *Tijdschr. Ent.* 88:331-333. [1 Oct 1947]
- b0453 1970 *Aricia ramburi* Verity in the Central Pyrenees (Lep., Lycaenidae). *Ent. Ber.* 29:133-134, 3 f.
- b0454 1979 Description of new butterflies from Iran. *Ent. Ber.* 39(1):10-14.
- b0455 1979 New butterflies from Iran (Lep., Rhopalocera). *Ent. Ber.* 39(12):185-188. [Ref: b1610 (3688-E11); b0111 (#231)]
- Boisduval, Jean Baptiste Alphonse d'Echauffour;
- b. 17 Jun 1799 (Ticheville b. Vimoutiers, Normandie); d. 30 Dec 1879 (same). Some Boisduval types went to Oberthür to Barnes to the USNM. [Ref: b2303 (gives birthdate as 1801); b0717; b0718; b1022; b1721; b2307]
- b0456 1828 *Europaorum Lepidopterorum Index Methodicus*. Paris, Mequignon-Marvis :103 pp. {[Nov 1828]}
- b0457 1832 Voyage de découvertes de l'Astrolabe exécuté par ordre du Roi, Pendant les années 1826-1827-1828-1829, sous le commandement de M. J. Dumont d'Urville. Faune Entomologique de l'Océan Pacifique, avec l'illustration des insectes nouveaux recueillis pendant le voyage. Première Partie. Lépidoptères. Paris, J. Tastu ii+iv+6-267 pp, ill; Atlas (Folio):5 pls. Often dated as [1832], but this is wrong as the work is correctly dated on the title page. [Ref: b2303; b0978; b1475] (Apr 1832)]
- b0458 1832-1834 *Icones historiques des Lépidoptères nouveaux ou peu connus*. Collection, avec figures coloriées, des Papillons d'Europe nouvellement découverts; ouvrage formant le complément de tous les Auteurs iconographes. 1. Rhopalocères. Paris, Roret 1:1-251, pl 1-47. 1(1,2):1-24, pl 1-4 (24 Mar 1832); (3,4):25-40, pl 5-8 (31 Mar 1832); (5,6):41-56, pl 9-12 (7 Jul 1832); (7,8):57-72, pl 13-16 (13 Oct 1832); (9,10):73-104, pl 17-20 (5 Jan 1833); (11,12):105-120, pl 21-24 (2 Feb 1833); (13,14):121-144, pl 25-28 (29 Jun 1833); (15,16):145-160, pl 29-32 (27 Jul 1833); (17,18):161-184, pl 33-36 (12 Oct 1833); (19,20):185-208, pl 37-40 (4 Jan 1834); (23,24):225-248, pl 45-47 (17 May 1834); (21,22):209-224, pl 41-44 (26 Jul 1834); (25-28):249-252 (26 Jul 1834). *The Moths came in volume 2 (1834-1843). For details see Cowan, 1970.* [Ref: b1024] {1832-1834}]
- b0459 1833 Description des Lépidoptères de Madagascar. *Nouv. Ann. Mus. Hist. nat. (Paris)* 2(2):149-270, pl 7. [Ref: b1038]
- b0460 1834 Description de deux Lepidopteres nouveaux d'Espagne (Argus Marchandii et Anrhophila Santi Florentia). *Revue ent. Silbermann* 2:120-123, 2 cpl. [Ref: b0527]
- b0461 1835 In Isabelle, Voyage à Buénos-Ayres (q.v.). Havre, J. Morlent :618 pp. Date may be [1836]. [See also: b2548]
- b0462 1836 In Roret's "Suite a Buffon", Histoire naturelle des Insectes. Species général de Lépidoptères. 1. Paris, Libr. Encycl. de Roret 8vo :[4]+xii+690+6 pp, 24 pls. This is often wrongly shown [1836]. There is nothing mysterious about the date. Volume 2 onwards were by another author, did not appear until 1852 onwards, and were about moths. [CFC, pc]. Contains *Papilionidae* and *Pieridae* only, except that the 24 plates introduce new taxa of other families. Type-species designations do not conform to Article 69(a)(iii) of the ICZN Code. [Ref: b3886 :420; b3256; b2303; b1055] {11 Apr 1836}]
- b0463 1840 *Genera et Index Methodicus, Europaorum Lepidopterorum*. (Pars I. Sistens Papiliones, Sphingos, Noctuas). Paris, Roret 8vo 1:238 pp. Probably very late in 1840, reviews appeared in early 1841. [FMB, pc]. [Ref: b0524]
- b0464 1847 Catalogue des Lépidoptères recueillis par M. Delegorgue. In Delegorgue, A., Voyage dans l'Afrique australe . . . exécuté durant . . . 1838-1844. Paris. 2:585-602.
- Boisduval, Jean Baptiste Alphonse d'Echauffour; (continued)
- b0465 1848 [Lépidoptères recueillis par M. Kindermann aux environs d'Odessa et au pied du Caucase]. *Bull. Soc. ent. Fr.* (2):xxviii-xxx.
- b0466 1848-1853 In Blanchard, Voyage au Pôle Sud, (q.v.). [Ref: b0448] {1848-1853}
- b0467 1852 *Lepidopteres de la Californie*. *Annls Soc. ent. Fr.* (2):10:275-324. [Aug 1852]
- b0468 1868-1869 Lépidoptères de la Californie. *Annls Soc. ent. Belg.* 12:1-28, 37-94. [Ref: b2063] {1868-1869}
- b0469 1870 Considerations sur des Lépidoptères envoyés du Guatemala à M. de l'Orza. Remmes, France, Oberthür et Fils. 100 pp.
- Boisduval, Jean Baptiste Alphonse d'Echauffour; Le Conte, John Eatton;
- b0470 1829-1837 *Histoire générale et iconographie des Lépidoptères et des Chenilles de l'Amerique septentrionale*. Paris, Roret (1-8):iv+228 pp, 78 pls. (1):1-16, pl 1-3, (1829); (2):17-24, pl 4-6 (1829); (3,4):25-40, pl 7-12 (1830); (5,6):41-56, pl 13-18 (1830); (7,8):57-80, pl 19-24 (1830); (9,10):81-100, pl 25-30 (1833); (11-22):101-196 (1835); (23-26):197-228, pl 66-78 (1837). [Ref: b1023; b1022; b1324] {1829-1837}]
- Bollow, Charles;
- b0471 1929-1931 *Die Palaearctica Tagfalter. Supplement*. Paranssius, Pieridae, Nymphalinae (part), Lycaenidae (part), Supplement (part). In Seitz, Grossschmett. Erde 1(Suppl):20-125, 191-196, 250-306, 327-339. [See also: b4091] {1929-1931}]
- Borkhausen, Moriz Balthasar;
- b. 1760 (Giessen); d. 30 Nov 1806 (Darmstadt). [Ref: b0718]
- b0472 1788 *Naturgeschichte der Europäischen Schmetterlinge nach systematischer Ordnung*. Frankfurt, Varrentrapp u. Wenner 8vo (5 volumes) 1(Tagschmetterlinge):36+288 pp, 1 cpl.
- Boulard, Michel;
- b0473 1981 New documents on tropical lycaenid caterpillars [Lepidoptera, Lycaenidae]. *Alexanon* 12(3):135-140. {16 Nov 1981}
- Bouyer, T.;
- b0474 1991 Note sur les *Spindasis* du Zaire avec description de deux nouvelles especes: *Spindasis shaba* n. sp. et *Spindasis dufranei* n. sp. Etude sur les Lycaenidae: note no. 1. (Lepidoptera, Lycaenidae). *Lambillionea* 91(3):219-224, ill.
- Bower, Harold M.;
- b. 1888, d. 1963.
- b0475 1911 Early Stages of *Lycaena lygdamus* Doubleday (Lepid.). *Ent. News* 22(8):359-363, pl 12. {[6 Oct 1911]}
- Bowker, James Henry;
- b. *, d. 1900. [Ref: b0718]
- Bozano, G. C.;
- b0476 1991 Note on a little known Chinese lycaenid: *Lycaena svenhedini* (Nordstrom). *Nachr. ent. Ver. Apollo* (nf)12(3):211-213, ill.
- b0477 1993 The Palearctic *Lycaena* (Fabricius) subgenus *Helleia* (Verity): survey and description of a new subspecies. *Bull. Soc. Sci. Nat.* No. 77:25-28, ill.
- Braby, M. F.;
- b0478 1988 New food plants for *Jalmenus evagoras evagoras* (Donovan) (Lepidoptera: Lycaenidae). *Aust. ent. Mag.* 15(1):33-34. {11 Mar 1988}
- b0479 1990 The life history and biology of *Paralucia pyrodiscus lucida* Crosby (Lepidoptera: Lycaenidae). *J. Aust. ent. Soc.* 29(1):41-50, ill.

Brandt, W.;

- b0480 1938 Beitrag zur Lepidopteren-Fauna von Iran. Neue Gattungen, Arten und Formen (Macrolepidopteren). Ent. Rundsch. 55:497-702 (nc), 2 pls, 321 f.

Brehme, Herman H.;

- b. 1869, d. 1924. *Perhaps Hermann*. [Ref: b0717 (as Herman H. Brehm)]
 b0481 1907 A New Variety of *Thecla damon*. Ent. News 18(3):82-83. {Mar 1907}

Bremer, Otto;

- b. *; d. 23 Nov 1873. [Ref: b0718]
 b0482 1861 Neue Lepidopteren aus Ost-Sibirien und dem Amur-Lande, gesammelt von Radde und Maack, beschrieben von Otto Bremer. Bull. Acad. Sci. St. Pétersbourg 3:461-496.
 b0483 1864 Lepidopteren Ost-Sibiriens, insbesondere des Amur-Lands. Mém. Acad. Sci. St-Pétersbourg 8:1-103, 8 pls.

Bremer, Otto; Grey, William;

- b0484 1853 Beiträge zur Schmetterlings-fauna des Nördlichen China's. St. Petersburg :23 pp. *Some of the new species were illustrated by Ménetriés, 1855 (CFC, pc)* [Ref: b1041]

Bretherton, Russel F.;

- b0485 1966 A Distribution List of the Butterflies (Rhopalocera) of Western and Southern Europe. Trans. Soc. Br. Ent. 17:1-94. {Mar 1966}

Bretherton, Russel F.; Coutsis, John G.; Higgins, Lionel George; Worms, C. G. M.;

- b0486 1972 *Agrodiaetus coelestina* Eversmann (A. C.): a lycaenid new to Greece and western Europe. Ent. Rec. 84(2):29-32. {Feb 1972}

Brévignon, Christian;

- b0487 1972 *Lycaena alciphron* ab. *diniensis* Obth. [Lycaenidae]. Alexonor 7(8):338. {31 Dec 1972}
 b0488 1985 Note sur les lepidopteres du Maroc. Une sous-espece inedite de *Cigaritis allardi* Oberthür (Lep. Lycaenidae). Alexonor 13(7):307-308. {15 Feb 1985}
 b0489 1985 Les lepidopteres printaniers du Maroc (deuxieme note). Alexonor 13(8):339-347, ill. {15 Apr 1985}

Brévignon, Christian; Gallard, J.-Y.;

- b0490 1992 Description de nouveaux Riodinidae provenant de Guyane Francaise (3e contribution). Bull. Soc. Sci. Nat. No. 73:3-6, ill.

Brévignon, Christian; Gallard, Jean-Yves;

- b0491 1993 Description de nouveaux Riodinidae provenant de Guyane Francaise (4e contribution). Bull. Soc. Sci. Nat. No. 77:20-24, ill.

Breyer, Don Alberto;

- b. 24 Mar 1890 (Buenos Aires); d. 12 Feb 1963 (same). [Ref: b1946]
 b0492 1930 Lepidopteros de Yacanto. Especies nuevas, raras y comunes. Revta Soc. ent. argent. 3:169-172, 2 pls.

Bridges, Charles Albert;

- b. 17 Sep 1941 (San Diego).
 b0493 1985* Notes on New Mexico butterflies. Urbana, Illinois, Author :1 p. [*Unpublished]

Bright, P. M.; Leeds, H. A.;

- b0494 1938 A monograph of the British aberrations of the Chalk-Hill Blue butterfly *Lysandra coridon* (Poda, 1761). Bomemouth, Ridmas Hill Printing :142 pp, 18 pls.

British Museum of Natural History;

- b0495 1910-1940 Catalogue of the Books, Manuscripts, Maps and Drawings in the British Museum (Natural History). London 5+3 volumes (4to) 1(A-D):[i]-[viii], 1-500 pp (1903); 2(E-K):[vi], pp 501-1038 (1904); 3(L-O):[vi], pp 1039-1494 (1910); 4(P-Sn):[vi], pp 1495-1956 (1913); 5(So-Z):[vi], pp 1957-2403 (1915); 6(Suppl A-I):[vi], pp 1-511, [2], 1-48 (1922); 7(Suppl J-O):[vi], pp 513-967 (1933); 8(Suppl P-Z):[vi], pp 969-1480 (1940). Reprinted in facsimile in 1964. [Ref: b1788; b1051] {1910-1940}

- b0496 1967 List of Serial Publications in the Libraries of the Departments of Zoology and Entomology. London, British Museum :iii+281 pp.

Brower, Auburn Edmond;

- b. 22 May 1898 (Springfield, Missouri).
 b0497 1940 Descriptions of some new Macrolepidoptera from eastern America. Bull. Brooklyn ent. Soc. 35(4):138. {11 Nov 1940}

Brown, Frederick Martin;

- b. 24 Mar 1903 (New York, New York). *Bibliography kindly supplied by author*.

- b0498 1951 Colorado *Plebeius saepiolus*. Am. ent. Soc. Amer. 44(2):286-292. {Jun 1951}

- b0499 1964 Review: A nearctic list of the nearctic Rhopalocera. by Cyril Franklin dos Passos. Ent. News 75(5):138-140. {[12] May 1964}

- b0500 1964 The dates of publication of Lepidoptera: Rhopaloceres - Heteroceres by Herman Strecker. J. Lep. Soc. 18(1):43-44. {13 May 1964}

- b0501 1964 The dates of publication of the first ten volumes of the Transactions of the American Entomological Society. Trans. amer. ent. Soc. 90:313-321. {15 Sep 1964}

- b0502 1964 Tryon Reakirt (1844- ?). J. Lep. Soc. 18(4):211-214. {29 Dec 1964}

- b0503 1966 The Types of Nymphalid Butterflies Described by William Henry Edwards - Part II, Melitaeinae. Trans. amer. ent. Soc. 92:357-468. {20 Oct 1966}

- b0504 1966 The authorship of *Polites mystic*, Edwards or Scudder (Hesperiidae). J. Lep. Soc. 20(4):239-242. {30 Nov 1966}

- b0505 1968 The Proper Name for *Lycaena epixanthe* from Newfoundland and the Maritime Provinces. J. New York ent. Soc. 76(1):22-26. {29 Mar 1968}

- b0506 1968 Notes about North American butterflies described by Linnaeus in the 10th edition of *Systema Naturae*. J. Lep. Soc. 22(2):77-88. {31 Mar 1968}

- b0507 1968 The Types of the Riodinid Butterflies Described by William Henry Edwards. Trans. amer. ent. Soc. 94(4):111-136. {26 Jun 1968}

- b0508 1969 The Types of Lycaenid butterflies Described by William Henry Edwards - Part I, Lycaeninae. Trans. amer. ent. Soc. 95:161-179. {6 Jun 1969}

- b0509 1970 The Types of Lycaenid butterflies Described by William Henry Edwards - Part II, Theclinae, Strymoninae. Trans. amer. ent. Soc. 96(1):19-77. *Clench is shown as responsible for some of the type selections*. {25 Mar 1970}

- b0510 1970 The Types of Lycaenid butterflies Described by William Henry Edwards - Part III, Plebejinae. Trans. amer. ent. Soc. 96:353-433. {17 Nov 1970}

- b0511 1971 The arrow head blue, *Glaucopsyche pius* Boisduval (Lycaenidae: Plebejinae). J. Lep. Soc. 25(4):240-246, 18 f. {24 Nov 1971}

- b0512 1972 Preliminary list of the butterflies found at the Capulin Mountain National Monument, Capulin, New Mexico. Mid-Cont. Lep. Ser. 2(28):8 pp. {[1972]}

Brown, Frederick Martin; (continued)

- b0513 1973 The Types of the Pierid Butterflies named by William Henry Edwards. Trans. amer. ent. Soc. 99:29-118, 20 f. {18 May 1973}
- b0514 1973 *Pieris virginiensis* Edwards, 1870, (Insecta: Lepidoptera: Pieridae): A proposal to designate a neotype under the plenary powers. Bull. Zool. Nomen. 30(2):92-94. {10 Oct 1973}
- b0515 1975 The Types of the Papilionid Butterflies named by William Henry Edwards. Trans. amer. ent. Soc. 101:1-31, 10 f. {14 May 1975}
- b0516 1975 The Third Edition of Thaddeus William Harris's "Treatise on some of the Insects Injurious to Vegetation", 1862. Ent. News 86(3/4):65-68. {8 Oct 1975}
- b0517 1975 A new subspecies of *Glaucopsyche (Phaedrotus) pius* from Nevada (Lepidoptera: Lycaenidae). Proc. ent. Soc. Wash. 77(4):501-504, 1 f. {23 Dec 1975}
- b0518 1976* [Letter to Bridges. Notes on butterfly bibliography. Notes on proper treatment of the names of fossil genera]. Colorado Springs, Colorado :1 pp. {23 Jan 1976} [*Unpublished]
- b0519 1976* [Letter to Bridges. Notes on butterfly bibliography and nomenclature. Corrections to a long list of citations with incomplete data. Notes on fossil genera]. Colorado Springs, Colorado :1 pp (and enclosure). {11 Apr 1976} [*Unpublished]
- b0520 1976* [Letter to Bridges. Notes on butterfly bibliography and nomenclature. Notes on Family-group names of the North American Butterflies]. Colorado Springs, Colorado :1+1 pp (2 in all). {20 Apr 1976} [*Unpublished]
- b0521 1976* [Letter to Bridges. Notes on butterfly bibliography and nomenclature. Notes on the Family-group names used in Grote's Die Schmetterlingsfauna von Hildesheim]. Colorado Springs, Colorado :1 pp. {14 May 1976} [*Unpublished]
- b0522 1976* [Letter to Bridges. Notes on butterfly bibliography and nomenclature. Notes on Genus-group names and their type-species]. Colorado Springs, Colorado :1+1+3 pp (5 in all). {17 May 1976} [*Unpublished]
- b0523 1976* [Letter to Bridges. Notes on butterfly bibliography and nomenclature. Notes on Genus-group names and their type-species]. Colorado Springs, Colorado :1 pp. {29 Jul 1976} [*Unpublished]
- b0524 1978* [Letter to Bridges. Additions and corrections to butterfly bibliography catalog]. Colorado Springs, Colorado :1 pp. {4 Dec 1978} [*Unpublished]
- b0525 1979* [Letter to Bridges. Notes on butterfly bibliography and nomenclature. Notes on Species-group names of Hesperidae]. Colorado Springs, Colorado :1+3 pp (4 in all). {13 May 1979} [*Unpublished]
- b0526 1979* [Letter to Bridges. Additions and corrections to Rhopalocera bibliography. Notes on Comstock bibliography]. Colorado Springs, Colorado :1+2+1 pp (4 in all). [Ref: b0526] {18 Jul 1979} [*Unpublished]
- b0527 1979* [Letter to Bridges. Notes on the bibliography of the butterflies. Bibliographies of Brown and Hayward]. Colorado Springs, Colorado :1+5 pp (+ enclosures). {20 Jul 1979} [*Unpublished]
- b0528 1980 An Annotated Bibliography of the Entomological Writings of Harry Kendon Clench (1925-1979). J. Lep. Soc. 34(2):86-97. {23 Sep 1980}
- b0529 1981* [Letter to Bridges]. Colorado Springs, Colorado :1 pp. {9 Mar 1981} [*Unpublished]
- b0530 1983 Obituary: Dr. René Lichy (1896-1981). J. Lep. Soc. 37(1):37. {19 Aug 1983}
- b0531 1983 The proper citation for three species names proposed S. H. Scudder. J. Lep. Soc. 37(2):181. {6 Sep 1983}

Brown, Frederick Martin; (continued)

- b0532 1985* [Letter to Bridges. Notes on the Bibliography and Nomenclature of the N. American Papilionidae and Pieridae]. Colorado Springs, Colorado :2 pp. {10 May 1985} [*Unpublished]
- b0533 1986 Tryon Reakirt: A Sequel. J. Lep. Soc. 40(1):7. {9 Oct 1986}
- Brown, Frederick Martin; Clench, Harry Kendon;
- b0534 1968 [Selection of types]. In Brown, (q.v.). Trans. amer. ent. Soc. 94(4):111-136. [See also: b0507] {26 Jun 1968}
- b0535 1969 *Thecla viridis* Edwards, 1862 (Insecta, Lepidoptera): Proposal to place on the official list. Bull. Zool. Nomen. 25(4/5):188-189. {17 Jan 1969}
- b0536 1970 [Selection of types]. In Brown, (q.v.). Trans. amer. ent. Soc. 96:19-77. [See also: b0509] {25 Mar 1970}
- b0537 1970 [Selection of types]. In Brown, (q.v.). Trans. amer. ent. Soc. 96:353-433. [See also: b0510] {17 Nov 1970}
- Brown, Frederick Martin; Eff, Donald; Rotger, Bernard;
- b0538 1955 Colorado Butterflies, Part 3: Libytheidae, Riodinidae and Lycaenidae. Proc. Denver Mus. nat. Hist. 5:113-178, [57] f. {29 Oct 1955}
- Brown, Frederick Martin; Field, William Demorest;
- b0539 1970 *Papilio hyllus* Cramer, 1776, vs. *Polyommatus thoe* Guérin-Méneville, 1831, and the "50-year rule" (Lepidoptera: Lycaenidae). J. New York ent. Soc. 78(3):175-184. {19 Nov 1970}
- Brown, Frederick Martin; Heineman, Bernard;
- b0540 1972 Jamaica and its Butterflies. London, E. W. Classey :xv+478 pp, 10 pls, maps.
- Brown, Frederick Martin; Miller, Lee Denmar;
- b0541 1977 Types of the hesperiid butterflies named by William Henry Edwards. Part II, Hesperidae: Hesperinae, Section I. Trans. amer. ent. Soc. 103(1):259-302, 27 f. {20 Apr 1977}
- Brown, John;
- b0542 1976 Notes regarding previously undescribed European taxa of the genera *Agrodiaetus* Hübner, 1822 and *Polyommatus* Klug, 1801 (Lep., Lycaenidae). Ent. Gaz. 27(2):77-84. [Ref: b0108 (#288)] {21 May 1976}
- b0543 1976 On two previously undescribed subspecies of Lycaenidae (Lepidoptera) from Greece. Ent. Ber. 36(3):46-47. [Ref: b0108 (#283)]
- b0544 1977 On the status of a recently discovered Grecian *Agrodiaetus* Huebner (Lep., Lycaenidae). Ent. Gaz. 28(1):3-8. {11 Feb 1977}
- b0545 1977 Subspeciation in the butterflies (Lepidoptera) of the Peloponnesos with notes on adjacent parts of Greece. Ent. Gaz. 28(3):141-174. {26 Aug 1977}
- b0546 1977 Notes on the foodplant and ova of *Cyaniris helena* Staudinger, 1862. Ent. Gaz. 28(4):215-216. {25 Nov 1977}
- Brown, John; Coutsis, John G.;
- b0547 1978 Two newly discovered lycaenid butterflies (Lepidoptera: Lycaenidae) from Greece with notes on allied species. Ent. Gaz. 29(4):201-213. {24 Nov 1978}
- Brown, John W.;
- b0548 1983 Notes on the Life History and Baja California Distribution of *Chlorostymon simaethis sarita* (Skinner) (Lepidoptera: Lycaenidae). J. Res. Lep. 20(4):207-213, 4 f. {15 Apr 1983}
- b0549 1983 A New Species of *Mitoura* Scudder from Southern California (Lepidoptera: Lycaenidae). J. Res. Lep. 21(4):245-254. {15 Oct 1983}
- b0550 1993 Thome's Hairstreak, *Mitoura thornei* Brown. In: T. R. New (editor), Conservation Biology of Lycaenidae (Butterflies). Occ. Pap. IUCN Species Survival Comm. No. 8:122-123.

- Brown, John W.; Faulkner, David K.;**
b0551 1982 New Rhopalocera records for Baja California with the description of a new species of *Habrodais* Scudder (Lepidoptera: Theclinar). Bull. Allyn Mus. No. 67:6 pp, 6 f. {19 Mar 1982}
b0552 1984 Distributional records of certain Rhopalocera in Baja California, Mexico, with the description of a new subspecies of *Papilio* (*Heracles*) *astyalus* (Godart) (Lepidoptera: Papilionidae). Bull. Allyn Mus. No. 83:9 pp, 5 f, 1 tbl. {18 Jan 1984}
b0553 1989 The butterflies of Isla de Cedros, Baja California Norte, Mexico. J. Res. Lep. 27(3/4):233-256, ill.
- Brown, John; Worms, C. G. M.;**
b0554 1975 *Agrodiaetus damone* (Eversmann) (Lep., Lycaenidae) discovered in the Peloponnese. Ent. Gaz. 26(3):191-196. {28 Jul 1975}
- Brown, Jr., Keith S.;**
b0555 1993 Neotropical Lycaenidae: an overview. In: T. R. New (editor), Conservation Biology of Lycaenidae (Butterflies). Occ. Pap. IUCN Species Survival Comm. No. 8:45-61.
- Brown, Keith S., Jr.;**
b. 1 Oct 1938 (*Chicago, Illinois*).
b0556 1993 Selected Neotropical species. In: T. R. New (editor), Conservation Biology of Lycaenidae (Butterflies). Occ. Pap. IUCN Species Survival Comm. No. 8:146-149.
b0557 1993 Neotropical Lycaenidae endemic to high elevations in SE Brazil. In: T. R. New (editor), Conservation Biology of Lycaenidae (Butterflies). Occ. Pap. IUCN Species Survival Comm. No. 8:150.
b0558 1993 Riodininae: Amazonian genera with most species very rare or local. In: T. R. New (editor), Conservation Biology of Lycaenidae (Butterflies). Occ. Pap. IUCN Species Survival Comm. No. 8:151.
b0559 1993 Theclinae endemic to the Cerrado vegetation (central Brazil). In: T. R. New (editor), Conservation Biology of Lycaenidae (Butterflies). Occ. Pap. IUCN Species Survival Comm. No. 8:152.
- Brown, Larry N.;**
b0560 1976 A population of the striped hairstreak, *Satyrrium liparops liparops* (Lycaenidae), in West-Central Florida. J. Lep. Soc. 30(3):213. {22 Sep 1976}
- Brown, Richard M.;**
b0561 1969 A new subspecies of *Callophrys foitis* from the San Francisco Bay area. J. Lep. Soc. 23(2):95-96. {29 May 1969}
- Bruce, David.;**
b. 1833, d. 1903.
b0562 1897 *Chrysophanus snowii* Edw. Ent. News 8(9):224. {30 Oct 1897}
- Brullé, Gaspard Auguste.;**
b. 1809, d. 1873. [Ref: b0717]
b0563 1840 Entomology in Webb & Berthelot, Canaries (Ins.). Paris, Mellier 2:119 pp, 8 pl. With H. Lucas & J. Macquart. [See also: b4953]
- Brünnich, Martin Thrané.;**
b. 1737; d. 1827. [Ref: b0718]
b0564 1763 In Pontoppidan, Danske Atlas (q.v.). [Ref: b3627]
- Bryk, Felix.;**
b. 21 Jan 1882 (*Vienna*); *d. 13 Jan 1957* (*Solna, nr. Stockholm*). [Ref: b3533]
b0565 1930 Papilionidae. II. *Papilio*. Lep. Cat. Pars 37:57-510.
b0566 1940 Die von Prof. Dr. Lundblad gesammelten Grossschmetterlinge der iberischen Halbinsel. Ark. Zool. 32A(22):1-36, 7 pls, 39 f.
b0567 1942 Zur Kenntnis der Grossschmetterlinge der Kurilen. Deut. ent. Zeit. [Iris] 56:3-90, 2 pls, 4 f.
- Bryk, Felix.;** (*continued*)
b0568 1946 Zur Kenntnis der Grossschmetterlinge von Korea. Pars I. Rhopalocera, Hesperioidea et Macrofrenatae I (Sphingidae). Ark. Zool. 38A(3):1-74, 5 pls.
b0569 1953 Lepidoptera aus dem Amazonasgebiete und aus Peru gesammelt von Dr. Douglas Melin und Dr. Abraham Roman. Ark. Zool. (ns)5:1-268, 9 f.
- Bubaček, Otto.;**
b. 1872, d. 1934. [Ref: b0718; b1946]
b0570 1924 Über eine Lepidopterenausbeute aus Andalusien. Verh. zool.-bot. Ges. Wien 73:(22)-(24).
- Buchholz, Otto.;**
Collection to AMNH. [Ref: b3797]
b0571 1951 *Mitoura gryneus ocotascripta* n. var. Bull. Brooklyn ent. Soc. 46(3):78. {20 Jun 1951}
- Budashkin, Juri I.; Lukhtanov, Vladimir A.;**
b0572 1993 A new species of the subgenus *Agrodiaetus* from the Crimea (Lepidoptera, Lycaenidae). Atalanta (Münnerstadt) 24(1/4):85-87.
- Burdick, William N.;**
b0573 1942 A New Race of *Plebeius lupini* Bdv. from the Olympic Mountains of Washington (Lepidoptera, Rhopalocera). Can. Ent. 74(10):195-196. {18 Nov 1942}
- Burmeister, Carl Hermann Conrad.;**
b. 15 Jan 1807; d. 1 May 1892. *Collection in Zool. Univ. Mus., Halle, and Buenos Aires.* [Ref: b2455; b0717; b0718; b3321]
b0574 1878 Description physique de la République Argentine d'après des observations personnelles et étrangères. Tome 5. Lépidoptères (1); Diurnes, Crepusculaires et Bombycoïdes. Paris and Buenos Aires, Paul Emile Coni. :vi+524 pp; atlas:iv+64 pp, 24 pls. *The Atlas came in 1879.* {25 May 1878}
- Burns, Alexander Noble.;**
b. 20 Jun 1899 (*Melbourne*) [Ref: b3321]
b0575 1948 New geographical races of Australian butterflies, with a description of the female, larva, and pupa of *Pseudalmenus chlorinda barringtonensis* Whs. Mem. natn Mus. Vict. 15:86-102, pls 1-8, 5 maps. *While the paper is dated 1947, there is internal evidence that the true date is 1948.* [Ref: b1475] {1948}
b0576 1951 Notes on Australian Rhopalocera, with descriptions of new subspecies and life histories. Mem. natn Mus. Vict. 17:83-105, pls 1-6. {Mar 1951}
- Burns, John M.;**
b. 6 Jun 1932 (*Rochester, New York*).
- Burns, John M.; Johnson, F. M.;**
b0577 1971 Esterase polymorphism in the butterfly *Hemiargus isola*: stability in a variable environment. Proc. natn Acad. Sci. 68(1):34-37.
- Burrau, Nils.;**
b0578 1953 Über die schwedischen Formen von *Polyommatus chiron* Rott. (Lep. Rhop.). Opuscula entomologica 18(2/3):116-121, pl, map. {12 Oct 1953}
- Burt, E. T.;**
b0579 1967 Obituary: Prof. J. W. Heslop Harrison, F.R.S. Entomologist 100:113-114. {May 1967}
- Busching, N. D.;**
b0580 1976 Ein enorm gezeichneter Falter von *Chrysophanus phlaeas* L. Ent. Nachr. (Dresden) 20:191-192.
- Butler, Arthur Gardiner.;**
b. 27 Jun 1844 (*London*), *d. 28 May 1925* (*Beckenham, Kent*). [Ref: b0717; b3321]

Butler, Arthur Gardiner; (continued)

- b0581 1866 Description of a new species of butterfly belonging to the family Lycaenidae. Ent. mon. Mag. 2:169-170. {Jan 1866}
- b0582 1866 A list of the diurnal Lepidoptera recently collected by Mr. Whitley in Hakodadi (North Japan). J. linn. Soc. Lond., Zool. 9:50-58. {11 Oct 1866}
- b0583 1867 Description of a new Genus of Diurnal Lepidoptera belonging to the family Erycinidae; with characters of two new species. Ent. mon. Mag. 3:174-176. {Jan 1867}
- b0584 1867 Corrections of errors hitherto existing in the nomenclature of several species of the genus Nymphidium. Ent. mon. Mag. 3:221-223. {Mar 1867}
- b0585 1867 Description of a new Genus of diurnal Lepidoptera belonging to the Family Erycinidae. Proc. zool. Soc. Lond. 1867(1):37-39, 3 f. {May 1867}
- b0586 1867 A monograph of the Genus *Lemonias*, with Descriptions of New Species in the Collection of the British Museum, including other forms sometimes placed in that Genus. J. linn. Soc. Lond., Zool. 9:213-229, 2 pls. {[1867]}
- b0587 1869 Descriptions of new Rhopalocera from the collection of Herbert Druce, Esq. Cistula Entomologica 1(1):1-16. {15 Oct 1869}
- b0588 1869-1874 Lepidoptera exotica, or Descriptions and Illustrations of Exotic Lepidoptera. London, E. W. Janson 4to :[vii]+190+[vi] pp, pls 1-64 (20 parts) (Pages 129-136 missing). Pp 1-8, pl 1-3, (Jun 1869); pp 9-58, pl 4-22, (Sep 1869-71); pp 59-66, pl 23-25, (Apr 1871); pp 67-74, pl 26-28, (Jun 1871); pp 75-84, pl 29-32, (Oct 1871); pp 85-94, pl 33-35, (Jan 1872); pp 95-104, pl 36-38, (Apr 1872); pp 105-114, pl 39-41, (Jul 1872); pp 115-120, pl 42-44, (Oct 1872); pp 121-128, pl 45-48, (Jan 1873); pp 137-144, pl 49-51, (Apr 1873); pp 145-152, pl 52-54, (Jul 1873); pp 153-162, pl 55-57, (Oct 1873); pp 163-174, pl 58-60, (Jan 1874); pp 175-190, pl 61-64, (Apr 1874). [Ref: b3256; b2303] {1869-1874}
- b0589 1870 Descriptions of Exotic Lepidoptera from the Collection of Herbert Druce, Esq. Cistula Entomologica 1(2):17-32. [Ref: b0526] {27 Jan 1870}
- b0590 1870 Catalogue of diurnal Lepidoptera described by Fabricius in the collection of the British Museum. "1869" British Museum, London :v+303 pp, 3 pls. [Ref: b3886 :415; b1023; b0525; b1051] {[12 Feb 1870]}
- b0591 1870 On new or recently described species of Diurnal Lepidoptera. Ent. mon. Mag. 6:250-252, pl 1. {Apr 1870}
- b0592 1870 On new diurnal Lepidoptera. Ann. Mag. nat. Hist. (4)5:362-365. {May 1870}
- b0593 1871 Descriptions of a new Genus and six new Species of Pierinae. Trans. ent. Soc. Lond. 19(2):169-173, pl. 7. {May 1871}
- b0594 1871 Descriptions of some new Species of Lepidoptera, chiefly from the Collection of Mr. Wilson Saunders. Ann. Mag. nat. Hist. (4)8:282-291. {Oct 1871}
- b0595 1872 Descriptions of new butterflies from Costa Rica. Cistula Entomologica 1(4):72-90. {25 Jan 1872}
- b0596 1873 Descriptions of new species of Lepidoptera. Cistula Entomologica 1(7):151-177. {1 Oct 1873}
- b0597 1874 Descriptions of four new Asiatic Butterflies. Cistula Entomologica 1(9):235-236. {1 Apr 1874}
- b0598 1874 Descriptions of some new Species and a new Genus of diurnal Lepidoptera in the Collection of Herbert Druce Esq. Trans. ent. Soc. Lond. 22(4):423-436, pl 6. {Dec 1874}
- b0599 1874 Descriptions of three new species and a new genus of diurnal Lepidoptera from the collection of Andrew Swanzy, Esq. Trans. ent. Soc. Lond. 22(4):531-533, ill. {Dec 1874}
- b0600 1875 Notes on Mr. Scudder's "Historical Sketch of the Generic names proposed for Butterflies". Ent. mon. Mag. 12:15-17. {Jun 1875}

Butler, Arthur Gardiner; (continued)

- b0601 1876 On a Collection of Butterflies from the New Hebrides and Loyalty Islands with Descriptions of new Species. Proc. zool. Soc. Lond. 1875(4):610-619, pl 67. {[Apr 1876]}
- b0602 1876 On a small collection of butterflies from the New Hebrides. Proc. zool. Soc. Lond. 1876(1):251-253. {Jun 1876}
- b0603 1876 Descriptions of Lepidoptera from the Collection of Lieut. Howland Roberts. Proc. zool. Soc. Lond. 1876(2):308-310, pl 22. {Aug 1876}
- b0604 1876 On a Collection of Lepidoptera from Port Moresby, New Guinea. Ann. Mag. nat. Hist. (4)18:240-249. {Sep 1876}
- b0605 1876 On a collection of Lepidoptera recently received from Abyssinia. Ann. Mag. nat. Hist. (4)18:480-490. {Dec 1876}
- b0606 1876 List of the butterflies now known to inhabit New Zealand, with descriptions of a new genus, and a new species, in the collection of John D. Enys, Esq. Ent. mon. Mag. 13:152-154. {Dec 1876}
- b0607 1877 On the Lepidoptera of the Amazons, collected by James W. H. Trail, Esq., during the years 1873-1875. Trans. ent. Soc. Lond. 25(2):105-156, pl 3. {Jun 1877}
- b0608 1877 List of Lepidoptera recently collected by Mr. Walter Davis in Peru, with Descriptions of a new Genus and several new Species. Ann. Mag. nat. Hist. (4)20:117-129. {Aug 1877}
- b0609 1877 On a Collection of Lepidoptera from Cape York and the south-east Coast of New Guinea. Proc. zool. Soc. Lond. 1877(3):466-475. {Oct 1877}
- b0610 1878 On some Butterflies recently sent home from Japan by Mr. Montague Fenton. Cistula Entomologica 2(19):281-286. {30 Jun 1878}
- b0611 1878 On a Collection of Lepidoptera recently received from Madagascar. Ann. Mag. nat. Hist. (5)2:283-297. {Sep 1878}
- b0612 1879 On a collection of Lepidoptera from Cachar, N. E. India. Trans. ent. Soc. Lond. 27(1):1-8. {Apr 1879}
- b0613 1879 The Butterflies of Malacca. Trans. linn. Soc. Lond., (2) Zool. 1(8):533-568, pl 68,69. {[Jun 1879]}
- b0614 1879 Descriptions of new species of Lepidoptera from Madagascar, with notes on some of the forms already described. Ann. Mag. nat. Hist. (5)4:227-245. {Sep 1879}
- b0615 1880 On a collection of Lepidoptera from Madagascar, with descriptions of new genera and species. Ann. Mag. nat. Hist. (5)5:333-344. {Apr 1880}
- b0616 1880 On a collection of Lepidoptera from Candahar. Proc. zool. Soc. Lond. 1880(3):403-414, pl 39, f 1-12. {[Oct] 1880}
- b0617 1881 Descriptions of new Species of Lepidoptera in the Collection of the British Museum. Ann. Mag. nat. Hist. (5)7:31-37, pl 4, 6 f. {Jan 1881}
- b0618 1881 On a collection of Lepidoptera from Western India, Beloochistan, and Afghanistan. Proc. zool. Soc. Lond. 1881(3):602-624. {[Oct] 1881}
- b0619 1881 List of butterflies collected in Chili by Thomas Edmonds, Esq. Trans. ent. Soc. Lond. 29(4):449-486, pl 21. {28 Dec 1881}
- b0620 1882 On the Lepidoptera collected in Socotra by Prof. I. B. Balfour. Proc. zool. Soc. Lond. 1881(4):851-855. {[Apr 1882]}
- b0621 1882 Descriptions of new Species of Lepidoptera, chiefly from Duke-of-York Island and New Britain. [U]. Ann. Mag. nat. Hist. (5)10:149-160. {Aug 1882}
- b0622 1883 On Lepidoptera from Manchuria and the Corea. Ann. Mag. nat. Hist. (5)11:109-117. {Feb 1883}
- b0623 1883 The Lepidoptera collected during the recent Expedition of the H. M. S. Challenger. Ann. Mag. nat. Hist. (5)11:402-428. {Jun 1883}

Butler, Arthur Gardiner; (continued)

- b0624 1883 On some Lepidoptera from the Victoria Nyanza. *Ann. Mag. nat. Hist.* (5)12:101-107. {Aug 1883}
- b0625 1883 On a collection of Indian Lepidoptera received from Lieut-Colonel Charles Swinhoe; with numerous notes by the Collector. *Proc. zool. Soc. Lond.* 1883(2):144-175, pl 24. {Aug 1883}
- b0626 1883 List of Lepidoptera collected by Mr. H. O. Forbes in the Islands of Timor Laut. *Proc. zool. Soc. Lond.* 1883(3):365-371, cpl 38, 7 f. {Aug 1883}
- b0627 1883 Descriptions of some new species of Lepidoptera. *Ann. Mag. nat. Hist.* (5)12:159-161. {Sep 1883}
- b0628 1883 Descriptions of new Lepidoptera from the Viti Islands. *Ann. Mag. nat. Hist.* (5)12:389-391. {Dec 1883}
- b0629 1884 The Lepidoptera collected during the recent Expedition of the H. M. S. 'Challenger.' - Part II. *Ann. Mag. nat. Hist.* (5)13:183-203. {Mar 1884}
- b0630 1884 A collection of butterflies from the Fiji Islands. *Ann. Mag. nat. Hist.* (5)13:343-348. {May 1884}
- b0631 1884 On a new species of the thelid genus *Theritis* from Columbia. *Ann. Mag. nat. Hist.* (5)14:267. {Oct 1884}
- b0632 1884 Two new butterflies allied to *Aphnaeus natalensis*. *Ent. mon. Mag.* 20:250-251.
- b0633 1886 An account of two collections of Lepidoptera recently received from Somali-land. *Proc. zool. Soc. Lond.* 1885(4):756-776, ill. {Apr 1886}
- b0634 1886 On a collection of Lepidoptera made by Commander Alfred Carpenter R.N. in upper Burmah, in the winter of 1885-1886. *Ann. Mag. nat. Hist.* (5)18:182-191. {Sep 1886}
- b0635 1886 On Lepidoptera collected by Major Yerbury in Western India. *Proc. zool. Soc. Lond.* 1886(3):355-394, 1 pl. {Oct 1886}
- b0636 1888 On two small collections of African Lepidoptera received from H. H. Johnston. *Proc. zool. Soc. Lond.* 1887(4):567-574. {Apr 1888}
- b0637 1888 On the Lepidoptera received from Dr. Emin Pasha [from Equatoria Africa]. *Proc. zool. Soc. Lond.* 1888(1):56-85. {Jun 1888}
- b0638 1892 On a collection of Lepidoptera from Sandakan, N. E. Borneo. *Proc. zool. Soc. Lond.* 1892(1):120-133, 1 pl. {Jun 1892}
- b0639 1894 On two collections of Lepidoptera sent by Mr. H. H. Johnston from British Central Africa. *Proc. zool. Soc. Lond.* 1893(4):643-684, pls 5-7. {Apr 1894}
- b0640 1895 On a collection of Lepidoptera from British East Africa, made by Dr. J. W. Gregory between the months of March and August 1893. *Proc. zool. Soc. Lond.* 1894(4):557-593, pls 36,37. {Apr 1895}
- b0641 1895 On collections of Lepidoptera from British Central Africa and Lake Tanganyika. *Proc. zool. Soc. Lond.* 1895(2):250-270, pls 15,16. {Aug 1895}
- b0642 1895 On a small collection of Butterflies sent by Mr. Richard Crawshaw from the country west of Lake Nyasa. *Proc. zool. Soc. Lond.* 1895(3):627-634, pl 35. {Oct 1895}
- b0643 1896 On a collection of Butterflies obtained by Mr. Richard Crawshaw in Nyasa Land between the months of January and April 1895. *Proc. zool. Soc. Lond.* 1896(1):108-136, pl 6. [Ref: b1037] {Jun 1896}
- b0644 1896 On the butterflies obtained in Arabia and Somaliland by Capt. Chas. G. Nurse and Colonel J. W. Yerbury in 1894 and 1895. *Proc. zool. Soc. Lond.* 1896(1):242-257, pl 10. [Ref: b1037] {Jun 1896}
- b0645 1896 Descriptions of some new Lepidoptera from Nyasa-land. *Ann. Mag. nat. Hist.* (6)18:159-163. {Aug 1896}
- b0646 1897 On two collections of Lepidoptera made by Mr. Richard Crawshaw in Nyasa-Land. *Proc. zool. Soc. Lond.* 1896(4):817-850, ill. {Apr 1897}

Butler, Arthur Gardiner; (continued)

- b0647 1898 On three consignments of Butterflies collected in Natal in 1896 and 1897 by Mr. Guy A. K. Marshall. *Proc. zool. Soc. Lond.* 1897(4):835-857. {Apr 1898}
- b0648 1898 On the Lepidopterous insects collected by Mr. G. A. K. Marshall in Natal and Mashonaland in 1895 and 1897. *Proc. zool. Soc. Lond.* 1898(2):186-201. {Aug 1898}
- b0649 1898 On a collection of Lepidoptera made in British East Africa by Mr. C. S. Betton. *Proc. zool. Soc. Lond.* 1898(3):395-444, ill. {Oct 1898}
- b0650 1899 On a collection of butterflies almost entirely made at Salisbury, Mashunaland, by Mr. Guy A. K. Marshall in 1898. *Proc. zool. Soc. Lond.* 1898(4):902-912. {Apr 1899}
- b0651 1899 On two small collections of butterflies made by Mr. R. Crawshaw in British East Africa. *Proc. zool. Soc. Lond.* 1899(2):417-427, ill. {Aug 1899}
- b0652 1899 Descriptions of new species of the genus *Lycaenesthes*. *Ann. Mag. nat. Hist.* (7)4:341-344. {Nov 1899}
- b0653 1899 The genus *Cigaritis* and its application. *Entomologist* 32:77-78.
- b0654 1900 On a Second Collection of Butterflies obtained by Mr. Edward M. de Jersey in Nyasaland. *Ann. Mag. nat. Hist.* (7)5:59-63. {Jan 1900}
- b0655 1900 On a collection of butterflies made by Mr. Richard Crawshaw in British East Africa. *Proc. zool. Soc. Lond.* 1899(4):962-975. {Apr 1900}
- b0656 1900 A List of the species of *Cyaniris*, a well-known group of the family Lycaenidae. *Ann. Mag. nat. Hist.* (7)5:441-451. {May 1900}
- b0657 1900 On a new Genus of Lycaenidae hitherto confounded with *Catochrysops*. *Entomologist* 33:1-2.
- b0658 1901 An account of a Collection of Butterflies made by the Rev. K. St. Aubyn Rogers between Mombasa and the Forests of Taveta. *Ann. Mag. nat. Hist.* (7)7:22-35. {Jan 1901}
- b0659 1901 On two consignments of butterflies collected by Mr. Richard Crawshaw in the Kikuyu country of British East Africa in 1899 and 1900. *Proc. zool. Soc. Lond.* 1900(4):911-946, ill. {Apr 1901}
- b0660 1901 Descriptions of new species of Lycaenidae in the Collection of the British Museum. *Ann. Mag. nat. Hist.* (7)7:288-291. {May 1901}
- b0661 1902 On two collections of Lepidoptera made by Sir Harry Johnston, K.C.B., in the Uganda Protectorate during the year 1900. *Proc. zool. Soc. Lond.* 1902(1):44-51, pl 1,8. {Jun 1902}
- Butler, Arthur Gardiner; Druce, Herbert;
- b0662 1872 Descriptions of new genera and species of Lepidoptera from Costa Rica. *Cistula Entomologica* 1(5):95-118. {20 Jul 1872}
- Bytinski-Salz, Hans;
- b. 1903, d. 1939.
- b0663 1937 New Lepidoptera from Iran. *Ent. Rec.* 49(Sup.):(1)-(15).
- Cabeau, C.;
- b0664 1913 [Description of new aberrations of butterflies]. *Revue mens. Soc. ent. namur.* 13(7):98-101. {25 Jul 1913}
- b0665 1919-1922 Aberrations de Lépidoptères. *Revue mens. Soc. ent. namur.* 19:49, 61-62; 20:2-3, 18-19, 21-23; 22:1-2, 17-18, 21-23, 26, 33-34, 41-44, 45-57, 50-52, 54. {1919-1922}
- b0666 1923 Aberrations de Lépidoptères. *Revue mens. Soc. ent. namur.* 23:14,24-25,29,49,56-58.
- b0667 1924 Aberrations de Lépidoptères. *Revue mens. Soc. ent. namur.* 24:17-18,25,34-35,50,66-67.
- b0668 1925 Aberrations de Lépidoptères. *Revue mens. Soc. ent. namur.* 25:5-8, 38-39, 65, 81-82.

- Cabeau, C.; (continued)
 b0669 1931 Aberrations de Lépidoptères (suite). Lambillionea 31:2-3.
- Cadbury, John W.;
 b0670 1938 Lepidoptera Collected in Northern British Columbia by Miss Josephine de N. Henry. Part I - Rhopalocera. Proc. Acad. nat. Sci. Philad. 89:387-413, ill. {6 Jan 1938 }
- Calberla, Heinrich Wilhelm;
 b. 1839; d. 8 Sep 1916 (Dresden).
 b0671 1887 Die Macrolepidopteren fauna der römischen Campagna und der angrenzenden Provinzen Mittelitaliens. CorrespBl. ent. Ver. Iris 1:119-158, 1 f, pl 12, f 14-15.
- Callaghan, Curtis J.;
 b0672 1978 Studies on Restinga Butterflies. II. Notes on the Population Structure of *Menander felsina* (Riodinidae). J. Lep. Soc. 32(1):37-48, 3 tpls. {7 Apr 1978 }
 b0673 1979 A new genus and a new subspecies of Riodinidae from Southern Brazil. Bull. Allyn Mus. No. 53:1-7, 13 f. {27 Sep 1979 }
 b0674 1981 Notas sobre un caso de sinonimia entre las Riodinidae mexicanas. Revta Soc. mex. Lep. 6(2):41-42. {15 Mar 1981 }
 b0675 1982 Three new genera of riodinids from Mexico and Central America. Revta Soc. mex. Lep. 7(2):55-63. {15 Feb 1982 }
 b0676 1982 Notes on the Immature Biology of Two Myrmecophilous Lycaenidae: *Juditha molpe* (Riodininae) and *Panthiades búias* (Lycaenidae). J. Res. Lep. 20(1):36-42, f A-K. {20 Sep 1982 }
 b0677 1983 A new genus of riodinid butterflies. Bull. Allyn Mus. No. 78:7 pp, 3 f. {7 Mar 1983 }
 b0678 1984 Notes on the genus *Imelda* (Riodininae). J. Lep. Soc. 37(3):254-256, f A-H. {27 Apr 1984 }
 b0679 1985 A preliminary revision of the Genus *Nymphidium* (Rhopalocera, Riodinidae). Bull. Allyn Mus. No. 98:1-21, 38 f, 3 map. {24 Oct 1985 }
 b0680 1985 Notes on the Zoogeographic Distribution of Butterflies of the Subfamily Riodininae in Colombia. In: Proceedings of the Second Symposium on Neotropical Lepidoptera. J. Res. Lep. Suppl. 1:50-69.
 b0681 1986 A preliminary Revision of the genus *Nymphidium* (Riodininae). Part II. The *azanoides* Complex. Bull. Allyn Mus. No. 100:1-7, 15 f, 1 map. {30 Jan 1986 }
 b0682 1986 Notes on the Biology of *Stalactis susanna* (Lycaenidae: Riodininae) with a Discussion of Riodinine Larval Strategies. J. Res. Lep. 24(3):258-263. {1 Apr 1986 }
 b0683 1986 Restinga butterflies: Biology of *Synargis breunus* (Stichel) (Riodinidae). J. Lep. Soc. 40(2):93-96, 9 f. {23 Oct 1986 }
 b0684 1988* [Letter to Bridges. Notes on some names of Riodinidae]. Rio de Janeiro, Brazil :1 pp. {25 Jun 1988 } [*Unpublished]
 b0685 1988 A preliminary revision of the genus *Nymphidium* (Riodinidae) III. The *omois* group. Bull. Allyn Mus. No. 119:1-6, 19 f. {11 Aug 1988 }
 b0686 1993 Notes on the Immature Biology of Two Riodinine Butterflies: *Metacharis ptolomaeus* and *Napaea nepos orpheus* (Lycaenidae). J. Res. Lep. 30(3/4):221-224, ill. {1 Dec 1993 }
 b0687 1993 Notes on the biology of a myrmecophilous African lycaenid, *Aphnaeus adamsi* Stempffer (Lepidoptera, Lycaenidae). Bull. Soc. ent. Fr. 97(4):339-342.
 b0688 1993 Neotropical Riodininae endemic to the Chocó region of western Colombia. In: T. R. New (editor), Conservation Biology of Lycaenidae (Butterflies). Occ. Pap. IUCN Species Survival Comm. No. 8:153.
- Cameron-Curry, V.; Leigheb, G.; Cameron-Curry, P.;
 b0689 1980 Due ibridi di *Lysandra bellargus* Rott. Boll. Soc. ent. ital. 112:41-42.
- Cannon, K. D.;
 b0690 1986 An Abberation of *Icaricia acmon lutzii* (Lycaenidae). J. Lep. Soc. 39(4):329-330, 1 f. {25 Jun 1986 }
- Cano, J. Martín;
 b0691 1984 Biología comparada de *Lampides boeticus* (L.), *Syn-tarucus piriuous* (L.) y *Polyommatus icarus* (Rot.) (Lep., Lycaenidae). Graellsia 40:163-193.
- Cantener, Louis Prosper;
 b. *; d. 1847.
 b0692 1834-1835 Histoire naturelle des Lépidoptères Rhopalocères ou Papillons diurnes des départemens des Haut et Bas-Rhin, de la Moselle, de la Meurthe et des Vosges. Hoffmann, Colmar :166 pp, 38 pls (in 13 livraisons); pp 1-24, pls 1-6 (1834), :25-166, pls 7-38 [1835]. [Ref: b1041] [1834-1835]
- Cantlie, Sir Keith;
 b0693 1959 A New Variety of *Rapala nissa ranta*. J. Bombay nat. Hist. Soc. 56(3):652. {Dec 1959 }
 b0694 1963 The Lycaenidae portion (except the *Arhopala* group) of Brigadier Evans' The Identification of Indian Butterflies, 1932 reissued and revised. India, Pakistan, Ceylon, Burma (1962):[i]+vi+159[172] pp, 5 pls.
 b0695 1963 Genitalia of the butterfly genus *Spindasis* Wallengren. J. Bombay nat. Hist. Soc. 60(2):466-467, 1 pl.
 b0696 1964 Genitalia of the butterfly genera *Surendra* Moore and *Everes* Hübner. J. Bombay nat. Hist. Soc. 61(1):210-212, 17 f. {Apr 1964 }
- Cantlie, Sir Keith; Norman, T.;
 b0697 1960 Four new butterflies from Assam. J. Bombay nat. Hist. Soc. 57(2):424-429, 5 f. {Aug 1960 }
- Capocaccia, Lilia; Poggi, Roberto;
 b0698 1982 Short history of the Museo Civico di Storia Naturale "Giacomo Doria" in Genoa, Italy. Archiv. nat. Hist. 11(1):107-122, ill. {Oct 1982 }
- Capronnier, Jean Baptiste;
 b. 1814, d. 31 Jul 1891. [Ref: b0718]
 b0699 1874 Notice sur les époques d'apparition des lépidoptères diurnes du Brésil recueillis par M. B. van Voixeur dans son voyage en 1872. Anns Soc. ent. Belg. 17:7-39, 61-62, pl. 1.
 b0700 1889 Liste des Lépidoptères capturés au Congo. C. r. Soc. ent. Belg. 33:cxviii-cxxvi.
- Cápuse, I.;
 b0701 1963 New and scarce Lepidoptera for the fauna of the Rumanian People's Republic. [Rumanian]. Comunle zool. 2:189-203, 15 f.
- Caradja, Aristides von;
 b. 28 Sep 1861 (Dresden); d. 1945 or 1955.
 b0702 1893 Beitrag zur Kenntniss der Grossschmetterling des "Département de la Haute-Garonne". Deut. ent. Zeit. [Iris] 6:161-240.
 b0703 1895 Die Grossschmetterlinge des Königreiches Rumänien. Deut. ent. Zeit. [Iris] 8:1-102. {15 Jul 1895 }
 b0704 1932 Beiträge zur Lepidopteren-Fauna Grossrumäniens für das Jahr. 1931. Bull. Acad. Roumaine 15:35-46.
- Carbonell, Frédéric;
 b0705 1991 Une espèce jumelle méconnue du genre *Polyommatus* (*Neolysandra*) Koçak, 1977 (Lepidoptera: Lycaenidae). Linneana Belgica 13(1):35-45, ill.
 b0706 1991 Contribution a la connaissance du genre *Polyommatus* en Turquie orientale (Lepidoptera: Lycaenidae). Linneana Belgica 13(4):221-235, ill.

Carcasson, Robert H.;

b. 1919? (*Cheltenham, Gloucestershire, England*), d. 28 Sep 1982 (*Vancouver, British Columbia*).

b0707 1961 New and little known African Lepidoptera. Occ. Pap. Coryndon Mem. Mus. (7):3-23, 5 pls, 14 f.

b0708 1964 New African butterflies. J. E. Afr. nat. Hist. Soc. 24(4):67-72, 1 pl. [Ref: b0524] [Jan 1964]

b0709 1965 New Lepidoptera from East Africa. J. E. Afr. nat. Hist. Soc. 25:131-160, 59 f.

b0710 1968 Obituary: Thomas Herbert Eliot Jackson. Entomologist 101:191-192. [Aug 1968]

Caron, J. R.;

b0711 1926 Das Vorkommen von *Chrysophanus dispar* Haw. in Holland. Int. ent. Z. 19:285-287.

Carpenter, Geoffrey Douglas Hale;

b. 1882, d. 1953.

b0712 1934 New or rare African butterflies. Proc. R. ent. Soc. Lond. (A)9(1):12-14, 64. [30 Jun 1934]

b0713 1935 The Rhopalocera of Abyssinia, a faunistic study. (Notes by W. H. Evans, F. Hemming, G. Talbot, E. J. Wayland). Trans. R. ent. Soc. Lond. 83(3):313-448, ill. [20 Dec 1935]

b0714 1936 The Rhopalocera of Abyssinia: Corrections and Comments by Monsieur H. Ungemach. Proc. R. ent. Soc. Lond. (B)5(10):196-200. [Oct 1936]

Carpenter, Geoffrey Douglas Hale; Jackson, Thomas Herbert Elliot;

b0715 1950 New butterflies from East Africa and the Ituri Forest. Proc. R. ent. Soc. Lond. (B)19(7/8):97-108, 1 pl. [15 Aug 1950]

Carpenter, Geoffrey Douglas Hale; Lewis, C. Bernard;

b0716 1943 A collection of Lepidoptera (Rhopalocera) from the Cayman Islands. Ann. Cam. Mus. 29(13):371-396. [15 Jan 1943]

Carpenter, Mathilde M.;

b0717 1945 Bibliography of Biographies of Entomologists. Amer. Midl. Nat. 33(1):1-116. A supplement came in 1953. [Ref: b1035] [Jan 1945]

b0718 1953 Bibliography of Biographies of Entomologists. (Supplement). Amer. Midl. Nat. 50(2):257-348. The first part came in 1945. [Ref: b1035] [Oct 1953]

Carpenter, W. L.;

b0719 1877 Lepidoptera of Big Horn Mountains. [With the description of *Thecla sheridonii*, by Edwards]. Field and Forest 3(3):48. [Sep 1877]

Carter, W.;

b0720 1921 A new aberration of *Aricia astrarche*. Entomologist 54:249-250.

Carter, W.; Harrison, J. W. Heslop;

b0721 1923 Further forms of *Aricia medon* from County Durham. Entomologist 56:107-108.

b0722 1928 [Notes on *Arica medon*]. Vasculum 15:148.

Caruel, M.;

b0723 1939 Variations et aberrations de Lépidoptères. (Suite). Lambillionea 39:142.

Casini, Paolo M.;

b0724 1971 Presenza di *Heodes virgawrae apennina* Calb. nelle alpi Apuane. Boll. Assoc. romana Ent. 26:66.

b0725 1981 Distribution and voltinism of *Lycaena dispar* Haw. populations in northern Italy. Nota lepid. 4:12-15.

Cassidy, Alan C.;

b0726 1982 An annotated checklist of Brunei butterflies including a new species of the genus *Catapaecilma* Brunei Museum Journal 5(2):202-272.

Cassidy, Alan C.; (continued)

b0727 1985 An Enlarged Checklist of Brunei Butterflies (Lepidoptera: Rhopalocera) including Descriptions. Brunei Museum Journal 6(1):135-168, 3 f, 2 ph.

b0728 1990 On *Nacaduba* and allied genera (Lepidoptera, Lycaenidae) from the Sulawesi region. Tyô to Ga 41(4):227-241, ill.

Cator, D.;

b0729 1904 On new species of Lycaenidae from Sierra Leone. Ann. Mag. nat. Hist. (7)13:73-76. [Jan 1904]

Chalmers-Hunt, J. M.;

b0730 1983 *Agrodiaetus fabressei*: Oberthür's anomalous blue. Ent. Rec. 95(1/2):23. [Feb 1983]

Champion, George Charles;

b. 29 Apr 1851 (*London*); d. 8 Aug 1927 (*Horsell, England*). [Ref: b1946; b3321]

Chang-Whan, Kim;

b0731 1976 Distribution atlas of Insects of Korea. Series 1. Rhopalocera (Lepidoptera). Seoul, Korea University Press :10+200 pp, 19 pls. In English, with index and localities also in Korean. Includes bibliographies and indexes.

Chapman, Thomas Algernon;

b. 2 Jun 1842 (*Glasgow*); d. 17 Dec 1921 (*Reigate, Surrey*). [Ref: b0717; b3321]

b0732 1902 [Remarks on two butterflies taken at Bejar, West Central Spain]. Trans. ent. Soc. Lond. 50(4)(Proc.):xxxv-xxxvii. [30 Dec 1902]

b0733 1902 On the larva of *Liphyra brassolis* Westw. Entomologist 35:252-255.

b0734 1904 Notes on the geographical and seasonal variation of *Heodes phlaeas* in western Europe. Ent. Rec. 16:167-172.

b0735 1904 Notes towards the life history of *Thestor ballus*. Ent. Rec. 16:254-260, 271-284.

b0736 1905 [A variety of *Lycaena melanops*]. Trans. ent. Soc. Lond. 53(1)(Proc.):ii-iii, cut. [20 May 1905]

b0737 1905 Sculpturing of the pupa of *Thestor ballus*. Ent. Rec. 17:145.

b0738 1905 Pupal skin of *Chrysophanus phlaeas*. Ent. Rec. 17:172-173.

b0739 1905 Trumpet-hairs on the pupa of *Chrysophanus dispar*. Ent. Rec. 17:322-324.

b0740 1906 The pupa of *Chrysophanus dispar*. Ent. Rec. 18:15-17.

b0741 1906 Trumpet-hairs on the pupa of *Chrysophanus virgawrae* var. *miegi*. Ent. Rec. 18:89.

b0742 1906 Pupal skin and hairs of *Zephyrus quercus*. Ent. Rec. 18:237.

b0743 1906 Pupal skin and hairs of *Thecla w-album*. Ent. Rec. 18:263.

b0744 1907 The pupal skin and hairs of *Loweia (Chrysophanus) amphidamas*. Ent. Rec. 19:55.

b0745 1907 In Chapman & Champion, (q.v.) Trans. ent. Soc. Lond. 55(1):147-171, pls 5-11. [See also: b0775]

b0746 1908 Are *Everes argiades* and *corelas* distinct species? Trans. ent. Soc. Lond. 56(2):371-374, pls 19-20. [29 Sep 1908]

b0747 1908 Two New Genera (and a New Species) of Indian Lycaenids. Proc. zool. Soc. Lond. 1908(3):676-678, pl 38. [30 Oct] 1908]

b0748 1908 [Description of *Celastrina albocaeruleoides*]. In Tutu, Nat. Hist. Brit. Butts, 2:404 (q.v.). [Ref: b4760]

b0749 1909 A Mimetic Group of Indian Celastrinids (*Cyaniris*) and *Everes*. Trans. ent. Soc. Lond. 56(3/4)(Proc.):lxxx-lxxiv, pls A,B,C. [20 Jan 1909]

Chapman, Thomas Algernon; (continued)

- b0750 1909 *Callophrys avis* - a new Butterfly from Southern France. Ent. Rec. 21(6):130-131. {15 Jun 1909}
- b0751 1909 A Review of the Species of the Lepidopterous Genus *Lycaenopsis* Feld. (*Cyaniris* auct. nec Dalm.) on examination of the male Ancillary Appendages. Proc. zool. Soc. Lond. 1909(2):419-476, f 51-122. {[3 Aug] 1909}
- b0752 1909 New Palaearctic Species of *Callophrys*. Trans. ent. Soc. Lond. 57(3)(Proc.):xxix-xxx. {[20] Sep 1909}
- b0753 1910 On *Callophrys avis* Chapman. Trans. ent. Soc. Lond. 58(2):85-106, pl 14-43. {[19 Jul] 1910}
- b0754 1910 On *Zizeeria* (Chapman), *Zizera* (Moore), a group of Lycaenid butterflies. Trans. ent. Soc. Lond. 58(4):479-497, pl 51-60. {[21] Dec 1910}
- b0755 1911 On the early stages of *Latorina* (*Lycaena*) *orbitalis*, an myrmecophilous Plebeiid "Blue" butterfly. Trans. ent. Soc. Lond. 59(1):148-159, pls 11-27. {[21 Jun] 1911}
- b0756 1911 Two new Species of *Lycaenopsis* from Borneo (Sarawak). Trans. ent. Soc. Lond. 59(1):184-186, pl 28. {[21 Jun] 1911}
- b0757 1912 *Notarthrinus boulti*: A new lycaenopsis butterfly from Borneo. Ent. mon. Mag. 48:103-105, pl 6. {May 1912}
- b0758 1912 *Agriades gravesi*, n. sp.; a new Lycaenid. Ent. mon. Mag. 48:159-162, pl 7,8. {Jul 1912}
- b0759 1912 On the early stages of *Albulina pheretes*, a myrmecophilous plebeiid blue butterfly. Trans. ent. Soc. Lond. 60(2):393-406, pls 18-36. {[4] Oct 1912}
- b0760 1912 The food-plant of *Callophrys avis*. Trans. ent. Soc. Lond. 60(2):409-411. {[4] Oct 1912}
- b0761 1912 *Agriades thersites*, var. *gravesi*: Supplementary Note. Ent. mon. Mag. 48:276-278, pl 9, f 4-6. {Dec 1912}
- b0762 1913 An unrecognised European *Lycaena*, identified as *Agriades thersites* (Boisd. MSS.) Cantener. Trans. ent. Soc. Lond. 60(4):662-676, pls 81-85. {[11 Feb 1913]}
- b0763 1913 Description of the pupa case of *Heodes dorilis*. Ent. Rec. 25:133-134.
- b0764 1913 Pupal moult of *Agriades coridon*; the maxillary pocket of plebeiid pupae. Ent. Rec. 25:165-167.
- b0765 1914 Larvae of *Agriades damon* and *Plebeius argyrogomon*. Ent. mon. Mag. 50:22-29. {Jan 1914}
- b0766 1914 A contribution to the life history of *Agriades thersites* Cantener. Trans. ent. Soc. Lond. 62(2):285-308. {[8] Oct 1914}
- b0767 1914 On a new form of seasonal (and heterogeneitic) dimorphism in *Agriades thersites*, Cant. Trans. ent. Soc. Lond. 62(2):309-313. {[8] Oct 1914}
- b0768 1915 Contributions to the life history of *Polyommatus eros*. Trans. ent. Soc. Lond. 62(3/4):469-481. {[27 Feb 1915]}
- b0769 1915 The larva of *Everes argiades* Pall. Ent. mon. Mag. 51:35-38. {Feb 1915}
- b0770 1915 An analysis of the species of the genus *Curetis*, chiefly based on an examination of the specimens in the Zoological Museum, Tring. Novit. zool. 22:80-104.
- b0771 1916 *Agriades coridon* and *A. aragonensis*. Ent. Rec. 28:237-241.
- b0772 1917 A new European *Lycaena Plebeius Argus* (*Argyrogomon*) *Aegus*, sp. nov. [English & French]. Étud. Léop. comp. 14:41-76.
- b0773 1919 Contributions to a life-history of *Tarucus mediterraneae* Bethune-Baker. Ent. mon. Mag. 55:163-173, pls 6-11. {Jul 1919}
- b0774 1920 An undescribed Lycaenid Butterfly from Cyprus, *Glaucopteryx paphos* n. sp. (Lycaenidae). Trans. ent. Soc. Lond. 68(1/2):166-169, 6 tfs, pl 5. {[26] Jul 1920}

Chapman, Thomas Algernon; Champion, George Charles;

- b0775 1907 Entomology in N. W. Spain (Galicia and Leon). Trans. ent. Soc. Lond. 55(1):147-171, pls 5-11. Chapman did the Lepidoptera, Champion the Coleoptera and Hemiptera. {[20] Jun 1907}

Chauliac, A.;

- b0776 1981 Repartition d'*Agrodiaetus dolus* Hb. et d'*A. ripartii* Freyer en France. Alexanor 12(2):70-72. {30 Aug 1981}

Chermock, Franklin Hugo;

- b. 1906, d. 1967. Collection to Allyn Museum (Florida). [Ref: b3190]
- b0777 1929 Notes on North American Lepidoptera. Bull. Brooklyn ent. Soc. 24(1):20-21. {9 Mar 1929}

Chermock, Franklin Hugo; Frechin, Donald P.;

- b0778 1949 A New Race of *Incisalia eryphon* from Washington (Lepidoptera: Lycaenidae). Pan-Pac. Ent. 24(4):212. {[31 Jan 1949]}

Chermock, Ralph Lucien;

- b0779 1945 Some new North American Lycaenidae. Can. Ent. 76(11):213-216. {19 Jan 1945}

Chermock, Ralph Lucien; Chermock, Otilie D.;

- b0780 1948 Notes on the Life Histories of Three Floridian Butterflies. Can. Ent. 79(7-8):142-144, 9 f. {Aug 1948}

Chevallier, L. H. S.;

- b0781 1952 *Lampides boeticus* Linn. in Surrey. Ent. Rec. 64(10):274-277. {Oct 1952}

Chittenden, Frank Hurlburt;

- b. 1850; d. 1929. [Ref: b1946]
- b0782 1907 Insects Injurious to Vegetables. New York, Orange Judd Co. :14+262 pp, ill (8vo).

Chrétien, Pierre;

- b0783 1915 Notes sur quelques Lycaenidae de la faune française (Lep.). Bull. Soc. ent. Fr. 1915(8):135-139. {[4 Jun] 1915}

Christ, H.;

- b0784 1877 Uebersicht der um Basel gefundenen Tagfalter und Sphinges L. Verh. naturf. Ges. Basel 6(3):363-388.
- b0785 1883 Ueber den Charakter der Tarasper Tagfalter- und Zygaena-Fauna. Jber. naturf. Ges. Graubündens (nf)26:8-18.

Christoph, Hugo Theodor;

- b. 16 Apr 1831 (Herrenhus, Sachsen); d. 5 Nov 1894 (St. Petersburg). [Ref: b0717; b0718]

- b0786 1873 Weiterer Beitrag zum Verzeichnisse der in Nord-Persien einheimischen Schmetterling. Horae Soc. ent. ross. 10:3-55, 1 pl.
- b0787 1876-1877 Sammelergebnisse aus Nordpersien, Krasnowodsk in Turkmenien und dem Daghestan. Horae Soc. ent. ross. 12:181-196 (1876), :197-299 (1877), 4 pls. {1876-1877}
- b0788 1882 Einige neue Lepidoptera aus Russisch-Armenien. Horae Soc. ent. ross. 17:104-122.
- b0789 1884-1889 Lepidoptera aus dem Achal-Tekke-Gedietz. [1]. In Romanoff, Mém. Léop. 1:93-138, 3 pls. {1884-1889}
- b0790 1887 Lepidoptera aus dem Achal-Tekke-Gedietz. [3]. In Romanoff, Mém. Léop. 3:50-125, 3 pls.
- b0791 1887 Diagnosen neuer Lepidopteren aus Tekke. Stett. ent. Ztg 48:162-167.
- b0792 1893 Lepidoptera Nova Faunae Palaearcticae. Deut. ent. Zeit. [Iris] 6:86-96.
- Cilia, J. L.;
- b0793 1979 *Plebeius argus* (L.) in Malta. Proc. Trans. Br. ent. nat. Hist. Soc. 12:76.

Claassens, A. J. M.;

- b0794 1972 *Lepidochrysops trimeni* (Bethune-Baker) (Lepidoptera: Lycaenidae) reared from larva found in the nest of *Camponetus maculatus* Fab. (Hymenoptera: Formicidae). J. ent. Soc. S. Afr. 35(2):359-360. {Sep 1972}
- b0795 1976 Observations on the myrmecophilous relationships and the parasites of *Lepidochrysops methymna methymna* (Trimen) and *L. trimeni* (Bethune-Baker) (Lepidoptera: Lycaenidae). J. ent. Soc. S. Afr. 39(2):279-289. {Sep 1976}

Clark, Austin Hobart;

b. 1880, d. 1954.

- b0796 1935 Another Record of the Occurrence of *Styrmon ontario* in Missouri, with Notes on the Larva (Lepid.: Lycaenidae). Ent. News 46(5):123-124. {[6] May 1935}
- b0797 1948 Classification of the butterflies, with the allocation of the genera occurring in North America north of Mexico. Proc. Biol. Soc. Wash. 61:77-81. {[6 Jun 1948]}
- b0798 1948 A new subspecies of *Glaucopsyche lygdamus* (Lepidoptera, Lycaenidae). Proc. ent. Soc. Wash. 50(7):176-178. {[18 Oct 1948]}

Clark, Austin Hobart; Clark, Lella Forbes;

- b0799 1938 Butterflies from Virginia and the District of Columbia. Proc. Biol. Soc. Wash. 51:1-6. {[18 Feb 1938]}

Clark, Gowan Cresswell Coningsby;

b. Apr 1888 (Port Elizabeth); d. 1964. [Ref: b2571]

- b0800 1940 On the life histories of South African Lepidoptera. J. ent. Soc. S. Afr. 3:42-56, 9 cpl. {[30 Sep 1940]}
- b0801 1942 On the life-histories of some South African Lepidoptera. J. ent. Soc. S. Afr. 5:111-117, pl 3,4. {[28 Sep 1942]}
- b0802 1951 The life history of *Crudaria leroma*. J. ent. Soc. S. Afr. 14(2):127-132. {[30 Nov 1951]}
- b0803 1952 Some peculiarities in the early stages of some Butterflies. J. ent. Soc. S. Afr. 15(1):96-98. {[31 May 1952]}

Clark, Gowan Cresswell Coningsby; Dickson, Charles Gordan Campbell;

- b0804 1957 The life-history of *Lepidochrysops patricia* (Trimen) (Lepidoptera: Lycaenidae). J. ent. Soc. S. Afr. 20(1):114-116, pl 3. {[31 May 1957]}
- b0805 1957 On the life history of *Leptomyrina lara* (Linnaeus), and the reclassification of the Natal form *gorgias* (Stoll). J. ent. Soc. S. Afr. 20(2):333-335, pl 6,7. {[31 Dec 1957]}
- b0806 1960 The life histories of two species of *Thestor* (Lepidoptera: Lycaenidae) J. ent. Soc. S. Afr. 23(2):278-283, 2 pls. {[30 Sep 1960]}
- b0807 1971 Life Histories of the South African Lycaenid Butterflies Cape Town, Purnell xvi+272 pp, 125 pls, 2 f.

Clarke, Cyril Astley;

b. 22 Aug 1907. Now Sir Cyril Clarke.

- b0808 1953 The successful winter breeding of *Lampides boeticus* Linn. in captivity in England. Ent. Rec. 65(4):104-105. {Apr 1953}
- b0809 1955 A note on the larva of *Maculinea alcon*. Entomologist 88:49-50.
- b0810 1958 Die Zucht des grossen Bläuelings - *Maculinea arion* L. - in Gefangenschaft 1953-1954. Ent. Zeit. 68:166-168.

Clarke, John Frederick Gates;

b. 1905 (Victoria, British Columbia); d. 17 Sep 1990.

- b0811 1941 The preparation of slides of the genitalia of Lepidoptera. Bull. Brooklyn ent. Soc. 36(4):149-161. {Oct 1941}

Clémence, Victor L.;

- b0812 1909 Notes on the Forms of *Rusticus acmon* (Db.-Hew.), Scudder, Occurring in the Vicinity of Pasadena, Calif. Can. Ent. 41(1):38-39. {[7 Jan 1909]}
- b0813 1914 A New *Lycena* from Arizona (Lep.). Ent. News 25(1):28-29. {[2] Jan 1914}

Clench, Harry Kendon;

b. 15 Aug 1925 (Ann Arbor, Michigan), d. 7 Apr 1979. [Ref: b0528; b3723; b3187; b4300]

- b0814 1941 A new race of *Hemiargus* for the Bahamas. Mem. Soc. Cubana Hist. Nat. 15:407-408.
- b0815 1941 Notes on two Bahama Lycaenidae, with the description of a new subspecies. Torreia No. 7:1-7. [Ref: b0527]
- b0816 1942 A new race of *Atlides halesus* Cramer from California (Lepidoptera: Lycaenidae). Ent. News 53(8):219-221. {[15] Oct 1942}
- b0817 1943 The Lycaenidae of the Bahama Islands (Lepidoptera: Rhopalocera). Psyche 49(3/4):52-60. {[Jan 1943]}
- b0818 1943 A new *Axiocerses* from West Africa (Lepidoptera: Lycaenidae). J. New York ent. Soc. 51(3):219-220. {[7] Sep 1943}
- b0819 1943 Two New Subspecies of *Incisalia* (Lepidoptera, Lycaenidae). Can. Ent. 75(10):182-185. {[22 Nov 1943]}
- b0820 1944 Two New Subspecies of *Everes comyntas* Godart (Lepidoptera, Lycaenidae). J. New York ent. Soc. 52(1):59-61. {[6] Apr 1944}
- b0821 1944 New neotropical Theclinae (Lepidoptera: Lycaenidae). J. New York ent. Soc. 52(3):255-261. {[11] Sep 1944}
- b0822 1944 Two New Subspecies of *Lycaenopsis pseudargiolus* Bdv & LeC. (Lepidoptera, Lycaenidae). J. New York ent. Soc. 52(3):273-276. {[11] Sep 1944}
- b0823 1944 Notes on lycaenid butterflies. (a) the genus *Callophrys* in North America; (b) the *acaste* group of the genus *Thecla*. Bull. Harvard Mus. Comp. Zool. 94:217-245.
- b0824 1946 Notes on the *amyntor* group of the genus *Thecla* (Lepidoptera, Lycaenidae). Entomologist 79:152-157, 185-191.
- b0825 1947 Review: The Butterflies of California, by J. A. Comstock. Lep. News 1(4):38. {Aug 1947}
- b0826 1955 Revised classification of the butterfly family Lycaenidae and its allies. Ann. Cam. Mus. 33(16):261-274, 1 f. {[20 Jan 1955]}
- b0827 1961 Notes on the genus *Thermonophas* (Lep. Lycaenidae). Ann. Cam. Mus. 36(5):49-62, ill. {[27 Oct 1961]}
- b0828 1961 A review of the African genus *Dapidodigma* (Lep.: Lycaenidae). Ann. Cam. Mus. 36(6):63-67, ill. {[27 Oct 1961]}
- b0829 1961 Lycaeninae, In Ehrlich & Ehrlich, How to Know the Butterflies (q.v.). [See also: b1530]
- b0830 1963 Further notes on West African Lycaenidae (Lep). Ent. News 74(2):43-49. {[5] Feb 1963}
- b0831 1963 Notes on *Axiocerses*. (Lep.: Lycaenidae). J. New York ent. Soc. 71(3):181-188, ill. {[30 Aug 1963]}
- b0832 1963 *Callophrys* (Lycaenidae) from the Pacific Northwest. J. Res. Lep. 2(2):151-160, 2 f, 1 tbl. {[30 Dec] 1963}
- b0833 1964 A synopsis of the West Indian Lycaenidae, with remarks on their zoogeography. J. Res. Lep. 2(4):247-270, 2 pls, 10 f. {[Mar 1964]}
- b0834 1964 A new species of Riodinidae from Mexico. J. Res. Lep. 3(2):73-80. {[Dec] 1964}
- b0835 1965 Notes on some African Theclinae (Lepidoptera: Lycaenidae). J. New York ent. Soc. 72(4):237-244. {[3 Feb 1965]}
- b0836 1965 Lycaenoidea, In Fox et al., Butterflies of Liberia (q.v.). Mem. amer. ent. Soc. 19:267-403, f 163-233. [See also: b1784] {[17 Feb 1965]}
- b0837 1965 Variation and Distribution of *Hemiargus huntingtoni* (Lepidoptera: Lycaenidae). J. New York ent. Soc. 73(1):41-45. {[19 Apr 1965]}
- b0838 1965 A collection of butterflies from western Chihuahua, Mexico. Ent. News 76(6):157-162. {[2] Jun 1965}
- b0839 1965 African *Deudorix* (Lepidoptera: Lycaenidae): Notes and Descriptions. J. New York ent. Soc. 73(3):178-181. {[7 Sep 1965]}

- Clench, Harry Kendon; (continued)**
 b0840 1967 A note on *Caria domitianus* and *ino* (Riodinidae), with description of a new subspecies. *J. Lep. Soc.* 21(1):53-56, 2 f. {21 Feb 1967}
 b0841 1970 In Brown, (q.v.). *Trans. amer. ent. Soc.* 96:19-77. [See also: b0509] {25 Mar 1970}
 b0842 1970 A new subspecies of *Brephidium exilis* from Yucatan (Lepidoptera: Lycaenidae). *J. Lep. Soc.* 24(1):3-6, 1 f. {26 Mar 1970}
 b0843 1970 Generic notes on two Hairstreaks new to the United States (Lycaenidae). *J. Lep. Soc.* 24(1):56-59, 1 f. {26 Mar 1970}
 b0844 1970 Designation of types. In Brown, (q.v.). *Trans. amer. ent. Soc.* 96:353-433. [See also: b0510] {17 Nov 1970}
 b0845 1971 Two new hairstreaks from Mexico (Lepidoptera: Lycaenidae). *Bull. Allyn Mus.* No. 3:1-6, 2 f. {19 Nov 1971}
 b0846 1972 A review of the Genus *Lasaia* (Riodinidae). *J. Res. Lep.* 10(2):149-180, 41 f. {Nov 1972}
 b0847 1972 The boundary between *Satyrium liparops* and its subspecies *strigosum* (Lepidoptera: Lycaenidae). *Ann. Cam. Mus.* 44(2):11-24, 2 f, map. {20 Dec 1972}
 b0848 1972 *Celastrina ebenina*, a new species of Lycaenidae (Lepidoptera) from the eastern United States. *Ann. Cam. Mus.* 44(4):33-44, 12 f. {20 Dec 1972}
 b0849 1975 A review of the Genus *Hypostrymon* (Lepidoptera: Lycaenidae). *Bull. Allyn Mus.* No. 25:1-7, 2 f. {28 Feb 1975}
 b0850 1976 In search of rare butterflies. *Bahamas naturalist* 2(1):2-8, ill.
 b0851 1979 The Names of certain Holarctic Hairstreak Genera (Lycaenidae). *J. Lep. Soc.* 32(4):277-281. {28 Feb 1979}
 b0852 1979 [Description of *Parrhasius orgiophantes*]. In Nicolay, [q.v.]. *Bull. Allyn Mus.* No. 56:17. [See also: b3392] {28 Dec 1979}
 b0853 1981 New *Callophrys* (Lycaenidae) from North and Middle America. *Bull. Allyn Mus.* No. 64:1-31, 48 f. {20 Oct 1981}
 b0854 1992 [Description of *Strymon acis leucosticha*]. *Ann. Cam. Mus.* 61(1):30, f. [See also: b3198]
- Clench, Harry Kendon; Ehrlich, Paul Ralph;**
 b0855 1960 [Description of *Sandia*]. In Ehrlich & Clench, [q.v.]. *Ent. News* 71(6):137-141, pl 1. [See also: b1529] {3 Jun 1960}
- Clench, Harry Kendon; Miller, Lee Denmar;**
 b0856 1980 *Papilio ladon* Cramer vs. *Argus pseudargiolus* Boisduval and Leconte (Lycaenidae): a nomenclatorial nightmare. *J. Lep. Soc.* 34(2):103-119. {23 Sep 1980}
- Cleu, H.;**
 b0857 1950 Une race cevenole de *Maculineaalcon* Schiff. - *rebeli* Hirschke. *Revue fr. Léop.* 12:257-260.
 b0858 1951 Note rectificative au sujet du biotope de la race cevenole de *Maculineaalcon* Schiff. - *rebeli* Hirschke. *Revue fr. Léop.* 13:105.
- Closs, Adolf G.;**
 b. 1864, d. 1938. [Ref: b0718]
 b0859 1920 [Descriptions of new forms]. *Int. ent. Z.* 14(16):121-123. {13 Nov 1920}
- Cockayne, Edward Alfred;**
 b. 3 Oct 1880 (Sheffield); d. 28 Nov 1955 (Tring, Hertfordshire).
 b0860 1916 Gynandromorphous *Agriades coridon*, Poda; *A. coridon* ab. *roystonensis* Pickett. *Trans. ent. Soc. Lond.* 64(2):243-263, pls 65-73. {29 Dec 1916}
 b0861 1916 *Agriades coridon*, the chalk-hill blue butterfly in Hertfordshire. *Trans. Herts. nat. Hist. Soc. Fld Club* 16:81-84.
- Cockayne, Edward Alfred; (continued)**
 b0862 1952 Aberrations of *Lysandra coridon* Poda and *Lysandra bellargus* Rott. What are the causation factors? *Ent. Rec.* 64(6):157-160. {Jun 1952}
- Cockerell, Theodore Dru Allison;**
 b. 22 Aug 1866 (Norwood, England); d. 26 Jan 1948 (San Diego, California). [Ref: ns04954; b0718; b3321]
 b0863 1887 Variation. *Proc. S. Lond. ent. nat. Hist. Soc.* 1887:95-107.
 b0864 1889 On the variation of Insects. *Entomologist* 22:1-243 (nc).
 b0865 1899 Notes on Some New Mexico Butterflies. *Can. Ent.* 31(3):65-66. {6 Mar 1899}
 b0866 1901 Some Insects of the Hudsonian Zone in New Mexico. Part IV. Lepidoptera Rhopalocera. *Psyche* 9(300):185-186. {Apr 1901}
- Cockle, J. W.;**
 b0867 1910 Notes on a Few Butterflies Found at Kaslo and in Northern British Columbia. *Can. Ent.* 42(6):203-204. {4 Jun 1910}
- Collins, S. C.; Larsen, Torben B.;**
 b0868 1991 Description of new genera, species, and subspecies discovered as part of the research for the book *The butterflies of Kenya and their natural history*. Pp 438-445 In: Larsen, T. B., *The butterflies of Kenya and their natural history*. Oxford & New York, Oxford Univ. Press xxii + 490 pp, ill.
- Common, Ian Francis Bell;**
 b. 23 Jun 1917 (Alford, Lincolnshire, England).
 b0869 1964 *Australian Butterflies*. Brisbane, Jacaranda Press :131 pp, ill.
- Common, Ian Francis Bell; Waterhouse, Douglas Frew;**
 b0870 1981 *Butterflies of Australia (Revised)*. Sydney, Angus & Robertson 4to :xiv+682 pp, tfs 1-25, pls 1-49.
- Comstock, Anna Botsford;**
 b. 1 Sep 1845 (Cattaraugus County, New York); d. 24 Aug 1930 (Ithaca, New York). [Ref: b0717; b0718]
- Comstock, John Adams;**
 b. 30 Jan 1883 (Evanston, Illinois); d. 26 Dec 1970 (Del Mar, California). [Ref: b3071]
 b0871 1922 Studies in Pacific Coast Lepidoptera. Notes on the *acmon-neurona* Group of Lycaenids, with Description of a New Species. *Bull. S. Calif. Acad. Sci.* 21(2):43-48, pl 3. {Oct 1922}
 b0872 1925 Studies in Pacific Coast Lepidoptera. A New Race of *Mitoura siva* Edw. in California. *Bull. S. Calif. Acad. Sci.* 24(2):37-38, pl 2. {17 Aug 1925}
 b0873 1926 Studies in Pacific Coast Lepidoptera. Thirteen New Species or Aberrations of California Butterflies. *Bull. S. Calif. Acad. Sci.* 25(1):29-34. {30 Mar 1926}
 b0874 1926 Studies in Pacific Coast Lepidoptera. *Bull. S. Calif. Acad. Sci.* 25(1):48. [Ref: b0526] {30 Mar 1926}
 b0875 1927 Butterflies of California. A popular guide to a knowledge of the butterflies of California embracing all of the 477 species and varieties at present recorded for the state. Los Angeles, California, Priv. Publ. :13-334 pp, 86 f, pls 1-63.
 b0876 1927 Studies in Pacific Coast Lepidoptera. *Bull. S. Calif. Acad. Sci.* 26(3):67-68 (or 70), pls 13-18. {Dec 1927}
 b0877 1928 Studies in Pacific Coast Lepidoptera. *Bull. S. Calif. Acad. Sci.* 27(2):63-66, pls 2-5. {Aug 1928}
 b0878 1929 The Egg of *Glaucopsyche lygdamus australis* Grinnell. *Bull. S. Calif. Acad. Sci.* 28(1):6, pl 5. {15 Jun 1929}
 b0879 1930 Studies in Pacific Coast Lepidoptera. *Bull. S. Calif. Acad. Sci.* 28(3):50-58, pls 25-33. {15 Feb 1930}

Comstock, John Adams; (continued)

- b0880 1930 Studies in Pacific Coast Lepidoptera (Life History studies). Bull. S. Calif. Acad. Sci. 29(1):21-31, pls 4-15. {10 Jun 1930}
- b0881 1932 The Metamorphoses of Six California Lepidoptera. Bull. S. Calif. Acad. Sci. 31(2):88-100, pls 24-35. {30 Dec 1932}
- b0882 1933 Studies in Pacific Coast Lepidoptera. Bull. S. Calif. Acad. Sci. 32(3):113-120, pls 53-59. {30 Sep 1933}
- b0883 1934 Studies in Pacific Coast Lepidoptera. Bull. S. Calif. Acad. Sci. 33(1):34-38, pls 14-19. {28 Feb 1934}
- b0884 1934 The Metamorphoses of Three California Diurnals. Bull. S. Calif. Acad. Sci. 33(2):79-92, pls 23-25. {31 Aug 1934}
- b0885 1936 Notes on the Life Histories of Three Butterflies and Three Moths from California. Bull. S. Calif. Acad. Sci. 34(3):211-255, pls 51-65. {15 Jan 1936}
- b0886 1937 Miscellaneous Notes on Western Lepidoptera. Bull. S. Calif. Acad. Sci. 36(1):19-23, pls 6-9. {12 May 1937}
- b0887 1939 A new *Apodemia* from California (Lepidopt.). Bull. S. Calif. Acad. Sci. 37(3):129-132, pl 50, 1 f. {20 Jan 1939}
- Comstock, John Adams; Coolidge, Karl R.;**
- b0888 1925 The Life History of *Philotes sonorensis* Felder. Bull. S. Calif. Acad. Sci. 24(1):3-4. {20 May 1925}
- b0889 1930 The Life History of *Philotes sonorensis* Felder. Bull. S. Calif. Acad. Sci. 29(1):17-21, pl 2. [Ref: b0526; b0524] {10 Jun 1930}
- Comstock, John Adams; Dammers, Charles M.;**
- b0890 1932 Early Stages of *Melitaea leanira wrightii* Edw. and *Calephelis nemesis* Edw. (Lepidoptera). Bull. S. Calif. Acad. Sci. 31(1):9-15, pls 3-7. {30 May 1932}
- b0891 1932 Metamorphoses of five California diurnals (Lepidoptera). Bull. S. Calif. Acad. Sci. 31(1):33-45.
- b0892 1933 Early Stages of Three California Diurnals (Lepidoptera). Bull. S. Calif. Acad. Sci. 32(3):105-112, pls 46-52. {30 Sep 1933}
- b0893 1933 Notes on the life histories of four California lepidopterous insects. Bull. S. Calif. Acad. Sci. 32(2):77-83, pl. 25.
- b0894 1934 Additional notes on the early stages of Californian Lepidoptera. Bull. S. Calif. Acad. Sci. 33(1):25-34, pls 3-13. {28 Feb 1934}
- b0895 1935 Notes on the Early Stages of Three Butterflies and Five Moths from California. Bull. S. Calif. Acad. Sci. 33(3):137-151, pls 40-55. {15 Jan 1935}
- b0896 1935 Notes on the Early Stages of Two Butterflies and One Moth. Bull. S. Calif. Acad. Sci. 34(1):81-87, pls 7-12. {15 May 1935}
- b0897 1935 Notes on the Early Stages of Three Butterflies and Six Moths from California. Bull. S. Calif. Acad. Sci. 34(2):120-142, pls 16-37. {15 Sep 1935}
- b0898 1936 Metamorphosis of *Strymon leda* Edw. (Lepid. Rho-pal.). Bull. S. Calif. Acad. Sci. 35(1):6-8, pls 2,3. {15 May 1936}
- b0899 1938 Notes on the Metamorphosis of *Mioura spinetourm* Hew. (Lepidoptera, Theclinae). Bull. S. Calif. Acad. Sci. 37(1):30-32, pls 3,4. {30 Apr 1938}
- Comstock, John Adams; Grimshawe, Florence Moore;**
- b0900 1935 Early Stages of *Papilio polydamus lucayus* R. & J. Bull. S. Calif. Acad. Sci. 34(1):76-80, pls 3-6. {15 May 1935}
- Comstock, John Adams; Henne, Christopher;**
- b0901 1933 A New Lycaenid From Southern California Bull. S. Calif. Acad. Sci. 32(1):23-26. {1 Mar 1933}
- Comstock, John Henry;**
- b. 24 Feb (Janesville, Wisconsin); d. 20 Mar 1931 (Ithaca, New York). [Ref: b0717; b0718]

Comstock, John Henry; Comstock, Anna Botsford;

- b0902 1904 How to Know the Butterflies; a Manual of the Butterflies of the Eastern United States. New York, D. Appleton & Co. :xii+311 pp, 45 cpl. Another edition came in 1915.
- Comstock, William Phillips;**
- b. 1880, d. 1956.
- b0903 1911 *Thecla chrysalus*, Edwards, and its variety *ciuma*, Henry Edwards. Can. Ent. 43(2):65-66. {10 Feb 1911}
- b0904 1911 On the identity of *Thecla muiri*, Henry Edwards. J. New York ent. Soc. 19(2):86-87. {Jun 1911}
- b0905 1913 A new North American butterfly in the family Lycaenidae. Bull. Brooklyn ent. Soc. 8(3):33-36, pl. 2. {Feb 1913}
- b0906 1940 Butterflies of New Jersey. A list of the Lepidoptera suborder Rhopalocera occurring in the State of New Jersey; giving time of flight, food plants, records of capture with locality and date. J. New York ent. Soc. 48(1):47-84. {[29] Mar 1940}
- Comstock, William Phillips; Huntington, Edgar Irving;**
- b0907 1943 Lycaenidae of the Antilles (Lepidoptera, Rhopalocera). Ann. New York Acad. Sci. 45:49-130, f 1-2, pl 1, tbl 1-3.
- b0908 1958-1964 An annotated list of the Lycaenidae (Lepidoptera, Rhopalocera) of the Western Hemisphere. J. New York ent. Soc. 66(3-4):103-118; 67:59-95, 163-212; 70:39-46, 100-118, 177-179; 71:45-57; 72:62-64, 120-130, 173-192. {1958-1964}
- Constantino, Luis M.; Salazar E., Julián A.; Johnson, Kurt;**
- b0909 1993 *Theorema sapho* (Staudinger) and Two Unusual New Species of Theclinae from Colombia (Lepidoptera, Lycaenidae, Theclinae). Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) No. 41:1-5, ill. {13 Dec 1993}
- Cook, John Hawley;**
- b. 1878, d. 1958.
- b0910 1907 Studies in the Genus *Incisalia*. Can. Ent. 39(6):181-187; (7):229-235 (Jul); (8):257-260 (Aug); (9):(293-295) (Sep). {4 Jun 1907}
- Cook, John Hawley; Cook, H.;**
- b0911 1904 Notes on *Incisalia augustus*. Can. Ent. 36(5):136. {7 May 1904}
- Cook, John Hawley; Watson, Frank Edward;**
- b0912 1907 A new butterfly of the genus *Incisalia*. Can. Ent. 39(6):202-204. {4 Jun 1907}
- b0913 1909 *Incisalia* (Lepidoptera) from Texas. Can. Ent. 41(6):181-182. {4 Jun 1909}
- Cooke, Bertram Hewett Hunter;**
- b. 1874, d. 1946.
- b0914 1928 Spanish races of the *Lycaena coridon* group. Proc. ent. Soc. Lond. 2(3):66-67. {[5 Apr 1928]}
- b0915 1929 Further remarks on the rearing of *Callophrys avis*, Chap. Ent. Rec. 41(4):77-78. {15 Apr 1929}
- Cookson, H.;**
- b0916 1968 The Occurrence of *Pseudiolaus poultoni* Riley (Lepidoptera: Lycaenidae) in Southern Africa. J. ent. Soc. S. Afr. 29:198. {31 Mar 1968}
- Coolidge, Karl R.;**
- Published also as Carl. Bibliography supplied by Scott Miller. [Ref: b3203]
- b0917 1906 A Correction. Ent. News 17(4):140. {Apr 1906}
- b0918 1906 Review: "The Butterflies of Montana," . . . M. J. Elrod. Ent. News 17(7):263. {Sep 1906}
- b0919 1907 *Lycaena emigdonis* Brennel [sic]. Ent. News 18(7):300. {Jul 1907}

Coolidge, Karl R.; (continued)

- b0920 1908 Western Lepidoptera - I. Psyche 15(4):81-87. {Aug 1908}
- b0921 1909 Chrysophanid Notes. Psyche 16(2):31. {Apr 1909}
- b0922 1910 Butterfly Notes. Can. Ent. 42(9):315-316. {8 Sep 1910}
- b0923 1911 Western Lepidoptera - IV. Psyche 18(1):32-34. {Feb 1911}
- b0924 1913 Obituary: W. G. Wright. Ent. News 24(2):92. {31 Jan 1913}
- b0925 1923 California Butterfly Notes, I. Bull. Brooklyn ent. Soc. 18(5):159-161. {11 Dec 1923}
- b0926 1923 The Life History of *Phaedrotes pius* Boisid. (Lepidoptera, Lycaenidae). Ent. News 34(10):295-300. {Dec 1923}
- b0927 1924 The life history of *Brephidium exilis* Boisduval. Ent. News 35(4):115-121. {[2] Apr 1924}
- b0928 1924 The Life History of *Mitoura loki* Skinner (Lepidoptera, Lycaenidae). Ent. News 35(6):199-204. {[4] Jun 1924}
- b0929 1924 Life History of *Heodes helloides* Bdv. (Lepidoptera, Lycaenidae). Ent. News 35(9):306-312. {[5] Dec 1924}
- b0930 1925 *Strymon loki* Skinner - A Correction (Lepid., Lycaenidae). Ent. News 36(1):26. {[5] Jan 1925}
- b0931 1925 Life history studies of some California Rhopalocera (Lepidoptera). Trans. amer. ent. Soc. 50(863):319-335. {12 Jan 1925}

Coquillett, Daniel William;

- b. 23 Jan 1856 (Woodstock, Illinois); d. 8 Jul 1911 (Atlantic City, NJ). [Ref: b0717; b0718; b3321 (as Coquillette)]
- b0932 1899 On the early stages of some California Lepidoptera. J. New York ent. Soc. 7(3):209-212. {Sep 1899}

Corbet, Alexander Steven;

- b. 1896, d. 1948.
- b0933 1936 The genera of Lycaenopsini (Lepidoptera: Lycaenidae). Proc. R. ent. Soc. Lond. (B)5(10):185-186. {Oct 1936}
- b0934 1937 A Revision of the Malayan Species of *Celastrina* (Lepidoptera: Lycaenidae). Trans. R. ent. Soc. Lond. 86(2):19-33. {Apr 1937}
- b0935 1937 Observations on species of Nymphalidae and Riodinidae from the Malay Peninsula. Proc. R. ent. Soc. Lond. (B)6(5):99-104. {May 1937}
- b0936 1937 A revision of the Malayan species of *Curetis* Hübner (Lepidoptera- Lycaenidae). Proc. R. ent. Soc. Lond. (B)6(12):224-233, f 1-12. {Dec 1937}
- b0937 1938 A revision of the Malayan species of *Pratapa* Moore (Lepidoptera- Lycaenidae). Proc. R. ent. Soc. Lond. (B)7(4):166-172, f 1-17. {Apr 1938}
- b0938 1938 A revision of the Malayan species of the *Nacaduba* group of genera. (Lep.: Lycaenidae). Trans. R. ent. Soc. Lond. 87(5):125-146, 26 fts, pl 1. {15 Jun 1938}
- b0939 1938 New *Celastrina* and *Taraka* forms from the Malay Peninsula (Lepidoptera: Lycaenidae). Trans. R. ent. Soc. Lond. 87(5):161-163, 1 pl, 7 f. {15 Jun 1938}
- b0940 1938 Observations on certain species of Rhopalocera from the Malay Peninsula. J. Fed. Malay St. Mus. 18(2):242-262. {Dec 1938}
- b0941 1939 The date of Thomas Horsfield's A Descriptive Catalogue of the Lepidopterous insects contained in the Museum of the Honourable East India Company. J. Soc. Bibl. nat. Hist. 1(7):196. {Feb 1939}
- b0942 1939 A revision of the Malayan species of *Miletus* Hübner (= *Gerydus* Boisduval) (Lepidoptera: Lycaenidae). Proc. R. ent. Soc. Lond. (B)8(2):25-31, f 1-19. {Feb 1939}
- b0943 1939 A revision of the Malayan species of *Rapala* Moore (Lepidoptera: Lycaenidae). Proc. R. ent. Soc. Lond. (B)8(6):103-112, f 1-20. {Jun 1939}

Corbet, Alexander Steven; (continued)

- b0944 1939 A Revision of the Malayan Species of *Allotinus* Felder and Felder (Lepidoptera: Lycaenidae). Trans. R. ent. Soc. Lond. 89(5):63-77, 1 pl, 23 f. {Jun 1939}
- b0945 1940 Observations on Species of Lycaenidae from the Malay Peninsula (Lepid., Rhop.). Proc. R. ent. Soc. Lond. (B)9(1):1-6, 7 f. {Jan 1940}
- b0946 1940 A revision of the Malayan species of *Chliaria* Moore (Lepidoptera: Lycaenidae). Proc. R. ent. Soc. Lond. (B)9(5):90-92, f 1-6. {May 1940}
- b0947 1940 A revision of the Malayan species of *Logania* Distant (Lepidoptera: Lycaenidae). Proc. R. ent. Soc. Lond. (B)9(6):111-112, 4 f. {Jun 1940}
- b0948 1940 A Revision of the Malayan Species of *Tajuria* Moore (Lepidoptera: Lycaenidae). Trans. R. ent. Soc. Lond. 90(5):107-120. {Jul 1940}
- b0949 1940 A Note on the *Celastrina quadriplaga* Complex (Lepidoptera: Lycaenidae). Proc. R. ent. Soc. Lond. (B)9(8):143. {Aug 1940}
- b0950 1940 A Revision of the Malayan Species of *Poritiinae* (Lepidoptera: Lycaenidae). Trans. R. ent. Soc. Lond. 90(11):337-350, 1 pl, 21 f. {Sep 1940}
- b0951 1940 Revisional notes on Malayan Rhopalocera. Entomologist 73:39-43.
- b0952 1940 The identity of the Fabrician species *Papilio sphinx* and *Papilio hylax*. Entomologist 73:275-277.
- b0953 1941 A revision of the Malayan species of *Horaga* Moore (Lepidoptera: Lycaenidae). Proc. R. ent. Soc. Lond. (B)10(3):46-50, f 1-6. {Mar 1941}
- b0954 1941 A further contribution to a knowledge of the Rhopalocera of the Malay Peninsula. J. Fed. Malay St. Mus. 18(5):805-813. {Apr 1941}
- b0955 1941 Revisional notes on the Genus *Catapaecilma* Butler (Lepid. Rhop.). Proc. R. ent. Soc. Lond. (B)10(5):81-84, f 1-5. {May 1941}
- b0956 1941 A key to the Indo-Malayan species of *Arhopala* Boisduval (Lepidoptera: Lycaenidae). Proc. R. ent. Soc. Lond. (B)10(9):149-183, f 1-114. {Sep 1941}
- b0957 1941 A List of the Butterflies of Hong Kong (3), Lycaenidae, Hesperidae. Hongkong Nat. 10(3/4):148-165A, 166, 5 f, 1 pl.
- b0958 1942 Miscellaneous notes on the butterflies of the Malay Archipelago. Entomologist 75:172-174.
- b0959 1944 Some notes on the butterflies of the Langkawi Islands. Entomologist 77:39-42.
- b0960 1946 Observations on the Indo-Malayan Species of the Genus *Arhopala* Boisduval (Lepidoptera: Lycaenidae). Trans. R. ent. Soc. Lond. 96(5):73-88. {Apr 1946}
- b0961 1947 *Nacaduba ollyetti*, a new species of Lycaenid from Ceylon (Lepidoptera). Proc. R. ent. Soc. Lond. (B)16:1-2, f 1-3. {13 Mar 1947}
- b0962 1948 Papers on Malaysian Rhopalocera. III: The Butterflies of Singapore Island. Entomologist 81(1):9-14, 6 f. {26 Jan 1948}
- b0963 1948 Revisional Notes on Oriental Lycaenidae: I. Proc. R. ent. Soc. Lond. (B)17(7/8):93-97. {16 Aug 1948}

Corbet, Alexander Steven; Pendlebury, Henry Maurice;

- b0964 1956 The Butterflies of the Malay Peninsula (Second edition). Edinburgh, Oliver and Boyd xi+537 pp, 159 f, 55 pls.
- b0965 1978 The Butterflies of the Malay Peninsula. 3rd edition, revised by J. N. Eliot. Malayan Nature Society, Kuala Lumpur, Malaysia :xi+578 pp, 35,pls, 438 text-figs.

Cormier, A. Crosson du;

- b0966 1964 Remarques à propos de *Lycaena dispar* Haw. [Lycaenidae]. Alexanor 3(5):229-232. {9 Apr 1964}

Cosmovici, Léon C.;

b0967 1892 Contributions à l'étude de la faune entomologique roumaine Naturaliste 14=(2)6(136):254-256, (137):264 [15 Nov], (138):280-281 [1 Dec]. {1 Nov 1892 }

Costantini, A.;

b0968 1916 Alcune nuove forme di lepidotteri emiliani. Atti Soc. Nat. Mat. Modena (5)3:14-18.

Cottrell, C. B.;

b0969 1965 A study of the *methymna*-group of the genus *Lepidochrysops* Hedicke (Lepidoptera: Lycaenidae). Mem. ent. Soc. sth. Afr. (9):1-110, 3 pls, 31 f.

b0970 1981 The *Aslauga purpurascens* complex of entomophagous butterflies (Lycaenidae). Syst. Ent. 6(1):5-45. [Ref: b1610 (5949-E12)] {Jan 1981 }

Couchman, Leonard Edgar;

b0971 1954 Notes on some Tasmanian and Australian Lepidoptera-Rhopalocera, with descriptions of new forms and subspecies. Pap. Proc. R. Soc. Tasmania 88:67-79, pl 1, 2 maps.

b0972 1962 Notes on some Tasmanian and Australian Lepidoptera-Rhopalocera. Pap. Proc. R. Soc. Tasmania 96:73-81, 3 tfs, map, pl [1].

b0973 1965 Notes on some Tasmanian and Australian Lepidoptera-Rhopalocera. II. Pap. Proc. R. Soc. Tasmania 99:81-85, pl 1.

b0974 1979* [Letter to Bridges. Notes on the bibliography of the butterflies]. West Hobart, Tasmania :1 pp. {26 Sep 1979 } [*Unpublished]

b0975 1979* [Letter to Bridges. Notes on the bibliography of the butterflies. Corrections and additions to bibliography catalog. Reprints]. West Hobart, Tasmania :1+10 pp (11 in all). {2 Nov 1979 } [*Unpublished]

b0976 1985* [Letter to Bridges. Notes on the bibliography and nomenclature of the butterflies, mainly the Lycaenidae]. West Hobart, Tasmania :3 pp. {May 1985 } [*Unpublished]

b0977 1985* [Letter to Bridges. Notes on the bibliography and nomenclature of the butterflies, mainly the Hesperidae and the Lycaenidae]. West Hobart, Tasmania :7 pp. {20 Nov 1985 } [*Unpublished]

Couchman, Leonard Edgar; Couchman, Ruth;

b0978 1977 No. 11. The Butterflies of Tasmania, In Tasmania Year Book 1977. :66-96, pls [1-6], maps.

Courtney, Steven P.;

b0979 1983 Notes on *Tomares mauretanicus* (Lycaenidae) in Morocco. J. Res. Lep. 21(3):205-206. {15 Oct 1983 }

Courvoisier, Ludwig Georg;

b. 10 Nov 1843 (Basel); d. 8 Apr 1918 (same). [Ref: b0718]

b0980 1897 Die Lycaeniden des Simplon. Soc. ent. 12(3):17-18; (4):25-26. {1 May 1897; 15 May 1897 }

b0981 1903 Ueber Aberration en bei Lycaeniden. Mitt. schweiz. ent. Ges. 11(1):18-25. {Nov 1903 }

b0982 1907 Ueber Zeichnungs-Aberrationen bei Lycaeniden. Z. wiss. InsektBiol. 3(1):8-11, (2):33-39, (3):73-78.

b0983 1910 In Berge, K. F., Die Schmetterlingsbuch (ed. 9), (q.v.). [See also: b0304]

b0984 1910 Uebersicht über die um Basel gefundenen Lycaeniden. Verh. naturf. Ges. Basel 21:153-164.

b0985 1910-1911 Entdeckungsreisen und kritische Spaziergänge ins Gebiet der Lycaeniden. Nachtig: Ueber Zeichnungs - Aberrationen bei Lycaeniden. Ent. Zeit. 24(12-39):59-214 (nc) (1910); (40-52):227-270 (nc) (1911); 25(1-14):2-83 (nc) (1911). {25 Jun 1910-25 Mar 1911 }

b0986 1911 Einige neue oder wenig bekannte Lycaeniden-Formen. Deut. ent. Zeit. [Iris] 25:103-109, pl.

b0987 1912 Ueber Zeichnungs-Aberrationen bei Lycaeniden. Deut. ent. Zeit. [Iris] 26:38-65, pls 4,5.

Courvoisier, Ludwig Georg; (continued)

b0988 1912 Javanische Lycaeniden gesammelt von Edw. Jacobson. Tijdschr. Ent. 55:15-17, 1 pl.

b0989 1913 Einige neue oder wenig bekannte Lycaenen-Formen (Lep.). Ent. Mit. 2(10):289-297. {Oct 1913 }

b0990 1913 Zur Nomenklatur und Diagnose der europäischen Theclinen. Int. ent. Z. 7(35):231-233; (36):239-240 (6 Dec); (37):243-244 (13 Dec); (38):251-253 (20 Dec). {29 Nov 1913 }

b0991 1913 Zur Nomenklatur der *Lycaena argus* Gruppe. Int. ent. Z. 6:213, 227, 241, 258, 267, 312; 7:63, 69, 112.

b0992 1914 [Description of *Lycaenesthes leptala*]. In Strand, Lepidoptera Niepeltiana, (q.v.). [See also: b4516]

b0993 1914 Zur Synonymie des Genus *Lycaena*. Deut. ent. Zeit. [Iris] 28:143-229.

b0994 1918 Ueber *Chrysophanus virgaureae* L. und seine Nebenformen. Deut. ent. Zeit. [Iris] 32:1-32.

b0995 1920 Zur Synonymie des Genus *Lycaena*. Deut. ent. Zeit. [Iris] 34:230-262.

b0996 1921 Zur Synonymie des Genus *Lycaena*. Deut. ent. Zeit. [Iris] 35:54-110.

Coutsis, John G.;

b0997 1976 Spring butterflies on the island of Skyros, Greece. Greece; Ent. Rec. 88(2):33-37, 6 f, map, 2 pls. [Ref: b0108 (#438)] {Feb 1976 }

b0998 1979 The foodplant of *Pseudophilotes vicrama schiffermuelleri* Hemming. Ent. Rec. 91(1):25-26. {Jan 1979 }

b0999 1981 Spring Butterflies from the Greek Islands of Paros and Siphnos. Greece; Ent. Rec. 93(7/8):154-156. {Aug 1981 }

b1000 1983 The Female of *Agrodiaetus iphigenia nonacriensis* Brown. Ent. Rec. 95(9/10):196-199, ill. {Oct 1983 }

b1001 1983 Notes on *Ultraaricia anteros* Freyer (Lep.: Lycaenidae) from Greece. Ent. Rec. 95(9/10):200-201, f 1,2. {Oct 1983 }

b1002 1985 Notes concerning the taxonomic status of *Agrodiaetus tankeri* de Lesse (Lepidoptera: Lycaenidae). Nota lepid. 8(1):8-14. {Mar 1985 }

b1003 1986 Notes concerning the taxonomic status of *Turanana panagaea taygetica* Rebel (Lep., Lycaenidae). Nota lepid. 9(1/2):35-38. {Mar 1986 }

b1004 1986 The blue butterflies of the genus *Agrodiaetus* Huebner (Lep., Lycaenidae): Symptoms of taxonomic confusion. Nota lepid. 9(3/4):159-169.

Cowan, Charles Francis;

b1005 1956 Two unusual varieties of common Malayan Rhopalocera. Bull. Raffles Mus. 27:39-40, 2 pls. {15 Nov 1956 }

b1006 1958 Some new and interesting butterflies recorded from Malaya. Malay Nat. J. 13(2):85-89, pl 4.

b1007 1965 The nomenclature of *Cherura freja* (Fab.) (Lepidoptera, Lycaenidae). Entomologist 98:68-72. {Mar 1965 }

b1008 1965 Notes on two Hairstreaks (*Thecla betulae* and *Sirymonidia w-album*). Ent. Rec. 77(4):99-100. {Apr 1965 }

b1009 1965 The Identity of *Sithon niasica* Röber (Lepidoptera, Lycaenidae). Entomologist 98:167-168. {Jul 1965 }

b1010 1965 Comment on the proposed designation of a Type-species for *Pithecopus* Horsfield. Bull. Zool. Nomen. 22(4):209-210. {2 Nov 1965 }

b1011 1966 The nomenclature of *Pithecopus corvus* and allied species (Lepidoptera, Lycaenidae). Ann. Mag. nat. Hist. (13)8:421-425. {28 Apr 1966 }

b1012 1966 Indo-oriental Horagini (Lepidoptera: Lycaenidae). Bull. Br. Mus. nat. Hist. (Ent.) 18(4):103-141, 3 pls. {10 Jun 1966 }

b1013 1966 *Neolycaena* de Nicéville 1890 (Ins., Lep., Lyc.): proposed Designation of a Type-Species under the plenary Powers. Z.N.(S.)1758. Bull. Zool. Nomen. 23(4):188-189. {14 Oct 1966 }

Cowan, Charles Francis; (continued)

- b1014 1966 The generic name *Marmessus* Hübner (Lepidoptera). Ann. Mag. nat. Hist. (13)9:417-418. [Ref: b1051] {29 Nov 1966}
- b1015 1966 *Thrix* Doherty 1891 (Ins., Lep., Lyc.); proposed Designation of a Type-Species under the plenary Powers. Z.N.(S.)1768. Bull. Zool. Nomen. 23(5):253-254. {20 Dec 1966}
- b1016 1967 The Indo-oriental Tribe Cheritriini (Lepidoptera: Lycaenidae) Bull. Br. Mus. nat. Hist. (Ent.) 20(3):75-103, 4 pls. {21 Apr 1967}
- b1017 1967 *Sukidion inores* (Hewitson), a rediscovered Bornean Lycaenid (Lep.). Ent. mon. Mag. 102:217-220, 2 tf, pl 10. {16 May 1967}
- b1018 1967 Enc. Méth. 9. J. Soc. Bibl. nat. Hist. 4(6):307-311. {Jul 1967}
- b1019 1968 Annotationes Rhopalocerologicae. Berkhamsted, England, Author :20 pp. [Ref: b0518] {29 Feb 1968}
- b1020 1968 A note on *Eooxylides tharis distanti* Riley (Lepidoptera: Lycaenidae). Entomologist 101:51. {Mar 1968}
- b1021 1968 The nomenclature of *Neomyrina* (Lep., Lycaenidae). Ent. mon. Mag. 104:69. {19 Aug 1968}
- b1022 1969 Boisduval and Le Conte; Histoire générale et Iconographie des Lépidoptères et des Chenilles de l'Amérique Septentrionale. J. Soc. Bibl. nat. Hist. 5(2):125-134. [Ref: b1037] {20 Mar} 1969}
- b1023 1970 Annotationes Rhopalocerologicae 1970. Berkhamsted, England, Author :70 pp. [Ref: b0518; b1051] {15 Apr 1970}
- b1024 1970 Boisduval's Icones Historiques des Lépidoptères d'Europe "1832" [-1841]. J. Soc. Bibl. nat. Hist. 5(4):291-302. {Apr 1970}
- b1025 1970 Boisduval et al., Collection . . . des Chenilles d'Europe "1832" [-1837]. J. Soc. Bibl. nat. Hist. 5(4):303-323. {Apr 1970}
- b1026 1971 The Insects of the Coquille Voyage. J. Soc. Bibl. nat. Hist. 5(5):358-360. {20 Jan 1971}
- b1027 1971 C. Chenu, "1857-1884" [1850-1861], Encyclopédie d'histoire naturelle. J. Soc. Bibl. nat. Hist. 6(1):9-17. [Ref: b1027] {Oct 1971}
- b1028 1971 On Guérin's Iconographie: particularly the insects. J. Soc. Bibl. nat. Hist. 6(1):18-29. {Oct 1971}
- b1029 1971 Evans, William Harry (1876-1956). In Scribner's Dictionary of Scientific Biography. New York, Scribner (4to) 4:493-494.
- b1030 1974 The indo-oriental genus *Drupadia* Moore (Lepidoptera: Lycaenidae). Bull. Br. Mus. nat. Hist. (Ent.) 29(6):281-356, 6 pls. 15 figs. {25 Jan 1974}
- b1031 1975 Horsfield, Moore, and the Catalogues of the East India Company Museum. J. Soc. Bibl. nat. Hist. 7(3):273-284. {Nov 1975}
- b1032 1976* [Letter to Bridges. Corrigenda and addenda to the catalog of the Family- and Genus-group names of the butterflies]. Grange-over-Sands, Cumbria :5 pp. {3 Feb 1976} [*Unpublished]
- b1033 1976* [Letter to Bridges. Notes on the butterflies. List of elusive type-species. List of Family-group names on ICZN official lists. Comments on layout and design of Family-group catalog. Corrigenda to Family-group catalog. Addenda to Family-group catalog]. Grange-over-Sands, Cumbria :1+2+2+1+2+1 pp (9 in all). {29 Apr 1976} [*Unpublished]
- b1034 1976* [Letter to Bridges. Notes on *Argynnis* (*Pseudorathora*) *issaea* Moore. Notes on *Malais* Doherty. Notes on the 'Disciples' edition of Cuvier. Corrigenda to the Index to Type-species (part 2)]. Grange-over-Sands, Cumbria :1+1+1+5 pp (8 in all). {26 May 1976} [*Unpublished]

Cowan, Charles Francis; (continued)

- b1035 1978* [Letter to Bridges. Notes on proper abbreviations for titles, journal names, etc. Notes on Doherty. Notes on bibliography, etc. Comments on and corrections to Family- and Genus group catalogs]. Grange-over-Sands, Cumbria :2+ii+II pp (6 in all). {13 Mar 1978} [*Unpublished]
- b1036 1978* [Letter to Bridges. Corrigenda to bibliography catalog, mainly the early authors]. Grange-over-Sands, Cumbria :1+3 pp (4 in all). {11 Nov 1978} [*Unpublished]
- b1037 1978* [Letter to Bridges. Corrigenda to bibliography catalog]. Grange-over-Sands, Cumbria :1+5+1 pp (7 in all). {17 Nov 1978} [*Unpublished]
- b1038 1978* [Letter to Bridges. Notes on the bibliography of the butterflies]. Grange-over-Sands, Cumbria :1 pp. {18 Nov 1978} [*Unpublished]
- b1039 1979* [Letter to Bridges. Notes on Lycaenidae species-group names, etc.]. Grange-over-Sands, Cumbria :1+2 pp (3 in all). {31 Jan 1979} [*Unpublished]
- b1040 1979* [Letter to Bridges. Notes on bibliography, etc. Corrigenda to Family-group catalog]. Grange-over-Sands, Cumbria :2 pp. {1 Jul 1979} [*Unpublished]
- b1041 1979* [Letter to Bridges. Comments on Bibliography catalog. Notes on *Zerynthia* Ochsenheimer, 1816]. Grange-over-Sands, Cumbria :15+1 pp (16 in all). {[11 Aug 1979} [*Unpublished]
- b1042 1979* [Letter to Bridges. Notes on the Bibliography of the Rhopalocera, etc.]. Grange-over-Sands, Cumbria :3 pp. {20 Sep 1979} [*Unpublished]
- b1043 1979 The Early Family-Group Names of Butterflies. [2]. Ent. Rec. 91(6):146-149. {[Sep] 1979}
- b1044 1979* [Letter to Bridges. Notes on Genus-group names, etc. Notes on Staudinger and Schatz]. Grange-over-Sands, Cumbria :3+1 pp (4 in all). {Dec 1979} [*Unpublished]
- b1045 1980* [Letter to Bridges. Notes on Family- and Genus-group names of the butterflies, etc. Notes on Species-group names of Hesperidae. Corrigenda to Species-group catalog of Hesperidae]. Grange-over-Sands, Cumbria :2+1+4 pp. {16 Feb 1980} [*Unpublished]
- b1046 1980* [Letter to Bridges. Notes on *Binghamia*, *Itylos*, *Chariuni*, etc.]. Grange-over-Sands, Cumbria :1 pp. {10 Mar 1980} [*Unpublished]
- b1047 1983 *Pseudopontia* Plötz v. *Gonophlebia* Felder (Insecta, Lepidoptera): Settlement of case. Z.N.(S.)1688. Bull. Zool. Nomen. 40(1):41-42. {Mar 1983}
- b1048 1983* [Letter to Bridges. Notes on the Miller & Brown catalog. Notes on "*Antipodolycaena*". Corrigenda to the Species-group catalog of Hesperidae]. Grange-over-Sands, Cumbria :1+1 pp (2 in all). {19 Sep 1983} [*Unpublished]
- b1049 1983* [Letter to Bridges. Notes on *Chrysophanus feredayi* Bates. Notes on North American Species-group names and bibliography]. Grange-over-Sands, Cumbria :1+2+1+2+8 pp (14 in all). {11 Oct 1983} [*Unpublished]
- b1050 1983 *Ourocnemis* Baker, 1887 (Insecta, Lepidoptera): Proposed conservation under the Plenary Powers. Z.N.(S.)1687. Bull. Zool. Nomen. 40(4):245-246. [Ref: b1050] {30 Dec 1983}
- b1051 1984* [Letter to Bridges. Notes on some items in the Bibliography of the Butterflies]. Grange-over-Sands, Cumbria :1+4+4 pp (9 in all). {26 Apr 1984} [*Unpublished]
- b1052 1984* [Letter to Bridges. Notes on species at Cumbria. Notes on etiquette of acknowledgments. Notes on Doherty's lost work. Corrigenda to Hesperidae and Lycaenidae Species-group catalogues. Suggestions for Genus-group catalogue]. Grange-over-Sands, Cumbria :1 pp. {14 May 1984} [*Unpublished]
- b1053 1984* [Letter to Bridges. Notes on the Bibliography of the Butterflies]. Grange-over-Sands, Cumbria :1+2 pp. {28 May 1984} [*Unpublished]

Cowan, Charles Francis; (continued)

- b1054 1984* [Letter to Bridges. Notes on the bibliography of the Butterflies. Notes on the spelling of Family-group names]. Grange-over-Sands, Cumbria :1 pp. {16 Jul 1984} [*Unpublished]
- b1055 1984* [Letter to Bridges. Notes on North American Butterflies and their Bibliography]. Grange-over-Sands, Cumbria :1 + 2 pp. {8 Nov 1984} [*Unpublished]
- b1056 1984 Comment on the Proposed Conservation of *Capyrus Hewitson*, 1865. Z.N.(S.)1748. Bull. Zool. Nomen. 41(4):197. {Nov 1984}
- b1057 1985* [Letter to Bridges. Notes on the Bibliography of the Riodinidae and Lycaenidae. Notes on the Bibliography of Cowan]. Grange-over-Sands, Cumbria :1+1+13 pp. {Feb 1985} [*Unpublished]
- b1058 1985* [Letter to Bridges. Notes and comments on the bibliography of the butterflies. Notes on recent Genus-group names. Notes on *Leptosia*]. Grange-over-Sands, Cumbria :2+1 pp. {4 Mar 1985} [*Unpublished]
- b1059 1985* [Letter to Bridges. Notes Duponchel in Godart]. Grange-over-Sands, Cumbria :2+1 pp. {4 Mar 1985} [*Unpublished]
- b1060 1985* [Letter to Ferris. Notes on some Boisduval species group names mentioned in Miller & Brown]. Grange-over-Sands, Cumbria :3 pp. {23 Mar 1985} [*Unpublished]
- b1061 1985* [Letter to Bridges. Notes on Gray. Notes on some Family-group names. Notes on *Papilio hyllus* Cramer and on the genus *Hipparchia*]. Grange-over-Sands, Cumbria :2 pp. {16 Apr 1985} [*Unpublished]
- b1062 1985* [Letter to Bridges. Notes on the Bibliography of the Butterflies. Notes on Fabricius' Syst. Gloss.]. Grange-over-Sands, Cumbria :3 pp. {17 Jun 1985} [*Unpublished]
- b1063 1985* [Letter to Bridges. Notes on the Bibliography and Family-group names of the Butterflies]. Grange-over-Sands, Cumbria :1 pp. {18 Jul 1985} [*Unpublished]
- b1064 1985* [Letter to Bridges. Notes on various matters of Bibliography and Nomenclature, mainly in regard to the points raised in the publications of Koçak]. Grange-over-Sands, Cumbria :2 pp. {23 Sep 1985} [*Unpublished]
- b1065 1985* [Letter to Bridges. Notes on "R.L., 1817" And the Newspapers A.L.Z. and J.A.L.Z.]. Grange-over-Sands, Cumbria :1 pp. {29 Sep 1985} [*Unpublished]
- b1066 1985* [Letter to Bridges. Additions and corrections to the Bibliography of the Butterflies]. Grange-over-Sands, Cumbria :2 pp. {25 Oct 1985} [*Unpublished]
- b1067 1985* [Letter to Bridges. Additions and corrections to the Bibliography of the Butterflies]. Grange-over-Sands, Cumbria :4 pp. {22 Nov 1985} [*Unpublished]

Cox, Henry Ramsey;

- b. 1834 or 1844; d. 3 Sep 1880 (Forest Hill, England). Some types are in the BMNH. [Ref: b0717; b3321]
- b1068 1873 Entomological Notes from South Australia. Entomologist 6:401-402.

Cramer, Pieter;

b. *; d. 1779.

Cramer, Pieter; (continued)

- b1069 1775-1790 *Uitlandsche Kapellen, voorkomende in de drie Waereld-Deelen Asia, Africa en America, by een verzameld en bescreeven [Dutch title, or] Papillons exotiques des trois parties du monde l'Asie, l'Afrique et l'Amérique [French title]. "1779". Amsterdam, Baalde, and Utrecht, Wild. 4 vols. and Suppl. (Aanhangsel). Vol. 4 onwards completed by Stoll. 1(1-7):xxx+16+132 pp, pl 1-84, [1775]; 1(8):133-156, pl 85-96, [1776]; 2(9-16):1-152, pl 97-192, [1777]; 3(17-21):1-104, pl 193-252, [1779] 3(22-24):105-176, pl 253-288, [1780], (by Cramer, posthumously published by Stoll); 4(25-26a):1-28, pl 289-304, [1780], (by Cramer, posthumously published by Stoll); 4(26b-28):29-90, pl 305-336, [1780], (Stoll as Author for this and the rest); 4(29-31): 91-164, pl 337-372, [1781]; 4(32-34):165-252, pl 373-400, [1782]; Suppl. (1):1-42, pl I-VIII, [1787]; (2):43-162, pl IX-XXVI, [1790]; (3):163-184, pl XXXVII-XLII, [1790]. See Appendix 3, Opinion 516, ICZN, for precise dates of publication of the various parts. The Supplement, often cited separately, was titled 'Aanhangsel van het Werk, de Uitlandsche Kapellen voorkomende in de drie Weereld-Deelen Asia, Africa en America, door den Heere Pieter Cramer, etc. On Official List of Works Approved as Available for Zoological Nomenclature (#38). [Ref: b3886 :417; b2529; b1063; b1746] {[1775]-[1790]}*
- Cripps, C.; Jackson, Thomas Herbert Elliot;
- b1070 1940 The Life History of *Lachnocnema bibulus* (Fabricius) in Kenya (Lepidoptera, Lycaenidae). Trans. R. ent. Soc. Lond. 90(15):449-453. {Nov 1940}
- Crombrugge de Picquendaele, Baron de;
- b1071 1911 Aberrations de Rhopalocères. Revue mens. Soc. ent. namur. 11:82-83.
- Crosby, Cyrus Richard;
- b. 1879; d. 1937. [Ref: b1946]
- Crosby, Cyrus Richard; Leonard, Mortimer Demarest;
- b1072 1918 A Manual of Vegetable Garden Insects. New York, Macmillan :xv+391 pp, ill.
- Crosby, David Franklin;
- b1073 1951 A new geographical race of an Australian butterfly. Victorian Nat. 67(11):225-226, pl 4.
- Cross, Frank Clay;
- b1074 1937 A New Race of *Plebeius scudderii*. Pan-Pac. Ent. 13(1-2):88. {[4 May] 1937}
- b1075 1937 Butterflies of Colorado. Proc. Colorado Mus. nat. Hist. 16(1):3-28, 5 f. {1 Jul 1937}
- Crotch, George Robert;
- b. 1841, d. 1874. [Ref: b0717; b0718]
- b1076 1872 On the generic nomenclature of Lepidoptera. Cistula Entomologica 1(4):59-71, errata p. 578.
- Crowley, Philip;
- b. 28 Aug 1837 (Alton, Hants); d. 20 Dec 1900 (Croydon). First name may be Phillip. [Ref: b0717]
- b1077 1900 On the Butterflies collected by the late Mr. John Whitehead in the Interior of the Island of Hainan. Proc. zool. Soc. Lond. 1900(3):505-511, pl 35, 4 f. {[Oct] 1900}
- Culot, Jules;
- b. 1861; d. 17 Sep 1933. [Ref: b1946 (bibliography available); b3598]
- b1078 1905 Diagnoses d'aberrations et variétés inédites. Bull. Soc. Léop. Genève 1:68-69.
- b1079 1915 Nom nouveau pour un Lycopside de Syrie [Lep.]. Bull. Soc. ent. Fr. 1915(15):243. {[20 Nov] 1915}
- Curtis, John;
- b. 3 Sep 1791 (Norwich); d. 6 Oct 1862 (London). [Ref: b0717]

Curtis, John; (continued)

b1080 1823-1840 British Entomology; being illustrations and descriptions of the genera of insects found in Great Britain and Ireland: containing coloured figures from nature of the most rare and beautiful species, and in many instances of the plants upon which they found. London, Curtis 16 volumes, 770 pp. Title page dated 1823 but plates are dated from 1824-1839. Second edition is dated 1829-1840 from the plates. Third edition is a reprint dated 1862. [Ref: b2303] {1823-1840}

b1081 1835 Order Lepidoptera. Pages lxxv-lxxv, plate A, in Appendix of Sir John Ross, Narrative of a Second Voyage in Search of a Northwest Passage, and of a Residence in the Arctic Regions during the Years 1829, 1830, 1831, 1832, 1833. London, Webster xii+120+cii pp, 20 pls.

Curtis, W. P.;

b1082 1933 *Argynnis selene* Schiff., descriptions of ab. *obsoleta* nov. ab., and three other aberrations; and a description of *Arícia medon* Hb., ab. *striata* nov. ab. Trans. ent. Soc. S. Engl. 8:103-107.

Cushman, J. Hall;

b1083 1993 The Mission Blue, *Plebejus icarioides missionensis* Hovanitz. In: T. R. New (editor), Conservation Biology of Lycaenidae (Butterflies). Occ. Pap. IUCN Species Survival Comm. No. 8:139-140.

Cushman, J. Hall; Murphy, Dennis D.;

b1084 1993 Conservation of North American lycaenids - an overview. In: T. R. New (editor), Conservation Biology of Lycaenidae (Butterflies). Occ. Pap. IUCN Species Survival Comm. No. 8:37-44.

Dadd, E. M.;

b1085 1909 Forms of *Erebia* and *Lycaena* from Germany. Trans. ent. Soc. Lond. 56(3/4)(Proc.):lxii-lxiv. {[20 Jan 1909]}

b1086 1909 [Descriptions of new forms of Rhopalocera]. Berl. ent. Z. 54(Sber.):36-(37). {[Aug] 1909}

Dahl, Eric;

b. 1887; d. 1944. [Ref: b1946]

b1087 1931 Några nya fjärilformer. Ent. Tidskr. 51:251-252, 1 pl.

Dahlström, Gyula;

b. 1834 (Veranno); d. 13 Aug 1907. Also as Julius. [Ref: b1203; b1946]

b1088 1898-1899 Bemerkungen zu Ungarns Schmetterlingsfauna. Ins. Börse 15:128-129, 134-135, 2f (1898); 16:213-214, 219-220, 230-231, 237-238 (1899). {1898-1899}

Dallas, William Sweetland;

b. 31 Jan 1824 (London); d. (28 May 1890 (same)). [Ref: b1946; b3321]

b1089 1867 Rhopalocera. Zool. Rec. 2(1865)(Ins.):580-600.

b1090 1868 Rhopalocera. Zool. Rec. 3(1866)(Ins.):449-472.

b1091 1868 Rhopalocera. Zool. Rec. 4(1867)(Ins.):347-373. {[1868]}

Dalman, Johann Wilhelm;

b. 4 Nov 1787 (Hinseberg in Westmanland); d. 11 Jul 1828 (Stockholm). [Ref: b0717; b1946; b0495; b3321]

b1092 1816 Försök till systematisk Uppställning af Sveriges Fjärilar. K. svenska VetenskAkad. Handl. 37:48-101, 119-225, pl 2.

b1093 1823 Analecta Entomologica. Holmiae, Lindh. :vii+104+[4] pp, 4 pls.

Daniels, G.;

b1094 1973 A new foodplant for *Hypochrypsys ignita* (Leach) (Lepidoptera: Lycaenidae). Aust. ent. Mag. 1(4):40. {Sep 1973}

Daniels, G.; (continued)

b1095 1975 The butterflies of Mendooran, N.S.W. Aust. ent. Mag. 2(3):57-59. {Feb 1975}

b1096 1976 *Pseudalmenus chlorinda* (Blanchard) (Lepidoptera: Lycaenidae) from southern New South Wales. Aust. ent. Mag. 3(3):57. {Sep 1976}

b1097 1976 The life history of *Hypochrypsys theon medocus* (Fruhstorfer) (Lepidoptera: Lycaenidae). J. Aust. ent. Soc. 15:197-199.

Dannatt, Walter;

b. 1863, d. 1940. [Ref: b0717]

b1098 1904 Descriptions of three new Butterflies. Entomologist 37:173-174.

Dannehl, Franz;

b. 1870, d. ? Collection in Zool. Mus. München. [Ref: b2455]

b1099 1921 Die Macrolepidopteren der Umgebung von Beuerberg und des unteren Loisachtales. Mitt. münchn. ent. Ges. 11:32-44.

b1100 1925 Neue Formen und Lokalrassen. Auszüge aus den Arbeiten über die Ergebnisse meiner Sammelreise 1914 bis 1924. Ent. Zeit. 39(2):5-7, (3)11-12. {18 Apr 1925}

b1101 1925 Beiträge zur Lepidopteren-Fauna Südtirols. Ent. Zeit. 39(5):17-87 (nc). {9 May 1925}

b1102 1927 Neue Formen und geographische Rassen aus meinen Rhopalocem-Ausbeuten der letzten Jahre. Mitt. münchn. ent. Ges. 17:1-8.

b1103 1933 Neues aus meiner Sammlung (Macrolepidoptera). Ent. Zeit. 46(22):229-232, 244-247, 259-260; 47:19-20, 25-26, 32-33, 81-82, 87-88, 123-124, 139-140, 146-147. {22 Feb 1933}

Dantchenko, Alexander; Lukhtanov, Vladimir A.;

b1104 1993 Systematics and distribution of species of the *Polyommatus (Agrodiaetus) damone* group from Eastern Europe and Southwestern Siberia (Lepidoptera, Lycaenidae). Atalanta (Münnerstadt) 24(1/4):75-83.

Davenport, Kenneth E.;

b1105 1988 New distribution records and a probable new larval host plant for *Philotas sonorensis* (Lycaenidae) in Kern and Tulare counties, California. J. Lep. Soc. 42(4):291-292, 1 f. {6 Dec 1988}

Davies, G. H. N.; Frazer, J. F. D.; Tynan, A. M.;

b1106 1958 Population numbers in a colony of *Lysandra bellargus* Rotl. Proc. R. ent. Soc. Lond. (A)33(1-3):31-36. {Mar 1958}

Davis, Donald R.;

b1107 1986 Donation of Blanchard Lepidoptera Collection to the Smithsonian Institution. J. Lep. Soc. 39(3):236. {13 May 1986}

De Baar, Murdoch;

b1108 1976 Notes on Hesperidae and Lycaenidae (Lepidoptera) from south-eastern Queensland. Aust. ent. Mag. 2(6):123-124. {Feb 1976}

b1109 1979 Some new food plants for Australian Lepidoptera with life history notes. Aust. ent. Mag. 5(5):87-89. {Mar 1979}

b1110 1983 New food plants, life history notes, and distribution records for some Australian Lepidoptera. Aust. ent. Mag. 9(6):97-98. {Apr 1983}

de Bast, B.;

b1111 1985 La notion d'espece dans le genre *Lysandra* Hemming 1933 (Lepidoptera, Lycaenidae) (2e partie). Linneana Belgica 10(4):175-190, ill.

de Fleury, P.;

b. * , d. 1967.

de Fleury, P.; (continued)

b1112 1924 Description d'un *Myrina* nouveau originaire de la Guinée Française. Bull. Soc. ent. Fr. 1924(15):161-162. {[12 Nov] 1924 }

de Freina, Josef J.; Witt, Thomas J.;

b1113 1983 Zwei neue Lycaenidae-Arten aus Turkish Kurdistan: *Lysandra dezina* sp. n. und *Polyommatus ciloicus* sp. n. (Lepidoptera, Lycaenidae). Entomofauna 4(14):181-197, ill.

de Jong, Rienk;

b1114 1982 Curt Eisner, 28.4.1890-30.12.1981. Nota lepid. 5:114-116.

de la Maza E., Javier;

b1115 1975 Una nueva forma de *Prestonia clarki* Schaus (Pieridae). Revista Soc. mex. Lep. 1(2):38-41, 5 f. {Dec 1975 }

de la Maza E., Javier; de la Maza E., Roberto G.;

b1116 1980 Notes y descripciones sobre la familia Riodinidae en México. Revista Soc. mex. Lep. 6(1):7-19, ill. {25 Jun 1980 }

de la Maza E., Roberto G.;

b1117 1976 Notas sobre la variabilidad de *Anteros carausius* Westw. (Riodinidae). Revista Soc. mex. Lep. 2(2):71-72. [Ref: b0108 (#490)] {1 Nov 1976 }

de la Maza E., Roberto G.; Turrent D., Rafael;

b1118 1977 Un nuevo *Calephelis* de la Cuenca Superior del Rio Balsas, Mexico (Riodinidae). Revista Soc. mex. Lep. 3(2):85-90. {30 Dec 1977 }

de la Maza E., Roberto G.; de la Maza, Regina H.;

b1119 1976 Ciclo de vida de *Calephelis perditalis* Barnes y McDngh. (Riodinidae). Revista Soc. mex. Lep. 2(2):91-96, 14 f. {1 Nov 1976 }

de Lesse, Hubert;

b. 7 Apr 1914 (Paris), d. Mar 1972.

b1120 1957 Description de deux nouvelles espèces d'*Agrodiaetus* (Lep. Lycaenidae) séparées à la suite de la découverte de leurs formules chromosomiques. Lambillionia 57:65-71, 4 f.

b1121 1959 Description d'une nouvelle sous-espèce d'*Agrodiaetus hopfferi* H.-S. (Lep. Lycaenidae) et de sa formule chromosomique. Bull. mens. Soc. linn. Lyon 28:149-151.

b1122 1959 Description d'une nouvelle sous-espèce d'*Agrodiaetus dama* Stgr (Lep. Lycaenidae) et de sa formule chromosomique. Bull. Soc. ent. Mulhouse 1959:13-15.

b1123 1959 Caractères externes et formule chromosomique d'*Agrodiaetus baytopi* n. sp. (Lep. Lycaenidae). Bull. Soc. ent. Mulhouse 1959:44-48, f.

b1124 1960 Les nombres de chromosomes dans la classification du groupe d'*Agrodiaetus ripartii* Freyer. Revue fr. Ent. 27(3):240-264. {15 Sep 1960 }

b1125 1960 *Agrodiaetus iphigenia* H.-S. et son espèce jumelle *A. tankeri* n. sp. séparée d'après sa formule chromosomique (Lepid. Lycaenidae). Bull. Soc. ent. Mulhouse 1960:75-78.

b1126 1961 Variations géographiques des caractères externes chez les espèces autre fois réunies sous le nom d'*Agrodiaetus ripartii* Freyer (Lep. Lycaenidae). Revue fr. Ent. 28:93-100.

b1127 1962 Variation chromosomique chez *Agrodiaetus dolus* Hb. (Lep. Lycaenidae). Alexanor 2(7):283-286. {Nov 1962 }

b1128 1962 Nouvelles sous-espèces de *Lysandra corydon* Poda et *L. hispana* H.-S. (Lep. Lycaenidae). Revue fr. Ent. 29(4):312-316, 1 f.

b1129 1963 Lepidoptères Lycaenidae récoltés en Iran en 1961. Alexanor 2(8):305-312. {10 Jan 1963 }

b1130 1963 Lepidoptères Lycaenidae récoltés en Iran en 1961. Alexanor 3:33-38. {25 Mar 1963 }

b1131 1963 Variation chromosomique chez *Agrodiaetus carmon* H.-S. et *A. cyanea* Stgr. (Lep. Lycaenidae). Revue fr. Ent. 30:177-181, 2 f.

de Lesse, Hubert; (continued)

b1132 1964 Une nouvelle sous-espèce d'*Agrodiaetus altivagans* Forster. Alexanor 3:167. {13 Feb 1964 }

b1133 1967 Formules chromosomiques de Lépidoptères Rhopalocères d'Afrique du Nord. Bull. Soc. ent. Fr. 72(1/2):20-25. {2 Feb 1967 }

b1134 1969 Formules chromosomiques de quelques Lépidoptères Rhopalocères d'Amérique du Nord. Bull. Soc. ent. Fr. 74(3/4):57-58. {22 Jul 1969 }

b1135 1969 Nouvelle sous-espèce espagnole de *Lysandra hispana* H.-S. Alexanor 6(3):130-133, f. {31 Oct 1969 }

b1136 1970 Les nombres de chromosomes dans le groupe de *Lysandra argester* et leur incidence sur sa taxonomie (Lep. Lycaenidae). Bull. Soc. ent. Fr. 75(3/4):64-68, 2 f. {[30 Jul] 1970 }

b1137 1970 Les nombres de chromosomes chez les Lépidoptères Rhopalocères en Amérique Centrale et Colombie. Annis Soc. ent. Fr. (ns)6(2):347-358.

b1138 1971 Formules chromosomiques de quelques Rhopalocères paléarctiques (Lep.). Bull. Soc. ent. Fr. 75(7/8):214-216. {[29 Jan 1971] }

b1139 1971 La formule chromosomique de *Lysandra albicans* H.S. [Lycaenidae]. Alexanor 7(1):45-46. {24 Apr 1971 }

de Lesse, Hubert; Brown, Keith S., Jr.;

b1140 1972 Formules chromosomiques de Lépidoptères Rhopalocères du Brésil. Bull. Soc. ent. Fr. 76(5/6):131-137. {[29 Jan 1972] }

de Loche, Conte François Mouxy;

b1141 1801 Papillons du Piémont nouvellement connus. avec 3 pl. col. (*P. polychaon* [alexanor], *phoebus*, *themistocles*, *peas*, *seyta*, *gardetta*, *merope*, *bertholis*, *zenophon*). Memorie Accad. Sci. Torino 6(2):139-150.

de L'Orza, Paul;

b1142 1869 Les Lépidoptères Japonais à la grande Exposition internationale de 1867. Catalogue raisonné des espèces qui y ont figuré. Avec la Description des Espèces nouvelles. Rennes, Oberthür & fils. 8vo :49 pp. [Ref: b0524]

de Nicéville, Charles Lionel Augustus;

b. 1852 (Bristol); d. 3 Dec 1901 (Calcutta). Collection is in the Indian Museum. [Ref: b0718; b3321]

b1143 1881 Description of a new species of Butterfly belonging to the genus *Dodona*. Proc. asiat. Soc. Bengal 1881:121-123.

b1144 1882 Second List of Butterflies taken in Sikkim in October 1882, with Notes on Habits. J. asiat. Soc. Bengal, Pt II 51(2/3):54-66. [Ref: b1037] {[Dec] 1882 }

b1145 1884 On new and little-known Rhopalocera from the Indian Region. J. asiat. Soc. Bengal, Pt II 52(2/4):65-91, pls 1(sic),9,10. [Ref: b1037] {[Mar 1884] }

b1146 1885 List of the Butterflies of Calcutta and its Neighbourhood, with Notes on Habits, Food-plants, etc. J. asiat. Soc. Bengal, Pt II 54(1):39-54.

b1147 1885 Descriptions of some new Indian Rhopalocera. J. asiat. Soc. Bengal, Pt II 54(2):117-124, 1 pl.

b1148 1886 On some new Indian Butterflies. J. asiat. Soc. Bengal, Pt II 55(3):249-256, pl 11. [Ref: b1037] {1 Oct 1886 }

b1149 1886 The butterflies of India, Burmah and Ceylon. A descriptive handbook of all the known species of rhopaloceros Lepidoptera inhabiting that region, with notices of allied species occurring in the neighbouring countries along the border; with numerous illustrations. Volume II (Nymphalidae, Libytheidae, Nemeobiidae). Calcutta Central Press :vii+332 pp, frontispiece, pls 18-24. Volume I was by Marshall & de Nicéville. {[1886] }

de Nicéville, Charles Lionel Augustus; (continued)

- b1150 1887 Descriptions of some new or little-known Butterflies from India, with some Notes on the Seasonal Dimorphism obtaining in the Genus *Melanitis*. Proc. zool. Soc. Lond. 1887(3):448-467, pls 39,40. {[Oct] 1887}
- b1151 1889 On new and little-known Butterflies from the Indian Region, with a revision of the Genus *Plesioneura* of Felder. J. asiat. Soc. Bengal, Pt II 57(4):273-293, pls 13,14. [Ref: b1037] {[Mar 1889]}
- b1152 1889 On new and little-known Butterflies from the Indian region, with a revision of the genus *Plesioneura* of Felder and of Authors. J. Bombay nat. Hist. Soc. 4(3):163-194, pls A,B.
- b1153 1890 The butterflies of India, Burmah and Ceylon. A descriptive handbook of all the known species of rhopalocerous Lepidoptera inhabiting that region, with notices of allied species occurring in the neighbouring countries along the border, with numerous illustrations. Volume III (Lycaenidae). Calcutta Central Press 4to xiii+503 pp, frontispiece, pls 25-29. Volume 1 was by Marshall & de Nicéville. {Feb 1890}
- b1154 1890 On new and little-known butterflies from the Indian region, with description of three New genera of Hesperidae. J. Bombay nat. Hist. Soc. 5(3):199-225, pls D,E.
- b1155 1891 On new and little-known Butterflies from the Indo-Malayan Region. J. Bombay nat. Hist. Soc. 6(3):341-398, pls F,G.
- b1156 1893 On new and little-known Butterflies from the Indo-Malayan Region. J. Bombay nat. Hist. Soc. 7(3):322-357, pls H,I,J. {15 Jan 1893}
- b1157 1893 On new and little-known Butterflies from north-east Sumatra collected by Hofrath Dr. L. Martin. J. Bombay nat. Hist. Soc. 8(1):37-56, pls K,L,M. {1 Jul 1893}
- b1158 1894 On new or little-known Butterflies from the Indo-Malayan Region. J. asiat. Soc. Bengal, Pt II 63(1):1-59, pls 1-5. Could be [1895]. [Ref: b1037] {May 1894}
- b1159 1895 On new and little-known Butterflies from the Indo-Malayan Region. J. Bombay nat. Hist. Soc. 9(3):259-321, pls N-Q. {20 Mar 1895}
- b1160 1895 On new and little-known Lepidoptera from the Indo-Malayan Region, (1). J. Bombay nat. Hist. Soc. 10(1):13-40, pls R,S,T. {10 Nov 1895}
- b1161 1896 In de Nicéville & Martin, (q.v.). J. asiat. Soc. Bengal, Pt II 64(3):357-555. [See also: b1170] [Ref: b1037] {[Feb 1896]}
- b1162 1896 On new and little-known Lepidoptera from the Indo-Malayan Region, (2). J. Bombay nat. Hist. Soc. 10(2):169-194, pls R,S,T. [Ref: b1037] {[24 Mar 1896]}
- b1163 1897 Descriptions of two new species of Butterflies from Upper Burma. J. Bombay nat. Hist. Soc. 10(4):633. {12 Jun 1897}
- b1164 1897 On new or little-known Butterflies from the Indo- and Austro-Malayan Regions. J. asiat. Soc. Bengal, Pt II 66(3):543-577, pl 1-4. [Ref: b1037] {Nov 1897}
- b1165 1898 On new and little-known butterflies from the Indo-Malayan, Austro-Malayan and Australian regions. J. Bombay nat. Hist. Soc. 12(1):131-161, pls X,Y,Z,AA. {10 Dec 1898}
- b1166 1898 In de Nicéville & Kühn, (q.v.). J. asiat. Soc. Bengal, Pt II 67(2):251-283. [See also: b1169]
- b1167 1900 On new and little-known Lepidoptera from the Oriental Region. J. Bombay nat. Hist. Soc. 13(1):157-175, pl EE. {15 Apr 1900}
- b1168 1902 On new and little-known Butterflies, mostly from the Oriental region. J. Bombay nat. Hist. Soc. 14(2):236-251, pl FF. {24 May 1902}
- de Nicéville, Charles Lionel Augustus; Kühn, Heinrich;
- b1169 1898 An annotated List of the Butterflies of the Ké Isles. J. asiat. Soc. Bengal, Pt II 67(2):251-283, 1 tf, pl 1.

de Nicéville, Charles Lionel Augustus; Martin, Ludwig;

- b1170 1896 A List of the Butterflies of Sumatra with special Reference to the Species occurring in the North East of the Island. J. asiat. Soc. Bengal, Pt II 64(3):357-555. [Ref: b1037] {[Feb 1896]}
- De Prins, Willy;
- b1171 1993* [Letter to Bridges. Notes on *Plebejus allardi* vs. *Cigariüs allardi*]. Belgium :1 pp. {4 Oct 1993} [*Unpublished]
- De Prins, Willy; van der Poorten, Dirk;
- b1172 1993 *Grypocera* and *Rhopalocera* of Turkey 11. Description of the females of two little known lycaenid butterflies from southeast Turkey: *Polyommatus (Lysandra) dezinus* (de Freina & Wilt, 1983) and *Polyommatus buzulmavi* Carbonell, 1992 (Lepidoptera: Lycaenidae). Phegea 21(1):11-16, ill.
- De Prins, Willy; van der Poorten, Dirk; Bálint, Zsolt;
- b1173 1992 Taxonomic revision of the North African species of the genus *Plebejus* Kluk, 1802 (Lepidoptera: Lycaenidae). Phegea 20(1):11-34. {1 Mar 1992}
- De Prins, Willy; van der Poorten, Dirk; Borel, J.-P.; van Oorschot, H.; Riemis, A.; Coenen, F.;
- b1174 1991 *Rhopalocera* of Turkey. 7. On a new species of *Polyommatus* Latreille, 1804 subgenus *Agrodiaetus* Hübner, [1822] from north-eastern Turkey (Lepidoptera: Lycaenidae). Phegea 19(4):141-148, ill.
- de Sagarra y Castellarnau, Ignacio;
- Also as Ignasi. [Ref: b0718]
- b1175 1924 Documents per l'estudi de la variació dels Lepidopters Catalans. Trab. Mus. Cienc. nat. Barcelona 11(1):3-19, pls 1-4. {20 Nov 1924}
- b1176 1924 Noves formes de Lepidopters Iberics. Butll. Inst. catal. Hist. nat. (2)4:198-204.
- b1177 1925 Anotaciones a la Lepidopterologia ibèrica. I. Bull. Inst. catal. Hist. nat. (2)5:45-49.
- b1178 1926 Anotaciones a la lepidopterologia Ibèrica. II. Bull. Inst. catal. Hist. nat. (2)5:270-274.
- b1179 1926 Anotaciones a la lepidopterologia Ibèrica. IV. Bull. Inst. catal. Hist. nat. (2)6:128-139.
- b1180 1930 Anotaciones a la lepidópterologica ibèrica. V. (2). Formes noves de Lepidóptera ibèrica. Butll. Inst. catal. Hist. nat. (2)10(7):110-118.
- b1181 1932 [Description of *Lampides infuscata*]. In Querci, [q.v.]. Trab. Mus. Cienc. nat. Barcelona 14:166. [See also: b3666]
- de Selys-Longchamps, Baron Michel Edmond;
- b. 25 May 1813 (Paris); d. 11 Dec 1900 (Liège, Belgium). [Ref: b3321]
- b1182 1844 Énumération des insectes lépidoptères de la Belgique. Mém. Soc. roy. Sci. Liège 2(1845):31 pp.
- b1183 1857 Catalogue des Insectes Lépidoptères de la Belgique. Anns Soc. ent. Belg. 1:1-111. Various authors contributed to the catalogue, and as a result, the authorship of the new names is in doubt. I attribute them all to de Selys-Longchamps.
- de Villers, Charles Joseph;
- b. 24 Jul 1724 (Rennes); d. 3 Jan 1810 (Lyon). [Ref: b0495; b1946]
- b1184 1789 Caroli Linnaei entomologia, faunae suevicæ descriptionibus antea; D. D. Scopoli, Geogroy, De Geer, Fabricii, Schrank etc. speciebus vel in systemate non enumeratis, vel nuperime detectis, vel speciebus Galliae australis locupletata, generum specierumque rariorum iconibus ornata, curante et auctore Carolo de Villers. Lugduni, Piestre et Delamolliere 1:24+765 pp, 3 pl; 2:16+656 pp, 3 pl; 3:656 pp, 4 pl; 4:213+556 pp, 1 pl (8vo). The Atlas, which is sometimes quoted as a separate work, is entitled "Nomenclator iconum Entomologiae Linnaeanae," etc. [Ref: b0495]

De Worms, Charles G. M.;

b. 1903 (Egham, Surrey); d. 10 Oct 1979 (Woking, Surrey).
Baron.

b1185 1976 *Plebicula golgus* Hübner and other butterflies in the Sierra Nevada, July, 1975. Ent. Rec. 88(3):59-63. {Mar 1976}

Dean, F. Roy;

b1186 1918 A Few Surprises of Early 1918. Lepidoptera 2(8):59-60. {15 Aug 1918}

Degtyareva, V. I.; Shchetkin, Yu. L.;

b1187 1975 *Plebejus christophi* Stgr. in Tadzhikistan (Lepidoptera: Lycaenidae. [In Russian]. Pp 120-125. In: Shchetkin, Yu. L. & Mumivon, N. N. [Eds], Entomology of Tadzhikistan. Donish, Dushanbe :1-238.

Demaison, Louis;

b. *, d. 1937.

b1188 1888 [Note, description of *Lycaena eleusis*]. Bull. Soc. ent. Fr. (6)8:lxv-lxvii.

b1189 1919 Sur quelques espèces du genre *Chrysophanus* (Lep. Lycaenidae. Bull. Soc. ent. Fr. 1919(1):45-48. {10 Mar 1919}

b1190 1920 Captures de Lépidoptères dan l'est de la France. Bull. Soc. ent. Fr. 1920(17):282. {24 Dec 1920}

b1191 1924 Observation sur les *Chrysophanus* (Lep., Lycaenidae) des Alpes françaises. Bull. Soc. ent. Fr. 1924(10):120. {22 Jul 1924}

Dempster, Jack P.;

b1192 1971 Observations on the Small Copper butterfly *Lycaena phlaeas* (Limaeus) (Lep., Lycaenidae). Ent. Gaz. 22(4):199-204. {29 Oct 1971}

[Denis, Michael]; [Schiffermüller, Ignaz];

b1193 1775 Ankündigung eines systematischen Werkes von den Schmetterlingen der Wienergegend. Vienna, Bernardi :322 pp, 2 pl. Authorship and date by *Opinion 516 (ICZN)*. The 1776 edition had an altered title page, but nothing else was new. On Official List of Works Approved as Available for Zoological Nomenclature (#37), The Official List title has some words incorrectly spelled! Many names in it are nondescript. It is necessary to check each name carefully. The short lists of species in lettered groups are separated by large chunks of German which can include descriptions. Some names in the lists are given "indications" and some are illustrated. Koçak has reviewed the status of the names, but his views are rejected by others. [Ref: b2303; b2529; b1036; b2521; b1057; b1065; b3929; b2800; ns02370]

Dennis, R. L. H.;

b1194 1972 *Plebejus argus* L. *caernensis* Thompson, a stenocious geotype. Ent. Rec. 84(5):100-108. {May 1972}

b1195 1974 *Lysandra coridon* (Poda) and *Lysandra bellargus* (Rott.) in north Wales? Ent. Rec. 86(1):24. {Jan 1974}

Derenne, F.;

b1196 1923-1927 Formes nouvelles pour la faune belge. Revue mens. Soc. ent. namur. 23:39-40, 45-46; 24:2-3, 25-26, 36, 41, 53, 68; 25:39-40, 54, 74-75, 82-83, 93; 26:5, 50, 67-69, 75-76, 85, 93; 27:2-3, 18-19, 26-27, 34-35, 41-42, 49-53, 75-76, 91-93, 99. {1923-1927}

b1197 1926 Aberrations de Lépidoptères (Suite). *Chrysophanus phlaeas* Linné ab. *minor*, n. ab. Lambillionea 26:4.

b1198 1926 Aberrations de Lépidoptères. Lambillionea 26(12):90-91.

b1199 1927 Aberrations de Lépidoptères. Lambillionea 27:11-12. {2 Feb 1927}

b1200 1931 *Lycaena (Polyommatus) icarus* Rottemburg, *icarinus* Scriba, *thersites* Cantener et *alexius* Freyer. Lambillionea 31:5-14.

Derenne, F.; (continued)

b1201 1936 Variétés et aberrations de Lépidoptères. Lambillionea 36:63.

b1202 1937 [Figures of a new aberration of *Maculinea arion*]. Lambillionea 37:pl 1, f 1,2.

Derksen, Walter; Schelding-Göllner, Ursula;

b1203 1965 Index Litteraturae Entomologicae. Serie II: Die Welt-Literatur über die gesamte Entomologie von 1864 bis 1900. Berlin 5 Bände. I (A-E) :697 pp; II (F-L) :678 pp; III (N-R) :528; IV (S-Z) :482 pp; V (Index) :238.

Descimon, Henri;

b1204 1960 Note sur la répartition en altitude d'*Hamaeris lucina* L. dans les Pyrénées [Riodinidae]. Alexanor 1(6):189. {30 Jun 1960}

b1205 1965 Recherches sur la répartition de *Lycaena helle* D. et Schiff. [Lep. Lycaenidae]. Alexanor 3(8):369-372. {11 Mar 1965}

b1206 1965 Nouvelles données sur la répartition en France de *Cupido sebrus* Hübner. Leur signification biogéographique [Lepidoptera Lycaenidae]. Alexanor 4(1):38-43. {19 May 1965}

b1207 1965 Contribution à l'étude de la répartition de *Lycaena helle* Schiff. (2e note) [Rhopalocera Lycaenidae]. Alexanor 4(4):167-170. {30 Dec 1965}

b1208 1980 *Heodes tityrus tityrus* Poda et *H. tityrus subalpina* Speyer: un probleme de speciation en milieu alpin. Nota lepid. 2:123-125.

Descimon, Henri A.;

b1209 1993 Le Faux-Cuivre smaragdin, *Tomares ballus* F. In: T. R. New (editor), Conservation Biology of Lycaenidae (Butterflies). Occ. Pap. IUCN Species Survival Comm. No. 8:95-96.

Deslandes, M.;

b1210 1930 Trois formes nouvelles de *Rhopalocères* des Pyrénées françaises (Lep.). Bull. Soc. ent. Fr. 1930(15):243-244. {28 Oct 1930}

Detani, H.;

b1211 1983 Butterflies of Peleng Island. Iwase 1(1):6-60, 63-72.

Dethier, Vincent Gaston;

b1212 1946 Supplement to the bibliography of described life-histories of the *Rhopalocera* of America north of Mexico. Psyche 53(1/2):15-20. {Jun 1946}

Devarenne, M.;

b1213 1971 Contribution à l'étude des Lépidoptères de l'Ardèche méridionale [Rhopalocera]. Alexanor 7(1):39-44. {24 Apr 1971}

Devos, J.;

b1214 1919 Description d'un *Telipna* Nouveau du Congo. Revue zool. afr. 6:62-64.

DeVries, Philip James;

b1215 1977 *Eumaeus minyas* Hübner, an aposematic lycaenid butterfly. Brenesia 12:269-270.

b1216 1984 Of crazy-ants and Curetinae: are *Curetis* butterflies tended by ants? Zool. J. linn. Soc. 79(1):59-66. Front cover volume is 80! {Jan 1984}

Dewitz, Herman;

b. 5 Nov 1848 (Obelischken, Insterburg); d. 16 May 1890 (Berlin). [Ref: b0717 (as Hermann)]

b1217 1877 Neue Schmetterlinge des Berliner Museums. Mitt. münchn. ent. Verh. 1:85-91, pl 2.

b1218 1879 Afrikanische Tagsschmetterlinge. Nova Acta Acad. Caesar. Leop. Carol. 41(2):173-212, 2 pls. Also seen as a repaginated separate.

b1219 1880 Lepidoptera. Macrolepidoptera. Zool. Jber. Neapel 1879:613-642.

Dewitz, Herman; (continued)

- b1220 1884 Drei neue westafrikanische Tagschmetterlinge. Berl. ent. Z. 28:187-188, 1 pl.
 b1221 1886 Neue westafrikanische Tagschmetterlinge. Deut. ent. Zeitt. 30(2):427-430, pl 2, f 1-9.
 b1222 1889 West- und centralafrikanische Tagschmetterlinge. Ent. Nachr. 15:101-110, pls 1,2.

Dexter, E. M.; Kitching, R. L.;

- b1223 1993 The Bathurst Copper, *Paralucia spinifera* Edwards and Common. In: T. R. New (editor), Conservation Biology of Lycaenidae (Butterflies). Occ. Pap. IUCN Species Survival Comm. No. 8:168-170.

Dickson, Charles Gordon Campbell;

- b. 9 Dec 1907 (Gardens, Cape Town); d. 30 Aug 1991 (same). [Ref: b2289]
 b1224 1943 The life-history of *Phasis chrysaor* (Trim.) (Lepidoptera: Lycaenidae). J. ent. Soc. S. Afr. 6:37-47, 23 f. {1 Sep 1943}
 b1225 1944 The life-history of *Cupido thespis* L. (Lepidoptera: Lycaenidae). J. ent. Soc. S. Afr. 7:21-29, 33 f. {Nov 1944}
 b1226 1944 Recently observed foodplants of some Cape Lepidopterous larvae. J. ent. Soc. S. Afr. 7:96-99. {Nov 1944}
 b1227 1945 The life-history of *Phasis palmus* Cram. (Lepidoptera: Lycaenidae). J. ent. Soc. S. Afr. 8:99-110, 20 f. {Sep 1945}
 b1228 1945 Recently observed foodplants, 2nd series. J. ent. Soc. S. Afr. 8:150-153. {Sep 1945}
 b1229 1947 The life-history of *Phasis thysbe* L. var. *nigricans* Aur. (Lepidoptera: Lycaenidae). J. ent. Soc. S. Afr. 9(2):178-192, 22 f. {28 Feb 1947}
 b1230 1947 Recently observed foodplants, 3rd series. J. ent. Soc. S. Afr. 10(1):126-130. {30 Aug 1947}
 b1231 1948 The life-history of *Phasis pyroeis*, Trim. (Lepidoptera: Lycaenidae). J. ent. Soc. S. Afr. 11:50-62, 20 f. {30 Sep 1948}
 b1232 1952 The life-history of *Phasis zeuxo zeuxo* (L.) (Lepidoptera: Lycaenidae). Trans. R. Soc. S. Afr. 33:447-456, 1 pl, 2 f.
 b1233 1959 Notes on the early stages of *Poecilmitis brooksi* Riley (Lepidoptera: Lycaenidae). J. ent. Soc. S. Afr. 22(2):312-315. {31 Oct 1959}
 b1234 1965 A new species of *Poecilmitis* Butler (Lepidoptera: Lycaenidae) from the Western Cape Province. J. ent. Soc. S. Afr. 27(2):160-162, f 1-4. {28 Feb 1965}
 b1235 1965 Recently observed food-plants of some South African lepidopterous larvae. J. ent. Soc. S. Afr. 28(1):11-20. {Nov 1965}
 b1236 1966 A new species of *Poecilmitis* Butler (Lepidoptera: Lycaenidae) from the Great Karroo. Ent. Rec. 78(5):109-110, 4 pls. {May 1966}
 b1237 1966 A Cape Coastal *Poecilmitis* Butler (Lepidoptera: Lycaenidae) Previously Unknown. Ent. Rec. 78(7/8):181-182, 1 f. {Aug 1966}
 b1238 1966 A new species of *Lepidochrysops* Hedicke (Lepidoptera: Lycaenidae) from Western Cape Province. Ent. Rec. 78:189-192, 1 f, 2 pls. {Sep 1966}
 b1239 1966 Revisional Notes on the Cape Lycaenid *Poecilmitis* booksi Riley, with the description of a recently recognised race of this species. Ent. Rec. 78(10):217-219, 1 f. {Oct 1966}
 b1240 1966 A recently-discovered *Poecilmitis* Butler (Lepidoptera: Lycaenidae) from the Western Cape. Ent. Rec. 78(10):241-243, 4 f. {Nov 1966}
 b1241 1967 A new subspecies of the Cape lycaenid *Poecilmitis felthami* (Trimen). Ent. Rec. 79(3):65-66, 1 pl. {Mar 1967}
 b1242 1967 Observations on the Cape lycaenid *Phasis malagrida* (Wallengren), with the description of a new race. Ent. Rec. 79(5):123-125, 1 pl. {May 1967}

Dickson, Charles Gordon Campbell; (continued)

- b1243 1967 Some comments on the *Phasis wallengrenii* Trimen group (Lepidoptera: Lycaenidae) with a description of a new species. Ent. Rec. 79(11):267-270, 1 pl. {Nov 1967}
 b1244 1968 A further new species of the *Phasis wallengrenii* (Trimen) complex (Lepidoptera: Lycaenidae). Ent. Rec. 80(4):89-92, 1 pl. {Apr 1968}
 b1245 1968 Some observations on the *Phasis thero* (L.) group (Lepidoptera: Lycaenidae) with a description of a new species. Ent. Rec. 80(11):267-270, 1 pl. {Nov 1968}
 b1246 1969 A new species of *Lepidochrysops* Hedicke (Lepidoptera: Lycaenidae) from the North Western Cape. Ent. Rec. 81(4):97-100, 5 pls. {Apr 1969}
 b1247 1969 An additional new member of the *Phasis wallengrenii* (Trimen) group (Lepidoptera: Lycaenidae). Ent. Rec. 81(11):285-286, 4 pls. {Nov 1969}
 b1248 1970 A new race of the *Poecilmitis thysbe* (L.) group (Lepidoptera: Lycaenidae) from the Roggeveld mountains. Ent. Rec. 82(4):93-95, 1 pl. {Apr 1970}
 b1249 1970 A new race of *Poecilmitis pyroeis* Trimen (Lepidoptera: Lycaenidae) from the Eastern Cape Province. Ent. Rec. 82(6):157-159, 1 pl. {Jun 1970}
 b1250 1971 A further new member of the *Poecilmitis thysbe* (L.) group (Lepidoptera: Lycaenidae) from the Roggeveld mountains. Ent. Rec. 83(1):1-2. {Jan 1971}
 b1251 1971 A further new species of *Thestor* Hübner (Lepidoptera: Lycaenidae) from the Western Cape. Ent. Rec. 83(6):155-159, pl. {Jun 1971}
 b1252 1971 In Clark & Dickson, (q.v.). Cape Town, Purnell :xvi+272 pp, 125 pls, 2 f. [See also: b0807]
 b1253 1972 Observations on and a description of a race of *Thestor basutus* (Wallengren) (Lepidoptera: Lycaenidae). Ent. Rec. 84(11/12):253-256, 2 pls. {Dec 1972}
 b1254 1973 A new race of *Castalius hintza* (Trimen) (Lepidoptera: Lycaenidae) from south west Africa. Ent. Rec. 85(6):137-139, 1 pl. [Ref: b0104 (#456)] {Jun 1973}
 b1255 1974 A new Taxon of the *Lepidochrysops ortygia* (Trimen) group (Lepidoptera, Lycaenidae) from the south western Cape. Ent. Rec. 86(3):65-68, pls 4,5. {Mar 1974}
 b1256 1975 Three new *Poecilmitis* Butler (Lep., Lycaenidae) from the south western Cape. Ent. Rec. 87(9):225-231, pls 7,8. {Sep 1975}
 b1257 1976 Six new Southern African Butterflies. Ent. Rec. 88(11):273-280, pl 8; (12):307-314, pl 10. [Ref: b0108 (#550,551)] {Nov 1976}
 b1258 1977 A new Species of the *Phasis thero* (L.) Group (Lepidoptera: Lycaenidae) from the Roggeveld Escarpment. Ent. Rec. 89(12):317-319, pl 27. {Dec 1977}
- Dickson, Charles Gordon Campbell; (editor)
- b1259 1978 Pennington's Butterflies of Southern Africa. Johannesburg, Donker :670 pp, 198 pls.
- Dickson, Charles Gordon Campbell;
- b1260 1978 Two new *Poecilmitis* Butler (Lepidoptera: Lycaenidae) from the Hantam's Berg, Western Cape Province. Ent. Rec. 90(12):293-296. [Ref: b1610 (152-E11)] {Dec 1978}
 b1261 1979-1980 Six further new butterflies from southern Africa. Ent. Rec. 91(11/12):300-301; 92(1):1-6; 92(2):38-44. [Ref: b1610 (7045-E11, 9077-E11, 122-E12)] {Dec 1979, Jan 1980, Feb 1980}
 b1262 1980 A new species of *Poecilmitis* Butler (Lepidoptera: Lycaenidae) from the Western Cape Province. Ent. Rec. 92(11/12):294-297. [Ref: b1610 (7378-E12)] {Dec 1980}
 b1263 1980 A new race of *Argyrocupha malagrida* (Wallengren) (Lepidoptera: Lycaenidae) from the Western Cape Province. Ent. Rec. 92(11/12):297-300. [Ref: b1610 (7376-E12)] {Dec 1980}

Dickson, Charles Gordon Campbell; (continued)

b1264 1981-1982 Four New South African Butterflies. Ent. Rec. 93(11/12):212-221; 94(1/2):32-34; 94(4):41-44. [Ref: b1610 (5602-Z13, 8837-Z13)] (Dec 1981, Feb 1982, Apr 1982)

b1265 1982-1983 Three New Lycaenid Butterflies from the South Western Cape Province. Ent. Rec. 94(11/12):222-224; 95(1):1-6. (Dec 1982, Jan 1983)

b1266 1985 A new *Lepidochrysops* Hedicke (Lep.: Lycaenidae) from the South Western Cape Province. Ent. Rec. 97(1/2):1-5, ill. (Feb 1985)

Dickson, Charles Gordon Campbell; McMaster, J. C.;

b1267 1967 Some observations on *Poecilmitis turneri* Riley (Lepidoptera: Lycaenidae), with a description of a new race. Ent. Rec. 79(9):209-211, 1 pl. (Sep 1967)

Dickson, Charles Gordon Campbell; Stephen, R. D.;

b1268 1971 A new Western Cape species of *Thestor* Hübner (Lepidoptera: Lycaenidae). Ent. Rec. 83(5):131-135, 1 pl. (May 1971)

b1269 1971 A new race of *Myrina silenus* (F.) (Lepidoptera: Lycaenidae) from the North Western Cape. Ent. Rec. 83(9):255-259, 1 pl. (Sep 1971)

b1270 1975 An additional new Race of *Argyrocupha malargrida* (Wallengren) (Lep., Lycaenidae). Ent. Rec. 87(5):129-132, pls 5,6. (May 1975)

Dickson, Charles Gordon Campbell; Wykeham, C. W.;

b1271 1974 A recently discovered Race of the Cape Lycaenid *Phasis thero* (L.). Ent. Rec. 86(7/8):177-180, pls 13-14. (Aug 1974)

Diehl, F.;

b1272 1930 Die erste erfolgreiche Zucht von *Lycaenaalcon* F. und Beobachtungen ueber die Biologie der ersten Staende dieses Schmetterlings. Int. ent. Z. 24:35-42.

Dietrich, Cl.;

b1273 1931 Eine neue Form von *Lycaena damon* Schiff. Ent. Rundsch. 48(13):133-134, f. (1 Jul 1931)

Dietzel, G.;

b1274 1989 New Lycaenidae species in the Bakony Mountains (Hungary): *Maculinea rebeli* Hirschke, 1904? (Lepidoptera, Lycaenidae). [In Hungarian]. Folia Mus. Hist.-Nat. Bakonyiensis 8:57-62, ill.

b1275 1990 Taxonomical researches the *Maculinea arion*'s populations of Bakony Mountains occurring of *Maculinea arion* ssp. *annarion* ssp. nova in range of zoogeographical Bakony. (Lep., Rhop., Lycaenidae). [In Hungarian]. Folia Mus. Hist.-Nat. Bakonyiensis 9:71-76, ill.

b1276 1991 From varieties and aberrations of Rhopalocera fauna of the Bakony Mountains, part 1. Analysis of the applied definitions. Folia Mus. Hist.-Nat. Bakonyiensis 10:77-84.

Dils, J.; van der Poorten, D.;

b1277 1985 Observations and notes concerning *Thersamoniam thetis* Klug with description of the populations of south and central Greece (Lepidoptera: Lycaeninae). Phegea 13(4):109-112, ill.

Dikszeghy, Ladislav V.;

Collection in Ungar. Nat. Mus., Budapest. [Ref: b2455]

b1278 1912 *Lycaena Orion* ab. nov. Csernyi. Rovart. Lap. 19:128.

b1279 1912 *Lycaena Arion* ab. nov. Csernyi. Rovart. Lap. 19:144.

b1280 1913 Adatok a *Lycaena bavius* Ev. életmódjához. Rovart. Lap. 20:105-109.

b1281 1913 Adatok Magyarország lepkefaunájához. Rovart. Lap. 20:193-194.

b1282 1930 Die Lepidopterenfauna des Retyezat-Gebirges. Verh. Mitt. siebenb. Ver. Naturw. 79-80:188-289, pls 1,2.

Distant, William Lucas;

b. 12 Nov 1845 (Rotherhithe); d. 4 Feb 1922 (Wanstead, Essex). [Ref: b0717; b3321]

b1283 1881 Description of a new species of Lycaenidae from Penang. Ent. mon. Mag. 17:245. (Apr 1881)

b1284 1882 Undescribed Rhopalocera from the Malay Peninsula. Ann. Mag. nat. Hist. (5)10:245-248. (Sep 1882)

b1285 1882-1886 Rhopalocera Malayana: a Description of the Butterflies of the Malay Peninsula. London, Author; Penang, Logan xvi+482+[4] pp, 46 pls (1-44, 27A, 27B). In 23 parts. (4to). [1882-1886]

b1286 1884 Contributions to a knowledge of Malayan Entomology. Ann. Mag. nat. Hist. (5)14:198-202. (Sep 1884)

b1287 1886 Contributions to a Knowledge of Malayan Entomology. Part IV. Ann. Mag. nat. Hist. (5)17:251-254. (Mar 1886)

b1288 1886 Contributions to a Knowledge of Malayan Entomology. Part V. Ann. Mag. nat. Hist. (5)17:530-532. (Jun 1886)

b1289 1886 Descriptions of New Species and a new genus of Rhopalocera from the Malay Peninsula. Entomologist 19:11-12.

Distant, William Lucas; Pryer, William Burgess;

b1290 1887 On the Rhopalocera of Northern Borneo. Part II. Ann. Mag. nat. Hist. (5)19:264-275. (Apr 1887)

Dodd, Frederick Parkhurst;

b. 11 Mar 1861 (Victoria); d. 1937. [Ref: b3321]

b1291 1902 Contribution to the life history of *Liphya brassolis* Westwood. Entomologist 35:153-156, 184-188, pl 4.

b1292 1903 The young larva of *Liphya brassolis* Westwood. Entomologist 36:211-212.

Dognin, Paul;

b1293 1887 Diagnoses de lépidoptères nouveaux de l'Équateur. Naturaliste 9=(2)1(16):172-175, 188-190, ill. (1 Nov 1887)

b1294 1891 Diagnoses de lépidoptères nouveaux. Naturaliste 13=(2)5:125-126. (15 May 1891)

b1295 1891 Description de Lépidoptères nouveaux. Naturaliste 13=(2)5(102):132. (1 Jun 1891)

b1296 1893 Lépidoptères nouveaux de Loja et environs (Équateur). Anns Soc. ent. Belg. 37:156-161. (Apr 1893)

b1297 1895 Lépidoptères de Loja et environs. Anns Soc. ent. Belg. 39:105-118.

Doherty, William;

b. 1857 (Cincinnati); d. 1901 (Africa). [Ref: b0717; b0718]

b1298 1886 A list of butterflies taken in Kumaon. J. asiat. Soc. Bengal, Pt II 55(2):103-140. (Jun 1886)

b1299 1886 Additional Notes on new or rare Indian Butterflies. J. asiat. Soc. Bengal, Pt II 55(3):256-265. (1 Oct 1886)

b1300 1889 Notes on Assam Butterflies. J. asiat. Soc. Bengal, Pt II 58(1):118-134, pl 10. (May 1889)

b1301 1889 On certain Lycaenidae from Lower Tenasserim. J. asiat. Soc. Bengal, Pt II 58(4):409-440, 2 pls. (Dec 1889)

b1302 1890 In de Nicéville, In Marshall & de Nicéville, The Butterflies of India, Burmah and Ceylon. Volume 3. [See also: b1153] (Feb 1890)

b1303 1891 New and rare Indian Lycaenidae. J. asiat. Soc. Bengal, Pt II 60(1):32-37, pl 1. (May 1891)

b1304 1891 The Butterflies of Sumba and Smbawa, with some Account of the Island of Sumba. J. asiat. Soc. Bengal, Pt II 60(2):141-197, pl. (Jul 1891)

Dohrn, Heinrich Wolfgang Ludwig;

b. 16 Apr 1838 (Stettin); d. 1 Oct 1913 (Florenz). [Ref: b0717 (as Ludwig Heinrich Wolfgang); b0718]

b1305 1899 Beitrag zur Kenntniss der Lepidopteren-Fauna von Sumatra. Stett. ent. Ztg. 60:245-253, pl 1.

Doi, Hironobi;

b. 1885, d. 1949.

Doi, Hironobi; (continued)

b1306 1919 [Lycaenids from Korea]. [In Japanese]. Zool. Mag. 31:369-376, f.

b1307 1931 A new subspecies of *Zephyrus bultei*, Fenton from Korea. J. Chos. Nat. Hist. (12):48, f.

Doi, Hironobi; Cho, F.;

b1308 1931 A new subspecies of *Zephyrus betulae* from Korea. J. Chos. Nat. Hist. (12):50, f.

Donahue, Julian P.;

b. 23 Apr 1940 (College Station, Texas).

b1309 1986* [Letter to Bridges. Notes on the library and papers of Paddy B. McHenry at the Los Angeles County Museum]. LACM :2 pp. [25 Feb 1986] [*Unpublished]

Donovan, Edward;

b. 1768, d. 1 Feb 1837. [Ref: b0717; b3001; b3321]

b1310 1800-1804 An epitome of the natural history of the insects of India and the islands of the Indian seas. London, Author 4to :2+[68] pp, [55] pls. Revised edition in 1842, by Westwood. [1800-[1804]]

b1311 1805 An Epitome of the natural History of the Insects of New Holland, New Zealand, New Guinea, Otaheite, and other islands in the Indian, Southern, and Pacific Oceans; including figures and descriptions of one hundred and fifty-three species of the more splendid, beautiful, and interesting insects, hitherto discovered in those countries, and which for the most part have not appeared in the works of any preceding author. London, Author 4to :iv + 41 cpls and text + 2 pp index. Some of the drawings are based on Jones' Icones. [Ref: b3256; b4940]

Donzel, Hugo Fleury;

b. 14 Feb 1791 (Rive-de-Gier, Loire); d. 10 Nov 1850 (Lyon). [Ref: b0717; b0718 (as Hugues)]

b1312 1847 Description de Lépidoptères nouveaux. Anns Soc. ent. Fr. (2):5:525-530. [Ref: b0526]

dos Passos, Cyril Franklin;

b. 7 Feb 1887 (New York, New York); d. 29 Oct 1986 (Mendham, New Jersey). Library to Wittenberg University, collection to the American Museum of Natural History. [Ref: b3799; b5010; b2016; b5009]

b1313 1936 The Life History of *Calephelis borealis* (Lepidoptera). Can. Ent. 68(8):167-170, f 1-6. [29 Aug 1936]

b1314 1938 Some new subspecies of North American Lycaenidae (Lepid.). Can. Ent. 70(3):45-48, 1 pl. [2 Apr 1938]

b1315 1940 A new subspecies of *Erora laeta* Edwards from Arizona and New Mexico (Rhopalocera). Amer. Mus. Novit. No. 1052:2 pp. [15 Mar 1940]

b1316 1940 A New Species of *Incisalia* from Southern California (Rhopalocera, Lycaenidae). Can. Ent. 72(8):167-168. [31 Aug 1940]

b1317 1943 Some new subspecies of *Incisalia* from North America (Lepidoptera, Lycaenidae). Amer. Mus. Novit. No. 1230:5 pp. [1 Jun 1943]

b1318 1959 The authorship and dates of publication of the names of some Rhopalocera proposed in the "Reise der oesterreichischen fregate Novara um die erde in den jahren 1857, 1858, 1859 unter den befehlen des Commodore B. von Wüllerstorff-Urbair, 1864-1867-[1875]". Lep. News 12(5-6):193-194. [30 Apr 1959]

dos Passos, Cyril Franklin; (continued)

b1319 1959 The dates and authorships of some names proposed by Cramer and Stoll in "De Uitlandsche Kappellen Voorkomende in de drie Waereld-deelen Asia, Africa en America", and by Stoll alone in "Aanhangsel van het Werk, de Uitlandsche Kappellen, Voorkomende in de drie Waereld-deelen Asia, Africa en America, door den Heere Pieter Cramer [1775]-1791". Lep. News 12(5-6):195-198. Some of the dates given here are inconsistent with those given in Opinion 516 because dos Passos dates some of the names from the index instead of the text. I see no justification for this. [30 Apr 1959]

b1320 1963 *Calephelis* Grote and Robinson, 1869, (Insecta, Lepidoptera): proposed use of the plenary powers to designate a type-species in conformity with current usage. Z.N.(S.) 1563 Bull. Zool. Nomen. 20(4):313-320. [12 Jul 1963]

b1321 1964 A Synonymic List of the Nearctic Rhopalocera. Mem. Lep. Soc. No. 1:v+145 pp. [Ref: b0499]

b1322 1970 A revised synonymic catalogue with taxonomic notes on some nearctic Lycaenidae. J. Lep. Soc. 24(1):26-38. [26 Mar 1970]

dos Passos, Cyril Franklin; Grey, Lionel Paul;

b1323 1947 Systematic Catalogue of *Speyeria* (Lepidoptera, Nymphalidae) with Designations of Types and Fixations of Type Localities. Amer. Mus. Novit. No. 1370:1-30. [12 Dec 1947]

dos Passos, Cyril Franklin; Stearn, W. T.; Townsend, Alexander Cockburn;

b1324 1962 The dates of publication of the Histoire Generale et Iconographie des Lepidopteres et des Chenilles de l'Amerique Septentrionale by Boisduval and Le Conte, 1829-1833 [-1834]. J. Soc. Bibl. nat. Hist. 4(1):48-56. [Jan 1962]

Doubleday, Edward;

b. 9 Oct 1810 (Epping); d. 14 Dec 1849 (London). [Ref: b0717; b3321]

b1325 1841 Description of a New North American *Polyommatus*. Entomologist 1:209-211.

b1326 1843 In White, A. & Doubleday, E., List of the Annulose Animales of New Zealand; in Dieffenbach, E., Traves in New Zealand . . . Vol. 2; Fauna . . . (8vo). London.

b1327 1844-1848 List of the Specimens of lepidopterous Insects in the Collection of the British Museum, Part 1, 2, and Appendix. London, British Museum 12mo 1:vi+150 pp; 2:ii+57 pp; Appxii+38 pp. Introduction by John Edward Gray. [Ref: b1023] [27 Dec 1844, 1847, 1848]

b1328 1846 Descriptions of new or imperfectly described Diurnal Lepidoptera. [Continued]. Ann. Mag. nat. Hist. (1)17:22-26. [Jan 1846]

Doubleday, Edward; Hewitson, William Chapman;

b1329 1846-1852 The genera of diurnal Lepidoptera, comprising their generic characters, a notice of their habits and transformations, and a catalogue of the species of each genus; illustrated with 86 plates by W. C. Hewitson. London, Longman, Brown, Green and Longman's. xii + ii + 534 pp, 86 pls. In 54 parts. In 2 vols.; either Text and Plates; or as vol. 1: xii + 250 pp, pls. A, 1-30, 1*, 4*, 18*; vol. 2: ii + pp. 251-534, pls. 31-80, 54*, Suppl. Pl. By Doubleday; pp. 1-142, 145-242; pls. A, 1-52, 1*, 4*, 18*. By Westwood; xii, ii, pp. 143, 144, 243-534; pls. 53-80, 54*, Suppl. pl. By Hewitson; production of the plates only; certain names there claimed by him, and credited to him in the text, are his authorship. For partition, authorship and dating in detail, see Hemming, 1941. Westwood, who took over in Jun 1850, gets credit for parts 32-54. The title page, issued in the final part, had his name. For additional notes, see Moulds, 1977. [Ref: b5071; b3256; b2265; b2263; b2264; b1041; b1788; b3480] [1846-1852]

Douglas, Matthew M.;

- b1330 1976 Evidence of breeding migrant population of *Leptotes casius* (Lycaenidae) in Kansas. *J. Lep. Soc.* 30(3):206. {22 Sep 1976}

Douglas, R. G.;

- b1331 1976 Butterflies in north-western New South Wales: Narrabri and Bellata. *Aust. ent. Mag.* 3(1):12-15.

Doumet-Adanson, Napoléon;

- b1332 1861 Description de Lépidoptères nouveaux. *Revue Mag. Zool.* (2)13:171-178, ill.

Douwes, Per;

- b1333 1970 Size of, gain to and loss from a population of adult *Heodes virgaureae* L. *Ent. scand.* 1:263-281.
 b1334 1975 Territorial behaviour in *Heodes virgaureae* L. with particular reference to visual stimuli. *Norw. J. Ent.* 22:143-154.
 b1335 1975 Distribution of a population of the butterfly *Heodes virgaureae*. *Oikos* 26:332-340.
 b1336 1976 Mating behaviour in *Heodes virgaureae* with particular reference to the stimuli from the female. *Ent. Ger.* 2:232-241.
 b1337 1976 Activity in *Heodes virgaureae* in relation to air temperature, solar radiation, and time of day. *Oecologia* 22:287-298.

- b1338 1978 Fjaerilens foedoval hos vitflaekiga guldvingen, *Heodes virgaureae* L. *Ent. Tidskr.* 99:1-10.

Dowdeswell, W. H.; Fisher, R. A.; Ford, Edmund Brisco;

- b1339 1940 The quantitative study of populations in the Lepidoptera. I. *Polymnatus icarus* Rott. *Ann. Eugen.* 10:123-136.

Downey, John C.;

- b1340 1987 Book Review: Butterflies East of the Great Plains. *J. Lep. Soc.* 40(4):288. {11 Mar 1987}

Downey, John Charles;

- b. 12 Apr 1926 (*Eureka, Utah*).

- b1341 1970 Designation of types. In Brown, (q.v.). *Trans. amer. ent. Soc.* 96:353-433. [See also: b0510] {25 Mar 1970}

Downey, John Charles; Allyn, Arthur Cecil, Jr.;

- b1342 1980 Eggs of Riodinidae. *J. Lep. Soc.* 34(2):133-145, 24 f. {23 Sep 1980}

- b1343 1984 Chorionic Sculpturing in Eggs of Lycaenidae. Part II. *Bull. Allyn Mus. No.* 84:1-44, 157 f, 3 tbl. {18 Jan 1984}

Downey, John Charles; Dunn, David B.;

- b1344 1964 Variation in the lycaenid butterfly *Plebejus icarioides* III. Additional data on food-plant specificity. *Ecology* 45(1):172-178.

Draeseke, Johannes;

- b. 1892, d. 1970.

- b1345 1925 In Draeseke & Reuss, (q.v.). *Deut. ent. Zeit.* [Iris] 39:211-231. [See also: b1346]

Draeseke, Johannes; Reuss, Francis Albert Theodore;

- b1346 1925 Die Schmetterlinge der Stötznerschen Ausbeute. *Deut. ent. Zeit.* [Iris] 39(4):211-231.

Drapier, A.;

- b1347 1819 Description de 4 espèces d'Insectes nouveaux. (Lépidopt.). *Ann. Sc. Phys. Brux.* 2:354-360, 1 pl.

Draudt, Max;

- b. 1875, d. 1953.

- b1348 1917-1924 Die amerikanischen Tagfalter. Lycaenidae and Grypocera. In Seitz, Grossschmett. Erde 5:744-999 (nc). [See also: b4091] {1917-1924}

Druce, Hamilton Herbert Charles James;

- b. 1869, d. 21 Jun 1922. Collection, via Joicey, to the BMNH. [Ref: b0717; b3321]

Druce, Hamilton Herbert Charles James; (continued)

- b1349 1885 Descriptions of three new species of Lycaenidae. *Ent. mon. Mag.* 22:154-156. {Dec 1885}

- b1350 1887 Descriptions of four New Species of Lycaenidae. *Ent. mon. Mag.* 23:203-205. {Feb 1887}

- b1351 1888 Description of a new Genus and Species of Lycaenidae. *Ent. mon. Mag.* 24:259-260. {Apr 1888}

- b1352 1888 Descriptions of several new species of Lycaenidae from West Africa. *Ent. mon. Mag.* 25:108-109. {Oct 1888}

- b1353 1890 Descriptions of twelve new species of Lycaenidae from West Africa and one from the Solomon Islands, in the collection of Herbert Druce. *Ann. Mag. nat. Hist.* (6)5:24-31. {Jan 1890}

- b1354 1890 Descriptions of seven new species of *Thecla*. *Ent. mon. Mag.* 26:151-152. {Jun 1890}

- b1355 1891 Descriptions of some new genera and species of West African Lycaenidae. *Ann. Mag. nat. Hist.* (6)7:364-367. {Apr 1891}

- b1356 1891 On some African butterflies hitherto referred to the genus *Iolaus*, with descriptions of new species. *Ann. Mag. nat. Hist.* (6)8:139-150. {Aug 1891}

- b1357 1891 A Monograph of the Lycaenid genus *Hypochrypsops* with descriptions of new species. *Trans. ent. Soc. Lond.* 39(2):179-195, pl 10,11. Some of the descriptions are by Salvin and some are by Godman & Salvin. {[Aug] 1891}

- b1358 1891 On the Lycaenidae of the Solomon Islands. *Proc. zool. Soc. Lond.* 1891(3):357-372, pls 31,32. {[Oct] 1891}

- b1359 1892 A List of the Lycaenidae of the South Pacific Islands East of the Solomon Group, with Descriptions of several new Species. *Proc. zool. Soc. Lond.* 1892(3):434-446, pl 27. {[Oct] 1892}

- b1360 1894 Note on a species of *Lampides*, recently described by Mr. de Nicéville, and description of a new *Arhopala* from Borneo. *Ent. mon. Mag.* 30:9-10. {Jan 1894}

- b1361 1894 Descriptions of Three new Lycaenidae from New Guinea. *Ann. Mag. nat. Hist.* (6)13:252-255. {Mar 1894}

- b1362 1895 A Monograph of the Bornean Lycaenidae. *Proc. zool. Soc. Lond.* 1895(3):556-627, pls 31-34. {[Oct] 1895}

- b1363 1896 Descriptions of some East African Lycaenidae. *Ann. Mag. nat. Hist.* (6)17:285-286. {Apr 1896}

- b1364 1896 Description of a new species of Bornean Lycaenidae. *Ent. mon. Mag.* 32:78-79. {Apr 1896}

- b1365 1896 Further contributions to our knowledge of the Bornean Lycaenidae. *Proc. zool. Soc. Lond.* 1896(3):650-683, pls 29-31. Some of the original descriptions in this paper are by Bethune-Baker. {[Oct] 1896}

- b1366 1897 Descriptions of four new species of Lycaenidae from the Eastern Archipelago. *Ann. Mag. nat. Hist.* (6)19:14-16. {Jan 1897}

- b1367 1902 On some new and little-known butterflies of the family Lycaenidae from the African, Australian and Oriental Regions. *Proc. zool. Soc. Lond.* 1902(II)(1):112-121, pls 11,12. {[Oct] 1902}

- b1368 1903 Descriptions of four new species of West African Lycaenidae. *Ann. Mag. nat. Hist.* (7)11:69-72. {Jan 1903}

- b1369 1904 Descriptions of new Species of Lycaenidae from Borneo and New Guinea. *Ann. Mag. nat. Hist.* (7)13:140-142. {Feb 1904}

- b1370 1904 Descriptions of some new Species of Butterflies belonging to the Family Erycinidae from Tropical South America. *Proc. zool. Soc. Lond.* 1904(I)(2):481-489, pls 33-34. {[2 Aug] 1904}

- b1371 1905 Notes on the Synonymy of *Thecla spurina*, Hew., and *Thecla ericusa*, Hew. *Ann. Mag. nat. Hist.* (7)15:194-196. {Feb 1905}

Druce, Hamilton Herbert Charles James; (continued)

- b1372 1905 In Druce & Druce, (q.v.). Trans. ent. Soc. Lond. 53(2):251-262, pl 13. Pages 251,252 were by H. Druce. [See also: b1391] [Ref: b1037] {15 Jul 1905}
- b1373 1907 Descriptions of some new Butterflies from Tropical Africa. Trans. ent. Soc. Lond. 55(1):77-82, pl 2. {[20] Jun 1907}
- b1374 1907 Description of an apparently new Lycaenid from Mauritius. Ann. Mag. nat. Hist. (7)20:219-220, pl 39. {Sep 1907}
- b1375 1907 On Neotropical Lycaenidae with descriptions of new species. Proc. zool. Soc. Lond. 1907(3):566-632, 6 pls. {[9 Oct] 1907}
- b1376 1909 On some new and little-known Neotropical Lycaenidae. Trans. ent. Soc. Lond. 57(3):431-438, pl 11. {[20] Sep 1909}
- b1377 1909 Description of a new Lycaenid from Formosa. Ann. Mag. nat. Hist. (8)4:416. {Nov 1909}
- b1378 1910 Descriptions of new Lycaenidae and Hesperidae from tropical West Africa. Proc. zool. Soc. Lond. 1910(1):356-378, ill. {[25 Jun] 1910}
- b1379 1912 Descriptions of two new Mimacraeas from Tropical Africa. Ann. Mag. nat. Hist. (8)9:635-636. {Jun 1912}
- b1380 1912 Descriptions of some new exotic Lycaenidae and Hesperidae. Ent. mon. Mag. 48:128-132. {Jun 1912}
- b1381 1913 Descriptions of some new Lycaenidae from tropical Africa. Ann. Mag. nat. Hist. (8)11:358-360. {Mar 1913}

Druce, Hamilton Herbert Charles James; Bethune-Baker, George Thomas;

- b1382 1893 A Monograph of the Butterflies of the Genus *Thyso-notis*. Proc. zool. Soc. Lond. 1893(3):536-552, pls 45-47. {[Oct] 1893}

Druce, Herbert;

- b. 14 Jul 1846 (London); d. 11 Apr 1913 (same). Collection in the BMNH. [Ref: b0717; b3321]
- b1383 1873 A List of the Collections of Diurnal Lepidoptera made by Mr. Lowe in Borneo, with Descriptions of new Species. Proc. zool. Soc. Lond. 1873(2):337-361, 2 pls. {Aug 1873}
- b1384 1874 Descriptions of fifteen new species of diurnal Lepidoptera, chiefly from South America. Trans. ent. Soc. Lond. 22(1):155-160. {23 Feb 1874}
- b1385 1874 A List of the Lepidopterous Insects collected by Mr. L. Layard at Chentaboon and Nahconchaisee, Siam, with Descriptions of new Species. Proc. zool. Soc. Lond. 1874(1):102-109, pl 16, 6 f. {Jun 1874}
- b1386 1874 Descriptions of three new butterflies from Costa Rica. Ent. mon. Mag. 11:36-37. {Jul 1874}
- b1387 1875 Descriptions of new species of Diurnal Lepidoptera. Cistula Entomologica 1(12):357-363. {8 May 1875}
- b1388 1876 List of the butterflies of Peru, with descriptions of new species. Proc. zool. Soc. Lond. 1876(1):205-253, pl 17-18. {Jun 1876}
- b1389 1878 Descriptions of new species of Erycinidae. Ent. mon. Mag. 15:101-102. {Oct 1878}
- b1390 1890 Descriptions of Four new species of *Castnia* from South America, in the Collection of Herbert Druce. Ent. mon. Mag. 26:69-70. {Mar 1890}

Druce, Herbert; Druce, Hamilton Herbert Charles James;

- b1391 1905 Descriptions of some new species of Diurnal Lepidoptera, collected by Mr. Harold Cockson, in Northern Rhodesia, in 1903 and 1904. Trans. ent. Soc. Lond. 53(2):251-262. *Lycaenidae and Hesperidae*, :251-252, by H. Druce, rest by H. H. Druce. [Ref: b1037] {[15] Jul 1905}

Drury, Dru;

- b. 4 Feb 1725; d. 15 Dec 1803. Müller and Brown state "The Drury collection was sold at auction shortly after his death, and no specimens have thus far been recognized as Drury types. It is doubtful that any exist today". To which may be added . . . unless perhaps, through coll Francillon, in coll Macleay in Sydney, Australia. [Ref: b4175; b3192; b0717]
- b1392 1770-1782 Illustrations of natural History; wherein are exhibited upwards of two hundred and forty figures of exotic Insects . . . to which is added a translation into French. London, White 1:xxviii+130+[2] pp, 50+1 pls, 4 f (1770); 1(index):xxiii pp; 2:vii+90 pp, 50 pls (1773); 3:xii+76 pp, 50 pls (1782). No names were given in Vol. 1; they were supplied in the Index. Hence all new insects figured in Vol. 1 were not named until - and date from - 1773. Placed on the Official List of Works Approved as Available for Zoological Nomenclature with Title Number 30 (Op 474). There was a new edition by Westwood in 1837. [Ref: b4980; b3886 :416; b1036; b2527; b1063] [1770-1782]

Dubatolov, V. V.;

- b1393 1989 New species of *Diurna* (Lepidoptera: Lycaenida: Satyridae) from Middle Asia. [In Russian]. Trudy zool. Inst., Leningr. 200:136-140, ill.

Dubatolov, V. V.; Korshunov, Yu. P.;

- b1394 1984 New data on taxonomy of the butterflies of the U.S.S.R. (Lepidoptera, Rhopalocera). Chlenistonogiye i Gel'minty No. 17(1984):51-57. [Ref: b3361]

- b1395 1990 A new genus of the tribe Theclini (Lepidoptera, Lycaenidae) from southern Primorye. [In Russian]. Nov Malozvestiye Vidy Fauny Sib. No. 21:66-69, ill. [Ref: b3361]

Dubatolov, V. V.; Murzin, V. S.;

- b1396 1988 [First finding of *Rapala coerulea* (Bremer & Grey) (Lepidoptera, Lycaenidae) in the USSR]. [In Russian]. Vestnik Zoologii 1988(4):87.

Dubatolov, V. V.; Sergeev, M. G.;

- b1397 1987 Notes on the systematic of hairstreak genus *Neozephyrus* Sibatani et Ito (Lepidoptera, Lycaenidae). Nov Malozvestiye Vidy Fauny Sib. No. 19:18-30.

Dubatolov, V. V.; Sergeev, M. G.;

- b1398 1982 New hairstreaks of the tribe Theclini (Lepidoptera, Lycaenidae) from the USSR. [Russian]. Ent. Obozr. 61(2):375-381. [See also: b1399] [Ref: b0426]

- b1399 1983 New Butterflies of the Tribe Theclini (Lepidoptera, Lycaenidae) in the Fauna of the USSR. Ent. Rev. 61(2):123-130. This is a translation of the paper in Ent. Obozr. [See also: b1398]

Dubois, Alphonse;

- b1400 1868 Notice sur un Lépidoptère nouveau du genre *Lycaena*. Archs Cosmol. 1868:259, pl 12, f 1,2.

Dudgeon, G. C.;

- b1401 1909 [Descriptions of n. sp. of Lycaenidae, Satyridae and Nymphalidae]. Trans. ent. Soc. Lond. 57(4)(Proc.):1-liv. {[31] Dec 1909}

Dufay, C.;

- b1402 1974 *Plebeius pylaon trappi* Vrtý. dans le Val di antrona et le Val Vigezzo. Boll. Soc. ent. ital. 106:77-79.

Duffey, E.;

- b1403 1968 Ecological studies on the Large Copper butterfly, *Lycaena dispar* Haw. batavus Obth. at Woodwalton Fen National Nature Reserve, Huntingdonshire. J. Appl. Ecol. 5:69-96.

- b1404 1977 The re-establishment of the Large Copper butterfly *Lycaena dispar batava* Obth. on Woodwalton Fen National Nature Reserve, Cambridgeshire, England, 1969-73. Biol. Conserv. 12:143-158.

Duffey, E.; (continued)

- b1405 1993 The Large Copper (Dutch - Grote Vuurvliinder), *Lycaena dispar* Haworth. In: T. R. New (editor), Conservation Biology of Lycaenidae (Butterflies). Occ. Pap. IUCN Species Survival Comm. No. 8:81-82.
- b1406 1993 The Adonis Blue, *Lysandra bellargus* Rottemburg. In: T. R. New (editor), Conservation Biology of Lycaenidae (Butterflies). Occ. Pap. IUCN Species Survival Comm. No. 8:83-84.
- b1407 1993 Large Blues, *Maculinea* ssp. In: T. R. New (editor), Conservation Biology of Lycaenidae (Butterflies). Occ. Pap. IUCN Species Survival Comm. No. 8:85-87.

Dufrane, Abel;

- b. 1880, d. 1960.
- b1408 1939 Lycaenidae. Bull. Anns Soc. ent. Belg. 79:289-292.
- b1409 1945 Lépidoptères du Kivu. (3e note). Bull. Anns Soc. ent. Belg. 81:90-143.
- b1410 1953 Lépidoptères du Kivu. (5e note). Bull. Anns Soc. ent. Belg. 89:41-57.
- b1411 1954 A propos de *Syntarucus pulchra* Murray (Lép. Lyc.). Bull. Anns Soc. ent. Belg. 90(3/4):66-68. {30 Apr 1954}
- b1412 1954 Sur quelques Lycaenidae d'Afrique. Bull. Anns Soc. ent. Belg. 90:282-286.

Dujardin, Felix;

- b. 1801, d. 1860. [Ref: b0717]
- b1413 1945 *Polyommatus coridon* Poda, race *nicaeensis* nova. Revue fr. Lép. 10:123.
- b1414 1945 Deux curieuses aberrations de *Polyommatus icarus* Rott. Revue fr. Lép. 10:172-173.
- b1415 1949 La genère quatenaire et monographie raisonnée des races de *Lysandra hispana* H-S (= *albicans* H-S = *aragonensis* Gerh = *caerulescens* Tut). Lambillionea 49:111-116.
- b1416 1968 Recherches sur les proximae du groupe *coridon* et description de 3 nouveaux taxa (Lep. Lycaenidae). Riviera scient. 55:53-56.
- b1417 1969 Qu'est-ce que *Lysandra cormion* Nabokov? Entomops 15:241-244.
- b1418 1972 Description de *Callophrys aris barragnei* subspecies nova et observations biologiques sur la sous-espèce nominative. Entomops 4(25):7-18, 11 f.
- b1419 1974 *Everes alcetas irenae* subspecies nova de corse (Lycaenidae). Entomops (35):83-84, pl. [Ref: b0105 (#379)]
- b1420 1977 Description de deux nouvelles sous-espèces de *Polyommatus atlanticus* Elwes avec des regroupements dans le statut générique de son espèce (avec 14 figures). Entomops 43:93-100.

Dumont, Constantin;

- b1421 1922 Diagnoses de Lépidoptères nouveaux du Nord de l'Afrique. Bull. Soc. ent. Fr. 1922(15):215-220. {[21 Nov 1922]}
- b1422 1928 Notes sur les lépidoptères de Barbarie. Encyc. ent. Ser. B. III. Lep. 3(1):17-37, 5 f. {15 Jan 1928}

Duncan, F. Martin;

- b1423 1937 On the Dates of Publication of the Society's 'Proceeding,' 1859-1926. With an Appendix containing the dates of Publication of 'Proceedings' 1830-1858, compiled by the late F. H. Waterhouse, and of the 'Transactions,' 1833-1869, compiled by the late Henry Peavot, originally published in the P.Z.S. 1893, 1913. Proc. zool. Soc. Lond. 107(A):71-84.

Dunk, H. C.;

- b1424 1952 Some bright spots of 1951. Entomologist 85(3):61. {[12 Mar 1952]}

Dunn, K. L.;

- b1425 1983 New distribution records for some Queensland butterflies. Aust. ent. Mag. 9(6):94. {Apr 1983}
- b1426 1983 An inland distribution record for *Ogyris abrota* Westwood in Victoria (Lepidoptera: Lycaenidae). Victorian Ent. 13(2):16-17.
- b1427 1983 An additional note on *Theclinesstes miskini miskini* (T. P. Lucas) (Lepidoptera: Lycaenidae) from the You Yangs, Victoria. Victorian Ent. 13(4):44.
- b1428 1984 *Acacia diffusa* Lindl. - A new larval foodplant for *Jalmenus evagoras evagoras* (Donovan) (Lepidoptera: Lycaenidae). Victorian Ent. 14:8.
- b1429 1984 *Acacia diffusa* Lindl. - a new larval foodplant for *Jalmenus evagoras evagoras* (Donovan) (Lepidoptera: Lycaenidae). Victorian Ent. 14(1):8.

Dunn, K. L.; Dunn, L. E.;

- b1430 1991 Review of Australian butterflies: distribution, life history and taxonomy. Part 3. Family Lycaenidae. Victoria, Author (3):336-512, ill.

Duponchel, Philogène August Joseph;

- b. 1774 (Valenciennes), d. 10 Jan 1846 (Paris). [Ref: b0717]
- b1431 1832-1835 In Godart, Histoire Naturelle des Lépidoptères ou Papillons de France, Supplément 1(Diurnes). Paris Suppl. 1(Diurnes):467 pp, 50 pls. 17 volumes, first 5 by Godart, completed by Duponchel. Butterflies are in Volumes 1 (15 livraisons) and 2 (14 livraisons) (1820-1823) and Supplement 1 (25 livraisons). [Ref: b1057; b1059] {1832-1835}
- b1432 1844-1846 Catalogue méthodique des Lépidoptères d'Europe distribués en familles, tribus et genres avec l'exposé des caractères sur lesquels ces décisions sont fondées, et l'indication des lieux et des époques on l'on trouve chaque espèce; pour servir de complément et de rectification à l'histoire naturelle des Lépidoptères de France. Paris, Méquignon-Marvis 8vo :523 pp, cpls 75-90. Pp. 1-64 (1844), 65-296 (1845), 297-523 (1846) [Ref: b2303] {1844-1846}

Dupont, L.;

- b1433 1909 Sur une variété de coloration du *Thestor ballus* F. (Lép.). Bull. Soc. ent. Fr. 1908(19):319-320. {[11 Jan 1909]}

Dupré, Bernard;

- b1434 1974 World Treasury of Butterflies in Color. New York, Galahad Books :126 pp, ill. Translated by David Macrae.

Durden, Christopher J.; Rose, H.;

- b1435 1978 Butterflies from the middle Eocene, the earliest Occurrence of Fossil Papilionoidea (Lepidoptera). Pearce-Sellards ser. Tex. mem. Mus. (29):1-25.

Durrant, John Hartley;

- b. 10 Jan 1863 (Hitchin, Herts., England); d. 19 Jan 1928 (Putney). [Ref: b1946; b3321]

Dyar, Harrison Gray;

- b. 14 Feb 1866 (New York); d. 21 Jan 1929 (Washington). [Ref: b0717; b0718; b3321]
- b1436 1891 Descriptions of Some Butterfly Larvae from Yosemite, III. Can. Ent. 23(10):203-205. {7 Oct 1891}
- b1437 1893 On Some Butterfly Larvae Not Hitherto Described. Can. Ent. 25(4):93-94. {11 Apr 1893}
- b1438 1894 *Thecla californica* Edw. Ent. News 5(10):329. {[1 Dec 1894]}
- b1439 1903 A List of North American Lepidoptera and Key to the Literature of this Order of Insects. Bull. U. S. natn Mus. 52:i-xix, 1-723. {[1903]}
- b1440 1904 New species of North American Lepidoptera and a new Limacodid larva. J. New York ent. Soc. 12(1):39-44. {Mar 1904}
- b1441 1909 New species of American Lepidoptera. Proc. ent. Soc. Wash. 11(1):19-29. {26 Jul 1909}

Dyar, Harrison Gray; (continued)

- b1442 1912 Descriptions of new species and genera of Lepidoptera, chiefly from Mexico. Proc. U. S. natn. Mus. 42(1885):39-106. {6 Mar 1912}
- b1443 1913 Results of the Yale Peruvian expedition of 1911. Lepidoptera. Proc. U. S. natn. Mus. 45(2006):627-649. {22 Jul 1913}
- b1444 1914 Report on the Lepidoptera of the Smithsonian biological survey of the Panama Canal Zone. Proc. U. S. natn. Mus. 47(2050):139-350. {20 Oct 1914}
- b1445 1914 Descriptions of new species and genera of Lepidoptera from Mexico. Proc. U. S. natn. Mus. 47(2054):365-409. {24 Oct 1914}
- b1446 1915 Lepidoptera of the Yale-Dominican expedition of 1913. Proc. U. S. natn. Mus. 47(2056):422-436. {24 Oct 1915}
- b1447 1916 Descriptions of new Lepidoptera from Mexico. Proc. U. S. natn. Mus. 51(2139):1-37. {16 Oct 1916}
- b1448 1918 Descriptions of new Lepidoptera from Mexico. Proc. U. S. natn. Mus. 54(2239):335-372. {5 Apr 1918}
- b1449 1926 New Lepidoptera from Mexico - I. Insecutor Inscitiae Menstruus 14:140-148.

d'Abreu, Bernard;

- b1450 1971 Butterflies of the Australian Region. Melbourne, Lansdowne Press 4to :415 pp, ill.
- b1451 1978 Butterflies of the Australian Region. [2nd edition]. Melbourne, Lansdowne Press 4to :415 pp, ill. [Ref: b0111 (#541, 1977)] {Mar 1978}
- b1452 1980 Butterflies of the Afrotropical Region. Melbourne, Lansdowne Editions :593 pp, ill. [Ref: b0113 (#632)]
- b1453 1984 Butterflies of South America. Victoria, Australia, Hill House :256 pp, ill. {Jan 1984}
- b1454 1986 Butterflies of the Oriental Region, Part 3. Lycaenidae and Riodinidae. Victoria, Australia, Hill House :xvi + 536-672. [Ref: b4594]
- b1455 1993 Butterflies of the Holarctic Region, Part 3, Nymphalidae (concl.), Libytheidae, Riodinidae & Lycaenidae. Victoria, Hill House :vii + 336-524.
- b1456 1994 Butterflies of the Neotropical Region, Part 4, Riodinidae. Victoria, Hill House :vii + 880-1096.

d'Almeida, Romualdo Ferreira;

b. 1891, d. 1969.

- b1457 1922 Mélanges lépidoptérologiques. Etudes sur les lépidoptères du Brésil. Berlin, R. Friedlander and Son :1226 pp.
- b1458 1932 Les Erycinides du Brésil. Lambillionea 32:13-14, 1 f.

d'Apice, J. W. C.; Miller, C. G.;

- b1459 1992 The genus *Nesolycaena* Waterhouse and Turner (Lepidoptera: Lycaenidae) with a description of a new species. Aust. ent. Mag. 19(3):75-80, ill.

d'Urban, William Stewart M.;

- b1460 1860 Observations on the Natural History of the Valley of the River Rouge, and the Surrounding Townships in the Counties of Argenteuil and Ottawa. Can. Nat. Geol. 5(2):81-99. {Apr 1860}

Ebert;

- b1461 1908 *Lycaena argus* L. (-aegon Schiff.) aberr. (female) caeruleocuneata. Soc. ent. 22(22):169-170. {15 Feb 1908}

Ebert, F.;

- b1462 1911 Ueber einige Aberrationen von Lepidopteren der Casseler Fauna. In: Festschr. des Ver. f. Naturk. zu Cassel ... 1836-1911. Cassell : (314-319), 1 pl.

Ebert, Heinz;

- b1463 1926 Interessante Tagfalter-Formen. Deut. ent. Zeit. [Iris] 40:27-36.
- b1464 1965 Uma coleção de borboletas (Lepid. Rhopal.) do Rio Amapari (Território do Amapá) com anotações taxonômicas sobre Rhopalocera do Brasil. Papéis avulsos Dept. Zool., São Paulo 18(9):65-85, 2 f.

Eckweiler, Wolfgang;

- b1465 1978 Zwei Lycaeniden - Neufunde aus Nordostanatolien. Note divulg. Ist. Ent. agrar. Univ. Napoli Portici 1(3):115-118, ill. [Ref: b0110 (#729)]
- b1466 1984 Eine neue Unterart von *Turanana cytis* (Christoph, 1877) aus Türkisch-Kurdistan (Lep. Lycaenidae). Nachr. ent. Ver. Apollo (nf)5(2/3):63-70.
- b1467 1987 Results of the Czechoslovak-Iranian entomological expeditions to Iran in 1970, 1973 and 1977: Lepidoptera, Lycaenidae. Acta Ent. Mus. Nat. Pragae 42:49-46.
- b1468 1989 Drei neue Lycaeniden aus der Turkey (Lepidoptera, Lycaenidae). Nachr. ent. Ver. Apollo (nf)10(2):81-102, ill.

Eckweiler, Wolfgang; Hesselbarth, G.;

- b1469 1978 Eine neue Unterart von *Agriades pyrenaicus* Boisduval aus Ostanatolien. (Lepidoptera, Lycaenidae). NachrBl. bayer. Ent. 27(4):65-68, ill. [Ref: b0110 (#731)]

Eckweiler, Wolfgang; Schurian, Klaus G.;

- b1470 1980 Verbreitung und subspezifische Gliederung von *Neolyssandra coelestina* (Eversmann, 1843) (Lep., Lycaenidae). Atalanta (Münnerstadt) 11(1):69-78, ill. [Ref: b0113 (#822)]

Edmonds, William M. M.;

- b1471 1985 *Satyrium edwardsii*: Some notes on Life History and Inter-specific Pairings. News Lep. Soc. 1985(3):43. {May 1985}

Edwards, Edward David;

- b1472 1980 Early stages of *Adaluma urumelia* and *Candalides geminus* (Lepidoptera: Lycaenidae). Aust. ent. Mag. 7(2):17-20, 5 f. {Sep 1980}
- b1473 1987* [Letter to Bridges. Notes on some names of the Australian Lycaenidae]. Canberra, Australia :1 pp. {10 Apr 1987} [*Unpublished]
- b1474 1987* [Letter to Bridges. Notes on some names of the Australian Lycaenidae]. Canberra, Australia :1 pp. {22 Apr 1987} [*Unpublished]
- b1475 1987* [Letter to Bridges. Notes on some names of the Australian Lycaenidae]. Canberra, Australia :5 pp. {15 Sep 1987} [*Unpublished]
- b1476 1987* [Letter to Bridges. Notes on some names of the Australian Lycaenidae]. Canberra, Australia :1 pp. {28 Oct 1987} [*Unpublished]
- b1477 1991 The nomenclature of *Paralucia pyrodiscus* (Double-day) (Lepidoptera: Lycaenidae). Aust. ent. Mag. 18(1):27-30, ill.

Edwards, Edward David; Common, Ian Francis Bell;

- b1478 1978 A new species of *Paralucia* Waterhouse and Turner from New South Wales (Lepidoptera, Lycaenidae). Aust. ent. Mag. 5(4):65-70. {Nov 1978}

Edwards, Edward David; Kerr, John Foxton Ross;

- b1479 1978 A new species of *Candalides* from eastern Australia and notes on *Candalides hyacinthus* (Lepidoptera, Lycaenidae). Aust. ent. Mag. 4(5):81-90. {Feb 1978}

Edwards, Edward Oliver Ellison;

- b1480 1951 New races of *Ialmenus icilius*. Proc. R. zool. Soc. N. S. Wales 1949-50:58-60.
- b1481 1956 Life-histories of sub-species of *Ialmenus icinus* Hewitson, 1865; with descriptions of new forms (Lepidoptera: Lycaenidae). Proc. R. zool. Soc. N. S. Wales 1954-55:60-62. {1956}

Edwards, Henry;

- b. 27 Aug 1830 (Ross, Herefordshire); d. 9 Jun 1891 (New York). Collection to AMNH. [Ref: b0718; b3202; b3321]
- b1482 1874 Pacific Coast Lepidoptera, No. 5: On the Earlier Stages of Some Species of Diurnal Lepidoptera. Proc. Calif. Acad. Sci. 5(21):325-332. {Dec 1874}
- b1483 1877 Pacific coast Lepidoptera, No. 22. - Notes on some diurnal Lepidoptera, with descriptions of new varieties. Proc. Calif. Acad. Sci. 7(12):163-173. {[9 Aug 1877]}
- b1484 1877 Pacific Coast Lepidoptera, No. 16: Notes on the Transformations of Some Species of Lepidoptera Not Hitherto Recorded. Proc. Calif. Acad. Sci. 7(2):19-25.
- b1485 1877 Pacific Coast Lepidoptera, No. 21: Descriptions of Two New Species of the Genus *Thecla*. Proc. Calif. Acad. Sci. 7(10):143-145.
- b1486 1880 Pacific coast Lepidoptera, No. 26. - Description of two new forms of diurnals, p [1]. Not published in the Proc. Calif. Acad. Sci., as stated thereon, but published privately. Scarce. Rindge (AMNH) has a set (FMB, pc). Dated 1877 by dos Passos & Grey, 1947. [Ref: b0524; b1323]
- b1487 1881 On Some Apparently New Forms of Diurnal Lepidoptera. *Papilio* 1(4):50-55. {26 Apr 1881}

Edwards, William Henry;

- b. 15 Mar 1822 (Hunter, N.Y.); d. 2 Apr 1909 (Coalburgh, W. Virginia). Collection to Carnegie Museum. [Ref: b0717; b0718; b0541]
- b1488 1861 Descriptions of certain Species of Diurnal Lepidoptera, found within the limits of the United States and of British America. Proc. Acad. nat. Sci. Philad. 13:160-164. {Jul 1861}
- b1489 1862 Descriptions of certain species of diurnal Lepidoptera found within the limits of the United States and British America. - No. 2. Proc. Acad. nat. Sci. Philad. 14(1/2):54-58. Preprint probably released in Mar 1862, the paper coming on 25 Apr 1862. {[Mar] 1862}
- b1490 1862 Descriptions of certain species of diurnal Lepidoptera, found within the limits of the United States and of British America. - No. 3. Proc. Acad. nat. Sci. Philad. 14:221-226. The preprint came in May 1862, the paper between 27 May and 1 Aug 1862. {[May] 1862}
- b1491 1863 Description of certain species of diurnal Lepidoptera found within the limits of the United States and British America, No. 1. Proc. ent. Soc. Philad. 2(1):14-22, pl 5, f 3. Date given is that of the preprint. The paper came on 29 Jul 1863. [Ref: b0504; b0513] {[Apr] 1863}
- b1492 1863 Description of certain species of diurnal Lepidoptera found within the limits of the United States and British America. No. 2. Proc. ent. Soc. Philad. 2(2):78-82. The date given is for the preprint. The paper came on 12 Oct 1863. {[Aug] 1863}
- b1493 1864 Description of certain species of diurnal Lepidoptera found within the limits of the United States and British North America. No. 3. Proc. ent. Soc. Philad. 2(4):501-507. The date given is for the preprint. The paper came on 29 Jul 1864. [Ref: b0513] {[Apr] 1864}
- b1494 1865 Description of certain species of Diurnal Lepidoptera found within the limits of the United States and British America. No. 4. Proc. ent. Soc. Philad. 4(2):201-204, 1 pl. Preprint probably released in Feb 1865, the paper coming between 4 and 11 Apr. {[Feb] 1865}
- b1495 1866 Description of certain species of Diurnal Lepidoptera found within the United States and British America. No. 5. Proc. ent. Soc. Philad. 6(2):200-208. Date given is for the preprint. The paper came in 4 Mar 1867. [Ref: b0513; b0515] {[Nov] 1866}

Edwards, William Henry; (continued)

- b1496 1868-1897 Butterflies of North America with colored drawings and descriptions. Boston, Mass., Houghton, Mifflin & Co. 1:[i], ii, [163], v, 52 pp., 50 pls (1868-1872); 2:[i], [358] pp. [N.B. pp. 316-330 are numbered 2-16], 51 pls, (1874-1884); 3:[viii], [432] pp., 51 pls, (1887-1897). Volume 1, *The American Ent. Soc., Philadelphia*, reprinted 1888 by Houghton, Mifflin and Company, Boston; Volumes 2 and 3, *Houghton, Mifflin and Company, Boston*. {1868-1897}
- b1497 1869 Notes on a remarkable variety of *Papilio turnus*, and descriptions of two species of Diurnal Lepidoptera. Trans. amer. ent. Soc. 2(2):207-210. {8 Feb 1869}
- b1498 1869 Descriptions of new species of diurnal Lepidoptera found within the United States. Trans. amer. ent. Soc. 2(4):369-376. The date given is for the preprint. The paper came on 14 Mar 1870. [Ref: b0513] {[Oct 1869]}
- b1499 1870 Descriptions of New Species of Diurnal Lepidoptera found within the United States. Trans. amer. ent. Soc. 3(1):10-22. The date given is for the preprint. The paper came on 11 Jul 1870. {[Feb] 1870}
- b1500 1870 Descriptions of new North American diurnal Lepidoptera. Trans. amer. ent. Soc. 3(2):189-196. The date given is for the preprint. The paper came between 1 Jan and 30 Apr 1871. [Ref: b0513] {[Dec] 1870}
- b1501 1871 Descriptions of New Species of Diurnal Lepidoptera found within the United States. Trans. amer. ent. Soc. 3(3/4):205-216. The date given is for the preprint. The paper came between 1 Jan and 30 Apr, 1872. [Ref: b0513] {[Feb 1871]}
- b1502 1871 Description of new Species of North American Butterflies. Trans. amer. ent. Soc. 3(3/4):266-277. The date given is for the preprint. The paper came between 1 Jan and 30 Apr 1872. [Ref: b0513] {[Sep 1871]}
- b1503 1872 Synopsis of North American butterflies. Philadelphia iii-v, 1-51. Miller & Brown date this 1872 in note 267, and 1873 in note 535. [Ref: b3192]
- b1504 1873 Descriptions of Diurnal Lepidoptera found within the United States. Trans. amer. ent. Soc. 4(4):343-348. Preprint probably released in April 1873. The paper came between 1 Oct and 31 Dec. {[Apr] 1873}
- b1505 1873 Notes on the Early Stages of Some of Our Butterflies. Can. Ent. 5(12):223-225. {Dec 1873}
- b1506 1874 Description of new species of diurnal Lepidoptera found in North America. Trans. amer. ent. Soc. 5(1):103-111. {Dec 1874}
- b1507 1876 The Preparatory Stages of *Lycaena comyntas*. Can. Ent. 8(11):202-205. {Nov 1876}
- b1508 1877 New Species of Diurnal Lepidoptera. Trans. amer. ent. Soc. 5(3/4):289-292. {Mar 1877}
- b1509 1877 [Description of *Thecla sheridanii*]. In Carpenter, (q.v.). Field and Forest 3(3):48. [See also: b0719] {Sep 1877}
- b1510 1877 Descriptions of new species of diurnal Lepidoptera found in North America. Field and Forest 3(5):86-89. {Nov 1877}
- b1511 1878 Notes on *Lycaena pseudargiolus* and Its Larval History. Can. Ent. 10(1):1-4. {Jan 1878}
- b1512 1881 Capture of *Diadema bolina*, Linn, in Florida. *Papilio* 1(2):30. {19 Feb 1881}
- b1513 1881 Descriptions of new species of Diurnal Lepidoptera found within the United States. Trans. amer. ent. Soc. 9(1):1-8. Preprint issued Mar 1881, while the paper came on 14 Oct. {[Mar] 1881}
- b1514 1881 Description of the Preparatory Stages of *Thecla henrici*, Grote. *Papilio* 1(9):150-152. {Oct 1881}
- b1515 1881 Description of a new species of *Chrysophanus*. Trans. Kansas Acad. Sci. 7:69-70. [Ref: b0527]

Edwards, William Henry; (continued)

- b1516 1882 Description of species of butterflies taken in Arizona by Jacob Doll, 1881 (with lists of species). *Papilio* 2(2):19-29. *The list of species comes on pp 28-29, and is sometimes cited separately.* {Feb 1882}
- b1517 1882 Description of New Species of Butterflies Found in the United States. *Papilio* 2(3):45-49. {Mar 1882}
- b1518 1882 Descriptions of new species of diurnal Lepidoptera taken by Mr. H. K. Morrison, at Fort Grant and in Graham Mountains, Arizona, 1882. *Papilio* 2(8):136-143. {[28] Oct 1882}
- b1519 1882 Description of a New Species of *Lycaena* from Newfoundland. *Can. Ent.* 14(10):194-195. {14 Dec 1882}
- b1520 1883 Notes on the collection of butterflies made by Mr. H. K. Morrison, in Arizona, 1882 (and list of the butterflies collected). *Papilio* 3(1):1-10. {Jan 1883}
- b1521 1883 On the polymorphism of *Lycaena pseudargiolus* Bois. *Papilio* 3(5-6):85-97. {10 Jun 1883}
- b1522 1883 Description of a New Species of *Thecla* from Florida. *Can. Ent.* 15(7):136-137. {Jul 1883}
- b1523 1884 Descriptions of new species of North American butterflies. *Can. Ent.* 15(11):209-211. {[17 Jan 1884]}
- b1524 1884 Revised Catalogue of the Diurnal Lepidoptera of America North of Mexico. *Trans. amer. ent. Soc.* 11:245-338. {Jul 1884}
- b1525 1884 In Kingsley, *The Standard Natural History*. Boston 11:--.
- b1526 1886 On the History and the Preparatory Stages of *Fenesica tarquinius*, Fabr. *Can. Ent.* 18(8):141-153. {[29 Oct] 1886}
- b1527 1894 Notes upon *Lycaena exilis*, Boisduval, with Descriptions of Some of its Early Stages. *Can. Ent.* 26(2):37-38. {3 Feb 1894}

Ehrlich, Paul Ralph;

b. 29 May 1932 (*Philadelphia*).

- b1528 1958 The Comparative Morphology, Phylogeny and Higher Classification of the Butterflies (Lepidoptera: Papilionoidea). *Kansas Univ. Sci. Bull.* 39(8):305-370, 64 f. {18 Nov 1958}

Ehrlich, Paul Ralph; Clench, Harry Kendon;

- b1529 1960 A new Subgenus and Species of *Callophrys* (s.l.) from the southwestern United States (Lepidoptera: Lycaenidae). *Ent. News* 71(6):137-141, pl. 1. {[3] Jun 1960}

Ehrlich, Paul Ralph; Ehrlich, Anne Fitzhugh Howland;

- b1530 1961 How to Know the Butterflies. Dubuque, Iowa, Wm. C. Brown Company :[vii]+262 pp, 525 f. *Includes contributions by David L. Bauer, Harry Kendon Clench, Cyril Franklin dos Passos, John Charles Downey, Lionel Paul Grey, Alexander Barrett Klots, Wilber S. McAlpine and Kent H. Wilson.* [Ref: b1023]

Ehrlich, Paul Ralph; Murphy, Dennis D.;

- b1531 1982 Butterfly Nomenclature: A Critique. *J. Res. Lep.* 20(1):1-11. {20 Sep 1982}
- b1532 1983 Butterfly Nomenclature, Stability, and the Rule of Obligatory Categories. *Syst. Zool.* 32(4):451-453.

Ehrmann, George Alexander;

b. 2 Feb 1862 (*Pittsburgh*); d. 30 Jan 1926 (*same*). [Ref: b0717 (as Ehrman); ns02435]

- b1533 1894 New West African butterflies. *J. New York ent. Soc.* 2(2):77-78. {Jun 1894}

Eisner, Curt;

- b. 28 Apr 1890; d. 30 Dec 1981. [Ref: ns01114]
- b1534 1964 *Lycaenopsis argiolus* L.; *f. griseescens* (f. nova) (Lep., Lycaenidae). *Ent. Ber.* 24:115. [Ref: b0524]

Eitschberger, Ulf; Steiniger, Hartmut;

- b1535 1973 Zur Verbreitung von *Meleageria daphnis* auf der Iberischen Halbinsel (Lep., Lycaenidae). *Ent. Zeit.* 83(15):169-175, 2 f. {1 Aug 1973}
- b1536 1973 Die Verbreitung und die Beschreibung einer neuen Rasse von *Aricia morronensis* (Ribbe 1910) (Lep., Lycaenidae). *Atalanta* (Münnerstadt) 4(6)(B):394-402, 2 f, 2 pl. [Ref: b0104 (#529)]
- b1537 1975 Die geographische Variation von *Eumedonia eumedon* (Esper, 1780) in der westlichen Palaearktis (Lep. Lycaenidae). *Atalanta* (Münnerstadt) 6(2):84-124, 3 f, 7 pls. [Ref: b0107]

Ejima, Masao; Murakami, Masuo; Yoshida, Kimiaki; Satoyama, Toshiya;

- b1538 1978 Life history of *Pithecopis fulgens* Doherty in Tsushima Island, Japan (Lepidoptera: Lycaenidae). [Japanese]. *Tyô to Ga* 29(1):47-65, 13 f, 17 tbl. [Ref: b1538] {1 May 1978}

Elferich, N. W.;

- b1539 1965 Einige opmerkingen over de biologie van *Plebejus argus* L. *Ent. Ber.* 25:26-31.

Eliot, John Nevill;

- b1540 1953 New Records and a Check List of Butterflies from Hong Kong. *Mem. Hong Kong biol. Circle* (2):1-14, 3 pls.
- b1541 1955 Notes on the *Nacaduba hermus* (C. Felder) Complex (Lepidoptera: Lycaenidae). *Proc. R. ent. Soc. Lond.* (B)24:153-158. {Oct 1955}
- b1542 1956 New and little known Rhopalocera from the Oriental Region. *Bull. Raffles Mus.* 27:32-38, 3 f. {Oct 1956}
- b1543 1957 Notes on the genus *Poritia* Moore (Lepidoptera: Lycaenidae). *Entomologist* 90:70-74, 18 f. {Mar 1957}
- b1544 1959 New or Little Known Butterflies from Malaya. *Bull. Br. Mus. nat. Hist. (Ent.)* 7(8):369-391, 1 pl, 7 text-figs. {Jan 1959}
- b1545 1960 A New Species of *Potanthus* (Hesperiidae) and Some Other Butterflies from Malaya. *Entomologist* 93:241-245. {Dec 1960}
- b1546 1961 An analysis of the Genus *Miletus* (Hübner) (Lepidoptera: Lycaenidae). *Bull. Raffles Mus.* 26:154-177, 24 f. {Feb 1961}
- b1547 1962 On some Lycaenidae and Hesperidae from Malaya. *Entomologist* 95:217-225, f 2. {Sep 1962}
- b1548 1962 The *Pratapa vidura* (Horsfield) Complex (Lepidoptera: Lycaenidae). *Entomologist* 95:248-250, ill. {Oct 1962}
- b1549 1963 The *Heliophorus epicles* (Godart, 1823) (Lepidoptera: Lycaenidae) complex. *Entomologist* 96:169-180, 14 f. {Aug 1963}
- b1550 1964 An analysis of the genus *Deramas* Distant. *Entomologist* 97:241-247, 6 f. {Nov 1964}
- b1551 1965 The *Heliophorus epicles* (Godt.) Complex: A Postscript. *Entomologist* 98:66-67. {Mar 1965}
- b1552 1967 Revisional notes on Oriental butterflies, with special reference to Malaya. Part II. *Entomologist* 100:66-72, 7 f. {Mar 1967}
- b1553 1967 Revisional notes on Oriental butterflies, with special reference to Malaya. Part III. *Entomologist* 100:137-141, 12 f. *The author of the paper incorrectly appears as 'W. N. Eliot'.* {May 1967}
- b1554 1969 More revisional notes on Oriental butterflies. *Entomologist* 102:269-278, 8 f, 1 pl. {Dec 1969}
- b1555 1970 New *Deramas* from Borneo (Lepidoptera: Lycaenidae). *Entomologist* 103:30-31, f. {Feb 1970}
- b1556 1972 Some *Arhopala* from Borneo, with a revision of the *Arhopala cleander* group (Lepidoptera: Lycaenidae). *J. nat. Hist.* 6:1-15, 21, f, 2 tbls.
- b1557 1973 More Revisional Notes on Oriental Butterflies. *Entomologist* 106:1-15. {Jan 1973}

Eliot, John Nevill; (continued)

- b1558 1973 Corrigenda and Addenda to Some Recent Papers on Butterflies. *Entomologist* 106:23-24. {Jan 1973}
- b1559 1973 The Higher Classification of the Lycaenidae (Lepidoptera): A Tentative Arrangement. *Bull. Br. Mus. nat. Hist. (Ent.)* 28(6):371-505, 162 tf, 4 tpls, 6 pls. {20 Sep 1973}
- b1560 1974 A new lycaenid butterfly from West Malaysia, and allied species from Papua, New Guinea. *Malay Nat. J.* 28(2):110-112, 1 pl, 3 f.
- b1561 1977 [Letter to Editor] *J. Lep. Soc.* 31(1):75. {30 Mar 1977}
- b1562 1978* [Letter to Bridges]. Upcott House, Taunton :2 pp. {14 Oct 1978} [*Unpublished]
- b1563 1978 In Corbet & Pendlebury, *Butts Malay Peninsula*, 3rd edition. (q.v.). [See also: b0965]
- b1564 1980 New Information on the butterflies of the Malay Peninsula. *Malay Nat. J.* 33(3/4):137-155, 16 f. {Jun 1980}
- b1565 1980 New Butterflies from Sipora Island. Tyô to Ga 31(1,2):54-56, 12 f. [Ref: b1610 (113-E12); b0113 (#846)] {20 Aug 1980}
- b1566 1982 On three swallowtail butterflies from Peninsular Malaysia. *Malay Nat. J.* 35:179-182, f.
- b1567 1984 A new species of *Spalgis* Moore (Lycaenidae) from Mindanao. Tyô to Ga 35(2):75-76, 2 f. {20 Sep 1984}
- b1568 1984 On some butterflies from Malaysia and peninsular Thailand. *Malay Nat. J.* 38(2):99-112.
- b1569 1986 The *Horaga albimaculata* Complex (Lepidoptera, Lycaenidae). Tyô to Ga 36(3):107-112. {30 Jan 1986}
- b1570 1986* [Letter to Bridges]. Notes on some species-group names of the Lycaenidae]. Upcott House, Taunton :2 pp. {19 Apr 1986} [*Unpublished]
- b1571 1986 A review of the Miletini (Lepidoptera: Lycaenidae). *Bull. Br. Mus. nat. Hist. (Ent.)* 53(1):1-105, 108 f. {25 Sep 1986}
- b1572 1986 Additions and nomenclatural changes to the Lycaenid and Hesperiid butterflies of the Malay Peninsula. *Malay Nat. J.* 39:221-224.
- b1573 1987* [Letter to Bridges]. Notes on some species-group names of the Lycaenidae]. Upcott House, Taunton :4 pp. {24 Feb 1987} [*Unpublished]
- b1574 1987 On Some Butterflies from Nepal, Bhutan and Thailand. Tyô to Ga 38(1):21-29, 13 f. {20 May 1987}
- b1575 1987* [Letter to Bridges]. Notes on some species-group names of the Lycaenidae]. Upcott House, Taunton :3 pp. {15 Jul 1987} [*Unpublished]
- b1576 1987* [Letter to Bridges]. Notes on some species-group names of the Lycaenidae]. Upcott House, Taunton :2 pp. {26 Sep 1987} [*Unpublished]
- b1577 1988* [Letter to Bridges]. Notes on some species-group names of the Lycaenidae]. Upcott House, Taunton :2 pp. {3 Apr 1988} [*Unpublished]
- b1578 1988* [Letter to Bridges]. Notes on some species-group names of the Lycaenidae]. Upcott House, Taunton :2 pp. {16 Jun 1988} [*Unpublished]
- b1579 1990 Notes on the genus *Curetis* Hübner (Lepidoptera, Lycaenidae). Tyô to Ga 41(4):201-225, ill.

Eliot, John Nevill; Kawazôé, Akito;

- b1580 1983 The blue Butterflies of the Lycaenopsis Group. London, BMNH 8vo :309 pp, 6 cpl, 560 f. {Jun 1983}

Elliott, Nancy C.; Riley, Donald; Clench, Harry Kendon;

- b1581 1980 Annotated list of Butterflies of San Salvador Island, Bahamas. *J. Lep. Soc.* 34(2):120-126, 1 f. {23 Sep 1980}

Elrod, Morton John; Maley, Frances Inez;

- b1582 1906 The Butterflies of Montana. *Bull. Univ. Montana, Biol. Ser.* 2(10):vii-xvi, 3-174, pl 1-13, f 1-117, map. [Ref: ns00918] {Jan 1906}

Eltringham, Henry;

- b. 1873 (South Shields, England); d. 1941. Perhaps Harry. [Ref: b0717 (as Harry); b0718; b3321]
- b1583 1909 Description of a new species of *Mimacraea* from West Africa. *Ent. mon. Mag.* 45:172. {Aug 1909}
- b1584 1914 The Larva of *Euliphyra mirifica*. *Trans. ent. Soc. Lond.* 61(3):509-512, pl 28. {[21 Jan 1914]}
- b1585 1922 On the Larvae and Pupae of Lepidoptera, chiefly Lycaenidae, collected by C. O. Farquharson, W. A. Lamborn, and the Rev. Canon K. St. A. Rogers. *Trans. ent. Soc. Lond.* 69(3/4):473-489, pl 12,13. {[28 Jan 1922]}
- b1586 1924 Dr. V. G. L. van Someren's observations on the Early Stages of *Mimacraea marshalli dohertyi* Roth. (Rhopalocera). *Trans. ent. Soc. Lond.* 72(1/2):152-159, tf, pl 12. {[30 Aug 1924]}
- b1587 1929 In Eltringham, et al., *African Rhopalocera*, (q.v.). *Trans. ent. Soc. Lond.* 77(2):475-505. [See also: b1588] {31 Dec 1929}

Eltringham, Henry; Poulton, Edward Bagnell; Riley, Norman Denbigh; Talbot, George;

- b1588 1929 African Rhopalocera: Descriptions and notes. *Trans. ent. Soc. Lond.* 77(2):475-505, pls 30,31, 2 tfs. Includes one description by Dixey. [Ref: b0524] {31 Dec 1929}

Elwes, Henry John;

- b. 1846, d. 26 Nov 1922 (Colesborne Hall, Cheltenham). Collection, via Joicey, to the BMNH. [Ref: b0717; b0718]
- b1589 1882 On the Butterflies of Amurland, North China, and Japan. *Proc. zool. Soc. Lond.* 1881(4):856-916. {[Apr 1882]}
- b1590 1882 On a collection of Butterflies from Sikkim. *Proc. zool. Soc. Lond.* 1882(3):398-407, pl 25. {[Oct] 1882}
- b1591 1887 Description of some new Lepidoptera from Sikkim. *Proc. zool. Soc. Lond.* 1887(3):444-447. {[Oct] 1887}
- b1592 1888 A catalogue of the Lepidoptera of Sikkim, [with additions, corrections, and notes on seasonal and local distribution by Otto Möller]. *Trans. ent. Soc. Lond.* 36(3):269-465, pls 8-11. {Oct 1888}
- b1593 1890 In Manders, *Cat. Rhop. Shan States*, (q.v.). *Trans. ent. Soc. Lond.* 38(3):531. [See also: b3053] {Sep 1890}
- b1594 1893 On Butterflies collected by Mr. W. Doherty in the Naga and Karen Hills and in Perak. - Part II. *Proc. zool. Soc. Lond.* 1892(4):617-664, pls 43,44. {[Apr 1893]}
- b1595 1899 On the Lepidoptera of the Altai Mountains. *Trans. ent. Soc. Lond.* 47(3):295-367, pls xi-xiv. {[30 Sep 1899]}
- b1596 1901 Notes and Preface. In Nicholl, *Butterflies of the Lebanon*. *Trans. ent. Soc. Lond.* 49(1):75-97. [See also: b3387] {30 Apr 1901}
- b1597 1906 In Meade-Waldo, (q.v.). *Trans. ent. Soc. Lond.* 53(4):380; pl 19, f 5,6. [See also: b3142] {3 Jan 1906}
- b1598 1906 In Elwes, et al., (q.v.). *Proc. zool. Soc. Lond.* 1906(3):479-485, pl 36. [See also: b1599] {[10 Oct] 1906}

Elwes, Henry John; Hampson, George; Durrant, John Hartley;

- b1599 1906 On the Lepidoptera collected by the Officers on the recent Tibet Frontier Commission. *Butterflies*. *Proc. zool. Soc. Lond.* 1906(3):479-485, pl 36. {[10 Oct] 1906}

Emmel, John F.; Mattoni, Rudolph H. T.;

- b1600 1990 A new subspecies of *Satyrion auretteum* (Lycaenidae) from the Santa Monica Mountains of southern California. *J. Res. Lep.* 28(1/2):100-104, ill.

Emmel, Thomas C.;

- b1601 1975 *Butterflies. Their World, Their Life Cycle, Their Behavior*. New York, Alfred A. Knopf :260 pp, 370 f. *Good photography of living animals*.
- b1602 1993 Sweadner's Hairstreak, *Mitoura gryneus sweadneri* (Chermock). In: T. R. New (editor), *Conservation Biology of Lycaenidae (Butterflies)*. *Occ. Pap. IUCN Species Survival Comm.* No. 8:124-125.

Emmel, Thomas C.; Emmel, John F.;

b1603 1993 The Avalon Hairstreak, *Strymon avalona* (W. G. Wright). In: T. R. New (editor), Conservation Biology of Lycaenidae (Butterflies). Occ. Pap. IUCN Species Survival Comm. No. 8:128.

b1604 1993 Smith's Blue, *Euphilotes enoptes smithi* (Mattoni). In: T. R. New (editor), Conservation Biology of Lycaenidae (Butterflies). Occ. Pap. IUCN Species Survival Comm. No. 8:131-132.

b1605 1993 The Xerces Blue, *Glaucopsyche xerces* (Boisduval). In: T. R. New (editor), Conservation Biology of Lycaenidae (Butterflies). Occ. Pap. IUCN Species Survival Comm. No. 8:137-138.

Emmel, Thomas C.; Houston, R. Trew;

b1606 1973 Chromosomal variability in a Nearctic lycaenid Butterfly, *Philotes sonorensis* (Lepidoptera: Lycaenidae). Shields, Oakley; Pan-Pac. Ent. 49(1):74-80.

Emmel, Thomas C.; Miller, Lee Denmar; Clench, Harry Kendon;

b1607 1975 The Neotropical Metalmark *Hermathena oweni* (Riodinidae): New Records and Major Extension of the Known Range from Costa Rica to El Salvador and Mexico. J. Lep. Soc. 29(2):108-111, 2 f. {10 Jun 1975}

Emmel, Thomas C.; Minno, Marc C.;

b1608 1993 Bartram's Hairstreak, *Strymon acis bartramii* (Comstock & Huntington). In: T. R. New (editor), Conservation Biology of Lycaenidae (Butterflies). Occ. Pap. IUCN Species Survival Comm. No. 8:126-127.

b1609 1993 The Atala Butterfly, *Eumaeus atala florida* (Röber). In: T. R. New (editor), Conservation Biology of Lycaenidae (Butterflies). Occ. Pap. IUCN Species Survival Comm. No. 8:129-130.

Entomology Abstracts;

b1610 1977-1987 [Abstracts]. Cambridges Scientific Abstracts 8(1981)-18(1987). {1977-1987}

Erichson, Wilhelm Ferdinand;

b. 26 Nov 1809 (Stralsund); d. 18 Nov 1849 (Berlin). [Ref: b0717; b0718; b3321]

b1611 1848 Die Insecten. In Schomburgk, Reisen British-Guiana. 3:533-619 Leipzig, Weber 8vo 3:533-619.

Erschoff, Nicolas Grigorevich;

b. 24 Apr 1837 (Moskau); d. 12 Mar 1896 (St. Petersburg) (Erschov, Nikolaj Grigorevich). [Ref: b0717; b1946; b0047]

b1612 1874 Lepidoptera. In Fedchenko, Aleksyei Pavlovich, Reise in Turestan (1874-1899). Mém. Soc. amis Sci. nat. Moscou 11(2):[4]+vi+127+[1] pp, pls 1-6.

b1613 1877 [Descriptions of new species of exotic butterflies]. [In Russian]. Trudy Russ. ent. Obschsch. 10:57-66, pl 1.

Esaki, Teiso;

b. 1899, d. 1957. Also seen as Ezaki. [Ref: b1946]

b1614 1922 Contribution to the knowledge of the butterflies of southern Saghaliën. [Japanese]. Zool. Mag. 34:912.

b1615 1932 New synonyms and a homonym of Formosa butterflies. Zephyrus 4(1):13-14. {20 Jun 1932}

b1616 1932 Butterflies. In Nippon Konchu Zukan, Iconographia insectorum Japonicorum. Tokyo, Hokuryukan :832-1031, ill. Index to latin names in Roman alphabet, remainder in Japanese.

b1617 1934-1938 The Genus *Zephyrus* of Japan, Corea and Formosa. Zephyrus 5(2/3):74-86, pl 12; 5(4):194-212, pl 17; 6(1):51-58, pl 5; 6(3/4):195-204, pl 13; 7(2/3):233-234, pl 16. [Pagination.] {25 Jan 1934-30 Nov 1938}

b1618 1935 Supplement. In: Autographic reproduction of: Rhopalocera Nihonica: A description of the Butterflies of Japan, by Henry James Stovin Pryer. Japan, Author :1+15 pp.

Esaki, Teiso; (continued)

b1619 1954 Notes on the butterflies described by V. de Motschulsky. [In Japanese]. Tyô to Ga 5(3/4):17-20, 1 f. {15 Dec 1954}

Esaki, Teiso; Nakahara, Ward;

b1620 1930 Some new aberrant forms of Japanese and Formosan butterflies. Zephyrus 2(3):148-150, 1 pl, 1 f. {Oct 1930}

Esaki, Teiso; Shirôzu, Takashi;

b1621 1943 New species and subspecies of the subfamily Theclinae from Formosa (Lycaenidae). Zephyrus 9(3):151-156, ill. {May 1943}

Eschscholtz, Johann Friedrich;

b. 1 Nov 1793 (Dorpat); d. 19 May 1831 (Dorpa). [Ref: b0717; b0718; b3321]

b1622 1821 Beschreibung neuer ausländischer Schmetterling. In: A. v. Chamisso, Bemerkungen und Ansichten auf einer Entdeckungsreise O. v. Kutzbue's (Bd 3 von Kotzebue, Entdeckungsreise in die Süd-see). Weimar, Hoffmann 4to 3:201-219, 1 cpl.

Esper, Eugenius Johann Christoph;

b. 2 Jun 1742 (Wunsiedel); d. 27 Jul 1810. [Ref: b0718]

b1623 1776-1830 Die (Europäischen) Schmetterlinge in Abbildungen nach der Natur mit Beschreibungen. Erlangen, Walther 4to 84 Hefte od. 5 Theile in 7 Bdn. mit Supplem. [Ref: b2303; b2302] {1776-1830}

Essig, Edward Oliver;

b. 1884, d. 1964.

b1624 1926 Insects of Western North America, a manual and textbook. New York, MacMillan :1035 pp.

Evans, Brig. W. H.;

(William Harry). b. 22 Jul 1876 (Shillong, Assam, India); d. 13 Nov 1956 (Dover, England). [Ref: b1057; b1029; b3321]

b1625 1910 Additions and corrections to certain local butterfly lists, with the description of a new species. J. Bombay nat. Hist. Soc. 20(2):423-427. {12 Oct 1910}

b1626 1912 A list of Indian butterflies. J. Bombay nat. Hist. Soc. 21(2):553-584, (3)969-1008. {31 Mar 1912}

b1627 1914 Notes on Indian butterflies, 11-17. [Part 3]. J. Bombay nat. Hist. Soc. 23(2):302-310. {20 Nov 1914}

b1628 1915 A list of butterflies caught by Capt. F. M. Bailey in S. E. Thibet during 1913. J. Bombay nat. Hist. Soc. 23(3):532-546, 1 pl, 1 map. {2 Feb 1915}

b1629 1921 Notes on Indian butterflies, 29-39. [Part 6]. J. Bombay nat. Hist. Soc. 28(1):30-40. {Dec 1921}

b1630 1923 A list of butterflies caught by Major H. T. Morshead during the Mount Everest Expedition 1921. Trans. ent. Soc. Lond. 70(3/4):477-478. {17 Feb 1923}

b1631 1924 Notes on Indian butterflies, 40-42. J. Bombay nat. Hist. Soc. 29(4):971-973. {15 May 1924}

b1632 1925 The identification of Indian butterflies, Part VI. J. Bombay nat. Hist. Soc. 30(2):322-351, 2 pls. {25 Jan 1925}

b1633 1925 The identification of Indian butterflies, Part VII. J. Bombay nat. Hist. Soc. 30(3):610-639, pl 28. {30 Jun 1925}

b1634 1925 The identification of Indian butterflies, Part VIII. J. Bombay nat. Hist. Soc. 30(4):756-776, pl 29. {15 Dec 1925}

b1635 1926 Notes on Indian butterflies, 43. J. Bombay nat. Hist. Soc. 31(3):712-719. {1 Nov 1926}

b1636 1927 The Identification of Indian Butterflies (ed. 1). Madras, Bombay nat. Hist. Soc. xii+302 pp, 32 pls, 11 f. The first work to integrate the Old World Hesperidae.

b1637 1927 Lepidoptera - Rhopalocera obtained by Madame J. Visser-Hooft of The Hague during an exploration of previously unknown country in the Western Karakorum, N. W. India. Tijdschr. Ent. 70:158-162.

Evans, Brig. W. H.; (continued)

- b1638 1932 The identification of Indian butterflies. Second edition revised. Madras, Bombay nat. Hist. Soc. :10+454 pp, 32 pls, 9 f.
- b1639 1933 Some little known or apparently unrecorded Lycaenidae and Hesperidae from the Malay peninsula. J. Fed. Malay St. Mus. 17(2):406-417. {Jul 1933}
- b1640 1937 A catalogue of the African Hesperidae. London, British Museum (Nat. Hist.) xii+212 pp, 30 pls.
- b1641 1954 A revision of the genus *Curetis* (Lepidoptera: Lycaenidae). Entomologist 87:190-194, 212-216, 241-244, 1 pl. {[28 Oct] 1954}
- b1642 1955 A revision of the genus *Tarucus* (Lepidoptera: Lycaenidae) of Europe, North Africa and Asia. Entomologist 88:179-187. {[19] Aug 1955}
- b1643 1955 The butterfly *Thecla triloka* Hannington (Lepidoptera-Lycaenidae). J. Bombay nat. Hist. Soc. 53(1):144-145. {Aug 1955}
- b1644 1957 A Revision of the *Arhopala* Group of Oriental Lycaenidae (Lepidoptera: Rhopalocera) Bull. Br. Mus. nat. Hist. (Ent.) 5(3):85-141. {Jul 1957}

Eversmann, Eduard;

- b. 23 Jan 1794 (Hagen in Westf.); d. 4 Apr 1860; Also as *Eduard Friedrich von Eversmann*; Collection in Zool. Mus. Leningrad.
- b1645 1832 Lepidopterorum species nonnullae novae Gubernium Orenburgense incoentes. Nouv. Mém. Soc. imp. nat. Moscou (ns)2:347-354, 2 pls. [Ref: b0527]
- b1646 1837 Kurze Notizen über einige Schmetterlinge Russlands, als Beiträge zu Treitschke's Supplementen zu betrachten. Bull. Soc. imp. Nat. Moscou 10(1):1-32, (4):29-66.
- b1647 1841 Nachricht über einige noch unbekannt Schmetterlinge des östlichen Russlands. Bull. Soc. imp. Nat. Moscou 14(1):18-33, 1 cpl. [Ref: b0526]
- b1648 1843 Quaedam Lepidopterorum species novae in montibus Uralensibus et Altaicis habitantes. Bull. Soc. imp. Nat. Moscou 16(3):535-555, 3 pls. [Ref: b0526]
- b1649 1848 Beschreibung einiger neuen Falter Russlands. Bull. Soc. imp. Nat. Moscou 21(2):205-232.
- b1650 1851 Description de quelques nouvelles especes de Lépidoptères de la Russie. Bull. Soc. imp. Nat. Moscou 24(2):610-644.
- b1651 1854 Beiträge zur Lepidopterologie Russlands, und Beschreibung einiger andern Insecten aus de südlichen Kirgisensteppen de nördlichen Ufen des Aral Sees und des Sir Darjns. Bull. Soc. imp. Nat. Moscou 27(2):174-205, 1 pl. [Ref: b0526]

Ezima, Masao; Ide, Tooshiharu; Gotô, Yasuichirô;

- b1652 1971 On some interesting butterflies collected in Haganaki Prefecture. [Japanese]. Tyô to Ga 22(1):42-48, ill. [Ref: b1652] {30 Oct 1971}

Fabricius, Johann Christian;

- b. 7 Jan 1745 (Tønder, Duchy of Slesvig), d. 3 Mar 1808 (Kiel). [Ref: b5076; b0717; b0718]
- b1653 1775 Systema Entomologiae, sistens Insectorum classes, ordines, genera, species, adjectis synonymis, locis, descriptionibus, observationibus. Flensburg and Leipzig, Library Kortii 8vo :[i-xxx]+832 pp. On Official List of Works Approved as Available for Zoological Nomenclature (#34). [Ref: b3886 :414; b3256 :80-81; b2529] {[17 Apr] 1775}
- b1654 1777 Genera Insectorum eorumque Characteres naturales secundum Numerum, Figuram, Situm et Proportionem omnium Partium Oris adjecta Mantissa Specierum muper detectarum. Chilonii (=Cologne), Barsh :[xvi]+310 pp (8vo). Very rare. The Mantissa occupies pp 209-310. [Ref: b4994 (#164, 190)]

Fabricius, Johann Christian; (continued)

- b1655 1781-1782 Species Insectorum exhibentes eorum differentias specificas, synonyma auctorum, loca natalia, metamorphosin adjectis observationibus descriptionibus. Hamburg and Cologne, Karl E. Bohn 8vo 2 volumes. 1:1-552 (1781); 2:1-494 (1781); Appendix:495-514 [1782], Index:515-517 [1782]. [Ref: b3886 (:414); b3256 (81-82); b2303] {1781-[1782]}
- b1656 1787 Mantissa Insectorum sistens eorum species nuper detectas adjectis characteribus genericis, differentis specificis, emendationibus, observationibus. Copenhagen, Christ. Gotl. Proft 8vo 1:xxx+348 pp; 2:[2]+382 pp. [Ref: b3256 :82]
- b1657 1792-1799 Entomologia systematica emedata et aucta, secundum classes, ordines, genera, species, adjectis synonymis, locis, observationibus, descriptionibus. Copenhagen, C. G. Proft. 8vo 4 volumes + supplement. The bits dealing with *Rhopalocera* are: 3(1): [vii] + 488 pp, 1793; Suppl.: [iv] + 572 pp, 1798; Index to Vols. 1-4, 175 pp, 1796; Index to Suppl., 52 pp, 1799. [Ref: b3256 :82] {1792-1799}
- b1658 1807 Systema Glossatorum. In Illiger, Die neueste Gattungs-Eintheilung der Schmetterlinge aus den Linnéischen Gattungen Papilio und Sphinx. Mag. f. Insekten. (Illiger) 6:279-289 (in :277-295). This work is on the Official List of Works approved as Available for Zoological Nomenclature (#14). Moulds, 1977, gives some notes on this work. Some authors mistakenly attribute the new names to Illiger, and one author when so far as to refer to Illiger as a "notorious plagiarist". In fact, Illiger was careful to give credit to Fabricius. [Ref: b1924; b2020; b2262; b3256; b1041; b1064]

Fallie, L.;

- b1659 1971 Captures intéressantes à Coustouges (Pyr.-Or.) [Lycaenidae, Zygaenidae]. Alexanor 7(2):88. {24 Jun 1971}

Fallou, M. J.;

- b1660 1865 Note sur une Variété locale de Lépidoptère Rhopalocère observée dans le valais en 1863 et 1864. Le Polyommatus Bdv. virgureae L. variété zermattensis Fal. Anns Soc. ent. Fr. 4(5)[=34]:101-102.

Farquharson, C. O.;

- b1661 1922 Five years observations (1917-1918) on the bionomics of southern Nigerian Insects, chiefly directed to the investigation of Lycaenid Life-histories and to the relationship of Lycaenidae, Diptera and other insects to ants. Trans. ent. Soc. Lond. 69(3/4):319-531, 19 pls, 3 f. The paper includes an introduction and notes on Farquharson's life by E. B. Poulton (325-337), and a systematic and descriptive appendix by various authors (449-531). {[28] Jan 1922}

Fassl, Anton Heinrich;

- b. 1876, d. 1922. Collection to Naturhistorisches Museum, Baste. [Ref: b0717; b0718]
- b1662 1912 *Thecla episcopalis* nov. spec. Revue mens. Soc. ent. namur. 12(4):42-43.
- b1663 1915 Die vertikale Verbreitung der Lepidopteren in der Columbischen West-Cordillere Ost-Columbien und die Llanos. Ent. Rundsch. 32:9-12, 33-35, 39-41, 43-45, 49-50, 55-59, 63-65, 67-68.
- b1664 1918 Die vertikale Verbreitung der Lepidopteren in der columbischen Ost-Cordillere. Ent. Rundsch. 35(1):1-4 (15 Jan); (8):30-31 (15 Aug); (11):44 (15 Nov); (12):48-50 (15 Dec). {15 Jan 1918}
- b1665 1922 Neue Schmetterlingsformen aus Brasilien. Ent. Zeit. 36(10):38-39, (11):42-43, (12):45-46. {26 Aug 1922}

Faulkner, David K.; Brown, John W.;

- b1666 1993 The Hermes Copper, *Lycaena hermes* (Edwards). In: T. R. New (editor), Conservation Biology of Lycaenidae (Butterflies). Occ. Pap. IUCN Species Survival Comm. No. 8:120-121.

Fauvel, Charles Adolphe Albert;

- b. 27 Oct 1840 (Caen, France); d. 1921. [Ref: b1946; b3321]

Fauvel, Charles Adolphe Albert; (continued)

b1667 1862 Catalogue des insectes recueillis à la Guyane française, par M. E. Déplanche, chirurgien auxiliaire de la marine impériale pendant la campagne de l'avisoir à vapeur Le Rapide, années 1854-55-56. Bull. Soc. linn. Normandie 6:128-145.

Favre, Caenoine Émile;

b1668 1897 [Descriptions]. In Favre & Wullschlegel, [q.v.]. Mitt. schweiz. ent. Ges. 10(1):34-36. [See also: b1670] [Nov 1897]

b1669 1903 Supplément à la Faune des Macrolépidoptères du Valais. * :4 pp. This may have been published by Mitt. schweiz. ent. Ges. as a supplement.

Favre, Caenoine Émile; Wullschlegel, Arnold;

b1670 1897 Note sur *Melitaea Berisalis* olim *berisali* Rühl. Mitt. schweiz. ent. Ges. 10(1):34-36. [Nov 1897]

b1671 1899 Faune des Macro-Lépidoptères du Valais et des régions limitrophes. Schaffhausen, Typ. Bolli & Büchner xvi + 318 pp (8vo).

Fawcett, J. Malcolm;

b1672 1897 On new species of Rhopalocera from Toungoo, Burma, and the Battack Mountains in Sumatra. Ann. Mag. nat. Hist. (6)20:111-113. [Jul 1897]

b1673 1904 On some New and Little-known Butterflies, mainly from high elevations in the N. E. Himalayas. Proc. zool. Soc. Lond. 1904(III):134-141, pl. 9. [1 Oct 1904]

Fazekas, Imre;

b1674 1984 *Iolana iolas obscuriolas* Betti, 1977 (Lycaenidae) a synonym of *I. iolas iolas* Ochsenheimer, 1816. Nota lepid. 7(1):21-26.

Fazekas, Imre; Balazs, Tibor;

b1675 1979 Taxonomische, ökologische und faunistische Überprüfung des *Palaeochrysophanus hippothoe sumadiensis* Szabó 1956 (Lep.: Lycaenidae). Ent. Zeit. 89(20):230-236, 4 f. [15 Oct 1979]

Felder, Cajetan von;

b. 19 Sep 1814 (Wien); d. 30 Nov 1894 (same). [Ref: b3321]

b1676 1860 Lepidopterorum Amboinensium a Dre. L. Doleschall annis 1856-1858 collectorum species novae diagnosis collustrate. (1) Rhopalocera. In G. R. von Frauenfeld, Diagnosen einiger neuer Insecten und Untersuchung mehrerer Sandproben verschiedener Küstenpunkte, gesammelt während der Reise Sr. Maj. Fregatte Novara. Sber. Akad. Wiss. Wien 40(11):(447,448-462. Part (2) Heterocera, and (3) Addenda, came at 43(1):(25), 26-44 (1861). A separate was issued in 1864, and forms part of a collection of Felder papers titled *Diagnoses Lepidopterologicae*. See Moulds, 1977. [See also: b1691 (2(1):1-16, (2):17-35,36)] [Ref: b1037; b3256; b1051]

b1677 1862 Verzeichniss der von den Naturforschern der k. k. Fregatte "Novara" gesammelten Macrolépidopteren. Verh. zool.-bot. Ges. Wien 12:473-496. [See also: b1691 (7(1):1-24)] [Ref: b3256; b1051]

Felder, Cajetan von; Felder, Rudolf;

b1678 1859 Lepidopterologische Fragmente. Wien. ent. Monats. 3(6):178-186, pl 3,4. [See also: b1682] [Ref: b1051] [Jun 1859]

b1679 1859 Lepidopterologische Fragmente. II. Wien. ent. Monats. 3(9):263-273, pl 5. [See also: b1682] [Ref: b1051] [Sep 1859]

b1680 1859 Lepidopterologische Fragmente. III. Wien. ent. Monats. 3(11):321-328, pl 6. [See also: b1682] [Ref: b1051] [Nov 1859]

b1681 1860 Lepidopterologische Fragmente. VI. Wien. ent. Monats. 4(8):225-251, pl 3,4. [See also: b1682] [Ref: b1051] [Aug 1860]

Felder, Cajetan von; Felder, Rudolf; (continued)

b1682 1860 Lepidopterologisch Fragmente. "1859" Vienna :[1,2] tp [3], 4-68, pls 1-11 (colored or plain) (4to). A compilation of papers so entitled, from Wien. ent. Monatschr. The new collation for the six papers is as follows: I:3-8, pl 3,4; II:9-16, pl 5; III:17-22, pl 6; IV:23-35,36, pl 7,9; V:37-48, pl 1,2; VI:49-68, pl 10,11. [CFC, pc]. [Ref: b1051]

b1683 1860 Lepidoptera nova in paeninsula Malayica collecta diagnosisibus instructa. Wien. ent. Monats. 4(12):394-402. [See also: b1691 (3:1-8)] [Ref: b1051] [Dec 1860]

b1684 1861 Lepidoptera nova Columbiae, diagnosisibus collustrata. Wien. ent. Monats. 5(3):72-87; (4)97-111 (Apr); 6(12):409-427 (Dec 1862). [See also: b1691 (4(1)a:1-16, (1)b:16-30, (2):31-49)] [Ref: b0527; b1051] [Mar 1861]

b1685 1861 Lepidoptera nova a Dre. Carolo Semper in insulis Philippinis collecta diagnosisibus. Wien. ent. Monats. 5(10):297-306. [See also: b1691 (1(1):1-10)] [Ref: b1051] [Oct 1861]

b1686 1862 Observationes de Lepidopteris nonnullis Chinae Centralis et Japoniae. Wien. ent. Monats. 6(1):22-32; (2):33-40 (Feb). [See also: b1691 (5(1):1-11, (2):12-19)] [Ref: b1051] [Jan 1862]

b1687 1862 Specimen faunae lepidopterologicae riparium fluminis Negro superioris in Brasilia Septentrionalis. Wien. ent. Monats. 6(3):65-80; (4):109-126 [Apr]; (6):175-192 [Jun]; (7):229-235 [Jul]. [See also: b1691 (6(1):1-16, (2):17-35, (3):33-50, (4):51-56)] [Ref: b1051] [May 1862]

b1688 1862 Lepidoptera nova a Dre. Carolo Semper in insulis Philippinis collecta. Series secunda. Wien. ent. Monats. 6(9):282-294. [See also: b1691 (1(2):11-24)] [Ref: b1051] [Sep 1862]

b1689 1862 Lepidoptera nova Columbiae diagnosisibus collustrata. Wien. ent. Monats. 6(12):409-427. [Dec 1862]

b1690 1863 Lepidoptera nova a Dr. Carolo Semper in insulis Philippinis collecta diagnosisibus exposuerunt. Wien. ent. Monats. 7(4):105-127. [See also: b1691 (1(3):25-28)] [Ref: b1051] [Apr 1863]

b1691 1864 Diagnoses Lepidopterologicae. Vienna (1):48 pp; (2):36 pp; (3):8 pp; (4):49 pp; (5):19 pp; (6):56 pp; (7):24 pp. A compilation of seven papers from three journals. Original text was rearranged, and occasionally changed. The only butterfly name altered was *Erycina laodomia* to *E. laodamia*. [CFC, pc]. [See also: b1685; b1688; b1690; b1676; b1683; b1684; b1686 b1687; b1677] [Ref: b1051; b1053]

b1692 1865-1875 Rhopalocera. In Reise der Österreichischen Fregatte "Novara" um die Erde in den Jahren 1857, 1858, 1859 unter den Befehlen Commodore B. von Wüllerstorff-Urbair. Zoologischer Theil. Zweiter Band: Abtheilung. Vienna :vi+548+[1] pp in 5 parts, 140 pls (1):1-136, pls 1-21 [Jan 1865]; (2):137-378, pls 22-47 [Dec 1865]; (3):379-536, pls 48-74 [Apr 1867]; (4):1-10, pls 75-107 [1875] [or 1874] [moths]; (5):1-20, pls 108-140 [1875] [moths]. The plates were issued plain or colored, and volumes with colored plates are quite rare. Sets with plain plates were issued promptly; sets with colored plates took time. Some species names used in the Reise were first proposed in the *Verhandlung* and some in the *Wein. ent. Monats.* (4) was by R. Felder alone, and (5) was by R. Felder and Rogenhofer. [FMB, pc]. [CFC, pc]. [Ref: b3256; b2303; b1041; b0527; b1051; b2371] [1865-1875]

Felder, Rudolf;

b. 2 May 1842 (Wien); d. 29 Mar 1871 (same). Some types are in the BMNH, some are lost. [Ref: b0718 (as Rudolph); b3321]

b1693 1868 Diagnosen neuer von E. Baron v. Ransonnet in Vorder-Indien gesammelter Lepidopteren. Verh. zool.-bot. Ges. Wien 18:281-286.

b1694 1869 Diagnosen neuer von dem k. k. Oberlieutenant H. V. Hedemann in Mexico in Jahren 1865-1867 gesammelten Lepidopteren. Verh. zool.-bot. Ges. Wien 19:465-480.

Felt, Ephraim Porter;

b. 7 Jan 1868 (Salem, Massachusetts). [Ref: b3321]

b1695 1906 Insects affecting park and woodland trees. Mem. N. Y. St. Mus. nat. Hist. 8:1-877, 50 pls (4to).

Fenton, Montague;

b1696 1882 [Descriptions of Japanese Butterflies]. In Butler, (q.v.). Proc. zool. Soc. Lond. 1881(4):851-855. [See also: b0620] [Apr 1882]

Fereday, Richard William;

b. 1819; d. 30 Aug 1899 (Christchurch, New Zealand). [Ref: b0718]

b1697 1877 Brief observations on the genus *Chrysophanus*, as represented in New Zealand. Trans. Proc. New Zealand Inst. 9(1876):460-463. [1877]

b1698 1878 Supplementary Description of Species or Varieties of *Chrysophani* (Lepidoptera Rhopalocera) inhabiting New Zealand. Trans. Proc. New Zealand Inst. 10(1877):252-259, pl 8. [1878]

Ferguson, D. J.;

b1699 1983 *Ogyris amaryllis amata* Waterhouse (Lepidoptera: Lycaenidae) tended by *Camponotus* ants. Aust. ent. Mag. 10(4):58. (Sep 1983)

Fernald, Charles Henry;

b. 16 Mar 1838 (Fernald's Point, Mount Deserts Islands, Maine); d. 22 Feb 1921 (Amherst, Mass.). [Ref: b0718; b3321]

b1700 1884 The Butterflies of Maine. Annual Report of the Trustees, President, Farm Superintendent and Treasurer of the State College of Agriculture and the Mechanic Arts (Maine), 1883, Appendix, pages [3]-106, f 1-35

b1701 1905 On the dates of Jacob Hübner's Sammlung europäischer Schmetterlinge and some of his other Works. Amherst, Massachusetts :- (May 1905)

Fernandez Vidal, E. H.;

b1702 1984 Notas lepidopterológicas del noroeste península. 5. Revta Lep. 12(3):248-252, il.

b1703 1991 Notas lepidopterológicas del noroeste peninsular (10) Una nueva subespecie gallega de *Aricia morronensis* (Ribbe, 1910). (Lepidoptera: Lycaenidae). Revta Lep. 19(75):197-204, il.

Fernández-Rubio, Fidel; Gómez Bustillo, Miguel R.;

b1704 1973 Dos nuevas sub-especies españolas de *Maculinea iolas* (Oscsenheimer, 1816) (Lep. Lycaenidae). Cuadernos Cienc. Biol. 2(2):77-80, pl.

Fernández-Rubio, Fidel; Perez de Castro, Emilio de Castro;

b1705 1974 Nueva tribu de la familia Lycaenidae. Archos Inst. Acim. 19:57-58, 4 pls.

Fernandez, R. P. Ambrosio;

b. 1882, d. 17 Apr 1953 (Madrid). [Ref: b1946; b0012]

b1706 1928 Mariposas nuevas de España y América. Religión y Cultura 3:204-218, 1 pl.

Ferris, Clifford D.;

b1707 1970 A new subspecies of *Plebejus (Icaricia) shasta* from Wyoming (Lepidoptera: Lycaenidae). Ent. News 81(8):203-207, 2 f. [22 Oct 1970]

b1708 1970 Two new forms of *Plebejinae* from Wyoming. J. Res. Lep. 8(3):91-93, 1 f. [21 Dec 1970]

b1709 1971 A Key to the Rhopalocera Butterflies of Wyoming. Agriculture Experiment Station University of Wyoming, Science Monograph 21:64 pp, 3 f, 8 pls. [Jan 1971]

b1710 1974 Distribution of arctic-alpine *Lycaena phlaea* L. (Lycaenidae) in North America with designation of a new subspecies. Bull. Allyn Mus. No. 18:1-13, 17 f. [22 Jul 1974]

b1711 1976 A checklist of the butterflies of Grant County, New Mexico and vicinity. J. Lep. Soc. 30(1):38-49, 2 f. [22 Apr 1976]

Ferris, Clifford D.; (continued)

b1712 1976 Range extension of *Callophrys fotis*, *C. polios*, *Colias alexandra* and *Erebia callias* (Lycaenidae, Pieridae and Satyridae). J. Lep. Soc. 30(1):68. [22 Apr 1976]

b1713 1976 Revisionary Notes on *Plebejus (Icaricia) shasta* (Edwards). Bull. Allyn Mus. No. 36:1-16, 39 f. [28 May 1976]

b1714 1977 Taxonomic revision of the species *dorcas* Kirby and *heloides* Boisduval in the Genus *Epidemia* Scudder (Lycaenidae: Lycaeninae). Bull. Allyn Mus. No. 45:1-42, 88 f. [22 Nov 1977]

b1715 1980 Field Notes on Two Hairstreaks from New Mexico with Description of a New Subspecies (Lycaenidae). J. Lep. Soc. 34(2):217-223, 14 f. [Ref: b0113 (#915)] [23 Sep 1980]

b1716 1982 Revision of North American *Colias hecla* (Pieridae: Coliadinae). Bull. Allyn Mus. No. 71:1-19, 69 f. [Ref: b0426] [10 Jun 1982]

b1717 1983 Book Review: A Catalogue/Checklist of the Butterflies of America North of Mexico. Florida Entomologist 66(3):366-370. [Sep 1983]

b1718 1983 Polymorphism in *Satyrrium calanus* (Huebner) from Wyoming and Colorado (Lepidoptera: Lycaenidae: Theclinae). J. Res. Lep. 21(3):188-193. [15 Oct 1983]

b1719 1983 [Miller & Brown checklist]. News Lep. Soc. 1983(5):65.

b1720 1985 A new subspecies of *Apodemia hypoglaucia* (Godman & Salvin) from the Yucatan Peninsula (Lycaenidae: Riodininae). Bull. Allyn Mus. No. 94:1-7, 11 f. [10 May 1985]

b1721 1985 Revision of *Colias boothii* Curtis, *Colias thula* Hovanitz and *Colias nastes* Boisduval in North America (Pieridae: Coliadinae). Bull. Allyn Mus. No. 96:51 pp, 130 f. [12 Jul 1985]

Ferris, Clifford D.; (editor)

b1722 1989 Supplement to: A Catalogue/Checklist of the Butterflies of America North of Mexico. Mem. Lep. Soc. No. 3:vii+103 pp.

Ferris, Clifford D.; Brown, Frederick Martin;

b1723 1981 Butterflies of the Rocky Mountain States. Oklahoma, University Oklahoma Press :442 pp, 4 cpl, many figures. Contributors included Donald Eff, Scott Ellis, Michael Fisher, Lee D. Miller, James Scott and Raymond E. Stanford. [Ref: b0529]

Ferris, Clifford D.; dos Passos, Cyril Franklin; Ebner, James A.; Lafontaine, J. Donald;

b1724 1983 An annotated list of the butterflies (Lepidoptera) of the Yukon Territory, Canada. Can. Ent. 115(7):823-840. [Jul 1983]

Ferris, Clifford D.; Emmel, John F.;

b1725 1982 Discussion of *Papilio coloro* W. G. Wright (equals *Papilio rudkini* F. & R. Chermock) and *Papilio polyxenes* Fabricius (Papilionidae). Bull. Allyn Mus. No. 76:13 pp, 33 f. [15 Oct 1982]

Ferris, Clifford D.; Fisher, Michael S.;

b1726 1973 *Callophrys (Incisalia) polios* (Lycaenidae): Distribution in North America and Description of a New Subspecies. J. Lep. Soc. 27(2):112-118, 2 f. [16 May 1973]

Fiedler, Aug.;

b1727 1926 Eine Abart von *Chrysophanus hippothoe* L. Int. ent. Z. 20(7):59-60. [Ref: b0524] [15 May 1926]

Fiedler, K.;

b1728 1992 Notes on the biology of *Hypolycaena othona* (Lepidoptera: Lycaenidae) in west Malaysia. Nachr. ent. Ver. Apollo (nf)13(2):65-92.

b1729 1992 The life-history of *Surendra florimel* Doherty 1889 (Lepidoptera: Lycaenidae) in west Malaysia. [In German]. Nachr. ent. Ver. Apollo (nf)13(2a):212.

Fiedler, Konrad;

- b1730 1991 European and North West African Lycaenidae (Lepidoptera) and their associations with ants. J. Res. Lep. 28(4):239-257, 2 tbl. {15 Sep 1991}

Field, William Dewitt;

- b. 3 Dec 1914 (Lawrence, Kansas); d. 20 Feb 1992 (Falls Church, Virginia). [Ref: b1800]
- b1731 1936 Three New Butterfly Races (Lepid.: Nymphalidae, Lycaenidae). Ent. News 47(5):121-124. {[8] May 1936}
- b1732 1936 New North American Rhopalocera. J. Ent. Zool. 28(2):17-26. {Jun 1936}
- b1733 1938 Variation in *Habrodais grunus* (Boisduval) (Lepid.: Lycaenidae). Bull. S. Calif. Acad. Sci. 37(1):23-29. {30 Apr 1938}
- b1734 1938 A New Race of *Lycaena mariposa* (Reakirt) (Lepid.: Lycaenidae). Pan-Pac. Ent. 14(3):142-143. {[19 Aug] 1938}
- b1735 1938 New Forms and Subspecies of North American Libytheidae and Lycaenidae. J. Kansas ent. Soc. 11(4):124-133. {Oct 1938}
- b1736 1939 A New Species of *Plebejus Kluk* from Idaho (Lepidoptera: Lycaenidae). J. Kansas ent. Soc. 12(4):135-136. {Oct 1939}
- b1737 1967 Preliminary Revision of Butterflies of the Genus *Calycopis* Scudder (Lycaenidae: Theclinae). Proc. U. S. natn. Mus. 119(3552):1-48, 126 f. {1 Feb 1967}
- b1738 1967 Butterflies of the new genus *Calystryma* (Lycaenidae: Theclinae: Strymonini). Proc. U. S. natn. Mus. 123(3611):1-31, 23 f. {9 Aug 1967}

Field, William Dewitt; dos Passos, Cyril F.; Masters, John H.;

- b1739 1974 A Bibliography of the Catalogs, Lists, Faunal and Other Papers of the Butterflies of North America North of Mexico Arranged by State and Province (Lepidoptera: Rhopalocera). Smithsonian Contr. Zool. (105):104 pp.

Finkelstein, Irving L.;

- b1740 1980 *Callophrys (Mioura) hesseli* (Lycaenidae) in Georgia: a state record. J. Lep. Soc. 34(2):100. {23 Sep 1980}

Fiori, G.;

- b1741 1958 "*Strymon ilicis*" Esp. (Lep. Lyc.). Boll. Istit. ent. Univ. Bologna 22(1957):205-256.

Fischer von Waldheim, Gotthelf;

- b. 15 Oct 1771 (Waldheim in Sachsen); d. 18 Oct 1853 (Moscow). [Ref: b0717; b0718; b3321]
- b1742 1832 Lepidopterorum rariorum Russiae observationes quinque. Mém. Soc. imp. nat. Moscou 8:355-360, 2 pls.

Fisher, Michael S.;

- b1743 1981 Papilioninae, Riodinidae, Polyommatainae, Theclinae. In Ferris & Brown, Butterflies of the Rockies Mountain States, [q.v.]. [See also: b1723]

Fisher, R. H.;

- b1744 1985 Butterflies (Lepidoptera: Hesperioidea, Papilionoidea) of Kangaroo Island, South Australia. Aust. ent. Mag. 12(1):1-8. {Mar 1985}

Fixsen, C.;

- b1745 1887 Lepidoptera aus Korea. In Romanoff, Mém. Lép. 3:233-356, pls 13-15, 1 map.

Fletcher, D. S.; Nye, I. W. B.;

- b1746 1982 The Generic Names of Moths of the World. Volume 4. Bombycoidea, Castnioidea, Cossioidea, Mimallonoidea, Sesiioidea, Sphingoidea and Zygaenoidea. London, BMNH :xiv + 192 pp.

Fletcher, James;

- b. 28 Mar 1852 (Kent, England); d. 8 Sep 1908 (Montreal). [Ref: b0717; b0718]

Fletcher, James; (continued)

- b1747 1884 *Thecla nippon*. Can. Ent. 16(5):92-94. {[29 Jul] 1884}
- b1748 1904 Descriptions of Some New Species and Varieties of Canadian Butterflies. Can. Ent. 36(5):121-130, 2 f, 1 pl. {7 May 1904}
- b1749 1904 Descriptions of some new species and varieties of Canadian Butterflies. Trans. R. Soc. Can. 9(4):207-216, 1 pl. {[1904]}
- Fletcher, Thomas Bainbrigge;**
b. 1878, d. 1950.
b1750 1939 The dates of publication of Tut's British Lepidoptera J. Soc. Bibl. nat. Hist. 1(7):198. {Feb 1939}

Foljambe, Godfrey A.;

- b1751 1913 *Callophrys avis* in South France. Entomologist 46:89-91.

Fonteneau, J.-M.;

- b1752 1971 Note sur les Rhopalocères des îles Canaries et de l'île de Madère. Alexanor 7(2):81-87. {24 Jun 1971}

Foote, W. F.;

- b1753 1896 Aromatic Butterflies. Ent. News 7(7):193-194. {[27 Aug] 1896}

Forbes, William Trowbridge Merrifield;

- b. 1886, d. 1968.
b1754 1960 Lepidoptera of New York and Neighboring States. Part IV. Agaristidae through Nymphalidae Including Butterflies. Cornell Univ. Agric. exp. Sta. Memoir 371 :188 pp. {Sep 1960}

Forbes, Wyndham;

- b1755 1929 Spain in the Spring of 1928. Ent. Rec. 41(1):9-11. [Ref: b0524] {15 Jan 1929}
- b1756 1929 A new race of *Thestor ballus*. Entomologist 62:26.

Ford, Edmund Brisco;

- b. 23 Apr 1901.
b1757 1924 The geographical races of *Heodes phlaeas*, L. Trans. ent. Soc. Lond. 71(3/4):692-743, 1 pl. {[15] Apr 1924}

Forster, Walter;

- b1758 1936 Beitrag zu Systematik des Tribus Lycaenini unter besonderer Berücksichtigung der *argyrognomon* und der *argus*-Gruppe. Mitt. münchn. ent. Ges. 26:41-150, 15 pls, 7 f.
- b1759 1937 Liste der von H. und E. Kotszsch im Hindukusch erbeuteten Lycaeniden. Mitt. münchn. ent. Ges. 27:57-64, pls 4,5.
- b1760 1937 *Lycaena (Aricia) canariensis* Blach. Mitt. münchn. ent. Ges. 27:65-66.
- b1761 1938 Die *Lycaena pylaon* gruppe. Ent. Rundsch. 55:213-219, 236-239, 334-337, 361-364, 417-420, 485-490.
- b1762 1938 Das system der palaarktischen Polyommataini (Lep. Lycaenidae). Mitt. münchn. ent. Ges. 28:97-118.
- b1763 1939 Lepidopteren aus Iran. In: Danish Scientific Investigations in Iran. Part 1. Copenhagen 1:1-7.
- b1764 1940 Neue Lycaeniden-Formen aus China. I. Mitt. münchn. ent. Ges. 30(3):870-883, 1 tf, pls 22-24. [Ref: b1037]
- b1765 1941 Beiträge zur Kenntnis zentralasiatischer Lycaeniden. Deut. ent. Zeit. [Iris] 54:70-84, pls 2,3.
- b1766 1941 Neue Lycaeniden-Formen aus China. II. Mitt. münchn. ent. Ges. 31:593-627, 4 pls, 9 f. [Ref: b0524]
- b1767 1942 Neue Lycaeniden-Formen aus China. III. Mitt. münchn. ent. Ges. 32:579-580, 1 pl. [Ref: b0524]
- b1768 1951 Die Riodiniden der Ausbeuten Dr. Hönes aus China. Z. wien. ent. Ges. 36:62-66, 2 pls.
- b1769 1956 Bausteine zur Kenntnis der Gattung *Agrodiaetus* Scudder (Lepidoptera, Lycaenidae). I. Z. wien. ent. Ges. 41:42-61,70-89,118-127, 6 pls.

- Forster, Walter; (continued)**
b1770 1960 Einige neue Formen der Gattung *Agrodiaetus* Scudd. (Lep. Lycaen.). Ent. Zeit. 70(3):17-22. {1 Feb 1960}
b1771 1960 *Agrodiaetus rjabovi* sp. nov. Ent. Zeit. 70(14):157-158, 2 f. {15 Jul 1960}
b1772 1960 Bausteine zur Kenntnis der Gattung *Agrodiaetus* Scudder (Lepidoptera, Lycaenidae). II. Z. wien. ent. Ges. 45(7-10):105-142, pls 10-15. {1 Oct 1960}
b1773 1961 Rhopalocera, pp 138-150 in: Lobbichler, ed., Lepidoptera Deutschen Nepal-Expedition 1955. Veröff. zool. StSamml., Münch. 6:101-188, pl 14.
b1774 1961 Baustine zur Kenntnis der Gattung *Agrodiaetus* Scudder (Lepidoptera, Lycaenidae). II. (contd & end). Z. wien. ent. Ges. 46:8-13, 38-47, 74-79, 88-94, 110-116.
b1775 1965 *Agrodiaetus admetus agenjoi* ssp. nov. Ent. Zeit. 75(18):198-199. {15 Sep 1965}
b1776 1971 Leo Sheljuzhko 1890-1969. NachrBl. bayer. Ent. 20(5):81-85. {15 Oct 1971}
b1777 1972 Neubeschreibung einiger Lycaeniden (Lep.) aus Afghanistan. Ent. Zeit. 82(20):225-235, 14 f. {15 Oct 1972}
b1778 1973 *Agrodiaetus afghanica* n. sp., eine bisher unbekannte Lycaeniden-Art aus Afghanistan (Lep.). Ent. Zeit. 83(18):209-211, 2 pl. {17 Sep 1973}
b1779 1980 Einige neue Tagfalterformen aus Nepal (Lepidoptera, Rhopalocera). Spixiana 3(1):1-9. [Ref: b1610 (6672-E12); b0113 (#949)]
- Forster, Walter; Wohlfahrt, Theodor A.;**
b1780 1955 Die Schmetterlinge Mitteleuropas. Volume 2. Tagfalter. Diurna (Rhopalocera und Hesperidae). Germany; Stuttgart, Franckh'sche Verlagshandlung 2+v+126 pp, pls 1-28. A second edition came in 1976.
- Foulquier, Gédéon;**
b1781 1923 [Catalogue of the Lepidoptera of France]. Amat. Pap. :95+. I have been unable to find any additional information about this catalogue.
- Fourcroy, Antoine François de;**
b. 15 Jun 1755 (Paris); d. 16 Dec 1809 (Paris). [Ref: b1057]
b1782 1785 Entomologia parisiensis, sive catalogus Insectorum, quae in argo parisiensi reperiuntur; secundum methodum Geoffraeanam in sectiones, genera et species. Paris 12mo 2 volumes:vii + 1-231,233-544 pp. The new species were described by Geoffroy. [Ref: b0532; b2115 (1:246)]
- Fox, Charles Louis;**
b. 1869, d. 1928. [Ref: b0718]
b1783 1924 A New Lycaenid (Lep.) from the Pacific Coast. Ent. News 35(4):140-141. {[2] Apr 1924}
- Fox, Richard Middleton;**
b. 1911, d. 1967.
- Fox, Richard Middleton; Lindsey, Arthur Ward, Jr.; Clench, Harry Kendon; Müller, Lee Denmar;**
b1784 1965 The Butterflies of Liberia. Mem. amer. ent. Soc. 19:[4]+ii+438 pp, 233 f, 2 tpls, 3 maps. {17 Feb 1965}
- Fredler, K.;**
b1785 1991 Systematic, evolutionary, and ecological implication of myrmecophily within the Lycaenidae (Insecta: Lepidoptera: Papilionoidea). Bonn. Zool. Monogr. No. 31:210 pp.
- Freeman, Hugh Avery;**
b. 7 Oct 1912 (Conway, Arkansas). Collection to AMNH. The collection contained the types, most of which were recorded as having been deposited elsewhere in the original descriptions. [Ref: b4217]
b1786 1950 A new species of hairstreak and new records for the United States (Lepidoptera, Rhopalocera, Lycaenidae). Field & Lab. 18(1):12-15. {Jan 1950}
- Freeman, Hugh Avery; (continued)**
b1787 1964 A new species of *Apodemia* from Texas (Riodinidae). J. Lep. Soc. 18(2):75-77, 1 pl. {28 Aug 1964}
- Freeman, Richard Brook;**
b1788 1980 British Natural History Books: 1495-1900. A Handlist. Hamden, Conn., Dawson, London & Archer Books :437 pp. [Ref: b1053]
- Freeman, Thomas Nesbitt;**
b. 16 Oct 1911 (Saskatoon, Saskatchewan, Canada), d. May 1975 (Ottawa, Ontario, Canada).
b1789 1938 A new race of *Plebeius scudderi* from Cape Breton Island (Lepid. Lycaenidae). Can. Ent. 70(3):61-63, 2 f. {2 Apr 1938}
b1790 1938 A New Race of *Incisalia nippon* Hbn. with Notes on *Strymon acadica* Edw. (Lepid. Lycaenidae). Can. Ent. 70(12):246-248. {31 Dec 1938}
b1791 1939 Notes on the Distribution of *Plebeius aquilo* Bdv., with the Description of a New Race from Manitoba (Lepid. Lycaenidae). Can. Ent. 71(8):178-180, 1 map. {31 Aug 1939}
- French, George Hazen;**
b. 19 Mar 1841 (Meager Hills, New York); d. 1 Jan 1935 (Carbondale, Illinois). [Ref: b0717; b0718]
b1792 1886 The butterflies of the eastern United States. For the use of classes in Zoology and private students. Philadelphia, Lippincott :402 pp, ill. There were a number of later editions.
- Frey, H.;**
b1793 1882 Nachtig zur Lepidopteren-Fauna der Schweiz. Mitt. schweiz. ent. Ges. 6(7):349-375. {Jun 1882}
- Freyer, C. F.;**
b1794 1828-1830 Beiträge zur Geschichte europäischer Schmetterlinge mit Abbildungen nach der Natur. Nürnberg, Rieger 16mo 3 volumes in 24 parts 1:164 pp, 48 pls (1828); 2:166 pp, 48 pls (1829); 3:168 pp, 48 pls (1830). First 6 Hefte also under the title: Beiträge aus dem Taschenbuch meiner europäischen Schmetterlinge. {1828-1830}
b1795 1831-1858 Neuere Beiträge zur Schmetterlingskunde mit Abbildungen nach der Natur. Augsburg, Rieger 4to 7 volumes, 120 parts, 700 cpl. 1(1-16):182 pp, 96 cpl (1831-33); 2(17-32):162 pp, 96 cpl (1833-36); 3(33-48):134 pp, 96 cpl (1836-39); 4(49-64):167 pp, 96 cpl (1839-42); 5(65-80):166 pp, 96 cpl (1842-45); 6(81-100):195 pp, 120 cpl (1846-52); 7(101-120):178 pp, 100 cpl (1858). The work is the subject of Opinion 134, ICZN, and is on the Official List of Works approved as Available for Zoological Nomenclature (#12). [Ref: b2303; b2511; b2523; ns02366] {1831-1858}
- Fritsch, W.;**
b1796 1910 *Lycaena icarus* Rott. (female) forma nova *biarcuata*. Berl. ent. Z. 54(3/4):233-234. {[Feb 1910]}
b1797 1912 Neue Spielarten. Ent. Rundsch. 29(21):135-137.
b1798 1921 *Lycaena icarus* Rott. *albolimbata* (female) ab. nova Baumann. Mitt. münchn. ent. Ges. 11(8):44, f. {Aug 1921}
- Frivaldszky von Frivald, Eméric;**
b. 1799, d. 1870. Also seen as *Emeric*. [Ref: b0718]
b1799 1835 Kocz lések a Balkány vidékén tett termés zedomány ut azásrd in à Magyar tudós Társaság, évkönyvei-Mádosi Koeter. [Catalog der Coleoptera, Lepidoptera, u. Conchylien des Balkan. In den Annalen der ungr. Akademie, 1835]. Budán 4to :235-276. Also seen as *Magy. Ac. Tars. Evkönyv*.
- Froeschner, Richard C.;**
b1800 1993 Obituary: William Dewitt Field. J. Lep. Soc. 47(2):172-176. {16 Jun 1993}
- Frohawk, Frederick William;**
b. 16 Jul 1861 (Brisley Hall, Norfolk); d. 10 Dec 1946 (Sutton, Surrey). [Ref: b0718]

Frohawke, Frederick William; (continued)

- b1801 1914 Life-history of *Lycaena sephyrus* var. *uhrski*. Ent. Rec. 26:15-17.
 b1802 1916 Further observations on the last stage of the larva of *Lycaena arion*. Trans. ent. Soc. Lond. 63(3/4):313-316. {2/ Jun 1916 }

Fruhstorfer, Hans;

- b. 7 Mar 1863 (Passau); d. 9 Apr 1922 (München). See Martin, 1922, for notes on his collection. The *Hesperiidae* and *Lycaenidae* were purchased by the BMNH. [Ref: b0717 (as Fruhstorfer); b0718; b3073; b2858; b3321]
 b1803 1893-1894 Neue Java-Rhopaloceren. Ent. Nachr. 19:257-259, 285-287, 314-316, 332-338, 20:19-24, 43-44, 300-302. {1893-1894 }
 b1804 1897 Neue Rhopaloceren aus dem malayischen Archipel. Soc. ent. 12(7):49-50. {1 Jul 1897 }
 b1805 1897 Liste javanischer Lepidopteren, gesammelt in den Jahren 1890-1893. Berl. ent. Z. 41(4):299-310. {[1897] }
 b1806 1897 Neue Rhopaloceren aus dem Malayischen Archipel. Berl. ent. Z. 42:113-118.
 b1807 1897 Neue Rhopaloceren aus dem Malayischen Archipel. Ent. Nachr. 23(4):59-64.
 b1808 1898 Neue Rhopaloceren aus dem Indo-malayischen Archipel. Berl. ent. Z. 42:311-344.
 b1809 1898 Neue Lepidopteren aus Asien. Berl. ent. Z. 43:175-199.
 b1810 1899 Eine neue Lycaenide aus Nias. Stett. ent. Ztg 59(9/10):266. {[Apr 1899] }
 b1811 1899 Eine neue Lycaenide aus Nias. Berl. ent. Z. 44(1-2):157. {Jul 1899 }
 b1812 1899 [Rhop. *Bazilana* . . . Doherty --]. Berl. ent. Z. 44:pl 2, f 1-6 and explanation [text in 45:1-38 (1900)]. The 2-page plate covered papers in both volumes, and the explanation leaf validates the 1900 names as of 1899.
 b1813 1899 Neue Rhopaloceren aus dem malayischen Archipel. Berl. ent. Z. 44(3/4):285-288, pl 2. {Dec 1899 }
 b1814 1900 Neue Rhopaloceren aus Nias. Stett. ent. Ztg 60(4):348-351. {Apr 1900 }
 b1815 1900 Rhopalocera *Bazilana*. Verzeichnis der von W. Doherty auf der Insel Bazilen gesammelten Tagfalter. Berl. ent. Z. 45(1):1-38 (plate in 44:pl 2).
 b1816 1903 Neue Pieriden und Uebersicht verwandter Formen. Berl. ent. Z. 48(1/2):97-111.
 b1817 1904 Verzeichnis der in Tonkin, Annam und Siam gesammelten Nemeobiinae und Libythaeinae und Besprechung verwandter Formen. Berl. ent. Z. 48(4):274-296. {[Jan 1904] }
 b1818 1904 Neue Lycaeniden. Deut. ent. Zeit. [Iris] 16(2):310-312. {20 Mar 1904 }
 b1819 1904 Neue Indo-Australische Lepidopteren. Deut. ent. Zeit. [Iris] 17(1):133-157. {5 Oct 1904 }
 b1820 1904 Beitrag zur Kenntnis der Rhopaloceren-Fauna der Insel Engano. Berl. ent. Z. 49:170-208, 2 pls.
 b1821 1905 Neue Lepidopteren von Bawaan und Nachbarinseln. Soc. ent. 20(1):2-4; (2):9-10. {1 Apr 1905; 15 Apr 1905 }
 b1822 1906 Neue Rhopaloceren. Ent. Zeit. 19(36):215-216. {15 Mar 1906 }
 b1823 1907 Verzeichnis des von Herrn Dr. Theodor Koch-Grünberg am abseren Waupes 1903-1905 gesammelten Rhopalocera mit Besprechung verwandter Arten. Stett. ent. Ztg 68(1):117-164; (2):207-309, 1 pl (Jul). {1 May 1907 }
 b1824 1907 Alte und neue Rassen von *Sithon jangala* Horsfield. Ent. Zeit. 21(23):144. {7 Sep 1907 }
 b1825 1907 Neue indo-australische Lycaeniden. Ent. Zeit. 21(24):150-151. {14 Sep 1907 }

Fruhstorfer, Hans; (continued)

- b1826 1907 Neue indo-australische Lycaeniden. Ent. Zeit. 21(25):156. {21 Sep 1907 }
 b1827 1907 Eine neue Lycaenide aus Kaiser-Wilhelmsland. Ent. Zeit. 21(26):162. {28 Sep 1907 }
 b1828 1908 Neue Lycaeniden. Soc. ent. 23(5):37-38. {1 Jun 1908 }
 b1829 1908 Lepidopterologisches Pêle-Mêle. I. Neue ostasiatische Rhopaloceren. Ent. Zeit. 22(12):48-49. {20 Jun 1908 }
 b1830 1908 Neue Lycaeniden. Int. ent. Z. 2(14):85-86, (15):91-92 (11 Jul), (16):99-100 (18 Jul). {4 Jul 1908 }
 b1831 1908 Neue Lycaeniden. Int. ent. Z. 2(15):91-92. {11 Jul 1908 }
 b1832 1908 Neues über die Gattung *Waigeun*. Int. ent. Z. 2(18):113. {1 Aug 1908 }
 b1833 1908 Neue Lycaeniden des Papua-Gebiets. Int. ent. Z. 2(18):114. {1 Aug 1908 }
 b1834 1908 Neue paläarktische Rhopaloceren-Rassen. Int. ent. Z. 2(29):194-195. {17 Oct 1908 }
 b1835 1908 Neue *Curetis* und Uebersicht der bekannten Arten. Stett. ent. Ztg 69:49-59.
 b1836 1909 Lepidopterologisches Pêle-Mêle. Neue Rhopaloceren von Formosa. Ent. Zeit. 23(8):40. {22 May 1909 }
 b1837 1909 Neue Palaearten. Int. ent. Z. 3(20):112-113; (21):120 (21 Aug). {14 Aug 1909 }
 b1838 1909 Lepidopterologisches Pêle-Mêle. Neues aus Formosa. Ent. Zeit. 23(25):116-117. {18 Sep 1909 }
 b1839 1909 Neue Rhopaloceren von Formosa. Soc. ent. 24(16):121. {15 Nov 1909 }
 b1840 1909-1923 Die Indo-Australische Tagfalter. [Parnassius, Pieridae to Lycaeninae (inclusive)]. In Seitz, Grossschmett. Erde 9:109-901. 9:109-112 (*Parnassius*); 9:119-190, pls 51-73 (*Pieridae*); 9:191-284, pls 74-86 (*Danaidae*); 9:285-401, pls 87-99 (*Satyridae*); 9:453-766, pls 107-138 (*Nymphalidae*); 9:767-798, pls 138-141 (*Erycinidae*); 9:803-823, 856-901, pls 62,141,142,145,147,152-154 (*Lycaenidae*). [See also: b4091] {1909-1923 }
 b1841 1910 Lepidoptere von de Vulkaninsel. Deut. ent. Zeit. [Iris] 24:55-57. {1 Mar 1910 }
 b1842 1910 Zwei neue Lycaeniden aus Formosa. Ent. Zeit. 23(49):219. {5 Mar 1910 }
 b1843 1910 Neue *Cyaniris* Rassen und Uebersicht der bekannten Arten. Stett. ent. Ztg 71(2):282-305. {10 Mar 1910 }
 b1844 1910 Neue Lycaeniden des palaearktischen Gebietes. Int. ent. Z. 4(10):55; (12):62-63 (18 Jun). {4 Jun 1910 }
 b1845 1910 Neue Lycaeniden des palaearktischen Gebiets. Soc. ent. 25(12):47-48. {10 Sep 1910 }
 b1846 1910 Neue palaearktische Rhopaloceren. Ent. Zeit. 24(26):144. {1 Oct 1910 }
 b1847 1910 Ein interessanter, weil für Java neuer. Ent. Zeit. 24(35):194-195. {3 Dec 1910 }
 b1848 1911 Neue palaearktische Rhopaloceren. Soc. ent. 25(24):95-96. {25 Feb 1911 }
 b1849 1912 Neue Nemeobiiden meiner Sammlung. Ent. Rundsch. 29(3):23-24. {10 Feb 1912 }
 b1850 1912 Uebersicht der Lycaeniden des Indo-Australischen Gebiets. Begründet auf die Ausbeute und die Sammlung des Autors. Berl. ent. Z. 56(3/4):197-272, 4 f. {[Apr 1912] }
 b1851 1913 Uebersicht der Gerydinae und Diagnosen neuer oder verkannter Formen (Lep., Lyc.). Z. wiss. Insektbiol. 9(9):242-247 (Sep), (10):307-310 (Oct), (11):341-344 (Nov), (12):367-371 (Dec). [Ref: b1037] {Sep 1913 }
 b1852 1913 Neue Indo-Australische Rhopaloceren. Deut. ent. Zeit. [Iris] 27(3):130-139. {14 Oct 1913 }
 b1853 1914 Neue *Arhopala* Rassen. Deut. ent. Zeit. [Iris] 27(4):155-166. {31 Jan 1914 }

Fruhstorfer, Hans; (continued)

- b1854 1914 Neue Lycaeniden. Deut. ent. Zeit. [Iris] 27(4):172-178. {31 Jan 1914}
- b1855 1914 Uebersicht der Gerydinae und Diagnosen neuer oder verkannter Formen (Lep., Lyc.). Z. wiss. InsektBiol. 10(1):20-25. {Jan 1914}
- b1856 1914 Eine neue Lycaenide von Luzon. Ent. Rundsch. 31(3):18. {7 Feb 1914}
- b1857 1914 Uebersicht der Gerydinae und Diagnosen neuer oder verkannter Formen (Lep., Lyc.). [continued from 1913]. Z. wiss. InsektBiol. 10(2):59-63. Continued from 1913. [Ref: b1037] {Feb 1914}
- b1858 1914 Neue Lycaenidae. Deut. ent. Zeit. [Iris] 28(1):33-35. {31 Mar 1914}
- b1859 1914 Neue *Arhopala* Rassen. Deut. ent. Zeit. [Iris] 28(2):121-137. {30 Jun 1914}
- b1860 1915 Neue Formen der Gattung *Luthrodes* und Uebersicht der bekannten Rassen auf Grund morphologischer Untersuchungen. Deut. ent. Zeit. [Iris] 29:47-50. Split between parts. The last pages came on 1 Oct. {10 May 1915}
- b1861 1915 Das männliche Copulationsorgan als Hilfsmittel zum Artnachweis in der Gattung *Catopoclima* Butl. (Lepidoptera, Lycaenidae). Z. wiss. InsektBiol. 11(7/8):220-222, 2 f. {Sep 1915}
- b1862 1915 Neue palaearktische Lycaeniden. Soc. ent. 30(11):63. {15 Oct 1915}
- b1863 1915 Neue Lycaenidenformen aus dem Rijksmuseum in Leiden. Zoöl. Meded. 1(2):141-148. {25 Oct 1915}
- b1864 1915 Uebersicht der Gerydinidae und Diagnosen neuer oder verkannter Formen (2). Z. wiss. InsektBiol. 11(9/10):267-269, 4 f. {Oct 1915}
- b1865 1915 Revision der Gattung *Lampides* auf Grund anatomischer Untersuchungen. Arch. Naturgesch. (A)81(6):1-46, 1 tf, 2 pls. Often dated 1916. {Nov 1915}
- b1866 1915 Neue Formen der Gattung *Thysonotis* und Aufzählung der bekannten Rassen aus Grund morphologischer Untersuchungen. Soc. ent. 30:39-40, 42-45, 49-52, 4 f.
- b1867 1915 Eine neue palaearktische Erycinide. Soc. ent. 30:61.
- b1868 1915 Neue palaearktische Lycaeniden. Soc. ent. 30:67-68.
- b1869 1915 Neue palaearktische Lycaeniden. Soc. ent. 30:73.
- b1870 1916 Neue Lokalrassen indischer Tagfalter. Ent. Rundsch. 33(5):24-25. {12 May 1916}
- b1871 1916 Neue Lycaeniden des Leidener Museums. Zoöl. Meded. 2(2):90-95, 5 f. {30 Aug 1916}
- b1872 1916 Uebersicht der indo-australischen Lycaenestheformen. Zoöl. Meded. 2(2):96-102, 4 tf. {30 Aug 1916}
- b1873 1916 Revision der Gattung *Nacaduba* auf Grund der Morphologie der Generationsorgane. Zoöl. Meded. 2(2):103-140, pls 4,5. [Ref: b1037] {30 Aug 1916}
- b1874 1916 Rhopaloceren aus Holländisch-Neu-Guinea. Arch. Naturgesch. (A)81(11):61-78. {[1916]}
- b1875 1916 Neue paläarktische Lycaeniden. Ent. Rundsch. 33(5):18-19.
- b1876 1917 Neue Lycaeniden. Ent. Rundsch. 34(4):16-18. {13 Apr 1917}
- b1877 1917 Neue palaearktische Lycaeniden. Deut. ent. Zeit. [Iris] 31:24-43. {1 Jul 1917}
- b1878 1917 Neue *Poritia* Rassen. Soc. ent. 32(10):39-40. {14 Sep 1917}
- b1879 1917 Neue *Poritia*-Rassen. Soc. ent. 32(12):49. {Nov 1917}
- b1880 1917 Revision der Lycaenidengattung *Lycaenopsis* auf Grund morphologischer Vergleiche der Klammerorgane. Arch. Naturgesch. (A)82(1):1-42, 20 f. {[1917]}

Fruhstorfer, Hans; (continued)

- b1881 1917 Eine neue *Lycaena* aus der Schweiz. Soc. ent. 32:26.
- b1882 1917 Eine neue tropische Lycaenide. Soc. ent. 32:37.
- b1883 1918 Altes und Neues über *Megisba malaya*. Arch. Naturgesch. (A)82(12):4-8.
- b1884 1918 Revision der Gattung *Castalius* auf Grund der Morphologie der Generationsorgane. Tijdschr. Ent. 61:17-44, pls 4,5.
- b1885 1918 Revision der Lycaenidengruppe *Heliophorus* auf Grund der Morphologie der Klammerorgane. Tijdschr. Ent. 61:45-53, pl 6.
- b1886 1918 Eine neue Rasse aus der bisherigen "Gattung" *Orthomiella*. Tijdschr. Ent. 61:54-56, pl 6, f 9.
- b1887 1919 Übersicht der Formen der Spaltgattung *Niphanda* Moore. Arch. Naturgesch. (A)83(1):69-73. {[1919]}
- b1888 1919 *Spalgis*, eine bicontinentale Lycaenidgattung. Arch. Naturgesch. (A)83(1):73-76, 1 f. {[1919]}
- b1889 1919 Revision der Artengruppe *Pithecopis* auf Grund der Morphologie der Klammerorgane. Arch. Naturgesch. (A)83(1):77-84, 4 f. {[1919]}
- b1890 1919 Revision der Gattung *Poritia* auf Grund der Morphologie der Generationsorgane. Arch. Naturgesch. (A)83(2):77-101.

Fuchs, August;

- b. 8 Dec 1839; d. 20 Jan 1904 (Bornich bei St. Gorrshausen). Collection to Naturhist. Mus., Wiesbaden. [Ref: b0718]
- b1891 1877 Lepidopterologische Mittheilungen. Stutt. ent. Ztg 38(4-6):131-148. {Jun 1877}
- b1892 1880 Lepidopterologische Mittheilungen aus dem unteren Rheingau. Stutt. ent. Ztg 41(1-3):115-128. {Mar 1880}
- b1893 1884 Macrolepidopteren des unteren Rheingaus und der angrenzenden Gebirgslandschaft. Stutt. ent. Ztg 45(7-9):241-270. {Sep 1884}
- b1894 1889 Lepidopterologische Beobachtungen aus dem unteren Rheingau. (Erster Artikel). Jb. nass. Ver. Nat. 42:191-224.
- b1895 1891 Macrolepidopteren des unteren Rheingaus (Zweite Besprechung). Jb. nass. Ver. Nat. 44:209-236.
- b1896 1899 Lepidopterologische Beobachtungen aus dem unteren Rheingau. Gegend und verwandte Formen (Sechste Besprechung). Jb. nass. Ver. Nat. 52:115-158.
- b1897 1901 Macrolepidopteren der Loreley-gegend und verwandte formen. Jb. nass. Ver. Nat. 53:29-67.

Fujioka, Tomoo;

- b1898 1959 *Chrysozephyrus ataxus* Doubleday et Hewitson from Tsushima Island. Tyô to Ga 10(3):42-43, 6 f. {30 Jul 1959}
- b1899 1970 Butterflies collected by the Lepidopterologica Research Expedition to Nepal Himalaya, 1963. Part 1. Papi-lionoidea. Spec. Bull. Lep. Soc. Japan 4:1-125, 15 f, 31 pls.
- b1900 1975 Butterflies of Japan. [In Japanese]. Japan 1:312 pp, 2:142 pp.
- b1901 1992 *Zephyrus* (Theclini butterflies) in the world (1). Butterflies. Unknown.

Fukuda, Haruo; Tanaka, Akira; Kanmiya, Kenkichi;

- b1902 1968 The Dark Ceruleans, *Jamides bochus ishigakianus* Shirôzu (Lycaenidae) lays eggs enveloped in Frothy material. Tyô to Ga 19(1/2):29-31, 3 f. {31 Dec 1968}

Füssly, Johann Caspar;

- b1903 1775 Verzeichniss der ihm bekannten Schweizerischen Insecten. Zürich, Verfasser 4to :12+62 pp, 1 pl. On Official List of Works Approved as Available for Zoological Nomenclature (#36). [Ref: b2529]

- Futo, M.; Murayama, Shô-iti;**
b1904 1990 A new taxa of *Strymonidea mera* in Mt. Ibuki, Pref. Siga, Japan. [In Japanese]. *Konchu to Shizen* (Nature & Insects) 25(3):33-34, ill.
- Gabriel, Alfred George;**
b. 1884, d. 1968.
b1905 1939 Rhopalocera. In *Ruwenzori Expedition 1934-1935*. (British Mus.). 3(3):51-95, 4 pls London, BMNH 5 volumes, ill.
b1906 1947 A new species of *Phasis* (Lepidoptera: Lycaenidae) from South Africa. *Entomologist* 80:60-61. {Mar 1947}
b1907 1949 Notes on the Rhopalocera of Abyssinia. *Proc. R. ent. Soc. Lond.* (B)18(11/12):207-218, 1 pl. {15 Dec 1949}
b1908 1954 Exped. S. W. Arabia 1937-1938. 25. Lepidoptera Rhopalocera. London, Brit. Mus. (Nat. Hist.) 1:351-391, 3 pl. *Larsen gives the pagination as 1:478-503.*
- Gaede, Max;**
b1909 1915-1916 Neue afrikanische Lepidoptera des Berliner zoologischen Museums. *Int. ent. Z.* 9(13):71-74, (15):79-80 (23 Oct), (20):105-106 (1 Jan), (21):109-112 (15 Jan), (24):125-126. {25 Sep 1915-26 Feb 1916}
b1910 1917 Neue Lepidopteren des Berliner zoologischen Museums. *Mitt. zool. Mus. Berl.* 8:385-404.
b1911 1930-1931 Die palaearctica Tagfalter. Supplement. Satriidae (part), Nymphalidae (part), Erycinidae, Lycaenidae (part), Hesperidae, Supplement (part). In *Seitz, Grossschmett. Erde* 1(Suppl):131-132, 153-190, 196-235, 237-250, 307-326, 329-353. [See also: *b4091*] {1930-1931}
b1912 1931 Satyridae. II. *Lep. Cat. Pars* 46:321-544.
- Gaede, Max; Bollow, Charles;**
b1913 1930-1931 Die palaearctica Tagfalter. Supplement. Lycaenidae. In *Seitz, Grossschmett. Erde* 1(Suppl):239-288, 3 pls (1930); :208-306, 1 pl (1931). {1930-1931}
- Gaillard, R.;**
b1914 1950 Complement a l'etude de H. Beuret sur les *Plebejus argus* de Nîmes. *Revue fr. Léop.* 12:281.
- Gall, Lawrence F.;**
b1915 1976 The status of *Satyrion boreale* (Lycaenidae). *J. Lep. Soc.* 30(3):214-218. {22 Sep 1976}
- Gallard, J.-Y.;**
b1916 1991 A propos des especes opalescentes du genre *Euselasia* en Guyane Française. Description de la [femelle] d'*Euselasia fournierae* Lathy 1924 (Lepidoptera, Riodinidae). *Bull. Soc. Sci. Nat.* No. 69:17-18.
- Gallard, J.-Y.; Brevignon, C.;**
b1917 1989 Description d'un *Mesosemia* nouveau de Guyane française (Lepidoptera Riodinidae). *Bull. Soc. Sci. Nat.* No. 61:12-13, ill.
b1918 1989 Description de nouveaux Riodinidae provenant de Guyane française. (Lepidoptera). *Bull. Soc. Sci. Nat.* No. 63:4-6, ill.
- Galvagni, E.; Preißer, Fritz;**
b1919 1912 Die lepidopterologischen Verhältnisse des n.-ö. Waldviertels. *Jber. Wien. ent. Ver.* 22:1-168.
- Garling, Berthold;**
b1920 1984 *Hamearis lucina* L., der Braune Würfelfalter: Lebensraum, Flugzeiten und Entwicklungsdaten (Lep.: Riodinidae). *Ent. Zeit.* 94(22):321-336, 3 f. {15 Nov 1984}
- Gaschet, Pierre-Auguste; Mabile, Paul;**
b1921 1877 Variétés des *Lycaena*. *Bull. Soc. ent. Fr.* (5)7:lxiii-lxiv.
- Gaskin, L. J. P.;**
b1922 1939 A further note on Thomas Horsfield's A Descriptive Catalogue of the Lepidopterous Insects contained in the Museum of the Honourable East India Company. *J. Soc. Bibl. nat. Hist.* 1(9):260. {Nov 1939}
- Gatrelle, R. R.;**
b1923 1991 The taxonomic implication of the discovery of *Incisalia irus* in Florida. *News Lep. Soc.* 1991(4):57-58.
- Gay, H.;**
b1924 1939 An unrecorded proof copy of Fabricius, *Syst. Glosat.* *J. Soc. Bibl. nat. Hist.* 1(9):252. {Nov 1939}
- Geest, W.;**
b1925 1903 Neue Schmetterlings-Aberrationen. *Allg. Z. Ent.* 8:308-313.
- Gelin, Henri;**
b. 1848; d. 1923. [Ref: *b1946*]
b1926 1914 Note sur quelques formes de Lycènes et de Piérides de la faune française [Lep.]. *Bull. Soc. ent. Fr.* 1914(6):183-187, pl 3 (11 f.). {18 Apr 1914}
- Geoffroy, Étienne Louis;**
b. 1727 (Paris); d. Aug 1810 (Chartreuse bei Soissons). [Ref: *b0717; b0718*]
b1927 1785 In *Fourcroy, (q.v.)*. [See also: *b1782*] [Ref: *b1036*]
- Gerhard, Bernhard;**
b1928 1850-1853 Versuch einer Monographie der europäischen Schmetterlingsarten: *Thecla, Polyommatus, Lycaena, Nemeobius* als Beitrag zur Schmetterlingskunde. [Also seen as:] Versuch einer Monographie der Lycaenen mit Abbildungen nach der Natur. Hamburg, Herausgeber 4to 10 parts:21 pp. 39 cpl. {1850-1853}
b1929 1882 Lepidopterologisches. *Berl. ent. Z.* 26:125-128.
- Gerris V.;**
b1930 1961 Parasieten van *Thersamonia dispar* Haw. *Ent. Ber.* 21:207.
- Gerstäcker, Carl Eduard Adolph;**
b. 30 Aug 1828, d. 20 Jul 1895; Collection to Zool. Mus., Berlin. [Ref: *b0717; b0718; b3321*]
b1931 1871 Beitrag zur Insekten fauna von Zanzibar. *Arch. Naturgesch.* (1)37(1):345-363.
- Geyer, Carl M.;**
b1932 1826-1838 In *Hübner, Sammlung Europäischer Schmetterlinge, (q.v.)*. [See also: *b2480*] {[1826]-[1838]}
b1933 1827-1838 In *Hübner, Sammlung Exotischer Schmetterlinge, (q.v.)*. [See also: *b2482*] {[1827]-[1838]}
b1934 1832-1837 In *Hübner, Beiträge zur Sammlung Exotischer Schmetterling, (q.v.)*. [See also: *b2483*] {[1832]-[1837]}
- Giacomelli, Eugenio;**
b. 1879; d. 1941. [Ref: *b0717; b0718*]
b1935 1911 Lepidópteros riojanos nuevos ó poco conocidos. *An. Soc. cient. argent.* 72:19-40.
b1936 1914 Contribución al estudio de los Lepidópteros Argentinos. *An. Soc. cient. argent.* 78:161-175.
b1937 1917 Notas lepidopterológicas. *Physis* 3:406-409.
b1938 1928 Nuevos lepidópteros de Cosquín. 4. Réunion. Norte. *Boln Inst. clín. quir.* 4:677-690, 1 pl. *Journal may be Soc. argent. Pat. reg. Norte.*
- Gibbons; Stanley;**
b1939 1962 *Simpl. Stamp Catal.* (edns. 1962-1969). London 8vo.
- Gibson, Arthur;**
b. 1875, d. 1959.

- Gibson, Arthur; (continued)**
b1940 1920 Lepidoptera. Part I in Volume III, in Report of the Canadian Arctic Expedition 1913-1918. Ottawa, J. de Labroquerie Taché 3(I):58 pp, pls 1-5. {10 Jan 1920 }
- Gierling, Roland;**
b1941 1978 Zum gehäuftem Auftreten von *Quercusia quercus* im Sommer 1976 (Lep., Lycaenidae). Ent. Zeit. 88(12):138-140; (13):141-143 (1 Jul). {15 Jun 1978 }
- Gifford, David R.;**
b. ?; d. 1981; [Ref: b4818]
b1942 1963 A review of some Nyasaland *Deudorix*. Entomologist 96:43-48. {Feb 1963 }
b1943 1965 Butterflies of Malawi. Blantyre, Malawi, The Society of Malawi (5)+vii+151 pp, Plates A-I (8vo).
- Gifford, Samuel M.; Opler, Paul A.;**
b1944 1983 Natural History of Seven Hairstreaks in Coastal North Carolina. J. Lep. Soc. 37(2):97-105. {6 Sep 1983 }
- Gigoux, Enrique E.;**
b1945 1927 Mariposas diurnas del valle de Copiapó. Revta univ. cat. 12(10):1431-1433.
- Gilbert, Pamela;**
b1946 1978 A Compendium of the Biographical Literature on Deceased Entomologists. London, BM(NH) :[xiv]+429 pp, ill. A very useful book which has been consulted many hundreds of times. [Ref: b3201; b1788] {[1978] }
*b1947 1985** [Letter to Bridges. Notes on the bibliography of the Butterflies]. London, BMNH :1 pp + enclosures (26 pp). {27 Jun 1985 } [*Unpublished]
- Gillette, Clyde F.;**
b1948 1983 [Miller & Brown checklist]. Utahensis 3(1):1-8.
- Gillham, Nicholas W.;**
b1949 1955 *Brephidium barbouri* Clench a Synonym of *Brephidium exilis isophthalma* (Herrich-Schäffer) (Lepidoptera: Lycaenidae). Psyche 62(1):34. {23 May 1955 }
b1950 1956 *Incisalia* Scudder, a Holarctic Genus (Lepidoptera: Lycaenidae). Psyche 62(1):145-151. {25 Apr 1956 }
- Gillmer, Max;**
b. 7 Oct 1857; d. 31 Mar 1923.
b1951 1900 Das Ei und die junge Raupe von *Lycaena euphemus* Hübner. Ent. Zeit. 14:107-108.
b1952 1900 *Lycaena bellargus* Rott. ab. *krodeli* und *Lycaena corydon* Poda ab. *cinnus* Hb. Illte Z. Ent. 5:50-52, pl.
b1953 1900 Die Eiablage und das Ei von *Lycaena coridon* Poda. Z. wiss. InsektBiol. 5:351-352.
b1954 1903 Uebersicht der von Herm E. Busack bei Schwerin und Waren gefangenen Grossschmetterlinge. Arch. Ver. Freunde Naturg. Mecklenb. 57:122+, 58:66-99 (1904).
b1955 1904 Referat über: The Butterflies of Switzerland and the alps of Central Europe, by George Wheeler. Soc. ent. 18(20):154-157, (21):161-163 (1 Feb), (22):170-172 (15 Feb), (23):178-181 (1 Mar), (24):186 (15 Mar). {15 Jan 1904 }
b1956 1904 Referat über de aberrationen der Lycaeniden des Herrn Prof. Dr. L. G. Courvoisier. Ent. Zeit. 18(1):1-3; (2):6-7 (8 Apr). {1 Apr 1904 }
b1957 1905 Zwei aberrative Bläulingsarten. Ent. Zeit. 19(26):151, 2 f. {15 Oct 1905 }
b1958 1905 Uebersicht der von Herm E. Busack bei Schwerin und Waren gefangenen Grossschmetterlinge. Berichtigungen und Zusätze. Arch. Ver. Freunde Naturg. Mecklenb. 59:47-120.
b1959 1907-1909 Das Verzeichnis der von C. H. Beske in den Jahren 1826 bis 1829 bei Hamburg gefundenen Lepidopteren. Int. ent. Z. 1:53-360 (nc); 2:11-313 (nc); 3:15. {1907-1909 }
- Gillmer, Max; (continued)**
b1960 1908 Das ganz blue (female) von *Lycaena icarus* Rott. mit roten Randecken = ab. (female) *amethystina* m. Int. ent. Z. 2(1):1-2; 2(2):10-11 (11 Apr). {4 Apr 1908 }
b1961 1908 Bemerkungen zu *Lycaena argiades* Pall. ab. et var. *alceas* Hübn. (=ab. *coretas* Ochs.) und ab. *depuncta* Hirschke. Soc. ent. 23(3):17-18. {1 May 1908 }
b1962 1909 *Lycaena icarus* Rott. ab. (male) *livida* Gillmer n. ab. Int. ent. Z. 3(12):64. {19 Jun 1909 }
b1963 1910 Ueber die persica-Formen von *Polyommatus icarus* Rott. Int. ent. Z. 4(1):2-4. {2 Apr 1910 }
- Giorna, Mich. Esprit;**
b1964 1793 Calendario entomologico, ossia osservazioni sulla stagione proprie all' insetti nell' clima Piemontese e particolarmente ne' contorni de Torino. Torino (8vo) :146 pp. Kirby dates this 1791-1793. BMNH gives 1791. [Ref: b0495]
- Gistel, Johannes von Nepomuk Franz Xaver;**
b. 1803, d. 1873. Also as Gistl. [Ref: b0717; b0718]
b1965 1857 Achthundert und zwanzig neue oder unbeschriebene wirbellose Theire charakterisirt von Doctor Johannes Gistel. Vacuna 2(2):513-606. According to Hemming, this work is extremely scarce. There is also a repaginated separate. [Ref: b2258]
- Glais, L.;**
b1966 1926 La *Lycaena aegon-plouharelensis* Obth. et ses variations. Encyc. ent. Ser. B. III. Lep. 1(3):111-120, pl 6. {30 Apr 1926 }
- Glaser, Ludwig;**
b. 9 Feb 1818 (Grünberg, Oberhessen); d. 20 Jan 1898 (Mannheim). Also as Glaeser. [Ref: b0717]
b1967 1887 Catalogus etymologicus Coleopterum et Lepidopterorum. Erklärendes und verdeutschendes Namensverzeichnis der Käfer und Schmetterlinge. Berlin, Friedländer & Sohn 8vo :396 pp.
- Glover, Townsend;**
b1968 1878 Illustrations of North American Entomology in the orders of Coleoptera, Orthoptera, Neuroptera, Hymenoptera, Lepidoptera, Hemiptera and Diptera. Washington, D.C. 3 volumes, 273 plates.
- Gmelin, Johann Friderich;**
b. 8 Aug 1748 (Tübingen); d. 1 Nov 1804 (Göttingen). [Ref: b0717; b0718; b3321]
b1969 1790 Caroli A Linné, Systema Naturae per regna tria naturae, ed. 13. Lipsiae, Beer. 3 Volumes in 10 Parts (1788-1793). Rhopalocera are in Vol. 1(5)(Insecta 2):2225-3020, [1790]. Vane-Wright, 1975, has studied the type-material. Most of the new names are based on descriptions published by I. I. Zschach. For notes, see Moulds, 1977, and Vane-Wright, 1975. Moulds' notes on a London printing should refer Lugduni. Whether this meant Leyden (Netherlands) or Lyons (France) is in doubt. [Ref: b3256; b4815; b1036; b1051; b1053] {[1790] }
- Godart, Jean Baptiste;**
b. 25 Nov 1775 (Origny-Sainte-Benoite, Picardie); d. 27 Jul 1825. [Ref: b0717; b3321]
b1970 1819-1824 In Latreille & Godart, Encyclopedie methodique (q.v.). [See also: b2929] [Ref: b1051] {1819, [1824] }
- Godfrey, Edward John;**
*b. *, d. 1933. [Ref: b0717]*
b1971 1916 The Butterflies of Siam. J. nat. Hist. Soc. Siam 2(2):106-147.
- Godman, Frederick du Cane;**
b. 15 Jan 1834 (Park Hatch, Surrey); d. 19 Feb 1919. Collection to the BMNH. [Ref: b0717; b0718]

Godman, Frederick du Cane; (continued)

- b1972 1903 Notes on some Central and South American Erycinidae, with descriptions of new species. *Trans. ent. Soc. Lond.* 51(4):529-550, pls 20-23. {[24] Dec 1903}
- Godman, Frederick du Cane; Salvin, Osbert;**
b1973 1878 Descriptions of new species of Central-American butterflies of the family Erycinidae. *Proc. zool. Soc. Lond.* 1878(2):360-369. {Jul 1878}
- b1974 1878 Catalogue of Lepidoptera collected by Mr. S. N. Walter in the Island of Billiton. *Proc. zool. Soc. Lond.* 1878(3):637-643, pl 40. {[Sep] 1878}
- b1975 1879-1901 *Biologia Centrali-Americana. Zoology: Insecta. Lepidoptera-Rhopalocera.* London, Taylor & Francis 3 volumes. 1(Nym,Rio)(1879-1886):xlv+487 pp; 2(Pier,Pap,Lyc,Hes)(1887-1901):782 pp; 3:pls 1-47(48?)(1879-1886), 3:pls (48?),49-112 (1887-1901). [Ref: b2303; b1041] {1879-1901}
- b1976 1880 A List of Diurnal Lepidoptera collected in the Sierra Nevada of Santa Marta, Columbia, and the Vicinity. *Trans. ent. Soc. Lond.* 28(3):119-132, pls 3,4. {Oct 1880}
- b1977 1889 Description of new species of Rhopalocera from Mexico and Central America. *Ann. Mag. nat. Hist.* (6)3:351-358. {Apr 1889}
- b1978 1891 In Druce, (q.v.). *Trans. ent. Soc. Lond.* 39(2):193, f 6,8. [See also: b1357] {[Aug] 1891}
- b1979 1891 Lepidoptera. Rhopalocera. Pages 96-110. In: Whymper, Edward, Supplementary appendix to travels amongst the great Andes of the Equator. London, John Murray xxii+[2]+147 pp, 40 f, 15 pls.
- b1980 1896 On the butterflies of St. Vincent, Grenada, and the adjoining islands of the West Indies. *Proc. zool. Soc. Lond.* 1896(2):513-520. {[Aug] 1896}
- b1981 1897 Descriptions of new species of Central and South American Rhopalocera. *Trans. ent. Soc. Lond.* 45(2):241-248. {Jul 1897}
- Goeze, Johann August Ephraim;**
b. 28 May 1731 (Aschersleben); d. 27 Jul 1793 (Berlin).
- b1982 1777-1783 *Entomologische Beyträge zu des Ritter Linne zwölften Ausgabe des Natursystems.* 3 Theil. Elipzig, Weidmann 8vo 4 volumes. 1:16+736 pp (1777); 2:72+352 pp (1778); 3(1):40+390 pp (1779); 3(2):24+350 pp (1780); 3(3):48+439 pp (1781); 4:20 + 178 pp (1783). {1777-1783}
- Goltz, C.;**
b1983 1978 Die Zucht von *Lycaena helle* Schiff. *Mit. ArbGem. Rhein.-westf. Lepid.* 1:65-66.
- Gómez Bustillo, Miguel R.;**
b. 31 Dec 1920 (Madrid, Spain); d. 17 Dec 1985 (same). [Ref: b0118]
- b1984 1972 Una nueva raza de *Plebejus (Lysandra) albicans* (H.-S.) (Lepidoptera, Lycaenidae). *Boln R. Soc. esp. Hist. nat.* 70(1-2):79-82, 4 pls.
- b1985 1973 Nuevas subespecies y formas de lepidópteros - Ropalóceros del centro de España. *Revta Lep.* 1(1-2):26-39, 8 f.
- b1986 1978 La *Pseudoaricia nicias* Meig., 1830 a la Península Ibérica (Lep. Lycaenidae). *Treb. Soc. catal. Lep.* 1:19-22. [Ref: b0111 (#966)]
- b1987 1980 Nuevas subespecies y formas de lepidópteros ibéricos. *Revta Lep.* 8(3):169-181. [Ref: b1610 (2420-E12); b0113 (#1086)]
- b1988 1982 Una nueva subespecie ibérica de *Pseudophilotes abencerragus* (Pier, 1837) (Lep., Lycaenidae). *Revta Lep.* 10(38):93-100.
- b1989 1985 *Pseudophilotes abencerragus mattonii* Gmz.-Billo., 1982 (nom. emmed.), bona subsp. (Lep., Lycaenidae). *Revta Lep.* 13(1):21-25.

- Gómez Bustillo, Miguel R.; Expósito Hermosa, A.; Martínez Borrego, P.;**
b1990 1979 Una nueva especie para la ciencia: *Agrodiaetus violeetae* (Lep., Lycaenidae). *Revta Lep.* 7(1):47-54, ill.
- Gómez Bustillo, Miguel R.; Fernández-Rubio, F.;**
b1991 1974 Mariposas de la Península Ibérica. *Rhopalóceros.* Volumes 1 and 2. Instituto Nacional para la Conservacion de la Naturalez, Madrid 1:198, 2:258, ill.
- Gómez Bustillo, Miguel R.; Fernández-Rubio, Fidel;**
b1992 1972 Dos nuevas razas españolas de *Plebejus (Plebejus) pylaon* (Lep. Lycaenidae). *Archos Inst. Aclim.* 17:21-28, 16 f, 4 pls.
- Gomez de Aizpurva, C.; Fernández-Rubio, Fidel;**
b1993 1974 Una nueva raza para la Península Ibérica de *Plebejus hispana* (Lepidoptera). *Munibe* 25(1):47-51, 2 pls.
- Good, A. I.;**
b1994 1901 Some Observations on the Development of *Feniseca tarquinius*, Fab. *Can. Ent.* 33(8):228. {3 Aug 1901}
- Goodpasture, Carl;**
b1995 1973 A new subspecies of *Plebejus acmon* (Lepidoptera: Lycaenidae). *Pan-Pac. Ent.* 49(2):149-159, 20 f, 1 tbl. [Ref: b0104 (#686)] {Apr 1973}
- Goodson, A. L.;**
b1996 1948 New varieties of *Argynnis cydippe* L. and *Lycaena phlaeas* L. *Entomologist* 81(8):177-178. {1 Aug 1948}
- b1997 1959 Some new aberrations of British Rhopalocera. *Entomologist* 92:148-149. {Jul 1959}
- Goodson, F. W.;**
b1998 1945 Notes and descriptions of new species of American Theclinae contained in the British Museum (Natural History) (Lep. Lycaenidae). *Entomologist* 78:169-171, 184-187.
- Gorelick, Glenn Alan;**
b1999 1970 A new subspecies of *Callophrys (Callophrys) dunetorum* from Washington and Oregon (Lycaenidae). *J. Res. Lep.* 7(2):99-104, f 1-2. {[Feb 1970]}
- Gosse, Philip Henry;**
b. 6 Apr 1810 (Worcester, England); d. 23 Aug 1888 (St. Mary Church, Torquay).
- b2000 1840 *The Canadian Naturalist, a Series of Conversations on the Natural History of Lower Canada.* London, van Voorst xxii+372 pp, 44 unnumbered figs.
- b2001 1880 *The butterflies of Paraguay and La Plata.* *Entomologist* 13:193-205, pl 22. {Sep 1880}
- Gouin, H.;**
b2002 1904 Sur une variété de *Lycaena cylarrus* Rot. *P.-v. Soc. linn. Bordeaux* 59:1xx-1xxi.
- Gozmány, Lancelot Anthony;**
b. 9 Nov 1921 (Budapest), d. 1983?
- b2003 1968 Nappali lephék - diurn. *Fauna Hung.* 91(5):1-204, 153 f.
- Graeser, Ludwig (Louis) Carl Friedrich;**
b. 12 Feb 1840 (Dresden), d. 9 Dec 1913 (Hamburg); *Collection in Zool. Mus., Hamburg; (also as Gräser).* [Ref: b0718]
- b2004 1888-1893 *Beiträge zur Kenntniss der Lepidopteren-Fauna des Amurlandes.* *Berl. ent. Z.* 32:33-153; 33:251-268; 35:71-84; 37:209-234. {1888-1893}
- Graham, A. J.; Moulds, Maxwell Sydney;**
b2005 1988 A new species of *Jalmenus* Hübner (Lepidoptera: Lycaenidae) from Western Australia. *Gen. Appl. Ent.* 20:57-62.
- Gramann, August;**
b. 1876; d. 1936. [Ref: b1946]
- b2006 1911 Etwas über *Lyc. alcon* F. *Ent. Zeit.* 25(40):217. {30 Dec 1911}

Graves, Philip Percival;

b. 1876, d. 1953.

- b2007 1910 A contribution to the fauna of Syria. Ent. Rec. 22(11):271-273. [15 Nov 1910]
 b2008 1918 Some new forms of Lycaenidae from Egypt. Entomologist 51:97-99, 1 pl, 10 f.
 b2009 1923 Two new Lycaenid subspecies from the Lebanon. Entomologist 56:154-157.
 b2010 1925 The Rhopalocera and Grypocera of Palestine and Transjordan. Trans. ent. Soc. Lond. 73(1/2):17-126, pls 4,5. [7 Aug] 1925
 b2011 1928 *Lycaena*. Ent. Rec. 40:101-103.
 b2012 1930 Notes on Collecting in Ireland. Ent. Rec. 42(6):97-102. [15 Jun 1930]

Graves, Philip Percival; Hemming, Arthur Francis;

- b2013 1928 The geographical variation of *Lycaena virgaureae* Linn. Entomologist 61:25-31, 56-62, 86-90, 104-109, 128-135, pls 2,3. [Feb 1928]

Gray, George Robert;

b. 8 Jul 1808 (Little Chelsea b. London); d. 6 May 1872 (London). [Ref: b0717; b3321]

- b2014 1832 New species of insects of all the orders. In Griffith, The Animal Kingdom arranged in conformity with its organisation by the Baron Cuvier. London, Whittaker (8vo) 14:570 pp: 15:769 pp. [Ref: b1061]

Gressitt, Judson Linsley;

b. 16 Jun 1914 (Tokyo); d. 26 Apr 1982 (China). Also seen as Gressitt.

- b2015 1956 Some distribution patterns of Pacific Island Fauna. Syst. Zool. 5:11-32.

Grey, Lionel Paul;

b. 23 Nov 1909 (Houlton, Maine).

- b2016 1988 Memories of Cyril Franklin Dos Passos (1887-1986). J. Lep. Soc. 42(3):164-167. [30 Aug 1988]

Grey, William;

b. 1827, d. 25 Nov 1896 (Corning Farm, Albany, New York). [Ref: b0717]

Griffin, Francis J.;

- b2017 1931 On the dates of Publication and Contents of the Parts of Strecker (H.), 'Lepidoptera etc.,' 1872-1900. Ann. Mag. nat. Hist. (10)8:257-258. [Sep 1931]
 b2018 1932 An attempt to determine the true dates of publication of Hewitson, W. C., 'Illustr. new Sp. Exot. Butterflies.' 5 vols. [1852-](1856) 1876. Novit. zool. 37:189-206.
 b2019 1939 The Lepidoptera of Ceylon, vols. 1-3, by F. Moore 1880-1887. J. Soc. Bibl. nat. Hist. 1(7):206. [Feb 1939]
 b2020 1939 The Systema Glossatorum of Fabricius. J. Soc. Bibl. nat. Hist. 1(9):261-267. [Nov 1939]

Grinnell, Fordyce, Jr.;

b. 1882, d. 1943. [Ref: b0718]

- b2021 1901 A New Variety of *Lycaena amyntula*, with Other Notes. Can. Ent. 33(7):192. [29 Jun 1901]
 b2022 1905 *Lycaena emigdionis* n. sp. Ent. News 16(4):115-116. [Apr 1905]
 b2023 1916 An Unnamed Butterfly from San Francisco. J. Ent. Zool. 8:83-85, 6 f.
 b2024 1917 Two Unnamed California Butterflies. Can. Ent. 49(10):349-351. [1 Oct 1917]

Grinnell, Joseph; Grinnell, Fordyce, Jr.;

- b2025 1907 The butterflies of the San Bernardino Mountains, California. J. New York ent. Soc. 15(1):37-50. [Mar 1907]

Grose-Smith, Henley;

He did not use a hyphen in his name, but now it is usually seen with one. Collection, via Joicye, to the BMNH. [Ref: b1041]

Grose-Smith, Henley; (continued)

- b2026 1887 Descriptions of nine new species of African butterflies. Ann. Mag. nat. Hist. (5)19:62-66. [Jan 1887]
 b2027 1887 Descriptions of three new Species of Butterflies from Burmah. Ann. Mag. nat. Hist. (5)19:296-297. [Apr 1887]
 b2028 1887 Descriptions of eight new Species of Asiatic Butterflies. Ann. Mag. nat. Hist. (5)20:265-268. [Oct 1887]
 b2029 1887-1902 Volume 3, In Grose-Smith & Kirby, (q.v.). London, Gurney and Jackson. 3 volumes. 3(1897-1902):[206] pp, 60 pls. [See also: b2049] [1887-1902]
 b2030 1889 Descriptions of twenty-four new species of butterflies captured by Mr. Last in the neighborhood of Mombasa, East Coast of Africa . . . Ann. Mag. nat. Hist. (6)3:121-137. [Feb 1889]
 b2031 1889 Descriptions of ten more new Species of Butterflies captured by Mr. John Whitehead at Kina Balu Mountain, North Borneo. Ann. Mag. nat. Hist. (6)3:312-319. [Apr 1889]
 b2032 1889 Descriptions of new Species of Butterflies captured by Mr. C. M. Woodford in the Solomon Islands. Ent. mon. Mag. 25:299-303. [Jun 1889]
 b2033 1891 Descriptions of ten new species of butterflies from the N. W. coast of Madagascar captured by J. T. Last. Ann. Mag. nat. Hist. (6)7:122-127. [Jan 1891]
 b2034 1893 Descriptions of two new Species of Butterflies from Kina Balu, North Borneo, in the Collection of H. Grose Smith, captured by Mr. Everett. Ann. Mag. nat. Hist. (6)12:34-35. [Jul 1893]
 b2035 1894 Descriptions of eight new Species of Butterflies from New Britain and Duke of York Islands, in the Collections of the Hon. Walter Rothschild and Mr. Grose Smith, captured by Captains Caley Webster and Cotton. Ann. Mag. nat. Hist. (6)13:496-502. [Jun 1894]
 b2036 1894 Descriptions of two more new Species of Butterflies from New Britain, in the Collection of Mr. Grose Smith, captured by Captains Caley Webster and Cotton. Ann. Mag. nat. Hist. (6)14:25. [Jul 1894]
 b2037 1894 An account of a Collection of Diurnal Lepidoptera made by Mr. Doherty at Humboldt Bay, Dutch New Guinea, and in neighbouring islands. Part III. Novit. zool. 1:571-583.
 b2038 1895 Descriptions of New Species of Butterflies, captured by Mr. Doherty in the Islands of the Eastern Archipelago (Part 2). Novit. zool. 2(4):505-514. [30 Dec 1895]
 b2039 1896 Descriptions of Two new Species of Oriental Lycaenidae. Ann. Mag. nat. Hist. (6)18:155-156. [Aug 1896]
 b2040 1897 Descriptions of new Species of Butterflies from the Pacific Islands. Ann. Mag. nat. Hist. (6)19:172-180. [Feb 1897]
 b2041 1897 Descriptions of further new Species of Butterflies from the Pacific Islands. Ann. Mag. nat. Hist. (6)20:515-518. [Dec 1897]
 b2042 1897 Two New Species of Butterflies. Novit. zool. 4:313-314.
 b2043 1897 Descriptions of five new Species of Lycaenidae captured by Mr. Doherty, in the Tring Museum. Novit. zool. 4:366-368.
 b2044 1898 Descriptions of new Species of Butterflies from South America. Ann. Mag. nat. Hist. (7)2:70-73. [Jul 1898]
 b2045 1898 Descriptions of Two new Species of Butterflies of the Genus *Thysonotis*. Ann. Mag. nat. Hist. (7)2:404-405. [Nov 1898]
 b2046 1898 Descriptions of new species of African butterflies in the Tring Museum. Novit. zool. 5:350-358.
 b2047 1898 Description of new Species of Oriental Butterflies. Novit. zool. 5(1):103-110.

Gröse-Smith, Henley; (continued)

b2048 1900 Descriptions of New Species of Butterflies captured by Mr. A. S. Meek, at Milne Bay, British New Guinea, in the Museum of the Hon. Walter Rothschild, at Tring. *Novit. zool.* 7:86-89.

Gröse-Smith, Henley; Kirby, William Forsell;

b2049 1887-1902 *Rhopalocera Exotica*, being Illustrations of new, rare and unfigured Species of Butterflies. London, Gurney and Jackson. 3 volumes (60 parts), unnumbered pages, plates. 1(1887-1892):[] pp, 60 pls; 2(1892-1897):[252] pp, 60 pls; 3(1897-1902):[206] pp, 60 pls (by Gröse-Smith). Exact dates for different sections need to be ascertained from the appropriate species name, since the volumes are completely mixed as to dates for the various species and pages are not consecutive but involve only each species description in most cases. [Heppner]. [Ref: b2303] {1887-1902 }

Grosser, Norbert;

b2050 1979 *Clossiana speranda*, new species from Mongolia (Lepidoptera, Nymphalidae). *Reichenbachia* 17(39):331-333.

Grote, Augustus Radcliffe;

b. 7 Feb 1841 (Aigburth b. Liverpool); d. 12 Sep 1903 (Hildesheim). [Ref: b0717; b0718]

b2051 1869 On the structural characters of *Polyommatus tarquinius*. *Trans. amer. ent. Soc.* 2(3):307-308. {8 Nov 1869 }

b2052 1873 On Mr. Scudder's systematic revision of some New England Butterflies. *Can. Ent.* 5(8):143-145. {Aug 1873 }

b2053 1873 Description of a butterfly new to the lower lake region. *Bull. Buffalo Soc. nat. Sci.* 1(3):178-179.

b2054 1873 On the Butterflies of Anticosti. *Bull. Buffalo Soc. nat. Sci.* 1(4):185.

b2055 1874 On the Species of *Helicopsis* inhabiting the Valley of the Amazon. *Bull. Buffalo Soc. nat. Sci.* 2:106-108, pl 2.

b2056 1895 *Systema Lepidopterorum Hildesiae juxta opera praeliminaria, quae ediderunt Bates, Scudder, Guilielmus Mueller, Comstock, Dyar, Chapman, compositum.* *Mitt. Roemer Mus. Hildesheim* [1]:[4] pp. [Ref: b1045] {Aug 1895 }

b2057 1896 System der nordamerikanischen Schmetterlinge. *Mitt. Roemer Mus. Hildesheim* 7:[4] pp. {Nov 1896 }

b2058 1897 Die Schmetterlingsfauna von Hildesheim. (Erster Theil, Tagfalter). *Mitt. Roemer Mus. Hildesheim* 8:52 pp, 4 pls. [Ref: b0521]

Grote, Augustus Radcliffe; Robinson, Coleman Townsend;

b2059 1866 Lepidopterological Contributions. *Ann. Lyc. Nat. Hist. New York* 8:351-387, pls 12-14.

b2060 1867 Descriptions of American Lepidoptera. - No. 2. *Trans. amer. ent. Soc.* 1(2):171-192, pl 4. {11 Nov 1867 }

b2061 1868 Description of American Lepidoptera. No. 3. *Trans. amer. ent. Soc.* 1(4):323-360, pls 6,7. {8 Jun 1868 }

b2062 1869 On the American Butterflies referred to the Genus *Charis* by Doubleday. *Trans. amer. ent. Soc.* 2(3):310-311. {8 Nov 1869 }

b2063 1871 Remarks on Dr. Boisduval's "Lepidopteres de la Californie". *Trans. amer. ent. Soc.* 3(2):173-176. {130 Apr 1871 }

Grum-Grshimailo, Grigorij Efimovic;

b. 5 Feb 1860 (St. Petersburg); d. 3 Mar 1936. Also seen as Grum-Grzimajlo, Groum-Grshimailo, etc.

b2064 1885 Bericht über meine Reise in das Alai-Gebiet (Correspondenz). In Romanoff, *Mém. Léop.* 2:212-247.

b2065 1887 Bericht über meine Reise in das östliche Buchara (Correspondenz). Nebst Anhang: Diagnosen einiger neuen Species. In Romanoff, *Mém. Léop.* 3:357-402, map.

b2066 1888 Novae species et varietates *Rhopalocorum* e Pamir. *Horae Soc. ent. ross.* 22:303-307.

b2067 1890 In Grum-Grshimailo & Alphéraky, (q.v.). [See also: b2072]

Grum-Grshimailo, Grigorij Efimovic; (continued)

b2068 1891 *Lepidoptera Nova in Asia Centrali Novissime lecta et descripta.* *Horae Soc. ent. ross.* 25:445-465.

b2069 1893 *Lepidoptera palaeartica nova, descripta.* *Horae Soc. ent. ross.* 27:127-129, 379-386.

b2070 1900 *Lepidoptera nova vel parum cognita regionis palaearticae.* *Annu. Mus. zool. St. Pétersbourg* 4:455-472.

b2071 1902 *Lepidoptera nova vel parum cognita regionis palaearticae. II.* *Annu. Mus. zool. St. Pétersbourg* 7:191-204.

Grum-Grshimailo, Grigorij Efimovic; Alphéraky, Serghyil Nikolaevich;

b2072 1890 *Le Pamir et sa faune lépidoptérologique.* In Romanoff, *Mém. Léop.* 4:vii+577 pp, 22 pls.

Grünberg, Karl;

b2073 1908 *Neue Lepidopteren aus Uganda.* *Sber. Ges. naturf. Freunde Berl.* 1908(3):50-62, pl 2-4. {10 Mar 1908 }

b2074 1910 In Schultze, L., *Zool. und Anthrop. Ergebnisse e. Forschungsreise in Sud-Afrika.* Band 4, Lf. 1. *Denkschr. med.-naturw. Ges. Jena* 16:91-146.

b2075 1910 *Zur Kenntniss der Lepidopterenfauna der Sesse-Inseln im Victoria Nyanza.* *Sber. Ges. naturf. Freunde Berl.* 1910:146-181, 10 f.

b2076 1910 *Neue westafrikanische Lepidopteren.* Gesammelt von Herrn Günter Tessmann in Süd-Kamerun und Spanisch-Guinea (Uellegebiet). *Sber. Ges. naturf. Freunde Berl.* 1910:469-480. Listed in ZR as [1911].

b2077 1912 *Rhopalocera.* Pages :505-560 in: *Wissenschaftliche Ergebnisse der Deutschen Zentral-Afrika Expedition 1907-1908* Leipzig, Klinkhardt & Biermann 3(17):505-560, 4 pls.

b2078 1914-1923 *Die Indo-Australische Tagfalter. Lycaenidae (part).* In Seitz, *Grossschmett. Erde* 9:802-803,824-856, pls 141-145. {1914-1923 }

Grund, Arnošt;

b. 1866, d. 1907; (Arnošt); *Collection to Zool. Nation. Mus., Zagreb.* [Ref: b2455]

b2079 1907 *Lycaena argiades* Pall. und ihre Abarten in der Umgebung von Agram (Zagreb-Kroatien). *Ent. Zeit.* 21(20):125-126. {17 Aug 1907 }

b2080 1908 *Die Lycaeniden der Umgebung von Agram (Zagreb, Kroatien).* *Int. ent. Z.* 2(11):66-67; (12)70-71 (20 Jun); (13):78-79 (27 Jun); (14):87-88 (4 Jul). {13 Jun 1908 }

b2081 1913 *Ueber neue und bekannte Lepidopteren-Formen der Kroatisch-slavonischen Fauna.* *Int. ent. Z.* 7(19):127-128. {9 Aug 1913 }

b2082 1916 *Beiträge zur kroatischen Lepidopteren-Fauna.* *Glasn. hrv. prirodosl. Društ.* 28:94-105, 114-168.

Grund, R. B.; Sibatani, Atuhiro;

b2083 1975 *The Life History of a Hitherto unrecognised Lycaenid Species: Theclines thes albocincta (Waterhouse) from South Australia.* *Aust. ent. Mag.* 2(5):99-103, 4 f. {Oct 1975 }

Guénéé, Achille;

b. 1 Jan 1809 (Chartres); d. 30 Dec 1880 (Château-dun b. Paris). [Ref: b0717 (as Guénéé); b0718; b0717; b2307 (Guenée); b3321]

b2084 1863 *Lépidoptères.* In Maillard, L., 1862. *Notes sur l'Île de la Réunion (Bourbon), Pt. 2, Annexe G.* Paris. 72 pp.

b2085 1865 *Lépidoptères de Madagascar.* In Vinson, A. *Voyage à Madagascar au couronnement de Rhadama II. Annexe F.* Paris :S. 25-32; Notes: S. 33-48, Taf. VI-VII. [See also: b4878]

Guérin-Ménéville, Félix Édouard;

b. 12 Oct 1799 (Toulon); d. 26 Jan 1874 (Paris). [Ref: b0717; b0718; b0717; b3321]

Guérin-Ménéville, Félix Édouard; (continued)

b2086 1829-1844 Iconographie du règne animal de G. Cuvier, ou représentation d'après nature de l'une des espèces les plus remarquables et souvent non figurées de chaque genre d'animaux. Avec un texte descriptif mis au courant de la science. Ouvrage pouvant servir d'atlas à tous les traités de zoologie. Paris and London, Baillière. *Alternative arrangement either as Vol. 1, Planches des Animaux vertébrés; Vol. 2, Planches des Animaux invertébrés; Vol. 3, Texte, or as separate volumes by Animal Classes - 10 vols. Issued in 45 parts, 450 pls, 1829-1837; Texte, 1844. Vol. 10, (Insectes); fisp., 110 pls. (1829-1837), text, xvi + 576 pp, (1844). For details, see Cowan, 1971, J. Soc. Bibliophy Nat. Hist. 6(1): 18-29. [Ref: b2303; b1028] {[1829]-[1837], 1844 }*

b2087 1830-1838 Insectes. In L. L. Duperrey, Voyage autour du monde exécuté par ordre du Roi, sur la corvette de sa Majesté, La Coquille, pendant les années 1822, 1823, 1824 et 1825, sous le ministère et conformément aux instructions de S. E. M. le Marquis de Clermont-tonnerre, Ministre de la Marine; et publié sous les auspices de son Excellence Mgr le Cte de Chabrol, Ministre de la Marine et Colonies. *The Plates for the Insectes, Lepidoptera were published with early parts in 1830-31, but the Lepidoptera text did not come out until 1838. [Ref: b1023; b3256; b1051; b1026] {[1830]-[1838] }*

b2088 1843 In A. Delessert, Souvenirs d'un Voyage dans l'Inde exécuté de 1834 - 1839 par M. Adolphe Delessert. Part II, Histoire Naturelle. [Lépidoptères, :68-98] Paris. [Ref: b0495] {[1843] }

b2089 1847 In Lefebvre, Voyage en Abyssinie exécuté pendant les années 1839-1843.

Guérin, P.;

b2090 1959 *Lycaena helle* Schiff. dans les monts de la madeleine (Loire). Alexanor 1(3):87-88. {27 Oct 1959 }

Guest, Edward;

b2091 1882 List of Diurnal Lepidoptera about Balhannah, Co. Adelaide, with descriptions of new or little-known species. Trans. R. Soc. S. Aust. 5:34-37.

Guillemard, Francis Henry Hill;

b. 1852; d. - [Ref: b0495]

b2092 1886 List of Rhopalocera. Volume 2, Appendix III in: The Cruise of the Marchesa to Kamschatka & New Guinea, with notices of Formosa, Liukiu, and various islands of the Malay Archipelago. London 2 volumes (8vo). A footnote on page 374 attributes the descriptions to Oliver Janson. [Ref: b0977; b0495]

Gunder, Jeane Daniel;

b. 1888, d. 1948. Collection to AMNH. [Ref: b0718; b3202]

b2093 1924 Several new aberrant Lepidoptera (Rhopalocera) from California. Ent. News 35(3):153-158, pl 1. {[8] May 1924 }

b2094 1925 Several new varieties of and aberrant Lepidoptera (Rhopalocera) from California. Ent. News 36(1):1-9, pl 1. {[5] Jan 1925 }

b2095 1925 Several New Aberrant Lepidoptera (Rhopalocera). Ent. News 36(7):193-200. {Jul 1925 }

b2096 1926 Several New Aberrant Lepidoptera (Rhopalocera). Ent. News 37(1):1-9. {[7] Jan 1926 }

b2097 1927 New transition forms or "abs" and their classification (Lepid., Rhopalocera). Ent. News 38(5):129-138, 1 pl. {[4] May 1927 }

b2098 1927 New Transitional Forms or "abs." (Lepid. Rhopalocera). Bull. S. Calif. Acad. Sci. 26(2):53. {Aug 1927 }

b2099 1927 New transition forms (Lepid., Rhopalocera). Can. Ent. 59(12):281-287, pls A,B. {31 Dec 1927 }

b2100 1928 Additional transition forms (Lepid., Rhopalocera). Can. Ent. 60(7):162-168, pls A,B. {30 Jul 1928 }

Gunder, Jeane Daniel; (continued)

b2101 1930 New Butterflies and Sundry Notes. (Lepidoptera, Rhopalocera). Bull. Brooklyn ent. Soc. 24(5):325-332, pls 30,31. {6 Jan 1930 }

b2102 1932 A Few New Butterflies (Lepidoptera Rhopalocera). Pan-Pac. Ent. 8(3):123-127. {[28 Mar] 1932 }

b2103 1933 Additional new Rhopalocera (Lepidoptera). Can. Ent. 65(8):171-173. {2 Sep 1933 }

b2104 1934 Various new butterflies (Lepid., Rhopalocera). Can. Ent. 66(6):125-131. {Jun 1934 }

Gupta, B. P.; Joshi, Rachana; Joshi, K. C.;

b2105 1981 Morphological studies on the head and mouth parts of lima pod borer, *Lampides boeticus* (Lycaenidae; Lepidoptera). Prog. Hortic. 12(4):49-58.

Gussich, B.;

b2106 1917 Ein Beitrag zur Schmetterlingsfauna Kroatiens. Glasn. hrv. prirodosl. Društ. 29:209-225.

Guzmán E., Porfirio;

b2107 1976 Algunas observaciones sobre lepidópteros de Chalma, Estado de México. Revta Soc. mex. Lep. 2(1):49-51. {1 Jun 1976 }

Hackray, J.;

b2108 1938 Variations et aberrations de Lépidoptères. Lambillionea 38:201.

b2109 1946 Variations et aberrations de Lépidoptères. (Suite). Lambillionea 46(2/3):18. {25 Mar 1946 }

Hagan, Chris E.;

b2110 1980 Recent records of *Acrodipsas illidgei* (Waterhouse and Lyell) (Lepidoptera: Lycaenidae) from the Brisbane area, Queensland. Aust. ent. Mag. 7(3):39. {Nov 1980 }

b2111 1983 The occurrence of *Ogyris* (Lepidoptera: Lycaenidae) in empty saturnid cocoons. Aust. ent. Mag. 9(6):96-96, 1 f. {Apr 1983 }

Hagen, Bernhard;

b. 1853; d. 1919.

b2112 1890 Die Pflanzen- und Thierwelt von Deli auf der Ostküste Sumatra's. Tijdschr. K. Ned. aardrijkk. Genoot. (2)7:240 pp, 1 pl.

b2113 1893 Schmetterlinge von den Mentawej-Inseln. Abh. Senckenb. naturf. Ges. 20:309-340, 2 cpl.

b2114 1897 Verzeichniss der in den Jahren 1893-95 von mir in Kaiser Wilhelmsland und Neupommern gesammelten Tagsschmetterlinge (mit ausschluss der Familien der Lycaeniden und Hesperiden). Jb. nass. Ver. Nat. 50:25-96.

Hagen, Herman August;

b. 30 May 1817 (Königsberg); d. 8 Nov 1893 (Cambridge, Mass.). Also Hermann(n). [Ref: b0718 (as Hermann); b0717; b3321]

b2115 1863 Bibliotheca entomologica. Die Literatur über das ganze Gebiet der Entomologie bis zum Jahre 1862. Erster Band. A-M. Zweiter Band. N.-Z. Leipzig, Engelmann 1xii+566 pp, 2:512 pp (8vo). There is a 1960 reprint of this, as volume 13 in the series *Historiae Naturalis Classica*. [Ref: b4059; b1788; b1055]

Haig-Thomas, P.;

b2116 1929 Two trips to Central & Southern Spain. Ent. Rec. 41(2):27-31,43-47. {15 Feb 1929 }

Hall, Arthur;

b2117 1939 Catalogue of the Lepidoptera Rhopalocera (butterflies) of British Guiana. Agr. J. Br. Guiana 10:25-41, 96-104, 146-169, 215-252; pl 8.

Hall, Gaylord Crossette;

b. 1871, d. 1954.

Hall, Gaylord Crossette; (continued)

- b2118 1924 Notes on *Polygonia j-album*, *Cercyonis alope*, *Phyciodes tharos*, *Heodes epixanthe* and *Euphydryas gillettii*. J. New York ent. Soc. 32(2):109-111. {[15 Jun 1924]}

Hammack, Gloria M.;

- b2119 1970 The Serial Literature of Entomology. A Descriptive Study. College Park, Maryland, Ent. Soc. Amer. :vi+85 pp. A very useful study which gives much information about each of the 762 journals studied, including both a geographical and a language index. {Aug 1970}

Hampson, Sir George Francis;

- b. 14 Jan 1860; d. 15 Oct 1936 (Thurnham Court, Maidstone). [Ref: b0717; b1946; b3321]
- b2120 1889 The Butterflies of the Nilgiri District, S. India. J. asiat. Soc. Bengal, Pt II 57(4):346-368. [Ref: b1037] {[Mar 1889]}
- b2121 1909 Ruwenzori Expedition Reports - Lep. Heterocera & Rhopalocera. * :81 pp, 2 cpl.

Hanafusa, Hiroto;

- b2122 1989 New Species and New Subspecies of Butterflies from South East Asia. Futao No. 1:3-6, f 7-25. {25 Jan 1989}
- b2123 1991 Five new subspecies of Indonesian butterflies. (Lep.: Pieridae, Satyridae, Nymphalidae). Futao No. 7:8-9, 11-14, ill.
- b2124 1991 Five new subspecies of Indonesian butterflies. Lep.: Papilionidae, Nymphalidae, Riodinidae). Futao No. 8:17-19, ill.
- b2125 1993 New butterflies from Indonesia (Lep: Satyridae, Nymphalidae, Riodinidae, Hesperidae). Futao No. 11:14-17, ill. {6 Mar 1993}
- b2126 1993 A List of Butterflies from Mentawai Islands, Indonesia (2). Futao No. 12:10-15, ill. {15 Jun 1993}

Hancock, David Lawrence;

- b2127 1985 The type specimens of Lepidoptera described by R. H. R. Stevenson. *Arnoldia Zimbabwe* 9(16):239-250. {8 Feb 1985}
- b2128 1985* [Letter to Bridges. Notes on the journal *Papilio International*. Notes on the bibliography of Hancock and of the Lycaenidae]. Bulawayo, Zimbabwe :1 pp + enclosures. {31 May 1985} [*Unpublished]
- b2129 1985* [Letter to Bridges. Notes on the bibliography of of some African Lycaenidae]. Bulawayo, Zimbabwe :1 pp. {24 Jun 1985} [*Unpublished]

Hancock, E. G.;

- b2130 1988 The W. B. L. Manley collection of Lepidoptera. Ent. Gaz. 39:130-131, 1 pl.

Hannemann, E.;

- b2131 1916 [Description of *Lycaena astrarche f. semiollus*]. Int. ent. Z. 10(1):8. {8 Apr 1916}
- b2132 1928 Etwas über *Chrysophanus amphidamas* Esp. Int. ent. Z. 22(22):210. {8 Sep 1928}
- b2133 1929 Ueber *Lycaena baton* Bergstr. (Lep. Lyc.). Int. ent. Z. 23(11):152-153. {15 Jun 1929}
- b2134 1931 [Remarks on Lepidoptera]. Int. ent. Z. 24(37/38):399-401. {8 Jan 1931}

Hannington, F.;

- b2135 1910-1911 The Butterflies of Kumaun. J. Bombay nat. Hist. Soc. 20(1):130-142 (13 Jun); (2):361-372 (12 Oct); (3):871-873 (31 Jan 1911). {13 Jun 1910-31 Jan 1911}

Hara, M.;

- b2136 1981 A new subspecies of *Strymonidia iyonis* Ota et Kusunoki from Nagano Pref., Japan. *Chô Chô* 4(8):37-41, ill.

Hara, Masayuki; Hirowatari, Toshiya;

- b2137 1989 A new species of the genus *Nacaduba* Moore (Lepidoptera, Lycaenidae) from Tahiti Island. *Tyô to Ga* 40(2):133-139, ill. {20 Jun 1989}

Hara, Seiki;

- b2138 1977 Two dark forms appearing in the females of *Celastrina sugianii* Matsumura (Lepidoptera: Lycaenidae). [Japanese]. *Tyô to Ga* 28(3):117-118, 2 f. [Ref: b2138] {1 Sep 1977}

Harris, E. J. W.;

- b2139 1952 *Candalides hyacinthina josephina* var. nov. A new race of Butterfly, *Candalides josephina* Semper. Family Lycaenidae. *N. Qd Nat.* 20:33-34, f.

Harris, Thaddeus William;

- b. 1795, d. 1856. Collection to MCZ. According to S. Müller, it is in good condition, with most types intact. [Ref: b0717; b3202]
- b2140 1833 Insects. Pages 566-595 in Part IV, A Catalogue of the Animals and Plants in Massachusetts, in Edward Hitchcock, Report of the Geology, Mineralogy Botany, and Zoology of Massachusetts. Commonwealth of Massachusetts.
- b2141 1841 A Report on the Insects of Massachusetts Injurious to Vegetation. Cambridge, Massachusetts, Folsom, Wells, and Thurston :viii+459 pp.
- b2142 1852 A Treatise on Some of the Insects of New England Which Are Injurious to Vegetation (2nd ed.). Boston, Massachusetts, White & Potter :viii+513 pp.
- b2143 1862 A Treatise on Some of the Insects Injurious to Vegetation (3rd ed.). Boston, William White, printer to the state :xi+640 pp, 278 f, 8 pls. Edited by Charles L. Flint, with large additions to the text in the chapter upon the butterflies from Harris' own manuscripts. *Lepidoptera* in chapter V:257-511, pls IV-VII. For details, see Brown, 1975. [Ref: b0516] {Jan 1862}
- b2144 1862 [Manuscript Names and Descriptions by Harris]. In John G. Morris, Synopsis of the Described Lepidoptera of North America. Washington, D. C., Smithsonian Institution :358 pp. {Feb 1862}

Harrison, John William Heslop;

- b. 1881; d. 23 Jan 1967 (Birtley, Co. Durham, England). [Ref: b0579]
- b2145 1905 Les variations de *Lycaena astrarche* Bergstr. dans la Grande-Bretagne. *Bull. Soc. Léop. Genève* 1:30-31.
- b2146 1906 Variation of *Polyommatus astrarche*, Bgstr., in Durham. *Ent. Rec.* 18:236-237.
- b2147 1924 The British races of *Aricia medon* (Esper) with special references to the areas in which they overlap. *Trans. nat. Hist. Soc. N. D. NT.* (ns)6:89-106.
- b2148 1928 Two new aberrations in our Local Lycaenids; *Aricia medon* ab. *carteri* and *Polyommatus icarus* ab. *carteri*. *Vasculum* 14:138-139.
- b2149 1929 Notes and records. [New aberrations in Lycaenids]. *Vasculum* 15:40. [Ref: b0524] {Feb 1929}
- b2150 1941 The distribution and habits of *Callophrys rubi*, L., in the Isle of Rhum. *Ent. Rec.* 53(9):86-88. {Sep 1941}

Harrison, John William Heslop; Carter, W.;

- b2151 1929 Further studies in the variation of *Aricia medon* Esp. With some Notes on that of Allied Species. *Vasculum* 15:16-17. [Ref: b0524] {Feb 1929}

Hartig, F.;

- b2152 1940 Contributo alla conoscenza della fauna Lepidotterologica dell'Italia centrale. *Memorie Soc. ent. ital.* 18:186-198, 3 pls.

Hartig, F. G.;

- b2153 1924 Neubeschreibungen aus Südtirol. *Ent. Rundsch.* 41:42-43,45-46.

- Harvey, Donald James;**
b2154 1987* The higher classification of the Riodinidae (Lepidoptera). Austin Texas, Univ. Texas (Thesis) :216 pp, ill. [*Unpublished]
b2155 1989 Perforated cupola organs on larvae of Euselasiinae (Riodinidae). J. Lep. Soc. 43(3):247-249, 5 f. {7 Sep 1989}
- Harvey, Donald James; Clench, Harry Kendon;**
b2156 1980 *Dianesia*, A New Genus of Riodinidae from the West Indies. J. Lep. Soc. 34(2):127-132, 16 f. {23 Sep 1980}
- Harvey, Donald James; Peacock, John W.;**
b2157 1989 New records of butterflies from North Andros. Ent. News 100(2):86-88. {Apr 1989}
- Hasegawa, H.;**
b2158 1967 [Kei Hayashi, 1914-1962]. Kontyû 35(Suppl):70, bibliography.
- Haskin, J. R.;**
b2159 1933 The life histories of *Eurema demodius*, *Lycaena theonus* and *L. hanno*. Ent. News 44(6):153-156. {6 Jun 1933}
- Hasselbach, Wilfried;**
b2160 1985 *Lycaena helle* - die Zucht einer in der Bundesrepublik Deutschland von aussterben bedrohten Art (Lep.: Lycaenidae). Ent. Zeit. 95(6):70-76, 5 f. {15 Mar 1985}
- Hauder, Franz;**
b. 1860; d. 1923. [Ref: b1946 (for biblio, see Z. Öst. EntVer. 9:1-5)]
b2161 1909 Beitrag zur Makrolepidopterenfauna von Oesterreich ob der Enns. Jber. Ver. Naturk. Öst. Linz 38:(1-42).
- Haverkamp, Fritz;**
b2162 1906 Captures de Lépidoptères faites en Belgique en 1905. Anns Soc. ent. Belg. 50:155-160.
- Hawker-Smith, W.;**
b2163 1926 Some new Lycaenidae in the Congo Museum. Revue zool. afr. 14:237-241.
b2164 1928 A new African Lycaenid. Bull. Hill Mus. 2(1):30-31. {8 Feb 1928}
b2165 1928 New forms of Lycaenidae in the Musée du Congo Belge at Tervueren. Revue zool. bot. afr. 16:214-216.
b2166 1929 Rhopalocera collected in the region of the Haute Volta, French West Africa. Lycaenidae. Bull. Hill Mus. 3(3):230-233. {30 Dec 1929}
b2167 1929 A New Species of African Lycaenidae. Bull. Hill Mus. 3(3):234. {30 Dec 1929}
b2168 1933 Some new species and races of Lipteninae (Lep., Lycaenidae). Stylops 2:1-11.
- Hawker, P.;**
b2169 1980 Notes on, and the apparent extinction of the Chalk-hill Blue: *Lysandra coridon* L. in Lincolnshire. Ent. Rec. 92(1):22-23. {Jan 1980}
- Hawkeswood, T. J.;**
b2170 1981 The food plants of *Jalmenus evagoras* (Donovan) (Lepidoptera: Lycaenidae). Aust. ent. Mag. 8(1):1-2. {Jun 1981}
b2171 1986 The Food Plants of *Jalmenus daemeli* Semper (Lycaenidae) with Notes on Other Butterflies and *Acacia* Food Plants. J. Lep. Soc. 39(4):276-279. {25 Jun 1986}
- [**Haworth, Adrian Hardy;**
b2172 1802 Prodrornus Lepidopterorum Britannicorum. London, Holb. 4to :39+6 pp. [Ref: ns02368]
- Hayashi, Chiwaki;**
b2173 1962 A Gynandromorph of *Everes lacturnus kawaii* Matsumura. Tyô to Ga 12(3):57, 2 f. {30 Jan 1962}
- Hayashi, Hisakazu;**
b2174 1967 An aberrant form of *Maculinea teleius ogumae* Matsumura collected at Cape Shiretoko in Hokkaido. [In Japanese]. Tyô to Ga 18(1/2):38. {30 Nov 1967}
b2175 1972 *Austrozephyrus absolon* from the Malay Peninsula (Lepidoptera: Lycaenidae). [In Japanese]. Konchu to Shizen (Nature & Insects) 7(6):11, 1 pl.
b2176 1976 New species and subspecies of *Jamides* from Sulawesi (Celebes) and Borneo (Lepidoptera: Lycaenidae). Tyô to Ga 26(3/4):97-100. {28 Feb 1976}
b2177 1976 New subspecies of *Castalius elna* Hewitson and *Panchala birmana* Moore from Palawan, the Philippines Tyô to Ga 26(3/4):112-114, 12 f. {28 Feb 1976}
b2178 1976 Two new subspecies of *Loxura cassiopeia* Distant from Palawan and Mindanao (Lepidoptera: Lycaenidae). Tyô to Ga 27(1):1-3, ill. {1 Jun 1976}
b2179 1976 Some lycaenid butterflies from Palawan, with the descriptions of new subspecies (Lepidoptera: Lycaenidae). Tyô to Ga 27(1):5-8, ill. {1 Jun 1976}
b2180 1976 New subspecies of *Libythea myrrha*, *Zemeros flegyas* and *Dodona deodata* from Palawan (Lepidoptera: Libytheidae and Riodinidae). Tyô to Ga 27(1):9-12, ill. {1 Jun 1976}
b2181 1976 Descriptions of four new subspecies of lycaenid butterflies from Palawan (Lepidoptera: Lycaenidae). Tyô to Ga 27(1):13-18, 24 f. {1 Jun 1976}
b2182 1976 New subspecies of Lycaenidae from Palawan (Lepidoptera). Tyô to Ga 27(1):19-24, ill. {1 Jun 1976}
b2183 1976 New subspecies of *Cyaniriodes libna*, *Poritia erycinoides* and *Panchala paraganese* from Palawan (Lepidoptera: Lycaenidae). Tyô to Ga 27(2):49-51, ill. {1 Aug 1976}
b2184 1976 Lycaenid butterflies from Mindanao, Borneo and Sulawesi (Celebes), with the descriptions of new subspecies (Lepidoptera: Lycaenidae). Tyô to Ga 27(3):97-99, ill. {1 Oct 1976}
b2185 1976 New subspecies of *Jamides* and *Udara* from Palawan (Lepidoptera: Lycaenidae). Tyô to Ga 27(4):151-155, 20 f. {1 Dec 1976}
b2186 1977 New subspecies of *Jamides* and *Charana* from Mindanao (Lepidoptera: Lycaenidae). Tyô to Ga 28(4):167-168, 6 f. [Ref: b2186] {1 Dec 1977}
b2187 1978 A new subspecies of *Narathura* from Borneo (Lepidoptera: Lycaenidae). Tyô to Ga 29(2):67-68, 5 f. [Ref: b0110 (#1092); b2187] {1 Jun 1978}
b2188 1978 A new record of *Narathura staudingeri* from Leyte, the Philippines (Lepidoptera: Lycaenidae). Tyô to Ga 29(2):88, 2 f. [Ref: b0110 (#1093); b2188] {1 Jun 1978}
b2189 1978 A new record of *Tajuria igolotiana* from Mindanao (Lepidoptera, Lycaenidae). Tyô to Ga 29(2):96, 4 f. [Ref: b0110 (#1094); b2189] {1 Jun 1978}
b2190 1978 New subspecies of *Narathura bazalus* and *Tajuria dominus* from Mindanao (Lepidoptera: Lycaenidae). Tyô to Ga 29(2):114-116, 14 f. [Ref: b0110 (#1088); b2190] {1 Jun 1978}
b2191 1978 Lycaenid butterflies from Mindanao, with the descriptions of [a] new genus, new species and new subspecies (Lepidoptera: Lycaenidae). Tyô to Ga 29(3):164-168, 19 f. [Ref: b0110 (#1089)] {1 Sep 1978}
b2192 1978 A new subspecies of *Dacalana sannio* from Mindanao (Lepidoptera, Lycaenidae). Tyô to Ga 29(3):169-170, 6 f. [Ref: b0110 (#1095)] {1 Sep 1978}
b2193 1978 New species of *Narathura* and *Deramas* from Mindanao (Lepidoptera, Lycaenidae). Tyô to Ga 29(3):171-174, 13 f. [Ref: b0110 (#1090); b2193] {1 Sep 1978}
b2194 1978 A new subspecies of *Poritia philota* from Mindanao (Lepidoptera, Lycaenidae). Tyô to Ga 29(4):209-210, 5 f. [Ref: b0110 (#1096)] {1 Dec 1978}

Hayashi, Hisakazu; (continued)

- b2195 1978 On the two *Jamides* species from Mt. Apo, Mindanao and Luzon (Lepidoptera, Lycaenidae). Tyô to Ga 29(4):220-222, 14 f. [Ref: b0110 (#1097)] {1 Dec 1978}
- b2196 1979 New Lycaenid Butterflies from Mindanao, the Philippines. Tyô to Ga 30(1,2):83-90, 12 f. [Ref: b0111 (#1097)] {20 Jul 1979}
- b2197 1980 A New *Drupadia* from Marinduque, the Philippines [Lep., Lycaenidae]. Tyô to Ga 30(3,4):176-178, 4 f. [Ref: b1610 (6153-E11); b0113 (#1266)] {20 Jan 1980}
- b2198 1981 New Lycaenid Butterflies from the Philippines. Tyô to Ga 32(1,2):63-82, 55 f. {20 Sep 1981}
- b2199 1984 New Synonyms, New Status, New Combinations, New Species and New Subspecies of Butterflies from the Philippines and Indonesia (Lepidoptera: Satyridae, Riodinidae, Lycaenidae). Iwase (2):9-20, ill. {15 Feb 1984}
- b2200 1984 Lycaenid butterflies of Southeast Asia (1). [In Japanese]. Tokyo, New Science Co. :105 pp, 14 pls. {20 Feb 1984}
- b2201 1984 Lycaenid butterflies of Southeast Asia (2). [In Japanese]. Tokyo, New Science Co. :122 pp, 14 pls. {20 Mar 1984}
- b2202 1984 A new *Tajuria* (Lepidoptera, Lycaenidae) from Mindanao. Tyô to Ga 34(3):127-129, 3 f. {20 Mar 1984}
- b2203 1984 Zwei neue Lycaeniden-Arten von den Philippinen (Lep.: Lycaenidae). Ent. Zeit. 94(21):311-314. {1 Nov 1984}
- b2204 1985 On the Female of *Narathura sakaguchii* (Lepidoptera, Lycaenidae). Tyô to Ga 36(1):31. {20 Apr 1985}
- b2205 1985 New Status of Lycaenid Butterflies from the Philippines (Lepidoptera: Lycaenidae). Iwase (3):1-2, 21. {31 Aug 1985}

Hayashi, Hisakazu; Iwanaga, Shoichi;

- b2206 1974 A new species of *Celastrina* (Lepidoptera, Lycaenidae) from Borneo and Luzon. Kontyû 42(1):17-23, ill. {25 Mar 1974}
- b2207 1974 A new *Sinthusa* (Lepidoptera, Lycaenidae) from Borneo. Kontyû 42(3):258-264. {25 Sep 1974}

Hayashi, Hisakazu; Ohtsuka, Kazuhisa;

- b2208 1985 Two New Species of Lycaenid Butterflies from North Borneo (Lepidoptera: Lycaenidae). Iwase (3):3-7, 15, 22. {31 Aug 1985}

Hayashi, Hisakazu; Schröder, Heinz; Treadaway, Colin G.;

- b2209 1978 New species of *Rapala* and *Sinthusa* from Mindanao (Lepidoptera, Lycaenidae). Tyô to Ga 29(4):215-219, 22 f. [Ref: b0110 (#1098)] {1 Dec 1978}
- b2210 1983 Neue Arten und Unterarten der Gattungen *Dacalana* und *Pratapa* von den Philippinen. Senckenbergiana 63(1/2):45-59. [Ref: b1610 (2959-Z14)] {20 Jan 1983}
- b2211 1984 New lycaenid butterflies from the Philippines (Insecta: Lepidoptera: Lycaenidae). Senckenbergiana 65(1/2):29-42, 24 f. {15 Nov 1984}

Hayashi, Kei;

- b. 1914; d. 1962. [Ref: b1946; ns02158 (bibliography)]
- b2212 1955 On a new subspecies of *Spindasis takanonis* Matsumura from Northern Honshu, Japan. Tyô to Ga 6(4):30, 10 f. {1 Dec 1955}

Hayward, Kenneth John;

- b. 7 Mar 1891 (Pitney, Somerset, England); d. 21 May 1972 (Tucumán, Argentina). Collection sold to Instituto Miguel Lillo.
- b2213 1926 Notes on Egyptian Lepidoptera observed at Reservoir Aswan, between October 1919 and April 1922; Ent. Rec. 37(Sup.):1-16; 38(Sup.):17-27.
- b2214 1935 Notas sobre Lepidopteros (Rhop.) argentinos con descripción de nuevas especies y formas. Revta Soc. ent. argent. 7:183-193, 1 pl, 1 f.

Hayward, Kenneth John; (continued)

- b2215 1939 Contribución al conocimiento de las Riodinidae argentinas. Physis 17:317-374.
- b2216 1949 Nuevas especies y formas de Riodinidae de Argentina y Bolivia. (Lep. Rhop.). Acta zool. lilloana 8:197-201.
- b2217 1949 Nuevas especies de Lycaenidae de la Argentina (Lep. Rhop.). Acta zool. lilloana 8:567-581, 7 f.
- b2218 1963 Lista de los tipos de Insecta (exceptuando Diptera) conservados en el Instituto Miguel Lillo. Acta zool. lilloana 19:297-334.
- b2219 1967 Descripciones de *Thecla* (Lep., Rhop., Lycaenidae). Acta zool. lilloana 21:5-12, 3 f.
- b2220 1968 Dos especies nuevas de *Audre* (Lep., Rhop., Riodinidae). Acta zool. lilloana 22:137-142, 1 f.
- b2221 1973 Catalogo de los Ropaloceros Argentinos. Opera Lilloana 23:318 pp.

Healy, John L.;

- b. 1864, d. 1926. [Ref: b0717]
- b2222 1910 The Larva of *Eumaeus atala*. Ent. News 21(4):179-180. {Apr 1910}
- b2223 1910 Further Note on Larva of *Eumaeus atala*. Ent. News 21(7):327. {Jul 1910}

Heath, A.;

- b2224 1983 Some new and little know Lycaenidae (Lepidoptera) from Zambia. Arnoldia Zimbabwe 9(10):145-164, ill. {27 Jun 1983}
- b2225 1985 Revision of three *Iolaus* subgenera and descriptions of two new species of Lycaenidae (Lepidoptera) from Zambia. Arnoldia Zimbabwe 9(18):257-266.

Hedicke, Hans;

- b. 1911, d. 1970. [Ref: b0718]
- b2226 1923 Nomina nova. Deut. ent. Zeit. 1923(2):226.

Heid, Graham H.;

- b2227 1933 [Description of *Thecla clarionensis*]. In Van Duzee, [q.v.]. Proc. Calif. Acad. Sci. (4)21:143. [See also: b4791]

Heinrich, Rudolf;

- b. 1859, d. 1939. [Ref: b0718; b0717]
- b2228 1938 Beitrag zur Makrolepidopteren fauna von Digne (Basses Alpes). Deut. ent. Zeit. 1938:1-40.

Heller, Karl Maria Josef;

- b. 21 Mar 1864 (Rappoltenkirchen); d. 25 Dec 1945 (Dresden). [Ref: b3321]
- b2229 1902 Ueber *Terinos* und eine neue *Abisara*-Art aus Neu-Guinea. Deut. ent. Zeit. [Iris] 15:127-132, pl 3, 2 f.

Hellweger, M.;

- b2230 1896 *Lycaena semiargus* Rott. (*acis* Schiff.) ab. *spadae*. Ent. Zeit. 10:67-68.

Hemming, Arthur Francis;

- b. 1893, d. 22 Feb 1964.
- b2231 1927 A new European Lycaenid. *Turanana amelia* nov. sp. Entomologist 60(5/6):277, map. {Dec 1927}
- b2232 1928 Spanish races of the *Lycaena coridon* group. Proc. ent. Soc. Lond. 2(3):67-68. {15 Apr 1928}
- b2233 1928 A new Indian species of the Genus *Lycaenopsis*, Feld. Proc. ent. Soc. Lond. 3(1):29-31, pl 2, 6 f. {18 Aug 1928}
- b2234 1928 On the distribution in France of *Agriades thersites* Cant.-Chmn. Entomologist 61:193-196.
- b2235 1929 Revision of the *baton* group of the genus *Turanana* Bethune-Baker with an account of an unrecognized species *T. vicrama* Moore. Entomologist 62:27-32, 60-64, 84-89, 2 pls. {Feb 1929}

Hemming, Arthur Francis; (continued)

- b2236 1929 Notes on the Generic Names of the Holarctic Lycaenidae (Lep. Rhop.). Ann. Mag. nat. Hist. (10)3:217-245. {Mar 1929}
- b2237 1929 *Carcharodus dravira*, Moore, a good species. Proc. ent. Soc. Lond. 4(1):1-3. {[31 Jul] 1929}
- b2238 1929 Two new subspecies of *Polyommatus loewii*, Zell. Proc. ent. Soc. Lond. 4(1):3-7. {[31 Jul] 1929}
- b2239 1931 Revision of the Genus *Iolana*, Bethune-Baker. Trans. ent. Soc. Lond. 79(2):323-333. {10 Jul 1931}
- b2240 1931 On the dates of publication of F. Rühl's "Die palaearktischen Grossschmetterlinge und ihre Naturgeschichte". Ann. Mag. nat. Hist. (10)8:405-406. {Oct 1931}
- b2241 1931 Description of Three Palaeartic Butterflies. Ann. Mag. nat. Hist. (10)8:534-536. {Nov 1931}
- b2242 1931 On two little known Species of the genus *Scolitantides* Hb. Ann. Mag. nat. Hist. (10)8:577-579. {Dec 1931}
- b2243 1932 Supplementary notes on the collection of Butterflies made in Greece by General van Straubenzee in 1931. Entomologist 65:179-183. {Aug 1932}
- b2244 1932 Notes on *Polyommatus amandus* Schn., 1792 (Lep. Lycaenidae). Entomologist 65:267-269.
- b2245 1932 Two recent additions to the Butterfly Fauna of France. Proc. ent. Soc. Lond. 7(2):27-29. {[31 Dec] 1932}
- b2246 1932 New and Rare Syrian Butterflies (Lepidoptera: Lycaenidae). Stylops 1:12-14, pl. 1.
- b2247 1932 The Butterflies of Transjordan. Trans. ent. Soc. Lond. 80(2):269-299, pls 15,16, 3 text-figs. {31 Dec 1932}
- b2248 1933 A new Syrian butterfly (Lepidoptera, Lycaenidae). Entomologist 66:7-8. {Jan 1933}
- b2249 1933 Additional notes on the types of certain butterfly genera. Entomologist 66:222-225. {Oct 1933}
- b2250 1933 Holarctic butterflies: Miscellaneous notes on nomenclature. Entomologist 66:275-279. {Dec 1933}
- b2251 1934 Notes on two collections of butterflies made in Palestine, with a note on the occurrence in Transjordan of an unrecorded species. Entomologist 67:1-4, 29-32, 135-137, 196-199. {Jan 1934}
- b2252 1934 Some notes on the nomenclature of Palaeartic and African Rhopalocera. Stylops 3:97-99. {15 May 1934}
- b2253 1934 The Generic Names of the Holarctic Butterflies. Volume 1: 1758-1863. London, British Museum (Natural History) 8vo 1:v-viii + 3-184 pp (all published). {28 Jul 1934}
- b2254 1934 Notes on the types of three genera proposed by Jacob Hübner in the first volume of his "Sammlung exotische Schmetterlinge", with a definition of a new genus. Entomologist 67:156-157. {Jul 1934}
- b2255 1934 Revisional notes on certain species of Rhopalocera (Lepidoptera). Stylops 3:193-200. {15 Sep 1934}
- b2256 1935 On the dates of publication of Hewitson's "Illustrations of diurnal Lepidoptera". Ann. Mag. nat. Hist. (10)15:117-120. {Jan 1935}
- b2257 1935 Notes on seventeen genera of Rhopalocera. Stylops 4:1-3.
- b2258 1935 On the identity of four species of Rhopalocera described by Johannes Gistel in 1857. Stylops 4:121-122.
- b2259 1935 Note on p. 374, and Appendix 1, Note on the genotypes of three genera of Rhopalocera represented in the fauna of Abyssinia. In Carpenter, G. D. H., The Rhopalocera of Abyssinia, a faunistic Study. Trans. R. ent. Soc. Lond. 83():374,435-436, ill.
- b2260 1937 Hübner. A biographical and systematic account of the entomological works of Jacob Hübner. London, Roy. Ent. Soc. 2 volumes, 1:i+xxxiv, 1+605; 2:i+xxi, 1+274.
- b2261 1939 Notes on the generic nomenclature of the Lepidoptera Rhopalocera I. Proc. R. ent. Soc. Lond. (B)8(7):133-138. {Jul 1939}

Hemming, Arthur Francis; (continued)

- b2262 1939 The Question of the Work in Which Ten Generic Names in the Lepidoptera Rhopalocera Hitherto Attributed to Fabricius Were First Published in 1807; A Case for Decision by the International Commission on Zoological Nomenclature. Proc. R. ent. Soc. Lond. (B)8(9):181-191. {Ref: b1051} {Sep 1939}
- b2263 1941 The types of genera established by Doubleday. (E.) in the Genera of Diurnal Lepidoptera and by Westwood (J.O.) in the continuation thereof. J. Soc. Bibl. nat. Hist. 1(11):413-446. {Oct 1941}
- b2264 1941 The dates of publication of the specific names first published in Doubleday (E.) Genera of Diurnal Lepidoptera and in the continuation thereof by Westwood (J. O.). J. Soc. Bibl. nat. Hist. 1(11):447-464. {Oct 1941}
- b2265 1943 The types of genera established by Doubleday (E.) in the Genera of Diurnal Lepidoptera and by Westwood (J.O.) in the continuation thereof: a correction regarding the genus *Corybas*, Westwood, [1850]. J. Soc. Bibl. nat. Hist. 1(12):470. {Feb 1943}
- b2266 1943 Notes on the generic nomenclature of the Lepidoptera Rhopalocera II. Proc. R. ent. Soc. Lond. (B)12(2):23-30. {Feb 1943}
- b2267 1945 Hewitson (W. C.) Illustr. new spec. exot. Butterflies: Supplementary note on the composition and dates of publication of certain parts. J. Soc. Bibl. nat. Hist. 2(2):51-53. {Oct 1945}
- b2268 1956 Proposed use of the Plenary Powers to designate a type species in harmony with current usage for the genus *Cupido* Schrank, 1801 (Class Insecta, Order Lepidoptera) and matters incidental thereto. Bull. Zool. Nomen. 12(10):267-274. {31 Oct 1956}
- b2269 1960 Principles of selection of type species: selection of type species for seven genera of the family Lycaenidae. Paper I. Annot. Lep. (1):7-11. {25 Nov 1960}
- b2270 1960 Provision of a name for the species incorrectly cited as *Lycaena elorea* Staudinger by Karsch When establishing the Genus *Oboronia* in 1895 and selection of a type species for the genus (Lycaenidae). Paper IV. Annot. Lep. (1):31-40. {25 Nov 1960}
- b2271 1960 Establishment of the genus *Nabokovia* gen. nov. (Lycaenidae). Annot. Lep. (2):41-42. {25 Nov 1960}
- b2272 1963 Reduction of the name "*Pseudoliptena*" Stempffer, 1946, to the status of a junior subjective synonym of "*Anthene*" Doubleday, 1947 (Lep.: Lycaenidae). Entomologist 96:292-293. {Dec 1963}
- b2273 1964 Selection of lectotypes for seven nominal species of the family Riordinidae. Paper XXI. Annot. Lep. (3):101-104. {30 Oct 1964}
- b2274 1964 Selection of lectotypes for two nominal species of the family Lycaenidae. Paper XXII. Annot. Lep. (3):105. {30 Oct 1964}
- b2275 1964 Selection of lectotypes for three nominal species of the family Papilionidae. Paper XXIII. Annot. Lep. (3):106-107. {30 Oct 1964}
- b2276 1964 Selection of type species for seven nominal genera of the family Riordinidae. Paper XXXII. Annot. Lep. (4):128-131. {30 Oct 1964}
- b2277 1964 Selection of type species for five nominal genera of the family Lycaenidae. Paper XXXIII. Annot. Lep. (4):132-134. {30 Oct 1964}
- b2278 1964 Introduction, as replacements for names invalid under the Law of Homonymy, of names for two genera of the family Lycaenidae. Paper XXXVIII. Annot. Lep. (4):141-142. {30 Oct 1964}
- b2279 1964 Establishment of a new genus in the family Riordinidae. Paper XLII. Annot. Lep. (4):147. {30 Oct 1964}

Hemming, Arthur Francis; (continued)

b2280 1967 The Generic Names of the Butterflies and their Type-species (Lepidoptera: Rhopalocera). Bull. Br. Mus. nat. Hist. (Ent.) Suppl. 9:509 pp. [Ref: b0518] [1 Aug 1967]

Henne, Christopher;

b. 1905, d. 1977. Collection to LACM. [Ref: b3202]

b2281 1935 A new form of *Leptotes marina* (Lepid.: Nymphalidae). Ent. News 46(4):100-101, f 1, 2. [3 Apr 1935]

b2282 1940 Two new species of Lepidoptera from California. Bull. S. Calif. Acad. Sci. 39(1):71-74. [15 Jun 1940]

Henning, G. A.;

b2283 1981 A new species of *Hypolycaena* Felder from southern Africa (Lepidoptera: Lycaenidae). Ent. Rec. 93(3/4):55-57. [Ref: b1610 (7377-E12)] [Apr 1981]

b2284 1982 Descriptions of three new species of *Aloeides* Hübner (Lepidoptera: Lycaenidae) from the Transvaal, South Africa, and south west Africa (Namibia). J. ent. Soc. S. Afr. 45(2):231-238, ill.

b2285 1987 Notes on the *Aloeides penningtoni* complex from South Africa (Lepidoptera: Lycaenidae) with descriptions of three new species. J. ent. Soc. S. Afr. 50(1):241-248.

Henning, G. A.; Henning, Stephen Frank;

b2286 1988 A review of the genus *Capys* Hewitson (Lepidoptera: Lycaenidae) with descriptions of seven new species and two new subspecies. Durban Mus. Novit. 14(6):102-139, 103 f. [30 Dec 1988]

Henning, S. F.; Henning, G. A.;

b2287 1991 New subspecies of *Iolais (Epamera) alienus* Trimen (Lepidoptera: Lycaenidae) from Namibia. Ent. Rec. 103(3/4):83-87, ill.

Henning, Stephen Frank;

b2288 1979 Descriptions of two new species of *Poecilmitis* Butler (Lepidoptera: Lycaenidae) from Namaqualand, South Africa. J. ent. Soc. S. Afr. 42(2):153-159. [Sep 1979]

b2289 1993 Obituary: Charles gordon Campbell Dickson. J. Lep. Soc. 46(4):325-333. [19 Jan 1993]

Henning, Stephen Frank; Henning, G. A.;

b2290 1983 A new species of *Lepidochrysops* Hedicke (Lepidoptera: Lycaenidae) from South West Africa (Namibia). J. ent. Soc. S. Afr. 46(1):59-63. [Apr 1983]

b2291 1984 A revision of the *Iolais silas* complex (Lepidoptera: Lycaenidae) in southern Africa. J. ent. Soc. S. Afr. 47(1):35-44. [Apr 1984]

b2292 1986 Notes on the genus *Aloeides* Hübner (Lepidoptera: Lycaenidae) with a description of a new species from the Transvaal. J. ent. Soc. S. Afr. 49(2):337-341.

b2293 1989 A new species of *Iolais* Hübner subgenus *Epamera* Druce (Lepidoptera: Lycaenidae) from the Nyika Plateau, Zambia. J. ent. Soc. S. Afr. 52(2):185-189, ill.

Henning, Stephen Frank; Henning, G. A.; Samways, M. J.;

b2294 1993 *Erikssonia acraeina* Trimen; Subfamily Theclinae, Tribe Aphnaeini. In: T. R. New (editor), Conservation Biology of Lycaenidae (Butterflies). Occ. Pap. IUCN Species Survival Comm. No. 8:156-157.

b2295 1993 *Alaena margaritacea* Eltringham; Subfamily Lipteninae, Tribe Pentilini. In: T. R. New (editor), Conservation Biology of Lycaenidae (Butterflies). Occ. Pap. IUCN Species Survival Comm. No. 8:158.

b2296 1993 *Orachrysops (Lepidochrysops) ariadne* (Butler); Subfamily Polyommatae, Tribe Polyommataini. In: T. R. New (editor), Conservation Biology of Lycaenidae (Butterflies). Occ. Pap. IUCN Species Survival Comm. No. 8:159.

Henning, Stephen Frank; Henning, G. A.; Samways, M. J.; (continued)

b2297 1993 *Aloeides dentatis dentatis* (Swierstra), *Aloeides dentatis maseruna* (Riley); Subfamily Theclinae, Tribe Aphnaeini. In: T. R. New (editor), Conservation Biology of Lycaenidae (Butterflies). Occ. Pap. IUCN Species Survival Comm. No. 8:154-155.

Henning, W. H.;

b2298 1977 A new Species of *Poecilmitis* Butler (Lepidoptera: Lycaenidae) from Namaqualand, Cape, South Africa. Ent. Rec. 89(2):25-30, pls 2-5. [Feb 1977]

Henriksen, H. J.;

b2299 1977 [*Vacciniina optilete* Knoch., ssp. *clara* Heydem. and comparison with the type material of *Vacciniina optilete* Kn.]. Lepidoptera (Copenhagen) 3(4):117-120, ill.

Henriksen, H. J.; Kreutzer, Ib;

b2300 1982 The Butterflies of Scandinavia in Nature. Denmark, Skandinavisk Bogforlag :215 pp, 102 cpl. *Distribution maps for each species, and 858 individual photographs of habitus, species in nature and developmental stages.*

Hensel;

b2301 1920 [Untitled description of *Chrysophanus dispar rutilus extincta*]. Int. ent. Z. 14(16):122. [13 Nov 1920]

Heppner, John B.;

b2302 1981 The dates of E. J. C. Esper's Die Schmetterlinge in Abbildungen . . . 1776-1830]. Archiv. nat. Hist. 10(2):251-254. [See also: b1623] [Ref: b1027; b1049] [Oct 1981]

b2303 1982 Dates of Selected Lepidoptera Literature for the Western Hemisphere Fauna. J. Lep. Soc. 36(2):87-111. [24 Sep 1982]

Heppner, John B.; (editor) Inoue, Hiroshi; (editor)

b2304 1992 Lepidoptera of Taiwan. Volume 1. Part 2: checklist. Gainesville, Sci. Publ. Inc. :xlix + 276 pp, ill.

Heppner, John B.; Lamas, Gerardo;

b2305 1982 Acronyms for World Museum Collections of Insects, with an Emphasis on Neotropical Lepidoptera. Bull. ent. Soc. Amer. 28(3):305-315.

Herbst, Johann Friedrich Wilhelm;

b. 1 Nov 1743 (Petershagen); d. 5 Nov 1807 (Berlin). [Ref: b0718; b0717; b3321]

b2306 1788-1804 In Jablonsky, Natursystem aller bekannten in- und ausländischen Insecten; Schmetterlinge. 11 Volumes. Berlin, Pauli 3:232 pp, 32 pls (1788); 4:208 pp, 28 pls (1790); 5:230 pp, 37 pls (1792); 6:162 pp, 36 pls (1793); 7:178 pp, 28 pls (1794); 8:304 pp, 49 pls (1796); 9:106 pp, 30 pls (1798); 10:334 pp, 36 pls (1800); 11:391 pp, 30 pls (1804). *Volumes 1-2 by Jablonsky. (1788-1804)*

Herbulot, Claude;

b2307 1983 Cinq grands Lépidoptéristes français du siècle dernier. Bull. Soc. ent. Fr. 88(1/2):154-157. [27 Jul 1983]

Hering, Eduard;

b. 16 Feb 1842 (Stepenitz, Pommern); d. 26 Nov 1911 (Stettin?); Collection in Mus. f. Naturkunde, Stettin. [Ref: b2455]

b2308 1881 Die Pommerschen Rhopaloceren, Sphingiden, Bombyciden und Noctuiden. Stett. ent. Ztg 42(1-3):133-140. [Mar 1881]

Hering, Erich Martin;

b. 1893, d. 1967; Collection in Zool. Mus., Berlin. [Ref: b2455]

Hering, Erich Martin; Hopp, Werner;

b2309 1925 Verzeichnis der gefundenen Arten und Neubeschreibungen. In M. Hering and W. Hopp, Eine Sammelausbente des Herrn Werner Hopp aus dem Choco Kolumbiens. Deut. ent. Zeit. [Iris] 39:188-207, 3 f.

Heron, Francis Arthur;

- b. 1864, d. 1940. [Ref: b0717; b1946]
 b2310 1894 Lepidoptera. In Walker, J. J., A Visit to Damra Island, East Indian Archipelago. Ann. Mag. nat. Hist. (6)14:101-107. {Aug 1894}
 b2311 1896 Description of a new *Spindasis* from Ceylon. Ann. Mag. nat. Hist. (6)18:190-191. {Aug 1896}
 b2312 1909 Zoological results of the Ruwenzori expedition, 1905-1906. 12. Lepidoptera, Rhopalocera. Trans. zool. Soc. Lond. 19(2):141-178, ill.

Herrera, José;

- (Also seen as José Valentín Herrera González). b. 9 Oct 1913 (Mejillones, Antofagasta, Chile); d. 29 Jan 1992 (Santiago, Chile).

Herrich-Schäffer, Gottlieb August Wilhelm;

- b. 17 Dec 1799 (Regensburg (Ratisbon) Bavaria); d. 14 Apr 1874 (same). [Ref: b0718; b0717]
 b2313 1843-1856 Systematische Bearbeitung der Schmetterlinge von Europa, zugleich als Text, Revision und Supplement zu J. Hübner's Sammlung Europäischer Schmetterlinge. Regensburg. Manz 6 volumes (69 hefte), 636 cpl, 36 pl 1 (Tagfalter):164 pp, 134 pls (Pap.), 7 pls (Hesp.). Also seen under the title: Systematische Bearbeitung der Schmetterlinge von Europa mit Abbildungen der noch gar nicht oder nicht genügend abgebildeten Arten. (FMB, pc). [Ref: b0527] {1843-1856}
 b2314 1850-1869 Sammlung neuer oder wenig bekannter aussereuropäischer Schmetterlinge. Regensburg, G. J. Manz 4to 1:84 pp, 96 pls; 2:4 pp, 8 pls. Through the two volumes of this work run two separately numbered series of figures; those devoted to the butterflies and those devoted to the moths. The butterfly figures run from 1-123, with f 1-102 (forming 24 unnumbered pls) to Vol. I and f 103-123 (forming 4 unnumbered pls) to Vol. II (Moulds, 1977). [Ref: b3256] {1850-1869}
 b2315 1862-1863 Schmetterlinge aus Cuba. [6 issues]. CorrespBl. zool.-min. Ver. Regensb. 16:118-120, 141-143, 156-157 (1862); [comments on Lucas's threaisse in "Sagra"], 16:174-180 (1862), 17:138-143 (1863). {1862-1863}
 b2316 1864-1865 Die Schmetterlings-fauna der Insel Cuba. CorrespBl. zool.-min. Ver. Regensb. 18(11/12):159-172; 19(3/4):52-60. {1864-1865}
 b2317 1869 Neue Schmetterlinge aus dem Museum Godeffroy in Hamburg. Erste Abtheilung: die Tagfalter. Steit. ent. Ztg 30(1-3):65-80; pls 1-4.

Herz, Alfred Otto;

- b. 14 Oct 1852 (Hoyerswerda, Schlesien); d. 12 Jul 1905 (Petersburg). [Ref: b0718; b0717]
 b2318 1900 Meine Lepidopteren - Ausbeute im nördlichen Buchara und im Serarschan - Gebiete im Jahre 1892. Annu. Mus. zool. St. Pétersbourg 5:428-457.

Hess, David F.;

- b2319 1984 Letter [on nomenclature of Miller & Brown list]. News Lep. Soc. 1984(1):6-7. {[20] Jan 1984}

Hesselbarth, G.; Schurian, Klaus G.;

- b2320 1984 Beitrag zur Taxonomie, Verbreitung und Biologie von *Tomares nogelii* (Lepidoptera, Lycaenidae). Entomofauna 5(20):243-250.

Hesselbarth, G.; Siepe, W.;

- b2321 1993 *Polyommatus (Aricia) torulensis* - eine bisher nicht bekannte Lycaenide aus Anatolien (Lepidoptera: Lycaenidae). Phegea 21(2):47-53, ill.

Hewitson, William Chapman;

- b. 9 Jan 1806 (Newcastle-on-Tyne); d. 28 May 1878 (Oatlands (Weybridge)). Collection to the BMNH. [Ref: b0717]
 b2322 1846-1852 In Doubleday et al., Gen. diurn. Lep. (q.v.). [See also: b1329] {1846-1852}

Hewitson, William Chapman; (continued)

- b2323 1852-1877 Illustrations of new species of exotic Butterflies, selected chiefly from the Collections of W. Wilson Saunders and William C. Hewitson. London, Van Voorst 4to 5 volumes, 100 parts, pages unnumbered, 300 pls. 1:v + [124] pp, 60 pls, (20 parts) [1852-1856]; 2:iv + [124] pp, 60 pls, (20 parts) [1857-1861]; 3:iv + [124] pp, 60 pls, (20 parts) [1862-1866]; 4:iii + [118] pp, 60 pls, (20 parts) [1867-1871]; 5:iv + [127] pp, 60 pls, (20 parts) [1872-1877]. [Ref: b4941; b2267; b2018] {1852-1877}
 b2324 1854 Descriptions of some New Species of Butterflies from South America. Trans. ent. Soc. Lond. (2)2():245-248.
 b2325 1862 Specimen of a Catalogue of Lycaenidae in the British Museum. London, British Museum 4to :[iv]+15 pp, 8 pls. See Moulds, 1977, for details. [Ref: b3256] {11 Jan 1862}
 b2326 1863-1878 Illustrations of diurnal Lepidoptera, Lycaenidae. London, van Vorst. x + 229 pp. and 14a-14h, Suppl. 1-47; pls. (108, numbered); 1-85, 88-92, 3a, 3b, 3c, Suppl. I-VIII, Ia, Ib, IIIa, IIIb, IVa, Va, Vb. In 8 parts. (1):tp+vi+36 pp, pls 1-16 (1863); (2):37-76, pls 17-30 (24 Jun 1865); (3):77-114, pls 31-46 (1 Apr 1867); (4):115-136, 14a-h, Suppl.:1-16, pls 47-54, 3a-c, Suppl. pls 1-Vb (30 Apr 1869); (5):137-150, pls 55-59, Suppl.:pl VI (10 Feb 1873); (6):151-184, pls 60-73 (1 Dec? 1873); (7):185-208, pls 74-83 (Jan? 1877); (8):209-228, Suppl.:35-47, tp (2nd), pls 84-92, Suppl.:pls VII, VIII (Nov 1878). The Supplement came in 1869 and 1878 - not all at the end. The title above is the final one, slightly changed from the first one, "- - Lepidoptera. Part 1, Lycaenidae", issued when Hewitson had not finalised his plans. Hewitson died 28 May 1878. The last part was published by H. Grose-Smith, as explained in the Preface, 6 months later. The text was finished by W. F. Kirby, who is shown as responsible for the last new name, *Hypolycaena amba* Kirby (p. Supp. 32, pl Va). After publishing the Specimen Cat. lyc. in B.M., the Br. Mus. "declined" to publish further parts, so Hewitson turned to van Voorst for this fresh venture. The two works are separate, but the Index to the latter covers both. [CFC, pc]. [Ref: b2256] {1863-1878}
 b2327 1868 Descriptions of some new species of Lycaenidae. London, Van Voorst, 36 pp. [Ref: b2353 (reprint)] {1 Jun 1868}
 b2328 1869 Descriptions of six new Species of Diurnal Lepidoptera from Nicaragua. Trans. ent. Soc. Lond. 17(1):33-35. {Apr 1869}
 b2329 1869 Description of a new species of *Epiöla* (Lycaenidae). Ent. mon. Mag. 6:86. {Sep 1869}
 b2330 1869-1877 Equatorial Lepidoptera Collected by Mr. Buckley, or Remarks on and descriptions of new species of butterflies collected by Mr. Buckley in Ecuador. London, van Voorst iv+96 pp, in 5 parts; (1):pp 1-16 [2 Dec 1869]; (2):pp 17-32 [15 Dec 1869]; (3):pp 33-48 [30 Dec 1869]; (4):i,ii (preface,iii,iv,index,49-79,80) [10 Mar 1870]; (5):pp 81-96 [11 Apr 1877]. [Ref: b1023 :18-19; b2353 (reprint)] {1869-1877}
 b2331 1870 Descriptions of new species of Erycinidae, from Chontales, Nicaragua. Ent. mon. Mag. 6:226-228. {Mar 1870}
 b2332 1870 Descriptions of five new species of Diurnal Lepidoptera from Chontales, Nicaragua, and of one from Minas Geraes. Ent. mon. Mag. 7:3-6. {Jun 1870}
 b2333 1870 Descriptions of 22 new Species of Equatorial Lepidoptera. Trans. ent. Soc. Lond. 18(2):153-163. {Jun 1870}
 b2334 1871 New Species of Diurnal Lepidoptera from South and Central America. Trans. ent. Soc. Lond. 19(2):165-167. {May 1871}
 b2335 1872 Descriptions of seven new exotic Rhopalocera. Ent. mon. Mag. 9:83-86. {Sep 1872}
 b2336 1873 Description of nine new species of Lycaenidae from the west coast of Africa. Ent. mon. Mag. 10:122-125. {Nov 1873}

Hewitson, William Chapman; (continued)

- b2337 1873 Descriptions of six new species of *Epitola* from the West Coast of Africa. Ent. mon. Mag. 10:149-151. {Dec 1873}
- b2338 1874 Descriptions of four New African butterflies. Ent. mon. Mag. 10:205-206. {Feb 1874}
- b2339 1874 A list of butterflies taken on the march to Coomasie . . . by Lieut. Alwyn S. Bell . . . between Mansu and the River Prah . . . new species. Ann. Mag. nat. Hist. (4)13:380-383. {May 1874}
- b2340 1874 Descriptions of new Lycaenidae from West Africa. Ent. mon. Mag. 11:36. {Jul 1874}
- b2341 1874 Descriptions of new species of Lycaenidae from his own collection. Trans. ent. Soc. Lond. 22(3):343-355. {Jul 1874}
- b2342 1874 Descriptions of new species of Butterflies. Ent. mon. Mag. 11:56. {Aug 1874}
- b2343 1874 Descriptions of new species of Lycaenidae from South America. Ent. mon. Mag. 11:104-107. {Oct 1874}
- b2344 1874 Descriptions of new Species of Butterflies collected by Mr. Buckley in Bolivia. London, van Voorst. ii + 22 pp. {Ref: b1023; b2353 (reprint)} {1 Nov 1874}
- b2345 1875 Descriptions of six new species of butterflies from South America, West Africa and Borneo. Ent. mon. Mag. 11:182-184. {Jan 1875}
- b2346 1875 Descriptions of three new species of Lycaenidae. Ent. mon. Mag. 12:38-39. {Jul 1875}
- b2347 1875 Description of a new species of *Myrina* from W. Africa. Ent. mon. Mag. 12:106. {Oct 1875}
- b2348 1876 Notes on Mr. Atkinson's collection of East Indian Lepidoptera, with descriptions of new species of Rhopalocera. Ent. mon. Mag. 13:149-152. {Dec 1876}
- b2349 1877 Notes on Rhopalocera from Angola with a description of new species of *Deudorix* from Zanzibar. Ent. mon. Mag. 13:205. {Feb 1877}
- b2350 1877 Notes on Mr. Buxton's eastern butterflies, with description of a new species of *Poritia*. Ent. mon. Mag. 13:223. {Mar 1877}
- b2351 1877 Description of a new species of butterfly from Lake Nyassa. Ent. mon. Mag. 14:5-6. {Jun 1877}
- b2352 1877 Descriptions of new species of Rhopalocera. Ent. mon. Mag. 14:107-108. {Oct 1877}
- b2353 1972 Hewitson on Butterflies 1867-1877. Hampton, E. W. Clasley :[8]+ii+56+ii+36+ii+96+ii+22. Consists of reprints of 4 important papers.

Heydemann, F.;

- b2354 1910 Einige neue paläarktische Lepidopteren-Formen. Ent. Zeit. 23(40):177-178. {1 Jan 1910}
- b2355 1930 *Lycaena idas* L. (=argyrognomon Bergstr.) und ihr nördlicher Formenkreis Int. ent. Z. 24(25):269-276. {1 Oct 1930}
- b2356 1931 *Lyc. ismenias* Meigen 1830 (nom. specif. pro insularis Leech 1893), ein bisher verkannter, deutscher Bläueling. Int. ent. Z. 25:129-133, 141-144, 149-152.
- b2357 1932 Ueber *Lycaena ismenias* Meigen und *idas* L., sowie eine neue Rasse der letzteren. Ent. Rundsch. 49:35-37, 47-52, 69-70, 81-83, 2 f.
- b2358 1933 Einige fuer Schleswig-Holstein beachtenswerte oder neue Lepdipteren. Int. ent. Z. 27:189-195, 221-225, 245-249, 281-283, 329-335, 370-373, 393-397, 417-422.
- b2359 1942 Ueber einige Tagfalterrassen. Ein Beitrag zur Frage der Rassenbildung bei Lepidopteren. Deut. ent. Zeit. [Iris] 55:85-106, 2 pls. {[1942]}
- b2360 1954 Beitrag zur Lepidopteren-Fauna Afghanistans. Z. wien. ent. Ges. 39:385-396, 412-428, 2 pls, 16 f.

Heydenreich, Gustav Heinrich;

- b. * , d. 1897. {Ref: b0717}
- b2361 1851 Lepidopterorum Europaeorum Catalogus methodicus. Systematisches Verzeichniss der Europäischen Schmetterlinge (3rd ed). Leipzig, Klinckschardt 8vo :130 pp (1851). According to Koçak, a one page Nachtrag was issued in 1854. {Ref: b2796}

Heyne, Alexander;

- b. 1 Jul 1869 (Leipzig); d. 23 Dec 1927 (Berlin). {Ref: b0717}
- b2362 1897 *Polyommatus virgaureae* L. nov. var. *aureomicans* Heyne. Soc. ent. 12(2):9. {15 Apr 1897}

Heyne, Ernst;

- b2363 1893-1895 Tagfalter, Volume I in Rühl & Bartel, (q.v.). {See also: b3903} {1893-1895}

Higgins, Lionel George;

- b. 1891; d. Oct 1985. {Ref: b0006; b4247}
- b2364 1928 *Tarucus telicanus* Lang in Switzerland. Entomologist 61:14. {Jan 1928}
- b2365 1930 A Lepidopterological excursion to Piedmont. Entomologist 63:97-100, 125-127, 152-155, 179-183, 199-203, 2 pls. {May 1930}
- b2366 1931 On the generic names used by Freyer in the Neuere Beitrage. Ent. Rec. 43:14-15. {15 Jan 1931}
- b2367 1948 Butterflies in Granada. Entomologist 81(1):25-29, (3):49-53 (19 Mar). {19 Feb 1948}
- b2368 1955 Haworth's Lepidoptera Britannica. Ent. Rec. 67:134. {15 May 1955}
- b2369 1958 Butterflies in Kurdistan. Entomologist 91:38-45. {Feb 1958}
- b2370 1959 The original larval figures of Schiffmüller. Entomologist 92:49-60. {Mar 1959}
- b2371 1963 Dates of publication of the Novara Reise. J. Soc. Bibl. nat. Hist. 4(3):153-159. {Nov 1963}
- b2372 1964 Butterflies of Lebanon. Entomologist 97:193-200, pl 8. {Sep 1964}
- b2373 1965 Five new butterflies. Entomologist 98:10-12. {Jan 1965}
- b2374 1969 A New Genus of European Butterflies (Lep. Lycaenidae). Entomologist 102:67. {Mar 1969}
- b2375 1975 The Classification of European Butterflies London, Collins, 320 pp, 402 f. *Kudrna dates this 1976.* {Ref: b0108 (#947)}
- b2376 1980 Obituary. Norman Denbigh Riley C.B.E. 1890-1979. J. Lep. Soc. 34(1):78-79. {23 Sep 1980}
- b2377 1981 New Polyommatine Butterflies (Lepidoptera: Lycaenidae). Ent. Gaz. 32(4):230-232. {10 Nov 1981}
- b2378 1982 Notes on *Pseudophilotes panoptes* (Hübner) (Lepidoptera: Lycaenidae). Ent. Gaz. 33(1):1-4. {27 Feb 1982}
- b2379 1986 The correct name for what has been called *Lycaeides argyrognomon* in North America. J. Lep. Soc. 39(2):145-146. {7 Jan 1986}

Higgins, Lionel George; Riley, Norman Denbigh;

- b2380 1970 A Field Guide to the Butterflies of Britain and Europe. London, Collins, 380 pp, 60 pls (706 color illus), 371 maps. The 2nd edition came in 1973, the third in 1975. The 2nd edition was translated into French by P. C. Rougeot (1975).

Hiller, a.; d'Apice, J. W. C.;

- b2381 1979 First record of the butterfly *Pithecopis dionisius dionisius* (Boisduval) (Lepidoptera: Lycaenidae) from the Australian mainland. Aust. ent. Mag. 6(1):10-12, 2 f. {Jun 1979}

Hinton, Howard Everest;

- b. 24 Aug 1912 (Matechuala, Mexico), d. 1977.
- b2382 1948 Sound Production in Lepidopterous Pupae. Entomologist 81(11):254-269, 8 f. {12 Nov 1948}

Hirose, Takazo;

- b2383 1933 Some new aberrant forms of Japanese butterflies. Trans. Kansai ent. Soc. 4:35-37, 1 pl.

Hirowatari, Toshiya;

- b2384 1986 Study on the Genus *Jamides* Hübner (Lepidoptera, Lycaenidae). I. Descriptions of the Female Genitalia of sixteen Species from the Malay Peninsula. Tyô to Ga 36(3):113-132, 9 f. {30 Jan 1986}
- b2385 1986 Morphology and Taxonomic Importance of the Female Genitalia of the Genus *Nacaduba* Moore (Lepidoptera, Lycaenidae). Tyô to Ga 37(2):51-60. {20 Jun 1986}
- b2386 1990 Systematic position of *Hypojamides catochloris* (Boisduval) (Lepidoptera, Lycaenidae). Esakia Spec. Issue No. 1:173-176, ill. {20 Apr 1990}
- b2387 1990 Overview on the genus *Nacaduba* Moore (Lycaenidae). [In Japanese]. Yadoriga No. 142:2-11, 33 f.
- b2388 1992 A generic classification of the tribe Polommataini of the Oriental and Australian regions (Lepidoptera, Lycaenidae, Polyommatainae). Bull. Univ. Osaka Pref. (B)44(Suppl.):1-102.
- b2389 1993 Case 2851. *Nacaduba* Moore, [1881] (Insecta, Lepidoptera): proposed precedence over *Pepliphorus* Hübner, [1819]. Bull. Zool. Nomen. 51(1):35-38. {Mar 1993}
- b2390 1993 Biogeography of the Genus *Caleta* Fruhstorfer (Lepidoptera, Lycaenidae). Jap. J. Ent. 61(4):771-782, ill. {25 Dec 1993}
- b2391 1993 Overview of problems in Japan. In: T. R. New (editor), Conservation Biology of Lycaenidae (Butterflies). Occ. Pap. IUCN Species Survival Comm. No. 8:35-36.
- b2392 1993 Occ. Pap. IUCN Species Survival Comm. No. 8:112-113.
- b2393 1993 Occ. Pap. IUCN Species Survival Comm. No. 8:114-115.

Hirowatari, Toshiya; Cassidy, Alan C.;

- b2394 1994 A new species of the genus *Jamides* Hübner from Sulawesi, Indonesia (Lepidoptera, Lycaenidae). Tyô to Ga 45(1):1-4, 5 f. {Mar 1994}

Hirschke, Hans;

- b2395 1903 Eine neue Form der *Lycaena argiades* Pall. Verh. zool.-bot. Ges. Wien 53:270.
- b2396 1904 Eine neue hochalpine Form der *Lycaena alcon* F. aus den steirischen Alpen. Jber. Wien. ent. Ver. 11:109-111, pl 2, f 1,2.
- b2397 1910 Neue Aberrationen paläarktischer Lepidopteren. Verh. zool.-bot. Ges. Wien 60:411-417.

Hóegh-Guldberg, Ove;

- b2398 1963 *Aricia agestis* Schiff. og *Aricia allous* Hb. (Lep., Rhopalocera). *Aricia*-studier 5. Ent. Med. Ned.-Indië 32:22-25.
- b2399 1966 North European Groups of *Aricia allous* G.-Hb. Their Variability and Relationship to *A. agestis* Schiff. *Aricia* studies 6. Natura jul. 13:1-184.
- b2400 1969 Central and North European *Aricia* (Lep.). Relationships, Heredity, Evolution. (*Aricia* Studies No. 10). Aarhus, Denmark :119 pp, ill. Contains a description by Kames.
- b2401 1978 Flyveiden i Danmark for *Aricia* (Lep., Lyc.). (*Aricia* studier nr. 17). Natura jul. 20:55-57.

Hoens, R.;

- b2402 1975 Aperçu des études cytologiques de H. de Lesse dans le groupe *Lysandra coridon*. Bull. Cercle Lepid. Belg. 4:74-80.

Höfer, Kart;

- b2403 1919 [*Lycaena cyllarus* Rott., ab. nov. *decolorata*]. Verh. zool.-bot. Ges. Wien 69:(138).
- b2404 1923 [*Lycaena semiargus* Rott. ab. nova *cyaneus*]. Verh. zool.-bot. Ges. Wien 72:(78).

Hoffmann, Carlo(s) Christian;

- b. 1876, d. 1942. Collection may be in the AMNH. [Ref: b0718]

b2405 1940 Lepidopteros nuevos de Mexico. V. An. Inst. Biol. Univ. Méx. 11(2):633-638.

b2406 1940 Catálogo sistemático y zoogeográfico de los Lepidópteros Mexicanos, Primera parte. Papilionidae. An. Inst. Biol. Univ. Méx. 11(2):640-739.

Hoffmann, Emil;

b2407 1953 Steuerdirekto Hugo Skala. (Mit Porträt). Z. wien. ent. Ges. 38:147-149.

Hoffmann, Fritz;

b2408 1914 In Hoffmann & Klos, Die Schmetterlinge Steiermarks, (q.v.). Mitt. nat. Ver. Steierm. 50:183-323. [See also: b2409]

Hoffmann, Fritz; Klos, R.;

b2409 1914 Die Schmetterlinge Steiermarks. Mitt. nat. Ver. Steierm. 50:183-323.

Hoffmannsegg, Johann Centurius;

b. 23 Aug 1766 (Dresden), d. 13 Dec 1849 (Ramnau); Collection in Zool. Mus., Berlin. [Ref: b2455; b0718]

b2410 1804 Alphabetisches Verzeichniss zu J. Hübner's Abbildungen der Papilionen mit den beigefügten vorzüglichsten Synonymen. Mag. f. Insektenk. (Illiger) 3:181-206.

b2411 1806 Alphabetisches Verzeichniss zu J. Hübners Abbildungen der Papilionen mit den beigefügten vorzüglichsten Synonymen. Nachtrag. Mag. f. Insektenk. (Illiger) 5:176-183.

b2412 1818 Entomologische Bemerkungen bei Gelegenheit der Abhandlungen über amerikanische Insecten, in der vierten dis sechsten Lieferung von den Reeueils d'observations de Zoologie et d'Anatomie comparée oder dem 2. Theile der Reise der Hm. Al. v. Humboldt u. A. Bonpland, nämlich No. 9 in Livr. 4 p. 197-283 u. No. 11.12 in Livr. 5-6, p. 294-397. In Wiedemann, Zool. Mag. 1(1):8-56 (1817); 1(2):49-110 (1818)

Hoffmeyer, S.;

b2413 1937 *Heodes (Chrysophanus) dispar rutilus* Wemb. au Danemark et la mer Baltique comme frontiere de papillons diurnes. Lambillionea 37:110-118.

Holik, O.;

b2414 1949 Otto Bang Haas. Ent. Zeit. 59:49-51.

Holl, E.;

b2415 1909 Sur deux variétés de coloration du *Thestor ballus* F. [Lep. Lycaenidae]. Bull. Soc. ent. Fr. 1909(13):228-229, f 1,2. {9 Aug 1909}

b2416 1913 Une nouvelle variété de *Lycaena icarus* von Rott. Bull. Soc. Hist. nat. Afr. N. 4:99.

Holland, Richard;

b2417 1974 Butterflies of Six Central New Mexico Mountains, with Notes on *Callophrys (Sandia) macfarlandi* (Lycaenidae). J. Lep. Soc. 28(1):38-52, 1 f, 2 tpls. {14 Mar 1974}

b2418 1983 Parallel Albinism in Two Theclines (Lycaenidae). J. Res. Lep. 21(3):158. {15 Oct 1983}

b2419 1985 Butterflies of Two Northwest New Mexico Mountains. J. Lep. Soc. 38(3):220-234. {24 Apr 1985}

b2420 1986 Aberrant Postmedial Spots in *Icaricia icarioides* Lycaea and *I. acmon* (Lycaenidae). J. Lep. Soc. 40(1):68, 1 f. {9 Oct 1986}

Holland, William Jacob;

b. 16 Aug 1848 (Bethany auf Jamaica); d. 13 Dec 1932 (Pittsburgh). [Ref: b0718; b0717]

b2421 1887 Notes upon a small collection of Rhopalocera made by Rev. B. C. Henry in the island of Hainan, together with descriptions of some apparently new species. Trans. amer. ent. Soc. 14:111-124. {Apr 1887}

Holland, William Jacob; (continued)

- b2422 1890 Asiatic Lepidoptera. List of the diurnal Lepidoptera taken by Mr. William Doherty of Cincinnati in Celebes, June and July, 1887, with descriptions of some apparently new forms. Proc. Boston Soc. nat. Hist. 25:52-82, pls 3-5. {7 May 1890}
- b2423 1890 Descriptions of new West African Lycaenidae. Psyche 5(175-176):423-431. {3 Dec 1890}
- b2424 1891 Descriptions of new West African Lycaenidae; Paper II. Psyche 6(179):50-53. {Mar 1891}
- b2425 1892 Descriptions of some new species of African Lepidoptera. Ann. Mag. nat. Hist. (6)10:284-295. {Sep 1892}
- b2426 1892 Descriptions of some new species of African Lepidoptera. Entomologist 25(Suppl.):89-95.
- b2427 1893 Some new and little known African butterflies. Ent. News 4(1):22-28, ill. {Jan 1893}
- b2428 1895 Two new African lycaenids. Ent. News 6(5):166-168. {[27 Apr] 1895}
- b2429 1898 The Butterfly Book. New York. Doubleday, Page and Co. xv+xx + 3-382 pp, f 1-183, pls 1-48.
- b2430 1900 Alaska Insects, part II. Ent. News 11(4):416-423. {Apr 1900}
- b2431 1900 The Lepidoptera of Buru. Part I. Rhopalocera. Novit. zool. 7:54-85.
- b2432 1902 Two new species of Bahaman Lepidoptera. Ann. Cam. Mus. 1(3):486-489. {Mar 1902}
- b2433 1913 A new Lycaenid from Kamerun, West Africa (Lep.). Ent. News 24(7):301-303, 1 f. {[30 Jun] 1913}
- b2434 1920 Lepidoptera of the Congo, Being a Systematic List of the Butterflies and Moths Collected by The American Museum of Natural History Congo Expedition, Together With Descriptions of Some Hitherto Undescribed Species. Bull. amer. Mus. nat. Hist. 43(6):109-369. {4 Dec 1920}
- b2435 1927 The Lepidoptera named by George A. Ehrmann. Ann. Cam. Mus. 17(2):299-364, pls 25-30. {29 Apr 1927}
- b2436 1929 A New Riodinid from Louisiana (Lepid.). Ent. News 40(1):20. {[21 Jan 1929]}
- b2437 1930 Two new North American Butterflies. Ann. Cam. Mus. 20(1):5-7. {1 Aug 1930}
- b2438 1931 The butterfly book, 2nd edition. Garden City, New York, Doubleday, Doran & Co. xvii-xii, 3-424 pp, 198 f, 77 pls.

Holloway, Jeremy Daniel;

- b2439 1986 [Description of *Yasoda robinsoni*]. In d'Abbrera, Butterflies of the Oriental Region, Part 3. Lycaenidae and Riodinidae. Victoria, Australia, Hill House :590. [See also: b1454]

Holloway, Jeremy Daniel; Peters, John V.;

- b2440 1976 The Butterflies of New Caledonia and the Loyalty Islands. J. nat. Hist. 10(3):273-318, 36 f. [Ref: b0108 (#974)]

Holmes, J. W. O.;

- b2441 1950 A pale variety of *Lycaena phlaeas* of genetic origin, and the effect of light thereon. Entomologist 83(4):90-91. {18 Apr 1950}

Holtz, Martin;

- b2442 1897 Die Macrolepidopteren-Fauna Ciliens. Ein Beitrag zur Insektenfauna Kleinasiens. Ilte Z. Ent. 2:42-47, 60-63, 77-79, 88-93.

Hopffer, Carl Heinrich;

- b. 1810; d. 1 Feb 1878 (Berlin). [Ref: b0718]
- b2443 1855 [Note on New Lepidoptera Diurna collected in Upper Mozambique by Herr Peters]. Ber. Verh. Akad. Berl. 1855:639-643.
- b2444 1869 Bericht über Felder's Lepidoptera der Reise der Freigabe Novara. Stett. ent. Ztg 30:427-453.
- b2445 1874 Beitrag zur Lepidopteren-Fauna von Celebes. Stett. ent. Ztg 35:17-47.

Hopffer, Carl Heinrich; (continued)

- b2446 1874 Neue Lepidopteren von Peru und Bolivia. Stett. ent. Ztg 35:327-371.
- Hopkins, George Henry Evans;**
b. 1899, d. 1973.
b2447 1927 Insects of Samoa Part III. Fasc. 1. Butterflies of Samoa and some Neighbouring Island-Groups. London, BM(NH) 3(1):64 pp, 4 pls, 1 text-fig. {9 Apr 1927}
- Hörhammed, C.;**
b2448 1934 Aberrative Falter meiner Sammlung. Int. ent. Z. 28:85-88, 1 pl.
- Hori, Matsugi;**
b. 1896, d. 1938. [Ref: b0717 (as Matsui)]
b2449 1923 On a new variety of *Polyommatus baeticus* L., in Japan. Ins. World 27:233-234, f.
- Hori, Matsugi; Tamanuki, K.;**
b2450 1937 Insect-Fauna of Saghalién, Pt. 1, Butterflies. Bull. Central Exp. Stat. Saghalién (19):224 pp, 8 pls. Journal also seen as *Karahuto Tyuo Sikenso Hokoku Konuma*.
- Hormuzaki, Constantin von;**
b. 3 Oct 1863 (Cernauti); d. 21 Jan 1937 (same). [Ref: b0717]
b2451 1892 Beschreibung einiger neuer Tagfaltervarietäten aus der Bucovina und der Nachbargebieten. Ent. Nachr. 18:1-3.
b2452 1893 Einige bemerkenswerthe Lepidopterenformen aus der Bukowina. Soc. ent. 8(8):58-59. {15 Jul 1893}
b2453 1893 Bemerkungen über *Polyommatus v. rutilus* Wemb. und *Hypena obsialis* Hb. Soc. ent. 8(17):130-131. {1 Dec 1893}
b2454 1897 Die Schmetterlinge (Lepidoptera) der Bukowina. Verh. zool.-bot. Ges. Wien 47:70-103, 120-168.
- Horn, Walther;**
b. 19 Oct 1871 (Berlin); d. 10 Jul 1939 (same). [Ref: b0718; b0717]
- Horn, Walther; Kahle, Paul Hugo Isidor;**
b2455 1935-1937 Über entomologische Sammlungen. I. Kapitel: Sammlungen, welche ihren Eigentümer gewechselt haben (nebst Angaben über Ausbeuten von Expeditionen, Privat-Sammlern und Händlern). Ent. Beih. Berl.-Dahlem 2:1-160 (1935); 3:161-296 (1936); 4:297-388 (1937); 38 pl. [Ref: b0717] {1935-1937}
- Horn, Walther; Schenklng, Sigmund;**
b2456 1928 Index Litteraturae Entomologicae. Serie I: Die Welt-Literatur über die gesamte Entomologie bis inklusive 1863. Berlin, Dahlem 4 Band in 2 Volumes. Bd I :352 pp (Aalborg-Ferriere); Bd II :353-704 pp (Ferrill-Leconte); Bd III :705-1056 (Leconte-Schaum); Bd IV :1057-1426 (Schaum-Zwinger un Nachtrag). [Ref: b1788]
- Horsfield, Thomas;**
b. 12 May 1773 (Bethlehem, Pennsylvania); d. 24 Jul 1859 (London). A ship's doctor who fell in love with Java; returned to join the Dutch there; joined Raffles when the British took it over; then moved to London with him and helped him form the Zool. Soc. Lond. The educator of Frederic Moore. [Ref: b0718; b0717; b1051; b1064]
- b2457 1828-1829 A Descriptive Catalogue of the Lepidopterous Insects contained in the Museum of the Honourable East-India Company, illustrated by coloured figures of new Species and of the Metamorphosis of Indian Lepidoptera, with introductory Observations on a general arrangement of this Order of Insects. London. Parbury, Allen and Co., 2 parts (of 6 planned). (1): ii + 80 + 2 pp, pl 1, [2], 3, 4, [24 Mar 1828]; (2):pp 81-144, [2], pl 5-8, [24 Jun 1829]. [Ref: b0941; b1922] {[1828]-[1829]}

Horsfield, Thomas; Moore, Frederic;

- b2458 1858 A catalogue of the Lepidopterous Insects in the Museum of the Honourable East-India Company. Vol 1. London, East India Co. (1857):i-vi, 1-14, [1-12], 17-278, I-IV, 1-11, [1-8], 18 pls. Pages 256-278 of Volume 1 were on the moths. Volume 2, "1858-1859", was also on the Moths, and was published in 1860. Horsfield was senior author, aged 84 and ailing. Moore was 26. His chunks of pages were (7 chunks); Title and Horsfield's Preface; Introduction; Systematic List of unnumbered pp.; Main Text; Appendix; Index; and 8 pp. of Explanation of Plates, [CFC, pc]. [Ref: b1023; b1032; b1051; b1053; b1031] [20 Apr 1858]

Horvitz, C.; Turnbull, C.; Harvey, Donald James;

- b2459 1987 The biology of immature *Eurybia elvina* (Lepidoptera: Riodinidae), a myrmecophilous metalmark butterfly. Ann. ent. Soc. Amer. 80:513-519.

Houlbert, Constant Vincent;

- b. 18 Jul 1857 (Voutré en Mayenne); d. 22 Dec 1947 (Rennes). [Ref: b0718; b0717]

- b2460 1918 Révision monographique des Castniinae. Étud. Léop. comp. 15:730 pp. [Ref: b1746]

Hovanitz, William;

- b. 6 Nov 1915 (Chicago); d. 14 Sep 1977 (California). Collection to Allyn Museum (Florida). [Ref: b3200; b3111; b3190]

- b2461 1937 Concerning the *Plebejus icarioides* Rassenkreis (Lepidoptera: Lycaenidae). Pan-Pac. Ent. 13(4):184-189. [17 Dec 1937]

Howarth, Thomas Graham;

- b2462 1956 A new Species of Butterfly of the Genus *Niphanda* (Lep., Lycaenidae) from Malaya. Entomologist 89:161-162, 2 f. [20 Jul 1956]

- b2463 1957 A revision of the genus *Neozephyrus* Sibatani & Ito (Lepidoptera: Lycaenidae). Bull. Br. Mus. nat. Hist. (Ent.) 5(6):233-272, 105 f. [Sep 1957]

- b2464 1958 *Neozephyrus watsoni* Evans: A correction. Entomologist 91:14. [Jan 1958]

- b2465 1962 The Rhopalocera of Rennell and Bellona Islands. In Volume 4 of The Natural History of Rennell Island, British Solomon Islands. Scientific Results of the Danish Rennell Expedition, 1951 and the British Museum (Nat. Hist.) Expedition, 1953. Copenhagen, Torben Wolff 4:63-83, 10 pls.

- b2466 1971 Descriptions of a new British subspecies of *Pararge aegeria* (L.) (Lep., Satyridae) and an aberration of *Cupido minimus* (Fuessly) (Lep., Lycaenidae). Ent. Gaz. 22(2):117-118. [24 May 1971]

- b2467 1976 In Howarth & Povolny, (q.v.). Čas. morav. Mus. BmĚ 61:139-170. [See also: b2469]

- b2468 1983 The recently discovered female of *Chrysozephyrus disparatus interpositus* (Lepidoptera, Lycaenidae). Tyô to Ga 34(1):37-39, 2 f. [20 Oct 1983]

Howarth, Thomas Graham; Povolny, D.;

- b2469 1976 Beiträge zur Kenntnis der Fauna afghanistans. Čas. morav. Mus. BmĚ 61:139-170, 2 pls. [Ref: b0108 (#992)]

Howe, William H.;

- b2470 1975 The Butterflies of North America. New York, Doubleday xiii+633 pp, 97 pl (2093 f), 32 tf. [Ref: ns03356]

Hsu, Yu-Feng;

- b2471 1987 A new subspecies of *Celastrina sugitanii* Matsumura from Taiwan (Lepidoptera, Lycaenidae). Tyô to Ga 38(1):5-6, 3 f. [20 May 1987]

- b2472 1988 Rediscovery of *Nacaduba beroe asakusa* Fruhstorfer from Taiwan (Lepidoptera: Lycaenidae). J. Taiwan Mus. 41(2):103-106.

- b2473 1989 Systematic position and description of *Chilades peripatria* sp. Nov. (Lepidoptera: Lycaenidae). Bull. Inst. Zool. Acad. Sin. (Taipei) 28(1):55-62, ill.

Hsu, Yu-Feng; (continued)

- b2474 1990 The bernice complex of the genus *Nacaduba* in Taiwan (Lepidoptera: Lycaenidae). J. Taiwan Mus. 43(1):11-17, ill.

Hsu, Yu-Feng; Chen, Ping-Chi;

- b2475 1989 On the newly discovered female of *Celastrina sugitanii shirozui* Hsu (Lepidoptera: Lycaenidae). Chin. J. Ent. 9(1):81-86, ill.

Hsu, Yu-Feng; Lin, Ming-Yao;

- b2476 1994 Systematic position of *Sibataniozephyrus* and description of a new species from Taiwan (Lycaenidae: Theclinae). J. Lep. Soc. 48(2):128-147, ill. [17 May 1994]

Huang, R.-X.; Murayama, Shû-iti;

- b2477 1988 A new lycaenid butterfly from Mt. Altin of Kunlun Range in Xinjian Province, China. Konchu to Shizen (Nature & Insects) 23(12):28-29, ill.

- b2478 1992 Butterflies of Xinjiang Province, China. Tyô to Ga 43(1):1-22, ill.

Huang, S. M. Yekea;

- b2479 1943 The Chinese Lycaenidae. Notes ent. chin. 10:67-213.

Huard, Victor A.;

- b. 1853; d. 1929. [Ref: b1946]

Hübner, Jacob;

- b. 20 Jun 1761 (Augsburg); d. 13 Sep 1826 (same). [Ref: b0718; b2260; b0717; b2580; ns01701]

- b2480 1796-1838 Sammlung Europäischer Schmetterlinge. Augsburg, Author and by Geyer after Hübner's death. 789 pls, sparse text, in 9 Families. 1. Papiliones, x + 194 pp, 1805-1823; 8 pp, 1824; 207 pls. [CFC, pc]. Plates numbered by Families, and species named on them. [1796-1838]

- b2481 1806 Tentamen. Rejected by the ICZN for nomenclatorial purposes. [Ref: b3129] [1806]

- b2482 1806-1838 Sammlung Exotischer Schmetterlinge. Augsburg, Author, and by Geyer after Hübner's death. 3 Volumes of named but not numbered plates, with short, unpaginated, text. 1: [213] pls, 1806-[1819]; [36] pp, [1807]-[1824]; 2: [221] pls, [1819]-[1826]; [4] pls, [1827], (Geyer); [6] pp, [1827]-[1832], (Geyer); 3: [53] pls, [1827]-[1838], (Geyer). [CFC, pc]. This work is on the Official List of Works approved as Available for Zoological Nomenclature (#15). [1806-1838]

- b2483 1808-1837 Beiträge zur Sammlung Exotischer Schmetterlinge. Augsburg, Author, and by Geyer after Hübner's death. 5 Volumes in parts. 172 unnumbered plates with unnamed but numbered 1000 figures; with short text to each volume. 1: 40 pp, 1818; [35] pls, f 1-200, 1808-1818. 2: 40 pp, 1822-1823; [34] pls, f 201-400, 1819-1822. 3: 48 pp, 1831, (written by Hübner in 1825, published by Geyer in 1831); [34] pls, f 401-600, 1824-1825; 4: [28] pls, f 601-764, 1826; 48 pp, 1832 (Geyer); [6] pl f 765-800, (Geyer). 5: 52 pp, 1837, (Geyer); [35] pl f 801-1000, 1832-1836, (Geyer). [CFC, pc]. [Ref: b3886] [1808]-[1837]

- b2484 1816-1826 Verzeichniss bekannter Schmetterlinge. Augsburg, Author. 431 + 72 pp.: 1-16, 1816; 17-176, 1819; 177-208, 1820; 209-256, 1821; 257-304, 1823; 305-431, 1825; Anzeiger 1-72, 1826. Rhopalocera occupy pp. 1-115, and the Anzeiger (Index). First attempt at classification of known Lepidoptera. [CFC, pc] This work is on the Official List of Works approved as Available for Zoological Nomenclature (#16). All the new nominal species established in this work were based exclusively upon bibliographical references to previously published books or plates. [Ref: b3886 :419; b2513; b2275] [1816-1826]

- b2485 1821 Index exoticorum Lepidopterorum, in foliis 244 a Jacobo Hübner hactenus effigiatorum; adjectis denominationibus emendatis, tam communioribus quam exactioribus. Augsburg :[8] pp. [22 Dec 1821]

Hübner, Jacob; (continued)

b2486 1822 Systematisches-alphabetisches Verzeichniss aller bisher bey den Fürbildungen zur Sammlung europäischer Schmetterlinge angegebenen Gattungsbenennungen, mit Vormerkung auch augsburgischer Gattungen. Augsburg :vi+82 pp.

Hudson, George Vernon;

b. 20 Apr 1867 (London); d. 5 Apr 1946 (Karori). [Ref: b0718]

b2487 1898 New Zealand Moths and Butterflies (Macro-Lepidoptera). London, West, Newman :144 pp, 13 pl. *The Rhopalocera come at* :101-121.

b2488 1928 The Butterflies and Moths of New Zealand. New Zealand, Ferguson & Osborn :xi+386 pp, 62 pl. *The Butterflies come at* :26-40.

b2489 1939 A Supplement to the Butterflies and Moths of New Zealand. New Zealand, Ferguson & Osborn :[iv] + 387-481, 10 cpl. *Butterflies come at* :387-391.

Huene, Friedr. Freiherr von;

b2490 1901 Einige neue und verkannte Formen estländischer Lepidopteren. *Stett. ent. Ztg* 62:154-161.

Huene, Friedrich von Hoyningen;

b. *; d. 1925?

b2491 1883 *Polyommatus* var. *estonica*. *Ent. Nachr.* 9:49-51.

Hüfnagel;

b2492 1766 Tabelle von den Tagvoegeln der Gegend um Berlin. *Berlin Mag.* 2:54-90.

Hügel, Carl Alexander Anselm freiherr Von;

b. 1796; d. 1870.

b2493 1840-1848 Kaschmir und das reich der Siek. Stuttgart, Hallbergerische Verlagshandlung 4 volumes in 5. *The Lepidoptera came in volume 4 (1844)*. Kollar did the *Butterflies*, Redtenbacher the *Moths*. The two parts of volume 4 are paged continuously. {1840-1848 }

Hulst, George Duryea;

b. 9 Mar 1846 (Brooklyn, New York); d. 6 Nov 1900 (same). [Ref: b0718; b0717]

b2494 1886 Three new varieties, and one new species of Lepidoptera. *Ent. Amer.* 2(9):182. {Dec 1886 }

Hulstaert, R. P. G.;

b2495 1924 *Rhopalocères nouveaux des Indes hollandaise*. *Annls Soc. ent. Belg.* 64:73-81.

b2496 1924 *Lycaenidae nouveaux des collections du Musée du Congo Belge*. *Revue zool. afr.* 12(2):112-122, 173-194.

Huntington, Edgar Irving;

b. *, d. 1962.

b2497 1932 A list of the *Rhopalocera* of Barro Colorado Island, Canal Zone, Panama. *Bull. amer. Mus. nat. Hist.* 63(3):191-230. {16 Apr 1932 }

Husz, Arminius;

b2498 1881 *Nova aberratio (Lycaena eumedon ab. speyeri)*. *Ent. Nachr.* 7:244.

Hutchinson, J. F.;

b2499 1972 Some observations on the emergence of *Jalmenus evagorus* Don. (Lycaenidae: Lycaeninae). *Victorian Ent.* 2(3):8.

Igarashi, Suguru;

b2500 1973 *Ahlbergia haradai*, a new lycaenid butterfly from Nepal. *Tyô to Ga* 23(3/4):68-74, 3 f, 2 pl. [Ref: b0104 (#862)] {31 May 1973 }

[Illiger, Johann Carl Wilhelm];

b2501 1807 Review; (Hübner, Samml. exot. Schmett., first 34 plates). *Allg. Lit.-Zeit.* 2(303):1177-1181. *Facsimile reproduction in Hemming, 1937 (2:43-45)*. [See also: b2260] [Ref: b2262; b1037] {19 Dec 1807 }

Im, H. A.;

b2502 1988 On new subspecies of Korean butterflies. *Kwahak Wontongbo* 1988(3):47-50, ill.

Inomata, Toshio;

b2503 1986 Atlas of the Japanese butterflies. Tokyo, Take Shobo :499 pp.

b2504 1989 *Lycaenidae of China 1. Fixsenia iyonis* (Ota et Kusunoki) and its allied species. [In Japanese]. *Stud. Chin. Butterflies* 1:50, 235-237, ill.

Inomata, Toshio; Itagaki, Y.;

b2505 1986 Atlas of the Japanese butterflies. Part 1. Synonymic catalogue of the butterflies of Japan. In: Inomata (Ed.), Atlas of the Japanese butterflies. Tokyo, Take Shobo :99-170. [See also: b2503]

Inoue, Hiroshi; Okano, Masao;

b2506 1959 *Iconographia Insectorum Japonicorum*. Vol. 1 (Lepidoptera). Tokyo, Japon :340 pp, 183 cpl, 1 pl.

Inoué, Masasuke;

b2507 1942 A new subspecies of *Thecla enthea* Janson. [In Japanese]. *Ent. World* 10(104):644-646, ill. {15 Oct 1942 }

Inoué, Sadanobu; Kawazoe, Akito;

b2508 1964 Riodinidae, Curetidae and Lycaenidae (Lepidoptera: Rhopalocera) from South Viet-Nam. *Nature Life Southeast Asia* 4:317-394, 20 pls, 55 text-figs, 1 map.

Inoue, Sôji;

b2509 1955 Revisional studies on subspecies of Tribus Theclini from Japan (1). [In Japanese]. *Tyô to Ga* 6(2):9-11. {25 Jun 1955 }

b2510 1955 Revisional studies on subspecies of Tribus Theclini from Japan (2). [In Japanese]. *Tyô to Ga* 6(3):17-19. {25 Sep 1955 }

International Trust for Zoological Nomenclature;

b2511 1939 Opinion 134. On the method to be adopted in interpreting the generic names assigned by Freyer to species described in his *Neuere Beiträge zur Schmetterlingskunde, 1833-1858*. *Opin. Declr. Int. Comm. Zool. Nomen.* 2:1-6. {28 Aug 1939 }

b2512 1942 Opinion 137. On the relative precedence to be accorded to certain generic names published in 1807 by Fabricius and Hübner respectively for identical genera in the Lepidoptera Rhopalocera. *Opin. Declr. Int. Comm. Zool. Nomen.* 2:21-28. {30 Oct 1942 }

b2513 1943 Opinion 150. On the dates of publication of the several portions of Hübner (J.), *Verzeichniss bekamter Schmetlinge* [sic], 1816-[1826]. *Opin. Declr. Int. Comm. Zool. Nomen.* 2(17):161-168. {9 Dec 1943 }

b2514 1945 Opinion 165. Need for the suspension of the rules for *Strymon* Hübner, 1818 (Class Insecta, Order Lepidoptera) not established. *Opin. Declr. Int. Comm. Zool. Nomen.* 2(35):359-374. {21 Jun 1945 }

b2515 1945 Opinion 169. On the type of the genus *Lycaeides* Hübner, [1819] (Class Insecta, Order Lepidoptera), a genus based upon an erroneously determined species. *Opin. Declr. Int. Comm. Zool. Nomen.* 2(39):431-442. {25 Sep 1945 }

b2516 1945 Supplementary Notes on Opinions 137, 148, and 149. Opinion 137. Addition to the Official List of Generic Names in Zoology of *Morpho* Fabricius, 1807, *Helicopsis* Fabricius, 1807, and *Pontia* Fabricius, 1807 (Class Insecta, Order Lepidoptera). *Opin. Declr. Int. Comm. Zool. Nomen.* 2(30A):(6)-(9). {5 Dec 1945 }

b2517 1946 Opinion 171. Suspension of the rules for *Nymphidium* Fabricius, 1807 (Class Insecta, Order Lepidoptera). *Opin. Declr. Int. Comm. Zool. Nomen.* 2(41):459-470. {22 Jan 1946 }

International Trust for Zoological Nomenclature; (continued)

- b2518 1946 Opinion 173. On the type of the genus *Agriades* Hübner, [1819], and its synonym *Latorina* Tutt, 1909 (Class Insecta, Order Lepidoptera), genera based upon an erroneously determined species. Opin. Declr. Int. Comm. Zool. Nomen. 2(43):483-494. [22 Jan 1946]
- b2519 1946 Opinion 175. On the type of the genus *Polymnatus* Latreille, 1804 (Class Insecta, Order Lepidoptera), a genus based upon an erroneously determined species. Opin. Declr. Int. Comm. Zool. Nomen. 2(45):509-520. [22 Jan 1946]
- b2520 1954 Opinion 232. Suppression, under Plenary Powers, of twelve generic names in the Order Lepidoptera (Class Insecta) published by Illiger in 1807 in senses different from those in which those names were published by Fabricius later in the same year. Opin. Declr. Int. Comm. Zool. Nomen. 4(22):249-274. [21 Apr 1954]
- b2521 1954 Opinion 269. Validation, under the Plenary Powers, of the specific name *idas* Linnaeus, 1761, as published in the combinations *Papilio idas*, and determination of the species represented by the nominal species *Papilio idas* Linnaeus, 1761, *Papilio argyrognomon* Bergsträsser, [1779], and *Papilio argus* Linnaeus, 1758 (Class Insecta, Order Lepidoptera). Opin. Declr. Int. Comm. Zool. Nomen. 6(1):1-24, 1 pl. [10 Sep 1954]
- b2522 1954 Opinion 270. Addition to the "Official List of Generic Names in Zoology" of the names of five nominal genera of Butterflies (Class Insecta, Order Lepidoptera), originally established with misidentified Type Species, for which Type Species in harmony with accustomed usage were designated under the Plenary Powers in 1935. Opin. Declr. Int. Comm. Zool. Nomen. 6(1):25-40. [10 Sep 1954]
- b2523 1954 Direction 4. Addition to the Official Lists and Official Indexes of certain scientific names and the titles of certain books dealt with in Opinions 134-160, exclusive of Opinion 149. Opin. Declr. Int. Comm. Zool. Nomen. 2(53):629-652. [1 Oct 1954]
- b2524 1954 Opinion 278. Addition to the Official List of Generic Names in Zoology of the names of ten genera of the Sub-Order Rhopalocera of the Order Lepidoptera (Class Insecta), species of which were cited in the undated leaflet commonly known as the Tentamen, prepared by Jacob Hübner, which is believed to have been distributed to correspondents in 1806, a leaflet rejected in Opinion 97. Opin. Declr. Int. Comm. Zool. Nomen. 6(10):135-178. [1 Oct 1954]
- b2525 1956 Opinion 400. Validation under the Plenary Powers of the generic name *Melanargia* Meigen, [1828] (Class Insecta, Order Lepidoptera). Opin. Declr. Int. Comm. Zool. Nomen. 12(23):419-432. [16 Jul 1956]
- b2526 1956 Opinion 429. Direction under the Plenary Powers limiting to suppression for the purposes of the Law of Priority the suppression of the generic name *Argus* Bohadsch, 1761 (Class Gastropoda) prescribed by the Ruling given in Opinion 185 thereby securing that the generic name *Argus* Scopoli, 1763 (Class Insecta, Order Lepidoptera) shall remain invalid under the Law of Homonymy. Opin. Declr. Int. Comm. Zool. Nomen. 14(13):323-338. [26 Oct 1956]
- b2527 1957 Opinion 474. Determination of the dates to be assigned for the purposes of the Law of Priority to the names published in Dru Drury's Illustrations of Natural History in the period 1770-1782. Opin. Declr. Int. Comm. Zool. Nomen. 16(16):297-306. [31 Jul 1957]
- b2528 1958 Opinion 503. Designation under the Plenary Powers of a type species in harmony with existing usage for the generic name *Cupido* Schrank, 1801 (Class Insecta, Order Lepidoptera). Opin. Declr. Int. Comm. Zool. Nomen. 18(5):121-140. [3 Mar 1958]

International Trust for Zoological Nomenclature; (continued)

- b2529 1958 Opinion 516. Determination under the Plenary Powers of the relative precedence to be assigned to certain works on the Order Lepidoptera (Class Insecta) published in 1775 by Pieter Cramer, Michael Denis & Ignaz Schiffermüller, Johann Christian Fabricius, Johann Caspar Fuessly, and S. A. von Rottemburg Respectively. Opin. Declr. Int. Comm. Zool. Nomen. 19(1):1-44. [16 May 1958]
- b2530 1959 Opinion 541. Suppression under the Plenary Powers of the generic names *Chrysophanus* Hübner, 1818, and *Bithys* Hübner, 1818 (Class Insecta, Order Lepidoptera) (Opinion supplementary to Opinion 165). Opin. Declr. Int. Comm. Zool. Nomen. 20(8):87-102. [27 Feb 1959]
- b2531 1959 Opinion 566. Suppression under the Plenary Powers of the generic name *Tingra* Boisduval, 1847, and designation under the same Powers for the genera *Liptena* Westwood, [1851], and *Penitela* Westwood, [1851], of type species in harmony with accustomed usage (Class Insecta, Order Lepidoptera). Opin. Declr. Int. Comm. Zool. Nomen. 20(33):377-390. [22 May 1959]
- b2532 1962 Opinion 620. *Papilio dardanus* Brown, 1776 (Insecta Lepidoptera); validated under the Plenary Powers. Bull. Zool. Nomen. 19(2):72-73. [Mar 1962]
- b2533 1964 International Code of Zoological Nomenclature. London. Internat. Trust Zool. Nomen. xix+176 pp.
- b2534 1966 Opinion 755. *Calephelis* Grote & Robinson, 1869 (Insecta, Lepidoptera): Designation of a Type-species under the Plenary Powers. Bull. Zool. Nomen. 22(5/6):282-283. [Jan 1966]
- b2535 1967 Opinion 814. *Ornipholidotos* Bethune Baker, 1914 (Insecta Lepidoptera): designation of a Type-species under the Plenary Powers. Bull. Zool. Nomen. 24(3):145-146. [Jun 1967]
- b2536 1967 Opinion 821. *Iaspis* Kaye, 1904 (Insecta, Lepidoptera): designation of a Type-species under the Plenary Powers. Bull. Zool. Nomen. 24(4):214-215. [Sep 1967]
- b2537 1970 Opinion 894. *Thrix* Doherty, 1891 (Insecta, Lepidoptera): designation of a Type-species under the Plenary Powers. Bull. Zool. Nomen. 26(5/6):192-193. [7 Apr 1970]
- b2538 1971 Opinion 953. *Thecla viridis* Edwards, 1862 (Insecta, Lepidoptera): placed on the Official List. Bull. Zool. Nomen. 28(1/2):22-23. [10 Aug 1971]
- b2539 1971 Opinion 970. *Papilio sebrus* Hübner, 1824-1826 (Insecta, Lepidoptera): suppressed under the Plenary Powers. Bull. Zool. Nomen. 28(5/6):143-144. [Dec 1971]
- b2540 1973 Opinion 994. *Tauara* Butler, [1888] (Insecta, Lepidoptera): designation of a Type-species under the Plenary Powers. Bull. Zool. Nomen. 30(1):19-20. [6 Jul 1973]
- b2541 1976 Opinion 1058. Suppression of *Papilio actaeon* Fabricius, 1775 (Lepidoptera). Bull. Zool. Nomen. 33(1):22-23. [26 Jun 1976]
- b2542 1977 Opinion 1073. Validation of Riodinidae Grote, 1895 (1827) (Lepidoptera). Bull. Zool. Nomen. 33(3/4):172-173. [31 Mar 1977]
- b2543 1985 International Code of Zoological Nomenclature. Third Edition. Adopted by the XX General Assembly of the International Union of Biological Sciences. London, International Trust for Zoological Nomenclature xxx + 338 pp. [Feb 1985]
- b2544 1986 Opinion 1381. *Owocnemis* Baker, 1887 (Insecta, Lepidoptera): Conserved. Bull. Zool. Nomen. 43(1):42-43. [Apr 1986]
- b2545 1986 Opinion 1398. *Capys* Hewitson, [1865] (Lepidoptera, Lycaenidae): Conserved. Bull. Zool. Nomen. 43(2):152-153. [Jul 1986]
- b2546 1988 Opinion 1478. *Lycaena mirza* Plotz, 1880 (currently *Azanus mirza*; Insecta, Lepidoptera): specific name conserved. Bull. Zool. Nomen. 45(1):78. [Mar 1988]

International Trust for Zoological Nomenclature; (continued)

- b2547 1989 Opinion 1527. *Polyommatus emoulus* Godart, [1824] (currently *Anthene emolus*; Insecta, Lepidoptera): specific name conserved. Bull. Zool. Nomen. 46(1):69. {Mar 1989 }

Isabelle, Arsène;

- b. 1794 or 5; d. 1879.
b2548 1835 Voyage à Buéno-Ayres et à Porto-Alègre, par la Banda-Oriental, les Missions d'Uruguay et la province de Rio-Grande-do-Sul. Havre, J. Morlent :618 pp.

Ishii, Minoru;

- b2549 1984 List of butterflies collected in West Malaysia and Singapore in August, 1979. Tyô to Ga 34(4):163-166. {20 May 1984 }

Ishimura, K.;

- b2550 1938 Life-history of *Lycaenopsis argiolus ladonides* de l'Orza. Kontyû 12:14-23, 2 f.

Ito, Akira;

- b2551 1967 Discovery of *Favonius yuasai* Shirôzu in Miyagi Pref., Japan. Tyô to Ga 17(1/2):46-47, f 1. {25 Feb 1967 }

Iwase, Tarô;

- b. 1906, d. 1970.
b2552 1951 The Hibernation of the Long-tailed Blue (*Lampides boeticus* L.) in Japan. Entomologist 84(10):234-236. {12 Oct 1951 }

Jachontov, Alexander Alexandrovi;

- Also seen as *Jachontoff* and *Žachontov*.
b2553 1904 On the specific status of *Lycaena coretas* O. [In Russian]. Revue Russe Ent. 4:96-101.
b2554 1906 Beiträge zur Fauna der Lepidoptera-Rhopalocera der Gouvernements Vladimir und Nijni-Novgorod. [In Russian]. Mater. Pozn. Fauny Flory SSSR 7:93-145.
b2555 1909 [Notice sur les Lépidoptères-Rhopalocères du Caucase]. [In Russian]. Revue Russe Ent. 8(3/4):282-292. {[1909] }
b2556 1909 [Observation sur la faune des Lépidoptères de la Russie centrale]. [In Russian]. Revue Russe Ent. 9:249-254. Perhaps [1910].
b2557 1910 *Lycaena coretas* Ochs. als eigene Art. Soc. ent. 24(24):186-189. {15 Mar 1910 }
b2558 1911 Bemerkungen über die Rhopalocem des Kaukasus nach dem Material des kaukasischen Museums. [In Russian]. Izv. kavkaz. Muz. 5:291-316. Journal also known as *Mitt. Kaukas. Mus.*
b2559 1914 La faune lépidoptérologique russe et les types de l'Europe centrale. [In Russian]. Revue Russe Ent. 14:295-306.

Jackson, Thomas Herbert Elliot;

- b. 1903, d. 22 May 1968 (Kiuaie, Kenya). [Ref: b0710]
b2560 1937 The early stages of some African Lycaenidae (Lep.) with an account of larval habits. Trans. R. ent. Soc. Lond. 86(12):201-238.
b2561 1957 Protective mimicry in the pupa of *Epitola urania* (Lep.: Lycaenidae). J. ent. Soc. S. Afr. 20(2):234, pl 4. {31 Dec 1957 }
b2562 1962 Notes on the Epitolineae with Descriptions of a New Genus and New Species and Subspecies (Lepidoptera: Lycaenidae) Bull. Br. Mus. nat. Hist. (Ent.) 12(3):123-163, 13 pls, 1 text-fig. {29 May 1962 }
b2563 1964 Notes on the Epitolineae, Part II Bull. Br. Mus. nat. Hist. (Ent.) 15(3):57-80, 8 pls, 5 text-figs. {21 Jul 1964 }
b2564 1965 Addenda and corrigenda to notes on the Epitolineae, Jackson 1962 and 1964, Bull. Brit. Mus. (Nat. Hist.) 12(3), 125-162 and 15(3), 59-80. Ann. Mag. nat. Hist. (13)7:697-700. {19 Oct 1965 }

Jackson, Thomas Herbert Elliot; (continued)

- b2565 1966 A revision of the genus *Chloroselas* Butler, with a note on *Alaena* Boisduval and descriptions of a few new African Lycaenidae (Lepidoptera: Lycaenidae). Ann. Mag. nat. Hist. (13)8:523-531, pls. {Sep 1966 }
b2566 1967 The synonymy in *Cirrinophila* Kirby and further notes on *Epitola* Westwood and *Alaena* Boisduval (Lepidoptera: Lycaenidae). J. nat. Hist. 1:327-336, 22 f.
b2567 1968 Notes on the genus *Epitola* Westwood (Lep. Lycaenidae). Bull. Inst. fond. Afr. Noire 30(A):1472-1476, 6 f.
b2568 1969 A Revision of the Genus *Telipna* Aurivillius (Lepidoptera: Lycaenidae). Bull. Br. Mus. nat. Hist. (Ent.) 23(1):1-23, 5 pls. {28 Jan 1969 }

Janmouille, E.;

- b2569 1958 A propos de l'étude sur la biologie de *Maculinea teleius*. Linneana Belgica 1:48-50.

Janse, Antonie Johannes Theodorus;

- b. 1877, d. 1970.
b2570 1939 Obituary: Edward Meyrick. J. ent. Soc. S. Afr. 1:151-155, pl. {30 Mar 1939 }

Janse, Antonie Johannes Theodorus; Dickson, Charles Gordon Campbell;

- b2571 1965 Obituary: Gowan Coningsby Clark. J. ent. Soc. S. Afr. 27(2):267-268. {28 Feb 1965 }

Janson, Oliver Erichson;

- b. 1850, d. 25 Nov 1926 (Highgate, Middlesex). [Ref: b0717; b3321]
b2572 1877 Notes on Japanese Rhopalocera, with descriptions of new species. Cistula Entomologica 2(16):153-160. {17 May 1877 }
b2573 1878 Remarks on Japanese Rhopalocera and descriptions of five apparently new species. Cistula Entomologica 2(19):269-274, pl 5. {30 Jun 1878 }
b2574 1886 [Identifications and descriptions of Rhopalocera]. In Guillemard, The Cruise of the Marchesa to Kamschatka & New Guinea (q.v.). London 2(Appendix III):374-377. [See also: b2092]

Jarvis, F. V. L.;

- b2575 1968 The Status of *Polyommatus salmactis* Stephens (Lep., Lycaenidae). Entomologist 101:21. {Jan 1968 }
b2576 1969 A biological study of *Aricia artaxerxes* ssp. *salmactis* (Stephens). Proc. Trans. Br. ent. nat. Hist. Soc. 2:107-117.
b2577 1976 Further research into the relationship of *Aricia agestis* (D.&S.) and *Aricia artaxerxes* (F.) in Britain. Proc. Trans. Br. ent. nat. Hist. Soc. 9:85-94.

Jermyns, Miss Laetitia;

- b2578 1827 The Butterfly collector's Vademecum, or synoptical Table of English Butterflies. (2nd edition). Ipswich, Longman :169 pp, 5 pl.

Jicha, Reinhard;

- b2579 1968 Zur systematischen Stellung von *Lysandra coridon* f. *polonus* (Lep., Lycaenidae). Ent. Zeit. 78(21):242-244, 2 f. {1 Nov 1968 }

Joannis, R. P. Joseph de;

- b. 1853 or 1854; d. 27 Oct 1932 (Paris). [Ref: b0718; b0717]
b2580 1915 Remarque au sujet de la date de l'une des planches de Hübner. Bull. Soc. ent. Fr. 1915(7):122-124. {[12 May] 1915 }

Joannis, R. P. Joseph de; Verity, Ruggero;

- b2581 1913 Materiali per lo studio della fauna Eritrea, raccolti nel 1901-03 dal Dott. A. Andreini tenente medico principalmente nelle regioni circostanti as Adi-Ugri ed ad Adi-Caie. Lépidoptères. Rhopalocera. Boll. Soc. ent. ital. 44:115-122, 2 f.

Johnson, Kurt;

- b2582 1976 A new Species of *Callophrys* (*Mioura*) from Mexico (Lepidoptera: Lycaenidae). Pan-Pac. Ent. 52(1):60-62, 1 f. [22 Apr 1976]
- b2583 1976 Three New Nearctic Species of *Callophrys* (*Mioura*), with a Diagnosis of all Nearctic Consubgenera (Lepidoptera: Lycaenidae). Bull. Allyn Mus. No. 38:1-30, 17 f. [28 May 1976]
- b2584 1978 Specificity, Geographic Distributions, and Foodplant Diversity in Four *Callophrys* (*Mioura*) (Lycaenidae). J. Lep. Soc. 32(1):3-19, 15 f, 1 tbl. [7 Apr 1978]
- b2585 1981* Revision of the Callophryina of the World with Phylogenetic and Biogeographic Analyses (Lepidoptera: Lycaenidae). City University of New York (Ph.D. Thesis) :902 pp. Publication as a thesis does not meet the ICZN criteria for publication, so the new names introduced in this work are not available. [*Unpublished]
- b2586 1986 *Mioura mullerorum* (Clench) and its occurrence in the United States (Lycaenidae). J. Lep. Soc. 39(2):119-124. [7 Jan 1986]
- b2587 1986 Specimens of *Callophrys rubi* L. (Lycaenidae) from Fiji - Transplanted Colony or One-Time Occurrence? J. Lep. Soc. 39(4):335-337, 1 f. [25 Jun 1986]
- b2588 1986* [Letter to Bridges. Notes on the Eumaeini]. AMNH, New York :2 pp. [3 Sep 1986] [*Unpublished]
- b2589 1986 A new species of *Tmolus* (Lycaenidae) with notes on the *Euptychia westwoodi* (Satyridae) mimicry complex. Bull. Allyn Mus. No. 106:11 pp, 5 f. [30 Dec 1986]
- b2590 1987* [Letter to Bridges. Notes on the Eumaeini]. AMNH, New York :1 pp. [8 Jan 1987] [*Unpublished]
- b2591 1987* First draft of a paper: The Types of Neotropical Theclinae (Lycaenidae) in the Museum National d'Histoire Naturelles, Paris. AMNH, New York :14 pp. [13 Aug 1987] [*Unpublished]
- b2592 1987* Second draft of a paper: The Types of Neotropical Theclinae (Lycaenidae) in the Museum National d'Histoire Naturelles, Paris. AMNH, New York :36 pp, 34 f. [14 Aug 1987] [*Unpublished]
- b2593 1987* [Letter to Bridges. Notes on types of Eumaeini in the BMNH]. AMNH, New York :4 pp. [7 Sep 1987] [*Unpublished]
- b2594 1988 A New Subspecies of *Sandia macfarlandi* from the Sierra Madre Oriente of Mexico (Lepidoptera: Lycaenidae). Insecta Mundi 2(1):16-20, 3 f. [Mar 1988]
- b2595 1988 *Tergissima* and *Femnieterga*, New Sister Genera of *Calycopis* Scudder and *Calystryma* Field from the South Central Andes (Lepidoptera: Lycaenidae). Insecta Mundi 2(1):28-42, 5 f 1 tbl. [Mar 1988]
- b2596 1988 Replacement name for *Mioura siva rhodope* Clench (1981) [nec Godman & Salvin, 1887] (Lepidoptera: Lycaenidae). Insecta Mundi 2(1):76-80, 2 f. [Mar 1988]
- b2597 1989 A revisionary study of the Neotropical Hairstreak Butterfly Genus *Noreena* and its New Sister Genus *Contrafacia* (Lepidoptera: Lycaenidae). J. New York ent. Soc. 97(1):11-46, 10 f. [29 Mar 1989]
- b2598 1989 Revision of *Chlorostrymon* Clench and description of two new austral neotropical species (Lycaenidae). J. Lep. Soc. 43(2):120-146, 7 f. [18 May 1989]
- b2599 1989 A revision of the South American hairstreak butterfly genera *Tergissima* and *Femnieterga* (Lycaenidae: Theclinae). Insecta Mundi 3(3):195-215, ill.
- b2600 1989 The hairstreak butterfly genus *Noreena* (Lycaenidae, Theclinae) and a new species from western Peru. Insecta Mundi 3(3):247-248, ill.
- b2601 1990 High Andean *Chlorostrymon* (Lycaenidae) and a new species from Mt. Larancagua, Chile. J. Lep. Soc. 44(3):188-193, ill.

Johnson, Kurt; (continued)

- b2602 1990 The new hairstreak butterfly genus *Orcya*, a revision of the Neotropical '*Thecla orcynia*' assemblage (Lepidoptera: Lycaenidae). J. New York ent. Soc. 98(1):50-87, ill.
- b2603 1990 *Penaincisalia*, a new genus of 'elfin'-like butterflies from the High Andes (Lepidoptera: Lycaenidae). Pan-Pac. Ent. 66(2):97-125, ill.
- b2604 1991 Cladistics and the biogeography of two trans-Caribbean hairstreak butterfly genera: *Nesiostrymon* and *Terra* (Lepidoptera, Lycaenidae). Amer. Mus. Novit. No. 3011:1-43, ill.
- b2605 1991 Types of Neotropical Theclinae (Lycaenidae) in the Museum National d'Histoire Naturelle, Paris. J. Lep. Soc. 45(2):142-157, ill.
- b2606 1991 Neotropical hairstreak butterflies: genera of the '*Calycopis/Calystryma* grade' of Eumaeini (Lepidoptera, Lycaenidae, Theclinae) and their diagnostics. Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) No. 21:1-128, ill.
- b2607 1992 A high Andean new species of *Terra* (Lepidoptera, Lycaenidae). J. New York ent. Soc. 100(3):522-526, ill.
- b2608 1992 A new species of *Orcya* from the Maroni River Basin of French Guiana (Lepidoptera: Lycaenidae). J. New York ent. Soc. 100(4):615-620, 2 f.
- b2609 1992 The Palearctic 'elfin' butterflies (Lycaenidae, Theclinae). Neue Ent. Nachr. 29:1-141, ill.
- b2610 1992 Genera and species of the Neotropical 'elfin'-like hairstreak butterflies (Lepidoptera, Lycaenidae, Theclinae). Volume 1. Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) No. 22:1-135, ill.
- b2611 1992 Genera and species of the Neotropical 'elfin'-like hairstreak butterflies (Lepidoptera, Lycaenidae, Theclinae). Volume 2. Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) No. 22:136-279, ill.
- b2612 1992 Replacement name for *Fieldia* Johnson 1991. Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) No. 23:12-13.
- b2613 1993 Notes on the Location of Certain Type Specimens of Neotropical Eumaeini (Lepidoptera: Lycaenidae). Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) No. 30:1-2. [29 Mar 1993]
- b2614 1993 Neotropical Hairstreak Butterflies: New Sister Genera of the '*Electrostrymon/Angulopsis*' Grade of Eumaeini (Lepidoptera, Lycaenidae, Theclinae). Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) No. 32:1-76, ill. [13 Dec 1993]
- b2615 1993 Hairstreak Butterflies of the Genus *Argentostriatius* (Lepidoptera, Lycaenidae, Theclinae). Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) No. 36:1-19, ill. [13 Dec 1993]
- b2616 1993 Hairstreak Butterflies of the Genus *Tigrinota* (Lepidoptera, Lycaenidae, Theclinae). Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) No. 37:1-20, ill. [13 Dec 1993]
- b2617 1993 A New Neotropical Genus of Branded Angulopine-like Hairstreak Butterflies (Lepidoptera, Lycaenidae, Theclinae). Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) No. 40:1-7, ill. [13 Dec 1993]
- b2618 1994* [Letter to Bridges. Notes on the Eumaeini]. AMNH, New York :3 pp. [8 Sep 1994] [*Unpublished]
- b2619 1994 New combinations for inclusion in Neotropical Eumaeini genera *Crimsinota* and *Nicolaea* (Lepidoptera, Lycaenidae). Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) No. 56:-- [In press.]

Johnson, Kurt; Adams, Michael J.;

- b2620 1993 Elfín Butterflies from the Adams/Bernard Expeditions to Colombia and Venezuela (Lepidoptera: Lycaenidae, Theclinae). Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) No. 25:1-10, ill. [29 Mar 1993]

- Johnson, Kurt; Balogh, George;**
 b2621 1977 Studies in the Lycaeninae (Lycaenidae). 2. Taxonomy and Evolution of the Nearctic *Lycaena rubidus* Complex, With Description of a New Species. Bull. Allyn Mus. No. 43:1-62, 32 f. {10 May 1977}
- Johnson, Kurt; Borgo, Peter M.;**
 b2622 1976 Patented perching behavior in two *Callophrys* (*Mitoura*) (Lycaenidae). J. Lep. Soc. 30(3):169-183, 6 f. {22 Sep 1976}
- Johnson, Kurt; Elsele, Robert C.; MacPherson, Bruce;**
 b2623 1988 The "Hairstreak Butterflies" (Lycaenidae, Theclinae) of Northwestern Argentina. I. Introduction, *Calycopis*, *Calystryma*, *Tergissima* & *Femniterga*. Bull. Allyn Mus. No. 123:49 pp, 18 f. {22 Nov 1988}
- b2624 1990 The "Hairstreak Butterflies" (Lycaenidae, Theclinae) of Northwestern Argentina. II. *Strymon*, sensu stricto. Bull. Allyn Mus. No. 130, 1-77, ill.
- b2625 1992 Taxonomic additions to the Argentine fauna. Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) No. 23:1-2, ill.
- b2626 1993 Genera for the Small Green Hairstreak Butterflies of the Neotropical Realm (Lepidoptera, Lycaenidae, Theclinae). Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) No. 39:1-16, ill. {13 Dec 1993}
- Johnson, Kurt; Kroenlein, Karl Ritter;**
 b2627 1993 Revision of *Angulopsis* (Lepidoptera, Lycaenidae, Theclinae). Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) No. 33:1-38, ill. {13 Dec 1993}
- b2628 1993 New Genera and Species of the "Gem Butterflies" (Lepidoptera, Lycaenidae, Theclinae). Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) No. 34:1-42, ill. {13 Dec 1993}
- b2629 1993 Three Remarkable New Species of *Strymon* Hübner from Brazil and Ecuador (Lepidoptera, Lycaenidae, Theclinae). Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) No. 35:1-8, ill. {13 Dec 1993}
- Johnson, Kurt; Llorente-Bousquets, Jorge;**
 b2630 1992 Additions to the Mexican fauna. Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) No. 23:9-12, ill.
- Johnson, Kurt; MacPherson, Bruce; Ingraham, Jeffrey I.;**
 b2631 1986 A new genus and species of Eumaeini (Theclinae) from Western Argentina (Lepidoptera: Lycaenidae). Bull. Allyn Mus. No. 102:7 pp. {29 May 1986}
- Johnson, Kurt; Matusik, David;**
 b2632 1988 Five new species and one new subspecies of Butterflies from the Sierra de Baoruco of Hispaniola. Ann. Cam. Mus. 57(10):221-254, 16 f. {15 Sep 1988}
- b2633 1989 A New Species of *Tmolus* (Lycaenidae) from Hispaniola. In Schwartz, The Butterflies of Hispaniola. Gainesville, University of Florida Press :524-529, ill.
- b2634 1992 Additions to the Hispaniolan fauna. Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) No. 23:3-5, ill.
- Johnson, Kurt; Miller, Lee Denmar;**
 b2635 1989 Additional notes on type specimens of little-known Papilionidae. Papilio International 6(2):451-457.
- b2636 1991 The genus *Ministrymon* Clench 1961 in Chile and a new species from the northern desert biotic province (Lepidoptera: Lycaenidae). Acta ent. Chilena 16:183-192, 5 f. {Apr 1991}
- b2637 1992 Additions to the Chilean fauna. Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) No. 23:5-8, ill.
- Johnson, Kurt; Miller, Lee Denmar; Herrera, José;**
 b2638 1992 *Eiseliana* and *Heoda*, high Andean and austral genera of the Neotropical Eumaeini (Lepidoptera: Lycaenidae). Acta ent. Chilena 17:107-146, ill.
- Johnson, Kurt; Miller, Lee Denmar; Herrera, José; (continued)**
 b2639 1992 [Description of *Heoda*]. In Johnson & Miller, q.v. Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) No. 23:5-8, ill. [See also: b2637]
- Johnson, Kurt; Quinter, Eric L.;**
 b2640 1984 Lepidopterology's "Blue Bomb" Controversy -- A Comment on Ehrlich and Murphy. Syst. Zool. 33(4):422-426.
- Johnson, Kurt; Salazar E., Julián A.;**
 b2641 1993 New Species, Statuses and Combinations in Northern South American *Strymon* (Lepidoptera, Lycaenidae, Theclinae). Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) No. 26:1-13, ill. {29 Mar 1993}
- Johnson, Kurt; Smith, David Spencer;**
 b2642 1993 A Remarkable New Butterfly Species from Jamaica (Lepidoptera: Lycaenidae), with Notes on Jamaican Endemics and their Sister Species. Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) No. 24:1-14, ill. {29 Mar 1993}
- Johnson, Kurt; Sourakov, Andrei;**
 b2643 1993 Hairstreak butterflies of the genus *Serratofalca* (Lepidoptera: Lycaenidae). Tropical Lepidoptera 4(2):107-118.
- Johnson, S. J.; Hay, R. W.; Bollam, H. H.;**
 b2644 1992 *Jalmenus noiocrucifer* sp. n. (Lepidoptera: Lycaenidae) from south Western Australia. Aust. ent. Mag. 19(3):69-74, ill.
- Johnson, S. J.; Johnson, I. R.;**
 b2645 1984 First record of *Philiris azula* Wind and Clench (Lepidoptera: Lycaenidae) from Australia. Aust. ent. Mag. 10(6):89-90, 6 f. {Apr 1984}
- Johnson, S. J.; Valentine, P. S.;**
 b2646 1982 New records of Lycaenidae and Hesperidae (Lepidoptera) from northern Queensland. Aust. ent. Mag. 9(1):1-3. {Jun 1982}
- b2647 1986 Observations on *Liphyras brassolis* Westwood (Lepidoptera: Lycaenidae) in north Queensland. Aust. ent. Mag. 13(1/2):22-26, 4 f. {Apr 1986}
- Johnson, Samuel A.;**
 b2648 1984 Lateral Perching in *Brephidium exilis* (Boisduval) (Lycaenidae) in Texas. J. Res. Lep. 23(1):104-106, 1 f. {15 Jun 1984}
- b2649 1985 Culturing a Detritivore, *Calycopis isobeon* (Bulter & Druce). News Lep. Soc. 1985(3):41-42. {May 1985}
- Johnston, Gweneth; Johnston, Bernard;**
 b2650 1980 This is Hong Kong: Butterflies. Hong Kong, Government Printer :224 pp, 28 cpl, etc. {May 1980}
- Joicey, James John;**
 b. 1871, d. 1932. Collection to the BMNH. [Ref: b0717]
- Joicey, James John; Noakes, A.; Talbot, George;**
 b2651 1916 New Lepidoptera from Dutch New Guinea. Trans. ent. Soc. Lond. 63(3/4):361-386, pls 55-62. *Rhopalocera* described by Joicey & Noakes. {12 Jun 1916}
- Joicey, James John; Talbot, George;**
 b2652 1916 New Lepidoptera from Dutch New Guinea. Ann. Mag. nat. Hist. (8)17:68-90, 4 pls. {Jan 1916}
- b2653 1916 New Lepidoptera from the Schouten Islands. Trans. ent. Soc. Lond. 64(1):65-83, pls 3-6. {16 Aug 1916}
- b2654 1917 New Lepidoptera from Waigeu, Dutch New Guinea, and Biak. Ann. Mag. nat. Hist. (8)20:216-229. {Sep 1917}
- b2655 1921 New Lepidoptera collected by T. A. Barns in east central Africa. 2. New forms of *Rhopalocera*. Bull. Hill Mus. 1(1):44-118, pls 5-16. {17 Oct 1921}
- b2656 1922 New Forms of Butterflies from Dutch New Guinea. Bull. Hill Mus. 1(2):325-334. {14 Sep 1922}

Jolcey, James John; Talbot, George; (continued)

- b2657 1922 A New Neptis and a Lycaenid from Hainen. Bull. Hill Mus. 1(2):353. {14 Sep 1922 }
- b2658 1922 New Forms of Lycaenidae from Ceram and New Ireland. Bull. Hill Mus. 1(2):354-356. {14 Sep 1922 }
- b2659 1922 Note on the Mimetic Resemblance Between the Erycinid *Praetaxila poultoni* J. and T., and the Agaristid *Immetalia saturata longipalpis* Kirsch. Bull. Hill Mus. 1(2):363-365. {14 Sep 1922 }
- b2660 1924 Descriptions of four new butterflies. Entomologist 57:37-40. {Feb 1924 }
- b2661 1924 New forms of African Lepidoptera collected by T. Alexander Barns. Bull. Hill Mus. 1(3):539-564. {16 Jul 1924 }
- b2662 1926 New forms of Lepidoptera from the Island of São Thomé, West Africa. Entomologist 59:220-226. {Aug 1926 }

Jones, E. Dukinfield;

- b2663 1912 Descriptions of new Butterflies of the Genus *Thecla* from S. E. Brazil. Proc. zool. Soc. Lond. 1912(4):896-902, 1 pl. {27 Nov 1912 }

Jordan, Karl;

- b. 7 Dec 1861 (Almstedt b. Hildesheim); d. 12 Jan 1959 (same). (Jordan, Heinrich Ernst Karl). [Ref: b3321]
- b2664 1908 A new Lycaenid from the Solomon Islands. Novit. zool. 15:394.
- b2665 1912 Some new Erycinidae from Dutch New Guinea. Novit. zool. 18:594-596.
- b2666 1930 Some new Butterflies and Moths from Eastern New Guinea. Novit. zool. 35:277-287.
- b2667 1930 On the two species of *Deudorix* known from New Guinea (Lep. Lycaenidae). Novit. zool. 36:147-149.
- b2668 1937 On some Old-World Lepidoptera. Novit. zool. 40:323-325, pl 14 (part).

Jørgensen, Peter;

- b. 1870, d. 1937. Also seen as Pedro. Collection to MACN.
- b2669 1932 Lepidopterologisches aus Südamerika. Deut. ent. Zeit. [Iris] 46:37-66.
- b2670 1934 Neue Schmetterlinge und Raupen aus Südamerika. Deut. ent. Zeit. [Iris] 48:60-78. {30 Jun 1934 }
- b2671 1935 Lepidópteros nuevos o raros de la Argentina y del Paraguay. An. Mus. argent. Cienc. nat. 38:85-130, 4 pls.

Julián, Michael;

- b2672 1982 Vladimir Nabokov 1899-1977: A note on a late entomologist. J. New York ent. Soc. 90(1):55-57. {9 Mar 1982 }

Jumalon, Julian N.;

- b2673 1975 New Philippine butterflies. Tyô to Ga 26(2):45-66.

Junge, G.;

- b2674 1971 Eine neue Subspecies von *Plebejus pylaon* F. W. in Südtriol (Lep. Lycaenidae). NachrBl. bayer. Ent. 20:33-35, 2 pls.

Junge, G.; Rose, K.;

- b2675 1978 Eine neue Unterart von *Plebejus loewii* (Zeller 1847) aus Anatolien (Lep. Lycaenidae). Atalanta (Münnerstadt) 9(3):237-239. [Ref: b0110 (#1281)]

Kaaber, Sv.;

- b2676 1964 Studies on *Maculinea alcon* (Schiff.) - *rebeli* (Hir.) with reference to the taxonomy, distribution and phylogeny of the group. Ent. Meddr 32:277-319.

Kaaber, Sv.; Høegh-Guldberg, Ove;

- b2677 1961 *Aricia allous* Hb. ssp. *vandalica* nov. *Aricia* studier 3. Flora og Fauna 67:122-128.

Kahle, Paul Hugo Isidor;

- b. 17 Mar 1859 (Visby, Schweden); d. 19 Feb 1941 (Piusburgh, Pa.). [Ref: b0718; b0717 (Kahl)]

Kaisila, J.; Peltonen, O.;

- b2678 1955 *Philotes vicrama* Moore in Finnland. Suomen hyönt. Aikak. 21:9-12.

Kalis, Jorinus Pieter Adrianus;

- b. 1899, d. 1949; Collection in Mus. Ent. "Pietro Rossi", Duino. [Ref: b2455; b0718]
- b2679 1933 Bijdrage tot de kennis van de Lepidoptera Rhopalocera van Nederlandsch-Indië. I. Bijdrage tot de kennis van de Lepidopterenfauna van Kangean en eenige aangrenzende eilanden. Tijdschr. Ent. 76(12):47-86.
- b2680 1938 Ueber indoaustralische Rhopaloceren. I. Drei neue Lycaenidenrassen von den Kangean-Inseln. Ent. Rundsch. 55:197-198.

Kames, Peter;

- b. 1932; d. 1982. [Ref: b4034; b4035]
- b2681 1969 *Aricia artaxerxes* ssp. *nova hercynica*. (*Aricia* Studies No. 11). Supplement, in Hoegh-Guldberg, *Aricia* Studies No 10. Aarhus, Denmark :107-119. [See also: b2400]
- b2682 1976 Die Aufklärung des Differenzierungsgrades und der Phylogenese der beiden *Aricia*-Arten *agestis* Den. et Schiff. und *artaxerxes* Fabr. (allous) G.-Hb.) mit Hilfe von Eizuchten und Kreuzungsversuchen. Teil 1. Mitt. ent. Ges. Basel (nF)26:7-13. [See also: b2400]
- b2683 1978 *Melitaea brüomartisi* Assm. und *Aricia artaxerxes* ssp. *hercynica* Ks. im Gebiet zwischen Mulde und Mainz. Ent. Ber. Berl. 1978:20-25.
- b2684 1978 *Aricia artaxerxes* Fabr. ssp. *issekutzi* Balogh im Porac-Tal bei Rudnany (Slovenske Rudohorie). Zbor. slov. narod. Mus. 23(1977):161-167.
- b2685 1979 *Aricia artaxerxes* F. *hercynica* Kames bei Jena durch Eizucht bestäetigt. Ent. Ber. Berl. 1979:17-18.

Kanda, Shigeo;

- b. 1898; d. 1961. [Ref: b1946]
- b2686 1933 [Some new alpine butterflies from the Tohoku district, Japan]. [In Japanese]. Ageha 2(1):7-10. {30 Mar 1933 }
- b2687 1934 [A new subspecies of a lycaenid butterfly from the Kurile Islands]. Ageha 3(1):8-9, pl 1. {10 Jul 1934 }

Kanda, Shigeo; Kato, R.;

- b2688 1931 [New Lycaenids]. Ins. World 35:373-375.

Kane, W. F. de Vismes;

- b2689 1893 Catalogue of the Lepidoptera of Ireland. Entomologist 26:69-73, 117-121, 157-159, 187-190, 212-215, 240-244, 269-273. *Parts lists are on butterflies.*

Kano, Tadao;

- b. 1906, d. 1945. [Ref: b1946]
- b2690 1928 [Descriptions of new butterflies. Page 75, in: Tadao Shikano, Notes on a high mountain fauna in Taiwan]. Taiwan Sangaku, Taihoku 3:50-93.
- b2691 1930 [On *Dodona eugenes* Bates from Formosa]. Zephyrus 2(3):157-159. {5 Oct 1930 }

Kardakoff, N.;

- b2692 1928 Zur Kenntnis der Lepidopteren des Ussuri-Gebietes. Ent. Mit. 17:261-273, 414-425, 5 pls, 2 f.

Karsch, Ferdinand Anton Franz;

- b. 2 Sep 1853 (Münster), d. 20 Dec 1936 (Berlin); Typen meist im Zool. Mus. Berlin. [Ref: b2455; b0718; b0717; b3321]
- b2693 1893 Die Insekten des Berglandschaft Adeli im Hinterlande von Togo (Westafrika). Tagfalter-Lepidoptera Rhopalocera - von Adeli. Berl. ent. Z. 38(1/2):167-266, ill.
- b2694 1895 Aethiopische Rhopaloceren, I, II. Ent. Nachr. 21:275-286, 289-322.

Karsch, Ferdinand Anton Franz; (continued)

- b2695 1900 Vorarbeiten zu einer Orthopterologie Ostafrika's (I. Die Gespenstheuschrecken, Phasmodae). Ent. Nachr. 26(24):359-383, 3 f.

Kato, Masayo;

- b. 1898; d. 1967. [Ref: b1946]
 b2696 1930 Two new butterflies from Japan and Formosa. Zephyrus 2(4):206-208, 1 f. [Dec 1930]
 b2697 1934 Description of a new Lycaenidae from Formosa. Ent. World 2:386-388, f.

Kato, Shin-ichiro;

- b2698 1982 Notes on the Lycaenidae from Ambon Island, Indonesia. Tyô to Ga 32(3,4):193-202, 63 f. [25 Mar 1982]
 b2699 1986 Notes on the Butterflies from Kai Kecil Island, Kai Islands, Indonesia. [In Japanese]. Tyô to Ga 36(4):191-202, 53 f. [28 Feb 1986]

Kauchi, T. F.;

- b2700 1922 Neue für Europa und Kleinpolen Aberrationen von Macrolepidopteren. Polsk. Pismo ent. 1:38-42.
 b2701 1924 Segtenere oder neue Macrolepidopteren für Kleinpolen. Polsk. Pismo ent. 3:89-93.

Kawai, Shitô;

- b2702 1994 [Description of *Deramas masae*]. In Osada [q.v.]. Futao No. 15:9,12, ill. [See also: b3522] [3 Mar 1994]

Kawazoé, Akito;

- b2703 1955 On a Gynandromorph of *Neozephyrus taxila japonicus* Murray. Tyô to Ga 6(4):31, 2 f. [1 Dec 1955]
 b2704 1959 On the butterflies from the Amami-Guntô (1). Tyô to Ga 10(2):16-20, 9 f. [30 Apr 1959]
 b2705 1959 On the butterflies from the Amami-Guntô (3). Tyô to Ga 10(3):52-59, f 16-55. [15 Nov 1959]

Kawazoé, Akito; Wakabayashi, Morio;

- b2706 1969 Two new species of the *Chrysozephyrus* Shirôzu and Yamanto (Lycaenidae) from Formosa. Tyô to Ga 20(1/2):1-10, 44 f, 3 pls, 1 tbl. [26 Mar 1969]
 b2707 1976 Gensyoku Nippon Tyorui Zukan [or] Coloured Illustrations of the Butterflies of Japan. Osaka, Hoikusha 12mo :vii+422 pp, 72 pl, 80 f. This may be the 2nd edition. [Kudrma gives the date as 1979.]

Kaye, William James;

- b. 1875, d. 1967; Collection to AME (purchase).
 b2708 1904 A catalogue of the Lepidoptera Rhopalocera of Trinidad. [With an appendix by J. Guppy]. Trans. ent. Soc. Lond. 52(2):159-228, pl 17,18. [115 Jun 1904]
 b2709 1914 Additions and corrections to my Catalogue of the Lepidoptera Rhopalocera of Trinidad (1904). Trans. ent. Soc. Lond. 61(3):545-586, pl 30. [21 Jan 1914]
 b2710 1919 New South American Butterflies. Ann. Mag. nat. Hist. 9(3):215-218. [Feb 1919]
 b2711 1921 A catalogue of the Trinidad Lepidoptera Rhopalocera. Mem. Dep. Agric. Trinidad Tobago 2:1-163, 1 pl.
 b2712 1923 A Striking new Lycaenid from St. Vincent, B. W. I. Entomologist 56:277.
 b2713 1925 New species and subspecies of Trinidad Rhopalocera and Heterocera. Trans. ent. Soc. Lond. 72(3/4):413-428, pl 45. [20 Feb 1925]
 b2714 1931 Additions and Corrections to the Author's 'Butterflies of Jamaica (1926)'. Trans. ent. Soc. Lond. 79(3):531-537, pl 39. [31 Dec 1931]

Keferstein, Georg Adolf;

- b. 10 Oct 1793 (Halle); d. 28 Nov 1884 (Erfurt). [Ref: b0718]

Keferstein, Georg Adolf; (continued)

- b2715 1851 Versuch einer kritischen systematischen Aufstellung der europäischen Lepidopteren mit Berücksichtigung der Synonymie. Stett. ent. Ztg 12:220-224, 272-283, 304-319, 323-328. [Ref: b0527]
 b2716 1874 Die schmetterlinge Californiens. Z. Ges. Naturw. 44(14/15):222-229.

Kelson, Richard V.;

- b2717 1984 Observations of hilltopping *Mitoura spinetorum* and *M. johnsoni* (Lycaenidae) in California. J. Lep. Soc. 37(4):310-311. [8 May 1984]

Kendall, Roy O.;

- b. 21 May 1912 (Ingalls, Gary County, Kansas). (Kendall, Roy O'Neal).
 b2718 1975 Larval foodplants for seven species of Hairstreaks (Lycaenidae) from Mexico. Bull. Allyn Mus. No. 24:1-4. [28 Feb 1975]
 b2719 1976 Larval foodplants and life history notes for some metalmarks (Lepidoptera: Riodinidae) from Mexico and Texas. Bull. Allyn Mus. No. 32:1-12. [17 Feb 1976]
 b2720 1988 Obituary: André Blanchard (1896-1986). J. Lep. Soc. 41(4):219-237, f, bibliography. [5 Jan 1988]

Kendall, Roy O.; McGuire, William W.;

- b2721 1984 Some new and rare records of Lepidoptera found in Texas. Bull. Allyn Mus. No. 86:1-50, 38 f. [Ref: b2721] [19 Apr 1984]

Kerr, John Foxton Ross;

- b2722 1967 New records of Lycaenidae (Lepidoptera) in Australia and a description of a new subspecies. J. Aust. ent. Soc. 6(1):49-51, 8 f.

Kerr, John Foxton Ross; MacQueen, Jack;

- b2723 1967 Notes on the genus *Jalmenus* (Lepidoptera, Lycaenidae) with a description of a new species. J. Aust. ent. Soc. 6(1):45-48, 6 f.

Kerr, John Foxton Ross; MacQueen, Jack; Sands, Donald Peter Andrew;

- b2724 1969 A new species of *Hypochrysops* (Lepidoptera: Lycaenidae) from South Queensland. J. Aust. ent. Soc. 8(2):117-120, 1 pl, 5 f.

Kheil, Napoleon Manuel;

- b. 19 Oct 1849 (Prag); d. 1 Nov 1923 (same). [Ref: b0718; b0717]
 b2725 1884 Die Rhopalocera der Insel Nias. Berlin :38 pp, 5 pls.
 b2726 1905 Lepidópteros de la Guinea española. Mem. Soc. ent. Esp. 1:161-181.

Kiefer, H.;

- b2727 1938 Ergänzungen und Berichtigungen zu Hoffmann-Klos "Die Schmetterlinge Steiermarks" (Bd. I-VII, 1914-1923). Z. öst. EntVer. 23:66-68, 83-84.

Kiel, Warren J.;

- b2728 1976 *Callophrys eryphon* (Lycaenidae) in Maine. J. Lep. Soc. 30(1):16-18. [22 Apr 1976]

Kielland, Jan;

- b2729 1976 Some new and rare Rhopalocera from Tanzania (Lycaenidae, Satyridae). Ent. Ber. 36(7):105-112. [Ref: b1610 (8E904); b0108 (#1118)]
 b2730 1978 A Provisional checklist of the Rhopalocera of the eastern side of Lake Tanganyika. Tijdschr. Ent. 121(4):147-237, ill. [Ref: b0110 (#1352); b1610 (6236-E10)]
 b2731 1980 In d'Abrera, Butterflies of the Afrotropical Region, (q.v.). Melbourne, Lansdowne Editions :593 pp, ill. [See also: b1452]

Kielland, Jan; (continued)

- b2732 1983 Some New Butterflies from Tanzania. Ent. Rec. 95(5/6):107-110, ill. {Jun 1983}
- b2733 1985 New and little known Rhopalocera from Tanzania. (Lepidoptera concerning Lycaenidae, Nymphalidae, Pieridae and Satyridae). Lambillionea 84(9-10):67-92, ill.
- b2734 1985 New and little known Rhopalocera from Tanzania and Malawi. (Rhopalocera: Riordinidae, Pieridae, Satyridae and Lycaenidae). Lambillionea 85(11-12):95-112, ill.
- b2735 1986 New and little-known butterflies from Tanzania (Lepidoptera: Lycaenidae and Riordinidae). Lambillionea 86(11/12):137-154, ill.
- b2736 1987 Some new Rhopalocera from eastern Africa (Lepidoptera: Lycaenidae, Nymphalidae). Lambillionea 87(3/4):38-45, ill.
- b2737 1989 Notes on synonymy and a new species (Lepidoptera: Lycaenidae). Lambillionea 89(5/6):54-56.
- b2738 1990 Butterflies of Tanzania. Melbourne & London, Hill House :363 pp, ill.
- b2739 1993 New taxa of Tanzanian Lycaenidae. Lambillionea 93(1)(ii):114-116, ill.

Kim, C. W.; Hong, S. S.;

- b2740 1991 History of Korean butterflies and Japanese endemic butterflies. (An analysis of the geographical distribution of Korean butterflies). [In Korean]. * :433 pp, ill.

Kim, C. W.; Joo, C. S.; Park, K. T.;

- b2741 1991 Taxonomic revision of the genus *Celastrina* (Lycaenidae) in Korea. Pp :368-377, ill, in: Kim & Hong [q.v.]. * :433 pp, ill. [See also: b2740]

Kimura, Y.; Murayama, Shô-Iti;

- b2742 1990 Some new butterflies from Thailand. Konchu to Shizen (Nature & Insects) 25(2):19-24.

Kirby, William;

- b. 14 Jan 1759 (Leicester); d. 4 Jul 1850 (Barham, near Ipswich). [Ref: b0718; b0717; b3321]
- b2743 1837 [Lepidoptera: Diurna]. Pages 286-300, pls 3,4, in part 4, Insects, in John Richardson, Fauna Boreali-Americana or the Zoology of the Northern Parts of British America. Norwich, England, Josiah Fletcher :v-xxxix, 1-325, cpl 1-8, page i (errata). [See also: b3743] [Ref: b1947]

Kirby, William Forsell;

- b. 14 Jan 1844 (Leicester, England); d. 20 Nov 1912. [Ref: b0718; b0717; b3321]
- b2744 1862 A manual of European butterflies. London.
- b2745 1870 On the necessity of a Reform in the Generic Nomenclature of Diurnal Lepidoptera, illustrated by a Review of the Genera proposed from the of Linnaeus to the year 1816. J. linn. Soc. Lond., Zool. 10:494-503. {20 May 1870}
- b2746 1870 Rhopalocera. Zool. Rec. 6(1869)(Ins.):351-379. {[1870]}
- b2747 1871 A synonymic catalogue of the diurnal Lepidoptera. London, Van Voorst 8vo :iii-vii + 690 pp. *The Supplement came in 1877. Together they form a very reliable and well indexed catalogue of the early literature.* [See also: b2753] [Ref: b1037] {[6 Nov] 1871}
- b2748 1871 Rhopalocera. Zool. Rec. 7(1870)(Ins.):377-399. {[1871]}
- b2749 1873 Rhopalocera. Zool. Rec. 8(1871)(Ins.):356-366. {[1873]}
- b2750 1874 Rhopalocera. Zool. Rec. 9(1872)(Ins.):336-353. {[1874]}
- b2751 1875 Rhopalocera. Zool. Rec. 10(1873)(Ins.):375-388. {[1875]}
- b2752 1876 Rhopalocera. Zool. Rec. 11(1874)(Ins.):376-395. {[1876]}

Kirby, William Forsell; (continued)

- b2753 1877 A synonymic catalogue of the diurnal Lepidoptera, Supplement. London, Van Voorst 8vo :ii-vi + 691-883. [See also: b2747]
- b2754 1878 In Hewitson, 1863-1878, Illustrations of diurnal Lepidoptera, Lycaenidae, (q.v.). London, van Vorst. [See also: b2326]
- b2755 1879 Rhopalocera. Zool. Rec. 14(1877)(Ins.):125-141. {[1879]}
- b2756 1880 Rhopalocera. Zool. Rec. 15(1878)(Ins.):170-191. {[1880]}
- b2757 1881 Rhopalocera. Zool. Rec. 16(1879)(Ins.):132-147. {[1881]}
- b2758 1882 Rhopalocera. Zool. Rec. 17(1880)(Ins.):131-143. {[1882]}
- b2759 1882 Rhopalocera. Zool. Rec. 18(1881)(Ins.):149-169. {[1882]}
- b2760 1883 Rhopalocera. Zool. Rec. 19(1882)(Ins.):163-181. {[1883]}
- b2761 1884 Rhopalocera. Zool. Rec. 20(1883)(Ins.):164-184. {[1884]}
- b2762 1885 Rhopalocera. Zool. Rec. 21(1884)(Ins.):175-199. {[1885]}
- b2763 1887 Descriptions of new species of Papilionidae, Pieridae and Lycaenidae. Ann. Mag. nat. Hist. (5)19:360-369. {May 1887}
- b2764 1887 Descriptions of new species of *Epitola* from Cameroons in the Collection of Henley Grose Smith. Ann. Mag. nat. Hist. (5)19:441-445. {Jun 1887}
- b2765 1889 On the collection of Lepidoptera formed by Basil Thomson, Esq., in the Louisiade Archipelago. Ann. Mag. nat. Hist. (6)4:156-167. {Aug 1889}
- b2766 1890 Descriptions of new species of African Lycaenidae, chiefly from the collections of Dr. Staudinger and Mr. Henley Grose-Smith. Ann. Mag. nat. Hist. (6)6:261-274. {Sep 1890}
- b2767 1892 A synonymic Catalogue of Lepidoptera Heterocera (Moths). 1. Sphingines and Bombyces. London, Gurney & Jackson; Berlin, R. Friedländer 8vo :xii+951 pp. [Ref: b1746] {[9 Jul] 1892}
- b2768 1894-1897 A Hand-Book to the Order Lepidoptera Five Volumes. In Allen's Naturalist's Library or Lloyd's Natural History London, Allen or Lloyd 1:xxiv+261 pp, pls I-XXXVII (1894, Allen's, 1896, Lloyd's); 2:xx+332 pp, pls XXXVIII-LXVIII (1896, both); 3:xxvii+308 pp, pls LXIX-XCV (1897, both); 4:xliv+246 pp, pls XCVI-CXXVI (1897, both); 5:liv+332 pp, pls CXXVII-CLVIII (1897, both). [Ref: b1023; b1788] {1894-1897}

Kirsch, Theodor Franz Wilhelm;

- b. 29 Sep 1818 (Düben b. Torgau); d. 8 Jul 1889 (Dresden); Typen im Mus. Dresden. [Ref: b2455; b0717; b3321]
- b2769 1877 Beitrag zur Kenntnis der Lepidopteren-Fauna von Neu Guinea. Mitt. zool. Mus. Dresd. 1:101-134.

Kirtland, Jared Potter;

- b. 10 Nov 1793 (Wallingford, Conn.); d. 10 Dec 1877 (Cleveland). [Ref: b0717]
- b2770 1874 Diurnal Lepidoptera of Northern and Middle Ohio. Proc. Cleveland Acad. nat. Sci. 1845-1859:17-25.

Kirton, Laurence G.; Kirton, Colin G.;

- b2771 1987 Butterflies of the Kuala Jasin region, Ulu Endau, Johore, Malaysia. Malay Nat. J. 41(2/3):365-378.

Kishi, Sanji;

- b2772 1952 A new aberrant form of *Favonius orientalis* Murray and of *japonica saepestrata* Hewitson. [In Japanese]. Tyô to Ga 3(1):4, f a-d. {Mar 1952}

Kitching, R. L.;

- b2773 1976 The ultrastructure of the eggs of *Jalmenus evagoras* (Donovan) (Lepidoptera: Lycaenidae). *Aust. ent. Mag.* 3(3):42-44, 6 f. [Sep 1976]
 b2774 1987 Aspects of the natural history of the lycaenid butterfly *Allotinus major* in Sulawesi. *J. nat. Hist.* 21(3):535-544, 17 f. [May 1987]

Kitching, R. L.; Kitching, B. M.;

- b2775 1973 Notes on a collection of butterflies from western Mexico. *Entomologist* 106:269-276. [Dec 1973]

Klitt, M.;

- b2776 1912 Über die Lepidopterenfauna des östlichen. *Verh. zool.-bot. Ges. Wien* 62:320-416.

Klemensiewicz, Stanislaw;

- b2777 1902 O nowych i malo znanych gatunkach motyli fauny galicyjskiej. *Spraw. Kom. fizyogr.* 36:40-76.

Klots, Alexander Barrett;

- b. 12 Dec 1903 (New York, New York); d. 18 Apr 1989. [Ref: b4891]
 b2778 1930 Diurnal Lepidoptera from Wyoming and Colorado. *Bull. Brooklyn ent. Soc.* 25(3):147-170, f. [Jun 1930]

Klots, Alexander Barrett; Clench, Harry Kendon;

- b2779 1952 A new species of *Strymon* Huebner from Georgia. *Amer. Mus. Novit.* No. 1600:1-19, f 1-3. [11 Dec 1952]

Klots, Alexander Barrett; dos Passos, Cyril Franklin;

- b2780 1982 Studies of North American Erora (Lepidoptera, Lycaenidae). *J. New York ent. Soc.* 89(4):295-331. [19 Feb 1982]

Klots, Alexander Barrett; Klots, Elsie Broughton;

- b2781 1959 *Living Insects of the World*. New York, Doubleday :304 pp.

Klug, Johann Christoph Friedrich;

- b. 5 May 1775 (Berlin); d. 3 Feb 1856 (same). [Ref: b0718; b0717; b3321]
 b2782 1829-1845 *Insecta*. In Ehrenberg, C. G., *Symbolae physicae et descriptiones insectorum . . . Hemprich et Ehrenberg . . .* Berlin. unpaginated letterpress, 50 pls. [1829-1845]

Kluk, Krzysztof;

- b. 1739; d. 1796.
 b2783 1795-1802 *Zwierzat domowych i dzikich osobliwie kraioowych . . . Hist. nat. poczatk i gospodarstwo . . .* K. Kluka. Warszawa, S. Bielski. 4 volumes, 1795, 1797, 1798, 1802. *The dates given are for the 2nd edition. The first came in 1779, 1779, 1780 & 1780.* [Ref: b1023; b1051] [1795-1802]

Knoch, August Wilhelm;

- b. 3 Jun 1742 (Braunschweig); d. 2 Jun 1818 (same). [Ref: b0717]
 b2784 1781-1783 *Beiträge zur Insectengeschichte*. Leipzig, Schwickert 8vo 3 volumes. 1(1781):10+9+3 pp, 6 cpl 2(1782):8+10+2 pp, 7 cpl 3(1783):2+13+2 pp, 6 cpl [1781-1783]

Kobayashi, K. Z.;

- b2785 1931 On a new subspecies of *Lycaena argus* from Japan Proper. [In Japanese]. *Zephyrus* 3(3/4):170, 1 f. [Dec 1931]

Koçak, Ahmet Ömer;

- b2786 1975 A new species of the Genus *Lysandra* from Turkey (Lep. Lycaenidae). *Atalanta* (Münnerstadt) 6(1):31-34, 2 pls.
 b2787 1975 New Lepidoptera from Turkey II. *Atalanta* (Münnerstadt) 6(1):50-55, 10 f.
 b2788 1977 Studies on the family Lycaenidae (Lepidoptera). I. New Taxa and records from East Turkey. *Atalanta* (Münnerstadt) 8(1):41-62, 24 f.

Koçak, Ahmet Ömer; (continued)

- b2789 1979 Studies on the family Lycaenidae. II. New Taxa and Records from Turkey. *Atalanta* (Münnerstadt) 10(4a):309-325, 37 f. [Ref: b0111 (#1467)]
 b2790 1980 On the nomenclature of some genus- and species-group names of the Lepidoptera. *Nota lepid.* 2(4):139-146. [3 May 1980]
 b2791 1980 Studies on the family Lycaenidae. III. A review of the subspecies of *Agrodiaetus* (*Sublysandra*) *myrrhus* (Herrich-Schäffer, 1852). *Atalanta* (Münnerstadt) 11(4):262-272. [Ref: b1610 (8266-E12)]
 b2792 1981 Further notes on the homonymy of the specific names of Lepidoptera. *Priamus* 1(1):11-17. [1 Nov 1981]
 b2793 1981 On the status of the Family names NYMPHALIDAE and HELICONIIDAE described by Swainson in 1827 (Lepidoptera). *Priamus* 1(2):93-96.
 b2794 1981-1983 Critical Check-List of European Papilionoidea. *Priamus* 1(2):46-90 (9 Dec), 1(4):155-167, 2(2):69-92 (29 Jun 1982), 3(1):11-37 (12 Jul 1983). [9 Dec 1981-12 Jul 1983]
 b2795 1981-1983 More notes on the homonymy of the specific names of Lepidoptera. *Priamus* 1(3):110-111; 2(1):64-66; 2(4):164-166; 3(1):38-39; 3(2):41-42. [1981-1983]
 b2796 1982 On the Date of Publication of "Nachtrag" of Heydenreich's *Lepidopterorum Europaeorum Catalogus Methodicus* (3rd ed). *Priamus* 2(2):92-94. [29 Jun 1982]
 b2797 1982-1987 On the validity of the species group names proposed by Denis Schiffermüller, 1775 in "Ankündigung (sic!) eines systematischen Werkes von den Schmeißerlingen der Wiener Gegend. *Priamus* 2(1):4-42; 3(3):98-130; 3(4):133-154; 4(1/2):22-36; 4(3):83-86. [1982-1987]
 b2798 1983 On the nomenclature of *Thersamonia thersamon* (Esper, 1784) from the west palaearctic region (Lycaenidae). *Priamus* 3(1):3-5.
 b2799 1984 Notes on the names published in "A Catalogue/Checklist of the Butterflies of America North of Mexico" by L. D. Miller and F. M. Brown in 1981. *Priamus* 3(3):93-97.
 b2800 1986 On the paper "The Lepidoptera names of Denis & Schiffermüller - A case for Stability" by K. Sattler and W. G. Tremewan in 1984. *Priamus* 4(1/2):3-12. [31 May 1986]
 b2801 1989 On the Lepidoptera of Ayas District (C. Anatolia). *Priamus* 4(4):150-161, 2 maps. [25 Jan 1989]
 b2802 1992 Description of a new subgenus in Lycaenidae and some taxonomical remarks to the taxa in Turkey (Lepidoptera, Lycaenidae). *Cent. Ent. Stud. Misc. Pap.* No. 16:1-5.
 b2803 1992 *Lysandra syriaca* ssp. *burak* (n. ssp.), a new subspecies from south Turkey in Lycaenidae (Lepidoptera). [In Turkish]. *Cent. Ent. Stud. Misc. Pap.* No. 16:6-7.
- Kôda, Nobutoyo;**
 b2804 1982 Observation on the Male Activity of Five Japanese Species of *Zephyrus* Hairstreaks, with Special Reference to the Influence of the Light Intensity (Lepidoptera, Lycaenidae). [Japanese]. *Tyô to Ga* 32(1,2):29-39. [20 Dec 1982]
- Köhler, Pablo;**
 b2805 1923 *Fauna argentina. Lepidoptera e collectione Alberto Breyer. I. Teil. Rhopalocera. Systematischer Katalog und Studien, Berichtigungen u. Neubeschreibungen.* *Z. wiss. Insektbiol.* 18(12)(Sonderheft):34 pp, 3 pls, 6 maps.
 b2806 1934 *Dos lepidópteros argentinos nuevas.* *Revta Soc. ent. argent.* 6:39-40, 3 f.
- Koiwaya, Satoshi;**
 b2807 1985 The Life Histories of the Formosan Theclini (1). *Ravenna nivea* (Nire). *Gekkan Mushi* (167):2-5, 13 f (color). [Jan 1985]
 b2808 1985 The Life Histories of the Formosan Theclini (2). *Chrysozephyrus mushaellus mushaellus* (Matsumura). *Gekkan Mushi* (169):2-5, 14 f (color). [Mar 1985]

Kolway, Satoshi; (continued)

- b2809 1985 The Life Histories of the Formosan Theclini (3). *Leucanigiis atayalicus* (Shirôzu & Murayama). Gekkan Mushi (173):2-5, 16 f (color). {Jul 1985 }
- b2810 1985 The Life Histories of the Formosan Theclini (4). *Ussuriana takarana* (Araki & Hirayama). Gekkan Mushi (175):2-7, 21 f (1-16 in color). {Sep 1985 }
- b2811 1986 The Life Histories of the Formosan Theclini (5). *Chrysozephyrus ataxus lingi* Okano et Ohkura. Gekkan Mushi (180):2-7, 28 f (17 color). {Feb 1986 }
- b2812 1986 The Life Histories of the Formosan Theclini (6). *Chrysozephyrus hisamatsusanus splendidulus* Murayama. Gekkan Mushi (183):2-7, 26 f (17 color). {May 1986 }
- b2813 1987 The Life Histories of the Formosan Theclini (7). *Araragi enthea morisonensis* (M. Inoue). Gekkan Mushi (194):2-4, 18 f (16 color). {Apr 1987 }
- b2814 1987 The Life Histories of the Formosan Theclini (8). *Chrysozephyrus kabrua niitakanus* (Kano). Gekkan Mushi (200):2-6, 21 f (16 color). {Oct 1987 }
- b2815 1988 The Life Histories of the Formosan Theclini (9). *Chrysozephyrus rarasanus* Matsumura. Gekkan Mushi (207):2-5, 18 f (17 color). {May 1988 }
- b2816 1989 The Life Histories of the Formosan Theclini (10). *Neozephyrus taiwanus* (Wileman). Gekkan Mushi (216):2-7, 18 f (16 color). {Feb 1989 }
- b2817 1989 Descriptions of a new genus, nine new species and a subspecies of Lepidoptera from China. Stud. Chin. Butterflies 1:40-49, 199-230, ill.
- b2818 1993 Descriptions of three new genera, eleven new species and seven new subspecies of butterflies from China. Stud. Chin. Butterflies 2:9-27, 43-111, ill.

Kokubu, Kenichi;

- b2819 1977 An aberrant male of *Lycaeides subsolana yagina* Strand. [Lepidoptera: Lycaenidae]. [Japanese]. Tyô to Ga 28(1):26, f. [Ref: b2819] {1 May 1977 }

Kolar, Heinrich;

- b2820 1926 [Falterformen aus dem Alpen- und Sudetengebieten]. Verh. zool.-bot. Ges. Wien 74/75:(3)-(5).

Kollar, Vincenz;

- b. 15 Jan 1797 (Kranovütz in Schlesian); d. 30 May 1860 (Wien). [Ref: b0718; b0717]
- b2821 1844 In Kollar & Redtenbacher, (q.v.). Stuttgart, Hallbergische Verlagshandlung 4(2):393-564,582-585, pls 1-28. [See also: b2823] {[1844]}
- b2822 1849 In Kollar, V. & Redtenbacher, L., Über den Charakter der Insekten-Fauna von Südpersien. Denkschr. K. Akad. Wiss. Wien 1:42-53. {[1849]}

Kollar, Vincenz; Redtenbacher, Ludwig;

- b2823 1844 Aufzählung und Beschreibung der von Freiherrn Carl v. Hügel auf seiner Reise durch Kaschmir und das Himaleyagebirge gesammelten Insecten. In Hügel, Kaschmir und das Reich der Siek. Stuttgart, Hallbergische Verlagshandlung 4(2):393-564,582-585, pls 1-28. Kollar did the Butterflies, Redtenbacher the Moths. [See also: b2493] {[1844]}

Komárek, Oldřich;

- b2824 1948 *Chrysophanus dorilis* Hufn., ab. *vilmæ* n. ab. Čas. čsl. Spol. ent. 46(3/4):149-150.

König, Frederic;

- b2825 1962 Beitrag zur *Aricia agestis*-Frage. (Lep. Lycaenidae). MittBl. Insektenk. 6:139-142.

Korshunov, Yu. P.;

- b2826 1972 Catalogue of diurnal butterflies of the fauna of the U.S.S.R. II. [In Russian, English summary]. Ent. Obozr. 51:352-368.

Korshunov, Yu. P.; (continued)

- b2827 1972 A catalog of the Rhopalocera (Lepidoptera) in the fauna of the USSR, I & II. Ent. Rev. 51(1):83-98, (2):212-223.
- b2828 1982 New forms of club-shaped Lepidoptera (Lepidoptera, Rhopalocera) from northern Asia. [In Russian]. Nov Maloizvestiye Vidy Fauny Sib. No. 16:86-91, ill.
- b2829 1987 New taxones of lepidopterous in Eurasia. [In Russian]. Nov Maloizvestiye Vidy Fauny Sib. No. 19:9-13.
- b2830 1990 [Description of Bajluana]. In: On the systematics of *Glaucoopsyche* and *Celastrina*. [In Russian]. Nov Maloizvestiye Vidy Fauny Sib. No. 22:70. [See also: b2831]

Korshunov, Yu. P.; Ivonin, V. V.;

- b2831 1990 On the systematics of *Glaucoopsyche* and *Celastrina*. [In Russian]. Nov Maloizvestiye Vidy Fauny Sib. No. 22:68-79, ill.

Korshunov, Yu. P.; Pupavkin, D. M.; Chernenko, Yu. I.;

- b2832 1982 [Lepidoptera, Diurna of the Polar Yenisei and Taimyr]. Pp :75-87 in: Zolotareno, G. S. [Ed.], [Useful and harmful insects of Siberia]. [In Russian]. Nauka, Novosibirsk :1-233.

Korshunov, Yu. P.; Viidaleep, J.;

- b2833 1980 A new species of the brown argus butterfly of the genus *Pseudophilotes* Beuret, 1958, (Lepidoptera, Lycaenidae) from Yakutia. [In Russian]. Nov Maloizvestiye Vidy Fauny Sib. No. 14:154-157, ill.

Kostrowichi, A. S.;

- b2834 1969 Geography of the Palaearctic Papilionoidea (Lepidoptera). Zaklad Zoologii Systematyeznej Polskiej Akademii Nauk :380 pp, 125 tf.

Kozhanchikov, Igorya Vasilévich;

- b. 1904, d. 1958. Also seen as *Koshantschikoff*.
- b2835 1923 Materialien zur Macrolepidopteren Fauna des Minussinsk-Bezirktes (Sibirien, uienissey Gouv.). Ezheg. gosud. Muz. N. M. Mart'yanova 1:1-50.
- b2836 1924 Materialien zur Macrolepidopterenfauna des Minussinsk Bezirks. II. Ezheg. gosud. Muz. N. M. Mart'yanova 2(1):66-75.
- b2837 1936 Lepidopterologisches aus Zentral-Sibirien. Folia zool. hydrobiol. 9:22-29.

Krähe, C.;

- b2838 1912 Eine Spätgeneration des *Chrysophanus* var. *rutilus* und deren Lebensweise in der Mark Brandenburg. Ent. Zeit. 26(27):106-107. {5 Oct 1912 }

Kralicek, M.; Povolny, D.;

- b2839 1957 *Polyommatus eros eroides* (Frivaldsky) 1827 v Ceskoslovensku. Roč. čsl. Spol. ent. 53(1956):193-201.

Krod.;

- b2840 1904 [Title unknown] Ent. Zeit. 18(14):54. [[Description of *Agrodiaetius gilmeri*.] {8 Jul 1904 }

Krodol, Ernst;

- b2841 1904 *Lycaena phyllis* Chr. ab. *schultzi* Krodol (n.ab.). Ent. Zeit. 18(6):21. {8 May 1904 }

Krüger, Richard;

- b2842 1928 Eine neue Erycinide: *Symmachia margaretha* Krüger. Ent. Zeit. 41(22):442. {24 Feb 1928 }
- b2843 1928 *Calydna caieta* (female) *amazonica* f. n.m. Int. ent. Z. 22(9):101. {1 Jun 1928 }

Krulikovskii, Leonid Konstantinovich;

- b. 1864 (Sarapul); d. Jan 1930 (Kiew). Also seen as *Kroulikowsky*. [Ref: b0717]

Krulikovskii, Leonid Konstantinovich; (continued)

- b2844 1890 [Essais d'un catalogue des Lépidoptères du gouvernement Kasan]. [In Russian]. Bull. Soc. imp. Nat. Moscou (ns)4(1890):200-251, pl 8. *Continued as: (ns)6(1892):17-48; (ns)7(1893):43-105; (ns)10(1896):25-52; (ns)12(1898):42-67, 302-319; (ns)13(1899):157-219 [1900].*
- b2845 1892 *Lycaena arion* L., var. *ruehli*, nova. Soc. ent. 7(1):1. *Author as Kroulikowsky, name as rühli. [1 Apr 1892]*
- b2846 1892 Eine neue *Lycaena*-Varietät aus Russland. Ent. Nachr. 18:97-98.
- b2847 1893 Les Rhopalocères du Gouvernement de Viatka (de la Russie orientale). Soc. ent. 7(19-24):150-187 (nc); 8(1):4 (Apr). *Author as Kroulikowsky. [1 Jan 1893]*
- b2848 1897 [Bemerkung zur Lepidopteren-Fauna der Umgebung der Stadt Ufa]. Mater. Pozn. Fauny Flory SSSR 3:313-328.
- b2849 1906 Neue Varietäten und Aberrationen der palaearktischen Lepidopteren. Soc. ent. 21(7):49-51. [1 Jul 1906]
- b2850 1908 Einige neue Varietäten und Aberrationen der Lepidopteren des östlichen Russlands. Soc. ent. 23(1):2-3, (2):11-12, (3):18. [1 Apr 1908]
- b2851 1909 [Données nouvelles concernant la faune des Lépidoptères du gouvernement de Viatka]. [Russian]. Revue Russe Ent. 9:292-323.
- b2852 1926 Zur Lepidopterenfauna der Ukraine. Zbim. Prats zool. Mus. 1:65-76.

Krzywicki, Mieczyslaw;

- b2853 1983 Eine neue Unterart von *Polyommatus eroides* (Frivaldszky, 1835) aus Polen (Lepidoptera, Lycaenidae). Polsk. Pismo ent. 53(3):401-404, ill.

Ksienshopolski, A. V.;

- b2854 1911 The Rhopalocera of south-west Russia. [In Russian]. Trudy obshch. Izsl. Volyni Zitomir 8:1-76. *Bewet gives the name as Ksenschopolski, while Kudrna gives Ksienshopolski. The journal has also been seen as Werke Ges. Erf. Wolh., but is not listed in the World list under either name.*

Kudla, M.;

- b2855 1951 Nekolik poznamek k ekologii a vyskytu modraska *Scolitantides orion*. Čas. ěsl. Spol. ent. 48:132-134.

Kudrna, Otakar;

- b. 10 Feb 1939 (Česke Budejovice, or Budweis). Bibliography kindly supplies by author.
- b2856 1983 An Annotated Catalogue of the Butterflies (Lepidoptera: Papilionoidea) Named by Roger Verity. J. Res. Lep. 21(1):1-105, pl. [15 Jul 1983]
- b2857 1985 Butterflies of Europe. Wiesbaden, Verlag 8vo 7 volumes 1(1985):447 pp. Vol. 1, Concise Bibliography of European Butterflies; Vol. 2, Introduction to Lepidopterology; Vol. 3, Papilionidae, Pieridae; Vol. 4, Lycaenidae; Vol. 5, Nymphalidae, Libytheidae, Danaidae, Riodinidae; Vol. 6, Satyridae; Vol. 7, Ecology of European Butterflies; Vol. 8, Aspects of the Conservation of Butterflies of Europe.
- b2858 1985 European butterflies (Lepidoptera: Papilionoidea) named by Hans Fruhstorfer. Nachr. ent. Ver. Apollo Suppl. 5:60 pp. [Dec 1985]
- b2859 1986 Butterflies of Europe. Volume 8. Aspects of the Conservation of Butterflies in Europe. Wiesbaden, Verlag 8vo 8:323 pp.
- b2860 1987* [Letter to Bridges. Notes on the Bibliography of some Lycaenidae]. Bonn, Author :4 pp. [6 Dec 1987] [*Unpublished]

Kuehnert, H.;

- b2861 1968 Ueber die Verbreitung von *Lycaeides idas* L. im Bezirk Deutschlandsberg. Mitt. nat. Ver. Steierm. 98:145-151.

Kuehnert, Hermann;

- b2862 1979 Tagfalterbeobachtungen im Aostatal (N-Italien). Ent. Zeit. 89(13):145-151, 4 f.; (14):158-167 (16 Jul); (15):169-174 (1 Aug). [2 Jul 1979]

Kulfa, Miroslav; Slamka, Frantisek; Misko, Ladislav;

- b2863 1986 A revision of the species *Everes alceas* and *Everes decoloratus* (Lepidoptera, Lycaenidae) in Slovakia (Czechoslovakia). Biológia (Bratislava) 40(10):993-998.

Kurentzov, Aleksey Ivanovitch;

- b. 1896, d. 1975. *Collection at IBP.*
- b2864 1970 The Butterflies of the Far East USSR. [Bulavousye češuekrylye Dal'nego Vostoka SSSR]. Acad. Sci. USSR, Siberian Branch :163 pp, 14 col pls.
- b2865 1974 Zoogeography of the U.S.S.R. Far East exemplified by the distribution of Lepidoptera-Rhopalocera. [In Russian]. Novosibirsk, Nauka :157 pp.
- b2866 1978 The butterflies of the Far-East USSR. Netherland, Junk :[2]+164 pp, 14 cpl. *This seems to be an exact reproduction of the 1970 title, so I have treated the many spelling errors as if they first appeared in that publication. The author is given as Kurentsov. [See also: b2864]*

Kurihara, Y.;

- b2867 1943 On the so-called *Zizeria sylvia* (Nakahara), with especial reference to its seasonal forms. Trans. Kansai ent. Soc. 13(1):57-62, f.

Kuwayama, Satoru;

- b2868 1926 Two new aberrations of Japanese Butterflies. Entomologist 59:180-181, 6 f. [Jul 1926]

Kuznetsov, Nikolai Yakovelevich;

- b. 1873, d. 1948. [Ref: b0718 (as Kusnezov, Nikolai Jakoblevich)]
- b2869 1908 [List of Lepidoptera collected by L. S. Berg on the northern shores of the Aral Sea in the year 1906]. Izv. turkest. Otd. imp. russ. geogr. Obshch. 4(8):103-121, pl 4.

Kyuzaki;

- b2870 1937 [Title unknown] Ageha 3:6. [Description of *sagamiensis*. Mentioned in zr1938 (318.3), but title is not listed.]

Lachlan, R. B.;

- b2871 1988 New distribution records for some butterflies and hawk moths from far northern Queensland. Aust. ent. Mag. 14(6):87-88. [Jan 1988]

Lacreuze, C.;

- b2872 1909 Formes nouvelles ou peu connues de Lépidoptères. Bull. Soc. Léop. Genève 1:382-384.

Lafontaine, J. Donald;

- b2873 1969 Take another look at Hairstreaks. Trail and Landscape 3:151.
- b2874 1970 A redescription of *Strymon borealis* Lafontaine (Lycaenidae). J. Lep. Soc. 24(2):83-86, 8 f. [29 May 1970]

Lagerberg, Torsten;

- b2875 1911 Anteckningar till Sveriges macrolepidopterfauna. (Zur Makrolepidopterenfauna Schwedens). Ent. Tidskr. 32(1):13-42. [29 Apr 1911]

Lalanne;

- b2876 1947 Deux nouvelles formes de *Heodes gordius* Sulz. Revue fr. Léop. 10(1):24-27. [Feb 1947]

Lamarck, Jean Baptiste Pierre Antoine de Monet de;

- b. 1 Aug 1744 (Barenton, Department of the Somme); d. 19 Dec 1829 (Paris). [Ref: b1946; b3321]

Lamarck, Jean Baptiste Pierre Antoine de Monet de; (continued)

- b2877 1835-1845 Histoire naturelle des Animaux sans vertèbres, présentant les caractères généraux et particuliers de ces Animaux . . . précédée d'une introduction offrant la détermination des caractères essentiels de l'animal . . . enfin, l'exposition des principes fondamentaux de la Zoologie. Deuxième édition, revue et augmentée de notes . . . par MM. G. P. Deshayes et H. Milne Edwards. Paris & Londres 11 Volumes (8vo). [1835-1845]

Lamas, Gerardo;

Also seen as Lamas Müller, Gerardo.

- b2878 1973 The type-material of Lepidoptera Rhopalocera contained in the collections of the Museu de Zoologia da Universidade de São Paulo. Papéis avulsos Dept. Zool., São Paulo 26(13):179-185. [26 Feb 1973]
- b2879 1977 Bibliografía de catálogos y listas regionales de mariposas (Lepidoptera) de América Latina. Publicaciones especiales, Sociedad mexicana de Lepidopterología 2:1-44.
- b2880 1981 Una nueva subespecie de *Pseudolycaena marsyas* Revta peruana Ent. 23(1):143-144, 2 f.
- b2881 1988* [Letter to Bridges. Additions and corrections to the Catalogue of Family-group and Genus-group names]. Lima, Peru :5 pp. [20 Jun 1988] [*Unpublished]

Lambillon, L. J. L.;

- b2882 1902 Quelques mots sur l'engraissement des papillons. La cause. Le moyen de les dégraisser. Revue mens. Soc. ent. namur. 2:14-15.
- b2883 1903 Catalogue des Lépidoptères de Belgique donnant les noms de tous les papillons pris en Belgique jusqu'à ce jour avec leurs variétés leurs synonymes, less époques d'apparition, les localités, les époques des chenilles, leur nourriture, etc., etc. et une liste de papillons paléarctiques après chaque groupe indigène. 2. éd., considérablement augmentée. Namur, Doux fils :432 pp. Issued as supplement to *Lambillionea*. Five supplements were issued (1913-1935). The second edition included the title page of the first edition, dated 1900.
- b2884 1913 Aberrations de Lépidoptères nouvelles pour la science. Revue mens. Soc. ent. namur. 13:125-127. [25 Nov 1913]

Lambkin, T. A.;

- b2885 1983 The early stages of *Rapala varuna simsoni* (Miskin) (Lepidoptera: Lycaenidae) from south-eastern Queensland. Aust. ent. Mag. 10(4):56-58, 4 f. [Sep 1983]

Lamborn, William Alfred Stedwell;

b. 1877, d. 1960.

- b2886 1912 Some Ant-tended Lycaenid Larvae observed by Mr. W. A. Lamborn in the Lagos District. Trans. ent. Soc. Lond. 59(5)(Proc.):xcix-cvi. [19 Apr 1912]
- b2887 1914 On the Relationship between certain West African insects, especially Ants, Lycaenidae and Homoptera, with an Appendix containing description of New Species, etc. by G. T. Bethune-Baker. Trans. ent. Soc. Lond. 61(3):436-503, 4 pls. [21 Jan 1914]

Lampa, Sven;

b. 17 Nov 1839 (Ekeberga (Thorsö)); d. 2 Dec 1894 (Lidingö). [Ref: b0717]

- b2888 1885 Förteckning öfver Skandinaviens och Finlands Macrolepidoptera. Ent. Tidskr. 6:1-137.

Lang, Heinrich Gottlob;

- b2889 1789 H. G. Lang Verzeichniss seiner Schmetterlinge in dem Gegenden um Augsburg Gesammelt. Augsburg, Klett 8vo :xxviii+226 pp (2nd ed, 1789). The 1st ed, 8vo :60 pp, came in 1782.

Lang, Henry Charles;

b. *; d. 1 Dec 1909 (All Saints, Southend). [Ref: b0718]

- b2890 1884 Rhopalocera Europa Descripta et Delineata. London 1:1-395; 2:i-xii, pls 1-82.

Lange, E.;

- b2891 1919 Beitrag zur Biologie von *Lycaena coridon* Poda. Deut. ent. Zeit. [Iris] 33:9-26.
- b2892 1924 [*Lycaena argus*]. Deut. ent. Zeit. [Iris] 38:133-134.

Langston, Robert L.;

- b2893 1964 *Philotes* of central coastal California (Lycaenidae). J. Lep. Soc. 17(4):201-223, 6 f. [21 Feb 1964]

Largen, M. J.; Rogers-Price, Vivian;

- b2894 1985 John Abbot, an early naturalist-artist in North America: his contribution to ornithology, with particular reference to a collection of bird skins in the Merseyside County Museums, Liverpool. Archiv. nat. Hist. 12(2):231-252. [Oct 1985]

Larsen, Torben B.;

- b2895 1974 Une espèce et deux sous-espèces nouvelles de Lycaenidae du Liban. [One new species and two new subspecies of Lycaenidae from Lebanon]. Alexanor 8(7):301-307, 3 f. [22 Oct 1974]

- b2896 1974 Butterflies of Lebanon. Beirut, C.N.R.S., Republic of Lebanon :xv+255 pp. [Ref: b3352]

- b2897 1975 A new species of Nigerian *Tarucus* (Lepidoptera: Lycaenidae). Bull. Inst. fond. Afr. Noire 37(A):684-686. [Ref: b0108 (#1226)]

- b2898 1982 The Butterflies of the Yemen Arab Republic, with a Review of Species in the *Charaxes viola* Group from Arabia and East Africa by A. H. B. Rydon. Biologiske Skrifter 23(3):1-87, 3 cpl, 2 pl. [Ref: b4119]

- b2899 1983 Notes on afro-tropical butterflies with description of five new taxa and records of extension of known ranges. Bull. Inst. fond. Afr. Noire 45(A):151-172.

- b2900 1983 Insects of Saudi Arabia. Lepidoptera; Rhopalocera (a monograph of the butterflies of the Arabian Peninsula). Fauna Saudi Arabia 5:333-478, ill.

- b2901 1984 Butterflies of Saudi Arabia and its Neighbours. [Foreword by H.R.H. the Prince Khalid Al Faisal Bin Abdul Aziz]. London & Riyadh :160 pp, 23 cpl, 100+ photographs. Good photos of living animals. [Ref: b4119]

- b2902 1986 *Lycaena mirza* Plötz, 1880 (Insecta, Lepidoptera): Proposed conservation by the suppression of *Lycaena mirza* Staudinger, 1874. Z.N.(S.)2426. Bull. Zool. Nomen. 43(4):342-343. [Dec 1986]

- b2903 1988* [Letter to Bridges. Notes on some names of Lycaenidae]. London, England :1 pp. [21 Jun 1988] [*Unpublished]

- b2904 1991 The butterflies of Kenya and their natural history. Oxford & New York, Oxford Univ. Press :xxii + 490 pp, ill.

Larsen, Torben B.; Nakamura, Ichiro;

- b2905 1983 The butterflies of East Jordan. Ent. Gaz. 34(3):135-208. [26 Sep 1983]

Larsen, Torben B.; Pittaway, A. R.;

- b2906 1982 Notes on the ecology, biology and taxonomy of *Aphariüs acamas* (Klug) (Lepidoptera: Lycaenidae). Ent. Gaz. 33(3/4):163-168. [26 Nov 1982]

Larsen, Torben B.; Riley, John; Cornes, Michael A.;

- b2907 1981 The Butterfly Fauna of a Secondary Bush Locality in Nigeria. J. Res. Lep. 18(1):4-23. [31 Jan 1981]

Lasso de la Vega Westendorp, R.;

- b2908 1978 Una nueva forma de *Tomares ballus* (Fabricius 1787) (Lep., Lycaenidae). Revta Lep. 6(1):26. [Ref: b0110 (#1532)]

- b2909 1980 Ampliación al conocimiento sobre *Tomares ballus* (Fabricius 1787). Revta Lep. 7(4):278. [Ref: b0113 (#1746)] [1980]

- b2910 1982 Una nueva subespecie *Lysandra albicans* (Herrich-Schäffer, 1851) en el sur de España. Revta Lep. 10(2):141-144, ill. [Ref: b0113 (#1746)]

Lathy, Percy I.;

- b. 1870 (Pulborough); d. 8 Sep 1943 (Vütel, Frankfurt). [Ref: b0717]
- b2911 1901 An account of a collections of Rhopalocera made at Zomba in British Central Africa. Trans. ent. Soc. Lond. 49(1):19-36, ill. {[30] Apr 1901 }
- b2912 1903 An account of a collection of Rhopalocera made on the Anambara Creek in Nigeria, West Africa. Trans. ent. Soc. Lond. 51(2):183-206, ill. {[2] Jun 1903 }
- b2913 1904 A contribution towards the knowledge of the Lepidoptera-Rhopalocera of Dominica, B.W.I. Proc. zool. Soc. Lond. 1904(I)(2):450-454. {[2 Aug] 1904 }
- b2914 1904 New species of S. American Erycinidae. Trans. ent. Soc. Lond. 52(3):463-468, pl. xxvii. {[30] Sep 1904 }
- b2915 1906 A contribution towards the knowledge of African Rhopalocera. Trans. ent. Soc. Lond. 54(1):1-10. {[29] May 1906 }
- b2916 1921 Two new species of Lycaenidae from Madagascar. Ann. Mag. nat. Hist. (9)8:208. {Aug 1921 }
- b2917 1924 The iridescent species of *Euselasia* (Lepidoptera). Ann. Mag. nat. Hist. (9)14:283-285. {Sep 1924 }
- b2918 1926 Notes of the American Theclinae (Lepidoptera). Ann. Mag. nat. Hist. (9)17:35-47. {Jan 1926 }
- b2919 1926 New species and forms of the genus *Euselasia* in the Joicey collection. Entomologist 59:143-146. {May 1926 }
- b2920 1927 Lycaenidae de Madagascar. Encyc. ent. Ser. B. III. Lep. 2(1):33-43, pl 3. {31 Jan 1927 }
- b2921 1930 Notes on South American Lycaenidae with descriptions of new species. Trans. ent. Soc. Lond. 78(1):133-137. {30 Jun 1930 }
- b2922 1932 New Species and Races of Erycinidae (Lepidoptera). Ann. Mag. nat. Hist. (10)9:65-74. {Feb 1932 }
- b2923 1932 The genus *Lamprospilus* (Lepidoptera). Ann. Mag. nat. Hist. (10)9:180-182. {Feb 1932 }
- b2924 1932 On *Alesa negra* Röber (Lepidoptera). Ann. Mag. nat. Hist. (10)9:484. {May 1932 }
- b2925 1936 *Thecla* nouveaux d'Amérique du Sud (Lepidopt. Lycaenidae). Pages 229-232 (1 plate) in: Livre jubilaire de M. Eugene-Louis Bouvier. Paris, Fimmin-Didot :379 pp, 16 pls (2 color), tfs.

Latreille, Pierre André;

- b. 29 Nov 1762 (Brives, Corrèze, France); d. 6 Feb 1833 (Paris). [Ref: b0718; b0717; b1053; b3321]
- b2926 1804 Tableau méthodique des Insectes. In Déterville, Nouveau Dictionnaire d'Histoire Naturelle appliquée aux Arts . . . 24 Volumes. [1st edition]. Paris, Soc. Nat. Agric. 24(Tab.):129-200. *Latreille also wrote several other articles in the Dictionary. A second edition came in 1816-19.*
- b2927 1809 Genera Crustaceorum et Insectorum secundum ordinem naturalem in familias disposita, iconibus exemplisque plurimis explicata. Paris and Strasbourg 4 volumes.
- b2928 1813 In Humboldt & Bonpland, Voyage aux régions équinoxiales du nouveau continent I: Recueil d'observations de Zool. faites dans l'Océan Atlantique, dans l'intérieur du nouveau Continent et dans la Mer du Sud. Paris 2 Bde 1:8+368 pp; 2:144 pp, 57 pls (folio). *Insects came in 1:127-304, pls 15-25 and 2:9-138, pls 31-43* {[1813] }

Latreille, Pierre André; Godart, Jean Baptiste;

- b2929 1819-1824 Encyclopedie méthodique. Histoire naturelle des insectes, Volume 9. Paris :828 pp. *Latreille wrote pp i,ii, 3-12, 706-707 and all of the text for extra European hesperids. Godart prepared the rest of the text. Dating is 1819 (1-328), 1824 (329-end). Pure binomial nomenclature, purely descriptive, no figures.* [Ref: b1018 :307; b3886 :419; b1041; b1051; b1053] {1819, [1824] }

Lattin, Gustave de;

- b. 9 Jun 1913 (Antwerpen); d. 27 Aug 1968 (Saarbrücken). [Ref: b3264]
- b2930 1950 Türkiye Kelebekleri Hakkında I. Türkische Lepidopteren. Revue Fac. Sci. Univ. Istanbul (B)15(4):301-331, pls I,II. *Journal also seen as Istanbul. Univ. Fen Fak. Mecm.*
- Lattin, Gustave de; Jöst, Hans; Heuser, Rudolf; Roesler, Rudolf;
- b2931 1957-1964 Die Lepidopteren-Fauna der Pfalz. I. Teil: Systematisch-chorologischer Teil. Mitt. Pollichia (3)4:51-167, 5 maps. {1957-1964 }

Le Cerf, Ferdinand;

- b. 1881, d. 1945. [Ref: b0718]
- b2932 1909 Description d'espèces nouvelles des genres *Lycaena* et *Phyltaenodes* (Collections recueillies en Perse par m. de Morgan). Bull. Mus. natn. Hist. nat., Paris 1909:535-536.
- b2933 1911 Description d'une espèce nouvelle d'Erycinidae. Bull. Mus. natn. Hist. nat., Paris 17(6):412-413.
- b2934 1914 Contribution à la faune lépidoptérologique de Perse. (Catalogue de Rhopalocères). Anns Hist. nat. Délég. Perse 2(2):viii+188 pp. *Listed by Bang-Haas and others as 1913.* [Ref: b0236]
- b2935 1922 Description de deux Lépidoptères africains nouveaux [Erycinidae, Agaristidae]. Bull. Mus. natn. Hist. nat., Paris 28:59-61.
- b2936 1923 Lépidoptères nouveaux recueillis au Maroc par M. H. Ungemach. Bull. Soc. ent. Fr. 1923(15):197-200. {[23 Nov] 1923 }
- b2937 1928 Localités françaises nouvelles pour *Chrysophanus dispar rutilus* Wemb. Encyc. ent. Ser. B. III. Lep. 3(1):37-38. {15 Jan 1928 }
- b2938 1928 Lépidoptères africains nouveaux. Encyc. ent. Ser. B. III. Lep. 3(3):117-126. {5 Nov 1928 }
- b2939 1932 Lépidoptères nouveaux du Maroc. Bull. Soc. ent. Fr. 37(11):163-166. {6 Jul] 1932 }

Le Chamberlain, Champion;

- b2940 1908 *Lycaena arion* in the Cotswolds. Entomologist 41:202. {Aug 1908 }

Le Charles, Louis-Gabriel;

- b2941 1927 [Explanation of Plate 8]. Amat. Papil. 3:192, pl 8.

Le Conte, John Eatton;

- b. 22 Feb 1784 (New Jersey); d. 21 Nov 1860 (Philadelphia). [Ref: b0718; b0717; b1022]

Le Crom, Jean Francois; Johnson, Kurt;

- b2942 1993 New Species and New Records of "Elfin"-like Hair-streak Butterflies from Colombia (Lepidoptera, Lycaenidae, Theclinae). Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point) No. 36:1-19, ill. {13 Dec 1993 }

Le Moult, Eugène;

- b2943 1939-1940 Revision du genre *Helicopsis* (Lep., Erycinidae). Novit. ent. (11):81-88, pl 5 (6 f) (4 Nov 1939); (12):89-92, (12):96 (1 Dec 1939); (13):97-104, (14):105-111, (15):113-120, (16):121-128, (17):129-136, (18):137-140, pl 6 (6 f) (11 May 1940). {4 Nov 1939-11 May 1940 }
- b2944 1942 Description d'une race nouvelle d'*Heodes dispar* Haw. (Lep., Lycaenidae) de l'Oural. Novit. ent. 11-12:141.
- b2945 1945 Nouvelles remarques sur *Lycaena (Heodes) dispar* Haworth. Misc. Ent. 42:41-60 or 62.
- b2946 1947 [Title unknown] Misc. Ent. 44:107+. [[Descriptions of *Baltia* aberrations].]

Le Souëf, John Cecil;

- b2947 1977 A ladder is a help for *Ogyris*. Victorian Ent. 7(6):74-75.

Le Souëf, John Cecil; Tindale, Norman Barnett;

- b2948 1970 A new subspecies of *Virachola smilis* (Hewitson) (Lepidoptera: Lycaenidae) from northern Australia. J. Aust. ent. Soc. 9(3):219-222, tfs 1-2, pl 1. {Dec 1970}

Leach, William Elford;

- b. 1790; d. 25 Aug 1836 (Genoa, Italy). Collection to the BMNH. [Ref: b0718; b0717; b3321]
 b2949 1814-1817 The Zoological Miscellany; being descriptions of new, or interesting animals. London, Nodder & Son 8vo 3 volumes + atlas:149 pls (by Nodder). For dating, see Moulds, 1977. [Ref: b3256; b1036] {1814-1817}

[Leach, William Elford];

- b2950 1815 [Article] Entomology in Brewster, D., The Edinburgh Encyclopedia IX:2 + 766 pp. (or 57-172) Edinburgh. {[1815]}

Lederer, Julius;

- b. 24 Jun 1821 (Wien); d. 30 Apr 1870. [Ref: b0718; b0717]
 b2951 1852 Versuch, die europäischen Lepidopteren in möglichst natürliche Reihenfolge zu stellen. Verh. zool.-bot. Ges. Wien 2:14-54, 65-126.
 b2952 1855 Weiterer Beitrag zur Schmetterlings-Fauna des Altaigebirges in Sibirien. Verh. zool.-bot. Ges. Wien 5:97-120, ill.
 b2953 1855 Beitrag zur Schmetterlings-Fauna von Cypem, Beirut, und einem Theile Klein-Asiens. Verh. zool.-bot. Ges. Wien 5:177-234, ill. [Ref: b0236]
 b2954 1861 Ueber Alb. Kindermanns letzte lepidopterologische Ausbeute. (Aus Syrien und Palästina). Wien. ent. Monats. 5:144-155.
 b2955 1869 Verzeichniss der von Herm. Jos. Habermayer bei Astrabad in Persien gesammelten Schmetterlinge. Horae Soc. ent. ross. 6:73-93, cpls 4,5.
 b2956 1869-1870 Contributions à la faune des Lépidoptères de la Transcaucasie. Anns Soc. ent. Belg. 13:17-54, pls 1-2; 157-166. {1869-1870}
 b2957 1872 Nachtrag zum Verzeichnisse der von Jos. Habermayer bei Astrabad in Persien gesammelten Schmetterlinge. Horae Soc. ent. ross. 8:3-28, cpl 1,2.

Lee, Chuan-lung;

Bibliography kindly supplied by author.

- b2958 1962 Results of the Zoologico-Botanical Expedition to Southwest China, 1955-1957 (Lepidoptera, Rhopalocera). Acta ent. sinica 11(Suppl.):172-198. {Dec 1962}
 b2959 1962 Some new species of Rhopalocera from China, II. [In Chinese]. Acta ent. sinica 11(2):139-158, 6 pls.
 b2960 1979 Some new species of Rhopalocera in China. V. [In Chinese and English]. Acta zootaxon. sinica 4(1):35-38, 1 pl.

Leech, John Henry;

- b. 5 Dec 1862 (Cheshire, England); d. 29 Dec 1900 (Salisbury, England). [Ref: b0717]
 b2961 1887 On the Lepidoptera of Japan and Corea, Part I: Rhopalocera. Proc. zool. Soc. Lond. 1887(3):398-431. {[Oct] 1887}
 b2962 1889 On a collection of Lepidoptera from Kiukiang. Trans. ent. Soc. Lond. 37(1):99-148, pls 7-9. {Mar 1889}
 b2963 1890 New species of lepidoptera from China. Entomologist 23:26-50.
 b2964 1890 New species of Rhopalocera from China. Entomologist 23:187-192.
 b2965 1891 New species of Rhopalocera from Western China. Entomologist 24(Suppl.):66-68. {Sep 1891}

Leech, John Henry; (continued)

- b2966 1893-1894 Butterflies from China, Japan and Corea, Part II: Lycaenidae, Papilionidae, and Hesperidae. London, Priv. Publ. (2):297-681. The work was issued in 6 parts, with the wrappers marked as follows: Pt I(text):1-116 (May 1892); Pt I(plates):I-XIII (Dec 1892); Pt II(text):115-286, (Nov 1892); Pt II(plates):XIV-XXVI (Mar 1893); Pt III(text):285-417 (Jan 1893); Pt III+IV(plates):XXVII-XXXVIII (Oct 1893); Pt IV(text):417-557 (Oct 1893); Pt V(text):557-642 (Dec 1893); Pt V(plates):XXXVIII-XLIII Pt VI(text):643-681, i-iv (Jan 1894); {1893-1894}

Lees, Eric;

- b2967 1969 On the voltinism of *Polyommatus icarus* Rot. in Britain. Entomologist 102:194-196. {Aug 1969}

Leeuw, Irwin;

- b2968 1979 Aberrant *Satyrium a. acadica* (Lycaenidae). J. Lep. Soc. 33(3):204-205, 4 fig. {29 Oct 1979}

Lefebvre, Alexandre Louis;

- b. 14 Nov 1798 or 1797 (Paris); d. 2 Dec 1897 (Bouchevilliers, near Gisors). Collection sold by a Parisian dealer in 1869, and is now scattered. Also seen as Lefevre. [Ref: b0717; b1725; b3321]
 b2969 1831 Description du *Polyommatus ottomanus*. Mag. Zool. 1(1831):19, 1 cpl.

Leigheb, G.;

- b2970 1991 La femmina di *Polyommatus (Lysandra) coridon gennargenti* (Leigheb, 1987) (Lepidoptera, Lycaenidae). Boll. Mus. Reg. Sci. nat. Torino 9(2):369-373, ill.

Leigheb, G.; Riboni, E.; Cameron-Curry, V.;

- b2971 1990 *Kretania psylorita* Freyer (Lepidoptera, Lycaenidae). Discovery of a new locality in Crete. Nota lepid. 13(4):242-245, ill.

Leigheb, Giorgio;

- b2972 1987 *Lysandra coridon gennargenti*, new subspecies (Lepidoptera, Lycaenidae), a new lycaenid from Sardinia [Italy]. Boll. Mus. Reg. Sci. nat. Torino 5(2):447-454, ill.

Lekic, Paul;

- b2973 1924 *Lycaena bellargus* [female] ab. *flavomaculata*. Z. öst. EntVer. 9(5):42. {15 May 1924}

Lembert, John B.;

- b. 1840, d. Apr? 1896 (Merced River, California). [Ref: b0717]
 b2974 1894 Food Plants of Some Californian Lepidoptera. Can. Ent. 26(2):45-46. {3 Feb 1894}

Lempke, B. J.;

- b2975 1936 Catalogus der Nederlandsche Macrolepidoptera I. Holland; Tijdschr. Ent. 79:238-315. {Nov 1936}
 b2976 1936 *Syrymon (Thecla) illicis* Esp. ab. [female] *pseudomas* nov. ab. Lambillionea 36:36.
 b2977 1937 Catalogus der nederlandse Macrolepidoptera II. Tijdschr. Ent. 80(3/4):244-303. {Nov 1937}
 b2978 1938 *Plebejus idas* L.: distribution en Hollande. Lambillionea 38:114-118.
 b2979 1942 A new Dutch race of *Lycaenaalcon* F. Natuurh. Maandbl. 31:106-107.
 b2980 1949 Rebel's edition of Berge's Schmetterlingsbuch. J. Soc. Bibl. nat. Hist. 2(5):171-172. {Sep 1949}
 b2981 1954 Catalogus der Nederlandse Macrolepidoptera (tweede supplement. Holland; Tijdschr. Ent. 97:301-345, 1 pl, 1 f. Also seen as a repaginated separate.
 b2982 1955 Catalogus der Nederlandse Macrolepidoptera (derde supplement). Holland; Tijdschr. Ent. 98:283-345, 5 pls, 4 f.

Leonard, Mortimer Demarest;

- b. 1890; d. 1975. [Ref: b1946]

Leonhardt, Wilhelm;

b2983 1904 Ueber einige Lycaeniden-Aberrationen. Ent. Zeit. 18(14):53-54, 3 f. {8 Jul 1904}

Lepidopterists' Society;

b2984 1977 Commemorative Volume 1945-1973. Lepidopterists' Society :374 pp. Compiled by Roy O. Kendall, Edited by Harry K. Clench & Theodore D. Sargent, with contributions by Peter F. Bellinger, Harry K. Clench & Paul A. Opler.

Leraut, Patrice;

b2985 1980 Liste systématique et synonymique des Lépidoptères de France, Belgique et Corse. Paris, Alexanor :334 pp.

Leussler, Richard A.;

b. 1866, d. 1943. [Ref: b0717]

b2986 1935 Notes on the diurnal Lepidoptera of the Canadian Arctic collected by Owen Bryant in the summers of 1929 to 1932. With introduction and field notes by Owen Bryant. Bull. Brooklyn ent. Soc. 30(1):1-10 (28 Feb); (2):42-62 (26 Apr); (3):115-118 (17 Jun). {28 Feb 1935}

Lewin, John William;

b. 1770; d. 27 Aug 1819 (Sydney). [Ref: b3321]

b2987 1795 The Insects of Great Britain systematically arranged, accurately engraved, and painted from nature etc. London, Johnson 4to :97 pp, 46 cpls.

Lewis, H. L.;

b2988 1973 Butterflies of the World. Chicago, Follett :312 pp, 208 pls. {[1973]}

Lhomme, Léon;

b2989 1923 Catalogue des Lépidoptères de France et de Belgique. Volume I. Paris :780 pp. Alternate title as "Catalogue des Lépidoptères Français par plusieurs lépidoptéristes sous la direction de L'Amateur de Papillons. The Butterflies came at :5-114. [Ref: b4872]

Libert, Michel;

b2990 1993 Description of new orophilic Lycaenid from Cameroon (Lepidoptera, Rhopalocera). Bull. Soc. ent. Fr. 97(4):321-332.

Lichy, René;

b. 1896; d. 6 Apr 1981. [Ref: b0530]

b2991 1946 Documents pour servir à l'étude des lépidoptères du Venezuela (3e note). Boln ent. Venezolana 5:1-13, 2 pls.

Lindsey, Arthur Ward;

b. 11 Jan 1894 (Council Bluffs, Iowa); d. 1963. [Ref: b3321]

Lingonblad, Birger;

b2992 1936 Iakttagelser över finska Lepidoptera. II. Kilpisjärvi, hetta (Le), Muonio (Lkem). Notulae ent. 16:3-12.

Linnaeus, Carolus;

b. 23 May 1707 (Rashult in Smaland); d. 10 Jan 1778 (Hammarby bei Upsala). Born Carl Linné although generally published under the latin form Carolus Linnaeus. Enobled 1761, the patent being antedated to 1757, from which time he was styled Carl von Linné (Moulds, 1977). [Ref: b3256; b3001; b0718; b0717]

b2993 1758 Systema naturae per regna tria naturae, secundum Classes, Ordines, Genera, Species, cum Characteribus, Differentiis, Synonymis, Locis. Holmiae, Laurentii Salvii, (Edition 10). I(Animalia): [iv] + 824 pp. The first edition came in 1735. [Ref: b3886 :412; b0506]

b2994 1761 Fauna Svecica, Sistens Animalia Sveciae Regni, etc. (edition 2). Stockholmiae :[48]+579 pp, fisp, 2 folding pls. Edition 1 was issued in 1746.

Linnaeus, Carolus; (continued)

b2995 1763 Centuria Insectorum, Proposuit Boas Johansson. Amoen. acad. 6:384-415 This item is occasionally seen with Johansson as author. This is wrong. It is customary to credit Linnaeus as author of all his pupils' theses. Linnaeus wrote it, Johansson defended it. Hemming accepts 16 September as the latest it could have been published. [Ref: b1041; b1049; b3068] {[16 Sep] 1763}

b2996 1764 Museum S:ae R:ae M:tis Ludovicae Ulriciae Reginae, Svecorum, gothorum, Vandalorumque, etc. In quo Animalia Rariora, Exotica, Imprimis, Insecta, & Conchilia describuntur et determinantur. Stockholm, i-vi + 720 pp. [Ref: b3886 :414] {[30 Jul] 1764}

b2997 1767 Systema naturae. Editio duodecima, reformata. Stockholm 1(2):533-1327 + [16] pp. The Lepidoptera are on pp. 744-900. [Ref: b3886 :416]

b2998 1771 Mantissa Plantarum (2nd edition). Stockholm :[6]+143-587; Appendix, Animalia, pp 521-552. Reprinted in 1971. There were only nine Papilio in the Animalia Addenda to this mainly botanical work; all nine came of pp 534-537. [Ref: b1055]

Lintner, Joseph Albert;

b. 8 Feb 1822 (Schoharie); d. 5 May 1898 (Rom). [Ref: b0718; b0717]

b2999 1878 Entomological contributions - No. 4. VII. Descriptions of two new species of Californian Butterflies. Rep. N. Y. State Mus. nat. Hist. 30:169-171.

Lipscomb, C. G.; Jackson, R. A.;

b3000 1957 Some efforts to breed *Lysandra coridon* (Poda) var. *syngrapha*. Entomologist 90:57-59. {Mar 1957}

Lisney, Arthur A.;

b3001 1960 A Bibliography of British Lepidoptera: 1608-1799. London, Chiswick Press :xviii+315 pp, ill. [Ref: b4059]

Llorente-Bousquets, Jorge;

b3002 1988 The populations of *Rethus arcus* in Mexico, with notes on the South American subspecies (Lepidoptera: Lycaenidae, Riodininae). [In Spanish]. An. Inst. Biol. Univ. Méx. 58(1):241-258.

Long, R.;

b3003 1970 Rhopalocera (Lep.) of the Channel Islands. Ent. Gaz. 21(4):241-251. {20 Nov 1970}

Longstaff, George Blundell;

b. 12 Feb 1849; d. 7 May 1921 (Putney Heath, (Highlands)). [Ref: b0717; b3321]

b3004 1916 Butterflies of Southern Kordofan, collected by Captain R. S. Wilson, Lancashire Regiment. Trans. ent. Soc. Lond. 64(2):277. {[29 Dec 1916]}

Loritz, Jeanine;

b. 1891, d. 1965.

b3005 1947 Quelques aberrations nouvelles. Revue fr. Léop. 11:133-134.

b3006 1948 Sur la répartition verticale de quelques espèces de Lépidoptères dans les Alpes-Maritimes, le Hautes-Alpes et les Basses-Alpes. Revue fr. Léop. 11(18/19):384-394. {Dec 1948}

Lorkovic, Zdravko;

b. 3 Jan 1900 (Zagreb, Croatia, Yugoslavia). Also Lorković.

b3007 1938 Studien über den Speziesbegriff. II. Artberichtigung von *Everes argiades* Pall., *E. alcetas* Hffmngg., und *E. decolorata* Stgr. [1]. Mit. münchn. ent. Ges. 28:215-246.

b3008 1942 Studien über den Speziesbegriff. II. Artberichtigung von *Everes argiades* Pall., *E. alcetas* Hffmngg., und *E. decolorata* Stgr. [2]. Mit. münchn. ent. Ges. 32:599-624.

b3009 1943 Modifikationen und Rassen von *Everes argiades* Pall. und ihre Beziehungen zu den klimatischen Faktoren ihrer Verbreitungsgebiete. Mit. münchn. ent. Ges. 33:431-478.

Lowe, Frank Edward;

- b. 27 Nov 1853; d. 21 Feb 1918 (Guernsey). [Ref: b0718]
 b3010 1903 In Wheeler, Butterfl. Switz. [See also: b4991]
 b3011 1906 A Note on *Chrysophanus alciphron* ab. *intermedia*.
 Entomologist 39:90.

Lower, Oswald Bertram;

- b. 1863 (Adelaide); d. 18 Mar 1925 (Wayville). Collection, via
 Tepper and Guest, is in the South Australian Museum. Some
 types are in Australian Museum (via Waterhouse). [Ref: b0717;
 b3321]
 b3012 1894 Remarks on South Australian Rhopalocera. Trans.
 R. Soc. S. Aust. 18:114-117.
 b3013 1897 Descriptions of new species of Australian Lepidop-
 tera, with notes on synonymy. Proc. linn. Soc. N. S. Wales
 22(1):10-32. [17 Sep 1897]

Lucas, Daniel;

- b3014 1913 *Chrysophanus dispar* Hw. nov. var. *durdigalensis*
 Lucas. Int. ent. Z. 6(40):282. [4 Jan 1913]
 b3015 1920 Contribution à l'étude des Lépidoptères du Maroc.
 Bull. Soc. ent. Fr. 1920(17):297-298. [24 Dec] 1920
 b3016 1923 Sur les *Chrysophanus Hippothoë* var. *durdigalensis*
 (D. Lucas), et *Satyrius Arethusa* var. *Ganda* (Fruhstorfer). Amat.
 Papil. 1:169-171.
 b3017 1937 Contribution à l'étude des Lépidoptères du Maroc.
 Bull. Soc. ent. Fr. 42(16):232-233. [1 Dec] 1937
 b3018 1955 Nouveaux Lépidoptères pour la faune française.
 Bull. mens. Soc. linn. Lyon 24:230.

Lucas, Pierre Hippolyte;

- b. 17 Jan 1814 (Paris); d. 5 Jul 1899 (same). Horn & Kahle in-
 dicate MNHN as the location for Lucas material, but Viette says
 there is no Lucas material there. [Ref: b0718; b0717; b3321;
 b4354]
 b3019 1835-1836 Histoire naturelle des Lépidoptères exotiques
 ouvrage orné de 200 figures peintes d'après Nature par A. Noel
 et gravées sur acier. Paris, Pauquet. 8vo iv+156 pp, 80 pls, In
 20 parts, the first only in 1835. Edition 2 in 1845, édition 3 in
 1864. [Ref: b3886-420] [1835-1836]
 b3020 1849 (In 1844-1867, 25 vols + 5 of pls; Exploration
 Scientifique de l'Algérie —, Zoologie 2). Histoire Naturelle des
 Animaux Articulés (3), Lépidoptères. Paris 4to :345-413, 4 pl.
 b3021 1857 Ordre des Lépidoptères. In de la Sagra, Histoire
 physique, politique, et naturelle de l'île de Cuba. Paris. An-
 imaux articulés 7:474-750. *Masters gives ... de Cuba, An-
 imaux articulés, Bertrand (Paris)*. [Ref: b3076; b3138]
 b3022 1866 Quelques remarques sur une variété du *Chryso-
 phanus phlaeas*, Lépidoptère Achaïnopière de la tribu des
 Eryciniens et de la ... des Lycénides. Anns Soc. ent. Fr.
 (4)5:499-500. [1866]

Lucas, Thomas Pennington;

- b. Jul 1843 (Bundar, Scotland); d. 15 Nov 1917 (Brisbane, Aus-
 tralia). Collection to the Australian Museum, Sydney. [Ref:
 b0717; b4940]
 b3023 1889 New species of Queensland Butterflies. Proc. R.
 Soc. Qd 6(2/3):117-119, pl 6.
 b3024 1889 Six new species of Rhopalocera. Proc. R. Soc. Qd
 6(4):155-161, 1 pl.
 b3025 1890 On Queensland and other Australian Macro-
 lepidoptera, with localities, and descriptions of New species.
 Proc. linn. Soc. N. S. Wales (2)4(4):1065-1099. [15 Apr
 1890]
 b3026 1891 Queensland, Author :4 pp. See *Moulds, 1977 for
 details*. [Ref: b3256] [20 Apr 1891]
 b3027 1891 [Corrections to "Six new species of Rhopalocera"].
 Proc. R. Soc. Qd 7(1):47.
 b3028 1900 New Species of Queensland Lepidoptera. Proc. R.
 Soc. Qd 15(:):137-161.

Lugger, Otto;

- b. 16 Sep 1844; d. 21 May 1901. [Ref: b0717]
 b3029 1899 Butterflies and Moths Injurious to Our [Minnesota]
 Fruit-producing Plants. Fourth Annual Report State Entomologist
 of the State Experiment Stations of the University of Minnesota.
 :279 pp, 237 f, 24 pls

Lukhtanov, V. A.;

- b3030 1989 Karyotypes of some blue butterflies of the *Agrodi-
 aetus* species groups (Lepidoptera, Lycaenidae). Anns ent.
 fem. 55(4):137-144, ill.
 b3031 1990 New taxa of satyrid and blue butterflies (Lepidop-
 tera, Satyridae, Lycaenidae) from Middle Asia and Kazakhstan.
 [In Russian]. Vestnik Zoologii 1990(6):13-23, ill.

Lukhtanov, V. A.; Lukhtanov, A. G.;

- b3032 1988 Rare and little known species of blue butterflies
 (Lepidoptera, Lycaenidae) from southern Altai Russian SFSR,
 USSR. Vestnik Zoologii 1988(2):9-12.

Lukhtanov, Vladimir A.;

- b3033 1993 Review of the species of the genus *Neolycaena* with
 descriptions of a new species and a new subspecies from Kaza-
 khstan (Lepidoptera, Lycaenidae, Theclinae). Atalanta
 (Münnerstadt) 24(1/4):61-70.
 b3034 1993 *Athamanthia euschbergeri* spec. nov., a new species
 from Kyrgyzstan (Lepidoptera, Lycaenidae, Lycaeninae).
 Atalanta (Münnerstadt) 24(1/4):71-74.

Lundgren, L.;

- b3035 1978 The role of intra- and interspecific male interactions
 in *Polyommatus icarus* Rott. and some other species of blues. J.
 Res. Lep. 16(4):249-264. [1978]

Lütkemeyer, W.;

- b3036 1920 Ueber einige neue im Jahre 1919 erhaltene Falter.
 Ent. Zeit. 34(13):51. [25 Sep 1920]
 b3037 1921 *Lycaena damon* v. *scheffeli* Lütkem. = *Lycaena
 damon maculata* Reverd. Ent. Zeit. 34(24):95. [26 Feb 1921]

Lyell, George;

- b. 25 Jul 1877 or 1866 (Ararat, Victoria); Collection to the Na-
 tional Museum, Melbourne. [Ref: b4940; b3321]

Mabille, Paul;

- b. 1835, d. 6 or 26 Apr 1923 (Perreux, France). [Ref: b0717;
 b3321]
 b3038 1877 Diagnoses de quelques espèces nouvelles de
 Lépidoptères provenant de Madagascar: *Lycaena*, *Cyclopides*,
Mycalasis. Bull. Soc. ent. Fr. (5)7:lxvi-lxxiii.
 b3039 1877 Catalogue des Lépidoptères du Congo. Bull. Soc.
 zool. Fr. 2:214-240.
 b3040 1878 Lepidoptera Africana. Descripta. Bull. Soc. zool. Fr.
 3:81-95.
 b3041 1879 Diagnoses de Lépidoptères de Madagascar. Petites
 Nouv. ent. 2(211):289. [1 Jan 1879]
 b3042 1879 Lepidoptera Madagascariensia; species novae. Bull.
 Soc. Philomathique (7)3:132-144.
 b3043 1880 Diagnoses Lepidopterenum Malgassiconum. C. r. Soc.
 ent. Belg. 23:xxvi-xxvii.
 b3044 1884 Descriptions de Lépidoptères exotiques. C. r. Soc.
 ent. Belg. 28:clxxxiv-cxci.
 b3045 1885-1887 Histoire naturelle des Lépidoptères. In Grandi-
 er, A., Histoire physique, naturelle et politique de Madagascar.
 Paris. L'Impr. Nationale 18:5+364 pp, 19 pls. [1885-1887]
 b3046 1889 Lépidoptères, pp 139-159. In: Lebrun (Ed.), Re-
 cherches sur les insectes recueillis pendant la mission chargée de
 observer à Santa-Cruz de Patagonie le passage de Venus. Nouv.
 Arch. Mus. Hist. nat. (3)1:97-160, pls 9-11.

Mabille, Paul; (continued)

b3047 1890 Voyage de M. Ch. Alluaud dans le Territoire d'Assinie (Afrique occidentale) . . . Lépidoptères, avec notes sur quelques autres especes d'Afrique. Anns Soc. ent. Fr. (6)10:17-51, ill.

b3048 1899 Lepidoptera nova Malgassica et Africana. Anns Soc. ent. Fr. 68:723-753.

b3049 1899 Description de Lépidoptères de Madagascar. Bull. Mus. Hist. nat. Paris 5:373-375.

MacLeay, William John;

b. 13 Jun 1820 (Caithness, Scotland); d. 7 Dec 1891 (Sydney). Types in the Australian Museum, Sydney. [Ref: b0718; b0717; b4940; b3321]

b3050 1866 [List of lepidopterous insects from Cape York, presented to the Museum, by Mr. Moore of H.M.S. Salamander]. Proc. ent. Soc. N. S. Wales 1(5):liii-iv.

Macy, Ralph W.;

b3051 1931 A New Oregon Butterfly (Lepid. Lycaenidae). Ent. News 42(1):1-2, pl 1. {[13] Jan 1931 }

Malicky, Hans;

Bibliography kindly supplied by David M. Wright. [Ref: b5040]

b3052 1968 Freilanduntersuchungen über eine ökologische Isolation zwischen *Maculinea teleius* Bgstr. und *M. nausithous* Bgstr. (Lepidoptera, Lycaenidae). Wiss. Arb. Burgenld 40:65-68. [1968; 1967]

Manders, Neville;

b. 1857 (Marlborough); d. Aug 1915 (Gallipoli).

b3053 1890 A Catalogue of the Rhopaloceros Lepidoptera collected in the Shan States, with notes on the country and climate. Trans. ent. Soc. Lond. 38(3):511-539. {Sep 1890 }

b3054 1908 The butterflies of Mauritius and Bourbon. Trans. ent. Soc. Lond. 55(4):429-454, pl 29. {[14] Feb 1908 }

Mani, M. S.;

b3055 1986 Butterflies of the Himalaya. Dordrecht, Junk x + 188 pp.

Manino, Zaverio; Leigheb, Giorgio; Cameron-Curry, Patrizia; Cameron-Curry, Vilfrido;

b3056 1987 Description of the preimaginal phases of *Agrodi-aetus humedassae* Toso and Balletto, 1976 (Lepidoptera, Lycaenidae). Mus. Reg. Sci. Nat. Boll. (Torino) :5(1):97-102.

Manley, W. B. L.;

b. *; d. 1985. Collection to the Glasgow Museum & Art Gallery. [Ref: b2130; b4714]

b3057 1970 In Manley & Allcard, (q.v.). Hampton, Classey :192 pp, 40 pls. [See also: b3059]

b3058 1983 Further notes on *Lycaeides idas caliopsis* Oberthür. Ent. Gaz. 34:235.

Manley, W. B. L.; Allcard, H. G.;

b3059 1970 A Field Guide to the Butterflies and Bumblebees of Spain. Spain; Hampton, Classey :192 pp, 40 pls.

Marinaka, Sadaharu;

b3060 1989 Some species of Lycaenidae (Lepidoptera) in Bali, Indonesia. Konchu to Shizen (Nature & Insects) 24(6):4-9.

Marktanner, Thomas;

b3061 1974 Der Schwalbenwurzenzian, eine Futterpflanze von *Maculinea alcon* (Lep., Lycaenidae). Ent. Zeit. 84(6):63-65. [15 Mar 1974]

b3062 1985 Die Bedeutung des Schwalbenwurzenzians als Futterpflanze von *Maculinea alcon* (Lep.: Lycaenidae) im oberschwäbischen Alpenvorland und die Verbreitung der Lycaenide in diesem Raum. Ent. Zeit. 95(18):257-263, 3 f. [16 Sep 1985]

Marschall, August Friedrich;

b. 1804, d. 1887.

Marschall, August Friedrich; (continued)

b3063 1873 Nomenclator Zoologicus Etc. Vindobonae :vi+482 pp (8vo). Covers 1846-1868, bringing Agassiz up to date. [Ref: b1041; b1051]

Marschner, G.;

b3064 1965 Ueber die Arealausbreitung von *Plebicula amanda* (Schneider, 1792). Atalanta (Münnerstadt) 6:216-218.

Marschner, H.;

b3065 1909 *Lycaena arcas* Rott. (male), forma nov. *emulata* und synoptische Behandlung benannter paläarktischer Formen der Art (Lep. Rhop.). Berl. ent. Z. 54(1/2):73-75. {[Aug] 1909 }

b3066 1909 [Title unknown] Z. wiss. InsektBiol. 5:166+. [[Description of *Lycaena emulata*.]

Marshall, George Frederick Leicester;

b. 1843, d. 1934.

b3067 1882 Some New or Rare Species of Rhopaloceros Lepidoptera from the Indian Region. J. asiat. Soc. Bengal, Pt II 51(2/3):37-43, pl 4.

Marshall, Judith A.;

b3068 1983 The orthopteroid insects described by Linnaeus, with notes on the Linnaean collection. Zool. J. linn. Soc. 78:375-396.

Martin, J.;

b3069 1982 Similitudes biologica y diferencias ecologicas entre *Glaucopsyche alexis* (Poda) y *Glaucopsyche melanops* (Boisduval). (Lep. Lycaenidae). Boln Estac. cent. Ecol. 10(20):59-70.

Martin, J.; Gurrea, P.;

b3070 1983 Relationship between *Nordmannia esculi* Hbn. (Lep.: Lycaenidae) and *Camponotus crueniatus* Lat. (Hym.: Formicidae). Ent. Rec. 95(7/8):153-154. {Aug 1983 }

Martin, Lloyd Milo;

b. 24 May 1912 (Bayard, Nebraska), d. 28 Jan 1982 (Fresno, California).

b3071 1972 [J. A. Comstock]. Bull. S. Calif. Acad. Sci. 71(2):57-60. [20 Oct 1972]

Martin, Ludwig;

b. 17 Feb 1858 (München); d. 10 Dec 1924 (Puchheim b. München). [Ref: b0718]

b3072 1895 Einige neue Tagschmetterlinge von Nordost-Sumatra. [and] Fortsetzung. München :7 + 14 pp. {Oct 1895 }

b3073 1922 The Fruhstorfer collection of butterflies; catalogue of types with general account and list of the more interesting forms. Nice, J. Gastaud :135+ix pp, 1 pl. This paper contains many incorrect spellings, and introduces some manuscript names never actually published by Fruhstorfer. [Ref: b2858]

Martini, Frederick Henry Guillaume;

b. 31 Aug 1729 (Ohrdruf); d. 27 Jun 1778 (Berlin). [Ref: b1946; b0717]

b3074 1774-1793 Allgemeine Geschichte der Natur in alphabetischer Ordnung. Berlin 8 volumes, the first 3 by Martini. 1:20 pl (1774); 2:50 pl (1775); 3:46 pl (1777) {1774-1793 }

Maschwitz, U.; Dumpert, K.; Sebastian, P.;

b3075 1985 Morphological and behavioural adaptations of homopterophagous blues (Lepidoptera: Lycaenidae). Ent. Gen. 11:85-90.

Masters, John H.;

b3076 1971 A Catalogue of Distributional Lists for Latin-American Butterflies. Mid-Cont. Lep. Ser. 2(22):1-21. [Feb 1971]

b3077 1972 A new subspecies of *Lycaeides argyrognomon* (Lycaenidae) from the eastern Canadian forest zone. J. Lep. Soc. 26(3):150-154, 3 f. [29 Sep 1972]

Mather, Bryant;

b. 27 Dec 1916.

Mather, Bryant; Mather, Katharine;

b3078 1976 The Butterflies of Mississippi - Supplement No. 2. J. Lep. Soc. 30(3):197-201. {22 Sep 1976 }

Mathew, Gervase Frederick;

b. 11 Feb 1842 (Bishop's Tawton, N. Devon.); d. 10 Feb 1928 (Lee House, Dovercourt, Essex). Types are in the Godman collection. [Ref: b0717; b3321]

b3079 1887 Descriptions of some new Species of Rhopalocera from the Solomon Islands. Trans. ent. Soc. Lond. 35(1):37-49, pl 4. {Apr 1887 }

b3080 1889 Descriptions and Life-Histories of new Species of Rhopalocera from the Western Pacific. Trans. ent. Soc. Lond. 37(2):311-315. {Jun 1889 }

Matsui, Ichiro;

b3081 1989 [Title unknown] New Ent. 38(3/4):32+. [[Description of *Araragi sugiyamai*].]

Matsumura, Shyōnen;

b. 5 Mar 1872 (Akashi, Kobe); d. 7 Nov 1960 (Tokyo). Collection deposited in Entomological Institute of Hokkaido University, Sapporo.

b3082 1906 Neue Rhopalocem Japans. Annot. zool. jap. 6(1):7-14.

b3083 1907 Thousand Insects of Japan [Volume 4]. Tokyo, Teiseisha 4:147 pp, pls.

b3084 1910 Lycaeniden Japans. Ent. Zeit. 23(50):221-222 (also 217-218). {12 Mar 1910 }

b3085 1915 A new species of Lycaenidae (Rhopalocera) from Japan. Ent. Mag. (Kyoto) 1(1):1-3. {Feb 1915 }

b3086 1915 Some new species and varieties of Butterflies from Japan. Ent. Mag. (Kyoto) 1(2):55-61, 10 f. {10 May 1915 }

b3087 1915 [Microesian butterflies]. [Japanese with English résumé]. Ent. Mag. (Kyoto) 1(2):63-68, (3)93-96. {10 May 1915 }

b3088 1919 Two new butterflies. [In Japanese]. Zool. Mag. 31(368):173-174. {15 Jun 1919 }

b3089 1919 Thousand Insects of Japan, Additamenta, Volume 3. Tokyo, Keiseisha :4 + pp 475-742 + 34+3+2, pls 26-53.

b3090 1925 An enumeration of the butterflies and moths from Saghalien, with descriptions of new species and subspecies. J. Coll. Agric. Hokkaido imp. Univ. 15(3):83-196, 4 pls.

b3091 1926 New species of Noctuidae from Japan and Corea. Ins. matsumur. 1:1-47, 1 pl; 53-61, 1 pl.

b3092 1926 Some new and unrecorded Lycaenids-Species from Japan, Corea and Formosa. Ins. matsumur. 1(1):23-31, pl 2.

b3093 1926 New and unrecorded butterflies from Mt. Daisetsu. Ins. matsumur. 1(2):103-106.

b3094 1927 A list of the butterflies of Corea, with descriptions of new Species, Subspecies and Aberrations. Ins. matsumur. 1(4):159-170, pl 5.

b3095 1927 Some new butterflies. Ins. matsumur. 2(2):114-118, pl 3.

b3096 1928 New butterflies especially from the Kuriles. Ins. matsumur. 2(4):191-201.

b3097 1929 Illustrated common insecta of Japan. Butterflies. Shunyodo 1:45+66+37+[3] pp, 16 pls.

b3098 1929 New butterflies from Japan, Korea and Formosa. Ins. matsumur. 3(2/3):87-107, pl 4.

b3099 1929 Some new butterflies from Japan, Korea and Formosa. Ins. matsumur. 3(2/3):139-142.

b3100 1931 6000 Illustrated Insects of Japan-Empire. Tokyo :1688 pp, 10 pls.

b3101 1931 New species and new forms of butterflies from Japan. Ins. matsumur. 6(1/2):43-45, 2 f.

Matsumura, Shyōnen; (continued)

b3102 1935 Descriptions of one new species and one new form of butterflies from Japan and Formosa. Ins. matsumur. 9:173-172, 2 f.

b3103 1938 Two new Lycaenid Butterflies from Japan and Korea. Ins. matsumur. 12:107-108.

b3104 1938 A new species of *Zephyrus* from Formosa. Ins. matsumur. 13:44-45, f.

b3105 1939 The butterflies from Jehol (Nekka), Manchoukuo, collected by marquis Y. Yamashina. Bull. Biogeogr. Soc. Japan 9(20):343-359, ill.

b3106 1939 A new *Zephyrus*-species from Formosa. Ins. matsumur. 13:110, f.

Mattoni, Rudolf H. T.;

b3107 1991 An unrecognized, now extinct, Los Angeles area butterfly (Lycaenidae). J. Res. Lep. 28(4):297-309, 5 fig, 1 tbl. {15 Sep 1991 }

Mattoni, Rudolph H. T.;

b3108 1954 Notes on the Genus *Philotes* (Lycaenidae: Lepidoptera), I: Descriptions of Three New Subspecies and a Synoptic List. Bull. S. Calif. Acad. Sci. 53(3):157-165, pl 43. {31 Dec 1954 }

b3109 1966 Distribution and pattern of variation in *Philotes rita*. J. Res. Lep. 4(2):81-102, 7 f, 1 tbl. {May 1966 }

b3110 1978 The Scolitantidini I: Two New Genera and a generic Rearrangement (Lycaenidae). J. Res. Lep. 16(4):223-242. {1978 }

b3111 1979 Dr. William Hovanič, 1915-1977. J. Res. Lep. 17(Sup):1-6.

b3112 1981 The Scolitantidini II. The World's Smallest Butterfly? Notes on *Twaranana*, and a New Genus and Species from Afghanistan (Lycaenidae). J. Res. Lep. 18(4):256-264, 1 tbl. {24 Apr 1981 }

b3113 1989 The *Euphilotes battoides* complex: recognition of a species and description of a new subspecies (Lycaenidae). J. Res. Lep. 27(3/4):173-185, ill.

b3114 1993 The El Segundo Blue, *Euphilotes bernardino allyni* (Shields). In: T. R. New (editor), Conservation Biology of Lycaenidae (Butterflies). Occ. Pap. IUCN Species Survival Comm. No. 8:133-134.

b3115 1993 The Palos "Verdes Blue, *Glaucopsyche lygdamus palosverdasensis* Perkins and Emmel. In: T. R. New (editor), Conservation Biology of Lycaenidae (Butterflies). Occ. Pap. IUCN Species Survival Comm. No. 8:135-136.

b3116 1993 Additional taxa of concern in southern California. In: T. R. New (editor), Conservation Biology of Lycaenidae (Butterflies). Occ. Pap. IUCN Species Survival Comm. No. 8:145.

May, Susan J.;

b3117 1972 A new species of *Lemonias* (Lepidoptera: Nemeobiidae) from Trinidad. Entomologist 105:257-259, f, pl. {Oct 1972 }

Maynard, Charles Johnson;

b. 1845 (Newton, Mass.); d. 15 Oct 1929 (same). [Ref: b0257]

b3118 1873 A new species of butterfly from Florida. Amer. Nat. 7(3):177. {Mar 1873 }

b3119 1886 The Butterflies of New England; with Original Descriptions of One Hundred and Six Species, Accompanied by Eight Lithographic Plates, in Which Are Given At Least Two Hand-colored Figures of Each Species. Boston, Massachusetts, Bradlee Whidden :iv+65+3 pp, 8 pls. {Feb 1886 }

b3120 1891 A manual of North American butterflies. Boston, De Wolfe, Fiske & Co. :i-iv, 1-226, pl 1-10, f 1-59. {May 1891 }

Mayo, R. P.;

- b3121 1987 New records of butterflies (Lepidoptera: Papilionoidea) from Kangaroo Island, South Australia. *Aust. ent. Mag.* 14(1/2):30. {May 1987}

Mazel, R.;

- b3122 1971 Contribution à l'étude biogéographique de *Cupido sebrus* Hübner [Lepidoptera Lycaenidae]. *Alexand. Rev.* 7(1):46-48. {24 Apr 1971}

McAlpine, Wilbur S.;

- b3123 1937 A Case of Mistaken Identity and Discovery of a New Metal Mark (*Calephelis*) from Michigan (Lepidoptera, Riodinidae). *Bull. Brooklyn ent. Soc.* 32(2):43-49, pl 1. {29 Jun 1937}
- b3124 1938 Life History of *Calephelis muticum* (McAlpine); Lepidoptera. *Bull. Brooklyn ent. Soc.* 33(3):111-121, f 1-12. {16 Jul 1938}
- b3125 1939 A New Metal Mark (*Calephelis*) from Texas (Lepidoptera, Riodinidae). *Bull. Brooklyn ent. Soc.* 34(2):75-80. {29 Apr 1939}
- b3126 1968 [Designation of a lectotype for *Charis australis*]. In Brown, [q.v.]. *Trans. amer. ent. Soc.* 94(4):130. [See also: b0507]
- b3127 1971 The butterfly Genus *Calephelis*. *J. Res. Lep.* 10(1):1-125, 26 f. {[Dec 1971]}

McDunnough, James Halliday;

- b. 10 May 1877 (Toronto, Ontario), d. 23 Feb 1962.
- b3128 1914 Notes on the Synonymy of Boisduval's N. American species of Lycaenidae. *Ent. Rec.* 26:194-203.
- b3129 1920 Remarks on Hübner's Tentamen. *Ent. Rec.* 32(1):11-12. {15 Jan 1920}
- b3130 1921 A New Race of *Strymon melinus* Hbn. *Can. Ent.* 53(2):47. {28 Feb 1921}
- b3131 1927 The Lepidoptera of the Seton Lake region, British Columbia. *Can. Ent.* 59(7):152-162, pl 1. {25 Jul 1927}
- b3132 1935 Notes on Two Nova Scotia Butterflies. *Can. Ent.* 67(10):211-212. {26 Oct 1935}
- b3133 1936 A New Race of *Glaucopsyche lygdamus* from the White Mountains, Ariz. (Lepid., Lycaenidae). *Can. Ent.* 68(5):113. {6 Jun 1936}
- b3134 1938 Check List of the Lepidoptera of Canada and the United States of America Part 1 Macrolepidoptera Mem. Sth. Calif. Acad. Sci. 1:3-272 (1-3 (corrige)). {15 Jun 1938}
- b3135 1940 A New Race of *Lycaena dorcas* from Northeastern New Brunswick. *Can. Ent.* 72(7):130-131. {31 Jul 1940}
- b3136 1942 A new Canadian *Strymon*. *Can. Ent.* 74(1):1. {31 Jan 1942}
- b3137 1944 Two New Races of Theclinae from Southern British Columbia (Lepidoptera). *Can. Ent.* 76(9):190-191. {19 Oct 1944}

McHenry, Paddy B.;

- b. *; d. 13 Sep 1985. *Library and papers to the Los Angeles County Museum*. [Ref: b1309]
- b3138 1986* [List of additions to Hemming's Generic Names of the Butterflies, included in the McHenry papers at the Los Angeles County Museum]. LACM, Donahue :50 pp (xerox). *The list was compiled by Donahue from the original notes of McHenry. I have dated it from the time it was compiled. It contains about 200 names, most which are Incorrect Subsequent Spellings, but a few Available names are also included.* [Ref: b1309] {25 Feb 1986} [*Unpublished]

McLachlan, Robert;

- b. 10 Apr 1837 (Ongar, Essex); d. 23 May 1904 (Lewisham). Also seen as M'Lachlan. [Ref: b0717; b3192; b3321]

McLachlan, Robert; (continued)

- b3139 1878 Report on the Insecta (Including Arachnida) Collected by Captain Feilden and Mr. Hart between the Parallels of 78 degrees and 83 degrees North Latitude, during the Recent Arctic Expedition. *J. linn. Soc. Lond., Zool.* 14(74):98-122. {23 May 1878}

Mead, Theodore Luqueer;

- b. 23 Feb 1852 (Fishkill, New York); d. 1936 (Winter Park, Florida).
- b3140 1875 Report upon the Collections of Diurnal Lepidoptera Made in Portions of Nevada, Utah, Colorado, New Mexico, and Arizona during the years 1871-1874, with Notes upon All Species Known To Inhabit Colorado. Pages 739-791, plates 35-40, in chapter 8, volume V. *Zoology*, in George M. Wheeler and A. A. Hunphreys, Report upon Geological Explorations and Surveys West of the One Hundredth Meridian. Washington, D. C., Government Printing Office.
- b3141 1878 Description of Two New Californian Butterflies. *Can. Ent.* 10(10):196-199. {Oct 1878}

Meade-Waldo, E. G. D.;

- b3142 1906 On a Collection of Butterflies made in Morocco, in 1900-01-02. *Trans. ent. Soc. Lond.* 53(4):369-381, pls 18,19. Contains one description by Elwes. {[3 Jan 1906]}

Medicielo, Manuel M.;

- b3143 1993 Report on *Cyaniriodes* Subspecies nov. from Babag Mis. Bantawon St. Bernard, S. Leyte, Philippines. (Lepidoptera: Lycaenidae). *Futao No.* 12:18, pl 1, ill. {15 Jun 1993}

Medicielo, Manuel M.; Hanafusa, Hiroto;

- b3144 1994 Descriptions of five new butterflies from Philippines and Indonesia, with some revisional notes (Lep.: Papilionidae, Satyridae, Riodinidae). *Futao No.* 15:16-18, ill. {3 Mar 1994}

Meier-Ramel, Bernard;

- b. 1894, d. 1973;
- b3145 1928 Description de formes nouvelles ou peu connues. *Encyc. ent. Ser. B. III. Lep.* 3(2):61-66, pl 6,7. {30 May 1928}

Meigen, Johann Wilhelm;

- b. 3 May 1764 (Solingen); d. 11 Jul 1845 (Stolberg) [Ref: b0717]
- b3146 1827-1832 Systematische Beschreibung der Europäischen Schmetterlinge; mit Abbildungen auf Steintafeln. Aachen and Leipzig, Jacob Anton Mayer 1:vi+170 pp, pls 1-42 (1827-1829); 2:iv+212 pp, pls 43-80 ([1829]-1830); 3:iv+276 pp, pl 81-125 ([1830]-1832). [Ref: b2525; b2121] {1827-1832}

Meisner, Karl Friedrich;

- b. 6 Jan 1765 (Ilfeld bei Nordhausen), d. 12 Feb 1825 (Bern) [Ref: b0717; b1946]
- b3147 1818 Verzeichniss der bis jetzt bekannt gewordenen Schweizerischen Schmetterlinge. *Natur. Anz. Allg. Schw. Ges.* 1818(Jahrg. 1):28-32, 76-79, 86-88; (Jahrg. 2):2-5, 34-36, 43-45, 69-71, 78-79, 85-86, 95-96.

Melcon, A. A.;

- b3148 1910 Catalogo de las mariposas diurnas recogidas en Uclés (Cuenca) y sus alrededores. *Boln R. Soc. esp. Hist. nat.* 10:212-231.

Mell, Rudolf Emil;

- b. 1878; d. -; *Collection to Zool. Mus. Berlin.*
- b3149 1923 Noch unbeschriebene Lepidopteren aus Süchina. *II. Deut. ent. Zeit.* 1923:153-160.

Melvill, James Cosmo;

- b. 1 Jul 1845 (London); d. 4 Nov 1929 (Shrewsbury) [Ref: b0717]
- b3150 1873 Description of *Lycaena arthurus*, a new European Butterfly. *Ent. mon. Mag.* 9:263. {Apr 1873}

Melville, R. V.; (editor) Smith, J. D. D.; (editor)

b3151 1987 Official Lists and Indexes of Names and Works in Zoology. International Trust for Zoological Nomenclature :366 pp.

Ménétrières, Edouard;

b. 1802, d. 1861 (St. Petersburg). Types are the property of the Zoological Institute in Leningrad. [Ref: b0717 (as Ménétrières); b3362]

b3152 1855-1857 Catalogue la Collection Entomologique de l'Académie Impériale des Sciences de St.-Petersburg. Lépidoptères. Ière Partie: les Diurnes. In: Enumeratio Corporum Animalium Musci Imperialis Academiae Scientiarum Petropolitanae. Classis Insectorum Ordo Lepidopteroorum. Pars I. Lepidoptera Diurna. Petropoli [St. Petersburg] (1):xv+99 pp, 6 pl, errata (1p); (2):98 pp, pl 8? [1855-1857]

Mengel, Levi Walter Scott;

b. 1868, d. 1941. [Ref: b0718; b0717]

b3153 1899 Four new species of butterflies from South America. Ent. News 10(6):166-168. [Ref: b0527] [Jun 1899]

b3154 1902 Four new species of butterflies from South America. Ent. News 13(6):176-178, pl 8. [Ref: b0527] [Jun 1902]

b3155 1905 A Catalogue of the Erycinidae, a family of Butterflies, with the synonymy brought down to July 1, 1904. Reading, Pa., Author 8vo :161 pp. [1 May 1905]

b3156 1913 A new Erycinid from South America (Lepid.). Ent. News 24(3):112. [Mar 1913]

b3157 1913 A new Erycinid from South America (Lepid.). Ent. News 24(7):316-317, [3] tf. [Ref: b0527] [30 Jun 1913]

Mensi, P.; Lattes, A.; Salvidio, S.; Balletto, E.;

b3158 1988 Taxonomy, evolutionary biology and biogeography of south west European *Polyommatus coridon* (Lepidoptera: Lycaenidae). Zool. J. linn. Soc. 93(3):259-271, ill.

Metaye, R.;

b3159 1979 Tables et index lepidopterologiques. Revue Francaise de lepidopterologie 1938-1957. Troyes, Author :268 pp.

Metschl, Coelestin; Sälzi, Max;

b3160 1923 Die Schmetterlinge der Regensburger Umgebung. 1. Gross-Schmetterlinge. (1.) Tagfalter. Ber. naturw. Ver. Regensburg 16:1-99.

Metzner, A.;

b3161 1926 Der Eichberg bei Podersam und was er für den Entomologen alles in sich birgt. Ent. Anz. 6:17-19.

Meyer-Dür, L. Rudolf;

b. 12 Aug 1812 (Burgdorf); d. 2 Mar 1885 (Zürich). [Ref: b0717]

b3162 1851 Verzeichniss der Schmetterlinge der Schweiz. Abth. 1. Tagfalter; mit Berücksichtigung ihrer klimatischen Abweichungen nach horizontaler und vertikaler Verbreitung bearbeitet. Neue Denschrift allg. schweiz. Ges. Naturw. 12:239 pp, 1 pl [Ref: b0527]

Meyer, Marc;

b3163 1980 Die Verbreitung von *Lycaena helle* in der Bundesrepublik Deutschland (Lep.: Lycaenidae). Ent. Zeit. 90(20):217-224, 1 f. [15 Oct 1980]

b3164 1980 Une sous-espèce méconnue de *Lycaena helle* D. & Schiff., 1775 (Lepidoptera, Lycaenidae). Linneana Belgica 8(3):130-139.

b3165 1981 Revision systematique, chorologique et ecologique des populations europeenes de *Lycaena (Helleia) helle* Denis & Schiffenmüller, 1775. 2. La chorologie. Linneana Belgica 8:345-358.

b3166 1981 Revision systematique, chorologique et ecologique des populations europeenes de *Lycaena (Helleia) helle* Denis & Schiffenmüller, 1775. 1. La systematique. Linneana Belgica 8(6):238-260.

Meyer, Marc; (continued)

b3167 1982 Revision systematique, chorologique et ecologique des populations europeenes de *Lycaena (Helleia) helle* Denis & Schiffenmüller, 1775. 3. L'ecologie. Linneana Belgica 8:451-466.

Meyrick, Edward;

b. 24 Nov 1854 (Ramsbury, Wiltshire); d. 31 Mar 1938 (Thornhanger, Marlborough, Wiltshire). [Ref: b0718; b0717; b2570; b3321]

b3168 1888 Descriptions of new Australian Rhopalocera. Proc. linn. Soc. N. S. Wales 2(2)(4):825-834. [21 Mar 1888]

Mezger, G.;

b3169 1927 Diagnoses de formes nouvelles de Lépidoptères. Bull. Soc. ent. Fr. 1927(14):213-214. [15 Sep 1927]

b3170 1931 Aberrations de Lépidoptères (suite). Lambillionea 31:22-23.

b3171 1934 Variations et aberrations de Lépidoptères (suite). Lambillionea 34:98.

b3172 1934 Variations et aberrations de Lépidoptères (suite). Lambillionea 34:150-151.

b3173 1935 Variations et aberrations de Lépidoptères (suite). Lambillionea 35:188.

Michel, J.;

b3174 1947 *Lycaena ismenias* Meigen in Boehmen. Z. wien. ent. Ges. 32:91-103.

Michener, Charles D.; dos Passos, Cyril Franklin;

b3175 1942 Taxonomic observations on some North American Strymon, with descriptions of new subspecies (Lepidoptera: Lycaenidae). Amer. Mus. Novit. No. 1210:1-7, 5 f. [Ref: b0524] [13 Nov 1942]

Middleton, Nettie;

b3176 1880 Larvae of Butterflies. Trans. Ill. Dept. Agric. 18(Appendix):73-98.

Mielke, Olaf Hermann Hendrik; Casagrande, Mirna Martins;

b3177 1985 Sobre os tipos de Lepidoptera depositados em museus brasileiros. 1. Papilionidae, Riodinidae, Hesperidae e Arctiidae, descritos por R. F. d'Almeida. Revta bras. Ent. 29(2):317-320, ill.

b3178 1987 Sobre os tipos de Lepidoptera depositados em museus brasileiros. 14. Riodinidae descritos por Jose Francisco Zikan. Revta bras. Ent. 31(3):414-419, ill.

b3179 1988 On the types of Lepidoptera preserved in Brazilian museums: XVI. Hesperidae, Satyridae, Lycaenidae, Riodinidae, Castniidae and Arctiidae described by Roberto Spitz. Revta bras. Biol. 32(1):3-6.

Migranov, M. G.;

b3180 1992 New species of *Callophrys* (Lepidoptera, Lycaenidae) from the southern Ural. [In Russian]. Zool. Zh. 71(5):135-140, ill.

Miller, C. G.; Edwards, Edward David;

b3181 1978 A new species of *Pseudodipsas* C. and R. Felder (Lepidoptera: Lycaenidae) from northern New South Wales. Aust. ent. Mag. 5(3):45-50. [Sep 1978]

Miller, C. G.; Morhaus, I. G.;

b3182 1975 Butterfly records of interest from the northern rivers district of New South Wales. Aust. ent. Mag. 2(4):85-86. [Jun 1975]

Miller, E. E.;

b3183 1912 Neue Rhopalocera aus Transkaukasien. Deut. ent. Zeit. [Iris] 26:220-223.

b3184 1923 Lépidopères rapportés des environs de Kagysman dans le district de Cars. [Russian]. Bull. Soc. ent. Moscou 2(2):81-118.

- Miller, E.; Zubovschi, N.; Ruşcinski, A.;
b3185 1929 Materiale pentru fauna entomologică din Basarabia. Materialien zur Kenntnis der entomologischen Fauna Bessarabiens. Macrolepidoptera. Nachtrag III. Bul. Muz. nat. Ist. nat. Chişinău 1929(2/3):97-130.
- Miller, Jacqueline Y.; Miller, Lee Denmark;
b3186 1993 The butterflies of the Tonga Islands and Niue, Cook Islands, with the descriptions of two subspecies. Occ. Pap. Bernice P. Bishop Mus. No. 34:1-24.
- Miller, Lee Denmark;
b. 1 Jun 1935 (*Des Moines, Iowa*). [Ref: b3645]
b3187 1980 Obituary: Harry Kendon Clench (1925-1979). J. Lep. Soc. 34(2):81-85. [23 Sep 1980]
b3188 1980 A Review of the *Erora laeta* Group, with Description of a New Species (Lycaenidae). J. Lep. Soc. 34(2):209-216, 7 f. [Ref: b0113 (#1984)] [23 Sep 1980]
b3189 1981 External Anatomy. Taxonomy. Lycaeninae. Satyridae. In Ferris & Brown, Butterflies of the Rockies Mountain States, [q.v.]. [See also: b1723]
b3190 1984 Chernock, Hovanitz and Weber collections donated to Allyn Museum. J. Lep. Soc. 37(4):317-318. [8 May 1984]
- Miller, Lee Denmark; Brown, Frederick Martin;
b3191 1979 Studies in the Lycaeninae (Lycaenidae). 4. The Higher Classification of the American Coppers. Bull. Allyn Mus. No. 51:1-30, 67 f. [30 Mar 1979]
b3192 1981 A Catalogue/Checklist of the Butterflies of America North of Mexico. Mem. Lep. Soc. No. 2:vii+280 pp. [Ref: b4063; b2319; b1531; b1948; b4998; b1719; b3311; b4999; b4689; b1532; b2640; b1717]
b3193 1983 Apantidae, Danaidae, Hesperidae, Libytheidae, Lycaenidae, Nymphalidae, Papilionidae, Pieridae, Riodinidae, Satyridae. In Hodges, Check List of the Lepidoptera of America North of Mexico, (q.v.). London, Claxsey :42-65.
- Miller, Lee Denmark; Miller, Jacqueline Y.;
b3194 1972 A new Riodinid from northern Argentina (Riodinidae). Bull. Allyn Mus. No. 4:1-5, 6 f. [26 May 1972]
b3195 1985 Arthur C. Allyn (1913-1985). Bull. Allyn Mus. No. 97:6 pp, f. [12 Jul 1985]
b3196 1986 Arthur C. Allyn (1913-1985). J. Lep. Soc. 40(1):75-76, f. [9 Oct 1986]
b3197 1986 A New Thecline from Sulawesi (Lepidoptera: Lycaenidae: Theclinae). Insecta Mundi 1(3):143-145, 6 f. [Oct 1986]
- Miller, Lee Denmark; Simon, Mark J.; Harvey, Donald James;
b3198 1992 The butterflies (Insecta: Lepidoptera) of Crooked, Acklins and Mayaguana islands, Bahamas, with a discussion of the biogeographical affinities of the southern Bahamas and description of a new subspecies by H. K. Clench. Ann. Cam. Mus. 61(1):1-31, ill.
- Miller, Lee Denmark; Viette, Pierre;
b3199 1982 A Review of Eugene Le Moul't's names of *Helicopsis* (Lepidoptera: Riodinidae). Bull. Allyn Mus. No. 77:17 pp. [27 Dec 1982]
- Miller, Scott E.;
b3200 1979 Publications of William Hovanitz. J. Res. Lep. 17(Sup):66-76.
b3201 1980 Book Review: A Compendium of the Biographical Literature on Deceased Entomologists, by Pamela Gilbert. J. Res. Lep. 17(3):207. [See also: b1946]
b3202 1984* [Letter to Bridges. Notes on the publication dates of journals. Notes on the Barnes, Henry Edwards, Gunder, Henne, and T. W. Harris collections. Notes on M. Catesby names]. Cambridge, Massachusetts (MCZ) :2 pp. [26 Nov 1984] [*Unpublished]
- Miller, Scott E.; (continued)
b3203 1984* [Letter to Bridges. Notes on the Bibliography of the Hesperidae. Notes on the Weeks collection. Notes on various N. American journals. Notes on the bibliography of Carl (Karl) Coolidge. Cambridge, Massachusetts (MCZ) :1+4+3 pp. [12 Dec 1984] [*Unpublished]
- Miller, Scott E.; Menke, Arnold S.;
b3204 1981 Entomological bibliography of the California Islands. Occ. Pap. S Barbara Mus. nat. Hist. 11:78 pp.
- Millière, Pierre;
b. 1 Nov 1811 (*Saint-Jean-de-Lozne, Côte d'Or*); **d. 29 May 1887** (*Cannes*). [Ref: b0718; b0717]
b3205 1858-1863 Iconographie et description de chenilles et Lépidoptères inédits. Anns Soc. linn. Lyon 5:15-50, 4 pls (1858); 6:385-446, 6 pls (1859); 7:193-222, 10 pls (1861); 8:177-205, 209-240, 8 pls (1862); 9:1-56, 8 pls (1863); 10:187-212, 217-240, 8 pls (1863). Also issued as a repaginated separate. (1858-1863)
b3206 1872 Notice sur la faune lépidoptérologique de la vallée de Lantosque. Petites Nouv. ent. 1(64):255-256.
b3207 1887 Lépidoptères nouveaux ou peu connus Chenilles nouvelles. Anns Soc. ent. Fr. (6)7:215-221, ill.
- Miskin, William Henry;
Most types are in the Queensland Museum. Some are in the Australian Museum. [Ref: b4940]
b3208 1874 New Lycaenidae from Queensland. Ent. mon. Mag. 11:165. [Dec 1874]
b3209 1876 Descriptions of new species of Australian diurnal Lepidoptera. Trans. ent. Soc. Lond. 24(3):451-457. [Oct 1876]
b3210 1884 Descriptions of new Australian Rhopalocera. Trans. ent. Soc. Lond. 32(1):93-96. [Apr 1884]
b3211 1889 Descriptions of hitherto undescribed Australian Lepidoptera (Rhopalocera). Proc. linn. Soc. N. S. Wales (2)3(4):1514-1520. [22 Mar 1889]
b3212 1890 Descriptions of hitherto undescribed Australian Lepidoptera (Rhopalocera), principally Lycaenidae. Proc. linn. Soc. N. S. Wales (2)5(1):29-43. [16 Jun 1890]
b3213 1890 Note on some undescribed Australian Lepidoptera (Rhopalocera). Proc. R. Soc. Qd 6(5):263-266.
b3214 1891 Note on a collection of Lepidoptera from S. E. New Guinea. Blue Book. Her Majesty's Colonial Possessions. No. 103, British New Guinea. London No. 103:117-124.
b3215 1891 Synonymical Catalogue of the Lepidoptera Rhopalocera (Butterflies) of Australia with full bibliographical reference; including descriptions of some new species. Ann. Qd Mus. 1xx+93+ix pp.
- Miyashita, T.; Uemura, Y.;
b3216 1976 A new subspecies of *Everes argiades* Pallas from Formosa (Lepidoptera: Lycaenidae). Tyô to Ga 27(1):33-34. [Ref: b0109] [1 Jun 1976]
- Mizoguchi, O.; Hiura, I.; Mizoguchi, S.;
b3217 1958 [On the genus *Ussuriana* Tutt from Formosa with reference to *ussuriana-coreana* group in Theclini (Lepidoptera: Lycaenidae). Ent. Rev. Jap. 9:21-26, 2 pls.
- Montague, P. D.;
b3218 1914 A report on the Fauna of the Monte Bello Islands. Proc. zool. Soc. Lond. 1914(3):625-652, pls 1-4. [7 Sep 1914]
- Moore, Frederic;
b. 13 May 1830 (*London*); **d. 10 May 1907** (*same*). [Ref: b0718; b0717; b3321]
b3219 1858 In Horsfield and Moore, (q.v.). [See also: b2458] [Ref: b1031] [20 Apr 1858]

Moore, Frederic; (continued)

- b3220 1865 List of Diurnal Lepidoptera collected by Capt. A. M. Lang in the N. W. Himalayas. Proc. zool. Soc. Lond. 1865(2):486-511, pls 30,31. {Oct 1865}
- b3221 1866 On the lepidopterous insects of Bengal. Proc. zool. Soc. Lond. 1865(3):755-822, 3 pls. {Apr 1866}
- b3222 1874 List of Diurnal Lepidoptera collected in Cashmere Territory by Capt. R. B. Reed, 12th Regt., with Descriptions of New Species. Proc. zool. Soc. Lond. 1874(1):264-274, pl 43. {Jun 1874}
- b3223 1875 Descriptions of New Asiatic Lepidoptera. Proc. zool. Soc. Lond. 1874(4):565-579, pls 66,67. {Apr 1875}
- b3224 1877 Description of Asiatic Diurnal Lepidoptera. Ann. Mag. nat. Hist. (4)20:43-52. {Jul 1877}
- b3225 1877 Descriptions of Ceylon Lepidoptera. Ann. Mag. nat. Hist. (4)20:339-348. {Oct 1877}
- b3226 1877 The Lepidopterous Fauna of the Andaman and Nicobar Islands. Proc. zool. Soc. Lond. 1877(3):580-632, pls 58-60. {Oct 1877}
- b3227 1878 Descriptions of new Species of Lepidoptera collected by the late Dr. F. Stoliczka during the Indian-Government Mission to Yarkund in 1873. Ann. Mag. nat. Hist. (5)1:227-237. {Apr 1878}
- b3228 1878 Descriptions of new Asiatic Hesperidae. Proc. zool. Soc. Lond. 1878(3):686-695, pl 45. {Sep 1878}
- b3229 1878 List of Lepidopterous Insects collected by the late R. Swinhoe in the Island of Hainan. Proc. zool. Soc. Lond. 1878(3):695-708. {Sep 1878}
- b3230 1879 A list of the lepidopterous insects collected by Mr. Ossian Limborg in upper Tenasserim, with descriptions of new species. Proc. zool. Soc. Lond. 1878(4):821-859, 3 pls. {Apr 1879}
- b3231 1879 Descriptions of new Asiatic Diurnal Lepidoptera. Proc. zool. Soc. Lond. 1879(1):136-144. {Jun 1879}
- b3232 1880-1881 Lepidoptera of Ceylon, Volume 1. London, L. Reeve and Co. 1:[viii]-190 pp, 71 pls. In 4 parts. (1):pp 1-40, pls 1-18 (Aug 1880); (2-4):pp 41-190, pls 19-71 (Jan 1881, Jun 1881, Dec 1881). Volumes 2 and 3 were on Moths, however 3 (1887) has an appendix on butterflies (pp 529-534). [Ref: b1023; b2019; b1053; b1054] {1880-1881}
- b3233 1881 Descriptions of new Asiatic diurnal Lepidoptera. Trans. ent. Soc. Lond. 29(3):305-313. {Sep 1881}
- b3234 1882 List of the Lepidoptera collected by the Rev. J. H. Hocking chiefly in the Kangra District, N. W. Himalaya; with Descriptions of new Genera and Species. Proc. zool. Soc. Lond. 1882(1):234-263, pls 11,12. {Jun 1882}
- b3235 1884 Descriptions of new Asiatic diurnal Lepidoptera. Proc. zool. Soc. Lond. 1883(4):521-535, pls 48-49. {Apr 1884}
- b3236 1884 Descriptions of some New Asiatic Lepidoptera; chiefly from Specimens contained in the Indian Museum, Calcutta. J. asiat. Soc. Bengal, Pt II 53(1):16-52. [Ref: b1037] {Jun 1884}
- b3237 1886 List of the Lepidoptera of Mergui and its Archipelago, collected for the Trustees of the Indian Museum, Calcutta, by Dr. John Anderson. J. linn. Soc. Lond., Zool. 21(126):29-60, pls 3,4. {13 Nov 1886}
- b3238 1890-1913 Lepidoptera Indica. London, L. Reeve and Co. 10 Volumes in 123 parts (completed by Swinhoe). 1: 1-192, 1890; 193-176, 1891; 177-310, 1892; 2: 1-112, 1893; 113-176, 1894; 177-248, 1895; 249-274, 1896; 3: 1-48, 1896; 49-112, 1897; 113-216, 1898; 217-254, 1899; 4: 1-112, 1899; 113-260, 1900; 5: 1-96, 1901; 97-225, 1902; 6: 1-104, 1903; 105-152, 1904; 153-240, 1905; 7: 1-16, 1905; 17-64, 1906; 65-96, 1907; 97-184, 1909, (This and the rest by Swinhoe); 185-286, 1910; 8: 1-96, 1910; 97-293, 1911; 9: 1-144, 1911; 145-278, 1912; 10: 1-192, 1912; 193-363, 1913. {1890-1913}
- Moore, M. D.;
- b3239 1990 *Ogyris genoveva* in the riverland of South Australia. Victorian Ent. 20(2):20-24, ill.
- Mori, Tamezo;
- b. 1884, d. 1962.
- b3240 1925 Freshwater Fishes and Rhopalocera in the Highland of South Kankyo-do. J. Chos. Nat. Hist. (3):54-59.
- Morisse, A. du Havre;
- b3241 1838 Essai sur les genres *Erycina*, *Diorina* et *Zeonia*. Anns Soc. ent. Fr. [1]6(4):417-428, pl 14, 8 f. {[1838]}
- Morrell, Roy C. R.;
- b3242 1957 Miscellaneous notes on Malayan butterflies. Malay Nat. J. 11(4):95-100.
- Morris, John Goodlove;
- b. 14 Nov 1803 (York, Pennsylvania); d. 10 Oct 1895 (Lutherville, Penn.). [Ref: b0717]
- b3243 1860 Catalogue of the described Lepidoptera of North America. Smithsonian Misc. Coll. [3]:v-vii, 1-68. {May 1860}
- b3244 1862 Synopsis of the described Lepidoptera of North America, Part I: Diurnal and crepuscular Lepidoptera. Smithsonian Misc. Coll. [4]:xxvii+358 pp. {Feb 1862}
- Morris, M. G.;
- b3245 1967 The representation of butterflies (Lep., Rhopalocera) on British Statutory Nature Reserves. Ent. Gaz. 18(2):57-68. {24 Apr 1967}
- Morrison, Herbert Knowles;
- b. 24 Jan 1854 (Boston, Mass); d. 15 Jun 1885 (Morgantown, N. Carolina). [Ref: b0717]
- b3246 1873 Notes on North American Lepidoptera. Bull. Bufalo Soc. nat. Sci. 1(4):186-189.
- Möschler, Heinrich Bruno;
- b. 28 Oct 1831 (Herrnhut); d. 21 Nov 1888 (Kronförstchen b. Bautzen); Collection to Zool. Mus. Berlin. [Ref: b0717]
- b3247 1876 Beiträge zur Schmetterlings-Fauna von Surinam. Verh. zool.-bot. Ges. Wien 26:293-352, pls 3,4. Continued in 1783. Date could be 1877.
- b3248 1883 Beiträge zur Schmetterlings-Fauna von Surinam. V. (Supplement). Verh. zool.-bot. Ges. Wien 32:303-362, pls 17,18. Continued from 1876.
- b3249 1884 Beiträge zur Schmetterlingsfauna des Kafferlandes. Verh. zool.-bot. Ges. Wien 33:267-310.
- b3250 1886 Beiträge zur Schmetterlings-fauna von Jamaica. Abh. Senckenb. naturf. Ges. 14(3):25-88, 1 pl.
- b3251 1887 Beiträge zur Schmetterlings-fauna der Goldküste. Abh. Senckenb. naturf. Ges. 15(1):49-100, ill.
- Motschulsky, Victor Ivanovich;
- b. 1810, d. 5 Jun 1871 (Simferopol). Also as de Motschoulsky. [Ref: b0717; b1619]
- b3252 1866 Catalogue des Insectes recus du Japon. Bull. Soc. imp. Nat. Moscou 39(1):163-200.
- Motta, C.; Lozares, J. I.;
- b3253 1976 Una nueva subespecie burgalesa de lepidópteros. Revta Lep. 4(1):63-66, 3 f. [Ref: b0108 (#1493)]
- Moulds, Maxwell Sydney;
- b3254 1976 Migrations of *Narathura araxes eupolis* (Lepidoptera: Lycaenidae) across Lloyd Bay, Cape York Peninsula. Aust. ent. Mag. 2(6):130-132, 1 f. {Feb 1976}
- b3255 1976 A native food plant for the butterfly *Deudorix epjarbas* (Lepidoptera: Lycaenidae). Aust. ent. Mag. 3(2):30-31, 1 f. {Jul 1976}
- b3256 1977 Bibliography of the Australian Butterflies (Lepidoptera: Hesperioidea and Papilionoidea) 1775-1973. Greenwich, N.S.W., Australian Entomological Press :239 pp. [Ref: b0974]

- Moulds, Maxwell Sydney; d'Apice, J. W.;
 b3257 1982 Butterflies of the upper Jardine River, Cape York Peninsula. Aust. ent. Mag. 9(2/3):21-26, map. {Jul 1982}
- Moulds, Maxwell Sydney; Lachlan, R. B.;
 b3258 1987 The Butterflies (Lepidoptera) of Christmas Island, Indian Ocean. Aust. ent. Mag. 14(4/5):57-66. {Nov 1987}
- Moulton, John Coney;
 b. 1886, d. 1926. [Ref: b0718; b0717]
 b3259 1912 A list of the butterflies of Borneo with descriptions of new species (3). J. Straits Brch. R. asiat. Soc. 60:73-177, pl [8]. {[1912]}
- b3260 1913 On some new and little-known Bornean Lycaenidae, together with a Revision of the Thecline Genus *Thamala* Moore. Trans. ent. Soc. Lond. 61(2):273-283, pl 10. {[26] Sep 1913}
- Mousley, Henry;
 b3261 1902 *Plebeius aegon* ab. *unipuncta*, n. ab. Ent. Rec. 14(12):341-342. {15 Dec 1902}
- Müller;
 b3262 1920 [Description of *Chrysophanus* ab. *semibrunnea*]. Int. ent. Z. 14(14):108. {16 Oct 1920}
- Muller, C. J.; Mayo, R.;
 b3263 1993 The previously undescribed female of *Liphyra bras-solis bougainvilleanus* Samson and Smart (Lepidoptera: Lycaenidae: Liphyrinae). Aust. ent. Mag. 20(2):77-79.
- Müller, Paul;
 b3264 1969 Professor Dr. Gustaf de Lattin. Ent. Zeit. 79(6):66-68, picture. {15 Mar 1969}
- Munguira, M. L.; Martín, J.;
 b3265 1988 Variabilidad morfológica y biológica de *Arica morronensis* (Ribbe), especie endémica de la Península Ibérica (Lepidoptera: Lycaenidae). Ecología (Madrid) 2:343-358, ill.
 b3266 1993 The mariposa del Puerto del Lobo *Agríades zullichii* Hemming (= *nevadensis* Züllich). In: T. R. New (editor), Conservation Biology of Lycaenidae (Butterflies). Occ. Pap. IUCN Species Survival Comm. No. 8:78-80.
 b3267 1993 The Sierra Nevada Blue, *Polyommatus golgus* (Hübner). In: T. R. New (editor), Conservation Biology of Lycaenidae (Butterflies). Occ. Pap. IUCN Species Survival Comm. No. 8:92-94.
 b3268 1993 The Zephyr Blue, *Plebejus pylaon* (Fischer-Waldheim). In: T. R. New (editor), Conservation Biology of Lycaenidae (Butterflies). Occ. Pap. IUCN Species Survival Comm. No. 8:100-102.
- Munguira, M. L.; Martín, J.; Viejo, J. L.;
 b3269 1988 Distribucion geografica y biologia de *Eumedonia eumedon* (Esper 1780) en la Península Ibérica (Lepidoptera: Lycaenidae). Revta Lep. 16(63):217-229, ill.
- Munguira, Miguel L.; Martín, José; Balletto, Emilio;
 b3270 1993 Conservation biology of Lycaenidae: A European overview. In: T. R. New (editor), Conservation Biology of Lycaenidae (Butterflies). Occ. Pap. IUCN Species Survival Comm. No. 8:23-34.
- Murata, Yasutaka;
 b3271 1964 A New Foodplant of *Iratsume orsedice*, *Quercus aliena*. [In Japanese]. Tyô to Ga 15(1):28. {30 Aug 1964}
- Murayama, Shû-iti;
 Bibliography kindly supplied by author. Also as *Siuiti*.
 b3272 1943 On some Lycaenids and Hesperids of Formosa. [In Japanese]. Zephyrus 9(3):170-175, 4 f. {May 1943}
 b3273 1943 Two new aberrant forms of Japanese butterflies. Zephyrus 9:180-181.
 b3274 1947 Eine neue Aberration von *Neozephyrus aurorinus* Oberthür aus Japan. [In Japanese]. Zephyrus 9(4):279, f. {Jun 1947}
- Murayama, Shû-iti; (continued)
 b3275 1952 On *Celastrina sugitanii* Mats. from Japan, with description of a new subspecies and two new aberrant forms. [In Japanese]. Tyô to Ga 3(1):1-3, 6 f. {Mar 1952}
 b3276 1953 On some new Lycaenids from Japan. I. [In Japanese]. Tyô to Ga 3(3):17-21, 19 f. {Apr 1953}
 b3277 1953 On some Lycaenids from Japan. II. [In Japanese]. Tyô to Ga 4(2/3):10-12, 13 f. {15 Sep 1953}
 b3278 1954 The new aberrant forms of *Spindasis takanonis* Mats. from Honshu. [In Japanese]. New Ent. 3(2/3):23-24. {Feb 1954}
 b3279 1954 New subspecies of butterflies from Japan, with notes on some species. New Ent. 3(4):33-35. {Aug 1954}
 b3280 1955 New or little known Rhopalocera from China and Korea. Tyô to Ga 6(1):1-4, 10 f. {15 May 1955}
 b3281 1956 A new Aberrant Form of *Neozephyrus taxila japonicus* Murray. [In Japanese]. New Ent. 5(1-2):28-29, f 1, 2. {Apr 1956}
 b3282 1956 Remarks on the races of *Japonica lutea* Hew., with description of a new race. [In Japanese]. Tyô to Ga 7(2):12-13, 8 f. {15 Jul 1956}
 b3283 1957 Some notes on three rare species of Theclini from Formosa. Tyô to Ga 8(3):32-33, 6 f. {15 Sep 1957}
 b3284 1957 Some butterflies preserved in the Takarazuka Entomological Museum, Pref. Hyogo. New Ent. 6(2/3):39+.
 b3285 1958 Revision of the scientific name *Coreana ibara* Butler by T. G. Howarth. [In Japanese]. Tyô to Ga 9(3):42. {30 Jun 1958}
 b3286 1958 Bemerkungen zu einigen seltenen Lycaeniden aus Formosa. [In Japanese]. Tyô to Ga 9(3):43-45, f 1-12, A, B, C. {30 Jun 1958}
 b3287 1958 Some notes on *Neozephyrus* and *Favonius* Group (Lycaenidae) from the Asia continent, with a contribution to research on the Japanese races. New Ent. 7(4):1-6. {Nov 1958}
 b3288 1959 Some notes on Formosan butterflies. Tyô to Ga 10(4):66-68, 15 f. {15 Nov 1959}
 b3289 1959 Remarks on the female forms of *Chrysozephyrus nishikaze* and its allied species from Formosa. [In Japanese]. New Ent. 8(4):21-24, 1 pl. {Dec 1959}
 b3290 1960 Some new butterflies from Japan, Korea and Formosa. [In Japanese]. Tyô to Ga 11(2):28-33. {1 Jun 1960}
 b3291 1963 Remarks on some butterflies from Japan and Korea, with descriptions of 2 races, 1 form, 4 aberrant forms. [In Japanese]. Tyô to Ga 14(2):43-50, ill. [Ref: b1899 (#1813)]
 b3292 1964 Some new forms of *Erebia* and Theclinae from Japan. [In Japanese]. Tyô to Ga 15(1):16-19. {30 Aug 1964}
 b3293 1964 Neue Tagfalterformen aus Japan und Korea. Z. wien. ent. Ges. 49:35-37, pls 4,5.
 b3294 1967 Three lycaenids of the eastern Asia, with descriptions of three new races. [In Japanese]. Tyô to Ga 18(1):20-23, 3 pls. {30 Nov 1967}
 b3295 1969 Vier Tagfalter aus Nordkorea und Japan, mit der Beschreibung einer neuen Rasse. [In Japanese]. Tyô to Ga 20(3/4):67-79, 2 pls. {30 Dec 1969}
 b3296 1976 The so-called green *Zephyrus* in the world. [In Japanese]. Konchu to Shizen (Nature & Insects) 11(1):2-10, 10 f, 2 maps.
 b3297 1978 On some species of Rhopalocera from southeast Asia with descriptions of a new species and a new subspecies. Tyô to Ga 29(3):153-158, f 1-24, A-I. [Ref: b0110 (#1811)] {1 Sep 1978}
 b3298 1978 Some butterflies from Ussuri, U.S.S.R., and Korea, with description of two new subspecies. [In Japanese]. Tyô to Ga 29(3):159-163, f A-C, 1-23. [Ref: b0110 (#1812)] {1 Sep 1978}

Murayama, Shû-Iti; (continued)

- b3299 1981 Notes of some butterflies of Provinces Szechwan, Zhejiang, Taiwan of China. [In Japanese]. *New Ent.* 30(2):64-67. {May 1981}
- b3300 1983 Notes on some new or unrecorded butterflies from Indonesia and Philippines. *New Ent.* 32(2):39-42. Also paginated 17-20. {Jun 1983}
- b3301 1983 Some new Rhopalocera from southwest and northwest China (Lepidoptera: Rhopalocera). *Entomotaxonomia* 5(4):281-288, ill. {Dec 1983}
- b3302 1986 Remarks and corrections of Rhopalocera from Far East Asia with descriptions of two new species and four new subspecies (Lepidoptera). *Entomotaxonomia* 8(1/2):59-62. {Jun 1986}
- b3303 1991 Remarks on new taxa of Satyridae & Lycaenidae from North China and Chejudo Island. [In Japanese]. *Konchu to Shizen (Nature & Insects)* 26(3):20-21, ill.
- b3304 1992 Some new Lycaenid species of Chinese Rhopalocera. [In Japanese]. *Konchu to Shizen (Nature & Insects)* 27(5):37-41.

Murayama, Shû-Iti; Okamura, H.;

- b3305 1973 Butterflies of Luzon Island in Philippines, with descriptions of new species and subspecies. *Tyô to Ga* 24(1):10-25, 48 f.

Murayama, Shû-Iti; Shimonoya, Toyokazu;

- b3306 1960 [Description of *Chrysozephyrus yuchingkinus*]. In Murayama, (q.v.). *Tyô to Ga* 11(2):32, f 31. [See also: b3290] {1 Jun 1960}
- b3307 1962 Three new races, one aberrant form, and two unrecorded females of the Formosan butterflies. [In Japanese]. *Tyô to Ga* 13(4):89-92, 15 f.
- b3308 1968 A contribution to taxonomy of the Formosan butterflies, with descriptions of 1 new species, 1 new race, 1 unrecorded species, and 11 new aberrant forms. [In Japanese]. *New Ent.* 17(1):1-16. {Feb 1968}

Murayama, Shû-Iti; Sibatani, Atuhiro;

- b3309 1943 Notes on Some Formosan Species of the Subfamily Theclinae, with descriptions of new forms. [In Japanese]. *Trans. Kansai ent. Soc.* 13(1):37-56, 4 pls, text-figs.

Murphy, Dennis D.;

- b3310 1984 Book Review: Ecological Studies of Six Endangered Butterflies (Lepidoptera, Lycaenidae): Island Biogeography, Patch Dynamics, and the Design of Habitat Preserves by Richard A. Arnold. *J. Res. Lep.* 22(4):267-269. [See also: b0135] [Ref: b3310] {15 Mar 1984}
- b3311 1984 [Letter to the Editor, with Notes on the Miller/Brown Catalogue/Checklist]. *News Lep. Soc.* 1984(4):68-69. {Oct 1984}

Murray, Desmond P.;

- b3312 1935 South African butterflies. A Monograph of the Family Lycaenidae with a Description and Illustration of every Species and Figures of many of the Larvae. London. John Bales Sons & Danielsson, i-vii, 195 pp, 17 pls.
- b3313 1939 The early stages of *Phasis thero* Linn. (Lepidoptera Lycaenidae). *J. ent. Soc. S. Afr.* 2:1-3. {30 Oct 1939}
- b3314 1956 The species of *Lepidochrysops*, *Euchrysops* and *Cupidopsis* of Southern Africa; the genitalia (Lepidoptera - Lycaenidae). *Ann. S. Afr. Mus.* 43:109-121, 3 pls.

Murray, Rev. Richard Paget;

- b. 1842; d. 1908.
- b3315 1873 Descriptions of new Species of Exotic Rhopalocera. *Ent. mon. Mag.* 10:107-108. {Oct 1873}
- b3316 1873 Description of a new Japanese species of *Lycaena*, and change of name of *L. cassioides* Murray. *Ent. mon. Mag.* 10:126. {Nov 1873}

Murray, Rev. Richard Paget; (continued)

- b3317 1874 Notes on Japanese Butterflies, with descriptions of new genera and species. *Ent. mon. Mag.* 11:166-172. {Dec 1874}
- b3318 1874 Descriptions of some new species belonging to the genus *Lycaena*. *Trans. ent. Soc. Lond.* 22(4):523-529, pl 10. {Dec 1874}

Muschamp, P. A. H.;

- b3319 1908 Aberrations nouvelles. *Bull. Soc. Lép. Genève* 1(3):264. {Jun 1908}
- b3320 1909 Sur le Clâmisch. *Bull. Soc. Lép. Genève* 1:366-369.

Musgrave, Anthony;

- b. 9 Jul 1895 (Cooktown, North Queensland); d. 1959. [Ref: b3321]
- b3321 1932 Bibliography of Australian Entomology, 1775-1930, with biographical notes on Authors and Collectors. Sydney, Royal Zoological Society :vii + 380 pp. {Sep 1932}

Mütting, Dieter; Mütting, Elisabeth;

- b3322 1978 Von Pokhara nach Muktinath. Entomologische Exkursion 270 km zu Fuß durch die wichtigsten Klimazonen Nepals bis an die tibetanische Grenze. *Ent. Zeit.* 88(12):125-137, 4 f. {15 Jun 1978}

Nabokov, Vladimir;

- b. 1899 (St. Petersburg); d. 1977 (Montreux, Switzerland). [Ref: b2672; b0236 (as Nabakoff, V. V.)]
- b3323 1941 *Lysandra cormion*, a new European Butterfly. *J. New York ent. Soc.* 49(3):265-267. {Sep 1941}
- b3324 1944 The Nearctic forms of *Lycaeides* Hüb. (Lycaenidae, Lepidoptera). *Psyche* 50(3-4):87-99. {Jan 1944}
- b3325 1944 Notes on the Morphology of the Genus *Lycaeides* (Lycaenidae, Lepidoptera). *Psyche* 51(3/4):104-138, pl 5, text-fig 1, table. {Dec 1944}
- b3326 1945 Notes on Neotropical Plebejinae (Lycaenidae: Lepidoptera). *Psyche* 52(1/2):1-61, 8 pls. {Jun 1945}
- b3327 1948 A new species of *Cyclargus* Nabokov (Lycaenidae, Lepidoptera). *Entomologist* 81(12):273-280, 11 f. {22 Dec 1948}
- b3328 1949 The Nearctic members of the genus *Lycaeides* Hübner (Lycaenidae, Lepidoptera). *Bull. Harvard Mus. Comp. Zool.* 101(4):479-541, 9 pl.

Nagami, Kazuo; Ishiga, Tadashi;

- b3329 1935 [Description of *Zephyrus hisamatsusanus*, a new species of butterfly from Totsutori City, Japan]. [In Japanese]. *Fukuoka hakub. zasshi* 1(4):303-304.

Nagamine, Kunio;

- b3330 1967 Rediscovery of *Chilades kiamurae* Matsumura in the Ryukyus. *Tyô to Ga* 17(1/2):43-45, 10 f. {25 Feb 1967}

Nakahara, Waro;

- b3331 1922 Two new species of Far Eastern Rhopalocera. *Entomologist* 55:123-124.
- b3332 1926 Some Rhopalocera of Eastern United States, Including Three New Forms. *Bull. Brooklyn ent. Soc.* 20(5):221-224. {27 Jan 1926}
- b3333 1942 Notes on the *argus* group of Japanese Lycaenidae. *Ent. World* 10(104):635-637, 6 f. {15 Oct 1942}
- b3334 1951 New or imperfectly known Japanese Butterflies. *Tyô to Ga* 2(2):2-3. {1 Feb 1951}

Nakahara, Waro; Oda, Kimiyoshi;

- b3335 1953 An Unrecorded Lycaenid Butterfly from Japan. [In Japanese]. *Tyô to Ga* 4(2/3):20, 2 f. {15 Sep 1953}

Nakamura, Ichiro;

b3336 1975 Descriptions of two new species of butterflies (Lepidoptera, Lycaenidae) from the South Sinai (Israel/Egypt). J. Ent. (B)44(3):283-295.

b3337 1976 Female anal hair tuft in *Nordmannia myrtille* (Lycaenidae): Egg-camouflaging function and taxonomic significance. J. Lep. Soc. 30(4):305-309, 4 f. {3 Dec 1976}

Nakamura, Shingo;

b3338 1971 A note on the distribution of *Plebejus argus* Butler in the Chugoku district, Southwest of Japan (Lycaenidae). [Japanese]. Tyô to Ga 22(3,4):100-105. {31 Dec 1971}

Nakamura, Yamato;

b. 1896, d. 1948.

b3339 1931 A new Lycaenid butterfly, *Zizeeria maha kashikurai* n. subsp. Lansania 2:113-114.

Naritomi, Yasunobu;

b3340 1941 Notes on one new species and two new aberrant forms of Butterflies. Ent. World 9(91):617-620, pl 4, 5 f.

b3341 1941 [Notes on some Butterflies, including the description of a new aberrant form of *Aeromachus inachus* Ménétriès]. Zephyrus 9(2):112-116, 11 f. {Dec 1941}

b3342 1942 [Notes on four species of butterflies]. [In Japanese]. Ent. World 10(104):638-643, 7 f. {15 Oct 1942}

b3343 1959 On some rare butterflies from Formosa, China. Tyô to Ga 10(3):45-47. {30 Jul 1959}

Neave, Sheffield Airey;

b. 1879, d. 1961.

b3344 1903 A new species of lycaenid from Uganda and Lake Victoria Nyanza. Ent. mon. Mag. 39:136-138. {Jun 1903}

b3345 1904 On a large collection of Rhopalocera from the shores of the Victoria Nyanza. Novit. zool. 11:323-363.

b3346 1910 Zoological collections from Northern Rhodesia and adjacent territories. (Lepidoptera: Rhopalocera). Proc. zool. Soc. Lond. 1910(1):2-86, ill. {25 Jun 1910}

Neck, Raymond W.;

b3347 1976 Factors affecting the occurrence of *Melanis pize* (Riodinidae) in extreme southern Texas. J. Lep. Soc. 30(1):69-70. {22 Apr 1976}

Nekrutenko, Yuri Pavlovich;

b. 30 Apr 1936 (Kiev, Ukraine, USSR). Bibliography kindly supplied by the author.

b3348 1972 A new subspecies of *Eumedonia eumedon* (Lycaenidae) from Caucasus. J. Lep. Soc. 26(4):215-218, 7 f. {15 Dec 1972}

b3349 1973 On the taxonomic position of the Caucasian form *Callophrys rubi* L. (Lepidoptera, Lycaenidae). [In Ukrainian, English summary]. Dopov. Akad. Nauk Ukr. RSR (B) 1973(10):949-952, 2 f. [Ref: b0104 (#1327)]

b3350 1974 Comparative Notes on Certain West-Palaearctic Species of *Agriades*, with Description of a New Subspecies of *A. pyrenaicus* from Turkey (Lycaenidae). J. Lep. Soc. 28(3):278-288, 20 f. [Ref: b0105 (#1549,1550)] {30 Sep 1974}

b3351 1975 Two New Subspecies of *Plebejus* (*Plebejides*) *pylaon* from the Southern and Northern Sides of the West Caucasus (Lycaenidae). J. Lep. Soc. 29(3):151-155, 11 f. {26 Sep 1975}

b3352 1976 Review: Torben B. Larsen. Butterflies of Lebanon. National Council for Scientific Research (C.N.R.S). Beirut, 1974. [In Russian]. Biologicheskoye Nauki [1976](3):139-141. [See also: b2896]

b3353 1977 An undescribed taxon of the *Polyommatus eros-eroides* group (Lepidoptera, Lycaenidae) from Caucasus Major. [In Russian]. Dopov. Akad. Nauk Ukr. RSR (B) 1977(2):180-182, f.

Nekrutenko, Yuri Pavlovich; (continued)

b3354 1977 Two little-known Lycaenid butterfly (Lepidoptera Lycaenidae) species from the Southern Ukraine, Crimea and Caucasus. Dopov. Akad. Nauk Ukr. RSR (B) 1977(3):276-279, 1 f.

b3355 1977 A new subspecies of *Heodes* (*Thersamonia*) *ochinus* (Lepidoptera, Lycaenidae) from the Caucasus Minor. [In Ukrainian, English summary]. Dopov. Akad. Nauk Ukr. RSR (B) 1977(5):457-460, 2 f.

b3356 1978 Review: William H. Howe (ed.). The Butterflies of North America. Biologicheskoye Nauki [1978](5):139-141. [See also: b2470]

b3357 1978 Two new subspecies of the lycaenid butterfly subfamily Strymoninae (Lepidoptera, Lycaenidae) from eastern Georgian SSR and western Hazerbajjan SSR. [In Ukrainian, English summary]. Dopov. Akad. Nauk Ukr. RSR (B) 1978(1):82-88, 13 f.

b3358 1980 Revisional notes of lycaenid butterfly species assigned to *Ultraaricia* Beuret (Lycaenidae). Nota lepid. 3(1/2):55-68, 16 f. {1 Jun 1980}

b3359 1983 *Neolysandra alticola* (Christoph, 1893), comb. et stat. n. = *Albulina alexander* Higgins, 1981, syn. n. [In Russian]. Vestnik Zoologii 1983(1):52.

b3360 1983 A Revision of the Genus *Hyrceanana* (Lepidoptera, Lycaenidae). [In Russian, English summary]. Vestnik Zoologii 1983(3):7-16, ill.

b3361 1984* [Letter to Bridges. Notes on the nomenclature of the Lycaenidae and the Bibliography of Nekrutenko]. Kiev :2 pp. {24 Aug 1984} [*Unpublished]

b3362 1984* [Letter to Ferris. Notes on some Pamassius species mentioned in the Miller & Brown catalogue]. Kiev :1 pp. {8 Sep 1984} [*Unpublished]

b3363 1984* [Letter to Bridges. Notes on Russian Hesperidae and Lycaenidae, including data on type locations, museums, etc.]. Kiev :2 pp. {14 Sep 1984} [*Unpublished]

b3364 1984 The Blue Butterflies of the USSR Fauna, Assigned to the Genus *Chilades* (Lepidoptera, Lycaenidae). [In Russian]. Vestnik Zoologii 1984(3):29-40, ill.

b3365 1984 A revision of the type specimens of *Lycaena phoenicurus* Group (Lepidoptera, Lycaenidae). [In Russian, English summary]. Vestnik Zoologii 1984(6):43-49, ill.

b3366 1985* Bulavousye česuekrylye Kryma. [The butterflies of the Crimea]. A guide. [In Russian]. Kiev, 'Naukova Dumka' :152 pp, 24 pls, ill. [*Unpublished]

b3367 1985 New Blue Butterfly Taxa (Lepidoptera, Lycaenidae) from Transcaucasia and Middle Asia. [In Russian, with English summary]. Vestnik Zoologii 1985(4):29-35, 4 f.

b3368 1987* [Letter to Bridges. Notes on some Lycaenidae butterflies and their literature]. Kiev :2 pp. {27 Jul 1987} [*Unpublished]

Nekrutenko, Yuri Pavlovich; Effendi, Rustam Mohammed Emin;

b3369 1979 A new species of the genus *Lysandra* (Lepidoptera, Lycaenidae) from Transcaucasian area. Dopov. Akad. Nauk Ukr. RSR (B) 1979(7):583-586.

b3370 1980 A new species of *Tomares* from Talysh Mountains (Lycaenidae). Nota lepid. 3(1/2):69-72, 8 f. {1 Jun 1980}

b3371 1983 A Review of the Blue Butterflies from the *Lycaena phoenicurus* Group (Lepidoptera, Lycaenidae) with a Description of the New Species from Azerbaijan. [In Russian, English summary]. Vestnik Zoologii 1983(4):8-16, ill.

Nekrutenko, Yuri Pavlovich; Korshunov, Yuri P.; Effendi, Rustam Mohammed Emin;

b3372 1982 Critic Remarks on the Fauna and Systematics of Butterflies (Lepidoptera, Rhopalocera) from Transcaucasia. Communication II. [In Russian]. Vestnik Zoologii 1982(3):38-43.

Nekrutenko, Yuri Pavlovich; Plushch, Igor G.;

- b3373 1983 *Agriades pyrenaicus* (Boisduval) (Lepidoptera, Lycaenidae) in the territory of the Ukrainian SSR. [In Russian]. Vestnik Zoologii 1983(6):15.

Nel, Jacques;

- b3374 1976 *Eumedonia eumedon montriensis* ssp. nov. (Lycaenidae). Alexonor 9(6):251-254. [Ref: b0108 (#1562)] {30 Jun 1976}
- b3375 1982 Supplementary notes on *Eumedonia eumedon* in Lower Provence, France. Alexonor 12(5):200-204. {30 May 1982}
- b3376 1982 Sur la biologie de *Pseudophilotes baton* Bergstr. in Provence. Alexonor 12(7):327-329. {15 Dec 1982}

Neuburger, Wilhelm;

- b3377 1900 *Lycaena menalcas* Fr. - abber. (Lep.). Ilte Z. Ent. 5:270.
- b3378 1903 *Chrysophanus ochimus* H.-S. var. *hyrcana* (male) Neubgr. Soc. ent. 18(8):59. {15 Jul 1903}
- b3379 1907 Eine neue Abart von *Lycaena icarus* Rot. (male). Soc. ent. 21(23):180. {1 Mar 1907}

Neville-Jones, Rev. P.;

- b3380 1918 The Lycaenidae of Southern Rhodesia. Proc. Trans. Rhod. Sci. Assoc. 16(2):10-20.

New, T. R.;

- b3381 1993 Introduction to the biology and conservation of the Lycaenidae. In: T. R. New (editor), Conservation Biology of Lycaenidae (Butterflies). Occ. Pap. IUCN Species Survival Comm. No. 8:1-21.
- b3382 1993 Australian Lycaenidae: conservation concerns. In: T. R. New (editor), Conservation Biology of Lycaenidae (Butterflies). Occ. Pap. IUCN Species Survival Comm. No. 8:70-76.
- b3383 1993 The Eltham Copper, *Paralicia pyrodiscus lucida* Crosby. In: T. R. New (editor), Conservation Biology of Lycaenidae (Butterflies). Occ. Pap. IUCN Species Survival Comm. No. 8:166-167.

New, T. R.; (editor)

- b3384 1993 Conservation Biology of Lycaenidae (Butterflies). Occ. Pap. IUCN Species Survival Comm. No. 8:173 pp.

Newcomer, Erval Jackson;

- b. 5 May 1890 (Oregon, Illinois).
- b3385 1911 The Life Histories of Two Lycaenid Butterflies. Can. Ent. 43(3):83-88. {11 Mar 1911}
- b3386 1964 The synonymy, variability and biology of *Lycaena nivalis*. J. Res. Lep. 2(4):271-280. {Mar 1964}

Nicholl, Mary De la Beche;

- b3387 1901 Butterflies of the Lebanon. With a preface and notes by K. G. Elwes. Trans. ent. Soc. Lond. 49(1):75-97. {30 Apr 1901}

Nicolay, Stanley S.;

- b. 14 Mar 1917 (Colfax, Washington).
- b3388 1971 A new Genus of hairstreak from Central and South America (Lycaenidae, Theclinae). J. Lep. Soc. 25(Suppl. 1):1-39, 4 pls, 11 text-figs. {10 May 1971}
- b3389 1971 A review of the genus *Arcas* with descriptions of new species (Lycaenidae, Strymonini). J. Lep. Soc. 25(2):88-108, f 1-11. {19 May 1971}
- b3390 1976 A review of the Hübnerian genera *Panthiades* and *Cycnus* (Lycaenidae: Eumaeini). Bull. Allyn Mus. No. 35:1-30, 25 f. {28 May 1976}
- b3391 1977 Studies in the Genera of American Hairstreaks. 4. A New Genus of Hairstreak from Central and South America (Lycaenidae: Eumaeini). Bull. Allyn Mus. No. 44:1-24, 20 f. {10 May 1977}

Nicolay, Stanley S.; (continued)

- b3392 1979 Studies in the Genera of American Hairstreaks. 5. A Review of the Hübnerian Genus *Parrhasius* and Description of a New Genus *Michaelus* (Lycaenidae: Eumaeini). Bull. Allyn Mus. No. 56:1-52, 45 f. Contains one description by Clench. {28 Dec 1979}
- b3393 1980 The genus *Chlorostrymon* and a new subspecies of *C. simaethis*. J. Lep. Soc. 34(2):253-256, 3 f. {23 Sep 1980}
- b3394 1982 Studies in the Genera of American Hairstreaks. 6. A Review of the Hübnerian Genus *Olynthus* (Lycaenidae: Eumaeini). Bull. Allyn Mus. No. 74:30 pp, 34 f. {29 Jun 1982}
- Niepelt, Wilhelm;
- b. 1862, d. 1936. [Ref: b0718; b0717]
- b3395 1914 Neue Formen palaearktischer Rhopalocera. Eine neue pal. Geometriden - Form. Eine neue südamerikanische *Catopsilia*. Int. ent. Z. 8(26):144-145. {7 Nov 1914}
- b3396 1916 [Notes]. In: Strand, E., Lepidoptera Niepeltiana. Zirlau, W. Niepelt 2:[6]+26 pp, pls 13-17. {Dec 1916}
- b3397 1921 Neue exotische Rhopalocern aus dem Bismarck-Archipel. Int. ent. Z. 15(12):91-92. {3 Sep 1921}
- b3398 1927 Neue exotische Rhopaloceren. Int. ent. Z. 21(7):49-53, (13):104, (23):180-182; 2 pls, 1 f. {15 May 1927}
- b3399 1934 Neue exotische Falter. Int. ent. Z. 28(6):53-56, 2 f. {8 May 1934}
- Nieuwenhuis, Engbert Jan;
- b3400 1946 Lepidoptera van den Banggai-archipel. Tijdschr. Ent. 87:37-61, 1 pl.
- b3401 1970 Notes on some Indonesian Lycaenidae. Ent. Ber. 29:213-219, 17 f.
- Niimura, Taro;
- b. 1917, d. 1951.
- b3402 1941 Notes on some butterflies from South Shinano, Japan (2). [In Japanese]. Zephyrus 9(1):6-13, ill. {Jun 1941}
- Nire, Kageo;
- b3403 1919 In Doi, (q.v.). Zool. Mag. 31:369-376. [See also: b1306]
- b3404 1920 [On new Species and Subspecies of Butterflies native to Japan]. Zool. Mag. 32:373-377.
- Nitsche, Josef;
- b3405 1926 Sammel aus beuten aus Tirol und Niederösterreich im Jahre 1923. Verh. zool.-bot. Ges. Wien 74/75:(16)-(20).
- Nomura, Ken'ichi;
- b3406 1931 Notes on butterflies collected in Pianen (Formosa), Together with the distribution of alpine butterflies in the valley of Tarkokei (Formosa). Zephyrus 3(1):43-62, 5 f. {May 1931}
- Nordmann, Adolf Fr.;
- b3407 1939 *Chrysophanus amphidamus* Esp. f. *radiata* n.f. Notulae ent. 19:37-39, f 9-f.
- Nordmann, Adolf Fr.; Rebel, Hans;
- b3408 1935 Verzeichnis der von Richard Frey und Ragnar Stora auf den Kanarischen Inseln gesammelten Lepidopteren. Commentat. biol. 6(4):20 pp, 6 f. Nordmann alone may be author of the descriptions.
- Nordström, Frithiof;
- b. 1882, d. 1971.
- b3409 1933 Laplands Fjärilar [Rhopalocera]. Ent. Tidskr. 54:145-214, 9 pls.
- b3410 1935 Was ist *Lycaena dubis* Hering (Schulz i.l.)? Int. ent. Z. 29(9):97-100, 1 pl. {1 Jun 1935}
- b3411 1935 Schwedischchinesische wissenschaftliche Expedition nach den nordwestlichen Provinzen Chinas. 21. Lepidoptera. 1. Diuma. 2. Sphinges. Ark. Zool. 27A(7):37 pp, 2 pls.

Nordström, Frithiof; (continued)

b3412 1935 *Lycaeides (Lycaena) ismenias* Meig. subsp. *norvegica* n. Norsk ent. Tidsskr. 4:87-92, 1 pl, 8 f.

Norman, J. R.;

b3413 1938 Notes of the dates etc. of the Memorias, Repertorio, Synopsis and Enumeratorio of Felipe Poey. J. Soc. Bibl. nat. Hist. 1(5):135-137. [May 1938]

Nuyda, Justin S.; Takanami, Yusuke;

b3414 1990 A new *Arhopala* from Luzon in the Philippines (Lepidoptera: Lycaenidae). Futao No. 5:8-11, ill.

Oberthür, Charles;

b. 1845 (Rennes); d. 1 Jun 1924 (same). Collection to BMNH. Some types were sold to Barnes and are now in the USNM. [Ref: b0718; b0717; b1721; b2307; b3763; b3321]

b3415 1874 Lépidoptères nouveaux d'Algérie. Petites Nouv. ent. 1(103):412-413. [1 Jul 1874]

b3416 1876 Étude sur la faune des lépidoptères de l'Algérie. Étud. ent. 1:xiv + 15-74 pp, 4 cpl.

b3417 1876 Espèces nouvelles de lépidoptères recueillis en Chine par M. l'Abbé A. David. Étud. ent. 2:xii + 13-34 pp, 4 cpls.

b3418 1878 Étude sur les Lépidoptères recueillis en 1875 à Doreï (Nouvelle-Guinée) par Mr. le Prof. O. Beccari. Annali Mus. civ. Stor. nat. Genova 13:451-470.

b3419 1878 Étude sur la faune des lépidoptères de la Côte orientale d'Afrique. Étud. ent. 3x + 11-48 pp, 4 pls.

b3420 1880 Spedizione Italiana nell' Africa Equatoriale. Risultati Zoologici, 1. Lepidoteri. Annali Mus. civ. Stor. nat. Genova 15:129-187, pl 1.

b3421 1880 Etude sur les collections de Lépidoptères Océaniques appartenant au Musée Civique de Gênes. Annali Mus. civ. Stor. nat. Genova 15:461-530, pls 2-4.

b3422 1880 Fauna des Lepidoptères de l'Île Askold. Première partie. Étud. ent. 5x + 11-88 pp, 9 cpl.

b3423 1881 I. Lépidoptères de Chine. II. Lep. - d'Amérique. III. Lép. - d'Algérie. IV. Le genre *Ecpantheria*. Appendix II. Étud. ent. 6(3):x + 11-115, 20 cpl.

b3424 1883 Spedizione Italiana nell' Africa Equatoriale. Risultati Zoologici, 1. Lepidoteri, parte secunda. Annali Mus. civ. Stor. nat. Genova 18:709-740.

b3425 1883 [Note on Lepidoptera collected by Dr. Nodier in Haut-Sénégal]. Bull. Soc. ent. Fr. (6)3:xi-xiii [13-15 in Bull].

b3426 1884 Observation sur les lépidoptères de Pyrénées. Étud. ent. 8:51 pp, 1 cpl.

b3427 1886 [Formées dans l'Afrique orientale]. Bull. Soc. ent. Fr. (6)6:cxiv-cxv.

b3428 1886 [Descriptions de nouvelles espèces de Lépidoptères du Thibet et de la Chine: *Thecla*, *Chrysophanus*]. Bull. Soc. ent. Fr. (6)6:xii-xiii, xxii-xxiii.

b3429 1886 Espèces nouveaux Lépidoptères du Thibet. Étud. ent. 11:1-38, cpls 1-7. [Ref: b1037]

b3430 1888 Premiers états de Lépidoptères de la Réunion. Lépidoptères européens et algériens. Étud. ent. 12:ix + 46 pp, 7 cpl.

b3431 1890 Lépidoptères des Îles Comores, d'Algérie et du Thibet. Étud. ent. 13:50 pp, 10 cpl.

b3432 1891 Nouveaux lépidoptères d'Asie. Étud. ent. 15:25+[1] pp, 3 cpls.

b3433 1892 [Deux formes assez distinctes de *Lycaena dolus*]. Bull. Soc. ent. Fr. 61:8-10.

b3434 1893 Lépidoptères recueillis au Tonkin par . . . le Prince Henri d'Orléans. Lépidoptères d'Afrique. Étud. ent. 17:vii+36 pp, 4 cpl.

b3435 1894 Lépidoptères d'Europe, d'Algérie, d'Asie & d'Océanie. Étud. ent. 19:x+41 pp, 8 cpls.

b3436 1896 De la variation chez les lépidoptères. Étud. ent. 20:xx+74 pp, 24 cpls.

Oberthür, Charles; (continued)

b3437 1900 [Title unknown] Feuille jenn. Nat. 1900:18, f. [[Description of *Aricia impunctata*.]

b3438 1903 Description d'une nouvelle espèce de *Polycaena* (Lépidopt. Rhopal.). Bull. Soc. ent. Fr. 1903(16):268-270. {[18 Nov] 1903}

b3439 1904 Lepidopterologie comparée. Étud. Lép. comp. 1:11-77.

b3440 1905 Variations de Lépidoptères. Bull. Soc. ent. Fr. 1905(4):55-56. [27 Mar 1905]

b3441 1906 Observations sur les variations du *Polyommatus gordius* Esp. (Lép. Rhop.). Bull. Soc. ent. Fr. 1906(2):25-26. {[Feb] 1906}

b3442 1906 Une nouvelle race géographique de Lycénide [Lép. Rhop.] (*Lycaena escheri rondoui* nov. subsp). Bull. Soc. ent. Fr. 1906(5):57-58. {[Apr] 1906}

b3443 1906 Découverte de la *Lycaena donzelii* dans les Pyrénées-Orientales et de la *Chelonia flavia* dans le Hautes-Alpes. Étud. Lép. comp. 2:37-40.

b3444 1908 Description d'une variété française inédite de *Lycaena bellargus* Esper (Lép. Rhop.). Bull. Soc. ent. Fr. 1908(1):23-26. {[7 Feb] 1908}

b3445 1908 Description de nouvelles espèces de Lépidoptères de la chine occidentale. Annls Soc. ent. Fr. 77:310-314, pl 5, 7 f.

b3446 1909 Description de deux Lépidoptères nouveaux de l'île Formose. Bull. Soc. ent. Fr. 1909(2):48-49. {[21 Feb] 1909}

b3447 1909 [Description of *Lycaena bellargus punctigera*]. Étud. Lép. comp. 3:pl 19, f 57. [Jun 1909]

b3448 1909 [Description of *Agrodiaetus rondoui*]. Étud. Lép. comp. 3:pl 20, f 71,73; 4:216 (1910). [Jun 1909]

b3449 1909 Description de lépidoptères Africaines. Étud. Lép. comp. 3:93-99, pl X. [Jun 1909]

b3450 1909 Notes pour servir à établir la Faune Française et Algérienne des Lépidoptères. Étud. Lép. comp. 3:101-404, pl XI, XVI-XX, XXIII-XXVI. [Jun 1909]

b3451 1910 Notes pour servir à établir la faune Français et Algérienne des Lépidoptères. Étud. Lép. comp. 4:1-638, ill.

b3452 1911 Sur une variété algérienne nouvelle de *Lycaena iolas* Fr. [Lep. Rhopalocera]. Bull. Soc. ent. Fr. 1911(13):268. {[18 Aug] 1911}

b3453 1914 Lépidoptères de la région sino-thibétaine. Étud. Lép. comp. 9(2):41-60. [May 1914]

b3454 1914 Faune des Lépidoptères de la Barbarie. Algeria; Étud. Lép. comp. 10:1-459. [Sep 1914]

b3455 1916 Lépidoptères de Madagascar. Étud. Lép. comp. 11:123-176.

b3456 1916 Considérations sur plusieurs Espèces de *Lycaena*. Étud. Lép. comp. 12:453-488.

b3457 1917 [Figures of new *Plebejus*]. Étud. Lép. comp. 14:pls 1-20.

b3458 1917 Contributions a l'histoire de la *Lycaena argus* et des formes, races et especes qui y etaient jusqu'ici rattachees. Étud. Lép. comp. 14:15-16.

b3459 1917 Détermination spécifique des Fourmis dont il a été mention dans les observations concernant la *Lycaenaalcon*. Étud. Lép. comp. 14:411-413.

b3460 1918 Observations relatives a la biologie de *Lycaenaalcon*. Étud. Lép. comp. 16:267-272.

b3461 1919 Une nouvelle espèce de *Cyaniris* de la faune sino-thibétaine (Lep. Rhopal. Lycaenidae). Bull. Soc. ent. Fr. 1918(17):237-238. {[10 Jan 1919]}

b3462 1922 A propos de la synonymie de certains *Hesperia* et *Lycaenidae* américains (Lep. Rhopalocera). Bull. Soc. ent. Fr. 1922(9):124-127. {[18 Jun] 1922}

b3463 1922 Les Lépidoptères du Maroc. Morocco Étud. Lép. comp. 19:13-402, pls 74-124.

Oberthür, Charles; (continued)

- b3464 1922 Catalogue des Lepidoptères des Pyrénées-Orientales. Pyrenées; Érud. Lép. comp. 20:1-159; 21(2):7-70.
 b3465 1923 Le *Chrysophanus dispar hollandais*. Étud. Lép. comp. 21:71-75.

Oberthür, Charles; Houlbert, Constant;

- b3466 1922 Faune entomologique armoricaine, Lepidopteres 1, Rhopaloceres. * 5:260, 343 f. *Armoricaine is in N.W. France.*

Obraztsov, Nikolai Sergeevich;

- b. 18 Aug 1906 (Rostov on the Don, Russia), d. 6 May 1966 (Sea Cliff, New York).

- b3467 1935 *Lycaena (Aricia) allous* Hb. und ihre östlichen Rassen (Lepidoptera, Lycaenidae). Folia zool. hydrobiol. 8:141-150, 3 ff.

- b3468 1936 Nouvelles races de *Lycaena (Lysandra) thersites* Cant. Lambillionea 36:11-18.

- b3469 1936 Neue palaearktische Rhopaloceren-Formen. Z. öst. EntVer. 21:46-48.

Ochsenheimer, Ferdinand;

- b. 1765 or 1767 (Mainz); d. 2 Nov 1822 (als Hofschauspieler in Wien). [Ref: b0717]

- b3470 1807-1835 Die Schmetterlinge von Europa. Leipzig, Fleischer 10 Bd (17 volumes). *The butterflies come in Bd 1. Part 1 in 1807, part 2 in 1808. Bd 5-10 by Friedrich Treutschke. {1807-1835}*

Oda, Kimiyoshi;

- b3471 1954 Life History of *Coreana raphaelis flamen* Leech in Japan. [In Japanese]. Tyô to Ga 5(3/4):22-24, 6 f. {15 Dec 1954}

Oehmig, Steffen;

- b3472 1977 Die Tagfalter Madeiras. Ent. Zeit. 87(16):169-176; (17):189-199 (1 Sep). {15 Aug 1977}

Ogilvie-Grant, William Robert;

- b. 1863; d. *.
 b3473 1899 Descriptions of Three New Species of Butterflies. In Expedition Sokotra (1899-1900). 12 Theile. Bull. Liverpool Mus. 2:10-11.

Oiticica Filho, José;

- b3474 1955 Revisão dos nomes genéricos sul-americanos da subfamília Castniinae (Lepidoptera Castniidae). Revta bras. Ent. 3:137-167.

Okabe, Masaaki; Taketsuka, Tadashi;

- b3475 1964 *Chrysozephyrus aaxius kirishimaensis* Okajima from Kochi Prefecture. [In Japanese]. Tyô to Ga 15(1):14-16, ill. {30 Aug 1964}

Okada, Yoshio;

- b3476 1946 On a new subspecies of *Spindasis takanonis* from Japan. Bull. Lep. Soc. Japan 1(4):94-95. {Oct 1946}

Okajima, Gonjii;

- b. 1875, d. 1955.
 b3477 1922 A Lycaenid hitherto unrecorded from Japan. Zool. Mag. 34:584-588, 5 f.

Okamoto, Hanjero;

- b. 1882, d. 1960.
 b3478 1926 Butterflies collected on Mt. Kongo, Corea. [In Japanese]. Zool. Mag. 38:173-181.

Okano, Kikumaro;

- b3479 1982 Notes on the Japanese subspecies '*emelina*' of *Zizina otis* Fabricius (Lycaenidae: Lepidoptera). Tokurana (Acta Rhopalocera) 4:22. {30 Sep 1982}
 b3480 1982 Bibliographical notes on Doubleday's 'Genera of Diurnal Lepidoptera'. Tokurana (Acta Rhopalocera) 4:71-82, ill. {30 Sep 1982}

Okano, Kikumaro; (continued)

- b3481 1985 A new subspecies of *Charaxes* from Billiton Island, Indonesia. Tokurana (Acta Rhopalocera) 10(1):1-5, 6 f. {30 Oct 1985}

Okano, Masao;

- b3482 1947 [Description of genus *Ginzia*]. [In Japanese]. [Introduction of the replacement name *Ginzia* for the homonym *Satsuma* Murray]. [In Japanese]. Igaku to Seibutsugaku (Tokyo) 11:239.

- b3483 1953 Une nouvelle sous-espèce de *Coreana raphaelis* Oberthür de Japon (Lycaenidae). Bull. Tôhoku Ent. Soc. 2(4):47-48, 1 pl. {Sep 1953}

- b3484 1968 Three new subspecies of butterflies from Japan. Rep. Gakugei Fac. Iwate Univ. 6(2):39-42, 8 f.

Okano, Masao; Ohkura, Jozaburo;

- b3485 1969 A new *Chrysozephyrus* from Formosa (Lepidoptera: Lycaenidae). Tôhoku Konchu Kenkyu 2(2):7-8, 1 pl. {Mar 1969}

Okano, Masao; Okano, Tetsuo;

- b3486 1985 A new genus of the family Riordinidae (Lepidoptera: Rhopalocera). Tokurana (Acta Rhopalocera) 8(2):7-8, 2 f. {31 Jan 1985}

- b3487 1990 New or little known Butterflies from the Visayan Islands, the Philippines (VII). Rhopalocera Philippina No. 2:1-6. {20 Feb 1990}

- b3488 1990 New or little known Butterflies from the Visayan Islands, the Philippines (VIII). Rhopalocera Philippina No. 3:1-9. {1 Aug 1990}

- b3489 1991 New or little known Butterflies from the Visayan Islands, the Philippines (IX). Rhopalocera Philippina No. 4:3-6. {28 Feb 1991}

- b3490 1991 New or little known Butterflies from the Visayan Islands, the Philippines (X). Rhopalocera Philippina No. 5:1-8. {20 Oct 1991}

- b3491 1992 New or little known Butterflies from the Visayan Islands, the Philippines (XI). Rhopalocera Philippina No. 6:3-10. {30 Jun 1992}

- b3492 1993 New or little known Butterflies from the Visayan Islands, the Philippines (XII). Rhopalocera Philippina No. 8:1-6. {20 Aug 1993}

- b3493 1994 New or little known Butterflies from the Visayan Islands, the Philippines (XIII). Rhopalocera Philippina No. 9:1-5. {30 Jun 1994}

Okano, Masao; Pak, Sea-Wook;

- b3494 1968 New or Little Known Butterflies from Quelpart Island (Cheju-do). Artes Liberales (4):65-70, 2 pl. {Jul 1968}

Okauchi, Shunsuke;

- b3495 1968 On some butterflies from the Ryukyus. [In Japanese]. Tyô to Ga 19(1/2):16. {31 Oct 1968}

Oken, Ludwig Lorenz;

- b. 1 Aug 1779 (Bohlsbach b. Offenbach); d. 11 Aug 1851. [Ref: b0717]

- b3496 1815 Lehrbuch der Naturgeschichte. Jena, Schmid 8vo 3(Zool.)(1):723+ pp, 40 pl. *This work has been rejected for nomenclatorial purposes by the ICZN, Op 417. [Ref: b0527]*

Ôkubo, Ichiji;

- b3497 1935 On a new subspecies of *Lycaena pryori* Murray from Shikoku. [In Japanese]. Zephyrus 6(1/2):45-50, f. {30 Jun 1935}

Okubo, Kiyoshi;

- b3498 1983 Butterflies of Tioman Island, West Malaysia, with the descriptions of new subspecies. Tyô to Ga 33(3/4):168-184, 47 f. {20 Jul 1983}

- b3499 1983 A new lycaenid butterfly from Mindanao, the Philippines. (Lepidoptera, Lycaenidae). New Ent. 32(4):79-81, 3 f.

Olive, John;

b3500 1978 Notes on the life history of *Jalmenus clementi* Druce (Lepidoptera: Lycaenidae). Aust. ent. Mag. 4(6):115. {Apr 1978 }

Olivier, A.;

b3501 1988 The known geographic distribution of *Lycaena thetis hephestos* (Dils & van der Poorten, 1985) in Greece (Lepidoptera: Lycaenidae). Phegea 16(4):119-121, ill.

b3502 1989 Taxonomy and geographical variation of *Satyrrium ledereri* (Boisduval, 1848) with the description of a new subspecies from the Greek Island of Samos (Lepidoptera: Lycaenidae). Phegea 17(1):1-18, ill.

Olivier, A.; van der Poorten, D.;

b3503 1992 *Azanus ubaldus* (Cramer, 1782) on Gran Canaria Canary Islands, Spain (Lepidoptera: Lycaenidae). Phegea 20(4):151-154, ill.

Ollenbach, O. C.;

b3504 1921 A list of butterflies collected in the Tavoy district, Burma. J. Bombay nat. Hist. Soc. 28(1):123-139, 1 pl. {Dec 1921 }

Olliff, Arthur Sydney;

21 Oct 1865 (Müllbrook, Hampshire); d. 29 Dec 1895 (Sydney, N.S.W.). Also seen as Sidney. Types in the Australian Museum, Sydney. [Ref: b0717; b4940; b3321]

b3505 1886 Notes from the Australian Museum. A new Butterfly of the Family Lycaenidae from the blue Mountains. Proc. linn. Soc. N. S. Wales [1]10(4):716-717.

Omelko, M. M.; Omelko, M. A.;

b3506 1984 Blue butterflies of the genus *Maslowskia* Kurentzov (Lepidoptera, Lycaenidae) from Southern Far East of the U.S.S.R. In: Ler, P. A. (editor), The Fauna and Ecology of Insects in the Southern Far East of the U.S.S.R. Collected scientific papers. [In Russian]. Akademiya Nauk SSSR (Vladivostok) 1984:23-27.

b3507 1987 *Celastrina phellodendroni* sp. n. - a new species - twin of *Celastrina argiolus* L. (Lycaenidae) from southern Primorye. Pp 116-122, 128 in: Ler, P. A., Kirpichnikova, V. A. & Kononenko, V. S. [Eds], Lepidoptera of the Soviet Far East. [In Russian]. Vladivostok, Far East Sci. Center :1-128.

Omoto, Keiichi;

b3508 1959 List of the butterflies from Ishigaki Island, the Southern Loochoos, collected by Kr. R. Kano, with the Description of a New Subspecies. Tyô to Ga 10(2):23-28, 18 f; 10(3):36-42, f 19-49 (30 Jul); 10(4):60-65, f 50-77 (15 Nov). {30 Apr 1959 }

Opheim, Magne;

b3509 1943 Macro-lepidoptera from the mountains of southern Norway. L. Norsk ent. Tidsskr. 6:187-194, 2 f, 1 map.

Opler, Paul A.;

b3510 1968 [Lectotype selections]. In Brown, (q.v.). Trans. amer. ent. Soc. 94(4):111-136. [See also: b0507] {26 Jun 1968 }

b3511 1970 [Neotype and lectotype selections]. In Brown, (q.v.). Trans. amer. ent. Soc. 96(1):19-77. [See also: b0509] {25 Mar 1970 }

Opler, Paul A.; Krizek, George O.;

b3512 1984 Butterflies East of the Great Plains. Baltimore & London xvii+294 pp, 274 maps, 324 color photographs. A very nice book. The photos are of living animals. [Ref: b1340]

Opler, Paul A.; Powell, Jerry A.;

b3513 1962 Taxonomic and distributional studies on the western components of the *Apodemia mormo* complex (Riodinidae). J. Lep. Soc. 15(3):145-171, [2] maps, [1] pl. {21 Mar 1962 }

Orfila, Ricardo Nestor;

b. 1909, d. 1967.

Orfila, Ricardo Nestor; (continued)

b3514 1951 Lepidópteros bolivianos, nuevos o poco conocidos. 1a nota. Folia univ. 5:46-58, 5 f.

b3515 1953 Una especie nueva de *Hamearis* (Lep. Riodin.). Revta Soc. ent. argent. 16:80-82, 3 f.

Ormiston, Walter;

b3516 1924 The Butterflies of Ceylon. Colombo, Cave :xi+[1]+143+[20], front. + 7 pls.

Orsak, Larry J.; Miller, Scott E.;

b3517 1980 Habitat: *Lycaena heteronea clara* (Lepidoptera: Lycaenidae). J. Res. Lep. 17(3):204-206, 3 f.

Orsak, Larry J.; Whitman, Douglas W.;

b3518 1987 Chromatic Polymorphism in *Callophrys mossii bayensis* Larvae (Lycaenidae): Spectral Characterization, Short-term Color Shifts, and Natural Morph Frequencies. J. Res. Lep. 25(3):188-201, 6 f, 3 tbl. {8 Jul 1987 }

Osada, Shilo;

b3519 1987 A New Species and Two New Subspecies of Lycaenid Butterflies from Mindanao, the Philippines (Lep.: Lycaenidae). Mem. Tsukada Colln No. 5:44-50, 1 tf, 10 f. {30 Apr 1987 }

b3520 1987 Two New Species of Poritiinae from Sulawesi, Indonesia (Lep.: Lycaenidae). Mem. Tsukada Colln No. 5:54-59, 2 tf, 6 f. {30 Apr 1987 }

b3521 1987 Notes on *Tajuria deudorix* (Hewitson) from the Philippines with Descriptions of Two New Subspecies (Lep.: Lycaenidae). Mem. Tsukada Colln No. 5:63-67, 9 f. {30 Apr 1987 }

b3522 1994 A further contribution to a knowledge on Poritiinae from Sulawesi, Indonesia (Lep.: Lycaenidae). Futao No. 15:5-13, ill. {3 Mar 1994 }

b3523 1994 New subspecies of *Poritia* from the Philippines (Lep.: Lycaenidae). Futao No. 15:14-15, ill. {3 Mar 1994 }

Osada, Shilo; Hashimoto, Sadao;

b3524 1987 A New Name and Three New Subspecies of Lycaenid Butterflies from Mts. Sierra Madre N. E. Luzon, the Philippines (Lep.: Lycaenidae). Mem. Tsukada Colln No. 5:73-80, 2 tf, 10 f. {30 Apr 1987 }

Osthelder, Ludwig;

b. 1877, d. 1954.

b3525 1926 Die Schmetterlinge Südbayerns und der angrenzenden nördlichen Kalkalpen. I Teil: Die Grossschmetterlinge. Mitt. münchn. ent. Ges. 15(Sup.):1-166, 7 pls.

Osthelder, Ludwig; Pfeiffer, Ernst;

b3526 1932 Lepidopteren - Formen von Marasch in Türkisch Nordsyrien. Mitt. münchn. ent. Ges. 22(1):17-32. {15 Mar 1932 }

Ôta, K.; Kusunoki, H.;

b3527 1957 *Strymonidia* - butterflies of Shikoku, with the description of a new species. Trans. Shikoku ent. Soc. 5:101-103.

Otsuka, Kazuhisa;

b. 1936 (Bunkyo-ku in Tokyo)

b3528 1988 Butterflies of Borneo. Volume 1. Tokyo, Tobishima Corporation :xix + 61 pp, 80 cpl. The text is printed in Japanese and English. {Nov 1988 }

Oudemans, J. Th.;

b3529 1905 Faunistische en biologische aanteekeningen betreffende Nederlandsche Macrolepidoptera. Tijdschr. Ent. 48:1-21, 5 pls.

Owen, Denis F.;

b3530 1988 *Elphinstonia charlonia* (Lep.: Pieridae) and *Polyommatus icarus* (Lep.: Lycaenidae) on Lanzarote. Ent. Rec. 100:259-260. {15 Nov 1988 }

- O'Kane, Walter Collins;**
b. 1877; d. 1973. [Ref: b1946]
b3531 1912 Injurious Insects, How to Recognize and Control Them. Illustrated with 600 original photographs. New York, Macmillan xi + 414 pp, ill. *Maybe 1915.*
- Packard, Alpheus Spring;**
b. 12 Feb 1839 (Brunswick, Maine); d. 14 Feb 1905 (Providence, Rhode Island). [Ref: b0718]
b3532 1881 Insects Injurious to Forest and Shade Trees. Washington :275 pp, woodcuts (8vo). Also as *Bulletin 7, U.S.D.A. Ent. Comm.*
- Pactl, J.;**
b3533 1957 Obituary: Felix Bryk 1882-1957. *Entomologist* 90:192. *[Jul 1957]*
- Pactl, Jiff;**
b3534 1940 Obituary: A. Silbernagel. *Čas. čsl. Spol. ent.* 42:145-147.
b3535 1964 Lepidopterolog Troniček se dožívá 65 let. *Čas. čsl. Spol. ent.* 61:395-396.
- Pagenstecher, Andreas Freidrich;**
b. 25 Dec 1837 (Dillenburg); d. 11 Jun 1913 (Wiesbaden). Often seen as Arnold. [Ref: b0718; b0717; b3321]
b3536 1884 Beiträge zur Lepidopteren-Fauna von Amboina. *Jb. nass. Ver. Nat.* 37:150-326, pls 6-7. *May also exist as a repaginated separate.*
b3537 1890 Beiträge zur Lepidopteren-Fauna des malayischen Archipels, VI. Über Schmetterlinge von Ost-Java. *Jb. nass. Ver. Nat.* 43:93-110.
b3538 1893 Beiträge zur Lepidopteren-Fauna des Malayischen Archipels, X. Über Schmetterlinge aus dem Schutzgebiete der Neu-Guinea Companie. *Jb. nass. Ver. Nat.* 47:59-81, cpl 2-3.
b3539 1895 Lepidoptera Rhopalocera. Beitrag. In R. Semon, *Zoologische Forschungsreisen in Australien und dem Malayischen Archipel* 5(2):207-222
b3540 1896 Neue malayische Lepidopteren. *Ent. Nachr.* 22:49-54.
b3541 1896 Beiträge zur Lepidopteren-Fauna des malayischen Archipels, XI. Über die Lepidopteren von Sumba und Sambawa. *Jb. nass. Ver. Nat.* 49:95-170, pls 1-3.
b3542 1902 Wissenschaftliche Resultate der Reise des Freiherrn Carlo von Erlanger durch Süd-Schoa, die Galla und Somaliländer in 1900 und 1901. Tagfalter. *Jb. nass. Ver. Nat.* 55:113-204, pl 2.
- Pages, J.; Charmeux, J.-F.;**
b3543 1991 Note sur *Lysandra diana* Miller (Lepidoptera Lycaenidae). *Alexanor* 17(3):131-134, ill.
b3544 1992 Description d'un lycene nouveau de Turquie: *Lysandra subtilis* sp. n. (Lepidoptera, Lycaenidae). *Alexanor* 17(5):261-265, ill.
- Pages, Jerome;**
b3545 1993 Description of a new lycaenid from Turkey: *Agrodiaetus charmeuxi* sp. nov. (Lepidoptera, Lycaenidae). *Alexanor* 18(4):194-196.
- Pallas, Peter Simon;**
b. 22 Sep 1741 (Berlin); d. 8 Sep 1811 (same). [Ref: b0718 (as Pierre); b0717]
b3546 1771 Reise durch verschiedene Provinzen des Russischen Reiches in den Jahren 1768-1774. Petersburg, Akademi. Buchhandl. 4to 3 volumes (1771, 1773-1776). Lepidoptera in 1. Reissued 1788-1793.
- Parker, R.;**
b3547 1983 The butterflies of Cyprus. *Ent. Gaz.* 34(1):17-53. *{15 Mar 1983}*
- Parsons, Michael J.;**
b3548 1984 Life Histories of Four Species of *Phyliris* Röber (Lepidoptera: Lycaenidae) from Papua New Guinea. *J. Lep. Soc.* 38(1):15-22, 13 f. *{27 Jul 1984}*
b3549 1986 A revision of the genus *Callictia* Bethune-Baker (Lepidoptera: Lycaenidae) from the mountains of New Guinea. *Bull. Allyn Mus.* No. 103:27 pp, 111 f. *{29 May 1986}*
b3550 1986 A New Genus and Twenty-Six New Species of Butterflies (Lepidoptera: Hesperidae, Lycaenidae, Nymphalidae) from Papua New Guinea and Irian Jaya. *Tyô to Ga* 37(3):103-177, 160 f. *{20 Sep 1986}*
b3551 1991 Butterflies of the Bulolo-Wau Valley. *Wau Ecol. Inst. Handb.* No. 12:1-280, ill.
- Parsons, Michael J.; Hirowatari, Toshiya;**
b3552 1988 A new species of *Callictia* Bethune-Baker (Lepidoptera, Lycaenidae) from Irian Jaya, Indonesia. *Tyô to Ga* 39(4):259-262, f 1,2. *{20 Dec 1988}*
- Pascual Linares, J.;**
b3553 1985 Contribucion al conocimiento de *Cupido lorquini* Herrich-Schäffer en las provincias de Gerona y Jaen, con descripcion de una nueva subespecies y dos formas. *Revta Lep.* 13(2):153-154.
- Paskewsky, V.;**
b3554 1937 Description de la femelle d'*Hypolycaena jacksoni* Beth-Bak. (Lep. Lycaenidae). *Bull. Soc. ent. Fr.* 42(7):106-107. *{4 Jun} 1937*
- Paulus, Hannes F.; Rose, Klaus;**
b3555 1971 Zur Lycaeniden fauna des Libanon (Lepidoptera). *Ent. Zeit.* 81(1/2):1-8; (3):9-21 (1 Feb); 10 f. *{15 Jan 1971}*
- Peachey, C.;**
b3556 1983 The White-letter Hairstreak (*Styromidia w-album* Knoch): a National Survey. *Ent. Rec.* 95(7/8):139-140. *{Aug 1983}*
- Peairs, Leonard Marion;**
b. 1886; d. 1956. [Ref: b1946]
b3557 1941 Insect Pests of Farm, Garden, and Orchard. (4th edition). New York, Wiley xvii + 549 pp, ill. *The first edition was by E. Dwight Sanderson.*
- Peerdeman, M. P.;**
b3558 1962 Enige interessante en enige nieuwe vormen van Macrolepidoptera. *Ent. Ber.* 22:41-45, 13 f.
- Pendlebury, Henry Maurice;**
b. 1893, d. 1945 (Bangalore, South India, while en route by air from a POW camp in Singapore to England.
b3559 1933 Notes and new records of butterflies from the Malay Peninsula. *J. Fed. Malay St. Mus.* 17(2):377-401. *{Jul 1933}*
b3560 1936 Some new records of butterflies from the Malay Peninsula. *J. Fed. Malay St. Mus.* 18(1):178-186. *{Dec 1936}*
b3561 1939 Notes on Some new or little-known Malaysian Butterflies. *J. Fed. Malay St. Mus.* 18(3):380-394, 1 pl. *{Dec 1939}*
- Pendlebury, Henry Maurice; Corbet, Alexander Steven;**
b3562 1933 Some Lycaenidae new to the Malay Peninsula. *J. Fed. Malay St. Mus.* 17(2):402-405. *{Jul 1933}*
- Pennington, Kenneth M.;**
b. 1897, d. 1974.
b3563 1940 Notes on early stages and distribution of some rare South African butterflies. *J. ent. Soc. S. Afr.* 3:128-130. *{30 Sep 1940}*
b3564 1946 Notes on some rare South African butterflies. *J. ent. Soc. S. Afr.* 9(1):20-27. *{31 Mar 1946}*
b3565 1948 Two new species of Lycaenidae from South Africa. *J. ent. Soc. S. Afr.* 10(2):164-169. *{31 Mar 1948}*

Pennington, Kenneth M.; (continued)

- b3566 1951 Description of female of *Lepidochrysops swanepoeli* Penn. (Lepidoptera, Rhopalocera) and variation in male. J. ent. Soc. S. Afr. 14(2):148-149. {30 Nov 1951}
- b3567 1952 Notes on the distribution of some South African butterflies. J. ent. Soc. S. Afr. 15(1):90-95. {31 May 1952}
- b3568 1953 New Species and Subspecies and Other Additions to the Butterflies of Southern Africa, together with New Records of Little Known Species. J. ent. Soc. S. Afr. 16:94-111, 2 pls.
- b3569 1956 A new species of *Thestor* Hübner (Lepidoptera - Lycaenidae) from the Western Cape Province and notes on the life history of *Desmolycaena mazoensis* Trimen. J. ent. Soc. S. Afr. 19:33-36, 4 f.
- b3570 1962 Descriptions of a new *Neptis*, new Lycaenidae, and records of rare species and additions to the list of southern African Rhopalocera (Lepidoptera). J. ent. Soc. S. Afr. 25(2):266-286, pl 5-7, 8 f. {30 Sep 1962}
- b3571 1967 A new species of *Lepidochrysops* Hedicke from the South Western Cape Province and a new species of *Poecilmitis* Butler from the North Eastern Cape (Lepidoptera: Rhopalocera, Lycaenidae). Novos Taxa ent. (51):1-9, 8 f.
- b3572 1968 Descriptions of two new species of *Poecilmitis* Butler (Lepidoptera: Lycaenidae). J. ent. Soc. S. Afr. 29:121-123, 8 f. {31 Mar 1968}
- b3573 1968 A new species of *Poecilmitis* Butler (Rhopalocera) from the South Western Cape. Novos Taxa ent. (56):1-8, 2 f.
- b3574 1970 A new species of *Lepidochrysops* Hedicke from the south-western Cape (Lepidoptera, Rhopalocera, Lycaenidae). Ann. Natal Mus. 20(2):377-379, 2 pls.
- b3575 1971 A new species of *Thestor* Hübner (Lepidoptera: Lycaenidae) from the Southern Cape. Novos Taxa ent. (95):1-7, 5 f.

Perceval, M. J.;

- b3576 1972 *Cupido osiris* Meigen (*serbus* Hb.). Observations on the cohabitation of ssp. *serbus* and ssp. *bernardiana* in the French Alps. Ent. Rec. 84(9):215-219. {Sep 1972}

Perkins, Edwin M., Jr.; Emmel, John F.;

- b3577 1971 A new subspecies of *Glaucopteryx lydamus* from California (Lepidoptera: Lycaenidae). Proc. ent. Soc. Wash. 79(3):468-471. {5 Aug 1977}

Perlino, R.;

- b3578 1905 Forme di Lepidotteri esclusivamente italiane. Bergamo, Ist. ital. d'Arti Grafiche :49 or 78 pp, 6 cpl.

Perrier, D.;

- b3579 1957 *Lysandra bellargus* Rott., f. *luteopunctata*, nova. Revue fr. Léop. 16:40.

Perty, Joseph Anton Maximilian;

- b. 17 Sep 1804 (Ornbau, Bayern); d. 8 Aug 1884 (Bern). [Ref: b0717]
- b3580 1830-1834 Delectus animalium articulatum, quae in itinere per Brasiliam annis 1817-1820 jussu et auspiciis Maximiliani Josephi Bavariae regis augustissimi peracto, collegerunt Dr. J. B. de Spix et Dr. C. F. Ph. de Martius; digessit, descripsit et pingenda curavit Dr. M. Perty. Monachii, author :[viii]+iii+44+222 (or 224) pp, 40 cpl (4to). [Ref: b0526] {1830-1834}

Peters, John Victor;

- b3581 1971 A Catalogue of the Type Specimens of the Hesperioidea and Papilionoidea (Lepidoptera) in the Australian Museum. Greenwich, Australian Entomological Press 4to :36 pp.

Peters, W.;

- b3582 1952 A provisional check-list of the butterflies of the Ethiopian region. Feltham, England, E. W. Classey :[7], 9-201 pp (8vo).

Petersen, Wilhelm C.;

- b. 31 May 1854 (Leal, Eastland); d. 3 Feb 1933 (Reval). [Ref: b0718; b0717]
- b3583 1902 Lepidopteren-Fauna von Estland mit Berücksichtigung der benachbarten Gebiete, etc. Reval :217 pp (8vo). A second edition came in 1924.

Pether, William;

- b3584 1927 In Romei, Notes of collecting in Spain in 1925-26 (q.v.). Ent. Rec. 39:136-138. {15 Oct 1927}

Peyer-Imhof, Henri de;

- b. 1838; d. 1877;
- b3585 1863 Catalogue des Lépidoptères d'Alsace avec indication des localités, de l'époque d'apparition et de quelques détails propres à en faciliter la recherche. [1]. Diurnes, etc. Bull. Soc. Hist. nat. Colmar 1861:49-171. *Supplements came in 1885, 1891 and 1894.*
- b3586 1910 Catalogue des Lépidoptères d'Alsace avec indication des localités, de l'époque d'apparition et de quelques détails propres à en faciliter la recherche. [3rd edition]. Bull. Soc. Hist. nat. Colmar (ns)10:-. *The first edition came in 1862-63 and the author died in 1877.*

Pfau, R. Johannes;

- b. 1881, d. 1966.
- b3587 1928 Einige bemerkenswerte Falterfunde aus Pommern. Int. ent. Z. 22(20):193-197, 1 pl, 1 f. {22 Aug 1928}

Pfeiffer, Ernst;

- b. 1893, d. 1955.
- b3588 1927 Ein Beitrag zur Insektenfauna von Kleinasien (Anatolien). (Fortsetzung.). Mitt. münchn. ent. Ges. 17:35-55.
- b3589 1931 *Lycaena ellisoni* spec. nov. Mitt. münchn. ent. Ges. 21:65-67.
- b3590 1932 In Osthelder & Pfeiffer, (q.v.). Mitt. münchn. ent. Ges. 22(1):17-32. [See also: b3526]
- b3591 1937 Notizen über persische Lycaenidae. Mitt. münchn. ent. Ges. 27(1):31-36. {15 Feb 1937}
- b3592 1938 Notizen über persische Lycaenidae (Lepid.). II. Mitt. münchn. ent. Ges. 28(2):188-195, 1 pl. {20 Aug 1938}
- b3593 1938 Notizen über persische Lycaenidae (Lepid.). Berichtigung. Mitt. münchn. ent. Ges. 28(3):195. {1 Dec 1938}

Pfitzner, J. C.; Fargher, R. K.;

- b3594 1976 Butterflies of central Australia. Aust. ent. Mag. 2(6):117-122. {Feb 1976}

Philippi, Rudolph Amando;

- b. 14 Sep 1808 (Berlin); d. 23 Jul 1904 (Santiago, Chile). [Ref: b0718; b0717]
- b3595 1859 Descepcion de Algunas Nuevas Especies de Mariposas Chilenas, Principalmente de La Province de Valdivia. An. Univ. Chile 16(12):1088-1114.
- b3596 1860 Beschreibung einiger neuer Chilenischer Schmetterlinge. Linnaea Ent. 14:265-297.

Pickett, C. P.;

- b3597 1916 *Agriades coridon* var. *roystonensis*. A Reply to Mr. H. B. Williams. Ent. Rec. 28(1):7-8. {15 Jan 1916}

Pictet, Arnold;

- b. 1869; d. 1948. [Ref: b1946]
- b3598 1934 Jules Culot. Mitt. schweiz. ent. Ges. 16(3):129-139, 1 pl. {15 Sep 1934}

Piepers, Murinus Cornelis;

- b. 1836; d. 6 Oct 1919 (Den Haag). [Ref: b0718]
- b3599 1918 In Piepers & Snellen, (q.v.). The Hague :xlv+114 pp, 9 pl. [See also: b3601]

- Plepers, Murinus Cornelis; Snellen, Pieter Cornelius Tobias;**
b3600 1878 Opgave van en Aanteekeningen over Lepidoptera in Zuid-West Celebes Verzameld. Tijdschr. Ent. 21:1-43, 1 pl.
b3601 1918 The Rhopalocera of Java - Erycinidae, Lycaenidae The Hague xv+114 pp, 9 pl.
- Pierret, Alexandre;**
b. 12 Apr 1814 (Paris); d. 27 May 1850. [Ref: b0717]
b3602 1837 Description de trois nouvelles espèces de Lépidoptères. Anns Soc. ent. Fr. [1]6(1):19-23, pl 1, 8 f.
- Pike, E. M.;**
b3603 1980 Origin of tundra butterflies in Alberta, Canada. Quaestiones Entomologicae 16(3/4):555-596.
- Pincitore Marott, Giacomo;**
b3604 1879 Lepidotteri nuovi e rari de Sicilia esistenti nella collezione. G. Sci. nat. econ. Palermo 14:50-54, pl 3, f 14,15.
- Pinhey, Elliot C. G.;**
b3605 1945 Three new species of Cupido from Inyanga, Southern Rhodesia. Proc. Trans. Rhod. Sci. Assoc. 40:61-70.
b3606 1949 Butterflies of Rhodesia with a Short Introduction to the Insect World. Salisbury, Rhodesia Scientific Association :vi + 208 pp, 22 pl.
b3607 1962 New or little-know Lepidoptera from Central Africa. Occ. Pap. natn Mus. Sth. Rhodesia (B)3:871-891, 2 pls, 5 f.
b3608 1969 A new race of Iolau (Hermioloaus) coeculus (Hopffer) (Lepidoptera: Lycaenidae). Arnoldia Rhodesia 4(8):1-4, 3 f. {14 Jan 1969}
- Pinhey, Elliot C. G.; Loe, Ian D.;**
b3609 1977 A Guide to the Butterflies of Central and Southern Africa. London, Causton & Sons :106 pp, 29 cpl, 144 cphotos, etc. (oblong 8vo). Also seen as 'A guide to the Butterflies of Zambia'.
- Pinratana, Amnuay;**
b3610 1981 Butterflies in Thailand Volume 4. Lycaenidae. Bangkok, Viratham Press :viii + 216 pp, 36 cpl.
- Pionneau, Paul;**
b3611 1924 Descriptions de quatre nouvelles aberrations de Rhopalocères français. Échange 37:23.
b3612 1925 Nouveautés Lépidoptérologiques pour la faune Girondine (Deuxième Note). Misc. Ent. 28(8/9):57-58. {6 May 1925}
b3613 1926 Sur quelques Rhopalocères paléarctiques. Échange 42:7-8.
b3614 1927 Sur quelques Rhopalocères paléarctiques. Échange 43:1-12, 14-15.
b3615 1928 Sur quelques Rhopalocères paléarctiques. Échange 44(431):3-4.
b3616 1928 Nouveautés lépidoptérologiques pour la faune girondine. Misc. Ent. 31(5):44-51.
b3617 1931 Sur quelques Rhopalocères paléarctiques. (Suite). Échange 47:7-8, 15-16.
b3618 1936 Sur quelques Rhopalocères paléarctiques. Échange 51:17-19; 52:23-24.
b3619 1937 Sur quelques Rhopalocères paléarctiques. Échange 53:2-3, 10-12.
b3620 1938 Sur une révision des Rhopalocères girondins. Troisième partie. Lycaenidae et Hesperidae. Misc. Ent. 39:45-51.
- Pittaway, A. R.;**
b3621 1980 Butterflies (Lepidoptera) of Qatar, April-June, 1979. Ent. Gaz. 31(2):103-112. {23 May 1980}
- Plötz, Carl;**
b. 1813, d. 12 Aug 1886 (Greifswald). [Ref: b0717; b3321]
- Plötz, Carl; (continued)**
b3622 1880 Verzeichniss der von Prof. R. Buchholz in West-Africa vom 5. Gr. nördl. bis 3 Gr. südl. Breite, auf dem Camerons-Gebirge in ungefährer Höhe von 4000 Fuss und auf dem Insel Fernando-Po, vom August 1872 bis November 1875 - gesammelten Schmetterlinge. Stett. ent. Ztg. 41:189-206, 477-478.
- Poda von Neuhaus, Nicolaus;**
b. 1723, d. 1798. [Ref: b0718]
b3623 1761 Insecta Musei Graecensis, quae in ordines, genera et species juxta Systema Naturae Caroli Linnaei digessit. Widmanstad (Graz?) [viii]+127+[12] pp, 2 (or 12) pls (sm 8vo). Listed as excessively rare by Wheldon & Wesley, who also note that this was the second entomological work to adopt Linnaean nomenclature. Also exists as Thesis. [Ref: b4994 (#166)]
- Poey, Felipe;**
b. 26 May 1799 (Havana); d. 28 Jan 1891 (same). Also as Poey y Aloy, Felipe. [Ref: b0718; b0717; ns00024]
b3624 1832 Centurie de Lépidoptères de l'île de Cuba, contenant la description et les figures coloriées de cent espèces de papillons nouveaux ou peu connus. Paris. 54 pp, 20 pls (Decade 1, [25] Apr 1832, Decade 2, [30] Jul 1832). Reprint by Classey, 1970.
b3625 1851-1861 XIV. Centuria de lepidópteros y catálogo de las mariposas de la isla de Cuba. Obras ya publicadas por el autor de estas memorias, pp 194-200. In: Memorias sobre la historia natural de la isla de Cuba, acompañadas de sumarios latinos y extractos. Habana, Barcina 1:463 pp, 34 pl; 2:442 pp, 19 pl. Came in 8 parts. Rare. According to Lamas, the butterflies came in 1852-1853. [Ref: b3413; b2879] {1851-[1861]}
b3626 1971 Centurie de Lépidoptères de l'île de Cuba, contenant la description et les figures coloriées de cent espèces de papillons nouveaux ou peu connus. [1970 reprint]. Hampton, Middlesex, Classey :xii+4+[54] pp, [20] pls (8vo). {13 May 1971}
- Pontoppidan, Eric;**
b. 24 Aug 1898 (Aarhus); d. 20 Dec 1764 (Kopenhagen). [Ref: b0717]
b3627 1763-1767 Den Danske Atlas. Kjøbenhavn 4to 3 volumes. [Ref: b0564] {1763, 1764, 1767}
- Popesco-Gorj, A.;**
b3628 1948 Contributions à l'étude des Lépidoptères de la région Sinaia et des Monts Bucegi. Notat. biol., Bucharest 6:138-145, 1 pl.
- Poujade, Gustave Arthur;**
*b. * , d. Sep 1909 (Wald von Fontainebleau). [Ref: b0718]*
b3629 1885 Descriptions de Lépidoptères de la province de Mou-Pin (Thibet). Bull. Soc. ent. Fr. (6):cxxxiv-cxxxvi, cxl-cxli, cliv-clv, clviii.
b3630 1885 [Description d'une nouvelle espèce de Lépidoptères, Lycaena opalina]. Bull. Soc. ent. Fr. (6):cxliiii.
- Poulton, Edward Bagnall;**
b. 21 Jan 1856 (Reading); d. 21 Nov 1943 (Oxford). [Ref: b0718; b0717]
b3631 1922 A form of Heodes phlaeas L., in S. W. Uganda. Trans. ent. Soc. Lond. 69(5)(Proc.):lxxxi-lxxxvi. {[13 Apr] 1922}
b3632 1929 In Eltringham et al., African Rhopalocera, (q.v.). Trans. ent. Soc. Lond. 77(2):475-505. [See also: b1588] {31 Dec 1929}
- Powell, H.;**
b3633 1917 Observations biologiques concernant la Lycaenaalcon. Étud. Léop. comp. 14:393-409.
b3634 1917 Dernières observations concernant la chenille de Lycaenaalcon et resume de nos connaissances actuelles. Étud. Léop. comp. 14:415-419.

Powell, H.; (continued)

- b3635 1917 Observations relatives a *Lycaena armoricana*. Étud. Léop. comp. 14:420-460.
 b3636 1918 Compte rendu de la recherche des chenilles de *Lycaenaalcon* a la fin d'aout et pendant les premiers jours de septembre 1918, a Laille et dans la lande des Greles, pres Monterfill (Ille-et-Vilaine). Étud. Léop. comp. 16:273-276.
 b3637 1920 Suite aux observations sur les premiers etats de *Lycaenaalcon*. Étud. Léop. comp. 17:25-44.
 b3638 1920 *Lycaena euphemus*. Étud. Léop. comp. 17:85-173.

Powell, Jerry A.;

b. 23 May 1933 (Glendale, California).

Powell, Jerry A.; Parker, Michael W.;

- b3639 1993 Lange's Metalmark, *Apodemia mormo langei* Comstock. In: T. R. New (editor), Conservation Biology of Lycaenidae (Butterflies). Occ. Pap. IUCN Species Survival Comm. No. 8:116-119.

Pratt, Gordon F.;

- b3640 1994 Evolution of *Euphilotes* (Lepidoptera: Lycaenidae) by seasonal and host shifts. Biol. J. linn. Soc. Lond. 51(4):387-416.

Pratt, Gordon F.; Ballmer, Gregory R.;

- b3641 1986 Clarification of the larval host plant of *Epidemia mariposa* (Lycaenidae) in northern California. J. Lep. Soc. 40(2):127. {23 Oct 1986}
 b3642 1987 The Phenetics and Comparative Biology of *Euphilotes enoptes* (Boisduval) (Lycaenidae) from the San Bernardino Mountains. J. Res. Lep. 25(2):121-135, 3 f, 6 tbl. {21 May 1987}

Preissecker, F.;

- b3643 1906 [Notes on butterflies, with a description of *Lycaena coridon* ab. *seminigra*]. Verh. zool.-bot. Ges. Wien 56:85-88. [See also: b3704]
 b3644 1908 Bespricht unter Vorweisung eine neue Lycaenidenform: *Lycaena coridon* Poda ab. (male) *hafneri* nov. ab. Verh. zool.-bot. Ges. Wien 58:(68)-(69). [See also: b3704]

Preston, June; (editor)

- b3645 1984 Presidential Profile [of Lee Denmar Miller]. News Lep. Soc. 1984(1):1-2. {20 Jan 1984}

Prince, G. B.;

- b3646 1993 The Australian Hairstreak, *Pseudalmenus chlorinda* (Blanchard). In: T. R. New (editor), Conservation Biology of Lycaenidae (Butterflies). Occ. Pap. IUCN Species Survival Comm. No. 8:171-172.

Pringle, E. L.;

- b3647 1983 A New Lycaenid Butterfly from Lesotho, of the genus *Aloeides* Huebner. Ent. Rec. 95(9/10):173-174, 4 f. {Oct 1983}
 b3648 1984 A new species of *Lepidochrysoptis* from the Eastern Cape, South Africa. Ent. Rec. 96(7/8):137-140. {15 Jul 1984}
 b3649 1987 Two new lycaenid butterflies from the Eastern Cape Province. Ent. Rec. 99(1/2):1-6, ill.

Prins, W. de; Poorten, D. van der;

- b3650 1982 Overzicht van het genus *Pseudophilotes* in Europa en Noord-Afrika, met beschrijving van een soort uit Sardinië, nieuw voor de wetenschap. Phegea 10:61-76.

Prittitz, O. F. W. L. von;

- b. *. d. 1873. Type material in Munich, Berlin and Greisswald. [Ref: b2585]
 b3651 1865 Beitrag zur Fauna des Corcovado. Stett. ent. Ztg 26:123-143, 307-325.
 b3652 1867 Lepidopterologisches. Stett. ent. Ztg 28(7-9):257-277.

Prout, Louis Beethoven;

- b. 14 Sep 1864; d. 31 Dec 1943. [Ref: b0718; b0717]
 b3653 1918 New Lepidoptera in the Joicey Collection. Ann. Mag. nat. Hist. (9):1:18-32. {Jan 1918}

Provancher, Léon;

b. 10 Mar 1820 (Becancourt, Quebec); d. 23 Mar 1892 (Cap Rouge, Quebec). [Ref: b0718; b0717]

Provancher, Léon; Huard, Victor A.;

- b3654 1928 Faune entomologique de la province de Québec, sixième ordre, les lépidoptères. Naturaliste Canadien 54(9):202-216. {Mar 1928}

Prüffer, J.;

- b3655 1922 Über neue Aberrationen von *Satyrus briseis* L., *Coenonympha pamphilus* L., *Lycaena bellargus* L., *Ortholitha plumbaria* F., und *Larentia unidentaria* Hw. Amls zool. Mus. polonici Hist. nat. 1:137-141, 1 pl.
 b3656 1923 Materiały do fauny motyli okolic Krakowa. (Polnisch mit französ. Res.). Spraw. Kom. fizyogr. 57:69-78, 2 f.

Prunner, Leonhard von;

- b3657 1798 Lepidoptera Pedemontana illustrata. Turin 8vo 1:52+124 pp. Koçak says "de Prunner". [Ref: ns03840]

Pryer, Henry James Stovin;

- b. 10 Jun 1850 (London); d. 12 Feb 1888 (Yokohama). [Ref: b0718; b0717]
 b3658 1886-1888 Rhopalocera Nihonica: A description of the Butterflies of Japan. Yokohama, Author (1):1-12, pls 1-3 (Nov 1886), (2):13-26, pls 4-6 (Jul 1888). There was a reissue in 1935, with a 15 page supplement by Teizo Esaki. {1886-1888}

Pryer, William Burgess;

- b. 7 Mar 1843; d. 7 Jan 1899 (Port-Said, en route from N. Borneo to England). [Ref: b0718; b1051]
 b3659 1877 Descriptions of new Species of Lepidoptera from North China. Cistula Entomologica 2(18):231-236, pl 4. [Ref: b0526] {20 Nov 1877}

Pryer, William Burgess; Cator, D.;

- b3660 1894 Preliminary List of the Rhopalocera of Borneo. Br. N. Borneo Herald 12:-.

Pujol y Fiol, Don Emanuel;

- b. 1875, d. 1953.
 b3661 1943 Catalogo de Lepidopteros que se encuentran en la zona Norte de los Alrededores de Madrid. Graellsia 1(2):13-28 (Jul); (3):13-28 (Sep); (4):17-30 (Oct); (5):9-29 (Nov), f.

Püngeler, Rudolf;

- b. 15 Feb 1857 (Aachen - Buwtscheid); d. 1 Feb 1927 (Aachen). [Ref: b0718; b0717]
 b3662 1898 Diagnosen neuer Lepidopteren aus Centralasien. Soc. ent. 13(8):57-58. {15 Jul 1898}
 b3663 1901 Neue Macrolepidopteren aus Centralasien. Deut. ent. Zeit. [Iris] 14:177-191, 3 pls.

Puységur, K. de;

- b3664 1948 *Lycaena* (*Heodes*) *dispar* s.sp. *burdigalensis* D. Lucas dans le Lot-et-Garonne. Revue fr. Léop. 11:306-310.

Querci, Orazio;

- b. 1875, d. 1967.
 b3665 1925 Further Notes on *Polyommatus* (*Agriades*) *coridon* and allied species. Ent. Rec. 37(3):37-40. {15 Mar 1925}
 b3666 1932 Contributo alla conoscenza della biologia dei Rhopaloceri Iberici. Trab. Mus. Cienc. nat. Barcelona 14:3-269.
 b3667 1947 News on *Lysandra* of the *coridon* group of species. Ent. Rec. 59(4):46-49. {Apr 1947}

Quick, W. N. B.;

- b3668 1973 Early stages of the "Mountain Blue", *Neolucia hobartensis hobartensis* (Miskin) 1890 (Lepidoptera - Lycaenidae). Victorian Ent. 3(1):9-10.
- b3669 1973 Notes on the early stages of the "Rayed Blue", *Candalides heathi heathi* (Cox) 1873 (Lepidoptera - Lycaenidae). Victorian Ent. 3(1):10-12.
- b3670 1974 Early stages of the butterfly *Narathura araxes eupolis* (Miskin) (Lepidoptera: Lycaenidae). Victorian Ent. 4(2):23-24, ill.

Quick, William Nigel Balcombe;

- b3671 1972 A new race of the butterfly, *Ogyris oroetes*. A new geographical race of the butterfly *Ogyris oroetes* Hewitson, 1862 (Lepidoptera; family Lycaenidae, sub-family Ogyrinae). Victorian Nat. 89(4):107-111, tfs 1-4.

Quickelberge, C. D.;

- b3672 1966 A new species of *Poecilmitis* Butler (Rhopalocera) from the eastern Cape. Novos Taxa ent. (47):1-11, pl.
- b3673 1972 A study of *Poecilmitis phosphor* (Trimen) (Lepidoptera: Lycaenidae). Ent. Rec. 84(4):85-94, f, pl. {Apr 1972 }
- b3674 1972 Notes on *Tarucus bowkeri* (Trimen) (Lepidoptera: Lycaenidae), with a description of a new subspecies. Ent. Rec. 84(10):233-238, f, pl. {Oct 1972 }
- b3675 1979 Systematic Notes on Southern African Butterflies - 3. On the Genus *Capys* Hewitson (Lycaenidae: Lepidoptera), with special reference to *C. alphaeus* (Cramer) including the description of a new subspecies. Durban Mus. Novit. 12(2):19-26, 1 f. {1 Mar 1979 }
- b3676 1979 A revision of *Lepidopchrysops cupreus* (Neave) (Lepidoptera: Lycaenidae) with descriptions of two new species from Malawi. Durban Mus. Novit. 12(6):63-72, 2 f, 1 pl. [Ref: b1610 (855-E12)] {1 Sep 1979 }
- b3677 1980 A new species of *Lepidopchrysops* Hedicke (Lepidoptera: Lycaenidae) from the Nyika Plateau, Malawi. Durban Mus. Novit. 12(11):139-142, 2 f. [Ref: b1610 (124-E12)] {1 Apr 1980 }
- b3678 1980 Systematic Notes on Southern African Butterflies - 4. Phenetic variation in *Phasis clavum* Murray (Lepidoptera: Lycaenidae). Durban Mus. Novit. 12(16):181-186, 2 f. {1 Nov 1980 }
- b3679 1981 Systematic Notes on Southern African Butterflies - 5. On the Natal populations of *Durbania amakosa* Trimen with descriptions of two new subspecies. Durban Mus. Novit. 12(19):215-222. {1 Apr 1981 }
- b3680 1984 A new species of *Axiocerces* Huebner (Lycaenidae: Lepidoptera). Durban Mus. Novit. 13(19):239-243. {Dec 1984 }

Quickelberge, C. D.; McMaster, J. C.;

- b3681 1970 A new species of *Thestor* Hübner (Lepidoptera: Lycaenidae) from the Eastern Cape Province, South Africa. Ent. Rec. 82(12):319-323, 1 f, 4 pls. {Dec 1970 }

R. L.;

- Author of the genus *Aricia*. Perhaps Revel deLabrouise, or Ludwig Reichenbach, but no proof has been offered! Until such time it seems best to stick with R. L. [Ref: b1065]
- b3682 1817 [Book Review]. Jena. Allgem. Lit.-Zeit. 14(1):280. Perhaps this is Revel deLabrouise (FMB, pc). Kocak attributes it to Reichenbach. Cowan, however, points out that no one has produced any proof. [Ref: b0527; b2794; b1065]

Raubaud, Élienne;

- b3683 1909 Sur l'homochromie de la chenille de *Lycaena astrache* Bgstr. (Lep. Rhop.). Bull. Soc. ent. Fr. 1909(8):149-152. {6 Jun 1909 }

Radigue, Francois;

- b3684 1983 Quelques compléments au "Macrolepidopteres de Normandie" du Dr. Marcel Laine. Nouvelles especes dans le departement de l'Orne. [Some complementary data on the Macrolepidoptera of Normandy of Dr. Marcel Laine: New species in the Department of Orne, France]. Alexonor 12(7):261-265. {30 Jan 1983 }

Rafinesque, Constantin Samuel;

- b. 22 Oct 1783 (Galata); d. 18 Sep 1840 (Philadelphia). [Ref: b4692; b0718; b0717]
- b3685 1815 Analyse de la nature ou tableau de l'univers et des corps organisés. Palermo 8vo :[1-4], 5-224 pp, portrait. Kocak gives the name as Rafinesque-Schmalz. [Ref: b1023; b1045]

Ragusa, Emile Enrico;

- b. 29 Aug 1849 (Palermo); d. 19 Sep 1924 (same). [Ref: b0717]
- b3686 1882 Note su alcuni Lepidotteri Siciliani. Naturalista sicil. 1:36-38, pl 3, f 1-3.
- b3687 1919 Elenco dei Lepidotteri di Sicilia. Naturalista sicil. 23:27-61; (7-12):144-178.

Rambur, Jules Pierre;

- b. 21 Jul 1801 (Ingrandes, Indre-et-Loire); d. 10 Aug 1870 (Genf.). Cowan calls him Pierre Jules. [Ref: b0718; b0717; b1025; b2307; b3321]
- b3688 1837-1840 Faune entomologique de l'Andalousie. Paris, Bertrand 1:144 pp, pls 1,2,19,20; 2:336 pp, pls 1-12,14,15,17,18 (8vo) (in 5 parts). (1) (1837) 1:1-80, pls 1,2; 2:pls 14,15,18. (2) [1838] 1:81-144, pl 19; 2:1-16, pls 1-4. (3) [1838] 1:pl 20; 2:17-96, pls 6,7,9,11. (4) [1839] 2:97-176, pls 5,8,10,12,17. (5) [1840] 2:177-336. Reissue, Paris :144+304 pp (fide Evans, 1937). [Ref: b0527] {1837-[1840]; 1842 }
- b3689 1858-1866 Catalogue systématique des Léidoptères de l'Andalousie Paris, J. B. Baillière 8vo 1ix+412 pp, cpls 1-22. {1858-1866 }

Ramos, Stuart M.;

- b3690 1977 Review: A Field Guide to the Butterflies of the West Indies, by Norman D. Riley. J. Lep. Soc. 31(3):215-216. {16 Sep 1977 }

Rangnow, R.;

- b3691 1935 Neue Lepidopteren aus Lappland. Ent. Rundsch. 52:133-136, 175-176, 188-191, 202-205, 223-224, 233-234; 53:21-22, 36, f.

Rasmussen, H. A.;

- b3692 1944 Sommerfugle-Nyt fra Mols. Flora og Fauna 50:134-137, 8 f.

Rawson, George William;

- b3693 1948 A New Subspecies of *Lycaena epixanthe* Boisduval & LeConte with Comments on the Identity of Typical *epixanthe* (Lepidoptera, Lycaenidae). J. New York ent. Soc. 56(1):55-62. {24 Apr 1948 }

Rawson, George William; Ziegler, Benjamin;

- b3694 1950 A new species of *Mitoura* Scudder from the Pine Barrens of New Jersey (Lepidoptera, Lycaenidae). J. New York ent. Soc. 58(2):69-82, f 1,2, pl 9, 10. {23 Jun 1950 }

Rayward, A. I.;

- b3695 1906 Larvae of *Lycaena bellargus* and their association with ants. Ent. Rec. 19:108-110.

Reakirt, Tryon;

- b. 1844, d. 1872 or early 1873. [Ref: b0502; b0718; b0533]
- b3696 1866 Coloradian butterflies. Proc. ent. Soc. Philad. 6(1):122-151, f 1, pl 1. {Jun 1866 }
- b3697 1866-1867 Descriptions of some new species of diurnal Lepidoptera. Proc. Acad. nat. Sci. Philad. 18:238-249 (1866), 331-342 (1867). [Ref: b3192] {1866-[1867] }

Reakirt, Tryon; (continued)

b3698 1868 Descriptions of some new species of diurnal Lepidoptera. Proc. Acad. nat. Sci. Philad. 20:87-91.

Rebel, Hans;

- b. 1861, d. 1940. [Ref: b0718; b0717]
 b3699 1898 Fossile Lepidopteren aus der Midcän formation von Gabbro. Sber. Akad. Wiss. Wien 107:731-745, cpl 1.
 b3700 1901 Über einige neue von Herrn Max Korb in Westasien gesammelte Lepidopteren-formen. Anln naturh. Mus. Wien 16:165-169.
 b3701 1902 [Descriptions]. In Rebel et al., (q.v.). Berl. ent. Z. 46(2/3):290-304. [See also: b3715]
 b3702 1902 Lepidopteren aus Morea, gesammelt von Herrn Martin Holtz im Jahre 1901. Berl. ent. Z. 47:83-110, 5 ff.
 b3703 1906 Lepidopteren aus dem Gebiete des Triglav und der Crna Prst in Krain. [1]. Jber. Wien. ent. Ver. 16:53-73.
 b3704 1906 Bericht der Sektion für Lepidopterologie. Verh. zool.-bot. Ges. Wien 56:78-88, 2 f.
 b3705 1908 Bericht der Sektion für Lepidopterologie. Verh. zool.-bot. Ges. Wien 58:(155)-(160).
 b3706 1909 In Berge, K. F., Die Schmetterlingsbuch (ed. 9), (q.v.). [See also: b0304] [Ref: b2980]
 b3707 1911 Eine neue Lycaenidenform aus Südungarn. Ent. Zeit. 25(34):191. [18 Nov 1911]
 b3708 1911 Neue Tagfalter aus Zentralafrika (Expedition Grauer). Anln naturh. Mus. Wien 24:409-414, pls 13,14.
 b3709 1912 [Untitled note]. Verh. zool.-bot. Ges. Wien 62:(218)-(221).
 b3710 1914 Wissenschaftliche Ergebnisse der Expedition R. Grauer nach Zentralafrika, Dezember 1909 bis Februar 1911. Lepidoptera. Anln naturh. Mus. Wien 28:219-294, pl 17-24.
 b3711 1914 Bericht der Sektion für Lepidopterologie Verh. zool.-bot. Ges. Wien 64:(147)-(201), f.
 b3712 1920 [Description of *Lycaena* hybr. *meledamon* (=meleager x damon)]. Verh. zool.-bot. Ges. Wien 70:(75)-(77), f 1-6.
 b3713 1926 Lepidopteren von der Balearica. Balearic Islands; Deut. ent. Zeit. [Iris] 40:135-146.

Rebel, Hans; Rogenhofer, Alois Friedrich;

b3714 1894 Insekten aus Deutsch Ost-Africa. In Baumann, O., 1894, Durch Massailand zur Niquelle, etc. Berlin :323-341 (Lepidoptera). [See also: b0269]

Rebel, Hans; Weymer, Gustav; Stüchel, Hans;

b3715 1902 Von ihrer Königl. Hoheit der Prinzessin Therese von Bayern auf einer Reise in Südamerika gesammelte Insekten, III Lepidopteren. Beschreibung der neuen Arten und Varietäten und einiger bisher mangelhaft beschriebener Arten. Berl. ent. Z. 46(2/3):290-308, pls 4,5.

Rebel, Hans; Zerny, Hans;

b3716 1932 Die Lepidopterenfauna Albanien (mit Berücksichtigung der Nachbargebiete). Albania; Denkschr. K. Akad. Wiss. Wien 103:37-161, 1 pl, 1 map, 10 f.

Rebillard, Pierre;

b. 1900, d. 1974. [Ref: b4873]
 b3717 1958 Contribution à la connaissance des Riodinidae Sud-américains (Insectes Lépidoptères). Mém. Mus. natn Hist. nat. (A)15:135-215, frontisp, 10 pls.

Reed, Edwyn Carlos;

b. 7 Nov 1841 (Bristol, England); d. 5 Nov 1910 (Concepcion). [Ref: b0718; b0717]
 b3718 1877 Una Monografia de las Mariposas Chilenas. An. Univ. Chile 49:647-736, ill. There is a repaginated separate. Not listed in Derksen et al. Volume could be 51. [Ref: b1203; b1062] [Sep 1877]

Rehous, M.;

b3719 1918 *Everes argiades* Pall., *polysperchon* Bgstr., *myrindon* Engramelle et *alcetas* Hb. Bull. Soc. Léop. Genève 4:42-52.

Reiff, William;

b3720 1913 Some New Forms of Lepidoptera from Massachusetts. Ent. News 24(7):305-310, ill. [30 Jun 1913]

Reinhardt, R.; Troeger, G.;

b3721 1970 Ein neuer Fundort von *Lycaena amandus* Schm. in Sachsen. Ent. Nachr. (Dresden) 14:29-30.

Reist, James D.;

b3722 1980 *Callophrys niphon* (Lycaenidae) in Alberta with Notes on the Identification of *C. niphon* and *C. eryphon* J. Lep. Soc. 33(4):248-253, 5 f. [8 Apr 1980]

Remington, Charles Lee;

b. 1922 (Redville, Virginia).
 b3723 1980 Harry Kendon Clench, in the Founding of the Lepidopterists' Society. J. Lep. Soc. 34(2):98-100. [23 Sep 1980]

Retzius, Andreas Johann;

b. 3 Oct 1742 (Christianstadt); d. 6 Oct 1821 (Stockholm). [Ref: b0718; b0717]
 b3724 1783 Caroli De Geer genera et species insectorum et generalissimi auctoris scriptis extraxit, digessit, latine quand. partem reddidit, et terminologiam insectorum Linneanam addidit. Lipsiae, Cruse [or] Siegfried Lebrecht 8vo vi+220+32 pp.

Reuter, Enzo Rafael;

b. 30 Mar 1867 (Abo); d. 11 Feb 1951 (Helsingfors).
 b3725 1896 Über die Palpen der Rhopaloceren. Acta Soc. Sci. fenn. 22(1):xvi+588 pp, 6 pls. Helsingfors. Date may be 1897.

Reverdin, Jacques Louis;

b. 1842, d. 1929. [Ref: b0718; b0717]
 b3726 1906 Aberrations de Lépidoptères. Bull. Soc. Léop. Genève 1:170-175, 1 pl.
 b3727 1909 Aberration de Lycaenides. Bull. Soc. Léop. Genève 1:371-375.
 b3728 1910 *Agriades coridon* var. *constantii*, generatio *praecox*. Ent. Rec. 22(3):60-61. [15 Mar 1910]
 b3729 1914 *Lycaena corydon* Poda, var. *constantii* et aberrations diverses. Bull. Soc. Léop. Genève 3(1):32-37, pl 5. [Aug 1914]
 b3730 1917 *Lycaena alexis* Poda (=cyllarus Rot.) aberrations prises à Baumroche. Bull. Soc. Léop. Genève 3:189-192, pl 9.
 b3731 1917 Note sur l'armature genitale male chez *Lycaena argus* L. et ses varietes. Étud. Léop. comp. 14:17-30.
 b3732 1918 Aberrations de Lépidoptères. Bull. Soc. Léop. Genève 4(1):39-41. [May 1918]
 b3733 1924 Communications. [Description of *Lycaena coridon* ab. nov. *guedati*]. Bull. Soc. Léop. Genève 5:63.

Rézbányai, L.;

b3734 1981 *Agriades glandon centrohelvetica* ssp. nova aus den zentralschweizer Nordalpen (Lepidoptera, Lycaenidae). Ent. Ber. Luzern No. 6:98-103.

Rézbányai, Ladislaus;

b3735 1978 *Maculinea arion buholzeri* ssp. nova und das *arion*-Problem in der Zentralschweiz. Mitt. schweiz. ent. Ges. 51(4):399-406.

Rhé Philipe, G. W. V. de;

b3736 1911 Notes on some Butterflies from the Indian Region. J. Bombay nat. Hist. Soc. 20(3):753-769. [31 Jan 1911]

Ribbe, Carl;

b. 12 Nov 1860 (Berlin); d. 27 Aug 1934 (Radebeul b. Dresden). [Ref: b0718; b0717]
 b3737 1889 Beiträge zur Lepidopteren-Fauna von Gross-Ceram. Deut. ent. Zeit. [Iris] 2(2):187-265, pl 5.

Ribbe, Carl; (continued)

- b3738 1899 Beiträge zur Lepidopteren-Fauna des Bismarck- und Salomon- Archipels in der Süd-See. Deut. ent. Zeit. [Iris] 12:219-260, 2 f, cpl 4.
- b3739 1900 Neue Lepidopteren von Ceram. Niederländisch-Ostindien. Deut. ent. Zeit. [Iris] 13:334-337.
- b3740 1905 Einige neue Formen von Schmetterlingen aus Andalusien. Soc. ent. 20(18):137-138. [15 Dec 1905]
- b3741 1909-1912 Beiträge zu einer Lepidopteren-Fauna von Andalusien (Süd-Spanien). Macrolepidopteren. Deut. ent. Zeit. [Iris] 23(1/2):1-395, 2 pls. [1909-1912]
- b3742 1926 Neue Lycaenenformen, hauptsächlich von Celebes. Ent. Mit. 15(1):78-91.

Richardson, John;

- b3743 1837 Fauna Boreali-Americana; or the Zoology of the Northern Parts of British America: containing descriptions of the objects of Natural History Collected on the late Northern Land Expeditions, under command of Captain Sir John Franklin, R.N. Norwich, England, Josiah Fletcher (4 parts):v-xxxix, 1-325, cpl 1-8, page i (errata). The title lists William Swainson and Reverend William Kirby (assisted by). Kirby did the fourth part (Insects). [Ref: b1947]

Riley, Norman Denbigh;

- b. 26 Sep 1890 (London, England), d. 26 May 1979. [Ref: b2376]
- b3744 1919 Some new Rhopalocera from Brazil collected by E. H. W. Wickham, Esq. Entomologist 52:181-186, 200-202.
- b3745 1920 A note on Dutch *Chrysophanus dispar* Haw. Entomologist 53:10.
- b3746 1920 A new *Arhopala* (Lep. Lycaenidae) from Ceylon. Entomologist 53:97. [Ref: b0524]
- b3747 1921 Some undescribed Rhopalocera from Mesopotamia and N. W. Persia, and other notes. Ann. Mag. nat. Hist. (9)8:590-600. [Nov 1921]
- b3748 1921 A new form of *Tajuria* (Lep. Rhop.) from Ceylon. Entomologist 54:206. [Ref: b0524]
- b3749 1922 Notes on the Rhopalocera of the Dollman Collection. Trans. ent. Soc. Lond. 69(3/4):234-258, pls 4-7. [28 Jan 1922]
- b3750 1922 Notes on the Generic names of Indian Theclinae and Amblyodiinae. J. Bombay nat. Hist. Soc. 28(2):465-473. [Mar 1922]
- b3751 1922 Some undescribed Rhopalocera in the British Museum (Nat. Hist.). II. Entomologist 55(11):250-252. [Nov 1922]
- b3752 1922 The genus *Amblypodia* auctorum (de Nicéville, Moore, Swinhoe, etc.), nec Horsfield. Entomologist 55:25-29, 51-53.
- b3753 1922 A new *Arhopala* (Lep. Lycaenidae) from Ceylon. Spolia Zeylanica 12:210-211. [Ref: b0524]
- b3754 1923 The Rhopalocera of the Mt. Everest 1921 Expedition. Trans. ent. Soc. Lond. 70(3/4):461-483, 2 pls. [17 Feb 1923]
- b3755 1923 New Rhopalocera from Borneo. Entomologist 56:35-38.
- b3756 1923 Two undescribed Rhopalocera from Ceylon. Spolia Zeylanica 12:323-326.
- b3757 1924 A new lycaenid butterfly from Costa Rica. Entomologist 57:88-89. [Apr 1924]
- b3758 1925 A new Moroccan Subspecies of *Cigariis zohra* (Lep. Lycaenidae). Entomologist 58:270. [Nov 1925]
- b3759 1925 The species usually referred to the genus *Cigariis* (Lep. Lycaenidae). Novit. zool. 32:70-95, 13 f.
- b3760 1926 Entomological Notes on a Tour of the Kumaon-Tibet Border in 1924 by H. G. Champion, M.A., F.E.S. with descriptions of three new Rhopalocera. Ent. mon. Mag. 62:271-279, pls 2,3. [Dec 1926]

Riley, Norman Denbigh; (continued)

- b3761 1927 A new form of *Talicauda nyseus*, Guer. (Lep. Lycaenidae). Entomologist 60:59. [Mar 1927]
- b3762 1927 The Rhopalocera of the Third Mount Everest Expedition (1924). Trans. ent. Soc. Lond. 75(1):119-129. [18 Jul 1927]
- b3763 1927 The Oberthür Collection. Entomologist 60:136-138.
- b3764 1927 A new European lycaenid: *Cupido arcilacis*. Entomologist 60:269-276, pls 6-7. [Dec 1927]
- b3765 1928 Descriptions of two new Lycaenidae in the British Museum. Entomologist 61:187-188. [Aug 1928]
- b3766 1928 *Cupido carswelli* Stempffer = *Cupido arcilacis* Riley. Entomologist 61:38, 91.
- b3767 1928 Notes on *Iolaus*, *Argiolaus* and related genera, with descriptions of new species, subspecies and a new genus. (Lep., Lycaenidae). Novit. zool. 34:374-394, ill.
- b3768 1928 In Riley & Poulton, (q.v.). Trans. ent. Soc. Lond. 76(2):453-468. [See also: b3792] [31 Dec 1928]
- b3769 1929 Revisional notes on the genus *Heliophorus* with descriptions of new forms. J. Bombay nat. Hist. Soc. 33(2):384-402. [15 Feb 1929]
- b3770 1929 *Cupido carswelli*. Entomologist 62:137, 285.
- b3771 1929 The re-introduction into Britain of *Chrysophanus dispar*. Entomologist 62:169.
- b3772 1929 In Eltringham et al., African Rhopalocera, (q.v.). Trans. ent. Soc. Lond. 77(2):475-505. [See also: b1588] [31 Dec 1929]
- b3773 1932 New African and Arabian butterflies. Ann. Mag. nat. Hist. (10)10:137-152, pls 8,9. [Aug 1932]
- b3774 1932 Descriptions of new Siamese Rhopalocera. J. nat. Hist. Soc. Siam Suppl. 8:249-254, 1 pl.
- b3775 1932 Revisional notes on the genera *Abisara* and *Saribia* (Lep., Riodinidae), with descriptions of new species and subspecies. Novit. zool. 37:181-188, ill.
- b3776 1934 A new Palaearctic Lycaenid Butterfly. Entomologist 67:85-86, f. [Apr 1934]
- b3777 1938 Descriptions of New or Little Known South African Rhopalocera (Lepidoptera). Trans. R. ent. Soc. Lond. 87(10):233-244. [Sep 1938]
- b3778 1939 Notes on Oriental Theclinae (Lep. Lycaenidae) with descriptions of new species. Novit. zool. 41:355-361.
- b3779 1942 New Lycaenidae from the Malay peninsula. Entomologist 75:88-89.
- b3780 1943 A new African Lycaenid butterfly. Entomologist 76:225-226.
- b3781 1944 Two new South African Lycaenidae. Entomologist 77:28-29, 2 f.
- b3782 1945 Spolia Mentawiensia: Rhopalocera, Lycaenidae and Riodinidae. Trans. R. ent. Soc. Lond. 94(2):247-271, 2 pls. [Jan 1945]
- b3783 1954 A new species of *Thestor* (Lepidoptera: Lycaenidae) from South Africa. Entomologist 87:97-102, 1 pl, 1 f. [3 Sep 1954]
- b3784 1958 The Genera of Holarctic Theclinae: A Tentative Revision. Proc. Int. Congr. Ent. 10(Montreal)1:281-288.
- b3785 1966 *Scoptes Hübner* v. *Capys* Hewitson 1864 (Lepidoptera, Lycaenidae) a case of a forgotten name. Bull. Zool. Nomen. 23(4):165. [14 Oct 1966]

Riley, Norman Denbigh; Corbet, Alexander Steven;

- b3786 1938 A Revision of the Malayan Species of *Jamides* Hübner (Lepidoptera: Lycaenidae). Trans. R. ent. Soc. Lond. 87(5):147-159. [15 Jun 1938]

Riley, Norman Denbigh; Godfrey, Edward John;

- b3787 1921 Some undescribed Rhopalocera from Siam. J. nat. Hist. Soc. Siam 4(3):167-190, pl 4-7. [Ref: b1037]

- Riley, Norman Denbigh; Godfrey, Edward John; (continued)
 b3788 1925 New Rhopalocera from Siam and Hainan. Entomologist 58:140-143, pl 3, 7 f. {Jul 1925 }
- Riley, Norman Denbigh; Higgins, Lionel George;
 b3789 1969 *Papilio sebrus* Hübner 1824/26 (Lepidoptera, Lycaenidae): a proposed suppression. Bull. Zool. Nomen. 26(1):37-38. {12 May 1969 }
- b3790 1969 *Papilio saportae* Hübner 1828/32 (Lepidoptera, Lycaenidae): a proposed suppression. Bull. Zool. Nomen. 26(2):95-96. {8 Aug 1969 }
- b3791 1971 *Papilio actaeon* Fabricius 1775 v. *Papilio acteon* von Rottemburg 1775 (Lep. Rhopalocera). Z.N.(S.) 1937. Bull. Zool. Nomen. 28(1/2):53-55. {10 Aug 1971 }
- Riley, Norman Denbigh; Poulton, Edward Bagnall;
 b3792 1928 The Rhopalocera of the "St. George" Expedition from French Oceania. Trans. ent. Soc. Lond. 76(2):453-468, tbl, fts 1,2, pl 21, f 12,13. {31 Dec 1928 }
- Riley, Norman Denbigh; Tams, W. H. T.;
- b3793 1924 Rhopalocera. Zool. Rec. 58(1921)(Ins.):167-176.
 b3794 1925 Rhopalocera. Zool. Rec. 59(1922)(Ins.):294-305.
 b3795 1925 Rhopalocera. Zool. Rec. 60(1923)(Ins.):217-227.
 b3796 1925 Rhopalocera. Zool. Rec. 61(1924)(Ins.):179-189.
- Rindge, Frederick Hastings;
 b. 1 Jan 1921 (Los Angeles, California).
 b3797 1959 Buchholz collection obtained by American Museum of Natural History. Lep. News 12(5-6):208. {30 Apr 1959 }
- b3798 1971 Van Someren butterfly collection to the American Museum of Natural History. J. Lep. Soc. 25(2):143. {19 May 1971 }
- b3799 1987 Obituary: Cyril Franklin dos Passos (1887-1986). J. New York ent. Soc. 95(3):459-460. {8 Oct 1987 }
- Rindge, Frederick Hastings; Comstock, William Phillips;
 b3800 1953 An unnamed Lycaenid from Trinidad (Lepidoptera). J. New York ent. Soc. 61(2):99-100. {Jun 1953 }
- Riotte, Jules Charles Emile;
 b. 22 Apr 1901 (Europe).
- Riotte, Jules Charles Emile; Uchida, G.;
- b3801 1979 Butterflies of the Hawaiian Islands according to the stand of late 1976. J. Res. Lep. 17(1):33-39, 2 pl. {[7 Dec 1979]}
- Rivers, James John;
 b. 6 Jan 1824 (Winchester, England); d. 16 Dec 1913 (Santa Monica, California). [Ref: b0718; b0717]
 b3802 1902 Discovery of Another Food Plant of *Uranotes* (*Thecla*) *melinus*, Hub. Bull. S. Calif. Acad. Sci. 1(4):41-42. {3 Apr 1902 }
- Rivertgat, P.;
- b3803 1914 Description d'une nouvelle variété de *Callophrys rubi* (Lep. Lycaenidae). Bull. Soc. Hist. nat. Afr. N. 5(6):154-155, 4 f. {15 Jun 1914 }
- Robbe, Henri;
 b3804 1892 Lépidoptères du Congo. Description de deux nouvelles espèces et deux nouvelles variétés. Anns Soc. ent. Belg. 36:132-134.
- Robbins, Robert Kanner;
 Bibliography kindly supplied by author.
 b3805 1985* [Letter to Bridges. Notes on the Bibliography on and Nomenclature of the Lycaenidae, with some corrections and suggestions for a catalogue]. Washington, D.C. :2 pp. {17 Oct 1985 } [*Unpublished]
 b3806 1986* [Letter to Bridges. Notes on the Eumaeini]. Washington, D.C. :2 pp. {17 Apr 1986 } [*Unpublished]
- Robbins, Robert Kanner; (continued)
 b3807 1986* [Letter to Bridges. Notes on two Eumaeini]. Washington, D.C. :2 pp. {18 Apr 1986 } [*Unpublished]
 b3808 1986* [Letter to Bridges. Notes on *Papilio ethemon* Cramer]. Washington, DC :1 pp. {22 Apr 1986 } [*Unpublished]
 b3809 1986* [Letter to Bridges. Notes on the Eumaeini]. Washington, DC :1 pp. {15 Aug 1986 } [*Unpublished]
 b3810 1987 Evolution and identification of the New World hairstreak butterflies (Lycaenidae: Eumaeini): Eliot's *Trichonis* section and *Trichonis* Hewitson. J. Lep. Soc. 40(3):138-157, 8 f. {23 Jan 1987 }
- b3811 1987* [Letter to Bridges. Notes on the Eumaeini]. Washington, DC :1 pp. {23 Jun 1987 } [*Unpublished]
 b3812 1988 Logic and phylogeny: a critique of Scott's phylogenies to the butterflies and Macrolepidoptera. J. Lep. Soc. 41(4):214-216, 4 f. [Ref: b4067] {5 Jan 1988 }
- b3813 1988 Comparative morphology of the butterfly foreleg coxa and trochanter (Lepidoptera) and its systematic implications. Proc. ent. Soc. Wash. 90(2):133-154, 53 f. {29 Apr 1988 }
- b3814 1988 Male foretarsal variation in Lycaenidae and Riodinidae, and the Systematic Placement of *Styx infernalis* (Lepidoptera). Proc. ent. Soc. Wash. 90(3):356-358, 36 f. {20 Jul 1988 }
- b3815 1988* [Letter to Bridges. Notes on *Theclopsis*, and in particular, *Theclopsis murex*]. Washington, DC :1 pp. {1 Nov 1988 } [*Unpublished]
 b3816 1990 The *Miocoura spinetorum* complex in New Mexico and the validity of *M. millerorum* (Lycaenidae: Theclinae). J. Lep. Soc. 44(2):63-76, ill.
 b3817 1991 Evolution, comparative morphology and identification of the eumaeine butterfly genus *Rekoa* Kaye (Lycaenidae: Theclinae). Smithsonian Contr. Zool. (498):i-iii, 1-64, ill.
- Robbins, Robert Kanner; Small, Gordon B., Jr.;
- b3818 1981 Wind Dispersal of Panamanian Hairstreak Butterflies (Lepidoptera: Lycaenidae) and its Evolutionary Significance. Biotropica 13(4):308-315. {Dec 1981 }
- Robbins, Robert Kanner; Venables, B. Adrienne B.;
- b3819 1991 Synopsis of a new Neotropical hairstreak genus, *Janthecla*, and description of a new species. J. Lep. Soc. 45(1):11-33, ill.
- Röber, Johannes Karl Max;
 b. 6 Mar 1861 (Döbeln); d. 28 Nov 1942 (Dresden?). Most of his collection was destroyed during WWII, but some of his types are in the Ribbe collection.
 b3820 1886 Neue Tagschmetterlinge der Indo-Australischen Fauna. CorrespBl. ent. Ver. Iris 1(1):45-72, pls 2-5. {[1886]}
 b3821 1887 Neue Schmetterlinge aus Indien. CorrespBl. ent. Ver. Iris 1(4):185-202, pls 7-9.
 b3822 1888-1892 [In Staudinger & Schatz, Exotische Schmetterlinge Teil 2, Bd 1 & 2. Die Familien und Gattungen der Tagfalter [q.v.]. Röber was responsible for pp 137 on, plate 27 on. Schatz started the work in 1885. See Moulds for notes on dating. [See also: b4329; b3946] [Ref: b1051; b1053; b3256] {1888-1892 }
 b3823 1891 Beitrag zur Kenntniss der Indo-Australischen Lepidopteren fauna. Tijdschr. Ent. 34(3/4):261-334.
 b3824 1895 Neue Eryciniden. Ent. Nachr. 21:149-151.
 b3825 1897 Neue Schmetterlinge aus Java. Ent. Nachr. 23:5-7.
 b3826 1897 Neue Schmetterlinge aus Celebes und Java. Ent. Nachr. 23:99-101.
 b3827 1897 Die Schmetterlings-Fauna des Taurus. Ent. Nachr. 23:257-288.
 b3828 1900 Neue Schmetterlinge. Ent. Nachr. 26:199-204.
 b3829 1903 Lepidopterologisches. Stett. ent. Ztg 64:337-358.

Röber, Johannes Karl Max; (continued)

- b3830 1904 Neue Schmetterlinge. Soc. ent. 19(14):105-106. [15 Oct 1904]
 b3831 1908-1924 Die amerikanischen Tagfalter. Pieridae, Nymphalidae (part), etc. In Seitz, Grossschmett. Erde 5:53-1026 (nc). [1908-1924]
 b3832 1923 Neue Schmetterlinge. Ent. Mitt. 12:57-59.
 b3833 1923 Neue Schmetterlinge usw. Stett. ent. Ztg. 84:94-96.
 b3834 1925 Synonymisches. Stett. ent. Ztg. 86:175-176. [Aug 1925]
 b3835 1926 Lepidopterologisches (1), (2). Ent. Mitt. 15:226-230, 372-377.
 b3836 1926 Neue tropische Falter. Ent. Rundsch. 43:13,18,22-23,26-27,32, f.
 b3837 1927 Neue exotische Falter. Int. ent. Z. 20:400-403, 412-414, 419-421, 428-430, 1 pl; 21:97-100, 105-107, 1 f.
 b3838 1931 Neue exotische Falter. Int. ent. Z. 24(37/38):389-393, 6 f. [8 Jan 1931]

Robertson, T. S.; Young, L. D.;

- b3839 1982 The inheritance and development of spot-pattern variation in the Adonis Blue butterfly, *Lysandra bellargus* (Rottemburg) (Lepidoptera: Lycaenidae). Ent. Gaz. 33(2):83-96, ill. [31 Aug 1982]

Robinson, Coleman Townsend;

- b. 1838, d. 1872. [Ref: b1946; b0717]

Rocca, Luigi;

- b3840 1950 Appunti critici su "Lepidoptera pedemontana" de L. de Prunner. [Critical notes on de Prunner's "Lepidoptera Pedemontana"]. Boll. Soc. ent. ital. 80:82-88.

Rocci, Ubaldo;

- b. 1885, d. 1943. [Ref: b0718]
 b3841 1923 Note de Lepidopterologia. Memorie Soc. ent. ital. 2:5-12.

Roche, Patrick;

- b3842 1954 Revisional Notes on the Genus *Epitola* Westwood (Lepidoptera: Lycaenidae). Bull. Br. Mus. nat. Hist. (Ent.) 3:489-501, ill. [Dec 1954]

Roepke, Walter Karl Johann;

- b. 1882, d. 1961. *Collection to Dutch Rijksmuseum van Natuurlijke Historie, Leiden.*
 b3843 1919 Het Orchideeën-blauwtje (*Chliaria dendrobii*). Teysmannia 30:115-121, 1 pl.
 b3844 1921 Eine neue *Dodona* aus dem West-Javanischen Hochgebirge: *Dodona aponata vanleeuwenii* Treubia 2:84-88, 1 pl.

Rogenhöfer, Alois Friedrich;

- b. 22 Dec 1831 (Wien); d. 15 Jan 1897 (Wien). [Ref: b0717; b3321]
 b3845 1891 Schmetterlinge gesammelt von Dr. O. Baumann. In Baumann. Usambara und seine Nachbargebiete, etc. Anhang III, pp. 321-332.

Rojas, E. U.;

- b3846 1964 Catalogo de Lepidopteros de Chile. Boln Mus. nac. Hist. nat. Chile 28(2):67-140, intro and index.

Romanoff, Nikolai Mikhailovich Grossfürst;

- b. 1859; d. 1919. *Grand Duke of Russia.*
 b3847 1884-1901 Mémoires sur les Lépidoptères. St. Petersburg 9 volumes. [1884-1901]

Romel, E.;

- b3848 1927 Notes of Collecting in Spain in 1925-1926. Ent. Rec. 39:107-109, :127-129 (15 Sep), :136-138. [15 Sep 1927]
 b3849 1927 Contribuzione alla conoscenza di alcuni Lepidotteri della Tripolitania. Boll. Lab. Zool. Portici 20:270-281.

Romei, E.; (continued)

- b3850 1947 *Glaucoopsyche lysimon* and *Cupido minimus*. Ent. Rec. 59(9):99-100. [Sep 1947]

Romieux, Jean;

- b3851 1926 Au sujet d'une aberration de *Lycaena sebrus* figurée dans le précédent fascicule. Bull. Soc. Léop. Genève 5:142.
 b3852 1934 Description de Lépidoptères nouveaux du Haut-Katanga (Congo Belge). Mitt. schweiz. ent. Ges. 16(3):139-147, pl 4. Also seen as Bull. Soc. Léop. Genève, 7:105-113. [15 Sep 1934]
 b3853 1936 Sur la présence de quelques Lépidoptères dans le Haut-Katanga (Congo Belge). Mitt. schweiz. ent. Ges. 16(11):716-722. [15 Sep 1936]
 b3854 1937 Description de Lépidoptères nouveaux du Haut-Katanga (Congo Belge). Mitt. schweiz. ent. Ges. 17(3):119-138, ill.

Rosa, Mario;

- b3855 1936 Lepidopteros de S. João da Barra. Boln Mus. nac. Rio de J. 12(2):81-82.

Rose, Klaus;

- b3856 1975 *Plebejus loewii grassii* ssp. n. J. ent. Soc. Iran 1(Suppl.):45-47, 3 f.
 b3857 1977 *Vacciniina alcedo* in Zentralanatolien, nebst Beschreibung einer neuen Unterart (Lep., Lycaenidae). Ent. Zeit. 87(6):62-65. [15 Mar 1977]
 b3858 1978 Zwei neue Unterarten von *Agrodiaetus carmon* aus der Türkei (Lep.: Lycaenidae). Ent. Zeit. 88(22):245-251, 3 f. [15 Nov 1978]
 b3859 1979 Eine neue Subspecies von *Jolana jolas* Ochsenheimer aus dem Südiran. Atalanta (Münsterstadt) 10(2):155-157, ill. [Ref: b0111 (#2369)]

Rose, Klaus; Schurian, Klaus G.;

- b3860 1977 Beitrag zur Kenntnis der Rhopaloceren Irans 10. Beitrag: neue Lycaeniden-Unterarten aus dem Südiran (Lep.). Ent. Zeit. 87(14):145-151, 3 f. [15 Jul 1977]
 b3861 1977 Beiträge zur Kenntnis der Rhopaloceren Irans, 6. Beitrag: Bemerkungen zu *Meleageria daphnis marcida* Led. J. ent. Soc. Iran 3(1/2):81-83.
 b3862 1977 Beiträge zur Kenntnis der Rhopaloceren Irans, 8. Beitrag: Ein neues Lycaeniden-Genus (Lep. Lycaenidae). J. ent. Soc. Iran 4(1/2):65-69, ill.
 b3863 1977 Beiträge zur Kenntnis der Rhopaloceren Irans, 9. Beitrag: Zwei neue Rassen von *Plebejus loewii* Zeller aus dem Südiran. J. ent. Soc. Iran 4(1/2):71-77. [Ref: b0109]

Rose, Klaus; Schurian, Klaus G.; Eckweiler, Wolfgang;

- b3864 1992 A further new subspecies of *Polyommatus (Aricia) hyacinthus* (Herrich-Schäffer, 1847) (Lepidoptera: Lycaenidae). Linneana Belgica 13(6):341-346, ill.

Rosenstock, Rudolph;

- b3865 1885 Notes on Australian Lepidoptera, with Descriptions of new Species. Ann. Mag. nat. Hist. (5)16:376-385, pl 11, 13 f. [Nov 1885]

Ross, Gary N.;

- b3866 1964 Life history studies on Mexican butterflies. II. Early stages of *Anatole rossi*, a new myrmecophilous metalmark. J. Res. Lep. 3(2):81-94. [Dec 1964]

Rostagno, Fortunato;

- b. 1847, d. 1934 (*Oriola*). [Ref: b0717]
 b3867 1905 Contributo allo studio della fauna della Campagna Romana. Boll. Soc. zool. ital. (2)6(=14):90-92.
 b3868 1906 Note entomologiche. Boll. Soc. zool. ital. (2)7(7/9)(=15):269-281.
 b3869 1912 Lepidoptera Faunae Romanae. Addenda a Rhopalocera et Sphinges. Boll. Soc. zool. ital. (3)1:145-148.

Rostagno, Fortunato; Zapelloni, L.;

- b3870 1910 Lepidoptera Faunae Romanae. Boll. Soc. zool. ital. (2)11:333-350. *The earlier parts were: (2)9:289-305 (1908) and (2)10:471-493 (1909).*

Rothschild, Lord Walter;

- b. 8 Feb 1868 (London); d. 27 Aug 1937 (Tring). Lord Lionel Walter Rothschild. [Ref: b0718; b0717; b3888; b3321]
- b3871 1898 On some new or rare Lepidoptera of the Old World regions. Novit. zool. 5(1):96-102.
- b3872 1900 Some New or recently described Lepidoptera. Novit. zool. 7:274-276, cpl 5.
- b3873 1901 Some New Butterflies and Moths. Novit. zool. 8:218-220, pl 10.
- b3874 1904 Lepidoptera from British New Guinea, collected by Mr. A. S. Meek. Novit. zool. 11:310-322, 2 pls. *Descriptions by Rothschild alone.*
- b3875 1904 New forms of Butterflies. Novit. zool. 11:452-455.
- b3876 1911 Two new Lepidoptera from New Guinea. Ann. Mag. nat. Hist. (8)8:233-234. {Aug 1911}
- b3877 1915 On the Lepidoptera collected in 1913-1914 by Herr Geyr von Schweppenberg on a Journey to the Hoggar Mountains. Ann. Mag. nat. Hist. (8)16:247-258. {Oct 1915}
- b3878 1915 On Lepidoptera from the islands of Ceran (Seran), Buru, Bali and Misol. Novit. zool. 22:105-144, 209-227.
- b3879 1915 On the Lepidoptera in the Tring Museum sent by Mr. A. S. Meek from the Admiralty Islands, Dampier, and Vulcan Islands. Novit. zool. 22(2):192-208, (3):387-402.
- b3880 1916 Lepidoptera of the British Ornithologists' Union and Wollaston Expeditions in the Snow Mountains, Southern Dutch New Guinea. Macrolepidoptera. Tring 182 pp, 2 pls.
- b3881 1920 Rhopalocera Collected in Korinchi, West Sumatra, by Messrs. H. C. Robinson and C. Boden Kloss. J. Fed. Malay St. Mus. 8:141-163. {May 1920}
- b3882 1921 Captain Angus Buchanan's Air Expedition. V. On the Lepidoptera collected by Captain A. Buchanan in northern Nigeria and the southern Sahara in 1919-1920. Novit. zool. 28:142-170, 215-229.
- b3883 1925 List of the Lepidoptera collected April to end of June 1925 by E. Hartert & F. Young in Morocco. Bull. Soc. Sci. nat. Maroc 5:324-345.
- b3884 1925 Critical list of the Collection of Algerian Lepidoptera of the late Captain N. J. E. Holl. Novit. zool. 32:195-229.

Rothschild, Lord Walter; Jordan, Karl;

- b3885 1905 On some new Lepidoptera discovered by A. S. Meek in British New Guinea. Novit. zool. 12:448-478, ill.
- b3886 1906 A revision of the American Papilios. Novit. zool. 13:412-752, cpls 4-9. *A facsimile edition, with plain plates, was issued in 1967.* [Ref: b1053]
- b3887 1907 Lepidopteren aus Neu-Guinea. Deut. ent. Zeit. 1907:189-198.

Rothschild, Miriam;

- b3888 1983 Dear Lord Rothschild (Birds, Butterflies & History). London, Hutchinson :398 pp, ill.

Rothschild, Miriam; Nash, Robert J.; Bell, E. Arthur;

- b3889 1986 Cycasin in the endangered butterfly *Eumaeus atala florida*. Phytochemistry 25(8):1853-1854.

Rottemburg, S. A. von;

- b3890 1775 Anmerkungen zu den Hufnagelischen Tabellen der Schmetterlinge: Diurna. Naturforscher 6:1-34; 7:105-112. *On Official List of Works Approved as Available for Zoological Nomenclature (#35).* [Ref: b1037; b2529]

Rougeot, Pierre-Claude;

- b3891 1983 Lepidopteres du Haut-Simyen (Ethiopie du Nord). Bull. mens. Soc. linn. Lyon 52(7):219-232, ill.

Rowland-Brown, Henry;

b. 1865, d. 1922. [Ref: b0717]

- b3892 1909 Some August Butterflies of Cantel on Lozère. Entomologist 42(11):265-269, (12):297-302. {Dec 1909}
- b3893 1914 A Butterfly Hunt in some parts of unexplored France. Entomologist 47:8-14, 55-60, 87-91, 126-129.
- b3894 1915 Some remarks on *Thecla aesculi*, Hb., chiefly in the south of France. Entomologist 48:201-204.
- b3895 1916 Note on a species of lycaenid new to the Palaearctic lepidopterous fauna - *Agriades aragonensis*, Verity. Entomologist 49:169-172.
- b3896 1918 Some notes on *Plebeius argus (argyrognomon)*, its Scandinavian forms and distribution. Entomologist 51:73-81.

Ruckes, Herbert;

b. 1895, d. 1965.

Ruckes, Herbert; dos Passos, Cyril Franklin;

- b3897 1965 In Memoriam: Ernest Layton Bell (1876-1964). J. New York ent. Soc. 73(2):49-56, bibliography, photograph. {16 Jun 1965}
- b3898 1965 Ernest Layton Bell (1876-1964). J. Lep. Soc. 19(3):190-191. {24 Sep 1965}

Rudkin, Charles N.;

- b3899 1933 A New Lycaenid transition form (Lepid.). Ent. News 44(4):97-98. {[13] Apr 1933}

Rühl, Fritz;

b. 14 Dec 1836 (Ansbach); d. 30 Jun 1893 (Zürich). [Ref: b0718; b0717]

- b3900 1891 Ueber eine neue weibliche Form von *Lycaena cyllarus andereggi*. Soc. ent. 6(7):51. {1 Jul 1891}
- b3901 1892-1893 Tagfalter, Volume I in Rühl & Bartel, (q.v.). [See also: b3903] {[1892]-1893}
- b3902 1893 *Lycaena pheretes* Hb. ab. *maloyensis* n. ab. Soc. ent. 7(23):181. {1 Mar 1893}

Rühl, Fritz; Bartel, Max;

- b3903 1892-1902 Die paläarktischen Grossschmetterlinge und ihre Naturgeschichte. Bearbeitet von Fritz Rühl. Fort gesetzt von Alexander Heyne. Leipzig, Ernst Heyne 8vo Bd 1, Tagfalter, 1(Lief 1-16):[2]-857 pp, 7 f; Bd 2, Nachfalter, (Lief. 17-23):336 pp. *Volume 1 is by F. Rühl, after his death edited from his manuscript by Alexander Heyne. Volume 2 is by M. Bartel. No more published. According to Hemming, Rühl is responsible for the new names in the first 384 pages (Lief. 1-7) of volume 1, while Heyne is responsible for the rest (Lief. 8-16). Volume 2 is incomplete, and ends abruptly in the middle of a sentence. Hemming gives the following dates: 1-112 (1892); 113-480 (1893); 481-624 (1894); 625-857 (1895).* [Ref: b2240] {[1892]-1902}

Rummel, Charles;

- b3904 1929 Butterfly Aberrations. Bull. Brooklyn ent. Soc. 23(5):268. {9 Jan 1929}

Saalmüller, Max;

b. 26 Nov 1832 (Römhild, Meiningen); d. 12 Oct 1890 (Bogkenheim b. Frankfurt a. M.). [Ref: b0718; b0717]

- b3905 1878 Mittheilungen über Madagaskar, seine Lepidopteren-Fauna mit besonderer Berücksichtigung der dieser angehörigen, im Senckenbergischen Museum befindlichen Arten. Ber. Senckenb. naturf. Ges. 1877-78:71-96.
- b3906 1884 Lepidopteren von Madagascar. Neue und wenig bekannte Arten zumeist aus der Sammlung der Senckenberg'schen naturforschenden Gesellschaft zu Frankfurt am Mein unter Berücksichtigung der gesammten Lepidopteren-Fauna Madagascars Lepidoptera von Madagascar. 1. Rhopalocera, Heterocera: Sphingee oder Bombyces. Frankfurt a.M., Heausg. Senck. Nat. Ges. [2]+246+[6] pp, 6 cpl, 1 fp. *Volume 2, . . . abgeschlossen durch L. von Heyden. Heterocera: Noctuae Geometrae. Microlepidoptera. :246-531+[8] pp, 8 cpl, 1 fp, came in 1891.*

Saigusa, Toyohel; Murayama, Shōiti;

- b3907 1994 Redescription of the holotype of *Japonica lutea onoi* Murayama, 1953 and its taxonomic status (Lepidoptera, Lycaenidae). *Tyō to Ga* 45(1):31-41, ill. {30 Mar 1994}

Saitoh, Kazuo;

- b3908 1954 Some investigations on a lycaenid butterfly, *Wagimo signata* (Bulter 1881). (3) On some specimens of *signata signata* (Bulter 1881) from Miyako (Iwate Pref.) and Sakazuki-yama (Yamagata Pref.). *Tyō to Ga* 5(1):6-7, f A, B. {25 Jun 1954}

Sakai, S.;

- b3909 1978 Butterflies from the Hindukush, Karakorum, Kashmir and Ladak with descriptions of two new species and six subspecies. *Atalanta* (Münnerstadt) 9(1):104-132, 68 f. [Ref: b0110 (#2313)]
- b3910 1981 Butterflies of Afghanistan. [In Japanese]. Tokyo, Kodansha :272 pp, 48 cpl, ill. *A very nice book.*

Salazar Escobar, J. A.;

- b3911 1993 Noticias sobre seis raras especies de licenidos colombianos. Descripción de una nueva especie de Riodininae para Colombia (Lepidoptera: Lycaenidae). *Revta Lep.* 21(81):47-53, ill.

Salazar Escobar, J. A.; Constantino, L. M.;

- b3912 1993 Descripción de cuatro nuevas especies de Riodininae para Colombia (Lepidoptera: Lycaenidae). *Revta Lep.* 21(81):13-18, ill.

Salmon, J. T.;

- b3913 1946 New Lepidoptera from the Homer-Milford district. *Dom. Mus. Rec. Ent.* 1:1-11, 2 pls.

Salvin, Osbert;

- b. 1835 (Finchley); d. 1 Jun 1898 (Fernhurst, Sussex). [Ref: b0718 (as Salvin); b0717]
- b3914 1891 In H. H. Druce, (q.v.). *Trans. ent. Soc. Lond.* 39(2):179-195. [See also: b1357] ([Aug] 1891)

Salvin, Osbert; Godman, Frederick du Cane;

- b3915 1868 On some new species of Diurnal Lepidoptera from South America. *Ann. Mag. nat. Hist.* (4)2:141-152. {Oct 1868}

Samson, Chris;

- b3916 1980 The Butterflies of Santa Ana Island, with Descriptions of New Taxa from San Cristobal Island, Solomon Islands. *Tyō to Ga* 30(3,4):211-236, 9 f. [Ref: b0113 (#2630)] {20 Jan 1980}

Samson, Chris; Smart, Paul;

- b3917 1980 A review of the genus *Liphyra* (Lepidoptera: Lycaenidae) of Indo-Australia, with description of two new subspecies from the Solomon Archipelago. *Aurelian* 1(4):6-16, ill. [Ref: b0113 (#2632)]

Samson, P. R.;

- b3918 1993 Illidge's Ant-Blue, *Acrodipsas illidgei* (Waterhouse and Lyell). In: T. R. New (editor), Conservation Biology of Lycaenidae (Butterflies). Occ. Pap. IUCN Species Survival Comm. No. 8:163-165.

Samways, Michael J.;

- b3919 1993 Threatened Lycaenidae of South Africa. In: T. R. New (editor), Conservation Biology of Lycaenidae (Butterflies). Occ. Pap. IUCN Species Survival Comm. No. 8:62-69.

Sands, Donald Peter Andrew;

- b3920 1965 A new species of *Pseudodipsas* (Lepidoptera: Lycaenidae). *J. ent. Soc. Qd* 4:69-71, tf 1,2, pl 1.
- b3921 1976 A new species of *Pseudodipsas* C. and R. Felder (Lepidoptera: Lycaenidae) from Papua New Guinea. *J. Aust. ent. Soc.* 15(2):229-232.

Sands, Donald Peter Andrew; (continued)

- b3922 1979 New species of *Philyris* Rōber (Lepidoptera: Lycaenidae) from Papua New Guinea. *J. Aust. ent. Soc.* 18(2):127-132. [Ref: b1610 (2231-E11)]
- b3923 1980 A new genus, *Acrodipsas*, for a group of Lycaenidae (Lepidoptera) previously referred to *Pseudodipsas* C. et R. Felder, with descriptions of two new species from northern Queensland. *J. Aust. ent. Soc.* 18(3):251-265, 40 f. {14 Mar 1980}
- b3924 1980 The identity of *Philyris niuens* (Grose-Smith) (Lepidoptera: Lycaenidae), with description of a new subspecies from Papua New Guinea. *Aust. ent. Mag.* 6(5):81-86, 10 f. {Apr 1980}
- b3925 1981 New species of *Philyris* (Lepidoptera: Lycaenidae) from mainland New Guinea. *J. Aust. ent. Soc.* 20(1):89-96, 24 f.
- b3926 1986 A Revision of the Genus *Hypochrysops* C. & R. Felder (Lepidoptera: Lycaenidae). *Entomograph* 7:1-116, 162 f, 2 cpl. [Ref: b4787]
- b3927 1993 *Hypochrysops* C. and R. Felder. In: T. R. New (editor), Conservation Biology of Lycaenidae (Butterflies). Occ. Pap. IUCN Species Survival Comm. No. 8:160-162.

Sashida, Haruki;

- b3928 1977 A gynandromorph of *Lycaeides argyrognomon praeterinsularis* Ventry (Lepidoptera: Lycaenidae). [Japanese]. *Tyō to Ga* 28(3):118, [2] f. [Ref: b3928] {1 Sep 1977}

Sattler, K.; Tremewan, W. G.;

- b3929 1984 The Lepidoptera names of Denis & Schiffemüller: A case for stability. *Nota lepid.* 7(3):282-285.

Saunders, William;

- b. 1835 (Devonshire); d. 13 Sep 1914 (London, Ontario). [Ref: b0717]
- b3930 1868 Entomological Notes. Paper No. I. *Can. Ent.* 1(1):3-6. {1 Aug 1868}
- b3931 1868 Entomological Notes during a Trip to Saquenay. *Can. Ent.* 1(2):11-13. {15 Sep 1868}
- b3932 1869 Entomological Notes. Paper No. III. *Can. Ent.* 1(7):53-57. {15 Feb 1869}
- b3933 1869 Entomological notes. Paper no. VI. *Can. Ent.* 1(11):93-101. {15 Jun 1869}
- b3934 1870 On the Larva of *Thecla inorata*, G. & R. *Can. Ent.* 2(5):61-64. {1 May 1870}
- b3935 1878 Notes on the Larva of *Lycaena scudderi*. *Can. Ent.* 10(1):14-15. {Jan 1878}
- b3936 1883 Insects Injurious to Fruits. Philadelphia :- Second edition in 1889.
- b3937 1884 Brief Notes on a Trip to Point Pelee, with Additions to Our List of Canadian Butterflies. *Can. Ent.* 16(3):50-53. {[16 May] 1884}

Saunders, William Wilson;

- b. 4 Jun 1809 (Little London bei Wendover, Buckinghamshire); d. 13 Sep 1879 (Worthing). Collection, via Joicey, to the BMNH. [Ref: b0717]
- b3938 1850 On some new Species of *Erycina*. *Trans. ent. Soc. Lond.* (1)5(9):215-229. {[1850]}
- b3939 1859 On the Genus *Erycina*, Linn., with Description of some New Species. *Trans. ent. Soc. Lond.* (2)5(9):94-110, 3 pl. {[1859]}

Sauruck, Franz;

- b. *; d. 1958.
- b3940 1927-1928 Über die Lepidopterenfauna des südwestlichen Winkels von Niederösterreich. *Z. öst. EntVer.* 12:85-87, 99-103, 114-115, 126-127; 13:10-12, 15-16. {1927-1928}

Saussure, Raymond de;

- b3941 1914 De quelques aberrations. *Bull. Soc. Léop. Genève* 3:77-80, pl 1.

Sauter, W.;

- b3942 1968 [Description of *Plebejides* and key to Hungarian ssp. of *palon*]. In Gozmány, (q.v.). Fauna Hung. 91(15):4, 90-91. [See also: b2003]

Sborddoni, Valerio; Forestiero, Saverio;

- b3943 1985 Butterflies of the World. New York, Times Books :312 pp, ill.

Schaffner, John V., Jr.;

b. 1888, d. 1957.

Schaffner, John V., Jr.; Griswold, C. L.;

- b3944 1934 Macrolepidoptera and their parasites reared from field collections in the northeastern part of the United States. Misc. Publs U. S. Dep. Agric. 188:160 pp.

Schaller, Johann Gottlob;

b. 1734, d. 9 Apr 1813 (Halle). An odd name. In German "Goullob" is an interjection for "Thank God". [Ref: b0718; b1051]

- b3945 1788 Beiträge zur Geschichte exotische Papiliones (2). Naturforscher 23:49-534, pl 2. The first part came in 1785 (21:175-179, pl 2). [Ref: b0526]

Schatz, Ernst;

b. *, d. 22 Apr 1887 (Radebeul). Perhaps Schätz.

- b3946 1885-1887 [In Staudinger & Schatz, Exotische Schmetterlinge Teil 2, Bd 1 & 2. Die Familien und Gattungen der Tagfalter. Furth (Bayern), G. Lowensohn :292 pp, 50 pls. Röber was responsible for pages 137-292. [See also: b4329 b4329; b3822] [Ref: b1051] {1885-1887}

Schaus, William;

b. 11 Jan 1859 (New York); d. 20 Jun 1942 (Washington, D.C.). Collection to USNM. [Ref: b0718; b0717]

- b3947 1890 New species of Mexican Lepidoptera. Ent. Amer. 6(1):8-20. {Jan 1890}

- b3948 1902 Descriptions of new American butterflies. Proc. U. S. nat. Mus. 24(1262):383-460. {1 Mar 1902}

- b3949 1913 New species of Erycinidae from Costa Rica. Ann. Mag. nat. Hist. (8)11:298-303. {Mar 1913}

- b3950 1913 New Species of Rhopalocera from Costa Rica. Proc. zool. Soc. Lond. 1913(3):339-367, 5 pls. {[1 Sep] 1913}

- b3951 1920 Synonymy of some species of *Thecla* (Lepid.). Ent. News 31(6):176. [Ref: b0527] {[12 Jun 1920]}

- b3952 1920 New Species of Lepidoptera in the United States National Museum. Proc. U. S. nat. Mus. 57(2307):107-152. {15 Jun 1920}

- b3953 1927 News species of Lepidoptera from South America. Proc. ent. Soc. Wash. 29(4):73-82. {18 May 1927}

- b3954 1928 New species of Lepidoptera in the United States National Museum. Proc. ent. Soc. Wash. 30(3):46-58. {24 Apr 1928}

Schaus, William; Cockerall, Theodore Dru Allison;

- b3955 1923 Three new forms of Rhopalocera from Columbia and a new Geometrid moth from Madeira (Lepid.). Proc. ent. Soc. Wash. 25(7/8):163. {26 Nov 1923}

Schawerda, Karl;

- b3956 1907 [Description of *Lycaena amandus* ab. *punctifera*]. In Bericht der Sektion für Lepidopterologie. Verh. zool.-bot. Ges. Wien 58:(157).

- b3957 1913 Siebenter Nachttag zur Lepidopterenfauna Bosniens und der Herzegovina. Verh. zool.-bot. Ges. Wien 63:(141)-(178).

- b3958 1924 Eine Lokalrasse von *Lycaena damon* L. aus den Tiroler Alpen. Mit. münchn. ent. Ges. 14:24-25.

- b3959 1926 Zwei neue palaearktische Schmetterlingsformen. Deut. ent. Zeit. [Iris] 40:204-208.

- b3960 1938 Miscellanea Lepidopterologica. Neubeschreibungen. Ent. Rundsch. 55:469-471, 523-524, 554-555, 582-584.

Schawerda, Karl; (continued)

- b3961 1942 Wanderungen im Grenzgebiet Vorarlbergs und des anschliessenden Tirols (Rätikon, Silvretta, Nauders und Gepatsch). Deut. ent. Zeit. [Iris] 55:3-16, 2 pls.

Schepdael, J. van;

- b3962 1958 Le cycle biologique et myrmecophilie de *Maculinea teleius* Bergstr. (= *Lycaena euphemus* Hbn.). Linneana Belgica 1:17-27.

- b3963 1962 Genese du peuplement de *Thersamonia dispar dispar* Haw. en Angleterre et *Thersamonia dispar batavus* Oberthür en Frise. Linneana Belgica 2:14-27.

- b3964 1968 Paleobiologie et paleographie. Les populations de *Lycaena helle* Schiff. des vallees froides de la semois Ardennaise et de l'Ardenne entiere. Linneana Belgica 4:20-52.

Schindler, Otto;

- b3965 1922 Seltene Falterausbeute eines Sammeltages. Ent. Anz. 2(5):56-58.

Schjotkin, Jurij J.;

- b3966 1986 *Turanana jurileontyi* n.sp., eine neue Bläuling-Art aus Tadshikistan (Insecta, Lepidoptera, Lycaenidae). Senckenbergiana 66(4-6):251-254, 4 f.

Schmidt-Koehl, Werner;

- b3967 1977 Geographische und lepidopterologische Eindrücke zweier Frühjahrsreisen in das adriatische Jugoslawien im April 1976 und 1977. Ent. Zeit. 87(21):237-248. {31 Oct 1977}

Schneider, József;

- b3968 1950 Nowe i rzadsze formy motyli Formes de Lepidoptères nouvelles ou plus rares. Polsk. Pismo ent. 19:237-255, 1 f.

Schneeur, A.;

- b3969 1934 Die Tagfalter von Mittel-Tunis. Ent. Zeit. 48(5):36-37; (6):41-46 (22 Jun). {15 Jun 1934}

Schneider, David Heinrich;

b. * , d. 1792. Also as Hinrich.

- b3970 1791-1794 Neustes Magazin für Liebhaber der Entomologie. Stralsund & Leipzig, Struck 1(1):1-126 (1791); 1(2):128-256 (1792); 1(3):257-384 (1792); 1(4):385-512 (1792); 1(5):513-640 (1794) (8vo). [Ref: b0527] {1791-1794}

Schneider, Henry;

- b3971 1937 Beschreibung zweier neue Eryciniden der Gattung *Hamearis* Hb. aus Uruguay. Ent. Rundsch. 55:137-138.

Schoenfeld, O.;

- b3972 1924 Einige interessante Aberrationen meiner Sammlung und anderer aus meiner Sammlpraxis. Int. ent. Z. 18(6):39-41. {15 May 1924}

Schränk, Franz von Paula;

b. 1747, d. 1835. [Ref: b0717]

- b3973 1801 Fauna Bioca. Burchgedachte Geschichte der in Baiem einheimischen und zahnen Thiere. Bd. 2, Abt. 1. Ingolstadt, J. W. Krüll :viii + 274 pp. The work consisted of two volumes. The first was published, complete in one part, in Nürnberg in 1798. The second was published in two parts in Ingolstadt, part 1 in 1801, part 2 in 1802. [Ref: b1746]

Schröder, Heinz;

- b3974 1976 Neue Lepidoptera von den Philippinen. Ent. Zeit. 86(24):265-270. {15 Dec 1976}

Schröder, Heinz; Treadaway, Colin G.;

- b3975 1978 Neue Lepidoptera von den Philippinen, 3. Ent. Zeit. 88(14):149-161, 6 f. {17 Jul 1978}

- b3976 1978 Neues zur Gattung *Deramas* (Lepidoptera; Lycaenidae). Ent. Zeit. 88(16):173-178, 3 f. {15 Aug 1978}

- b3977 1978 Neue Lepidoptera von den Philippinen, 4. Ent. Zeit. 88(24):269-279, 6 f. {18 Dec 1978}

Schröder, Heinz; Treadaway, Colin G.; (continued)

- b3978 1979 Neue Lepidoptera von den Philippinen. 6. Ent. Zeit. 89(24):268-276, 4 f. {15 Dec 1979}
- b3979 1982 Zwei bemerkenswerte Lepidopteren - Taxa aus Palawan (Lep.: Pieridae, Lycaenidae). Ent. Zeit. 92(21):309-312, 2 f. {2 Nov 1982}
- b3980 1983 Neue Lepidoptera von den Philippinen, 9. Ent. Zeit. 93(11):154-160, 4 f. {1 Jun 1983}
- b3981 1984 Zwei neue Lepidopteren Taxa von der Romblon-Gruppe, Philippinen (Lep.: Papilionidae, Lycaenidae). Ent. Zeit. 94(12):168-172, 3 f. {15 Jun 1984}
- b3982 1985 Zur Kenntnis philippinischer Lycaenidae, 2. (Lepidoptera). Ent. Zeit. 95(23):347-350, 3 f. {2 Dec 1985}
- b3983 1986 Neue Taxa in den Gattungen *Eliotia*, *Deramas* und *Una* (Lepidoptera: Lycaenidae). Ent. Zeit. 96(21):312-319, 6 f. {3 Nov 1986}
- b3984 1986 Zur Kenntnis philippinischer Lycaenidae, 3 (Lepidoptera). Ent. Zeit. 96(22):331-336, 4 f. {15 Nov 1986}
- b3985 1986 Zwei bemerkenswerte Lycaeniden (Genera *Pratapa* und *Poritia*) von der Insel Palawan, Philippinen (Lepidoptera). Ent. Zeit. 96(24):353-362. {15 Dec 1986}
- b3986 1988 Neue Lepidoptera von den Philippinen, 11. Ent. Zeit. 98(21):313-320, 4 f. {1 Nov 1988}
- b3987 1988 Zur Kenntnis philippinischer Lycaenidae, 4 (Lepidoptera). Ent. Zeit. 98(24):353-360, 3 f. {15 Dec 1988}
- b3988 1989 Bemerkungen zu einigen Taxa der Gattung *Dacalana* Moore 1884 (Lepidoptera: Lycaenidae). original - unbound Ent. Zeit. 99(15):216-222, 7 f. {1 Aug 1989}
- b3989 1989 Zur Kenntnis philippinischer Lycaenidae, 5 (Lepidoptera). original - unbound Ent. Zeit. 99(19):273-288, 7 f. {2 Oct 1989}
- b3990 1989 Neue Lepidoptera, insbesondere vom südlichen Sulu-Archipel, 2. Ent. Zeit. 99(24):353-364, ill. {15 Dec 1989}
- b3991 1990 Zur Kenntnis philippinischer Lycaenidae, 6. (Lepidoptera). Ent. Zeit. 100(9):168-171, ill.
- b3992 1990 Zur Kenntnis philippinischer Lycaenidae, 7. (Lepidoptera). Ent. Zeit. 100(21):404-407, ill.
- b3993 1991 Neue Lepidopteren, insbesondere von südlichen Sulu-Archipel, 5. Ent. Zeit. 101(22):425-432, ill.

Schröder, Heinz; Treadaway, Colin G.; Hayashi, Hisakazu;

- b3994 1981 Zur Kenntnis philippinischer Lycaenidae (Lep.). Ent. Zeit. 91(24):265-272. [Ref: b1610 (4891-213, 2101-214)] {15 Dec 1981}

Schröder, Heinz; Treadaway, Colin G.; Nuyda, Justin;

- b3995 1993 Two new lycaenid taxa from Mindoro, Philippines (Lepidoptera: Lycaenidae). Fil-Kulisap 1(2):5-7. {15 Dec 1993}

Schulte, A.;

- b3996 1958 *Philotes bavius macedonica* ssp. nov. (Lep., Rhop.). Biol. Glasn. 11:73-74.
- b3997 1958 Verschiedene Valvenformen als Hauptunterscheidungsmerkmal der Lycaeniden: *Maculineaalcon* Schiff. und *Maculinea rebeli* ssp. *xerophila* Berger. Ent. Zeit. 68:233-234.

Schultz, Oscar Otto Karl Hugo;

- b. 10 Jul 1868 (Berlin); d. 30 Apr 1911. Often seen as Oskar. [Ref: b0718; b1946]
- b3998 1903 Varietäten und Aberrationen von *Lycaena eumedon* Esp. Uebersicht über Variabilität dieser Species. Berl. ent. Z. 48:263-269.
- b3999 1903 Beiträge zur Gattung *Chrysophanus* Hb. Nyt Mag. naturvid. 40:23-26.
- b4000 1904 Über einige Tagfalter-Aberrationen. Soc. ent. 19(2):9-11. {15 Apr 1904}
- b4001 1904 Ueber einige Aberrationen aus der Gruppe der Lycaeniden. Ent. Zeit. 18(24):93-94. {22 Sep 1904}

Schultz, Oscar Otto Karl Hugo; (continued)

- b4002 1905 Weitere Beiträge zur Gattung *Chrysophanus*. Ent. Zeit. 18(33):130-132, 2 f. {1 Feb 1905}
- b4003 1905 Weitere Beiträge zur Gattung *Chrysophanus* Hb. Ent. Zeit. 18(34):133-134. {15 Feb 1905}
- b4004 1905 Zur Variabilität von *Lycaena jolas* Ochs. Ent. Zeit. 19(4):18. {22 Apr 1905}
- b4005 1906 Ueber einige Aberrationen aus der Gruppe der Lycaeniden. II. Ent. Zeit. 19(36):214-215, 4 f. {15 Mar 1906}
- b4006 1906 Über einige seltene Bläulings-Abarten. Jber. Wien. ent. Ver. 16:75-78.
- b4007 1908 Zwei neue Formen von *Thecla spini* Schiff. Ent. Zeit. 21(37):222-223. {11 Jan 1908}

Schultze, Arnold;

Also as Schultze-Rhönhoff. [Ref: b0524]

- b4008 1908 Drei neue Tagfalter aus Kamerun. Soc. ent. 23(17):130-131. {1 Dec 1908}
- b4009 1909 Einige Bemerkungen über die Einleitung von Dr. A. Seitz zur III. Abteil.: Fauna africana von "Die Grossschmetterling der Erde", sowie Besprechung von Zwei neuen Tagfalterformen aus Kamerun. Soc. ent. 24(3):17-19. {1 May 1909}
- b4010 1911 Eine neue *Epitola* aus dem afrikanischen Äquatorial-Urwalde. Deut. ent. Zeit. [Iris] 25:95-96.
- b4011 1912 Zwei neue Lipteniden aus dem afrikanischen Äquatorial-Urwalde. Ent. Rundsch. 29(6):43. {23 Mar 1912}
- b4012 1912 Fünf neue *Mimacraea*-Formen aus dem tropischen Westafrika. Ent. Rundsch. 29(7):49-50. {6 Apr 1912}
- b4013 1912 Neue Rhopaloceren aus dem tropischen Westafrika. Ent. Rundsch. 29:91-93.
- b4014 1916 Neue Rhopaloceren aus Kamerun. Arch. Naturgesch. (A)81(7):159-167.
- b4015 1916 Neue Rhopaloceren aus Kamerun Arch. Naturgesch. (A)81(11):110-112.
- b4016 1916 Weitere neue Rhopaloceren aus der Ausbeute der II. Inner-Afrika-Expedition des Herzogs Adolf Friedrich zu Mecklenburg. Arch. Naturgesch. (A)81(12):136-142.
- b4017 1916 Weitere neue Rhopaloceren aus der Ausbeute der II. Inner-Afrika-Expedition . . . Mecklenburg, Neue Folge. Arch. Naturgesch. (A)82(3):34-39.
- b4018 1923 Lepidoptera III. In Schubotz, A., Ergebnisse der zweiten deutschen Zentral-Afrika-Expedition 1910-1911. Leipzig. Klinkhardt und Biermann, 1:1113-1194, ill. *Aurivillius* is sometimes listed as a second author.

Schultze, W.;

- b4019 1907 New Lepidoptera of the Philippine Islands. Philippine J. Sci. 2:361-375, 1 pl.
- b4020 1910 Contributions to the lepidopteran fauna of the Philippines. Philippine J. Sci. 5:161-182, pl 1, 10 f.

Schulz, Jacob;

- b4021 1881 In Hering, Edward, (q.v.). Stett. ent. Ztg. 42:135. [See also: b2308]

Schulze, P.;

- b4022 1915 Über den Polymorphismus der Berliner Weibchen von *Chrysophanus tityrus* Poda (= *dorilis* Hufn.). Deut. ent. Zeit. 1915:326.
- b4023 1918 [Forms collected by Schirmer der Umgebung Berlins]. Sitzungsberichte. Sitzung von 5 Oct 1917. Deut. ent. Zeit. 1918:169-170.

Schurian, Klaus G.;

- b4024 1973 Zur Biologie von *Lysandra hispana* H.-S. (Lep., Lycaenidae). Ent. Zeit. 83(22):251-256, 2 pl. {15 Nov 1973}
- b4025 1974 Die Artzugehörigkeit von *Lysandra arragonensis* Gerh. und *L. bolivari* Romei (Lep., Lycaenidae). Ent. Zeit. 84(5):37-40, f. {1 Mar 1974}

Schurian, Klaus G.; (continued)

- b4026 1975 Zur Biologie von *Lysandra caelestissima* (Lep., Lycaenidae). Ent. Zeit. 85(4):34-38. [15 Feb 1975]
- b4027 1976 Zur Biologie von *Lysandra coridon manleyi* de Lesse (Lep., Lycaenidae). Ent. Zeit. 86(6):49-53. [15 Mar 1976]
- b4028 1976 Beiträge zur Biologie der Gattung *Agrodiaetus*. 1. *Agrodiaetus ripartii* Freyer (Lep., Lycaenidae). Ent. Zeit. 86(17):196-200, f. 1.2. [1 Sep 1976]
- b4029 1977 Eine neue Unterart von *Lysandra coridon* Poda (Lep., Lycaenidae). Ent. Zeit. 87(3):13-18. [1 Feb 1977]
- b4030 1977 Zur Biologie von *Lysandra albicans* H.-S. (Lep., Lycaenidae). Ent. Zeit. 87(7):69-74, 2 f. [1 Apr 1977]
- b4031 1978 Zur Biologie von *Lysandra caucasica* (Lep., Lycaenidae). Ent. Zeit. 88(22):254-257. [15 Nov 1978]
- b4032 1980 Dauerzuchtversuch mit *Lysandra hispana* (H.-S., 1852). Alexanor 11(5):196-199. [31 May 1980]
- b4033 1982 Beiträge zur Kenntnis der Rhopaloceren Irans: 18. Beitrag. Eine neue *Agrodiaetus*-Art aus Nordiran (Lep.: Lycaenidae). Ent. Zeit. 92(7):92-96. [1 Apr 1982]
- b4034 1983 Nekrolog: Dr. med. Peter Kames 1932-1982. Mitt. ent. Ges. Basel (nf)33(4):140.
- b4035 1983 Nekrolog: Dr. med. Peter Kames 1932-1982. Nachr. ent. Ver. Apollo (nf)3(4):110.
- b4036 1984 Was ist unter "carmon" und "eurypilus" zu verstehen? (Lep.: Lycaenidae). Ent. Zeit. 94(24):360-363. [15 Dec 1984]
- b4037 1984 Das Problem des Rückgangs der beiden Bläulingsarten *Maculinea teleius* Bergstr. und *Maculinea nau-siihous* Bergstr. (Lepidoptera: Lycaenidae). Mitt. Int. Ent. Ver. 9(1):10-12.
- b4038 1988 Neueinteilung des Subgenus *Lysandra* der Gattung *Polyommatus* Latreille (Lepidoptera: Lycaenidae). Ent. Zeit. 98(10):129-144, ill. [16 May 1988]
- b4039 1989 Ergänzungen und Berichtigungen zu: Neueinleitung des Subgenus *Lysandra* der Gattung *Polyommatus* Latreille (Lepidoptera: Lycaenidae). Ent. Zeit. 99(21):305-311, ill.
- b4040 1991 Eine neue Unterart von *Polyommatus* (*Lysandra*) *syriacus* (Tutt 1914) (Lepidoptera: Lycaenidae). Nachr. ent. Ver. Apollo (nf)12(3):153-161, ill.

Schurian, Klaus G.; Haeuser, Christoph;

- b4041 1981 Zoogeography and subspecies classification of the central and east Anatolian [Turkey] and the Iranian forms of *Meleageria* (Lepidoptera, Lycaenidae). Atalanta (Münsterstadt) 12(2):101-111. [Ref: b0426]

Schurian, Klaus G.; Hofmann, P.;

- b4042 1982 Die *Thersamonia*-Gruppe (Lepidoptera, Lycaenidae). Nachr. ent. Ver. Apollo Suppl. 2:1-59, ill.
- b4043 1983 Entomologische Ausammlungen und Beobachtungen bei Kizilcahanan (Turkei). Nachr. ent. Ver. Apollo (nf)3(4):111-127, ill. [1983]

Schurian, Klaus G.; Rose, K.;

- b4044 1991 Contribution to the knowledge of *Polyommatus* (*Aricia*) *hyacinthus* (Herrich-Schäffer, 1847) and the description of a new subspecies (Lepidoptera: Lycaenidae). Linneana Belgica 13(2):80-93, ill.

Schurian, Klaus G.; Thomas, Chris D.;

- b4045 1985 Zur Biologie von *Lysandra punctifera* Oberthür, mit Bemerkungen zu *L. bellargus* Rottembrug (Lep.: Lycaenidae). Ent. Zeit. 95(16):225-233, 4 f. [15 Aug 1985]

Schurian, Klaus G.; van Oorschot, H. H.; van den Brink, H.;

- b4046 1992 *Polyommatus* (*Agrodiaetus*) *poseidon* (H.-S.) und *Polyommatus* (*Agrodiaetus*) *theresia* sp. nov. aus der Türkei (Lepidoptera: Lycaenidae). Nachr. ent. Ver. Apollo (nf)12(4):217-232, ill.

Schwartz, Albert;

- b4047 1987 The taxonomic status of *Pseudochrysops* (Lycaenidae) on Puerto Rico. Bull. Allyn Mus. No. 110:5 pp, 2 f. [3 Sep 1987]

Schwartz, Albert; Gonzalez, Fernando L.; Henderson, Rose M.;

- b4048 1987 New records of Hairstreaks from the West Indies. J. Lep. Soc. 41(3):145-150. [7 Oct 1987]

Schwartz, Albert; Jimenez, Carlos J.;

- b4049 1982 The Butterflies of Montserrat, West Indies. Bull. Allyn Mus. No. 66:18 pp, 1 f. [1 Mar 1982]

Schwartz, Albert; Johnson, Kurt;

- b4050 1992 Two New Butterflies (Lepidoptera: Lycaenidae) from Cuba. Caribb. J. Sci. 28(3/4):149-157, ill. [Dec 1992]

Schwartz, Albert; Miller, Jacqueline Y.;

- b4051 1985 A new Species of Hairstreak (Lycaenidae) from Hispaniola. Bull. Allyn Mus. No. 99:6 pp, 12 f. [24 Oct 1985]

Schweitzer, D. F.;

- b4052 1992 Comments regarding *Erynnis persius persius* and *In-cisalia irus*. Ohio Lepid. 14(2):21-23.

Schweizer, F.; Kay, R. G. W.;

- b4053 1941 Lepidópteros del Uruguay. II. Catálogo sistemático. Parte I. Rhopalocera & Grypocera. An. Mus. Hist. nat. Montevideo (2)5(2):24 pp, 1 map.

Schwingsenschuss, Leo;

b. 1878, d. 1954.

- b4054 1935 Versammlungen der Sektion für Lepidopterologie. 5 Apr 1935. III. Leo Schwingsenschuss Verh. zool.-bot. Ges. Wien 85:131-132.

- b4055 1938 Sechster Beitrag zur Lepidopteren-fauna Inner-Anatoliens. Ent. Rundsch. 55:141-700 (nc).

- b4056 1939 Beitrag zur Lepidopterenfauna von Iran (Persien) insbesondere des Elbursgebirges in Nordiran. Ent. Zeit. 53(11):86-88. [15 Jun 1939]

- b4057 1939 Beitrag zur Fauna von Bithynien, besonders von Boli (jetzt Bolv). Ent. Rundsch. 56:325-328.

- b4058 1953 Beitrag zur Lepidopterenfauna von Niederösterreich: St. Peter i.d. Au, Seitenstetten und Umeeburg. Z. wien. ent. Ges. 38:37-39, 77-78, 101-103, 142-144, 170-176, 196-198, 217-223, 251-255, 282-287, 309-311. *The Rhopalocera come in the first three parts.*

Sciences Nat.;

- b4059 1984 Sciences Nat's Catalogue [of] Books. 10. Compiegne, France. *A useful source of information on the literature.*

Scopoli, Giovanni Antonio;

b. 13 Jun 1723 (Cavalese in Tirol); d. 8 May 1788 (Pavia). His latin titles call him Johannes. Also as Johann Anton. [Ref: b0718; b0717]

- b4060 1763 Entomologia Carniolica, exhibens Insecta Carniolae indigena et distributa in Ordines. Vindobonae :[xxxvi]+420 pp, 43 pls (8vo). *Hemming states that nothing is known of the date of publication beyond the fact that it appeared in 1763. There is a 1972 reprint.* [Ref: b2255]

Scott, Alexander Walter;

b. 10 Nov 1800 (Bombay); d. 1 Nov 1883 (Sydney). *Collection to the Australian Museum, Sydney.* [Ref: b0717; b4940; b3321; b3256 (as Walker)]

- b4061 1890-1898 Australian Lepidoptera and their transformations, by the late Alexander Walter Scott; with illustrations drawn from the life by his daughters, Harriet Morgan and Helena Forde. Edited and revised by Arthur Sidney Olliff and Helena Forde. Sydney, Aust. Mus. Folio 2(5 parts):36 pp, pls 10-21. *For volume 1, see Scott, 1864. For additional notes, see Moulds, 1977.* [Ref: b3256] [1890-1898]

Scott, James A.;

- b4062 1981 New Papilionoidea and Hesperioidea from North America. *Papilio* (New Series) 1:1-12. [25 Nov 1981]
 b4063 1984 Letter [on nomenclature of Miller & Brown list]. *News Lep. Soc.* 1984(1):6. [20 Jan 1984]
 b4064 1985 The Phylogeny of Butterflies (Papilionoidea and Hesperioidea). *J. Res. Lep.* 23(4):241-281, ill. *Actually received in the mail 21 June 1985. [Ref: b3812] [10 May 1985]*
 b4065 1985 The Origin of *Satyrrium calanus albidus*. *J. Res. Lep.* 23(4):334. [10 May 1985]
 b4066 1986 The Butterflies of North America. A Natural History and Field Guide. Stanford, Stanford Univ. Press: xv + 583 pp. [Ref: b4120]
 b4067 1988 Logic and phylogeny: reply to R. K. Robbins. *J. Lep. Soc.* 41(4):216-218. [5 Jan 1988]
 b4068 1992 Hostplant records for butterflies and skippers (mostly from Colorado) 1959-1991, with new life histories and notes on oviposition, immatures, and ecology. *Papilio* (New Series) 6:1-171.

Scott, James A.; Justice, John A.;

- b4069 1982 Intergradation between *Callophrys dumetorum oregonensis* and *Callophrys dumetorum affinis* in Northwestern U. S. (Lycaenidae). *J. Res. Lep.* 20(2):81-85, 1 f. [20 Sep 1982]

Scott, James A.; Wright, David M.;

- b4070 1993 *Celastrina nigra* and its synonym *C. ebenina* (Lepidoptera: Lycaenidae). *J. Res. Lep.* 30(3/4):257-260. [1 Dec 1993]

Scriba, F.;

- b4071 1921 Drei neue Schmetterlinge aus Central-Japan. *Ent. Rundsch.* 38:25-29, 4 f.

Scriba, Ludwig Gottlieb;

- b. ?; d. 31 May 1804.
 b4072 1790-1791 *Journal für die Liebhaber der Entomologie*. Frankfurt, Varrentrapp (1+2):192 pp; (3):193-296. [1790-1791]

Scudder, Samuel Hubbard;

- b. 13 Apr 1837 (Boston); d. 17 May 1911 (Cambridge, Mass.). [Ref: b0718; b0717]
 b4073 1864 A list of the butterflies of New England. *Proc. Essex Inst.* 3:161-179. *The date of publication is between 1 Jan and 26 Apr. [Ref: b0504] [26 Apr] 1864*
 b4074 1868 [Description of a new Butterfly from Florida, *Thecla Juanina*]. *Proc. Boston Soc. nat. Hist.* 11:435-436. [25 Mar 1868]
 b4075 1868 [Notes of Three New Butterflies from Iowa]. *Proc. Boston Soc. nat. Hist.* 11:401. *The true date is between 26 Feb and 31 Dec. [Ref: b0531]*

Scudder, Samuel Hubbard; (editor)

- b4076 1869 Entomological correspondence of Thaddeus William Harris, M.D. *Occ. Pap. Boston Soc. nat. Hist.* :xlvii + 375 pp. port., ill.

Scudder, Samuel Hubbard;

- b4077 1870 A preliminary list of the butterflies of Iowa. *Trans. Chicago Acad. Sci.* 1(2):326-337. [Ref: b0531] [1870]
 b4078 1872 A systematic revision of some of the North American butterflies; with brief notes on those known to occur in Essex Co., Mass. 4th Ann. Rept. Peabody Acad. Sci. (1871):24-83. *Title also seen as "Annual Report of the Trustees of the Peabody Museum. According to McHenry, a preprint of this, with different pagination, came in June. [Ref: b3138] [Dec] 1872*
 b4079 1875 Report on the Butterflies Collected by Mr. J. A. Allen on the Yellowstone Expedition of 1873. *Proc. Boston Soc. nat. Hist.* 17(1):86-91. [3 Jun 1875]

Scudder, Samuel Hubbard; (continued)

- b4080 1875 Historical sketch of the generic names proposed for butterflies. A contribution to systematic nomenclature. *Proc. amer. Acad. Arts Sci.* 10[=2(2)]:91-293. *The date given is for the Proceedings. The author's Separates came on 31 March. Hemming calls it "by far the most important single contribution to the generic nomenclature of the butterflies published in the XIXth century". [Ref: b1023; b1051; b2280] [10 Jun 1875]*
 b4081 1875 The structure and transformations of *Eumaeus atala*. *Mem. Boston Soc. nat. Hist.* 2:413-419, pl 14. [Ref: b1037]
 b4082 1876 The North American blue butterflies of the genus *Nomiades*. *Can. Ent.* 8(2):21-24. [Feb 1876]
 b4083 1876 Synonymic list of the butterflies of North America, north of Mexico. Part 2, Rurales. *Bull. Buffalo Soc. nat. Sci.* 3:98-129.
 b4084 1877 On the Classification of Butterflies, with special reference to the position of the Equites or Swallow-tails. *Trans. amer. ent. Soc.* 6(1/2):69-80, 1 diagram. [Sep 1877]
 b4085 1881 Butterflies; their structure, changes and life-histories, with special reference to American forms. Being an application of the "Doctrine of descent" to the study of butterflies. With an appendix of practical instructions. New York, Holt: viii + 322 pp, ill. *A second edition (printing?) came in 1889.*
 b4086 1882 *Nomencl. zool. Univ. Index*:76-96+
 b4087 1888 Feeding Habits of a Lycaenid Caterpillar. *Psyche* 5(141-142):13. [9 Feb 1888]
 b4088 1888-1889 The butterflies of the eastern United States and Canada with special reference to New England. Cambridge, Mass., Author 1(Introduction, Nymphalidae):i-xxiv, 1-766 pp, frontispiece (colored); 2(Lycaenidae, Papilionidae, Hesperidae):i-xii, 767-1774, frontispiece (colored), 1 map; 3(appendix, plates):i-viii, 1775-1958, frontispiece, pls 1-89 (14 colored), 3 maps. [Ref: b3138] [1 Nov 1888], [1 Apr 1889]
 b4089 1899 *Everyday Butterflies A Group of Biographies* Boston, Houghton, Mifflin & Co. vii+391 pp, 9 pls, f.
 b4090 1899 *Brief guide to the Commoner Butterflies of the Northern United States and Canada*. New York: xi+210 pp, 22 pls (8vo).
 Seitz, Adalbert;
 b. 24 Feb 1860 (Mainz, Germany); d. 1938. *Gilbert has 23 entries for Seitz. [Ref: b0718; b0717; b1946; b3321]*
 Seitz, Adalbert; (editor)
 b4091 1907-1935 *Grossschmetterlinge der Erde*. Stuttgart, Alfred Kernen 1:379 pp, 89 pl; 5,9,13. *The butterflies come in volumes 1, 5, 9 and 13. Listings for the various parts are given under the name of the author involved. For dates, see Griffin, 1936 or Heppner, 1982. There were 3 editions, German, French and English. For nomenclatural purposes the German edition must be consulted. [Ref: b1401; b3256; b1046; b2303] [1907-1935]*
 Seitz, Adalbert;
 b4092 1907-1921 *Die palaearctica Tagfalter*. "1911". Introduction and various parts. In Seitz, *Grossschmett. Erde* 1:i-viii, 8-18, 75-94, 114-154, 211-328. [See also: b4091] [1907-1921]
 b4093 1910-1924 *Die amerikanischen Tagfalter*. Introduction, Nymphalidae, Melitaea, Vanessidi, Cyclogramma, Limenitis, Erycinidae, etc. In Seitz, *Grossschmett. Erde* 5:3-1055 (nc). [1910-1924]
 b4094 1912-1927 *Die Indo-Australische Tagfalter*. Introduction, Theclinae, Poritinae, Hesperidae. In Seitz, *Grossschmett. Erde* 9:799-801(2), 823-824(55), 901-1107(97), pls 138-175. [See also: b4091] [1912-1927]
 b4095 1916 *Detrachtungen über die Eryciniden*. *Ent. Rundsch.* 33(8):37-39. [4 Aug 1916]
 b4096 1916 *Betrachtungen über die Eryciniden*. *Ent. Rundsch.* 33(8):33, 37, 45, 49, 52, 56, 62.

Seltz, Adalbert; (continued)

b4097 1932 Goyaz-Reise (iii). Ent. Rundsch. 49:11-15, 17-21, 41-47, 73-77, 91-94, 105-109, 118-123, 129-133, 139-143, 151-152, 197-200, 205-210, 218-219, 228-231, 238-243, 253-256; 1 pl, 7 text figs.

Seltz, Adalbert; Gaede, Max; Goltz, Hans;

b4098 1930 Die palaearctica Tagfalter. Supplement. Introduction, Danaidae and Satyridae. In Seitz, Grossschmett. Erde 1(Suppl.):1-5, 127-190.

Seki, Yasuo;

b4099 1989 A note on the *alea* subgroup (*Arhopala cleander* group) with a description of new subspecies. Konchu to Shizen (Nature & Insects) 24(6):10-14.
 b4100 1991 [Description of *Arhopala stubbsi serapina*]. In Seki, Takanami and Otsuka, Butterflies of Borneo. Volume 2, No. 1. Lycaenidae. Tokyo, Tobishima Corporation :70. [See also: b4108] {Mar 1991}
 b4101 1993 Descriptions of new Lycaenidae (Lepidoptera) from Leyte and Mindanao. Fil-Kulisap 1(2):3-5. {15 Dec 1993}
 b4102 1994 Descriptions of new Lycaenidae (Lepidoptera) from Paramalaya (I). Futao No. 15:20-24, ill. {3 Mar 1994}
 b4103 1994 Four new subspecies of *Arhopala anhelus* (Westwood) (Lepidoptera: Lycaenidae). Futao No. 15:26-27, ill. {3 Mar 1994}
 b4104 1994* [Letter to Bridges. Notes on the synonymy of the Lycaenidae]. Tokyo, Japan :13 pp. {Aug 1994} [*Unpublished]

Seki, Yasuo; Takanami, Yusuke;

b4105 1988 A New Species of Genus *Hypolycaena* from Sulawesi, Indonesia (Lepidoptera, Lycaenidae). Tyô to Ga 39(3):183-186, 4 f. {20 Sep 1988}
 b4106 1990 The treasure box of South East Asia (1). Descriptions of new Lycaenidae (Lepidoptera) from Borneo and Sumatra. Gekkan Mushi No. 231:4-9, ill.
 b4107 1991 [Description of *Britomartis bravurus*]. In Seki & Takanami & Otsuka, Butterflies of Borneo, [q.v.]. Tokyo, Tobishima Corporation :116. [See also: b4108] {Mar 1991}

Seki, Yasuo; Takanami, Yusuke; Otsuka, Kazuhisa;

b4108 1991 Butterflies of Borneo. Volume 2, No. 1. Lycaenidae. Tokyo, Tobishima Corporation x + 139 pp, 70 cpl. The text is printed in Japanese and English. {Mar 1991}

Semper, Georg;

b. 3 Aug 1837 (Hamburg-Altona); d. 21 Feb 1909 (same). Some types are in the BMNH, via the Joicey collection. [Ref: b1946 (as Johann Georg); b4940]
 b4109 1879 Beitrag zur Rhopalocerenfauna von Australien. J. Mus. Godeffroy 5(2)(14):138-194, pls 8,9. {[Feb 1879]}
 b4110 1886-1892 Die Schmetterlinge der Philippinischen Inseln. Beitrag zur Indo-Malayischen Lepidopteren-Fauna. 1(Die Tagfalter). In C. G. Semper, Reisen im Archipen der Philippinen, (2) 5. Weisbaden 1:380 pp, 49 pls. {1886-1892}

Seok, D. M.;

b4111 1934 Papilioj en Koreujo (Unua Raporto). Bull. Kagoshima Imp. Coll. Agr. For. 1:631-784, pl 1-10.
 b4112 1936 Pri la du novaj specoj de *Papilio*, *Neptis okazimai* kaj *Zephyrus ginzii*. Zool. Mag. 48:60-66, 8 f.
 b4113 1937 On the Butterflies collected in Is. Quelpart, with the Description of a New Subspecies. [In Japanese]. Zephyrus 7(2/3):150-154. {30 Nov 1937}
 b4114 1938 On the butterflies from the Island of Dagelet of Korea. Zephyrus 8(1/2):24-29. {30 Nov 1938}
 b4115 1939 A Synonymic List of Butterflies of Korea (Tyosen). Seoul, Korea, Royal Asiatic Soc. xxxi+391 pp, 2 pls.

Sepp, Jan;

b. 18 Sep 1778 (Amsterdam); d. 19 Dec 1853 (same). [Ref: b0717]
 b4116 1828-1855 Surinaamsche Vlinders, naar het leven geteekned. Amsterdam, Verfassers 1:1-108 pp, pl 1-50 (1828-1848) 2:4 + 109-224 pp, pl 51-100 3:4 + 225-328 pp, pl 101-152 (1852-1855). Usually bound as one volume. {1828-1855}

Shapiro, Arthur M.;

b4117 1974 A salt-marsh population of *Lycaena helloides* (Lepidoptera: Lycaenidae) feeding on *Potentilla* (Rosaceae). Ent. News 85(2):40-44, tpls 1,2. {9 Aug 1974}
 b4118 1983 An Aberration of *Glaucosyche lygdamus* (Lycaenidae) with a Complete Scolitantidine Dorsal Pattern. J. Res. Lep. 20(4):240-242; cpl, f 1. {15 Apr 1983}
 b4119 1984 Review: The Butterflies of the Yemen Arab Republic, by Torben B. Larsen. J. Lep. Soc. 38(2):147-148. [See also: b2898] {16 Aug 1984}
 b4120 1987 Book Review: The Butterflies of North America: A Natural History and Field Guide. J. Lep. Soc. 40(4):356-357. {11 Mar 1987}

Sharp, David;

b. 15 Oct 1840 (Towcester (Northants)); d. 27 Aug 1922 (Brockenhurst). [Ref: b0718; b0717; b3321]
 b4121 1887 Rhopalocera. Zool. Rec. 23(1886)(Ins.):224-250. {[1887]}
 b4122 1888 Rhopalocera. Zool. Rec. 24(1887)(Ins.):208-230. {[1888]}
 b4123 1889 Rhopalocera. Zool. Rec. 25(1888)(Ins.):206-229. {[1889]}
 b4124 1890 Rhopalocera. Zool. Rec. 26(1889)(Ins.):206-230. {[1890]}
 b4125 1891 Rhopalocera. Zool. Rec. 27(1890)(Ins.):204-223. {[1891]}
 b4126 1892 Rhopalocera. Zool. Rec. 28(1891)(Ins.):191-211. {[1892]}
 b4127 1893 Rhopalocera. Zool. Rec. 29(1892)(Ins.):211-226. {[1893]}
 b4128 1894 Rhopalocera. Zool. Rec. 30(1893)(Ins.):223-243. {[1894]}
 b4129 1895 Rhopalocera. Zool. Rec. 31(1894)(Ins.):247-266. {[1895]}
 b4130 1896 Rhopalocera. Zool. Rec. 32(1895)(Ins.):266-287. {[1896]}
 b4131 1899 Rhopalocera. Zool. Rec. 35(1898)(Ins.):194-206. {[1899]}
 b4132 1903 Rhopalocera. Zool. Rec. 38(1901)(Ins.):200-210. {[1903]}
 b4133 1904 Rhopalocera. Zool. Rec. 39(1902)(Ins.):203-213. {[1904]}
 b4134 1905 Rhopalocera. Zool. Rec. 40(1903)(Ins.):247-259. {[1905]}
 b4135 1905 Rhopalocera. Zool. Rec. 41(1904)(Ins.):238-252. {[1905]}
 b4136 1908 Rhopalocera. Zool. Rec. 43(1906)(Ins.):313-322. {[1908]}
 b4137 1909 Rhopalocera. Zool. Rec. 44(1907)(Ins.):292-303. {[1909]}
 b4138 1910 Rhopalocera. Zool. Rec. 45(1908)(Ins.):310-321. {[1910]}
 b4139 1911 Rhopalocera. Zool. Rec. 46(1909)(Ins.):306-317. {[1911]}
 b4140 1911 Rhopalocera. Zool. Rec. 47(1910)(Ins.):311-325. {[1911]}
 b4141 1912 Rhopalocera. Zool. Rec. 48(1911)(Ins.):283-296. {[1912]}

Sharp, David; (continued)

- b4142* 1913 Rhopalocera. Zool. Rec. 49(1912)(Ins.):298-312. {1913}
b4143 1914 Rhopalocera. Zool. Rec. 50(1913)(Ins.):324-340. {1914}
b4144 1916 Rhopalocera. Zool. Rec. 51(1914)(Ins.):206-216. {1916}
b4145 1917 Rhopalocera. Zool. Rec. 52(1915)(Ins.):191-199. {1917}
b4146 1918 Rhopalocera. Zool. Rec. 53(1916)(Ins.):163-173. {1918}
b4147 1920 Rhopalocera. Zool. Rec. 55(1918)(Ins.):150-157. {1920}
b4148 1922 Rhopalocera. Zool. Rec. 57(1920)(Ins.):191-198. {1922}

Sharpe, Emily Mary Bowdler;

- b4149* 1890 Further descriptions of Butterflies and moths collected by Mr. F. J. Jackson in Eastern Africa. Ann. Mag. nat. Hist. (6)5:440-443. {Jun 1890}
b4150 1890 On some new species of African Lycaenidae in the collection of Philip Crowley. Ann. Mag. nat. Hist. (6)6:103-106. {Jul 1890}
b4151 1890 Descriptions of some new species of African butterflies in the collection of Capt. G. E. Shelley. Ann. Mag. nat. Hist. (6)6:346-350. {Oct 1890}
b4152 1890 On a collection of Lepidoptera made by Mr. Edmund Reynolds on the Rivers Tocantins and Araguaya and in the Province of Goyaz, Brazil. Proc. zool. Soc. Lond. 1890(3):552-577. {Oct 1890}
b4153 1891 Descriptions of two new species of Lycaenidae from West Africa, in the collection of Mr. Phillip Crowley. Ann. Mag. nat. Hist. (6)8:240-241. {Sep 1891}
b4154 1892 Descriptions of new butterflies collected by Mr. F. J. Jackson in British East Africa, during his recent expedition. Part II. Proc. zool. Soc. Lond. 1891(4):633-638, pl 48, 6 f. {Apr 1892}
b4155 1893 Descriptions of new Species of Butterflies from the Island of St. Thomas, West Africa. Proc. zool. Soc. Lond. 1893(3):553-558. {Oct 1893}
b4156 1896 Descriptions of three new species of Lepidoptera from East Africa. Ann. Mag. nat. Hist. (6)17:125-127. {Feb 1896}
b4157 1898 A List of the Lepidopterous Insects collected by Mrs. Lort Phillips in Somaliland. Proc. zool. Soc. Lond. 1898(3):369-372. {Oct 1898}
b4158 1902 A list of Lepidoptera collected by Dr. Cuhbert Christy in Nigeria. Entomologist 35:101-107.
b4159 1903 Description of a new species of the family Lemoniidae. Entomologist 36:310.
b4160 1904 On new species of butterflies from equatorial Africa. Entomologist 37:131-134.
b4161 1904 On new species of butterflies from equatorial Africa. Entomologist 37:204-220.
b4162 1915 Descriptions of three new Neotropical Butterflies. Ann. Mag. nat. Hist. (8)16:411-412. {Nov 1915}

Shaw, George; Nodder, Frederick Polydore;

- b4163* 1789-1813 The Naturalist's Miscellany: or coloured figures of natural objects; drawn and described . . . from Nature. 24 volumes (4to). There is a second title, which reads: "Vivarium Naturae," etc. This work was succeeded by "The Zoological Miscellany" of Leach and Nodder. For dates, see Sherborn. [Ref: b1057; b4174] {1789-1813}

Sheldon, William George;

- b.* 13 Oct 1859 (Duffield, Derbyshire); *d.* 27 Dec 1943 (London?). [Ref: b0718; b0717]

Sheldon, William George; (continued)

- b4164* 1913 Lepidoptera at Albarracin in May and June, 1913. Entomologist 46:283-289, 309-313, 328-332, pl 12.
b4165 1914 An expedition in search of Russian Butterflies. Entomologist 47(9):233-242, (10):269-274 (Oct), (11):293-297 (Nov), (12):315-318 (Dec). {Sep 1914}

Sheljuzhko, Leo;

- b.* 1890, *d.* 1969. [Ref: b1946; b1776]
b4166 1914 Neue Rhopaloceren vom Pamir. Deut. ent. Zeit. [Iris] 28(1):18-22. {31 Mar 1914}
b4167 1919 Neue palaearktische Lepidopteren-Formen. Neue Beitr. syst. Insektenk. 1:123-132.
b4168 1928 Neue palaearktische Lycaeniden. Lep. Rdsch. 2:44-46, 51-52, 62-64, 9 f.
b4169 1928 Bemerkungen über einige Lycaeniden des Bezirkes von Minussinsk (Gouvern. Jenissej, Siberien). Lep. Rdsch. 2:110-112, 116-120, 128-132.
b4170 1929 Einige neue palaearktische Lepidopteren-Formen. Mitt. münchn. ent. Ges. 29:351-354.
b4171 1933 Eine neue *Lycaena*-Form aus Kamtschatka. Z. öst. EntVer. 18:85.
b4172 1934 Neue Lepidopteren aus dem Nordkaukasus. Z. öst. EntVer. 19:30-32, 39-40, 1 pl.

Sheppard, Arthur Charles;

- b.* 4 Aug 1902 (Oxford, England); *d.* 10 Mar 1987 (Canada). [Ref: b4869]
b4173 1934 A New Species of the Genus *Incisalia* (Lepidoptera). Can. Ent. 66(6):141-142. {30 Jun 1934}

Sherborn, Charles Davies;

- b.* 30 Jun 1861 (London); *d.* 1942. [Ref: b0718; b0717]
b4174 1895 On the Dates of Shaw and Nodder's 'Naturalist's Miscellany'. Ann. Mag. nat. Hist. (6)15:375-376. {Apr 1895}
b4175 1937 Dru Drury. J. Soc. Bibl. nat. Hist. 1(4):109-111. {Dec 1937}

Shields, Oakley;

- b4176* 1973 Studies on North American *Philotes* (Lycaenidae). Bull. Allyn Mus. No. 10:1-5. {10 May 1973}
b4177 1973 Studies on North American *Philotes* (Lycaenidae). II. The biology, distribution, and taxonomy of *Philotes sonorensis* (F. & F.). Bull. Allyn Mus. No. 15:1-16, 4 f. {31 Dec 1973}
b4178 1974 Studies on North American *Philotes* (Lycaenidae). III. Generic reassignments and the biology of *speciosa*. Bull. Allyn Mus. No. 19:1-10, 3 f. {22 Jul 1974}
b4179 1975 Studies on North American *Philotes* (Lycaenidae). Bull. Allyn Mus. No. 28:1-36, 44 f, 5 maps. {3 Sep 1975}
b4180 1982 International Nepal Himalaya Expedition for Lepidoptera Palaeartica (INHELP) 1977, Report No. 1: Introduction and Lycaenidae. J. Res. Lep. 20(2):65-80, 6 f, tbl. {20 Sep 1982}
b4181 1984 Oriental Lycaenidae, Riodinidae, and Hesperidae from the Central Nepal Himalayas. J. Bombay nat. Hist. Soc. 81(3):546-550.
b4182 1985 Comments on recent papers regarding western Cupressaceae-feeding *Callophrys* (*Mitoura*). Utahensis 4:51-56.

Shimonoya, Toyokazu; Murayama, Shū-iti;

- b4183* 1965 Taxonomic notes on some unrecorded species, forms, and little known species of Rhopalocera from Formosa. [In Japanese]. Tōhoku Konchu Kenkyu 2(2):26-30, pl 2,3.
b4184 1969 A new species of *Chrysozephyrus* from Formosa. [In Japanese]. Tōhoku Konchu Kenkyu 4(2):22-23.

Shimonoya, Toyokazu; Murayama, Shō-iti; (continued)

- b4185 1971 Two new *Chrysozephyrus* (Lycaenidae) species from Formosa (Taiwan). The ninth study on the Formosan Rhopalocera collaborated by S. Murayama and T. Shimonoya. [In Japanese]. *Tyō to Ga* 22(1,2):18-19, 11 f (1 cpl). {30 Oct 1971}
- b4186 1976 Remarks on some Formosan Rhopalocera with descriptions of two new species, and the revision of a few scientific names. (The tenth study on the Formosan Rhopalocera collaborated by both authors). [In Japanese]. *Tyō to Ga* 27(2):43-48, ill. {1 Aug 1976}

Shin, Yoo-Hang;

- b4187 1970 Life history of *Ussuriana michaelis* Oberthür in Korea. [Japanese]. *Tyō to Ga* 21(1,2):15-16, 3 f. {30 Apr 1970}

Shirōzu, Takashi;

- b4188 1941 A new species of the genus *Strymon* Hübner from Formosa (Lycaenidae). *Zephyrus* 9(2):73-75, ill. {Dec 1941}
- b4189 1943 On some species of Lycaenidae from Kyushu. [Japanese]. *Zephyrus* 9(3):193-194. {May 1943}
- b4190 1947 Description of a new species of the genus *Favonius* Sibatani et Ito, 1943, from Honshu, Japan (Lycaenidae, Theclinae). *Zephyrus* 9(4):238-244, ill. {Jun 1947}
- b4191 1951 A new species of *Favonius* from Japan. *Kontyū* 19:60-66, f 1-8.
- b4192 1952 New or little known butterflies from the North-Eastern Asia, with some synonymic notes. I. *Sieboldia* 1(1):11-37, 11 pls, 1 f.
- b4193 1953 New or little known butterflies from the North-Eastern Asia, with some synonymic notes. II. *Sieboldia* 1(2):149-159, 1 f, 1 pl.
- b4194 1954 An unexpected discovery of a tropical Lycaenid, *Pühecopis hylax* (Fabricius) in Tsushima Islands, Japan. [In Japanese]. *Tyō to Ga* 5(3/4):21-21. {15 Dec 1954}
- b4195 1956 Discovery of *Celastrina dilecta* Moore in Japan (Lepidoptera, Lycaenidae). *Sieboldia* 1(4):423-426, f 1,2,A,B.
- b4196 1957 An unrecorded Thecline butterfly from Formosa (Lepidoptera; Lycaenidae). *Sieboldia* 2:41-42, f A-D.
- b4197 1959 Some new Formosan butterflies. *Kontyū* 27(1):91-92, pls 7,8. *Esaki mem. issue*.
- b4198 1960 Butterflies of Formosa in Colour. Osaka, Hoikusha 4to vi+481, tfs 1-479, pls 1-76.
- b4199 1962 A new subspecies of *Coreana raphaelis* Oberth. from Yamagata prefecture, Japan. *Tyō to Ga* 12(3):48-50. {30 Jan 1962}

- b4200 1962 Evolution of the food-habits of larvae of the Thecline butterflies. [In Japanese]. *Tyō to Ga* 12(4):144-162. {20 Aug 1962}
- b4201 1964 Two new butterflies from the Ryukyus. *Kontyū* 32(1):167-173, 5 f.
- b4202 1982 Some butterflies, newly discovered or recently established in Japan. [Japanese]. *Tyō to Ga* 32(1,2):97. {20 Dec 1982}
- b4203 1987* [Letter to Bridges. Notes on some names of oriental Lycaenidae]. Fukuoka, Japan :3 pp. {27 Jun 1987} [*Unpublished]
- b4204 1987* [Letter to Bridges. Notes on the names of some butterflies]. Kitakyushu, Japan :1 pp. {5 Sep 1987} [*Unpublished]

Shirōzu, Takashi; Hayashi, Kei;

- b4205 1959 [Description of *Favonius latifasciatus*]. In Inoue & Okano, *Iconographia Insectorum Japonicorum*. Vol. 1 (Lepidoptera). [See also: b2506]

Shirōzu, Takashi; Murayama, Shō-iti;

- b4206 1943 On a new Lycaenid-Butterfly resembling *Thecla nivea* (Nire) from Formosa. [In Japanese]. *Ent. World* 11(107):1-4, f 1-3.
- b4207 1951 *Leucantigius*, a new genus for Formosan Lycaenidae. *Tyō to Ga* 2(3):17-18, 2f.

Shirōzu, Takashi; Nanba, M.;

- b4208 1973 A new subspecies of *Strymonidia iyonis* Ota et Kusunoki from Honshu, Japan. *Tyō to Ga* 23(3/4):65-67, pl, tbl. [Ref: b0104 (#1696)] {31 May 1973}

Shirōzu, Takashi; Saigusa, Toyohei;

- b4209 1962 Hesperidae & Lycaenidae collected by the Osaka Univ. biol. Exped. to southeast Asia 1957-1958. *Nature Life Southeast Asia* 2:25-94, 18 pls, 47 f. *Good drawings of genitalia*.

Shirōzu, Takashi; Saigusa, Toyohei; Nishimura, G.;

- b4210 1970 The discovery of the male of "*Thecla malayica* Pendlebury", with its relationships to *Austrozephyrus absolon* (Hewitson, 1865). *Tyō to Ga* 21(3,4):75-81, 13 f. {31 Aug 1970}

Shirōzu, Takashi; Sibatani, Atuhiko;

- b4211 1943 On the Japanese Lycaenid species of the genera *Plebejus* Klug and *Lycaeides* Hübner (Lep.). *Trans. Kansai ent. Soc.* 13(1):25-35, ill.

Shirōzu, Takashi; Ueda, Kyoichiro; Hirowatari, Toshiya;

- b4212 1986 Discovery of *Pühecopis fulgens* Doherty from the Malay Peninsula (Lepidoptera, Lycaenidae). *Tyō to Ga* 37(4):195-197, 2 f. {20 Dec 1986}

Shirōzu, Takashi; Urata;

- b4213 1957 A new *Pühecopis* from the Tsushima Islands, Japan (Lepidoptera, Lycaenidae). *Sieboldia* 2(1):35-38.

Shirōzu, Takashi; Yamamoto, Hideho;

- b4214 1956 A generic revision and the phylogeny of the tribe Theclini (Lepidoptera: Lycaenidae). *Sieboldia* 1(4):329-421, pls 35-85.

Shtandel, A. E.;

b. *, d. *.

- b4215 1960 On some butterflies (Lepidoptera, Rhopalocera) of the Palearctic fauna. *Ent. Obozr.* 39:693-696.

Shuey, John A.;

- b4216 1984 A bilateral sexual mosaic of *Mitoura gryneus* (Lycaenidae). *J. Lep. Soc.* 38(2):144, 1 f. {16 Aug 1984}
- b4217 1985* [Letter to Bridges. Notes of the types of Freeman]. Columbus, Ohio :1 pp. {2 Dec 1985} [*Unpublished]

Shuey, John A.; Iftner, David; Calhoun, John V.;

- b4218 1986 The distribution of *Satyrion edwardsii* (Lepidoptera: Lycaenidae) in Ohio. *Atala* 13(2):1-3.

Sibatani, Atuhiko;

- b4219 1946 Zweiter Beitrag zur Systematik der Lycaeninen (=Theclinen) aus Japan und angrenzenden Gegenden nebst Bemerkungen über einige Formen aus Formosa. *Bull. Lep. Soc. Japan* 1(3):61-86, ill. {Aug 1946}
- b4220 1974 A new genus for two new species of Lycaeninae (s. str.) (Lepidoptera: Lycaenidae) from Papua New Guinea. *J. Aust. ent. Soc.* 13(2):95-110, 23 f.
- b4221 1979 *Melanolycaena altimontana* Sibatani from Sepik? (Lepidoptera: Lycaenidae). [Corrections to the author's 1974 paper on *Melanolycaena*]. *Tyō to Ga* 30(1,2):125-126. [Ref: b0111 (#2545)] {20 Jul 1979}
- b4222 1980 *Theclines the miskini* (T. P. Lucas) (Lepidoptera: Lycaenidae) from north-western Irian Jaya, Indonesia. *Aust. ent. Mag.* 7(1):13-14, 2 f. {Aug 1980}

Sibatani, Atuhiro; Grund, R. B.;

- b4223 1978 A Revision of the *Theclinesstes onycha* Complex (Lepidoptera: Lycaenidae). Tyô to Ga 29(1):1-34, 158 f. [Ref: b4223] {1 Mar 1978}

Sibatani, Atuhiro; Ito, Syusiro;

- b4224 1942 Beitrag zur Systematik der Theclinae im Kaiserreich Japan unter besonderer Berücksichtigung der sogenannten Gattung *Zephyrus*. Tenthredo 3(4):318-328, 22 text-figs.

Sibatani, Atuhiro; Salgusa, Toyohel; Hirowatari, Toshiya;

- b4225 1994 The genus *Maculinea* van Eecke, 1915 (Lepidoptera: Lycaenidae) from the East Palearctic Region. Tyô to Ga 44(4):157-220, 50 f. {28 Feb 1994}

Siepl, P.; Verity, Ruggero;

- b4226 1911 Alcuni Lepidotteri inediti o non ancora figurati. Boll. Soc. ent. ital. 42:266-281, 1 pl.

Silbernagel, A.;

- b. 1892, d. 1944. [Ref: b0718; b3534]
b4227 1940 Nové odruvidy rodu *Lycaena* F. (Macrolep.). [New aberration in the Genus *Lycaena*]. Acta Soc. ent. bohém. 37:116-119.

Simmons, Robert S.;

- b. *; d. 28 Sep 1985 (Baltimore, Maryland).
b4228 1984 Notes on Maryland Lepidoptera No. 11: Six New Butterflies for the State of Maryland. J. Res. Lep. 23(1):102-103. {15 Jun 1984}

Simon, Mark J.; Miller, Lee Denmar;

- b4229 1986 Observations on the Butterflies of Great Inagua Island, Bahamas, with records of three species new to the island. Bull. Allyn Mus. No. 105:14 pp, 14 f. {29 Jul 1986}

Sirotkin, M. I.;

- b4230 1986 A list of the Macrolepidoptera from Moscow and Kaluga Oblasts (Russina SFSR, USSR). Ent. Obozr. 65(2):318-356.

Skala, Hugo;

- b. 25 Jan 1875 (Brünn), d. 29 May 1953. [Ref: b2407; b1946]
b4231 1912 Das zweibändige, ausgezeichnet besprochene Werk: "Die Lepidopterenfauna Mährens". Verh. naturf. Ver. Brünn 50:63-241, 1 pl.

Skinner, Henry;

- 27 Mar 1861 (Philadelphia); d. 29 May 1926 (same). [Ref: b0718; b0717]
b4232 1893 The Larva and Chrysalis of *Chrysophanus dione*. Can. Ent. 25(1):22. {[5] Jan 1893}
b4233 1895 Notes of Rhopalocera, with Descriptions of New Species. Ent. News 6(4):112-114. {[29 Mar] 1895}
b4234 1897 Notes on Rhopalocera, with descriptions of new species and varieties. Can. Ent. 29(6):154-156. {24 Jun 1897}
b4235 1898 A Synonymic Catalogue of the North American Rhopalocera. {15 Dec 1898}
b4236 1902 New Species of Rhopalocera. Ent. News 13(1):15. {Jan 1902}
b4237 1902 A List of the Insects of Beulah, New Mexico. Trans. amer. ent. Soc. 29(1):35-37. {Dec 1902}
b4238 1904 A new *Thecla* from the Northwest. Ent. News 15(9):298-299. [Ref: b0527] {Nov 1904}
b4239 1907 A New Butterfly from California. Ent. News 18(9):378. {Nov 1907}
b4240 1912 Two New Butterflies (Lepid.). Ent. News 23(3):126-127. {[29 Feb] 1912}
b4241 1917 *Lycaena lygdamus* Doubleday and Its Races with a Description of a New One (Lep.). Ent. News 28(5):212-214. {[2] May 1917}
b4242 1920 A New Variety of *Lemonias* (Lepidoptera). Ent. News 31(6):175. {[12] Jun 1920}

Slevogt-Bathen, B.;

- b4243 1900 Ueber neue kurländische Rhopalocera - Varietäten. Beiträge zur Fauna Baltica. Horae Soc. ent. ross. 34:524-533.
b4244 1910 Die Grossfalter (Macrolepidoptera) Kurlands, Lituaniens, Estlands und Ostpreussens mit besonderer Berücksichtigung ihrer Biologie und Verbreitung. Arb. Nat.-ForschVer. Riga (nf)12:1-235. [Ref: b0993]

Small, Gordon B., Jr.;

- b. 19 Apr 1934 (Cambridge, Massachusetts); d. 23 Jan 1989 (San Francisco, California).

Smart, Paul;

- b4245 1975 The International Butterfly Book. New York, T. V. Crowell :275 pp, ill. Also published by Hamlyn, London (as *The Illustrated Encyclopedia of the Butterfly World*) and in French in 1976 by Elsevier Séquoia, Bruxelles & Paris (as *Encyclopédie des Papillons*). [Ref: b1053; b1054]
b4246 1979 A new species of *Argyrogramma* (Lepidoptera: Nemeobiidae) from Trinidad. Aurelian 1(3):9,13, ill. [Ref: b0111 (#2603)]

Smith, C. R.;

- b4247 1988 Lionel George Higgins - a bibliography and type catalogue. Ent. Gaz. 39(1):17-37. {4 Feb 1988}

Smith, David Spencer; Hernández, Luis Roberto;

- b4248 1992 New Subspecies of *Pseudochrysops bornoi* (Lycaenidae) and *Saliana esperi* (Hesperiidae) from Cuba, with a New Island Record and Observations on Other Butterflies. Caribb. J. Sci. 28(3/4):139-148, ill. {Dec 1992}

Smith, David Spencer; Johnson, Kurt; Miller, J. T.; McKenzie, Faustino;

- b4249 1991 A new hairstreak butterfly (Lycaenidae) from Mona Island, Puerto Rico. Bull. Allyn Mus. No. 134:1-9, ill.

Smith, John Bernhard;

- b. 1858, d. 1912. Also seen as Bernhardt. [Ref: b0718]
b4250 1903 Check List of the Lepidoptera of Boreal America. {Jun 1903}

Smith, Michael J.;

- b4251 1986 Ecological Observations of *Apodemia phyciodoides* Barnes & Benjamin (Riodinidae). J. Lep. Soc. 39(4):337-338. {25 Jun 1986}

Smith, P. Siviter;

- b4252 1932 *Heodes phlaeas* L., ab. *berviniensis* Nov. ab. Entomologist 65(11):241-243. {Nov 1932}

Smith, Richard S.;

- b4253 1961 *Erora laeta* (Lycaenidae) in New Hampshire. J. Lep. Soc. 14(4):239-240. {7 Sep 1961}

Smith, Sir James Edward;

- b. 2 Dec 1759, d. 17 Mar 1828. [Ref: b0717]
b4254 1797 In Abbot & Smith, A natural history of the rarer Lepidopterous Insects of Georgia (q.v.). [Ref: b0001]

Smithers, Courtenay Neville; Butler, W. H.;

- b4255 1983 The butterflies (Lepidoptera: Hesperioidea and Papilionoidea) of Barrow and nearby islands, Western Australia. West. Aust. Nat. 15(6):141-145, 2 tbl.

Snellen, Pieter Cornelius Tobias;

- b. 30 Aug 1832; d. 29 Mar 1911. [Ref: b0718; b0717]
b4256 1867 De Vlinders van Nederland. Macrolepidoptera. The Hague :xiii+763 pp, 4 pls (roy 8vo).
b4257 1872 Bijdrage tot de Vlinder-fauna van Neder-Guinea, zuidwestelijk gedeelte van Africa. Tijdschr. Ent. 15:1-110 + [8] pp, 8 pls.
b4258 1876 Beschrijving der nieuwesoorten. Tijdschr. Ent. 19:159-167.

Snellen, Pieter Cornelius Tobias; (*continued*)

- b4259 1878 In Snellen & Piepers, (q.v.). Tijdschr. Ent. 21:1-43, 1 pl. [See also: b3600]
 b4260 1887 Nouvelle espèce de Lépidoptère de la famille des Lycaenides. Notes Leyden Mus. 9:217-218.
 b4261 1888 Bejdrage tot de Kennis der Lepidoptera von het Eiland Curacao. Tijdschr. Ent. 30:9-66. {[1888]}
 b4262 1890 Aanteekeningen over de Lepidoptera van het eiland Tanah-Djampea bij Celebes. Tijdschr. Ent. 33:267-278, cpl 11.
 b4263 1890 Aanteekeningen over de Lepidoptera van het Eiland Belitoeng. Tijdschr. Ent. 33:279-310, pl 12.
 b4264 1891 *Deudoryx verriculata*, nov. spec. Tijdschr. Ent. 34:257-260, pl 15, f 3.
 b4265 1892 Beschrijving van eenige nieuwe javaansche dagvlinders. Tijdschr. Ent. 35:133-147.
 b4266 1896 Beschrijving van twee nieuwe soorten van Lycaeniden. Tijdschr. Ent. 39:91-94.
 b4267 1899 Beschrijving van *Lycaena bathinia* Snell. nov. spec. Tijdschr. Ent. 42:212-214.
 b4268 1901 *Lycaena donina* nova spec. Tijdschr. Ent. 43:262-264. [5 Apr 1901]
 b4269 1901 *Lycaena euphemus* Hübner een voor de nederlandsche fauna nieuwe dagvlinder. Tijdschr. Ent. 44:54-62.

Snow, Francis Huntington;

- b. 29 Jun 1840 (*Füchburg*); d. 20 Sep 1908 (*Lawrence?*). [Ref: b0718; b0717]
 b4270 1883 Lists of Lepidoptera and Coleoptera, Collected in New Mexico by the Kansas University Scientific Expeditions of 1881 and 1882. Trans. Kansas Acad. Sci. 8:35-37.

Sodoffsky, Carl Heinrich Wilhelm;

- b. 2 Sep 1797 (*Riga*); d. 15 May 1858 (*Riga*). Also seen as *Sodovskii* and *Sodovsky*. [Ref: b0717; b1049; b1722]
 b4271 1837 Etymologische Untersuchungen über die Gattungsnamen der Schmetterlinge. Bull. Soc. imp. Nat. Moscou 10(6):76-97.
 b4272 1837 Beurtheilende Anzeige einiger neueren Werke über Schmetterlingskunde. Bull. Soc. imp. Nat. Moscou 10(7):107-109. [Ref: b1037]

Sohn, Otto;

- b4273 1893 *Lycaena Arcas* ab. *inocellata* n. ab. Soc. ent. 8(10):77. [15 Aug 1893]

Sonan, Jinhaku;

- b4274 1926 Notes on a few butterflies from Formosa. Trans. nat. Hist. Soc. Formosa 16:180-183, pls 4,5.
 b4275 1929 Descriptions of two aberrant forms and a new species of the butterflies from Formosa. *Zephyrus* 1(4):135-137, 1 pl. [Dec 1929]
 b4276 1931 Notes on some butterflies from Formosa. (2). *Zephyrus* 3(3/4):194-206, pls 15-17, f 1-13. [Dec 1931]
 b4277 1932 Notes on some butterflies from Formosa. (3). *Zephyrus* 4(2/3):126-128. [30 Nov 1932]
 b4278 1936 Notes on some butterflies from Formosa (4). [In Japanese]. *Zephyrus* 6(3/4):205-216, 3 pls. [31 Jul 1936]
 b4279 1938 Notes on some butterflies from Formosa (5). *Zephyrus* 7(4):250-257, 1 pl. [30 Jun 1938]
 b4280 1940 On the genus *Zephyrus* of Formosa (Lepidoptera Lycaenidae). Trans. nat. Hist. Soc. Formosa 30:77-85. [Apr 1940]
 b4281 1940 On a few Lycaenid-butterflies from Formosa. Trans. nat. Hist. Soc. Formosa 30:159-167, 2 f. [Jun 1940]
 b4282 1940 A new subspecies *Amblypodia japonica* Murray from Kotosho (Botel-Tobago Island), Formosa. Trans. nat. Hist. Soc. Formosa 30:368. [Sep 1940]

Sonan, Jinhaku; (*continued*)

- b4283 1941 [Introduction of the replacement name *Zephyrus teiso* for *Zephyrus esakii* Umeno]. [In Japanese]. Trans. nat. Hist. Soc. Formosa 31:481.

South, Richard;

- b. 1846, d. 1932. [Ref: b0718; b0717]
 b4284 1900 *Lycaena corydon* var. *fowleri*, nov. Entomologist 33:104, cpl 3, f 4,5.
 b4285 1913 A list of Butterflies collected by Captain F. M. Bailey in Western China, Southeastern Tibet and the Mishmi Hills, 1911. J. Bombay nat. Hist. Soc. 22(2):345-365; (3):598-615 (20 Dec). [30 Sep 1913]

Sovinsky, Vadim;

- b4286 1905 Description d'une nouvelle form d'*Euchloe cardamines* L. (Lepidoptera, Pierididae), intéressante au point de vue phylogénétique, et remarques sur la var. *proenissa* Kalchberg de la même espèce. [In Russian]. Revue Russe Ent. 5(3/4):103-107. [Aug 1905]
 b4287 1905 Trois nouvelles formes de Lepidopteres du Caucase. [In Russian]. Revue Russe Ent. 5(3/4):108-110. [Aug 1905]
 b4288 1915 Notice sur les races caucasiennes de *Lycaena damon* Schiff. Revue Russe Ent. 15:383-391.

Spangberg, Jacob;

- b. 29 Nov 1846 (*Sweden*); d. 12 Feb 1894 (*Stockholm*). [Ref: b0718; b0717; b3321]
 b4289 1876 Über drei im hohen Norden vorkommende Arten der Schmetterlingsgattung *Cupido* (Schrank). Stett. ent. Ztg 37:91-93.

Speyer, Adolph;

- b. 28 Apr 1812 (*Arolsen*); d. 14 Nov 1892 (*Rhoden, Waldeck*). [Ref: b0718; b0717]
 b4290 1851 Eine Excursion auf den Patscher Kofel bei Innsbruck. Stett. ent. Ztg 12:329-340. [Ref: b0527] [Nov 1851]
 b4291 1882 Lepidopterologische Bemerkungen. Stett. ent. Ztg 43(7-9):375-388. [Sep 1882]

Spitz, Robert;

- b. 1859, d. 1954.
 b4292 1930 Ueber neue brasilianische Insektenformen. Ent. Rundsch. 47:39-43, 2 f.
 b4293 1931 Variationserscheinungen an *Euptychia armilla* Btlr, und einige neue Lepidopteren aus Brasilien. Revta Ent. Rio de J. 1:42-52, 2 f.
 b4294 1933 Uma nova especie brasileira de tribu Theclini (Lep. Lycaenidae). Revta Ent. Rio de J. 3:224-225, f 1.

Spooner, G. M.;

- b4295 1963 On causes of the decline of *Maculinea arion* L. (Lep., Lycaeniidae) in Britain. Entomologist 96:199-210. [Sep 1963]

Spry, Frank Palmer;

- b. 18 Jun 1858 (*St. Kilda, Victoria*); d. 8 Aug 1922. [Ref: b0717; b3321]

Spuler, Arnold;

- b. 1 Jun 1869 (*Durmshheim, Baden*); d. 15 Mar 1937 (*Erlangen*). [Ref: b0717]
 b4296 1901-1908 Die Schmetterlinge Europas. Stuttgart, Schweizerbartsche 1:68 pp. [1901-1908]

Srdinko, J.;

- b4297 1910 Prispevek k znalosti zivota *Lycaena orion* Pallas. Cas. čsl. Spol. ent. 7:145-151.
 b4298 1912 Beitrag zur Kenntnis von *Lycaena orion* Pallas. Int. ent. Z. 6:102-103.

Stach, S.;

b4299 1923 Drugi przyczynek do fauny motyli Podhala. Spraw. Kom. fizyogr. 57:79-87.

Stallings, Don B.;

b. 4 Aug 1910 (Oswego, Kansas) (Stallings, Don Brigg).

b4300 1980 Harry Kendon Clench: a Remembrance. J. Lep. Soc. 34(2):101-102. {23 Sep 1980}

Stallings, Don B.; Turner, J. R.;

b4301 1947 Notes on Kansas Butterflies with Description of a New Subspecies. J. Kansas ent. Soc. 20(3):93-94. {8 Aug 1947}

b4302 1947 A New Subspecies of Butterfly. Pan-Pac. Ent. 23(3):119-120. {30 Oct 1947}

Stanford, Ray Edmund;

b4303 1985 Zone 4. Rocky Mountains: Alberta, Montana, Wyoming, Utah, Colorado and New Mexico. In: 1984 Season Summary (of the Lep. Soc.). News Lep. Soc. 1984(2):18-23. {Apr 1985}

Stauder, H.;

b4304 1913 *Lycaena icarus* Rott. nov. var. *menahensis*. Ent. Zeit. 27(12):65. {21 Jun 1913}

b4305 1914 Neue Lepidopterenformen aus des österreichischen Litorale. Deut. ent. Zeit. [Iris] 28:13-17.

b4306 1914 *Lycaena argus* L. (*aegon* Schiff.) (female) *flavodentata* m. aberr. nova. Deut. ent. Zeit. [Iris] 28:119-120.

b4307 1915 Systematisches Verzeichnis der von mir 1900 bis 1906 in Südtirol erbeuteten Makrolepidopteren. Int. ent. Z. 8(32):177-178. {30 Jan 1915}

b4308 1915 Neue mediterrane Lepidopterenformen. Deut. ent. Zeit. [Iris] 29:20-34. {10 May 1915}

b4309 1915 Eine Sammelreise nach Unteritalien (Fortsetzung). Z. wiss. InsektBiol. 11:1-7, 71-75, 132-137, 175-180.

b4310 1920-1923 Die Schmetterlingsfauna der illyro-Adriatischen Festland- und Inselzone. (Fauna Illyro-Adriatica). Z. wiss. InsektBiol. 15:201-220; 16:16-23, 43-48, 101-108, 143-153, 166-176, 219-224, 11 tf; 17:14-21, 58-64, 83-92, 135-147, 165-176, 1 map, 3 pls, 26 tf; 18:10-18, 56-68, 106-114, 187-202, 253-267, 317-327. {1920-1923}

b4311 1921 Zu Venzner's *Lycaena taurica*. Deut. ent. Zeit. [Iris] 35:4-5.

b4312 1921 Neues aus Unteritalien. Deut. ent. Zeit. [Iris] 35:26-31.

b4313 1922 Bausteine zur Lepidopteren fauna des Salzkammergutes. Ent. Anz. 2:6-9, 18-21, 43-47, 53-56, 66-70, 80-83, 93-95, 102-103.

b4314 1922 *Lycaena difficilis*, nova species. Ent. Anz. 2:109-111, 124-125.

b4315 1923 Neue Schmetterlingsformen aus meiner Sammlung. Ent. Anz. 3:1-7.

b4316 1923-1924 Lepidoptera aus Unteritalien. I. Soc. ent. 38(2):5-7, (3):10-11, (4):14-16, (5):19-20, (6):23-24, (7):27-28, (8):30-32, (9):35-36, (10):37-40, (11):43-44, (12):46-48; 39(1):3-4, (2):7-8, (3):10-12, (4):15-16, (5):19-20, (6):23-24, (7):26-28, (8):29-31, (9):34-35, (10):38-39. {1923-1924}

b4317 1924 Teriolensia. I. Deut. ent. Zeit. 1924(1):1-29. {15 Feb 1924}

b4318 1924 Lepidoptera aus Unteritalien, I. Soc. ent. 39:3-4, 7-8, 10-12, 15-16, 19-20, 23-24, 26-28, 29-31, 34-35, 38-39.

b4319 1925 Lycaenologisches Allerlei. Ent. Anz. 5(8):60-62, (9):65-68, (10):73-75.

Staudinger, Otto;

b. 2 May 1830 (Gross-Wüstenfelde b. Treptow, Mecklenbourg); d. 13 Oct 1900 (Lucerne). [Ref: b0718; b0717; b3321]

b4320 1862 Ueber einige neue griechische Lepidopteren. Stett. ent. Ztg 23(4-6):257-271. {Jun 1862}

Staudinger, Otto; (continued)

b4321 1867 Einige neue Lepidopteren (sämmlich aus der Sammlung des verstorbenen O. Gruner). Stett. ent. Ztg 28:100-110.

b4322 1870 Beschreibung neuer Lepidopteren des europäischen Faunen-geriets. Berl. ent. Z. 14:97-132, 193-208, 273-330.

b4323 1871 In Staudinger & Wocke, Catalog der Lepidopteren des Europäischen Faunengebiets, I: Macrolepidoptera. (2nd edition). Dresden xvi-xxxvii, 1-200, 347-382, 415-424.

b4324 1871 Beitrag zur Lepidopteren-Fauna Griechenlands. Horae Soc. ent. ross. 7:3-304, 3 pl. {[1871]}

b4325 1874 Einige neue Lepidopteren des europäischen Faunengebiets. Stett. ent. Ztg 35:87-98.

b4326 1876 Neue Lepidopteren des südamerikanischen Faunengebiets. Verh. zool.-bot. Ges. Wien 25:89-124.

b4327 1878-1879 Lepidopteren-Fauna Kleinasien's Horae Soc. ent. ross. 14:176-320 (1878); :320-482 (1879). {1878-1879}

b4328 1881 Beitrag zur Lepidopteren-Fauna Central-Asiens. Stett. ent. Ztg 42:253-300, 393-424; 43:35-78. {Jun 1881}

b4329 1884-1888 [In Staudinger & Schatz, Exotische Schmetterlinge. Theil I, Bd 1 & 2]. Exotische Tagfalter. Furth (Bayern), G. Löwensohn 1(1):iv+333 pp, 1 map; 1(2):100 cpl. *The plates appear to be color printed but were finished by hand. The map came in the last part, issued in Nov 1888. Theil II, with 50 plain plates and comprising a systematic arrangement of families and genera, was started by Schatz (:1-136, 1885-1887) and completed by Röber (:137-292, 1888-1892). See Moulds for notes on dating and contents of the parts. [Ref: b1045; b1051; b2050; b1053; b3256] {1884-1888}*

b4330 1886-1889 Centralasiasische Lepidopteren. Stett. ent. Ztg 47:193-215, 225-256; 48:49-102; 49:1-65; 50:16-60. {1886-1889}

b4331 1887 Neue Arten and Varietäten von Lepidopteren aus dem Amur-gebiet. In Romanoff, Mém. Léop. 3:126-232.

b4332 1889 Lepidopteren der Insel Palawan. Deut. ent. Zeit. [Iris] 2(1):3-180, pls 1,2.

b4333 1889 Zwei neue Afrikanische Lycaeniden. Ent. Nachr. 15:176-179.

b4334 1891 Neue exotische Lepidopteren. Deut. ent. Zeit. [Iris] 4(1):61-157, ill.

b4335 1892 Die Macrolepidopteren des Amurgebietes. I. Theil. Rhopalocera, Sphinges, Bomboes, Noctuae. In Romanoff, Mém. Léop. 6:83-658. *Also published as a separate. [Ref: b1746] {[12 Jul] 1892}*

b4336 1892 Neue Afrikanische Lycaeniden. Deut. ent. Zeit. [Iris] 4(2):215-223.

b4337 1892 Lepidopteren aus Tunis. Deut. ent. Zeit. [Iris] 5:277-300.

b4338 1892 Lepidopteren des Kentei-Gebirges. Deut. ent. Zeit. [Iris] 5:300-393, pl 3, f 1-9.

b4339 1894 Hochandine Lepidopteren. Deut. ent. Zeit. [Iris] 7:43-100, 2 pls.

b4340 1894 Neue Lepidopteren-Arte und Varietäten aus dem papäarktischen Faunengebiet. Deut. ent. Zeit. [Iris] 7:241-296, cpl 9, :376 (corrections).

b4341 1895 Eine neue Lycaeniden-Gattung. Deut. ent. Zeit. [Iris] 8:153-157.

b4342 1895 Beschreibungen neuer Lepidopteren aus Tibet. Deut. ent. Zeit. [Iris] 8:300-343, cpl 5,6.

b4343 1896 Neue exotische tagfalter. Deut. ent. Zeit. [Iris] 9:193-240.

b4344 1897 Drei neue palauarktische Lepidopteren. Deut. ent. Zeit. [Iris] 10:152-156, pl 5.

b4345 1899 Ueber die Arten und Formen der *Lycaena damon*-Gruppe. Deut. ent. Zeit. [Iris] 12(1):137-155. {15 Sep 1899}

b4346 1899 Ueber Lepidopteren aus dem östlichsten Thian Schan-Gebiet. Deut. ent. Zeit. [Iris] 12:331-351.

Staudinger, Otto; (continued)

b4347 1901 In Staudinger & Rebel, (q.v.). [See also: b4348]

Staudinger, Otto; Rebel, Hans;

b4348 1901 Catalog der Lepidopteren des Palaearctischen Faunengebietes. (3rd ed). I. Famil. Papilionidae-Hepialidae. Berlin, Friedländer & Sohn :v-xxxii+411 pp.

Stefanelli, Pietro;

b. 3 Aug 1834; d. 23 Nov 1919. [Ref: b0718]

b4349 1875 Di una forma poco nota del *Polyommatus alciphron* Rott. Boll. Soc. ent. ital. 6:83-85, pl 1, f 1,2.

b4350 1900 Nuovo catalogo illustrativo dei lepidotteri ropaloceri della Toscana. Boll. Soc. ent. ital. 32:156-191, 325-374. *Kudrna lists this as a separate, 103 pp.* [See also: b4831]

b4351 1904 Comunicazioni scientifiche. Boll. Soc. ent. ital. 36:8-12. *These pages contain descriptions by Verity.* [See also: b4831]

Steiner, S.;

b4352 1916 Beiträge zur kroatisch - slawonischen Lepidopterenfauna (Rhopalocera: Lycaenidae). Die *Chrysophanus* Hb. Arten in der Umgebung von Agram (Zagreb-Kroatien). Glasn. hrv. prirodosl. Društ. 28:84-94, 6 f.

Steinhausner, Stephen R.;

b4353 1986 A review of the skippers of the *narcosius* group of Species of the genus *Astraptus* Hübner (sensu Evans, 1952) and erection of a new genus. Lepidoptera: Hesperidae. Bull. Allyn Mus. No. 104:43 pp, 79 f. [29 Jul 1986]

b4354 1987 Notes on the Identity of the Species-group Names in the Genera *Urbanus* and *Astraptus* (sensu Evans). Bull. Allyn Mus. No. 111:1-16. [20 Oct 1987]

Steiniger, H.;

b4355 1975 Nomenklatorische Berichtigungen an der Lycaeniden-Sammlung von H. Beuret (Naturhistorisches Museum Basel). Mitt. ent. Ges. Basel (nf)25(1):20-29, pl.

Stempffer, Henri;

Collection to MNHN.

b4356 1927 Description d'une forme nouvelle de *Cupido minimus* Fuessli. Bull. Soc. ent. Fr. 1927(16):244. [20 Nov 1927]

b4357 1927 Notes sur quelques Lycaenidae français. Amat. Papil. 4:26-29, 38-41, 70-72, 84-86.

b4358 1928 Contribution à l'étude de *Cupido carswelli* Stpffr. Encyc. ent. Ser. B. III. Lep. 3(3):105-115, 6 f. [25 Nov 1928]

b4359 1932 [Notes on the classification of Lycaenidae]. Amat. Papil. 6:109-114.

b4360 1933 Contribution à l'étude de quelques espèces du genre *Lycaeides* Hübner (Lep. Lycaenidae). Bull. Soc. ent. Fr. 38(7):108-112. [9 May 1933]

b4361 1934 Contribution à l'étude du genre *Zizula* Chapman (Lep. Lycaenidae). Bull. Soc. ent. Fr. 38(20):325-328, 2 f. [4 Feb 1934]

b4362 1935 Mission Scientifique de l'Omo. Lepidoptera. I. Lycaenidae. Sur les espèces éthiopiennes du genre *Syntarucus* Butler. Mém. Mus. natn Hist. nat. (ns)2(12):219-240, ill.

b4363 1936 Note sur la systématique de *Lycaena eleusis*. (Lep.; Lycaenidae). In: Livre jubilaire de M. Eugene-Louis Bouvier. Paris, Firmin-Didot :323-327, ill.

b4364 1936 Contribution à l'étude des Lycénides de l'Afrique orientale. Revue fr. Ent. 3:134-142, 6 f.

b4365 1937 Contribution à l'étude des Lycaenidae éthiopiennes. Bull. Soc. ent. Fr. 41(18):283-285. [17 Jan 1937]

b4366 1937 Contributions à l'étude des Plebiinae Palaearctiques (Lep. Lycaenidae). Bull. Soc. ent. Fr. 42(15):211-218, 13 f. [4 Nov 1937]

b4367 1938 Contribution à l'étude des Plebeinae palaearctiques. Bull. Soc. ent. Fr. 42(20):296-301, 28 f. [24 Feb 1938]

Stempffer, Henri; (continued)

b4368 1938 Caractere de la distribution géographique d'*Heodes amphidamas* Esp. Revue fr. Lep. 9:149-151.

b4369 1942 Contribution à l'étude des Lycaenidae de la faune éthiopienne. Anns Soc. ent. Fr. 111:117-134, ill. [31 Mar 1942]

b4370 1944 Contribution à l'étude des espèces Africaines du groupe des Lycaenesthes Auct. Revue fr. Ent. 10:49-63, ill.

b4371 1946 Contribution à l'étude des Lycaenidae de la faune éthiopienne. Revue fr. Ent. 13(1):8-19, ill. [30 Jun 1946]

b4372 1947 Contribution à l'étude des Lycaenidae de la faune éthiopienne (Lep.). Bull. Soc. ent. Fr. 52(3):35-41. [20 May 1947]

b4373 1947 Description d'un Lycénide nouveau de Madagascar. Revue fr. Ent. 14(2):139-140, 1 f. [30 Jun 1947]

b4374 1947 Note sur *Lycaena dispar* Haw. Revue fr. Lep. 11:137-140.

b4375 1947 Note sur les *Ornipholidotos* du groupe de *muhata* Dewitz. (Lep.; Lycaenidae). Revue zool. bot. afr. 40:165-174, ill.

b4376 1948 Contribution à l'étude des Lycaenidae de la faune éthiopienne. Revue fr. Ent. 15(3):185-196, ill. [28 Sep 1948]

b4377 1950 Contribution à l'étude des Lycaenidae éthiopiens. Revue fr. Ent. 17(2):135-149, 7 f. [26 Jul 1950]

b4378 1950 Contribution à l'étude des Lycaenidae du Liberia. Bull. Inst. franç. Afr. Noire 12(A):402-407, ill.

b4379 1950 Description d'une lycène nouveau de la faune Malgache. Naturaliste Malgache 2:131-133, 2 f.

b4380 1951 Contribution à l'étude des Lycaenidae de la faune Éthiopienne. [or] Description de quelques Lycaenidae [Lep.] nouveaux de la faune éthiopienne. Bull. Soc. ent. Fr. 56(5):66-71, ill. [27 Jul 1951]

b4381 1951 Contribution à l'étude des Lycaenidae de la faune éthiopienne. Bull. Soc. ent. Fr. 56(8):119-128, ill. [27 Nov 1951]

b4382 1952 Contribution à l'étude des Lycaenidae (Lep.) de la faune éthiopienne. Bull. Soc. ent. Fr. 57(8):114-121, 1 pl (24 f.). [4 Dec 1952]

b4383 1952 La réserve naturelle intégrale du Mt. Nimba IX. Lépidoptères Lycaenidae. Mém. Inst. Franç. Afr. Noire 19:145-149, ill.

b4384 1953 Contribution à l'étude des Lycaenidae de l'Afrique équatoriale. Anns Mus. r. Congo Belge (8vo)27:5-48, 16 f.

b4385 1954 Contribution à l'étude des Lycaenidae de la faune éthiopienne. Bull. Soc. ent. Fr. 59(5/6):88-93, (7/8):104-112, ill. [30 Jul 1954]

b4386 1954 La réserve naturelle intégrale du Mt. Nimba. Fasc. II, XXVII. Lépidoptères Lycaenides (2me note). Mém. Inst. Franç. Afr. Noire 40:347-354.

b4387 1954 A revision of the genus *Aphnaeus* Hübner (Rhopalocera: Lycaenidae). Trans. R. ent. Soc. Lond. 105(21):493-516, ill. [31 Dec 1954]

b4388 1956 Contribution à l'étude des Lépidoptères Lycaenidae de l'Afrique équatoriale. Anns Mus. r. Congo Belge (8vo)49:7-54, 31 f, 3 pls.

b4389 1956 Un nouveau Lycaenidae. (Lep.) Mém. Inst. Franç. Afr. Noire 48(1)(11):207-208, ill.

b4390 1957 Contribution à l'étude des Lycaenidae de la faune éthiopienne. Bull. Inst. franç. Afr. Noire 19(A):209-227, ill.

b4391 1957 Les Lépidoptères de l'Afrique Noire Française. Fasc. 3, Lycaenidés. Init. Afr. 14:1-228, 331 f.

b4392 1960 Contribution à l'étude du genre *Pentila* Westwood (Lep. Lycaenidae) (2e note). Bull. Soc. ent. Fr. 64(9/10):194. [30 Mar 1960]

b4393 1961 Contribution à l'étude des Lépidoptères Lycaenidae de l'Afrique équatoriale. Anns Mus. r. Afr. cent. (8vo) (Zool.)94:73 pp, ill.

Stempffer, Henri; (continued)

- b4394 1961 Complément à la révision des genres du groupe des *Iolais* (Lep.: Lycaenidae). Bull. Inst. franç. Afr. Noire 23(A):88-101, ill.
- b4395 1962 Contribution à l'étude des Lépidoptères Lycaenidae d'Afrique tropicale et équatoriale. Bull. Inst. franç. Afr. Noire 24(A):1135-1181, ill.
- b4396 1963 Contribution à l'étude de la faune de la basse Casamance. Bull. Inst. franç. Afr. Noire 25(A):954-964, ill.
- b4397 1964 Contribution à l'étude des Lycaenidae d'Afrique tropicale et équatoriale. Bull. Inst. franç. Afr. Noire 26(A):1226-1287, 101 f.
- b4398 1965 Contribution à la faune du Congo (Brazzaville). Mission A. Villiers et A. Descarpentries. XVI. Lépidoptères Lycaenides. Bull. Inst. franç. Afr. Noire 27(A):1449-1465, 2 f.
- b4399 1966 Liste des Lépidoptères Lycaenidae de Côte d'Ivoire actuellement connus. Bull. Inst. fond. Afr. Noire 28(A):1554-1586, f.
- b4400 1967 The Genera of the African Lycaenidae (Lepidoptera: Rhopalocera) Bull. Br. Mus. nat. Hist. (Ent.) Suppl. 10:322 pp, 1 pl, 348 f. {25 Aug 1967}
- b4401 1967 Contribution à l'étude des Lycaenidae d'Afrique tropicale et équatoriale. Bull. Inst. fond. Afr. Noire 29(A):978-1000, 34 f.
- b4402 1968 Contribution à l'étude des Lycaenidae de la faune éthiopienne. Bull. Inst. fond. Afr. Noire 30(A):200-204, 10 f.
- b4403 1969 Contribution à l'étude des Lycaenidae d'Afrique tropicale et équatoriale. Bull. Inst. fond. Afr. Noire 31(A):87-101, 24 f.
- b4404 1969 Liste des Lépidoptères Lycaenidae de Côte d'Ivoire actuellement connus (2e note). Bull. Inst. fond. Afr. Noire 31(A):927-950, 41 f.
- b4405 1970 Contribution à l'étude des Lycaenidae de la faune éthiopienne (Lep.). Bull. Soc. ent. Fr. 74(7/8):198-199, 1 f. {26 Feb 1970}
- b4406 1970 Contributions à l'étude des Lycaenidae de la faune éthiopienne. Bull. Inst. fond. Afr. Noire 32(A):767-772, 2 f, 2 pls.
- b4407 1970 Contribution à la faune du Gabon. Mission A. Villiers 1969 Lépidoptères Lycaenidae. Bull. Inst. fond. Afr. Noire 32(A):1062-1067, 3 f.
- b4408 1972 Un *Lepidochrysops* nouveau de Madagascar (Lep. Lycaenidae). Bull. Soc. ent. Fr. 76(7/8):207-209, 5 f. {1 Mar 1972}
- b4409 1972 Contribution à l'étude des Lycaenidae d'Afrique occidentale (Lep.). Bull. Soc. ent. Fr. 76(9/10):266-268, 4 f. {25 Mar 1972}
- b4410 1973 Contribution à l'étude des Lycaenidae d'Afrique orientale (Lep.). Bull. Soc. ent. Fr. 77(7-8):249-252, 6 f. {29 Feb 1973}
- b4411 1973 Description d'une nouvelle espèce d'*Harpenderys* d'Afrique orientale (Lep. Lycaenidae). Bull. Soc. ent. Fr. 78(5-6):223-225, 3 f. {20 Dec 1973}
- b4412 1974 Lycaenidae du Territoire français des Afars et des Issars (Lep.). Bull. Soc. ent. Fr. 78(9-10):336. {11 Jun 1974}
- b4413 1974 In Stempffer, Bennett & May, (q.v.). Bull. Br. Mus. nat. Hist. (Ent.) 30:109-181. {See also: b4423}
- b4414 1976 Mission entomologique du Musée Royal de l'Afrique Centrale aux Monts Ulugura, Tanzanie. 17. Lepidoptera Lycaenidae. Revue zool. afr. 90(2):343-353. {Ref: b0108 (#2122)}

Stempffer, Henri; Bennett, Neville H.;

- b4415 1953 A Revision of the Genus *Teriomima* Kirby (Lepidoptera: Lycaenidae) Bull. Br. Mus. nat. Hist. (Ent.) 3:79-104, ill. {Nov 1953}

Stempffer, Henri; Bennett, Neville H.; (continued)

- b4416 1956 Notes on the South African genus *Cnodontes* (Lepidoptera, Lycaenidae). Entomologist 89:114-116, 2 f. {29 May 1956}
- b4417 1956 Contribution à l'étude des Lycaenidae du Libéria. Bull. Inst. franç. Afr. Noire 18(A):500-513, ill.
- b4418 1958 Révision des genres appartenant au groupe des *Iolais* (Lep.: Lycaenidae). (Première partie). Bull. Inst. franç. Afr. Noire 20(A):1243-1347, ill.
- b4419 1959 Révision des genres appartenant au groupe *Iolais* (Lep.: Lycaenidae). (Deuxième partie). Bull. Inst. franç. Afr. Noire 21(A):227-325, ill.
- b4420 1961 Révision du genre *Pentila* Westwood (Lep.: Lycaenidae). Bull. Inst. franç. Afr. Noire 23(A)(4):1098-1211, 146 f.
- b4421 1963 A New Genus of Lipteninae (Lepidoptera: Lycaenidae). Bull. Br. Mus. nat. Hist. (Ent.) 13(6):173-194, ill. {20 Feb 1963}
- b4422 1965 A Revision of the Genus *Micropentila* Aurivillius (Lepidoptera: Lycaenidae) Bull. Br. Mus. nat. Hist. (Ent.) 15(11):397-434, 4 pls, 31 text-figs. {27 May 1965}
- Stempffer, Henri; Bennett, Neville H.; May, S.;
- b4423 1974 A revision of some groups of *Liptena* Westwood (Lepidoptera: Lycaenidae). Bull. Br. Mus. nat. Hist. (Ent.) 30(2):109-181, 6 pls. {22 Feb 1974}
- Stempffer, Henri; Jackson, Thomas Herbert Elliot;
- b4424 1962 A Note on the Rhopalocera of Bugalla Island, Sesse Isles, Uganda. Proc. R. ent. Soc. Lond. (B)31:33-37. {May 1962}
- Stempffer, Henri; Schmidt, Arnold;
- b4425 1932 Studien über zwei oft verwechselte Lycaeniden: *Lycacides argyrognomon* Bgstr. und *Lycacides ismenias* Meigen (*insularis* Leech) und deren Rassen in Mittel- und Ost-Europa. Int. ent. Z. 25(45):449-454, 2 pls. {1 Mar 1932}
- Stephan, Julius;
- b. 27 Mar 1877 (Berlin); d. 29 Aug 1954 (London). {Ref: b1946}
- b4426 1923 Die Tagsschmetterlinge der Grafschaft Glaz. Deut. ent. Zeit. [Iris] 37:20-50.
- b4427 1924 Etwas über *Nemeobius lucina* L. Z. wiss. Insektbiol. 19(1):48-50. {31 Jan 1924}
- Stephens, James Francis;
- b. 16 Sep 1792 (London); d. 22 Dec 1852 (London). {Ref: b0718; b0717}
- b4428 1828-1846 Illustrations of British Entomology; or a Synopsis of indigenous Insects, containing their generic and specific Distinctions; with an account of their Metamorphoses, Times of Appearance, Food, and Economy, as far as possible. London 1:186 pp (1828); 2:202 pp (1829); 3:374 pp (1829); 4:433 pp (1834); 5:447 pp; Supplement:32 pp + plates (1846). Only the volumes dealing with the *Haustellata* are listed. Koçak dates volume 1 as 1827. {1828-1846}
- b4429 1829 A Systematical Catalogue of British Insects, being an attempt to arrange all the hitherto discovered indigenous insects in accordance with their natural affinities; containing also the references to every English writer on Entomology, and to the principal foreign authors; with all the published British genera to the present time. London, Baldwin xxxiv + 416 + 388 pp.
- b4430 1856 List of the specimens of British Animals in the collection of the British Museum. Part 5. Lepidoptera. London :224 pp (12vo). Revised by H. T. Stainton and E. Shepherd. {1 May 1856}
- Sternitzky, Robert F.;
- b4431 1930 A New Subspecies of *Plebejus icarioides* Bdv. Pan-Pac. Ent. 7(2):93-94. {12 Dec 1930}

Stetter-Stättermayer, J.;

b4432 1937 *Lycaena allardi* Obth. und seine Formen. Ent. Rundsch. 55:518-520.

Stevenson, Roy Hew Russel;

b. 1878, d. 1968.

b4433 1934 New South African butterflies. Occ. Pap. natn Mus. Sth. Rhodesia 1(3):10-17.

b4434 1937 Lycaenidae of the northern and northeastern parts of the South African subregion. Occ. Pap. natn Mus. Sth. Rhodesia 1(6):14-38, 3 pls.

b4435 1939 On a new variety of *Lepidochrysops glauca* Trimen, together with notes on the genus *Lepidochrysops* (Lepid., Lycaenidae). Proc. Trans. Rhod. Sci. Assoc. 37:41-42.

b4436 1940 Notes on some new and rare Lepidoptera from South Africa, with special reference to Southern Rhodesia. J. ent. Soc. S. Afr. 3:88-108. {30 Sep 1940}

Stshetkin, Yu. Yu.;

Also seen as *Shchetkin, Stschetkin, Stshetkin and Stshjotkin*.

b4437 1963 The Lepidoptera of moderate altitudes in the mountains of southern Tadzhikistan. [In Russian]. Trudy Inst. Zool. Parazit. 24:21-73, 1 map.

b4438 1980 A new species of blue butterflies (Lepidoptera, Lycaenidae) from Tadzhikistan. Zool. Zh. 59(2):303-305. [Ref: b1610 (6154-E11)]

b4439 1982 Analysis of the Alpine fauna of diurnal Lepidoptera (Rhopalocera) on the northern slope of the central part of the Peter the Great mountain ridge (USSR). Zool. Zh. 61(2):240-248. [Ref: b0426]

b4440 1984 Two new subspecies of *Pseudothecla cyri* (Lepidoptera, Lycaenidae) from Tadzhikistan. [In Russian]. Zool. Zh. 63(9):1430-1432. {Sep 1984}

b4441 1984 The new subspecies *Turanana panaegides* Stgr. (Lepidoptera, Lycaenidae). Dokl. Akad. Nauk tadzhik. SSR 27(5):291-292.

b4442 1986 New subspecies of the blues (Lepidoptera, Lycaenidae) from Tadzhikistan. Zool. Zh. 65(7):1092-1095.

Stichel, Hans;

b. 1862 (*Wronke, Germany*); d. 1936 (*Ferdinand Emil Julius*). [Ref: b0717; b3321]

b4443 1909 Vorarbeiten zu einer Revision der Riodinidae Grote (Erycinidae Swains.) (Lep. Rhop.). I. Berl. ent. Z. 53(3/4):254-275. {[Apr 1909]}

b4444 1909 Vorarbeiten zu einer Revision der Riodinidae Grote (Erycinidae Swains.) (Lep. Rhop.). II. Berl. ent. Z. 54(1/2):1-48. {[Aug] 1909}

b4445 1910 Vorarbeiten zu einer Revision der Riodinidae Grote (Erycinidae Swains.) (Lep. Rhop.). III. Berl. ent. Z. 55(1/2):9-103. {[Sep] 1910}

b4446 1910 Lepidoptera Rhopalocera. Fam. Riodinidae. Gen. Insectorum 112(A):1-238.

b4447 1911 Lepidoptera Rhopalocera. Fam. Riodinidae. Gen. Insectorum 112(B):239-452.

b4448 1911 Lepidopterologische Ergebnisse einer Sammelreise der Gebrüder Rangnow nach Persien Mit Neubeschreibungen von R. Püngeler, E. Strand und dem Autor. Z. wiss. InsektBiol. 7:5-8, 37-40, 73-77, 112-117, 160-167, 12 tf.

b4449 1914 Neubeschreibung von Riodinidae (Erycinidae) der Sammlung des Deutschen Entomologischen Museums und Bemerkungen zu bekannten Arten (Lep.). Ent. Mitt. 3(4):118-122. {Apr 1914}

b4450 1914 In Strand, Lepidoptera Niepeltiana, (q.v.). [See also: b4516]

b4451 1915 Über Riodinidae des Britischen Museums und anschließende Betrachtungen. Deut. ent. Zeit. 1915:657-700, pls 20-23.

Stichel, Hans; (*continued*)

b4452 1916 Nacharbeiten zur Revision der Riodinidae. Deut. ent. Zeit. 1916:3-24.

b4453 1916 Beiträge zur Kenntnis der Riodiniden fauna Südamerikas. I. Z. wiss. InsektBiol. 12:163-169, 238-244.

b4454 1919 Vorarbeiten zu einer Revision der Riodinidae Grote (Erycinidae Swain.). IV. [Notes preliminary to a revision of Riodinidae]. Deut. ent. Zeit. 1919:161-171, 289-335.

b4455 1923 *Napaea zikani* nov. spec. (Lep. Riod.). Neue Beitr. syst. Insektenk. 2(20):134. {15 Dec 1923}

b4456 1923 Beiträge zur Kenntnis der Riodinidenfauna Südamerikas. III. Minas Geraes. (Mit einem Beitrag von F. Zikán, Barão Homem de Mello). Z. wiss. InsektBiol. 18(1/2):1-9, ():144 (errata), 5 f.

b4457 1923 Beiträge zur Kenntnis der Riodinidenfauna Südamerikas. IV. Nord-Brasilien (Grão-Pará). Z. wiss. InsektBiol. 18(10/11):268-283, (12):305-316.

b4458 1924 Beiträge zur Kenntnis der Riodinidenfauna Südamerikas. (Lep.). II. Kolumbien. Deut. ent. Zeit. 1924:137-152.

b4459 1924 Nacharbeiten zur Revision der Riodinidae. II. Deut. ent. Zeit. 1924:409-424.

b4460 1924 Zur Systematik der Riodinidae. Neue Beitr. syst. Insektenk. 3:1-3.

b4461 1924 Zur Systematik der Riodinidae. Bemerkungen zur Gattung *Abisara* Feld. und Beschreibung einer neuen Art (Lep., Riodinidae). Neue Beitr. syst. Insektenk. 3:39-40.

b4462 1924 Beiträge zur Kenntnis der Riodiniden fauna Südamerikas. V. Nord-Brasilien (Amazonas). Z. wiss. InsektBiol. 19:245-250.

b4463 1925 Beiträge zur Kenntnis der Riodiniden fauna Südamerikas. VI & VII. Nord Brasilien (Amazonas). Z. wiss. InsektBiol. 20:14-23, 53-56, 84-93, 256-264.

b4464 1926 Beiträge zur Kenntnis der Riodinidenfauna Südamerikas. IX. Deut. ent. Zeit. 1926:81-101.

b4465 1926 Vorarbeiten zu einer Revision der Riodinidae Grote (Erycinidae Swainson.). [Revision of Riodinidae]. Deut. ent. Zeit. 1926:385-396.

b4466 1926 Eine neu *Hamearis*-art. Revta Soc. ent. argent. 1:12-13.

b4467 1926 Notes on South American Riodinidae. Z. wiss. InsektBiol. 21():98-104.

b4468 1928 Nacharbeiten zur Revision der Riodinidae, III. Z. wiss. InsektBiol. 23(1/2):35-46. {31 Jan 1928}

b4469 1928 Revision of Nemeobiinae of the World. Tierreich 51:xxxi+329 pp, 197 f.

b4470 1929 Nacharbeiten zur Revision der Riodinidae (Lep. Rhop.). IV. Mitt. zool. Mus. Berl. 15:15-16. {10 Jul 1929}

b4471 1929 Beiträge zur Kenntnis der Riodiniden fauna Südamerikas. X. (Lep. Rhop.) Deut. ent. Zeit. 1929:199-208.

b4472 1930 Eine neue Riodinide von Amazonas (Lep. Rhop.). Int. ent. Z. 24(24):254-258, (25):276 (1 Oct.). {22 Sep 1930}

b4473 1930 Nemeobiinae. I. Lep. Cat. Pars 38:1-112.

b4474 1930 Nemeobiinae II et Riodininae I. Lep. Cat. Pars 40:113-544.

b4475 1930 Riodininae II. Lep. Cat. Pars 41:545-720.

b4476 1931 Riodinidae IV. Riodininae III. Lep. Cat. Pars 44:721-795.

b4477 1936 Neue Namen für neotropische Rhopalocera (Lep.). Mitt. dtsh. ent. Ges. 6:63-65.

Stoll, Caspar;

b. * , d. 1795. [Ref: b0717]

b4478 1780-1790 In Cramer, P., *Uitlandsche Kapellen*, (q.v.). [See also: b1069] [Ref: b3886] {[1780]-[1790]}

Stoneham, Hugh Frederick;

b. 1889, d. 1966. [Ref: b1946]

Stoneham, Hugh Frederick; (continued)

- b4479 1933 New species of Lycaenidae, Leach, from Kenya Colony, British East Africa. Bull. Stoneham Mus. (17):3 pp, 1 pl.
 b4480 1937 Notes on African Lycaenidae, and new forms. Bull. Stoneham Mus. (34):3 pp.
 b4481 1938 Notes on African Lycaenidae, and some new forms. Bull. Stoneham Mus. (36):3 pp. [Dec 1938]

Storace, Luciano;

- b4482 1943 Note su alcune forme di Lepidotteri con descrizioni di nuove aberrazioni di *Melitaea helvetica* Rhl. e di *Meleageria meleger* Esp. Memorie Soc. ent. ital. 22:74-88.
 b4483 1947 Descrizione di una forma di *Penula peucetia* Hew. deu'africa orientale. Annali Mus. civ. Stor. nat. Genova 63:77-78, ill.
 b4484 1950 La sottospecie abissina de *Euchrysops mauensis* Bethune-Baker (Lepidoptera: Lycaenidae). Doriana 1(7):2 pp.
 b4485 1953 Su alcune Lycaenidae abissine del Museo di Genova (Lepidoptera). Doriana 1(35):1-3.
 b4486 1954 Ropaloceri dell'Africa orientale - IV. Sulla validità di *Anthene butler* (Obth.) e sue razze (Lepidoptera, Lyc.). Annali Mus. civ. Stor. nat. Genova 66:313-323.
 b4487 1956 Note di Lepidopterologia. II. Boll. Soc. ent. ital. 86:98-108, 2 f.
 b4488 1962 *Lysandra albicans* H.-S. (=hispana H.-S.) razza *iriensis* nov. Boll. Soc. ent. ital. 92:127.

Storey, R. I.; Lambkin, T. A.;

- b4489 1983 Notes on the life history of *Bindahara phocides yw-gama* Couchman (Lepidoptera: Lycaenidae). Aust. ent. Mag. 10(2/3):35-38, 6 f. [Jul 1983]

Strand, Embrik;

- b. 2 Jun 1876 (Al, Norwegen); d. 3 Nov 1947 (Riga). [Ref: b3321]
 b4490 1901 Beitrag zur Schmetterlings fauna Norwegens. Nyt Mag. naturvid. 39(1):25-72.
 b4491 1902 Beitrag zur Schmetterlingsfauna Norwegens. II. Nyt Mag. naturvid. 40:135-192.
 b4492 1903 Neue Norwegische Schmetterlingsformen. Arch. Math. Naturv. 25(9):3-24.
 b4493 1909 Lepidopteren von Eregii und Taurus in Kleinasien, gesammelt von Herrn Paul Niedieck. Int. ent. Z. 3(14):78. [3 Jul 1909]
 b4494 1909 Lepidoptera aus Deutsch Ost-Afrika, gesammelt von Herrn Dr. C. Uhlig. Int. ent. Z. 3(23):128-129. [4 Sep 1909]
 b4495 1909 Zur Kenntnis afrikanischer Lycaenesthes-Arten. Ent. Zeit. 23(27):124-125; (28):126-127 (9 Oct). [2 Oct 1909]
 b4496 1910 Neue Tagfalter-Formen aus Usambara, gesammelt von Herrn Prof. Dr. J. Vosseler. Soc. ent. 25(2):5-6. [23 Apr 1910]
 b4497 1910 Schmetterlinge aus Zentral und West-Sumatra, gesammelt von Herrn Dr. Max Moszkowski. Deut. ent. Zeit. [Iris] 24:190-208. [15 Aug 1910]
 b4498 1910 Fünf neue Gattungsnamen in Lepidoptera. Ent. Rundsch. 27(22):161-162. [15 Nov 1910]
 b4499 1911 Beschreibungen Afrikanischer Lepidopteren Insbesondere striphnopt erygid. Anns Soc. ent. Belg. 55:145-164.
 b4500 1911 Danaididae, Satyridae und Lycaenidae aus Usambara, etc. Arch. Naturgesch. (1)77(1):190-198.
 b4501 1911 Neue Grossschmetterlinge aus Abyssinien, etc. Ent. Rundsch. 28:137-141.
 b4502 1911 Zwei neue südamerikanische Formen von der Lepidoptern Familie Riodinidae (Erycinidae). Ent. Rundsch. 28:150.
 b4503 1911 Verzeichnis der von Herrn Prof. Dr. L. Schultze vom Oberlauf des K. Augusta-Stroms in Deutsch-Neuguinea mit gebrachten Schmetterlinge. Mitt. zool. Mus. Berl. 5:467-474.

Strand, Embrik; (continued)

- b4504 1911 Zoologische ergebnisse der expedition des Herrn Hauptmann und D. Fromm 1908-09 nach Deutsch Ost-Africa: Lepidoptera Mitt. zool. Mus. Berl. 5(2):275-304.
 b4505 1911 Beitrag zur Kenntnis der Lycaenidengattung *Liphyr* Westw. Mitt. zool. Mus. Berl. 5(2):305-309.
 b4506 1911 Beschreibungen afrikanischer Lepidoptera aus der Sammlung des Steiner Museums. Steit. ent. Zig 72:369-377.
 b4507 1912 Ueber einige Nebenformen europäischer Grossschmetterlinge. Ent. Zeit. 25(49):253-254; (50):257-258 (9 Mar). [2 Mar 1912]
 b4508 1912 Über Lepidoptera aus Mkatza und Morogoro in Deutsch Ost-Afrika, nebst Beiträgen zur Kenntnis afrikanischer Taragama-Arten. Arch. Naturgesch. (A)78(1):67-92.
 b4509 1912 Lepidoptera aus Kamerun, gesammelt von Herrn Ingenieur E. Hintz. Arch. Naturgesch. (A)78(2):136-141.
 b4510 1912 Exotische-Lepidopterologisches. Arch. Naturgesch. (A)78(9):143-158.
 b4511 1912 Zweites Verzeichnis von Herrn Prof. Dr. L. Schultze in Neu Guinea gesammelter Lepidoptera. Arch. Naturgesch. (A)78(11):64-69.
 b4512 1912 Verzeichnis der von Herrn dr. Max Moszkowski 1910 in Deutsch- und Holländische-Neu-Guinea gesammelten Rhopaloceren. Arch. Naturgesch. (A)78(11):76-81.
 b4513 1913 Zoologische Ergebnisse der Expedition des Herrn G. Tessmann nach Süd-Kamerun und Spanisch-Guinea. Lepidoptera. VIII. (Libytheidae, Lemoniidae, Lycaenidae). Arch. Naturgesch. (A)79(12):129-144.
 b4514 1913 Eine neue Aberration von *Chrysophanus dispar* Hw. var. *rutilus* Wernsb. Ent. Rundsch. 30:98, 1 f.
 b4515 1914 Lepidoptera aus Kamerun. Gessmmtelt von Herrn Leutnant von Rothkirch und Panthen. Arch. Naturgesch. (A)80(2):139-161.
 b4516 1914-1916 Lepidoptera Niepeltiana. Abbildungen und Beschreibungen neuer und wenig bekannter Lepidoptera aus der Sammlung W. Niepelt. Leipzig, Druck von Urban 4to (1):1-65, pls 1-12 (1914); (2):[4] + 1-27 pp, pls 13-17 (1916). [1914-1916]
 b4517 1915 Nordamerikanische, insbesondere californische Lepidoptera. Arch. Naturgesch. (A)80(11):151-163.
 b4518 1917-1918 Nachttag zum zweiten Teil meiner "Lepidoptera Niepeltiana". Soc. ent. 32(12):47-49, (13):51-52; 33(1):2-3, (3):11-12, (5):19-20, (7):26-28 (1 Jul), (8):30-31 (1 Aug), (10):38-39, (11):43-44, (12):46-47. [1917-1918]
 b4519 1918 Ueber einige Lepidopteren der familien Lycaenidae, Hesperidae, Syntomididae und Sphingidae aus Belgisch Kongo. Int. ent. Z. 12(13):101-104. [21 Sep 1918]
 b4520 1918 Nachträge zu Lepidoptera Niepeltiana. Leipzig. Druck von Urban 4to :4. [Sep 1918]
 b4521 1920 Bemerkunge über einige exotische Grossschmetterlinge. Int. ent. Z. 14(17):133-134. [27 Nov 1920]
 b4522 1920 Bemerkunge über einige exotische Grossschmetterlinge. Int. ent. Z. 14(19):145-150. [25 Dec 1920]
 b4523 1920 Beiträge zur Lepidopterenfauna Norwegens und Deutschlands auf Grund von Material gesammelt und bearbeitet. Arch. Naturgesch. (A)85(4):1-82.
 b4524 1922 H. Sauer's Formosa-Ausbeute. Ent. Zeit. 36(1):1-2, 6-7, 11, 15, 19. [8 Apr 1922]
 b4525 1922 Neue Namen längst beschriebener Tiere. Arch. Naturgesch. (A)88(4):142.
 b4526 1922 Eine neue Lycaeniden form der Gattung *Liphyr* und Eine neue Epanaphe. Arch. Naturgesch. (A)88(12):169-170.
 b4527 1924 Lepidoptera aus Südwest-Australien. Deut. ent. Zeit. [Iris] 38:135-148.
 b4528 1926 Liste des Rhopalocères et Gypocères exotiques décrits dans mes travaux jusqu'en 1926. Bull. Soc. zool. Fr. 51:397-418.

Strand, Embrik;

b4529 1927 Neubenennungen palaearktischer Lepidoptera un Apidae. Arch. Naturgesch. (A)91(11):281-283.

b4530 1932 Miscellanea nomenclatorica zoologica et palaeontologica. III. Folia zool. hydrobiol. 4(1):133-147.

Strecker, Ferdinand Heinrich Herman;

b. 24 Mar 1836 (Philadelphia); d. 30 Nov 1901 (Reading, Pa.). The collection is the property of the FMNH. [Ref: b0718; b0717; b1716]

b4531 1872-1900 Lepidoptera, Rhopaloceres and Heteroceres, indigenous and exotic; with descriptions and colored illustrations. Reading, Pennsylvania. 143 pp, 15 pl (1872-1877); Suppl. 1:15 pp (1898); Suppl. 2:11 pp (1899); Suppl. 3:13-37 (1900) (all 4to). [Ref: b0500; b2017] (1872-1900)

b4532 1878 Butterflies and moths of North America, with full instructions for collecting, breeding, preparing, classifying, packing for shipment, etc. A complete synonymical catalogue of Macrolepidoptera, with a full bibliography, to which is added a glossary of terms and an alphabetical and descriptive list of localities. Reading, Pennsylvania, B. F. Owen [4]+i-ii, 1-283 pp, 2 pls. [Oct 1878]

b4533 1885 Descriptions of new Species of Lepidoptera. Proc. Acad. nat. Sci. Philad. 37:174-179. Date may be 1886.

Stroud, Clyde P.;

b4534 1950 A Survey of the Insects of White Sands National Monument, Tularosa Basin, New Mexico. Amer. Midl. Nat. 44(3):659-667. {Nov 1950}

Suffert, Ernst;

b. * , d. 1907 (Berlin). Collection went to the Joicey collection. [Ref: b0717]

b4535 1904 Neue afrikanische Tagfalter. Deut. ent. Zeit. [Iris] 17:12-107, ill.

b4536 1904 Eine neue Lycaenide aus Deutsch-Ostafrika. Ins. Börse 21:134.

Sugitani, Iwahiko;

b4537 1919 On some aberrant forms of Japanese Butterflies (Supplement). Ent. Mag. (Kyoto) 3(3/4):150-151.

b4538 1930 [Some butterflies from Kamei, Korea]. Zephyrus 2(3):188. {Oct 1930}

b4539 1933-1938 Corean butterflies (1-7). Zephyrus 5(1):1-5, 55-63, 165-176, pls 1, 10, 14; 6:1-10, 155-174, pls 1, 9; 7:1-25, pls 1-2; 8:1-16, pl 1. {25 Jul 1933-30 Nov 1938}

Sugiyama, Hitoshi;

b4540 1992 New Butterflies from West-China, Including Hainan. Pallarge 1:1-19. {30 Apr 1992}

b4541 1993 New butterflies from western China (I). Pallarge 2:1-10, ill.

b4542 1994 New Butterflies from Western China (II). Pallarge No. 3:1-12. {10 Mar 1994}

b4542a 1994 New Butterflies from Western China (III). Pallarge No. 4:1-8, 1 pl. {10 Dec 1994}

Suhara, Kenji; Saeki, Mamoru; Sasaki, Hirokazu; Ueda, Yutaka;

b4543 1971 A brief note on the early stages of *Chrysozephyrus hisamatsusanus* Nagami et Ishiga. [Japanese]. Tyô to Ga 22(1,2):38-41, 8 f, 2 tbl. [Ref: b4543] {30 Oct 1971}

Sulzer, Johann Heinrich;

b. 1735, d. 10 Aug 1813 (Winterthur). [Ref: b0718; b0717]

b4544 1776 Abgekürzte Geschichte der Insekten nach dem Linnæischen System. I. Winterthur, Germany. H. Steiner & Co., 1:xxviii+274 pp.; 2:[2] pp.+32 pls.

Suomalainen, Esko;

b. 11 Jun 1910 (Helsinki, Finland).

Suomalainen, Esko; Kaisila, Jouka; Mikkola, Kauri;

b4545 1980 Noteworthy records of Finnish Lepidoptera 1955-1974. I. Hesperoidea, Papilionoidea, Bombycoidea and Geometroidea. Notulae ent. 60(1):49-61.

Suschkin, P.;

b4546 1909 *Lycaena Cyane Tarbagata*, n. subsp. Ent. Rundsch. 26(10):59. {15 May 1909}

Suzuki, Hiroshi; Murata, Hiroichi;

b4547 1971 Butterflies from Piyanan-anbu of Northern Formosa. Tyô to Ga 22(3,4):73-80, 12 f. [Ref: b4547] {31 Dec 1971}

Suzuki, Yoshito;

b4548 1978 Mate-avoiding behavior in females of the small copper, *Lycaena phlaeas daimio* Seitz (Lepidoptera: Lycaenidae). Tyô to Ga 29(3):129-138, 13 f, 6 tbl. {1 Sep 1978}

Swainson, William;

b. 8 Oct 1789 (England); d. 7 Dec 1855 (Fern Grove, New Zealand). [Ref: b0718; b0717; b3321]

b4549 1820-1823 Zoological Illustrations, or original Figures and Descriptions of new, rare, or interesting Animals, selected chiefly from the Classes of Ornithology, Entomology and Conchology. [Series 1] London 3 vols. of numbered plates each with unnumbered leaves of text. Pls 1-18 (1820); 19-83 (1821); 84-134 (1822); 135-182 (1823). {1820-1823}

b4550 1827 A sketch of the natural affinities of the Lepidoptera diurna of Latreille. Phil. Mag. (2)1(3):180-188 (or 199). Also seen as (ns)1(3):etc.

b4551 1829-1833 Zoological Illustrations, or original Figures and Descriptions of new, rare, or interesting Animals, selected chiefly from the Classes of Ornithology, Entomology and Conchology. [Series 2] London 3 volumes. pls 1-30 (1829); 31-45 (1830); 46-85 (1831); 86-96 (1832); 97-136 (1833). {1829-1833}

Swanepoel, D. A.;

b4552 1948 A new species of *Cupido* (Lycaenidae) from the Eastern Transvaal. J. ent. Soc. S. Afr. 10(2):193-195. {31 Mar 1948}

b4553 1949 A new species of *Cupido* (Lycaenidae) from the Zoutpansberg. J. ent. Soc. S. Afr. 12:123-125, 4 f. {30 Sep 1949}

b4554 1951 A new species of *Cupido* (Lycaenidae) from Basutoland. J. ent. Soc. S. Afr. 14(1):57-58, 2 f. {31 May 1951}

b4555 1953 A new species of *Thestor* Hübner (Lepidoptera). J. ent. Soc. S. Afr. 16:191-193, 4 f.

b4556 1963 Two new species of *Lepidochrysops* from the Transvaal (Lepidoptera: Lycaenidae). J. ent. Soc. S. Afr. 25(2):291-294, pl 8. {30 Sep 1963}

b4557 1968 A new species of *Thestor* Hübner (Lepidoptera). Ent. Rec. 80(2):54, 1 pl. {Feb 1968}

b4558 1970 Two new species of *Lepidochrysops* from the western Cape Province (Lepidoptera: Lycaenidae). Novos Taxa ent. (64):1-10, 2 pls.

b4559 1971 A new species of *Lepidochrysops* Hedicke (Lepidoptera: Lycaenidae) from the Roggeveld Mountains of the Cape Province. Ent. Rec. 83(3):97-99, 1 pl. {Apr 1971}

b4560 1975 A new species of *Poecilmiis* from the Roggeveld Mountains of Cape Province (Lepidoptera: Rhopalocera). Ent. Rec. 87(4):123-124, pl 4. {Apr 1975}

b4561 1976 A new species of *Poecilmiis* Butler from the Drakensberg, Natal (Lepidoptera: Lycaenidae). Ann. Transv. Mus. 30(12):119-120, 1 pl. {15 Dec 1976}

Swanepoel, D. A.; Vári, L.;

b4562 1983 Three new species of *Lepidochrysops* Hedicke from the Cape Province (Lepidoptera: Lycaenidae). Ann. Transv. Mus. 33(21):323-336, ill.

Swiersta, C. J.;

b4563 1909 Descriptions of three new species of Lepidoptera Rhopalocera in the Transvaal Museum. Ann. Transv. Mus. 1:175-178.

Swinhoe, Charles;

- b. 29 Aug 1836 (England); d. 2 Dec 1923 (West Kensington, London). [Ref: b0717; b3321]
- b4564 1885 On Lepidoptera collected at Kurrachee. Proc. zool. Soc. Lond. 1884(4):503-529, pls 47-48. {[Apr 1885]}
- b4565 1885 On the Lepidoptera of Bombay and the Deccan. Proc. zool. Soc. Lond. 1885(1):124-148, pl 9. {[Jun] 1885}
- b4566 1887 On the Lepidoptera of Mhow, in Central India. Proc. zool. Soc. Lond. 1886(4):421-465, pls 40,41. {[Apr 1887]}
- b4567 1890 [Description of *Chrysopphanus susanus*]. In de Nicéville, Buis of India, Burmah and Ceylon, (q.v.). [See also: b1153] {Feb 1890}
- b4568 1890 Descriptions of three new species of Lycaenidae. Ann. Mag. nat. Hist. (6)5:449-451. {Jun 1890}
- b4569 1893 A List of the Lepidoptera of the Khasia Hills. Part I. Trans. ent. Soc. Lond. 41(3):267-330. {Sep 1893}
- b4570 1894 New Species of eastern Lepidoptera. Ann. Mag. nat. Hist. (6)14:429-443. {Dec 1894}
- b4571 1896 New species of Lepidoptera from the Khasia Hills. Ann. Mag. nat. Hist. (6)17:357-363. {May 1896}
- b4572 1897 New Eastern Lepidoptera. Ann. Mag. nat. Hist. (6)19:407-410. {Apr 1897}
- b4573 1899 New Species of Oriental Lepidoptera. Ann. Mag. nat. Hist. (7)3:102-116. {Jan 1899}
- b4574 1907 New species of African, etc., Hesperidae. Ann. Mag. nat. Hist. (7)20:430-436. {Nov 1907}
- b4575 1909-1913 In Moore, Lepidoptera Indica, (q.v.). [See also: b3238] {1909-1913}
- b4576 1915 New species of Indo-Malayan lepidoptera. Ann. Mag. nat. Hist. (8)16:170-186. {Sep 1915}
- b4577 1916 New Indo-Malayan Lepidoptera. Ann. Mag. nat. Hist. (8)18:209-211. {Aug 1916}
- b4578 1917 New Species of Indo-Malayan Lepidoptera. Ann. Mag. nat. Hist. (8)19:409-416. {May 1917}
- b4579 1917 New Indo-Malayan species of Lepidoptera. Ann. Mag. nat. Hist. (8)20:157-166. {Aug 1917}
- b4580 1919 New Lycaenids and Hesperids and Two new Species of the Noctuid Family Acontidae. Ann. Mag. nat. Hist. (9)3:314-319. {Apr 1919}

Szabó, R.;

- b4581 1954 A *Plebejus sephirus* Friv. koezepdunamedencei formai. [The forms of *Plebejus sephirus* Friv. in the Middle Danubian basin]. Folia ent. hung. (ns)7:29-39.
- b4582 1956 Magyarországi Lycaenidák. [Lycaenids of Hungary]. Folia ent. hung. (ns)9:235-361, 5 f.

Tabuchi, Yukio;

- b4583 1959 The Alpine Butterflies of Japan. Tokyo, Hobundo Publishing Co :393 pp, ill.

Takahashi, Akira;

- b4584 1973 *Maculinea teleius* Bergstrasser at high elevation in the Central Honshū, Japan, with description of a new subspecies. Tyō to Ga 23(3/4):75-85, 2 f, 3 pl. [Ref: b0104 (#1828)] {31 May 1973}

Takahashi, Mayumi;

- b4585 1961 The Problems of the Geographical Variation of *Maculinea teleius* (Lycaenidae, Lepidoptera). Tyō to Ga 12(1):1-8, ill. {25 Jun 1961}

Takanami, Yusuke;

Sometimes seen as Yūsuke.

- b4586 1982 A new genus, a new species, and four new subspecies of lycaenid butterflies from the Philippines. Mem. Tsukada Colln No. 4:52-59, pl 7,8. {31 Aug 1982}

Takanami, Yusuke; (continued)

- b4587 1984 Descriptions of four new subspecies of Lycaenidae from the Philippines. Tokurana (Acta Rhopalocera) 6(7):51-59. {31 Mar 1984}
- b4588 1985 Description of a new subspecies of genus *Deramas* (Lep.: Lycaenidae) from Negros, the Philippines. Tokurana (Acta Rhopalocera) 8(2):1-5, ill. {31 Jan 1985}
- b4589 1985 A revisional note on genus *Iraota* of the Philippines and Celebes (Lep.: Lycaenidae). Tokurana (Acta Rhopalocera) Special 1:1-12, 3 f, 2 pl. {27 Feb 1985}
- b4590 1985 A new species of genus *Arhopala* and some other species from the Philippines (Lepidoptera : Lycaenidae). Chō Chō 8(8):14-19, 2 f.
- b4591 1986 Designation of Lectotype of *Deudorix diopites* Hewitson from the Philippines, with New Status of *Rapala alceitas* (Staudinger) (Lepidoptera, Lycaenidae). Tyō to Ga 36(4):185-190. {28 Feb 1986}
- b4592 1986 A list of Lycaenidae from Flores in the Lesser Sunda Islands. Gekkan Mushi (187):7-14. {Sep 1986}
- b4593 1986 New Records of *Una usta* (Distant) and *Loxura atymnus* (Stoll) from Sulawesi (Lepidoptera, Lycaenidae). Gekkan Mushi (189):23-25. {Nov 1986}
- b4594 1986 [Corrections to] Bernard D'Abbrera's Butterflies of the Oriental Region Part III (Lycaenidae & Riordinidae). [In Japanese]. Yadoriga 126:23-25.
- b4595 1987 A list of Lycaenidae (Lepidoptera) from Kepulauan Talaud in Indonesia. Gekkan Mushi (191):27-31, 21 f. {Jan 1987}
- b4596 1987 New Subspecies of Lycaenid Butterflies From Mindoro, Negros and Bohol, the Philippines. Mem. Tsukada Colln No. 5:30-35, 2 f, 12 f. {30 Apr 1987}
- b4597 1987 Male Genitalia Illustrations of Some Lycaenid Butterflies Described in M. T. C. No. 4. Mem. Tsukada Colln No. 5:36-39, 5 f. {30 Apr 1987}
- b4598 1987 A review of *Sinthusa* Moore, 1884. [In Japanese]. Konchu to Shizen (Nature & Insects) 22(8):7-12, 4 f.
- b4599 1988 A new species and a new subspecies of Lycaenidae (Lepidoptera) from the Philippines. Konchu to Shizen (Nature & Insects) 23(4):38-40, 5 f. {1 Apr 1988}
- b4600 1988* [Letter to Bridges. Notes on various Lycaenidae]. Tokyo, Japan :1 pp. {12 Jun 1988} [*Unpublished]
- b4601 1988 A list of Lycaenidae (Lepidoptera) captured by Mr. Syun-ichi Kawamura in Sulu Archipelago, the Philippines. [In Japanese]. Gekkan Mushi (208):17-21. {Jun 1988}
- b4602 1989 On Some Type Specimens of Lycaenidae from South East Asia (Lepidoptera). Tyō to Ga 40(1):23-80, ill. {20 Mar 1989}
- b4603 1989* [Letter to Bridges. Notes on *Sinthusa chandranacholonensis*]. Tokyo, Japan :1 pp. {13 Jun 1989} [*Unpublished]
- b4604 1989 A list of Lycaenidae from Sumbawa in the Lesser Sunda Islands, captured by Mr. K. Maruyama. Konchu to Shizen (Nature & Insects) 24(3):36-40, 18 f.
- b4605 1990 Miscellaneous notes on Lycaenidae (Lepidoptera) from south-east Asia. Tyō to Ga 41(2):67-77, ill.
- b4606 1992 On some type specimens of *Nacaduba* and *Prosotas* (Lepidoptera, Lycaenidae) preserved in Staatliches Museum für Tierkunde, Dresden. Tyō to Ga 43(1):47-52, ill.
- b4607 1992 A new subspecies of *Jamides Abdul* (Distant) (Lepidoptera, Lycaenidae) from Simeulue Island, Indonesia. Tyō to Ga 43(1):83-85, ill.
- b4608 1992 A new species of genus *Rapala* (Lepidoptera, Lycaenidae) from Sumba, Indonesia. Tyō to Ga 43(2):147-148, ill.
- b4609 1992 Notes on some species of the genus *Rapala* (Lepidoptera, Lycaenidae) from Sulawesi, with the description of a new species. Tyō to Ga 43(3):193-202, ill.

Takanami, Yusuke; (continued)

- b4610 1994 Three new species of Lycaenidae (Lepidoptera) from Sulawesi. Tyô to Ga 45(1):5-10, ill. {30 Mar 1994}
 b4611 1994 A new species of genus *Sinthusia* (Lepidoptera, Lycaenidae) from Sumatra. Tyô to Ga 45(1):17-20, ill. {30 Mar 1994}

Takanami, Yusuke; Ballantine, Alistair;

- b4612 1987 A New Species of Genus *Arhopala* from Luzon Island (Lepidoptera, Lycaenidae). Tyô to Ga 38(1):1-3, 5 f. {20 May 1987}

Takanami, Yusuke; Seki, Yasuo;

- b4613 1990 Notes on Lycaenidae from Borneo and Sumatra, with description of a new species of genus *Allotinus* (Lepidoptera). Futao No. 5:1-7, ill.

Taketsuka, Tadashi; Akizawa, Toshihiro;

- b4614 1978 On *Strymonidia iyonis* Ôta & Kusunoki (Lycaenidae) newly recorded from Kôchi Pref., Shikoku, Japan. [Japanese]. Tyô to Ga 29(4):239-242, 18 f. {1 Dec 1978}

Takeuchi, Kichizo;

- b. *, d. *.
 b4615 1929 A new subspecies of *Zephyrus attilia* Bremer from Formosa. *Zephyrus* 1(3):86-87, f. {Sep 1929}
 b4616 1936 On the butterflies collected in Saghalien by Mr. K. Imanishi, with the description of a new *Lycaena* species. *Zephyrus* 6(3/4):346-356. {31 Jul 1936}

Talbot, George;

- b. 1882, d. 1952.
 b4617 1928 List of Rhopalocera collected by Mr. C. L. Collette in Matto Grosso, Brazil. Bull. Hill Mus. 2(3):192-220, 3 pls. {17 Nov 1928}
 b4618 1929 New Forms of Butterflies from South America. Bull. Hill Mus. 3(1):81-84, 2 f. {30 Apr 1929}
 b4619 1929 Four New Butterflies from Africa. Bull. Hill Mus. 3(2):139-142. {29 Aug 1929}
 b4620 1929 New Forms of Butterflies from South America. Bull. Hill Mus. 3(2):143-147, 5 f. {29 Aug 1929}
 b4621 1929 Rhopalocera collected in the Region of the Haute Volta, French West Africa. Pieridae. Bull. Hill Mus. 3(2):225-230. {29 Aug 1929}
 b4622 1932 New forms of Lepidoptera from the Oriental Region. Bull. Hill Mus. 4(3):155-169. {26 Jan 1932}
 b4623 1935 New species and forms of African Lycaenidae (Lep.: Rhop.). [and Supplement]. Ent. mon. Mag. 71:69-78, 115-127, 147-153; ill.; Suppl.: 202-209; ill. {Mar 1935}
 b4624 1936 Notes upon some butterflies from Siam, with descriptions of new races and forms (Lep. Rhopalocera). Entomologist 69:56-60.
 b4625 1937 New African Lycaenidae and Nymphalidae, and Two New Diestogyna (Lepidoptera). Trans. R. ent. Soc. Lond. 86(4):59-72. {Apr 1937}
 b4626 1942 The Races and Forms of *Mahathala ameria* (Hewitson) Lep. Rhop. Proc. R. ent. Soc. Lond. (B)11(8):120-123. {Aug 1942}

Tanaka, Ryôzo;

Also seen as Ryûzô.

- b4627 1941 [On some aberrant forms of Butterflies from Honshu and Formosa]. *Zephyrus* 9(1):4-5, 4 f. {Jun 1941}

Tanikawa, T.;

- b4628 1940 [List of butterflies, containing descriptions of *Halpe nephele formosana* and *Tongeia flicaudis mushana*]. Taiko, Taihoku High School, Formosa (16):46-47.

Tarui, Yoshitsugu;

- b4629 1954 An Unrecorded Lycaenid Butterfly, *Jamides bochus*, from Japan. [In Japanese]. Tyô to Ga 5(1):1, 2 f. {25 Jun 1954}

Taylor, Ernest;

- b4630 1964 "*Pseudoliptena*" Stempffer 1946: a Correction. Entomologist 97:216. {Sep 1964}

Taylor, John Sneyd;

- b. 1900, d. 1973.
 b4631 1951 Notes on Lepidoptera in the Eastern Cape Province (Part II). J. ent. Soc. S. Afr. 14(2):94-126, 1 pl. {30 Nov 1951}

Tennent, W. J.;

- b4632 1977 *Polyommatus icarus mariscolare* Kane in Northern Ireland. Ent. Gaz. 27(2):133. {21 May 1977}

Tepper, Johann Gottlieb Otto;

- b. 19 Apr 1841 (*Neutomischel, Posen*); d. 1922 (*Adelaide*). Most types are in the South Australian Museum. [Ref: b0717; b3321]
 b4633 1882 The Papilionidae of South Australia. Trans. R. Soc. S. Aust. 4:25-36, pls 2,3.
 b4634 1890 Common native insects of South Australia. A popular guide to South Australia Entomology. Part II. Lepidoptera, or Butterflies and Moths. Adelaide, E. S. Wigg & Son iv+65 pp (8vo).

Ter Haar, Dirk;

- b. 25 Oct 1860 (*Nijmegen*); d. 29 Jun 1905.
 b4635 1901 Twee variëteiten van *Polyommatus dorilis* Hfn. Tijdschr. Ent. 43:235-238, pl 14, f 1-3. {5 Apr 1901}
 b4636 1901 Einige merkwürdige Aberrationen en een nieuwe variëteit. Tijdschr. Ent. 43:239-246, pl 14, f 4-11. {5 Apr 1901}
 b4637 1905 *Chrysophanus (Polyommatus) hippothoe* L. ab. *eurybina* (nov. ab.). Tijdschr. Ent. 48:204-205, pl 14, f 5-6.

Tessmann, Günter;

- b4638 1928 Neue Schmetterlinge aus Ostpeau. Mit. zool. Mus. Berl. 14(1):115-130, 1 pl, 23 f.

Thieme, Otto;

- b. 24 Jan 1857 (*Oldisleben*); d. 1 Jul 1907 (*Berlin*). [Ref: b0718]
 b4639 1904 Eine neue *Alaena* aus Deutsch Ost-Afrika. Berl. ent. Z. 49:164.
 b4640 1907 Familiae Lemoniidarum supplementa cum notis (Lepidoptera Rhopalocera). Berl. ent. Z. 52(1):1-16, pl 1. {[Sep] 1907}

Thierry-Mieg, Paul;

- b4641 1904 Descriptions de Lépidoptères Nouveaux. Naturaliste 26(415):140-141. {15 Jun 1904}
 b4642 1911 Description de Lépidoptères nouveaux. Naturaliste 32:46-47, 127, 140-141, 154, 167, 235, 247-248.

Thomas, Anthony W.;

- b4643 1981 New locality records for the salt marsh copper, *Epidemia dorcas dospassosi* (Lycaenidae). J. Lep. Soc. 34(3):315. {11 Feb 1981}

Thomas, Chris D.;

- b4644 1985 The Status and Conservation of the Butterfly *Plebejus argus* L. (Lepidoptera: Lycaenidae) in North West Britain. Biol. Conserv. 33:29-51.
 b4645 1993 The Silver-studded Blue, *Plebejus argus* L. In: T. R. New (editor), Conservation Biology of Lycaenidae (Butterflies). Occ. Pap. IUCN Species Survival Comm. No. 8:97-99.

Thomas, Jeremy A.;

- b4646 1970 The Conservation of Black and Brown Hairstreaks (Lep., Lycaenidae). Ent. Gaz. 21(1):51-52. {26 Jan 1970}

Thomas, Jeremy A.; (continued)

- b4647 1975 Some observations on the early stages of the purple hairstreak butterfly, *Quercusia quercus* (Linnaeus). Ent. Gaz. 26(3):224-226. {28 Jul 1975}
- b4648 1984 The behavior and habitat requirements of *Maculinea nausithous* (the dusky large blue butterfly) and *Maculinea teleius* (the scarce large blue) in France. Biol. Conserv. 28(4):325-348.

Thompson, J. Antony;

- b4649 1937 *Plebejus argus* (L.), a new subspecies *Plebejus argus caernensis*. No date or place :6 pp. {[1937]}

Thunoda, Ichi;

- b4650 1977 Geographical variation of *Lycaedes argyrognomen* in Oku-Aizu, Fukushima Prefecture, Japan (Lepidoptera: Lycaenidae). [Japanese]. Tyô to Ga 28(1):25-26, 2 f. [Ref: b4650] {1 May 1977}

Thurner, J.;

- b4651 1928 *Tarucus (Lampides) telicanus* Lang. Z. öst. EntVer. 13:76-78.

Tietz, Harrison Morton;

- b4652 1972 An Index to the Described Life Histories, Early Stages and Hosts of the Macrolepidoptera of the Continental United States and Canada. Sarasota, Florida, Allyn Museum of Entomology 1:1-536, 2:537-1040.

Tilden, James Wilson;

- b. 31 Dec 1904 (Philo, California); d. 27 Dec 1988. Known informally as Bill. Bibliography kindly supplied by the author.
- b4653 1947 An Occurrence of the Pupa of *Glaucopsyche lygdamus behrii* (Edwards) in an Ant Nest (Lepidoptera, Lycaenidae). Pan-Pac. Ent. 23(1):42-43. {[9 Apr] 1947}
- b4654 1951 A New Subspecies of *Mitoura siva* Edwards. Bull. S. Calif. Acad. Sci. 50(2):96-98, pl 33. {15 Oct 1951}
- b4655 1955 A revision of *Tharsalea* Scud. (s. str.), with description of a new subspecies (Lepid., Lyc.). Bull. S. Calif. Acad. Sci. 54(2):67-77, 4 f. {5 Oct 1955}
- b4656 1963 An analysis of the North American species of the Genus *Callophrys*. J. Res. Lep. 1(4):281-300. {[31 Jul] 1963}
- b4657 1969 A previously unrecognized subspecies of *Philotes speciosa*. J. Res. Lep. 6(4):281-284. {[Jun 1969]}
- b4658 1974 A name for *Glaucopsyche lygdamus behrii* Auct., not Edwards 1862. J. Res. Lep. 12(4):213-215. {[Oct 1974]}
- b4659 1975 An analysis of the W. G. Wright Butterfly and Skipper Plesiotypes in the Collection of the California Academy of Sciences. Occ. Pap. Calif. Acad. Sci. No. 118:1-44. {16 Jan 1975}

Tilden, James Wilson; Downey, John C.;

- b4660 1955 A new species of *Philotes* from Utah (Lepidoptera, Lycaenidae). Bull. S. Calif. Acad. Sci. 54(1):25-29, 10 f, pls 11,12. {4 May 1955}

Tindale, Norman Barnett;

- b. 12 Oct 1900 (Perth, W. Australia).
- b4661 1922 On a new Genus and species of Australian Lycaenidae. Trans. R. Soc. S. Aust. 46:537-538, pl 31.
- b4662 1923 On Australian Rhopalocera. Trans. R. Soc. S. Aust. 47:342-354, 6 f, pls 28-30.
- b4663 1952 A new butterfly of the genus *Ogyris* (Lepidoptera Rhopalocera) from Whyalla, S. Aust. S. Aust. Nat. 27(2):31-33, 1 f.
- b4664 1953 New Rhopalocera, and a list of species from the Grampian Mountains, western Victoria. Rec. S. Aust. Mus. 11(1):43-68, 4 f, pls 18-21.
- b4665 1965 A new species of *Holochila* (Rhopalocera, family Lycaenidae) from Victoria and southern New South Wales. Rec. S. Aust. Mus. 15(1):165-174, pl 14, 4 f.

Tite, Gerald Edward;

- b4666 1957 On the typical subspecies of *Lycaena phlaea* L. and the Scandinavian distribution of the species. Entomologist 90:37-38. {Feb 1957}
- b4667 1958 New African Lycaenidae. Entomologist 91:115-118, ill. {May 1958}
- b4668 1958 On three new species of the genus *Syntarucus* from the Afrika region. Entomologist 91:189-191. {Sep 1958}
- b4669 1959 New species of and notes on, the genus *Lepidochrysops*. Entomologist 92:158-163. {Aug 1959}
- b4670 1959 The genus *Catochrysops* (Lepidoptera: Lycaenidae). Entomologist 92:201-212, pls 10-11. {Oct 1959}
- b4671 1960 The *Jamides euchylas* Complex (Lepidoptera: Lycaenidae). Bull. Br. Mus. nat. Hist. (Ent.) 9(5):319-332, 25 tf, pl 21. {Jul 1960}
- b4672 1960 Two new species of the genus *Jamides* (Lepidoptera: Lycaenidae). Bull. Br. Mus. nat. Hist. (Ent.) 9(5):333-337, ill. {Jul 1960}
- b4673 1961 New species of the genus *Lepidochrysops*. Entomologist 94:21-25. {Feb 1961}
- b4674 1961 A new Species of the Genus *Cacyreus* (Lepidoptera, Lycaenidae). Entomologist 94:112-113, 5 f. {May 1961}
- b4675 1962 The geographical distribution of *Mambara nigropunctata* Bethune-Baker (Lepidoptera: Lycaenidae). Entomologist 95:127-130, 9 f. {May 1962}
- b4676 1963 A Synonymic List of the Genus *Nacaduba* and Allied Genera (Lepidoptera: Lycaenidae). Bull. Br. Mus. nat. Hist. (Ent.) 13(4):69-116, 91 tf, 2 pls. {Feb 1963}
- b4677 1963 A Revision of the Genus *Candalides* and Allied Genera (Lepidoptera: Lycaenidae). Bull. Br. Mus. nat. Hist. (Ent.) 14(5):197-259, 4 pls, 119 text-figs. {20 Dec 1963}
- b4678 1964 The *Lepidochrysops ortygia* complex (Lepidoptera: Lycaenidae). Entomologist 97:1-7, 1 pl, 11 f. {Jan 1964}
- b4679 1966 A Revision of the Genus *Anthene* From the Oriental Region (Lepidoptera: Lycaenidae). Bull. Br. Mus. nat. Hist. (Ent.) 18(8):253-275, 2 pls, 28 text-figs. {21 Sep 1966}
- b4680 1967 On a new species of *Hypolycaena* from Zululand (Lepidoptera: Lycaenidae). Entomologist 100:166-168, 12 f. {Jun 1967}
- b4681 1968 On a new species of the genus *Pachythone* from Trinidad (Lepidoptera: Riodinidae). Entomologist 101:224-226, 2 f. {Oct 1968}
- b4682 1969 Lycaenidae (Lepidoptera) of the Noona Dan Expedition to the Philippines Bismarcks & Solomons. Ent. Med. Ned.-Indië 37:47-69.
- b4683 1987 Case 1731. *Polyommatus emolus* Godart, [1824] (currently *Anthene emolus*; Insecta, Lepidoptera): proposed conservation of specific name. Bull. Zool. Nomen. 44(2):112-113. {Jun 1987}

Tite, Gerald Edward; Dickson, Charles Gordon Campbell;

- b4684 1968 The *Aloeides thyra* Complex (Lepidoptera: Lycaenidae). Bull. Br. Mus. nat. Hist. (Ent.) 21(7):367-388, 8 pls, 4 text-figs. {19 Apr 1968}
- b4685 1973 The genus *Aloeides* and allied genera (Lepidoptera: Lycaenidae). Bull. Br. Mus. nat. Hist. (Ent.) 29(5):225-280, 5 pls, 32 tf. {14 Dec 1973}
- b4686 1976 Further notes on Species of the Genus *Aloeides* (Lepidoptera: Lycaenidae). Ent. Rec. 88(7/8):177-180, pl 5. [Ref: b0108 (#2218)] {Aug 1976}
- b4687 1977 Further Notes on Species of the Genus *Aloeides* (Lepidoptera: Lycaenidae). No. 2 Ent. Rec. 89(7):209-212, pl 17. {Jul 1977}

Tite, Gerald Edwards;

- b. 15 Apr 1904; d. 14 Aug 1987 (Tring). [Ref: b1066]

Toliver, Michael E.;

- b4688 1977 Distribution of Butterflies (Lepidoptera: Hesperioidea and Papilionoidea) in New Mexico (ms).
 b4689 1984 [Letter to the Editor, with Notes on the Miller/Brown Catalogue/Checklist]. News Lep. Soc. 1984(4):69-70. {Oct 1984 }

Toliver, Michael E.; Holland, Richard; Cary, Steven J.;

- b4690 1985* An Annotated List of the Butterflies of New Mexico. Illinois, Toliver :71 pp. {20 Jul 1985 } [*Unpublished]

Toso, Giovanni Guido; Balletto, Emilio;

- b4691 1977 Una nuova specie del genere *Agrodiaetus* Huebn (Lepidoptera Lycaenidae). Annali Mus. civ. Stor. nat. Genova 81:124-130.

Townsend, Alexander Cockburn;

- b. 1905, d. 1964.
 b4692 1943 Bibliographical note on C. S. Rafinesque. J. Soc. Bibl. nat. Hist. 1(12):471-476. {Feb 1943 }

Townsend, Alexander Cockburn; England, H. W.;

- b4693 1938 The dates of publication of J. W. Tutt's British Lepidoptera and Natural History of British Butterflies. J. Soc. Bibl. nat. Hist. 1(5):131-133. {May 1938 }

Toxopeus, Lambertus Johannes;

- b. 1894, d. 1951.
 b4694 1926 Verslag. Tijdschr. Ent. 69(Verslag):xvi, lxx, lxxvi.
 b4695 1926 Lycaenidae Australasiae, I. New investigations on the genus *Lycaenopsis* Felder. Treubia 8:365-375, 1 f.
 b4696 1927 Lycaenidae Australasiae III. On *Nacaduba kurava* Moore, and other species of *Nacaduba* (Lep. Lycaenidae). Treubia 9(4):423-436, pl 11.
 b4697 1927-1928 Lycaenidae Australasiae II. Eine Revision der javanischen, zu *Lycaenopsis* Felder und verwandten Genera gehörenden Arten. (Mit Einführung von 6 neuen Genera, Beschreibung von 2 neuen Species und 5 neuen Subspecies). Tijdschr. Ent. 70:232-302, 1 pl, 27 f; 71:179-265, 1 pl 29 f. {1927-1928 }
 b4698 1928 [Untitled remarks on Lycaenidae. In Verslag van de Een-en-zestigste Wintervergadering]. Tijdschr. Ent. 71:xix-xxii.
 b4699 1929 Beschreibung einiger Schmetterling (Riodinidae und Lycaenidae) von Pulu Weh bei Sumatra. Tijdschr. Ent. 72(3/4):204-214. {31 Dec 1929 }
 b4700 1929 Lycaenidae Australasiae VI. De Riodinidae en Lycaenidae van het island Java. Tijdschr. Ent. 72(3/4):215-244. {31 Dec 1929 }
 b4701 1929 Over *Tajuria cippus* (F.) (= *longinus* F.) en *Pratapa blanka* de Nic. (Lycaenidae Australasiae VII). Tijdschr. Ent. 72(3/4):245-262. {31 Dec 1929 }
 b4702 1930 De Soorte als Functie van Plaats en Tijd getoetst aan de Lycaenidae van het Australaziatisch Gebied. [The influence of locality and time on the formation of species and races of Australasiatic Lycaenidae]. Amsterdam, Acad. Proefschr. or H. J. Paris :xii+198 pp, 4 pl, 17 f.
 b4703 1931 Over eenige Bijzonderheden van de west-javaansche fauna, die wijzen op haar hybride ontstaanswijze. Hand. ned.-indisch. natuurw. Congr. 6:417-427.
 b4704 1932 Over eenige nieuwe of weinig bekende vlindersoorten. Versl. Afd. Ned. Ost.-Ind. ned. ent. Ver. 1(3):lxvii-lxxix.
 b4705 1933 Dr. Toxopeus demonstreert enkele Lycaenidae. Versl. Afd. Ned. Ost.-Ind. ned. ent. Ver. 1(3):cviii-cxi. {1 Jan 1933 }
 b4706 1935 Over eenige nieuwe en weinig bekende Lycaenidae van Java. [New or little-known Lycaenids from Java]. Ent. Med. Ned.-Indië 1:10-13.
 b4707 1935 Over *Ruralis absolon* (Hew.). Ent. Med. Ned.-Indië 1:33-36.
 b4708 1940 Entomologische Notities uit Nieuw-Guinea. Ent. Med. Ned.-Indië 6:17-21, 37-43, 1 pl.

Toxopeus, Lambertus Johannes; (continued)

- b4709 1944 Results of the Archibold Expedition to New Guinea. Lepidoptera: Riodinidae (Erycinidae). Treubia Hors Série:156-192.
 b4710 1950 On two *Appias* Species from Celebes and a Note regarding *Delias sthenobaea* (Boisd.) (Rhopalocera, Pieridae). Zool. Meded. 31(6):63-66, 2 f. {23 Nov 1950 }

Trapp, Hermann;

- b4711 1863 Lepidopterologische Notizen. Mitt. schweiz. ent. Ges. 1(4):101-110. {Apr 1863 }

Trautmann, W.;

- b4712 1909 Sammeltage im Alpengebiet. Int. ent. Z. 3(9):49-50; (12):65-66 (19 Jun). {29 May 1909 }

Treadaway, Colin G.; Nuyda, Justin;

- b4713 1993 Four new subspecies of the Philippine Lepidoptera: Lycaenidae. Fil-Kulisap 1(2):6-8, 13-14. {15 Dec 1993 }

Tremewan, W. G.;

- b4714 1986 Obituary: W. B. L. Manley. Antenna 10:68-69.

Trimen, Roland;

- b. 29 Oct 1840 (Paddington); d. 25 Jul 1916 (London). [Ref: b0718; b0717]
 b4715 1862 On some New Species of South African Butterflies collected in British Kaffraria by W. S. M. D'Urban, Esq., during 1860-61. Trans. ent. Soc. Lond. 3(1)(4):398-406. {Nov 1862 }
 b4716 1862 On some new species of South African butterflies. Trans. ent. Soc. Lond. 3(1)():279-291.
 b4717 1864 Descriptions of some new butterflies found in South Africa. Trans. ent. Soc. Lond. 3(2)():175-180.
 b4718 1868 On some undescribed species of South African butterflies including a new genus of Lycaenidae. Trans. ent. Soc. Lond. 16(1):69-96. {Apr 1868 }
 b4719 1870 Notes on butterflies collected by J. H. Bowker in Basutoland, South Africa, with descriptions of new species. Trans. ent. Soc. Lond. 18(4):341-390, 1 pl. {Dec 1870 }
 b4720 1873 On some new species of butterflies discovered in extra tropical South Africa. Trans. ent. Soc. Lond. 21(2):101-124. {May 1873 }
 b4721 1874 On some new species of South African Lycaenidae. Trans. ent. Soc. Lond. 22(3):329-341, 1 pl. {Jul 1874 }
 b4722 1879 On some hitherto undescribed butterflies inhabiting South Africa. Trans. ent. Soc. Lond. 27(4):323-346. {Dec 1879 }
 b4723 1881 On some new species of Rhopalocera from southern Africa. Trans. ent. Soc. Lond. 29(3):433-445. {Sep 1881 }
 b4724 1883 Descriptions of twelve new species of South African Lepidoptera- Rhopalocera. Trans. ent. Soc. Lond. 31(4):347-363. {Nov 1883 }
 b4725 1887-1889 In Trimen & Bowker, South African Butterflies (q.v.). [See also: b4734] {1887-1889 }
 b4726 1891 On some recent additions to the list of South African Butterflies. Trans. ent. Soc. Lond. 39(1):169-178. [Ref: b1037] {Mar 1891 }
 b4727 1891 On butterflies collected in tropical South-western Africa by Mr. A. W. Eriksson. Proc. zool. Soc. Lond. 1891(1):59-107, 2 pls. {[Jun] 1891 }
 b4728 1893 On some new species or imperfectly known species of South African butterflies. Trans. ent. Soc. Lond. 41(2):123-143, ill. {Jun 1893 }
 b4729 1894 On a collection of butterflies made in Manica, tropical South-east Africa by Mr. F. C. Selous in 1892. Proc. zool. Soc. Lond. 1894(1):14-82, pls 4-6. {[Jun] 1894 }
 b4730 1895 On some new species of butterflies from tropical and extratropical South Africa. Trans. ent. Soc. Lond. 43(2):181-194. {Jun 1895 }

Trimen, Roland; (continued)

- b4731 1898 On some new or little known species of African Butterflies. *Trans. ent. Soc. Lond.* 46(1):1-16. {[20] Apr 1898 }
- b4732 1904 On some new or imperfectly-known forms of South African Butterflies. *Trans. ent. Soc. Lond.* 52(2):231-246, 2 pls. {[15] Jun 1904 }
- b4733 1906 On some new or hitherto unfigured forms of South-African Butterflies. *Trans. ent. Soc. Lond.* 54(1):59-84, pls 4-6. {[29] May 1906 }

Trimen, Roland; Bowker, James Henry;

- b4734 1887-1889 South African butterflies: a monograph of the extra-tropical species. London. Trübner & Co. 8vo 3 volumes 1(Nymphalidae):xv+335, pls A,1-6; 2(Erycinidae & Lycaenidae):v+242 pp, pls 7-9. {1887-1889 }

Trolano, G.; Balletto, Emilio; Toso, Giovanni Guido;

- b4735 1979 The karyotype of *Agrodiatus humedasmae* Toso & Balletto, 1978. *Boll. Soc. ent. ital.* 111:141-143.

Tronček, Edvard;

- b. 4 Jun 1899; d. 1964? [Ref: b3535]
- b4736 1938 *Lycaena psylorita* ab. *obenbergeri* m. n. *Čas. čsl. Spol. ent.* 35:116-118, f.

Tschikolowez, W. W.;

- b4737 1992 Eine Übersicht über das Lycaeniden-Subgenus *Paragrodiaetus* in Kirgisien, Usbekistan und Tadschikistan mit einer Beschreibung von *Polyommatus (Paragrodiaetus) pulchra chaburobata* subsp. nov. (Lepidoptera, Lycaenidae, Polyommatainae). *Atalanta (Münnerstadt)* 23(1/2):159-168, 306-307, ill.
- b4738 1992 Eine kommentierte Artenliste der Tagfalter des Transalai-Gebirges (Pamir-Alaj) nebst Beschreibung der *Erebia progne samodurovi* subsp. nov. (Lepidoptera, Rhopalocera). *Atalanta (Münnerstadt)* 23(1/2):169-193, 308-309, ill.

Tshugunov, S. M.;

- b4739 1914 Les lépidoptères recueillis près de la station "Zima" du Transsibirie. (Gouvernement d'Irkutsk, district Balagansk). *Revue Russe Ent.* 14:307-318.

Tuely, N. C.;

- b. 1833; d. 3 Jan 1879 (Winbledon Park). [Ref: b0718; b0717]
- b4740 1878 Description of a new species of Butterflies from the Sandwich Islands. *Ent. mon. Mag.* 15:9-10. {Jun 1878 }

Tuleschkow, K.;

- b4741 1932 Für die Schmetterlingsfauna Bulgariens neue Arten gesammelt von 1928 bis 1931. [In Bulgarian, German summary]. *Mitt. bulgar. ent. Ges. Sofia* 7:110-115, 2 f.

Turati, Emilio;

- b. 27 Oct 1858 (Orsenigo, Provinz Como); d. 23 Sep 1938 (Gardone, Riviera). [Ref: b0717]
- b4742 1903 Contribuzioni alla fauna dei Lepidotteri italiani. *Atti Soc. ital. Sci. nat.* 42:17-44, pls 1-3.
- b4743 1911 Notes su alcune Lycaenidae italiane. *Soc. ent.* 25(21):81-84; (23):89 (11 Feb). {14 Jan 1911 }
- b4744 1911 Einige neue Italiensische Rhopalocerenformen. *Soc. ent.* 26(18):67. {2 Dec 1911 }
- b4745 1919 A 1000 metri sull'Appennino modenese. Note de Lepidotterologia e descrizione di tre nuove specie di micri. *Atti Soc. ital. Sci. nat.* 58:147-187.
- b4746 1921 Lepidotteri di Cirenaica raccolti dal Prof. Alessandro Ghigi durante l'escursione organizzata dal Touring Club Italiano nel mese d'aprile 1920. *Atti Soc. ital. Sci. nat.* 60:211-229, 9 f.
- b4747 1923 Cinque anni di ricerche nell'Appennino Modenese. Elenco dei Lepidotteri raccolti e note critiche e descrittive. *Atti Soc. ital. Sci. nat.* 62:4-74, 2 pls.
- b4748 1924 Spedizione Lepidotterologica in Cirenaica, 1921-1922. *Atti Soc. ital. Sci. nat.* 63:21-191.

Turati, Emilio; (continued)

- b4749 1927 Novità de Lepidotterologia in Cirenaica. *Atti Soc. ital. Sci. nat.* 66:313-344, 1 pl, 10 f.
- b4750 1933 Spizzichi di Lepidotterologia - IV. *Boll. Soc. ent. ital.* 65:12-26, 1 pl, 6 f.

Turati, Emilio; Fiori, A.;

- b4751 1930 Lepidotteri di Rodi. *Memorie Soc. ent. ital.* 9:196-214.

Turati, Emilio; Krüger, G.;

- b4752 1936 Contributi alla fauna Cirenaica. Novità de lepidotterologia. *Memorie Soc. ent. ital.* 15:55-77.

Turati, Emilio; Verity, Ruggero;

- b4753 1911 Faunula Valderiensis nell'alta valle del Gesso (Alpi Marittime). *Boll. Soc. ent. ital.* 42:168-265; 43:168-236. {[1911] }

Turner, Henry Jerome;

- b. 27 Aug 1856 (Redhill, Surrey); d. 19 Dec 1951 (Cheam, Surrey).
- b4754 1920 The Butterflies of Cyprus. *Trans. ent. Soc. Lond.* 68(1/2):170-207. {[26] Jul 1920 }
- b4755 1927 Races of *Polyommatus coridon*, Poda, particularly those of Italy and Spain. *Proc. S. Lond. ent. nat. Hist. Soc.* 1926-27:55-60.

Turner, T. W.; Miller, Jacqueline Y.;

- b4756 1992 A new species of *Cyanophrys* (Lycaenidae: Theclinae) from Jamaica. *Bull. Allyn Mus.* No. 137:1-7, ill.

Turton, William;

- b. 1762; d. 1835.
- b4757 1802 A general system of nature, through the three grand kingdoms of animals, vegetables, and minerals; systematically divided into their several classes, orders, genera, species, and varieties, with their habitations, manners, economy, structure, and peculiarities. Translated from Gmelin's last edition of the celebrated *Systema Naturae*, by Sir Charles Linné. Amended and enlarged by the improvements and discoveries of later naturalists and societies, with appropriate copper-plates, by William Turton, M.D., author of the *Medical Glossary*. London, Lackington 8vo 4 volumes. *Butterflies came in* 3:3-167. [Ref: b3256]

Tutt, James William;

- b. 26 Apr 1858 (Strood, Kent); d. 10 Jan 1911 (Rayleigh Villa, Westcombe Hill). [Ref: b0718; b0717]
- b4758 1896 British butterflies, being a popular handbook for young students and collectors. London 476 pp, ill.
- b4759 1903 Lepidottera of Locamo. *Ent. Rec.* 15(9):224-225. {3 Sep 1903 }
- b4760 1905-1914 (In 1899-1914, *Natural History of British Lepidoptera*, 9 volumes numbered 1-5 [moths], 8-11, the last 4 alternatively titled;-) *Natural History of British Butterflies* 1-4. London, Elliot Stock Each volume in 20-25 parts (8vo). 1905-06, *Lep. 8*, (Butts 1), iv,479 pp, 20 pls; pp 1-12, 81-144, pls 1-3, 1905; rest in 1906. 1907-08, *Lep. 9*, (Butts 2), x,495 pp, 28 pls; pp 1-60, 81-340, pls 1-13, 1907; rest in 1908. 1908-10, *Lep. 10*, (Butts 3), viii,410 pp, 53 pls; pp 1-4, 41-60, 1908; pp 397-410, pls 23,42-53, 1910; rest in 1909. 1910-14, *Lep. 11*, (Butts 4), viii,373 pp, pls 1,2, 4-11,13-19,21-45; pp 1-208, pls 1,2,4-10,13-16, 1910; pp 209-272, pls 17-19,21-28, 1912 [posth]; pp 273-296 1913; pp 1-viii, 297-373, pls 11,29-45 1914. [Ref: b0748; b4693; b1750] {1905-1914 }
- b4761 1906 A Study of the Generic Names of the British Lycaenides and their close allies. *Ent. Rec.* 18:129-132. {[May] 1906 }
- b4762 1908 Lepidottera of the Grisons - The Strela Pass. *Ent. Rec.* 20(12):273-274. {15 Dec 1908 }

Tutt, James William; (continued)

- b4763 1909 *Plebeius argus* var. *cretaceus*, n. var., *P. argus* var. *masseyi*, n. var., *P. argus* var. *corsica*, Bell, and *Plebeius argyrognumon* var. *corsica*, n. var. Ent. Rec. 21(2):58-59. {15 Mar 1909}
- b4764 1909 Lepidoptera of the Grisons - Zernetz and the Ofen Pass. Ent. Rec. 21(9):197-201. {15 Sep 1909}
- b4765 1909 Lepidoptera of the Tyrol - Trafoi to Sudan. Ent. Rec. 21(10):228-230. {15 Oct 1909}
- b4766 1909 [Current notes]. Ent. Rec. 21(12):296-300. {15 Dec 1909}
- b4767 1910 *Agriades polonus*, Zeller, mit Bemerkungen über die bekannten Exemplare dieser Form. Soc. ent. 25(1):3-4. {9 Apr 1910}
- b4768 1910 The Rivieran races of *Agriades coridon*, Poda. Soc. ent. 25:44, 45-47.
- b4769 1912 In Courvoisier, (q.v.). Ueber Zeichnungen - Aberrationen bei Lycaeniden. Deut. ent. Zeit. [Iris] 26:52.

Tyler, Harry C.;

- b. *, d. 1939. Collection to the BMNH. [Ref: b0718]
- b4770 1912 Notes on Butterflies from the Naga Hills (2). J. Bombay nat. Hist. Soc. 21(2):588-606, pl B. {31 Mar 1912}
- b4771 1915 Notes on some new and interesting Butterflies from Manipur and the Naga Hills. Part II. J. Bombay nat. Hist. Soc. 23(3):502-515. {2 Feb 1915}
- b4772 1915 Notes on some new and interesting Butterflies from Manipur and the Naga Hills. J. Bombay nat. Hist. Soc. 24(1):119-155. {30 Sep 1915}
- b4773 1926 Notes on some new and interesting butterflies from India and Burma, Part II. J. Bombay nat. Hist. Soc. 31(3):578-590, 3 pls. {1 Nov 1926}
- b4774 1940 Notes on some new and interesting butterflies, chiefly from Burma (2). J. Bombay nat. Hist. Soc. 42(1):109-123. {Dec 1940}

Uchida, Haruo;

- b4775 1984 Record of the foodplants of 45 Formosan butterfly species. [In Japanese]. Tyô to Ga 35(3):152-160, 12 f. {20 Dec 1984}
- b4776 1985 Record of the foodplants of 17 Formosan butterfly species. [In Japanese]. Tyô to Ga 35(4):208-210, 2 f. {20 Mar 1985}

Uchida, Seinosuke;

- b4777 1932 On two remarkable aberrant forms of Japanese Butterflies. [In Japanese]. Zephyrus 4(4):231-234, pl 16. {31 Dec 1932}

Umeno, A.;

- b4778 1936 [Notes on some butterflies from Taiwan]. Zephyrus 6(3/4):222-237. {31 Jul 1936}
- b4779 1937 Butterflies from Kyushu. Bull. Umeno ent. Lab. (4):1-57, pls 1-7.

Ungemach, H.;

- b4780 1932 Contribution a l'étude des lépidoptères d'Abyssinie. Ire partie. Rhopalocères. Mém. Soc. Sci. nat. phy. Maroc (32):1-122, 2 pls, 1 map.

Ureta, Rojas E.;

- b4781 1947 Nuevos Ropalóceros (Lep.) de Chile. Boln Mus. nac. Hist. nat. Chile 23:47-61, 2 pls.
- b4782 1949 Lepidopteros de Chile (Rhopalocera). IV Parte. Familia Lycaenidae. Boln Mus. nac. Hist. nat. Chile 24:93-123, 2 pls.
- b4783 1956 Neuvas especies de Lycaenidae (Lep. Rhopalocera) de Chile. Boln Mus. nac. Hist. nat. Chile 26(6):257-260, 3 f.

Väisänen, Rauno; Suomalainen, Esko; Luoma, Harri;

- b4784 1983 The occurrence and protection of *Lycaena dispar* (Lepidoptera, Lycaenidae) in Finland. Notulae ent. 63(3):124-126.

Valentine, Peter S.;

- b4785 1979 Notes on the biology and distribution of some north Queensland lycaenid butterflies. Aust. ent. Mag. 6(3):55-56. {Sep 1979}
- b4786 1982 *Ogyris genoveva gela* Waterhouse (Lepidoptera: Lycaenidae) feeding at sapflow, and the first record of this subspecies from Victoria. Aust. ent. Mag. 8(6):92. {Aug 1982}
- b4787 1988 Book Review - A revision of the genus *Hypochrysops*. Aust. ent. Mag. 14(6):91-92. {Jan 1988}

Valentine, Peter S.; Johnson, S. J.;

- b4788 1988 Some new larval food plants for north Queensland Lycaenidae (Lepidoptera). Aust. ent. Mag. 14(6):89-91. {Jan 1988}

Valle, Kaarlo Johaannes;

- b4789 1935 Macrolepidoptera. I. Diurna. In: Animalia fennica. Helsinki 2:---, pls, f. Also seen as Suomalainen Eläin- ja Kasviiteellinen seura Vanamo Suomen eläimet.

van der Poorten, Dirk;

- b4790 1984 On the occurrence of *Kretania eurypilus* Freyer on the Peloponesos (Lycaenidae, Plebejinae). Nota lepid. 7(2):164-170. {30 Jun 1984}

Van Duzee, Edward Payson;

- b. 6 Apr 1861 (New York); d. 2 Jun 1940 (Alameda, California). [Ref: b0718; b0717; b3321]
- b4791 1933 The Templeton Crocker Expedition of the California Academy of Sciences, 1932. No. 12. The diurnal Lepidoptera of the expedition. Proc. Calif. Acad. Sci. (4)21:139-145. Contains at least one description by Heid.

van Eecke, Rudolph;

- b. 1886, d. 1975.
- b4792 1914 Studien über Indo-Australische Lepidopteren. Fauna Simalurensis. Lepidoptera Rhopalocera, Fam. Lycaenidae. Notes Leyden Mus. 36(3/4):193-258, 1 pl.
- b4793 1915 Enkele opmerkingen omtrent Indo-Australische Danaïden. Zoöl. Meded. 1(3/4):205-227, tf 1-7. {22 Dec 1915}

- b4794 1915 Studies on Indo-Australian Lepidoptera II. The Rhopalocera collected by the third New Guinea Expedition, In Herderschee, A. F., Résultats de l'Expedition Scientifique Néerlandaise à la Nouvelle Guinée en 1912 et 1913. Nova Guinea 13(Zool. 3):55-80, pls I-III.

- b4795 1918 Studies on Indo-Australian Lepidoptera - III. Some Rhopalocera and Netrocera from Simalur, Pulu Lasia, Pulu Babi and Sumatra. Zoöl. Meded. 4(2):70-101, 2 pls, 3 tf. {15 Jun 1918}

- b4796 1924 List of the Lepidoptera collected by Mr. W. C. van Heurn during an exploration expedition in Dutch North New Guinea. Nova Guinea 15(Zool. 4):33-56, pl I.

van Oorschot, H. H.; de Prins, W. O.;

- b4797 1989 Some crucial remarks on the paper 'Unterschiede von *Lycaena hippothoe* und *candens* im uv-Licht (Lep. Lycaenidae)' by P. Schaidler (1988). Phegea 17(2):55-56.

van Oorschot, H. H.; van den Brink, H.;

- b4798 1991 Rhopalocera of Turkey. 6. On the geographical variation of *Satyrrium ilicis* (Esper) with description of *S. ilicis zabni* n. ssp. from south east Turkey (Lepidoptera: Lycaenidae). Ent. Ber. 51(3):38-43, ill.

van Oorschot, H. H.; van den Brink, H.; van Oorschot, B.;

- b4799 1984 Rhopalocera of Turkey: 1. Records of *Cupido minimus* and description of *Cupido minimus albocilia*, new subspecies (Lepidoptera: Lycaenidae). Ent. Ber. 44(9):140-144.

van Oorschot, H. H.; van den Brink, H.; van Oorschot, B.;
(continued)

b4800 1985 Rhopalocera of Turkey. 2. Records *Satyrrium marcidus* (Riley, 1921) and description of *S. marcidus mardinus* n. ssp. (Lepidoptera: Lycaenidae). Ent. Ber. 45(10):145-149, ill.

van Regteren Altena, C. O.;

b4801 1949 Macrolepidoptera collected in Teneriffe and La Palma in the spring of 1942. Tijdschr. Ent. 91:12-22, 6 f.

van Someren, Victor Gurner Logan;

Collection to AMNH, types to BMNH. [Ref: b3798]

b4802 1939 New and little-known Lepidoptera from Kenya and Uganda. J. E. Afr. Ug. nat. Hist. Soc. 14:172-180, 6 pls.

b4803 1957 Revisional notes on *Lepidochrysoptera* (Lycaenidae: Lampidinae) of Kenya and Uganda, with descriptions of new species and subspecies. J. ent. Soc. S. Afr. 20(1):58-78, 2 cpl. [31 May 1957]

van Son, Georges;

b. 1898, d. 1967.

b4804 1941 New or little known South African butterflies. J. ent. Soc. S. Afr. 4:179-196. [15 Sep 1941]

b4805 1949 Description of four new species of South African Butterflies. Ann. Transv. Mus. 21(2):209-216.

b4806 1949 A new species of *Deloneura* from Nyasaland. Occ. Pap. natn Mus. Sth. Rhodesia 2(15):259-260.

b4807 1951 Three new species of *Thestor* Hübner (Lepidoptera - Lycaenidae) from the Western Cape Province. Ann. Transv. Mus. 21:435-445, 1 pl, 5 f.

b4808 1956 New South African Butterflies. Ann. Transv. Mus. 22:503-509, 2 pls, 4 f.

b4809 1959 On some butterflies of the Kalahari Gemsbok National Park, with descriptions of three new forms. Koedoe (2):52-59, 1 pl.

b4810 1959 A revision of the Lycaenid genus *Durbania* Trimen, with the description of two new genera and two subspecies. Novos Taxa ent. (16):1-15, 1 pl, 3 f.

b4811 1963 The Butterflies of Southern Africa Part III Nymphalidae: Acraeinae Mem. Transv. Mus. No. 14:ix+130 pp, 29 pls. [Jul 1963]

b4812 1966 New African butterflies - 3. Ann. Transv. Mus. 25(4):81-89, f, pls.

van Wisselingh, T. H.;

b4813 1948 Macrolepidoptera in 1944 en 1945. Tijdschr. Ent. 89:xxvi-xxvii. [28 Oct 1948]

Vance, Randolph;

b4814 1925 Life Among the Butterflies. Girard, Kansas, Halderman Julius & Co. -. Not listed in the National Union Catalogue.

Vane-Wright, Richard Irwin;

b4815 1975 The Butterflies Named by J. F. Gmelin (Lepidoptera: Rhopalocera). Bull. Br. Mus. nat. Hist. (Ent.) 32(2):17-64, 6 pls. [11 Apr 1975]

b4816 1980 [Description of *Alaena rosei*]. In d'Abrera, Butterflies of the Afrotropical Region. Melbourne, Lansdowne Editions :416. [See also: b1452]

b4817 1994 [Description of *Theope wichi*]. In d'Abrera, Butterflies of the Neotropical Region, Part 4, Riodinidae. Victoria, Hill House :1002. [See also: b1456]

Vane-Wright, Richard Irwin; Ackery, Phillip Ronald;

b4818 1984 C. B. Williams, David Gifford and R. E. Silberglied. In: The Biology of Butterflies, edited by Vane-Wright & Ackery. Symposia R. ent. Soc. Lond. 11:xxi.

Varga, Zoltan;

b4819 1960 [Untersuchungen über die im Karpaten becken und in der Balkanhalbinsel Heimischen Formen der *Aricia allous* Hb. (Lep.).] [In Hungarian, German summary]. Folia ent. hung. (ns)13:439-458, 5 f.

b4820 1968 Bemerkungen und Ergänzungen zur taxonomischen Beurteilung und Oekologie der im Karpatenbecken vorkommenden Populationen von *Aricia artaxerxes* Fabr. (= *A. allous* G.-Hb., *A. montensis* Vrtv.). Acta biol. Debrecina 6:171-185.

Vári, L.;

b4821 1976 South African Lepidoptera: 7. Descriptions and notes on new taxa of Rhopalocera. Ann. Transv. Mus. 30(13):121-143, 19 f, 5 pl. [Ref: b0108 (#2300)] [15 Dec 1976]

Vari, L.; Kroon, D.;

b4822 1986 Southern African Lepidoptera. A series of cross-referenced indices. Pretoria, Transvaal Museum i-x, 198 pp, ill.

Varshney, R. K.;

b4823 1984 A note on species named *Lycaena pavana* (Lepidoptera: Lycaenidae). J. Bombay nat. Hist. Soc. 81(2):493-494. [Aug 1984]

b4824 1985 Revised nomenclatural changes for taxa in Wynter-Blyth's book on the Butterflies of Indian Region - 2. J. Bombay nat. Hist. Soc. 82(2):309-321, ill.

Vasile, V.;

b4825 1980 Trois formes nouvelles de *Plebejus pylaon zephirus* Frivaldsky (Lepidoptera, Lycaenidae). Bull. Soc. ent. Mulhouse 1980(Oct/Dec):52, ill. [Ref: b0113 (#3180)]

Vázquez, García Leonila;

b. 17 Jan 1914 (Jiménez, Chihuahua, Mexico).

b4826 1958 Notas sobae Lepidópteros de las islas Revillagigedo. I. An. Inst. Biol. Univ. Méx. 28(1/2):301-307.

Venzmer, G.;

b4827 1920 Zur Kenntnis der Tagfalter des Bulghar Dag in Kleinasien. Deut. ent. Zeit. [Iris] 34:23-52.

Verdugo Paez, A.;

b4828 1984 Una nueva subespecie de Lycaeninae para la peninsula iberica. Revta Lep. 12(1):55-57, ill.

Verhulst, G.; Verhulst, J.;

b4829 1986 Description d'une nouvelle sous-espece de *Polyommatus icarus* appelee *boalensis*, famille des Lycaenidae. Revta Lep. 13(4):284.

Verhulst, J.; Verhulst, G.;

b4830 1985 Une nouvelle sous-espece de Lycaenidae *Polyommatus icarus boalensis* n. ssp., J. & G. Verhulst. Bull. Cercle Lepid. Belg. 14(1):18-22.

Verity, Ruggero;

b. 20 May 1883 (Florence); d. 4 Mar 1959 (same). Often seen as Roger. Collection to Museo Zoologico de la Specola, Florence. [Ref: b2856; ns00191; ns00279; ns00280]

b4831 1903 Aberrations nouvelles ou peu connues de *Lycaena icarus* Linne. Bull. Soc. ent. Fr. 1903(17):287-289. [19 Dec 1903]

b4832 1904 [*Lycaena coridon* Poda ab. *stefanelli* e *Lycaena bellargus* ab. *bellargoides*]. In: Adunanza del 5. Giugno 1904. Boll. Soc. ent. ital. 36:11-12. [See also: b4351]

b4833 1904 New Forms and new Localities of some European Butterflies. Entomologist 37:53-59, pl 4.

b4834 1911 Alcuni Lepidotteri inediti o non ancora figurati. Boll. Soc. ent. ital. 42:266-281.

b4835 1913 Revision of the Linnean Types of Palaearctic Rhopalocera. J. linn. Soc. Lond., Zool. 32(215):173-191. [16 May 1913]

Verity, Ruggero; (continued)

- b4836 1914 Contributo allo studio della variazione nei Lepidotteri tratto principalmente da materiale di Toscana, delle Marche e di Calabria. Boll. Soc. ent. ital. 45:203-238; 1 pl, 49 f.
- b4837 1916 Sur deux *Lycaena confondus* sous le nom de *L. (Agriades) corydon* Poda. Anns Soc. ent. Fr. 84:514-520.
- b4838 1916 La variazioni geografiche della "*Lycaena coridon*" Poda nell'Italia centrale. Boll. Soc. ent. ital. 46:128-133.
- b4839 1919 Le varie modalita di schiusura ed il numero di generazioni annue dei Grypocera et Rhopalocera europei illustrati dalle specie toscane di pianura e di collina. Atti Soc. ital. Sci. nat. 58:1-28.
- b4840 1919-1922 Seasonal Polymorphism and Races of some European Grypocera and Rhopalocera. Ent. Rec. 31:26-201 (nc); 32:3-152 (nc); 33:170-214 (nc); 34:12-142 (nc). {1919-1922 }
- b4841 1920 Contributo alle ricerche sulla variazione e la distribuzione dei Lepidotteri in Italia; Zygaenides, Grypocera e Rhopalocera del Massiccio delle Mainardi (Prov. di Caserta). Boll. Lab. Zool. Portici 14:33-61.
- b4842 1924 Additons and Corrections to "List of Grypocera and Rhopalocera of Peninsular Italy". Ent. Rec. 36:106-111.
- b4843 1925 Notes on Spanish Lepidoptera. Ent. Rec. 37(5):76. {15 May 1925 }
- b4844 1926-1933 Zygaenae, Grypocera and Rhopalocera of the Cottian Alps compared with other races. Ent. Rec. 38:101-106, 120-126, 170-176; 39:122-126, 154-157, 172-175; 40:142-144, 160-163; 44:139-142; 45:90-93, 106-109, 123-126. {Aug 1926-1933 }
- b4845 1927 *Les Agriades albicans* H.-S., *A. aragonensis* Gerh. et *A. hispana* H.-S. constituent probablement une unite specifique. Bull. Soc. ent. Fr. 1927(13):205-208. {15 Sep 1927 }
- b4846 1927 La variation géographique dans l'Europe occidentale des *Plebeius idas* L. (= *argus* Schiff. = *argyrognomon* Berg.) et *insularis* Leech. Le nom du lycidas est de Meigen et non de Trapp. Anns Soc. ent. Fr. 96:1-16.
- b4847 1928 Races paléarctiques de Grypocères et de Rhopalocères à distinguer et homonymes à remplacer (Lep.). Bull. Soc. ent. Fr. 1928(8):140-144. {23 May 1928 }
- b4848 1928 Distinction de quelques races de l'*Aricia medon* Hüfn. et de l'espèce différente *A. cramera* Ersch. Bull. Soc. ent. Fr. 1928(11):179-183. {10 Jul 1928 }
- b4849 1929 Considérations sur les race françaises de l'*Heodes virgaureae* L. Bull. Soc. ent. Fr. 1929(7):128-131. {12 May 1929 }
- b4850 1929 Races du midi de la France des *Agriades escheri* Hb. et *coridon* Poda. Bull. Soc. ent. Fr. 1929(9):156-160. {20 Jun 1929 }
- b4851 1929 Essai sur les origens des Rhopaloceres Europeens et Mediternaneens et particulierement des Anthocharidi et des Lycaenidi du groupe d'*agestis* Schiff. Anns Soc. ent. Fr. 98:323-360.
- b4852 1931 On the geographical variations and the evolution of *Lycaeides argus* L. (Lycaenidae). Deut. ent. Zeit. [Iris] 45:30-69.
- b4853 1934-1936 The Lowland races of butterflies of the Upper Rhone Valley. Ent. Rec. 46(Sup.):(1-40); 47:41-76; 48:77-90. Published with the May number. However, *Kudrna* says "usually four pages published at a time at [the] end of most issues". {21 May 1934-1936 }
- b4854 1935 Races de *Lysandra thersites* Chapm. et de *Plebeius sephyrus* Friv. de l'Asie Mineure. Bull. Soc. ent. Fr. 40(17):243-245. {5 Dec 1935 }
- b4855 1936 *Lysandra corona*, a new "blue" from Persia. Ent. Rec. 48:106-107. {15 Oct 1936 }
- b4856 1936 *Polyommatus parameleager*, another "blue" from Persia. Ent. Rec. 48:130. {15 Dec 1936 }

Verity, Ruggero; (continued)

- b4857 1936-1937 The Butterflies races of Macedonia. Ent. Rec. 48(Sup.):(1)-(8); 49(Sup.):(9)-(22). {Nov 1936-1937 }
- b4858 1937 Appunti su alcuni Lepidotteri diurni italiani. Memorie Soc. ent. ital. 16:37-50, 1 pl.
- b4859 1937-1938 Variation of some butterflies in anterior Asia and in Morocco. Ent. Rec. 49(Sup.):(1)-(9); 50(Sup.):(9)-(15). {1937-1938 }
- b4860 1938-1939 Supplement to the "Butterfly races and Zygaenae of Macedonia". Ent. Rec. 50(Sup.):(1)-(16); 51(Sup.):(17)-(20). {1938-1939 }
- b4861 1939 Essai sur la distinction des espèces du groupe de *Lysandra coridon* Poda. Lambillionea 39:210-222.
- b4862 1943 Le Farfalle diurne d'Italia 2. Divisione Lycaenida. Italy; Florence, Italy, Casa editrice Marzocco xii+401 pp, pls 5-19,iii-ix.
- b4863 1947-1957 Les Variations géographiques et saisonnières des Papillons diurnes en France. Paris, Le Charles 1-3:472 pp (unfinished). Pp 1-16, 23 Jun 1947; pp 17-64, 10 Jul 1948; pp 65-128, 30 Sep 1948; pp 129-160, 12 Feb 1949; pp 161-199, 28 Jun 1951; pp 201-311, 14 Mar 1952; pp 313-364, 30 Apr 1952; pp 365-472, 21 Sep 1957. {1947-1957 }
- b4864 1951 [Description of *Necovatia*]. Revue fr. Ent. 17(Suppl.):183+. [Expand.]
- b4865 1953 On the supposed discoveries of new butterfly species in Europe. Entomologist 86(7):172-175. {[4 Aug 1953]}
- b4866 1957 The Two Subgeneric Names of Butterflies *Disparia* Vrt. and *Simplicia* Vrt. Replace, being Homonyms. Ent. Rec. 69:225.

Verity, Ruggero; Querci, Orazio;

- b4867 1923 An annotated list of the races and seasonal polymorphism of the Grypocera and of the Rhopalocera of Peninsular Italy. Italy; Ent. Rec. 35(Sup.):1-20 (nc).
- b4868 1924 An annotated list of the races & seasonal polymorphism of the Grypocera & of the Rhopalocera of peninsular Italy. [2]. Italy; Ent. Rec. 36(Sup.):21-46 (nc).

Vickery, V. R.;

- b4869 1987 Obituary: Arthur Charles Sheppard (1902-1987). J. Lep. Soc. 41(3):170-172, 1 f. {7 Oct 1987 }

Vicol, V.;

- b4870 1977 Aberrations nouvelles de lycaenides capturées dans le district Mures (Transylvanie, Roumanie) (Lep. Lycaenidae). Bull. Soc. ent. Mulhouse 1977(Oct-Dec):55-56. [Ref: b0109]

Viette, Pierre E. L.;

- b4871 1950 Faune de l'Empire Français. XIII. Lépidoptéra Rhopalocéra de l'Océanie Française. Paris :101 pp, 126 f.
- b4872 1965 Les dates de publication des différentes parties du "Catalogue des Lépidoptères de France et de Belgique" de Léon Lhomme. Alexanor 4(2):49-57. {30 Aug 1965 }
- b4873 1976 [Obituary - Pierre Rebillard]. Bull. Soc. ent. Fr. 80(9/10):293. {[15 May 1976]}

Vigneau, Abbé Pierre;

- b4874 1949 Intéressantes captures en Gironde et dans Les Pyrénées. Revue fr. Lépid. 12:147-149.

Vilarrubia, A.;

- b4875 1948 Hallazgo de las *Maculineaalcon* Schiff. y *M. arcas* Rott. en la provincia Soria (Lep. Lyc). Trab. Mus. Cienc. nat. Barcelona (ns)1(2):5-10.

Villet, M. H.;

- b4876 1986 The pupae and final instar larvae of *Aslauga atro-phifurca* Cottrell (Lepidoptera: Lycaenidae). J. ent. Soc. S. Afr. 49(1):166-168, ill.

Villiers, François de;

- b. 1790; d. 1847.

Villiers, François de; Guénéé, Achille;

b4877 1835 Tableaux synoptiques des Lépidoptères d'Europe, contenant la description de tous les Lépidoptères connus jusqu'à ce jour, etc. Paris & Londres 1(Diurnes):iii+147 pp, 1 pl (4to). The work was to have been completed in 8 volumes. This volume was issued in 5 parts of four sheets each. [Ref: b0495]

Vinson, Auguste;

b4878 1865 Voyage à Madagascar au couronnement de Radama II. Paris, Librairie encyclopédique Roret :[4]+575+4+6+48 (=Annexe C-F, Notes)+7S., 7 Farbtag. The *Lepidoptera*, by Guénéé, came in Annex F.

Vissian, N. S.;

b4879 1976 A review of the southern African species of the genus *Spindasis* Wallengren (Lepidoptera: Lycaenidae). Occ. Pap. natn. Mus. Monum. Rhod. (Nat. Sci.) 5(9):511-523, 2 cpl. [Ref: b0108 (#2328)]

Vogel, Christian Frederich;

b4880 1857 Ein neuer entdeckter Schmetterling aus Apanien (*Polyommatus megei*). Allg. dt. naturh. Ztg (nf)3:201-206, pl 6. [Ref: b0526]

Völker, Uwe;

b4881 1978 Zur Frage der Massenvermehrung von *Quercus quercus* L. im Sommer 1976 (Lep., Lycaenidae). Ent. Zeit. 88(8):90-91. [17 Apr 1978]

von Mentzer, Erik;

b4882 1957 *Plebejus pylaon* Fisch-Wald. (*sephyrus* Friv.) ssp. *augustanus*, ssp. nova (Lep., Lycaenidae). Ent. Tidskr. 77:125-129, 3 f.

von Neustetter, Heinrich;

b. *, d. 13 Feb 1958 (age 84). Gilbert lists no bibliographies. [Ref: b1946]

b4883 1910 [Title unknown] Jber. Wien. ent. Ver. 20:8. [[Description of *Lysandra caerulea*.]

b4884 1938 Eine neue *Lycaena* aus Dalmatien. Ent. Rundsch. 55(27):315-316. [15 Apr 1938]

Vorbodt, Karl;

b. 1864, d. 1932. [Ref: b0718; b0717]

b4885 1912 Die Schmetterlinge der Schweiz. Switzerland; Bern, Wyss 1:iv+489 pp. May have a second author, Mueller-Rutz, J.

b4886 1917 [Title unknown] Schm. Schweiz 2, (Nachtrag) :13. [[Description of *Lycaena paucimaculata*.]

b4887 1930 Tessiner und Misoxer Schmetterlinge. (7):265-328 [15 Dec 1930], (8):329-392 [25 Mar 1931] Mitt. schweiz. ent. Ges. 14(6):199-264. [31 Mar 1930]

Vorbodt, Karl; Müller-Rutz, T.;

b4888 1911-1914 Die Schmetterlinge der Schweiz. Bern, Wyss 2- (8vo). [1911-1914]

b4889 1917 Die Schmetterlinge der Schweiz. 3. Nachtrag. Mitt. schweiz. ent. Ges. 12(9/10):432-530.

b4890 1921 Die Schmetterlinge der Schweiz. Nachtrag 4. Mitt. schweiz. ent. Ges. 13(3/4):175-206.

Wagner, David L.;

b4891 1993 Obimary: Alexander Barrett Klots. J. Lep. Soc. 46(4):314-324. [19 Jan 1993]

Wagner, Fritz;

b. 1873, d. 1938. [Ref: b0718]

b4892 1904 *Lycaena arion* L. nov. var. Soc. ent. 19(1):1. [1 Apr 1904]

b4893 1909 Einige neue Lepidopterenformen. Ent. Zeit. 23(4):17-19. [24 Apr 1909]

b4894 1919 Neue Lepidopteren-Formen meiner Sammlung. Int. ent. Z. 13(20):156-160. [27 Dec 1919]

Wagner, Fritz; (continued)

b4895 1926 Eine interessante neue Aberration von *Lycaena corydon* Poda. Z. öst. EntVer. 11(1):4, f. [Ref: b0527] [15 Jan 1926]

b4896 1931 Drüer (IV). Beitrag zur Lepidopteren-Fauna Inner-Anatoliens. Int. ent. Z. 24(45):467-485, (47):487-493, 1 pl. [1 Nov 1931]

Wagner, Warren Herbert, Jr.; Mellichamp, T. Lawrence;

b4897 1978 Foodplant, Habitat, and Range of *Celastrina ebenina* (Lycaenidae). J. Lep. Soc. 32(1):20-36, 15 f, 1 tbl. [7 Apr 1978]

Wagner, Warren Herbert, Jr.; Showalter, Amos H.;

b4898 1976 Ecological notes on *Celastrina ebenina* (Lycaenidae). J. Lep. Soc. 30(4):310-312. [3 Dec 1976]

Wahlgren, Einar;

b. 5 Mar 1874, d. 1962.

b4899 1924 Om de svenska *Heodes*-arterna. Ent. Tidskr. 45:90-98.

b4900 1930 Fjaerilar, Lepidoptera. I. Storfjaerilar, Macrolepidoptera. 1. Dagfjaerilar, Diurna. Svensk Insektfauna 10:1-84.

Wakabayashi, Hiroshi;

b4901 1940 A new aberrant form of *Lycaena argus* Linnaeus. Ent. World 8(73):153-154, f 1,2.

Wakabayashi, Morio;

b4902 1967 Studies on a cycad blue, *Chilades kiamurae* Matsumura (Part I). The life history and the variation of wing pattern. Tyô to Ga 17(3/4):90-101, ill. [15 Aug 1967]

b4903 1986 Notes on some Korean theclid butterflies described by F. Bryk (Lepidoptera: Lycaenidae). Nature Life Southeast Asia 16(2):37-40, ill.

Wakabayashi, Morio; Fukuda, Y.;

b4904 1985 A new *Favonius* species from the Korean Peninsula (Lepidoptera: Lycaenidae). Nature Life Southeast Asia 15(2):33-46, ill.

Wakabayashi, Morio; Hayashi, Hisao; Tanaka, Ban;

b4905 1958 Life History of *Chrysosephyrus kirishimaensis yakushimaensis* Yazaki. Tyô to Ga 9(3):38-39, 6 f, 1 cpl. [30 Jun 1958]

Wakabayashi, Morio; Ôta, Kyôzô;

b4906 1960 Life History of *Strymonidia iyonis* Ôta et Kusunoki in Ehime, Japan. Tyô to Ga 11(2):16-19, ill. [1 Jun 1960]

Wakabayashi, Morio; Tanaka, Ban; Sugai, Tadao;

b4907 1958 Remarks on aberrant form of Japanese Species of the genus *Antigius* (Part 1). Tyô to Ga 9(2):27-29, 30 f. [20 Feb 1958]

Walch, Johann Ernst Emanuel;

b. 1725, d. 1778.

b4908 1775 Beiträge zur Insectengeschichte (1). Naturforscher 6:123-131, pl 1 or 6. The other parts are 7:113-116, pl 1, 1775; 12:56-67, 1 pl, 1778; 13:24-32, 1 pl, 1779. The original sections were called *Stücken*. [Ref: b0526]

b4909 1778 Beiträge zur Insectengeschichte (3). Naturforscher 12:56-67, 1 pl.

Walker, Francis;

b. 31 Jul 1809 (Arno's Grove, Southgate); d. 5 Oct 1874 (Elm Hall, Wanstead, Essex). [Ref: b0718; b0717; b3321]

b4910 1854-1856 List of the Specimens of Lepidopterous Insects in the Collection of the British Museum. Part I. - Lepidoptera Heterocera. London, British Museum 12mo 7 parts. (1):iv+278 pp (11 Feb 1854); (2):279-581 (1854); (3):582-775 (1855); (4):776-976 (1855); (5):977-1257 (1855); (6):1258-1507 (1855); (7):1508-1808, index (1856). [Ref: b2303] [1854-1856]

Walker, Francis; (continued)

b4911 1870 A list of the butterflies collected by J. K. Lord in Egypt, along the African shore of the Red Sea, and in Arabia; with Descriptions of the Species new to Science. *Entomologist* 5:48-57.

Wallace, Alfred Russel;

b. 8 or 28 Jan 1823 (*Usk, Monmouthshire*); d. 6 Nov 1913 (*London*). [Ref: b0718; b0717; b3321]

Wallace, Alfred Russel; Moore, Frederic;

b4912 1866 List of Lepidopterous Insects collected at Takow, Formosa, by Mr. Robert Swinhoe. *Proc. zool. Soc. Lond.* 1866(2):355-365. [Sep 1866]

Wallengren, Hans Daniel Johan;

b. 8 Jun 1823 (*Lund*); d. 25 Oct 1894 (*Farhult*). [Ref: b0717; b0150; b3321]

b4913 1857 Kafferlandets Dag-Fjärilar, insamlade åren 1838-1845 af J. A. Wahlberg. [Also seen as] *Lepidoptera Rhopalocera in Terra Caffrorum Annis 1838-1845 collecta a J. A. Wahlberg.* *K. svenska VetenskAkad. Handl.* (nf)2(4):1-55. [Ref: b1023; b1041; b0527]

b4914 1858 Nya Fjäril-slågten. Öfvers. K. VetenskAkad. Förh. 15:75-84,135-142,209-215. [Ref: b1023; b1037; b0527]

b4915 1860 Lepidopterologische Mittheilungen. *Wien. ent. Monats.* 4(2):33-46. [Feb 1860]

b4916 1872 Bidrag till södra Afrikas Fjärilarfauna. Öfvers. K. VetenskAkad. Förh. 29(3):41-61. [Ref: b1037]

b4917 1875 Insecta Transvaaliensia. Bidrag till Transvaalska republikens i södra insektafauna. Öfvers. K. VetenskAkad. Förh. 32(1):83-137.

Walley-Dod, Frederick Hova;

b. 1871; d. 24 Jul 1919 (*Chanate*). [Ref: b0717 (as Wolley-Dod)]

b4918 1907 Notes on *Chrysophanus hypophaeas* and its Allies, with Description of a New Species. *Can. Ent.* 39(5):169-171. [4 May 1907]

Warnecke, Georg Heinrich Gerhard;

b. 1883, d. 20 Sep 1962 (*Hamburg, Germany*).

b4919 1924 Doerriesia (Bemerkungen über ostasiatische und sibirische Grossschmetterlinge.). *Deut. ent. Zeit. [Iris]* 38:149-158, 1 pl.

b4920 1933 Uebersicht über die bisher als myrmekophil bekannt gewordenen palaarktischen Schmetterlinge Raupen der Familie der Lycaeninae (Lep. Rhop.). II. Systematische Aufzählung der bisher als myrmekophil bekanntgewordenen palaarktischen Lycaeninen. Myrmecophily in Lycaenidae. *Int. ent. Z.* 26(39):431-433, (41):460-462 (1 Feb), (43):479-480 (15 Feb), (46):514-516 (8 Mar), 27(4):44-46 (22 Apr), (11):121-127 (15 Jun), (13):145-150 (1 Jul), (16):178-180 (22 Jul), (28):305-309 (22 Oct). [15 Jan 1933]

b4921 1942 Einige Falteraberrationen aus der Nordmark. *Deut. ent. Zeit. [Iris]* 56:102-103.

Warren, William;

b. 20 Jan 1839 (*Cambridge*); d. 18 Oct 1914 (*Tring*). [Ref: b0717; b3321]

b4922 1895 New species and genera of Geometridae in the Tring Museum. *Novit. zool.* 2(2):82-159. [Jun 1895]

Wartner, Franz;

b4923 1978 Erfolgreiche Zucht von *Nordmannia ilicis* (Lep., Lycaenidae). *Ent. Zeit.* 88(9):96-98. [2 May 1978]

b4924 1981 Beobachtungen an *Glaucopteryx alexis* und die Zucht dieser Art (Lep.: Lycaenidae). *Ent. Zeit.* 91(5):46-49, 3 f. [2 Mar 1981]

b4925 1982 Beobachtung und Flugverhalten von *Quercusia quercus* (Lep.: Lycaenidae). *Ent. Zeit.* 92(8):112; (9):123-124 (3 May). [15 Apr 1982]

Watari, Shokan Musami;

b. 1897, d. 1953.

b4926 1929 [New and unusual types of and new localities for Japanese butterflies]. [In Japanese]. *Zool. Mag.* 41:185-188, 1 pl.

b4927 1932 On two new forms of *Zephyrus butleri* Fenton. *Zephyrus* 4(4):235-237. [31 Dec 1932]

b4928 1935 [Aberrations of *Zephyrus*]. *Zephyrus* 6(1/2):42-44, 6 f. [30 Jun 1935]

b4929 1936 [Description of *Zephyrus atilia* ab. *sayamensis*]. [In Japanese]. *Zephyrus* 6:189. [Title and pagination.]

b4930 1937 On a new subspecies of *Lycaena euphemus*. [In Japanese]. *Zephyrus* 7(1):26-29, 12 f. [10 Aug 1937]

Waterhouse, Gustavus Athol;

b. 21 May 1877 (*Waverley, Sydney, N. S. Wales*); d. 1950. *Collection to the Australian Museum, Sydney*. [Ref: b1946; b4940; b3321]

b4931 1900 Descriptions of new species of Australian Rhopalocera. *Proc. linn. Soc. N. S. Wales* 25(1):52-57, 1 pl, 8 f. [8 Aug 1900]

b4932 1902 Notes on Australian Rhopalocera: Lycaenidae (1). *Proc. linn. Soc. N. S. Wales* 27(3):331-342, pl 14. [16 Dec 1902]

b4933 1903 Notes on Australian Rhopalocera: Lycaenidae (2). *Proc. linn. Soc. N. S. Wales* 27(4):658-653. [9 Apr 1903]

b4934 1903 Notes on Australian Rhopalocera: Lycaenidae (3). *Revisional Proc. linn. Soc. N. S. Wales* 28(1):132-275, pls i-iii. [30 Jul 1903]

b4935 1912 *Index zool.* 2

b4936 1920 Descriptions of new forms of Butterflies from the South Pacific. *Proc. linn. Soc. N. S. Wales* 45(3):468-471. [8 Nov 1920]

b4937 1928 Notes on Australian Rhopalocera: Lycaenidae (6). Notes on localities of Australian Lycaenidae, with some descriptions. *Proc. linn. Soc. N. S. Wales* 53(4):401-412, pl 25. [15 Oct 1928]

b4938 1934 Notes on Australian Lycaenidae, VII. Descriptions of new races. *Proc. linn. Soc. N. S. Wales* 59(5-6):416-420. [15 Dec 1934]

b4939 1937 Note on *Hesperia lucanus* Fabricius (Lepidoptera). *Proc. R. ent. Soc. Lond.* (B)6(1):16. [Jan 1937]

b4940 1937 [Presidential address]. The biology and taxonomy of the Australian butterflies. *Rep. Aust. N.Z. Assoc. Advmt Sci.* 23:101-133.

b4941 1938 Some additional information on the dates of publication of Hewitson's *Illustrations Exot. Butterflies*. *J. Soc. Bibl. nat. Hist.* 1(5):143-144. [May 1938]

b4942 1938 Notes on Australian butterflies in the Australian Museum. *Rec. Aust. Mus.* 20(3):217-222.

b4943 1941 Notes on Australian Lycaenidae. VIII. On *Ogyris zozine* Hew. *O. genoveva* Hew. *Proc. linn. Soc. N. S. Wales* 66(3/4):234-238. [15 Sep 1941]

b4944 1942 Notes on Australian Butterflies in the Australian Museum. No. 2. *Rec. Aust. Mus.* 21(2):123-125, 1 f.

Waterhouse, Gustavus Athol; Lyell, George;

b4945 1909 New and rare Australian butterflies of the genus *Miletus*. *Victorian Nat.* 26(8):110-116.

b4946 1913 Description of a new Lycaenid butterfly with notes upon its life history. *Victorian Nat.* 29(10):156-160, pl 9.

b4947 1914 The butterflies of Australia. A Monograph of the Australian Rhopalocera. Sydney, Angus & Robertson iv+239 pp, tfs, 43 pls, map (888 f total).

Waterhouse, Gustavus Athol; Turner, Rowland Edwards;

b4948 1905 Notes on Australian Rhopalocera: Lycaenidae (4). *Proc. linn. Soc. N. S. Wales* 29(4):798-804. [10 Apr 1905]

Watkins, H. T. G.;

b4949 1927 Butterflies from N. W. Yunnan. Ann. Mag. nat. Hist. (9)19:313-344. {Mar 1927}

Watson, Allan; Whalley, Paul E. S.;

b4950 1975 The Dictionary of Butterflies and Moths in Color. New York, etc., McGraw-Hill :xiv+296 pp, 405 color photographs.

Watson, Edward Yerbury;

b. *; d. 8 Nov 1897 (Indien). [Ref: b0718]

b4951 1897 Notes on a collection of butterflies from the North Chin Hills and Upper Chindwin District, Burma. J. Bombay nat. Hist. Soc. 10(4):634-687, 1 cpl. {12 Jan 1897}

Watson, Frank Edward;

b. 1877, d. 1947. [Ref: b0718]

Watson, Frank Edward; Comstock, William Phillips;

b4952 1920 Notes on American Lepidoptera with descriptions of new varieties. Bull. amer. Mus. nat. Hist. 42(10):447-457. {10 Dec 1920}

Webb, Philip Barker;

b. 1793; d. 1854.

Webb, Philip Barker; Berthelot, S.;

b4953 1834-1844 Histoire naturelle des Iles Canaries. Paris, Mellier 3 volumes + atlas. (4to). Entomology in 2, by Brullé, Lucas and Macquart. {1834-1844}

Webber, W. A.;

b4954 1965 [T. D. A. Cockerell]. Univ. Colo. Stud. Ser. Bibliog. 1:1-124.

Weber, Friedrich;

b. 1781 (Kiel); d. 1823.

b4955 1801 Observationes entomologicae, continentis novorum quae condidit generum characteres, et nuper detectarum specierum descriptiones. Kiliae, Universit. Buchh. 8vo :12+116 pp.

Webster, Reginald P.; Nielsen, Mogens C.;

b4956 1984 Myrmecophily in the Edwards's Hairstreak Butterfly *Satyrrium edwardsii* (Lycaenidae). J. Lep. Soc. 38(2):124-133, 2 f, 1 tbl. {16 Aug 1984}

Weeks, Andrew Gray, Jr.;

b. 2 Oct 1861 (Boston, Mass); d. 7 Dec 1931 (Marion, Mass). Collection to the MCZ. [Ref: b0717; b0284]

b4957 1891 New Lepidoptera. Ent. News 2(6):102-104. [Ref: b0527] {29 May 1891}

b4958 1901 New diurnal lepidoptera from Bolivia. Can. Ent. 33(10):265-269. {3 Oct 1901}

b4959 1901 New diurnal Lepidoptera from Bolivia. Can. Ent. 33(11):293-296. {8 Nov 1901}

b4960 1901 New Lepidoptera from Bolivia. Ent. News 12(9):264-269. {Nov 1901}

b4961 1901 New diurnal Lepidoptera from South America. Can. Ent. 33(12):321-324. {10 Dec 1901}

b4962 1901 Descriptions of three new butterflies. Proc. New Engl. zool. Club 2:71-74.

b4963 1901 Descriptions of some new Butterflies of the genera *Thecla*, *Euptychia*, *Telegonus* and *Achlyodes*. Proc. New Engl. zool. Club 2:101-108.

b4964 1901 Description of nine new Bolivian Butterflies. Trans. amer. ent. Soc. 27:353-360. {Dec 1901}

b4965 1902 New species of Butterflies from Bolivia. Ent. News 13(4):104-108. {Apr 1902}

b4966 1902 Some undescribed Butterflies from Columbia and from Lower California. Proc. New Engl. zool. Club 3:9-13.

b4967 1905 Illustrations of Diurnal Lepidoptera with Descriptions. First Volume. Cambridge, Mass., University Press xii+117 pp, 44 pl.

Weeks, Andrew Gray, Jr.; (continued)

b4968 1906 New Lepidoptera. Can. Ent. 38(3):76-80. {28 Feb 1906}

b4969 1906 New species of Butterflies. Ent. News 17(6):195-204. {Jun 1906}

b4970 1911 Illustrations of Diurnal Lepidoptera With Descriptions. Second Volume. Cambridge, Mass., Univ. Press :xvi+37 pp, 21 pl.

Wehrli, Eugène;

b. 1871; d. 1958. [Ref: b1946]

b4971 1913 Die Gross-Schmetterlinge von Frauenfeld und der weiteren thurgauischen Umgebung. Beitrag zur Schmetterlingsfauna des Kantons Thurgau. Mitt. thurgau. naturf. Ges. 2:227-280.

b4972 1920 [Title unknown] Mitt. ent. Ver. Basel (12):2, f 24. [[Description of *Lycaena centripuncta*.]

Weidemann, H. J.;

b4973 1982 Gedanken zum Artenschutz. 2. Über Mängel der herkömmlichen Lepidopterologie - ein Liebhaberentomologe gibt Denkanstöße. Ent. Zeit. 92(8):97-111, 8 f. {15 Apr 1982}

b4974 1982 Künstliche Nachzuchtmethoden bei Tagfaltern. 2. Ent. Zeit. 92(18):249-259, 8 f. {15 Sep 1982}

Weidemeyer, John William;

b. 1819, d. *.

b4975 1864 Catalogue of North American butterflies. Proc. ent. Soc. Philad. 2(4):513-542. {Apr 1864}

Weidenhoffer, Zdeněk; Eckweiler, Wolfgang;

b4976 1987 Notes on the status of *Armenia hyrcanica* (Riley, 1939) (Lepidoptera: Lycaenidae). Nota lepid. 10(4):241-246.

Weiss, Jean-Claude;

b4977 1977 *Lycaena helle* Schiff. et *Proclassiana eunomia* Esper dan les Vosges. Description d'une nouvelle sous-espece de *Lycaena helle* Schiff. Linneana Belgica 6:253-256.

Weiss, Stuart B.;

b4978 1993 The San Bruno Eelfin, *Incisalia mossii bayensis* (Brown). In: T. R. New (editor), Conservation Biology of Lycaenidae (Butterflies). Occ. Pap. IUCN Species Survival Comm. No. 8:141-142.

Werneburg, Adolf;

b. * ; d. 21 Jan 1887 (or 1886) (Erfurt). [Ref: b0717]

b4979 1864 Beiträge zur Schmetterlingskunde. Kritische Bearbeitung der wichtigsten entomologischen Werke des 17. und 18. Jahrhunderts bezüglich der darin abgehandelten Europäischen Schmetterlinge. Erfurt, H. Nellmann 8vo 1:vi+595+4 pp; 2:iv+350 pp.

Westwood, John Obadiah;

b. 22 Dec 1805 (Sheffield); d. 2 Jan 1893 (Oxford). [Ref: b0718; b0717; b3321]

Westwood, John Obadiah; (editor)

b4980 1837 Illustrations of exotic entomology . . . by Dru Drury. A new edition brought down to the present state of the science. . . London 1:xvi+123, 2:vi+100, 3:vi+93 pp; 150 cpl. The original, by Drury, came in 1770-1782. [See also: b1392] [Ref: b4059]

Westwood, John Obadiah;

b4981 1846-1852 In Doubleday et al., Gen. diurn. Lep. (q.v.). [See also: b1329] {1846-1852}

b4982 1848 The Cabinet of Oriental Entomology; a selection of some of the rarer and more beautiful species of insects, natives of India and the adjacent islands, the greater portion of which are now for the first time described and figured. London, Smith 4to :88 pp, 42 cpl.

b4983 1864 [Untitled note]. Trans. ent. Soc. Lond. (3)2(Proc.):31. {1864}

Westwood, John Obadiah; (continued)

b4984 1881 Entomology. In Oates, F., Matabele Land and the Victoria Falls. London, Paul i-xxxvi+383 pp, ill.

Weyenbergh, Hendrik;

b. 6 Dec 1804 (Haarlem); d. 25 Jul 1885 (Bloemendaal?). [Ref: b0718; b0717]

b4985 1874 Observations générales sur la faune lépidoptérologique de l'île de Banka. Petites Nouv. ent. 1(102):403-404,408. {15 Jun 1874 }

Weymer, Gustav;

b. 1833?; d. 8 Mar 1914 (Elberfeld). [Ref: b0718]

b4986 1874 Exotische Lepidopteren. (I). Stett. ent. Ztg. 36:368-385, pls 1,2.

b4987 1887 Exotische Lepidopteren. (IV). Stett. ent. Ztg. 48(1-3):1-18, pls 1,2.

b4988 1890 Lepidopteren gesammelt auf einer Reise durch Colombia, Ecuador, Peru, Brasilian, Argentinien und Bolivien in den Jahren 1868-1877 von Alphons Stübel. In A. Stübel, Reisen in Süd-amerika. Berlin, A. Asher & Co. :vi+182 pp, 9 pls. Field lists P. Maassen as a second author.

b4989 1892 Exotische Lepidopteren. (VI). Aus dem Afrikanischen Faunengebiet. Stett. ent. Ztg. 53:79-125.

b4990 1901 Beitrag zur Lepidopteren Fauna von Angola. Ent. Zeit. 15(16):61-64 (15 Nov); (17):65-67 (1 Dec); (18):69-70 (15 Dec). {15 Nov 1901 }

Wheeler, George Domrile Chetwynd;

b. 1858, d. 1947. [Ref: b0718]

b4991 1903 Butterflies of Switzerland and the Alps of Central Europe. London :vi + 162 pp (8vo).

Wheeler, Lionel Richmond;

b. 1888, d. 1949.

b4992 1943 On the conspecificity of *Catopsilia crocale* Cramer and *C. pomona* Fabricius. Entomologist 76:89-94, pl 2.

b4993 1946 Hairs on the Bodies and upper Wing Surfaces of Butterflies: a probable Protection against Cold. Entomologist 79:80-87.

Wheldon & Wesley Ltd.;

b4994 1962-1985 Wheldon & Wesley's Catalogue [of] Books on Natural History. New Series Volumes 100-168. Lyton Lodge, Codicote, Hitchin, Herts., England. A very useful source of information. Each catalogue has about 100 pages (8.5 by 11 broadsheets, folio), listing about 2000 titles for sale. {1962-1985 }

White L., J.; White L., A.; White O., L.;

b4995 1989 Revision de las poblaciones de *Melanis cephe* Ménériés, de Mexico. (Lycaenidae: Riodininae). Revta Soc. mex. Lep. C13(1):11-16, ill.

White, Adam;

b. 29 Apr 1817 (Edinburgh); d. 4 Jan 1879 (Glasgow). [Ref: b0717; b3321]

b4996 1843 Description of *Erycina Margareta*, (White). Zoologist 1:28-29, f.

b4997 1862 [Description of *Lycaena Boldenarum*]. Trans. ent. Soc. Lond. (3)1(Proc.):26.

White, Raymond R.;

b4998 1983 [Miller & Brown checklist]. News Lep. Soc. 1983(3):45.

b4999 1984 [Letter to the Editor, with Notes on the Miller/Brown Catalogue/Checklist]. News Lep. Soc. 1984(4):69. {Oct 1984 }

Whitney, Charles Pliny;

b. 22 Apr 1838 (Miford, New Hampshire); d. 30 Oct 1928.

b5000 1868 Description of a New Species of *Thecla*. Proc. Boston Soc. nat. Hist. 12:162-163. {Dec 1868 }

Whittaker, Paul L.;

b5001 1985 Population Biology of the Great Purple Hairstreak, *Atilides halesus*, in Texas (Lycaenidae). J. Lep. Soc. 38(3):179-185. {24 Apr 1985 }

Wichgraf, F.;

b5002 1911 Eineige neue afrikanische Lepidopteren. Int. ent. Z. 5(25):173-175. {16 Sep 1911 }

b5003 1921 Neue Afrikanische Lepidopteren aus der Ertlschen Sammlung. Int. ent. Z. 14(22):171-172, (23):179-180, (25):195-197 (25 Mar), 150:19-21, 0:93-95, 0:116-117, 0:157-158. {3 Feb 1921 }

Wild, William;

b5004 1939 The Butterflies of the Niagara Frontier Region and Beginner's Guide for Collecting, Rearing and Preserving Them. Bull. Buffalo Soc. nat. Sci. 19(1):3-55, 8 pls, 12 f.

Wileman, Alfred Ernest;

b. 1860, d. 15 Feb 1929 (Menone). [Ref: b0718; b0717]

b5005 1908 New and Unrecorded Species of Rhopalocera from Formosa. Annot. zool. jap. 6(5):307-335.

b5006 1909 New and Unrecorded Species of Rhopalocera from Formosa. Annot. zool. jap. 7(2):69-104.

b5007 1910 Some new Butterflies from Formosa and Japan. Entomologist 43:92-93.

b5008 1911 Aberrations of three Japanese Butterflies. Entomologist 44:55-56.

Wilkinson, Ronald;

b5009 1988 Annotated Bibliography of the entomological publication of Cyril Franklin Dos Passos (1887-1986). J. Lep. Soc. 42(3):168-183. {30 Aug 1988 }

Wilkinson, Ronald S.;

b5010 1988 Cyril Franklin Dos Passos (1887-1986). J. Lep. Soc. 42(3):155-163, portrait. {30 Aug 1988 }

Williams, Francis Xavier;

b. 1882, d. 1967.

b5011 1908 The Life-History of *Lycaena antiacis* Bdv., with other Notes on other Species. Ent. News 19(10):476-483. {Dec 1908 }

b5012 1910 The butterflies of San Francisco, California. Ent. News 21(1):30-41. {Jan 1910 }

Williams, Geoff;

b5013 1984 Two new distribution records for *Everes lacturnus australis* Couchman (Lycaenidae: Lepidoptera). Circ. ent. Sect. R. zool. Soc. N.S.W. 29:19.

Williams, Harold B.;

b5014 1911 Aberrations of *Polyommatus icarus* and *Rumiclia phlaeas*. Ent. Rec. 23:274-276. {Oct 1911 }

Williams, Roswell Carter, Jr.;

b. 1869, d. 1946. [Ref: b0718]

b5015 1914 One Hundred Butterflies from the Jamez Mountains New Mexico (Lepid.) with Notes and Description of a New Species. Ent. News 25(6):263-268. {1 Jun 1914 }

b5016 1918 The genus *Lycaena*, *enoptes* group. Ent. News 29:99, 102, pl 4-6.

Willner, B.;

b5017 1985 *Liphya brassolis novabritannica* subsp. n., Beschreibung eines Neufundes aus New Britain, Papua Neuguinea. Mitt. münchn. ent. Ges. 75:79-82.

Wiltshire, E. P.;

b5018 1948 The Lepidoptera of the Kingdom of Egypt. Part I. Bull. Soc. Fouad I. Ent. 32:203-298, 7 pls, 68 f.

Wimmeas, C.;

b5019 1931 Aus der Lepidopteren-Fauna Italiens (Apulien). Ent. Zeit. 45(7):94-97. {8 Jul 1931 }

Wind, Robert Grant;

b. 1912; d. 1975. [Ref: b0108]

Wind, Robert Grant; Clench, Harry Kendon;

b5020 1945 Notes on the genus *Thaumaina* (Lepidoptera: Lycaenidae). Pan-Pac. Ent. 21(1):14-16. {[23 Feb] 1945}

b5021 1947 New Indo-Australian Lycaenidae (Lepidoptera). Bull. Brooklyn ent. Soc. 42(1):1-16. {Feb 1947}

b5022 1947 The genus *Callictiza* (Lepidoptera, Lycaenidae). Psyche 54(1/2):57-61. {Jun 1947}

Wize, C. P.;

b5023 1917 Motyle Okolic Jezewa. Przyczynek do Fauny Wielkopolskiej. Roczn. poznań. Tow. przyj. Nauk 44:1-25.

Wize, K.;

b5024 1936 Lépidoptères rencontrés à Gniezno et les environs. [In Polish]. Polsk. Pismo ent. 13:105-117.

Wnukowsky, W.;

b5025 1928 Lepidopteren aus der Umgebung der Stadt Mazujama (Japan). Deut. ent. Zeit. [Iris] 42:1-4.

b5026 1929 Einige Nomenklaturnotizen über die paläarktischen Lepidopteren. Zool. Anz. 83:221-224.

b5027 1934 Neue paläarktische Lepidopteren-Rassen. Ent. Anz. 14:111-112.

Wojtuslak, R. J.; Niesiolowski, W.;

b5028 1946 Lepidoptera of the Central Caucasus, collected during the Polish Alpine Expedition in 1935, with ecological and zoogeographical remarks. I. Part. Macrolepidoptera. Pr. Muz. przyr. Kraków (6):74 pp, 3 f., 3 pl. Journal also as Acta Musei Hist. Nat. (Acad. Pol. Litt. Scient.)

Wood-Mason, James;

b. 1846 (Gloucestershire); d. 6 May 1893 (at sea, en route from India to England). [Ref: b0717; b1051; b3321]

Wood-Mason, James; de Nicéville, Lionel;

b5029 1880 List of diurnal Lepidoptera from Port Blair, Andaman Island. J. asiat. Soc. Bengal, Pt II 49(:):223-241, pl 13.

b5030 1881 Abstract of: Second List of Rhopalocerous Lepidoptera from the Andaman Islands, with Descriptions of new or little-known species and Varieties. Proc. asiat. Soc. Bengal 1881:142-143. [Ref: b1037] {22 Oct 1881}

b5031 1881 Second List of Rhopalocerous Lepidoptera from Port Blair, Andaman Islands, with Descriptions of and Notes on new and little-known Species and Varieties. J. asiat. Soc. Bengal, Pt II 50(4):243-262, pl 14. [Ref: b1037] {21 Dec 1881}

b5032 1887 List of the lepidopterous insects collected in Cachar by Mr. J. Wood-Mason. Part II. Rhopalocera. J. asiat. Soc. Bengal, Pt II 55(4):343-393, 4 pls. {[1887]}

Wood, G. A.;

b5033 1984 The early stages of *Philiris fulgens kurandae* Waterhouse and *Philiris diana papuana* Wind and Clench (Lepidoptera: Lycaenidae). Aust. ent. Mag. 10(6):81-83, 4 f. {Apr 1984}

b5034 1987 The butterflies of Murray Island, Torres Strait, Queensland. Aust. ent. Mag. 14(3):39-42, 2 f. {Aug 1987}

b5035 1987 New and interesting butterfly records from northern Queensland and Torres Strait. Aust. ent. Mag. 14(4/5):71-72. {Nov 1987}

Wood, William;

b. 1774, d. 1857.

b5036 1833-1839 Index entomologicus; or, a complete illustrated catalogue, consisting of 1944 figures, of the lepidopterous insects of Great Britain. London :266 pp, 54 pls. Pp 1-32, pls 1-9, (1833); pp 33-38, pls 10-19, (1834); pp 89-128, pls 20-29, (1835); pp 129-168, pls 30-38, (1836); pp 169-214, pls 39-47, (1837); pp 215-266, pls 48-54, (1838); title page and preface, (1839). The last edition came in 1854. [Ref: b2303] {1833-1839}

Woodhouse, L. G. O.; Henry, G. M. R.;

b5037 1942 The Butterfly Fauna of Ceylon Colombo, Ceylon Gov. Press xviii+153+[18] pp, 49 pls, 1 map. In the front of my copy is the following unsigned note. "Mr Woodhouse was Surveyor General in Ceylon and had printing facilities in his own office used for coloured maps. Ten copies of his book were made for presentation copies from plates used in his own office and these were far superior to those produced for the remaining copies which were printed in the Government Press. The Presentation copies were made from plates selected personally by Mr Woodhouse from those done in his office."

World List of Scientific Periodicals;

b5038 1963 World List of Scientific Periodicals Published in the years 1900-1960. Fourth Edition. Washington, Butterworths 1:xxv+532 pp; 2:xx, 533-1186; 3:xxii, 1187-1824. The first supplement covered 1960-1968, with another for each additional year. Provides a very useful system of abbreviations for journal titles. [Ref: b1035]

Wright, Albert E.;

b5039 1941 *Polyommatus icarus* (Rott.): an account of its variation in North Lancashire and South Westmorland. Entomologist 74:145-152.

Wright, David M.;

b5040 1984* [Letter to Bridges. Notes on the Bibliography of the North American Butterflies. Notes on the Bibliography of Hans Malicky. Lansdale, PA :1 + 4 pp. {20 Dec 1984} [*Unpublished]

Wright, William B., Jr.;

b5041 1980 Aberrant specimen of *Lycaeides melissa melissa* (Lycaenidae). J. Lep. Soc. 33(4):265-266, f. {8 Apr 1980}

Wright, William Greenwood;

b. 1830? (Newark, New Jersey); d. 1 Dec 1912 (San Bernardino, Calif.). [Ref: b0717; ns00924]

b5042 1885 Notes on the Preparatory Stages of *Lycaena amyntula*. Papilio 4(7-8):126-128. {[29 Jan 1885]}

b5043 1905 The Butterflies of the West Coast of the United States; illustrated with 940 figures in color-photography of butterflies from the west coast, nearly all of which were captured by the author, with accurate data for each specimen; with colored figures and descriptions of many new species and new varieties now first published. San Francisco, Whitaker & Ray Co. :vii+257 pp, 32 pls, frontis. Most of the stocks of this edition were destroyed in the San Francisco earthquake of 1905. However the National Union Catalog shows a number of libraries holding this edition so not all copies were destroyed and the new names should date from the 1905 edition. [Ref: b3204] {10 Oct 1905}

Wright, William Sherman;

b. 1866, d. 1923. [Ref: b0717]

b5044 1908 Annotated list of the diurnal Lepidoptera of San Diego County, California, based on collections during 1906 and 1907. J. New York ent. Soc. 16(3):153-167. {Sep 1908}

b5045 1922 A New Lycaenid (Lepidoptera). Bull. S. Calif. Acad. Sci. 21(1):19-20, pls C,D. {Mar 1922}

b5046 1930 An annotated list of the butterflies of San Diego County, California. Trans. San Diego Soc. Nat. Hist. 6(1):1-40. {28 Feb 1930}

Wyatt, Colin W.;

b. *, d. 1974. Collection to Karlsruhe Museum, West Germany.

b5047 1952 Einige neue Tagfalterrassen aus Spanien. Z. wien. ent. Ges. 37:204-207, ill.

b5048 1961 Additions to the Rhopalocera of Afghanistan with Descriptions of new species and subspecies. J. Lep. Soc. 15(1):1-18, 3 pls, 1 f. {9 Nov 1961}

Wynter-Blyth, M. A.;

b5049 1957 Butterflies of the Indian Region. The Bombay Natural History Society 523 pp, 72 pls. [Ref: b5049]

Yagi, M.;

b5050 1915 Description of a new variety of *Lycaena argus* L., Ent. Mag. (Kyoto) 1(4):139-140, 3 f. [20 Dec 1915]

Yagi, Nobumasa;

b. 1894, d. 1967.

b5051 1922 Description of three new Aberrant Forms of *Rhopalocera*. Ber. Ohara Inst. landw. Forsch. 2(2):233-234, 1 pl.

Yamamoto, Akira;

b5052 1970 Butterflies from Saramao of Central Formosa. [Japanese]. Tyô to Ga 21(1,2):50-56, 13 f. [Ref: b5052] [30 Apr 1970]

Yamanaka, Masao;

b5053 1980 Distribution of Formosan butterflies (6). [Japanese]. Tyô to Ga 30(Sup 1):1-143, ill. [Ref: b0113 (#3375); b5053]

Yazaki, M.;

b5054 1923 Sur une nouvelle espèce de Lycaenidae originaire de Yakushima, Japan. Zool. Mag. 35:391-394, 4 f.

Yerbury, J. W.;

b5055 1892 The Butterflies of Aden and neighbourhood, with some notes on their habits, food-plants, etc. J. Bombay nat. Hist. Soc. 7(2):207-218. [1 Oct 1892]

Yoshida, Yoshikazu;

b5056 1967 On *Chrysozephyrus ataxus kirishimaensis* Okajima from Atakayama, Shizuoka Prefecture. Tyô to Ga 17(3/4):78-79, 15 f. [15 Aug 1967]

Yukawa, Junichi;

b5057 1984 Geographical ecology of the butterfly fauna of the Krakatau Islands, Indonesia. Tyô to Ga 35(2):47-74, 4 f, 10 tbl. [20 Sep 1984]

Zazzini;

b5058 1934 Butts Moths Amer. [Expand.]

Zeller, Philipp Christoph;

b. 9 Apr 1808 (Steinheim); d. 1883 (Grünhof, near Stettin). [Ref: b0718; b0717; b3321]

b5059 1845 *Polyommatus polonus*, eine neue Tagfalterart. Stett. ent. Ztg 1845:351-354.

b5060 1847 Verzeichniss der vom Prof. Loew in der Turkey und in Asien gesammelten Lepidopteren. Isis von Oken 1847(1):3-39. Isis von Oken = Isis Jena. [Ref: b0527]

b5061 1847 Bemerkungen über die auf einer Reise nach Italien und Sicilien gesammelten Schmetterlingsarten. Isis von Oken 1847(2):121-159; (3):213-233, 284-308; (4):401-457; (7):483-522; (8):561-594; (9):639-673; (10):721-771; (11):800-859; (12):880-914.

b5062 1850 Zwei neue Tagfalter. Stett. ent. Ztg 11:308-313.

Zerny, Hans;

b. 1887, d. 1945. [Ref: b0718]

b5063 1932 Lepidopteren aus de nördlichen Libanon. Deut. ent. Zeit. [Iris] 46:157-191.

Zhdanko, A. B.;

b5064 1983 Key to the lycaenid genera (Lepidoptera, Lycaenidae) of the Soviet Union, Based on Characters of the male genitalia. Ent. Rev. 62(1):120-140. Original paper in Ent. Obozr. 62(1):131-153.

b5065 1984 Review of the genus *Turanana* Beth.-Bak. with descriptions of *Turanana tajana* sp. n. and *Otaria* subgen. n. (Lepidoptera, Lycaenidae) from Kazakhstan. Systematics of the Lepidopterous Insects of the U.S.S.R. Fauna. [In Russian]. Trudy zool. Inst., Leningr. 122:98-105, ill.

Zhdanko, A. B.; (continued)

b5066 1990 New species and subspecies of the Lycaenidae Lepidoptera from Asiatic part of the USSR and north Iran. [In Russian]. Ent. Obozr. 69(1):134-143, ill.

b5067 1992 *Farsia* subgen. n. - a new subgenus of the genus *Vacciniina* (Lycaenidae, Lepidoptera) from the Middle Asia. [In Russian]. Zool. Zh. 71(8):151-154, ill.

b5068 1993 Systematics, biology and distribution of lycaenids of the genus *Athamanthia* Zhd. (Lepidoptera, Lycaenidae). Ent. Obozr. 72(3):664-674, 731.

b5069 1993 *Polyommatus icadius* (Lepidoptera, Lycaenidae), its taxonomy, biology, and distribution. Zool. Zh. 72(7):80-83.

Zikán, Jose Francisco;

b. 1881, d. 1949. Perhaps José. [Ref: b0718]

b5070 1928 Die Macro-Lepidoptera des Italiaya (Südabhang bei Campo Bello). Ent. Rundsch. 45:7-46 (nc).

b5071 1931 Etwas über die sekundären Geschlechtscharaktere bei die Gattung *Thyridia* Hbn. (Lep. Dan.). Ent. Rundsch. 48:102.

b5072 1946 Duas novas espécies do gênero *Phaenochitonina* Stichel (Lep. Riodinidae) do Brasil. Livro hom. R. Ferreira d'Almeida (43):347-350. [30 Aug 1946]

b5073 1949 Observações sobre os Componentes dos Gêneros *Phaenochitonina* Stichel e *Pterographium* Stichel, com a Descrição de uma Nova Espécie Criando um Novo Gênero (Riodinidae, Lepidoptera). Revta Ent. Rio de J. 20(1-3):535-539, 3 f.

b5074 1952 Beschreibung neuer Lepidopteren-Arten, Rassen und Varietäten aus Brasilien nebst kritischen Bemerkungen zu bereits bekannten. Dusenja 3:11-50, 2 pls.

Zimmerman, E. C.;

b5075 1958 Insects of Hawaii. Volume 7. Macrolepidoptera. Honolulu, Univ. Hawaii Press 7xiv+542 pp, 423 f. Butterflies :445-497, f 381-423 (10 species)

Zimsen, Ella;

b5076 1964 The type material of J. C. Fabricus. Copenhagen, Munksgaard 8vo :656 pp, frmtsp, 1 pl. [Ref: b0525]

Zinken, Julius Leopold Theodor Friedrich;

b5077 1817 [Review of works on Lepidoptera]. Allg. Lit.-Zeit. 1817(3)(216):59, (218):75. [Ref: b1037]

Zopp, J.;

b5078 1954 Neue Lycaeniden-Formen I. Z. wien. ent. Ges. 39:128-129.

Züllich, R.;

b5079 1924 *Lycaena optileta* Knoch. var. *cyparissus* Hb. ab. *obsoleta* nov. ab. Z. öst. EntVer. 9(4):25. [15 Apr 1924]

b5080 1928 *Lycaena nevadensis* n.sp. Z. öst. EntVer. 13(8):73-75, pl 5. [15 Aug 1928]

b5081 1929 Einige neue Lycaeniden-Formen aus meiner Sammlung. Z. öst. EntVer. 14(5):51-53. [15 May 1929]



PART XII
INDEX TO JOURNALS AND SERIAL

INTRODUCTION

This section is straightforward and needs little introduction. Abbreviations used in journal titles have been taken from the *World List of Scientific Periodicals* [b6065]. Papers with multiple authors are listed under the senior author only, and it has been found necessary to occasionally truncate the author's name to keep the listings orderly. When this has been done it is indicated by using a '*' at the end of the name. For convenience a few publications which were issued in parts with various authors have been treated as if they were journals (i.e. Coll. Selys Longchamps).

Abh. Senckenb. naturf. Ges.

Abhandlungen Senckenbergische naturforschende Gesellschaft.
[Frankfurt a. M.] [1854-] [WL #274]

- b3250 Möschler 1886 14(3):25-88, 1 pl
b3251 Möschler 1887 15(1):49-100, ill
b2113 Hagen 1893 20:309-340, 2 cpl

Acta biol. Debrecina

Acta Biologica Debrecina. [L. Kossuth University, Debrecen, Hungary] [Not in Illinois.]

- b4820 Varga 1968 6:171-185

Acta biol. parana.

Acta Biologica Paranaense. [Instituto de Biologia da Universidade Federal do Parana, Curitiba, Paraná, Brazil.] [Not in Illinois.]

- b0419 Biezanko 1978 7(1-4):7-22, 10 f
b0189 Azzaró 1978 7(1/4):23-69, ill

Acta ent. Chilena

Acta entomologica Chilena [Santiago de Chile] [ISSN #0716-5072]

- b2636 Johnson Apr 1991 16:183-192, 5 f
b2638 Johnson 1992 17:107-146, ill

Acta Ent. Mus. Nat. Pragae

Acta Entomologica Musei Nationalis Pragae. [National Entomological Museum, Prague, Czechoslovakia.] [1923-] [AESN #11] [Also as *Sbornik Entomologického Oddeleni Narodniho Musea v Praze.*]

- b1467 Eckweiler 1987 42:49-46

Acta ent. sinica

Acta entomologica sinica. [Peking] [1950-, suspended 1966-1972] [WL #564] [AESN #12] [ISSN #0454-6296] [Continuation of *Annales entomologici sinici.* Also known as *Kun Chung Hsueh Pao.* Searched 20(1977)-26(2)[5 Oct] 1983.]

- b2958 Lee Dec 1962 11(Suppl):172-198
b2959 Lee 1962 11(2):139-158, 6 pls

Acta Soc. ent. bohém.

Acta Societatis entomologicae Bohemiae [1904-] [WL #13398, 13401, 48038] [Now known as *Acta Entomologica Bohemoslavica.* Also known as *Časopis České společnosti entomologické* (1906-1918); *Časopis Československé společnosti entomologické* (1919-1952; 1957-) and *Ročenka Československé společnosti entomologické* (1953-1956).]

- b4227 Silbemagel 1940 37:116-119

Acta Soc. Sci. fenn.

Acta Societatis scientiarum fennicae. [Helsingforsiae] [1842-] [WL #771] [In Union Serial List under *Finska vetenskaps societeten.*]

- b3725 Reuter 1896 22(1):xvi+588 pp, 6 pls.
Helsingfors

Acta zool. hung.

Acta zoologica Academiae scientiarum hungaricae. [Budapest] [1954-] [WL #807] [AESN #22]

- b0229 Balogh 1957 3:1-3
b0214 Bálint 1994 40(2):109-123, 36 f
b0217 Bálint 1994 40(3):231-240

Acta zool. lilloana

Acta zoologica lilloana. [Tucuman] [1943-] [WL #810] [AESN #23]

- b2216 Hayward 1949 8:197-201
b2217 Hayward 1949 8:567-581, 7 f
b2218 Hayward 1963 19:297-334
b2219 Hayward 1967 21:5-12, 3 f
b2220 Hayward 1968 22:137-142, 1 f
b0033 Ajmat de Toledo 1978 33(1):79-84, ill

Acta zootaxon. sinica

Acta zootaxonomica Sinica. Dongwu Fenlei Xuebao.

- b2960 Lee 1979 4(1):35-38, 1 pl

Ageha

Ageha (Matsuyama) [Matsuyama Insect Lovers Association.] [1959-] [No U.S. library reports holding this item.]

- b2686 Kanda 30 Mar 1933 2(1):7-10
b2687 Kanda 10 Jul 1934 3(1):8-9, pl 1
b2870 Kyzaki 1937 3:6

Agr. J. Br. Guiana

Agricultural Journal of British Guiana. [Georgetown] [1928-1939] [WL #1349]

- b2117 Hall 1939 10:25-41, 96-104, 146-169,

Alexanor

Revue des Lépidoptéristes français. [Paris] [1959-] [WL #1692] [AESN #34]

- b2090 Guérin 27 Oct 1959 1(3):87-88
b1204 Descimon 30 Jun 1960 1(6):189
b1127 de Lesse Nov 1962 2(7):283-286
b1129 de Lesse 10 Jan 1963 2(8):305-312
b1130 de Lesse 25 Mar 1963 3:33-38
b0318 Bernardi 25 Mar 1963 3(1):9-16, (2):51-60
(Oct), pl 2, 2 f
b1132 de Lesse 13 Feb 1964 3:167
b0319 Bernardi 9 Apr 1964 3(5):209-216, 273-278
b0966 Cormier 9 Apr 1964 3(5):229-232
b1205 Descimon 11 Mar 1965 3(8):369-372
b1206 Descimon 19 May 1965 4(1):38-43
b4872 Viette 30 Aug 1965 4(2):49-57
b1207 Descimon 30 Dec 1965 4(4):167-170
b0032 Ajac 31 Oct 1969 6(3):97
b1135 de Lesse 31 Oct 1969 6(3):130-133, f
b1213 Devarenne 24 Apr 1971 7(1):39-44
b1139 de Lesse 24 Apr 1971 7(1):45-46
b3122 Mazel 24 Apr 1971 7(1):46-48
b1752 Fonteneau 24 Jun 1971 7(2):81-87
b1659 Faillie 24 Jun 1971 7(2):88
b0288 Bellenger 18 Mar 1972 7(5):213-218
b0487 Brévignon 31 Dec 1972 7(8):338
b2895 Larsen 22 Oct 1974 8(7):301-307, 3 f
b3374 Nel 30 Jun 1976 9(6):251-254
b0364 Bem 4 Aug 1977 10(2):87-96, 5 pls
b0289 Bellenger 1 Dec 1977 10(4):147-167
b4032 Schurian 31 May 1980 11(5):196-199
b0776 Chauliac 30 Aug 1981 12(2):70-72
b0473 Boulard 16 Nov 1981 12(3):135-140
b3375 Nel 30 May 1982 12(5):200-204
b3376 Nel 15 Dec 1982 12(7):327-329
b3684 Radigue 30 Jan 1983 12(7):261-265
b0488 Brévignon 15 Feb 1985 13(7):307-308
b0489 Brévignon 15 Apr 1985 13(8):339-347, ill
b3543 Pages 1991 17(3):131-134, ill
b3544 Pages 1992 17(5):261-265, ill
b3545 Pages 1993 18(4):194-196

Allg. dt. naturh. Ztg

Allgemeine Deutsche Naturhistorische Zeitung. [Dresden; Leipzig]

- b4880 Vogel 1857 (nf)3:201-206, pl 6

Allg. Lit.-Zeit.

Allgemeine Literatur-Zeitung. [Jena (1785-1803), Halle & Leipzig (1804-1849).] [A publication in which experts in different subjects reviewed current published works. Zoologists occasionally introduced new names where they thought they were needed. Thus no titles as such were used; the full title, price and publisher, etc. would appear at the head of the article. Reviews were often anonymous; (e.g. "R.L.", or "***"). A daily, with 4 volumes per year, and more than 300 numbers.]

b2501 Illiger	19 Dec 1807	2(303):1177-1181
b5077 Zinken	1817	1817(3)(216):59, (218):75

Allg. Z. Ent.

Allgemeine Zeitschrift für Entomologie. [Schöneberg-Berlin] [1901-1904] [WL #1777] [Continuation of Illte Z. Ent. Continued as Z. wiss. InsektBiol.]

b1925 Geest	1903	8:308-313
-------------	------	-----------

Amat. Papii.

Amateur de Papillons. [Paris] [1922-1937] [WL #1878] [Continued as *Revue Française de Lepidopterologie*.]

b3016 Lucas	1923	1:169-171
b2941 Le Charles	1927	3:192, pl 8
b4357 Stempffer	1927	4:26-29, 38-41, 70-72, 84-86
b4359 Stempffer	1932	6:109-114

Amer. Midl. Nat.

American Midland Naturalist. [Notre Dame, Indiana] [1909-] [WL #2088]

b0717 Carpenter	Jan 1945	33(1):1-116
b4534 Stroud	Nov 1950	44(3):659-667
b0718 Carpenter	Oct 1953	50(2):257-348

Amer. Mus. Novit.

American Museum Novitates [New York] [1921-] [WL #2098]

b0285 Bell	28 Aug 1934	No. 745:1-6, 5 f
b1315 dos Passos	15 Mar 1940	No. 1052:2 pp
b3175 Michener	13 Nov 1942	No. 1210:1-7, 5 f
b1317 dos Passos	1 Jun 1943	No. 1230:5 pp
b1323 dos Passos	12 Dec 1947	No. 1370:1-30
b2779 Klots	11 Dec 1952	No. 1600:1-19, f 1-3
b2604 Johnson	1991	No. 3011:1-43, ill

Amer. Nat.

American Naturalist. [Was Salem, Massachusetts. Now as The American Society of Naturalists, Arizona State University, Tempe.] [1867-] [WL #2099] [AESN #40]

b3118 Maynard	Mar 1873	7(3):177
---------------	----------	----------

An. Inst. Biol. Univ. Méx.

Anales del Instituto de Biología Universidad de México. [Mexico City] [1930-] [WL #2404]

b2405 Hoffmann	1940	11(2):633-638
b2406 Hoffmann	1940	11(2):640-739
b4826 Vázquez	1958	28(1/2):301-307
b3002 Llorente-Bousquets	1988	58(1):241-258

An. Mus. argent. Cienc. nat.

Anales del Museo Argentino de Ciencias Naturales "Bernardino Rivadavia". [Buenos Aires] [1931-1947] [WL #2470] [Continuation of *An. Mus. nac. Hist. nat. B. Aires*.]

b2671 Jørgensen	1935	38:85-130, 4 pls
-----------------	------	------------------

An. Mus. Hist. nat. Montevideo

Anales del museo de historia natural de Montevideo. [Montevideo] [1924-] [WL #2472]

b4053 Schweizer	1941	(2)5(2):24 pp, 1
-----------------	------	------------------

An. Mus. nac. Buenos Aires

Anales del Museo Nacional de Buenos Aires. [Buenos Aires] [c1875-1883]

b0303 Berg	8 May 1896	(2)5:1-4, 3 f
------------	------------	---------------

An. Soc. cient. argent.

Anales de la Sociedad Científica Argentina. [Buenos Aires] [1876-] [WL #2521]

b0302 Berg	Apr 1882	13(4):164-184
b1935 Giacomelli	1911	72:19-40
b1936 Giacomelli	1914	78:161-175

An. Univ. Chile

Anales de La Universidad de Chile. (*Memorias Científicas I Literairas*). [Santiago] [1843-] [WL #2539]

b3595 Philippi	1859	16(12):1088-1114
b3718 Reed	Sep 1877	49:647-736, ill
b0256 Bartlett-Calv*	Sep 1894	84:813-833, pls 1,2

Ann. Carn. Mus.

Annals of the Carnegie Museum. [Pittsburgh] [1901-] [WL #3138]

b2432 Holland	Mar 1902	1(3):486-489
b2435 Holland	29 Apr 1927	17(2):299-364, pls 25-30
b2437 Holland	1 Aug 1930	20(1):5-7
b0188 Avinoff	22 May 1941	28(15):309-322, pl 36
b0716 Carpenter	15 Jan 1943	29(13):371-396
b0826 Clench	20 Jan 1955	33(16):261-274, 1 f
b0827 Clench	27 Oct 1961	36(5):49-62, ill
b0828 Clench	27 Oct 1961	36(6):63-67, ill
b0847 Clench	20 Dec 1972	44(2):11-24, 2 f, map
b0848 Clench	20 Dec 1972	44(4):33-44, 12 f
b2632 Johnson	15 Sep 1988	57(10):221-254, 16 f
b3198 Miller	1992	61(1):1-31, ill
b0854 Clench	1992	61(1):30, f

Ann. ent. Soc. Amer.

Annals of the Entomological Society of America. [Washington, D.C.] [1908-] [WL #3145]

b0244 Barnes	Mar 1922	15(1):89-99
b0498 Brown	Jun 1951	44(2):286-292
b2459 Horvitz	1987	80:513-519

Ann. Eugen.

Annals of Eugenics. [London] [1924-1954] [WL #3147]

b1339 Dowdeswell	1940	10:123-136
------------------	------	------------

Ann. Lyc. Nat. Hist. New York

Annals of the Lycaenum of Natural History of New York. [New York] [1823-1877] [For 1878+, see *Ann. New York Acad. Sci.*]

b2059 Grote	1866	8:351-387, pls 12-14
-------------	------	----------------------

Ann. Mag. nat. Hist.

Annals and Magazine of Natural History [London] [WL #3158] [Before 1841 this was - (1828-1838) *Magazine of natural History and Journal of Zoology, Botany, Mineralogy, Geology and Meteorology* (London) (*Mag. nat. Hist.*), which merged with - (1838-1840) *Annals of Natural History* (London) (*Ann. nat. Hist.*). In 1967 the name was changed to *Journal of Natural History* (*J. nat. Hist.*.)]

b1328 Doubleday	Jan 1846	(1)17:22-26
b3915 Salvin	Oct 1868	(4)2:141-152
b0592 Butler	May 1870	(4)5:362-365
b0594 Butler	Oct 1871	(4)8:282-291
b2339 Hewitson	May 1874	(4)13:380-383
b0604 Butler	Sep 1876	(4)18:240-249
b0605 Butler	Dec 1876	(4)18:480-490
b3224 Moore	Jul 1877	(4)20:43-52
b0608 Butler	Aug 1877	(4)20:117-129
b3225 Moore	Oct 1877	(4)20:339-348
b3227 Moore	Apr 1878	(5)1:227-237
b0611 Butler	Sep 1878	(5)2:283-297
b0614 Butler	Sep 1879	(5)4:227-245
b0615 Butler	Apr 1880	(5)5:333-344
b0617 Butler	Jan 1881	(5)7:31-37, pl 4, 6 f
b0621 Butler	Aug 1882	(5)10:149-160
b1284 Distant	Sep 1882	(5)10:245-248
b0622 Butler	Feb 1883	(5)11:109-117

Ann. Mag. nat. Hist. (continued)

- b0623 Butler Jun 1883 (5)11:402-428
 b0624 Butler Aug 1883 (5)12:101-107
 b0627 Butler Sep 1883 (5)12:159-161
 b0628 Butler Dec 1883 (5)12:389-391
 b0629 Butler Mar 1884 (5)13:183-203
 b0630 Butler May 1884 (5)13:343-348
 b1286 Distant Sep 1884 (5)14:198-202
 b0631 Butler Oct 1884 (5)14:267
 b3865 Rosenstock Nov 1885 (5)16:376-385, pl 11, 13
 f
 b1287 Distant Mar 1886 (5)17:251-254
 b1288 Distant Jun 1886 (5)17:530-532
 b0634 Butler Sep 1886 (5)18:182-191
 b2026 Grose-Smith Jan 1887 (5)19:62-66
 b1290 Distant Apr 1887 (5)19:264-275
 b2027 Grose-Smith Apr 1887 (5)19:296-297
 b2763 Kirby May 1887 (5)19:360-369
 b2764 Kirby Jun 1887 (5)19:441-445
 b2028 Grose-Smith Oct 1887 (5)20:265-268
 b2030 Grose-Smith Feb 1889 (6)3:121-137
 b2031 Grose-Smith Apr 1889 (6)3:312-319
 b1977 Godman Apr 1889 (6)3:351-358
 b2765 Kirby Aug 1889 (6)4:156-167
 b1353 Druce Jan 1890 (6)5:24-31
 b4149 Sharpe Jun 1890 (6)5:440-443
 b4568 Swinhoe Jun 1890 (6)5:449-451
 b4150 Sharpe Jul 1890 (6)6:103-106
 b2766 Kirby Sep 1890 (6)6:261-274
 b4151 Sharpe Oct 1890 (6)6:346-350
 b2033 Grose-Smith Jan 1891 (6)7:122-127
 b1355 Druce Apr 1891 (6)7:364-367
 b1356 Druce Aug 1891 (6)8:139-150
 b4153 Sharpe Sep 1891 (6)8:240-241
 b2425 Holland Sep 1892 (6)10:284-295
 b2034 Grose-Smith Jul 1893 (6)12:34-35
 b1361 Druce Mar 1894 (6)13:252-255
 b2035 Grose-Smith Jun 1894 (6)13:496-502
 b2036 Grose-Smith Jul 1894 (6)14:25
 b2310 Heron Aug 1894 (6)14:101-107
 b4570 Swinhoe Dec 1894 (6)14:429-443
 b4174 Sherborn Apr 1895 (6)15:375-376
 b4156 Sharpe Feb 1896 (6)17:125-127
 b1363 Druce Apr 1896 (6)17:285-286
 b4571 Swinhoe May 1896 (6)17:357-363
 b2039 Grose-Smith Aug 1896 (6)18:155-156
 b0645 Butler Aug 1896 (6)18:159-163
 b2311 Heron Aug 1896 (6)18:190-191
 b1366 Druce Jan 1897 (6)19:14-16
 b2040 Grose-Smith Feb 1897 (6)19:172-180
 b4572 Swinhoe Apr 1897 (6)19:407-410
 b1672 Fawcett Jul 1897 (6)20:111-113
 b2041 Grose-Smith Dec 1897 (6)20:515-518
 b2044 Grose-Smith Jul 1898 (7)2:70-73
 b2045 Grose-Smith Nov 1898 (7)2:404-405
 b4573 Swinhoe Jan 1899 (7)3:102-116
 b0652 Butler Nov 1899 (7)4:341-344
 b0654 Butler Jan 1900 (7)5:59-63
 b0656 Butler May 1900 (7)5:441-451
 b0658 Butler Jan 1901 (7)7:22-35
 b0660 Butler May 1901 (7)7:288-291
 b1368 Druce Jan 1903 (7)11:69-72
 b0328 Bethune-Baker Sep 1903 (7)12:324-334
 b0729 Cator Jan 1904 (7)13:73-76
 b1369 Druce Feb 1904 (7)13:140-142
 b0332 Bethune-Baker Sep 1904 (7)14:222-233
 b0333 Bethune-Baker Sep 1904 (7)14:233-236
 b1371 Druce Feb 1905 (7)15:194-196
 b0337 Bethune-Baker Jan 1906 (7)17:100-104
 b0338 Bethune-Baker Jan 1906 (7)17:104-110
 b0339 Bethune-Baker Nov 1906 (7)18:339-346

Ann. Mag. nat. Hist. (continued)

- b1374 Druce Sep 1907 (7)20:219-220, pl 39
 b4574 Swinhoe Nov 1907 (7)20:430-436
 b0341 Bethune-Baker May 1909 (8)3:422-437
 b0342 Bethune-Baker Sep 1909 (8)4:183-185, 1 pl, 2 f
 b1377 Druce Nov 1909 (8)4:416
 b3876 Rothschild Aug 1911 (8)8:233-234
 b0344 Bethune-Baker Oct 1911 (8)8:506-542
 b1379 Druce Jun 1912 (8)9:635-636
 b3949 Schaus Mar 1913 (8)11:298-303
 b1381 Druce Mar 1913 (8)11:358-360
 b0347 Bethune-Baker Jun 1913 (8)11:562-575
 b4576 Swinhoe Sep 1915 (8)16:170-186
 b0353 Bethune-Baker Sep 1915 (8)16:186-203
 b3877 Rothschild Oct 1915 (8)16:247-258
 b4162 Sharpe Nov 1915 (8)16:411-412
 b2652 Joicey Jan 1916 (8)17:68-90, 4 pls
 b0354 Bethune-Baker May 1916 (8)17:378-385
 b0355 Bethune-Baker May 1916 (8)17:386-390
 b4577 Swinhoe Aug 1916 (8)18:209-211
 b4578 Swinhoe May 1917 (8)19:409-416
 b4579 Swinhoe Aug 1917 (8)20:157-166
 b2654 Joicey Sep 1917 (8)20:216-229
 b3653 Prout Jan 1918 (9)1:18-32
 b2710 Kaye Feb 1919 (9)3:215-218
 b4580 Swinhoe Apr 1919 (9)3:314-319
 b2916 Lathy Aug 1921 (9)8:208
 b3747 Riley Nov 1921 (9)8:590-600
 b0360 Bethune-Baker Jul 1924 (9)14:130-135
 b2917 Lathy Sep 1924 (9)14:283-285
 b2918 Lathy Jan 1926 (9)17:35-47
 b0362 Bethune-Baker Apr 1926 (9)17:384-402
 b4949 Watkins Mar 1927 (9)19:313-344
 b2236 Hemming Mar 1929 (10)3:217-245
 b2017 Griffin Sep 1931 (10)8:257-258
 b2240 Hemming Oct 1931 (10)8:405-406
 b2241 Hemming Nov 1931 (10)8:534-536
 b2242 Hemming Dec 1931 (10)8:577-579
 b2922 Lathy Feb 1932 (10)9:65-74
 b2923 Lathy Feb 1932 (10)9:180-182
 b2924 Lathy May 1932 (10)9:484
 b3773 Riley Aug 1932 (10)10:137-152, pls 8, 9
 b2256 Hemming Jan 1935 (10)15:117-120
 b2564 Jackson 19 Oct 1965 (13)7:697-700
 b1011 Cowan 28 Apr 1966 (13)8:421-425
 b2565 Jackson Sep 1966 (13)8:523-531, pls
 b1014 Cowan 29 Nov 1966 (13)9:417-418

Ann. Natal Mus.

Annals of the Natal Museum. [Pietermaritzburg, etc.] [1903-]
 [WL #3166]

- b3574 Pennington 1970 20(2):377-379, 2 pls

Ann. New York Acad. Sci.

Annals of the New York Academy of Science. [New York, New York] [1877-] [WL #3167] [Supercedes the Annals of the Lycaenum of Natural History of New York.]

- b0907 Comstock 1943 45:49-130, f 1-2, pl 1, tbl 1-3

Ann. Qd Mus.

Annals of the Queensland Museum [Brisbane] [1891-1911] [WL #3178] [Continued as Mem. Qd Mus.]

- b3215 Miskin 1891 1:xx+93+ix pp

Ann. S. Afr. Mus.

Annals of the South African Museum. [Cape Town] [1898-] [WL #3190]

- b3314 Murray 1956 43:109-121, 3 pls

Ann. Sc. Phys. Brux.

- b1347 Drapier 1819 2:354-360, 1

Ann. Transv. Mus.

Annals of the Transvaal Museum [Pretoria] [1908-] [WL #3193]

b4563	Swiersta	1909	1:175-178
b4805	van Son	1949	21(2):209-216
b4807	van Son	1951	21:435-445, 1 pl, 5 f
b4808	van Son	1956	22:503-509, 2 pls, 4 f
b4812	van Son	1966	25(4):81-89, f, pls
b4561	Swanepoel	15 Dec 1976	30(12):119-120, 1 pl
b4821	Vári	15 Dec 1976	30(13):121-143, 19 f, 5 pl
b4562	Swanepoel	1983	33(21):323-336, ill

Annali Mus. civ. Stor. nat. Genova

Annali del Museo Civico de Storia Naturale di Genova. [Genova] [1870-] [WL #3074] [Also as Annali Mus. civ. Stor. nat. Giacomo Doria.]

b3418	Oberthür	1878	13:451-470
b3420	Oberthür	1880	15:129-187, pl 1
b3421	Oberthür	1880	15:461-530,
b3424	Oberthür	1883	18:709-740
b0166	Aurivillius	1910	(3):494-530
b4483	Storace	1947	63:77-78, ill
b4486	Storace	1954	66:313-323
b4691	Toso	1977	81:124-130

Annln naturh. Mus. Wien

Annalen de (K. K.) Naturhistorischen (Hof) Museums. [Wien] [1886-] [WL #2650]

b3700	Rebel	1901	16:165-169
b3708	Rebel	1911	24:409-414, pls 13,14
b3710	Rebel	1914	28:219-294, pl 17-24

Annls ent. fenn.

Annales entomologici fennici. [Helsinki] [1935-] [WL #51423] [AESN #47] [Also as Suomen hyönteistieteellinen Aikakauskirja.]

b3030	Lukhtanov	1989	55(4):137-144, ill
-------	-----------	------	--------------------

Annls Hist. nat. Délég. Perse

Annales d'histoire naturelle. Délégation en Perse. [Paris] [1908-1913] [WL #2759]

b2934	Le Cerf	1914	2(2):viii+188 pp
-------	---------	------	------------------

Annls hist.-nat. Mus. natn. hung.

Annales historico-naturales Musei nationalis hungarici. [Budapest] [1903-] [WL #2760]

b0029	Aigner-Abafi	1906	4:484-531, 23 f, pl xiii-xiv
b0215	Bälint	1994	86:53-77

Annls Mus. r. Afr. cent. (8vo)

Annales du Musée r. de l'Afrique central. Série in 8vo. [Tervuren] [1898-1958]

b4393	Stempffer	1961	(Zool.)94:73 pp, ill
-------	-----------	------	----------------------

Annls Mus. r. Congo Belge

Annales du Musée r. du Congo Belge. [Tervuren]

b4384	Stempffer	1953	(8vo)27:5-48, 16 f
b0308	Berger	1954	(4to)1:306-309, ill
b4388	Stempffer	1956	(8vo)49:7-54, 31 f, 3 pls

Annls Soc. ent. Belg.

Annales de la Société entomologique de Belgique. [Bruxelles] [1857-1924] [WL #2942] [Continued as Bull. Annls Soc. ent. Belg.]

b1183	de Selys-Longcham*	1857	1:1-111
b0468	Boisduval	1868	12:1-28, 37-94
b2956	Lederer	1869	13:17-54, pls 1-2; 157-166
b0699	Capronnier	1874	17:7-39, 61-62, pl. 1
b3804	Robbe	1892	36:132-134
b1296	Dognin	Apr 1893	37:156-161
b1297	Dognin	1895	39:105-118
b2162	Haverkampf	1906	50:155-160
b4499	Strand	1911	55:145-164

Annls Soc. ent. Belg. (continued)

b0219	Ball	1914	58:170-182, pl 3,4
b2495	Hulstaert	1924	64:73-81

Annls Soc. ent. Fr.

Annales de la Société Entomologique de France. [Museum National d'Histoire Naturelle, Paris.] [1832-] [WL #2943] [AESN #53]

b3602	Pierret	1837	[1]6(1):19-23, pl 1, 8 f
b3241	Morisse	[1838]	[1]6(4):417-428, pl 14, 8 f
b1312	Donzel	1847	(2)5:525-530
b0467	Boisduval	[Aug] 1852	(2)10:275-324
b0290	Bellier de la Cha*	1862	(4)2=31:615-616
b1660	Fallou	1865	4(5)[=34]:101-102
b3022	Lucas	[1866]	(4)5:499-500
b0041	Allard	1867	(4)7:311-322, pl 6
b3207	Millière	1887	(6)7:215-221, ill
b0432	Blachier	1889	(6)9=58:255-260, pl 4
b3047	Mabille	1890	(6)10:17-51, ill
b3048	Mabille	1899	68:723-753
b3445	Oberthür	1908	77:310-314, pl 5, 7 f
b0434	Blachier	1908	77(2):209-222, pl 4
b4837	Venit	1916	84:514-520
b4846	Venit	1927	96:1-16
b4851	Venit	1929	98:323-360
b4369	Stempffer	31 Mar 1942	111:117-134, ill
b1137	de Lesse	1970	(ns)6(2):347-358

Annls Soc. linn. Lyon

Annales de la Société linnéenne de Lyon. [1826-1937] [WL #2950]

b3205	Millière	1858	5:15-50, 4 pls (1858);
-------	----------	------	------------------------

Annls zool. Mus. polonici Hist. nat.

Annales zoologici Musei polonici Historiae naturalis.

b3655	Prüffer	1922	1:137-141, 1
-------	---------	------	--------------

Annot. Lep.

Annotationes Lepidopterologicae

b2269	Hemming	25 Nov 1960	(1):7-11
b2270	Hemming	25 Nov 1960	(1):31-40
b2271	Hemming	25 Nov 1960	(2):41-42
b2273	Hemming	30 Oct 1964	(3):101-104
b2274	Hemming	30 Oct 1964	(3):105
b2275	Hemming	30 Oct 1964	(3):106-107
b2276	Hemming	30 Oct 1964	(4):128-131
b2277	Hemming	30 Oct 1964	(4):132-134
b2278	Hemming	30 Oct 1964	(4):141-142
b2279	Hemming	30 Oct 1964	(4):147

Annot. zool. jap.

Annotationes zoologicae japonenses. [Tokyo] [1897-] [WL #3233] [AESN #60] [Also as Nippon Dobutsugaku Iho.]

b3082	Matsumura	1906	6(1):7-14
b5005	Wileman	1908	6(5):307-335
b5006	Wileman	1909	7(2):69-104

Annu. Mus. zool. St. Pétersbourg

Annuaire du musée zoologique de l'Académie impériale des sciences de St. Pétersbourg. [St. Petersburg] [1896-1932] [WL #18893] [Listed in the World List as Ezheg. Zool. Muz.]

b2070	Grun-Grshimailo	1900	4:455-472
b2318	Hezz	1900	5:428-457
b2071	Grun-Grshimailo	1902	7:191-204

Antenna

[Honolulu, Bishop Museum Press] [ISSN #0140-1890]

b4714	Tremewan	1986	10:68-69
-------	----------	------	----------

Arb. NatForschVer. Riga

Arbeiten des Naturforschervereins zu Riga. [1847-] [WL #3863]

b4244	Slevogt-Bathen	1910	(nf)12:1-235
-------	----------------	------	--------------

Arch. Math. Naturv.

*Archiv for Mathematik og Naturvideskab. [Kristiania, Oslo]
[1876-] [WL #4119]*

b4492 Strand 1903 25(9):3-24

Arch. Naturgesch.

Archiv für Naturgeschichte. [Berlin] [1835-1944] [WL #4130]

b1931 Gerstäcker 1871 (1)37(1):345-363
b4500 Strand 1911 (1)77(1):190-198
b4508 Strand 1912 (A)78(1):67-92
b4511 Strand 1912 (A)78(11):64-69
b4512 Strand 1912 (A)78(11):76-81
b4509 Strand 1912 (A)78(2):136-141
b4510 Strand 1912 (A)78(9):143-158
b4513 Strand 1913 (A)79(12):129-144
b4515 Strand 1914 (A)80(2):139-161
b1865 Fruhstorfer Nov 1915 (A)81(6):1-46, 1 rf, 2
pls
b4517 Strand 1915 (A)80(11):151-163
b1874 Fruhstorfer [1916] (A)81(11):61-78
b4015 Schulze 1916 (A)81(11):110-112
b4016 Schulze 1916 (A)81(12):136-142
b4014 Schulze 1916 (A)81(7):159-167
b4017 Schulze 1916 (A)82(3):34-39
b1880 Fruhstorfer [1917] (A)82(1):1-42, 20 f
b1883 Fruhstorfer 1918 (A)82(12):4-8
b1887 Fruhstorfer [1919] (A)83(1):69-73
b1888 Fruhstorfer [1919] (A)83(1):73-76, 1 f
b1889 Fruhstorfer [1919] (A)83(1):77-84, 4 f
b1890 Fruhstorfer 1919 (A)83(2):77-101
b4523 Strand 1920 (A)85(4):1-82
b4526 Strand 1922 (A)88(12):169-170
b4525 Strand 1922 (A)88(4):142
b4529 Strand 1927 (A)91(11):281-283
b1954 Gillmer 1903 57:122+
b1958 Gillmer 1905 59:47-120

Archiv. nat. Hist.

*Archives of Natural History. [ISSN #0260-9541] [Continuation
of J. Soc. Bibl. nat. Hist.]*

b2302 Heppner Oct 1981 10(2):251-254
b0698 Capocaccia Oct 1982 11(1):107-122, ill
b2894 Largen Oct 1985 12(2):231-252

Archos Inst. Acclim.

*Archivos del Instituto de Aclimatación. [Almería, España]
[1953-] [WL #4563]*

b1992 Gómez Bustillo 1972 17:21-28, 16 f, 4 pls
b1705 Fernández-Rubio 1974 19:57-58, 4 pls

Archs Cosmol.

Archives cosmologiques. [Bruxelles]

b1400 Dubois 1868 1868:259, pl 12, f 1,2

Ark. Zool.

Arkiv för Zoologi. [Stockholm; Uppsala] [1903-] [WL #4811]

b0158 Aurivillius 1903 1:245-254, 6 rf
b0160 Aurivillius 1905 2(12):47 pp, ill
b0161 Aurivillius 1907 3(19):1-7
b0164 Aurivillius 1909 5(5):5
b0167 Aurivillius 1915 2(12):1-47, 5 cpl
b0168 Aurivillius 1916 10(14):1-6
b0170 Aurivillius 1922 14(5):27 pp, 4 f
b0172 Aurivillius 1925 17A(32):1-20, 5 f
b3411 Nordström 1935 27A(7):37 pp, 2 pls
b0566 Bryk 1940 32A(22):1-36, 7 pls, 39
f
b0568 Bryk 1946 38A(3):1-74, 5 pls
b0569 Bryk 1953 (ns)5:1-268, 9 f

Arnoldia Rhodesia

*Series of Miscellaneous Publications of the National Museums
and Monuments. [Rhodesia] [Continued as Arnoldia Zimbabwe.]*

b3608 Pinhey 14 Jan 1969 4(8):1-4, 3 f

Arnoldia Zimbabwe

*Series of Miscellaneous Publications of the National Museums
and Monuments. [ISSN #0250-6386] [Continues Arnoldia
Rhodesia.]*

b2224 Heath 27 Jun 1983 9(10):145-164, ill
b2127 Hancock 8 Feb 1985 9(16):239-250
b2225 Heath 1985 9(18):257-266

Artes Liberales

*Periodical of the College of Humanities and Social Sciences,
Iwate University. [Morioka, Japan.]*

b3494 Okano Jul 1968 (4):65-70, 2 pl

Atala

[Xerces Society, Inc.]

b4218 Shuey 1986 13(2):1-3

Atalanta (Münnerstadt)

*[Deutsche Forschungszentrale für Schmetterlingswanderungen,
West Germany.] [No U.S. library reports holding this item.]*

b3064 Marschner 1965 6:216-218
b0037 Alberti 1973 4(6)(B):380-393, 3 pl
b1536 Eitschberger 1973 4(6)(B):394-402, 2 f, 2
pl
b2786 Koçak 1975 6(1):31-34, 2 pls
b2787 Koçak 1975 6(1):50-55, 10 f
b1537 Eitschberger 1975 6(2):84-124, 3 f, 7 pls
b2788 Koçak 1977 8(1):41-62, 24 f
b3909 Sakai 1978 9(1):104-132, 68 f
b2675 Junge 1978 9(3):237-239
b3859 Rose 1979 10(2):155-157, ill
b2789 Koçak 1979 10(4a):309-325, 37 f
b1470 Eckweiler 1980 11(1):69-78, ill
b2791 Koçak 1980 11(4):262-272
b4041 Schurian 1981 12(2):101-111
b0198 Bălim 1988 18(3/4):385-394
b0031 Aistleitner 1989 19(1/4):75-86, ill
b0199 Bălim 1989 19(1/4):87-100, ill
b0204 Bălim 1992 23(1/2):133-138, 304-
305, ill
b4737 Tschikolowez 1992 23(1/2):159-168, 306-
307, ill
b4738 Tschikolowez 1992 23(1/2):169-193, 308-
309, ill
b3033 Lukhtanov 1993 24(1/4):61-70
b3034 Lukhtanov 1993 24(1/4):71-74
b1104 Dantchenko 1993 24(1/4):75-83
b0572 Budashkin 1993 24(1/4):85-87

Atti Accad. naz. ital. Ent.

Atti dell'Accademia nazionale ital. Ent.

b0191 Baccetti 1963 11:17-33

Atti Soc. ital. Sci. nat.

*Atti della Società italiana di scienze naturali, e del Museo Civile
de Storia naturale. [Milano] [1859-] [WL #5249]*

b4742 Turati 1903 42:17-44, pls 1-3
b4839 Venizy 1919 58:1-28
b4745 Turati 1919 58:147-187
b4746 Turati 1921 60:211-229, 9 f
b4747 Turati 1923 62:4-74, 2 pls
b4748 Turati 1924 63:21-191
b4749 Turati 1927 66:313-344, 1 pl, 10 f

Atti Soc. Nat. Mat. Modena

*Atti della Società dei naturaliste e matematici. [Modena] [1866-]
[WL #5261]*

b0968 Costantini 1916 (5)3:14-18

Aurelian

- b4246 Smart 1979 1(3):9,13, ill
b3917 Samson 1980 1(4):6-16, ill

Aust. ent. Mag.

Australian entomological Magazine. [Greenwich, N.S.W.] [Not at U of I.]

- b1094 Daniels Sep 1973 1(4):40
b1095 Daniels Feb 1975 2(3):57-59
b3182 Miller Jun 1975 2(4):85-86
b2083 Grund Oct 1975 2(5):99-103, 4 f
b3594 Pfitzner Feb 1976 2(6):117-122
b1108 De Baar Feb 1976 2(6):123-124
b3254 Moulds Feb 1976 2(6):130-132, 1 f
b3255 Moulds Jul 1976 3(2):30-31, 1 f
b2773 Kitching Sep 1976 3(3):42-44, 6 f
b1096 Daniels Sep 1976 3(3):57
b0425 Birns Nov 1976 3(4):73-74
b0142 Atkins 1976 3(1):1-4
b1331 Douglas 1976 3(1):12-15
b1479 Edwards Feb 1978 4(5):81-90
b3500 Olive Apr 1978 4(6):115
b3181 Miller Sep 1978 5(3):45-50
b1478 Edwards Nov 1978 5(4):65-70
b1109 De Baar Mar 1979 5(5):87-89
b2381 Hiller Jun 1979 6(1):10-12, 2 f
b4785 Valentine Sep 1979 6(3):55-56
b3924 Sands Apr 1980 6(5):81-86, 10 f
b4222 Sibatani Aug 1980 7(1):13-14, 2 f
b1472 Edwards Sep 1980 7(2):17-20, 5 f
b2110 Hagan Nov 1980 7(3):39
b2170 Hawkeswood Jun 1981 8(1):1-2
b2646 Johnson Jun 1982 9(1):1-3
b3257 Moulds Jul 1982 9(2/3):21-26, map
b4786 Valentine [Aug] 1982 8(6):92
b1425 Dunn Apr 1983 9(6):94
b2111 Hagan Apr 1983 9(6):96-96, 1 f
b1110 De Baar Apr 1983 9(6):97-98
b4489 Storey Jul 1983 10(2/3):35-38, 6 f
b2885 Lambkin Sep 1983 10(4):56-58, 4 f
b1699 Ferguson Sep 1983 10(4):58
b5033 Wood Apr 1984 10(6):81-83, 4 f
b2645 Johnson Apr 1984 10(6):89-90, 6 f
b1744 Fisher Mar 1985 12(1):1-8
b0140 Aston Apr 1985 12(2):36
b0141 Atkins Aug 1985 12(5):106
b2647 Johnson Apr 1986 13(1/2):22-26, 4 f
b3121 Mayo May 1987 14(1/2):30
b5034 Wood Aug 1987 14(3):39-42, 2 f
b0143 Atkins Aug 1987 14(3):45-48, 5 f
b3258 Moulds Nov 1987 14(4/5):57-66
b5035 Wood Nov 1987 14(4/5):71-72
b2871 Lachlan Jan 1988 14(6):87-88
b4788 Valentine Jan 1988 14(6):89-91
b4787 Valentine Jan 1988 14(6):91-92
b0478 Braby 11 Mar 1988 15(1):33-34
b1477 Edwards 1991 18(1):27-30, ill
b2644 Johnson 1992 19(3):69-74, ill
b1459 d'Apice 1992 19(3):75-80, ill
b3263 Müller 1993 20(2):77-79

Bahamas naturalist

- b0850 Clench 1976 2(1):2-8, ill

Ber. Kr. nürnb. Ent. galathea

- b0200 Bäint 1990 6:1-16, 14 f

Ber. naturw. Ver. Regensburg

- Berichte des naturwissenschaftlichen Vereins zu Regensburg. [Regensburg] [1886-1930] [WL #6308]*
b3160 Metschl 1923 16:1-99

Ber. Ôhara Inst. landw. Forsch.

- Bericht des Ôhara Instituts für landwirtschaftliche Forschungen, Okayama Universität. [Kuraschiki] [1916-53] [WL #6319]*
b5051 Yagi 1922 2(2):233-234, 1 pl

Ber. Senckenb. naturf. Ges.

- Bericht über die Senckenbergische naturforschende Gesellschaft. [Frankfurt a. M.] [1869-1921] [WL #6347]*
b3905 Saalmüller 1878 1877-78:71-96

Ber. Verh. Akad. Berl.

- Bericht über die Verhandlungen Kongliga Freuss Akademie der Wissenschaftler zu Berlin.*
b2443 Hopffer 1855 1855:639-643

Berl. ent. Z.

- Berliner entomologische Zeitschrift [Berlin] [1857-1913] [WL #6464]*
b4322 Staudinger 1870 14:97-132, 193-208, 273-330
b1929 Gerhard 1882 26:125-128
b1220 Dewitz 1884 28:187-188, 1 pl
b2004 Graeser 1888 32:33-153; 33:251-268; 35:71-84;
b2693 Karsch 1893 38(1/2):167-266, ill
b1805 Fruhstorfer [1897] 41(4):299-310
b1806 Fruhstorfer 1897 42:113-118
b1808 Fruhstorfer 1898 42:311-344
b1809 Fruhstorfer 1898 43:175-199
b1811 Fruhstorfer Jul 1899 44(1-2):157
b1812 Fruhstorfer 1899 44:pl 2, f 1-6 and explanation [text
b1813 Fruhstorfer Dec 1899 44(3/4):285-288, pl 2
b1815 Fruhstorfer 1900 45(1):1-38 (plate in 44:pl 2)
b3701 Rebel 1902 46(2/3):290-304
b3715 Rebel 1902 46(2/3):290-308, pls 4,5
b3702 Rebel 1902 47:83-110, 5 tf
b3998 Schultz 1903 48:263-269
b1816 Fruhstorfer 1903 48(1/2):97-111
b1817 Fruhstorfer [Jan 1904] 48(4):274-296
b4639 Thieme 1904 49:164
b1820 Fruhstorfer 1904 49:170-208, 2 pls
b4640 Thieme [Sep] 1907 52(1):1-16, pl 1
b4443 Stichel [Apr 1909] 53(3/4):254-275
b1086 Dadd [Aug] 1909 54(Sber.):(36)-(37)
b4444 Stichel [Aug] 1909 54(1/2):1-48
b3065 Marschner [Aug] 1909 54(1/2):73-75
b1796 Fritsch [Feb 1910] 54(3/4):233-234
b4445 Stichel [Sep] 1910 55(1/2):9-103
b1850 Fruhstorfer [Apr 1912] 56(3/4):197-272, 4 f

Berlin Mag.

- b2492 Hüfnagel 1766 2:54-90

Biol. Abstr.

- Biological Abstracts [Menasha, Philadelphia] [1926-] [WL #7057] [Continuation of Abstr. Bact. and Bot. Abstr.]*
b0426 BioSciences* 1 Oct 1981 72(7):88(7)

Biol. Conserv.

- Biological Conservation. [Applied Science Publisher, Ltd., London.]*
b1404 Duffey 1977 12:143-158
b4648 Thomas 1984 28(4):325-348
b4644 Thomas 1985 33:29-51

Biol. Glasn.

- Bioški glasnik. Hrvatsko prirodoslovno društvo. [Zagreb] [1956-] [WL #7112]*
b3996 Schulte 1958 11:73-74

- Biol. J. linn. Soc. Lond.**
Biological Journal of the Linnean Society of London. [London]
 b3640 Pratu 1994 51(4):387-416
- Biológia (Bratislava)**
Biológia. Casopis Slovenskej akademie vied. Bratislava. [1953-]
 [WL #7041] [Continuation of *Biologický sborník*]
 b2863 Kulfa 1986 40(10):993-998
- Biologicheskiye Nauki**
[Moscow] [Also known as Nauchnye Doklady Vyshei Shkoly Biologicheskije Nauki.]
 b3352 Nekrutenko 1976 [1976](3):139-141
 b3356 Nekrutenko 1978 [1978](5):139-141
- Biologiske Skrifter**
Biologiske Skrifter. K. Danske Videnskabernes Selskab. København. [1939-] [WL #7105] [Should be *Biol. Skr.*
Continuation of K. danske Vidensk. Selsk. Skr. (1745-1938).]
 b2898 Larsen 1982 23(3):1-87, 3 cpl, 2 pl
- Biotropica**
Association for Tropical Biology. [Washington, D.C.]
 b3818 Robbins Dec 1981 13(4):308-315
- Boll. Assoc. romana Ent.**
Bollettino dell'Associazione romana di Entomologia. [Roma, Italy] [1946-] [WL #8221] [AESN #125]
 b0724 Casini 1971 26:66
- Boll. Istit. ent. Univ. Bologna**
Bollettino dell'Istituto di entomologia della Università degli di Bologna [1935-] [WL #8293] [AESN #128]
 b1741 Fiani 1958 22(1957):205-256
- Boll. Lab. Zool. Portici**
Bollettino del laboratorio di zoologia generale e agraria della R. Scuola superiore d'agricoltura. [Portici] [1907-1938] [WL #8307]
 b4841 Venity 1920 14:33-61
 b3849 Romci 1927 20:270-281
- Boll. Mus. Reg. Sci. nat. Torino**
Bollettino Museo Regionale de Scienze naturali Torino.
 b2972 Leighab 1987 5(2):447-454, ill
 b2970 Leighab 1991 9(2):369-373, ill
- Boll. Soc. ent. ital.**
Bollettino della Società Entomologica Italiano [Firenze, Genova] [1869-] [WL #8441] [AESN #131]
 b4349 Stefanelli 1875 6:83-85, pl 1, f 1,2
 b4350 Stefanelli 1900 32:156-191, 325-374
 b4351 Stefanelli 1904 36:8-12
 b4832 Venity 1904 36:11-12
 b4753 Turati [1911] 42:168-265; 43:168-236
 b4834 Venity 1911 42:266-281
 b4226 Siepi 1911 42:266-281, 1 pl
 b2581 Joannis 1913 44:115-122, 2 f
 b4836 Venity 1914 45:203-238; 1 pl, 49 f
 b4838 Venity 1916 46:128-133
 b4750 Turati 1933 65:12-26, 1 pl, 6 f
 b3840 Rocca 1950 80:82-88
 b4487 Storace 1956 86:98-108, 2 f
 b4488 Storace 1962 92:127
 b1402 Dufay 1974 106:77-79
 b4735 Troiano 1979 111:141-143
 b0689 Cameron-Curry 1980 112:41-42
 b0220 Balletto 28 Feb 1993 124(3):231-243
- Boll. Soc. zool. ital.**
Bollettino della Società zoologica italiana. [Roma] [1892-1919] [WL #8479] [Continued as *Bollettino dell'Istituto zoologico della R. Università di Roma* (1923-1930).]
 b3867 Rostagno 1905 (2)6(=14):90-92
 b3868 Rostagno 1906 (2)7(79)(=15):269-281
- Boll. Soc. zool. ital. (continued)**
 b3870 Rostagno 1910 (2)11:333-350
 b3869 Rostagno 1912 (3)1:145-148
- Bolm Mus. nac. Rio de J.**
Boletim do Museu nacional Rio de Janeiro [Rio de Janeiro] [1923-] [WL #7457] [AESN #108] [In series after 1942. (Zoologia)]
 b3855 Rosa 1936 12(2):81-82
- Bolm ent. Venezolana**
Boletín de Entomología de Venezuela [Caracas (Department of Entomology, Institute of Hygiene).] [1941-] [WL #7688] [AESN #115]
 b2991 Lichy 1946 5:1-13, 2 pls
- Bolm Estac. cent. Ecol.**
Boletín de la Estación Central de Ecología. [Madrid, Spain]
 b3069 Martín 1982 10(20):59-70
- Bolm Inst. clín. quir.**
Boletín del Instituto de clínica Quirúrgica [Buenos Aires] [1925-] [WL #7811]
 b1938 Giacomelli 1928 4:677-690, 1 pl
- Bolm Mus. nac. Hist. nat. Chile**
Boletín. Museo nacional de historia natural, Chile. [Santiago] [1937-] [WL #7980]
 b4781 Ureta 1947 23:47-61, 2 pls
 b4782 Ureta 1949 24:93-123, 2 pls
 b4783 Ureta 1956 26(6):257-260, 3 f
 b3846 Rojas 1964 28(2):67-140,
- Bolm R. Soc. esp. Hist. nat.**
Boletín de la Real Sociedad Español de historia natural (Madrid) [1901-] [WL #8039] [From 1950 divided into sections.]
 b3148 Melcon 1910 10:212-231
 b1984 Gómez Bustillo 1972 70(1-2):79-82, 4 pls
- Bolm Serv. Plag. Forest.**
Boletín del Servicio de Plagas Forestales (Madrid) [1958-] [WL #8063]
 b0014 Agenjo 1963 6(12):129-139
- Bonn. Zool. Monogr.**
Bonner Zoologische Monographien. [ISSN #0302-671x]
 b1785 Fredler 1991 No. 31:210 pp
- Br. N. Borneo Herald**
British North Borneo Herald
 b3660 Pryer 1894 12:-
- Brenesia**
[Departamento de Historia Natural, Museo Nacional de Costa Rica, Apartado 749, San Jose, Costa Rica.]
 b1215 DeVries 1977 12:269-270
- Brunei Museum Journal**
[Kota Batu, Brunei Museums] [ISSN #1018-6115]
 b0726 Cassidy 1982 5(2):202-272
 b0727 Cassidy 1985 6(1):135-168, 3 f, 2 ph
- Bul. Muz. natn. Ist. nat. Chişinău**
Buletinul Muzeului national de istorie naturala din Chişinău. [1926-] [WL #9129]
 b3185 Miller 1929 1929(2/3):97-130
- Bull. Acad. Roumaine**
 b0704 Caradja 1932 15:35-46
- Bull. Acad. Sci. St. Pétersbourg**
Bulletin de l'Académie impériale des Sciences de St.-Petersbourg. [1860-1917] [WL #24372] [Also known as *Izvēstiya Imperatorskoj akademii nauk.*]
 b0482 Bremer 1861 3:461-496

Bull. Allyn Mus.*Bulletin of the Allyn Museum (Florida)*

b0845	Clench	19 Nov 1971	No. 3:1-6, 2 f
b3194	Müller	26 May 1972	No. 4:1-5, 6 f
b4176	Shields	10 May 1973	No. 10:1-5
b4177	Shields	31 Dec 1973	No. 15:1-16, 4 f
b1710	Ferris	22 Jul 1974	No. 18:1-13, 17 f
b4178	Shields	22 Jul 1974	No. 19:1-10, 3 f
b2718	Kendall	28 Feb 1975	No. 24:1-4
b0849	Clench	28 Feb 1975	No. 25:1-7, 2 f
b4179	Shields	3 Sep 1975	No. 28:1-36, 44 f, 5 maps
b2719	Kendall	17 Feb 1976	No. 32:1-12
b3390	Nicolay	28 May 1976	No. 35:1-30, 25 f
b1713	Ferris	28 May 1976	No. 36:1-16, 39 f
b2583	Johnson	28 May 1976	No. 38:1-30, 17 f
b0042	Allyn	10 Nov 1976	No. 40:1-6, 9 f
b2621	Johnson	10 May 1977	No. 43:1-62, 32 f
b3391	Nicolay	10 May 1977	No. 44:1-24, 20 f
b1714	Ferris	22 Nov 1977	No. 45:1-42, 88 f
b3191	Müller	30 Mar 1979	No. 51:1-30, 67 f
b0673	Callaghan	27 Sep 1979	No. 53:1-7, 13 f
b3392	Nicolay	28 Dec 1979	No. 56:1-52, 45 f
b0852	Clench	28 Dec 1979	No. 56:17
b0853	Clench	20 Oct 1981	No. 64:1-31, 48 f
b4049	Schwartz	19 Mar 1982	No. 66:18 pp, 1 f
b0551	Brown	19 Mar 1982	No. 67:6 pp, 6 f
b1716	Ferris	10 Jun 1982	No. 71:1-19, 69 f
b3394	Nicolay	29 Jun 1982	No. 74:30 pp, 34 f
b1725	Ferris	15 Oct 1982	No. 76:13 pp, 33 f
b3199	Müller	27 Dec 1982	No. 77:17 pp
b0677	Callaghan	7 Mar 1983	No. 78:7 pp, 3 f
b0552	Brown	18 Jan 1984	No. 83:9 pp, 5 f, 1 tbl
b1343	Downey	18 Jan 1984	No. 84:1-44, 157 f, 3 tbl
b2721	Kendall	19 Apr 1984	No. 86:1-50, 38 f
b1720	Ferris	10 May 1985	No. 94:1-7, 11 f
b1721	Ferris	12 Jul 1985	No. 96:51 pp, 130 f
b3195	Müller	12 Jul 1985	No. 97:6 pp, f
b0679	Callaghan	24 Oct 1985	No. 98:1-21, 38 f, 3 map
b4051	Schwartz	24 Oct 1985	No. 99:6 pp, 12 f
b0681	Callaghan	30 Jan 1986	No. 100:1-7, 15 f, 1 map
b2631	Johnson	29 May 1986	No. 102:7 pp
b3549	Parsons	29 May 1986	No. 103:27 pp, 111 f
b4353	Steinhauser	29 Jul 1986	No. 104:43 pp, 79 f
b4229	Simon	29 Jul 1986	No. 105:14 pp, 14 f
b2589	Johnson	30 Dec 1986	No. 106:11 pp, 5 f
b4047	Schwartz	3 Sep 1987	No. 110:5 pp, 2 f
b4354	Steinhauser	20 Oct 1987	No. 111:1-16
b0685	Callaghan	11 Aug 1988	No. 119:1-6, 19 f
b2623	Johnson	22 Nov 1988	No. 123:49 pp, 18 f
b2624	Johnson	1990	No. 130, 1-77, ill
b4249	Smith	1991	No. 134:1-9, ill
b4756	Turner	1992	No. 137:1-7, ill

Bull. amer. Mus. nat. Hist.*Bulletin of the American Museum of Natural History [New York] [1881-] [WL #9339]*

b0414	Beutenmüller	1892	4:59-64
b0415	Beutenmüller	Oct 1893	5:241-310, pls. 2-6
b2434	Holland	4 Dec 1920	43(6):109-369
b4952	Watson	10 Dec 1920	42(10):447-457
b2497	Huntington	16 Apr 1932	63(3):191-230

Bull. Annls Soc. ent. Belg.*Bulletin et Annales de la Société r. entomologique de Belgique [Bruxelles] [1925-] [WL #9373] [AESN #139] [Continuation of Bull. Soc. ent. Belg. Title varies slightly.]*

b1408	Dufrane	1939	79:289-292
b1409	Dufrane	1945	81:90-143
b1410	Dufrane	1953	89:41-57

Bull. Annls Soc. ent. Belg. (continued)

b1411	Dufrane	30 Apr 1954	90(3/4):66-68
b1412	Dufrane	1954	90:282-286

Bull. Biogeogr. Soc. Japan*Bulletin of the Biogeographical Society of Japan. [Tokyo] [1929-] [WL #9575]*

b3105	Matsumura	1939	9(20):343-359, ill
-------	-----------	------	--------------------

Bull. Br. Mus. nat. Hist. (Ent.)*Bulletin of the British Museum Natural History (Entomology) [London] [1950-] [WL #9619] [AESN #140]*

b4415	Stempffer	Nov 1953	3:79-104, ill
b3842	Roche	Dec 1954	3:489-501, ill
b1644	Evans	Jul 1957	5(3):85-141
b2463	Howarth	Sep 1957	5(6):233-272,
b1544	Eliot	Jan 1959	7(8):369-391, 1 pl, 7 text-figs
b4671	Tite	Jul 1960	9(5):319-332,
b4672	Tite	Jul 1960	9(5):333-337, ill
b2562	Jackson	29 May 1962	12(3):123-163,
b4421	Stempffer	20 Feb 1963	13(6):173-194, ill
b4676	Tite	Feb 1963	13(4):69-116, 91
b4677	Tite	20 Dec 1963	14(5):197-259,
b2563	Jackson	21 Jul 1964	15(3):57-80, 8 pls, 5 text-figs
b4422	Stempffer	27 May 1965	
b1012	Cowan	10 Jun 1966	18(4):103-141, 3 pls
b4679	Tite	21 Sep 1966	18(8):253-275,
b1016	Cowan	21 Apr 1967	20(3):75-103,
b2280	Hemming	1 Aug 1967	Suppl. 9:509 pp
b4400	Stempffer	25 Aug 1967	Suppl. 10:322
b4684	Tite	19 Apr 1968	21(7):367-388,
b2568	Jackson	28 Jan 1969	23(1):1-23, 5 pls
b1559	Eliot	20 Sep 1973	28(6):371-505,
b4685	Tite	14 Dec 1973	29(5):225-280,
b1030	Cowan	25 Jan 1974	29(6):281-356,
b4423	Stempffer	22 Feb 1974	30(2):109-181, 6 pls
b4413	Stempffer	1974	30:109-181
b4815	Vane-Wright	11 Apr 1975	32(2):17-64, 6
b0005	Ackery	1975	31(4):71-105,
b1571	Eliot	25 Sep 1986	53(1):1-105, 108 f

Bull. Brooklyn ent. Soc.*Bulletin of the Brooklyn entomological Society. [Lancaster, Pennsylvania] [1878-1960?] [WL #9639] [AESN #141] [Published in Feb, Apr, Jun, Oct, and Dec]*

b0905	Comstock	Feb 1913	8(3):33-36, pl. 2
b0925	Coolidge	11 Dec 1923	18(5):159-161
b3332	Nakahara	27 Jan 1926	20(5):221-224
b3904	Rummel	9 Jan 1929	23(5):268
b0777	Chemock	9 Mar 1929	24(1):20-21
b2101	Gunder	6 Jan 1930	24(5):325-332, pls 30,31
b2778	Klots	Jun 1930	25(3):147-170, f
b2986	Leussler	28 Feb 1935	30(1):1-10 (28 Feb);
b3123	McAlpine	29 Jun 1937	32(2):43-49, pl 1
b3124	McAlpine	16 Jul 1938	33(3):111-121, f 1-12
b3125	McAlpine	29 Apr 1939	34(2):75-80
b0497	Brower	11 Nov 1940	35(4):138
b0811	Clarke	Oct 1941	36(4):149-161
b5021	Wind	Feb 1947	42(1):1-16
b0571	Buchholz	20 Jun 1951	46(3):78

Bull. Buffalo Soc. nat. Sci.*Bulletin of the Buffalo Society of Natural Sciences [Buffalo, New York] [1873-] [WL #9642]*

b2053	Grote	1873	1(3):178-179
b2054	Grote	1873	1(4):185
b3246	Morrison	1873	1(4):186-189
b2055	Grote	1874	2:106-108, pl 2
b4083	Scudder	1876	3:98-129
b5004	Wild	1939	19(1):3-55, 8 pls, 12 f

Bull. Central Exp. Stat., Saghalien

b2450 Hori 1937 (19):224 pp, 8 pls

Bull. Cercle Lepid. Belg.b2402 Hoens 1975 4:74-80
b4830 Verhulst 1985 14(1):18-22**Bull. ent. Soc. Amer.***Bulletin of the Entomological Society of America. [College Park, Maryland] [1955-] [AESN #149]*

b2305 Heppner 1982 28(3):305-315

Bull. Harvard Mus. Comp. Zool.*Bulletin of the Harvard Museum of Comparative Zoology (Cambridge, Massachusetts)*b0259 Bates 1935 78(2):63-256, 24 f
b0823 Clench 1944 94:217-245
b3328 Nabokov 1949 101(4):479-541, 9 pl**Bull. Hill Mus.***Bulletin of the Hill Museum (Wiley). A Magazine of Lepidopterology. [London] [1921-1932] [WL #10445] [AESN #153]*b2655 Joicey 17 Oct 1921 1(1):44-118, pls 5-16
b2656 Joicey 14 Sep 1922 1(2):325-334
b2657 Joicey 14 Sep 1922 1(2):353
b2658 Joicey 14 Sep 1922 1(2):354-356
b2659 Joicey 14 Sep 1922 1(2):363-365
b2661 Joicey 16 Jul 1924 1(3):539-564
b2164 Hawker-Smith 8 Feb 1928 2(1):30-31
b4617 Talbot 17 Nov 1928 2(3):192-220, 3 pls
b4618 Talbot 30 Apr 1929 3(1):81-84, 2 f
b4619 Talbot 29 Aug 1929 3(2):139-142
b4620 Talbot 29 Aug 1929 3(2):143-147, 5 f
b4621 Talbot 29 Aug 1929 3(2):225-230
b2166 Hawker-Smi* 30 Dec 1929 3(3):230-233
b2167 Hawker-Smi* 30 Dec 1929 3(3):234
b4622 Talbot 26 Jan 1932 4(3):155-169**Bull. Inst. fond. Afr. Noire***Bulletin de l'Institut fondamental d'Afrique noire. [Dakar] [Before volume 28(2), see Bull. Inst. franç. Afr. Noire.]*b4399 Stempffer 1966 28(A):1554-1586, f
b4401 Stempffer 1967 29(A):978-1000, 34 f
b4402 Stempffer 1968 30(A):200-204, 10 f
b2567 Jackson 1968 30(A):1472-1476, 6 f
b4403 Stempffer 1969 31(A):87-101, 24 f
b4404 Stempffer 1969 31(A):927-950, 41 f
b4406 Stempffer 1970 32(A):767-772, 2
b4407 Stempffer 1970 32(A):1062-1067, 3 f
b2897 Larsen 1975 37(A):684-686
b2899 Larsen 1983 45(A):151-172**Bull. Inst. franç. Afr. Noire***Bulletin de l'Institut français d'Afrique Noire [Paris, Dakar] [1939-1953; 54- in series A and B, end in 1966.] [WL #10588] [For volume 28(2) on, see Bull. Inst. fond. Afr. Noire. The title changed when the French left.]*b4378 Stempffer 1950 12(A):402-407,
b4417 Stempffer 1956 18(A):500-513, ill
b4390 Stempffer 1957 19(A):209-227, ill
b4418 Stempffer 1958 20(A):1243-1347, ill
b4419 Stempffer 1959 21(A):227-325, ill
b0430 Birket-Smith 1960 22(A):925-1284,
b4420 Stempffer 1961
b4394 Stempffer 1961 23(A):88-101, ill
b4395 Stempffer 1962 24(A):1135-1181, ill
b4396 Stempffer 1963 25(A):954-964, ill
b4397 Stempffer 1964
b4398 Stempffer 1965**Bull. Inst. Zool. Acad. Sin. (Taipei)***Bulletin, Institute of Zoology, Academia Sinica (Taipei) [Taipei] [1962] [Also as Chung Yang Yen Chiu Yuan T'ung Wu Yen Chiu So Chi K'an.]*

b2473 Hsu 1989 28(1):55-62, ill

Bull. Kagoshima Imp. Coll. Agr. For.*Bulletin of the Kagoshima Imperial College of Agriculture and Forestry. [Kagoshima]*

b4111 Seok 1934 1:631-784, pl 1-10

Bull. Lep. Soc. Japan*Bulletin of the Lepidopterological Society of Japan. [Kyoto] [1946-] [AESN #157] [Also as Nippon Rinshigakkai Kenkyu-Hokoku.]*b4219 Sibatani Aug 1946 1(3):61-86, ill
b3476 Okada Oct 1946 1(4):94-95**Bull. Liverp. Mus.***Bulletin of the Liverpool Museums. [Liverpool] [1897-1901] [WL #10819] [Should be Bull. Lpool. Mus.]*

b3473 Ogilvie-Grant 1899 2:10-11

Bull. mens. Soc. linn. Lyon*Bulletin mensuel de la Société linnéenne de Lyon (Lyon) [Lyon] [1932-] [WL #11033]*b3018 Lucas 1955 24:230
b1121 de Lesse 1959 28:149-151
b3891 Rougeot 1983 52(7):219-232, ill**Bull. Mus. Hist. nat. Paris***Bulletin du Muséum d'Histoire Naturelle Paris [Paris] [1896-1906] [WL #11177]*

b3049 Mabilie 1899 5:373-375

Bull. Mus. natn. Hist. nat., Paris*Bulletin du Muséum National d'Histoire Naturelle [Paris] [1907-] [WL #11179]*b2932 Le Cerf 1909 1909:535-536
b2933 Le Cerf 1911 17(6):412-413
b2935 Le Cerf 1922 28:59-61**Bull. Raffles Mus.***Bulletin of the Raffles Museum. [Singapore] [1928-1960] [WL #11578]*b1542 Eliot Oct 1956 27:32-38, 3 f
b1005 Cowan 15 Nov 1956 27:39-40, 2 pls
b1546 Eliot Feb 1961 26:154-177, 24 f**Bull. S. Calif. Acad. Sci.***Bulletin of the Southern California Academy of Sciences [Los Angeles] [1902-] [WL #12268] [An index was published in 1966, covering volumes 1-60. Should be Bull. sth. Calif. Acad. Sci.]*b3802 Rivers 3 Apr 1902 1(4):41-42
b5045 Wright Mar 1922 21(1):19-20, pls C,D
b0871 Comstock Oct 1922 21(2):43-48, pl 3
b0888 Comstock 20 May 1925 24(1):3-4
b0872 Comstock 17 Aug 1925 24(2):37-38, pl 2
b0873 Comstock 30 Mar 1926 25(1):29-34
b0874 Comstock 30 Mar 1926 25(1):48
b0243 Barnes Dec 1926 25(3):88-98
b2098 Gunder Aug 1927 26(2):53
b0876 Comstock Dec 1927 26(3):67-68 (or 70), pls 13-18
b0877 Comstock Aug 1928 27(2):63-66, pls 2-5
b0878 Comstock 15 Jun 1929 28(1):6, pl 5
b0879 Comstock 15 Feb 1930 28(3):50-58, pls 25-33
b0889 Comstock 10 Jun 1930 29(1):17-21, pl 2
b0880 Comstock 10 Jun 1930 29(1):21-31, pls
b0890 Comstock 30 May 1932 31(1):9-15, pls 3-7
b0881 Comstock 30 Dec 1932 31(2):88-100, pls 24-35
b0891 Comstock 1932 31() :33-45
b0901 Comstock 1 Mar 1933 32(1):23-26
b0892 Comstock 30 Sep 1933 32(3):105-112, pls

Bull. S. Calif. Acad. Sci. (continued)

b0882	Comstock	30 Sep 1933	32(3):113-120, pls 53-59
b0893	Comstock	1933	32(2):77-83, pl. 25
b0894	Comstock	28 Feb 1934	33(1):25-34, pls 3-13
b0883	Comstock	28 Feb 1934	33(1):34-38, pls 14-19
b0884	Comstock	31 Aug 1934	33(2):79-92, pls 23-25
b0895	Comstock	15 Jan 1935	33(3):137-151, pls
b0900	Comstock	15 May 1935	34(1):76-80, pls 3-6
b0896	Comstock	15 May 1935	34(1):81-87, pls
b0897	Comstock	15 Sep 1935	34(2):120-142, pls
b0885	Comstock	15 Jan 1936	34(3):211-255, pls
b0898	Comstock	15 May 1936	35(1):6-8, pls 2,3
b0886	Comstock	12 May 1937	36(1):19-23, pls 6-9
b1733	Field	30 Apr 1938	37(1):23-29
b0899	Comstock	30 Apr 1938	37(1):30-32, pls 3,4
b0887	Comstock	20 Jan 1939	37(3):129-132, pl 50, 1 f
b2282	Henne	15 Jun 1940	39(1):71-74
b4654	Tilden	15 Oct 1951	50(2):96-98, pl 33
b3108	Mattomi	31 Dec 1954	53(3):157-165, pl 43
b4660	Tilden	4 May 1955	54(1):25-29, 10 f,
b4655	Tilden	5 Oct 1955	54(2):67-77, 4 f
b3071	Martin	20 Oct 1972	71(2):57-60

Bull. Soc. ent. Egypte

Bulletin de la Société entomologique d'Egypte. [Le Caire.]
[1908-] [WL #11909] [AESN #167] [From 1938 to 1954 this was
Bull. Soc. Fouad I. Ent.]

b0059	Andres	1914	1914:86-88
b0060	Andres	[1931]	1930:212-213

Bull. Soc. ent. Fr.

Bulletin, Societe entomologique de France. [Paris] [1896-] [WL
#11910] [AESN #169] [From 1832-1895 this was part of *Annales*
de la Société entomologique de France.]

b0465	Boisduval	1848	(2)6:xxviii-xxx
b1921	Gaschet	1877	(5)7:lxiii-lxiv
b3038	Mabille	1877	(5)7:lxix-lxxiii
b3425	Oberthür	1883	(6)3:xi-xiii [13-15 in Bull]
b3629	Poujade	1885	(6)4:cxxxiv-cxxxvi, cxi- cxli,
b3630	Poujade	1885	(6)5:cxliii
b3427	Oberthür	1886	(6)6:cxiv-cxv
b3428	Oberthür	1886	(6)6:xii-xiii, xxii-xxiii
b1188	Demaison	1888	(6)8:lxv-lxvii
b3433	Oberthür	1892	61:8-10
b3438	Oberthür	[18 Nov] 1903	1903(16):268-270
b4831	Verity	[9 Dec] 1903	1903(17):287-289
b3440	Oberthür	27 Mar 1905	1905(4):55-56
b0433	Blachier	[7 Nov] 1905	1905(15):212-215
b3441	Oberthür	[Feb] 1906	1906(2):25-26
b3442	Oberthür	[Apr] 1906	1906(5):57-58
b3444	Oberthür	[7 Feb] 1908	1908(1):23-26
b1433	Dupont	[11 Jan 1909]	1908(19):319-320
b3446	Oberthür	[21 Feb] 1909	1909(2):48-49
b3683	Rabaud	[6 Jun] 1909	1909(8):149-152
b2415	Holl	[9 Aug] 1909	1909(13):228-229, f 1,2
b3452	Oberthür	[18 Aug] 1911	1911(13):268
b1926	Gelin	[8 Apr] 1914	1914(6):183-187, pl 3 (11 f)
b2580	Joannis	[12 May] 1915	1915(7):122-124
b0783	Chrétien	[4 Jun] 1915	1915(8):135-139
b1079	Culot	[20 Nov] 1915	1915(15):243
b3461	Oberthür	[10 Jan 1919]	1918(17):237-238
b1189	Demaison	[10 Mar] 1919	1919(1):45-48
b1190	Demaison	[24 Dec] 1920	1920(17):282
b3015	Lucas	[24 Dec] 1920	1920(17):297-298
b3462	Oberthür	[18 Jun] 1922	1922(9):124-127
b1421	Dumont	[21 Nov] 1922	1922(15):215-220
b2936	Le Cerf	[23 Nov] 1923	1923(15):197-200
b1191	Demaison	[22 Jul] 1924	1924(10):120
b1112	de Fleury	[12 Nov] 1924	1924(15):161-162

Bull. Soc. ent. Fr. (continued)

b4845	Verity	[15 Sep] 1927	1927(13):205-208
b3169	Mezger	[15 Sep] 1927	1927(14):213-214
b4356	Stempffer	[20 Nov] 1927	1927(16):244
b4847	Verity	[23 May] 1928	1928(8):140-144
b4848	Verity	[10 Jul] 1928	1928(11):179-183
b4849	Verity	[12 May] 1929	1929(7):128-131
b4850	Verity	[20 Jun] 1929	1929(9):156-160
b1210	Deslandes	[28 Oct] 1930	1930(15):243-244
b2939	Le Cerf	[6 Jul] 1932	37(11):163-166
b4360	Stempffer	[9 May] 1933	38(7):108-112
b4361	Stempffer	[4 Feb 1934]	38(20):325-328, 2 f
b4854	Verity	[5 Dec] 1935	40(17):243-245
b0417	Biedermann	[9 Nov] 1936	41(15):252-260, 1 pl
b4365	Stempffer	[17 Jan 1937]	41(18):283-285
b3554	Paskewsky	[4 Jun] 1937	42(7):106-107
b4366	Stempffer	[4 Nov] 1937	42(15):211-218, 13 f
b3017	Lucas	[1 Dec] 1937	42(16):232-233
b4367	Stempffer	[24 Feb 1938]	42(20):296-301, 28 f
b4372	Stempffer	[20 May] 1947	52(3):35-41
b0315	Bernardi	11 Apr 1951	56(2):30
b4380	Stempffer	27 Jul 1951	56(5):66-71, ill
b4381	Stempffer	27 Nov 1951	56(8):119-128, ill
b4382	Stempffer	4 Dec 1952	57(8):114-121, 1 pl (24 f)
b4385	Stempffer	30 Jul 1954	59(5/6):88-93, (7/8):104-112, ill
b4392	Stempffer	30 Mar 1960	64(9/10):194
b0316	Bernardi	13 Jun 1960	65(1/2):49-52, 5 f
b1133	de Lesse	[2 Feb] 1967	72(1/2):20-25
b1134	de Lesse	[22 Jul] 1969	74(3/4):57-58
b4405	Stempffer	[26 Feb 1970]	74(7/8):198-199, 1 f
b1136	de Lesse	[30 Jul] 1970	75(3/4):64-68, 2 f
b1138	de Lesse	[29 Jan 1971]	75(7/8):214-216
b1140	de Lesse	[29 Jan 1972]	76(5/6):131-137
b4408	Stempffer	[1 Mar 1972]	76(7/8):207-209, 5 f
b4409	Stempffer	[25 Mar 1972]	76(9/10):266-268, 4 f
b0320	Bernardi	[21 Dec] 1972	77(5/6):160-167, 24 f
b4410	Stempffer	[29 Feb 1973]	77(7-8):249-252, 6 f
b4411	Stempffer	[20 Dec] 1973	78(5-6):223-225, 3 f
b4412	Stempffer	[11 Jun 1974]	78(9-10):336
b4873	Viette	[15 May 1976]	80(9/10):293
b2307	Herbulot	[27 Jul] 1983	88(1/2):154-157
b2990	Libert	1993	97(4):321-332
b0687	Callaghan	1993	97(4):339-342

Bull. Soc. ent. Moscou

Bulletin de la Société entomologique de Moscou. [See Izv. Mosk
Ent. Obshch.]

b3184	Müller	1923	2(2):81-118
-------	--------	------	-------------

Bull. Soc. ent. Mulhouse

Bulletin, Societe Entomologique de Mulhouse [Mulhouse, Alsace,
France] [1945-] [WL #11911] [AESN #170]

b0311	Bernardi	1947	1947:61-67
b0313	Bernardi	1948	1948:81-86
b0379	Beuret	1949	1949:1-51 (nc), 6 pls
b0366	Betz	1956	1956:45-46
b1122	de Lesse	1959	1959:13-15
b1123	de Lesse	1959	1959:44-48, f
b1125	de Lesse	1960	1960:75-78
b0363	Beti	1970	1970:31-32, 2 pls
b4870	Vicol	1977	1977(Oct-Dec):55-56
b4825	Vasile	1980	1980(Oct/Dec):52, ill

Bull. Soc. Fouad I. Ent.

Bulletin de la Société Fouad I(er) d'entomologie. [Le Caire]
[1938-1954] [WL #11940] [AESN #167] [Continuation of, and
continued as Bull. Soc. ent. Egypte.]

b5018	Wiltshire	1948	32:203-298, 7 pls, 68 f
-------	-----------	------	-------------------------

Bull. Soc. Hist. nat. Afr. N.

Bulletin de la Société d'Histoire naturelle de l'Afrique du Nord. [Alger] [1909-] [WL #11994]

b2416	Holl	1913	4:99
b3803	Rivertigat	15 Jun 1914	5(6):154-155, 4 f
b0253	Barragué	Apr 1954	45(3/4):179-188, 1 f

Bull. Soc. imp. Nat. Moscou

Bulletin de la Société Impériale des Naturalistes de Moscou. [Moscou]

b1646	Eversmann	1837	10(1):1-32, (4):29-66
b4271	Sodoffsky	1837	10(6):76-97
b4272	Sodoffsky	1837	10(7):107-109
b1647	Eversmann	1841	14(1):18-33, 1 cpl
b1648	Eversmann	1843	16(3):535-555, 3 pls
b1649	Eversmann	1848	21(2):205-232
b1650	Eversmann	1851	24(2):610-644
b1651	Eversmann	1854	27(2):174-205, 1 pl
b3252	Motschulsky	1866	39(1):163-200
b2844	Krulikovskii	1890	(ns)4(1890):200-251,

Bull. Soc. Léop. Genève

Bulletin de la Société Lépidoptérologique de Genève. [Genève] [1905-1945] [WL #12031] [AESN #173] [Listed in only 6 American libraries.]

b2145	Harrison	1905	1:30-31
b1078	Culot	1905	1:68-69
b3726	Reverdin	1906	1:170-175, 1 pl
b3319	Muschamp	Jun 1908	1(3):264
b0435	Blachier	Apr 1909	1(4):376-381
b3320	Muschamp	1909	1:366-369
b3727	Reverdin	1909	1:371-375
b2872	Lacrezue	1909	1:382-384
b0436	Blachier	Jun 1910	2(1):51-58, 1 pl
b0437	Blachier	1910	2(4):251-256, pl 20
b3729	Reverdin	Aug 1914	3(1):32-37, pl 5
b3941	Saussure	1914	3:77-80, pl 1
b3730	Reverdin	1917	3:189-192, pl 9
b3732	Reverdin	May 1918	4(1):39-41
b3719	Rehfous	1918	4:42-52
b3733	Reverdin	1924	5:63
b3851	Romieux	1926	5:142

Bull. Soc. linn. Normandie

Bulletin de la Société linnéenne de Normandie. [Caen] [1855-] [WL #12041]

b1667	Fauvel	1862	6:128-145
-------	--------	------	-----------

Bull. Soc. Philomathique

Bulletin de la Société philomathique Vosgienne. [Srint-Dié] [1939-] [WL #12132]

b3042	Mabille	1879	(7)3:132-144
-------	---------	------	--------------

Bull. Soc. Sci. Nat.

Bulletin de la Société Sciences Nat. [Sciences Nat, Venette, Compiègne, France.]

b1917	Gallard	1989	No. 61:12-13, ill
b1918	Gallard	1989	No. 63:4-6, ill
b1916	Gallard	1991	No. 69:17-18
b0490	Brévignon	1992	No. 73:3-6, ill
b0491	Brévignon	1993	No. 77:20-24, ill
b0477	Bozano	1993	No. 77:25-28, ill

Bull. Soc. Sci. nat. Maroc

Bulletin. Société des Sciences Naturelles et Physiques de Maroc [Rabat] [1953-] [WL #12183]

b3883	Rothschild	1925	5:324-345
-------	------------	------	-----------

Bull. Soc. zool. Fr.

Bulletin de la Société zoologique de France. [Paris] [1876-] [WL #12220]

b3039	Mabille	1877	2:214-240
b3040	Mabille	1878	3:81-95
b4528	Strand	1926	51:397-418

Bull. Stoneham Mus.

Bulletin of the Stoneham Museum, Kiitale, Kenya Colony. [Nairobi] [1931-] [WL #12319]

b4479	Stoneham	1933	(17):3 pp, 1 pl
b4480	Stoneham	1937	(34):3 pp
b4481	Stoneham	Dec 1938	(36):3 pp

Bull. Tôhoku Ent. Soc.

b3483	Okano	Sep 1953	2(4):47-48, 1 pl
-------	-------	----------	------------------

Bull. U. S. natn Mus.

Bulletin of the United States National Museum. [Smithsonian Institution, Washington, D.C.] [1875-] [WL #12512] [Superceded by Smithsonian Contr. Zoology.]

b1439	Dyar	[1903]	52:i-xix, 1-723
-------	------	--------	-----------------

Bull. Umeno ent. Lab.

Bulletin of the Umeno entomological Laboratory. [Kurume] [1935-] [WL #12483]

b4779	Umeno	1937	(4):1-57, pls 1-7
-------	-------	------	-------------------

Bull. Univ. Montana, Biol. Ser.

Bulletin of the University of Montana, Biological Series. [1901-1910] [May be part of Bull. Univ. Montana.]

b1582	Elrod	Jan 1906	2(10):vii-xvi, 3-174, pl 1-13, f 1-117, map
-------	-------	----------	---

Bull. Univ. Osaka Pref.

Bulletin of the University of Osaka Prefecture.

b2388	Hirowatari	1992	(B)44(Suppl.):1-102
-------	------------	------	---------------------

Bull. Zool. Nomen.

Bulletin of Zoological Nomenclature. [London] [1943-] [WL #12666] [AESN #182] [The Official Organ of the International Commission on Zoological Nomenclature.]

b2268	Hemming	31 Oct 1956	12(10):267-274
b2532	International*	Mar 1962	19(2):72-73
b1320	dos Passos	12 Jul 1963	20(4):313-320
b1010	Cowan	2 Nov 1965	22(4):209-210
b2534	International*	Jan 1966	22(5/6):282-283
b3785	Riley	14 Oct 1966	23(4):165
b1013	Cowan	14 Oct 1966	23(4):188-189
b1015	Cowan	20 Dec 1966	23(5):253-254
b2535	International*	Jun 1967	24(3):145-146
b2536	International*	Sep 1967	24(4):214-215
b0535	Brown	17 Jan 1969	25(4/5):188-189
b3789	Riley	12 May 1969	26(1):37-38
b3790	Riley	8 Aug 1969	26(2):95-96
b2537	Internatio*	7 Apr 1970	26(5/6):192-193
b2538	Internatio*	10 Aug 1971	28(1/2):22-23
b3791	Riley	10 Aug 1971	28(1/2):53-55
b2539	International*	Dec 1971	28(5/6):143-144
b2540	Internatio*	6 Jul 1973	30(1):19-20
b0514	Brown	10 Oct 1973	30(2):92-94
b2541	Internatio*	26 Jun 1976	33(1):22-23
b2542	Internatio*	31 Mar 1977	33(3/4):172-173
b1047	Cowan	Mar 1983	40(1):41-42
b1050	Cowan	30 Dec 1983	40(4):245-246
b1056	Cowan	Nov 1984	41(4):197
b2544	International*	Apr 1986	43(1):42-43
b2545	International*	Jul 1986	43(2):152-153
b2902	Larsen	Dec 1986	43(4):342-343
b4683	Tite	Jun 1987	44(2):112-113
b2546	International*	Mar 1988	45(1):78
b2547	International*	Mar 1989	46(1):69
b2389	Hirowatari	Mar 1993	51(1):35-38

Bull. Inst. catal. Hist. nat.

Bulleti de la Institució catalana d'història natural [Barcelona] [1901-1935] [WL #12710]

b1176	de Sagarra y Cast*	1924	(2)4:198-204
b1177	de Sagarra y Cast*	1925	(2)5:45-49
b1178	de Sagarra y Cast*	1926	(2)5:270-274
b1179	de Sagarra y Cast*	1926	(2)6:128-139

Butil. Inst. catal. Hist. nat. (continued)

b1180 de Sagarra y Cast* 1930 (2)10(7):110-118

C. r. hebdom. Séanc. Acad. Sci.

Comptes rendus hebdomadaires des Séances de l'Académie des Sciences. [Paris] [1835-] [WL #15207]

b0450 Blanchard 1871 72:807-813

C. r. Soc. ent. Belg.

Compte rendu de la Société entomologique de Belgique. [Bruxelles] [Volume 1-35 only. Issued with Ann. Soc. ent. Belg.]

b3043 Mabilie 1880 23:xvi-xxvii

b3044 Mabilie 1884 28:clxxxiv-cxcii

b0700 Capronnier 1889 33:cxviii-cxxvi

Can. Ent.

Canadian Entomologist [Toronto & London, Ontario] [1869-] [WL #13141] [AESN #196]

b3930 Saunders 1 Aug 1868 1(1):3-6
 b3931 Saunders 15 Sep 1868 1(2):11-13
 b3932 Saunders 15 Feb 1869 1(7):53-57
 b3933 Saunders 15 Jun 1869 1(11):93-101
 b3934 Saunders 1 May 1870 2(5):61-64
 b2052 Grote Aug 1873 5(8):143-145
 b1505 Edwards Dec 1873 5(12):223-225
 b4082 Scudder Feb 1876 8(2):21-24
 b1507 Edwards Nov 1876 8(11):202-205
 b1511 Edwards Jan 1878 10(1):1-4
 b3935 Saunders Jan 1878 10(1):14-15
 b3141 Mead Oct 1878 10(10):196-199
 b1519 Edwards 14 Dec 1882 14(10):194-195
 b1522 Edwards Jul 1883 15(7):136-137
 b1523 Edwards [17 Jan 1884] 15(11):209-211
 b3937 Saunders [16 May] 1884 16(3):50-53
 b1747 Fletcher [29 Jul] 1884 16(5):92-94
 b1526 Edwards [29 Oct] 1886 18(8):141-153
 b1436 Dyar 7 Oct 1891 23(10):203-205
 b4232 Skinner [5] Jan 1893 25(1):22
 b1437 Dyar 11 Apr 1893 25(4):93-94
 b1527 Edwards 3 Feb 1894 26(2):37-38
 b2974 Lambert 3 Feb 1894 26(2):45-46
 b4234 Skinner 24 Jun 1897 29(6):154-156
 b0865 Cockerell 6 Mar 1899 31(3):65-66
 b0240 Barnes 9 Feb 1900 32(2):42-48
 b2021 Grinnell 29 Jun 1901 33(7):192
 b1994 Good 3 Aug 1901 33(8):228
 b4958 Weeks 3 Oct 1901 33(10):265-269
 b4959 Weeks 8 Nov 1901 33(11):293-296
 b4961 Weeks 10 Dec 1901 33(12):321-324
 b1748 Fletcher 7 May 1904 36(5):121-130, 2 f, 1 pl
 b0911 Cook 7 May 1904 36(5):136
 b4968 Weeks 28 Feb 1906 38(3):76-80
 b4918 Walley-Dod 4 May 1907 39(5):169-171
 b0910 Cook 4 Jun 1907 39(6):181-187; (7):229-235 (Jul);
 b0912 Cook 4 Jun 1907 39(6):202-204
 b0812 Clémence 7 Jan 1909 41(1):38-39
 b0913 Cook 4 Jun 1909 41(6):181-182
 b0867 Cockle 4 Jun 1910 42(6):203-204
 b0922 Coolidge 8 Sep 1910 42(9):315-316
 b0245 Barnes 11 Nov 1910 42(11):365-366
 b0903 Comstock 10 Feb 1911 43(2):65-66
 b3385 Newcomer 11 Mar 1911 43(3):83-88
 b0247 Barnes 12 Jul 1916 48(7):221-226
 b2024 Grinnell 1 Oct 1917 49(10):349-351
 b0252 Barnes 28 Apr 1919 51(4):92-93
 b3130 McDunnough 28 Feb 1921 53(2):47
 b0443 Blackmore 10 May 1923 55(4):98-100
 b3131 McDunnough 25 Jul 1927 59(7):152-162, pl 1
 b2099 Gunder 31 Dec 1927 59(12):281-287, pls A,B
 b2100 Gunder 30 Jul 1928 60(7):162-168, pls A,B
 b2103 Gunder 2 Sep 1933 65(8):171-173

Can. Ent. (continued)

b4173 Sheppard 30 Jun 1934 66(6):141-142
 b2104 Gunder Jun 1934 66(6):125-131
 b3132 McDunnough 26 Oct 1935 67(10):211-212
 b3133 McDunnough 6 Jun 1936 68(5):113
 b1313 dos Passos 29 Aug 1936 68(8):167-170, f 1-6
 b1314 dos Passos 2 Apr 1938 70(3):45-48, 1 pl
 b1789 Freeman 2 Apr 1938 70(3):61-63, 2 f
 b1790 Freeman 31 Dec 1938 70(12):246-248
 b1791 Freeman 31 Aug 1939 71(8):178-180, 1 map
 b3135 McDunnough 31 Jul 1940 72(7):130-131
 b1316 dos Passos 31 Aug 1940 72(8):167-168
 b3136 McDunnough 31 Jan 1942 74(1):1
 b0573 Burdick 18 Nov 1942 74(10):195-196
 b0819 Clench 22 Nov 1943 75(10):182-185
 b3137 McDunnough 19 Oct 1944 76(9):190-191
 b0779 Chemock 19 Jan 1945 76(11):213-216
 b0780 Chemock Aug 1948 79(7-8):142-144, 9 f
 b0429 Bird 6 Jul 1979 111(5):637-639, ill
 b1724 Ferris Jul 1983 115(7):823-840

Can. Nat. Geol.

Canadian Naturalist and Geologist. [Montreal] [1856-1863] [Continued as Can. Nat.]

b1460 d'Urban Apr 1860 5(2):81-99

Caribb. J. Sci.

Caribbean Journal of Science. [WL #13354c]

b4248 Smiuh Dec 1992 28(3/4):139-148, ill
 b4050 Schwartz Dec 1992 28(3/4):149-157, ill

Čas. čsl. Spol. ent.

Časopis Československé společnosti entomologické. [Praha] [1919-1952, 1957-] [WL #13401] [Also as Acta Entomologica Bohemoslovaca and Acta Societatis entomologicae Cechoslovenicae.]

b4297 Srđinko 1910 7:145-151
 b4736 Troniček 1938 35:116-118, f
 b3534 Paclt 1940 42:145-147
 b2824 Komárek 1948 46(3/4):149-150
 b2855 Kudla 1951 48:132-134
 b3535 Paclt 1964 61:395-396

Čas. morav. Mus. Brně

Časopis Moravského musea v Brně. [Brno] [1946-1952; 1952- (in series)] [WL #13414] [Continuation of Čas. morav. zemsk. Mus. Also seen as Acta Musei Moraviae.]

b2467 Howarth 1976 61:139-170
 b2469 Howarth 1976 61:139-170, 2 pls

Cent. Ent. Stud. Misc. Pap.

Centre for Entomologica Studies Miscellaneous Papers. [Gazi Üniversitesi, Ankara, Turkey] [ISSN #1015-8235]

b2802 Koçak 1992 No. 16:1-5
 b2803 Koçak 1992 No. 16:6-7

Chin. J. Ent.

Chinese Journal of Entomology. [Taipei] [ISSN #0258-462x] [Also as Chung-hua K'un Ch'ung.]

b2475 Hsu 1989 9(1):81-86, ill

Chlenistonogiye i Gelminty

b1394 Dubatolov 1984 No. 17(1984):51-57

Chō Chō

The Rhopalocerists' Magazine. [Published by Gen-Gen Sha, Kitakyushu-shi, Wakamatsu, Miyamaru, 2-10-14, NIPPON. Also seen as Chou Chou.]

b2136 Hara 1981 4(8):37-41, ill
 b4590 Takanami 1985 8(8):14-19, 2 f

Circ. ent. Sect. R. zool. Soc. N.S.W.

b5013 Williams 1984 29:19

Cistula Entomologica

[AESN #216] [Volume 3 (1882-1885) had no butterflies. No more were issued.]

b0587	Butler	15 Oct 1869	1(1):1-16
b0589	Butler	27 Jan 1870	1(2):17-32
b0595	Butler	25 Jan 1872	1(4):72-90
b0662	Butler	20 Jul 1872	1(5):95-118
b1076	Crotch	1872	1(4):59-71, errata p. 578
b0596	Butler	1 Oct 1873	1(7):151-177
b0597	Butler	1 Apr 1874	1(9):235-236
b1387	Druce	8 May 1875	1(12):357-363
b2572	Janson	17 May 1877	2(16):153-160
b3659	Pryer	20 Nov 1877	2(18):231-236, pl 4
b2573	Janson	30 Jun 1878	2(19):269-274, pl 5
b0610	Butler	30 Jun 1878	2(19):281-286

Commentat. biol.

Commentationes biologicae. Societas scientiarum fennica. [Helsingfors] [1922-] [WL #15006]

b3408	Nordmann	1935	6(4):20 pp, 6 f
-------	----------	------	-----------------

Comunle zool.

Comunicările de zoologie. [Bucuresti] [1957-] [WL #15342]

b0701	Căpuse	1963	2:189-203, 15 f
-------	--------	------	-----------------

Contr. nat. Hist. Lep. N. Amer.

Contributions to the natural History of the Lepidoptera of North America. [Decatur, Illinois, Review Press]

b0246	Bames	25 Jul 1912	1(6):1-13
b0248	Bames	15 Dec 1916	3(2):49-156, pls 4-11
b0250	Bames	10 Mar 1917	3(4):213-216, pls 16,17
b0251	Bames	1918	4(2):61-[212], pls 11-25
b0241	Bames	17 Mar 1923	5(2):62-69
b0242	Bames	12 Apr 1924	5(3):99-199

CorrespBl. ent. Ver. Iris

Correspondenzblatt des entomologischen Verins [Iris] zu Dresden. [Dresden] [Volume 1 only. Continued as Deut. ent. Zeit. [Iris].]

b3820	Röder	[1886]	1(1):45-72, pls 2-5
b0671	Calberia	1887	1:119-158, 1 f, pl 12,
b3821	Röder	1887	1(4):185-202, pls 7-9

CorrespBl. zool.-min. Ver. Regensb.

Correspondenzblatt des zoologischer-mineralogischer Verein in Regensburg. [Regensburg] [1847-1888]

b2315	Herrich-Schäffer	1862	16:118-120,
b2316	Herrich-Schäffer	1864	18(11/12):159-172; 19(3/4):52-60

Cuadernos Cienc. Biol.

Cuadernos de Ciencias Biologicas Universidad de Granada. [Universidad de Granada, Spain.]

b1704	Fernández-Rubio	1973	2(2):77-80, pl
-------	-----------------	------	----------------

Denkschr. K. Akad. Wiss. Wien

Denkschriften der Kaiserlichen Akademie der Wissenschaften. [Wien] [1850-1946] [WL #16499]

b2822	Kollar	[1849]	1:42-53
b3716	Rebel	1932	103:37-161, 1 pl,

Denkschr. med.-naturw. Ges. Jena

Denkschriften der Medizinisch-naturwissenschaftlichen Gesellschaft zu Jena. [Jena.] [1879-1932] [WL #16502]

b2074	Grünberg	1910	16:91-146
-------	----------	------	-----------

Deut. ent. Zeit.

Deutsche entomologische Zeitschrift. [Berlin] [1875-] [WL #16693] [AESN #241]

b1221	Dewitz	1886	30(2):427-430, pl 2, f 1-9
b3887	Rothschild	1907	1907:189-198
b4022	Schulze	1915	1915:326
b4451	Stichel	1915	1915:657-700, pls 20-23

Deut. ent. Zeit. (continued)

b4452	Stichel	1916	1916:3-24
b4023	Schulze	1918	1918:169-170
b4454	Stichel	1919	1919:161-171, 289-335
b3149	Mell	1923	1923:153-160
b2226	Heddicke	1923	1923(2):226
b4317	Stauder	15 Feb 1924	1924(1):1-29
b4458	Stichel	1924	1924:137-152
b4459	Stichel	1924	1924:409-424
b4464	Stichel	1926	1926:81-101
b4465	Stichel	1926	1926:385-396
b0034	Alberti	1928	1928:211-217
b4471	Stichel	1929	1929:199-208
b2228	Heinrich	1938	1938:1-40
b0035	Alberti	1969	(nf)16:189-203, 1 map, 3 pls

Deut. ent. Zeit. [Iris]

Deutsche entomologische Zeitschrift [Iris] [Dresden] [1884-1943] [WL #16694] [AESN #242] [Volume 1 was titled Correspondenzblatt des entomologischen Vereins "Iris" zu Dresden, but I have listed papers in that volume under the later title.]

b4332	Staudinger	1889	2(1):3-180, pls 1,2
b3737	Ribbe	1889	2(2):187-265, pl 5
b4334	Staudinger	1891	4(1):61-157, ill
b4336	Staudinger	1892	4(2):215-223
b4337	Staudinger	1892	5:277-300
b4338	Staudinger	1892	5:300-393, pl 3, f 1-9
b0792	Christoph	1893	6:86-96
b0702	Caradja	1893	6:161-240
b4339	Staudinger	1894	7:43-100, 2 pls
b4340	Staudinger	1894	7:241-296, cpl 9, :376 (corrections)
b0703	Caradja	15 Jul 1895	8:1-102
b4341	Staudinger	1895	8:153-157
b4342	Staudinger	1895	8:300-343, cpl 5,6
b4343	Staudinger	1896	9:193-240
b4344	Staudinger	1897	10:152-156, pl 5
b4345	Staudinger	15 Sep 1899	12(1):137-155
b3738	Ribbe	1899	12:219-260, 2 f, cpl 4
b4346	Staudinger	1899	12:331-351
b3739	Ribbe	1900	13:334-337
b3663	Püngeler	1901	14:177-191, 3 pls
b2229	Heller	1902	15:127-132, pl 3, 2 f
b1818	Fruhstorfer	20 Mar 1904	16(2):310-312
b1819	Fruhstorfer	5 Oct 1904	17(1):133-157
b4535	Suffert	1904	17:12-107, ill
b0231	Bang-Haas	1906	19:127-144
b0232	Bang-Haas	1907	20:69-88
b3741	Ribbe	1909	23(1/2):1-395, 2 pls
b0233	Bang-Haas	1 Mar 1910	24:27-51
b1841	Fruhstorfer	1 Mar 1910	24:55-57
b4497	Strand	15 Aug 1910	24:190-208
b4010	Schultze	1911	25:95-96
b0986	Courvoisier	1911	25:103-109, pl
b0987	Courvoisier	1912	26:38-65, pls 4,5
b4769	Tun	1912	26:52
b0234	Bang-Haas	1912	26:103-110
b3183	Miller	1912	26:220-223
b1852	Fruhstorfer	14 Oct 1913	27(3):130-139
b1853	Fruhstorfer	31 Jan 1914	27(4):155-166
b1854	Fruhstorfer	31 Jan 1914	27(4):172-178
b4166	Sheljuzhko	31 Mar 1914	28(1):18-22
b1858	Fruhstorfer	31 Mar 1914	28(1):33-35
b1859	Fruhstorfer	30 Jun 1914	28(2):121-137
b4305	Stauder	1914	28:13-17
b4306	Stauder	1914	28:119-120
b0993	Courvoisier	1914	28:143-229
b4308	Stauder	10 May 1915	29:20-34
b1860	Fruhstorfer	10 May 1915	29:47-50
b0235	Bang-Haas	1 Oct 1915	29:92-100

Deut. ent. Zeit. [Iris] (continued)

b1877	Fruhstorfer	1 Jul 1917	31:24-43
b0994	Courvoisier	1918	32:1-32
b2891	Lange	1919	33:9-26
b4827	Venzmer	1920	34:23-52
b0995	Courvoisier	1920	34:230-262
b4311	Stauder	1921	35:4-5
b4312	Stauder	1921	35:26-31
b0996	Courvoisier	1921	35:54-110
b4426	Stephan	1923	37:20-50
b2892	Lange	1924	38:133-134
b4527	Strand	1924	38:135-148
b4919	Wamecke	1924	38:149-158, 1 pl
b2309	Hering	1925	39:188-207, 3 f
b1345	Draeseke	1925	39:211-231
b1346	Draeseke	1925	39(4):211-231
b1463	Ebert	1926	40:27-36
b3713	Rebel	1926	40:135-146
b3959	Schawerda	1926	40:204-208
b5025	Wnukowsky	1928	42:1-4
b4852	Verity	1931	45:30-69
b2669	Jørgensen	1932	46:37-66
b5063	Zemy	1932	46:157-191
b2670	Jørgensen	30 Jun 1934	48:60-78
b1765	Forster	1941	54:70-84, pls 2,3
b3961	Schawerda	1942	55:3-16, 2 pls
b2359	Heydemann	[1942]	55:85-106, 2 pls
b0567	Bryk	1942	56:3-90, 2 pls, 4 f
b4921	Wamecke	1942	56:102-103

Dokl. Akad. Nauk tadjzhik. SSR

*Doklady Akademii nauk Tadjhikskoi SSR. [Stalinabad] [1951-]
[WL #17113]*

b4441	Shtchetkin	1984	27(5):291-292
-------	------------	------	---------------

Dom. Mus. Rec. Ent.

*Dominion Museum Records in Entomology. [Wellington]
[17146]*

b3913	Salmon	1946	1:1-11, 2 pls
-------	--------	------	---------------

Dopov. Akad. Nauk Ukr. RSR (B)

*Dopovidi Akademii nauk Ukrainy's'koyi RSR. [Kiev.] [1957-]
[WL #17155]*

b3349	Nekrutenko	1973	1973(10):949-952, 2 f
b3353	Nekrutenko	1977	1977(2):180-182, f
b3354	Nekrutenko	1977	1977(3):276-279, 1 f
b3355	Nekrutenko	1977	1977(5):457-460, 2 f
b3357	Nekrutenko	1978	1978(1):82-88, 13 f
b3369	Nekrutenko	1979	1979(7):583-586

Doriana

*[Genova] [1949-] [WL #17158] [Supplement to Annali del Museo
Civico di Storia Naturale "Giacomo Doria".]*

b4484	Storace	1950	1(7):2 pp
b4485	Storace	1953	1(35):1-3

Durban Mus. Novit.

Durban museum Novitates. [Durban] [1952-] [WL #17284]

b3675	Quickelberge	1 Mar 1979	12(2):19-26, 1 f
b3676	Quickelberge	1 Sep 1979	12(6):63-72, 2 f, 1 pl
b3677	Quickelberge	1 Apr 1980	12(11):139-142, 2 f
b3678	Quickelberge	1 Nov 1980	12(16):181-186, 2 f
b3679	Quickelberge	1 Apr 1981	12(19):215-222
b3680	Quickelberge	Dec 1984	13(19):239-243
b2286	Henning	30 Dec 1988	14(6):102-139, 103 f

Dusenina

*[Curitiba, Brazil, Sociedade Paranaense de Ciencias Naturais.]
[1950-] [WL #17292] [Mark as discontinued at volume 7 in UI
catalog, but recent citations in the Zoological Record indicated it
has resumed.]*

b5074	Zikan	1952	3:11-50, 2 pls
-------	-------	------	----------------

Échange

Échange. Revue Linnéenne (Lyon) [1855-] [WL #17360]

b3611	Pionneau	1924	37:23
b3613	Pionneau	1926	42:7-8
b3614	Pionneau	1927	43:1-12, 14-15
b3615	Pionneau	1928	44(431):3-4
b3617	Pionneau	1931	47:7-8, 15-16
b3618	Pionneau	1936	51:17-19; 52:23-24
b3619	Pionneau	1937	53:2-3, 10-12

Ecologia (Madrid)

*[Madrid, Ministerio de Agricultura, Pesca y Alimentacion] [ISSN
#0214-0896]*

b3265	Munguira	1988	2:343-358, ill
-------	----------	------	----------------

Ecology

[Brooklyn, etc.] [1920-] [WL #17406]

b1344	Downey	1964	45(1):172-178
-------	--------	------	---------------

Encyc. ent. Ser. B. III. Lep.

Encyclopédie entomologique. [Paris] [1924-] [WL #18005]

b1966	Glais	30 Apr 1926	1(3):111-120, pl 6
b2920	Lathy	31 Jan 1927	2(1):33-43, pl 3
b1422	Dumont	15 Jan 1928	3(1):17-37, 5 f
b2937	Le Cerf	15 Jan 1928	3(1):37-38
b3145	Meier-Ramel	30 May 1928	3(2):61-66, pl 6,7
b2938	Le Cerf	5 Nov 1928	3(3):117-126
b4358	Stempffer	25 Nov 1928	3(3):105-115, 6 f
b0038	Aldin	15 Jan 1930	3(4):153-185

Ent. Amer.

*Entomologica Americana (Brooklyn, New York) [Lancaster, Pa.]
[1885], suspended 1891-1926.] [WL #18218] [AESN #260]*

b2494	Hulst	Dec 1886	2(9):182
b3947	Schaus	Jan 1890	6(1):8-20

Ent. Anz.

*Entomologischer Anzeiger (Wien) [1921-1936] [WL #18250]
[AESN #296] [Combined with Entomologische Zeitschrift in
1936.]*

b4313	Stauder	1922	2:6-9, 18-21, 43-47, 53-56, 66-70,
b4314	Stauder	1922	2:109-111, 124-125
b3965	Schindler	1922	2(5):56-58
b4315	Stauder	1923	3:1-7
b4319	Stauder	1925	5(8):60-62, (9):65-68, (10):73-75
b3161	Metzner	1926	6:17-19
b5027	Wnukowsky	1934	14:111-112

Ent. Beih. Berl.-Dahlem

*Entomologische Beihefte aus Berlin-Dahlem. [Berlin] [1934-43]
[WL #18240] [AESN #287]*

b2455	Horn	1935	2:1-160 (1935);
-------	------	------	-----------------

Ent. Ber.

*Entomologische berichten. Nederlandsche entomologische
vereniging. [Amsterdam] [1901-1905] [WL #18241] [AESN
#289]*

b0374	Beuret	1936	9:267-270
b1930	Gerris V.	1961	21:207
b3558	Peerdeman	1962	22:41-45, 13 f
b1534	Eisner	1964	24:115
b1539	Elfferich	1965	25:26-31
b0453	Blom	1970	29:133-134, 3 f
b3401	Nieuwenhuis	1970	29:213-219, 17 f
b0543	Brown	1976	36(3):46-47
b2729	Kielland	1976	36(7):105-112
b0454	Blom	1979	39(1):10-14
b0455	Blom	1979	39(12):185-188
b4799	van Oorschot	1984	44(9):140-144
b4800	van Oorschot	1985	45(10):145-149, ill
b4798	van Oorschot	1991	51(3):38-43, ill

Ent. Ber. Berl.

- b2683 Kames 1978 1978:20-25
b2685 Kames 1979 1979:17-18

Ent. Ber. Luzem

- b3734 Rézbányai 1981 No. 6:98-103

Ent. Gaz.

Entomologist's Gazette. A Journal of Palaearctic Entomology.
[Faringdon, U.K., formerly London] [1950-] [WL #18260]
[AESN #305]

- b3245 Morris 24 Apr 1967 18(2):57-68
b4646 Thomas 26 Jan 1970 21(1):51-52
b3003 Long 20 Nov 1970 21(4):241-251
b2466 Howarth 24 May 1971 22(2):117-118
b1192 Dempster 29 Oct 1971 22(4):199-204
b0554 Brown 28 Jul 1975 26(3):191-196
b4647 Thomas 28 Jul 1975 26(3):224-226
b0542 Brown 21 May 1976 27(2):77-84
b0544 Brown 11 Feb 1977 28(1):3-8
b4632 Tennent 21 May 1977 27(2):133
b0545 Brown 26 Aug 1977 28(3):141-174
b0546 Brown 25 Nov 1977 28(4):215-216
b0547 Brown 24 Nov 1978 29(4):201-213
b3621 Pittaway 23 May 1980 31(2):103-112
b2377 Higgins 10 Nov 1981 32(4):230-232
b2378 Higgins 27 Feb 1982 33(1):1-4
b3839 Robertson 31 Aug 1982 33(2):83-96, ill
b2906 Larsen 26 Nov 1982 33(3/4):163-168
b3547 Parker 15 Mar 1983 34(1):17-53
b2905 Larsen 26 Sep 1983 34(3):135-208
b3058 Manley 1983 34:235
b4247 Smith 4 Feb 1988 39(1):17-37
b2130 Hancock 1988 39:130-131, 1 pl
b0223 Balletto 1989 40:245-265

Ent. Gen.

Entomologia Generalis. [ISSN #0171-8177] [Continues Ent. Ger.]

- b3075 Maschwitz 1985 11:85-90

Ent. Ger.

Entomologica Germanica. [Continued as Ent. Gen.]

- b1336 Douwes 1976 2:232-241

Ent. Mag. (Kyoto)

Entomological Magazine. Kyoto (Kontyu-Gaku Zasshi). [Kyoto]
[1915-1919] [WL #18226] [AESN #267]

- b3085 Matsumura Feb 1915 1(1):1-3
b3086 Matsumura 10 May 1915 1(2):55-61, 10 f
b3087 Matsumura 10 May 1915 1(2):63-68, (3)93-96
b5050 Yagi 20 Dec 1915 1(4):139-140, 3 f
b4537 Sugitani 1919 3(3/4):150-151

Ent. Med. Ned.-Indië

Entomologische Mededeelingen van Nederlandsch-Indië.
[Buitenzorg] [1935-] [WL #18244]

- b4706 Toxopeus 1935 1:10-13
b4707 Toxopeus 1935 1:33-36
b4708 Toxopeus 1940 6:17-21, 37-43, 1 pl
b2398 Høegh-Guldberg 1963 32:22-25
b4682 Tite 1969 37:47-69

Ent. Meddr

Entomologiske Meddelelser [Copenhagen] [1887-] [WL #18258]
[AESN #301]

- b2676 Kaaber 1964 32:277-319

Ent. Mitt.

Entomologische Mitteilungen [Berlin-Dahlem] [1912-1928] [WL #18245] [AESN #294] [Continued from Deutsche Entomologische National-Bibliothek. Herausgegeben von Deutsches Entomologische National Museum.]

- b0989 Courvoisier Oct 1913 2(10):289-297

Ent. Mitt. (continued)

- b4449 Stichel Apr 1914 3(4):118-122
b0350 Bethune-Baker Apr 1914 3(4):123-128
b3832 Röber 1923 12:57-59
b3835 Röber 1926 15:226-230, 372-377
b3742 Ribbe 1926 15(1):78-91
b2692 Kardakoff 1928 17:261-273, 414-425, 5 pls, 2 f

Ent. mon. Mag.

Entomologists' monthly Magazine [London] [1864-] [WL #18261] [AESN #306] [Ran from 1(1), June 1864 monthly. No. (7) of each volume was December, No. 8 was January. This system ran through to 1889, when volume 25 closed in Dec. Thereafter, starting with volume 26 (alias series (2), volume 1), volumes were completed annually. However, more recently, they have been a year in arrears. (CFC, pc).]

- b0263 Bates Jun 1864 1(1):1-6, (2):31-35, (3):55-59,
b0581 Butler Jan 1866 2:169-170
b0264 Bates Aug 1866 3:49-52, 85-88, 133-136, 152-157
b0583 Butler Jan 1867 3:174-176
b0584 Butler Mar 1867 3:221-223
b0265 Bates Aug 1867 4(3):52-56, (4):78-80
b2329 Hewitson Sep 1869 6:86
b2331 Hewitson Mar 1870 6:226-228
b0591 Butler Apr 1870 6:250-252, pl 1
b2332 Hewitson Jun 1870 7:3-6
b2335 Hewitson Sep 1872 9:83-86
b3150 Melvill Apr 1873 9:263
b3315 Murray Oct 1873 10:107-108
b2336 Hewitson Nov 1873 10:122-125
b3316 Murray Nov 1873 10:126
b2337 Hewitson Dec 1873 10:149-151
b2338 Hewitson Feb 1874 10:205-206
b2340 Hewitson Jul 1874 11:36
b1386 Druce Jul 1874 11:36-37
b2342 Hewitson Aug 1874 11:56
b2343 Hewitson Oct 1874 11:104-107
b3208 Miskin Dec 1874 11:165
b3317 Murray Dec 1874 11:166-172
b2345 Hewitson Jan 1875 11:182-184
b0600 Butler Jun 1875 12:15-17
b2346 Hewitson Jul 1875 12:38-39
b2347 Hewitson Oct 1875 12:106
b2348 Hewitson Dec 1876 13:149-152
b0606 Butler Dec 1876 13:152-154
b2349 Hewitson Feb 1877 13:205
b2350 Hewitson Mar 1877 13:223
b2351 Hewitson Jun 1877 14:5-6
b2352 Hewitson Oct 1877 14:107-108
b4740 Tuely Jun 1878 15:9-10
b1389 Druce Oct 1878 15:101-102
b1283 Distant Apr 1881 17:245
b0632 Butler 1884 20:250-251
b1349 Druce Dec 1885 22:154-156
b1350 Druce Feb 1887 23:203-205
b1351 Druce Apr 1888 24:259-260
b1352 Druce Oct 1888 25:108-109
b2032 Grose-Smith Jun 1889 25:299-303
b1390 Druce Mar 1890 26:69-70
b1354 Druce Jun 1890 26:151-152
b1360 Druce Jan 1894 30:9-10
b1364 Druce Apr 1896 32:78-79
b0327 Bethune-Baker Sep 1897 33:202-205
b3344 Neave Jun 1903 39:136-138
b0329 Bethune-Baker Sep 1903 39:217-218
b0330 Bethune-Baker Sep 1903 39:218
b1583 Eltringham Aug 1909 45:172
b0757 Chapman May 1912 48:103-105, pl 6
b1380 Druce Jun 1912 48:128-132

Ent. mon. Mag. (continued)

- b0758 Chapman Jul 1912 48:159-162, pl 7,8
 b0761 Chapman Dec 1912 48:276-278, pl 9, f 4-6
 b0765 Chapman Jan 1914 50:22-29
 b0769 Chapman Feb 1915 51:35-38
 b0773 Chapman Jul 1919 55:163-173, pls 6-11
 b3760 Riley Dec 1926 62:271-279, pls 2,3
 b4623 Talbot Mar 1935 71:69-78, 115-127,
 147-153; ill.;
 b1017 Cowan 16 May 1967 102:217-220, 2 tf, pl 10
 b1021 Cowan 19 Aug 1968 104:69

Ent. Monats.

Entomologische Monatsblätter. [Berlin] [1876-1880] [Volumes 1-2 only.]

- b0192 Backhaus 1876 1:40

Ent. Nachr.

Entomologische Nachrichten [Berlin.] [1875-1900] [WL #18247] [Also as Repertorium Entomologicum.]

- b2498 Husz 1881 7:244
 b2491 Huene 1883 9:49-51
 b1222 Dewitz 1889 15:101-110, pls 1,2
 b4333 Staudinger 1889 15:176-179
 b2451 Hormuzaki 1892 18:1-3
 b2846 Krulikovskii 1892 18:97-98
 b1803 Fruhstorfer 1893 19:257-259, 285-287,
 314-316, 332-338,
 b3824 Röber 1895 21:149-151
 b2694 Karsch 1895 21:275-286, 289-322
 b0149 Aurivillius 1895 21:379-382
 b3540 Pagenstecher 1896 22:49-54
 b3825 Röber 1897 23:5-7
 b3826 Röber 1897 23:99-101
 b3827 Röber 1897 23:257-288
 b1807 Fruhstorfer 1897 23(4):59-64
 b3828 Röber 1900 26:199-204
 b2695 Karsch 1900 26(24):359-383, 3 f

Ent. Nachr. (Dresden)

- b3721 Reinhardt 1970 14:29-30
 b0580 Busching 1976 20:191-192

Ent. News

Entomological News [American Entomological Society.] [1890-] [WL #18227] [AESN #270]

- b4957 Weeks [29 May] 1891 2(6):102-104
 b2427 Holland Jan 1893 4(1):22-28, ill
 b1438 Dyar [1] Dec 1894 5(10):329
 b4233 Skinner [29 Mar] 1895 6(4):112-114
 b2428 Holland [27 Apr] 1895 6(5):166-168
 b1753 Foote [27 Aug] 1896 7(7):193-194
 b0562 Bruce [30 Oct] 1897 8(9):224
 b3153 Mengel Jun 1899 10(6):166-168
 b2430 Holland Apr 1900 11(4):416-423
 b4960 Weeks Nov 1901 12(9):264-269
 b4236 Skinner Jan 1902 13(1):15
 b4965 Weeks Apr 1902 13(4):104-108
 b3154 Mengel Jun 1902 13(6):176-178, pl 8
 b4238 Skinner Nov 1904 15(9):298-299
 b2022 Grinnell Apr 1905 16(4):115-116
 b0917 Coolidge Apr 1906 17(4):140
 b4969 Weeks Jun 1906 17(6):195-204
 b0918 Coolidge Sep 1906 17(7):263
 b0481 Brehme Mar 1907 18(3):82-83
 b0919 Coolidge Jul 1907 18(7):300
 b4239 Skinner Nov 1907 18(9):378
 b5011 Williams Dec 1908 19(10):476-483
 b5012 Williams Jan 1910 21(1):30-41
 b2222 Healy Apr 1910 21(4):179-180
 b2223 Healy Jul 1910 21(7):327
 b0475 Bower [6] Oct 1911 22(8):359-363, pl 12
 b4240 Skinner [29 Feb] 1912 23(3):126-127

Ent. News (continued)

- b0924 Coolidge [31 Jan] 1913 24(2):92
 b0345 Bethune-Baker Feb 1913 24(3):97-103, 149-156,
 pl 5
 Mar 1913 24(3):112
 [30 Jun] 1913 24(7):301-303, 1 f
 [30 Jun] 1913 24(7):305-310, ill
 [30 Jun] 1913 24(7):316-317, [3] tf
 [2] Jan 1914 25(1):28-29
 1 Jun 1914 25(6):263-268
 [2] May 1917 28(5):212-214
 1918 29:99, 102, pl 4-6
 [12] Jun 1920 31(6):175
 [12] Jun 1920 31(6):176
 Dec 1923 34(10):295-300
 [2] Apr 1924 35(4):115-121
 [2] Apr 1924 35(4):140-141
 [8] May 1924 35(3):153-158, pl 1
 [4] Jun 1924 35(6):199-204
 [5] Dec 1924 35(9):306-312
 [5] Jan 1925 36(1):1-9, pl 1
 [5] Jan 1925 36(1):26
 Jul 1925 36(7):193-200
 [7] Jan 1926 37(1):1-9
 [4] May 1927 38(5):129-138, 1 pl
 [21] Jan 1929 40(1):20
 [13] Jan 1931 42(1):1-2, pl 1
 [13] Apr 1933 44(4):97-98
 [6] Jun 1933 44(6):153-156
 [27] Dec 1933 44(10):264-270
 [3] Apr 1935 46(4):100-101, f 1,2
 [6] May 1935 46(5):123-124
 [8] May 1936 47(5):121-124
 [15] Oct 1942 53(8):219-221
 [3] Jun 1960 71(6):137-141, pl 1
 [3] Jun 1960 71(6):137-141, pl 1
 [5] Feb 1963 74(2):43-49
 [12] May 1964 75(5):138-140
 [2] Jun 1965 76(6):157-162
 [22 Oct] 1970 81(8):203-207, 2 f
 9 Aug 1974 85(2):40-44, tpls 1,2
 8 Oct 1975 86(3/4):65-68
 Apr 1989 100(2):86-88

Ent. Obozr.

Entomologicheskoe Obozrenie. (Vsesojuznoe Entomologicheskoe Obshchestvo). [Moskva] [1933-] [WL #18235] [AESN #280] [For translations of this journal see Ent. Rev. Wash. Also known as Rev. Ent. URSS.]

- b4215 Shtandel 1960 39:693-696
 b2826 Korshunov 1972 51:352-368
 b1398 Dubatolev 1982 61(2):375-381
 b4230 Sirotkin 1986 65(2):318-356
 b5066 Zhdanko 1990 69(1):134-143, ill
 b0216 Băliint 1992 71(4):863-886
 b5068 Zhdanko 1993 72(3):664-674, 731

Ent. Rec.

Entomologist's Record and Journal of Variation. [London] [1890-] [WL #18262] [AESN #307] [ISSN #0013-8916] [Founded by Tutt. Volumes 1 (1890) to 5 (1894) were simple, Jan - Dec monthly issues. Vol 6 was Jan - Aug 1895. Vol 7 was Sep - Dec 1895 (to p 168) and Jan - Apr 1896 (:169-324). Vol 8 was May - Dec 1896. Vol 9 (1897) onwards reverted to monthly issues.]

- b0186 Austin 1890 1:12
 b3261 Mousley 15 Dec 1902 14(12):341-342
 b4759 Tutt 3 Sep 1903 15(9):224-225
 b0734 Chapman 1904 16:167-172
 b0735 Chapman 1904 16:254-260, 277-284
 b0737 Chapman 1905 17:145
 b0738 Chapman 1905 17:172-173

Ent. Rec. (continued)

b0739 Chapman 1905 17:322-324
 b4761 Tutt [May] 1906 18:129-132
 b0740 Chapman 1906 18:15-17
 b0741 Chapman 1906 18:89
 b2146 Harrison 1906 18:236-237
 b0742 Chapman 1906 18:237
 b0743 Chapman 1906 18:263
 b3695 Rayward 1906 19:108-110
 b0744 Chapman 1907 19:55
 b4762 Tutt 15 Dec 1908 20(12):273-274
 b4763 Tutt 15 Mar 1909 21(2):58-59
 b0750 Chapman 15 Jun 1909 21(6):130-131
 b4764 Tutt 15 Sep 1909 21(9):197-201
 b4765 Tutt 15 Oct 1909 21(10):228-230
 b4766 Tutt 15 Dec 1909 21(12):296-300
 b3728 Reverdin 15 Mar 1910 22(3):60-61
 b2007 Graves 15 Nov 1910 22(11):271-273
 b5014 Williams Oct 1911 23:274-276
 b0348 Bethune-Baker 1913 25:133-134
 b0763 Chapman 1913 25:133-134
 b0764 Chapman 1913 25:165-167
 b1801 Frohawk 1914 26:15-17
 b0352 Bethune-Baker 1914 26:177-184
 b3128 McDunnough 1914 26:194-203
 b3597 Pickett 15 Jan 1916 28(1):7-8
 b0771 Chapman 1916 28:237-241
 b4840 Verity 1919 31:26-201 (nc); 32:3-152 (nc);
 b3129 McDunnough 15 Jan 1920 32(1):11-12
 b0357 Bethune-Baker 1921 33:63
 b4867 Verity 1923 35(Sup.):1-20 (nc)
 b4842 Verity 1924 36:106-111
 b4868 Verity 1924 36(Sup.):21-46 (nc)
 b3665 Querci 15 Mar 1925 37(3):37-40
 b4843 Verity 15 May 1925 37(5):76
 b2213 Hayward 1926 37(Sup.):1-16;
 38(Sup.):17-27
 b4844 Verity Aug 1926 38:101-106, 120-126,
 170-176;
 b3848 Romei 15 Sep 1927 39:107-109, :127-129
 (15 Sep), :136-138
 b3584 Pether 15 Oct 1927 39:136-138
 b2011 Graves 1928 40:101-103
 b1755 Forbes 15 Jan 1929 41(1):9-11
 b2116 Haig-Thomas 15 Feb 1929 41(2):27-31, 43-47
 b0915 Cooke 15 Apr 1929 41(4):77-78
 b2012 Graves 15 Jun 1930 42(6):97-102
 b2366 Higgins 15 Jan 1931 43:14-15
 b4853 Verity [21 May] 1934 46(Sup.):(1-40); 47:41-76;
 48:77-90
 b4855 Verity 15 Oct 1936 48:106-107
 b4856 Verity 15 Dec 1936 48:130
 b4857 Verity Nov 1936 48(Sup.):(1)-(8);
 49(Sup.):(9)-(22)
 b0663 Byñski-Salz 1937 49(Sup.):(1)-(15)
 b4859 Verity 1937 49(Sup.):(1)-(9);
 50(Sup.):(9)-(15)
 b4860 Verity 1938 50(Sup.):(1)-(16);
 51(Sup.):(17)-(20)
 b2150 Harrison Sep 1941 53(9):86-88
 b3667 Querci Apr 1947 59(4):46-49
 b3850 Romei Sep 1947 59(9):99-100
 b0862 Cockayne Jun 1952 64(6):157-160
 b0781 Chevallier Oct 1952 64(10):274-277
 b0808 Clarke Apr 1953 65(4):104-105
 b0431 Birkett 1954 66:236
 b2368 Higgins 15 May 1955 67:134
 b0040 Allan Mar 1956 68(3):68-73
 b4866 Verity 1957 69:225
 b0273 Baynes Aug 1958 70(7/8):183-184

Ent. Rec. (continued)

b1008 Cowan Apr 1965 77(4):99-100
 b1236 Dickson May 1966 78(5):109-110, 4 pls
 b1237 Dickson Aug 1966 78(7/8):181-182, 1 f
 b1238 Dickson Sep 1966 78:189-192, 1 f, 2 pls
 b1239 Dickson Oct 1966 78(10):217-219, 1 f
 b1240 Dickson Nov 1966 78(10):241-243, 4 f
 b1241 Dickson Mar 1967 79(3):65-66, 1 pl
 b1242 Dickson May 1967 79(5):123-125, 1 pl
 b1267 Dickson Sep 1967 79(9):209-211, 1 pl
 b1243 Dickson Nov 1967 79(11):267-270, 1 pl
 b4557 Swanepoel Feb 1968 80(2):54, 1 pl
 b1244 Dickson Apr 1968 80(4):89-92, 1 pl
 b1245 Dickson Nov 1968 80(11):267-270, 1 pl
 b1246 Dickson Apr 1969 81(4):97-100, 5 pls
 b1247 Dickson Nov 1969 81(11):285-286, 4 pls
 b1248 Dickson Apr 1970 82(4):93-95, 1 pl
 b1249 Dickson Jun 1970 82(6):157-159, 1 pl
 b3681 Quickelberge Dec 1970 82(12):319-323, 1 f, 4
 pls
 b1250 Dickson Jan 1971 83(1):1-2
 b4559 Swanepoel Apr 1971 83(3):97-99, 1 pl
 b1268 Dickson May 1971 83(5):131-135, 1 pl
 b1251 Dickson Jun 1971 83(6):155-159, pl
 b1269 Dickson Sep 1971 83(9):255-259, 1 pl
 b0486 Bretherton Feb 1972 84(2):29-32
 b3673 Quickelberge Apr 1972 84(4):85-94, f, pl
 b1194 Dennis May 1972 84(5):100-108
 b3576 Preeval Sep 1972 84(9):215-219
 b3674 Quickelberge Oct 1972 84(10):233-238, f, pl
 b1253 Dickson Dec 1972 84(11/12):253-256, 2 pls
 b1254 Dickson Jun 1973 85(6):137-139, 1 pl
 b1195 Dennis Jan 1974 86(1):24
 b1255 Dickson Mar 1974 86(3):65-68, pls 4,5
 b1271 Dickson Aug 1974 86(7/8):177-180, pls
 13-14
 b4560 Swanepoel Apr 1975 87(4):123-124, pl 4
 b1270 Dickson May 1975 87(5):129-132, pls 5,6
 b1256 Dickson Sep 1975 87(9):225-231, pls 7,8
 b0997 Coutsis Feb 1976 88(2):33-37, 6 f, map, 2
 pls
 b1185 De Worms Mar 1976 88(3):59-63
 b4686 Tite Aug 1976 88(7/8):177-180, pl 5
 b1257 Dickson Nov 1976 88(11):273-280, pl 8;
 (12):307-314, pl 10
 b2298 Henning Feb 1977 89(2):25-30, pls 2-5
 b4687 Tite Jul 1977 89(7):209-212, pl 17
 b1258 Dickson Dec 1977 89(12):317-319, pl 27
 b1260 Dickson Dec 1978 90(12):293-296
 b0998 Coutsis Jan 1979 91(1):25-26
 b1043 Cowan [Sep] 1979 91(6):146-149
 b1261 Dickson Dec 1979 91(11/12):300-301;
 92(1):1-6; 92(2):38-44
 b2169 Hawker Jan 1980 92(1):22-23
 b1262 Dickson Dec 1980 92(11/12):294-297
 b1263 Dickson Dec 1980 92(11/12):297-300
 b0133 Archer-Loch Oct 1980 92(10):254-255;
 93(1):16-17
 b2283 Henning Apr 1981 93(3/4):55-57
 b0999 Coutsis Aug 1981 93(7/8):154-156
 b0230 Bampton Oct 1981 93(9/10):189-191
 b1264 Dickson Dec 1981 93(11/12):212-221;
 94(1/2):32-34;
 94(4):41-44
 b1265 Dickson Dec 1982 94(11/12):222-224;
 95(1):1-6
 b0730 Chalmers-Hunt Feb 1983 95(1/2):23
 b2732 Kielland Jun 1983 95(5/6):107-110, ill
 b3556 Peachey Aug 1983 95(7/8):139-140
 b3070 Martin Aug 1983 95(7/8):153-154
 b3647 Pringle Oct 1983 95(9/10):173-174, 4 f

Ent. Rec. (continued)

b1000	Coutsis	Oct 1983	95(9/10):196-199, ill
b1001	Coutsis	Oct 1983	95(9/10):200-201, f 1,2
b3648	Pringle	15 Jul 1984	96(7/8):137-140
b1266	Dickson	Feb 1985	97(1/2):1-5, ill
b3649	Pringle	1987	99(1/2):1-6, ill
b0139	Aspinall	Feb 1988	100(1/2):1-6, 1 f
b3530	Owen	15 Nov 1988	100:259-260
b2287	Henning	1991	103(3/4):83-87, ill

Ent. Rev.

Entomological Review. [Washington, D.C.] [1959-] [WL #18230] [AESN #274] [Translation of Ent. Obozrenie.]

b2827	Korshunov	1972	51(1):83-98, (2):212-223
b1399	Dubatolov	1983	61(2):123-130
b5064	Zhdanko	1983	62(1):120-140

Ent. Rev. Jap.

Entomological Review of Japan. (Konchu-Gaku Hyoron). [Osaka (Japan coleopterological Society)] [1946-] [WL #18231]

b3217	Mizoguchi	1958	9:21-26, 2 pls
-------	-----------	------	----------------

Ent. Rundsch.

Entomologische Rundschau mit Societas Entomologica. [Stuttgart] [1909-1939] [WL #18248] [1884-1906 this was *Insektenbörse* which combined with *Ent. Rund.* in 1907. *Ent. Wochenblatt* combined with *Ent. Rund.* in 1909. Finally, *Soc. Ent.* combined with *Ent. Rund.* in 1931. The only reasonably complete set in the U.S. is at the AMNH.]

b4546	Suschkin	15 May 1909	26(10):59
b4498	Strand	15 Nov 1910	27(22):161-162
b4501	Strand	1911	28:137-141
b4502	Strand	1911	28:150
b1849	Fruhstorfer	10 Feb 1912	29(3):23-24
b4011	Schultze	23 Mar 1912	29(6):43
b4012	Schultze	6 Apr 1912	29(7):49-50
b4013	Schultze	1912	29:91-93
b1797	Fritsch	1912	29(21):135-137
b4514	Strand	1913	30:98, 1 f
b1856	Fruhstorfer	7 Feb 1914	31(3):18
b1663	Fassl	1915	32:9-12, 33-35, 39-41, 43-45, 49-50,
b1870	Fruhstorfer	12 May 1916	33(5):24-25
b4095	Seitz	4 Aug 1916	33(8):37-39
b1875	Fruhstorfer	1916	33(5):18-19
b4096	Seitz	1916	33(8):33, 37, 45, 49, 52, 56, 62
b1876	Fruhstorfer	13 Apr 1917	34(4):16-18
b1664	Fassl	15 Jan 1918	35(1):1-4 (15 Jan); (8):30-31 (15
b4071	Scriba	1921	38:25-29, 4 f
b2153	Hartig	1924	41:42-43,45-46
b3836	Röber	1926	43:13,18,22-23,26-27,32, f
b5070	Zikán	1928	45:7-46 (nc)
b4292	Spitz	1930	47:39-43, 2 f
b1273	Dietrich	1 Jul 1931	48(13):133-134, f
b5071	Zikán	1931	48:102
b4097	Seitz	1932	49:11-15, 17-21, 41-47, 73-77,
b2357	Heydemann	1932	49:35-37, 47-52, 69-70, 81-83, 2 f
b3691	Rangnow	1935	52:133-136, 175-176, 188-191,
b3971	Schneider	1937	55:137-138
b4432	Steter-Stättema*	1937	55:518-520
b4884	von Neuste*	15 Apr 1938	55(27):315-316
b4055	Schwingenschuss	1938	55:141-700 (nc)
b2680	Kalis	1938	55:197-198
b1761	Forster	1938	55:213-219, 236-239, 334-337,

Ent. Rundsch. (continued)

b3960	Schawerda	1938	55:469-471, 523-524, 554-555, 582-584
b0480	Brandt	1938	55:497-702 (nc), 2 pls, 321 f
b0377	Beuret	1938	55:503-512, 575-577, 638-644,
b4057	Schwingenschuss	1939	56:325-328

Ent. scand.

Entomologica Scandinavica [Copenhagen] [1970-] [AESN #262]

b1333	Douwes	1970	1:263-281
-------	--------	------	-----------

Ent. Tidskr.

Entomologisk Tidskrift (Entomologiska Foreningen, Stockholm). [Stockholm] [1880-] [WL #18257] [AESN #300]

b2888	Lampa	1885	6:1-137
b0148	Aurivillius	1891	12:193-228, ill
b0150	Aurivillius	1895	16:97-110, bibliography, portrait
b0151	Aurivillius	1895	16:195-220, f 13
b0153	Aurivillius	1897	18:213-222, 3 f
b0154	Aurivillius	[1898]	18:139-174
b0155	Aurivillius	1898	19:177-186, f 6-8,8 [8 twice]
b0157	Aurivillius	1901	22:113-128, f 19-31
b2875	Lagerberg	29 Apr 1911	32(1):13-42
b4899	Wahlgren	1924	45:90-98
b0173	Aurivillius	1925	46:206-212
b0174	Aurivillius	1929	50(3/4):153-168
b1087	Dahl	1931	51:251-252, 1 pl
b3409	Nordström	1933	54:145-214, 9 pls
b4882	von Mentzer	1957	77:125-129, 3 f
b1338	Douwes	1978	99:1-10

Ent. World

Entomological World; organ of the Insect lover's association.

[Tokyo] [1933-1943] [WL #18233] [AESN #277] [Also known as *Konchu Kai*.]

b2697	Kato	1934	2:386-388, f
b4901	Wakabayashi	1940	8(73):153-154, f 1,2
b3340	Naritomi	1941	9(91):617-620, pl 4, 5 f
b3333	Nakahara	15 Oct 1942	10(104):635-637, 6 f
b3342	Naritomi	15 Oct 1942	10(104):638-643, 7 f
b2507	Inoue	15 Oct 1942	10(104):644-646, ill
b4206	Shirôzu	1943	11(107):1-4, f 1-3

Ent. Zeit.

Entomologische Zeitschrift [Fruanfurt a. M., Guben, and Stuttgart] [1887-] [WL #18249] [AESN #296] [Subtitled "Zentral-Organ des internationalen entomologischen Vereines". Place of publication: volume 15,16,17 (no place cited); 18,19,20 (Guben); 21,22,23 (Stuttgart); 24 on (Frankfurt a. M.)]

b2230	Hellweger	1896	10:67-68
b1951	Gillmer	1900	14:107-108
b4990	Weymer	15 Nov 1901	15(16):61-64 (15 Nov); (17):65-67 (1
b1956	Gillmer	1 Apr 1904	18(1):1-3; (2):6-7 (8 Apr)
b2841	Krodel	8 May 1904	18(6):21
b2983	Leonhardt	8 Jul 1904	18(14):53-54, 3 f
b2840	Krod.	8 Jul 1904	18(14):54
b4001	Schultz	22 Sep 1904	18(24):93-94
b0255	Bartel	15 Dec 1904	18(30):117-118
b4002	Schultz	1 Feb 1905	18(33):130-132, 2 f
b4003	Schultz	15 Feb 1905	18(34):133-134
b4004	Schultz	22 Apr 1905	19(4):18
b1957	Gillmer	15 Oct 1905	19(26):151, 2 f
b0028	Aigner-Abafi	1 Mar 1906	19(35):207-210
b4005	Schultz	15 Mar 1906	19(36):214-215, 4 f
b1822	Fruhstorfer	15 Mar 1906	19(36):215-216
b2079	Grund	17 Aug 1907	21(20):125-126
b1824	Fruhstorfer	7 Sep 1907	21(23):144

Entomologist (continued)

b0268	Bath	1900	33:199-200
b4158	Sharpe	1902	35:101-107
b1291	Dodd	1902	35:153-156, 184-188, pl 4
b0733	Chapman	1902	35:252-255
b1292	Dodd	1903	36:211-212
b4159	Sharpe	1903	36:310
b4833	Verity	1904	37:53-59, pl 4
b4160	Sharpe	1904	37:131-134
b1098	Dannatt	1904	37:173-174
b4161	Sharpe	1904	37:204-220
b3011	Lowe	1906	39:90
b2940	Le Chamberlain	Aug 1908	41:202
b3892	Rowland-Brown	Dec 1909	42(11):265-269, (12):297-302
b5007	Wileman	1910	43:92-93
b5008	Wileman	1911	44:55-56
b1751	Foljambe	1913	46:89-91
b4164	Sheldon	1913	46:283-289, 309-313, 328-332, pl 12
b4165	Sheldon	Sep 1914	47(9):233-242, (10):269-274 (Oct.)
b3893	Rowland-Brown	1914	47:8-14, 55-60, 87-91, 126-129
b3894	Rowland-Brown	1915	48:201-204
b3895	Rowland-Brown	1916	49:169-172
b3896	Rowland-Brown	1918	51:73-81
b2008	Graves	1918	51:97-99, 1 pl, 10 f
b3744	Riley	1919	52:181-186, 200-202
b0438	Blackie	1919	52:234
b3745	Riley	1920	53:10
b3746	Riley	1920	53:97
b3748	Riley	1921	54:206
b0720	Carter	1921	54:249-250
b3751	Riley	Nov 1922	55(11):250-252
b3752	Riley	1922	55:25-29, 51-53
b3331	Nakahara	1922	55:123-124
b3755	Riley	1923	56:35-38
b0721	Carter	1923	56:107-108
b2009	Graves	1923	56:154-157
b2712	Kaye	1923	56:277
b2660	Joicey	Feb 1924	57:37-40
b3757	Riley	Apr 1924	57:88-89
b3788	Riley	Jul 1925	58:140-143, pl 3, 7 f
b3758	Riley	Nov 1925	58:270
b2919	Lathy	May 1926	59:143-146
b2868	Kuwayama	Jul 1926	59:180-181, 6 f
b2662	Joicey	Aug 1926	59:220-226
b3761	Riley	Mar 1927	60:59
b3763	Riley	1927	60:136-138
b3764	Riley	Dec 1927	60:269-276, pls 6-7
b2231	Hemming	Dec 1927	60(5/6):277, map
b2364	Higgins	Jan 1928	61:14
b2013	Graves	Feb 1928	61:25-31, 56-62, 86-90, 104-109,
b3765	Riley	Aug 1928	61:187-188
b3766	Riley	1928	61:38, 91
b2234	Hemming	1928	61:193-196
b2235	Hemming	Feb 1929	62:27-32, 60-64, 84-89, 2 pls
b1756	Forbes	1929	62:26
b3770	Riley	1929	62:137, 285
b3771	Riley	1929	62:169
b2365	Higgins	May 1930	63:97-100, 125-127, 152-155, 179-183, 199-203, 2 pls
b2243	Hemming	Aug 1932	65:179-183
b4252	Smith	Nov 1932	65(11):241-243
b2244	Hemming	1932	65:267-269
b2248	Hemming	Jan 1933	66:7-8

Entomologist (continued)

b2249	Hemming	Oct 1933	66:222-225
b2250	Hemming	Dec 1933	66:275-279
b2251	Hemming	Jan 1934	67:1-4, 29-32, 135-137, 196-199
b3776	Riley	Apr 1934	67:85-86, f
b2254	Hemming	Jul 1934	67:156-157
b4624	Talbot	1936	69:56-60
b0951	Corbet	1940	73:39-43
b0952	Corbet	1940	73:275-277
b5039	Wright	1941	74:145-152
b3779	Riley	1942	75:88-89
b0958	Corbet	1942	75:172-174
b4992	Wheeler	1943	76:89-94, pl 2
b3780	Riley	1943	76:225-226
b3781	Riley	1944	77:28-29, 2 f
b0959	Corbet	1944	77:39-42
b1998	Goodson	1945	78:169-171, 184-187
b4993	Wheeler	1946	79:80-87
b0824	Clench	1946	79:152-157, 185-191
b1906	Gabriel	Mar 1947	80:60-61
b0962	Corbet	26 Jan 1948	81(1):9-14, 6 f
b2367	Higgins	19 Feb 1948	81(1):25-29, (3):49-53 (19 Mar)
b1996	Goodson	1 Aug 1948	81(8):177-178
b2382	Hinton	12 Nov 1948	81(11):254-269, 8 f
b3327	Nabokov	22 Dec 1948	81(12):273-280, 11 f
b0039	Allan	Jan 1949	82:90-91
b0294	Bennett	23 Jan 1950	83(1):1-9, (2):34-42 (16 Feb)
b2441	Holmes	18 Apr 1950	83(4):90-91
b0003	Abercrombie	8 Jun 1950	83(6):128
b0439	Blackie	16 Nov 1950	83(11):246-248
b2552	Iwase	12 Oct 1951	84(10):234-236
b1424	Dunk	[12] Mar 1952	85(3):61
b0440	Blackie	[16] Apr 1952	85(4):93-94
b4865	Verity	[4 Aug] 1953	86(7):172-175
b3783	Riley	[3 Sep] 1954	87:97-102, 1 pl, 1 f
b0295	Bennett	[29 Sep] 1954	87:170-173
b1641	Evans	[28 Oct] 1954	87:190-194, 212-216, 241-244, 1 pl
b0441	Blackie	1954	87:220
b1642	Evans	[19] Aug 1955	88:179-187
b0809	Clarke	1955	88:49-50
b4416	Stempffer	[29] May 1956	89:114-116, 2 f
b2462	Howarth	[20] Jul 1956	89:161-162, 2 f
b0296	Bennett	Feb 1957	90:27, pl 2
b4666	Tite	Feb 1957	90:37-38
b3000	Lipscomb	Mar 1957	90:57-59
b1543	Eliot	Mar 1957	90:70-74, 18 f
b3533	Paclt	Jul 1957	90:192
b2464	Howarth	Jan 1958	91:14
b2369	Higgins	Feb 1958	91:38-45
b4667	Tite	May 1958	91:115-118, ill
b4668	Tite	Sep 1958	91:189-191
b2370	Higgins	Mar 1959	92:49-60
b1997	Goodson	Jul 1959	92:148-149
b4669	Tite	Aug 1959	92:158-163
b4670	Tite	Oct 1959	92:201-212, pls 10-11
b1545	Eliot	Dec 1960	93:241-245
b4673	Tite	Feb 1961	94:21-25
b4674	Tite	May 1961	94:112-113, 5 f
b4675	Tite	May 1962	95:127-130, 9 f
b1547	Eliot	Sep 1962	95:217-225, f 2
b1548	Eliot	Oct 1962	95:248-250, ill
b0323	Bessemer	1962	95:239-240
b1942	Gifford	Feb 1963	96:43-48
b1549	Eliot	Aug 1963	96:169-180, 14 f
b4295	Spooner	Sep 1963	96:199-210
b2272	Hemming	Dec 1963	96:292-293
b4678	Tite	Jan 1964	97:1-7, 1 pl, 11 f

Entomologist (continued)

- b2372 Higgins Sep 1964 97:193-200, pl 8
 b4630 Taylor Sep 1964 97:216
 b1550 Eliot Nov 1964 97:241-247, 6 f
 b2373 Higgins Jan 1965 98:10-12
 b1551 Eliot Mar 1965 98:66-67
 b1007 Cowan Mar 1965 98:68-72
 b1009 Cowan Jul 1965 98:167-168
 b0297 Bennett Aug 1966 99:186, pl 4 (photo by Cowan)
 b1552 Eliot Mar 1967 100:66-72, 7 f
 b0579 Burt May 1967 100:113-114
 b1553 Eliot May 1967 100:137-141, 12 f
 b4680 Tite Jun 1967 100:166-168, 12 f
 b2575 Jarvis Jan 1968 101:21
 b1020 Cowan Mar 1968 101:51
 b0710 Carcasson Aug 1968 101:191-192
 b4681 Tite Oct 1968 101:224-226, 2 f
 b2374 Higgins Mar 1969 102:67
 b0298 Bennett Apr 1969 102:73-74
 b0299 Bennett Jun 1969 102:143-144
 b2967 Lees Aug 1969 102:194-196
 b1554 Eliot Dec 1969 102:269-278, 8 f, 1 pl
 b1555 Eliot Feb 1970 103:30-31, f
 b3117 May Oct 1972 105:257-259, f, pl
 b1557 Eliot Jan 1973 106:1-15
 b1558 Eliot Jan 1973 106:23-24
 b2775 Kitching Dec 1973 106:269-276

Entomograph

[Denmark, Scandinavian Science Press, Ltd.]

- b3926 Sands 1986 7:1-116, 162 f, 2 cpl

Entomops

Revue trimestrielle des entomologistes des Alpes-Maritimes et de la Corse. [Nice] [1964-] [AESN #319]

- b1417 Dujardin 1969 15:241-244
 b1418 Dujardin 1972 4(25):7-18, 11 f
 b1419 Dujardin 1974 (35):83-84, pl
 b1420 Dujardin 1977 43:93-100

Entomotaxonomia

Kunchong Fenlei Xuebao. [N. W. College of Agriculture, 55 Wugong, Shaanxi, China.]

- b3301 Murayama Dec 1983 5(4):281-288, ill
 b3302 Murayama Jun 1986 8(1/2):59-62

Eos

Eos. Revista Española de entomología. [Madrid] [1925-] [WL #18283] [AESN #320]

- b0010 Agenjo 1934 9:311-320, 1 pl, 11 f
 b0011 Agenjo 10 Jul 1944 20:71-82, pl 2, 1 map
 b0016 Agenjo 31 Jan 1966 41:163-179
 b0017 Agenjo 1966 41:515-528
 b0018 Agenjo 28 Feb 1967 43:21-25
 b0019 Agenjo [1967] 42:291-298, 1 f, 1 pl, 1 map
 b0020 Agenjo 1967 43:13-20

Esakia

[Kyushu University, Fukuoka, Japan] [ISSN #0071-1268]

- b2386 Hirowatani 20 Apr 1990 Spec. Issue No. 1:173-176, ill

Étud. ent.

Études d'Entomologie (Lépidoptères) de l'Afrique orientale et d'Algérie. [Rennes, Oberthür & fils. (8vo) 21 parts.] [Étude d'entomologie. Faunes entomologiques. Descriptions d'insectes nouveaux ou peu connus.]

- b3416 Oberthür 1876 1:xiv + 15-74 pp, 4 cpl
 b3417 Oberthür 1876 2:xii + 13-34 pp, 4 cpls
 b3419 Oberthür 1878 3:x + 11-48 pp, 4 pls
 b3422 Oberthür 1880 5:x + 11-88 pp, 9 cpl

Étud. ent. (continued)

- b3423 Oberthür 1881 6(3):x + 11-115, 20 cpl
 b3426 Oberthür 1884 8:51 pp, 1 cpl
 b3429 Oberthür 1886 11:1-38, cpls 1-7
 b3430 Oberthür 1888 12:ix + 46 pp, 7 cpl
 b3431 Oberthür 1890 13:50 pp, 10 cpl
 b3432 Oberthür 1891 15:25+[1] pp, 3 cpls
 b3434 Oberthür 1893 17:vii+36 pp, 4 cpl
 b3435 Oberthür 1894 19:x+41 pp, 8 cpls
 b3436 Oberthür 1896 20:xx+74 pp, 24 cpls

Étud. Léop. comp.

Études de Lépidoptérologie comparée

- b3439 Oberthür 1904 1:11-77
 b3443 Oberthür 1906 2:37-40
 b3447 Oberthür Jun 1909 3:pl 19, f 57
 b3448 Oberthür Jun 1909 3:pl 20, f 71,73; 4:216 (1910)
 b3449 Oberthür Jun 1909 3:93-99, pl X
 b3450 Oberthür Jun 1909 3:101-404, pl XI, XVI-XX, XXIII-XXXVI
 b3451 Oberthür 1910 4:1-638, ill
 b3453 Oberthür May 1914 9(2):41-60
 b3454 Oberthür Sep 1914 10:1-459
 b3455 Oberthür 1916 11:123-176
 b3456 Oberthür 1916 12:453-488
 b3457 Oberthür 1917 14:pls 1-20
 b3458 Oberthür 1917 14:15-16
 b3731 Reverdin 1917 14:17-30
 b0772 Chapman 1917 14:41-76
 b3633 Powell 1917 14:393-409
 b3459 Oberthür 1917 14:411-413
 b3634 Powell 1917 14:415-419
 b3635 Powell 1917 14:420-460
 b2460 Houibert 1918 15:730 pp
 b3460 Oberthür 1918 16:267-272
 b3636 Powell 1918 16:273-276
 b3637 Powell 1920 17:25-44
 b3638 Powell 1920 17:85-173
 b3463 Oberthür 1922 19:13-402, pls 74-124
 b3464 Oberthür 1922 20:1-159; 21(2):7-70
 b3465 Oberthür 1923 21:71-75

Ezhg. gosud. Muz. N. M. Mart'yanova

Ezhgodnik Gosudarstvennogo muzeya imeni N. M. Mart'yanova. [Minusinsk] [1923-1929] [WL #18879] [Continued as *Izv. Muz. N. M. Mart'yanova.*]

- b2835 Kozhanchikov 1923 1:1-50
 b2836 Kozhanchikov 1924 2(1):66-75

Fauna Hung.

Fauna Hungariae. [Budapest] [1955-] [WL #19219]

- b3942 Sauter 1968 91(15):4, 90-91
 b2003 Gozmány 1968 91(5):1-204, 153 f

Fauna Saudi Arabia

[National Commission for Wildlife Conservation and Development, Riyadh]

- b2900 Larsen 1983 5:333-478, ill

Feuille jeun. Nat.

Feuille des jeunes naturalists. [Paris] [1870-1914] [WL #19345] [Continued as *Feuille Nat.*]

- b3437 Oberthür 1900 1900:18, f

Field & Lab.

Field and Laboratory. Journal of the Graduate Research Center, Southern Methodist University. [Dallas] [1932-1959] [WL #19397]

- b1786 Freeman Jan 1950 18(1):12-15

Field and Forest

[*Not listed in the World List. Organ of the Potomac-side Naturalists' Club. Volumes 1-3 only.*]

b1509	Edwards	Sep 1877	3(3):48
b0719	Carpenter	Sep 1877	3(3):48
b1510	Edwards	Nov 1877	3(5):86-89

Fil-Kulisap

[*Insect Society of the Philippines*]

b4101	Seki	15 Dec 1993	1(2):3-5
b3995	Schröder	15 Dec 1993	1(2):5-7
b4713	Treadaway	15 Dec 1993	1(2):6-8, 13-14

Flora og Fauna

[*Aarboeg for naturvenner af naturhistoriske Samlere. [Silkeborg, Esbjerg, etc.] [1899-] [WL #19623]*]

b3692	Rasmussen	1944	50:134-137, 8 f
b2677	Kaaber	1961	67:122-128

Florida Entomologist

[*Gainesville*] [1920-] [WL #19657] [AESN #343] [Continuation of Florida Buggist.]

b0131	Arbogast	Sep 1966	49(3):141-145
b1717	Fennis	Sep 1983	66(3):366-370

Folia ent. hung.

[*Folia entomologica hungarica. [Budapest] [1923-] [WL #19791]*]

b4581	Szabó	1954	(ns)7:29-39
b0228	Balogh	1956	(ns)9:65-77
b4582	Szabó	1956	(ns)9:235-361, 5 f
b4819	Varga	1960	(ns)13:439-458, 5 f
b0195	Bálint	1981	34:235-236

Folia Mus. Hist.-Nat. Bakonyiensis

[*Folia Musei Historico-Naturalis Bakonyiensis. [Bakonyi Muzem, Hungary] [ISSN #0231-035x]*]

b1274	Dietzel	1989	8:57-62, ill
b1275	Dietzel	1990	9:71-76, ill
b1276	Dietzel	1991	10:77-84

Folia univ.

[*Folia universitaria. [Cochabamba] [1947-] [WL #19827]*]

b3514	Orfila	1951	5:46-58, 5 f
-------	--------	------	--------------

Folia zool. hydrobiol.

[*Folia zoologica et hydrobiologica. [Riga, Latvia] [1929-1943 (vol 1(1) - 12(1))] [WL #19829]*]

b4530	Strand	1932	4(1):133-147
b3467	Obraztsov	1935	8:141-150, 3 fr
b2837	Kozhanchikov	1936	9:22-29

Fukuoka hakub. zasshi

[*Fukuoka hakubutsu-gaku zasshi. Edüio Annalis Societatis Historico-Naturalis Fukuokensis. [Fukuoka] [1932-] [WL #20442]*]

b3329	Nagami	1935	1(4):303-304
-------	--------	------	--------------

Futao

[*Futao-kai, Tottori, Japan*] [ISSN #0916-1112]

b2122	Hanafusa	25 Jan 1989	No. 1:3-6, f 7-25
b4613	Takanami	1990	No. 5:1-7, ill
b3414	Nuyda	1990	No. 5:8-11, ill
b2123	Hanafusa	1991	No. 7:8-9, 11-14, ill
b2124	Hanafusa	1991	No. 8:17-19, ill
b2125	Hanafusa	6 Mar 1993	No. 11:14-17, ill
b2126	Hanafusa	15 Jun 1993	No. 12:10-15, ill
b3143	Medicielo	15 Jun 1993	No. 12:18, pl 1, ill
b3522	Osada	3 Mar 1994	No. 15:5-13, ill
b2702	Kawai	3 Mar 1994	No. 15:9,12, ill
b3523	Osada	3 Mar 1994	No. 15:14-15, ill
b3144	Medicielo	3 Mar 1994	No. 15:16-18, ill
b4102	Seki	3 Mar 1994	No. 15:20-24, ill
b4103	Seki	3 Mar 1994	No. 15:26-27, ill

G. Sci. nat. econ. Palermo

[*Giornale di Scienze naturali ed economiche di Palermo.*

[Palermo] [1866-1950] [WL #21296]

b3604	Pincitore Marot	1879	14:50-54, pl 3, f 14,15
-------	-----------------	------	-------------------------

Galathea

b0196	Bálint	1985	1(3):62-74
-------	--------	------	------------

Gekkan Mushi

[*Monthly Insect. A monthly Journal of Entomology. [Mushi-sha Ltd., P.O. Box 10, Nakano, Tokyo 164, Japan]*]

b2807	Koiwaya	Jan 1985	(167):2-5, 13 f (color)
b2808	Koiwaya	Mar 1985	(169):2-5, 14 f (color)
b2809	Koiwaya	Jul 1985	(173):2-5, 16 f (color)
b2810	Koiwaya	Sep 1985	(175):2-7, 21 f (1-16 in color)
b2811	Koiwaya	Feb 1986	(180):2-7, 28 f (17 color)
b2812	Koiwaya	May 1986	(183):2-7, 26 f (17 color)
b4592	Takanami	Sep 1986	(187):7-14
b4593	Takanami	Nov 1986	(189):23-25
b4595	Takanami	Jan 1987	(191):27-31, 21 f
b2813	Koiwaya	Apr 1987	(194):2-4, 18 f (16 color)
b2814	Koiwaya	Oct 1987	(200):2-6, 21 f (16 color)
b2815	Koiwaya	May 1988	(207):2-5, 18 f (17 color)
b4601	Takanami	Jun 1988	(208):17-21
b2816	Koiwaya	Feb 1989	(216):2-7, 18 f (16 color)
b4106	Seki	1990	No. 231:4-9, ill

Gen. Appl. Ent.

[*General and Applied Entomology. [Continues J. ent. Soc. Aust. (N.S.W.)]*]

b2005	Graham	1988	20:57-62
-------	--------	------	----------

Gen. Insectorum

[*Genera Insectorum. [Bruxelles, Desmet-Verteneuil (4vo) Fasc. 1-219e+] [1902-] [WL #20836] [Edited by P. Wytzman.]*]

b4446	Stichel	1910	112(A):1-238
b4447	Stichel	1911	112(B):239-452

Glasi. hrv. prirodosl. Društ.

[*Glasi. hrvatskoga prirodoslauuoga Društva. [Zagreb] [1908-1938] [WL #21350] [University of Wisconsin has a set.]*]

b4352	Steiner	1916	28:84-94, 6 f
b2082	Grund	1916	28:94-105, 114-168
b2106	Gussich	1917	29:209-225

Grællsia

[*Revista de entomologos españoles. [Madrid] [1943-] [WL #21520] [AESN #365] [Probably should be Grællsia.]*]

b3661	Pujol y Fiol	1943	1(2):13-28 (Jul); (3):13-28 (Sep);
b0012	Agénjo	1954	12:1-19
b0013	Agénjo	1956	14:73-87
b0015	Agénjo	1964	20:163-190
b0021	Agénjo	[1969]	24:45-48, 1 pl
b0022	Agénjo	1971	25:153-170, 9 pls
b0023	Agénjo	1972	26:25-36
b0024	Agénjo	1984	40:159-162
b0691	Cano	1984	40:163-193

Hand. ned.-indisch. natuurw. Congr.

[*Handelingen. Nederlandsch-Indisch natuurwetenschappelijk congres. [Weltevreden, etc.] [1919-1938?] [WL #21846]*]

b4703	Toxopeus	1931	6:417-427
-------	----------	------	-----------

Hongkong Nat.

- Hongkong Naturalist [Hongkong] [1930-1941] [WL #22318]*
 b0957 Corbet 1941 10(3/4):148-165A, 166,
 5 f, 1 pl

Horae Soc. ent. ross.

*Horae Societatis entomologicae ross. [Moscow] [Continued as
 Trudy Ukrainskogo nauchno-issledovatel'-skogo instituta
 zernovogo khozyaistva.]*

- b2955 Lederer 1869 6:73-93, cpls 4,5
 b4324 Staudinger [1871] 7:3-304, 3 pl
 b2957 Lederer 1872 8:3-28, cpl 1,2
 b0786 Christoph 1873 10:3-55, 1 pl
 b0787 Christoph 1876 12:181-196 (1876),
 :197-299
 b4327 Staudinger 1878 14:176-320 (1878);
 :320-482 (1879)
 b0043 Alphéraky Nov 1881 16:334-435, pls 14,15
 b0788 Christoph 1882 17:104-122
 b2066 Grun-Grshimailo 1888 22:303-307
 b2068 Grun-Grshimailo 1891 25:445-465
 b2069 Grun-Grshimailo 1893 27:127-129, 379-386
 b0047 Alphéraky 1897 31:xi-xix
 b4243 Slevogt-Bathen 1900 34:524-533
 b0187 Avinoff 1910 39:225-246, pl 14, f

Igaku to Seibutsugaku (Tokyo)

Medicine and Biology [1942-] [Two volumes a year.]

- b3482 Okano 1947 11:239

Ilte Z. Ent.

*Illustrierte Zeitschrift für Entomologie. [Neudamm] [1896-1900]
 [WL #22800] [Continued as Allg. Z. Ent.]*

- b2442 Holz 1897 2:42-47,60-63,77-79,88-
 93
 b1952 Gillmer 1900 5:50-52, pl
 b3377 Neuburger 1900 5:270

In Romanoff, Mém. Lép.

[For the main entry see b03847.]

- b0789 Christoph 1884 1:93-138, 3 pls
 b2064 Grun-Grshimailo 1885 2:212-247
 b0790 Christoph 1887 3:50-125, 3 pls
 b4331 Staudinger 1887 3:126-232
 b1745 Fixsen 1887 3:233-356, pls 13-15, 1
 map
 b2065 Grun-Grshimailo 1887 3:357-402, map
 b0044 Alphéraky 1887 3:403-406
 b0045 Alphéraky 1889 5:90-123, cpl V
 b2072 Grun-Grshimailo 1890 4:vii+577 pp, 22 pls
 b4335 Stauding* [12 Jul] 1892 6:83-658
 b0046 Alphéraky Jun 1897 9:83-149, 5 cpl
 b0048 Alphéraky 1897 9:229-237, pl 12

In Seitz, Grossschmett. Erde

[For the main entry see b04091.]

- b4092 Seitz 1907 1i-viii, 8-18,
 b0162 Aurivillius 1908 13:11-613, 80 pls.
 b3831 Röber 1908 5:53-1026 (nc)
 b1840 Fruhstorfer 1909 9:109-901.
 b4093 Seitz 1910 5:3-1055 (nc)
 b4094 Seitz 1912 9:799-801(2),
 b2078 Grünberg 1914 9:802-803,824-856, pls
 141-145
 b1348 Draudt 1917 5:744-999 (nc)
 b0471 Bollow 1929 1(Suppl):20-125,
 b4098 Seitz 1930 1(Suppl):1-5,
 b1911 Gaede 1930 1(Suppl):131-132,
 b1913 Gaede 1930 1(Suppl):239-288, 3 pls
 (1930); :208-306,

Init. Afr.

*Initiations Africaines. [Institut français d'Afrique Noire, Dakar]
 [1948-] [WL #23641]*

- b4391 Stempffer 1957 14:1-228, 331 f

Ins. Börse

*Insekten-Börse (Anzeigenteil der Entomologische Zeitschrift mit
 Entomologische Rundschau und Societa Entomologica).
 [Stuttgart] [1901-] [AESN #405]*

- b1088 Dahlström 1898 15:128-129, 134-135, 2f
 (1898);
 b4536 Suffert 1904 21:134

Ins. matsumur.

*Insecta matsumurana. (Matsumushi). (Journal of the Faculty of
 Agriculture Hokkaido University). [Entomological Museum,
 Hokkaido Imperial University, Sapporo] [1926-] [WL #23664]
 [AESN #395] [A supplement was begun in 1966.]*

- b3091 Matsumura 1926 1:1-47, 1 pl; 53-61, 1 pl
 b3092 Matsumura 1926 1(1):23-31, pl 2
 b3093 Matsumura 1926 1(2):103-106
 b3094 Matsumura 1927 1(4):159-170, pl 5
 b3095 Matsumura 1927 2(2):114-118, pl 3
 b3096 Matsumura 1928 2(4):191-201
 b3098 Matsumura 1929 3(2/3):87-107, pl 4
 b3099 Matsumura 1929 3(2/3):139-142
 b3101 Matsumura 1931 6(1/2):43-45, 2 f
 b3102 Matsumura 1935 9:173-172, 2 f
 b3103 Matsumura 1938 12:107-108
 b3104 Matsumura 1938 13:44-45, f
 b3106 Matsumura 1939 13:110, f

Ins. World

*Insect World (The Monthly Magazine devoted to the useful
 application and Scientific Study of Insects). [Gifu, Japan]
 [1898-] [WL #23662] [AESN #391] [Also known as Konchû
 Sekai.]*

- b2449 Hori 1923 27:233-234, f
 b2688 Kanda 1931 35:373-375

Insecta Mundi

[Gainesville, Florida] [1985-]

- b3197 Miller Oct 1986 1(3):143-145, 6 f
 b2594 Johnson Mar 1988 2(1):16-20, 3 f
 b2595 Johnson Mar 1988 2(1):28-42, 5 f 1 tbl
 b2596 Johnson Mar 1988 2(1):76-80, 2 f
 b2599 Johnson 1989 3(3):195-215, ill
 b2600 Johnson 1989 3(3):247-248, ill

Insector Inscitiae Menstruus

*A Monthly Journal of Entomology. [Washington, D.C.] [1913-
 1926] [WL #23669] [AESN #404]*

- b1449 Dyar 1926 14:140-148

Int. ent. Z.

*Internationale entomologische Zeitschrift. [Guben] [1907-1935]
 [WL #23968]*

- b1959 Gillmer 1907 1:53-360 (nc); 2:11-313
 (nc); 3:15
 b1960 Gillmer 4 Apr 1908 2(1):1-2; 2(2):10-11 (11
 Apr)
 b2080 Grund 13 Jun 1908 2(11):66-67; (12)70-71
 (20 Jun);
 b0291 Belling Jun 1908 22:105-109
 b1830 Fruhstorfer 4 Jul 1908 2(14):85-86, (15):91-92
 (11 Jul),
 b1831 Fruhstorfer 11 Jul 1908 2(15):91-92
 b1832 Fruhstorfer 1 Aug 1908 2(18):113
 b1833 Fruhstorfer 1 Aug 1908 2(18):114
 b1834 Fruhstorfer 17 Oct 1908 2(29):194-195
 b4712 Trautmann 29 May 1909 3(9):49-50; (12):65-66
 (19 Jun)
 b1962 Gillmer 19 Jun 1909 3(12):64

Int. ent. Z. (continued)

- b4493 Strand 3 Jul 1909 3(14):78
 b1837 Fruhstorfer 14 Aug 1909 3(20):112-113; (21):120
 (21 Aug)
 b4494 Strand 4 Sep 1909 3(23):128-129
 b1963 Gillmer 2 Apr 1910 4(1):2-4
 b1844 Fruhstorfer 4 Jun 1910 4(10):55; (12):62-63 (18
 Jun)
 b5002 Wichgraf 16 Sep 1911 5(25):173-175
 b4298 Srdinko 1912 6:102-103
 b3014 Lucas 4 Jan 1913 6(40):282
 b2081 Grund 9 Aug 1913 7(19):127-128
 b0990 Courvoisier 29 Nov 1913 7(35):231-233;
 (36):239-240 (6
 1913 6:213, 227, 241, 258,
 267, 312; 7:63, 69, 112
 b3395 Niepelt 7 Nov 1914 8(26):144-145
 b4307 Stauder 30 Jan 1915 8(32):177-178
 b1909 Gaede 25 Sep 1915 9(13):71-74, (15):79-80
 (23 Oct),
 b2131 Hannemann 8 Apr 1916 10(1):8
 b4519 Strand 21 Sep 1918 12(13):101-104
 b4894 Wagner 27 Dec 1919 13(20):156-160
 b3262 Müller 16 Oct 1920 14(14):108
 b0859 Closs 13 Nov 1920 14(16):121-123
 b2301 Hensel 13 Nov 1920 14(16):122
 b4521 Strand 27 Nov 1920 14(17):133-134
 b4522 Strand 25 Dec 1920 14(19):145-150
 b5003 Wichgraf 3 Feb 1921 14(22):171-172,
 (23):179-180,
 b3397 Niepelt 3 Sep 1921 15(12):91-92
 b3972 Schoenfeld 15 May 1924 18(6):39-41
 b1727 Fiedler 15 May 1926 20(7):59-60
 b0711 Caron 1926 19:285-287
 b3398 Niepelt 15 May 1927 21(7):49-53, (13):104,
 (23):180-182;
 b3837 Röber 1927 20:400-403, 412-414,
 419-421, 428-430, 1
 b2843 Krüger 1 Jun 1928 22(9):101
 b3587 Pfau 22 Aug 1928 22(20):193-197, 1 pl, 1 f
 b2132 Hannemann 8 Sep 1928 22(22):210
 b2133 Hannemann 15 Jun 1929 23(11):152-153
 b0292 Belling 1929 22:437-439
 b4472 Stichel 22 Sep 1930 24(24):254-258,
 (25):276 (1 Oct)
 b2355 Heydemann 1 Oct 1930 24(25):269-276
 b0238 Bargmann 15 Nov 1930 24(31):331
 b1272 Diehl 1930 24:35-42
 b3838 Röber 8 Jan 1931 24(37/38):389-393, 6 f
 b2134 Hannemann 8 Jan 1931 24(37/38):399-401
 b4896 Wagner 1 Nov 1931 24(45):467-485,
 (47):487-493, 1 pl
 b2356 Heydemann 1931 25:129-133, 141-144,
 149-152
 b4425 Stempffer 1 Mar 1932 25(45):449-454, 2 pls
 b4920 Wamecke 15 Jan 1933 26(39):431-433,
 (41):460-462 (1
 b2358 Heydemann 1933 27:189-195, 221-225,
 245-249,
 b3399 Niepelt 8 May 1934 28(6):53-56, 2 f
 b2448 Hörhammer 1934 28:85-88, 1 pl
 b3410 Nordström 1 Jun 1935 29(9):97-100, 1 pl

Isis von Oken

[Jena; Leipzig.] [1817-1848] [Early titles varied; volumes 26, 27
 and 36 not published.]

- b5060 Zeller 1847 1847(1):3-39
 b5061 Zeller 1847 1847(2):121-159;
 (3):213-233,

Israel J. Ent.

Israel Journal of Entomology. [Tel Aviv] [1966-] [AESN #410]
 b0293 Benjamini 15 Apr 1984 17:23-36

Iwase

[Osaka] [1983-] [The true date of issue of (3) was around 15
 September.]

- b1211 Detani 1983 (1):6-60, 63-72
 b2199 Hayashi 15 Feb 1984 (2):9-20, ill
 b2205 Hayashi 31 Aug 1985 (3):1-2, 21
 b2208 Hayashi 31 Aug 1985 (3):3-7, 15, 22

Izv. kavkaz. Muz.

Izvestiya Kavkazskago muzeya. [S. Petersburg] [1897-1919] [WL
 #24399] [Also seen as *Mitt. Kaukas. Mus.*]

- b2558 Jachontov 1911 5:291-316

Izv. turkest. Otd. imp. russ. geogr. Obshch.

*Izvestiya Turkestanskago otdela Imperatorskago russkago
 geografisheskago obshchestva.* [Tashkent.] [1898-1910] [WL
 #24536]

- b2869 Kuznetsov 1908 4(8):103-121, pl 4

J. Appl. Ecol.

Journal of applied ecology. British Ecological Society. [Oxford]
 [1964]

- b1403 Duffey 1968 5:69-96

J. asiat. Soc. Bengal, Pt II

Journal of the Asiatic Society of Bengal, Part II. [Calcutta]
 [1832-1904] [WL #25594] [Continued as *J. Proc. Asiat. Soc.
 Bengal.*]

- b5029 Wood-Mason 1880 49():223-241, pl 13
 b5031 Wood-Mason 21 Dec 1881 50(4):243-262, pl 14
 b3067 Marshall 1882 51(2/3):37-43, pl 4
 b1144 de Nicéville [Dec] 1882 51(2/3):54-66
 b1145 de Nicéville [Mar 1884] 52(2/4):65-91,
 Jun 1884 53(1):16-52
 b3236 Moore 1885 54(1):39-54
 b1146 de Nicéville 1885 54(2):117-124, 1 pl
 b1147 de Nicéville Jun 1886 55(2):103-140
 b1298 Doherty 1 Oct 1886 55(3):249-256, pl 11
 b1148 de Nicéville 1 Oct 1886 55(3):256-265
 b1299 Doherty [1887] 55(4):343-393, 4 pls
 b5032 Wood-Mason [Mar 1889] 57(4):273-293,
 b1151 de Nicéville [Mar 1889] 57(4):346-368
 b2120 Hampson May 1889 58(1):118-134, pl 10
 b1300 Doherty Dec 1889 58(4):409-440, 2 pls
 b1301 Doherty May 1891 60(1):32-37, pl 1
 b1303 Doherty Jul 1891 60(2):141-197, pl
 b1304 Doherty May 1894 63(1):1-59, pls 1-5
 b1158 de Nicéville [Feb 1896] 64(3):357-555
 b1161 de Nicéville [Feb 1896] 64(3):357-555
 b1170 de Nicéville [Feb 1896] 64(3):357-555
 b1164 de Nicéville Nov 1897 66(3):543-577, pl 1-4
 b1166 de Nicéville 1898 67(2):251-283
 b1169 de Nicéville 1898 67(2):251-283, 1 tf, pl 1

J. Aust. ent. Soc.

Journal of the Australian Entomological Society. [Brisbane]

- b2723 Kerr 1967 6(1):45-48, 6 f
 b2722 Kerr 1967 6(1):49-51, 8 f
 b2724 Kerr 1969 8(2):117-120, 1 pl, 5 f
 b2948 Le Souëf Dec 1970 9(3):219-222, ffs 1-2, pl
 1
 b4220 Sibatani 1974 13(2):95-110, 23 f
 b1097 Daniels 1976 15:197-199
 b3921 Sands 1976 15(2):229-232
 b3922 Sands 1979 18(2):127-132
 b3923 Sands 14 Mar 1980 18(3):251-265, 40 f
 b3925 Sands 1981 20(1):89-96, 24 f
 b0479 Braby 1990 29(1):41-50, ill

J. Bombay nat. Hist. Soc.

Journal of the Bombay natural History Society. [Bombay]
[1886-] [WL #25676]

- b1152 de Nicéville 1889 4(3):163-194, pls
 b1154 de Nicéville 1890 5(3):199-225, pls
 b1155 de Nicéville 1891 6(3):341-398, pls F,G
 b5055 Yerbury 1 Oct 1892 7(2):207-218
 b1156 de Nicévil* 15 Jan 1893 7(3):322-357, pls H,I,J
 b1157 de Nicéville 1 Jul 1893 8(1):37-56, pls K,L,M
 b1159 de Nicévil* 20 Mar 1895 9(3):259-321, pls N-Q
 b1160 de Nicévil* 10 Nov 1895 10(1):13-40, pls R,S,T
 b1162 de Nicévil* [24 Mar 1896] 10(2):169-194, pls
 b4951 Watson 12 Jan 1897 10(4):634-687, 1 cpl
 b1163 de Nicévil* 12 Jun 1897 10(4):633
 b1165 de Nicévil* 10 Dec 1898 12(1):131-161, pls
 b1167 de Nicévil* 15 Apr 1900 13(1):157-175, pl EE
 b1168 de Nicévil* 24 May 1902 14(2):236-251, pl FF
 b1625 Evans 12 Oct 1910 20(2):423-427
 b2135 Hannyngrton 13 Jun 1910 20(1):130-142 (13 Jun);
 b3736 Rhé Philipe 31 Jan 1911 20(3):753-769
 b1626 Evans 31 Mar 1912 21(2):553-584, (3)969-1008

- b4770 Tyler 31 Mar 1912 21(2):588-606, pl B
 b4285 South 30 Sep 1913 22(2):345-365;
 b1627 Evans 20 Nov 1914 23(2):302-310
 b4771 Tyler 2 Feb 1915 23(3):502-515
 b1628 Evans 2 Feb 1915 23(3):532-546, 1 pl, 1
 b4772 Tyler 30 Sep 1915 24(1):119-155
 b1629 Evans Dec 1921 28(1):30-40
 b3504 Ollenbach Dec 1921 28(1):123-139, 1 pl
 b3750 Riley Mar 1922 28(2):465-473
 b1631 Evans 15 May 1924 29(4):971-973
 b1632 Evans 25 Jan 1925 30(2):322-351, 2 pls
 b1633 Evans 30 Jun 1925 30(3):610-639, pl 28
 b1634 Evans 15 Dec 1925 30(4):756-776, pl 29
 b4773 Tyler 1 Nov 1926 31(3):578-590, 3 pls
 b1635 Evans 1 Nov 1926 31(3):712-719
 b3769 Riley 15 Feb 1929 33(2):384-402
 b0193 Bailey 15 Feb 1932 35(3):697-698
 b4774 Tyler Dec 1940 42(1):109-123
 b1643 Evans Aug 1955 53(1):144-145
 b0693 Cantlie Dec 1959 56(3):652
 b0697 Cantlie Aug 1960 57(2):424-429, 5 f
 b0695 Cantlie 1963 60(2):466-467, 1 pl
 b0696 Cantlie Apr 1964 61(1):210-212, 17 f
 b4823 Varshney Aug 1984 81(2):493-494
 b4181 Shields 1984 81(3):546-550
 b4824 Varshney 1985 82(2):309-321, ill
 b0275 Bean 1988 85(2):332-363, ill

J. Chos. Nat. Hist.

Journal of the Chosen natural History Society. [Keijo] [WL #25810]

- b3240 Mori 1925 (3):54-59
 b1307 Doi 1931 (12):48, f
 b1308 Doi 1931 (12):50, f

J. Coll. Agric. Hokkaido imp. Univ.

Journal of the College of Agriculture, Hokkaido Imperial University. [Sapporo] [1908-1928] [WL #25836] [Continuation of Journal of the Sapporo Agricultural College (1906). Continued as Journal of the Faculty of Agriculture, Hokkaido (Imperial) University (1927-).]

- b3090 Matsumura 1925

J. E. Afr. nat. Hist. Soc.

Journal, East Africa Natural History Society (and National Museum). [Nairobi] [1942-] [WL #25910] [Continuation of J. E. Afr. Ug. nat. Hist. Soc.]

- b0708 Carcasson Jan 1964 24(4):67-72, 1 pl
 b0709 Carcasson 1965 25:131-160, 59 f

J. E. Afr. Ug. nat. Hist. Soc.

Journal of the East Africa and Uganda natural History Society. [London] [1910-1942] [WL #25911] [Continued as J. E. Afr. nat. Hist. Soc.]

- b4802 van Someren 1939 14:172-180, 6 pls

J. Ent.

Journal of Entomology. [Continuation of Proc. R. ent. Soc. Lond. Not listed in World List.]

- b3336 Nakamura 1975 (B)44(3):283-295

J. ent. Soc. Iran

Journal of the entomological Society of Iran.

- b3856 Rose 1975 1(Suppl.):45-47, 3 f
 b3861 Rose 1977 3(1/2):81-83
 b3862 Rose 1977 4(1/2):65-69, ill
 b3863 Rose 1977 4(1/2):71-77

J. ent. Soc. Qd

Journal of the Entomological Society of Queensland. [Brisbane] [1962-] [AESN #423]

- b3920 Sands 1965 4:69-71, tf 1,2, pl 1

J. ent. Soc. S. Afr.

Journal of the Entomological Society of Southern Africa.

[Pretoria] [1939-] [WL #25972] [AESN #424] [Should be J. ent. Soc. sth. Afr.]

- b2570 Janse 30 Mar 1939 1:151-155, pl
 b3313 Murray 30 Oct 1939 2:1-3
 b0800 Clark 30 Sep 1940 3:42-56, 9 cpl
 b4436 Stevenson 30 Sep 1940 3:88-108
 b3563 Pennington 30 Sep 1940 3:128-130
 b4804 van Son 15 Sep 1941 4:179-196
 b0801 Clark 28 Sep 1942 5:111-117, pl 3,4
 b1224 Dickson 1 Sep 1943 6:37-47, 23 f
 b1225 Dickson Nov 1944 7:21-29, 33 f
 b1226 Dickson Nov 1944 7:96-99
 b1227 Dickson Sep 1945 8:99-110, 20 f
 b1228 Dickson Sep 1945 8:150-153
 b3564 Pennington 31 Mar 1946 9(1):20-27
 b1229 Dickson 28 Feb 1947 9(2):178-192, 22 f
 b1230 Dickson 30 Aug 1947 10(1):126-130
 b3565 Pennington 31 Mar 1948 10(2):164-169
 b4552 Swanepoel 31 Mar 1948 10(2):193-195
 b1231 Dickson 30 Sep 1948 11:50-62, 20 f
 b4553 Swanepoel 30 Sep 1949 12:123-125, 4 f
 b4554 Swanepoel 31 May 1951 14(1):57-58, 2 f
 b4631 Taylor 30 Nov 1951 14(2):94-126, 1 pl
 b0802 Clark 30 Nov 1951 14(2):127-132
 b3566 Pennington 30 Nov 1951 14(2):148-149
 b3567 Pennington 31 May 1952 15(1):90-95
 b0803 Clark 31 May 1952 15(1):96-98
 b3568 Pennington 1953 16:94-111, 2 pls
 b4555 Swanepoel 1953 16:191-193, 4 f
 b3569 Pennington 1956 19:33-36, 4 f
 b4803 van Someren 31 May 1957 20(1):58-78, 2 cpl
 b0804 Clark 31 May 1957 20(1):114-116, pl 3
 b2561 Jackson 31 Dec 1957 20(2):234, pl 4
 b0805 Clark 31 Dec 1957 20(2):333-335, pl 6,7
 b1233 Dickson 31 Oct 1959 22(2):312-315
 b0806 Clark 30 Sep 1960 23(2):278-283, 2 pls
 b3570 Pennington 30 Sep 1962 25(2):266-286, pl 5-7, 8 f
 b4556 Swanepoel 30 Sep 1963 25(2):291-294, pl 8
 b1234 Dickson 28 Feb 1965 27(2):160-162, f 1-4
 b2571 Janse 28 Feb 1965 27(2):267-268
 b1235 Dickson Nov 1965 28(1):11-20
 b3572 Pennington 31 Mar 1968 29:121-123, 8 f
 b0916 Cookson 31 Mar 1968 29:1-198
 b0794 Claassens Sep 1972 35(2):359-360
 b0795 Claassens Sep 1976 39(2):279-289
 b2288 Henning Sep 1979 42(2):153-159
 b2284 Henning 1982 45(2):231-238, ill

J. ent. Soc. S. Afr. (continued)

b2290	Henning	Apr 1983	46(1):59-63
b2291	Henning	Apr 1984	47(1):35-44
b4876	Villet	1986	49(1):166-168, III
b2292	Henning	1986	49(2):337-341
b2285	Henning	1987	50(1):241-248
b2293	Henning	1989	52(2):185-189, III

J. Ent. Zool.

Journal of Entomology and Zoology (Pomona College) [1913-1951] [WL #25973]

b2023	Grinnell	1916	8:83-85, 6 f
b0063	Anonymous	1917	9:135-137, 70 f
b1732	Field	Jun 1936	28(2):17-26

J. Entomology

Journal of Entomology, descriptive and geographical. [London] [1(parts 1-6):1860-1862; 2(parts 7-14):1863-1866 complete]

b0261	Bates	1861	1(4):218-245
-------	-------	------	--------------

J. Fed. Malay St. Mus.

Journal of the Federated Malay States Museums. [Kuala Lumpur] [1905-1941] [WL #26006]

b3881	Rothschild	May 1920	8:141-163
b3559	Pendlebury	Jul 1933	17(2):377-401
b3562	Pendlebury	Jul 1933	17(2):402-405
b1639	Evans	Jul 1933	17(2):406-417
b3560	Pendlebury	Dec 1936	18(1):178-186
b0940	Corbet	Dec 1938	18(2):242-262
b3561	Pendlebury	Dec 1939	18(3):380-394, 1 pl
b0954	Corbet	Apr 1941	18(5):805-813

J. Kansas ent. Soc.

Journal of the Kansas Entomological Society. [Manhattan, Kansas] [1928-] [AESN #429]

b1735	Field	Oct 1938	11(4):124-133
b1736	Field	Oct 1939	12(4):135-136
b4301	Stallings	8 Aug 1947	20(3):93-94

J. Lep. Soc.

Journal of the Lepidopterists' Society [Cambridge, Massachusetts] [1959-] [WL #26340] [AESN #430] [For Volumes 1-12, see Lep. News.]

b4253	Smith	7 Sep 1961	14(4):239-240
b5048	Wyatt	9 Nov 1961	15(1):1-18, 3 pls, 1 f
b3513	Opler	21 Mar 1962	15(3):145-171, [2] maps, [1] pl
b2893	Langston	21 Feb 1964	17(4):201-223, 6 f
b0500	Brown	13 May 1964	18(1):43-44
b1787	Freeman	28 Aug 1964	18(2):75-77, 1 pl
b0502	Brown	29 Dec 1964	18(4):211-214
b3898	Ruckes	24 Sep 1965	19(3):190-191
b0504	Brown	30 Nov 1966	20(4):239-242
b0840	Clench	21 Feb 1967	21(1):53-56, 2 f
b0506	Brown	31 May 1968	22(2):77-88
b0561	Brown	29 May 1969	23(2):95-96
b0842	Clench	26 Mar 1970	24(1):3-6, 1 f
b1322	dos Passos	26 Mar 1970	24(1):26-38
b0843	Clench	26 Mar 1970	24(1):56-59, 1 f
b2874	Lafontaine	29 May 1970	24(2):83-86, 8 f
b3388	Nicolay	10 May 1971	25(Suppl. 1):1-39, 4 pls, 11
b3389	Nicolay	19 May 1971	25(2):88-108, f 1-11
b3798	Rindge	19 May 1971	25(2):143
b0511	Brown	24 Nov 1971	25(4):240-246, 18 f
b3077	Masters	29 Sep 1972	26(3):150-154, 3 f
b3348	Nekrutenko	15 Dec 1972	26(4):215-218, 7 f
b1726	Ferris	16 May 1973	27(2):112-118, 2 f
b2417	Holland	14 Mar 1974	28(1):38-52, 1 f, 2 tbls
b3350	Nekrutenko	30 Sep 1974	28(3):278-288, 20 f
b1607	Emmel	10 Jun 1975	29(2):108-111, 2 f
b3351	Nekrutenko	26 Sep 1975	29(3):151-155, 11 f
b2728	Kiel	22 Apr 1976	30(1):16-18

J. Lep. Soc. (continued)

b1711	Ferris	22 Apr 1976	30(1):38-49, 2 f
b0132	Arbogast	22 Apr 1976	30(1):61
b1712	Ferris	22 Apr 1976	30(1):68
b3347	Neck	22 Apr 1976	30(1):69-70
b2622	Johnson	22 Sep 1976	30(3):169-183, 6 f
b3078	Mather	22 Sep 1976	30(3):197-201
b0428	Bird	22 Sep 1976	30(3):201-206
b1330	Douglas	22 Sep 1976	30(3):206
b0560	Brown	22 Sep 1976	30(3):213
b1915	Gall	22 Sep 1976	30(3):214-218
b0300	Bennett	22 Sep 1976	30(3):234-235
b3337	Nakamura	3 Dec 1976	30(4):305-309, 4 f
b4898	Wagner	3 Dec 1976	30(4):310-312
b1561	Eliot	30 Mar 1977	31(1):75
b3690	Ramos	16 Sep 1977	31(3):215-216
b2584	Johnson	7 Apr 1978	32(1):3-19, 15 f, 1 tbl
b4897	Wagner	7 Apr 1978	32(1):20-36, 15 f, 1 tbl
b0672	Callaghan	7 Apr 1978	32(1):37-48, 3 tbls
b0851	Clench	28 Feb 1979	32(4):277-281
b0106	Anonymous	28 Feb 1979	32(4):312-320
b2968	Leeuw	29 Oct 1979	33(3):204-205, 4 fig
b3722	Reist	8 Apr 1980	33(4):248-253, 5 f
b5041	Wright	8 Apr 1980	33(4):265-266, f
b0177	Austin	23 Sep 1980	34(1):20-24
b2376	Higgins	23 Sep 1980	34(1):78-79
b3187	Müller	23 Sep 1980	34(2):81-85
b0528	Brown	23 Sep 1980	34(2):86-97
b3723	Remington	23 Sep 1980	34(2):98-100
b1740	Finkelstein	23 Sep 1980	34(2):100
b4300	Stallings	23 Sep 1980	34(2):101-102
b0856	Clench	23 Sep 1980	34(2):103-119
b1581	Elliott	23 Sep 1980	34(2):120-126, 1 f
b2156	Harvey	23 Sep 1980	34(2):127-132, 16 f
b1342	Downey	23 Sep 1980	34(2):133-145, 24 f
b3188	Müller	23 Sep 1980	34(2):209-216, 7 f
b1715	Ferris	23 Sep 1980	34(2):217-223, 14 f
b3393	Nicolay	23 Sep 1980	34(2):253-256, 3 f
b4643	Thomas	11 Feb 1981	34(3):315
b2303	Heppner	24 Sep 1982	36(2):87-111
b0194	Bailowitz	18 Mar 1983	36(4):308-309
b0530	Brown	19 Aug 1983	37(1):37
b1944	Gifford	6 Sep 1983	37(2):97-105
b0531	Brown	6 Sep 1983	37(2):181
b0678	Callaghan	27 Apr 1984	37(3):254-256, f A-H
b0277	Beck	8 May 1984	37(4):289-300, 5 f
b2717	Kelson	8 May 1984	37(4):310-311
b3190	Müller	8 May 1984	37(4):317-318
b3548	Parsons	27 Jul 1984	38(1):15-22, 13 f
b0056	Andersen	27 Jul 1984	38(1):63-64, 1 f
b4956	Webster	16 Aug 1984	38(2):124-133, 2 f, 1 tbl
b4216	Shuey	16 Aug 1984	38(2):144, 1 f
b4119	Shapiro	16 Aug 1984	38(2):147-148
b5001	Whittaker	24 Apr 1985	38(3):179-185
b2419	Holland	24 Apr 1985	38(3):220-234
b2586	Johnson	7 Jan 1986	39(2):119-124
b2379	Higgins	7 Jan 1986	39(2):145-146
b1107	Davis	13 May 1986	39(3):236
b2171	Hawkeswood	25 Jun 1986	39(4):276-279
b0690	Cannon	25 Jun 1986	39(4):329-330, 1 f
b2587	Johnson	25 Jun 1986	39(4):335-337, 1 f
b4251	Smith	25 Jun 1986	39(4):337-338
b0179	Austin	25 Jun 1986	39(4):342
b0533	Brown	9 Oct 1986	40(1):7
b2420	Holland	9 Oct 1986	40(1):68, 1 f
b3196	Müller	9 Oct 1986	40(1):75-76, f
b0006	Ackery	9 Oct 1986	40(1):77-78, f
b0683	Callaghan	23 Oct 1986	40(2):93-96, 9 f
b3641	Pratt	23 Oct 1986	40(2):127
b3810	Robbins	23 Jan 1987	40(3):138-157, 8 f
b1340	Downey	11 Mar 1987	40(4):288

J. Lep. Soc. (continued)

- b4120 Shapiro 11 Mar 1987 40(4):356-357
 b4048 Schwartz 7 Oct 1987 41(3):145-150
 b4869 Vickery 7 Oct 1987 41(3):170-172, 1 f
 b3812 Robbins 5 Jan 1988 41(4):214-216, 4 f
 b4067 Scott 5 Jan 1988 41(4):216-218
 b2720 Kendall 5 Jan 1988 41(4):219-237, f, bibliography
 b5010 Wilkinson 30 Aug 1988 42(3):155-163, portrait
 b2016 Grey 30 Aug 1988 42(3):164-167
 b5009 Wilkinson 30 Aug 1988 42(3):168-183
 b1105 Davenport 6 Dec 1988 42(4):291-292, 1 f
 b2598 Johnson 18 May 1989 43(2):120-146, 7 f
 b2155 Harvey 7 Sep 1989 43(3):247-249, 5 f
 b3816 Robbins 1990 44(2):63-76, ill
 b2601 Johnson 1990 44(3):188-193, ill
 b3819 Robbins 1991 45(1):11-33, ill
 b0183 Austin 1991 45(2):135-141, ill
 b2605 Johnson 1991 45(2):142-157, ill
 b4891 Wagner 19 Jan 1993 46(4):314-324
 b2289 Henning 19 Jan 1993 46(4):325-333
 b1800 Froeschner 16 Jun 1993 47(2):172-176
 b2476 Hsu 17 May 1994 48(2):128-147, ill

J. linn. Soc. Lond., Zool.

Journal of the Linnean Society (Zoology Series) [London] [1855-] [WL #26346]

- b0582 Butler 11 Oct 1866 9:50-58
 b0586 Butler [1867] 9:213-229, 2 pls
 b0267 Bates [1868] 9:367-459
 b2745 Kirby 20 May 1870 10:494-503
 b3139 McLachlan 23 May 1878 14(74):98-122
 b3237 Moore 13 Nov 1886 21(126):29-60, pls 3,4
 b4835 Verity 16 May 1913 32(215):173-191

J. Mus. Godeffroy

Journal des Museum Godeffroy. [Hamburg] [1873-1910] [WL #26509]

- b4109 Semper [Feb 1879] 5(2)(14):138-194, pls 8,9

J. nat. Hist.

Journal of Natural History. (An International Journal of Taxonomic and General Biology). [AESN #433] [before 1967, see Ann. Mag. nat. Hist.]

- b2566 Jackson 1967 1:327-336, 22 f
 b1556 Eliot 1972 6:1-15, 21, f, 2 tbls
 b2440 Holloway 1976 10(3):273-318, 36 f
 b2774 Kitching May 1987 21(3):535-544, 17 f

J. nat. Hist. Soc. Siam

Journal of the Natural History Society of Siam. [Bangkok] [1914-1924] [WL #26533] [Continued as J. Siam Soc. Nat. Hist. Suppl. (1926-1938), which is continued in J. Thailand Res. Soc. (1939-1944), and then continued in Nat. Hist. Bull. Thailand Res. Soc. (1942-1944), and finally continued in Nat. Hist. Bull. Siam Soc. (1947-).]

- b1971 Godfrey 1916 2(2):106-147
 b3787 Riley 1921 4(3):167-190, pl 4-7
 b3774 Riley 1932 Suppl. 8:249-254, 1 pl

J. Naturalistes

Journal des naturalistes. [Mâcon] [WL #26536]

- b0058 André 1901 :52, f 1,2

J. New York ent. Soc.

Journal of the New York Entomological Society. [New York] [1893-] [WL #26559] [AESN #434] [ISSN #0028-7199] [Quarterly (Mar, Jun, Sep, Dec). Dating follows Field et al.]

- b1533 Ehmman Jun 1894 2(2):77-78
 b0932 Coquillett Sep 1899 7(3):209-212
 b0416 Beutenmüller Dec 1899 7(4):254-256
 b1440 Dyar Mar 1904 12(1):39-44

J. New York ent. Soc. (continued)

- b2025 Grinnell Mar 1907 15(1):37-50
 b5044 Wright Sep 1908 16(3):153-167
 b0904 Comstock Jun 1911 19(2):86-87
 b2118 Hall [15] Jun 1924 32(2):109-111
 b0906 Comstock [29] Mar 1940 48(1):47-84
 b3323 Nabokov Sep 1941 49(3):265-267
 b0286 Bell Dec 1941 49(4):371-374
 b0818 Clench [7] Sep 1943 51(3):219-220
 b0820 Clench [6] Apr 1944 52(1):59-61
 b0821 Clench [11] Sep 1944 52(3):255-261
 b0822 Clench [11] Sep 1944 52(3):273-276
 b3693 Rawson [24 Apr] 1948 56(1):55-62
 b3694 Rawson [23] Jun 1950 58(2):69-82, f 1,2, pl 9, 10
 b3800 Rindge Jun 1953 61(2):99-100
 b0908 Comstock 1958 66(3-4):103-118;
 b0831 Clench 30 Aug 1963 71(3):181-188, ill
 b0835 Clench 3 Feb 1965 72(4):237-244
 b0837 Clench 19 Apr 1965 73(1):41-45
 b3897 Ruckes 16 Jun 1965 73(2):49-56, bibliography, photograph
 b0839 Clench 17 Sep 1965 73(3):178-181
 b0505 Brown 29 Mar 1968 76(1):22-26
 b0539 Brown 19 Nov 1970 78(3):175-184
 b2780 Klotz 19 Feb 1982 89(4):295-331
 b2672 Juliar 9 Mar 1982 90(1):55-57
 b3799 Rindge 8 Oct 1987 95(3):459-460
 b2597 Johnson 29 Mar 1989 97(1):11-46, 10 f
 b2602 Johnson 1990 98(1):50-87, ill
 b2607 Johnson 1992 100(3):522-526, ill
 b2608 Johnson 1992 100(4):615-620, 2 f

J. Res. Lep.

Journal of Research on the Lepidoptera. [Arcadia, California] [AESN #436] [Not listed in the World List.]

- b4656 Tilden [31 Jul] 1963 1(4):281-300
 b0832 Clench [30 Dec] 1963 2(2):151-160, 2 f, 1 tbl
 b0833 Clench [Mar 1964] 2(4):247-270, 2 pls, 10 f
 b3386 Newcomer [Mar 1964] 2(4):271-280
 b0834 Clench [Dec] 1964 3(2):73-80
 b3866 Ross [Dec] 1964 3(2):81-94
 b3109 Mattoni [May 1966] 4(2):81-102, 7 f, 1 tbl
 b4657 Tilden [Jun 1969] 6(4):281-284
 b1999 Gorelick [Feb 1970] 7(2):99-104, f 1-2
 b1708 Ferris [21 Dec 1970] 8(3):91-93, 1 f
 b3127 McAlpine [Dec 1971] 10(1):1-125, 26 f
 b0846 Clench [Nov 1972] 10(2):149-180, 41 f
 b4658 Tilden [Oct 1974] 12(4):213-215
 b3110 Mattoni [1978] 16(4):223-242
 b3035 Lundgren [1978] 16(4):249-264
 b3801 Rione [7 Dec] 1979 17(1):33-39, 2 pl
 b3111 Mattoni 1979 17(Sup):1-6
 b3200 Miller 1979 17(Sup):66-76
 b3517 Orsak 1980 17(3):204-206, 3 f
 b3201 Miller 1980 17(3):207
 b2907 Larsen 31 Jan 1981 18(1):4-23
 b3112 Mattoni 24 Apr 1981 18(4):256-264, 1 tbl
 b1531 Ehrlich 20 Sep 1982 20(1):1-11
 b0676 Callaghan 20 Sep 1982 20(1):36-42, f A-K
 b4180 Shields 20 Sep 1982 20(2):65-80, 6 f, tbl
 b4069 Scott 20 Sep 1982 20(2):81-85, 1 f
 b0548 Brown 15 Apr 1983 20(4):207-213, 4 f
 b4118 Shapiro 15 Apr 1983 20(4):240-242; cpl, f 1
 b2856 Kudma 15 Jul 1983 21(1):1-105, pl
 b2418 Holland 15 Oct 1983 21(3):158
 b1718 Ferris 15 Oct 1983 21(3):188-193
 b0979 Courtney 15 Oct 1983 21(3):205-206
 b0549 Brown 15 Oct 1983 21(4):245-254
 b0136 Arnold 20 Dec 1983 22(2):135-153
 b3310 Murphy 15 Mar 1984 22(4):267-269

J. Res. Lep. (continued)

b0178	Austin	15 Jun 1984	23(1):83-88, 2 f, 1 tbl
b4228	Simmons	15 Jun 1984	23(1):102-103
b2648	Johnson	15 Jun 1984	23(1):104-106, 1 f
b4064	Scott	10 May 1985	23(4):241-281, ill
b4065	Scott	10 May 1985	23(4):334
b0680	Callaghan	1985	Suppl. 1:50-69
b0682	Callaghan	1 Apr 1986	24(3):258-263
b0118	Anonymous	[Oct] 1986	24(4):396
b3642	Pratt	21 May 1987	25(2):121-135, 3 f, 6 tbl
b3518	Orsak	8 Jul 1987	25(3):188-201, 6 f, 3 tbl
b0181	Austin	1988	26(1/4):125-140, ill
b3113	Mattoni	1989	27(3/4):173-185, ill
b0553	Brown	1989	27(3/4):233-256, ill
b0182	Austin	[1989]	27(3/4):266
b1600	Emmel	1990	28(1/2):100-104, ill
b1730	Fiedler	15 Sep 1991	28(4):239-257, 2 tbl
b3107	Mattoni	15 Sep 1991	28(4):297-309, 5 fig, 1 tbl
b0686	Callaghan	1 Dec 1993	30(3/4):221-224, ill
b0184	Austin	1 Dec 1993	30(3/4):237-244, ill
b0185	Austin	1 Dec 1993	30(3/4):245-247, ill
b4070	Scott	1 Dec 1993	30(3/4):257-260

J. Soc. Bibl. nat. Hist.

Journal of the Society for the Bibliography of Natural History.
[London] [1936-1980] [WL #26917] [Continued as Archives of Natural History.]

b4175	Sherborn	Dec 1937	1(4):109-111
b4693	Townsend	May 1938	1(5):131-133
b3413	Norman	May 1938	1(5):135-137
b4941	Waterhouse	May 1938	1(5):143-144
b0941	Corbet	Feb 1939	1(7):196
b1750	Fletcher	Feb 1939	1(7):198
b2019	Griffin	Feb 1939	1(7):206
b1924	Gay	Nov 1939	1(9):252
b1922	Gaskin	Nov 1939	1(9):260
b2020	Griffin	Nov 1939	1(9):261-267
b2263	Hemming	Oct 1941	1(11):413-446
b2264	Hemming	Oct 1941	1(11):447-464
b2265	Hemming	Feb 1943	1(12):470
b4692	Townsend	Feb 1943	1(12):471-476
b2267	Hemming	Oct 1945	2(2):51-53
b2980	Lempke	Sep 1949	2(5):171-172
b0257	Batchelder	Jan 1951	2(7):227-260
b1324	dos Passos	Jan 1962	4(1):48-56
b2371	Higgins	Nov 1963	4(3):153-159
b1018	Cowan	Jul 1967	4(6):307-311
b1022	Cowan	[20 Mar] 1969	5(2):125-134
b1024	Cowan	Apr 1970	5(4):291-302
b1025	Cowan	Apr 1970	5(4):303-323
b1026	Cowan	20 Jan 1971	5(5):358-360
b1027	Cowan	Oct 1971	6(1):9-17
b1028	Cowan	Oct 1971	6(1):18-29
b1031	Cowan	Nov 1975	7(3):273-284

J. Straits Brch. R. asiat. Soc.

Journal of the Straits Branch of the Royal Asiatic Society.
[Singapore] [1878-1922] [WL #26998]

b3259	Moulton	[1912]	60:73-177, pl [8]
-------	---------	--------	-------------------

J. Taiwan Mus.

Journal of Taiwan Museum. T'ai-wan Sheng Li Po Wu Kuan Pan Nien K'an. [Continues Q. JI Taiwan Mus.]

b2472	Hsu	1988	41(2):103-106
b2474	Hsu	1990	43(1):11-17, ill

Janus Pannonius Múz. Évk.

A Janus Pannonius Múzeum Évkönyve [Hungary] [ISSN #0553-4429]

b0201	Bálint	1990	34:47-62, ill
b0202	Bálint	1991	35:33-69
b0209	Bálint	1993	37:45-64

Jap. J. Ent.

Japanese Journal of Entomology

b2390	Hirowatari	25 Dec 1993	61(4):771-782, ill
-------	------------	-------------	--------------------

Jb. nass. Ver. Nat.

Jahrbücher des nassauischen Vereins für Naturkunde.
[Wiesbaden] [1844-] [WL #24800]

b3536	Pagenstecher	1884	37:150-326, pls 6-7
b1894	Fuchs	1889	42:191-224
b3537	Pagenstecher	1890	43:93-110
b1895	Fuchs	1891	44:209-236
b3538	Pagenstecher	1893	47:59-81, cpl 2-3
b3541	Pagenstecher	1896	49:95-170, pls 1-3
b2114	Hagen	1897	50:25-96
b1896	Fuchs	1899	52:115-158
b1897	Fuchs	1901	53:29-67
b3542	Pagenstecher	1902	55:113-204, pl 2

Jber. naturf. Ges. Graubündens

Jahresbericht der Naturforschenden Gesellschaft Graubündens
[Chur] [1854-] [WL #25044]

b0785	Christ	1883	(nf)26:8-18
-------	--------	------	-------------

Jber. Ver. Naturk. Öst. Linz

Jahresbericht des Vereins für Naturkunde in Österreich ob. d. Enns zu Linz. [WL #25131]

b2161	Hauder	1909	38:(1-42)
-------	--------	------	-----------

Jber. Wien. ent. Ver.

b2396	Hirschke	1904	11:109-111, pl 2, f 1,2
b4006	Schultz	1906	16:75-78
b3703	Rebel	1906	16:53-73
b4883	von Neustetter	1910	20:8
b1919	Galvagni	1912	22:1-168

Jena. Allgem. Lit.-Zeit.

Jenaische Allgemeine Literatur-Zeitung. [Jena] [1804-1841] [A publication in which experts in different subjects reviewed current published works. Zoologists occasionally introduced new names where they thought they were needed. Thus no titles as such were used; the full title, price and publisher, etc. would appear at the head of the article. Reviews were often anonymous; (e.g. "R.L.", or "***"). A daily publication.]

b3682	R. L.	1817	14(1):280
-------	-------	------	-----------

K. svenska VetenskAkad. Handl.

Kungliga svenska Vetenskaps-Akademiens Handlingar. [Uppsala & Stockholm] [1739-] [WL #27814]

b1092	Dalman	1816	37:48-101, 119-225, pl 2
b4913	Wallengren	1857	(nf)2(4):1-55
b0146	Aurivillius	1882	(nf)19(5):[2],
b0156	Aurivillius	[Apr 1899]	(nf)31(5):3-561, pls 1-6

Kansas Univ. Sci. Bull.

Kansas University Science Bulletin. [Lawrence] [1902-] [WL #27244]

b1528	Enrich	18 Nov 1958	39(8):305-370, 64 f
-------	--------	-------------	---------------------

Koedoe

Journal for scientific research in the National Parks of the Union of South Africa. [Pretoria] [1958-] [WL #27572]

b4809	van Son	1959	(2):52-59, 1 pl
-------	---------	------	-----------------

Konchu to Shizen (Nature & Insects)

[Should be Konchū or Konhū.]

b2175	Hayashi	1972	7(6):11, 1 pl
b3296	Murayama	1976	11(1):2-10, 10 f, 2 maps
b4598	Takanami	1987	22(8):7-12, 4 f
b4599	Takanami	1 Apr 1988	23(4):38-40, 5 f
b2477	Huang	1988	23(12):28-29, ill
b4604	Takanami	1989	24(3):36-40, 18 f
b3060	Marinaka	1989	24(6):4-9
b4099	Seki	1989	24(6):10-14
b2742	Kimura	1990	25(2):19-24

Konchu to Shizen (Nature & Insects) (continued)

- b1904 Futo 1990 25(3):33-34, ill
 b3303 Murayama 1991 26(3):20-21, ill
 b3304 Murayama 1992 27(5):37-41

Kontyû

Journal of the Entomological Society of Japan. [Tokyo] [1926-]
 [WL #27647] [AESN #422]

- b2550 Ishimura 1938 12:14-23, 2 f
 b4191 Shirôzu 1951 19:60-66, f 1-8
 b4197 Shirôzu 1959 27(1):91-92, pls 7,8
 b4201 Shirôzu 1964 32(1):167-173, 5 f
 b2158 Hasegawa 1967 35(Suppl.):70,
 bibliography
 b2206 Hayashi 25 Mar 1974 42(1):17-23, ill
 b2207 Hayashi 25 Sep 1974 42(3):258-264

Kwahak Wontongbo

[Scientific and Technical Publishing House, Pyongyang, North
 Korea]

- b2502 Im 1988 1988(3):47-50, ill

Lambillionea

*Lambillionea. Revue mensuelle de l'Union des [Bruxelles 1926-
]]* [WL #27970] [AESN #452] [For volume 1-25, see *Revue
 mens. Soc. ent. Namur. IaAS* has a fairly complete set, as does
 PPA.]

- b1197 Derenne 1926 26:4
 b1198 Derenne 1926 26(12):90-91
 b1199 Derenne 2 Feb 1927 27:11-12
 b0368 Beuret 1927 27(3):23-24; (4):29-32
 (25 Apr)
 b0669 Cabeau 1931 31:2-3
 b1200 Derenne 1931 31:5-14
 b3170 Mezger 1931 31:22-23
 b1458 d'Almeida 1932 32:13-14, 1 f
 b0370 Beuret 1933 33:134-146
 b3171 Mezger 1934 34:98
 b0371 Beuret 1934 34:99-123, 126, 1 pl
 b0372 Beuret 1934 34:127
 b3172 Mezger 1934 34:150-151
 b3173 Mezger 1935 35:188
 b3468 Obratsov 1936 36:11-18
 b2976 Lempke 1936 36:36
 b1201 Derenne 1936 36:63
 b0375 Beuret 1936 36:272-276
 b1202 Derenne 1937 37:pl 1, f 1,2
 b2413 Hoffmeyer 1937 37:110-118
 b0376 Beuret 1938 38:50-51
 b2978 Lempke 1938 38:114-118
 b2108 Hackray 1938 38:201
 b0378 Beuret 1939 39:136-140, 149-154
 b0723 Caruel 1939 39:142
 b4861 Ventry 1939 39:210-222
 b2109 Hackray 25 Mar 1946 46(2/3):18
 b0305 Berger 1946 46:95-110, 1 pl, 10 f
 b1415 Dujardin 1949 49:111-116
 b0307 Berger 1952 52:68-70
 b1120 de Lesse 1957 57:65-71, 4 f
 b2733 Kielland 1985 84(9-10):67-92, ill
 b2734 Kielland 1985 85(11-12):95-112, ill
 b2735 Kielland 1986 86(11/12):137-154, ill
 b2736 Kielland 1987 87(3/4):38-45, ill
 b2737 Kielland 1989 89(5/6):54-56
 b0474 Bouyer 1991 91(3):219-224, ill
 b2739 Kielland 1993 93(1)(ii):114-116, ill

Lansania

Journal of Arachnology and Zoology. [Tokyo] [WL #28130]
 [Not available in the United States.]

- b3339 Nakamura 1931 2:113-114

Lep. Cat.

Lepidopterorum Catalogus. [Berlin, W. Junk.] [Edited by P. O.
 C. Aurivillius, F. Byrk, E. Strand and H. Wagner. Volumes 1-32,
 published as parts 1-94. Incomplete, Volume 33 and other parts
 never appeared.]

- b0565 Bryk 1930 Pars 37:57-510
 b4473 Stichel 1930 Pars 38:1-112
 b4474 Stichel 1930 Pars 40:113-544
 b4475 Stichel 1930 Pars 41:545-720
 b4476 Stichel 1931 Pars 44:721-795
 b1912 Gaede 1931 Pars 46:321-544

Lep. News

Lepidopterists' News [1947-1958] [WL #28427] [For volume 13
 on, see *J. Lep. Soc.*]

- b0825 Clench Aug 1947 1(4):38
 b1318 dos Passos 30 Apr 1959 12(5-6):193-194
 b1319 dos Passos 30 Apr 1959 12(5-6):195-198
 b3797 Rindge 30 Apr 1959 12(5-6):208

Lep. Rdsch.

Lepidopterologische Rundschau. [Issued with *Entomologischer
 Anzeiger*, and after 1928 incorporated with it.]

- b4168 Sheijuzhko 1928 2:44-46, 51-52, 62-64, 9
 f
 b4169 Sheijuzhko 1928 2:110-112, 116-120,
 128-132

Lepidoptera

[Forest Hills, Massachusetts] [1916-1921] [WL #28424]

- b1186 Dean 15 Aug 1918 2(8):59-60

Lepidoptera (Copenhagen)

*Lepidoptera [Lepidopterological Society of Copenhagen,
 Denmark.] [1946-1951; 1967-]*

- b2299 Henriksen 1977 3(4):117-120, ill

Linnaea Ent.

*Linnaea Entomologica. Zeitschrift herausgegeben von dem
 entomologischen Verein in Stettin.* [Leipzig] [1846-1866]

- b3596 Philippi 1860 14:265-297

Linneana Belgica

[*Revue Blege d'Entomologie, Brussels, Belgium.*] [1958-] [AESN
 #458]

- b3962 Schepdael 1958 1:17-27
 b2569 Jammouille 1958 1:48-50
 b0424 Bink 1962 2:2-13
 b3963 Schepdael 1962 2:14-27
 b3964 Schepdael 1968 4:20-52
 b4977 Weiss 1977 6:253-256
 b3164 Meyer 1980 8(3):130-139
 b3165 Meyer 1981 8:345-358
 b3166 Meyer 1981 8(6):238-260
 b3167 Meyer 1982 8:451-466
 b1111 de Bast 1985 10(4):175-190, ill
 b0254 Barragué Mar 1987 11(1):2-18
 b0218 Bălint 1990 12(7):274-292, ill
 b0705 Carbonell 1991 13(1):35-45, ill
 b0203 Bălint 1991 13(2):62-79, ill
 b4044 Schurian 1991 13(2):80-93, ill
 b0706 Carbonell 1991 13(4):221-235, ill
 b3864 Rose 1992 13(6):341-346, ill
 b0205 Bălint Dec 1992 13(8):395-421
 b0206 Bălint Dec 1992 13(8):423-445

Livro hom. R. Ferreira d'Almeida

Livro de homenagem a Romualdo Ferreira d'Almeida. [São
 Paulo, Brasil] [1946]

- b5072 Zikán 30 Aug 1946 (43):347-350

Mag. f. Insektenk. (Illiger)

- b2410 Hoffmannsegg 1804 3:181-206
 b2411 Hoffmannsegg 1806 5:176-183

Mag. f. Insektenk. (Illiger) (continued)

b1658 Fabricius 1807 6:279-289 (in :277-295).

Mag. Zool.*Magasin de Zoologie. [Paris] [1831-1849] [Continued as Rev. Mag. Zool.]*

b2969 Lefebvre 1831 1(1831):19, 1 cpl

Malay Nat. J.*Malayan Nature Journal. [Kuala Lumpur] [1940; 1948-] [WL #29315]*

b3242 Morrell 1957 11(4):95-100
 b1006 Cowan 1958 13(2):85-89, pl 4
 b1560 Eliot 1974 28(2):110-112, 1 pl, 3 f
 b1564 Eliot Jun 1980 33(3/4):137-155, 16 f
 b1566 Eliot 1982 35:179-182, f
 b1568 Eliot 1984 38(2):99-112
 b1572 Eliot 1986 39:221-224
 b2771 Kirton 1987 41(2/3):365-378

Mater. Pozn. Fauny Flory SSSR*Materialy k poznaniyu fauny i flory SSSR [Moscou] [1890-] [WL #29626]*

b2848 Krulikovskii 1897 3:313-328
 b2554 Jachontov 1906 7:93-145

Mém. Acad. Sci. St.-Petersbourg*Mémoires de l'Académie (Impériale) des Sciences de Saint-Petersbourg. [St. Petersburg] [Not listed in World List.]*

b0483 Bremer 1864 8:1-103, 8 pls

Mem. amer. ent. Soc.*Memoirs of the American Entomological Society [Philadelphia] [1916-] [WL #30876] [AESN #477]*

b1784 Fox 17 Feb 1965 19:[4]+ii+438 pp, 233 f.
 b0836 Clench 17 Feb 1965 19:267-403, f 163-233

Mem. Boston Soc. nat. Hist.*Memoirs read before the Boston Society of natural History, being a new Series of the Boston Journal of natural History. [Boston] [1866-1946] [WL #30886]*

b4081 Scudder 1875 2:413-419, pl 14

Mem. Dep. Agric. Trinidad Tobago*Memoirs of the Department of Agriculture of Trinidad and Tobago. [Port-of-Spain] [1921-1927] [WL #30917]*

b2711 Kaye 1921 2:1-163, 1 pl

Mem. ent. Soc. sth. Afr.*Memoirs of the Entomological Society of Southern Africa. [Pretoria] [1947-] [AESN #482]*

b0969 Cottrell 1965 (9):1-110, 3 pls, 31 f

Mem. Hong Kong biol. Circle*Memoirs of the Hong Kong Biological Circle. [Hong Kong] [1953-1955] [WL #30992]*

b1540 Eliot 1953 (2):1-14, 3 pls

Mém. Inst. Franç. Afr. Noire*Mémoires de l'Institut Français d'Afrique noire. [Paris; Ifan-Dakar]*

b4383 Stempffer 1952 19:145-149, ill
 b4386 Stempffer 1954 40:347-354
 b4389 Stempffer 1956 48(1)(11):207-208,

Mem. Lep. Soc.*Memoirs, Lepidopterists' Society [1964-] [AESN #483] [Not listed in World List.]*

b1321 dos Passos 1964 No. 1:v+145 pp
 b3192 Miller 1981 No. 2:vii+280 pp
 b1722 1989 No. 3:vii+103 pp

Mém. Mus. natn Hist. nat.*Mémoires du Muséum nationale d'Histoire naturelle Serie A. Zoologie. [Paris] [1950-] [AESN #473]*

b4362 Stempffer 1935 (ns)2(12):219-240, ill
 b3717 Rebillard 1958 (A)15:135-215,

Mem. N. Y. St. Mus. nat. Hist.*Memoirs of the New York State Museum of Natural History. [Albany] [1889-1923] [WL #31048]*

b1695 Felt 1906 8:1-877, 50 pls (4to)

Mem. natn Mus. Vict.*Memoirs of the National Museum of Victoria. [Melbourne] [1945-] [WL #31036]*

b0575 Bums [1948] 15:86-102, pls 1-8, 5
 b0576 Bums Mar 1951 17:83-105, pls 1-6

Mém. Soc. amis Sci. nat. Moscou*Mémoires de la Société des amis de sciences naturelles.*

b1612 Erschoff 1874 11(2):[4]+vi+127+[1] pp, pls 1-6

Mém. Soc. imp. nat. Moscou*Mémoires de la Société impériale des naturalistes de Moscou. [For notes, see Nouv. Mém. Soc. imp. nat. Moscou.]*

b1742 Fischer von Waldh* 1832 8:355-360, 2 pls

Mém. Soc. roy. Sci. Liège

b1182 de Selys-Longcham* 1844 2(1845):31 pp

Mém. Soc. Sci. nat. phy. Maroc*Mémoires de las Société des sciences naturelles et physiques du Maroc. [Rabat & Paris] [1921-] [WL #30856]*

b4780 Ungemach 1932 (32):1-122, 2

Mem. Sth. Calif. Acad. Sci.*Memoirs of the Southern California Academy of Science. [Los Angeles, California]*

b3134 McDunnough 15 Jun 1938 1:3-272 (1-3)

Mem. Transv. Mus.*Memoirs of the Transvaal Museum. [Pretoria] [1943-] [WL #54150] [Should be Transv. Mus. Mem.]*

b4811 van Son Jul 1963 No. 14:ix+130 pp, 29 pls

Mem. Tsukada Colln*Memoirs of the Tsukada Collection. [Plapac Co., Ltd, Tokyo, Japan]*

b4586 Takanami 31 Aug 1982 No. 4:52-59, pl 7,8
 b4596 Takanami 30 Apr 1987 No. 5:30-35, 2 tf, 12 f
 b4597 Takanami 30 Apr 1987 No. 5:36-39, 5 f
 b3519 Osada 30 Apr 1987 No. 5:44-50, 1 tf, 10 f
 b3520 Osada 30 Apr 1987 No. 5:54-59, 2 tf, 6 f
 b3521 Osada 30 Apr 1987 No. 5:63-67, 9 f
 b3524 Osada 30 Apr 1987 No. 5:73-80, 2 tf, 10 f

Memorie Accad. Sci. Ist. Bologna*Memorie della R. Accademia delle scienze dell'Istituto di Bologna. [Bologna] [1850-1953] [WL #31300]*

b0322 Bertoloni 1851 2:167-187, 1

Memorie Accad. Sci. Torino*Memorie della Accademia delle Scienze di Torino. [Torino] [1759-] [WL #31272]*

b1141 de Loche 1801 6(2):139-150

Memorie Soc. ent. ital.*Memorie della Società entomologica italiana. [Genova] [1921-] [WL #31311] [Supplement to Bollettino della Società Entomologica Italiana.]*

b3841 Rocci 1923 2:5-12
 b4751 Turati 1930 9:196-214
 b4752 Turati 1936 15:55-77
 b4858 Venity 1937 16:37-50, 1 pl

Memorie Soc. ent. Ital. (continued)

- b2152 Hartig 1940 18:186-198, 3 pls
 b4482 Storace 1943 22:74-88
 b0280 Beer 1960 38(1959):137-148

Mems Soc. Cubana Hist. Nat.

Memorias de la Sociedad cubana de Historia natural 'Felipe Poey'. [Habana] [1915-] [WL #31253] [Should be Mems Soc. cub. Hist. nat. 'Felipe Poey']

- b0814 Clench 1941 15:407-408

Mems Soc. ent. Esp.

Memorias de las Sociedad entomológica de España. [Zaragoza] [1924-1935] [WL #31254]

- b2726 Kheil 1905 1:161-181

Mid-Cont. Lep. Ser.

Mid-Continent Lepidoptera Series. [St. Paul, Minn.]

- b3076 Masters Feb 1971 2(22):1-21
 b0512 Brown [1972] 2(28):8 pp

Misc. Ent.

Miscellanea Entomologica. Revue entomologique internationale. [Narbonne, Castanet-Tolosan] [1892-] [WL #32117]

- b3612 Pionneau 6 May 1925 28(8/9):57-58
 b3616 Pionneau 1928 31(5):44-51
 b3620 Pionneau 1938 39:45-51
 b2945 Le Moulit 1945 42:41-60 or 62
 b2946 Le Moulit 1947 44:107+
 b0312 Bernardi 1947 44:119-120
 b0314 Bernardi 1948 45:94-96

Misc. Publs U. S. Dep. Agric.

Miscellaneous Publications. United States Department of Agriculture. [Washington] [1927-] [WL #32192]

- b3944 Schaffner 1934 188:160 pp

Mitt. ArbGem. Rhein.-westf. Lepid.

Mitteilungen der Arbeitsgemeinschaft Rheinisch-Westfaelischer Lepidopterologen E. V. [Dusseldorf, Germany] [ISSN #0722-4362]

- b1983 Goltz 1978 1:65-66

Mitt. bulgar. ent. Ges. Sofia

Mitteilungen Der Bulgarischen Entomologischen Gesellschaft in Sofia. [See also Izvestiya na B'lgarskoto Entomologicheskio Druzhestvo.]

- b4741 Tuleschkow 1932 7:110-115, 2 f

Mitt. dtsh. ent. Ges.

Mitteilungen der Deutschen entomologischen Gesellschaft. [Berlin] [1930-] [WL #32343] [AESN #497] [Suspended 1945-1954]

- b4477 Stichel 1936 6:63-65

Mitt. ent. Ges. Basel

Mitteilungen aus der Entomologischen Gesellschaft. [Basel] [1951-] [WL #32393] [AESN #499] [Continuation of Vereinsnachrichten Entomologenverein Basel und Umgebung. No US library reports holding this item.]

- b0382 Beuret 1951 (nf)1:53-55, ill
 b0383 Beuret 1952 (nf)2:15
 b0384 Beuret 1952 (nf)2:47-48
 b0385 Beuret 1952 (nf)2:57-64, 20 f
 b0386 Beuret 1952 (nf)2:65-70
 b0387 Beuret 1952 (nf)2:85-86
 b0388 Beuret 1952 (nf)2:101-102
 b0390 Beuret 1953 (nf)3:6-7
 b0391 Beuret 1953 (nf)3:20-24, 31, 48
 b0392 Beuret 1953 (nf)3:69-74, 85-89, ill
 b0393 Beuret 1954 (nf)4:33-40
 b0394 Beuret 1955 (nf)5:77-106, 7 pls, 3 f
 b0395 Beuret 1955 (nf)5:113-114
 b0396 Beuret 1955 (nf)5:123-130, 3 pls

Mitt. ent. Ges. Basel (continued)

- b0397 Beuret 1955 (nf)5:146
 b0398 Beuret 1956 (nf)6:4-6
 b0399 Beuret 1956 (nf)6:17-32, 49-64, 65-71,
 b0401 Beuret 1957 (nf)7:1-8, 2 pls
 b0402 Beuret 1957 (nf)7:17-36, 37-59
 b0403 Beuret 1957 (nf)7:83-85
 b0404 Beuret 1958 (nf)8:4-5, ill
 b0405 Beuret 1958 (nf)8:58-60
 b0406 Beuret 1958 (nf)8(6):61-79, 1 pl, 12 f;
 b0407 Beuret 1959 (nf)9:25-40, 41-59
 b0408 Beuret 1959 (nf)9:80-84, 1 pl
 b0409 Beuret 1960 (nf)10:1-96 (nc), 13 pls,
 b4355 Steiniger 1975 (nf)25(1):20-29, pl
 b2682 Kames 1976 (nf)26:7-13
 b4034 Schurian 1983 (nf)33(4):140

Mitt. ent. Ver. Basel

- b4972 Wehdi 1920 (12):2, f 24

Mitt. Int. Ent. Ver.

Mitteilungen des Internationalen Entomologischen Vereins E. V. Frankfurt. [Frankfurt-am-Main, Germany] [ISSN #1019-2808]

- b4037 Schurian 1984 9(1):10-12

Mitt. münchn. ent. Ges.

Mitteilungen der münchener entomologischen Gesellschaft. [München] [1910-] [WL #32623] [AESN #503]

- b1798 Fritsch Aug 1921 11(8):44, f
 b1099 Dammehl 1921 11:32-44
 b3958 Schawerda 1924 14:24-25
 b3525 Osthelder 1926 15(Sup.):1-166, 7 pls
 b1102 Dammehl 1927 17:1-8
 b3588 Pfeiffer 1927 17:35-55
 b4170 Sheljuzhko 1929 29:351-354
 b3589 Pfeiffer 1931 21:65-67
 b3526 Osthelder 15 Mar 1932 22(1):17-32
 b3590 Pfeiffer 1932 22(1):17-32
 b1758 Forster 1936 26:41-150, 15 pls, 7 f
 b3591 Pfeiffer 15 Feb 1937 27(1):31-36
 b1759 Forster 1937 27:57-64, pls 4,5
 b1760 Forster 1937 27:65-66
 b3592 Pfeiffer 20 Aug 1938 28(2):188-195, 1 pl
 b3593 Pfeiffer 1 Dec 1938 28(3):195
 b1762 Forster 1938 28:97-118
 b3007 Lorkovic 1938 28:215-246
 b1764 Forster 1940 30(3):870-883, 1 tf, pls 22-24
 b1766 Forster 1941 31:593-627, 4 pls, 9 f
 b1767 Forster 1942 32:579-580, 1 pl
 b3008 Lorkovic 1942 32:599-624
 b3009 Lorkovic 1943 33:431-478
 b5017 Willner 1985 75:79-82

Mitt. münchn. ent. Verh.

Mitteilungen der münchener entomologischen Verhandlungen.

- b1217 Dewitz 1877 1:85-91, pl 2

Mitt. nat. Ver. Steierm.

Mitteilungen des naturwissenschaftlichen Vereins für Steiermark. [Graz] [1863-] [WL #32650]

- b2409 Hoffmann 1914 50:183-323
 b2408 Hoffmann 1914 50:183-323
 b2861 Kuehnert 1968 98:145-151

Mitt. Pollichia

Mitteilungen der Pollichia des Pflanzlichen Vereins für Naturkunde und Naturschutz. [Dürkheim] [1945-] [WL #32682] [Should be Mitt. Pollichia pfälz. Ver. Naturk. NatSchutz. Continuation of Mitt. Ver. Naturk. NatSchutz Westmark Pollichia (1941-1944). Continuation of Mitt. Saarpfälz. Ver. Naturk. NatSchutz (1937-1938). Continuation of Mitt. pfälz. Ver. Naturk. Pollichia (1920-1936). Continuation of Mitt. Pollichia (1843-1919).]

b2931 Latin 1957 (3):4-51-167, 5 maps

Mitt. Roemer Mus. Hildesheim

Mitteilungen aus dem Roemer-Museum. [Hildesheim]

b2056 Grote Aug 1895 [1]:[4] pp
 b2057 Grote Nov 1896 7:[4] pp
 b2058 Grote 1897 8:52 pp, 4 pls

Mitt. schweiz. ent. Ges.

Mitteilungen der schweizerischen entomologischen Gesellschaft. (Bulletin de la Societe Entomologique Suisse). [Bern, Schaffhausen] [1862- or 1865-] [WL #32727] [AESN #504]

b4711 Trapp Apr 1863 1(4):101-110
 b1793 Frey Jun 1882 6(7):349-375
 b1670 Favre Nov 1897 10(1):34-36
 b1668 Favre Nov 1897 10(1):36
 b0981 Courvoisier Nov 1903 11(1):18-25
 b4889 Vorbrodt 1917 12(9/10):432-530
 b4890 Vorbrodt 1921 13(3/4):175-206
 b4887 Vorbrodt 31 Mar 1930 14(6):199-264,
 b3598 Pictet 15 Sep 1934 16(3):129-139, 1 pl
 b3852 Romieux 15 Sep 1934 16(3):139-147, pl 4
 b0373 Beuret 15 Dec 1935 16(8):607-611
 b0145 Audeoud 15 Sep 1936 16(11):702-705, 1 pl, 6 f
 b3853 Romieux 15 Sep 1936 16(11):716-722
 b3854 Romieux 1937 17(3):119-138, ill
 b3735 Rézbányai 1978 51(4):399-406

Mitt. thurgau. naturf. Ges.

Mitteilungen der Thurgauischen naturforschenden Gesellschaft. [Frauenfeld] [1857-] [WL #32764]

b4971 Wehrli 1913 2:227-280

Mitt. zool. Mus. Berl.

Mitteilungen aus dem zoologischen Museum in Berlin. [Berlin] [1901-] [WL #32891]

b4503 Strand 1911 5:467-474
 b4504 Strand 1911 5(2):275-304
 b4505 Strand 1911 5(2):305-309
 b1910 Gaede 1917 8:385-404
 b4638 Tessmann 1928 14(1):115-130, 1 pl, 23 f
 b4470 Stichel 10 Jul 1929 15:15-16

Mitt. zool. Mus. Dresden.

Mitteilungen aus dem zoologischen Museum in Dresden. [Mitt. zool. anthrop.-ethnograph. Mus. Dresden. Not in the World List.]

b2769 Kirsch 1877 1:101-134

MittBl. Insektenk.

Mitteilungsblatt für Insektenkunde. [Leipzig, Jena, Berlin.]

b2825 König 1962 6:139-142

Munibe

[Sociedad de Ciencias Naturales Aranzadi, San Sebastian, Spain.]

b1993 Gomez de Aizpurva 1974 25(1):47-51, 2 pls

Mus. Reg. Sc. Nat. Boll. (Torino)

Museo Regionale de Scienze Naturali Bollettino (Torino)

b3056 Manino 1987 :5(1):97-102

Mushi no Sekai

[Tolyo, Hirayama Hakubutsukan] [1936-]

b0129 Araki 1941 4(11/12):1-2

N. Qd Nat.

North Queensland Naturalist. [Cairns] [1932-] [WL #35087]

b2139 Harris 1952 20:33-34, f

Nachr. ent. Ver. Apollo

Nachrichten des Entomologischen Vereins Apollo [Frankfurt-am-Main, Germany] [ISSN #0723-9912]

b4042 Schurian 1982 Suppl. 2:1-59, ill
 b4035 Schurian 1983 (nf)3(4):110
 b4043 Schurian [1983] (nf)3(4):111-127, ill
 b1466 Eckweiler 1984 (nf)5(2/3):63-70
 b2858 Kudma Dec 1985 Suppl. 5:60 pp
 b1468 Eckweiler 1989 (nf)10(2):81-102, ill
 b4040 Schurian 1991 (nf)12(3):153-161, ill
 b0476 Bozano 1991 (nf)12(3):211-213, ill
 b4046 Schurian 1992 (nf)12(4):217-232, ill
 b1728 Fiedler 1992 (nf)13(2):65-92
 b1729 Fiedler 1992 (nf)13(2a):212

NachrBl. bayer. Ent.

Nachrichtenblatt der bayerischen Entomologen. [Münchner Entomologische Gesellschaft] [1952-] [AESN #513]

b1776 Forster 15 Oct 1971 20(5):81-85
 b2674 Junge 1971 20:33-35, 2 pls
 b1469 Eckweiler 1978 27(4):65-68, ill

Natur. Anz. Allg. Schw. Ges.

Naturwissenschaftlicher Anzeiger der allgemeinen Schweizerischen Gesellschaft für die gesammten Naturwissenschaftlern. [Bern, Staempli-Ernst 4to 1:96 pp (1818), 2:96 pp (1818-19), 3:98 pp (1820), 4:96 pp (1820), 5:-] b3147 Meisner 1818 1818(Jahrg. 1):28-32,

Natura jutl.

Natura jutlandica. [Aarhus] [1947-] [WL #34203] [Published at irregular intervals. Searched through Volume 20.]

b2399 Høegh-Guldberg 1966 13:1-184;
 b2401 Høegh-Guldberg 1978 20:55-57

Natura, Milano

Natura [Milano.] [1909-] [WL #34199]

b0279 Beer 1959 50:129-132

Naturalista sicil.

Il Naturalista siciliano. Giornale di Scienze naturali. [Palermo] [1881-1930] [WL #34248]

b3686 Ragusa 1882 1:36-38, pl 3, f 1-3
 b3687 Ragusa 1919 23:27-61; (7-12):144-178

Naturaliste

Le Naturaliste [Paris] [1869-1910] [WL #34249]

b0176 Austaut 15 Sep 1885 7(18):141-142
 b1293 Dognin 1 Nov 1887 9=(2)1(16):172-175, 188-190, ill
 b1294 Dognin 15 May 1891 13=(2)5:125-126
 b1295 Dognin 1 Jun 1891 13=(2)5(102):132
 b0967 Cosmovici 1 Nov 1892 14=(2)6(136):254-256, (137):264 [15
 b4641 Thierry-Mi* 15 Jun 1904 26(415):140-141
 b4642 Thierry-Mieg 1911 32:46-47, 127, 140-141, 154, 167, 225, 247-248

Naturaliste Canadien

La Naturaliste Canadien. Bulletin de Recherches, Observations et Découvertes se rapportant à l'Histoire naturelle du Canada. [Québec] [1868-] [WL #34251]

b3654 Provancher Mar 1928 54(9):202-216

Naturaliste Malgache

[Tananarive-Tsimbazaza] [1949-] [WL #34252]

b4379 Stempffer 1950 2:131-133, 2 f

Nature Life Southeast Asia

Nature and Life in Southeast Asia. [Kyungpook Society of Biological Sciences, Taegu, Korea.]

b4209 Shirōzu 1962 2:25-94, 18 pls, 47 f
 b2508 Inoué 1964 4:317-394, 20 pls, 55

Nature Life Southeast Asia (continued)

- b4904 Wakabayashi 1985 15(2):33-46, ill
 b4903 Wakabayashi 1986 16(2):37-40, ill

Naturforscher

Der Naturforscher. Wochenblatt zur Verbreitung der Fortschritte in den Naturwissenschaften. [Berlin] [Not in World List.]

- b3890 Rottemburg 1775 6:1-34; 7:105-112
 b4908 Walch 1775 6:123-131, pl 1 or 6
 b4909 Walch 1778 12:56-67, 1 pl
 b3945 Schaller 1788 23:49-534, pl 2

Natuurh. Maandbl.

Natuurhistorisch maandblad. [Maastricht] [1924] [WL #34322]

- b2979 Lempke 1942 31:106-107

Neue Beitr. syst. Insektenk.

Neue Beiträge zur systematischen Insektenkunde. [Berlin] [1916-1932]

- b4167 Sheljuzhko 1919 1:123-132
 b4455 Stichel 15 Dec 1923 2(20):134
 b4460 Stichel 1924 3:1-3
 b4461 Stichel 1924 3:39-40

Neue Ent. Nachr.

Neue Entomologische Nachrichten. [Verlag Erich Bauer, West Germany]

- b0197 Bälint 1985 (14):14-20
 b2609 Johnson 1992 29:1-141, ill

New Ent.

New Entomologist. Transactions of the Shinshu Entomological Society. [Ueda] [1952-] [WL #34647] [AESN #517] [ISSN #0028-4955]

- b3278 Murayama Feb 1954 3(2/3):23-24
 b3279 Murayama Aug 1954 3(4):33-35
 b3281 Murayama Apr 1956 5(1-2):28-29, f 1,2
 b3284 Murayama 1957 6(2/3):39+
 b3287 Murayama Nov 1958 7(4):1-6
 b3289 Murayama Dec 1959 8(4):21-24, 1 pl
 b3308 Murayama Feb 1968 17(1):1-16
 b3299 Murayama May 1981 30(2):64-67
 b3300 Murayama Jun 1983 32(2):39-42
 b3499 Okubo 1983 32(4):79-81, 3 f
 b3081 Matsui 1989 38(3/4):32+

News Lep. Soc.

News of the Lepidopterists' Society.

- b4998 White 1983 1983(3):45
 b1719 Ferris 1983 1983(5):65
 b3645 [20] Jan 1984 1984(1):1-2
 b4063 Scott [20] Jan 1984 1984(1):6
 b2319 Hess [20] Jan 1984 1984(1):6-7
 b3311 Murphy Oct 1984 1984(4):68-69
 b4999 White Oct 1984 1984(4):69
 b4689 Toliver Oct 1984 1984(4):69-70
 b4303 Stamford Apr 1985 1984(2):18-23
 b2649 Johnson May 1985 1985(3):41-42
 b1471 Edmonds May 1985 1985(3):43
 b1923 Gattelle 1991 1991(4):57-58

Norsk ent. Tidsskr.

Norsk entomologisk Tidsskrift. [Kristiania, Oslo] [1920-] [AESN #528] [Continued as *Norw. J. Ent.*]

- b3412 Nordström 1935 4:87-92, 1 pl, 8 f
 b3509 Ophelm 1943 6:187-194, 2 f, 1 map

Norw. J. Ent.

Norwegian Journal of Entomology. [Continuation of *Norsk ent. Tidsskr.* and continued as *Fauna Norvegica Series B.*]

- b1334 Douwes 1975 22:143-154

Nota lepid.

Nota lepidopterologica. [Karlsruhe, Societas Europaea Lepidopterologica.] [1977-]

- b2790 Kopak 3 May 1980 2(4):139-146
 b3358 Nekrutenko 1 Jun 1980 3(1/2):55-68, 16 f
 b3370 Nekrutenko 1 Jun 1980 3(1/2):69-72, 8 f
 b1208 Descimon 1980 2:123-125
 b0725 Casini 1981 4:12-15
 b0226 Balletto 1981 4:81-92
 b1114 de Jong 1982 5:114-116
 b4790 van der Po* 30 Jun 1984 7(2):164-170
 b1674 Fazekas 1984 7(1):21-26
 b3929 Sattler 1984 7(3):282-285
 b1002 Coustis Mar 1985 8(1):8-14
 b1003 Coustis Mar 1986 9(1/2):35-38
 b1004 Coustis 1986 9(3/4):159-169
 b4976 Weidenhoffer 1987 10(4):241-246
 b0274 Baz 1988 11(3):177-181, ill
 b2971 Leigheb 1990 13(4):242-245, ill

Notat. biol., Bucharest

Notationes biologicae. [Institutul de cercetări piscicole.] [1933-1948] [WL #35173]

- b3628 Popesco-Gorj 1948 6:138-145, 1 pl

Note divulg. Ist. Ent. agrar. Univ. Napoli Portici

- b1465 Eckweiler 1978 1(3):115-118, ill
 b0225 Balletto 1979 2(1/2):13-22, ill

Notes ent. chin.

Notes d'entomologie chinoise. [Musée Heude, Chang-Hai] [1929-1949] [WL #35205]

- b2479 Huang 1943 10:67-213

Notes Leyden Mus.

Notes from the Leyden Museum [Leyden] [Volume 1 had a slightly different title.]

- b4260 Snellen 1887 9:217-218
 b4792 van Eecke 1914 36(3/4):193-258, 1 pl

Notulae ent.

Notulae Entomologicae [Helsingfors = Helsinki, Finland] [1921-] [WL #35328] [AESN #535] [ISSN #0029-4594]

- b2992 Lingonblad 1936 16:3-12
 b3407 Nordmann 1939 19:37-39, f 9-f
 b4545 Suomalainen 1980 60(1):49-61
 b4784 Väisänen 1983 63(3):124-126

Nouv. Ann. Mus. Hist. nat. (Paris)

- b0459 Boisduval 1833 2(2):149-270, pl 7

Nouv. Archs Mus. Hist. nat.

Nouvelles archives du Muséum d'Histoire naturelle. [Paris] [1865-1914]

- b3046 Mabille 1889 (3)1:97-160, pls

Nouv. Mém. Soc. imp. nat. Moscou

Nouveaux mémoires de la Société impériale des naturalistes de Moscou. [Moscou] [Volumes 1-6, 1806-1823, as *Mémoires.*

Volume 1 has Russian title "Moskovskoe obshchestvo ispytatelei prirody". Volume 3 was destroyed in the Moscow fire. Volume 7+, 1829+, also as (ns)1+.]

- b1645 Eversmann 1832 (ns)2:347-354, 2 cpls

Nov Maloizvestiye Vidy Fauny Sib.

Novye i Maloizvestnye Vidy Fauny Sibiri. [Novosibirsk, Russia]

- b2833 Korshunov 1980 No. 14:154-157, ill
 b2828 Korshunov 1982 No. 16:86-91, ill
 b2829 Korshunov 1987 No. 19:9-13
 b1397 Dubatolov 1987 No. 19:18-30
 b1395 Dubatolov 1990 No. 21:66-69, ill
 b2831 Korshunov 1990 No. 22:68-79, ill
 b2830 Korshunov 1990 No. 22:70

Nova Acta Acad. Caesar. Leop. Carol.

Nova acta Academiae Caesarea Leopoldino-Carolinae germanicae naturae curiosorum. [Halle] [1841-1928] [WL #35356]

b1218 Dewitz 1879

Nova Guinea

[*'s Gravenhage, Leiden*] [1906-] [WL #35362]

b4794 van Eecke 1915 13(Zool. 3):55-80, pls I-III

b4796 van Eecke 1924 15(Zool. 4):33-56, pl I

Novit. ent.

Novitates entomologicae. Revue mondiale d'entomologie systematique biologique. [Paris] [1931-1946 & supplement 1932-1962] [AESN #536]

b2943 Le Moulit 4 Nov 1939 (11):81-88, pl 5 (6 f) (4 Nov 1939);

b2944 Le Moulit 1942 11-12:141

Novit. zool.

Novitates Zoologicae. A Journal of Zoology in Connection with the Tring Museum. [Tring] [1894-1948]

b2037 Grose-Smith 1894 1:571-583
 b4922 Warren Jun 1895 2(2):82-159
 b2038 Grose-Smith 30 Dec 1895 2(4):505-514
 b2042 Grose-Smith 1897 4:313-314
 b2043 Grose-Smith 1897 4:366-368
 b2046 Grose-Smith 1898 5:350-358
 b3871 Rothschild 1898 5(1):96-102
 b2047 Grose-Smith 1898 5(1):103-110
 b2431 Holland 1900 7:54-85
 b2048 Grose-Smith 1900 7:86-89
 b3872 Rothschild 1900 7:274-276, cpl 5
 b3873 Rothschild 1901 8:218-220, pl 10
 b3874 Rothschild 1904 11:310-322, 2 pls
 b3345 Neave 1904 11:323-363
 b0334 Bethune-Baker 1904 11:367-429, 3 pls
 b3875 Rothschild 1904 11:452-455
 b3885 Rothschild 1905 12:448-478, ill
 b0336 Bethune-Baker 1905 12:492-496
 b3886 Rothschild 1906 13:412-752, cpls 4-9
 b2664 Jordan 1908 15:394
 b2665 Jordan 1912 18:594-596
 b0770 Chapman 1915 22:80-104
 b3878 Rothschild 1915 22:105-144, 209-227
 b3879 Rothschild 1915 22(2):192-208, (3):387-402
 b3882 Rothschild 1921 28:142-170, 215-229
 b3759 Riley 1925 32:70-95, 13 f
 b3884 Rothschild 1925 32:195-229
 b3767 Riley 1928 34:374-394, ill
 b2666 Jordan 1930 35:277-287
 b2667 Jordan 1930 36:147-149
 b3775 Riley 1932 37:181-188, ill
 b2018 Griffin 1932 37:189-206
 b2668 Jordan 1937 40:323-325, pl 14 (part)
 b3778 Riley 1939 41:355-361

Novos Taxa ent.

Novos Taxa entomológicos. (Suplemento a Revista de Entomologia de Mocambique). [Lourenço Marques, Mocambique] [1958-] [WL #35999] [AESN #538]

b4810 van Son 1959 (16):1-15, 1 pl, 3 f
 b3672 Quickelberge 1966 (47):1-11, pl
 b3571 Pennington 1967 (51):1-9, 8 f
 b3573 Pennington 1968 (56):1-8, 2 f
 b4558 Swanepoel 1970 (64):1-10, 2 pls
 b3575 Pennington 1971 (95):1-7, 5 f

Nyt Mag. naturvid.

Nyt Magazin for Naturvidenskaberne Grundlagt af Den Physiographiske Forening i Christiania. [Kristiania] [1836-1934] [WL #35527]

b4490 Strand 1901 39(1):25-72

b4491 Strand 1902 40:135-192

b3999 Schultz 1903 40:23-26

Occ. Pap. Bernice P. Bishop Mus.

Occasion Papers of the Bernice P. Bishop Museum. [Honolulu] [WL #35721]

b3186 Miller 1993 No. 34:1-24

Occ. Pap. Boston Soc. nat. Hist.

Occasional Papers of the Boston Society of Natural History. [Boston] [1869-1949] [WL #35723]

b4076 1869 :xlvi + 375

Occ. Pap. Calif. Acad. Sci.

Occasional Papers of the California Academy of Sciences. [San Francisco] [1890-] [WL #35727]

b4659 Tilden 16 Jan 1975 No. 118:1-44

Occ. Pap. Coryndon Mem. Mus.

Occasional Papers of the Coryndon Memorial Museum. [Nairobi] [1945-] [WL #35732]

b0707 Carcasson 1961 (7):3-23, 5 pls, 14 f

Occ. Pap. IUCN Species Survival Comm.

Occasional Paper of the IUCN Species Survival Commission.

b3381 New 1993 No. 8:1-21
 b3270 Munguira 1993 No. 8:23-34
 b2391 Hirowatari 1993 No. 8:35-36
 b1084 Cushman 1993 No. 8:37-44
 b0555 Brown 1993 No. 8:45-61
 b3919 Samways 1993 No. 8:62-69
 b3382 New 1993 No. 8:70-76
 b3266 Munguira 1993 No. 8:78-80
 b1405 Duffey 1993 No. 8:81-82
 b1406 Duffey 1993 No. 8:83-84
 b1407 Duffey 1993 No. 8:85-87
 b0221 Balletto 1993 No. 8:88-89
 b0222 Balletto 1993 No. 8:90-91
 b3267 Munguira 1993 No. 8:92-94
 b1209 Descimon 1993 No. 8:95-96
 b4645 Thomas 1993 No. 8:97-99
 b3268 Munguira 1993 No. 8:100-102
 b0210 Bálint 1993 No. 8:103-104
 b0211 Bálint 1993 No. 8:105-111
 b2392 Hirowatari 1993 No. 8:112-113
 b2393 Hirowatari 1993 No. 8:114-115
 b3639 Powell 1993 No. 8:116-119
 b1666 Faulkner 1993 No. 8:120-121
 b0550 Brown 1993 No. 8:122-123
 b1602 Emmel 1993 No. 8:124-125
 b1608 Emmel 1993 No. 8:126-127
 b1603 Emmel 1993 No. 8:128
 b1609 Emmel 1993 No. 8:129-130
 b1604 Emmel 1993 No. 8:131-132
 b3114 Mattoni 1993 No. 8:133-134
 b3115 Mattoni 1993 No. 8:135-136
 b1605 Emmel 1993 No. 8:137-138
 b1083 Cushman 1993 No. 8:139-140
 b4978 Weiss 1993 No. 8:141-142
 b0137 Arnold 1993 No. 8:143-144
 b3116 Mattoni 1993 No. 8:145
 b0556 Brown 1993 No. 8:146-149
 b0557 Brown 1993 No. 8:150
 b0558 Brown 1993 No. 8:151
 b0559 Brown 1993 No. 8:152
 b0688 Callaghan 1993 No. 8:153
 b2297 Henning 1993 No. 8:154-155
 b2294 Henning 1993 No. 8:156-157
 b2295 Henning 1993 No. 8:158

Occ. Pap. IUCN Species Survival Comm. (continued)

b2296	Henning	1993	No. 8:159
b3927	Sands	1993	No. 8:160-162
b3918	Samson	1993	No. 8:163-165
b3383	New	1993	No. 8:166-167
b1223	Dexter	1993	No. 8:168-170
b3646	Prince	1993	No. 8:171-172
b3384		1993	No. 8:173 pp

Occ. Pap. natn. Mus. Sth. Rhodesia

Occasional Papers. National Museum of Southern Rhodesia. [Bulawayo] [1937-] [WL #35757] [Continuation of Occ. Pap. Rhod. Mus.]

b4433	Stevenson	1934	1(3):10-17
b4434	Stevenson	1937	1(6):14-38, 3
b4806	van Son	1949	2(15):259-260
b3607	Pinhey	1962	(B)3:871-891, 2 pls, 5 f

Occ. Pap. natn. Mus. Monum. Rhod. (Nat. Sci.)

Occasional Papers of the National Museums and Monuments of Rhodesia Series B Natural Sciences. [Salisbury, Rhodesia]

b4879	Vissian	1976	
-------	---------	------	--

Occ. Pap. S Barbara Mus. nat. Hist.

Occasional Papers. Santa Barbara Museum of Natural History. [WL #35768]

b3204	Miller	1981	11:78 pp
-------	--------	------	----------

Oecologia

[1924-1944; 1952-] [WL #58732] [Supersedes (in part) Z. Morph. Ökol. Tiere.]

b1337	Douwes	1976	22:287-298
b0144	Atsatt	1981	48:60-63, 3 tbl, 1 f

Öfers. K. VetenskAkad. Förh.

Öfersigt af Kongl Vetenskapsakademiens förhandlingar. [Stockholm] [1844-1902] [WL #36053]

b4914	Wallengren	1858	15:75-84,135-142,209-215
b4916	Wallengren	1872	29(3):41-61
b4917	Wallengren	1875	32(1):83-137
b0152	Aurivillius	1896	53(1896):431-436

Ohio Lepid.

Ohio Lepidopterist [Columbus, Ohio] [ISSN #0884-5956]

b4052	Schweitzer	1992	14(2):21-23
-------	------------	------	-------------

Oikos

Oikos. Acta ecologica scandinavica. [København] [1949-] [WL #36092] [AESN #544]

b1335	Douwes	1975	26:332-340
-------	--------	------	------------

Opera Lillioana

Ministerio de Cultura y Educacion. Fundación Miguel Lillo. [Tucuman.] [1957-] [WL #36222]

b2221	Hayward	1973	23:318 pp
-------	---------	------	-----------

Opin. Declr. Int. Comm. Zool. Nomen.

Opinions and Declarations rendered by the International Commission on Zoological Nomenclature. [London] [1939-1959] [Continued in the Bull. zool. Nom.]

b2511	Internatio*	28 Aug 1939	2:1-6
b2512	Internatio*	30 Oct 1942	2:21-28
b2513	Internatio*	9 Dec 1943	2(17):161-168
b2514	Internatio*	21 Jun 1945	2(35):359-374
b2515	Internatio*	25 Sep 1945	2(39):431-442
b2516	Internatio*	5 Dec 1945	2(30A):(6)-(9)
b2517	Internatio*	22 Jan 1946	2(41):459-470
b2518	Internatio*	22 Jan 1946	2(43):483-494
b2519	Internatio*	22 Jan 1946	2(45):509-520
b2520	Internatio*	21 Apr 1954	4(22):249-274
b2521	Internatio*	10 Sep 1954	6(1):1-24, 1 pl
b2522	Internatio*	10 Sep 1954	6(1):25-40
b2523	Internatio*	1 Oct 1954	2(53):629-652
b2524	Internatio*	1 Oct 1954	6(10):135-178

Opin. Declr. Int. Comm. Zool. Nomen. (continued)

b2525	Internatio*	16 Jul 1956	
b2526	Internatio*	26 Oct 1956	
b2527	Internatio*	31 Jul 1957	
b2528	Internatio*	3 Mar 1958	18(5):121-140
b2529	Internatio*	16 May 1958	19(1):1-44
b2530	Internatio*	27 Feb 1959	
b2531	Internatio*	22 May 1959	

Opuscula entomologica

[Lund, Sweden, Entomologiska Sällskapet] [1936-] [WL #36284] [AESN #548]

b0578	Burau	12 Oct 1953	18(2/3):116-121, pl, map
-------	-------	-------------	--------------------------

Orient. Insects

Oriental Insects. (A Journal of Systematic Entomology and Zoogeography of South and Southeast Asia). [Association for the Study of Oriental Insects, Department of Zoology, University of Delhi, Delhi, India.] [1966-] [AESN #553]

b0239	Barlow	1971	5(3):269-296, 1 f
-------	--------	------	-------------------

P.-v. Soc. linn. Bordeaux

Procès-verbaux de la Société linnéenne de Bordeaux. [Bordeaux 1876-] [WL #39884]

b2002	Gouin	1904	59:1xx-1xxi
-------	-------	------	-------------

Pallarge

[A private journal published by Hitoshi Sugiyama, Gifu, Japan.]

b4540	Sugiyama	30 Apr 1992	1:1-19
b4541	Sugiyama		1993 2:1-10, ill
b4542	Sugiyama	10 Mar 1994	No. 3:1-12
b4542a	Sugiyama	10 Dec 1994	No. 4:1-8, 1 pl

Pan-Pac. Ent.

Pan-Pacific Entomologist. [San Francisco] [1924-] [WL #36948] [AESN #559]

b4431	Stemitz*	[12 Dec] 1930	7(2):93-94
b2102	Gunder	[28 Mar] 1932	8(3):123-127
b1074	Cross	[4 May] 1937	13(1-2):88
b2461	Hovamitz	17 Dec 1937	13(4):184-189
b1734	Field	[19 Aug] 1938	14(3):142-143
b5020	Wind	[23 Feb] 1945	21(1):14-16
b4653	Tilden	[9 Apr] 1947	23(1):42-43
b4302	Stallings	30 Oct 1947	23(3):119-120
b0778	Chemmock	[31 Jan 1949]	24(4):212
b0002	Abbot	[29 Dec] 1950	26(4):161-172
b1995	Goodpasture	Apr 1973	49(2):149-159, 20 f, 1 tbl
b1606	Ermel	1973	49(1):74-80
b2582	Johnson	[22 Apr] 1976	52(1):60-62, 1 f
b2603	Johnson	1990	66(2):97-125, ill

Pap. Proc. R. Soc. Tasmania

Papers and Proceedings of the Royal Society of Tasmania. [Hobart] [1848-] [WL #37092]

b0971	Couchman	1954	88:67-79, pl 1, 2
b0972	Couchman	1962	96:73-81, 3 tfs,
b0973	Couchman	1965	99:81-85, pl 1

Papéis avulsos Dept. Zool., São Paulo

Papéis avulsos do Departamento de zoologia. Secretaria de agricultura, etc. [São Paulo] [1941-] [WL #36952]

b1464	Ebert	1965	
b2878	Lamas	26 Feb 1973	26(13):179-185

Papilio

The Organ of the New York entomological Club. [New York] [Not listed in the World List.]

b1512	Edwards	19 Feb 1881	1(2):30
b1487	Edwards	26 Apr 1881	1(4):50-55
b1514	Edwards	Oct 1881	1(9):150-152
b1516	Edwards	Feb 1882	2(2):19-29
b1517	Edwards	Mar 1882	2(3):45-49

Papilio (continued)

b1518	Edwards	[28] Oct 1882	2(8):136-143
b1520	Edwards	Jan 1883	3(1):1-10
b1521	Edwards	10 Jun 1883	3(5-6):85-97
b5042	Wright	[29 Jan 1885]	4(7-8):126-128

Papilio (New Series)

[James A. Scott, Lakewood Colorado] [1981-] [A privately published journal.]

b4062	Scott	25 Nov 1981	1:1-12
b4068	Scott	1992	6:1-171

Papilio International

An Illustrated Journal Devoted to the Study of the Swallowtail Butterflies (Family Papilionidae) of the World. [Denmark, The Lepidoptera Group of 1968.] [1984-]

b2635	Johnson	1989	6(2):451-457
-------	---------	------	--------------

Pearce-Sellards ser. Tex. mem. Mus.

Pearce-Sellards Series Texas Memorial Museum. [Austin, Texas]

b1435	Durden	1978	(29):1-25
-------	--------	------	-----------

Petites Nouv. ent.

Petites Nouvelles Entomologiques. [Paris] [Not listed in the World List.]

b3206	Millière	1872	1(64):255-256
b4985	Weyenbergh	15 Jun 1874	1(102):403-404, 408
b3415	Oberthür	1 Jul 1874	1(103):412-413
b3041	Mabille	1 Jan 1879	2(211):289
b0175	Austaut	15 Jan 1879	2(212):293

Phegea

[Berchem, Belgium] [No U.S. library reports holding this item.]

b3650	Prins	1982	10:61-76
b1277	Dils	1985	13(4):109-112, ill
b3501	Olivier	1988	16(4):119-121, ill
b3502	Olivier	1989	17(1):1-18, ill
b4797	van Oorschot	1989	17(2):55-56
b1174	De Prins	1991	19(4):141-148, ill
b1173	De Prins	1 Mar 1992	20(1):11-34
b3503	Olivier	1992	20(4):151-154, ill
b1172	De Prins	1993	21(1):11-16, ill
b2321	Hesselbarth	1993	21(2):47-53, ill

Phil. Mag.

Philosophical Magazine.

b4550	Swainson	1827	(2)1(3):180-188 (or 199)
-------	----------	------	--------------------------

Philippine J. Sci.

Philippine Journal of Science. [Manila] [1906-] [WL #37550]

b4019	Schultze	1907	2:361-375, 1 pl
b4020	Schultze	1910	5:161-182, pl 1, 10 f

Physis

Revista de la Sociedad argentina de ciencias naturales. [Buenos Aires] [1915-] [WL #37734] [Continuation of Boletín de la Sociedad Physis para el cultivo y difusión de las ciencias naturales en la Argentina (1912-1915).]

b1937	Giacomelli	1917	3:406-409
b2215	Hayward	1939	17:317-374

Phytochemistry

[Pergamon Press, Ltd., Oxford, England]

b3889	Rothschild	1986	25(8):1853-1854
-------	------------	------	-----------------

Polsk. Pismo ent.

Polskie pismo entomologiczne. (Bulletin Entomologique de Pologne). [Lwów, Wrocław, Poland; Polskie Towarzystwo Entomologiczne] [1922-] [WL #38059] [AESN #583, 584] [From 1958 divided into Seria A and B.]

b2700	Kauchi	1922	1:38-42
b2701	Kauchi	1924	3:89-93
b5024	Wize	1936	13:105-117
b3968	Schnaider	1950	19:237-255, 1 f
b2853	Krzywicki	1983	53(3):401-404, ill

Pr. Muz. przyr. Kraków

Prace Muzeum przyrodniczego. [Kraków] [1945-1947] [WL #38367] [AESN #586] [Also as Acta Musei hist. nat.]

b5028	Wojusiak	1946	(6):74 pp, 3 f, 3 pl
-------	----------	------	----------------------

Priamus

Results of the Scientific Researches on Entomology. [Ankara, Turkey] [1981-]

b2792	Koçak	1 Nov 1981	1(1):11-17
b2793	Koçak	1981	1(2):93-96
b2794	Koçak	9 Dec 1981	1(2):46-90 (9 Dec), 1(4):155-167, 1981 1(3):110-111; 2(1):64-66; 2(4):164-166;
b2795	Koçak	1981	1(3):110-111; 2(1):64-66; 2(4):164-166;
b2796	Koçak	29 Jun 1982	2(2):92-94
b2797	Koçak	1982	2(1):4-42; 3(3):98-130; 3(4):133-154;
b2798	Koçak	1983	3(1):3-5
b2799	Koçak	1984	3(3):93-97
b2800	Koçak	31 May 1986	4(1/2):3-12
b2801	Koçak	25 Jan 1989	4(4):150-161, 2 maps

Proc. Acad. nat. Sci. Philad.

Proceedings of the Academy of Natural Sciences of Philadelphia [Philadelphia] [1841-] [WL #38793]

b1488	Edwards	Jul 1861	13:160-164
b1489	Edwards	[Mar] 1862	14(1/2):54-58
b1490	Edwards	[May] 1862	14:221-226
b3697	Reakirt	1866	18:238-249 (1866),
b3698	Reakirt	1868	20:87-91
b4533	Strecker	1885	37:174-179
b0670	Cadbury	6 Jan 1938	89:387-413, ill

Proc. amer. Acad. Arts Sci.

Proceedings of the American Academy of Arts and Sciences (Boston) [1846-1958] [WL #38819]

b4080	Scudder	10 Jun 1875	10[=2(2)]:91-293
-------	---------	-------------	------------------

Proc. asiat. Soc. Bengal

Proceedings of the Asiatic Society of Bengal. [Calcutta] [1865-1904] [WL #38960] [Continued as Journal of the Asiatic Society of Bengal.]

b5030	Wood-Mason	22 Oct 1881	1881:142-143
b1143	de Nicéville	1881	1881:121-123

Proc. Biol. Soc. Wash.

Proceedings of the Biological Society of Washington. [Washington, D.C.] [1880-] [WL #39008]

b0799	Clark	18 Feb 1938	51:1-6
b0797	Clark	16 Jun 1948	61:77-81

Proc. Boston Soc. nat. Hist.

Proceedings of the Boston Society of Natural History. [Boston] [1841-1942] [WL #39020]

b4074	Scudder	25 Mar 1868	11:435-436
b4075	Scudder	1868	11:401
b5000	Whitney	Dec 1868	12:162-163
b4079	Scudder	3 Jun 1875	17(1):86-91
b2422	Holland	7 May 1890	25:52-82, pls 3-5

Proc. Calif. Acad. Sci.

Proceedings of the California Academy of Sciences. [San Francisco] [1854-] [WL #39044]

b0281	Behr	Jan 1865	3(3):178-179
b0283	Behr	Jan 1867	3(4):279-283
b1482	Edwards	Dec 1874	5(21):325-332
b1483	Edwards	[9 Aug 1877]	7(12):163-173
b1485	Edwards	1877	7(10):143-145
b1484	Edwards	1877	7(2):19-25
b4791	Van Duzee	1933	(4)21:139-145
b2227	Heid	1933	(4)21:143

Proc. Cleveland Acad. nat. Sci.

Proceedings of the Cleveland Academy of natural Sciences.
[Cleveland]
b2770 Kirlind 1874 1845-1859:17-25

Proc. Colorado Mus. nat. Hist.

Proceedings of the Colorado Museum of Natural History.
[1915-1948] [WL #39096] [Continued as Proc. Denver Mus. nat. Hist.]

b1075 Cross 1 Jul 1937 16(1):3-28, 5 f

Proc. Denver Mus. nat. Hist.

Proceedings. Denver Museum of Natural History. [Denver]
[1954-] [WL #39147]

b0538 Brown 29 Oct 1955 5:113-178, [57] f

Proc. ent. Soc. Brit. Columbia

Proceedings of the Entomological Society of British Columbia.
[Victoria] [1911-] [WL #39185] [Continued as J. ent. Soc. Br. Columbia.]

b0442 Blackmore 1920 14:5-10, f

Proc. ent. Soc. Lond.

Proceedings of the Entomological Society of London. [London]
[1926-] [WL #39634] [For 1939 on, see Proc. R. ent. Soc. Lond. Before 1926 the Proceedings were issued as part of the Transactions.]

b0914 Cooke [5 Apr 1928] 2(3):66-67
b2232 Hemming [5 Apr 1928] 2(3):67-68
b2233 Hemming [18 Aug] 1928 3(1):29-31, pl 2, 6 f
b2237 Hemming [31 Jul] 1929 4(1):1-3
b2238 Hemming [31 Jul] 1929 4(1):3-7
b2245 Hemming [31 Dec] 1932 7(2):27-29

Proc. ent. Soc. N. S. Wales

Proceedings of the Entomological Society of New South Wales.
[Sydney] [Not listed in the World List.]

b3050 MacLeay 1866 1(5):liii-lv

Proc. ent. Soc. Philad.

Proceedings of the entomological Society of Philadelphia.
[Philadelphia] [1861-1867] [AESN #708] [Continued as Trans. amer. ent. Soc.]

b1491 Edwards [Apr] 1863 2(1):14-22, pl 5, f 3
b1492 Edwards [Aug] 1863 2(2):78-82
b1493 Edwards [Apr] 1864 2(4):501-507
b4975 Weidemeyer [Apr] 1864 2(4):513-542
b1494 Edwards [Feb] 1865 4(2):201-204, 1 pl
b0282 Behr Mar 1866 6(2):208
b3696 Reakirt Jun 1866 6(1):122-151, f 1, pl 1
b1495 Edwards [Nov] 1866 6(2):200-208

Proc. ent. Soc. Wash.

Proceedings of the Entomological Society of Washington.
[Washington, D.C.] [1884-] [WL #39189] [AESN #598]

b1441 Dyar 26 Jul 1909 11(1):19-29
b3955 Schaus 26 Nov 1923 25(7/8):163
b3953 Schaus 18 May 1927 29(4):73-82
b3954 Schaus 24 Apr 1928 30(3):46-58
b0798 Clark 18 Oct 1948 50(7):176-178
b0517 Brown 23 Dec 1975 77(4):501-504, 1 f
b3577 Perkins 5 Aug 1977 79(3):468-471
b3813 Robbins 29 Apr 1988 90(2):133-154, 53 f
b3814 Robbins 20 Jul 1988 90(3):356-358, 36 f

Proc. Essex Inst.

Proceedings of the Essex Institute. [Salem] [Not listed in the World List.]

b4073 Scudder [26 Apr] 1864 3:161-179

Proc. Int. Congr. Ent.

Proceedings. International Congress of Entomology. [WL #59565] [1, Brussels, 1910; 2, Oxford, 1912; 3, Zurich, 1925; 4, Ithaca, 1928; 5, Paris, 1932; 6, Madrid, 1935; 7, Berlin, 1938; 8, Stockholm, 1948; 9, Amsterdam, 1951; 10, Montreal, 1956; 11, Vienna, 1960; 12 London, 1964; 13, Moscow, 1971.]

b3784 Riley 1958 10(Montreal):1:281-288

Proc. linn. Soc. N. S. Wales

Proceedings of the Linnean Society of New South Wales.
[Sydney] [1876-] [WL #39351]

b3505 Olliff 1886 [1]10(4):716-717
b3168 Meyrick 22 Mar 1888 (2)2(4):825-834
b3211 Miskin 22 Mar 1889 (2)3(4):1514-1520
b3025 Lucas 15 Apr 1890 (2)4(4):1065-1099
b3212 Miskin 16 Jun 1890 (2)5(1):29-43
b3013 Lower 17 Sep 1897 22(1):10-32
b4931 Waterhouse 8 Aug 1900 25(1):52-57, 1 pl, 8 f
b4932 Waterhouse 16 Dec 1902 27(3):331-342, pl 14
b4933 Waterhouse 9 Apr 1903 27(4):658-653
b4934 Waterhouse 30 Jul 1903 28(1):132-275, pls
b4948 Waterhou* [10 Apr 1905] 29(4):798-804
b4936 Waterhouse 8 Nov 1920 45(3):468-471
b4937 Waterhouse 15 Oct 1928 53(4):401-412, pl 25
b4938 Waterhouse 15 Dec 1934 59(5-6):416-420
b4943 Waterhouse 15 Sep 1941 66(3/4):234-238

Proc. natn Acad. Sci.

Proceedings of the National Academy of Sciences of the United States of America. [Washington] [1915-] [WL #39424]

b0577 Bums 1971 68(1):34-37

Proc. New Engl. zool. Club

Proceedings of the New England Zoölogical Club. [Cambridge, Massachusetts] [1899-1947 (Volume 1-24).] [WL #39509] [Not at U of I. Field Museum has a complete set.]

b4962 Weeks 1901 2:71-74
b4963 Weeks 1901 2:101-108
b4966 Weeks 1902 3:9-13

Proc. R. ent. Soc. Lond.

Proceedings of the Royal Entomological Society of London.
[London] [WL #39634] [AESN #603, 604, 605] [Before 1934, see Proc. ent. Soc. Lond.]

b0712 Carpenter 30 Jun 1934 (A)9(1):12-14, 64
b0933 Corbet Oct 1936 (B)5(10):185-186
b0714 Carpenter Oct 1936 (B)5(10):196-200
b4939 Waterhouse Jan 1937 (B)6(1):16
b0935 Corbet May 1937 (B)6(5):99-104
b0936 Corbet Dec 1937 (B)6(12):224-233, f 1-12
b0937 Corbet Apr 1938 (B)7(4):166-172, f 1-17
b0942 Corbet Feb 1939 (B)8(2):25-31, f 1-19
b0943 Corbet Jun 1939 (B)8(6):103-112, f 1-20
b2261 Hemming Jul 1939 (B)8(7):133-138
b2262 Hemming Sep 1939 (B)8(9):181-191
b0945 Corbet Jan 1940 (B)9(1):1-6, 7 f
b0946 Corbet May 1940 (B)9(5):90-92, f 1-6
b0947 Corbet Jun 1940 (B)9(6):111-112, 4 f
b0949 Corbet Aug 1940 (B)9(8):143
b0953 Corbet Mar 1941 (B)10(3):46-50, f 1-6
b0955 Corbet May 1941 (B)10(5):81-84, f 1-5
b0956 Corbet Sep 1941 (B)10(9):149-183, f
b4626 Talbot Aug 1942 (B)11(8):120-123
b2266 Hemming Feb 1943 (B)12(2):23-30
b0961 Corbet 13 Mar 1947 (B)16:1-2, f 1-3
b0963 Corbet 16 Aug 1948 (B)17(7/8):93-97
b1907 Gabriel 15 Dec 1949 (B)18(11/12):207-218, 1 pl
b0715 Carpenter 15 Aug 1950 (B)19(7/8):97-108, 1 pl
b1541 Eliot Oct 1955 (B)24:153-158
b1106 Davies Mar 1958 (A)33(1-3):31-36
b4424 Stempffer May 1962 (B)31:33-37

Proc. R. Soc. Qd

Proceedings of the Royal Society of Queensland. [Brisbane] [1884-] [WL #39645]

b3023	Lucas	1889	6(2/3):117-119, pl 6
b3024	Lucas	1889	6(4):155-161, 1 pl
b3213	Miskin	1890	6(5):263-266
b3027	Lucas	1891	7(1):47
b3028	Lucas	1900	15(:):137-161

Proc. R. zool. Soc. N. S. Wales

Proceedings of the Royal Zoological Society of New South Wales. [Sidney]

b1480	Edwards	1951	1949-50:58-60
b1481	Edwards	[1956]	1954-55:60-62

Proc. S. Lond. ent. nat. Hist. Soc.

Proceedings of the South London entomological and natural History Society. [London] [1896-1931] [WL #39709] [The first volume had a slightly different title: "Abstract of Proceedings ...". Continued as Trans. Proc. ... (1932-1933) and Proc. Trans. ... (1933-).]

b0863	Cockerell	1887	1887:95-107
b4755	Tumer	1927	1926-27:55-60

Proc. Trans. Br. ent. nat. Hist. Soc.

Proceedings and Transactions of the British entomological and natural History Society. [Superseded by Br. J. ent. nat. Hist.]

b2576	Jarvis	1969	2:107-117
b2577	Jarvis	1976	9:85-94
b0793	Cilia	1979	12:76

Proc. Trans. Rhod. Sci. Assoc.

Proceedings and Transactions of the Rhodesia Scientific Association. [Bulawayo] [Often cited as just Proceedings or Transactions, but published in the same volume.]

b3380	Neville-Jones	1918	16(2):10-20
b4435	Stevenson	1939	37:41-42
b3605	Pinhey	1945	40:61-70

Proc. U. S. natn. Mus.

Proceedings of the United States National Museum. [Washington, D.C.] [1878-] [WL #39782] [Superseded by Smithsonian Contr. Zoology.]

b3948	Schaus	1 Mar 1902	24(1262):383-460
b1442	Dyar	6 Mar 1912	42(1885):39-106
b1443	Dyar	22 Jul 1913	45(2006):627-649
b1444	Dyar	20 Oct 1914	47(2050):139-350
b1445	Dyar	24 Oct 1914	47(2054):365-409
b1446	Dyar	24 Oct 1915	47(2056):422-436
b1447	Dyar	16 Oct 1916	51(2139):1-37
b1448	Dyar	5 Apr 1918	54(2239):335-372
b3952	Schaus	15 Jun 1920	57(2307):107-152
b1737	Field	1 Feb 1967	119(3552):1-48, 126 f
b1738	Field	9 Aug 1967	123(3611):1-31, 23 f

Proc. zool. Soc. Lond.

Proceedings, Zoological Society of London [London] [1830-] [WL #39835] [Now Journal of Zoology, 3 (1859-1873) or 4 (1874 on) parts per year. 1901-1905 had 2 volumes of 2 parts each. For dating see Duncan, 1937.]

b3220	Moore	Oct 1865	1865(2):486-511, pls 30,31
b3221	Moore	[Apr 1866]	1865(3):755-822, 3 pls
b4912	Wallace	Sep 1866	1866(2):355-365
b0585	Butler	May 1867	1867(1):37-39, 3 f
b1383	Druce	Aug 1873	1873(2):337-361, 2 pls
b1385	Druce	Jun 1874	1874(1):102-109, pl 16, 6 f
b3222	Moore	Jun 1874	1874(1):264-274, pl 43
b3223	Moore	[Apr 1875]	1874(4):565-579, pls 66,67
b0601	Butler	[Apr 1876]	1875(4):610-619, pl 67

Proc. zool. Soc. Lond. (continued)

b1388	Druce	Jun 1876	1876(1):205-253, pl 17-18
b0602	Butler	Jun 1876	1876(1):251-253
b0603	Butler	Aug 1876	1876(2):308-310, pl. 22
b0609	Butler	Oct 1877	1877(3):466-475
b3226	Moore	Oct 1877	1877(3):580-632, pls 58-60
b1973	Godman	Jul 1878	1878(2):360-369
b1974	Godman	[Sep] 1878	1878(3):637-643, pl 40
b3228	Moore	[Sep] 1878	1878(3):686-695, pl 45
b3229	Moore	[Sep] 1878	1878(3):695-708
b3230	Moore	[Apr 1879]	1878(4):821-859, 3 pls
b3231	Moore	Jun 1879	1879(1):136-144
b0616	Butler	[Oct] 1880	1880(3):403-414, pl 39, f 1-12
b0618	Butler	[Oct] 1881	1881(3):602-624
b1696	Fenton	[Apr 1882]	1881(4):851-855
b0620	Butler	[Apr 1882]	1881(4):851-855
b1589	Elwes	[Apr 1882]	1881(4):856-916
b3234	Moore	[Jun] 1882	1882(1):234-263, pls 11,12
b1590	Elwes	[Oct] 1882	1882(3):398-407, pl 25
b0625	Butler	[Aug] 1883	1883(2):144-175, pl 24
b0626	Butler	[Aug] 1883	1883(3):365-371, cpl 38, 7 f
b3235	Moore	[Apr 1884]	1883(4):521-535, pls 48-49
b4564	Swinhoe	[Apr 1885]	1884(4):503-529, pls 47-48
b4565	Swinhoe	[Jun] 1885	1885(1):124-148, pl 9
b0633	Butler	[Apr 1886]	1885(4):756-776, ill
b0635	Butler	[Oct] 1886	1886(3):355-394, 1 pl
b4566	Swinhoe	[Apr 1887]	1886(4):421-465, pls 40,41
b2961	Leech	[Oct] 1887	1887(3):398-431
b1591	Elwes	[Oct] 1887	1887(3):444-447
b1150	de Nicéville	[Oct] 1887	1887(3):448-467, pls 39,40
b0636	Butler	[Apr 1888]	1887(4):567-574
b0637	Butler	[Jun] 1888	1888(1):56-85
b4152	Sharpe	[Oct] 1890	1890(3):552-577
b4727	Trimen	[Jun] 1891	1891(1):59-107, 2 pls
b1358	Druce	[Oct] 1891	1891(3):357-372, pls 31,32
b4154	Sharpe	[Apr 1892]	1891(4):633-638, pl 48, 6 f
b0638	Butler	[Jun] 1892	1892(1):120-133, 1 pl
b1359	Druce	[Oct] 1892	1892(3):434-446, pl 27
b1594	Elwes	[Apr 1893]	1892(4):617-664, pls 43,44
b1382	Druce	[Oct] 1893	1893(3):536-552, pls 45-47
b4155	Sharpe	[Oct] 1893	1893(3):553-558
b0639	Butler	[Apr 1894]	1893(4):643-684, pls 5-7
b4729	Trimen	[Jun] 1894	1894(1):14-82, pls 4-6
b0640	Butler	[Apr 1895]	1894(4):557-593, pls 36,37
b0641	Butler	[Aug] 1895	1895(2):250-270, pls 15,16
b1362	Druce	[Oct] 1895	1895(3):556-627, pls 31-34
b0642	Butler	[Oct] 1895	1895(3):627-634, pl 35
b0643	Butler	[Jun] 1896	1896(1):108-136, pl 6
b0644	Butler	[Jun] 1896	1896(1):242-257, pl 10
b1980	Godman	[Aug] 1896	1896(2):513-520
b0326	Bethune-Bak*	[Oct] 1896	1896(3):650-683
b1365	Druce	[Oct] 1896	1896(3):650-683, pls 29-31
b0646	Butler	[Apr 1897]	1896(4):817-850, ill
b0647	Butler	[Apr 1898]	1897(4):835-857

Proc. zool. Soc. Lond. (continued)

- b0648 Butler [Aug] 1898 1898(2):186-201
 b4157 Sharpe [Oct] 1898 1898(3):369-372
 b0649 Butler [Oct] 1898 1898(3):395-444, ill
 b0650 Butler [Apr] 1899 1898(4):902-912
 b0651 Butler [Aug] 1899 1899(2):417-427, ill
 b0655 Butler [Apr] 1900 1899(4):962-975
 b1077 Crowley [Oct] 1900 1900(3):505-511, pl 35, 4 f
 b0659 Butler [Apr] 1901 1900(4):911-946, ill
 b0661 Butler [Jun] 1902 1902(I)(1):44-51, pl 1, 8
 b1367 Druce [Oct] 1902 1902(II)(1):112-121, pls
 b2913 Lathy [2 Aug] 1904 1904(I)(2):450-454
 b1370 Druce [2 Aug] 1904 1904(I)(2):481-489, pls
 b1673 Fawcett [1 Oct] 1904 1904(II)(1):134-141, pl 9
 b1598 Elwes [10 Oct] 1906 1906(3):479-485, pl 36
 b1599 Elwes [10 Oct] 1906 1906(3):479-485, pl 36
 b1375 Druce [9 Oct] 1907 1907(3):566-632, 6 pls
 b0340 Bethune-B* [3 Jul] 1908 1908(1):110-126, 2 pls
 b0747 Chapman [30 Oct] 1908 1908(3):676-678, pl 38
 b0751 Chapman [3 Aug] 1909 1909(2):419-476, f 51-122
 b3346 Neave [25 Jun] 1910 1910(1):2-86, ill
 b1378 Druce [25 Jun] 1910 1910(1):356-378, ill
 b2663 Jones [27 Nov] 1912 1912(4):896-902, 1 pl
 b3950 Schaus [1 Sep] 1913 1913(3):339-367, 5 pls
 b3218 Montague [7 Sep] 1914 1914(3):625-652, pls 1-4
 b1423 Duncan 1937 107(A):71-84

Prog. Hortic.

Progressive Horticulture. [Hill Horticulture Development Board, India.]

- b2105 Gupta 1981 12(4):49-58

Psyche

A Journal of Entomology. [Cambridge, Massachusetts] [1874-] [WL #40412] [AESN #610]

- b4087 Scudder 9 Feb 1888 5(141-142):13
 b2423 Holland 3 Dec 1890 5(175-176):423-431
 b2424 Holland Mar 1891 6(179):50-53
 b0866 Cockerell Apr 1901 9(300):185-186
 b0920 Coolidge Aug 1908 15(4):81-87
 b0921 Coolidge Apr 1909 16(2):31
 b0923 Coolidge Feb 1911 18(1):32-34
 b0258 Bates Sep 1935 42(3):149-150
 b0817 Clench [Jan] 1943 49(3/4):52-60
 b3324 Nabokov [Jan] 1944 50(3-4):87-99
 b3325 Nabokov Dec 1944 51(3/4):104-138, pl 5, text-fig 1, table
 b3326 Nabokov Jun 1945 52(1/2):1-61, 8 pls
 b1212 Dethier Jun 1946 53(1/2):15-20
 b5022 Wind Jun 1947 54(1/2):57-61
 b1949 Gillham 23 May 1955 62(1):34
 b1950 Gillham 25 Apr 1956 62(1):145-151

Quaestiones Entomologicae

A periodical record of entomological investigations. [Department of Entomology, University of Alberta, Edmonton, Canada.] [AESN #619]

- b3603 Pike 1980 16(3/4):555-596

Rec. Aust. Mus.

Records of the Australian Museum. [Sydney] [1890-] [WL #42292] [AESN #622]

- b4942 Waterhouse 1938 20(3):217-222
 b4944 Waterhouse 1942 21(2):123-125, 1 f

Rec. S. Aust. Mus.

Records of the South Australian Museum. [Adelaide] [1918-] [WL #42348]

- b4664 Tindale 1953 11(1):43-68, 4 f, pls 18-21

Rec. S. Aust. Mus. (continued)

- b4665 Tindale 1965 15(1):165-174, pl 14, 4 f

Reichenbachia

(Zeitschrift fuer Entomologische Taxonomie). [Staatliches Museum für Naturkunde und Vorgeschichte, Oldenburg, West Germany.] [1962-] [AESN #624]

- b2050 Grosser 1979 17(39):331-333

Religión y Cultura

[Madrid] [1928-1936]

- b1706 Fernandez 1928 3:204-218, 1 pl

Rep. Aust. N.Z. Assoc. Advmt Sci.

Report. Australian and New Zealand Association for the Advancement of Science. [Sydney] [1930-] [WL #42778]

- b4940 Waterhouse 1937 23:101-133

Rep. Gakugei Fac. Iwate Univ.

- b3484 Okano 1968 6(2):39-42, 8 f

Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point)

Reports of the Museum of Natural History University of Wisconsin - Stevens Point.

- b2606 Johnson 1991 No. 21:1-128, ill
 b2610 Johnson 1992 No. 22:1-135, ill
 b2611 Johnson 1992 No. 22:136-279, ill
 b2625 Johnson 1992 No. 23:1-2, ill
 b2634 Johnson 1992 No. 23:3-5, ill
 b2637 Johnson 1992 No. 23:5-8, ill
 b2639 Johnson 1992 No. 23:5-8, ill
 b2630 Johnson 1992 No. 23:9-12, ill
 b2612 Johnson 1992 No. 23:12-13
 b2642 Johnson 29 Mar 1993 No. 24:1-14, ill
 b2620 Johnson 29 Mar 1993 No. 25:1-10, ill
 b2641 Johnson 29 Mar 1993 No. 26:1-13, ill
 b0212 Bălint 29 Mar 1993 No. 27:1-25, ill
 b0213 Bălint 29 Mar 1993 No. 28:1-4, ill
 b0207 Bălint 29 Mar 1993 No. 29:1-42
 b2613 Johnson 29 Mar 1993 No. 30:1-2
 b2614 Johnson 13 Dec 1993 No. 32:1-76, ill
 b2627 Johnson 13 Dec 1993 No. 33:1-38, ill
 b2628 Johnson 13 Dec 1993 No. 34:1-42, ill
 b2629 Johnson 13 Dec 1993 No. 35:1-8, ill
 b2615 Johnson 13 Dec 1993 No. 36:1-19, ill
 b2942 Le Crom 13 Dec 1993 No. 37:1-20, ill
 b2616 Johnson 13 Dec 1993 No. 39:1-16, ill
 b2626 Johnson 13 Dec 1993 No. 40:1-7, ill
 b2617 Johnson 13 Dec 1993 No. 41:1-5, ill
 b0909 Constantino 13 Dec 1993 No. 42:1-4
 b0208 Bălint 13 Dec 1993 No. 42:1-4
 b2619 Johnson 1994 No. 56:-

Rep. N. Y. State Mus. nat. Hist.

Report of the New York State Museum of Natural History. [Albany, New York] [1847-1918] [WL #44728] [Title varies slightly.]

- b2999 Lintner 1878 30:169-171

Revta Biol. trop.

Revista de biologia tropicale. [San Jose] [1953-] [WL #46340]

- b0412 Beutelspacher 1975 23(1):53-65, ill

Revta bras. Biol.

Revista brasileira de Biologica. [Rio de Janeiro] [1941-] [WL #46343]

- b3179 Mielke 1988 32(1):3-6

Revta bras. Ent.

Revista brasileira de Entomologica. [São Paulo] [1954-] [WL #46349] [AESN #649]

- b3474 Otizica Filho 1955 3:137-167
 b3177 Mielke 1985 29(2):317-320, ill
 b3178 Mielke 1987 31(3):414-419, ill

Revta Ent. Rio de J.

Revista de Entomologia. [Rio de Janeiro] [1931-1951] [WL #46482] [AESN #654]

b4293 Spitz	1931	1:42-52, 2 f
b4294 Spitz	1933	3:224-225, f 1
b5073 Zikán	1949	20(1-3):535-539, 3 f

Revta Fac. Agron. Univ. Repub. Urug.

Revista de la Facultad de Agronomía de la Universidad de la Republica, Uruguay. [Montevideo] [1928-] [WL #46523]

b0420 Biezanko	1957	46:1-152
----------------	------	----------

Revta Lep.

SHILAP (Soc Hisp-Luso-Am Lepid), Revista Lepidopt.

b1985 Gómez Bustillo	1973	1(1-2):26-39, 8 f
b0451 Blat Beltran	1976	4:172-175
b3253 Motta	1976	4(1):63-66, 3 f
b2908 Lasso de la Vega *	1978	6(1):26
b1990 Gómez Bustillo	1979	7(1):47-54, ill
b2909 Lasso de la Vega*	[1980]	7(4):278
b1987 Gómez Bustillo	1980	8(3):169-181
b2910 Lasso de la Vega *	1982	10(2):141-144, ill
b1988 Gómez Bustillo	1982	10(38):93-100
b0004 Abos Castel	1984	11(4):335-336
b4828 Verdugo Paez	1984	12(1):55-57, ill
b1702 Fernandez Vidal	1984	12(3):248-252, ill
b1989 Gómez Bustillo	1985	13(1):21-25
b3553 Pascual Linares	1985	13(2):153-154
b4829 Verhulst	1986	13(4):284
b0287 Bellavista Admet*	1987	15(57):7-16
b3269 Munguira	1988	16(63):217-229, ill
b1703 Fernandez Vidal	1991	19(75):197-204, ill
b3912 Salazar Escobar	1993	21(81):13-18, ill
b3911 Salazar Escobar	1993	21(81):47-53, ill
b2880 Lamas	1981	23(1):143-144, 2 f

Revta Soc. ent. argent.

Revista de la Sociedad entomológica argentina. [Buenos Aires, Argentina; Sociedad Entomologica Argentina.] [1926-] [AESN #659]

b4466 Stichel	1926	1:12-13
b0492 Breyer	1930	3:169-172, 2 pls
b2806 Köhler	1934	6:39-40, 3 f
b2214 Hayward	1935	7:183-193, 1 pl, 1 f
b3515 Orfila	1953	16:80-82, 3 f

Revta Soc. mex. Lep.

Revista de la Sociedad mexicana de Lepidopterología. [Sociedad Mexicana de Lepidopterología, Mexico.]

b0411 Beutelspacher	Jun 1975	1(1):11-20, 7 f
b1115 de la Maza E.	Dec 1975	1(2):38-41, 5 f
b2107 Guzmán E.	1 Jun 1976	2(1):49-51
b1117 de la Maza *	1 Nov 1976	2(2):71-72
b0413 Beutelspach*	1 Nov 1976	2(2):73-75
b1119 de la Maza	1 Nov 1976	2(2):91-96, 14 f
b1118 de la Maza*	30 Dec 1977	3(2):85-90
b1116 de la Maza*	25 Jun 1980	6(1):7-19, ill
b0674 Callaghan	15 Mar 1981	6(2):41-42
b0675 Callaghan	15 Feb 1982	7(2):55-63
b4995 White L.	1989	C13(1):11-16, ill

Revta univ. cat.

Revista universitaria catolica. [Santiago, Chile] [1915+] [WL #47019] [Also seen as Anales de la Academia Chilena de Ciencias Naturales.]

b1945 Gigoux	1927	12(10):1431-1433
--------------	------	------------------

Revue ent. Silbermann

Revue entomologique (Silbermann) [Paris] [1833-1840]

b0460 Boisduval	1834	2:120-123, 2 cpl
-----------------	------	------------------

Revue Fac. Sci. Univ. Istanbul

Revue de la Faculté des sciences de l'Université d'Istanbul. [1923-] [WL #24245] [Can also be cited as Istanmb. Üniv. Fen Fak. Mecm.]

b2930 Latin	1950	(B)15(4):301-331,
-------------	------	-------------------

Revue fr. Ent.

Revue française d'Entomologie [Paris] [1934-] [WL #47191] [AESN #666]

b4364 Stempffer	1936	3:134-142, 6 f
b4370 Stempffer	1944	10:49-63, ill
b4371 Stempffer	30 Jun 1946	13(1):8-19, ill
b4373 Stempffer	30 Jun 1947	14(2):139-140, 1 f
b4376 Stempffer	28 Sep 1948	15(3):185-196, ill
b4377 Stempffer	26 Jul 1950	17(2):135-149, 7 f
b4864 Verity	1951	17(Suppl.):183+
b1124 de Lesse	15 Sep 1960	27(3):240-264
b1126 de Lesse	1961	28:93-100
b1128 de Lesse	1962	29(4):312-316, 1 f
b1131 de Lesse	1963	30:177-181, 2 f

Revue fr. Léop.

Revue Française de Lépidopterologie [Paris] [1938-] [WL #47197] [AESN #667] [Continuation of Amateur de papillons.]

b0444 Blanchard	1938	9:147-148
b4368 Stempffer	1938	9:149-151
b1413 Dujardin	1945	10:123
b1414 Dujardin	1945	10:172-173
b0271 Bayard	1946	10:345-349
b2876 Lalanne	Feb 1947	10(1):24-27
b3005 Loritz	1947	11:133-134
b4374 Stempffer	1947	11:137-140
b3664 Puysegur	1948	11:306-310
b3006 Loritz	Dec 1948	11(18/19):384-394
b4874 Vigneau	1949	12:147-149
b0380 Beuret	1950	12:225-232
b0857 Cleu	1950	12:257-260
b1914 Gaillard	1950	12:281
b0858 Cleu	1951	13:105
b0321 Bernardi	1952	13:203-213
b0421 Bigot	1954	14:189-191
b3579 Perrier	1957	16:40
b0317 Bernardi	1962	29:238-240

Revue Mag. Zool.

Revue et Magasin de Zoologie pure et Appliquée. [Paris] [1849-] [Before 1849 see Mag. Zool.]

b1332 Doumet-Adanson	1861	(2)13:171-178, ill
----------------------	------	--------------------

Revue mens. Soc. ent. namur.

Revue mensuelle de la Société entomologique namuroise. [Namur] [1901-1925] [WL #47442] [For volume 26 on, see Lambillionea.]

b2882 Lambillion	1902	2:14-15
b1071 Crombrughe de Pi*	1911	11:82-83
b1662 Fassl	1912	12(4):42-43
b0664 Cabeau	25 Jul 1913	13(7):98-101
b2884 Lambillion	25 Nov 1913	13:125-127
b0665 Cabeau	1919	19:49, 61-62;
b0666 Cabeau	1923	23:14,24-25,29,49,56-58
b1196 Derenne	1923	23:39-40, 45-46;
b0667 Cabeau	1924	24:17-18,25,34-35,50,66-67
b0668 Cabeau	1925	25:5-8, 38-39, 65, 81-82

Revue Russe Ent.

Revue Russe d'Entomologie. [Leningrad] [1901-1930] [WL #48335a] [Also known as Russk. ent. Obozr.]

b2553 Jachontov	1904	4:96-101
b4286 Sovinsky	Aug 1905	5(3/4):103-107
b4287 Sovinsky	Aug 1905	5(3/4):108-110
b2555 Jachontov	[1909]	8(3/4):282-292
b2556 Jachontov	1909	9:249-254

Soc. ent. (continued)

b4496 Strand	23 Apr 1910	25(2):5-6
b1845 Fruhstorfer	10 Sep 1910	25(12):47-48
b4768 Tutt	1910	25:44, 45-47
b4743 Turati	14 Jan 1911	25(21):81-84; (23):89 (11 Feb)
b1848 Fruhstorfer	25 Feb 1911	25(24):95-96
b4744 Turati	2 Dec 1911	26(18):67
b1862 Fruhstorfer	15 Oct 1915	30(11):63
b0025 Aichele	1915	30:17-18, 1 f
b1866 Fruhstorfer	1915	30:39-40, 42-45, 49-52, 4 f
b1867 Fruhstorfer	1915	30:61
b1868 Fruhstorfer	1915	30:67-68
b1869 Fruhstorfer	1915	30:73
b1878 Fruhstorfer	14 Sep 1917	32(10):39-40
b1879 Fruhstorfer	Nov 1917	32(12):49
b1881 Fruhstorfer	1917	32:26
b1882 Fruhstorfer	1917	32:37
b4518 Strand	1917	32(12):47-49, (13):51- 52; 33(1):2-3,
b4316 Stauder	1923	38(2):5-7, (3):10-11, (4):14-16,
b4318 Stauder	1924	39:3-4, 7-8, 10-12, 15- 16, 19-20, 23-24,
b0369 Bezret	1928	43:41-42, 1 pl

Spec. Bull. Lep. Soc. Japan

b1899 Fujioka 1970 4:1-125, 15 f, 31

Spixiana

[Zoologische Staatssammlung, Munich, West Germany.]

b1779 Forster 1980 3(1):1-9

Spolia Zeylanica

Ceylon Journal of Science. [Colombo Museum, Colombo]

[1903-] [WL #50633]

b3753 Riley 1922 12:210-211
b3756 Riley 1923 12:323-326

Spraw. Kom. fizyogr.

Sprawozdania Komisji fizyograficznej orax Materialy do
fizyografii Kraju. [Krakow] [1867-1939] [WL #50663]

b2777 Klemensiewicz 1902 36:40-76
b3656 Prüffer 1923 57:69-78, 2 f
b4299 Stach 1923 57:79-87

Stett. ent. Ztg

Stettiner entologische Zeitung. [Stettin = Szczecin] [1840-1944]
[WL #50932]

b5059 Zeller	1845	1845:351-354
b5062 Zeller	1850	11:308-313
b4290 Speyer	Nov 1851	12:329-340
b2715 Keferstein	1851	12:220-224, 272-283, 304-319, 323-328
b4320 Staudinger	Jun 1862	23(4-6):257-271
b3651 Pritwitz	1865	26:123-143, 307-325
b4321 Staudinger	1867	28:1:100-110
b3652 Pritwitz	1867	28(7-9):257-277
b2444 Hopffer	1869	30:427-453
b2317 Herrich-Schäffer	1869	30(1-3):65-80; pls 1-4
b2445 Hopffer	1874	35:17-47
b4325 Staudinger	1874	35:87-98
b2446 Hopffer	1874	35:327-371
b4986 Weymer	1874	36:368-385, pls 1,2
b4289 Spangberg	1876	37:91-93
b1891 Fuchs	Jun 1877	38(4-6):131-148
b1892 Fuchs	Mar 1880	41(1-3):115-128
b3622 Plötz	1880	41:189-206, 477-478
b2308 Hering	Mar 1881	42(1-3):133-140
b4328 Staudinger	Jun 1881	42:253-300, 393-424; 43:35-78
b4021 Schulz	1881	42:135

Stett. ent. Ztg (continued)

b4291 Speyer	Sep 1882	43(7-9):375-388
b1893 Fuchs	Sep 1884	45(7-9):241-270
b4330 Staudinger	1886	47:193-215, 225-256; 48:49-102; 48:162-167
b0791 Christoph	1887	48(1-3):1-18, pls 1,2
b4987 Weymer	1887	53:79-125
b4989 Weymer	1892	59(9/10):266
b1810 Fruhstorfer	[Apr 1899]	60:245-253, pl 1
b1305 Dohm	1899	60(4):348-351
b1814 Fruhstorfer	Apr 1900	62:154-161
b2490 Huene	1901	64:337-358
b3829 Röber	1903	68(1):117-164; (2):207- 309, 1 pl (Jul)
b1823 Fruhstorfer	1 May 1907	69:49-59
b1835 Fruhstorfer	1908	71(2):282-305
b1843 Fruhstorfer	10 Mar 1910	72:369-377
b4506 Strand	1911	84:94-96
b3833 Röber	1912	86:175-176
b3834 Röber	Aug 1925	

Stud. Chin. Butterflies

Studies of Chinese Butterflies. [Satoshi Koiwaya, Japan] [ISSN
#0917-7884]

b2817 Koiwaya	1989	1:40-49, 199-230, ill
b2504 Inomata	1989	1:50, 235-237, ill
b2818 Koiwaya	1993	2:9-27, 43-111, ill

Stylops

A Journal of Taxonomic Entomology. (London) [1932-1935] [WL
#51217]

b2246 Hemming	1932	1:12-14, pl. 1
b2168 Hawker-Smith	1933	2:1-11
b2252 Hemming	15 May 1934	3:97-99
b2255 Hemming	15 Sep 1934	3:193-200
b2257 Hemming	1935	4:1-3
b2258 Hemming	1935	4:121-122

Suomen hyönt. Aikak.

Suomen hyönteistieteellinen aikakauskirja. [Helsinki] [1935-]
[WL #51423]

b2678 Kaisila 1955 21:9-12

Symposia R. ent. Soc. Lond.

Symposia of the Royal Entomological Society of London. [1961-]

b4818 Vane-Wright 1984 11:xxi

Syst. Ent.

Systematic Entomology. [Supersedes J. of Ent. (B), Taxonomy
and Systematics.]

b0970 Cottrell Jan 1981 6(1):5-45

Syst. Zool.

Systematic Zoology. [Washington, D.C.] [1952-] [WL #51694]

b2015 Gressitt	1956	5:11-32
b1532 Ehrlich	1983	32(4):451-453
b2640 Johnson	1984	33(4):422-426

Taiko, Taihoku High School, Formosa

b4628 Tanikawa 1940 (16):46-47

Taiwan Sangaku, Taihoku

b2690 Kano 1928 3:50-93

Tenthredo

Takeuchi Entomological Laboratory. [Kyoto] [1936-1942] [WL
#52845] [AESN #702] [Also seen as Acta Entomologica.]

b4224 Sibatani 1942 3(4):318-328, 22 text-
figs

Teysmannia

Magazyn van horticuultuur en landbouw der tropen. [Batavia.]
[1890-1922] [WL #53026]

b3843 Roepke 1919 30:115-121, 1 pl

Tierreich

[Berlin] [1896-] [WL #53193]

b4469 Stichel 1928 51:xxxi+329 pp, 197 f

Tijdschr. Ent.

Tijdschrift voor Entomologie. [s Gravehage, Amsterdam]

[1857-] [WL #53213] [AESN #703]

- b4257 Snellen 1872 15:1-110 + [8] pp, 8 pls
 b4258 Snellen 1876 19:159-167
 b4259 Snellen 1878 21:1-43, 1 pl
 b3600 Piepers 1878 21:1-43, 1 pl
 b4261 Snellen [1888] 30:9-66
 b4262 Snellen 1890 33:267-278, cpl 11
 b4263 Snellen 1890 33:279-310, pl 12
 b4264 Snellen 1891 34:257-260, pl 15, f 3
 b3823 Röber 1891 34(3/4):261-334
 b4265 Snellen 1892 35:133-147
 b4266 Snellen 1896 39:91-94
 b4267 Snellen 1899 42:212-214
 b4635 Ter Haar 5 Apr 1901 43:235-238, pl 14, f 1-3
 b4636 Ter Haar 5 Apr 1901 43:239-246, pl 14, f 4-11
 b4268 Snellen 5 Apr 1901 43:262-264
 b4269 Snellen 1901 44:54-62
 b3529 Oudemans 1905 48:1-21, 5 pls
 b4637 Ter Haar 1905 48:204-205, pl 14, f 5-6
 b0988 Courvoisier 1912 55:15-17, 1 pl
 b1884 Fruhstorfer 1918 61:17-44, pls 4,5
 b1885 Fruhstorfer 1918 61:45-53, pl 6
 b1886 Fruhstorfer 1918 61:54-56, pl 6, f 9
 b4694 Toxopeus 1926 69(Verslag):xvi, lxx, lxxvi
 b1637 Evans 1927 70:158-162
 b4697 Toxopeus 1927 70:232-302, 1 pl, 27 f;
 b4698 Toxopeus 1928 71:xix-xxii
 b4699 Toxopeus 31 Dec 1929 72(3/4):204-214
 b4700 Toxopeus 31 Dec 1929 72(3/4):215-244
 b4701 Toxopeus 31 Dec 1929 72(3/4):245-262
 b2679 Kalis 1933 76(1/2):47-86
 b2975 Lempke Nov 1936 79:238-315
 b2977 Lempke Nov 1937 80(3/4):244-303
 b3400 Nieuwenhuis 1946 87:37-61, 1 pl
 b0452 Blom 1 Oct 1947 88:331-333
 b4813 van Wissel* 28 Oct 1948 89:xxvi-xxvii
 b4801 van Registeren Alie* 1949 91:12-22, 6 f
 b2981 Lempke 1954 97:301-345, 1 pl, 1 f
 b2982 Lempke 1955 98:283-345, 5 pls, 4 f
 b2730 Kielland 1978 121(4):147-237, ill

Tijdschr. K. Ned. aardrijksk. Genoot.

Tijdschrift van het K. Nederlandsch aardrijkskundig Genootschap.

[Amsterdam] [1876-] [WL #53217]

b2112 Hagen 1890 (2):240

Tōhōku Konchu Kenkyū

Transactions of the Tōhōku Entomologist Association. [Morioka, Tokyo Konchū Kenkyūkai] [1964-]

- b4183 Shimonoya 1965 2(2):26-30, pl 2,3
 b3485 Okano Mar 1969 2(2):7-8, 1 pl
 b4184 Shimonoya 1969 4(2):22-23

Tokurana (Acta Rhopalocera)

[Japan; Kikumaro Okano] [1981-] [No U.S. Library reports holding this item. There may be a copy at the Allyn Museum. I have a complete set. Numbers 1-4 are subtitled 'Acta Rhopalocera', numbers 5-9 'Acta Rhopaloceroologica', and numbers 10-13 'Reports on Rhopalocera'. The Special issue was subtitled 'The Butterflies' Magazine'.]

- b3479 Okano 30 Sep 1982 4:22
 b3480 Okano 30 Sep 1982 4:71-82, ill
 b4587 Takanami 31 Mar 1984 6/7:51-59
 b4588 Takanami 31 Jan 1985 8(2):1-5, ill
 b3486 Okano 31 Jan 1985 8(2):7-8, 2 f

Tokurana (Acta Rhopalocera) (continued)

- b4589 Takanami 27 Feb 1985 Special 1:1-12, 3 f, 2 pl
 b3481 Okano 30 Oct 1985 10(1):1-5, 6 f

Torreia

[Habana] [1939-] [WL #53389]

b0815 Clench 1941 No. 7:1-7

Trab. Mus. Cienc. nat. Barcelona

Trabajos del Museo de ciencias naturales de Barcelona. [1917-1955] [WL #53439] [Continuation of Musei barcinonensis scientiarum naturalium opera, also known as Treballs de la Museu de Ciències naturals (Barcelona).]

- b1175 de Sagarra* 20 Nov 1924 11(1):3-19, pls
 b3666 Querci 1932 14:3-269
 b1181 de Sagarra y Cast* 1932 14:166
 b4875 Vilarrubia 1948 (ns)1(2):5-10

Trail and Landscape

[Ottawa Field Naturalists' Club.] [1967-] [ISSN #0041-0748]

b2873 Lafontaine 1969 3:151

Trans. amer. ent. Soc.

Transactions of the American entomological Society (and Proceedings of the entomological Section of the Academy of natural Sciences). [1867-] [WL #53533] [AESN #708]

- b2060 Grote 11 Nov 1867 1(2):171-192, pl 4
 b2061 Grote 8 Jun 1868 1(4):323-360, pls 6,7
 b1497 Edwards 8 Feb 1869 2(2):207-210
 b1498 Edwards [Oct 1869] 2(4):369-376
 b2051 Grote 8 Nov 1869 2(3):307-308
 b2062 Grote 8 Nov 1869 2(3):310-311
 b1499 Edwards [Feb] 1870 3(1):10-22
 b1500 Edwards [Dec] 1870 3(2):189-196
 b1501 Edwards [Feb 1871] 3(3/4):205-216
 b2063 Grote [30 Apr] 1871 3(2):173-176
 b1502 Edwards [Sep 1871] 3(3/4):266-277
 b1504 Edwards [Apr] 1873 4(4):343-348
 b1506 Edwards Dec 1874 5(1):103-111
 b4084 Scudder Mar 1877 5(3/4):289-292
 b1513 Edwards Sep 1877 6(1/2):69-80, 1 diagram
 b1524 Edwards [Mar] 1881 9(1):1-8
 b2421 Holland Jul 1884 11:245-338
 b4964 Weeks Apr 1887 14:111-124
 b4237 Skinner Dec 1901 27:353-360
 b0931 Coolidge Dec 1902 29(1):35-37
 b0501 Brown 12 Jan 1925 50(863):319-335
 b0503 Brown 15 Sep 1964 90:313-321
 b3510 Opler 20 Oct 1966 92:357-468
 b0507 Brown 26 Jun 1968 94(4):111-136
 b0534 Brown 26 Jun 1968 94(4):111-136
 b3126 McAlpine 1968 94(4):130
 b0508 Brown 6 Jun 1969 95:161-179
 b0536 Brown 25 Mar 1970 96:19-77
 b0841 Clench 25 Mar 1970 96:19-77
 b1341 Downey 25 Mar 1970 96:353-433
 b3511 Opler 25 Mar 1970 96(1):19-77
 b0509 Brown 25 Mar 1970 96(1):19-77
 b0537 Brown 17 Nov 1970 96:353-433
 b0510 Brown 17 Nov 1970 96:353-433
 b0844 Clench 17 Nov 1970 96:353-433
 b0513 Brown 18 May 1973 99:29-118, 20 f
 b0515 Brown 14 May 1975 101:1-31, 10 f
 b0541 Brown 20 Apr 1977 103(1):259-302, 27 f

Trans. Chicago Acad. Sci.

Transactions of the Chicago Academy of Sciences. [Chicago]

b4077 Scudder [1870] 1(2):326-337

Trans. ent. Soc. Lond.

Transactions of the entomological Society of London [1834-] [WL #53980] [For volume 81 on, see Trans. R. ent. Soc. Lond. 1(3 parts) (1834-1836); 2(4 parts) (1837-1840); 3(4 parts) (1841-1843); 4(5 parts) (1845-1847); 5(9 parts) (1847-1850). Proc. were included with the Trans. through Volume 73 (1925). After that they are separate, and eventually become The Journal of Entomology.]

b3938	Saunders	[1850]	(1)5(9):215-229
b2324	Hewitson	1854	(2)2(:)245-248
b0260	Bates	Feb 1859	(2)5(1):1-11
b3939	Saunders	[1859]	(2)5(9):94-110, 3 pl
b4715	Trimen	Nov 1862	(3)1(4):398-406
b4716	Trimen	1862	(3)1(:)279-291
b4997	White	1862	(3)1(Proc.):26
b4717	Trimen	1864	(3)2(:)175-180
b4983	Westwood	[1864]	(3)2(Proc.):31
b0266	Bates	Nov 1867	(3)5(7):535-546
b4718	Trimen	Apr 1868	16(1):69-96
b2328	Hewitson	Apr 1869	17(1):33-35
b2333	Hewitson	Jun 1870	18(2):153-163
b4719	Trimen	Dec 1870	18(4):341-390, 1 pl
b2334	Hewitson	May 1871	19(2):165-167
b0593	Butler	May 1871	19(2):169-173, pl. 7
b4720	Trimen	May 1873	21(2):101-124
b1384	Druce	23 Feb 1874	22(1):155-160
b4721	Trimen	Jul 1874	22(3):329-341, 1 pl
b2341	Hewitson	Jul 1874	22(3):343-355
b0598	Butler	Dec 1874	22(4):423-436, pl. 6
b3318	Murray	Dec 1874	22(4):523-529, pl. 10
b0599	Butler	Dec 1874	22(4):531-533, ill
b3209	Miskin	Oct 1876	24(3):451-457
b0607	Butler	Jun 1877	25(2):105-156, pl. 3
b0612	Butler	Apr 1879	27(1):1-8
b4722	Trimen	Dec 1879	27(4):323-346
b1976	Godman	Oct 1880	28(3):119-132, pls 3,4
b3233	Moore	Sep 1881	29(3):305-313
b4723	Trimen	Sep 1881	29(3):433-445
b0619	Butler	28 Dec 1881	29(4):449-486, pl. 21
b4724	Trimen	Nov 1883	31(4):347-363
b3210	Miskin	Apr 1884	32(1):93-96
b3079	Mathew	Apr 1887	35(1):37-49, pl. 4
b0324	Bethune-Baker	Jun 1887	35(2):175-176, pl. 9
b1592	Elwes	Oct 1888	36(3):269-465, pls 8-11
b2962	Leech	Mar 1889	37(1):99-148, pls 7-9
b3080	Mathew	Jun 1889	37(2):311-315
b3053	Manders	Sep 1890	38(3):511-539
b1593	Elwes	Sep 1890	38(3):531
b4726	Trimen	Mar 1891	39(1):169-178
b3914	Salvin	[Aug] 1891	39(2):179-195
b1357	Druce	[Aug] 1891	39(2):179-195, pl. 10, 11
b1978	Godman	[Aug] 1891	39(2):193, f. 6, 8
b4728	Trimen	Jun 1893	41(2):123-143, ill
b4569	Swinhoe	Sep 1893	41(3):267-330
b0325	Bethune-Baker	Mar 1894	42(1):33-51, pl. 1
b4730	Trimen	Jun 1895	43(2):181-194
b1981	Godman	Jul 1897	45(2):241-248
b4731	Trimen	[20] Apr 1898	46(1):1-16
b1595	Elwes	[30] Sep 1899	47(3):295-367, pls xi-xiv
b2911	Lathy	[30] Apr 1901	49(1):19-36, ill
b3387	Nicholl	[30] Apr 1901	49(1):75-97
b1596	Elwes	30 Apr 1901	49(1):75-97
b0732	Chapman	[30] Dec 1902	50(4)(Proc.):xxxv-xxxvii
b2912	Lathy	[2] Jun 1903	51(2):183-206, ill
b1972	Godman	[24] Dec 1903	51(4):529-550, pls 20-23
b2708	Kaye	[15] Jun 1904	52(2):159-228, pl. 17, 18
b4732	Trimen	[15] Jun 1904	52(2):231-246, 2 pls
b2914	Lathy	[30] Sep 1904	52(3):463-468, pl. xxvii
b0736	Chapman	[20] May 1905	53(1)(Proc.):ii-iii, cut
b1391	Druce	[15] Jul 1905	53(2):251-262
b1372	Druce	15 Jul 1905	53(2):251-262, pl. 13

Trans. ent. Soc. Lond. (continued)

b0335	Bethune-B*	[4] Oct 1905	53(3):269-292, pl. 15
b3142	Meade-Wal*	[3] Jan 1906	53(4):369-381, pls 18, 19
b1597	Elwes	3 Jan 1906	53(4):380; pl. 19, f. 5, 6
b2915	Lathy	[29] May 1906	54(1):1-10
b4733	Trimen	[29] May 1906	54(1):59-84, pls 4-6
b1373	Druce	[20] Jun 1907	55(1):77-82, pl. 2
b0775	Chapman	[20] Jun 1907	55(1):147-171, pls 5-11
b0745	Chapman	1907	55(1):147-171, pls 5-11
b3054	Manders	[14] Feb 1908	55(4):429-454, pl. 29
b0746	Chapman	[29] Sep 1908	56(2):371-374, pls 19-20
b1085	Dadd	[20] Jan 1909	56(3/4)(Proc.):lxxi-lxxiv
b0749	Chapman	[20] Jan 1909	56(3/4)(Proc.):lxxxi-lxxiv, pls
b1376	Druce	[20] Sep 1909	57(3):431-438, pl. 11
b0752	Chapman	[20] Sep 1909	57(3)(Proc.):xxix-xxx
b1401	Dudgeon	[31] Dec 1909	57(4)(Proc.):i-liv
b0343	Bethune*	[19] Jul 1910	58(1):1-84, pls 1-13
b0753	Chapman	[19] Jul 1910	58(2):85-106, pl. 14-43
b0754	Chapman	[21] Dec 1910	58(4):479-497, pl. 51-60
b0755	Chapman	[21] Jun 1911	59(1):148-159, pls 11-27
b0756	Chapman	[21] Jun 1911	59(1):184-186, pl. 28
b2886	Lamborn	[19] Apr 1912	59(5)(Proc.):xcix-cvi
b0759	Chapman	[4] Oct 1912	60(2):393-406, pls 18-36
b0760	Chapman	[4] Oct 1912	60(2):409-411
b0762	Chapman	[11] Feb 1913	60(4):662-676, pls 81-85
b0346	Bethune*	[13] Jun 1913	61(1):205-212, pls 6-8
b3260	Moulton	[26] Sep 1913	61(2):273-283, pl. 10
b2887	Lamborn	[21] Jan 1914	61(3):436-503, 4 pls
b0349	Bethune-Ba*	21 Jan 1914	61(3):499-503
b1584	Eltringh*	[21] Jan 1914	61(3):509-512, pl. 28
b2709	Kaye	[21] Jan 1914	61(3):545-586, pl. 30
b0766	Chapman	[8] Oct 1914	62(2):285-308
b0767	Chapman	[8] Oct 1914	62(2):309-313
b0351	Bethune-B*	[8] Oct 1914	62(2):314-338, ill
b0768	Chapman	[27] Feb 1915	62(3/4):469-481
b1802	Frohawk	[2] Jun 1916	63(3/4):313-316
b2651	Joicey	[2] Jun 1916	63(3/4):361-386, pls 55-62
b2653	Joicey	[16] Aug 1916	64(1):65-83, pls 3-6
b0860	Cockayne	[29] Dec 1916	64(2):243-263, pls 65-73
b3004	Longstaff	[29] Dec 1916	64(2):277
b0356	Bethune*	[16] May 1918	65(2/4):269-296, 7 pls
b0774	Chapman	[26] Jul 1920	68(1/2):166-169, 6 tfs, pl. 5
b4754	Turner	[26] Jul 1920	68(1/2):170-207
b3749	Riley	[28] Jan 1922	69(3/4):234-258, pls 4-7
b1661	Farquhar*	[28] Jan 1922	69(3/4):319-531, 19 pls, 3 f
b0358	Bethune*	[28] Jan 1922	69(3/4):461-464
b1585	Eltringh*	[28] Jan 1922	69(3/4):473-489, pl. 12, 13
b3631	Poulton	[13] Apr 1922	69(5)(Proc.):lxxxii-lxxxvii
b0359	Bethune*	[17] Feb 1923	70(3/4):275-366, pls 12-32
b3754	Riley	[17] Feb 1923	70(3/4):461-483, 2 pls
b1630	Evans	[17] Feb 1923	70(3/4):477-478
b1757	Ford	[15] Apr 1924	71(3/4):692-743, 1 pl
b1586	Eltringh*	[30] Aug 1924	72(1/2):152-159, tf, pl. 12
b0361	Bethune*	[20] Feb 1925	72(3/4):199-238, 5 tfs, pls
b2713	Kaye	[20] Feb 1925	72(3/4):413-428, pl. 45
b2010	Graves	[7] Aug 1925	73(1/2):17-126, pls 4, 5
b3762	Riley	18 Jul 1927	75(1):119-129
b3768	Riley	31 Dec 1928	76(2):453-468
b3792	Riley	31 Dec 1928	76(2):453-468, tbl, tfs
b3772	Riley	31 Dec 1929	77(2):475-505
b3632	Poulton	31 Dec 1929	77(2):475-505
b1587	Eltringham	31 Dec 1929	77(2):475-505

Trans. ent. Soc. Lond. (continued)

b1588 Eltringham	31 Dec 1929	77(2):475-505, pls 30,31, 2 tfs
b2921 Lathy	30 Jun 1930	78(1):133-137
b2239 Hemming	10 Jul 1931	79(2):323-333
b2714 Kaye	31 Dec 1931	79(3):531-537, pl 39
b2247 Hemming	31 Dec 1932	80(2):269-299, pls 15,16, 3 text-figs

Trans. ent. Soc. S. Engl.

Transactions of the Entomological Society of the South of England. [Southampton] [1929-1932] [WL #53709]

b1082 Curtis	1933	8:103-107
--------------	------	-----------

Trans. Herts. nat. Hist. Soc. Field Club

Transactions of the Hertfordshire Natural History Society and Field Club. [Hertford.] [1879-] [WL #53735]

b0861 Cockayne	1916	16:81-84
----------------	------	----------

Trans. Ill. Dept. Agric.

b3176 Middleton	1880	18(Appendix):73-98
-----------------	------	--------------------

Trans. Kansai ent. Soc.

Transactions of the Kansai Entomological Society. [Osaka] [1930-1950] [WL #53797] [AESN #714]

b2383 Hirose	1933	4:35-37, 1 pl
b4211 Shirōzu	1943	13(1):25-35, ill
b3309 Murayama	1943	13(1):37-56, 4 pls.
b2867 Kurihara	1943	13(1):57-62, f
b0128 Araki	1949	14(2):17-19, 3 f

Trans. Kansas Acad. Sci.

Transactions (of the annual Meetings) of the Kansas Academy of Science. [Topeka] [1868-] [WL #53798]

b1515 Edwards	1881	7:69-70
b4270 Snow	1883	8:35-37

Trans. linn. Soc. Lond.

Transactions of the Linnaean Society of London.

b0262 Bates	[Sep] 1862	23(3):495-566, pl 55, 56
-------------	------------	--------------------------

Trans. linn. Soc. Lond., (2) Zool.

The Transactions of the Linnean Society of London. [London] [1875-1936] [WL #53817]

b0613 Butler	[Jun 1879]	1(8):533-568, pl 68,69
--------------	------------	------------------------

Trans. nat. Hist. Soc. Formosa

Transactions of the natural History Society of Formosa. [Taihoku] [1925-1942] [WL #53886]

b4274 Sonan	1926	16:180-183, pls 4,5
b4280 Sonan	Apr 1940	30:77-85
b4281 Sonan	Jun 1940	30:159-167, 2 f
b4282 Sonan	Sep 1940	30:368
b4283 Sonan	1941	31:481

Trans. nat. Hist. Soc. N. D. NT.

Transactions of the Natural History Society of Northumberland, Durham and Newcastle-upon-Tyne. [1904-] [WL #53889] [Continuation of Nat. Hist. Trans. Soc. N. D. NT.]

b0007 Adamson	1897	1:155-189
b2147 Harrison	1924	(ns)6:89-106

Trans. Proc. New Zealand Inst.

Transactions and Proceedings of the New Zealand Institute. [Wellington] [1868-1934] [WL #53907] [From 1908-1911 known as Trans. New Zealand Inst.]

b1697 Fereday	[1877]	9(1876):460-463
b1698 Fereday	[1878]	10(1877):252-259, pl 8

Trans. R. ent. Soc. Lond.

Transactions of the Royal entomological Society of London. [1834-1975] [WL #53980] [For volumes 1-80, see Trans. ent. Soc. Lond. After volume 127 see Ecol. Ent.]

b0713 Carpenter	20 Dec 1935	83(3):313-448, ill
b2259 Hemming	1935	83():374,435-436, ill

Trans. R. ent. Soc. Lond. (continued)

b0934 Corbet	Apr 1937	86(2):19-33
b4625 Talbot	Apr 1937	86(4):59-72
b2560 Jackson	1937	86(12):201-238
b0938 Corbet	15 Jun 1938	87(5):125-146, 26 tfs.
b3786 Riley	15 Jun 1938	87(5):147-159
b0939 Corbet	15 Jun 1938	87(5):161-163, 1 pl, 7 f
b3777 Riley	Sep 1938	87(10):233-244
b0944 Corbet	Jun 1939	89(5):63-77, 1 pl, 23 f
b0948 Corbet	Jul 1940	90(5):107-120
b0950 Corbet	Sep 1940	90(11):337-350, 1 pl, 21 f
b1070 Cripps	Nov 1940	90(15):449-453
b3782 Riley	[Jan 1945]	94(2):247-271, 2 pls
b0960 Corbet	Apr 1946	96(5):73-88
b4387 Stempfner	31 Dec 1954	105(21):493-516, ill

Trans. R. Soc. Can.

Transactions of the Royal Society of Canada. [Montreal, Ottawa] [1882-] [WL #53993]

b1749 Fletcher	[1904]	9(4):207-216, 1 pl
----------------	--------	--------------------

Trans. R. Soc. S. Afr.

Transactions of the Royal Society of South Africa. [Cape Town] [1908-] [WL #53996]

b1232 Dickson	1952	33:447-456, 1 pl, 2 f
---------------	------	-----------------------

Trans. R. Soc. S. Aust.

Transactions of the Royal Society of South Australia. [Adelaide] [1877-] [WL #53997]

b4633 Tepper	1882	4:25-36, pls 2,3
b2091 Guest	1882	5:34-37
b3012 Lower	1894	18:114-117
b4661 Tindale	1922	46:537-538, pl 31
b4662 Tindale	1923	47:342-354, 6 f, pls 28-30
b0062 Angel	1951	74(1):6-15, pl 1

Trans. San Diego Soc. Nat. Hist.

Transactions of the San Diego Society for Natural History. [San Diego] [1905-] [WL #54001]

b5046 Wright	28 Feb 1930	6(1):1-40
--------------	-------------	-----------

Trans. Shikoku ent. Soc.

Transactions of the Shikoku Entomological Society. [Skikoku, Matsuyama] [1950-] [WL #54032]

b3527 Ōta	1957	5:101-103
-----------	------	-----------

Trans. Soc. Br. Ent.

Transactions of the Society for British Entomology. [Southampton, etc.] [1934-] [WL #54040] [AESN #717]

b0485 Bretherton	Mar 1966	17:1-94
------------------	----------	---------

Trans. zool. Soc. Lond.

Transactions of the zoological Society of London. [London] [1833-] [WL #54095]

b0331 Bethune-Baker	1903	17(1):3-164, 5 pls
b2312 Heron	1909	19(2):141-178, ill

Treb. Soc. catal. Lep.

Treballs de la Societat catalana de Lepidopterozoologia.

b1986 Gómez Bustillo	1978	1:19-22
----------------------	------	---------

Treubia

Treubia. Tecueil de travaux Zoologiques, hydrobiologiques, et océanographiques. [Buitenzorg-Bogor] [1919-] [WL #54350] [A Journal of Zoology, hydrobiology and Oceanography of the East Indian Archipelago.]

b3844 Roepke	1921	2:84-88, 1 pl
b4695 Toxopeus	1926	8:365-375, 1 f
b4696 Toxopeus	1927	9(4):423-436, pl 11
b4709 Toxopeus	1944	Hors Série:156-192

Tyô to Ga (continued)

b2198	Hayashi	20 Sep 1981	32(1,2):63-82, 55 f
b2698	Kato	25 Mar 1982	32(3,4):193-202, 63 f
b2804	Kôda	20 Dec 1982	32(1,2):29-39
b4202	Shirôzu	20 Dec 1982	32(1,2):97
b3498	Okubo	20 Jul 1983	33(3/4):168-184, 47 f
b2468	Howarth	20 Oct 1983	34(1):37-39, 2 f
b2202	Hayashi	20 Mar 1984	34(3):127-129, 3 f
b2549	Ishii	20 May 1984	34(4):163-166
b0008	Agarwala	20 May 1984	34(4):171-172
b5057	Yukawa	20 Sep 1984	35(2):47-74, 4 f, 10 tbl
b1567	Eliot	20 Sep 1984	35(2):75-76, 2 f
b4775	Uchida	20 Dec 1984	35(3):152-160, 12 f
b4776	Uchida	20 Mar 1985	35(4):208-210, 2 f
b2204	Hayashi	20 Apr 1985	36(1):31
b1569	Eliot	30 Jan 1986	36(3):107-112
b2384	Hirowatani	30 Jan 1986	36(3):113-132, 9 f
b4591	Takanami	28 Feb 1986	36(4):185-190
b2699	Kato	28 Feb 1986	36(4):191-202, 53 f
b2385	Hirowatani	20 Jun 1986	37(2):51-60
b3550	Parsons	20 Sep 1986	37(3):103-177, 160 f
b4212	Shirôzu	20 Dec 1986	37(4):195-197, 2 f
b4612	Takanami	20 May 1987	38(1):1-3, 5 f
b2471	Hsu	20 May 1987	38(1):5-6, 3 f
b1574	Eliot	20 May 1987	38(1):21-29, 13 f
b4105	Seki	20 Sep 1988	39(3):183-186, 4 f
b3552	Parsons	20 Dec 1988	39(4):259-262, f 1,2
b4602	Takanami	20 Mar 1989	40(1):23-80, ill
b2137	Hara	20 Jun 1989	40(2):133-139, ill
b4605	Takanami	1990	41(2):67-77, ill
b1579	Eliot	1990	41(4):201-225, ill
b0728	Cassidy	1990	41(4):227-241, ill
b2478	Huang	1992	43(1):1-22, ill
b4606	Takanami	1992	43(1):47-52, ill
b4607	Takanami	1992	43(1):83-85, ill
b4608	Takanami	1992	43(2):147-148, ill
b4609	Takanami	1992	43(3):193-202, ill
b4225	Sibatani	28 Feb 1994	44(4):157-220, 50 f
b4610	Takanami	30 Mar 1994	45(1):5-10, ill
b4611	Takanami	30 Mar 1994	45(1):17-20, ill
b3907	Saigusa	30 Mar 1994	45(1):31-41, ill
b2394	Hirowatari	Mar 1994	45(1):1-4, 5 f

Univ. Calif. Pubs Ent.

University of California Publications in Entomology. [Berkeley]
[1906-] [WL #55587] [AESN #731]

b0135	Arnold	Jun 1983	99:161 pp, 52 f, 50 tbl
-------	--------	----------	-------------------------

Univ. Colo. Stud. Ser. Bibliog.

University of Colorado Studies Series in Bibliography.

b4954	Webber	1965	1:1-124
-------	--------	------	---------

Utahensis

Journal of the Utah Lepidopterists' Society.

b1948	Gillette	1983	3(1):1-8
b4182	Shields	1985	4:51-56

Vacuna

b1965	Gistel	1857	2(2):513-606
-------	--------	------	--------------

Vasculum

[Newcastle-upon-Tyne] [1915-] [WL #55889]

b2148	Harrison	1928	14:138-139
b0722	Carter	1928	15:148
b2151	Harrison	Feb 1929	15:16-17
b2149	Harrison	Feb 1929	15:40

Verh. Mitt. siebenb. Ver. Naturw.

Verhandlungen und Mitteilungen des Siebenbürgischen Vereins für Naturwissenschaften in Hermannstadt. [Hermannstadt]
[1850-1938] [WL #56049]

b1282	Diószeghy	1930	79-80:188-289, pls 1,2
-------	-----------	------	------------------------

Verh. naturf. Ges. Basel

Verhandlungen der Naturforschenden Gesellschaft in Basel.
[Basel] [1854-] [WL #56053]

b0784	Christ	1877	6(3):363-388
b0984	Courvoisier	1910	21:153-164

Verh. naturf. Ver. Brünn

Verhandlungen des Naturforschenden Vereins in Brünn. [Brünn]
[1862-1944] [WL #56054]

b4231	Skala	1912	50:63-241, 1 pl
-------	-------	------	-----------------

Verh. zool.-bot. Ges. Wien

Verhandlungen der zoologisch-botanischen Gesellschaft in Wien
[Wien=Vienna] [1851-] [WL #56091] [Band 116/117 (1978)
begins a new title: Verhandlungen Zoologisch-Botanischen
Gesellschaft in Österreich. More precise dates are sometimes
available in the volumes themselves, but irregularly. The papers
continue across part boundaries without notice, so they have not
been used.]

b2951	Lederer	1852	2:14-54,65-126
b2952	Lederer	1855	5:97-120, ill
b2953	Lederer	1855	5:177-234, ill
b1677	Felder	1862	12:473-496
b1693	Felder	1868	18:281-286
b1694	Felder	1869	19:465-480
b4326	Staudinger	1876	25:89-124
b3247	Möschler	1876	26:293-352, pls 3,4
b3248	Möschler	1883	32:303-362, pls 17,18
b3249	Möschler	1884	33:267-310
b2454	Hormuzaki	1897	47:70-103, 120-168
b2395	Hirschke	1903	53:270
b3704	Rebel	1906	56:78-88, 2 f
b3643	Preissecker	1906	56:85-88
b3956	Schawerda	1907	58:(157)
b3705	Rebel	1908	58:(155)-(160)
b3644	Preissecker	1908	58:(68)-(69)
b2397	Hirschke	1910	60:411-417
b3709	Rebel	1912	62:(218)-(221)
b2776	Kiti	1912	62:320-416
b3957	Schawerda	1913	63:(141)-(178)
b3711	Rebel	1914	64:(147)-(201), f
b2403	Höfer	1919	69:(138)
b3712	Rebel	1920	70:(75)-(77), f 1-6
b2404	Höfer	1923	72:(78)
b0272	Bayer	1924	73:(21)
b0570	Bubaček	1924	73:(22)-(24)
b3405	Nitsche	1926	74/75:(16)-(20)
b2820	Kolar	1926	74/75:(3)-(5)
b4054	Schwingenschuss	1935	85:131-132

VerNachr. EntVer. Basel

Vereinsnachrichten. Entomologenverein Basel und Umgebung.
[Basel] [WL #55960]

b0381	Beuret	1950	7:15, f
-------	--------	------	---------

Veröff. zool. StSamml., Münch.

Veröffentlichungen der zoologischen Staatssammlung. [München]
[1950-] [WL #56261]

b1773	Forster	1961	6:101-188, pl 14
-------	---------	------	------------------

Versl. Afd. Ned. Ost.-Ind. ned. ent. Ver.

Verslagen van de vergaderingen der Afdeling Nederlandsch-Oost-Indië van de Nederlandsch entomologische vereeniging.
[Amsterdam] [1931-1934] [WL #56383]

b4704	Toxopeus	1932	1(3):lxxvii-lxxix
b4705	Toxopeus	1 Jan 1933	1(3):cviii-cxi

Vestnik Zoologii

[ISSN #0084-5604]

b3372	Nekrutenko	1982	1982(3):38-43
b3359	Nekrutenko	1983	1983(1):52
b3360	Nekrutenko	1983	1983(3):7-16, ill
b3371	Nekrutenko	1983	1983(4):8-16, ill

Vestnik Zoologii (continued)

b3373	Nekrutenko	1983	1983(6):15
b3364	Nekrutenko	1984	1984(3):29-40, ill
b3365	Nekrutenko	1984	1984(6):43-49, ill
b3367	Nekrutenko	1985	1985(4):29-35, 4 f
b0224	Balleto	1986	1986(1):76-78, 3 f
b3032	Lukhtanov	1988	1988(2):9-12
b1396	Dubatolov	1988	1988(4):87
b3031	Lukhtanov	1990	1990(6):13-23, ill

Victorian Ent.

Victorian Entomologist. [1971-]

b2499	Hutchinson	1972	2(3):8
b3668	Quick	1973	3(1):9-10
b3669	Quick	1973	3(1):10-12
b3670	Quick	1974	4(2):23-24, ill
b2947	Le Souëf	1977	7(6):74-75
b1426	Dunn	1983	13(2):16-17
b1427	Dunn	1983	13(4):44
b1428	Dunn	1984	14:8
b1429	Dunn	1984	14(1):8
b3239	Moore	1990	20(2):20-24, ill

Victorian Nat.

Victorian Naturalist. The Journal and Magazine of Field Naturalists' Club of Victoria. [Melbourne] [1884-] [WL #56671]

b0057	Anderson	1897	14(1):5-7, 2 f
b4945	Waterhouse	1909	26(8):110-116
b4946	Waterhouse	1913	29(10):156-160, pl 9
b1073	Crosby	1951	67(11):225-226, pl 4
b3671	Quick	1972	89(4):107-111, tfs 1-4

Vieraea

Canary Islands, Redaccion de Vieraea [ISSN #0210-945x]

b0190	Bacallado Aranega	1976	6(1):139-150, 14 f
-------	-------------------	------	--------------------

Wau Ecol. Inst. Handb.

Wau Ecology Institute Handbook. [Papua New Guinea]

b3551	Parsons	1991	No. 12:1-280, ill
-------	---------	------	-------------------

West. Aust. Nat.

Western Australian Naturalist. [Perth] [1947-] [WL #57385]

b4255	Smithers	1983	15(6):141-145, 2 tbl
-------	----------	------	----------------------

Wien. ent. Monats.

Wiener entomologisch Monatsschrift [Wien] [1857-1864] [AESN #743] [Not listed in the World List.]

b1678	Felder	Jun 1859	3(6):178-186, pl 3,4
b1679	Felder	Sep 1859	3(9):263-273, pl 5
b1680	Felder	Nov 1859	3(11):321-328, pl 6
b4915	Wallengren	Feb 1860	4(2):33-46
b1681	Felder	Aug 1860	4(8):225-251, pl 3,4
b1683	Felder	Dec 1860	4(12):394-402
b1684	Felder	Mar 1861	5(3):72-87; (4)97-111 (Apr); 6(12):409-427 (Dec 1862)
b1685	Felder	Oct 1861	5(10):297-306
b2954	Lederer	1861	5:144-155
b1686	Felder	Jan 1862	6(1):22-32; (2):33-40 (Feb)
b1687	Felder	May 1862	6(3):65-80; (4):109-126
b1688	Felder	Sep 1862	6(9):282-294
b1689	Felder	Dec 1862	6(12):409-427
b1690	Felder	Apr 1863	7(4):105-127

Wiss. Arb. Burgenld

Wissenschaftliche Arbeiten aus dem Burgenland. [Eisenstadt] [1954] [WL #57697]

b3052	Malicky	1968	40:65-68
-------	---------	------	----------

Yadoriga

Nihon Rinshi Gakkai [1961-]

b4594	Takanami	1986	126:23-25
b2387	Hirawatani	1990	No. 142:2-11, 33 f

Z. Ges. Naturw.

Zeitschrift für die Gesamten Naturwissenschaften. [Halle] [1853-1881] [Continued as Zeitschrift für Naturwissenschaften.]

b2716	Keferstein	1874	44(14/15):222-229
-------	------------	------	-------------------

Z. öst. EntVer.

Zeitschrift des österreichischen Entomologen Vereins. [Wien] [1916-1939] [WL #58745] [Continued as Z. wien. EntVer.]

b5079	Züllich	15 Apr 1924	9(4):25
b2973	Lekic	15 May 1924	9(5):42
b4895	Wagner	15 Jan 1926	11(1):4, f
b3940	Sauruck	1927	12:85-87, 99-103, 114-115,
b5080	Züllich	15 Aug 1928	13(8):73-75, pl 5
b4651	Thumer	1928	13:76-78
b5081	Züllich	15 May 1929	14(5):51-53
b4171	Sheljuzhko	1933	18:85
b4172	Sheljuzhko	1934	19:30-32, 39-40, 1 pl
b3469	Obraztsov	1936	21:46-48
b2727	Kiefer	1938	23:66-68, 83-84

Z. wien. ent. Ges.

Zeitschrift der Wiener entomologischen Gesellschaft. [Wien] [1943-] [WL #58890] [AESN #756] [Continuation of Z. wien. EntVer.]

b3174	Michel	1947	32:91-103
b1768	Forster	1951	36:62-66, 2 pls
b5047	Wyatt	1952	37:204-207, ill
b4058	Schwingenschuss	1953	38:37-39, 77-78, 101-103,
b2407	Hoffmann	1953	38:147-149
b5078	Zopp	1954	39:128-129
b2360	Heydemann	1954	39:385-396, 412-428, 2 pls, 16 f
b1769	Forster	1956	41:42-61, 70-89, 118-127, 6 pls
b1772	Forster	1 Oct 1960	45(7-10):105-142, pls 10-15
b1774	Forster	1961	46:8-13, 38-47, 74-79, 88-94,
b3293	Murayama	1964	49:35-37, pls 4,5

Z. wiss. InsektBiol.

Zeitschrift für wissenschaftliche Insektenbiologie. [Berlin] [1905-1937] [WL #58896] [AESN #757] [Continuation of Allgemeine Zeitschrift für Entomologie.]

b1953	Gillmer	1900	5:351-352
b0982	Courvoisier	1907	3(1):8-11, (2):33-39, (3):73-78
b3066	Marschner	1909	5:166+
b4448	Stichel	1911	7:5-8, 37-40, 73-77,
b1851	Fruhstorfer	Sep 1913	9(9):242-247 (Sep).
b1855	Fruhstorfer	Jan 1914	10(1):20-25
b1857	Fruhstorfer	Feb 1914	10(2):59-63
b1861	Fruhstorfer	Sep 1915	11(7/8):220-222, 2 f
b1864	Fruhstorfer	Oct 1915	11(9/10):267-269, 4 f
b4309	Stauder	1915	11:1-7, 71-75, 132-137, 175-180
b4453	Stichel	1916	12:163-169, 238-244
b4310	Stauder	1920	15:201-220; 16:16-23,
b4456	Stichel	1923	18(1/2):1-9, ():144
b4457	Stichel	1923	18(10/11):268-283,
b2805	Köhler	1923	18(12)(Sonderheft):34 pp, 3
b4427	Stephan	31 Jan 1924	19(1):48-50
b4462	Stichel	1924	19:245-250
b4463	Stichel	1925	20:14-23, 53-56, 84-93, 256-264
b4467	Stichel	1926	21():98-104
b4468	Stichel	31 Jan 1928	23(1/2):35-46

Zbirm. Prats zool. Mus.

Zbirnyk prats Zoolohichnoho muzeyu. Vseukrayins'ka akademiya nauk. [Kiev (Kyiv)] [1926-] [WL #58397]

b2852 Krulikovskii 1926 1:65-76

Zbor. slov. narod. Muz.

Zbornik Slovenskeho Narodneho Musea Prirodne Vedy. [Bratislava, Czechoslovakia] [ISSN #0374-1168]

b2684 Kames 1978 23(1977):161-167

Zephyrus

[Fukuoka] [May 1929-1947] [WL #59083] [Butterfly hunters club. Volumes 1-9 only.]

b4615 Takeuchi Sep 1929 1(3):86-87, f
 b4275 Sonan Dec 1929 1(4):135-137, 1 pl
 b2691 Kano 5 Oct 1930 2(3):157-159
 b1620 Esaki Oct 1930 2(3):148-150, 1 pl, 1 f
 b4538 Sugitani Oct 1930 2(3):188
 b2696 Kato Dec 1930 2(4):206-208, 1 f
 b3406 Nomura May 1931 3(1):43-62, 5 f
 b2785 Kobayashi Dec 1931 3(3/4):170, 1 f
 b4276 Sonan Dec 1931 3(3/4):194-206, pls 15-17, f 1-13

b1615 Esaki 20 Jun 1932 4(1):13-14
 b4277 Sonan 30 Nov 1932 4(2/3):126-128
 b4777 Uchida 31 Dec 1932 4(4):231-234, pl 16
 b4927 Watari 31 Dec 1932 4(4):235-237
 b4539 Sugitani 25 Jul 1933 5(1):1-5, 55-63, 165-176, pls 1, 10, 14;

b1617 Esaki 25 Jan 1934 5(2/3):74-86, pl 12; 5(4):194-212, pl 17;
 b4928 Watari 30 Jun 1935 6(1/2):42-44, 6 f
 b3497 Okubo 30 Jun 1935 6(1/2):45-50, f
 b4278 Sonan 31 Jul 1936 6(3/4):205-216, 3 pls
 b4778 Umeno 31 Jul 1936 6(3/4):222-237
 b4616 Takeuchi 31 Jul 1936 6(3/4):346-356
 b4929 Watari 1936 6:189
 b4930 Watari 10 Aug 1937 7(1):26-29, 12 f
 b4113 Seok 30 Nov 1937 7(2/3):150-154
 b4279 Sonan 30 Jun 1938 7(4):250-257, 1 pl
 b4114 Seok 30 Nov 1938 8(1/2):24-29
 b4627 Tanaka Jun 1941 9(1):4-5, 4 f
 b3402 Niimura Jun 1941 9(1):6-13, ill
 b4188 Shirôzu Dec 1941 9(2):73-75, ill
 b0130 Araki Dec 1941 9(2):83-99, ill
 b3341 Nariotomi Dec 1941 9(2):112-116, 11 f
 b1621 Esaki May 1943 9(3):151-156, ill
 b3272 Murayama May 1943 9(3):170-175, 4 f
 b4189 Shirôzu May 1943 9(3):193-194
 b3273 Murayama 1943 9:180-181
 b4190 Shirôzu Jun 1947 9(4):238-244, ill
 b3274 Murayama Jun 1947 9(4):279, f

Zool. Anz.

Zoologischer Anzeiger. [Leipzig] [1878-1944; 1950-] [WL #59283]

b5026 Wmkowsky 1929 83:221-224

Zool. J. linn. Soc.

Zoological Journal of the Linnean Society. [London.] [Continues j. linn. Soc. Lond., Zool.]

b3068 Marshall 1983 78:375-396
 b1216 DeVries Jan 1984 79(1):59-66
 b3158 Mensi 1988 93(3):259-271, ill

Zool. Jber. Neapel

Zoologischer Jahresbericht. Zoologische Station zu Neapel. [Berlin] [1879-1913] [WL #59286]

b1219 Dewitz 1880 1879:613-642

Zool. Mag.

Zoological Magazine. Dobutsugaku zasshi. [Tokyo] [1889-] [WL #59259]

b3088 Matsumura 15 Jun 1919 31(368):173-174
 b3403 Nire 1919 31:369-376
 b1306 Doi 1919 31:369-376, f
 b3404 Nire 1920 32:373-377
 b3477 Okajima 1922 34:584-588, 5 f
 b1614 Esaki 1922 34:912
 b5054 Yazaki 1923 35:391-394, 4 f
 b3478 Okamoto 1926 38:173-181
 b4926 Watari 1929 41:185-188, 1 pl
 b4112 Seok 1936 48:60-66, 8 f

Zoöl. Meded.

Zoologische mededelingen. [Leiden] [WL #59281] [Associated with the Rijksmuseum van natuurlijke historie te Leiden.]

b1863 Fruhstorfer 25 Oct 1915 1(2):141-148
 b4793 van Eecke 22 Dec 1915 1(3/4):205-227, tf 1-7
 b1871 Fruhstorfer 30 Aug 1916 2(2):90-95, 5 f
 b1872 Fruhstorfer 30 Aug 1916 2(2):96-102, 4 tf
 b1873 Fruhstorfer 30 Aug 1916 2(2):103-140, pls 4,5
 b4795 van Eecke 15 Jun 1918 4(2):70-101, 2 pls, 3 tf
 b4710 Toxopeus 23 Nov 1950 31(6):63-66, 2 f

Zool. Rec.

Zoological Record. [London] [WL #59262] [ISSN #0144-3607]

b1089 Dallas 1867 2(1865)(Ins.):580-600
 b1090 Dallas 1868 3(1866)(Ins.):449-472
 b1091 Dallas [1868] 4(1867)(Ins.):347-373
 b2746 Kirby [1870] 6(1869)(Ins.):351-379
 b2748 Kirby [1871] 7(1870)(Ins.):377-399
 b2749 Kirby [1873] 8(1871)(Ins.):356-366
 b2750 Kirby [1874] 9(1872)(Ins.):336-353
 b2751 Kirby [1875] 10(1873)(Ins.):375-388
 b2752 Kirby [1876] 11(1874)(Ins.):376-395
 b2755 Kirby [1879] 14(1877)(Ins.):125-141
 b2756 Kirby [1880] 15(1878)(Ins.):170-191
 b2757 Kirby [1881] 16(1879)(Ins.):132-147
 b2758 Kirby [1882] 17(1880)(Ins.):131-143
 b2759 Kirby [1882] 18(1881)(Ins.):149-169
 b2760 Kirby [1883] 19(1882)(Ins.):163-181
 b2761 Kirby [1884] 20(1883)(Ins.):164-184
 b2762 Kirby [1885] 21(1884)(Ins.):175-199
 b4121 Sharp [1887] 23(1886)(Ins.):224-250
 b4122 Sharp [1888] 24(1887)(Ins.):208-230
 b4123 Sharp [1889] 25(1888)(Ins.):206-229
 b4124 Sharp [1890] 26(1889)(Ins.):206-230
 b4125 Sharp [1891] 27(1890)(Ins.):204-223
 b4126 Sharp [1892] 28(1891)(Ins.):191-211
 b4127 Sharp [1893] 29(1892)(Ins.):211-226
 b4128 Sharp [1894] 30(1893)(Ins.):223-243
 b4129 Sharp [1895] 31(1894)(Ins.):247-266
 b4130 Sharp [1896] 32(1895)(Ins.):266-287
 b4131 Sharp [1899] 35(1898)(Ins.):194-206
 b4132 Sharp [1903] 38(1901)(Ins.):200-210
 b4133 Sharp [1904] 39(1902)(Ins.):203-213
 b4134 Sharp [1905] 40(1903)(Ins.):247-259
 b4135 Sharp [1905] 41(1904)(Ins.):238-252
 b4136 Sharp [1908] 43(1906)(Ins.):313-322
 b4137 Sharp [1909] 44(1907)(Ins.):292-303
 b4138 Sharp [1910] 45(1908)(Ins.):310-321
 b4139 Sharp [1911] 46(1909)(Ins.):306-317
 b4140 Sharp [1911] 47(1910)(Ins.):311-325
 b4141 Sharp [1912] 48(1911)(Ins.):283-296
 b4142 Sharp [1913] 49(1912)(Ins.):298-312
 b4143 Sharp [1914] 50(1913)(Ins.):324-340
 b4144 Sharp [1916] 51(1914)(Ins.):206-216
 b4145 Sharp [1917] 52(1915)(Ins.):191-199
 b4146 Sharp [1918] 53(1916)(Ins.):163-173
 b4147 Sharp [1920] 55(1918)(Ins.):150-157
 b4148 Sharp [1922] 57(1920)(Ins.):191-198

Zool. Rec. (continued)

b3793	Riley	1924	58(1921)(Ins.):167-176
b3794	Riley	1925	59(1922)(Ins.):294-305
b3795	Riley	1925	60(1923)(Ins.):217-227
b3796	Riley	1925	61(1924)(Ins.):179-189
b0064	Anonymous	1927	63(1926)(Ins.):243-257
b0065	Anonymous	1928	64(1927)(Ins.):226-238
b0066	Anonymous	1929	65(1928)(Ins.):232-246
b0067	Anonymous	1930	66(1929)(Ins.):238-253
b0068	Anonymous	1931	67(1930)(Ins.):236-247
b0069	Anonymous	1932	68(1931)(Ins.):211-227
b0070	Anonymous	1933	69(1932)(Ins.):286-305
b0071	Anonymous	1934	70(1933)(Ins.):289-303
b0072	Anonymous	1935	71(1934)(Ins.):304-318
b0073	Anonymous	1936	72(1935)(Ins.):311-323
b0074	Anonymous	1937	73(1936)(Ins.):323-332
b0075	Anonymous	1938	74(1937)(Ins.):304-313
b0076	Anonymous	1939	75(1938)(Ins.):313-321
b0077	Anonymous	1940	76(1939)(Ins.):313-322
b0078	Anonymous	1947	80(1943)(Ins.):161-169
b0079	Anonymous	1949	82(1945)(Ins.):251-259
b0080	Anonymous	1950	83(1946)(Ins.):292-300
b0081	Anonymous	1951	84(1947)(Ins.):295-304
b0082	Anonymous	1952	85(1948)(Ins.):254-264
b0083	Anonymous	1953	86(1949)(Ins.):281-291
b0084	Anonymous	1954	87(1950)(Ins.):343-351
b0085	Anonymous	1955	88(1951)(Ins.):330-340
b0086	Anonymous	1956	89(1952)(Ins.):344-350
b0087	Anonymous	1957	90(1953)(Ins.):386-399
b0088	Anonymous	1958	91(1954)(Ins.):384-392
b0089	Anonymous	1959	92(1955)(Ins.):396-408
b0091	Anonymous	1960	93(1956)(Ins.):378-386
b0092	Anonymous	1961	94(1957)(Ins.):432-439
b0093	Anonymous	1962	95(1958)(Ins.):500-509
b0094	Anonymous	1964	97(1960)(Ins.):273-277
b0095	Anonymous	1965	98(1961)(Ins.):304-308
b0096	Anonymous	1966	99(1962)(Ins.):337-340
b0097	Anonymous	1967	100(1963)(Ins.):325-330
b0098	Anonymous	1969	102(1965)(Ins.):332-339
b0099	Anonymous	1971	104(1967)(Ins.):582-587
b0100	Anonymous	1973	106(1969)(Ins.):472-481
b0101	Anonymous	1974	107(1970)(Ins.):594-598
b0102	Anonymous	1975	108(1971)(Ins.):592-602
b0103	Anonymous	1976	109(1972)(Ins. D-Lep.):170-176
b0104	Anonymous	1977	110(1973)(Ins. D-Lep.):164-176
b0105	Anonymous	1978	111(1974)(Ins. D-Lep.):148-159
b0107	Anonymous	1979	112(1975)(Ins. D-Lep.):197-214
b0108	Anonymous	1980	113(1976)(Ins. D-Lep.):215-226
b0109	Anonymous	1980	114(1977)(Ins. D-Lep.):232-252
b0110	Anonymous	Dec 1981	115(1978)(Ins. D-Lep.):280-298
b0111	Anonymous	[Dec] 1982	116(1979)(Ins. D-Lep.):264-285
b0113	Anonymous	[Dec] 1983	117(1980)(Ins. D-Lep.):282-298
b0114	Anonymous	Sep 1984	118(1981)(Ins. D-Lep.):290-314
b0115	Anonymous	Mar 1985	119(1982)(Ins. D-Lep.):346-364
b0116	Anonymous	Nov 1985	120(1983)(Ins. D-Lep.):361-383
b0117	Anonymous	Aug 1986	121(1984)(Ins. D-Lep.):409-428
b0119	Anonymous	Mar 1987	122(1985)(Ins. D-Lep.):363-382

Zool. Rec. (continued)

b0120	Anonymous	Dec 1987	123(1986)(Ins. D-Lep.):389-416
b0121	Anonymous	Dec 1988	124(1987)(Ins. D-Lep.):396-409
b0122	Anonymous	Dec 1989	125(1988)(Ins. D-Lep.):307-320
b0123	Anonymous	Dec 1990	126(1989)(Ins. D-Lep.):302-320
b0124	Anonymous	Dec 1991	127(1990)(Ins. D-Lep.):303-322
b0125	Anonymous	Dec 1992	128(1991)(Ins. D-Lep.):306-336
b0126	Anonymous	Dec 1993	129(1990)(Ins. D-Lep.):290-315

Zool. Zh.

Zoologicheskii Zhurnal. [Moskva] [1932-] [WL #59269] [AESN #760] [ISSN #0044-5134]

b4438	Shtchetkin	1980	59(2):303-305
b4439	Shtchetkin	1982	61(2):240-248
b4440	Shtchetkin	Sep 1984	63(9):1430-1432
b4442	Shtchetkin	1986	65(7):1092-1095
b3180	Migranov	1992	71(5):135-140, ill
b5067	Zhdanko	1992	71(8):151-154, ill
b5069	Zhdanko	1993	72(7):80-83

Zoologica

Scientific Contributions of the New York Zoological Society. [New York] [1907-] [WL #59254]

b0278	Beebe	1951	36:1-15, 2 pls
-------	-------	------	----------------

Zoologist

[London] [1843-1916] [WL #59290]

b4996	White	1843	1:28-29, f
-------	-------	------	------------



PART XIII
INDEX TO YEAR OF PUBLICATION

INTRODUCTION

This section is straightforward and needs little introduction. It is provided as an aid to anyone interested in the study of the history of the group, or in the study of the literature of a particular period.

- 1758**
 b2993 (Linnaeus);
- 1761**
 b2994 (Linnaeus); b3623 (Poda von Neuhaus);
- 1763**
 b2995 (Linnaeus); b0564 (Brünnich); b4060 (Scopoli); b3627 (Pontoppidan);
- 1764**
 b2996 (Linnaeus);
- 1766**
 b2492 (Hüfnagel);
- 1767**
 b2997 (Linnaeus);
- 1770**
 b1392 (Drury);
- 1771**
 b2998 (Linnaeus); b3546 (Pallas);
- 1774**
 b3074 (Martini);
- 1775**
 b1653 (Fabricius); b1193 ([Denis] & [Schiffermüller]); b1903 (Füssly); b3890 (Rouemburg); b4908 (Walch); b1069 (Cramer);
- 1776**
 b4544 (Sulzer); b1623 (Esper);
- 1777**
 b1654 (Fabricius); b1982 (Goeze);
- 1778**
 b4909 (Walch); b0310 (Bergsträsser);
- 1780**
 b4478 (Stoll);
- 1781**
 b1655 (Fabricius); b2784 (Knoch);
- 1783**
 b3724 (Retzius);
- 1785**
 b1782 (Fourcroy); b1927 (Geoffroy);
- 1787**
 b1656 (Fabricius);
- 1788**
 b0472 (Borkhausen); b3945 (Schaller); b2306 (Herbst);
- 1789**
 b1184 (de Villers); b2889 (Lang); b4163 (Shaw & Nodder);
- 1790**
 b1969 (Gmelin); b4072 (Scriba);
- 1791**
 b3970 (Schneider);
- 1792**
 b1657 (Fabricius);
- 1793**
 b1964 (Giorna);
- 1795**
 b2987 (Lewin); b2783 (Klук);
- 1796**
 b2480 (Hübner);
- 1797**
 b0001 (Abbot & Smith); b4254 (Smith);
- 1798**
 b3657 (Pruner);
- 1800**
 b1310 (Donovan);
- 1801**
 b1141 (de Loche); b3973 (Schrank); b4955 (Weber);
- 1802**
 b2172 ([Haworth]); b4757 (Turton);
- 1804**
 b2410 (Hoffmansegg); b2926 (Latreille);
- 1805**
 b1311 (Donovan);
- 1806**
 b2411 (Hoffmansegg); b2481 (Hübner); b2482 (Hübner);
- 1807**
 b2501 ([Illiger]); b1658 (Fabricius); b3470 (Ochsenheimer);
- 1808**
 b2483 (Hübner);
- 1809**
 b2927 (Latreille);
- 1813**
 b2928 (Latreille);
- 1814**
 b2949 (Leach);
- 1815**
 b2950 ([Leach]); b3496 (Oken); b3685 (Rafinesque);
- 1816**
 b1092 (Dalman); b2484 (Hübner);
- 1817**
 b3682 (R. L.); b5077 (Zinken);
- 1818**
 b2412 (Hoffmansegg); b3147 (Meisner);
- 1819**
 b1347 (Drapier); b1970 (Godart); b2929 (Latreille & Godart);
- 1820**
 b0422 (Billberg); b4549 (Swainson);
- 1821**
 b2485 (Hübner); b1622 (Eschscholtz);
- 1822**
 b2486 (Hübner);
- 1823**
 b1093 (Dalman); b1080 (Curtis);
- 1826**
 b1932 (Geyer);

1827

b2578 (Jermyns); b4550 (Swainson); b1933 (Geyer); b3146 (Meigen);

1828

b0456 (Boisduval); b1794 (Freyer); b2457 (Horsfield); b4116 (Sepp); b4428 (Stephens);

1829

b4429 (Stephens); b0470 (Boisduval & Le Conte); b2086 (Guérin-Méneville); b2782 (Klug); b4551 (Swainson);

1830

b2087 (Guérin-Méneville); b3580 (Perty);

1831

b2969 (Lefebvre); b1795 (Freyer);

1832

b0457 (Boisduval); b1645 (Eversmann); b1742 (Fischer von Waldheim); b2014 (Gray); b3624 (Poey); b0458 (Boisduval); b1431 (Duponchel); b1934 (Geyer);

1833

b0459 (Boisduval); b2140 (Harris); b5036 (Wood);

1834

b0460 (Boisduval); b0692 (Cantener); b4953 (Webb & Berthelot);

1835

b0461 (Boisduval); b1081 (Curtis); b1799 (Fridvaldszky von Frivald); b2548 (Isabelle); b4877 (Villiers & Guénée); b2877 (Lamarck); b3019 (Lucas);

1836

b0462 (Boisduval);

1837

b1646 (Eversmann); b2743 (Kirby); b3602 (Pierret); b3743 (Richardson); b4271 (Sodoffsky); b4272 (Sodoffsky); b4980; b3688 (Rambur);

1838

b3241 (Morisse);

1840

b0445 (Blanchard); b0463 (Boisduval); b0563 (Brullé); b2000 (Gosse); b2493 (Hügel);

1841

b1325 (Doubleday); b1647 (Eversmann); b2141 (Harris); b0446 (Blanchard);

1842

b0304 (Berge); b0009 (Agassiz);

1843

b1326 (Doubleday); b1648 (Eversmann); b2088 (Guérin-Méneville); b4996 (White); b2313 (Herrich-Schäffer);

1844

b1182 (de Selys-Longchamps); b2821 (Kollar); b2823 (Kollar & Redtenbacher); b1327 (Doubleday); b1432 (Duponchel);

1845

b0447 (Blanchard); b5059 (Zeller);

1846

b1328 (Doubleday); b1329 (Doubleday & Hewitson); b2322 (Hewitson); b4981 (Westwood);

1847

b0464 (Boisduval); b1312 (Donzel); b2089 (Guérin-Méneville); b5060 (Zeller); b5061 (Zeller);

1848

b0465 (Boisduval); b1611 (Erichson); b1649 (Eversmann); b4982 (Westwood); b0448 (Blanchard); b0466 (Boisduval);

1849

b2822 (Kollar); b3020 (Lucas);

1850

b3938 (Saunders); b5062 (Zeller); b1928 (Gerhard); b2314 (Herrich-Schäffer);

1851

b4290 (Speyer); b0322 (Bertoloni); b1650 (Eversmann); b2361 (Heydenreich); b2715 (Keferstein); b3162 (Meyer-Dür); b3625 (Poey);

1852

b0467 (Boisduval); b0449 (Blanchard); b2142 (Harris); b2951 (Lederer); b2323 (Hewitson);

1853

b0484 (Bremer & Grey);

1854

b1651 (Eversmann); b2324 (Hewitson); b4910 (Walker);

1855

b2443 (Hopffer); b2952 (Lederer); b2953 (Lederer); b3152 (Ménétriés);

1856

b4430 (Stephens);

1857

b1183 (de Selys-Longchamps); b1965 (Gistel); b3021 (Lucas); b4880 (Vogel); b4913 (Wallengren);

1858

b2458 (Horsfield & Moore); b3219 (Moore); b4914 (Wallengren); b3205 (Millière); b3689 (Rambur);

1859

b0260 (Bates); b1678 (Felder & Felder); b1679 (Felder & Felder); b1680 (Felder & Felder); b3595 (Philippi); b3939 (Saunders);

1860

b4915 (Wallengren); b1460 (d'Urban); b3243 (Morris); b1681 (Felder & Felder); b1676 (Felder); b1682 (Felder & Felder); b1683 (Felder & Felder); b3596 (Philippi);

1861

b1684 (Felder & Felder); b1488 (Edwards); b1685 (Felder & Felder); b0261 (Bates); b0482 (Bremer); b1332 (Doumet-Adanson); b2954 (Lederer);

1862

b2325 (Hewitson); b1686 (Felder & Felder); b2143 (Harris); b2144 (Harris); b3244 (Morris); b1489 (Edwards); b1490 (Edwards); b1687 (Felder & Felder); b4320 (Staudinger); b0262 (Bates); b1688 (Felder & Felder); b4715 (Trimen); b0290 (Bellier de la Chavignerie); b1667 (Fauvel); b1677 (Felder); b1689 (Felder & Felder); b2744 (Kirby); b4716 (Trimen); b4997 (White); b2315 (Herrich-Schäffer);

1863

b1491 (Edwards); b1690 (Felder & Felder); b4711 (Trapp); b1492 (Edwards); b2084 (Guénée); b2115 (Hagen); b3585 (Peyer-Imhof); b2326 (Hewitson);

1864

b4073 (Scudder); b1493 (Edwards); b4975 (Weidemeyer); b0483 (Bremer); b1691 (Felder & Felder); b4717 (Trimen); b4979 (Werneburg); b4983 (Westwood); b0263 (Bates); b2316 (Herrich-Schäffer);

1865

b0281 (Behr); b1494 (Edwards); b3220 (Moore); b1660 (Fallou); b2085 (Guénée); b3651 (Pritwitz); b4878 (Vinson); b1692 (Felder & Felder);

1866

b0581 (Butler); b0282 (Behr); b3221 (Moore); b3696 (Reakirt); b0264 (Bates); b4912 (Wallace & Moore); b0582 (Butler); b1495 (Edwards); b2059 (Grote & Robinson); b3022 (Lucas); b3050 (MacLeay); b3252 (Motschulsky); b3697 (Reakirt);

1867

b0283 (Behr); b0583 (Butler); b0584 (Butler); b0585 (Butler); b0265 (Bates); b2060 (Grote & Robinson); b0266 (Bates); b0041 (Allard); b0301 (Berce); b0586 (Butler); b1089 (Dallas); b3652 (Pritwitz); b4256 (Snellen); b4321 (Staudinger);

1868

b4074 (Scudder); b4718 (Trimen); b2327 (Hewitson); b2061 (Grote & Robinson); b3930 (Saunders); b3931 (Saunders); b3915 (Salvin & Godman); b0267 (Bates); b1090 (Dallas); b1091 (Dallas); b1400 (Dubois); b1693 (Felder); b3698 (Reakirt); b4075 (Scudder); b5000 (Whitney); b0468 (Boisduval); b1496 (Edwards);

1869

b1497 (Edwards); b3932 (Saunders); b2328 (Hewitson); b3933 (Saunders); b2329 (Hewitson); b0587 (Butler); b1498 (Edwards); b2051 (Grote); b2062 (Grote & Robinson); b1142 (de L'Orza); b1694 (Felder); b2317 (Herrich-Schäffer); b2444 (Hopffer); b2955 (Lederer); b4076 ; b0588 (Butler); b2330 (Hewitson); b2956 (Lederer);

1870

b0589 (Butler); b0590 (Butler); b1499 (Edwards); b2331 (Hewitson); b0591 (Butler); b3934 (Saunders); b2745 (Kirby); b0592 (Butler); b2332 (Hewitson); b2333 (Hewitson); b0418 (Bienert); b0469 (Boisduval); b1500 (Edwards); b2746 (Kirby); b4077 (Scudder); b4322 (Staudinger); b4719 (Trimen); b4911 (Walker);

1871

b1501 (Edwards); b2063 (Grote & Robinson); b0593 (Butler); b2334 (Hewitson); b1502 (Edwards); b0594 (Butler); b2747 (Kirby); b0450 (Blanchard); b1931 (Gerstäcker); b2748 (Kirby); b4323 (Staudinger); b4324 (Staudinger);

1872

b0595 (Butler); b0662 (Butler & Druce); b2335 (Hewitson); b1076 (Crotch); b1503 (Edwards); b2957 (Lederer); b3206 (Millière); b4078 (Scudder); b4257 (Snellen); b4916 (Wallengren); b4531 (Strecker);

1873

b3118 (Maynard); b1504 (Edwards); b3150 (Melvill); b4720 (Trimen); b1383 (Druce); b2052 (Grote); b0596 (Butler); b3315 (Murray); b2336 (Hewitson); b3316 (Murray); b0786 (Christoph); b1068 (Cox); b1505 (Edwards); b2053 (Grote); b2054 (Grote); b2337 (Hewitson); b2749 (Kirby); b3063 (Marschall); b3246 (Morrison);

1874

b1384 (Druce); b2338 (Hewitson); b0597 (Butler); b2339 (Hewitson); b4985 (Weyenbergh); b1385 (Druce); b3222 (Moore); b3415 (Oberthür); b1386 (Druce); b2340 (Hewitson); b2341 (Hewitson); b4721 (Trimen); b2342 (Hewitson); b2343 (Hewitson); b2344 (Hewitson); b0598 (Butler); b0599 (Butler); b0699 (Capronnier); b1482 (Edwards); b1506 (Edwards); b1612 (Erschoff); b2055 (Grote); b2445 (Hopffer); b2446 (Hopffer); b2716 (Keferstein); b2750 (Kirby); b2770 (Kirtland); b3208 (Miskin); b3317 (Murray); b3318 (Murray); b4325 (Staudinger); b4986 (Weymer);

1875

b2345 (Hewitson); b3223 (Moore); b1387 (Druce); b4079 (Scudder); b4080 (Scudder); b0600 (Butler); b2346 (Hewitson); b2347 (Hewitson); b2751 (Kirby); b3140 (Mead); b4081 (Scudder); b4349 (Stefanelli); b4917 (Wallengren);

1876

b4082 (Scudder); b0601 (Butler); b0602 (Butler); b1388 (Druce); b0603 (Butler); b0604 (Butler); b3209 (Miskin); b1507 (Edwards); b0192 (Backhaus); b0605 (Butler); b0606 (Butler); b2348 (Hewitson); b2752 (Kirby); b3247 (Möschler); b3416 (Oberthür); b3417 (Oberthür); b4083 (Scudder); b4258 (Snellen); b4289 (Spangberg); b4326 (Staudinger); b0787 (Christoph);

1877

b2349 (Hewitson); b1508 (Edwards); b2350 (Hewitson); b2572 (Janson); b0607 (Butler); b1891 (Fuchs); b2351 (Hewitson); b3224 (Moore); b1483 (Edwards); b0608 (Butler); b0719 (Carpenter); b1509 (Edwards); b3718 (Reed); b4084 (Scudder); b0609 (Butler); b2352 (Hewitson); b3225 (Moore); b3226 (Moore); b3659 (Pryer); b1510 (Edwards); b0784 (Christ); b1217 (Dewitz); b1484 (Edwards); b1485 (Edwards); b1613 (Erschoff); b1697 (Fereday); b1921 (Gaschet & Mabile); b2753 (Kirby); b2769 (Kirsch); b3038 (Mabile); b3039 (Mabile);

1878

b1511 (Edwards); b3935 (Saunders); b3227 (Moore); b3139 (McLachlan); b0574 (Burneister); b0610 (Butler); b2573 (Janson); b4740 (Tuely); b1973 (Godman & Salvin); b0611 (Butler); b1974 (Godman & Salvin); b3228 (Moore); b3229 (Moore); b1389 (Druce); b3141 (Mead); b4532 (Strecker); b1698 (Fereday); b1968 (Glover); b2754 (Kirby); b2999 (Lintner); b3040 (Mabile); b3418 (Oberthür); b3419 (Oberthür); b3600 (Piepers & Snellen); b3905 (Saalmüller); b4259 (Snellen); b4327 (Staudinger);

1879

b3041 (Mabile); b0175 (Austaut); b4109 (Semper); b0612 (Butler); b3230 (Moore); b0613 (Butler); b3231 (Moore); b0614 (Butler); b1218 (Dewitz); b2755 (Kirby); b3042 (Mabile); b3604 (Pincitore Marou); b4722 (Trimen); b1975 (Godman & Salvin);

1880

b1892 (Fuchs); b0615 (Butler); b2001 (Gosse); b0616 (Butler); b1976 (Godman & Salvin); b1219 (Dewitz); b1486 (Edwards); b2756 (Kirby); b3043 (Mabile); b3176 (Middleton); b3420 (Oberthür); b3421 (Oberthür); b3422 (Oberthür); b3622 (Plöz); b5029 (Wood-Mason & de Nicéville); b3232 (Moore);

1881

b0617 (Butler); b1512 (Edwards); b1513 (Edwards); b2308 (Hering); b1487 (Edwards); b1283 (Distant); b4328 (Staudinger); b3233 (Moore); b4723 (Trimen); b5030 (Wood-Mason & de Nicéville); b0618 (Butler); b1514 (Edwards); b0043 (Alphéraky); b5031 (Wood-Mason & de Nicéville); b0619 (Butler); b1143 (de Nicéville); b1515 (Edwards); b2498 (Husz); b2757 (Kirby); b3423 (Oberthür); b3532 (Packard); b4021 (Schulz); b4085 (Scudder); b4984 (Westwood);

1882

b1516 (Edwards); b1517 (Edwards); b0302 (Berg); b0620 (Butler); b1589 (Elwes); b1696 (Fenton); b1793 (Frey); b3234 (Moore); b0621 (Butler); b1284 (Distant); b4291 (Speyer); b1518 (Edwards); b1590 (Elwes); b1519 (Edwards); b0146 (Aurvillius); b0788 (Christoph); b1144 (de Nicéville); b1929 (Gerhard); b2091 (Guest); b2758 (Kirby); b2759 (Kirby); b3067 (Marshall); b3686 (Ragusa); b4086 (Scudder); b4633 (Tepper); b1285 (Distant);

1883

b1520 (Edwards); b0622 (Butler); b1521 (Edwards); b0623 (Butler); b1522 (Edwards); b0624 (Butler); b0625 (Butler); b0626 (Butler); b0627 (Butler); b4724 (Trimen); b0628 (Butler);

1883 (continued)

b0785 (Christ); b2491 (Huene); b2760 (Kirby); b3248 (Möschler); b3424 (Oberthür); b3425 (Oberthür); b3936 (Saunders); b4270 (Snow);

1884

b1523 (Edwards); b0629 (Butler); b1145 (de Nicéville); b3210 (Miskin); b3235 (Moore); b3937 (Saunders); b0630 (Butler); b3236 (Moore); b1747 (Fletcher); b1524 (Edwards); b1286 (Distant); b1893 (Fuchs); b0631 (Butler); b0632 (Butler); b1220 (Dewitz); b1525 (Edwards); b1700 (Fernald); b2725 (Kheil); b2761 (Kirby); b2890 (Lang); b3044 (Mabille); b3249 (Möschler); b3426 (Oberthür); b3536 (Pagenstecher); b3906 (Saalmüller); b0789 (Christoph); b3847 (Romanoff); b4329 (Staudinger);

1885

b5042 (Wright); b4564 (Swinhoe); b4565 (Swinhoe); b0176 (Austaut); b3865 (Rosenstock); b1146 (de Nicéville); b1147 (de Nicéville); b1349 (Druce); b2064 (Grum-Grshimailo); b2762 (Kirby); b2888 (Lampa); b3629 (Poujade); b3630 (Poujade); b4533 (Strecker); b3045 (Mabille); b3946 (Schatz);

1886

b3119 (Maynard); b1287 (Distant); b0633 (Butler); b1288 (Distant); b1298 (Doherty); b0634 (Butler); b1148 (de Nicéville); b1299 (Doherty); b1526 (Edwards); b0635 (Butler); b3237 (Moore); b1149 (de Nicéville); b1221 (Dewitz); b1289 (Distant); b1792 (French); b2092 (Guillemard); b2494 (Hulst); b2574 (Janson); b3250 (Möschler); b3427 (Oberthür); b3428 (Oberthür); b3429 (Oberthür); b3505 (Olliff); b3820 (Röber); b3658 (Pryer); b4110 (Semper); b4330 (Staudinger);

1887

b2026 (Grose-Smith); b1350 (Druce); b1290 (Distant & Pryer); b2027 (Grose-Smith); b2421 (Holland); b3079 (Mathew); b4566 (Swinhoe); b2763 (Kirby); b0324 (Bethune-Baker); b2764 (Kirby); b1150 (de Nicéville); b1591 (Elwes); b2028 (Grose-Smith); b2961 (Leech); b1293 (Dognin); b0044 (Alphéraky); b0671 (Calberla); b0790 (Christoph); b0791 (Christoph); b0863 (Cockerell); b1745 (Fixsen); b1967 (Glaser); b2065 (Grum-Grshimailo); b3207 (Millière); b3251 (Möschler); b3821 (Röber); b4121 (Sharp); b4260 (Snellen); b4331 (Staudinger); b4987 (Weymer); b5032 (Wood-Mason & de Nicéville); b2029 (Grose-Smith); b2049 (Grose-Smith & Kirby); b4725 (Trimen); b4734 (Trimen & Bowker);

1888

b4087 (Scudder); b3168 (Meyrick); b0636 (Butler); b1351 (Druce); b0637 (Butler); b1352 (Druce); b1592 (Elwes); b1188 (Demaison); b2066 (Grum-Grshimailo); b3430 (Oberthür); b4122 (Sharp); b4261 (Snellen); b0147 (Aurivillius); b2004 (Graeser); b3822 (Röber); b4088 (Scudder);

1889

b2030 (Grose-Smith); b3211 (Miskin); b1151 (de Nicéville); b2120 (Hampson); b2962 (Leech); b1977 (Godman & Salvin); b2031 (Grose-Smith); b1300 (Doherty); b2032 (Grose-Smith); b3080 (Mathew); b2765 (Kirby); b0045 (Alphéraky); b0432 (Blachier); b0700 (Capronnier); b0864 (Cockerell); b1152 (de Nicéville); b1222 (Dewitz); b1301 (Doherty); b1894 (Fuchs); b3023 (Lucas); b3024 (Lucas); b3046 (Mabille); b3737 (Ribbe); b4123 (Sharp); b4332 (Staudinger); b4333 (Staudinger);

1890

b1353 (Druce); b3947 (Schaus); b1153 (de Nicéville); b1302 (Doherty); b4567 (Swinhoe); b1390 (Druce); b3025 (Lucas); b2422 (Holland); b3212 (Miskin); b1354 (Druce); b4149 (Sharpe); b4568 (Swinhoe); b4150 (Sharpe); b1593 (Elwes); b2766 (Kirby); b3053 (Manders); b4151 (Sharpe); b4152 (Sharpe); b2423 (Holland); b0186 (Austin); b1154 (de Nicéville); b2067 (Grum-Grshimailo); b2072 (Grum-Grshimailo & Alphéraky); b2112 (Hagen); b2844 (Kulikovskii); b2963 (Leech); b2964 (Leech); b3047 (Mabille); b3213 (Miskin);

1890 (continued)

b3431 (Oberthür); b3537 (Pagenstecher); b4124 (Sharp); b4262 (Snellen); b4263 (Snellen); b4634 (Tepper); b4988 (Weymer); b3238 (Moore); b4061 (Scott);

1891

b2033 (Grose-Smith); b2424 (Holland); b4726 (Trimen); b3026 (Lucas); b1355 (Druce); b1294 (Dognin); b4957 (Weeks); b1303 (Doherty); b3120 (Maynard); b1295 (Dognin); b4727 (Trimen); b3900 (Rühl); b1304 (Doherty); b1356 (Druce); b1357 (Druce); b1978 (Godman & Salvin); b3914 (Salvin); b2965 (Leech); b4153 (Sharpe); b1436 (Dyar); b1358 (Druce); b0148 (Aurivillius); b1155 (de Nicéville); b1895 (Fuchs); b1979 (Godman & Salvin); b2068 (Grum-Grshimailo); b3027 (Lucas); b3214 (Miskin); b3215 (Miskin); b3432 (Oberthür); b3823 (Röber); b3845 (Rogenhöfer); b4125 (Sharp); b4264 (Snellen); b4334 (Staudinger);

1892

b2845 (Kulikovskii); b4154 (Sharpe); b0638 (Butler); b2767 (Kirby); b4335 (Staudinger); b2425 (Holland); b5055 (Yerbury); b1359 (Druce); b0967 (Cosmovici); b0414 (Beutenmüller); b2426 (Holland); b2451 (Homuzaki); b2846 (Kulikovskii); b3433 (Oberthür); b3804 (Robbe); b4126 (Sharp); b4265 (Snellen); b4336 (Staudinger); b4337 (Staudinger); b4338 (Staudinger); b4989 (Weymer); b3901 (Rühl); b3903 (Rühl & Bartel);

1893

b2847 (Kulikovskii); b4232 (Skinner); b1156 (de Nicéville); b2427 (Holland); b3902 (Rühl); b1437 (Dyar); b1296 (Dognin); b1594 (Elwes); b4728 (Trimen); b1157 (de Nicéville); b2452 (Homuzaki); b2034 (Grose-Smith); b4273 (Sohn); b4569 (Swinhoe); b0415 (Beutenmüller); b1382 (Druce & Bethune-Baker); b4155 (Sharpe); b2453 (Homuzaki); b0702 (Caradja); b0792 (Christoph); b2069 (Grum-Grshimailo); b2113 (Hagen); b2689 (Kane); b2693 (Karsch); b3434 (Oberthür); b3538 (Pagenstecher); b4127 (Sharp); b1803 (Fruhstorfer); b2363 (Heyne); b2966 (Leech);

1894

b1360 (Druce); b1527 (Edwards); b2974 (Lembert); b0325 (Bethune-Baker); b1361 (Druce); b0639 (Butler); b1158 (de Nicéville); b1533 (Ehrmann); b2035 (Grose-Smith); b4729 (Trimen); b2036 (Grose-Smith); b2310 (Heron); b0256 (Bartlett-Calvert); b1438 (Dyar); b0269 (Baumann); b2037 (Grose-Smith); b3012 (Lower); b3435 (Oberthür); b3660 (Pryer & Cator); b3714 (Rebel & Rogenhofer); b4128 (Sharp); b4339 (Staudinger); b4340 (Staudinger); b4570 (Swinhoe); b2768 (Kirby);

1895

b1159 (de Nicéville); b4233 (Skinner); b2428 (Holland); b0640 (Butler); b4174 (Sherborn); b4730 (Trimen); b4922 (Warren); b0703 (Caradja); b0641 (Butler); b2056 (Grote); b0642 (Butler); b1362 (Druce); b3072 (Martin); b1160 (de Nicéville); b2038 (Grose-Smith); b0149 (Aurivillius); b0150 (Aurivillius); b0151 (Aurivillius); b1297 (Dognin); b2694 (Karsch); b3539 (Pagenstecher); b3824 (Röber); b4129 (Sharp); b4341 (Staudinger); b4342 (Staudinger);

1896

b1161 (de Nicéville); b1170 (de Nicéville & Martin); b4156 (Sharpe); b1162 (de Nicéville); b1363 (Druce); b1364 (Druce); b0303 (Berg); b4571 (Swinhoe); b0643 (Butler); b0644 (Butler); b1753 (Foote); b0645 (Butler); b1980 (Godman & Salvin); b2039 (Grose-Smith); b2311 (Heron); b0326 (Bethune-Baker); b1365 (Druce); b2057 (Grote); b0152 (Aurivillius); b2230 (Hellweger); b3436 (Oberthür); b3540 (Pagenstecher); b3541 (Pagenstecher); b3725 (Reuter); b4130 (Sharp); b4266 (Snellen); b4343 (Staudinger); b4758 (Tut);

1897

b4951 (Watson); b1366 (Druce); b2040 (Grose-Smith); b2362 (Heyne); b0646 (Butler); b4572 (Swinhoe); b0980 (Courvoisier); b1163 (de Nicéville); b4234 (Skinner); b0046 (Alphéraky); b1804 (Fruhstorfer); b1672 (Fawcett); b1981 (Godman & Salvin); b3013 (Lower); b0327 (Bethune-Baker); b0562 (Bruce); b1164 (de Nicéville); b1668 (Favre); b1670 (Favre & Wullschlegel); b0007 (Adamson); b0047 (Alphéraky); b0048 (Alphéraky); b0057 (Anderson & Spry); b0153 (Aurivillius); b1805 (Fruhstorfer); b1806 (Fruhstorfer); b1807 (Fruhstorfer); b2041 (Grose-Smith); b2042 (Grose-Smith); b2043 (Grose-Smith); b2058 (Grote); b2114 (Hagen); b2442 (Holtz); b2454 (Hornmuzaki); b2848 (Kruikovskii); b3825 (Röber); b3826 (Röber); b3827 (Röber); b4344 (Staudinger);

1898

b4731 (Trimen); b0647 (Butler); b3662 (Püngeler); b2044 (Grose-Smith); b0648 (Butler); b0649 (Butler); b4157 (Sharpe); b2045 (Grose-Smith); b1165 (de Nicéville); b4235 (Skinner); b0154 (Aurivillius); b0155 (Aurivillius); b1166 (de Nicéville); b1169 (de Nicéville & Kühn); b1808 (Fruhstorfer); b1809 (Fruhstorfer); b2046 (Grose-Smith); b2047 (Grose-Smith); b2429 (Holland); b2487 (Hudson); b3699 (Rebel); b3871 (Rothschild); b1088 (Dahlström);

1899

b4573 (Swinhoe); b0865 (Cockerell); b0156 (Aurivillius); b0650 (Butler); b1810 (Fruhstorfer); b3153 (Mengel); b1811 (Fruhstorfer); b0651 (Butler); b4345 (Staudinger); b1595 (Elwes); b0932 (Coquillett); b0652 (Butler); b0416 (Beutenmüller); b0653 (Butler); b1305 (Dohrn); b1671 (Favre & Wullschlegel); b1812 (Fruhstorfer); b1813 (Fruhstorfer); b1896 (Fuchs); b3029 (Lugger); b3048 (Mabille); b3049 (Mabille); b3473 (Ogilvie-Grant); b3738 (Ribbe); b4089 (Scudder); b4090 (Scudder); b4131 (Sharp); b4267 (Snellen); b4346 (Staudinger);

1900

b0654 (Butler); b0240 (Barnes); b1167 (de Nicéville); b0655 (Butler); b1814 (Fruhstorfer); b2430 (Holland); b0656 (Butler); b4931 (Waterhouse); b1077 (Crowley); b0026 (Aigner-Abafi); b0268 (Bath); b0657 (Butler); b1815 (Fruhstorfer); b1951 (Gillmer); b1952 (Gillmer); b1953 (Gillmer); b2048 (Grose-Smith); b2070 (Grum-Grshimailo); b2318 (Herz); b2431 (Holland); b2695 (Karsch); b3028 (Lucas); b3377 (Neuburger); b3437 (Oberthür); b3739 (Ribbe); b3828 (Röber); b3872 (Rothschild); b4243 (Slevogt-Bathen); b4284 (South); b4350 (Stefanelli);

1901

b0658 (Butler); b4268 (Snellen); b4635 (Ter Haar); b4636 (Ter Haar); b1596 (Elwes); b2911 (Lathy); b3387 (Nicholl); b0659 (Butler); b0866 (Cockerell); b0660 (Butler); b2021 (Grinnell); b1994 (Good); b4958 (Weeks); b4959 (Weeks); b4990 (Weymer); b4960 (Weeks); b4961 (Weeks); b0058 (André); b0157 (Aurivillius); b1897 (Fuchs); b2490 (Huene); b3663 (Püngeler); b3700 (Rebel); b3873 (Rothschild); b4269 (Snellen); b4347 (Staudinger); b4348 (Staudinger & Rebel); b4490 (Strand); b4962 (Weeks); b4963 (Weeks); b4964 (Weeks); b4296 (Spuler);

1902

b4236 (Skinner); b3948 (Schaus); b2432 (Holland); b3802 (Rivers); b4965 (Weeks); b1168 (de Nicéville); b0661 (Butler); b3154 (Mengel); b1367 (Druce); b3261 (Mousley); b4932 (Waterhouse); b0732 (Chapman); b0027 (Aigner-Abafi); b0733 (Chapman); b1291 (Dodd); b2071 (Grum-Grshimailo); b2229 (Heller); b2777 (Klemensiewicz); b2882 (Lambillion); b3542 (Pagenstecher); b3583 (Petersen); b3701 (Rebel); b3702 (Rebel); b3715 (Rebel & Weymer & Stichel); b4158 (Sharpe); b4237 (Skinner); b4491 (Strand); b4966 (Weeks);

1903

b1368 (Druce); b4933 (Waterhouse); b2912 (Lathy); b3344 (Neave); b4250 (Smith); b3378 (Neuburger); b4934

1903 (continued)

(Waterhouse); b4759 (Tutt); b0328 (Bethune-Baker); b0329 (Bethune-Baker); b0330 (Bethune-Baker); b3438 (Oberthür); b0981 (Courvoisier); b4831 (Verity); b1972 (Godman); b0158 (Aurivillius); b0331 (Bethune-Baker); b1292 (Dodd); b1439 (Dyar); b1669 (Favre); b1816 (Fruhstorfer); b1925 (Geest); b1954 (Gillmer); b2395 (Hirschke); b2883 (Lambillion); b3010 (Lowe); b3829 (Röber); b3998 (Schultz); b3999 (Schultz); b4132 (Sharp); b4159 (Sharpe); b4492 (Strand); b4742 (Turati); b4991 (Wheeler);

1904

b1955 (Gillmer); b0729 (Cator); b1817 (Fruhstorfer); b1369 (Druce); b1818 (Fruhstorfer); b1440 (Dyar); b1956 (Gillmer); b4892 (Wagner); b4000 (Schultz); b0911 (Cook & Cook); b1748 (Fletcher); b2841 (Krodel); b2708 (Kaye); b4641 (Thierry-Mieg); b4732 (Trimen); b2840 (Krod.); b2983 (Leonhardt); b1370 (Druce); b2913 (Lathy); b4001 (Schultz); b2914 (Lathy); b0332 (Bethune-Baker); b0333 (Bethune-Baker); b1673 (Fawcett); b1819 (Fruhstorfer); b3830 (Röber); b4238 (Skinner); b0255 (Bartel); b0159 (Aurivillius); b0334 (Bethune-Baker); b0734 (Chapman); b0735 (Chapman); b0902 (Comstock & Comstock); b1098 (Dannatt); b1749 (Fletcher); b1820 (Fruhstorfer); b2002 (Gouin); b2396 (Hirschke); b2553 (Jachontov); b3345 (Neave); b3439 (Oberthür); b3874 (Rothschild); b3875 (Rothschild); b4133 (Sharp); b4160 (Sharpe); b4161 (Sharpe); b4351 (Stefanelli); b4535 (Suffert); b4536 (Suffert); b4639 (Thieme); b4832 (Verity); b4833 (Verity);

1905

b4002 (Schultz); b4003 (Schultz); b1371 (Druce); b3440 (Oberthür); b1821 (Fruhstorfer); b4948 (Waterhouse & Turner); b4004 (Schultz); b2022 (Grinnell); b3155 (Mengel); b0736 (Chapman); b1701 (Fernald); b1372 (Druce); b1391 (Druce & Druce); b4286 (Sovinsky); b4287 (Sovinsky); b0335 (Bethune-Baker); b5043 (Wright); b1957 (Gillmer); b0433 (Blachier); b3740 (Ribbe); b0160 (Aurivillius); b0336 (Bethune-Baker); b0737 (Chapman); b0738 (Chapman); b0739 (Chapman); b1078 (Culot); b1958 (Gillmer); b2145 (Harrison); b2726 (Kheil); b3529 (Oudemans); b3578 (Perini); b3867 (Rostagno); b3885 (Rothschild & Jordan); b4134 (Sharp); b4135 (Sharp); b4637 (Ter Haar); b4967 (Weeks); b4760 (Tutt);

1906

b1597 (Elwes); b3142 (Meade-Waldo); b0337 (Bethune-Baker); b0338 (Bethune-Baker); b1582 (Elrod & Maley); b4968 (Weeks); b3441 (Oberthür); b0028 (Aigner-Abafi); b1822 (Fruhstorfer); b4005 (Schultz); b0917 (Coolidge); b3442 (Oberthür); b2915 (Lathy); b4733 (Trimen); b4761 (Tutt); b4969 (Weeks); b2849 (Kruikovskii); b0918 (Coolidge); b1598 (Elwes); b1599 (Elwes & Hampson & Durrant); b0339 (Bethune-Baker); b0029 (Aigner-Abafi); b0231 (Bang-Haas); b0740 (Chapman); b0741 (Chapman); b0742 (Chapman); b0743 (Chapman); b1695 (Felt); b2146 (Harrison); b2162 (Haverkamp); b2554 (Jachontov); b3011 (Lowe); b3082 (Matsumura); b3443 (Oberthür); b3643 (Priessecker); b3695 (Rayward); b3703 (Rebel); b3704 (Rebel); b3726 (Reverdin); b3868 (Rostagno); b3886 (Rothschild & Jordan); b4006 (Schultz);

1907

b3379 (Neuburger); b0481 (Brehme); b2025 (Grinnell & Grinnell); b1823 (Fruhstorfer); b4918 (Walley-Dod); b0910 (Cook); b0912 (Cook & Watson); b0775 (Chapman & Champion); b1373 (Druce); b0919 (Coolidge); b2079 (Grund); b1824 (Fruhstorfer); b1825 (Fruhstorfer); b1826 (Fruhstorfer); b1827 (Fruhstorfer); b1374 (Druce); b4640 (Thieme); b1375 (Druce); b4239 (Skinner); b4574 (Swinhoe); b0030 (Aigner-Abafi); b0161 (Aurivillius); b0232 (Bang-Haas); b0423 (Bingham); b0744 (Chapman); b0745 (Chapman); b0782 (Chitenden); b0982 (Courvoisier); b3083 (Matsumura); b3887 (Rothschild & Jordan); b3956 (Schawerda); b4019 (Schultze); b1959 (Gillmer); b4091; b4092 (Seitz);

1908

b4007 (Schultz); b3444 (Oberthür); b3054 (Manders); b1461 (Ebert); b2073 (Grünberg); b2850 (Kruklikovskii); b1960 (Gillmer); b1961 (Gillmer); b1828 (Fruhstorfer); b2080 (Grund); b1829 (Fruhstorfer); b0291 (Belling); b3319 (Muschamp); b0340 (Bethune-Baker); b1830 (Fruhstorfer); b1831 (Fruhstorfer); b1832 (Fruhstorfer); b1833 (Fruhstorfer); b0920 (Coolidge); b2940 (Le Chamberlain); b0746 (Chapman); b5044 (Wright); b1834 (Fruhstorfer); b0747 (Chapman); b4008 (Schultze); b4762 (Tutt); b0434 (Blachier); b0748 (Chapman); b1835 (Fruhstorfer); b2664 (Jordan); b2869 (Kuznetsov); b3445 (Oberthür); b3644 (Preissecker); b3705 (Rebel); b4136 (Sharp); b5005 (Wileman); b5011 (Williams); b0162 (Aurivillius); b3831 (Röber);

1909

b0812 (Clémence); b1433 (Dupont); b0749 (Chapman); b1085 (Dadd); b3446 (Oberthür); b4763 (Tutt); b4893 (Wagner); b0435 (Blachier); b0921 (Coolidge); b4443 (Stichel); b4009 (Schultze); b4546 (Suschkin); b1836 (Fruhstorfer); b4712 (Trautmann); b0341 (Bethune-Baker); b0913 (Cook & Watson); b3683 (Rabaud); b0750 (Chapman); b1962 (Gillmer); b3447 (Oberthür); b3448 (Oberthür); b3449 (Oberthür); b3450 (Oberthür); b4493 (Strand); b1441 (Dyar); b0751 (Chapman); b2415 (Holl); b1837 (Fruhstorfer); b1086 (Dadd); b1583 (Eltringham); b3065 (Marschner); b4444 (Stichel); b4494 (Strand); b4764 (Tutt); b1838 (Fruhstorfer); b0752 (Chapman); b1376 (Druce); b0342 (Bethune-Baker); b4495 (Strand); b4765 (Tutt); b1839 (Fruhstorfer); b1377 (Druce); b4766 (Tutt); b0163 (Aurivillius); b0164 (Aurivillius); b1401 (Dudgeon); b2121 (Hampson); b2161 (Hauder); b2312 (Heron); b2555 (Jachontov); b2556 (Jachontov); b2851 (Kruklikovskii); b2872 (Lacrezue); b2932 (Le Cerf); b3066 (Marschner); b3320 (Muschamp); b3706 (Rebel); b3727 (Reverdin); b3892 (Rowland-Brown); b4137 (Sharp); b4563 (Swiersta); b4945 (Waterhouse & Lyell); b5006 (Wileman); b1840 (Fruhstorfer); b3741 (Ribbe); b4575 (Swinhoe);

1910

b2354 (Heydemann); b5012 (Williams); b1796 (Fritsch); b0233 (Bang-Haas); b1841 (Fruhstorfer); b1842 (Fruhstorfer); b1843 (Fruhstorfer); b3084 (Matsumura); b2557 (Jachontov); b3728 (Reverdin); b1963 (Gillmer); b4767 (Tutt); b4496 (Strand); b2222 (Healy); b0867 (Cockle); b1844 (Fruhstorfer); b1378 (Druce); b3346 (Neave); b0436 (Blachier); b0343 (Bethune-Baker); b0753 (Chapman); b2223 (Healy); b4497 (Strand); b0922 (Coolidge); b1845 (Fruhstorfer); b4445 (Stichel); b1846 (Fruhstorfer); b1625 (Evans); b0245 (Barnes & McDunnough); b2007 (Graves); b4498 (Strand); b1847 (Fruhstorfer); b0754 (Chapman); b0165 (Aurivillius); b0166 (Aurivillius); b0187 (Avinoff); b0437 (Blachier); b0983 (Courvoisier); b0984 (Courvoisier); b2074 (Grünberg); b2075 (Grünberg); b2076 (Grünberg); b2397 (Hirschke); b3148 (Melcon); b3451 (Oberthür); b3586 (Peyer-Irhof); b3870 (Rostagno & Zapelloni); b4020 (Schultze); b4138 (Sharp); b4244 (Slevogt-Bathen); b4297 (Srdinko); b4446 (Stichel); b4768 (Tutt); b4883 (von Neustetter); b5007 (Wileman); b0495 (British Museum of Natural History); b0985 (Courvoisier); b2135 (Hannington); b4093 (Seitz);

1911

b4743 (Turati); b3736 (Rhé Philipe); b0903 (Comstock); b1848 (Fruhstorfer); b0923 (Coolidge); b3385 (Newcomer); b2875 (Lagerberg); b0755 (Chapman); b0756 (Chapman); b0904 (Comstock); b3452 (Oberthür); b3876 (Rothschild); b5002 (Wichgraf); b0475 (Bower); b0344 (Bethune-Baker); b5014 (Williams); b3707 (Rebel); b4744 (Turati); b2006 (Gramann); b0986 (Courvoisier); b1071 (Crombrugge de Picquendaale); b1462 (Ebert); b1935 (Giacomelli); b2558 (Jachontov); b2854 (Ksienschopolski); b2933 (Le Cerf); b3708 (Rebel); b4010 (Schultze); b4139 (Sharp); b4140 (Sharp); b4226 (Siepi & Verity); b4447 (Stichel); b4448 (Stichel); b4499 (Strand); b4500 (Strand); b4501 (Strand); b4502 (Strand); b4503 (Strand); b4504 (Strand); b4505 (Strand); b4506 (Strand); b4642 (Thierry-Mieg); b4753 (Turati & Verity); b4834 (Verity); b4970 (Weeks); b5008

1911 (continued)

(Wileman); b4888 (Vorbrodt & Müller-Rutz);

1912

b1849 (Fruhstorfer); b4240 (Skinner); b4507 (Strand); b1442 (Dyar); b4011 (Schultze); b1626 (Evans); b4770 (Tyler); b4012 (Schultze); b2886 (Lamborn); b1850 (Fruhstorfer); b0757 (Chapman); b1379 (Druce); b1380 (Druce); b0246 (Barnes & McDunnough); b0758 (Chapman); b0759 (Chapman); b0760 (Chapman); b2838 (Krähe); b2663 (Jones); b0234 (Bang-Haas); b0761 (Chapman); b0987 (Courvoisier); b0988 (Courvoisier); b1278 (Diószeghy); b1279 (Diószeghy); b1662 (Fassl); b1797 (Fritsch); b1919 (Galvagni & Preißer); b2077 (Grünberg); b2665 (Jordan); b2776 (Kitt); b3183 (Miller); b3259 (Moulton); b3531 (O'Kane); b3709 (Rebel); b3869 (Rostagno); b4013 (Schultze); b4141 (Sharp); b4231 (Skala); b4298 (Srdinko); b4508 (Strand); b4509 (Strand); b4510 (Strand); b4511 (Strand); b4512 (Strand); b4769 (Tutt); b4885 (Vorbrodt); b4935 (Waterhouse); b4094 (Seitz);

1913

b3014 (Lucas); b0924 (Coolidge); b0762 (Chapman); b0345 (Bethune-Baker); b0905 (Comstock); b1381 (Druce); b3156 (Mengel); b3949 (Schaus); b4835 (Verity); b0346 (Bethune-Baker); b4304 (Stauder); b2433 (Holland); b3157 (Mengel); b3720 (Reiff); b0347 (Bethune-Baker); b1443 (Dyar); b0664 (Cabeau); b2081 (Grund); b3950 (Schaus); b3260 (Moulton); b4285 (South); b1851 (Fruhstorfer); b1852 (Fruhstorfer); b0989 (Courvoisier); b2884 (Lambillion); b0990 (Courvoisier); b0348 (Bethune-Baker); b0763 (Chapman); b0764 (Chapman); b0991 (Courvoisier); b1280 (Diószeghy); b1281 (Diószeghy); b1751 (Foljambe); b2416 (Holl); b2581 (Joannis & Verity); b3957 (Schawerda); b4142 (Sharp); b4164 (Sheldon); b4513 (Strand); b4514 (Strand); b4946 (Waterhouse & Lyell); b4971 (Wehrli);

1914

b0813 (Clémence); b0349 (Bethune-Baker); b1584 (Eltringham); b2709 (Kaye); b2887 (Lamborn); b0765 (Chapman); b1853 (Fruhstorfer); b1854 (Fruhstorfer); b1855 (Fruhstorfer); b1856 (Fruhstorfer); b1857 (Fruhstorfer); b1858 (Fruhstorfer); b4166 (Sheljuzhko); b1926 (Gelin); b0350 (Bethune-Baker); b4449 (Stichel); b3453 (Oberthür); b5015 (Williams); b3803 (Rivertigat); b1859 (Fruhstorfer); b3729 (Reverdin); b3218 (Montague); b3454 (Oberthür); b4165 (Sheldon); b0351 (Bethune-Baker); b0766 (Chapman); b0767 (Chapman); b1444 (Dyar); b1445 (Dyar); b3395 (Niepelt); b1627 (Evans); b0059 (Andres); b0219 (Ball); b0352 (Bethune-Baker); b0992 (Courvoisier); b0993 (Courvoisier); b1801 (Frohawk); b1936 (Giacomelli); b2408 (Hoffmann); b2409 (Hoffmann & Klos); b2559 (Jachontov); b2934 (Le Cerf); b3128 (McDunnough); b3710 (Rebel); b3711 (Rebel); b3893 (Rowland-Brown); b3941 (Saussure); b4143 (Sharp); b4305 (Stauder); b4306 (Stauder); b4450 (Stichel); b4515 (Strand); b4739 (Tshugunov); b4792 (van Eecke); b4836 (Verity); b4947 (Waterhouse & Lyell); b2078 (Grünberg); b4516 (Strand);

1915

b4307 (Stauder); b1628 (Evans); b4771 (Tyler); b0768 (Chapman); b0769 (Chapman); b3085 (Matsumura); b1860 (Fruhstorfer); b3086 (Matsumura); b3087 (Matsumura); b4308 (Stauder); b2580 (Joannis); b0783 (Chrétien); b4772 (Tyler); b0353 (Bethune-Baker); b1861 (Fruhstorfer); b4576 (Swinhoe); b0235 (Bang-Haas); b1862 (Fruhstorfer); b1446 (Dyar); b1863 (Fruhstorfer); b1864 (Fruhstorfer); b3877 (Rothschild); b1079 (Culot); b1865 (Fruhstorfer); b4162 (Sharpe); b5050 (Yagi); b4793 (van Eecke); b0025 (Aichele); b0167 (Aurivillius); b0770 (Chapman); b1663 (Fassl); b1866 (Fruhstorfer); b1867 (Fruhstorfer); b1868 (Fruhstorfer); b1869 (Fruhstorfer); b3878 (Rothschild); b3879 (Rothschild); b3894 (Rowland-Brown); b4022 (Schulze); b4288 (Sovinsky); b4309 (Stauder); b4451 (Stichel); b4517 (Strand); b4794 (van Eecke); b1909 (Gaede);

1916

b3597 (Pickett); b2652 (Joicey & Talbot); b2131 (Hannemann); b1870 (Fruhstorfer); b0354 (Bethune-Baker); b0355 (Bethune-Baker); b1802 (Frohawk); b2651 (Joicey & Noakes & Talbot); b0247 (Barnes & McDunnough); b4095 (Seitz); b2653 (Joicey & Talbot); b1871 (Fruhstorfer); b1872 (Fruhstorfer); b1873 (Fruhstorfer); b4577 (Swinhoe); b1447 (Dyar); b0248 (Barnes & McDunnough); b0860 (Cockayne); b3004 (Longstaff); b0168 (Aurivillius); b0771 (Chapman); b0861 (Cockayne); b0968 (Costantini); b1874 (Fruhstorfer); b1875 (Fruhstorfer); b1971 (Godfrey); b2023 (Grinnell); b2082 (Grund); b3396 (Niepelt); b3455 (Oberthür); b3456 (Oberthür); b3880 (Rothschild); b3895 (Rowland-Brown); b4014 (Schultze); b4015 (Schultze); b4016 (Schultze); b4017 (Schultze); b4096 (Seitz); b4144 (Sharp); b4352 (Steiner); b4452 (Stichel); b4453 (Stichel); b4837 (Verity); b4838 (Verity);

1917

b0249 (Barnes & McDunnough); b0250 (Barnes & McDunnough); b1876 (Fruhstorfer); b4241 (Skinner); b4578 (Swinhoe); b1877 (Fruhstorfer); b4579 (Swinhoe); b1878 (Fruhstorfer); b2654 (Joicey & Talbot); b2024 (Grinnell); b1879 (Fruhstorfer); b0049 (American Association of Economic Entomology); b0063 (Anonymous); b0772 (Chapman); b1880 (Fruhstorfer); b1881 (Fruhstorfer); b1882 (Fruhstorfer); b1910 (Gaede); b1937 (Giacomelli); b2106 (Gussich); b3457 (Oberthür); b3458 (Oberthür); b3459 (Oberthür); b3633 (Powell); b3634 (Powell); b3635 (Powell); b3730 (Reverdin); b3731 (Reverdin); b4145 (Sharp); b4886 (Vorbrodt); b4889 (Vorbrodt & Müller-Rutz); b5023 (Wize); b1348 (Draudt); b4518 (Strand);

1918

b1664 (Fassl); b3653 (Prout); b1448 (Dyar); b0356 (Bethune-Baker); b3732 (Reverdin); b4795 (van Eecke); b1186 (Dean); b4519 (Strand); b4520 (Strand); b0251 (Barnes & McDunnough); b0994 (Courvoisier); b1072 (Crosby & Leonard); b1883 (Fruhstorfer); b1884 (Fruhstorfer); b1885 (Fruhstorfer); b1886 (Fruhstorfer); b2008 (Graves); b2460 (Houlbert); b3380 (Neville-Jones); b3460 (Oberthür); b3599 (Piepers); b3601 (Piepers & Snellen); b3636 (Powell); b3719 (Rehfous); b3896 (Rowland-Brown); b4023 (Schulze); b4146 (Sharp); b5016 (Williams);

1919

b3461 (Oberthür); b2710 (Kaye); b1189 (Demaison); b0252 (Barnes & McDunnough); b4580 (Swinhoe); b3088 (Matsumura); b0773 (Chapman); b4894 (Wagner); b0438 (Blackie); b1214 (Devos); b1306 (Doi); b1887 (Fruhstorfer); b1888 (Fruhstorfer); b1889 (Fruhstorfer); b1890 (Fruhstorfer); b2403 (Höfer); b2891 (Lange); b3089 (Matsumura); b3403 (Nire); b3687 (Ragusa); b3744 (Riley); b3843 (Roepke); b4167 (Sheljuzhko); b4454 (Stichel); b4537 (Sugitani); b4745 (Turai); b4839 (Verity); b0665 (Cabeau); b4840 (Verity);

1920

b1940 (Gibson); b3129 (McDunnough); b3881 (Rothschild); b3951 (Schaus); b4242 (Skinner); b3952 (Schaus); b0774 (Chapman); b4754 (Turner); b3036 (Lütkemeyer); b3262 (Müller); b4936 (Waterhouse); b0859 (Closs); b2301 (Hensel); b4521 (Strand); b2434 (Holland); b4952 (Watson & Comstock); b1190 (Demaison); b3015 (Lucas); b4522 (Strand); b0442 (Blackmore); b0995 (Courvoisier); b3404 (Nire); b3637 (Powell); b3638 (Powell); b3712 (Rebel); b3745 (Riley); b3746 (Riley); b4147 (Sharp); b4523 (Strand); b4827 (Venzmer); b4841 (Verity); b4972 (Wehrli); b4310 (Stauder);

1921

b5003 (Wichgraf); b3037 (Lütkemeyer); b3130 (McDunnough); b1798 (Friisch); b2916 (Lathy); b3397 (Niepelt); b2655 (Joicey & Talbot); b3747 (Riley); b0050 (American Association of Economic Entomology); b0357 (Bethune-Baker); b0720 (Carter); b0996 (Courvoisier); b1099 (Dannehl); b1629 (Evans); b2711 (Kaye); b3504 (Ollenbach); b3748 (Riley); b3787

1921 (continued)

(Riley & Godfrey); b3844 (Roepke); b3882 (Rothschild); b4071 (Scriba); b4311 (Stauder); b4312 (Stauder); b4746 (Turai); b4890 (Vorbrodt & Müller-Rutz);

1922

b0358 (Bethune-Baker); b1585 (Eltringham); b1661 (Farquharson); b3749 (Riley); b0244 (Barnes & Lindsey); b3750 (Riley); b5045 (Wright); b4524 (Strand); b3631 (Poulton); b3462 (Oberthür); b1665 (Fassl); b2656 (Joicey & Talbot); b2657 (Joicey & Talbot); b2658 (Joicey & Talbot); b2659 (Joicey & Talbot); b0871 (Comstock); b1421 (Dumont); b3751 (Riley); b0169 (Aurivillius); b0170 (Aurivillius); b1457 (d'Almeida); b1614 (Esaki); b2700 (Kauchi); b2935 (Le Cerf); b3073 (Martin); b3331 (Nakahara); b3463 (Oberthür); b3464 (Oberthür); b3466 (Oberthür & Houlbert); b3477 (Okajima); b3655 (Prüffer); b3752 (Riley); b3753 (Riley); b3965 (Schindler); b4148 (Sharp); b4313 (Stauder); b4314 (Stauder); b4525 (Strand); b4526 (Strand); b4661 (Tindale); b5051 (Yagi);

1923

b0359 (Bethune-Baker); b1630 (Evans); b3754 (Riley); b0241 (Barnes & Benjamin); b0443 (Blackmore); b2936 (Le Cerf); b3955 (Schaus & Cockerall); b0925 (Coolidge); b4455 (Stichel); b0061 (Andres & Seitz); b0171 (Aurivillius); b0666 (Cabeau); b0721 (Carter & Harrison); b0926 (Coolidge); b1781 (Foulquier); b2009 (Graves); b2226 (Hedecke); b2404 (Höfer); b2449 (Hori); b2712 (Kaye); b2805 (Köhler); b2835 (Kozhanchikov); b2989 (Lhomme); b3016 (Lucas); b3149 (Mell); b3160 (Metschl & Sälzl); b3184 (Müller); b3465 (Oberthür); b3656 (Prüffer); b3755 (Riley); b3756 (Riley); b3832 (Röber); b3833 (Röber); b3841 (Rocci); b4018 (Schultze); b4299 (Stach); b4315 (Stauder); b4426 (Stephan); b4456 (Stichel); b4457 (Stichel); b4662 (Tindale); b4747 (Turai); b4867 (Verity & Querci); b5054 (Yazaki); b1196 (Derenne); b4316 (Stauder);

1924

b4427 (Stephan); b4317 (Stauder); b2660 (Joicey & Talbot); b0927 (Coolidge); b1783 (Fox); b0242 (Barnes & Benjamin); b1757 (Ford); b5079 (Züllich); b3757 (Riley); b2093 (Gunder); b1631 (Evans); b2973 (Lekic); b3972 (Schoenfeld); b0928 (Coolidge); b2118 (Hall); b2661 (Joicey & Talbot); b1191 (Demaison); b0360 (Bethune-Baker); b1586 (Eltringham); b2917 (Lathy); b1112 (de Fleury); b1175 (de Sagarra y Castellamau); b0929 (Coolidge); b0272 (Bayer); b0570 (Bubaček); b0667 (Cabeau); b1176 (de Sagarra y Castellamau); b2147 (Harrison); b2153 (Hartig); b2495 (Hulstaert); b2496 (Hulstaert); b2701 (Kauchi); b2836 (Kozhanchikov); b2892 (Lange); b3516 (Ormiston); b3611 (Pionneau); b3733 (Reverdin); b3793 (Riley & Tams); b3958 (Schawerda); b4318 (Stauder); b4458 (Stichel); b4459 (Stichel); b4460 (Stichel); b4461 (Stichel); b4462 (Stichel); b4527 (Strand); b4748 (Turai); b4796 (van Eecke); b4842 (Verity); b4868 (Verity & Querci); b4899 (Wahlgren); b4919 (Wamecke);

1925

b0930 (Coolidge); b2094 (Gunder); b0931 (Coolidge); b1632 (Evans); b0361 (Bethune-Baker); b2713 (Kaye); b3665 (Querci); b1100 (Dannehl); b3612 (Pionneau); b1101 (Dannehl); b4843 (Verity); b0888 (Comstock & Coolidge); b1633 (Evans); b2095 (Gunder); b3788 (Riley & Godfrey); b2010 (Graves); b0872 (Comstock); b3834 (Röber); b3758 (Riley); b1634 (Evans); b0051 (American Association of Economic Entomology); b0172 (Aurivillius); b0173 (Aurivillius); b0668 (Cabeau); b1177 (de Sagarra y Castellamau); b1345 (Draeseke); b1346 (Draeseke & Reuss); b2309 (Hering & Hopp); b3090 (Matsumura); b3240 (Mori); b3759 (Riley); b3794 (Riley & Tams); b3795 (Riley & Tams); b3796 (Riley & Tams); b3883 (Rothschild); b3884 (Rothschild); b4319 (Stauder); b4463 (Stichel); b4814 (Vance);

1926

b2096 (Gunder); b4895 (Wagner); b3332 (Nakahara); b2918 (Lathy); b0873 (Comstock); b0874 (Comstock); b1966 (Glais);

1926 (continued)

b0362 (Bethune-Baker); b1727 (Fiedler); b2919 (Lathy); b2868 (Kuwayama); b2662 (Joicey & Talbot); b1635 (Evans); b4773 (Tylder); b0243 (Barnes & Benjamin); b0367 (Beuret); b0711 (Caron); b1178 (de Sagarra y Castellarnau); b1179 (de Sagarra y Castellarnau); b1197 (Derenne); b1198 (Derenne); b1449 (Dyar); b1463 (Ebert); b1624 (Essig); b2163 (Hawker-Smith); b2213 (Hayward); b2820 (Kolar); b2852 (Krulikovskii); b3091 (Matsumura); b3092 (Matsumura); b3093 (Matsumura); b3161 (Metzner); b3405 (Nitsche); b3478 (Okamoto); b3525 (Osthelder); b3613 (Pionneau); b3713 (Rebel); b3742 (Ribbe); b3760 (Riley); b3835 (Röber); b3836 (Röber); b3851 (Romieux); b3959 (Schawerda); b4274 (Sonan); b4464 (Stichel); b4465 (Stichel); b4466 (Stichel); b4467 (Stichel); b4528 (Strand); b4694 (Toxopeus); b4695 (Toxopeus); b0236 (Bang-Haas); b4844 (Verity);

1927

b2920 (Lathy); b1199 (Derenne); b3761 (Riley); b4949 (Watkins); b2447 (Hopkins); b2435 (Holland); b2097 (Gunder); b3398 (Niepelt); b3953 (Schaus); b3762 (Riley); b3131 (McDunnough); b2098 (Gunder); b3169 (Mezger); b3848 (Romei); b4845 (Verity); b3584 (Pether); b4356 (Stempffer); b0064 (Anonymous); b0237 (Bang-Haas); b0368 (Beuret); b0875 (Comstock); b0876 (Comstock); b1102 (Dannehl); b1636 (Evans); b1637 (Evans); b1945 (Gigoux); b2099 (Gunder); b2231 (Hemming); b2941 (Le Charles); b3094 (Matsumura); b3095 (Matsumura); b3588 (Pfeiffer); b3614 (Pionneau); b3763 (Riley); b3764 (Riley); b3837 (Röber); b3849 (Romei); b4357 (Stempffer); b4529 (Strand); b4696 (Toxopeus); b4749 (Turati); b4755 (Turner); b4846 (Verity); b3940 (Sauruck); b4697 (Toxopeus);

1928

b1422 (Dumont); b2937 (Le Cerf); b2364 (Higgins); b4468 (Stichel); b2164 (Hawker-Smith); b2842 (Krüger); b2013 (Graves & Hemming); b3654 (Provancher & Huard); b0914 (Cooke); b2232 (Hemming); b3954 (Schaus); b4847 (Verity); b3145 (Meier-Ramel); b2843 (Krüger); b4848 (Verity); b2100 (Gunder); b5080 (Zülllich); b2233 (Hemming); b3587 (Pfauf); b0877 (Comstock); b3765 (Riley); b2132 (Hannemann); b4937 (Waterhouse); b2938 (Le Cerf); b4617 (Talbot); b4358 (Stempffer); b0034 (Alberti); b0065 (Anonymous); b0369 (Beuret); b0722 (Carter & Harrison); b1706 (Fernandez); b1938 (Giacomelli); b2011 (Graves); b2148 (Harrison); b2165 (Hawker-Smith); b2234 (Hemming); b2456 (Horn & Schenkling); b2488 (Hudson); b2690 (Kano); b2692 (Kardakoff); b3096 (Matsumura); b3615 (Pionneau); b3616 (Pionneau); b3766 (Riley); b3767 (Riley); b3768 (Riley); b3792 (Riley & Poulton); b4168 (Sheljuzhko); b4169 (Sheljuzhko); b4469 (Stichel); b4638 (Tessmann); b4651 (Turner); b4698 (Toxopeus); b5025 (Wnukowsky); b5070 (Zikán);

1929

b3904 (Rummel); b1755 (Forbes); b2436 (Holland); b2116 (Haig-Thomas); b3769 (Riley); b2149 (Harrison); b2151 (Harrison & Carter); b2235 (Hemming); b0777 (Chermock); b2236 (Hemming); b0915 (Cooke); b4618 (Talbot); b4849 (Verity); b5081 (Zülllich); b0878 (Comstock); b2133 (Hannemann); b4850 (Verity); b4470 (Stichel); b2237 (Hemming); b2238 (Hemming); b4619 (Talbot); b4620 (Talbot); b4621 (Talbot); b4615 (Takeuchi); b2166 (Hawker-Smith); b2167 (Hawker-Smith); b0066 (Anonymous); b0174 (Aurivillius); b0292 (Belling); b1587 (Eltringham); b1588 (Eltringham & Poulton & Riley & Talbot); b1756 (Forbes); b3097 (Matsumura); b3098 (Matsumura); b3099 (Matsumura); b3185 (Miller & Zubovschi & Ruscinski); b3632 (Poulton); b3770 (Riley); b3771 (Riley); b3772 (Riley); b4170 (Sheljuzhko); b4275 (Sonan); b4471 (Stichel); b4699 (Toxopeus); b4700 (Toxopeus); b4701 (Toxopeus); b4851 (Verity); b4926 (Watari); b5026 (Wnukowsky); b0471 (Bollow);

1930

b2101 (Gunder); b0038 (Aldin); b0879 (Comstock); b5046 (Wright); b4887 (Vorbrodt); b2365 (Higgins); b0880 (Comstock); b0889 (Comstock & Coolidge); b2012 (Graves); b2921 (Lathy); b2778 (Klots); b2437 (Holland); b4472 (Stichel); b2355 (Heydemann); b2691 (Kano); b1210 (Deslandes); b1620 (Esaki & Nakahara); b4538 (Sugitani); b0238 (Bargmann); b4431 (Stermitzky); b0052 (American Association of Economic Entomology); b0067 (Anonymous); b0492 (Breyer); b0565 (Bryk); b1180 (de Sagarra y Castellarnau); b1272 (Diehl); b1282 (Diószeghy); b2666 (Jordan); b2667 (Jordan); b2696 (Kato); b4098 (Seitz & Gaede & Goltz); b4292 (Spitz); b4473 (Stichel); b4474 (Stichel); b4475 (Stichel); b4702 (Toxopeus); b4751 (Turati & Fiori); b4900 (Wahlgren); b1911 (Gaede); b1913 (Gaede & Bollow);

1931

b2134 (Hannemann); b3838 (Röber); b3051 (Macy); b2366 (Higgins); b3406 (Nomura); b1273 (Dietrich); b5019 (Wimmeas); b2239 (Hemming); b2017 (Griffin); b2240 (Hemming); b4896 (Wagner); b2241 (Hemming); b0060 (Andres); b0068 (Anonymous); b0669 (Cabeau); b1087 (Dahl); b1200 (Derenne); b1307 (Doi); b1308 (Doi & Cho); b1912 (Gaede); b2242 (Hemming); b2356 (Heydemann); b2438 (Holland); b2688 (Kanda & Kato); b2714 (Kaye); b2785 (Kobayashi); b3100 (Matsumura); b3101 (Matsumura); b3170 (Mezger); b3339 (Nakamura); b3589 (Pfeiffer); b3617 (Pionneau); b4276 (Sonan); b4293 (Spitz); b4476 (Stichel); b4703 (Toxopeus); b4852 (Verity); b5071 (Zikán);

1932

b4622 (Talbot); b0193 (Bailey); b2922 (Lathy); b2923 (Lathy); b4425 (Stempffer & Schmidt); b3526 (Osthelder & Pfeiffer); b2102 (Gunder); b2497 (Huntington); b0890 (Comstock & Dammers); b2924 (Lathy); b1615 (Esaki); b2939 (Le Cerf); b2243 (Hemming); b3773 (Riley); b3321 (Musgrave); b4277 (Sonan); b4252 (Smith); b0881 (Comstock); b0069 (Anonymous); b0704 (Caradja); b0891 (Comstock & Dammers); b1181 (de Sagarra y Castellarnau); b1458 (d'Almeida); b1616 (Esaki); b1638 (Evans); b2018 (Griffin); b2244 (Hemming); b2245 (Hemming); b2246 (Hemming); b2247 (Hemming); b2357 (Heydemann); b2669 (Jørgensen); b3590 (Pfeiffer); b3666 (Querci); b3716 (Rebel & Zemy); b3774 (Riley); b3775 (Riley); b4097 (Seitz); b4359 (Stempffer); b4530 (Strand); b4704 (Toxopeus); b4741 (Tuleschko); b4777 (Uchida); b4780 (Ungemach); b4927 (Watari); b5063 (Zemy);

1933

b4705 (Toxopeus); b4920 (Wamecke); b2248 (Hemming); b1103 (Dannehl); b0901 (Comstock & Henne); b2686 (Kanda); b3899 (Rudkin); b4360 (Stempffer); b2159 (Haskin); b1639 (Evans); b3559 (Pendlebury); b3562 (Pendlebury & Corbet); b2103 (Gunder); b0882 (Comstock); b0892 (Comstock & Dammers); b2249 (Hemming); b0284 (Bell); b0070 (Anonymous); b0370 (Beuret); b0893 (Comstock & Dammers); b1082 (Curtis); b2168 (Hawker-Smith); b2227 (Heid); b2250 (Hemming); b2358 (Heydemann); b2383 (Hirose); b2679 (Kalis); b3409 (Nordström); b4171 (Sheljuzhko); b4294 (Spitz); b4479 (Stoneham); b4750 (Turati); b4791 (Van Duzee); b4539 (Sugitani);

1934

b2251 (Hemming); b4361 (Stempffer); b0883 (Comstock); b0894 (Comstock & Dammers); b3776 (Riley); b3399 (Niepelt); b2252 (Hemming); b3969 (Schneur); b0712 (Carpenter); b2670 (Jørgensen); b4173 (Sheppard); b2104 (Gunder); b2687 (Kanda); b2253 (Hemming); b2254 (Hemming); b0285 (Bell); b0884 (Comstock); b2255 (Hemming); b3598 (Pictet); b3852 (Romieux); b4938 (Waterhouse); b0010 (Agenjo); b0071 (Anonymous); b0371 (Beuret); b0372 (Beuret); b2448 (Hörhammer); b2697 (Kato); b2806 (Köhler); b3171 (Mezger); b3172 (Mezger); b3944 (Schaffner & Griswold); b4111 (Seok); b4172 (Sheljuzhko); b4433 (Stevenson); b5027 (Wnukowsky); b5058 (Zazzini); b1617 (Esaki); b4853 (Verity);

1935

b0895 (Comstock & Dammers); b2256 (Hemming); b2986 (Leussler); b4623 (Talbot); b2281 (Heme); b0796 (Clark); b0896 (Comstock & Dammers); b0900 (Comstock & Grimshawe); b3410 (Nordström); b3497 (Ökubo); b4928 (Watan); b0897 (Comstock & Dammers); b0258 (Bates); b3132 (McDunnough); b4854 (Verity); b0373 (Beuret); b0713 (Carpenter); b0072 (Anonymous); b0259 (Bates); b1618 (Esaki); b2214 (Hayward); b2257 (Hemming); b2258 (Hemming); b2259 (Hemming); b2671 (Jørgensen); b3102 (Matsumura); b3173 (Mezger); b3312 (Murray); b3329 (Nagami & Ishiga); b3408 (Nordmann & Rebel); b3411 (Nordström); b3412 (Nordström); b3467 (Obrazsov); b3691 (Rangnow); b4054 (Schwingenschuss); b4362 (Stempffer); b4706 (Toxopeus); b4707 (Toxopeus); b4789 (Valle); b2455 (Hom & Kahle);

1936

b0885 (Comstock); b1731 (Field); b0898 (Comstock & Dammers); b3133 (McDunnough); b1732 (Field); b4278 (Sonan); b4616 (Takeuchi); b4778 (Umeno); b1313 (dos Passos); b0145 (Audeoud); b3853 (Romieux); b4855 (Verity); b0714 (Carpenter); b0933 (Corbet); b0417 (Biedermann); b2975 (Lempke); b4856 (Verity); b0073 (Anonymous); b0270 (Bayard); b0374 (Beuret); b0375 (Beuret); b1201 (Derenne); b1758 (Forster); b2837 (Kozhanchikov); b2925 (Lathy); b2976 (Lempke); b2992 (Lingonblad); b3468 (Obrazsov); b3469 (Obrazsov); b3560 (Pendlebury); b3618 (Pionneau); b3855 (Rosa); b4112 (Seok); b4363 (Stempffer); b4364 (Stempffer); b4477 (Stichel); b4624 (Talbot); b4752 (Turati & Krüger); b4929 (Watan); b5024 (Wize); b4857 (Verity);

1937

b4365 (Stempffer); b4939 (Waterhouse); b3591 (Pfeiffer); b0934 (Corbet); b4625 (Talbot); b1074 (Cross); b0886 (Comstock); b0935 (Corbet); b3554 (Paskewsky); b3123 (McAlpine); b1075 (Cross); b4930 (Watan); b4366 (Stempffer); b4113 (Seok); b2977 (Lempke); b3017 (Lucas); b2461 (Hovanitz); b0074 (Anonymous); b0663 (Bytinski-Salz); b0936 (Corbet); b1202 (Derenne); b1423 (Duncan); b1640 (Evans); b1759 (Forster); b1760 (Forster); b2260 (Hemming); b2413 (Hoffmeyer); b2450 (Hori & Tamanuki); b2560 (Jackson); b2668 (Jordan); b2870 (Kyuzaki); b3619 (Pionneau); b3854 (Romieux); b3971 (Schneider); b4175 (Sherborn); b4432 (Stetter-Stättermayer); b4434 (Stevenson); b4480 (Stoneham); b4649 (Thompson); b4779 (Umeno); b4858 (Verity); b4940 (Waterhouse); b4859 (Verity);

1938

b0670 (Cadbury); b0799 (Clark & Clark); b4367 (Stempffer); b1314 (dos Passos); b1789 (Freeman); b4884 (von Neustetter); b0899 (Comstock & Dammers); b1733 (Field); b0937 (Corbet); b3413 (Norman); b4693 (Townsend & England); b4941 (Waterhouse); b0938 (Corbet); b0939 (Corbet); b3134 (McDunnough); b3786 (Riley & Corbet); b4279 (Sonan); b3124 (McAlpine); b1734 (Field); b3592 (Pfeiffer); b3777 (Riley); b1735 (Field); b4114 (Seok); b3593 (Pfeiffer); b0053 (American Association of Economic Entomology); b0075 (Anonymous); b0376 (Beuret); b0444 (Blanchard); b0480 (Brandt); b0494 (Bright & Leeds); b0940 (Corbet); b1761 (Forster); b1762 (Forster); b1790 (Freeman); b2108 (Hackray); b2228 (Heinrich); b2550 (Ishimura); b2680 (Kalis); b2727 (Kiefer); b2978 (Lempke); b3007 (Lorkovic); b3103 (Matsumura); b3104 (Matsumura); b3620 (Pionneau); b3960 (Schawerda); b4055 (Schwingenschuss); b4368 (Stempffer); b4481 (Stoneham); b4736 (Troniček); b4942 (Waterhouse); b0377 (Beuret); b4860 (Verity);

1939

b0887 (Comstock); b0941 (Corbet); b0942 (Corbet); b1750 (Fletcher); b2019 (Griffin); b2570 (Janse); b3125 (McAlpine); b4056 (Schwingenschuss); b0943 (Corbet); b0944 (Corbet); b2261 (Hemming); b2511 (International Trust for Zoological Nomenclature); b1791 (Freeman); b2262 (Hemming); b3313 (Murray); b1736 (Field); b1922 (Gaskin); b1924 (Gay); b2020

1939 (continued)

(Griffin); b0076 (Anonymous); b0378 (Beuret); b0723 (Cruel); b1408 (Dufrane); b1763 (Forster); b1905 (Gabriel); b2117 (Hall); b2215 (Hayward); b2489 (Hudson); b3105 (Matsumura); b3106 (Matsumura); b3407 (Nordmann); b3561 (Pendlebury); b3778 (Riley); b4057 (Schwingenschuss); b4115 (Seok); b4435 (Stevenson); b4802 (van Someren); b4861 (Verity); b5004 (Wild); b2943 (Le Moul);

1940

b0945 (Corbet); b1315 (dos Passos); b0906 (Comstock); b4280 (Sonan); b0946 (Corbet); b2282 (Henne); b0947 (Corbet); b4281 (Sonan); b0948 (Corbet); b3135 (McDunnough); b0949 (Corbet); b1316 (dos Passos); b0800 (Clark); b3563 (Pennington); b4436 (Stevenson); b0950 (Corbet); b4282 (Sonan); b0497 (Brower); b1070 (Cripps & Jackson); b0077 (Anonymous); b0566 (Bryk); b0951 (Corbet); b0952 (Corbet); b1339 (Dowdeswell & Fisher & Ford); b1764 (Forster); b2152 (Harig); b2405 (Hoffmann); b2406 (Hoffmann); b3534 (Paclt); b4227 (Silbernagel); b4628 (Tanikawa); b4708 (Toxopeus); b4774 (Tyler); b4901 (Wakabayashi);

1941

b0953 (Corbet); b0954 (Corbet); b0188 (Avinoff & Shoumatoff); b0955 (Corbet); b3402 (Niimura); b4627 (Tanaka); b4804 (van Son); b4943 (Waterhouse); b0956 (Corbet); b2150 (Harrison); b3323 (Nabokov); b0811 (Clarke); b2263 (Hemming); b2264 (Hemming); b0129 (Araki & Hirayama); b0130 (Araki & Sibatani); b0286 (Bell & Comstock); b0814 (Clench); b0815 (Clench); b0957 (Corbet); b1765 (Forster); b1766 (Forster); b3340 (Naritomi); b3341 (Naritomi); b3557 (Peairs); b4053 (Schweizer & Kay); b4188 (Shirōzu); b4283 (Sonan); b5039 (Wright);

1942

b3136 (McDunnough); b4369 (Stempffer); b4626 (Talbot); b0801 (Clark); b0816 (Clench); b2507 (Inoue); b3333 (Nakahara); b3342 (Naritomi); b2512 (International Trust for Zoological Nomenclature); b3175 (Michener & dos Passos); b0573 (Burdick); b0054 (American Association of Economic Entomology); b0567 (Bryk); b0958 (Corbet); b1767 (Forster); b2359 (Heydemann); b2944 (Le Moul); b2979 (Lempke); b3008 (Lorkovic); b3779 (Riley); b3961 (Schawerda); b4224 (Sibatani & Ito); b4921 (Wamecke); b4944 (Waterhouse); b5037 (Woodhouse & Henry);

1943

b0716 (Carpenter & Lewis); b0817 (Clench); b2265 (Hemming); b2266 (Hemming); b4692 (Townsend); b1621 (Esaki & Shirōzu); b3272 (Murayama); b4189 (Shirōzu); b1317 (dos Passos); b1224 (Dickson); b0818 (Clench); b0819 (Clench); b2513 (International Trust for Zoological Nomenclature); b0907 (Comstock & Huntington); b2479 (Huang); b2867 (Kurihara); b3009 (Lorkovic); b3273 (Murayama); b3309 (Murayama & Sibatani); b3509 (Opheim); b3661 (Pujol y Fiol); b3780 (Riley); b4206 (Shirōzu & Murayama); b4211 (Shirōzu & Sibatani); b4482 (Storace); b4862 (Verity); b4992 (Wheeler);

1944

b3324 (Nabokov); b0820 (Clench); b0011 (Agenjo); b0821 (Clench); b0822 (Clench); b3137 (McDunnough); b1225 (Dickson); b1226 (Dickson); b0823 (Clench); b0959 (Corbet); b3325 (Nabokov); b3692 (Rasmussen); b3781 (Riley); b4370 (Stempffer); b4709 (Toxopeus);

1945

b0779 (Chermock); b0717 (Carpenter); b3782 (Riley); b5020 (Wind & Clench); b2514 (International Trust for Zoological Nomenclature); b3326 (Nabokov); b2515 (International Trust for Zoological Nomenclature); b1227 (Dickson); b1228 (Dickson); b2267 (Hemming); b2516 (International Trust for Zoological Nomenclature); b1409 (Dufrane); b1413 (Dujardin); b1414 (Dujardin); b1998 (Goodson); b2945 (Le Moul); b3605 (Pinhey);

- 1946
 b2517 (International Trust for Zoological Nomenclature); b2518 (International Trust for Zoological Nomenclature); b2519 (International Trust for Zoological Nomenclature); b2109 (Hackray); b3564 (Pennington); b0960 (Corbet); b4371 (Stempffer); b1212 (Dethier); b5072 (Zikán); b4219 (Sibatani); b3476 (Okada); b0271 (Bayard); b0305 (Berger); b0568 (Bryk); b0824 (Clench); b2991 (Lichy); b3400 (Nieuwenhuis); b3913 (Salmon); b4993 (Wheeler); b5028 (Wojtusiak & Niesiolowski);
- 1947
 b1229 (Dickson); b2876 (Lalanne); b5021 (Wind & Clench); b0961 (Corbet); b1906 (Gabriel); b4653 (Tilden); b3667 (Querci); b4372 (Stempffer); b4373 (Stempffer); b3274 (Murayama); b4190 (Shirôzu); b5022 (Wind & Clench); b4301 (Stallings & Turner); b1230 (Dickson); b0825 (Clench); b3850 (Romei); b0452 (Blom); b4302 (Stallings & Turner); b1323 (dos Passos & Grey); b0078 (Anonymous); b0311 (Bernardi); b0312 (Bernardi); b2946 (Le Moutl); b3005 (Loritz); b3174 (Michel); b3482 (Okano); b4374 (Stempffer); b4375 (Stempffer); b4483 (Storace); b4781 (Ureta); b4863 (Verity);
- 1948
 b0962 (Corbet); b2367 (Higgins); b3565 (Pennington); b4552 (Swanepoel); b3693 (Rawson); b0797 (Clark); b1996 (Goodson); b0963 (Corbet); b0780 (Chermock & Chermock); b4376 (Stempffer); b1231 (Dickson); b0798 (Clark); b4813 (van Wisselingh); b2382 (Hinton); b3327 (Nabokov); b0055 (American Association of Economic Entomology); b0313 (Bernardi); b0314 (Bernardi); b0575 (Burns); b2824 (Komárek); b3006 (Loritz); b3628 (Popescu-Gorj); b3664 (Puysegur); b4875 (Vilamubia); b5018 (Wiltshire);
- 1949
 b0039 (Allan); b0778 (Chermock & Frechin); b4553 (Swanepoel); b2980 (Lempke); b1907 (Gabriel); b0079 (Anonymous); b0128 (Araki); b0379 (Beuret); b1415 (Dujardin); b2216 (Hayward); b2217 (Hayward); b2414 (Holik); b3328 (Nabokov); b3606 (Pinhey); b4782 (Ureta); b4801 (van Regteren Altena); b4805 (van Son); b4806 (van Son); b4874 (Vigneau); b5073 (Zikán);
- 1950
 b0294 (Bennett); b1786 (Freeman); b2441 (Holmes); b0003 (Abercrombie); b3694 (Rawson & Ziegler); b4377 (Stempffer); b0715 (Carpenter & Jackson); b0439 (Blackie); b4710 (Toxopeus); b4534 (Stroud); b0002 (Abbot); b0080 (Anonymous); b0380 (Beuret); b0381 (Beuret); b0857 (Clew); b1914 (Gaillard); b2930 (Latin); b3840 (Rocca); b3968 (Schneider); b4378 (Stempffer); b4379 (Stempffer); b4484 (Storace); b4871 (Viette);
- 1951
 b0257 (Batchelder); b3334 (Nakahara); b0576 (Burns); b0315 (Bernardi); b4554 (Swanepoel); b0571 (Buchholz); b0498 (Brown); b4380 (Stempffer); b2552 (Iwase); b4654 (Tilden); b4381 (Stempffer); b0802 (Clark); b3566 (Pennington); b4631 (Taylor); b0062 (Angel); b0081 (Anonymous); b0278 (Beebe); b0306 (Berger); b0382 (Beuret); b0858 (Clew); b1073 (Crosby); b1480 (Edwards); b1768 (Forster); b2855 (Kudla); b3514 (Orfila); b4191 (Shirôzu); b4207 (Shirôzu & Murayama); b4807 (van Son); b4864 (Verity);
- 1952
 b1424 (Dunk); b2772 (Kishi); b3275 (Murayama); b0440 (Blackie); b0803 (Clark); b3567 (Pennington); b0862 (Cockayne); b0781 (Chevallier); b4382 (Stempffer); b2779 (Klots & Clench); b0082 (Anonymous); b0307 (Berger); b0321 (Bernardi & de Lesse); b0383 (Beuret); b0384 (Beuret); b0385 (Beuret); b0386 (Beuret); b0387 (Beuret); b0388 (Beuret); b1232 (Dickson); b2139 (Harris); b3582 (Peters); b4192 (Shirôzu); b4383 (Stempffer); b4663 (Tindale); b5047 (Wyatt); b5074 (Zikán);
- 1953
 b0808 (Clarke); b3276 (Murayama); b3800 (Rindge & Comstock); b4865 (Verity); b3277 (Murayama); b3335 (Nakahara & Oda); b3483 (Okano); b0578 (Burrau); b0718 (Carpenter); b4415 (Stempffer & Bennett); b0083 (Anonymous); b0389 (Beuret); b0390 (Beuret); b0391 (Beuret); b0392 (Beuret); b0569 (Bryk); b1410 (Dufrene); b1540 (Eliot); b2407 (Hoffmann); b3515 (Orfila); b3568 (Pennington); b4058 (Schwingschuss); b4193 (Shirôzu); b4384 (Stempffer); b4485 (Storace); b4555 (Swanepoel); b4664 (Tindale);
- 1954
 b3278 (Murayama); b2520 (International Trust for Zoological Nomenclature); b1411 (Dufrene); b0253 (Barrag  ); b3908 (Saitoh); b4629 (Tarui); b4385 (Stempffer); b3279 (Murayama); b3783 (Riley); b2521 (International Trust for Zoological Nomenclature); b2522 (International Trust for Zoological Nomenclature); b0295 (Bennett); b2523 (International Trust for Zoological Nomenclature); b2524 (International Trust for Zoological Nomenclature); b1641 (Evans); b1619 (Esaki); b3471 (Oda); b4194 (Shirôzu); b0012 (Agenjo); b0084 (Anonymous); b0308 (Berger); b0393 (Beuret); b0421 (Bigot & Stempffer); b0431 (Birkett); b0441 (Blackie); b0971 (Couchman); b1412 (Dufrene); b1908 (Gabriel); b2360 (Heydemann); b2981 (Lempke); b3108 (Mattoni); b3842 (Roche); b4386 (Stempffer); b4387 (Stempffer); b4486 (Storace); b4581 (Szab  ); b5078 (Zopp);
- 1955
 b0826 (Clench); b4660 (Tilden & Downey); b2368 (Higgins); b3280 (Murayama); b1949 (Gillham); b2509 (Inoue); b1642 (Evans); b1643 (Evans); b2510 (Inoue); b4655 (Tilden); b0538 (Brown & Eff & Rotger); b1541 (Eliot); b2212 (Hayashi); b2703 (Kawaz  ); b0085 (Anonymous); b0394 (Beuret); b0395 (Beuret); b0396 (Beuret); b0397 (Beuret); b0809 (Clarke); b1780 (Forster & Wohlfahrt); b2678 (Kaisila & Peltonen); b2982 (Lempke); b3018 (Lucas); b3474 (Oiticica Filho);
- 1956
 b0040 (Allan); b1950 (Gillham); b3281 (Murayama); b4416 (Stempffer & Bennett); b3282 (Murayama); b2525 (International Trust for Zoological Nomenclature); b2462 (Howarth); b2526 (International Trust for Zoological Nomenclature); b1542 (Eliot); b2268 (Hemming); b1005 (Cowan); b0013 (Agenjo); b0086 (Anonymous); b0228 (Balogh); b0366 (Betz); b0398 (Beuret); b0399 (Beuret); b0964 (Corbet & Pendlebury); b1481 (Edwards); b1769 (Forster); b2015 (Gressitt); b3314 (Murray); b3569 (Pennington); b4195 (Shir  zu); b4214 (Shir  zu & Yamamoto); b4388 (Stempffer); b4389 (Stempffer); b4417 (Stempffer & Bennett); b4487 (Storace); b4582 (Szab  ); b4783 (Ureta); b4808 (van Son);
- 1957
 b0296 (Bennett); b4666 (Tite); b1543 (Eliot); b3000 (Lipscomb & Jackson); b0804 (Clark & Dickson); b4803 (van Someren); b1644 (Evans); b2527 (International Trust for Zoological Nomenclature); b3533 (Paclt); b3283 (Murayama); b2463 (Howarth); b0087 (Anonymous); b0229 (Balogh); b0400 (Beuret); b0401 (Beuret); b0402 (Beuret); b0403 (Beuret); b0420 (Biezanko & Ruffinelli & Carbonell); b0805 (Clark & Dickson); b1120 (de Lesse); b2561 (Jackson); b2839 (Kralicek & Povolny); b3242 (Morrell); b3284 (Murayama); b3527 (  ta & Kusunoki); b3579 (Pernier); b4196 (Shir  zu); b4213 (Shir  zu & Ureta); b4390 (Stempffer); b4391 (Stempffer); b4866 (Verity); b4882 (von Mentzer); b5049 (Wynter-Blyth); b2931 (Latin & J  st & Heuser & Roesler);
- 1958
 b2464 (Howarth); b4907 (Wakabayashi & Tanaka & Sugai); b2369 (Higgins); b2528 (International Trust for Zoological Nomenclature); b1106 (Davies & Frazer & Tynan); b2529 (International Trust for Zoological Nomenclature); b4667 (Tite); b3285 (Murayama); b3286 (Murayama); b4905 (Wakabayashi & Hayashi & Tanaka); b0273 (Baynes); b4668 (Tite); b1528

1958 (continued)

(Ehrlich); b3287 (Murayama); b0088 (Anonymous); b0404 (Beuret); b0405 (Beuret); b0406 (Beuret); b0810 (Clarke); b1006 (Cowan); b1741 (Fiori); b2569 (Janmouille); b3217 (Mizoguchi & Hiura & Mizoguchi); b3717 (Rebillard); b3784 (Riley); b3962 (Schepdael); b3996 (Schulte); b3997 (Schulte); b4418 (Stempffer & Bennett); b4826 (Vázquez); b5075 (Zimmerman); b0908 (Comstock & Huntington);

1959

b1544 (Eliot); b2530 (International Trust for Zoological Nomenclature); b2370 (Higgins); b1318 (dos Passos); b1319 (dos Passos); b2704 (Kawazoé); b3508 (Omoto); b3797 (Rindge); b2531 (International Trust for Zoological Nomenclature); b1898 (Fujioka); b3343 (Naritomi); b1997 (Goodson); b4669 (Tite); b2090 (Guérin); b1233 (Dickson); b4670 (Tite); b2705 (Kawazoé); b3288 (Murayama); b0089 (Anonymous); b0279 (Beer); b0407 (Beuret); b0408 (Beuret); b0693 (Cantlie); b1121 (de Lesse); b1122 (de Lesse); b1123 (de Lesse); b2506 (Inoue & Okano); b2781 (Klots & Klots); b3289 (Murayama); b4197 (Shirôzu); b4205 (Shirôzu & Hayashi); b4419 (Stempffer & Bennett); b4583 (Tabuchi); b4809 (van Son); b4810 (van Son);

1960

b1770 (Forster); b4392 (Stempffer); b3290 (Murayama); b3306 (Murayama & Shimonoya); b4906 (Wakabayashi & Ota); b0855 (Clench & Ehrlich); b1529 (Ehrlich & Clench); b0316 (Bernardi); b1204 (Descimon); b1771 (Forster); b4671 (Tite); b4672 (Tite); b0697 (Cantlie & Norman); b1124 (de Lesse); b0806 (Clark & Dickson); b1754 (Forbes); b1772 (Forster); b2269 (Hemming); b2270 (Hemming); b2271 (Hemming); b0090 (Anonymous); b0091 (Anonymous); b0280 (Beer); b0409 (Beuret); b0430 (Birket-Smith); b1125 (de Lesse); b1545 (Eliot); b3001 (Lisney); b4198 (Shirôzu); b4215 (Shtandel); b4819 (Varga);

1961

b1546 (Eliot); b4673 (Tite); b4674 (Tite); b4585 (Takahashi); b4253 (Smith); b0827 (Clench); b0828 (Clench); b5048 (Wyatt); b0092 (Anonymous); b0410 (Beuret); b0707 (Carcasson); b0829 (Clench); b1126 (de Lesse); b1530 (Ehrlich & Ehrlich); b1773 (Forster); b1774 (Forster); b1930 (Gerris V.); b2677 (Kaaber & Høegh-Guldberg); b4393 (Stempffer); b4394 (Stempffer); b4420 (Stempffer & Bennett);

1962

b2173 (Hayashi); b4199 (Shirôzu); b1324 (dos Passos & Steam & Townsend); b3513 (Opler & Powell); b2532 (International Trust for Zoological Nomenclature); b2562 (Jackson); b4424 (Stempffer & Jackson); b4675 (Tite); b4200 (Shirôzu); b3570 (Pennington); b1547 (Eliot); b1548 (Eliot); b1127 (de Lesse); b0093 (Anonymous); b0317 (Bernardi); b0323 (Bessemer); b0424 (Bink); b0972 (Couchman); b1128 (de Lesse); b1939 (Gibbons & Stanley); b2465 (Howarth); b2825 (König); b2958 (Lee); b2959 (Lee); b3307 (Murayama & Shimonoya); b3558 (Peerdeman); b3607 (Pinhey); b3963 (Schepdael); b4209 (Shirôzu & Saigusa); b4395 (Stempffer); b4488 (Storace); b4994 (Wheldon & Wesley Ltd.);

1963

b1129 (de Lesse); b0830 (Clench); b4421 (Stempffer & Bennett); b1942 (Gifford); b4676 (Tite); b0318 (Bernardi); b1130 (de Lesse); b1320 (dos Passos); b4656 (Tilden); b4811 (van Son); b0831 (Clench); b1549 (Eliot); b4556 (Swanepoel); b4295 (Sponer); b2371 (Higgins); b4677 (Tite); b0832 (Clench); b0014 (Agenjo); b0191 (Baccetti); b0694 (Cantlie); b0695 (Cantlie); b0701 (Cápuse); b1131 (de Lesse); b2218 (Hayward); b2272 (Hemming); b2398 (Høegh-Guldberg); b3291 (Murayama); b4396 (Stempffer); b4437 (Stchetkin); b5038 (World List of Scientific Periodicals);

1964

b0708 (Carcasson); b4678 (Tite); b1132 (de Lesse); b2893 (Langston); b0833 (Clench); b3386 (Newcomer); b0319 (Bernardi); b0966 (Cormier); b0696 (Cantlie); b0499 (Brown); b0500 (Brown); b2563 (Jackson); b1787 (Freeman); b3271 (Murata); b3292 (Murayama); b3475 (Okabe & Taketsuka); b0501 (Brown); b2372 (Higgins); b4630 (Taylor); b2273 (Hemming); b2274 (Hemming); b2275 (Hemming); b2276 (Hemming); b2277 (Hemming); b2278 (Hemming); b2279 (Hemming); b1550 (Eliot); b0502 (Brown); b0015 (Agenjo); b0094 (Anonymous); b0834 (Clench); b0869 (Common); b1321 (dos Passos); b1344 (Downey & Dunn); b1534 (Eisner); b2508 (Inoué & Kawazoé); b2533 (International Trust for Zoological Nomenclature); b2676 (Kaaber); b3293 (Murayama); b3535 (Paclt); b3846 (Rojas); b3866 (Ross); b4201 (Shirôzu); b4397 (Stempffer); b5076 (Zimsen);

1965

b2373 (Higgins); b0835 (Clench); b0836 (Clench); b1784 (Fox & Lindsey & Clench & Miller); b1234 (Dickson); b2571 (Janse & Dickson); b1205 (Descimon); b1007 (Cowan); b1551 (Eliot); b0837 (Clench); b1008 (Cowan); b1206 (Descimon); b4422 (Stempffer & Bennett); b0838 (Clench); b3897 (Ruckes & dos Passos); b1009 (Cowan); b4872 (Viette); b1775 (Forster); b0839 (Clench); b3898 (Ruckes & dos Passos); b2564 (Jackson); b1010 (Cowan); b1235 (Dickson); b1207 (Descimon); b0095 (Anonymous); b0709 (Carcasson); b0969 (Cottrell); b0973 (Couchman); b1203 (Derksen & Scheiding-Göllner); b1464 (Ebert); b1539 (Elfferich); b1943 (Gifford); b3064 (Marschner); b3920 (Sands); b4183 (Shimonoya & Murayama); b4398 (Stempffer); b4665 (Tindale); b4954 (Webber);

1966

b0016 (Agenjo); b2534 (International Trust for Zoological Nomenclature); b0485 (Bretherton); b1011 (Cowan); b1236 (Dickson); b3109 (Mattoni); b1012 (Cowan); b0297 (Bennett); b1237 (Dickson); b4679 (Tite); b0131 (Arbogast); b1238 (Dickson); b2565 (Jackson); b1013 (Cowan); b3785 (Riley); b0503 (Brown); b1239 (Dickson); b1014 (Cowan); b0504 (Brown); b1240 (Dickson); b1015 (Cowan); b0017 (Agenjo); b0096 (Anonymous); b2399 (Høegh-Guldberg); b3672 (Quickelberge); b4399 (Stempffer); b4812 (van Son);

1967

b1737 (Field); b1133 (de Lesse); b0840 (Clench); b2551 (Ito); b3330 (Nagamine); b0018 (Agenjo); b1241 (Dickson); b1552 (Eliot); b1016 (Cowan); b3245 (Morris); b1017 (Cowan); b0579 (Burt); b1242 (Dickson); b1553 (Eliot); b2535 (International Trust for Zoological Nomenclature); b4680 (Tite); b1018 (Cowan); b2280 (Hemming); b1738 (Field); b4902 (Wakabayashi); b5056 (Yoshida); b4400 (Stempffer); b1267 (Dickson & McMaster); b2536 (International Trust for Zoological Nomenclature); b2174 (Hayashi); b3294 (Murayama); b1243 (Dickson); b0019 (Agenjo); b0020 (Agenjo); b0097 (Anonymous); b0496 (British Museum of Natural History); b2158 (Hasegawa); b2219 (Hayward); b2566 (Jackson); b2722 (Kerr); b2723 (Kerr & MacQueen); b3571 (Pennington); b4401 (Stempffer);

1968

b2575 (Jarvis); b1019 (Cowan); b3308 (Murayama & Shimonoya); b4557 (Swanepoel); b0505 (Brown); b0916 (Cookson); b1020 (Cowan); b3572 (Pennington); b4684 (Tite & Dickson); b1244 (Dickson); b0506 (Brown); b0507 (Brown); b0534 (Brown & Clench); b3510 (Opler); b3494 (Okano & Pak); b1021 (Cowan); b0710 (Carcasson); b3495 (Okachi); b4681 (Tite); b2579 (Jicha); b1245 (Dickson); b1403 (Duffey); b1416 (Dujardin); b1902 (Fukuda & Tanaka & Kanmiya); b2003 (Gozmány); b2220 (Hayward); b2567 (Jackson); b2861 (Kuehnert); b3052 (Malicky); b3126 (McAlpine); b3484 (Okano); b3573 (Pennington); b3942 (Sauter); b3964 (Schepdael); b4402 (Stempffer); b4820 (Varga);

1969

b3608 (Pinhey); b0535 (Brown & Clench); b2568 (Jackson); b3264 (Müller); b1022 (Cowan); b2706 (Kawazoé & Wakabayashi); b2374 (Higgins); b3485 (Okano & Ohkura); b0298 (Bennett); b1246 (Dickson); b3789 (Riley & Higgins); b0561 (Brown); b0508 (Brown); b0299 (Bennett); b4657 (Tilden); b1134 (de Lesse); b3790 (Riley & Higgins); b2967 (Lees); b0032 (Ajac & Ajac); b1135 (de Lesse); b1247 (Dickson); b3295 (Murayama); b0021 (Agenjo); b0035 (Alberti); b0098 (Anonymous); b1417 (Dujardin); b1554 (Eliot); b2400 (Høegh-Guldberg); b2576 (Jarvis); b2681 (Kames); b2724 (Kerr & Macqueen & Sands); b2834 (Kostrowichi); b2873 (Lafontaine); b4184 (Shimonoya & Murayama); b4403 (Stempffer); b4404 (Stempffer); b4682 (Tite);

1970

b4646 (Thomas); b4405 (Stempffer); b1555 (Eliot); b1999 (Gorelick); b0509 (Brown); b0536 (Brown & Clench); b0841 (Clench); b1341 (Downey); b3511 (Opler); b0842 (Clench); b0843 (Clench); b1322 (dos Passos); b2537 (International Trust for Zoological Nomenclature); b1023 (Cowan); b4187 (Shin); b5052 (Yamamoto); b1024 (Cowan); b1025 (Cowan); b1248 (Dickson); b2874 (Lafontaine); b1249 (Dickson); b1136 (de Lesse); b2119 (Hammack); b4210 (Shirôzu & Saigusa & Nishimura); b1707 (Ferris); b0510 (Brown); b0537 (Brown & Clench); b0844 (Clench); b0539 (Brown & Field); b3003 (Long); b1708 (Ferris); b0363 (Beuti); b0453 (Blom); b1137 (de Lesse); b1333 (Douwes); b1899 (Fujioka); b2380 (Higgins & Riley); b2864 (Kurentzov); b2948 (Le Souëf & Tindale); b3057 (Manley); b3059 (Manley & Allcard); b3401 (Nieuwenhuis); b3574 (Pennington); b3681 (Quickelberge & McMaster); b3721 (Reinhardt & Troeger); b4406 (Stempffer); b4407 (Stempffer); b4558 (Swanepoel);

1971

b3555 (Paulus & Rose); b1026 (Cowan); b1138 (de Lesse); b1250 (Dickson); b1709 (Ferris); b3076 (Masters); b1139 (de Lesse); b1213 (Devarenne); b3122 (Mazel); b4559 (Swanepoel); b3388 (Nicolay); b3626 (Poey); b3389 (Nicolay); b3798 (Rindge); b2466 (Howarth); b1268 (Dickson & Stephen); b1659 (Faillie); b1752 (Fonteneau); b1251 (Dickson); b2538 (International Trust for Zoological Nomenclature); b3791 (Riley & Higgins); b1269 (Dickson & Stephen); b1776 (Forster); b1192 (Dempster); b1652 (Ezima & Ide & Gotô); b4185 (Shimonoya & Murayama); b4543 (Suhara & Saeki & Sasaki & Ueda); b1027 (Cowan); b1028 (Cowan); b0845 (Clench); b0511 (Brown); b0022 (Agenjo); b0099 (Anonymous); b0239 (Barlow & Banks & Holloway); b0577 (Bums & Johnson); b0724 (Casini); b0807 (Clark & Dickson); b1029 (Cowan); b1252 (Dickson); b1450 (d'Abbrera); b2539 (International Trust for Zoological Nomenclature); b2674 (Junge); b3127 (McAlpine); b3338 (Nakamura); b3575 (Pennington); b3581 (Peters); b4547 (Suzuki & Murata);

1972

b1140 (de Lesse & Brown); b0486 (Bretherton & Coutsis & Higgins & Worms); b4408 (Stempffer); b0288 (Bellenger); b4409 (Stempffer); b3673 (Quickelberge); b3194 (Miller & Miller); b1194 (Dennis); b3077 (Masters); b0794 (Claassens); b3576 (Perceval); b1777 (Forster); b3071 (Martin); b3117 (May); b3674 (Quickelberge); b0846 (Clench); b3348 (Nekrutenko); b0847 (Clench); b0848 (Clench); b0320 (Bernardi); b0023 (Agenjo); b0487 (Brévigon); b0512 (Brown); b0540 (Brown & Heineman); b1253 (Dickson); b1418 (Dujardin); b1556 (Eliot); b1984 (Gómez Bustillo); b1992 (Gómez Bustillo & Fernández-Rubio); b2175 (Hayashi); b2353 (Hewitson); b2499 (Hutchinson); b2826 (Korshunov); b2827 (Korshunov); b3671 (Quick); b4652 (Tietz);

1973

b1557 (Eliot); b1558 (Eliot); b2878 (Lamas); b4410 (Stempffer); b1995 (Goodpasture); b4176 (Shields); b1726 (Ferris & Fisher); b0513 (Brown); b2500 (Igarashi); b4208 (Shirôzu & Nanba); b4584 (Takahashi); b1254 (Dickson); b2540

1973 (continued)

(International Trust for Zoological Nomenclature); b1535 (Eitschberger & Steiniger); b1778 (Forster); b1559 (Eliot); b1094 (Daniels); b0036 (Alberti); b0514 (Brown); b4024 (Schurian); b4685 (Tite & Dickson); b4411 (Stempffer); b0037 (Alberti); b0100 (Anonymous); b1536 (Eitschberger & Steiniger); b1606 (Emmel & Houston); b1704 (Fernández-Rubio & Gómez Bustillo); b1985 (Gómez Bustillo); b2221 (Hayward); b2775 (Kitching & Kitching); b2988 (Lewis); b3305 (Murayama & Okamura); b3349 (Nekrutenko); b3668 (Quick); b3669 (Quick); b4177 (Shields);

1974

b1030 (Cowan); b1195 (Dennis); b4423 (Stempffer & Bennett & May); b4025 (Schurian); b2417 (Holland); b3061 (Marktanner); b2206 (Hayashi & Iwanaga); b1255 (Dickson); b4412 (Stempffer); b1710 (Ferris); b4178 (Shields); b4117 (Shapiro); b1271 (Dickson & Wykeham); b2207 (Hayashi & Iwanaga); b1350 (Nekrutenko); b2895 (Larsen); b4658 (Tilden); b0101 (Anonymous); b1402 (Dufay); b1419 (Dujardin); b1434 (Dupré); b1560 (Eliot); b1705 (Fernández-Rubio & Perez de Castro); b1739 (Field & dos Passos & Masters); b1991 (Gómez Bustillo & Fernández-Rubio); b1993 (Gomez de Aizpurua & Fernández-Rubio); b2865 (Kurentzov); b2896 (Larsen); b3670 (Quick); b4220 (Sibatani); b4413 (Stempffer);

1975

b4659 (Tilden); b0138 (Amscheid); b4026 (Schurian); b0849 (Clench); b2718 (Kendall); b1095 (Daniels); b4815 (Vane-Wright); b4560 (Swanepoel); b0515 (Brown); b1270 (Dickson & Stephen); b1607 (Emmel & Miller & Clench); b0411 (Beutelspacher); b3182 (Miller & Morhaus); b0554 (Brown & Worms); b4647 (Thomas); b4179 (Shields); b3351 (Nekrutenko); b1256 (Dickson); b0516 (Brown); b2083 (Grund & Sibatani); b1031 (Cowan); b0517 (Brown); b0005 (Ackery); b0102 (Anonymous); b0412 (Beutelspacher); b1115 (de la Maza E.); b1187 (Degtyareva & Shchetkin); b1334 (Douwes); b1335 (Douwes); b1537 (Eitschberger & Steiniger); b1601 (Emmel); b1900 (Fujioka); b2375 (Higgins); b2402 (Hoens); b2470 (Howe); b2673 (Jumalon); b2786 (Koçak); b2787 (Koçak); b2897 (Larsen); b3336 (Nakamura); b3856 (Rose); b4245 (Smart); b4355 (Steiniger); b4950 (Watson & Whalley);

1976

b0518 (Brown); b1032 (Cowan); b2719 (Kendall); b2176 (Hayashi); b2177 (Hayashi); b0997 (Coutsis); b1108 (De Baar); b3254 (Moulds); b3594 (Pfitzner & Fargher); b4027 (Schurian); b1185 (De Worms); b0519 (Brown); b0520 (Brown); b0132 (Arbogast); b1711 (Ferris); b1712 (Ferris); b2582 (Johnson); b2728 (Kiel); b3347 (Neck); b1033 (Cowan); b0521 (Brown); b4873 (Viète); b0522 (Brown); b0542 (Brown); b1034 (Cowan); b1713 (Ferris); b2583 (Johnson); b3390 (Nicolay); b2107 (Guzmán E.); b2178 (Hayashi); b2179 (Hayashi); b2180 (Hayashi); b2181 (Hayashi); b2182 (Hayashi); b3216 (Miyashita & Uemura); b2541 (International Trust for Zoological Nomenclature); b3374 (Nel); b0523 (Brown); b3255 (Moulds); b2183 (Hayashi); b4186 (Shimonoya & Murayama); b4686 (Tite & Dickson); b4028 (Schurian); b0300 (Bennett & Knudson); b0428 (Bird); b0560 (Brown); b1330 (Douglas); b1915 (Gall); b2622 (Johnson & Borgo); b3078 (Mather & Mather); b0795 (Claassens); b1096 (Daniels); b2773 (Kitching); b2184 (Hayashi); b0413 (Beutelspacher); b1117 (de la Maza E.); b1119 (de la Maza & de la Maza); b0042 (Allyn & Downey); b0425 (Binns); b1257 (Dickson); b2185 (Hayashi); b3337 (Nakamura); b4898 (Wagner & Showalter); b3974 (Schröder); b4561 (Swanepoel); b4821 (Vári); b0103 (Anonymous); b0142 (Atkins); b0190 (Bacallado Aranega); b0276 (Beattie); b0451 (Blat Beltran); b0543 (Brown); b0580 (Busching); b0731 (Chang-Whan); b0850 (Clench); b1097 (Daniels); b1331 (Douglas); b1336 (Douwes); b1337 (Douwes); b2440 (Holloway & Peters); b2467 (Howarth); b2469 (Howarth & Povolny); b2577 (Jarvis); b2682 (Kames); b2707 (Kawazoé & Wakabayashi); b2729 (Kielland); b3253 (Motta & Lozares);

1976 (continued)

b3296 (Murayama); b3352 (Nekrutenko); b3921 (Sands); b4414 (Stempffer); b4879 (Vissian);

1977

b4029 (Schurian); b0544 (Brown); b2298 (Henning); b3857 (Rose); b1561 (Eliot); b2542 (International Trust for Zoological Nomenclature); b4030 (Schurian); b0541 (Brown & Müller); b2819 (Kokubu); b4650 (Thunoda); b2621 (Johnson & Balogh); b3391 (Nicolay); b4632 (Tennent); b3860 (Rose & Schurian); b4687 (Tite & Dickson); b0364 (Betti); b3577 (Perkins & Emmel); b3472 (Oehmig); b0545 (Brown); b2138 (Hara); b3928 (Sashida); b3690 (Ramos); b3967 (Schmidt-Koehl); b1714 (Ferris); b0546 (Brown); b0289 (Bellenger & Descimon); b2186 (Hayashi); b1118 (de la Maza E. & Turrent D.); b0104 (Anonymous); b0978 (Couchman & Couchman); b1215 (DeVries); b1258 (Dickson); b1404 (Duffey); b1420 (Dujardin); b2299 (Henriksen); b2788 (Koçak); b2879 (Lamas); b2947 (Le Souëf); b2984 (Lepidopterists' Society); b3256 (Moulds); b3353 (Nekrutenko); b3354 (Nekrutenko); b3355 (Nekrutenko); b3609 (Pinhey & Loe); b3861 (Rose & Schurian); b3862 (Rose & Schurian); b3863 (Rose & Schurian); b4688 (Toliver); b4691 (Toso & Ballo); b4870 (Vicol); b4977 (Weiss); b1610 (Entomology Abstracts);

1978

b1479 (Edwards & Kerr); b4223 (Sibatani & Grund); b1035 (Cowan); b1451 (d'Abrera); b0672 (Callaghan); b2584 (Johnson); b4897 (Wagner & Mellichamp); b4881 (Völker); b3500 (Olive); b1538 (Ejima & Murakami & Yoshida & Satoyama); b4923 (Wartner); b2187 (Hayashi); b2188 (Hayashi); b2189 (Hayashi); b2190 (Hayashi); b1941 (Gierling); b3322 (Müting & Müting); b3975 (Schröder & Treadaway); b3976 (Schröder & Treadaway); b2191 (Hayashi); b2192 (Hayashi); b2193 (Hayashi); b3297 (Murayama); b3298 (Murayama); b4548 (Suzuki); b3181 (Miller & Edwards); b1562 (Eliot); b1036 (Cowan); b3858 (Rose); b4031 (Schurian); b1037 (Cowan); b1038 (Cowan); b0547 (Brown & Coutsis); b1478 (Edwards & Common); b2194 (Hayashi); b2195 (Hayashi); b2209 (Hayashi & Schröder & Treadaway); b4614 (Taketsuka & Akizawa); b0524 (Brown); b3977 (Schröder & Treadaway); b0033 (Ajmat de Toledo); b0105 (Anonymous); b0189 (Azzarà); b0419 (Biezanko & Mielke & Wedderhoff); b0965 (Corbet & Pendlebury); b1259 ; b1260 (Dickson); b1338 (Douwes); b1435 (Durdin & Rose); b1465 (Eckweiler); b1469 (Eckweiler & Hesselbarth); b1563 (Eliot); b1946 (Gilbert); b1983 (Goltz); b1986 (Gómez Bustillo); b2401 (Høegh-Guldberg); b2675 (Junge & Rose); b2683 (Kames); b2684 (Kames); b2730 (Kielland); b2866 (Kurentzov); b2908 (Lasso de la Vega Westendorp); b3035 (Lundgren); b3110 (Mattoni); b3356 (Nekrutenko); b3357 (Nekrutenko); b3735 (Rézbányai); b3909 (Sakai);

1979

b0998 (Coutsis); b1039 (Cowan); b0106 (Anonymous); b0851 (Clench); b3675 (Quickelberge); b3191 (Miller & Brown); b1109 (De Baar); b0525 (Brown); b2381 (Hiller & d'Apice); b1040 (Cowan); b2862 (Kühner); b0429 (Bird & Ferris); b0526 (Brown); b0527 (Brown); b2196 (Hayashi); b4221 (Sibatani); b1041 (Cowan); b3676 (Quickelberge); b1042 (Cowan); b0974 (Couchman); b0673 (Callaghan); b1043 (Cowan); b2288 (Henning); b4785 (Valentine); b1675 (Fazekas & Balazs); b2968 (Leeuw); b0975 (Couchman); b3801 (Riote & Uchida); b3978 (Schröder & Treadaway); b0852 (Clench); b3392 (Nicolay); b0107 (Anonymous); b0225 (Balletto & Toso); b0454 (Blom); b0455 (Blom); b0793 (Cilia); b1044 (Cowan); b1990 (Gómez Bustillo & Expósito Hermosa & Martínez Borrego); b2050 (Grosser); b2685 (Kames); b2789 (Koçak); b2960 (Lee); b3111 (Mattoni); b3159 (Metaye); b3200 (Miller); b3369 (Nekrutenko & Effendi); b3859 (Rose); b3922 (Sands); b4246 (Smart); b4735 (Troiano & Balletto & Toso); b1261 (Dickson);

1980

b2197 (Hayashi); b3916 (Samson); b2169 (Hawker); b1045 (Cowan); b1046 (Cowan); b3923 (Sands); b3677 (Quickelberge); b3722 (Reist); b5041 (Wright); b3924 (Sands); b2790 (Koçak); b3621 (Pittaway); b2650 (Johnston & Johnston); b4032 (Schurian); b3358 (Nekrutenko); b3370 (Nekrutenko & Effendi); b1116 (de la Maza E. & de la Maza E.); b1564 (Eliot); b1565 (Eliot); b4222 (Sibatani); b0177 (Austin); b0528 (Brown); b0856 (Clench & Miller); b1342 (Downey & Allyn); b1581 (Elliott & Riley & Clench); b1715 (Ferris); b1740 (Finkelstein); b2156 (Harvey & Clench); b2376 (Higgins); b3187 (Miller); b3188 (Miller); b3393 (Nicolay); b3723 (Remington); b4300 (Stallings); b1472 (Edwards); b3163 (Meyer); b3678 (Quickelberge); b2110 (Hagan); b0108 (Anonymous); b0109 (Anonymous); b0689 (Cameron-Curry & Leigheb & Cameron-Curry); b1208 (Descimon); b1262 (Dickson); b1263 (Dickson); b1452 (d'Abrera); b1470 (Eckweiler & Schurian); b1779 (Forster); b1788 (Freeman); b1987 (Gómez Bustillo); b2731 (Kielland); b2791 (Koçak); b2833 (Korshunov & Vidaleep); b2909 (Lasso de la Vega Westendorp); b2985 (Leraut); b3164 (Meyer); b3201 (Miller); b3517 (Orsak & Miller); b3603 (Pike); b3917 (Samson & Smart); b4438 (Stchetkin); b4545 (Suomalainen & Kaisila & Mikkola); b4816 (Vane-Wright); b4825 (Vasile); b5053 (Yamanaka); b0133 (Archer-Loch);

1981

b0970 (Cottrell); b2907 (Larsen & Riley & Cornes); b4643 (Thomas); b4924 (Wartner); b0529 (Brown); b0674 (Callaghan); b3679 (Quickelberge); b3112 (Mattoni); b2283 (Henning); b3299 (Murayama); b2170 (Hawkeswood); b0776 (Chauliac); b0999 (Coutsis); b2198 (Hayashi); b0853 (Clench); b0230 (Bampton); b2302 (Heppner); b2792 (Koçak); b2377 (Higgins); b0473 (Boulard); b4062 (Scott); b3994 (Schröder & Treadaway & Hayashi); b0110 (Anonymous); b0127 (Antonova); b0144 (Atsatt); b0195 (Bálint); b0226 (Balletto & Toso & Troiano); b0309 (Berger); b0725 (Casini); b0870 (Common & Waterhouse); b1723 (Ferris & Brown); b1743 (Fisher); b2105 (Gupta & Joshi & Joshi); b2136 (Hara); b2585 (Johnson); b2793 (Koçak); b2880 (Lamas); b3165 (Meyer); b3166 (Meyer); b3189 (Miller); b3192 (Miller & Brown); b3204 (Miller & Menke); b3610 (Pinratana); b3734 (Rézbányai); b3818 (Robbins & Small); b3910 (Sakai); b3925 (Sands); b4041 (Schurian & Haeuser); b0426 (BioSciences Information Service); b1264 (Dickson); b2794 (Koçak); b2795 (Koçak);

1982

b0675 (Callaghan); b2780 (Klots & dos Passos); b2378 (Higgins); b2672 (Juliar); b0551 (Brown & Faulkner); b4049 (Schwartz & Jimenez); b2698 (Kato); b4033 (Schurian); b4925 (Wartner); b4973 (Weidemann); b3375 (Nel); b0365 (Betmann); b1716 (Ferris); b2796 (Koçak); b3394 (Nicolay); b2646 (Johnson & Valentine); b3257 (Moulds & d'Apice); b3839 (Robertson & Young); b4586 (Takanami); b4786 (Valentine); b4974 (Weidemann); b0676 (Callaghan); b1531 (Ehrlich & Murphy); b4069 (Scott & Justice); b4180 (Shields); b2303 (Heppner); b3479 (Okano); b3480 (Okano); b1725 (Ferris & Emmel); b0698 (Capocaccia & Poggi); b3979 (Schröder & Treadaway); b2906 (Larsen & Pittaway); b3376 (Nel); b2804 (Kóda); b4202 (Shirôzu); b3199 (Miller & Viette); b0111 (Anonymous); b0726 (Cassidy); b1114 (de Jong); b1398 (Dubatolov & Sergejev); b1566 (Eliot); b1746 (Fletcher & Nye); b1988 (Gómez Bustillo); b2284 (Henning); b2300 (Henriksen & Kreutzer); b2305 (Heppner & Lamas); b2828 (Korshunov); b2832 (Korshunov & Pupavkin & Chemenko); b2898 (Larsen); b2910 (Lasso de la Vega Westendorp); b3069 (Martin); b3167 (Meyer); b3372 (Nekrutenko & Korshunov & Effendi); b3650 (Prins & Poorten); b4042 (Schurian & Hofmann); b4439 (Stchetkin); b1265 (Dickson); b2797 (Koçak);

1983

b2210 (Hayashi & Schröder & Treadaway); b3684 (Radigue); b0730 (Chalmers-Hunt); b0677 (Callaghan); b3547 (Parker); b0194 (Bailowitz); b1047 (Cowan); b0548 (Brown); b4118

1983 (continued)

(Shapiro); b1110 (De Baar); b1425 (Dunn); b2111 (Hagan); b2290 (Henning & Henning); b3980 (Schröder & Treadaway); b2224 (Heath); b0135 (Arnold); b1580 (Eliot & Kawazoe); b2732 (Kielland); b3300 (Murayama); b2856 (Kudma); b3498 (Okubo); b2307 (Herbulot); b1724 (Ferris & dos Passos & Ebner & Lafontaine); b4489 (Storey & Lambkin); b0530 (Brown); b3070 (Martin & Gurra); b3556 (Peachey); b0531 (Brown); b1944 (Gifford & Opler); b1048 (Cowan); b2905 (Larsen & Nakamura); b1699 (Ferguson); b1717 (Ferris); b2885 (Lambkin); b1049 (Cowan); b0549 (Brown); b0979 (Courtney); b1718 (Ferris); b2418 (Holland); b2468 (Howarth); b1000 (Coutsis); b1001 (Coutsis); b3647 (Pringle); b0136 (Arnold); b1050 (Cowan); b0112 (Anonymous); b0113 (Anonymous); b0427 (BioSciences Information Service); b1113 (de Freina & Witt); b1211 (Detami); b1399 (Dubatolov & Sergeev); b1426 (Dunn); b1427 (Dunn); b1532 (Ehrlich & Murphy); b1719 (Ferris); b1948 (Gillette); b2798 (Koçak); b2853 (Krzywicki); b2899 (Larsen); b2900 (Larsen); b3058 (Manley); b3068 (Marshall); b3193 (Miller & Brown); b3301 (Murayama); b3359 (Nekrutenko); b3360 (Nekrutenko); b3371 (Nekrutenko & Effendi); b3373 (Nekrutenko & Plushch); b3499 (Okubo); b3888 (Rothschild); b3891 (Rougeot); b4034 (Schurian); b4035 (Schurian); b4043 (Schurian & Hofmann); b4255 (Smithers & Butler); b4562 (Swanepoel & Vári); b4784 (Väisänen & Suomalainen & Luoma); b4998 (White); b5064 (Zhdanko);

1984

b0552 (Brown & Faulkner); b1343 (Downey & Allyn); b2319 (Hess); b3645; b4063 (Scott); b1216 (DeVries); b1453 (d'Abrera); b2199 (Hayashi); b2200 (Hayashi); b3310 (Murphy); b2201 (Hayashi); b2202 (Hayashi); b4587 (Takanami); b0293 (Benjamini); b2721 (Kendall & McGuire); b1051 (Cowan); b0678 (Callaghan); b2291 (Henning & Henning); b2645 (Johnson & Johnson); b5033 (Wood); b0277 (Beck & Gamett); b2717 (Kelson); b3190 (Miller); b1052 (Cowan); b0008 (Agarwala & Saha); b2549 (Ishii); b1053 (Cowan); b0178 (Austin); b2648 (Johnson); b3981 (Schröder & Treadaway); b4228 (Simmons); b4790 (van der Poorten); b3648 (Pringle); b1054 (Cowan); b0056 (Andersen); b3548 (Parsons); b4119 (Shapiro); b4216 (Shuey); b4956 (Webster & Nielsen); b3361 (Nekrutenko); b4823 (Varshney); b3362 (Nekrutenko); b3363 (Nekrutenko); b1567 (Eliot); b5057 (Yukawa); b0114 (Anonymous); b4440 (Sthchekin); b3311 (Murphy); b4689 (Toliver); b4999 (White); b2203 (Hayashi); b1055 (Cowan); b1920 (Garling); b2211 (Hayashi & Schröder & Treadaway); b3202 (Miller); b1056 (Cowan); b3203 (Miller); b4036 (Schurian); b4775 (Uchida); b5040 (Wright); b0004 (Abos Castel); b0024 (Agenjo); b0691 (Cano); b1394 (Dubatolov & Korshunov); b1428 (Dunn); b1429 (Dunn); b1466 (Eckweiler); b1568 (Eliot); b1674 (Fazekas); b1702 (Fernandez Vidal); b2320 (Hesselbarth & Schurian); b2640 (Johnson & Quinter); b2799 (Koçak); b2901 (Larsen); b3364 (Nekrutenko); b3365 (Nekrutenko); b3506 (Omelko & Omelko); b3512 (Opler & Krizek); b3680 (Quickelberge); b3929 (Sattler & Tremewan); b4037 (Schurian); b4059 (Sciences Nat); b4181 (Shields); b4441 (Sthchekin); b4648 (Thomas); b4799 (van Oorschot & van den Brink & van Oorschot); b4818 (Vane-Wright & Ackery); b4828 (Verdugo Paez); b5013 (Williams); b5065 (Zhdanko);

1985

b2807 (Koiwaya); b3486 (Okano & Okano); b4588 (Takanami); b2127 (Hancock); b0488 (Brévignon); b4589 (Takanami); b1057 (Cowan); b1266 (Dickson); b2543 (International Trust for Zoological Nomenclature); b1058 (Cowan); b1059 (Cowan); b2160 (Hasselbach); b4776 (Uchida); b1060 (Cowan); b0115 (Anonymous); b1002 (Coutsis); b1744 (Fisher); b2808 (Koiwaya); b0489 (Brévignon); b1061 (Cowan); b2204 (Hayashi); b2419 (Holland); b5001 (Whitaker); b0140 (Aston & Dunn); b4303 (Stanford); b0532 (Brown); b1720 (Ferris); b4064 (Scott); b4065 (Scott); b0976 (Couchman); b1471 (Edmonds); b2128 (Hancock); b2649 (Johnson); b1062 (Cowan); b2129 (Hancock); b1947 (Gilbert); b1721 (Ferris); b3195

1985 (continued)

(Miller & Miller); b1063 (Cowan); b4690 (Toliver & Holland & Cary); b2809 (Koiwaya); b4045 (Schurian & Thomas); b0141 (Atkins); b2205 (Hayashi); b2208 (Hayashi & Ohtsuka); b3062 (Marktanner); b1064 (Cowan); b1065 (Cowan); b2810 (Koiwaya); b3805 (Robbins); b0679 (Callaghan); b4051 (Schwartz & Miller); b1066 (Cowan); b3481 (Okano); b2894 (Largen & Rogers-Price); b0977 (Couchman); b1067 (Cowan); b0116 (Anonymous); b3982 (Schröder & Treadaway); b4217 (Shuey); b0196 (Bálint); b0197 (Bálint); b0493 (Bridges); b0680 (Callaghan); b0727 (Cassidy); b1111 (de Bast); b1277 (Dils & van der Poorten); b1989 (Gómez Bustillo); b2225 (Heath); b2733 (Kielland); b2734 (Kielland); b2857 (Kudma); b2858 (Kudma); b3075 (Maschwitz & Dumpert & Sebastian); b3177 (Mielke & Casagrande); b3366 (Nekrutenko); b3367 (Nekrutenko); b3553 (Pascual Linares); b3943 (Sbordoni & Forestiero); b4182 (Shields); b4590 (Takanami); b4644 (Thomas); b4800 (van Oorschot & van den Brink & van Oorschot); b4824 (Varshney); b4830 (Verhulst & Verhulst); b4904 (Wakabayashi & Fukuda); b5017 (Willner);

1986

b2379 (Higgins); b2586 (Johnson); b0681 (Callaghan); b1569 (Eliot); b2384 (Hirowatari); b1309 (Donahue); b3138 (McHenry); b2699 (Kaio); b4591 (Takanami); b2811 (Koiwaya); b1003 (Coutsis); b0682 (Callaghan); b3806 (Robbins); b3807 (Robbins); b1570 (Eliot); b3808 (Robbins); b2544 (International Trust for Zoological Nomenclature); b2647 (Johnson & Valentine); b1107 (Davis); b2631 (Johnson & MacPherson & Ingraham); b3549 (Parsons); b2800 (Koçak); b2812 (Koiwaya); b2385 (Hirowatari); b0179 (Austin); b0690 (Cannon); b2171 (Hawkeswood); b2587 (Johnson); b4251 (Smith); b3302 (Murayama); b4229 (Simon & Miller); b4353 (Steinhausner); b2545 (International Trust for Zoological Nomenclature); b3809 (Robbins); b0117 (Anonymous); b2588 (Johnson); b3550 (Parsons); b1571 (Eliot); b4592 (Takanami); b0006 (Ackery); b0533 (Brown); b2420 (Holland); b3196 (Miller & Miller); b0683 (Callaghan); b3641 (Pratt & Ballmer); b0118 (Anonymous); b3197 (Miller & Miller); b3983 (Schröder & Treadaway); b3984 (Schröder & Treadaway); b4593 (Takanami); b3985 (Schröder & Treadaway); b4212 (Shirōzu & Ueda & Hirowatari); b2589 (Johnson); b0224 (Balletto & Nekrutenko); b1004 (Coutsis); b1454 (d'Abrera); b1572 (Eliot); b2292 (Henning & Henning); b2439 (Holloway); b2503 (Inomata); b2505 (Inomata & Itagaki); b2735 (Kielland); b2859 (Kudma); b2863 (Kulfa & Slamka & Misko); b2902 (Larsen); b3055 (Mani); b3889 (Rothschild & Nash & Bell); b3926 (Sands); b3966 (Schjotkin); b4066 (Scott); b4218 (Shuey & Ifner & Calhoun); b4230 (Sirotkin); b4442 (Sthchekin); b4594 (Takanami); b4714 (Tremewan); b4822 (Vari & Kroon); b4829 (Verhulst & Verhulst); b4876 (Villet); b4903 (Wakabayashi);

1987

b2590 (Johnson); b3810 (Robbins); b4595 (Takanami); b1573 (Eliot); b1340 (Downey); b4120 (Shapiro); b0119 (Anonymous); b0254 (Barragué); b1473 (Edwards); b1474 (Edwards); b3519 (Osada); b3520 (Osada); b3521 (Osada); b3524 (Osada & Hashimoto); b4596 (Takanami); b4597 (Takanami); b2813 (Koiwaya); b1574 (Eliot); b2471 (Hsu); b4612 (Takanami & Ballantine); b3642 (Pratt & Ballmer); b2774 (Kitching); b3121 (Mayo); b3811 (Robbins); b4203 (Shirōzu); b4683 (Tite); b3518 (Orsak & Whitman); b1575 (Eliot); b3368 (Nekrutenko); b2591 (Johnson); b2592 (Johnson); b0180 (Austin); b0143 (Atkins & Heinrich); b5034 (Wood); b4047 (Schwartz); b4204 (Shirōzu); b2593 (Johnson); b1475 (Edwards); b1576 (Eliot); b4048 (Schwartz & Gonzalez & Henderson); b4869 (Vickery); b3799 (Rindge); b4354 (Steinhausner); b1476 (Edwards); b2814 (Koiwaya); b3258 (Moulds & Lachlan); b5035 (Wood); b2860 (Kudma); b0120 (Anonymous); b0287 (Bellavista Admetilla); b1397 (Dubatolov & Sergeev); b1467 (Eckweiler); b2154 (Harvey); b2285 (Henning); b2459 (Horvitz & Turnbull & Harvey); b2736 (Kielland); b2771 (Kirtton & Kirtton); b2829 (Korshunov); b2972 (Leigheb); b3056

1987 (continued)

(Manino & Leigh & Cameron-Curry & Cameron-Curry); b3151 ; b3178 (Mielke & Casagrande); b3507 (Omelko & Omelko); b3649 (Pringle); b4598 (Takanami); b4976 (Weidenhoffer & Eckweiler);

1988

b2720 (Kendall); b3812 (Robbins); b4067 (Scott); b2871 (Lachlan); b4787 (Valentine); b4788 (Valentine & Johnson); b4247 (Smith); b0139 (Aspinall); b0478 (Braby); b2546 (International Trust for Zoological Nomenclature); b2594 (Johnson); b2595 (Johnson); b2596 (Johnson); b4599 (Takanami); b1577 (Eliot); b3813 (Robbins); b4038 (Schurian); b2815 (Koiwaya); b4600 (Takanami); b1578 (Eliot); b2881 (Lamas); b2903 (Larsen); b0684 (Callaghan); b4601 (Takanami); b3814 (Robbins); b0685 (Callaghan); b2016 (Grey); b5009 (Wilkinson); b5010 (Wilkinson); b2632 (Johnson & Matusik); b4105 (Seki & Takanami); b3815 (Robbins); b3986 (Schröder & Treadaway); b3530 (Owen); b2623 (Johnson & Eisele & MacPherson); b3528 (Otsuka); b1105 (Davenport); b3987 (Schröder & Treadaway); b3552 (Parsons & Hirowatari); b2286 (Henning & Henning); b0121 (Anonymous); b0181 (Austin); b0198 (Bálint); b0274 (Baz); b0275 (Bean); b1396 (Dubatolov & Murzin); b2005 (Graham & Moulds); b2130 (Hancock); b2472 (Hsu); b2477 (Huang & Murayama); b2502 (Im); b3002 (Llorente-Bousquets); b3032 (Lukhtanov & Lukhtanov); b3158 (Mensi & Lattes & Salvidio & Balletto); b3179 (Mielke & Casagrande); b3265 (Munguira & Martin); b3269 (Munguira & Martin & Viejo); b3501 (Olivier);

1989

b2122 (Hanafusa); b2801 (Koçak); b2816 (Koiwaya); b4602 (Takanami); b2597 (Johnson); b2547 (International Trust for Zoological Nomenclature); b2157 (Harvey & Peacock); b2598 (Johnson); b4603 (Takanami); b2137 (Hara & Hirowatari); b3988 (Schröder & Treadaway); b2155 (Harvey); b3989 (Schröder & Treadaway); b3990 (Schröder & Treadaway); b0031 (Aistleimer); b0122 (Anonymous); b0182 (Austin); b0199 (Bálint); b0223 (Balletto & Kudrna); b0553 (Brown & Faulkner); b1274 (Dietzel); b1393 (Dubatolov); b1468 (Eckweiler); b1722 ; b1917 (Gallard & Brevignon); b1918 (Gallard & Brevignon); b2293 (Henning & Henning); b2473 (Hsu); b2475 (Hsu & Chen); b2504 (Inomata); b2599 (Johnson); b2600 (Johnson); b2633 (Johnson & Matusik); b2635 (Johnson & Miller); b2737 (Kielland); b2817 (Koiwaya); b3030 (Lukhtanov); b3060 (Marinaka); b3081 (Matsui); b3113 (Mattoni); b3502 (Olivier); b4039 (Schurian); b4099 (Seki); b4604 (Takanami); b4797 (van Oorschot & de Prins); b4995 (White L. & White L. & White O.);

1990

b3487 (Okano & Okano); b2386 (Hirowatari); b3488 (Okano & Okano); b0123 (Anonymous); b0200 (Bálint); b0201 (Bálint); b0218 (Bálint & Lukhtanov); b0479 (Braby); b0728 (Cassidy); b1275 (Dietzel); b1395 (Dubatolov & Korshunov); b1579 (Eliot); b1600 (Emmel & Mattoni); b1904 (Futo & Murayama); b2387 (Hirowatari); b2474 (Hsu); b2601 (Johnson); b2602 (Johnson); b2603 (Johnson); b2624 (Johnson & Eisele & MacPherson); b2738 (Kielland); b2742 (Kimura & Murayama); b2830 (Korshunov); b2831 (Korshunov & Ivonin); b2971 (Leigheb & Riboni & Cameron-Curry); b3031 (Lukhtanov); b3239 (Moore); b3414 (Nuyda & Takanami); b3816 (Robbins); b3991 (Schröder & Treadaway); b3992 (Schröder & Treadaway); b4106 (Seki & Takanami); b4605 (Takanami); b4613 (Takanami & Seki); b5066 (Zhdanko);

1991

b3489 (Okano & Okano); b4100 (Seki); b4107 (Seki & Takanami); b4108 (Seki & Takanami & Otsuka); b2636 (Johnson & Miller); b1730 (Fiedler); b3107 (Mattoni); b3490 (Okano & Okano); b0124 (Anonymous); b0183 (Austin); b0202 (Bálint); b0203 (Bálint); b0474 (Bouyer); b0476 (Bozano); b0705 (Carbonell); b0706 (Carbonell); b0868 (Collins & Larsen); b1174

1991 (continued)

(De Prins & van der Poorten & Borei & van Oorschot & Riemis & Coenen); b1276 (Dietzel); b1430 (Dunn & Dunn); b1477 (Edwards); b1703 (Fernandez Vidal); b1785 (Fredler); b1916 (Gallard); b1923 (Gatrelle); b2123 (Hanafusa); b2124 (Hanafusa); b2287 (Henning & Henning); b2604 (Johnson); b2605 (Johnson); b2606 (Johnson); b2740 (Kim & Hong); b2741 (Kim & Joo & Park); b2904 (Larsen); b2970 (Leigheb); b3303 (Murayama); b3543 (Pages & Charneau); b3551 (Parsons); b3817 (Robbins); b3819 (Robbins & Venables); b3993 (Schröder & Treadaway); b4040 (Schurian); b4044 (Schurian & Rose); b4249 (Smith & Johnson & Miller & McKenzie); b4798 (van Oorschot & van den Brink);

1992

b1173 (De Prins & van der Poorten & Bálint); b4540 (Sugiyama); b3491 (Okano & Okano); b0125 (Anonymous); b0204 (Bálint); b0205 (Bálint); b0206 (Bálint); b0216 (Bálint & Kertész & Lukhtanov); b0227 (Ballmer & Pratt); b0490 (Brévignon & Gallard); b0854 (Clench); b1459 (d'Apice & Miller); b1728 (Fiedler); b1729 (Fiedler); b1901 (Fujioka); b2304 ; b2388 (Hirowatari); b2478 (Huang & Murayama); b2607 (Johnson); b2608 (Johnson); b2609 (Johnson); b2610 (Johnson); b2611 (Johnson); b2612 (Johnson); b2625 (Johnson & Eisele & MacPherson); b2630 (Johnson & Llorente-Bousquets); b2634 (Johnson & Matusik); b2637 (Johnson & Miller); b2638 (Johnson & Miller & Herrera); b2639 (Johnson & Miller & Herrera); b2644 (Johnson & Hay & Bollam); b2802 (Koçak); b2803 (Koçak); b3180 (Migranov); b3198 (Miller & Simon & Harvey); b3304 (Murayama); b3503 (Olivier & van der Poorten); b3544 (Pages & Charneau); b3864 (Rose & Schurian & Eckweiler); b4046 (Schurian & van Oorschot & van den Brink); b4050 (Schwartz & Johnson); b4052 (Schweitzer); b4068 (Scott); b4248 (Smith & Hernández); b4606 (Takanami); b4607 (Takanami); b4608 (Takanami); b4609 (Takanami); b4737 (Tschikolowez); b4738 (Tschikolowez); b4756 (Turner & Miller); b5067 (Zhdanko);

1993

b2289 (Henning); b4891 (Wagner); b0220 (Balletto); b2125 (Hanafusa); b0207 (Bálint); b0212 (Bálint & Johnson); b0213 (Bálint & Johnson); b2613 (Johnson); b2620 (Johnson & Adams); b2641 (Johnson & Salazar E.); b2642 (Johnson & Smith); b2389 (Hirowatari); b2126 (Hanafusa); b3143 (Medicielo); b1800 (Froeschner); b3492 (Okano & Okano); b1171 (De Prins); b0184 (Austin); b0185 (Austin); b0686 (Callaghan); b4070 (Scott & Wright); b0208 (Bálint); b0909 (Constantino & Salazar E. & Johnson); b2614 (Johnson); b2615 (Johnson); b2616 (Johnson); b2617 (Johnson); b2626 (Johnson & Eisele & MacPherson); b2627 (Johnson & Kroenlein); b2628 (Johnson & Kroenlein); b2629 (Johnson & Kroenlein); b2942 (Le Crom & Johnson); b3995 (Schröder & Treadaway & Nuyda); b4101 (Seki); b4713 (Treadaway & Nuyda); b2390 (Hirowatari); b0126 (Anonymous); b0134 (Amett & Samuelson & Nishida); b0137 (Arnold); b0209 (Bálint); b0210 (Bálint); b0211 (Bálint); b0221 (Balletto); b0222 (Balletto); b0477 (Bozano); b0491 (Brévignon & Gallard); b0550 (Brown); b0555 (Brown); b0556 (Brown); b0557 (Brown); b0558 (Brown); b0559 (Brown); b0572 (Budashkin & Lukhtanov); b0687 (Callaghan); b0688 (Callaghan); b1083 (Cushman); b1084 (Cushman & Murphy); b1104 (Dantchenko & Lukhtanov); b1172 (De Prins & van der Poorten); b1209 (Descimon); b1223 (Dexter & Kitching); b1405 (Duffey); b1406 (Duffey); b1407 (Duffey); b1455 (d'Abrebra); b1602 (Emmel); b1603 (Emmel & Emmel); b1604 (Emmel & Emmel); b1605 (Emmel & Emmel); b1608 (Emmel & Minno); b1609 (Emmel & Minno); b1666 (Faulkner & Brown); b2294 (Henning & Henning & Samways); b2295 (Henning & Henning & Samways); b2296 (Henning & Henning & Samways); b2297 (Henning & Henning & Samways); b2321 (Hesselbarth & Siepe); b2391 (Hirowatari); b2392 (Hirowatari); b2393 (Hirowatari); b2643 (Johnson & Sourakov); b2739 (Kielland); b2818 (Koiwaya); b2990 (Libert); b3033 (Lukhtanov); b3034 (Lukhtanov); b3114 (Mattoni); b3115

1993 (*continued*)

(Mattoni); b3116 (Mattoni); b3186 (Miller & Miller); b3263 (Muller & Mayo); b3266 (Munguira & Martin); b3267 (Munguira & Martin); b3268 (Munguira & Martin); b3270 (Munguira & Martin & Balletto); b3381 (New); b3382 (New); b3383 (New); b3384 ; b3545 (Pages); b3639 (Powell & Parker); b3646 (Prince); b3911 (Salazar Escobar); b3912 (Salazar Escobar & Constantino); b3918 (Samson); b3919 (Samways); b3927 (Sands); b4541 (Sugiyama); b4645 (Thomas); b4978 (Weiss); b5068 (Zhdanko); b5069 (Zhdanko);

1994

b4225 (Sibatani & Saigusa & Hirowatari); b2702 (Kawai); b3144 (Medicielo & Hanafusa); b3522 (Osada); b3523 (Osada); b4102 (Seki); b4103 (Seki); b4542 (Sugiyama); b3907 (Saigusa & Murayama); b4610 (Takanami); b4611 (Takanami); b2394 (Hirowatari & Cassidy); b2476 (Hsu & Lin); b3493 (Okano & Okano); b4104 (Seki); b2618 (Johnson); b0214 (Bálint & Johnson); b0215 (Bálint & Johnson); b0217 (Bálint & Lamas); b1456 (d'Abbrera); b2619 (Johnson); b3640 (Pratt); b4817 (Vane-Wright);



APPENDIX I
GENUS-GROUP NAMES
NEEDING ADDITIONAL RESEARCH

Appendix I

LEPIDOPTERA - RIODINIDAE & LYCAENIDAE

Listed here are entries extracted from Part III that require additional research, or action by the ICZN, etc.

- a **Arawacus** Kaye, 1904 OD: Trans. ent. Soc. Lond. 52(2):197 [b2708]. TS: *Papilio linus* Sulzer, 1776. OD: Abgekürzte Gesch. Ins. :144, pl 19, f 10,11 [b4544]. TM: by original designation. HC-Lyc: Lyc: The: Eum: **Thereus** [*Check - Sulzer never described linus. Roemer republished Sulzer's figure of aetulus, but substituted the name linus for aetulus.*] [Refs - b0908; b2988; b2280; b3192; b3806]
- c **Chrysorychia** Wallengren, 1857, (PD) OD: K. svenska VetenskAkad. Handl. (nf)2(4):44 [b4913]. TS: *Papilio thyra* Linnaeus, 1764. OD: Mus. Lud. Ulr. :329 [b2996]. TM: by selection by Wallengren, 1858. Öfvers. K. VetenskAkad. Förh. 15(2):80 [b4914]. SS: *Aloeides* Hübner, [1819]. [*Check - Eliot makes this name a synonym of Axioceres based on the fact that Wallengren misidentified the type species. Case is before the commission.*] [Refs - b4400; b1559; b2280]
- b **Farsia** Zhdanko, 1992 OD: Zool. Zh. 71(8):152 [b5067]. TS: *Lycæna hyrcana* Lederer, 1869. OD: Horae Soc. ent. ross. 6:78, pl 4, f 6,7 [b2955]. TM: by original designation. SS: *Polyommatus* Latreille, 1804. [*Check - Classification, based on a misidentified type*] [Refs - b0126]
- a **Mantoides** H. H. Druce, 1896, (PD) OD: Proc. zool. Soc. Lond. 1896(3):677 [b1365]. TS: *Mantoides licinius* H. H. Druce, 1896. OD: Proc. zool. Soc. Lond. 1896(3):677, pl 21, f 10 11 [b1365]. TM: by original designation. HC-Lyc: Lyc: The: Iol: **Iolaus** [*Note - The taxon represented by the nominal species Mantoides licinius H. H. Druce, 1896, is currently treated, on subjective taxonomic grounds, as being a subspecies of the taxon represented by the older-established nominal species Neocherüra gama Distant, 1886.*] [*Check - Why is this marked PD*] [Refs - b1019 :8; b2280]
- a **Shaanxiana** Koiwaya, 1993 OD: Stud. Chin. Butterflies 2:44 [b2818]. TS: *Shaanxiana takashimai* Koiwaya, 1993. OD: Stud. Chin. Butterflies 2:46, f [b2818]. TM: by original designation. HC-Lyc: Lyc: The: The: **Thecla** [*Check - Classification is a guess*] [Refs - b0126]



APPENDIX II
SPECIES-GROUP NAMES
NEEDING ADDITIONAL RESEARCH

Appendix II

LEPIDOPTERA - RIODINIDAE & LYCAENIDAE

Listed here are entries extracted from Part VII that require additional research, or action by the ICZN, etc.

- b **abyssiniae** (Storace), 1953, (H); *Catochrysops* OD: *Doriana* 1(35):3 [b4485] SS: *nandensis* (Neave), 1904; *Euchrysops* [TypeL - Abyssinia.] [Check - Junior secondary homonym in need of a replacement.] [Refs - b4400]
- a **affinis** (Rothschild), 1915; *Virachola* OD: *Novit. zool.* 22:395 [b3879] CG: *Deudorix* (*Virachola*) [TypeL - Dampier Island.] [Check - Secondary homonym in need of a replacement.] [Refs - b1450]
- b **agenjoi** (Forster), 1965; *Agrodiaetus* OD: *Ent. Zeit.* 75(18):198 [b1775] SS: *ripartii* (Freyer), 1830; *Polyommatus* (*Agrodiaetus*) [Type: Madrid-ht] [TypeL - Barcelona, Spain.] [Check - Homonym in need of a replacement.] [Refs - b3059; b1775]
- c **albata** Stichel; *Barbicomis* OD: SS: *mona* Westwood, [1851]; *Barbicomis* [Check - Original description.] [Refs - b0111; b3717]
- b **ab. albicans** (Hulstaert), 1924; *Neochrysops* OD: *Revue zool. afr.* 12(2):194 [b2496] SS: *patricia* (Trimen), 1887; *Lepidochrysops* [TypeL - Uganda.] [Check - Described as an aberration, thus not available as of this author and date.] [Refs - b3796; b2496; b4400]
- e **Q. f. albilunulata** (Ungemach), 1932; *Lycaenesthes* OD: *Mém. Soc. Sci. nat. phy. Maroc* (32):88 [b4780] SS: *crawshayi* (Butler), 1899; *Anthene* [TypeL - Abyssinia.] [Check - Spelling.] [Refs - b0070 (as *albilunata* :296); b4400]
- e **ab. albipunctata** Vorbrod, 1912; *Polyommatus* OD: *Schmetz. Schweiz* 1:152 [b4885] SS: *semiargus* (Rottemburg), 1775; *Polyommatus* (*Cyaniris*) [Check - Original genus] [Refs - b0236; b0471 (as *albipuncta*)]
- e **albisiganta**; *Plebejus* OD: SS: *opheimi* (Høegh-Guldberg), 1966; *Plebejus* (*Aricia*) [Check - Original description.] [Refs - b2399]
- a **alcestis** (Zerny), 1932, (H); *Lycaena* OD: *Deut. ent. Zeit. [Iris]* 46:186 [b5063] CG: *Polyommatus* (*Agrodiaetus*) [TypeL - N. Lebanon.] [Check - Homonym in need of a replacement.] [Refs - b2827; b0070; b2794]
- e **ab.alconides** Vorbrod, 1912; *Polyommatus* OD: *Schmetz. Schweiz* 1:152 [b4885] SS: *semiargus* (Rottemburg), 1775; *Polyommatus* (*Cyaniris*) [Check - Original genus] [Refs - b0236; b0471]
- b **andamanica** (Riley), 1922, (H); *Horsfieldia* OD: *Entomologist* 55:28 [b3752] SS: *ania* Hewitson, 1862; *Amblypodia* [Check - Homonym in need of a replacement.] [Refs - b1636; b4094 (also as *andaminica*); b1454; b3752; b0694]
- e **arcuata** (Vorbrod), 1912; *Lycaena* OD: *Schmetz. Schweiz* 1:145 [b4885] SS: *coridon* (Poda von Neuhaus), 1761; *Polyommatus* (*Lysandra*) [Check - May not exist.] [Refs - b0471]
- b **aureobrunnea** (Ungemach), 1932; *Lycaenesthes* OD: *Mém. Soc. Sci. nat. phy. Maroc* (32):85 [b4780] SS: *butleri* (Oberthür), 1880; *Anthene* [TypeL - Abyssinia.] [Check - Spelling.] [Refs - b0070 (as *aureobrunnea* :296); b1452; b4400; b2898]
- c **azagra** (Sheldon), 1913; *Lycaena* OD: *Entomologist* 46:312 [b4164] SS: *thersites* (Cantener), 1834; *Polyommatus* (*Plebicula*) [Check - Original genus] [Refs - b3059]
- b **bella** (Fruhstorfer), 1907, (IFS); *Sithon* OD: *Ent. Zeit.* 21(23):144 [b1824] SS: *jangala* (Horsfield), [1829]; *Remelana* [TypeL - Not stated.] [Check - Described as an infrasubspecific form, and thus not available as of this author and date.] [Refs - b4094; b1824]
- d **belli** Aurivillius, [1899], (H); *Iolaus* OD: *K. svenska VetenskAkad. Handl.* (nf)31(5):- [b0156] SS: *pollux* (Aurivillius), 1895; *Iolaus* (*Epamera*) [Check - Original description may be misidentification.] [Refs - b4400]
- b **bernardi** Beuret, 1955; *Palaeochrysophanus* OD: *Mitt. ent. Ges. Basel* (nf)5:114, f [b0394] SS: *hippochoe* (Linnaeus), 1761; *Palaeochrysophanus* [TypeL - S. France.] [Check - Spelling.]
- b **boopis** (Fruhstorfer), 1915, (H); *Luthrodes* OD: *Deut. ent. Zeit. [Iris]* 29:49 [b1860] SS: *buruana* (Holland), 1900; *Chilades* [TypeL - Central Celebes.] [Check - Homonym in need of a replacement.] [Refs - b1860]
- d **boyi** (Meier-Ramel), 1928, (H); *Argyrogramma* OD: *Encyc. ent. Ser. B. III Lep.* 3(2):64 [b3145] SS: *trochilia* (Westwood), [1851]; *Argyrogramma* [TypeL - Brazil.] [Check - Does this exist.]
- a **buchholzi** (Plötz), 1880; *Lycaenesthes* OD: *Stett. ent. Ztg* 41:202 [b3622] CG: *Anthene* [TypeL - W. Africa.] [Check - Type in Greifswald Museum.] [Refs - b1452; b4400]
- b **burdigalensis** (Stempffer), 1932, (H); *Lycaena* OD: *Amat. Papil.* 6:108 [b4359] SS: *teleius* (Bergsträsser), [1779]; *Maculinea* [TypeL - France.] [Check - Homonym needing replacement.] [Refs - b0070]
- e **caerulea** (Courvoisier), 1897; *Lycaena* OD: *Soc. ent.* 12(4):25 or 26 [b0980] SS: *orbiculus* (Prunner), 1798; *Polyommatus* (*Albulina*) [Check - Original genus and pagination.] [Refs - b4092]
- e **f. caerulea** Strand, 1901; *Plebejus* OD: *Nyt Mag. naturvid.* 39(1):47 [b4490] SS: *argyrognomon* (Bergsträsser), [1779]; *Plebejus* (*Lycaeides*) [Check - Original genus] [Refs - b0236; b0410 (as *coerulea*?); b0471 (as *coerulea*)]
- e **ab. caeruleoannulata** (Carter & Harrison), 1923; *Aricia* OD: *Entomologist* 56:107 [b0721] SS: *agestis* ((Denis & Schiffermüller), 1775; *Plebejus* (*Aricia*) [Check - Original genus] [Refs - b0236; b0471]
- e **ab. centripuncta** Wehrli, 1920; *Lycaena* OD: *Mitt. ent. Ver. Basel* (12):1 or 2, f 24 [b4972] SS: *gordius* (Sulzer), 1776; *Lycaena* (*Alciphronia*) [Check - Spelling?] [Refs - b0236; b0389 (as *centriuncta*)]
- b **chaburobata** Tschikolowez, 1992; *Polyommatus* OD: *Atalanta* (Münnerstadt) 23(1/2):162, f [b4737] SS: *pulchella* (Bernardi), 1951; *Polyommatus* (*Lysandra*) [TypeL - Tajikistan] [Check - Classification.] [Refs - b0126]
- b **chyluensis** (van Someren), 1939; *Pentila* OD: *J. E. Afr. Ug. nat. Hist. Soc.* 14:146 [b4802] SS: *peuceia* (Hewitson), [1866]; *Ornipholidotos* [TypeL - Kenya or Uganda.] [Check - Spelling.] [Refs - b1452; b4400; b0077 (as *chyluensis* :318)]
- e **cuencana** (Verity), 1927, (RA); *Agriadodes* OD: *Bull. Soc. ent. Fr.* 1927(13):208 [b4845] SS: *albicans* (Herrich-Schäffer), [1851]; *Polyommatus* (*Lysandra*) [Type: MZS-st] [TypeL - Spain.] [Check - Classification.] [Refs - b3059; b2856; b0236; b4845; b0471; b4038]
- e **f. demaculata** Strand, 1901; *Plebejus* OD: *Nyt Mag. naturvid.* 39(1):47 [b4490] SS: *argyrognomon* (Bergsträsser), [1779]; *Plebejus* (*Lycaeides*) [Check - Original genus] [Refs - b0236; b0471]
- b **disparilis** Riley, [1945]; *Abisara* OD: *Trans. R. ent. Soc. Lond.* 94(2):251 [b3782] SS: *geza* Fruhstorfer, [1904]; *Abisara* [Type: BMNH-ht] [TypeL - Sipora.] [Check - Classification.] [Refs - b0294; b1454; b2126 (with *kausambi*)]
- a **dohertyi** (Tyder), 1915; *Virachola* OD: *J. Bombay nat. Hist. Soc.* 24(1):138 [b4772] CG: *Deudorix* (*Virachola*) [TypeL - Naga Hills.] [Check - Homonym in need of a replacement.] [Refs - b1454; b4772]

- b **dzhemagate** (Sheljuzhko), 1934; *Lycaena* OD: Z. öst. EntVer. 19:31 [b4172] SS: loewii (Zeller), 1847; *Polyommatus* (Plebejidea) [TypeL - N. Caucasus.] [Check - Spelling.] [Refs - b0072; b1455 (as dzhemegati :504)]
- a **echion** (Linnaeus), 1767; *Papilio* OD: Syst. nat. (ed. 12) 1(2):788 [b2997] CG: *Tmolus* [TypeL - In America.] [Type of - *Tmolus*] [Check - Described from a written description and figure. The written description refers to *Strymon basilides* and the figure to *echion*. An application to the Commission will be needed to assure stability.] [Refs - b0908; b4245; b2280; b3390; b1321 :56; b2747; b1743; b1375; b1975; b2221; b3818; b3192; b3806; b2631; b2589; b4066; b2918]
- a **ecuadorica** (Strand), 1911; *Ithomeis* OD: Ent. Rundsch. 28:150 [b4502] CG: *Nahida* [TypeL - Ecuador.] [Check - Spelling.] [Refs - b4474; b4528; b1456 (as ecuadorica :953)]
- a **elorea** (Fabricius), 1793, 1792-1799; *Papilio* OD: Ent. syst. 3(1):194 [b1657] CG: *Cupido* (?) [TypeL - Sierra Leone.] [Check - May not be *Lycaenidae*.] [Refs - b2747; b0836; b5076]
- c **empyrea** (Freyer), 1852, 1831-1858; *Lycaena* OD: Neuere Beitr. Schmett. 6:147, pl 573, f 1 [b1795] SS: loewii (Zeller), 1847; *Polyommatus* (Plebejidea) [Check - Koçak attributes the name to Gerhard, 1851.] [Refs - b2747; b0995; b2794; b4092]
- a **epesus** (Westwood), [1851], 1846-1852; *Geridus* OD: In Gen. dium. Lep. (2):pl 76, f 5 [b4981] CG: *Spalgis* [TypeL - Ceylon.] [Type of - *Spalgis*] [Check - Spelling.] [Refs - b1450; b0964; b2280; b0965; b2747 (as epius); b1636 (as epius); b1840 (as epius); b1454 (as epius); b3055 (as epius); b0694]
- b **etoumbi** Stempffer & Bennett & May, 1974; *Liptena* OD: Bull. Br. Mus. nat. Hist. (Ent.) 30(1):148, f [b4423] SS: *decipiens* (Kirby), 1890; *Liptena* [TypeL - Etoumbi, Brazzaville, Congo.] [Check - Homonym in need of a replacement.] [Refs - b0105; b1452]
- e **eunomia** Kirby, 1871, (NN); *Plebejus* OD: Syn. Cat. dium. Lep. :653 [b2747] [Check - Original description.] [Refs - b0908; b2747 (as Edwards, TaES 1870:194); b2753]
- a **eversmanni** (Staudinger), 1886, 1886-1889; *Lycaena* OD: Stett. ent. Ztg 47:205 [b4330] CG: *Plebejus* [TypeL - Central Asia.] [Check - Homonym in need of a replacement.] [Refs - b1455]
- a **falkovitshi** (Zhdanko & Korshunov), 1985; *Neolycaena* OD: CG: *Satyrion* (*Neolycaena*) [Check - Original description.] [Refs - ns3033; b5066]
- d **formosanus** (Esaki), 1932, (H); *Zephyrus* OD: Icon. Ins. Japan :969, f 1910 [b1616] SS: *teioi* (Sonan), 1941; *Chrysozephyrus* [TypeL - Formosa.] [Check - Why is this a homonym.] [Refs - b4198; b2463]
- b **forsteri** (Sakai), 1978; *Agriades* OD: *Atalanta* (Münnerstadt) 9(1):111-112 [b3909] SS: *pheretiades* (Eversmann), 1843; *Polyommatus* (*Agriades*) [TypeL - Afghanistan.] [Check - Homonym in need of a replacement.] [Refs - b3910]
- a **forsteri** (Blom), 1979; *Agrodiaetus* OD: Ent. Ber. 39(12):185, f [b0455] CG: *Polyommatus* (*Agrodiaetus*) [Type: pc-ht; collection of Blom] [TypeL - Khoshyeylag, Kuh e Sovar, Prov. Mazandaran, Iran.] [Check - Homonym in need of a replacement.] [Refs - b1610 (3688-E11); b0111; b0455]
- a **gigantea** (Trimen), 1898; *Lycaena* OD: Trans. ent. Soc. Lond. 46(1):4, pl 1, f 2, 3 [b4731] CG: *Lepidochrysops* [TypeL - Mashonaland.] [Check - Primary homonym in need of a replacement.] [Refs - b1259; b1452; b4400; b3567; b0359]
- b **gracilis** (Evans), 1912, (H); *Lycaena* OD: J. Bombay nat. Hist. Soc. 21(3):559,984,1008 [b1626] SS: *devanica* Moore, [1875]; *Polyommatus* [Type: BMNH-st] [TypeL - Western Himalayas.] [Check - Homonym in need of a replacement.] [Refs - b1636; b0236; b3910 (as gracilis); b0694]
- e **guayapensis** (Köhler), 1923, (IFS); *Hamearis* OD: Z. wiss. InsektBiol. 18(12)(Sonderheft):29, pl 2, f 26-28 [b2805] SS: *guttata* (Stichel), 1910; *Audre* [TypeL - Argentina.] [Check - Used twice? str 595.705z] [Refs - b4475; b2221]
- a **guttatus** Plötz, 1880; *Aphnaeus* OD: Stett. ent. Ztg 41:201 [b3622] CG: *Aphnaeus* (?) [TypeL - Abo, W. Africa.] [Check - Not sure where this belongs.] [Refs - b3622]
- b **huttecoeuri** Oberthür, 1888; *Alaena* OD: Étud. ent. 12:7 [b3430] SS: *interposita* Butler, 1883; *Alaena* [Check - Spelling?] [Refs - b1452 (as huttecoeur); b4400; b3609]
- e **hemialpium** (Verity), 1943, (IFS); *Meleageria* OD: *Farfalle Diurne Ital.* 2:332 [b4862] SS: *daphnis* ((Denis & Schiffmüller)), 1775; *Polyommatus* (*Meleageria*) [Type: MZS-st] [TypeL - Italy.] [Check - Spelling.] [Refs - b2856; b0080 (as hemialpinum :297)]
- d **hyllus** (Cramer), [1775], 1775-1790, (PD); *Papilio* OD: *Uitl. Kapellen* 1(4):67, pl 43, f B,C [b1069] SS: *thersamon* (Esper), [1784]; *Lycaena* (*Thersamon*) [TypeL - Smyrna.] [Check - Brown & Field identified this nomem oblitum as a senior synonym of *thoe* Guérin-Méville. They did not refer the case to the Commission as required by the ICZN. Miller used the name for *thoe*, and made it the type of his genus *Hyllolycaena*. Koçak has identified the name with *thersamon* Esper. An application to the ICZN should be prepared, asking for use of the Plenary Powers to invalidate the name.] [Refs - b0908; b3191; b0856; b2747; b0996; b0102; b3192; b2280; b3512; b3189; b0539; b4690 (R); b0493; b2753; b2859; b4066]
- b **ibukiensis** (Futo & Murayama), 1990; *Strymonidea* OD: *Konchu to Shizen* (Nature & Insects) 25(3):33, f [b1904] SS: *mera* (Janson), 1877; *Satyrion* [TypeL - Japan.] [Check - Classification.] [Refs - b0124]
- e **icarescheri** (Wrlit), 1950; *Lycaena* OD: SS: *icarus* (Rottemburg), 1775; *Polyommatus* [Note - Date is a guess. Maybe author is Wehrli? Hybrid.] [Check - Original description.] [Refs - b0087; ns0392; b0276]
- a **indica** (Evans), 1925; *Lycaena* OD: J. Bombay nat. Hist. Soc. 30(2):346 [b1632] CG: *Plebejus* (*Plebejides*) [TypeL - India.] [Note - Described as a subspecies of *pylaon*.] [Check - Homonym in need of a replacement.] [Refs - b1636; b1638; b0694; b1632]
- a **interjectus** (de Lesse), 1960; *Agrodiaetus* OD: *Revue fr. Ent.* 27(3):253, f [b1124] CG: *Polyommatus* (*Agrodiaetus*) [Check - Spelling.] [Refs - b2794; b1455 (as interjectes :516)]
- b **intermedia** Ollenbach, 1921, (H); *Rapala* OD: J. Bombay nat. Hist. Soc. 28(1):131, f [b3504] SS: *elcia* (Hewitson), [1863]; *Rapala* [TypeL - Kalataung, Tavoy District, Burma.] [Check - Homonym in need of a replacement.] [Refs - b3504]
- a **interruptus** (Gabriel), 1954; *Catalius* OD: *Exped. S. W. Arabia* 1937-1938 1:381 [b1908] CG: *Tuxentius* [TypeL - Arabia.] [Check - Described as a subspecies of *melaena*. The name is a junior primary homonym in need of a replacement.] [Refs - b1452; b2898; b4400; b2899]
- b **iranica** (Forster), 1938, (H); *Lycaena* OD: Ent. Rundsch. 55:216, pl 1, f 5a, 6a [b1761] SS: *eurypilus* (Freyer), 1852; *Polyommatus* (*Kretania*) [TypeL - Elburz Mts., N. Persia.] [Check - Homonym in need of a replacement.] [Refs - b0113; b0076; b2790; b3910; b2788; b0206; b0205]
- b **iranica** (Pfeiffer), 1938; *Lycaena* OD: *Mitt. münchn. ent. Ges.* 28(2):195 [b3592] SS: *argiolus* (Linnaeus), 1758; *Celastrina* [TypeL - Kendevar Pass, Mt. Elbours, Iran.] [Note - Described as a subspecies of *coelestina*.] [Check - Maybe this is the homonym. Has been replaced by *hofizi*.] [Refs - b0076 (with *coelestina*); b3592]

- b **iris** (Agenjo), 1972; Plebejus OD: Graellsia 26:30 [b0023] SS: damon ([Denis & Schiffmüller]), 1775; Polyommatus (Agrodiaetus) [TypeL - Santander Province, Spain.] [Check - Homonym in need of a replacement.]
- b **issekutzi** (Balogh), 1956; Aricia OD: Folia ent. hung. (ns)9:71,76 [b0228] SS: montensis (Verity), 1928; Plebejus (Aricia) [TypeL - N. Hungary.] [Check - Spelling.] [Refs - b0091; ns2684; b0211 (as issekutzi)]
- b **japonica** (Ford), 1924; Heodes OD: Trans. ent. Soc. Lond. 71(3/4):729 [b1757] SS: phlaeas (Linnaeus), 1761; Lycaena (Lycaena) [TypeL - Japan.] [Check - Homonym in need of a replacement.] [Refs - b1900 (=daimio); b0236; b3796; b0471]
- c **javieri** (Gomez de Aizpurva & Fernández-Rubio), 1974; Plebejus OD: Munibe 25(1):48, f [b1993] SS: hispana (Herrich-Schäffer), [1851]; Polyommatus (Lysandra) [TypeL - Javier, Navarra Province, Spain.] [Check - Schurian gives the reference as 1973:147.] [Refs - b0105; b0104; b1993; b4038]
- a **jobates** (Hopffer), 1855; Lycaena OD: Ber. Verh. Akad. Berl. 1855:642 [b2443] CG: Cupidopsis [TypeL - Africa mer. et or.] [Type of - Cupidopsis] [Check - Spelling.] [Refs - b1943; b2280; b1259; b2747; b1452; b0836; b2898 (as iobates); b4400 (as iobates); b1235; b2899 (as iobates); b2920]
- b **ab. kamtschadalis** (Sheljuzhko), 1933; Lycaena OD: Z. öst. EntVer. 18:85 [b4171] SS: erotides (Staudinger), 1892; Polyommatus [TypeL - Kamtschatka.] [Check - Authorship and spelling, described as a aberration.] [Refs - b0071; b0206 (as kamtschadalis)]
- c **korbi** Forster; Polyommatus OD: SS: araratensis (de Lesse), 1957; Polyommatus (Agrodiaetus) [Check - Original description.] [Refs - b1772]
- a **lagora** Herrich-Schäffer, [1853], 1850-1869; Leucochimona OD: Samml. neuer. aussereurop. Schmett. 1:155, pl [13], f 43,44 [b2314] [TypeL - Surinam, New Granada.] [Check - Original genus could be Diophtalma.] [Refs - b2988; b2747; b0680; b1456]
- c **latialis** Rostagno & Zapelloni, 1910; Plebejus OD: Boll. Soc. zool. ital. (2)11:338 [b3870] SS: argyrognomon (Bergsträsser), [1779]; Plebejus (Lycacides) [Check - Classification?] [Refs - b0236; b4425; b0471 (with argus)]
- b **latifasciata** Inoué & Kawazoe, 1964; Abisara OD: Nature Life Southeast Asia 4:325 [b2508] SS: geza Fruhstorfer, [1904]; Abisara [TypeL - S. Vietnam.] [Check - Homonym in need of a replacement.]
- e **ab. ledereri** Thierry-Mieg, 1911; Plebejus OD: Naturaliste 32:235 [b4642] SS: pylaon (Fischer von Waldheim), 1832; Plebejus (Plebejides) [Check - Spelling and original genus.] [Refs - b0236; b0471 (as lederi)]
- c **leodorus** (Gerhard), 1853, 1850-1853; Lycaena OD: Vers. monog. europ. Schmett. :pl 23, f 3 [b1928] SS: argus (Linnaeus), 1758; Plebejus [Check - Original description?] [Refs - b2747; b0471 (as Suppl. 1:137)]
- b **lhasana** (Murayama), 1983; Lysandra OD: Entomotaxonomia 5(4):283, pl 3, f 11,12 [b3301] SS: icarius (Esper), [1789]; Polyommatus (Plebicula) [Type: pc-ht; collection of Murayama.] [TypeL - China.] [Check - Classification, may go with venus.] [Refs - b0119]
- b **ligurica** (Courvoisier), 1910, 1910-1911, (H); Lycaena OD: Ent. Zeit. 24:81 [b0985] SS: idas (Linnaeus), 1761; Plebejus (Lycacides) [Check - Homonym in need of a replacement. Are both Courvoisier names the same taxon.] [Refs - b0236; b4425; b2521; b0410; b0471]
- e **ab. lilliputana** (Oberthür), 1914; Aricia OD: Étud. Lép. comp. 10:386, pl 291, f 2385,2384 [b3454] SS: astrarche (Bergsträsser), [1779]; Plebejus (Aricia) [Check - Figure 2384 is ornata, 2385 is calida.] [Refs - b4529; b0236; b0066; b0471]
- o **lucida** Geest, 1903; Maculinea OD: Allg. Z. Ent. 8:314 [b1925] SS: nausithous (Bergsträsser), [1779]; Maculinea [Check - Original description pagination.] [Refs - b0993; b0400; b4092]
- e **f. lucimargina** Scott, 1981; Celastrina OD: Papilio (New Series) (1):6 [b4062] SS: argiolus (Linnaeus), 1758; Celastrina [Check - Does not belong with argiolus, but with ladon.] [Refs - b4062; x3192; b4066]
- b **ab. magna** (Hulstaert), 1924; Lycaenesthes OD: Revue zool. afr. 12(2):182 [b2496] SS: lunulata (Trimen), 1894; Anthene [TypeL - Belgian Congo.] [Check - Described as an aberration, thus not available with this author and date.] [Refs - b3796; b2496; b4400]
- c **marginata** Sonan, 1926; Phengaris OD: Trans. nat. Hist. Soc. Formosa 16:182 [b4274] SS: daitozana Wileman, 1908; Phengaris [TypeL - Formosa.] [Check - Infrasubspecific.] [Refs - b4198; b0236]
- b **mariscolore** (Kane), 1893, (H); Lycaena OD: Entomologist 26:243 [b2689] SS: icarus (Rottemburg), 1775; Polyommatus [TypeL - Ireland.] [Check - Homonym in need of a replacement.] [Refs - b4632 (as mariscolore); b2689; b2860]
- a **mijburghi** (Vári), 1986; Lepidochrysops OD: CG: Orachrysops [Check - Original description.] [Refs - ns4822]
- e **ab. minor** (Muschamp), 1909; Lycaena OD: Bull. Soc. Lép. Genève 1:369 [b3320] SS: orbitulus (Prunner), 1798; Polyommatus (Albulina) [Check - Original genus] [Refs - b0236; b0471]
- b **montana** (Meyer-Dür), 1851, (H); Lycaena OD: Verz. Schmett. Schweiz 12:90, pl 2, f 2 [b3162] SS: semiargus (Rottemburg), 1775; Polyommatus (Cyaniris) [Check - Primary homonym in need of a replacement.] [Refs - b1780; b0410; b0400; b2799; b1780; b0389; b2856; b4092]
- c **montiummagna** (Verity), 1928, (RA); Aricia OD: Bull. Soc. ent. Fr. 1928(11):181 [b4848] SS: zulichhi (Hemming), 1933; Polyommatus (Agridades) [Type: MZS-st] [TypeL - Italy.] [Check - Classification?] [Refs - b2856; b0236; b0410 (=debrosi); b4848; b0471]
- b **nebrodensis** Ragusa, 1919; Plebejus OD: Naturalista sicil. 23(7/12):- [b3687] SS: eumedon (Esper), [1780]; Plebejus (Eumedonia) [Check - Original description pagination.] [Refs - b0107; x0276]
- b **nigra** (Miskin), 1890, (H); Lycaena OD: Proc. linn. Soc. N. S. Wales (2)5(1):36 [b3212] SS: strongyle (C. Felder), 1860; Megisba [Type: QM-hi] [TypeL - Cardwell, Australia.] [Check - Homonym in need of a replacement.] [Refs - b4947; b1580; b1840; b0870; b4934; b2646]
- e **ab. nigrostriata** Muschamp, 1908; Plebejus OD: Bull. Soc. Lép. Genève 1(3):264 [b3319] SS: eumedon (Esper), [1780]; Plebejus (Eumedonia) [Check - Original genus] [Refs - b0236; b0368; b0471]
- e **novopuncta** Wehrli, 1913; Maculinea OD: Mitt. thurgau. naturf. Ges. 20:15 [b4971] SS: alcon ([Denis & Schiffmüller]), 1775; Maculinea [Check - Reference not found.] [Refs - b0400; x0276]
- c **nyctea** (Hoffmansegg), 1818; Emesis OD: In Wiedemann, Zool. Mag. 1(2):99 [b2412] SS: coea Hübner, [1819]; Mesosemia [Check - Priority.] [Refs - b4474; b1456]
- a **oberthuri** Aurivillius, [1899]; Alaena OD: K. svenska VetenskAkad. Handl. (nf)31(5):256 [b0156] [TypeL - Mpala, west coast of Lake Tanganyika.] [Check - Spelling.] [Refs - b1452; b4400]
- e **ab. oberthuri** (Stetter-Stäutermayer), 1937; Lycaena OD: Ent. Rundsch. 54:531 [b4432] SS: allardi (Oberthür), 1874; Plebejus (Plebejides) [Check - Spelling.] [Refs - b0075 (as oberthueni)]

- a **pamelae** Heath, 1983, (H); *Iolaus* OD: *Arnoldia* Zimbabwe 9(10):160, f 2a-b, 5c-f, 6a [b2224] CG: *Iolaus* (*Argiolas*) [Type: BMNH-ht] [TypeL - Zambia.] [Check - Homonym in need of a replacement.] [Refs - b2224; b0119]
- e **ab. parallela** (Courvoisier), 1910, 1910-1911; *Lycaena* OD: Ent. Zeit. 24:99 [b0985] SS: *sephyrus* (Frivaldszky von Frivald), 1835; *Plebejus* (*Plebejides*) [Check - Original genus] [Refs - b0236; b0471]
- c **parisienis** (Gerhard), 1853, 1850-1853; *Lycaena* OD: Vers. monog. europ. Schmetz. :pl 32, f 4 [b1928] SS: *coridon* (Poda von Neuhaus), 1761; *Polyommatus* (*Lysandra*) [Check - Spelling?] [Refs - b2747; b4092 (as *parisiensis*)]
- a **paucipuncta** Spitz, 1930; *Apodemia* OD: Ent. Rundsch. 47:39, f [b4292] [Type: MP-It; designated by Lamas, 1973] [Papéis avulsos Dept. Zool., São Paulo 26(13:181 [b2878]] [TypeL - Brazil.] [Note - Also described in *Revta Mus. Paul.*, 17:459.] [Check - Spelling.] [Refs - b3179; b0104 (as *paucipunctata*); b1456]
- e **ab. perversa** Schultz, 1906; *Plebejus* OD: Jber. Wien. ent. Ver. 16:75 [b4006] SS: *eumedon* (Esper), [1780]; *Plebejus* (*Eumedonia*) [Check - Original genus] [Refs - b0236; b0471]
- b **praeactinides** (Forster), 1960; *Agrodiaetus* OD: Z. wien. ent. Ges. 45(7-10):107, pl 10,11, f 7,8 [b1772] SS: *actis* (Herrich-Schäffer), [1851]; *Polyommatus* (*Agrodiaetus*) [TypeL - Karatau Mts.] [Check - Spelling.] [Refs - b1772; b0094 (as *praeactinides*)]
- b **pryeri** (Moore), 1901, 1890-1913; *Balonca* OD: Lep. Ind. 5:77 [b3238] SS: *fruhstorferi* Röber, 1897; *Dodona* [Check - Classification] [Refs - b4473; b1454; b1840; b3528 (as *pryeri*, with *deodata*)]
- e **pseudocramera** (Vorbrod & Müller-Rutz), 1917; *Aricia* OD: Mitt. schweiz. ent. Ges. 12(9/10):- [b4889] SS: *agestis* ([Denis & Schiffermüller]), 1775; *Plebejus* (*Aricia*) [Check - Original description not found.] [Refs - b0410]
- e **ab. pupillata** (Muschamp), 1909; *Lycaena* OD: Bull. Soc. Léop. Genève 1:369 [b3320] SS: *orbitulus* (Prunner), 1798; *Polyommatus* (*Albulina*) [Check - Original genus] [Refs - b0236; b0471]
- a **pyrodiscus** (Rosenstock), 1885; *Lucia* OD: Ann. Mag. nat. Hist. (5)16:377 [b3865] CG: *Paralucia* [Type: -It; designated by Edwards, 1991] [Aust. ent. Mag. 18(1):29 [b1477]] [TypeL - S. Australia.] [Type of -Paralucia.] [Note - Rosenstock attributed the name to Newman (MS).] [Check - Edwards attributes the name to Doubleday, 1847.] [Refs - b1450; b2280; b4094; b3865; b0870; b4940]
- e ♀ **f. rileyi** Stoneham, 1938; *Capys* OD: Bull. Stoneham Mus. (36):1 [b4481] SS: *catharus* Riley, 1932; *Capys* [Type: pc-ht; collection of Stoneham Museum.] [TypeL - Western Kenya.] [Check - May be an available name.] [Refs - b1452; b4481; b4400; b2286]
- b **saadii** (Eckweiler & Schurian), 1980; *Neolysandra* OD: *Atalanta* (Münnerstadt) 11(1):77, f [b1470] SS: *coelestina* (Eversmann), 1843; *Polyommatus* (*Neolysandra*) [TypeL - Iran.] [Check - Spelling.] [Refs - b0113]
- a **sakula** Koiwaya, 1993; *Chrysozephyrus* OD: Stud. Chin. Butterflies 2:2, f [b2818] [TypeL - Sichuan, China.] [Check - D'Abbrera attributes the name to Sugiyama, 1992 (Pallarge, 1:2), and places it in *Neozephyrus*.] [Refs - b0126; b1455]
- a **sapho** (Staudinger), [1888], 1884-1888; *Micandra* OD: In Exot. Schmetz. 1:289; 2-pl 97 [b4329] CG: *Theorema* [Type: ZMHU-ht] [TypeL - Rio San Juan, Panamá.] [Check - ZR says *Colombia*.] [Refs - b0908; b4329; b2591; b2592]
- e **semiclara** Tutt, 1907, 1905-1914; *Polyommatus* OD: Nat. Hist. Brit. Butts 2:175 [b4760] SS: *icarus* (Rottemburg), 1775; *Polyommatus* [Check - Reference not found.] [Refs - b4092]
- c **semipersica** Tutt, 1907, 1905-1914; *Polyommatus* OD: Nat. Hist. Brit. Butts 2:175 [b4760] SS: *icarus* (Rottemburg), 1775; *Polyommatus* [Check - Reference not found.] [Refs - b1963; b4092]
- a **serica** (Grum-Grshimailo), 1902; *Lycaena* OD: Annu. Mus. zool. St. Pétersbourg 7:195 [b2071] CG: *Polyommatus* [TypeL - W. China.] [Check - Homonym in need of a replacement.] [Refs - b0236; b0471]
- b **sheljuzhkoiana** (Obraztsov), 1936; *Lycaena* OD: *Lambillionea* 36:12 [b3468] SS: *thersites* (Cantener), 1834; *Polyommatus* (*Plebicula*) [TypeL - Greece.] [Check - Spelling] [Refs - b0074; b0315]
- c **sifanica** (Grum-Grshimailo), 1891; *Lycaena* OD: Horae Soc. ent. ross. 25:450 [b2068] SS: *nausithous* (Bergsträsser), [1779]; *Maculinea* [TypeL - Jakar Mountains.] [Check - Classification?] [Refs - b2479 (as *argyrognomon* ssp); b0236; b4092 (as *argyrognomon* ssp); b0471 (as *argus* ssp)]
- e **ab. sinistraradiata** Saussure, 1914; *Lycaena* OD: Bull. Soc. Léop. Genève 3:79, pl 1, f 13 [b3941] SS: *alciphron* (Rottemburg), 1775; *Lycaena* (*Alciphronia*) [Check - Spelling?] [Refs - b0236; b0389 (as *sinistro-radiata*); b0471]
- c **smaragdinoideus** Staudinger; *Neozephyrus* OD: SS: *taxila* (Bremer), 1861; *Neozephyrus* [Check - Original description.] [Refs - b2463]
- b **sparanis** (Fruhstorfer), 1904; *Thamola* OD: Deut. ent. Zeit. [Rris] 17(1):133 [b1819] SS: *marciana* (Hewitson), [1863]; *Thamala* [Check - Original description not found.] [Refs - b4094; b1454; b4594; b0694]
- b ♀ **f. splendens** Stoneham, 1937; *Uranothauma* OD: Bull. Stoneham Mus. (34):2 [b4480] SS: *antinorii* (Oberthür), 1883; *Uranothauma* [TypeL - Kenya.] [Check - May be an unavailable name.] [Refs - b4400]
- e **ab. subalbolunata** (Tutt), 1912, 1905-1914; *Agriades* OD: Nat. Hist. Brit. Butts 4:14 [b4760] SS: *coridon* (Poda von Neuhaus), 1761; *Polyommatus* (*Lysandra*) [Check - Spelling?] [Refs - b0236; b0471 (as *subalbolunulata*)]
- e **ab. subtuspunctisfortissimis** (Favre), 1903; *Lycaena* OD: Suppl. Faune Valais :4 [b1669] SS: *orbitulus* (Prunner), 1798; *Polyommatus* (*Albulina*) [Check - Original genus] [Refs - b0236; b0471]
- e **ab. supraminusimpunctata** Oberthür, 1896; *Lycaena* OD: Étud. ent. 20:20, f 72 [b3436] SS: *phlaeas* (Linnaeus), 1761; *Lycaena* (*Lycaena*) [Check - Spelling?] [Refs - b0236; b0389 (as *supraminuspunctata*)]
- c **tangutica** (Grum-Grshimailo), 1891; *Lycaena* OD: Horae Soc. ent. ross. 25:452 [b2068] SS: *tengstroemi* (Erschoff), 1874; *Satyrium* (*Rhymnaria*) [TypeL - Tibet.] [Check - Classification.] [Refs - b2479; b5064; b4092; ns3033 (with *davidi*, in *Neolycaena*); b1455]
- b **tartarus** (Fruhstorfer), 1916; *Lycaena* OD: Ent. Rundsch. 33(5):19 [b1875] SS: *eroides* (Staudinger), 1892; *Polyommatus* [Check - Homonym in need of a replacement.] [Refs - b0236; b0471]
- a **tengstroemi** (Erschoff), 1874; *Lycaena* OD: Mém. Soc. amis Sci. nat. Moscou 11(2):11, pl 1, f 8 [b1612] CG: *Satyrium* (*Rhymnaria*) [Type: ZMMU] [TypeL - Jaxartes.] [Check - Spelling.] [Refs - b2988; b0851; b2753; b0996; b2827; b0127; b5064; b4092; ns3032 (*Neolycaena*); b2635 (as *tengstroemii* :311); ns3033 (*Neolycaena*); b1455]

- a **thersamon** (Esper), [1784], 1776-1830; *Papilio* OD: *Die Schmett.* 1(2)(9):176, pl 89, f 6 [b1623] CG: *Lycaena* (*Thersamonia*) [Type of - *Thersamonia*] [*Check - Koçak used hylus for thersamon, but that name is a nomen oblitum and should not be used. An ICZN ruling is needed to protect thersamon.*] [Refs - b1019; b2280; b2375; b3547; b0236; b0389; b0293; b2798; b3910; b1189; b3366; b2753; b2859; b4092; b2302]
- e **thetys** Horsfield, [1828], 1828-1829, (ISS); *Curetis* OD: *Descr. Cat. lepid. Ins.* (1):- [b2457] OS: *thetis* (Drury), [1773]; *Curetis* [*Check - Original description.*] [Refs - b2280; b1019; b2747]
- a **timandra** (Saunders), [1850]; *Erycina* OD: *Trans. ent. Soc. Lond.* (1)5(9):228, pl 23, f 1,1a (nec 2,2a) [b3938] CG: *Chorinea* [TypeL - *Brasilia*; *New Granada*.] [*Check - Primary homonym in need of a replacement.*] [Refs - b2747; b4474; b3938; b1456]
- b **transcaucasiensis**; *Palaeochrysophanus* OD: SS: *hippotoe* (Linnaeus), 1761; *Palaeochrysophanus* [*Check - Original description.*]
- b **transiens** (Stauder), 1925, (H); *Lycaena* OD: *Ent. Anz.* 5(10):74 [b4319] SS: *semiargus* (Rottemburg), 1775; *Polyommatus* (*Cyaniris*) [TypeL - *Alps.*] [*Check - Homonym in need of a replacement.*] [Refs - b0236; b0410; b4319; b0471]
- b **tucumana** Thieme, 1907; *Barbicomis* OD: *Berl. ent. Z.* 52:7, pl 1, f 21 [b4640] SS: *basilis* Godart, [1824]; *Barbicomis* [TypeL - *Argentina.*] [*Check - Classification*] [Refs - b0111; b4474; b1456 (with *acroleuca*)]
- e **ab. unipunctata** (Tut), 1908; *Lycaena* OD: *Ent. Rec.* 20(12):274 [b4762] SS: *orbitulus* (Prunner), 1798; *Polyommatus* (*Albulina*) [*Check - Original genus*] [Refs - b0236; b0471]
- e **ab. unipunctata** Rebel, 1909; *Apelles* OD: *In Berge, Schmetterlingsbuch* (ed. 9) :74 [b3706] SS: *melanops* (Boisduval), [1828]; *Apelles* [*Check - Spelling?*] [Refs - b0236; b0471 (as *unipunctata*)]
- a **vidura** (Horsfield), [1828], 1828-1829; *Thecla* OD: *Descr. Cat. lepid. Ins.* (2):*explic.* pl 1, f 6 [b2457] CG: *Dacalana* [TypeL - *India.*] [Type of - *Dacalana*] [*Check - Original genus.*] [Refs - b0964; b1636; b1153; b2280; b1548; b0965; b4094; b2747; b2201; b1850; b1454; b0694]
- b **walteri** Dantchenko & Lukhtanov, 1993; *Polyommatus* OD: *Atalanta* (Münsterstadt) 24(1/4):75-83 [b1104] SS: *damone* (Eversmann), 1841; *Polyommatus* (*Agrodiaetus*) [*Check - May not go with damone.*]
- b **yatsugabakensis** Murayama, 1954; *Artopoetes* OD: *New Ent.* 3(4):35 [b3279] SS: *pryeri* (Murray), 1873; *Artopoetes* [Type: pc-ht; collection of Murayama.] [TypeL - *Central Honshu, Japan.*] [*Check - Spelling.*] [Refs - b1900 (as *yatsugadakensis*); b0089; b3279; b0089 (as *yatsugatakensis*)]
- a **zanzibarica** Kielland, 1990; *Abisara* OD: *Buts Tanzania* :339, f [b2738] [TypeL - *Tanzania.*] [*Check - Description may be due to Collins.*] [Refs - b0125]
- a **zelomima** Rebel, 1914; *Deudorix* OD: *Annln naturh. Mus. Wien* 28:265, pl 22, f 43 [b3710] CG: *Deudorix* (*Pilodeudorix*) [TypeL - *Tanganyika.*] [*Check - Spelling.*] [Refs - b1452; b2224; b3710; b4400 (as *zelomina*)]
- b **zhicharevi** (Obrazsov), 1936, (H); *Lycaena* OD: *Lambillionea* 36:13 [b3468] SS: *thersites* (Cantener), 1834; *Polyommatus* (*Plebicula*) [TypeL - *Kharkov.*] [*Check - Homonym in need of a replacement.*] [Refs - b0074]



APPENDIX III
BIBLIOGRAPHY ENTRIES
NEEDING ADDITIONAL RESEARCH

Appendix III

LEPIDOPTERA - RIODINIDAE & LYCAENIDAE

Listed here are entries extracted from Part X that are incomplete, or need additional research to establish correct dating, etc.

- André, E.;**
b0058 1901 [Title unknown] *J. Naturalistes* :52, f 1,2.
 [[Description of *Polyommatus regnieri*.]]
- Esaki, Teiso;**
b1617 1934-1938 The Genus *Zephyrus* of Japan, Corea and Formosa. *Zephyrus* 5(2/3):74-86, pl 12; 5(4):194-212, pl 17; 6(1):51-58, pl 5; 6(3/4):195-204, pl 13; 7(2/3):233-234, pl 16.
 [Pagination.] {25 Jan 1934-30 Nov 1938 }
- Johnson, Kurt;**
b2619 1994 New combinations for inclusion in Neotropical Eumaeini genera *Crimsinota* and *Nicolaea* (Lepidoptera, Lycaenidae). *Rep. Mus. Nat. Hist. Univ. Wis. (Stevens Point)* No. 56:-. [In press.]
- Kawazoé, Akito; Wakabayashi, Morio;**
b2707 1976 Gensyoku Nippon Tyorui Zukan [or] Coloured Illustrations of the Butterflies of Japan. Osaka, Hoikusha 12mo vii+422 pp, 72 pl, 80 f. *This may be the 2nd edition.* [Kudma gives the date as 1979.]
- Krod.;**
b2840 1904 [Title unknown] *Ent. Zeit.* 18(14):54. [[Description of *Agrodiaetius gillmeri*.]] {8 Jul 1904 }
- Kyuzaki;**
b2870 1937 [Title unknown] *Ageha* 3:6. [Description of *sagamiensis*. Mentioned in zr1938 (318.3), but title is not listed.]
- Le Moul, Eugène;**
b2946 1947 [Title unknown] *Misc. Ent.* 44:107+. [[Descriptions of *Baltia* aberrations].]
- Marschner, H.;**
b3066 1909 [Title unknown] *Z. wiss. InsektBiol.* 5:166+. [[Description of *Lycaena emulata*.]]
- Matsui, Ichiro;**
b3081 1989 [Title unknown] *New Ent.* 38(3/4):32+. [[Description of *Araragi sugiyamai*.]]
- Oberthür, Charles;**
b3437 1900 [Title unknown] *Feuille jeun. Nat.* 1900:18, f. [[Description of *Aricia impunctata*.]]
- Verity, Ruggero;**
b4864 1951 [Description of *Necovatia*]. *Revue fr. Ent.* 17(Suppl.):183+. [Expand.]
- von Neustetter, Heinrich;**
b4883 1910 [Title unknown] *Jber. Wien. ent. Ver.* 20:8. [[Description of *Lysandra caerulea*.]]
- Vorbrodt, Karl;**
b4886 1917 [Title unknown] *Schm. Schweiz* 2, (Nachtrag) :13. [[Description of *Lycaena paucimaculata*.]]
- Watari, Shokan Musami;**
b4929 1936 [Description of *Zephyrus attilia ab. sayamensis*]. [In Japanese]. *Zephyrus* 6:189. [Title and pagination.]
- Wehrli, Eugène;**
b4972 1920 [Title unknown] *Mitt. ent. Ver. Basel* (12):2, f 24. [[Description of *Lycaena centripuncta*.]]
- Zazzini;**
b5058 1934 *Butts Moths Amer.* [Expand.]





